

# Computer algebra independent integration tests

4-Trig-functions/4.7-Miscellaneous/4.7.7-Trig-functions

Nasser M. Abbasi

May 23, 2020

Compiled on May 23, 2020 at 8:29am

## Contents

|          |   |            |
|----------|---|------------|
| <b>1</b> | <b>Introduction</b>   | <b>3</b>   |
| 1.1      | Listing of CAS systems tested . . . . .                                   | 3          |
| 1.2      | Results . . . . .   | 3          |
| 1.3      | Performance . . . . .   | 5          |
| 1.4      | list of integrals that has no closed form antiderivative . . . . .        | 6          |
| 1.5      | list of integrals solved by CAS but has no known antiderivative . . . . . | 6          |
| 1.6      | list of integrals solved by CAS but failed verification . . . . .         | 6          |
| 1.7      | Timing . . . . .  | 7          |
| 1.8      | Verification . . . . .  | 7          |
| 1.9      | Important notes about some of the results . . . . .                       | 7          |
| 1.10     | Design of the test system . . . . .                                       | 8          |
| <b>2</b> | <b>detailed summary tables of results</b>                                 | <b>11</b>  |
| 2.1      | List of integrals sorted by grade for each CAS . . . . .                  | 11         |
| 2.2      | Detailed conclusion table per each integral for all CAS systems . . . . . | 17         |
| 2.3      | Detailed conclusion table specific for Rubi results . . . . .             | 153        |
| <b>3</b> | <b>Listing of integrals</b>   | <b>177</b> |
| 3.1      | $\int \frac{2}{3-\cos(4+6x)} dx$ . . . . .                                | 177        |
| 3.2      | $\int \frac{2 \csc(4+6x)}{-\cot(4+6x)+3 \csc(4+6x)} dx$ . . . . .         | 180        |
| 3.3      | $\int \frac{1}{1+\sin^2(2+3x)} dx$ . . . . .                              | 183        |
| 3.4      | $\int \frac{1}{2-\cos^2(2+3x)} dx$ . . . . .                              | 186        |
| 3.5      | $\int \frac{1}{\cos^2(2+3x)+2 \sin^2(2+3x)} dx$ . . . . .                 | 189        |
| 3.6      | $\int \frac{\sec^2(2+3x)}{1+2 \tan^2(2+3x)} dx$ . . . . .                 | 192        |
| 3.7      | $\int \frac{\csc^2(2+3x)}{2+\cot^2(2+3x)} dx$ . . . . .                   | 195        |
| 3.8      | $\int \frac{2}{1-3 \cos(4+6x)} dx$ . . . . .                              | 198        |
| 3.9      | $\int \frac{2 \csc(4+6x)}{-3 \cot(4+6x)+\csc(4+6x)} dx$ . . . . .         | 201        |
| 3.10     | $\int \frac{1}{-1+3 \sin^2(2+3x)} dx$ . . . . .                           | 204        |
| 3.11     | $\int \frac{1}{2-3 \cos^2(2+3x)} dx$ . . . . .                            | 207        |
| 3.12     | $\int \frac{1}{-\cos^2(2+3x)+2 \sin^2(2+3x)} dx$ . . . . .                | 210        |
| 3.13     | $\int \frac{\sec^2(2+3x)}{-1+2 \tan^2(2+3x)} dx$ . . . . .                | 213        |

|      |   |     |
|------|---|-----|
| 3.14 | $\int \frac{\csc^2(2+3x)}{2-\cot^2(2+3x)} dx$                                 | 216 |
| 3.15 | $\int \frac{2}{3+\cos(4+6x)} dx$  | 219 |
| 3.16 | $\int \frac{2 \csc(4+6x)}{\cot(4+6x)+3 \csc(4+6x)} dx$                        | 222 |
| 3.17 | $\int \frac{1}{2-\sin^2(2+3x)} dx$  | 225 |
| 3.18 | $\int \frac{1}{1+\cos^2(2+3x)} dx$  | 228 |
| 3.19 | $\int \frac{1}{2 \cos^2(2+3x)+\sin^2(2+3x)} dx$                               | 231 |
| 3.20 | $\int \frac{\sec^2(2+3x)}{2+\tan^2(2+3x)} dx$                                 | 234 |
| 3.21 | $\int \frac{\csc^2(2+3x)}{1+2 \cot^2(2+3x)} dx$                               | 237 |
| 3.22 | $\int -\frac{2}{1+3 \cos(4+6x)} dx$   | 240 |
| 3.23 | $\int -\frac{2 \csc(4+6x)}{3 \cot(4+6x)+\csc(4+6x)} dx$                       | 243 |
| 3.24 | $\int \frac{1}{-2+3 \sin^2(2+3x)} dx$   | 246 |
| 3.25 | $\int \frac{1}{1-3 \cos^2(2+3x)} dx$  | 249 |
| 3.26 | $\int \frac{1}{-2 \cos^2(2+3x)+\sin^2(2+3x)} dx$                              | 252 |
| 3.27 | $\int \frac{\sec^2(2+3x)}{-2+\tan^2(2+3x)} dx$                                | 255 |
| 3.28 | $\int \frac{\csc^2(2+3x)}{1-2 \cot^2(2+3x)} dx$                               | 258 |
| 3.29 | $\int (x + \sin(x))^2 dx$   | 261 |
| 3.30 | $\int (x + \sin(x))^3 dx$   | 264 |
| 3.31 | $\int \frac{\sin(a+bx)}{c+dx^2} dx$   | 267 |
| 3.32 | $\int \frac{\sin(a+bx)}{c+dx+ex^2} dx$  | 270 |
| 3.33 | $\int \frac{\sin(\sqrt{-7+x})}{\sqrt{-7+x}} dx$                               | 274 |
| 3.34 | $\int \frac{\sqrt{b-\frac{a}{x^2}} \sin(x)}{\sqrt{a-bx^2}} dx$                | 277 |
| 3.35 | $\int \frac{1}{x(1+\sin(\log(x)))} dx$  | 280 |
| 3.36 | $\int \sin\left(\frac{a+bx}{c+dx}\right) dx$                                  | 282 |
| 3.37 | $\int \sin^2\left(\frac{a+bx}{c+dx}\right) dx$                                | 285 |
| 3.38 | $\int \sin^3\left(\frac{a+bx}{c+dx}\right) dx$                                | 289 |
| 3.39 | $\int \frac{\sin^3\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx$ | 293 |
| 3.40 | $\int \frac{\sin^2\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx$ | 296 |
| 3.41 | $\int \frac{\sin\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx$   | 299 |
| 3.42 | $\int \frac{\csc\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx$   | 302 |
| 3.43 | $\int \frac{\csc^2\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx$ | 305 |
| 3.44 | $\int (x + \cos(x))^2 dx$   | 308 |
| 3.45 | $\int (x + \cos(x))^3 dx$   | 311 |
| 3.46 | $\int \frac{\cos(a+bx)}{c+dx^2} dx$   | 314 |
| 3.47 | $\int \frac{\cos(a+bx)}{c+dx+ex^2} dx$  | 317 |
| 3.48 | $\int \frac{x \cos(\sqrt{1+x^2})}{\sqrt{1+x^2}} dx$                           | 321 |
| 3.49 | $\int \frac{x \cos(\sqrt{3}\sqrt{2+x^2})}{\sqrt{2+x^2}} dx$                   | 324 |

|      |   |     |
|------|---|-----|
| 3.50 | $\int \frac{(-1+2x) \cos(\sqrt{6+3(-1+2x)^2})}{\sqrt{6+3(-1+2x)^2}} dx$       | 327 |
| 3.51 | $\int \cos\left(\frac{a+bx}{c+dx}\right) dx$                                  | 330 |
| 3.52 | $\int \cos^2\left(\frac{a+bx}{c+dx}\right) dx$                                | 333 |
| 3.53 | $\int \frac{\cos^3\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx$ | 337 |
| 3.54 | $\int \frac{\cos^2\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx$ | 340 |
| 3.55 | $\int \frac{\cos\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx$   | 343 |
| 3.56 | $\int \frac{\sec\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx$   | 346 |
| 3.57 | $\int \frac{\sec^2\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx$ | 349 |
| 3.58 | $\int \frac{\tan(\sqrt{x})}{\sqrt{x}} dx$                                     | 351 |
| 3.59 | $\int \frac{\tan^2(\sqrt{x})}{\sqrt{x}} dx$                                   | 353 |
| 3.60 | $\int \sqrt{x} \tan(\sqrt{x}) dx$   | 356 |
| 3.61 | $\int \left( \frac{b \tan(a+bx+cx^2)}{2c} + x \tan(a+bx+cx^2) \right) dx$     | 359 |
| 3.62 | $\int \frac{\cot^2(\sqrt{x})}{\sqrt{x}} dx$                                   | 362 |
| 3.63 | $\int \frac{\sqrt{a+b \sec(c+dx)}}{1+\cos(c+dx)} dx$                          | 365 |
| 3.64 | $\int \sec(a+bx) \sec(2a+2bx) dx$   | 368 |
| 3.65 | $\int \sec(a+bx) \sec(2(a+bx)) dx$  | 371 |
| 3.66 | $\int \sin(x) \sin(2x) dx$  | 374 |
| 3.67 | $\int \sin(x) \sin(3x) dx$  | 376 |
| 3.68 | $\int \sin(x) \sin(4x) dx$  | 378 |
| 3.69 | $\int \sin(x) \sin(mx) dx$  | 380 |
| 3.70 | $\int \cos(2x) \sin(x) dx$  | 383 |
| 3.71 | $\int \cos(3x) \sin(x) dx$  | 385 |
| 3.72 | $\int \cos(4x) \sin(x) dx$  | 387 |
| 3.73 | $\int \cos(mx) \sin(x) dx$  | 389 |
| 3.74 | $\int \sin(x) \tan(2x) dx$  | 392 |
| 3.75 | $\int \sin(x) \tan(3x) dx$  | 395 |
| 3.76 | $\int \sin(x) \tan(4x) dx$  | 398 |
| 3.77 | $\int \sin(x) \tan(5x) dx$  | 401 |
| 3.78 | $\int \sin(x) \tan(6x) dx$  | 404 |
| 3.79 | $\int \sin(x) \tan(nx) dx$  | 408 |
| 3.80 | $\int \cot(2x) \sin(x) dx$  | 411 |
| 3.81 | $\int \cot(3x) \sin(x) dx$  | 414 |
| 3.82 | $\int \cot(4x) \sin(x) dx$  | 417 |
| 3.83 | $\int \cot(5x) \sin(x) dx$  | 420 |
| 3.84 | $\int \cot(6x) \sin(x) dx$  | 424 |
| 3.85 | $\int \sec(2x) \sin(x) dx$  | 427 |
| 3.86 | $\int \sec(3x) \sin(x) dx$  | 430 |
| 3.87 | $\int \sec(4x) \sin(x) dx$  | 433 |
| 3.88 | $\int \sec(5x) \sin(x) dx$  | 438 |
| 3.89 | $\int \sec(6x) \sin(x) dx$  | 442 |
| 3.90 | $\int \csc(2x) \sin(x) dx$  | 446 |
| 3.91 | $\int \csc(3x) \sin(x) dx$  | 449 |
| 3.92 | $\int \csc(4x) \sin(x) dx$  | 452 |
| 3.93 | $\int \csc(5x) \sin(x) dx$  | 455 |

|       |                                     |     |
|-------|-------------------------------------|-----|
| 3.94  | $\int \csc(6x) \sin(x) dx$          | 458 |
| 3.95  | $\int \csc(x) \sin(3x) dx$          | 461 |
| 3.96  | $\int \csc(3x) \sin(6x) dx$         | 463 |
| 3.97  | $\int \cos(x) \sin(2x) dx$          | 466 |
| 3.98  | $\int \cos(x) \sin(3x) dx$          | 468 |
| 3.99  | $\int \cos(x) \sin(4x) dx$          | 470 |
| 3.100 | $\int \cos(x) \sin(mx) dx$          | 472 |
| 3.101 | $\int \cos(x) \cos(2x) dx$          | 475 |
| 3.102 | $\int \cos(x) \cos(3x) dx$          | 477 |
| 3.103 | $\int \cos(x) \cos(4x) dx$          | 479 |
| 3.104 | $\int \cos(x) \cos(mx) dx$          | 481 |
| 3.105 | $\int \cos(x) \tan(2x) dx$          | 484 |
| 3.106 | $\int \cos(x) \tan(3x) dx$          | 487 |
| 3.107 | $\int \cos(x) \tan(4x) dx$          | 490 |
| 3.108 | $\int \cos(x) \tan(5x) dx$          | 493 |
| 3.109 | $\int \cos(x) \tan(6x) dx$          | 496 |
| 3.110 | $\int \cos(x) \cot(2x) dx$          | 500 |
| 3.111 | $\int \cos(x) \cot(3x) dx$          | 503 |
| 3.112 | $\int \cos(x) \cot(4x) dx$          | 506 |
| 3.113 | $\int \cos(x) \cot(5x) dx$          | 509 |
| 3.114 | $\int \cos(x) \cot(6x) dx$          | 514 |
| 3.115 | $\int \cos(x) \cot(nx) dx$          | 517 |
| 3.116 | $\int \cos(x) \sec(2x) dx$          | 520 |
| 3.117 | $\int \cos(x) \sec(3x) dx$          | 523 |
| 3.118 | $\int \cos(x) \sec(4x) dx$          | 526 |
| 3.119 | $\int \cos(x) \sec(5x) dx$          | 529 |
| 3.120 | $\int \cos(x) \sec(6x) dx$          | 532 |
| 3.121 | $\int \cos(2x) \sec(x) dx$          | 536 |
| 3.122 | $\int \cos(4x) \sec(2x) dx$         | 539 |
| 3.123 | $\int \cos(x) \csc(2x) dx$          | 542 |
| 3.124 | $\int \cos(x) \csc(3x) dx$          | 545 |
| 3.125 | $\int \cos(x) \csc(4x) dx$          | 548 |
| 3.126 | $\int \cos(x) \csc(5x) dx$          | 551 |
| 3.127 | $\int \cos(x) \csc(6x) dx$          | 556 |
| 3.128 | $\int \cos^3(6x) \sin(x) dx$        | 559 |
| 3.129 | $\int \cos^3(6x) \sin(9x) dx$       | 562 |
| 3.130 | $\int \cos(2x) \sin^2(6x) dx$       | 565 |
| 3.131 | $\int \cos(x) \sin^2(6x) dx$        | 568 |
| 3.132 | $\int \cos(x) \sin^3(6x) dx$        | 571 |
| 3.133 | $\int \cos(7x) \sin^3(6x) dx$       | 574 |
| 3.134 | $\int \cos^2(3x) \sin^3(2x) dx$     | 577 |
| 3.135 | $\int \sin(a + bx) \sin(c + bx) dx$ | 580 |
| 3.136 | $\int \sin(c - bx) \sin(a + bx) dx$ | 583 |
| 3.137 | $\int \cos(a + bx) \cos(c + bx) dx$ | 586 |
| 3.138 | $\int \cos(c - bx) \cos(a + bx) dx$ | 589 |
| 3.139 | $\int \tan(a + bx) \tan(c + bx) dx$ | 592 |
| 3.140 | $\int \tan(c - bx) \tan(a + bx) dx$ | 598 |
| 3.141 | $\int \cot(a + bx) \cot(c + bx) dx$ | 604 |
| 3.142 | $\int \cot(c - bx) \cot(a + bx) dx$ | 607 |
| 3.143 | $\int \sec(a + bx) \sec(c + bx) dx$ | 610 |
| 3.144 | $\int \sec(c - bx) \sec(a + bx) dx$ | 613 |
| 3.145 | $\int \csc(a + bx) \csc(c + bx) dx$ | 616 |
| 3.146 | $\int \csc(c - bx) \csc(a + bx) dx$ | 619 |
| 3.147 | $\int \sqrt{\sin(x) \tan(x)} dx$    | 622 |



|       |  |     |
|-------|--|-----|
| 3.148 | $\int (\sin(x) \tan(x))^{3/2} dx$                                      | 625 |
| 3.149 | $\int (\sin(x) \tan(x))^{5/2} dx$                                      | 628 |
| 3.150 | $\int \sqrt{\cos(x) \cot(x)} dx$                                       | 631 |
| 3.151 | $\int (\cos(x) \cot(x))^{3/2} dx$                                      | 634 |
| 3.152 | $\int (\cos(x) \cot(x))^{5/2} dx$                                      | 637 |
| 3.153 | $\int \frac{x \cos(x)}{(a+b \sin(x))^2} dx$                            | 640 |
| 3.154 | $\int \frac{x \cos(x)}{(a+b \sin(x))^3} dx$                            | 643 |
| 3.155 | $\int \frac{x \sin(x)}{(a+b \cos(x))^2} dx$                            | 647 |
| 3.156 | $\int \frac{x \sin(x)}{(a+b \cos(x))^3} dx$                            | 650 |
| 3.157 | $\int \frac{x \sec^2(x)}{(a+b \tan(x))^2} dx$                          | 653 |
| 3.158 | $\int \frac{x \csc^2(x)}{(a+b \cot(x))^2} dx$                          | 656 |
| 3.159 | $\int \frac{\sec^2(c+dx)}{a+b \tan^2(c+dx)} dx$                        | 659 |
| 3.160 | $\int \frac{x \sec^2(c+dx)}{a+b \tan^2(c+dx)} dx$                      | 662 |
| 3.161 | $\int \frac{x^2 \sec^2(c+dx)}{a+b \tan^2(c+dx)} dx$                    | 667 |
| 3.162 | $\int \frac{\sec^2(c+dx)}{a+c \sec^2(c+dx)+b \tan^2(c+dx)} dx$         | 674 |
| 3.163 | $\int \frac{x \sec^2(c+dx)}{a+c \sec^2(c+dx)+b \tan^2(c+dx)} dx$       | 677 |
| 3.164 | $\int \frac{x^2 \sec^2(c+dx)}{a+c \sec^2(c+dx)+b \tan^2(c+dx)} dx$     | 683 |
| 3.165 | $\int x^3 \sqrt{a-a \sin(e+fx)} \sqrt{c+c \sin(e+fx)} dx$              | 691 |
| 3.166 | $\int x^2 \sqrt{a-a \sin(e+fx)} \sqrt{c+c \sin(e+fx)} dx$              | 694 |
| 3.167 | $\int x \sqrt{a-a \sin(e+fx)} \sqrt{c+c \sin(e+fx)} dx$                | 697 |
| 3.168 | $\int \frac{\sqrt{a-a \sin(e+fx)} \sqrt{c+c \sin(e+fx)}}{x} dx$        | 700 |
| 3.169 | $\int \frac{\sqrt{a-a \sin(e+fx)} \sqrt{c+c \sin(e+fx)}}{x^2} dx$      | 703 |
| 3.170 | $\int \frac{\sqrt{a-a \sin(e+fx)} \sqrt{c+c \sin(e+fx)}}{x^3} dx$      | 706 |
| 3.171 | $\int x^3 \sqrt{a-a \sin(e+fx)} (c+c \sin(e+fx))^{3/2} dx$             | 709 |
| 3.172 | $\int x^2 \sqrt{a-a \sin(e+fx)} (c+c \sin(e+fx))^{3/2} dx$             | 713 |
| 3.173 | $\int x \sqrt{a-a \sin(e+fx)} (c+c \sin(e+fx))^{3/2} dx$               | 717 |
| 3.174 | $\int \frac{\sqrt{a-a \sin(e+fx)} (c+c \sin(e+fx))^{3/2}}{x} dx$       | 720 |
| 3.175 | $\int \frac{\sqrt{a-a \sin(e+fx)} (c+c \sin(e+fx))^{3/2}}{x^2} dx$     | 723 |
| 3.176 | $\int \frac{\sqrt{a-a \sin(e+fx)} (c+c \sin(e+fx))^{3/2}}{x^3} dx$     | 727 |
| 3.177 | $\int \frac{(g+hx)^3 \sqrt{a-a \sin(e+fx)}}{\sqrt{c+c \sin(e+fx)}} dx$ | 731 |
| 3.178 | $\int \frac{(g+hx)^2 \sqrt{a-a \sin(e+fx)}}{\sqrt{c+c \sin(e+fx)}} dx$ | 736 |
| 3.179 | $\int \frac{(g+hx) \sqrt{a-a \sin(e+fx)}}{\sqrt{c+c \sin(e+fx)}} dx$   | 741 |
| 3.180 | $\int \frac{\sqrt{a-a \sin(e+fx)}}{(g+hx) \sqrt{c+c \sin(e+fx)}} dx$   | 745 |
| 3.181 | $\int \frac{x^3 \sqrt{a-a \sin(e+fx)}}{(c+c \sin(e+fx))^{3/2}} dx$     | 748 |
| 3.182 | $\int \frac{x^2 \sqrt{a-a \sin(e+fx)}}{(c+c \sin(e+fx))^{3/2}} dx$     | 754 |
| 3.183 | $\int \frac{x \sqrt{a-a \sin(e+fx)}}{(c+c \sin(e+fx))^{3/2}} dx$       | 759 |
| 3.184 | $\int \frac{z^2 \sqrt{1+\cos(z)}}{\sqrt{1-\cos(z)}} dz$                | 763 |
| 3.185 | $\int (a+a \cos(x))(A+B \sec(x)) dx$                                   | 767 |
| 3.186 | $\int (a+a \cos(x))^2 (A+B \sec(x)) dx$                                | 770 |
| 3.187 | $\int (a+a \cos(x))^3 (A+B \sec(x)) dx$                                | 773 |
| 3.188 | $\int (a+a \cos(x))^4 (A+B \sec(x)) dx$                                | 777 |
| 3.189 | $\int \frac{A+B \sec(x)}{a+a \cos(x)} dx$                              | 781 |

|       |  |     |
|-------|--|-----|
| 3.190 | $\int \frac{A+B \sec(x)}{(a+a \cos(x))^2} dx$              | 784 |
| 3.191 | $\int \frac{A+B \sec(x)}{(a+a \cos(x))^3} dx$              | 787 |
| 3.192 | $\int \frac{A+B \sec(x)}{(a+a \cos(x))^4} dx$              | 790 |
| 3.193 | $\int (a+a \cos(x))^{5/2}(A+B \sec(x)) dx$                 | 793 |
| 3.194 | $\int (a+a \cos(x))^{3/2}(A+B \sec(x)) dx$                 | 797 |
| 3.195 | $\int \sqrt{a+a \cos(x)}(A+B \sec(x)) dx$                  | 800 |
| 3.196 | $\int \frac{A+B \sec(x)}{\sqrt{a+a \cos(x)}} dx$           | 803 |
| 3.197 | $\int \frac{A+B \sec(x)}{(a+a \cos(x))^{3/2}} dx$          | 806 |
| 3.198 | $\int \frac{A+B \sec(x)}{(a+a \cos(x))^{5/2}} dx$          | 810 |
| 3.199 | $\int \frac{x(b+a \sin(x))}{(a+b \sin(x))^2} dx$           | 814 |
| 3.200 | $\int \frac{x(b+a \cos(x))}{(a+b \cos(x))^2} dx$           | 817 |
| 3.201 | $\int \frac{1+\sin^2(x)}{1-\sin^2(x)} dx$                  | 820 |
| 3.202 | $\int \frac{1-\sin^2(x)}{1+\sin^2(x)} dx$                  | 823 |
| 3.203 | $\int \frac{1+\cos^2(x)}{1-\cos^2(x)} dx$                  | 826 |
| 3.204 | $\int \frac{1-\cos^2(x)}{1+\cos^2(x)} dx$                  | 829 |
| 3.205 | $\int \frac{-1+\frac{c^2}{d^2}+\sin^2(x)}{c+d \cos(x)} dx$ | 832 |
| 3.206 | $\int \frac{a+b \sin^2(x)}{c+d \cos(x)} dx$                | 835 |
| 3.207 | $\int \frac{a+b \sin^2(x)}{c+c \cos^2(x)} dx$              | 838 |
| 3.208 | $\int \frac{a+b \sin^2(x)}{c-c \cos^2(x)} dx$              | 841 |
| 3.209 | $\int \frac{a+b \sin^2(x)}{c+d \cos^2(x)} dx$              | 844 |
| 3.210 | $\int \frac{-1+\frac{c^2}{d^2}+\cos^2(x)}{c+d \sin(x)} dx$ | 847 |
| 3.211 | $\int \frac{a+b \cos^2(x)}{c+d \sin(x)} dx$                | 850 |
| 3.212 | $\int \frac{a+b \cos^2(x)}{c+c \sin^2(x)} dx$              | 854 |
| 3.213 | $\int \frac{a+b \cos^2(x)}{c-c \sin^2(x)} dx$              | 857 |
| 3.214 | $\int \frac{a+b \cos^2(x)}{c+d \sin^2(x)} dx$              | 860 |
| 3.215 | $\int \frac{a+b \sec^2(x)}{c+d \cos(x)} dx$                | 863 |
| 3.216 | $\int \frac{a+b \csc^2(x)}{c+d \sin(x)} dx$                | 867 |
| 3.217 | $\int (a \cos(c+dx)+b \sin(c+dx))^n dx$                    | 871 |
| 3.218 | $\int (2 \cos(c+dx)+3 \sin(c+dx))^n dx$                    | 874 |
| 3.219 | $\int (a \cos(c+dx)+b \sin(c+dx))^7 dx$                    | 877 |
| 3.220 | $\int (a \cos(c+dx)+b \sin(c+dx))^6 dx$                    | 880 |
| 3.221 | $\int (a \cos(c+dx)+b \sin(c+dx))^5 dx$                    | 884 |
| 3.222 | $\int (a \cos(c+dx)+b \sin(c+dx))^4 dx$                    | 887 |
| 3.223 | $\int (a \cos(c+dx)+b \sin(c+dx))^3 dx$                    | 890 |
| 3.224 | $\int (a \cos(c+dx)+b \sin(c+dx))^2 dx$                    | 893 |
| 3.225 | $\int (a \cos(c+dx)+b \sin(c+dx)) dx$                      | 896 |
| 3.226 | $\int \frac{1}{a \cos(c+dx)+b \sin(c+dx)} dx$              | 899 |
| 3.227 | $\int \frac{1}{(a \cos(c+dx)+b \sin(c+dx))^2} dx$          | 902 |
| 3.228 | $\int \frac{1}{(a \cos(c+dx)+b \sin(c+dx))^3} dx$          | 904 |
| 3.229 | $\int \frac{1}{(a \cos(c+dx)+b \sin(c+dx))^4} dx$          | 907 |
| 3.230 | $\int \frac{1}{(a \cos(c+dx)+b \sin(c+dx))^5} dx$          | 910 |

|       |  |      |
|-------|--|------|
| 3.231 | $\int \frac{1}{(a \cos(c+dx)+b \sin(c+dx))^6} dx$      | 914  |
| 3.232 | $\int (a \cos(c+dx)+b \sin(c+dx))^{7/2} dx$            | 917  |
| 3.233 | $\int (a \cos(c+dx)+b \sin(c+dx))^{5/2} dx$            | 920  |
| 3.234 | $\int (a \cos(c+dx)+b \sin(c+dx))^{3/2} dx$            | 923  |
| 3.235 | $\int \sqrt{a \cos(c+dx)+b \sin(c+dx)} dx$             | 926  |
| 3.236 | $\int \frac{1}{\sqrt{a \cos(c+dx)+b \sin(c+dx)}} dx$   | 929  |
| 3.237 | $\int \frac{1}{(a \cos(c+dx)+b \sin(c+dx))^{3/2}} dx$  | 932  |
| 3.238 | $\int \frac{1}{(a \cos(c+dx)+b \sin(c+dx))^{5/2}} dx$  | 935  |
| 3.239 | $\int \frac{1}{(a \cos(c+dx)+b \sin(c+dx))^{7/2}} dx$  | 938  |
| 3.240 | $\int (2 \cos(c+dx)+3 \sin(c+dx))^{7/2} dx$            | 941  |
| 3.241 | $\int (2 \cos(c+dx)+3 \sin(c+dx))^{5/2} dx$            | 944  |
| 3.242 | $\int (2 \cos(c+dx)+3 \sin(c+dx))^{3/2} dx$            | 947  |
| 3.243 | $\int \sqrt{2 \cos(c+dx)+3 \sin(c+dx)} dx$             | 950  |
| 3.244 | $\int \frac{1}{\sqrt{2 \cos(c+dx)+3 \sin(c+dx)}} dx$   | 953  |
| 3.245 | $\int \frac{1}{(2 \cos(c+dx)+3 \sin(c+dx))^{3/2}} dx$  | 956  |
| 3.246 | $\int \frac{1}{(2 \cos(c+dx)+3 \sin(c+dx))^{5/2}} dx$  | 959  |
| 3.247 | $\int \frac{1}{(2 \cos(c+dx)+3 \sin(c+dx))^{7/2}} dx$  | 962  |
| 3.248 | $\int (a \cos(c+dx)+ia \sin(c+dx))^n dx$               | 965  |
| 3.249 | $\int (a \cos(c+dx)+ia \sin(c+dx))^4 dx$               | 968  |
| 3.250 | $\int (a \cos(c+dx)+ia \sin(c+dx))^3 dx$               | 971  |
| 3.251 | $\int (a \cos(c+dx)+ia \sin(c+dx))^2 dx$               | 973  |
| 3.252 | $\int (a \cos(c+dx)+ia \sin(c+dx)) dx$                 | 975  |
| 3.253 | $\int \frac{1}{a \cos(c+dx)+ia \sin(c+dx)} dx$         | 978  |
| 3.254 | $\int \frac{1}{(a \cos(c+dx)+ia \sin(c+dx))^2} dx$     | 980  |
| 3.255 | $\int \frac{1}{(a \cos(c+dx)+ia \sin(c+dx))^3} dx$     | 982  |
| 3.256 | $\int \frac{1}{(a \cos(c+dx)+ia \sin(c+dx))^4} dx$     | 984  |
| 3.257 | $\int (a \cos(c+dx)+ia \sin(c+dx))^{5/2} dx$           | 986  |
| 3.258 | $\int (a \cos(c+dx)+ia \sin(c+dx))^{3/2} dx$           | 988  |
| 3.259 | $\int \sqrt{a \cos(c+dx)+ia \sin(c+dx)} dx$            | 990  |
| 3.260 | $\int \frac{1}{\sqrt{a \cos(c+dx)+ia \sin(c+dx)}} dx$  | 992  |
| 3.261 | $\int \frac{1}{(a \cos(c+dx)+ia \sin(c+dx))^{3/2}} dx$ | 995  |
| 3.262 | $\int \frac{1}{(a \cos(c+dx)+ia \sin(c+dx))^{5/2}} dx$ | 998  |
| 3.263 | $\int (a \sec(x)+b \tan(x))^5 dx$                      | 1001 |
| 3.264 | $\int (a \sec(x)+b \tan(x))^4 dx$                      | 1005 |
| 3.265 | $\int (a \sec(x)+b \tan(x))^3 dx$                      | 1008 |
| 3.266 | $\int (a \sec(x)+b \tan(x))^2 dx$                      | 1011 |
| 3.267 | $\int (a \sec(x)+b \tan(x)) dx$                        | 1014 |
| 3.268 | $\int \frac{1}{a \sec(x)+b \tan(x)} dx$                | 1016 |
| 3.269 | $\int \frac{1}{(a \sec(x)+b \tan(x))^2} dx$            | 1019 |
| 3.270 | $\int \frac{1}{(a \sec(x)+b \tan(x))^3} dx$            | 1023 |
| 3.271 | $\int \frac{1}{(a \sec(x)+b \tan(x))^4} dx$            | 1026 |
| 3.272 | $\int \frac{1}{(a \sec(x)+b \tan(x))^5} dx$            | 1032 |
| 3.273 | $\int (\sec(x)+\tan(x))^5 dx$                          | 1036 |
| 3.274 | $\int (\sec(x)+\tan(x))^4 dx$                          | 1039 |
| 3.275 | $\int (\sec(x)+\tan(x))^3 dx$                          | 1042 |
| 3.276 | $\int (\sec(x)+\tan(x))^2 dx$                          | 1045 |
| 3.277 | $\int (\sec(x)+\tan(x)) dx$                            | 1048 |

|       |   |      |
|-------|---|------|
| 3.278 | $\int \frac{1}{\sec(x)+\tan(x)} dx$         | 1050 |
| 3.279 | $\int \frac{1}{(\sec(x)+\tan(x))^2} dx$     | 1053 |
| 3.280 | $\int \frac{1}{(\sec(x)+\tan(x))^3} dx$     | 1056 |
| 3.281 | $\int \frac{1}{(\sec(x)+\tan(x))^4} dx$     | 1059 |
| 3.282 | $\int \frac{1}{(\sec(x)+\tan(x))^5} dx$     | 1062 |
| 3.283 | $\int (a \cot(x) + b \csc(x))^5 dx$         | 1065 |
| 3.284 | $\int (a \cot(x) + b \csc(x))^4 dx$         | 1069 |
| 3.285 | $\int (a \cot(x) + b \csc(x))^3 dx$         | 1072 |
| 3.286 | $\int (a \cot(x) + b \csc(x))^2 dx$         | 1075 |
| 3.287 | $\int (a \cot(x) + b \csc(x)) dx$           | 1078 |
| 3.288 | $\int \frac{1}{a \cot(x)+b \csc(x)} dx$     | 1080 |
| 3.289 | $\int \frac{1}{(a \cot(x)+b \csc(x))^2} dx$ | 1083 |
| 3.290 | $\int \frac{1}{(a \cot(x)+b \csc(x))^3} dx$ | 1086 |
| 3.291 | $\int \frac{1}{(a \cot(x)+b \csc(x))^4} dx$ | 1089 |
| 3.292 | $\int \frac{1}{(a \cot(x)+b \csc(x))^5} dx$ | 1093 |
| 3.293 | $\int (\cot(x) + \csc(x))^5 dx$             | 1096 |
| 3.294 | $\int (\cot(x) + \csc(x))^4 dx$             | 1099 |
| 3.295 | $\int (\cot(x) + \csc(x))^3 dx$             | 1102 |
| 3.296 | $\int (\cot(x) + \csc(x))^2 dx$             | 1105 |
| 3.297 | $\int (\cot(x) + \csc(x)) dx$               | 1108 |
| 3.298 | $\int \frac{1}{\cot(x)+\csc(x)} dx$         | 1110 |
| 3.299 | $\int \frac{1}{(\cot(x)+\csc(x))^2} dx$     | 1113 |
| 3.300 | $\int \frac{1}{(\cot(x)+\csc(x))^3} dx$     | 1116 |
| 3.301 | $\int \frac{1}{(\cot(x)+\csc(x))^4} dx$     | 1119 |
| 3.302 | $\int \frac{1}{(\cot(x)+\csc(x))^5} dx$     | 1122 |
| 3.303 | $\int (\csc(x) - \sin(x))^4 dx$             | 1125 |
| 3.304 | $\int (\csc(x) - \sin(x))^3 dx$             | 1128 |
| 3.305 | $\int (\csc(x) - \sin(x))^2 dx$             | 1131 |
| 3.306 | $\int (\csc(x) - \sin(x)) dx$               | 1134 |
| 3.307 | $\int \frac{1}{\csc(x)-\sin(x)} dx$         | 1136 |
| 3.308 | $\int \frac{1}{(\csc(x)-\sin(x))^2} dx$     | 1139 |
| 3.309 | $\int \frac{1}{(\csc(x)-\sin(x))^3} dx$     | 1141 |
| 3.310 | $\int \frac{1}{(\csc(x)-\sin(x))^4} dx$     | 1144 |
| 3.311 | $\int \frac{1}{(\csc(x)-\sin(x))^5} dx$     | 1146 |
| 3.312 | $\int \frac{1}{(\csc(x)-\sin(x))^6} dx$     | 1149 |
| 3.313 | $\int \frac{1}{(\csc(x)-\sin(x))^7} dx$     | 1151 |
| 3.314 | $\int (\csc(x) - \sin(x))^{7/2} dx$         | 1154 |
| 3.315 | $\int (\csc(x) - \sin(x))^{5/2} dx$         | 1158 |
| 3.316 | $\int (\csc(x) - \sin(x))^{3/2} dx$         | 1161 |
| 3.317 | $\int \sqrt{\csc(x) - \sin(x)} dx$          | 1164 |
| 3.318 | $\int \frac{1}{\sqrt{\csc(x)-\sin(x)}} dx$  | 1167 |
| 3.319 | $\int \frac{1}{(\csc(x)-\sin(x))^{3/2}} dx$ | 1171 |
| 3.320 | $\int \frac{1}{(\csc(x)-\sin(x))^{5/2}} dx$ | 1175 |
| 3.321 | $\int \frac{1}{(\csc(x)-\sin(x))^{7/2}} dx$ | 1180 |
| 3.322 | $\int (-\cos(x) + \sec(x))^4 dx$            | 1185 |
| 3.323 | $\int (-\cos(x) + \sec(x))^3 dx$            | 1188 |

|       |   |      |
|-------|---|------|
| 3.324 | $\int (-\cos(x) + \sec(x))^2 dx$  | 1191 |
| 3.325 | $\int (-\cos(x) + \sec(x)) dx$  | 1194 |
| 3.326 | $\int \frac{1}{-\cos(x) + \sec(x)} dx$  | 1196 |
| 3.327 | $\int \frac{1}{(-\cos(x) + \sec(x))^2} dx$  | 1199 |
| 3.328 | $\int \frac{1}{(-\cos(x) + \sec(x))^3} dx$  | 1201 |
| 3.329 | $\int \frac{1}{(-\cos(x) + \sec(x))^4} dx$  | 1204 |
| 3.330 | $\int \frac{1}{(-\cos(x) + \sec(x))^5} dx$  | 1206 |
| 3.331 | $\int \frac{1}{(-\cos(x) + \sec(x))^6} dx$  | 1209 |
| 3.332 | $\int \frac{1}{(-\cos(x) + \sec(x))^7} dx$  | 1212 |
| 3.333 | $\int (-\cos(x) + \sec(x))^{7/2} dx$  | 1215 |
| 3.334 | $\int (-\cos(x) + \sec(x))^{5/2} dx$  | 1219 |
| 3.335 | $\int (-\cos(x) + \sec(x))^{3/2} dx$  | 1222 |
| 3.336 | $\int \sqrt{-\cos(x) + \sec(x)} dx$   | 1225 |
| 3.337 | $\int \frac{1}{\sqrt{-\cos(x) + \sec(x)}} dx$   | 1228 |
| 3.338 | $\int \frac{1}{(-\cos(x) + \sec(x))^{3/2}} dx$  | 1232 |
| 3.339 | $\int \frac{1}{(-\cos(x) + \sec(x))^{5/2}} dx$  | 1236 |
| 3.340 | $\int \frac{1}{(-\cos(x) + \sec(x))^{7/2}} dx$  | 1241 |
| 3.341 | $\int (\sin(x) + \tan(x))^4 dx$   | 1246 |
| 3.342 | $\int (\sin(x) + \tan(x))^3 dx$   | 1250 |
| 3.343 | $\int (\sin(x) + \tan(x))^2 dx$   | 1253 |
| 3.344 | $\int (\sin(x) + \tan(x)) dx$   | 1256 |
| 3.345 | $\int \frac{1}{\sin(x) + \tan(x)} dx$   | 1258 |
| 3.346 | $\int \frac{1}{(\sin(x) + \tan(x))^2} dx$   | 1261 |
| 3.347 | $\int \frac{1}{(\sin(x) + \tan(x))^3} dx$   | 1264 |
| 3.348 | $\int \frac{1}{(\sin(x) + \tan(x))^4} dx$   | 1267 |
| 3.349 | $\int \frac{A + C \sin(x)}{b \cos(x) + c \sin(x)} dx$                                   | 1270 |
| 3.350 | $\int \frac{A + C \sin(x)}{(b \cos(x) + c \sin(x))^2} dx$                               | 1273 |
| 3.351 | $\int \frac{A + C \sin(x)}{(b \cos(x) + c \sin(x))^3} dx$                               | 1276 |
| 3.352 | $\int \frac{A + B \cos(x)}{b \cos(x) + c \sin(x)} dx$                                   | 1280 |
| 3.353 | $\int \frac{A + B \cos(x)}{(b \cos(x) + c \sin(x))^2} dx$                               | 1283 |
| 3.354 | $\int \frac{A + B \cos(x)}{(b \cos(x) + c \sin(x))^3} dx$                               | 1286 |
| 3.355 | $\int \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^4 dx$           | 1290 |
| 3.356 | $\int \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^3 dx$           | 1294 |
| 3.357 | $\int \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^2 dx$           | 1298 |
| 3.358 | $\int \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right) dx$             | 1301 |
| 3.359 | $\int \frac{1}{\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)} dx$                  | 1303 |
| 3.360 | $\int \frac{1}{\left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^2} dx$ | 1306 |
| 3.361 | $\int \frac{1}{\left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^3} dx$ | 1309 |
| 3.362 | $\int \frac{1}{\left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^4} dx$ | 1313 |
| 3.363 | $\int (2a + 2a \cos(d + ex) + 2c \sin(d + ex))^3 dx$                                    | 1317 |
| 3.364 | $\int (2a + 2a \cos(d + ex) + 2c \sin(d + ex))^2 dx$                                    | 1320 |
| 3.365 | $\int (2a + 2a \cos(d + ex) + 2c \sin(d + ex)) dx$                                      | 1323 |

|       |   |      |
|-------|---|------|
| 3.366 | $\int \frac{1}{2a+2a \cos(d+ex)+2c \sin(d+ex)} dx$      | 1326 |
| 3.367 | $\int \frac{1}{(2a+2a \cos(d+ex)+2c \sin(d+ex))^2} dx$  | 1329 |
| 3.368 | $\int \frac{1}{(2a+2a \cos(d+ex)+2c \sin(d+ex))^3} dx$  | 1332 |
| 3.369 | $\int \frac{1}{(2a+2a \cos(d+ex)+2c \sin(d+ex))^4} dx$  | 1336 |
| 3.370 | $\int \frac{1}{2a+2a \cos(d+ex)+2a \sin(d+ex)} dx$      | 1340 |
| 3.371 | $\int \frac{1}{(2a+2a \cos(d+ex)+2a \sin(d+ex))^2} dx$  | 1343 |
| 3.372 | $\int \frac{1}{(2a+2a \cos(d+ex)+2a \sin(d+ex))^3} dx$  | 1346 |
| 3.373 | $\int \frac{1}{(2a+2a \cos(d+ex)+2a \sin(d+ex))^4} dx$  | 1350 |
| 3.374 | $\int (2a - 2a \cos(d + ex) + 2c \sin(d + ex))^3 dx$    | 1354 |
| 3.375 | $\int (2a - 2a \cos(d + ex) + 2c \sin(d + ex))^2 dx$    | 1357 |
| 3.376 | $\int (2a - 2a \cos(d + ex) + 2c \sin(d + ex)) dx$      | 1360 |
| 3.377 | $\int \frac{1}{2a-2a \cos(d+ex)+2c \sin(d+ex)} dx$      | 1363 |
| 3.378 | $\int \frac{1}{(2a-2a \cos(d+ex)+2c \sin(d+ex))^2} dx$  | 1366 |
| 3.379 | $\int \frac{1}{(2a-2a \cos(d+ex)+2c \sin(d+ex))^3} dx$  | 1369 |
| 3.380 | $\int \frac{1}{(2a-2a \cos(d+ex)+2c \sin(d+ex))^4} dx$  | 1373 |
| 3.381 | $\int (2a + 2b \cos(d + ex) + 2a \sin(d + ex))^3 dx$    | 1377 |
| 3.382 | $\int (2a + 2b \cos(d + ex) + 2a \sin(d + ex))^2 dx$    | 1380 |
| 3.383 | $\int (2a + 2b \cos(d + ex) + 2a \sin(d + ex)) dx$      | 1383 |
| 3.384 | $\int \frac{1}{2a+2b \cos(d+ex)+2a \sin(d+ex)} dx$      | 1386 |
| 3.385 | $\int \frac{1}{(2a+2b \cos(d+ex)+2a \sin(d+ex))^2} dx$  | 1389 |
| 3.386 | $\int \frac{1}{(2a+2b \cos(d+ex)+2a \sin(d+ex))^3} dx$  | 1392 |
| 3.387 | $\int \frac{1}{(2a+2b \cos(d+ex)+2a \sin(d+ex))^4} dx$  | 1396 |
| 3.388 | $\int (2a + 2b \cos(d + ex) - 2a \sin(d + ex))^3 dx$    | 1401 |
| 3.389 | $\int (2a + 2b \cos(d + ex) - 2a \sin(d + ex))^2 dx$    | 1404 |
| 3.390 | $\int (2a + 2b \cos(d + ex) - 2a \sin(d + ex)) dx$      | 1407 |
| 3.391 | $\int \frac{1}{2a+2b \cos(d+ex)-2a \sin(d+ex)} dx$      | 1410 |
| 3.392 | $\int \frac{1}{(2a+2b \cos(d+ex)-2a \sin(d+ex))^2} dx$  | 1413 |
| 3.393 | $\int \frac{1}{(2a+2b \cos(d+ex)-2a \sin(d+ex))^3} dx$  | 1416 |
| 3.394 | $\int \frac{1}{(2a+2b \cos(d+ex)-2a \sin(d+ex))^4} dx$  | 1420 |
| 3.395 | $\int (a + b \cos(d + ex) + c \sin(d + ex))^4 dx$       | 1425 |
| 3.396 | $\int (a + b \cos(d + ex) + c \sin(d + ex))^3 dx$       | 1429 |
| 3.397 | $\int (a + b \cos(d + ex) + c \sin(d + ex))^2 dx$       | 1432 |
| 3.398 | $\int (a + b \cos(d + ex) + c \sin(d + ex)) dx$         | 1435 |
| 3.399 | $\int \frac{1}{a+b \cos(d+ex)+c \sin(d+ex)} dx$         | 1438 |
| 3.400 | $\int \frac{1}{(a+b \cos(d+ex)+c \sin(d+ex))^2} dx$     | 1441 |
| 3.401 | $\int \frac{1}{(a+b \cos(d+ex)+c \sin(d+ex))^3} dx$     | 1445 |
| 3.402 | $\int \frac{1}{(a+b \cos(d+ex)+c \sin(d+ex))^4} dx$     | 1451 |
| 3.403 | $\int (2 + 3 \cos(d + ex) + 5 \sin(d + ex))^{5/2} dx$   | 1457 |
| 3.404 | $\int (2 + 3 \cos(d + ex) + 5 \sin(d + ex))^{3/2} dx$   | 1461 |
| 3.405 | $\int \sqrt{2 + 3 \cos(d + ex) + 5 \sin(d + ex)} dx$    | 1465 |
| 3.406 | $\int \frac{1}{\sqrt{2+3 \cos(d+ex)+5 \sin(d+ex)}} dx$  | 1468 |
| 3.407 | $\int \frac{1}{(2+3 \cos(d+ex)+5 \sin(d+ex))^{3/2}} dx$ | 1471 |
| 3.408 | $\int \frac{1}{(2+3 \cos(d+ex)+5 \sin(d+ex))^{5/2}} dx$ | 1475 |
| 3.409 | $\int \frac{1}{(2+3 \cos(d+ex)+5 \sin(d+ex))^{7/2}} dx$ | 1479 |
| 3.410 | $\int (a + b \cos(d + ex) + c \sin(d + ex))^{5/2} dx$   | 1484 |
| 3.411 | $\int (a + b \cos(d + ex) + c \sin(d + ex))^{3/2} dx$   | 1490 |

|       |  |      |
|-------|--|------|
| 3.412 | $\int \frac{1}{\sqrt{a+b \cos(d+ex)+c \sin(d+ex)}} dx$                             | 1495 |
| 3.413 | $\int \frac{1}{\sqrt{a+b \cos(d+ex)+c \sin(d+ex)}} dx$                             | 1498 |
| 3.414 | $\int \frac{1}{(a+b \cos(d+ex)+c \sin(d+ex))^{3/2}} dx$                            | 1501 |
| 3.415 | $\int \frac{1}{(a+b \cos(d+ex)+c \sin(d+ex))^{5/2}} dx$                            | 1506 |
| 3.416 | $\int \frac{1}{(a+b \cos(d+ex)+c \sin(d+ex))^{7/2}} dx$                            | 1512 |
| 3.417 | $\int (5+4 \cos(d+ex)+3 \sin(d+ex))^{5/2} dx$                                      | 1519 |
| 3.418 | $\int (5+4 \cos(d+ex)+3 \sin(d+ex))^{3/2} dx$                                      | 1522 |
| 3.419 | $\int \sqrt{5+4 \cos(d+ex)+3 \sin(d+ex)} dx$                                       | 1525 |
| 3.420 | $\int \frac{1}{\sqrt{5+4 \cos(d+ex)+3 \sin(d+ex)}} dx$                             | 1528 |
| 3.421 | $\int \frac{1}{(5+4 \cos(d+ex)+3 \sin(d+ex))^{3/2}} dx$                            | 1531 |
| 3.422 | $\int \frac{1}{(5+4 \cos(d+ex)+3 \sin(d+ex))^{5/2}} dx$                            | 1535 |
| 3.423 | $\int (-5+4 \cos(d+ex)+3 \sin(d+ex))^{7/2} dx$                                     | 1539 |
| 3.424 | $\int (-5+4 \cos(d+ex)+3 \sin(d+ex))^{5/2} dx$                                     | 1542 |
| 3.425 | $\int (-5+4 \cos(d+ex)+3 \sin(d+ex))^{3/2} dx$                                     | 1545 |
| 3.426 | $\int \sqrt{-5+4 \cos(d+ex)+3 \sin(d+ex)} dx$                                      | 1548 |
| 3.427 | $\int \frac{1}{\sqrt{-5+4 \cos(d+ex)+3 \sin(d+ex)}} dx$                            | 1551 |
| 3.428 | $\int \frac{1}{(-5+4 \cos(d+ex)+3 \sin(d+ex))^{3/2}} dx$                           | 1554 |
| 3.429 | $\int \frac{1}{(-5+4 \cos(d+ex)+3 \sin(d+ex))^{5/2}} dx$                           | 1558 |
| 3.430 | $\int \left( \sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex) \right)^{7/2} dx$            | 1562 |
| 3.431 | $\int \left( \sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex) \right)^{5/2} dx$            | 1565 |
| 3.432 | $\int \left( \sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex) \right)^{3/2} dx$            | 1568 |
| 3.433 | $\int \sqrt{\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)} dx$                          | 1571 |
| 3.434 | $\int \frac{1}{\sqrt{\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)}} dx$                | 1574 |
| 3.435 | $\int \frac{1}{\left( \sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex) \right)^{3/2}} dx$  | 1577 |
| 3.436 | $\int \frac{1}{\left( \sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex) \right)^{5/2}} dx$  | 1580 |
| 3.437 | $\int \left( -\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex) \right)^{5/2} dx$           | 1583 |
| 3.438 | $\int \left( -\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex) \right)^{3/2} dx$           | 1586 |
| 3.439 | $\int \sqrt{-\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)} dx$                         | 1589 |
| 3.440 | $\int \frac{1}{\sqrt{-\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)}} dx$               | 1592 |
| 3.441 | $\int \frac{1}{\left( -\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex) \right)^{3/2}} dx$ | 1595 |
| 3.442 | $\int \frac{1}{\left( -\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex) \right)^{5/2}} dx$ | 1598 |
| 3.443 | $\int \frac{\sin(x)}{a+b \cos(x)+c \sin(x)} dx$                                    | 1601 |
| 3.444 | $\int \frac{\sin(x)}{1+\cos(x)+\sin(x)} dx$  | 1605 |
| 3.445 | $\int \frac{1}{a+c \sec(x)+b \tan(x)} dx$  | 1608 |
| 3.446 | $\int \frac{\sec(x)}{a+c \sec(x)+b \tan(x)} dx$                                    | 1612 |
| 3.447 | $\int \frac{\sec^2(x)}{a+c \sec(x)+b \tan(x)} dx$                                  | 1615 |
| 3.448 | $\int \frac{(a+b \sec(d+ex)+c \tan(d+ex))^{3/2}}{\sec^2(d+ex)} dx$                 | 1619 |
| 3.449 | $\int \frac{\sqrt{a+b \sec(d+ex)+c \tan(d+ex)}}{\sqrt{\sec(d+ex)}} dx$             | 1624 |

|       |   |      |
|-------|---|------|
| 3.450 | $\int \frac{\sqrt{\sec(d+ex)}}{\sqrt{a+b \sec(d+ex)+c \tan(d+ex)}} dx$  | 1628 |
| 3.451 | $\int \frac{\sec^2(d+ex)}{(a+b \sec(d+ex)+c \tan(d+ex))^{3/2}} dx$      | 1631 |
| 3.452 | $\int \frac{\sec^2(d+ex)}{(a+b \sec(d+ex)+c \tan(d+ex))^{5/2}} dx$      | 1635 |
| 3.453 | $\int \cos^2(d+ex)(a+b \sec(d+ex)+c \tan(d+ex))^{3/2} dx$               | 1640 |
| 3.454 | $\int \sqrt{\cos(d+ex)}\sqrt{a+b \sec(d+ex)+c \tan(d+ex)} dx$           | 1644 |
| 3.455 | $\int \frac{1}{\sqrt{\cos(d+ex)}\sqrt{a+b \sec(d+ex)+c \tan(d+ex)}} dx$ | 1647 |
| 3.456 | $\int \frac{1}{\cos^2(d+ex)(a+b \sec(d+ex)+c \tan(d+ex))^{3/2}} dx$     | 1651 |
| 3.457 | $\int \frac{1}{\cos^2(d+ex)(a+b \sec(d+ex)+c \tan(d+ex))^{5/2}} dx$     | 1654 |
| 3.458 | $\int \frac{1}{a+b \cot(x)+c \csc(x)} dx$                               | 1659 |
| 3.459 | $\int \frac{\csc(x)}{a+b \cot(x)+c \csc(x)} dx$                         | 1663 |
| 3.460 | $\int \frac{\csc^2(x)}{a+b \cot(x)+c \csc(x)} dx$                       | 1666 |
| 3.461 | $\int \frac{\csc(x)}{2+2 \cot(x)+3 \csc(x)} dx$                         | 1670 |
| 3.462 | $\int \frac{(a+c \cot(d+ex)+b \csc(d+ex))^{3/2}}{\csc^2(d+ex)} dx$      | 1673 |
| 3.463 | $\int \frac{\sqrt{a+c \cot(d+ex)+b \csc(d+ex)}}{\sqrt{\csc(d+ex)}} dx$  | 1678 |
| 3.464 | $\int \frac{\sqrt{\csc(d+ex)}}{\sqrt{a+c \cot(d+ex)+b \csc(d+ex)}} dx$  | 1682 |
| 3.465 | $\int \frac{\csc^2(d+ex)}{(a+c \cot(d+ex)+b \csc(d+ex))^{3/2}} dx$      | 1685 |
| 3.466 | $\int \frac{\csc^2(d+ex)}{(a+c \cot(d+ex)+b \csc(d+ex))^{5/2}} dx$      | 1689 |
| 3.467 | $\int (a+c \cot(d+ex)+b \csc(d+ex))^{3/2} \sin^2(d+ex) dx$              | 1694 |
| 3.468 | $\int \sqrt{a+c \cot(d+ex)+b \csc(d+ex)}\sqrt{\sin(d+ex)} dx$           | 1698 |
| 3.469 | $\int \frac{1}{\sqrt{a+c \cot(d+ex)+b \csc(d+ex)}\sqrt{\sin(d+ex)}} dx$ | 1701 |
| 3.470 | $\int \frac{1}{(a+c \cot(d+ex)+b \csc(d+ex))^{3/2} \sin^2(d+ex)} dx$    | 1705 |
| 3.471 | $\int \frac{1}{(a+c \cot(d+ex)+b \csc(d+ex))^{5/2} \sin^2(d+ex)} dx$    | 1708 |
| 3.472 | $\int \frac{1}{\cos^2(x)+\sin^2(x)} dx$                                 | 1713 |
| 3.473 | $\int \frac{1}{(\cos^2(x)+\sin^2(x))^2} dx$                             | 1715 |
| 3.474 | $\int \frac{1}{(\cos^2(x)+\sin^2(x))^3} dx$                             | 1717 |
| 3.475 | $\int \frac{1}{\cos^2(x)-\sin^2(x)} dx$                                 | 1719 |
| 3.476 | $\int \frac{1}{(\cos^2(x)-\sin^2(x))^2} dx$                             | 1721 |
| 3.477 | $\int \frac{1}{(\cos^2(x)-\sin^2(x))^3} dx$                             | 1723 |
| 3.478 | $\int \frac{1}{\cos^2(x)+a^2 \sin^2(x)} dx$                             | 1726 |
| 3.479 | $\int \frac{1}{b^2 \cos^2(x)+\sin^2(x)} dx$                             | 1729 |
| 3.480 | $\int \frac{1}{b^2 \cos^2(x)+a^2 \sin^2(x)} dx$                         | 1732 |
| 3.481 | $\int \frac{1}{4 \cos^2(1+2x)+3 \sin^2(1+2x)} dx$                       | 1736 |
| 3.482 | $\int \frac{\sin^2(x)}{a \cos^2(x)+b \sin^2(x)} dx$                     | 1739 |
| 3.483 | $\int \frac{\cos^2(x)}{a \cos^2(x)+b \sin^2(x)} dx$                     | 1742 |
| 3.484 | $\int \frac{1}{\sec^2(x)+\tan^2(x)} dx$                                 | 1745 |
| 3.485 | $\int \frac{1}{(\sec^2(x)+\tan^2(x))^2} dx$                             | 1748 |



|       |  |      |
|-------|--|------|
| 3.486 | $\int \frac{1}{(\sec^2(x)+\tan^2(x))^3} dx$                                  | 1751 |
| 3.487 | $\int \frac{1}{\sec^2(x)-\tan^2(x)} dx$                                      | 1754 |
| 3.488 | $\int \frac{1}{(\sec^2(x)-\tan^2(x))^2} dx$                                  | 1756 |
| 3.489 | $\int \frac{1}{(\sec^2(x)-\tan^2(x))^3} dx$                                  | 1758 |
| 3.490 | $\int \frac{1}{\cot^2(x)+\csc^2(x)} dx$                                      | 1760 |
| 3.491 | $\int \frac{1}{(\cot^2(x)+\csc^2(x))^2} dx$                                  | 1763 |
| 3.492 | $\int \frac{1}{(\cot^2(x)+\csc^2(x))^3} dx$                                  | 1766 |
| 3.493 | $\int \frac{1}{\cot^2(x)-\csc^2(x)} dx$                                      | 1769 |
| 3.494 | $\int \frac{1}{(\cot^2(x)-\csc^2(x))^2} dx$                                  | 1771 |
| 3.495 | $\int \frac{1}{(\cot^2(x)-\csc^2(x))^3} dx$                                  | 1773 |
| 3.496 | $\int \frac{1}{a+b \cos^2(x)+c \sin^2(x)} dx$                                | 1775 |
| 3.497 | $\int \frac{x}{a+b \cos^2(x)+c \sin^2(x)} dx$                                | 1778 |
| 3.498 | $\int \frac{x^2}{a+b \cos^2(x)+c \sin^2(x)} dx$                              | 1783 |
| 3.499 | $\int (a+b \sin(d+ex)) (b^2+2ab \sin(d+ex)+a^2 \sin^2(d+ex))^2 dx$           | 1790 |
| 3.500 | $\int (a+b \sin(d+ex)) (b^2+2ab \sin(d+ex)+a^2 \sin^2(d+ex)) dx$             | 1794 |
| 3.501 | $\int \frac{a+b \sin(d+ex)}{b^2+2ab \sin(d+ex)+a^2 \sin^2(d+ex)} dx$         | 1797 |
| 3.502 | $\int \frac{a+b \sin(d+ex)}{(b^2+2ab \sin(d+ex)+a^2 \sin^2(d+ex))^2} dx$     | 1800 |
| 3.503 | $\int \frac{d+e \sin(x)}{a+b \sin(x)+c \sin^2(x)} dx$                        | 1805 |
| 3.504 | $\int (a+b \sin(d+ex)) (b^2+2ab \sin(d+ex)+a^2 \sin^2(d+ex))^{3/2} dx$       | 1811 |
| 3.505 | $\int (a+b \sin(d+ex)) \sqrt{b^2+2ab \sin(d+ex)+a^2 \sin^2(d+ex)} dx$        | 1815 |
| 3.506 | $\int \frac{a+b \sin(d+ex)}{\sqrt{b^2+2ab \sin(d+ex)+a^2 \sin^2(d+ex)}} dx$  | 1818 |
| 3.507 | $\int \frac{a+b \sin(d+ex)}{(b^2+2ab \sin(d+ex)+a^2 \sin^2(d+ex))^{3/2}} dx$ | 1822 |
| 3.508 | $\int \frac{a+b \cos(x)}{b^2+2ab \cos(x)+a^2 \cos^2(x)} dx$                  | 1827 |
| 3.509 | $\int \frac{d+e \cos(x)}{a+b \cos(x)+c \cos^2(x)} dx$                        | 1830 |
| 3.510 | $\int (a+b \tan(d+ex)) (b^2+2ab \tan(d+ex)+a^2 \tan^2(d+ex))^2 dx$           | 1836 |
| 3.511 | $\int (a+b \tan(d+ex)) (b^2+2ab \tan(d+ex)+a^2 \tan^2(d+ex)) dx$             | 1841 |
| 3.512 | $\int \frac{a+b \tan(d+ex)}{b^2+2ab \tan(d+ex)+a^2 \tan^2(d+ex)} dx$         | 1844 |
| 3.513 | $\int \frac{a+b \tan(d+ex)}{(b^2+2ab \tan(d+ex)+a^2 \tan^2(d+ex))^2} dx$     | 1848 |
| 3.514 | $\int (a+b \tan(d+ex)) (b^2+2ab \tan(d+ex)+a^2 \tan^2(d+ex))^{3/2} dx$       | 1852 |
| 3.515 | $\int (a+b \tan(d+ex)) \sqrt{b^2+2ab \tan(d+ex)+a^2 \tan^2(d+ex)} dx$        | 1856 |
| 3.516 | $\int \frac{a+b \tan(d+ex)}{\sqrt{b^2+2ab \tan(d+ex)+a^2 \tan^2(d+ex)}} dx$  | 1859 |
| 3.517 | $\int \frac{a+b \tan(d+ex)}{(b^2+2ab \tan(d+ex)+a^2 \tan^2(d+ex))^{3/2}} dx$ | 1863 |
| 3.518 | $\int (a+b \sec(d+ex)) (b^2+2ab \sec(d+ex)+a^2 \sec^2(d+ex))^2 dx$           | 1868 |
| 3.519 | $\int (a+b \sec(d+ex)) (b^2+2ab \sec(d+ex)+a^2 \sec^2(d+ex)) dx$             | 1872 |
| 3.520 | $\int \frac{a+b \sec(d+ex)}{b^2+2ab \sec(d+ex)+a^2 \sec^2(d+ex)} dx$         | 1875 |
| 3.521 | $\int \frac{a+b \sec(d+ex)}{(b^2+2ab \sec(d+ex)+a^2 \sec^2(d+ex))^2} dx$     | 1879 |
| 3.522 | $\int (a+b \sec(d+ex)) (b^2+2ab \sec(d+ex)+a^2 \sec^2(d+ex))^{3/2} dx$       | 1885 |

|       |  |      |
|-------|--|------|
| 3.523 | $\int (a + b \sec(d + ex)) \sqrt{b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex)} dx$        | 1889 |
| 3.524 | $\int \frac{a + b \sec(d + ex)}{\sqrt{b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex)}} dx$  | 1893 |
| 3.525 | $\int \frac{a + b \sec(d + ex)}{(b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex))^{3/2}} dx$ | 1897 |
| 3.526 | $\int \frac{\cos(x) - i \sin(x)}{\cos(x) + i \sin(x)} dx$                                | 1902 |
| 3.527 | $\int \frac{\cos(x) + i \sin(x)}{\cos(x) - i \sin(x)} dx$                                | 1904 |
| 3.528 | $\int \frac{\cos(x) - \sin(x)}{\cos(x) + \sin(x)} dx$                                    | 1906 |
| 3.529 | $\int \frac{B \cos(x) + C \sin(x)}{b \cos(x) + c \sin(x)} dx$                            | 1908 |
| 3.530 | $\int \frac{B \cos(x) + C \sin(x)}{(b \cos(x) + c \sin(x))^2} dx$                        | 1911 |
| 3.531 | $\int \frac{B \cos(x) + C \sin(x)}{(b \cos(x) + c \sin(x))^3} dx$                        | 1914 |
| 3.532 | $\int \frac{A + B \cos(x) + C \sin(x)}{b \cos(x) + c \sin(x)} dx$                        | 1917 |
| 3.533 | $\int \frac{A + B \cos(x) + C \sin(x)}{(b \cos(x) + c \sin(x))^2} dx$                    | 1920 |
| 3.534 | $\int \frac{A + B \cos(x) + C \sin(x)}{(b \cos(x) + c \sin(x))^3} dx$                    | 1923 |
| 3.535 | $\int \frac{A + B \cos(x)}{a + b \cos(x) + c \sin(x)} dx$                                | 1927 |
| 3.536 | $\int \frac{A + B \cos(x)}{(a + b \cos(x) + c \sin(x))^2} dx$                            | 1931 |
| 3.537 | $\int \frac{A + B \cos(x)}{(a + b \cos(x) + c \sin(x))^3} dx$                            | 1935 |
| 3.538 | $\int \frac{A + B \cos(x)}{a + b \cos(x) + i b \sin(x)} dx$                              | 1941 |
| 3.539 | $\int \frac{A + B \cos(x)}{a + b \cos(x) - i b \sin(x)} dx$                              | 1944 |
| 3.540 | $\int \frac{A + C \sin(x)}{a + b \cos(x) + c \sin(x)} dx$                                | 1947 |
| 3.541 | $\int \frac{A + C \sin(x)}{(a + b \cos(x) + c \sin(x))^2} dx$                            | 1951 |
| 3.542 | $\int \frac{A + C \sin(x)}{(a + b \cos(x) + c \sin(x))^3} dx$                            | 1955 |
| 3.543 | $\int \frac{A + C \sin(x)}{a + b \cos(x) + i b \sin(x)} dx$                              | 1961 |
| 3.544 | $\int \frac{A + C \sin(x)}{a + b \cos(x) - i b \sin(x)} dx$                              | 1964 |
| 3.545 | $\int \frac{B \cos(x) + C \sin(x)}{a + b \cos(x) + c \sin(x)} dx$                        | 1967 |
| 3.546 | $\int \frac{B \cos(x) + C \sin(x)}{(a + b \cos(x) + c \sin(x))^2} dx$                    | 1971 |
| 3.547 | $\int \frac{B \cos(x) + C \sin(x)}{(a + b \cos(x) + c \sin(x))^3} dx$                    | 1975 |
| 3.548 | $\int \frac{B \cos(x) + C \sin(x)}{a + b \cos(x) + i b \sin(x)} dx$                      | 1980 |
| 3.549 | $\int \frac{B \cos(x) + C \sin(x)}{a + b \cos(x) - i b \sin(x)} dx$                      | 1983 |
| 3.550 | $\int \frac{A + B \cos(x) + C \sin(x)}{a + b \cos(x) + c \sin(x)} dx$                    | 1986 |
| 3.551 | $\int \frac{A + B \cos(x) + C \sin(x)}{(a + b \cos(x) + c \sin(x))^2} dx$                | 1990 |
| 3.552 | $\int \frac{A + B \cos(x) + C \sin(x)}{(a + b \cos(x) + c \sin(x))^3} dx$                | 1994 |
| 3.553 | $\int \frac{A + B \cos(x) + C \sin(x)}{a + b \cos(x) + i b \sin(x)} dx$                  | 2000 |
| 3.554 | $\int \frac{A + B \cos(x) + C \sin(x)}{a + b \cos(x) - i b \sin(x)} dx$                  | 2003 |
| 3.555 | $\int \frac{b^2 + c^2 + ab \cos(x) + ac \sin(x)}{(a + b \cos(x) + c \sin(x))^2} dx$      | 2006 |
| 3.556 | $\int (a + b \cos(x) + c \sin(x))^{5/2} (d + be \cos(x) + ce \sin(x)) dx$                | 2009 |
| 3.557 | $\int (a + b \cos(x) + c \sin(x))^{3/2} (d + be \cos(x) + ce \sin(x)) dx$                | 2015 |
| 3.558 | $\int \sqrt{a + b \cos(x) + c \sin(x)} (d + be \cos(x) + ce \sin(x)) dx$                 | 2020 |
| 3.559 | $\int \frac{d + be \cos(x) + ce \sin(x)}{\sqrt{a + b \cos(x) + c \sin(x)}} dx$           | 2025 |
| 3.560 | $\int \frac{d + be \cos(x) + ce \sin(x)}{(a + b \cos(x) + c \sin(x))^{3/2}} dx$          | 2029 |
| 3.561 | $\int \frac{d + be \cos(x) + ce \sin(x)}{(a + b \cos(x) + c \sin(x))^{5/2}} dx$          | 2035 |
| 3.562 | $\int \frac{A + B \cos(d + ex) + C \sin(d + ex)}{a + c \sin(d + ex)} dx$                 | 2040 |
| 3.563 | $\int \frac{A + B \cos(d + ex) + C \sin(d + ex)}{(a + c \sin(d + ex))^2} dx$             | 2044 |

|       |  |      |
|-------|--|------|
| 3.564 | $\int \frac{A+B \cos(d+ex)+C \sin(d+ex)}{(a+c \sin(d+ex))^3} dx$   | 2048 |
| 3.565 | $\int \frac{A+B \cos(d+ex)+C \sin(d+ex)}{(a+c \sin(d+ex))^4} dx$   | 2053 |
| 3.566 | $\int (a+b \cos(c+dx) \sin(c+dx))^m dx$                            | 2058 |
| 3.567 | $\int (a+b \cos(c+dx) \sin(c+dx))^3 dx$                            | 2061 |
| 3.568 | $\int (a+b \cos(c+dx) \sin(c+dx))^2 dx$                            | 2064 |
| 3.569 | $\int (a+b \cos(c+dx) \sin(c+dx)) dx$                              | 2067 |
| 3.570 | $\int \frac{1}{a+b \cos(c+dx) \sin(c+dx)} dx$                      | 2070 |
| 3.571 | $\int \frac{1}{(a+b \cos(c+dx) \sin(c+dx))^2} dx$                  | 2073 |
| 3.572 | $\int \frac{1}{(a+b \cos(c+dx) \sin(c+dx))^3} dx$                  | 2077 |
| 3.573 | $\int (a+b \cos(c+dx) \sin(c+dx))^{5/2} dx$                        | 2081 |
| 3.574 | $\int (a+b \cos(c+dx) \sin(c+dx))^{3/2} dx$                        | 2086 |
| 3.575 | $\int \sqrt{a+b \cos(c+dx) \sin(c+dx)} dx$                         | 2090 |
| 3.576 | $\int \frac{1}{\sqrt{a+b \cos(c+dx) \sin(c+dx)}} dx$               | 2093 |
| 3.577 | $\int \frac{1}{(a+b \cos(c+dx) \sin(c+dx))^{3/2}} dx$              | 2096 |
| 3.578 | $\int \frac{1}{(a+b \cos(c+dx) \sin(c+dx))^{5/2}} dx$              | 2100 |
| 3.579 | $\int \frac{x^3}{a+b \cos(x) \sin(x)} dx$                          | 2105 |
| 3.580 | $\int \frac{x^2}{a+b \cos(x) \sin(x)} dx$                          | 2111 |
| 3.581 | $\int \frac{x}{a+b \cos(x) \sin(x)} dx$                            | 2116 |
| 3.582 | $\int \frac{1}{x(a+b \cos(x) \sin(x))} dx$                         | 2121 |
| 3.583 | $\int \frac{(bx)^{2-n} \sin^n(ax)}{(ax \cos(ax)-c \sin(ax))^2} dx$ | 2123 |
| 3.584 | $\int \frac{(bx)^{2-n} \cos^n(ax)}{(c \cos(ax)+ax \sin(ax))^2} dx$ | 2125 |
| 3.585 | $\int \frac{\sin^6(ax)}{x^4(ax \cos(ax)-\sin(ax))^2} dx$           | 2127 |
| 3.586 | $\int \frac{\sin^5(ax)}{x^3(ax \cos(ax)-\sin(ax))^2} dx$           | 2134 |
| 3.587 | $\int \frac{\sin^4(ax)}{x^2(ax \cos(ax)-\sin(ax))^2} dx$           | 2140 |
| 3.588 | $\int \frac{\sin^3(ax)}{x(ax \cos(ax)-\sin(ax))^2} dx$             | 2144 |
| 3.589 | $\int \frac{\sin^2(ax)}{(ax \cos(ax)-\sin(ax))^2} dx$              | 2147 |
| 3.590 | $\int \frac{x \sin(ax)}{(ax \cos(ax)-\sin(ax))^2} dx$              | 2150 |
| 3.591 | $\int \frac{x^2}{(ax \cos(ax)-\sin(ax))^2} dx$                     | 2152 |
| 3.592 | $\int \frac{x^3 \csc(ax)}{(ax \cos(ax)-\sin(ax))^2} dx$            | 2155 |
| 3.593 | $\int \frac{x^4 \csc^2(ax)}{(ax \cos(ax)-\sin(ax))^2} dx$          | 2158 |
| 3.594 | $\int \frac{\cos^6(ax)}{x^4(\cos(ax)+ax \sin(ax))^2} dx$           | 2162 |
| 3.595 | $\int \frac{\cos^5(ax)}{x^3(\cos(ax)+ax \sin(ax))^2} dx$           | 2169 |
| 3.596 | $\int \frac{\cos^4(ax)}{x^2(\cos(ax)+ax \sin(ax))^2} dx$           | 2174 |
| 3.597 | $\int \frac{\cos^3(ax)}{x(\cos(ax)+ax \sin(ax))^2} dx$             | 2178 |
| 3.598 | $\int \frac{\cos^2(ax)}{(\cos(ax)+ax \sin(ax))^2} dx$              | 2181 |
| 3.599 | $\int \frac{x \cos(ax)}{(\cos(ax)+ax \sin(ax))^2} dx$              | 2184 |
| 3.600 | $\int \frac{x^2}{(\cos(ax)+ax \sin(ax))^2} dx$                     | 2186 |
| 3.601 | $\int \frac{x^3 \sec(ax)}{(\cos(ax)+ax \sin(ax))^2} dx$            | 2189 |
| 3.602 | $\int \frac{x^4 \sec^2(ax)}{(\cos(ax)+ax \sin(ax))^2} dx$          | 2192 |
| 3.603 | $\int \sec^4(2(a+bx)) \sqrt{c \tan(a+bx) \tan(2(a+bx))} dx$        | 2196 |
| 3.604 | $\int \sec^3(2(a+bx)) \sqrt{c \tan(a+bx) \tan(2(a+bx))} dx$        | 2199 |
| 3.605 | $\int \sec^2(2(a+bx)) \sqrt{c \tan(a+bx) \tan(2(a+bx))} dx$        | 2202 |

|       |  |      |
|-------|--|------|
| 3.606 | $\int \sec(2(a+bx))\sqrt{c \tan(a+bx) \tan(2(a+bx))} dx$                                 | 2205 |
| 3.607 | $\int \sqrt{c \tan(a+bx) \tan(2(a+bx))} dx$  | 2208 |
| 3.608 | $\int \cos(2(a+bx))\sqrt{c \tan(a+bx) \tan(2(a+bx))} dx$                                 | 2211 |
| 3.609 | $\int \cos^2(2(a+bx))\sqrt{c \tan(a+bx) \tan(2(a+bx))} dx$                               | 2215 |
| 3.610 | $\int \cos^3(2(a+bx))\sqrt{c \tan(a+bx) \tan(2(a+bx))} dx$                               | 2219 |
| 3.611 | $\int \sec^4(2(a+bx))(c \tan(a+bx) \tan(2(a+bx)))^{3/2} dx$                              | 2224 |
| 3.612 | $\int \sec^3(2(a+bx))(c \tan(a+bx) \tan(2(a+bx)))^{3/2} dx$                              | 2228 |
| 3.613 | $\int \sec^2(2(a+bx))(c \tan(a+bx) \tan(2(a+bx)))^{3/2} dx$                              | 2231 |
| 3.614 | $\int \sec(2(a+bx))(c \tan(a+bx) \tan(2(a+bx)))^{3/2} dx$                                | 2234 |
| 3.615 | $\int (c \tan(a+bx) \tan(2(a+bx)))^{3/2} dx$   | 2237 |
| 3.616 | $\int \cos(2(a+bx))(c \tan(a+bx) \tan(2(a+bx)))^{3/2} dx$                                | 2241 |
| 3.617 | $\int \cos^2(2(a+bx))(c \tan(a+bx) \tan(2(a+bx)))^{3/2} dx$                              | 2245 |
| 3.618 | $\int \cos^3(2(a+bx))(c \tan(a+bx) \tan(2(a+bx)))^{3/2} dx$                              | 2249 |
| 3.619 | $\int \frac{\sec^4(2(a+bx))}{\sqrt{c \tan(a+bx) \tan(2(a+bx))}} dx$                      | 2253 |
| 3.620 | $\int \frac{\sec^3(2(a+bx))}{\sqrt{c \tan(a+bx) \tan(2(a+bx))}} dx$                      | 2257 |
| 3.621 | $\int \frac{\sec^2(2(a+bx))}{\sqrt{c \tan(a+bx) \tan(2(a+bx))}} dx$                      | 2261 |
| 3.622 | $\int \frac{\sec(2(a+bx))}{\sqrt{c \tan(a+bx) \tan(2(a+bx))}} dx$                        | 2264 |
| 3.623 | $\int \frac{1}{\sqrt{c \tan(a+bx) \tan(2(a+bx))}} dx$                                    | 2267 |
| 3.624 | $\int \frac{\cos(2(a+bx))}{\sqrt{c \tan(a+bx) \tan(2(a+bx))}} dx$                        | 2270 |
| 3.625 | $\int \frac{\cos^2(2(a+bx))}{\sqrt{c \tan(a+bx) \tan(2(a+bx))}} dx$                      | 2274 |
| 3.626 | $\int \frac{\sec^4(2(a+bx))}{(c \tan(a+bx) \tan(2(a+bx)))^{3/2}} dx$                     | 2279 |
| 3.627 | $\int \frac{\sec^3(2(a+bx))}{(c \tan(a+bx) \tan(2(a+bx)))^{3/2}} dx$                     | 2283 |
| 3.628 | $\int \frac{\sec^2(2(a+bx))}{(c \tan(a+bx) \tan(2(a+bx)))^{3/2}} dx$                     | 2287 |
| 3.629 | $\int \frac{\sec(2(a+bx))}{(c \tan(a+bx) \tan(2(a+bx)))^{3/2}} dx$                       | 2290 |
| 3.630 | $\int \frac{1}{(c \tan(a+bx) \tan(2(a+bx)))^{3/2}} dx$                                   | 2293 |
| 3.631 | $\int \frac{\cos(2(a+bx))}{(c \tan(a+bx) \tan(2(a+bx)))^{3/2}} dx$                       | 2297 |
| 3.632 | $\int \frac{\cos^2(2(a+bx))}{(c \tan(a+bx) \tan(2(a+bx)))^{3/2}} dx$                     | 2301 |
| 3.633 | $\int \frac{\cot(x) \csc(x)}{\sqrt{\sin(2x)}} dx$  | 2306 |
| 3.634 | $\int \frac{\csc^2(x) \sec(x)}{\sqrt{\sin(2x)(-2+\tan(x))}} dx$                          | 2309 |
| 3.635 | $\int \frac{\cos^2(x) \sin(x)}{(\sin^2(x)-\sin(2x)) \sin^2(2x)} dx$                      | 2313 |
| 3.636 | $\int \frac{\cos^3(x) \cos(2x)}{(\sin^2(x)-\sin(2x)) \sin^2(2x)} dx$                     | 2317 |
| 3.637 | $\int (b \sec(c+dx) + a \sin(c+dx))^n (a \cos(c+dx) + b \sec(c+dx) \tan(c+dx)) dx$       | 2321 |
| 3.638 | $\int (b \sec(c+dx) + a \sin(c+dx))^3 (a \cos(c+dx) + b \sec(c+dx) \tan(c+dx)) dx$       | 2324 |
| 3.639 | $\int (b \sec(c+dx) + a \sin(c+dx))^2 (a \cos(c+dx) + b \sec(c+dx) \tan(c+dx)) dx$       | 2327 |
| 3.640 | $\int (b \sec(c+dx) + a \sin(c+dx)) (a \cos(c+dx) + b \sec(c+dx) \tan(c+dx)) dx$         | 2330 |
| 3.641 | $\int \frac{a \cos(c+dx) + b \sec(c+dx) \tan(c+dx)}{b \sec(c+dx) + a \sin(c+dx)} dx$     | 2333 |
| 3.642 | $\int \frac{a \cos(c+dx) + b \sec(c+dx) \tan(c+dx)}{(b \sec(c+dx) + a \sin(c+dx))^2} dx$ | 2336 |
| 3.643 | $\int \frac{a \cos(c+dx) + b \sec(c+dx) \tan(c+dx)}{(b \sec(c+dx) + a \sin(c+dx))^3} dx$ | 2339 |
| 3.644 | $\int F(c, d, \cos(a+bx), r, s) \sin(a+bx) dx$   | 2342 |
| 3.645 | $\int \cos(a+bx) F(c, d, \sin(a+bx), r, s) dx$   | 2344 |
| 3.646 | $\int F(c, d, \tan(a+bx), r, s) \sec^2(a+bx) dx$   | 2346 |
| 3.647 | $\int \csc^2(a+bx) F(c, d, \cot(a+bx), r, s) dx$   | 2348 |
| 3.648 | $\int \frac{\sin(x)}{a+b \cos(x)} dx$  | 2350 |
| 3.649 | $\int (a+b \cos(x))^n \sin(x) dx$  | 2353 |

|       |   |      |
|-------|---|------|
| 3.650 | $\int \frac{\sin(x)}{\sqrt{1+\cos^2(x)}} dx$                | 2356 |
| 3.651 | $\int \cos(\cos(x)) \sin(x) dx$                             | 2358 |
| 3.652 | $\int \cos(x) \cos(\cos(x)) \sin(x) \sin(\cos(x)) dx$       | 2360 |
| 3.653 | $\int \cos(\cos(x)) \sin(x) \sin^2(6 \cos(x)) dx$           | 2363 |
| 3.654 | $\int \cos^3(x) (a + b \cos^2(x))^3 \sin(x) dx$             | 2366 |
| 3.655 | $\int \sin(3x) \sin(\cos(3x)) dx$                           | 2369 |
| 3.656 | $\int e^{\cos(1+3x)} \cos(1 + 3x) \sin(1 + 3x) dx$          | 2372 |
| 3.657 | $\int \frac{\cos^2(x) \sin(x)}{\sqrt{1-\cos^6(x)}} dx$      | 2375 |
| 3.658 | $\int \frac{\sin^5(x)}{\sqrt{1-5 \cos(x)}} dx$              | 2378 |
| 3.659 | $\int e^{n \cos(a+bx)} \sin(a + bx) dx$                     | 2381 |
| 3.660 | $\int e^{n \cos(ac+bcx)} \sin(c(a + bx)) dx$                | 2384 |
| 3.661 | $\int e^{n \cos(c(a+bx))} \sin(ac + bcx) dx$                | 2387 |
| 3.662 | $\int e^{n \cos(a+bx)} \tan(a + bx) dx$                     | 2390 |
| 3.663 | $\int e^{n \cos(ac+bcx)} \tan(c(a + bx)) dx$                | 2393 |
| 3.664 | $\int e^{n \cos(c(a+bx))} \tan(ac + bcx) dx$                | 2396 |
| 3.665 | $\int \frac{\cos(x)}{a+b \sin(x)} dx$                       | 2399 |
| 3.666 | $\int \cos(x)(a + b \sin(x))^n dx$                          | 2402 |
| 3.667 | $\int \frac{\cos(x)}{\sqrt{1+\sin^2(x)}} dx$                | 2405 |
| 3.668 | $\int \frac{\cos(x)}{\sqrt{4-\sin^2(x)}} dx$                | 2407 |
| 3.669 | $\int \frac{\cos(3x)}{\sqrt{4-\sin^2(3x)}} dx$              | 2410 |
| 3.670 | $\int \cos(x) \sqrt{1 + \csc(x)} dx$                        | 2413 |
| 3.671 | $\int \cos(x) \sqrt{4 - \sin^2(x)} dx$                      | 2416 |
| 3.672 | $\int \cos(x) \sin(x) \sqrt{1 + \sin^2(x)} dx$              | 2419 |
| 3.673 | $\int \frac{\cos(x)}{\sqrt{2 \sin(x) + \sin^2(x)}} dx$      | 2422 |
| 3.674 | $\int \cos(x) \cos(\sin(x)) dx$                             | 2425 |
| 3.675 | $\int \cos(x) \cos(\sin(x)) \cos(\sin(\sin(x))) dx$         | 2427 |
| 3.676 | $\int \cos(x) \sec(\sin(x)) dx$                             | 2430 |
| 3.677 | $\int \cos(x) \sin^3(x) (a + b \sin^2(x))^3 dx$             | 2432 |
| 3.678 | $\int e^{\sin(x)} \cos(x) \sin(x) dx$                       | 2435 |
| 3.679 | $\int \frac{\cos^3(x)}{\sqrt{\sin^3(x)}} dx$                | 2438 |
| 3.680 | $\int \frac{e^{\sqrt{\sin(x)} \cos(x)}}{\sqrt{\sin(x)}} dx$ | 2441 |
| 3.681 | $\int e^{4+\sin(x)} \cos(x) dx$                             | 2443 |
| 3.682 | $\int e^{\cos(x) \sin(x)} \cos(2x) dx$                      | 2445 |
| 3.683 | $\int e^{\cos(\frac{x}{2}) \sin(\frac{x}{2})} \cos(x) dx$   | 2447 |
| 3.684 | $\int e^{n \sin(a+bx)} \cos(a + bx) dx$                     | 2450 |
| 3.685 | $\int e^{n \sin(ac+bcx)} \cos(c(a + bx)) dx$                | 2453 |
| 3.686 | $\int e^{n \sin(c(a+bx))} \cos(ac + bcx) dx$                | 2456 |
| 3.687 | $\int e^{n \sin(a+bx)} \cot(a + bx) dx$                     | 2459 |
| 3.688 | $\int e^{n \sin(ac+bcx)} \cot(c(a + bx)) dx$                | 2462 |
| 3.689 | $\int e^{n \sin(c(a+bx))} \cot(ac + bcx) dx$                | 2465 |
| 3.690 | $\int \frac{\sec^2(x)}{a+b \tan(x)} dx$                     | 2468 |
| 3.691 | $\int \frac{\sec^2(x)}{1-\tan^2(x)} dx$                     | 2471 |
| 3.692 | $\int \frac{\sec^2(x)}{9+\tan^2(x)} dx$                     | 2474 |
| 3.693 | $\int \sec^2(x)(a + b \tan(x))^n dx$                        | 2477 |

|       |  |      |
|-------|--|------|
| 3.694 | $\int \sec^2(x) \left(1 + \frac{1}{1+\tan^2(x)}\right) dx$ | 2480 |
| 3.695 | $\int \frac{\sec^2(x)(2+\tan^2(x))}{1+\tan^2(x)} dx$       | 2482 |
| 3.696 | $\int \frac{\sec^2(x)}{2+2\tan(x)+\tan^2(x)} dx$           | 2485 |
| 3.697 | $\int \frac{\sec^2(x)}{\tan^2(x)+\tan^3(x)} dx$            | 2488 |
| 3.698 | $\int \frac{\sec^2(x)}{-\tan^2(x)+\tan^3(x)} dx$           | 2491 |
| 3.699 | $\int \frac{\sec^2(x)}{3-4\tan^3(x)} dx$                   | 2494 |
| 3.700 | $\int \frac{\sec^2(x)}{11-5\tan(x)+5\tan^2(x)} dx$         | 2498 |
| 3.701 | $\int \frac{\sec^2(x)(a+b\tan(x))}{c+d\tan(x)} dx$         | 2501 |
| 3.702 | $\int \frac{\sec^2(x)(a+b\tan(x))^2}{c+d\tan(x)} dx$       | 2504 |
| 3.703 | $\int \frac{\sec^2(x)(a+b\tan(x))^3}{c+d\tan(x)} dx$       | 2507 |
| 3.704 | $\int \frac{\sec^2(x)\tan^2(x)}{(2+\tan^3(x))^2} dx$       | 2510 |
| 3.705 | $\int \sec^2(x)\tan^6(x)(1+\tan^2(x))^3 dx$                | 2513 |
| 3.706 | $\int \frac{\sec^2(x)(2+\tan^2(x))}{1+\tan^3(x)} dx$       | 2516 |
| 3.707 | $\int (1+\cos^2(x))\sec^2(x) dx$                           | 2519 |
| 3.708 | $\int \frac{\sec^2(x)}{1+\sec^2(x)-3\tan(x)} dx$           | 2521 |
| 3.709 | $\int \frac{\sec^2(x)}{\sqrt{4-\sec^2(x)}} dx$             | 2524 |
| 3.710 | $\int \frac{\sec^2(x)}{\sqrt{1-4\tan^2(x)}} dx$            | 2527 |
| 3.711 | $\int \frac{\sec^2(x)}{\sqrt{-4+\tan^2(x)}} dx$            | 2530 |
| 3.712 | $\int \sqrt{1-\cot^2(x)}\sec^2(x) dx$                      | 2533 |
| 3.713 | $\int \sec^2(x)\sqrt{1-\tan^2(x)} dx$                      | 2536 |
| 3.714 | $\int e^{\tan(x)}\sec^2(x) dx$                             | 2539 |
| 3.715 | $\int \sec^4(x)(-1+\sec^2(x))^2\tan(x) dx$                 | 2541 |
| 3.716 | $\int \frac{\csc^2(x)}{a+b\cot(x)} dx$                     | 2544 |
| 3.717 | $\int (a+b\cot(x))^n \csc^2(x) dx$                         | 2547 |
| 3.718 | $\int \csc^2(x)(1+\sin^2(x)) dx$                           | 2550 |
| 3.719 | $\int \left(1 + \frac{1}{1+\cot^2(x)}\right) \csc^2(x) dx$ | 2552 |
| 3.720 | $\int \frac{(a+b\cot(x))\csc^2(x)}{c+d\cot(x)} dx$         | 2555 |
| 3.721 | $\int \frac{(a+b\cot(x))^2 \csc^2(x)}{c+d\cot(x)} dx$      | 2558 |
| 3.722 | $\int \frac{(a+b\cot(x))^3 \csc^2(x)}{c+d\cot(x)} dx$      | 2561 |
| 3.723 | $\int e^{-\cot(x)}\csc^2(x) dx$                            | 2564 |
| 3.724 | $\int \frac{\sec(x)\tan(x)}{a+b\sec(x)} dx$                | 2566 |
| 3.725 | $\int \frac{\sec(x)\tan(x)}{1+\sec^2(x)} dx$               | 2569 |
| 3.726 | $\int \frac{\sec(x)\tan(x)}{9+4\sec^2(x)} dx$              | 2571 |
| 3.727 | $\int \frac{\sec(x)\tan(x)}{\sec(x)+\sec^2(x)} dx$         | 2574 |
| 3.728 | $\int \frac{\sec(x)\tan(x)}{\sqrt{4+\sec^2(x)}} dx$        | 2576 |
| 3.729 | $\int \frac{\sec(x)\tan(x)}{\sqrt{1+\cos^2(x)}} dx$        | 2579 |
| 3.730 | $\int e^{\sec(x)}\sec(x)\tan(x) dx$                        | 2581 |
| 3.731 | $\int 2^{\sec(x)}\sec(x)\tan(x) dx$                        | 2583 |
| 3.732 | $\int \frac{\sec(2x)\tan(2x)}{(1+\sec(2x))^{3/2}} dx$      | 2586 |

|       |  |      |
|-------|--|------|
| 3.733 | $\int \sqrt{1+5\cos^2(3x)} \sec(3x) \tan(3x) dx$                     | 2589 |
| 3.734 | $\int \frac{\sec(3x) \tan(3x)}{\sqrt{1+5\cos^2(3x)}} dx$             | 2592 |
| 3.735 | $\int \frac{\cot(x) \csc(x)}{a+b \csc(x)} dx$                        | 2595 |
| 3.736 | $\int 5^{\csc(3x)} \cot(3x) \csc(3x) dx$                             | 2598 |
| 3.737 | $\int \frac{\cot(x) \csc(x)}{1+\csc^2(x)} dx$                        | 2601 |
| 3.738 | $\int \frac{\cot(6x) \csc(6x)}{(5-11 \csc^2(6x))^2} dx$              | 2603 |
| 3.739 | $\int \frac{\cot(x) \csc(x)}{\sqrt{1+\sin^2(x)}} dx$                 | 2606 |
| 3.740 | $\int \frac{\cot(5x) \csc^3(5x)}{\sqrt{1+\sin^2(5x)}} dx$            | 2609 |
| 3.741 | $\int e^{n \sin(a+bx)} \sin(2a+2bx) dx$                              | 2612 |
| 3.742 | $\int e^{n \sin(a+bx)} \sin(2(a+bx)) dx$                             | 2615 |
| 3.743 | $\int e^{n \sin\left(\frac{a}{2}+\frac{bx}{2}\right)} \sin(a+bx) dx$ | 2618 |
| 3.744 | $\int e^{n \sin\left(\frac{1}{2}(a+bx)\right)} \sin(a+bx) dx$        | 2621 |
| 3.745 | $\int e^{n \cos(a+bx)} \sin(2a+2bx) dx$                              | 2624 |
| 3.746 | $\int e^{n \cos(a+bx)} \sin(2(a+bx)) dx$                             | 2627 |
| 3.747 | $\int e^{n \cos\left(\frac{a}{2}+\frac{bx}{2}\right)} \sin(a+bx) dx$ | 2630 |
| 3.748 | $\int e^{n \cos\left(\frac{1}{2}(a+bx)\right)} \sin(a+bx) dx$        | 2633 |
| 3.749 | $\int \csc(x) \log(\tan(x)) \sec(x) dx$                              | 2636 |
| 3.750 | $\int \csc(2x) \log(\tan(x)) dx$                                     | 2639 |
| 3.751 | $\int e^{\cos^2(x)+\sin^2(x)} dx$                                    | 2642 |
| 3.752 | $\int x \sec^2(x) dx$  | 2644 |
| 3.753 | $\int x \cos^4(x^2) dx$  | 2647 |
| 3.754 | $\int \sqrt{\cos(x)} \sin(x) dx$                                     | 2650 |
| 3.755 | $\int e^{-2x} \tan(e^{-2x}) dx$                                      | 2653 |
| 3.756 | $\int \frac{\sec(x) \sin(2x)}{1+\cos(x)} dx$                         | 2656 |
| 3.757 | $\int x \sec^2(3x) dx$   | 2658 |
| 3.758 | $\int e^{-2\pi x} \cos(2\pi x) dx$                                   | 2661 |
| 3.759 | $\int (\cos^{12}(x) \sin^{10}(x) - \cos^{10}(x) \sin^{12}(x)) dx$    | 2663 |
| 3.760 | $\int x \cot(x^2) dx$  | 2666 |
| 3.761 | $\int x \sec^2(x^2) dx$  | 2669 |
| 3.762 | $\int \frac{\sin(8x)}{9+\sin^4(4x)} dx$                              | 2672 |
| 3.763 | $\int \frac{\cos(2x)}{8+\sin^2(2x)} dx$                              | 2675 |
| 3.764 | $\int x (\cos^3(x^2) - \sin^3(x^2)) dx$                              | 2678 |
| 3.765 | $\int \frac{\cos(x) \sin(x)}{1-\cos(x)} dx$                          | 2681 |
| 3.766 | $\int x \cos(x^2) dx$  | 2683 |
| 3.767 | $\int x^2 \cos(4x^3) dx$   | 2686 |
| 3.768 | $\int x^3 \cos(x^4) dx$  | 2689 |
| 3.769 | $\int x \sin\left(\frac{x^2}{2}\right) dx$                           | 2692 |
| 3.770 | $\int x \sec(x^2) \tan(x^2) dx$                                      | 2695 |
| 3.771 | $\int \frac{\tan^2\left(\frac{1}{x}\right)}{x^2} dx$                 | 2698 |
| 3.772 | $\int x \tan(1+x^2) dx$  | 2701 |
| 3.773 | $\int \sin(\pi(1+2x)) dx$  | 2704 |
| 3.774 | $\int \frac{\cot(x)+\csc^2(x)}{1-\cos^2(x)} dx$                      | 2706 |
| 3.775 | $\int x^2 \cos(4x^3) \cos(5x^3) dx$                                  | 2708 |
| 3.776 | $\int x^{14} \sin(x^3) dx$   | 2711 |

|       |   |      |
|-------|---|------|
| 3.777 | $\int e^{-3x^3} x^2 \sin(2x^3) dx$  | 2714 |
| 3.778 | $\int 2x \cos(x^2) dx$  | 2717 |
| 3.779 | $\int 3x^2 \cos(7 + x^3) dx$  | 2720 |
| 3.780 | $\int \left( \frac{1}{1+x^2} + \sin(x) \right) dx$                                    | 2723 |
| 3.781 | $\int x \sin(1 + x^2) dx$   | 2725 |
| 3.782 | $\int x \cos(1 + x^2) dx$   | 2728 |
| 3.783 | $\int (1 + x^2 \cos(x^3)) dx$   | 2731 |
| 3.784 | $\int x^2 \sin(1 + x^3) dx$   | 2734 |
| 3.785 | $\int 12x^2 \cos(x^3) dx$   | 2737 |
| 3.786 | $\int (1 + x) \sin(1 + x) dx$   | 2740 |
| 3.787 | $\int x^5 \cos(x^3) dx$   | 2742 |
| 3.788 | $\int e^{-3x} \cos(x) dx$   | 2745 |
| 3.789 | $\int x^3 \sin(x^2) dx$   | 2747 |
| 3.790 | $\int x^3 \cos(x^2) dx$   | 2750 |
| 3.791 | $\int \cos(x) \cos(2 \sin(x)) dx$   | 2753 |
| 3.792 | $\int \frac{\cos(x) \sin(x)}{1 + \cos^2(x)} dx$                                       | 2756 |
| 3.793 | $\int (1 + \cos(x))(x + \sin(x))^3 dx$  | 2759 |
| 3.794 | $\int (1 + \cos(x)) \csc^2(x) dx$   | 2761 |
| 3.795 | $\int \sin(x) \tan^2(x) dx$   | 2764 |
| 3.796 | $\int e^{\sin(x)} \sec^2(x) (x \cos^3(x) - \sin(x)) dx$                               | 2767 |
| 3.797 | $\int x \csc^2(x) dx$   | 2770 |
| 3.798 | $\int \cos(x) \sin\left(\frac{\pi}{6} + x\right) dx$                                  | 2773 |
| 3.799 | $\int x \sin^3(x^2) dx$   | 2776 |
| 3.800 | $\int \sin^2(x) \tan(x) dx$   | 2779 |
| 3.801 | $\int \cos^2(x) \cot^3(x) dx$   | 2782 |
| 3.802 | $\int \sec(x)(1 - \sin(x)) dx$  | 2785 |
| 3.803 | $\int (1 + \cos(x)) \csc(x) dx$   | 2787 |
| 3.804 | $\int \cos^2(x) (1 - \tan^2(x)) dx$   | 2789 |
| 3.805 | $\int \csc(2x)(\cos(x) + \sin(x)) dx$   | 2792 |
| 3.806 | $\int \frac{\cos(x)(-3 + 2 \sin(x))}{2 - 3 \sin(x) + \sin^2(x)} dx$                   | 2795 |
| 3.807 | $\int \frac{\cos^2(x) \sin(x)}{5 + \cos^2(x)} dx$                                     | 2797 |
| 3.808 | $\int \frac{\cos(x)}{\sin(x) + \sin^2(x)} dx$   | 2800 |
| 3.809 | $\int \frac{\cos(x)}{\sin(x) + \sin \sqrt{2}(x)} dx$                                  | 2802 |
| 3.810 | $\int \frac{1}{2 \sin(x) + \sin(2x)} dx$  | 2806 |
| 3.811 | $\int (-3 + 4x + x^2) \sin(2x) dx$  | 2809 |
| 3.812 | $\int e^{-3x} \cos(4x) dx$  | 2812 |
| 3.813 | $\int \frac{\cos(x) \sin(x)}{\sqrt{1 + \sin(x)}} dx$                                  | 2814 |
| 3.814 | $\int (x + 60 \cos^5(x) \sin^4(x)) dx$  | 2817 |
| 3.815 | $\int \cos(x)(\sec(x) + \tan(x)) dx$  | 2820 |
| 3.816 | $\int \cos(x)(\sec^3(x) + \tan(x)) dx$  | 2822 |
| 3.817 | $\int \frac{1}{2} (-\cot(x) \csc(x) + \csc^2(x)) dx$                                  | 2825 |
| 3.818 | $\int (-\csc^2(x) + \sin(2x)) dx$   | 2828 |
| 3.819 | $\int (2 \cot(2x) - 3 \sin(3x)) dx$   | 2831 |
| 3.820 | $\int x \sin(2x^2) dx$  | 2833 |
| 3.821 | $\int -\cos(1 - x) \sin(1 - x) \sqrt{1 + \sin^2(1 - x)} dx$                           | 2836 |
| 3.822 | $\int \frac{\cos\left(\frac{1}{x}\right) \sin\left(\frac{1}{x}\right)}{x^2} dx$       | 2839 |
| 3.823 | $\int \cos\left(\frac{1}{2}(1 + 3x)\right) \sin^3\left(\frac{1}{2}(1 + 3x)\right) dx$ | 2841 |



|       |  |      |
|-------|--|------|
| 3.824 | $\int 4x \tan(x^2) dx$   | 2844 |
| 3.825 | $\int x \sec(5 - x^2) dx$  | 2847 |
| 3.826 | $\int \frac{\csc(\frac{1}{x})}{x^2} dx$                                  | 2850 |
| 3.827 | $\int (\csc(x) - \sec(x))(\cos(x) + \sin(x)) dx$                         | 2853 |
| 3.828 | $\int (-\cos(3x) \sin(2x) + \cos(2x) \sin(3x)) dx$                       | 2856 |
| 3.829 | $\int 4x \sec^2(2x) dx$  | 2858 |
| 3.830 | $\int 4 \sin^2(x) \tan^2(x) dx$  | 2861 |
| 3.831 | $\int \cos^4(x) \cot^2(x) dx$  | 2864 |
| 3.832 | $\int 16 \cos^2(x) \sin^2(x) dx$   | 2867 |
| 3.833 | $\int 8 \cos^2(x) \sin^4(x) dx$  | 2870 |
| 3.834 | $\int 35 \cos^3(x) \sin^4(x) dx$   | 2873 |
| 3.835 | $\int 4 \cos^4(x) \sin^4(x) dx$  | 2876 |
| 3.836 | $\int \frac{\cos(x)}{-\sin(x) + \sin^3(x)} dx$                           | 2879 |
| 3.837 | $\int (-1 + 2 \cos^2(x) + \cos(x) \sin(x)) dx$                           | 2882 |
| 3.838 | $\int (\cos^2(x) + \sin^2(x)) dx$  | 2885 |
| 3.839 | $\int (-\cos^2(x) + \sin^2(x)) dx$                                       | 2887 |
| 3.840 | $\int 2^{\sin(x)} \cos(x) dx$  | 2889 |
| 3.841 | $\int (\tan^3(x) + \tan^5(x)) dx$  | 2892 |
| 3.842 | $\int x \sec(x)(2 + x \tan(x)) dx$                                       | 2895 |
| 3.843 | $\int \frac{\cot(\sqrt{x}) \csc(\sqrt{x})}{\sqrt{x}} dx$                 | 2898 |
| 3.844 | $\int \frac{\cos(\sqrt{x}) \sin(\sqrt{x})}{\sqrt{x}} dx$                 | 2901 |
| 3.845 | $\int \frac{\sec(\sqrt{x}) \tan(\sqrt{x})}{\sqrt{x}} dx$                 | 2903 |
| 3.846 | $\int \frac{\sin^2(x)}{a+b \sin(2x)} dx$                                 | 2906 |
| 3.847 | $\int \frac{\cos^2(x)}{a+b \sin(2x)} dx$                                 | 2910 |
| 3.848 | $\int \frac{\sin^2(x)}{a+b \cos(2x)} dx$                                 | 2914 |
| 3.849 | $\int \frac{\cos^2(x)}{a+b \cos(2x)} dx$                                 | 2917 |
| 3.850 | $\int \frac{\tan(c+dx)}{\sqrt{a \sin^2(c+dx)}} dx$                       | 2920 |
| 3.851 | $\int \frac{\cot(c+dx)}{\sqrt{a \cos^2(c+dx)}} dx$                       | 2923 |
| 3.852 | $\int \frac{x \cos(x^2)}{\sqrt{\sin(x^2)}} dx$                           | 2926 |
| 3.853 | $\int \frac{\cos(x)}{\sqrt{1-\cos(2x)}} dx$                              | 2928 |
| 3.854 | $\int \frac{\cos^2(\log(x)) \sin^2(\log(x))}{x} dx$                      | 2931 |
| 3.855 | $\int \frac{\sin^3(x)}{\cos^3(x) + \sin^3(x)} dx$                        | 2934 |
| 3.856 | $\int \frac{\cos^3(x)}{\cos^3(x) + \sin^3(x)} dx$                        | 2937 |
| 3.857 | $\int \frac{\sec(x)}{-5 + \cos^2(x) + 4 \sin(x)} dx$                     | 2940 |
| 3.858 | $\int \frac{1}{\cos^2(x) \sqrt{3 \cos(x) + \sin(x)}} dx$                 | 2943 |
| 3.859 | $\int \frac{\csc(x) \sqrt{\cos(x) + \sin(x)}}{\cos^{\frac{3}{2}}(x)} dx$ | 2946 |
| 3.860 | $\int \frac{\cos(x) + \sin(x)}{\sqrt{1 + \sin(2x)}} dx$                  | 2949 |
| 3.861 | $\int \sec(x) \sqrt{\sec(x) + \tan(x)} dx$                               | 2954 |
| 3.862 | $\int \sec(x) \sqrt{4 + 3 \sec(x)} \tan(x) dx$                           | 2957 |
| 3.863 | $\int \sec(x) \sqrt{1 + \sec(x)} \tan^3(x) dx$                           | 2960 |
| 3.864 | $\int \cot^3(x) \csc(x) \sqrt{1 + \csc(x)} dx$                           | 2963 |
| 3.865 | $\int \sqrt{\csc(x)} (x \cos(x) - 4 \sec(x) \tan(x)) dx$                 | 2966 |

|       |   |      |
|-------|---|------|
| 3.866 | $\int \cot(x)\sqrt{-1 + \csc^2(x)}(1 - \sin^2(x))^3 dx$   | 2969 |
| 3.867 | $\int \cos(x)\sqrt{-1 + \csc^2(x)}(1 - \sin^2(x))^3 dx$   | 2973 |
| 3.868 | $\int \frac{x \csc(x) \sec(x)}{\sqrt{a \sec^2(x)}} dx$    | 2976 |
| 3.869 | $\int \frac{x^2 \csc(x) \sec(x)}{\sqrt{a \sec^2(x)}} dx$  | 2979 |
| 3.870 | $\int \frac{x^3 \csc(x) \sec(x)}{\sqrt{a \sec^2(x)}} dx$  | 2983 |
| 3.871 | $\int \frac{x \csc(x) \sec(x)}{\sqrt{a \sec^4(x)}} dx$    | 2987 |
| 3.872 | $\int \frac{x^2 \csc(x) \sec(x)}{\sqrt{a \sec^4(x)}} dx$  | 2990 |
| 3.873 | $\int \frac{x^3 \csc(x) \sec(x)}{\sqrt{a \sec^4(x)}} dx$  | 2994 |
| 3.874 | $\int x \csc(x) \sec(x) \sqrt{a \sec^2(x)} dx$            | 2998 |
| 3.875 | $\int x^2 \csc(x) \sec(x) \sqrt{a \sec^2(x)} dx$          | 3002 |
| 3.876 | $\int x^3 \csc(x) \sec(x) \sqrt{a \sec^2(x)} dx$          | 3007 |
| 3.877 | $\int x \csc(x) \sec(x) \sqrt{a \sec^4(x)} dx$            | 3012 |
| 3.878 | $\int x^2 \csc(x) \sec(x) \sqrt{a \sec^4(x)} dx$          | 3016 |
| 3.879 | $\int x^3 \csc(x) \sec(x) \sqrt{a \sec^4(x)} dx$          | 3021 |
| 3.880 | $\int \sin(x) \sin(2x) \sin(3x) dx$                       | 3027 |
| 3.881 | $\int \cos(x) \cos(2x) \cos(3x) dx$                       | 3030 |
| 3.882 | $\int \cos(x) \sin(2x) \sin(3x) dx$                       | 3033 |
| 3.883 | $\int \cos(2x) \cos(3x) \sin(x) dx$                       | 3036 |
| 3.884 | $\int x \sin(x^2) dx$                                     | 3039 |
| 3.885 | $\int (-\cos(x) + \sin(x))(\cos(x) + \sin(x))^5 dx$       | 3042 |
| 3.886 | $\int 2x \sec^2(x) \tan(x) dx$                            | 3044 |
| 3.887 | $\int \frac{1+\cos^2(x)}{1+\cos(2x)} dx$                  | 3047 |
| 3.888 | $\int \frac{\sin(x)}{\cos^3(x)-\cos^5(x)} dx$             | 3050 |
| 3.889 | $\int \sec(x) (5 - 11 \sec^5(x))^2 \tan(x) dx$            | 3053 |
| 3.890 | $\int \sin^3(5x) \tan^3(5x) dx$                           | 3056 |
| 3.891 | $\int \sin^3(5x) \tan^4(5x) dx$                           | 3059 |
| 3.892 | $\int \sin^5(6x) \tan^3(6x) dx$                           | 3062 |
| 3.893 | $\int (-1 + \sec^2(2x))^3 \sin(2x) dx$                    | 3065 |
| 3.894 | $\int \sin(x) \tan^5(x) dx$                               | 3068 |
| 3.895 | $\int \cos^5(2x) \cot^4(2x) dx$                           | 3071 |
| 3.896 | $\int \cos(3x) (-1 + \csc^2(3x))^3 (1 - \sin^2(3x))^5 dx$ | 3074 |
| 3.897 | $\int \cot(2x) (-1 + \csc^2(2x))^2 (1 - \sin^2(2x))^2 dx$ | 3077 |
| 3.898 | $\int \cos(2x) (-1 + \csc^2(2x))^4 (1 - \sin^2(2x))^2 dx$ | 3080 |
| 3.899 | $\int \cot(3x) (-1 + \csc^2(3x))^3 (1 - \sin^2(3x))^2 dx$ | 3083 |
| 3.900 | $\int (1 + \cot^2(9x))^2 (1 + \tan^2(9x))^3 dx$           | 3086 |
| 3.901 | $\int \frac{\cos(x)(9-7\sin^3(x))^2}{1-\sin^2(x)} dx$     | 3089 |
| 3.902 | $\int \cos^4(2x) \cot^5(2x) dx$                           | 3092 |
| 3.903 | $\int \frac{\sec(x) \tan^2(x)}{4+3 \sec(x)} dx$           | 3095 |
| 3.904 | $\int x \sec(1+x) \tan(1+x) dx$                           | 3099 |
| 3.905 | $\int \frac{\sin(2x)}{\sqrt{9-\sin^2(x)}} dx$             | 3102 |
| 3.906 | $\int \frac{\sin(2x)}{\sqrt{9-\cos^4(x)}} dx$             | 3105 |
| 3.907 | $\int \frac{\cos(\frac{1}{x})}{x^5} dx$                   | 3108 |
| 3.908 | $\int \cos^3(1+x) \sin^3(1+x) dx$                         | 3111 |
| 3.909 | $\int (1+2x)^3 \sin^2(1+2x) dx$                           | 3114 |

|       |  |      |
|-------|--|------|
| 3.910 | $\int \frac{-1+\sec(x)}{1-\tan(x)} dx$   | 3117 |
| 3.911 | $\int x^2 \cos(3x) \cos(5x) dx$  | 3120 |
| 3.912 | $\int \frac{\cos(x)+\sin(x)}{\sqrt{\cos(x)}\sqrt{\sin(x)}} dx$   | 3123 |
| 3.913 | $\int \sec^2(x)(1 + \sin(x)) dx$   | 3127 |
| 3.914 | $\int (10x^9 \cos(x^5 \log(x)) - x^{10} (x^4 + 5x^4 \log(x)) \sin(x^5 \log(x))) dx$  | 3130 |
| 3.915 | $\int \cos^2\left(\frac{x}{2}\right) \tan\left(\frac{\pi}{4} + \frac{x}{2}\right) dx$  | 3132 |
| 3.916 | $\int (2 + 3x)^2 \sin^3(x) dx$   | 3134 |
| 3.917 | $\int \sec^{1+m}(x) \sin(x) dx$  | 3137 |
| 3.918 | $\int \cos^n(a + bx) \sin^{-2-n}(a + bx) dx$   | 3140 |
| 3.919 | $\int \frac{1}{\sec(x)+\sin(x)\tan(x)} dx$   | 3142 |
| 3.920 | $\int (a + bx + cx^2) \sin(x) dx$  | 3145 |
| 3.921 | $\int \frac{\sin(x^5)}{x} dx$  | 3148 |
| 3.922 | $\int \frac{\sin(2^x)}{1+2^x} dx$  | 3150 |
| 3.923 | $\int x \cos(2x^2) \sin^{\frac{3}{4}}(2x^2) dx$  | 3153 |
| 3.924 | $\int x \sec^2(x^2) \tan^2(x^2) dx$  | 3155 |
| 3.925 | $\int x^2 \cos^7(a + bx^3) \sin(a + bx^3) dx$  | 3157 |
| 3.926 | $\int x^5 \cos^7(a + bx^3) \sin(a + bx^3) dx$  | 3159 |
| 3.927 | $\int x^5 \sec^7(a + bx^3) \tan(a + bx^3) dx$  | 3163 |
| 3.928 | $\int \frac{\sec^2\left(\frac{1}{x}\right)}{x^2} dx$   | 3169 |
| 3.929 | $\int 3x^2 \cos(x^3) dx$   | 3172 |
| 3.930 | $\int (1 + 2x) \sec^2(1 + 2x) dx$  | 3175 |
| 3.931 | $\int \left( \frac{x^4}{b\sqrt{x^3+3\sin(a+bx)}} + \frac{x^2 \cos(a+bx)}{\sqrt{x^3+3\sin(a+bx)}} + \frac{4x\sqrt{x^3+3\sin(a+bx)}}{3b} \right) dx$ | 3178 |
| 3.932 | $\int \frac{x^2 \cos(a+bx)}{\sqrt{x^3+3\sin(a+bx)}} dx$  | 3181 |
| 3.933 | $\int \frac{\cos(x)+\sin(x)}{e^{-x}+\sin(x)} dx$   | 3183 |
| 3.934 | $\int \sin(c + dx) (a \sin^2(c + dx) + b \sin^3(c + dx)) dx$   | 3186 |
| 3.935 | $\int \sin(c + dx) (a \sin^2(c + dx) + b \sin^3(c + dx))^2 dx$   | 3189 |
| 3.936 | $\int \sin(c + dx) (a \sin(c + dx) + b \sin^2(c + dx) + c \sin^3(c + dx)) dx$  | 3193 |
| 3.937 | $\int \sin(c + dx) (a \sin(c + dx) + b \sin^2(c + dx) + c \sin^3(c + dx))^2 dx$  | 3196 |
| 3.938 | $\int \sin(c + dx) \left( a + \frac{b}{\sqrt{\sin(c+dx)}} + c \sin(c + dx) \right) dx$   | 3200 |
| 3.939 | $\int \sin(c + dx) \left( a + \frac{b}{\sqrt{\sin(c+dx)}} + c \sin(c + dx) \right)^2 dx$   | 3203 |
| 3.940 | $\int f^{a+bx} (\cos(c + dx) + i \sin(c + dx))^n dx$   | 3207 |
| 3.941 | $\int f^{a+bx} (\cos(c + dx) - i \sin(c + dx))^n dx$   | 3210 |
| 3.942 | $\int \frac{\cos^5(a+bx)-\sin^5(a+bx)}{\cos^5(a+bx)+\sin^5(a+bx)} dx$  | 3213 |
| 3.943 | $\int \frac{\cos^4(a+bx)-\sin^4(a+bx)}{\cos^4(a+bx)+\sin^4(a+bx)} dx$  | 3216 |
| 3.944 | $\int \frac{\cos^3(a+bx)-\sin^3(a+bx)}{\cos^3(a+bx)+\sin^3(a+bx)} dx$  | 3219 |
| 3.945 | $\int \frac{\cos^2(a+bx)-\sin^2(a+bx)}{\cos^2(a+bx)+\sin^2(a+bx)} dx$  | 3222 |
| 3.946 | $\int \frac{\cos(a+bx)-\sin(a+bx)}{\cos(a+bx)+\sin(a+bx)} dx$  | 3225 |
| 3.947 | $\int \frac{-\csc(a+bx)+\sec(a+bx)}{\csc(a+bx)+\sec(a+bx)} dx$   | 3228 |
| 3.948 | $\int \frac{-\csc^2(a+bx)+\sec^2(a+bx)}{\csc^2(a+bx)+\sec^2(a+bx)} dx$   | 3231 |
| 3.949 | $\int \frac{-\csc^3(a+bx)+\sec^3(a+bx)}{\csc^3(a+bx)+\sec^3(a+bx)} dx$   | 3234 |
| 3.950 | $\int \frac{-\csc^4(a+bx)+\sec^4(a+bx)}{\csc^4(a+bx)+\sec^4(a+bx)} dx$   | 3237 |



# Chapter 1

## Introduction

This report gives the result of running the computer algebra independent integration problems. The listing of the problems are maintained by and can be downloaded from <https://rulebasedintegration.org>

The number of integrals in this report is [ 950 ]. This is test number [ 141 ].

### 1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.1 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12 on windows 10.
3. Maple 2020 (64 bit) on windows 10.
4. Maxima 5.43 on Linux. (via sagemath 8.9)
5. Fricas 1.3.6 on Linux (via sagemath 9.0)
6. Sympy 1.5 under Python 3.7.3 using Anaconda distribution.
7. Giac/Xcas 1.5 on Linux. (via sagemath 8.9)

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

### 1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

| System      | solved          | Failed          |
|-------------|-----------------|-----------------|
| Rubi        | % 99.37 ( 944 ) | % 0.63 ( 6 )    |
| Mathematica | % 98.74 ( 938 ) | % 1.26 ( 12 )   |
| Maple       | % 95.47 ( 907 ) | % 4.53 ( 43 )   |
| Maxima      | % 65.47 ( 622 ) | % 34.53 ( 328 ) |
| Fricas      | % 88.95 ( 845 ) | % 11.05 ( 105 ) |
| Sympy       | % 41.26 ( 392 ) | % 58.74 ( 558 ) |
| Giac        | % 73.26 ( 696 ) | % 26.74 ( 254 ) |


The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

| grade | description   |
|-------|---|
| A     | Integral was solved and antiderivative is optimal in quality and leaf size.   |
| B     | Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.  |
| C     | Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> <li>1. antiderivative contains a hypergeometric function and the optimal antiderivative does not.</li> <li>2. antiderivative contains a special function and the optimal antiderivative does not.</li> <li>3. antiderivative contains the imaginary unit and the optimal antiderivative does not.</li> </ol> |
| F     | Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.  |


Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.

| System      | % A grade | % B grade | % C grade | % F grade |
|-------------|-----------|-----------|-----------|-----------|
| Rubi        | 98.84     | 0.53      | 0.        | 0.63      |
| Mathematica | 79.47     | 8.21      | 11.05     | 1.26      |
| Maple       | 68.11     | 19.16     | 8.21      | 4.53      |
| Maxima      | 48.84     | 16.32     | 0.32      | 34.53     |
| Fricas      | 59.68     | 27.26     | 2.        | 11.05     |
| Sympy       | 32.42     | 8.84      | 0.        | 58.74     |
| Giac        | 53.16     | 18.84     | 1.26      | 26.74     |

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



### 1.3 Performance

The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.

| System      | Mean time (sec) | Mean size | Normalized mean | Median size | Normalized median |
|-------------|-----------------|-----------|-----------------|-------------|-------------------|
| Rubi        | 0.13            | 76.23     | 1.01            | 43.5        | 1.                |
| Mathematica | 1.06            | 373.47    | 3.96            | 40.         | 1.                |
| Maple       | 0.51            | 702.24    | 4.33            | 45.         | 1.16              |
| Maxima      | 1.19            | 123.67    | 2.85            | 38.         | 1.34              |
| Fricas      | 2.49            | 459.7     | 5.53            | 128.        | 3.89              |
| Sympy       | 8.33            | 141.8     | 5.01            | 32.         | 1.34              |
| Giac        | 1.21            | 191.4     | 3.15            | 52.         | 1.51              |

## 1.4 list of integrals that has no closed form antiderivative

{42, 43, 56, 57, 180, 582, 583, 584, 644, 645, 646, 647, 932}

## 1.5 list of integrals solved by CAS but has no known antiderivative

**Rubi** {}

**Mathematica** {}

**Maple** {}

**Maxima** {}

**Fricas** {}

**Sympy** {}

**Giac** {}

## 1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

**Rubi** {}

**Mathematica** {31, 32, 36, 37, 38, 46, 47, 51, 52, 87, 89, 93, 107, 108, 109, 160, 163, 240, 241, 242, 243, 244, 245, 246, 247, 269, 271, 393, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 430, 431, 432, 433, 434, 437, 438, 439, 440, 448, 449, 450, 451, 452, 455, 462, 463, 464, 465, 466, 469, 497, 556, 557, 558, 559, 560, 561, 566, 588, 597, 630, 859}

**Maple** Verification phase not implemented yet.

**Maxima** Verification phase not implemented yet.

**Fricas** Verification phase not implemented yet.

**Sympy** Verification phase not implemented yet.

**Giac** Verification phase not implemented yet.



## 1.7 Timing

The command `AboluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out is not counted in the final statistics.

## 1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

## 1.9 Important notes about some of the results

### 1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using `sagemath` (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 30 such integrals out of total 705, or about 4 percent. This pecentage can be higher or lower depending on the specific input test file.

Such integrals can be indentified by looking at the output of the integration in each section for Maxima. If the output was an exception `ValueError` then this is most likely due to this reason.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

## 1.9.2 Important note about FriCAS and Giac/X-CAS results

There are Few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail With error Exception raised: NotImplementedError

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

## 1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the builtin system function LeafSize is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size is determined as follows.

For Fricas, Giac and Maxima (all called via sagemath) the following code is used

#see <https://stackoverflow.com/questions/25202346/how-to-obtain-leaf-count-expression-size-in->

```
def tree(expr):
    if expr.operator() is None:
        return expr
    else:
        return [expr.operator()+map(tree, expr.operands())
```

```
try:
    # 1.35 is a fudge factor since this estimate of leaf count is bit lower than
    #what it should be compared to Mathematica's
    leafCount = round(1.35*len(flatten(tree(anti))))
except Exception as ee:
    leafCount =1
```

For Sympy, called directly from Python, the following code is used


```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount =1
```

When these cas systems have a builtin function to find the leaf size of expressions, it will be used instead, and these tests run again.

## 1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



**One record (line) per one integral result. The line is CSV comma separated. It contains 13 fields. This is description of each record (line)**

1. integer, the problem number.
2. integer. 0 or 1 for failed or passed. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
13. String. The optimal antiderivative in CAS own syntax.

### High level overview of the CAS independent integration test build system

Nasser M. Abbasi  
June 22, 2018



# Chapter 2

## detailed summary tables of results

### 2.1 List of integrals sorted by grade for each CAS

#### 2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823,

824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 913, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 932, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950 }

B grade: { 555, 759, 858, 860, 912 }

C grade: { }

F grade: { 796, 859, 914, 915, 931, 933 }

## 2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32, 33, 39, 40, 41, 42, 43, 44, 45, 47, 48, 49, 50, 53, 54, 55, 56, 57, 58, 59, 60, 61, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 86, 88, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 111, 113, 115, 116, 117, 118, 119, 120, 121, 122, 124, 126, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 161, 162, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 177, 178, 179, 180, 181, 183, 184, 186, 187, 188, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 229, 230, 231, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 264, 265, 266, 268, 270, 272, 273, 275, 276, 279, 282, 283, 284, 285, 286, 288, 289, 290, 291, 292, 293, 294, 295, 296, 298, 299, 300, 301, 302, 303, 304, 305, 307, 308, 309, 311, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 326, 327, 328, 330, 332, 333, 334, 335, 336, 337, 338, 339, 340, 342, 344, 345, 346, 347, 348, 349, 350, 352, 353, 357, 358, 359, 360, 363, 364, 365, 367, 368, 371, 372, 373, 374, 375, 376, 377, 381, 382, 383, 385, 386, 388, 389, 390, 392, 393, 395, 396, 397, 398, 399, 400, 401, 417, 418, 419, 423, 424, 425, 426, 443, 444, 445, 446, 447, 458, 459, 460, 472, 473, 474, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 498, 499, 500, 501, 502, 504, 505, 506, 507, 508, 509, 515, 516, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 550, 551, 552, 553, 554, 555, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 582, 583, 584, 585, 586, 587, 589, 590, 591, 592, 593, 594, 595, 596, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 637, 639, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 655, 656, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 674, 675, 676, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 706, 707, 708, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 782, 783, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 804, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 827, 828, 829, 830, 831, 832, 833, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 905, 906, 907, 908, 909, 911, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 946, 947, 948, 949, 950 }

B grade: { 35, 90, 106, 108, 110, 114, 123, 127, 160, 163, 185, 189, 263, 267, 269, 271, 274, 277, 278, 280, 281, 287, 297, 306, 310, 312, 325, 329, 331, 341, 343, 361, 362, 366, 369, 370, 378, 380, 384, 387, 391, 394, 402, 461, 475, 497, 548, 549, 581, 638, 640, 654, 673, 677, 691, 705, 709, 710, 711, 712, 713, 728, 759, 760, 781, 784, 802, 803, 805, 806, 807, 826, 834, 861, 885, 904, 927, 945 }

C grade: { 31, 34, 36, 37, 38, 46, 51, 52, 62, 85, 87, 89, 105, 107, 109, 112, 125, 174, 175, 176, 182, 228, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 351, 354, 355, 356, 379, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 420, 421, 422, 427, 428, 429, 430, 431, 432, 433, 434, 437, 438, 439, 440, 448, 449, 450, 451, 452, 455, 462, 463, 464, 465, 466, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950 }

503, 510, 511, 512, 513, 514, 517, 556, 557, 558, 559, 560, 561, 588, 597, 634, 635, 636, 657, 910, 912  
 }

F grade: { 435, 436, 441, 442, 453, 454, 456, 457, 467, 468, 470, 471 }

## 2.1.3 Maple

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 35, 36, 37, 38, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 56, 57, 58, 59, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 77, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 116, 117, 118, 119, 120, 121, 122, 123, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 143, 144, 150, 151, 152, 159, 162, 180, 184, 185, 186, 187, 188, 189, 190, 191, 192, 201, 202, 203, 204, 206, 207, 208, 209, 211, 212, 213, 216, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 252, 253, 254, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 272, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 292, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 341, 342, 343, 344, 345, 346, 347, 348, 350, 351, 353, 354, 356, 357, 358, 359, 360, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 381, 382, 383, 388, 389, 390, 395, 396, 397, 398, 399, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 436, 437, 438, 442, 444, 446, 459, 460, 461, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 490, 491, 492, 496, 499, 500, 504, 505, 506, 510, 511, 514, 516, 518, 519, 520, 522, 523, 524, 526, 527, 528, 530, 531, 533, 534, 567, 568, 569, 570, 571, 576, 582, 583, 584, 590, 591, 593, 599, 600, 602, 603, 604, 605, 606, 611, 612, 613, 614, 637, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 714, 715, 716, 717, 718, 719, 720, 723, 724, 725, 726, 727, 728, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 749, 750, 752, 753, 754, 755, 756, 757, 758, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 794, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 835, 837, 838, 839, 840, 841, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 861, 862, 863, 866, 867, 868, 869, 870, 873, 874, 875, 876, 877, 879, 880, 881, 882, 883, 884, 886, 887, 889, 890, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 905, 906, 907, 908, 909, 910, 911, 913, 915, 916, 917, 919, 920, 921, 922, 923, 924, 925, 928, 929, 930, 931, 932, 934, 935, 936, 937, 938, 939, 942, 943, 944, 945, 946, 947, 948, 949, 950 }

B grade: { 76, 78, 145, 146, 147, 148, 149, 160, 161, 163, 164, 193, 194, 195, 196, 197, 198, 199, 200, 205, 210, 214, 215, 219, 230, 249, 250, 251, 255, 271, 273, 274, 275, 291, 293, 294, 295, 333, 334, 335, 336, 337, 338, 339, 340, 349, 352, 355, 361, 362, 379, 380, 384, 385, 386, 387, 391, 392, 393, 394, 400, 401, 402, 410, 411, 412, 413, 414, 415, 416, 433, 434, 435, 439, 440, 441, 443, 445, 447, 458, 497, 498, 501, 502, 503, 507, 508, 509, 512, 513, 517, 521, 525, 529, 532, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 572, 573, 574, 575, 577, 578, 579, 580, 581, 589, 598, 607, 608, 609, 610, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 638, 639, 640, 670, 721, 722, 729, 759, 793, 795, 834, 836, 864, 871, 872, 885, 888, 891, 904, 926, 933, 940, 941 }

C grade: { 34, 139, 140, 141, 142, 153, 154, 155, 156, 157, 158, 319, 320, 321, 403, 404, 405, 406, 407, 408, 409, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 487, 488, 489, 493, 494, 495, 515, 588, 597, 633, 634, 635, 636, 709, 710, 711, 712, 713, 741, 742, 743, 744, 745, 746, 747, 748, 751, 776, 796, 809, 842, 859, 860, 878, 912, 914, 927 }

F grade: { 39, 40, 41, 53, 54, 55, 60, 79, 115, 124, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 181, 182, 183, 217, 218, 318, 566, 585, 586, 587, 592, 594, 595, 596, 601, 657, 865, 918 }

## 2.1.4 Maxima

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 33, 35, 42, 44, 45, 48, 49, 50, 56, 58, 59, 60, 62, 66, 67, 68, 69, 70, 71, 72, 73, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 121, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 180, 184, 185, 186, 187, 188, 191, 192, 193, 194, 195, 196, 201, 202, 203, 204, 207, 208, 212, 213, 220, 221, 222, 223, 224, 225, 227, 229, 231, 252, 253, 254, 255, 256, 263, 264, 265, 266, 267, 274, 276, 277, 279, 283, 284, 285, 286, 287, 296, 297, 299, 300, 301, 302, 303, 304, 305, 306, 308, 310, 312, 322, 323, 324, 325, 327, 329, 331, 333, 341, 342, 343, 344, 345, 346, 347, 348, 355, 356, 357, 358, 359, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 378, 380, 381, 382, 383, 388, 389, 390, 395, 396, 397, 398, 461, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 499, 500, 504, 505, 510, 511, 512, 514, 515, 516, 517, 518, 519, 522, 523, 528, 567, 568, 569, 582, 583, 584, 590, 599, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 650, 651, 652, 653, 655, 656, 658, 659, 660, 661, 662, 663, 664, 665, 667, 668, 669, 671, 672, 673, 674, 675, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 716, 718, 719, 720, 721, 723, 724, 725, 726, 727, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 745, 746, 749, 753, 754, 755, 756, 758, 759, 760, 763, 764, 765, 766, 767, 768, 769, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 798, 799, 800, 801, 802, 803, 806, 807, 808, 809, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 828, 830, 831, 832, 833, 834, 835, 837, 838, 839, 840, 843, 844, 845, 852, 854, 857, 862, 863, 864, 867, 868, 869, 870, 871, 872, 873, 880, 881, 882, 883, 884, 885, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 905, 908, 909, 910, 911, 913, 914, 916, 917, 920, 923, 924, 925, 926, 929, 932, 934, 935, 936, 937, 940, 941, 943, 945, 946, 948, 950 }

B grade: { 61, 74, 80, 81, 82, 85, 86, 90, 91, 92, 105, 110, 111, 112, 116, 117, 122, 123, 124, 125, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 157, 158, 189, 190, 219, 248, 249, 250, 251, 257, 258, 259, 260, 261, 262, 268, 270, 272, 273, 275, 278, 280, 281, 282, 288, 290, 292, 293, 294, 295, 298, 307, 309, 311, 313, 314, 315, 316, 317, 326, 328, 330, 332, 334, 335, 336, 377, 379, 384, 385, 386, 387, 391, 392, 393, 394, 444, 513, 529, 531, 589, 591, 593, 598, 600, 602, 607, 608, 609, 610, 615, 616, 654, 657, 670, 676, 715, 722, 728, 750, 752, 757, 761, 770, 771, 796, 797, 804, 805, 810, 827, 829, 836, 841, 842, 853, 855, 856, 858, 859, 860, 866, 874, 876, 877, 878, 879, 886, 887, 888, 904, 915, 918, 919, 927, 928, 930, 933, 944, 947, 949 }

C grade: { 751, 907, 921 }

F grade: { 31, 32, 34, 36, 37, 38, 39, 40, 41, 43, 46, 47, 51, 52, 53, 54, 55, 57, 63, 64, 65, 75, 76, 77, 78, 79, 83, 84, 87, 88, 89, 93, 94, 106, 107, 108, 109, 113, 114, 115, 118, 119, 120, 126, 127, 153, 154, 155, 156, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 181, 182, 183, 197, 198, 199, 200, 205, 206, 209, 210, 211, 214, 215, 216, 217, 218, 226, 228, 230, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 269, 271, 289, 291, 318, 319, 320, 321, 337, 338, 339, 340, 349, 350, 351, 352, 353, 354, 360, 361, 362, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 482, 483, 496, 497, 498, 501, 502, 503, 506, 507, 508, 509, 520, 521, 524, 525, 526, 527, 530, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 585, 586, 587, 588, 592, 594, 595, 596, 597, 601, 603, 604, 605, 606, 611, 612, 613, 614, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 649, 666, 693, 717, 743, 744, 747, 748, 762, 846, 847, 848, 849, 850, 851, 861, 865, 875, 906, 912, 922, 931, 938, 939, 942 }

## 2.1.5 FriCAS

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 33, 35, 36, 37, 38, 42, 43, 44, 45, 48, 50, 51, 52, 56, 57, 58, 59, 61, 66, 67, 68, 69, 70, 71, 72, 73, 75, 76, 77, 86, 88, 91, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 107, 111, 113, 117, 121, 124, 126, 129, 130, 132, 134, 136, 138, 147, 148, 149, 150, 151, 152, 153, 155, 157, 158, 183, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 210, 211, 212, 213, }



220, 221, 222, 223, 224, 225, 227, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 268, 270, 273, 275, 276, 277, 278, 279, 280, 282, 284, 285, 286, 288, 290, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 305, 307, 309, 310, 311, 313, 314, 315, 316, 317, 321, 322, 323, 324, 326, 333, 334, 335, 336, 337, 341, 342, 344, 345, 346, 348, 355, 356, 357, 358, 359, 360, 363, 364, 365, 370, 371, 372, 373, 374, 375, 376, 381, 382, 383, 388, 389, 390, 395, 396, 397, 398, 417, 418, 419, 423, 424, 425, 426, 430, 431, 432, 433, 437, 438, 439, 444, 447, 461, 472, 473, 474, 476, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 499, 500, 501, 504, 505, 506, 507, 508, 510, 511, 512, 514, 515, 516, 517, 518, 519, 520, 522, 523, 524, 525, 526, 527, 528, 529, 532, 538, 539, 543, 544, 548, 549, 553, 554, 555, 562, 563, 567, 568, 569, 570, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 594, 595, 596, 597, 598, 599, 600, 603, 604, 605, 606, 607, 609, 610, 611, 612, 613, 614, 615, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 635, 636, 637, 641, 642, 644, 645, 646, 647, 648, 649, 654, 656, 658, 659, 660, 661, 662, 663, 664, 665, 666, 672, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 692, 693, 696, 700, 705, 706, 708, 715, 717, 723, 724, 725, 726, 727, 729, 730, 731, 734, 735, 736, 737, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 753, 754, 755, 756, 757, 758, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 792, 794, 796, 799, 800, 802, 803, 804, 806, 807, 808, 809, 811, 812, 813, 814, 815, 817, 819, 820, 821, 822, 823, 824, 827, 828, 829, 830, 831, 832, 833, 834, 835, 837, 838, 839, 840, 841, 842, 843, 844, 845, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 860, 861, 866, 867, 874, 880, 881, 882, 883, 884, 886, 887, 889, 890, 891, 892, 893, 894, 895, 896, 898, 900, 901, 903, 905, 907, 908, 909, 910, 911, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 925, 926, 927, 928, 929, 930, 933, 934, 935, 936, 937, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950 }

B grade: { 49, 62, 64, 65, 74, 78, 80, 81, 82, 83, 84, 85, 87, 89, 90, 92, 93, 94, 105, 106, 108, 109, 110, 112, 114, 116, 118, 119, 120, 122, 123, 125, 127, 128, 131, 133, 135, 137, 139, 140, 141, 142, 143, 144, 145, 146, 154, 156, 159, 160, 162, 163, 195, 196, 197, 198, 209, 214, 215, 216, 219, 226, 228, 229, 230, 231, 267, 269, 271, 272, 274, 281, 283, 287, 289, 291, 304, 306, 308, 312, 318, 319, 320, 325, 327, 328, 329, 330, 331, 332, 338, 339, 340, 343, 347, 349, 350, 351, 352, 353, 354, 361, 362, 366, 367, 368, 369, 377, 378, 379, 380, 384, 385, 386, 387, 391, 392, 393, 394, 399, 400, 401, 402, 420, 421, 422, 427, 428, 429, 443, 445, 446, 458, 459, 460, 475, 477, 478, 479, 480, 496, 497, 502, 503, 509, 513, 521, 530, 531, 533, 534, 535, 536, 537, 540, 541, 542, 545, 546, 547, 550, 551, 552, 564, 565, 571, 572, 581, 592, 593, 601, 602, 608, 616, 633, 634, 638, 639, 640, 643, 650, 651, 652, 653, 655, 657, 667, 668, 669, 670, 671, 673, 674, 675, 676, 677, 690, 691, 694, 695, 697, 698, 699, 701, 702, 703, 704, 707, 709, 710, 711, 712, 713, 714, 716, 718, 719, 720, 721, 722, 728, 732, 733, 738, 752, 759, 775, 791, 793, 795, 797, 798, 801, 805, 810, 816, 818, 825, 826, 836, 846, 847, 859, 862, 863, 864, 868, 871, 877, 885, 888, 897, 899, 902, 904, 906, 912, 913, 924 }

C grade: { 31, 32, 46, 47, 161, 164, 184, 498, 579, 580, 751, 869, 870, 872, 873, 875, 876, 878, 879 }

F grade: { 34, 39, 40, 41, 53, 54, 55, 60, 63, 79, 115, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 217, 218, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 434, 435, 436, 440, 441, 442, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 556, 557, 558, 559, 560, 561, 566, 573, 574, 575, 576, 577, 578, 865, 931, 932, 938, 939 }

## 2.1.6 Sympy

A grade: { 1, 8, 15, 17, 18, 19, 22, 29, 30, 33, 35, 42, 44, 45, 48, 49, 50, 56, 58, 59, 62, 66, 67, 68, 69, 70, 71, 72, 73, 91, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 124, 135, 136, 137, 138, 180, 185, 186, 187, 188, 203, 204, 219, 220, 221, 222, 223, 224, 225, 248, 249, 250, 251, 252, 253, 254, 255, 256, 264, 265, 266, 267, 268, 270, 272, 274, 276, 277, 285, 286, 287, 296, 303, 304, 305, 322, 323, 324, 341, 342, 343, 344, 355, 356, 357, 358, 363, 364, 365, 366, 370, 371, 372, 374, 375, 376, 377, 381, 382, 383, 384, 388, 389, 390, 391, 395, 396, 397, 398, 444, 479, 480, 481, 482, 483, 499, 500, 510, 511, 526, 527, 528, 529, 538, 539, 543, 544, 548, 549, 553, 554, 562, 567, 568, 569, 582, 589, 590, 598, 599, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 651, 652, 655, 656, 659, 660, 661, 665, 666, 674, 675, 676, 678, 679, 680, 681, 684, 685, 686, 701, 702, 703, 705, 706, 707, 714, 715, 718, 720, 721, 722, 723, 724, 725, 726, 728, 730, 731, 732, 735, 736, 737, 754, 755, 756, 758, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792,

794, 795, 799, 800, 801, 806, 807, 808, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 824, 825, 826, 827, 830, 831, 832, 833, 834, 835, 837, 838, 839, 840, 842, 843, 844, 845, 847, 852, 855, 856, 884, 887, 889, 890, 891, 892, 894, 895, 901, 902, 905, 907, 908, 911, 913, 916, 920, 921, 923, 924, 925, 926, 929, 932, 933, 934, 935, 936, 937, 943, 944, 946 }

B grade: { 3, 4, 5, 80, 90, 110, 121, 122, 123, 128, 129, 130, 131, 132, 133, 134, 139, 140, 201, 202, 207, 208, 210, 212, 213, 263, 273, 275, 278, 280, 282, 295, 297, 306, 325, 472, 473, 474, 475, 476, 477, 478, 591, 600, 653, 654, 672, 677, 694, 695, 719, 727, 738, 751, 753, 759, 760, 775, 793, 798, 802, 803, 804, 805, 809, 821, 822, 823, 828, 836, 841, 846, 848, 849, 854, 862, 880, 881, 882, 883, 885, 888, 909, 945 }

C grade: { }

F grade: { 2, 6, 7, 9, 10, 11, 12, 13, 14, 16, 20, 21, 23, 24, 25, 26, 27, 28, 31, 32, 34, 36, 37, 38, 39, 40, 41, 43, 46, 47, 51, 52, 53, 54, 55, 57, 60, 61, 63, 64, 65, 74, 75, 76, 77, 78, 79, 81, 82, 83, 84, 85, 86, 87, 88, 89, 92, 93, 94, 105, 106, 107, 108, 109, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 125, 126, 127, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 181, 182, 183, 184, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 205, 206, 209, 211, 214, 215, 216, 217, 218, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 257, 258, 259, 260, 261, 262, 269, 271, 279, 281, 283, 284, 288, 289, 290, 291, 292, 293, 294, 298, 299, 300, 301, 302, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 359, 360, 361, 362, 367, 368, 369, 373, 378, 379, 380, 385, 386, 387, 392, 393, 394, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 501, 502, 503, 504, 505, 506, 507, 508, 509, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 530, 531, 532, 533, 534, 535, 536, 537, 540, 541, 542, 545, 546, 547, 550, 551, 552, 555, 556, 557, 558, 559, 560, 561, 563, 564, 565, 566, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 583, 584, 585, 586, 587, 588, 592, 593, 594, 595, 596, 597, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 650, 657, 658, 662, 663, 664, 667, 668, 669, 670, 671, 673, 682, 683, 687, 688, 689, 690, 691, 692, 693, 696, 697, 698, 699, 700, 704, 708, 709, 710, 711, 712, 713, 716, 717, 729, 733, 734, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 752, 757, 761, 762, 774, 796, 797, 810, 829, 850, 851, 853, 857, 858, 859, 860, 861, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 886, 893, 896, 897, 898, 899, 900, 903, 904, 906, 910, 912, 914, 915, 917, 918, 919, 922, 927, 928, 930, 931, 938, 939, 940, 941, 942, 947, 948, 949, 950 }

## 2.1.7 Giac

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 33, 35, 42, 43, 44, 45, 48, 49, 50, 56, 57, 58, 59, 62, 66, 67, 68, 69, 70, 71, 72, 73, 91, 93, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 111, 113, 117, 119, 120, 121, 123, 124, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 150, 151, 152, 159, 180, 186, 187, 188, 189, 190, 191, 192, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 220, 222, 223, 224, 225, 226, 227, 229, 231, 248, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 268, 269, 270, 272, 274, 276, 279, 281, 283, 285, 286, 287, 288, 289, 290, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 305, 306, 308, 310, 312, 322, 323, 324, 326, 327, 328, 329, 330, 331, 332, 344, 345, 346, 348, 349, 350, 351, 352, 353, 355, 356, 357, 358, 359, 360, 361, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 388, 389, 390, 395, 396, 397, 398, 399, 400, 443, 444, 445, 446, 447, 458, 459, 460, 461, 472, 473, 474, 476, 477, 479, 480, 481, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 499, 500, 504, 505, 506, 514, 515, 520, 522, 523, 524, 525, 526, 527, 529, 530, 531, 532, 533, 535, 536, 540, 541, 545, 546, 550, 551, 562, 563, 567, 568, 569, 570, 571, 572, 582, 583, 584, 589, 591, 598, 600, 640, 641, 644, 645, 646, 647, 648, 649, 651, 652, 653, 654, 655, 656, 657, 658, 659, 661, 665, 666, 668, 669, 671, 672, 673, 674, 675, 677, 678, 679, 680, 681, 682, 684, 686, 687, 690, 691, 692, 693, 694, 695, 696, 697, 698, 700, 701, 702, 703, 704, 705, 706, 708, 710, 711, 713, 714, 715, 716, 724, 725, 726, 727, 729, 730, 731, 735, 736, 737, 738, 739, 740, 749, 753, 754,

755, 758, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 794, 795, 798, 799, 800, 802, 803, 804, 806, 807, 808, 810, 811, 812, 813, 814, 817, 818, 819, 820, 821, 822, 823, 824, 826, 828, 830, 831, 832, 833, 834, 835, 837, 838, 839, 840, 841, 843, 844, 845, 846, 847, 848, 849, 851, 852, 853, 854, 855, 856, 857, 866, 867, 880, 881, 882, 883, 884, 887, 889, 891, 893, 894, 895, 896, 897, 898, 899, 901, 903, 908, 909, 911, 913, 916, 919, 920, 921, 922, 923, 924, 925, 926, 928, 929, 932, 934, 935, 936, 937, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950 }

B grade: { 64, 65, 75, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 92, 94, 110, 112, 114, 116, 118, 122, 125, 126, 127, 139, 140, 141, 142, 143, 144, 145, 146, 157, 158, 162, 185, 193, 194, 195, 196, 197, 198, 199, 200, 219, 221, 228, 230, 249, 250, 251, 267, 271, 273, 275, 277, 278, 280, 282, 284, 291, 304, 307, 309, 311, 313, 325, 341, 342, 343, 347, 354, 362, 384, 385, 386, 387, 391, 392, 393, 394, 401, 402, 421, 422, 475, 478, 482, 483, 496, 501, 502, 507, 508, 510, 511, 512, 513, 516, 517, 518, 519, 521, 528, 534, 537, 538, 539, 542, 543, 544, 547, 548, 549, 552, 553, 554, 555, 564, 565, 590, 599, 638, 642, 650, 667, 670, 676, 683, 707, 718, 719, 720, 721, 722, 728, 732, 734, 743, 744, 747, 748, 752, 756, 757, 759, 775, 793, 796, 797, 801, 805, 815, 816, 825, 827, 829, 836, 842, 850, 860, 861, 862, 863, 864, 885, 886, 888, 890, 892, 902, 904, 905, 910, 915, 927, 930, 933 }

C grade: { 428, 429, 585, 586, 587, 588, 594, 595, 596, 597, 712, 751 }

F grade: { 31, 32, 34, 36, 37, 38, 39, 40, 41, 46, 47, 51, 52, 53, 54, 55, 60, 61, 63, 74, 76, 77, 78, 79, 105, 106, 107, 108, 109, 115, 147, 148, 149, 153, 154, 155, 156, 160, 161, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 181, 182, 183, 184, 217, 218, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 314, 315, 316, 317, 318, 319, 320, 321, 333, 334, 335, 336, 337, 338, 339, 340, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 423, 424, 425, 426, 427, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 497, 498, 503, 509, 556, 557, 558, 559, 560, 561, 566, 573, 574, 575, 576, 577, 578, 579, 580, 581, 592, 593, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 639, 643, 660, 662, 663, 664, 685, 688, 689, 699, 709, 717, 723, 733, 741, 742, 745, 746, 750, 809, 858, 859, 865, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 900, 906, 907, 912, 914, 917, 918, 931, 938, 939 }

## 2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column **normalized size** is defined as  $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$

| Problem 1       | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 44      | 44   | 22          | 17    | 35     | 101    | 32    | 77    |
| normalized size | 1       | 1.   | 0.5         | 0.39  | 0.8    | 2.3    | 0.73  | 1.75  |
| time (sec)      | N/A     | 0.04 | 0.036       | 0.016 | 1.697  | 1.426  | 0.324 | 1.138 |

| Problem 2       | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 44      | 44    | 22          | 17    | 35     | 101    | 0     | 77    |
| normalized size | 1       | 1.    | 0.5         | 0.39  | 0.8    | 2.3    | 0.    | 1.75  |
| time (sec)      | N/A     | 0.038 | 0.028       | 0.081 | 1.575  | 1.454  | 0.    | 1.236 |

| Problem 3       | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | B     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 48      | 48    | 22          | 17    | 22     | 127    | 343   | 77   |
| normalized size | 1       | 1.    | 0.46        | 0.35  | 0.46   | 2.65   | 7.15  | 1.6  |
| time (sec)      | N/A     | 0.022 | 0.046       | 0.033 | 1.566  | 1.47   | 8.389 | 1.12 |

| Problem 4       | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A    | A           | A     | A      | A      | B      | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 48      | 48   | 22          | 17    | 22     | 127    | 343    | 77    |
| normalized size | 1       | 1.   | 0.46        | 0.35  | 0.46   | 2.65   | 7.15   | 1.6   |
| time (sec)      | N/A     | 0.02 | 0.059       | 0.02  | 1.602  | 1.421  | 10.251 | 1.104 |

| Problem 5       | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | B     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 48      | 48    | 22          | 17    | 22     | 127    | 343   | 77    |
| normalized size | 1       | 1.    | 0.46        | 0.35  | 0.46   | 2.65   | 7.15  | 1.6   |
| time (sec)      | N/A     | 0.026 | 0.025       | 0.04  | 1.671  | 1.469  | 9.454 | 1.097 |

| Problem 6       | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 48      | 48    | 22          | 17    | 22     | 127    | 0     | 77    |
| normalized size | 1       | 1.    | 0.46        | 0.35  | 0.46   | 2.65   | 0.    | 1.6   |
| time (sec)      | N/A     | 0.044 | 0.019       | 0.061 | 1.542  | 1.532  | 0.    | 2.459 |

| Problem 7       | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 48      | 48    | 22          | 17    | 22     | 127    | 0     | 77   |
| normalized size | 1       | 1.    | 0.46        | 0.35  | 0.46   | 2.65   | 0.    | 1.6  |
| time (sec)      | N/A     | 0.041 | 0.018       | 0.061 | 1.526  | 1.459  | 0.    | 1.28 |

| Problem 8       | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 60      | 60    | 22          | 17    | 73     | 207    | 42    | 53   |
| normalized size | 1       | 1.    | 0.37        | 0.28  | 1.22   | 3.45   | 0.7   | 0.88 |
| time (sec)      | N/A     | 0.026 | 0.038       | 0.012 | 1.628  | 1.402  | 0.39  | 1.21 |

| Problem 9       | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 60      | 60    | 22          | 17    | 73     | 207    | 0     | 53    |
| normalized size | 1       | 1.    | 0.37        | 0.28  | 1.22   | 3.45   | 0.    | 0.88  |
| time (sec)      | N/A     | 0.046 | 0.039       | 0.084 | 1.665  | 1.485  | 0.    | 1.302 |

| Problem 10      | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | F(-2) | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 60      | 60   | 22          | 17    | 46     | 232    | 0     | 53    |
| normalized size | 1       | 1.   | 0.37        | 0.28  | 0.77   | 3.87   | 0.    | 0.88  |
| time (sec)      | N/A     | 0.02 | 0.058       | 0.029 | 1.611  | 1.405  | 0.    | 1.172 |

| Problem 11      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-2) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 60      | 60    | 22          | 17    | 46     | 232    | 0     | 53    |
| normalized size | 1       | 1.    | 0.37        | 0.28  | 0.77   | 3.87   | 0.    | 0.88  |
| time (sec)      | N/A     | 0.019 | 0.07        | 0.017 | 1.597  | 1.311  | 0.    | 1.186 |

| Problem 12      | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | F(-2) | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 60      | 60   | 22          | 17    | 46     | 232    | 0     | 53    |
| normalized size | 1       | 1.   | 0.37        | 0.28  | 0.77   | 3.87   | 0.    | 0.88  |
| time (sec)      | N/A     | 0.03 | 0.032       | 0.043 | 1.6    | 1.407  | 0.    | 1.225 |

| Problem 13      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 60      | 60    | 22          | 17    | 46     | 232    | 0     | 53    |
| normalized size | 1       | 1.    | 0.37        | 0.28  | 0.77   | 3.87   | 0.    | 0.88  |
| time (sec)      | N/A     | 0.045 | 0.024       | 0.061 | 1.559  | 1.432  | 0.    | 2.534 |

| Problem 14      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 60      | 60    | 22          | 17    | 46     | 232    | 0     | 53    |
| normalized size | 1       | 1.    | 0.37        | 0.28  | 0.77   | 3.87   | 0.    | 0.88  |
| time (sec)      | N/A     | 0.046 | 0.031       | 0.055 | 1.613  | 1.51   | 0.    | 1.374 |

| Problem 15      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 42      | 42    | 22          | 18    | 36     | 101    | 34    | 77    |
| normalized size | 1       | 1.    | 0.52        | 0.43  | 0.86   | 2.4    | 0.81  | 1.83  |
| time (sec)      | N/A     | 0.037 | 0.029       | 0.011 | 1.686  | 1.221  | 0.307 | 1.125 |

| Problem 16      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 42      | 42    | 22          | 18    | 36     | 101    | 0     | 77    |
| normalized size | 1       | 1.    | 0.52        | 0.43  | 0.86   | 2.4    | 0.    | 1.83  |
| time (sec)      | N/A     | 0.037 | 0.022       | 0.073 | 1.749  | 1.849  | 0.    | 1.188 |

| Problem 17      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 48      | 48    | 22          | 18    | 23     | 124    | 76    | 77    |
| normalized size | 1       | 1.    | 0.46        | 0.38  | 0.48   | 2.58   | 1.58  | 1.6   |
| time (sec)      | N/A     | 0.019 | 0.021       | 0.024 | 1.578  | 1.737  | 1.204 | 1.122 |

| Problem 18      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 48      | 48    | 22          | 18    | 23     | 124    | 76    | 77   |
| normalized size | 1       | 1.    | 0.46        | 0.38  | 0.48   | 2.58   | 1.58  | 1.6  |
| time (sec)      | N/A     | 0.016 | 0.041       | 0.017 | 1.609  | 1.783  | 0.949 | 1.13 |

| Problem 19      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 48      | 48    | 22          | 18    | 23     | 124    | 76    | 77    |
| normalized size | 1       | 1.    | 0.46        | 0.38  | 0.48   | 2.58   | 1.58  | 1.6   |
| time (sec)      | N/A     | 0.027 | 0.021       | 0.039 | 1.572  | 1.79   | 1.275 | 1.138 |

| Problem 20      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 48      | 48    | 22          | 18    | 23     | 124    | 0     | 77   |
| normalized size | 1       | 1.    | 0.46        | 0.38  | 0.48   | 2.58   | 0.    | 1.6  |
| time (sec)      | N/A     | 0.042 | 0.018       | 0.06  | 1.607  | 1.867  | 0.    | 1.82 |

| Problem 21      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 48      | 48    | 22          | 18    | 23     | 124    | 0     | 77    |
| normalized size | 1       | 1.    | 0.46        | 0.38  | 0.48   | 2.58   | 0.    | 1.6   |
| time (sec)      | N/A     | 0.045 | 0.019       | 0.087 | 1.56   | 1.843  | 0.    | 1.463 |

| Problem 22      | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 61      | 61   | 22          | 18    | 72     | 207    | 39    | 53   |
| normalized size | 1       | 1.   | 0.36        | 0.3   | 1.18   | 3.39   | 0.64  | 0.87 |
| time (sec)      | N/A     | 0.03 | 0.027       | 0.01  | 1.555  | 1.825  | 0.398 | 1.21 |

| Problem 23      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 61      | 61    | 22          | 18    | 72     | 207    | 0     | 53    |
| normalized size | 1       | 1.    | 0.36        | 0.3   | 1.18   | 3.39   | 0.    | 0.87  |
| time (sec)      | N/A     | 0.046 | 0.035       | 0.079 | 1.495  | 1.755  | 0.    | 1.315 |

| Problem 24      | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | F(-2) | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 61      | 61   | 22          | 18    | 43     | 230    | 0     | 53    |
| normalized size | 1       | 1.   | 0.36        | 0.3   | 0.7    | 3.77   | 0.    | 0.87  |
| time (sec)      | N/A     | 0.02 | 0.065       | 0.03  | 1.604  | 1.693  | 0.    | 1.222 |

| Problem 25      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-2) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 61      | 61    | 22          | 18    | 43     | 230    | 0     | 53    |
| normalized size | 1       | 1.    | 0.36        | 0.3   | 0.7    | 3.77   | 0.    | 0.87  |
| time (sec)      | N/A     | 0.019 | 0.058       | 0.018 | 1.663  | 1.639  | 0.    | 1.207 |

| Problem 26      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | F(-2) | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 61      | 61    | 22          | 18    | 43     | 230    | 0     | 53   |
| normalized size | 1       | 1.    | 0.36        | 0.3   | 0.7    | 3.77   | 0.    | 0.87 |
| time (sec)      | N/A     | 0.031 | 0.031       | 0.042 | 1.561  | 1.625  | 0.    | 1.24 |

| Problem 27      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 61      | 61    | 22          | 18    | 43     | 230    | 0     | 53    |
| normalized size | 1       | 1.    | 0.36        | 0.3   | 0.7    | 3.77   | 0.    | 0.87  |
| time (sec)      | N/A     | 0.043 | 0.021       | 0.059 | 1.648  | 1.722  | 0.    | 1.873 |

| Problem 28      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 61      | 61    | 22          | 18    | 43     | 230    | 0     | 53   |
| normalized size | 1       | 1.    | 0.36        | 0.3   | 0.7    | 3.77   | 0.    | 0.87 |
| time (sec)      | N/A     | 0.047 | 0.035       | 0.086 | 1.667  | 1.796  | 0.    | 1.51 |

| Problem 29      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 30      | 30    | 30          | 25    | 32     | 76     | 41    | 32    |
| normalized size | 1       | 1.    | 1.          | 0.83  | 1.07   | 2.53   | 1.37  | 1.07  |
| time (sec)      | N/A     | 0.035 | 0.062       | 0.009 | 1.11   | 1.715  | 0.19  | 1.145 |

| Problem 30      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 56      | 56    | 48          | 57    | 65     | 135    | 85    | 62    |
| normalized size | 1       | 1.    | 0.86        | 1.02  | 1.16   | 2.41   | 1.52  | 1.11  |
| time (sec)      | N/A     | 0.067 | 0.088       | 0.037 | 1.116  | 2.026  | 0.384 | 1.189 |

| Problem 31      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | C      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 213     | 213   | 172         | 229   | 0      | 377    | 0     | 0    |
| normalized size | 1       | 1.    | 0.81        | 1.08  | 0.     | 1.77   | 0.    | 0.   |
| time (sec)      | N/A     | 0.536 | 0.322       | 0.022 | 0.     | 2.131  | 0.    | 0.   |

| Problem 32      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | C      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 271     | 271   | 238         | 320   | 0      | 950    | 0     | 0    |
| normalized size | 1       | 1.    | 0.88        | 1.18  | 0.     | 3.51   | 0.    | 0.   |
| time (sec)      | N/A     | 0.802 | 0.579       | 0.015 | 0.     | 2.428  | 0.    | 0.   |

| Problem 33      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 10      | 10    | 10          | 9     | 11     | 28     | 10    | 11    |
| normalized size | 1       | 1.    | 1.          | 0.9   | 1.1    | 2.8    | 1.    | 1.1   |
| time (sec)      | N/A     | 0.018 | 0.023       | 0.011 | 1.095  | 1.991  | 0.334 | 1.142 |

| Problem 34      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | C     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 28      | 28    | 46          | 72    | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.64        | 2.57  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.471 | 0.709       | 0.046 | 0.     | 0.     | 0.    | 0.   |

| Problem 35      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 12      | 12    | 26          | 12    | 23     | 89     | 15    | 15    |
| normalized size | 1       | 1.    | 2.17        | 1.    | 1.92   | 7.42   | 1.25  | 1.25  |
| time (sec)      | N/A     | 0.029 | 0.02        | 0.017 | 1.099  | 2.021  | 2.354 | 1.113 |

| Problem 36      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 100     | 100   | 272         | 142   | 0      | 323    | 0     | 0    |
| normalized size | 1       | 1.    | 2.72        | 1.42  | 0.     | 3.23   | 0.    | 0.   |
| time (sec)      | N/A     | 0.164 | 5.519       | 0.013 | 0.     | 2.252  | 0.    | 0.   |

| Problem 37      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 107     | 107   | 401         | 195   | 0      | 351    | 0     | 0    |
| normalized size | 1       | 1.    | 3.75        | 1.82  | 0.     | 3.28   | 0.    | 0.   |
| time (sec)      | N/A     | 0.192 | 7.279       | 0.015 | 0.     | 2.251  | 0.    | 0.   |



| Problem 38      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 194     | 194   | 657         | 295   | 0      | 651    | 0     | 0    |
| normalized size | 1       | 1.    | 3.39        | 1.52  | 0.     | 3.36   | 0.    | 0.   |
| time (sec)      | N/A     | 0.322 | 7.721       | 0.015 | 0.     | 2.476  | 0.    | 0.   |

| Problem 39      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 58      | 58    | 53          | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.91        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.111 | 0.096       | 0.118 | 0.     | 0.     | 0.    | 0.   |

| Problem 40      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 58      | 58    | 57          | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.98        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.082 | 0.075       | 0.07  | 0.     | 0.     | 0.    | 0.   |

| Problem 41      | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | F     | F      | F      | F     | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 26      | 26   | 26          | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 1.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.04 | 0.041       | 0.021 | 0.     | 0.     | 0.    | 0.   |

| Problem 42      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 39      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.037 | 5.542       | 0.04  | 0.     | 0.     | 0.    | 0.   |

| Problem 43      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-1)  | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 41      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.081 | 18.71       | 0.046 | 0.     | 0.     | 0.    | 0.   |

| Problem 44      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 30    | 26          | 25    | 32     | 76     | 41    | 32   |
| normalized size | 1       | 1.    | 0.87        | 0.83  | 1.07   | 2.53   | 1.37  | 1.07 |
| time (sec)      | N/A     | 0.034 | 0.069       | 0.008 | 1.126  | 2.299  | 0.21  | 1.11 |

| Problem 45      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 56      | 56    | 51          | 57    | 62     | 135    | 85    | 62    |
| normalized size | 1       | 1.    | 0.91        | 1.02  | 1.11   | 2.41   | 1.52  | 1.11  |
| time (sec)      | N/A     | 0.069 | 0.104       | 0.032 | 1.156  | 2.323  | 0.52  | 1.124 |

| Problem 46      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | C      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 213     | 213   | 172         | 229   | 0      | 398    | 0     | 0    |
| normalized size | 1       | 1.    | 0.81        | 1.08  | 0.     | 1.87   | 0.    | 0.   |
| time (sec)      | N/A     | 0.308 | 0.303       | 0.016 | 0.     | 2.496  | 0.    | 0.   |

| Problem 47      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | C      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 271     | 271   | 236         | 320   | 0      | 963    | 0     | 0    |
| normalized size | 1       | 1.    | 0.87        | 1.18  | 0.     | 3.55   | 0.    | 0.   |
| time (sec)      | N/A     | 0.562 | 0.542       | 0.017 | 0.     | 2.643  | 0.    | 0.   |

| Problem 48      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 10      | 10    | 10          | 9     | 11     | 27     | 8     | 11    |
| normalized size | 1       | 1.    | 1.          | 0.9   | 1.1    | 2.7    | 0.8   | 1.1   |
| time (sec)      | N/A     | 0.136 | 0.032       | 0.011 | 1.124  | 2.304  | 0.902 | 1.099 |

| Problem 49      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 22      | 22    | 22          | 18    | 23     | 112    | 20    | 23    |
| normalized size | 1       | 1.    | 1.          | 0.82  | 1.05   | 5.09   | 0.91  | 1.05  |
| time (sec)      | N/A     | 0.189 | 0.053       | 0.015 | 1.59   | 2.336  | 1.585 | 1.099 |

| Problem 50      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 24      | 24    | 20          | 16    | 22     | 46     | 15    | 26    |
| normalized size | 1       | 1.    | 0.83        | 0.67  | 0.92   | 1.92   | 0.62  | 1.08  |
| time (sec)      | N/A     | 0.493 | 0.156       | 0.025 | 1.139  | 2.153  | 7.2   | 1.098 |

| Problem 51      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 101     | 101   | 260         | 142   | 0      | 323    | 0     | 0    |
| normalized size | 1       | 1.    | 2.57        | 1.41  | 0.     | 3.2    | 0.    | 0.   |
| time (sec)      | N/A     | 0.133 | 5.135       | 0.016 | 0.     | 2.47   | 0.    | 0.   |

| Problem 52      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 107     | 107   | 400         | 195   | 0      | 338    | 0     | 0    |
| normalized size | 1       | 1.    | 3.74        | 1.82  | 0.     | 3.16   | 0.    | 0.   |
| time (sec)      | N/A     | 0.161 | 6.113       | 0.02  | 0.     | 2.583  | 0.    | 0.   |

| Problem 53      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 58      | 58    | 53          | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.91        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.111 | 0.024       | 0.122 | 0.     | 0.     | 0.    | 0.   |

| Problem 54      | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | F     | F      | F      | F     | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 58      | 58   | 51          | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 0.88        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.08 | 0.038       | 0.088 | 0.     | 0.     | 0.    | 0.   |

| Problem 55      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 26      | 26    | 26          | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.038 | 0.006       | 0.027 | 0.     | 0.     | 0.    | 0.   |

| Problem 56      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 39      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.038 | 2.897       | 0.031 | 0.     | 0.     | 0.    | 0.   |

| Problem 57      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-1)  | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 41      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.084 | 10.993      | 0.05  | 0.     | 0.     | 0.    | 0.   |

| Problem 58      | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 9       | 9    | 9           | 8     | 9      | 41     | 10    | 11    |
| normalized size | 1       | 1.   | 1.          | 0.89  | 1.     | 4.56   | 1.11  | 1.22  |
| time (sec)      | N/A     | 0.01 | 0.012       | 0.003 | 1.014  | 2.359  | 0.991 | 1.103 |

| Problem 59      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 16      | 16    | 18          | 13    | 16     | 39     | 14    | 16    |
| normalized size | 1       | 1.    | 1.12        | 0.81  | 1.     | 2.44   | 0.88  | 1.    |
| time (sec)      | N/A     | 0.018 | 0.034       | 0.007 | 1.48   | 2.29   | 1.02  | 1.114 |

| Problem 60      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | A      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 70      | 70    | 70          | 0     | 108    | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 0.    | 1.54   | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.091 | 0.021       | 0.026 | 1.521  | 0.     | 0.    | 0.   |

| Problem 61      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 19      | 19    | 18          | 18    | 112    | 59     | 0     | 0    |
| normalized size | 1       | 1.    | 0.95        | 0.95  | 5.89   | 3.11   | 0.    | 0.   |
| time (sec)      | N/A     | 0.018 | 0.676       | 0.03  | 1.207  | 2.375  | 0.    | 0.   |

| Problem 62      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | A     | A      | B      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 16      | 16    | 26          | 14    | 19     | 88     | 15    | 30    |
| normalized size | 1       | 1.    | 1.62        | 0.88  | 1.19   | 5.5    | 0.94  | 1.88  |
| time (sec)      | N/A     | 0.018 | 0.044       | 0.005 | 1.498  | 2.388  | 0.709 | 1.121 |

| Problem 63      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 92      | 92    | 85          | 150   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.92        | 1.63  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.164 | 1.565       | 0.305 | 0.     | 0.     | 0.    | 0.   |

| Problem 64      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-1)  | B      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 35      | 35    | 35          | 48    | 0      | 193    | 0     | 1280  |
| normalized size | 1       | 1.    | 1.          | 1.37  | 0.     | 5.51   | 0.    | 36.57 |
| time (sec)      | N/A     | 0.033 | 0.037       | 0.045 | 0.     | 2.408  | 0.    | 2.547 |

| Problem 65      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-1)  | B      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 35      | 35    | 35          | 48    | 0      | 193    | 0     | 1280  |
| normalized size | 1       | 1.    | 1.          | 1.37  | 0.     | 5.51   | 0.    | 36.57 |
| time (sec)      | N/A     | 0.033 | 0.025       | 0.002 | 0.     | 2.486  | 0.    | 2.523 |

| Problem 66      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 15      | 15    | 15          | 7     | 15     | 38     | 20    | 15   |
| normalized size | 1       | 1.    | 1.          | 0.47  | 1.     | 2.53   | 1.33  | 1.   |
| time (sec)      | N/A     | 0.009 | 0.005       | 0.01  | 0.96   | 2.304  | 0.549 | 1.13 |

| Problem 67      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 17      | 17    | 17          | 14    | 18     | 39     | 20    | 18    |
| normalized size | 1       | 1.    | 1.          | 0.82  | 1.06   | 2.29   | 1.18  | 1.06  |
| time (sec)      | N/A     | 0.008 | 0.007       | 0.026 | 0.971  | 2.325  | 0.775 | 1.109 |

| Problem 68      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 17      | 17    | 17          | 14    | 18     | 59     | 20    | 18    |
| normalized size | 1       | 1.    | 1.          | 0.82  | 1.06   | 3.47   | 1.18  | 1.06  |
| time (sec)      | N/A     | 0.008 | 0.007       | 0.029 | 1.019  | 2.232  | 1.776 | 1.104 |

| Problem 69      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 35      | 35    | 25          | 28    | 38     | 68     | 78    | 39    |
| normalized size | 1       | 1.    | 0.71        | 0.8   | 1.09   | 1.94   | 2.23  | 1.11  |
| time (sec)      | N/A     | 0.031 | 0.043       | 0.013 | 0.968  | 2.273  | 5.022 | 1.114 |

| Problem 70      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 15      | 15    | 15          | 12    | 15     | 32     | 20    | 15    |
| normalized size | 1       | 1.    | 1.          | 0.8   | 1.     | 2.13   | 1.33  | 1.    |
| time (sec)      | N/A     | 0.008 | 0.005       | 0.013 | 0.984  | 2.227  | 1.864 | 1.108 |

| Problem 71      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 17      | 17    | 17          | 14    | 18     | 35     | 20    | 18    |
| normalized size | 1       | 1.    | 1.          | 0.82  | 1.06   | 2.06   | 1.18  | 1.06  |
| time (sec)      | N/A     | 0.008 | 0.006       | 0.035 | 0.985  | 2.251  | 0.897 | 1.148 |

| Problem 72      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 17      | 17    | 17          | 14    | 18     | 53     | 20    | 18   |
| normalized size | 1       | 1.    | 1.          | 0.82  | 1.06   | 3.12   | 1.18  | 1.06 |
| time (sec)      | N/A     | 0.008 | 0.006       | 0.035 | 1.006  | 2.284  | 0.957 | 1.09 |

| Problem 73      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 35      | 35    | 24          | 28    | 38     | 66     | 39    | 39    |
| normalized size | 1       | 1.    | 0.69        | 0.8   | 1.09   | 1.89   | 1.11  | 1.11  |
| time (sec)      | N/A     | 0.027 | 0.04        | 0.011 | 0.98   | 2.359  | 3.709 | 1.143 |

| Problem 74      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | B      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 20      | 20    | 20          | 18    | 190    | 109    | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 0.9   | 9.5    | 5.45   | 0.    | 0.   |
| time (sec)      | N/A     | 0.023 | 0.013       | 0.043 | 1.536  | 2.364  | 0.    | 0.   |

| Problem 75      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | A      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 47      | 47    | 21          | 38    | 0      | 138    | 0     | 491   |
| normalized size | 1       | 1.    | 0.45        | 0.81  | 0.     | 2.94   | 0.    | 10.45 |
| time (sec)      | N/A     | 0.052 | 0.028       | 0.094 | 0.     | 2.541  | 0.    | 1.251 |

| Problem 76      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 71      | 71    | 69          | 115   | 0      | 329    | 0     | 0    |
| normalized size | 1       | 1.    | 0.97        | 1.62  | 0.     | 4.63   | 0.    | 0.   |
| time (sec)      | N/A     | 0.109 | 0.069       | 0.166 | 0.     | 2.455  | 0.    | 0.   |

| Problem 77      | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | A     | F      | A      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 112     | 112  | 100         | 84    | 0      | 451    | 0     | 0    |
| normalized size | 1       | 1.   | 0.89        | 0.75  | 0.     | 4.03   | 0.    | 0.   |
| time (sec)      | N/A     | 0.17 | 0.151       | 0.141 | 0.     | 2.736  | 0.    | 0.   |

| Problem 78      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | B      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 89      | 89    | 84          | 256   | 0      | 435    | 0     | 0    |
| normalized size | 1       | 1.    | 0.94        | 2.88  | 0.     | 4.89   | 0.    | 0.   |
| time (sec)      | N/A     | 0.271 | 0.134       | 0.281 | 0.     | 2.78   | 0.    | 0.   |

| Problem 79      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 105     | 105   | 200         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.9         | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.077 | 0.165       | 0.174 | 0.     | 0.     | 0.    | 0.   |

| Problem 80      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | B      | B     | B    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 10      | 10    | 10          | 12    | 50     | 73     | 19    | 26   |
| normalized size | 1       | 1.    | 1.          | 1.2   | 5.     | 7.3    | 1.9   | 2.6  |
| time (sec)      | N/A     | 0.022 | 0.009       | 0.026 | 1.496  | 2.42   | 1.206 | 1.13 |

| Problem 81      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | B      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 20      | 20    | 20          | 17    | 171    | 109    | 0     | 46    |
| normalized size | 1       | 1.    | 1.          | 0.85  | 8.55   | 5.45   | 0.    | 2.3   |
| time (sec)      | N/A     | 0.027 | 0.017       | 0.046 | 1.587  | 2.326  | 0.    | 1.157 |

| Problem 82      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | B      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 28      | 28    | 28          | 30    | 234    | 170    | 0     | 68    |
| normalized size | 1       | 1.    | 1.          | 1.07  | 8.36   | 6.07   | 0.    | 2.43  |
| time (sec)      | N/A     | 0.051 | 0.032       | 0.047 | 1.579  | 2.502  | 0.    | 1.162 |

| Problem 83      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | B      | F(-1) | B    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 82      | 82    | 76          | 70    | 0      | 423    | 0     | 150  |
| normalized size | 1       | 1.    | 0.93        | 0.85  | 0.     | 5.16   | 0.    | 1.83 |
| time (sec)      | N/A     | 0.196 | 0.224       | 0.103 | 0.     | 2.702  | 0.    | 1.29 |

| Problem 84      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 38      | 38    | 38          | 49    | 0      | 243    | 0     | 95    |
| normalized size | 1       | 1.    | 1.          | 1.29  | 0.     | 6.39   | 0.    | 2.5   |
| time (sec)      | N/A     | 0.082 | 0.067       | 0.069 | 0.     | 2.719  | 0.    | 1.151 |

| Problem 85      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | A     | B      | B      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 15      | 15    | 174         | 13    | 174    | 97     | 0     | 66    |
| normalized size | 1       | 1.    | 11.6        | 0.87  | 11.6   | 6.47   | 0.    | 4.4   |
| time (sec)      | N/A     | 0.015 | 0.368       | 0.028 | 1.712  | 2.46   | 0.    | 1.264 |

| Problem 86      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 21      | 21    | 17          | 18    | 109    | 61     | 0     | 68    |
| normalized size | 1       | 1.    | 0.81        | 0.86  | 5.19   | 2.9    | 0.    | 3.24  |
| time (sec)      | N/A     | 0.027 | 0.008       | 0.061 | 1.473  | 2.536  | 0.    | 1.232 |

| Problem 87      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | A     | F      | B      | F     | B     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 71      | 71    | 4845        | 54    | 0      | 394    | 0     | 147   |
| normalized size | 1       | 1.    | 68.24       | 0.76  | 0.     | 5.55   | 0.    | 2.07  |
| time (sec)      | N/A     | 0.062 | 56.622      | 0.066 | 0.     | 2.89   | 0.    | 1.298 |

| Problem 88      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | A      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 62      | 62    | 57          | 43    | 0      | 230    | 0     | 159   |
| normalized size | 1       | 1.    | 0.92        | 0.69  | 0.     | 3.71   | 0.    | 2.56  |
| time (sec)      | N/A     | 0.073 | 0.097       | 0.079 | 0.     | 2.783  | 0.    | 1.261 |

| Problem 89      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | A     | F      | B      | F     | B     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 85      | 85    | 678         | 80    | 0      | 498    | 0     | 208   |
| normalized size | 1       | 1.    | 7.98        | 0.94  | 0.     | 5.86   | 0.    | 2.45  |
| time (sec)      | N/A     | 0.063 | 9.28        | 0.096 | 0.     | 2.997  | 0.    | 1.319 |

| Problem 90      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | A     | B      | B      | B     | B    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 7       | 7     | 37          | 9     | 47     | 59     | 15    | 34   |
| normalized size | 1       | 1.    | 5.29        | 1.29  | 6.71   | 8.43   | 2.14  | 4.86 |
| time (sec)      | N/A     | 0.012 | 0.006       | 0.018 | 1.546  | 2.347  | 6.401 | 1.14 |

| Problem 91      | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | B      | A      | A     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 45      | 45   | 15          | 14    | 169    | 177    | 76    | 42    |
| normalized size | 1       | 1.   | 0.33        | 0.31  | 3.76   | 3.93   | 1.69  | 0.93  |
| time (sec)      | N/A     | 0.04 | 0.02        | 0.064 | 1.574  | 2.349  | 4.899 | 1.201 |

| Problem 92      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 26      | 26    | 26          | 28    | 231    | 158    | 0     | 65    |
| normalized size | 1       | 1.    | 1.          | 1.08  | 8.88   | 6.08   | 0.    | 2.5   |
| time (sec)      | N/A     | 0.025 | 0.023       | 0.068 | 1.56   | 2.583  | 0.    | 1.161 |

| Problem 93      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | B      | F     | A     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 165     | 165   | 84          | 66    | 0      | 759    | 0     | 142   |
| normalized size | 1       | 1.    | 0.51        | 0.4   | 0.     | 4.6    | 0.    | 0.86  |
| time (sec)      | N/A     | 0.141 | 0.11        | 0.107 | 0.     | 2.73   | 0.    | 1.356 |



| Problem 94      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | B      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 36      | 36    | 30          | 47    | 0      | 231    | 0     | 92    |
| normalized size | 1       | 1.    | 0.83        | 1.31  | 0.     | 6.42   | 0.    | 2.56  |
| time (sec)      | N/A     | 0.046 | 0.037       | 0.093 | 0.     | 2.74   | 0.    | 1.198 |

| Problem 95      | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 8       | 8    | 6           | 9     | 8      | 28     | 5     | 8    |
| normalized size | 1       | 1.   | 0.75        | 1.12  | 1.     | 3.5    | 0.62  | 1.   |
| time (sec)      | N/A     | 0.03 | 0.012       | 0.032 | 1.022  | 2.424  | 1.683 | 1.1  |

| Problem 96      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 8       | 8     | 8           | 9     | 8      | 19     | 7     | 8     |
| normalized size | 1       | 1.    | 1.          | 1.12  | 1.     | 2.38   | 0.88  | 1.    |
| time (sec)      | N/A     | 0.014 | 0.003       | 0.012 | 0.992  | 2.475  | 4.921 | 1.155 |

| Problem 97      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 15      | 15    | 15          | 7     | 15     | 20     | 22    | 15    |
| normalized size | 1       | 1.    | 1.          | 0.47  | 1.     | 1.33   | 1.47  | 1.    |
| time (sec)      | N/A     | 0.009 | 0.005       | 0.009 | 0.995  | 2.298  | 0.892 | 1.125 |

| Problem 98      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 17      | 17    | 17          | 14    | 18     | 35     | 22    | 18    |
| normalized size | 1       | 1.    | 1.          | 0.82  | 1.06   | 2.06   | 1.29  | 1.06  |
| time (sec)      | N/A     | 0.008 | 0.006       | 0.034 | 1.001  | 2.477  | 0.618 | 1.082 |

| Problem 99      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 17      | 17    | 17          | 14    | 18     | 41     | 22    | 18    |
| normalized size | 1       | 1.    | 1.          | 0.82  | 1.06   | 2.41   | 1.29  | 1.06  |
| time (sec)      | N/A     | 0.008 | 0.006       | 0.02  | 1.003  | 2.5    | 0.69  | 1.111 |

| Problem 100     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 35      | 35   | 26          | 28    | 36     | 68     | 44    | 39    |
| normalized size | 1       | 1.   | 0.74        | 0.8   | 1.03   | 1.94   | 1.26  | 1.11  |
| time (sec)      | N/A     | 0.03 | 0.049       | 0.008 | 0.977  | 2.523  | 1.246 | 1.103 |

| Problem 101     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 15      | 15    | 15          | 12    | 15     | 39     | 20    | 15    |
| normalized size | 1       | 1.    | 1.          | 0.8   | 1.     | 2.6    | 1.33  | 1.    |
| time (sec)      | N/A     | 0.009 | 0.005       | 0.018 | 0.98   | 2.337  | 0.786 | 1.106 |

| Problem 102     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 17      | 17    | 17          | 14    | 18     | 23     | 20    | 18    |
| normalized size | 1       | 1.    | 1.          | 0.82  | 1.06   | 1.35   | 1.18  | 1.06  |
| time (sec)      | N/A     | 0.009 | 0.006       | 0.021 | 0.987  | 2.361  | 0.814 | 1.108 |

| Problem 103     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 17      | 17    | 17          | 14    | 18     | 59     | 20    | 18    |
| normalized size | 1       | 1.    | 1.          | 0.82  | 1.06   | 3.47   | 1.18  | 1.06  |
| time (sec)      | N/A     | 0.008 | 0.005       | 0.041 | 1.008  | 2.269  | 0.558 | 1.155 |

| Problem 104     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 35      | 35    | 25          | 28    | 38     | 66     | 56    | 39    |
| normalized size | 1       | 1.    | 0.71        | 0.8   | 1.09   | 1.89   | 1.6   | 1.11  |
| time (sec)      | N/A     | 0.029 | 0.039       | 0.012 | 1.016  | 2.429  | 4.911 | 1.112 |

| Problem 105     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | B      | B      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 20      | 20    | 183         | 18    | 180    | 109    | 0     | 0    |
| normalized size | 1       | 1.    | 9.15        | 0.9   | 9.     | 5.45   | 0.    | 0.   |
| time (sec)      | N/A     | 0.025 | 0.24        | 0.015 | 1.577  | 2.825  | 0.    | 0.   |

| Problem 106     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | A     | F      | B      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 21      | 21    | 48          | 19    | 0      | 109    | 0     | 0    |
| normalized size | 1       | 1.    | 2.29        | 0.9   | 0.     | 5.19   | 0.    | 0.   |
| time (sec)      | N/A     | 0.024 | 0.053       | 0.022 | 0.     | 2.856  | 0.    | 0.   |

| Problem 107     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 71      | 71    | 6196        | 68    | 0      | 329    | 0     | 0    |
| normalized size | 1       | 1.    | 87.27       | 0.96  | 0.     | 4.63   | 0.    | 0.   |
| time (sec)      | N/A     | 0.083 | 58.347      | 0.043 | 0.     | 2.789  | 0.    | 0.   |

| Problem 108     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | A     | F      | B      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 84      | 84    | 215         | 72    | 0      | 421    | 0     | 0    |
| normalized size | 1       | 1.    | 2.56        | 0.86  | 0.     | 5.01   | 0.    | 0.   |
| time (sec)      | N/A     | 0.098 | 0.598       | 0.036 | 0.     | 2.634  | 0.    | 0.   |

| Problem 109     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | B      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 89      | 89    | 679         | 104   | 0      | 435    | 0     | 0    |
| normalized size | 1       | 1.    | 7.63        | 1.17  | 0.     | 4.89   | 0.    | 0.   |
| time (sec)      | N/A     | 0.238 | 8.927       | 0.049 | 0.     | 2.75   | 0.    | 0.   |

| Problem 110     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | B           | A     | B      | B      | B     | B     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 10      | 10   | 25          | 14    | 50     | 88     | 19    | 26    |
| normalized size | 1       | 1.   | 2.5         | 1.4   | 5.     | 8.8    | 1.9   | 2.6   |
| time (sec)      | N/A     | 0.02 | 0.015       | 0.025 | 0.992  | 2.517  | 1.489 | 1.139 |

| Problem 111     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 45      | 45    | 47          | 36    | 177    | 155    | 0     | 53    |
| normalized size | 1       | 1.    | 1.04        | 0.8   | 3.93   | 3.44   | 0.    | 1.18  |
| time (sec)      | N/A     | 0.053 | 0.019       | 0.101 | 1.506  | 2.521  | 0.    | 1.142 |

| Problem 112     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | B      | B      | F     | B    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 28      | 28    | 73          | 30    | 223    | 185    | 0     | 68   |
| normalized size | 1       | 1.    | 2.61        | 1.07  | 7.96   | 6.61   | 0.    | 2.43 |
| time (sec)      | N/A     | 0.049 | 0.066       | 0.134 | 1.541  | 2.576  | 0.    | 1.14 |

| Problem 113     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 110     | 110   | 133         | 82    | 0      | 466    | 0     | 158   |
| normalized size | 1       | 1.    | 1.21        | 0.75  | 0.     | 4.24   | 0.    | 1.44  |
| time (sec)      | N/A     | 0.155 | 0.125       | 0.153 | 0.     | 2.605  | 0.    | 1.197 |

| Problem 114     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | F      | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 38      | 38    | 87          | 49    | 0      | 259    | 0     | 95    |
| normalized size | 1       | 1.    | 2.29        | 1.29  | 0.     | 6.82   | 0.    | 2.5   |
| time (sec)      | N/A     | 0.071 | 0.086       | 0.2   | 0.     | 2.616  | 0.    | 1.147 |

| Problem 115     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 92      | 92    | 179         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.95        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.091 | 0.191       | 0.223 | 0.     | 0.     | 0.    | 0.   |

| Problem 116     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | B      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 15      | 15    | 15          | 13    | 185    | 97     | 0     | 42    |
| normalized size | 1       | 1.    | 1.          | 0.87  | 12.33  | 6.47   | 0.    | 2.8   |
| time (sec)      | N/A     | 0.015 | 0.007       | 0.029 | 1.551  | 2.29   | 0.    | 1.135 |

| Problem 117     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 44      | 44    | 15          | 13    | 103    | 162    | 0     | 42    |
| normalized size | 1       | 1.    | 0.34        | 0.3   | 2.34   | 3.68   | 0.    | 0.95  |
| time (sec)      | N/A     | 0.036 | 0.017       | 0.054 | 1.544  | 2.488  | 0.    | 1.157 |

| Problem 118     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | B      | F     | B    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 71      | 71    | 67          | 54    | 0      | 393    | 0     | 134  |
| normalized size | 1       | 1.    | 0.94        | 0.76  | 0.     | 5.54   | 0.    | 1.89 |
| time (sec)      | N/A     | 0.046 | 0.107       | 0.083 | 0.     | 2.607  | 0.    | 1.31 |

| Problem 119     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | B      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 163     | 163   | 84          | 68    | 0      | 759    | 0     | 142   |
| normalized size | 1       | 1.    | 0.52        | 0.42  | 0.     | 4.66   | 0.    | 0.87  |
| time (sec)      | N/A     | 0.129 | 0.104       | 0.1   | 0.     | 2.81   | 0.    | 1.357 |

| Problem 120     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | B      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 85      | 85    | 81          | 80    | 0      | 500    | 0     | 178   |
| normalized size | 1       | 1.    | 0.95        | 0.94  | 0.     | 5.88   | 0.    | 2.09  |
| time (sec)      | N/A     | 0.061 | 0.087       | 0.111 | 0.     | 2.797  | 0.    | 1.335 |

| Problem 121     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | B     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 10      | 10    | 10          | 14    | 26     | 76     | 20    | 28    |
| normalized size | 1       | 1.    | 1.          | 1.4   | 2.6    | 7.6    | 2.    | 2.8   |
| time (sec)      | N/A     | 0.018 | 0.007       | 0.026 | 0.995  | 2.361  | 2.574 | 1.095 |

| Problem 122     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A    | A           | A     | B      | B      | B      | B     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 14      | 14   | 14          | 18    | 174    | 81     | 427    | 34    |
| normalized size | 1       | 1.   | 1.          | 1.29  | 12.43  | 5.79   | 30.5   | 2.43  |
| time (sec)      | N/A     | 0.02 | 0.008       | 0.034 | 1.546  | 2.313  | 20.535 | 1.139 |

| Problem 123     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | B      | B      | B     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 7       | 7     | 21          | 11    | 47     | 77     | 15    | 11    |
| normalized size | 1       | 1.    | 3.          | 1.57  | 6.71   | 11.    | 2.14  | 1.57  |
| time (sec)      | N/A     | 0.011 | 0.003       | 0.017 | 0.989  | 2.482  | 7.943 | 1.115 |

| Problem 124     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | F     | B      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 21      | 21    | 21          | 0     | 174    | 65     | 17    | 41    |
| normalized size | 1       | 1.    | 1.          | 0.    | 8.29   | 3.1    | 0.81  | 1.95  |
| time (sec)      | N/A     | 0.026 | 0.008       | 180.  | 1.52   | 2.538  | 4.886 | 1.114 |

| Problem 125     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | A     | B      | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 26      | 26    | 66          | 28    | 220    | 174    | 0     | 88    |
| normalized size | 1       | 1.    | 2.54        | 1.08  | 8.46   | 6.69   | 0.    | 3.38  |
| time (sec)      | N/A     | 0.026 | 0.058       | 0.045 | 1.553  | 2.473  | 0.    | 1.171 |

| Problem 126     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | F      | A      | F     | B     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 62      | 62   | 57          | 80    | 0      | 232    | 0     | 177   |
| normalized size | 1       | 1.   | 0.92        | 1.29  | 0.     | 3.74   | 0.    | 2.85  |
| time (sec)      | N/A     | 0.07 | 0.062       | 0.097 | 0.     | 2.567  | 0.    | 1.202 |

| Problem 127     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | F      | B      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 36      | 36    | 83          | 47    | 0      | 248    | 0     | 136   |
| normalized size | 1       | 1.    | 2.31        | 1.31  | 0.     | 6.89   | 0.    | 3.78  |
| time (sec)      | N/A     | 0.041 | 0.073       | 0.059 | 0.     | 2.659  | 0.    | 1.178 |

| Problem 128     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|------|
| grade           | A       | A     | A           | A     | A      | B      | B      | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD  |
| size            | 33      | 33    | 33          | 26    | 34     | 234    | 63     | 34   |
| normalized size | 1       | 1.    | 1.          | 0.79  | 1.03   | 7.09   | 1.91   | 1.03 |
| time (sec)      | N/A     | 0.031 | 0.017       | 0.092 | 0.994  | 2.796  | 11.434 | 1.12 |

| Problem 129     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | A      | A      | B      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 33      | 33    | 33          | 26    | 34     | 117    | 71     | 34    |
| normalized size | 1       | 1.    | 1.          | 0.79  | 1.03   | 3.55   | 2.15   | 1.03  |
| time (sec)      | N/A     | 0.033 | 0.017       | 0.038 | 1.012  | 2.446  | 23.391 | 1.122 |

| Problem 130     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | A      | A      | B      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 25      | 25    | 25          | 20    | 26     | 92     | 48     | 26    |
| normalized size | 1       | 1.    | 1.          | 0.8   | 1.04   | 3.68   | 1.92   | 1.04  |
| time (sec)      | N/A     | 0.028 | 0.016       | 0.048 | 0.982  | 2.368  | 12.775 | 1.121 |

| Problem 131     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | B     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 23      | 23    | 23          | 18    | 23     | 154    | 42    | 23    |
| normalized size | 1       | 1.    | 1.          | 0.78  | 1.     | 6.7    | 1.83  | 1.    |
| time (sec)      | N/A     | 0.026 | 0.012       | 0.051 | 1.008  | 2.489  | 12.85 | 1.119 |

| Problem 132     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|------|
| grade           | A       | A     | A           | A     | A      | A      | B      | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD  |
| size            | 33      | 33    | 33          | 26    | 34     | 197    | 65     | 34   |
| normalized size | 1       | 1.    | 1.          | 0.79  | 1.03   | 5.97   | 1.97   | 1.03 |
| time (sec)      | N/A     | 0.031 | 0.015       | 0.059 | 1.024  | 2.762  | 16.104 | 1.14 |

| Problem 133     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A    | A           | A     | A      | B      | B      | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 31      | 31   | 31          | 24    | 31     | 297    | 70     | 31    |
| normalized size | 1       | 1.   | 1.          | 0.77  | 1.     | 9.58   | 2.26   | 1.    |
| time (sec)      | N/A     | 0.03 | 0.015       | 0.18  | 1.007  | 3.119  | 11.812 | 1.104 |

| Problem 134     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | A      | A      | B      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 41      | 41    | 41          | 32    | 42     | 80     | 228    | 42    |
| normalized size | 1       | 1.    | 1.          | 0.78  | 1.02   | 1.95   | 5.56   | 1.02  |
| time (sec)      | N/A     | 0.043 | 0.019       | 0.066 | 1.012  | 2.396  | 52.917 | 1.161 |

| Problem 135     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 27      | 27    | 26          | 24    | 31     | 127    | 58    | 31    |
| normalized size | 1       | 1.    | 0.96        | 0.89  | 1.15   | 4.7    | 2.15  | 1.15  |
| time (sec)      | N/A     | 0.024 | 0.048       | 0.011 | 1.     | 2.451  | 1.392 | 1.131 |

| Problem 136     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 27      | 27    | 26          | 24    | 31     | 124    | 61    | 31    |
| normalized size | 1       | 1.    | 0.96        | 0.89  | 1.15   | 4.59   | 2.26  | 1.15  |
| time (sec)      | N/A     | 0.025 | 0.034       | 0.01  | 1.006  | 2.416  | 1.216 | 1.118 |

| Problem 137     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 27      | 27    | 26          | 24    | 31     | 127    | 58    | 31    |
| normalized size | 1       | 1.    | 0.96        | 0.89  | 1.15   | 4.7    | 2.15  | 1.15  |
| time (sec)      | N/A     | 0.017 | 0.025       | 0.013 | 0.982  | 2.296  | 1.093 | 1.107 |

| Problem 138     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 27      | 27    | 26          | 24    | 31     | 123    | 58    | 31   |
| normalized size | 1       | 1.    | 0.96        | 0.89  | 1.15   | 4.56   | 2.15  | 1.15 |
| time (sec)      | N/A     | 0.019 | 0.023       | 0.012 | 1.017  | 2.383  | 3.505 | 1.11 |

| Problem 139     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | C     | B      | B      | B      | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 39      | 39    | 31          | 173   | 501    | 387    | 7713   | 109   |
| normalized size | 1       | 1.    | 0.79        | 4.44  | 12.85  | 9.92   | 197.77 | 2.79  |
| time (sec)      | N/A     | 0.066 | 0.503       | 0.074 | 1.131  | 2.467  | 10.587 | 1.163 |

| Problem 140     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | C     | B      | B      | B      | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 34      | 34    | 28          | 145   | 392    | 374    | 7720   | 109   |
| normalized size | 1       | 1.    | 0.82        | 4.26  | 11.53  | 11.    | 227.06 | 3.21  |
| time (sec)      | N/A     | 0.068 | 0.517       | 0.067 | 1.085  | 2.57   | 10.155 | 1.166 |

| Problem 141     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | C     | B      | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 39      | 39    | 31          | 177   | 741    | 315    | 0     | 470   |
| normalized size | 1       | 1.    | 0.79        | 4.54  | 19.    | 8.08   | 0.    | 12.05 |
| time (sec)      | N/A     | 0.032 | 0.508       | 0.076 | 1.166  | 2.525  | 0.    | 1.243 |

| Problem 142     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | C     | B      | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 34      | 34    | 30          | 149   | 583    | 304    | 0     | 466   |
| normalized size | 1       | 1.    | 0.88        | 4.38  | 17.15  | 8.94   | 0.    | 13.71 |
| time (sec)      | N/A     | 0.034 | 0.489       | 0.08  | 1.156  | 2.531  | 0.    | 1.203 |

| Problem 143     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | B      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 36      | 36    | 28          | 55    | 471    | 273    | 0     | 231   |
| normalized size | 1       | 1.    | 0.78        | 1.53  | 13.08  | 7.58   | 0.    | 6.42  |
| time (sec)      | N/A     | 0.019 | 0.224       | 0.231 | 1.058  | 2.603  | 0.    | 1.247 |

| Problem 144     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | B      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 33      | 33    | 26          | 53    | 435    | 263    | 0     | 228   |
| normalized size | 1       | 1.    | 0.79        | 1.61  | 13.18  | 7.97   | 0.    | 6.91  |
| time (sec)      | N/A     | 0.018 | 0.229       | 0.221 | 1.091  | 2.529  | 0.    | 1.242 |

| Problem 145     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | B      | B      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 36      | 36    | 28          | 169   | 761    | 281    | 0     | 535   |
| normalized size | 1       | 1.    | 0.78        | 4.69  | 21.14  | 7.81   | 0.    | 14.86 |
| time (sec)      | N/A     | 0.018 | 0.241       | 0.234 | 1.115  | 2.753  | 0.    | 1.256 |

| Problem 146     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | B      | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 33      | 33    | 29          | 81    | 724    | 270    | 0     | 536   |
| normalized size | 1       | 1.    | 0.88        | 2.45  | 21.94  | 8.18   | 0.    | 16.24 |
| time (sec)      | N/A     | 0.018 | 0.219       | 0.232 | 1.115  | 2.67   | 0.    | 1.249 |

| Problem 147     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | B      | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 13      | 13    | 13          | 177   | 77     | 63     | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 13.62 | 5.92   | 4.85   | 0.    | 0.   |
| time (sec)      | N/A     | 0.032 | 0.082       | 0.217 | 1.539  | 2.432  | 0.    | 0.   |

| Problem 148     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 31      | 31    | 23          | 587   | 77     | 76     | 0     | 0    |
| normalized size | 1       | 1.    | 0.74        | 18.94 | 2.48   | 2.45   | 0.    | 0.   |
| time (sec)      | N/A     | 0.053 | 0.041       | 0.13  | 1.555  | 2.412  | 0.    | 0.   |

| Problem 149     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 50      | 50    | 29          | 324   | 111    | 112    | 0     | 0    |
| normalized size | 1       | 1.    | 0.58        | 6.48  | 2.22   | 2.24   | 0.    | 0.   |
| time (sec)      | N/A     | 0.075 | 0.099       | 0.167 | 1.607  | 2.403  | 0.    | 0.   |



| Problem 150     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 13      | 13    | 13          | 20    | 254    | 53     | 0     | 16    |
| normalized size | 1       | 1.    | 1.          | 1.54  | 19.54  | 4.08   | 0.    | 1.23  |
| time (sec)      | N/A     | 0.038 | 0.069       | 0.132 | 1.797  | 2.387  | 0.    | 1.146 |

| Problem 151     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 31      | 31    | 21          | 26    | 424    | 66     | 0     | 26    |
| normalized size | 1       | 1.    | 0.68        | 0.84  | 13.68  | 2.13   | 0.    | 0.84  |
| time (sec)      | N/A     | 0.068 | 0.038       | 0.117 | 1.855  | 2.396  | 0.    | 1.129 |

| Problem 152     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 50      | 50    | 29          | 34    | 576    | 103    | 0     | 36    |
| normalized size | 1       | 1.    | 0.58        | 0.68  | 11.52  | 2.06   | 0.    | 0.72  |
| time (sec)      | N/A     | 0.094 | 0.1         | 0.155 | 1.909  | 2.543  | 0.    | 1.122 |

| Problem 153     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 58      | 58    | 56          | 159   | 0      | 531    | 0     | 0    |
| normalized size | 1       | 1.    | 0.97        | 2.74  | 0.     | 9.16   | 0.    | 0.   |
| time (sec)      | N/A     | 0.078 | 0.14        | 0.247 | 0.     | 2.582  | 0.    | 0.   |

| Problem 154     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | B      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 85      | 85    | 84          | 257   | 0      | 1013   | 0     | 0    |
| normalized size | 1       | 1.    | 0.99        | 3.02  | 0.     | 11.92  | 0.    | 0.   |
| time (sec)      | N/A     | 0.106 | 0.254       | 0.412 | 0.     | 2.557  | 0.    | 0.   |

| Problem 155     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 59      | 59    | 58          | 154   | 0      | 516    | 0     | 0    |
| normalized size | 1       | 1.    | 0.98        | 2.61  | 0.     | 8.75   | 0.    | 0.   |
| time (sec)      | N/A     | 0.059 | 0.104       | 0.125 | 0.     | 2.526  | 0.    | 0.   |

| Problem 156     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | B      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 88      | 88    | 85          | 250   | 0      | 944    | 0     | 0    |
| normalized size | 1       | 1.    | 0.97        | 2.84  | 0.     | 10.73  | 0.    | 0.   |
| time (sec)      | N/A     | 0.103 | 0.316       | 0.231 | 0.     | 2.687  | 0.    | 0.   |

| Problem 157     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | C     | B      | A      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 50      | 50    | 48          | 86    | 338    | 216    | 0     | 435   |
| normalized size | 1       | 1.    | 0.96        | 1.72  | 6.76   | 4.32   | 0.    | 8.7   |
| time (sec)      | N/A     | 0.083 | 0.176       | 0.164 | 1.039  | 2.576  | 0.    | 1.362 |

| Problem 158     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | C     | B      | A      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 50      | 50    | 48          | 87    | 338    | 216    | 0     | 435   |
| normalized size | 1       | 1.    | 0.96        | 1.74  | 6.76   | 4.32   | 0.    | 8.7   |
| time (sec)      | N/A     | 0.082 | 0.182       | 0.147 | 1.051  | 2.646  | 0.    | 1.303 |

| Problem 159     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | B      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 32      | 32    | 32          | 24    | 0      | 487    | 0     | 54    |
| normalized size | 1       | 1.    | 1.          | 0.75  | 0.     | 15.22  | 0.    | 1.69  |
| time (sec)      | N/A     | 0.055 | 0.097       | 0.065 | 0.     | 2.885  | 0.    | 1.466 |

| Problem 160     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | B     | F(-2)  | B      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 211     | 211   | 512         | 1003  | 0      | 8015   | 0     | 0    |
| normalized size | 1       | 1.    | 2.43        | 4.75  | 0.     | 37.99  | 0.    | 0.   |
| time (sec)      | N/A     | 0.528 | 6.535       | 0.157 | 0.     | 7.232  | 0.    | 0.   |

| Problem 161     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | B     | F(-2)  | C      | F     | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 337     | 337  | 294         | 1251  | 0      | 11173  | 0     | 0    |
| normalized size | 1       | 1.   | 0.87        | 3.71  | 0.     | 33.15  | 0.    | 0.   |
| time (sec)      | N/A     | 0.9  | 1.054       | 0.144 | 0.     | 7.13   | 0.    | 0.   |

| Problem 162     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | B      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 40      | 40    | 40          | 34    | 0      | 747    | 0     | 103   |
| normalized size | 1       | 1.    | 1.          | 0.85  | 0.     | 18.68  | 0.    | 2.58  |
| time (sec)      | N/A     | 0.605 | 0.263       | 0.084 | 0.     | 2.938  | 0.    | 1.428 |

| Problem 163     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | B     | F(-2)  | B      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 267     | 267   | 751         | 1670  | 0      | 10267  | 0     | 0    |
| normalized size | 1       | 1.    | 2.81        | 6.25  | 0.     | 38.45  | 0.    | 0.   |
| time (sec)      | N/A     | 0.719 | 4.344       | 0.201 | 0.     | 7.029  | 0.    | 0.   |

| Problem 164     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | C      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 407     | 407   | 499         | 2061  | 0      | 14288  | 0     | 0    |
| normalized size | 1       | 1.    | 1.23        | 5.06  | 0.     | 35.11  | 0.    | 0.   |
| time (sec)      | N/A     | 1.075 | 2.194       | 0.173 | 0.     | 7.743  | 0.    | 0.   |

| Problem 165     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | F     | F      | F(-2)  | F     | F(-2) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 155     | 155   | 61          | 0     | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 0.39        | 0.    | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.199 | 0.512       | 0.17  | 0.     | 0.     | 0.    | 0.    |

| Problem 166     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F(-2)  | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 118     | 118   | 54          | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.46        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.176 | 0.332       | 0.082 | 0.     | 0.     | 0.    | 0.   |

| Problem 167     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | F     | F      | F(-2)  | F     | F(-2) |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 74      | 74   | 44          | 0     | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.   | 0.59        | 0.    | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.11 | 0.206       | 0.081 | 0.     | 0.     | 0.    | 0.    |

| Problem 168     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F(-2)  | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 86      | 86    | 52          | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.6         | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.183 | 0.222       | 0.083 | 0.     | 0.     | 0.    | 0.   |

| Problem 169     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F(-2)  | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 123     | 123   | 65          | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.53        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.199 | 0.248       | 0.082 | 0.     | 0.     | 0.    | 0.   |

| Problem 170     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F(-2)  | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 176     | 176   | 87          | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.49        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.226 | 0.29        | 0.08  | 0.     | 0.     | 0.    | 0.   |

| Problem 171     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | F     | F      | F(-2)  | F(-1) | F(-2) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 393     | 393   | 113         | 0     | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 0.29        | 0.    | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.375 | 1.159       | 0.079 | 0.     | 0.     | 0.    | 0.    |

| Problem 172     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F(-2)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 265     | 265   | 95          | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.36        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.274 | 0.823       | 0.08  | 0.     | 0.     | 0.    | 0.   |

| Problem 173     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F(-2)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 168     | 168   | 73          | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.43        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.143 | 0.62        | 0.076 | 0.     | 0.     | 0.    | 0.   |

| Problem 174     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | F     | F      | F(-2)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 186     | 186   | 150         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.81        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.662 | 1.242       | 0.078 | 0.     | 0.     | 0.    | 0.   |

| Problem 175     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | F     | F      | F(-2)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 273     | 273   | 231         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.85        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.665 | 1.484       | 0.079 | 0.     | 0.     | 0.    | 0.   |

| Problem 176     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | F     | F      | F(-2)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 385     | 385   | 317         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.82        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.741 | 1.817       | 0.084 | 0.     | 0.     | 0.    | 0.   |

| Problem 177     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F(-2)  | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 767     | 767   | 247         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.32        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.351 | 2.752       | 0.092 | 0.     | 0.     | 0.    | 0.   |

| Problem 178     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F(-2)  | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 555     | 555   | 194         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.35        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.877 | 1.923       | 0.092 | 0.     | 0.     | 0.    | 0.   |

| Problem 179     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F(-2)  | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 355     | 355   | 154         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.43        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.511 | 1.241       | 0.188 | 0.     | 0.     | 0.    | 0.   |

| Problem 180     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | F(-2)  | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 108     | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.646 | 3.58        | 0.102 | 0.     | 0.     | 0.    | 0.   |

| Problem 181     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | F     | F      | F      | F     | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 536     | 536  | 193         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 0.36        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 3.55 | 2.05        | 0.077 | 0.     | 0.     | 0.    | 0.   |

| Problem 182     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | F     | F      | F(-2)  | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 280     | 280   | 154         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.55        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 2.155 | 1.6         | 0.077 | 0.     | 0.     | 0.    | 0.   |

| Problem 183     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 171     | 171   | 150         | 0     | 0      | 180    | 0     | 0    |
| normalized size | 1       | 1.    | 0.88        | 0.    | 0.     | 1.05   | 0.    | 0.   |
| time (sec)      | N/A     | 0.973 | 0.622       | 0.079 | 0.     | 2.357  | 0.    | 0.   |

| Problem 184     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | C      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 300     | 300   | 85          | 154   | 76     | 271    | 0     | 0    |
| normalized size | 1       | 1.    | 0.28        | 0.51  | 0.25   | 0.9    | 0.    | 0.   |
| time (sec)      | N/A     | 0.438 | 0.084       | 0.067 | 1.561  | 2.43   | 0.    | 0.   |

| Problem 185     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 18      | 18    | 51          | 24    | 31     | 107    | 27    | 69    |
| normalized size | 1       | 1.    | 2.83        | 1.33  | 1.72   | 5.94   | 1.5   | 3.83  |
| time (sec)      | N/A     | 0.098 | 0.015       | 0.038 | 0.975  | 2.535  | 3.579 | 1.171 |

| Problem 186     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 57      | 57    | 67          | 52    | 73     | 170    | 61    | 135   |
| normalized size | 1       | 1.    | 1.18        | 0.91  | 1.28   | 2.98   | 1.07  | 2.37  |
| time (sec)      | N/A     | 0.202 | 0.082       | 0.046 | 1.014  | 2.573  | 8.76  | 1.183 |

| Problem 187     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 75      | 75    | 80          | 77    | 113    | 213    | 92     | 169   |
| normalized size | 1       | 1.    | 1.07        | 1.03  | 1.51   | 2.84   | 1.23   | 2.25  |
| time (sec)      | N/A     | 0.297 | 0.104       | 0.054 | 0.992  | 2.589  | 37.164 | 1.159 |

| Problem 188     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy   | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|---------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A       | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD     | TBD   |
| size            | 104     | 104   | 97          | 103   | 159    | 255    | 116     | 201   |
| normalized size | 1       | 1.    | 0.93        | 0.99  | 1.53   | 2.45   | 1.12    | 1.93  |
| time (sec)      | N/A     | 0.403 | 0.126       | 0.088 | 1.008  | 2.542  | 174.516 | 1.169 |

| Problem 189     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | B      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 25      | 25    | 71          | 46    | 85     | 143    | 0     | 62    |
| normalized size | 1       | 1.    | 2.84        | 1.84  | 3.4    | 5.72   | 0.    | 2.48  |
| time (sec)      | N/A     | 0.093 | 0.085       | 0.03  | 0.992  | 2.461  | 0.    | 1.179 |

| Problem 190     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 48      | 48    | 76          | 71    | 126    | 248    | 0     | 104   |
| normalized size | 1       | 1.    | 1.58        | 1.48  | 2.62   | 5.17   | 0.    | 2.17  |
| time (sec)      | N/A     | 0.185 | 0.204       | 0.032 | 1.03   | 2.436  | 0.    | 1.191 |

| Problem 191     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 75      | 75    | 88          | 95    | 161    | 356    | 0     | 138   |
| normalized size | 1       | 1.    | 1.17        | 1.27  | 2.15   | 4.75   | 0.    | 1.84  |
| time (sec)      | N/A     | 0.311 | 0.351       | 0.035 | 1.011  | 2.436  | 0.    | 1.165 |

| Problem 192     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 96      | 96    | 104         | 119   | 193    | 464    | 0     | 170   |
| normalized size | 1       | 1.    | 1.08        | 1.24  | 2.01   | 4.83   | 0.    | 1.77  |
| time (sec)      | N/A     | 0.414 | 0.805       | 0.037 | 1.1    | 2.539  | 0.    | 1.156 |

| Problem 193     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | A      | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 98      | 98    | 78          | 228   | 58     | 354    | 0     | 244   |
| normalized size | 1       | 1.    | 0.8         | 2.33  | 0.59   | 3.61   | 0.    | 2.49  |
| time (sec)      | N/A     | 0.432 | 0.165       | 2.795 | 1.734  | 2.484  | 0.    | 3.309 |

| Problem 194     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | A      | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 72      | 72    | 62          | 199   | 35     | 297    | 0     | 209   |
| normalized size | 1       | 1.    | 0.86        | 2.76  | 0.49   | 4.12   | 0.    | 2.9   |
| time (sec)      | N/A     | 0.294 | 0.105       | 2.882 | 1.692  | 2.481  | 0.    | 3.235 |

| Problem 195     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | B     | A      | B      | F     | B     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 44      | 44   | 47          | 152   | 18     | 252    | 0     | 155   |
| normalized size | 1       | 1.   | 1.07        | 3.45  | 0.41   | 5.73   | 0.    | 3.52  |
| time (sec)      | N/A     | 0.16 | 0.037       | 2.702 | 1.67   | 2.431  | 0.    | 3.222 |

| Problem 196     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | A      | B      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 68      | 68    | 52          | 192   | 78     | 354    | 0     | 180   |
| normalized size | 1       | 1.    | 0.76        | 2.82  | 1.15   | 5.21   | 0.    | 2.65  |
| time (sec)      | N/A     | 0.195 | 0.051       | 3.422 | 1.709  | 2.601  | 0.    | 2.235 |

| Problem 197     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-1)  | B      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 92      | 92    | 73          | 270   | 0      | 559    | 0     | 227   |
| normalized size | 1       | 1.    | 0.79        | 2.93  | 0.     | 6.08   | 0.    | 2.47  |
| time (sec)      | N/A     | 0.336 | 0.372       | 3.653 | 0.     | 2.49   | 0.    | 2.291 |

| Problem 198     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-1)  | B      | F(-1) | B    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 120     | 120   | 95          | 322   | 0      | 689    | 0     | 269  |
| normalized size | 1       | 1.    | 0.79        | 2.68  | 0.     | 5.74   | 0.    | 2.24 |
| time (sec)      | N/A     | 0.482 | 0.5         | 3.66  | 0.     | 2.615  | 0.    | 2.43 |

| Problem 199     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 25      | 25    | 25          | 80    | 0      | 93     | 0     | 382   |
| normalized size | 1       | 1.    | 1.          | 3.2   | 0.     | 3.72   | 0.    | 15.28 |
| time (sec)      | N/A     | 0.053 | 0.197       | 0.337 | 0.     | 2.534  | 0.    | 1.297 |

| Problem 200     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 24      | 24    | 24          | 91    | 0      | 93     | 0     | 536   |
| normalized size | 1       | 1.    | 1.          | 3.79  | 0.     | 3.88   | 0.    | 22.33 |
| time (sec)      | N/A     | 0.056 | 0.125       | 0.166 | 0.     | 2.529  | 0.    | 1.328 |

| Problem 201     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | B     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 8       | 8     | 8           | 9     | 11     | 42     | 41    | 11    |
| normalized size | 1       | 1.    | 1.          | 1.12  | 1.38   | 5.25   | 5.12  | 1.38  |
| time (sec)      | N/A     | 0.041 | 0.008       | 0.022 | 1.492  | 2.214  | 1.503 | 1.117 |

| Problem 202     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | A      | A      | B      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 36      | 36    | 24          | 16    | 20     | 107    | 416    | 66    |
| normalized size | 1       | 1.    | 0.67        | 0.44  | 0.56   | 2.97   | 11.56  | 1.83  |
| time (sec)      | N/A     | 0.041 | 0.029       | 0.022 | 1.482  | 2.396  | 77.885 | 1.118 |

| Problem 203     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 8       | 8     | 8           | 11    | 14     | 42     | 12    | 22    |
| normalized size | 1       | 1.    | 1.          | 1.38  | 1.75   | 5.25   | 1.5   | 2.75  |
| time (sec)      | N/A     | 0.041 | 0.008       | 0.037 | 1.511  | 2.218  | 2.488 | 1.153 |

| Problem 204     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 37      | 37    | 23          | 17    | 22     | 104    | 61    | 66    |
| normalized size | 1       | 1.    | 0.62        | 0.46  | 0.59   | 2.81   | 1.65  | 1.78  |
| time (sec)      | N/A     | 0.038 | 0.032       | 0.03  | 1.488  | 2.506  | 5.674 | 1.163 |

| Problem 205     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | A      | F(-1) | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 14      | 14    | 14          | 32    | 0      | 30     | 0     | 35   |
| normalized size | 1       | 1.    | 1.          | 2.29  | 0.     | 2.14   | 0.    | 2.5  |
| time (sec)      | N/A     | 0.128 | 0.01        | 0.029 | 0.     | 2.388  | 0.    | 1.15 |



| Problem 206     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | A     | F(-2)  | A      | F(-1) | A    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 105     | 105  | 73          | 148   | 0      | 558    | 0     | 149  |
| normalized size | 1       | 1.   | 0.7         | 1.41  | 0.     | 5.31   | 0.    | 1.42 |
| time (sec)      | N/A     | 0.26 | 0.154       | 0.042 | 0.     | 2.722  | 0.    | 1.14 |

| Problem 207     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|------|
| grade           | A       | A     | A           | A     | A      | A      | B      | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD  |
| size            | 57      | 57    | 34          | 44    | 39     | 128    | 143    | 84   |
| normalized size | 1       | 1.    | 0.6         | 0.77  | 0.68   | 2.25   | 2.51   | 1.47 |
| time (sec)      | N/A     | 0.134 | 0.089       | 0.032 | 1.499  | 2.569  | 27.942 | 1.1  |

| Problem 208     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | B     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 15      | 15    | 15          | 20    | 23     | 49     | 24    | 39    |
| normalized size | 1       | 1.    | 1.          | 1.33  | 1.53   | 3.27   | 1.6   | 2.6   |
| time (sec)      | N/A     | 0.089 | 0.013       | 0.031 | 1.56   | 2.34   | 1.87  | 1.169 |

| Problem 209     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | F(-2)  | B      | F(-1) | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 49      | 49   | 47          | 78    | 0      | 547    | 0     | 78    |
| normalized size | 1       | 1.   | 0.96        | 1.59  | 0.     | 11.16  | 0.    | 1.59  |
| time (sec)      | N/A     | 0.15 | 0.16        | 0.038 | 0.     | 2.879  | 0.    | 1.145 |

| Problem 210     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy   | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|---------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | A      | B       | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD     | TBD   |
| size            | 13      | 13    | 13          | 28    | 0      | 30     | 76      | 30    |
| normalized size | 1       | 1.    | 1.          | 2.15  | 0.     | 2.31   | 5.85    | 2.31  |
| time (sec)      | N/A     | 0.119 | 0.01        | 0.044 | 0.     | 2.413  | 152.837 | 1.141 |

| Problem 211     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | F(-2)  | A      | F(-1) | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 100     | 100  | 72          | 153   | 0      | 571    | 0     | 126   |
| normalized size | 1       | 1.   | 0.72        | 1.53  | 0.     | 5.71   | 0.    | 1.26  |
| time (sec)      | N/A     | 0.24 | 0.19        | 0.033 | 0.     | 2.634  | 0.    | 1.166 |

| Problem 212     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | A      | A      | B      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 56      | 56    | 31          | 42    | 38     | 131    | 782    | 84    |
| normalized size | 1       | 1.    | 0.55        | 0.75  | 0.68   | 2.34   | 13.96  | 1.5   |
| time (sec)      | N/A     | 0.197 | 0.083       | 0.038 | 1.499  | 2.573  | 98.621 | 1.153 |

| Problem 213     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | B     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 14      | 14    | 14          | 17    | 19     | 49     | 51    | 31   |
| normalized size | 1       | 1.    | 1.          | 1.21  | 1.36   | 3.5    | 3.64  | 2.21 |
| time (sec)      | N/A     | 0.058 | 0.012       | 0.029 | 1.52   | 2.441  | 2.204 | 1.14 |

| Problem 214     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 49      | 49    | 47          | 84    | 0      | 617    | 0     | 95    |
| normalized size | 1       | 1.    | 0.96        | 1.71  | 0.     | 12.59  | 0.    | 1.94  |
| time (sec)      | N/A     | 0.161 | 0.149       | 0.039 | 0.     | 2.732  | 0.    | 1.171 |

| Problem 215     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 74      | 74    | 98          | 135   | 0      | 768    | 0     | 169  |
| normalized size | 1       | 1.    | 1.32        | 1.82  | 0.     | 10.38  | 0.    | 2.28 |
| time (sec)      | N/A     | 0.246 | 0.442       | 0.036 | 0.     | 8.934  | 0.    | 1.18 |

| Problem 216     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | B      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 72      | 72    | 102         | 120   | 0      | 817    | 0     | 149   |
| normalized size | 1       | 1.    | 1.42        | 1.67  | 0.     | 11.35  | 0.    | 2.07  |
| time (sec)      | N/A     | 0.238 | 0.519       | 0.038 | 0.     | 9.015  | 0.    | 1.165 |

| Problem 217     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 136     | 136   | 94          | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.69        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.058 | 0.228       | 0.415 | 0.     | 0.     | 0.    | 0.   |

| Problem 218     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 95      | 95    | 88          | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.93        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.049 | 0.177       | 0.416 | 0.     | 0.     | 0.    | 0.   |

| Problem 219     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | B     | B      | B      | A      | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 127     | 127   | 246         | 321   | 347    | 583    | 461    | 427   |
| normalized size | 1       | 1.    | 1.94        | 2.53  | 2.73   | 4.59   | 3.63   | 3.36  |
| time (sec)      | N/A     | 0.078 | 1.038       | 0.169 | 1.009  | 3.085  | 10.172 | 1.132 |

| Problem 220     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 161     | 161   | 192         | 285   | 321    | 501    | 821   | 317   |
| normalized size | 1       | 1.    | 1.19        | 1.77  | 1.99   | 3.11   | 5.1   | 1.97  |
| time (sec)      | N/A     | 0.079 | 0.707       | 0.141 | 1.029  | 2.915  | 6.391 | 1.127 |

| Problem 221     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 94      | 94    | 156         | 175   | 232    | 354    | 267   | 252   |
| normalized size | 1       | 1.    | 1.66        | 1.86  | 2.47   | 3.77   | 2.84  | 2.68  |
| time (sec)      | N/A     | 0.045 | 0.467       | 0.105 | 0.998  | 2.496  | 2.971 | 1.122 |

| Problem 222     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 108     | 108   | 107         | 153   | 184    | 273    | 406   | 165   |
| normalized size | 1       | 1.    | 0.99        | 1.42  | 1.7    | 2.53   | 3.76  | 1.53  |
| time (sec)      | N/A     | 0.044 | 0.318       | 0.085 | 1.012  | 2.492  | 1.742 | 1.131 |

| Problem 223     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 58      | 58    | 81          | 75    | 113    | 173    | 117   | 123   |
| normalized size | 1       | 1.    | 1.4         | 1.29  | 1.95   | 2.98   | 2.02  | 2.12  |
| time (sec)      | N/A     | 0.024 | 0.337       | 0.055 | 0.988  | 2.633  | 0.722 | 1.132 |

| Problem 224     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 55      | 55    | 52          | 70    | 92     | 120    | 128   | 68   |
| normalized size | 1       | 1.    | 0.95        | 1.27  | 1.67   | 2.18   | 2.33  | 1.24 |
| time (sec)      | N/A     | 0.019 | 0.102       | 0.041 | 0.97   | 2.595  | 0.34  | 1.11 |

| Problem 225     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 24      | 24    | 46          | 25    | 32     | 51     | 31    | 32    |
| normalized size | 1       | 1.    | 1.92        | 1.04  | 1.33   | 2.12   | 1.29  | 1.33  |
| time (sec)      | N/A     | 0.014 | 0.012       | 0.008 | 0.981  | 1.928  | 0.18  | 1.136 |

| Problem 226     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | B      | F(-2) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 47      | 47    | 45          | 43    | 0      | 312    | 0     | 100   |
| normalized size | 1       | 1.    | 0.96        | 0.91  | 0.     | 6.64   | 0.    | 2.13  |
| time (sec)      | N/A     | 0.027 | 0.06        | 0.075 | 0.     | 2.12   | 0.    | 1.282 |

| Problem 227     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 32      | 32    | 32          | 21    | 28     | 132    | 0     | 27    |
| normalized size | 1       | 1.    | 1.          | 0.66  | 0.88   | 4.12   | 0.    | 0.84  |
| time (sec)      | N/A     | 0.016 | 0.04        | 0.128 | 0.981  | 2.159  | 0.    | 1.114 |

| Problem 228     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F(-2)  | B      | F(-1) | B    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 103     | 103   | 132         | 191   | 0      | 679    | 0     | 298  |
| normalized size | 1       | 1.    | 1.28        | 1.85  | 0.     | 6.59   | 0.    | 2.89 |
| time (sec)      | N/A     | 0.057 | 0.269       | 0.157 | 0.     | 2.262  | 0.    | 1.25 |

| Problem 229     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 98      | 98    | 85          | 64    | 115    | 470    | 0     | 68    |
| normalized size | 1       | 1.    | 0.87        | 0.65  | 1.17   | 4.8    | 0.    | 0.69  |
| time (sec)      | N/A     | 0.042 | 0.29        | 0.181 | 1.017  | 2.215  | 0.    | 1.173 |

| Problem 230     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 156     | 156   | 157         | 514   | 0      | 1216   | 0     | 794   |
| normalized size | 1       | 1.    | 1.01        | 3.29  | 0.     | 7.79   | 0.    | 5.09  |
| time (sec)      | N/A     | 0.086 | 1.128       | 0.222 | 0.     | 2.535  | 0.    | 1.345 |

| Problem 231     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 151     | 151   | 182         | 125   | 235    | 984    | 0     | 159   |
| normalized size | 1       | 1.    | 1.21        | 0.83  | 1.56   | 6.52   | 0.    | 1.05  |
| time (sec)      | N/A     | 0.069 | 0.532       | 0.225 | 1.05   | 2.776  | 0.    | 1.129 |

| Problem 232     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 186     | 186   | 205         | 183   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.1         | 0.98  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.096 | 1.859       | 1.891 | 0.     | 0.     | 0.    | 0.   |

| Problem 233     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 131     | 131   | 256         | 246   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.95        | 1.88  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.058 | 1.613       | 1.464 | 0.     | 0.     | 0.    | 0.   |

| Problem 234     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 131     | 131   | 143         | 163   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.09        | 1.24  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.058 | 1.326       | 1.221 | 0.     | 0.     | 0.    | 0.   |

| Problem 235     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | C           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 75      | 75   | 268         | 159   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 3.57        | 2.12  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.03 | 1.142       | 1.204 | 0.     | 0.     | 0.    | 0.   |

| Problem 236     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | C           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 75      | 75   | 92          | 121   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 1.23        | 1.61  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.03 | 0.186       | 1.072 | 0.     | 0.     | 0.    | 0.   |

| Problem 237     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 138     | 138   | 219         | 228   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.59        | 1.65  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.058 | 3.12        | 1.742 | 0.     | 0.     | 0.    | 0.   |

| Problem 238     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 142     | 142   | 145         | 178   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.02        | 1.25  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.055 | 1.687       | 1.589 | 0.     | 0.     | 0.    | 0.   |

| Problem 239     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 197     | 197   | 277         | 309   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.41        | 1.57  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.086 | 2.421       | 2.812 | 0.     | 0.     | 0.    | 0.   |

| Problem 240     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes  | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 120     | 120  | 153         | 128   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 1.27        | 1.07  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.07 | 0.514       | 1.334 | 0.     | 0.     | 0.    | 0.   |

| Problem 241     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 75      | 75    | 199         | 174   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.65        | 2.32  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.045 | 0.877       | 1.238 | 0.     | 0.     | 0.    | 0.   |

| Problem 242     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 75      | 75    | 133         | 108   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.77        | 1.44  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.043 | 0.318       | 1.186 | 0.     | 0.     | 0.    | 0.   |

| Problem 243     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 27      | 27    | 184         | 112   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 6.81        | 4.15  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.023 | 0.864       | 0.935 | 0.     | 0.     | 0.    | 0.   |

| Problem 244     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 27      | 27    | 88          | 85    | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 3.26        | 3.15  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.024 | 0.109       | 0.687 | 0.     | 0.     | 0.    | 0.   |

| Problem 245     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 73      | 73    | 190         | 162   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.6         | 2.22  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.041 | 1.112       | 1.253 | 0.     | 0.     | 0.    | 0.   |

| Problem 246     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 75      | 75    | 157         | 118   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.09        | 1.57  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.042 | 0.742       | 1.101 | 0.     | 0.     | 0.    | 0.   |

| Problem 247     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 120     | 120   | 224         | 205   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.87        | 1.71  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.064 | 2.102       | 1.348 | 0.     | 0.     | 0.    | 0.   |

| Problem 248     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 32      | 32    | 31          | 31    | 80     | 43     | 116   | 31    |
| normalized size | 1       | 1.    | 0.97        | 0.97  | 2.5    | 1.34   | 3.62  | 0.97  |
| time (sec)      | N/A     | 0.015 | 0.084       | 0.029 | 1.539  | 2.028  | 7.149 | 1.643 |

| Problem 249     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | B      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 31      | 31    | 31          | 151   | 178    | 46     | 37    | 70    |
| normalized size | 1       | 1.    | 1.          | 4.87  | 5.74   | 1.48   | 1.19  | 2.26  |
| time (sec)      | N/A     | 0.018 | 0.113       | 0.06  | 1.003  | 2.027  | 0.171 | 1.154 |

| Problem 250     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | B      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 31      | 31    | 31          | 76    | 112    | 46     | 37    | 70    |
| normalized size | 1       | 1.    | 1.          | 2.45  | 3.61   | 1.48   | 1.19  | 2.26  |
| time (sec)      | N/A     | 0.016 | 0.082       | 0.058 | 1.011  | 2.037  | 0.167 | 1.108 |

| Problem 251     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | B      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 31      | 31    | 31          | 73    | 93     | 46     | 37    | 70    |
| normalized size | 1       | 1.    | 1.          | 2.35  | 3.     | 1.48   | 1.19  | 2.26  |
| time (sec)      | N/A     | 0.014 | 0.055       | 0.047 | 0.999  | 2.186  | 0.161 | 1.164 |

| Problem 252     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 26      | 26    | 51          | 26    | 32     | 32     | 26    | 32    |
| normalized size | 1       | 1.    | 1.96        | 1.    | 1.23   | 1.23   | 1.    | 1.23  |
| time (sec)      | N/A     | 0.014 | 0.012       | 0.001 | 0.987  | 2.162  | 0.144 | 1.129 |

| Problem 253     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 29      | 29    | 29          | 23    | 39     | 35     | 31    | 28    |
| normalized size | 1       | 1.    | 1.          | 0.79  | 1.34   | 1.21   | 1.07  | 0.97  |
| time (sec)      | N/A     | 0.015 | 0.035       | 0.074 | 0.991  | 2.108  | 0.161 | 1.125 |

| Problem 254     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 31      | 31    | 31          | 23    | 30     | 49     | 46    | 41    |
| normalized size | 1       | 1.    | 1.          | 0.74  | 0.97   | 1.58   | 1.48  | 1.32  |
| time (sec)      | N/A     | 0.016 | 0.045       | 0.092 | 0.983  | 1.993  | 0.179 | 1.116 |

| Problem 255     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 31      | 31    | 31          | 57    | 39     | 49     | 46    | 49    |
| normalized size | 1       | 1.    | 1.          | 1.84  | 1.26   | 1.58   | 1.48  | 1.58  |
| time (sec)      | N/A     | 0.015 | 0.047       | 0.108 | 1.037  | 2.     | 0.182 | 1.107 |

| Problem 256     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 31      | 31    | 31          | 36    | 39     | 49     | 46    | 59    |
| normalized size | 1       | 1.    | 1.          | 1.16  | 1.26   | 1.58   | 1.48  | 1.9   |
| time (sec)      | N/A     | 0.015 | 0.049       | 0.115 | 1.031  | 2.065  | 0.194 | 1.141 |

| Problem 257     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 33      | 33    | 32          | 28    | 69     | 57     | 0     | 23    |
| normalized size | 1       | 1.    | 0.97        | 0.85  | 2.09   | 1.73   | 0.    | 0.7   |
| time (sec)      | N/A     | 0.016 | 0.03        | 0.055 | 1.573  | 2.006  | 0.    | 2.146 |

| Problem 258     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 33      | 33    | 32          | 28    | 69     | 57     | 0     | 34    |
| normalized size | 1       | 1.    | 0.97        | 0.85  | 2.09   | 1.73   | 0.    | 1.03  |
| time (sec)      | N/A     | 0.016 | 0.029       | 0.03  | 1.548  | 1.917  | 0.    | 1.155 |

| Problem 259     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 31      | 31    | 30          | 28    | 69     | 54     | 0     | 23    |
| normalized size | 1       | 1.    | 0.97        | 0.9   | 2.23   | 1.74   | 0.    | 0.74  |
| time (sec)      | N/A     | 0.016 | 0.022       | 0.033 | 1.542  | 2.019  | 0.    | 1.681 |

| Problem 260     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 31      | 31    | 30          | 28    | 69     | 57     | 0     | 50    |
| normalized size | 1       | 1.    | 0.97        | 0.9   | 2.23   | 1.84   | 0.    | 1.61  |
| time (sec)      | N/A     | 0.017 | 0.035       | 0.029 | 1.542  | 1.949  | 0.    | 1.707 |

| Problem 261     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 33      | 33    | 32          | 28    | 69     | 59     | 0     | 50    |
| normalized size | 1       | 1.    | 0.97        | 0.85  | 2.09   | 1.79   | 0.    | 1.52  |
| time (sec)      | N/A     | 0.016 | 0.033       | 0.03  | 1.629  | 2.081  | 0.    | 1.707 |



| Problem 262     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 33      | 33    | 32          | 28    | 69     | 59     | 0     | 50    |
| normalized size | 1       | 1.    | 0.97        | 0.85  | 2.09   | 1.79   | 0.    | 1.52  |
| time (sec)      | N/A     | 0.016 | 0.036       | 0.029 | 1.585  | 1.929  | 0.    | 1.795 |

| Problem 263     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | A     | A      | A      | B     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 149     | 149   | 303         | 199   | 275    | 405    | 308   | 240  |
| normalized size | 1       | 1.    | 2.03        | 1.34  | 1.85   | 2.72   | 2.07  | 1.61 |
| time (sec)      | N/A     | 0.211 | 1.227       | 0.075 | 1.107  | 2.397  | 8.312 | 1.12 |

| Problem 264     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 100     | 100   | 96          | 96    | 97     | 196    | 97    | 177   |
| normalized size | 1       | 1.    | 0.96        | 0.96  | 0.97   | 1.96   | 0.97  | 1.77  |
| time (sec)      | N/A     | 0.196 | 0.193       | 0.06  | 1.602  | 2.187  | 4.699 | 1.127 |

| Problem 265     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 75      | 75    | 123         | 82    | 128    | 219    | 122   | 116   |
| normalized size | 1       | 1.    | 1.64        | 1.09  | 1.71   | 2.92   | 1.63  | 1.55  |
| time (sec)      | N/A     | 0.136 | 0.575       | 0.063 | 1.1    | 2.327  | 5.118 | 1.149 |

| Problem 266     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 27      | 27    | 25          | 26    | 35     | 72     | 22    | 54    |
| normalized size | 1       | 1.    | 0.93        | 0.96  | 1.3    | 2.67   | 0.81  | 2.    |
| time (sec)      | N/A     | 0.054 | 0.043       | 0.044 | 1.566  | 2.082  | 1.48  | 1.146 |

| Problem 267     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | B      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 12      | 12    | 42          | 16    | 19     | 81     | 24    | 46    |
| normalized size | 1       | 1.    | 3.5         | 1.33  | 1.58   | 6.75   | 2.    | 3.83  |
| time (sec)      | N/A     | 0.007 | 0.005       | 0.002 | 1.002  | 2.237  | 0.108 | 1.148 |

| Problem 268     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 11      | 11    | 11          | 12    | 68     | 28     | 32    | 16    |
| normalized size | 1       | 1.    | 1.          | 1.09  | 6.18   | 2.55   | 2.91  | 1.45  |
| time (sec)      | N/A     | 0.034 | 0.006       | 0.048 | 1.533  | 2.284  | 0.6   | 1.135 |

| Problem 269     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | F(-2)  | B      | F     | A     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 66      | 66    | 422         | 106   | 0      | 687    | 0     | 127   |
| normalized size | 1       | 1.    | 6.39        | 1.61  | 0.     | 10.41  | 0.    | 1.92  |
| time (sec)      | N/A     | 0.133 | 3.755       | 0.079 | 0.     | 2.4    | 0.    | 1.142 |

| Problem 270     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 51      | 51    | 40          | 57    | 271    | 197    | 508   | 58    |
| normalized size | 1       | 1.    | 0.78        | 1.12  | 5.31   | 3.86   | 9.96  | 1.14  |
| time (sec)      | N/A     | 0.075 | 0.166       | 0.085 | 1.565  | 2.442  | 4.611 | 1.151 |

| Problem 271     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | B     | F(-2)  | B      | F     | B    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 156     | 156   | 2677        | 967   | 0      | 2061   | 0     | 498  |
| normalized size | 1       | 1.    | 17.16       | 6.2   | 0.     | 13.21  | 0.    | 3.19 |
| time (sec)      | N/A     | 0.337 | 6.369       | 0.113 | 0.     | 2.962  | 0.    | 1.17 |

| Problem 272     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|------|
| grade           | A       | A     | A           | A     | B      | B      | A      | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD  |
| size            | 101     | 101   | 86          | 130   | 652    | 509    | 1727   | 123  |
| normalized size | 1       | 1.    | 0.85        | 1.29  | 6.46   | 5.04   | 17.1   | 1.22 |
| time (sec)      | N/A     | 0.116 | 0.332       | 0.113 | 1.646  | 2.561  | 33.285 | 1.14 |

| Problem 273     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | B     | B      | A      | B     | B     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 30      | 30   | 54          | 106   | 190    | 119    | 68    | 84    |
| normalized size | 1       | 1.   | 1.8         | 3.53  | 6.33   | 3.97   | 2.27  | 2.8   |
| time (sec)      | N/A     | 0.05 | 0.112       | 0.064 | 0.996  | 2.077  | 8.265 | 1.126 |

| Problem 274     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | B     | A      | B      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 30      | 30    | 64          | 71    | 38     | 188    | 44    | 27    |
| normalized size | 1       | 1.    | 2.13        | 2.37  | 1.27   | 6.27   | 1.47  | 0.9   |
| time (sec)      | N/A     | 0.102 | 0.136       | 0.048 | 1.486  | 2.074  | 4.465 | 1.157 |

| Problem 275     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | B      | A      | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 18      | 18    | 31          | 45    | 70     | 68     | 44    | 65    |
| normalized size | 1       | 1.    | 1.72        | 2.5   | 3.89   | 3.78   | 2.44  | 3.61  |
| time (sec)      | N/A     | 0.044 | 0.026       | 0.051 | 0.982  | 2.03   | 5.042 | 1.188 |

| Problem 276     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 16      | 16   | 14          | 15    | 19     | 89     | 10    | 19    |
| normalized size | 1       | 1.   | 0.88        | 0.94  | 1.19   | 5.56   | 0.62  | 1.19  |
| time (sec)      | N/A     | 0.07 | 0.012       | 0.017 | 1.458  | 2.05   | 1.235 | 1.131 |

| Problem 277     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 13      | 9     | 38          | 13    | 14     | 26     | 20    | 42    |
| normalized size | 1       | 0.69  | 2.92        | 1.    | 1.08   | 2.     | 1.54  | 3.23  |
| time (sec)      | N/A     | 0.006 | 0.005       | 0.001 | 0.967  | 2.056  | 0.113 | 1.178 |

| Problem 278     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | B      | A      | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 5       | 5     | 16          | 6     | 42     | 23     | 17    | 30    |
| normalized size | 1       | 1.    | 3.2         | 1.2   | 8.4    | 4.6    | 3.4   | 6.    |
| time (sec)      | N/A     | 0.024 | 0.014       | 0.051 | 0.979  | 2.176  | 0.166 | 1.123 |

| Problem 279     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 14      | 14    | 27          | 15    | 38     | 89     | 0     | 19    |
| normalized size | 1       | 1.    | 1.93        | 1.07  | 2.71   | 6.36   | 0.    | 1.36  |
| time (sec)      | N/A     | 0.041 | 0.026       | 0.059 | 1.494  | 2.067  | 0.    | 1.098 |

| Problem 280     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | B      | A      | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 16      | 16    | 34          | 17    | 86     | 68     | 306   | 61    |
| normalized size | 1       | 1.    | 2.12        | 1.06  | 5.38   | 4.25   | 19.12 | 3.81  |
| time (sec)      | N/A     | 0.046 | 0.021       | 0.085 | 1.5    | 2.078  | 1.345 | 1.128 |

| Problem 281     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | B      | B      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 26      | 26    | 62          | 23    | 86     | 188    | 0     | 27    |
| normalized size | 1       | 1.    | 2.38        | 0.88  | 3.31   | 7.23   | 0.    | 1.04  |
| time (sec)      | N/A     | 0.069 | 0.075       | 0.072 | 1.513  | 2.149  | 0.    | 1.171 |

| Problem 282     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 22      | 22    | 39          | 23    | 124    | 116    | 1064  | 86    |
| normalized size | 1       | 1.    | 1.77        | 1.05  | 5.64   | 5.27   | 48.36 | 3.91  |
| time (sec)      | N/A     | 0.048 | 0.047       | 0.109 | 1.512  | 2.096  | 5.487 | 1.128 |

| Problem 283     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | B      | F(-1) | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 152     | 152  | 143         | 204   | 254    | 703    | 0     | 228   |
| normalized size | 1       | 1.   | 0.94        | 1.34  | 1.67   | 4.62   | 0.    | 1.5   |
| time (sec)      | N/A     | 0.22 | 0.736       | 0.059 | 1.     | 2.178  | 0.    | 1.116 |

| Problem 284     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 101     | 101   | 95          | 93    | 108    | 225    | 0     | 290   |
| normalized size | 1       | 1.    | 0.94        | 0.92  | 1.07   | 2.23   | 0.    | 2.87  |
| time (sec)      | N/A     | 0.215 | 0.257       | 0.049 | 1.504  | 1.927  | 0.    | 1.111 |

| Problem 285     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 77      | 77    | 79          | 87    | 117    | 313    | 122    | 116   |
| normalized size | 1       | 1.    | 1.03        | 1.13  | 1.52   | 4.06   | 1.58   | 1.51  |
| time (sec)      | N/A     | 0.136 | 0.273       | 0.051 | 0.988  | 2.102  | 46.882 | 1.183 |

| Problem 286     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 29      | 29    | 24          | 29    | 39     | 72     | 31    | 70    |
| normalized size | 1       | 1.    | 0.83        | 1.    | 1.34   | 2.48   | 1.07  | 2.41  |
| time (sec)      | N/A     | 0.056 | 0.13        | 0.014 | 1.484  | 1.95   | 7.407 | 1.142 |

| Problem 287     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | B      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 12      | 12    | 25          | 16    | 20     | 97     | 24    | 28    |
| normalized size | 1       | 1.    | 2.08        | 1.33  | 1.67   | 8.08   | 2.    | 2.33  |
| time (sec)      | N/A     | 0.007 | 0.009       | 0.003 | 0.988  | 2.017  | 0.124 | 1.147 |

| Problem 288     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 12      | 12    | 12          | 13    | 61     | 30     | 0     | 18    |
| normalized size | 1       | 1.    | 1.          | 1.08  | 5.08   | 2.5    | 0.    | 1.5   |
| time (sec)      | N/A     | 0.035 | 0.016       | 0.038 | 1.462  | 2.062  | 0.    | 1.131 |

| Problem 289     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | B      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 67      | 67    | 71          | 86    | 0      | 689    | 0     | 144   |
| normalized size | 1       | 1.    | 1.06        | 1.28  | 0.     | 10.28  | 0.    | 2.15  |
| time (sec)      | N/A     | 0.117 | 0.255       | 0.051 | 0.     | 2.391  | 0.    | 1.151 |

| Problem 290     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 50      | 50    | 77          | 56    | 239    | 181    | 0     | 61    |
| normalized size | 1       | 1.    | 1.54        | 1.12  | 4.78   | 3.62   | 0.    | 1.22  |
| time (sec)      | N/A     | 0.079 | 0.111       | 0.048 | 1.517  | 2.311  | 0.    | 1.116 |

| Problem 291     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 159     | 159   | 150         | 534   | 0      | 1945   | 0     | 381   |
| normalized size | 1       | 1.    | 0.94        | 3.36  | 0.     | 12.23  | 0.    | 2.4   |
| time (sec)      | N/A     | 0.338 | 0.467       | 0.062 | 0.     | 2.937  | 0.    | 1.141 |

| Problem 292     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 100     | 100   | 138         | 132   | 671    | 409    | 0     | 126   |
| normalized size | 1       | 1.    | 1.38        | 1.32  | 6.71   | 4.09   | 0.    | 1.26  |
| time (sec)      | N/A     | 0.123 | 0.339       | 0.056 | 1.698  | 2.538  | 0.    | 1.149 |

| Problem 293     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | B      | A      | F(-1) | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 28      | 28    | 32          | 105   | 169    | 126    | 0     | 30   |
| normalized size | 1       | 1.    | 1.14        | 3.75  | 6.04   | 4.5    | 0.    | 1.07 |
| time (sec)      | N/A     | 0.051 | 0.073       | 0.048 | 1.013  | 2.034  | 0.    | 1.14 |

| Problem 294     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | B      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 30      | 30    | 30          | 68    | 76     | 109    | 0     | 27    |
| normalized size | 1       | 1.    | 1.          | 2.27  | 2.53   | 3.63   | 0.    | 0.9   |
| time (sec)      | N/A     | 0.101 | 0.045       | 0.039 | 1.479  | 2.094  | 0.    | 1.136 |

| Problem 295     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | B     | B      | A      | B      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 20      | 20    | 20          | 49    | 62     | 77     | 44     | 24    |
| normalized size | 1       | 1.    | 1.          | 2.45  | 3.1    | 3.85   | 2.2    | 1.2   |
| time (sec)      | N/A     | 0.048 | 0.039       | 0.037 | 0.958  | 2.058  | 82.194 | 1.142 |

| Problem 296     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 16      | 16    | 12          | 15    | 22     | 47     | 17    | 16    |
| normalized size | 1       | 1.    | 0.75        | 0.94  | 1.38   | 2.94   | 1.06  | 1.    |
| time (sec)      | N/A     | 0.069 | 0.024       | 0.012 | 1.494  | 1.953  | 8.483 | 1.153 |

| Problem 297     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | A      | B     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 9       | 9     | 20          | 13    | 16     | 32     | 20    | 24    |
| normalized size | 1       | 1.    | 2.22        | 1.44  | 1.78   | 3.56   | 2.22  | 2.67  |
| time (sec)      | N/A     | 0.005 | 0.004       | 0.003 | 1.011  | 2.073  | 0.107 | 1.175 |

| Problem 298     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 7       | 7     | 9           | 8     | 19     | 32     | 0     | 9     |
| normalized size | 1       | 1.    | 1.29        | 1.14  | 2.71   | 4.57   | 0.    | 1.29  |
| time (sec)      | N/A     | 0.027 | 0.012       | 0.047 | 1.456  | 2.134  | 0.    | 1.134 |

| Problem 299     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 14      | 14    | 12          | 11    | 31     | 55     | 0     | 14    |
| normalized size | 1       | 1.    | 0.86        | 0.79  | 2.21   | 3.93   | 0.    | 1.    |
| time (sec)      | N/A     | 0.041 | 0.013       | 0.044 | 1.488  | 2.014  | 0.    | 1.153 |

| Problem 300     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 14      | 14    | 18          | 15    | 38     | 74     | 0     | 19    |
| normalized size | 1       | 1.    | 1.29        | 1.07  | 2.71   | 5.29   | 0.    | 1.36  |
| time (sec)      | N/A     | 0.047 | 0.014       | 0.073 | 1.512  | 1.939  | 0.    | 1.138 |

| Problem 301     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 26      | 26    | 30          | 17    | 47     | 123    | 0     | 22    |
| normalized size | 1       | 1.    | 1.15        | 0.65  | 1.81   | 4.73   | 0.    | 0.85  |
| time (sec)      | N/A     | 0.071 | 0.014       | 0.073 | 1.48   | 1.931  | 0.    | 1.215 |

| Problem 302     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 24      | 24   | 32          | 25    | 53     | 126    | 0     | 30    |
| normalized size | 1       | 1.   | 1.33        | 1.04  | 2.21   | 5.25   | 0.    | 1.25  |
| time (sec)      | N/A     | 0.05 | 0.013       | 0.08  | 1.565  | 2.192  | 0.    | 1.134 |

| Problem 303     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 44      | 44    | 38          | 39    | 49     | 157    | 44     | 53    |
| normalized size | 1       | 1.    | 0.86        | 0.89  | 1.11   | 3.57   | 1.     | 1.2   |
| time (sec)      | N/A     | 0.034 | 0.03        | 0.022 | 1.006  | 2.121  | 18.101 | 1.165 |

| Problem 304     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | B      | A     | B    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 34      | 34    | 61          | 32    | 50     | 197    | 42    | 134  |
| normalized size | 1       | 1.    | 1.79        | 0.94  | 1.47   | 5.79   | 1.24  | 3.94 |
| time (sec)      | N/A     | 0.046 | 0.02        | 0.019 | 0.987  | 2.122  | 5.871 | 1.16 |

| Problem 305     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 22      | 22    | 18          | 15    | 22     | 63     | 15    | 31    |
| normalized size | 1       | 1.    | 0.82        | 0.68  | 1.     | 2.86   | 0.68  | 1.41  |
| time (sec)      | N/A     | 0.024 | 0.016       | 0.016 | 0.994  | 2.116  | 1.979 | 1.145 |

| Problem 306     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | B      | B     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 8       | 8     | 19          | 12    | 15     | 88     | 19    | 12    |
| normalized size | 1       | 1.    | 2.38        | 1.5   | 1.88   | 11.    | 2.38  | 1.5   |
| time (sec)      | N/A     | 0.005 | 0.004       | 0.003 | 0.985  | 2.15   | 0.104 | 1.149 |

| Problem 307     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 2       | 2     | 2           | 5     | 23     | 14     | 0     | 23    |
| normalized size | 1       | 1.    | 1.          | 2.5   | 11.5   | 7.     | 0.    | 11.5  |
| time (sec)      | N/A     | 0.019 | 0.004       | 0.03  | 0.964  | 1.976  | 0.    | 1.159 |

| Problem 308     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 8       | 8     | 8           | 7     | 8      | 50     | 0     | 8     |
| normalized size | 1       | 1.    | 1.          | 0.88  | 1.     | 6.25   | 0.    | 1.    |
| time (sec)      | N/A     | 0.014 | 0.003       | 0.036 | 1.023  | 1.978  | 0.    | 1.134 |

| Problem 309     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | A      | F     | B    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 17      | 17    | 17          | 14    | 139    | 45     | 0     | 80   |
| normalized size | 1       | 1.    | 1.          | 0.82  | 8.18   | 2.65   | 0.    | 4.71 |
| time (sec)      | N/A     | 0.038 | 0.02        | 0.046 | 0.999  | 1.938  | 0.    | 1.18 |

| Problem 310     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | A     | A      | A      | F     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 17      | 17    | 37          | 14    | 18     | 85     | 0     | 18   |
| normalized size | 1       | 1.    | 2.18        | 0.82  | 1.06   | 5.     | 0.    | 1.06 |
| time (sec)      | N/A     | 0.018 | 0.017       | 0.043 | 0.988  | 2.132  | 0.    | 1.15 |

| Problem 311     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | B      | A      | F(-1) | B     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 25      | 25   | 25          | 20    | 252    | 66     | 0     | 136   |
| normalized size | 1       | 1.   | 1.          | 0.8   | 10.08  | 2.64   | 0.    | 5.44  |
| time (sec)      | N/A     | 0.04 | 0.016       | 0.05  | 1.048  | 1.994  | 0.    | 1.131 |

| Problem 312     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | B      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 25      | 25    | 57          | 20    | 26     | 135    | 0     | 26    |
| normalized size | 1       | 1.    | 2.28        | 0.8   | 1.04   | 5.4    | 0.    | 1.04  |
| time (sec)      | N/A     | 0.022 | 0.018       | 0.053 | 0.984  | 2.07   | 0.    | 1.157 |

| Problem 313     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 33      | 33    | 33          | 26    | 366    | 96     | 0     | 193   |
| normalized size | 1       | 1.    | 1.          | 0.79  | 11.09  | 2.91   | 0.    | 5.85  |
| time (sec)      | N/A     | 0.043 | 0.017       | 0.058 | 1.057  | 2.218  | 0.    | 1.191 |

| Problem 314     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 73      | 73    | 37          | 40    | 780    | 131    | 0     | 0    |
| normalized size | 1       | 1.    | 0.51        | 0.55  | 10.68  | 1.79   | 0.    | 0.   |
| time (sec)      | N/A     | 0.148 | 0.08        | 0.157 | 1.972  | 2.334  | 0.    | 0.   |

| Problem 315     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 50      | 50    | 29          | 34    | 576    | 103    | 0     | 0    |
| normalized size | 1       | 1.    | 0.58        | 0.68  | 11.52  | 2.06   | 0.    | 0.   |
| time (sec)      | N/A     | 0.112 | 0.078       | 0.118 | 1.876  | 2.264  | 0.    | 0.   |

| Problem 316     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 31      | 31    | 21          | 26    | 424    | 66     | 0     | 0    |
| normalized size | 1       | 1.    | 0.68        | 0.84  | 13.68  | 2.13   | 0.    | 0.   |
| time (sec)      | N/A     | 0.081 | 0.04        | 0.088 | 1.87   | 2.175  | 0.    | 0.   |

| Problem 317     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 13      | 13    | 13          | 20    | 254    | 53     | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 1.54  | 19.54  | 4.08   | 0.    | 0.   |
| time (sec)      | N/A     | 0.049 | 0.028       | 0.091 | 1.801  | 2.012  | 0.    | 0.   |



| Problem 318     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | B      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 60      | 60    | 44          | 0     | 0      | 393    | 0     | 0    |
| normalized size | 1       | 1.    | 0.73        | 0.    | 0.     | 6.55   | 0.    | 0.   |
| time (sec)      | N/A     | 0.091 | 0.267       | 0.121 | 0.     | 2.463  | 0.    | 0.   |

| Problem 319     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F      | B      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 80      | 80    | 60          | 450   | 0      | 475    | 0     | 0    |
| normalized size | 1       | 1.    | 0.75        | 5.62  | 0.     | 5.94   | 0.    | 0.   |
| time (sec)      | N/A     | 0.116 | 0.155       | 0.209 | 0.     | 2.41   | 0.    | 0.   |

| Problem 320     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F      | B      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 99      | 99    | 69          | 382   | 0      | 512    | 0     | 0    |
| normalized size | 1       | 1.    | 0.7         | 3.86  | 0.     | 5.17   | 0.    | 0.   |
| time (sec)      | N/A     | 0.151 | 0.532       | 0.191 | 0.     | 2.672  | 0.    | 0.   |

| Problem 321     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | C     | F      | A      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 118     | 118  | 74          | 487   | 0      | 528    | 0     | 0    |
| normalized size | 1       | 1.   | 0.63        | 4.13  | 0.     | 4.47   | 0.    | 0.   |
| time (sec)      | N/A     | 0.18 | 0.268       | 0.227 | 0.     | 2.604  | 0.    | 0.   |

| Problem 322     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 44      | 44    | 38          | 40    | 35     | 116    | 44     | 47    |
| normalized size | 1       | 1.    | 0.86        | 0.91  | 0.8    | 2.64   | 1.     | 1.07  |
| time (sec)      | N/A     | 0.031 | 0.032       | 0.023 | 0.978  | 2.102  | 32.136 | 1.143 |

| Problem 323     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 34      | 34    | 38          | 30    | 50     | 161    | 42    | 53    |
| normalized size | 1       | 1.    | 1.12        | 0.88  | 1.47   | 4.74   | 1.24  | 1.56  |
| time (sec)      | N/A     | 0.042 | 0.011       | 0.022 | 0.989  | 2.276  | 8.172 | 1.163 |

| Problem 324     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 22      | 22    | 16          | 13    | 16     | 68     | 14    | 24   |
| normalized size | 1       | 1.    | 0.73        | 0.59  | 0.73   | 3.09   | 0.64  | 1.09 |
| time (sec)      | N/A     | 0.021 | 0.018       | 0.016 | 0.974  | 2.067  | 2.594 | 1.16 |

| Problem 325     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | B      | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 8       | 8     | 37          | 12    | 15     | 72     | 19    | 39    |
| normalized size | 1       | 1.    | 4.62        | 1.5   | 1.88   | 9.     | 2.38  | 4.88  |
| time (sec)      | N/A     | 0.005 | 0.004       | 0.002 | 0.995  | 2.118  | 0.111 | 1.148 |

| Problem 326     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 4       | 4     | 4           | 7     | 28     | 15     | 0     | 8     |
| normalized size | 1       | 1.    | 1.          | 1.75  | 7.     | 3.75   | 0.    | 2.    |
| time (sec)      | N/A     | 0.018 | 0.003       | 0.03  | 0.997  | 1.953  | 0.    | 1.105 |

| Problem 327     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 8       | 8     | 8           | 7     | 8      | 51     | 0     | 8     |
| normalized size | 1       | 1.    | 1.          | 0.88  | 1.     | 6.38   | 0.    | 1.    |
| time (sec)      | N/A     | 0.014 | 0.003       | 0.03  | 0.98   | 2.034  | 0.    | 1.147 |

| Problem 328     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | B      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 17      | 17    | 17          | 14    | 99     | 82     | 0     | 19    |
| normalized size | 1       | 1.    | 1.          | 0.82  | 5.82   | 4.82   | 0.    | 1.12  |
| time (sec)      | N/A     | 0.038 | 0.009       | 0.036 | 0.988  | 2.095  | 0.    | 1.112 |

| Problem 329     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | A     | A      | B      | F(-1) | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 17      | 17    | 37          | 14    | 19     | 112    | 0     | 19   |
| normalized size | 1       | 1.    | 2.18        | 0.82  | 1.12   | 6.59   | 0.    | 1.12 |
| time (sec)      | N/A     | 0.017 | 0.022       | 0.037 | 0.998  | 2.301  | 0.    | 1.17 |

| Problem 330     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | B      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 25      | 25    | 25          | 20    | 163    | 139    | 0     | 27    |
| normalized size | 1       | 1.    | 1.          | 0.8   | 6.52   | 5.56   | 0.    | 1.08  |
| time (sec)      | N/A     | 0.041 | 0.012       | 0.043 | 1.016  | 2.457  | 0.    | 1.156 |

| Problem 331     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | B      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 25      | 25    | 57          | 20    | 27     | 173    | 0     | 27    |
| normalized size | 1       | 1.    | 2.28        | 0.8   | 1.08   | 6.92   | 0.    | 1.08  |
| time (sec)      | N/A     | 0.021 | 0.02        | 0.039 | 0.99   | 2.455  | 0.    | 1.147 |

| Problem 332     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | B      | F(-1) | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 33      | 33    | 33          | 26    | 228    | 207    | 0     | 35   |
| normalized size | 1       | 1.    | 1.          | 0.79  | 6.91   | 6.27   | 0.    | 1.06 |
| time (sec)      | N/A     | 0.042 | 0.013       | 0.044 | 1.049  | 2.302  | 0.    | 1.16 |

| Problem 333     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | A      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 73      | 73    | 37          | 603   | 111    | 134    | 0     | 0    |
| normalized size | 1       | 1.    | 0.51        | 8.26  | 1.52   | 1.84   | 0.    | 0.   |
| time (sec)      | N/A     | 0.113 | 0.204       | 0.235 | 1.574  | 2.124  | 0.    | 0.   |

| Problem 334     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 50      | 50    | 29          | 321   | 111    | 112    | 0     | 0    |
| normalized size | 1       | 1.    | 0.58        | 6.42  | 2.22   | 2.24   | 0.    | 0.   |
| time (sec)      | N/A     | 0.086 | 0.076       | 0.146 | 1.585  | 2.245  | 0.    | 0.   |

| Problem 335     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 31      | 31    | 23          | 584   | 77     | 76     | 0     | 0    |
| normalized size | 1       | 1.    | 0.74        | 18.84 | 2.48   | 2.45   | 0.    | 0.   |
| time (sec)      | N/A     | 0.064 | 0.039       | 0.104 | 1.577  | 2.179  | 0.    | 0.   |

| Problem 336     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | B      | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 13      | 13    | 13          | 174   | 77     | 63     | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 13.38 | 5.92   | 4.85   | 0.    | 0.   |
| time (sec)      | N/A     | 0.041 | 0.026       | 0.138 | 1.541  | 1.985  | 0.    | 0.   |

| Problem 337     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 52      | 52    | 43          | 105   | 0      | 228    | 0     | 0    |
| normalized size | 1       | 1.    | 0.83        | 2.02  | 0.     | 4.38   | 0.    | 0.   |
| time (sec)      | N/A     | 0.078 | 0.246       | 0.108 | 0.     | 2.325  | 0.    | 0.   |

| Problem 338     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | B      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 72      | 72    | 56          | 265   | 0      | 371    | 0     | 0    |
| normalized size | 1       | 1.    | 0.78        | 3.68  | 0.     | 5.15   | 0.    | 0.   |
| time (sec)      | N/A     | 0.094 | 0.172       | 0.149 | 0.     | 2.479  | 0.    | 0.   |

| Problem 339     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | B      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 91      | 91    | 73          | 454   | 0      | 452    | 0     | 0    |
| normalized size | 1       | 1.    | 0.8         | 4.99  | 0.     | 4.97   | 0.    | 0.   |
| time (sec)      | N/A     | 0.121 | 0.647       | 0.15  | 0.     | 2.475  | 0.    | 0.   |

| Problem 340     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | B     | F      | B      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 110     | 110  | 74          | 494   | 0      | 529    | 0     | 0    |
| normalized size | 1       | 1.   | 0.67        | 4.49  | 0.     | 4.81   | 0.    | 0.   |
| time (sec)      | N/A     | 0.14 | 0.369       | 0.167 | 0.     | 2.571  | 0.    | 0.   |

| Problem 341     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | B           | A     | A      | A      | A     | B     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 55      | 55   | 129         | 66    | 92     | 255    | 90    | 1856  |
| normalized size | 1       | 1.   | 2.35        | 1.2   | 1.67   | 4.64   | 1.64  | 33.75 |
| time (sec)      | N/A     | 0.11 | 0.2         | 0.022 | 1.492  | 2.207  | 8.14  | 8.736 |

| Problem 342     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | A     | B     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 38      | 38   | 40          | 39    | 57     | 151    | 46    | 234   |
| normalized size | 1       | 1.   | 1.05        | 1.03  | 1.5    | 3.97   | 1.21  | 6.16  |
| time (sec)      | N/A     | 0.05 | 0.041       | 0.02  | 0.985  | 2.23   | 6.665 | 1.653 |

| Problem 343     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | B      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 25      | 25    | 60          | 25    | 38     | 154    | 31    | 239   |
| normalized size | 1       | 1.    | 2.4         | 1.    | 1.52   | 6.16   | 1.24  | 9.56  |
| time (sec)      | N/A     | 0.063 | 0.096       | 0.016 | 1.478  | 2.114  | 1.841 | 1.245 |

| Problem 344     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 10      | 10    | 10          | 11    | 11     | 32     | 8     | 15    |
| normalized size | 1       | 1.    | 1.          | 1.1   | 1.1    | 3.2    | 0.8   | 1.5   |
| time (sec)      | N/A     | 0.005 | 0.003       | 0.002 | 0.983  | 2.267  | 0.065 | 1.128 |

| Problem 345     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 24      | 24    | 35          | 24    | 34     | 132    | 0     | 38    |
| normalized size | 1       | 1.    | 1.46        | 1.    | 1.42   | 5.5    | 0.    | 1.58  |
| time (sec)      | N/A     | 0.058 | 0.015       | 0.037 | 0.979  | 2.195  | 0.    | 1.124 |

| Problem 346     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 33      | 33    | 57          | 32    | 61     | 109    | 0     | 42    |
| normalized size | 1       | 1.    | 1.73        | 0.97  | 1.85   | 3.3    | 0.    | 1.27  |
| time (sec)      | N/A     | 0.127 | 0.016       | 0.041 | 0.996  | 2.137  | 0.    | 1.154 |

| Problem 347     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 60      | 60    | 83          | 56    | 99     | 424    | 0     | 128   |
| normalized size | 1       | 1.    | 1.38        | 0.93  | 1.65   | 7.07   | 0.    | 2.13  |
| time (sec)      | N/A     | 0.072 | 0.018       | 0.052 | 1.002  | 2.248  | 0.    | 1.139 |

| Problem 348     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 65      | 65    | 129         | 64    | 131    | 255    | 0     | 88    |
| normalized size | 1       | 1.    | 1.98        | 0.98  | 2.02   | 3.92   | 0.    | 1.35  |
| time (sec)      | N/A     | 0.211 | 0.021       | 0.054 | 1.002  | 2.183  | 0.    | 1.148 |

| Problem 349     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-2) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 74      | 74    | 68          | 150   | 0      | 358    | 0     | 177   |
| normalized size | 1       | 1.    | 0.92        | 2.03  | 0.     | 4.84   | 0.    | 2.39  |
| time (sec)      | N/A     | 0.063 | 0.186       | 0.059 | 0.     | 2.381  | 0.    | 1.333 |

| Problem 350     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | F(-2)  | B      | F(-1) | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 75      | 75   | 82          | 108   | 0      | 487    | 0     | 176   |
| normalized size | 1       | 1.   | 1.09        | 1.44  | 0.     | 6.49   | 0.    | 2.35  |
| time (sec)      | N/A     | 0.06 | 0.297       | 0.087 | 0.     | 2.292  | 0.    | 1.251 |

| Problem 351     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | C           | A     | F(-2)  | B      | F(-1) | A    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 116     | 116  | 132         | 177   | 0      | 659    | 0     | 269  |
| normalized size | 1       | 1.   | 1.14        | 1.53  | 0.     | 5.68   | 0.    | 2.32 |
| time (sec)      | N/A     | 0.11 | 0.363       | 0.104 | 0.     | 2.494  | 0.    | 1.32 |

| Problem 352     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-2) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 73      | 73    | 67          | 150   | 0      | 358    | 0     | 177   |
| normalized size | 1       | 1.    | 0.92        | 2.05  | 0.     | 4.9    | 0.    | 2.42  |
| time (sec)      | N/A     | 0.053 | 0.138       | 0.055 | 0.     | 2.318  | 0.    | 1.331 |

| Problem 353     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F(-2)  | B      | F(-1) | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 76      | 76    | 82          | 109   | 0      | 489    | 0     | 178  |
| normalized size | 1       | 1.    | 1.08        | 1.43  | 0.     | 6.43   | 0.    | 2.34 |
| time (sec)      | N/A     | 0.053 | 0.226       | 0.084 | 0.     | 2.349  | 0.    | 1.33 |

| Problem 354     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | A     | F(-2)  | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 116     | 116   | 118         | 204   | 0      | 659    | 0     | 331   |
| normalized size | 1       | 1.    | 1.02        | 1.76  | 0.     | 5.68   | 0.    | 2.85  |
| time (sec)      | N/A     | 0.108 | 0.313       | 0.099 | 0.     | 2.434  | 0.    | 1.396 |

| Problem 355     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | B     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 246     | 246   | 238         | 514   | 478    | 509    | 882   | 387   |
| normalized size | 1       | 1.    | 0.97        | 2.09  | 1.94   | 2.07   | 3.59  | 1.57  |
| time (sec)      | N/A     | 0.169 | 1.484       | 0.124 | 1.015  | 2.325  | 4.224 | 1.244 |

| Problem 356     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 178     | 178   | 163         | 250   | 279    | 342    | 415   | 269   |
| normalized size | 1       | 1.    | 0.92        | 1.4   | 1.57   | 1.92   | 2.33  | 1.51  |
| time (sec)      | N/A     | 0.102 | 0.661       | 0.085 | 1.001  | 2.255  | 1.881 | 1.158 |

| Problem 357     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 116     | 116   | 111         | 124   | 153    | 196    | 192   | 124  |
| normalized size | 1       | 1.    | 0.96        | 1.07  | 1.32   | 1.69   | 1.66  | 1.07 |
| time (sec)      | N/A     | 0.058 | 0.222       | 0.061 | 0.986  | 2.196  | 0.618 | 1.14 |

| Problem 358     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 37      | 37    | 36          | 36    | 47     | 80     | 42    | 47    |
| normalized size | 1       | 1.    | 0.97        | 0.97  | 1.27   | 2.16   | 1.14  | 1.27  |
| time (sec)      | N/A     | 0.015 | 0.037       | 0.005 | 0.984  | 2.142  | 0.164 | 1.132 |

| Problem 359     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 49      | 49    | 49          | 50    | 54     | 173    | 0     | 58    |
| normalized size | 1       | 1.    | 1.          | 1.02  | 1.1    | 3.53   | 0.    | 1.18  |
| time (sec)      | N/A     | 0.036 | 0.1         | 0.074 | 1.     | 2.156  | 0.    | 1.143 |

| Problem 360     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 129     | 129   | 98          | 233   | 0      | 424    | 0     | 216   |
| normalized size | 1       | 1.    | 0.76        | 1.81  | 0.     | 3.29   | 0.    | 1.67  |
| time (sec)      | N/A     | 0.085 | 0.248       | 0.13  | 0.     | 2.303  | 0.    | 1.158 |

| Problem 361     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | B     | F(-2)  | B      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 191     | 191   | 420         | 496   | 0      | 1080   | 0     | 467   |
| normalized size | 1       | 1.    | 2.2         | 2.6   | 0.     | 5.65   | 0.    | 2.45  |
| time (sec)      | N/A     | 0.133 | 2.777       | 0.194 | 0.     | 2.985  | 0.    | 1.142 |

| Problem 362     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | B     | F(-2)  | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 259     | 259   | 533         | 823   | 0      | 1643   | 0     | 809   |
| normalized size | 1       | 1.    | 2.06        | 3.18  | 0.     | 6.34   | 0.    | 3.12  |
| time (sec)      | N/A     | 0.189 | 2.114       | 0.318 | 0.     | 5.611  | 0.    | 1.171 |

| Problem 363     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 157     | 157   | 135         | 177   | 258    | 308    | 291   | 204   |
| normalized size | 1       | 1.    | 0.86        | 1.13  | 1.64   | 1.96   | 1.85  | 1.3   |
| time (sec)      | N/A     | 0.143 | 0.422       | 0.075 | 1.125  | 2.216  | 0.884 | 1.145 |

| Problem 364     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 81      | 81   | 92          | 101   | 134    | 162    | 170   | 105   |
| normalized size | 1       | 1.   | 1.14        | 1.25  | 1.65   | 2.     | 2.1   | 1.3   |
| time (sec)      | N/A     | 0.05 | 0.146       | 0.054 | 1.018  | 2.08   | 0.377 | 1.171 |

| Problem 365     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 29      | 29    | 53          | 30    | 39     | 63     | 39    | 39    |
| normalized size | 1       | 1.    | 1.83        | 1.03  | 1.34   | 2.17   | 1.34  | 1.34  |
| time (sec)      | N/A     | 0.016 | 0.016       | 0.001 | 0.985  | 2.145  | 0.159 | 1.122 |

| Problem 366     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | B      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 25      | 25    | 57          | 23    | 39     | 157    | 63    | 31    |
| normalized size | 1       | 1.    | 2.28        | 0.92  | 1.56   | 6.28   | 2.52  | 1.24  |
| time (sec)      | N/A     | 0.022 | 0.053       | 0.087 | 0.997  | 2.175  | 1.204 | 1.163 |

| Problem 367     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 75      | 75    | 115         | 91    | 122    | 398    | 0     | 116   |
| normalized size | 1       | 1.    | 1.53        | 1.21  | 1.63   | 5.31   | 0.    | 1.55  |
| time (sec)      | N/A     | 0.049 | 0.538       | 0.137 | 1.03   | 2.215  | 0.    | 1.145 |

| Problem 368     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 134     | 134   | 186         | 211   | 257    | 986    | 0     | 231   |
| normalized size | 1       | 1.    | 1.39        | 1.57  | 1.92   | 7.36   | 0.    | 1.72  |
| time (sec)      | N/A     | 0.112 | 3.08        | 0.189 | 1.064  | 2.353  | 0.    | 1.177 |

| Problem 369     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | B      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 207     | 207   | 492         | 378   | 414    | 1782   | 0     | 410   |
| normalized size | 1       | 1.    | 2.38        | 1.83  | 2.     | 8.61   | 0.    | 1.98  |
| time (sec)      | N/A     | 0.248 | 1.627       | 0.222 | 1.146  | 2.7    | 0.    | 1.142 |

| Problem 370     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 23      | 23    | 50          | 21    | 38     | 89     | 36    | 28    |
| normalized size | 1       | 1.    | 2.17        | 0.91  | 1.65   | 3.87   | 1.57  | 1.22  |
| time (sec)      | N/A     | 0.021 | 0.03        | 0.065 | 0.987  | 2.03   | 0.719 | 1.132 |

| Problem 371     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 75      | 75    | 93          | 60    | 108    | 285    | 168   | 92    |
| normalized size | 1       | 1.    | 1.24        | 0.8   | 1.44   | 3.8    | 2.24  | 1.23  |
| time (sec)      | N/A     | 0.048 | 0.184       | 0.086 | 1.017  | 2.122  | 2.487 | 1.143 |

| Problem 372     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 123     | 123   | 135         | 100   | 197    | 405    | 423   | 144   |
| normalized size | 1       | 1.    | 1.1         | 0.81  | 1.6    | 3.29   | 3.44  | 1.17  |
| time (sec)      | N/A     | 0.107 | 0.582       | 0.099 | 1.071  | 2.133  | 9.654 | 1.159 |

| Problem 373     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 168     | 168   | 247         | 140   | 281    | 645    | 0     | 188   |
| normalized size | 1       | 1.    | 1.47        | 0.83  | 1.67   | 3.84   | 0.    | 1.12  |
| time (sec)      | N/A     | 0.186 | 0.974       | 0.112 | 1.121  | 2.143  | 0.    | 1.149 |



| Problem 374     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 157     | 157   | 136         | 178   | 254    | 306    | 291   | 204   |
| normalized size | 1       | 1.    | 0.87        | 1.13  | 1.62   | 1.95   | 1.85  | 1.3   |
| time (sec)      | N/A     | 0.134 | 0.447       | 0.075 | 0.997  | 2.263  | 0.907 | 1.138 |

| Problem 375     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 81      | 81    | 92          | 100   | 132    | 161    | 170   | 105   |
| normalized size | 1       | 1.    | 1.14        | 1.23  | 1.63   | 1.99   | 2.1   | 1.3   |
| time (sec)      | N/A     | 0.047 | 0.155       | 0.054 | 0.987  | 2.291  | 0.382 | 1.139 |

| Problem 376     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 29      | 29    | 53          | 30    | 39     | 63     | 39    | 39    |
| normalized size | 1       | 1.    | 1.83        | 1.03  | 1.34   | 2.17   | 1.34  | 1.34  |
| time (sec)      | N/A     | 0.014 | 0.015       | 0.001 | 0.979  | 2.007  | 0.157 | 1.134 |

| Problem 377     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | B      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 25      | 25    | 50          | 42    | 73     | 159    | 95    | 57    |
| normalized size | 1       | 1.    | 2.          | 1.68  | 2.92   | 6.36   | 3.8   | 2.28  |
| time (sec)      | N/A     | 0.021 | 0.152       | 0.1   | 0.987  | 2.13   | 1.465 | 1.147 |

| Problem 378     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | B      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 75      | 75    | 229         | 110   | 185    | 398    | 0     | 155   |
| normalized size | 1       | 1.    | 3.05        | 1.47  | 2.47   | 5.31   | 0.    | 2.07  |
| time (sec)      | N/A     | 0.053 | 0.414       | 0.151 | 1.017  | 2.342  | 0.    | 1.156 |

| Problem 379     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | B     | B      | B      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 134     | 134   | 350         | 272   | 358    | 987    | 0     | 323   |
| normalized size | 1       | 1.    | 2.61        | 2.03  | 2.67   | 7.37   | 0.    | 2.41  |
| time (sec)      | N/A     | 0.113 | 0.611       | 0.196 | 1.063  | 2.469  | 0.    | 1.298 |

| Problem 380     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | B           | B     | A      | B      | F(-1) | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 207     | 207  | 494         | 416   | 516    | 1783   | 0     | 490   |
| normalized size | 1       | 1.   | 2.39        | 2.01  | 2.49   | 8.61   | 0.    | 2.37  |
| time (sec)      | N/A     | 0.24 | 1.089       | 0.229 | 1.121  | 2.642  | 0.    | 1.208 |

| Problem 381     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 157     | 157  | 135         | 177   | 258    | 293    | 291   | 204   |
| normalized size | 1       | 1.   | 0.86        | 1.13  | 1.64   | 1.87   | 1.85  | 1.3   |
| time (sec)      | N/A     | 0.14 | 0.464       | 0.069 | 0.997  | 2.308  | 0.935 | 1.109 |

| Problem 382     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 81      | 81    | 92          | 101   | 134    | 162    | 170   | 107  |
| normalized size | 1       | 1.    | 1.14        | 1.25  | 1.65   | 2.     | 2.1   | 1.32 |
| time (sec)      | N/A     | 0.047 | 0.151       | 0.057 | 0.993  | 2.067  | 0.37  | 1.12 |

| Problem 383     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 29      | 29    | 53          | 30    | 39     | 63     | 39    | 39    |
| normalized size | 1       | 1.    | 1.83        | 1.03  | 1.34   | 2.17   | 1.34  | 1.34  |
| time (sec)      | N/A     | 0.016 | 0.018       | 0.001 | 0.969  | 2.     | 0.155 | 1.122 |

| Problem 384     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | B           | B     | B      | B      | A      | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 33      | 33    | 93          | 104   | 89     | 136    | 107    | 96    |
| normalized size | 1       | 1.    | 2.82        | 3.15  | 2.7    | 4.12   | 3.24   | 2.91  |
| time (sec)      | N/A     | 0.022 | 0.07        | 0.093 | 0.989  | 2.112  | 61.581 | 1.152 |

| Problem 385     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | B     | B      | B      | F(-1) | B     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 83      | 83   | 162         | 166   | 250    | 377    | 0     | 250   |
| normalized size | 1       | 1.   | 1.95        | 2.    | 3.01   | 4.54   | 0.    | 3.01  |
| time (sec)      | N/A     | 0.05 | 0.507       | 0.162 | 1.046  | 2.361  | 0.    | 1.202 |

| Problem 386     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | B      | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 142     | 142   | 255         | 639   | 666    | 940    | 0     | 653   |
| normalized size | 1       | 1.    | 1.8         | 4.5   | 4.69   | 6.62   | 0.    | 4.6   |
| time (sec)      | N/A     | 0.112 | 2.417       | 0.178 | 1.129  | 2.452  | 0.    | 1.192 |

| Problem 387     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | B     | B      | B      | F(-1) | B    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 215     | 215   | 632         | 1069  | 1300   | 1632   | 0     | 1368 |
| normalized size | 1       | 1.    | 2.94        | 4.97  | 6.05   | 7.59   | 0.    | 6.36 |
| time (sec)      | N/A     | 0.244 | 2.917       | 0.223 | 1.253  | 2.91   | 0.    | 1.19 |

| Problem 388     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 157     | 157   | 136         | 176   | 254    | 292    | 291   | 204  |
| normalized size | 1       | 1.    | 0.87        | 1.12  | 1.62   | 1.86   | 1.85  | 1.3  |
| time (sec)      | N/A     | 0.136 | 0.443       | 0.07  | 0.991  | 2.212  | 0.975 | 1.11 |

| Problem 389     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 81      | 81    | 92          | 100   | 132    | 161    | 170   | 107   |
| normalized size | 1       | 1.    | 1.14        | 1.23  | 1.63   | 1.99   | 2.1   | 1.32  |
| time (sec)      | N/A     | 0.047 | 0.152       | 0.055 | 0.98   | 2.149  | 0.368 | 1.122 |

| Problem 390     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 29      | 29    | 53          | 30    | 39     | 63     | 39    | 39    |
| normalized size | 1       | 1.    | 1.83        | 1.03  | 1.34   | 2.17   | 1.34  | 1.34  |
| time (sec)      | N/A     | 0.014 | 0.012       | 0.    | 0.991  | 2.149  | 0.153 | 1.125 |

| Problem 391     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | B           | B     | B      | B      | A      | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 33      | 33    | 96          | 61    | 84     | 136    | 109    | 101   |
| normalized size | 1       | 1.    | 2.91        | 1.85  | 2.55   | 4.12   | 3.3    | 3.06  |
| time (sec)      | N/A     | 0.022 | 0.102       | 0.1   | 0.996  | 2.182  | 61.238 | 1.195 |

| Problem 392     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | B      | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 83      | 83    | 166         | 178   | 246    | 377    | 0     | 258   |
| normalized size | 1       | 1.    | 2.          | 2.14  | 2.96   | 4.54   | 0.    | 3.11  |
| time (sec)      | N/A     | 0.053 | 0.557       | 0.148 | 1.006  | 2.278  | 0.    | 1.165 |

| Problem 393     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | B      | B      | F(-1) | B     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 142     | 142   | 261         | 687   | 663    | 942    | 0     | 659   |
| normalized size | 1       | 1.    | 1.84        | 4.84  | 4.67   | 6.63   | 0.    | 4.64  |
| time (sec)      | N/A     | 0.108 | 2.622       | 0.17  | 1.1    | 2.458  | 0.    | 1.208 |

| Problem 394     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | B     | B      | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 215     | 215   | 636         | 1149  | 1295   | 1635   | 0     | 1373  |
| normalized size | 1       | 1.    | 2.96        | 5.34  | 6.02   | 7.6    | 0.    | 6.39  |
| time (sec)      | N/A     | 0.235 | 1.854       | 0.224 | 1.258  | 2.825  | 0.    | 1.182 |

| Problem 395     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 260     | 260  | 237         | 335   | 446    | 576    | 707   | 386   |
| normalized size | 1       | 1.   | 0.91        | 1.29  | 1.72   | 2.22   | 2.72  | 1.48  |
| time (sec)      | N/A     | 0.4  | 1.089       | 0.072 | 1.024  | 2.259  | 2.28  | 1.123 |

| Problem 396     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 170     | 170   | 144         | 177   | 255    | 338    | 294   | 225   |
| normalized size | 1       | 1.    | 0.85        | 1.04  | 1.5    | 1.99   | 1.73  | 1.32  |
| time (sec)      | N/A     | 0.186 | 0.438       | 0.06  | 0.999  | 2.222  | 0.903 | 1.124 |

| Problem 397     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 91      | 91    | 77          | 99    | 135    | 173    | 162   | 109   |
| normalized size | 1       | 1.    | 0.85        | 1.09  | 1.48   | 1.9    | 1.78  | 1.2   |
| time (sec)      | N/A     | 0.046 | 0.171       | 0.051 | 0.981  | 2.237  | 0.388 | 1.129 |

| Problem 398     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 27      | 27    | 49          | 28    | 36     | 61     | 34    | 36    |
| normalized size | 1       | 1.    | 1.81        | 1.04  | 1.33   | 2.26   | 1.26  | 1.33  |
| time (sec)      | N/A     | 0.016 | 0.014       | 0.002 | 0.978  | 2.02   | 0.155 | 1.119 |

| Problem 399     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | B      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 61      | 61    | 57          | 61    | 0      | 953    | 0     | 123   |
| normalized size | 1       | 1.    | 0.93        | 1.    | 0.     | 15.62  | 0.    | 2.02  |
| time (sec)      | N/A     | 0.084 | 0.117       | 0.079 | 0.     | 2.339  | 0.    | 1.117 |

| Problem 400     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 121     | 121   | 116         | 424   | 0      | 1796   | 0     | 300   |
| normalized size | 1       | 1.    | 0.96        | 3.5   | 0.     | 14.84  | 0.    | 2.48  |
| time (sec)      | N/A     | 0.108 | 0.341       | 0.142 | 0.     | 2.988  | 0.    | 1.142 |

| Problem 401     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 197     | 197   | 200         | 3933  | 0      | 4077   | 0     | 1204  |
| normalized size | 1       | 1.    | 1.02        | 19.96 | 0.     | 20.7   | 0.    | 6.11  |
| time (sec)      | N/A     | 0.198 | 0.909       | 0.191 | 0.     | 3.457  | 0.    | 1.179 |

| Problem 402     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | B     | F(-2)  | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 292     | 292   | 606         | 16909 | 0      | 8541   | 0     | 3606  |
| normalized size | 1       | 1.    | 2.08        | 57.91 | 0.     | 29.25  | 0.    | 12.35 |
| time (sec)      | N/A     | 0.376 | 2.085       | 0.291 | 0.     | 5.098  | 0.    | 1.491 |

| Problem 403     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | C     | F      | F      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 185     | 185   | 399         | 464   | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 2.16        | 2.51  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.268 | 6.053       | 2.494 | 0.     | 0.     | 0.    | 0.    |

| Problem 404     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | C     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 139     | 139   | 349         | 449   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.51        | 3.23  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.139 | 3.571       | 2.675 | 0.     | 0.     | 0.    | 0.   |

| Problem 405     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | C     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 45      | 45    | 326         | 316   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 7.24        | 7.02  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.031 | 2.303       | 2.867 | 0.     | 0.     | 0.    | 0.   |

| Problem 406     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | C     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 45      | 45    | 128         | 158   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.84        | 3.51  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.037 | 0.262       | 2.134 | 0.     | 0.     | 0.    | 0.   |

| Problem 407     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | C     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 94      | 94    | 528         | 425   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 5.62        | 4.52  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.054 | 6.141       | 3.376 | 0.     | 0.     | 0.    | 0.   |

| Problem 408     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | C           | C     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes  | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 187     | 187  | 430         | 524   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 2.3         | 2.8   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.2  | 3.259       | 6.476 | 0.     | 0.     | 0.    | 0.   |

| Problem 409     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | C           | C     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes  | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 233     | 233  | 436         | 589   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 1.87        | 2.53  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.26 | 3.929       | 5.834 | 0.     | 0.     | 0.    | 0.   |

| Problem 410     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|-------|
| grade           | A       | A     | C           | B      | F      | F      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | NO          | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 347     | 347   | 3767        | 2303   | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 10.86       | 6.64   | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.532 | 6.595       | 10.443 | 0.     | 0.     | 0.    | 0.    |

| Problem 411     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 283     | 283   | 2190        | 1516  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 7.74        | 5.36  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.282 | 6.286       | 7.295 | 0.     | 0.     | 0.    | 0.   |

| Problem 412     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 108     | 108   | 1408        | 720   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 13.04       | 6.67  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.071 | 6.274       | 3.265 | 0.     | 0.     | 0.    | 0.   |

| Problem 413     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | C           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes  | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 108     | 108  | 285         | 303   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 2.64        | 2.81  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.07 | 0.648       | 2.115 | 0.     | 0.     | 0.    | 0.   |

| Problem 414     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 186     | 186   | 1540        | 2388  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 8.28        | 12.84 | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.104 | 6.374       | 8.075 | 0.     | 0.     | 0.    | 0.   |

| Problem 415     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | C           | B      | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 382     | 382   | 2408        | 2967   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 6.3         | 7.77   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.363 | 6.386       | 29.057 | 0.     | 0.     | 0.    | 0.   |

| Problem 416     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 490     | 490   | 4116        | 3876  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 8.4         | 7.91  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.619 | 6.621       | 94.   | 0.     | 0.     | 0.    | 0.   |

| Problem 417     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | A      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 139     | 139   | 130         | 74    | 0      | 293    | 0     | 0     |
| normalized size | 1       | 1.    | 0.94        | 0.53  | 0.     | 2.11   | 0.    | 0.    |
| time (sec)      | N/A     | 0.065 | 0.627       | 1.355 | 0.     | 1.826  | 0.    | 0.    |

| Problem 418     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | A     | F      | A      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 93      | 93   | 104         | 60    | 0      | 228    | 0     | 0    |
| normalized size | 1       | 1.   | 1.12        | 0.65  | 0.     | 2.45   | 0.    | 0.   |
| time (sec)      | N/A     | 0.04 | 0.34        | 1.44  | 0.     | 1.754  | 0.    | 0.   |

| Problem 419     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 44      | 44    | 75          | 50    | 0      | 167    | 0     | 0    |
| normalized size | 1       | 1.    | 1.7         | 1.14  | 0.     | 3.8    | 0.    | 0.   |
| time (sec)      | N/A     | 0.018 | 0.038       | 0.89  | 0.     | 1.75   | 0.    | 0.   |

| Problem 420     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | B      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 48      | 48    | 101         | 77    | 0      | 428    | 0     | 0    |
| normalized size | 1       | 1.    | 2.1         | 1.6   | 0.     | 8.92   | 0.    | 0.   |
| time (sec)      | N/A     | 0.065 | 0.105       | 0.89  | 0.     | 1.774  | 0.    | 0.   |

| Problem 421     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | A     | F      | B      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 96      | 96    | 154         | 117   | 0      | 782    | 0     | 383   |
| normalized size | 1       | 1.    | 1.6         | 1.22  | 0.     | 8.15   | 0.    | 3.99  |
| time (sec)      | N/A     | 0.053 | 0.299       | 1.286 | 0.     | 1.954  | 0.    | 1.958 |

| Problem 422     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | A     | F      | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 142     | 142   | 180         | 190   | 0      | 998    | 0     | 563   |
| normalized size | 1       | 1.    | 1.27        | 1.34  | 0.     | 7.03   | 0.    | 3.96  |
| time (sec)      | N/A     | 0.077 | 0.403       | 1.46  | 0.     | 1.973  | 0.    | 1.972 |

| Problem 423     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | A      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 185     | 185   | 151         | 86    | 0      | 358    | 0     | 0     |
| normalized size | 1       | 1.    | 0.82        | 0.46  | 0.     | 1.94   | 0.    | 0.    |
| time (sec)      | N/A     | 0.094 | 1.922       | 1.25  | 0.     | 1.765  | 0.    | 0.    |

| Problem 424     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | A      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 139     | 139   | 127         | 74    | 0      | 293    | 0     | 0     |
| normalized size | 1       | 1.    | 0.91        | 0.53  | 0.     | 2.11   | 0.    | 0.    |
| time (sec)      | N/A     | 0.074 | 0.523       | 1.248 | 0.     | 1.666  | 0.    | 0.    |

| Problem 425     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 93      | 93    | 103         | 60    | 0      | 225    | 0     | 0    |
| normalized size | 1       | 1.    | 1.11        | 0.65  | 0.     | 2.42   | 0.    | 0.   |
| time (sec)      | N/A     | 0.038 | 0.237       | 1.193 | 0.     | 1.71   | 0.    | 0.   |

| Problem 426     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 44      | 44    | 75          | 50    | 0      | 163    | 0     | 0    |
| normalized size | 1       | 1.    | 1.7         | 1.14  | 0.     | 3.7    | 0.    | 0.   |
| time (sec)      | N/A     | 0.017 | 0.042       | 1.077 | 0.     | 1.764  | 0.    | 0.   |

| Problem 427     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | B      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 49      | 49    | 99          | 77    | 0      | 269    | 0     | 0    |
| normalized size | 1       | 1.    | 2.02        | 1.57  | 0.     | 5.49   | 0.    | 0.   |
| time (sec)      | N/A     | 0.061 | 0.089       | 1.171 | 0.     | 1.854  | 0.    | 0.   |

| Problem 428     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | A     | F      | B      | F     | C     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 96      | 96    | 152         | 118   | 0      | 614    | 0     | 336   |
| normalized size | 1       | 1.    | 1.58        | 1.23  | 0.     | 6.4    | 0.    | 3.5   |
| time (sec)      | N/A     | 0.052 | 0.295       | 1.116 | 0.     | 1.786  | 0.    | 1.521 |

| Problem 429     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | A     | F      | B      | F(-1) | C     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 142     | 142   | 178         | 190   | 0      | 830    | 0     | 514   |
| normalized size | 1       | 1.    | 1.25        | 1.34  | 0.     | 5.85   | 0.    | 3.62  |
| time (sec)      | N/A     | 0.075 | 0.394       | 1.611 | 0.     | 1.878  | 0.    | 1.577 |



| Problem 430     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | A     | F(-2)  | A      | F(-1) | F(-2) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 258     | 258   | 11888       | 306   | 0      | 645    | 0     | 0     |
| normalized size | 1       | 1.    | 46.08       | 1.19  | 0.     | 2.5    | 0.    | 0.    |
| time (sec)      | N/A     | 0.179 | 32.745      | 1.937 | 0.     | 2.007  | 0.    | 0.    |

| Problem 431     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | A     | F(-2)  | A      | F(-1) | F(-2) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 190     | 190   | 11771       | 200   | 0      | 463    | 0     | 0     |
| normalized size | 1       | 1.    | 61.95       | 1.05  | 0.     | 2.44   | 0.    | 0.    |
| time (sec)      | N/A     | 0.122 | 33.091      | 1.45  | 0.     | 1.957  | 0.    | 0.    |

| Problem 432     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | A     | F(-2)  | A      | F(-1) | F(-2) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 126     | 126   | 11679       | 126   | 0      | 313    | 0     | 0     |
| normalized size | 1       | 1.    | 92.69       | 1.    | 0.     | 2.48   | 0.    | 0.    |
| time (sec)      | N/A     | 0.075 | 21.959      | 1.641 | 0.     | 1.706  | 0.    | 0.    |

| Problem 433     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | B     | F(-2)  | A      | F     | F(-2) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 55      | 55    | 11586       | 113   | 0      | 201    | 0     | 0     |
| normalized size | 1       | 1.    | 210.65      | 2.05  | 0.     | 3.65   | 0.    | 0.    |
| time (sec)      | N/A     | 0.033 | 21.979      | 1.319 | 0.     | 1.641  | 0.    | 0.    |

| Problem 434     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | C           | B     | F(-2)  | F(-2)  | F     | F(-2) |
| verified        | N/A     | Yes  | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 88      | 88   | 63264       | 172   | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.   | 718.91      | 1.95  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.12 | 33.865      | 1.432 | 0.     | 0.     | 0.    | 0.    |

| Problem 435     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | F           | B     | F(-2)  | F(-2)  | F     | F(-2) |
| verified        | N/A     | Yes   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 160     | 160   | 0           | 350   | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 0.          | 2.19  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.133 | 180.001     | 1.644 | 0.     | 0.     | 0.    | 0.    |

| Problem 436     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | F           | A     | F(-2)  | F(-2)  | F(-1) | F(-2) |
| verified        | N/A     | Yes   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 226     | 226   | 0           | 350   | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 0.          | 1.55  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.186 | 180.002     | 1.552 | 0.     | 0.     | 0.    | 0.    |

| Problem 437     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | A     | F(-2)  | A      | F(-1) | F(-2) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 196     | 196   | 11602       | 204   | 0      | 463    | 0     | 0     |
| normalized size | 1       | 1.    | 59.19       | 1.04  | 0.     | 2.36   | 0.    | 0.    |
| time (sec)      | N/A     | 0.134 | 34.231      | 1.753 | 0.     | 1.895  | 0.    | 0.    |

| Problem 438     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | A     | F(-2)  | A      | F(-1) | F(-2) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 130     | 130   | 11512       | 130   | 0      | 313    | 0     | 0     |
| normalized size | 1       | 1.    | 88.55       | 1.    | 0.     | 2.41   | 0.    | 0.    |
| time (sec)      | N/A     | 0.081 | 21.255      | 1.591 | 0.     | 1.883  | 0.    | 0.    |

| Problem 439     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | B     | F(-2)  | A      | F     | F(-2) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 57      | 57    | 11415       | 117   | 0      | 201    | 0     | 0     |
| normalized size | 1       | 1.    | 200.26      | 2.05  | 0.     | 3.53   | 0.    | 0.    |
| time (sec)      | N/A     | 0.038 | 21.525      | 1.706 | 0.     | 1.861  | 0.    | 0.    |

| Problem 440     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | B     | F(-2)  | F(-2)  | F     | F(-2) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 91      | 91    | 61904       | 175   | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 680.26      | 1.92  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.098 | 33.882      | 1.314 | 0.     | 0.     | 0.    | 0.    |

| Problem 441     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | F           | B     | F(-2)  | F(-2)  | F     | F(-2) |
| verified        | N/A     | Yes   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 164     | 164   | 0           | 363   | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 0.          | 2.21  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.126 | 180.001     | 1.934 | 0.     | 0.     | 0.    | 0.    |

| Problem 442     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | F           | A     | F(-2)  | F(-2)  | F(-1) | F(-2) |
| verified        | N/A     | Yes  | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 232     | 232  | 0           | 363   | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.   | 0.          | 1.56  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.17 | 180.014     | 2.082 | 0.     | 0.     | 0.    | 0.    |

| Problem 443     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 101     | 101   | 80          | 438   | 0      | 1291   | 0     | 216   |
| normalized size | 1       | 1.    | 0.79        | 4.34  | 0.     | 12.78  | 0.    | 2.14  |
| time (sec)      | N/A     | 0.096 | 0.224       | 0.048 | 0.     | 2.148  | 0.    | 1.154 |

| Problem 444     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 22      | 30    | 22          | 25    | 55     | 39     | 22    | 34    |
| normalized size | 1       | 1.36  | 1.          | 1.14  | 2.5    | 1.77   | 1.    | 1.55  |
| time (sec)      | N/A     | 0.031 | 0.047       | 0.043 | 1.482  | 1.868  | 0.312 | 1.165 |

| Problem 445     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 97      | 97    | 79          | 414   | 0      | 1277   | 0     | 213   |
| normalized size | 1       | 1.    | 0.81        | 4.27  | 0.     | 13.16  | 0.    | 2.2   |
| time (sec)      | N/A     | 0.127 | 0.193       | 0.064 | 0.     | 2.568  | 0.    | 1.174 |

| Problem 446     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | B      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 51      | 51    | 50          | 53    | 0      | 799    | 0     | 99    |
| normalized size | 1       | 1.    | 0.98        | 1.04  | 0.     | 15.67  | 0.    | 1.94  |
| time (sec)      | N/A     | 0.076 | 0.045       | 0.059 | 0.     | 2.14   | 0.    | 1.165 |

| Problem 447     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 142     | 142   | 120         | 430   | 0      | 1539   | 0     | 217   |
| normalized size | 1       | 1.    | 0.85        | 3.03  | 0.     | 10.84  | 0.    | 1.53  |
| time (sec)      | N/A     | 0.515 | 0.289       | 0.059 | 0.     | 21.925 | 0.    | 1.236 |

| Problem 448     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | C     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 371     | 371   | 2490        | 21265 | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 6.71        | 57.32 | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.447 | 6.452       | 2.027 | 0.     | 0.     | 0.    | 0.   |

| Problem 449     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | C           | C      | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 118     | 118   | 1580        | 12462  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 13.39       | 105.61 | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.144 | 6.254       | 0.666  | 0.     | 0.     | 0.    | 0.   |

| Problem 450     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | C     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 118     | 118   | 339         | 722   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.87        | 6.12  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.166 | 0.919       | 0.596 | 0.     | 0.     | 0.    | 0.   |

| Problem 451     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | C     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 240     | 240   | 1732        | 12572 | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 7.22        | 52.38 | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.216 | 6.398       | 0.589 | 0.     | 0.     | 0.    | 0.   |

| Problem 452     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|-------|
| grade           | A       | A     | C           | C      | F      | F      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | NO          | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 492     | 492   | 2708        | 63949  | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 5.5         | 129.98 | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.519 | 6.514       | 1.75   | 0.     | 0.     | 0.    | 0.    |

| Problem 453     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | F           | C     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes  | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 371     | 371  | 0           | 21015 | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 0.          | 56.64 | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.39 | 151.125     | 0.709 | 0.     | 0.     | 0.    | 0.   |

| Problem 454     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | F           | C      | F      | F      | F     | F    |
| verified        | N/A     | Yes   | N/A         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 118     | 118   | 0           | 12460  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.          | 105.59 | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.147 | 21.288      | 0.444  | 0.     | 0.     | 0.    | 0.   |

| Problem 455     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | C     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 118     | 118   | 506         | 714   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 4.29        | 6.05  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.152 | 2.944       | 0.415 | 0.     | 0.     | 0.    | 0.   |

| Problem 456     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | F           | C     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 240     | 240   | 0           | 12562 | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.          | 52.34 | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.211 | 24.569      | 0.44  | 0.     | 0.     | 0.    | 0.   |

| Problem 457     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | F           | C      | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | N/A         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 492     | 492   | 0           | 63939  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.          | 129.96 | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.495 | 28.201      | 1.151  | 0.     | 0.     | 0.    | 0.   |

| Problem 458     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 98      | 98    | 80          | 446   | 0      | 1277   | 0     | 213   |
| normalized size | 1       | 1.    | 0.82        | 4.55  | 0.     | 13.03  | 0.    | 2.17  |
| time (sec)      | N/A     | 0.103 | 0.224       | 0.051 | 0.     | 2.18   | 0.    | 1.162 |

| Problem 459     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | B      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 51      | 51    | 50          | 53    | 0      | 799    | 0     | 99    |
| normalized size | 1       | 1.    | 0.98        | 1.04  | 0.     | 15.67  | 0.    | 1.94  |
| time (sec)      | N/A     | 0.072 | 0.046       | 0.042 | 0.     | 2.167  | 0.    | 1.174 |

| Problem 460     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | B      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 120     | 120   | 104         | 184   | 0      | 1571   | 0     | 192   |
| normalized size | 1       | 1.    | 0.87        | 1.53  | 0.     | 13.09  | 0.    | 1.6   |
| time (sec)      | N/A     | 0.533 | 0.286       | 0.045 | 0.     | 23.526 | 0.    | 1.179 |

| Problem 461     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 21      | 21    | 51          | 10    | 19     | 74     | 0     | 30    |
| normalized size | 1       | 1.    | 2.43        | 0.48  | 0.9    | 3.52   | 0.    | 1.43  |
| time (sec)      | N/A     | 0.048 | 0.025       | 0.039 | 1.483  | 2.193  | 0.    | 1.143 |

| Problem 462     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | C     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 371     | 371   | 2490        | 20627 | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 6.71        | 55.6  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.432 | 6.435       | 1.618 | 0.     | 0.     | 0.    | 0.   |

| Problem 463     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | C           | C      | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 118     | 118   | 1580        | 12367  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 13.39       | 104.81 | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.144 | 6.256       | 0.55   | 0.     | 0.     | 0.    | 0.   |

| Problem 464     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | C     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 118     | 118   | 339         | 715   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.87        | 6.06  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.166 | 0.908       | 0.587 | 0.     | 0.     | 0.    | 0.   |

| Problem 465     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | C     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 240     | 240   | 1732        | 12477 | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 7.22        | 51.99 | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.212 | 6.415       | 0.556 | 0.     | 0.     | 0.    | 0.   |

| Problem 466     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|-------|
| grade           | A       | A     | C           | C      | F      | F      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | NO          | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 492     | 492   | 2708        | 64199  | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 5.5         | 130.49 | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.497 | 6.513       | 1.804  | 0.     | 0.     | 0.    | 0.    |

| Problem 467     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | F           | C     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 371     | 371   | 0           | 20858 | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.          | 56.22 | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.383 | 53.407      | 0.677 | 0.     | 0.     | 0.    | 0.   |

| Problem 468     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | F           | C      | F      | F      | F     | F    |
| verified        | N/A     | Yes   | N/A         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 118     | 118   | 0           | 12362  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.          | 104.76 | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.141 | 12.671      | 0.435  | 0.     | 0.     | 0.    | 0.   |

| Problem 469     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | C     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 118     | 118   | 519         | 705   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 4.4         | 5.97  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.149 | 2.89        | 0.403 | 0.     | 0.     | 0.    | 0.   |

| Problem 470     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | F           | C     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 240     | 240   | 0           | 12467 | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.          | 51.95 | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.205 | 21.461      | 0.433 | 0.     | 0.     | 0.    | 0.   |

| Problem 471     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | F           | C      | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | N/A         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 492     | 492   | 0           | 64189  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.          | 130.47 | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.491 | 25.974      | 1.202  | 0.     | 0.     | 0.    | 0.   |

| Problem 472     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | B     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 1       | 1     | 1           | 2     | 1      | 4      | 10    | 1     |
| normalized size | 1       | 1.    | 1.          | 2.    | 1.     | 4.     | 10.   | 1.    |
| time (sec)      | N/A     | 0.009 | 0.          | 0.014 | 1.473  | 1.557  | 0.423 | 1.147 |

| Problem 473     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | B     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 1       | 1     | 1           | 2     | 1      | 4      | 22    | 1     |
| normalized size | 1       | 1.    | 1.          | 2.    | 1.     | 4.     | 22.   | 1.    |
| time (sec)      | N/A     | 0.009 | 0.          | 0.016 | 1.496  | 1.875  | 1.088 | 1.129 |

| Problem 474     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | B     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 1       | 1     | 1           | 2     | 1      | 4      | 34    | 1     |
| normalized size | 1       | 1.    | 1.          | 2.    | 1.     | 4.     | 34.   | 1.    |
| time (sec)      | N/A     | 0.009 | 0.          | 0.016 | 1.457  | 1.636  | 3.321 | 1.098 |

| Problem 475     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | B      | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 11      | 11    | 23          | 4     | 20     | 84     | 36    | 45    |
| normalized size | 1       | 1.    | 2.09        | 0.36  | 1.82   | 7.64   | 3.27  | 4.09  |
| time (sec)      | N/A     | 0.015 | 0.005       | 0.025 | 1.031  | 1.857  | 0.469 | 1.122 |

| Problem 476     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | B     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 13      | 13    | 8           | 18    | 16     | 43     | 48    | 8     |
| normalized size | 1       | 1.    | 0.62        | 1.38  | 1.23   | 3.31   | 3.69  | 0.62  |
| time (sec)      | N/A     | 0.023 | 0.003       | 0.031 | 0.983  | 1.649  | 2.396 | 1.117 |

| Problem 477     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | B     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 32      | 32    | 22          | 48    | 51     | 227    | 765   | 50    |
| normalized size | 1       | 1.    | 0.69        | 1.5   | 1.59   | 7.09   | 23.91 | 1.56  |
| time (sec)      | N/A     | 0.027 | 0.007       | 0.037 | 1.005  | 1.889  | 9.113 | 1.153 |

| Problem 478     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|------|
| grade           | A       | A     | A           | A     | A      | B      | B      | B    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD  |
| size            | 9       | 9     | 9           | 10    | 12     | 88     | 2011   | 27   |
| normalized size | 1       | 1.    | 1.          | 1.11  | 1.33   | 9.78   | 223.44 | 3.   |
| time (sec)      | N/A     | 0.018 | 0.034       | 0.038 | 1.517  | 1.832  | 29.425 | 1.13 |

| Problem 479     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A    | A           | A     | A      | B      | A      | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 11      | 11   | 11          | 12    | 15     | 85     | 2118   | 30    |
| normalized size | 1       | 1.   | 1.          | 1.09  | 1.36   | 7.73   | 192.55 | 2.73  |
| time (sec)      | N/A     | 0.02 | 0.032       | 0.033 | 1.463  | 1.915  | 32.779 | 1.111 |

| Problem 480     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | A      | B      | A      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 15      | 15    | 15          | 16    | 20     | 99     | 2866   | 35    |
| normalized size | 1       | 1.    | 1.          | 1.07  | 1.33   | 6.6    | 191.07 | 2.33  |
| time (sec)      | N/A     | 0.026 | 0.04        | 0.04  | 1.482  | 1.811  | 49.337 | 1.164 |

| Problem 481     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 53      | 53    | 25          | 18    | 23     | 128    | 87    | 82    |
| normalized size | 1       | 1.    | 0.47        | 0.34  | 0.43   | 2.42   | 1.64  | 1.55  |
| time (sec)      | N/A     | 0.037 | 0.043       | 0.055 | 1.467  | 1.851  | 1.291 | 1.141 |

| Problem 482     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 43      | 43    | 36          | 38    | 0      | 433    | 241   | 151   |
| normalized size | 1       | 1.    | 0.84        | 0.88  | 0.     | 10.07  | 5.6   | 3.51  |
| time (sec)      | N/A     | 0.149 | 0.099       | 0.051 | 0.     | 1.992  | 2.537 | 1.215 |

| Problem 483     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 43      | 43    | 36          | 36    | 0      | 432    | 267   | 200   |
| normalized size | 1       | 1.    | 0.84        | 0.84  | 0.     | 10.05  | 6.21  | 4.65  |
| time (sec)      | N/A     | 0.109 | 0.058       | 0.044 | 0.     | 1.94   | 2.554 | 1.125 |

| Problem 484     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 36      | 36    | 19          | 16    | 20     | 107    | 0     | 20    |
| normalized size | 1       | 1.    | 0.53        | 0.44  | 0.56   | 2.97   | 0.    | 0.56  |
| time (sec)      | N/A     | 0.028 | 0.047       | 0.046 | 1.469  | 1.773  | 0.    | 1.113 |

| Problem 485     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 49      | 49    | 42          | 27    | 36     | 207    | 0     | 36    |
| normalized size | 1       | 1.    | 0.86        | 0.55  | 0.73   | 4.22   | 0.    | 0.73  |
| time (sec)      | N/A     | 0.045 | 0.137       | 0.057 | 1.484  | 1.821  | 0.    | 1.124 |



| Problem 486     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 74      | 74    | 79          | 40    | 61     | 305    | 0     | 53    |
| normalized size | 1       | 1.    | 1.07        | 0.54  | 0.82   | 4.12   | 0.    | 0.72  |
| time (sec)      | N/A     | 0.055 | 0.185       | 0.054 | 1.485  | 1.843  | 0.    | 1.162 |

| Problem 487     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | C     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 1       | 1     | 1           | 4     | 1      | 4      | 0     | 1     |
| normalized size | 1       | 1.    | 1.          | 4.    | 1.     | 4.     | 0.    | 1.    |
| time (sec)      | N/A     | 0.012 | 0.001       | 0.024 | 1.487  | 1.601  | 0.    | 1.114 |

| Problem 488     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | C     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 1       | 1     | 1           | 4     | 1      | 4      | 0     | 1     |
| normalized size | 1       | 1.    | 1.          | 4.    | 1.     | 4.     | 0.    | 1.    |
| time (sec)      | N/A     | 0.013 | 0.          | 0.024 | 1.49   | 1.577  | 0.    | 1.141 |

| Problem 489     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | C     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 1       | 1     | 1           | 4     | 1      | 4      | 0     | 1     |
| normalized size | 1       | 1.    | 1.          | 4.    | 1.     | 4.     | 0.    | 1.    |
| time (sec)      | N/A     | 0.012 | 0.          | 0.028 | 1.508  | 1.615  | 0.    | 1.117 |

| Problem 490     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 37      | 37    | 19          | 17    | 22     | 104    | 0     | 66    |
| normalized size | 1       | 1.    | 0.51        | 0.46  | 0.59   | 2.81   | 0.    | 1.78  |
| time (sec)      | N/A     | 0.031 | 0.043       | 0.077 | 1.482  | 1.899  | 0.    | 1.131 |

| Problem 491     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 47      | 47   | 64          | 28    | 36     | 201    | 0     | 81    |
| normalized size | 1       | 1.   | 1.36        | 0.6   | 0.77   | 4.28   | 0.    | 1.72  |
| time (sec)      | N/A     | 0.04 | 0.106       | 0.103 | 1.495  | 1.915  | 0.    | 1.154 |

| Problem 492     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 72      | 72    | 66          | 39    | 57     | 297    | 0     | 93    |
| normalized size | 1       | 1.    | 0.92        | 0.54  | 0.79   | 4.12   | 0.    | 1.29  |
| time (sec)      | N/A     | 0.076 | 0.164       | 0.121 | 1.515  | 1.854  | 0.    | 1.131 |

| Problem 493     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | C     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 3       | 3     | 3           | 6     | 4      | 5      | 0     | 4     |
| normalized size | 1       | 1.    | 1.          | 2.    | 1.33   | 1.67   | 0.    | 1.33  |
| time (sec)      | N/A     | 0.013 | 0.          | 0.023 | 1.485  | 1.644  | 0.    | 1.126 |

| Problem 494     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | C     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 1       | 1     | 1           | 4     | 1      | 4      | 0     | 1     |
| normalized size | 1       | 1.    | 1.          | 4.    | 1.     | 4.     | 0.    | 1.    |
| time (sec)      | N/A     | 0.013 | 0.001       | 0.027 | 1.489  | 1.762  | 0.    | 1.142 |

| Problem 495     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | C     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 3       | 3     | 3           | 6     | 4      | 5      | 0     | 4     |
| normalized size | 1       | 1.    | 1.          | 2.    | 1.33   | 1.67   | 0.    | 1.33  |
| time (sec)      | N/A     | 0.013 | 0.001       | 0.029 | 1.487  | 1.485  | 0.    | 1.122 |

| Problem 496     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | A     | F(-2)  | B      | F     | B    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 33      | 33   | 33          | 27    | 0      | 660    | 0     | 82   |
| normalized size | 1       | 1.   | 1.          | 0.82  | 0.     | 20.    | 0.    | 2.48 |
| time (sec)      | N/A     | 0.05 | 0.063       | 0.032 | 0.     | 2.147  | 0.    | 1.14 |

| Problem 497     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | B     | F      | B      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 239     | 239   | 507         | 820   | 0      | 7385   | 0     | 0    |
| normalized size | 1       | 1.    | 2.12        | 3.43  | 0.     | 30.9   | 0.    | 0.   |
| time (sec)      | N/A     | 0.492 | 3.15        | 0.105 | 0.     | 4.134  | 0.    | 0.   |

| Problem 498     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | C      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 365     | 365   | 258         | 1161  | 0      | 11062  | 0     | 0    |
| normalized size | 1       | 1.    | 0.71        | 3.18  | 0.     | 30.31  | 0.    | 0.   |
| time (sec)      | N/A     | 0.739 | 4.032       | 0.11  | 0.     | 4.558  | 0.    | 0.   |

| Problem 499     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 195     | 195   | 149         | 255   | 332    | 348    | 566   | 213   |
| normalized size | 1       | 1.    | 0.76        | 1.31  | 1.7    | 1.78   | 2.9   | 1.09  |
| time (sec)      | N/A     | 0.393 | 0.943       | 0.035 | 1.037  | 1.826  | 3.519 | 1.167 |

| Problem 500     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 109     | 109   | 77          | 115   | 151    | 182    | 204   | 107   |
| normalized size | 1       | 1.    | 0.71        | 1.06  | 1.39   | 1.67   | 1.87  | 0.98  |
| time (sec)      | N/A     | 0.099 | 0.296       | 0.024 | 0.991  | 1.743  | 0.782 | 1.139 |

| Problem 501     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 23      | 23    | 23          | 52    | 0      | 54     | 0     | 70    |
| normalized size | 1       | 1.    | 1.          | 2.26  | 0.     | 2.35   | 0.    | 3.04  |
| time (sec)      | N/A     | 0.089 | 0.062       | 0.092 | 0.     | 1.677  | 0.    | 1.196 |

| Problem 502     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 157     | 157   | 140         | 1297  | 0      | 1705   | 0     | 613   |
| normalized size | 1       | 1.    | 0.89        | 8.26  | 0.     | 10.86  | 0.    | 3.9   |
| time (sec)      | N/A     | 0.415 | 0.974       | 0.118 | 0.     | 2.165  | 0.    | 1.273 |

| Problem 503     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | C           | B     | F      | B      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 242     | 242  | 286         | 832   | 0      | 13609  | 0     | 0    |
| normalized size | 1       | 1.   | 1.18        | 3.44  | 0.     | 56.24  | 0.    | 0.   |
| time (sec)      | N/A     | 0.94 | 0.7         | 0.095 | 0.     | 61.352 | 0.    | 0.   |

| Problem 504     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 331     | 331   | 140         | 269   | 751    | 263    | 0     | 323   |
| normalized size | 1       | 1.    | 0.42        | 0.81  | 2.27   | 0.79   | 0.    | 0.98  |
| time (sec)      | N/A     | 0.323 | 0.894       | 0.306 | 1.587  | 1.836  | 0.    | 1.334 |

| Problem 505     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 185     | 185   | 70          | 107   | 252    | 108    | 0     | 132   |
| normalized size | 1       | 1.    | 0.38        | 0.58  | 1.36   | 0.58   | 0.    | 0.71  |
| time (sec)      | N/A     | 0.109 | 0.193       | 0.209 | 1.559  | 1.817  | 0.    | 1.224 |

| Problem 506     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F(-2)  | A      | F(-1) | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 137     | 137   | 85          | 176   | 0      | 462    | 0     | 281  |
| normalized size | 1       | 1.    | 0.62        | 1.28  | 0.     | 3.37   | 0.    | 2.05 |
| time (sec)      | N/A     | 0.198 | 0.183       | 0.164 | 0.     | 1.883  | 0.    | 1.35 |

| Problem 507     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 239     | 239   | 144         | 738   | 0      | 1170   | 0     | 647   |
| normalized size | 1       | 1.    | 0.6         | 3.09  | 0.     | 4.9    | 0.    | 2.71  |
| time (sec)      | N/A     | 0.272 | 0.353       | 0.153 | 0.     | 2.108  | 0.    | 1.597 |

| Problem 508     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 11      | 11    | 11          | 33    | 0      | 31     | 0     | 43    |
| normalized size | 1       | 1.    | 1.          | 3.    | 0.     | 2.82   | 0.    | 3.91  |
| time (sec)      | N/A     | 0.081 | 0.052       | 0.037 | 0.     | 1.7    | 0.    | 1.162 |

| Problem 509     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F      | B      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 246     | 246   | 241         | 2556  | 0      | 13604  | 0     | 0     |
| normalized size | 1       | 1.    | 0.98        | 10.39 | 0.     | 55.3   | 0.    | 0.    |
| time (sec)      | N/A     | 0.789 | 0.579       | 0.071 | 0.     | 65.635 | 0.    | 0.    |

| Problem 510     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | A     | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 144     | 144   | 153         | 245   | 203    | 342    | 248   | 3140  |
| normalized size | 1       | 1.    | 1.06        | 1.7   | 1.41   | 2.38   | 1.72  | 21.81 |
| time (sec)      | N/A     | 0.269 | 2.32        | 0.008 | 1.512  | 1.857  | 0.741 | 7.671 |

| Problem 511     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | A     | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 72      | 72    | 88          | 117   | 100    | 174    | 122   | 957   |
| normalized size | 1       | 1.    | 1.22        | 1.62  | 1.39   | 2.42   | 1.69  | 13.29 |
| time (sec)      | N/A     | 0.076 | 0.334       | 0.005 | 1.507  | 1.793  | 0.326 | 2.075 |

| Problem 512     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | B     | A      | A      | F(-2) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 101     | 101   | 187         | 222   | 217    | 417    | 0     | 275   |
| normalized size | 1       | 1.    | 1.85        | 2.2   | 2.15   | 4.13   | 0.    | 2.72  |
| time (sec)      | N/A     | 0.258 | 2.041       | 0.05  | 1.503  | 1.74   | 0.    | 1.575 |

| Problem 513     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | B     | B      | B      | F(-2) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 197     | 197   | 308         | 458   | 566    | 1266   | 0     | 609   |
| normalized size | 1       | 1.    | 1.56        | 2.32  | 2.87   | 6.43   | 0.    | 3.09  |
| time (sec)      | N/A     | 0.535 | 4.898       | 0.059 | 1.592  | 2.079  | 0.    | 1.626 |

| Problem 514     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 284     | 284   | 147         | 158   | 224    | 236    | 0     | 328   |
| normalized size | 1       | 1.    | 0.52        | 0.56  | 0.79   | 0.83   | 0.    | 1.15  |
| time (sec)      | N/A     | 0.226 | 1.367       | 0.088 | 1.525  | 1.751  | 0.    | 1.522 |

| Problem 515     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | C     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 122     | 122   | 58          | 75    | 88     | 95     | 0     | 100   |
| normalized size | 1       | 1.    | 0.48        | 0.61  | 0.72   | 0.78   | 0.    | 0.82  |
| time (sec)      | N/A     | 0.101 | 0.288       | 0.095 | 1.558  | 1.732  | 0.    | 1.257 |

| Problem 516     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 138     | 138   | 88          | 114   | 185    | 163    | 0     | 748   |
| normalized size | 1       | 1.    | 0.64        | 0.83  | 1.34   | 1.18   | 0.    | 5.42  |
| time (sec)      | N/A     | 0.188 | 0.704       | 0.067 | 1.519  | 1.652  | 0.    | 2.019 |

| Problem 517     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | B     | A      | A      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 316     | 316   | 268         | 622   | 672    | 764    | 0     | 2121  |
| normalized size | 1       | 1.    | 0.85        | 1.97  | 2.13   | 2.42   | 0.    | 6.71  |
| time (sec)      | N/A     | 0.402 | 3.186       | 0.094 | 1.547  | 1.738  | 0.    | 3.006 |

| Problem 518     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | A     | A      | A      | F     | B    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 184     | 184  | 130         | 246   | 404    | 481    | 0     | 635  |
| normalized size | 1       | 1.   | 0.71        | 1.34  | 2.2    | 2.61   | 0.    | 3.45 |
| time (sec)      | N/A     | 0.43 | 0.802       | 0.073 | 1.033  | 1.977  | 0.    | 1.28 |

| Problem 519     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 76      | 76    | 64          | 110   | 170    | 305    | 0     | 258   |
| normalized size | 1       | 1.    | 0.84        | 1.45  | 2.24   | 4.01   | 0.    | 3.39  |
| time (sec)      | N/A     | 0.078 | 0.265       | 0.039 | 1.021  | 1.748  | 0.    | 1.223 |

| Problem 520     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 92      | 92    | 97          | 163   | 0      | 670    | 0     | 196   |
| normalized size | 1       | 1.    | 1.05        | 1.77  | 0.     | 7.28   | 0.    | 2.13  |
| time (sec)      | N/A     | 0.304 | 0.385       | 0.093 | 0.     | 2.013  | 0.    | 1.238 |

| Problem 521     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 230     | 230   | 276         | 1118  | 0      | 2871   | 0     | 662   |
| normalized size | 1       | 1.    | 1.2         | 4.86  | 0.     | 12.48  | 0.    | 2.88  |
| time (sec)      | N/A     | 0.833 | 1.576       | 0.113 | 0.     | 3.055  | 0.    | 1.332 |

| Problem 522     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 359     | 359   | 128         | 387   | 594    | 394    | 0     | 880   |
| normalized size | 1       | 1.    | 0.36        | 1.08  | 1.65   | 1.1    | 0.    | 2.45  |
| time (sec)      | N/A     | 0.287 | 0.838       | 0.264 | 1.667  | 2.205  | 0.    | 1.667 |

| Problem 523     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 173     | 173   | 67          | 208   | 221    | 225    | 0     | 302  |
| normalized size | 1       | 1.    | 0.39        | 1.2   | 1.28   | 1.3    | 0.    | 1.75 |
| time (sec)      | N/A     | 0.119 | 0.263       | 0.238 | 1.592  | 2.036  | 0.    | 1.36 |

| Problem 524     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F(-2)  | A      | F     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 142     | 142   | 92          | 157   | 0      | 421    | 0     | 265  |
| normalized size | 1       | 1.    | 0.65        | 1.11  | 0.     | 2.96   | 0.    | 1.87 |
| time (sec)      | N/A     | 0.213 | 0.392       | 0.238 | 0.     | 2.174  | 0.    | 1.56 |

| Problem 525     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 330     | 330   | 216         | 756   | 0      | 1739   | 0     | 768   |
| normalized size | 1       | 1.    | 0.65        | 2.29  | 0.     | 5.27   | 0.    | 2.33  |
| time (sec)      | N/A     | 0.566 | 1.011       | 0.21  | 0.     | 2.618  | 0.    | 1.886 |

| Problem 526     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | F(-2)  | A      | A     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 17      | 17   | 19          | 8     | 0      | 24     | 8     | 19    |
| normalized size | 1       | 1.   | 1.12        | 0.47  | 0.     | 1.41   | 0.47  | 1.12  |
| time (sec)      | N/A     | 0.04 | 0.005       | 0.065 | 0.     | 1.788  | 0.128 | 1.137 |

| Problem 527     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 17      | 17    | 19          | 8     | 0      | 24     | 10    | 19    |
| normalized size | 1       | 1.    | 1.12        | 0.47  | 0.     | 1.41   | 0.59  | 1.12  |
| time (sec)      | N/A     | 0.037 | 0.005       | 0.057 | 0.     | 1.882  | 0.103 | 1.144 |

| Problem 528     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 6       | 6     | 6           | 7     | 8      | 41     | 7     | 22    |
| normalized size | 1       | 1.    | 1.          | 1.17  | 1.33   | 6.83   | 1.17  | 3.67  |
| time (sec)      | N/A     | 0.023 | 0.026       | 0.022 | 0.99   | 1.889  | 0.138 | 1.148 |

| Problem 529     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | B      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 47      | 47    | 39          | 111   | 244    | 139    | 360   | 104   |
| normalized size | 1       | 1.    | 0.83        | 2.36  | 5.19   | 2.96   | 7.66  | 2.21  |
| time (sec)      | N/A     | 0.041 | 0.119       | 0.059 | 1.511  | 1.987  | 2.46  | 1.161 |

| Problem 530     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F(-2)  | B      | F(-1) | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 74      | 74    | 75          | 113   | 0      | 466    | 0     | 178  |
| normalized size | 1       | 1.    | 1.01        | 1.53  | 0.     | 6.3    | 0.    | 2.41 |
| time (sec)      | N/A     | 0.068 | 0.215       | 0.092 | 0.     | 2.039  | 0.    | 1.2  |

| Problem 531     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | B      | F(-1) | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 66      | 66    | 64          | 37    | 269    | 333    | 0     | 35   |
| normalized size | 1       | 1.    | 0.97        | 0.56  | 4.08   | 5.05   | 0.    | 0.53 |
| time (sec)      | N/A     | 0.057 | 0.174       | 0.098 | 1.078  | 1.897  | 0.    | 1.21 |

| Problem 532     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | A      | F(-2) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 84      | 84    | 78          | 222   | 0      | 379    | 0     | 200   |
| normalized size | 1       | 1.    | 0.93        | 2.64  | 0.     | 4.51   | 0.    | 2.38  |
| time (sec)      | N/A     | 0.058 | 0.219       | 0.06  | 0.     | 2.134  | 0.    | 1.292 |

| Problem 533     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | B      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 85      | 85    | 92          | 124   | 0      | 544    | 0     | 203   |
| normalized size | 1       | 1.    | 1.08        | 1.46  | 0.     | 6.4    | 0.    | 2.39  |
| time (sec)      | N/A     | 0.057 | 0.24        | 0.09  | 0.     | 2.29   | 0.    | 1.191 |

| Problem 534     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 129     | 129   | 122         | 218   | 0      | 728    | 0     | 365   |
| normalized size | 1       | 1.    | 0.95        | 1.69  | 0.     | 5.64   | 0.    | 2.83  |
| time (sec)      | N/A     | 0.124 | 0.585       | 0.105 | 0.     | 2.263  | 0.    | 1.296 |

| Problem 535     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | B     | F(-2)  | B      | F(-1) | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 115     | 115  | 95          | 544   | 0      | 1377   | 0     | 240   |
| normalized size | 1       | 1.   | 0.83        | 4.73  | 0.     | 11.97  | 0.    | 2.09  |
| time (sec)      | N/A     | 0.13 | 0.269       | 0.053 | 0.     | 2.798  | 0.    | 1.167 |

| Problem 536     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 113     | 113   | 118         | 254   | 0      | 2691   | 0     | 282   |
| normalized size | 1       | 1.    | 1.04        | 2.25  | 0.     | 23.81  | 0.    | 2.5   |
| time (sec)      | N/A     | 0.106 | 0.288       | 0.094 | 0.     | 2.881  | 0.    | 1.173 |

| Problem 537     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 200     | 200   | 326         | 1109  | 0      | 7119   | 0     | 1569  |
| normalized size | 1       | 1.    | 1.63        | 5.54  | 0.     | 35.6   | 0.    | 7.84  |
| time (sec)      | N/A     | 0.255 | 0.804       | 0.115 | 0.     | 4.659  | 0.    | 1.317 |

| Problem 538     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 84      | 84    | 147         | 153   | 0      | 173    | 58    | 209   |
| normalized size | 1       | 1.    | 1.75        | 1.82  | 0.     | 2.06   | 0.69  | 2.49  |
| time (sec)      | N/A     | 0.045 | 0.21        | 0.08  | 0.     | 2.007  | 1.715 | 1.133 |

| Problem 539     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 84      | 84    | 147         | 284   | 0      | 132    | 51    | 209   |
| normalized size | 1       | 1.    | 1.75        | 3.38  | 0.     | 1.57   | 0.61  | 2.49  |
| time (sec)      | N/A     | 0.042 | 0.183       | 0.08  | 0.     | 1.894  | 0.884 | 1.156 |

| Problem 540     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 116     | 116   | 96          | 542   | 0      | 1374   | 0     | 239   |
| normalized size | 1       | 1.    | 0.83        | 4.67  | 0.     | 11.84  | 0.    | 2.06  |
| time (sec)      | N/A     | 0.108 | 0.278       | 0.06  | 0.     | 2.851  | 0.    | 1.152 |

| Problem 541     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 114     | 114   | 123         | 255   | 0      | 2739   | 0     | 278   |
| normalized size | 1       | 1.    | 1.08        | 2.24  | 0.     | 24.03  | 0.    | 2.44  |
| time (sec)      | N/A     | 0.101 | 0.343       | 0.091 | 0.     | 2.94   | 0.    | 1.166 |



| Problem 542     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 200     | 200   | 361         | 1088  | 0      | 7318   | 0     | 1423  |
| normalized size | 1       | 1.    | 1.8         | 5.44  | 0.     | 36.59  | 0.    | 7.12  |
| time (sec)      | N/A     | 0.249 | 0.858       | 0.125 | 0.     | 4.914  | 0.    | 1.352 |

| Problem 543     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 85      | 85    | 152         | 151   | 0      | 167    | 54    | 212   |
| normalized size | 1       | 1.    | 1.79        | 1.78  | 0.     | 1.96   | 0.64  | 2.49  |
| time (sec)      | N/A     | 0.046 | 0.26        | 0.082 | 0.     | 1.928  | 1.759 | 1.172 |

| Problem 544     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 85      | 85    | 152         | 280   | 0      | 127    | 48    | 212   |
| normalized size | 1       | 1.    | 1.79        | 3.29  | 0.     | 1.49   | 0.56  | 2.49  |
| time (sec)      | N/A     | 0.046 | 0.238       | 0.077 | 0.     | 2.09   | 0.977 | 1.129 |

| Problem 545     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 119     | 119   | 98          | 824   | 0      | 1507   | 0     | 252   |
| normalized size | 1       | 1.    | 0.82        | 6.92  | 0.     | 12.66  | 0.    | 2.12  |
| time (sec)      | N/A     | 0.113 | 0.353       | 0.057 | 0.     | 2.667  | 0.    | 1.162 |

| Problem 546     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 110     | 110   | 116         | 255   | 0      | 2799   | 0     | 277   |
| normalized size | 1       | 1.    | 1.05        | 2.32  | 0.     | 25.45  | 0.    | 2.52  |
| time (sec)      | N/A     | 0.096 | 0.357       | 0.1   | 0.     | 2.794  | 0.    | 1.177 |

| Problem 547     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 197     | 197   | 311         | 881   | 0      | 6728   | 0     | 1396  |
| normalized size | 1       | 1.    | 1.58        | 4.47  | 0.     | 34.15  | 0.    | 7.09  |
| time (sec)      | N/A     | 0.232 | 0.821       | 0.127 | 0.     | 4.524  | 0.    | 1.321 |

| Problem 548     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | B     | F(-2)  | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 92      | 87    | 195         | 212   | 0      | 178    | 75    | 238   |
| normalized size | 1       | 0.95  | 2.12        | 2.3   | 0.     | 1.93   | 0.82  | 2.59  |
| time (sec)      | N/A     | 0.078 | 0.297       | 0.079 | 0.     | 2.085  | 1.939 | 1.165 |

| Problem 549     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | B     | F(-2)  | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 90      | 85    | 195         | 388   | 0      | 153    | 75    | 238   |
| normalized size | 1       | 0.94  | 2.17        | 4.31  | 0.     | 1.7    | 0.83  | 2.64  |
| time (sec)      | N/A     | 0.078 | 0.277       | 0.085 | 0.     | 2.055  | 1.063 | 1.169 |

| Problem 550     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 131     | 131   | 110         | 954   | 0      | 1550   | 0     | 269  |
| normalized size | 1       | 1.    | 0.84        | 7.28  | 0.     | 11.83  | 0.    | 2.05 |
| time (sec)      | N/A     | 0.126 | 0.333       | 0.056 | 0.     | 2.987  | 0.    | 1.15 |

| Problem 551     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 127     | 127   | 137         | 329   | 0      | 3236   | 0     | 325   |
| normalized size | 1       | 1.    | 1.08        | 2.59  | 0.     | 25.48  | 0.    | 2.56  |
| time (sec)      | N/A     | 0.123 | 0.436       | 0.102 | 0.     | 3.057  | 0.    | 1.184 |

| Problem 552     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 237     | 237   | 452         | 1422  | 0      | 8820   | 0     | 2033  |
| normalized size | 1       | 1.    | 1.91        | 6.    | 0.     | 37.22  | 0.    | 8.58  |
| time (sec)      | N/A     | 0.277 | 1.194       | 0.13  | 0.     | 5.721  | 0.    | 1.349 |

| Problem 553     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 105     | 105   | 165         | 257   | 0      | 209    | 87    | 278   |
| normalized size | 1       | 1.    | 1.57        | 2.45  | 0.     | 1.99   | 0.83  | 2.65  |
| time (sec)      | N/A     | 0.074 | 0.413       | 0.08  | 0.     | 2.147  | 2.331 | 1.127 |

| Problem 554     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 103     | 103   | 167         | 475   | 0      | 169    | 80    | 278   |
| normalized size | 1       | 1.    | 1.62        | 4.61  | 0.     | 1.64   | 0.78  | 2.7   |
| time (sec)      | N/A     | 0.073 | 0.421       | 0.082 | 0.     | 2.067  | 1.38  | 1.142 |

| Problem 555     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | B     | A           | B     | F(-2)  | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 24      | 68    | 32          | 70    | 0      | 68     | 0     | 92    |
| normalized size | 1       | 2.83  | 1.33        | 2.92  | 0.     | 2.83   | 0.    | 3.83  |
| time (sec)      | N/A     | 0.068 | 0.094       | 0.102 | 0.     | 1.943  | 0.    | 1.184 |

| Problem 556     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 390     | 390   | 7823        | 3502  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 20.06       | 8.98  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.888 | 6.902       | 16.03 | 0.     | 0.     | 0.    | 0.   |

| Problem 557     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | C           | B      | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 294     | 294   | 5218        | 2238   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 17.75       | 7.61   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.555 | 6.555       | 10.746 | 0.     | 0.     | 0.    | 0.   |

| Problem 558     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 229     | 229   | 3006        | 1460  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 13.13       | 6.38  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.332 | 6.343       | 8.033 | 0.     | 0.     | 0.    | 0.   |

| Problem 559     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 180     | 180   | 1319        | 777   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 7.33        | 4.32  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.187 | 6.261       | 6.956 | 0.     | 0.     | 0.    | 0.   |

| Problem 560     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 250     | 250   | 3176        | 2596  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 12.7        | 10.38 | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.323 | 6.487       | 9.936 | 0.     | 0.     | 0.    | 0.   |

| Problem 561     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | C           | B      | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 378     | 378   | 5554        | 3164   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 14.69       | 8.37   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.561 | 6.847       | 43.325 | 0.     | 0.     | 0.    | 0.   |

| Problem 562     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | A      | A      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 84      | 84    | 80          | 178   | 0      | 763    | 1151   | 190   |
| normalized size | 1       | 1.    | 0.95        | 2.12  | 0.     | 9.08   | 13.7   | 2.26  |
| time (sec)      | N/A     | 0.152 | 0.262       | 0.059 | 0.     | 2.638  | 52.295 | 1.134 |

| Problem 563     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 118     | 118   | 114         | 426   | 0      | 995    | 0     | 252   |
| normalized size | 1       | 1.    | 0.97        | 3.61  | 0.     | 8.43   | 0.    | 2.14  |
| time (sec)      | N/A     | 0.157 | 0.46        | 0.16  | 0.     | 2.769  | 0.    | 1.146 |

| Problem 564     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 185     | 185   | 174         | 1891  | 0      | 1891   | 0     | 805   |
| normalized size | 1       | 1.    | 0.94        | 10.22 | 0.     | 10.22  | 0.    | 4.35  |
| time (sec)      | N/A     | 0.246 | 0.957       | 0.147 | 0.     | 3.337  | 0.    | 1.222 |

| Problem 565     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 258     | 258   | 244         | 5051  | 0      | 3085   | 0     | 1809  |
| normalized size | 1       | 1.    | 0.95        | 19.58 | 0.     | 11.96  | 0.    | 7.01  |
| time (sec)      | N/A     | 0.405 | 2.769       | 0.166 | 0.     | 3.838  | 0.    | 1.276 |

| Problem 566     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 131     | 131   | 145         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.11        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.112 | 0.61        | 0.521 | 0.     | 0.     | 0.    | 0.   |

| Problem 567     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 107     | 107   | 75          | 106   | 108    | 228    | 190   | 101   |
| normalized size | 1       | 1.    | 0.7         | 0.99  | 1.01   | 2.13   | 1.78  | 0.94  |
| time (sec)      | N/A     | 0.082 | 0.283       | 0.061 | 1.006  | 2.486  | 4.363 | 1.131 |

| Problem 568     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 61      | 61    | 48          | 69    | 65     | 146    | 129   | 62    |
| normalized size | 1       | 1.    | 0.79        | 1.13  | 1.07   | 2.39   | 2.11  | 1.02  |
| time (sec)      | N/A     | 0.034 | 0.157       | 0.049 | 0.999  | 2.412  | 1.159 | 1.134 |

| Problem 569     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 20      | 20    | 38          | 19    | 24     | 49     | 24    | 24    |
| normalized size | 1       | 1.    | 1.9         | 0.95  | 1.2    | 2.45   | 1.2   | 1.2   |
| time (sec)      | N/A     | 0.016 | 0.008       | 0.001 | 1.003  | 2.308  | 0.199 | 1.125 |

| Problem 570     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 48      | 48    | 48          | 45    | 0      | 653    | 0     | 82    |
| normalized size | 1       | 1.    | 1.          | 0.94  | 0.     | 13.6   | 0.    | 1.71  |
| time (sec)      | N/A     | 0.066 | 0.076       | 0.067 | 0.     | 2.413  | 0.    | 1.135 |

| Problem 571     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | B      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 95      | 95    | 94          | 139   | 0      | 1116   | 0     | 157   |
| normalized size | 1       | 1.    | 0.99        | 1.46  | 0.     | 11.75  | 0.    | 1.65  |
| time (sec)      | N/A     | 0.109 | 0.414       | 0.113 | 0.     | 2.723  | 0.    | 1.177 |

| Problem 572     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 149     | 149   | 120         | 640   | 0      | 2152   | 0     | 340   |
| normalized size | 1       | 1.    | 0.81        | 4.3   | 0.     | 14.44  | 0.    | 2.28  |
| time (sec)      | N/A     | 0.177 | 0.95        | 0.148 | 0.     | 3.174  | 0.    | 1.149 |

| Problem 573     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 265     | 265   | 202         | 1138  | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 0.76        | 4.29  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.366 | 1.914       | 3.159 | 0.     | 0.     | 0.    | 0.    |

| Problem 574     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | B     | F      | F      | F(-1) | F(-1) |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 212     | 212  | 167         | 844   | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.   | 0.79        | 3.98  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.22 | 1.502       | 2.825 | 0.     | 0.     | 0.    | 0.    |

| Problem 575     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 76      | 76    | 75          | 312   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.99        | 4.11  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.061 | 0.114       | 2.24  | 0.     | 0.     | 0.    | 0.   |

| Problem 576     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 76      | 76    | 70          | 165   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.92        | 2.17  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.067 | 0.14        | 2.135 | 0.     | 0.     | 0.    | 0.   |

| Problem 577     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 143     | 143   | 101         | 570   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.71        | 3.99  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.094 | 0.434       | 3.159 | 0.     | 0.     | 0.    | 0.   |

| Problem 578     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 295     | 295   | 201         | 1554  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.68        | 5.27  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.301 | 1.532       | 3.382 | 0.     | 0.     | 0.    | 0.   |

| Problem 579     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | B     | F      | C      | F     | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 461     | 461  | 340         | 2282  | 0      | 7900   | 0     | 0    |
| normalized size | 1       | 1.   | 0.74        | 4.95  | 0.     | 17.14  | 0.    | 0.   |
| time (sec)      | N/A     | 0.63 | 0.863       | 0.148 | 0.     | 5.089  | 0.    | 0.   |

| Problem 580     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | C      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 340     | 340   | 256         | 1782  | 0      | 5913   | 0     | 0    |
| normalized size | 1       | 1.    | 0.75        | 5.24  | 0.     | 17.39  | 0.    | 0.   |
| time (sec)      | N/A     | 0.537 | 0.746       | 0.112 | 0.     | 4.789  | 0.    | 0.   |

| Problem 581     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | B     | F      | B      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 225     | 225   | 788         | 1284  | 0      | 3969   | 0     | 0    |
| normalized size | 1       | 1.    | 3.5         | 5.71  | 0.     | 17.64  | 0.    | 0.   |
| time (sec)      | N/A     | 0.319 | 1.434       | 0.111 | 0.     | 4.885  | 0.    | 0.   |

| Problem 582     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 19      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.085 | 1.628       | 0.107 | 0.     | 0.     | 0.    | 0.   |

| Problem 583     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 78      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.155 | 5.515       | 0.951 | 0.     | 0.     | 0.    | 0.   |

| Problem 584     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 78      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.146 | 4.919       | 0.837 | 0.     | 0.     | 0.    | 0.   |

| Problem 585     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | F     | F(-2)  | A      | F(-1) | C     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 175     | 175   | 198         | 0     | 0      | 478    | 0     | 9918  |
| normalized size | 1       | 1.    | 1.13        | 0.    | 0.     | 2.73   | 0.    | 56.67 |
| time (sec)      | N/A     | 0.297 | 1.48        | 180.  | 0.     | 2.734  | 0.    | 2.587 |

| Problem 586     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | F     | F(-2)  | A      | F(-1) | C     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 131     | 131   | 142         | 0     | 0      | 385    | 0     | 5636  |
| normalized size | 1       | 1.    | 1.08        | 0.    | 0.     | 2.94   | 0.    | 43.02 |
| time (sec)      | N/A     | 0.227 | 0.997       | 180.  | 0.     | 2.493  | 0.    | 1.856 |

| Problem 587     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | F     | F(-2)  | A      | F     | C     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 80      | 80    | 77          | 0     | 0      | 209    | 0     | 1395  |
| normalized size | 1       | 1.    | 0.96        | 0.    | 0.     | 2.61   | 0.    | 17.44 |
| time (sec)      | N/A     | 0.131 | 0.854       | 180.  | 0.     | 2.23   | 0.    | 1.502 |

| Problem 588     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | C     | F(-2)  | A      | F(-1) | C     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 56      | 56    | 242         | 108   | 0      | 138    | 0     | 670   |
| normalized size | 1       | 1.    | 4.32        | 1.93  | 0.     | 2.46   | 0.    | 11.96 |
| time (sec)      | N/A     | 0.102 | 7.546       | 0.666 | 0.     | 2.084  | 0.    | 1.286 |

| Problem 589     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | B      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 35      | 35    | 24          | 77    | 154    | 54     | 20    | 53    |
| normalized size | 1       | 1.    | 0.69        | 2.2   | 4.4    | 1.54   | 0.57  | 1.51  |
| time (sec)      | N/A     | 0.024 | 0.298       | 0.454 | 1.062  | 2.083  | 3.598 | 1.149 |

| Problem 590     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | A     | B    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 20      | 20    | 20          | 21    | 27     | 47     | 19    | 57   |
| normalized size | 1       | 1.    | 1.          | 1.05  | 1.35   | 2.35   | 0.95  | 2.85 |
| time (sec)      | N/A     | 0.038 | 0.031       | 0.035 | 1.012  | 1.966  | 3.463 | 1.17 |

| Problem 591     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | B     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 35      | 35    | 32          | 54    | 135    | 80     | 112   | 72    |
| normalized size | 1       | 1.    | 0.91        | 1.54  | 3.86   | 2.29   | 3.2   | 2.06  |
| time (sec)      | N/A     | 0.039 | 0.464       | 0.316 | 1.025  | 2.133  | 5.418 | 1.128 |

| Problem 592     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | B      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 104     | 104   | 157         | 0     | 0      | 771    | 0     | 0    |
| normalized size | 1       | 1.    | 1.51        | 0.    | 0.     | 7.41   | 0.    | 0.   |
| time (sec)      | N/A     | 0.091 | 1.019       | 1.249 | 0.     | 2.332  | 0.    | 0.   |

| Problem 593     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | B      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 127     | 127   | 102         | 172   | 821    | 1095   | 0     | 0    |
| normalized size | 1       | 1.    | 0.8         | 1.35  | 6.46   | 8.62   | 0.    | 0.   |
| time (sec)      | N/A     | 0.181 | 1.064       | 0.357 | 1.27   | 2.433  | 0.    | 0.   |

| Problem 594     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | F     | F(-2)  | A      | F     | C     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 176     | 176   | 194         | 0     | 0      | 421    | 0     | 9827  |
| normalized size | 1       | 1.    | 1.1         | 0.    | 0.     | 2.39   | 0.    | 55.84 |
| time (sec)      | N/A     | 0.299 | 1.242       | 180.  | 0.     | 2.951  | 0.    | 2.494 |

| Problem 595     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | F     | F(-2)  | A      | F(-1) | C     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 132     | 132   | 136         | 0     | 0      | 535    | 0     | 4226  |
| normalized size | 1       | 1.    | 1.03        | 0.    | 0.     | 4.05   | 0.    | 32.02 |
| time (sec)      | N/A     | 0.226 | 0.808       | 180.  | 0.     | 2.594  | 0.    | 1.731 |

| Problem 596     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | F     | F(-2)  | A      | F     | C     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 80      | 80    | 71          | 0     | 0      | 203    | 0     | 1346  |
| normalized size | 1       | 1.    | 0.89        | 0.    | 0.     | 2.54   | 0.    | 16.82 |
| time (sec)      | N/A     | 0.128 | 0.685       | 180.  | 0.     | 2.292  | 0.    | 1.452 |

| Problem 597     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | C     | F(-2)  | A      | F(-1) | C     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 56      | 56    | 237         | 106   | 0      | 219    | 0     | 494   |
| normalized size | 1       | 1.    | 4.23        | 1.89  | 0.     | 3.91   | 0.    | 8.82  |
| time (sec)      | N/A     | 0.093 | 7.472       | 1.171 | 0.     | 2.216  | 0.    | 1.289 |



| Problem 598     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | B      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 34      | 34    | 22          | 70    | 154    | 54     | 20    | 43    |
| normalized size | 1       | 1.    | 0.65        | 2.06  | 4.53   | 1.59   | 0.59  | 1.26  |
| time (sec)      | N/A     | 0.022 | 0.221       | 0.663 | 1.06   | 2.023  | 3.096 | 1.148 |

| Problem 599     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | A     | B    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 19      | 19    | 19          | 20    | 26     | 49     | 20    | 54   |
| normalized size | 1       | 1.    | 1.          | 1.05  | 1.37   | 2.58   | 1.05  | 2.84 |
| time (sec)      | N/A     | 0.056 | 0.02        | 0.043 | 0.989  | 1.995  | 3.695 | 1.17 |

| Problem 600     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | B     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 33      | 33    | 31          | 53    | 135    | 81     | 109   | 70    |
| normalized size | 1       | 1.    | 0.94        | 1.61  | 4.09   | 2.45   | 3.3   | 2.12  |
| time (sec)      | N/A     | 0.038 | 0.417       | 0.372 | 1.023  | 1.976  | 5.109 | 1.152 |

| Problem 601     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | B      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 110     | 110   | 176         | 0     | 0      | 772    | 0     | 0    |
| normalized size | 1       | 1.    | 1.6         | 0.    | 0.     | 7.02   | 0.    | 0.   |
| time (sec)      | N/A     | 0.093 | 1.14        | 1.057 | 0.     | 2.32   | 0.    | 0.   |

| Problem 602     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | B      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 124     | 124   | 130         | 141   | 514    | 1014   | 0     | 0    |
| normalized size | 1       | 1.    | 1.05        | 1.14  | 4.15   | 8.18   | 0.    | 0.   |
| time (sec)      | N/A     | 0.183 | 1.085       | 0.353 | 1.653  | 2.567  | 0.    | 0.   |

| Problem 603     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-1)  | A      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 157     | 157   | 64          | 98    | 0      | 273    | 0     | 0     |
| normalized size | 1       | 1.    | 0.41        | 0.62  | 0.     | 1.74   | 0.    | 0.    |
| time (sec)      | N/A     | 0.445 | 0.234       | 0.642 | 0.     | 2.057  | 0.    | 0.    |

| Problem 604     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-1)  | A      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 110     | 110   | 62          | 88    | 0      | 216    | 0     | 0     |
| normalized size | 1       | 1.    | 0.56        | 0.8   | 0.     | 1.96   | 0.    | 0.    |
| time (sec)      | N/A     | 0.276 | 0.181       | 0.466 | 0.     | 2.091  | 0.    | 0.    |

| Problem 605     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | A      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 72      | 72    | 44          | 78    | 0      | 159    | 0     | 0     |
| normalized size | 1       | 1.    | 0.61        | 1.08  | 0.     | 2.21   | 0.    | 0.    |
| time (sec)      | N/A     | 0.199 | 0.181       | 0.445 | 0.     | 2.037  | 0.    | 0.    |

| Problem 606     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | A      | F(-1) | F(-2) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 33      | 33    | 30          | 52    | 0      | 96     | 0     | 0     |
| normalized size | 1       | 1.    | 0.91        | 1.58  | 0.     | 2.91   | 0.    | 0.    |
| time (sec)      | N/A     | 0.065 | 0.085       | 0.357 | 0.     | 2.145  | 0.    | 0.    |

| Problem 607     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | B     | B      | A      | F(-1) | F(-2) |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 45      | 45   | 73          | 136   | 581    | 525    | 0     | 0     |
| normalized size | 1       | 1.   | 1.62        | 3.02  | 12.91  | 11.67  | 0.    | 0.    |
| time (sec)      | N/A     | 0.04 | 0.129       | 0.317 | 1.724  | 2.382  | 0.    | 0.    |

| Problem 608     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | B      | B      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 84      | 84    | 92          | 387   | 1416   | 921    | 0     | 0    |
| normalized size | 1       | 1.    | 1.1         | 4.61  | 16.86  | 10.96  | 0.    | 0.   |
| time (sec)      | N/A     | 0.139 | 0.245       | 0.424 | 2.107  | 2.401  | 0.    | 0.   |

| Problem 609     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | B      | A      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 129     | 129   | 105         | 649   | 1918   | 1092   | 0     | 0     |
| normalized size | 1       | 1.    | 0.81        | 5.03  | 14.87  | 8.47   | 0.    | 0.    |
| time (sec)      | N/A     | 0.214 | 0.256       | 0.451 | 2.265  | 2.483  | 0.    | 0.    |

| Problem 610     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | B      | A      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 176     | 176   | 116         | 921   | 3150   | 1260   | 0     | 0     |
| normalized size | 1       | 1.    | 0.66        | 5.23  | 17.9   | 7.16   | 0.    | 0.    |
| time (sec)      | N/A     | 0.288 | 0.306       | 0.413 | 3.386  | 2.509  | 0.    | 0.    |

| Problem 611     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-1)  | A      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 208     | 208   | 85          | 105   | 0      | 348    | 0     | 0     |
| normalized size | 1       | 1.    | 0.41        | 0.5   | 0.     | 1.67   | 0.    | 0.    |
| time (sec)      | N/A     | 0.528 | 0.367       | 0.519 | 0.     | 2.067  | 0.    | 0.    |

| Problem 612     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-1)  | A      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 148     | 148   | 73          | 95    | 0      | 290    | 0     | 0     |
| normalized size | 1       | 1.    | 0.49        | 0.64  | 0.     | 1.96   | 0.    | 0.    |
| time (sec)      | N/A     | 0.348 | 0.22        | 0.398 | 0.     | 2.057  | 0.    | 0.    |

| Problem 613     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-1)  | A      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 110     | 110   | 59          | 85    | 0      | 220    | 0     | 0     |
| normalized size | 1       | 1.    | 0.54        | 0.77  | 0.     | 2.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.268 | 0.238       | 0.34  | 0.     | 2.032  | 0.    | 0.    |

| Problem 614     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | F(-1)  | A      | F(-1) | F(-1) |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 75      | 75   | 51          | 61    | 0      | 165    | 0     | 0     |
| normalized size | 1       | 1.   | 0.68        | 0.81  | 0.     | 2.2    | 0.    | 0.    |
| time (sec)      | N/A     | 0.11 | 0.17        | 0.429 | 0.     | 1.993  | 0.    | 0.    |

| Problem 615     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | B     | B      | A      | F(-1) | F(-1) |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 80      | 80   | 86          | 253   | 1778   | 770    | 0     | 0     |
| normalized size | 1       | 1.   | 1.08        | 3.16  | 22.22  | 9.62   | 0.    | 0.    |
| time (sec)      | N/A     | 0.06 | 0.158       | 0.514 | 2.112  | 2.42   | 0.    | 0.    |

| Problem 616     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | B      | B      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 86      | 86    | 93          | 518   | 1428   | 941    | 0     | 0     |
| normalized size | 1       | 1.    | 1.08        | 6.02  | 16.6   | 10.94  | 0.    | 0.    |
| time (sec)      | N/A     | 0.222 | 0.249       | 0.474 | 2.077  | 2.541  | 0.    | 0.    |

| Problem 617     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-1)  | A      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 133     | 133   | 105         | 792   | 0      | 1126   | 0     | 0     |
| normalized size | 1       | 1.    | 0.79        | 5.95  | 0.     | 8.47   | 0.    | 0.    |
| time (sec)      | N/A     | 0.256 | 0.288       | 0.455 | 0.     | 2.376  | 0.    | 0.    |

| Problem 618     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-1)  | A      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 182     | 182   | 117         | 1078  | 0      | 1310   | 0     | 0     |
| normalized size | 1       | 1.    | 0.64        | 5.92  | 0.     | 7.2    | 0.    | 0.    |
| time (sec)      | N/A     | 0.312 | 0.249       | 0.457 | 0.     | 2.566  | 0.    | 0.    |

| Problem 619     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | B     | F      | A      | F(-1) | F(-2) |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 175     | 175  | 112         | 980   | 0      | 994    | 0     | 0     |
| normalized size | 1       | 1.   | 0.64        | 5.6   | 0.     | 5.68   | 0.    | 0.    |
| time (sec)      | N/A     | 0.6  | 0.727       | 0.577 | 0.     | 2.434  | 0.    | 0.    |

| Problem 620     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F      | A      | F(-1) | F(-2) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 129     | 129   | 89          | 673   | 0      | 749    | 0     | 0     |
| normalized size | 1       | 1.    | 0.69        | 5.22  | 0.     | 5.81   | 0.    | 0.    |
| time (sec)      | N/A     | 0.359 | 0.392       | 0.506 | 0.     | 2.38   | 0.    | 0.    |

| Problem 621     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F      | A      | F(-1) | F(-2) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 88      | 88    | 67          | 478   | 0      | 626    | 0     | 0     |
| normalized size | 1       | 1.    | 0.76        | 5.43  | 0.     | 7.11   | 0.    | 0.    |
| time (sec)      | N/A     | 0.238 | 0.257       | 0.467 | 0.     | 2.407  | 0.    | 0.    |

| Problem 622     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F      | A      | F(-1) | F(-2) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 55      | 55    | 64          | 236   | 0      | 386    | 0     | 0     |
| normalized size | 1       | 1.    | 1.16        | 4.29  | 0.     | 7.02   | 0.    | 0.    |
| time (sec)      | N/A     | 0.076 | 0.148       | 0.388 | 0.     | 2.271  | 0.    | 0.    |

| Problem 623     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | B     | F(-2)  | A      | F(-1) | F(-2) |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 100     | 100  | 94          | 301   | 0      | 807    | 0     | 0     |
| normalized size | 1       | 1.   | 0.94        | 3.01  | 0.     | 8.07   | 0.    | 0.    |
| time (sec)      | N/A     | 0.09 | 0.332       | 0.363 | 0.     | 2.14   | 0.    | 0.    |

| Problem 624     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F      | A      | F(-1) | F(-2) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 138     | 138   | 166         | 1030  | 0      | 1274   | 0     | 0     |
| normalized size | 1       | 1.    | 1.2         | 7.46  | 0.     | 9.23   | 0.    | 0.    |
| time (sec)      | N/A     | 0.279 | 2.473       | 0.466 | 0.     | 2.292  | 0.    | 0.    |

| Problem 625     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | B     | F      | A      | F(-1) | F(-2) |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 182     | 182  | 186         | 1835  | 0      | 1503   | 0     | 0     |
| normalized size | 1       | 1.   | 1.02        | 10.08 | 0.     | 8.26   | 0.    | 0.    |
| time (sec)      | N/A     | 0.37 | 3.074       | 0.462 | 0.     | 2.327  | 0.    | 0.    |

| Problem 626     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F      | A      | F(-1) | F(-2) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 180     | 180   | 100         | 1211  | 0      | 886    | 0     | 0     |
| normalized size | 1       | 1.    | 0.56        | 6.73  | 0.     | 4.92   | 0.    | 0.    |
| time (sec)      | N/A     | 0.513 | 1.361       | 0.454 | 0.     | 2.907  | 0.    | 0.    |

| Problem 627     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F      | A      | F(-1) | F(-2) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 128     | 128   | 94          | 930   | 0      | 711    | 0     | 0     |
| normalized size | 1       | 1.    | 0.73        | 7.27  | 0.     | 5.55   | 0.    | 0.    |
| time (sec)      | N/A     | 0.306 | 0.625       | 0.453 | 0.     | 2.857  | 0.    | 0.    |

| Problem 628     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F      | A      | F(-1) | F(-2) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 93      | 93    | 84          | 433   | 0      | 706    | 0     | 0     |
| normalized size | 1       | 1.    | 0.9         | 4.66  | 0.     | 7.59   | 0.    | 0.    |
| time (sec)      | N/A     | 0.236 | 0.61        | 0.423 | 0.     | 2.792  | 0.    | 0.    |

| Problem 629     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F      | A      | F(-1) | F(-2) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 93      | 93    | 83          | 599   | 0      | 699    | 0     | 0     |
| normalized size | 1       | 1.    | 0.89        | 6.44  | 0.     | 7.52   | 0.    | 0.    |
| time (sec)      | N/A     | 0.121 | 0.651       | 0.406 | 0.     | 2.985  | 0.    | 0.    |

| Problem 630     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F      | A      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 138     | 138   | 196         | 561   | 0      | 1148   | 0     | 0     |
| normalized size | 1       | 1.    | 1.42        | 4.07  | 0.     | 8.32   | 0.    | 0.    |
| time (sec)      | N/A     | 0.143 | 3.857       | 0.388 | 0.     | 2.973  | 0.    | 0.    |

| Problem 631     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | B     | F      | A      | F(-1) | F(-2) |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 178     | 178  | 342         | 1157  | 0      | 1372   | 0     | 0     |
| normalized size | 1       | 1.   | 1.92        | 6.5   | 0.     | 7.71   | 0.    | 0.    |
| time (sec)      | N/A     | 0.32 | 6.198       | 0.43  | 0.     | 2.912  | 0.    | 0.    |

| Problem 632     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F      | A      | F(-1) | F(-2) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 234     | 234   | 356         | 1787  | 0      | 1596   | 0     | 0     |
| normalized size | 1       | 1.    | 1.52        | 7.64  | 0.     | 6.82   | 0.    | 0.    |
| time (sec)      | N/A     | 0.497 | 6.247       | 0.395 | 0.     | 2.914  | 0.    | 0.    |

| Problem 633     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F      | B      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 16      | 16    | 16          | 119   | 0      | 97     | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 7.44  | 0.     | 6.06   | 0.    | 0.   |
| time (sec)      | N/A     | 0.087 | 0.033       | 0.09  | 0.     | 2.512  | 0.    | 0.   |

| Problem 634     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | C     | F      | B      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 69      | 69    | 119         | 396   | 0      | 431    | 0     | 0    |
| normalized size | 1       | 1.    | 1.72        | 5.74  | 0.     | 6.25   | 0.    | 0.   |
| time (sec)      | N/A     | 0.364 | 5.903       | 0.141 | 0.     | 2.648  | 0.    | 0.   |

| Problem 635     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | C     | F(-1)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 79      | 79    | 139         | 396   | 0      | 432    | 0     | 0    |
| normalized size | 1       | 1.    | 1.76        | 5.01  | 0.     | 5.47   | 0.    | 0.   |
| time (sec)      | N/A     | 0.567 | 4.807       | 0.116 | 0.     | 2.657  | 0.    | 0.   |

| Problem 636     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | C     | F(-1)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 95      | 95    | 188         | 761   | 0      | 501    | 0     | 0    |
| normalized size | 1       | 1.    | 1.98        | 8.01  | 0.     | 5.27   | 0.    | 0.   |
| time (sec)      | N/A     | 0.576 | 15.322      | 0.187 | 0.     | 2.633  | 0.    | 0.   |

| Problem 637     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F(-2)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 30    | 51          | 31    | 0      | 150    | 0     | 0    |
| normalized size | 1       | 1.    | 1.7         | 1.03  | 0.     | 5.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.059 | 1.126       | 0.078 | 0.     | 3.092  | 0.    | 0.   |

| Problem 638     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | B           | B     | A      | B      | A      | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 26      | 26    | 938         | 137   | 32     | 292    | 129    | 192   |
| normalized size | 1       | 1.    | 36.08       | 5.27  | 1.23   | 11.23  | 4.96   | 7.38  |
| time (sec)      | N/A     | 0.044 | 6.559       | 0.2   | 0.964  | 2.621  | 65.903 | 1.295 |

| Problem 639     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | B     | A      | B      | A      | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 26      | 26    | 31          | 118   | 32     | 217    | 100    | 0     |
| normalized size | 1       | 1.    | 1.19        | 4.54  | 1.23   | 8.35   | 3.85   | 0.    |
| time (sec)      | N/A     | 0.043 | 1.278       | 0.172 | 0.963  | 2.601  | 18.267 | 0.    |

| Problem 640     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | B     | A      | B      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 26      | 26    | 67          | 57    | 32     | 150    | 73    | 61    |
| normalized size | 1       | 1.    | 2.58        | 2.19  | 1.23   | 5.77   | 2.81  | 2.35  |
| time (sec)      | N/A     | 0.028 | 0.037       | 0.119 | 0.967  | 2.396  | 5.013 | 1.184 |

| Problem 641     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 22      | 22    | 29          | 23    | 30     | 85     | 63    | 57    |
| normalized size | 1       | 1.    | 1.32        | 1.05  | 1.36   | 3.86   | 2.86  | 2.59  |
| time (sec)      | N/A     | 0.048 | 0.462       | 0.09  | 0.966  | 2.763  | 7.528 | 1.307 |

| Problem 642     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A      | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 24      | 24    | 27          | 25    | 32     | 72     | 49     | 146   |
| normalized size | 1       | 1.    | 1.12        | 1.04  | 1.33   | 3.     | 2.04   | 6.08  |
| time (sec)      | N/A     | 0.044 | 0.31        | 0.139 | 0.985  | 2.355  | 22.534 | 1.239 |

| Problem 643     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | A     | F(-2) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 26      | 26    | 29          | 25    | 32     | 149    | 80    | 0     |
| normalized size | 1       | 1.    | 1.12        | 0.96  | 1.23   | 5.73   | 3.08  | 0.    |
| time (sec)      | N/A     | 0.045 | 0.727       | 0.171 | 0.983  | 2.987  | 62.24 | 0.    |

| Problem 644     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 20      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.013 | 0.043       | 0.025 | 0.     | 0.     | 0.    | 0.   |

| Problem 645     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 20      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.013 | 0.035       | 0.013 | 0.     | 0.     | 0.    | 0.   |

| Problem 646     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 22      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.016 | 0.078       | 0.026 | 0.     | 0.     | 0.    | 0.   |

| Problem 647     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 22      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.017 | 0.076       | 0.028 | 0.     | 0.     | 0.    | 0.   |

| Problem 648     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 12      | 12    | 12          | 13    | 16     | 31     | 17    | 18    |
| normalized size | 1       | 1.    | 1.          | 1.08  | 1.33   | 2.58   | 1.42  | 1.5   |
| time (sec)      | N/A     | 0.022 | 0.018       | 0.007 | 0.969  | 2.068  | 0.386 | 1.078 |

| Problem 649     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 20      | 20    | 19          | 21    | 0      | 59     | 63    | 27    |
| normalized size | 1       | 1.    | 0.95        | 1.05  | 0.     | 2.95   | 3.15  | 1.35  |
| time (sec)      | N/A     | 0.025 | 0.032       | 0.005 | 0.     | 2.08   | 2.513 | 1.104 |

| Problem 650     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 5       | 5     | 5           | 6     | 7      | 112    | 0     | 19    |
| normalized size | 1       | 1.    | 1.          | 1.2   | 1.4    | 22.4   | 0.    | 3.8   |
| time (sec)      | N/A     | 0.023 | 0.021       | 0.013 | 1.427  | 2.182  | 0.    | 1.101 |

| Problem 651     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 5       | 5     | 5           | 6     | 7      | 59     | 5     | 7     |
| normalized size | 1       | 1.    | 1.          | 1.2   | 1.4    | 11.8   | 1.    | 1.4   |
| time (sec)      | N/A     | 0.009 | 2.712       | 0.008 | 0.963  | 2.017  | 0.534 | 1.096 |

| Problem 652     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 28      | 28    | 21          | 23    | 23     | 219    | 34    | 23    |
| normalized size | 1       | 1.    | 0.75        | 0.82  | 0.82   | 7.82   | 1.21  | 0.82  |
| time (sec)      | N/A     | 0.026 | 1.512       | 0.009 | 0.969  | 2.05   | 7.895 | 1.089 |

| Problem 653     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | A      | B      | B      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 26      | 26    | 26          | 21    | 27     | 494    | 54     | 27    |
| normalized size | 1       | 1.    | 1.          | 0.81  | 1.04   | 19.    | 2.08   | 1.04  |
| time (sec)      | N/A     | 0.046 | 4.684       | 0.067 | 0.962  | 2.375  | 70.251 | 1.094 |



| Problem 654     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | B           | A     | B      | A      | B      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 36      | 36    | 137         | 40    | 139    | 111    | 97     | 53    |
| normalized size | 1       | 1.    | 3.81        | 1.11  | 3.86   | 3.08   | 2.69   | 1.47  |
| time (sec)      | N/A     | 0.087 | 0.301       | 0.009 | 0.981  | 2.215  | 16.471 | 1.088 |

| Problem 655     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 9       | 9     | 9           | 8     | 9      | 65     | 7     | 9     |
| normalized size | 1       | 1.    | 1.          | 0.89  | 1.     | 7.22   | 0.78  | 1.    |
| time (sec)      | N/A     | 0.011 | 2.754       | 0.006 | 0.96   | 1.995  | 0.533 | 1.109 |

| Problem 656     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 31      | 31    | 24          | 26    | 23     | 57     | 26    | 23   |
| normalized size | 1       | 1.    | 0.77        | 0.84  | 0.74   | 1.84   | 0.84  | 0.74 |
| time (sec)      | N/A     | 0.023 | 0.121       | 0.005 | 0.976  | 1.903  | 0.82  | 1.11 |

| Problem 657     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | F     | B      | B      | F(-1) | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 9       | 9     | 162         | 0     | 24     | 82     | 0     | 9    |
| normalized size | 1       | 1.    | 18.         | 0.    | 2.67   | 9.11   | 0.    | 1.   |
| time (sec)      | N/A     | 0.072 | 2.252       | 0.518 | 1.444  | 2.855  | 0.    | 1.09 |

| Problem 658     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 71      | 71    | 59          | 49    | 69     | 140    | 0     | 101  |
| normalized size | 1       | 1.    | 0.83        | 0.69  | 0.97   | 1.97   | 0.    | 1.42 |
| time (sec)      | N/A     | 0.066 | 0.158       | 1.081 | 0.985  | 2.186  | 0.    | 1.11 |

| Problem 659     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 18      | 18    | 18          | 18    | 23     | 36     | 39    | 23    |
| normalized size | 1       | 1.    | 1.          | 1.    | 1.28   | 2.     | 2.17  | 1.28  |
| time (sec)      | N/A     | 0.014 | 0.051       | 0.005 | 0.984  | 2.005  | 0.512 | 1.096 |

| Problem 660     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | A     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 23      | 23    | 23          | 24    | 31     | 45     | 54    | 0    |
| normalized size | 1       | 1.    | 1.          | 1.04  | 1.35   | 1.96   | 2.35  | 0.   |
| time (sec)      | N/A     | 0.015 | 0.237       | 0.014 | 0.983  | 1.889  | 9.436 | 0.   |

| Problem 661     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 24      | 24    | 23          | 24    | 31     | 45     | 51    | 31    |
| normalized size | 1       | 1.    | 0.96        | 1.    | 1.29   | 1.88   | 2.12  | 1.29  |
| time (sec)      | N/A     | 0.014 | 0.043       | 0.01  | 0.96   | 2.029  | 2.769 | 1.149 |

| Problem 662     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 14      | 14    | 14          | 16    | 19     | 31     | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 1.14  | 1.36   | 2.21   | 0.    | 0.   |
| time (sec)      | N/A     | 0.022 | 0.035       | 0.01  | 1.034  | 2.089  | 0.    | 0.   |

| Problem 663     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 19      | 19    | 19          | 22    | 27     | 42     | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 1.16  | 1.42   | 2.21   | 0.    | 0.   |
| time (sec)      | N/A     | 0.022 | 0.061       | 0.02  | 1.081  | 2.329  | 0.    | 0.   |

| Problem 664     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 20      | 20    | 19          | 22    | 27     | 42     | 0     | 0    |
| normalized size | 1       | 1.    | 0.95        | 1.1   | 1.35   | 2.1    | 0.    | 0.   |
| time (sec)      | N/A     | 0.023 | 0.058       | 0.013 | 1.07   | 1.889  | 0.    | 0.   |

| Problem 665     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 11      | 11    | 11          | 12    | 15     | 28     | 14    | 16    |
| normalized size | 1       | 1.    | 1.          | 1.09  | 1.36   | 2.55   | 1.27  | 1.45  |
| time (sec)      | N/A     | 0.022 | 0.006       | 0.014 | 0.945  | 2.072  | 0.36  | 1.094 |

| Problem 666     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 19      | 19    | 18          | 20    | 0      | 58     | 56    | 26    |
| normalized size | 1       | 1.    | 0.95        | 1.05  | 0.     | 3.05   | 2.95  | 1.37  |
| time (sec)      | N/A     | 0.022 | 0.02        | 0.007 | 0.     | 2.067  | 2.57  | 1.085 |

| Problem 667     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | B      | F(-1) | B    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 3       | 3     | 3           | 4     | 4      | 119    | 0     | 22   |
| normalized size | 1       | 1.    | 1.          | 1.33  | 1.33   | 39.67  | 0.    | 7.33 |
| time (sec)      | N/A     | 0.023 | 0.008       | 0.016 | 1.437  | 2.179  | 0.    | 1.08 |

| Problem 668     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 7       | 7     | 7           | 6     | 7      | 176    | 0     | 7     |
| normalized size | 1       | 1.    | 1.          | 0.86  | 1.     | 25.14  | 0.    | 1.    |
| time (sec)      | N/A     | 0.025 | 0.009       | 0.026 | 1.442  | 2.215  | 0.    | 1.107 |

| Problem 669     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 13      | 13    | 13          | 10    | 12     | 200    | 0     | 12    |
| normalized size | 1       | 1.    | 1.          | 0.77  | 0.92   | 15.38  | 0.    | 0.92  |
| time (sec)      | N/A     | 0.026 | 0.03        | 0.031 | 1.437  | 2.085  | 0.    | 1.166 |

| Problem 670     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | B      | B      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 21      | 21    | 21          | 48    | 51     | 271    | 0     | 51    |
| normalized size | 1       | 1.    | 1.          | 2.29  | 2.43   | 12.9   | 0.    | 2.43  |
| time (sec)      | N/A     | 0.024 | 0.015       | 0.034 | 0.949  | 2.03   | 0.    | 1.143 |

| Problem 671     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 28      | 28    | 28          | 23    | 30     | 208    | 0     | 30    |
| normalized size | 1       | 1.    | 1.          | 0.82  | 1.07   | 7.43   | 0.    | 1.07  |
| time (sec)      | N/A     | 0.026 | 0.018       | 0.023 | 1.498  | 2.224  | 0.    | 1.093 |

| Problem 672     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | B     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 14      | 14    | 14          | 11    | 14     | 36     | 27    | 14    |
| normalized size | 1       | 1.    | 1.          | 0.79  | 1.     | 2.57   | 1.93  | 1.    |
| time (sec)      | N/A     | 0.034 | 0.007       | 0.006 | 0.964  | 2.145  | 0.878 | 1.116 |

| Problem 673     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | B      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 19      | 19    | 40          | 17    | 27     | 115    | 0     | 27    |
| normalized size | 1       | 1.    | 2.11        | 0.89  | 1.42   | 6.05   | 0.    | 1.42  |
| time (sec)      | N/A     | 0.032 | 0.018       | 0.036 | 0.953  | 3.79   | 0.    | 1.097 |

| Problem 674     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 3       | 3     | 3           | 4     | 4      | 51     | 3     | 4     |
| normalized size | 1       | 1.    | 1.          | 1.33  | 1.33   | 17.    | 1.    | 1.33  |
| time (sec)      | N/A     | 0.008 | 1.483       | 0.007 | 0.97   | 2.15   | 0.54  | 1.075 |

| Problem 675     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | A      | B      | A      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 4       | 4     | 4           | 5     | 5      | 116    | 5      | 5     |
| normalized size | 1       | 1.    | 1.          | 1.25  | 1.25   | 29.    | 1.25   | 1.25  |
| time (sec)      | N/A     | 0.022 | 7.687       | 0.012 | 0.952  | 2.151  | 12.989 | 1.099 |

| Problem 676     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | B      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 4       | 4     | 4           | 9     | 11     | 140    | 10    | 39    |
| normalized size | 1       | 1.    | 1.          | 2.25  | 2.75   | 35.    | 2.5   | 9.75  |
| time (sec)      | N/A     | 0.007 | 0.005       | 0.009 | 0.951  | 2.085  | 1.723 | 1.089 |

| Problem 677     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|------|
| grade           | A       | A     | B           | A     | A      | B      | B      | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD  |
| size            | 36      | 36    | 128         | 40    | 53     | 258    | 102    | 53   |
| normalized size | 1       | 1.    | 3.56        | 1.11  | 1.47   | 7.17   | 2.83   | 1.47 |
| time (sec)      | N/A     | 0.077 | 0.425       | 0.011 | 0.983  | 2.226  | 16.575 | 1.14 |

| Problem 678     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 14      | 14    | 9           | 13    | 11     | 31     | 12    | 11    |
| normalized size | 1       | 1.    | 0.64        | 0.93  | 0.79   | 2.21   | 0.86  | 0.79  |
| time (sec)      | N/A     | 0.016 | 0.01        | 0.004 | 0.965  | 2.166  | 0.837 | 1.085 |

| Problem 679     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 25      | 25    | 20          | 14    | 26     | 88     | 36    | 18    |
| normalized size | 1       | 1.    | 0.8         | 0.56  | 1.04   | 3.52   | 1.44  | 0.72  |
| time (sec)      | N/A     | 0.049 | 0.023       | 0.577 | 0.988  | 2.141  | 3.247 | 1.089 |

| Problem 680     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 10      | 10    | 10          | 8     | 9      | 24     | 8     | 9     |
| normalized size | 1       | 1.    | 1.          | 0.8   | 0.9    | 2.4    | 0.8   | 0.9   |
| time (sec)      | N/A     | 0.027 | 0.013       | 0.007 | 0.965  | 2.034  | 0.596 | 1.104 |

| Problem 681     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 6       | 6    | 6           | 6     | 7      | 22     | 7     | 7     |
| normalized size | 1       | 1.   | 1.          | 1.    | 1.17   | 3.67   | 1.17  | 1.17  |
| time (sec)      | N/A     | 0.01 | 0.011       | 0.006 | 0.958  | 1.954  | 0.725 | 1.118 |

| Problem 682     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 10      | 10    | 7           | 7     | 9      | 26     | 0     | 16    |
| normalized size | 1       | 1.    | 0.7         | 0.7   | 0.9    | 2.6    | 0.    | 1.6   |
| time (sec)      | N/A     | 0.012 | 0.021       | 0.015 | 3.177  | 2.157  | 0.    | 1.099 |

| Problem 683     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 10      | 10    | 10          | 13    | 9      | 39     | 0     | 24    |
| normalized size | 1       | 1.    | 1.          | 1.3   | 0.9    | 3.9    | 0.    | 2.4   |
| time (sec)      | N/A     | 0.011 | 0.009       | 0.017 | 0.996  | 2.057  | 0.    | 1.105 |

| Problem 684     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 17      | 17    | 17          | 17    | 22     | 35     | 36    | 22    |
| normalized size | 1       | 1.    | 1.          | 1.    | 1.29   | 2.06   | 2.12  | 1.29  |
| time (sec)      | N/A     | 0.013 | 0.017       | 0.006 | 0.962  | 2.027  | 0.46  | 1.117 |

| Problem 685     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | A     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 22      | 22    | 23          | 23    | 30     | 43     | 51    | 0    |
| normalized size | 1       | 1.    | 1.05        | 1.05  | 1.36   | 1.95   | 2.32  | 0.   |
| time (sec)      | N/A     | 0.013 | 0.146       | 0.015 | 0.956  | 2.107  | 8.674 | 0.   |

| Problem 686     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 23      | 23    | 23          | 23    | 30     | 43     | 48    | 30   |
| normalized size | 1       | 1.    | 1.          | 1.    | 1.3    | 1.87   | 2.09  | 1.3  |
| time (sec)      | N/A     | 0.013 | 0.046       | 0.008 | 1.099  | 2.058  | 2.574 | 1.15 |

| Problem 687     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 13      | 13   | 13          | 17    | 18     | 30     | 0     | 18    |
| normalized size | 1       | 1.   | 1.          | 1.31  | 1.38   | 2.31   | 0.    | 1.38  |
| time (sec)      | N/A     | 0.02 | 0.042       | 0.011 | 1.07   | 2.168  | 0.    | 1.089 |

| Problem 688     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 18      | 18    | 18          | 23    | 26     | 41     | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 1.28  | 1.44   | 2.28   | 0.    | 0.   |
| time (sec)      | N/A     | 0.021 | 0.067       | 0.025 | 1.062  | 2.057  | 0.    | 0.   |

| Problem 689     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | A     | A      | A      | F     | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 19      | 19   | 18          | 23    | 26     | 41     | 0     | 0    |
| normalized size | 1       | 1.   | 0.95        | 1.21  | 1.37   | 2.16   | 0.    | 0.   |
| time (sec)      | N/A     | 0.02 | 0.06        | 0.014 | 1.064  | 2.095  | 0.    | 0.   |

| Problem 690     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 11      | 11    | 20          | 12    | 15     | 107    | 0     | 16    |
| normalized size | 1       | 1.    | 1.82        | 1.09  | 1.36   | 9.73   | 0.    | 1.45  |
| time (sec)      | N/A     | 0.034 | 0.065       | 0.027 | 0.953  | 2.253  | 0.    | 1.083 |

| Problem 691     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | B      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 11      | 11    | 23          | 4     | 20     | 84     | 0     | 23    |
| normalized size | 1       | 1.    | 2.09        | 0.36  | 1.82   | 7.64   | 0.    | 2.09  |
| time (sec)      | N/A     | 0.031 | 0.006       | 0.029 | 0.956  | 2.059  | 0.    | 1.116 |

| Problem 692     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 27      | 27    | 9           | 8     | 9      | 70     | 0     | 9     |
| normalized size | 1       | 1.    | 0.33        | 0.3   | 0.33   | 2.59   | 0.    | 0.33  |
| time (sec)      | N/A     | 0.029 | 0.024       | 0.031 | 1.447  | 2.132  | 0.    | 1.087 |

| Problem 693     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 19      | 19    | 18          | 20    | 0      | 101    | 0     | 26    |
| normalized size | 1       | 1.    | 0.95        | 1.05  | 0.     | 5.32   | 0.    | 1.37  |
| time (sec)      | N/A     | 0.035 | 0.178       | 0.021 | 0.     | 2.104  | 0.    | 1.141 |

| Problem 694     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | B     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 4       | 4     | 4           | 5     | 5      | 38     | 27    | 5     |
| normalized size | 1       | 1.    | 1.          | 1.25  | 1.25   | 9.5    | 6.75  | 1.25  |
| time (sec)      | N/A     | 0.043 | 0.006       | 0.046 | 1.459  | 2.029  | 0.93  | 1.111 |

| Problem 695     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | B     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 4       | 4     | 4           | 5     | 5      | 38     | 27    | 5     |
| normalized size | 1       | 1.    | 1.          | 1.25  | 1.25   | 9.5    | 6.75  | 1.25  |
| time (sec)      | N/A     | 0.063 | 0.005       | 0.053 | 1.491  | 2.12   | 0.924 | 1.087 |

| Problem 696     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 33      | 33    | 31          | 6     | 7      | 117    | 0     | 7     |
| normalized size | 1       | 1.    | 0.94        | 0.18  | 0.21   | 3.55   | 0.    | 0.21  |
| time (sec)      | N/A     | 0.042 | 0.044       | 0.06  | 1.446  | 2.049  | 0.    | 1.093 |

| Problem 697     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 10      | 15    | 16          | 18    | 23     | 124    | 0     | 26    |
| normalized size | 1       | 1.5   | 1.6         | 1.8   | 2.3    | 12.4   | 0.    | 2.6   |
| time (sec)      | N/A     | 0.048 | 0.037       | 0.055 | 0.96   | 2.179  | 0.    | 1.134 |

| Problem 698     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 10      | 15    | 16          | 16    | 20     | 126    | 0     | 23    |
| normalized size | 1       | 1.5   | 1.6         | 1.6   | 2.     | 12.6   | 0.    | 2.3   |
| time (sec)      | N/A     | 0.053 | 0.037       | 0.058 | 0.963  | 2.171  | 0.    | 1.111 |

| Problem 699     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | B      | F     | F(-2) |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 176     | 176  | 74          | 80    | 120    | 1635   | 0     | 0     |
| normalized size | 1       | 1.   | 0.42        | 0.45  | 0.68   | 9.29   | 0.    | 0.    |
| time (sec)      | N/A     | 0.14 | 0.121       | 0.054 | 1.455  | 3.069  | 0.    | 0.    |

| Problem 700     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 53      | 53    | 22          | 18    | 23     | 188    | 0     | 23    |
| normalized size | 1       | 1.    | 0.42        | 0.34  | 0.43   | 3.55   | 0.    | 0.43  |
| time (sec)      | N/A     | 0.066 | 0.055       | 0.064 | 1.468  | 2.103  | 0.    | 1.122 |

| Problem 701     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 28      | 28    | 54          | 35    | 38     | 194    | 29    | 39    |
| normalized size | 1       | 1.    | 1.93        | 1.25  | 1.36   | 6.93   | 1.04  | 1.39  |
| time (sec)      | N/A     | 0.087 | 0.354       | 0.042 | 0.959  | 2.337  | 3.573 | 1.111 |

| Problem 702     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 53      | 53    | 62          | 80    | 85     | 302    | 56    | 86    |
| normalized size | 1       | 1.    | 1.17        | 1.51  | 1.6    | 5.7    | 1.06  | 1.62  |
| time (sec)      | N/A     | 0.138 | 0.556       | 0.059 | 0.991  | 2.406  | 4.703 | 1.097 |

| Problem 703     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | B      | A     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 78      | 78   | 133         | 143   | 159    | 459    | 95    | 166   |
| normalized size | 1       | 1.   | 1.71        | 1.83  | 2.04   | 5.88   | 1.22  | 2.13  |
| time (sec)      | N/A     | 0.15 | 0.897       | 0.075 | 0.977  | 2.989  | 7.214 | 1.088 |

| Problem 704     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 12      | 12    | 12          | 11    | 14     | 109    | 0     | 14    |
| normalized size | 1       | 1.    | 1.          | 0.92  | 1.17   | 9.08   | 0.    | 1.17  |
| time (sec)      | N/A     | 0.076 | 0.036       | 0.072 | 0.973  | 2.022  | 0.    | 1.107 |

| Problem 705     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | B           | A     | A      | A      | A      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 33      | 33    | 67          | 42    | 34     | 158    | 27     | 34    |
| normalized size | 1       | 1.    | 2.03        | 1.27  | 1.03   | 4.79   | 0.82   | 1.03  |
| time (sec)      | N/A     | 0.092 | 0.026       | 0.022 | 0.96   | 2.228  | 92.638 | 1.102 |

| Problem 706     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 46      | 46    | 32          | 24    | 31     | 174    | 41    | 32    |
| normalized size | 1       | 1.    | 0.7         | 0.52  | 0.67   | 3.78   | 0.89  | 0.7   |
| time (sec)      | N/A     | 0.089 | 0.227       | 0.108 | 1.461  | 2.403  | 8.212 | 1.103 |

| Problem 707     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|------|
| grade           | A       | A     | A           | A     | A      | B      | A      | B    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD  |
| size            | 4       | 4     | 4           | 5     | 5      | 38     | 3      | 20   |
| normalized size | 1       | 1.    | 1.          | 1.25  | 1.25   | 9.5    | 0.75   | 5.   |
| time (sec)      | N/A     | 0.018 | 0.002       | 0.032 | 1.465  | 1.954  | 23.674 | 1.12 |

| Problem 708     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 21      | 21    | 29          | 14    | 18     | 104    | 0     | 20    |
| normalized size | 1       | 1.    | 1.38        | 0.67  | 0.86   | 4.95   | 0.    | 0.95  |
| time (sec)      | N/A     | 0.115 | 0.031       | 0.057 | 0.962  | 2.08   | 0.    | 1.148 |

| Problem 709     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | C     | A      | B      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 9       | 9     | 43          | 103   | 11     | 76     | 0     | 0    |
| normalized size | 1       | 1.    | 4.78        | 11.44 | 1.22   | 8.44   | 0.    | 0.   |
| time (sec)      | N/A     | 0.047 | 0.044       | 0.164 | 1.419  | 2.116  | 0.    | 0.   |



| Problem 710     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | C     | A      | B      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 9       | 9     | 47          | 172   | 9      | 135    | 0     | 9     |
| normalized size | 1       | 1.    | 5.22        | 19.11 | 1.     | 15.    | 0.    | 1.    |
| time (sec)      | N/A     | 0.047 | 0.062       | 0.361 | 1.48   | 2.249  | 0.    | 1.159 |

| Problem 711     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | C     | A      | B      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 14      | 14    | 46          | 173   | 22     | 224    | 0     | 23    |
| normalized size | 1       | 1.    | 3.29        | 12.36 | 1.57   | 16.    | 0.    | 1.64  |
| time (sec)      | N/A     | 0.044 | 0.052       | 0.394 | 0.967  | 2.155  | 0.    | 1.175 |

| Problem 712     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | C     | A      | B      | F     | C     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 19      | 19    | 52          | 223   | 41     | 225    | 0     | 192   |
| normalized size | 1       | 1.    | 2.74        | 11.74 | 2.16   | 11.84  | 0.    | 10.11 |
| time (sec)      | N/A     | 0.049 | 0.529       | 0.318 | 1.451  | 2.263  | 0.    | 1.207 |

| Problem 713     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | C     | A      | B      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 26      | 26    | 63          | 492   | 27     | 215    | 0     | 27    |
| normalized size | 1       | 1.    | 2.42        | 18.92 | 1.04   | 8.27   | 0.    | 1.04  |
| time (sec)      | N/A     | 0.046 | 0.113       | 0.21  | 1.462  | 2.349  | 0.    | 1.107 |

| Problem 714     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 4       | 4     | 4           | 4     | 4      | 26     | 3     | 4     |
| normalized size | 1       | 1.    | 1.          | 1.    | 1.     | 6.5    | 0.75  | 1.    |
| time (sec)      | N/A     | 0.012 | 0.06        | 0.012 | 0.961  | 1.984  | 1.72  | 1.109 |

| Problem 715     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 17      | 17    | 25          | 20    | 57     | 61     | 19    | 27    |
| normalized size | 1       | 1.    | 1.47        | 1.18  | 3.35   | 3.59   | 1.12  | 1.59  |
| time (sec)      | N/A     | 0.067 | 0.018       | 0.013 | 0.955  | 2.092  | 9.181 | 1.103 |

| Problem 716     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 12      | 12    | 20          | 13    | 16     | 123    | 0     | 30    |
| normalized size | 1       | 1.    | 1.67        | 1.08  | 1.33   | 10.25  | 0.    | 2.5   |
| time (sec)      | N/A     | 0.041 | 0.059       | 0.025 | 0.961  | 2.267  | 0.    | 1.129 |

| Problem 717     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F(-2)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 20      | 20    | 19          | 21    | 0      | 103    | 0     | 0    |
| normalized size | 1       | 1.    | 0.95        | 1.05  | 0.     | 5.15   | 0.    | 0.   |
| time (sec)      | N/A     | 0.041 | 0.184       | 0.023 | 0.     | 2.415  | 0.    | 0.   |

| Problem 718     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | A      | B      | A      | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 6       | 6     | 6           | 7     | 11     | 38     | 3      | 22    |
| normalized size | 1       | 1.    | 1.          | 1.17  | 1.83   | 6.33   | 0.5    | 3.67  |
| time (sec)      | N/A     | 0.016 | 0.003       | 0.017 | 1.473  | 2.411  | 13.162 | 1.104 |

| Problem 719     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 6       | 6     | 6           | 7     | 11     | 38     | 27    | 22    |
| normalized size | 1       | 1.    | 1.          | 1.17  | 1.83   | 6.33   | 4.5   | 3.67  |
| time (sec)      | N/A     | 0.047 | 0.005       | 0.025 | 1.442  | 2.313  | 0.939 | 1.119 |

| Problem 720     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | A      | B      | A      | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 28      | 28    | 56          | 56    | 62     | 209    | 31     | 92    |
| normalized size | 1       | 1.    | 2.          | 2.    | 2.21   | 7.46   | 1.11   | 3.29  |
| time (sec)      | N/A     | 0.082 | 0.33        | 0.046 | 0.98   | 2.953  | 11.597 | 1.154 |

| Problem 721     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|------|
| grade           | A       | A     | A           | B     | A      | B      | A      | B    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD  |
| size            | 53      | 53    | 62          | 119   | 124    | 417    | 58     | 188  |
| normalized size | 1       | 1.    | 1.17        | 2.25  | 2.34   | 7.87   | 1.09   | 3.55 |
| time (sec)      | N/A     | 0.136 | 0.505       | 0.065 | 0.974  | 3.292  | 28.694 | 1.2  |

| Problem 722     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | B      | B      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 78      | 78    | 135         | 202   | 217    | 705    | 97    | 313   |
| normalized size | 1       | 1.    | 1.73        | 2.59  | 2.78   | 9.04   | 1.24  | 4.01  |
| time (sec)      | N/A     | 0.139 | 1.264       | 0.078 | 0.991  | 3.424  | 75.33 | 1.173 |

| Problem 723     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy   | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|---------|------|
| grade           | A       | A     | A           | A     | A      | A      | A       | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD     | TBD  |
| size            | 6       | 6     | 6           | 6     | 7      | 27     | 5       | 0    |
| normalized size | 1       | 1.    | 1.          | 1.    | 1.17   | 4.5    | 0.83    | 0.   |
| time (sec)      | N/A     | 0.015 | 0.076       | 0.011 | 0.978  | 2.239  | 115.646 | 0.   |

| Problem 724     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 11      | 20    | 20          | 12    | 15     | 51     | 14    | 30    |
| normalized size | 1       | 1.82  | 1.82        | 1.09  | 1.36   | 4.64   | 1.27  | 2.73  |
| time (sec)      | N/A     | 0.046 | 0.018       | 0.01  | 0.96   | 2.482  | 0.573 | 1.109 |

| Problem 725     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 5       | 5     | 5           | 4     | 7      | 23     | 3     | 7     |
| normalized size | 1       | 1.    | 1.          | 0.8   | 1.4    | 4.6    | 0.6   | 1.4   |
| time (sec)      | N/A     | 0.033 | 0.022       | 0.025 | 1.455  | 2.491  | 0.27  | 1.089 |

| Problem 726     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 11      | 11    | 11          | 8     | 9      | 34     | 8     | 9     |
| normalized size | 1       | 1.    | 1.          | 0.73  | 0.82   | 3.09   | 0.73  | 0.82  |
| time (sec)      | N/A     | 0.035 | 0.027       | 0.019 | 1.454  | 2.419  | 0.308 | 1.107 |

| Problem 727     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | B     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 7       | 7     | 9           | 12    | 9      | 32     | 15    | 9    |
| normalized size | 1       | 1.    | 1.29        | 1.71  | 1.29   | 4.57   | 2.14  | 1.29 |
| time (sec)      | N/A     | 0.032 | 0.006       | 0.028 | 0.955  | 2.414  | 0.257 | 1.09 |

| Problem 728     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | B      | B      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 5       | 5     | 38          | 6     | 45     | 80     | 5     | 55    |
| normalized size | 1       | 1.    | 7.6         | 1.2   | 9.     | 16.    | 1.    | 11.   |
| time (sec)      | N/A     | 0.045 | 0.03        | 0.032 | 0.954  | 2.713  | 0.95  | 1.129 |

| Problem 729     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 13      | 13    | 13          | 25    | 18     | 51     | 0     | 28    |
| normalized size | 1       | 1.    | 1.          | 1.92  | 1.38   | 3.92   | 0.    | 2.15  |
| time (sec)      | N/A     | 0.079 | 0.017       | 0.033 | 1.455  | 2.411  | 0.    | 1.116 |

| Problem 730     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 4       | 4     | 4           | 4     | 4      | 19     | 3     | 7    |
| normalized size | 1       | 1.    | 1.          | 1.    | 1.     | 4.75   | 0.75  | 1.75 |
| time (sec)      | N/A     | 0.022 | 0.007       | 0.006 | 0.956  | 2.294  | 0.829 | 1.12 |

| Problem 731     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 9       | 9     | 9           | 10    | 12     | 28     | 7     | 15    |
| normalized size | 1       | 1.    | 1.          | 1.11  | 1.33   | 3.11   | 0.78  | 1.67  |
| time (sec)      | N/A     | 0.022 | 0.008       | 0.006 | 0.957  | 2.311  | 0.927 | 1.082 |

| Problem 732     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 12      | 12    | 20          | 11    | 14     | 76     | 12    | 32    |
| normalized size | 1       | 1.    | 1.67        | 0.92  | 1.17   | 6.33   | 1.    | 2.67  |
| time (sec)      | N/A     | 0.055 | 0.077       | 0.023 | 0.975  | 2.395  | 1.283 | 1.467 |

| Problem 733     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | B      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 43      | 43    | 43          | 66    | 47     | 354    | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 1.53  | 1.09   | 8.23   | 0.    | 0.   |
| time (sec)      | N/A     | 0.095 | 0.057       | 0.043 | 1.464  | 2.769  | 0.    | 0.   |

| Problem 734     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 22      | 22    | 22          | 34    | 27     | 50     | 0     | 159   |
| normalized size | 1       | 1.    | 1.          | 1.55  | 1.23   | 2.27   | 0.    | 7.23  |
| time (sec)      | N/A     | 0.091 | 0.033       | 0.032 | 1.433  | 2.444  | 0.    | 1.247 |

| Problem 735     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 12      | 20    | 20          | 13    | 16     | 58     | 17    | 30    |
| normalized size | 1       | 1.67  | 1.67        | 1.08  | 1.33   | 4.83   | 1.42  | 2.5   |
| time (sec)      | N/A     | 0.042 | 0.019       | 0.017 | 0.967  | 2.497  | 0.482 | 1.091 |

| Problem 736     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 14      | 14    | 14          | 13    | 16     | 38     | 12    | 19    |
| normalized size | 1       | 1.    | 1.          | 0.93  | 1.14   | 2.71   | 0.86  | 1.36  |
| time (sec)      | N/A     | 0.025 | 0.031       | 0.01  | 0.964  | 2.347  | 0.822 | 1.114 |

| Problem 737     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 3       | 3     | 3           | 6     | 4      | 22     | 5     | 4     |
| normalized size | 1       | 1.    | 1.          | 2.    | 1.33   | 7.33   | 1.67  | 1.33  |
| time (sec)      | N/A     | 0.032 | 0.015       | 0.015 | 1.456  | 2.371  | 0.232 | 1.106 |

| Problem 738     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | B     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 43      | 43    | 41          | 35    | 66     | 200    | 151   | 65    |
| normalized size | 1       | 1.    | 0.95        | 0.81  | 1.53   | 4.65   | 3.51  | 1.51  |
| time (sec)      | N/A     | 0.057 | 0.68        | 0.033 | 1.477  | 2.163  | 2.602 | 1.162 |

| Problem 739     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 14      | 14    | 14          | 15    | 19     | 54     | 0     | 28    |
| normalized size | 1       | 1.    | 1.          | 1.07  | 1.36   | 3.86   | 0.    | 2.    |
| time (sec)      | N/A     | 0.077 | 0.018       | 0.463 | 1.445  | 2.121  | 0.    | 1.099 |

| Problem 740     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 43      | 43    | 28          | 38    | 50     | 146    | 0     | 65    |
| normalized size | 1       | 1.    | 0.65        | 0.88  | 1.16   | 3.4    | 0.    | 1.51  |
| time (sec)      | N/A     | 0.106 | 0.057       | 0.973 | 1.483  | 2.189  | 0.    | 1.182 |

| Problem 741     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | A      | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 43      | 43    | 28          | 104   | 50     | 69     | 0     | 0    |
| normalized size | 1       | 1.    | 0.65        | 2.42  | 1.16   | 1.6    | 0.    | 0.   |
| time (sec)      | N/A     | 0.037 | 0.062       | 0.079 | 1.078  | 2.143  | 0.    | 0.   |

| Problem 742     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | A      | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 43      | 43    | 28          | 104   | 50     | 69     | 0     | 0    |
| normalized size | 1       | 1.    | 0.65        | 2.42  | 1.16   | 1.6    | 0.    | 0.   |
| time (sec)      | N/A     | 0.035 | 0.03        | 0.    | 1.069  | 2.152  | 0.    | 0.   |

| Problem 743     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | C     | F      | A      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 64      | 64    | 36          | 122   | 0      | 90     | 0     | 186   |
| normalized size | 1       | 1.    | 0.56        | 1.91  | 0.     | 1.41   | 0.    | 2.91  |
| time (sec)      | N/A     | 0.036 | 0.068       | 0.081 | 0.     | 2.13   | 0.    | 1.244 |

| Problem 744     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | C     | F      | A      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 64      | 64    | 36          | 122   | 0      | 90     | 0     | 186   |
| normalized size | 1       | 1.    | 0.56        | 1.91  | 0.     | 1.41   | 0.    | 2.91  |
| time (sec)      | N/A     | 0.038 | 0.03        | 0.    | 0.     | 2.166  | 0.    | 1.265 |

| Problem 745     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | A      | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 43      | 43    | 28          | 106   | 50     | 70     | 0     | 0    |
| normalized size | 1       | 1.    | 0.65        | 2.47  | 1.16   | 1.63   | 0.    | 0.   |
| time (sec)      | N/A     | 0.041 | 0.149       | 0.07  | 1.048  | 2.089  | 0.    | 0.   |

| Problem 746     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | A      | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 43      | 43    | 28          | 106   | 50     | 70     | 0     | 0    |
| normalized size | 1       | 1.    | 0.65        | 2.47  | 1.16   | 1.63   | 0.    | 0.   |
| time (sec)      | N/A     | 0.035 | 0.035       | 0.    | 1.056  | 2.039  | 0.    | 0.   |

| Problem 747     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F      | A      | F     | B    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 64      | 64    | 36          | 124   | 0      | 92     | 0     | 263  |
| normalized size | 1       | 1.    | 0.56        | 1.94  | 0.     | 1.44   | 0.    | 4.11 |
| time (sec)      | N/A     | 0.037 | 0.177       | 0.072 | 0.     | 2.095  | 0.    | 1.25 |

| Problem 748     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | C     | F      | A      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 64      | 64    | 36          | 124   | 0      | 92     | 0     | 263   |
| normalized size | 1       | 1.    | 0.56        | 1.94  | 0.     | 1.44   | 0.    | 4.11  |
| time (sec)      | N/A     | 0.037 | 0.034       | 0.    | 0.     | 2.177  | 0.    | 1.253 |

| Problem 749     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 9       | 9     | 9           | 8     | 9      | 35     | 0     | 9    |
| normalized size | 1       | 1.    | 1.          | 0.89  | 1.     | 3.89   | 0.    | 1.   |
| time (sec)      | N/A     | 0.022 | 0.006       | 0.017 | 0.968  | 1.923  | 0.    | 1.08 |

| Problem 750     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | A     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 9       | 9    | 9           | 8     | 358    | 26     | 0     | 0    |
| normalized size | 1       | 1.   | 1.          | 0.89  | 39.78  | 2.89   | 0.    | 0.   |
| time (sec)      | N/A     | 0.02 | 0.011       | 0.016 | 1.548  | 2.014  | 0.    | 0.   |

| Problem 751     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | C     | C      | C      | B     | C     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 3       | 3     | 3           | 5     | 5      | 7      | 14    | 5     |
| normalized size | 1       | 1.    | 1.          | 1.67  | 1.67   | 2.33   | 4.67  | 1.67  |
| time (sec)      | N/A     | 0.009 | 0.          | 0.012 | 1.457  | 1.937  | 0.142 | 1.091 |

| Problem 752     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | B      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 8       | 8     | 8           | 9     | 100    | 55     | 0     | 139   |
| normalized size | 1       | 1.    | 1.          | 1.12  | 12.5   | 6.88   | 0.    | 17.38 |
| time (sec)      | N/A     | 0.018 | 0.005       | 0.005 | 1.46   | 2.144  | 0.    | 1.133 |

| Problem 753     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | B     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 34      | 34    | 28          | 26    | 30     | 73     | 76    | 30    |
| normalized size | 1       | 1.    | 0.82        | 0.76  | 0.88   | 2.15   | 2.24  | 0.88  |
| time (sec)      | N/A     | 0.022 | 0.017       | 0.01  | 0.957  | 2.027  | 1.208 | 1.086 |

| Problem 754     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 10      | 10    | 10          | 7     | 8      | 26     | 10    | 8     |
| normalized size | 1       | 1.    | 1.          | 0.7   | 0.8    | 2.6    | 1.    | 0.8   |
| time (sec)      | N/A     | 0.012 | 0.002       | 0.003 | 0.962  | 2.072  | 0.284 | 1.103 |

| Problem 755     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 11      | 11    | 11          | 9     | 11     | 46     | 15    | 12    |
| normalized size | 1       | 1.    | 1.          | 0.82  | 1.     | 4.18   | 1.36  | 1.09  |
| time (sec)      | N/A     | 0.012 | 0.008       | 0.012 | 0.959  | 2.065  | 0.372 | 1.079 |

| Problem 756     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 7       | 7     | 9           | 8     | 9      | 35     | 8     | 23    |
| normalized size | 1       | 1.    | 1.29        | 1.14  | 1.29   | 5.     | 1.14  | 3.29  |
| time (sec)      | N/A     | 0.044 | 0.006       | 0.033 | 0.979  | 2.082  | 7.664 | 1.105 |

| Problem 757     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | A      | F     | B    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 19      | 19    | 19          | 16    | 100    | 74     | 0     | 139  |
| normalized size | 1       | 1.    | 1.          | 0.84  | 5.26   | 3.89   | 0.    | 7.32 |
| time (sec)      | N/A     | 0.019 | 0.008       | 0.007 | 1.466  | 2.003  | 0.    | 1.14 |

| Problem 758     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 37      | 37    | 26          | 31    | 35     | 82     | 32    | 36    |
| normalized size | 1       | 1.    | 0.7         | 0.84  | 0.95   | 2.22   | 0.86  | 0.97  |
| time (sec)      | N/A     | 0.014 | 0.028       | 0.01  | 0.968  | 1.828  | 0.486 | 1.128 |

| Problem 759     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | B     | B           | B     | A      | B      | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 12      | 129   | 49          | 176   | 11     | 130    | 236   | 50    |
| normalized size | 1       | 10.75 | 4.08        | 14.67 | 0.92   | 10.83  | 19.67 | 4.17  |
| time (sec)      | N/A     | 0.324 | 0.026       | 0.081 | 0.983  | 2.452  | 0.09  | 1.117 |

| Problem 760     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | A      | B     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 9       | 9     | 19          | 8     | 9      | 43     | 19    | 16    |
| normalized size | 1       | 1.    | 2.11        | 0.89  | 1.     | 4.78   | 2.11  | 1.78  |
| time (sec)      | N/A     | 0.007 | 0.009       | 0.002 | 0.97   | 2.081  | 0.152 | 1.112 |

| Problem 761     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 8       | 8     | 8           | 7     | 47     | 31     | 0     | 8     |
| normalized size | 1       | 1.    | 1.          | 0.88  | 5.88   | 3.88   | 0.    | 1.    |
| time (sec)      | N/A     | 0.013 | 0.016       | 0.005 | 0.965  | 1.975  | 0.    | 1.077 |

| Problem 762     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 15      | 15    | 15          | 12    | 0      | 49     | 0     | 20    |
| normalized size | 1       | 1.    | 1.          | 0.8   | 0.     | 3.27   | 0.    | 1.33  |
| time (sec)      | N/A     | 0.029 | 0.016       | 0.05  | 0.     | 2.145  | 0.    | 1.118 |

| Problem 763     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 23      | 23    | 20          | 16    | 20     | 57     | 19    | 20    |
| normalized size | 1       | 1.    | 0.87        | 0.7   | 0.87   | 2.48   | 0.83  | 0.87  |
| time (sec)      | N/A     | 0.022 | 0.013       | 0.013 | 1.458  | 2.001  | 0.319 | 1.088 |

| Problem 764     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 37      | 37    | 37          | 30    | 39     | 86     | 42    | 39    |
| normalized size | 1       | 1.    | 1.          | 0.81  | 1.05   | 2.32   | 1.14  | 1.05  |
| time (sec)      | N/A     | 0.034 | 0.023       | 0.024 | 0.969  | 2.088  | 0.609 | 1.075 |

| Problem 765     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 10      | 10    | 12          | 9     | 11     | 45     | 8     | 14    |
| normalized size | 1       | 1.    | 1.2         | 0.9   | 1.1    | 4.5    | 0.8   | 1.4   |
| time (sec)      | N/A     | 0.033 | 0.017       | 0.012 | 0.954  | 1.928  | 0.191 | 1.109 |



| Problem 766     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 8       | 8     | 8           | 7     | 8      | 19     | 5     | 8     |
| normalized size | 1       | 1.    | 1.          | 0.88  | 1.     | 2.38   | 0.62  | 1.    |
| time (sec)      | N/A     | 0.007 | 0.001       | 0.005 | 0.962  | 1.894  | 0.164 | 1.111 |

| Problem 767     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 10      | 10    | 10          | 9     | 11     | 23     | 7     | 11    |
| normalized size | 1       | 1.    | 1.          | 0.9   | 1.1    | 2.3    | 0.7   | 1.1   |
| time (sec)      | N/A     | 0.012 | 0.003       | 0.005 | 0.967  | 1.99   | 0.293 | 1.105 |

| Problem 768     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 8       | 8     | 8           | 7     | 8      | 19     | 5     | 8     |
| normalized size | 1       | 1.    | 1.          | 0.88  | 1.     | 2.38   | 0.62  | 1.    |
| time (sec)      | N/A     | 0.009 | 0.002       | 0.005 | 0.982  | 1.948  | 0.538 | 1.084 |

| Problem 769     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 10      | 10    | 10          | 9     | 11     | 20     | 7     | 11    |
| normalized size | 1       | 1.    | 1.          | 0.9   | 1.1    | 2.     | 0.7   | 1.1   |
| time (sec)      | N/A     | 0.008 | 0.01        | 0.003 | 0.957  | 1.855  | 0.163 | 1.087 |

| Problem 770     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 8       | 8     | 8           | 7     | 76     | 19     | 5     | 11    |
| normalized size | 1       | 1.    | 1.          | 0.88  | 9.5    | 2.38   | 0.62  | 1.38  |
| time (sec)      | N/A     | 0.063 | 0.006       | 0.006 | 0.973  | 1.952  | 0.332 | 1.082 |

| Problem 771     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 10      | 10    | 12          | 11    | 90     | 28     | 7     | 14    |
| normalized size | 1       | 1.    | 1.2         | 1.1   | 9.     | 2.8    | 0.7   | 1.4   |
| time (sec)      | N/A     | 0.018 | 0.023       | 0.003 | 0.961  | 2.039  | 0.383 | 1.095 |

| Problem 772     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 11      | 11   | 11          | 10    | 12     | 46     | 12    | 14    |
| normalized size | 1       | 1.   | 1.          | 0.91  | 1.09   | 4.18   | 1.09  | 1.27  |
| time (sec)      | N/A     | 0.01 | 0.018       | 0.003 | 0.964  | 1.89   | 0.167 | 1.113 |

| Problem 773     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 12      | 12    | 12          | 11    | 14     | 35     | 12    | 14    |
| normalized size | 1       | 1.    | 1.          | 0.92  | 1.17   | 2.92   | 1.    | 1.17  |
| time (sec)      | N/A     | 0.005 | 0.005       | 0.005 | 0.951  | 1.923  | 1.045 | 1.084 |

| Problem 774     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 21      | 21   | 25          | 20    | 24     | 88     | 0     | 24    |
| normalized size | 1       | 1.   | 1.19        | 0.95  | 1.14   | 4.19   | 0.    | 1.14  |
| time (sec)      | N/A     | 0.06 | 0.018       | 0.053 | 0.956  | 2.016  | 0.    | 1.107 |

| Problem 775     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 19      | 19    | 19          | 16    | 20     | 116    | 32    | 53    |
| normalized size | 1       | 1.    | 1.          | 0.84  | 1.05   | 6.11   | 1.68  | 2.79  |
| time (sec)      | N/A     | 0.037 | 0.009       | 0.045 | 0.965  | 2.142  | 7.696 | 1.084 |

| Problem 776     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy   | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|---------|-------|
| grade           | A       | A     | A           | C     | A      | A      | A       | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD     | TBD   |
| size            | 47      | 47    | 35          | 64    | 43     | 88     | 48      | 43    |
| normalized size | 1       | 1.    | 0.74        | 1.36  | 0.91   | 1.87   | 1.02    | 0.91  |
| time (sec)      | N/A     | 0.064 | 0.032       | 0.023 | 0.964  | 2.065  | 123.675 | 1.082 |

| Problem 777     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 35      | 35    | 28          | 36    | 34     | 78     | 32    | 34    |
| normalized size | 1       | 1.    | 0.8         | 1.03  | 0.97   | 2.23   | 0.91  | 0.97  |
| time (sec)      | N/A     | 0.158 | 0.047       | 0.018 | 0.962  | 2.031  | 2.312 | 1.093 |

| Problem 778     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 4       | 4     | 4           | 5     | 5      | 14     | 3     | 5     |
| normalized size | 1       | 1.    | 1.          | 1.25  | 1.25   | 3.5    | 0.75  | 1.25  |
| time (sec)      | N/A     | 0.007 | 0.001       | 0.001 | 0.961  | 2.017  | 0.164 | 1.099 |

| Problem 779     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 6       | 6     | 6           | 7     | 8      | 19     | 5     | 8     |
| normalized size | 1       | 1.    | 1.          | 1.17  | 1.33   | 3.17   | 0.83  | 1.33  |
| time (sec)      | N/A     | 0.013 | 0.004       | 0.005 | 0.963  | 2.023  | 0.302 | 1.091 |

| Problem 780     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 7       | 7     | 7           | 8     | 9      | 27     | 5     | 9     |
| normalized size | 1       | 1.    | 1.          | 1.14  | 1.29   | 3.86   | 0.71  | 1.29  |
| time (sec)      | N/A     | 0.004 | 0.008       | 0.002 | 1.462  | 2.168  | 0.086 | 1.111 |

| Problem 781     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 10      | 10    | 21          | 9     | 11     | 26     | 8     | 11    |
| normalized size | 1       | 1.    | 2.1         | 0.9   | 1.1    | 2.6    | 0.8   | 1.1   |
| time (sec)      | N/A     | 0.009 | 0.013       | 0.003 | 0.961  | 2.012  | 0.169 | 1.072 |

| Problem 782     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 10      | 10    | 10          | 9     | 11     | 24     | 7     | 11    |
| normalized size | 1       | 1.    | 1.          | 0.9   | 1.1    | 2.4    | 0.7   | 1.1   |
| time (sec)      | N/A     | 0.009 | 0.002       | 0.005 | 0.952  | 2.042  | 0.17  | 1.069 |

| Problem 783     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 10      | 10   | 10          | 9     | 11     | 24     | 7     | 11    |
| normalized size | 1       | 1.   | 1.          | 0.9   | 1.1    | 2.4    | 0.7   | 1.1   |
| time (sec)      | N/A     | 0.01 | 0.003       | 0.003 | 0.949  | 2.059  | 0.298 | 1.081 |

| Problem 784     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 10      | 10    | 21          | 9     | 11     | 26     | 8     | 11    |
| normalized size | 1       | 1.    | 2.1         | 0.9   | 1.1    | 2.6    | 0.8   | 1.1   |
| time (sec)      | N/A     | 0.012 | 0.014       | 0.003 | 0.968  | 2.132  | 0.299 | 1.078 |

| Problem 785     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 6       | 6     | 6           | 7     | 8      | 16     | 5     | 8     |
| normalized size | 1       | 1.    | 1.          | 1.17  | 1.33   | 2.67   | 0.83  | 1.33  |
| time (sec)      | N/A     | 0.009 | 0.002       | 0.001 | 0.962  | 2.036  | 0.296 | 1.065 |

| Problem 786     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 14      | 14    | 14          | 15    | 19     | 46     | 15    | 19    |
| normalized size | 1       | 1.    | 1.          | 1.07  | 1.36   | 3.29   | 1.07  | 1.36  |
| time (sec)      | N/A     | 0.011 | 0.03        | 0.006 | 0.966  | 1.955  | 0.17  | 1.084 |

| Problem 787     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 20      | 20    | 20          | 17    | 22     | 45     | 15    | 22    |
| normalized size | 1       | 1.    | 1.          | 0.85  | 1.1    | 2.25   | 0.75  | 1.1   |
| time (sec)      | N/A     | 0.017 | 0.01        | 0.007 | 0.961  | 2.028  | 1.994 | 1.093 |

| Problem 788     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 23      | 23    | 16          | 18    | 20     | 62     | 20    | 20    |
| normalized size | 1       | 1.    | 0.7         | 0.78  | 0.87   | 2.7    | 0.87  | 0.87  |
| time (sec)      | N/A     | 0.009 | 0.013       | 0.004 | 0.96   | 2.172  | 0.471 | 1.082 |

| Problem 789     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 20      | 20    | 20          | 17    | 22     | 46     | 15    | 22   |
| normalized size | 1       | 1.    | 1.          | 0.85  | 1.1    | 2.3    | 0.75  | 1.1  |
| time (sec)      | N/A     | 0.017 | 0.002       | 0.003 | 0.961  | 2.008  | 0.546 | 1.09 |

| Problem 790     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 20      | 20    | 20          | 17    | 22     | 45     | 15    | 22    |
| normalized size | 1       | 1.    | 1.          | 0.85  | 1.1    | 2.25   | 0.75  | 1.1   |
| time (sec)      | N/A     | 0.017 | 0.008       | 0.005 | 0.975  | 1.961  | 0.55  | 1.095 |

| Problem 791     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | A     | A      | B      | A     | A    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 9       | 9    | 9           | 8     | 9      | 57     | 7     | 9    |
| normalized size | 1       | 1.   | 1.          | 0.89  | 1.     | 6.33   | 0.78  | 1.   |
| time (sec)      | N/A     | 0.01 | 1.371       | 0.013 | 0.964  | 2.031  | 0.516 | 1.1  |

| Problem 792     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 11      | 11    | 11          | 10    | 12     | 41     | 10    | 12    |
| normalized size | 1       | 1.    | 1.          | 0.91  | 1.09   | 3.73   | 0.91  | 1.09  |
| time (sec)      | N/A     | 0.032 | 0.028       | 0.01  | 0.948  | 2.054  | 0.194 | 1.074 |

| Problem 793     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | A      | B      | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 10      | 10    | 10          | 65    | 11     | 126    | 36    | 82    |
| normalized size | 1       | 1.    | 1.          | 6.5   | 1.1    | 12.6   | 3.6   | 8.2   |
| time (sec)      | N/A     | 0.038 | 0.018       | 0.036 | 0.954  | 2.036  | 0.613 | 1.081 |

| Problem 794     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 9       | 9     | 9           | 12    | 18     | 30     | 8     | 11    |
| normalized size | 1       | 1.    | 1.          | 1.33  | 2.     | 3.33   | 0.89  | 1.22  |
| time (sec)      | N/A     | 0.029 | 0.004       | 0.017 | 0.968  | 1.905  | 3.764 | 1.092 |

| Problem 795     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | A      | B      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 5       | 5     | 5           | 20    | 9      | 31     | 7     | 9     |
| normalized size | 1       | 1.    | 1.          | 4.    | 1.8    | 6.2    | 1.4   | 1.8   |
| time (sec)      | N/A     | 0.016 | 0.011       | 0.008 | 0.957  | 2.181  | 0.077 | 1.093 |

| Problem 796     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | F    | A           | C     | B      | A      | F(-1) | B     |
| verified        | N/A     | N/A  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 13      | 0    | 13          | 30    | 119    | 43     | 0     | 1072  |
| normalized size | 1       | 0.   | 1.          | 2.31  | 9.15   | 3.31   | 0.    | 82.46 |
| time (sec)      | N/A     | 0.64 | 0.276       | 0.13  | 2.641  | 2.015  | 0.    | 1.162 |

| Problem 797     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | B      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 9       | 9     | 9           | 10    | 140    | 61     | 0     | 70    |
| normalized size | 1       | 1.    | 1.          | 1.11  | 15.56  | 6.78   | 0.    | 7.78  |
| time (sec)      | N/A     | 0.016 | 0.017       | 0.006 | 0.97   | 2.052  | 0.    | 1.108 |

| Problem 798     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | B     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 20      | 20    | 20          | 15    | 19     | 105    | 37    | 19    |
| normalized size | 1       | 1.    | 1.          | 0.75  | 0.95   | 5.25   | 1.85  | 0.95  |
| time (sec)      | N/A     | 0.017 | 0.012       | 0.031 | 0.956  | 2.086  | 0.534 | 1.096 |

| Problem 799     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 19      | 19    | 19          | 15    | 20     | 42     | 22    | 20    |
| normalized size | 1       | 1.    | 1.          | 0.79  | 1.05   | 2.21   | 1.16  | 1.05  |
| time (sec)      | N/A     | 0.015 | 0.012       | 0.005 | 0.96   | 2.052  | 0.556 | 1.079 |

| Problem 800     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 14      | 14    | 14          | 13    | 22     | 39     | 10    | 24    |
| normalized size | 1       | 1.    | 1.          | 0.93  | 1.57   | 2.79   | 0.71  | 1.71  |
| time (sec)      | N/A     | 0.015 | 0.006       | 0.011 | 0.953  | 2.071  | 0.081 | 1.097 |

| Problem 801     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 22      | 22    | 20          | 29    | 27     | 116    | 20    | 49    |
| normalized size | 1       | 1.    | 0.91        | 1.32  | 1.23   | 5.27   | 0.91  | 2.23  |
| time (sec)      | N/A     | 0.033 | 0.025       | 0.015 | 0.961  | 2.171  | 0.096 | 1.079 |

| Problem 802     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | A      | B     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 5       | 5     | 36          | 6     | 7      | 23     | 12    | 7     |
| normalized size | 1       | 1.    | 7.2         | 1.2   | 1.4    | 4.6    | 2.4   | 1.4   |
| time (sec)      | N/A     | 0.015 | 0.007       | 0.019 | 0.955  | 1.997  | 2.393 | 1.093 |

| Problem 803     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | A      | B     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 7       | 7     | 20          | 6     | 7      | 32     | 12    | 9     |
| normalized size | 1       | 1.    | 2.86        | 0.86  | 1.     | 4.57   | 1.71  | 1.29  |
| time (sec)      | N/A     | 0.016 | 0.006       | 0.013 | 0.95   | 1.994  | 1.985 | 1.072 |

| Problem 804     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | B     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 5       | 5     | 8           | 6     | 15     | 20     | 14    | 12    |
| normalized size | 1       | 1.    | 1.6         | 1.2   | 3.     | 4.     | 2.8   | 2.4   |
| time (sec)      | N/A     | 0.022 | 0.002       | 0.016 | 0.975  | 1.961  | 5.975 | 1.086 |

| Problem 805     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | B      | B      | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 15      | 15    | 61          | 20    | 93     | 149    | 32    | 39    |
| normalized size | 1       | 1.    | 4.07        | 1.33  | 6.2    | 9.93   | 2.13  | 2.6   |
| time (sec)      | N/A     | 0.045 | 0.009       | 0.077 | 1.477  | 2.178  | 1.867 | 1.137 |

| Problem 806     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 11      | 11    | 26          | 12    | 15     | 55     | 12    | 20    |
| normalized size | 1       | 1.    | 2.36        | 1.09  | 1.36   | 5.     | 1.09  | 1.82  |
| time (sec)      | N/A     | 0.046 | 0.094       | 0.027 | 0.951  | 2.221  | 0.216 | 1.089 |

| Problem 807     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 20      | 20    | 82          | 18    | 23     | 61     | 19    | 23    |
| normalized size | 1       | 1.    | 4.1         | 0.9   | 1.15   | 3.05   | 0.95  | 1.15  |
| time (sec)      | N/A     | 0.053 | 0.173       | 0.015 | 1.462  | 2.289  | 0.576 | 1.078 |

| Problem 808     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 11      | 11    | 11          | 12    | 15     | 47     | 10    | 16    |
| normalized size | 1       | 1.    | 1.          | 1.09  | 1.36   | 4.27   | 0.91  | 1.45  |
| time (sec)      | N/A     | 0.021 | 0.008       | 0.029 | 0.998  | 2.212  | 0.194 | 1.078 |

| Problem 809     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | A      | A      | B     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 26      | 26    | 26          | 1856  | 46     | 99     | 82    | 0    |
| normalized size | 1       | 1.    | 1.          | 71.38 | 1.77   | 3.81   | 3.15  | 0.   |
| time (sec)      | N/A     | 0.049 | 0.042       | 0.566 | 1.441  | 2.423  | 1.261 | 0.   |

| Problem 810     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | B      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 24      | 24    | 39          | 24    | 297    | 132    | 0     | 38    |
| normalized size | 1       | 1.    | 1.62        | 1.    | 12.38  | 5.5    | 0.    | 1.58  |
| time (sec)      | N/A     | 0.028 | 0.032       | 0.054 | 0.972  | 2.317  | 0.    | 1.074 |

| Problem 811     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 40      | 40    | 29          | 35    | 51     | 76     | 39    | 35    |
| normalized size | 1       | 1.    | 0.72        | 0.88  | 1.27   | 1.9    | 0.98  | 0.88  |
| time (sec)      | N/A     | 0.065 | 0.046       | 0.007 | 0.99   | 2.284  | 0.323 | 1.087 |

| Problem 812     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 27      | 27   | 22          | 22    | 26     | 68     | 26    | 26    |
| normalized size | 1       | 1.   | 0.81        | 0.81  | 0.96   | 2.52   | 0.96  | 0.96  |
| time (sec)      | N/A     | 0.01 | 0.03        | 0.007 | 0.947  | 2.228  | 0.466 | 1.072 |

| Problem 813     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 23      | 23   | 31          | 18    | 23     | 47     | 26    | 23    |
| normalized size | 1       | 1.   | 1.35        | 0.78  | 1.     | 2.04   | 1.13  | 1.    |
| time (sec)      | N/A     | 0.04 | 0.024       | 0.009 | 0.963  | 2.234  | 0.315 | 1.086 |

| Problem 814     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 30      | 30   | 46          | 41    | 32     | 109    | 27    | 32    |
| normalized size | 1       | 1.   | 1.53        | 1.37  | 1.07   | 3.63   | 0.9   | 1.07  |
| time (sec)      | N/A     | 0.03 | 0.018       | 0.007 | 0.963  | 2.339  | 0.068 | 1.101 |

| Problem 815     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 6       | 6     | 6           | 7     | 8      | 16     | 3     | 19    |
| normalized size | 1       | 1.    | 1.          | 1.17  | 1.33   | 2.67   | 0.5   | 3.17  |
| time (sec)      | N/A     | 0.011 | 0.002       | 0.031 | 0.953  | 2.312  | 1.801 | 1.112 |

| Problem 816     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | A      | B      | A      | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 7       | 7     | 7           | 8     | 9      | 39     | 8      | 41    |
| normalized size | 1       | 1.    | 1.          | 1.14  | 1.29   | 5.57   | 1.14   | 5.86  |
| time (sec)      | N/A     | 0.038 | 0.004       | 0.031 | 0.96   | 2.367  | 23.318 | 1.097 |

| Problem 817     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 13      | 13    | 10          | 10    | 18     | 34     | 14    | 18    |
| normalized size | 1       | 1.    | 0.77        | 0.77  | 1.38   | 2.62   | 1.08  | 1.38  |
| time (sec)      | N/A     | 0.014 | 0.004       | 0.007 | 0.958  | 2.204  | 0.07  | 1.085 |

| Problem 818     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 11      | 11    | 11          | 10    | 15     | 68     | 12    | 15    |
| normalized size | 1       | 1.    | 1.          | 0.91  | 1.36   | 6.18   | 1.09  | 1.36  |
| time (sec)      | N/A     | 0.008 | 0.006       | 0.005 | 0.967  | 2.286  | 0.066 | 1.091 |

| Problem 819     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 10      | 10    | 10          | 17    | 14     | 66     | 10    | 15    |
| normalized size | 1       | 1.    | 1.          | 1.7   | 1.4    | 6.6    | 1.    | 1.5   |
| time (sec)      | N/A     | 0.008 | 0.01        | 0.005 | 0.978  | 2.466  | 0.066 | 1.094 |

| Problem 820     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 10      | 10    | 10          | 9     | 11     | 23     | 8     | 11    |
| normalized size | 1       | 1.    | 1.          | 0.9   | 1.1    | 2.3    | 0.8   | 1.1   |
| time (sec)      | N/A     | 0.008 | 0.009       | 0.003 | 0.953  | 2.148  | 0.166 | 1.073 |

| Problem 821     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | B     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 18      | 18    | 18          | 13    | 16     | 42     | 32    | 16    |
| normalized size | 1       | 1.    | 1.          | 0.72  | 0.89   | 2.33   | 1.78  | 0.89  |
| time (sec)      | N/A     | 0.041 | 0.034       | 0.015 | 0.955  | 2.436  | 0.857 | 1.077 |



| Problem 822     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | B     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 10      | 10    | 10          | 9     | 11     | 22     | 31    | 11    |
| normalized size | 1       | 1.    | 1.          | 0.9   | 1.1    | 2.2    | 3.1   | 1.1   |
| time (sec)      | N/A     | 0.012 | 0.005       | 0.003 | 0.95   | 2.191  | 1.743 | 1.067 |

| Problem 823     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | B     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 16      | 16    | 25          | 11    | 14     | 66     | 39    | 14    |
| normalized size | 1       | 1.    | 1.56        | 0.69  | 0.88   | 4.12   | 2.44  | 0.88  |
| time (sec)      | N/A     | 0.016 | 0.021       | 0.006 | 0.948  | 2.326  | 0.573 | 1.105 |

| Problem 824     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 7       | 7     | 7           | 8     | 9      | 35     | 8     | 12    |
| normalized size | 1       | 1.    | 1.          | 1.14  | 1.29   | 5.     | 1.14  | 1.71  |
| time (sec)      | N/A     | 0.007 | 0.006       | 0.003 | 0.962  | 2.279  | 0.127 | 1.067 |

| Problem 825     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 13      | 13    | 13          | 17    | 22     | 76     | 15    | 55    |
| normalized size | 1       | 1.    | 1.          | 1.31  | 1.69   | 5.85   | 1.15  | 4.23  |
| time (sec)      | N/A     | 0.012 | 0.018       | 0.002 | 0.962  | 2.329  | 0.979 | 1.104 |

| Problem 826     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | B      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 5       | 5     | 21          | 11    | 14     | 81     | 10    | 14    |
| normalized size | 1       | 1.    | 4.2         | 2.2   | 2.8    | 16.2   | 2.    | 2.8   |
| time (sec)      | N/A     | 0.009 | 0.015       | 0.003 | 0.962  | 2.296  | 1.351 | 1.144 |

| Problem 827     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 7       | 9     | 7           | 8     | 20     | 34     | 8     | 26    |
| normalized size | 1       | 1.29  | 1.          | 1.14  | 2.86   | 4.86   | 1.14  | 3.71  |
| time (sec)      | N/A     | 0.045 | 0.007       | 0.04  | 0.966  | 2.279  | 6.479 | 1.082 |

| Problem 828     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | B     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 4       | 4     | 4           | 5     | 5      | 12     | 20    | 5     |
| normalized size | 1       | 1.    | 1.          | 1.25  | 1.25   | 3.     | 5.    | 1.25  |
| time (sec)      | N/A     | 0.017 | 0.001       | 0.05  | 0.953  | 2.223  | 0.83  | 1.057 |

| Problem 829     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | B      | A      | F     | B     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 13      | 13   | 21          | 14    | 100    | 69     | 0     | 109   |
| normalized size | 1       | 1.   | 1.62        | 1.08  | 7.69   | 5.31   | 0.    | 8.38  |
| time (sec)      | N/A     | 0.02 | 0.007       | 0.006 | 1.47   | 2.505  | 0.    | 1.104 |

| Problem 830     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 16      | 16    | 18          | 28    | 27     | 65     | 20    | 27    |
| normalized size | 1       | 1.    | 1.12        | 1.75  | 1.69   | 4.06   | 1.25  | 1.69  |
| time (sec)      | N/A     | 0.029 | 0.025       | 0.01  | 1.452  | 2.393  | 0.062 | 1.078 |

| Problem 831     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 32      | 32    | 26          | 34    | 47     | 86     | 36    | 42   |
| normalized size | 1       | 1.    | 0.81        | 1.06  | 1.47   | 2.69   | 1.12  | 1.31 |
| time (sec)      | N/A     | 0.034 | 0.022       | 0.01  | 1.444  | 2.47   | 0.066 | 1.11 |

| Problem 832     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 18      | 18    | 16          | 19    | 14     | 53     | 12    | 14    |
| normalized size | 1       | 1.    | 0.89        | 1.06  | 0.78   | 2.94   | 0.67  | 0.78  |
| time (sec)      | N/A     | 0.028 | 0.008       | 0.005 | 0.959  | 2.235  | 0.067 | 1.075 |

| Problem 833     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 34      | 34   | 32          | 29    | 24     | 78     | 32    | 30    |
| normalized size | 1       | 1.   | 0.94        | 0.85  | 0.71   | 2.29   | 0.94  | 0.88  |
| time (sec)      | N/A     | 0.05 | 0.01        | 0.005 | 0.96   | 2.398  | 0.061 | 1.082 |

| Problem 834     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | B     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 13      | 13    | 33          | 29    | 18     | 66     | 12    | 18    |
| normalized size | 1       | 1.    | 2.54        | 2.23  | 1.38   | 5.08   | 0.92  | 1.38  |
| time (sec)      | N/A     | 0.024 | 0.009       | 0.005 | 0.98   | 2.291  | 0.062 | 1.079 |

| Problem 835     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 46      | 46    | 24          | 36    | 22     | 100    | 31    | 22    |
| normalized size | 1       | 1.    | 0.52        | 0.78  | 0.48   | 2.17   | 0.67  | 0.48  |
| time (sec)      | N/A     | 0.056 | 0.007       | 0.007 | 0.96   | 2.296  | 0.069 | 1.078 |

| Problem 836     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | B      | B      | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 9       | 9     | 9           | 21    | 27     | 68     | 20    | 26    |
| normalized size | 1       | 1.    | 1.          | 2.33  | 3.     | 7.56   | 2.22  | 2.89  |
| time (sec)      | N/A     | 0.028 | 0.005       | 0.02  | 0.969  | 2.128  | 0.36  | 1.093 |

| Problem 837     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 14      | 14    | 17          | 13    | 18     | 42     | 12    | 18   |
| normalized size | 1       | 1.    | 1.21        | 0.93  | 1.29   | 3.     | 0.86  | 1.29 |
| time (sec)      | N/A     | 0.017 | 0.005       | 0.005 | 0.95   | 1.992  | 0.061 | 1.08 |

| Problem 838     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 1       | 1    | 1           | 2     | 1      | 4      | 0     | 1     |
| normalized size | 1       | 1.   | 1.          | 2.    | 1.     | 4.     | 0.    | 1.    |
| time (sec)      | N/A     | 0.01 | 0.          | 0.003 | 0.963  | 1.826  | 0.06  | 1.068 |

| Problem 839     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 6       | 6     | 8           | 7     | 8      | 22     | 7     | 8     |
| normalized size | 1       | 1.    | 1.33        | 1.17  | 1.33   | 3.67   | 1.17  | 1.33  |
| time (sec)      | N/A     | 0.011 | 0.002       | 0.001 | 0.952  | 2.091  | 0.059 | 1.054 |

| Problem 840     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 9       | 9     | 9           | 10    | 12     | 23     | 7     | 12    |
| normalized size | 1       | 1.    | 1.          | 1.11  | 1.33   | 2.56   | 0.78  | 1.33  |
| time (sec)      | N/A     | 0.009 | 0.006       | 0.006 | 0.96   | 1.945  | 0.29  | 1.069 |

| Problem 841     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | B     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 8       | 8     | 8           | 7     | 47     | 19     | 22    | 8     |
| normalized size | 1       | 1.    | 1.          | 0.88  | 5.88   | 2.38   | 2.75  | 1.    |
| time (sec)      | N/A     | 0.017 | 0.005       | 0.004 | 0.949  | 1.925  | 0.125 | 1.071 |

| Problem 842     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | C     | B      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 6       | 6     | 6           | 20    | 69     | 16     | 5     | 35    |
| normalized size | 1       | 1.    | 1.          | 3.33  | 11.5   | 2.67   | 0.83  | 5.83  |
| time (sec)      | N/A     | 0.178 | 0.024       | 0.035 | 1.664  | 1.962  | 0.553 | 1.098 |

| Problem 843     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 8       | 8     | 8           | 7     | 11     | 23     | 8     | 11    |
| normalized size | 1       | 1.    | 1.          | 0.88  | 1.38   | 2.88   | 1.    | 1.38  |
| time (sec)      | N/A     | 0.197 | 0.018       | 0.016 | 0.953  | 2.092  | 0.328 | 1.062 |

| Problem 844     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 8       | 8     | 12          | 9     | 11     | 23     | 8     | 11    |
| normalized size | 1       | 1.    | 1.5         | 1.12  | 1.38   | 2.88   | 1.    | 1.38  |
| time (sec)      | N/A     | 0.011 | 0.012       | 0.007 | 0.958  | 1.898  | 0.305 | 1.067 |

| Problem 845     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 8       | 8     | 8           | 7     | 11     | 22     | 7     | 11    |
| normalized size | 1       | 1.    | 1.          | 0.88  | 1.38   | 2.75   | 0.88  | 1.38  |
| time (sec)      | N/A     | 0.184 | 0.018       | 0.01  | 0.963  | 2.002  | 0.347 | 1.068 |

| Problem 846     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | F(-2)  | B      | B     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 55      | 70   | 55          | 69    | 0      | 767    | 136   | 104   |
| normalized size | 1       | 1.27 | 1.          | 1.25  | 0.     | 13.95  | 2.47  | 1.89  |
| time (sec)      | N/A     | 0.17 | 0.081       | 0.072 | 0.     | 2.476  | 9.908 | 1.093 |

| Problem 847     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | B      | A      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 55      | 70    | 54          | 69    | 0      | 767    | 136    | 104   |
| normalized size | 1       | 1.27  | 0.98        | 1.25  | 0.     | 13.95  | 2.47   | 1.89  |
| time (sec)      | N/A     | 0.133 | 0.062       | 0.061 | 0.     | 2.41   | 10.025 | 1.086 |

| Problem 848     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | A      | B      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 52      | 52    | 48          | 80    | 0      | 535    | 432    | 93    |
| normalized size | 1       | 1.    | 0.92        | 1.54  | 0.     | 10.29  | 8.31   | 1.79  |
| time (sec)      | N/A     | 0.125 | 0.09        | 0.045 | 0.     | 2.308  | 63.917 | 1.089 |

| Problem 849     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | A      | B      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 52      | 52    | 50          | 80    | 0      | 525    | 432    | 96    |
| normalized size | 1       | 1.    | 0.96        | 1.54  | 0.     | 10.1   | 8.31   | 1.85  |
| time (sec)      | N/A     | 0.094 | 0.056       | 0.03  | 0.     | 2.226  | 63.931 | 1.087 |

| Problem 850     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | A      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 30      | 30    | 31          | 30    | 0      | 221    | 0     | 82    |
| normalized size | 1       | 1.    | 1.03        | 1.    | 0.     | 7.37   | 0.    | 2.73  |
| time (sec)      | N/A     | 0.035 | 0.039       | 0.043 | 0.     | 2.323  | 0.    | 1.233 |

| Problem 851     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 31      | 31    | 49          | 31    | 0      | 208    | 0     | 42    |
| normalized size | 1       | 1.    | 1.58        | 1.    | 0.     | 6.71   | 0.    | 1.35  |
| time (sec)      | N/A     | 0.032 | 0.062       | 0.043 | 0.     | 2.051  | 0.    | 1.134 |

| Problem 852     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 8       | 8     | 8           | 7     | 8      | 22     | 7     | 8     |
| normalized size | 1       | 1.    | 1.          | 0.88  | 1.     | 2.75   | 0.88  | 1.    |
| time (sec)      | N/A     | 0.013 | 0.003       | 0.007 | 0.956  | 1.985  | 0.309 | 1.074 |

| Problem 853     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | B      | A      | F(-1) | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 19      | 19   | 18          | 25    | 55     | 68     | 0     | 19    |
| normalized size | 1       | 1.   | 0.95        | 1.32  | 2.89   | 3.58   | 0.    | 1.    |
| time (sec)      | N/A     | 0.03 | 0.014       | 1.99  | 1.489  | 1.997  | 0.    | 1.092 |

| Problem 854     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | A      | A      | B      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 29      | 29    | 16          | 24    | 16     | 85     | 476    | 16    |
| normalized size | 1       | 1.    | 0.55        | 0.83  | 0.55   | 2.93   | 16.41  | 0.55  |
| time (sec)      | N/A     | 0.056 | 0.016       | 0.009 | 0.962  | 2.134  | 66.341 | 1.073 |

| Problem 855     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 29      | 37    | 29          | 34    | 139    | 93     | 32    | 46    |
| normalized size | 1       | 1.28  | 1.          | 1.17  | 4.79   | 3.21   | 1.1   | 1.59  |
| time (sec)      | N/A     | 0.133 | 0.103       | 0.058 | 1.477  | 2.171  | 0.405 | 1.096 |

| Problem 856     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 29      | 37    | 29          | 34    | 139    | 93     | 32    | 46    |
| normalized size | 1       | 1.28  | 1.          | 1.17  | 4.79   | 3.21   | 1.1   | 1.59  |
| time (sec)      | N/A     | 0.091 | 0.08        | 0.061 | 1.466  | 2.169  | 0.424 | 1.122 |

| Problem 857     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 44      | 44    | 38          | 31    | 41     | 171    | 0     | 46    |
| normalized size | 1       | 1.    | 0.86        | 0.7   | 0.93   | 3.89   | 0.    | 1.05  |
| time (sec)      | N/A     | 0.056 | 0.077       | 0.071 | 0.962  | 1.96   | 0.    | 1.066 |

| Problem 858     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | B     | A           | A     | B      | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 19      | 88    | 19          | 16    | 196    | 54     | 0     | 0    |
| normalized size | 1       | 4.63  | 1.          | 0.84  | 10.32  | 2.84   | 0.    | 0.   |
| time (sec)      | N/A     | 2.243 | 0.067       | 0.26  | 1.632  | 2.193  | 0.    | 0.   |

| Problem 859     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | F     | A           | C     | B      | B      | F     | F    |
| verified        | N/A     | N/A   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 44      | 0     | 68          | 917   | 699    | 363    | 0     | 0    |
| normalized size | 1       | 0.    | 1.55        | 20.84 | 15.89  | 8.25   | 0.    | 0.   |
| time (sec)      | N/A     | 2.569 | 0.392       | 0.435 | 2.445  | 2.158  | 0.    | 0.   |

| Problem 860     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|-------|
| grade           | A       | B     | A           | C      | B      | A      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 19      | 72    | 17          | 12372  | 444    | 5      | 0     | 57    |
| normalized size | 1       | 3.79  | 0.89        | 651.16 | 23.37  | 0.26   | 0.    | 3.    |
| time (sec)      | N/A     | 1.707 | 0.013       | 0.287  | 1.662  | 1.964  | 0.    | 1.116 |

| Problem 861     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | F      | A      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 13      | 13    | 37          | 10    | 0      | 72     | 0     | 74    |
| normalized size | 1       | 1.    | 2.85        | 0.77  | 0.     | 5.54   | 0.    | 5.69  |
| time (sec)      | N/A     | 0.146 | 0.045       | 0.058 | 0.     | 2.035  | 0.    | 1.292 |

| Problem 862     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 14      | 14    | 14          | 11    | 14     | 74     | 29    | 92    |
| normalized size | 1       | 1.    | 1.          | 0.79  | 1.     | 5.29   | 2.07  | 6.57  |
| time (sec)      | N/A     | 0.044 | 0.054       | 0.018 | 0.955  | 2.042  | 0.911 | 1.097 |

| Problem 863     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 25      | 25    | 30          | 34    | 28     | 111    | 0     | 173   |
| normalized size | 1       | 1.    | 1.2         | 1.36  | 1.12   | 4.44   | 0.    | 6.92  |
| time (sec)      | N/A     | 0.085 | 0.19        | 0.067 | 0.957  | 2.039  | 0.    | 1.092 |

| Problem 864     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | A      | B      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 25      | 25    | 18          | 38    | 28     | 135    | 0     | 173   |
| normalized size | 1       | 1.    | 0.72        | 1.52  | 1.12   | 5.4    | 0.    | 6.92  |
| time (sec)      | N/A     | 0.081 | 0.039       | 0.084 | 0.966  | 2.075  | 0.    | 1.096 |

| Problem 865     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-1)  | F(-2)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 20      | 20    | 17          | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.85        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.151 | 0.447       | 0.188 | 0.     | 0.     | 0.    | 0.   |

| Problem 866     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 76      | 84    | 40          | 54    | 184    | 112    | 0     | 131   |
| normalized size | 1       | 1.11  | 0.53        | 0.71  | 2.42   | 1.47   | 0.    | 1.72  |
| time (sec)      | N/A     | 0.162 | 0.089       | 0.194 | 1.479  | 2.11   | 0.    | 1.098 |

| Problem 867     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 81      | 81    | 55          | 65    | 116    | 150    | 0     | 138  |
| normalized size | 1       | 1.    | 0.68        | 0.8   | 1.43   | 1.85   | 0.    | 1.7  |
| time (sec)      | N/A     | 0.159 | 0.064       | 0.157 | 0.986  | 2.189  | 0.    | 1.09 |

| Problem 868     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | B      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 76      | 76    | 69          | 98    | 107    | 439    | 0     | 0    |
| normalized size | 1       | 1.    | 0.91        | 1.29  | 1.41   | 5.78   | 0.    | 0.   |
| time (sec)      | N/A     | 0.535 | 0.061       | 0.078 | 1.528  | 2.454  | 0.    | 0.   |

| Problem 869     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | C      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 128     | 128   | 99          | 132   | 144    | 788    | 0     | 0    |
| normalized size | 1       | 1.    | 0.77        | 1.03  | 1.12   | 6.16   | 0.    | 0.   |
| time (sec)      | N/A     | 0.592 | 0.069       | 0.066 | 1.521  | 2.414  | 0.    | 0.   |

| Problem 870     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | A     | A      | C      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 186     | 186  | 147         | 172   | 177    | 1137   | 0     | 0    |
| normalized size | 1       | 1.   | 0.79        | 0.92  | 0.95   | 6.11   | 0.    | 0.   |
| time (sec)      | N/A     | 0.57 | 0.099       | 0.068 | 1.561  | 2.703  | 0.    | 0.   |

| Problem 871     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | A      | B      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 81      | 81    | 50          | 147   | 112    | 459    | 0     | 0    |
| normalized size | 1       | 1.    | 0.62        | 1.81  | 1.38   | 5.67   | 0.    | 0.   |
| time (sec)      | N/A     | 0.487 | 0.038       | 0.077 | 1.514  | 3.075  | 0.    | 0.   |

| Problem 872     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | A      | C      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 109     | 109   | 75          | 183   | 153    | 821    | 0     | 0    |
| normalized size | 1       | 1.    | 0.69        | 1.68  | 1.4    | 7.53   | 0.    | 0.   |
| time (sec)      | N/A     | 0.574 | 0.06        | 0.067 | 1.537  | 2.688  | 0.    | 0.   |

| Problem 873     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | A     | A      | C      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 143     | 143  | 87          | 221   | 185    | 1180   | 0     | 0    |
| normalized size | 1       | 1.   | 0.61        | 1.55  | 1.29   | 8.25   | 0.    | 0.   |
| time (sec)      | N/A     | 0.61 | 0.069       | 0.069 | 1.553  | 2.696  | 0.    | 0.   |

| Problem 874     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 105     | 105   | 108         | 86    | 405    | 500    | 0     | 0    |
| normalized size | 1       | 1.    | 1.03        | 0.82  | 3.86   | 4.76   | 0.    | 0.   |
| time (sec)      | N/A     | 0.343 | 0.079       | 0.107 | 1.571  | 2.412  | 0.    | 0.   |

| Problem 875     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F(-1)  | C      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 225     | 225   | 174         | 200   | 0      | 1210   | 0     | 0    |
| normalized size | 1       | 1.    | 0.77        | 0.89  | 0.     | 5.38   | 0.    | 0.   |
| time (sec)      | N/A     | 0.531 | 0.128       | 0.157 | 0.     | 2.676  | 0.    | 0.   |

| Problem 876     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | C      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 341     | 341   | 290         | 250   | 790    | 1906   | 0     | 0    |
| normalized size | 1       | 1.    | 0.85        | 0.73  | 2.32   | 5.59   | 0.    | 0.   |
| time (sec)      | N/A     | 0.629 | 0.432       | 0.226 | 1.653  | 3.038  | 0.    | 0.   |

| Problem 877     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | B      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 142     | 142   | 85          | 165   | 583    | 910    | 0     | 0    |
| normalized size | 1       | 1.    | 0.6         | 1.16  | 4.11   | 6.41   | 0.    | 0.   |
| time (sec)      | N/A     | 0.399 | 0.237       | 0.077 | 1.704  | 3.121  | 0.    | 0.   |



| Problem 878     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | B      | C      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 220     | 220   | 138         | 254   | 882    | 1823   | 0     | 0    |
| normalized size | 1       | 1.    | 0.63        | 1.15  | 4.01   | 8.29   | 0.    | 0.   |
| time (sec)      | N/A     | 0.537 | 0.643       | 0.098 | 1.786  | 3.26   | 0.    | 0.   |

| Problem 879     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | C      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 356     | 356   | 191         | 324   | 1175   | 2446   | 0     | 0    |
| normalized size | 1       | 1.    | 0.54        | 0.91  | 3.3    | 6.87   | 0.    | 0.   |
| time (sec)      | N/A     | 0.637 | 1.09        | 0.09  | 1.912  | 4.54   | 0.    | 0.   |

| Problem 880     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | A      | A      | B      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 25      | 25    | 25          | 20    | 26     | 54     | 116    | 18    |
| normalized size | 1       | 1.    | 1.          | 0.8   | 1.04   | 2.16   | 4.64   | 0.72  |
| time (sec)      | N/A     | 0.031 | 0.01        | 0.048 | 0.946  | 2.332  | 14.387 | 1.065 |

| Problem 881     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | A      | A      | B      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 30      | 30    | 30          | 23    | 30     | 81     | 114    | 30    |
| normalized size | 1       | 1.    | 1.          | 0.77  | 1.     | 2.7    | 3.8    | 1.    |
| time (sec)      | N/A     | 0.033 | 0.01        | 0.041 | 0.967  | 2.348  | 14.559 | 1.093 |

| Problem 882     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | A      | A      | B      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 30      | 30    | 30          | 23    | 30     | 82     | 116    | 30    |
| normalized size | 1       | 1.    | 1.          | 0.77  | 1.     | 2.73   | 3.87   | 1.    |
| time (sec)      | N/A     | 0.033 | 0.008       | 0.036 | 0.94   | 2.423  | 14.256 | 1.071 |

| Problem 883     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | A      | A      | B      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 25      | 25    | 25          | 20    | 26     | 61     | 114    | 26    |
| normalized size | 1       | 1.    | 1.          | 0.8   | 1.04   | 2.44   | 4.56   | 1.04  |
| time (sec)      | N/A     | 0.031 | 0.009       | 0.035 | 0.948  | 2.386  | 14.315 | 1.065 |

| Problem 884     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 8       | 8     | 8           | 7     | 8      | 20     | 7     | 8     |
| normalized size | 1       | 1.    | 1.          | 0.88  | 1.     | 2.5    | 0.88  | 1.    |
| time (sec)      | N/A     | 0.006 | 0.006       | 0.002 | 0.946  | 2.355  | 0.159 | 1.079 |

| Problem 885     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | B     | A      | B      | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 11      | 11    | 25          | 97    | 12     | 101    | 54    | 26    |
| normalized size | 1       | 1.    | 2.27        | 8.82  | 1.09   | 9.18   | 4.91  | 2.36  |
| time (sec)      | N/A     | 0.021 | 0.078       | 0.032 | 0.944  | 2.4    | 2.087 | 1.071 |

| Problem 886     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 11      | 11    | 18          | 12    | 180    | 42     | 0     | 70    |
| normalized size | 1       | 1.    | 1.64        | 1.09  | 16.36  | 3.82   | 0.    | 6.36  |
| time (sec)      | N/A     | 0.019 | 0.011       | 0.01  | 0.954  | 2.28   | 0.    | 1.086 |

| Problem 887     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 12      | 12    | 12          | 9     | 24     | 43     | 7     | 11    |
| normalized size | 1       | 1.    | 1.          | 0.75  | 2.     | 3.58   | 0.58  | 0.92  |
| time (sec)      | N/A     | 0.047 | 0.016       | 0.047 | 0.946  | 2.309  | 1.683 | 1.067 |

| Problem 888     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | B      | B      | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 12      | 17    | 17          | 27    | 35     | 108    | 29    | 42    |
| normalized size | 1       | 1.42  | 1.42        | 2.25  | 2.92   | 9.     | 2.42  | 3.5   |
| time (sec)      | N/A     | 0.039 | 0.015       | 0.024 | 0.95   | 2.311  | 1.642 | 1.069 |

| Problem 889     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A    | A           | A     | A      | A      | A      | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 19      | 19   | 19          | 18    | 27     | 66     | 19     | 27    |
| normalized size | 1       | 1.   | 1.          | 0.95  | 1.42   | 3.47   | 1.     | 1.42  |
| time (sec)      | N/A     | 0.04 | 0.013       | 0.017 | 0.958  | 2.528  | 33.438 | 1.073 |

| Problem 890     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 44      | 44    | 52          | 50    | 66     | 182    | 51    | 657   |
| normalized size | 1       | 1.    | 1.18        | 1.14  | 1.5    | 4.14   | 1.16  | 14.93 |
| time (sec)      | N/A     | 0.038 | 0.045       | 0.025 | 0.943  | 2.512  | 0.116 | 3.069 |

| Problem 891     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 37      | 37    | 35          | 60    | 45     | 86     | 34    | 45    |
| normalized size | 1       | 1.    | 0.95        | 1.62  | 1.22   | 2.32   | 0.92  | 1.22  |
| time (sec)      | N/A     | 0.033 | 0.031       | 0.029 | 0.957  | 2.405  | 0.098 | 1.274 |

| Problem 892     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 54      | 54    | 68          | 58    | 77     | 211    | 61    | 890   |
| normalized size | 1       | 1.    | 1.26        | 1.07  | 1.43   | 3.91   | 1.13  | 16.48 |
| time (sec)      | N/A     | 0.041 | 0.092       | 0.038 | 0.942  | 2.552  | 0.121 | 2.933 |

| Problem 893     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 37      | 37    | 37          | 32    | 42     | 90     | 0     | 45   |
| normalized size | 1       | 1.    | 1.          | 0.86  | 1.14   | 2.43   | 0.    | 1.22 |
| time (sec)      | N/A     | 0.039 | 0.029       | 0.031 | 0.947  | 2.353  | 0.    | 1.07 |

| Problem 894     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 34      | 34    | 42          | 46    | 62     | 158    | 49    | 57    |
| normalized size | 1       | 1.    | 1.24        | 1.35  | 1.82   | 4.65   | 1.44  | 1.68  |
| time (sec)      | N/A     | 0.025 | 0.01        | 0.013 | 0.945  | 2.599  | 0.149 | 1.069 |

| Problem 895     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 43      | 43    | 43          | 68    | 55     | 140    | 42    | 55    |
| normalized size | 1       | 1.    | 1.          | 1.58  | 1.28   | 3.26   | 0.98  | 1.28  |
| time (sec)      | N/A     | 0.036 | 0.026       | 0.054 | 0.94   | 2.411  | 0.099 | 1.084 |

| Problem 896     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 87      | 87   | 87          | 72    | 99     | 275    | 0     | 99    |
| normalized size | 1       | 1.   | 1.          | 0.83  | 1.14   | 3.16   | 0.    | 1.14  |
| time (sec)      | N/A     | 0.13 | 0.06        | 0.056 | 0.943  | 2.708  | 0.    | 1.181 |

| Problem 897     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 42      | 42    | 42          | 37    | 59     | 220    | 0     | 70    |
| normalized size | 1       | 1.    | 1.          | 0.88  | 1.4    | 5.24   | 0.    | 1.67  |
| time (sec)      | N/A     | 0.118 | 0.034       | 0.05  | 0.939  | 2.52   | 0.    | 1.093 |

| Problem 898     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 63      | 63    | 63          | 56    | 77     | 238    | 0     | 77    |
| normalized size | 1       | 1.    | 1.          | 0.89  | 1.22   | 3.78   | 0.    | 1.22  |
| time (sec)      | N/A     | 0.124 | 0.031       | 0.051 | 0.955  | 2.429  | 0.    | 1.098 |

| Problem 899     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 60      | 60    | 52          | 49    | 70     | 293    | 0     | 81    |
| normalized size | 1       | 1.    | 0.87        | 0.82  | 1.17   | 4.88   | 0.    | 1.35  |
| time (sec)      | N/A     | 0.126 | 0.124       | 0.056 | 0.945  | 2.286  | 0.    | 1.129 |

| Problem 900     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 47      | 47    | 59          | 38    | 55     | 115    | 0     | 0     |
| normalized size | 1       | 1.    | 1.26        | 0.81  | 1.17   | 2.45   | 0.    | 0.    |
| time (sec)      | N/A     | 0.102 | 0.05        | 0.044 | 0.95   | 2.068  | 0.    | 0.    |

| Problem 901     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 43      | 43    | 71          | 38    | 50     | 140    | 44    | 53    |
| normalized size | 1       | 1.    | 1.65        | 0.88  | 1.16   | 3.26   | 1.02  | 1.23  |
| time (sec)      | N/A     | 0.116 | 0.022       | 0.024 | 0.944  | 2.238  | 4.251 | 1.116 |

| Problem 902     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 42      | 42    | 42          | 69    | 59     | 220    | 41    | 300   |
| normalized size | 1       | 1.    | 1.          | 1.64  | 1.4    | 5.24   | 0.98  | 7.14  |
| time (sec)      | N/A     | 0.041 | 0.028       | 0.027 | 0.952  | 2.238  | 0.109 | 1.145 |

| Problem 903     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 74      | 74    | 63          | 55    | 123    | 274    | 0     | 97    |
| normalized size | 1       | 1.    | 0.85        | 0.74  | 1.66   | 3.7    | 0.    | 1.31  |
| time (sec)      | N/A     | 0.246 | 0.078       | 0.021 | 1.436  | 2.453  | 0.    | 1.225 |

| Problem 904     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac   |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|--------|
| grade           | A       | A     | B           | B     | B      | B      | F     | B      |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD    |
| size            | 14      | 14    | 47          | 32    | 238    | 122    | 0     | 1592   |
| normalized size | 1       | 1.    | 3.36        | 2.29  | 17.    | 8.71   | 0.    | 113.71 |
| time (sec)      | N/A     | 0.011 | 0.04        | 0.011 | 1.465  | 2.053  | 0.    | 1.447  |

| Problem 905     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | A     | B    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 14      | 14    | 14          | 13    | 16     | 31     | 12    | 136  |
| normalized size | 1       | 1.    | 1.          | 0.93  | 1.14   | 2.21   | 0.86  | 9.71 |
| time (sec)      | N/A     | 0.038 | 0.015       | 0.018 | 0.944  | 2.131  | 1.26  | 1.17 |

| Problem 906     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | B      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 11      | 11    | 11          | 10    | 0      | 72     | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 0.91  | 0.     | 6.55   | 0.    | 0.   |
| time (sec)      | N/A     | 0.054 | 0.016       | 0.033 | 0.     | 2.652  | 0.    | 0.   |

| Problem 907     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | C      | A      | A     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 34      | 34    | 32          | 35    | 26     | 72     | 32    | 0    |
| normalized size | 1       | 1.    | 0.94        | 1.03  | 0.76   | 2.12   | 0.94  | 0.   |
| time (sec)      | N/A     | 0.049 | 0.025       | 0.008 | 1.074  | 2.023  | 4.172 | 0.   |

| Problem 908     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 21      | 21   | 25          | 24    | 23     | 50     | 22    | 23    |
| normalized size | 1       | 1.   | 1.19        | 1.14  | 1.1    | 2.38   | 1.05  | 1.1   |
| time (sec)      | N/A     | 0.03 | 0.013       | 0.013 | 0.956  | 1.975  | 2.073 | 1.084 |

| Problem 909     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | B     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 99      | 99   | 55          | 97    | 69     | 177    | 189   | 78    |
| normalized size | 1       | 1.   | 0.56        | 0.98  | 0.7    | 1.79   | 1.91  | 0.79  |
| time (sec)      | N/A     | 0.06 | 0.23        | 0.019 | 0.984  | 2.157  | 1.317 | 1.076 |

| Problem 910     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | C           | A     | A      | A      | F     | B     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 37      | 37   | 40          | 51    | 80     | 180    | 0     | 95    |
| normalized size | 1       | 1.   | 1.08        | 1.38  | 2.16   | 4.86   | 0.    | 2.57  |
| time (sec)      | N/A     | 0.09 | 0.06        | 0.045 | 1.456  | 2.204  | 0.    | 1.166 |

| Problem 911     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 57      | 57    | 49          | 46    | 55     | 220    | 90    | 55   |
| normalized size | 1       | 1.    | 0.86        | 0.81  | 0.96   | 3.86   | 1.58  | 0.96 |
| time (sec)      | N/A     | 0.073 | 0.091       | 0.046 | 0.986  | 2.255  | 7.722 | 1.1  |

| Problem 912     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | B     | C           | C     | F      | B      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 57      | 243   | 68          | 137   | 0      | 275    | 0     | 0    |
| normalized size | 1       | 4.26  | 1.19        | 2.4   | 0.     | 4.82   | 0.    | 0.   |
| time (sec)      | N/A     | 0.211 | 0.057       | 0.157 | 0.     | 2.396  | 0.    | 0.   |

| Problem 913     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 5       | 5     | 5           | 8     | 9      | 61     | 7     | 14    |
| normalized size | 1       | 1.    | 1.          | 1.6   | 1.8    | 12.2   | 1.4   | 2.8   |
| time (sec)      | N/A     | 0.023 | 0.004       | 0.018 | 0.947  | 2.045  | 5.5   | 1.089 |

| Problem 914     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | F     | A           | C     | A      | A      | F(-1) | F(-1) |
| verified        | N/A     | N/A   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 11      | 0     | 11          | 30    | 15     | 30     | 0     | 0     |
| normalized size | 1       | 0.    | 1.          | 2.73  | 1.36   | 2.73   | 0.    | 0.    |
| time (sec)      | N/A     | 0.276 | 0.319       | 0.109 | 1.207  | 2.158  | 0.    | 0.    |

| Problem 915     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | F     | A           | A     | B      | A      | F     | B     |
| verified        | N/A     | N/A   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 27      | 0     | 24          | 22    | 100    | 85     | 0     | 126   |
| normalized size | 1       | 0.    | 0.89        | 0.81  | 3.7    | 3.15   | 0.    | 4.67  |
| time (sec)      | N/A     | 0.063 | 0.167       | 0.14  | 1.443  | 2.067  | 0.    | 1.144 |

| Problem 916     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 65      | 65    | 50          | 62    | 89     | 146    | 100   | 69   |
| normalized size | 1       | 1.    | 0.77        | 0.95  | 1.37   | 2.25   | 1.54  | 1.06 |
| time (sec)      | N/A     | 0.068 | 0.087       | 0.026 | 0.971  | 2.06   | 1.232 | 1.09 |

| Problem 917     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 8       | 8     | 8           | 11    | 14     | 39     | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 1.38  | 1.75   | 4.88   | 0.    | 0.   |
| time (sec)      | N/A     | 0.023 | 0.016       | 0.019 | 0.946  | 2.113  | 0.    | 0.   |

| Problem 918     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | F     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 32      | 32   | 32          | 0     | 169    | 101    | 0     | 0    |
| normalized size | 1       | 1.   | 1.          | 0.    | 5.28   | 3.16   | 0.    | 0.   |
| time (sec)      | N/A     | 0.04 | 0.081       | 0.139 | 1.485  | 2.306  | 0.    | 0.   |

| Problem 919     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | B      | A      | F     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 3       | 3    | 3           | 4     | 61     | 22     | 0     | 4     |
| normalized size | 1       | 1.   | 1.          | 1.33  | 20.33  | 7.33   | 0.    | 1.33  |
| time (sec)      | N/A     | 0.03 | 0.018       | 0.043 | 0.972  | 2.095  | 0.    | 1.097 |

| Problem 920     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 35      | 35    | 32          | 36    | 47     | 73     | 39    | 36    |
| normalized size | 1       | 1.    | 0.91        | 1.03  | 1.34   | 2.09   | 1.11  | 1.03  |
| time (sec)      | N/A     | 0.065 | 0.04        | 0.002 | 0.959  | 1.892  | 0.337 | 1.095 |

| Problem 921     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | C      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 8       | 8     | 8           | 7     | 23     | 31     | 5     | 8     |
| normalized size | 1       | 1.    | 1.          | 0.88  | 2.88   | 3.88   | 0.62  | 1.    |
| time (sec)      | N/A     | 0.007 | 0.002       | 0.005 | 1.085  | 1.988  | 0.572 | 1.103 |

| Problem 922     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 37      | 37    | 29          | 38    | 0      | 176    | 0     | 39    |
| normalized size | 1       | 1.    | 0.78        | 1.03  | 0.     | 4.76   | 0.    | 1.05  |
| time (sec)      | N/A     | 0.173 | 0.071       | 0.01  | 0.     | 2.142  | 0.    | 1.092 |

| Problem 923     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy   | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|---------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A       | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD     | TBD   |
| size            | 14      | 14    | 14          | 11    | 14     | 30     | 10      | 14    |
| normalized size | 1       | 1.    | 1.          | 0.79  | 1.     | 2.14   | 0.71    | 1.    |
| time (sec)      | N/A     | 0.013 | 0.007       | 0.004 | 0.953  | 2.154  | 120.493 | 1.093 |

| Problem 924     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | B      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 10      | 10    | 10          | 15    | 11     | 58     | 7     | 11    |
| normalized size | 1       | 1.    | 1.          | 1.5   | 1.1    | 5.8    | 0.7   | 1.1   |
| time (sec)      | N/A     | 0.037 | 0.003       | 0.022 | 0.935  | 2.059  | 1.731 | 1.063 |

| Problem 925     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 17      | 17    | 17          | 16    | 20     | 35     | 27     | 20    |
| normalized size | 1       | 1.    | 1.          | 0.94  | 1.18   | 2.06   | 1.59   | 1.18  |
| time (sec)      | N/A     | 0.024 | 0.021       | 0.006 | 0.96   | 2.221  | 30.813 | 1.173 |

| Problem 926     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy   | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|---------|------|
| grade           | A       | A     | A           | B     | A      | A      | A       | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD     | TBD  |
| size            | 129     | 129   | 120         | 436   | 170    | 213    | 241     | 170  |
| normalized size | 1       | 1.    | 0.93        | 3.38  | 1.32   | 1.65   | 1.87    | 1.32 |
| time (sec)      | N/A     | 0.144 | 0.547       | 0.248 | 1.021  | 2.188  | 115.585 | 1.19 |

| Problem 927     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | C     | B      | A      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 110     | 110   | 352         | 160   | 5171   | 294    | 0     | 1964  |
| normalized size | 1       | 1.    | 3.2         | 1.45  | 47.01  | 2.67   | 0.    | 17.85 |
| time (sec)      | N/A     | 0.112 | 0.883       | 0.148 | 2.322  | 2.314  | 0.    | 2.433 |

| Problem 928     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | B      | A      | F     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 6       | 6    | 6           | 7     | 49     | 27     | 0     | 8     |
| normalized size | 1       | 1.   | 1.          | 1.17  | 8.17   | 4.5    | 0.    | 1.33  |
| time (sec)      | N/A     | 0.02 | 0.018       | 0.007 | 0.962  | 2.112  | 0.    | 1.071 |

| Problem 929     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 4       | 4    | 4           | 5     | 5      | 14     | 3     | 5     |
| normalized size | 1       | 1.   | 1.          | 1.25  | 1.25   | 3.5    | 0.75  | 1.25  |
| time (sec)      | N/A     | 0.01 | 0.002       | 0.002 | 0.941  | 2.017  | 0.293 | 1.073 |

| Problem 930     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 27      | 27    | 30          | 24    | 132    | 104    | 0     | 1273  |
| normalized size | 1       | 1.    | 1.11        | 0.89  | 4.89   | 3.85   | 0.    | 47.15 |
| time (sec)      | N/A     | 0.023 | 0.015       | 0.008 | 1.45   | 2.024  | 0.    | 1.356 |

| Problem 931     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | F     | A           | A     | F      | F(-2)  | F     | F    |
| verified        | N/A     | N/A   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 26      | 0     | 26          | 28    | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 1.          | 1.08  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.811 | 0.431       | 0.324 | 0.     | 0.     | 0.    | 0.   |

| Problem 932     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | F(-2)  | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 28      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.111 | 7.654       | 0.38  | 0.     | 0.     | 0.    | 0.   |

| Problem 933     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | F     | A           | B     | B      | A      | A     | B     |
| verified        | N/A     | N/A   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 9       | 0     | 9           | 57    | 111    | 35     | 10    | 112   |
| normalized size | 1       | 0.    | 1.          | 6.33  | 12.33  | 3.89   | 1.11  | 12.44 |
| time (sec)      | N/A     | 0.381 | 0.123       | 0.063 | 1.61   | 2.12   | 0.331 | 1.068 |



| Problem 934     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 77      | 77    | 76          | 60    | 77     | 157    | 150   | 84    |
| normalized size | 1       | 1.    | 0.99        | 0.78  | 1.     | 2.04   | 1.95  | 1.09  |
| time (sec)      | N/A     | 0.126 | 0.159       | 0.012 | 0.968  | 2.092  | 1.1   | 1.078 |

| Problem 935     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 161     | 161  | 134         | 125   | 177    | 321    | 326   | 193   |
| normalized size | 1       | 1.   | 0.83        | 0.78  | 1.1    | 1.99   | 2.02  | 1.2   |
| time (sec)      | N/A     | 0.27 | 0.209       | 0.018 | 0.971  | 2.304  | 8.147 | 1.123 |

| Problem 936     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 89      | 89    | 105         | 84    | 107    | 181    | 201   | 95    |
| normalized size | 1       | 1.    | 1.18        | 0.94  | 1.2    | 2.03   | 2.26  | 1.07  |
| time (sec)      | N/A     | 0.109 | 0.155       | 0.016 | 0.97   | 2.095  | 1.204 | 1.088 |

| Problem 937     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 288     | 288  | 167         | 213   | 294    | 420    | 541   | 251  |
| normalized size | 1       | 1.   | 0.58        | 0.74  | 1.02   | 1.46   | 1.88  | 0.87 |
| time (sec)      | N/A     | 0.4  | 0.479       | 0.023 | 0.978  | 2.297  | 8.988 | 1.15 |

| Problem 938     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 61      | 61    | 55          | 136   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.9         | 2.23  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.289 | 0.181       | 0.924 | 0.     | 0.     | 0.    | 0.   |

| Problem 939     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F(-1)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 148     | 148   | 137         | 266   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.93        | 1.8   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.239 | 0.276       | 1.197 | 0.     | 0.     | 0.    | 0.   |

| Problem 940     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 34      | 34    | 43          | 86    | 68     | 70     | 0     | 42    |
| normalized size | 1       | 1.    | 1.26        | 2.53  | 2.     | 2.06   | 0.    | 1.24  |
| time (sec)      | N/A     | 0.097 | 0.093       | 0.125 | 0.989  | 2.303  | 0.    | 1.823 |

| Problem 941     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 36      | 36    | 43          | 86    | 84     | 73     | 0     | 42    |
| normalized size | 1       | 1.    | 1.19        | 2.39  | 2.33   | 2.03   | 0.    | 1.17  |
| time (sec)      | N/A     | 0.097 | 0.076       | 0.122 | 0.996  | 2.061  | 0.    | 2.133 |

| Problem 942     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 120     | 120   | 73          | 184   | 0      | 405    | 0     | 173   |
| normalized size | 1       | 1.    | 0.61        | 1.53  | 0.     | 3.38   | 0.    | 1.44  |
| time (sec)      | N/A     | 0.701 | 0.595       | 0.211 | 0.     | 2.411  | 0.    | 1.259 |

| Problem 943     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 72      | 72    | 25          | 108   | 78     | 193    | 122    | 65    |
| normalized size | 1       | 1.    | 0.35        | 1.5   | 1.08   | 2.68   | 1.69   | 0.9   |
| time (sec)      | N/A     | 0.151 | 0.035       | 0.088 | 1.434  | 2.125  | 28.038 | 1.233 |

| Problem 944     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 55      | 55    | 42          | 56    | 208    | 116    | 76    | 70    |
| normalized size | 1       | 1.    | 0.76        | 1.02  | 3.78   | 2.11   | 1.38  | 1.27  |
| time (sec)      | N/A     | 0.409 | 0.204       | 0.147 | 1.471  | 2.238  | 1.746 | 1.172 |

| Problem 945     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | A      | B     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 16      | 16    | 33          | 17    | 30     | 39     | 32    | 19    |
| normalized size | 1       | 1.    | 2.06        | 1.06  | 1.88   | 2.44   | 2.    | 1.19  |
| time (sec)      | N/A     | 0.054 | 0.012       | 0.04  | 0.952  | 1.991  | 0.283 | 1.087 |

| Problem 946     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 18      | 18    | 18          | 19    | 24     | 59     | 31    | 39    |
| normalized size | 1       | 1.    | 1.          | 1.06  | 1.33   | 3.28   | 1.72  | 2.17  |
| time (sec)      | N/A     | 0.028 | 0.043       | 0.026 | 0.937  | 2.052  | 0.484 | 1.133 |

| Problem 947     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 19      | 19    | 19          | 32    | 95     | 61     | 0     | 39    |
| normalized size | 1       | 1.    | 1.          | 1.68  | 5.     | 3.21   | 0.    | 2.05  |
| time (sec)      | N/A     | 0.314 | 0.058       | 0.131 | 1.438  | 2.121  | 0.    | 1.158 |

| Problem 948     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 17      | 17    | 33          | 18    | 31     | 41     | 0     | 19    |
| normalized size | 1       | 1.    | 1.94        | 1.06  | 1.82   | 2.41   | 0.    | 1.12  |
| time (sec)      | N/A     | 0.175 | 0.014       | 0.084 | 0.946  | 2.022  | 0.    | 1.139 |

| Problem 949     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 54      | 54    | 42          | 56    | 208    | 117    | 0     | 70    |
| normalized size | 1       | 1.    | 0.78        | 1.04  | 3.85   | 2.17   | 0.    | 1.3   |
| time (sec)      | N/A     | 0.532 | 0.237       | 0.26  | 1.464  | 2.232  | 0.    | 1.228 |

| Problem 950     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 72      | 72    | 26          | 108   | 78     | 193    | 0     | 65    |
| normalized size | 1       | 1.    | 0.36        | 1.5   | 1.08   | 2.68   | 0.    | 0.9   |
| time (sec)      | N/A     | 1.396 | 0.025       | 0.156 | 1.431  | 2.249  | 0.    | 1.225 |

## 2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio  $\frac{\text{number of rules}}{\text{integrand size}}$  is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [341] had the largest ratio of [ 1.286 ]

Table 2.1: Rubi specific breakdown of results for each integral

| #  | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 1  | A     | 2                    | 2                      | 1.                                  | 14                  | 0.143   |
| 2  | A     | 3                    | 3                      | 1.                                  | 27                  | 0.111   |
| 3  | A     | 2                    | 2                      | 1.                                  | 12                  | 0.167   |
| 4  | A     | 2                    | 2                      | 1.                                  | 14                  | 0.143   |
| 5  | A     | 2                    | 1                      | 1.                                  | 21                  | 0.048   |
| 6  | A     | 2                    | 2                      | 1.                                  | 23                  | 0.087   |
| 7  | A     | 2                    | 2                      | 1.                                  | 21                  | 0.095   |
| 8  | A     | 3                    | 3                      | 1.                                  | 14                  | 0.214   |
| 9  | A     | 4                    | 4                      | 1.                                  | 25                  | 0.16  |
| 10 | A     | 2                    | 2                      | 1.                                  | 14                  | 0.143   |
| 11 | A     | 2                    | 2                      | 1.                                  | 14                  | 0.143   |
| 12 | A     | 2                    | 1                      | 1.                                  | 23                  | 0.043   |
| 13 | A     | 2                    | 2                      | 1.                                  | 23                  | 0.087   |

Continued on next page

Table 2.1 – continued from previous page

| #  | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 14 | A     | 2                    | 2                      | 1.                                  | 23                  | 0.087   |
| 15 | A     | 2                    | 2                      | 1.                                  | 12                  | 0.167   |
| 16 | A     | 3                    | 3                      | 1.                                  | 25                  | 0.12  |
| 17 | A     | 2                    | 2                      | 1.                                  | 14                  | 0.143   |
| 18 | A     | 2                    | 2                      | 1.                                  | 12                  | 0.167   |
| 19 | A     | 2                    | 1                      | 1.                                  | 21                  | 0.048   |
| 20 | A     | 2                    | 2                      | 1.                                  | 21                  | 0.095   |
| 21 | A     | 2                    | 2                      | 1.                                  | 23                  | 0.087   |
| 22 | A     | 3                    | 3                      | 1.                                  | 14                  | 0.214   |
| 23 | A     | 4                    | 4                      | 1.                                  | 25                  | 0.16  |
| 24 | A     | 2                    | 2                      | 1.                                  | 14                  | 0.143   |
| 25 | A     | 2                    | 2                      | 1.                                  | 14                  | 0.143   |
| 26 | A     | 2                    | 1                      | 1.                                  | 21                  | 0.048   |
| 27 | A     | 2                    | 2                      | 1.                                  | 21                  | 0.095   |
| 28 | A     | 2                    | 2                      | 1.                                  | 23                  | 0.087   |
| 29 | A     | 6                    | 5                      | 1.                                  | 6                   | 0.833   |
| 30 | A     | 9                    | 6                      | 1.                                  | 6                   | 1.  |
| 31 | A     | 8                    | 4                      | 1.                                  | 16                  | 0.25  |
| 32 | A     | 8                    | 4                      | 1.                                  | 19                  | 0.21  |
| 33 | A     | 3                    | 3                      | 1.                                  | 16                  | 0.188   |
| 34 | A     | 3                    | 3                      | 1.                                  | 27                  | 0.111   |
| 35 | A     | 2                    | 1                      | 1.                                  | 11                  | 0.091   |
| 36 | A     | 5                    | 5                      | 1.                                  | 14                  | 0.357   |
| 37 | A     | 6                    | 6                      | 1.                                  | 16                  | 0.375   |
| 38 | A     | 9                    | 5                      | 1.                                  | 16                  | 0.312   |
| 39 | A     | 5                    | 3                      | 1.                                  | 36                  | 0.083   |
| 40 | A     | 4                    | 3                      | 1.                                  | 36                  | 0.083   |
| 41 | A     | 2                    | 2                      | 1.                                  | 34                  | 0.059   |
| 42 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 43 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 44 | A     | 6                    | 5                      | 1.                                  | 6                   | 0.833   |
| 45 | A     | 9                    | 6                      | 1.                                  | 6                   | 1.  |
| 46 | A     | 8                    | 4                      | 1.                                  | 16                  | 0.25  |
| 47 | A     | 8                    | 4                      | 1.                                  | 19                  | 0.21  |
| 48 | A     | 4                    | 4                      | 1.                                  | 21                  | 0.19  |
| 49 | A     | 4                    | 4                      | 1.                                  | 27                  | 0.148   |
| 50 | A     | 5                    | 4                      | 1.                                  | 37                  | 0.108   |
| 51 | A     | 5                    | 5                      | 1.                                  | 14                  | 0.357   |
| 52 | A     | 6                    | 6                      | 1.                                  | 16                  | 0.375   |
| 53 | A     | 5                    | 3                      | 1.                                  | 36                  | 0.083   |
| 54 | A     | 4                    | 3                      | 1.                                  | 36                  | 0.083   |
| 55 | A     | 2                    | 2                      | 1.                                  | 34                  | 0.059   |
| 56 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 57 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 58  | A     | 2                    | 2                      | 1.                                  | 12                  | 0.167   |
| 59  | A     | 3                    | 3                      | 1.                                  | 14                  | 0.214   |
| 60  | A     | 6                    | 6                      | 1.                                  | 12                  | 0.5   |
| 61  | A     | 2                    | 1                      | 1.                                  | 33                  | 0.03  |
| 62  | A     | 3                    | 3                      | 1.                                  | 14                  | 0.214   |
| 63  | A     | 2                    | 2                      | 1.                                  | 25                  | 0.08  |
| 64  | A     | 4                    | 3                      | 1.                                  | 16                  | 0.188   |
| 65  | A     | 4                    | 3                      | 1.                                  | 15                  | 0.2   |
| 66  | A     | 1                    | 1                      | 1.                                  | 7                   | 0.143   |
| 67  | A     | 1                    | 1                      | 1.                                  | 7                   | 0.143   |
| 68  | A     | 1                    | 1                      | 1.                                  | 7                   | 0.143   |
| 69  | A     | 4                    | 2                      | 1.                                  | 7                   | 0.286   |
| 70  | A     | 1                    | 1                      | 1.                                  | 7                   | 0.143   |
| 71  | A     | 1                    | 1                      | 1.                                  | 7                   | 0.143   |
| 72  | A     | 1                    | 1                      | 1.                                  | 7                   | 0.143   |
| 73  | A     | 4                    | 2                      | 1.                                  | 7                   | 0.286   |
| 74  | A     | 4                    | 3                      | 1.                                  | 7                   | 0.429   |
| 75  | A     | 9                    | 4                      | 1.                                  | 7                   | 0.571   |
| 76  | A     | 5                    | 3                      | 1.                                  | 7                   | 0.429   |
| 77  | A     | 10                   | 4                      | 1.                                  | 7                   | 0.571   |
| 78  | A     | 10                   | 5                      | 1.                                  | 7                   | 0.714   |
| 79  | A     | 6                    | 3                      | 1.                                  | 7                   | 0.429   |
| 80  | A     | 3                    | 2                      | 1.                                  | 7                   | 0.286   |
| 81  | A     | 3                    | 2                      | 1.                                  | 7                   | 0.286   |
| 82  | A     | 6                    | 3                      | 1.                                  | 7                   | 0.429   |
| 83  | A     | 6                    | 3                      | 1.                                  | 7                   | 0.429   |
| 84  | A     | 7                    | 3                      | 1.                                  | 7                   | 0.429   |
| 85  | A     | 2                    | 2                      | 1.                                  | 7                   | 0.286   |
| 86  | A     | 5                    | 5                      | 1.                                  | 7                   | 0.714   |
| 87  | A     | 4                    | 3                      | 1.                                  | 7                   | 0.429   |
| 88  | A     | 7                    | 6                      | 1.                                  | 7                   | 0.857   |
| 89  | A     | 7                    | 4                      | 1.                                  | 7                   | 0.571   |
| 90  | A     | 2                    | 2                      | 1.                                  | 7                   | 0.286   |
| 91  | A     | 2                    | 1                      | 1.                                  | 7                   | 0.143   |
| 92  | A     | 4                    | 2                      | 1.                                  | 7                   | 0.286   |
| 93  | A     | 4                    | 2                      | 1.                                  | 7                   | 0.286   |
| 94  | A     | 7                    | 3                      | 1.                                  | 7                   | 0.429   |
| 95  | A     | 3                    | 2                      | 1.                                  | 7                   | 0.286   |
| 96  | A     | 2                    | 2                      | 1.                                  | 9                   | 0.222   |
| 97  | A     | 1                    | 1                      | 1.                                  | 7                   | 0.143   |
| 98  | A     | 1                    | 1                      | 1.                                  | 7                   | 0.143   |
| 99  | A     | 1                    | 1                      | 1.                                  | 7                   | 0.143   |
| 100 | A     | 4                    | 2                      | 1.                                  | 7                   | 0.286   |
| 101 | A     | 1                    | 1                      | 1.                                  | 7                   | 0.143   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 102 | A     | 1                    | 1                      | 1.                                  | 7                   | 0.143   |
| 103 | A     | 1                    | 1                      | 1.                                  | 7                   | 0.143   |
| 104 | A     | 4                    | 2                      | 1.                                  | 7                   | 0.286   |
| 105 | A     | 4                    | 3                      | 1.                                  | 7                   | 0.429   |
| 106 | A     | 3                    | 2                      | 1.                                  | 7                   | 0.286   |
| 107 | A     | 6                    | 4                      | 1.                                  | 7                   | 0.571   |
| 108 | A     | 6                    | 3                      | 1.                                  | 7                   | 0.429   |
| 109 | A     | 10                   | 5                      | 1.                                  | 7                   | 0.714   |
| 110 | A     | 4                    | 3                      | 1.                                  | 7                   | 0.429   |
| 111 | A     | 9                    | 4                      | 1.                                  | 7                   | 0.571   |
| 112 | A     | 6                    | 3                      | 1.                                  | 7                   | 0.429   |
| 113 | A     | 10                   | 4                      | 1.                                  | 7                   | 0.571   |
| 114 | A     | 7                    | 3                      | 1.                                  | 7                   | 0.429   |
| 115 | A     | 6                    | 3                      | 1.                                  | 7                   | 0.429   |
| 116 | A     | 2                    | 2                      | 1.                                  | 7                   | 0.286   |
| 117 | A     | 2                    | 1                      | 1.                                  | 7                   | 0.143   |
| 118 | A     | 4                    | 3                      | 1.                                  | 7                   | 0.429   |
| 119 | A     | 4                    | 2                      | 1.                                  | 7                   | 0.286   |
| 120 | A     | 7                    | 4                      | 1.                                  | 7                   | 0.571   |
| 121 | A     | 3                    | 3                      | 1.                                  | 7                   | 0.429   |
| 122 | A     | 3                    | 3                      | 1.                                  | 9                   | 0.333   |
| 123 | A     | 2                    | 2                      | 1.                                  | 7                   | 0.286   |
| 124 | A     | 5                    | 5                      | 1.                                  | 7                   | 0.714   |
| 125 | A     | 4                    | 2                      | 1.                                  | 7                   | 0.286   |
| 126 | A     | 7                    | 6                      | 1.                                  | 7                   | 0.857   |
| 127 | A     | 7                    | 3                      | 1.                                  | 7                   | 0.429   |
| 128 | A     | 6                    | 2                      | 1.                                  | 9                   | 0.222   |
| 129 | A     | 6                    | 2                      | 1.                                  | 11                  | 0.182   |
| 130 | A     | 5                    | 2                      | 1.                                  | 11                  | 0.182   |
| 131 | A     | 5                    | 2                      | 1.                                  | 9                   | 0.222   |
| 132 | A     | 6                    | 2                      | 1.                                  | 9                   | 0.222   |
| 133 | A     | 6                    | 2                      | 1.                                  | 11                  | 0.182   |
| 134 | A     | 7                    | 2                      | 1.                                  | 13                  | 0.154   |
| 135 | A     | 3                    | 2                      | 1.                                  | 13                  | 0.154   |
| 136 | A     | 3                    | 2                      | 1.                                  | 14                  | 0.143   |
| 137 | A     | 3                    | 2                      | 1.                                  | 13                  | 0.154   |
| 138 | A     | 3                    | 2                      | 1.                                  | 14                  | 0.143   |
| 139 | A     | 4                    | 3                      | 1.                                  | 13                  | 0.231   |
| 140 | A     | 4                    | 3                      | 1.                                  | 14                  | 0.214   |
| 141 | A     | 4                    | 3                      | 1.                                  | 13                  | 0.231   |
| 142 | A     | 4                    | 3                      | 1.                                  | 14                  | 0.214   |
| 143 | A     | 3                    | 2                      | 1.                                  | 13                  | 0.154   |
| 144 | A     | 3                    | 2                      | 1.                                  | 14                  | 0.143   |
| 145 | A     | 3                    | 2                      | 1.                                  | 13                  | 0.154   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 146 | A     | 3                    | 2                      | 1.                                  | 14                  | 0.143   |
| 147 | A     | 2                    | 2                      | 1.                                  | 9                   | 0.222   |
| 148 | A     | 3                    | 3                      | 1.                                  | 9                   | 0.333   |
| 149 | A     | 4                    | 4                      | 1.                                  | 9                   | 0.444   |
| 150 | A     | 2                    | 2                      | 1.                                  | 9                   | 0.222   |
| 151 | A     | 3                    | 3                      | 1.                                  | 9                   | 0.333   |
| 152 | A     | 4                    | 4                      | 1.                                  | 9                   | 0.444   |
| 153 | A     | 4                    | 4                      | 1.                                  | 12                  | 0.333   |
| 154 | A     | 6                    | 6                      | 1.                                  | 12                  | 0.5   |
| 155 | A     | 3                    | 3                      | 1.                                  | 12                  | 0.25  |
| 156 | A     | 5                    | 5                      | 1.                                  | 12                  | 0.417   |
| 157 | A     | 3                    | 3                      | 1.                                  | 14                  | 0.214   |
| 158 | A     | 3                    | 3                      | 1.                                  | 14                  | 0.214   |
| 159 | A     | 2                    | 2                      | 1.                                  | 23                  | 0.087   |
| 160 | A     | 9                    | 6                      | 1.                                  | 24                  | 0.25  |
| 161 | A     | 11                   | 7                      | 1.                                  | 26                  | 0.269   |
| 162 | A     | 2                    | 1                      | 1.                                  | 33                  | 0.03  |
| 163 | A     | 9                    | 6                      | 1.                                  | 34                  | 0.176   |
| 164 | A     | 11                   | 7                      | 1.                                  | 36                  | 0.194   |
| 165 | A     | 5                    | 3                      | 1.                                  | 33                  | 0.091   |
| 166 | A     | 4                    | 3                      | 1.                                  | 33                  | 0.091   |
| 167 | A     | 3                    | 3                      | 1.                                  | 31                  | 0.097   |
| 168 | A     | 4                    | 4                      | 1.                                  | 33                  | 0.121   |
| 169 | A     | 5                    | 5                      | 1.                                  | 33                  | 0.152   |
| 170 | A     | 6                    | 5                      | 1.                                  | 33                  | 0.152   |
| 171 | A     | 11                   | 9                      | 1.                                  | 33                  | 0.273   |
| 172 | A     | 8                    | 7                      | 1.                                  | 33                  | 0.212   |
| 173 | A     | 3                    | 3                      | 1.                                  | 31                  | 0.097   |
| 174 | A     | 11                   | 7                      | 1.                                  | 33                  | 0.212   |
| 175 | A     | 13                   | 8                      | 1.                                  | 33                  | 0.242   |
| 176 | A     | 15                   | 8                      | 1.                                  | 33                  | 0.242   |
| 177 | A     | 20                   | 11                     | 1.                                  | 37                  | 0.297   |
| 178 | A     | 17                   | 10                     | 1.                                  | 37                  | 0.27  |
| 179 | A     | 14                   | 9                      | 1.                                  | 35                  | 0.257   |
| 180 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 181 | A     | 51                   | 17                     | 1.                                  | 33                  | 0.515   |
| 182 | A     | 34                   | 14                     | 1.                                  | 33                  | 0.424   |
| 183 | A     | 26                   | 12                     | 1.                                  | 31                  | 0.387   |
| 184 | A     | 15                   | 8                      | 1.                                  | 22                  | 0.364   |
| 185 | A     | 5                    | 5                      | 1.                                  | 13                  | 0.385   |
| 186 | A     | 6                    | 6                      | 1.                                  | 15                  | 0.4   |
| 187 | A     | 7                    | 6                      | 1.                                  | 15                  | 0.4   |
| 188 | A     | 8                    | 6                      | 1.                                  | 15                  | 0.4   |
| 189 | A     | 4                    | 4                      | 1.                                  | 15                  | 0.267   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 190 | A     | 5                    | 4                      | 1.                                  | 15                  | 0.267   |
| 191 | A     | 6                    | 4                      | 1.                                  | 15                  | 0.267   |
| 192 | A     | 7                    | 4                      | 1.                                  | 15                  | 0.267   |
| 193 | A     | 6                    | 5                      | 1.                                  | 17                  | 0.294   |
| 194 | A     | 5                    | 5                      | 1.                                  | 17                  | 0.294   |
| 195 | A     | 4                    | 4                      | 1.                                  | 17                  | 0.235   |
| 196 | A     | 6                    | 5                      | 1.                                  | 17                  | 0.294   |
| 197 | A     | 7                    | 6                      | 1.                                  | 17                  | 0.353   |
| 198 | A     | 8                    | 6                      | 1.                                  | 17                  | 0.353   |
| 199 | A     | 3                    | 3                      | 1.                                  | 16                  | 0.188   |
| 200 | A     | 3                    | 3                      | 1.                                  | 16                  | 0.188   |
| 201 | A     | 4                    | 4                      | 1.                                  | 17                  | 0.235   |
| 202 | A     | 3                    | 3                      | 1.                                  | 17                  | 0.176   |
| 203 | A     | 4                    | 4                      | 1.                                  | 17                  | 0.235   |
| 204 | A     | 3                    | 3                      | 1.                                  | 17                  | 0.176   |
| 205 | A     | 4                    | 3                      | 1.                                  | 22                  | 0.136   |
| 206 | A     | 8                    | 5                      | 1.                                  | 17                  | 0.294   |
| 207 | A     | 5                    | 3                      | 1.                                  | 19                  | 0.158   |
| 208 | A     | 3                    | 2                      | 1.                                  | 20                  | 0.1   |
| 209 | A     | 4                    | 3                      | 1.                                  | 19                  | 0.158   |
| 210 | A     | 4                    | 3                      | 1.                                  | 22                  | 0.136   |
| 211 | A     | 10                   | 6                      | 1.                                  | 17                  | 0.353   |
| 212 | A     | 4                    | 2                      | 1.                                  | 19                  | 0.105   |
| 213 | A     | 3                    | 3                      | 1.                                  | 20                  | 0.15  |
| 214 | A     | 4                    | 3                      | 1.                                  | 19                  | 0.158   |
| 215 | A     | 6                    | 6                      | 1.                                  | 17                  | 0.353   |
| 216 | A     | 7                    | 7                      | 1.                                  | 17                  | 0.412   |
| 217 | A     | 2                    | 2                      | 1.                                  | 19                  | 0.105   |
| 218 | A     | 2                    | 2                      | 1.                                  | 19                  | 0.105   |
| 219 | A     | 3                    | 2                      | 1.                                  | 19                  | 0.105   |
| 220 | A     | 4                    | 2                      | 1.                                  | 19                  | 0.105   |
| 221 | A     | 3                    | 2                      | 1.                                  | 19                  | 0.105   |
| 222 | A     | 3                    | 2                      | 1.                                  | 19                  | 0.105   |
| 223 | A     | 2                    | 1                      | 1.                                  | 19                  | 0.053   |
| 224 | A     | 2                    | 2                      | 1.                                  | 19                  | 0.105   |
| 225 | A     | 3                    | 2                      | 1.                                  | 17                  | 0.118   |
| 226 | A     | 2                    | 2                      | 1.                                  | 19                  | 0.105   |
| 227 | A     | 1                    | 1                      | 1.                                  | 19                  | 0.053   |
| 228 | A     | 3                    | 3                      | 1.                                  | 19                  | 0.158   |
| 229 | A     | 2                    | 2                      | 1.                                  | 19                  | 0.105   |
| 230 | A     | 4                    | 3                      | 1.                                  | 19                  | 0.158   |
| 231 | A     | 3                    | 2                      | 1.                                  | 19                  | 0.105   |
| 232 | A     | 4                    | 3                      | 1.                                  | 21                  | 0.143   |
| 233 | A     | 3                    | 3                      | 1.                                  | 21                  | 0.143   |

Continued on next page



Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 234 | A     | 3                    | 3                      | 1.                                  | 21                  | 0.143   |
| 235 | A     | 2                    | 2                      | 1.                                  | 21                  | 0.095   |
| 236 | A     | 2                    | 2                      | 1.                                  | 21                  | 0.095   |
| 237 | A     | 3                    | 3                      | 1.                                  | 21                  | 0.143   |
| 238 | A     | 3                    | 3                      | 1.                                  | 21                  | 0.143   |
| 239 | A     | 4                    | 3                      | 1.                                  | 21                  | 0.143   |
| 240 | A     | 4                    | 3                      | 1.                                  | 21                  | 0.143   |
| 241 | A     | 3                    | 3                      | 1.                                  | 21                  | 0.143   |
| 242 | A     | 3                    | 3                      | 1.                                  | 21                  | 0.143   |
| 243 | A     | 2                    | 2                      | 1.                                  | 21                  | 0.095   |
| 244 | A     | 2                    | 2                      | 1.                                  | 21                  | 0.095   |
| 245 | A     | 3                    | 3                      | 1.                                  | 21                  | 0.143   |
| 246 | A     | 3                    | 3                      | 1.                                  | 21                  | 0.143   |
| 247 | A     | 4                    | 3                      | 1.                                  | 21                  | 0.143   |
| 248 | A     | 1                    | 1                      | 1.                                  | 22                  | 0.045   |
| 249 | A     | 1                    | 1                      | 1.                                  | 22                  | 0.045   |
| 250 | A     | 1                    | 1                      | 1.                                  | 22                  | 0.045   |
| 251 | A     | 1                    | 1                      | 1.                                  | 22                  | 0.045   |
| 252 | A     | 3                    | 2                      | 1.                                  | 20                  | 0.1   |
| 253 | A     | 1                    | 1                      | 1.                                  | 22                  | 0.045   |
| 254 | A     | 1                    | 1                      | 1.                                  | 22                  | 0.045   |
| 255 | A     | 1                    | 1                      | 1.                                  | 22                  | 0.045   |
| 256 | A     | 1                    | 1                      | 1.                                  | 22                  | 0.045   |
| 257 | A     | 1                    | 1                      | 1.                                  | 24                  | 0.042   |
| 258 | A     | 1                    | 1                      | 1.                                  | 24                  | 0.042   |
| 259 | A     | 1                    | 1                      | 1.                                  | 24                  | 0.042   |
| 260 | A     | 1                    | 1                      | 1.                                  | 24                  | 0.042   |
| 261 | A     | 1                    | 1                      | 1.                                  | 24                  | 0.042   |
| 262 | A     | 1                    | 1                      | 1.                                  | 24                  | 0.042   |
| 263 | A     | 8                    | 7                      | 1.                                  | 11                  | 0.636   |
| 264 | A     | 4                    | 4                      | 1.                                  | 11                  | 0.364   |
| 265 | A     | 7                    | 6                      | 1.                                  | 11                  | 0.546   |
| 266 | A     | 4                    | 3                      | 1.                                  | 11                  | 0.273   |
| 267 | A     | 3                    | 2                      | 1.                                  | 9                   | 0.222   |
| 268 | A     | 3                    | 3                      | 1.                                  | 11                  | 0.273   |
| 269 | A     | 6                    | 6                      | 1.                                  | 11                  | 0.546   |
| 270 | A     | 4                    | 3                      | 1.                                  | 11                  | 0.273   |
| 271 | A     | 8                    | 8                      | 1.                                  | 11                  | 0.727   |
| 272 | A     | 4                    | 3                      | 1.                                  | 11                  | 0.273   |
| 273 | A     | 4                    | 3                      | 1.                                  | 7                   | 0.429   |
| 274 | A     | 5                    | 4                      | 1.                                  | 7                   | 0.571   |
| 275 | A     | 4                    | 3                      | 1.                                  | 7                   | 0.429   |
| 276 | A     | 4                    | 4                      | 1.                                  | 7                   | 0.571   |
| 277 | A     | 3                    | 2                      | 0.69                                | 5                   | 0.4   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 278 | A     | 3                    | 3                      | 1.                                  | 7                   | 0.429   |
| 279 | A     | 3                    | 3                      | 1.                                  | 7                   | 0.429   |
| 280 | A     | 4                    | 3                      | 1.                                  | 7                   | 0.429   |
| 281 | A     | 4                    | 3                      | 1.                                  | 7                   | 0.429   |
| 282 | A     | 4                    | 3                      | 1.                                  | 7                   | 0.429   |
| 283 | A     | 8                    | 7                      | 1.                                  | 11                  | 0.636   |
| 284 | A     | 4                    | 4                      | 1.                                  | 11                  | 0.364   |
| 285 | A     | 7                    | 6                      | 1.                                  | 11                  | 0.546   |
| 286 | A     | 4                    | 3                      | 1.                                  | 11                  | 0.273   |
| 287 | A     | 3                    | 2                      | 1.                                  | 9                   | 0.222   |
| 288 | A     | 3                    | 3                      | 1.                                  | 11                  | 0.273   |
| 289 | A     | 5                    | 5                      | 1.                                  | 11                  | 0.454   |
| 290 | A     | 4                    | 3                      | 1.                                  | 11                  | 0.273   |
| 291 | A     | 7                    | 7                      | 1.                                  | 11                  | 0.636   |
| 292 | A     | 4                    | 3                      | 1.                                  | 11                  | 0.273   |
| 293 | A     | 4                    | 3                      | 1.                                  | 7                   | 0.429   |
| 294 | A     | 5                    | 4                      | 1.                                  | 7                   | 0.571   |
| 295 | A     | 4                    | 3                      | 1.                                  | 7                   | 0.429   |
| 296 | A     | 4                    | 4                      | 1.                                  | 7                   | 0.571   |
| 297 | A     | 3                    | 2                      | 1.                                  | 5                   | 0.4   |
| 298 | A     | 3                    | 3                      | 1.                                  | 7                   | 0.429   |
| 299 | A     | 3                    | 3                      | 1.                                  | 7                   | 0.429   |
| 300 | A     | 4                    | 3                      | 1.                                  | 7                   | 0.429   |
| 301 | A     | 4                    | 3                      | 1.                                  | 7                   | 0.429   |
| 302 | A     | 4                    | 3                      | 1.                                  | 7                   | 0.429   |
| 303 | A     | 6                    | 3                      | 1.                                  | 9                   | 0.333   |
| 304 | A     | 6                    | 5                      | 1.                                  | 9                   | 0.556   |
| 305 | A     | 4                    | 3                      | 1.                                  | 9                   | 0.333   |
| 306 | A     | 3                    | 2                      | 1.                                  | 7                   | 0.286   |
| 307 | A     | 3                    | 3                      | 1.                                  | 9                   | 0.333   |
| 308 | A     | 2                    | 1                      | 1.                                  | 9                   | 0.111   |
| 309 | A     | 4                    | 3                      | 1.                                  | 9                   | 0.333   |
| 310 | A     | 2                    | 0                      | 1.                                  | 9                   | 0.  |
| 311 | A     | 4                    | 3                      | 1.                                  | 9                   | 0.333   |
| 312 | A     | 3                    | 1                      | 1.                                  | 9                   | 0.111   |
| 313 | A     | 4                    | 3                      | 1.                                  | 9                   | 0.333   |
| 314 | A     | 6                    | 5                      | 1.                                  | 11                  | 0.454   |
| 315 | A     | 5                    | 5                      | 1.                                  | 11                  | 0.454   |
| 316 | A     | 4                    | 4                      | 1.                                  | 11                  | 0.364   |
| 317 | A     | 3                    | 3                      | 1.                                  | 11                  | 0.273   |
| 318 | A     | 8                    | 8                      | 1.                                  | 11                  | 0.727   |
| 319 | A     | 9                    | 9                      | 1.                                  | 11                  | 0.818   |
| 320 | A     | 10                   | 10                     | 1.                                  | 11                  | 0.909   |
| 321 | A     | 11                   | 10                     | 1.                                  | 11                  | 0.909   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 322 | A     | 6                    | 3                      | 1.                                  | 9                   | 0.333   |
| 323 | A     | 6                    | 5                      | 1.                                  | 9                   | 0.556   |
| 324 | A     | 4                    | 3                      | 1.                                  | 9                   | 0.333   |
| 325 | A     | 3                    | 2                      | 1.                                  | 7                   | 0.286   |
| 326 | A     | 3                    | 3                      | 1.                                  | 9                   | 0.333   |
| 327 | A     | 2                    | 1                      | 1.                                  | 9                   | 0.111   |
| 328 | A     | 4                    | 3                      | 1.                                  | 9                   | 0.333   |
| 329 | A     | 2                    | 0                      | 1.                                  | 9                   | 0.  |
| 330 | A     | 4                    | 3                      | 1.                                  | 9                   | 0.333   |
| 331 | A     | 3                    | 1                      | 1.                                  | 9                   | 0.111   |
| 332 | A     | 4                    | 3                      | 1.                                  | 9                   | 0.333   |
| 333 | A     | 6                    | 5                      | 1.                                  | 11                  | 0.454   |
| 334 | A     | 5                    | 5                      | 1.                                  | 11                  | 0.454   |
| 335 | A     | 4                    | 4                      | 1.                                  | 11                  | 0.364   |
| 336 | A     | 3                    | 3                      | 1.                                  | 11                  | 0.273   |
| 337 | A     | 8                    | 8                      | 1.                                  | 11                  | 0.727   |
| 338 | A     | 9                    | 9                      | 1.                                  | 11                  | 0.818   |
| 339 | A     | 10                   | 10                     | 1.                                  | 11                  | 0.909   |
| 340 | A     | 11                   | 10                     | 1.                                  | 11                  | 0.909   |
| 341 | A     | 18                   | 9                      | 1.                                  | 7                   | 1.286   |
| 342 | A     | 4                    | 3                      | 1.                                  | 7                   | 0.429   |
| 343 | A     | 9                    | 7                      | 1.                                  | 7                   | 1.  |
| 344 | A     | 3                    | 2                      | 1.                                  | 5                   | 0.4   |
| 345 | A     | 6                    | 6                      | 1.                                  | 7                   | 0.857   |
| 346 | A     | 11                   | 6                      | 1.                                  | 7                   | 0.857   |
| 347 | A     | 5                    | 4                      | 1.                                  | 7                   | 0.571   |
| 348 | A     | 18                   | 6                      | 1.                                  | 7                   | 0.857   |
| 349 | A     | 3                    | 3                      | 1.                                  | 18                  | 0.167   |
| 350 | A     | 3                    | 3                      | 1.                                  | 18                  | 0.167   |
| 351 | A     | 4                    | 4                      | 1.                                  | 18                  | 0.222   |
| 352 | A     | 3                    | 3                      | 1.                                  | 18                  | 0.167   |
| 353 | A     | 3                    | 3                      | 1.                                  | 18                  | 0.167   |
| 354 | A     | 4                    | 4                      | 1.                                  | 18                  | 0.222   |
| 355 | A     | 6                    | 3                      | 1.                                  | 30                  | 0.1   |
| 356 | A     | 5                    | 3                      | 1.                                  | 30                  | 0.1   |
| 357 | A     | 4                    | 3                      | 1.                                  | 30                  | 0.1   |
| 358 | A     | 3                    | 2                      | 1.                                  | 28                  | 0.071   |
| 359 | A     | 1                    | 1                      | 1.                                  | 30                  | 0.033   |
| 360 | A     | 2                    | 2                      | 1.                                  | 30                  | 0.067   |
| 361 | A     | 3                    | 2                      | 1.                                  | 30                  | 0.067   |
| 362 | A     | 4                    | 2                      | 1.                                  | 30                  | 0.067   |
| 363 | A     | 5                    | 4                      | 1.                                  | 24                  | 0.167   |
| 364 | A     | 4                    | 3                      | 1.                                  | 24                  | 0.125   |
| 365 | A     | 3                    | 2                      | 1.                                  | 22                  | 0.091   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 366 | A     | 2                    | 2                      | 1.                                  | 24                  | 0.083   |
| 367 | A     | 4                    | 4                      | 1.                                  | 24                  | 0.167   |
| 368 | A     | 4                    | 4                      | 1.                                  | 24                  | 0.167   |
| 369 | A     | 5                    | 5                      | 1.                                  | 24                  | 0.208   |
| 370 | A     | 2                    | 2                      | 1.                                  | 24                  | 0.083   |
| 371 | A     | 4                    | 4                      | 1.                                  | 24                  | 0.167   |
| 372 | A     | 4                    | 4                      | 1.                                  | 24                  | 0.167   |
| 373 | A     | 5                    | 5                      | 1.                                  | 24                  | 0.208   |
| 374 | A     | 5                    | 4                      | 1.                                  | 24                  | 0.167   |
| 375 | A     | 4                    | 3                      | 1.                                  | 24                  | 0.125   |
| 376 | A     | 3                    | 2                      | 1.                                  | 22                  | 0.091   |
| 377 | A     | 2                    | 2                      | 1.                                  | 24                  | 0.083   |
| 378 | A     | 4                    | 4                      | 1.                                  | 24                  | 0.167   |
| 379 | A     | 4                    | 4                      | 1.                                  | 24                  | 0.167   |
| 380 | A     | 5                    | 5                      | 1.                                  | 24                  | 0.208   |
| 381 | A     | 5                    | 4                      | 1.                                  | 24                  | 0.167   |
| 382 | A     | 4                    | 3                      | 1.                                  | 24                  | 0.125   |
| 383 | A     | 3                    | 2                      | 1.                                  | 22                  | 0.091   |
| 384 | A     | 2                    | 2                      | 1.                                  | 24                  | 0.083   |
| 385 | A     | 4                    | 4                      | 1.                                  | 24                  | 0.167   |
| 386 | A     | 4                    | 4                      | 1.                                  | 24                  | 0.167   |
| 387 | A     | 5                    | 5                      | 1.                                  | 24                  | 0.208   |
| 388 | A     | 5                    | 4                      | 1.                                  | 24                  | 0.167   |
| 389 | A     | 4                    | 3                      | 1.                                  | 24                  | 0.125   |
| 390 | A     | 3                    | 2                      | 1.                                  | 22                  | 0.091   |
| 391 | A     | 2                    | 2                      | 1.                                  | 24                  | 0.083   |
| 392 | A     | 4                    | 4                      | 1.                                  | 24                  | 0.167   |
| 393 | A     | 4                    | 4                      | 1.                                  | 24                  | 0.167   |
| 394 | A     | 5                    | 5                      | 1.                                  | 24                  | 0.208   |
| 395 | A     | 6                    | 4                      | 1.                                  | 20                  | 0.2   |
| 396 | A     | 5                    | 4                      | 1.                                  | 20                  | 0.2   |
| 397 | A     | 4                    | 3                      | 1.                                  | 20                  | 0.15  |
| 398 | A     | 3                    | 2                      | 1.                                  | 18                  | 0.111   |
| 399 | A     | 3                    | 3                      | 1.                                  | 20                  | 0.15  |
| 400 | A     | 5                    | 5                      | 1.                                  | 20                  | 0.25  |
| 401 | A     | 5                    | 5                      | 1.                                  | 20                  | 0.25  |
| 402 | A     | 6                    | 6                      | 1.                                  | 20                  | 0.3   |
| 403 | A     | 7                    | 7                      | 1.                                  | 22                  | 0.318   |
| 404 | A     | 6                    | 6                      | 1.                                  | 22                  | 0.273   |
| 405 | A     | 2                    | 2                      | 1.                                  | 22                  | 0.091   |
| 406 | A     | 2                    | 2                      | 1.                                  | 22                  | 0.091   |
| 407 | A     | 3                    | 3                      | 1.                                  | 22                  | 0.136   |
| 408 | A     | 7                    | 7                      | 1.                                  | 22                  | 0.318   |
| 409 | A     | 8                    | 7                      | 1.                                  | 22                  | 0.318   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 410 | A     | 7                    | 7                      | 1.                                  | 22                  | 0.318   |
| 411 | A     | 6                    | 6                      | 1.                                  | 22                  | 0.273   |
| 412 | A     | 2                    | 2                      | 1.                                  | 22                  | 0.091   |
| 413 | A     | 2                    | 2                      | 1.                                  | 22                  | 0.091   |
| 414 | A     | 3                    | 3                      | 1.                                  | 22                  | 0.136   |
| 415 | A     | 7                    | 7                      | 1.                                  | 22                  | 0.318   |
| 416 | A     | 8                    | 7                      | 1.                                  | 22                  | 0.318   |
| 417 | A     | 3                    | 2                      | 1.                                  | 22                  | 0.091   |
| 418 | A     | 2                    | 2                      | 1.                                  | 22                  | 0.091   |
| 419 | A     | 1                    | 1                      | 1.                                  | 22                  | 0.045   |
| 420 | A     | 3                    | 3                      | 1.                                  | 22                  | 0.136   |
| 421 | A     | 4                    | 4                      | 1.                                  | 22                  | 0.182   |
| 422 | A     | 5                    | 4                      | 1.                                  | 22                  | 0.182   |
| 423 | A     | 4                    | 2                      | 1.                                  | 22                  | 0.091   |
| 424 | A     | 3                    | 2                      | 1.                                  | 22                  | 0.091   |
| 425 | A     | 2                    | 2                      | 1.                                  | 22                  | 0.091   |
| 426 | A     | 1                    | 1                      | 1.                                  | 22                  | 0.045   |
| 427 | A     | 3                    | 3                      | 1.                                  | 22                  | 0.136   |
| 428 | A     | 4                    | 4                      | 1.                                  | 22                  | 0.182   |
| 429 | A     | 5                    | 4                      | 1.                                  | 22                  | 0.182   |
| 430 | A     | 4                    | 2                      | 1.                                  | 32                  | 0.062   |
| 431 | A     | 3                    | 2                      | 1.                                  | 32                  | 0.062   |
| 432 | A     | 2                    | 2                      | 1.                                  | 32                  | 0.062   |
| 433 | A     | 1                    | 1                      | 1.                                  | 32                  | 0.031   |
| 434 | A     | 3                    | 3                      | 1.                                  | 32                  | 0.094   |
| 435 | A     | 4                    | 4                      | 1.                                  | 32                  | 0.125   |
| 436 | A     | 5                    | 4                      | 1.                                  | 32                  | 0.125   |
| 437 | A     | 3                    | 2                      | 1.                                  | 34                  | 0.059   |
| 438 | A     | 2                    | 2                      | 1.                                  | 34                  | 0.059   |
| 439 | A     | 1                    | 1                      | 1.                                  | 34                  | 0.029   |
| 440 | A     | 3                    | 3                      | 1.                                  | 34                  | 0.088   |
| 441 | A     | 4                    | 4                      | 1.                                  | 34                  | 0.118   |
| 442 | A     | 5                    | 4                      | 1.                                  | 34                  | 0.118   |
| 443 | A     | 4                    | 4                      | 1.                                  | 15                  | 0.267   |
| 444 | A     | 3                    | 3                      | 1.36                                | 11                  | 0.273   |
| 445 | A     | 5                    | 5                      | 1.                                  | 12                  | 0.417   |
| 446 | A     | 4                    | 4                      | 1.                                  | 15                  | 0.267   |
| 447 | A     | 10                   | 8                      | 1.                                  | 17                  | 0.471   |
| 448 | A     | 7                    | 7                      | 1.                                  | 33                  | 0.212   |
| 449 | A     | 3                    | 3                      | 1.                                  | 33                  | 0.091   |
| 450 | A     | 3                    | 3                      | 1.                                  | 33                  | 0.091   |
| 451 | A     | 4                    | 4                      | 1.                                  | 33                  | 0.121   |
| 452 | A     | 8                    | 8                      | 1.                                  | 33                  | 0.242   |
| 453 | A     | 7                    | 7                      | 1.                                  | 33                  | 0.212   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 454 | A     | 3                    | 3                      | 1.                                  | 33                  | 0.091   |
| 455 | A     | 3                    | 3                      | 1.                                  | 33                  | 0.091   |
| 456 | A     | 4                    | 4                      | 1.                                  | 33                  | 0.121   |
| 457 | A     | 8                    | 8                      | 1.                                  | 33                  | 0.242   |
| 458 | A     | 5                    | 5                      | 1.                                  | 12                  | 0.417   |
| 459 | A     | 4                    | 4                      | 1.                                  | 15                  | 0.267   |
| 460 | A     | 9                    | 7                      | 1.                                  | 17                  | 0.412   |
| 461 | A     | 4                    | 4                      | 1.                                  | 15                  | 0.267   |
| 462 | A     | 7                    | 7                      | 1.                                  | 33                  | 0.212   |
| 463 | A     | 3                    | 3                      | 1.                                  | 33                  | 0.091   |
| 464 | A     | 3                    | 3                      | 1.                                  | 33                  | 0.091   |
| 465 | A     | 4                    | 4                      | 1.                                  | 33                  | 0.121   |
| 466 | A     | 8                    | 8                      | 1.                                  | 33                  | 0.242   |
| 467 | A     | 7                    | 7                      | 1.                                  | 33                  | 0.212   |
| 468 | A     | 3                    | 3                      | 1.                                  | 33                  | 0.091   |
| 469 | A     | 3                    | 3                      | 1.                                  | 33                  | 0.091   |
| 470 | A     | 4                    | 4                      | 1.                                  | 33                  | 0.121   |
| 471 | A     | 8                    | 8                      | 1.                                  | 33                  | 0.242   |
| 472 | A     | 2                    | 2                      | 1.                                  | 11                  | 0.182   |
| 473 | A     | 2                    | 2                      | 1.                                  | 11                  | 0.182   |
| 474 | A     | 2                    | 2                      | 1.                                  | 11                  | 0.182   |
| 475 | A     | 2                    | 1                      | 1.                                  | 13                  | 0.077   |
| 476 | A     | 2                    | 1                      | 1.                                  | 13                  | 0.077   |
| 477 | A     | 4                    | 3                      | 1.                                  | 13                  | 0.231   |
| 478 | A     | 2                    | 1                      | 1.                                  | 15                  | 0.067   |
| 479 | A     | 2                    | 1                      | 1.                                  | 15                  | 0.067   |
| 480 | A     | 2                    | 1                      | 1.                                  | 19                  | 0.053   |
| 481 | A     | 2                    | 1                      | 1.                                  | 23                  | 0.043   |
| 482 | A     | 4                    | 3                      | 1.                                  | 20                  | 0.15  |
| 483 | A     | 4                    | 3                      | 1.                                  | 20                  | 0.15  |
| 484 | A     | 4                    | 2                      | 1.                                  | 11                  | 0.182   |
| 485 | A     | 6                    | 4                      | 1.                                  | 11                  | 0.364   |
| 486 | A     | 6                    | 4                      | 1.                                  | 11                  | 0.364   |
| 487 | A     | 2                    | 2                      | 1.                                  | 13                  | 0.154   |
| 488 | A     | 2                    | 2                      | 1.                                  | 13                  | 0.154   |
| 489 | A     | 2                    | 2                      | 1.                                  | 13                  | 0.154   |
| 490 | A     | 4                    | 2                      | 1.                                  | 11                  | 0.182   |
| 491 | A     | 6                    | 4                      | 1.                                  | 11                  | 0.364   |
| 492 | A     | 6                    | 4                      | 1.                                  | 11                  | 0.364   |
| 493 | A     | 2                    | 2                      | 1.                                  | 13                  | 0.154   |
| 494 | A     | 2                    | 2                      | 1.                                  | 13                  | 0.154   |
| 495 | A     | 2                    | 2                      | 1.                                  | 13                  | 0.154   |
| 496 | A     | 2                    | 1                      | 1.                                  | 16                  | 0.062   |
| 497 | A     | 9                    | 6                      | 1.                                  | 18                  | 0.333   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 498 | A     | 11                   | 7                      | 1.                                  | 20                  | 0.35  |
| 499 | A     | 5                    | 3                      | 1.                                  | 39                  | 0.077   |
| 500 | A     | 2                    | 2                      | 1.                                  | 37                  | 0.054   |
| 501 | A     | 3                    | 3                      | 1.                                  | 39                  | 0.077   |
| 502 | A     | 9                    | 6                      | 1.                                  | 39                  | 0.154   |
| 503 | A     | 7                    | 4                      | 1.                                  | 21                  | 0.19  |
| 504 | A     | 4                    | 3                      | 1.                                  | 41                  | 0.073   |
| 505 | A     | 2                    | 2                      | 1.                                  | 41                  | 0.049   |
| 506 | A     | 5                    | 5                      | 1.                                  | 41                  | 0.122   |
| 507 | A     | 8                    | 6                      | 1.                                  | 41                  | 0.146   |
| 508 | A     | 3                    | 3                      | 1.                                  | 27                  | 0.111   |
| 509 | A     | 5                    | 3                      | 1.                                  | 21                  | 0.143   |
| 510 | A     | 7                    | 5                      | 1.                                  | 39                  | 0.128   |
| 511 | A     | 3                    | 3                      | 1.                                  | 37                  | 0.081   |
| 512 | A     | 4                    | 4                      | 1.                                  | 39                  | 0.103   |
| 513 | A     | 6                    | 4                      | 1.                                  | 39                  | 0.103   |
| 514 | A     | 6                    | 5                      | 1.                                  | 41                  | 0.122   |
| 515 | A     | 3                    | 3                      | 1.                                  | 41                  | 0.073   |
| 516 | A     | 3                    | 3                      | 1.                                  | 41                  | 0.073   |
| 517 | A     | 5                    | 4                      | 1.                                  | 41                  | 0.098   |
| 518 | A     | 8                    | 7                      | 1.                                  | 39                  | 0.18  |
| 519 | A     | 5                    | 4                      | 1.                                  | 37                  | 0.108   |
| 520 | A     | 6                    | 6                      | 1.                                  | 39                  | 0.154   |
| 521 | A     | 8                    | 7                      | 1.                                  | 39                  | 0.18  |
| 522 | A     | 7                    | 6                      | 1.                                  | 41                  | 0.146   |
| 523 | A     | 5                    | 5                      | 1.                                  | 41                  | 0.122   |
| 524 | A     | 5                    | 5                      | 1.                                  | 41                  | 0.122   |
| 525 | A     | 7                    | 7                      | 1.                                  | 41                  | 0.171   |
| 526 | A     | 1                    | 1                      | 1.                                  | 21                  | 0.048   |
| 527 | A     | 1                    | 1                      | 1.                                  | 21                  | 0.048   |
| 528 | A     | 1                    | 1                      | 1.                                  | 15                  | 0.067   |
| 529 | A     | 1                    | 1                      | 1.                                  | 21                  | 0.048   |
| 530 | A     | 3                    | 3                      | 1.                                  | 21                  | 0.143   |
| 531 | A     | 3                    | 3                      | 1.                                  | 21                  | 0.143   |
| 532 | A     | 3                    | 3                      | 1.                                  | 22                  | 0.136   |
| 533 | A     | 3                    | 3                      | 1.                                  | 22                  | 0.136   |
| 534 | A     | 4                    | 4                      | 1.                                  | 22                  | 0.182   |
| 535 | A     | 4                    | 4                      | 1.                                  | 19                  | 0.21  |
| 536 | A     | 4                    | 4                      | 1.                                  | 19                  | 0.21  |
| 537 | A     | 5                    | 5                      | 1.                                  | 19                  | 0.263   |
| 538 | A     | 1                    | 1                      | 1.                                  | 22                  | 0.045   |
| 539 | A     | 1                    | 1                      | 1.                                  | 22                  | 0.045   |
| 540 | A     | 4                    | 4                      | 1.                                  | 19                  | 0.21  |
| 541 | A     | 4                    | 4                      | 1.                                  | 19                  | 0.21  |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 542 | A     | 5                    | 5                      | 1.                                  | 19                  | 0.263   |
| 543 | A     | 1                    | 1                      | 1.                                  | 22                  | 0.045   |
| 544 | A     | 1                    | 1                      | 1.                                  | 22                  | 0.045   |
| 545 | A     | 4                    | 4                      | 1.                                  | 22                  | 0.182   |
| 546 | A     | 4                    | 4                      | 1.                                  | 22                  | 0.182   |
| 547 | A     | 5                    | 5                      | 1.                                  | 22                  | 0.227   |
| 548 | A     | 1                    | 1                      | 0.95                                | 25                  | 0.04  |
| 549 | A     | 1                    | 1                      | 0.94                                | 25                  | 0.04  |
| 550 | A     | 4                    | 4                      | 1.                                  | 23                  | 0.174   |
| 551 | A     | 4                    | 4                      | 1.                                  | 23                  | 0.174   |
| 552 | A     | 5                    | 5                      | 1.                                  | 23                  | 0.217   |
| 553 | A     | 1                    | 1                      | 1.                                  | 26                  | 0.038   |
| 554 | A     | 1                    | 1                      | 1.                                  | 26                  | 0.038   |
| 555 | B     | 1                    | 1                      | 2.83                                | 30                  | 0.033   |
| 556 | A     | 8                    | 6                      | 1.                                  | 27                  | 0.222   |
| 557 | A     | 7                    | 6                      | 1.                                  | 27                  | 0.222   |
| 558 | A     | 6                    | 6                      | 1.                                  | 27                  | 0.222   |
| 559 | A     | 5                    | 5                      | 1.                                  | 27                  | 0.185   |
| 560 | A     | 6                    | 6                      | 1.                                  | 27                  | 0.222   |
| 561 | A     | 7                    | 6                      | 1.                                  | 27                  | 0.222   |
| 562 | A     | 7                    | 7                      | 1.                                  | 31                  | 0.226   |
| 563 | A     | 8                    | 8                      | 1.                                  | 31                  | 0.258   |
| 564 | A     | 9                    | 8                      | 1.                                  | 31                  | 0.258   |
| 565 | A     | 10                   | 8                      | 1.                                  | 31                  | 0.258   |
| 566 | A     | 4                    | 4                      | 1.                                  | 18                  | 0.222   |
| 567 | A     | 3                    | 3                      | 1.                                  | 18                  | 0.167   |
| 568 | A     | 2                    | 2                      | 1.                                  | 18                  | 0.111   |
| 569 | A     | 3                    | 2                      | 1.                                  | 16                  | 0.125   |
| 570 | A     | 4                    | 4                      | 1.                                  | 18                  | 0.222   |
| 571 | A     | 6                    | 6                      | 1.                                  | 18                  | 0.333   |
| 572 | A     | 7                    | 7                      | 1.                                  | 18                  | 0.389   |
| 573 | A     | 8                    | 8                      | 1.                                  | 20                  | 0.4   |
| 574 | A     | 7                    | 7                      | 1.                                  | 20                  | 0.35  |
| 575 | A     | 3                    | 3                      | 1.                                  | 20                  | 0.15  |
| 576 | A     | 3                    | 3                      | 1.                                  | 20                  | 0.15  |
| 577 | A     | 5                    | 5                      | 1.                                  | 20                  | 0.25  |
| 578 | A     | 8                    | 8                      | 1.                                  | 20                  | 0.4   |
| 579 | A     | 13                   | 8                      | 1.                                  | 14                  | 0.571   |
| 580 | A     | 11                   | 7                      | 1.                                  | 14                  | 0.5   |
| 581 | A     | 9                    | 6                      | 1.                                  | 12                  | 0.5   |
| 582 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 583 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 584 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 585 | A     | 15                   | 6                      | 1.                                  | 26                  | 0.231   |

Continued on next page



Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 586 | A     | 11                   | 5                      | 1.                                  | 26                  | 0.192   |
| 587 | A     | 6                    | 6                      | 1.                                  | 26                  | 0.231   |
| 588 | A     | 4                    | 3                      | 1.                                  | 26                  | 0.115   |
| 589 | A     | 1                    | 1                      | 1.                                  | 23                  | 0.043   |
| 590 | A     | 1                    | 1                      | 1.                                  | 22                  | 0.045   |
| 591 | A     | 3                    | 3                      | 1.                                  | 20                  | 0.15  |
| 592 | A     | 7                    | 5                      | 1.                                  | 24                  | 0.208   |
| 593 | A     | 9                    | 9                      | 1.                                  | 26                  | 0.346   |
| 594 | A     | 15                   | 6                      | 1.                                  | 24                  | 0.25  |
| 595 | A     | 11                   | 5                      | 1.                                  | 24                  | 0.208   |
| 596 | A     | 6                    | 6                      | 1.                                  | 24                  | 0.25  |
| 597 | A     | 4                    | 3                      | 1.                                  | 24                  | 0.125   |
| 598 | A     | 1                    | 1                      | 1.                                  | 21                  | 0.048   |
| 599 | A     | 1                    | 1                      | 1.                                  | 20                  | 0.05  |
| 600 | A     | 3                    | 3                      | 1.                                  | 18                  | 0.167   |
| 601 | A     | 7                    | 5                      | 1.                                  | 22                  | 0.227   |
| 602 | A     | 9                    | 9                      | 1.                                  | 24                  | 0.375   |
| 603 | A     | 5                    | 5                      | 1.                                  | 31                  | 0.161   |
| 604 | A     | 4                    | 4                      | 1.                                  | 31                  | 0.129   |
| 605 | A     | 3                    | 3                      | 1.                                  | 31                  | 0.097   |
| 606 | A     | 2                    | 2                      | 1.                                  | 29                  | 0.069   |
| 607 | A     | 3                    | 3                      | 1.                                  | 20                  | 0.15  |
| 608 | A     | 4                    | 4                      | 1.                                  | 29                  | 0.138   |
| 609 | A     | 5                    | 4                      | 1.                                  | 31                  | 0.129   |
| 610 | A     | 6                    | 4                      | 1.                                  | 31                  | 0.129   |
| 611 | A     | 7                    | 7                      | 1.                                  | 31                  | 0.226   |
| 612 | A     | 5                    | 5                      | 1.                                  | 31                  | 0.161   |
| 613 | A     | 4                    | 4                      | 1.                                  | 31                  | 0.129   |
| 614 | A     | 3                    | 3                      | 1.                                  | 29                  | 0.103   |
| 615 | A     | 5                    | 5                      | 1.                                  | 20                  | 0.25  |
| 616 | A     | 6                    | 6                      | 1.                                  | 29                  | 0.207   |
| 617 | A     | 6                    | 6                      | 1.                                  | 31                  | 0.194   |
| 618 | A     | 7                    | 6                      | 1.                                  | 31                  | 0.194   |
| 619 | A     | 6                    | 6                      | 1.                                  | 31                  | 0.194   |
| 620 | A     | 5                    | 5                      | 1.                                  | 31                  | 0.161   |
| 621 | A     | 4                    | 4                      | 1.                                  | 31                  | 0.129   |
| 622 | A     | 3                    | 3                      | 1.                                  | 29                  | 0.103   |
| 623 | A     | 6                    | 5                      | 1.                                  | 20                  | 0.25  |
| 624 | A     | 7                    | 6                      | 1.                                  | 29                  | 0.207   |
| 625 | A     | 8                    | 7                      | 1.                                  | 31                  | 0.226   |
| 626 | A     | 6                    | 6                      | 1.                                  | 31                  | 0.194   |
| 627 | A     | 5                    | 5                      | 1.                                  | 31                  | 0.161   |
| 628 | A     | 4                    | 4                      | 1.                                  | 31                  | 0.129   |
| 629 | A     | 4                    | 4                      | 1.                                  | 29                  | 0.138   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 630 | A     | 7                    | 6                      | 1.                                  | 20                  | 0.3   |
| 631 | A     | 8                    | 7                      | 1.                                  | 29                  | 0.241   |
| 632 | A     | 9                    | 7                      | 1.                                  | 31                  | 0.226   |
| 633 | A     | 3                    | 2                      | 1.                                  | 13                  | 0.154   |
| 634 | A     | 6                    | 4                      | 1.                                  | 21                  | 0.19  |
| 635 | A     | 6                    | 4                      | 1.                                  | 28                  | 0.143   |
| 636 | A     | 6                    | 4                      | 1.                                  | 30                  | 0.133   |
| 637 | A     | 1                    | 1                      | 1.                                  | 43                  | 0.023   |
| 638 | A     | 1                    | 1                      | 1.                                  | 43                  | 0.023   |
| 639 | A     | 1                    | 1                      | 1.                                  | 43                  | 0.023   |
| 640 | A     | 1                    | 1                      | 1.                                  | 41                  | 0.024   |
| 641 | A     | 1                    | 1                      | 1.                                  | 43                  | 0.023   |
| 642 | A     | 1                    | 1                      | 1.                                  | 43                  | 0.023   |
| 643 | A     | 1                    | 1                      | 1.                                  | 43                  | 0.023   |
| 644 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 645 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 646 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 647 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 648 | A     | 2                    | 2                      | 1.                                  | 11                  | 0.182   |
| 649 | A     | 2                    | 2                      | 1.                                  | 11                  | 0.182   |
| 650 | A     | 2                    | 2                      | 1.                                  | 13                  | 0.154   |
| 651 | A     | 2                    | 2                      | 1.                                  | 6                   | 0.333   |
| 652 | A     | 4                    | 4                      | 1.                                  | 11                  | 0.364   |
| 653 | A     | 6                    | 3                      | 1.                                  | 13                  | 0.231   |
| 654 | A     | 4                    | 3                      | 1.                                  | 17                  | 0.176   |
| 655 | A     | 2                    | 2                      | 1.                                  | 10                  | 0.2   |
| 656 | A     | 3                    | 3                      | 1.                                  | 21                  | 0.143   |
| 657 | A     | 3                    | 3                      | 1.                                  | 19                  | 0.158   |
| 658 | A     | 3                    | 2                      | 1.                                  | 15                  | 0.133   |
| 659 | A     | 2                    | 2                      | 1.                                  | 17                  | 0.118   |
| 660 | A     | 2                    | 2                      | 1.                                  | 22                  | 0.091   |
| 661 | A     | 2                    | 2                      | 1.                                  | 22                  | 0.091   |
| 662 | A     | 2                    | 2                      | 1.                                  | 17                  | 0.118   |
| 663 | A     | 2                    | 2                      | 1.                                  | 22                  | 0.091   |
| 664 | A     | 2                    | 2                      | 1.                                  | 22                  | 0.091   |
| 665 | A     | 2                    | 2                      | 1.                                  | 11                  | 0.182   |
| 666 | A     | 2                    | 2                      | 1.                                  | 11                  | 0.182   |
| 667 | A     | 2                    | 2                      | 1.                                  | 13                  | 0.154   |
| 668 | A     | 2                    | 2                      | 1.                                  | 15                  | 0.133   |
| 669 | A     | 2                    | 2                      | 1.                                  | 19                  | 0.105   |
| 670 | A     | 4                    | 4                      | 1.                                  | 11                  | 0.364   |
| 671 | A     | 3                    | 3                      | 1.                                  | 15                  | 0.2   |
| 672 | A     | 2                    | 2                      | 1.                                  | 15                  | 0.133   |
| 673 | A     | 3                    | 3                      | 1.                                  | 16                  | 0.188   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 674 | A     | 2                    | 2                      | 1.                                  | 6                   | 0.333   |
| 675 | A     | 3                    | 2                      | 1.                                  | 10                  | 0.2   |
| 676 | A     | 2                    | 2                      | 1.                                  | 6                   | 0.333   |
| 677 | A     | 4                    | 3                      | 1.                                  | 17                  | 0.176   |
| 678 | A     | 3                    | 3                      | 1.                                  | 9                   | 0.333   |
| 679 | A     | 4                    | 3                      | 1.                                  | 13                  | 0.231   |
| 680 | A     | 2                    | 2                      | 1.                                  | 17                  | 0.118   |
| 681 | A     | 2                    | 2                      | 1.                                  | 9                   | 0.222   |
| 682 | A     | 2                    | 2                      | 1.                                  | 12                  | 0.167   |
| 683 | A     | 2                    | 2                      | 1.                                  | 18                  | 0.111   |
| 684 | A     | 2                    | 2                      | 1.                                  | 17                  | 0.118   |
| 685 | A     | 2                    | 2                      | 1.                                  | 22                  | 0.091   |
| 686 | A     | 2                    | 2                      | 1.                                  | 22                  | 0.091   |
| 687 | A     | 2                    | 2                      | 1.                                  | 17                  | 0.118   |
| 688 | A     | 2                    | 2                      | 1.                                  | 22                  | 0.091   |
| 689 | A     | 2                    | 2                      | 1.                                  | 22                  | 0.091   |
| 690 | A     | 2                    | 2                      | 1.                                  | 13                  | 0.154   |
| 691 | A     | 2                    | 2                      | 1.                                  | 15                  | 0.133   |
| 692 | A     | 2                    | 2                      | 1.                                  | 13                  | 0.154   |
| 693 | A     | 2                    | 2                      | 1.                                  | 13                  | 0.154   |
| 694 | A     | 3                    | 1                      | 1.                                  | 15                  | 0.067   |
| 695 | A     | 4                    | 3                      | 1.                                  | 19                  | 0.158   |
| 696 | A     | 3                    | 3                      | 1.                                  | 17                  | 0.176   |
| 697 | A     | 3                    | 2                      | 1.5                                 | 16                  | 0.125   |
| 698 | A     | 3                    | 2                      | 1.5                                 | 18                  | 0.111   |
| 699 | A     | 7                    | 7                      | 1.                                  | 15                  | 0.467   |
| 700 | A     | 3                    | 3                      | 1.                                  | 19                  | 0.158   |
| 701 | A     | 3                    | 2                      | 1.                                  | 19                  | 0.105   |
| 702 | A     | 3                    | 2                      | 1.                                  | 21                  | 0.095   |
| 703 | A     | 3                    | 2                      | 1.                                  | 21                  | 0.095   |
| 704 | A     | 2                    | 2                      | 1.                                  | 17                  | 0.118   |
| 705 | A     | 4                    | 3                      | 1.                                  | 17                  | 0.176   |
| 706 | A     | 5                    | 5                      | 1.                                  | 19                  | 0.263   |
| 707 | A     | 2                    | 2                      | 1.                                  | 11                  | 0.182   |
| 708 | A     | 4                    | 2                      | 1.                                  | 17                  | 0.118   |
| 709 | A     | 2                    | 2                      | 1.                                  | 17                  | 0.118   |
| 710 | A     | 2                    | 2                      | 1.                                  | 17                  | 0.118   |
| 711 | A     | 3                    | 3                      | 1.                                  | 15                  | 0.2   |
| 712 | A     | 3                    | 3                      | 1.                                  | 17                  | 0.176   |
| 713 | A     | 3                    | 3                      | 1.                                  | 17                  | 0.176   |
| 714 | A     | 2                    | 2                      | 1.                                  | 9                   | 0.222   |
| 715 | A     | 4                    | 3                      | 1.                                  | 15                  | 0.2   |
| 716 | A     | 2                    | 2                      | 1.                                  | 13                  | 0.154   |
| 717 | A     | 2                    | 2                      | 1.                                  | 13                  | 0.154   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 718 | A     | 2                    | 2                      | 1.                                  | 11                  | 0.182   |
| 719 | A     | 4                    | 2                      | 1.                                  | 15                  | 0.133   |
| 720 | A     | 3                    | 2                      | 1.                                  | 19                  | 0.105   |
| 721 | A     | 3                    | 2                      | 1.                                  | 21                  | 0.095   |
| 722 | A     | 3                    | 2                      | 1.                                  | 21                  | 0.095   |
| 723 | A     | 2                    | 2                      | 1.                                  | 11                  | 0.182   |
| 724 | A     | 4                    | 4                      | 1.82                                | 13                  | 0.308   |
| 725 | A     | 2                    | 2                      | 1.                                  | 13                  | 0.154   |
| 726 | A     | 2                    | 2                      | 1.                                  | 15                  | 0.133   |
| 727 | A     | 2                    | 2                      | 1.                                  | 14                  | 0.143   |
| 728 | A     | 3                    | 3                      | 1.                                  | 15                  | 0.2   |
| 729 | A     | 2                    | 1                      | 1.                                  | 15                  | 0.067   |
| 730 | A     | 2                    | 2                      | 1.                                  | 9                   | 0.222   |
| 731 | A     | 2                    | 2                      | 1.                                  | 9                   | 0.222   |
| 732 | A     | 2                    | 2                      | 1.                                  | 19                  | 0.105   |
| 733 | A     | 3                    | 2                      | 1.                                  | 23                  | 0.087   |
| 734 | A     | 2                    | 1                      | 1.                                  | 23                  | 0.043   |
| 735 | A     | 4                    | 4                      | 1.67                                | 13                  | 0.308   |
| 736 | A     | 2                    | 2                      | 1.                                  | 15                  | 0.133   |
| 737 | A     | 2                    | 2                      | 1.                                  | 13                  | 0.154   |
| 738 | A     | 3                    | 3                      | 1.                                  | 21                  | 0.143   |
| 739 | A     | 2                    | 1                      | 1.                                  | 15                  | 0.067   |
| 740 | A     | 3                    | 2                      | 1.                                  | 23                  | 0.087   |
| 741 | A     | 4                    | 3                      | 1.                                  | 20                  | 0.15  |
| 742 | A     | 4                    | 3                      | 1.                                  | 19                  | 0.158   |
| 743 | A     | 4                    | 3                      | 1.                                  | 24                  | 0.125   |
| 744 | A     | 4                    | 3                      | 1.                                  | 21                  | 0.143   |
| 745 | A     | 4                    | 3                      | 1.                                  | 20                  | 0.15  |
| 746 | A     | 4                    | 3                      | 1.                                  | 19                  | 0.158   |
| 747 | A     | 4                    | 3                      | 1.                                  | 24                  | 0.125   |
| 748 | A     | 4                    | 3                      | 1.                                  | 21                  | 0.143   |
| 749 | A     | 1                    | 3                      | 1.                                  | 8                   | 0.375   |
| 750 | A     | 1                    | 2                      | 1.                                  | 8                   | 0.25  |
| 751 | A     | 3                    | 2                      | 1.                                  | 11                  | 0.182   |
| 752 | A     | 2                    | 2                      | 1.                                  | 6                   | 0.333   |
| 753 | A     | 4                    | 3                      | 1.                                  | 8                   | 0.375   |
| 754 | A     | 2                    | 2                      | 1.                                  | 9                   | 0.222   |
| 755 | A     | 2                    | 2                      | 1.                                  | 12                  | 0.167   |
| 756 | A     | 3                    | 2                      | 1.                                  | 13                  | 0.154   |
| 757 | A     | 2                    | 2                      | 1.                                  | 8                   | 0.25  |
| 758 | A     | 1                    | 1                      | 1.                                  | 12                  | 0.083   |
| 759 | B     | 25                   | 3                      | 10.75                               | 20                  | 0.15  |
| 760 | A     | 2                    | 2                      | 1.                                  | 6                   | 0.333   |
| 761 | A     | 3                    | 3                      | 1.                                  | 8                   | 0.375   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 762 | A     | 4                    | 3                      | 1.                                  | 15                  | 0.2   |
| 763 | A     | 2                    | 2                      | 1.                                  | 15                  | 0.133   |
| 764 | A     | 8                    | 4                      | 1.                                  | 17                  | 0.235   |
| 765 | A     | 3                    | 2                      | 1.                                  | 13                  | 0.154   |
| 766 | A     | 2                    | 2                      | 1.                                  | 6                   | 0.333   |
| 767 | A     | 2                    | 2                      | 1.                                  | 10                  | 0.2   |
| 768 | A     | 2                    | 2                      | 1.                                  | 8                   | 0.25  |
| 769 | A     | 2                    | 2                      | 1.                                  | 10                  | 0.2   |
| 770 | A     | 3                    | 3                      | 1.                                  | 10                  | 0.3   |
| 771 | A     | 3                    | 3                      | 1.                                  | 10                  | 0.3   |
| 772 | A     | 2                    | 2                      | 1.                                  | 8                   | 0.25  |
| 773 | A     | 1                    | 1                      | 1.                                  | 8                   | 0.125   |
| 774 | A     | 3                    | 1                      | 1.                                  | 18                  | 0.056   |
| 775 | A     | 6                    | 3                      | 1.                                  | 16                  | 0.188   |
| 776 | A     | 6                    | 3                      | 1.                                  | 8                   | 0.375   |
| 777 | A     | 2                    | 2                      | 1.                                  | 17                  | 0.118   |
| 778 | A     | 3                    | 3                      | 1.                                  | 7                   | 0.429   |
| 779 | A     | 3                    | 3                      | 1.                                  | 11                  | 0.273   |
| 780 | A     | 3                    | 2                      | 1.                                  | 10                  | 0.2   |
| 781 | A     | 2                    | 2                      | 1.                                  | 8                   | 0.25  |
| 782 | A     | 2                    | 2                      | 1.                                  | 8                   | 0.25  |
| 783 | A     | 3                    | 2                      | 1.                                  | 10                  | 0.2   |
| 784 | A     | 2                    | 2                      | 1.                                  | 10                  | 0.2   |
| 785 | A     | 3                    | 3                      | 1.                                  | 9                   | 0.333   |
| 786 | A     | 2                    | 2                      | 1.                                  | 8                   | 0.25  |
| 787 | A     | 3                    | 3                      | 1.                                  | 8                   | 0.375   |
| 788 | A     | 1                    | 1                      | 1.                                  | 8                   | 0.125   |
| 789 | A     | 3                    | 3                      | 1.                                  | 8                   | 0.375   |
| 790 | A     | 3                    | 3                      | 1.                                  | 8                   | 0.375   |
| 791 | A     | 2                    | 2                      | 1.                                  | 8                   | 0.25  |
| 792 | A     | 2                    | 2                      | 1.                                  | 13                  | 0.154   |
| 793 | A     | 1                    | 1                      | 1.                                  | 11                  | 0.091   |
| 794 | A     | 3                    | 3                      | 1.                                  | 9                   | 0.333   |
| 795 | A     | 3                    | 2                      | 1.                                  | 7                   | 0.286   |
| 796 | F     | 0                    | 0                      | N/A                                 | 0                   | N/A   |
| 797 | A     | 2                    | 2                      | 1.                                  | 6                   | 0.333   |
| 798 | A     | 3                    | 2                      | 1.                                  | 11                  | 0.182   |
| 799 | A     | 3                    | 2                      | 1.                                  | 8                   | 0.25  |
| 800 | A     | 3                    | 2                      | 1.                                  | 7                   | 0.286   |
| 801 | A     | 4                    | 3                      | 1.                                  | 9                   | 0.333   |
| 802 | A     | 2                    | 2                      | 1.                                  | 9                   | 0.222   |
| 803 | A     | 2                    | 2                      | 1.                                  | 7                   | 0.286   |
| 804 | A     | 2                    | 2                      | 1.                                  | 13                  | 0.154   |
| 805 | A     | 6                    | 4                      | 1.                                  | 10                  | 0.4   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 806 | A     | 2                    | 2                      | 1.                                  | 21                  | 0.095   |
| 807 | A     | 3                    | 3                      | 1.                                  | 15                  | 0.2   |
| 808 | A     | 2                    | 2                      | 1.                                  | 12                  | 0.167   |
| 809 | A     | 5                    | 5                      | 1.                                  | 16                  | 0.312   |
| 810 | A     | 4                    | 2                      | 1.                                  | 11                  | 0.182   |
| 811 | A     | 8                    | 4                      | 1.                                  | 13                  | 0.308   |
| 812 | A     | 1                    | 1                      | 1.                                  | 10                  | 0.1   |
| 813 | A     | 3                    | 2                      | 1.                                  | 13                  | 0.154   |
| 814 | A     | 4                    | 2                      | 1.                                  | 12                  | 0.167   |
| 815 | A     | 3                    | 2                      | 1.                                  | 8                   | 0.25  |
| 816 | A     | 5                    | 4                      | 1.                                  | 10                  | 0.4   |
| 817 | A     | 6                    | 4                      | 1.                                  | 15                  | 0.267   |
| 818 | A     | 4                    | 3                      | 1.                                  | 11                  | 0.273   |
| 819 | A     | 3                    | 2                      | 1.                                  | 13                  | 0.154   |
| 820 | A     | 2                    | 2                      | 1.                                  | 8                   | 0.25  |
| 821 | A     | 2                    | 2                      | 1.                                  | 28                  | 0.071   |
| 822 | A     | 1                    | 1                      | 1.                                  | 12                  | 0.083   |
| 823 | A     | 2                    | 2                      | 1.                                  | 23                  | 0.087   |
| 824 | A     | 3                    | 3                      | 1.                                  | 7                   | 0.429   |
| 825 | A     | 2                    | 2                      | 1.                                  | 10                  | 0.2   |
| 826 | A     | 2                    | 2                      | 1.                                  | 8                   | 0.25  |
| 827 | A     | 4                    | 2                      | 1.29                                | 13                  | 0.154   |
| 828 | A     | 3                    | 1                      | 1.                                  | 20                  | 0.05  |
| 829 | A     | 3                    | 3                      | 1.                                  | 9                   | 0.333   |
| 830 | A     | 5                    | 5                      | 1.                                  | 10                  | 0.5   |
| 831 | A     | 5                    | 4                      | 1.                                  | 9                   | 0.444   |
| 832 | A     | 4                    | 4                      | 1.                                  | 10                  | 0.4   |
| 833 | A     | 5                    | 4                      | 1.                                  | 10                  | 0.4   |
| 834 | A     | 4                    | 3                      | 1.                                  | 10                  | 0.3   |
| 835 | A     | 6                    | 4                      | 1.                                  | 10                  | 0.4   |
| 836 | A     | 5                    | 5                      | 1.                                  | 14                  | 0.357   |
| 837 | A     | 5                    | 4                      | 1.                                  | 13                  | 0.308   |
| 838 | A     | 5                    | 2                      | 1.                                  | 9                   | 0.222   |
| 839 | A     | 5                    | 2                      | 1.                                  | 11                  | 0.182   |
| 840 | A     | 2                    | 2                      | 1.                                  | 7                   | 0.286   |
| 841 | A     | 6                    | 2                      | 1.                                  | 9                   | 0.222   |
| 842 | A     | 13                   | 5                      | 1.                                  | 10                  | 0.5   |
| 843 | A     | 3                    | 3                      | 1.                                  | 18                  | 0.167   |
| 844 | A     | 1                    | 1                      | 1.                                  | 18                  | 0.056   |
| 845 | A     | 3                    | 3                      | 1.                                  | 18                  | 0.167   |
| 846 | A     | 9                    | 7                      | 1.27                                | 15                  | 0.467   |
| 847 | A     | 8                    | 7                      | 1.27                                | 15                  | 0.467   |
| 848 | A     | 4                    | 2                      | 1.                                  | 15                  | 0.133   |
| 849 | A     | 4                    | 2                      | 1.                                  | 15                  | 0.133   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 850 | A     | 3                    | 3                      | 1.                                  | 21                  | 0.143   |
| 851 | A     | 3                    | 3                      | 1.                                  | 21                  | 0.143   |
| 852 | A     | 1                    | 1                      | 1.                                  | 14                  | 0.071   |
| 853 | A     | 4                    | 4                      | 1.                                  | 15                  | 0.267   |
| 854 | A     | 4                    | 3                      | 1.                                  | 14                  | 0.214   |
| 855 | A     | 7                    | 5                      | 1.28                                | 16                  | 0.312   |
| 856 | A     | 7                    | 5                      | 1.28                                | 16                  | 0.312   |
| 857 | A     | 4                    | 2                      | 1.                                  | 15                  | 0.133   |
| 858 | B     | 5                    | 3                      | 4.63                                | 18                  | 0.167   |
| 859 | F     | 0                    | 0                      | N/A                                 | 0                   | N/A   |
| 860 | B     | 17                   | 9                      | 3.79                                | 16                  | 0.562   |
| 861 | A     | 4                    | 4                      | 1.                                  | 12                  | 0.333   |
| 862 | A     | 2                    | 2                      | 1.                                  | 15                  | 0.133   |
| 863 | A     | 6                    | 5                      | 1.                                  | 15                  | 0.333   |
| 864 | A     | 6                    | 5                      | 1.                                  | 15                  | 0.333   |
| 865 | A     | 8                    | 5                      | 1.                                  | 18                  | 0.278   |
| 866 | A     | 10                   | 8                      | 1.11                                | 23                  | 0.348   |
| 867 | A     | 7                    | 6                      | 1.                                  | 23                  | 0.261   |
| 868 | A     | 6                    | 4                      | 1.                                  | 16                  | 0.25  |
| 869 | A     | 8                    | 5                      | 1.                                  | 18                  | 0.278   |
| 870 | A     | 10                   | 6                      | 1.                                  | 18                  | 0.333   |
| 871 | A     | 5                    | 5                      | 1.                                  | 16                  | 0.312   |
| 872 | A     | 6                    | 6                      | 1.                                  | 18                  | 0.333   |
| 873 | A     | 7                    | 7                      | 1.                                  | 18                  | 0.389   |
| 874 | A     | 10                   | 10                     | 1.                                  | 16                  | 0.625   |
| 875 | A     | 17                   | 14                     | 1.                                  | 18                  | 0.778   |
| 876 | A     | 21                   | 13                     | 1.                                  | 18                  | 0.722   |
| 877 | A     | 12                   | 11                     | 1.                                  | 16                  | 0.688   |
| 878 | A     | 16                   | 13                     | 1.                                  | 18                  | 0.722   |
| 879 | A     | 21                   | 17                     | 1.                                  | 18                  | 0.944   |
| 880 | A     | 5                    | 2                      | 1.                                  | 11                  | 0.182   |
| 881 | A     | 5                    | 2                      | 1.                                  | 11                  | 0.182   |
| 882 | A     | 5                    | 2                      | 1.                                  | 11                  | 0.182   |
| 883 | A     | 5                    | 2                      | 1.                                  | 11                  | 0.182   |
| 884 | A     | 2                    | 2                      | 1.                                  | 6                   | 0.333   |
| 885 | A     | 1                    | 1                      | 1.                                  | 15                  | 0.067   |
| 886 | A     | 4                    | 4                      | 1.                                  | 9                   | 0.444   |
| 887 | A     | 3                    | 2                      | 1.                                  | 15                  | 0.133   |
| 888 | A     | 4                    | 3                      | 1.42                                | 16                  | 0.188   |
| 889 | A     | 3                    | 2                      | 1.                                  | 15                  | 0.133   |
| 890 | A     | 5                    | 4                      | 1.                                  | 13                  | 0.308   |
| 891 | A     | 3                    | 2                      | 1.                                  | 13                  | 0.154   |
| 892 | A     | 5                    | 4                      | 1.                                  | 13                  | 0.308   |
| 893 | A     | 4                    | 3                      | 1.                                  | 15                  | 0.2   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 894 | A     | 5                    | 4                      | 1.                                  | 7                   | 0.571   |
| 895 | A     | 3                    | 2                      | 1.                                  | 13                  | 0.154   |
| 896 | A     | 5                    | 4                      | 1.                                  | 27                  | 0.148   |
| 897 | A     | 5                    | 4                      | 1.                                  | 27                  | 0.148   |
| 898 | A     | 5                    | 4                      | 1.                                  | 27                  | 0.148   |
| 899 | A     | 5                    | 4                      | 1.                                  | 27                  | 0.148   |
| 900 | A     | 5                    | 3                      | 1.                                  | 21                  | 0.143   |
| 901 | A     | 7                    | 5                      | 1.                                  | 23                  | 0.217   |
| 902 | A     | 4                    | 3                      | 1.                                  | 13                  | 0.231   |
| 903 | A     | 7                    | 7                      | 1.                                  | 15                  | 0.467   |
| 904 | A     | 2                    | 2                      | 1.                                  | 10                  | 0.2   |
| 905 | A     | 3                    | 2                      | 1.                                  | 17                  | 0.118   |
| 906 | A     | 5                    | 4                      | 1.                                  | 17                  | 0.235   |
| 907 | A     | 5                    | 3                      | 1.                                  | 8                   | 0.375   |
| 908 | A     | 3                    | 2                      | 1.                                  | 13                  | 0.154   |
| 909 | A     | 4                    | 3                      | 1.                                  | 16                  | 0.188   |
| 910 | A     | 6                    | 5                      | 1.                                  | 13                  | 0.385   |
| 911 | A     | 8                    | 3                      | 1.                                  | 12                  | 0.25  |
| 912 | B     | 22                   | 9                      | 4.26                                | 18                  | 0.5   |
| 913 | A     | 3                    | 3                      | 1.                                  | 9                   | 0.333   |
| 914 | F     | 0                    | 0                      | N/A                                 | 0                   | N/A   |
| 915 | F     | 0                    | 0                      | N/A                                 | 0                   | N/A   |
| 916 | A     | 6                    | 4                      | 1.                                  | 12                  | 0.333   |
| 917 | A     | 2                    | 2                      | 1.                                  | 9                   | 0.222   |
| 918 | A     | 1                    | 1                      | 1.                                  | 21                  | 0.048   |
| 919 | A     | 3                    | 3                      | 1.                                  | 10                  | 0.3   |
| 920 | A     | 8                    | 4                      | 1.                                  | 13                  | 0.308   |
| 921 | A     | 1                    | 1                      | 1.                                  | 8                   | 0.125   |
| 922 | A     | 7                    | 5                      | 1.                                  | 12                  | 0.417   |
| 923 | A     | 1                    | 1                      | 1.                                  | 18                  | 0.056   |
| 924 | A     | 1                    | 1                      | 1.                                  | 14                  | 0.071   |
| 925 | A     | 1                    | 1                      | 1.                                  | 22                  | 0.045   |
| 926 | A     | 7                    | 4                      | 1.                                  | 22                  | 0.182   |
| 927 | A     | 6                    | 4                      | 1.                                  | 22                  | 0.182   |
| 928 | A     | 3                    | 3                      | 1.                                  | 10                  | 0.3   |
| 929 | A     | 3                    | 3                      | 1.                                  | 9                   | 0.333   |
| 930 | A     | 2                    | 2                      | 1.                                  | 14                  | 0.143   |
| 931 | F     | 0                    | 0                      | N/A                                 | 0                   | N/A   |
| 932 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 933 | F     | 0                    | 0                      | N/A                                 | 0                   | N/A   |
| 934 | A     | 7                    | 5                      | 1.                                  | 28                  | 0.179   |
| 935 | A     | 9                    | 6                      | 1.                                  | 30                  | 0.2   |
| 936 | A     | 7                    | 6                      | 1.                                  | 36                  | 0.167   |
| 937 | A     | 16                   | 5                      | 1.                                  | 38                  | 0.132   |

Continued on next page



Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 938 | A     | 7                    | 6                      | 1.                                  | 29                  | 0.207   |
| 939 | A     | 11                   | 8                      | 1.                                  | 31                  | 0.258   |
| 940 | A     | 4                    | 4                      | 1.                                  | 27                  | 0.148   |
| 941 | A     | 4                    | 4                      | 1.                                  | 27                  | 0.148   |
| 942 | A     | 7                    | 4                      | 1.                                  | 39                  | 0.103   |
| 943 | A     | 4                    | 2                      | 1.                                  | 39                  | 0.051   |
| 944 | A     | 5                    | 3                      | 1.                                  | 39                  | 0.077   |
| 945 | A     | 6                    | 3                      | 1.                                  | 39                  | 0.077   |
| 946 | A     | 1                    | 1                      | 1.                                  | 31                  | 0.032   |
| 947 | A     | 4                    | 2                      | 1.                                  | 31                  | 0.065   |
| 948 | A     | 2                    | 1                      | 1.                                  | 39                  | 0.026   |
| 949 | A     | 5                    | 3                      | 1.                                  | 39                  | 0.077   |
| 950 | A     | 4                    | 2                      | 1.                                  | 39                  | 0.051   |



# Chapter 3

## Listing of integrals

### 3.1

$$\int \frac{2}{3-\cos(4+6x)} dx$$

**Optimal.** Leaf size=44

$$\frac{x}{\sqrt{2}} + \frac{\tan^{-1}\left(\frac{\sin(6x+4)}{-\cos(6x+4)+2\sqrt{2}+3}\right)}{3\sqrt{2}}$$

```
[Out] x/Sqrt[2] + ArcTan[Sin[4 + 6*x]/(3 + 2*Sqrt[2] - Cos[4 + 6*x])]/(3*Sqrt[2])
```

---

**Rubi [A]** time = 0.0397767, antiderivative size = 44, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {12, 2657}

$$\frac{x}{\sqrt{2}} + \frac{\tan^{-1}\left(\frac{\sin(6x+4)}{-\cos(6x+4)+2\sqrt{2}+3}\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

```
[In] Int[2/(3 - Cos[4 + 6*x]),x]
```

```
[Out] x/Sqrt[2] + ArcTan[Sin[4 + 6*x]/(3 + 2*Sqrt[2] - Cos[4 + 6*x])]/(3*Sqrt[2])
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

### Rule 2657

```
Int[((a_) + (b_.)*sin[(c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{q = Rt[a^2 - b^2, 2]}, Simp[x/q, x] + Simp[(2*ArcTan[(b*Cos[c + d*x])/(a + q + b*Sin[c + d*x])])]/(d*q), x] /; FreeQ[{a, b, c, d}, x] && GtQ[a^2 - b^2, 0] && PosQ[a]
```

### Rubi steps

$$\int \frac{2}{3 - \cos(4 + 6x)} dx = 2 \int \frac{1}{3 - \cos(4 + 6x)} dx$$

$$= \frac{x}{\sqrt{2}} + \frac{\tan^{-1}\left(\frac{\sin(4+6x)}{3+2\sqrt{2}-\cos(4+6x)}\right)}{3\sqrt{2}}$$

**Mathematica [A]** time = 0.036174, size = 22, normalized size = 0.5

$$\frac{\tan^{-1}\left(\sqrt{2}\tan(3x+2)\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[2/(3 - Cos[4 + 6\*x]), x]

[Out] ArcTan[Sqrt[2]\*Tan[2 + 3\*x]]/(3\*Sqrt[2])

**Maple [A]** time = 0.016, size = 17, normalized size = 0.4

$$\frac{\sqrt{2} \arctan(\tan(2 + 3x) \sqrt{2})}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(2/(3-cos(4+6\*x)), x)

[Out] 1/6\*2^(1/2)\*arctan(tan(2+3\*x)\*2^(1/2))

**Maxima [A]** time = 1.69744, size = 35, normalized size = 0.8

$$\frac{1}{6} \sqrt{2} \arctan\left(\frac{\sqrt{2} \sin(6x+4)}{\cos(6x+4)+1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2/(3-cos(4+6\*x)), x, algorithm="maxima")

[Out] 1/6\*sqrt(2)\*arctan(sqrt(2)\*sin(6\*x + 4)/(cos(6\*x + 4) + 1))

**Fricas [A]** time = 1.42568, size = 101, normalized size = 2.3

$$-\frac{1}{12} \sqrt{2} \arctan\left(\frac{3\sqrt{2}\cos(6x+4)-\sqrt{2}}{4\sin(6x+4)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2/(3-cos(4+6\*x)), x, algorithm="fricas")

[Out]  $-1/12*\sqrt{2}*\arctan(1/4*(3*\sqrt{2}*\cos(6*x + 4) - \sqrt{2}))/\sin(6*x + 4)$

**Sympy [A]** time = 0.324355, size = 32, normalized size = 0.73

$$\frac{\sqrt{2} \left( \operatorname{atan}(\sqrt{2} \tan(3x + 2)) + \pi \left\lfloor \frac{3x - \frac{\pi}{2} + 2}{\pi} \right\rfloor \right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(2/(3-cos(4+6*x)),x)`

[Out]  $\sqrt{2}*(\operatorname{atan}(\sqrt{2}*\tan(3*x + 2)) + \pi*\operatorname{floor}((3*x - \pi/2 + 2)/\pi))/6$

**Giac [A]** time = 1.13833, size = 77, normalized size = 1.75

$$\frac{1}{6} \sqrt{2} \left( 3x + \arctan \left( -\frac{\sqrt{2} \sin(6x + 4) - 2 \sin(6x + 4)}{\sqrt{2} \cos(6x + 4) + \sqrt{2} - 2 \cos(6x + 4) + 2} \right) + 2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(2/(3-cos(4+6*x)),x, algorithm="giac")`

[Out]  $1/6*\sqrt{2}*(3*x + \arctan(-(\sqrt{2}*\sin(6*x + 4) - 2*\sin(6*x + 4))/(\sqrt{2}*\cos(6*x + 4) + \sqrt{2} - 2*\cos(6*x + 4) + 2)) + 2)$

$$3.2 \quad \int \frac{2 \csc(4+6x)}{-\cot(4+6x)+3 \csc(4+6x)} dx$$

**Optimal.** Leaf size=44

$$\frac{x}{\sqrt{2}} + \frac{\tan^{-1}\left(\frac{\sin(6x+4)}{-\cos(6x+4)+2\sqrt{2}+3}\right)}{3\sqrt{2}}$$

[Out] x/Sqrt[2] + ArcTan[Sin[4 + 6\*x]/(3 + 2\*Sqrt[2] - Cos[4 + 6\*x])]/(3\*Sqrt[2])

**Rubi [A]** time = 0.0375237, antiderivative size = 44, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {12, 3166, 2657}

$$\frac{x}{\sqrt{2}} + \frac{\tan^{-1}\left(\frac{\sin(6x+4)}{-\cos(6x+4)+2\sqrt{2}+3}\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(2\*Csc[4 + 6\*x])/(-Cot[4 + 6\*x] + 3\*Csc[4 + 6\*x]),x]

[Out] x/Sqrt[2] + ArcTan[Sin[4 + 6\*x]/(3 + 2\*Sqrt[2] - Cos[4 + 6\*x])]/(3\*Sqrt[2])

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 3166

Int[csc[(d\_.) + (e\_.)\*(x\_)]^(n\_.)\*((a\_.) + csc[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + cot[(d\_.) + (e\_.)\*(x\_)]\*(c\_.)^(m\_.), x\_Symbol] := Int[1/(b + a\*Sin[d + e\*x] + c\*Cos[d + e\*x])^n, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[m + n, 0] && IntegerQ[n]

### Rule 2657

Int[((a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := With[{q = Rt[a^2 - b^2, 2]}, Simp[x/q, x] + Simp[(2\*ArcTan[(b\*Cos[c + d\*x])/(a + q + b\*Sin[c + d\*x])])/(d\*q), x] /; FreeQ[{a, b, c, d}, x] && GtQ[a^2 - b^2, 0] && PosQ[a]

### Rubi steps

$$\begin{aligned} \int \frac{2 \csc(4+6x)}{-\cot(4+6x)+3 \csc(4+6x)} dx &= 2 \int \frac{\csc(4+6x)}{-\cot(4+6x)+3 \csc(4+6x)} dx \\ &= 2 \int \frac{1}{3-\cos(4+6x)} dx \\ &= \frac{x}{\sqrt{2}} + \frac{\tan^{-1}\left(\frac{\sin(4+6x)}{3+2\sqrt{2}-\cos(4+6x)}\right)}{3\sqrt{2}} \end{aligned}$$

**Mathematica [A]** time = 0.0277109, size = 22, normalized size = 0.5

$$\frac{\tan^{-1}\left(\sqrt{2}\tan(3x+2)\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[(2\*Csc[4 + 6\*x])/(-Cot[4 + 6\*x] + 3\*Csc[4 + 6\*x]),x]

[Out] ArcTan[Sqrt[2]\*Tan[2 + 3\*x]]/(3\*Sqrt[2])

**Maple [A]** time = 0.081, size = 17, normalized size = 0.4

$$\frac{\sqrt{2}\arctan\left(\tan(2+3x)\sqrt{2}\right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(2\*csc(4+6\*x)/(-cot(4+6\*x)+3\*csc(4+6\*x)),x)

[Out] 1/6\*2^(1/2)\*arctan(tan(2+3\*x)\*2^(1/2))

**Maxima [A]** time = 1.57537, size = 35, normalized size = 0.8

$$\frac{1}{6}\sqrt{2}\arctan\left(\frac{\sqrt{2}\sin(6x+4)}{\cos(6x+4)+1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2\*csc(4+6\*x)/(-cot(4+6\*x)+3\*csc(4+6\*x)),x, algorithm="maxima")

[Out] 1/6\*sqrt(2)\*arctan(sqrt(2)\*sin(6\*x + 4)/(cos(6\*x + 4) + 1))

**Fricas [A]** time = 1.45432, size = 101, normalized size = 2.3

$$-\frac{1}{12}\sqrt{2}\arctan\left(\frac{3\sqrt{2}\cos(6x+4)-\sqrt{2}}{4\sin(6x+4)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2\*csc(4+6\*x)/(-cot(4+6\*x)+3\*csc(4+6\*x)),x, algorithm="fricas")

[Out] -1/12\*sqrt(2)\*arctan(1/4\*(3\*sqrt(2)\*cos(6\*x + 4) - sqrt(2))/sin(6\*x + 4))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-2 \int \frac{\csc(6x+4)}{\cot(6x+4) - 3 \csc(6x+4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2\*csc(4+6\*x)/(-cot(4+6\*x)+3\*csc(4+6\*x)),x)

[Out] -2\*Integral(csc(6\*x + 4)/(cot(6\*x + 4) - 3\*csc(6\*x + 4)), x)

**Giac [A]** time = 1.23553, size = 77, normalized size = 1.75

$$\frac{1}{6} \sqrt{2} \left( 3x + \arctan \left( -\frac{\sqrt{2} \sin(6x + 4) - 2 \sin(6x + 4)}{\sqrt{2} \cos(6x + 4) + \sqrt{2} - 2 \cos(6x + 4) + 2} \right) + 2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2\*csc(4+6\*x)/(-cot(4+6\*x)+3\*csc(4+6\*x)),x, algorithm="giac")

[Out] 1/6\*sqrt(2)\*(3\*x + arctan(-(sqrt(2)\*sin(6\*x + 4) - 2\*sin(6\*x + 4))/(sqrt(2)\*cos(6\*x + 4) + sqrt(2) - 2\*cos(6\*x + 4) + 2)) + 2)



$$3.3 \quad \int \frac{1}{1+\sin^2(2+3x)} dx$$

**Optimal.** Leaf size=48

$$\frac{x}{\sqrt{2}} + \frac{\tan^{-1}\left(\frac{\sin(3x+2)\cos(3x+2)}{\sin^2(3x+2)+\sqrt{2}+1}\right)}{3\sqrt{2}}$$

[Out] x/Sqrt[2] + ArcTan[(Cos[2 + 3\*x]\*Sin[2 + 3\*x])/(1 + Sqrt[2] + Sin[2 + 3\*x]^2)]/(3\*Sqrt[2])

**Rubi [A]** time = 0.0215153, antiderivative size = 48, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {3181, 203}

$$\frac{x}{\sqrt{2}} + \frac{\tan^{-1}\left(\frac{\sin(3x+2)\cos(3x+2)}{\sin^2(3x+2)+\sqrt{2}+1}\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(1 + Sin[2 + 3\*x]^2)^(-1), x]

[Out] x/Sqrt[2] + ArcTan[(Cos[2 + 3\*x]\*Sin[2 + 3\*x])/(1 + Sqrt[2] + Sin[2 + 3\*x]^2)]/(3\*Sqrt[2])

#### Rule 3181

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)^2]^(-1), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/f, Subst[Int[1/(a + (a + b)\*ff^2\*x^2), x], x, Tan[e + f\*x]/ff], x] /; FreeQ[{a, b, e, f}, x]

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{1}{1+\sin^2(2+3x)} dx &= \frac{1}{3} \text{Subst}\left(\int \frac{1}{1+2x^2} dx, x, \tan(2+3x)\right) \\ &= \frac{x}{\sqrt{2}} + \frac{\tan^{-1}\left(\frac{\cos(2+3x)\sin(2+3x)}{1+\sqrt{2}+\sin^2(2+3x)}\right)}{3\sqrt{2}} \end{aligned}$$

**Mathematica [A]** time = 0.0464328, size = 22, normalized size = 0.46

$$\frac{\tan^{-1}\left(\sqrt{2}\tan(3x+2)\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + Sin[2 + 3\*x]^2)^(-1),x]

[Out] ArcTan[Sqrt[2]\*Tan[2 + 3\*x]]/(3\*Sqrt[2])

**Maple [A]** time = 0.033, size = 17, normalized size = 0.4

$$\frac{\sqrt{2} \arctan(\tan(2 + 3x) \sqrt{2})}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(1+sin(2+3\*x)^2),x)

[Out] 1/6\*2^(1/2)\*arctan(tan(2+3\*x)\*2^(1/2))

**Maxima [A]** time = 1.56648, size = 22, normalized size = 0.46

$$\frac{1}{6} \sqrt{2} \arctan(\sqrt{2} \tan(3x + 2))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1+sin(2+3\*x)^2),x, algorithm="maxima")

[Out] 1/6\*sqrt(2)\*arctan(sqrt(2)\*tan(3\*x + 2))

**Fricas [A]** time = 1.46993, size = 127, normalized size = 2.65

$$-\frac{1}{12} \sqrt{2} \arctan\left(\frac{3 \sqrt{2} \cos(3x + 2)^2 - 2 \sqrt{2}}{4 \cos(3x + 2) \sin(3x + 2)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1+sin(2+3\*x)^2),x, algorithm="fricas")

[Out] -1/12\*sqrt(2)\*arctan(1/4\*(3\*sqrt(2)\*cos(3\*x + 2)^2 - 2\*sqrt(2))/(cos(3\*x + 2)\*sin(3\*x + 2)))

**Sympy [B]** time = 8.38866, size = 343, normalized size = 7.15

$$\frac{2\sqrt{2} \left( \operatorname{atan}\left(\frac{\tan\left(\frac{3x}{2}+1\right)}{\sqrt{3-2\sqrt{2}}}\right) + \pi \left\lfloor \frac{\frac{3x}{2}-\frac{\pi}{2}+1}{\pi} \right\rfloor \right)}{21\sqrt{2}\sqrt{3-2\sqrt{2}}+30\sqrt{3-2\sqrt{2}}} + \frac{3 \left( \operatorname{atan}\left(\frac{\tan\left(\frac{3x}{2}+1\right)}{\sqrt{3-2\sqrt{2}}}\right) + \pi \left\lfloor \frac{\frac{3x}{2}-\frac{\pi}{2}+1}{\pi} \right\rfloor \right)}{21\sqrt{2}\sqrt{3-2\sqrt{2}}+30\sqrt{3-2\sqrt{2}}} + \frac{2\sqrt{2}\sqrt{3-2\sqrt{2}}\sqrt{2\sqrt{2}+3} \left( \operatorname{atan}\left(\frac{\tan\left(\frac{3x}{2}+1\right)}{\sqrt{2\sqrt{2}+3}}\right) + \pi \left\lfloor \frac{\frac{3x}{2}-\frac{\pi}{2}+1}{\pi} \right\rfloor \right)}{21\sqrt{2}\sqrt{3-2\sqrt{2}}+30\sqrt{3-2\sqrt{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1+sin(2+3\*x)\*\*2),x)

```
[Out] 2*sqrt(2)*(atan(tan(3*x/2 + 1)/sqrt(3 - 2*sqrt(2))) + pi*floor((3*x/2 - pi/2 + 1)/pi))/(21*sqrt(2)*sqrt(3 - 2*sqrt(2)) + 30*sqrt(3 - 2*sqrt(2))) + 3*(atan(tan(3*x/2 + 1)/sqrt(3 - 2*sqrt(2))) + pi*floor((3*x/2 - pi/2 + 1)/pi))/(21*sqrt(2)*sqrt(3 - 2*sqrt(2)) + 30*sqrt(3 - 2*sqrt(2))) + 2*sqrt(2)*sqrt(3 - 2*sqrt(2))*sqrt(2*sqrt(2) + 3)*(atan(tan(3*x/2 + 1)/sqrt(2*sqrt(2) + 3)) + pi*floor((3*x/2 - pi/2 + 1)/pi))/(21*sqrt(2)*sqrt(3 - 2*sqrt(2)) + 30*sqrt(3 - 2*sqrt(2))) + 3*sqrt(3 - 2*sqrt(2))*sqrt(2*sqrt(2) + 3)*(atan(tan(3*x/2 + 1)/sqrt(2*sqrt(2) + 3)) + pi*floor((3*x/2 - pi/2 + 1)/pi))/(21*sqrt(2)*sqrt(3 - 2*sqrt(2)) + 30*sqrt(3 - 2*sqrt(2)))
```

**Giac [A]** time = 1.12004, size = 77, normalized size = 1.6

$$\frac{1}{6} \sqrt{2} \left( 3x + \arctan \left( -\frac{\sqrt{2} \sin(6x + 4) - 2 \sin(6x + 4)}{\sqrt{2} \cos(6x + 4) + \sqrt{2} - 2 \cos(6x + 4) + 2} \right) + 2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(1+sin(2+3*x)^2),x, algorithm="giac")
```

```
[Out] 1/6*sqrt(2)*(3*x + arctan(-(sqrt(2)*sin(6*x + 4) - 2*sin(6*x + 4))/(sqrt(2)*cos(6*x + 4) + sqrt(2) - 2*cos(6*x + 4) + 2)) + 2)
```

### 3.4 $\int \frac{1}{2 - \cos^2(2+3x)} dx$

**Optimal.** Leaf size=48

$$\frac{x}{\sqrt{2}} + \frac{\tan^{-1}\left(\frac{\sin(3x+2)\cos(3x+2)}{\sin^2(3x+2)+\sqrt{2}+1}\right)}{3\sqrt{2}}$$

[Out] x/Sqrt[2] + ArcTan[(Cos[2 + 3\*x]\*Sin[2 + 3\*x])/(1 + Sqrt[2] + Sin[2 + 3\*x]^2)]/(3\*Sqrt[2])

**Rubi [A]** time = 0.0198624, antiderivative size = 48, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3181, 203}

$$\frac{x}{\sqrt{2}} + \frac{\tan^{-1}\left(\frac{\sin(3x+2)\cos(3x+2)}{\sin^2(3x+2)+\sqrt{2}+1}\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(2 - Cos[2 + 3\*x]^2)^(-1), x]

[Out] x/Sqrt[2] + ArcTan[(Cos[2 + 3\*x]\*Sin[2 + 3\*x])/(1 + Sqrt[2] + Sin[2 + 3\*x]^2)]/(3\*Sqrt[2])

#### Rule 3181

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2)^(-1), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/f, Subst[Int[1/(a + (a + b)\*ff^2\*x^2), x], x, Tan[e + f\*x]/ff], x] /; FreeQ[{a, b, e, f}, x]

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{1}{2 - \cos^2(2+3x)} dx &= -\left(\frac{1}{3} \text{Subst}\left(\int \frac{1}{2 + x^2} dx, x, \cot(2+3x)\right)\right) \\ &= \frac{x}{\sqrt{2}} + \frac{\tan^{-1}\left(\frac{\cos(2+3x)\sin(2+3x)}{1+\sqrt{2}+\sin^2(2+3x)}\right)}{3\sqrt{2}} \end{aligned}$$

**Mathematica [A]** time = 0.0586315, size = 22, normalized size = 0.46

$$\frac{\tan^{-1}\left(\sqrt{2}\tan(3x+2)\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[(2 - Cos[2 + 3\*x]^2)^(-1), x]

[Out] ArcTan[Sqrt[2]\*Tan[2 + 3\*x]]/(3\*Sqrt[2])

**Maple [A]** time = 0.02, size = 17, normalized size = 0.4

$$\frac{\sqrt{2} \arctan(\tan(2 + 3x) \sqrt{2})}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(2-cos(2+3\*x)^2), x)

[Out] 1/6\*2^(1/2)\*arctan(tan(2+3\*x)\*2^(1/2))

**Maxima [A]** time = 1.60181, size = 22, normalized size = 0.46

$$\frac{1}{6} \sqrt{2} \arctan(\sqrt{2} \tan(3x + 2))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2-cos(2+3\*x)^2), x, algorithm="maxima")

[Out] 1/6\*sqrt(2)\*arctan(sqrt(2)\*tan(3\*x + 2))

**Fricas [A]** time = 1.42053, size = 127, normalized size = 2.65

$$-\frac{1}{12} \sqrt{2} \arctan\left(\frac{3 \sqrt{2} \cos(3x + 2)^2 - 2 \sqrt{2}}{4 \cos(3x + 2) \sin(3x + 2)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2-cos(2+3\*x)^2), x, algorithm="fricas")

[Out] -1/12\*sqrt(2)\*arctan(1/4\*(3\*sqrt(2)\*cos(3\*x + 2)^2 - 2\*sqrt(2))/(cos(3\*x + 2)\*sin(3\*x + 2)))

**Sympy [B]** time = 10.2511, size = 343, normalized size = 7.15

$$\frac{2\sqrt{2} \left( \operatorname{atan}\left(\frac{\tan\left(\frac{3x}{2}+1\right)}{\sqrt{3-2\sqrt{2}}}\right) + \pi \left\lfloor \frac{\frac{3x}{2}-\frac{\pi}{2}+1}{\pi} \right\rfloor \right)}{21\sqrt{2}\sqrt{3-2\sqrt{2}} + 30\sqrt{3-2\sqrt{2}}} + \frac{3 \left( \operatorname{atan}\left(\frac{\tan\left(\frac{3x}{2}+1\right)}{\sqrt{3-2\sqrt{2}}}\right) + \pi \left\lfloor \frac{\frac{3x}{2}-\frac{\pi}{2}+1}{\pi} \right\rfloor \right)}{21\sqrt{2}\sqrt{3-2\sqrt{2}} + 30\sqrt{3-2\sqrt{2}}} + \frac{2\sqrt{2}\sqrt{3-2\sqrt{2}}\sqrt{2\sqrt{2}+3} \left( \operatorname{atan}\left(\frac{\tan\left(\frac{3x}{2}+1\right)}{\sqrt{2\sqrt{2}+3}}\right) + \pi \left\lfloor \frac{\frac{3x}{2}-\frac{\pi}{2}+1}{\pi} \right\rfloor \right)}{21\sqrt{2}\sqrt{3-2\sqrt{2}} + 30\sqrt{3-2\sqrt{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2-cos(2+3\*x)\*\*2), x)

```
[Out] 2*sqrt(2)*(atan(tan(3*x/2 + 1)/sqrt(3 - 2*sqrt(2))) + pi*floor((3*x/2 - pi/2 + 1)/pi))/(21*sqrt(2)*sqrt(3 - 2*sqrt(2)) + 30*sqrt(3 - 2*sqrt(2))) + 3*(atan(tan(3*x/2 + 1)/sqrt(3 - 2*sqrt(2))) + pi*floor((3*x/2 - pi/2 + 1)/pi))/(21*sqrt(2)*sqrt(3 - 2*sqrt(2)) + 30*sqrt(3 - 2*sqrt(2))) + 2*sqrt(2)*sqrt(3 - 2*sqrt(2))*sqrt(2*sqrt(2) + 3)*(atan(tan(3*x/2 + 1)/sqrt(2*sqrt(2) + 3)) + pi*floor((3*x/2 - pi/2 + 1)/pi))/(21*sqrt(2)*sqrt(3 - 2*sqrt(2)) + 30*sqrt(3 - 2*sqrt(2))) + 3*sqrt(3 - 2*sqrt(2))*sqrt(2*sqrt(2) + 3)*(atan(tan(3*x/2 + 1)/sqrt(2*sqrt(2) + 3)) + pi*floor((3*x/2 - pi/2 + 1)/pi))/(21*sqrt(2)*sqrt(3 - 2*sqrt(2)) + 30*sqrt(3 - 2*sqrt(2)))
```

**Giac [A]** time = 1.10448, size = 77, normalized size = 1.6

$$\frac{1}{6} \sqrt{2} \left( 3x + \arctan \left( -\frac{\sqrt{2} \sin(6x + 4) - 2 \sin(6x + 4)}{\sqrt{2} \cos(6x + 4) + \sqrt{2} - 2 \cos(6x + 4) + 2} \right) + 2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(2-cos(2+3*x)^2),x, algorithm="giac")
```

```
[Out] 1/6*sqrt(2)*(3*x + arctan(-(sqrt(2)*sin(6*x + 4) - 2*sin(6*x + 4))/(sqrt(2)*cos(6*x + 4) + sqrt(2) - 2*cos(6*x + 4) + 2)) + 2)
```

$$3.5 \quad \int \frac{1}{\cos^2(2+3x)+2 \sin^2(2+3x)} dx$$

**Optimal.** Leaf size=48

$$\frac{x}{\sqrt{2}} + \frac{\tan^{-1}\left(\frac{\sin(3x+2)\cos(3x+2)}{\sin^2(3x+2)+\sqrt{2}+1}\right)}{3\sqrt{2}}$$

[Out] x/Sqrt[2] + ArcTan[(Cos[2 + 3\*x]\*Sin[2 + 3\*x])/(1 + Sqrt[2] + Sin[2 + 3\*x]^2)]/(3\*Sqrt[2])

**Rubi [A]** time = 0.0255043, antiderivative size = 48, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$ , Rules used = {203}

$$\frac{x}{\sqrt{2}} + \frac{\tan^{-1}\left(\frac{\sin(3x+2)\cos(3x+2)}{\sin^2(3x+2)+\sqrt{2}+1}\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[2 + 3\*x]^2 + 2\*Sin[2 + 3\*x]^2)^(-1), x]

[Out] x/Sqrt[2] + ArcTan[(Cos[2 + 3\*x]\*Sin[2 + 3\*x])/(1 + Sqrt[2] + Sin[2 + 3\*x]^2)]/(3\*Sqrt[2])

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{1}{\cos^2(2+3x)+2 \sin^2(2+3x)} dx &= \frac{1}{3} \text{Subst}\left(\int \frac{1}{1+2x^2} dx, x, \tan(2+3x)\right) \\ &= \frac{x}{\sqrt{2}} + \frac{\tan^{-1}\left(\frac{\cos(2+3x)\sin(2+3x)}{1+\sqrt{2}+\sin^2(2+3x)}\right)}{3\sqrt{2}} \end{aligned}$$

**Mathematica [A]** time = 0.024852, size = 22, normalized size = 0.46

$$\frac{\tan^{-1}\left(\sqrt{2}\tan(3x+2)\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[2 + 3\*x]^2 + 2\*Sin[2 + 3\*x]^2)^(-1), x]

[Out] ArcTan[Sqrt[2]\*Tan[2 + 3\*x]]/(3\*Sqrt[2])

**Maple [A]** time = 0.04, size = 17, normalized size = 0.4

$$\frac{\sqrt{2} \arctan(\tan(2 + 3x) \sqrt{2})}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(2+3\*x)^2+2\*sin(2+3\*x)^2),x)

[Out] 1/6\*2^(1/2)\*arctan(tan(2+3\*x)\*2^(1/2))

**Maxima [A]** time = 1.67127, size = 22, normalized size = 0.46

$$\frac{1}{6} \sqrt{2} \arctan(\sqrt{2} \tan(3x + 2))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(cos(2+3\*x)^2+2\*sin(2+3\*x)^2),x, algorithm="maxima")

[Out] 1/6\*sqrt(2)\*arctan(sqrt(2)\*tan(3\*x + 2))

**Fricas [A]** time = 1.46917, size = 127, normalized size = 2.65

$$-\frac{1}{12} \sqrt{2} \arctan\left(\frac{3 \sqrt{2} \cos(3x + 2)^2 - 2 \sqrt{2}}{4 \cos(3x + 2) \sin(3x + 2)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(cos(2+3\*x)^2+2\*sin(2+3\*x)^2),x, algorithm="fricas")

[Out] -1/12\*sqrt(2)\*arctan(1/4\*(3\*sqrt(2)\*cos(3\*x + 2)^2 - 2\*sqrt(2))/(cos(3\*x + 2)\*sin(3\*x + 2)))

**Sympy [B]** time = 9.4536, size = 343, normalized size = 7.15

$$\frac{2\sqrt{2} \left( \operatorname{atan}\left(\frac{\tan\left(\frac{3x}{2}+1\right)}{\sqrt{3-2\sqrt{2}}}\right) + \pi \left\lfloor \frac{\frac{3x}{2}-\frac{\pi}{2}+1}{\pi} \right\rfloor \right)}{21\sqrt{2}\sqrt{3-2\sqrt{2}}+30\sqrt{3-2\sqrt{2}}} + \frac{3 \left( \operatorname{atan}\left(\frac{\tan\left(\frac{3x}{2}+1\right)}{\sqrt{3-2\sqrt{2}}}\right) + \pi \left\lfloor \frac{\frac{3x}{2}-\frac{\pi}{2}+1}{\pi} \right\rfloor \right)}{21\sqrt{2}\sqrt{3-2\sqrt{2}}+30\sqrt{3-2\sqrt{2}}} + \frac{2\sqrt{2}\sqrt{3-2\sqrt{2}}\sqrt{2\sqrt{2}+3} \left( \operatorname{atan}\left(\frac{\tan\left(\frac{3x}{2}+1\right)}{\sqrt{2\sqrt{2}+3}}\right) + \pi \left\lfloor \frac{\frac{3x}{2}-\frac{\pi}{2}+1}{\pi} \right\rfloor \right)}{21\sqrt{2}\sqrt{3-2\sqrt{2}}+30\sqrt{3-2\sqrt{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(cos(2+3\*x)\*\*2+2\*sin(2+3\*x)\*\*2),x)

[Out] 2\*sqrt(2)\*(atan(tan(3\*x/2 + 1)/sqrt(3 - 2\*sqrt(2))) + pi\*floor((3\*x/2 - pi/2 + 1)/pi))/(21\*sqrt(2)\*sqrt(3 - 2\*sqrt(2)) + 30\*sqrt(3 - 2\*sqrt(2))) + 3\*(atan(tan(3\*x/2 + 1)/sqrt(3 - 2\*sqrt(2))) + pi\*floor((3\*x/2 - pi/2 + 1)/pi))/(21\*sqrt(2)\*sqrt(3 - 2\*sqrt(2)) + 30\*sqrt(3 - 2\*sqrt(2))) + 2\*sqrt(2)\*sqrt(3 - 2\*sqrt(2))\*sqrt(2\*sqrt(2) + 3)\*(atan(tan(3\*x/2 + 1)/sqrt(2\*sqrt(2) + 3)) + pi\*floor((3\*x/2 - pi/2 + 1)/pi))/(21\*sqrt(2)\*sqrt(3 - 2\*sqrt(2)) + 30\*



```
sqrt(3 - 2*sqrt(2))) + 3*sqrt(3 - 2*sqrt(2))*sqrt(2*sqrt(2) + 3)*(atan(tan(
3*x/2 + 1)/sqrt(2*sqrt(2) + 3)) + pi*floor((3*x/2 - pi/2 + 1)/pi))/(21*sqrt
(2)*sqrt(3 - 2*sqrt(2)) + 30*sqrt(3 - 2*sqrt(2)))
```

**Giac [A]** time = 1.09728, size = 77, normalized size = 1.6

$$\frac{1}{6} \sqrt{2} \left( 3x + \arctan \left( -\frac{\sqrt{2} \sin(6x + 4) - 2 \sin(6x + 4)}{\sqrt{2} \cos(6x + 4) + \sqrt{2} - 2 \cos(6x + 4) + 2} \right) + 2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(cos(2+3*x)^2+2*sin(2+3*x)^2),x, algorithm="giac")
```

```
[Out] 1/6*sqrt(2)*(3*x + arctan(-(sqrt(2)*sin(6*x + 4) - 2*sin(6*x + 4))/(sqrt(2)
*cos(6*x + 4) + sqrt(2) - 2*cos(6*x + 4) + 2)) + 2)
```

$$3.6 \quad \int \frac{\sec^2(2+3x)}{1+2 \tan^2(2+3x)} dx$$

**Optimal.** Leaf size=48

$$\frac{x}{\sqrt{2}} + \frac{\tan^{-1}\left(\frac{\sin(3x+2)\cos(3x+2)}{\sin^2(3x+2)+\sqrt{2}+1}\right)}{3\sqrt{2}}$$

[Out] x/Sqrt[2] + ArcTan[(Cos[2 + 3\*x]\*Sin[2 + 3\*x])/(1 + Sqrt[2] + Sin[2 + 3\*x]^2)]/(3\*Sqrt[2])

**Rubi [A]** time = 0.0436017, antiderivative size = 48, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3675, 203}

$$\frac{x}{\sqrt{2}} + \frac{\tan^{-1}\left(\frac{\sin(3x+2)\cos(3x+2)}{\sin^2(3x+2)+\sqrt{2}+1}\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[Sec[2 + 3\*x]^2/(1 + 2\*Tan[2 + 3\*x]^2), x]

[Out] x/Sqrt[2] + ArcTan[(Cos[2 + 3\*x]\*Sin[2 + 3\*x])/(1 + Sqrt[2] + Sin[2 + 3\*x]^2)]/(3\*Sqrt[2])

#### Rule 3675

Int[sec[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]))^(n\_)]^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/(c^(m - 1)\*f), Subst[Int[(c^2 + ff^2\*x^2)^(m/2 - 1)\*(a + b\*(ff\*x)^n)^p, x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{\sec^2(2+3x)}{1+2 \tan^2(2+3x)} dx &= \frac{1}{3} \text{Subst} \left( \int \frac{1}{1+2x^2} dx, x, \tan(2+3x) \right) \\ &= \frac{x}{\sqrt{2}} + \frac{\tan^{-1}\left(\frac{\cos(2+3x)\sin(2+3x)}{1+\sqrt{2}+\sin^2(2+3x)}\right)}{3\sqrt{2}} \end{aligned}$$

**Mathematica [A]** time = 0.0185332, size = 22, normalized size = 0.46

$$\frac{\tan^{-1}\left(\sqrt{2} \tan(3x+2)\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[2 + 3\*x]^2/(1 + 2\*Tan[2 + 3\*x]^2), x]

[Out] ArcTan[Sqrt[2]\*Tan[2 + 3\*x]]/(3\*Sqrt[2])

**Maple [A]** time = 0.061, size = 17, normalized size = 0.4

$$\frac{\sqrt{2} \arctan\left(\tan(2 + 3x) \sqrt{2}\right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(2+3\*x)^2/(1+2\*tan(2+3\*x)^2), x)

[Out] 1/6\*2^(1/2)\*arctan(tan(2+3\*x)\*2^(1/2))

**Maxima [A]** time = 1.54248, size = 22, normalized size = 0.46

$$\frac{1}{6} \sqrt{2} \arctan\left(\sqrt{2} \tan(3x + 2)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2+3\*x)^2/(1+2\*tan(2+3\*x)^2), x, algorithm="maxima")

[Out] 1/6\*sqrt(2)\*arctan(sqrt(2)\*tan(3\*x + 2))

**Fricas [A]** time = 1.53201, size = 127, normalized size = 2.65

$$-\frac{1}{12} \sqrt{2} \arctan\left(\frac{3 \sqrt{2} \cos(3x + 2)^2 - 2 \sqrt{2}}{4 \cos(3x + 2) \sin(3x + 2)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2+3\*x)^2/(1+2\*tan(2+3\*x)^2), x, algorithm="fricas")

[Out] -1/12\*sqrt(2)\*arctan(1/4\*(3\*sqrt(2)\*cos(3\*x + 2)^2 - 2\*sqrt(2))/(cos(3\*x + 2)\*sin(3\*x + 2)))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec^2(3x + 2)}{2 \tan^2(3x + 2) + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2+3\*x)\*\*2/(1+2\*tan(2+3\*x)\*\*2), x)

[Out] Integral(sec(3\*x + 2)\*\*2/(2\*tan(3\*x + 2)\*\*2 + 1), x)

---

**Giac [A]** time = 2.45887, size = 77, normalized size = 1.6

$$\frac{1}{6} \sqrt{2} \left( 3x + \arctan \left( -\frac{\sqrt{2} \sin(6x + 4) - 2 \sin(6x + 4)}{\sqrt{2} \cos(6x + 4) + \sqrt{2} - 2 \cos(6x + 4) + 2} \right) + 2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2+3\*x)^2/(1+2\*tan(2+3\*x)^2),x, algorithm="giac")

[Out] 1/6\*sqrt(2)\*(3\*x + arctan(-(sqrt(2)\*sin(6\*x + 4) - 2\*sin(6\*x + 4))/(sqrt(2)\*cos(6\*x + 4) + sqrt(2) - 2\*cos(6\*x + 4) + 2)) + 2)

$$3.7 \quad \int \frac{\csc^2(2+3x)}{2+\cot^2(2+3x)} dx$$

**Optimal.** Leaf size=48

$$\frac{x}{\sqrt{2}} + \frac{\tan^{-1}\left(\frac{\sin(3x+2)\cos(3x+2)}{\sin^2(3x+2)+\sqrt{2}+1}\right)}{3\sqrt{2}}$$

[Out] x/Sqrt[2] + ArcTan[(Cos[2 + 3\*x]\*Sin[2 + 3\*x])/(1 + Sqrt[2] + Sin[2 + 3\*x]^2)]/(3\*Sqrt[2])

**Rubi [A]** time = 0.041115, antiderivative size = 48, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {3675, 203}

$$\frac{x}{\sqrt{2}} + \frac{\tan^{-1}\left(\frac{\sin(3x+2)\cos(3x+2)}{\sin^2(3x+2)+\sqrt{2}+1}\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[Csc[2 + 3\*x]^2/(2 + Cot[2 + 3\*x]^2), x]

[Out] x/Sqrt[2] + ArcTan[(Cos[2 + 3\*x]\*Sin[2 + 3\*x])/(1 + Sqrt[2] + Sin[2 + 3\*x]^2)]/(3\*Sqrt[2])

#### Rule 3675

Int[sec[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]))^(n\_)^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/(c^(m - 1)\*f), Subst[Int[(c^2 + ff^2\*x^2)^(m/2 - 1)\*(a + b\*(ff\*x)^n)^p, x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{\csc^2(2+3x)}{2+\cot^2(2+3x)} dx &= -\left(\frac{1}{3} \text{Subst}\left(\int \frac{1}{2+x^2} dx, x, \cot(2+3x)\right)\right) \\ &= \frac{x}{\sqrt{2}} + \frac{\tan^{-1}\left(\frac{\cos(2+3x)\sin(2+3x)}{1+\sqrt{2}+\sin^2(2+3x)}\right)}{3\sqrt{2}} \end{aligned}$$

**Mathematica [A]** time = 0.0183495, size = 22, normalized size = 0.46

$$\frac{\tan^{-1}\left(\sqrt{2}\tan(3x+2)\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[Csc[2 + 3\*x]^2/(2 + Cot[2 + 3\*x]^2),x]

[Out] ArcTan[Sqrt[2]\*Tan[2 + 3\*x]]/(3\*Sqrt[2])

**Maple [A]** time = 0.061, size = 17, normalized size = 0.4

$$\frac{\sqrt{2} \arctan(\tan(2 + 3x) \sqrt{2})}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(2+3\*x)^2/(2+cot(2+3\*x)^2),x)

[Out] 1/6\*2^(1/2)\*arctan(tan(2+3\*x)\*2^(1/2))

**Maxima [A]** time = 1.52606, size = 22, normalized size = 0.46

$$\frac{1}{6} \sqrt{2} \arctan(\sqrt{2} \tan(3x + 2))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(2+3\*x)^2/(2+cot(2+3\*x)^2),x, algorithm="maxima")

[Out] 1/6\*sqrt(2)\*arctan(sqrt(2)\*tan(3\*x + 2))

**Fricas [A]** time = 1.45905, size = 127, normalized size = 2.65

$$-\frac{1}{12} \sqrt{2} \arctan\left(\frac{3 \sqrt{2} \cos(3x + 2)^2 - 2 \sqrt{2}}{4 \cos(3x + 2) \sin(3x + 2)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(2+3\*x)^2/(2+cot(2+3\*x)^2),x, algorithm="fricas")

[Out] -1/12\*sqrt(2)\*arctan(1/4\*(3\*sqrt(2)\*cos(3\*x + 2)^2 - 2\*sqrt(2))/(cos(3\*x + 2)\*sin(3\*x + 2)))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc^2(3x + 2)}{\cot^2(3x + 2) + 2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(2+3\*x)\*\*2/(2+cot(2+3\*x)\*\*2),x)

[Out] Integral(csc(3\*x + 2)\*\*2/(cot(3\*x + 2)\*\*2 + 2), x)

---

**Giac [A]** time = 1.28001, size = 77, normalized size = 1.6

$$\frac{1}{6} \sqrt{2} \left( 3x + \arctan \left( -\frac{\sqrt{2} \sin(6x + 4) - 2 \sin(6x + 4)}{\sqrt{2} \cos(6x + 4) + \sqrt{2} - 2 \cos(6x + 4) + 2} \right) + 2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(2+3\*x)^2/(2+cot(2+3\*x)^2),x, algorithm="giac")

[Out] 1/6\*sqrt(2)\*(3\*x + arctan(-(sqrt(2)\*sin(6\*x + 4) - 2\*sin(6\*x + 4))/(sqrt(2)\*cos(6\*x + 4) + sqrt(2) - 2\*cos(6\*x + 4) + 2)) + 2)

$$3.8 \quad \int \frac{2}{1-3 \cos(4+6x)} dx$$

**Optimal.** Leaf size=60

$$\frac{\log(\cos(3x+2) - \sqrt{2} \sin(3x+2))}{6\sqrt{2}} - \frac{\log(\sqrt{2} \sin(3x+2) + \cos(3x+2))}{6\sqrt{2}}$$

[Out] Log[Cos[2 + 3\*x] - Sqrt[2]\*Sin[2 + 3\*x]]/(6\*Sqrt[2]) - Log[Cos[2 + 3\*x] + Sqrt[2]\*Sin[2 + 3\*x]]/(6\*Sqrt[2])

**Rubi [A]** time = 0.0260871, antiderivative size = 60, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {12, 2659, 207}

$$\frac{\log(\cos(3x+2) - \sqrt{2} \sin(3x+2))}{6\sqrt{2}} - \frac{\log(\sqrt{2} \sin(3x+2) + \cos(3x+2))}{6\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[2/(1 - 3\*Cos[4 + 6\*x]), x]

[Out] Log[Cos[2 + 3\*x] - Sqrt[2]\*Sin[2 + 3\*x]]/(6\*Sqrt[2]) - Log[Cos[2 + 3\*x] + Sqrt[2]\*Sin[2 + 3\*x]]/(6\*Sqrt[2])

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 2659

Int[((a\_) + (b\_)\*sin[Pi/2 + (c\_.) + (d\_)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 207

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{2}{1-3 \cos(4+6x)} dx &= 2 \int \frac{1}{1-3 \cos(4+6x)} dx \\ &= \frac{2}{3} \text{Subst} \left( \int \frac{1}{-2+4x^2} dx, x, \tan \left( \frac{1}{2}(4+6x) \right) \right) \\ &= \frac{\log(\cos(2+3x) - \sqrt{2} \sin(2+3x))}{6\sqrt{2}} - \frac{\log(\cos(2+3x) + \sqrt{2} \sin(2+3x))}{6\sqrt{2}} \end{aligned}$$



**Mathematica [A]** time = 0.0383321, size = 22, normalized size = 0.37

$$-\frac{\tanh^{-1}\left(\sqrt{2}\tan(3x+2)\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[2/(1 - 3\*Cos[4 + 6\*x]),x]

[Out] -ArcTanh[Sqrt[2]\*Tan[2 + 3\*x]]/(3\*Sqrt[2])

**Maple [A]** time = 0.012, size = 17, normalized size = 0.3

$$\frac{\sqrt{2}\operatorname{Artanh}\left(\tan(2+3x)\sqrt{2}\right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(2/(1-3\*cos(4+6\*x)),x)

[Out] -1/6\*2^(1/2)\*arctanh(tan(2+3\*x)\*2^(1/2))

**Maxima [A]** time = 1.62765, size = 73, normalized size = 1.22

$$\frac{1}{12}\sqrt{2}\log\left(-\frac{\sqrt{2}-\frac{2\sin(6x+4)}{\cos(6x+4)+1}}{\sqrt{2}+\frac{2\sin(6x+4)}{\cos(6x+4)+1}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2/(1-3\*cos(4+6\*x)),x, algorithm="maxima")

[Out] 1/12\*sqrt(2)\*log(-(sqrt(2) - 2\*sin(6\*x + 4)/(cos(6\*x + 4) + 1))/(sqrt(2) + 2\*sin(6\*x + 4)/(cos(6\*x + 4) + 1)))

**Fricas [A]** time = 1.40245, size = 207, normalized size = 3.45

$$\frac{1}{24}\sqrt{2}\log\left(-\frac{7\cos(6x+4)^2-4\left(\sqrt{2}\cos(6x+4)-3\sqrt{2}\right)\sin(6x+4)+6\cos(6x+4)-17}{9\cos(6x+4)^2-6\cos(6x+4)+1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2/(1-3\*cos(4+6\*x)),x, algorithm="fricas")

[Out] 1/24\*sqrt(2)\*log(-(7\*cos(6\*x + 4)^2 - 4\*(sqrt(2)\*cos(6\*x + 4) - 3\*sqrt(2))\*sin(6\*x + 4) + 6\*cos(6\*x + 4) - 17)/(9\*cos(6\*x + 4)^2 - 6\*cos(6\*x + 4) + 1))

**Sympy [A]** time = 0.390018, size = 42, normalized size = 0.7

$$\frac{\sqrt{2} \log\left(\tan(3x + 2) - \frac{\sqrt{2}}{2}\right)}{12} - \frac{\sqrt{2} \log\left(\tan(3x + 2) + \frac{\sqrt{2}}{2}\right)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2/(1-3\*cos(4+6\*x)),x)

[Out] sqrt(2)\*log(tan(3\*x + 2) - sqrt(2)/2)/12 - sqrt(2)\*log(tan(3\*x + 2) + sqrt(2)/2)/12

**Giac [A]** time = 1.21038, size = 53, normalized size = 0.88

$$\frac{1}{12} \sqrt{2} \log\left(\frac{\left| -2\sqrt{2} + 4 \tan(3x + 2) \right|}{\left| 2\sqrt{2} + 4 \tan(3x + 2) \right|}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2/(1-3\*cos(4+6\*x)),x, algorithm="giac")

[Out] 1/12\*sqrt(2)\*log(abs(-2\*sqrt(2) + 4\*tan(3\*x + 2))/abs(2\*sqrt(2) + 4\*tan(3\*x + 2)))

$$3.9 \quad \int \frac{2 \csc(4+6x)}{-3 \cot(4+6x) + \csc(4+6x)} dx$$

**Optimal.** Leaf size=60

$$\frac{\log(\cos(3x+2) - \sqrt{2} \sin(3x+2))}{6\sqrt{2}} - \frac{\log(\sqrt{2} \sin(3x+2) + \cos(3x+2))}{6\sqrt{2}}$$

[Out] Log[Cos[2 + 3\*x] - Sqrt[2]\*Sin[2 + 3\*x]]/(6\*Sqrt[2]) - Log[Cos[2 + 3\*x] + Sqrt[2]\*Sin[2 + 3\*x]]/(6\*Sqrt[2])

**Rubi [A]** time = 0.046477, antiderivative size = 60, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.16$ , Rules used = {12, 3166, 2659, 207}

$$\frac{\log(\cos(3x+2) - \sqrt{2} \sin(3x+2))}{6\sqrt{2}} - \frac{\log(\sqrt{2} \sin(3x+2) + \cos(3x+2))}{6\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(2\*Csc[4 + 6\*x])/(-3\*Cot[4 + 6\*x] + Csc[4 + 6\*x]), x]

[Out] Log[Cos[2 + 3\*x] - Sqrt[2]\*Sin[2 + 3\*x]]/(6\*Sqrt[2]) - Log[Cos[2 + 3\*x] + Sqrt[2]\*Sin[2 + 3\*x]]/(6\*Sqrt[2])

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 3166

Int[csc[(d\_.) + (e\_.)\*(x\_)]^(n\_)\*((a\_.) + csc[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + cot[(d\_.) + (e\_.)\*(x\_)]\*(c\_.)^(m\_)), x\_Symbol] := Int[1/(b + a\*Sin[d + e\*x] + c\*Cos[d + e\*x])^n, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[m + n, 0] && IntegerQ[n]

#### Rule 2659

Int[((a\_.) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 207

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned}
\int \frac{2 \csc(4 + 6x)}{-3 \cot(4 + 6x) + \csc(4 + 6x)} dx &= 2 \int \frac{\csc(4 + 6x)}{-3 \cot(4 + 6x) + \csc(4 + 6x)} dx \\
&= 2 \int \frac{1}{1 - 3 \cos(4 + 6x)} dx \\
&= \frac{2}{3} \text{Subst} \left( \int \frac{1}{-2 + 4x^2} dx, x, \tan \left( \frac{1}{2}(4 + 6x) \right) \right) \\
&= \frac{\log(\cos(2 + 3x) - \sqrt{2} \sin(2 + 3x))}{6\sqrt{2}} - \frac{\log(\cos(2 + 3x) + \sqrt{2} \sin(2 + 3x))}{6\sqrt{2}}
\end{aligned}$$

**Mathematica [A]** time = 0.0390506, size = 22, normalized size = 0.37

$$-\frac{\tanh^{-1}(\sqrt{2} \tan(3x + 2))}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[(2\*Csc[4 + 6\*x])/(-3\*Cot[4 + 6\*x] + Csc[4 + 6\*x]),x]

[Out] -ArcTanh[Sqrt[2]\*Tan[2 + 3\*x]]/(3\*Sqrt[2])

**Maple [A]** time = 0.084, size = 17, normalized size = 0.3

$$-\frac{\sqrt{2} \text{Artanh}(\tan(2 + 3x) \sqrt{2})}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(2\*csc(4+6\*x)/(-3\*cot(4+6\*x)+csc(4+6\*x)),x)

[Out] -1/6\*2^(1/2)\*arctanh(tan(2+3\*x)\*2^(1/2))

**Maxima [A]** time = 1.66518, size = 73, normalized size = 1.22

$$\frac{1}{12} \sqrt{2} \log \left( -\frac{\sqrt{2} - \frac{2 \sin(6x+4)}{\cos(6x+4)+1}}{\sqrt{2} + \frac{2 \sin(6x+4)}{\cos(6x+4)+1}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2\*csc(4+6\*x)/(-3\*cot(4+6\*x)+csc(4+6\*x)),x, algorithm="maxima")

[Out] 1/12\*sqrt(2)\*log(-(sqrt(2) - 2\*sin(6\*x + 4)/(cos(6\*x + 4) + 1))/(sqrt(2) + 2\*sin(6\*x + 4)/(cos(6\*x + 4) + 1)))

**Fricas [A]** time = 1.48476, size = 207, normalized size = 3.45

$$\frac{1}{24} \sqrt{2} \log \left( -\frac{7 \cos(6x + 4)^2 - 4(\sqrt{2} \cos(6x + 4) - 3\sqrt{2}) \sin(6x + 4) + 6 \cos(6x + 4) - 17}{9 \cos(6x + 4)^2 - 6 \cos(6x + 4) + 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2\*csc(4+6\*x)/(-3\*cot(4+6\*x)+csc(4+6\*x)),x, algorithm="fricas")

[Out] 1/24\*sqrt(2)\*log(-(7\*cos(6\*x + 4)^2 - 4\*(sqrt(2)\*cos(6\*x + 4) - 3\*sqrt(2))\*  
sin(6\*x + 4) + 6\*cos(6\*x + 4) - 17)/(9\*cos(6\*x + 4)^2 - 6\*cos(6\*x + 4) + 1)  
)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-2 \int \frac{\csc(6x + 4)}{3 \cot(6x + 4) - \csc(6x + 4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2\*csc(4+6\*x)/(-3\*cot(4+6\*x)+csc(4+6\*x)),x)

[Out] -2\*Integral(csc(6\*x + 4)/(3\*cot(6\*x + 4) - csc(6\*x + 4)), x)

**Giac [A]** time = 1.30167, size = 53, normalized size = 0.88

$$\frac{1}{12} \sqrt{2} \log \left( \frac{|-2\sqrt{2} + 4 \tan(3x + 2)|}{|2\sqrt{2} + 4 \tan(3x + 2)|} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2\*csc(4+6\*x)/(-3\*cot(4+6\*x)+csc(4+6\*x)),x, algorithm="giac")

[Out] 1/12\*sqrt(2)\*log(abs(-2\*sqrt(2) + 4\*tan(3\*x + 2))/abs(2\*sqrt(2) + 4\*tan(3\*x  
+ 2)))

$$3.10 \quad \int \frac{1}{-1+3 \sin^2(2+3x)} dx$$

**Optimal.** Leaf size=60

$$\frac{\log(\cos(3x+2) - \sqrt{2} \sin(3x+2))}{6\sqrt{2}} - \frac{\log(\sqrt{2} \sin(3x+2) + \cos(3x+2))}{6\sqrt{2}}$$

[Out] Log[Cos[2 + 3\*x] - Sqrt[2]\*Sin[2 + 3\*x]]/(6\*Sqrt[2]) - Log[Cos[2 + 3\*x] + Sqrt[2]\*Sin[2 + 3\*x]]/(6\*Sqrt[2])

**Rubi [A]** time = 0.0195075, antiderivative size = 60, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3181, 207}

$$\frac{\log(\cos(3x+2) - \sqrt{2} \sin(3x+2))}{6\sqrt{2}} - \frac{\log(\sqrt{2} \sin(3x+2) + \cos(3x+2))}{6\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(-1 + 3\*Sin[2 + 3\*x]^2)^(-1), x]

[Out] Log[Cos[2 + 3\*x] - Sqrt[2]\*Sin[2 + 3\*x]]/(6\*Sqrt[2]) - Log[Cos[2 + 3\*x] + Sqrt[2]\*Sin[2 + 3\*x]]/(6\*Sqrt[2])

#### Rule 3181

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2)^(-1), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/f, Subst[Int[1/(a + (a + b)\*ff^2\*x^2), x], x, Tan[e + f\*x]/ff], x] /; FreeQ[{a, b, e, f}, x]

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{1}{-1+3 \sin^2(2+3x)} dx &= \frac{1}{3} \text{Subst} \left( \int \frac{1}{-1+2x^2} dx, x, \tan(2+3x) \right) \\ &= \frac{\log(\cos(2+3x) - \sqrt{2} \sin(2+3x))}{6\sqrt{2}} - \frac{\log(\cos(2+3x) + \sqrt{2} \sin(2+3x))}{6\sqrt{2}} \end{aligned}$$

**Mathematica [A]** time = 0.0584288, size = 22, normalized size = 0.37

$$-\frac{\tanh^{-1}(\sqrt{2} \tan(3x+2))}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[(-1 + 3\*Sin[2 + 3\*x]^2)^(-1), x]

[Out]  $-\text{ArcTanh}[\text{Sqrt}[2]*\text{Tan}[2 + 3*x]]/(3*\text{Sqrt}[2])$

**Maple [A]** time = 0.029, size = 17, normalized size = 0.3

$$\frac{\sqrt{2}\text{Artanh}\left(\tan(2 + 3x)\sqrt{2}\right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(-1+3*sin(2+3*x)^2),x)`

[Out]  $-1/6*2^{(1/2)}*\text{arctanh}(\tan(2+3*x)*2^{(1/2)})$

**Maxima [A]** time = 1.61108, size = 46, normalized size = 0.77

$$\frac{1}{12}\sqrt{2}\log\left(-\frac{\sqrt{2}-2\tan(3x+2)}{\sqrt{2}+2\tan(3x+2)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-1+3*sin(2+3*x)^2),x, algorithm="maxima")`

[Out]  $1/12*\text{sqrt}(2)*\log(-(\text{sqrt}(2) - 2*\tan(3*x + 2))/(\text{sqrt}(2) + 2*\tan(3*x + 2)))$

**Fricas [A]** time = 1.40464, size = 232, normalized size = 3.87

$$\frac{1}{24}\sqrt{2}\log\left(-\frac{7\cos(3x+2)^4 - 4\cos(3x+2)^2 - 4(\sqrt{2}\cos(3x+2)^3 - 2\sqrt{2}\cos(3x+2))\sin(3x+2) - 4}{9\cos(3x+2)^4 - 12\cos(3x+2)^2 + 4}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-1+3*sin(2+3*x)^2),x, algorithm="fricas")`

[Out]  $1/24*\text{sqrt}(2)*\log(- (7*\cos(3*x + 2)^4 - 4*\cos(3*x + 2)^2 - 4*(\text{sqrt}(2)*\cos(3*x + 2)^3 - 2*\text{sqrt}(2)*\cos(3*x + 2))*\sin(3*x + 2) - 4)/(9*\cos(3*x + 2)^4 - 12*\cos(3*x + 2)^2 + 4))$

**Sympy [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-1+3*sin(2+3*x)**2),x)`

[Out] Exception raised: TypeError

**Giac [A]** time = 1.17198, size = 53, normalized size = 0.88

$$\frac{1}{12} \sqrt{2} \log \left( \frac{|-2\sqrt{2} + 4 \tan(3x + 2)|}{|2\sqrt{2} + 4 \tan(3x + 2)|} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(-1+3*sin(2+3*x)^2),x, algorithm="giac")
```

```
[Out] 1/12*sqrt(2)*log(abs(-2*sqrt(2) + 4*tan(3*x + 2))/abs(2*sqrt(2) + 4*tan(3*x + 2)))
```



$$3.11 \quad \int \frac{1}{2-3 \cos^2(2+3x)} dx$$

**Optimal.** Leaf size=60

$$\frac{\log(\cos(3x+2) - \sqrt{2} \sin(3x+2))}{6\sqrt{2}} - \frac{\log(\sqrt{2} \sin(3x+2) + \cos(3x+2))}{6\sqrt{2}}$$

[Out] Log[Cos[2 + 3\*x] - Sqrt[2]\*Sin[2 + 3\*x]]/(6\*Sqrt[2]) - Log[Cos[2 + 3\*x] + Sqrt[2]\*Sin[2 + 3\*x]]/(6\*Sqrt[2])

**Rubi [A]** time = 0.0191408, antiderivative size = 60, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3181, 206}

$$\frac{\log(\cos(3x+2) - \sqrt{2} \sin(3x+2))}{6\sqrt{2}} - \frac{\log(\sqrt{2} \sin(3x+2) + \cos(3x+2))}{6\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(2 - 3\*Cos[2 + 3\*x]^2)^(-1), x]

[Out] Log[Cos[2 + 3\*x] - Sqrt[2]\*Sin[2 + 3\*x]]/(6\*Sqrt[2]) - Log[Cos[2 + 3\*x] + Sqrt[2]\*Sin[2 + 3\*x]]/(6\*Sqrt[2])

#### Rule 3181

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2)^(-1), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/f, Subst[Int[1/(a + (a + b)\*ff^2\*x^2), x], x, Tan[e + f\*x]/ff], x] /; FreeQ[{a, b, e, f}, x]

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{1}{2-3 \cos^2(2+3x)} dx &= -\left(\frac{1}{3} \text{Subst}\left(\int \frac{1}{2-x^2} dx, x, \cot(2+3x)\right)\right) \\ &= \frac{\log(\cos(2+3x) - \sqrt{2} \sin(2+3x))}{6\sqrt{2}} - \frac{\log(\cos(2+3x) + \sqrt{2} \sin(2+3x))}{6\sqrt{2}} \end{aligned}$$

**Mathematica [A]** time = 0.0704723, size = 22, normalized size = 0.37

$$\frac{\tanh^{-1}(\sqrt{2} \tan(3x+2))}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[(2 - 3\*Cos[2 + 3\*x]^2)^(-1), x]

[Out]  $-\text{ArcTanh}[\text{Sqrt}[2]*\text{Tan}[2 + 3*x]]/(3*\text{Sqrt}[2])$

**Maple [A]** time = 0.017, size = 17, normalized size = 0.3

$$-\frac{\sqrt{2}\text{Artanh}\left(\tan(2+3x)\sqrt{2}\right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(2-3*cos(2+3*x)^2),x)`

[Out]  $-1/6*2^{(1/2)}*\text{arctanh}(\tan(2+3*x)*2^{(1/2)})$

**Maxima [A]** time = 1.59672, size = 46, normalized size = 0.77

$$\frac{1}{12}\sqrt{2}\log\left(-\frac{\sqrt{2}-2\tan(3x+2)}{\sqrt{2}+2\tan(3x+2)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(2-3*cos(2+3*x)^2),x, algorithm="maxima")`

[Out]  $1/12*\text{sqrt}(2)*\log(-(\text{sqrt}(2) - 2*\tan(3*x + 2))/(\text{sqrt}(2) + 2*\tan(3*x + 2)))$

**Fricas [A]** time = 1.31075, size = 232, normalized size = 3.87

$$\frac{1}{24}\sqrt{2}\log\left(-\frac{7\cos(3x+2)^4-4\cos(3x+2)^2-4\left(\sqrt{2}\cos(3x+2)^3-2\sqrt{2}\cos(3x+2)\right)\sin(3x+2)-4}{9\cos(3x+2)^4-12\cos(3x+2)^2+4}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(2-3*cos(2+3*x)^2),x, algorithm="fricas")`

[Out]  $1/24*\text{sqrt}(2)*\log(-((7*\cos(3*x + 2))^4 - 4*\cos(3*x + 2)^2 - 4*(\text{sqrt}(2)*\cos(3*x + 2)^3 - 2*\text{sqrt}(2)*\cos(3*x + 2))*\sin(3*x + 2) - 4)/(9*\cos(3*x + 2)^4 - 12*\cos(3*x + 2)^2 + 4))$

**Sympy [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(2-3*cos(2+3*x)**2),x)`

[Out] Exception raised: TypeError

**Giac [A]** time = 1.18605, size = 53, normalized size = 0.88

$$\frac{1}{12} \sqrt{2} \log \left( \frac{|-2\sqrt{2} + 4 \tan(3x + 2)|}{|2\sqrt{2} + 4 \tan(3x + 2)|} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2-3\*cos(2+3\*x)^2),x, algorithm="giac")

[Out] 1/12\*sqrt(2)\*log(abs(-2\*sqrt(2) + 4\*tan(3\*x + 2))/abs(2\*sqrt(2) + 4\*tan(3\*x + 2)))

$$3.12 \quad \int \frac{1}{-\cos^2(2+3x)+2\sin^2(2+3x)} dx$$

**Optimal.** Leaf size=60

$$\frac{\log(\cos(3x+2) - \sqrt{2}\sin(3x+2))}{6\sqrt{2}} - \frac{\log(\sqrt{2}\sin(3x+2) + \cos(3x+2))}{6\sqrt{2}}$$

[Out] Log[Cos[2 + 3\*x] - Sqrt[2]\*Sin[2 + 3\*x]]/(6\*Sqrt[2]) - Log[Cos[2 + 3\*x] + Sqrt[2]\*Sin[2 + 3\*x]]/(6\*Sqrt[2])

**Rubi [A]** time = 0.0304304, antiderivative size = 60, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$ , Rules used = {207}

$$\frac{\log(\cos(3x+2) - \sqrt{2}\sin(3x+2))}{6\sqrt{2}} - \frac{\log(\sqrt{2}\sin(3x+2) + \cos(3x+2))}{6\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(-Cos[2 + 3\*x]^2 + 2\*Sin[2 + 3\*x]^2)^(-1), x]

[Out] Log[Cos[2 + 3\*x] - Sqrt[2]\*Sin[2 + 3\*x]]/(6\*Sqrt[2]) - Log[Cos[2 + 3\*x] + Sqrt[2]\*Sin[2 + 3\*x]]/(6\*Sqrt[2])

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\int \frac{1}{-\cos^2(2+3x)+2\sin^2(2+3x)} dx = \frac{1}{3} \text{Subst}\left(\int \frac{1}{-1+2x^2} dx, x, \tan(2+3x)\right) \\ = \frac{\log(\cos(2+3x) - \sqrt{2}\sin(2+3x))}{6\sqrt{2}} - \frac{\log(\cos(2+3x) + \sqrt{2}\sin(2+3x))}{6\sqrt{2}}$$

**Mathematica [A]** time = 0.0319567, size = 22, normalized size = 0.37

$$\frac{\tanh^{-1}(\sqrt{2}\tan(3x+2))}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[(-Cos[2 + 3\*x]^2 + 2\*Sin[2 + 3\*x]^2)^(-1), x]

[Out] -ArcTanh[Sqrt[2]\*Tan[2 + 3\*x]]/(3\*Sqrt[2])

**Maple [A]** time = 0.043, size = 17, normalized size = 0.3

$$\frac{\sqrt{2} \operatorname{Artanh}\left(\tan(2+3x)\sqrt{2}\right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-cos(2+3\*x)^2+2\*sin(2+3\*x)^2),x)

[Out] -1/6\*2^(1/2)\*arctanh(tan(2+3\*x)\*2^(1/2))

**Maxima [A]** time = 1.60005, size = 46, normalized size = 0.77

$$\frac{1}{12} \sqrt{2} \log\left(-\frac{\sqrt{2}-2 \tan(3x+2)}{\sqrt{2}+2 \tan(3x+2)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(2+3\*x)^2+2\*sin(2+3\*x)^2),x, algorithm="maxima")

[Out] 1/12\*sqrt(2)\*log(-(sqrt(2) - 2\*tan(3\*x + 2))/(sqrt(2) + 2\*tan(3\*x + 2)))

**Fricas [A]** time = 1.40656, size = 232, normalized size = 3.87

$$\frac{1}{24} \sqrt{2} \log\left(-\frac{7 \cos(3x+2)^4 - 4 \cos(3x+2)^2 - 4(\sqrt{2} \cos(3x+2)^3 - 2\sqrt{2} \cos(3x+2)) \sin(3x+2) - 4}{9 \cos(3x+2)^4 - 12 \cos(3x+2)^2 + 4}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(2+3\*x)^2+2\*sin(2+3\*x)^2),x, algorithm="fricas")

[Out] 1/24\*sqrt(2)\*log(-(7\*cos(3\*x + 2)^4 - 4\*cos(3\*x + 2)^2 - 4\*(sqrt(2)\*cos(3\*x + 2)^3 - 2\*sqrt(2)\*cos(3\*x + 2))\*sin(3\*x + 2) - 4)/(9\*cos(3\*x + 2)^4 - 12\*cos(3\*x + 2)^2 + 4))

**Sympy [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(2+3\*x)\*\*2+2\*sin(2+3\*x)\*\*2),x)

[Out] Exception raised: TypeError

**Giac [A]** time = 1.22547, size = 53, normalized size = 0.88

$$\frac{1}{12} \sqrt{2} \log\left(\frac{\left| -2\sqrt{2} + 4 \tan(3x+2) \right|}{\left| 2\sqrt{2} + 4 \tan(3x+2) \right|}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(-cos(2+3*x)^2+2*sin(2+3*x)^2),x, algorithm="giac")
```

```
[Out] 1/12*sqrt(2)*log(abs(-2*sqrt(2) + 4*tan(3*x + 2))/abs(2*sqrt(2) + 4*tan(3*x + 2)))
```

$$3.13 \quad \int \frac{\sec^2(2+3x)}{-1+2 \tan^2(2+3x)} dx$$

**Optimal.** Leaf size=60

$$\frac{\log(\cos(3x+2) - \sqrt{2} \sin(3x+2))}{6\sqrt{2}} - \frac{\log(\sqrt{2} \sin(3x+2) + \cos(3x+2))}{6\sqrt{2}}$$

[Out] Log[Cos[2 + 3\*x] - Sqrt[2]\*Sin[2 + 3\*x]]/(6\*Sqrt[2]) - Log[Cos[2 + 3\*x] + Sqrt[2]\*Sin[2 + 3\*x]]/(6\*Sqrt[2])

**Rubi [A]** time = 0.0453745, antiderivative size = 60, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3675, 207}

$$\frac{\log(\cos(3x+2) - \sqrt{2} \sin(3x+2))}{6\sqrt{2}} - \frac{\log(\sqrt{2} \sin(3x+2) + \cos(3x+2))}{6\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[Sec[2 + 3\*x]^2/(-1 + 2\*Tan[2 + 3\*x]^2), x]

[Out] Log[Cos[2 + 3\*x] - Sqrt[2]\*Sin[2 + 3\*x]]/(6\*Sqrt[2]) - Log[Cos[2 + 3\*x] + Sqrt[2]\*Sin[2 + 3\*x]]/(6\*Sqrt[2])

#### Rule 3675

Int[sec[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]))^(n\_)]^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/(c^(m-1)\*f), Subst[Int[(c^2 + ff^2\*x^2)^(m/2-1)\*(a + b\*(ff\*x)^n)^p, x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{\sec^2(2+3x)}{-1+2 \tan^2(2+3x)} dx &= \frac{1}{3} \text{Subst} \left( \int \frac{1}{-1+2x^2} dx, x, \tan(2+3x) \right) \\ &= \frac{\log(\cos(2+3x) - \sqrt{2} \sin(2+3x))}{6\sqrt{2}} - \frac{\log(\cos(2+3x) + \sqrt{2} \sin(2+3x))}{6\sqrt{2}} \end{aligned}$$

**Mathematica [A]** time = 0.0237708, size = 22, normalized size = 0.37

$$\frac{\tanh^{-1}(\sqrt{2} \tan(3x+2))}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[2 + 3\*x]^2/(-1 + 2\*Tan[2 + 3\*x]^2), x]

[Out] -ArcTanh[Sqrt[2]\*Tan[2 + 3\*x]]/(3\*Sqrt[2])

**Maple [A]** time = 0.061, size = 17, normalized size = 0.3

$$-\frac{\sqrt{2}\operatorname{Arctanh}\left(\tan(2+3x)\sqrt{2}\right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(2+3\*x)^2/(-1+2\*tan(2+3\*x)^2), x)

[Out] -1/6\*2^(1/2)\*arctanh(tan(2+3\*x)\*2^(1/2))

**Maxima [A]** time = 1.55851, size = 46, normalized size = 0.77

$$\frac{1}{12}\sqrt{2}\log\left(-\frac{\sqrt{2}-2\tan(3x+2)}{\sqrt{2}+2\tan(3x+2)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2+3\*x)^2/(-1+2\*tan(2+3\*x)^2), x, algorithm="maxima")

[Out] 1/12\*sqrt(2)\*log(-(sqrt(2) - 2\*tan(3\*x + 2))/(sqrt(2) + 2\*tan(3\*x + 2)))

**Fricas [A]** time = 1.43176, size = 232, normalized size = 3.87

$$\frac{1}{24}\sqrt{2}\log\left(-\frac{7\cos(3x+2)^4-4\cos(3x+2)^2-4\left(\sqrt{2}\cos(3x+2)^3-2\sqrt{2}\cos(3x+2)\right)\sin(3x+2)-4}{9\cos(3x+2)^4-12\cos(3x+2)^2+4}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2+3\*x)^2/(-1+2\*tan(2+3\*x)^2), x, algorithm="fricas")

[Out] 1/24\*sqrt(2)\*log(-(7\*cos(3\*x + 2)^4 - 4\*cos(3\*x + 2)^2 - 4\*(sqrt(2)\*cos(3\*x + 2)^3 - 2\*sqrt(2)\*cos(3\*x + 2))\*sin(3\*x + 2) - 4)/(9\*cos(3\*x + 2)^4 - 12\*cos(3\*x + 2)^2 + 4))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec^2(3x+2)}{2\tan^2(3x+2)-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2+3\*x)\*\*2/(-1+2\*tan(2+3\*x)\*\*2), x)



[Out] Integral(sec(3\*x + 2)\*\*2/(2\*tan(3\*x + 2)\*\*2 - 1), x)

---

**Giac [A]** time = 2.53432, size = 53, normalized size = 0.88

$$\frac{1}{12} \sqrt{2} \log \left( \frac{|-2\sqrt{2} + 4 \tan(3x + 2)|}{|2\sqrt{2} + 4 \tan(3x + 2)|} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2+3\*x)^2/(-1+2\*tan(2+3\*x)^2),x, algorithm="giac")

[Out] 1/12\*sqrt(2)\*log(abs(-2\*sqrt(2) + 4\*tan(3\*x + 2))/abs(2\*sqrt(2) + 4\*tan(3\*x + 2)))

$$3.14 \quad \int \frac{\csc^2(2+3x)}{2-\cot^2(2+3x)} dx$$

**Optimal.** Leaf size=60

$$\frac{\log(\cos(3x+2) - \sqrt{2}\sin(3x+2))}{6\sqrt{2}} - \frac{\log(\sqrt{2}\sin(3x+2) + \cos(3x+2))}{6\sqrt{2}}$$

[Out] Log[Cos[2 + 3\*x] - Sqrt[2]\*Sin[2 + 3\*x]]/(6\*Sqrt[2]) - Log[Cos[2 + 3\*x] + Sqrt[2]\*Sin[2 + 3\*x]]/(6\*Sqrt[2])

**Rubi [A]** time = 0.0462344, antiderivative size = 60, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3675, 206}

$$\frac{\log(\cos(3x+2) - \sqrt{2}\sin(3x+2))}{6\sqrt{2}} - \frac{\log(\sqrt{2}\sin(3x+2) + \cos(3x+2))}{6\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[Csc[2 + 3\*x]^2/(2 - Cot[2 + 3\*x]^2),x]

[Out] Log[Cos[2 + 3\*x] - Sqrt[2]\*Sin[2 + 3\*x]]/(6\*Sqrt[2]) - Log[Cos[2 + 3\*x] + Sqrt[2]\*Sin[2 + 3\*x]]/(6\*Sqrt[2])

#### Rule 3675

Int[sec[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/(c^(m-1)\*f), Subst[Int[(c^2 + ff^2\*x^2)^(m/2 - 1)\*(a + b\*(ff\*x)^n)^p, x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])]/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{\csc^2(2+3x)}{2-\cot^2(2+3x)} dx &= -\left(\frac{1}{3} \text{Subst}\left(\int \frac{1}{2-x^2} dx, x, \cot(2+3x)\right)\right) \\ &= \frac{\log(\cos(2+3x) - \sqrt{2}\sin(2+3x))}{6\sqrt{2}} - \frac{\log(\cos(2+3x) + \sqrt{2}\sin(2+3x))}{6\sqrt{2}} \end{aligned}$$

**Mathematica [A]** time = 0.030814, size = 22, normalized size = 0.37

$$-\frac{\tanh^{-1}(\sqrt{2}\tan(3x+2))}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[Csc[2 + 3\*x]^2/(2 - Cot[2 + 3\*x]^2), x]

[Out] -ArcTanh[Sqrt[2]\*Tan[2 + 3\*x]]/(3\*Sqrt[2])

**Maple [A]** time = 0.055, size = 17, normalized size = 0.3

$$-\frac{\sqrt{2}\operatorname{Artanh}\left(\tan(2+3x)\sqrt{2}\right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(2+3\*x)^2/(2-cot(2+3\*x)^2), x)

[Out] -1/6\*2^(1/2)\*arctanh(tan(2+3\*x)\*2^(1/2))

**Maxima [A]** time = 1.61261, size = 46, normalized size = 0.77

$$\frac{1}{12}\sqrt{2}\log\left(-\frac{\sqrt{2}-2\tan(3x+2)}{\sqrt{2}+2\tan(3x+2)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(2+3\*x)^2/(2-cot(2+3\*x)^2), x, algorithm="maxima")

[Out] 1/12\*sqrt(2)\*log(-(sqrt(2) - 2\*tan(3\*x + 2))/(sqrt(2) + 2\*tan(3\*x + 2)))

**Fricas [A]** time = 1.50975, size = 232, normalized size = 3.87

$$\frac{1}{24}\sqrt{2}\log\left(-\frac{7\cos(3x+2)^4-4\cos(3x+2)^2-4\left(\sqrt{2}\cos(3x+2)^3-2\sqrt{2}\cos(3x+2)\right)\sin(3x+2)-4}{9\cos(3x+2)^4-12\cos(3x+2)^2+4}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(2+3\*x)^2/(2-cot(2+3\*x)^2), x, algorithm="fricas")

[Out] 1/24\*sqrt(2)\*log(-(7\*cos(3\*x + 2)^4 - 4\*cos(3\*x + 2)^2 - 4\*(sqrt(2)\*cos(3\*x + 2)^3 - 2\*sqrt(2)\*cos(3\*x + 2))\*sin(3\*x + 2) - 4)/(9\*cos(3\*x + 2)^4 - 12\*cos(3\*x + 2)^2 + 4))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-\int \frac{\csc^2(3x+2)}{\cot^2(3x+2)-2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(2+3\*x)\*\*2/(2-cot(2+3\*x)\*\*2), x)

[Out] `-Integral(csc(3*x + 2)**2/(cot(3*x + 2)**2 - 2), x)`

---

**Giac [A]** time = 1.37396, size = 53, normalized size = 0.88

$$\frac{1}{12} \sqrt{2} \log \left( \frac{|-2\sqrt{2} + 4 \tan(3x + 2)|}{|2\sqrt{2} + 4 \tan(3x + 2)|} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(2+3*x)^2/(2-cot(2+3*x)^2),x, algorithm="giac")`

[Out] `1/12*sqrt(2)*log(abs(-2*sqrt(2) + 4*tan(3*x + 2))/abs(2*sqrt(2) + 4*tan(3*x + 2)))`

$$3.15 \quad \int \frac{2}{3 + \cos(4 + 6x)} dx$$

**Optimal.** Leaf size=42

$$\frac{x}{\sqrt{2}} - \frac{\tan^{-1}\left(\frac{\sin(6x+4)}{\cos(6x+4)+2\sqrt{2}+3}\right)}{3\sqrt{2}}$$

[Out] x/Sqrt[2] - ArcTan[Sin[4 + 6\*x]/(3 + 2\*Sqrt[2] + Cos[4 + 6\*x])]/(3\*Sqrt[2])

**Rubi [A]** time = 0.036651, antiderivative size = 42, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {12, 2657}

$$\frac{x}{\sqrt{2}} - \frac{\tan^{-1}\left(\frac{\sin(6x+4)}{\cos(6x+4)+2\sqrt{2}+3}\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[2/(3 + Cos[4 + 6\*x]),x]

[Out] x/Sqrt[2] - ArcTan[Sin[4 + 6\*x]/(3 + 2\*Sqrt[2] + Cos[4 + 6\*x])]/(3\*Sqrt[2])

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 2657

Int[((a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := With[{q = Rt[a^2 - b^2, 2]}, Simp[x/q, x] + Simp[(2\*ArcTan[(b\*Cos[c + d\*x])/(a + q + b\*Sin[c + d\*x])])]/(d\*q), x] /; FreeQ[{a, b, c, d}, x] && GtQ[a^2 - b^2, 0] && PosQ[a]

#### Rubi steps

$$\begin{aligned} \int \frac{2}{3 + \cos(4 + 6x)} dx &= 2 \int \frac{1}{3 + \cos(4 + 6x)} dx \\ &= \frac{x}{\sqrt{2}} - \frac{\tan^{-1}\left(\frac{\sin(4+6x)}{3+2\sqrt{2}+\cos(4+6x)}\right)}{3\sqrt{2}} \end{aligned}$$

**Mathematica [A]** time = 0.0294782, size = 22, normalized size = 0.52

$$\frac{\tan^{-1}\left(\frac{\tan(3x+2)}{\sqrt{2}}\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[2/(3 + Cos[4 + 6\*x]),x]

[Out] ArcTan[Tan[2 + 3\*x]/Sqrt[2]]/(3\*Sqrt[2])

**Maple [A]** time = 0.011, size = 18, normalized size = 0.4

$$\frac{\sqrt{2}}{6} \arctan\left(\frac{\tan(2 + 3x)\sqrt{2}}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(2/(3+cos(4+6\*x)),x)

[Out] 1/6\*2^(1/2)\*arctan(1/2\*tan(2+3\*x)\*2^(1/2))

**Maxima [A]** time = 1.68609, size = 36, normalized size = 0.86

$$\frac{1}{6} \sqrt{2} \arctan\left(\frac{\sqrt{2} \sin(6x + 4)}{2(\cos(6x + 4) + 1)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2/(3+cos(4+6\*x)),x, algorithm="maxima")

[Out] 1/6\*sqrt(2)\*arctan(1/2\*sqrt(2)\*sin(6\*x + 4)/(cos(6\*x + 4) + 1))

**Fricas [A]** time = 1.22075, size = 101, normalized size = 2.4

$$-\frac{1}{12} \sqrt{2} \arctan\left(\frac{3\sqrt{2} \cos(6x + 4) + \sqrt{2}}{4 \sin(6x + 4)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2/(3+cos(4+6\*x)),x, algorithm="fricas")

[Out] -1/12\*sqrt(2)\*arctan(1/4\*(3\*sqrt(2)\*cos(6\*x + 4) + sqrt(2))/sin(6\*x + 4))

**Sympy [A]** time = 0.306932, size = 34, normalized size = 0.81

$$\frac{\sqrt{2} \left( \operatorname{atan}\left(\frac{\sqrt{2} \tan(3x+2)}{2}\right) + \pi \left\lfloor \frac{3x - \frac{\pi}{2} + 2}{\pi} \right\rfloor \right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2/(3+cos(4+6\*x)),x)

[Out] sqrt(2)\*(atan(sqrt(2)\*tan(3\*x + 2)/2) + pi\*floor((3\*x - pi/2 + 2)/pi))/6

**Giac [A]** time = 1.1251, size = 77, normalized size = 1.83

$$\frac{1}{6} \sqrt{2} \left( 3x + \arctan \left( -\frac{\sqrt{2} \sin(6x + 4) - \sin(6x + 4)}{\sqrt{2} \cos(6x + 4) + \sqrt{2} - \cos(6x + 4) + 1} \right) + 2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2/(3+cos(4+6\*x)),x, algorithm="giac")

[Out] 1/6\*sqrt(2)\*(3\*x + arctan(-(sqrt(2)\*sin(6\*x + 4) - sin(6\*x + 4))/(sqrt(2)\*cos(6\*x + 4) + sqrt(2) - cos(6\*x + 4) + 1)) + 2)

$$3.16 \quad \int \frac{2 \csc(4+6x)}{\cot(4+6x)+3 \csc(4+6x)} dx$$

**Optimal.** Leaf size=42

$$\frac{x}{\sqrt{2}} - \frac{\tan^{-1}\left(\frac{\sin(6x+4)}{\cos(6x+4)+2\sqrt{2}+3}\right)}{3\sqrt{2}}$$

[Out] x/Sqrt[2] - ArcTan[Sin[4 + 6\*x]/(3 + 2\*Sqrt[2] + Cos[4 + 6\*x])]/(3\*Sqrt[2])

**Rubi [A]** time = 0.0370735, antiderivative size = 42, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.12$ , Rules used = {12, 3166, 2657}

$$\frac{x}{\sqrt{2}} - \frac{\tan^{-1}\left(\frac{\sin(6x+4)}{\cos(6x+4)+2\sqrt{2}+3}\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(2\*Csc[4 + 6\*x])/(Cot[4 + 6\*x] + 3\*Csc[4 + 6\*x]),x]

[Out] x/Sqrt[2] - ArcTan[Sin[4 + 6\*x]/(3 + 2\*Sqrt[2] + Cos[4 + 6\*x])]/(3\*Sqrt[2])

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 3166

Int[csc[(d\_.) + (e\_.)\*(x\_)]^(n\_.)\*((a\_.) + csc[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + cot[(d\_.) + (e\_.)\*(x\_)]\*(c\_.)^(m\_.), x\_Symbol] := Int[1/(b + a\*Sin[d + e\*x] + c\*Cos[d + e\*x])^n, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[m + n, 0] && IntegerQ[n]

### Rule 2657

Int[((a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := With[{q = Rt[a^2 - b^2, 2]}, Simp[x/q, x] + Simp[(2\*ArcTan[(b\*Cos[c + d\*x])/(a + q + b\*Sin[c + d\*x])])/(d\*q), x] /; FreeQ[{a, b, c, d}, x] && GtQ[a^2 - b^2, 0] && PosQ[a]

### Rubi steps

$$\begin{aligned} \int \frac{2 \csc(4 + 6x)}{\cot(4 + 6x) + 3 \csc(4 + 6x)} dx &= 2 \int \frac{\csc(4 + 6x)}{\cot(4 + 6x) + 3 \csc(4 + 6x)} dx \\ &= 2 \int \frac{1}{3 + \cos(4 + 6x)} dx \\ &= \frac{x}{\sqrt{2}} - \frac{\tan^{-1}\left(\frac{\sin(4+6x)}{3+2\sqrt{2}+\cos(4+6x)}\right)}{3\sqrt{2}} \end{aligned}$$



**Mathematica [A]** time = 0.0220547, size = 22, normalized size = 0.52

$$\frac{\tan^{-1}\left(\frac{\tan(3x+2)}{\sqrt{2}}\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[(2\*Csc[4 + 6\*x])/(Cot[4 + 6\*x] + 3\*Csc[4 + 6\*x]),x]

[Out] ArcTan[Tan[2 + 3\*x]/Sqrt[2]]/(3\*Sqrt[2])

**Maple [A]** time = 0.073, size = 18, normalized size = 0.4

$$\frac{\sqrt{2}}{6} \arctan\left(\frac{\tan(2 + 3x)\sqrt{2}}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(2\*csc(4+6\*x)/(cot(4+6\*x)+3\*csc(4+6\*x)),x)

[Out] 1/6\*2^(1/2)\*arctan(1/2\*tan(2+3\*x)\*2^(1/2))

**Maxima [A]** time = 1.74898, size = 36, normalized size = 0.86

$$\frac{1}{6} \sqrt{2} \arctan\left(\frac{\sqrt{2} \sin(6x + 4)}{2(\cos(6x + 4) + 1)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2\*csc(4+6\*x)/(cot(4+6\*x)+3\*csc(4+6\*x)),x, algorithm="maxima")

[Out] 1/6\*sqrt(2)\*arctan(1/2\*sqrt(2)\*sin(6\*x + 4)/(cos(6\*x + 4) + 1))

**Fricas [A]** time = 1.84853, size = 101, normalized size = 2.4

$$-\frac{1}{12} \sqrt{2} \arctan\left(\frac{3\sqrt{2} \cos(6x + 4) + \sqrt{2}}{4 \sin(6x + 4)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2\*csc(4+6\*x)/(cot(4+6\*x)+3\*csc(4+6\*x)),x, algorithm="fricas")

[Out] -1/12\*sqrt(2)\*arctan(1/4\*(3\*sqrt(2)\*cos(6\*x + 4) + sqrt(2))/sin(6\*x + 4))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$2 \int \frac{\csc(6x + 4)}{\cot(6x + 4) + 3 \csc(6x + 4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2\*csc(4+6\*x)/(cot(4+6\*x)+3\*csc(4+6\*x)),x)

[Out] 2\*Integral(csc(6\*x + 4)/(cot(6\*x + 4) + 3\*csc(6\*x + 4)), x)

**Giac [A]** time = 1.1875, size = 77, normalized size = 1.83

$$\frac{1}{6} \sqrt{2} \left( 3x + \arctan \left( -\frac{\sqrt{2} \sin(6x + 4) - \sin(6x + 4)}{\sqrt{2} \cos(6x + 4) + \sqrt{2} - \cos(6x + 4) + 1} \right) + 2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2\*csc(4+6\*x)/(cot(4+6\*x)+3\*csc(4+6\*x)),x, algorithm="giac")

[Out] 1/6\*sqrt(2)\*(3\*x + arctan(-(sqrt(2)\*sin(6\*x + 4) - sin(6\*x + 4))/(sqrt(2)\*cos(6\*x + 4) + sqrt(2) - cos(6\*x + 4) + 1)) + 2)

$$3.17 \quad \int \frac{1}{2 - \sin^2(2+3x)} dx$$

**Optimal.** Leaf size=48

$$\frac{x}{\sqrt{2}} - \frac{\tan^{-1}\left(\frac{\sin(3x+2)\cos(3x+2)}{\cos^2(3x+2)+\sqrt{2}+1}\right)}{3\sqrt{2}}$$

[Out] x/Sqrt[2] - ArcTan[(Cos[2 + 3\*x]\*Sin[2 + 3\*x])/(1 + Sqrt[2] + Cos[2 + 3\*x]^2)]/(3\*Sqrt[2])

**Rubi [A]** time = 0.0190109, antiderivative size = 48, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3181, 203}

$$\frac{x}{\sqrt{2}} - \frac{\tan^{-1}\left(\frac{\sin(3x+2)\cos(3x+2)}{\cos^2(3x+2)+\sqrt{2}+1}\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(2 - Sin[2 + 3\*x]^2)^(-1), x]

[Out] x/Sqrt[2] - ArcTan[(Cos[2 + 3\*x]\*Sin[2 + 3\*x])/(1 + Sqrt[2] + Cos[2 + 3\*x]^2)]/(3\*Sqrt[2])

#### Rule 3181

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2)^(-1), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/f, Subst[Int[1/(a + (a + b)\*ff^2\*x^2), x], x, Tan[e + f\*x]/ff], x] /; FreeQ[{a, b, e, f}, x]

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{1}{2 - \sin^2(2+3x)} dx &= \frac{1}{3} \text{Subst} \left( \int \frac{1}{2 + x^2} dx, x, \tan(2+3x) \right) \\ &= \frac{x}{\sqrt{2}} - \frac{\tan^{-1}\left(\frac{\cos(2+3x)\sin(2+3x)}{1+\sqrt{2}+\cos^2(2+3x)}\right)}{3\sqrt{2}} \end{aligned}$$

**Mathematica [A]** time = 0.0210394, size = 22, normalized size = 0.46

$$\frac{\tan^{-1}\left(\frac{\tan(3x+2)}{\sqrt{2}}\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[(2 - Sin[2 + 3\*x]^2)^(-1),x]

[Out] ArcTan[Tan[2 + 3\*x]/Sqrt[2]]/(3\*Sqrt[2])

**Maple [A]** time = 0.024, size = 18, normalized size = 0.4

$$\frac{\sqrt{2}}{6} \arctan\left(\frac{\tan(2 + 3x)\sqrt{2}}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(2-sin(2+3\*x)^2),x)

[Out] 1/6\*2^(1/2)\*arctan(1/2\*tan(2+3\*x)\*2^(1/2))

**Maxima [A]** time = 1.57803, size = 23, normalized size = 0.48

$$\frac{1}{6} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2} \tan(3x + 2)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2-sin(2+3\*x)^2),x, algorithm="maxima")

[Out] 1/6\*sqrt(2)\*arctan(1/2\*sqrt(2)\*tan(3\*x + 2))

**Fricas [A]** time = 1.73682, size = 124, normalized size = 2.58

$$-\frac{1}{12} \sqrt{2} \arctan\left(\frac{3\sqrt{2}\cos(3x+2)^2 - \sqrt{2}}{4\cos(3x+2)\sin(3x+2)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2-sin(2+3\*x)^2),x, algorithm="fricas")

[Out] -1/12\*sqrt(2)\*arctan(1/4\*(3\*sqrt(2)\*cos(3\*x + 2)^2 - sqrt(2))/(cos(3\*x + 2)\*sin(3\*x + 2)))

**Sympy [A]** time = 1.20373, size = 76, normalized size = 1.58

$$\frac{\sqrt{2} \left( \operatorname{atan}\left(\sqrt{2} \tan\left(\frac{3x}{2} + 1\right) - 1\right) + \pi \left\lfloor \frac{\frac{3x}{2} - \frac{\pi}{2} + 1}{\pi} \right\rfloor \right)}{6} + \frac{\sqrt{2} \left( \operatorname{atan}\left(\sqrt{2} \tan\left(\frac{3x}{2} + 1\right) + 1\right) + \pi \left\lfloor \frac{\frac{3x}{2} - \frac{\pi}{2} + 1}{\pi} \right\rfloor \right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2-sin(2+3\*x)\*\*2),x)

```
[Out] sqrt(2)*(atan(sqrt(2)*tan(3*x/2 + 1) - 1) + pi*floor((3*x/2 - pi/2 + 1)/pi)
)/6 + sqrt(2)*(atan(sqrt(2)*tan(3*x/2 + 1) + 1) + pi*floor((3*x/2 - pi/2 +
1)/pi))/6
```

**Giac [A]** time = 1.1218, size = 77, normalized size = 1.6

$$\frac{1}{6} \sqrt{2} \left( 3x + \arctan \left( -\frac{\sqrt{2} \sin(6x + 4) - \sin(6x + 4)}{\sqrt{2} \cos(6x + 4) + \sqrt{2} - \cos(6x + 4) + 1} \right) + 2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(2-sin(2+3*x)^2),x, algorithm="giac")
```

```
[Out] 1/6*sqrt(2)*(3*x + arctan(-(sqrt(2)*sin(6*x + 4) - sin(6*x + 4))/(sqrt(2)*c
os(6*x + 4) + sqrt(2) - cos(6*x + 4) + 1)) + 2)
```

$$3.18 \quad \int \frac{1}{1+\cos^2(2+3x)} dx$$

**Optimal.** Leaf size=48

$$\frac{x}{\sqrt{2}} - \frac{\tan^{-1}\left(\frac{\sin(3x+2)\cos(3x+2)}{\cos^2(3x+2)+\sqrt{2}+1}\right)}{3\sqrt{2}}$$

[Out] x/Sqrt[2] - ArcTan[(Cos[2 + 3\*x]\*Sin[2 + 3\*x])/(1 + Sqrt[2] + Cos[2 + 3\*x]^2)]/(3\*Sqrt[2])

**Rubi [A]** time = 0.0163445, antiderivative size = 48, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {3181, 203}

$$\frac{x}{\sqrt{2}} - \frac{\tan^{-1}\left(\frac{\sin(3x+2)\cos(3x+2)}{\cos^2(3x+2)+\sqrt{2}+1}\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(1 + Cos[2 + 3\*x]^2)^(-1), x]

[Out] x/Sqrt[2] - ArcTan[(Cos[2 + 3\*x]\*Sin[2 + 3\*x])/(1 + Sqrt[2] + Cos[2 + 3\*x]^2)]/(3\*Sqrt[2])

#### Rule 3181

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2)^(-1), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/f, Subst[Int[1/(a + (a + b)\*ff^2\*x^2), x], x, Tan[e + f\*x]/ff], x] /; FreeQ[{a, b, e, f}, x]

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{1}{1+\cos^2(2+3x)} dx &= -\left(\frac{1}{3} \text{Subst}\left(\int \frac{1}{1+2x^2} dx, x, \cot(2+3x)\right)\right) \\ &= \frac{x}{\sqrt{2}} - \frac{\tan^{-1}\left(\frac{\cos(2+3x)\sin(2+3x)}{1+\sqrt{2}+\cos^2(2+3x)}\right)}{3\sqrt{2}} \end{aligned}$$

**Mathematica [A]** time = 0.0405731, size = 22, normalized size = 0.46

$$\frac{\tan^{-1}\left(\frac{\tan(3x+2)}{\sqrt{2}}\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + Cos[2 + 3\*x]^2)^(-1), x]

[Out] ArcTan[Tan[2 + 3\*x]/Sqrt[2]]/(3\*Sqrt[2])

**Maple [A]** time = 0.017, size = 18, normalized size = 0.4

$$\frac{\sqrt{2}}{6} \arctan\left(\frac{\tan(2 + 3x)\sqrt{2}}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(1+cos(2+3\*x)^2), x)

[Out] 1/6\*2^(1/2)\*arctan(1/2\*tan(2+3\*x)\*2^(1/2))

**Maxima [A]** time = 1.60938, size = 23, normalized size = 0.48

$$\frac{1}{6} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2} \tan(3x + 2)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1+cos(2+3\*x)^2), x, algorithm="maxima")

[Out] 1/6\*sqrt(2)\*arctan(1/2\*sqrt(2)\*tan(3\*x + 2))

**Fricas [A]** time = 1.78258, size = 124, normalized size = 2.58

$$-\frac{1}{12} \sqrt{2} \arctan\left(\frac{3\sqrt{2}\cos(3x+2)^2 - \sqrt{2}}{4\cos(3x+2)\sin(3x+2)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1+cos(2+3\*x)^2), x, algorithm="fricas")

[Out] -1/12\*sqrt(2)\*arctan(1/4\*(3\*sqrt(2)\*cos(3\*x + 2)^2 - sqrt(2))/(cos(3\*x + 2)\*sin(3\*x + 2)))

**Sympy [A]** time = 0.948679, size = 76, normalized size = 1.58

$$\frac{\sqrt{2} \left( \operatorname{atan}\left(\sqrt{2} \tan\left(\frac{3x}{2} + 1\right) - 1\right) + \pi \left\lfloor \frac{\frac{3x}{2} - \frac{\pi}{2} + 1}{\pi} \right\rfloor \right)}{6} + \frac{\sqrt{2} \left( \operatorname{atan}\left(\sqrt{2} \tan\left(\frac{3x}{2} + 1\right) + 1\right) + \pi \left\lfloor \frac{\frac{3x}{2} - \frac{\pi}{2} + 1}{\pi} \right\rfloor \right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1+cos(2+3\*x)\*\*2), x)

```
[Out] sqrt(2)*(atan(sqrt(2)*tan(3*x/2 + 1) - 1) + pi*floor((3*x/2 - pi/2 + 1)/pi))
)/6 + sqrt(2)*(atan(sqrt(2)*tan(3*x/2 + 1) + 1) + pi*floor((3*x/2 - pi/2 +
1)/pi))/6
```

---

**Giac [A]** time = 1.12962, size = 77, normalized size = 1.6

$$\frac{1}{6} \sqrt{2} \left( 3x + \arctan \left( -\frac{\sqrt{2} \sin(6x + 4) - \sin(6x + 4)}{\sqrt{2} \cos(6x + 4) + \sqrt{2} - \cos(6x + 4) + 1} \right) + 2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(1+cos(2+3*x)^2),x, algorithm="giac")
```

```
[Out] 1/6*sqrt(2)*(3*x + arctan(-(sqrt(2)*sin(6*x + 4) - sin(6*x + 4))/(sqrt(2)*c
os(6*x + 4) + sqrt(2) - cos(6*x + 4) + 1)) + 2)
```



$$3.19 \quad \int \frac{1}{2 \cos^2(2+3x) + \sin^2(2+3x)} dx$$

**Optimal.** Leaf size=48

$$\frac{x}{\sqrt{2}} - \frac{\tan^{-1}\left(\frac{\sin(3x+2)\cos(3x+2)}{\cos^2(3x+2)+\sqrt{2}+1}\right)}{3\sqrt{2}}$$

[Out] x/Sqrt[2] - ArcTan[(Cos[2 + 3\*x]\*Sin[2 + 3\*x])/(1 + Sqrt[2] + Cos[2 + 3\*x]^2)]/(3\*Sqrt[2])

**Rubi [A]** time = 0.026868, antiderivative size = 48, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$ , Rules used = {203}

$$\frac{x}{\sqrt{2}} - \frac{\tan^{-1}\left(\frac{\sin(3x+2)\cos(3x+2)}{\cos^2(3x+2)+\sqrt{2}+1}\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(2\*Cos[2 + 3\*x]^2 + Sin[2 + 3\*x]^2)^(-1), x]

[Out] x/Sqrt[2] - ArcTan[(Cos[2 + 3\*x]\*Sin[2 + 3\*x])/(1 + Sqrt[2] + Cos[2 + 3\*x]^2)]/(3\*Sqrt[2])

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{1}{2 \cos^2(2+3x) + \sin^2(2+3x)} dx &= \frac{1}{3} \text{Subst} \left( \int \frac{1}{2+x^2} dx, x, \tan(2+3x) \right) \\ &= \frac{x}{\sqrt{2}} - \frac{\tan^{-1}\left(\frac{\cos(2+3x)\sin(2+3x)}{1+\sqrt{2}+\cos^2(2+3x)}\right)}{3\sqrt{2}} \end{aligned}$$

**Mathematica [A]** time = 0.0205361, size = 22, normalized size = 0.46

$$\frac{\tan^{-1}\left(\frac{\tan(3x+2)}{\sqrt{2}}\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[(2\*Cos[2 + 3\*x]^2 + Sin[2 + 3\*x]^2)^(-1), x]

[Out] ArcTan[Tan[2 + 3\*x]/Sqrt[2]]/(3\*Sqrt[2])

**Maple [A]** time = 0.039, size = 18, normalized size = 0.4

$$\frac{\sqrt{2}}{6} \arctan\left(\frac{\tan(2+3x)\sqrt{2}}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(2\*cos(2+3\*x)^2+sin(2+3\*x)^2),x)

[Out] 1/6\*2^(1/2)\*arctan(1/2\*tan(2+3\*x)\*2^(1/2))

**Maxima [A]** time = 1.57235, size = 23, normalized size = 0.48

$$\frac{1}{6} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2} \tan(3x+2)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*cos(2+3\*x)^2+sin(2+3\*x)^2),x, algorithm="maxima")

[Out] 1/6\*sqrt(2)\*arctan(1/2\*sqrt(2)\*tan(3\*x + 2))

**Fricas [A]** time = 1.79003, size = 124, normalized size = 2.58

$$-\frac{1}{12} \sqrt{2} \arctan\left(\frac{3\sqrt{2}\cos(3x+2)^2 - \sqrt{2}}{4\cos(3x+2)\sin(3x+2)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*cos(2+3\*x)^2+sin(2+3\*x)^2),x, algorithm="fricas")

[Out] -1/12\*sqrt(2)\*arctan(1/4\*(3\*sqrt(2)\*cos(3\*x + 2)^2 - sqrt(2))/(cos(3\*x + 2)\*sin(3\*x + 2)))

**Sympy [A]** time = 1.2753, size = 76, normalized size = 1.58

$$\frac{\sqrt{2} \left( \operatorname{atan}\left(\sqrt{2} \tan\left(\frac{3x}{2} + 1\right) - 1\right) + \pi \left\lfloor \frac{\frac{3x}{2} - \frac{\pi}{2} + 1}{\pi} \right\rfloor \right)}{6} + \frac{\sqrt{2} \left( \operatorname{atan}\left(\sqrt{2} \tan\left(\frac{3x}{2} + 1\right) + 1\right) + \pi \left\lfloor \frac{\frac{3x}{2} - \frac{\pi}{2} + 1}{\pi} \right\rfloor \right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*cos(2+3\*x)\*\*2+sin(2+3\*x)\*\*2),x)

[Out] sqrt(2)\*(atan(sqrt(2)\*tan(3\*x/2 + 1) - 1) + pi\*floor((3\*x/2 - pi/2 + 1)/pi))/6 + sqrt(2)\*(atan(sqrt(2)\*tan(3\*x/2 + 1) + 1) + pi\*floor((3\*x/2 - pi/2 + 1)/pi))/6

**Giac [A]** time = 1.13776, size = 77, normalized size = 1.6

$$\frac{1}{6} \sqrt{2} \left( 3x + \arctan \left( -\frac{\sqrt{2} \sin(6x + 4) - \sin(6x + 4)}{\sqrt{2} \cos(6x + 4) + \sqrt{2} - \cos(6x + 4) + 1} \right) + 2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*cos(2+3\*x)^2+sin(2+3\*x)^2),x, algorithm="giac")

[Out] 1/6\*sqrt(2)\*(3\*x + arctan(-(sqrt(2)\*sin(6\*x + 4) - sin(6\*x + 4))/(sqrt(2)\*cos(6\*x + 4) + sqrt(2) - cos(6\*x + 4) + 1)) + 2)

$$3.20 \quad \int \frac{\sec^2(2+3x)}{2+\tan^2(2+3x)} dx$$

**Optimal.** Leaf size=48

$$\frac{x}{\sqrt{2}} - \frac{\tan^{-1}\left(\frac{\sin(3x+2)\cos(3x+2)}{\cos^2(3x+2)+\sqrt{2}+1}\right)}{3\sqrt{2}}$$

[Out] x/Sqrt[2] - ArcTan[(Cos[2 + 3\*x]\*Sin[2 + 3\*x])/(1 + Sqrt[2] + Cos[2 + 3\*x]^2)]/(3\*Sqrt[2])

**Rubi [A]** time = 0.0422988, antiderivative size = 48, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {3675, 203}

$$\frac{x}{\sqrt{2}} - \frac{\tan^{-1}\left(\frac{\sin(3x+2)\cos(3x+2)}{\cos^2(3x+2)+\sqrt{2}+1}\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[Sec[2 + 3\*x]^2/(2 + Tan[2 + 3\*x]^2), x]

[Out] x/Sqrt[2] - ArcTan[(Cos[2 + 3\*x]\*Sin[2 + 3\*x])/(1 + Sqrt[2] + Cos[2 + 3\*x]^2)]/(3\*Sqrt[2])

#### Rule 3675

Int[sec[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]))^(n\_)]^(p\_), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/(c^(m - 1)\*f), Subst[Int[(c^2 + ff^2\*x^2)^(m/2 - 1)\*(a + b\*(ff\*x)^n)^p, x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{\sec^2(2+3x)}{2+\tan^2(2+3x)} dx &= \frac{1}{3} \text{Subst} \left( \int \frac{1}{2+x^2} dx, x, \tan(2+3x) \right) \\ &= \frac{x}{\sqrt{2}} - \frac{\tan^{-1}\left(\frac{\cos(2+3x)\sin(2+3x)}{1+\sqrt{2}+\cos^2(2+3x)}\right)}{3\sqrt{2}} \end{aligned}$$

**Mathematica [A]** time = 0.0184973, size = 22, normalized size = 0.46

$$\frac{\tan^{-1}\left(\frac{\tan(3x+2)}{\sqrt{2}}\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[2 + 3\*x]^2/(2 + Tan[2 + 3\*x]^2), x]

[Out] ArcTan[Tan[2 + 3\*x]/Sqrt[2]]/(3\*Sqrt[2])

**Maple [A]** time = 0.06, size = 18, normalized size = 0.4

$$\frac{\sqrt{2}}{6} \arctan\left(\frac{\tan(2 + 3x) \sqrt{2}}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(2+3\*x)^2/(2+tan(2+3\*x)^2), x)

[Out] 1/6\*2^(1/2)\*arctan(1/2\*tan(2+3\*x)\*2^(1/2))

**Maxima [A]** time = 1.60711, size = 23, normalized size = 0.48

$$\frac{1}{6} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2} \tan(3x + 2)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2+3\*x)^2/(2+tan(2+3\*x)^2), x, algorithm="maxima")

[Out] 1/6\*sqrt(2)\*arctan(1/2\*sqrt(2)\*tan(3\*x + 2))

**Fricas [A]** time = 1.8668, size = 124, normalized size = 2.58

$$-\frac{1}{12} \sqrt{2} \arctan\left(\frac{3 \sqrt{2} \cos(3x + 2)^2 - \sqrt{2}}{4 \cos(3x + 2) \sin(3x + 2)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2+3\*x)^2/(2+tan(2+3\*x)^2), x, algorithm="fricas")

[Out] -1/12\*sqrt(2)\*arctan(1/4\*(3\*sqrt(2)\*cos(3\*x + 2)^2 - sqrt(2))/(cos(3\*x + 2)\*sin(3\*x + 2)))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec^2(3x + 2)}{\tan^2(3x + 2) + 2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2+3\*x)\*\*2/(2+tan(2+3\*x)\*\*2), x)

[Out] Integral(sec(3\*x + 2)\*\*2/(tan(3\*x + 2)\*\*2 + 2), x)

---

**Giac [A]** time = 1.81969, size = 77, normalized size = 1.6

$$\frac{1}{6} \sqrt{2} \left( 3x + \arctan \left( -\frac{\sqrt{2} \sin(6x + 4) - \sin(6x + 4)}{\sqrt{2} \cos(6x + 4) + \sqrt{2} - \cos(6x + 4) + 1} \right) + 2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2+3\*x)^2/(2+tan(2+3\*x)^2),x, algorithm="giac")

[Out] 1/6\*sqrt(2)\*(3\*x + arctan(-(sqrt(2)\*sin(6\*x + 4) - sin(6\*x + 4))/(sqrt(2)\*cos(6\*x + 4) + sqrt(2) - cos(6\*x + 4) + 1)) + 2)

$$3.21 \quad \int \frac{\csc^2(2+3x)}{1+2 \cot^2(2+3x)} dx$$

**Optimal.** Leaf size=48

$$\frac{x}{\sqrt{2}} - \frac{\tan^{-1}\left(\frac{\sin(3x+2)\cos(3x+2)}{\cos^2(3x+2)+\sqrt{2}+1}\right)}{3\sqrt{2}}$$

[Out] x/Sqrt[2] - ArcTan[(Cos[2 + 3\*x]\*Sin[2 + 3\*x])/(1 + Sqrt[2] + Cos[2 + 3\*x]^2)]/(3\*Sqrt[2])

**Rubi [A]** time = 0.044736, antiderivative size = 48, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3675, 203}

$$\frac{x}{\sqrt{2}} - \frac{\tan^{-1}\left(\frac{\sin(3x+2)\cos(3x+2)}{\cos^2(3x+2)+\sqrt{2}+1}\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[Csc[2 + 3\*x]^2/(1 + 2\*Cot[2 + 3\*x]^2), x]

[Out] x/Sqrt[2] - ArcTan[(Cos[2 + 3\*x]\*Sin[2 + 3\*x])/(1 + Sqrt[2] + Cos[2 + 3\*x]^2)]/(3\*Sqrt[2])

#### Rule 3675

Int[sec[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]))^(n\_)]^(p\_), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/(c^(m - 1)\*f), Subst[Int[(c^2 + ff^2\*x^2)^(m/2 - 1)\*(a + b\*(ff\*x)^n)^p, x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{\csc^2(2+3x)}{1+2 \cot^2(2+3x)} dx &= -\left(\frac{1}{3} \text{Subst}\left(\int \frac{1}{1+2x^2} dx, x, \cot(2+3x)\right)\right) \\ &= \frac{x}{\sqrt{2}} - \frac{\tan^{-1}\left(\frac{\cos(2+3x)\sin(2+3x)}{1+\sqrt{2}+\cos^2(2+3x)}\right)}{3\sqrt{2}} \end{aligned}$$

**Mathematica [A]** time = 0.0188301, size = 22, normalized size = 0.46

$$\frac{\tan^{-1}\left(\frac{\tan(3x+2)}{\sqrt{2}}\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[Csc[2 + 3\*x]^2/(1 + 2\*Cot[2 + 3\*x]^2), x]

[Out] ArcTan[Tan[2 + 3\*x]/Sqrt[2]]/(3\*Sqrt[2])

**Maple [A]** time = 0.087, size = 18, normalized size = 0.4

$$\frac{\sqrt{2}}{6} \arctan\left(\frac{\tan(2 + 3x) \sqrt{2}}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(2+3\*x)^2/(1+2\*cot(2+3\*x)^2), x)

[Out] 1/6\*2^(1/2)\*arctan(1/2\*tan(2+3\*x)\*2^(1/2))

**Maxima [A]** time = 1.55973, size = 23, normalized size = 0.48

$$\frac{1}{6} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2} \tan(3x + 2)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(2+3\*x)^2/(1+2\*cot(2+3\*x)^2), x, algorithm="maxima")

[Out] 1/6\*sqrt(2)\*arctan(1/2\*sqrt(2)\*tan(3\*x + 2))

**Fricas [A]** time = 1.84252, size = 124, normalized size = 2.58

$$-\frac{1}{12} \sqrt{2} \arctan\left(\frac{3 \sqrt{2} \cos(3x + 2)^2 - \sqrt{2}}{4 \cos(3x + 2) \sin(3x + 2)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(2+3\*x)^2/(1+2\*cot(2+3\*x)^2), x, algorithm="fricas")

[Out] -1/12\*sqrt(2)\*arctan(1/4\*(3\*sqrt(2)\*cos(3\*x + 2)^2 - sqrt(2))/(cos(3\*x + 2)\*sin(3\*x + 2)))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc^2(3x + 2)}{2 \cot^2(3x + 2) + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(2+3\*x)\*\*2/(1+2\*cot(2+3\*x)\*\*2), x)



[Out] Integral(csc(3\*x + 2)\*\*2/(2\*cot(3\*x + 2)\*\*2 + 1), x)

---

**Giac [A]** time = 1.46307, size = 77, normalized size = 1.6

$$\frac{1}{6} \sqrt{2} \left( 3x + \arctan \left( -\frac{\sqrt{2} \sin(6x + 4) - \sin(6x + 4)}{\sqrt{2} \cos(6x + 4) + \sqrt{2} - \cos(6x + 4) + 1} \right) + 2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(2+3\*x)^2/(1+2\*cot(2+3\*x)^2),x, algorithm="giac")

[Out] 1/6\*sqrt(2)\*(3\*x + arctan(-(sqrt(2)\*sin(6\*x + 4) - sin(6\*x + 4))/(sqrt(2)\*cos(6\*x + 4) + sqrt(2) - cos(6\*x + 4) + 1)) + 2)

$$3.22 \quad \int -\frac{2}{1+3\cos(4+6x)} dx$$

**Optimal.** Leaf size=61

$$\frac{\log(\sqrt{2}\cos(3x+2) - \sin(3x+2))}{6\sqrt{2}} - \frac{\log(\sin(3x+2) + \sqrt{2}\cos(3x+2))}{6\sqrt{2}}$$

[Out] Log[Sqrt[2]\*Cos[2 + 3\*x] - Sin[2 + 3\*x]]/(6\*Sqrt[2]) - Log[Sqrt[2]\*Cos[2 + 3\*x] + Sin[2 + 3\*x]]/(6\*Sqrt[2])

**Rubi [A]** time = 0.0303837, antiderivative size = 61, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {12, 2659, 206}

$$\frac{\log(\sqrt{2}\cos(3x+2) - \sin(3x+2))}{6\sqrt{2}} - \frac{\log(\sin(3x+2) + \sqrt{2}\cos(3x+2))}{6\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[-2/(1 + 3\*Cos[4 + 6\*x]),x]

[Out] Log[Sqrt[2]\*Cos[2 + 3\*x] - Sin[2 + 3\*x]]/(6\*Sqrt[2]) - Log[Sqrt[2]\*Cos[2 + 3\*x] + Sin[2 + 3\*x]]/(6\*Sqrt[2])

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] :> With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int -\frac{2}{1+3\cos(4+6x)} dx &= -\left(2 \int \frac{1}{1+3\cos(4+6x)} dx\right) \\ &= -\left(\frac{2}{3} \text{Subst}\left(\int \frac{1}{4-2x^2} dx, x, \tan\left(\frac{1}{2}(4+6x)\right)\right)\right) \\ &= \frac{\log(\sqrt{2}\cos(2+3x) - \sin(2+3x))}{6\sqrt{2}} - \frac{\log(\sqrt{2}\cos(2+3x) + \sin(2+3x))}{6\sqrt{2}} \end{aligned}$$

**Mathematica [A]** time = 0.0266506, size = 22, normalized size = 0.36

$$-\frac{\tanh^{-1}\left(\frac{\tan(3x+2)}{\sqrt{2}}\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[-2/(1 + 3\*Cos[4 + 6\*x]), x]

[Out] -ArcTanh[Tan[2 + 3\*x]/Sqrt[2]]/(3\*Sqrt[2])

**Maple [A]** time = 0.01, size = 18, normalized size = 0.3

$$-\frac{\sqrt{2}}{6}\operatorname{Arctanh}\left(\frac{\tan(2+3x)\sqrt{2}}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-2/(1+3\*cos(4+6\*x)), x)

[Out] -1/6\*2^(1/2)\*arctanh(1/2\*tan(2+3\*x)\*2^(1/2))

**Maxima [A]** time = 1.55537, size = 72, normalized size = 1.18

$$\frac{1}{12}\sqrt{2}\log\left(-\frac{\sqrt{2}-\frac{\sin(6x+4)}{\cos(6x+4)+1}}{\sqrt{2}+\frac{\sin(6x+4)}{\cos(6x+4)+1}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-2/(1+3\*cos(4+6\*x)), x, algorithm="maxima")

[Out] 1/12\*sqrt(2)\*log(-(sqrt(2) - sin(6\*x + 4)/(cos(6\*x + 4) + 1))/(sqrt(2) + sin(6\*x + 4)/(cos(6\*x + 4) + 1)))

**Fricas [A]** time = 1.82479, size = 207, normalized size = 3.39

$$\frac{1}{24}\sqrt{2}\log\left(-\frac{7\cos(6x+4)^2+4(\sqrt{2}\cos(6x+4)+3\sqrt{2})\sin(6x+4)-6\cos(6x+4)-17}{9\cos(6x+4)^2+6\cos(6x+4)+1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-2/(1+3\*cos(4+6\*x)), x, algorithm="fricas")

[Out] 1/24\*sqrt(2)\*log(-(7\*cos(6\*x + 4)^2 + 4\*(sqrt(2)\*cos(6\*x + 4) + 3\*sqrt(2))\*sin(6\*x + 4) - 6\*cos(6\*x + 4) - 17)/(9\*cos(6\*x + 4)^2 + 6\*cos(6\*x + 4) + 1))

**Sympy [A]** time = 0.398481, size = 39, normalized size = 0.64

$$\frac{\sqrt{2} \log(\tan(3x + 2) - \sqrt{2})}{12} - \frac{\sqrt{2} \log(\tan(3x + 2) + \sqrt{2})}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-2/(1+3\*cos(4+6\*x)),x)

[Out] sqrt(2)\*log(tan(3\*x + 2) - sqrt(2))/12 - sqrt(2)\*log(tan(3\*x + 2) + sqrt(2))/12

**Giac [A]** time = 1.21, size = 53, normalized size = 0.87

$$\frac{1}{12} \sqrt{2} \log\left(\frac{|-2\sqrt{2} + 2 \tan(3x + 2)|}{|2\sqrt{2} + 2 \tan(3x + 2)|}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-2/(1+3\*cos(4+6\*x)),x, algorithm="giac")

[Out] 1/12\*sqrt(2)\*log(abs(-2\*sqrt(2) + 2\*tan(3\*x + 2))/abs(2\*sqrt(2) + 2\*tan(3\*x + 2)))

$$3.23 \quad \int -\frac{2 \csc(4+6x)}{3 \cot(4+6x)+\csc(4+6x)} dx$$

**Optimal.** Leaf size=61

$$\frac{\log(\sqrt{2} \cos(3x+2) - \sin(3x+2))}{6\sqrt{2}} - \frac{\log(\sin(3x+2) + \sqrt{2} \cos(3x+2))}{6\sqrt{2}}$$

[Out] Log[Sqrt[2]\*Cos[2 + 3\*x] - Sin[2 + 3\*x]]/(6\*Sqrt[2]) - Log[Sqrt[2]\*Cos[2 + 3\*x] + Sin[2 + 3\*x]]/(6\*Sqrt[2])

**Rubi [A]** time = 0.0457299, antiderivative size = 61, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.16$ , Rules used = {12, 3166, 2659, 206}

$$\frac{\log(\sqrt{2} \cos(3x+2) - \sin(3x+2))}{6\sqrt{2}} - \frac{\log(\sin(3x+2) + \sqrt{2} \cos(3x+2))}{6\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(-2\*Csc[4 + 6\*x])/(3\*Cot[4 + 6\*x] + Csc[4 + 6\*x]),x]

[Out] Log[Sqrt[2]\*Cos[2 + 3\*x] - Sin[2 + 3\*x]]/(6\*Sqrt[2]) - Log[Sqrt[2]\*Cos[2 + 3\*x] + Sin[2 + 3\*x]]/(6\*Sqrt[2])

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 3166

Int[csc[(d\_.) + (e\_.)\*(x\_)]^(n\_.)\*((a\_.) + csc[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + cot[(d\_.) + (e\_.)\*(x\_)]\*(c\_.)^(m\_)), x\_Symbol] := Int[1/(b + a\*Sin[d + e\*x] + c\*Cos[d + e\*x])^n, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[m + n, 0] && IntegerQ[n]

#### Rule 2659

Int[((a\_.) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\begin{aligned}
\int -\frac{2 \csc(4 + 6x)}{3 \cot(4 + 6x) + \csc(4 + 6x)} dx &= -\left(2 \int \frac{\csc(4 + 6x)}{3 \cot(4 + 6x) + \csc(4 + 6x)} dx\right) \\
&= -\left(2 \int \frac{1}{1 + 3 \cos(4 + 6x)} dx\right) \\
&= -\left(\frac{2}{3} \text{Subst}\left(\int \frac{1}{4 - 2x^2} dx, x, \tan\left(\frac{1}{2}(4 + 6x)\right)\right)\right) \\
&= \frac{\log(\sqrt{2} \cos(2 + 3x) - \sin(2 + 3x))}{6\sqrt{2}} - \frac{\log(\sqrt{2} \cos(2 + 3x) + \sin(2 + 3x))}{6\sqrt{2}}
\end{aligned}$$

**Mathematica [A]** time = 0.0348746, size = 22, normalized size = 0.36

$$-\frac{\tanh^{-1}\left(\frac{\tan(3x+2)}{\sqrt{2}}\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[(-2\*Csc[4 + 6\*x])/(3\*Cot[4 + 6\*x] + Csc[4 + 6\*x]),x]

[Out] -ArcTanh[Tan[2 + 3\*x]/Sqrt[2]]/(3\*Sqrt[2])

**Maple [A]** time = 0.079, size = 18, normalized size = 0.3

$$-\frac{\sqrt{2}}{6} \text{Artanh}\left(\frac{\tan(2 + 3x) \sqrt{2}}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-2\*csc(4+6\*x)/(3\*cot(4+6\*x)+csc(4+6\*x)),x)

[Out] -1/6\*2^(1/2)\*arctanh(1/2\*tan(2+3\*x)\*2^(1/2))

**Maxima [A]** time = 1.49522, size = 72, normalized size = 1.18

$$\frac{1}{12} \sqrt{2} \log\left(-\frac{\sqrt{2} - \frac{\sin(6x+4)}{\cos(6x+4)+1}}{\sqrt{2} + \frac{\sin(6x+4)}{\cos(6x+4)+1}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-2\*csc(4+6\*x)/(3\*cot(4+6\*x)+csc(4+6\*x)),x, algorithm="maxima")

[Out] 1/12\*sqrt(2)\*log(-(sqrt(2) - sin(6\*x + 4)/(cos(6\*x + 4) + 1))/(sqrt(2) + sin(6\*x + 4)/(cos(6\*x + 4) + 1)))

**Fricas [A]** time = 1.75495, size = 207, normalized size = 3.39

$$\frac{1}{24} \sqrt{2} \log\left(-\frac{7 \cos(6x + 4)^2 + 4(\sqrt{2} \cos(6x + 4) + 3\sqrt{2}) \sin(6x + 4) - 6 \cos(6x + 4) - 17}{9 \cos(6x + 4)^2 + 6 \cos(6x + 4) + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-2\*csc(4+6\*x)/(3\*cot(4+6\*x)+csc(4+6\*x)),x, algorithm="fricas")

[Out] 1/24\*sqrt(2)\*log(-(7\*cos(6\*x + 4)^2 + 4\*(sqrt(2)\*cos(6\*x + 4) + 3\*sqrt(2))\*  
sin(6\*x + 4) - 6\*cos(6\*x + 4) - 17)/(9\*cos(6\*x + 4)^2 + 6\*cos(6\*x + 4) + 1)  
)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-2 \int \frac{\csc(6x + 4)}{3 \cot(6x + 4) + \csc(6x + 4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-2\*csc(4+6\*x)/(3\*cot(4+6\*x)+csc(4+6\*x)),x)

[Out] -2\*Integral(csc(6\*x + 4)/(3\*cot(6\*x + 4) + csc(6\*x + 4)), x)

**Giac [A]** time = 1.31549, size = 53, normalized size = 0.87

$$\frac{1}{12} \sqrt{2} \log \left( \frac{|-2\sqrt{2} + 2 \tan(3x + 2)|}{|2\sqrt{2} + 2 \tan(3x + 2)|} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-2\*csc(4+6\*x)/(3\*cot(4+6\*x)+csc(4+6\*x)),x, algorithm="giac")

[Out] 1/12\*sqrt(2)\*log(abs(-2\*sqrt(2) + 2\*tan(3\*x + 2))/abs(2\*sqrt(2) + 2\*tan(3\*x  
+ 2)))

$$3.24 \quad \int \frac{1}{-2+3 \sin^2(2+3x)} dx$$

**Optimal.** Leaf size=61

$$\frac{\log(\sqrt{2} \cos(3x+2) - \sin(3x+2))}{6\sqrt{2}} - \frac{\log(\sin(3x+2) + \sqrt{2} \cos(3x+2))}{6\sqrt{2}}$$

[Out] Log[Sqrt[2]\*Cos[2 + 3\*x] - Sin[2 + 3\*x]]/(6\*Sqrt[2]) - Log[Sqrt[2]\*Cos[2 + 3\*x] + Sin[2 + 3\*x]]/(6\*Sqrt[2])

**Rubi [A]** time = 0.0201867, antiderivative size = 61, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3181, 207}

$$\frac{\log(\sqrt{2} \cos(3x+2) - \sin(3x+2))}{6\sqrt{2}} - \frac{\log(\sin(3x+2) + \sqrt{2} \cos(3x+2))}{6\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(-2 + 3\*Sin[2 + 3\*x]^2)^(-1), x]

[Out] Log[Sqrt[2]\*Cos[2 + 3\*x] - Sin[2 + 3\*x]]/(6\*Sqrt[2]) - Log[Sqrt[2]\*Cos[2 + 3\*x] + Sin[2 + 3\*x]]/(6\*Sqrt[2])

#### Rule 3181

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2)^(-1), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/f, Subst[Int[1/(a + (a + b)\*ff^2\*x^2), x], x, Tan[e + f\*x]/ff], x] /; FreeQ[{a, b, e, f}, x]

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{1}{-2+3 \sin^2(2+3x)} dx &= \frac{1}{3} \text{Subst} \left( \int \frac{1}{-2+x^2} dx, x, \tan(2+3x) \right) \\ &= \frac{\log(\sqrt{2} \cos(2+3x) - \sin(2+3x))}{6\sqrt{2}} - \frac{\log(\sqrt{2} \cos(2+3x) + \sin(2+3x))}{6\sqrt{2}} \end{aligned}$$

**Mathematica [A]** time = 0.0651653, size = 22, normalized size = 0.36

$$-\frac{\tanh^{-1}\left(\frac{\tan(3x+2)}{\sqrt{2}}\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[(-2 + 3\*Sin[2 + 3\*x]^2)^(-1), x]



[Out]  $-\text{ArcTanh}[\text{Tan}[2 + 3x]/\text{Sqrt}[2]]/(3*\text{Sqrt}[2])$

**Maple [A]** time = 0.03, size = 18, normalized size = 0.3

$$-\frac{\sqrt{2}}{6} \text{Artanh}\left(\frac{\tan(2 + 3x)\sqrt{2}}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(-2+3*sin(2+3*x)^2),x)`

[Out]  $-1/6*2^{(1/2)}*\text{arctanh}(1/2*\tan(2+3*x)*2^{(1/2)})$

**Maxima [A]** time = 1.60356, size = 43, normalized size = 0.7

$$\frac{1}{12} \sqrt{2} \log\left(-\frac{\sqrt{2} - \tan(3x + 2)}{\sqrt{2} + \tan(3x + 2)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-2+3*sin(2+3*x)^2),x, algorithm="maxima")`

[Out]  $1/12*\text{sqrt}(2)*\log(-(\text{sqrt}(2) - \tan(3*x + 2))/(\text{sqrt}(2) + \tan(3*x + 2)))$

**Fricas [A]** time = 1.69256, size = 230, normalized size = 3.77

$$\frac{1}{24} \sqrt{2} \log\left(-\frac{7 \cos(3x + 2)^4 - 10 \cos(3x + 2)^2 + 4(\sqrt{2} \cos(3x + 2)^3 + \sqrt{2} \cos(3x + 2)) \sin(3x + 2) - 1}{9 \cos(3x + 2)^4 - 6 \cos(3x + 2)^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-2+3*sin(2+3*x)^2),x, algorithm="fricas")`

[Out]  $1/24*\text{sqrt}(2)*\log(-(7*\cos(3*x + 2)^4 - 10*\cos(3*x + 2)^2 + 4*(\text{sqrt}(2)*\cos(3*x + 2)^3 + \text{sqrt}(2)*\cos(3*x + 2))*\sin(3*x + 2) - 1)/(9*\cos(3*x + 2)^4 - 6*\cos(3*x + 2)^2 + 1))$

**Sympy [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-2+3*sin(2+3*x)**2),x)`

[Out] Exception raised: TypeError

**Giac [A]** time = 1.22209, size = 53, normalized size = 0.87

$$\frac{1}{12} \sqrt{2} \log \left( \frac{|-2\sqrt{2} + 2 \tan(3x + 2)|}{|2\sqrt{2} + 2 \tan(3x + 2)|} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(-2+3*sin(2+3*x)^2),x, algorithm="giac")
```

```
[Out] 1/12*sqrt(2)*log(abs(-2*sqrt(2) + 2*tan(3*x + 2))/abs(2*sqrt(2) + 2*tan(3*x + 2)))
```

$$3.25 \quad \int \frac{1}{1-3 \cos^2(2+3x)} dx$$

**Optimal.** Leaf size=61

$$\frac{\log(\sqrt{2} \cos(3x+2) - \sin(3x+2))}{6\sqrt{2}} - \frac{\log(\sin(3x+2) + \sqrt{2} \cos(3x+2))}{6\sqrt{2}}$$

[Out] Log[Sqrt[2]\*Cos[2 + 3\*x] - Sin[2 + 3\*x]]/(6\*Sqrt[2]) - Log[Sqrt[2]\*Cos[2 + 3\*x] + Sin[2 + 3\*x]]/(6\*Sqrt[2])

**Rubi [A]** time = 0.0191013, antiderivative size = 61, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3181, 206}

$$\frac{\log(\sqrt{2} \cos(3x+2) - \sin(3x+2))}{6\sqrt{2}} - \frac{\log(\sin(3x+2) + \sqrt{2} \cos(3x+2))}{6\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(1 - 3\*Cos[2 + 3\*x]^2)^(-1), x]

[Out] Log[Sqrt[2]\*Cos[2 + 3\*x] - Sin[2 + 3\*x]]/(6\*Sqrt[2]) - Log[Sqrt[2]\*Cos[2 + 3\*x] + Sin[2 + 3\*x]]/(6\*Sqrt[2])

#### Rule 3181

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2)^(-1), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/f, Subst[Int[1/(a + (a + b)\*ff^2\*x^2), x], x, Tan[e + f\*x]/ff], x] /; FreeQ[{a, b, e, f}, x]

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{1}{1-3 \cos^2(2+3x)} dx &= -\left(\frac{1}{3} \text{Subst}\left(\int \frac{1}{1-2x^2} dx, x, \cot(2+3x)\right)\right) \\ &= \frac{\log(\sqrt{2} \cos(2+3x) - \sin(2+3x))}{6\sqrt{2}} - \frac{\log(\sqrt{2} \cos(2+3x) + \sin(2+3x))}{6\sqrt{2}} \end{aligned}$$

**Mathematica [A]** time = 0.0578985, size = 22, normalized size = 0.36

$$-\frac{\tanh^{-1}\left(\frac{\tan(3x+2)}{\sqrt{2}}\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - 3\*Cos[2 + 3\*x]^2)^(-1), x]

[Out]  $-\text{ArcTanh}[\text{Tan}[2 + 3x]/\text{Sqrt}[2]]/(3*\text{Sqrt}[2])$

**Maple [A]** time = 0.018, size = 18, normalized size = 0.3

$$-\frac{\sqrt{2}}{6} \text{Arctanh}\left(\frac{\tan(2+3x)\sqrt{2}}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(1-3*cos(2+3*x)^2),x)`

[Out]  $-1/6*2^{(1/2)}*\text{arctanh}(1/2*\tan(2+3*x)*2^{(1/2)})$

**Maxima [A]** time = 1.66264, size = 43, normalized size = 0.7

$$\frac{1}{12} \sqrt{2} \log\left(-\frac{\sqrt{2} - \tan(3x+2)}{\sqrt{2} + \tan(3x+2)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(1-3*cos(2+3*x)^2),x, algorithm="maxima")`

[Out]  $1/12*\text{sqrt}(2)*\log(-(\text{sqrt}(2) - \tan(3*x + 2))/(\text{sqrt}(2) + \tan(3*x + 2)))$

**Fricas [A]** time = 1.63888, size = 230, normalized size = 3.77

$$\frac{1}{24} \sqrt{2} \log\left(-\frac{7 \cos(3x+2)^4 - 10 \cos(3x+2)^2 + 4(\sqrt{2} \cos(3x+2)^3 + \sqrt{2} \cos(3x+2)) \sin(3x+2) - 1}{9 \cos(3x+2)^4 - 6 \cos(3x+2)^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(1-3*cos(2+3*x)^2),x, algorithm="fricas")`

[Out]  $1/24*\text{sqrt}(2)*\log(-((7*\cos(3*x + 2))^4 - 10*\cos(3*x + 2)^2 + 4*(\text{sqrt}(2)*\cos(3*x + 2)^3 + \text{sqrt}(2)*\cos(3*x + 2))*\sin(3*x + 2) - 1)/(9*\cos(3*x + 2)^4 - 6*\cos(3*x + 2)^2 + 1))$

**Sympy [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(1-3*cos(2+3*x)**2),x)`

[Out] Exception raised: TypeError

**Giac [A]** time = 1.20706, size = 53, normalized size = 0.87

$$\frac{1}{12} \sqrt{2} \log \left( \frac{|-2\sqrt{2} + 2 \tan(3x + 2)|}{|2\sqrt{2} + 2 \tan(3x + 2)|} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(1-3*cos(2+3*x)^2),x, algorithm="giac")
```

```
[Out] 1/12*sqrt(2)*log(abs(-2*sqrt(2) + 2*tan(3*x + 2))/abs(2*sqrt(2) + 2*tan(3*x + 2)))
```

$$3.26 \quad \int \frac{1}{-2 \cos^2(2+3x) + \sin^2(2+3x)} dx$$

**Optimal.** Leaf size=61

$$\frac{\log(\sqrt{2} \cos(3x+2) - \sin(3x+2))}{6\sqrt{2}} - \frac{\log(\sin(3x+2) + \sqrt{2} \cos(3x+2))}{6\sqrt{2}}$$

[Out] Log[Sqrt[2]\*Cos[2 + 3\*x] - Sin[2 + 3\*x]]/(6\*Sqrt[2]) - Log[Sqrt[2]\*Cos[2 + 3\*x] + Sin[2 + 3\*x]]/(6\*Sqrt[2])

**Rubi [A]** time = 0.0307402, antiderivative size = 61, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$ , Rules used = {207}

$$\frac{\log(\sqrt{2} \cos(3x+2) - \sin(3x+2))}{6\sqrt{2}} - \frac{\log(\sin(3x+2) + \sqrt{2} \cos(3x+2))}{6\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(-2\*Cos[2 + 3\*x]^2 + Sin[2 + 3\*x]^2)^(-1), x]

[Out] Log[Sqrt[2]\*Cos[2 + 3\*x] - Sin[2 + 3\*x]]/(6\*Sqrt[2]) - Log[Sqrt[2]\*Cos[2 + 3\*x] + Sin[2 + 3\*x]]/(6\*Sqrt[2])

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{1}{-2 \cos^2(2+3x) + \sin^2(2+3x)} dx &= \frac{1}{3} \text{Subst} \left( \int \frac{1}{-2 + x^2} dx, x, \tan(2+3x) \right) \\ &= \frac{\log(\sqrt{2} \cos(2+3x) - \sin(2+3x))}{6\sqrt{2}} - \frac{\log(\sqrt{2} \cos(2+3x) + \sin(2+3x))}{6\sqrt{2}} \end{aligned}$$

**Mathematica [A]** time = 0.0313135, size = 22, normalized size = 0.36

$$-\frac{\tanh^{-1}\left(\frac{\tan(3x+2)}{\sqrt{2}}\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[(-2\*Cos[2 + 3\*x]^2 + Sin[2 + 3\*x]^2)^(-1), x]

[Out] -ArcTanh[Tan[2 + 3\*x]/Sqrt[2]]/(3\*Sqrt[2])

**Maple [A]** time = 0.042, size = 18, normalized size = 0.3

$$-\frac{\sqrt{2}}{6} \operatorname{Arctanh}\left(\frac{\tan(2+3x)\sqrt{2}}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-2\*cos(2+3\*x)^2+sin(2+3\*x)^2),x)

[Out] -1/6\*2^(1/2)\*arctanh(1/2\*tan(2+3\*x)\*2^(1/2))

**Maxima [A]** time = 1.56128, size = 43, normalized size = 0.7

$$\frac{1}{12} \sqrt{2} \log\left(-\frac{\sqrt{2} - \tan(3x+2)}{\sqrt{2} + \tan(3x+2)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-2\*cos(2+3\*x)^2+sin(2+3\*x)^2),x, algorithm="maxima")

[Out] 1/12\*sqrt(2)\*log(-(sqrt(2) - tan(3\*x + 2))/(sqrt(2) + tan(3\*x + 2)))

**Fricas [A]** time = 1.62461, size = 230, normalized size = 3.77

$$\frac{1}{24} \sqrt{2} \log\left(-\frac{7 \cos(3x+2)^4 - 10 \cos(3x+2)^2 + 4(\sqrt{2} \cos(3x+2)^3 + \sqrt{2} \cos(3x+2)) \sin(3x+2) - 1}{9 \cos(3x+2)^4 - 6 \cos(3x+2)^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-2\*cos(2+3\*x)^2+sin(2+3\*x)^2),x, algorithm="fricas")

[Out] 1/24\*sqrt(2)\*log(-(7\*cos(3\*x + 2)^4 - 10\*cos(3\*x + 2)^2 + 4\*(sqrt(2)\*cos(3\*x + 2)^3 + sqrt(2)\*cos(3\*x + 2))\*sin(3\*x + 2) - 1)/(9\*cos(3\*x + 2)^4 - 6\*cos(3\*x + 2)^2 + 1))

**Sympy [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-2\*cos(2+3\*x)\*\*2+sin(2+3\*x)\*\*2),x)

[Out] Exception raised: TypeError

**Giac [A]** time = 1.24016, size = 53, normalized size = 0.87

$$\frac{1}{12} \sqrt{2} \log\left(\frac{\left| -2\sqrt{2} + 2 \tan(3x+2) \right|}{\left| 2\sqrt{2} + 2 \tan(3x+2) \right|}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(-2*cos(2+3*x)^2+sin(2+3*x)^2),x, algorithm="giac")
```

```
[Out] 1/12*sqrt(2)*log(abs(-2*sqrt(2) + 2*tan(3*x + 2))/abs(2*sqrt(2) + 2*tan(3*x + 2)))
```



$$3.27 \quad \int \frac{\sec^2(2+3x)}{-2+\tan^2(2+3x)} dx$$

**Optimal.** Leaf size=61

$$\frac{\log(\sqrt{2}\cos(3x+2) - \sin(3x+2))}{6\sqrt{2}} - \frac{\log(\sin(3x+2) + \sqrt{2}\cos(3x+2))}{6\sqrt{2}}$$

[Out] Log[Sqrt[2]\*Cos[2 + 3\*x] - Sin[2 + 3\*x]]/(6\*Sqrt[2]) - Log[Sqrt[2]\*Cos[2 + 3\*x] + Sin[2 + 3\*x]]/(6\*Sqrt[2])

**Rubi [A]** time = 0.0429416, antiderivative size = 61, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {3675, 207}

$$\frac{\log(\sqrt{2}\cos(3x+2) - \sin(3x+2))}{6\sqrt{2}} - \frac{\log(\sin(3x+2) + \sqrt{2}\cos(3x+2))}{6\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[Sec[2 + 3\*x]^2/(-2 + Tan[2 + 3\*x]^2), x]

[Out] Log[Sqrt[2]\*Cos[2 + 3\*x] - Sin[2 + 3\*x]]/(6\*Sqrt[2]) - Log[Sqrt[2]\*Cos[2 + 3\*x] + Sin[2 + 3\*x]]/(6\*Sqrt[2])

#### Rule 3675

Int[sec[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((a\_.) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)]))^(n\_.)]^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/(c^(m-1)\*f), Subst[Int[(c^2 + ff^2\*x^2)^(m/2-1)\*(a + b\*(ff\*x)^n)^p, x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

#### Rule 207

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{\sec^2(2+3x)}{-2+\tan^2(2+3x)} dx &= \frac{1}{3} \text{Subst} \left( \int \frac{1}{-2+x^2} dx, x, \tan(2+3x) \right) \\ &= \frac{\log(\sqrt{2}\cos(2+3x) - \sin(2+3x))}{6\sqrt{2}} - \frac{\log(\sqrt{2}\cos(2+3x) + \sin(2+3x))}{6\sqrt{2}} \end{aligned}$$

**Mathematica [A]** time = 0.0210346, size = 22, normalized size = 0.36

$$-\frac{\tanh^{-1}\left(\frac{\tan(3x+2)}{\sqrt{2}}\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[2 + 3\*x]^2/(-2 + Tan[2 + 3\*x]^2),x]

[Out] -ArcTanh[Tan[2 + 3\*x]/Sqrt[2]]/(3\*Sqrt[2])

**Maple [A]** time = 0.059, size = 18, normalized size = 0.3

$$-\frac{\sqrt{2}}{6} \operatorname{Arctanh}\left(\frac{\tan(2+3x)\sqrt{2}}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(2+3\*x)^2/(-2+tan(2+3\*x)^2),x)

[Out] -1/6\*2^(1/2)\*arctanh(1/2\*tan(2+3\*x)\*2^(1/2))

**Maxima [A]** time = 1.64842, size = 43, normalized size = 0.7

$$\frac{1}{12} \sqrt{2} \log\left(-\frac{\sqrt{2} - \tan(3x+2)}{\sqrt{2} + \tan(3x+2)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2+3\*x)^2/(-2+tan(2+3\*x)^2),x, algorithm="maxima")

[Out] 1/12\*sqrt(2)\*log(-(sqrt(2) - tan(3\*x + 2))/(sqrt(2) + tan(3\*x + 2)))

**Fricas [A]** time = 1.72201, size = 230, normalized size = 3.77

$$\frac{1}{24} \sqrt{2} \log\left(-\frac{7 \cos(3x+2)^4 - 10 \cos(3x+2)^2 + 4(\sqrt{2} \cos(3x+2)^3 + \sqrt{2} \cos(3x+2)) \sin(3x+2) - 1}{9 \cos(3x+2)^4 - 6 \cos(3x+2)^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2+3\*x)^2/(-2+tan(2+3\*x)^2),x, algorithm="fricas")

[Out] 1/24\*sqrt(2)\*log(-(7\*cos(3\*x + 2)^4 - 10\*cos(3\*x + 2)^2 + 4\*(sqrt(2)\*cos(3\*x + 2)^3 + sqrt(2)\*cos(3\*x + 2))\*sin(3\*x + 2) - 1)/(9\*cos(3\*x + 2)^4 - 6\*cos(3\*x + 2)^2 + 1))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec^2(3x+2)}{\tan^2(3x+2)-2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(2+3*x)**2/(-2+tan(2+3*x)**2),x)
```

```
[Out] Integral(sec(3*x + 2)**2/(tan(3*x + 2)**2 - 2), x)
```

**Giac [A]** time = 1.87334, size = 53, normalized size = 0.87

$$\frac{1}{12} \sqrt{2} \log \left( \frac{|-2\sqrt{2} + 2 \tan(3x + 2)|}{|2\sqrt{2} + 2 \tan(3x + 2)|} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(2+3*x)^2/(-2+tan(2+3*x)^2),x, algorithm="giac")
```

```
[Out] 1/12*sqrt(2)*log(abs(-2*sqrt(2) + 2*tan(3*x + 2))/abs(2*sqrt(2) + 2*tan(3*x + 2)))
```

$$3.28 \quad \int \frac{\csc^2(2+3x)}{1-2 \cot^2(2+3x)} dx$$

**Optimal.** Leaf size=61

$$\frac{\log(\sqrt{2} \cos(3x+2) - \sin(3x+2))}{6\sqrt{2}} - \frac{\log(\sin(3x+2) + \sqrt{2} \cos(3x+2))}{6\sqrt{2}}$$

[Out] Log[Sqrt[2]\*Cos[2 + 3\*x] - Sin[2 + 3\*x]]/(6\*Sqrt[2]) - Log[Sqrt[2]\*Cos[2 + 3\*x] + Sin[2 + 3\*x]]/(6\*Sqrt[2])

**Rubi [A]** time = 0.046606, antiderivative size = 61, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3675, 206}

$$\frac{\log(\sqrt{2} \cos(3x+2) - \sin(3x+2))}{6\sqrt{2}} - \frac{\log(\sin(3x+2) + \sqrt{2} \cos(3x+2))}{6\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[Csc[2 + 3\*x]^2/(1 - 2\*Cot[2 + 3\*x]^2), x]

[Out] Log[Sqrt[2]\*Cos[2 + 3\*x] - Sin[2 + 3\*x]]/(6\*Sqrt[2]) - Log[Sqrt[2]\*Cos[2 + 3\*x] + Sin[2 + 3\*x]]/(6\*Sqrt[2])

#### Rule 3675

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]))^(n_)]^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/(c^(m-1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p, x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])
```

#### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

#### Rubi steps

$$\int \frac{\csc^2(2+3x)}{1-2 \cot^2(2+3x)} dx = -\left(\frac{1}{3} \text{Subst}\left(\int \frac{1}{1-2x^2} dx, x, \cot(2+3x)\right)\right) = \frac{\log(\sqrt{2} \cos(2+3x) - \sin(2+3x))}{6\sqrt{2}} - \frac{\log(\sqrt{2} \cos(2+3x) + \sin(2+3x))}{6\sqrt{2}}$$

**Mathematica [A]** time = 0.0349107, size = 22, normalized size = 0.36

$$-\frac{\tanh^{-1}\left(\frac{\tan(3x+2)}{\sqrt{2}}\right)}{3\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[Csc[2 + 3\*x]^2/(1 - 2\*Cot[2 + 3\*x]^2), x]

[Out] -ArcTanh[Tan[2 + 3\*x]/Sqrt[2]]/(3\*Sqrt[2])

**Maple [A]** time = 0.086, size = 18, normalized size = 0.3

$$-\frac{\sqrt{2}}{6} \operatorname{Artanh}\left(\frac{\tan(2+3x)\sqrt{2}}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(2+3\*x)^2/(1-2\*cot(2+3\*x)^2), x)

[Out] -1/6\*2^(1/2)\*arctanh(1/2\*tan(2+3\*x)\*2^(1/2))

**Maxima [A]** time = 1.66734, size = 43, normalized size = 0.7

$$\frac{1}{12} \sqrt{2} \log\left(-\frac{\sqrt{2} - \tan(3x+2)}{\sqrt{2} + \tan(3x+2)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(2+3\*x)^2/(1-2\*cot(2+3\*x)^2), x, algorithm="maxima")

[Out] 1/12\*sqrt(2)\*log(-(sqrt(2) - tan(3\*x + 2))/(sqrt(2) + tan(3\*x + 2)))

**Fricas [A]** time = 1.79598, size = 230, normalized size = 3.77

$$\frac{1}{24} \sqrt{2} \log\left(-\frac{7 \cos(3x+2)^4 - 10 \cos(3x+2)^2 + 4(\sqrt{2} \cos(3x+2)^3 + \sqrt{2} \cos(3x+2)) \sin(3x+2) - 1}{9 \cos(3x+2)^4 - 6 \cos(3x+2)^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(2+3\*x)^2/(1-2\*cot(2+3\*x)^2), x, algorithm="fricas")

[Out] 1/24\*sqrt(2)\*log(-(7\*cos(3\*x + 2)^4 - 10\*cos(3\*x + 2)^2 + 4\*(sqrt(2)\*cos(3\*x + 2)^3 + sqrt(2)\*cos(3\*x + 2))\*sin(3\*x + 2) - 1)/(9\*cos(3\*x + 2)^4 - 6\*cos(3\*x + 2)^2 + 1))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-\int \frac{\csc^2(3x+2)}{2 \cot^2(3x+2) - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(2+3\*x)\*\*2/(1-2\*cot(2+3\*x)\*\*2),x)

[Out] -Integral(csc(3\*x + 2)\*\*2/(2\*cot(3\*x + 2)\*\*2 - 1), x)

**Giac [A]** time = 1.51047, size = 53, normalized size = 0.87

$$\frac{1}{12} \sqrt{2} \log \left( \frac{|-2\sqrt{2} + 2 \tan(3x + 2)|}{|2\sqrt{2} + 2 \tan(3x + 2)|} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(2+3\*x)^2/(1-2\*cot(2+3\*x)^2),x, algorithm="giac")

[Out] 1/12\*sqrt(2)\*log(abs(-2\*sqrt(2) + 2\*tan(3\*x + 2))/abs(2\*sqrt(2) + 2\*tan(3\*x + 2)))

### 3.29 $\int (x + \sin(x))^2 dx$

**Optimal.** Leaf size=30

$$\frac{x^3}{3} + \frac{x}{2} + 2 \sin(x) - 2x \cos(x) - \frac{1}{2} \sin(x) \cos(x)$$

[Out]  $x/2 + x^3/3 - 2*x*\text{Cos}[x] + 2*\text{Sin}[x] - (\text{Cos}[x]*\text{Sin}[x])/2$

**Rubi [A]** time = 0.0348256, antiderivative size = 30, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.833$ , Rules used = {6742, 3296, 2637, 2635, 8}

$$\frac{x^3}{3} + \frac{x}{2} + 2 \sin(x) - 2x \cos(x) - \frac{1}{2} \sin(x) \cos(x)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x + \text{Sin}[x])^2, x]$

[Out]  $x/2 + x^3/3 - 2*x*\text{Cos}[x] + 2*\text{Sin}[x] - (\text{Cos}[x]*\text{Sin}[x])/2$

#### Rule 6742

$\text{Int}[u_, x\_Symbol] \rightarrow \text{With}[\{v = \text{ExpandIntegrand}[u, x]\}, \text{Int}[v, x] /; \text{SumQ}[v]]$

#### Rule 3296

$\text{Int}[(c_. + (d_.)*(x_.))^{(m_.)*\sin[(e_.) + (f_.)*(x_.)]}, x\_Symbol] \rightarrow -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Cos}[e + f*x], x], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \&\& \text{GtQ}[m, 0]$

#### Rule 2637

$\text{Int}[\sin[\text{Pi}/2 + (c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow \text{Simp}[\text{Sin}[c + d*x]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

#### Rule 2635

$\text{Int}[(b_.)*\sin[(c_.) + (d_.)*(x_.)]^{(n_.)}, x\_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n-1)}]/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n-2)}, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

#### Rule 8

$\text{Int}[a_, x\_Symbol] \rightarrow \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

#### Rubi steps

$$\begin{aligned}
\int (x + \sin(x))^2 dx &= \int (x^2 + 2x \sin(x) + \sin^2(x)) dx \\
&= \frac{x^3}{3} + 2 \int x \sin(x) dx + \int \sin^2(x) dx \\
&= \frac{x^3}{3} - 2x \cos(x) - \frac{1}{2} \cos(x) \sin(x) + \frac{\int 1 dx}{2} + 2 \int \cos(x) dx \\
&= \frac{x}{2} + \frac{x^3}{3} - 2x \cos(x) + 2 \sin(x) - \frac{1}{2} \cos(x) \sin(x)
\end{aligned}$$

**Mathematica [A]** time = 0.0619871, size = 30, normalized size = 1.

$$\frac{1}{6}x(2x^2 + 3) + 2 \sin(x) - \frac{1}{4} \sin(2x) - 2x \cos(x)$$

Antiderivative was successfully verified.

[In] Integrate[(x + Sin[x])^2, x]

[Out] (x\*(3 + 2\*x^2))/6 - 2\*x\*Cos[x] + 2\*Sin[x] - Sin[2\*x]/4

**Maple [A]** time = 0.009, size = 25, normalized size = 0.8

$$\frac{x}{2} + \frac{x^3}{3} - 2x \cos(x) + 2 \sin(x) - \frac{\cos(x) \sin(x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x+sin(x))^2,x)

[Out] 1/2\*x+1/3\*x^3-2\*x\*cos(x)+2\*sin(x)-1/2\*cos(x)\*sin(x)

**Maxima [A]** time = 1.1105, size = 32, normalized size = 1.07

$$\frac{1}{3}x^3 - 2x \cos(x) + \frac{1}{2}x - \frac{1}{4} \sin(2x) + 2 \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x+sin(x))^2,x, algorithm="maxima")

[Out] 1/3\*x^3 - 2\*x\*cos(x) + 1/2\*x - 1/4\*sin(2\*x) + 2\*sin(x)

**Fricas [A]** time = 1.71524, size = 76, normalized size = 2.53

$$\frac{1}{3}x^3 - 2x \cos(x) - \frac{1}{2}(\cos(x) - 4) \sin(x) + \frac{1}{2}x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x+sin(x))^2,x, algorithm="fricas")



[Out]  $1/3*x^3 - 2*x*\cos(x) - 1/2*(\cos(x) - 4)*\sin(x) + 1/2*x$

---

**Sympy [A]** time = 0.190192, size = 41, normalized size = 1.37

$$\frac{x^3}{3} + \frac{x \sin^2(x)}{2} + \frac{x \cos^2(x)}{2} - 2x \cos(x) - \frac{\sin(x) \cos(x)}{2} + 2 \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x+sin(x))\*\*2,x)

[Out]  $x**3/3 + x*\sin(x)**2/2 + x*\cos(x)**2/2 - 2*x*\cos(x) - \sin(x)*\cos(x)/2 + 2*\sin(x)$

---

**Giac [A]** time = 1.14454, size = 32, normalized size = 1.07

$$\frac{1}{3}x^3 - 2x \cos(x) + \frac{1}{2}x - \frac{1}{4} \sin(2x) + 2 \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x+sin(x))^2,x, algorithm="giac")

[Out]  $1/3*x^3 - 2*x*\cos(x) + 1/2*x - 1/4*\sin(2*x) + 2*\sin(x)$

### 3.30 $\int (x + \sin(x))^3 dx$

**Optimal.** Leaf size=56

$$\frac{x^4}{4} + \frac{3x^2}{4} - 3x^2 \cos(x) + \frac{3 \sin^2(x)}{4} + 6x \sin(x) + \frac{\cos^3(x)}{3} + 5 \cos(x) - \frac{3}{2} x \sin(x) \cos(x)$$

[Out] (3\*x^2)/4 + x^4/4 + 5\*Cos[x] - 3\*x^2\*Cos[x] + Cos[x]^3/3 + 6\*x\*Sin[x] - (3\*x\*Cos[x]\*Sin[x])/2 + (3\*Sin[x]^2)/4

**Rubi [A]** time = 0.0669768, antiderivative size = 56, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 1.$ , Rules used = {6742, 3296, 2638, 3310, 30, 2633}

$$\frac{x^4}{4} + \frac{3x^2}{4} - 3x^2 \cos(x) + \frac{3 \sin^2(x)}{4} + 6x \sin(x) + \frac{\cos^3(x)}{3} + 5 \cos(x) - \frac{3}{2} x \sin(x) \cos(x)$$

Antiderivative was successfully verified.

[In] Int[(x + Sin[x])^3,x]

[Out] (3\*x^2)/4 + x^4/4 + 5\*Cos[x] - 3\*x^2\*Cos[x] + Cos[x]^3/3 + 6\*x\*Sin[x] - (3\*x\*Cos[x]\*Sin[x])/2 + (3\*Sin[x]^2)/4

#### Rule 6742

Int[u\_, x\_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

#### Rule 3296

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*sin[(e\_.) + (f\_.)\*(x\_)], x\_Symbol] := -Simp[((c + d\*x)^m\*Cos[e + f\*x])/f, x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Cos[e + f\*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

#### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rule 3310

Int[((c\_.) + (d\_.)\*(x\_))\*((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(d\*(b\*Sin[e + f\*x])^n)/(f^2\*n^2), x] + (Dist[(b^2\*(n - 1))/n, Int[(c + d\*x)\*(b\*Sin[e + f\*x])^(n - 2), x], x] - Simp[(b\*(c + d\*x)\*Cos[e + f\*x]\*(b\*Sin[e + f\*x])^(n - 1))/(f\*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]

#### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

#### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_) ]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x]

&& IGtQ[(n - 1)/2, 0]

### Rubi steps

$$\begin{aligned}
 \int (x + \sin(x))^3 dx &= \int (x^3 + 3x^2 \sin(x) + 3x \sin^2(x) + \sin^3(x)) dx \\
 &= \frac{x^4}{4} + 3 \int x^2 \sin(x) dx + 3 \int x \sin^2(x) dx + \int \sin^3(x) dx \\
 &= \frac{x^4}{4} - 3x^2 \cos(x) - \frac{3}{2}x \cos(x) \sin(x) + \frac{3 \sin^2(x)}{4} + \frac{3 \int x dx}{2} + 6 \int x \cos(x) dx - \text{Subst} \left( \int (1 - x^2) \right. \\
 &= \frac{3x^2}{4} + \frac{x^4}{4} - \cos(x) - 3x^2 \cos(x) + \frac{\cos^3(x)}{3} + 6x \sin(x) - \frac{3}{2}x \cos(x) \sin(x) + \frac{3 \sin^2(x)}{4} - 6 \int \sin(x) \\
 &= \frac{3x^2}{4} + \frac{x^4}{4} + 5 \cos(x) - 3x^2 \cos(x) + \frac{\cos^3(x)}{3} + 6x \sin(x) - \frac{3}{2}x \cos(x) \sin(x) + \frac{3 \sin^2(x)}{4}
 \end{aligned}$$

**Mathematica [A]** time = 0.0884516, size = 48, normalized size = 0.86

$$\frac{1}{24} (6x(x^3 + 3x + 24 \sin(x) - 3 \sin(2x)) - 18(4x^2 - 7) \cos(x) - 9 \cos(2x) + 2 \cos(3x))$$

Antiderivative was successfully verified.

[In] Integrate[(x + Sin[x])^3, x]

[Out] (-18\*(-7 + 4\*x^2)\*Cos[x] - 9\*Cos[2\*x] + 2\*Cos[3\*x] + 6\*x\*(3\*x + x^3 + 24\*Sin[x] - 3\*Sin[2\*x]))/24

**Maple [A]** time = 0.037, size = 57, normalized size = 1.

$$-\frac{(2 + (\sin(x))^2) \cos(x)}{3} + 3x(-1/2 \cos(x) \sin(x) + x/2) - \frac{3x^2}{4} + \frac{3(\sin(x))^2}{4} - 3x^2 \cos(x) + 6 \cos(x) + 6x \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x+sin(x))^3, x)

[Out] -1/3\*(2+sin(x)^2)\*cos(x)+3\*x\*(-1/2\*cos(x)\*sin(x)+1/2\*x)-3/4\*x^2+3/4\*sin(x)^2-3\*x^2\*cos(x)+6\*cos(x)+6\*x\*sin(x)+1/4\*x^4

**Maxima [A]** time = 1.1164, size = 65, normalized size = 1.16

$$\frac{1}{4}x^4 + \frac{1}{3}\cos(x)^3 + \frac{3}{4}x^2 - 3(x^2 - 2)\cos(x) - \frac{3}{4}x \sin(2x) + 6x \sin(x) - \frac{3}{8}\cos(2x) - \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x+sin(x))^3, x, algorithm="maxima")

[Out] 1/4\*x^4 + 1/3\*cos(x)^3 + 3/4\*x^2 - 3\*(x^2 - 2)\*cos(x) - 3/4\*x\*sin(2\*x) + 6\*x\*sin(x) - 3/8\*cos(2\*x) - cos(x)

---

**Fricas [A]** time = 2.02615, size = 135, normalized size = 2.41

$$\frac{1}{4}x^4 + \frac{1}{3}\cos(x)^3 + \frac{3}{4}x^2 - (3x^2 - 5)\cos(x) - \frac{3}{4}\cos(x)^2 - \frac{3}{2}(x\cos(x) - 4x)\sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x+sin(x))^3,x, algorithm="fricas")

[Out] 1/4\*x^4 + 1/3\*cos(x)^3 + 3/4\*x^2 - (3\*x^2 - 5)\*cos(x) - 3/4\*cos(x)^2 - 3/2\*(x\*cos(x) - 4\*x)\*sin(x)

---

**Sympy [A]** time = 0.384255, size = 85, normalized size = 1.52

$$\frac{x^4}{4} + \frac{3x^2 \sin^2(x)}{4} + \frac{3x^2 \cos^2(x)}{4} - 3x^2 \cos(x) - \frac{3x \sin(x) \cos(x)}{2} + 6x \sin(x) - \sin^2(x) \cos(x) - \frac{2 \cos^3(x)}{3} - \frac{3 \cos^2(x)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x+sin(x))\*\*3,x)

[Out] x\*\*4/4 + 3\*x\*\*2\*sin(x)\*\*2/4 + 3\*x\*\*2\*cos(x)\*\*2/4 - 3\*x\*\*2\*cos(x) - 3\*x\*sin(x)\*cos(x)/2 + 6\*x\*sin(x) - sin(x)\*\*2\*cos(x) - 2\*cos(x)\*\*3/3 - 3\*cos(x)\*\*2/4 + 6\*cos(x)

---

**Giac [A]** time = 1.18936, size = 62, normalized size = 1.11

$$\frac{1}{4}x^4 + \frac{3}{4}x^2 - \frac{3}{4}(4x^2 - 7)\cos(x) - \frac{3}{4}x\sin(2x) + 6x\sin(x) + \frac{1}{12}\cos(3x) - \frac{3}{8}\cos(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x+sin(x))^3,x, algorithm="giac")

[Out] 1/4\*x^4 + 3/4\*x^2 - 3/4\*(4\*x^2 - 7)\*cos(x) - 3/4\*x\*sin(2\*x) + 6\*x\*sin(x) + 1/12\*cos(3\*x) - 3/8\*cos(2\*x)

$$3.31 \quad \int \frac{\sin(a+bx)}{c+dx^2} dx$$

**Optimal.** Leaf size=213

$$\frac{\sin\left(a - \frac{b\sqrt{-c}}{\sqrt{d}}\right) \text{CosIntegral}\left(\frac{b\sqrt{-c}}{\sqrt{d}} + bx\right)}{2\sqrt{-c}\sqrt{d}} + \frac{\sin\left(a + \frac{b\sqrt{-c}}{\sqrt{d}}\right) \text{CosIntegral}\left(\frac{b\sqrt{-c}}{\sqrt{d}} - bx\right)}{2\sqrt{-c}\sqrt{d}} - \frac{\cos\left(a + \frac{b\sqrt{-c}}{\sqrt{d}}\right) \text{Si}\left(\frac{b\sqrt{-c}}{\sqrt{d}} - bx\right)}{2\sqrt{-c}\sqrt{d}}$$

[Out]  $-(\text{CosIntegral}[(b*\text{Sqrt}[-c])/Sqrt[d] + b*x]*\text{Sin}[a - (b*\text{Sqrt}[-c])/Sqrt[d]])/(2*\text{Sqrt}[-c]*Sqrt[d]) + (\text{CosIntegral}[(b*\text{Sqrt}[-c])/Sqrt[d] - b*x]*\text{Sin}[a + (b*\text{Sqrt}[-c])/Sqrt[d]])/(2*\text{Sqrt}[-c]*Sqrt[d]) - (\text{Cos}[a + (b*\text{Sqrt}[-c])/Sqrt[d]]*\text{SinIntegral}[(b*\text{Sqrt}[-c])/Sqrt[d] - b*x])/(2*\text{Sqrt}[-c]*Sqrt[d]) - (\text{Cos}[a - (b*\text{Sqrt}[-c])/Sqrt[d]]*\text{SinIntegral}[(b*\text{Sqrt}[-c])/Sqrt[d] + b*x])/(2*\text{Sqrt}[-c]*Sqrt[d])$

**Rubi [A]** time = 0.536306, antiderivative size = 213, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 4, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {3333, 3303, 3299, 3302}

$$\frac{\sin\left(a - \frac{b\sqrt{-c}}{\sqrt{d}}\right) \text{CosIntegral}\left(\frac{b\sqrt{-c}}{\sqrt{d}} + bx\right)}{2\sqrt{-c}\sqrt{d}} + \frac{\sin\left(a + \frac{b\sqrt{-c}}{\sqrt{d}}\right) \text{CosIntegral}\left(\frac{b\sqrt{-c}}{\sqrt{d}} - bx\right)}{2\sqrt{-c}\sqrt{d}} - \frac{\cos\left(a + \frac{b\sqrt{-c}}{\sqrt{d}}\right) \text{Si}\left(\frac{b\sqrt{-c}}{\sqrt{d}} - bx\right)}{2\sqrt{-c}\sqrt{d}}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b\*x]/(c + d\*x^2), x]

[Out]  $-(\text{CosIntegral}[(b*\text{Sqrt}[-c])/Sqrt[d] + b*x]*\text{Sin}[a - (b*\text{Sqrt}[-c])/Sqrt[d]])/(2*\text{Sqrt}[-c]*Sqrt[d]) + (\text{CosIntegral}[(b*\text{Sqrt}[-c])/Sqrt[d] - b*x]*\text{Sin}[a + (b*\text{Sqrt}[-c])/Sqrt[d]])/(2*\text{Sqrt}[-c]*Sqrt[d]) - (\text{Cos}[a + (b*\text{Sqrt}[-c])/Sqrt[d]]*\text{SinIntegral}[(b*\text{Sqrt}[-c])/Sqrt[d] - b*x])/(2*\text{Sqrt}[-c]*Sqrt[d]) - (\text{Cos}[a - (b*\text{Sqrt}[-c])/Sqrt[d]]*\text{SinIntegral}[(b*\text{Sqrt}[-c])/Sqrt[d] + b*x])/(2*\text{Sqrt}[-c]*Sqrt[d])$

#### Rule 3333

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*Sin[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Int[ExpandIntegrand[Sin[c + d\*x], (a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1])

#### Rule 3303

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Dist[Cos[(d\*e - c\*f)/d], Int[Sin[(c\*f)/d + f\*x]/(c + d\*x), x], x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[(c\*f)/d + f\*x]/(c + d\*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d\*e - c\*f, 0]

#### Rule 3299

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

#### Rule 3302

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) -

c\*f, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sin(a+bx)}{c+dx^2} dx &= \int \left( \frac{\sqrt{-c} \sin(a+bx)}{2c(\sqrt{-c}-\sqrt{dx})} + \frac{\sqrt{-c} \sin(a+bx)}{2c(\sqrt{-c}+\sqrt{dx})} \right) dx \\
&= -\frac{\int \frac{\sin(a+bx)}{\sqrt{-c}-\sqrt{dx}} dx}{2\sqrt{-c}} - \frac{\int \frac{\sin(a+bx)}{\sqrt{-c}+\sqrt{dx}} dx}{2\sqrt{-c}} \\
&= -\frac{\cos\left(a-\frac{b\sqrt{-c}}{\sqrt{d}}\right) \int \frac{\sin\left(\frac{b\sqrt{-c}}{\sqrt{d}}+bx\right)}{\sqrt{-c}+\sqrt{dx}} dx}{2\sqrt{-c}} + \frac{\cos\left(a+\frac{b\sqrt{-c}}{\sqrt{d}}\right) \int \frac{\sin\left(\frac{b\sqrt{-c}}{\sqrt{d}}-bx\right)}{\sqrt{-c}-\sqrt{dx}} dx}{2\sqrt{-c}} - \frac{\sin\left(a-\frac{b\sqrt{-c}}{\sqrt{d}}\right) \int \frac{\cos\left(\frac{b\sqrt{-c}}{\sqrt{d}}+bx\right)}{\sqrt{-c}+\sqrt{dx}} dx}{2\sqrt{-c}} \\
&= -\frac{\text{Ci}\left(\frac{b\sqrt{-c}}{\sqrt{d}}+bx\right) \sin\left(a-\frac{b\sqrt{-c}}{\sqrt{d}}\right)}{2\sqrt{-c}\sqrt{d}} + \frac{\text{Ci}\left(\frac{b\sqrt{-c}}{\sqrt{d}}-bx\right) \sin\left(a+\frac{b\sqrt{-c}}{\sqrt{d}}\right)}{2\sqrt{-c}\sqrt{d}} - \frac{\cos\left(a+\frac{b\sqrt{-c}}{\sqrt{d}}\right) \text{Si}\left(\frac{b\sqrt{-c}}{\sqrt{d}}-bx\right)}{2\sqrt{-c}\sqrt{d}} - \dots
\end{aligned}$$

**Mathematica [C]** time = 0.321835, size = 172, normalized size = 0.81

$$\frac{i \left( \sin\left(a - \frac{ib\sqrt{c}}{\sqrt{d}}\right) \text{CosIntegral}\left(b\left(x + \frac{i\sqrt{c}}{\sqrt{d}}\right)\right) - \sin\left(a + \frac{ib\sqrt{c}}{\sqrt{d}}\right) \text{CosIntegral}\left(b\left(x - \frac{i\sqrt{c}}{\sqrt{d}}\right)\right) + \cos\left(a - \frac{ib\sqrt{c}}{\sqrt{d}}\right) \text{Si}\left(b\left(x + \frac{i\sqrt{c}}{\sqrt{d}}\right)\right) - \cos\left(a + \frac{ib\sqrt{c}}{\sqrt{d}}\right) \text{Si}\left(b\left(x - \frac{i\sqrt{c}}{\sqrt{d}}\right)\right) \right)}{2\sqrt{c}\sqrt{d}}$$

Warning: Unable to verify antiderivative.

`[In] Integrate[Sin[a + b*x]/(c + d*x^2), x]`

```
[Out] ((I/2)*(CosIntegral[b*((I*Sqrt[c])/Sqrt[d] + x)]*Sin[a - (I*b*Sqrt[c])/Sqrt[d]] - CosIntegral[b*((-I)*Sqrt[c])/Sqrt[d] + x])*Sin[a + (I*b*Sqrt[c])/Sqrt[d]] + Cos[a - (I*b*Sqrt[c])/Sqrt[d]]*SinIntegral[b*((I*Sqrt[c])/Sqrt[d] + x)] + Cos[a + (I*b*Sqrt[c])/Sqrt[d]]*SinIntegral[(I*b*Sqrt[c])/Sqrt[d] - b*x]))/(Sqrt[c]*Sqrt[d])
```

**Maple [A]** time = 0.022, size = 229, normalized size = 1.1

$$b \left( \frac{1}{2d} \left( \text{Si} \left( bx + a - \frac{1}{d} (b\sqrt{-cd} + ad) \right) \cos \left( \frac{1}{d} (b\sqrt{-cd} + ad) \right) + \text{Ci} \left( bx + a - \frac{1}{d} (b\sqrt{-cd} + ad) \right) \sin \left( \frac{1}{d} (b\sqrt{-cd} + ad) \right) \right) \right) \left( \frac{1}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(sin(b*x+a)/(d*x^2+c), x)`

```
[Out] b*(1/2/((b*(-c*d)^(1/2)+a*d)/d-a)/d*(Si(b*x+a-(b*(-c*d)^(1/2)+a*d)/d)*cos((b*(-c*d)^(1/2)+a*d)/d)+Ci(b*x+a-(b*(-c*d)^(1/2)+a*d)/d)*sin((b*(-c*d)^(1/2)+a*d)/d))+1/2/(-(b*(-c*d)^(1/2)-a*d)/d-a)/d*(Si(b*x+a+(b*(-c*d)^(1/2)-a*d)/d)*cos((b*(-c*d)^(1/2)-a*d)/d)-Ci(b*x+a+(b*(-c*d)^(1/2)-a*d)/d)*sin((b*(-c*d)^(1/2)-a*d)/d)))
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin(bx+a)}{dx^2+c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b\*x+a)/(d\*x^2+c),x, algorithm="maxima")

[Out] integrate(sin(b\*x + a)/(d\*x^2 + c), x)

**Fricas [C]** time = 2.13078, size = 377, normalized size = 1.77

$$\frac{\sqrt{\frac{b^2c}{d}} \operatorname{Ei}\left(ibx - \sqrt{\frac{b^2c}{d}}\right) e^{\left(ia + \sqrt{\frac{b^2c}{d}}\right)} - \sqrt{\frac{b^2c}{d}} \operatorname{Ei}\left(ibx + \sqrt{\frac{b^2c}{d}}\right) e^{\left(ia - \sqrt{\frac{b^2c}{d}}\right)} + \sqrt{\frac{b^2c}{d}} \operatorname{Ei}\left(-ibx - \sqrt{\frac{b^2c}{d}}\right) e^{\left(-ia + \sqrt{\frac{b^2c}{d}}\right)} - \sqrt{\frac{b^2c}{d}} \operatorname{Ei}\left(-ibx + \sqrt{\frac{b^2c}{d}}\right) e^{\left(-ia - \sqrt{\frac{b^2c}{d}}\right)}}{4bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b\*x+a)/(d\*x^2+c),x, algorithm="fricas")

[Out] 1/4\*(sqrt(b^2\*c/d)\*Ei(I\*b\*x - sqrt(b^2\*c/d))\*e^(I\*a + sqrt(b^2\*c/d)) - sqrt(b^2\*c/d)\*Ei(I\*b\*x + sqrt(b^2\*c/d))\*e^(I\*a - sqrt(b^2\*c/d)) + sqrt(b^2\*c/d)\*Ei(-I\*b\*x - sqrt(b^2\*c/d))\*e^(-I\*a + sqrt(b^2\*c/d)) - sqrt(b^2\*c/d)\*Ei(-I\*b\*x + sqrt(b^2\*c/d))\*e^(-I\*a - sqrt(b^2\*c/d)))/(b\*c)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin(a + bx)}{c + dx^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b\*x+a)/(d\*x\*\*2+c),x)

[Out] Integral(sin(a + b\*x)/(c + d\*x\*\*2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin(bx + a)}{dx^2 + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b\*x+a)/(d\*x^2+c),x, algorithm="giac")

[Out] integrate(sin(b\*x + a)/(d\*x^2 + c), x)

$$3.32 \quad \int \frac{\sin(a+bx)}{c+dx+ex^2} dx$$

**Optimal.** Leaf size=271

$$\frac{\sin\left(a - \frac{b(d-\sqrt{d^2-4ce})}{2e}\right) \operatorname{CosIntegral}\left(\frac{b(d-\sqrt{d^2-4ce})}{2e} + bx\right)}{\sqrt{d^2-4ce}} - \frac{\sin\left(a - \frac{b(\sqrt{d^2-4ce}+d)}{2e}\right) \operatorname{CosIntegral}\left(\frac{b(\sqrt{d^2-4ce}+d)}{2e} + bx\right)}{\sqrt{d^2-4ce}} + \frac{\cos\left(a - \frac{b(d-\sqrt{d^2-4ce})}{2e}\right)}{\sqrt{d^2-4ce}}$$

```
[Out] (CosIntegral[(b*(d - Sqrt[d^2 - 4*c*e]))/(2*e) + b*x]*Sin[a - (b*(d - Sqrt[d^2 - 4*c*e]))/(2*e)])/Sqrt[d^2 - 4*c*e] - (CosIntegral[(b*(d + Sqrt[d^2 - 4*c*e]))/(2*e) + b*x]*Sin[a - (b*(d + Sqrt[d^2 - 4*c*e]))/(2*e)])/Sqrt[d^2 - 4*c*e] + (Cos[a - (b*(d - Sqrt[d^2 - 4*c*e]))/(2*e)]*SinIntegral[(b*(d - Sqrt[d^2 - 4*c*e]))/(2*e) + b*x])/Sqrt[d^2 - 4*c*e] - (Cos[a - (b*(d + Sqrt[d^2 - 4*c*e]))/(2*e)]*SinIntegral[(b*(d + Sqrt[d^2 - 4*c*e]))/(2*e) + b*x])/Sqrt[d^2 - 4*c*e]
```

**Rubi [A]** time = 0.801635, antiderivative size = 271, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.21$ , Rules used = {6728, 3303, 3299, 3302}

$$\frac{\sin\left(a - \frac{b(d-\sqrt{d^2-4ce})}{2e}\right) \operatorname{CosIntegral}\left(\frac{b(d-\sqrt{d^2-4ce})}{2e} + bx\right)}{\sqrt{d^2-4ce}} - \frac{\sin\left(a - \frac{b(\sqrt{d^2-4ce}+d)}{2e}\right) \operatorname{CosIntegral}\left(\frac{b(\sqrt{d^2-4ce}+d)}{2e} + bx\right)}{\sqrt{d^2-4ce}} + \frac{\cos\left(a - \frac{b(d-\sqrt{d^2-4ce})}{2e}\right)}{\sqrt{d^2-4ce}}$$

Antiderivative was successfully verified.

```
[In] Int[Sin[a + b*x]/(c + d*x + e*x^2), x]
```

```
[Out] (CosIntegral[(b*(d - Sqrt[d^2 - 4*c*e]))/(2*e) + b*x]*Sin[a - (b*(d - Sqrt[d^2 - 4*c*e]))/(2*e)])/Sqrt[d^2 - 4*c*e] - (CosIntegral[(b*(d + Sqrt[d^2 - 4*c*e]))/(2*e) + b*x]*Sin[a - (b*(d + Sqrt[d^2 - 4*c*e]))/(2*e)])/Sqrt[d^2 - 4*c*e] + (Cos[a - (b*(d - Sqrt[d^2 - 4*c*e]))/(2*e)]*SinIntegral[(b*(d - Sqrt[d^2 - 4*c*e]))/(2*e) + b*x])/Sqrt[d^2 - 4*c*e] - (Cos[a - (b*(d + Sqrt[d^2 - 4*c*e]))/(2*e)]*SinIntegral[(b*(d + Sqrt[d^2 - 4*c*e]))/(2*e) + b*x])/Sqrt[d^2 - 4*c*e]
```

#### Rule 6728

```
Int[(u_)/((a_.) + (b_.)*(x_)^(n_.) + (c_.)*(x_)^(n2_.)), x_Symbol] := With[{v = RationalFunctionExpand[u/(a + b*x^n + c*x^(2*n)), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b, c}, x] && EqQ[n2, 2*n] && IGtQ[n, 0]
```

#### Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

#### Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

#### Rule 3302



```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{\sin(a+bx)}{c+dx+ex^2} dx &= \int \left( \frac{2e \sin(a+bx)}{\sqrt{d^2-4ce} (d-\sqrt{d^2-4ce}+2ex)} - \frac{2e \sin(a+bx)}{\sqrt{d^2-4ce} (d+\sqrt{d^2-4ce}+2ex)} \right) dx \\ &= \frac{(2e) \int \frac{\sin(a+bx)}{d-\sqrt{d^2-4ce}+2ex} dx}{\sqrt{d^2-4ce}} - \frac{(2e) \int \frac{\sin(a+bx)}{d+\sqrt{d^2-4ce}+2ex} dx}{\sqrt{d^2-4ce}} \\ &= \frac{\left( 2e \cos \left( a - \frac{b(d-\sqrt{d^2-4ce})}{2e} \right) \right) \int \frac{\sin \left( \frac{b(d-\sqrt{d^2-4ce})}{2e} + bx \right)}{d-\sqrt{d^2-4ce}+2ex} dx}{\sqrt{d^2-4ce}} - \frac{\left( 2e \cos \left( a - \frac{b(d+\sqrt{d^2-4ce})}{2e} \right) \right) \int \frac{\sin \left( \frac{b(d+\sqrt{d^2-4ce})}{2e} + bx \right)}{d+\sqrt{d^2-4ce}+2ex} dx}{\sqrt{d^2-4ce}} \\ &= \frac{\text{Ci} \left( \frac{b(d-\sqrt{d^2-4ce})}{2e} + bx \right) \sin \left( a - \frac{b(d-\sqrt{d^2-4ce})}{2e} \right)}{\sqrt{d^2-4ce}} - \frac{\text{Ci} \left( \frac{b(d+\sqrt{d^2-4ce})}{2e} + bx \right) \sin \left( a - \frac{b(d+\sqrt{d^2-4ce})}{2e} \right)}{\sqrt{d^2-4ce}} + \dots \end{aligned}$$

**Mathematica [A]** time = 0.578755, size = 238, normalized size = 0.88

$$\frac{\sin \left( a + \frac{b(\sqrt{d^2-4ce}-d)}{2e} \right) \text{CosIntegral} \left( \frac{b(-\sqrt{d^2-4ce}+d+2ex)}{2e} \right) - \sin \left( a - \frac{b(\sqrt{d^2-4ce}+d)}{2e} \right) \text{CosIntegral} \left( \frac{b(\sqrt{d^2-4ce}+d+2ex)}{2e} \right) - \cos \left( a - \frac{b(\sqrt{d^2-4ce}+d)}{2e} \right)}{\sqrt{d^2-4ce}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sin[a + b*x]/(c + d*x + e*x^2), x]
```

```
[Out] (CosIntegral[(b*(d - Sqrt[d^2 - 4*c*e] + 2*e*x))/(2*e)]*Sin[a + (b*(-d + Sqrt[d^2 - 4*c*e]))/(2*e)] - CosIntegral[(b*(d + Sqrt[d^2 - 4*c*e] + 2*e*x))/(2*e)]*Sin[a - (b*(d + Sqrt[d^2 - 4*c*e]))/(2*e)] - Cos[a + (b*(-d + Sqrt[d^2 - 4*c*e]))/(2*e)]*SinIntegral[(b*(-d + Sqrt[d^2 - 4*c*e]))/(2*e) - b*x] - Cos[a - (b*(d + Sqrt[d^2 - 4*c*e]))/(2*e)]*SinIntegral[(b*(d + Sqrt[d^2 - 4*c*e] + 2*e*x))/(2*e))]/Sqrt[d^2 - 4*c*e]
```

**Maple [A]** time = 0.015, size = 320, normalized size = 1.2

$$b \left( \left( \text{Si} \left( bx + a - \frac{1}{2e} (2ae - db + \sqrt{-4b^2ce + b^2d^2}) \right) \cos \left( \frac{1}{2e} (2ae - db + \sqrt{-4b^2ce + b^2d^2}) \right) + \text{Ci} \left( bx + a - \frac{1}{2e} (2ae - db + \sqrt{-4b^2ce + b^2d^2}) \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(b*x+a)/(e*x^2+d*x+c), x)
```

```
[Out] b*(1/(-4*b^2*c*e+b^2*d^2)^(1/2)*(Si(b*x+a-1/2/e*(2*a*e-d*b+(-4*b^2*c*e+b^2*d^2)^(1/2))))*cos(1/2/e*(2*a*e-d*b+(-4*b^2*c*e+b^2*d^2)^(1/2)))+Ci(b*x+a-1/2/e*(2*a*e-d*b+(-4*b^2*c*e+b^2*d^2)^(1/2)))*sin(1/2/e*(2*a*e-d*b+(-4*b^2*c*e+b^2*d^2)^(1/2))))-1/(-4*b^2*c*e+b^2*d^2)^(1/2)*(Si(b*x+a+1/2*(-2*a*e+d*b+(-4*b^2*c*e+b^2*d^2)^(1/2)))/e)*cos(1/2*(-2*a*e+d*b+(-4*b^2*c*e+b^2*d^2)^(1/2)))+Ci(b*x+a+1/2*(-2*a*e+d*b+(-4*b^2*c*e+b^2*d^2)^(1/2)))/e)
```

))/e)-Ci(b\*x+a+1/2\*(-2\*a\*e+d\*b+(-4\*b^2\*c\*e+b^2\*d^2)^(1/2))/e)\*sin(1/2\*(-2\*a\*e+d\*b+(-4\*b^2\*c\*e+b^2\*d^2)^(1/2))/e))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin(bx + a)}{ex^2 + dx + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b\*x+a)/(e\*x^2+d\*x+c),x, algorithm="maxima")

[Out] integrate(sin(b\*x + a)/(e\*x^2 + d\*x + c), x)

**Fricas [C]** time = 2.42761, size = 950, normalized size = 3.51

$$e^{\sqrt{-\frac{b^2d^2-4b^2ce}{e^2}}} \operatorname{Ei}\left(\frac{-2ibex-id-e\sqrt{-\frac{b^2d^2-4b^2ce}{e^2}}}{2e}\right) e^{\left(\frac{id-2iae+e\sqrt{-\frac{b^2d^2-4b^2ce}{e^2}}}{2e}\right)} - e^{\sqrt{-\frac{b^2d^2-4b^2ce}{e^2}}} \operatorname{Ei}\left(\frac{-2ibex-id+e\sqrt{-\frac{b^2d^2-4b^2ce}{e^2}}}{2e}\right) e^{\left(\frac{id-2iae-e\sqrt{-\frac{b^2d^2-4b^2ce}{e^2}}}{2e}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b\*x+a)/(e\*x^2+d\*x+c),x, algorithm="fricas")

[Out]  $-1/2*(e*\sqrt{-\frac{b^2d^2-4b^2ce}{e^2}}*\operatorname{Ei}\left(\frac{1}{2}*(-2*I*b*e*x - I*b*d - e*\sqrt{-\frac{b^2d^2-4b^2ce}{e^2}})/e\right)*e^{\left(\frac{1}{2}*(I*b*d - 2*I*a*e + e*\sqrt{-\frac{b^2d^2-4b^2ce}{e^2}})/e\right)} - e*\sqrt{-\frac{b^2d^2-4b^2ce}{e^2}}*\operatorname{Ei}\left(\frac{1}{2}*(-2*I*b*e*x - I*b*d + e*\sqrt{-\frac{b^2d^2-4b^2ce}{e^2}})/e\right)*e^{\left(\frac{1}{2}*(I*b*d - 2*I*a*e - e*\sqrt{-\frac{b^2d^2-4b^2ce}{e^2}})/e\right)} + e*\sqrt{-\frac{b^2d^2-4b^2ce}{e^2}}*\operatorname{Ei}\left(\frac{1}{2}*(2*I*b*e*x + I*b*d - e*\sqrt{-\frac{b^2d^2-4b^2ce}{e^2}})/e\right)*e^{\left(\frac{1}{2}*(-I*b*d + 2*I*a*e + e*\sqrt{-\frac{b^2d^2-4b^2ce}{e^2}})/e\right)} - e*\sqrt{-\frac{b^2d^2-4b^2ce}{e^2}}*\operatorname{Ei}\left(\frac{1}{2}*(2*I*b*e*x + I*b*d + e*\sqrt{-\frac{b^2d^2-4b^2ce}{e^2}})/e\right)*e^{\left(\frac{1}{2}*(-I*b*d + 2*I*a*e - e*\sqrt{-\frac{b^2d^2-4b^2ce}{e^2}})/e\right)})/(b*d^2 - 4*b*c*e)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin(a + bx)}{c + dx + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b\*x+a)/(e\*x\*\*2+d\*x+c),x)

[Out] Integral(sin(a + b\*x)/(c + d\*x + e\*x\*\*2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin(bx + a)}{ex^2 + dx + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(b*x+a)/(e*x^2+d*x+c),x, algorithm="giac")
```

```
[Out] integrate(sin(b*x + a)/(e*x^2 + d*x + c), x)
```

$$3.33 \quad \int \frac{\sin(\sqrt{-7+x})}{\sqrt{-7+x}} dx$$

**Optimal.** Leaf size=10

$$-2 \cos(\sqrt{x-7})$$

[Out] -2\*Cos[Sqrt[-7 + x]]

**Rubi [A]** time = 0.0179978, antiderivative size = 10, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$ , Rules used = {3431, 15, 2638}

$$-2 \cos(\sqrt{x-7})$$

Antiderivative was successfully verified.

[In] Int[Sin[Sqrt[-7 + x]]/Sqrt[-7 + x],x]

[Out] -2\*Cos[Sqrt[-7 + x]]

#### Rule 3431

Int[((g\_.) + (h\_.)\*(x\_)^(m\_.))\*((a\_.) + (b\_.)\*Sin[(c\_.) + (d\_.)\*((e\_.) + (f\_.)\*(x\_)^(n\_)])^(p\_.), x\_Symbol] :> Dist[1/(n\*f), Subst[Int[ExpandIntegrand[(a + b\*Sin[c + d\*x])^p, x^(1/n - 1)\*(g - (e\*h)/f + (h\*x^(1/n))/f)^m, x], x], x, (e + f\*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && IntegerQ[1/n]

#### Rule 15

Int[(u\_.)\*((a\_.)\*(x\_)^(n\_))^(m\_), x\_Symbol] :> Dist[(a^IntPart[m]\*(a\*x^n)^FracPart[m])/x^(n\*FracPart[m]), Int[u\*x^(m\*n), x], x] /; FreeQ[{a, m, n}, x] && !IntegerQ[m]

#### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{\sin(\sqrt{-7+x})}{\sqrt{-7+x}} dx &= 2 \operatorname{Subst} \left( \int \frac{x \sin(x)}{\sqrt{x^2}} dx, x, \sqrt{-7+x} \right) \\ &= 2 \operatorname{Subst} \left( \int \sin(x) dx, x, \sqrt{-7+x} \right) \\ &= -2 \cos(\sqrt{-7+x}) \end{aligned}$$

**Mathematica [A]** time = 0.0233957, size = 10, normalized size = 1.

$$-2 \cos(\sqrt{x-7})$$

Antiderivative was successfully verified.

[In] Integrate[Sin[Sqrt[-7 + x]]/Sqrt[-7 + x],x]

[Out] -2\*Cos[Sqrt[-7 + x]]

**Maple [A]** time = 0.011, size = 9, normalized size = 0.9

$$-2 \cos(\sqrt{-7 + x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin((-7+x)^(1/2))/(-7+x)^(1/2),x)

[Out] -2\*cos((-7+x)^(1/2))

**Maxima [A]** time = 1.09476, size = 11, normalized size = 1.1

$$-2 \cos(\sqrt{x - 7})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin((-7+x)^(1/2))/(-7+x)^(1/2),x, algorithm="maxima")

[Out] -2\*cos(sqrt(x - 7))

**Fricas [A]** time = 1.99068, size = 28, normalized size = 2.8

$$-2 \cos(\sqrt{x - 7})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin((-7+x)^(1/2))/(-7+x)^(1/2),x, algorithm="fricas")

[Out] -2\*cos(sqrt(x - 7))

**Sympy [A]** time = 0.334359, size = 10, normalized size = 1.

$$-2 \cos(\sqrt{x - 7})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin((-7+x)\*\*(1/2))/(-7+x)\*\*(1/2),x)

[Out] -2\*cos(sqrt(x - 7))

**Giac [A]** time = 1.14195, size = 11, normalized size = 1.1

$$-2 \cos(\sqrt{x - 7})$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin((-7+x)^(1/2))/(-7+x)^(1/2),x, algorithm="giac")
```

```
[Out] -2*cos(sqrt(x - 7))
```

$$3.34 \quad \int \frac{\sqrt{b - \frac{a}{x^2}} \sin(x)}{\sqrt{a - bx^2}} dx$$

**Optimal.** Leaf size=28

$$\frac{x \operatorname{Si}(x) \sqrt{b - \frac{a}{x^2}}}{\sqrt{a - bx^2}}$$

[Out] (Sqrt[b - a/x^2]\*x\*SinIntegral[x])/Sqrt[a - b\*x^2]

**Rubi [A]** time = 0.470982, antiderivative size = 28, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {6721, 23, 3299}

$$\frac{x \operatorname{Si}(x) \sqrt{b - \frac{a}{x^2}}}{\sqrt{a - bx^2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[b - a/x^2]\*Sin[x])/Sqrt[a - b\*x^2],x]

[Out] (Sqrt[b - a/x^2]\*x\*SinIntegral[x])/Sqrt[a - b\*x^2]

#### Rule 6721

Int[(u\_.)\*((a\_.) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Dist[(b^IntPart[p]\*(a + b\*x^n)^FracPart[p])/(x^(n\*FracPart[p])\*(1 + a/(x^n\*b))^FracPart[p]), Int[u\*x^(n\*p)\*(1 + a/(x^n\*b))^p, x], x] /; FreeQ[{a, b, p}, x] && !IntegerQ[p] && ILtQ[n, 0] && !RationalFunctionQ[u, x] && IntegerQ[p + 1/2]

#### Rule 23

Int[(u\_.)\*((a\_) + (b\_.)\*(v\_))^(m\_)\*((c\_) + (d\_.)\*(v\_))^(n\_), x\_Symbol] :> Dist[(a + b\*v)^m/(c + d\*v)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, m, n}, x] && EqQ[b\*c - a\*d, 0] && !(IntegerQ[m] || IntegerQ[n] || GtQ[b/d, 0])

#### Rule 3299

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{\sqrt{b - \frac{a}{x^2}} \sin(x)}{\sqrt{a - bx^2}} dx &= \frac{\left(\sqrt{b - \frac{a}{x^2}} x\right) \int \frac{\sqrt{1 - \frac{bx^2}{a}} \sin(x)}{x\sqrt{a - bx^2}} dx}{\sqrt{1 - \frac{bx^2}{a}}} \\ &= \frac{\left(\sqrt{b - \frac{a}{x^2}} x\right) \int \frac{\sin(x)}{x} dx}{\sqrt{a - bx^2}} \\ &= \frac{\sqrt{b - \frac{a}{x^2}} x \operatorname{Si}(x)}{\sqrt{a - bx^2}} \end{aligned}$$

**Mathematica [C]** time = 0.708935, size = 46, normalized size = 1.64

$$\frac{ix(\operatorname{ExpIntegralEi}(-ix) - \operatorname{ExpIntegralEi}(ix))\sqrt{b - \frac{a}{x^2}}}{2\sqrt{a - bx^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[b - a/x^2]\*Sin[x])/Sqrt[a - b\*x^2], x]

[Out] ((I/2)\*Sqrt[b - a/x^2]\*x\*(ExpIntegralEi[(-I)\*x] - ExpIntegralEi[I\*x]))/Sqrt[a - b\*x^2]

**Maple [C]** time = 0.046, size = 72, normalized size = 2.6

$$-(bx^2 - a)x \left( -i \operatorname{Si}(x) + \frac{i}{2} \pi \operatorname{csgn}(x) \right) \sqrt{-\frac{bx^2 + a}{x^2}} \sqrt{\frac{-bx^2 + a}{bx^2 - a}} (-bx^2 + a)^{-\frac{3}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)\*(b-a/x^2)^(1/2)/(-b\*x^2+a)^(1/2), x)

[Out] -((-b\*x^2+a)/x^2)^(1/2)\*(b\*x^2-a)/(-b\*x^2+a)^(3/2)\*x\*(1/(b\*x^2-a)\*(-b\*x^2+a))^(1/2)\*(-I\*Si(x)+1/2\*I\*Pi\*csgn(x))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{b - \frac{a}{x^2}} \sin(x)}{\sqrt{-bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)\*(b-a/x^2)^(1/2)/(-b\*x^2+a)^(1/2), x, algorithm="maxima")

[Out] integrate(sqrt(b - a/x^2)\*sin(x)/sqrt(-b\*x^2 + a), x)



**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( -\frac{\sqrt{-bx^2 + a} \sqrt{\frac{bx^2 - a}{x^2}} \sin(x)}{bx^2 - a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)\*(b-a/x^2)^(1/2)/(-b\*x^2+a)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-b\*x^2 + a)\*sqrt((b\*x^2 - a)/x^2)\*sin(x)/(b\*x^2 - a), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)\*(b-a/x\*\*2)\*\*(1/2)/(-b\*x\*\*2+a)\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{b - \frac{a}{x^2}} \sin(x)}{\sqrt{-bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)\*(b-a/x^2)^(1/2)/(-b\*x^2+a)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(b - a/x^2)\*sin(x)/sqrt(-b\*x^2 + a), x)

$$3.35 \quad \int \frac{1}{x(1+\sin(\log(x)))} dx$$

**Optimal.** Leaf size=12

$$-\frac{\cos(\log(x))}{\sin(\log(x)) + 1}$$

[Out] -(Cos[Log[x]]/(1 + Sin[Log[x]]))

**Rubi [A]** time = 0.0289448, antiderivative size = 12, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {2648}

$$-\frac{\cos(\log(x))}{\sin(\log(x)) + 1}$$

Antiderivative was successfully verified.

[In] Int[1/(x\*(1 + Sin[Log[x]])),x]

[Out] -(Cos[Log[x]]/(1 + Sin[Log[x]]))

**Rule 2648**

Int[((a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := -Simp[Cos[c + d\*x]/(d\*(b + a\*Sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

**Rubi steps**

$$\begin{aligned} \int \frac{1}{x(1 + \sin(\log(x)))} dx &= \text{Subst} \left( \int \frac{1}{1 + \sin(x)} dx, x, \log(x) \right) \\ &= -\frac{\cos(\log(x))}{1 + \sin(\log(x))} \end{aligned}$$

**Mathematica [B]** time = 0.0196309, size = 26, normalized size = 2.17

$$\frac{2 \sin\left(\frac{\log(x)}{2}\right)}{\sin\left(\frac{\log(x)}{2}\right) + \cos\left(\frac{\log(x)}{2}\right)}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x\*(1 + Sin[Log[x]])),x]

[Out] (2\*Sin[Log[x]/2])/(Cos[Log[x]/2] + Sin[Log[x]/2])

**Maple [A]** time = 0.017, size = 12, normalized size = 1.

$$-2 (1 + \tan(1/2 \ln(x)))^{-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x/(1+sin(ln(x))),x)`

[Out] `-2/(1+tan(1/2*ln(x)))`

**Maxima [A]** time = 1.09909, size = 23, normalized size = 1.92

$$-\frac{2}{\frac{\sin(\log(x))}{\cos(\log(x))+1} + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(1+sin(log(x))),x, algorithm="maxima")`

[Out] `-2/(sin(log(x))/(cos(log(x)) + 1) + 1)`

**Fricas [A]** time = 2.02112, size = 89, normalized size = 7.42

$$-\frac{\cos(\log(x)) - \sin(\log(x)) + 1}{\cos(\log(x)) + \sin(\log(x)) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(1+sin(log(x))),x, algorithm="fricas")`

[Out] `-(cos(log(x)) - sin(log(x)) + 1)/(cos(log(x)) + sin(log(x)) + 1)`

**Sympy [A]** time = 2.35437, size = 15, normalized size = 1.25

$$\frac{2 \tan\left(\frac{\log(x)}{2}\right)}{\tan\left(\frac{\log(x)}{2}\right) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(1+sin(ln(x))),x)`

[Out] `2*tan(log(x)/2)/(tan(log(x)/2) + 1)`

**Giac [A]** time = 1.11301, size = 15, normalized size = 1.25

$$-\frac{2}{\tan\left(\frac{1}{2} \log(x)\right) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(1+sin(log(x))),x, algorithm="giac")`

[Out] `-2/(tan(1/2*log(x)) + 1)`

### 3.36 $\int \sin\left(\frac{a+bx}{c+dx}\right) dx$

**Optimal.** Leaf size=100

$$\frac{\cos\left(\frac{b}{d}\right)(bc-ad)\text{CosIntegral}\left(\frac{bc-ad}{d(c+dx)}\right)}{d^2} + \frac{\sin\left(\frac{b}{d}\right)(bc-ad)\text{Si}\left(\frac{bc-ad}{d(c+dx)}\right)}{d^2} + \frac{(c+dx)\sin\left(\frac{a+bx}{c+dx}\right)}{d}$$

[Out] ((b\*c - a\*d)\*Cos[b/d]\*CosIntegral[(b\*c - a\*d)/(d\*(c + d\*x))])/d^2 + ((c + d\*x)\*Sin[(a + b\*x)/(c + d\*x)]/d + ((b\*c - a\*d)\*Sin[b/d]\*SinIntegral[(b\*c - a\*d)/(d\*(c + d\*x))])/d^2

**Rubi [A]** time = 0.163526, antiderivative size = 100, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$ , Rules used = {4563, 3297, 3303, 3299, 3302}

$$\frac{\cos\left(\frac{b}{d}\right)(bc-ad)\text{CosIntegral}\left(\frac{bc-ad}{d(c+dx)}\right)}{d^2} + \frac{\sin\left(\frac{b}{d}\right)(bc-ad)\text{Si}\left(\frac{bc-ad}{d(c+dx)}\right)}{d^2} + \frac{(c+dx)\sin\left(\frac{a+bx}{c+dx}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sin[(a + b\*x)/(c + d\*x)],x]

[Out] ((b\*c - a\*d)\*Cos[b/d]\*CosIntegral[(b\*c - a\*d)/(d\*(c + d\*x))])/d^2 + ((c + d\*x)\*Sin[(a + b\*x)/(c + d\*x)]/d + ((b\*c - a\*d)\*Sin[b/d]\*SinIntegral[(b\*c - a\*d)/(d\*(c + d\*x))])/d^2

#### Rule 4563

```
Int[Sin[((e_.)*(a_.) + (b_.)*(x_)))/((c_.) + (d_.)*(x_))]^(n_), x_Symbol]
:> -Dist[d^(-1), Subst[Int[Sin[(b*e)/d - (e*(b*c - a*d)*x)/d]^n/x^2, x], x
, 1/(c + d*x)], x] /; FreeQ[{a, b, c, d}, x] && IGtQ[n, 0] && NeQ[b*c - a*d
, 0]
```

#### Rule 3297

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol]
:> Simp[((c + d*x)^(m + 1)*Sin[e + f*x]/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c
+ d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1
]
```

#### Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol]
:> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

#### Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol]
:> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

#### Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

### Rubi steps

$$\begin{aligned} \int \sin\left(\frac{a+bx}{c+dx}\right) dx &= -\frac{\text{Subst}\left(\int \frac{\sin\left(\frac{b}{d}-\frac{(bc-ad)x}{d}\right)}{x^2} dx, x, \frac{1}{c+dx}\right)}{d} \\ &= \frac{(c+dx)\sin\left(\frac{a+bx}{c+dx}\right)}{d} + \frac{(bc-ad)\text{Subst}\left(\int \frac{\cos\left(\frac{b}{d}-\frac{(bc-ad)x}{d}\right)}{x} dx, x, \frac{1}{c+dx}\right)}{d^2} \\ &= \frac{(c+dx)\sin\left(\frac{a+bx}{c+dx}\right)}{d} + \frac{\left((bc-ad)\cos\left(\frac{b}{d}\right)\right)\text{Subst}\left(\int \frac{\cos\left(\frac{(bc-ad)x}{d}\right)}{x} dx, x, \frac{1}{c+dx}\right)}{d^2} + \frac{\left((bc-ad)\sin\left(\frac{b}{d}\right)\right)}{d^2} \\ &= \frac{(bc-ad)\cos\left(\frac{b}{d}\right)\text{Ci}\left(\frac{bc-ad}{d(c+dx)}\right)}{d^2} + \frac{(c+dx)\sin\left(\frac{a+bx}{c+dx}\right)}{d} + \frac{(bc-ad)\sin\left(\frac{b}{d}\right)\text{Si}\left(\frac{bc-ad}{d(c+dx)}\right)}{d^2} \end{aligned}$$

**Mathematica [C]** time = 5.51914, size = 272, normalized size = 2.72

$$\frac{2 \cos\left(\frac{b}{d}\right)(bc-ad)\text{CosIntegral}\left(\frac{ad-bc}{d(c+dx)}\right) + d \exp\left(-\frac{i(ad+2bc+bdx)}{d(c+dx)}\right) \left( i c \left( e^{\frac{2ibc}{d(c+dx)}} - e^{2i\left(\frac{a}{c+dx} + \frac{b}{d}\right)} \right) + dx \sin\left(\frac{b}{d}\right) \left( e^{i\left(\frac{2a}{c+dx} + \frac{b}{d}\right)} + e \right) \right)}{2d^2}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sin[(a + b*x)/(c + d*x)], x]
```

```
[Out] (2*(b*c - a*d)*Cos[b/d]*CosIntegral[(-(b*c) + a*d)/(d*(c + d*x))] + (d*(I*c
*(E^(((2*I)*b*c)/(d*(c + d*x)))) - E^(((2*I)*(b/d + a/(c + d*x)))) + d*(E^((I
*b*(3*c + d*x))/(d*(c + d*x))) + E^(I*(b/d + (2*a)/(c + d*x))))*x*Sin[b/d]
+ 2*d*E^((I*(2*b*c + a*d + b*d*x))/(d*(c + d*x)))*x*Cos[b/d]*Sin[(-(b*c) +
a*d)/(d*(c + d*x))])/E^((I*(2*b*c + a*d + b*d*x))/(d*(c + d*x))) - 2*(b*c
- a*d)*Sin[b/d]*SinIntegral[(-(b*c) + a*d)/(d*(c + d*x))])/(2*d^2)
```

**Maple [A]** time = 0.013, size = 142, normalized size = 1.4

$$-(ad-cb) \left( -\frac{1}{d} \sin\left(\frac{b}{d} + \frac{ad-cb}{d(dx+c)}\right) \left( d \left( \frac{b}{d} + \frac{ad-cb}{d(dx+c)} \right) - b \right)^{-1} + \frac{1}{d} \left( -\frac{1}{d} \text{Si}\left(\frac{ad-cb}{d(dx+c)}\right) \sin\left(\frac{b}{d}\right) + \frac{1}{d} \text{Ci}\left(\frac{ad-cb}{d(dx+c)}\right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin((b*x+a)/(d*x+c)), x)
```

```
[Out] -(a*d-b*c)*(-sin(b/d+(a*d-b*c)/d/(d*x+c))/(d*(b/d+(a*d-b*c)/d/(d*x+c))-b)/d
+(-Si((a*d-b*c)/d/(d*x+c))*sin(b/d)/d+Ci((a*d-b*c)/d/(d*x+c))*cos(b/d)/d)
)
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sin\left(\frac{bx+a}{dx+c}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin((b\*x+a)/(d\*x+c)),x, algorithm="maxima")

[Out] integrate(sin((b\*x + a)/(d\*x + c)), x)

**Fricas [A]** time = 2.2517, size = 323, normalized size = 3.23

$$\frac{2(bc-ad)\sin\left(\frac{b}{d}\right)\text{Si}\left(-\frac{bc-ad}{d^2x+cd}\right) - \left((bc-ad)\text{Ci}\left(\frac{bc-ad}{d^2x+cd}\right) + (bc-ad)\text{Ci}\left(-\frac{bc-ad}{d^2x+cd}\right)\right)\cos\left(\frac{b}{d}\right) - 2(d^2x+cd)\sin\left(\frac{bx+a}{dx+c}\right)}{2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin((b\*x+a)/(d\*x+c)),x, algorithm="fricas")

[Out] -1/2\*(2\*(b\*c - a\*d)\*sin(b/d)\*sin\_integral(-(b\*c - a\*d)/(d^2\*x + c\*d)) - ((b\*c - a\*d)\*cos\_integral((b\*c - a\*d)/(d^2\*x + c\*d)) + (b\*c - a\*d)\*cos\_integral(-(b\*c - a\*d)/(d^2\*x + c\*d)))\*cos(b/d) - 2\*(d^2\*x + c\*d)\*sin((b\*x + a)/(d\*x + c)))/d^2

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin((b\*x+a)/(d\*x+c)),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sin\left(\frac{bx+a}{dx+c}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin((b\*x+a)/(d\*x+c)),x, algorithm="giac")

[Out] integrate(sin((b\*x + a)/(d\*x + c)), x)

### 3.37 $\int \sin^2\left(\frac{a+bx}{c+dx}\right) dx$

**Optimal.** Leaf size=107

$$\frac{\sin\left(\frac{2b}{d}\right)(bc-ad)\text{CosIntegral}\left(\frac{2(bc-ad)}{d(c+dx)}\right)}{d^2} - \frac{\cos\left(\frac{2b}{d}\right)(bc-ad)\text{Si}\left(\frac{2(bc-ad)}{d(c+dx)}\right)}{d^2} + \frac{(c+dx)\sin^2\left(\frac{a+bx}{c+dx}\right)}{d}$$

[Out] ((b\*c - a\*d)\*CosIntegral[(2\*(b\*c - a\*d))/(d\*(c + d\*x))]\*Sin[(2\*b)/d])/d^2 + ((c + d\*x)\*Sin[(a + b\*x)/(c + d\*x)]^2)/d - ((b\*c - a\*d)\*Cos[(2\*b)/d]\*SinIntegral[(2\*(b\*c - a\*d))/(d\*(c + d\*x))])/d^2

**Rubi [A]** time = 0.192004, antiderivative size = 107, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {4563, 3313, 12, 3303, 3299, 3302}

$$\frac{\sin\left(\frac{2b}{d}\right)(bc-ad)\text{CosIntegral}\left(\frac{2(bc-ad)}{d(c+dx)}\right)}{d^2} - \frac{\cos\left(\frac{2b}{d}\right)(bc-ad)\text{Si}\left(\frac{2(bc-ad)}{d(c+dx)}\right)}{d^2} + \frac{(c+dx)\sin^2\left(\frac{a+bx}{c+dx}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sin[(a + b\*x)/(c + d\*x)]^2, x]

[Out] ((b\*c - a\*d)\*CosIntegral[(2\*(b\*c - a\*d))/(d\*(c + d\*x))]\*Sin[(2\*b)/d])/d^2 + ((c + d\*x)\*Sin[(a + b\*x)/(c + d\*x)]^2)/d - ((b\*c - a\*d)\*Cos[(2\*b)/d]\*SinIntegral[(2\*(b\*c - a\*d))/(d\*(c + d\*x))])/d^2

#### Rule 4563

Int[Sin[((e\_.)\*(a\_.) + (b\_.)\*(x\_)))/((c\_.) + (d\_.)\*(x\_))]^(n\_.), x\_Symbol] :> -Dist[d^(-1), Subst[Int[Sin[(b\*e)/d - (e\*(b\*c - a\*d)\*x)/d]^n/x^2, x], x, 1/(c + d\*x)], x] /; FreeQ[{a, b, c, d}, x] && IGtQ[n, 0] && NeQ[b\*c - a\*d, 0]

#### Rule 3313

Int[((c\_.) + (d\_.)\*(x\_))^(m\_)\*sin[(e\_.) + (f\_.)\*(x\_)]^(n\_), x\_Symbol] :> Simp[((c + d\*x)^(m + 1)\*Sin[e + f\*x]^n)/(d\*(m + 1)), x] - Dist[(f\*n)/(d\*(m + 1)), Int[ExpandTrigReduce[(c + d\*x)^(m + 1), Cos[e + f\*x]\*Sin[e + f\*x]^(n - 1), x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && GeQ[m, -2] && LtQ[m, -1]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 3303

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Dist[Cos[(d\*e - c\*f)/d], Int[Sin[(c\*f)/d + f\*x]/(c + d\*x), x], x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[(c\*f)/d + f\*x]/(c + d\*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d\*e - c\*f, 0]

#### Rule 3299

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

**Rule 3302**

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

**Rubi steps**

$$\int \sin^2\left(\frac{a+bx}{c+dx}\right) dx = -\frac{\text{Subst}\left(\int \frac{\sin^2\left(\frac{b}{d}-\frac{(bc-ad)x}{d}\right)}{x^2} dx, x, \frac{1}{c+dx}\right)}{d}$$

$$= \frac{(c+dx)\sin^2\left(\frac{a+bx}{c+dx}\right)}{d} + \frac{(2(bc-ad))\text{Subst}\left(\int \frac{\sin\left(\frac{2b}{d}-\frac{2(bc-ad)x}{d}\right)}{2x} dx, x, \frac{1}{c+dx}\right)}{d^2}$$

$$= \frac{(c+dx)\sin^2\left(\frac{a+bx}{c+dx}\right)}{d} + \frac{(bc-ad)\text{Subst}\left(\int \frac{\sin\left(\frac{2b}{d}-\frac{2(bc-ad)x}{d}\right)}{x} dx, x, \frac{1}{c+dx}\right)}{d^2}$$

$$= \frac{(c+dx)\sin^2\left(\frac{a+bx}{c+dx}\right)}{d} - \frac{\left((bc-ad)\cos\left(\frac{2b}{d}\right)\right)\text{Subst}\left(\int \frac{\sin\left(\frac{2(bc-ad)x}{d}\right)}{x} dx, x, \frac{1}{c+dx}\right)}{d^2} + \frac{\left((bc-ad)\sin\left(\frac{2b}{d}\right)\right)}{d^2}$$

$$= \frac{(bc-ad)\text{Ci}\left(\frac{2(bc-ad)}{d(c+dx)}\right)\sin\left(\frac{2b}{d}\right)}{d^2} + \frac{(c+dx)\sin^2\left(\frac{a+bx}{c+dx}\right)}{d} - \frac{(bc-ad)\cos\left(\frac{2b}{d}\right)\text{Si}\left(\frac{2(bc-ad)}{d(c+dx)}\right)}{d^2}$$

**Mathematica [C]** time = 7.27871, size = 401, normalized size = 3.75

$$\frac{(acd - bc^2) \left( \frac{\left( -1 + e^{\frac{4ib}{d}} \right) \left( e^{\frac{4ibc}{d(c+dx)}} - e^{\frac{4ia}{c+dx}} \right) \exp\left(-\frac{2i(ad+2bc+bdx)}{d(c+dx)}\right)}{8(bc-ad)} - \frac{\left( 1 + e^{\frac{4ib}{d}} \right) \left( e^{\frac{4ia}{c+dx}} + e^{\frac{4ibc}{d(c+dx)}} \right) \exp\left(-\frac{2i(ad+2bc+bdx)}{d(c+dx)}\right)}{8(bc-ad)} \right)}{d} + \frac{-2ad \sin\left(\frac{2b}{d}\right) \text{CosIntegral}\left(\frac{2(bc-ad)}{d(c+dx)}\right)}{d^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sin[(a + b\*x)/(c + d\*x)]^2, x]

[Out] -(((-(b\*c^2) + a\*c\*d)\*(((1 + E^(((4\*I)\*b)/d))\*(-E^(((4\*I)\*a)/(c + d\*x)) + E^(((4\*I)\*b\*c)/(d\*(c + d\*x)))))/(8\*(b\*c - a\*d)\*E^(((2\*I)\*(2\*b\*c + a\*d + b\*d\*x))/(d\*(c + d\*x)))) - ((1 + E^(((4\*I)\*b)/d))\*E^(((4\*I)\*a)/(c + d\*x)) + E^(((4\*I)\*b\*c)/(d\*(c + d\*x)))))/(8\*(b\*c - a\*d)\*E^(((2\*I)\*(2\*b\*c + a\*d + b\*d\*x))/(d\*(c + d\*x)))))/d - (x\*Cos[(2\*b)/d]\*Cos[(2\*(-b\*c) + a\*d)/(d\*(c + d\*x))])/2 + (x\*Sin[(2\*b)/d]\*Sin[(2\*(-b\*c) + a\*d)/(d\*(c + d\*x))])/2 + (d^2\*x + 2\*b\*c\*CosIntegral[(2\*(-b\*c) + a\*d)/(d\*(c + d\*x))]\*Sin[(2\*b)/d] - 2\*a\*d\*CosIntegral[(2\*(-b\*c) + a\*d)/(d\*(c + d\*x))]\*Sin[(2\*b)/d] + 2\*b\*c\*Cos[(2\*b)/d]\*SinIntegral[(2\*(-b\*c) + a\*d)/(d\*(c + d\*x))] - 2\*a\*d\*Cos[(2\*b)/d]\*SinIntegral[(2\*(-b\*c) + a\*d)/(d\*(c + d\*x))])/(2\*d^2)

**Maple [A]** time = 0.015, size = 195, normalized size = 1.8

$$-\frac{ad - cb}{d^2} \left( -\frac{d}{2} \left( d \left( \frac{b}{d} + \frac{ad - cb}{d(dx + c)} \right) - b \right)^{-1} - \frac{d^2}{4} \left( -2 \frac{1}{d} \cos \left( 2 \frac{ad - cb}{d(dx + c)} + 2 \frac{b}{d} \right) \left( d \left( \frac{b}{d} + \frac{ad - cb}{d(dx + c)} \right) - b \right)^{-1} - 2 \frac{1}{d} \left( 2 \frac{1}{d} \text{Si} \left( 2 \frac{ad - cb}{d(dx + c)} + 2 \frac{b}{d} \right) \right) \right)$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin((b*x+a)/(d*x+c))^2,x)`

[Out]  $-1/d^2*(a*d-b*c)*(-1/2*d/(d*(b/d+(a*d-b*c)/d/(d*x+c))-b)-1/4*d^2*(-2*\cos(2*(a*d-b*c)/d/(d*x+c)+2*b/d)/(d*(b/d+(a*d-b*c)/d/(d*x+c))-b)/d-2*(2*Si(2*(a*d-b*c)/d/(d*x+c))*\cos(2*b/d)/d+2*Ci(2*(a*d-b*c)/d/(d*x+c))*\sin(2*b/d)/d)/d)$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{2}x - \frac{1}{2} \int \cos\left(\frac{2(bx+a)}{dx+c}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin((b*x+a)/(d*x+c))^2,x, algorithm="maxima")`

[Out] `1/2*x - 1/2*integrate(cos(2*(b*x + a)/(d*x + c)), x)`

**Fricas [A]** time = 2.25056, size = 351, normalized size = 3.28

$$\frac{2d^2x - 2(d^2x + cd) \cos\left(\frac{bx+a}{dx+c}\right)^2 + 2(bc - ad) \cos\left(\frac{2b}{d}\right) \text{Si}\left(-\frac{2(bc-ad)}{d^2x+cd}\right) + (bc - ad) \text{Ci}\left(\frac{2(bc-ad)}{d^2x+cd}\right) + (bc - ad) \text{Ci}\left(-\frac{2(bc-a)}{d^2x+c}\right)}{2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin((b*x+a)/(d*x+c))^2,x, algorithm="fricas")`

[Out]  $1/2*(2*d^2*x - 2*(d^2*x + c*d)*\cos((b*x + a)/(d*x + c))^2 + 2*(b*c - a*d)*\cos(2*b/d)*\sin\_integral(-2*(b*c - a*d)/(d^2*x + c*d)) + ((b*c - a*d)*\cos\_integral(2*(b*c - a*d)/(d^2*x + c*d)) + (b*c - a*d)*\cos\_integral(-2*(b*c - a*d)/(d^2*x + c*d)))*\sin(2*b/d))/d^2$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin((b*x+a)/(d*x+c))**2,x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sin\left(\frac{bx+a}{dx+c}\right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin((b*x+a)/(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate(sin((b*x + a)/(d*x + c))^2, x)
```

### 3.38 $\int \sin^3\left(\frac{a+bx}{c+dx}\right) dx$

**Optimal.** Leaf size=194

$$\frac{3 \cos\left(\frac{b}{d}\right)(bc-ad)\text{CosIntegral}\left(\frac{bc-ad}{d(c+dx)}\right)}{4d^2} - \frac{3 \cos\left(\frac{3b}{d}\right)(bc-ad)\text{CosIntegral}\left(\frac{3(bc-ad)}{d(c+dx)}\right)}{4d^2} + \frac{3 \sin\left(\frac{b}{d}\right)(bc-ad)\text{Si}\left(\frac{bc-ad}{d(c+dx)}\right)}{4d^2}$$

[Out]  $(3*(b*c - a*d)*\text{Cos}[b/d]*\text{CosIntegral}[(b*c - a*d)/(d*(c + d*x))])/(4*d^2) - (3*(b*c - a*d)*\text{Cos}[(3*b)/d]*\text{CosIntegral}[(3*(b*c - a*d))/(d*(c + d*x))])/(4*d^2) + ((c + d*x)*\text{Sin}[(a + b*x)/(c + d*x)]^3)/d + (3*(b*c - a*d)*\text{Sin}[b/d]*\text{SinIntegral}[(b*c - a*d)/(d*(c + d*x))])/(4*d^2) - (3*(b*c - a*d)*\text{Sin}[(3*b)/d]*\text{SinIntegral}[(3*(b*c - a*d))/(d*(c + d*x))])/(4*d^2)$

**Rubi [A]** time = 0.322127, antiderivative size = 194, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 5, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$ , Rules used = {4563, 3313, 3303, 3299, 3302}

$$\frac{3 \cos\left(\frac{b}{d}\right)(bc-ad)\text{CosIntegral}\left(\frac{bc-ad}{d(c+dx)}\right)}{4d^2} - \frac{3 \cos\left(\frac{3b}{d}\right)(bc-ad)\text{CosIntegral}\left(\frac{3(bc-ad)}{d(c+dx)}\right)}{4d^2} + \frac{3 \sin\left(\frac{b}{d}\right)(bc-ad)\text{Si}\left(\frac{bc-ad}{d(c+dx)}\right)}{4d^2}$$

Antiderivative was successfully verified.

[In] Int[Sin[(a + b\*x)/(c + d\*x)]^3, x]

[Out]  $(3*(b*c - a*d)*\text{Cos}[b/d]*\text{CosIntegral}[(b*c - a*d)/(d*(c + d*x))])/(4*d^2) - (3*(b*c - a*d)*\text{Cos}[(3*b)/d]*\text{CosIntegral}[(3*(b*c - a*d))/(d*(c + d*x))])/(4*d^2) + ((c + d*x)*\text{Sin}[(a + b*x)/(c + d*x)]^3)/d + (3*(b*c - a*d)*\text{Sin}[b/d]*\text{SinIntegral}[(b*c - a*d)/(d*(c + d*x))])/(4*d^2) - (3*(b*c - a*d)*\text{Sin}[(3*b)/d]*\text{SinIntegral}[(3*(b*c - a*d))/(d*(c + d*x))])/(4*d^2)$

#### Rule 4563

Int[Sin[((e\_.)\*(a\_.) + (b\_.)\*(x\_))/((c\_.) + (d\_.)\*(x\_))]^(n\_.), x\_Symbol] :> -Dist[d^(-1), Subst[Int[Sin[(b\*e)/d - (e\*(b\*c - a\*d)\*x)/d]^n/x^2, x], x, 1/(c + d\*x)], x] /; FreeQ[{a, b, c, d}, x] && IGtQ[n, 0] && NeQ[b\*c - a\*d, 0]

#### Rule 3313

Int[((c\_.) + (d\_.)\*(x\_))^(m\_)\*sin[(e\_.) + (f\_.)\*(x\_)]^(n\_), x\_Symbol] :> Simp[((c + d\*x)^(m + 1)\*Sin[e + f\*x]^n)/(d\*(m + 1)), x] - Dist[(f\*n)/(d\*(m + 1)), Int[ExpandTrigReduce[(c + d\*x)^(m + 1), Cos[e + f\*x]\*Sin[e + f\*x]^(n - 1), x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && GeQ[m, -2] && LtQ[m, -1]

#### Rule 3303

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Dist[Cos[(d\*e - c\*f)/d], Int[Sin[(c\*f)/d + f\*x]/(c + d\*x), x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[(c\*f)/d + f\*x]/(c + d\*x), x] /; FreeQ[{c, d, e, f}, x] && NeQ[d\*e - c\*f, 0]

#### Rule 3299

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

Rule 3302

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

Rubi steps

$$\int \sin^3\left(\frac{a+bx}{c+dx}\right) dx = \frac{\text{Subst}\left(\int \frac{\sin^3\left(\frac{b}{d}-\frac{(bc-ad)x}{d}\right)}{x^2} dx, x, \frac{1}{c+dx}\right)}{d}$$

$$= \frac{(c+dx)\sin^3\left(\frac{a+bx}{c+dx}\right)}{d} + \frac{(3(bc-ad))\text{Subst}\left(\int \left(-\frac{\cos\left(\frac{3b}{d}-\frac{3(bc-ad)x}{d}\right)}{4x} + \frac{\cos\left(\frac{b}{d}-\frac{(bc-ad)x}{d}\right)}{4x}\right) dx, x, \frac{1}{c+dx}\right)}{d^2}$$

$$= \frac{(c+dx)\sin^3\left(\frac{a+bx}{c+dx}\right)}{d} - \frac{(3(bc-ad))\text{Subst}\left(\int \frac{\cos\left(\frac{3b}{d}-\frac{3(bc-ad)x}{d}\right)}{x} dx, x, \frac{1}{c+dx}\right)}{4d^2} + \frac{(3(bc-ad))\text{Subst}\left(\int \frac{\cos\left(\frac{b}{d}-\frac{(bc-ad)x}{d}\right)}{x} dx, x, \frac{1}{c+dx}\right)}{4d^2}$$

$$= \frac{(c+dx)\sin^3\left(\frac{a+bx}{c+dx}\right)}{d} + \frac{\left(3(bc-ad)\cos\left(\frac{b}{d}\right)\right)\text{Subst}\left(\int \frac{\cos\left(\frac{(bc-ad)x}{d}\right)}{x} dx, x, \frac{1}{c+dx}\right)}{4d^2} - \frac{\left(3(bc-ad)\cos\left(\frac{3b}{d}\right)\right)\text{Subst}\left(\int \frac{\cos\left(\frac{(bc-ad)x}{d}\right)}{x} dx, x, \frac{1}{c+dx}\right)}{4d^2}$$

$$= \frac{3(bc-ad)\cos\left(\frac{b}{d}\right)\text{Ci}\left(\frac{bc-ad}{d(c+dx)}\right)}{4d^2} - \frac{3(bc-ad)\cos\left(\frac{3b}{d}\right)\text{Ci}\left(\frac{3(bc-ad)}{d(c+dx)}\right)}{4d^2} + \frac{(c+dx)\sin^3\left(\frac{a+bx}{c+dx}\right)}{d} + \frac{3(bc-ad)\cos\left(\frac{b}{d}\right)\text{Ci}\left(\frac{bc-ad}{d(c+dx)}\right)}{4d^2}$$

**Mathematica [C]** time = 7.72116, size = 657, normalized size = 3.39

$$\frac{3(acd - bc^2) \left( \frac{i \left(1 + e^{\frac{2ib}{d}}\right) \left( e^{\frac{2ibc}{d(c+dx)}} - e^{\frac{2ia}{-c+dx}} \right) \exp\left(-\frac{i(ad+2bc+bdx)}{d(c+dx)}\right)}{4(bc-ad)} - \frac{i \left(-1 + e^{\frac{2ib}{d}}\right) \left( e^{\frac{2ia}{c+dx}} + e^{\frac{2ibc}{d(c+dx)}} \right) \exp\left(-\frac{i(ad+2bc+bdx)}{d(c+dx)}\right)}{4(bc-ad)} \right)}{4d} + \dots$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sin[(a + b\*x)/(c + d\*x)]^3, x]

[Out] (-3\*(-(b\*c^2) + a\*c\*d)\*((I/4)\*(1 + E^(((2\*I)\*b)/d)))\*(-E^(((2\*I)\*a)/(c + d\*x)) + E^(((2\*I)\*b\*c)/(d\*(c + d\*x))))/((b\*c - a\*d)\*E^(((I\*(2\*b\*c + a\*d + b\*d\*x))/(d\*(c + d\*x)))) - ((I/4)\*(-1 + E^(((2\*I)\*b)/d))\*E^(((2\*I)\*a)/(c + d\*x)) + E^(((2\*I)\*b\*c)/(d\*(c + d\*x))))/((b\*c - a\*d)\*E^(((I\*(2\*b\*c + a\*d + b\*d\*x))/(d\*(c + d\*x)))))/(4\*d) + (3\*(-(b\*c^2) + a\*c\*d)\*((I/12)\*(1 + E^(((6\*I)\*b)/d)))\*(-E^(((6\*I)\*a)/(c + d\*x)) + E^(((6\*I)\*b\*c)/(d\*(c + d\*x))))/((b\*c - a\*d)\*E^(((3\*I)\*(2\*b\*c + a\*d + b\*d\*x))/(d\*(c + d\*x)))) - ((I/12)\*(-1 + E^(((6\*I)\*b)/d))\*E^(((6\*I)\*a)/(c + d\*x)) + E^(((6\*I)\*b\*c)/(d\*(c + d\*x))))/((b\*c - a\*d)\*E^(((3\*I)\*(2\*b\*c + a\*d + b\*d\*x))/(d\*(c + d\*x)))))/(4\*d) + (3\*x\*Cos[(-b\*c) + a\*d]/(d\*(c + d\*x)))\*Sin[b/d]/4 - (x\*Cos[(3\*(-b\*c) + a\*d))/(d\*(c + d\*x))]\*Sin[(3\*b)/d]/4 + (3\*x\*Cos[b/d]\*Sin[(-b\*c) + a\*d]/(d\*(c + d\*x)))/4 - (x\*Cos[(3\*b)/d]\*Sin[(3\*(-b\*c) + a\*d))/(d\*(c + d\*x)))/4 + (3\*(-b\*c) + a\*d)\*(-Cos[b/d]\*CosIntegral[(-b\*c) + a\*d]/(d\*(c + d\*x))] + Cos[(3\*b)/d]\*CosIntegral[(3\*(-b\*c) + a\*d)/(d\*(c + d\*x))] + Sin[b/d]\*SinIntegral[(-b\*c) + a\*d]/(d\*(c + d\*x))] - Sin[(3\*b)/d]\*SinIntegral[(3\*(-b\*c) + a\*d)/(d\*(c + d\*x))]

$/(d*(c + d*x)))])/(4*d^2)$

**Maple [A]** time = 0.015, size = 295, normalized size = 1.5

$$-\frac{ad-cb}{d^2} \left( -\frac{d^2}{12} \left( -3 \frac{1}{d} \sin \left( 3 \frac{ad-cb}{d(dx+c)} + 3 \frac{b}{d} \right) \left( d \left( \frac{b}{d} + \frac{ad-cb}{d(dx+c)} \right) - b \right)^{-1} + 3 \frac{1}{d} \left( -3 \frac{1}{d} \operatorname{Si} \left( 3 \frac{ad-cb}{d(dx+c)} \right) \sin \left( 3 \frac{b}{d} \right) + 3 \frac{1}{d} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin((b\*x+a)/(d\*x+c))^3,x)

[Out]  $-1/d^2*(a*d-b*c)*(-1/12*d^2*(-3*\sin(3*(a*d-b*c)/d/(d*x+c)+3*b/d)/(d*(b/d+(a*d-b*c)/d/(d*x+c))-b)/d+3*(-3*\operatorname{Si}(3*(a*d-b*c)/d/(d*x+c))*\sin(3*b/d)/d+3*\operatorname{Ci}(3*(a*d-b*c)/d/(d*x+c))*\cos(3*b/d)/d)/d)+3/4*d^2*(-\sin(b/d+(a*d-b*c)/d/(d*x+c)))/(d*(b/d+(a*d-b*c)/d/(d*x+c))-b)/d+(-\operatorname{Si}((a*d-b*c)/d/(d*x+c))*\sin(b/d)/d+\operatorname{Ci}((a*d-b*c)/d/(d*x+c))*\cos(b/d)/d)/d)$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sin \left( \frac{bx+a}{dx+c} \right)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin((b\*x+a)/(d\*x+c))^3,x, algorithm="maxima")

[Out] integrate(sin((b\*x + a)/(d\*x + c))^3, x)

**Fricas [A]** time = 2.47593, size = 651, normalized size = 3.36

$$6(bc-ad)\sin\left(\frac{b}{d}\right)\operatorname{Si}\left(-\frac{bc-ad}{d^2x+cd}\right) - 6(bc-ad)\sin\left(\frac{3b}{d}\right)\operatorname{Si}\left(-\frac{3(bc-ad)}{d^2x+cd}\right) + 3\left((bc-ad)\operatorname{Ci}\left(\frac{3(bc-ad)}{d^2x+cd}\right) + (bc-ad)\operatorname{Ci}\left(-\frac{3(bc-ad)}{d^2x+cd}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin((b\*x+a)/(d\*x+c))^3,x, algorithm="fricas")

[Out]  $-1/8*(6*(b*c - a*d)*\sin(b/d)*\sin\_integral(-(b*c - a*d)/(d^2*x + c*d)) - 6*(b*c - a*d)*\sin(3*b/d)*\sin\_integral(-3*(b*c - a*d)/(d^2*x + c*d)) + 3*((b*c - a*d)*\cos\_integral(3*(b*c - a*d)/(d^2*x + c*d)) + (b*c - a*d)*\cos\_integral(-3*(b*c - a*d)/(d^2*x + c*d)))*\cos(3*b/d) - 3*((b*c - a*d)*\cos\_integral((b*c - a*d)/(d^2*x + c*d)) + (b*c - a*d)*\cos\_integral(-(b*c - a*d)/(d^2*x + c*d)))*\cos(b/d) - 8*(d^2*x - (d^2*x + c*d)*\cos((b*x + a)/(d*x + c))^2 + c*d)*\sin((b*x + a)/(d*x + c))/d^2)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin((b\*x+a)/(d\*x+c))\*\*3,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sin\left(\frac{bx+a}{dx+c}\right)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin((b\*x+a)/(d\*x+c))^3,x, algorithm="giac")

[Out] integrate(sin((b\*x + a)/(d\*x + c))^3, x)

$$3.39 \quad \int \frac{\sin^3\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx$$

**Optimal.** Leaf size=58

$$\frac{\text{Si}\left(\frac{3\sqrt{1-ax}}{\sqrt{ax+1}}\right)}{4a} - \frac{3\text{Si}\left(\frac{\sqrt{1-ax}}{\sqrt{ax+1}}\right)}{4a}$$

[Out] (-3\*SinIntegral[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]/(4\*a) + SinIntegral[(3\*Sqrt[1 - a\*x])/Sqrt[1 + a\*x]]/(4\*a)

**Rubi [A]** time = 0.110703, antiderivative size = 58, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {6681, 3312, 3299}

$$\frac{\text{Si}\left(\frac{3\sqrt{1-ax}}{\sqrt{ax+1}}\right)}{4a} - \frac{3\text{Si}\left(\frac{\sqrt{1-ax}}{\sqrt{ax+1}}\right)}{4a}$$

Antiderivative was successfully verified.

[In] Int[Sin[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]^3/(1 - a^2\*x^2),x]

[Out] (-3\*SinIntegral[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]/(4\*a) + SinIntegral[(3\*Sqrt[1 - a\*x])/Sqrt[1 + a\*x]]/(4\*a)

#### Rule 6681

Int[((a\_.) + (b\_.)\*(F\_))(((c\_.)\*Sqrt[(d\_.) + (e\_.)\*(x\_)])/Sqrt[(f\_.) + (g\_.)\*(x\_)])^(n\_.)/((A\_.) + (C\_.)\*(x\_)^2), x\_Symbol] :> Dist[(2\*e\*g)/(C\*(e\*f - d\*g)), Subst[Int[(a + b\*F[c\*x])^n/x, x], x, Sqrt[d + e\*x]/Sqrt[f + g\*x]], x] /; FreeQ[{a, b, c, d, e, f, g, A, C, F}, x] && EqQ[C\*d\*f - A\*e\*g, 0] && EqQ[e\*f + d\*g, 0] && IGtQ[n, 0]

#### Rule 3312

Int[((c\_.) + (d\_.)\*(x\_)^(m\_))\*sin[(e\_.) + (f\_.)\*(x\_)^(n\_)], x\_Symbol] :> Int[ExpandTrigReduce[(c + d\*x)^m, Sin[e + f\*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

#### Rule 3299

Int[sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

#### Rubi steps

$$\begin{aligned}
\int \frac{\sin^3\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx &= -\frac{\text{Subst}\left(\int \frac{\sin^3(x)}{x} dx, x, \frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{a} \\
&= -\frac{\text{Subst}\left(\int \left(\frac{3\sin(x)}{4x} - \frac{\sin(3x)}{4x}\right) dx, x, \frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{a} \\
&= \frac{\text{Subst}\left(\int \frac{\sin(3x)}{x} dx, x, \frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{4a} - \frac{3 \text{Subst}\left(\int \frac{\sin(x)}{x} dx, x, \frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{4a} \\
&= -\frac{3\text{Si}\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{4a} + \frac{\text{Si}\left(\frac{3\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{4a}
\end{aligned}$$

**Mathematica [A]** time = 0.0961445, size = 53, normalized size = 0.91

$$\frac{\text{Si}\left(\frac{3\sqrt{1-ax}}{\sqrt{ax+1}}\right) - 3\text{Si}\left(\frac{\sqrt{1-ax}}{\sqrt{ax+1}}\right)}{4a}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]^3/(1 - a^2\*x^2), x]

[Out] (-3\*SinIntegral[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]] + SinIntegral[(3\*Sqrt[1 - a\*x])/Sqrt[1 + a\*x]])/(4\*a)

**Maple [F]** time = 0.118, size = 0, normalized size = 0.

$$\int \frac{1}{-a^2x^2 + 1} \left( \sin\left(\sqrt{-ax + 1} \frac{1}{\sqrt{ax + 1}}\right) \right)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin((-a\*x+1)^(1/2)/(a\*x+1)^(1/2))^3/(-a^2\*x^2+1), x)

[Out] int(sin((-a\*x+1)^(1/2)/(a\*x+1)^(1/2))^3/(-a^2\*x^2+1), x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\int \frac{\sin\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)^3}{a^2x^2 - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin((-a\*x+1)^(1/2)/(a\*x+1)^(1/2))^3/(-a^2\*x^2+1), x, algorithm="maxima")

[Out] -integrate(sin(sqrt(-a\*x + 1)/sqrt(a\*x + 1))^3/(a^2\*x^2 - 1), x)



**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\left(\cos\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)^2 - 1\right)\sin\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)}{a^2x^2 - 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin((-a\*x+1)^(1/2)/(a\*x+1)^(1/2))^3/(-a^2\*x^2+1),x, algorithm="fricas")

[Out] integral((cos(sqrt(-a\*x + 1)/sqrt(a\*x + 1))^2 - 1)\*sin(sqrt(-a\*x + 1)/sqrt(a\*x + 1))/(a^2\*x^2 - 1), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-\int \frac{\sin^3\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)}{a^2x^2 - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin((-a\*x+1)\*\*(1/2)/(a\*x+1)\*\*(1/2))\*\*3/(-a\*\*2\*x\*\*2+1),x)

[Out] -Integral(sin(sqrt(-a\*x + 1)/sqrt(a\*x + 1))\*\*3/(a\*\*2\*x\*\*2 - 1), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{\sin\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)^3}{a^2x^2 - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin((-a\*x+1)^(1/2)/(a\*x+1)^(1/2))^3/(-a^2\*x^2+1),x, algorithm="giac")

[Out] integrate(-sin(sqrt(-a\*x + 1)/sqrt(a\*x + 1))^3/(a^2\*x^2 - 1), x)

$$3.40 \quad \int \frac{\sin^2\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx$$

**Optimal.** Leaf size=58

$$\frac{\text{CosIntegral}\left(\frac{2\sqrt{1-ax}}{\sqrt{ax+1}}\right)}{2a} - \frac{\log\left(\frac{\sqrt{1-ax}}{\sqrt{ax+1}}\right)}{2a}$$

[Out] CosIntegral[(2\*Sqrt[1 - a\*x])/Sqrt[1 + a\*x]]/(2\*a) - Log[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]/(2\*a)

**Rubi [A]** time = 0.0817573, antiderivative size = 58, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {6681, 3312, 3302}

$$\frac{\text{CosIntegral}\left(\frac{2\sqrt{1-ax}}{\sqrt{ax+1}}\right)}{2a} - \frac{\log\left(\frac{\sqrt{1-ax}}{\sqrt{ax+1}}\right)}{2a}$$

Antiderivative was successfully verified.

[In] Int[Sin[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]^2/(1 - a^2\*x^2), x]

[Out] CosIntegral[(2\*Sqrt[1 - a\*x])/Sqrt[1 + a\*x]]/(2\*a) - Log[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]/(2\*a)

#### Rule 6681

Int[((a\_.) + (b\_.)\*(F\_))(((c\_.)\*Sqrt[(d\_.) + (e\_.)\*(x\_)])/Sqrt[(f\_.) + (g\_.)\*(x\_)])^(n\_.)/((A\_.) + (C\_.)\*(x\_)^2), x\_Symbol] := Dist[(2\*e\*g)/(C\*(e\*f - d\*g)), Subst[Int[(a + b\*F[c\*x])^n/x, x], x, Sqrt[d + e\*x]/Sqrt[f + g\*x], x] /; FreeQ[{a, b, c, d, e, f, g, A, C, F}, x] && EqQ[C\*d\*f - A\*e\*g, 0] && EqQ[e\*f + d\*g, 0] && IGtQ[n, 0]

#### Rule 3312

Int[((c\_.) + (d\_.)\*(x\_)^(m\_))\*sin[(e\_.) + (f\_.)\*(x\_)^(n\_)], x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sin[e + f\*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

#### Rule 3302

Int[sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

#### Rubi steps

$$\begin{aligned}
\int \frac{\sin^2\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx &= -\frac{\text{Subst}\left(\int \frac{\sin^2(x)}{x} dx, x, \frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{a} \\
&= -\frac{\text{Subst}\left(\int \left(\frac{1}{2x} - \frac{\cos(2x)}{2x}\right) dx, x, \frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{a} \\
&= -\frac{\log\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{2a} + \frac{\text{Subst}\left(\int \frac{\cos(2x)}{x} dx, x, \frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{2a} \\
&= \frac{\text{Ci}\left(\frac{2\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{2a} - \frac{\log\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{2a}
\end{aligned}$$

**Mathematica [A]** time = 0.0749969, size = 57, normalized size = 0.98

$$\frac{\text{CosIntegral}\left(\frac{2\sqrt{1-ax}}{\sqrt{ax+1}}\right)}{2a} - \frac{\log(1-ax)}{4a} + \frac{\log(ax+1)}{4a}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]^2/(1 - a^2\*x^2), x]

[Out] CosIntegral[(2\*Sqrt[1 - a\*x])/Sqrt[1 + a\*x]]/(2\*a) - Log[1 - a\*x]/(4\*a) + Log[1 + a\*x]/(4\*a)

**Maple [F]** time = 0.07, size = 0, normalized size = 0.

$$\int \frac{1}{-a^2x^2 + 1} \left( \sin\left(\sqrt{-ax + 1} \frac{1}{\sqrt{ax + 1}}\right) \right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin((-a\*x+1)^(1/2)/(a\*x+1)^(1/2))^2/(-a^2\*x^2+1), x)

[Out] int(sin((-a\*x+1)^(1/2)/(a\*x+1)^(1/2))^2/(-a^2\*x^2+1), x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{a \int \frac{\cos\left(\frac{2\sqrt{-ax+1}}{\sqrt{ax+1}}\right)}{a^2x^2-1} dx + a \int \frac{\cos\left(\frac{2\sqrt{-ax+1}}{\sqrt{ax+1}}\right)}{(a^2x^2-1) \cos\left(\frac{2\sqrt{-ax+1}}{\sqrt{ax+1}}\right)^2 + (a^2x^2-1) \sin\left(\frac{2\sqrt{-ax+1}}{\sqrt{ax+1}}\right)^2} dx + \log(ax+1) - \log(ax-1)}{4a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin((-a\*x+1)^(1/2)/(a\*x+1)^(1/2))^2/(-a^2\*x^2+1), x, algorithm="maxima")

[Out] 1/4\*(4\*a\*integrate(1/4\*cos(2\*sqrt(-a\*x + 1)/sqrt(a\*x + 1))/(a^2\*x^2 - 1), x) + 4\*a\*integrate(1/4\*cos(2\*sqrt(-a\*x + 1)/sqrt(a\*x + 1))/((a^2\*x^2 - 1)\*cos(2\*sqrt(-a\*x + 1)/sqrt(a\*x + 1))^2 + (a^2\*x^2 - 1)\*sin(2\*sqrt(-a\*x + 1)/sq

$\text{rt}(a*x + 1))^2, x) + \log(a*x + 1) - \log(a*x - 1))/a$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\cos\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)^2 - 1}{a^2x^2 - 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin((-a\*x+1)^(1/2)/(a\*x+1)^(1/2))^2/(-a^2\*x^2+1),x, algorithm="fricas")

[Out] integral((cos(sqrt(-a\*x + 1)/sqrt(a\*x + 1))^2 - 1)/(a^2\*x^2 - 1), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-\int \frac{\sin^2\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)}{a^2x^2 - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin((-a\*x+1)\*\*(1/2)/(a\*x+1)\*\*(1/2))\*\*2/(-a\*\*2\*x\*\*2+1),x)

[Out] -Integral(sin(sqrt(-a\*x + 1)/sqrt(a\*x + 1))\*\*2/(a\*\*2\*x\*\*2 - 1), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{\sin\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)^2}{a^2x^2 - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin((-a\*x+1)^(1/2)/(a\*x+1)^(1/2))^2/(-a^2\*x^2+1),x, algorithm="giac")

[Out] integrate(-sin(sqrt(-a\*x + 1)/sqrt(a\*x + 1))^2/(a^2\*x^2 - 1), x)

$$3.41 \quad \int \frac{\sin\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx$$

**Optimal.** Leaf size=26

$$-\frac{\operatorname{Si}\left(\frac{\sqrt{1-ax}}{\sqrt{ax+1}}\right)}{a}$$

[Out] -(SinIntegral[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]/a)

**Rubi [A]** time = 0.0397187, antiderivative size = 26, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 34,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$ , Rules used = {6681, 3299}

$$-\frac{\operatorname{Si}\left(\frac{\sqrt{1-ax}}{\sqrt{ax+1}}\right)}{a}$$

Antiderivative was successfully verified.

[In] Int[Sin[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]/(1 - a^2\*x^2),x]

[Out] -(SinIntegral[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]/a)

#### Rule 6681

Int[((a\_.) + (b\_.)\*(F\_))(((c\_.)\*Sqrt[(d\_.) + (e\_.)\*(x\_)])/Sqrt[(f\_.) + (g\_.)\*(x\_)])^(n\_.)/((A\_.) + (C\_.)\*(x\_)^2), x\_Symbol] :> Dist[(2\*e\*g)/(C\*(e\*f - d\*g)), Subst[Int[(a + b\*F[c\*x])^n/x, x], x, Sqrt[d + e\*x]/Sqrt[f + g\*x]], x] /; FreeQ[{a, b, c, d, e, f, g, A, C, F}, x] && EqQ[C\*d\*f - A\*e\*g, 0] && EqQ[e\*f + d\*g, 0] && IGtQ[n, 0]

#### Rule 3299

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{\sin\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx &= -\frac{\operatorname{Subst}\left(\int \frac{\sin(x)}{x} dx, x, \frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{a} \\ &= -\frac{\operatorname{Si}\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{a} \end{aligned}$$

**Mathematica [A]** time = 0.0413151, size = 26, normalized size = 1.

$$-\frac{\operatorname{Si}\left(\frac{\sqrt{1-ax}}{\sqrt{ax+1}}\right)}{a}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]/(1 - a^2\*x^2), x]

[Out] -(SinIntegral[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]/a)

**Maple [F]** time = 0.021, size = 0, normalized size = 0.

$$\int \frac{1}{-a^2x^2 + 1} \sin\left(\sqrt{-ax+1} \frac{1}{\sqrt{ax+1}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin((-a\*x+1)^(1/2)/(a\*x+1)^(1/2))/(-a^2\*x^2+1), x)

[Out] int(sin((-a\*x+1)^(1/2)/(a\*x+1)^(1/2))/(-a^2\*x^2+1), x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\int \frac{\sin\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)}{a^2x^2 - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin((-a\*x+1)^(1/2)/(a\*x+1)^(1/2))/(-a^2\*x^2+1), x, algorithm="maxima")

[Out] -integrate(sin(sqrt(-a\*x + 1)/sqrt(a\*x + 1))/(a^2\*x^2 - 1), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sin\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)}{a^2x^2 - 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin((-a\*x+1)^(1/2)/(a\*x+1)^(1/2))/(-a^2\*x^2+1), x, algorithm="fricas")

[Out] integral(-sin(sqrt(-a\*x + 1)/sqrt(a\*x + 1))/(a^2\*x^2 - 1), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-\int \frac{\sin\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)}{a^2x^2 - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin((-a\*x+1)\*\*(1/2)/(a\*x+1)\*\*(1/2))/(-a\*\*2\*x\*\*2+1), x)

[Out] -Integral(sin(sqrt(-a\*x + 1))/sqrt(a\*x + 1))/(a\*\*2\*x\*\*2 - 1), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{\sin\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)}{a^2x^2-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin((-a\*x+1)^(1/2)/(a\*x+1)^(1/2))/(-a^2\*x^2+1),x, algorithm="giac")

[Out] integrate(-sin(sqrt(-a\*x + 1))/sqrt(a\*x + 1))/(a^2\*x^2 - 1), x)

$$3.42 \quad \int \frac{\csc\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx$$

**Optimal.** Leaf size=39

$$\text{Unintegrable}\left(\frac{\csc\left(\frac{\sqrt{1-ax}}{\sqrt{ax+1}}\right)}{(1-ax)(ax+1)}, x\right)$$

[Out] Unintegrable[Csc[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]/((1 - a\*x)\*(1 + a\*x)), x]

**Rubi [A]** time = 0.0369904, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{\csc\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx$$

Verification is Not applicable to the result.

[In] Int[Csc[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]/(1 - a^2\*x^2), x]

[Out] -(Defer[Subst][Defer[Int][Csc[x]/x, x], x, Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]/a)

Rubi steps

$$\int \frac{\csc\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx = -\frac{\text{Subst}\left(\int \frac{\csc(x)}{x} dx, x, \frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{a}$$

**Mathematica [A]** time = 5.54207, size = 0, normalized size = 0.

$$\int \frac{\csc\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[Csc[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]/(1 - a^2\*x^2), x]

[Out] Integrate[Csc[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]/(1 - a^2\*x^2), x]

**Maple [A]** time = 0.04, size = 0, normalized size = 0.

$$\int \frac{1}{-a^2x^2+1} \left( \sin\left(\sqrt{-ax+1} \frac{1}{\sqrt{ax+1}}\right) \right)^{-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-a^2\*x^2+1)/sin((-a\*x+1)^(1/2)/(a\*x+1)^(1/2)), x)



[Out] `int(1/(-a^2*x^2+1)/sin((-a*x+1)^(1/2)/(a*x+1)^(1/2)),x)`

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$-\int \frac{1}{(a^2x^2 - 1) \sin\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-a^2*x^2+1)/sin((-a*x+1)^(1/2)/(a*x+1)^(1/2)),x, algorithm="maxima")`

[Out] `-integrate(1/((a^2*x^2 - 1)*sin(sqrt(-a*x + 1)/sqrt(a*x + 1))), x)`

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{1}{(a^2x^2 - 1) \sin\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-a^2*x^2+1)/sin((-a*x+1)^(1/2)/(a*x+1)^(1/2)),x, algorithm="fricas")`

[Out] `integral(-1/((a^2*x^2 - 1)*sin(sqrt(-a*x + 1)/sqrt(a*x + 1))), x)`

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$-\int \frac{1}{a^2x^2 \sin\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right) - \sin\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-a**2*x**2+1)/sin((-a*x+1)**(1/2)/(a*x+1)**(1/2)),x)`

[Out] `-Integral(1/(a**2*x**2*sin(sqrt(-a*x + 1)/sqrt(a*x + 1)) - sin(sqrt(-a*x + 1)/sqrt(a*x + 1))), x)`

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{1}{(a^2x^2 - 1) \sin\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-a^2*x^2+1)/sin((-a*x+1)^(1/2)/(a*x+1)^(1/2)),x, algorithm="giac")`

```
[Out] integrate(-1/((a^2*x^2 - 1)*sin(sqrt(-a*x + 1)/sqrt(a*x + 1))), x)
```

$$3.43 \quad \int \frac{\csc^2\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx$$

**Optimal.** Leaf size=41

$$\text{Unintegrable}\left(\frac{\csc^2\left(\frac{\sqrt{1-ax}}{\sqrt{ax+1}}\right)}{(1-ax)(ax+1)}, x\right)$$

[Out] Unintegrable[Csc[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]^2/((1 - a\*x)\*(1 + a\*x)), x]

**Rubi [A]** time = 0.0806222, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{\csc^2\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx$$

Verification is Not applicable to the result.

[In] Int[Csc[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]^2/(1 - a^2\*x^2), x]

[Out] -(Defer[Subst][Defer[Int][Csc[x]^2/x, x], x, Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]/a)

Rubi steps

$$\int \frac{\csc^2\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx = -\frac{\text{Subst}\left(\int \frac{\csc^2(x)}{x} dx, x, \frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{a}$$

**Mathematica [A]** time = 18.7101, size = 0, normalized size = 0.

$$\int \frac{\csc^2\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[Csc[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]^2/(1 - a^2\*x^2), x]

[Out] Integrate[Csc[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]^2/(1 - a^2\*x^2), x]

**Maple [A]** time = 0.046, size = 0, normalized size = 0.

$$\int \frac{1}{-a^2x^2 + 1} \left( \sin\left(\sqrt{-ax + 1} \frac{1}{\sqrt{ax + 1}}\right) \right)^{-2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(-a^2*x^2+1)/sin((-a*x+1)^(1/2)/(a*x+1)^(1/2))^2,x)`

[Out] `int(1/(-a^2*x^2+1)/sin((-a*x+1)^(1/2)/(a*x+1)^(1/2))^2,x)`

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-a^2*x^2+1)/sin((-a*x+1)^(1/2)/(a*x+1)^(1/2))^2,x, algorithm="maxima")`

[Out] Timed out

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( -\frac{1}{a^2x^2 - (a^2x^2 - 1) \cos \left( \frac{\sqrt{-ax+1}}{\sqrt{ax+1}} \right)^2 - 1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-a^2*x^2+1)/sin((-a*x+1)^(1/2)/(a*x+1)^(1/2))^2,x, algorithm="fricas")`

[Out] `integral(-1/(a^2*x^2 - (a^2*x^2 - 1)*cos(sqrt(-a*x + 1)/sqrt(a*x + 1))^2 - 1), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-a**2*x**2+1)/sin((-a*x+1)**(1/2)/(a*x+1)**(1/2))**2,x)`

[Out] Timed out

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{1}{(a^2x^2 - 1) \sin \left( \frac{\sqrt{-ax+1}}{\sqrt{ax+1}} \right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-a^2*x^2+1)/sin((-a*x+1)^(1/2)/(a*x+1)^(1/2))^2,x, algorithm="giac")`

```
[Out] integrate(-1/((a^2*x^2 - 1)*sin(sqrt(-a*x + 1)/sqrt(a*x + 1))^2), x)
```

### 3.44 $\int (x + \cos(x))^2 dx$

**Optimal.** Leaf size=30

$$\frac{x^3}{3} + \frac{x}{2} + 2x \sin(x) + 2 \cos(x) + \frac{1}{2} \sin(x) \cos(x)$$

[Out]  $x/2 + x^3/3 + 2*\text{Cos}[x] + 2*x*\text{Sin}[x] + (\text{Cos}[x]*\text{Sin}[x])/2$

**Rubi [A]** time = 0.0344333, antiderivative size = 30, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.833$ , Rules used = {6742, 3296, 2638, 2635, 8}

$$\frac{x^3}{3} + \frac{x}{2} + 2x \sin(x) + 2 \cos(x) + \frac{1}{2} \sin(x) \cos(x)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x + \text{Cos}[x])^2, x]$

[Out]  $x/2 + x^3/3 + 2*\text{Cos}[x] + 2*x*\text{Sin}[x] + (\text{Cos}[x]*\text{Sin}[x])/2$

#### Rule 6742

$\text{Int}[u_, x\_Symbol] \text{ :> With}[\{v = \text{ExpandIntegrand}[u, x]\}, \text{Int}[v, x] \text{ /; SumQ}[v]]$

#### Rule 3296

$\text{Int}[(c_. + (d_.)*(x_.))^{(m_.)*\sin[(e_.) + (f_.)*(x_.)]}, x\_Symbol] \text{ :> -Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Cos}[e + f*x], x], x] \text{ /; FreeQ}\{c, d, e, f\}, x] \ \&\& \ \text{GtQ}[m, 0]$

#### Rule 2638

$\text{Int}[\sin[(c_.) + (d_.)*(x_.)], x\_Symbol] \text{ :> -Simp}[\text{Cos}[c + d*x]/d, x] \text{ /; FreeQ}\{c, d\}, x]$

#### Rule 2635

$\text{Int}[(b_.)*\sin[(c_.) + (d_.)*(x_.)]^{(n_.)}, x\_Symbol] \text{ :> -Simp}[(b*\text{Cos}[c + d*x] * (b*\text{Sin}[c + d*x])^{(n-1)})/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n-2)}, x], x] \text{ /; FreeQ}\{b, c, d\}, x] \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2*n]$

#### Rule 8

$\text{Int}[a_, x\_Symbol] \text{ :> Simp}[a*x, x] \text{ /; FreeQ}[a, x]$

#### Rubi steps

$$\begin{aligned}
\int (x + \cos(x))^2 dx &= \int (x^2 + 2x \cos(x) + \cos^2(x)) dx \\
&= \frac{x^3}{3} + 2 \int x \cos(x) dx + \int \cos^2(x) dx \\
&= \frac{x^3}{3} + 2x \sin(x) + \frac{1}{2} \cos(x) \sin(x) + \frac{\int 1 dx}{2} - 2 \int \sin(x) dx \\
&= \frac{x}{2} + \frac{x^3}{3} + 2 \cos(x) + 2x \sin(x) + \frac{1}{2} \cos(x) \sin(x)
\end{aligned}$$

**Mathematica [A]** time = 0.0688514, size = 26, normalized size = 0.87

$$\frac{1}{6} (x(2x^2 + 12 \sin(x) + 3) + 3(\sin(x) + 4) \cos(x))$$

Antiderivative was successfully verified.

[In] Integrate[(x + Cos[x])^2,x]

[Out] (3\*Cos[x]\*(4 + Sin[x]) + x\*(3 + 2\*x^2 + 12\*Sin[x]))/6

**Maple [A]** time = 0.008, size = 25, normalized size = 0.8

$$\frac{x}{2} + \frac{x^3}{3} + 2 \cos(x) + 2x \sin(x) + \frac{\cos(x) \sin(x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x+cos(x))^2,x)

[Out] 1/2\*x+1/3\*x^3+2\*cos(x)+2\*x\*sin(x)+1/2\*cos(x)\*sin(x)

**Maxima [A]** time = 1.12573, size = 32, normalized size = 1.07

$$\frac{1}{3} x^3 + 2x \sin(x) + \frac{1}{2} x + 2 \cos(x) + \frac{1}{4} \sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x+cos(x))^2,x, algorithm="maxima")

[Out] 1/3\*x^3 + 2\*x\*sin(x) + 1/2\*x + 2\*cos(x) + 1/4\*sin(2\*x)

**Fricas [A]** time = 2.2988, size = 76, normalized size = 2.53

$$\frac{1}{3} x^3 + \frac{1}{2} (4x + \cos(x)) \sin(x) + \frac{1}{2} x + 2 \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x+cos(x))^2,x, algorithm="fricas")

[Out]  $1/3*x^3 + 1/2*(4*x + \cos(x))*\sin(x) + 1/2*x + 2*\cos(x)$

---

**Sympy [A]** time = 0.209608, size = 41, normalized size = 1.37

$$\frac{x^3}{3} + \frac{x \sin^2(x)}{2} + 2x \sin(x) + \frac{x \cos^2(x)}{2} + \frac{\sin(x) \cos(x)}{2} + 2 \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x+cos(x))**2,x)`

[Out]  $x**3/3 + x*\sin(x)**2/2 + 2*x*\sin(x) + x*\cos(x)**2/2 + \sin(x)*\cos(x)/2 + 2*\cos(x)$

---

**Giac [A]** time = 1.10982, size = 32, normalized size = 1.07

$$\frac{1}{3}x^3 + 2x \sin(x) + \frac{1}{2}x + 2 \cos(x) + \frac{1}{4} \sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x+cos(x))^2,x, algorithm="giac")`

[Out]  $1/3*x^3 + 2*x*\sin(x) + 1/2*x + 2*\cos(x) + 1/4*\sin(2*x)$



### 3.45 $\int (x + \cos(x))^3 dx$

**Optimal.** Leaf size=56

$$\frac{x^4}{4} + \frac{3x^2}{4} + 3x^2 \sin(x) - \frac{\sin^3(x)}{3} - 5 \sin(x) + \frac{3 \cos^2(x)}{4} + 6x \cos(x) + \frac{3}{2} x \sin(x) \cos(x)$$

[Out] (3\*x^2)/4 + x^4/4 + 6\*x\*Cos[x] + (3\*Cos[x]^2)/4 - 5\*Sin[x] + 3\*x^2\*Sin[x] + (3\*x\*Cos[x]\*Sin[x])/2 - Sin[x]^3/3

**Rubi [A]** time = 0.0694327, antiderivative size = 56, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 1.$ , Rules used = {6742, 3296, 2637, 3310, 30, 2633}

$$\frac{x^4}{4} + \frac{3x^2}{4} + 3x^2 \sin(x) - \frac{\sin^3(x)}{3} - 5 \sin(x) + \frac{3 \cos^2(x)}{4} + 6x \cos(x) + \frac{3}{2} x \sin(x) \cos(x)$$

Antiderivative was successfully verified.

[In] Int[(x + Cos[x])^3,x]

[Out] (3\*x^2)/4 + x^4/4 + 6\*x\*Cos[x] + (3\*Cos[x]^2)/4 - 5\*Sin[x] + 3\*x^2\*Sin[x] + (3\*x\*Cos[x]\*Sin[x])/2 - Sin[x]^3/3

#### Rule 6742

Int[u\_, x\_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

#### Rule 3296

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*sin[(e\_.) + (f\_.)\*(x\_)], x\_Symbol] := -Simp[((c + d\*x)^m\*Cos[e + f\*x])/f, x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Cos[e + f\*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rule 3310

Int[((c\_.) + (d\_.)\*(x\_))\*((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(d\*(b\*Sine[e + f\*x])^n)/(f^2\*n^2), x] + (Dist[(b^2\*(n - 1))/n, Int[(c + d\*x)\*(b\*Sine[e + f\*x])^(n - 2), x], x] - Simp[(b\*(c + d\*x)\*Cos[e + f\*x]\*(b\*Sine[e + f\*x])^(n - 1))/(f\*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]

#### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

#### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x]

&& IGtQ[(n - 1)/2, 0]

### Rubi steps

$$\begin{aligned}
 \int (x + \cos(x))^3 dx &= \int (x^3 + 3x^2 \cos(x) + 3x \cos^2(x) + \cos^3(x)) dx \\
 &= \frac{x^4}{4} + 3 \int x^2 \cos(x) dx + 3 \int x \cos^2(x) dx + \int \cos^3(x) dx \\
 &= \frac{x^4}{4} + \frac{3 \cos^2(x)}{4} + 3x^2 \sin(x) + \frac{3}{2} x \cos(x) \sin(x) + \frac{3 \int x dx}{2} - 6 \int x \sin(x) dx - \text{Subst} \left( \int (1 - x^2) dx \right) \\
 &= \frac{3x^2}{4} + \frac{x^4}{4} + 6x \cos(x) + \frac{3 \cos^2(x)}{4} + \sin(x) + 3x^2 \sin(x) + \frac{3}{2} x \cos(x) \sin(x) - \frac{\sin^3(x)}{3} - 6 \int \cos(x) dx \\
 &= \frac{3x^2}{4} + \frac{x^4}{4} + 6x \cos(x) + \frac{3 \cos^2(x)}{4} - 5 \sin(x) + 3x^2 \sin(x) + \frac{3}{2} x \cos(x) \sin(x) - \frac{\sin^3(x)}{3}
 \end{aligned}$$

**Mathematica [A]** time = 0.103939, size = 51, normalized size = 0.91

$$\frac{1}{12} (3x^4 + 9x^2 + 9(4x^2 - 7) \sin(x) + 9x \sin(2x) + \sin(3x)) + 6x \cos(x) + \frac{3}{8} \cos(2x)$$

Antiderivative was successfully verified.

[In] Integrate[(x + Cos[x])^3, x]

[Out] 6\*x\*Cos[x] + (3\*Cos[2\*x])/8 + (9\*x^2 + 3\*x^4 + 9\*(-7 + 4\*x^2)\*Sin[x] + 9\*x\*Sin[2\*x] + Sin[3\*x])/12

**Maple [A]** time = 0.032, size = 57, normalized size = 1.

$$\frac{(2 + (\cos(x))^2) \sin(x)}{3} + 3x(1/2 \cos(x) \sin(x) + x/2) - \frac{3x^2}{4} - \frac{3(\sin(x))^2}{4} + 3x^2 \sin(x) - 6 \sin(x) + 6x \cos(x) + \frac{x^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x+cos(x))^3,x)

[Out] 1/3\*(2+cos(x)^2)\*sin(x)+3\*x\*(1/2\*cos(x)\*sin(x)+1/2\*x)-3/4\*x^2-3/4\*sin(x)^2+3\*x^2\*sin(x)-6\*sin(x)+6\*x\*cos(x)+1/4\*x^4

**Maxima [A]** time = 1.1555, size = 62, normalized size = 1.11

$$\frac{1}{4} x^4 - \frac{1}{3} \sin(x)^3 + \frac{3}{4} x^2 + 6x \cos(x) + \frac{3}{4} x \sin(2x) + 3(x^2 - 2) \sin(x) + \frac{3}{8} \cos(2x) + \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x+cos(x))^3,x, algorithm="maxima")

[Out] 1/4\*x^4 - 1/3\*sin(x)^3 + 3/4\*x^2 + 6\*x\*cos(x) + 3/4\*x\*sin(2\*x) + 3\*(x^2 - 2)\*sin(x) + 3/8\*cos(2\*x) + sin(x)

---

**Fricas [A]** time = 2.32278, size = 135, normalized size = 2.41

$$\frac{1}{4}x^4 + \frac{3}{4}x^2 + 6x \cos(x) + \frac{3}{4} \cos(x)^2 + \frac{1}{6} (18x^2 + 9x \cos(x) + 2 \cos(x)^2 - 32) \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x+cos(x))^3,x, algorithm="fricas")

[Out] 1/4\*x^4 + 3/4\*x^2 + 6\*x\*cos(x) + 3/4\*cos(x)^2 + 1/6\*(18\*x^2 + 9\*x\*cos(x) + 2\*cos(x)^2 - 32)\*sin(x)

---

**Sympy [A]** time = 0.5201, size = 85, normalized size = 1.52

$$\frac{x^4}{4} + \frac{3x^2 \sin^2(x)}{4} + 3x^2 \sin(x) + \frac{3x^2 \cos^2(x)}{4} + \frac{3x \sin(x) \cos(x)}{2} + 6x \cos(x) + \frac{2 \sin^3(x)}{3} + \sin(x) \cos^2(x) - 6 \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x+cos(x))\*\*3,x)

[Out] x\*\*4/4 + 3\*x\*\*2\*sin(x)\*\*2/4 + 3\*x\*\*2\*sin(x) + 3\*x\*\*2\*cos(x)\*\*2/4 + 3\*x\*sin(x)\*cos(x)/2 + 6\*x\*cos(x) + 2\*sin(x)\*\*3/3 + sin(x)\*cos(x)\*\*2 - 6\*sin(x) + 3\*cos(x)\*\*2/4

---

**Giac [A]** time = 1.12398, size = 62, normalized size = 1.11

$$\frac{1}{4}x^4 + \frac{3}{4}x^2 + 6x \cos(x) + \frac{3}{4}x \sin(2x) + \frac{3}{4}(4x^2 - 7) \sin(x) + \frac{3}{8} \cos(2x) + \frac{1}{12} \sin(3x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x+cos(x))^3,x, algorithm="giac")

[Out] 1/4\*x^4 + 3/4\*x^2 + 6\*x\*cos(x) + 3/4\*x\*sin(2\*x) + 3/4\*(4\*x^2 - 7)\*sin(x) + 3/8\*cos(2\*x) + 1/12\*sin(3\*x)

$$3.46 \quad \int \frac{\cos(a+bx)}{c+dx^2} dx$$

**Optimal.** Leaf size=213

$$\frac{\cos\left(a + \frac{b\sqrt{-c}}{\sqrt{d}}\right) \text{CosIntegral}\left(\frac{b\sqrt{-c}}{\sqrt{d}} - bx\right)}{2\sqrt{-c}\sqrt{d}} - \frac{\cos\left(a - \frac{b\sqrt{-c}}{\sqrt{d}}\right) \text{CosIntegral}\left(\frac{b\sqrt{-c}}{\sqrt{d}} + bx\right)}{2\sqrt{-c}\sqrt{d}} + \frac{\sin\left(a + \frac{b\sqrt{-c}}{\sqrt{d}}\right) \text{Si}\left(\frac{b\sqrt{-c}}{\sqrt{d}} - bx\right)}{2\sqrt{-c}\sqrt{d}} + \frac{\sin\left(a - \frac{b\sqrt{-c}}{\sqrt{d}}\right) \text{Si}\left(\frac{b\sqrt{-c}}{\sqrt{d}} + bx\right)}{2\sqrt{-c}\sqrt{d}}$$

```
[Out] (Cos[a + (b*Sqrt[-c])/Sqrt[d]]*CosIntegral[(b*Sqrt[-c])/Sqrt[d] - b*x])/(2*
Sqrt[-c]*Sqrt[d]) - (Cos[a - (b*Sqrt[-c])/Sqrt[d]]*CosIntegral[(b*Sqrt[-c])/
/Sqrt[d] + b*x])/(2*Sqrt[-c]*Sqrt[d]) + (Sin[a + (b*Sqrt[-c])/Sqrt[d]]*SinI
ntegral[(b*Sqrt[-c])/Sqrt[d] - b*x])/(2*Sqrt[-c]*Sqrt[d]) + (Sin[a - (b*Sqr
t[-c])/Sqrt[d]]*SinIntegral[(b*Sqrt[-c])/Sqrt[d] + b*x])/(2*Sqrt[-c]*Sqrt[d
])
```

**Rubi [A]** time = 0.3079, antiderivative size = 213, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 4, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {3334, 3303, 3299, 3302}

$$\frac{\cos\left(a + \frac{b\sqrt{-c}}{\sqrt{d}}\right) \text{CosIntegral}\left(\frac{b\sqrt{-c}}{\sqrt{d}} - bx\right)}{2\sqrt{-c}\sqrt{d}} - \frac{\cos\left(a - \frac{b\sqrt{-c}}{\sqrt{d}}\right) \text{CosIntegral}\left(\frac{b\sqrt{-c}}{\sqrt{d}} + bx\right)}{2\sqrt{-c}\sqrt{d}} + \frac{\sin\left(a + \frac{b\sqrt{-c}}{\sqrt{d}}\right) \text{Si}\left(\frac{b\sqrt{-c}}{\sqrt{d}} - bx\right)}{2\sqrt{-c}\sqrt{d}} + \frac{\sin\left(a - \frac{b\sqrt{-c}}{\sqrt{d}}\right) \text{Si}\left(\frac{b\sqrt{-c}}{\sqrt{d}} + bx\right)}{2\sqrt{-c}\sqrt{d}}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[a + b*x]/(c + d*x^2), x]
```

```
[Out] (Cos[a + (b*Sqrt[-c])/Sqrt[d]]*CosIntegral[(b*Sqrt[-c])/Sqrt[d] - b*x])/(2*
Sqrt[-c]*Sqrt[d]) - (Cos[a - (b*Sqrt[-c])/Sqrt[d]]*CosIntegral[(b*Sqrt[-c])/
/Sqrt[d] + b*x])/(2*Sqrt[-c]*Sqrt[d]) + (Sin[a + (b*Sqrt[-c])/Sqrt[d]]*SinI
ntegral[(b*Sqrt[-c])/Sqrt[d] - b*x])/(2*Sqrt[-c]*Sqrt[d]) + (Sin[a - (b*Sqr
t[-c])/Sqrt[d]]*SinIntegral[(b*Sqrt[-c])/Sqrt[d] + b*x])/(2*Sqrt[-c]*Sqrt[d
])
```

#### Rule 3334

```
Int[Cos[(c_.) + (d_.)*(x_)]*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int
[ExpandIntegrand[Cos[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d},
x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1])
```

#### Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

#### Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

#### Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
```

c\*f, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\cos(a+bx)}{c+dx^2} dx &= \int \left( \frac{\sqrt{-c} \cos(a+bx)}{2c(\sqrt{-c}-\sqrt{dx})} + \frac{\sqrt{-c} \cos(a+bx)}{2c(\sqrt{-c}+\sqrt{dx})} \right) dx \\
&= -\frac{\int \frac{\cos(a+bx)}{\sqrt{-c}-\sqrt{dx}} dx}{2\sqrt{-c}} - \frac{\int \frac{\cos(a+bx)}{\sqrt{-c}+\sqrt{dx}} dx}{2\sqrt{-c}} \\
&= -\frac{\cos\left(a-\frac{b\sqrt{-c}}{\sqrt{d}}\right) \int \frac{\cos\left(\frac{b\sqrt{-c}}{\sqrt{d}}+bx\right)}{\sqrt{-c}+\sqrt{dx}} dx}{2\sqrt{-c}} - \frac{\cos\left(a+\frac{b\sqrt{-c}}{\sqrt{d}}\right) \int \frac{\cos\left(\frac{b\sqrt{-c}}{\sqrt{d}}-bx\right)}{\sqrt{-c}-\sqrt{dx}} dx}{2\sqrt{-c}} + \frac{\sin\left(a-\frac{b\sqrt{-c}}{\sqrt{d}}\right) \int \frac{\sin\left(\frac{b\sqrt{-c}}{\sqrt{d}}+bx\right)}{\sqrt{-c}+\sqrt{dx}} dx}{2\sqrt{-c}} \\
&= \frac{\cos\left(a+\frac{b\sqrt{-c}}{\sqrt{d}}\right) \text{Ci}\left(\frac{b\sqrt{-c}}{\sqrt{d}}-bx\right)}{2\sqrt{-c}\sqrt{d}} - \frac{\cos\left(a-\frac{b\sqrt{-c}}{\sqrt{d}}\right) \text{Ci}\left(\frac{b\sqrt{-c}}{\sqrt{d}}+bx\right)}{2\sqrt{-c}\sqrt{d}} + \frac{\sin\left(a+\frac{b\sqrt{-c}}{\sqrt{d}}\right) \text{Si}\left(\frac{b\sqrt{-c}}{\sqrt{d}}-bx\right)}{2\sqrt{-c}\sqrt{d}}
\end{aligned}$$

**Mathematica [C]** time = 0.302956, size = 172, normalized size = 0.81

$$\frac{i \left( \cos\left(a + \frac{ib\sqrt{c}}{\sqrt{d}}\right) \text{CosIntegral}\left(b\left(x - \frac{i\sqrt{c}}{\sqrt{d}}\right)\right) - \cos\left(a - \frac{ib\sqrt{c}}{\sqrt{d}}\right) \text{CosIntegral}\left(b\left(x + \frac{i\sqrt{c}}{\sqrt{d}}\right)\right) + \sin\left(a - \frac{ib\sqrt{c}}{\sqrt{d}}\right) \text{Si}\left(b\left(x + \frac{i\sqrt{c}}{\sqrt{d}}\right)\right) - \sin\left(a + \frac{ib\sqrt{c}}{\sqrt{d}}\right) \text{Si}\left(b\left(x - \frac{i\sqrt{c}}{\sqrt{d}}\right)\right) \right)}{2\sqrt{c}\sqrt{d}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[a + b\*x]/(c + d\*x^2), x]

```
[Out] ((-I/2)*(Cos[a + (I*b*Sqrt[c])/Sqrt[d]]*CosIntegral[b*((-I)*Sqrt[c])/Sqrt[d] + x]) - Cos[a - (I*b*Sqrt[c])/Sqrt[d]]*CosIntegral[b*((I*Sqrt[c])/Sqrt[d] + x)] + Sin[a - (I*b*Sqrt[c])/Sqrt[d]]*SinIntegral[b*((I*Sqrt[c])/Sqrt[d] + x)] + Sin[a + (I*b*Sqrt[c])/Sqrt[d]]*SinIntegral[(I*b*Sqrt[c])/Sqrt[d] - b*x]))/(Sqrt[c]*Sqrt[d])
```

**Maple [A]** time = 0.016, size = 229, normalized size = 1.1

$$b \left( \frac{1}{2d} \left( -\text{Si}\left(bx + a - \frac{1}{d}(b\sqrt{-cd} + ad)\right) \sin\left(\frac{1}{d}(b\sqrt{-cd} + ad)\right) + \text{Ci}\left(bx + a - \frac{1}{d}(b\sqrt{-cd} + ad)\right) \cos\left(\frac{1}{d}(b\sqrt{-cd} + ad)\right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(b\*x+a)/(d\*x^2+c), x)

```
[Out] b*(1/2/d/((b*(-c*d)^(1/2)+a*d)/d-a)*(-Si(b*x+a-(b*(-c*d)^(1/2)+a*d)/d)*sin((b*(-c*d)^(1/2)+a*d)/d)+Ci(b*x+a-(b*(-c*d)^(1/2)+a*d)/d)*cos((b*(-c*d)^(1/2)+a*d)/d))+1/2/d/(-(b*(-c*d)^(1/2)-a*d)/d-a)*(Si(b*x+a+(b*(-c*d)^(1/2)-a*d)/d)*sin((b*(-c*d)^(1/2)-a*d)/d)+Ci(b*x+a+(b*(-c*d)^(1/2)-a*d)/d)*cos((b*(-c*d)^(1/2)-a*d)/d))
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(bx+a)}{dx^2+c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b\*x+a)/(d\*x^2+c),x, algorithm="maxima")

[Out] integrate(cos(b\*x + a)/(d\*x^2 + c), x)

**Fricas [C]** time = 2.49606, size = 398, normalized size = 1.87

$$\frac{2i\sqrt{\frac{b^2c}{d}}\operatorname{Ei}\left(ibx - \sqrt{\frac{b^2c}{d}}\right)e^{\left(ia + \sqrt{\frac{b^2c}{d}}\right)} - 2i\sqrt{\frac{b^2c}{d}}\operatorname{Ei}\left(ibx + \sqrt{\frac{b^2c}{d}}\right)e^{\left(ia - \sqrt{\frac{b^2c}{d}}\right)} - 2i\sqrt{\frac{b^2c}{d}}\operatorname{Ei}\left(-ibx - \sqrt{\frac{b^2c}{d}}\right)e^{\left(-ia + \sqrt{\frac{b^2c}{d}}\right)} + 2i\sqrt{\frac{b^2c}{d}}\operatorname{Ei}\left(-ibx + \sqrt{\frac{b^2c}{d}}\right)e^{\left(-ia - \sqrt{\frac{b^2c}{d}}\right)}}{8bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b\*x+a)/(d\*x^2+c),x, algorithm="fricas")

[Out]  $\frac{1}{8} * (2 * I * \sqrt{b^2 * c / d} * \operatorname{Ei}(I * b * x - \sqrt{b^2 * c / d}) * e^{(I * a + \sqrt{b^2 * c / d})} - 2 * I * \sqrt{b^2 * c / d} * \operatorname{Ei}(I * b * x + \sqrt{b^2 * c / d}) * e^{(I * a - \sqrt{b^2 * c / d})} - 2 * I * \sqrt{b^2 * c / d} * \operatorname{Ei}(-I * b * x - \sqrt{b^2 * c / d}) * e^{(-I * a + \sqrt{b^2 * c / d})} + 2 * I * \sqrt{b^2 * c / d} * \operatorname{Ei}(-I * b * x + \sqrt{b^2 * c / d}) * e^{(-I * a - \sqrt{b^2 * c / d})}) / (b * c)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(a + bx)}{c + dx^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b\*x+a)/(d\*x\*\*2+c),x)

[Out] Integral(cos(a + b\*x)/(c + d\*x\*\*2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(bx + a)}{dx^2 + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b\*x+a)/(d\*x^2+c),x, algorithm="giac")

[Out] integrate(cos(b\*x + a)/(d\*x^2 + c), x)

$$3.47 \quad \int \frac{\cos(a+bx)}{c+dx+ex^2} dx$$

**Optimal.** Leaf size=271

$$\frac{\cos\left(a - \frac{b(d - \sqrt{d^2 - 4ce})}{2e}\right) \text{CosIntegral}\left(\frac{b(d - \sqrt{d^2 - 4ce})}{2e} + bx\right)}{\sqrt{d^2 - 4ce}} - \frac{\cos\left(a - \frac{b(\sqrt{d^2 - 4ce} + d)}{2e}\right) \text{CosIntegral}\left(\frac{b(\sqrt{d^2 - 4ce} + d)}{2e} + bx\right)}{\sqrt{d^2 - 4ce}} - \sin$$

```
[Out] (Cos[a - (b*(d - Sqrt[d^2 - 4*c*e]))/(2*e)]*CosIntegral[(b*(d - Sqrt[d^2 - 4*c*e]))/(2*e) + b*x])/Sqrt[d^2 - 4*c*e] - (Cos[a - (b*(d + Sqrt[d^2 - 4*c*e]))/(2*e)]*CosIntegral[(b*(d + Sqrt[d^2 - 4*c*e]))/(2*e) + b*x])/Sqrt[d^2 - 4*c*e] - (Sin[a - (b*(d - Sqrt[d^2 - 4*c*e]))/(2*e)]*SinIntegral[(b*(d - Sqrt[d^2 - 4*c*e]))/(2*e) + b*x])/Sqrt[d^2 - 4*c*e] + (Sin[a - (b*(d + Sqrt[d^2 - 4*c*e]))/(2*e)]*SinIntegral[(b*(d + Sqrt[d^2 - 4*c*e]))/(2*e) + b*x])/Sqrt[d^2 - 4*c*e]
```

**Rubi [A]** time = 0.56233, antiderivative size = 271, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.21$ , Rules used = {6728, 3303, 3299, 3302}

$$\frac{\cos\left(a - \frac{b(d - \sqrt{d^2 - 4ce})}{2e}\right) \text{CosIntegral}\left(\frac{b(d - \sqrt{d^2 - 4ce})}{2e} + bx\right)}{\sqrt{d^2 - 4ce}} - \frac{\cos\left(a - \frac{b(\sqrt{d^2 - 4ce} + d)}{2e}\right) \text{CosIntegral}\left(\frac{b(\sqrt{d^2 - 4ce} + d)}{2e} + bx\right)}{\sqrt{d^2 - 4ce}} - \sin$$

Antiderivative was successfully verified.

```
[In] Int[Cos[a + b*x]/(c + d*x + e*x^2), x]
```

```
[Out] (Cos[a - (b*(d - Sqrt[d^2 - 4*c*e]))/(2*e)]*CosIntegral[(b*(d - Sqrt[d^2 - 4*c*e]))/(2*e) + b*x])/Sqrt[d^2 - 4*c*e] - (Cos[a - (b*(d + Sqrt[d^2 - 4*c*e]))/(2*e)]*CosIntegral[(b*(d + Sqrt[d^2 - 4*c*e]))/(2*e) + b*x])/Sqrt[d^2 - 4*c*e] - (Sin[a - (b*(d - Sqrt[d^2 - 4*c*e]))/(2*e)]*SinIntegral[(b*(d - Sqrt[d^2 - 4*c*e]))/(2*e) + b*x])/Sqrt[d^2 - 4*c*e] + (Sin[a - (b*(d + Sqrt[d^2 - 4*c*e]))/(2*e)]*SinIntegral[(b*(d + Sqrt[d^2 - 4*c*e]))/(2*e) + b*x])/Sqrt[d^2 - 4*c*e]
```

#### Rule 6728

```
Int[(u_)/((a_.) + (b_.)*(x_)^(n_.) + (c_.)*(x_)^(n2_.)), x_Symbol] := With[{v = RationalFunctionExpand[u/(a + b*x^n + c*x^(2*n)), x]}, Int[v, x] /; SumQ[v] /; FreeQ[{a, b, c}, x] && EqQ[n2, 2*n] && IGtQ[n, 0]
```

#### Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

#### Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

#### Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{\cos(a+bx)}{c+dx+ex^2} dx &= \int \left( \frac{2e \cos(a+bx)}{\sqrt{d^2-4ce} (d-\sqrt{d^2-4ce}+2ex)} - \frac{2e \cos(a+bx)}{\sqrt{d^2-4ce} (d+\sqrt{d^2-4ce}+2ex)} \right) dx \\ &= \frac{(2e) \int \frac{\cos(a+bx)}{d-\sqrt{d^2-4ce}+2ex} dx}{\sqrt{d^2-4ce}} - \frac{(2e) \int \frac{\cos(a+bx)}{d+\sqrt{d^2-4ce}+2ex} dx}{\sqrt{d^2-4ce}} \\ &= \frac{\left( 2e \cos \left( a - \frac{b(d-\sqrt{d^2-4ce})}{2e} \right) \right) \int \frac{\cos \left( \frac{b(d-\sqrt{d^2-4ce})}{2e} + bx \right)}{d-\sqrt{d^2-4ce}+2ex} dx}{\sqrt{d^2-4ce}} - \frac{\left( 2e \cos \left( a - \frac{b(d+\sqrt{d^2-4ce})}{2e} \right) \right) \int \frac{\cos \left( \frac{b(d+\sqrt{d^2-4ce})}{2e} + bx \right)}{d+\sqrt{d^2-4ce}+2ex} dx}{\sqrt{d^2-4ce}} \\ &= \frac{\cos \left( a - \frac{b(d-\sqrt{d^2-4ce})}{2e} \right) \text{Ci} \left( \frac{b(d-\sqrt{d^2-4ce})}{2e} + bx \right)}{\sqrt{d^2-4ce}} - \frac{\cos \left( a - \frac{b(d+\sqrt{d^2-4ce})}{2e} \right) \text{Ci} \left( \frac{b(d+\sqrt{d^2-4ce})}{2e} + bx \right)}{\sqrt{d^2-4ce}} - \frac{\sin \left( a - \frac{b(d-\sqrt{d^2-4ce})}{2e} \right)}{\sqrt{d^2-4ce}} \end{aligned}$$

**Mathematica [A]** time = 0.541585, size = 236, normalized size = 0.87

$$\frac{\cos \left( a + \frac{b(\sqrt{d^2-4ce}-d)}{2e} \right) \text{CosIntegral} \left( \frac{b(-\sqrt{d^2-4ce}+d+2ex)}{2e} \right) - \cos \left( a - \frac{b(\sqrt{d^2-4ce}+d)}{2e} \right) \text{CosIntegral} \left( \frac{b(\sqrt{d^2-4ce}+d+2ex)}{2e} \right) + \sin \left( a + \frac{b(\sqrt{d^2-4ce}-d)}{2e} \right)}{\sqrt{d^2-4ce}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[a + b*x]/(c + d*x + e*x^2), x]
```

```
[Out] (Cos[a + (b*(-d + Sqrt[d^2 - 4*c*e]))/(2*e)]*CosIntegral[(b*(d - Sqrt[d^2 - 4*c*e] + 2*e*x))/(2*e)] - Cos[a - (b*(d + Sqrt[d^2 - 4*c*e]))/(2*e)]*CosIntegral[(b*(d + Sqrt[d^2 - 4*c*e] + 2*e*x))/(2*e)] + Sin[a + (b*(-d + Sqrt[d^2 - 4*c*e]))/(2*e)]*SinIntegral[(b*(-d + Sqrt[d^2 - 4*c*e]))/(2*e) - b*x] + Sin[a - (b*(d + Sqrt[d^2 - 4*c*e]))/(2*e)]*SinIntegral[(b*(d + Sqrt[d^2 - 4*c*e] + 2*e*x))/(2*e)])/Sqrt[d^2 - 4*c*e]
```

**Maple [A]** time = 0.017, size = 320, normalized size = 1.2

$$b \left( \left( -\text{Si} \left( bx + a - \frac{1}{2e} (2ae - db + \sqrt{-4b^2ce + b^2d^2}) \right) \right) \sin \left( \frac{1}{2e} (2ae - db + \sqrt{-4b^2ce + b^2d^2}) \right) + \text{Ci} \left( bx + a - \frac{1}{2e} (2ae - db + \sqrt{-4b^2ce + b^2d^2}) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(b*x+a)/(e*x^2+d*x+c), x)
```

```
[Out] b*(1/(-4*b^2*c*e+b^2*d^2)^(1/2)*(-Si(b*x+a-1/2/e*(2*a*e-d*b+(-4*b^2*c*e+b^2*d^2)^(1/2)))*sin(1/2/e*(2*a*e-d*b+(-4*b^2*c*e+b^2*d^2)^(1/2)))+Ci(b*x+a-1/2/e*(2*a*e-d*b+(-4*b^2*c*e+b^2*d^2)^(1/2)))*cos(1/2/e*(2*a*e-d*b+(-4*b^2*c*e+b^2*d^2)^(1/2)))-1/(-4*b^2*c*e+b^2*d^2)^(1/2)*(Si(b*x+a+1/2*(-2*a*e+d*b+(-4*b^2*c*e+b^2*d^2)^(1/2)))/e)*sin(1/2*(-2*a*e+d*b+(-4*b^2*c*e+b^2*d^2)^(1/2)))/e)
```



2))/e)+Ci(b\*x+a+1/2\*(-2\*a\*e+d\*b+(-4\*b^2\*c\*e+b^2\*d^2)^(1/2))/e)\*cos(1/2\*(-2\*a\*e+d\*b+(-4\*b^2\*c\*e+b^2\*d^2)^(1/2))/e))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(bx + a)}{ex^2 + dx + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b\*x+a)/(e\*x^2+d\*x+c),x, algorithm="maxima")

[Out] integrate(cos(b\*x + a)/(e\*x^2 + d\*x + c), x)

**Fricas [C]** time = 2.64289, size = 963, normalized size = 3.55

$$-ie\sqrt{-\frac{b^2d^2-4b^2ce}{e^2}}\operatorname{Ei}\left(\frac{-2ibex-ibd-e\sqrt{-\frac{b^2d^2-4b^2ce}{e^2}}}{2e}\right)e^{\left(\frac{ibd-2iae+e\sqrt{-\frac{b^2d^2-4b^2ce}{e^2}}}{2e}\right)} + ie\sqrt{-\frac{b^2d^2-4b^2ce}{e^2}}\operatorname{Ei}\left(\frac{-2ibex-ibd+e\sqrt{-\frac{b^2d^2-4b^2ce}{e^2}}}{2e}\right)e^{\left(\frac{ibd-2iae+e\sqrt{-\frac{b^2d^2-4b^2ce}{e^2}}}{2e}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b\*x+a)/(e\*x^2+d\*x+c),x, algorithm="fricas")

[Out] 
$$-1/2*(-I*e*\sqrt{-(b^2*d^2 - 4*b^2*c*e)/e^2})*\operatorname{Ei}(1/2*(-2*I*b*e*x - I*b*d - e*\sqrt{-(b^2*d^2 - 4*b^2*c*e)/e^2}))/e)*e^{(1/2*(I*b*d - 2*I*a*e + e*\sqrt{-(b^2*d^2 - 4*b^2*c*e)/e^2}))/e} + I*e*\sqrt{-(b^2*d^2 - 4*b^2*c*e)/e^2})*\operatorname{Ei}(1/2*(-2*I*b*e*x - I*b*d + e*\sqrt{-(b^2*d^2 - 4*b^2*c*e)/e^2}))/e)*e^{(1/2*(I*b*d - 2*I*a*e - e*\sqrt{-(b^2*d^2 - 4*b^2*c*e)/e^2}))/e} + I*e*\sqrt{-(b^2*d^2 - 4*b^2*c*e)/e^2})*\operatorname{Ei}(1/2*(2*I*b*e*x + I*b*d - e*\sqrt{-(b^2*d^2 - 4*b^2*c*e)/e^2}))/e)*e^{(1/2*(-I*b*d + 2*I*a*e + e*\sqrt{-(b^2*d^2 - 4*b^2*c*e)/e^2}))/e} - I*e*\sqrt{-(b^2*d^2 - 4*b^2*c*e)/e^2})*\operatorname{Ei}(1/2*(2*I*b*e*x + I*b*d + e*\sqrt{-(b^2*d^2 - 4*b^2*c*e)/e^2}))/e)*e^{(1/2*(-I*b*d + 2*I*a*e - e*\sqrt{-(b^2*d^2 - 4*b^2*c*e)/e^2}))/e}))/e)/(b*d^2 - 4*b*c*e)$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(a + bx)}{c + dx + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b\*x+a)/(e\*x\*\*2+d\*x+c),x)

[Out] Integral(cos(a + b\*x)/(c + d\*x + e\*x\*\*2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(bx + a)}{ex^2 + dx + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b\*x+a)/(e\*x^2+d\*x+c),x, algorithm="giac")

[Out] integrate(cos(b\*x + a)/(e\*x^2 + d\*x + c), x)

$$3.48 \quad \int \frac{x \cos(\sqrt{1+x^2})}{\sqrt{1+x^2}} dx$$

Optimal. Leaf size=10

$$\sin(\sqrt{x^2+1})$$

[Out] Sin[Sqrt[1 + x^2]]

**Rubi [A]** time = 0.135869, antiderivative size = 10, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.19$ , Rules used = {6715, 3432, 15, 2637}

$$\sin(\sqrt{x^2+1})$$

Antiderivative was successfully verified.

[In] Int[(x\*Cos[Sqrt[1 + x^2]])/Sqrt[1 + x^2],x]

[Out] Sin[Sqrt[1 + x^2]]

#### Rule 6715

Int[(u\_)\*(x\_)^(m\_), x\_Symbol] := Dist[1/(m + 1), Subst[Int[SubstFor[x^(m + 1), u, x], x], x, x^(m + 1)], x] /; FreeQ[m, x] && NeQ[m, -1] && FunctionQ[fQ[x^(m + 1), u, x]

#### Rule 3432

Int[((a\_.) + Cos[(c\_.) + (d\_.)\*((e\_.) + (f\_.)\*(x\_))^(n\_)])\*(b\_.)^(p\_.)\*((g\_.) + (h\_.)\*(x\_))^(m\_.), x\_Symbol] := Dist[1/(n\*f), Subst[Int[ExpandIntegrand[(a + b\*Cos[c + d\*x])^p, x^(1/n - 1)\*(g - (e\*h)/f + (h\*x^(1/n))/f)^m, x], x, (e + f\*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && IntegerQ[1/n]

#### Rule 15

Int[(u\_.)\*((a\_.)\*(x\_)^(n\_))^(m\_), x\_Symbol] := Dist[(a^IntPart[m]\*(a\*x^n)^FracPart[m])/x^(n\*FracPart[m]), Int[u\*x^(m\*n), x], x] /; FreeQ[{a, m, n}, x] && !IntegerQ[m]

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned}
\int \frac{x \cos(\sqrt{1+x^2})}{\sqrt{1+x^2}} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{\cos(\sqrt{1+x})}{\sqrt{1+x}} dx, x, x^2 \right) \\
&= \text{Subst} \left( \int \frac{x \cos(x)}{\sqrt{x^2}} dx, x, \sqrt{1+x^2} \right) \\
&= 1 \text{Subst} \left( \int \cos(x) dx, x, \sqrt{1+x^2} \right) \\
&= \sin(\sqrt{1+x^2})
\end{aligned}$$

**Mathematica [A]** time = 0.0324673, size = 10, normalized size = 1.

$$\sin(\sqrt{x^2+1})$$

Antiderivative was successfully verified.

[In] Integrate[(x\*Cos[Sqrt[1 + x^2]])/Sqrt[1 + x^2],x]

[Out] Sin[Sqrt[1 + x^2]]

**Maple [A]** time = 0.011, size = 9, normalized size = 0.9

$$\sin(\sqrt{x^2+1})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*cos((x^2+1)^(1/2))/(x^2+1)^(1/2),x)

[Out] sin((x^2+1)^(1/2))

**Maxima [A]** time = 1.12438, size = 11, normalized size = 1.1

$$\sin(\sqrt{x^2+1})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*cos((x^2+1)^(1/2))/(x^2+1)^(1/2),x, algorithm="maxima")

[Out] sin(sqrt(x^2 + 1))

**Fricas [A]** time = 2.30427, size = 27, normalized size = 2.7

$$\sin(\sqrt{x^2+1})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*cos((x^2+1)^(1/2))/(x^2+1)^(1/2),x, algorithm="fricas")

[Out] `sin(sqrt(x^2 + 1))`

---

**Sympy [A]** time = 0.902063, size = 8, normalized size = 0.8

$$\sin\left(\sqrt{x^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*cos((x**2+1)**(1/2))/(x**2+1)**(1/2),x)`

[Out] `sin(sqrt(x**2 + 1))`

---

**Giac [A]** time = 1.09923, size = 11, normalized size = 1.1

$$\sin\left(\sqrt{x^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*cos((x^2+1)^(1/2))/(x^2+1)^(1/2),x, algorithm="giac")`

[Out] `sin(sqrt(x^2 + 1))`

$$3.49 \quad \int \frac{x \cos(\sqrt{3}\sqrt{2+x^2})}{\sqrt{2+x^2}} dx$$

**Optimal.** Leaf size=22

$$\frac{\sin(\sqrt{3}\sqrt{x^2+2})}{\sqrt{3}}$$

[Out] Sin[Sqrt[3]\*Sqrt[2 + x^2]]/Sqrt[3]

**Rubi [A]** time = 0.189288, antiderivative size = 22, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {6715, 3432, 15, 2637}

$$\frac{\sin(\sqrt{3}\sqrt{x^2+2})}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(x\*Cos[Sqrt[3]\*Sqrt[2 + x^2]])/Sqrt[2 + x^2], x]

[Out] Sin[Sqrt[3]\*Sqrt[2 + x^2]]/Sqrt[3]

#### Rule 6715

Int[(u\_)\*(x\_)^(m\_), x\_Symbol] := Dist[1/(m + 1), Subst[Int[SubstFor[x^(m + 1), u, x], x], x, x^(m + 1)], x] /; FreeQ[m, x] && NeQ[m, -1] && FunctionOfQ[x^(m + 1), u, x]

#### Rule 3432

Int[((a\_.) + Cos[(c\_.) + (d\_.)\*((e\_.) + (f\_.)\*(x\_))^(n\_)])\*(b\_.))^(p\_.)\*((g\_.) + (h\_.)\*(x\_))^(m\_.), x\_Symbol] := Dist[1/(n\*f), Subst[Int[ExpandIntegrand[(a + b\*Cos[c + d\*x])^p, x^(1/n - 1)\*(g - (e\*h)/f + (h\*x^(1/n))/f)^m, x], x], x, (e + f\*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && IntegerQ[1/n]

#### Rule 15

Int[(u\_.)\*((a\_.)\*(x\_)^(n\_))^(m\_), x\_Symbol] := Dist[(a^IntPart[m]\*(a\*x^n)^FracPart[m])/x^(n\*FracPart[m]), Int[u\*x^(m\*n), x], x] /; FreeQ[{a, m, n}, x] && !IntegerQ[m]

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned}
\int \frac{x \cos(\sqrt{3}\sqrt{2+x^2})}{\sqrt{2+x^2}} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{\cos(\sqrt{3}\sqrt{2+x})}{\sqrt{2+x}} dx, x, x^2 \right) \\
&= \text{Subst} \left( \int \frac{x \cos(\sqrt{3}x)}{\sqrt{x^2}} dx, x, \sqrt{2+x^2} \right) \\
&= 1 \text{Subst} \left( \int \cos(\sqrt{3}x) dx, x, \sqrt{2+x^2} \right) \\
&= \frac{\sin(\sqrt{3}\sqrt{2+x^2})}{\sqrt{3}}
\end{aligned}$$

**Mathematica [A]** time = 0.0526874, size = 22, normalized size = 1.

$$\frac{\sin(\sqrt{3}\sqrt{x^2+2})}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*Cos[Sqrt[3]\*Sqrt[2 + x^2]])/Sqrt[2 + x^2], x]

[Out] Sin[Sqrt[3]\*Sqrt[2 + x^2]]/Sqrt[3]

**Maple [A]** time = 0.015, size = 18, normalized size = 0.8

$$\frac{\sqrt{3}}{3} \sin(\sqrt{3}\sqrt{x^2+2})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*cos(3^(1/2)\*(x^2+2)^(1/2))/(x^2+2)^(1/2), x)

[Out] 1/3\*sin(3^(1/2)\*(x^2+2)^(1/2))\*3^(1/2)

**Maxima [A]** time = 1.59016, size = 23, normalized size = 1.05

$$\frac{1}{3} \sqrt{3} \sin(\sqrt{3}\sqrt{x^2+2})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*cos(3^(1/2)\*(x^2+2)^(1/2))/(x^2+2)^(1/2), x, algorithm="maxima")

[Out] 1/3\*sqrt(3)\*sin(sqrt(3)\*sqrt(x^2 + 2))

**Fricas [B]** time = 2.33569, size = 112, normalized size = 5.09

$$\frac{2\sqrt{3} \tan\left(\frac{1}{2}\sqrt{3}\sqrt{x^2+2}\right)}{3\left(\tan\left(\frac{1}{2}\sqrt{3}\sqrt{x^2+2}\right)^2 + 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*cos(3^(1/2)*(x^2+2)^(1/2))/(x^2+2)^(1/2),x, algorithm="fricas")
```

```
[Out] 2/3*sqrt(3)*tan(1/2*sqrt(3)*sqrt(x^2 + 2))/(tan(1/2*sqrt(3)*sqrt(x^2 + 2))^2 + 1)
```

**Sympy [A]** time = 1.58456, size = 20, normalized size = 0.91

$$\frac{\sqrt{3} \sin\left(\sqrt{3}\sqrt{x^2 + 2}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*cos(3**(1/2)*(x**2+2)**(1/2))/(x**2+2)**(1/2),x)
```

```
[Out] sqrt(3)*sin(sqrt(3)*sqrt(x**2 + 2))/3
```

**Giac [A]** time = 1.09903, size = 23, normalized size = 1.05

$$\frac{1}{3} \sqrt{3} \sin\left(\sqrt{3}\sqrt{x^2 + 2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*cos(3^(1/2)*(x^2+2)^(1/2))/(x^2+2)^(1/2),x, algorithm="giac")
```

```
[Out] 1/3*sqrt(3)*sin(sqrt(3)*sqrt(x^2 + 2))
```



$$3.50 \quad \int \frac{(-1+2x) \cos\left(\sqrt{6+3(-1+2x)^2}\right)}{\sqrt{6+3(-1+2x)^2}} dx$$

**Optimal.** Leaf size=24

$$\frac{1}{6} \sin\left(\sqrt{3}\sqrt{(2x-1)^2+2}\right)$$

[Out] Sin[Sqrt[3]\*Sqrt[2 + (-1 + 2\*x)^2]]/6

**Rubi [A]** time = 0.493079, antiderivative size = 24, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 37,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.108$ , Rules used = {6715, 3432, 15, 2637}

$$\frac{1}{6} \sin\left(\sqrt{3}\sqrt{(2x-1)^2+2}\right)$$

Antiderivative was successfully verified.

[In] Int[((-1 + 2\*x)\*Cos[Sqrt[6 + 3\*(-1 + 2\*x)^2]])/Sqrt[6 + 3\*(-1 + 2\*x)^2], x]

[Out] Sin[Sqrt[3]\*Sqrt[2 + (-1 + 2\*x)^2]]/6

#### Rule 6715

Int[(u\_)\*(x\_)^(m\_), x\_Symbol] := Dist[1/(m + 1), Subst[Int[SubstFor[x^(m + 1), u, x], x], x, x^(m + 1)], x] /; FreeQ[m, x] && NeQ[m, -1] && FunctionOfQ[x^(m + 1), u, x]

#### Rule 3432

Int[((a\_.) + Cos[(c\_.) + (d\_.)\*((e\_.) + (f\_.)\*(x\_))^(n\_)])\*(b\_.))^(p\_.)\*((g\_.) + (h\_.)\*(x\_))^(m\_.), x\_Symbol] := Dist[1/(n\*f), Subst[Int[ExpandIntegrand[(a + b\*Cos[c + d\*x])^p, x^(1/n - 1)\*(g - (e\*h)/f + (h\*x^(1/n))/f)^m, x], x], x, (e + f\*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && IntegerQ[1/n]

#### Rule 15

Int[(u\_.)\*((a\_.)\*(x\_)^(n\_))^(m\_), x\_Symbol] := Dist[(a^IntPart[m]\*(a\*x^n)^FracPart[m])/x^(n\*FracPart[m]), Int[u\*x^(m\*n), x], x] /; FreeQ[{a, m, n}, x] && !IntegerQ[m]

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned}
\int \frac{(-1+2x) \cos(\sqrt{6+3(-1+2x)^2})}{\sqrt{6+3(-1+2x)^2}} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{x \cos(\sqrt{6+3x^2})}{\sqrt{6+3x^2}} dx, x, -1+2x \right) \\
&= \frac{1}{4} \text{Subst} \left( \int \frac{\cos(\sqrt{6+3x})}{\sqrt{6+3x}} dx, x, (-1+2x)^2 \right) \\
&= \frac{1}{6} \text{Subst} \left( \int \frac{x \cos(x)}{\sqrt{x^2}} dx, x, \sqrt{3}\sqrt{2+(-1+2x)^2} \right) \\
&= \frac{1}{6} \text{Subst} \left( \int \cos(x) dx, x, \sqrt{3}\sqrt{2+(-1+2x)^2} \right) \\
&= \frac{1}{6} \sin \left( \sqrt{3}\sqrt{2+(-1+2x)^2} \right)
\end{aligned}$$

**Mathematica [A]** time = 0.15551, size = 20, normalized size = 0.83

$$\frac{1}{6} \sin \left( \sqrt{3(1-2x)^2 + 6} \right)$$

Antiderivative was successfully verified.

[In] Integrate[((-1 + 2\*x)\*Cos[Sqrt[6 + 3\*(-1 + 2\*x)^2]])/Sqrt[6 + 3\*(-1 + 2\*x)^2], x]

[Out] Sin[Sqrt[6 + 3\*(1 - 2\*x)^2]]/6

**Maple [A]** time = 0.025, size = 16, normalized size = 0.7

$$\frac{1}{6} \sin \left( \sqrt{12x^2 - 12x + 9} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-1+2\*x)\*cos((6+3\*(-1+2\*x)^2)^(1/2))/(6+3\*(-1+2\*x)^2)^(1/2), x)

[Out] 1/6\*sin((12\*x^2-12\*x+9)^(1/2))

**Maxima [A]** time = 1.13861, size = 22, normalized size = 0.92

$$\frac{1}{6} \sin \left( \sqrt{3(2x-1)^2 + 6} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+2\*x)\*cos((6+3\*(-1+2\*x)^2)^(1/2))/(6+3\*(-1+2\*x)^2)^(1/2), x, algorithm="maxima")

[Out] 1/6\*sin(sqrt(3\*(2\*x - 1)^2 + 6))

**Fricas [A]** time = 2.1526, size = 46, normalized size = 1.92

$$\frac{1}{6} \sin \left( \sqrt{12x^2 - 12x + 9} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-1+2*x)*cos((6+3*(-1+2*x)^2)^(1/2))/(6+3*(-1+2*x)^2)^(1/2),x, algorithm="fricas")
```

```
[Out] 1/6*sin(sqrt(12*x^2 - 12*x + 9))
```

**Sympy [A]** time = 7.19953, size = 15, normalized size = 0.62

$$\frac{\sin\left(\sqrt{3(2x-1)^2+6}\right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-1+2*x)*cos((6+3*(-1+2*x)**2)**(1/2))/(6+3*(-1+2*x)**2)**(1/2),x)
```

```
[Out] sin(sqrt(3*(2*x - 1)**2 + 6))/6
```

**Giac [A]** time = 1.09801, size = 26, normalized size = 1.08

$$\frac{1}{6} \sin\left(\sqrt{3}\sqrt{4x^2 - 4x + 3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-1+2*x)*cos((6+3*(-1+2*x)^2)^(1/2))/(6+3*(-1+2*x)^2)^(1/2),x, algorithm="giac")
```

```
[Out] 1/6*sin(sqrt(3)*sqrt(4*x^2 - 4*x + 3))
```

### 3.51 $\int \cos\left(\frac{a+bx}{c+dx}\right) dx$

**Optimal.** Leaf size=101

$$-\frac{\sin\left(\frac{b}{d}\right)(bc-ad)\text{CosIntegral}\left(\frac{bc-ad}{d(c+dx)}\right)}{d^2} + \frac{\cos\left(\frac{b}{d}\right)(bc-ad)\text{Si}\left(\frac{bc-ad}{d(c+dx)}\right)}{d^2} + \frac{(c+dx)\cos\left(\frac{a+bx}{c+dx}\right)}{d}$$

[Out] ((c + d\*x)\*Cos[(a + b\*x)/(c + d\*x)]/d - ((b\*c - a\*d)\*CosIntegral[(b\*c - a\*d)/(d\*(c + d\*x))]\*Sin[b/d])/d^2 + ((b\*c - a\*d)\*Cos[b/d]\*SinIntegral[(b\*c - a\*d)/(d\*(c + d\*x))])/d^2

**Rubi [A]** time = 0.132663, antiderivative size = 101, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$ , Rules used = {4564, 3297, 3303, 3299, 3302}

$$-\frac{\sin\left(\frac{b}{d}\right)(bc-ad)\text{CosIntegral}\left(\frac{bc-ad}{d(c+dx)}\right)}{d^2} + \frac{\cos\left(\frac{b}{d}\right)(bc-ad)\text{Si}\left(\frac{bc-ad}{d(c+dx)}\right)}{d^2} + \frac{(c+dx)\cos\left(\frac{a+bx}{c+dx}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[(a + b\*x)/(c + d\*x)], x]

[Out] ((c + d\*x)\*Cos[(a + b\*x)/(c + d\*x)]/d - ((b\*c - a\*d)\*CosIntegral[(b\*c - a\*d)/(d\*(c + d\*x))]\*Sin[b/d])/d^2 + ((b\*c - a\*d)\*Cos[b/d]\*SinIntegral[(b\*c - a\*d)/(d\*(c + d\*x))])/d^2

#### Rule 4564

```
Int[Cos[((e_.)*(a_.) + (b_.)*(x_))]/((c_.) + (d_.)*(x_))]^(n_), x_Symbol]
:> -Dist[d^(-1), Subst[Int[Cos[(b*e)/d - (e*(b*c - a*d)*x)/d]^n/x^2, x], x
, 1/(c + d*x)], x] /; FreeQ[{a, b, c, d}, x] && IGtQ[n, 0] && NeQ[b*c - a*d
, 0]
```

#### Rule 3297

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol]
:> Simp[((c + d*x)^(m + 1)*Sin[e + f*x]/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c
+ d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1
]
```

#### Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol]
:> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

#### Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol]
:> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

#### Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

### Rubi steps

$$\begin{aligned} \int \cos\left(\frac{a+bx}{c+dx}\right) dx &= \frac{\text{Subst}\left(\int \frac{\cos\left(\frac{b}{d} - \frac{(bc-ad)x}{d}\right)}{x^2} dx, x, \frac{1}{c+dx}\right)}{d} \\ &= \frac{(c+dx) \cos\left(\frac{a+bx}{c+dx}\right)}{d} - \frac{(bc-ad) \text{Subst}\left(\int \frac{\sin\left(\frac{b}{d} - \frac{(bc-ad)x}{d}\right)}{x} dx, x, \frac{1}{c+dx}\right)}{d^2} \\ &= \frac{(c+dx) \cos\left(\frac{a+bx}{c+dx}\right)}{d} + \frac{\left((bc-ad) \cos\left(\frac{b}{d}\right)\right) \text{Subst}\left(\int \frac{\sin\left(\frac{(bc-ad)x}{d}\right)}{x} dx, x, \frac{1}{c+dx}\right)}{d^2} - \frac{\left((bc-ad) \sin\left(\frac{b}{d}\right)\right)}{d^2} \\ &= \frac{(c+dx) \cos\left(\frac{a+bx}{c+dx}\right)}{d} - \frac{(bc-ad) \text{Ci}\left(\frac{bc-ad}{d(c+dx)}\right) \sin\left(\frac{b}{d}\right)}{d^2} + \frac{(bc-ad) \cos\left(\frac{b}{d}\right) \text{Si}\left(\frac{bc-ad}{d(c+dx)}\right)}{d^2} \end{aligned}$$

**Mathematica [C]** time = 5.1352, size = 260, normalized size = 2.57

$$\frac{-4 \sin\left(\frac{b}{d}\right) (bc-ad) \text{CosIntegral}\left(\frac{ad-bc}{d(c+dx)}\right) + d \exp\left(-\frac{i(ad+2bc+bdx)}{d(c+dx)}\right) \left(2c \left(e^{2i\left(\frac{a}{c+dx} + \frac{b}{d}\right)} + e^{\frac{2ibc}{d(c+dx)}}\right) + dx \left(1 + e^{\frac{2ib}{d}}\right) \left(e^{\frac{2ia}{c+dx}} + e^{\frac{2ib}{d}}\right)\right)}{4d^2}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[(a + b*x)/(c + d*x)], x]
```

```
[Out] (-4*(b*c - a*d)*CosIntegral[(-(b*c) + a*d)/(d*(c + d*x))]*Sin[b/d] + (d*(2*
c*(E^(((2*I)*b*c)/(d*(c + d*x)))) + E^(((2*I)*(b/d + a/(c + d*x)))))) + d*(1 +
E^(((2*I)*b)/d))*(E^(((2*I)*a)/(c + d*x)) + E^(((2*I)*b*c)/(d*(c + d*x))))*
x - 4*d*E^((I*(2*b*c + a*d + b*d*x))/(d*(c + d*x)))*x*Sin[b/d]*Sin[(-(b*c)
+ a*d)/(d*(c + d*x))])/E^((I*(2*b*c + a*d + b*d*x))/(d*(c + d*x))) - 4*(b*
c - a*d)*Cos[b/d]*SinIntegral[(-(b*c) + a*d)/(d*(c + d*x))]/(4*d^2)
```

**Maple [A]** time = 0.016, size = 142, normalized size = 1.4

$$-(ad-cb) \left( -\frac{1}{d} \cos\left(\frac{b}{d} + \frac{ad-cb}{d(dx+c)}\right) \left( d \left( \frac{b}{d} + \frac{ad-cb}{d(dx+c)} \right) - b \right)^{-1} - \frac{1}{d} \left( \frac{1}{d} \text{Si}\left(\frac{ad-cb}{d(dx+c)}\right) \cos\left(\frac{b}{d}\right) + \frac{1}{d} \text{Ci}\left(\frac{ad-cb}{d(dx+c)}\right) \sin\left(\frac{b}{d}\right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos((b*x+a)/(d*x+c)), x)
```

```
[Out] -(a*d-b*c)*(-cos(b/d+(a*d-b*c)/d/(d*x+c))/(d*(b/d+(a*d-b*c)/d/(d*x+c))-b)/d
-(Si((a*d-b*c)/d/(d*x+c))*cos(b/d)/d+Ci((a*d-b*c)/d/(d*x+c))*sin(b/d)/d)/d
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \cos\left(\frac{bx+a}{dx+c}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos((b\*x+a)/(d\*x+c)),x, algorithm="maxima")

[Out] integrate(cos((b\*x + a)/(d\*x + c)), x)

**Fricas [A]** time = 2.47045, size = 323, normalized size = 3.2

$$\frac{2(bc-ad)\cos\left(\frac{b}{d}\right)\operatorname{Si}\left(-\frac{bc-ad}{d^2x+cd}\right) - 2(d^2x+cd)\cos\left(\frac{bx+a}{dx+c}\right) + \left((bc-ad)\operatorname{Ci}\left(\frac{bc-ad}{d^2x+cd}\right) + (bc-ad)\operatorname{Ci}\left(-\frac{bc-ad}{d^2x+cd}\right)\right)\sin\left(\frac{b}{d}\right)}{2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos((b\*x+a)/(d\*x+c)),x, algorithm="fricas")

[Out]  $-1/2*(2*(b*c - a*d)*\cos(b/d)*\sin\_integral(-(b*c - a*d)/(d^2*x + c*d)) - 2*(d^2*x + c*d)*\cos((b*x + a)/(d*x + c)) + ((b*c - a*d)*\cos\_integral((b*c - a*d)/(d^2*x + c*d)) + (b*c - a*d)*\cos\_integral(-(b*c - a*d)/(d^2*x + c*d)))*\sin(b/d)/d^2$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos((b\*x+a)/(d\*x+c)),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \cos\left(\frac{bx+a}{dx+c}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos((b\*x+a)/(d\*x+c)),x, algorithm="giac")

[Out] integrate(cos((b\*x + a)/(d\*x + c)), x)

### 3.52 $\int \cos^2\left(\frac{a+bx}{c+dx}\right) dx$

**Optimal.** Leaf size=107

$$-\frac{\sin\left(\frac{2b}{d}\right)(bc-ad)\text{CosIntegral}\left(\frac{2(bc-ad)}{d(c+dx)}\right)}{d^2} + \frac{\cos\left(\frac{2b}{d}\right)(bc-ad)\text{Si}\left(\frac{2(bc-ad)}{d(c+dx)}\right)}{d^2} + \frac{(c+dx)\cos^2\left(\frac{a+bx}{c+dx}\right)}{d}$$

[Out] ((c + d\*x)\*Cos[(a + b\*x)/(c + d\*x)]^2)/d - ((b\*c - a\*d)\*CosIntegral[(2\*(b\*c - a\*d))/(d\*(c + d\*x))]\*Sin[(2\*b)/d])/d^2 + ((b\*c - a\*d)\*Cos[(2\*b)/d]\*SinIntegral[(2\*(b\*c - a\*d))/(d\*(c + d\*x))])/d^2

**Rubi [A]** time = 0.160648, antiderivative size = 107, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {4564, 3313, 12, 3303, 3299, 3302}

$$-\frac{\sin\left(\frac{2b}{d}\right)(bc-ad)\text{CosIntegral}\left(\frac{2(bc-ad)}{d(c+dx)}\right)}{d^2} + \frac{\cos\left(\frac{2b}{d}\right)(bc-ad)\text{Si}\left(\frac{2(bc-ad)}{d(c+dx)}\right)}{d^2} + \frac{(c+dx)\cos^2\left(\frac{a+bx}{c+dx}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[(a + b\*x)/(c + d\*x)]^2,x]

[Out] ((c + d\*x)\*Cos[(a + b\*x)/(c + d\*x)]^2)/d - ((b\*c - a\*d)\*CosIntegral[(2\*(b\*c - a\*d))/(d\*(c + d\*x))]\*Sin[(2\*b)/d])/d^2 + ((b\*c - a\*d)\*Cos[(2\*b)/d]\*SinIntegral[(2\*(b\*c - a\*d))/(d\*(c + d\*x))])/d^2

#### Rule 4564

Int[Cos[((e\_.)\*(a\_.) + (b\_.)\*(x\_))]/((c\_.) + (d\_.)\*(x\_))]^(n\_.), x\_Symbol] :> -Dist[d^(-1), Subst[Int[Cos[(b\*e)/d - (e\*(b\*c - a\*d)\*x)/d]^n/x^2, x], x, 1/(c + d\*x)], x] /; FreeQ[{a, b, c, d}, x] && IGtQ[n, 0] && NeQ[b\*c - a\*d, 0]

#### Rule 3313

Int[((c\_.) + (d\_.)\*(x\_))^(m\_)\*sin[(e\_.) + (f\_.)\*(x\_)]^(n\_), x\_Symbol] :> Simp[((c + d\*x)^(m + 1)\*Sin[e + f\*x]^n)/(d\*(m + 1)), x] - Dist[(f\*n)/(d\*(m + 1)), Int[ExpandTrigReduce[(c + d\*x)^(m + 1), Cos[e + f\*x]\*Sin[e + f\*x]^(n - 1), x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && GeQ[m, -2] && LtQ[m, -1]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 3303

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Dist[Cos[(d\*e - c\*f)/d], Int[Sin[(c\*f)/d + f\*x]/(c + d\*x), x], x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[(c\*f)/d + f\*x]/(c + d\*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d\*e - c\*f, 0]

#### Rule 3299

Int[sin[(e\_.) + (f\_.)\*(x\_.)]/((c\_.) + (d\_.)\*(x\_.)), x\_Symbol] := Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

### Rule 3302

Int[sin[(e\_.) + (f\_.)\*(x\_.)]/((c\_.) + (d\_.)\*(x\_.)), x\_Symbol] := Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

### Rubi steps

$$\begin{aligned} \int \cos^2\left(\frac{a+bx}{c+dx}\right) dx &= \frac{\text{Subst}\left(\int \frac{\cos^2\left(\frac{b}{d} - \frac{(bc-ad)x}{d}\right)}{x^2} dx, x, \frac{1}{c+dx}\right)}{d} \\ &= \frac{(c+dx) \cos^2\left(\frac{a+bx}{c+dx}\right)}{d} + \frac{(2(bc-ad)) \text{Subst}\left(\int -\frac{\sin\left(\frac{2b}{d} - \frac{2(bc-ad)x}{d}\right)}{2x} dx, x, \frac{1}{c+dx}\right)}{d^2} \\ &= \frac{(c+dx) \cos^2\left(\frac{a+bx}{c+dx}\right)}{d} - \frac{(bc-ad) \text{Subst}\left(\int \frac{\sin\left(\frac{2b}{d} - \frac{2(bc-ad)x}{d}\right)}{x} dx, x, \frac{1}{c+dx}\right)}{d^2} \\ &= \frac{(c+dx) \cos^2\left(\frac{a+bx}{c+dx}\right)}{d} + \frac{\left((bc-ad) \cos\left(\frac{2b}{d}\right)\right) \text{Subst}\left(\int \frac{\sin\left(\frac{2(bc-ad)x}{d}\right)}{x} dx, x, \frac{1}{c+dx}\right)}{d^2} - \frac{(bc-ad) \sin\left(\frac{2b}{d}\right)}{d^2} \\ &= \frac{(c+dx) \cos^2\left(\frac{a+bx}{c+dx}\right)}{d} - \frac{(bc-ad) \text{Ci}\left(\frac{2(bc-ad)}{d(c+dx)}\right) \sin\left(\frac{2b}{d}\right)}{d^2} + \frac{(bc-ad) \cos\left(\frac{2b}{d}\right) \text{Si}\left(\frac{2(bc-ad)}{d(c+dx)}\right)}{d^2} \end{aligned}$$

**Mathematica [C]** time = 6.11297, size = 400, normalized size = 3.74

$$\frac{(acd - bc^2) \left( \frac{\left( -1 + e^{\frac{4ib}{d}} \right) \left( e^{\frac{4ibc}{d(c+dx)}} - e^{\frac{4ia}{c+dx}} \right) \exp\left( -\frac{2i(ad+2bc+bdx)}{d(c+dx)} \right)}{8(bc-ad)} - \frac{\left( 1 + e^{\frac{4ib}{d}} \right) \left( e^{\frac{4ia}{c+dx} + e^{\frac{4ibc}{d(c+dx)}}} \right) \exp\left( -\frac{2i(ad+2bc+bdx)}{d(c+dx)} \right)}{8(bc-ad)} \right)}{d} + \frac{2ad \sin\left(\frac{2b}{d}\right) \text{CosIntegral}}{d^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[(a + b\*x)/(c + d\*x)]^2, x]

[Out]  $((-(b*c^2) + a*c*d)*((-1 + E^{((4*I)*b)/d}))*(-E^{((4*I)*a)/(c + d*x)} + E^{((4*I)*b*c)/(d*(c + d*x))})/(8*(b*c - a*d)*E^{((2*I)*(2*b*c + a*d + b*d*x))/(d*(c + d*x))}) - ((1 + E^{((4*I)*b)/d}))*E^{((4*I)*a)/(c + d*x)} + E^{((4*I)*b*c)/(d*(c + d*x))})/(8*(b*c - a*d)*E^{((2*I)*(2*b*c + a*d + b*d*x))/(d*(c + d*x))})/d + (x*\text{Cos}[(2*b)/d]*\text{Cos}[(2*(-(b*c) + a*d))/(d*(c + d*x))])/2 - (x*\text{Sin}[(2*b)/d]*\text{Sin}[(2*(-(b*c) + a*d))/(d*(c + d*x))])/2 + (d^2*x - 2*b*c*\text{CosIntegral}[(2*(-(b*c) + a*d))/(d*(c + d*x))]*\text{Sin}[(2*b)/d] + 2*a*d*\text{CosIntegral}[(2*(-(b*c) + a*d))/(d*(c + d*x))]*\text{Sin}[(2*b)/d] - 2*b*c*\text{Cos}[(2*b)/d]*\text{SinIntegral}[(2*(-(b*c) + a*d))/(d*(c + d*x))] + 2*a*d*\text{Cos}[(2*b)/d]*\text{SinIntegral}[(2*(-(b*c) + a*d))/(d*(c + d*x))])/(2*d^2)$

**Maple [A]** time = 0.02, size = 195, normalized size = 1.8

$$-\frac{ad - cb}{d^2} \left( \frac{d^2}{4} \left( -2 \frac{1}{d} \cos\left( 2 \frac{ad - cb}{d(dx + c)} + 2 \frac{b}{d} \right) \left( d \left( \frac{b}{d} + \frac{ad - cb}{d(dx + c)} \right) - b \right)^{-1} - 2 \frac{1}{d} \left( 2 \frac{1}{d} \text{Si}\left( 2 \frac{ad - cb}{d(dx + c)} \right) \cos\left( 2 \frac{b}{d} \right) + 2 \frac{1}{d} \text{Ci}\left( 2 \frac{ad - cb}{d(dx + c)} \right) \right) \right)$$



Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos((b\*x+a)/(d\*x+c))^2,x)

[Out]  $-1/d^2*(a*d-b*c)*(1/4*d^2*(-2*\cos(2*(a*d-b*c)/d/(d*x+c)+2*b/d)/(d*(b/d+(a*d-b*c)/d/(d*x+c))-b)/d-2*(2*Si(2*(a*d-b*c)/d/(d*x+c))*\cos(2*b/d)/d+2*Ci(2*(a*d-b*c)/d/(d*x+c))*\sin(2*b/d)/d)/d)-1/2*d/(d*(b/d+(a*d-b*c)/d/(d*x+c))-b))$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{2}x + \frac{1}{2} \int \cos\left(\frac{2(bx+a)}{dx+c}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos((b\*x+a)/(d\*x+c))^2,x, algorithm="maxima")

[Out]  $1/2*x + 1/2*integrate(\cos(2*(b*x + a)/(d*x + c)), x)$

**Fricas [A]** time = 2.583, size = 338, normalized size = 3.16

$$\frac{2(d^2x+cd)\cos\left(\frac{bx+a}{dx+c}\right)^2 - 2(bc-ad)\cos\left(\frac{2b}{d}\right)Si\left(-\frac{2(bc-ad)}{d^2x+cd}\right) - \left((bc-ad)Ci\left(\frac{2(bc-ad)}{d^2x+cd}\right) + (bc-ad)Ci\left(-\frac{2(bc-ad)}{d^2x+cd}\right)\right)\sin\left(\frac{2b}{d}\right)}{2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos((b\*x+a)/(d\*x+c))^2,x, algorithm="fricas")

[Out]  $1/2*(2*(d^2*x + c*d)*\cos((b*x + a)/(d*x + c))^2 - 2*(b*c - a*d)*\cos(2*b/d)*\sin\_integral(-2*(b*c - a*d)/(d^2*x + c*d)) - ((b*c - a*d)*\cos\_integral(2*(b*c - a*d)/(d^2*x + c*d)) + (b*c - a*d)*\cos\_integral(-2*(b*c - a*d)/(d^2*x + c*d)))*\sin(2*b/d))/d^2$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos((b\*x+a)/(d\*x+c))\*\*2,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \cos\left(\frac{bx+a}{dx+c}\right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos((b*x+a)/(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate(cos((b*x + a)/(d*x + c))^2, x)
```

$$3.53 \quad \int \frac{\cos^3\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx$$

**Optimal.** Leaf size=58

$$\frac{3\text{CosIntegral}\left(\frac{\sqrt{1-ax}}{\sqrt{ax+1}}\right)}{4a} - \frac{\text{CosIntegral}\left(\frac{3\sqrt{1-ax}}{\sqrt{ax+1}}\right)}{4a}$$

[Out] (-3\*CosIntegral[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]/(4\*a) - CosIntegral[(3\*Sqrt[1 - a\*x])/Sqrt[1 + a\*x]]/(4\*a)

**Rubi [A]** time = 0.110671, antiderivative size = 58, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {6681, 3312, 3302}

$$\frac{3\text{CosIntegral}\left(\frac{\sqrt{1-ax}}{\sqrt{ax+1}}\right)}{4a} - \frac{\text{CosIntegral}\left(\frac{3\sqrt{1-ax}}{\sqrt{ax+1}}\right)}{4a}$$

Antiderivative was successfully verified.

[In] Int[Cos[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]^3/(1 - a^2\*x^2),x]

[Out] (-3\*CosIntegral[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]/(4\*a) - CosIntegral[(3\*Sqrt[1 - a\*x])/Sqrt[1 + a\*x]]/(4\*a)

#### Rule 6681

```
Int[((a_.) + (b_.)*(F_))(((c_.)*Sqrt[(d_.) + (e_.)*(x_)])/Sqrt[(f_.) + (g_.)
*(x_)])^(n_.)/((A_.) + (C_.)*(x_)^2), x_Symbol] :> Dist[(2*e*g)/(C*(e*f -
d*g)), Subst[Int[(a + b*F[c*x])^n/x, x], x, Sqrt[d + e*x]/Sqrt[f + g*x]], x
] /; FreeQ[{a, b, c, d, e, f, g, A, C, F}, x] && EqQ[C*d*f - A*e*g, 0] && E
qQ[e*f + d*g, 0] && IGtQ[n, 0]
```

#### Rule 3312

```
Int[((c_.) + (d_.)*(x_)^(m_))*sin[(e_.) + (f_.)*(x_)^(n_)], x_Symbol] :> In
t[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f
, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

#### Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{\cos^3\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx &= -\frac{\text{Subst}\left(\int \frac{\cos^3(x)}{x} dx, x, \frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{a} \\
&= -\frac{\text{Subst}\left(\int \left(\frac{3\cos(x)}{4x} + \frac{\cos(3x)}{4x}\right) dx, x, \frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{a} \\
&= -\frac{\text{Subst}\left(\int \frac{\cos(3x)}{x} dx, x, \frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{4a} - \frac{3\text{Subst}\left(\int \frac{\cos(x)}{x} dx, x, \frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{4a} \\
&= -\frac{3\text{Ci}\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{4a} - \frac{\text{Ci}\left(\frac{3\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{4a}
\end{aligned}$$

**Mathematica [A]** time = 0.0235487, size = 53, normalized size = 0.91

$$-\frac{3\text{CosIntegral}\left(\frac{\sqrt{1-ax}}{\sqrt{ax+1}}\right) + \text{CosIntegral}\left(\frac{3\sqrt{1-ax}}{\sqrt{ax+1}}\right)}{4a}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]^3/(1 - a^2\*x^2), x]

[Out] -(3\*CosIntegral[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]] + CosIntegral[(3\*Sqrt[1 - a\*x])/Sqrt[1 + a\*x]])/(4\*a)

**Maple [F]** time = 0.122, size = 0, normalized size = 0.

$$\int \frac{1}{-a^2x^2 + 1} \left( \cos\left(\sqrt{-ax + 1} \frac{1}{\sqrt{ax + 1}}\right) \right)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos((-a\*x+1)^(1/2)/(a\*x+1)^(1/2))^3/(-a^2\*x^2+1), x)

[Out] int(cos((-a\*x+1)^(1/2)/(a\*x+1)^(1/2))^3/(-a^2\*x^2+1), x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\int \frac{\cos\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)^3}{a^2x^2 - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(sqrt(-a\*x + 1)/sqrt(a\*x + 1))^3/(-a^2\*x^2+1), x, algorithm="maxima")

[Out] -integrate(cos(sqrt(-a\*x + 1)/sqrt(a\*x + 1))^3/(a^2\*x^2 - 1), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( -\frac{\cos\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)^3}{a^2x^2-1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos((-a\*x+1)^(1/2)/(a\*x+1)^(1/2))^3/(-a^2\*x^2+1),x, algorithm="fricas")

[Out] integral(-cos(sqrt(-a\*x + 1)/sqrt(a\*x + 1))^3/(a^2\*x^2 - 1), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-\int \frac{\cos^3\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)}{a^2x^2-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos((-a\*x+1)\*\*(1/2)/(a\*x+1)\*\*(1/2))\*\*3/(-a\*\*2\*x\*\*2+1),x)

[Out] -Integral(cos(sqrt(-a\*x + 1)/sqrt(a\*x + 1))\*\*3/(a\*\*2\*x\*\*2 - 1), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{\cos\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)^3}{a^2x^2-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos((-a\*x+1)^(1/2)/(a\*x+1)^(1/2))^3/(-a^2\*x^2+1),x, algorithm="giac")

[Out] integrate(-cos(sqrt(-a\*x + 1)/sqrt(a\*x + 1))^3/(a^2\*x^2 - 1), x)

$$3.54 \quad \int \frac{\cos^2\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx$$

**Optimal.** Leaf size=58

$$\frac{\text{CosIntegral}\left(\frac{2\sqrt{1-ax}}{\sqrt{ax+1}}\right)}{2a} - \frac{\log\left(\frac{\sqrt{1-ax}}{\sqrt{ax+1}}\right)}{2a}$$

[Out] -CosIntegral[(2\*Sqrt[1 - a\*x])/Sqrt[1 + a\*x]]/(2\*a) - Log[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]/(2\*a)

**Rubi [A]** time = 0.0799495, antiderivative size = 58, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {6681, 3312, 3302}

$$\frac{\text{CosIntegral}\left(\frac{2\sqrt{1-ax}}{\sqrt{ax+1}}\right)}{2a} - \frac{\log\left(\frac{\sqrt{1-ax}}{\sqrt{ax+1}}\right)}{2a}$$

Antiderivative was successfully verified.

[In] Int[Cos[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]^2/(1 - a^2\*x^2), x]

[Out] -CosIntegral[(2\*Sqrt[1 - a\*x])/Sqrt[1 + a\*x]]/(2\*a) - Log[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]/(2\*a)

#### Rule 6681

Int[((a\_.) + (b\_.)\*(F\_))(((c\_.)\*Sqrt[(d\_.) + (e\_.)\*(x\_)])/Sqrt[(f\_.) + (g\_.)\*(x\_)])^(n\_.)/((A\_.) + (C\_.)\*(x\_)^2), x\_Symbol] := Dist[(2\*e\*g)/(C\*(e\*f - d\*g)), Subst[Int[(a + b\*F[c\*x])^n/x, x], x, Sqrt[d + e\*x]/Sqrt[f + g\*x], x] /; FreeQ[{a, b, c, d, e, f, g, A, C, F}, x] && EqQ[C\*d\*f - A\*e\*g, 0] && EqQ[e\*f + d\*g, 0] && IGtQ[n, 0]

#### Rule 3312

Int[((c\_.) + (d\_.)\*(x\_)^(m\_))\*sin[(e\_.) + (f\_.)\*(x\_)^(n\_)], x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sin[e + f\*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

#### Rule 3302

Int[sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

#### Rubi steps

$$\begin{aligned}
\int \frac{\cos^2\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx &= -\frac{\text{Subst}\left(\int \frac{\cos^2(x)}{x} dx, x, \frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{a} \\
&= -\frac{\text{Subst}\left(\int \left(\frac{1}{2x} + \frac{\cos(2x)}{2x}\right) dx, x, \frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{a} \\
&= -\frac{\log\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{2a} - \frac{\text{Subst}\left(\int \frac{\cos(2x)}{x} dx, x, \frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{2a} \\
&= -\frac{\text{Ci}\left(\frac{2\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{2a} - \frac{\log\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{2a}
\end{aligned}$$

**Mathematica [A]** time = 0.0381715, size = 51, normalized size = 0.88

$$-\frac{\text{CosIntegral}\left(\frac{2\sqrt{1-ax}}{\sqrt{ax+1}}\right) + \log\left(\frac{\sqrt{1-ax}}{\sqrt{ax+1}}\right)}{2a}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]^2/(1 - a^2\*x^2), x]

[Out] -(CosIntegral[(2\*Sqrt[1 - a\*x])/Sqrt[1 + a\*x]] + Log[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]])/(2\*a)

**Maple [F]** time = 0.088, size = 0, normalized size = 0.

$$\int \frac{1}{-a^2x^2 + 1} \left( \cos\left(\sqrt{-ax + 1} \frac{1}{\sqrt{ax + 1}}\right) \right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos((-a\*x+1)^(1/2)/(a\*x+1)^(1/2))^2/(-a^2\*x^2+1), x)

[Out] int(cos((-a\*x+1)^(1/2)/(a\*x+1)^(1/2))^2/(-a^2\*x^2+1), x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{a \int \frac{\cos\left(\frac{2\sqrt{-ax+1}}{\sqrt{ax+1}}\right)}{a^2x^2-1} dx + a \int \frac{\cos\left(\frac{2\sqrt{-ax+1}}{\sqrt{ax+1}}\right)}{(a^2x^2-1)\cos\left(\frac{2\sqrt{-ax+1}}{\sqrt{ax+1}}\right)^2 + (a^2x^2-1)\sin\left(\frac{2\sqrt{-ax+1}}{\sqrt{ax+1}}\right)^2} dx - \log(ax+1) + \log(ax-1)}{4a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos((-a\*x+1)^(1/2)/(a\*x+1)^(1/2))^2/(-a^2\*x^2+1), x, algorithm="maxima")

[Out] -1/4\*(4\*a\*integrate(1/4\*cos(2\*sqrt(-a\*x + 1)/sqrt(a\*x + 1))/(a^2\*x^2 - 1), x) + 4\*a\*integrate(1/4\*cos(2\*sqrt(-a\*x + 1)/sqrt(a\*x + 1))/((a^2\*x^2 - 1)\*cos(2\*sqrt(-a\*x + 1)/sqrt(a\*x + 1))^2 + (a^2\*x^2 - 1)\*sin(2\*sqrt(-a\*x + 1)/s

$\text{qrt}(a*x + 1))^2, x) - \log(a*x + 1) + \log(a*x - 1))/a$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\cos\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)^2}{a^2x^2-1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos((-a*x+1)^(1/2)/(a*x+1)^(1/2))^2/(-a^2*x^2+1),x, algorithm="fricas")`

[Out] `integral(-cos(sqrt(-a*x + 1)/sqrt(a*x + 1))^2/(a^2*x^2 - 1), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-\int \frac{\cos^2\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)}{a^2x^2-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos((-a*x+1)**(1/2)/(a*x+1)**(1/2))**2/(-a**2*x**2+1),x)`

[Out] `-Integral(cos(sqrt(-a*x + 1)/sqrt(a*x + 1))**2/(a**2*x**2 - 1), x)`

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{\cos\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)^2}{a^2x^2-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos((-a*x+1)^(1/2)/(a*x+1)^(1/2))^2/(-a^2*x^2+1),x, algorithm="giac")`

[Out] `integrate(-cos(sqrt(-a*x + 1)/sqrt(a*x + 1))^2/(a^2*x^2 - 1), x)`



$$3.55 \quad \int \frac{\cos\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx$$

**Optimal.** Leaf size=26

$$\frac{\text{CosIntegral}\left(\frac{\sqrt{1-ax}}{\sqrt{ax+1}}\right)}{a}$$

[Out] -(CosIntegral[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]/a)

**Rubi [A]** time = 0.0377898, antiderivative size = 26, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 34,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$ , Rules used = {6681, 3302}

$$\frac{\text{CosIntegral}\left(\frac{\sqrt{1-ax}}{\sqrt{ax+1}}\right)}{a}$$

Antiderivative was successfully verified.

[In] Int[Cos[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]/(1 - a^2\*x^2), x]

[Out] -(CosIntegral[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]/a)

#### Rule 6681

Int[((a\_.) + (b\_.)\*(F\_))(((c\_.)\*Sqrt[(d\_.) + (e\_.)\*(x\_)])/Sqrt[(f\_.) + (g\_.)\*(x\_)])^(n\_.)/((A\_.) + (C\_.)\*(x\_)^2), x\_Symbol] :> Dist[(2\*e\*g)/(C\*(e\*f - d\*g)), Subst[Int[(a + b\*F[c\*x])^n/x, x], x, Sqrt[d + e\*x]/Sqrt[f + g\*x]], x] /; FreeQ[{a, b, c, d, e, f, g, A, C, F}, x] && EqQ[C\*d\*f - A\*e\*g, 0] && EqQ[e\*f + d\*g, 0] && IGtQ[n, 0]

#### Rule 3302

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{\cos\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx &= -\frac{\text{Subst}\left(\int \frac{\cos(x)}{x} dx, x, \frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{a} \\ &= -\frac{\text{Ci}\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{a} \end{aligned}$$

**Mathematica [A]** time = 0.0064529, size = 26, normalized size = 1.

$$\frac{\text{CosIntegral}\left(\frac{\sqrt{1-ax}}{\sqrt{ax+1}}\right)}{a}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]/(1 - a^2\*x^2), x]

[Out] -(CosIntegral[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]/a)

**Maple [F]** time = 0.027, size = 0, normalized size = 0.

$$\int \frac{1}{-a^2x^2 + 1} \cos\left(\sqrt{-ax+1} \frac{1}{\sqrt{ax+1}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos((-a\*x+1)^(1/2)/(a\*x+1)^(1/2))/(-a^2\*x^2+1), x)

[Out] int(cos((-a\*x+1)^(1/2)/(a\*x+1)^(1/2))/(-a^2\*x^2+1), x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\int \frac{\cos\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)}{a^2x^2 - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos((-a\*x+1)^(1/2)/(a\*x+1)^(1/2))/(-a^2\*x^2+1), x, algorithm="maxima")

[Out] -integrate(cos(sqrt(-a\*x + 1)/sqrt(a\*x + 1))/(a^2\*x^2 - 1), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\cos\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)}{a^2x^2 - 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos((-a\*x+1)^(1/2)/(a\*x+1)^(1/2))/(-a^2\*x^2+1), x, algorithm="fricas")

[Out] integral(-cos(sqrt(-a\*x + 1)/sqrt(a\*x + 1))/(a^2\*x^2 - 1), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-\int \frac{\cos\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)}{a^2x^2 - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos((-a\*x+1)\*\*(1/2)/(a\*x+1)\*\*(1/2))/(-a\*\*2\*x\*\*2+1), x)

[Out] -Integral(cos(sqrt(-a\*x + 1)/sqrt(a\*x + 1))/(a\*\*2\*x\*\*2 - 1), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{\cos\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)}{a^2x^2-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos((-a\*x+1)^(1/2)/(a\*x+1)^(1/2))/(-a^2\*x^2+1),x, algorithm="giac")

[Out] integrate(-cos(sqrt(-a\*x + 1)/sqrt(a\*x + 1))/(a^2\*x^2 - 1), x)

$$3.56 \quad \int \frac{\sec\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx$$

**Optimal.** Leaf size=39

$$\text{Unintegrable}\left(\frac{\sec\left(\frac{\sqrt{1-ax}}{\sqrt{ax+1}}\right)}{(1-ax)(ax+1)}, x\right)$$

[Out] Unintegrable[Sec[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]/((1 - a\*x)\*(1 + a\*x)), x]

**Rubi [A]** time = 0.0375202, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{\sec\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx$$

Verification is Not applicable to the result.

[In] Int[Sec[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]/(1 - a^2\*x^2), x]

[Out] -(Defer[Subst][Defer[Int][Sec[x]/x, x], x, Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]/a)

Rubi steps

$$\int \frac{\sec\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx = -\frac{\text{Subst}\left(\int \frac{\sec(x)}{x} dx, x, \frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{a}$$

**Mathematica [A]** time = 2.8971, size = 0, normalized size = 0.

$$\int \frac{\sec\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sec[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]/(1 - a^2\*x^2), x]

[Out] Integrate[Sec[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]/(1 - a^2\*x^2), x]

**Maple [A]** time = 0.031, size = 0, normalized size = 0.

$$\int \frac{1}{-a^2x^2+1} \left( \cos\left(\sqrt{-ax+1} \frac{1}{\sqrt{ax+1}}\right) \right)^{-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-a^2\*x^2+1)/cos((-a\*x+1)^(1/2)/(a\*x+1)^(1/2)), x)

[Out] `int(1/(-a^2*x^2+1)/cos((-a*x+1)^(1/2)/(a*x+1)^(1/2)),x)`

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$-\int \frac{1}{(a^2x^2 - 1) \cos\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-a^2*x^2+1)/cos((-a*x+1)^(1/2)/(a*x+1)^(1/2)),x, algorithm="maxima")`

[Out] `-integrate(1/((a^2*x^2 - 1)*cos(sqrt(-a*x + 1)/sqrt(a*x + 1))), x)`

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{1}{(a^2x^2 - 1) \cos\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-a^2*x^2+1)/cos((-a*x+1)^(1/2)/(a*x+1)^(1/2)),x, algorithm="fricas")`

[Out] `integral(-1/((a^2*x^2 - 1)*cos(sqrt(-a*x + 1)/sqrt(a*x + 1))), x)`

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$-\int \frac{1}{a^2x^2 \cos\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right) - \cos\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-a**2*x**2+1)/cos((-a*x+1)**(1/2)/(a*x+1)**(1/2)),x)`

[Out] `-Integral(1/(a**2*x**2*cos(sqrt(-a*x + 1)/sqrt(a*x + 1)) - cos(sqrt(-a*x + 1)/sqrt(a*x + 1))), x)`

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{1}{(a^2x^2 - 1) \cos\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-a^2*x^2+1)/cos((-a*x+1)^(1/2)/(a*x+1)^(1/2)),x, algorithm="giac")`

```
[Out] integrate(-1/((a^2*x^2 - 1)*cos(sqrt(-a*x + 1)/sqrt(a*x + 1))), x)
```

$$3.57 \quad \int \frac{\sec^2\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx$$

**Optimal.** Leaf size=41

$$\text{Unintegrable}\left(\frac{\sec^2\left(\frac{\sqrt{1-ax}}{\sqrt{ax+1}}\right)}{(1-ax)(ax+1)}, x\right)$$

[Out] Unintegrable[Sec[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]^2/((1 - a\*x)\*(1 + a\*x)), x]

**Rubi [A]** time = 0.0842014, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{\sec^2\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx$$

Verification is Not applicable to the result.

[In] Int[Sec[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]^2/(1 - a^2\*x^2), x]

[Out] -(Defer[Subst][Defer[Int][Sec[x]^2/x, x], x, Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]/a)

Rubi steps

$$\int \frac{\sec^2\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx = -\frac{\text{Subst}\left(\int \frac{\sec^2(x)}{x} dx, x, \frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{a}$$

**Mathematica [A]** time = 10.9928, size = 0, normalized size = 0.

$$\int \frac{\sec^2\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sec[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]^2/(1 - a^2\*x^2), x]

[Out] Integrate[Sec[Sqrt[1 - a\*x]/Sqrt[1 + a\*x]]^2/(1 - a^2\*x^2), x]

**Maple [A]** time = 0.05, size = 0, normalized size = 0.

$$\int \frac{1}{-a^2x^2 + 1} \left( \cos\left(\sqrt{-ax + 1} \frac{1}{\sqrt{ax + 1}}\right) \right)^{-2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(-a^2*x^2+1)/cos((-a*x+1)^(1/2)/(a*x+1)^(1/2))^2,x)`

[Out] `int(1/(-a^2*x^2+1)/cos((-a*x+1)^(1/2)/(a*x+1)^(1/2))^2,x)`

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-a^2*x^2+1)/cos((-a*x+1)^(1/2)/(a*x+1)^(1/2))^2,x, algorithm="maxima")`

[Out] Timed out

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( -\frac{1}{(a^2x^2 - 1) \cos\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-a^2*x^2+1)/cos((-a*x+1)^(1/2)/(a*x+1)^(1/2))^2,x, algorithm="fricas")`

[Out] `integral(-1/((a^2*x^2 - 1)*cos(sqrt(-a*x + 1)/sqrt(a*x + 1))^2), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-a**2*x**2+1)/cos((-a*x+1)**(1/2)/(a*x+1)**(1/2))**2,x)`

[Out] Timed out

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{1}{(a^2x^2 - 1) \cos\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-a^2*x^2+1)/cos((-a*x+1)^(1/2)/(a*x+1)^(1/2))^2,x, algorithm="giac")`

[Out] `integrate(-1/((a^2*x^2 - 1)*cos(sqrt(-a*x + 1)/sqrt(a*x + 1))^2), x)`



$$3.58 \quad \int \frac{\tan(\sqrt{x})}{\sqrt{x}} dx$$

**Optimal.** Leaf size=9

$$-2 \log(\cos(\sqrt{x}))$$

[Out] -2\*Log[Cos[Sqrt[x]]]

**Rubi [A]** time = 0.0097141, antiderivative size = 9, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {3747, 3475}

$$-2 \log(\cos(\sqrt{x}))$$

Antiderivative was successfully verified.

[In] Int[Tan[Sqrt[x]]/Sqrt[x], x]

[Out] -2\*Log[Cos[Sqrt[x]]]

#### Rule 3747

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*Tan[(c\_) + (d\_)\*(x\_)^(n\_)])^(p\_), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*Tan[c + d\*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]

#### Rule 3475

Int[tan[(c\_) + (d\_)\*(x\_)], x\_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d\*x], x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{\tan(\sqrt{x})}{\sqrt{x}} dx &= 2 \text{Subst} \left( \int \tan(x) dx, x, \sqrt{x} \right) \\ &= -2 \log(\cos(\sqrt{x})) \end{aligned}$$

**Mathematica [A]** time = 0.0120247, size = 9, normalized size = 1.

$$-2 \log(\cos(\sqrt{x}))$$

Antiderivative was successfully verified.

[In] Integrate[Tan[Sqrt[x]]/Sqrt[x], x]

[Out] -2\*Log[Cos[Sqrt[x]]]

**Maple [A]** time = 0.003, size = 8, normalized size = 0.9

$$-2 \ln(\cos(\sqrt{x}))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(x^(1/2))/x^(1/2),x)

[Out] -2\*ln(cos(x^(1/2)))

---

**Maxima [A]** time = 1.01361, size = 9, normalized size = 1.

$$2 \log(\sec(\sqrt{x}))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(x^(1/2))/x^(1/2),x, algorithm="maxima")

[Out] 2\*log(sec(sqrt(x)))

---

**Fricas [A]** time = 2.3592, size = 41, normalized size = 4.56

$$-\log\left(\frac{1}{\tan(\sqrt{x})^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(x^(1/2))/x^(1/2),x, algorithm="fricas")

[Out] -log(1/(tan(sqrt(x))^2 + 1))

---

**Sympy [A]** time = 0.991418, size = 10, normalized size = 1.11

$$\log(\tan^2(\sqrt{x}) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(x\*\*(1/2))/x\*\*(1/2),x)

[Out] log(tan(sqrt(x))\*\*2 + 1)

---

**Giac [A]** time = 1.10323, size = 11, normalized size = 1.22

$$-2 \log(|\cos(\sqrt{x})|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(x^(1/2))/x^(1/2),x, algorithm="giac")

[Out] -2\*log(abs(cos(sqrt(x))))

$$3.59 \quad \int \frac{\tan^2(\sqrt{x})}{\sqrt{x}} dx$$

**Optimal.** Leaf size=16

$$2 \tan(\sqrt{x}) - 2\sqrt{x}$$

[Out] -2\*Sqrt[x] + 2\*Tan[Sqrt[x]]

**Rubi [A]** time = 0.0178689, antiderivative size = 16, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {3747, 3473, 8}

$$2 \tan(\sqrt{x}) - 2\sqrt{x}$$

Antiderivative was successfully verified.

[In] Int[Tan[Sqrt[x]]^2/Sqrt[x], x]

[Out] -2\*Sqrt[x] + 2\*Tan[Sqrt[x]]

#### Rule 3747

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*Tan[(c\_) + (d\_)\*(x\_)^(n\_)])^(p\_), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*Tan[c + d\*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]

#### Rule 3473

Int[((b\_)\*tan[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(b\*Tan[c + d\*x])^(n - 1))/(d\*(n - 1)), x] - Dist[b^2, Int[(b\*Tan[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1]

#### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned} \int \frac{\tan^2(\sqrt{x})}{\sqrt{x}} dx &= 2 \text{Subst} \left( \int \tan^2(x) dx, x, \sqrt{x} \right) \\ &= 2 \tan(\sqrt{x}) - 2 \text{Subst} \left( \int 1 dx, x, \sqrt{x} \right) \\ &= -2\sqrt{x} + 2 \tan(\sqrt{x}) \end{aligned}$$

**Mathematica [A]** time = 0.034028, size = 18, normalized size = 1.12

$$2 \tan(\sqrt{x}) - 2 \tan^{-1}(\tan(\sqrt{x}))$$

Antiderivative was successfully verified.

[In] Integrate[Tan[Sqrt[x]]^2/Sqrt[x],x]

[Out] -2\*ArcTan[Tan[Sqrt[x]]] + 2\*Tan[Sqrt[x]]

**Maple [A]** time = 0.007, size = 13, normalized size = 0.8

$$-2\sqrt{x} + 2 \tan(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(x^(1/2))^2/x^(1/2),x)

[Out] -2\*x^(1/2)+2\*tan(x^(1/2))

**Maxima [A]** time = 1.47961, size = 16, normalized size = 1.

$$-2\sqrt{x} + 2 \tan(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(x^(1/2))^2/x^(1/2),x, algorithm="maxima")

[Out] -2\*sqrt(x) + 2\*tan(sqrt(x))

**Fricas [A]** time = 2.28983, size = 39, normalized size = 2.44

$$-2\sqrt{x} + 2 \tan(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(x^(1/2))^2/x^(1/2),x, algorithm="fricas")

[Out] -2\*sqrt(x) + 2\*tan(sqrt(x))

**Sympy [A]** time = 1.02012, size = 14, normalized size = 0.88

$$-2\sqrt{x} + 2 \tan(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(x\*\*(1/2))\*2/x\*\*(1/2),x)

[Out] -2\*sqrt(x) + 2\*tan(sqrt(x))

**Giac [A]** time = 1.11438, size = 16, normalized size = 1.

$$-2\sqrt{x} + 2 \tan(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(x^(1/2))^2/x^(1/2),x, algorithm="giac")
```

```
[Out] -2*sqrt(x) + 2*tan(sqrt(x))
```

### 3.60 $\int \sqrt{x} \tan(\sqrt{x}) dx$

**Optimal.** Leaf size=70

$$2i\sqrt{x}\text{PolyLog}(2, -e^{2i\sqrt{x}}) - \text{PolyLog}(3, -e^{2i\sqrt{x}}) + \frac{2}{3}ix^{3/2} - 2x \log(1 + e^{2i\sqrt{x}})$$

[Out]  $((2*I)/3)*x^{(3/2)} - 2*x*\text{Log}[1 + E^{((2*I)*\text{Sqrt}[x])}] + (2*I)*\text{Sqrt}[x]*\text{PolyLog}[2, -E^{((2*I)*\text{Sqrt}[x])}] - \text{PolyLog}[3, -E^{((2*I)*\text{Sqrt}[x])}]$

**Rubi [A]** time = 0.0912281, antiderivative size = 70, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$ , Rules used = {3747, 3719, 2190, 2531, 2282, 6589}

$$2i\sqrt{x}\text{PolyLog}(2, -e^{2i\sqrt{x}}) - \text{PolyLog}(3, -e^{2i\sqrt{x}}) + \frac{2}{3}ix^{3/2} - 2x \log(1 + e^{2i\sqrt{x}})$$

Antiderivative was successfully verified.

[In] Int[Sqrt[x]\*Tan[Sqrt[x]], x]

[Out]  $((2*I)/3)*x^{(3/2)} - 2*x*\text{Log}[1 + E^{((2*I)*\text{Sqrt}[x])}] + (2*I)*\text{Sqrt}[x]*\text{PolyLog}[2, -E^{((2*I)*\text{Sqrt}[x])}] - \text{PolyLog}[3, -E^{((2*I)*\text{Sqrt}[x])}]$

#### Rule 3747

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*Tan[(c\_) + (d\_)\*(x\_)^(n\_)])^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*Tan[c + d\*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]

#### Rule 3719

Int[((c\_) + (d\_)\*(x\_))^(m\_)\*tan[(e\_) + (f\_)\*(x\_)], x\_Symbol] := Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m \* E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

#### Rule 2190

Int[(((F\_)^(g\_)\*((e\_) + (f\_)\*(x\_)))^(n\_)\*((c\_) + (d\_)\*(x\_))^(m\_))/((a\_) + (b\_)\*((F\_)^(g\_)\*((e\_) + (f\_)\*(x\_)))^(n\_)), x\_Symbol] := Simp[((c + d\*x)^m \* Log[1 + (b\*(F^(g\*(e + f\*x)))^n]/a)]/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n]/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

#### Rule 2531

Int[Log[1 + (e\_)\*((F\_)^(c\_)\*((a\_) + (b\_)\*(x\_)))^(n\_)]\*((f\_) + (g\_)\*(x\_))^(m\_), x\_Symbol] := -Simp[((f + g\*x)^m \* PolyLog[2, -(e\*(F^(c\*(a + b\*x))))^n]]/(b\*c\*n\*Log[F]), x] + Dist[(g\*m)/(b\*c\*n\*Log[F]), Int[(f + g\*x)^(m - 1)\*PolyLog[2, -(e\*(F^(c\*(a + b\*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

#### Rule 2282

Int[u\_, x\_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi

```
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)^v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rubi steps

$$\begin{aligned} \int \sqrt{x} \tan(\sqrt{x}) dx &= 2 \operatorname{Subst}\left(\int x^2 \tan(x) dx, x, \sqrt{x}\right) \\ &= \frac{2}{3}ix^{3/2} - 4i \operatorname{Subst}\left(\int \frac{e^{2ix}x^2}{1 + e^{2ix}} dx, x, \sqrt{x}\right) \\ &= \frac{2}{3}ix^{3/2} - 2x \log(1 + e^{2i\sqrt{x}}) + 4 \operatorname{Subst}\left(\int x \log(1 + e^{2ix}) dx, x, \sqrt{x}\right) \\ &= \frac{2}{3}ix^{3/2} - 2x \log(1 + e^{2i\sqrt{x}}) + 2i\sqrt{x}\operatorname{Li}_2(-e^{2i\sqrt{x}}) - 2i \operatorname{Subst}\left(\int \operatorname{Li}_2(-e^{2ix}) dx, x, \sqrt{x}\right) \\ &= \frac{2}{3}ix^{3/2} - 2x \log(1 + e^{2i\sqrt{x}}) + 2i\sqrt{x}\operatorname{Li}_2(-e^{2i\sqrt{x}}) - \operatorname{Subst}\left(\int \frac{\operatorname{Li}_2(-x)}{x} dx, x, e^{2i\sqrt{x}}\right) \\ &= \frac{2}{3}ix^{3/2} - 2x \log(1 + e^{2i\sqrt{x}}) + 2i\sqrt{x}\operatorname{Li}_2(-e^{2i\sqrt{x}}) - \operatorname{Li}_3(-e^{2i\sqrt{x}}) \end{aligned}$$

**Mathematica [A]** time = 0.0205173, size = 70, normalized size = 1.

$$2i\sqrt{x}\operatorname{PolyLog}\left(2, -e^{2i\sqrt{x}}\right) - \operatorname{PolyLog}\left(3, -e^{2i\sqrt{x}}\right) + \frac{2}{3}ix^{3/2} - 2x \log(1 + e^{2i\sqrt{x}})$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[x]*Tan[Sqrt[x]], x]
```

```
[Out] ((2*I)/3)*x^(3/2) - 2*x*Log[1 + E^((2*I)*Sqrt[x])] + (2*I)*Sqrt[x]*PolyLog[
2, -E^((2*I)*Sqrt[x])] - PolyLog[3, -E^((2*I)*Sqrt[x])]
```

**Maple [F]** time = 0.026, size = 0, normalized size = 0.

$$\int \sqrt{x} \tan(\sqrt{x}) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^(1/2)*tan(x^(1/2)), x)
```

```
[Out] int(x^(1/2)*tan(x^(1/2)), x)
```

**Maxima [A]** time = 1.52134, size = 108, normalized size = 1.54

$$-2ix \arctan(\sin(2\sqrt{x}), \cos(2\sqrt{x}) + 1) - x \log(\cos(2\sqrt{x})^2 + \sin(2\sqrt{x})^2 + 2\cos(2\sqrt{x}) + 1) + \frac{2}{3}ix^{\frac{3}{2}} + 2i\sqrt{x}\operatorname{Li}_2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(1/2)\*tan(x^(1/2)),x, algorithm="maxima")

[Out]  $-2*I*x*\arctan2(\sin(2*\sqrt{x}), \cos(2*\sqrt{x}) + 1) - x*\log(\cos(2*\sqrt{x})^2 + \sin(2*\sqrt{x})^2 + 2*\cos(2*\sqrt{x}) + 1) + 2/3*I*x^{3/2} + 2*I*\sqrt{x}*dilog(-e^{2*I*\sqrt{x}}) - polylog(3, -e^{2*I*\sqrt{x}})$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}(\sqrt{x} \tan(\sqrt{x}), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(1/2)\*tan(x^(1/2)),x, algorithm="fricas")

[Out] integral(sqrt(x)\*tan(sqrt(x)), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{x} \tan(\sqrt{x}) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*(1/2)\*tan(x\*\*(1/2)),x)

[Out] Integral(sqrt(x)\*tan(sqrt(x)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{x} \tan(\sqrt{x}) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(1/2)\*tan(x^(1/2)),x, algorithm="giac")

[Out] integrate(sqrt(x)\*tan(sqrt(x)), x)



$$3.61 \quad \int \left( \frac{b \tan(a+bx+cx^2)}{2c} + x \tan(a+bx+cx^2) \right) dx$$

**Optimal.** Leaf size=19

$$-\frac{\log(\cos(a+bx+cx^2))}{2c}$$

[Out] -Log[Cos[a + b\*x + c\*x^2]]/(2\*c)

**Rubi [A]** time = 0.0176489, antiderivative size = 19, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.03$ , Rules used = {3763}

$$-\frac{\log(\cos(a+bx+cx^2))}{2c}$$

Antiderivative was successfully verified.

[In] Int[(b\*Tan[a + b\*x + c\*x^2])/(2\*c) + x\*Tan[a + b\*x + c\*x^2], x]

[Out] -Log[Cos[a + b\*x + c\*x^2]]/(2\*c)

**Rule 3763**

Int[((d\_.) + (e\_.)\*(x\_.))\*Tan[(a\_.) + (b\_.)\*(x\_.) + (c\_.)\*(x\_)^2], x\_Symbol]  
 :> -Simp[(e\*Log[Cos[a + b\*x + c\*x^2]])/(2\*c), x] + Dist[(2\*c\*d - b\*e)/(2\*c),  
 Int[Tan[a + b\*x + c\*x^2], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2\*c\*d - b\*e, 0]

**Rubi steps**

$$\int \left( \frac{b \tan(a+bx+cx^2)}{2c} + x \tan(a+bx+cx^2) \right) dx = \frac{b \int \tan(a+bx+cx^2) dx}{2c} + \int x \tan(a+bx+cx^2) dx$$

$$= -\frac{\log(\cos(a+bx+cx^2))}{2c}$$

**Mathematica [A]** time = 0.676132, size = 18, normalized size = 0.95

$$-\frac{\log(\cos(a+x(b+cx)))}{2c}$$

Antiderivative was successfully verified.

[In] Integrate[(b\*Tan[a + b\*x + c\*x^2])/(2\*c) + x\*Tan[a + b\*x + c\*x^2], x]

[Out] -Log[Cos[a + x\*(b + c\*x)]]/(2\*c)

**Maple [A]** time = 0.03, size = 18, normalized size = 1.

$$-\frac{\ln(\cos(cx^2+bx+a))}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/2*b*tan(c*x^2+b*x+a)/c+x*tan(c*x^2+b*x+a),x)`

[Out]  $-1/2*\ln(\cos(c*x^2+b*x+a))/c$

**Maxima [B]** time = 1.20718, size = 112, normalized size = 5.89

$$\frac{\log\left(\cos(2cx^2)^2 + 2\cos(2cx^2)\cos(2bx+2a) + \cos(2bx+2a)^2 + \sin(2cx^2)^2 - 2\sin(2cx^2)\sin(2bx+2a) + \sin(2bx+2a)^2\right)}{4c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/2*b*tan(c*x^2+b*x+a)/c+x*tan(c*x^2+b*x+a),x, algorithm="maxima")`

[Out]  $-1/4*\log(\cos(2*c*x^2)^2 + 2*\cos(2*c*x^2)*\cos(2*b*x + 2*a) + \cos(2*b*x + 2*a)^2 + \sin(2*c*x^2)^2 - 2*\sin(2*c*x^2)*\sin(2*b*x + 2*a) + \sin(2*b*x + 2*a)^2)/c$

**Fricas [A]** time = 2.37484, size = 59, normalized size = 3.11

$$-\frac{\log\left(\frac{1}{\tan(cx^2+bx+a)^2+1}\right)}{4c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/2*b*tan(c*x^2+b*x+a)/c+x*tan(c*x^2+b*x+a),x, algorithm="fricas")`

[Out]  $-1/4*\log(1/(\tan(c*x^2 + b*x + a)^2 + 1))/c$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int b \tan(a + bx + cx^2) dx + \int 2cx \tan(a + bx + cx^2) dx}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/2*b*tan(c*x**2+b*x+a)/c+x*tan(c*x**2+b*x+a),x)`

[Out]  $(\text{Integral}(b*\tan(a + b*x + c*x**2), x) + \text{Integral}(2*c*x*\tan(a + b*x + c*x**2), x))/(2*c)$

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int x \tan(cx^2 + bx + a) + \frac{b \tan(cx^2 + bx + a)}{2c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/2*b*tan(c*x^2+b*x+a)/c+x*tan(c*x^2+b*x+a),x, algorithm="giac")
```

```
[Out] integrate(x*tan(c*x^2 + b*x + a) + 1/2*b*tan(c*x^2 + b*x + a)/c, x)
```

$$3.62 \quad \int \frac{\cot^2(\sqrt{x})}{\sqrt{x}} dx$$

**Optimal.** Leaf size=16

$$-2\sqrt{x} - 2 \cot(\sqrt{x})$$

[Out] -2\*Sqrt[x] - 2\*Cot[Sqrt[x]]

**Rubi [A]** time = 0.0184914, antiderivative size = 16, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {3748, 3473, 8}

$$-2\sqrt{x} - 2 \cot(\sqrt{x})$$

Antiderivative was successfully verified.

[In] Int[Cot[Sqrt[x]]^2/Sqrt[x], x]

[Out] -2\*Sqrt[x] - 2\*Cot[Sqrt[x]]

#### Rule 3748

Int[((a\_.) + Cot[(c\_.) + (d\_.)\*(x\_)^(n\_)])\*(b\_.))^(p\_.)\*(x\_)^(m\_.), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*Cot[c + d\*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]

#### Rule 3473

Int[((b\_.)\*tan[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(b\*Tan[c + d\*x])^(n - 1))/(d\*(n - 1)), x] - Dist[b^2, Int[(b\*Tan[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1]

#### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned} \int \frac{\cot^2(\sqrt{x})}{\sqrt{x}} dx &= 2 \text{Subst} \left( \int \cot^2(x) dx, x, \sqrt{x} \right) \\ &= -2 \cot(\sqrt{x}) - 2 \text{Subst} \left( \int 1 dx, x, \sqrt{x} \right) \\ &= -2\sqrt{x} - 2 \cot(\sqrt{x}) \end{aligned}$$

**Mathematica [C]** time = 0.0443974, size = 26, normalized size = 1.62

$$-2 \cot(\sqrt{x}) \text{Hypergeometric2F1} \left( -\frac{1}{2}, 1, \frac{1}{2}, -\tan^2(\sqrt{x}) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cot[Sqrt[x]]^2/Sqrt[x],x]

[Out]  $-2*\text{Cot}[\text{Sqrt}[x]]*\text{Hypergeometric2F1}[-1/2, 1, 1/2, -\text{Tan}[\text{Sqrt}[x]]^2]$

**Maple [A]** time = 0.005, size = 14, normalized size = 0.9

$$-2 \cot(\sqrt{x}) + \pi - 2\sqrt{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(x^(1/2))^2/x^(1/2),x)

[Out]  $-2*\cot(x^{(1/2)})+\text{Pi}-2*x^{(1/2)}$

**Maxima [A]** time = 1.49848, size = 19, normalized size = 1.19

$$-2\sqrt{x} - \frac{2}{\tan(\sqrt{x})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(x^(1/2))^2/x^(1/2),x, algorithm="maxima")

[Out]  $-2*\text{sqrt}(x) - 2/\text{tan}(\text{sqrt}(x))$

**Fricas [B]** time = 2.38831, size = 88, normalized size = 5.5

$$\frac{2(\sqrt{x} \sin(2\sqrt{x}) + \cos(2\sqrt{x}) + 1)}{\sin(2\sqrt{x})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(x^(1/2))^2/x^(1/2),x, algorithm="fricas")

[Out]  $-2*(\text{sqrt}(x)*\sin(2*\text{sqrt}(x)) + \cos(2*\text{sqrt}(x)) + 1)/\sin(2*\text{sqrt}(x))$

**Sympy [A]** time = 0.709173, size = 15, normalized size = 0.94

$$-2\sqrt{x} - 2 \cot(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(x\*\*(1/2))\*\*2/x\*\*(1/2),x)

[Out]  $-2*\text{sqrt}(x) - 2*\cot(\text{sqrt}(x))$

**Giac [A]** time = 1.12142, size = 30, normalized size = 1.88

$$-2\sqrt{x} - \frac{1}{\tan\left(\frac{1}{2}\sqrt{x}\right)} + \tan\left(\frac{1}{2}\sqrt{x}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(x^(1/2))^2/x^(1/2),x, algorithm="giac")

[Out] -2\*sqrt(x) - 1/tan(1/2\*sqrt(x)) + tan(1/2\*sqrt(x))

### 3.63 $\int \frac{\sqrt{a+b \sec(c+dx)}}{1+\cos(c+dx)} dx$

**Optimal.** Leaf size=92

$$\frac{\sqrt{\frac{1}{\sec(c+dx)+1}} \sqrt{a+b \sec(c+dx)} E\left(\sin^{-1}\left(\frac{\tan(c+dx)}{\sec(c+dx)+1}\right) \middle| \frac{a-b}{a+b}\right)}{d \sqrt{\frac{a+b \sec(c+dx)}{(a+b)(\sec(c+dx)+1)}}$$

[Out] (EllipticE[ArcSin[Tan[c + d\*x]/(1 + Sec[c + d\*x])], (a - b)/(a + b)]\*Sqrt[(1 + Sec[c + d\*x])^(-1)]\*Sqrt[a + b\*Sec[c + d\*x]]/(d\*Sqrt[(a + b\*Sec[c + d\*x])/((a + b)\*(1 + Sec[c + d\*x]))]))

**Rubi [A]** time = 0.164096, antiderivative size = 92, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.08$ , Rules used = {2829, 3968}

$$\frac{\sqrt{\frac{1}{\sec(c+dx)+1}} \sqrt{a+b \sec(c+dx)} E\left(\sin^{-1}\left(\frac{\tan(c+dx)}{\sec(c+dx)+1}\right) \middle| \frac{a-b}{a+b}\right)}{d \sqrt{\frac{a+b \sec(c+dx)}{(a+b)(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b\*Sec[c + d\*x]]/(1 + Cos[c + d\*x]), x]

[Out] (EllipticE[ArcSin[Tan[c + d\*x]/(1 + Sec[c + d\*x])], (a - b)/(a + b)]\*Sqrt[(1 + Sec[c + d\*x])^(-1)]\*Sqrt[a + b\*Sec[c + d\*x]]/(d\*Sqrt[(a + b\*Sec[c + d\*x])/((a + b)\*(1 + Sec[c + d\*x]))]))

#### Rule 2829

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.) + (c\_.)^(n\_.))\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.), x\_Symbol] := Int[((b + a\*Csc[e + f\*x])^m\*(c + d\*Csc[e + f\*x])^n)/Csc[e + f\*x]^m, x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !IntegerQ[n] && IntegerQ[m]

#### Rule 3968

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*Sqrt[csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)])/(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.) + (c\_.)), x\_Symbol] := -Simp[(Sqrt[a + b\*Csc[e + f\*x]]\*Sqrt[c/(c + d\*Csc[e + f\*x])]\*EllipticE[ArcSin[(c\*Cot[e + f\*x])/(c + d\*Csc[e + f\*x])], -((b\*c - a\*d)/(b\*c + a\*d))]/(d\*f\*Sqrt[(c\*d\*(a + b\*Csc[e + f\*x]))/(b\*c + a\*d)\*(c + d\*Csc[e + f\*x])])), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && EqQ[c^2 - d^2, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a+b \sec(c+dx)}}{1+\cos(c+dx)} dx &= \int \frac{\sec(c+dx)\sqrt{a+b \sec(c+dx)}}{1+\sec(c+dx)} dx \\ &= \frac{E\left(\sin^{-1}\left(\frac{\tan(c+dx)}{1+\sec(c+dx)}\right) \middle| \frac{a-b}{a+b}\right) \sqrt{\frac{1}{1+\sec(c+dx)}} \sqrt{a+b \sec(c+dx)}}{d \sqrt{\frac{a+b \sec(c+dx)}{(a+b)(1+\sec(c+dx))}}} \end{aligned}$$

**Mathematica [A]** time = 1.56502, size = 85, normalized size = 0.92

$$\frac{\sqrt{\frac{1}{\sec(c+dx)+1}} \sqrt{a+b \sec(c+dx)} E\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right) \middle| \frac{a-b}{a+b}\right)}{d \sqrt{\frac{a \cos(c+dx)+b}{(a+b)(\cos(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b\*Sec[c + d\*x]]/(1 + Cos[c + d\*x]),x]

[Out] (EllipticE[ArcSin[Tan[(c + d\*x)/2]], (a - b)/(a + b)]\*Sqrt[(1 + Sec[c + d\*x])^(-1)]\*Sqrt[a + b\*Sec[c + d\*x]]/(d\*Sqrt[(b + a\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]))

**Maple [A]** time = 0.305, size = 150, normalized size = 1.6

$$\frac{(-a-b)(\cos(dx+c)-1)(1+\cos(dx+c))^2}{d(a\cos(dx+c)+b)(\sin(dx+c))^2} \text{EllipticE}\left(\frac{\cos(dx+c)-1}{\sin(dx+c)}, \sqrt{\frac{a-b}{a+b}}\right) \sqrt{\frac{a\cos(dx+c)+b}{(a+b)(1+\cos(dx+c))}} \sqrt{\frac{\cos(dx+c)+1}{1+\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*sec(d\*x+c))^(1/2)/(1+cos(d\*x+c)),x)

[Out] -1/d\*(-a-b)\*EllipticE((cos(d\*x+c)-1)/sin(d\*x+c),((a-b)/(a+b))^(1/2))\*(1/(a+b)\*(a\*cos(d\*x+c)+b)/(1+cos(d\*x+c)))^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(cos(d\*x+c)-1)\*((a\*cos(d\*x+c)+b)/cos(d\*x+c))^(1/2)\*(1+cos(d\*x+c))^2/(a\*cos(d\*x+c)+b)/sin(d\*x+c)^2

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{b \sec(dx+c) + a}}{\cos(dx+c) + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sec(d\*x+c))^(1/2)/(1+cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate(sqrt(b\*sec(d\*x + c) + a)/(cos(d\*x + c) + 1), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{b \sec(dx+c) + a}}{\cos(dx+c) + 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sec(d\*x+c))^(1/2)/(1+cos(d\*x+c)),x, algorithm="fricas")

[Out] integral(sqrt(b\*sec(d\*x + c) + a)/(cos(d\*x + c) + 1), x)



---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{a + b \sec(c + dx)}}{\cos(c + dx) + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sec(d\*x+c))\*\*(1/2)/(1+cos(d\*x+c)),x)

[Out] Integral(sqrt(a + b\*sec(c + d\*x))/(cos(c + d\*x) + 1), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{b \sec(dx + c) + a}}{\cos(dx + c) + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sec(d\*x+c))^(1/2)/(1+cos(d\*x+c)),x, algorithm="giac")

[Out] integrate(sqrt(b\*sec(d\*x + c) + a)/(cos(d\*x + c) + 1), x)

### 3.64 $\int \sec(a + bx) \sec(2a + 2bx) dx$

**Optimal.** Leaf size=35

$$\frac{\sqrt{2} \tanh^{-1}(\sqrt{2} \sin(a + bx))}{b} - \frac{\tanh^{-1}(\sin(a + bx))}{b}$$

[Out]  $-(\text{ArcTanh}[\text{Sin}[a + b*x]]/b) + (\text{Sqrt}[2]*\text{ArcTanh}[\text{Sqrt}[2]*\text{Sin}[a + b*x]])/b$

**Rubi [A]** time = 0.0333557, antiderivative size = 35, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$ , Rules used = {4364, 1093, 207}

$$\frac{\sqrt{2} \tanh^{-1}(\sqrt{2} \sin(a + bx))}{b} - \frac{\tanh^{-1}(\sin(a + bx))}{b}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sec}[a + b*x]*\text{Sec}[2*a + 2*b*x], x]$

[Out]  $-(\text{ArcTanh}[\text{Sin}[a + b*x]]/b) + (\text{Sqrt}[2]*\text{ArcTanh}[\text{Sqrt}[2]*\text{Sin}[a + b*x]])/b$

#### Rule 4364

$\text{Int}[(u_)*(F_)[(c_)*((a_)+(b_)*(x_))]^{(n_)}, x\_Symbol] := \text{With}[\{d = \text{FreeFactors}[\text{Sin}[c*(a + b*x)], x]\}, \text{Dist}[d/(b*c), \text{Subst}[\text{Int}[\text{SubstFor}[(1 - d^2*x^2)^{(n-1)/2}, \text{Sin}[c*(a + b*x)]/d, u, x], x], x, \text{Sin}[c*(a + b*x)]/d, x] / ; \text{FunctionOfQ}[\text{Sin}[c*(a + b*x)]/d, u, x] / ; \text{FreeQ}[\{a, b, c\}, x] \&\& \text{IntegerQ}[(n-1)/2] \&\& \text{NonsumQ}[u] \&\& (\text{EqQ}[F, \text{Cos}] \mid \mid \text{EqQ}[F, \text{cos}])$

#### Rule 1093

$\text{Int}[(a_)+(b_)*(x_)^2+(c_)*(x_)^4]^{(-1)}, x\_Symbol] := \text{With}[\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[c/q, \text{Int}[1/(b/2 - q/2 + c*x^2), x], x] - \text{Dist}[c/q, \text{Int}[1/(b/2 + q/2 + c*x^2), x], x] / ; \text{FreeQ}[\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{PosQ}[b^2 - 4*a*c]$

#### Rule 207

$\text{Int}[(a_)+(b_)*(x_)^2]^{(-1)}, x\_Symbol] := -\text{Simp}[\text{ArcTanh}[(\text{Rt}[b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[b, 2]), x] / ; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{LtQ}[a, 0] \mid \mid \text{GtQ}[b, 0])$

#### Rubi steps

$$\begin{aligned} \int \sec(a + bx) \sec(2a + 2bx) dx &= \frac{\text{Subst}\left(\int \frac{1}{1-3x^2+2x^4} dx, x, \sin(a + bx)\right)}{b} \\ &= \frac{2 \text{Subst}\left(\int \frac{1}{-2+2x^2} dx, x, \sin(a + bx)\right)}{b} - \frac{2 \text{Subst}\left(\int \frac{1}{-1+2x^2} dx, x, \sin(a + bx)\right)}{b} \\ &= -\frac{\tanh^{-1}(\sin(a + bx))}{b} + \frac{\sqrt{2} \tanh^{-1}(\sqrt{2} \sin(a + bx))}{b} \end{aligned}$$

**Mathematica [A]** time = 0.0369994, size = 35, normalized size = 1.

$$\frac{\sqrt{2} \tanh^{-1}(\sqrt{2} \sin(a + bx))}{b} - \frac{\tanh^{-1}(\sin(a + bx))}{b}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[a + b\*x]\*Sec[2\*a + 2\*b\*x], x]

[Out] -(ArcTanh[Sin[a + b\*x]]/b) + (Sqrt[2]\*ArcTanh[Sqrt[2]\*Sin[a + b\*x]])/b

**Maple [A]** time = 0.045, size = 48, normalized size = 1.4

$$\frac{\operatorname{Artanh}\left(\sin(bx+a)\sqrt{2}\right)\sqrt{2}}{b} - \frac{\ln(1+\sin(bx+a))}{2b} + \frac{\ln(\sin(bx+a)-1)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(b\*x+a)\*sec(2\*b\*x+2\*a), x)

[Out] arctanh(sin(b\*x+a)\*2^(1/2))\*2^(1/2)/b-1/2/b\*ln(1+sin(b\*x+a))+1/2/b\*ln(sin(b\*x+a)-1)

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(b\*x+a)\*sec(2\*b\*x+2\*a), x, algorithm="maxima")

[Out] Timed out

**Fricas [B]** time = 2.4085, size = 193, normalized size = 5.51

$$\frac{\sqrt{2} \log\left(-\frac{2 \cos(bx+a)^2 - 2\sqrt{2} \sin(bx+a) - 3}{2 \cos(bx+a)^2 - 1}\right) - \log(\sin(bx+a) + 1) + \log(-\sin(bx+a) + 1)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(b\*x+a)\*sec(2\*b\*x+2\*a), x, algorithm="fricas")

[Out] 1/2\*(sqrt(2)\*log(-(2\*cos(b\*x + a)^2 - 2\*sqrt(2)\*sin(b\*x + a) - 3)/(2\*cos(b\*x + a)^2 - 1)) - log(sin(b\*x + a) + 1) + log(-sin(b\*x + a) + 1))/b

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sec(a + bx) \sec(2a + 2bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(b\*x+a)\*sec(2\*b\*x+2\*a),x)

[Out] Integral(sec(a + b\*x)\*sec(2\*a + 2\*b\*x), x)

**Giac [B]** time = 2.54691, size = 1280, normalized size = 36.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(b\*x+a)\*sec(2\*b\*x+2\*a),x, algorithm="giac")

[Out]  $\frac{1}{2} \cdot (\sqrt{2} \cdot \log(\abs{2 \cdot \tan(1/2 \cdot b \cdot x + 2 \cdot a) \cdot \tan(1/2 \cdot a)^6 + 12 \cdot \tan(1/2 \cdot b \cdot x + 2 \cdot a) \cdot \tan(1/2 \cdot a)^5 - 2 \cdot \tan(1/2 \cdot a)^6 - 30 \cdot \tan(1/2 \cdot b \cdot x + 2 \cdot a) \cdot \tan(1/2 \cdot a)^4 + 12 \cdot \tan(1/2 \cdot a)^5 - 40 \cdot \tan(1/2 \cdot b \cdot x + 2 \cdot a) \cdot \tan(1/2 \cdot a)^3 + 30 \cdot \tan(1/2 \cdot a)^4 + 30 \cdot \tan(1/2 \cdot b \cdot x + 2 \cdot a) \cdot \tan(1/2 \cdot a)^2 - 40 \cdot \tan(1/2 \cdot a)^3 + 12 \cdot \tan(1/2 \cdot b \cdot x + 2 \cdot a) \cdot \tan(1/2 \cdot a) - 30 \cdot \tan(1/2 \cdot a)^2 - 2 \cdot \sqrt{2} \cdot (\tan(1/2 \cdot a)^6 + 3 \cdot \tan(1/2 \cdot a)^4 + 3 \cdot \tan(1/2 \cdot a)^2 + 1) - 2 \cdot \tan(1/2 \cdot b \cdot x + 2 \cdot a) + 12 \cdot \tan(1/2 \cdot a) + 2}) / \abs{2 \cdot \tan(1/2 \cdot b \cdot x + 2 \cdot a) \cdot \tan(1/2 \cdot a)^6 + 12 \cdot \tan(1/2 \cdot b \cdot x + 2 \cdot a) \cdot \tan(1/2 \cdot a)^5 - 2 \cdot \tan(1/2 \cdot a)^6 - 30 \cdot \tan(1/2 \cdot b \cdot x + 2 \cdot a) \cdot \tan(1/2 \cdot a)^4 + 12 \cdot \tan(1/2 \cdot a)^5 - 40 \cdot \tan(1/2 \cdot b \cdot x + 2 \cdot a) \cdot \tan(1/2 \cdot a)^3 + 30 \cdot \tan(1/2 \cdot a)^4 + 30 \cdot \tan(1/2 \cdot b \cdot x + 2 \cdot a) \cdot \tan(1/2 \cdot a)^2 - 40 \cdot \tan(1/2 \cdot a)^3 + 12 \cdot \tan(1/2 \cdot b \cdot x + 2 \cdot a) \cdot \tan(1/2 \cdot a) - 30 \cdot \tan(1/2 \cdot a)^2 + 2 \cdot \sqrt{2} \cdot (\tan(1/2 \cdot a)^6 + 3 \cdot \tan(1/2 \cdot a)^4 + 3 \cdot \tan(1/2 \cdot a)^2 + 1) - 2 \cdot \tan(1/2 \cdot b \cdot x + 2 \cdot a) + 12 \cdot \tan(1/2 \cdot a) + 2}) + \sqrt{2} \cdot \log(\abs{2 \cdot \tan(1/2 \cdot b \cdot x + 2 \cdot a) \cdot \tan(1/2 \cdot a)^6 - 12 \cdot \tan(1/2 \cdot b \cdot x + 2 \cdot a) \cdot \tan(1/2 \cdot a)^5 + 2 \cdot \tan(1/2 \cdot a)^6 - 30 \cdot \tan(1/2 \cdot b \cdot x + 2 \cdot a) \cdot \tan(1/2 \cdot a)^4 + 12 \cdot \tan(1/2 \cdot a)^5 + 40 \cdot \tan(1/2 \cdot b \cdot x + 2 \cdot a) \cdot \tan(1/2 \cdot a)^3 - 30 \cdot \tan(1/2 \cdot a)^4 + 30 \cdot \tan(1/2 \cdot b \cdot x + 2 \cdot a) \cdot \tan(1/2 \cdot a)^2 - 40 \cdot \tan(1/2 \cdot a)^3 - 12 \cdot \tan(1/2 \cdot b \cdot x + 2 \cdot a) \cdot \tan(1/2 \cdot a) + 30 \cdot \tan(1/2 \cdot a)^2 - 2 \cdot \sqrt{2} \cdot (\tan(1/2 \cdot a)^6 + 3 \cdot \tan(1/2 \cdot a)^4 + 3 \cdot \tan(1/2 \cdot a)^2 + 1) - 2 \cdot \tan(1/2 \cdot b \cdot x + 2 \cdot a) + 12 \cdot \tan(1/2 \cdot a) - 2}) / \abs{2 \cdot \tan(1/2 \cdot b \cdot x + 2 \cdot a) \cdot \tan(1/2 \cdot a)^6 - 12 \cdot \tan(1/2 \cdot b \cdot x + 2 \cdot a) \cdot \tan(1/2 \cdot a)^5 + 2 \cdot \tan(1/2 \cdot a)^6 - 30 \cdot \tan(1/2 \cdot b \cdot x + 2 \cdot a) \cdot \tan(1/2 \cdot a)^4 + 12 \cdot \tan(1/2 \cdot a)^5 + 40 \cdot \tan(1/2 \cdot b \cdot x + 2 \cdot a) \cdot \tan(1/2 \cdot a)^3 - 30 \cdot \tan(1/2 \cdot a)^4 + 30 \cdot \tan(1/2 \cdot b \cdot x + 2 \cdot a) \cdot \tan(1/2 \cdot a)^2 - 40 \cdot \tan(1/2 \cdot a)^3 - 12 \cdot \tan(1/2 \cdot b \cdot x + 2 \cdot a) \cdot \tan(1/2 \cdot a) + 30 \cdot \tan(1/2 \cdot a)^2 + 2 \cdot \sqrt{2} \cdot (\tan(1/2 \cdot a)^6 + 3 \cdot \tan(1/2 \cdot a)^4 + 3 \cdot \tan(1/2 \cdot a)^2 + 1) - 2 \cdot \tan(1/2 \cdot b \cdot x + 2 \cdot a) + 12 \cdot \tan(1/2 \cdot a) - 2}) - 2 \cdot \log(\abs{\tan(1/2 \cdot b \cdot x + 2 \cdot a) \cdot \tan(1/2 \cdot a)^3 + 3 \cdot \tan(1/2 \cdot b \cdot x + 2 \cdot a) \cdot \tan(1/2 \cdot a)^2 - \tan(1/2 \cdot a)^3 - 3 \cdot \tan(1/2 \cdot b \cdot x + 2 \cdot a) \cdot \tan(1/2 \cdot a) + 3 \cdot \tan(1/2 \cdot a)^2 - \tan(1/2 \cdot b \cdot x + 2 \cdot a) + 3 \cdot \tan(1/2 \cdot a) - 1}) + 2 \cdot \log(\abs{\tan(1/2 \cdot b \cdot x + 2 \cdot a) \cdot \tan(1/2 \cdot a)^3 - 3 \cdot \tan(1/2 \cdot b \cdot x + 2 \cdot a) \cdot \tan(1/2 \cdot a)^2 + \tan(1/2 \cdot a)^3 - 3 \cdot \tan(1/2 \cdot b \cdot x + 2 \cdot a) \cdot \tan(1/2 \cdot a) + 3 \cdot \tan(1/2 \cdot a)^2 + \tan(1/2 \cdot b \cdot x + 2 \cdot a) - 3 \cdot \tan(1/2 \cdot a) - 1})) / b$

### 3.65 $\int \sec(a + bx) \sec(2(a + bx)) dx$

**Optimal.** Leaf size=35

$$\frac{\sqrt{2} \tanh^{-1}(\sqrt{2} \sin(a + bx))}{b} - \frac{\tanh^{-1}(\sin(a + bx))}{b}$$

[Out]  $-(\text{ArcTanh}[\text{Sin}[a + b*x]]/b) + (\text{Sqrt}[2]*\text{ArcTanh}[\text{Sqrt}[2]*\text{Sin}[a + b*x]])/b$

**Rubi [A]** time = 0.0325854, antiderivative size = 35, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {4364, 1093, 207}

$$\frac{\sqrt{2} \tanh^{-1}(\sqrt{2} \sin(a + bx))}{b} - \frac{\tanh^{-1}(\sin(a + bx))}{b}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sec}[a + b*x]*\text{Sec}[2*(a + b*x)], x]$

[Out]  $-(\text{ArcTanh}[\text{Sin}[a + b*x]]/b) + (\text{Sqrt}[2]*\text{ArcTanh}[\text{Sqrt}[2]*\text{Sin}[a + b*x]])/b$

#### Rule 4364

$\text{Int}[(u_)*(F_)[(c_)*((a_.) + (b_)*(x_))]^{(n_)}, x\_Symbol] :> \text{With}[\{d = \text{FreeFactors}[\text{Sin}[c*(a + b*x)], x]\}, \text{Dist}[d/(b*c), \text{Subst}[\text{Int}[\text{SubstFor}[(1 - d^2*x^2)^{(n-1)/2}, \text{Sin}[c*(a + b*x)]/d, u, x], x], x, \text{Sin}[c*(a + b*x)]/d], x] / ; \text{FunctionOfQ}[\text{Sin}[c*(a + b*x)]/d, u, x] / ; \text{FreeQ}\{a, b, c\}, x\} \&\& \text{IntegerQ}[(n-1)/2] \&\& \text{NonsumQ}[u] \&\& (\text{EqQ}[F, \text{Cos}] \ || \ \text{EqQ}[F, \text{cos}])$

#### Rule 1093

$\text{Int}[(a_ + (b_)*(x_)^2 + (c_)*(x_)^4)^{-1}, x\_Symbol] :> \text{With}[\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[c/q, \text{Int}[1/(b/2 - q/2 + c*x^2), x], x] - \text{Dist}[c/q, \text{Int}[1/(b/2 + q/2 + c*x^2), x], x]] / ; \text{FreeQ}\{a, b, c\}, x\} \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{PosQ}[b^2 - 4*a*c]$

#### Rule 207

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x\_Symbol] :> -\text{Simp}[\text{ArcTanh}[(\text{Rt}[b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[b, 2]), x] / ; \text{FreeQ}\{a, b\}, x\} \&\& \text{NegQ}[a/b] \&\& (\text{LtQ}[a, 0] \ || \ \text{GtQ}[b, 0])$

#### Rubi steps

$$\begin{aligned} \int \sec(a + bx) \sec(2(a + bx)) dx &= \frac{\text{Subst}\left(\int \frac{1}{1-3x^2+2x^4} dx, x, \sin(a + bx)\right)}{b} \\ &= \frac{2 \text{Subst}\left(\int \frac{1}{-2+2x^2} dx, x, \sin(a + bx)\right)}{b} - \frac{2 \text{Subst}\left(\int \frac{1}{-1+2x^2} dx, x, \sin(a + bx)\right)}{b} \\ &= -\frac{\tanh^{-1}(\sin(a + bx))}{b} + \frac{\sqrt{2} \tanh^{-1}(\sqrt{2} \sin(a + bx))}{b} \end{aligned}$$

**Mathematica [A]** time = 0.0245152, size = 35, normalized size = 1.

$$\frac{\sqrt{2} \tanh^{-1}(\sqrt{2} \sin(a + bx))}{b} - \frac{\tanh^{-1}(\sin(a + bx))}{b}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[a + b\*x]\*Sec[2\*(a + b\*x)], x]

[Out] -(ArcTanh[Sin[a + b\*x]]/b) + (Sqrt[2]\*ArcTanh[Sqrt[2]\*Sin[a + b\*x]])/b

**Maple [A]** time = 0.002, size = 48, normalized size = 1.4

$$\frac{\operatorname{Arctanh}\left(\sin(bx + a)\sqrt{2}\right)\sqrt{2}}{b} - \frac{\ln(1 + \sin(bx + a))}{2b} + \frac{\ln(\sin(bx + a) - 1)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(b\*x+a)\*sec(2\*b\*x+2\*a), x)

[Out] arctanh(sin(b\*x+a)\*2^(1/2))\*2^(1/2)/b-1/2/b\*ln(1+sin(b\*x+a))+1/2/b\*ln(sin(b\*x+a)-1)

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(b\*x+a)\*sec(2\*b\*x+2\*a), x, algorithm="maxima")

[Out] Timed out

**Fricas [B]** time = 2.48587, size = 193, normalized size = 5.51

$$\frac{\sqrt{2} \log\left(-\frac{2 \cos(bx+a)^2 - 2\sqrt{2} \sin(bx+a) - 3}{2 \cos(bx+a)^2 - 1}\right) - \log(\sin(bx + a) + 1) + \log(-\sin(bx + a) + 1)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(b\*x+a)\*sec(2\*b\*x+2\*a), x, algorithm="fricas")

[Out] 1/2\*(sqrt(2)\*log(-(2\*cos(b\*x + a)^2 - 2\*sqrt(2)\*sin(b\*x + a) - 3)/(2\*cos(b\*x + a)^2 - 1)) - log(sin(b\*x + a) + 1) + log(-sin(b\*x + a) + 1))/b

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sec(a + bx) \sec(2a + 2bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(b*x+a)*sec(2*b*x+2*a), x)
```

```
[Out] Integral(sec(a + b*x)*sec(2*a + 2*b*x), x)
```

**Giac [B]** time = 2.52323, size = 1280, normalized size = 36.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(b*x+a)*sec(2*b*x+2*a), x, algorithm="giac")
```

```
[Out] 1/2*(sqrt(2)*log(abs(2*tan(1/2*b*x + 2*a)*tan(1/2*a)^6 + 12*tan(1/2*b*x + 2
*a)*tan(1/2*a)^5 - 2*tan(1/2*a)^6 - 30*tan(1/2*b*x + 2*a)*tan(1/2*a)^4 + 12
*tan(1/2*a)^5 - 40*tan(1/2*b*x + 2*a)*tan(1/2*a)^3 + 30*tan(1/2*a)^4 + 30*t
an(1/2*b*x + 2*a)*tan(1/2*a)^2 - 40*tan(1/2*a)^3 + 12*tan(1/2*b*x + 2*a)*ta
n(1/2*a) - 30*tan(1/2*a)^2 - 2*sqrt(2)*(tan(1/2*a)^6 + 3*tan(1/2*a)^4 + 3*t
an(1/2*a)^2 + 1) - 2*tan(1/2*b*x + 2*a) + 12*tan(1/2*a) + 2)/abs(2*tan(1/2*
b*x + 2*a)*tan(1/2*a)^6 + 12*tan(1/2*b*x + 2*a)*tan(1/2*a)^5 - 2*tan(1/2*a)
^6 - 30*tan(1/2*b*x + 2*a)*tan(1/2*a)^4 + 12*tan(1/2*a)^5 - 40*tan(1/2*b*x
+ 2*a)*tan(1/2*a)^3 + 30*tan(1/2*a)^4 + 30*tan(1/2*b*x + 2*a)*tan(1/2*a)^2
- 40*tan(1/2*a)^3 + 12*tan(1/2*b*x + 2*a)*tan(1/2*a) - 30*tan(1/2*a)^2 + 2*
sqrt(2)*(tan(1/2*a)^6 + 3*tan(1/2*a)^4 + 3*tan(1/2*a)^2 + 1) - 2*tan(1/2*b*
x + 2*a) + 12*tan(1/2*a) + 2)) + sqrt(2)*log(abs(2*tan(1/2*b*x + 2*a)*tan(1
/2*a)^6 - 12*tan(1/2*b*x + 2*a)*tan(1/2*a)^5 + 2*tan(1/2*a)^6 - 30*tan(1/2*
b*x + 2*a)*tan(1/2*a)^4 + 12*tan(1/2*a)^5 + 40*tan(1/2*b*x + 2*a)*tan(1/2*a
)^3 - 30*tan(1/2*a)^4 + 30*tan(1/2*b*x + 2*a)*tan(1/2*a)^2 - 40*tan(1/2*a)^
3 - 12*tan(1/2*b*x + 2*a)*tan(1/2*a) + 30*tan(1/2*a)^2 - 2*sqrt(2)*(tan(1/2
*a)^6 + 3*tan(1/2*a)^4 + 3*tan(1/2*a)^2 + 1) - 2*tan(1/2*b*x + 2*a) + 12*ta
n(1/2*a) - 2)/abs(2*tan(1/2*b*x + 2*a)*tan(1/2*a)^6 - 12*tan(1/2*b*x + 2*a)
*tan(1/2*a)^5 + 2*tan(1/2*a)^6 - 30*tan(1/2*b*x + 2*a)*tan(1/2*a)^4 + 12*ta
n(1/2*a)^5 + 40*tan(1/2*b*x + 2*a)*tan(1/2*a)^3 - 30*tan(1/2*a)^4 + 30*tan(
1/2*b*x + 2*a)*tan(1/2*a)^2 - 40*tan(1/2*a)^3 - 12*tan(1/2*b*x + 2*a)*tan(1
/2*a) + 30*tan(1/2*a)^2 + 2*sqrt(2)*(tan(1/2*a)^6 + 3*tan(1/2*a)^4 + 3*tan(
1/2*a)^2 + 1) - 2*tan(1/2*b*x + 2*a) + 12*tan(1/2*a) - 2)) - 2*log(abs(tan(
1/2*b*x + 2*a)*tan(1/2*a)^3 + 3*tan(1/2*b*x + 2*a)*tan(1/2*a)^2 - tan(1/2*a
)^3 - 3*tan(1/2*b*x + 2*a)*tan(1/2*a) + 3*tan(1/2*a)^2 - tan(1/2*b*x + 2*a)
+ 3*tan(1/2*a) - 1)) + 2*log(abs(tan(1/2*b*x + 2*a)*tan(1/2*a)^3 - 3*tan(1
/2*b*x + 2*a)*tan(1/2*a)^2 + tan(1/2*a)^3 - 3*tan(1/2*b*x + 2*a)*tan(1/2*a)
+ 3*tan(1/2*a)^2 + tan(1/2*b*x + 2*a) - 3*tan(1/2*a) - 1))) / b
```

### 3.66 $\int \sin(x) \sin(2x) dx$

**Optimal.** Leaf size=15

$$\frac{\sin(x)}{2} - \frac{1}{6} \sin(3x)$$

[Out] Sin[x]/2 - Sin[3\*x]/6

**Rubi [A]** time = 0.0088231, antiderivative size = 15, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {4282}

$$\frac{\sin(x)}{2} - \frac{1}{6} \sin(3x)$$

Antiderivative was successfully verified.

[In] Int[Sin[x]\*Sin[2\*x],x]

[Out] Sin[x]/2 - Sin[3\*x]/6

**Rule 4282**

Int[sin[(a\_.) + (b\_.)\*(x\_.)]\*sin[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> Simp[Sin[a - c + (b - d)\*x]/(2\*(b - d)), x] - Simp[Sin[a + c + (b + d)\*x]/(2\*(b + d)), x] /; FreeQ[{a, b, c, d}, x] && NeQ[b^2 - d^2, 0]

**Rubi steps**

$$\int \sin(x) \sin(2x) dx = \frac{\sin(x)}{2} - \frac{1}{6} \sin(3x)$$

**Mathematica [A]** time = 0.0052901, size = 15, normalized size = 1.

$$\frac{\sin(x)}{2} - \frac{1}{6} \sin(3x)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]\*Sin[2\*x],x]

[Out] Sin[x]/2 - Sin[3\*x]/6

**Maple [A]** time = 0.01, size = 7, normalized size = 0.5

$$\frac{2 (\sin(x))^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)\*sin(2\*x),x)



[Out]  $2/3*\sin(x)^3$

---

**Maxima [A]** time = 0.960009, size = 15, normalized size = 1.

$$-\frac{1}{6} \sin(3x) + \frac{1}{2} \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)*sin(2*x),x, algorithm="maxima")`

[Out]  $-1/6*\sin(3*x) + 1/2*\sin(x)$

---

**Fricas [A]** time = 2.30363, size = 38, normalized size = 2.53

$$-\frac{2}{3} (\cos(x)^2 - 1) \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)*sin(2*x),x, algorithm="fricas")`

[Out]  $-2/3*(\cos(x)^2 - 1)*\sin(x)$

---

**Sympy [A]** time = 0.549111, size = 20, normalized size = 1.33

$$-\frac{2 \sin(x) \cos(2x)}{3} + \frac{\sin(2x) \cos(x)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)*sin(2*x),x)`

[Out]  $-2*\sin(x)*\cos(2*x)/3 + \sin(2*x)*\cos(x)/3$

---

**Giac [A]** time = 1.12975, size = 15, normalized size = 1.

$$-\frac{1}{6} \sin(3x) + \frac{1}{2} \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)*sin(2*x),x, algorithm="giac")`

[Out]  $-1/6*\sin(3*x) + 1/2*\sin(x)$

### 3.67 $\int \sin(x) \sin(3x) dx$

**Optimal.** Leaf size=17

$$\frac{1}{4} \sin(2x) - \frac{1}{8} \sin(4x)$$

[Out] Sin[2\*x]/4 - Sin[4\*x]/8

**Rubi [A]** time = 0.0082572, antiderivative size = 17, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {4282}

$$\frac{1}{4} \sin(2x) - \frac{1}{8} \sin(4x)$$

Antiderivative was successfully verified.

[In] Int[Sin[x]\*Sin[3\*x],x]

[Out] Sin[2\*x]/4 - Sin[4\*x]/8

Rule 4282

Int[sin[(a\_.) + (b\_.)\*(x\_.)]\*sin[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> Simp[Sin[a - c + (b - d)\*x]/(2\*(b - d)), x] - Simp[Sin[a + c + (b + d)\*x]/(2\*(b + d)), x] /; FreeQ[{a, b, c, d}, x] && NeQ[b^2 - d^2, 0]

Rubi steps

$$\int \sin(x) \sin(3x) dx = \frac{1}{4} \sin(2x) - \frac{1}{8} \sin(4x)$$

**Mathematica [A]** time = 0.0065166, size = 17, normalized size = 1.

$$\frac{1}{4} \sin(2x) - \frac{1}{8} \sin(4x)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]\*Sin[3\*x],x]

[Out] Sin[2\*x]/4 - Sin[4\*x]/8

**Maple [A]** time = 0.026, size = 14, normalized size = 0.8

$$\frac{\sin(2x)}{4} - \frac{\sin(4x)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)\*sin(3\*x),x)

[Out]  $1/4*\sin(2*x)-1/8*\sin(4*x)$

---

**Maxima [A]** time = 0.970992, size = 18, normalized size = 1.06

$$-\frac{1}{8} \sin(4x) + \frac{1}{4} \sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)*sin(3*x),x, algorithm="maxima")`

[Out]  $-1/8*\sin(4*x) + 1/4*\sin(2*x)$

---

**Fricas [A]** time = 2.32462, size = 39, normalized size = 2.29

$$-(\cos(x)^3 - \cos(x)) \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)*sin(3*x),x, algorithm="fricas")`

[Out]  $-(\cos(x)^3 - \cos(x))*\sin(x)$

---

**Sympy [A]** time = 0.774595, size = 20, normalized size = 1.18

$$-\frac{3 \sin(x) \cos(3x)}{8} + \frac{\sin(3x) \cos(x)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)*sin(3*x),x)`

[Out]  $-3*\sin(x)*\cos(3*x)/8 + \sin(3*x)*\cos(x)/8$

---

**Giac [A]** time = 1.10946, size = 18, normalized size = 1.06

$$-\frac{1}{8} \sin(4x) + \frac{1}{4} \sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)*sin(3*x),x, algorithm="giac")`

[Out]  $-1/8*\sin(4*x) + 1/4*\sin(2*x)$

### 3.68 $\int \sin(x) \sin(4x) dx$

**Optimal.** Leaf size=17

$$\frac{1}{6} \sin(3x) - \frac{1}{10} \sin(5x)$$

[Out] Sin[3\*x]/6 - Sin[5\*x]/10

**Rubi [A]** time = 0.0076908, antiderivative size = 17, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {4282}

$$\frac{1}{6} \sin(3x) - \frac{1}{10} \sin(5x)$$

Antiderivative was successfully verified.

[In] Int[Sin[x]\*Sin[4\*x],x]

[Out] Sin[3\*x]/6 - Sin[5\*x]/10

Rule 4282

Int[sin[(a\_.) + (b\_.)\*(x\_.)]\*sin[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> Simp[Sin[a - c + (b - d)\*x]/(2\*(b - d)), x] - Simp[Sin[a + c + (b + d)\*x]/(2\*(b + d)), x] /; FreeQ[{a, b, c, d}, x] && NeQ[b^2 - d^2, 0]

Rubi steps

$$\int \sin(x) \sin(4x) dx = \frac{1}{6} \sin(3x) - \frac{1}{10} \sin(5x)$$

**Mathematica [A]** time = 0.0068608, size = 17, normalized size = 1.

$$\frac{1}{6} \sin(3x) - \frac{1}{10} \sin(5x)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]\*Sin[4\*x],x]

[Out] Sin[3\*x]/6 - Sin[5\*x]/10

**Maple [A]** time = 0.029, size = 14, normalized size = 0.8

$$\frac{\sin(3x)}{6} - \frac{\sin(5x)}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)\*sin(4\*x),x)

[Out]  $1/6*\sin(3*x)-1/10*\sin(5*x)$

---

**Maxima [A]** time = 1.01932, size = 18, normalized size = 1.06

$$-\frac{1}{10} \sin(5x) + \frac{1}{6} \sin(3x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)*sin(4*x),x, algorithm="maxima")`

[Out]  $-1/10*\sin(5*x) + 1/6*\sin(3*x)$

---

**Fricas [A]** time = 2.23181, size = 59, normalized size = 3.47

$$-\frac{4}{15} (6 \cos(x)^4 - 7 \cos(x)^2 + 1) \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)*sin(4*x),x, algorithm="fricas")`

[Out]  $-4/15*(6*\cos(x)^4 - 7*\cos(x)^2 + 1)*\sin(x)$

---

**Sympy [A]** time = 1.77609, size = 20, normalized size = 1.18

$$-\frac{4 \sin(x) \cos(4x)}{15} + \frac{\sin(4x) \cos(x)}{15}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)*sin(4*x),x)`

[Out]  $-4*\sin(x)*\cos(4*x)/15 + \sin(4*x)*\cos(x)/15$

---

**Giac [A]** time = 1.10356, size = 18, normalized size = 1.06

$$-\frac{1}{10} \sin(5x) + \frac{1}{6} \sin(3x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)*sin(4*x),x, algorithm="giac")`

[Out]  $-1/10*\sin(5*x) + 1/6*\sin(3*x)$

### 3.69 $\int \sin(x) \sin(mx) dx$

**Optimal.** Leaf size=35

$$\frac{\sin((1-m)x)}{2(1-m)} - \frac{\sin((m+1)x)}{2(m+1)}$$

[Out] Sin[(1 - m)\*x]/(2\*(1 - m)) - Sin[(1 + m)\*x]/(2\*(1 + m))

**Rubi [A]** time = 0.0308315, antiderivative size = 35, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 2, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {4569, 2637}

$$\frac{\sin((1-m)x)}{2(1-m)} - \frac{\sin((m+1)x)}{2(m+1)}$$

Antiderivative was successfully verified.

[In] Int[Sin[x]\*Sin[m\*x], x]

[Out] Sin[(1 - m)\*x]/(2\*(1 - m)) - Sin[(1 + m)\*x]/(2\*(1 + m))

#### Rule 4569

Int[Sin[v\_]^(p\_.)\*Sin[w\_]^(q\_.), x\_Symbol] := Int[ExpandTrigReduce[Sin[v]^p \* Sin[w]^q, x], x] /; ((PolynomialQ[v, x] && PolynomialQ[w, x]) || (BinomialQ[{v, w}, x] && IndependentQ[Cancel[v/w], x])) && IGtQ[p, 0] && IGtQ[q, 0]

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \sin(x) \sin(mx) dx &= \int \left( \frac{1}{2} \cos((1-m)x) - \frac{1}{2} \cos((1+m)x) \right) dx \\ &= \frac{1}{2} \int \cos((1-m)x) dx - \frac{1}{2} \int \cos((1+m)x) dx \\ &= \frac{\sin((1-m)x)}{2(1-m)} - \frac{\sin((1+m)x)}{2(1+m)} \end{aligned}$$

**Mathematica [A]** time = 0.0433652, size = 25, normalized size = 0.71

$$\frac{\cos(x) \sin(mx) - m \sin(x) \cos(mx)}{m^2 - 1}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]\*Sin[m\*x], x]

[Out] (- (m \* Cos [m \* x] \* Sin [x]) + Cos [x] \* Sin [m \* x]) / (-1 + m ^ 2)

---

**Maple [A]** time = 0.013, size = 28, normalized size = 0.8

$$\frac{\sin((m-1)x)}{2m-2} - \frac{\sin((1+m)x)}{2+2m}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)\*sin(m\*x),x)

[Out] 1/2/(m-1)\*sin((m-1)\*x)-1/2\*sin((1+m)\*x)/(1+m)

---

**Maxima [A]** time = 0.968175, size = 38, normalized size = 1.09

$$-\frac{\sin((m+1)x)}{2(m+1)} - \frac{\sin(-(m-1)x)}{2(m-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)\*sin(m\*x),x, algorithm="maxima")

[Out] -1/2\*sin((m+1)\*x)/(m+1) - 1/2\*sin(-(m-1)\*x)/(m-1)

---

**Fricas [A]** time = 2.27251, size = 68, normalized size = 1.94

$$-\frac{m \cos(mx) \sin(x) - \cos(x) \sin(mx)}{m^2 - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)\*sin(m\*x),x, algorithm="fricas")

[Out] -(m\*cos(m\*x)\*sin(x) - cos(x)\*sin(m\*x))/(m^2 - 1)

---

**Sympy [A]** time = 5.02167, size = 78, normalized size = 2.23

$$\begin{cases} -\frac{x \sin^2(x)}{2} - \frac{x \cos^2(x)}{2} + \frac{\sin(x) \cos(x)}{2} & \text{for } m = -1 \\ \frac{x \sin^2(x)}{2} + \frac{x \cos^2(x)}{2} - \frac{\sin(x) \cos(x)}{2} & \text{for } m = 1 \\ -\frac{m \sin(x) \cos(mx)}{m^2-1} + \frac{\sin(mx) \cos(x)}{m^2-1} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)\*sin(m\*x),x)

[Out] Piecewise((-x\*sin(x)\*\*2/2 - x\*cos(x)\*\*2/2 + sin(x)\*cos(x)/2, Eq(m, -1)), (x\*sin(x)\*\*2/2 + x\*cos(x)\*\*2/2 - sin(x)\*cos(x)/2, Eq(m, 1)), (-m\*sin(x)\*cos(m\*x)/(m\*\*2 - 1) + sin(m\*x)\*cos(x)/(m\*\*2 - 1), True))

---

**Giac [A]** time = 1.11365, size = 39, normalized size = 1.11

$$-\frac{\sin(mx+x)}{2(m+1)} + \frac{\sin(mx-x)}{2(m-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)\*sin(m\*x),x, algorithm="giac")

[Out] -1/2\*sin(m\*x + x)/(m + 1) + 1/2\*sin(m\*x - x)/(m - 1)



### 3.70 $\int \cos(2x) \sin(x) dx$

**Optimal.** Leaf size=15

$$\frac{\cos(x)}{2} - \frac{1}{6} \cos(3x)$$

[Out] Cos[x]/2 - Cos[3\*x]/6

**Rubi [A]** time = 0.0081673, antiderivative size = 15, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {4284}

$$\frac{\cos(x)}{2} - \frac{1}{6} \cos(3x)$$

Antiderivative was successfully verified.

[In] Int[Cos[2\*x]\*Sin[x],x]

[Out] Cos[x]/2 - Cos[3\*x]/6

**Rule 4284**

Int[cos[(c\_.) + (d\_.)\*(x\_.)]\*sin[(a\_.) + (b\_.)\*(x\_.)], x\_Symbol] :> -Simp[Cos[a - c + (b - d)\*x]/(2\*(b - d)), x] - Simp[Cos[a + c + (b + d)\*x]/(2\*(b + d)), x] /; FreeQ[{a, b, c, d}, x] && NeQ[b^2 - d^2, 0]

**Rubi steps**

$$\int \cos(2x) \sin(x) dx = \frac{\cos(x)}{2} - \frac{1}{6} \cos(3x)$$

**Mathematica [A]** time = 0.0051229, size = 15, normalized size = 1.

$$\frac{\cos(x)}{2} - \frac{1}{6} \cos(3x)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[2\*x]\*Sin[x],x]

[Out] Cos[x]/2 - Cos[3\*x]/6

**Maple [A]** time = 0.013, size = 12, normalized size = 0.8

$$\frac{\cos(x)}{2} - \frac{\cos(3x)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(2\*x)\*sin(x),x)

[Out]  $1/2*\cos(x)-1/6*\cos(3*x)$

---

**Maxima [A]** time = 0.984009, size = 15, normalized size = 1.

$$-\frac{1}{6} \cos(3x) + \frac{1}{2} \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(2*x)*sin(x),x, algorithm="maxima")`

[Out]  $-1/6*\cos(3*x) + 1/2*\cos(x)$

---

**Fricas [A]** time = 2.22676, size = 32, normalized size = 2.13

$$-\frac{2}{3} \cos(x)^3 + \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(2*x)*sin(x),x, algorithm="fricas")`

[Out]  $-2/3*\cos(x)^3 + \cos(x)$

---

**Sympy [A]** time = 1.86378, size = 20, normalized size = 1.33

$$\frac{2 \sin(x) \sin(2x)}{3} + \frac{\cos(x) \cos(2x)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(2*x)*sin(x),x)`

[Out]  $2*\sin(x)*\sin(2*x)/3 + \cos(x)*\cos(2*x)/3$

---

**Giac [A]** time = 1.10839, size = 15, normalized size = 1.

$$-\frac{1}{6} \cos(3x) + \frac{1}{2} \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(2*x)*sin(x),x, algorithm="giac")`

[Out]  $-1/6*\cos(3*x) + 1/2*\cos(x)$

### 3.71 $\int \cos(3x) \sin(x) dx$

**Optimal.** Leaf size=17

$$\frac{1}{4} \cos(2x) - \frac{1}{8} \cos(4x)$$

[Out] Cos[2\*x]/4 - Cos[4\*x]/8

**Rubi [A]** time = 0.0081178, antiderivative size = 17, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {4284}

$$\frac{1}{4} \cos(2x) - \frac{1}{8} \cos(4x)$$

Antiderivative was successfully verified.

[In] Int[Cos[3\*x]\*Sin[x], x]

[Out] Cos[2\*x]/4 - Cos[4\*x]/8

Rule 4284

Int[cos[(c\_.) + (d\_.)\*(x\_)]\*sin[(a\_.) + (b\_.)\*(x\_)], x\_Symbol] :> -Simp[Cos[a - c + (b - d)\*x]/(2\*(b - d)), x] - Simp[Cos[a + c + (b + d)\*x]/(2\*(b + d)), x] /; FreeQ[{a, b, c, d}, x] && NeQ[b^2 - d^2, 0]

Rubi steps

$$\int \cos(3x) \sin(x) dx = \frac{1}{4} \cos(2x) - \frac{1}{8} \cos(4x)$$

**Mathematica [A]** time = 0.0055286, size = 17, normalized size = 1.

$$\frac{\cos^2(x)}{2} - \frac{1}{8} \cos(4x)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[3\*x]\*Sin[x], x]

[Out] Cos[x]^2/2 - Cos[4\*x]/8

**Maple [A]** time = 0.035, size = 14, normalized size = 0.8

$$\frac{\cos(2x)}{4} - \frac{\cos(4x)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(3\*x)\*sin(x), x)

[Out]  $1/4*\cos(2*x)-1/8*\cos(4*x)$

---

**Maxima [A]** time = 0.985178, size = 18, normalized size = 1.06

$$-\frac{1}{8} \cos(4x) + \frac{1}{4} \cos(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(3*x)*sin(x),x, algorithm="maxima")`

[Out]  $-1/8*\cos(4*x) + 1/4*\cos(2*x)$

---

**Fricas [A]** time = 2.2507, size = 35, normalized size = 2.06

$$-\cos(x)^4 + \frac{3}{2} \cos(x)^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(3*x)*sin(x),x, algorithm="fricas")`

[Out]  $-\cos(x)^4 + 3/2*\cos(x)^2$

---

**Sympy [A]** time = 0.896868, size = 20, normalized size = 1.18

$$\frac{3 \sin(x) \sin(3x)}{8} + \frac{\cos(x) \cos(3x)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(3*x)*sin(x),x)`

[Out]  $3*\sin(x)*\sin(3*x)/8 + \cos(x)*\cos(3*x)/8$

---

**Giac [A]** time = 1.14821, size = 18, normalized size = 1.06

$$-\frac{1}{8} \cos(4x) + \frac{1}{4} \cos(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(3*x)*sin(x),x, algorithm="giac")`

[Out]  $-1/8*\cos(4*x) + 1/4*\cos(2*x)$

### 3.72 $\int \cos(4x) \sin(x) dx$

**Optimal.** Leaf size=17

$$\frac{1}{6} \cos(3x) - \frac{1}{10} \cos(5x)$$

[Out] Cos[3\*x]/6 - Cos[5\*x]/10

**Rubi [A]** time = 0.0080587, antiderivative size = 17, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {4284}

$$\frac{1}{6} \cos(3x) - \frac{1}{10} \cos(5x)$$

Antiderivative was successfully verified.

[In] Int[Cos[4\*x]\*Sin[x],x]

[Out] Cos[3\*x]/6 - Cos[5\*x]/10

Rule 4284

Int[cos[(c\_.) + (d\_.)\*(x\_.)]\*sin[(a\_.) + (b\_.)\*(x\_.)], x\_Symbol] :> -Simp[Cos[a - c + (b - d)\*x]/(2\*(b - d)), x] - Simp[Cos[a + c + (b + d)\*x]/(2\*(b + d)), x] /; FreeQ[{a, b, c, d}, x] && NeQ[b^2 - d^2, 0]

Rubi steps

$$\int \cos(4x) \sin(x) dx = \frac{1}{6} \cos(3x) - \frac{1}{10} \cos(5x)$$

**Mathematica [A]** time = 0.0061143, size = 17, normalized size = 1.

$$\frac{1}{6} \cos(3x) - \frac{1}{10} \cos(5x)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[4\*x]\*Sin[x],x]

[Out] Cos[3\*x]/6 - Cos[5\*x]/10

**Maple [A]** time = 0.035, size = 14, normalized size = 0.8

$$\frac{\cos(3x)}{6} - \frac{\cos(5x)}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(4\*x)\*sin(x),x)

[Out]  $1/6*\cos(3*x)-1/10*\cos(5*x)$

---

**Maxima [A]** time = 1.00624, size = 18, normalized size = 1.06

$$-\frac{1}{10} \cos(5x) + \frac{1}{6} \cos(3x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(4*x)*sin(x),x, algorithm="maxima")`

[Out]  $-1/10*\cos(5*x) + 1/6*\cos(3*x)$

---

**Fricas [A]** time = 2.28441, size = 53, normalized size = 3.12

$$-\frac{8}{5} \cos(x)^5 + \frac{8}{3} \cos(x)^3 - \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(4*x)*sin(x),x, algorithm="fricas")`

[Out]  $-8/5*\cos(x)^5 + 8/3*\cos(x)^3 - \cos(x)$

---

**Sympy [A]** time = 0.957047, size = 20, normalized size = 1.18

$$\frac{4 \sin(x) \sin(4x)}{15} + \frac{\cos(x) \cos(4x)}{15}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(4*x)*sin(x),x)`

[Out]  $4*\sin(x)*\sin(4*x)/15 + \cos(x)*\cos(4*x)/15$

---

**Giac [A]** time = 1.09016, size = 18, normalized size = 1.06

$$-\frac{1}{10} \cos(5x) + \frac{1}{6} \cos(3x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(4*x)*sin(x),x, algorithm="giac")`

[Out]  $-1/10*\cos(5*x) + 1/6*\cos(3*x)$

### 3.73 $\int \cos(mx) \sin(x) dx$

**Optimal.** Leaf size=35

$$-\frac{\cos((1-m)x)}{2(1-m)} - \frac{\cos((m+1)x)}{2(m+1)}$$

[Out]  $-\text{Cos}[(1-m)*x]/(2*(1-m)) - \text{Cos}[(1+m)*x]/(2*(1+m))$

**Rubi [A]** time = 0.0271964, antiderivative size = 35, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 2, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {4574, 2638}

$$-\frac{\cos((1-m)x)}{2(1-m)} - \frac{\cos((m+1)x)}{2(m+1)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[m*x]*\text{Sin}[x], x]$

[Out]  $-\text{Cos}[(1-m)*x]/(2*(1-m)) - \text{Cos}[(1+m)*x]/(2*(1+m))$

#### Rule 4574

$\text{Int}[\text{Cos}[w_]^{(q_.)}*\text{Sin}[v_]^{(p_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[\text{Sin}[v]^{(p)}*\text{Cos}[w]^{(q)}, x], x] /; \text{IGtQ}[p, 0] \ \&\& \ \text{IGtQ}[q, 0] \ \&\& \ ((\text{PolynomialQ}[v, x] \ \&\& \ \text{PolynomialQ}[w, x]) \ || \ (\text{BinomialQ}[\{v, w\}, x] \ \&\& \ \text{IndependentQ}[\text{Cancel}[v/w], x]))$

#### Rule 2638

$\text{Int}[\text{sin}[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

#### Rubi steps

$$\begin{aligned} \int \cos(mx) \sin(x) dx &= \int \left( \frac{1}{2} \sin((1-m)x) + \frac{1}{2} \sin((1+m)x) \right) dx \\ &= \frac{1}{2} \int \sin((1-m)x) dx + \frac{1}{2} \int \sin((1+m)x) dx \\ &= -\frac{\cos((1-m)x)}{2(1-m)} - \frac{\cos((1+m)x)}{2(1+m)} \end{aligned}$$

**Mathematica [A]** time = 0.0401192, size = 24, normalized size = 0.69

$$\frac{m \sin(x) \sin(mx) + \cos(x) \cos(mx)}{m^2 - 1}$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[\text{Cos}[m*x]*\text{Sin}[x], x]$

[Out]  $(\text{Cos}[x]*\text{Cos}[m*x] + m*\text{Sin}[x]*\text{Sin}[m*x])/(-1 + m^2)$

---

**Maple [A]** time = 0.011, size = 28, normalized size = 0.8

$$\frac{\cos((m-1)x)}{2m-2} - \frac{\cos((1+m)x)}{2+2m}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(m*x)*sin(x),x)`

[Out] `1/2*cos((m-1)*x)/(m-1)-1/2*cos((1+m)*x)/(1+m)`

---

**Maxima [A]** time = 0.979889, size = 38, normalized size = 1.09

$$-\frac{\cos((m+1)x)}{2(m+1)} + \frac{\cos(-(m-1)x)}{2(m-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(m*x)*sin(x),x, algorithm="maxima")`

[Out] `-1/2*cos((m+1)*x)/(m+1) + 1/2*cos(-(m-1)*x)/(m-1)`

---

**Fricas [A]** time = 2.35943, size = 66, normalized size = 1.89

$$\frac{m \sin(mx) \sin(x) + \cos(mx) \cos(x)}{m^2 - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(m*x)*sin(x),x, algorithm="fricas")`

[Out] `(m*sin(m*x)*sin(x) + cos(m*x)*cos(x))/(m^2 - 1)`

---

**Sympy [A]** time = 3.7095, size = 39, normalized size = 1.11

$$\begin{cases} -\frac{\cos^2(x)}{2} & \text{for } m = -1 \vee m = 1 \\ \frac{m \sin(x) \sin(mx)}{m^2-1} + \frac{\cos(x) \cos(mx)}{m^2-1} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(m*x)*sin(x),x)`

[Out] `Piecewise((-cos(x)**2/2, Eq(m, -1) | Eq(m, 1)), (m*sin(x)*sin(m*x)/(m**2 - 1) + cos(x)*cos(m*x)/(m**2 - 1), True))`

---

**Giac [A]** time = 1.14272, size = 39, normalized size = 1.11

$$-\frac{\cos(mx+x)}{2(m+1)} + \frac{\cos(mx-x)}{2(m-1)}$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(m*x)*sin(x),x, algorithm="giac")
```

```
[Out] -1/2*cos(m*x + x)/(m + 1) + 1/2*cos(m*x - x)/(m - 1)
```

### 3.74 $\int \sin(x) \tan(2x) dx$

**Optimal.** Leaf size=20

$$\frac{\tanh^{-1}(\sqrt{2} \sin(x))}{\sqrt{2}} - \sin(x)$$

[Out] ArcTanh[Sqrt[2]\*Sin[x]]/Sqrt[2] - Sin[x]

**Rubi [A]** time = 0.0230994, antiderivative size = 20, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {12, 321, 206}

$$\frac{\tanh^{-1}(\sqrt{2} \sin(x))}{\sqrt{2}} - \sin(x)$$

Antiderivative was successfully verified.

[In] Int[Sin[x]\*Tan[2\*x], x]

[Out] ArcTanh[Sqrt[2]\*Sin[x]]/Sqrt[2] - Sin[x]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :=> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 321

Int[((c\_.)\*(x\_))^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :=> Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*(m + n\*p + 1)), x] - Dist[(a\*c^n\*(m - n + 1))/(b\*(m + n\*p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n\*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :=> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \sin(x) \tan(2x) dx &= \text{Subst} \left( \int \frac{2x^2}{1-2x^2} dx, x, \sin(x) \right) \\ &= 2 \text{Subst} \left( \int \frac{x^2}{1-2x^2} dx, x, \sin(x) \right) \\ &= -\sin(x) + \text{Subst} \left( \int \frac{1}{1-2x^2} dx, x, \sin(x) \right) \\ &= \frac{\tanh^{-1}(\sqrt{2} \sin(x))}{\sqrt{2}} - \sin(x) \end{aligned}$$

**Mathematica [A]** time = 0.0134385, size = 20, normalized size = 1.

$$\frac{\tanh^{-1}(\sqrt{2}\sin(x))}{\sqrt{2}} - \sin(x)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]\*Tan[2\*x],x]

[Out] ArcTanh[Sqrt[2]\*Sin[x]]/Sqrt[2] - Sin[x]

**Maple [A]** time = 0.043, size = 18, normalized size = 0.9

$$-\sin(x) + \frac{\operatorname{Artanh}(\sin(x)\sqrt{2})\sqrt{2}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)\*tan(2\*x),x)

[Out] -sin(x)+1/2\*arctanh(sin(x)\*2^(1/2))\*2^(1/2)

**Maxima [B]** time = 1.53618, size = 190, normalized size = 9.5

$$\frac{1}{8}\sqrt{2}\log\left(2\cos(x)^2 + 2\sin(x)^2 + 2\sqrt{2}\cos(x) + 2\sqrt{2}\sin(x) + 2\right) - \frac{1}{8}\sqrt{2}\log\left(2\cos(x)^2 + 2\sin(x)^2 + 2\sqrt{2}\cos(x)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)\*tan(2\*x),x, algorithm="maxima")

[Out] 1/8\*sqrt(2)\*log(2\*cos(x)^2 + 2\*sin(x)^2 + 2\*sqrt(2)\*cos(x) + 2\*sqrt(2)\*sin(x) + 2) - 1/8\*sqrt(2)\*log(2\*cos(x)^2 + 2\*sin(x)^2 + 2\*sqrt(2)\*cos(x) - 2\*sqrt(2)\*sin(x) + 2) + 1/8\*sqrt(2)\*log(2\*cos(x)^2 + 2\*sin(x)^2 - 2\*sqrt(2)\*cos(x) + 2\*sqrt(2)\*sin(x) + 2) - 1/8\*sqrt(2)\*log(2\*cos(x)^2 + 2\*sin(x)^2 - 2\*sqrt(2)\*cos(x) - 2\*sqrt(2)\*sin(x) + 2) - sin(x)

**Fricas [B]** time = 2.36381, size = 109, normalized size = 5.45

$$\frac{1}{4}\sqrt{2}\log\left(-\frac{2\cos(x)^2 - 2\sqrt{2}\sin(x) - 3}{2\cos(x)^2 - 1}\right) - \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)\*tan(2\*x),x, algorithm="fricas")

[Out] 1/4\*sqrt(2)\*log(-(2\*cos(x)^2 - 2\*sqrt(2)\*sin(x) - 3)/(2\*cos(x)^2 - 1)) - sin(x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sin(x) \tan(2x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(x)*tan(2*x),x)
```

```
[Out] Integral(sin(x)*tan(2*x), x)
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sin(x) \tan(2x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(x)*tan(2*x),x, algorithm="giac")
```

```
[Out] integrate(sin(x)*tan(2*x), x)
```

### 3.75 $\int \sin(x) \tan(3x) dx$

**Optimal.** Leaf size=47

$$-\sin(x) - \frac{1}{6} \log(1 - 2\sin(x)) - \frac{1}{6} \log(1 - \sin(x)) + \frac{1}{6} \log(\sin(x) + 1) + \frac{1}{6} \log(2\sin(x) + 1)$$

[Out]  $-\text{Log}[1 - 2*\text{Sin}[x]]/6 - \text{Log}[1 - \text{Sin}[x]]/6 + \text{Log}[1 + \text{Sin}[x]]/6 + \text{Log}[1 + 2*\text{Sin}[x]]/6 - \text{Sin}[x]$

**Rubi [A]** time = 0.0519936, antiderivative size = 47, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 4, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$ , Rules used = {1279, 1161, 616, 31}

$$-\sin(x) - \frac{1}{6} \log(1 - 2\sin(x)) - \frac{1}{6} \log(1 - \sin(x)) + \frac{1}{6} \log(\sin(x) + 1) + \frac{1}{6} \log(2\sin(x) + 1)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sin}[x]*\text{Tan}[3*x], x]$

[Out]  $-\text{Log}[1 - 2*\text{Sin}[x]]/6 - \text{Log}[1 - \text{Sin}[x]]/6 + \text{Log}[1 + \text{Sin}[x]]/6 + \text{Log}[1 + 2*\text{Sin}[x]]/6 - \text{Sin}[x]$

#### Rule 1279

$\text{Int}[(f(x))^m * (d + e*x^2) * (a + b*x^2 + c*x^4)^p, x\_Symbol] := \text{Simp}[(e*f*(f*x)^(m-1) * (a + b*x^2 + c*x^4)^(p+1)) / (c*(m+4*p+3)), x] - \text{Dist}[f^2 / (c*(m+4*p+3)), \text{Int}[(f*x)^(m-2) * (a + b*x^2 + c*x^4)^p * \text{Simp}[a*e*(m-1) + (b*e*(m+2*p+1) - c*d*(m+4*p+3)] * x^2, x], x] /;$  FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && GtQ[m, 1] && NeQ[m + 4\*p + 3, 0] && IntegerQ[2\*p] && (IntegerQ[p] || IntegerQ[m])

#### Rule 1161

$\text{Int}[(d + e*x^2) / (a + b*x^2 + c*x^4), x\_Symbol] := \text{With}[\{q = \text{Rt}[(2*d)/e - b/c, 2]\}, \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e + q*x + x^2, x], x], x] + \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e - q*x + x^2, x], x], x] /;$  FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - a\*e^2, 0] && (GtQ[(2\*d)/e - b/c, 0] || (!LtQ[(2\*d)/e - b/c, 0] && EqQ[d - e\*Rt[a/c, 2], 0]))

#### Rule 616

$\text{Int}[(a + b*x + c*x^2)^{-1}, x\_Symbol] := \text{With}[\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[c/q, \text{Int}[1/\text{Simp}[b/2 - q/2 + c*x, x], x], x] - \text{Dist}[c/q, \text{Int}[1/\text{Simp}[b/2 + q/2 + c*x, x], x], x] /;$  FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0] && PosQ[b^2 - 4\*a\*c] && PerfectSquareQ[b^2 - 4\*a\*c]

#### Rule 31

$\text{Int}[(a + b*x)^{-1}, x\_Symbol] := \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] /;$  FreeQ[{a, b}, x]

#### Rubi steps

$$\begin{aligned}
\int \sin(x) \tan(3x) dx &= \text{Subst} \left( \int \frac{x^2(3-4x^2)}{1-5x^2+4x^4} dx, x, \sin(x) \right) \\
&= -\sin(x) - \frac{1}{4} \text{Subst} \left( \int \frac{-4+8x^2}{1-5x^2+4x^4} dx, x, \sin(x) \right) \\
&= -\sin(x) - \frac{1}{4} \text{Subst} \left( \int \frac{1}{-\frac{1}{2}-\frac{x}{2}+x^2} dx, x, \sin(x) \right) - \frac{1}{4} \text{Subst} \left( \int \frac{1}{-\frac{1}{2}+\frac{x}{2}+x^2} dx, x, \sin(x) \right) \\
&= -\sin(x) - \frac{1}{6} \text{Subst} \left( \int \frac{1}{-1+x} dx, x, \sin(x) \right) - \frac{1}{6} \text{Subst} \left( \int \frac{1}{-\frac{1}{2}+x} dx, x, \sin(x) \right) + \frac{1}{6} \text{Subst} \left( \int \frac{1}{-\frac{1}{2}+x} dx, x, \sin(x) \right) \\
&= -\frac{1}{6} \log(1-2\sin(x)) - \frac{1}{6} \log(1-\sin(x)) + \frac{1}{6} \log(1+\sin(x)) + \frac{1}{6} \log(1+2\sin(x)) - \sin(x)
\end{aligned}$$

**Mathematica [A]** time = 0.0284489, size = 21, normalized size = 0.45

$$-\sin(x) + \frac{1}{3} \tanh^{-1}(\sin(x)) + \frac{1}{3} \tanh^{-1}(2\sin(x))$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]\*Tan[3\*x],x]

[Out] ArcTanh[Sin[x]]/3 + ArcTanh[2\*Sin[x]]/3 - Sin[x]

**Maple [A]** time = 0.094, size = 38, normalized size = 0.8

$$\frac{\ln(1+\sin(x))}{6} - \frac{\ln(\sin(x)-1)}{6} + \frac{\ln(1+2\sin(x))}{6} - \frac{\ln(-1+2\sin(x))}{6} - \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)\*tan(3\*x),x)

[Out] 1/6\*ln(1+sin(x))-1/6\*ln(sin(x)-1)+1/6\*ln(1+2\*sin(x))-1/6\*ln(-1+2\*sin(x))-sin(x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{(\cos(3x) + \cos(x)) \cos(4x) - (\cos(2x) - 1) \cos(3x) - \cos(2x) \cos(x) + (\sin(3x) + \sin(x)) \sin(4x) - \sin(3x) \sin(2x) - \sin(2x) \sin(x) + \cos(x)}{3(2(\cos(2x) - 1) \cos(4x) - \cos(4x)^2 - \cos(2x)^2 - \sin(4x)^2 + 2 \sin(4x) \sin(2x) - \sin(2x)^2) + 2 \cos(2x) - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)\*tan(3\*x),x, algorithm="maxima")

[Out] integrate(-1/3\*((cos(3\*x) + cos(x))\*cos(4\*x) - (cos(2\*x) - 1)\*cos(3\*x) - cos(2\*x)\*cos(x) + (sin(3\*x) + sin(x))\*sin(4\*x) - sin(3\*x)\*sin(2\*x) - sin(2\*x)\*sin(x) + cos(x))/(2\*(cos(2\*x) - 1)\*cos(4\*x) - cos(4\*x)^2 - cos(2\*x)^2 - sin(4\*x)^2 + 2\*sin(4\*x)\*sin(2\*x) - sin(2\*x)^2 + 2\*cos(2\*x) - 1), x) + 1/6\*log(cos(x)^2 + sin(x)^2 + 2\*sin(x) + 1) - 1/6\*log(cos(x)^2 + sin(x)^2 - 2\*sin(x) + 1)

$x) + 1) - \sin(x)$

**Fricas [A]** time = 2.54101, size = 138, normalized size = 2.94

$$\frac{1}{6} \log(2 \sin(x) + 1) + \frac{1}{6} \log(\sin(x) + 1) - \frac{1}{6} \log(-\sin(x) + 1) - \frac{1}{6} \log(-2 \sin(x) + 1) - \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)\*tan(3\*x),x, algorithm="fricas")

[Out] 1/6\*log(2\*sin(x) + 1) + 1/6\*log(sin(x) + 1) - 1/6\*log(-sin(x) + 1) - 1/6\*log(-2\*sin(x) + 1) - sin(x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sin(x) \tan(3x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)\*tan(3\*x),x)

[Out] Integral(sin(x)\*tan(3\*x), x)

**Giac [B]** time = 1.25093, size = 491, normalized size = 10.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)\*tan(3\*x),x, algorithm="giac")

[Out] 1/12\*(log((tan(1/2\*x)^4 + 8\*tan(1/2\*x)^3 + 18\*tan(1/2\*x)^2 + 8\*tan(1/2\*x) + 1)/(tan(1/2\*x)^4 + 2\*tan(1/2\*x)^2 + 1))\*tan(1/2\*x)^2 - log((tan(1/2\*x)^4 - 8\*tan(1/2\*x)^3 + 18\*tan(1/2\*x)^2 - 8\*tan(1/2\*x) + 1)/(tan(1/2\*x)^4 + 2\*tan(1/2\*x)^2 + 1))\*tan(1/2\*x)^2 + 2\*log(2\*(tan(1/2\*x)^2 + 2\*tan(1/2\*x) + 1)/(tan(1/2\*x)^2 + 1))\*tan(1/2\*x)^2 - 2\*log(2\*(tan(1/2\*x)^2 - 2\*tan(1/2\*x) + 1)/(tan(1/2\*x)^2 + 1))\*tan(1/2\*x)^2 + log((tan(1/2\*x)^4 + 8\*tan(1/2\*x)^3 + 18\*tan(1/2\*x)^2 + 8\*tan(1/2\*x) + 1)/(tan(1/2\*x)^4 + 2\*tan(1/2\*x)^2 + 1)) - log((tan(1/2\*x)^4 - 8\*tan(1/2\*x)^3 + 18\*tan(1/2\*x)^2 - 8\*tan(1/2\*x) + 1)/(tan(1/2\*x)^4 + 2\*tan(1/2\*x)^2 + 1)) + 2\*log(2\*(tan(1/2\*x)^2 + 2\*tan(1/2\*x) + 1)/(tan(1/2\*x)^2 + 1)) - 2\*log(2\*(tan(1/2\*x)^2 - 2\*tan(1/2\*x) + 1)/(tan(1/2\*x)^2 + 1)) - 24\*tan(1/2\*x))/(tan(1/2\*x)^2 + 1)

### 3.76 $\int \sin(x) \tan(4x) dx$

**Optimal.** Leaf size=71

$$-\sin(x) + \frac{1}{4}\sqrt{2-\sqrt{2}}\tanh^{-1}\left(\frac{2\sin(x)}{\sqrt{2-\sqrt{2}}}\right) + \frac{1}{4}\sqrt{2+\sqrt{2}}\tanh^{-1}\left(\frac{2\sin(x)}{\sqrt{2+\sqrt{2}}}\right)$$

[Out] (Sqrt[2 - Sqrt[2]]\*ArcTanh[(2\*Sin[x])/Sqrt[2 - Sqrt[2]]])/4 + (Sqrt[2 + Sqrt[2]]\*ArcTanh[(2\*Sin[x])/Sqrt[2 + Sqrt[2]]])/4 - Sin[x]

**Rubi [A]** time = 0.109319, antiderivative size = 71, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {1279, 1166, 207}

$$-\sin(x) + \frac{1}{4}\sqrt{2-\sqrt{2}}\tanh^{-1}\left(\frac{2\sin(x)}{\sqrt{2-\sqrt{2}}}\right) + \frac{1}{4}\sqrt{2+\sqrt{2}}\tanh^{-1}\left(\frac{2\sin(x)}{\sqrt{2+\sqrt{2}}}\right)$$

Antiderivative was successfully verified.

[In] Int[Sin[x]\*Tan[4\*x],x]

[Out] (Sqrt[2 - Sqrt[2]]\*ArcTanh[(2\*Sin[x])/Sqrt[2 - Sqrt[2]]])/4 + (Sqrt[2 + Sqrt[2]]\*ArcTanh[(2\*Sin[x])/Sqrt[2 + Sqrt[2]]])/4 - Sin[x]

#### Rule 1279

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :> Simp[(e*f*(f*x)^(m - 1)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(m + 4*p + 3)), x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + b*x^2 + c*x^4)^p*Simp[a*e*(m - 1) + (b*e*(m + 2*p + 1) - c*d*(m + 4*p + 3))*x^2, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

#### Rule 1166

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

#### Rule 207

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])
```

#### Rubi steps



$$\begin{aligned}
\int \sin(x) \tan(4x) dx &= \text{Subst} \left( \int \frac{x^2(4-8x^2)}{1-8x^2+8x^4} dx, x, \sin(x) \right) \\
&= -\sin(x) - \frac{1}{8} \text{Subst} \left( \int \frac{-8+32x^2}{1-8x^2+8x^4} dx, x, \sin(x) \right) \\
&= -\sin(x) - (2-\sqrt{2}) \text{Subst} \left( \int \frac{1}{-4+2\sqrt{2}+8x^2} dx, x, \sin(x) \right) - (2+\sqrt{2}) \text{Subst} \left( \int \frac{1}{-4-2\sqrt{2}+8x^2} dx, x, \sin(x) \right) \\
&= \frac{1}{4} \sqrt{2-\sqrt{2}} \tanh^{-1} \left( \frac{2 \sin(x)}{\sqrt{2-\sqrt{2}}} \right) + \frac{1}{4} \sqrt{2+\sqrt{2}} \tanh^{-1} \left( \frac{2 \sin(x)}{\sqrt{2+\sqrt{2}}} \right) - \sin(x)
\end{aligned}$$

**Mathematica [A]** time = 0.0688958, size = 69, normalized size = 0.97

$$\frac{1}{4} \left( -4 \sin(x) + \sqrt{2-\sqrt{2}} \tanh^{-1} \left( \frac{2 \sin(x)}{\sqrt{2-\sqrt{2}}} \right) + \sqrt{2+\sqrt{2}} \tanh^{-1} \left( \frac{2 \sin(x)}{\sqrt{2+\sqrt{2}}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]\*Tan[4\*x],x]

[Out] (Sqrt[2 - Sqrt[2]]\*ArcTanh[(2\*Sin[x])/Sqrt[2 - Sqrt[2]]] + Sqrt[2 + Sqrt[2]]\*ArcTanh[(2\*Sin[x])/Sqrt[2 + Sqrt[2]]] - 4\*Sin[x])/4

**Maple [B]** time = 0.166, size = 115, normalized size = 1.6

$$\frac{(\sqrt{2}-2)\sqrt{2}}{4\sqrt{2-\sqrt{2}}} \text{Artanh} \left( 2 \frac{\sin(x)}{\sqrt{2-\sqrt{2}}} \right) + \frac{\sqrt{2}\sqrt{2+\sqrt{2}}}{4} \text{Artanh} \left( 2 \frac{\sin(x)}{\sqrt{2+\sqrt{2}}} \right) - \sin(x) + \frac{\sqrt{2}}{4\sqrt{2-\sqrt{2}}} \text{Artanh} \left( 2 \frac{\sin(x)}{\sqrt{2-\sqrt{2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)\*tan(4\*x),x)

[Out] 1/4\*(2^(1/2)-2)\*2^(1/2)/(2-2^(1/2))^(1/2)\*arctanh(2\*sin(x)/(2-2^(1/2))^(1/2))+1/4\*(2+2^(1/2))^(1/2)\*2^(1/2)\*arctanh(2\*sin(x)/(2+2^(1/2))^(1/2))-sin(x)+1/4\*2^(1/2)/(2-2^(1/2))^(1/2)\*arctanh(2\*sin(x)/(2-2^(1/2))^(1/2))-1/4\*2^(1/2)/(2+2^(1/2))^(1/2)\*arctanh(2\*sin(x)/(2+2^(1/2))^(1/2))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(\cos(7x) + \cos(x)) \cos(8x) + (\sin(7x) + \sin(x)) \sin(8x) + \cos(7x) + \cos(x)}{\cos(8x)^2 + \sin(8x)^2 + 2 \cos(8x) + 1} dx - \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)\*tan(4\*x),x, algorithm="maxima")

[Out] integrate(((cos(7\*x) + cos(x))\*cos(8\*x) + (sin(7\*x) + sin(x))\*sin(8\*x) + cos(7\*x) + cos(x))/(cos(8\*x)^2 + sin(8\*x)^2 + 2\*cos(8\*x) + 1), x) - sin(x)

---

**Fricas [A]** time = 2.45544, size = 329, normalized size = 4.63

$$\frac{1}{8} \sqrt{\sqrt{2} + 2} \log\left(\sqrt{\sqrt{2} + 2} + 2 \sin(x)\right) - \frac{1}{8} \sqrt{\sqrt{2} + 2} \log\left(\sqrt{\sqrt{2} + 2} - 2 \sin(x)\right) + \frac{1}{8} \sqrt{-\sqrt{2} + 2} \log\left(\sqrt{-\sqrt{2} + 2} + 2 \sin(x)\right) - \frac{1}{8} \sqrt{-\sqrt{2} + 2} \log\left(\sqrt{-\sqrt{2} + 2} - 2 \sin(x)\right) - \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)\*tan(4\*x),x, algorithm="fricas")

[Out] 1/8\*sqrt(sqrt(2) + 2)\*log(sqrt(sqrt(2) + 2) + 2\*sin(x)) - 1/8\*sqrt(sqrt(2) + 2)\*log(sqrt(sqrt(2) + 2) - 2\*sin(x)) + 1/8\*sqrt(-sqrt(2) + 2)\*log(sqrt(-sqrt(2) + 2) + 2\*sin(x)) - 1/8\*sqrt(-sqrt(2) + 2)\*log(sqrt(-sqrt(2) + 2) - 2\*sin(x)) - sin(x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)\*tan(4\*x),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sin(x) \tan(4x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)\*tan(4\*x),x, algorithm="giac")

[Out] integrate(sin(x)\*tan(4\*x), x)

### 3.77 $\int \sin(x) \tan(5x) dx$

**Optimal.** Leaf size=112

$$-\sin(x) - \frac{1}{20} (1 - \sqrt{5}) \log(-4 \sin(x) - \sqrt{5} + 1) - \frac{1}{20} (1 + \sqrt{5}) \log(-4 \sin(x) + \sqrt{5} + 1) + \frac{1}{20} (1 - \sqrt{5}) \log(4 \sin(x) - \sqrt{5} + 1) + \frac{1}{20} (1 + \sqrt{5}) \log(4 \sin(x) + \sqrt{5} + 1) - \sin(x)$$

```
[Out] ArcTanh[Sin[x]]/5 - ((1 - Sqrt[5])*Log[1 - Sqrt[5] - 4*Sin[x]])/20 - ((1 + Sqrt[5])*Log[1 + Sqrt[5] - 4*Sin[x]])/20 + ((1 - Sqrt[5])*Log[1 - Sqrt[5] + 4*Sin[x]])/20 + ((1 + Sqrt[5])*Log[1 + Sqrt[5] + 4*Sin[x]])/20 - Sin[x]
```

**Rubi [A]** time = 0.169567, antiderivative size = 112, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 4, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$ , Rules used = {2075, 207, 632, 31}

$$-\sin(x) - \frac{1}{20} (1 - \sqrt{5}) \log(-4 \sin(x) - \sqrt{5} + 1) - \frac{1}{20} (1 + \sqrt{5}) \log(-4 \sin(x) + \sqrt{5} + 1) + \frac{1}{20} (1 - \sqrt{5}) \log(4 \sin(x) - \sqrt{5} + 1) + \frac{1}{20} (1 + \sqrt{5}) \log(4 \sin(x) + \sqrt{5} + 1) - \sin(x)$$

Antiderivative was successfully verified.

```
[In] Int[Sin[x]*Tan[5*x], x]
```

```
[Out] ArcTanh[Sin[x]]/5 - ((1 - Sqrt[5])*Log[1 - Sqrt[5] - 4*Sin[x]])/20 - ((1 + Sqrt[5])*Log[1 + Sqrt[5] - 4*Sin[x]])/20 + ((1 - Sqrt[5])*Log[1 - Sqrt[5] + 4*Sin[x]])/20 + ((1 + Sqrt[5])*Log[1 + Sqrt[5] + 4*Sin[x]])/20 - Sin[x]
```

#### Rule 2075

```
Int[(P_)^(p_)*(Qm_), x_Symbol] := With[{PP = Factor[P]}, Int[ExpandIntegrand[PP^p*Qm, x], x] /; QuadraticProductQ[PP, x] /; PolyQ[Qm, x] && PolyQ[P, x] && ILtQ[p, 0]
```

#### Rule 207

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])
```

#### Rule 632

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(c*d - e*(b/2 - q/2))/q, Int[1/(b/2 - q/2 + c*x), x], x] - Dist[(c*d - e*(b/2 + q/2))/q, Int[1/(b/2 + q/2 + c*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && NiceSqrtQ[b^2 - 4*a*c]
```

#### Rule 31

```
Int[((a_) + (b_.)*(x_))(-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]
```

#### Rubi steps

$$\begin{aligned}
\int \sin(x) \tan(5x) dx &= \text{Subst} \left( \int \frac{x^2 (5 - 20x^2 + 16x^4)}{1 - 13x^2 + 28x^4 - 16x^6} dx, x, \sin(x) \right) \\
&= \text{Subst} \left( \int \left( -1 - \frac{1}{5(-1+x^2)} - \frac{2(1+x)}{5(-1-2x+4x^2)} + \frac{2(-1+x)}{5(-1+2x+4x^2)} \right) dx, x, \sin(x) \right) \\
&= -\sin(x) - \frac{1}{5} \text{Subst} \left( \int \frac{1}{-1+x^2} dx, x, \sin(x) \right) - \frac{2}{5} \text{Subst} \left( \int \frac{1+x}{-1-2x+4x^2} dx, x, \sin(x) \right) + \frac{2}{5} \text{Subst} \left( \int \frac{-1+x}{-1+2x+4x^2} dx, x, \sin(x) \right) \\
&= \frac{1}{5} \tanh^{-1}(\sin(x)) - \sin(x) + \frac{1}{5} (1 - \sqrt{5}) \text{Subst} \left( \int \frac{1}{1 - \sqrt{5} + 4x} dx, x, \sin(x) \right) - \frac{1}{5} (1 - \sqrt{5}) \text{Subst} \left( \int \frac{1}{1 + \sqrt{5} + 4x} dx, x, \sin(x) \right) \\
&= \frac{1}{5} \tanh^{-1}(\sin(x)) - \frac{1}{20} (1 - \sqrt{5}) \log(1 - \sqrt{5} - 4\sin(x)) - \frac{1}{20} (1 + \sqrt{5}) \log(1 + \sqrt{5} - 4\sin(x)) + \dots
\end{aligned}$$

**Mathematica [A]** time = 0.150762, size = 100, normalized size = 0.89

$$\frac{1}{20} (-20 \sin(x) + (\sqrt{5} - 1) \log(-4 \sin(x) - \sqrt{5} + 1) - (1 + \sqrt{5}) \log(-4 \sin(x) + \sqrt{5} + 1) - (\sqrt{5} - 1) \log(4 \sin(x) - \sqrt{5} + 1) + (1 + \sqrt{5}) \log(4 \sin(x) + \sqrt{5} + 1))$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]\*Tan[5\*x],x]

[Out] (4\*ArcTanh[Sin[x]] + (-1 + Sqrt[5])\*Log[1 - Sqrt[5] - 4\*Sin[x]] - (1 + Sqrt[5])\*Log[1 + Sqrt[5] - 4\*Sin[x]] - (-1 + Sqrt[5])\*Log[1 - Sqrt[5] + 4\*Sin[x]] + (1 + Sqrt[5])\*Log[1 + Sqrt[5] + 4\*Sin[x]] - 20\*Sin[x])/20

**Maple [A]** time = 0.141, size = 84, normalized size = 0.8

$$-\frac{\ln(4(\sin(x))^2 - 2\sin(x) - 1)}{20} + \frac{\sqrt{5}}{10} \text{Arctanh}\left(\frac{(8\sin(x) - 2)\sqrt{5}}{10}\right) + \frac{\ln(1 + \sin(x))}{10} - \frac{\ln(\sin(x) - 1)}{10} + \frac{\ln(4(\sin(x))^2 - 2\sin(x) - 1)}{20}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)\*tan(5\*x),x)

[Out] -1/20\*ln(4\*sin(x)^2-2\*sin(x)-1)+1/10\*5^(1/2)\*arctanh(1/10\*(8\*sin(x)-2)\*5^(1/2))+1/10\*ln(1+sin(x))-1/10\*ln(sin(x)-1)+1/20\*ln(4\*sin(x)^2+2\*sin(x)-1)+1/10\*5^(1/2)\*arctanh(1/10\*(8\*sin(x)+2)\*5^(1/2))-sin(x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)\*tan(5\*x),x, algorithm="maxima")

[Out] integrate(-1/5\*((3\*cos(7\*x) - cos(5\*x) - cos(3\*x) + 3\*cos(x))\*cos(8\*x) - 3\*(cos(6\*x) - cos(4\*x) + cos(2\*x) - 1)\*cos(7\*x) + (cos(5\*x) + cos(3\*x) - 3\*cos(x))\*cos(6\*x) - (cos(4\*x) - cos(2\*x) + 1)\*cos(5\*x) - (cos(3\*x) - 3\*cos(x))\*cos(4\*x) + (cos(2\*x) - 1)\*cos(3\*x) - 3\*cos(2\*x)\*cos(x) + (3\*sin(7\*x) - sin(5\*x) + sin(3\*x) - 3\*sin(x))

```
(5*x) - sin(3*x) + 3*sin(x))*sin(8*x) - 3*(sin(6*x) - sin(4*x) + sin(2*x))*
sin(7*x) + (sin(5*x) + sin(3*x) - 3*sin(x))*sin(6*x) - (sin(4*x) - sin(2*x)
)*sin(5*x) - (sin(3*x) - 3*sin(x))*sin(4*x) + sin(3*x)*sin(2*x) - 3*sin(2*x
)*sin(x) + 3*cos(x))/(2*(cos(6*x) - cos(4*x) + cos(2*x) - 1)*cos(8*x) - cos
(8*x)^2 + 2*(cos(4*x) - cos(2*x) + 1)*cos(6*x) - cos(6*x)^2 + 2*(cos(2*x) -
1)*cos(4*x) - cos(4*x)^2 - cos(2*x)^2 + 2*(sin(6*x) - sin(4*x) + sin(2*x))
*sin(8*x) - sin(8*x)^2 + 2*(sin(4*x) - sin(2*x))*sin(6*x) - sin(6*x)^2 - si
n(4*x)^2 + 2*sin(4*x)*sin(2*x) - sin(2*x)^2 + 2*cos(2*x) - 1), x) + 1/10*lo
g(cos(x)^2 + sin(x)^2 + 2*sin(x) + 1) - 1/10*log(cos(x)^2 + sin(x)^2 - 2*si
n(x) + 1) - sin(x)
```

**Fricas [A]** time = 2.73607, size = 451, normalized size = 4.03

$$\frac{1}{20} \sqrt{5} \log \left( \frac{8 \cos(x)^2 - 4(\sqrt{5} - 1) \sin(x) + \sqrt{5} - 11}{4 \cos(x)^2 + 2 \sin(x) - 3} \right) + \frac{1}{20} \sqrt{5} \log \left( -\frac{8 \cos(x)^2 - 4(\sqrt{5} + 1) \sin(x) - \sqrt{5} - 11}{4 \cos(x)^2 - 2 \sin(x) - 3} \right) - \frac{1}{20} \log(4 \cos(x)^2 + 2 \sin(x) - 3) + \frac{1}{20} \log(4 \cos(x)^2 - 2 \sin(x) - 3) + \frac{1}{10} \log(\sin(x) + 1) - \frac{1}{10} \log(-\sin(x) + 1) - \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(x)*tan(5*x),x, algorithm="fricas")
```

```
[Out] 1/20*sqrt(5)*log((8*cos(x)^2 - 4*(sqrt(5) - 1)*sin(x) + sqrt(5) - 11)/(4*co
s(x)^2 + 2*sin(x) - 3)) + 1/20*sqrt(5)*log(-(8*cos(x)^2 - 4*(sqrt(5) + 1)*s
in(x) - sqrt(5) - 11)/(4*cos(x)^2 - 2*sin(x) - 3)) - 1/20*log(4*cos(x)^2 +
2*sin(x) - 3) + 1/20*log(4*cos(x)^2 - 2*sin(x) - 3) + 1/10*log(sin(x) + 1)
- 1/10*log(-sin(x) + 1) - sin(x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(x)*tan(5*x),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sin(x) \tan(5x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(x)*tan(5*x),x, algorithm="giac")
```

```
[Out] integrate(sin(x)*tan(5*x), x)
```

### 3.78 $\int \sin(x) \tan(6x) dx$

**Optimal.** Leaf size=89

$$-\sin(x) + \frac{\tanh^{-1}(\sqrt{2}\sin(x))}{3\sqrt{2}} + \frac{1}{6}\sqrt{2-\sqrt{3}}\tanh^{-1}\left(\frac{2\sin(x)}{\sqrt{2-\sqrt{3}}}\right) + \frac{1}{6}\sqrt{2+\sqrt{3}}\tanh^{-1}\left(\frac{2\sin(x)}{\sqrt{2+\sqrt{3}}}\right)$$

[Out] ArcTanh[Sqrt[2]\*Sin[x]]/(3\*Sqrt[2]) + (Sqrt[2 - Sqrt[3]]\*ArcTanh[(2\*Sin[x])/Sqrt[2 - Sqrt[3]]])/6 + (Sqrt[2 + Sqrt[3]]\*ArcTanh[(2\*Sin[x])/Sqrt[2 + Sqrt[3]]])/6 - Sin[x]

**Rubi [A]** time = 0.270688, antiderivative size = 89, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 5, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.714$ , Rules used = {12, 6742, 2073, 207, 1166}

$$-\sin(x) + \frac{\tanh^{-1}(\sqrt{2}\sin(x))}{3\sqrt{2}} + \frac{1}{6}\sqrt{2-\sqrt{3}}\tanh^{-1}\left(\frac{2\sin(x)}{\sqrt{2-\sqrt{3}}}\right) + \frac{1}{6}\sqrt{2+\sqrt{3}}\tanh^{-1}\left(\frac{2\sin(x)}{\sqrt{2+\sqrt{3}}}\right)$$

Antiderivative was successfully verified.

[In] Int[Sin[x]\*Tan[6\*x], x]

[Out] ArcTanh[Sqrt[2]\*Sin[x]]/(3\*Sqrt[2]) + (Sqrt[2 - Sqrt[3]]\*ArcTanh[(2\*Sin[x])/Sqrt[2 - Sqrt[3]]])/6 + (Sqrt[2 + Sqrt[3]]\*ArcTanh[(2\*Sin[x])/Sqrt[2 + Sqrt[3]]])/6 - Sin[x]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 6742

Int[u\_, x\_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

#### Rule 2073

Int[(P\_)^(p\_)\*(Q\_)^(q\_.), x\_Symbol] := With[{PP = Factor[P /. x -> Sqrt[x]]}, Int[ExpandIntegrand[(PP /. x -> x^2)^p\*Q^q, x], x] /; !SumQ[NonfreeFactors[PP, x]] /; FreeQ[q, x] && PolyQ[P, x^2] && PolyQ[Q, x] && ILtQ[p, 0]

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rule 1166

Int[((d\_) + (e\_.)\*(x\_)^2)/((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4), x\_Symbol] := With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[e/2 + (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 - q/2 + c\*x^2), x], x] + Dist[e/2 - (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 + q/2 + c\*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && Ne

$Q[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[b^2 - 4*a*c]$

### Rubi steps

$$\begin{aligned}
 \int \sin(x) \tan(6x) dx &= \text{Subst} \left( \int \frac{2x^2(3 - 16x^2 + 16x^4)}{1 - 18x^2 + 48x^4 - 32x^6} dx, x, \sin(x) \right) \\
 &= 2 \text{Subst} \left( \int \frac{x^2(3 - 16x^2 + 16x^4)}{1 - 18x^2 + 48x^4 - 32x^6} dx, x, \sin(x) \right) \\
 &= 2 \text{Subst} \left( \int \left( -\frac{1}{2} + \frac{1 - 12x^2 + 16x^4}{2(1 - 18x^2 + 48x^4 - 32x^6)} \right) dx, x, \sin(x) \right) \\
 &= -\sin(x) + \text{Subst} \left( \int \frac{1 - 12x^2 + 16x^4}{1 - 18x^2 + 48x^4 - 32x^6} dx, x, \sin(x) \right) \\
 &= -\sin(x) + \text{Subst} \left( \int \left( -\frac{1}{3(-1 + 2x^2)} - \frac{2(-1 + 8x^2)}{3(1 - 16x^2 + 16x^4)} \right) dx, x, \sin(x) \right) \\
 &= -\sin(x) - \frac{1}{3} \text{Subst} \left( \int \frac{1}{-1 + 2x^2} dx, x, \sin(x) \right) - \frac{2}{3} \text{Subst} \left( \int \frac{-1 + 8x^2}{1 - 16x^2 + 16x^4} dx, x, \sin(x) \right) \\
 &= \frac{\tanh^{-1}(\sqrt{2}\sin(x))}{3\sqrt{2}} - \sin(x) - \frac{1}{3} (4(2 - \sqrt{3})) \text{Subst} \left( \int \frac{1}{-8 + 4\sqrt{3} + 16x^2} dx, x, \sin(x) \right) - \frac{1}{3} \text{Subst} \left( \int \frac{1}{1 - 16x^2 + 16x^4} dx, x, \sin(x) \right) \\
 &= \frac{\tanh^{-1}(\sqrt{2}\sin(x))}{3\sqrt{2}} + \frac{1}{6} \sqrt{2 - \sqrt{3}} \tanh^{-1} \left( \frac{2\sin(x)}{\sqrt{2 - \sqrt{3}}} \right) + \frac{1}{6} \sqrt{2 + \sqrt{3}} \tanh^{-1} \left( \frac{2\sin(x)}{\sqrt{2 + \sqrt{3}}} \right) - \sin(x)
 \end{aligned}$$

**Mathematica [A]** time = 0.133556, size = 84, normalized size = 0.94

$$\frac{1}{6} \left( -6\sin(x) + \sqrt{2} \tanh^{-1}(\sqrt{2}\sin(x)) + \sqrt{2 - \sqrt{3}} \tanh^{-1} \left( \frac{2\sin(x)}{\sqrt{2 - \sqrt{3}}} \right) + \sqrt{2 + \sqrt{3}} \tanh^{-1} \left( \frac{2\sin(x)}{\sqrt{2 + \sqrt{3}}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]\*Tan[6\*x], x]

[Out] (Sqrt[2]\*ArcTanh[Sqrt[2]\*Sin[x]] + Sqrt[2 - Sqrt[3]]\*ArcTanh[(2\*Sin[x])/Sqrt[2 - Sqrt[3]]] + Sqrt[2 + Sqrt[3]]\*ArcTanh[(2\*Sin[x])/Sqrt[2 + Sqrt[3]]] - 6\*Sin[x])/6

**Maple [B]** time = 0.281, size = 256, normalized size = 2.9

$$\frac{(-3 + 2\sqrt{3})\sqrt{3}}{6\sqrt{6} - 6\sqrt{2}} \text{Artanh} \left( 8 \frac{\sin(x)}{2\sqrt{6} - 2\sqrt{2}} \right) + \frac{(3 + 2\sqrt{3})\sqrt{3}}{6\sqrt{6} + 6\sqrt{2}} \text{Artanh} \left( 8 \frac{\sin(x)}{2\sqrt{6} + 2\sqrt{2}} \right) + \frac{\text{Artanh}(\sin(x)\sqrt{2})\sqrt{2}}{6} - \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)\*tan(6\*x), x)

[Out] 1/3\*(-3+2\*3^(1/2))\*3^(1/2)/(2\*6^(1/2)-2\*2^(1/2))\*arctanh(8\*sin(x)/(2\*6^(1/2)-2\*2^(1/2)))+1/3\*(3+2\*3^(1/2))\*3^(1/2)/(2\*6^(1/2)+2\*2^(1/2))\*arctanh(8\*sin(x)/(2\*6^(1/2)+2\*2^(1/2)))+1/6\*arctanh(sin(x)\*2^(1/2))\*2^(1/2)-4/3/(2\*6^(1/2)-2\*2^(1/2))\*arctanh(8\*sin(x)/(2\*6^(1/2)-2\*2^(1/2)))-4/3/(2\*6^(1/2)+2\*2^(1/2))\*arctanh(8\*sin(x)/(2\*6^(1/2)+2\*2^(1/2)))-sin(x)

/2))\*arctanh(8\*sin(x)/(2\*6^(1/2)+2\*2^(1/2)))-sin(x)+1/9\*(3+2\*3^(1/2))\*3^(1/2)/(2\*6^(1/2)-2\*2^(1/2))\*arctanh(8\*sin(x)/(2\*6^(1/2)-2\*2^(1/2)))+1/9\*(-3+2\*3^(1/2))\*3^(1/2)/(2\*6^(1/2)+2\*2^(1/2))\*arctanh(8\*sin(x)/(2\*6^(1/2)+2\*2^(1/2))))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{24} \sqrt{2} \log\left(2 \cos(x)^2 + 2 \sin(x)^2 + 2 \sqrt{2} \cos(x) + 2 \sqrt{2} \sin(x) + 2\right) - \frac{1}{24} \sqrt{2} \log\left(2 \cos(x)^2 + 2 \sin(x)^2 + 2 \sqrt{2} \cos(x)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)\*tan(6\*x),x, algorithm="maxima")

[Out] 1/24\*sqrt(2)\*log(2\*cos(x)^2 + 2\*sin(x)^2 + 2\*sqrt(2)\*cos(x) + 2\*sqrt(2)\*sin(x) + 2) - 1/24\*sqrt(2)\*log(2\*cos(x)^2 + 2\*sin(x)^2 + 2\*sqrt(2)\*cos(x) - 2\*sqrt(2)\*sin(x) + 2) + 1/24\*sqrt(2)\*log(2\*cos(x)^2 + 2\*sin(x)^2 - 2\*sqrt(2)\*cos(x) + 2\*sqrt(2)\*sin(x) + 2) - 1/24\*sqrt(2)\*log(2\*cos(x)^2 + 2\*sin(x)^2 - 2\*sqrt(2)\*cos(x) - 2\*sqrt(2)\*sin(x) + 2) + integrate(-1/3\*((2\*cos(7\*x) - cos(5\*x) - cos(3\*x) + 2\*cos(x))\*cos(8\*x) - 2\*(cos(4\*x) - 1)\*cos(7\*x) + (cos(4\*x) - 1)\*cos(5\*x) + (cos(3\*x) - 2\*cos(x))\*cos(4\*x) + (2\*sin(7\*x) - sin(5\*x) - sin(3\*x) + 2\*sin(x))\*sin(8\*x) + (sin(3\*x) - 2\*sin(x))\*sin(4\*x) - 2\*sin(7\*x)\*sin(4\*x) + sin(5\*x)\*sin(4\*x) - cos(3\*x) + 2\*cos(x))/(2\*(cos(4\*x) - 1)\*cos(8\*x) - cos(8\*x)^2 - cos(4\*x)^2 - sin(8\*x)^2 + 2\*sin(8\*x)\*sin(4\*x) - sin(4\*x)^2 + 2\*cos(4\*x) - 1), x) - sin(x)

**Fricas [B]** time = 2.78035, size = 435, normalized size = 4.89

$$\frac{1}{12} \sqrt{\sqrt{3} + 2} \log\left(\sqrt{\sqrt{3} + 2} + 2 \sin(x)\right) - \frac{1}{12} \sqrt{\sqrt{3} + 2} \log\left(\sqrt{\sqrt{3} + 2} - 2 \sin(x)\right) + \frac{1}{12} \sqrt{-\sqrt{3} + 2} \log\left(\sqrt{-\sqrt{3} + 2} + 2 \sin(x)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)\*tan(6\*x),x, algorithm="fricas")

[Out] 1/12\*sqrt(sqrt(3) + 2)\*log(sqrt(sqrt(3) + 2) + 2\*sin(x)) - 1/12\*sqrt(sqrt(3) + 2)\*log(sqrt(sqrt(3) + 2) - 2\*sin(x)) + 1/12\*sqrt(-sqrt(3) + 2)\*log(sqrt(-sqrt(3) + 2) + 2\*sin(x)) - 1/12\*sqrt(-sqrt(3) + 2)\*log(sqrt(-sqrt(3) + 2) - 2\*sin(x)) + 1/12\*sqrt(2)\*log(-(2\*cos(x)^2 - 2\*sqrt(2)\*sin(x) - 3)/(2\*cos(x)^2 - 1)) - sin(x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)\*tan(6\*x),x)

[Out] Timed out



---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sin(x) \tan(6x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)\*tan(6\*x),x, algorithm="giac")

[Out] integrate(sin(x)\*tan(6\*x), x)

### 3.79 $\int \sin(x) \tan(nx) dx$

**Optimal.** Leaf size=105

$$-ie^{-ix}\text{Hypergeometric2F1}\left(1, -\frac{1}{2n}, 1 - \frac{1}{2n}, -e^{2inx}\right) - ie^{ix}\text{Hypergeometric2F1}\left(1, \frac{1}{2n}, \frac{1}{2}\left(\frac{1}{n} + 2\right), -e^{2inx}\right) + \frac{1}{2}ie^{-ix} + \frac{1}{2}$$

[Out] (I/2)/E^(I\*x) + (I/2)\*E^(I\*x) - (I\*Hypergeometric2F1[1, -1/(2\*n), 1 - 1/(2\*n), -E^((2\*I)\*n\*x)])/E^(I\*x) - I\*E^(I\*x)\*Hypergeometric2F1[1, 1/(2\*n), (2 + n^(-1))/2, -E^((2\*I)\*n\*x)]

**Rubi [A]** time = 0.0773561, antiderivative size = 105, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {4557, 2194, 2251}

$$-ie^{-ix} {}_2F_1\left(1, -\frac{1}{2n}; 1 - \frac{1}{2n}; -e^{2inx}\right) - ie^{ix} {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -e^{2inx}\right) + \frac{1}{2}ie^{-ix} + \frac{1}{2}ie^{ix}$$

Antiderivative was successfully verified.

[In] Int[Sin[x]\*Tan[n\*x], x]

[Out] (I/2)/E^(I\*x) + (I/2)\*E^(I\*x) - (I\*Hypergeometric2F1[1, -1/(2\*n), 1 - 1/(2\*n), -E^((2\*I)\*n\*x)])/E^(I\*x) - I\*E^(I\*x)\*Hypergeometric2F1[1, 1/(2\*n), (2 + n^(-1))/2, -E^((2\*I)\*n\*x)]

#### Rule 4557

Int[Sin[(a\_.) + (b\_.)\*(x\_.)]\*Tan[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := Int[1/(E^(I\*(a + b\*x))^2 - E^(I\*(a + b\*x))/2 - 1/(E^(I\*(a + b\*x))\*(1 + E^(2\*I\*(c + d\*x)))) + E^(I\*(a + b\*x))/(1 + E^(2\*I\*(c + d\*x))), x] /; FreeQ[{a, b, c, d}, x] && NeQ[b^2 - d^2, 0]

#### Rule 2194

Int[((F\_)^((c\_.)\*((a\_.) + (b\_.)\*(x\_))))^(n\_.), x\_Symbol] := Simp[(F^(c\*(a + b\*x)))^n/(b\*c\*n\*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]

#### Rule 2251

Int[((a\_) + (b\_.)\*(F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(p\_)\*(G\_)^((h\_.)\*((f\_.) + (g\_.)\*(x\_))), x\_Symbol] := Simp[(a^p\*G^(h\*(f + g\*x))\*Hypergeometric2F1[-p, (g\*h\*Log[G])/(d\*e\*Log[F]), (g\*h\*Log[G])/(d\*e\*Log[F]) + 1, Simplify[-((b\*F^(e\*(c + d\*x)))/a])]/(g\*h\*Log[G]), x] /; FreeQ[{F, G, a, b, c, d, e, f, g, h, p}, x] && (ILtQ[p, 0] || GtQ[a, 0])

#### Rubi steps

$$\begin{aligned} \int \sin(x) \tan(nx) dx &= \int \left( \frac{e^{-ix}}{2} - \frac{e^{ix}}{2} - \frac{e^{-ix}}{1 + e^{2inx}} + \frac{e^{ix}}{1 + e^{2inx}} \right) dx \\ &= \frac{1}{2} \int e^{-ix} dx - \frac{1}{2} \int e^{ix} dx - \int \frac{e^{-ix}}{1 + e^{2inx}} dx + \int \frac{e^{ix}}{1 + e^{2inx}} dx \\ &= \frac{1}{2}ie^{-ix} + \frac{1}{2}ie^{ix} - ie^{-ix} {}_2F_1\left(1, -\frac{1}{2n}; 1 - \frac{1}{2n}; -e^{2inx}\right) - ie^{ix} {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -e^{2inx}\right) \end{aligned}$$

**Mathematica [A]** time = 0.164693, size = 200, normalized size = 1.9

$$ie^{-2ix} \left( (2n+1)e^{i(2nx+x)} \text{Hypergeometric2F1} \left( 1, 1 - \frac{1}{2n}, 2 - \frac{1}{2n}, -e^{2inx} \right) + (2n-1) \left( (2n+1)e^{ix} \left( \text{Hypergeometric2F1} \right. \right. \right.$$


---

Antiderivative was successfully verified.

[In] Integrate[Sin[x]\*Tan[n\*x],x]

[Out]  $((-I/2)*(E^{I*(x + 2*n*x)})*(1 + 2*n)*\text{Hypergeometric2F1}[1, 1 - 1/(2*n), 2 - 1/(2*n), -E^{((2*I)*n*x)}] + (-1 + 2*n)*(-E^{I*(3 + 2*n)*x})*\text{Hypergeometric2F1}[1, 1 + 1/(2*n), 2 + 1/(2*n), -E^{((2*I)*n*x)}]) + E^{I*x}*(1 + 2*n)*(\text{Hypergeometric2F1}[1, -1/(2*n), 1 - 1/(2*n), -E^{((2*I)*n*x)}] + E^{((2*I)*x)*\text{Hypergeometric2F1}[1, 1/(2*n), 1 + 1/(2*n), -E^{((2*I)*n*x)}])))/E^{((2*I)*x)*(-1 + 4*n^2)}$

---

**Maple [F]** time = 0.174, size = 0, normalized size = 0.

$$\int \sin(x) \tan(nx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)\*tan(n\*x),x)

[Out] int(sin(x)\*tan(n\*x),x)

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sin(x) \tan(nx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)\*tan(n\*x),x, algorithm="maxima")

[Out] integrate(sin(x)\*tan(n\*x), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}(\sin(x) \tan(nx), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)\*tan(n\*x),x, algorithm="fricas")

[Out] integral(sin(x)\*tan(n\*x), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sin(x) \tan(nx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(x)*tan(n*x),x)
```

```
[Out] Integral(sin(x)*tan(n*x), x)
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sin(x) \tan(nx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(x)*tan(n*x),x, algorithm="giac")
```

```
[Out] integrate(sin(x)*tan(n*x), x)
```

### 3.80 $\int \cot(2x) \sin(x) dx$

**Optimal.** Leaf size=10

$$\sin(x) - \frac{1}{2} \tanh^{-1}(\sin(x))$$

[Out] -ArcTanh[Sin[x]]/2 + Sin[x]

**Rubi [A]** time = 0.0218386, antiderivative size = 10, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {388, 206}

$$\sin(x) - \frac{1}{2} \tanh^{-1}(\sin(x))$$

Antiderivative was successfully verified.

[In] Int[Cot[2\*x]\*Sin[x],x]

[Out] -ArcTanh[Sin[x]]/2 + Sin[x]

#### Rule 388

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] :> Simp[(d\*x\*(a + b\*x^n)^(p + 1))/(b\*(n\*(p + 1) + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(b\*(n\*(p + 1) + 1)), Int[(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n\*(p + 1) + 1, 0]

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \cot(2x) \sin(x) dx &= \text{Subst} \left( \int \frac{1-2x^2}{2-2x^2} dx, x, \sin(x) \right) \\ &= \sin(x) - \text{Subst} \left( \int \frac{1}{2-2x^2} dx, x, \sin(x) \right) \\ &= -\frac{1}{2} \tanh^{-1}(\sin(x)) + \sin(x) \end{aligned}$$

**Mathematica [A]** time = 0.0090133, size = 10, normalized size = 1.

$$\sin(x) - \frac{1}{2} \tanh^{-1}(\sin(x))$$

Antiderivative was successfully verified.

[In] Integrate[Cot[2\*x]\*Sin[x],x]

[Out] -ArcTanh[Sin[x]]/2 + Sin[x]

---

**Maple [A]** time = 0.026, size = 12, normalized size = 1.2

$$\sin(x) - \frac{\ln(\sec(x) + \tan(x))}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(2\*x)\*sin(x),x)

[Out] sin(x)-1/2\*ln(sec(x)+tan(x))

---

**Maxima [B]** time = 1.49586, size = 50, normalized size = 5.

$$-\frac{1}{4} \log(\cos(x)^2 + \sin(x)^2 + 2 \sin(x) + 1) + \frac{1}{4} \log(\cos(x)^2 + \sin(x)^2 - 2 \sin(x) + 1) + \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(2\*x)\*sin(x),x, algorithm="maxima")

[Out] -1/4\*log(cos(x)^2 + sin(x)^2 + 2\*sin(x) + 1) + 1/4\*log(cos(x)^2 + sin(x)^2 - 2\*sin(x) + 1) + sin(x)

---

**Fricas [B]** time = 2.41989, size = 73, normalized size = 7.3

$$-\frac{1}{4} \log(\sin(x) + 1) + \frac{1}{4} \log(-\sin(x) + 1) + \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(2\*x)\*sin(x),x, algorithm="fricas")

[Out] -1/4\*log(sin(x) + 1) + 1/4\*log(-sin(x) + 1) + sin(x)

---

**Sympy [B]** time = 1.20567, size = 19, normalized size = 1.9

$$\frac{\log(\sin(x) - 1)}{4} - \frac{\log(\sin(x) + 1)}{4} + \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(2\*x)\*sin(x),x)

[Out] log(sin(x) - 1)/4 - log(sin(x) + 1)/4 + sin(x)

---

**Giac [B]** time = 1.12964, size = 26, normalized size = 2.6

$$-\frac{1}{4} \log(\sin(x) + 1) + \frac{1}{4} \log(-\sin(x) + 1) + \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(2*x)*sin(x),x, algorithm="giac")
```

```
[Out] -1/4*log(sin(x) + 1) + 1/4*log(-sin(x) + 1) + sin(x)
```

### 3.81 $\int \cot(3x) \sin(x) dx$

**Optimal.** Leaf size=20

$$\sin(x) - \frac{\tanh^{-1}\left(\frac{2\sin(x)}{\sqrt{3}}\right)}{\sqrt{3}}$$

[Out]  $-(\text{ArcTanh}[(2*\text{Sin}[x])/Sqrt[3]]/Sqrt[3]) + \text{Sin}[x]$

**Rubi [A]** time = 0.026517, antiderivative size = 20, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {388, 206}

$$\sin(x) - \frac{\tanh^{-1}\left(\frac{2\sin(x)}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cot}[3*x]*\text{Sin}[x], x]$

[Out]  $-(\text{ArcTanh}[(2*\text{Sin}[x])/Sqrt[3]]/Sqrt[3]) + \text{Sin}[x]$

#### Rule 388

$\text{Int}[(a_ + (b_)*(x_)^{(n_)})^{(p_)*((c_ + (d_)*(x_)^{(n_)}), x\_Symbol] :> \text{Simp}[(d*x*(a + b*x^n)^{(p + 1)})/(b*(n*(p + 1) + 1)), x] - \text{Dist}[(a*d - b*c*(n*(p + 1) + 1))/(b*(n*(p + 1) + 1)), \text{Int}[(a + b*x^n)^p, x], x] /;$  FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n\*(p + 1) + 1, 0]

#### Rule 206

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x\_Symbol] :> \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /;$  FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \cot(3x) \sin(x) dx &= \text{Subst}\left(\int \frac{1-4x^2}{3-4x^2} dx, x, \sin(x)\right) \\ &= \sin(x) - 2 \text{Subst}\left(\int \frac{1}{3-4x^2} dx, x, \sin(x)\right) \\ &= -\frac{\tanh^{-1}\left(\frac{2\sin(x)}{\sqrt{3}}\right)}{\sqrt{3}} + \sin(x) \end{aligned}$$

**Mathematica [A]** time = 0.0168605, size = 20, normalized size = 1.

$$\sin(x) - \frac{\tanh^{-1}\left(\frac{2\sin(x)}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.



[In] Integrate[Cot[3\*x]\*Sin[x],x]

[Out]  $-(\text{ArcTanh}[(2*\text{Sin}[x])/Sqrt[3]]/Sqrt[3]) + \text{Sin}[x]$

**Maple [A]** time = 0.046, size = 17, normalized size = 0.9

$$\sin(x) - \frac{\sqrt{3}}{3} \text{Artanh}\left(\frac{2 \sin(x) \sqrt{3}}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(3\*x)\*sin(x),x)

[Out]  $\sin(x) - 1/3 * \text{arctanh}(2/3 * \sin(x) * 3^{(1/2)}) * 3^{(1/2)}$

**Maxima [B]** time = 1.58707, size = 171, normalized size = 8.55

$$-\frac{1}{12} \sqrt{3} \log\left(\frac{4}{3} \cos(x)^2 + \frac{4}{3} \sin(x)^2 + \frac{4}{3} \sqrt{3} \sin(x) + \frac{4}{3} \cos(x) + \frac{4}{3}\right) - \frac{1}{12} \sqrt{3} \log\left(\frac{4}{3} \cos(x)^2 + \frac{4}{3} \sin(x)^2 + \frac{4}{3} \sqrt{3} \sin(x) + \frac{4}{3} \cos(x) + \frac{4}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(3\*x)\*sin(x),x, algorithm="maxima")

[Out]  $-1/12 * \text{sqrt}(3) * \log(4/3 * \cos(x)^2 + 4/3 * \sin(x)^2 + 4/3 * \text{sqrt}(3) * \sin(x) + 4/3 * \cos(x) + 4/3) - 1/12 * \text{sqrt}(3) * \log(4/3 * \cos(x)^2 + 4/3 * \sin(x)^2 + 4/3 * \text{sqrt}(3) * \sin(x) + 4/3 * \cos(x) + 4/3) + 1/12 * \text{sqrt}(3) * \log(4/3 * \cos(x)^2 + 4/3 * \sin(x)^2 - 4/3 * \text{sqrt}(3) * \sin(x) + 4/3 * \cos(x) + 4/3) + 1/12 * \text{sqrt}(3) * \log(4/3 * \cos(x)^2 + 4/3 * \sin(x)^2 - 4/3 * \text{sqrt}(3) * \sin(x) - 4/3 * \cos(x) + 4/3) + \sin(x)$

**Fricas [B]** time = 2.32617, size = 109, normalized size = 5.45

$$\frac{1}{6} \sqrt{3} \log\left(-\frac{4 \cos(x)^2 + 4 \sqrt{3} \sin(x) - 7}{4 \cos(x)^2 - 1}\right) + \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(3\*x)\*sin(x),x, algorithm="fricas")

[Out]  $1/6 * \text{sqrt}(3) * \log(-(4 * \cos(x)^2 + 4 * \text{sqrt}(3) * \sin(x) - 7) / (4 * \cos(x)^2 - 1)) + \sin(x)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sin(x) \cot(3x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(3*x)*sin(x),x)
```

```
[Out] Integral(sin(x)*cot(3*x), x)
```

---

**Giac [B]** time = 1.15718, size = 46, normalized size = 2.3

$$\frac{1}{6} \sqrt{3} \log \left( \frac{|-4\sqrt{3} + 8 \sin(x)|}{|4\sqrt{3} + 8 \sin(x)|} \right) + \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(3*x)*sin(x),x, algorithm="giac")
```

```
[Out] 1/6*sqrt(3)*log(abs(-4*sqrt(3) + 8*sin(x))/abs(4*sqrt(3) + 8*sin(x))) + sin(x)
```

### 3.82 $\int \cot(4x) \sin(x) dx$

**Optimal.** Leaf size=28

$$\sin(x) - \frac{1}{4} \tanh^{-1}(\sin(x)) - \frac{\tanh^{-1}(\sqrt{2} \sin(x))}{2\sqrt{2}}$$

[Out] -ArcTanh[Sin[x]]/4 - ArcTanh[Sqrt[2]\*Sin[x]]/(2\*Sqrt[2]) + Sin[x]

**Rubi [A]** time = 0.0511705, antiderivative size = 28, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {1676, 1166, 207}

$$\sin(x) - \frac{1}{4} \tanh^{-1}(\sin(x)) - \frac{\tanh^{-1}(\sqrt{2} \sin(x))}{2\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[Cot[4\*x]\*Sin[x],x]

[Out] -ArcTanh[Sin[x]]/4 - ArcTanh[Sqrt[2]\*Sin[x]]/(2\*Sqrt[2]) + Sin[x]

#### Rule 1676

Int[(Pq\_)/((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4), x\_Symbol] := Int[ExpandIntegrand[Pq/(a + b\*x^2 + c\*x^4), x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && Expon[Pq, x^2] > 1

#### Rule 1166

Int[((d\_) + (e\_.)\*(x\_)^2)/((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4), x\_Symbol] :> With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[e/2 + (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 - q/2 + c\*x^2), x], x] + Dist[e/2 - (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 + q/2 + c\*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - a\*e^2, 0] && PosQ[b^2 - 4\*a\*c]

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \cot(4x) \sin(x) dx &= \text{Subst} \left( \int \frac{1 - 8x^2 + 8x^4}{4 - 12x^2 + 8x^4} dx, x, \sin(x) \right) \\ &= \text{Subst} \left( \int \left( 1 - \frac{3 - 4x^2}{4 - 12x^2 + 8x^4} \right) dx, x, \sin(x) \right) \\ &= \sin(x) - \text{Subst} \left( \int \frac{3 - 4x^2}{4 - 12x^2 + 8x^4} dx, x, \sin(x) \right) \\ &= \sin(x) + 2 \text{Subst} \left( \int \frac{1}{-8 + 8x^2} dx, x, \sin(x) \right) + 2 \text{Subst} \left( \int \frac{1}{-4 + 8x^2} dx, x, \sin(x) \right) \\ &= \frac{1}{4} \tanh^{-1}(\sin(x)) - \frac{\tanh^{-1}(\sqrt{2} \sin(x))}{2\sqrt{2}} + \sin(x) \end{aligned}$$

**Mathematica [A]** time = 0.0320893, size = 28, normalized size = 1.

$$\sin(x) - \frac{1}{4} \tanh^{-1}(\sin(x)) - \frac{\tanh^{-1}(\sqrt{2} \sin(x))}{2\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[4\*x]\*Sin[x], x]

[Out] -ArcTanh[Sin[x]]/4 - ArcTanh[Sqrt[2]\*Sin[x]]/(2\*Sqrt[2]) + Sin[x]

**Maple [A]** time = 0.047, size = 30, normalized size = 1.1

$$\sin(x) - \frac{\operatorname{Artanh}(\sin(x)\sqrt{2})\sqrt{2}}{4} - \frac{\ln(1 + \sin(x))}{8} + \frac{\ln(\sin(x) - 1)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(4\*x)\*sin(x), x)

[Out] sin(x)-1/4\*arctanh(sin(x)\*2^(1/2))\*2^(1/2)-1/8\*ln(1+sin(x))+1/8\*ln(sin(x)-1)

**Maxima [B]** time = 1.57866, size = 234, normalized size = 8.36

$$-\frac{1}{16} \sqrt{2} \log\left(2 \cos(x)^2 + 2 \sin(x)^2 + 2 \sqrt{2} \cos(x) + 2 \sqrt{2} \sin(x) + 2\right) + \frac{1}{16} \sqrt{2} \log\left(2 \cos(x)^2 + 2 \sin(x)^2 + 2 \sqrt{2} \cos(x) + 2 \sqrt{2} \sin(x) + 2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(4\*x)\*sin(x), x, algorithm="maxima")

[Out] -1/16\*sqrt(2)\*log(2\*cos(x)^2 + 2\*sin(x)^2 + 2\*sqrt(2)\*cos(x) + 2\*sqrt(2)\*sin(x) + 2) + 1/16\*sqrt(2)\*log(2\*cos(x)^2 + 2\*sin(x)^2 + 2\*sqrt(2)\*cos(x) - 2\*sqrt(2)\*sin(x) + 2) - 1/16\*sqrt(2)\*log(2\*cos(x)^2 + 2\*sin(x)^2 - 2\*sqrt(2)\*cos(x) + 2\*sqrt(2)\*sin(x) + 2) + 1/16\*sqrt(2)\*log(2\*cos(x)^2 + 2\*sin(x)^2 - 2\*sqrt(2)\*cos(x) - 2\*sqrt(2)\*sin(x) + 2) - 1/8\*log(cos(x)^2 + sin(x)^2 + 2\*sin(x) + 1) + 1/8\*log(cos(x)^2 + sin(x)^2 - 2\*sin(x) + 1) + sin(x)

**Fricas [B]** time = 2.50194, size = 170, normalized size = 6.07

$$\frac{1}{8} \sqrt{2} \log\left(\frac{2 \cos(x)^2 + 2 \sqrt{2} \sin(x) - 3}{2 \cos(x)^2 - 1}\right) - \frac{1}{8} \log(\sin(x) + 1) + \frac{1}{8} \log(-\sin(x) + 1) + \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(4\*x)\*sin(x), x, algorithm="fricas")

[Out] 1/8\*sqrt(2)\*log(-(2\*cos(x)^2 + 2\*sqrt(2)\*sin(x) - 3)/(2\*cos(x)^2 - 1)) - 1/8\*log(sin(x) + 1) + 1/8\*log(-sin(x) + 1) + sin(x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sin(x) \cot(4x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(4\*x)\*sin(x),x)

[Out] Integral(sin(x)\*cot(4\*x), x)

---

**Giac [B]** time = 1.16234, size = 68, normalized size = 2.43

$$\frac{1}{8} \sqrt{2} \log \left( \frac{|-2\sqrt{2} + 4 \sin(x)|}{|2\sqrt{2} + 4 \sin(x)|} \right) - \frac{1}{8} \log(\sin(x) + 1) + \frac{1}{8} \log(-\sin(x) + 1) + \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(4\*x)\*sin(x),x, algorithm="giac")

[Out] 1/8\*sqrt(2)\*log(abs(-2\*sqrt(2) + 4\*sin(x))/abs(2\*sqrt(2) + 4\*sin(x))) - 1/8 \*log(sin(x) + 1) + 1/8\*log(-sin(x) + 1) + sin(x)

### 3.83 $\int \cot(5x) \sin(x) dx$

**Optimal.** Leaf size=82

$$\sin(x) - \frac{1}{5} \sqrt{\frac{1}{2}(5 + \sqrt{5})} \tanh^{-1} \left( 2 \sqrt{\frac{2}{5 + \sqrt{5}}} \sin(x) \right) - \frac{1}{5} \sqrt{\frac{1}{2}(5 - \sqrt{5})} \tanh^{-1} \left( \sqrt{\frac{2}{5}} (5 + \sqrt{5}) \sin(x) \right)$$

[Out]  $-(\text{Sqrt}[(5 + \text{Sqrt}[5])/2] * \text{ArcTanh}[2 * \text{Sqrt}[2/(5 + \text{Sqrt}[5])] * \text{Sin}[x]])/5 - (\text{Sqrt}[(5 - \text{Sqrt}[5])/2] * \text{ArcTanh}[\text{Sqrt}[(2 * (5 + \text{Sqrt}[5]))/5] * \text{Sin}[x]])/5 + \text{Sin}[x]$

**Rubi [A]** time = 0.196014, antiderivative size = 82, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {1676, 1166, 207}

$$\sin(x) - \frac{1}{5} \sqrt{\frac{1}{2}(5 + \sqrt{5})} \tanh^{-1} \left( 2 \sqrt{\frac{2}{5 + \sqrt{5}}} \sin(x) \right) - \frac{1}{5} \sqrt{\frac{1}{2}(5 - \sqrt{5})} \tanh^{-1} \left( \sqrt{\frac{2}{5}} (5 + \sqrt{5}) \sin(x) \right)$$

Antiderivative was successfully verified.

[In] Int[Cot[5\*x]\*Sin[x],x]

[Out]  $-(\text{Sqrt}[(5 + \text{Sqrt}[5])/2] * \text{ArcTanh}[2 * \text{Sqrt}[2/(5 + \text{Sqrt}[5])] * \text{Sin}[x]])/5 - (\text{Sqrt}[(5 - \text{Sqrt}[5])/2] * \text{ArcTanh}[\text{Sqrt}[(2 * (5 + \text{Sqrt}[5]))/5] * \text{Sin}[x]])/5 + \text{Sin}[x]$

#### Rule 1676

Int[(Pq\_)/((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4), x\_Symbol] :> Int[ExpandIntegrand[Pq/(a + b\*x^2 + c\*x^4), x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && Expon[Pq, x^2] > 1

#### Rule 1166

Int[((d\_) + (e\_)\*(x\_)^2)/((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4), x\_Symbol] :> With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[e/2 + (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 - q/2 + c\*x^2), x], x] + Dist[e/2 - (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 + q/2 + c\*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - a\*e^2, 0] && PosQ[b^2 - 4\*a\*c]

#### Rule 207

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned}
\int \cot(5x) \sin(x) dx &= \text{Subst} \left( \int \frac{1 - 12x^2 + 16x^4}{5 - 20x^2 + 16x^4} dx, x, \sin(x) \right) \\
&= \text{Subst} \left( \int \left( 1 - \frac{4(1 - 2x^2)}{5 - 20x^2 + 16x^4} \right) dx, x, \sin(x) \right) \\
&= \sin(x) - 4 \text{Subst} \left( \int \frac{1 - 2x^2}{5 - 20x^2 + 16x^4} dx, x, \sin(x) \right) \\
&= \sin(x) + \frac{1}{5} (4(5 - \sqrt{5})) \text{Subst} \left( \int \frac{1}{-10 + 2\sqrt{5} + 16x^2} dx, x, \sin(x) \right) + \frac{1}{5} (4(5 + \sqrt{5})) \text{Subst} \left( \int \frac{1}{-10 - 2\sqrt{5} + 16x^2} dx, x, \sin(x) \right) \\
&= -\frac{1}{5} \sqrt{\frac{1}{2}} (5 + \sqrt{5}) \tanh^{-1} \left( 2\sqrt{\frac{2}{5 + \sqrt{5}}} \sin(x) \right) - \frac{1}{5} \sqrt{\frac{1}{2}} (5 - \sqrt{5}) \tanh^{-1} \left( \sqrt{\frac{2}{5}} (5 + \sqrt{5}) \sin(x) \right)
\end{aligned}$$

**Mathematica [A]** time = 0.224122, size = 76, normalized size = 0.93

$$\frac{1}{10} \left( 10 \sin(x) - \sqrt{10 - 2\sqrt{5}} \tanh^{-1} \left( \sqrt{2 + \frac{2}{\sqrt{5}}} \sin(x) \right) - \sqrt{2(5 + \sqrt{5})} \tanh^{-1} \left( 2\sqrt{\frac{2}{5 + \sqrt{5}}} \sin(x) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cot[5\*x]\*Sin[x],x]

[Out]  $(-\text{Sqrt}[10 - 2\text{Sqrt}[5]]*\text{ArcTanh}[\text{Sqrt}[2 + 2/\text{Sqrt}[5]]*\text{Sin}[x]]) - \text{Sqrt}[2*(5 + \text{Sqrt}[5])]*\text{ArcTanh}[2*\text{Sqrt}[2/(5 + \text{Sqrt}[5])]*\text{Sin}[x]] + 10*\text{Sin}[x])/10$

**Maple [A]** time = 0.103, size = 70, normalized size = 0.9

$$\sin(x) - \frac{(\sqrt{5} - 1)\sqrt{5}}{5\sqrt{10 - 2\sqrt{5}}} \text{Artanh} \left( 4 \frac{\sin(x)}{\sqrt{10 - 2\sqrt{5}}} \right) - \frac{(\sqrt{5} + 1)\sqrt{5}}{5\sqrt{10 + 2\sqrt{5}}} \text{Artanh} \left( 4 \frac{\sin(x)}{\sqrt{10 + 2\sqrt{5}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(5\*x)\*sin(x),x)

[Out]  $\sin(x) - 1/5*(5^{(1/2)} - 1)*5^{(1/2)}/(10 - 2*5^{(1/2)})^{(1/2)}*\text{arctanh}(4*\sin(x)/(10 - 2*5^{(1/2)})^{(1/2)}) - 1/5*(5^{(1/2)} + 1)*5^{(1/2)}/(10 + 2*5^{(1/2)})^{(1/2)}*\text{arctanh}(4*\sin(x)/(10 + 2*5^{(1/2)})^{(1/2)})$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(5\*x)\*sin(x),x, algorithm="maxima")

[Out]  $-\text{integrate}(1/2*((\cos(3*x) + \cos(2*x) + \cos(x))*\cos(4*x) + (2*\cos(2*x) + 2*\cos(x) + 1)*\cos(3*x) + \cos(3*x)^2 + (2*\cos(x) + 1)*\cos(2*x) + \cos(2*x)^2 + \cos(x)^2 + (\sin(3*x) + \sin(2*x) + \sin(x))*\sin(4*x) + 2*(\sin(2*x) + \sin(x))*\sin(x)), x)$

```

in(3*x) + sin(3*x)^2 + sin(2*x)^2 + 2*sin(2*x)*sin(x) + sin(x)^2 + cos(x))/
(2*(cos(3*x) + cos(2*x) + cos(x) + 1)*cos(4*x) + cos(4*x)^2 + 2*(cos(2*x) +
cos(x) + 1)*cos(3*x) + cos(3*x)^2 + 2*(cos(x) + 1)*cos(2*x) + cos(2*x)^2 +
cos(x)^2 + 2*(sin(3*x) + sin(2*x) + sin(x))*sin(4*x) + sin(4*x)^2 + 2*(sin
(2*x) + sin(x))*sin(3*x) + sin(3*x)^2 + sin(2*x)^2 + 2*sin(2*x)*sin(x) + si
n(x)^2 + 2*cos(x) + 1), x) - integrate(-1/2*((cos(3*x) - cos(2*x) + cos(x))
*cos(4*x) + (2*cos(2*x) - 2*cos(x) + 1)*cos(3*x) - cos(3*x)^2 + (2*cos(x) -
1)*cos(2*x) - cos(2*x)^2 - cos(x)^2 + (sin(3*x) - sin(2*x) + sin(x))*sin(4
*x) + 2*(sin(2*x) - sin(x))*sin(3*x) - sin(3*x)^2 - sin(2*x)^2 + 2*sin(2*x)
*sin(x) - sin(x)^2 + cos(x))/(2*(cos(3*x) - cos(2*x) + cos(x) - 1)*cos(4*x)
- cos(4*x)^2 + 2*(cos(2*x) - cos(x) + 1)*cos(3*x) - cos(3*x)^2 + 2*(cos(x)
- 1)*cos(2*x) - cos(2*x)^2 - cos(x)^2 + 2*(sin(3*x) - sin(2*x) + sin(x))*s
in(4*x) - sin(4*x)^2 + 2*(sin(2*x) - sin(x))*sin(3*x) - sin(3*x)^2 - sin(2*
x)^2 + 2*sin(2*x)*sin(x) - sin(x)^2 + 2*cos(x) - 1), x) + sin(x)

```

**Fricas [B]** time = 2.70209, size = 423, normalized size = 5.16

$$-\frac{1}{20} \sqrt{2} \sqrt{\sqrt{5} + 5} \log\left(\sqrt{2} \sqrt{\sqrt{5} + 5} + 4 \sin(x)\right) + \frac{1}{20} \sqrt{2} \sqrt{\sqrt{5} + 5} \log\left(\sqrt{2} \sqrt{\sqrt{5} + 5} - 4 \sin(x)\right) - \frac{1}{20} \sqrt{2} \sqrt{-\sqrt{5} + 5} \log\left(\sqrt{2} \sqrt{-\sqrt{5} + 5} + 4 \sin(x)\right) + \frac{1}{20} \sqrt{2} \sqrt{-\sqrt{5} + 5} \log\left(\sqrt{2} \sqrt{-\sqrt{5} + 5} - 4 \sin(x)\right) + \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(5*x)*sin(x),x, algorithm="fricas")
```

```
[Out] -1/20*sqrt(2)*sqrt(sqrt(5) + 5)*log(sqrt(2)*sqrt(sqrt(5) + 5) + 4*sin(x)) +
1/20*sqrt(2)*sqrt(sqrt(5) + 5)*log(sqrt(2)*sqrt(sqrt(5) + 5) - 4*sin(x)) -
1/20*sqrt(2)*sqrt(-sqrt(5) + 5)*log(sqrt(2)*sqrt(-sqrt(5) + 5) + 4*sin(x))
+ 1/20*sqrt(2)*sqrt(-sqrt(5) + 5)*log(sqrt(2)*sqrt(-sqrt(5) + 5) - 4*sin(x)
)) + sin(x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(5*x)*sin(x),x)
```

```
[Out] Timed out
```

**Giac [B]** time = 1.29034, size = 150, normalized size = 1.83

$$-\frac{1}{20} \sqrt{2} \sqrt{\sqrt{5} + 10} \log\left(\left|\frac{1}{2} \sqrt{\frac{1}{2}} \sqrt{\sqrt{5} + 5} + \sin(x)\right|\right) + \frac{1}{20} \sqrt{2} \sqrt{\sqrt{5} + 10} \log\left(\left|-\frac{1}{2} \sqrt{\frac{1}{2}} \sqrt{\sqrt{5} + 5} + \sin(x)\right|\right) - \frac{1}{20} \sqrt{-2} \sqrt{\sqrt{5} + 10} \log\left(\left|\frac{1}{2} \sqrt{\frac{1}{2}} \sqrt{\sqrt{5} + 5} + \sin(x)\right|\right) + \frac{1}{20} \sqrt{-2} \sqrt{\sqrt{5} + 10} \log\left(\left|-\frac{1}{2} \sqrt{\frac{1}{2}} \sqrt{\sqrt{5} + 5} + \sin(x)\right|\right) + \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(5*x)*sin(x),x, algorithm="giac")
```

```
[Out] -1/20*sqrt(2*sqrt(5) + 10)*log(abs(1/2*sqrt(1/2)*sqrt(sqrt(5) + 5) + sin(x)
)) + 1/20*sqrt(2*sqrt(5) + 10)*log(abs(-1/2*sqrt(1/2)*sqrt(sqrt(5) + 5) + s
in(x))) + sin(x)
```



$\sin(x)) - \frac{1}{20}\sqrt{-2\sqrt{5} + 10} \cdot \log(\text{abs}(\sqrt{-1/8\sqrt{5} + 5/8} + \sin(x))) + \frac{1}{20}\sqrt{-2\sqrt{5} + 10} \cdot \log(\text{abs}(-\sqrt{-1/8\sqrt{5} + 5/8} + \sin(x))) + \sin(x)$

### 3.84 $\int \cot(6x) \sin(x) dx$

**Optimal.** Leaf size=38

$$\sin(x) - \frac{1}{6} \tanh^{-1}(\sin(x)) - \frac{1}{6} \tanh^{-1}(2 \sin(x)) - \frac{\tanh^{-1}\left(\frac{2 \sin(x)}{\sqrt{3}}\right)}{2\sqrt{3}}$$

[Out] -ArcTanh[Sin[x]]/6 - ArcTanh[2\*Sin[x]]/6 - ArcTanh[(2\*Sin[x])/Sqrt[3]]/(2\*Sqrt[3]) + Sin[x]

**Rubi [A]** time = 0.0823428, antiderivative size = 38, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {12, 2073, 207}

$$\sin(x) - \frac{1}{6} \tanh^{-1}(\sin(x)) - \frac{1}{6} \tanh^{-1}(2 \sin(x)) - \frac{\tanh^{-1}\left(\frac{2 \sin(x)}{\sqrt{3}}\right)}{2\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[Cot[6\*x]\*Sin[x],x]

[Out] -ArcTanh[Sin[x]]/6 - ArcTanh[2\*Sin[x]]/6 - ArcTanh[(2\*Sin[x])/Sqrt[3]]/(2\*Sqrt[3]) + Sin[x]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 2073

Int[(P\_)^(p\_)\*(Q\_)^(q\_), x\_Symbol] := With[{PP = Factor[P /. x -> Sqrt[x]]}, Int[ExpandIntegrand[(PP /. x -> x^2)^p\*Q^q, x], x] /; !SumQ[NonfreeFactors[PP, x]] /; FreeQ[q, x] && PolyQ[P, x^2] && PolyQ[Q, x] && ILtQ[p, 0]

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned}
\int \cot(6x) \sin(x) dx &= \text{Subst} \left( \int \frac{1 - 18x^2 + 48x^4 - 32x^6}{2(3 - 19x^2 + 32x^4 - 16x^6)} dx, x, \sin(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{1 - 18x^2 + 48x^4 - 32x^6}{3 - 19x^2 + 32x^4 - 16x^6} dx, x, \sin(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \left( 2 + \frac{1}{3(-1+x^2)} + \frac{2}{-3+4x^2} + \frac{2}{3(-1+4x^2)} \right) dx, x, \sin(x) \right) \\
&= \sin(x) + \frac{1}{6} \text{Subst} \left( \int \frac{1}{-1+x^2} dx, x, \sin(x) \right) + \frac{1}{3} \text{Subst} \left( \int \frac{1}{-1+4x^2} dx, x, \sin(x) \right) + \text{Subst} \left( \int \frac{1}{-1+4x^2} dx, x, \sin(x) \right) \\
&= -\frac{1}{6} \tanh^{-1}(\sin(x)) - \frac{1}{6} \tanh^{-1}(2 \sin(x)) - \frac{\tanh^{-1}\left(\frac{2 \sin(x)}{\sqrt{3}}\right)}{2\sqrt{3}} + \sin(x)
\end{aligned}$$

**Mathematica [A]** time = 0.0667443, size = 38, normalized size = 1.

$$\sin(x) - \frac{1}{6} \tanh^{-1}(\sin(x)) - \frac{1}{6} \tanh^{-1}(2 \sin(x)) - \frac{\tanh^{-1}\left(\frac{2 \sin(x)}{\sqrt{3}}\right)}{2\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[6\*x]\*Sin[x],x]

[Out] -ArcTanh[Sin[x]]/6 - ArcTanh[2\*Sin[x]]/6 - ArcTanh[(2\*Sin[x])/Sqrt[3]]/(2\*Sqrt[3]) + Sin[x]

**Maple [A]** time = 0.069, size = 49, normalized size = 1.3

$$\sin(x) - \frac{\ln(1 + \sin(x))}{12} + \frac{\ln(\sin(x) - 1)}{12} - \frac{\ln(1 + 2 \sin(x))}{12} + \frac{\ln(-1 + 2 \sin(x))}{12} - \frac{\sqrt{3}}{6} \text{Arctanh}\left(\frac{2 \sin(x) \sqrt{3}}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(6\*x)\*sin(x),x)

[Out] sin(x)-1/12\*ln(1+sin(x))+1/12\*ln(sin(x)-1)-1/12\*ln(1+2\*sin(x))+1/12\*ln(-1+2\*sin(x))-1/6\*arctanh(2/3\*sin(x)\*3^(1/2))\*3^(1/2)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{24} \sqrt{3} \log\left(\frac{4}{3} \cos(x)^2 + \frac{4}{3} \sin(x)^2 + \frac{4}{3} \sqrt{3} \sin(x) + \frac{4}{3} \cos(x) + \frac{4}{3}\right) - \frac{1}{24} \sqrt{3} \log\left(\frac{4}{3} \cos(x)^2 + \frac{4}{3} \sin(x)^2 + \frac{4}{3} \sqrt{3} \sin(x) + \frac{4}{3} \cos(x) + \frac{4}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(6\*x)\*sin(x),x, algorithm="maxima")

[Out] -1/24\*sqrt(3)\*log(4/3\*cos(x)^2 + 4/3\*sin(x)^2 + 4/3\*sqrt(3)\*sin(x) + 4/3\*cos(x) + 4/3) - 1/24\*sqrt(3)\*log(4/3\*cos(x)^2 + 4/3\*sin(x)^2 + 4/3\*sqrt(3)\*sin(x) + 4/3\*cos(x) + 4/3) + 1/24\*sqrt(3)\*log(4/3\*cos(x)^2 + 4/3\*sin(x)^2 - 4

$\frac{1}{3}\sqrt{3}\sin(x) + \frac{4}{3}\cos(x) + \frac{4}{3} + \frac{1}{24}\sqrt{3}\log(\frac{4}{3}\cos(x)^2 + \frac{4}{3}\sin(x)^2 - \frac{4}{3}\sqrt{3}\sin(x) - \frac{4}{3}\cos(x) + \frac{4}{3}) - \text{integrate}(-\frac{1}{6}((\cos(3x) + \cos(x))\cos(4x) - (\cos(2x) - 1)\cos(3x) - \cos(2x)\cos(x) + (\sin(3x) + \sin(x))\sin(4x) - \sin(3x)\sin(2x) - \sin(2x)\sin(x) + \cos(x)) / (2(\cos(2x) - 1)\cos(4x) - \cos(4x)^2 - \cos(2x)^2 - \sin(4x)^2 + 2\sin(4x)\sin(2x) - \sin(2x)^2 + 2\cos(2x) - 1), x) - \frac{1}{12}\log(\cos(x)^2 + \sin(x)^2 + 2\sin(x) + 1) + \frac{1}{12}\log(\cos(x)^2 + \sin(x)^2 - 2\sin(x) + 1) + \sin(x)$

**Fricas [B]** time = 2.71913, size = 243, normalized size = 6.39

$$\frac{1}{12}\sqrt{3}\log\left(-\frac{4\cos(x)^2 + 4\sqrt{3}\sin(x) - 7}{4\cos(x)^2 - 1}\right) - \frac{1}{12}\log(2\sin(x) + 1) - \frac{1}{12}\log(\sin(x) + 1) + \frac{1}{12}\log(-\sin(x) + 1) + \frac{1}{12}\log(-2\sin(x) + 1) + \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(6\*x)\*sin(x),x, algorithm="fricas")

[Out]  $\frac{1}{12}\sqrt{3}\log(-\frac{4\cos(x)^2 + 4\sqrt{3}\sin(x) - 7}{4\cos(x)^2 - 1}) - \frac{1}{12}\log(2\sin(x) + 1) - \frac{1}{12}\log(\sin(x) + 1) + \frac{1}{12}\log(-\sin(x) + 1) + \frac{1}{12}\log(-2\sin(x) + 1) + \sin(x)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(6\*x)\*sin(x),x)

[Out] Timed out

**Giac [B]** time = 1.15072, size = 95, normalized size = 2.5

$$\frac{1}{12}\sqrt{3}\log\left(\frac{|-4\sqrt{3} + 8\sin(x)|}{|4\sqrt{3} + 8\sin(x)|}\right) - \frac{1}{12}\log(\sin(x) + 1) + \frac{1}{12}\log(-\sin(x) + 1) - \frac{1}{12}\log(|2\sin(x) + 1|) + \frac{1}{12}\log(|2\sin(x) - 1|) + \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(6\*x)\*sin(x),x, algorithm="giac")

[Out]  $\frac{1}{12}\sqrt{3}\log(\frac{\text{abs}(-4\sqrt{3} + 8\sin(x))}{\text{abs}(4\sqrt{3} + 8\sin(x))}) - \frac{1}{12}\log(\sin(x) + 1) + \frac{1}{12}\log(-\sin(x) + 1) - \frac{1}{12}\log(\text{abs}(2\sin(x) + 1)) + \frac{1}{12}\log(\text{abs}(2\sin(x) - 1)) + \sin(x)$

### 3.85 $\int \sec(2x) \sin(x) dx$

**Optimal.** Leaf size=15

$$\frac{\tanh^{-1}(\sqrt{2} \cos(x))}{\sqrt{2}}$$

[Out] ArcTanh[Sqrt[2]\*Cos[x]]/Sqrt[2]

**Rubi [A]** time = 0.0153169, antiderivative size = 15, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {4357, 207}

$$\frac{\tanh^{-1}(\sqrt{2} \cos(x))}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[Sec[2\*x]\*Sin[x],x]

[Out] ArcTanh[Sqrt[2]\*Cos[x]]/Sqrt[2]

#### Rule 4357

Int[(u\_)\*(F\_)[(c\_)\*((a\_) + (b\_)\*(x\_))], x\_Symbol] :> With[{d = FreeFactors[Cos[c\*(a + b\*x)], x]}, -Dist[d/(b\*c), Subst[Int[SubstFor[1, Cos[c\*(a + b\*x)]]/d, u, x], x], x, Cos[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Cos[c\*(a + b\*x)]/d, u, x] /; FreeQ[{a, b, c}, x] && (EqQ[F, Sin] || EqQ[F, sin])

#### Rule 207

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \sec(2x) \sin(x) dx &= -\text{Subst} \left( \int \frac{1}{-1 + 2x^2} dx, x, \cos(x) \right) \\ &= \frac{\tanh^{-1}(\sqrt{2} \cos(x))}{\sqrt{2}} \end{aligned}$$

**Mathematica [C]** time = 0.367907, size = 174, normalized size = 11.6

$$\frac{4 \tanh^{-1} \left( \tan \left( \frac{x}{2} \right) + \sqrt{2} \right) - \log \left( -\sqrt{2} \sin(x) - \sqrt{2} \cos(x) + 2 \right) + \log \left( -\sqrt{2} \sin(x) + \sqrt{2} \cos(x) + 2 \right) + 2i \tan^{-1} \left( \frac{\cos \left( \frac{x}{2} \right) - 1}{(1 + \sqrt{2}) \cos \left( \frac{x}{2} \right)} \right)}{4\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[2\*x]\*Sin[x],x]

```
[Out] ((2*I)*ArcTan[(Cos[x/2] - (-1 + Sqrt[2])*Sin[x/2])/((1 + Sqrt[2])*Cos[x/2] - Sin[x/2])] - (2*I)*ArcTan[(Cos[x/2] - (1 + Sqrt[2])*Sin[x/2])/((-1 + Sqrt[2])*Cos[x/2] - Sin[x/2])] + 4*ArcTanh[Sqrt[2] + Tan[x/2]] - Log[2 - Sqrt[2]*Cos[x] - Sqrt[2]*Sin[x]] + Log[2 + Sqrt[2]*Cos[x] - Sqrt[2]*Sin[x]])/(4*Sqrt[2])
```

**Maple [A]** time = 0.028, size = 13, normalized size = 0.9

$$\frac{\operatorname{Arctanh}(\cos(x)\sqrt{2})\sqrt{2}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(2*x)*sin(x),x)
```

```
[Out] 1/2*arctanh(cos(x)*2^(1/2))*2^(1/2)
```

**Maxima [B]** time = 1.71228, size = 174, normalized size = 11.6

$$\frac{1}{8}\sqrt{2}\log\left(2\sqrt{2}\sin(2x)\sin(x) + 2\left(\sqrt{2}\cos(x) + 1\right)\cos(2x) + \cos(2x)^2 + 2\cos(x)^2 + \sin(2x)^2 + 2\sin(x)^2 + 2\sqrt{2}\cos(2x) + 2\sqrt{2}\cos(x) + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(2*x)*sin(x),x, algorithm="maxima")
```

```
[Out] 1/8*sqrt(2)*log(2*sqrt(2)*sin(2*x)*sin(x) + 2*(sqrt(2)*cos(x) + 1)*cos(2*x) + cos(2*x)^2 + 2*cos(x)^2 + sin(2*x)^2 + 2*sin(x)^2 + 2*sqrt(2)*cos(x) + 1) - 1/8*sqrt(2)*log(-2*sqrt(2)*sin(2*x)*sin(x) - 2*(sqrt(2)*cos(x) - 1)*cos(2*x) + cos(2*x)^2 + 2*cos(x)^2 + sin(2*x)^2 + 2*sin(x)^2 - 2*sqrt(2)*cos(x) + 1)
```

**Fricas [B]** time = 2.45967, size = 97, normalized size = 6.47

$$\frac{1}{4}\sqrt{2}\log\left(-\frac{2\cos(x)^2 + 2\sqrt{2}\cos(x) + 1}{2\cos(x)^2 - 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(2*x)*sin(x),x, algorithm="fricas")
```

```
[Out] 1/4*sqrt(2)*log(-(2*cos(x)^2 + 2*sqrt(2)*cos(x) + 1)/(2*cos(x)^2 - 1))
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sin(x) \sec(2x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(2*x)*sin(x),x)
```

```
[Out] Integral(sin(x)*sec(2*x), x)
```

**Giac [B]** time = 1.26431, size = 66, normalized size = 4.4

$$\frac{1}{4} \sqrt{2} \log \left( \frac{\left| -4\sqrt{2} - \frac{2(\cos(x)-1)}{\cos(x)+1} - 6 \right|}{\left| 4\sqrt{2} - \frac{2(\cos(x)-1)}{\cos(x)+1} - 6 \right|} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(2*x)*sin(x),x, algorithm="giac")
```

```
[Out] 1/4*sqrt(2)*log(abs(-4*sqrt(2) - 2*(cos(x) - 1)/(cos(x) + 1) - 6)/abs(4*sqrt(2) - 2*(cos(x) - 1)/(cos(x) + 1) - 6))
```

### 3.86 $\int \sec(3x) \sin(x) dx$

**Optimal.** Leaf size=21

$$\frac{1}{3} \log(\cos(x)) - \frac{1}{6} \log(3 - 4 \cos^2(x))$$

[Out] Log[Cos[x]]/3 - Log[3 - 4\*Cos[x]^2]/6

**Rubi [A]** time = 0.0273773, antiderivative size = 21, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.714$ , Rules used = {4357, 266, 36, 29, 31}

$$\frac{1}{3} \log(\cos(x)) - \frac{1}{6} \log(3 - 4 \cos^2(x))$$

Antiderivative was successfully verified.

[In] Int[Sec[3\*x]\*Sin[x],x]

[Out] Log[Cos[x]]/3 - Log[3 - 4\*Cos[x]^2]/6

#### Rule 4357

```
Int[(u_)*(F_)[(c_.)*((a_.) + (b_.)*(x_))], x_Symbol] := With[{d = FreeFactors[Cos[c*(a + b*x)], x]}, -Dist[d/(b*c), Subst[Int[SubstFor[1, Cos[c*(a + b*x)]]/d, u, x], x], x, Cos[c*(a + b*x)]/d, x] /; FunctionOfQ[Cos[c*(a + b*x)]/d, u, x] /; FreeQ[{a, b, c}, x] && (EqQ[F, Sin] || EqQ[F, sin])
```

#### Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

#### Rule 36

```
Int[1/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Dist[b/(b*c - a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]
```

#### Rule 29

```
Int[(x_)^(-1), x_Symbol] := Simp[Log[x], x]
```

#### Rule 31

```
Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]
```

#### Rubi steps



$$\begin{aligned}
\int \sec(3x) \sin(x) dx &= -\text{Subst} \left( \int \frac{1}{x(-3+4x^2)} dx, x, \cos(x) \right) \\
&= -\left( \frac{1}{2} \text{Subst} \left( \int \frac{1}{x(-3+4x)} dx, x, \cos^2(x) \right) \right) \\
&= \frac{1}{6} \text{Subst} \left( \int \frac{1}{x} dx, x, \cos^2(x) \right) - \frac{2}{3} \text{Subst} \left( \int \frac{1}{-3+4x} dx, x, \cos^2(x) \right) \\
&= \frac{1}{3} \log(\cos(x)) - \frac{1}{6} \log(3-4\cos^2(x))
\end{aligned}$$

**Mathematica [A]** time = 0.0081411, size = 17, normalized size = 0.81

$$-\frac{1}{3} \tanh^{-1} \left( \frac{1}{3} (8 \sin^2(x) - 5) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[3\*x]\*Sin[x],x]

[Out] -ArcTanh[(-5 + 8\*Sin[x]^2)/3]/3

**Maple [A]** time = 0.061, size = 18, normalized size = 0.9

$$\frac{\ln(\cos(x))}{3} - \frac{\ln(4(\cos(x))^2 - 3)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(3\*x)\*sin(x),x)

[Out] 1/3\*ln(cos(x))-1/6\*ln(4\*cos(x)^2-3)

**Maxima [B]** time = 1.47328, size = 109, normalized size = 5.19

$$-\frac{1}{12} \log(-2(\cos(2x) - 1)\cos(4x) + \cos(4x)^2 + \cos(2x)^2 + \sin(4x)^2 - 2\sin(4x)\sin(2x) + \sin(2x)^2 - 2\cos(2x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(3\*x)\*sin(x),x, algorithm="maxima")

[Out] -1/12\*log(-2\*(cos(2\*x) - 1)\*cos(4\*x) + cos(4\*x)^2 + cos(2\*x)^2 + sin(4\*x)^2 - 2\*sin(4\*x)\*sin(2\*x) + sin(2\*x)^2 - 2\*cos(2\*x) + 1) + 1/6\*log(cos(2\*x)^2 + sin(2\*x)^2 + 2\*cos(2\*x) + 1)

**Fricas [A]** time = 2.53631, size = 61, normalized size = 2.9

$$-\frac{1}{6} \log(4 \cos(x)^2 - 3) + \frac{1}{3} \log(-\cos(x))$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(3*x)*sin(x),x, algorithm="fricas")
```

```
[Out] -1/6*log(4*cos(x)^2 - 3) + 1/3*log(-cos(x))
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sin(x) \sec(3x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(3*x)*sin(x),x)
```

```
[Out] Integral(sin(x)*sec(3*x), x)
```

**Giac [B]** time = 1.23202, size = 68, normalized size = 3.24

$$-\frac{1}{6} \log\left(\left|\frac{14(\cos(x)-1)}{\cos(x)+1} + \frac{(\cos(x)-1)^2}{(\cos(x)+1)^2} + 1\right|\right) + \frac{1}{3} \log\left(\left|-\frac{\cos(x)-1}{\cos(x)+1} - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(3*x)*sin(x),x, algorithm="giac")
```

```
[Out] -1/6*log(abs(14*(cos(x) - 1)/(cos(x) + 1) + (cos(x) - 1)^2/(cos(x) + 1)^2 + 1)) + 1/3*log(abs(-(cos(x) - 1)/(cos(x) + 1) - 1))
```

### 3.87 $\int \sec(4x) \sin(x) dx$

**Optimal.** Leaf size=71

$$\frac{\tanh^{-1}\left(\frac{2\cos(x)}{\sqrt{2+\sqrt{2}}}\right)}{2\sqrt{2}(2+\sqrt{2})} - \frac{\tanh^{-1}\left(\frac{2\cos(x)}{\sqrt{2-\sqrt{2}}}\right)}{2\sqrt{2}(2-\sqrt{2})}$$

[Out] -ArcTanh[(2\*Cos[x])/Sqrt[2 - Sqrt[2]]]/(2\*Sqrt[2\*(2 - Sqrt[2])]) + ArcTanh[(2\*Cos[x])/Sqrt[2 + Sqrt[2]]]/(2\*Sqrt[2\*(2 + Sqrt[2])])

**Rubi [A]** time = 0.0621501, antiderivative size = 71, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {4357, 1093, 207}

$$\frac{\tanh^{-1}\left(\frac{2\cos(x)}{\sqrt{2+\sqrt{2}}}\right)}{2\sqrt{2}(2+\sqrt{2})} - \frac{\tanh^{-1}\left(\frac{2\cos(x)}{\sqrt{2-\sqrt{2}}}\right)}{2\sqrt{2}(2-\sqrt{2})}$$

Antiderivative was successfully verified.

[In] Int[Sec[4\*x]\*Sin[x],x]

[Out] -ArcTanh[(2\*Cos[x])/Sqrt[2 - Sqrt[2]]]/(2\*Sqrt[2\*(2 - Sqrt[2])]) + ArcTanh[(2\*Cos[x])/Sqrt[2 + Sqrt[2]]]/(2\*Sqrt[2\*(2 + Sqrt[2])])

#### Rule 4357

```
Int[(u_)*(F_)[(c_.)*((a_.) + (b_.)*(x_))], x_Symbol] :> With[{d = FreeFactors[Cos[c*(a + b*x)], x]}, -Dist[d/(b*c), Subst[Int[SubstFor[1, Cos[c*(a + b*x)]]/d, u, x], x], x, Cos[c*(a + b*x)]/d, x] /; FunctionOfQ[Cos[c*(a + b*x)]/d, u, x] /; FreeQ[{a, b, c}, x] && (EqQ[F, Sin] || EqQ[F, sin])
```

#### Rule 1093

```
Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(-1), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[c/q, Int[1/(b/2 - q/2 + c*x^2), x], x] - Dist[c/q, Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[b^2 - 4*a*c]
```

#### Rule 207

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])
```

#### Rubi steps

$$\begin{aligned} \int \sec(4x) \sin(x) dx &= -\text{Subst} \left( \int \frac{1}{1-8x^2+8x^4} dx, x, \cos(x) \right) \\ &= -\left( \sqrt{2} \text{Subst} \left( \int \frac{1}{-4-2\sqrt{2}+8x^2} dx, x, \cos(x) \right) \right) + \sqrt{2} \text{Subst} \left( \int \frac{1}{-4+2\sqrt{2}+8x^2} dx, x, \cos(x) \right) \\ &= -\frac{\tanh^{-1} \left( \frac{2\cos(x)}{\sqrt{2-\sqrt{2}}} \right)}{2\sqrt{2}(2-\sqrt{2})} + \frac{\tanh^{-1} \left( \frac{2\cos(x)}{\sqrt{2+\sqrt{2}}} \right)}{2\sqrt{2}(2+\sqrt{2})} \end{aligned}$$

**Mathematica [C]** time = 56.6215, size = 4845, normalized size = 68.24

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[4\*x]\*Sin[x],x]

[Out]  $((-2*(-1)^{(3/8)}*(1 + \text{Sqrt}[2])*x - (2*(-1)^{(1/4)}*(-2 - (1 - I)*(-1)^{(5/8)} + (-1)^{(5/8)}*\text{Sqrt}[2])*ArcTan[(-\text{Cos}[x] + (1 + \text{Sqrt}[2])*Sin[x])/(2*(-1)^{(3/8)} + \text{Cos}[x] - \text{Sqrt}[2]*\text{Cos}[x] + Sin[x])])/((-1 + I) + 2*(-1)^{(3/8)} + \text{Sqrt}[2]) - (2*(1 - I)^{(3/2)}*2^{(1/4)}*((-3 - I) + 2*(-1)^{(5/8)} + (2 + I)*\text{Sqrt}[2] - (2 + 2*I)*(-1)^{(3/8)}*\text{Sqrt}[2] + 2*(-1)^{(5/8)}*\text{Sqrt}[2])*ArcTan[((1 + I) + I*\text{Sqrt}[2] + ((-1 + I) + 2*(-1)^{(3/8)} + \text{Sqrt}[2])*Tan[x/2])]/(\text{Sqrt}[1 - I]*2^{(3/4)})))/((-1 + I) + 2*(-1)^{(3/8)} + \text{Sqrt}[2]) + 2*(-1)^{(3/8)}*\text{Log}[\text{Sec}[x/2]^2] + ((-1)^{(3/4)}*(-2 - (1 - I)*(-1)^{(5/8)} + (-1)^{(5/8)}*\text{Sqrt}[2])*Log[-(\text{Sec}[x/2]^4*(-2 + (1 - I)*\text{Sqrt}[2] + 2*(-1)^{(3/8)}*(-1 + \text{Sqrt}[2])*Cos[x] + \text{Sqrt}[2]*Cos[2*x] - 2*(-1)^{(3/8)}*Sin[x] + \text{Sqrt}[2]*Sin[2*x]))])/((-1 + I) + 2*(-1)^{(3/8)} + \text{Sqrt}[2]))*((-1/2 - I/2)/(((1 - I) + \text{Sqrt}[1 - I]*\text{Sqrt}[1 + I])*(-((1 - I)^{(3/2)}*(1 - I)^{(1/4)}*(1 + I)^{(1/4)) - (1 + I)*Cos[x] + I*\text{Sqrt}[1 - I]*\text{Sqrt}[1 + I]*Cos[x] + (1 - I)*Sin[x] + \text{Sqrt}[1 - I]*\text{Sqrt}[1 + I]*Sin[x])) - Sin[x]/(\text{Sqrt}[-1 - I]*(1 - I)^{(1/4)}*(1 + I)^{(1/4))*((-1 + I) + \text{Sqrt}[1 - I]*\text{Sqrt}[1 + I])*(-((1 - I)^{(3/2)}*(1 - I)^{(1/4)}*(1 + I)^{(1/4)) - (1 + I)*Cos[x] + I*\text{Sqrt}[1 - I]*\text{Sqrt}[1 + I]*Cos[x] + (1 - I)*Sin[x] + \text{Sqrt}[1 - I]*\text{Sqrt}[1 + I]*Sin[x])) - ((I/2)*\text{Sqrt}[-1 - I]*(1 - I)^{(1/4)}*(1 + I)^{(1/4)}*Sin[x])/(((1 - I) + \text{Sqrt}[1 - I]*\text{Sqrt}[1 + I])*(-((1 - I)^{(3/2)}*(1 - I)^{(1/4)}*(1 + I)^{(1/4)) - (1 + I)*Cos[x] + I*\text{Sqrt}[1 - I]*\text{Sqrt}[1 + I]*Cos[x] + (1 - I)*Sin[x] + \text{Sqrt}[1 - I]*\text{Sqrt}[1 + I]*Sin[x])))/(-2*(-1)^{(3/8)}*(1 + \text{Sqrt}[2]) - (2*(-1)^{(1/4)}*(-2 - (1 - I)*(-1)^{(5/8)} + (-1)^{(5/8)}*\text{Sqrt}[2])*(((1 + \text{Sqrt}[2])*Cos[x] + Sin[x])/(2*(-1)^{(3/8)} + Cos[x] - \text{Sqrt}[2]*Cos[x] + Sin[x]) - ((Cos[x] - Sin[x] + \text{Sqrt}[2]*Sin[x])*(-Cos[x] + (1 + \text{Sqrt}[2])*Sin[x]))/(2*(-1)^{(3/8)} + Cos[x] - \text{Sqrt}[2]*Cos[x] + Sin[x])^2))/(((1 - I) + 2*(-1)^{(3/8)} + \text{Sqrt}[2])*(1 + (-Cos[x] + (1 + \text{Sqrt}[2])*Sin[x])^2/(2*(-1)^{(3/8)} + Cos[x] - \text{Sqrt}[2]*Cos[x] + Sin[x])^2)) + 2*(-1)^{(3/8)}*Tan[x/2] - ((-1)^{(3/4)}*(-2 - (1 - I)*(-1)^{(5/8)} + (-1)^{(5/8)}*\text{Sqrt}[2])*Cos[x/2]^4*(-(\text{Sec}[x/2]^4*(-2*(-1)^{(3/8)}*Cos[x] + 2*\text{Sqrt}[2]*Cos[2*x] - 2*(-1)^{(3/8)}*(-1 + \text{Sqrt}[2])*Sin[x] - 2*\text{Sqrt}[2]*Sin[2*x])) - 2*\text{Sec}[x/2]^4*(-2 + (1 - I)*\text{Sqrt}[2] + 2*(-1)^{(3/8)}*(-1 + \text{Sqrt}[2])*Cos[x] + \text{Sqrt}[2]*Cos[2*x] - 2*(-1)^{(3/8)}*Sin[x] + \text{Sqrt}[2]*Sin[2*x])*Tan[x/2])))/(((1 - I) + 2*(-1)^{(3/8)} + \text{Sqrt}[2])*(-2 + (1 - I)*\text{Sqrt}[2] + 2*(-1)^{(3/8)}*(-1 + \text{Sqrt}[2])*Cos[x] + \text{Sqrt}[2]*Cos[2*x] - 2*(-1)^{(3/8)}*Sin[x] + \text{Sqrt}[2]*Sin[2*x])) - ((1 - I)*((-3 - I) + 2*(-1)^{(5/8)} + (2 + I)*\text{Sqrt}[2] - (2 + 2*I)*(-1)^{(3/8)}*\text{Sqrt}[2] + 2*(-1)^{(5/8)}*\text{Sqrt}[2])*Sec[x/2]^2)/(\text{Sqrt}[2]*(1 + ((1/4 + I/4)*((1 + I) + I*\text{Sqrt}[2] + ((-1 + I) + 2*(-1)^{(3/8)} + \text{Sqrt}[2])*Tan[x/2])^2)/\text{Sqrt}[2])) + (((-4*\text{Sqrt}[-1 - I]*(-1 + \text{Sqrt}[2])*ArcTanh[((-I)*((1 + I) + \text{Sqrt}[2]) + ((1 + I) + 2*(-1)^{(5/8)} - \text{Sqrt}[2])*Tan[x/2])]/(\text{Sqrt}[-1 - I]*2^{(3/4)})) + (-1)^{(1/8)}*2^{(1/4)}*(2*ArcTan[(Cos[x] + (1 + \text{Sqrt}[2])*Sin[x])/(2*(-1)^{(5/8)} + (-1 + \text{Sqrt}[2])*Cos[x] + Sin[x])]) - I*(2*(1 + \text{Sqrt}[2])*x + 2*Log[\text{Sec}[x/2]^2] - Log[$

$$\begin{aligned}
& \text{Sec}[x/2]^4 * (2 - (1 + I) * \text{Sqrt}[2] + 2 * (-1)^{(5/8)} * (-1 + \text{Sqrt}[2]) * \text{Cos}[x] - \text{Sqrt}[2] * \text{Cos}[2*x] + 2 * (-1)^{(5/8)} * \text{Sin}[x] + \text{Sqrt}[2] * \text{Sin}[2*x])) * (2 + I * \text{Sqrt}[-1 + I] * 2^{(1/4)} * ((1 + I) + \text{Sqrt}[2]) * \text{Sin}[x]) / (2^{(1/4)} * (4 * \text{Sqrt}[-1 + I] * 2^{(1/4)} * (-1 - I) + \text{Sqrt}[2]) - 8 * (-1 + \text{Sqrt}[2]) * \text{Cos}[x] - 8 * \text{Sin}[x]) * ((2 * (-1)^{(1/8)} * (-2 - (1 + I) * \text{Sqrt}[2] + (-1)^{(1/8)} * ((1 + I) + I * \text{Sqrt}[2]) * \text{Cos}[x] + (2 * I) * (1 + \text{Sqrt}[2]) * \text{Cos}[2*x] + (-1)^{(1/8)} * \text{Sin}[x] - (-1)^{(5/8)} * \text{Sin}[x] + 3 * (-1)^{(1/8)} * \text{Sqrt}[2] * \text{Sin}[x] - (2 * I) * \text{Sin}[2*x])) / (2 - (1 + I) * \text{Sqrt}[2] + 2 * (-1)^{(5/8)} * (-1 + \text{Sqrt}[2]) * \text{Cos}[x] - \text{Sqrt}[2] * \text{Cos}[2*x] + 2 * (-1)^{(5/8)} * \text{Sin}[x] + \text{Sqrt}[2] * \text{Sin}[2*x]) - (((1 + I) + 2 * (-1)^{(5/8)} - \text{Sqrt}[2]) * (-1 + \text{Sqrt}[2]) * \text{Sec}[x/2]^2) / (1 + ((1/4 - I/4) * (I * ((1 + I) + \text{Sqrt}[2]) + ((-1 - I) - 2 * (-1)^{(5/8)} + \text{Sqrt}[2]) * \text{Tan}[x/2])^2) / \text{Sqrt}[2])) + ((-2 * (-1)^{(3/8)} * \text{Sqrt}[2] * (1 + (-1)^{(1/4)}) * x + (2 * (-2 * I + 2 * (-1)^{(3/4)} + 2 * (-1)^{(1/8)} * \text{Sqrt}[2] - (-1)^{(3/8)} * \text{Sqrt}[2] + (-1)^{(7/8)} * \text{Sqrt}[2]) * \text{ArcTan}[\text{Cos}[x] / (-((-1)^{(1/8)} * \text{Sqrt}[2]) + (-1)^{(3/4)} * \text{Cos}[x] + (1 + (-1)^{(1/4)}) * \text{Sin}[x])]) / (-I + (-1)^{(3/4)} + (-1)^{(1/8)} * \text{Sqrt}[2]) - ((4 + 4 * I) * (-1)^{(5/8)} * ((3 - 3 * I) - (2 - 2 * I) * \text{Sqrt}[2] + (-1)^{(1/8)} * \text{Sqrt}[2] - (-1)^{(3/8)} * \text{Sqrt}[2] + (1 - I) * (-1)^{(5/8)} * \text{Sqrt}[2] + (1 + I) * (-1)^{(7/8)} * \text{Sqrt}[2]) * \text{ArcTanh}[(1/2 + I/2) * (-1)^{(5/8)} * (-1 - (-1)^{(1/4)}) + (-I + (-1)^{(3/4)} + (-1)^{(1/8)} * \text{Sqrt}[2]) * \text{Tan}[x/2])) / (-I + (-1)^{(3/4)} + (-1)^{(1/8)} * \text{Sqrt}[2]) - 2 * (-1)^{(7/8)} * \text{Sqrt}[2] * (-1 + (-1)^{(1/4)}) * \text{Log}[\text{Sec}[x/2]^2] - ((-1 + (-1)^{(1/4)}) * (2 - (-1)^{(3/8)} * \text{Sqrt}[2] + (-1)^{(5/8)} * \text{Sqrt}[2]) * \text{Log}[(1/4 + I/4) * \text{Sec}[x/2]^4 * ((2 - 2 * I) + 6 * \text{Sqrt}[2] - (4 - 4 * I) * (-1)^{(7/8)} * \text{Sqrt}[2] * \text{Cos}[x] - 2 * ((1 + I) + \text{Sqrt}[2]) * \text{Cos}[2*x] - (4 - 4 * I) * (-1)^{(1/8)} * \text{Sqrt}[2] * \text{Sin}[x] - (4 - 4 * I) * (-1)^{(3/8)} * \text{Sqrt}[2] * \text{Sin}[x] - (2 - 2 * I) * \text{Sin}[2*x] + (2 * I) * \text{Sqrt}[2] * \text{Sin}[2*x])) / (-I + (-1)^{(3/4)} + (-1)^{(1/8)} * \text{Sqrt}[2])) * (I / (\text{Sqrt}[1 - I] * ((-1 + I) + \text{Sqrt}[1 - I] * \text{Sqrt}[1 + I])^2 * (\text{Sqrt}[-1 - I] * (1 - I)^{(3/4)} * (1 + I)^{(1/4)} + \text{Sqrt}[1 - I] * \text{Cos}[x] - \text{Sqrt}[1 + I] * \text{Cos}[x] + I * \text{Sqrt}[1 - I] * \text{Sin}[x] + I * \text{Sqrt}[1 + I] * \text{Sin}[x])) + 1 / (\text{Sqrt}[1 + I] * ((-1 + I) + \text{Sqrt}[1 - I] * \text{Sqrt}[1 + I])^2 * (\text{Sqrt}[-1 - I] * (1 - I)^{(3/4)} * (1 + I)^{(1/4)} + \text{Sqrt}[1 - I] * \text{Cos}[x] - \text{Sqrt}[1 + I] * \text{Cos}[x] + I * \text{Sqrt}[1 - I] * \text{Sin}[x] + I * \text{Sqrt}[1 + I] * \text{Sin}[x])) - (2 * \text{Sin}[x]) / (\text{Sqrt}[-1 - I] * (1 - I)^{(1/4)} * (1 + I)^{(3/4)} * ((-1 + I) + \text{Sqrt}[1 - I] * \text{Sqrt}[1 + I])^2 * (\text{Sqrt}[-1 - I] * (1 - I)^{(3/4)} * (1 + I)^{(1/4)} + \text{Sqrt}[1 - I] * \text{Cos}[x] - \text{Sqrt}[1 + I] * \text{Cos}[x] + I * \text{Sqrt}[1 - I] * \text{Sin}[x] + I * \text{Sqrt}[1 + I] * \text{Sin}[x])))) / (-2 * (-1)^{(3/8)} * \text{Sqrt}[2] * (1 + (-1)^{(1/4)}) + (2 * (-2 * I + 2 * (-1)^{(3/4)} + 2 * (-1)^{(1/8)} * \text{Sqrt}[2] - (-1)^{(3/8)} * \text{Sqrt}[2] + (-1)^{(7/8)} * \text{Sqrt}[2]) * (-((\text{Cos}[x] * ((1 + (-1)^{(1/4)}) * \text{Cos}[x] - (-1)^{(3/4)} * \text{Sin}[x])) / (-((-1)^{(1/8)} * \text{Sqrt}[2]) + (-1)^{(3/4)} * \text{Cos}[x] + (1 + (-1)^{(1/4)}) * \text{Sin}[x])^2) - \text{Sin}[x] / (-((-1)^{(1/8)} * \text{Sqrt}[2]) + (-1)^{(3/4)} * \text{Cos}[x] + (1 + (-1)^{(1/4)}) * \text{Sin}[x])))) / ((-I + (-1)^{(3/4)} + (-1)^{(1/8)} * \text{Sqrt}[2]) * (1 + \text{Cos}[x]^2 / (-((-1)^{(1/8)} * \text{Sqrt}[2]) + (-1)^{(3/4)} * \text{Cos}[x] + (1 + (-1)^{(1/4)}) * \text{Sin}[x])^2)) - 2 * (-1)^{(7/8)} * \text{Sqrt}[2] * (-1 + (-1)^{(1/4)}) * \text{Tan}[x/2] - ((2 - 2 * I) * (-1 + (-1)^{(1/4)}) * (2 - (-1)^{(3/8)} * \text{Sqrt}[2] + (-1)^{(5/8)} * \text{Sqrt}[2]) * \text{Cos}[x/2]^4 * ((1/4 + I/4) * \text{Sec}[x/2]^4 * ((-4 + 4 * I) * (-1)^{(1/8)} * \text{Sqrt}[2] * \text{Cos}[x] - (4 - 4 * I) * (-1)^{(3/8)} * \text{Sqrt}[2] * \text{Cos}[x] - (4 - 4 * I) * \text{Cos}[2*x] + (4 * I) * \text{Sqrt}[2] * \text{Cos}[2*x] + (4 - 4 * I) * (-1)^{(7/8)} * \text{Sqrt}[2] * \text{Sin}[x] + 4 * ((1 + I) + \text{Sqrt}[2]) * \text{Sin}[2*x]) + (1/2 + I/2) * \text{Sec}[x/2]^4 * ((2 - 2 * I) + 6 * \text{Sqrt}[2] - (4 - 4 * I) * (-1)^{(7/8)} * \text{Sqrt}[2] * \text{Cos}[x] - 2 * ((1 + I) + \text{Sqrt}[2]) * \text{Cos}[2*x] - (4 - 4 * I) * (-1)^{(1/8)} * \text{Sqrt}[2] * \text{Sin}[x] - (4 - 4 * I) * (-1)^{(3/8)} * \text{Sqrt}[2] * \text{Sin}[x] - (2 - 2 * I) * \text{Sin}[2*x] + (2 * I) * \text{Sqrt}[2] * \text{Sin}[2*x]) * \text{Tan}[x/2])) / ((-I + (-1)^{(3/4)} + (-1)^{(1/8)} * \text{Sqrt}[2]) * ((2 - 2 * I) + 6 * \text{Sqrt}[2] - (4 - 4 * I) * (-1)^{(7/8)} * \text{Sqrt}[2] * \text{Cos}[x] - 2 * ((1 + I) + \text{Sqrt}[2]) * \text{Cos}[2*x] - (4 - 4 * I) * (-1)^{(1/8)} * \text{Sqrt}[2] * \text{Sin}[x] - (4 - 4 * I) * (-1)^{(3/8)} * \text{Sqrt}[2] * \text{Sin}[x] - (2 - 2 * I) * \text{Sin}[2*x] + (2 * I) * \text{Sqrt}[2] * \text{Sin}[2*x])) + (2 * (-1)^{(3/4)} * ((3 - 3 * I) - (2 - 2 * I) * \text{Sqrt}[2] + (-1)^{(1/8)} * \text{Sqrt}[2] - (-1)^{(3/8)} * \text{Sqrt}[2] + (1 - I) * (-1)^{(5/8)} * \text{Sqrt}[2] + (1 + I) * (-1)^{(7/8)} * \text{Sqrt}[2]) * \text{Sec}[x/2]^2) / (1 + ((-1)^{(3/4)} * (-1 - (-1)^{(1/4)} + (-I + (-1)^{(3/4)} + (-1)^{(1/8)} * \text{Sqrt}[2]) * \text{Tan}[x/2])^2) / 2)) + ((2 * ((-1)^{(1/8)} + (-1)^{(3/8)}) * x - (2 * (-1)^{(7/8)} * (2 - \text{Sqrt}[2] - (-1)^{(3/8)} * \text{Sqrt}[2] + (-1)^{(5/8)} * \text{Sqrt}[2]) * \text{ArcTan}[\text{Cos}[x] / (-((-1)^{(1/8)} * \text{Sqrt}[2]) + (-1)^{(3/4)} * \text{Cos}[x] - (1 + (-1)^{(1/4)}) * \text{Sin}[x])]) / (-I + (-1)^{(3/4)} + (-1)^{(1/8)} * \text{Sqrt}[2]) - ((4 + 4 * I) * (-1)^{(5/8)} * (3 * I + (-1)^{(1/8)} - (-1)^{(3/8)} - (1 + I) * (-1)^{(5/8)} - (2 * I) * \text{Sqrt}[2] + (1 + I) * (-1)^{(5/8)} * \text{Sqrt}[2]) * \text{ArcTanh}[(1/2 + I/2) * (-1)^{(5/8)} * (1 + (-1)^{(1/4)} + (-I + (-1)^{(3/4)} + (-1)^{(1/8)} * \text{Sqrt}[2]) * \text{Tan}[x/2])) / (-I + (-1)^{(3/4)} + (-1)^{(1/8)} * \text{Sqrt}[2]) +
\end{aligned}$$

```

2*(-1)^(3/8)*(-I + (-1)^(1/4))*Log[Sec[x/2]^2] + ((-1)^(3/8)*(2 - Sqrt[2] -
(-1)^(3/8)*Sqrt[2] + (-1)^(5/8)*Sqrt[2])*Log[(1/4 + I/4)*Sec[x/2]^4*((2 -
2*I) + 6*Sqrt[2] - (4 - 4*I)*(-1)^(7/8)*Sqrt[2]*Cos[x] - 2*((1 + I) + Sqrt[
2])*Cos[2*x] + (4 - 4*I)*(-1)^(1/8)*((1 + I) + Sqrt[2])*Sin[x] + (2 - 2*I)*
Sin[2*x] - (2*I)*Sqrt[2]*Sin[2*x]))/(-I + (-1)^(3/4) + (-1)^(1/8)*Sqrt[2])
)*(1/(Sqrt[1 - I]*((-1 - I) + Sqrt[1 - I]*Sqrt[1 + I])^2*(-(Sqrt[-1 + I]*(1
- I)^(1/4)*(1 + I)^(3/4)) + Sqrt[1 - I]*Cos[x] - Sqrt[1 + I]*Cos[x] - I*Sq
rt[1 - I]*Sin[x] - I*Sqrt[1 + I]*Sin[x])) - I/(Sqrt[1 + I]*((-1 - I) + Sqrt
[1 - I]*Sqrt[1 + I])^2*(-(Sqrt[-1 + I]*(1 - I)^(1/4)*(1 + I)^(3/4)) + Sqrt[
1 - I]*Cos[x] - Sqrt[1 + I]*Cos[x] - I*Sqrt[1 - I]*Sin[x] - I*Sqrt[1 + I]*S
in[x])) + (2*Sin[x])/(Sqrt[-1 + I]*(1 - I)^(3/4)*(1 + I)^(1/4)*((-1 - I) +
Sqrt[1 - I]*Sqrt[1 + I])^2*(-(Sqrt[-1 + I]*(1 - I)^(1/4)*(1 + I)^(3/4)) + S
qrt[1 - I]*Cos[x] - Sqrt[1 + I]*Cos[x] - I*Sqrt[1 - I]*Sin[x] - I*Sqrt[1 +
I]*Sin[x]))))/((-1)^(1/8) + (-1)^(3/8)) - (2*(-1)^(7/8)*(2 - Sqrt[2] - (-
1)^(3/8)*Sqrt[2] + (-1)^(5/8)*Sqrt[2])*(-(Cos[x]*(-((1 + (-1)^(1/4))*Cos[
x]) - (-1)^(3/4)*Sin[x]))/(-((-1)^(1/8)*Sqrt[2]) + (-1)^(3/4)*Cos[x] - (1 +
(-1)^(1/4))*Sin[x])^2) - Sin[x]/(-((-1)^(1/8)*Sqrt[2]) + (-1)^(3/4)*Cos[x]
- (1 + (-1)^(1/4))*Sin[x]))/((-I + (-1)^(3/4) + (-1)^(1/8)*Sqrt[2])*(1 +
Cos[x]^2/(-((-1)^(1/8)*Sqrt[2]) + (-1)^(3/4)*Cos[x] - (1 + (-1)^(1/4))*Sin[
x])^2)) + 2*(-1)^(3/8)*(-I + (-1)^(1/4))*Tan[x/2] + ((2 - 2*I)*(-1)^(3/8)*(
2 - Sqrt[2] - (-1)^(3/8)*Sqrt[2] + (-1)^(5/8)*Sqrt[2])*Cos[x/2]^4*((1/4 + I
/4)*Sec[x/2]^4*((4 - 4*I)*(-1)^(1/8)*((1 + I) + Sqrt[2])*Cos[x] + (4 - 4*I)
*Cos[2*x] - (4*I)*Sqrt[2]*Cos[2*x] + (4 - 4*I)*(-1)^(7/8)*Sqrt[2]*Sin[x] +
4*((1 + I) + Sqrt[2])*Sin[2*x]) + (1/2 + I/2)*Sec[x/2]^4*((2 - 2*I) + 6*Sqr
t[2] - (4 - 4*I)*(-1)^(7/8)*Sqrt[2]*Cos[x] - 2*((1 + I) + Sqrt[2])*Cos[2*x]
+ (4 - 4*I)*(-1)^(1/8)*((1 + I) + Sqrt[2])*Sin[x] + (2 - 2*I)*Sin[2*x] - (
2*I)*Sqrt[2]*Sin[2*x])*Tan[x/2]))/((-I + (-1)^(3/4) + (-1)^(1/8)*Sqrt[2])*(
(2 - 2*I) + 6*Sqrt[2] - (4 - 4*I)*(-1)^(7/8)*Sqrt[2]*Cos[x] - 2*((1 + I) +
Sqrt[2])*Cos[2*x] + (4 - 4*I)*(-1)^(1/8)*((1 + I) + Sqrt[2])*Sin[x] + (2 -
2*I)*Sin[2*x] - (2*I)*Sqrt[2]*Sin[2*x])) + (2*(-1)^(3/4)*(3*I + (-1)^(1/8)
- (-1)^(3/8) - (1 + I)*(-1)^(5/8) - (2*I)*Sqrt[2] + (1 + I)*(-1)^(5/8)*Sqrt
[2])*Sec[x/2]^2)/(1 + ((-1)^(3/4)*(1 + (-1)^(1/4) + (-I + (-1)^(3/4) + (-1)
^(1/8)*Sqrt[2])*Tan[x/2])^2)/2))

```

---

**Maple [A]** time = 0.066, size = 54, normalized size = 0.8

$$-\frac{\sqrt{2}}{4\sqrt{2-\sqrt{2}}}\operatorname{Arctanh}\left(2\frac{\cos(x)}{\sqrt{2-\sqrt{2}}}\right)+\frac{\sqrt{2}}{4\sqrt{2+\sqrt{2}}}\operatorname{Arctanh}\left(2\frac{\cos(x)}{\sqrt{2+\sqrt{2}}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(4\*x)\*sin(x),x)

[Out]  $-1/4*2^{(1/2)}/(2-2^{(1/2)})^{(1/2)}*\operatorname{arctanh}(2*\cos(x)/(2-2^{(1/2)})^{(1/2)})+1/4*2^{(1/2)}/(2+2^{(1/2)})^{(1/2)}*\operatorname{arctanh}(2*\cos(x)/(2+2^{(1/2)})^{(1/2)})$

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sec(4x) \sin(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(4\*x)\*sin(x),x, algorithm="maxima")

[Out] integrate(sec(4\*x)\*sin(x), x)

**Fricas [B]** time = 2.88998, size = 394, normalized size = 5.55

$$-\frac{1}{8}\sqrt{\sqrt{2}+2}\log\left(\sqrt{\sqrt{2}+2}(\sqrt{2}-1)+2\cos(x)\right)+\frac{1}{8}\sqrt{\sqrt{2}+2}\log\left(\sqrt{\sqrt{2}+2}(\sqrt{2}-1)-2\cos(x)\right)+\frac{1}{8}\sqrt{-\sqrt{2}+2}\log\left(\sqrt{-\sqrt{2}+2}(\sqrt{2}+1)+2\cos(x)\right)+\frac{1}{8}\sqrt{-\sqrt{2}+2}\log\left(\sqrt{-\sqrt{2}+2}(\sqrt{2}+1)-2\cos(x)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(4\*x)\*sin(x),x, algorithm="fricas")

[Out] -1/8\*sqrt(sqrt(2) + 2)\*log(sqrt(sqrt(2) + 2)\*(sqrt(2) - 1) + 2\*cos(x)) + 1/8\*sqrt(sqrt(2) + 2)\*log(sqrt(sqrt(2) + 2)\*(sqrt(2) - 1) - 2\*cos(x)) + 1/8\*sqrt(-sqrt(2) + 2)\*log((sqrt(2) + 1)\*sqrt(-sqrt(2) + 2) + 2\*cos(x)) - 1/8\*sqrt(-sqrt(2) + 2)\*log((sqrt(2) + 1)\*sqrt(-sqrt(2) + 2) - 2\*cos(x))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sin(x) \sec(4x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(4\*x)\*sin(x),x)

[Out] Integral(sin(x)\*sec(4\*x), x)

**Giac [B]** time = 1.29793, size = 147, normalized size = 2.07

$$2\sqrt{-\frac{1}{256}\sqrt{2}+\frac{1}{128}}\log\left(\left|124864\sqrt{\sqrt{2}+2}+249728\cos(x)\right|\right)-2\sqrt{-\frac{1}{256}\sqrt{2}+\frac{1}{128}}\log\left(\left|-124864\sqrt{\sqrt{2}+2}+249728\cos(x)\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(4\*x)\*sin(x),x, algorithm="giac")

[Out] 2\*sqrt(-1/256\*sqrt(2) + 1/128)\*log(abs(124864\*sqrt(sqrt(2) + 2) + 249728\*cos(x))) - 2\*sqrt(-1/256\*sqrt(2) + 1/128)\*log(abs(-124864\*sqrt(sqrt(2) + 2) + 249728\*cos(x))) - 1/8\*sqrt(sqrt(2) + 2)\*log(abs(507968\*sqrt(-sqrt(2) + 2) + 1015936\*cos(x))) + 1/8\*sqrt(sqrt(2) + 2)\*log(abs(-507968\*sqrt(-sqrt(2) + 2) + 1015936\*cos(x)))

### 3.88 $\int \sec(5x) \sin(x) dx$

**Optimal.** Leaf size=62

$$\frac{1}{20} (1 + \sqrt{5}) \log(-8 \cos^2(x) - \sqrt{5} + 5) + \frac{1}{20} (1 - \sqrt{5}) \log(-8 \cos^2(x) + \sqrt{5} + 5) - \frac{1}{5} \log(\cos(x))$$

[Out] -Log[Cos[x]]/5 + ((1 + Sqrt[5])\*Log[5 - Sqrt[5] - 8\*Cos[x]^2])/20 + ((1 - Sqrt[5])\*Log[5 + Sqrt[5] - 8\*Cos[x]^2])/20

**Rubi [A]** time = 0.0725292, antiderivative size = 62, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.857$ , Rules used = {4357, 1114, 705, 29, 632, 31}

$$\frac{1}{20} (1 + \sqrt{5}) \log(-8 \cos^2(x) - \sqrt{5} + 5) + \frac{1}{20} (1 - \sqrt{5}) \log(-8 \cos^2(x) + \sqrt{5} + 5) - \frac{1}{5} \log(\cos(x))$$

Antiderivative was successfully verified.

[In] Int[Sec[5\*x]\*Sin[x],x]

[Out] -Log[Cos[x]]/5 + ((1 + Sqrt[5])\*Log[5 - Sqrt[5] - 8\*Cos[x]^2])/20 + ((1 - Sqrt[5])\*Log[5 + Sqrt[5] - 8\*Cos[x]^2])/20

#### Rule 4357

Int[(u\_)\*(F\_)[(c\_.)\*((a\_.) + (b\_.)\*(x\_))], x\_Symbol] := With[{d = FreeFactors[Cos[c\*(a + b\*x)], x]}, -Dist[d/(b\*c), Subst[Int[SubstFor[1, Cos[c\*(a + b\*x)]]/d, u, x], x], x, Cos[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Cos[c\*(a + b\*x)]/d, u, x] /; FreeQ[{a, b, c}, x] && (EqQ[F, Sin] || EqQ[F, sin])

#### Rule 1114

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_.), x\_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)\*(a + b\*x + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, p}, x] && IntegerQ[(m - 1)/2]

#### Rule 705

Int[1/(((d\_.) + (e\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)), x\_Symbol] := Dist[e^2/(c\*d^2 - b\*d\*e + a\*e^2), Int[1/(d + e\*x), x], x] + Dist[1/(c\*d^2 - b\*d\*e + a\*e^2), Int[(c\*d - b\*e - c\*e\*x)/(a + b\*x + c\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[2\*c\*d - b\*e, 0]

#### Rule 29

Int[(x\_)^(-1), x\_Symbol] := Simp[Log[x], x]

#### Rule 632

Int[((d\_.) + (e\_.)\*(x\_))/((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] := With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[(c\*d - e\*(b/2 - q/2))/q, Int[1/(b/2 - q/2 + c\*x), x], x] - Dist[(c\*d - e\*(b/2 + q/2))/q, Int[1/(b/2 + q/2 + c\*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2\*c\*d - b\*e, 0] && NeQ[b^2 - 4\*a\*c, 0] && NiceSqrtQ[b^2 - 4\*a\*c]



**Rule 31**

$\text{Int}[(a_ + (b_ \cdot x_))^{-1}, x\_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b \cdot x, x]]/b, x] /; \text{FreeQ}\{a, b\}, x]$

**Rubi steps**

$$\begin{aligned} \int \sec(5x) \sin(x) dx &= -\text{Subst} \left( \int \frac{1}{x(5 - 20x^2 + 16x^4)} dx, x, \cos(x) \right) \\ &= -\left( \frac{1}{2} \text{Subst} \left( \int \frac{1}{x(5 - 20x + 16x^2)} dx, x, \cos^2(x) \right) \right) \\ &= -\left( \frac{1}{10} \text{Subst} \left( \int \frac{1}{x} dx, x, \cos^2(x) \right) \right) - \frac{1}{10} \text{Subst} \left( \int \frac{20 - 16x}{5 - 20x + 16x^2} dx, x, \cos^2(x) \right) \\ &= -\frac{1}{5} \log(\cos(x)) + \frac{1}{5} (4(1 - \sqrt{5})) \text{Subst} \left( \int \frac{1}{-10 - 2\sqrt{5} + 16x} dx, x, \cos^2(x) \right) + \frac{1}{5} (4(1 + \sqrt{5})) \text{Subst} \left( \int \frac{1}{-10 + 2\sqrt{5} + 16x} dx, x, \cos^2(x) \right) \\ &= -\frac{1}{5} \log(\cos(x)) + \frac{1}{20} (1 + \sqrt{5}) \log(5 - \sqrt{5} - 8 \cos^2(x)) + \frac{1}{20} (1 - \sqrt{5}) \log(5 + \sqrt{5} - 8 \cos^2(x)) \end{aligned}$$

**Mathematica [A]** time = 0.0969927, size = 57, normalized size = 0.92

$$\frac{1}{20} (-4 \log(\cos(x)) - (\sqrt{5} - 1) \log(4 \cos(2x) - \sqrt{5} - 1) + (1 + \sqrt{5}) \log(4 \cos(2x) + \sqrt{5} - 1))$$

Antiderivative was successfully verified.

[In] Integrate[Sec[5\*x]\*Sin[x], x]

[Out] (-4\*Log[Cos[x]] - (-1 + Sqrt[5])\*Log[-1 - Sqrt[5] + 4\*Cos[2\*x]] + (1 + Sqrt[5])\*Log[-1 + Sqrt[5] + 4\*Cos[2\*x]])/20

**Maple [A]** time = 0.079, size = 43, normalized size = 0.7

$$-\frac{\ln(\cos(x))}{5} + \frac{\ln(16(\cos(x))^4 - 20(\cos(x))^2 + 5)}{20} + \frac{\sqrt{5}}{10} \text{Arctanh} \left( \frac{(32(\cos(x))^2 - 20)\sqrt{5}}{20} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(5\*x)\*sin(x), x)

[Out] -1/5\*ln(cos(x))+1/20\*ln(16\*cos(x)^4-20\*cos(x)^2+5)+1/10\*5^(1/2)\*arctanh(1/20\*(32\*cos(x)^2-20)\*5^(1/2))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(5\*x)\*sin(x), x, algorithm="maxima")

```
[Out] 1/5*integrate(-(cos(4*x)*sin(8*x) - cos(8*x)*sin(4*x) + cos(3/2*arctan2(sin(4*x), cos(4*x)))*sin(4*x) + cos(1/2*arctan2(sin(4*x), cos(4*x)))*sin(4*x) - cos(4*x)*sin(3/2*arctan2(sin(4*x), cos(4*x))) - cos(4*x)*sin(1/2*arctan2(sin(4*x), cos(4*x))) - sin(4*x))/(2*(cos(4*x) + 1)*cos(8*x) + cos(8*x)^2 + cos(4*x)^2 - 2*(cos(8*x) + cos(4*x) - cos(1/2*arctan2(sin(4*x), cos(4*x)))) + 1)*cos(3/2*arctan2(sin(4*x), cos(4*x))) + cos(3/2*arctan2(sin(4*x), cos(4*x)))^2 - 2*(cos(8*x) + cos(4*x) + 1)*cos(1/2*arctan2(sin(4*x), cos(4*x))) + cos(1/2*arctan2(sin(4*x), cos(4*x)))^2 + sin(8*x)^2 + 2*sin(8*x)*sin(4*x) + sin(4*x)^2 - 2*(sin(8*x) + sin(4*x) - sin(1/2*arctan2(sin(4*x), cos(4*x))))*sin(3/2*arctan2(sin(4*x), cos(4*x))) + sin(3/2*arctan2(sin(4*x), cos(4*x)))^2 - 2*(sin(8*x) + sin(4*x))*sin(1/2*arctan2(sin(4*x), cos(4*x))) + sin(1/2*arctan2(sin(4*x), cos(4*x)))^2 + 2*cos(4*x) + 1), x) + 4/5*integrate(-(cos(2*x)*sin(8*x) - cos(2*x)*sin(6*x) + cos(2*x)*sin(4*x) - cos(8*x)*sin(2*x) + cos(6*x)*sin(2*x) - cos(4*x)*sin(2*x) - sin(2*x))/(2*(cos(6*x) - cos(4*x) + cos(2*x) - 1)*cos(8*x) - cos(8*x)^2 + 2*(cos(4*x) - cos(2*x) + 1)*cos(6*x) - cos(6*x)^2 + 2*(cos(2*x) - 1)*cos(4*x) - cos(4*x)^2 - cos(2*x)^2 + 2*(sin(6*x) - sin(4*x) + sin(2*x))*sin(8*x) - sin(8*x)^2 + 2*(sin(4*x) - sin(2*x))*sin(6*x) - sin(6*x)^2 - sin(4*x)^2 + 2*sin(4*x)*sin(2*x) - sin(2*x)^2 + 2*cos(2*x) - 1), x) - 2/5*integrate(-(cos(4/3*arctan2(sin(6*x), cos(6*x)))*sin(6*x) + cos(2/3*arctan2(sin(6*x), cos(6*x)))*sin(6*x) - cos(1/3*arctan2(sin(6*x), cos(6*x)))*sin(6*x) - cos(6*x)*sin(4/3*arctan2(sin(6*x), cos(6*x))) - cos(6*x)*sin(2/3*arctan2(sin(6*x), cos(6*x))) + cos(6*x)*sin(1/3*arctan2(sin(6*x), cos(6*x))) + sin(6*x))/(cos(6*x)^2 - 2*(cos(6*x) - cos(2/3*arctan2(sin(6*x), cos(6*x))) + cos(1/3*arctan2(sin(6*x), cos(6*x)))) - 1)*cos(4/3*arctan2(sin(6*x), cos(6*x))) + cos(4/3*arctan2(sin(6*x), cos(6*x)))^2 - 2*(cos(6*x) + cos(1/3*arctan2(sin(6*x), cos(6*x))) - 1)*cos(2/3*arctan2(sin(6*x), cos(6*x))) + cos(2/3*arctan2(sin(6*x), cos(6*x)))^2 + 2*(cos(6*x) - 1)*cos(1/3*arctan2(sin(6*x), cos(6*x))) + cos(1/3*arctan2(sin(6*x), cos(6*x)))^2 + sin(6*x)^2 - 2*(sin(6*x) - sin(2/3*arctan2(sin(6*x), cos(6*x))) + sin(1/3*arctan2(sin(6*x), cos(6*x))))*sin(4/3*arctan2(sin(6*x), cos(6*x))) + sin(4/3*arctan2(sin(6*x), cos(6*x)))^2 - 2*(sin(6*x) + sin(1/3*arctan2(sin(6*x), cos(6*x))))*sin(2/3*arctan2(sin(6*x), cos(6*x))) + sin(2/3*arctan2(sin(6*x), cos(6*x)))^2 + 2*sin(6*x)*sin(1/3*arctan2(sin(6*x), cos(6*x))) + sin(1/3*arctan2(sin(6*x), cos(6*x)))^2 - 2*cos(6*x) + 1), x) - 2/5*integrate(-(sin(8*x) - sin(6*x) + sin(4*x) - sin(2*x))/(2*(cos(6*x) - cos(4*x) + cos(2*x) - 1)*cos(8*x) - cos(8*x)^2 + 2*(cos(4*x) - cos(2*x) + 1)*cos(6*x) - cos(6*x)^2 + 2*(cos(2*x) - 1)*cos(4*x) - cos(4*x)^2 - cos(2*x)^2 + 2*(sin(6*x) - sin(4*x) + sin(2*x))*sin(8*x) - sin(8*x)^2 + 2*(sin(4*x) - sin(2*x))*sin(6*x) - sin(6*x)^2 - sin(4*x)^2 + 2*sin(4*x)*sin(2*x) - sin(2*x)^2 + 2*cos(2*x) - 1), x) - 1/10*log(cos(2*x)^2 + sin(2*x)^2 + 2*cos(2*x) + 1)
```

---

**Fricas [A]** time = 2.78257, size = 230, normalized size = 3.71

$$\frac{1}{20} \sqrt{5} \log \left( \frac{32 \cos(x)^4 + 8(\sqrt{5} - 5) \cos(x)^2 - 5\sqrt{5} + 15}{16 \cos(x)^4 - 20 \cos(x)^2 + 5} \right) + \frac{1}{20} \log(16 \cos(x)^4 - 20 \cos(x)^2 + 5) - \frac{1}{5} \log(-\cos(x))$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(5*x)*sin(x),x, algorithm="fricas")
```

```
[Out] 1/20*sqrt(5)*log((32*cos(x)^4 + 8*(sqrt(5) - 5)*cos(x)^2 - 5*sqrt(5) + 15)/(16*cos(x)^4 - 20*cos(x)^2 + 5)) + 1/20*log(16*cos(x)^4 - 20*cos(x)^2 + 5) - 1/5*log(-cos(x))
```

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sin(x) \sec(5x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(5\*x)\*sin(x),x)

[Out] Integral(sin(x)\*sec(5\*x), x)

**Giac [B]** time = 1.26142, size = 159, normalized size = 2.56

$$\frac{1}{20} \sqrt{5} \log\left(\left|2560 \cos(x)^2 + 320 \sqrt{5} - 1600\right|\right) - \frac{1}{20} \sqrt{5} \log\left(\left|2560 \cos(x)^2 - 320 \sqrt{5} - 1600\right|\right) + \frac{1}{20} \log\left(\left|\frac{44(\cos(x) - 1)}{\cos(x) + 1}\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(5\*x)\*sin(x),x, algorithm="giac")

[Out] 1/20\*sqrt(5)\*log(abs(2560\*cos(x)^2 + 320\*sqrt(5) - 1600)) - 1/20\*sqrt(5)\*log(abs(2560\*cos(x)^2 - 320\*sqrt(5) - 1600)) + 1/20\*log(abs(44\*(cos(x) - 1)/(cos(x) + 1) + 166\*(cos(x) - 1)^2/(cos(x) + 1)^2 + 44\*(cos(x) - 1)^3/(cos(x) + 1)^3 + (cos(x) - 1)^4/(cos(x) + 1)^4 + 1)) - 1/5\*log(abs(-(cos(x) - 1)/(cos(x) + 1) - 1))

### 3.89 $\int \sec(6x) \sin(x) dx$

**Optimal.** Leaf size=85

$$-\frac{\tanh^{-1}(\sqrt{2} \cos(x))}{3\sqrt{2}} + \frac{\tanh^{-1}\left(\frac{2\cos(x)}{\sqrt{2-\sqrt{3}}}\right)}{6\sqrt{2-\sqrt{3}}} + \frac{\tanh^{-1}\left(\frac{2\cos(x)}{\sqrt{2+\sqrt{3}}}\right)}{6\sqrt{2+\sqrt{3}}}$$

[Out] -ArcTanh[Sqrt[2]\*Cos[x]]/(3\*Sqrt[2]) + ArcTanh[(2\*Cos[x])/Sqrt[2 - Sqrt[3]]]/(6\*Sqrt[2 - Sqrt[3]]) + ArcTanh[(2\*Cos[x])/Sqrt[2 + Sqrt[3]]]/(6\*Sqrt[2 + Sqrt[3]])

**Rubi [A]** time = 0.0631543, antiderivative size = 85, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$ , Rules used = {4357, 2057, 207, 1166}

$$-\frac{\tanh^{-1}(\sqrt{2} \cos(x))}{3\sqrt{2}} + \frac{\tanh^{-1}\left(\frac{2\cos(x)}{\sqrt{2-\sqrt{3}}}\right)}{6\sqrt{2-\sqrt{3}}} + \frac{\tanh^{-1}\left(\frac{2\cos(x)}{\sqrt{2+\sqrt{3}}}\right)}{6\sqrt{2+\sqrt{3}}}$$

Antiderivative was successfully verified.

[In] Int[Sec[6\*x]\*Sin[x],x]

[Out] -ArcTanh[Sqrt[2]\*Cos[x]]/(3\*Sqrt[2]) + ArcTanh[(2\*Cos[x])/Sqrt[2 - Sqrt[3]]]/(6\*Sqrt[2 - Sqrt[3]]) + ArcTanh[(2\*Cos[x])/Sqrt[2 + Sqrt[3]]]/(6\*Sqrt[2 + Sqrt[3]])

#### Rule 4357

Int[(u\_)\*(F\_)[(c\_.)\*((a\_.) + (b\_.)\*(x\_))], x\_Symbol] := With[{d = FreeFactors[Cos[c\*(a + b\*x)], x]}, -Dist[d/(b\*c), Subst[Int[SubstFor[1, Cos[c\*(a + b\*x)]]/d, u, x], x], x, Cos[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Cos[c\*(a + b\*x)]/d, u, x] /; FreeQ[{a, b, c}, x] && (EqQ[F, Sin] || EqQ[F, sin])

#### Rule 2057

Int[(P\_)^(p\_), x\_Symbol] := With[{u = Factor[P /. x -> Sqrt[x]]}, Int[ExpandIntegrand[(u /. x -> x^2)^p, x], x] /; !SumQ[NonfreeFactors[u, x]] /; PolyQ[P, x^2] && ILtQ[p, 0]

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rule 1166

Int[((d\_) + (e\_.)\*(x\_)^2)/((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4), x\_Symbol] := With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[e/2 + (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 - q/2 + c\*x^2), x], x] + Dist[e/2 - (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 + q/2 + c\*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - a\*e^2, 0] && PosQ[b^2 - 4\*a\*c]

Rubi steps

$$\begin{aligned}
\int \sec(6x) \sin(x) dx &= -\text{Subst} \left( \int \frac{1}{-1 + 18x^2 - 48x^4 + 32x^6} dx, x, \cos(x) \right) \\
&= -\text{Subst} \left( \int \left( \frac{1}{3(-1 + 2x^2)} + \frac{4(-1 + 2x^2)}{3(1 - 16x^2 + 16x^4)} \right) dx, x, \cos(x) \right) \\
&= \frac{1}{3} \text{Subst} \left( \int \frac{1}{-1 + 2x^2} dx, x, \cos(x) \right) - \frac{4}{3} \text{Subst} \left( \int \frac{-1 + 2x^2}{1 - 16x^2 + 16x^4} dx, x, \cos(x) \right) \\
&= \frac{\tanh^{-1}(\sqrt{2} \cos(x))}{3\sqrt{2}} - \frac{4}{3} \text{Subst} \left( \int \frac{1}{-8 - 4\sqrt{3} + 16x^2} dx, x, \cos(x) \right) - \frac{4}{3} \text{Subst} \left( \int \frac{1}{-8 + 4\sqrt{3}} dx, x, \cos(x) \right) \\
&= \frac{\tanh^{-1}(\sqrt{2} \cos(x))}{3\sqrt{2}} + \frac{\tanh^{-1}\left(\frac{2 \cos(x)}{\sqrt{2-\sqrt{3}}}\right)}{6\sqrt{2-\sqrt{3}}} + \frac{\tanh^{-1}\left(\frac{2 \cos(x)}{\sqrt{2+\sqrt{3}}}\right)}{6\sqrt{2+\sqrt{3}}}
\end{aligned}$$

**Mathematica [C]** time = 9.28038, size = 678, normalized size = 7.98

$$\left(\frac{1}{6} + \frac{i}{6}\right) \sqrt[4]{-1} \tan^{-1} \left( \left(\frac{1}{2} + \frac{i}{2}\right) \sqrt[4]{-1} \sec\left(\frac{x}{2}\right) \left(\sin\left(\frac{x}{2}\right) + \cos\left(\frac{x}{2}\right)\right) \right) - \left(\frac{1}{6} + \frac{i}{6}\right) (-1)^{3/4} \tanh^{-1} \left( \left(\frac{1}{2} + \frac{i}{2}\right) (-1)^{3/4} \sec\left(\frac{x}{2}\right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[6\*x]\*Sin[x],x]

[Out] (1/6 + I/6)\*(-1)^(1/4)\*ArcTan[(1/2 + I/2)\*(-1)^(1/4)\*Sec[x/2]\*(Cos[x/2] + Sin[x/2])] - (1/6 + I/6)\*(-1)^(3/4)\*ArcTanh[(1/2 + I/2)\*(-1)^(3/4)\*Sec[x/2]\*(Cos[x/2] - Sin[x/2])] + ((1 + Sqrt[2])\*(x + 2\*Sqrt[3]\*ArcTanh[(2 + (2 + Sqrt[2])\*Tan[x/2])/Sqrt[6]] - Log[Sec[x/2]^2 + Log[-(Sec[x/2]^2\*(Sqrt[2] - 2\*Cos[x] + 2\*Sin[x]))])])/(12\*(2 + Sqrt[2])) - (x - 2\*Sqrt[3]\*ArcTanh[(Sqrt[2] + (-1 + Sqrt[2])\*Tan[x/2])/Sqrt[3]] - Log[Sec[x/2]^2 + Log[Sec[x/2]^2\*(1 + Sqrt[2]\*Cos[x] - Sqrt[2]\*Sin[x])])])/(12\*Sqrt[2]) + ((2\*(Sqrt[2] + Sqrt[3])\*ArcTanh[(2 + (2 + Sqrt[6])\*Tan[x/2])/Sqrt[2]] + (3 + Sqrt[6])\*(x - Log[Sec[x/2]^2 + Log[-(Sec[x/2]^2\*(Sqrt[6] - 2\*Cos[x] + 2\*Sin[x]))])])\*(1 + Sqrt[6]\*Sin[x])\*(3 + Sqrt[6] - (2 + Sqrt[6])\*Cos[x] + (2 + Sqrt[6])\*Sin[x]))/(12\*((12 + 5\*Sqrt[6])\*Cos[2\*x] + 2\*Cos[x]\*(5 + 2\*Sqrt[6] + 5\*Sqrt[6]\*Sin[x]) - 2\*(12 + 5\*Sqrt[6] + 4\*(5 + 2\*Sqrt[6])\*Sin[x] - 6\*Sin[2\*x]))) + ((-2\*(-2 + Sqrt[6])\*ArcTanh[Sqrt[2] + (Sqrt[2] - Sqrt[3])\*Tan[x/2]] + (3\*Sqrt[2] - 2\*Sqrt[3])\*(x - Log[Sec[x/2]^2 + Log[-(Sec[x/2]^2\*(Sqrt[3] + Sqrt[2]\*Cos[x] - Sqrt[2]\*Sin[x]))])])\*(Sqrt[2] - 2\*Sqrt[3]\*Sin[x])\*(-3 + Sqrt[6] - (-2 + Sqrt[6])\*Cos[x] + (-2 + Sqrt[6])\*Sin[x]))/(24\*((-12 + 5\*Sqrt[6])\*Cos[2\*x] + 2\*Cos[x]\*(-5 + 2\*Sqrt[6] + 5\*Sqrt[6]\*Sin[x]) - 2\*(-12 + 5\*Sqrt[6] + 4\*(-5 + 2\*Sqrt[6])\*Sin[x] + 6\*Sin[2\*x]))))

**Maple [A]** time = 0.096, size = 80, normalized size = 0.9

$$\frac{2}{6\sqrt{6}-6\sqrt{2}} \text{Artanh} \left( 8 \frac{\cos(x)}{2\sqrt{6}-2\sqrt{2}} \right) + \frac{2}{6\sqrt{6}+6\sqrt{2}} \text{Artanh} \left( 8 \frac{\cos(x)}{2\sqrt{6}+2\sqrt{2}} \right) - \frac{\text{Artanh}(\cos(x)\sqrt{2})\sqrt{2}}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(6\*x)\*sin(x),x)

[Out]  $\frac{2}{3}/(2*6^{(1/2)}-2*2^{(1/2)})*\operatorname{arctanh}(8*\cos(x)/(2*6^{(1/2)}-2*2^{(1/2)}))+\frac{2}{3}/(2*6^{(1/2)}+2*2^{(1/2)})*\operatorname{arctanh}(8*\cos(x)/(2*6^{(1/2)}+2*2^{(1/2)}))-1/6*\operatorname{arctanh}(\cos(x)*2^{(1/2)})*2^{(1/2)}$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{24}\sqrt{2}\log\left(2\sqrt{2}\sin(2x)\sin(x)+2\left(\sqrt{2}\cos(x)+1\right)\cos(2x)+\cos(2x)^2+2\cos(x)^2+\sin(2x)^2+2\sin(x)^2+2\sqrt{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(6*x)*sin(x),x, algorithm="maxima")`

[Out]  $-1/24*\sqrt{2}*\log(2*\sqrt{2}*\sin(2*x)*\sin(x)+2*(\sqrt{2}*\cos(x)+1)*\cos(2*x)+\cos(2*x)^2+2*\cos(x)^2+\sin(2*x)^2+2*\sin(x)^2+2*\sqrt{2}*\cos(x)+1)+1/24*\sqrt{2}*\log(-2*\sqrt{2}*\sin(2*x)*\sin(x)-2*(\sqrt{2}*\cos(x)-1)*\cos(2*x)+\cos(2*x)^2+2*\cos(x)^2+\sin(2*x)^2+2*\sin(x)^2-2*\sqrt{2}*\cos(x)+1)-\operatorname{integrate}(1/3*((\sin(7*x)-\sin(5*x))+\sin(3*x)-\sin(x))*\cos(8*x)-(\sin(3*x)-\sin(x))*\cos(4*x)-(\cos(7*x)-\cos(5*x))+\cos(3*x)-\cos(x))*\sin(8*x)-(\cos(4*x)-1)*\sin(7*x)+(\cos(4*x)-1)*\sin(5*x)+(\cos(3*x)-\cos(x))*\sin(4*x)+\cos(7*x)*\sin(4*x)-\cos(5*x)*\sin(4*x)+\sin(3*x)-\sin(x))/(2*(\cos(4*x)-1)*\cos(8*x)-\cos(8*x)^2-\cos(4*x)^2-\sin(8*x)^2+2*\sin(8*x)*\sin(4*x)-\sin(4*x)^2+2*\cos(4*x)-1),x)$

**Fricas [B]** time = 2.99748, size = 498, normalized size = 5.86

$$-\frac{1}{12}\sqrt{\sqrt{3}+2}\log\left(\sqrt{\sqrt{3}+2}(\sqrt{3}-2)+2\cos(x)\right)+\frac{1}{12}\sqrt{\sqrt{3}+2}\log\left(\sqrt{\sqrt{3}+2}(\sqrt{3}-2)-2\cos(x)\right)+\frac{1}{12}\sqrt{-\sqrt{3}+2}\log\left(\sqrt{-\sqrt{3}+2}(\sqrt{3}+2)+2\cos(x)\right)+\frac{1}{12}\sqrt{-\sqrt{3}+2}\log\left(\sqrt{-\sqrt{3}+2}(\sqrt{3}+2)-2\cos(x)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(6*x)*sin(x),x, algorithm="fricas")`

[Out]  $-1/12*\sqrt{\sqrt{3}+2}*\log(\sqrt{\sqrt{3}+2}*(\sqrt{3}-2)+2*\cos(x))+1/12*\sqrt{\sqrt{3}+2}*\log(\sqrt{\sqrt{3}+2}*(\sqrt{3}-2)-2*\cos(x))+1/12*\sqrt{-\sqrt{3}+2}*\log((\sqrt{3}+2)*\sqrt{-\sqrt{3}+2}+2*\cos(x))-1/12*\sqrt{-\sqrt{3}+2}*\log((\sqrt{3}+2)*\sqrt{-\sqrt{3}+2}-2*\cos(x))+1/12*\sqrt{2}*\log((2*\cos(x)^2-2*\sqrt{2}*\cos(x)+1)/(2*\cos(x)^2-1))$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sin(x) \sec(6x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(6*x)*sin(x),x)`

[Out] `Integral(sin(x)*sec(6*x), x)`

**Giac [B]** time = 1.31898, size = 208, normalized size = 2.45

$$\frac{1}{24} (\sqrt{6} + \sqrt{2}) \log(|8\sqrt{6} - 8\sqrt{2} + 32\cos(x)|) + \frac{1}{24} (\sqrt{6} - \sqrt{2}) \log(|\sqrt{6} + \sqrt{2} + 4\cos(x)|) - \frac{1}{24} (\sqrt{6} - \sqrt{2}) \log(|-$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(6\*x)\*sin(x),x, algorithm="giac")

[Out] 1/24\*(sqrt(6) + sqrt(2))\*log(abs(8\*sqrt(6) - 8\*sqrt(2) + 32\*cos(x))) + 1/24\*(sqrt(6) - sqrt(2))\*log(abs(sqrt(6) + sqrt(2) + 4\*cos(x))) - 1/24\*(sqrt(6) - sqrt(2))\*log(abs(-sqrt(6) - sqrt(2) + 4\*cos(x))) - 1/24\*(sqrt(6) + sqrt(2))\*log(abs(-8\*sqrt(6) + 8\*sqrt(2) + 32\*cos(x))) - 1/12\*sqrt(2)\*log(abs(-4\*sqrt(2) - 2\*(cos(x) - 1)/(cos(x) + 1) - 6)/abs(4\*sqrt(2) - 2\*(cos(x) - 1)/(cos(x) + 1) - 6))

### 3.90 $\int \csc(2x) \sin(x) dx$

**Optimal.** Leaf size=7

$$\frac{1}{2} \tanh^{-1}(\sin(x))$$

[Out] ArcTanh[Sin[x]]/2

**Rubi [A]** time = 0.0119241, antiderivative size = 7, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {4288, 3770}

$$\frac{1}{2} \tanh^{-1}(\sin(x))$$

Antiderivative was successfully verified.

[In] Int[Csc[2\*x]\*Sin[x],x]

[Out] ArcTanh[Sin[x]]/2

#### Rule 4288

Int[((f\_.)\*sin[(a\_.) + (b\_.)\*(x\_)])^(n\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(p\_.), x\_Symbol] := Dist[2^p/f^p, Int[Cos[a + b\*x]^p\*(f\*SIn[a + b\*x])^(n + p), x], x] /; FreeQ[{a, b, c, d, f, n}, x] && EqQ[b\*c - a\*d, 0] && EqQ[d/b, 2] && IntegerQ[p]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \csc(2x) \sin(x) dx &= \frac{1}{2} \int \sec(x) dx \\ &= \frac{1}{2} \tanh^{-1}(\sin(x)) \end{aligned}$$

**Mathematica [B]** time = 0.0062136, size = 37, normalized size = 5.29

$$\frac{1}{2} \left( \log \left( \sin \left( \frac{x}{2} \right) + \cos \left( \frac{x}{2} \right) \right) - \log \left( \cos \left( \frac{x}{2} \right) - \sin \left( \frac{x}{2} \right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Csc[2\*x]\*Sin[x],x]

[Out] (-Log[Cos[x/2] - Sin[x/2]] + Log[Cos[x/2] + Sin[x/2]])/2



**Maple [A]** time = 0.018, size = 9, normalized size = 1.3

$$\frac{\ln(\sec(x) + \tan(x))}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(2\*x)\*sin(x),x)

[Out] 1/2\*ln(sec(x)+tan(x))

**Maxima [B]** time = 1.54641, size = 47, normalized size = 6.71

$$\frac{1}{4} \log(\cos(x)^2 + \sin(x)^2 + 2 \sin(x) + 1) - \frac{1}{4} \log(\cos(x)^2 + \sin(x)^2 - 2 \sin(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(2\*x)\*sin(x),x, algorithm="maxima")

[Out] 1/4\*log(cos(x)^2 + sin(x)^2 + 2\*sin(x) + 1) - 1/4\*log(cos(x)^2 + sin(x)^2 - 2\*sin(x) + 1)

**Fricas [B]** time = 2.3467, size = 59, normalized size = 8.43

$$\frac{1}{4} \log(\sin(x) + 1) - \frac{1}{4} \log(-\sin(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(2\*x)\*sin(x),x, algorithm="fricas")

[Out] 1/4\*log(sin(x) + 1) - 1/4\*log(-sin(x) + 1)

**Sympy [B]** time = 6.40099, size = 15, normalized size = 2.14

$$-\frac{\log(\sin(x) - 1)}{4} + \frac{\log(\sin(x) + 1)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(2\*x)\*sin(x),x)

[Out] -log(sin(x) - 1)/4 + log(sin(x) + 1)/4

**Giac [B]** time = 1.13954, size = 34, normalized size = 4.86

$$\frac{1}{8} \log\left(\left|\frac{1}{\sin(x)} + \sin(x) + 2\right|\right) - \frac{1}{8} \log\left(\left|\frac{1}{\sin(x)} + \sin(x) - 2\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csc(2*x)*sin(x),x, algorithm="giac")
```

```
[Out] 1/8*log(abs(1/sin(x) + sin(x) + 2)) - 1/8*log(abs(1/sin(x) + sin(x) - 2))
```

### 3.91 $\int \csc(3x) \sin(x) dx$

**Optimal.** Leaf size=45

$$\frac{\log(\sin(x) + \sqrt{3} \cos(x))}{2\sqrt{3}} - \frac{\log(\sqrt{3} \cos(x) - \sin(x))}{2\sqrt{3}}$$

[Out]  $-\text{Log}[\text{Sqrt}[3] * \text{Cos}[x] - \text{Sin}[x]] / (2 * \text{Sqrt}[3]) + \text{Log}[\text{Sqrt}[3] * \text{Cos}[x] + \text{Sin}[x]] / (2 * \text{Sqrt}[3])$

**Rubi [A]** time = 0.0399368, antiderivative size = 45, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {206}

$$\frac{\log(\sin(x) + \sqrt{3} \cos(x))}{2\sqrt{3}} - \frac{\log(\sqrt{3} \cos(x) - \sin(x))}{2\sqrt{3}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Csc}[3*x] * \text{Sin}[x], x]$

[Out]  $-\text{Log}[\text{Sqrt}[3] * \text{Cos}[x] - \text{Sin}[x]] / (2 * \text{Sqrt}[3]) + \text{Log}[\text{Sqrt}[3] * \text{Cos}[x] + \text{Sin}[x]] / (2 * \text{Sqrt}[3])$

#### Rule 206

$\text{Int}[(a_ + (b_.) * (x_)^2)^{-1}, x\_Symbol] :> \text{Simp}[(1 * \text{ArcTanh}[(\text{Rt}[-b, 2] * x) / \text{Rt}[a, 2]]) / (\text{Rt}[a, 2] * \text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

#### Rubi steps

$$\begin{aligned} \int \csc(3x) \sin(x) dx &= \text{Subst}\left(\int \frac{1}{3 - x^2} dx, x, \tan(x)\right) \\ &= -\frac{\log(\sqrt{3} \cos(x) - \sin(x))}{2\sqrt{3}} + \frac{\log(\sqrt{3} \cos(x) + \sin(x))}{2\sqrt{3}} \end{aligned}$$

**Mathematica [A]** time = 0.01982, size = 15, normalized size = 0.33

$$\frac{\tanh^{-1}\left(\frac{\tan(x)}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[\text{Csc}[3*x] * \text{Sin}[x], x]$

[Out]  $\text{ArcTanh}[\text{Tan}[x] / \text{Sqrt}[3]] / \text{Sqrt}[3]$

**Maple [A]** time = 0.064, size = 14, normalized size = 0.3

$$\frac{\sqrt{3}}{3} \operatorname{Artanh}\left(\frac{\tan(x)\sqrt{3}}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(csc(3*x)*sin(x),x)`

[Out] `1/3*3^(1/2)*arctanh(1/3*tan(x)*3^(1/2))`

**Maxima [B]** time = 1.57434, size = 169, normalized size = 3.76

$$-\frac{1}{12}\sqrt{3}\log\left(\frac{4}{3}\cos(x)^2 + \frac{4}{3}\sin(x)^2 + \frac{4}{3}\sqrt{3}\sin(x) + \frac{4}{3}\cos(x) + \frac{4}{3}\right) + \frac{1}{12}\sqrt{3}\log\left(\frac{4}{3}\cos(x)^2 + \frac{4}{3}\sin(x)^2 + \frac{4}{3}\sqrt{3}\sin(x)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(3*x)*sin(x),x, algorithm="maxima")`

[Out] `-1/12*sqrt(3)*log(4/3*cos(x)^2 + 4/3*sin(x)^2 + 4/3*sqrt(3)*sin(x) + 4/3*cos(x) + 4/3) + 1/12*sqrt(3)*log(4/3*cos(x)^2 + 4/3*sin(x)^2 + 4/3*sqrt(3)*sin(x) - 4/3*cos(x) + 4/3) + 1/12*sqrt(3)*log(4/3*cos(x)^2 + 4/3*sin(x)^2 - 4/3*sqrt(3)*sin(x) + 4/3*cos(x) + 4/3) - 1/12*sqrt(3)*log(4/3*cos(x)^2 + 4/3*sin(x)^2 - 4/3*sqrt(3)*sin(x) - 4/3*cos(x) + 4/3)`

**Fricas [A]** time = 2.34947, size = 177, normalized size = 3.93

$$\frac{1}{12}\sqrt{3}\log\left(-\frac{8\cos(x)^4 - 16\cos(x)^2 - 4(2\sqrt{3}\cos(x)^3 + \sqrt{3}\cos(x))\sin(x) - 1}{16\cos(x)^4 - 8\cos(x)^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(3*x)*sin(x),x, algorithm="fricas")`

[Out] `1/12*sqrt(3)*log(-(8*cos(x)^4 - 16*cos(x)^2 - 4*(2*sqrt(3)*cos(x)^3 + sqrt(3)*cos(x))*sin(x) - 1)/(16*cos(x)^4 - 8*cos(x)^2 + 1))`

**Sympy [A]** time = 4.89941, size = 76, normalized size = 1.69

$$\frac{\sqrt{3}\log\left(\tan\left(\frac{x}{2}\right) - \sqrt{3}\right)}{6} - \frac{\sqrt{3}\log\left(\tan\left(\frac{x}{2}\right) - \frac{\sqrt{3}}{3}\right)}{6} + \frac{\sqrt{3}\log\left(\tan\left(\frac{x}{2}\right) + \frac{\sqrt{3}}{3}\right)}{6} - \frac{\sqrt{3}\log\left(\tan\left(\frac{x}{2}\right) + \sqrt{3}\right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(3*x)*sin(x),x)`

[Out] `sqrt(3)*log(tan(x/2) - sqrt(3))/6 - sqrt(3)*log(tan(x/2) - sqrt(3)/3)/6 + sqrt(3)*log(tan(x/2) + sqrt(3)/3)/6 - sqrt(3)*log(tan(x/2) + sqrt(3))/6`

---

**Giac [A]** time = 1.20102, size = 42, normalized size = 0.93

$$-\frac{1}{6}\sqrt{3}\log\left(\frac{|-2\sqrt{3}+2\tan(x)|}{|2\sqrt{3}+2\tan(x)|}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(3\*x)\*sin(x),x, algorithm="giac")

[Out] -1/6\*sqrt(3)\*log(abs(-2\*sqrt(3) + 2\*tan(x))/abs(2\*sqrt(3) + 2\*tan(x)))

### 3.92 $\int \csc(4x) \sin(x) dx$

**Optimal.** Leaf size=26

$$\frac{\tanh^{-1}(\sqrt{2} \sin(x))}{2\sqrt{2}} - \frac{1}{4} \tanh^{-1}(\sin(x))$$

[Out] -ArcTanh[Sin[x]]/4 + ArcTanh[Sqrt[2]\*Sin[x]]/(2\*Sqrt[2])

**Rubi [A]** time = 0.0250421, antiderivative size = 26, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 2, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {1093, 207}

$$\frac{\tanh^{-1}(\sqrt{2} \sin(x))}{2\sqrt{2}} - \frac{1}{4} \tanh^{-1}(\sin(x))$$

Antiderivative was successfully verified.

[In] Int[Csc[4\*x]\*Sin[x],x]

[Out] -ArcTanh[Sin[x]]/4 + ArcTanh[Sqrt[2]\*Sin[x]]/(2\*Sqrt[2])

#### Rule 1093

Int[((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(-1), x\_Symbol] := With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[c/q, Int[1/(b/2 - q/2 + c\*x^2), x], x] - Dist[c/q, Int[1/(b/2 + q/2 + c\*x^2), x], x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0] && PosQ[b^2 - 4\*a\*c]

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \csc(4x) \sin(x) dx &= \text{Subst} \left( \int \frac{1}{4 - 12x^2 + 8x^4} dx, x, \sin(x) \right) \\ &= 2 \text{Subst} \left( \int \frac{1}{-8 + 8x^2} dx, x, \sin(x) \right) - 2 \text{Subst} \left( \int \frac{1}{-4 + 8x^2} dx, x, \sin(x) \right) \\ &= -\frac{1}{4} \tanh^{-1}(\sin(x)) + \frac{\tanh^{-1}(\sqrt{2} \sin(x))}{2\sqrt{2}} \end{aligned}$$

**Mathematica [A]** time = 0.022676, size = 26, normalized size = 1.

$$\frac{\tanh^{-1}(\sqrt{2} \sin(x))}{2\sqrt{2}} - \frac{1}{4} \tanh^{-1}(\sin(x))$$

Antiderivative was successfully verified.

[In] Integrate[Csc[4\*x]\*Sin[x],x]

[Out]  $-\text{ArcTanh}[\text{Sin}[x]]/4 + \text{ArcTanh}[\text{Sqrt}[2]*\text{Sin}[x]]/(2*\text{Sqrt}[2])$

**Maple [A]** time = 0.068, size = 28, normalized size = 1.1

$$\frac{\text{Artanh}\left(\sin(x)\sqrt{2}\right)\sqrt{2}}{4} - \frac{\ln(1+\sin(x))}{8} + \frac{\ln(\sin(x)-1)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(csc(4*x)*sin(x),x)`

[Out]  $1/4*\text{arctanh}(\sin(x)*2^{(1/2)})*2^{(1/2)}-1/8*\ln(1+\sin(x))+1/8*\ln(\sin(x)-1)$

**Maxima [B]** time = 1.55964, size = 231, normalized size = 8.88

$$\frac{1}{16}\sqrt{2}\log\left(2\cos(x)^2+2\sin(x)^2+2\sqrt{2}\cos(x)+2\sqrt{2}\sin(x)+2\right)-\frac{1}{16}\sqrt{2}\log\left(2\cos(x)^2+2\sin(x)^2+2\sqrt{2}\cos(x)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(4*x)*sin(x),x, algorithm="maxima")`

[Out]  $1/16*\text{sqrt}(2)*\log(2*\cos(x)^2+2*\sin(x)^2+2*\text{sqrt}(2)*\cos(x)+2*\text{sqrt}(2)*\sin(x)+2)-1/16*\text{sqrt}(2)*\log(2*\cos(x)^2+2*\sin(x)^2+2*\text{sqrt}(2)*\cos(x)-2*\text{sqrt}(2)*\sin(x)+2)+1/16*\text{sqrt}(2)*\log(2*\cos(x)^2+2*\sin(x)^2-2*\text{sqrt}(2)*\cos(x)+2*\text{sqrt}(2)*\sin(x)+2)-1/16*\text{sqrt}(2)*\log(2*\cos(x)^2+2*\sin(x)^2-2*\text{sqrt}(2)*\cos(x)-2*\text{sqrt}(2)*\sin(x)+2)-1/8*\log(\cos(x)^2+\sin(x)^2+2*\sin(x)+1)+1/8*\log(\cos(x)^2+\sin(x)^2-2*\sin(x)+1)$

**Fricas [B]** time = 2.58287, size = 158, normalized size = 6.08

$$\frac{1}{8}\sqrt{2}\log\left(-\frac{2\cos(x)^2-2\sqrt{2}\sin(x)-3}{2\cos(x)^2-1}\right)-\frac{1}{8}\log(\sin(x)+1)+\frac{1}{8}\log(-\sin(x)+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(4*x)*sin(x),x, algorithm="fricas")`

[Out]  $1/8*\text{sqrt}(2)*\log(-(2*\cos(x)^2-2*\text{sqrt}(2)*\sin(x)-3)/(2*\cos(x)^2-1))-1/8*\log(\sin(x)+1)+1/8*\log(-\sin(x)+1)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(4*x)*sin(x),x)`

[Out] Timed out

---

**Giac [B]** time = 1.16074, size = 65, normalized size = 2.5

$$-\frac{1}{8}\sqrt{2}\log\left(\frac{|-2\sqrt{2}+4\sin(x)|}{|2\sqrt{2}+4\sin(x)|}\right)-\frac{1}{8}\log(\sin(x)+1)+\frac{1}{8}\log(-\sin(x)+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(4\*x)\*sin(x),x, algorithm="giac")

[Out] -1/8\*sqrt(2)\*log(abs(-2\*sqrt(2) + 4\*sin(x))/abs(2\*sqrt(2) + 4\*sin(x))) - 1/8\*log(sin(x) + 1) + 1/8\*log(-sin(x) + 1)



### 3.93 $\int \csc(5x) \sin(x) dx$

**Optimal.** Leaf size=165

$$-\frac{1}{10}\sqrt{\frac{1}{2}(5-\sqrt{5})}\log\left(\sqrt{5-2\sqrt{5}}\cos(x)-\sin(x)\right)+\frac{1}{10}\sqrt{\frac{1}{2}(5+\sqrt{5})}\log\left(\sqrt{5+2\sqrt{5}}\cos(x)-\sin(x)\right)+\frac{1}{10}\sqrt{\frac{1}{2}(5-\sqrt{5})}\log\left(\sqrt{5-2\sqrt{5}}\cos(x)+\sin(x)\right)-\frac{1}{10}\sqrt{\frac{1}{2}(5+\sqrt{5})}\log\left(\sqrt{5+2\sqrt{5}}\cos(x)+\sin(x)\right)$$

```
[Out] -(Sqrt[(5 - Sqrt[5])/2]*Log[Sqrt[5 - 2*Sqrt[5]]*Cos[x] - Sin[x]])/10 + (Sqrt[(5 + Sqrt[5])/2]*Log[Sqrt[5 + 2*Sqrt[5]]*Cos[x] - Sin[x]])/10 + (Sqrt[(5 - Sqrt[5])/2]*Log[Sqrt[5 - 2*Sqrt[5]]*Cos[x] + Sin[x]])/10 - (Sqrt[(5 + Sqrt[5])/2]*Log[Sqrt[5 + 2*Sqrt[5]]*Cos[x] + Sin[x]])/10
```

**Rubi [A]** time = 0.140952, antiderivative size = 165, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 2, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {1166, 207}

$$-\frac{1}{10}\sqrt{\frac{1}{2}(5-\sqrt{5})}\log\left(\sqrt{5-2\sqrt{5}}\cos(x)-\sin(x)\right)+\frac{1}{10}\sqrt{\frac{1}{2}(5+\sqrt{5})}\log\left(\sqrt{5+2\sqrt{5}}\cos(x)-\sin(x)\right)+\frac{1}{10}\sqrt{\frac{1}{2}(5-\sqrt{5})}\log\left(\sqrt{5-2\sqrt{5}}\cos(x)+\sin(x)\right)-\frac{1}{10}\sqrt{\frac{1}{2}(5+\sqrt{5})}\log\left(\sqrt{5+2\sqrt{5}}\cos(x)+\sin(x)\right)$$

Antiderivative was successfully verified.

```
[In] Int[Csc[5*x]*Sin[x], x]
```

```
[Out] -(Sqrt[(5 - Sqrt[5])/2]*Log[Sqrt[5 - 2*Sqrt[5]]*Cos[x] - Sin[x]])/10 + (Sqrt[(5 + Sqrt[5])/2]*Log[Sqrt[5 + 2*Sqrt[5]]*Cos[x] - Sin[x]])/10 + (Sqrt[(5 - Sqrt[5])/2]*Log[Sqrt[5 - 2*Sqrt[5]]*Cos[x] + Sin[x]])/10 - (Sqrt[(5 + Sqrt[5])/2]*Log[Sqrt[5 + 2*Sqrt[5]]*Cos[x] + Sin[x]])/10
```

#### Rule 1166

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

#### Rule 207

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])
```

#### Rubi steps

$$\begin{aligned}\int \csc(5x) \sin(x) dx &= \text{Subst}\left(\int \frac{1+x^2}{5-10x^2+x^4} dx, x, \tan(x)\right) \\ &= \frac{1}{10}(5-3\sqrt{5})\text{Subst}\left(\int \frac{1}{-5+2\sqrt{5}+x^2} dx, x, \tan(x)\right) + \frac{1}{10}(5+3\sqrt{5})\text{Subst}\left(\int \frac{1}{-5-2\sqrt{5}+x^2} dx, x, \tan(x)\right) \\ &= -\frac{1}{10}\sqrt{\frac{1}{2}(5-\sqrt{5})}\log\left(\sqrt{5-2\sqrt{5}}\cos(x)-\sin(x)\right) + \frac{1}{10}\sqrt{\frac{1}{2}(5+\sqrt{5})}\log\left(\sqrt{5+2\sqrt{5}}\cos(x)-\sin(x)\right) \\ &\quad -\frac{1}{10}\sqrt{\frac{1}{2}(5-\sqrt{5})}\log\left(\sqrt{5-2\sqrt{5}}\cos(x)+\sin(x)\right) + \frac{1}{10}\sqrt{\frac{1}{2}(5+\sqrt{5})}\log\left(\sqrt{5+2\sqrt{5}}\cos(x)+\sin(x)\right)\end{aligned}$$

**Mathematica [A]** time = 0.109661, size = 84, normalized size = 0.51

$$\frac{\sqrt{5 + \sqrt{5}} \tanh^{-1}\left(\frac{(\sqrt{5}-3)\tan(x)}{\sqrt{10-2\sqrt{5}}}\right) + \sqrt{5 - \sqrt{5}} \tanh^{-1}\left(\frac{(3+\sqrt{5})\tan(x)}{\sqrt{2(5+\sqrt{5})}}\right)}{5\sqrt{2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Csc[5\*x]\*Sin[x],x]

[Out] (Sqrt[5 + Sqrt[5]]\*ArcTanh[(-3 + Sqrt[5])\*Tan[x]]/Sqrt[10 - 2\*Sqrt[5]]) + Sqrt[5 - Sqrt[5]]\*ArcTanh[(3 + Sqrt[5])\*Tan[x]]/Sqrt[2\*(5 + Sqrt[5])])/(5\*Sqrt[2])

**Maple [A]** time = 0.107, size = 66, normalized size = 0.4

$$-\frac{(3 + \sqrt{5})\sqrt{5}}{10\sqrt{5 + 2\sqrt{5}}}\operatorname{Artanh}\left(\frac{\tan(x)}{\sqrt{5 + 2\sqrt{5}}}\right) - \frac{(\sqrt{5} - 3)\sqrt{5}}{10\sqrt{5 - 2\sqrt{5}}}\operatorname{Artanh}\left(\frac{\tan(x)}{\sqrt{5 - 2\sqrt{5}}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(5\*x)\*sin(x),x)

[Out] -1/10\*(3+5^(1/2))\*5^(1/2)/(5+2\*5^(1/2))^(1/2)\*arctanh(tan(x)/(5+2\*5^(1/2))^(1/2))-1/10\*(5^(1/2)-3)\*5^(1/2)/(5-2\*5^(1/2))^(1/2)\*arctanh(tan(x)/(5-2\*5^(1/2))^(1/2))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \csc(5x) \sin(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(5\*x)\*sin(x),x, algorithm="maxima")

[Out] integrate(csc(5\*x)\*sin(x), x)

**Fricas [B]** time = 2.73042, size = 759, normalized size = 4.6

$$-\frac{1}{40}\sqrt{2}\sqrt{\sqrt{5}+5}\log\left(\left(\sqrt{5}\sqrt{2}-\sqrt{2}\right)\sqrt{\sqrt{5}+5}\cos(x)\sin(x)+2\left(\sqrt{5}+1\right)\cos(x)^2-\sqrt{5}+3\right)+\frac{1}{40}\sqrt{2}\sqrt{\sqrt{5}+5}\log\left(-\left(\sqrt{5}\sqrt{2}-\sqrt{2}\right)\sqrt{\sqrt{5}+5}\cos(x)\sin(x)+2\left(\sqrt{5}+1\right)\cos(x)^2-\sqrt{5}+3\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(5\*x)\*sin(x),x, algorithm="fricas")

[Out] -1/40\*sqrt(2)\*sqrt(sqrt(5) + 5)\*log((sqrt(5)\*sqrt(2) - sqrt(2))\*sqrt(sqrt(5) + 5)\*cos(x)\*sin(x) + 2\*(sqrt(5) + 1)\*cos(x)^2 - sqrt(5) + 3) + 1/40\*sqrt(2)\*sqrt(sqrt(5) + 5)\*log(-(sqrt(5)\*sqrt(2) - sqrt(2))\*sqrt(sqrt(5) + 5)\*cos

$(x) \sin(x) + 2(\sqrt{5} + 1)\cos(x)^2 - \sqrt{5} + 3 - \frac{1}{40}\sqrt{2}\sqrt{-\sqrt{5} + 5} \log((\sqrt{5}\sqrt{2} + \sqrt{2})\sqrt{-\sqrt{5} + 5})\cos(x)\sin(x)$   
 $+ 2(\sqrt{5} - 1)\cos(x)^2 - \sqrt{5} - 3 + \frac{1}{40}\sqrt{2}\sqrt{-\sqrt{5} + 5} \log(-(\sqrt{5}\sqrt{2} + \sqrt{2})\sqrt{-\sqrt{5} + 5})\cos(x)\sin(x) + 2(\sqrt{5} - 1)\cos(x)^2 - \sqrt{5} - 3$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sin(x) \csc(5x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(5\*x)\*sin(x),x)

[Out] Integral(sin(x)\*csc(5\*x), x)

**Giac [A]** time = 1.35647, size = 142, normalized size = 0.86

$$-\frac{1}{20}\sqrt{2\sqrt{5}+10}\log\left(\left|\sqrt{2\sqrt{5}+5}+\tan(x)\right|\right) + \frac{1}{20}\sqrt{2\sqrt{5}+10}\log\left(\left|-\sqrt{2\sqrt{5}+5}+\tan(x)\right|\right) + \frac{1}{20}\sqrt{-2\sqrt{5}+10}\log\left(\left|\sqrt{-2\sqrt{5}+5}+\tan(x)\right|\right) + \frac{1}{20}\sqrt{-2\sqrt{5}+10}\log\left(\left|-\sqrt{-2\sqrt{5}+5}+\tan(x)\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(5\*x)\*sin(x),x, algorithm="giac")

[Out]  $-1/20\sqrt{2\sqrt{5}+10}\log(\text{abs}(\sqrt{2\sqrt{5}+5}+\tan(x))) + 1/20\sqrt{2\sqrt{5}+10}\log(\text{abs}(-\sqrt{2\sqrt{5}+5}+\tan(x))) + 1/20\sqrt{-2\sqrt{5}+10}\log(\text{abs}(\sqrt{-2\sqrt{5}+5}+\tan(x))) - 1/20\sqrt{-2\sqrt{5}+10}\log(\text{abs}(-\sqrt{-2\sqrt{5}+5}+\tan(x)))$

### 3.94 $\int \csc(6x) \sin(x) dx$

**Optimal.** Leaf size=36

$$\frac{1}{6} \tanh^{-1}(\sin(x)) + \frac{1}{6} \tanh^{-1}(2 \sin(x)) - \frac{\tanh^{-1}\left(\frac{2 \sin(x)}{\sqrt{3}}\right)}{2\sqrt{3}}$$

[Out] ArcTanh[Sin[x]]/6 + ArcTanh[2\*Sin[x]]/6 - ArcTanh[(2\*Sin[x])/Sqrt[3]]/(2\*Sqrt[3])

**Rubi [A]** time = 0.0463048, antiderivative size = 36, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {12, 2057, 207}

$$\frac{1}{6} \tanh^{-1}(\sin(x)) + \frac{1}{6} \tanh^{-1}(2 \sin(x)) - \frac{\tanh^{-1}\left(\frac{2 \sin(x)}{\sqrt{3}}\right)}{2\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[Csc[6\*x]\*Sin[x],x]

[Out] ArcTanh[Sin[x]]/6 + ArcTanh[2\*Sin[x]]/6 - ArcTanh[(2\*Sin[x])/Sqrt[3]]/(2\*Sqrt[3])

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 2057

Int[(P\_)^(p\_), x\_Symbol] :> With[{u = Factor[P /. x -> Sqrt[x]]}, Int[ExpandIntegrand[(u /. x -> x^2)^p, x], x] /; !SumQ[NonfreeFactors[u, x]] /; PolyQ[P, x^2] && ILtQ[p, 0]

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned}
\int \csc(6x) \sin(x) dx &= \text{Subst} \left( \int \frac{1}{2(3 - 19x^2 + 32x^4 - 16x^6)} dx, x, \sin(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{1}{3 - 19x^2 + 32x^4 - 16x^6} dx, x, \sin(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \left( -\frac{1}{3(-1+x^2)} + \frac{2}{-3+4x^2} - \frac{2}{3(-1+4x^2)} \right) dx, x, \sin(x) \right) \\
&= -\left( \frac{1}{6} \text{Subst} \left( \int \frac{1}{-1+x^2} dx, x, \sin(x) \right) \right) - \frac{1}{3} \text{Subst} \left( \int \frac{1}{-1+4x^2} dx, x, \sin(x) \right) + \text{Subst} \left( \int \frac{1}{-3+4x^2} dx, x, \sin(x) \right) \\
&= \frac{1}{6} \tanh^{-1}(\sin(x)) + \frac{1}{6} \tanh^{-1}(2 \sin(x)) - \frac{\tanh^{-1}\left(\frac{2 \sin(x)}{\sqrt{3}}\right)}{2\sqrt{3}}
\end{aligned}$$

**Mathematica [A]** time = 0.0374529, size = 30, normalized size = 0.83

$$\frac{1}{6} \left( \tanh^{-1}(\sin(x)) + \tanh^{-1}(2 \sin(x)) - \sqrt{3} \tanh^{-1}\left(\frac{2 \sin(x)}{\sqrt{3}}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Csc[6\*x]\*Sin[x],x]

[Out] (ArcTanh[Sin[x]] + ArcTanh[2\*Sin[x]] - Sqrt[3]\*ArcTanh[(2\*Sin[x])/Sqrt[3]])/6

**Maple [A]** time = 0.093, size = 47, normalized size = 1.3

$$\frac{\ln(1 + \sin(x))}{12} - \frac{\ln(\sin(x) - 1)}{12} + \frac{\ln(1 + 2 \sin(x))}{12} - \frac{\ln(-1 + 2 \sin(x))}{12} - \frac{\sqrt{3}}{6} \text{Arctanh}\left(\frac{2 \sin(x) \sqrt{3}}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(6\*x)\*sin(x),x)

[Out] 1/12\*ln(1+sin(x))-1/12\*ln(sin(x)-1)+1/12\*ln(1+2\*sin(x))-1/12\*ln(-1+2\*sin(x))-1/6\*arctanh(2/3\*sin(x)\*3^(1/2))\*3^(1/2)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{24} \sqrt{3} \log\left(\frac{4}{3} \cos(x)^2 + \frac{4}{3} \sin(x)^2 + \frac{4}{3} \sqrt{3} \sin(x) + \frac{4}{3} \cos(x) + \frac{4}{3}\right) - \frac{1}{24} \sqrt{3} \log\left(\frac{4}{3} \cos(x)^2 + \frac{4}{3} \sin(x)^2 + \frac{4}{3} \sqrt{3} \sin(x) + \frac{4}{3} \cos(x) + \frac{4}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(6\*x)\*sin(x),x, algorithm="maxima")

[Out] -1/24\*sqrt(3)\*log(4/3\*cos(x)^2 + 4/3\*sin(x)^2 + 4/3\*sqrt(3)\*sin(x) + 4/3\*cos(x) + 4/3) - 1/24\*sqrt(3)\*log(4/3\*cos(x)^2 + 4/3\*sin(x)^2 + 4/3\*sqrt(3)\*sin(x) - 4/3\*cos(x) + 4/3) + 1/24\*sqrt(3)\*log(4/3\*cos(x)^2 + 4/3\*sin(x)^2 - 4/3\*sqrt(3)\*sin(x) + 4/3\*cos(x) + 4/3) + 1/24\*sqrt(3)\*log(4/3\*cos(x)^2 + 4/3

```
*sin(x)^2 - 4/3*sqrt(3)*sin(x) - 4/3*cos(x) + 4/3) + integrate(-1/6*((cos(3
*x) + cos(x))*cos(4*x) - (cos(2*x) - 1)*cos(3*x) - cos(2*x)*cos(x) + (sin(3
*x) + sin(x))*sin(4*x) - sin(3*x)*sin(2*x) - sin(2*x)*sin(x) + cos(x))/(2*(
cos(2*x) - 1)*cos(4*x) - cos(4*x)^2 - cos(2*x)^2 - sin(4*x)^2 + 2*sin(4*x)*
sin(2*x) - sin(2*x)^2 + 2*cos(2*x) - 1), x) + 1/12*log(cos(x)^2 + sin(x)^2
+ 2*sin(x) + 1) - 1/12*log(cos(x)^2 + sin(x)^2 - 2*sin(x) + 1)
```

**Fricas [B]** time = 2.73993, size = 231, normalized size = 6.42

$$\frac{1}{12} \sqrt{3} \log\left(-\frac{4 \cos(x)^2 + 4 \sqrt{3} \sin(x) - 7}{4 \cos(x)^2 - 1}\right) + \frac{1}{12} \log(2 \sin(x) + 1) + \frac{1}{12} \log(\sin(x) + 1) - \frac{1}{12} \log(-\sin(x) + 1) - \frac{1}{12} \log(-2 \sin(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csc(6*x)*sin(x),x, algorithm="fricas")
```

```
[Out] 1/12*sqrt(3)*log(-(4*cos(x)^2 + 4*sqrt(3)*sin(x) - 7)/(4*cos(x)^2 - 1)) + 1
/12*log(2*sin(x) + 1) + 1/12*log(sin(x) + 1) - 1/12*log(-sin(x) + 1) - 1/12
*log(-2*sin(x) + 1)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sin(x) \csc(6x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csc(6*x)*sin(x),x)
```

```
[Out] Integral(sin(x)*csc(6*x), x)
```

**Giac [B]** time = 1.19834, size = 92, normalized size = 2.56

$$\frac{1}{12} \sqrt{3} \log\left(\frac{|-4 \sqrt{3} + 8 \sin(x)|}{|4 \sqrt{3} + 8 \sin(x)|}\right) + \frac{1}{12} \log(\sin(x) + 1) - \frac{1}{12} \log(-\sin(x) + 1) + \frac{1}{12} \log(|2 \sin(x) + 1|) - \frac{1}{12} \log(|2 \sin(x) - 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csc(6*x)*sin(x),x, algorithm="giac")
```

```
[Out] 1/12*sqrt(3)*log(abs(-4*sqrt(3) + 8*sin(x))/abs(4*sqrt(3) + 8*sin(x))) + 1/
12*log(sin(x) + 1) - 1/12*log(-sin(x) + 1) + 1/12*log(abs(2*sin(x) + 1)) -
1/12*log(abs(2*sin(x) - 1))
```

### 3.95 $\int \csc(x) \sin(3x) dx$

**Optimal.** Leaf size=8

$$x + 2 \sin(x) \cos(x)$$

[Out] x + 2\*Cos[x]\*Sin[x]

**Rubi [A]** time = 0.0303075, antiderivative size = 8, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {385, 203}

$$x + 2 \sin(x) \cos(x)$$

Antiderivative was successfully verified.

[In] Int[Csc[x]\*Sin[3\*x],x]

[Out] x + 2\*Cos[x]\*Sin[x]

#### Rule 385

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] :> -Simp[((b\*c - a\*d)\*x\*(a + b\*x^n)^(p + 1))/(a\*b\*n\*(p + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(a\*b\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b\*c - a\*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \csc(x) \sin(3x) dx &= \text{Subst} \left( \int \frac{3 - x^2}{(1 + x^2)^2} dx, x, \tan(x) \right) \\ &= 2 \cos(x) \sin(x) + \text{Subst} \left( \int \frac{1}{1 + x^2} dx, x, \tan(x) \right) \\ &= x + 2 \cos(x) \sin(x) \end{aligned}$$

**Mathematica [A]** time = 0.0116813, size = 6, normalized size = 0.75

$$x + \sin(2x)$$

Antiderivative was successfully verified.

[In] Integrate[Csc[x]\*Sin[3\*x],x]

[Out] x + Sin[2\*x]

---

**Maple [A]** time = 0.032, size = 9, normalized size = 1.1

$$x + 2 \cos(x) \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(csc(x)*sin(3*x),x)`

[Out] `x+2*cos(x)*sin(x)`

---

**Maxima [A]** time = 1.02185, size = 8, normalized size = 1.

$$x + \sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(x)*sin(3*x),x, algorithm="maxima")`

[Out] `x + sin(2*x)`

---

**Fricas [A]** time = 2.42448, size = 28, normalized size = 3.5

$$2 \cos(x) \sin(x) + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(x)*sin(3*x),x, algorithm="fricas")`

[Out] `2*cos(x)*sin(x) + x`

---

**Sympy [A]** time = 1.68294, size = 5, normalized size = 0.62

$$x + \sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(x)*sin(3*x),x)`

[Out] `x + sin(2*x)`

---

**Giac [A]** time = 1.09955, size = 8, normalized size = 1.

$$x + \sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(x)*sin(3*x),x, algorithm="giac")`

[Out] `x + sin(2*x)`



### 3.96 $\int \csc(3x) \sin(6x) dx$

**Optimal.** Leaf size=8

$$\frac{2}{3} \sin(3x)$$

[Out] (2\*Sin[3\*x])/3

**Rubi [A]** time = 0.0135801, antiderivative size = 8, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {4288, 2637}

$$\frac{2}{3} \sin(3x)$$

Antiderivative was successfully verified.

[In] Int[Csc[3\*x]\*Sin[6\*x],x]

[Out] (2\*Sin[3\*x])/3

#### Rule 4288

Int[((f\_.)\*sin[(a\_.) + (b\_.)\*(x\_.)]^(n\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)]^(p\_.), x\_Symbol] := Dist[2^p/f^p, Int[Cos[a + b\*x]^p\*(f\*Sin[a + b\*x])^(n + p), x], x] /; FreeQ[{a, b, c, d, f, n}, x] && EqQ[b\*c - a\*d, 0] && EqQ[d/b, 2] && IntegerQ[p]

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \csc(3x) \sin(6x) dx &= 2 \int \cos(3x) dx \\ &= \frac{2}{3} \sin(3x) \end{aligned}$$

**Mathematica [A]** time = 0.0030499, size = 8, normalized size = 1.

$$\frac{2}{3} \sin(3x)$$

Antiderivative was successfully verified.

[In] Integrate[Csc[3\*x]\*Sin[6\*x],x]

[Out] (2\*Sin[3\*x])/3

**Maple [A]** time = 0.012, size = 9, normalized size = 1.1

$$\frac{2}{3 \csc(3x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(csc(3*x)*sin(6*x),x)`

[Out] `2/3/csc(3*x)`

---

**Maxima [A]** time = 0.992151, size = 8, normalized size = 1.

$$\frac{2}{3} \sin(3x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(3*x)*sin(6*x),x, algorithm="maxima")`

[Out] `2/3*sin(3*x)`

---

**Fricas [A]** time = 2.47485, size = 19, normalized size = 2.38

$$\frac{2}{3} \sin(3x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(3*x)*sin(6*x),x, algorithm="fricas")`

[Out] `2/3*sin(3*x)`

---

**Sympy [A]** time = 4.92115, size = 7, normalized size = 0.88

$$\frac{2 \sin(3x)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(3*x)*sin(6*x),x)`

[Out] `2*sin(3*x)/3`

---

**Giac [A]** time = 1.15465, size = 8, normalized size = 1.

$$\frac{2}{3} \sin(3x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csc(3*x)*sin(6*x),x, algorithm="giac")
```

```
[Out] 2/3*sin(3*x)
```

### 3.97 $\int \cos(x) \sin(2x) dx$

**Optimal.** Leaf size=15

$$-\frac{\cos(x)}{2} - \frac{1}{6} \cos(3x)$$

[Out] -Cos[x]/2 - Cos[3\*x]/6

**Rubi [A]** time = 0.0086686, antiderivative size = 15, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {4284}

$$-\frac{\cos(x)}{2} - \frac{1}{6} \cos(3x)$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Sin[2\*x],x]

[Out] -Cos[x]/2 - Cos[3\*x]/6

**Rule 4284**

Int[cos[(c\_.) + (d\_.)\*(x\_.)]\*sin[(a\_.) + (b\_.)\*(x\_.)], x\_Symbol] :> -Simp[Cos[a - c + (b - d)\*x]/(2\*(b - d)), x] - Simp[Cos[a + c + (b + d)\*x]/(2\*(b + d)), x] /; FreeQ[{a, b, c, d}, x] && NeQ[b^2 - d^2, 0]

**Rubi steps**

$$\int \cos(x) \sin(2x) dx = -\frac{\cos(x)}{2} - \frac{1}{6} \cos(3x)$$

**Mathematica [A]** time = 0.0050567, size = 15, normalized size = 1.

$$-\frac{\cos(x)}{2} - \frac{1}{6} \cos(3x)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Sin[2\*x],x]

[Out] -Cos[x]/2 - Cos[3\*x]/6

**Maple [A]** time = 0.009, size = 7, normalized size = 0.5

$$-\frac{2 (\cos(x))^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*sin(2\*x),x)

[Out]  $-2/3*\cos(x)^3$

---

**Maxima [A]** time = 0.994978, size = 15, normalized size = 1.

$$-\frac{1}{6} \cos(3x) - \frac{1}{2} \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*sin(2*x),x, algorithm="maxima")`

[Out]  $-1/6*\cos(3*x) - 1/2*\cos(x)$

---

**Fricas [A]** time = 2.29816, size = 20, normalized size = 1.33

$$-\frac{2}{3} \cos(x)^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*sin(2*x),x, algorithm="fricas")`

[Out]  $-2/3*\cos(x)^3$

---

**Sympy [A]** time = 0.891557, size = 22, normalized size = 1.47

$$-\frac{\sin(x)\sin(2x)}{3} - \frac{2\cos(x)\cos(2x)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*sin(2*x),x)`

[Out]  $-\sin(x)*\sin(2*x)/3 - 2*\cos(x)*\cos(2*x)/3$

---

**Giac [A]** time = 1.12472, size = 15, normalized size = 1.

$$-\frac{1}{6} \cos(3x) - \frac{1}{2} \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*sin(2*x),x, algorithm="giac")`

[Out]  $-1/6*\cos(3*x) - 1/2*\cos(x)$

### 3.98 $\int \cos(x) \sin(3x) dx$

**Optimal.** Leaf size=17

$$-\frac{1}{4} \cos(2x) - \frac{1}{8} \cos(4x)$$

[Out] -Cos[2\*x]/4 - Cos[4\*x]/8

**Rubi [A]** time = 0.0084583, antiderivative size = 17, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {4284}

$$-\frac{1}{4} \cos(2x) - \frac{1}{8} \cos(4x)$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Sin[3\*x],x]

[Out] -Cos[2\*x]/4 - Cos[4\*x]/8

**Rule 4284**

Int[cos[(c\_.) + (d\_.)\*(x\_.)]\*sin[(a\_.) + (b\_.)\*(x\_.)], x\_Symbol] :> -Simp[Cos[a - c + (b - d)\*x]/(2\*(b - d)), x] - Simp[Cos[a + c + (b + d)\*x]/(2\*(b + d)), x] /; FreeQ[{a, b, c, d}, x] && NeQ[b^2 - d^2, 0]

**Rubi steps**

$$\int \cos(x) \sin(3x) dx = -\frac{1}{4} \cos(2x) - \frac{1}{8} \cos(4x)$$

**Mathematica [A]** time = 0.0056631, size = 17, normalized size = 1.

$$-\frac{1}{2} \cos^2(x) - \frac{1}{8} \cos(4x)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Sin[3\*x],x]

[Out] -Cos[x]^2/2 - Cos[4\*x]/8

**Maple [A]** time = 0.034, size = 14, normalized size = 0.8

$$-(\cos(x))^4 + \frac{(\cos(x))^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*sin(3\*x),x)

[Out]  $-\cos(x)^4 + 1/2 \cos(x)^2$

**Maxima [A]** time = 1.00115, size = 18, normalized size = 1.06

$$-\frac{1}{8} \cos(4x) - \frac{1}{4} \cos(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*sin(3*x),x, algorithm="maxima")`

[Out]  $-1/8 \cos(4x) - 1/4 \cos(2x)$

**Fricas [A]** time = 2.47686, size = 35, normalized size = 2.06

$$-\cos(x)^4 + \frac{1}{2} \cos(x)^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*sin(3*x),x, algorithm="fricas")`

[Out]  $-\cos(x)^4 + 1/2 \cos(x)^2$

**Sympy [A]** time = 0.618337, size = 22, normalized size = 1.29

$$-\frac{\sin(x) \sin(3x)}{8} - \frac{3 \cos(x) \cos(3x)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*sin(3*x),x)`

[Out]  $-\sin(x) \sin(3x)/8 - 3 \cos(x) \cos(3x)/8$

**Giac [A]** time = 1.08209, size = 18, normalized size = 1.06

$$-\frac{1}{8} \cos(4x) - \frac{1}{4} \cos(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*sin(3*x),x, algorithm="giac")`

[Out]  $-1/8 \cos(4x) - 1/4 \cos(2x)$

### 3.99 $\int \cos(x) \sin(4x) dx$

**Optimal.** Leaf size=17

$$-\frac{1}{6} \cos(3x) - \frac{1}{10} \cos(5x)$$

[Out] -Cos[3\*x]/6 - Cos[5\*x]/10

**Rubi [A]** time = 0.0082679, antiderivative size = 17, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {4284}

$$-\frac{1}{6} \cos(3x) - \frac{1}{10} \cos(5x)$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Sin[4\*x],x]

[Out] -Cos[3\*x]/6 - Cos[5\*x]/10

**Rule 4284**

Int[cos[(c\_.) + (d\_.)\*(x\_.)]\*sin[(a\_.) + (b\_.)\*(x\_.)], x\_Symbol] :> -Simp[Cos[a - c + (b - d)\*x]/(2\*(b - d)), x] - Simp[Cos[a + c + (b + d)\*x]/(2\*(b + d)), x] /; FreeQ[{a, b, c, d}, x] && NeQ[b^2 - d^2, 0]

**Rubi steps**

$$\int \cos(x) \sin(4x) dx = -\frac{1}{6} \cos(3x) - \frac{1}{10} \cos(5x)$$

**Mathematica [A]** time = 0.0057735, size = 17, normalized size = 1.

$$-\frac{1}{6} \cos(3x) - \frac{1}{10} \cos(5x)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Sin[4\*x],x]

[Out] -Cos[3\*x]/6 - Cos[5\*x]/10

**Maple [A]** time = 0.02, size = 14, normalized size = 0.8

$$-\frac{8 (\cos(x))^5}{5} + \frac{4 (\cos(x))^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*sin(4\*x),x)



[Out]  $-8/5*\cos(x)^5+4/3*\cos(x)^3$

**Maxima [A]** time = 1.00275, size = 18, normalized size = 1.06

$$-\frac{1}{10} \cos(5x) - \frac{1}{6} \cos(3x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*sin(4*x),x, algorithm="maxima")`

[Out]  $-1/10*\cos(5*x) - 1/6*\cos(3*x)$

**Fricas [A]** time = 2.50008, size = 41, normalized size = 2.41

$$-\frac{8}{5} \cos(x)^5 + \frac{4}{3} \cos(x)^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*sin(4*x),x, algorithm="fricas")`

[Out]  $-8/5*\cos(x)^5 + 4/3*\cos(x)^3$

**Sympy [A]** time = 0.689863, size = 22, normalized size = 1.29

$$-\frac{\sin(x)\sin(4x)}{15} - \frac{4\cos(x)\cos(4x)}{15}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*sin(4*x),x)`

[Out]  $-\sin(x)*\sin(4*x)/15 - 4*\cos(x)*\cos(4*x)/15$

**Giac [A]** time = 1.11087, size = 18, normalized size = 1.06

$$-\frac{1}{10} \cos(5x) - \frac{1}{6} \cos(3x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*sin(4*x),x, algorithm="giac")`

[Out]  $-1/10*\cos(5*x) - 1/6*\cos(3*x)$

### 3.100 $\int \cos(x) \sin(mx) dx$

**Optimal.** Leaf size=35

$$\frac{\cos((1-m)x)}{2(1-m)} - \frac{\cos((m+1)x)}{2(m+1)}$$

[Out] Cos[(1 - m)\*x]/(2\*(1 - m)) - Cos[(1 + m)\*x]/(2\*(1 + m))

**Rubi [A]** time = 0.0302323, antiderivative size = 35, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 2, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {4574, 2638}

$$\frac{\cos((1-m)x)}{2(1-m)} - \frac{\cos((m+1)x)}{2(m+1)}$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Sin[m\*x], x]

[Out] Cos[(1 - m)\*x]/(2\*(1 - m)) - Cos[(1 + m)\*x]/(2\*(1 + m))

#### Rule 4574

Int[Cos[w\_]^(q\_.)\*Sin[v\_]^(p\_.), x\_Symbol] := Int[ExpandTrigReduce[Sin[v]^p \* Cos[w]^q, x], x] /; IGtQ[p, 0] && IGtQ[q, 0] && ((PolynomialQ[v, x] && PolynomialQ[w, x]) || (BinomialQ[{v, w}, x] && IndependentQ[Cancel[v/w], x]))

#### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \cos(x) \sin(mx) dx &= \int \left( -\frac{1}{2} \sin((1-m)x) + \frac{1}{2} \sin((1+m)x) \right) dx \\ &= -\left( \frac{1}{2} \int \sin((1-m)x) dx \right) + \frac{1}{2} \int \sin((1+m)x) dx \\ &= \frac{\cos((1-m)x)}{2(1-m)} - \frac{\cos((1+m)x)}{2(1+m)} \end{aligned}$$

**Mathematica [A]** time = 0.0491642, size = 26, normalized size = 0.74

$$\frac{\sin(x) \sin(mx) + m \cos(x) \cos(mx)}{1 - m^2}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Sin[m\*x], x]

[Out] (m\*Cos[x]\*Cos[m\*x] + Sin[x]\*Sin[m\*x])/(1 - m^2)

---

**Maple [A]** time = 0.008, size = 28, normalized size = 0.8

$$-\frac{\cos((m-1)x)}{2m-2} - \frac{\cos((1+m)x)}{2+2m}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*sin(m\*x),x)

[Out] -1/2\*cos((m-1)\*x)/(m-1)-1/2\*cos((1+m)\*x)/(1+m)

---

**Maxima [A]** time = 0.977066, size = 36, normalized size = 1.03

$$-\frac{\cos((m+1)x)}{2(m+1)} - \frac{\cos((m-1)x)}{2(m-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sin(m\*x),x, algorithm="maxima")

[Out] -1/2\*cos((m+1)\*x)/(m+1) - 1/2\*cos((m-1)\*x)/(m-1)

---

**Fricas [A]** time = 2.52271, size = 68, normalized size = 1.94

$$-\frac{m \cos(mx) \cos(x) + \sin(mx) \sin(x)}{m^2 - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sin(m\*x),x, algorithm="fricas")

[Out] -(m\*cos(m\*x)\*cos(x) + sin(m\*x)\*sin(x))/(m^2 - 1)

---

**Sympy [A]** time = 1.24566, size = 44, normalized size = 1.26

$$\begin{cases} \frac{\cos^2(x)}{2} & \text{for } m = -1 \\ -\frac{\cos^2(x)}{2} & \text{for } m = 1 \\ -\frac{m \cos(x) \cos(mx)}{m^2-1} - \frac{\sin(x) \sin(mx)}{m^2-1} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sin(m\*x),x)

[Out] Piecewise((cos(x)\*\*2/2, Eq(m, -1)), (-cos(x)\*\*2/2, Eq(m, 1)), (-m\*cos(x)\*cos(m\*x)/(m\*\*2 - 1) - sin(x)\*sin(m\*x)/(m\*\*2 - 1), True))

---

**Giac [A]** time = 1.10258, size = 39, normalized size = 1.11

$$-\frac{\cos(mx+x)}{2(m+1)} - \frac{\cos(mx-x)}{2(m-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sin(m\*x),x, algorithm="giac")

[Out] -1/2\*cos(m\*x + x)/(m + 1) - 1/2\*cos(m\*x - x)/(m - 1)

### 3.101 $\int \cos(x) \cos(2x) dx$

**Optimal.** Leaf size=15

$$\frac{\sin(x)}{2} + \frac{1}{6} \sin(3x)$$

[Out] Sin[x]/2 + Sin[3\*x]/6

**Rubi [A]** time = 0.008827, antiderivative size = 15, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {4283}

$$\frac{\sin(x)}{2} + \frac{1}{6} \sin(3x)$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Cos[2\*x],x]

[Out] Sin[x]/2 + Sin[3\*x]/6

Rule 4283

Int[cos[(a\_.) + (b\_.)\*(x\_)]\*cos[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Simp[Sin[a - c + (b - d)\*x]/(2\*(b - d)), x] + Simp[Sin[a + c + (b + d)\*x]/(2\*(b + d)), x] /; FreeQ[{a, b, c, d}, x] && NeQ[b^2 - d^2, 0]

Rubi steps

$$\int \cos(x) \cos(2x) dx = \frac{\sin(x)}{2} + \frac{1}{6} \sin(3x)$$

**Mathematica [A]** time = 0.0048753, size = 15, normalized size = 1.

$$\frac{\sin(x)}{2} + \frac{1}{6} \sin(3x)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Cos[2\*x],x]

[Out] Sin[x]/2 + Sin[3\*x]/6

**Maple [A]** time = 0.018, size = 12, normalized size = 0.8

$$\frac{\sin(x)}{2} + \frac{\sin(3x)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*cos(2\*x),x)

[Out]  $1/2*\sin(x)+1/6*\sin(3*x)$

---

**Maxima [A]** time = 0.979609, size = 15, normalized size = 1.

$$\frac{1}{6} \sin(3x) + \frac{1}{2} \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*cos(2*x),x, algorithm="maxima")`

[Out]  $1/6*\sin(3*x) + 1/2*\sin(x)$

---

**Fricas [A]** time = 2.33741, size = 39, normalized size = 2.6

$$\frac{1}{3} (2 \cos(x)^2 + 1) \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*cos(2*x),x, algorithm="fricas")`

[Out]  $1/3*(2*\cos(x)^2 + 1)*\sin(x)$

---

**Sympy [A]** time = 0.786458, size = 20, normalized size = 1.33

$$-\frac{\sin(x) \cos(2x)}{3} + \frac{2 \sin(2x) \cos(x)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*cos(2*x),x)`

[Out]  $-\sin(x)*\cos(2*x)/3 + 2*\sin(2*x)*\cos(x)/3$

---

**Giac [A]** time = 1.10561, size = 15, normalized size = 1.

$$\frac{1}{6} \sin(3x) + \frac{1}{2} \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*cos(2*x),x, algorithm="giac")`

[Out]  $1/6*\sin(3*x) + 1/2*\sin(x)$

### 3.102 $\int \cos(x) \cos(3x) dx$

**Optimal.** Leaf size=17

$$\frac{1}{4} \sin(2x) + \frac{1}{8} \sin(4x)$$

[Out] Sin[2\*x]/4 + Sin[4\*x]/8

**Rubi [A]** time = 0.0088595, antiderivative size = 17, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {4283}

$$\frac{1}{4} \sin(2x) + \frac{1}{8} \sin(4x)$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Cos[3\*x],x]

[Out] Sin[2\*x]/4 + Sin[4\*x]/8

**Rule 4283**

Int[cos[(a\_.) + (b\_.)\*(x\_.)]\*cos[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> Simp[Sin[a - c + (b - d)\*x]/(2\*(b - d)), x] + Simp[Sin[a + c + (b + d)\*x]/(2\*(b + d)), x] /; FreeQ[{a, b, c, d}, x] && NeQ[b^2 - d^2, 0]

**Rubi steps**

$$\int \cos(x) \cos(3x) dx = \frac{1}{4} \sin(2x) + \frac{1}{8} \sin(4x)$$

**Mathematica [A]** time = 0.0057414, size = 17, normalized size = 1.

$$\frac{1}{4} \sin(2x) + \frac{1}{8} \sin(4x)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Cos[3\*x],x]

[Out] Sin[2\*x]/4 + Sin[4\*x]/8

**Maple [A]** time = 0.021, size = 14, normalized size = 0.8

$$\frac{\sin(2x)}{4} + \frac{\sin(4x)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*cos(3\*x),x)

[Out]  $1/4*\sin(2*x)+1/8*\sin(4*x)$

---

**Maxima [A]** time = 0.986717, size = 18, normalized size = 1.06

$$\frac{1}{8} \sin(4x) + \frac{1}{4} \sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*cos(3*x),x, algorithm="maxima")`

[Out]  $1/8*\sin(4*x) + 1/4*\sin(2*x)$

---

**Fricas [A]** time = 2.36121, size = 23, normalized size = 1.35

$$\cos(x)^3 \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*cos(3*x),x, algorithm="fricas")`

[Out]  $\cos(x)^3*\sin(x)$

---

**Sympy [A]** time = 0.813564, size = 20, normalized size = 1.18

$$-\frac{\sin(x) \cos(3x)}{8} + \frac{3 \sin(3x) \cos(x)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*cos(3*x),x)`

[Out]  $-\sin(x)*\cos(3*x)/8 + 3*\sin(3*x)*\cos(x)/8$

---

**Giac [A]** time = 1.10823, size = 18, normalized size = 1.06

$$\frac{1}{8} \sin(4x) + \frac{1}{4} \sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*cos(3*x),x, algorithm="giac")`

[Out]  $1/8*\sin(4*x) + 1/4*\sin(2*x)$



### 3.103 $\int \cos(x) \cos(4x) dx$

**Optimal.** Leaf size=17

$$\frac{1}{6} \sin(3x) + \frac{1}{10} \sin(5x)$$

[Out] Sin[3\*x]/6 + Sin[5\*x]/10

**Rubi [A]** time = 0.0083703, antiderivative size = 17, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {4283}

$$\frac{1}{6} \sin(3x) + \frac{1}{10} \sin(5x)$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Cos[4\*x],x]

[Out] Sin[3\*x]/6 + Sin[5\*x]/10

**Rule 4283**

Int[cos[(a\_.) + (b\_.)\*(x\_)]\*cos[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Simp[Sin[a - c + (b - d)\*x]/(2\*(b - d)), x] + Simp[Sin[a + c + (b + d)\*x]/(2\*(b + d)), x] /; FreeQ[{a, b, c, d}, x] && NeQ[b^2 - d^2, 0]

**Rubi steps**

$$\int \cos(x) \cos(4x) dx = \frac{1}{6} \sin(3x) + \frac{1}{10} \sin(5x)$$

**Mathematica [A]** time = 0.0052487, size = 17, normalized size = 1.

$$\frac{1}{6} \sin(3x) + \frac{1}{10} \sin(5x)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Cos[4\*x],x]

[Out] Sin[3\*x]/6 + Sin[5\*x]/10

**Maple [A]** time = 0.041, size = 14, normalized size = 0.8

$$\frac{\sin(3x)}{6} + \frac{\sin(5x)}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*cos(4\*x),x)

[Out]  $1/6*\sin(3*x)+1/10*\sin(5*x)$

---

**Maxima [A]** time = 1.00794, size = 18, normalized size = 1.06

$$\frac{1}{10} \sin(5x) + \frac{1}{6} \sin(3x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*cos(4*x),x, algorithm="maxima")`

[Out]  $1/10*\sin(5*x) + 1/6*\sin(3*x)$

---

**Fricas [A]** time = 2.26851, size = 59, normalized size = 3.47

$$\frac{1}{15} (24 \cos(x)^4 - 8 \cos(x)^2 - 1) \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*cos(4*x),x, algorithm="fricas")`

[Out]  $1/15*(24*\cos(x)^4 - 8*\cos(x)^2 - 1)*\sin(x)$

---

**Sympy [A]** time = 0.558477, size = 20, normalized size = 1.18

$$-\frac{\sin(x) \cos(4x)}{15} + \frac{4 \sin(4x) \cos(x)}{15}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*cos(4*x),x)`

[Out]  $-\sin(x)*\cos(4*x)/15 + 4*\sin(4*x)*\cos(x)/15$

---

**Giac [A]** time = 1.1551, size = 18, normalized size = 1.06

$$\frac{1}{10} \sin(5x) + \frac{1}{6} \sin(3x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*cos(4*x),x, algorithm="giac")`

[Out]  $1/10*\sin(5*x) + 1/6*\sin(3*x)$

### 3.104 $\int \cos(x) \cos(mx) dx$

**Optimal.** Leaf size=35

$$\frac{\sin((1-m)x)}{2(1-m)} + \frac{\sin((m+1)x)}{2(m+1)}$$

[Out] Sin[(1 - m)\*x]/(2\*(1 - m)) + Sin[(1 + m)\*x]/(2\*(1 + m))

**Rubi [A]** time = 0.0288736, antiderivative size = 35, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 2, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {4570, 2637}

$$\frac{\sin((1-m)x)}{2(1-m)} + \frac{\sin((m+1)x)}{2(m+1)}$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Cos[m\*x], x]

[Out] Sin[(1 - m)\*x]/(2\*(1 - m)) + Sin[(1 + m)\*x]/(2\*(1 + m))

#### Rule 4570

Int[Cos[v\_]^(p\_.)\*Cos[w\_]^(q\_.), x\_Symbol] := Int[ExpandTrigReduce[Cos[v]^p \*Cos[w]^q, x], x] /; ((PolynomialQ[v, x] && PolynomialQ[w, x]) || (BinomialQ[{v, w}, x] && IndependentQ[Cancel[v/w], x])) && IGtQ[p, 0] && IGtQ[q, 0]

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \cos(x) \cos(mx) dx &= \int \left( \frac{1}{2} \cos((1-m)x) + \frac{1}{2} \cos((1+m)x) \right) dx \\ &= \frac{1}{2} \int \cos((1-m)x) dx + \frac{1}{2} \int \cos((1+m)x) dx \\ &= \frac{\sin((1-m)x)}{2(1-m)} + \frac{\sin((1+m)x)}{2(1+m)} \end{aligned}$$

**Mathematica [A]** time = 0.0394965, size = 25, normalized size = 0.71

$$\frac{m \cos(x) \sin(mx) - \sin(x) \cos(mx)}{m^2 - 1}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Cos[m\*x], x]

[Out] (-(Cos[m\*x]\*Sin[x]) + m\*Cos[x]\*Sin[m\*x])/(-1 + m^2)

---

**Maple [A]** time = 0.012, size = 28, normalized size = 0.8

$$\frac{\sin((m-1)x)}{2m-2} + \frac{\sin((1+m)x)}{2+2m}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*cos(m\*x),x)

[Out] 1/2/(m-1)\*sin((m-1)\*x)+1/2\*sin((1+m)\*x)/(1+m)

---

**Maxima [A]** time = 1.01591, size = 38, normalized size = 1.09

$$\frac{\sin((m+1)x)}{2(m+1)} - \frac{\sin(-(m-1)x)}{2(m-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*cos(m\*x),x, algorithm="maxima")

[Out] 1/2\*sin((m+1)\*x)/(m+1) - 1/2\*sin(-(m-1)\*x)/(m-1)

---

**Fricas [A]** time = 2.42915, size = 66, normalized size = 1.89

$$\frac{m \cos(x) \sin(mx) - \cos(mx) \sin(x)}{m^2 - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*cos(m\*x),x, algorithm="fricas")

[Out] (m\*cos(x)\*sin(m\*x) - cos(m\*x)\*sin(x))/(m^2 - 1)

---

**Sympy [A]** time = 4.91142, size = 56, normalized size = 1.6

$$\begin{cases} \frac{x \sin^2(x)}{2} + \frac{x \cos^2(x)}{2} + \frac{\sin(x) \cos(x)}{2} & \text{for } m = -1 \vee m = 1 \\ \frac{m \sin(mx) \cos(x)}{m^2-1} - \frac{\sin(x) \cos(mx)}{m^2-1} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*cos(m\*x),x)

[Out] Piecewise((x\*sin(x)\*\*2/2 + x\*cos(x)\*\*2/2 + sin(x)\*cos(x)/2, Eq(m, -1) | Eq(m, 1)), (m\*sin(m\*x)\*cos(x)/(m\*\*2 - 1) - sin(x)\*cos(m\*x)/(m\*\*2 - 1), True))

---

**Giac [A]** time = 1.11229, size = 39, normalized size = 1.11

$$\frac{\sin(mx+x)}{2(m+1)} + \frac{\sin(mx-x)}{2(m-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)*cos(m*x),x, algorithm="giac")
```

```
[Out] 1/2*sin(m*x + x)/(m + 1) + 1/2*sin(m*x - x)/(m - 1)
```

### 3.105 $\int \cos(x) \tan(2x) dx$

**Optimal.** Leaf size=20

$$\frac{\tanh^{-1}(\sqrt{2} \cos(x))}{\sqrt{2}} - \cos(x)$$

[Out] ArcTanh[Sqrt[2]\*Cos[x]]/Sqrt[2] - Cos[x]

**Rubi [A]** time = 0.0254347, antiderivative size = 20, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {12, 321, 207}

$$\frac{\tanh^{-1}(\sqrt{2} \cos(x))}{\sqrt{2}} - \cos(x)$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Tan[2\*x], x]

[Out] ArcTanh[Sqrt[2]\*Cos[x]]/Sqrt[2] - Cos[x]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 321

Int[((c\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*(m + n\*p + 1)), x] - Dist[(a\*c^n\*(m - n + 1))/(b\*(m + n\*p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n\*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

#### Rule 207

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \cos(x) \tan(2x) dx &= -\text{Subst} \left( \int \frac{2x^2}{-1 + 2x^2} dx, x, \cos(x) \right) \\ &= - \left( 2 \text{Subst} \left( \int \frac{x^2}{-1 + 2x^2} dx, x, \cos(x) \right) \right) \\ &= -\cos(x) - \text{Subst} \left( \int \frac{1}{-1 + 2x^2} dx, x, \cos(x) \right) \\ &= \frac{\tanh^{-1}(\sqrt{2} \cos(x))}{\sqrt{2}} - \cos(x) \end{aligned}$$

**Mathematica [C]** time = 0.23959, size = 183, normalized size = 9.15

$$\frac{-4\sqrt{2}\cos(x) + 4\tanh^{-1}\left(\tan\left(\frac{x}{2}\right) + \sqrt{2}\right) - \log\left(-\sqrt{2}\sin(x) - \sqrt{2}\cos(x) + 2\right) + \log\left(-\sqrt{2}\sin(x) + \sqrt{2}\cos(x) + 2\right) + 2}{4\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Tan[2\*x], x]

[Out]  $((2*I)*\text{ArcTan}[(\text{Cos}[x/2] - (-1 + \text{Sqrt}[2])*\text{Sin}[x/2])/((1 + \text{Sqrt}[2])*\text{Cos}[x/2] - \text{Sin}[x/2])] - (2*I)*\text{ArcTan}[(\text{Cos}[x/2] - (1 + \text{Sqrt}[2])*\text{Sin}[x/2])/((-1 + \text{Sqrt}[2])*\text{Cos}[x/2] - \text{Sin}[x/2])]) + 4*\text{ArcTanh}[\text{Sqrt}[2] + \text{Tan}[x/2]] - 4*\text{Sqrt}[2]*\text{Cos}[x] - \text{Log}[2 - \text{Sqrt}[2]*\text{Cos}[x] - \text{Sqrt}[2]*\text{Sin}[x]] + \text{Log}[2 + \text{Sqrt}[2]*\text{Cos}[x] - \text{Sqrt}[2]*\text{Sin}[x]])/(4*\text{Sqrt}[2])$

**Maple [A]** time = 0.015, size = 18, normalized size = 0.9

$$-\cos(x) + \frac{\text{Artanh}(\cos(x)\sqrt{2})\sqrt{2}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*tan(2\*x), x)

[Out]  $-\cos(x) + 1/2*\arctanh(\cos(x)*2^{(1/2)})*2^{(1/2)}$

**Maxima [B]** time = 1.57688, size = 180, normalized size = 9.

$$\frac{1}{8}\sqrt{2}\log\left(2\sqrt{2}\sin(2x)\sin(x) + 2\left(\sqrt{2}\cos(x) + 1\right)\cos(2x) + \cos(2x)^2 + 2\cos(x)^2 + \sin(2x)^2 + 2\sin(x)^2 + 2\sqrt{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*tan(2\*x), x, algorithm="maxima")

[Out]  $1/8*\text{sqrt}(2)*\log(2*\text{sqrt}(2)*\sin(2*x)*\sin(x) + 2*(\text{sqrt}(2)*\cos(x) + 1)*\cos(2*x) + \cos(2*x)^2 + 2*\cos(x)^2 + \sin(2*x)^2 + 2*\sin(x)^2 + 2*\text{sqrt}(2)*\cos(x) + 1) - 1/8*\text{sqrt}(2)*\log(-2*\text{sqrt}(2)*\sin(2*x)*\sin(x) - 2*(\text{sqrt}(2)*\cos(x) - 1)*\cos(2*x) + \cos(2*x)^2 + 2*\cos(x)^2 + \sin(2*x)^2 + 2*\sin(x)^2 - 2*\text{sqrt}(2)*\cos(x) + 1) - \cos(x)$

**Fricas [B]** time = 2.82491, size = 109, normalized size = 5.45

$$\frac{1}{4}\sqrt{2}\log\left(-\frac{2\cos(x)^2 + 2\sqrt{2}\cos(x) + 1}{2\cos(x)^2 - 1}\right) - \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*tan(2\*x), x, algorithm="fricas")

[Out]  $\frac{1}{4}\sqrt{2}\log(-2\cos(x)^2 + 2\sqrt{2}\cos(x) + 1)/(2\cos(x)^2 - 1) - \cos(x)$

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \cos(x) \tan(2x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*tan(2*x),x)`

[Out] `Integral(cos(x)*tan(2*x), x)`

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \cos(x) \tan(2x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*tan(2*x),x, algorithm="giac")`

[Out] `integrate(cos(x)*tan(2*x), x)`



### 3.106 $\int \cos(x) \tan(3x) dx$

**Optimal.** Leaf size=21

$$\frac{\tanh^{-1}\left(\frac{2\cos(x)}{\sqrt{3}}\right)}{\sqrt{3}} - \cos(x)$$

[Out] ArcTanh[(2\*Cos[x])/Sqrt[3]]/Sqrt[3] - Cos[x]

**Rubi [A]** time = 0.0242572, antiderivative size = 21, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {388, 206}

$$\frac{\tanh^{-1}\left(\frac{2\cos(x)}{\sqrt{3}}\right)}{\sqrt{3}} - \cos(x)$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Tan[3\*x],x]

[Out] ArcTanh[(2\*Cos[x])/Sqrt[3]]/Sqrt[3] - Cos[x]

#### Rule 388

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] :> Simp[(d\*x\*(a + b\*x^n)^(p + 1))/(b\*(n\*(p + 1) + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(b\*(n\*(p + 1) + 1)), Int[(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n\*(p + 1) + 1, 0]

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \cos(x) \tan(3x) dx &= -\text{Subst}\left(\int \frac{1-4x^2}{3-4x^2} dx, x, \cos(x)\right) \\ &= -\cos(x) + 2\text{Subst}\left(\int \frac{1}{3-4x^2} dx, x, \cos(x)\right) \\ &= \frac{\tanh^{-1}\left(\frac{2\cos(x)}{\sqrt{3}}\right)}{\sqrt{3}} - \cos(x) \end{aligned}$$

**Mathematica [B]** time = 0.0527161, size = 48, normalized size = 2.29

$$-\cos(x) - \frac{\tanh^{-1}\left(\frac{\tan\left(\frac{x}{2}\right)-2}{\sqrt{3}}\right)}{\sqrt{3}} + \frac{\tanh^{-1}\left(\frac{\tan\left(\frac{x}{2}\right)+2}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Tan[3\*x],x]

[Out] -(ArcTanh[(-2 + Tan[x/2])/Sqrt[3]]/Sqrt[3]) + ArcTanh[(2 + Tan[x/2])/Sqrt[3]]/Sqrt[3] - Cos[x]

**Maple [A]** time = 0.022, size = 19, normalized size = 0.9

$$-\cos(x) + \frac{\sqrt{3}}{3} \operatorname{Arctanh}\left(\frac{2 \cos(x) \sqrt{3}}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*tan(3\*x),x)

[Out] -cos(x)+1/3\*arctanh(2/3\*cos(x)\*3^(1/2))\*3^(1/2)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\cos(x) - \int \frac{(\sin(3x) - \sin(x)) \cos(4x) - (\cos(3x) - \cos(x)) \sin(4x) - (\cos(2x) - 1) \sin(3x) + \cos(3x) \sin(2x) - \sin(4x) \sin(2x)}{2(\cos(2x) - 1) \cos(4x) - \cos(4x)^2 - \cos(2x)^2 - \sin(4x)^2 + 2 \sin(4x) \sin(2x) - \sin(2x)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*tan(3\*x),x, algorithm="maxima")

[Out] -cos(x) - integrate(((sin(3\*x) - sin(x))\*cos(4\*x) - (cos(3\*x) - cos(x))\*sin(4\*x) - (cos(2\*x) - 1)\*sin(3\*x) + cos(3\*x)\*sin(2\*x) - cos(x)\*sin(2\*x) + cos(2\*x)\*sin(x) - sin(x))/(2\*(cos(2\*x) - 1)\*cos(4\*x) - cos(4\*x)^2 - cos(2\*x)^2 - sin(4\*x)^2 + 2\*sin(4\*x)\*sin(2\*x) - sin(2\*x)^2 + 2\*cos(2\*x) - 1), x)

**Fricas [B]** time = 2.85551, size = 109, normalized size = 5.19

$$\frac{1}{6} \sqrt{3} \log\left(-\frac{4 \cos(x)^2 + 4 \sqrt{3} \cos(x) + 3}{4 \cos(x)^2 - 3}\right) - \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*tan(3\*x),x, algorithm="fricas")

[Out] 1/6\*sqrt(3)\*log(-(4\*cos(x)^2 + 4\*sqrt(3)\*cos(x) + 3)/(4\*cos(x)^2 - 3)) - cos(x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \cos(x) \tan(3x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)*tan(3*x),x)
```

```
[Out] Integral(cos(x)*tan(3*x), x)
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \cos(x) \tan(3x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)*tan(3*x),x, algorithm="giac")
```

```
[Out] integrate(cos(x)*tan(3*x), x)
```

### 3.107 $\int \cos(x) \tan(4x) dx$

**Optimal.** Leaf size=71

$$-\cos(x) + \frac{1}{4}\sqrt{2-\sqrt{2}}\tanh^{-1}\left(\frac{2\cos(x)}{\sqrt{2-\sqrt{2}}}\right) + \frac{1}{4}\sqrt{2+\sqrt{2}}\tanh^{-1}\left(\frac{2\cos(x)}{\sqrt{2+\sqrt{2}}}\right)$$

[Out] (Sqrt[2 - Sqrt[2]]\*ArcTanh[(2\*Cos[x])/Sqrt[2 - Sqrt[2]]])/4 + (Sqrt[2 + Sqrt[2]]\*ArcTanh[(2\*Cos[x])/Sqrt[2 + Sqrt[2]]])/4 - Cos[x]

**Rubi [A]** time = 0.0831244, antiderivative size = 71, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$ , Rules used = {12, 1279, 1166, 207}

$$-\cos(x) + \frac{1}{4}\sqrt{2-\sqrt{2}}\tanh^{-1}\left(\frac{2\cos(x)}{\sqrt{2-\sqrt{2}}}\right) + \frac{1}{4}\sqrt{2+\sqrt{2}}\tanh^{-1}\left(\frac{2\cos(x)}{\sqrt{2+\sqrt{2}}}\right)$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Tan[4\*x], x]

[Out] (Sqrt[2 - Sqrt[2]]\*ArcTanh[(2\*Cos[x])/Sqrt[2 - Sqrt[2]]])/4 + (Sqrt[2 + Sqrt[2]]\*ArcTanh[(2\*Cos[x])/Sqrt[2 + Sqrt[2]]])/4 - Cos[x]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 1279

Int[((f\_)\*(x\_))^(m\_)\*((d\_) + (e\_)\*(x\_)^2)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] := Simp[(e\*f\*(f\*x)^(m-1)\*(a + b\*x^2 + c\*x^4)^(p+1))/(c\*(m+4\*p+3)), x] - Dist[f^2/(c\*(m+4\*p+3)), Int[(f\*x)^(m-2)\*(a + b\*x^2 + c\*x^4)^p\*Simp[a\*e\*(m-1) + (b\*e\*(m+2\*p+1) - c\*d\*(m+4\*p+3))\*x^2, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && GtQ[m, 1] && NeQ[m+4\*p+3, 0] && IntegerQ[2\*p] && (IntegerQ[p] || IntegerQ[m])

#### Rule 1166

Int[((d\_) + (e\_)\*(x\_)^2)/((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4), x\_Symbol] := With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[e/2 + (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 - q/2 + c\*x^2), x], x] + Dist[e/2 - (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 + q/2 + c\*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - a\*e^2, 0] && PosQ[b^2 - 4\*a\*c]

#### Rule 207

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned}
\int \cos(x) \tan(4x) dx &= -\text{Subst} \left( \int \frac{4x^2(-1+2x^2)}{1-8x^2+8x^4} dx, x, \cos(x) \right) \\
&= -\left( 4 \text{Subst} \left( \int \frac{x^2(-1+2x^2)}{1-8x^2+8x^4} dx, x, \cos(x) \right) \right) \\
&= -\cos(x) + \frac{1}{2} \text{Subst} \left( \int \frac{2-8x^2}{1-8x^2+8x^4} dx, x, \cos(x) \right) \\
&= -\cos(x) + (-2 + \sqrt{2}) \text{Subst} \left( \int \frac{1}{-4+2\sqrt{2}+8x^2} dx, x, \cos(x) \right) - (2 + \sqrt{2}) \text{Subst} \left( \int \frac{1}{-4-2\sqrt{2}+8x^2} dx, x, \cos(x) \right) \\
&= \frac{1}{4} \sqrt{2-\sqrt{2}} \tanh^{-1} \left( \frac{2 \cos(x)}{\sqrt{2-\sqrt{2}}} \right) + \frac{1}{4} \sqrt{2+\sqrt{2}} \tanh^{-1} \left( \frac{2 \cos(x)}{\sqrt{2+\sqrt{2}}} \right) - \cos(x)
\end{aligned}$$

**Mathematica [C]** time = 58.3466, size = 6196, normalized size = 87.27

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[x]\*Tan[4\*x],x]

[Out] Result too large to show

**Maple [A]** time = 0.043, size = 68, normalized size = 1.

$$-\cos(x) + \frac{\sqrt{2}(\sqrt{2}-1)}{4\sqrt{2-\sqrt{2}}} \text{Arctanh} \left( 2 \frac{\cos(x)}{\sqrt{2-\sqrt{2}}} \right) + \frac{(1+\sqrt{2})\sqrt{2}}{4\sqrt{2+\sqrt{2}}} \text{Arctanh} \left( 2 \frac{\cos(x)}{\sqrt{2+\sqrt{2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*tan(4\*x),x)

[Out]  $-\cos(x) + \frac{1}{4} \sqrt{2} \frac{(2^{1/2}-1)}{(2-2^{1/2})^{1/2}} \text{arctanh}(2 \cos(x) / (2-2^{1/2})^{1/2}) + \frac{1}{4} \sqrt{2} \frac{(1+2^{1/2})}{(2+2^{1/2})^{1/2}} \text{arctanh}(2 \cos(x) / (2+2^{1/2})^{1/2})$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\cos(x) - \int -\frac{(\sin(7x) - \sin(x)) \cos(8x) - (\cos(7x) - \cos(x)) \sin(8x) + \sin(7x) - \sin(x)}{\cos(8x)^2 + \sin(8x)^2 + 2 \cos(8x) + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*tan(4\*x),x, algorithm="maxima")

[Out]  $-\cos(x) - \text{integrate}(-((\sin(7*x) - \sin(x))*\cos(8*x) - (\cos(7*x) - \cos(x))*\sin(8*x) + \sin(7*x) - \sin(x)) / (\cos(8*x)^2 + \sin(8*x)^2 + 2*\cos(8*x) + 1), x)$

---

**Fricas [A]** time = 2.78908, size = 329, normalized size = 4.63

$$\frac{1}{8} \sqrt{\sqrt{2} + 2} \log\left(\sqrt{\sqrt{2} + 2} + 2 \cos(x)\right) - \frac{1}{8} \sqrt{\sqrt{2} + 2} \log\left(\sqrt{\sqrt{2} + 2} - 2 \cos(x)\right) + \frac{1}{8} \sqrt{-\sqrt{2} + 2} \log\left(\sqrt{-\sqrt{2} + 2} + 2 \cos(x)\right) - \frac{1}{8} \sqrt{-\sqrt{2} + 2} \log\left(\sqrt{-\sqrt{2} + 2} - 2 \cos(x)\right) - \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*tan(4\*x),x, algorithm="fricas")

[Out] 1/8\*sqrt(sqrt(2) + 2)\*log(sqrt(sqrt(2) + 2) + 2\*cos(x)) - 1/8\*sqrt(sqrt(2) + 2)\*log(sqrt(sqrt(2) + 2) - 2\*cos(x)) + 1/8\*sqrt(-sqrt(2) + 2)\*log(sqrt(-sqrt(2) + 2) + 2\*cos(x)) - 1/8\*sqrt(-sqrt(2) + 2)\*log(sqrt(-sqrt(2) + 2) - 2\*cos(x)) - cos(x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*tan(4\*x),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \cos(x) \tan(4x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*tan(4\*x),x, algorithm="giac")

[Out] integrate(cos(x)\*tan(4\*x), x)

### 3.108 $\int \cos(x) \tan(5x) dx$

**Optimal.** Leaf size=84

$$-\cos(x) + \frac{1}{5}\sqrt{\frac{1}{2}(5+\sqrt{5})} \tanh^{-1}\left(2\sqrt{\frac{2}{5+\sqrt{5}}}\cos(x)\right) + \frac{1}{5}\sqrt{\frac{1}{2}(5-\sqrt{5})} \tanh^{-1}\left(\sqrt{\frac{2}{5}}(5+\sqrt{5})\cos(x)\right)$$

[Out] (Sqrt[(5 + Sqrt[5])/2]\*ArcTanh[2\*Sqrt[2/(5 + Sqrt[5])]\*Cos[x]])/5 + (Sqrt[(5 - Sqrt[5])/2]\*ArcTanh[Sqrt[(2\*(5 + Sqrt[5]))/5]\*Cos[x]])/5 - Cos[x]

**Rubi [A]** time = 0.0979321, antiderivative size = 84, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {1676, 1166, 207}

$$-\cos(x) + \frac{1}{5}\sqrt{\frac{1}{2}(5+\sqrt{5})} \tanh^{-1}\left(2\sqrt{\frac{2}{5+\sqrt{5}}}\cos(x)\right) + \frac{1}{5}\sqrt{\frac{1}{2}(5-\sqrt{5})} \tanh^{-1}\left(\sqrt{\frac{2}{5}}(5+\sqrt{5})\cos(x)\right)$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Tan[5\*x],x]

[Out] (Sqrt[(5 + Sqrt[5])/2]\*ArcTanh[2\*Sqrt[2/(5 + Sqrt[5])]\*Cos[x]])/5 + (Sqrt[(5 - Sqrt[5])/2]\*ArcTanh[Sqrt[(2\*(5 + Sqrt[5]))/5]\*Cos[x]])/5 - Cos[x]

#### Rule 1676

Int[(Pq\_)/((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4), x\_Symbol] := Int[ExpandIntegrand[Pq/(a + b\*x^2 + c\*x^4), x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && Expon[Pq, x^2] > 1

#### Rule 1166

Int[((d\_) + (e\_.)\*(x\_)^2)/((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4), x\_Symbol] :> With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[e/2 + (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 - q/2 + c\*x^2), x], x] + Dist[e/2 - (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 + q/2 + c\*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - a\*e^2, 0] && PosQ[b^2 - 4\*a\*c]

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned}
\int \cos(x) \tan(5x) dx &= -\text{Subst} \left( \int \frac{1 - 12x^2 + 16x^4}{5 - 20x^2 + 16x^4} dx, x, \cos(x) \right) \\
&= -\text{Subst} \left( \int \left( 1 - \frac{4(1 - 2x^2)}{5 - 20x^2 + 16x^4} \right) dx, x, \cos(x) \right) \\
&= -\cos(x) + 4 \text{Subst} \left( \int \frac{1 - 2x^2}{5 - 20x^2 + 16x^4} dx, x, \cos(x) \right) \\
&= -\cos(x) - \frac{1}{5} (4(5 - \sqrt{5})) \text{Subst} \left( \int \frac{1}{-10 + 2\sqrt{5} + 16x^2} dx, x, \cos(x) \right) - \frac{1}{5} (4(5 + \sqrt{5})) \text{Subst} \left( \int \frac{1}{-10 - 2\sqrt{5} + 16x^2} dx, x, \cos(x) \right) \\
&= \frac{1}{5} \sqrt{\frac{1}{2} (5 + \sqrt{5})} \tanh^{-1} \left( 2 \sqrt{\frac{2}{5 + \sqrt{5}}} \cos(x) \right) + \frac{1}{5} \sqrt{\frac{1}{2} (5 - \sqrt{5})} \tanh^{-1} \left( \sqrt{\frac{2}{5} (5 + \sqrt{5})} \cos(x) \right) - \cos(x)
\end{aligned}$$

**Mathematica [B]** time = 0.597829, size = 215, normalized size = 2.56

$$-\cos(x) + \frac{(1 + \sqrt{5}) \tanh^{-1} \left( \frac{4 - (\sqrt{5} - 1) \tan\left(\frac{x}{2}\right)}{\sqrt{2(5 + \sqrt{5})}} \right)}{\sqrt{10(5 + \sqrt{5})}} + \frac{(1 + \sqrt{5}) \tanh^{-1} \left( \frac{(\sqrt{5} - 1) \tan\left(\frac{x}{2}\right) + 4}{\sqrt{2(5 + \sqrt{5})}} \right)}{\sqrt{10(5 + \sqrt{5})}} + \frac{(\sqrt{5} - 1) \tanh^{-1} \left( \frac{4 - (1 + \sqrt{5}) \tan\left(\frac{x}{2}\right)}{\sqrt{10 - 2\sqrt{5}}} \right)}{\sqrt{50 - 10\sqrt{5}}} + \dots$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[x]\*Tan[5\*x],x]

[Out] ((1 + Sqrt[5])\*ArcTanh[(4 - (-1 + Sqrt[5])\*Tan[x/2])/Sqrt[2\*(5 + Sqrt[5])]])/Sqrt[10\*(5 + Sqrt[5])] + ((1 + Sqrt[5])\*ArcTanh[(4 + (-1 + Sqrt[5])\*Tan[x/2])/Sqrt[2\*(5 + Sqrt[5])]])/Sqrt[10\*(5 + Sqrt[5])] + ((-1 + Sqrt[5])\*ArcTanh[(4 - (1 + Sqrt[5])\*Tan[x/2])/Sqrt[10 - 2\*Sqrt[5]])]/Sqrt[50 - 10\*Sqrt[5]]) + ((-1 + Sqrt[5])\*ArcTanh[(4 + (1 + Sqrt[5])\*Tan[x/2])/Sqrt[10 - 2\*Sqrt[5]])]/Sqrt[50 - 10\*Sqrt[5]]) - Cos[x]

**Maple [A]** time = 0.036, size = 72, normalized size = 0.9

$$-\cos(x) + \frac{(\sqrt{5} - 1)\sqrt{5}}{5\sqrt{10 - 2\sqrt{5}}} \text{Artanh} \left( 4 \frac{\cos(x)}{\sqrt{10 - 2\sqrt{5}}} \right) + \frac{(\sqrt{5} + 1)\sqrt{5}}{5\sqrt{10 + 2\sqrt{5}}} \text{Artanh} \left( 4 \frac{\cos(x)}{\sqrt{10 + 2\sqrt{5}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*tan(5\*x),x)

[Out] -cos(x)+1/5\*(5^(1/2)-1)\*5^(1/2)/(10-2\*5^(1/2))^(1/2)\*arctanh(4\*cos(x)/(10-2\*5^(1/2))^(1/2))+1/5\*(5^(1/2)+1)\*5^(1/2)/(10+2\*5^(1/2))^(1/2)\*arctanh(4\*cos(x)/(10+2\*5^(1/2))^(1/2))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(cos(x)\*tan(5\*x),x, algorithm="maxima")

[Out]  $-\cos(x) - \text{integrate}(((\sin(7x) - \sin(5x) + \sin(3x) - \sin(x))\cos(8x) + (\sin(6x) - \sin(4x) + \sin(2x))\cos(7x) + (\sin(5x) - \sin(3x) + \sin(x))\cos(6x) + (\sin(4x) - \sin(2x))\cos(5x) + (\sin(3x) - \sin(x))\cos(4x) - (\cos(7x) - \cos(5x) + \cos(3x) - \cos(x))\sin(8x) - (\cos(6x) - \cos(4x) + \cos(2x) - 1)\sin(7x) - (\cos(5x) - \cos(3x) + \cos(x))\sin(6x) - (\cos(4x) - \cos(2x) + 1)\sin(5x) - (\cos(3x) - \cos(x))\sin(4x) - (\cos(2x) - 1)\sin(3x) + \cos(3x)\sin(2x) - \cos(x)\sin(2x) + \cos(2x)\sin(x) - \sin(x))/(2(\cos(6x) - \cos(4x) + \cos(2x) - 1)\cos(8x) - \cos(8x)^2 + 2(\cos(4x) - \cos(2x) + 1)\cos(6x) - \cos(6x)^2 + 2(\cos(2x) - 1)\cos(4x) - \cos(4x)^2 - \cos(2x)^2 + 2(\sin(6x) - \sin(4x) + \sin(2x))\sin(8x) - \sin(8x)^2 + 2(\sin(4x) - \sin(2x))\sin(6x) - \sin(6x)^2 - \sin(4x)^2 + 2\sin(4x)\sin(2x) - \sin(2x)^2 + 2\cos(2x) - 1), x)$

**Fricas [B]** time = 2.63353, size = 421, normalized size = 5.01

$$\frac{1}{20} \sqrt{2} \sqrt{\sqrt{5} + 5} \log\left(\sqrt{2} \sqrt{\sqrt{5} + 5} + 4 \cos(x)\right) - \frac{1}{20} \sqrt{2} \sqrt{\sqrt{5} + 5} \log\left(\sqrt{2} \sqrt{\sqrt{5} + 5} - 4 \cos(x)\right) + \frac{1}{20} \sqrt{2} \sqrt{-\sqrt{5} + 5} \log\left(\sqrt{2} \sqrt{-\sqrt{5} + 5} + 4 \cos(x)\right) - \frac{1}{20} \sqrt{2} \sqrt{-\sqrt{5} + 5} \log\left(\sqrt{2} \sqrt{-\sqrt{5} + 5} - 4 \cos(x)\right) - \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*tan(5\*x),x, algorithm="fricas")

[Out]  $1/20 \sqrt{2} \sqrt{\sqrt{5} + 5} \log(\sqrt{2} \sqrt{\sqrt{5} + 5} + 4 \cos(x)) - 1/20 \sqrt{2} \sqrt{\sqrt{5} + 5} \log(\sqrt{2} \sqrt{\sqrt{5} + 5} - 4 \cos(x)) + 1/20 \sqrt{2} \sqrt{-\sqrt{5} + 5} \log(\sqrt{2} \sqrt{-\sqrt{5} + 5} + 4 \cos(x)) - 1/20 \sqrt{2} \sqrt{-\sqrt{5} + 5} \log(\sqrt{2} \sqrt{-\sqrt{5} + 5} - 4 \cos(x)) - \cos(x)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*tan(5\*x),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \cos(x) \tan(5x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*tan(5\*x),x, algorithm="giac")

[Out] integrate(cos(x)\*tan(5\*x), x)

### 3.109 $\int \cos(x) \tan(6x) dx$

**Optimal.** Leaf size=89

$$-\cos(x) + \frac{\tanh^{-1}(\sqrt{2}\cos(x))}{3\sqrt{2}} + \frac{1}{6}\sqrt{2-\sqrt{3}}\tanh^{-1}\left(\frac{2\cos(x)}{\sqrt{2-\sqrt{3}}}\right) + \frac{1}{6}\sqrt{2+\sqrt{3}}\tanh^{-1}\left(\frac{2\cos(x)}{\sqrt{2+\sqrt{3}}}\right)$$

[Out] ArcTanh[Sqrt[2]\*Cos[x]]/(3\*Sqrt[2]) + (Sqrt[2 - Sqrt[3]]\*ArcTanh[(2\*Cos[x])/Sqrt[2 - Sqrt[3]]])/6 + (Sqrt[2 + Sqrt[3]]\*ArcTanh[(2\*Cos[x])/Sqrt[2 + Sqrt[3]]])/6 - Cos[x]

**Rubi [A]** time = 0.238226, antiderivative size = 89, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 5, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.714$ , Rules used = {12, 6742, 2073, 207, 1166}

$$-\cos(x) + \frac{\tanh^{-1}(\sqrt{2}\cos(x))}{3\sqrt{2}} + \frac{1}{6}\sqrt{2-\sqrt{3}}\tanh^{-1}\left(\frac{2\cos(x)}{\sqrt{2-\sqrt{3}}}\right) + \frac{1}{6}\sqrt{2+\sqrt{3}}\tanh^{-1}\left(\frac{2\cos(x)}{\sqrt{2+\sqrt{3}}}\right)$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Tan[6\*x], x]

[Out] ArcTanh[Sqrt[2]\*Cos[x]]/(3\*Sqrt[2]) + (Sqrt[2 - Sqrt[3]]\*ArcTanh[(2\*Cos[x])/Sqrt[2 - Sqrt[3]]])/6 + (Sqrt[2 + Sqrt[3]]\*ArcTanh[(2\*Cos[x])/Sqrt[2 + Sqrt[3]]])/6 - Cos[x]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :=> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 6742

Int[u\_, x\_Symbol] :=> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

#### Rule 2073

Int[(P\_)^(p\_)\*(Q\_)^(q\_.), x\_Symbol] :=> With[{PP = Factor[P /. x -> Sqrt[x]]}, Int[ExpandIntegrand[(PP /. x -> x^2)^p\*Q^q, x], x] /; !SumQ[NonfreeFactors[PP, x]] /; FreeQ[q, x] && PolyQ[P, x^2] && PolyQ[Q, x] && ILtQ[p, 0]

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :=> -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rule 1166

Int[((d\_) + (e\_.)\*(x\_)^2)/((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4), x\_Symbol] :=> With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[e/2 + (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 - q/2 + c\*x^2), x], x] + Dist[e/2 - (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 + q/2 + c\*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && Ne

$Q[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[b^2 - 4*a*c]$

### Rubi steps

$$\begin{aligned}
 \int \cos(x) \tan(6x) dx &= -\text{Subst} \left( \int \frac{2x^2(-3 + 16x^2 - 16x^4)}{1 - 18x^2 + 48x^4 - 32x^6} dx, x, \cos(x) \right) \\
 &= - \left( 2 \text{Subst} \left( \int \frac{x^2(-3 + 16x^2 - 16x^4)}{1 - 18x^2 + 48x^4 - 32x^6} dx, x, \cos(x) \right) \right) \\
 &= - \left( 2 \text{Subst} \left( \int \left( \frac{1}{2} - \frac{1 - 12x^2 + 16x^4}{2(1 - 18x^2 + 48x^4 - 32x^6)} \right) dx, x, \cos(x) \right) \right) \\
 &= -\cos(x) + \text{Subst} \left( \int \frac{1 - 12x^2 + 16x^4}{1 - 18x^2 + 48x^4 - 32x^6} dx, x, \cos(x) \right) \\
 &= -\cos(x) + \text{Subst} \left( \int \left( -\frac{1}{3(-1 + 2x^2)} - \frac{2(-1 + 8x^2)}{3(1 - 16x^2 + 16x^4)} \right) dx, x, \cos(x) \right) \\
 &= -\cos(x) - \frac{1}{3} \text{Subst} \left( \int \frac{1}{-1 + 2x^2} dx, x, \cos(x) \right) - \frac{2}{3} \text{Subst} \left( \int \frac{-1 + 8x^2}{1 - 16x^2 + 16x^4} dx, x, \cos(x) \right) \\
 &= \frac{\tanh^{-1}(\sqrt{2} \cos(x))}{3\sqrt{2}} - \cos(x) - \frac{1}{3} (4(2 - \sqrt{3})) \text{Subst} \left( \int \frac{1}{-8 + 4\sqrt{3} + 16x^2} dx, x, \cos(x) \right) - \frac{1}{3} \\
 &= \frac{\tanh^{-1}(\sqrt{2} \cos(x))}{3\sqrt{2}} + \frac{1}{6} \sqrt{2 - \sqrt{3}} \tanh^{-1} \left( \frac{2 \cos(x)}{\sqrt{2 - \sqrt{3}}} \right) + \frac{1}{6} \sqrt{2 + \sqrt{3}} \tanh^{-1} \left( \frac{2 \cos(x)}{\sqrt{2 + \sqrt{3}}} \right) - \cos(x)
 \end{aligned}$$

**Mathematica [C]** time = 8.92697, size = 679, normalized size = 7.63

$$-\cos(x) + \left( -\frac{1}{6} - \frac{i}{6} \right) \sqrt[4]{-1} \tan^{-1} \left( \left( \frac{1}{2} + \frac{i}{2} \right) \sqrt[4]{-1} \sec \left( \frac{x}{2} \right) \left( \sin \left( \frac{x}{2} \right) + \cos \left( \frac{x}{2} \right) \right) \right) + \left( \frac{1}{6} + \frac{i}{6} \right) (-1)^{3/4} \tanh^{-1} \left( \left( \frac{1}{2} + \frac{i}{2} \right) (-1)^{3/4} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[x]\*Tan[6\*x], x]

[Out]  $(-1/6 - I/6)*(-1)^{(1/4)}*ArcTan[(1/2 + I/2)*(-1)^{(1/4)}*Sec[x/2]*(Cos[x/2] + Sin[x/2])] + (1/6 + I/6)*(-1)^{(3/4)}*ArcTanh[(1/2 + I/2)*(-1)^{(3/4)}*Sec[x/2]*(Cos[x/2] - Sin[x/2])] - Cos[x] - ((1 + Sqrt[2])*(x - 2*Sqrt[3]*ArcTanh[(2 + (2 + Sqrt[2])*Tan[x/2])/Sqrt[6]] - Log[Sec[x/2]^2] + Log[-(Sec[x/2]^2*(Sqrt[2] - 2*Cos[x] + 2*Sin[x]))]))/(12*(2 + Sqrt[2])) + (x + 2*Sqrt[3]*ArcTanh[(Sqrt[2] + (-1 + Sqrt[2])*Tan[x/2])/Sqrt[3]] - Log[Sec[x/2]^2] + Log[Sec[x/2]^2*(1 + Sqrt[2]*Cos[x] - Sqrt[2]*Sin[x])])/(12*Sqrt[2]) - ((2*(-2 + Sqrt[6])*ArcTanh[Sqrt[2] + (Sqrt[2] - Sqrt[3])*Tan[x/2]] + (3*Sqrt[2] - 2*Sqrt[3])*(x - Log[Sec[x/2]^2] + Log[-(Sec[x/2]^2*(Sqrt[3] + Sqrt[2]*Cos[x] - Sqrt[2]*Sin[x]))]))*(Sqrt[2] - Sqrt[3]*Sin[x])*(-3 + Sqrt[6] - (-2 + Sqrt[6])*Cos[x] + (-2 + Sqrt[6])*Sin[x]))/(12*(-36 + 15*Sqrt[6] + (20 - 8*Sqrt[6])*Cos[x] + (12 - 5*Sqrt[6])*Cos[2*x] - 50*Sin[x] + 20*Sqrt[6]*Sin[x] + 12*Sin[2*x] - 5*Sqrt[6]*Sin[2*x])) + ((-2*(Sqrt[2] + Sqrt[3])*ArcTanh[(2 + (2 + Sqrt[6])*Tan[x/2])/Sqrt[2]] + (3 + Sqrt[6])*(x - Log[Sec[x/2]^2] + Log[-(Sec[x/2]^2*(Sqrt[6] - 2*Cos[x] + 2*Sin[x]))]))*(2 + Sqrt[6]*Sin[x])*(3 + Sqrt[6] - (2 + Sqrt[6])*Cos[x] + (2 + Sqrt[6])*Sin[x]))/(12*(-36 - 15*Sqrt[6] + 4*(5 + 2*Sqrt[6])*Cos[x] + (12 + 5*Sqrt[6])*Cos[2*x] - 50*Sin[x] - 20*Sqrt[6]*Sin[x] + 12*Sin[2*x] + 5*Sqrt[6]*Sin[2*x]))$

---

**Maple [A]** time = 0.049, size = 104, normalized size = 1.2

$$-\cos(x) + \frac{(-6 + 4\sqrt{3})\sqrt{3}}{18\sqrt{6} - 18\sqrt{2}} \operatorname{Artanh}\left(8 \frac{\cos(x)}{2\sqrt{6} - 2\sqrt{2}}\right) + \frac{(6 + 4\sqrt{3})\sqrt{3}}{18\sqrt{6} + 18\sqrt{2}} \operatorname{Artanh}\left(8 \frac{\cos(x)}{2\sqrt{6} + 2\sqrt{2}}\right) + \frac{\operatorname{Artanh}(\cos(x)\sqrt{2})}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(x)*tan(6*x), x)`

[Out]  `-cos(x)+2/9*(-3+2*3^(1/2))*3^(1/2)/(2*6^(1/2)-2*2^(1/2))*arctanh(8*cos(x)/(2*6^(1/2)-2*2^(1/2)))+2/9*(3+2*3^(1/2))*3^(1/2)/(2*6^(1/2)+2*2^(1/2))*arctanh(8*cos(x)/(2*6^(1/2)+2*2^(1/2)))+1/6*arctanh(cos(x)*2^(1/2))*2^(1/2)`

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{24} \sqrt{2} \log\left(2\sqrt{2} \sin(2x) \sin(x) + 2\left(\sqrt{2} \cos(x) + 1\right) \cos(2x) + \cos(2x)^2 + 2 \cos(x)^2 + \sin(2x)^2 + 2 \sin(x)^2 + 2\sqrt{2} \cos(x)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*tan(6*x), x, algorithm="maxima")`

[Out]  `1/24*sqrt(2)*log(2*sqrt(2)*sin(2*x)*sin(x) + 2*(sqrt(2)*cos(x) + 1)*cos(2*x) + cos(2*x)^2 + 2*cos(x)^2 + sin(2*x)^2 + 2*sin(x)^2 + 2*sqrt(2)*cos(x) + 1) - 1/24*sqrt(2)*log(-2*sqrt(2)*sin(2*x)*sin(x) - 2*(sqrt(2)*cos(x) - 1)*cos(2*x) + cos(2*x)^2 + 2*cos(x)^2 + sin(2*x)^2 + 2*sin(x)^2 - 2*sqrt(2)*cos(x) + 1) - cos(x) - integrate(1/3*((2*sin(7*x) + sin(5*x) - sin(3*x) - 2*sin(x))*cos(8*x) + (sin(3*x) + 2*sin(x))*cos(4*x) - (2*cos(7*x) + cos(5*x) - cos(3*x) - 2*cos(x))*sin(8*x) - 2*(cos(4*x) - 1)*sin(7*x) - (cos(4*x) - 1)*sin(5*x) - (cos(3*x) + 2*cos(x))*sin(4*x) + 2*cos(7*x)*sin(4*x) + cos(5*x)*sin(4*x) - sin(3*x) - 2*sin(x))/(2*(cos(4*x) - 1)*cos(8*x) - cos(8*x)^2 - cos(4*x)^2 - sin(8*x)^2 + 2*sin(8*x)*sin(4*x) - sin(4*x)^2 + 2*cos(4*x) - 1), x)`

---

**Fricas [B]** time = 2.75038, size = 435, normalized size = 4.89

$$\frac{1}{12} \sqrt{\sqrt{3} + 2} \log\left(\sqrt{\sqrt{3} + 2} + 2 \cos(x)\right) - \frac{1}{12} \sqrt{\sqrt{3} + 2} \log\left(\sqrt{\sqrt{3} + 2} - 2 \cos(x)\right) + \frac{1}{12} \sqrt{-\sqrt{3} + 2} \log\left(\sqrt{-\sqrt{3} + 2} + 2 \cos(x)\right) - \frac{1}{12} \sqrt{-\sqrt{3} + 2} \log\left(\sqrt{-\sqrt{3} + 2} - 2 \cos(x)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*tan(6*x), x, algorithm="fricas")`

[Out]  `1/12*sqrt(sqrt(3) + 2)*log(sqrt(sqrt(3) + 2) + 2*cos(x)) - 1/12*sqrt(sqrt(3) + 2)*log(sqrt(sqrt(3) + 2) - 2*cos(x)) + 1/12*sqrt(-sqrt(3) + 2)*log(sqrt(-sqrt(3) + 2) + 2*cos(x)) - 1/12*sqrt(-sqrt(3) + 2)*log(sqrt(-sqrt(3) + 2) - 2*cos(x)) + 1/12*sqrt(2)*log(-(2*cos(x)^2 + 2*sqrt(2)*cos(x) + 1)/(2*cos(x)^2 - 1)) - cos(x)`

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)*tan(6*x), x)
```

```
[Out] Timed out
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \cos(x) \tan(6x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)*tan(6*x), x, algorithm="giac")
```

```
[Out] integrate(cos(x)*tan(6*x), x)
```

### 3.110 $\int \cos(x) \cot(2x) dx$

**Optimal.** Leaf size=10

$$\cos(x) - \frac{1}{2} \tanh^{-1}(\cos(x))$$

[Out] -ArcTanh[Cos[x]]/2 + Cos[x]

**Rubi [A]** time = 0.0203756, antiderivative size = 10, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {12, 388, 206}

$$\cos(x) - \frac{1}{2} \tanh^{-1}(\cos(x))$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Cot[2\*x], x]

[Out] -ArcTanh[Cos[x]]/2 + Cos[x]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 388

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] :> Simp[(d\*x\*(a + b\*x^n)^(p + 1))/(b\*(n\*(p + 1) + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(b\*(n\*(p + 1) + 1)), Int[(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n\*(p + 1) + 1, 0]

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \cos(x) \cot(2x) dx &= -\text{Subst} \left( \int \frac{-1 + 2x^2}{2(1 - x^2)} dx, x, \cos(x) \right) \\ &= -\left( \frac{1}{2} \text{Subst} \left( \int \frac{-1 + 2x^2}{1 - x^2} dx, x, \cos(x) \right) \right) \\ &= \cos(x) - \frac{1}{2} \text{Subst} \left( \int \frac{1}{1 - x^2} dx, x, \cos(x) \right) \\ &= -\frac{1}{2} \tanh^{-1}(\cos(x)) + \cos(x) \end{aligned}$$

**Mathematica [B]** time = 0.0149474, size = 25, normalized size = 2.5

$$\cos(x) + \frac{1}{2} \log \left( \sin \left( \frac{x}{2} \right) \right) - \frac{1}{2} \log \left( \cos \left( \frac{x}{2} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Cot[2\*x],x]

[Out] Cos[x] - Log[Cos[x/2]]/2 + Log[Sin[x/2]]/2

**Maple [A]** time = 0.025, size = 14, normalized size = 1.4

$$\cos(x) + \frac{\ln(\csc(x) - \cot(x))}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*cot(2\*x),x)

[Out] cos(x)+1/2\*ln(csc(x)-cot(x))

**Maxima [B]** time = 0.991714, size = 50, normalized size = 5.

$$\cos(x) - \frac{1}{4} \log(\cos(x)^2 + \sin(x)^2 + 2\cos(x) + 1) + \frac{1}{4} \log(\cos(x)^2 + \sin(x)^2 - 2\cos(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*cot(2\*x),x, algorithm="maxima")

[Out] cos(x) - 1/4\*log(cos(x)^2 + sin(x)^2 + 2\*cos(x) + 1) + 1/4\*log(cos(x)^2 + sin(x)^2 - 2\*cos(x) + 1)

**Fricas [B]** time = 2.51684, size = 88, normalized size = 8.8

$$\cos(x) - \frac{1}{4} \log\left(\frac{1}{2} \cos(x) + \frac{1}{2}\right) + \frac{1}{4} \log\left(-\frac{1}{2} \cos(x) + \frac{1}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*cot(2\*x),x, algorithm="fricas")

[Out] cos(x) - 1/4\*log(1/2\*cos(x) + 1/2) + 1/4\*log(-1/2\*cos(x) + 1/2)

**Sympy [B]** time = 1.48852, size = 19, normalized size = 1.9

$$\frac{\log(\cos(x) - 1)}{4} - \frac{\log(\cos(x) + 1)}{4} + \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*cot(2\*x),x)

[Out]  $\log(\cos(x) - 1)/4 - \log(\cos(x) + 1)/4 + \cos(x)$

---

**Giac [B]** time = 1.13916, size = 26, normalized size = 2.6

$$\cos(x) - \frac{1}{4} \log(\cos(x) + 1) + \frac{1}{4} \log(-\cos(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*cot(2*x),x, algorithm="giac")`

[Out]  $\cos(x) - 1/4*\log(\cos(x) + 1) + 1/4*\log(-\cos(x) + 1)$



### 3.111 $\int \cos(x) \cot(3x) dx$

**Optimal.** Leaf size=45

$$\cos(x) + \frac{1}{6} \log(1 - 2 \cos(x)) + \frac{1}{6} \log(1 - \cos(x)) - \frac{1}{6} \log(\cos(x) + 1) - \frac{1}{6} \log(2 \cos(x) + 1)$$

[Out] Cos[x] + Log[1 - 2\*Cos[x]]/6 + Log[1 - Cos[x]]/6 - Log[1 + Cos[x]]/6 - Log[1 + 2\*Cos[x]]/6

**Rubi [A]** time = 0.0529215, antiderivative size = 45, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 4, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$ , Rules used = {1279, 1161, 616, 31}

$$\cos(x) + \frac{1}{6} \log(1 - 2 \cos(x)) + \frac{1}{6} \log(1 - \cos(x)) - \frac{1}{6} \log(\cos(x) + 1) - \frac{1}{6} \log(2 \cos(x) + 1)$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Cot[3\*x],x]

[Out] Cos[x] + Log[1 - 2\*Cos[x]]/6 + Log[1 - Cos[x]]/6 - Log[1 + Cos[x]]/6 - Log[1 + 2\*Cos[x]]/6

#### Rule 1279

Int[((f\_.)\*(x\_))^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_), x\_Symbol] := Simp[(e\*f\*(f\*x)^(m - 1)\*(a + b\*x^2 + c\*x^4)^(p + 1))/(c\*(m + 4\*p + 3)), x] - Dist[f^2/(c\*(m + 4\*p + 3)), Int[(f\*x)^(m - 2)\*(a + b\*x^2 + c\*x^4)^p\*Simp[a\*e\*(m - 1) + (b\*e\*(m + 2\*p + 1) - c\*d\*(m + 4\*p + 3))\*x^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && GtQ[m, 1] && NeQ[m + 4\*p + 3, 0] && IntegerQ[2\*p] && (IntegerQ[p] || IntegerQ[m])

#### Rule 1161

Int[((d\_) + (e\_.)\*(x\_)^2)/((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4), x\_Symbol] :> With[{q = Rt[(2\*d)/e - b/c, 2]}, Dist[e/(2\*c), Int[1/Simp[d/e + q\*x + x^2, x], x], x] + Dist[e/(2\*c), Int[1/Simp[d/e - q\*x + x^2, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - a\*e^2, 0] && (GtQ[(2\*d)/e - b/c, 0] || (!LtQ[(2\*d)/e - b/c, 0] && EqQ[d - e\*Rt[a/c, 2], 0]))

#### Rule 616

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] :> With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[c/q, Int[1/Simp[b/2 - q/2 + c\*x, x], x], x] - Dist[c/q, Int[1/Simp[b/2 + q/2 + c\*x, x], x], x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0] && PosQ[b^2 - 4\*a\*c] && PerfectSquareQ[b^2 - 4\*a\*c]

#### Rule 31

Int[((a\_) + (b\_.)\*(x\_))^(m\_.), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rubi steps

$$\begin{aligned}
\int \cos(x) \cot(3x) dx &= -\text{Subst} \left( \int \frac{x^2(3-4x^2)}{1-5x^2+4x^4} dx, x, \cos(x) \right) \\
&= \cos(x) + \frac{1}{4} \text{Subst} \left( \int \frac{-4+8x^2}{1-5x^2+4x^4} dx, x, \cos(x) \right) \\
&= \cos(x) + \frac{1}{4} \text{Subst} \left( \int \frac{1}{-\frac{1}{2}-\frac{x}{2}+x^2} dx, x, \cos(x) \right) + \frac{1}{4} \text{Subst} \left( \int \frac{1}{-\frac{1}{2}+\frac{x}{2}+x^2} dx, x, \cos(x) \right) \\
&= \cos(x) + \frac{1}{6} \text{Subst} \left( \int \frac{1}{-1+x} dx, x, \cos(x) \right) + \frac{1}{6} \text{Subst} \left( \int \frac{1}{-\frac{1}{2}+x} dx, x, \cos(x) \right) - \frac{1}{6} \text{Subst} \left( \int \frac{1}{\frac{1}{2}+x} dx, x, \cos(x) \right) \\
&= \cos(x) + \frac{1}{6} \log(1-2\cos(x)) + \frac{1}{6} \log(1-\cos(x)) - \frac{1}{6} \log(1+\cos(x)) - \frac{1}{6} \log(1+2\cos(x))
\end{aligned}$$

**Mathematica [A]** time = 0.0189685, size = 47, normalized size = 1.04

$$\cos(x) + \frac{1}{3} \log\left(\sin\left(\frac{x}{2}\right)\right) - \frac{1}{3} \log\left(\cos\left(\frac{x}{2}\right)\right) + \frac{1}{6} \log(1-2\cos(x)) - \frac{1}{6} \log(2\cos(x)+1)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Cot[3\*x],x]

[Out] Cos[x] - Log[Cos[x/2]]/3 + Log[1 - 2\*Cos[x]]/6 - Log[1 + 2\*Cos[x]]/6 + Log[Sin[x/2]]/3

**Maple [A]** time = 0.101, size = 36, normalized size = 0.8

$$-\frac{\ln(1+\cos(x))}{6} + \frac{\ln(-1+\cos(x))}{6} - \frac{\ln(1+2\cos(x))}{6} + \frac{\ln(2\cos(x)-1)}{6} + \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*cot(3\*x),x)

[Out] -1/6\*ln(1+cos(x))+1/6\*ln(-1+cos(x))-1/6\*ln(1+2\*cos(x))+1/6\*ln(2\*cos(x)-1)+cos(x)

**Maxima [B]** time = 1.50595, size = 177, normalized size = 3.93

$$\cos(x) - \frac{1}{12} \log\left(2(\cos(x)+1)\cos(2x) + \cos(2x)^2 + \cos(x)^2 + \sin(2x)^2 + 2\sin(2x)\sin(x) + \sin(x)^2 + 2\cos(x) + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*cot(3\*x),x, algorithm="maxima")

[Out] cos(x) - 1/12\*log(2\*(cos(x) + 1)\*cos(2\*x) + cos(2\*x)^2 + cos(x)^2 + sin(2\*x)^2 + 2\*sin(2\*x)\*sin(x) + sin(x)^2 + 2\*cos(x) + 1) + 1/12\*log(-2\*(cos(x) - 1)\*cos(2\*x) + cos(2\*x)^2 + cos(x)^2 + sin(2\*x)^2 - 2\*sin(2\*x)\*sin(x) + sin(x)^2 - 2\*cos(x) + 1) - 1/6\*log(cos(x)^2 + sin(x)^2 + 2\*cos(x) + 1) + 1/6\*log(cos(x)^2 + sin(x)^2 - 2\*cos(x) + 1)

---

**Fricas [A]** time = 2.52134, size = 155, normalized size = 3.44

$$\cos(x) - \frac{1}{6} \log\left(\frac{1}{2} \cos(x) + \frac{1}{2}\right) + \frac{1}{6} \log\left(-\frac{1}{2} \cos(x) + \frac{1}{2}\right) + \frac{1}{6} \log(-2 \cos(x) + 1) - \frac{1}{6} \log(-2 \cos(x) - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*cot(3\*x),x, algorithm="fricas")

[Out] cos(x) - 1/6\*log(1/2\*cos(x) + 1/2) + 1/6\*log(-1/2\*cos(x) + 1/2) + 1/6\*log(-2\*cos(x) + 1) - 1/6\*log(-2\*cos(x) - 1)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \cos(x) \cot(3x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*cot(3\*x),x)

[Out] Integral(cos(x)\*cot(3\*x), x)

---

**Giac [A]** time = 1.14194, size = 53, normalized size = 1.18

$$\cos(x) - \frac{1}{6} \log(\cos(x) + 1) + \frac{1}{6} \log(-\cos(x) + 1) - \frac{1}{6} \log(|2 \cos(x) + 1|) + \frac{1}{6} \log(|2 \cos(x) - 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*cot(3\*x),x, algorithm="giac")

[Out] cos(x) - 1/6\*log(cos(x) + 1) + 1/6\*log(-cos(x) + 1) - 1/6\*log(abs(2\*cos(x) + 1)) + 1/6\*log(abs(2\*cos(x) - 1))

### 3.112 $\int \cos(x) \cot(4x) dx$

**Optimal.** Leaf size=28

$$\cos(x) - \frac{1}{4} \tanh^{-1}(\cos(x)) - \frac{\tanh^{-1}(\sqrt{2} \cos(x))}{2\sqrt{2}}$$

[Out] -ArcTanh[Cos[x]]/4 - ArcTanh[Sqrt[2]\*Cos[x]]/(2\*Sqrt[2]) + Cos[x]

**Rubi [A]** time = 0.0485803, antiderivative size = 28, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {1676, 1166, 207}

$$\cos(x) - \frac{1}{4} \tanh^{-1}(\cos(x)) - \frac{\tanh^{-1}(\sqrt{2} \cos(x))}{2\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Cot[4\*x], x]

[Out] -ArcTanh[Cos[x]]/4 - ArcTanh[Sqrt[2]\*Cos[x]]/(2\*Sqrt[2]) + Cos[x]

#### Rule 1676

Int[(Pq\_)/((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4), x\_Symbol] :> Int[ExpandIntegrand[Pq/(a + b\*x^2 + c\*x^4), x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && Expon[Pq, x^2] > 1

#### Rule 1166

Int[((d\_) + (e\_)\*(x\_)^2)/((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4), x\_Symbol] :> With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[e/2 + (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 - q/2 + c\*x^2), x], x] + Dist[e/2 - (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 + q/2 + c\*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - a\*e^2, 0] && PosQ[b^2 - 4\*a\*c]

#### Rule 207

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \cos(x) \cot(4x) dx &= -\text{Subst} \left( \int \frac{-1 + 8x^2 - 8x^4}{4 - 12x^2 + 8x^4} dx, x, \cos(x) \right) \\ &= -\text{Subst} \left( \int \left( -1 + \frac{3 - 4x^2}{4 - 12x^2 + 8x^4} \right) dx, x, \cos(x) \right) \\ &= \cos(x) - \text{Subst} \left( \int \frac{3 - 4x^2}{4 - 12x^2 + 8x^4} dx, x, \cos(x) \right) \\ &= \cos(x) + 2 \text{Subst} \left( \int \frac{1}{-8 + 8x^2} dx, x, \cos(x) \right) + 2 \text{Subst} \left( \int \frac{1}{-4 + 8x^2} dx, x, \cos(x) \right) \\ &= -\frac{1}{4} \tanh^{-1}(\cos(x)) - \frac{\tanh^{-1}(\sqrt{2} \cos(x))}{2\sqrt{2}} + \cos(x) \end{aligned}$$

**Mathematica [C]** time = 0.0662992, size = 73, normalized size = 2.61

$$\frac{1}{4} \left( 4 \cos(x) + \log \left( \sin \left( \frac{x}{2} \right) \right) - \log \left( \cos \left( \frac{x}{2} \right) \right) + (-1 - i)(-1)^{3/4} \tanh^{-1} \left( \frac{\tan \left( \frac{x}{2} \right) - 1}{\sqrt{2}} \right) - (1 - i)\sqrt[4]{-1} \tanh^{-1} \left( \frac{\tan \left( \frac{x}{2} \right) + 1}{\sqrt{2}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Cot[4\*x],x]

[Out]  $((-1 - I)*(-1)^{(3/4)}*ArcTanh[(-1 + Tan[x/2])/Sqrt[2]] - (1 - I)*(-1)^{(1/4)}*ArcTanh[(1 + Tan[x/2])/Sqrt[2]] + 4*Cos[x] - Log[Cos[x/2]] + Log[Sin[x/2]])/4$

**Maple [A]** time = 0.134, size = 30, normalized size = 1.1

$$-\frac{\operatorname{Arctanh}(\cos(x)\sqrt{2})\sqrt{2}}{4} - \frac{\ln(1 + \cos(x))}{8} + \frac{\ln(-1 + \cos(x))}{8} + \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*cot(4\*x),x)

[Out]  $-1/4*\operatorname{arctanh}(\cos(x)*2^{(1/2)})*2^{(1/2)} - 1/8*\ln(1 + \cos(x)) + 1/8*\ln(-1 + \cos(x)) + \cos(x)$

**Maxima [B]** time = 1.54073, size = 223, normalized size = 7.96

$$-\frac{1}{16} \sqrt{2} \log \left( 2 \sqrt{2} \sin(2x) \sin(x) + 2 \left( \sqrt{2} \cos(x) + 1 \right) \cos(2x) + \cos(2x)^2 + 2 \cos(x)^2 + \sin(2x)^2 + 2 \sin(x)^2 + 2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*cot(4\*x),x, algorithm="maxima")

[Out]  $-1/16*\sqrt{2}*\log(2*\sqrt{2}*\sin(2*x)*\sin(x) + 2*(\sqrt{2}*\cos(x) + 1)*\cos(2*x) + \cos(2*x)^2 + 2*\cos(x)^2 + \sin(2*x)^2 + 2*\sin(x)^2 + 2*\sqrt{2}*\cos(x) + 1) + 1/16*\sqrt{2}*\log(-2*\sqrt{2}*\sin(2*x)*\sin(x) - 2*(\sqrt{2}*\cos(x) - 1)*\cos(2*x) + \cos(2*x)^2 + 2*\cos(x)^2 + \sin(2*x)^2 + 2*\sin(x)^2 - 2*\sqrt{2}*\cos(x) + 1) + \cos(x) - 1/8*\log(\cos(x)^2 + \sin(x)^2 + 2*\cos(x) + 1) + 1/8*\log(\cos(x)^2 + \sin(x)^2 - 2*\cos(x) + 1)$

**Fricas [B]** time = 2.57622, size = 185, normalized size = 6.61

$$\frac{1}{8} \sqrt{2} \log \left( \frac{2 \cos(x)^2 - 2 \sqrt{2} \cos(x) + 1}{2 \cos(x)^2 - 1} \right) + \cos(x) - \frac{1}{8} \log \left( \frac{1}{2} \cos(x) + \frac{1}{2} \right) + \frac{1}{8} \log \left( -\frac{1}{2} \cos(x) + \frac{1}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*cot(4\*x),x, algorithm="fricas")

[Out]  $\frac{1}{8}\sqrt{2}\log((2\cos(x)^2 - 2\sqrt{2}\cos(x) + 1)/(2\cos(x)^2 - 1)) + \cos(x) - \frac{1}{8}\log(1/2\cos(x) + 1/2) + \frac{1}{8}\log(-1/2\cos(x) + 1/2)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \cos(x) \cot(4x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*cot(4*x),x)`

[Out] `Integral(cos(x)*cot(4*x), x)`

**Giac [B]** time = 1.13957, size = 68, normalized size = 2.43

$$\frac{1}{8}\sqrt{2}\log\left(\frac{|-2\sqrt{2} + 4\cos(x)|}{|2\sqrt{2} + 4\cos(x)|}\right) + \cos(x) - \frac{1}{8}\log(\cos(x) + 1) + \frac{1}{8}\log(-\cos(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*cot(4*x),x, algorithm="giac")`

[Out]  $\frac{1}{8}\sqrt{2}\log(\text{abs}(-2\sqrt{2} + 4\cos(x))/\text{abs}(2\sqrt{2} + 4\cos(x))) + \cos(x) - \frac{1}{8}\log(\cos(x) + 1) + \frac{1}{8}\log(-\cos(x) + 1)$

### 3.113 $\int \cos(x) \cot(5x) dx$

**Optimal.** Leaf size=110

$$\cos(x) + \frac{1}{20} (1 - \sqrt{5}) \log(-4 \cos(x) - \sqrt{5} + 1) + \frac{1}{20} (1 + \sqrt{5}) \log(-4 \cos(x) + \sqrt{5} + 1) - \frac{1}{20} (1 - \sqrt{5}) \log(4 \cos(x) -$$

```
[Out] -ArcTanh[Cos[x]]/5 + Cos[x] + ((1 - Sqrt[5])*Log[1 - Sqrt[5] - 4*Cos[x]])/2
0 + ((1 + Sqrt[5])*Log[1 + Sqrt[5] - 4*Cos[x]])/20 - ((1 - Sqrt[5])*Log[1 -
Sqrt[5] + 4*Cos[x]])/20 - ((1 + Sqrt[5])*Log[1 + Sqrt[5] + 4*Cos[x]])/20
```

**Rubi [A]** time = 0.15549, antiderivative size = 110, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 4, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$ , Rules used = {2075, 207, 632, 31}

$$\cos(x) + \frac{1}{20} (1 - \sqrt{5}) \log(-4 \cos(x) - \sqrt{5} + 1) + \frac{1}{20} (1 + \sqrt{5}) \log(-4 \cos(x) + \sqrt{5} + 1) - \frac{1}{20} (1 - \sqrt{5}) \log(4 \cos(x) -$$

Antiderivative was successfully verified.

```
[In] Int[Cos[x]*Cot[5*x], x]
```

```
[Out] -ArcTanh[Cos[x]]/5 + Cos[x] + ((1 - Sqrt[5])*Log[1 - Sqrt[5] - 4*Cos[x]])/2
0 + ((1 + Sqrt[5])*Log[1 + Sqrt[5] - 4*Cos[x]])/20 - ((1 - Sqrt[5])*Log[1 -
Sqrt[5] + 4*Cos[x]])/20 - ((1 + Sqrt[5])*Log[1 + Sqrt[5] + 4*Cos[x]])/20
```

#### Rule 2075

```
Int[(P_)^(p_)*(Qm_), x_Symbol] := With[{PP = Factor[P]}, Int[ExpandIntegran
d[PP^p*Qm, x], x] /; QuadraticProductQ[PP, x] /; PolyQ[Qm, x] && PolyQ[P,
x] && ILtQ[p, 0]
```

#### Rule 207

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a
, 0] || GtQ[b, 0])
```

#### Rule 632

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := W
ith[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(c*d - e*(b/2 - q/2))/q, Int[1/(b/2 - q/
2 + c*x), x], x] - Dist[(c*d - e*(b/2 + q/2))/q, Int[1/(b/2 + q/2 + c*x), x
], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a
*c, 0] && NiceSqrtQ[b^2 - 4*a*c]
```

#### Rule 31

```
Int[((a_) + (b_.)*(x_))(-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

#### Rubi steps

$$\begin{aligned}
\int \cos(x) \cot(5x) dx &= -\text{Subst} \left( \int \frac{x^2(5 - 20x^2 + 16x^4)}{1 - 13x^2 + 28x^4 - 16x^6} dx, x, \cos(x) \right) \\
&= -\text{Subst} \left( \int \left( -1 - \frac{1}{5(-1 + x^2)} - \frac{2(1 + x)}{5(-1 - 2x + 4x^2)} + \frac{2(-1 + x)}{5(-1 + 2x + 4x^2)} \right) dx, x, \cos(x) \right) \\
&= \cos(x) + \frac{1}{5} \text{Subst} \left( \int \frac{1}{-1 + x^2} dx, x, \cos(x) \right) + \frac{2}{5} \text{Subst} \left( \int \frac{1 + x}{-1 - 2x + 4x^2} dx, x, \cos(x) \right) - \frac{2}{5} \text{Subst} \left( \int \frac{-1 + x}{-1 + 2x + 4x^2} dx, x, \cos(x) \right) \\
&= -\frac{1}{5} \tanh^{-1}(\cos(x)) + \cos(x) - \frac{1}{5}(1 - \sqrt{5}) \text{Subst} \left( \int \frac{1}{1 - \sqrt{5} + 4x} dx, x, \cos(x) \right) + \frac{1}{5}(1 - \sqrt{5}) \text{Subst} \left( \int \frac{1}{1 + \sqrt{5} + 4x} dx, x, \cos(x) \right) \\
&= -\frac{1}{5} \tanh^{-1}(\cos(x)) + \cos(x) + \frac{1}{20}(1 - \sqrt{5}) \log(1 - \sqrt{5} - 4\cos(x)) + \frac{1}{20}(1 + \sqrt{5}) \log(1 + \sqrt{5} - 4\cos(x))
\end{aligned}$$

**Mathematica [A]** time = 0.125386, size = 133, normalized size = 1.21

$$\frac{1}{100} \left( 100 \cos(x) + 20 \log \left( \sin \left( \frac{x}{2} \right) \right) - 20 \log \left( \cos \left( \frac{x}{2} \right) \right) + \sqrt{5}(\sqrt{5} - 5) \log(-4 \cos(x) - \sqrt{5} + 1) + \sqrt{5}(5 + \sqrt{5}) \log(-4 \cos(x) + \sqrt{5} + 1) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Cot[5\*x],x]

[Out] (100\*Cos[x] - 20\*Log[Cos[x/2]] + Sqrt[5]\*(-5 + Sqrt[5])\*Log[1 - Sqrt[5] - 4\*Cos[x]] + Sqrt[5]\*(5 + Sqrt[5])\*Log[1 + Sqrt[5] - 4\*Cos[x]] - Sqrt[5]\*(-5 + Sqrt[5])\*Log[1 - Sqrt[5] + 4\*Cos[x]] - Sqrt[5]\*(5 + Sqrt[5])\*Log[1 + Sqrt[5] + 4\*Cos[x]] + 20\*Log[Sin[x/2]])/100

**Maple [A]** time = 0.153, size = 82, normalized size = 0.8

$$\frac{\ln(4(\cos(x))^2 - 2\cos(x) - 1)}{20} - \frac{\sqrt{5}}{10} \text{Arctanh} \left( \frac{(8\cos(x) - 2)\sqrt{5}}{10} \right) - \frac{\ln(1 + \cos(x))}{10} + \frac{\ln(-1 + \cos(x))}{10} - \frac{\ln(4(\cos(x))^2 - 2\cos(x) - 1)}{20}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*cot(5\*x),x)

[Out] 1/20\*ln(4\*cos(x)^2-2\*cos(x)-1)-1/10\*5^(1/2)\*arctanh(1/10\*(8\*cos(x)-2)\*5^(1/2))-1/10\*ln(1+cos(x))+1/10\*ln(-1+cos(x))-1/20\*ln(4\*cos(x)^2+2\*cos(x)-1)-1/10\*5^(1/2)\*arctanh(1/10\*(8\*cos(x)+2)\*5^(1/2))+cos(x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*cot(5\*x),x, algorithm="maxima")

[Out] cos(x) + 1/10\*integrate(-(cos(2\*x)\*sin(4\*x) - cos(4\*x)\*sin(2\*x) + cos(3/2\*arctan2(sin(2\*x), cos(2\*x))))\*sin(2\*x) + cos(1/2\*arctan2(sin(2\*x), cos(2\*x))))\*sin(2\*x) - cos(2\*x)\*sin(3/2\*arctan2(sin(2\*x), cos(2\*x)))) - cos(2\*x)\*sin(1/2\*arctan2(sin(2\*x), cos(2\*x))))



$$\begin{aligned}
& 2*\arctan2(\sin(2*x), \cos(2*x)) - \sin(2*x)/(2*(\cos(2*x) + 1)*\cos(4*x) + \cos(4*x)^2 + \cos(2*x)^2 - 2*(\cos(4*x) + \cos(2*x) - \cos(1/2*\arctan2(\sin(2*x), \cos(2*x))) + 1)*\cos(3/2*\arctan2(\sin(2*x), \cos(2*x))) + \cos(3/2*\arctan2(\sin(2*x), \cos(2*x)))^2 - 2*(\cos(4*x) + \cos(2*x) + 1)*\cos(1/2*\arctan2(\sin(2*x), \cos(2*x))) + \cos(1/2*\arctan2(\sin(2*x), \cos(2*x)))^2 + \sin(4*x)^2 + 2*\sin(4*x)*\sin(2*x) + \sin(2*x)^2 - 2*(\sin(4*x) + \sin(2*x) - \sin(1/2*\arctan2(\sin(2*x), \cos(2*x))))*\sin(3/2*\arctan2(\sin(2*x), \cos(2*x))) + \sin(3/2*\arctan2(\sin(2*x), \cos(2*x)))^2 - 2*(\sin(4*x) + \sin(2*x))*\sin(1/2*\arctan2(\sin(2*x), \cos(2*x))) + \sin(1/2*\arctan2(\sin(2*x), \cos(2*x)))^2 + 2*\cos(2*x) + 1), x) + 1/10*integrate((\cos(2*x)*\sin(4*x) - \cos(4*x)*\sin(2*x) - \cos(3/2*\arctan2(\sin(2*x), \cos(2*x)))*\sin(2*x) - \cos(1/2*\arctan2(\sin(2*x), \cos(2*x)))*\sin(2*x) + \cos(2*x)*\sin(3/2*\arctan2(\sin(2*x), \cos(2*x))) + \cos(2*x)*\sin(1/2*\arctan2(\sin(2*x), \cos(2*x))) - \sin(2*x))/(2*(\cos(2*x) + 1)*\cos(4*x) + \cos(4*x)^2 + \cos(2*x)^2 + 2*(\cos(4*x) + \cos(2*x) + \cos(1/2*\arctan2(\sin(2*x), \cos(2*x)))) + 1)*\cos(3/2*\arctan2(\sin(2*x), \cos(2*x))) + \cos(3/2*\arctan2(\sin(2*x), \cos(2*x)))^2 + 2*(\cos(4*x) + \cos(2*x) + 1)*\cos(1/2*\arctan2(\sin(2*x), \cos(2*x))) + \cos(1/2*\arctan2(\sin(2*x), \cos(2*x)))^2 + \sin(4*x)^2 + 2*\sin(4*x)*\sin(2*x) + \sin(2*x)^2 + 2*(\sin(4*x) + \sin(2*x) + \sin(1/2*\arctan2(\sin(2*x), \cos(2*x))))*\sin(3/2*\arctan2(\sin(2*x), \cos(2*x))) + \sin(3/2*\arctan2(\sin(2*x), \cos(2*x)))^2 + 2*(\sin(4*x) + \sin(2*x))*\sin(1/2*\arctan2(\sin(2*x), \cos(2*x))) + \sin(1/2*\arctan2(\sin(2*x), \cos(2*x)))^2 + 2*\cos(2*x) + 1), x) - 1/10*integrate((\cos(x)*\sin(4*x) + \cos(x)*\sin(3*x) + \cos(x)*\sin(2*x) - \cos(4*x)*\sin(x) - \cos(3*x)*\sin(x) - \cos(2*x)*\sin(x) - \sin(x))/(2*(\cos(3*x) + \cos(2*x) + \cos(x) + 1)*\cos(4*x) + \cos(4*x)^2 + 2*(\cos(2*x) + \cos(x) + 1)*\cos(3*x) + \cos(3*x)^2 + 2*(\cos(x) + 1)*\cos(2*x) + \cos(2*x)^2 + \cos(x)^2 + 2*(\sin(3*x) + \sin(2*x) + \sin(x))*\sin(4*x) + \sin(4*x)^2 + 2*(\sin(2*x) + \sin(x))*\sin(3*x) + \sin(3*x)^2 + \sin(2*x)^2 + 2*\sin(2*x)*\sin(x) + \sin(x)^2 + 2*\cos(x) + 1), x) - 1/10*integrate(-(\cos(x)*\sin(4*x) - \cos(x)*\sin(3*x) + \cos(x)*\sin(2*x) - \cos(4*x)*\sin(x) + \cos(3*x)*\sin(x) - \cos(2*x)*\sin(x) - \sin(x))/(2*(\cos(3*x) - \cos(2*x) + \cos(x) - 1)*\cos(4*x) - \cos(4*x)^2 + 2*(\cos(2*x) - \cos(x) + 1)*\cos(3*x) - \cos(3*x)^2 + 2*(\cos(x) - 1)*\cos(2*x) - \cos(2*x)^2 - \cos(x)^2 + 2*(\sin(3*x) - \sin(2*x) + \sin(x))*\sin(4*x) - \sin(4*x)^2 + 2*(\sin(2*x) - \sin(x))*\sin(3*x) - \sin(3*x)^2 - \sin(2*x)^2 + 2*\sin(2*x)*\sin(x) - \sin(x)^2 + 2*\cos(x) - 1), x) + 3/10*integrate(-(\cos(4/3*\arctan2(\sin(3*x), \cos(3*x)))*\sin(3*x) + \cos(2/3*\arctan2(\sin(3*x), \cos(3*x)))*\sin(3*x) + \cos(1/3*\arctan2(\sin(3*x), \cos(3*x)))*\sin(3*x) - \cos(3*x)*\sin(4/3*\arctan2(\sin(3*x), \cos(3*x))) - \cos(3*x)*\sin(2/3*\arctan2(\sin(3*x), \cos(3*x))) - \cos(3*x)*\sin(1/3*\arctan2(\sin(3*x), \cos(3*x))) + \sin(3*x))/(\cos(3*x)^2 + 2*(\cos(3*x) + \cos(2/3*\arctan2(\sin(3*x), \cos(3*x))) + \cos(1/3*\arctan2(\sin(3*x), \cos(3*x))) + 1)*\cos(4/3*\arctan2(\sin(3*x), \cos(3*x))) + \cos(4/3*\arctan2(\sin(3*x), \cos(3*x)))^2 + 2*(\cos(3*x) + \cos(1/3*\arctan2(\sin(3*x), \cos(3*x))) + 1)*\cos(2/3*\arctan2(\sin(3*x), \cos(3*x))) + \cos(2/3*\arctan2(\sin(3*x), \cos(3*x)))^2 + 2*(\cos(3*x) + 1)*\cos(1/3*\arctan2(\sin(3*x), \cos(3*x))) + \cos(1/3*\arctan2(\sin(3*x), \cos(3*x)))^2 + \sin(3*x)^2 + 2*(\sin(3*x) + \sin(2/3*\arctan2(\sin(3*x), \cos(3*x))) + \sin(1/3*\arctan2(\sin(3*x), \cos(3*x))))*\sin(4/3*\arctan2(\sin(3*x), \cos(3*x))) + \sin(4/3*\arctan2(\sin(3*x), \cos(3*x)))^2 + 2*(\sin(3*x) + \sin(1/3*\arctan2(\sin(3*x), \cos(3*x))))*\sin(2/3*\arctan2(\sin(3*x), \cos(3*x))) + \sin(2/3*\arctan2(\sin(3*x), \cos(3*x)))^2 + 2*\sin(3*x)*\sin(1/3*\arctan2(\sin(3*x), \cos(3*x))) + \sin(1/3*\arctan2(\sin(3*x), \cos(3*x)))^2 + 2*\cos(3*x) + 1), x) + 3/10*integrate(-(\cos(4/3*\arctan2(\sin(3*x), \cos(3*x)))*\sin(3*x) + \cos(2/3*\arctan2(\sin(3*x), \cos(3*x)))*\sin(3*x) - \cos(1/3*\arctan2(\sin(3*x), \cos(3*x)))*\sin(3*x) - \cos(3*x)*\sin(4/3*\arctan2(\sin(3*x), \cos(3*x))) - \cos(3*x)*\sin(2/3*\arctan2(\sin(3*x), \cos(3*x))) + \cos(3*x)*\sin(1/3*\arctan2(\sin(3*x), \cos(3*x))) + \sin(3*x))/(\cos(3*x)^2 - 2*(\cos(3*x) - \cos(2/3*\arctan2(\sin(3*x), \cos(3*x))) + \cos(1/3*\arctan2(\sin(3*x), \cos(3*x))) - 1)*\cos(4/3*\arctan2(\sin(3*x), \cos(3*x))) + \cos(4/3*\arctan2(\sin(3*x), \cos(3*x)))^2 - 2*(\cos(3*x) + \cos(1/3*\arctan2(\sin(3*x), \cos(3*x))) - 1)*\cos(2/3*\arctan2(\sin(3*x), \cos(3*x))) + \cos(2/3*\arctan2(\sin(3*x), \cos(3*x)))^2 + 2*(\cos(3*x) - 1)*\cos(1/3*\arctan2(\sin(3*x), \cos(3*x))) + \cos(1/3*\arctan2(\sin(3*x), \cos(3*x)))^2 + \sin(3*x)^2 - 2*(\sin(3*x) - \sin(2/3*\arctan2(\sin(3*x), \cos(3*x))))
\end{aligned}$$

```

in(3*x), cos(3*x))) + sin(1/3*arctan2(sin(3*x), cos(3*x))))*sin(4/3*arctan2
(sin(3*x), cos(3*x))) + sin(4/3*arctan2(sin(3*x), cos(3*x)))^2 - 2*(sin(3*x
) + sin(1/3*arctan2(sin(3*x), cos(3*x))))*sin(2/3*arctan2(sin(3*x), cos(3*x
))) + sin(2/3*arctan2(sin(3*x), cos(3*x)))^2 + 2*sin(3*x)*sin(1/3*arctan2(s
in(3*x), cos(3*x))) + sin(1/3*arctan2(sin(3*x), cos(3*x)))^2 - 2*cos(3*x) +
1), x) + 1/5*integrate((sin(4*x) + sin(3*x) + sin(2*x) + sin(x))/(2*(cos(3
*x) + cos(2*x) + cos(x) + 1)*cos(4*x) + cos(4*x)^2 + 2*(cos(2*x) + cos(x) +
1)*cos(3*x) + cos(3*x)^2 + 2*(cos(x) + 1)*cos(2*x) + cos(2*x)^2 + cos(x)^2
+ 2*(sin(3*x) + sin(2*x) + sin(x))*sin(4*x) + sin(4*x)^2 + 2*(sin(2*x) + s
in(x))*sin(3*x) + sin(3*x)^2 + sin(2*x)^2 + 2*sin(2*x)*sin(x) + sin(x)^2 +
2*cos(x) + 1), x) - 1/5*integrate(-(sin(4*x) - sin(3*x) + sin(2*x) - sin(x)
))/(2*(cos(3*x) - cos(2*x) + cos(x) - 1)*cos(4*x) - cos(4*x)^2 + 2*(cos(2*x)
- cos(x) + 1)*cos(3*x) - cos(3*x)^2 + 2*(cos(x) - 1)*cos(2*x) - cos(2*x)^2
- cos(x)^2 + 2*(sin(3*x) - sin(2*x) + sin(x))*sin(4*x) - sin(4*x)^2 + 2*(s
in(2*x) - sin(x))*sin(3*x) - sin(3*x)^2 - sin(2*x)^2 + 2*sin(2*x)*sin(x) -
sin(x)^2 + 2*cos(x) - 1), x) - 1/10*log(cos(x)^2 + sin(x)^2 + 2*cos(x) + 1)
+ 1/10*log(cos(x)^2 + sin(x)^2 - 2*cos(x) + 1)

```

**Fricas [A]** time = 2.60458, size = 466, normalized size = 4.24

$$\frac{1}{20} \sqrt{5} \log\left(-\frac{4(\sqrt{5}-1)\cos(x)-8\cos(x)^2+\sqrt{5}-3}{4\cos(x)^2+2\cos(x)-1}\right) + \frac{1}{20} \sqrt{5} \log\left(-\frac{4(\sqrt{5}+1)\cos(x)-8\cos(x)^2-\sqrt{5}-3}{4\cos(x)^2-2\cos(x)-1}\right) + \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)*cot(5*x),x, algorithm="fricas")
```

```
[Out] 1/20*sqrt(5)*log(-(4*(sqrt(5) - 1)*cos(x) - 8*cos(x)^2 + sqrt(5) - 3)/(4*cos(x)^2 + 2*cos(x) - 1)) + 1/20*sqrt(5)*log(-(4*(sqrt(5) + 1)*cos(x) - 8*cos(x)^2 - sqrt(5) - 3)/(4*cos(x)^2 - 2*cos(x) - 1)) + cos(x) - 1/20*log(4*cos(x)^2 + 2*cos(x) - 1) + 1/20*log(4*cos(x)^2 - 2*cos(x) - 1) - 1/10*log(1/2*cos(x) + 1/2) + 1/10*log(-1/2*cos(x) + 1/2)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)*cot(5*x),x)
```

```
[Out] Timed out
```

**Giac [A]** time = 1.19695, size = 158, normalized size = 1.44

$$\frac{1}{20} \sqrt{5} \log\left(\left|\frac{-2\sqrt{5}+8\cos(x)+2}{2\sqrt{5}+8\cos(x)+2}\right|\right) + \frac{1}{20} \sqrt{5} \log\left(\left|\frac{-2\sqrt{5}+8\cos(x)-2}{2\sqrt{5}+8\cos(x)-2}\right|\right) + \cos(x) - \frac{1}{10} \log(\cos(x)+1) + \frac{1}{10} \log(-\cos(x)+1)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)*cot(5*x),x, algorithm="giac")
```

```
[Out] 1/20*sqrt(5)*log(abs(-2*sqrt(5) + 8*cos(x) + 2)/abs(2*sqrt(5) + 8*cos(x) + 2)) + 1/20*sqrt(5)*log(abs(-2*sqrt(5) + 8*cos(x) - 2)/abs(2*sqrt(5) + 8*cos(x) - 2)) + cos(x) - 1/10*log(cos(x) + 1) + 1/10*log(-cos(x) + 1) - 1/20*log(abs(4*cos(x)^2 + 2*cos(x) - 1)) + 1/20*log(abs(4*cos(x)^2 - 2*cos(x) - 1))
```

### 3.114 $\int \cos(x) \cot(6x) dx$

**Optimal.** Leaf size=38

$$\cos(x) - \frac{1}{6} \tanh^{-1}(\cos(x)) - \frac{1}{6} \tanh^{-1}(2 \cos(x)) - \frac{\tanh^{-1}\left(\frac{2 \cos(x)}{\sqrt{3}}\right)}{2\sqrt{3}}$$

[Out] -ArcTanh[Cos[x]]/6 - ArcTanh[2\*Cos[x]]/6 - ArcTanh[(2\*Cos[x])/Sqrt[3]]/(2\*Sqrt[3]) + Cos[x]

**Rubi [A]** time = 0.0712837, antiderivative size = 38, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {12, 2073, 207}

$$\cos(x) - \frac{1}{6} \tanh^{-1}(\cos(x)) - \frac{1}{6} \tanh^{-1}(2 \cos(x)) - \frac{\tanh^{-1}\left(\frac{2 \cos(x)}{\sqrt{3}}\right)}{2\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Cot[6\*x],x]

[Out] -ArcTanh[Cos[x]]/6 - ArcTanh[2\*Cos[x]]/6 - ArcTanh[(2\*Cos[x])/Sqrt[3]]/(2\*Sqrt[3]) + Cos[x]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 2073

Int[(P\_)^(p\_)\*(Q\_)^(q\_), x\_Symbol] :> With[{PP = Factor[P /. x -> Sqrt[x]]}, Int[ExpandIntegrand[(PP /. x -> x^2)^p\*Q^q, x], x] /; !SumQ[NonfreeFactors[PP, x]] /; FreeQ[q, x] && PolyQ[P, x^2] && PolyQ[Q, x] && ILtQ[p, 0]

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned}
\int \cos(x) \cot(6x) dx &= -\text{Subst} \left( \int \frac{-1 + 18x^2 - 48x^4 + 32x^6}{2(3 - 19x^2 + 32x^4 - 16x^6)} dx, x, \cos(x) \right) \\
&= -\left( \frac{1}{2} \text{Subst} \left( \int \frac{-1 + 18x^2 - 48x^4 + 32x^6}{3 - 19x^2 + 32x^4 - 16x^6} dx, x, \cos(x) \right) \right) \\
&= -\left( \frac{1}{2} \text{Subst} \left( \int \left( -2 - \frac{1}{3(-1 + x^2)} - \frac{2}{-3 + 4x^2} - \frac{2}{3(-1 + 4x^2)} \right) dx, x, \cos(x) \right) \right) \\
&= \cos(x) + \frac{1}{6} \text{Subst} \left( \int \frac{1}{-1 + x^2} dx, x, \cos(x) \right) + \frac{1}{3} \text{Subst} \left( \int \frac{1}{-1 + 4x^2} dx, x, \cos(x) \right) + \text{Subst} \left( \int \frac{1}{-1 + 4x^2} dx, x, \cos(x) \right) \\
&= -\frac{1}{6} \tanh^{-1}(\cos(x)) - \frac{1}{6} \tanh^{-1}(2 \cos(x)) - \frac{\tanh^{-1}\left(\frac{2 \cos(x)}{\sqrt{3}}\right)}{2\sqrt{3}} + \cos(x)
\end{aligned}$$

**Mathematica [B]** time = 0.0860789, size = 87, normalized size = 2.29

$$\frac{1}{12} \left( 12 \cos(x) + 2 \log \left( \sin \left( \frac{x}{2} \right) \right) - 2 \log \left( \cos \left( \frac{x}{2} \right) \right) + \log(1 - 2 \cos(x)) - \log(2 \cos(x) + 1) + 2\sqrt{3} \tanh^{-1} \left( \frac{\tan \left( \frac{x}{2} \right) - 2}{\sqrt{3}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Cot[6\*x],x]

[Out] (2\*Sqrt[3]\*ArcTanh[(-2 + Tan[x/2])/Sqrt[3]] - 2\*Sqrt[3]\*ArcTanh[(2 + Tan[x/2])/Sqrt[3]] + 12\*Cos[x] - 2\*Log[Cos[x/2]] + Log[1 - 2\*Cos[x]] - Log[1 + 2\*Cos[x]] + 2\*Log[Sin[x/2]])/12

**Maple [A]** time = 0.2, size = 49, normalized size = 1.3

$$-\frac{\ln(1 + \cos(x))}{12} + \frac{\ln(-1 + \cos(x))}{12} - \frac{\ln(1 + 2 \cos(x))}{12} + \frac{\ln(2 \cos(x) - 1)}{12} - \frac{\sqrt{3}}{6} \text{Arctanh} \left( \frac{2 \cos(x) \sqrt{3}}{3} \right) + \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*cot(6\*x),x)

[Out] -1/12\*ln(1+cos(x))+1/12\*ln(-1+cos(x))-1/12\*ln(1+2\*cos(x))+1/12\*ln(2\*cos(x)-1)-1/6\*arctanh(2/3\*cos(x)\*3^(1/2))\*3^(1/2)+cos(x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\cos(x) + \int \frac{(\sin(3x) - \sin(x)) \cos(4x) - (\cos(3x) - \cos(x)) \sin(4x) - (\cos(2x) - 1) \sin(3x) + \cos(3x) \sin(2x) - \cos(x) \sin(2x)}{2(2(\cos(2x) - 1) \cos(4x) - \cos(4x)^2 - \cos(2x)^2 - \sin(4x)^2 + 2 \sin(4x) \sin(2x))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*cot(6\*x),x, algorithm="maxima")

[Out] cos(x) + integrate(1/2\*((sin(3\*x) - sin(x))\*cos(4\*x) - (cos(3\*x) - cos(x))\*sin(4\*x) - (cos(2\*x) - 1)\*sin(3\*x) + cos(3\*x)\*sin(2\*x) - cos(x)\*sin(2\*x) +

$\cos(2x)\sin(x) - \sin(x)) / (2(\cos(2x) - 1)\cos(4x) - \cos(4x)^2 - \cos(2x)^2 - \sin(4x)^2 + 2\sin(4x)\sin(2x) - \sin(2x)^2 + 2\cos(2x) - 1), x) -$   
 $1/24 \log(2(\cos(x) + 1)\cos(2x) + \cos(2x)^2 + \cos(x)^2 + \sin(2x)^2 + 2\sin(2x)\sin(x) + \sin(x)^2 + 2\cos(x) + 1) + 1/24 \log(-2(\cos(x) - 1)\cos(2x) + \cos(2x)^2 + \cos(x)^2 + \sin(2x)^2 - 2\sin(2x)\sin(x) + \sin(x)^2 - 2\cos(x) + 1) - 1/12 \log(\cos(x)^2 + \sin(x)^2 + 2\cos(x) + 1) + 1/12 \log(\cos(x)^2 + \sin(x)^2 - 2\cos(x) + 1)$

**Fricas [B]** time = 2.61589, size = 259, normalized size = 6.82

$$\frac{1}{12} \sqrt{3} \log\left(\frac{4 \cos(x)^2 - 4\sqrt{3} \cos(x) + 3}{4 \cos(x)^2 - 3}\right) + \cos(x) - \frac{1}{12} \log\left(\frac{1}{2} \cos(x) + \frac{1}{2}\right) + \frac{1}{12} \log\left(-\frac{1}{2} \cos(x) + \frac{1}{2}\right) + \frac{1}{12} \log(-2 \cos(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*cot(6\*x),x, algorithm="fricas")

[Out] 1/12\*sqrt(3)\*log((4\*cos(x)^2 - 4\*sqrt(3)\*cos(x) + 3)/(4\*cos(x)^2 - 3)) + cos(x) - 1/12\*log(1/2\*cos(x) + 1/2) + 1/12\*log(-1/2\*cos(x) + 1/2) + 1/12\*log(-2\*cos(x) + 1) - 1/12\*log(-2\*cos(x) - 1)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*cot(6\*x),x)

[Out] Timed out

**Giac [B]** time = 1.14683, size = 95, normalized size = 2.5

$$\frac{1}{12} \sqrt{3} \log\left(\frac{|-4\sqrt{3} + 8 \cos(x)|}{|4\sqrt{3} + 8 \cos(x)|}\right) + \cos(x) - \frac{1}{12} \log(\cos(x) + 1) + \frac{1}{12} \log(-\cos(x) + 1) - \frac{1}{12} \log(|2 \cos(x) + 1|) + \frac{1}{12} \log(|2 \cos(x) - 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*cot(6\*x),x, algorithm="giac")

[Out] 1/12\*sqrt(3)\*log(abs(-4\*sqrt(3) + 8\*cos(x))/abs(4\*sqrt(3) + 8\*cos(x))) + cos(x) - 1/12\*log(cos(x) + 1) + 1/12\*log(-cos(x) + 1) - 1/12\*log(abs(2\*cos(x) + 1)) + 1/12\*log(abs(2\*cos(x) - 1))

### 3.115 $\int \cos(x) \cot(nx) dx$

**Optimal.** Leaf size=92

$$e^{-ix} \text{Hypergeometric2F1}\left(1, -\frac{1}{2n}, 1 - \frac{1}{2n}, e^{2inx}\right) - e^{ix} \text{Hypergeometric2F1}\left(1, \frac{1}{2n}, \frac{1}{2}\left(\frac{1}{n} + 2\right), e^{2inx}\right) - \frac{e^{-ix}}{2} + \frac{e^{ix}}{2}$$

[Out]  $-1/(2 * E^{(I * x)}) + E^{(I * x)}/2 + \text{Hypergeometric2F1}[1, -1/(2 * n), 1 - 1/(2 * n), E^{((2 * I) * n * x)}] / E^{(I * x)} - E^{(I * x)} * \text{Hypergeometric2F1}[1, 1/(2 * n), (2 + n^{(-1)})/2, E^{((2 * I) * n * x)}]$

**Rubi [A]** time = 0.0908161, antiderivative size = 92, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {4558, 2194, 2251}

$$e^{-ix} {}_2F_1\left(1, -\frac{1}{2n}; 1 - \frac{1}{2n}; e^{2inx}\right) - e^{ix} {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); e^{2inx}\right) - \frac{e^{-ix}}{2} + \frac{e^{ix}}{2}$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Cot[n\*x], x]

[Out]  $-1/(2 * E^{(I * x)}) + E^{(I * x)}/2 + \text{Hypergeometric2F1}[1, -1/(2 * n), 1 - 1/(2 * n), E^{((2 * I) * n * x)}] / E^{(I * x)} - E^{(I * x)} * \text{Hypergeometric2F1}[1, 1/(2 * n), (2 + n^{(-1)})/2, E^{((2 * I) * n * x)}]$

#### Rule 4558

Int[Cos[(a\_.) + (b\_.)\*(x\_.)]\*Cot[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> Int[I/(E^(I\*(a + b\*x))^2) + (I\*E^(I\*(a + b\*x)))/2 - I/(E^(I\*(a + b\*x))\*(1 - E^(2\*I\*(c + d\*x)))) - (I\*E^(I\*(a + b\*x)))/(1 - E^(2\*I\*(c + d\*x))), x] /; FreeQ[{a, b, c, d}, x] && NeQ[b^2 - d^2, 0]

#### Rule 2194

Int[((F\_)^((c\_.)\*(a\_.) + (b\_.)\*(x\_)))^(n\_.), x\_Symbol] :> Simp[(F^(c\*(a + b\*x)))^n/(b\*c\*n\*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]

#### Rule 2251

Int[((a\_) + (b\_.)\*(F\_)^(e\_.\*((c\_.) + (d\_.)\*(x\_))))^(p\_)\*(G\_)^(h\_.\*(f\_.) + (g\_.)\*(x\_)), x\_Symbol] :> Simp[(a^p \* G^(h\*(f + g\*x)) \* Hypergeometric2F1[-p, (g\*h\*Log[G])/(d\*e\*Log[F]), (g\*h\*Log[G])/(d\*e\*Log[F]) + 1, Simplify[-((b \* F^(e\*(c + d\*x)))/a])]) / (g\*h\*Log[G]), x] /; FreeQ[{F, G, a, b, c, d, e, f, g, h, p}, x] && (ILtQ[p, 0] || GtQ[a, 0])

#### Rubi steps

$$\begin{aligned} \int \cos(x) \cot(nx) dx &= \int \left( \frac{1}{2} i e^{-ix} + \frac{1}{2} i e^{ix} - \frac{i e^{-ix}}{1 - e^{2inx}} - \frac{i e^{ix}}{1 - e^{2inx}} \right) dx \\ &= \frac{1}{2} i \int e^{-ix} dx + \frac{1}{2} i \int e^{ix} dx - i \int \frac{e^{-ix}}{1 - e^{2inx}} dx - i \int \frac{e^{ix}}{1 - e^{2inx}} dx \\ &= -\frac{1}{2} e^{-ix} + \frac{e^{ix}}{2} + e^{-ix} {}_2F_1\left(1, -\frac{1}{2n}; 1 - \frac{1}{2n}; e^{2inx}\right) - e^{ix} {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); e^{2inx}\right) \end{aligned}$$

**Mathematica [A]** time = 0.190771, size = 179, normalized size = 1.95

$$\frac{1}{2}e^{-2ix} \left( -\frac{e^{i(2nx+x)} \text{Hypergeometric2F1}\left(1, 1 - \frac{1}{2n}, 2 - \frac{1}{2n}, e^{2inx}\right)}{2n-1} - \frac{e^{i(2n+3)x} \text{Hypergeometric2F1}\left(1, \frac{1}{2n} + 1, \frac{1}{2n} + 2, e^{2inx}\right)}{2n+1} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Cot[n\*x], x]

[Out]  $-\left(\frac{E^{I(x+2nx)} \text{Hypergeometric2F1}\left[1, 1 - \frac{1}{2n}, 2 - \frac{1}{2n}, E^{(2I)n*x}\right]}{-1 + 2n}\right) - \left(\frac{E^{I(3+2n)x} \text{Hypergeometric2F1}\left[1, 1 + \frac{1}{2n}, 2 + \frac{1}{2n}, E^{(2I)n*x}\right]}{1 + 2n}\right) + E^{Ix} \text{Hypergeometric2F1}\left[1, -\frac{1}{2n}, 1 - \frac{1}{2n}, E^{(2I)n*x}\right] - E^{(3I)x} \text{Hypergeometric2F1}\left[1, \frac{1}{2n}, 1 + \frac{1}{2n}, E^{(2I)n*x}\right]\right) / (2E^{(2I)x})$

**Maple [F]** time = 0.223, size = 0, normalized size = 0.

$$\int \cos(x) \cot(nx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*cot(n\*x), x)

[Out] int(cos(x)\*cot(n\*x), x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \cos(x) \cot(nx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*cot(n\*x), x, algorithm="maxima")

[Out] integrate(cos(x)\*cot(n\*x), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}(\cos(x) \cot(nx), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*cot(n\*x), x, algorithm="fricas")

[Out] integral(cos(x)\*cot(n\*x), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \cos(x) \cot(nx) dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)*cot(n*x),x)
```

```
[Out] Integral(cos(x)*cot(n*x), x)
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \cos(x) \cot(nx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)*cot(n*x),x, algorithm="giac")
```

```
[Out] integrate(cos(x)*cot(n*x), x)
```

### 3.116 $\int \cos(x) \sec(2x) dx$

**Optimal.** Leaf size=15

$$\frac{\tanh^{-1}(\sqrt{2} \sin(x))}{\sqrt{2}}$$

[Out] ArcTanh[Sqrt[2]\*Sin[x]]/Sqrt[2]

**Rubi [A]** time = 0.0147158, antiderivative size = 15, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {4356, 206}

$$\frac{\tanh^{-1}(\sqrt{2} \sin(x))}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Sec[2\*x], x]

[Out] ArcTanh[Sqrt[2]\*Sin[x]]/Sqrt[2]

#### Rule 4356

```
Int[(u_)*(F_)[(c_.)*((a_.) + (b_.)*(x_))], x_Symbol] := With[{d = FreeFactors[Sin[c*(a + b*x)], x]}, Dist[d/(b*c), Subst[Int[SubstFor[1, Sin[c*(a + b*x)]]/d, u, x], x], x, Sin[c*(a + b*x)]/d, x] /; FunctionOfQ[Sin[c*(a + b*x)]/d, u, x] /; FreeQ[{a, b, c}, x] && (EqQ[F, Cos] || EqQ[F, cos])
```

#### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

#### Rubi steps

$$\begin{aligned} \int \cos(x) \sec(2x) dx &= \text{Subst} \left( \int \frac{1}{1-2x^2} dx, x, \sin(x) \right) \\ &= \frac{\tanh^{-1}(\sqrt{2} \sin(x))}{\sqrt{2}} \end{aligned}$$

**Mathematica [A]** time = 0.007397, size = 15, normalized size = 1.

$$\frac{\tanh^{-1}(\sqrt{2} \sin(x))}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Sec[2\*x], x]

[Out] ArcTanh[Sqrt[2]\*Sin[x]]/Sqrt[2]

**Maple [A]** time = 0.029, size = 13, normalized size = 0.9

$$\frac{\operatorname{Artanh}\left(\sin(x)\sqrt{2}\right)\sqrt{2}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*sec(2\*x),x)

[Out] 1/2\*arctanh(sin(x)\*2^(1/2))\*2^(1/2)

**Maxima [B]** time = 1.55053, size = 185, normalized size = 12.33

$$\frac{1}{8}\sqrt{2}\log\left(2\cos(x)^2+2\sin(x)^2+2\sqrt{2}\cos(x)+2\sqrt{2}\sin(x)+2\right)-\frac{1}{8}\sqrt{2}\log\left(2\cos(x)^2+2\sin(x)^2+2\sqrt{2}\cos(x)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sec(2\*x),x, algorithm="maxima")

[Out] 1/8\*sqrt(2)\*log(2\*cos(x)^2 + 2\*sin(x)^2 + 2\*sqrt(2)\*cos(x) + 2\*sqrt(2)\*sin(x) + 2) - 1/8\*sqrt(2)\*log(2\*cos(x)^2 + 2\*sin(x)^2 + 2\*sqrt(2)\*cos(x) - 2\*sqrt(2)\*sin(x) + 2) + 1/8\*sqrt(2)\*log(2\*cos(x)^2 + 2\*sin(x)^2 - 2\*sqrt(2)\*cos(x) + 2\*sqrt(2)\*sin(x) + 2) - 1/8\*sqrt(2)\*log(2\*cos(x)^2 + 2\*sin(x)^2 - 2\*sqrt(2)\*cos(x) - 2\*sqrt(2)\*sin(x) + 2)

**Fricas [B]** time = 2.2895, size = 97, normalized size = 6.47

$$\frac{1}{4}\sqrt{2}\log\left(-\frac{2\cos(x)^2-2\sqrt{2}\sin(x)-3}{2\cos(x)^2-1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sec(2\*x),x, algorithm="fricas")

[Out] 1/4\*sqrt(2)\*log(-(2\*cos(x)^2 - 2\*sqrt(2)\*sin(x) - 3)/(2\*cos(x)^2 - 1))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \cos(x)\sec(2x)dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sec(2\*x),x)

[Out] Integral(cos(x)\*sec(2\*x), x)

---

**Giac [B]** time = 1.13511, size = 42, normalized size = 2.8

$$\frac{1}{4}\sqrt{2}\log\left(\left|\frac{1}{2}\sqrt{2} + \sin(x)\right|\right) - \frac{1}{4}\sqrt{2}\log\left(\left|-\frac{1}{2}\sqrt{2} + \sin(x)\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sec(2\*x),x, algorithm="giac")

[Out] 1/4\*sqrt(2)\*log(abs(1/2\*sqrt(2) + sin(x))) - 1/4\*sqrt(2)\*log(abs(-1/2\*sqrt(2) + sin(x)))

### 3.117 $\int \cos(x) \sec(3x) dx$

**Optimal.** Leaf size=44

$$\frac{\log(\sqrt{3} \sin(x) + \cos(x))}{2\sqrt{3}} - \frac{\log(\cos(x) - \sqrt{3} \sin(x))}{2\sqrt{3}}$$

[Out] `-Log[Cos[x] - Sqrt[3]*Sin[x]]/(2*Sqrt[3]) + Log[Cos[x] + Sqrt[3]*Sin[x]]/(2*Sqrt[3])`

**Rubi [A]** time = 0.0362144, antiderivative size = 44, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {206}

$$\frac{\log(\sqrt{3} \sin(x) + \cos(x))}{2\sqrt{3}} - \frac{\log(\cos(x) - \sqrt{3} \sin(x))}{2\sqrt{3}}$$

Antiderivative was successfully verified.

[In] `Int[Cos[x]*Sec[3*x],x]`

[Out] `-Log[Cos[x] - Sqrt[3]*Sin[x]]/(2*Sqrt[3]) + Log[Cos[x] + Sqrt[3]*Sin[x]]/(2*Sqrt[3])`

#### Rule 206

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

#### Rubi steps

$$\begin{aligned} \int \cos(x) \sec(3x) dx &= \text{Subst} \left( \int \frac{1}{1-3x^2} dx, x, \tan(x) \right) \\ &= -\frac{\log(\cos(x) - \sqrt{3} \sin(x))}{2\sqrt{3}} + \frac{\log(\cos(x) + \sqrt{3} \sin(x))}{2\sqrt{3}} \end{aligned}$$

**Mathematica [A]** time = 0.0165691, size = 15, normalized size = 0.34

$$\frac{\tanh^{-1}(\sqrt{3} \tan(x))}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] `Integrate[Cos[x]*Sec[3*x],x]`

[Out] `ArcTanh[Sqrt[3]*Tan[x]]/Sqrt[3]`

**Maple [A]** time = 0.054, size = 13, normalized size = 0.3

$$\frac{\sqrt{3}\operatorname{Artanh}\left(\tan(x)\sqrt{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(x)*sec(3*x),x)`

[Out] `1/3*3^(1/2)*arctanh(tan(x)*3^(1/2))`

**Maxima [B]** time = 1.54449, size = 103, normalized size = 2.34

$$\frac{1}{12}\sqrt{3}\left(\log\left(\frac{4}{3}\cos(2x)^2 + \frac{4}{3}\sin(2x)^2 + \frac{4}{3}\sqrt{3}\sin(2x) - \frac{4}{3}\cos(2x) + \frac{4}{3}\right) - \log\left(\frac{4}{3}\cos(2x)^2 + \frac{4}{3}\sin(2x)^2 - \frac{4}{3}\sqrt{3}\sin(2x) - \frac{4}{3}\cos(2x) + \frac{4}{3}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*sec(3*x),x, algorithm="maxima")`

[Out] `1/12*sqrt(3)*(log(4/3*cos(2*x)^2 + 4/3*sin(2*x)^2 + 4/3*sqrt(3)*sin(2*x) - 4/3*cos(2*x) + 4/3) - log(4/3*cos(2*x)^2 + 4/3*sin(2*x)^2 - 4/3*sqrt(3)*sin(2*x) - 4/3*cos(2*x) + 4/3))`

**Fricas [A]** time = 2.48839, size = 162, normalized size = 3.68

$$\frac{1}{12}\sqrt{3}\log\left(-\frac{8\cos(x)^4 + 4(2\sqrt{3}\cos(x)^3 - 3\sqrt{3}\cos(x))\sin(x) - 9}{16\cos(x)^4 - 24\cos(x)^2 + 9}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*sec(3*x),x, algorithm="fricas")`

[Out] `1/12*sqrt(3)*log(-(8*cos(x)^4 + 4*(2*sqrt(3)*cos(x)^3 - 3*sqrt(3)*cos(x))*sin(x) - 9)/(16*cos(x)^4 - 24*cos(x)^2 + 9))`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \cos(x) \sec(3x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*sec(3*x),x)`

[Out] `Integral(cos(x)*sec(3*x), x)`

**Giac [A]** time = 1.15658, size = 42, normalized size = 0.95

$$-\frac{1}{6}\sqrt{3}\log\left(\frac{|-2\sqrt{3}+6\tan(x)|}{|2\sqrt{3}+6\tan(x)|}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)*sec(3*x),x, algorithm="giac")
```

```
[Out] -1/6*sqrt(3)*log(abs(-2*sqrt(3) + 6*tan(x))/abs(2*sqrt(3) + 6*tan(x)))
```

### 3.118 $\int \cos(x) \sec(4x) dx$

**Optimal.** Leaf size=71

$$\frac{\tanh^{-1}\left(\frac{2\sin(x)}{\sqrt{2-\sqrt{2}}}\right)}{2\sqrt{2}(2-\sqrt{2})} - \frac{\tanh^{-1}\left(\frac{2\sin(x)}{\sqrt{2+\sqrt{2}}}\right)}{2\sqrt{2}(2+\sqrt{2})}$$

[Out] ArcTanh[(2\*Sin[x])/Sqrt[2 - Sqrt[2]]]/(2\*Sqrt[2\*(2 - Sqrt[2])]) - ArcTanh[(2\*Sin[x])/Sqrt[2 + Sqrt[2]]]/(2\*Sqrt[2\*(2 + Sqrt[2])])

**Rubi [A]** time = 0.0457058, antiderivative size = 71, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {4356, 1093, 207}

$$\frac{\tanh^{-1}\left(\frac{2\sin(x)}{\sqrt{2-\sqrt{2}}}\right)}{2\sqrt{2}(2-\sqrt{2})} - \frac{\tanh^{-1}\left(\frac{2\sin(x)}{\sqrt{2+\sqrt{2}}}\right)}{2\sqrt{2}(2+\sqrt{2})}$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Sec[4\*x],x]

[Out] ArcTanh[(2\*Sin[x])/Sqrt[2 - Sqrt[2]]]/(2\*Sqrt[2\*(2 - Sqrt[2])]) - ArcTanh[(2\*Sin[x])/Sqrt[2 + Sqrt[2]]]/(2\*Sqrt[2\*(2 + Sqrt[2])])

#### Rule 4356

Int[(u\_)\*(F\_)[(c\_.)\*((a\_.) + (b\_.)\*(x\_))], x\_Symbol] :> With[{d = FreeFactors[Sin[c\*(a + b\*x)], x]}, Dist[d/(b\*c), Subst[Int[SubstFor[1, Sin[c\*(a + b\*x)]]/d, u, x], x], x, Sin[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Sin[c\*(a + b\*x)]/d, u, x] /; FreeQ[{a, b, c}, x] && (EqQ[F, Cos] || EqQ[F, cos])

#### Rule 1093

Int[((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(-1), x\_Symbol] :> With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[c/q, Int[1/(b/2 - q/2 + c\*x^2), x], x] - Dist[c/q, Int[1/(b/2 + q/2 + c\*x^2), x], x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0] && PosQ[b^2 - 4\*a\*c]

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rubi steps



$$\begin{aligned}
\int \cos(x) \sec(4x) dx &= \text{Subst} \left( \int \frac{1}{1 - 8x^2 + 8x^4} dx, x, \sin(x) \right) \\
&= \sqrt{2} \text{Subst} \left( \int \frac{1}{-4 - 2\sqrt{2} + 8x^2} dx, x, \sin(x) \right) - \sqrt{2} \text{Subst} \left( \int \frac{1}{-4 + 2\sqrt{2} + 8x^2} dx, x, \sin(x) \right) \\
&= \frac{\tanh^{-1} \left( \frac{2 \sin(x)}{\sqrt{2} - \sqrt{2}} \right)}{2\sqrt{2}(2 - \sqrt{2})} - \frac{\tanh^{-1} \left( \frac{2 \sin(x)}{\sqrt{2} + \sqrt{2}} \right)}{2\sqrt{2}(2 + \sqrt{2})}
\end{aligned}$$

**Mathematica [A]** time = 0.106529, size = 67, normalized size = 0.94

$$\frac{1}{4} \sqrt{2 + \sqrt{2}} \tanh^{-1} \left( \frac{2 \sin(x)}{\sqrt{2} - \sqrt{2}} \right) - \frac{\tanh^{-1} \left( \frac{2 \sin(x)}{\sqrt{2} + \sqrt{2}} \right)}{2\sqrt{2}(2 + \sqrt{2})}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Sec[4\*x],x]

[Out] (Sqrt[2 + Sqrt[2]]\*ArcTanh[(2\*Sin[x])/Sqrt[2 - Sqrt[2]]])/4 - ArcTanh[(2\*Sin[x])/Sqrt[2 + Sqrt[2]]]/(2\*Sqrt[2\*(2 + Sqrt[2])])

**Maple [A]** time = 0.083, size = 54, normalized size = 0.8

$$\frac{\sqrt{2}}{4\sqrt{2 - \sqrt{2}}} \text{Artanh} \left( 2 \frac{\sin(x)}{\sqrt{2} - \sqrt{2}} \right) - \frac{\sqrt{2}}{4\sqrt{2 + \sqrt{2}}} \text{Artanh} \left( 2 \frac{\sin(x)}{\sqrt{2} + \sqrt{2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*sec(4\*x),x)

[Out] 1/4\*2^(1/2)/(2-2^(1/2))^(1/2)\*arctanh(2\*sin(x)/(2-2^(1/2))^(1/2))-1/4\*2^(1/2)/(2+2^(1/2))^(1/2)\*arctanh(2\*sin(x)/(2+2^(1/2))^(1/2))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \cos(x) \sec(4x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sec(4\*x),x, algorithm="maxima")

[Out] integrate(cos(x)\*sec(4\*x), x)

**Fricas [B]** time = 2.60697, size = 393, normalized size = 5.54

$$\frac{1}{8} \sqrt{\sqrt{2} + 2} \log\left(\sqrt{\sqrt{2} + 2}(\sqrt{2} - 1) + 2 \sin(x)\right) - \frac{1}{8} \sqrt{\sqrt{2} + 2} \log\left(\sqrt{\sqrt{2} + 2}(\sqrt{2} - 1) - 2 \sin(x)\right) - \frac{1}{8} \sqrt{-\sqrt{2} + 2} \log\left(\sqrt{-\sqrt{2} + 2}(\sqrt{2} + 1) + 2 \sin(x)\right) + \frac{1}{8} \sqrt{-\sqrt{2} + 2} \log\left(\sqrt{-\sqrt{2} + 2}(\sqrt{2} + 1) - 2 \sin(x)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sec(4\*x),x, algorithm="fricas")

[Out] 1/8\*sqrt(sqrt(2) + 2)\*log(sqrt(sqrt(2) + 2)\*(sqrt(2) - 1) + 2\*sin(x)) - 1/8\*sqrt(sqrt(2) + 2)\*log(sqrt(sqrt(2) + 2)\*(sqrt(2) - 1) - 2\*sin(x)) - 1/8\*sqrt(-sqrt(2) + 2)\*log((sqrt(2) + 1)\*sqrt(-sqrt(2) + 2) + 2\*sin(x)) + 1/8\*sqrt(-sqrt(2) + 2)\*log((sqrt(2) + 1)\*sqrt(-sqrt(2) + 2) - 2\*sin(x))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \cos(x) \sec(4x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sec(4\*x),x)

[Out] Integral(cos(x)\*sec(4\*x), x)

**Giac [B]** time = 1.30961, size = 134, normalized size = 1.89

$$-\frac{1}{8} \sqrt{-\sqrt{2} + 2} \log\left(\left|\frac{1}{2} \sqrt{\sqrt{2} + 2} + \sin(x)\right|\right) + \frac{1}{8} \sqrt{-\sqrt{2} + 2} \log\left(\left|-\frac{1}{2} \sqrt{\sqrt{2} + 2} + \sin(x)\right|\right) + \frac{1}{8} \sqrt{\sqrt{2} + 2} \log\left(\left|\sqrt{-\frac{1}{4} \sqrt{2} + 2} + \sin(x)\right|\right) - \frac{1}{8} \sqrt{\sqrt{2} + 2} \log\left(\left|-\sqrt{-\frac{1}{4} \sqrt{2} + 2} + \sin(x)\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sec(4\*x),x, algorithm="giac")

[Out] -1/8\*sqrt(-sqrt(2) + 2)\*log(abs(1/2\*sqrt(sqrt(2) + 2) + sin(x))) + 1/8\*sqrt(-sqrt(2) + 2)\*log(abs(-1/2\*sqrt(sqrt(2) + 2) + sin(x))) + 1/8\*sqrt(sqrt(2) + 2)\*log(abs(sqrt(-1/4\*sqrt(2) + 1/2) + sin(x))) - 1/8\*sqrt(sqrt(2) + 2)\*log(abs(-sqrt(-1/4\*sqrt(2) + 1/2) + sin(x)))

### 3.119 $\int \cos(x) \sec(5x) dx$

**Optimal.** Leaf size=163

$$\frac{1}{10} \sqrt{\frac{1}{2}(5-\sqrt{5})} \log\left(\cos(x) - \sqrt{5-2\sqrt{5}} \sin(x)\right) - \frac{1}{10} \sqrt{\frac{1}{2}(5-\sqrt{5})} \log\left(\sqrt{5-2\sqrt{5}} \sin(x) + \cos(x)\right) - \frac{1}{10} \sqrt{\frac{1}{2}(5+\sqrt{5})} \log\left(\cos(x) + \sqrt{5-2\sqrt{5}} \sin(x)\right) + \frac{1}{10} \sqrt{\frac{1}{2}(5+\sqrt{5})} \log\left(\sqrt{5-2\sqrt{5}} \sin(x) - \cos(x)\right)$$

```
[Out] (Sqrt[(5 - Sqrt[5])/2]*Log[Cos[x] - Sqrt[5 - 2*Sqrt[5]]*Sin[x]])/10 - (Sqrt
[(5 - Sqrt[5])/2]*Log[Cos[x] + Sqrt[5 - 2*Sqrt[5]]*Sin[x]])/10 - (Sqrt[(5 +
Sqrt[5])/2]*Log[Cos[x] - Sqrt[5 + 2*Sqrt[5]]*Sin[x]])/10 + (Sqrt[(5 + Sqrt
[5])/2]*Log[Cos[x] + Sqrt[5 + 2*Sqrt[5]]*Sin[x]])/10
```

**Rubi [A]** time = 0.129449, antiderivative size = 163, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 2, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {1166, 207}

$$\frac{1}{10} \sqrt{\frac{1}{2}(5-\sqrt{5})} \log\left(\cos(x) - \sqrt{5-2\sqrt{5}} \sin(x)\right) - \frac{1}{10} \sqrt{\frac{1}{2}(5-\sqrt{5})} \log\left(\sqrt{5-2\sqrt{5}} \sin(x) + \cos(x)\right) - \frac{1}{10} \sqrt{\frac{1}{2}(5+\sqrt{5})} \log\left(\cos(x) + \sqrt{5-2\sqrt{5}} \sin(x)\right) + \frac{1}{10} \sqrt{\frac{1}{2}(5+\sqrt{5})} \log\left(\sqrt{5-2\sqrt{5}} \sin(x) - \cos(x)\right)$$

Antiderivative was successfully verified.

```
[In] Int[Cos[x]*Sec[5*x], x]
```

```
[Out] (Sqrt[(5 - Sqrt[5])/2]*Log[Cos[x] - Sqrt[5 - 2*Sqrt[5]]*Sin[x]])/10 - (Sqrt
[(5 - Sqrt[5])/2]*Log[Cos[x] + Sqrt[5 - 2*Sqrt[5]]*Sin[x]])/10 - (Sqrt[(5 +
Sqrt[5])/2]*Log[Cos[x] - Sqrt[5 + 2*Sqrt[5]]*Sin[x]])/10 + (Sqrt[(5 + Sqrt
[5])/2]*Log[Cos[x] + Sqrt[5 + 2*Sqrt[5]]*Sin[x]])/10
```

#### Rule 1166

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

#### Rule 207

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a
, 0] || GtQ[b, 0])
```

#### Rubi steps

$$\begin{aligned} \int \cos(x) \sec(5x) dx &= \text{Subst} \left( \int \frac{1+x^2}{1-10x^2+5x^4} dx, x, \tan(x) \right) \\ &= \frac{1}{2} (1-\sqrt{5}) \text{Subst} \left( \int \frac{1}{-5+2\sqrt{5}+5x^2} dx, x, \tan(x) \right) + \frac{1}{2} (1+\sqrt{5}) \text{Subst} \left( \int \frac{1}{-5-2\sqrt{5}+5x^2} dx, x, \tan(x) \right) \\ &= \frac{1}{10} \sqrt{\frac{1}{2}(5-\sqrt{5})} \log\left(\cos(x) - \sqrt{5-2\sqrt{5}} \sin(x)\right) - \frac{1}{10} \sqrt{\frac{1}{2}(5-\sqrt{5})} \log\left(\sqrt{5-2\sqrt{5}} \sin(x) + \cos(x)\right) \\ &\quad - \frac{1}{10} \sqrt{\frac{1}{2}(5+\sqrt{5})} \log\left(\cos(x) + \sqrt{5-2\sqrt{5}} \sin(x)\right) + \frac{1}{10} \sqrt{\frac{1}{2}(5+\sqrt{5})} \log\left(\sqrt{5-2\sqrt{5}} \sin(x) - \cos(x)\right) \end{aligned}$$

**Mathematica [A]** time = 0.103674, size = 84, normalized size = 0.52

$$\frac{\sqrt{5 + \sqrt{5}} \tanh^{-1}\left(\frac{(5 + \sqrt{5}) \tan(x)}{\sqrt{10 - 2\sqrt{5}}}\right) + \sqrt{5 - \sqrt{5}} \tanh^{-1}\left(\frac{(\sqrt{5} - 5) \tan(x)}{\sqrt{2(5 + \sqrt{5})}}\right)}{5\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Sec[5\*x],x]

[Out] (Sqrt[5 + Sqrt[5]]\*ArcTanh[((5 + Sqrt[5])\*Tan[x])/Sqrt[10 - 2\*Sqrt[5]]] + Sqrt[5 - Sqrt[5]]\*ArcTanh[((-5 + Sqrt[5])\*Tan[x])/Sqrt[2\*(5 + Sqrt[5])]])/(5\*Sqrt[2])

**Maple [A]** time = 0.1, size = 68, normalized size = 0.4

$$-\frac{(5 + \sqrt{5})\sqrt{5}}{10\sqrt{25 + 10\sqrt{5}}}\operatorname{Arctanh}\left(5\frac{\tan(x)}{\sqrt{25 + 10\sqrt{5}}}\right) - \frac{(\sqrt{5} - 5)\sqrt{5}}{10\sqrt{25 - 10\sqrt{5}}}\operatorname{Arctanh}\left(5\frac{\tan(x)}{\sqrt{25 - 10\sqrt{5}}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*sec(5\*x),x)

[Out] -1/10\*(5+5^(1/2))\*5^(1/2)/(25+10\*5^(1/2))^(1/2)\*arctanh(5\*tan(x)/(25+10\*5^(1/2))^(1/2))-1/10\*(5^(1/2)-5)\*5^(1/2)/(25-10\*5^(1/2))^(1/2)\*arctanh(5\*tan(x)/(25-10\*5^(1/2))^(1/2))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \cos(x) \sec(5x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sec(5\*x),x, algorithm="maxima")

[Out] integrate(cos(x)\*sec(5\*x), x)

**Fricas [B]** time = 2.80953, size = 759, normalized size = 4.66

$$-\frac{1}{40}\sqrt{2}\sqrt{\sqrt{5}+5}\log\left(\left(\sqrt{5}\sqrt{2}-\sqrt{2}\right)\sqrt{\sqrt{5}+5}\cos(x)\sin(x)+2\left(\sqrt{5}+1\right)\cos(x)^2-\sqrt{5}-5\right)+\frac{1}{40}\sqrt{2}\sqrt{\sqrt{5}+5}\log\left(-\left(\sqrt{5}\sqrt{2}-\sqrt{2}\right)\sqrt{\sqrt{5}+5}\cos(x)\sin(x)+2\left(\sqrt{5}+1\right)\cos(x)^2-\sqrt{5}-5\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sec(5\*x),x, algorithm="fricas")

[Out] -1/40\*sqrt(2)\*sqrt(sqrt(5) + 5)\*log((sqrt(5)\*sqrt(2) - sqrt(2))\*sqrt(sqrt(5) + 5)\*cos(x)\*sin(x) + 2\*(sqrt(5) + 1)\*cos(x)^2 - sqrt(5) - 5) + 1/40\*sqrt(2)\*sqrt(sqrt(5) + 5)\*log(-(sqrt(5)\*sqrt(2) - sqrt(2))\*sqrt(sqrt(5) + 5)\*cos(x)\*sin(x) + 2\*(sqrt(5) + 1)\*cos(x)^2 - sqrt(5) - 5)

(x)\*sin(x) + 2\*(sqrt(5) + 1)\*cos(x)^2 - sqrt(5) - 5) - 1/40\*sqrt(2)\*sqrt(-sqrt(5) + 5)\*log((sqrt(5)\*sqrt(2) + sqrt(2))\*sqrt(-sqrt(5) + 5)\*cos(x)\*sin(x) + 2\*(sqrt(5) - 1)\*cos(x)^2 - sqrt(5) + 5) + 1/40\*sqrt(2)\*sqrt(-sqrt(5) + 5)\*log(-(sqrt(5)\*sqrt(2) + sqrt(2))\*sqrt(-sqrt(5) + 5)\*cos(x)\*sin(x) + 2\*(sqrt(5) - 1)\*cos(x)^2 - sqrt(5) + 5)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \cos(x) \sec(5x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sec(5\*x),x)

[Out] Integral(cos(x)\*sec(5\*x), x)

**Giac [A]** time = 1.35687, size = 142, normalized size = 0.87

$$-\frac{1}{20} \sqrt{-2\sqrt{5} + 10} \log\left(\left|\sqrt{\frac{2}{5}}\sqrt{5} + 1 + \tan(x)\right|\right) + \frac{1}{20} \sqrt{-2\sqrt{5} + 10} \log\left(\left|-\sqrt{\frac{2}{5}}\sqrt{5} + 1 + \tan(x)\right|\right) + \frac{1}{20} \sqrt{2\sqrt{5} + 10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sec(5\*x),x, algorithm="giac")

[Out] -1/20\*sqrt(-2\*sqrt(5) + 10)\*log(abs(sqrt(2/5)\*sqrt(5) + 1) + tan(x))) + 1/20\*sqrt(-2\*sqrt(5) + 10)\*log(abs(-sqrt(2/5)\*sqrt(5) + 1) + tan(x))) + 1/20\*sqrt(2\*sqrt(5) + 10)\*log(abs(sqrt(-2/5)\*sqrt(5) + 1) + tan(x))) - 1/20\*sqrt(2\*sqrt(5) + 10)\*log(abs(-sqrt(-2/5)\*sqrt(5) + 1) + tan(x)))

### 3.120 $\int \cos(x) \sec(6x) dx$

**Optimal.** Leaf size=85

$$-\frac{\tanh^{-1}(\sqrt{2}\sin(x))}{3\sqrt{2}} + \frac{\tanh^{-1}\left(\frac{2\sin(x)}{\sqrt{2-\sqrt{3}}}\right)}{6\sqrt{2-\sqrt{3}}} + \frac{\tanh^{-1}\left(\frac{2\sin(x)}{\sqrt{2+\sqrt{3}}}\right)}{6\sqrt{2+\sqrt{3}}}$$

[Out] -ArcTanh[Sqrt[2]\*Sin[x]]/(3\*Sqrt[2]) + ArcTanh[(2\*Sin[x])/Sqrt[2 - Sqrt[3]]]/(6\*Sqrt[2 - Sqrt[3]]) + ArcTanh[(2\*Sin[x])/Sqrt[2 + Sqrt[3]]]/(6\*Sqrt[2 + Sqrt[3]])

**Rubi [A]** time = 0.0606861, antiderivative size = 85, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$ , Rules used = {4356, 2057, 207, 1166}

$$-\frac{\tanh^{-1}(\sqrt{2}\sin(x))}{3\sqrt{2}} + \frac{\tanh^{-1}\left(\frac{2\sin(x)}{\sqrt{2-\sqrt{3}}}\right)}{6\sqrt{2-\sqrt{3}}} + \frac{\tanh^{-1}\left(\frac{2\sin(x)}{\sqrt{2+\sqrt{3}}}\right)}{6\sqrt{2+\sqrt{3}}}$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Sec[6\*x],x]

[Out] -ArcTanh[Sqrt[2]\*Sin[x]]/(3\*Sqrt[2]) + ArcTanh[(2\*Sin[x])/Sqrt[2 - Sqrt[3]]]/(6\*Sqrt[2 - Sqrt[3]]) + ArcTanh[(2\*Sin[x])/Sqrt[2 + Sqrt[3]]]/(6\*Sqrt[2 + Sqrt[3]])

#### Rule 4356

Int[(u\_)\*(F\_)[(c\_.)\*((a\_.) + (b\_.)\*(x\_))], x\_Symbol] := With[{d = FreeFactors[Sin[c\*(a + b\*x)], x]}, Dist[d/(b\*c), Subst[Int[SubstFor[1, Sin[c\*(a + b\*x)]]/d, u, x], x], x, Sin[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Sin[c\*(a + b\*x)]/d, u, x] /; FreeQ[{a, b, c}, x] && (EqQ[F, Cos] || EqQ[F, cos])

#### Rule 2057

Int[(P\_)^(p\_), x\_Symbol] := With[{u = Factor[P /. x -> Sqrt[x]]}, Int[ExpandIntegrand[(u /. x -> x^2)^p, x], x] /; !SumQ[NonfreeFactors[u, x]] /; PolyQ[P, x^2] && ILtQ[p, 0]

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rule 1166

Int[((d\_) + (e\_.)\*(x\_)^2)/((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4), x\_Symbol] := With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[e/2 + (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 - q/2 + c\*x^2), x], x] + Dist[e/2 - (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 + q/2 + c\*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - a\*e^2, 0] && PosQ[b^2 - 4\*a\*c]

Rubi steps

$$\begin{aligned}
\int \cos(x) \sec(6x) dx &= \text{Subst} \left( \int \frac{1}{1 - 18x^2 + 48x^4 - 32x^6} dx, x, \sin(x) \right) \\
&= \text{Subst} \left( \int \left( \frac{1}{3(-1 + 2x^2)} - \frac{4(-1 + 2x^2)}{3(1 - 16x^2 + 16x^4)} \right) dx, x, \sin(x) \right) \\
&= \frac{1}{3} \text{Subst} \left( \int \frac{1}{-1 + 2x^2} dx, x, \sin(x) \right) - \frac{4}{3} \text{Subst} \left( \int \frac{-1 + 2x^2}{1 - 16x^2 + 16x^4} dx, x, \sin(x) \right) \\
&= -\frac{\tanh^{-1}(\sqrt{2} \sin(x))}{3\sqrt{2}} - \frac{4}{3} \text{Subst} \left( \int \frac{1}{-8 - 4\sqrt{3} + 16x^2} dx, x, \sin(x) \right) - \frac{4}{3} \text{Subst} \left( \int \frac{1}{-8 + 4\sqrt{3}} dx, x, \sin(x) \right) \\
&= -\frac{\tanh^{-1}(\sqrt{2} \sin(x))}{3\sqrt{2}} + \frac{\tanh^{-1}\left(\frac{2 \sin(x)}{\sqrt{2-\sqrt{3}}}\right)}{6\sqrt{2-\sqrt{3}}} + \frac{\tanh^{-1}\left(\frac{2 \sin(x)}{\sqrt{2+\sqrt{3}}}\right)}{6\sqrt{2+\sqrt{3}}}
\end{aligned}$$

**Mathematica [A]** time = 0.0870621, size = 81, normalized size = 0.95

$$\frac{1}{6} \left( -\sqrt{2} \tanh^{-1}(\sqrt{2} \sin(x)) + \sqrt{2 + \sqrt{3}} \tanh^{-1}\left(\frac{2 \sin(x)}{\sqrt{2 - \sqrt{3}}}\right) + \sqrt{2 - \sqrt{3}} \tanh^{-1}\left(\frac{2 \sin(x)}{\sqrt{2 + \sqrt{3}}}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Sec[6\*x],x]

[Out]  $(-\text{Sqrt}[2] \text{ArcTanh}[\text{Sqrt}[2] \text{Sin}[x]]) + \text{Sqrt}[2 + \text{Sqrt}[3]] \text{ArcTanh}[(2 \text{Sin}[x]) / \text{Sqrt}[2 - \text{Sqrt}[3]]] + \text{Sqrt}[2 - \text{Sqrt}[3]] \text{ArcTanh}[(2 \text{Sin}[x]) / \text{Sqrt}[2 + \text{Sqrt}[3]]]) / 6$

**Maple [A]** time = 0.111, size = 80, normalized size = 0.9

$$\frac{2}{6\sqrt{6} - 6\sqrt{2}} \text{Artanh}\left(8 \frac{\sin(x)}{2\sqrt{6} - 2\sqrt{2}}\right) + \frac{2}{6\sqrt{6} + 6\sqrt{2}} \text{Artanh}\left(8 \frac{\sin(x)}{2\sqrt{6} + 2\sqrt{2}}\right) - \frac{\text{Artanh}(\sin(x)\sqrt{2})\sqrt{2}}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*sec(6\*x),x)

[Out]  $2/3/(2*6^{(1/2)}-2*2^{(1/2)})*\text{arctanh}(8*\sin(x)/(2*6^{(1/2)}-2*2^{(1/2)}))+2/3/(2*6^{(1/2)}+2*2^{(1/2)})*\text{arctanh}(8*\sin(x)/(2*6^{(1/2)}+2*2^{(1/2)}))-1/6*\text{arctanh}(\sin(x)*2^{(1/2)})*2^{(1/2)}$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{24} \sqrt{2} \log\left(2 \cos(x)^2 + 2 \sin(x)^2 + 2\sqrt{2} \cos(x) + 2\sqrt{2} \sin(x) + 2\right) + \frac{1}{24} \sqrt{2} \log\left(2 \cos(x)^2 + 2 \sin(x)^2 + 2\sqrt{2} \cos(x) + 2\sqrt{2} \sin(x) + 2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sec(6\*x),x, algorithm="maxima")

[Out]  $-1/24*\sqrt{2}*\log(2*\cos(x)^2 + 2*\sin(x)^2 + 2*\sqrt{2}*\cos(x) + 2*\sqrt{2}*\sin(x) + 2) + 1/24*\sqrt{2}*\log(2*\cos(x)^2 + 2*\sin(x)^2 + 2*\sqrt{2}*\cos(x) - 2*\sqrt{2}*\sin(x) + 2) - 1/24*\sqrt{2}*\log(2*\cos(x)^2 + 2*\sin(x)^2 - 2*\sqrt{2}*\cos(x) + 2*\sqrt{2}*\sin(x) + 2) + 1/24*\sqrt{2}*\log(2*\cos(x)^2 + 2*\sin(x)^2 - 2*\sqrt{2}*\cos(x) - 2*\sqrt{2}*\sin(x) + 2) + \text{integrate}(-1/3*((\cos(7*x) + \cos(5*x) + \cos(3*x) + \cos(x))*\cos(8*x) - (\cos(4*x) - 1)*\cos(7*x) - (\cos(4*x) - 1)*\cos(5*x) - (\cos(3*x) + \cos(x))*\cos(4*x) + (\sin(7*x) + \sin(5*x) + \sin(3*x) + \sin(x))*\sin(8*x) - (\sin(3*x) + \sin(x))*\sin(4*x) - \sin(7*x)*\sin(4*x) - \sin(5*x)*\sin(4*x) + \cos(3*x) + \cos(x))/(2*(\cos(4*x) - 1)*\cos(8*x) - \cos(8*x)^2 - \cos(4*x)^2 - \sin(8*x)^2 + 2*\sin(8*x)*\sin(4*x) - \sin(4*x)^2 + 2*\cos(4*x) - 1), x)$

**Fricas [B]** time = 2.79687, size = 500, normalized size = 5.88

$$-\frac{1}{12} \sqrt{\sqrt{3} + 2} \log\left(\sqrt{\sqrt{3} + 2}(\sqrt{3} - 2) + 2 \sin(x)\right) + \frac{1}{12} \sqrt{\sqrt{3} + 2} \log\left(\sqrt{\sqrt{3} + 2}(\sqrt{3} - 2) - 2 \sin(x)\right) + \frac{1}{12} \sqrt{-\sqrt{3} + 2} \log\left(\sqrt{-\sqrt{3} + 2}(\sqrt{3} - 2) + 2 \sin(x)\right) + \frac{1}{12} \sqrt{-\sqrt{3} + 2} \log\left(\sqrt{-\sqrt{3} + 2}(\sqrt{3} - 2) - 2 \sin(x)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sec(6\*x),x, algorithm="fricas")

[Out]  $-1/12*\sqrt{\sqrt{3} + 2}*\log(\sqrt{\sqrt{3} + 2}*(\sqrt{3} - 2) + 2*\sin(x)) + 1/12*\sqrt{\sqrt{3} + 2}*\log(\sqrt{\sqrt{3} + 2}*(\sqrt{3} - 2) - 2*\sin(x)) + 1/12*\sqrt{-\sqrt{3} + 2}*\log(\sqrt{-\sqrt{3} + 2}*(\sqrt{3} - 2) + 2*\sin(x)) - 1/12*\sqrt{-\sqrt{3} + 2}*\log(\sqrt{-\sqrt{3} + 2}*(\sqrt{3} - 2) - 2*\sin(x)) + 1/12*\sqrt{2}*\log(-(2*\cos(x)^2 + 2*\sqrt{2}*\sin(x) - 3)/(2*\cos(x)^2 - 1))$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \cos(x) \sec(6x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sec(6\*x),x)

[Out] Integral(cos(x)\*sec(6\*x), x)

**Giac [A]** time = 1.33534, size = 178, normalized size = 2.09

$$\frac{1}{24} (\sqrt{6} - \sqrt{2}) \log\left(\left|\frac{1}{4} \sqrt{6} + \frac{1}{4} \sqrt{2} + \sin(x)\right|\right) + \frac{1}{24} (\sqrt{6} + \sqrt{2}) \log\left(\left|\frac{1}{4} \sqrt{6} - \frac{1}{4} \sqrt{2} + \sin(x)\right|\right) - \frac{1}{24} (\sqrt{6} + \sqrt{2}) \log\left(\left|-\frac{1}{4} \sqrt{6} + \frac{1}{4} \sqrt{2} + \sin(x)\right|\right) - \frac{1}{24} (\sqrt{6} - \sqrt{2}) \log\left(\left|-\frac{1}{4} \sqrt{6} - \frac{1}{4} \sqrt{2} + \sin(x)\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sec(6\*x),x, algorithm="giac")

[Out]  $1/24*(\sqrt{6} - \sqrt{2})*\log(\text{abs}(1/4*\sqrt{6} + 1/4*\sqrt{2} + \sin(x))) + 1/24*(\sqrt{6} + \sqrt{2})*\log(\text{abs}(1/4*\sqrt{6} - 1/4*\sqrt{2} + \sin(x))) - 1/24*(\sqrt{6} + \sqrt{2})*\log(\text{abs}(-1/4*\sqrt{6} + 1/4*\sqrt{2} + \sin(x))) - 1/24*(\sqrt{6} - \sqrt{2})*\log(\text{abs}(-1/4*\sqrt{6} - 1/4*\sqrt{2} + \sin(x)))$



$$\begin{aligned} & \sqrt{6} + \sqrt{2}) \cdot \log(\text{abs}(-1/4 \cdot \sqrt{6} + 1/4 \cdot \sqrt{2} + \sin(x))) - 1/24 \cdot (\sqrt{6} - \sqrt{2}) \cdot \log(\text{abs}(-1/4 \cdot \sqrt{6} - 1/4 \cdot \sqrt{2} + \sin(x))) + 1/12 \cdot \sqrt{2} \cdot \log(\text{abs}(-2 \cdot \sqrt{2} + 4 \cdot \sin(x)) / \text{abs}(2 \cdot \sqrt{2} + 4 \cdot \sin(x))) \end{aligned}$$

### 3.121 $\int \cos(2x) \sec(x) dx$

**Optimal.** Leaf size=10

$$2 \sin(x) - \tanh^{-1}(\sin(x))$$

[Out] -ArcTanh[Sin[x]] + 2\*Sin[x]

**Rubi [A]** time = 0.0179098, antiderivative size = 10, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {4364, 388, 206}

$$2 \sin(x) - \tanh^{-1}(\sin(x))$$

Antiderivative was successfully verified.

[In] Int[Cos[2\*x]\*Sec[x],x]

[Out] -ArcTanh[Sin[x]] + 2\*Sin[x]

#### Rule 4364

```
Int[(u_)*(F_)[(c_.)*((a_.) + (b_.)*(x_))]^(n_), x_Symbol] := With[{d = Free
Factors[Sin[c*(a + b*x)], x]}, Dist[d/(b*c), Subst[Int[SubstFor[(1 - d^2*x^
2)^((n - 1)/2), Sin[c*(a + b*x)]/d, u, x], x], x, Sin[c*(a + b*x)]/d], x] /
; FunctionOfQ[Sin[c*(a + b*x)]/d, u, x]] /; FreeQ[{a, b, c}, x] && IntegerQ
[(n - 1)/2] && NonsumQ[u] && (EqQ[F, Cos] || EqQ[F, cos])
```

#### Rule 388

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Si
mp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(
p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b,
c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]
```

#### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

#### Rubi steps

$$\begin{aligned} \int \cos(2x) \sec(x) dx &= \text{Subst} \left( \int \frac{1 - 2x^2}{1 - x^2} dx, x, \sin(x) \right) \\ &= 2 \sin(x) - \text{Subst} \left( \int \frac{1}{1 - x^2} dx, x, \sin(x) \right) \\ &= -\tanh^{-1}(\sin(x)) + 2 \sin(x) \end{aligned}$$

**Mathematica [A]** time = 0.0074482, size = 10, normalized size = 1.

$$2 \sin(x) - \tanh^{-1}(\sin(x))$$

Antiderivative was successfully verified.

[In] Integrate[Cos[2\*x]\*Sec[x],x]

[Out] -ArcTanh[Sin[x]] + 2\*Sin[x]

**Maple [A]** time = 0.026, size = 14, normalized size = 1.4

$$2 \sin(x) - \ln(\sec(x) + \tan(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(2\*x)\*sec(x),x)

[Out] 2\*sin(x)-ln(sec(x)+tan(x))

**Maxima [A]** time = 0.995195, size = 26, normalized size = 2.6

$$-\frac{1}{2} \log(\sin(x) + 1) + \frac{1}{2} \log(\sin(x) - 1) + 2 \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*x)\*sec(x),x, algorithm="maxima")

[Out] -1/2\*log(sin(x) + 1) + 1/2\*log(sin(x) - 1) + 2\*sin(x)

**Fricas [A]** time = 2.36127, size = 76, normalized size = 7.6

$$-\frac{1}{2} \log(\sin(x) + 1) + \frac{1}{2} \log(-\sin(x) + 1) + 2 \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*x)\*sec(x),x, algorithm="fricas")

[Out] -1/2\*log(sin(x) + 1) + 1/2\*log(-sin(x) + 1) + 2\*sin(x)

**Sympy [B]** time = 2.57399, size = 20, normalized size = 2.

$$\frac{\log(\sin(x) - 1)}{2} - \frac{\log(\sin(x) + 1)}{2} + 2 \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*x)\*sec(x),x)

[Out] log(sin(x) - 1)/2 - log(sin(x) + 1)/2 + 2\*sin(x)

---

**Giac [A]** time = 1.09479, size = 28, normalized size = 2.8

$$-\frac{1}{2} \log(\sin(x) + 1) + \frac{1}{2} \log(-\sin(x) + 1) + 2 \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(2*x)*sec(x),x, algorithm="giac")`

[Out] `-1/2*log(sin(x) + 1) + 1/2*log(-sin(x) + 1) + 2*sin(x)`

### 3.122 $\int \cos(4x) \sec(2x) dx$

**Optimal.** Leaf size=14

$$\sin(2x) - \frac{1}{2} \tanh^{-1}(\sin(2x))$$

[Out] -ArcTanh[Sin[2\*x]]/2 + Sin[2\*x]

**Rubi [A]** time = 0.0199355, antiderivative size = 14, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4364, 388, 206}

$$\sin(2x) - \frac{1}{2} \tanh^{-1}(\sin(2x))$$

Antiderivative was successfully verified.

[In] Int[Cos[4\*x]\*Sec[2\*x],x]

[Out] -ArcTanh[Sin[2\*x]]/2 + Sin[2\*x]

#### Rule 4364

Int[(u\_)\*(F\_)[(c\_)\*((a\_) + (b\_)\*(x\_))]^(n\_), x\_Symbol] := With[{d = FreeFactors[Sin[c\*(a + b\*x)], x]}, Dist[d/(b\*c), Subst[Int[SubstFor[(1 - d^2\*x^2)^((n - 1)/2), Sin[c\*(a + b\*x)]/d, u, x], x], x, Sin[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Sin[c\*(a + b\*x)]/d, u, x] /; FreeQ[{a, b, c}, x] && IntegerQ[(n - 1)/2] && NonsumQ[u] && (EqQ[F, Cos] || EqQ[F, cos])

#### Rule 388

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_)), x\_Symbol] := Simp[(d\*x\*(a + b\*x^n)^(p + 1))/(b\*(n\*(p + 1) + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(b\*(n\*(p + 1) + 1)), Int[(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n\*(p + 1) + 1, 0]

#### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \cos(4x) \sec(2x) dx &= \frac{1}{2} \text{Subst} \left( \int \frac{1 - 2x^2}{1 - x^2} dx, x, \sin(2x) \right) \\ &= \sin(2x) - \frac{1}{2} \text{Subst} \left( \int \frac{1}{1 - x^2} dx, x, \sin(2x) \right) \\ &= -\frac{1}{2} \tanh^{-1}(\sin(2x)) + \sin(2x) \end{aligned}$$

**Mathematica [A]** time = 0.008197, size = 14, normalized size = 1.

$$\sin(2x) - \frac{1}{2} \tanh^{-1}(\sin(2x))$$

Antiderivative was successfully verified.

[In] Integrate[Cos[4\*x]\*Sec[2\*x],x]

[Out] -ArcTanh[Sin[2\*x]]/2 + Sin[2\*x]

**Maple [A]** time = 0.034, size = 18, normalized size = 1.3

$$-\frac{\ln(\sec(2x) + \tan(2x))}{2} + \sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(4\*x)\*sec(2\*x),x)

[Out] -1/2\*ln(sec(2\*x)+tan(2\*x))+sin(2\*x)

**Maxima [B]** time = 1.54558, size = 174, normalized size = 12.43

$$\frac{1}{4} \log\left(2 \cos(x)^2 + 2 \sin(x)^2 + 2\sqrt{2} \cos(x) + 2\sqrt{2} \sin(x) + 2\right) - \frac{1}{4} \log\left(2 \cos(x)^2 + 2 \sin(x)^2 + 2\sqrt{2} \cos(x) - 2\sqrt{2} \sin(x) + 2\right) + \sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(4\*x)\*sec(2\*x),x, algorithm="maxima")

[Out] 1/4\*log(2\*cos(x)^2 + 2\*sin(x)^2 + 2\*sqrt(2)\*cos(x) + 2\*sqrt(2)\*sin(x) + 2) - 1/4\*log(2\*cos(x)^2 + 2\*sin(x)^2 + 2\*sqrt(2)\*cos(x) - 2\*sqrt(2)\*sin(x) + 2) - 1/4\*log(2\*cos(x)^2 + 2\*sin(x)^2 - 2\*sqrt(2)\*cos(x) + 2\*sqrt(2)\*sin(x) + 2) + 1/4\*log(2\*cos(x)^2 + 2\*sin(x)^2 - 2\*sqrt(2)\*cos(x) - 2\*sqrt(2)\*sin(x) + 2) + sin(2\*x)

**Fricas [B]** time = 2.31288, size = 81, normalized size = 5.79

$$-\frac{1}{4} \log(\sin(2x) + 1) + \frac{1}{4} \log(-\sin(2x) + 1) + \sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(4\*x)\*sec(2\*x),x, algorithm="fricas")

[Out] -1/4\*log(sin(2\*x) + 1) + 1/4\*log(-sin(2\*x) + 1) + sin(2\*x)

**Sympy [B]** time = 20.5348, size = 427, normalized size = 30.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(4\*x)\*sec(2\*x),x)

```
[Out] -4*x + 32*x*tan(x/2)**4/(8*tan(x/2)**4 + 16*tan(x/2)**2 + 8) + 64*x*tan(x/2)
)**2/(8*tan(x/2)**4 + 16*tan(x/2)**2 + 8) + 32*x/(8*tan(x/2)**4 + 16*tan(x/2)
)**2 + 8) - 3*log(tan(x/2)**2 - 2*tan(x/2) - 1)/2 + 3*log(tan(x/2)**2 + 2*
tan(x/2) - 1)/2 + 8*log(tan(x/2)**2 - 2*tan(x/2) - 1)*tan(x/2)**4/(8*tan(x/
2)**4 + 16*tan(x/2)**2 + 8) + 16*log(tan(x/2)**2 - 2*tan(x/2) - 1)*tan(x/2)
)**2/(8*tan(x/2)**4 + 16*tan(x/2)**2 + 8) + 8*log(tan(x/2)**2 - 2*tan(x/2) -
1)/(8*tan(x/2)**4 + 16*tan(x/2)**2 + 8) - 8*log(tan(x/2)**2 + 2*tan(x/2) -
1)*tan(x/2)**4/(8*tan(x/2)**4 + 16*tan(x/2)**2 + 8) - 16*log(tan(x/2)**2 +
2*tan(x/2) - 1)*tan(x/2)**2/(8*tan(x/2)**4 + 16*tan(x/2)**2 + 8) - 8*log(t
an(x/2)**2 + 2*tan(x/2) - 1)/(8*tan(x/2)**4 + 16*tan(x/2)**2 + 8) - 32*tan(
x/2)**3/(8*tan(x/2)**4 + 16*tan(x/2)**2 + 8) + 32*tan(x/2)/(8*tan(x/2)**4 +
16*tan(x/2)**2 + 8)
```

**Giac [B]** time = 1.1391, size = 34, normalized size = 2.43

$$-\frac{1}{4} \log(\sin(2x) + 1) + \frac{1}{4} \log(-\sin(2x) + 1) + \sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(4*x)*sec(2*x),x, algorithm="giac")
```

```
[Out] -1/4*log(sin(2*x) + 1) + 1/4*log(-sin(2*x) + 1) + sin(2*x)
```

### 3.123 $\int \cos(x) \csc(2x) dx$

**Optimal.** Leaf size=7

$$-\frac{1}{2} \tanh^{-1}(\cos(x))$$

[Out] -ArcTanh[Cos[x]]/2

**Rubi [A]** time = 0.0112712, antiderivative size = 7, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {4287, 3770}

$$-\frac{1}{2} \tanh^{-1}(\cos(x))$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Csc[2\*x],x]

[Out] -ArcTanh[Cos[x]]/2

#### Rule 4287

Int[(cos[(a\_.) + (b\_.)\*(x\_)]\*(e\_.))^(m\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(p\_.), x\_Symbol] := Dist[2^p/e^p, Int[(e\*cos[a + b\*x])^(m + p)\*Sin[a + b\*x]^p, x] /; FreeQ[{a, b, c, d, e, m}, x] && EqQ[b\*c - a\*d, 0] && EqQ[d/b, 2] && IntegerQ[p]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \cos(x) \csc(2x) dx &= \frac{1}{2} \int \csc(x) dx \\ &= -\frac{1}{2} \tanh^{-1}(\cos(x)) \end{aligned}$$

**Mathematica [B]** time = 0.0031234, size = 21, normalized size = 3.

$$\frac{1}{2} \left( \log \left( \sin \left( \frac{x}{2} \right) \right) - \log \left( \cos \left( \frac{x}{2} \right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Csc[2\*x],x]

[Out] (-Log[Cos[x/2]] + Log[Sin[x/2]])/2



**Maple [A]** time = 0.017, size = 11, normalized size = 1.6

$$\frac{\ln(\csc(x) - \cot(x))}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*csc(2\*x),x)

[Out] 1/2\*ln(csc(x)-cot(x))

**Maxima [B]** time = 0.988998, size = 47, normalized size = 6.71

$$-\frac{1}{4} \log(\cos(x)^2 + \sin(x)^2 + 2 \cos(x) + 1) + \frac{1}{4} \log(\cos(x)^2 + \sin(x)^2 - 2 \cos(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*csc(2\*x),x, algorithm="maxima")

[Out] -1/4\*log(cos(x)^2 + sin(x)^2 + 2\*cos(x) + 1) + 1/4\*log(cos(x)^2 + sin(x)^2 - 2\*cos(x) + 1)

**Fricas [B]** time = 2.48182, size = 77, normalized size = 11.

$$-\frac{1}{4} \log\left(\frac{1}{2} \cos(x) + \frac{1}{2}\right) + \frac{1}{4} \log\left(-\frac{1}{2} \cos(x) + \frac{1}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*csc(2\*x),x, algorithm="fricas")

[Out] -1/4\*log(1/2\*cos(x) + 1/2) + 1/4\*log(-1/2\*cos(x) + 1/2)

**Sympy [B]** time = 7.94328, size = 15, normalized size = 2.14

$$\frac{\log(\cos(x) - 1)}{4} - \frac{\log(\cos(x) + 1)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*csc(2\*x),x)

[Out] log(cos(x) - 1)/4 - log(cos(x) + 1)/4

**Giac [A]** time = 1.11464, size = 11, normalized size = 1.57

$$\frac{1}{2} \log\left(\left|\tan\left(\frac{1}{2}x\right)\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)*csc(2*x),x, algorithm="giac")
```

```
[Out] 1/2*log(abs(tan(1/2*x)))
```

### 3.124 $\int \cos(x) \csc(3x) dx$

**Optimal.** Leaf size=21

$$\frac{1}{3} \log(\sin(x)) - \frac{1}{6} \log(3 - 4 \sin^2(x))$$

[Out] Log[Sin[x]]/3 - Log[3 - 4\*Sin[x]^2]/6

**Rubi [A]** time = 0.0257293, antiderivative size = 21, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.714$ , Rules used = {4356, 266, 36, 31, 29}

$$\frac{1}{3} \log(\sin(x)) - \frac{1}{6} \log(3 - 4 \sin^2(x))$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Csc[3\*x],x]

[Out] Log[Sin[x]]/3 - Log[3 - 4\*Sin[x]^2]/6

#### Rule 4356

Int[(u\_)\*(F\_)[(c\_.)\*((a\_.) + (b\_.)\*(x\_))], x\_Symbol] := With[{d = FreeFactors[Sin[c\*(a + b\*x)], x]}, Dist[d/(b\*c), Subst[Int[SubstFor[1, Sin[c\*(a + b\*x)]]/d, u, x], x], x, Sin[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Sin[c\*(a + b\*x)]/d, u, x] /; FreeQ[{a, b, c}, x] && (EqQ[F, Cos] || EqQ[F, cos])

#### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

#### Rule 36

Int[1/(((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))), x\_Symbol] := Dist[b/(b\*c - a\*d), Int[1/(a + b\*x), x], x] - Dist[d/(b\*c - a\*d), Int[1/(c + d\*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 31

Int[((a\_) + (b\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

#### Rule 29

Int[(x\_)^(n\_), x\_Symbol] := Simp[Log[x], x]

#### Rubi steps

$$\begin{aligned}
\int \cos(x) \csc(3x) dx &= \text{Subst} \left( \int \frac{1}{x(3-4x^2)} dx, x, \sin(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{1}{(3-4x)x} dx, x, \sin^2(x) \right) \\
&= \frac{1}{6} \text{Subst} \left( \int \frac{1}{x} dx, x, \sin^2(x) \right) + \frac{2}{3} \text{Subst} \left( \int \frac{1}{3-4x} dx, x, \sin^2(x) \right) \\
&= \frac{1}{3} \log(\sin(x)) - \frac{1}{6} \log(3-4\sin^2(x))
\end{aligned}$$

**Mathematica [A]** time = 0.0084318, size = 21, normalized size = 1.

$$\frac{1}{3} \log(\sin(x)) - \frac{1}{6} \log(3 - 4 \sin^2(x))$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Csc[3\*x],x]

[Out] Log[Sin[x]]/3 - Log[3 - 4\*Sin[x]^2]/6

**Maple [F]** time = 180., size = 0, normalized size = 0.

hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*csc(3\*x),x)

[Out] int(cos(x)\*csc(3\*x),x)

**Maxima [B]** time = 1.52045, size = 174, normalized size = 8.29

$$-\frac{1}{12} \log(2(\cos(x) + 1)\cos(2x) + \cos(2x)^2 + \cos(x)^2 + \sin(2x)^2 + 2\sin(2x)\sin(x) + \sin(x)^2 + 2\cos(x) + 1) - \frac{1}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*csc(3\*x),x, algorithm="maxima")

[Out] -1/12\*log(2\*(cos(x) + 1)\*cos(2\*x) + cos(2\*x)^2 + cos(x)^2 + sin(2\*x)^2 + 2\*sin(2\*x)\*sin(x) + sin(x)^2 + 2\*cos(x) + 1) - 1/12\*log(-2\*(cos(x) - 1)\*cos(2\*x) + cos(2\*x)^2 + cos(x)^2 + sin(2\*x)^2 - 2\*sin(2\*x)\*sin(x) + sin(x)^2 - 2\*cos(x) + 1) + 1/6\*log(cos(x)^2 + sin(x)^2 + 2\*cos(x) + 1) + 1/6\*log(cos(x)^2 + sin(x)^2 - 2\*cos(x) + 1)

**Fricas [A]** time = 2.53787, size = 65, normalized size = 3.1

$$-\frac{1}{6} \log(4 \cos(x)^2 - 1) + \frac{1}{3} \log\left(\frac{1}{2} \sin(x)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)*csc(3*x),x, algorithm="fricas")
```

```
[Out] -1/6*log(4*cos(x)^2 - 1) + 1/3*log(1/2*sin(x))
```

**Sympy [A]** time = 4.88602, size = 17, normalized size = 0.81

$$-\frac{\log(4\sin^2(x) - 3)}{6} + \frac{\log(\sin(x))}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)*csc(3*x),x)
```

```
[Out] -log(4*sin(x)**2 - 3)/6 + log(sin(x))/3
```

**Giac [A]** time = 1.11439, size = 41, normalized size = 1.95

$$-\frac{1}{6} \log \left( \left| -\frac{3(\cos(x) + 1)}{\cos(x) - 1} - \frac{3(\cos(x) - 1)}{\cos(x) + 1} - 10 \right| \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)*csc(3*x),x, algorithm="giac")
```

```
[Out] -1/6*log(abs(-3*(cos(x) + 1)/(cos(x) - 1) - 3*(cos(x) - 1)/(cos(x) + 1) - 10))
```

### 3.125 $\int \cos(x) \csc(4x) dx$

**Optimal.** Leaf size=26

$$\frac{\tanh^{-1}(\sqrt{2} \cos(x))}{2\sqrt{2}} - \frac{1}{4} \tanh^{-1}(\cos(x))$$

[Out] -ArcTanh[Cos[x]]/4 + ArcTanh[Sqrt[2]\*Cos[x]]/(2\*Sqrt[2])

**Rubi [A]** time = 0.0257339, antiderivative size = 26, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 2, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {1093, 206}

$$\frac{\tanh^{-1}(\sqrt{2} \cos(x))}{2\sqrt{2}} - \frac{1}{4} \tanh^{-1}(\cos(x))$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Csc[4\*x], x]

[Out] -ArcTanh[Cos[x]]/4 + ArcTanh[Sqrt[2]\*Cos[x]]/(2\*Sqrt[2])

#### Rule 1093

Int[((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(-1), x\_Symbol] := With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[c/q, Int[1/(b/2 - q/2 + c\*x^2), x], x] - Dist[c/q, Int[1/(b/2 + q/2 + c\*x^2), x], x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0] && PosQ[b^2 - 4\*a\*c]

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \cos(x) \csc(4x) dx &= -\text{Subst}\left(\int \frac{1}{-4 + 12x^2 - 8x^4} dx, x, \cos(x)\right) \\ &= 2 \text{Subst}\left(\int \frac{1}{4 - 8x^2} dx, x, \cos(x)\right) - 2 \text{Subst}\left(\int \frac{1}{8 - 8x^2} dx, x, \cos(x)\right) \\ &= -\frac{1}{4} \tanh^{-1}(\cos(x)) + \frac{\tanh^{-1}(\sqrt{2} \cos(x))}{2\sqrt{2}} \end{aligned}$$

**Mathematica [C]** time = 0.0578497, size = 66, normalized size = 2.54

$$\frac{1}{4} \left( \log\left(\sin\left(\frac{x}{2}\right)\right) - \log\left(\cos\left(\frac{x}{2}\right)\right) + (1+i)(-1)^{3/4} \tanh^{-1}\left(\frac{\tan\left(\frac{x}{2}\right) - 1}{\sqrt{2}}\right) + \sqrt{2} \tanh^{-1}\left(\frac{\tan\left(\frac{x}{2}\right) + 1}{\sqrt{2}}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Csc[4\*x],x]

[Out]  $((1 + I)^{-3/4} \operatorname{ArcTanh}[-1 + \tan(x/2)]/\sqrt{2}] + \sqrt{2} \operatorname{ArcTanh}[(1 + \tan(x/2))/\sqrt{2}] - \operatorname{Log}[\cos(x/2)] + \operatorname{Log}[\sin(x/2)]/4$

**Maple [A]** time = 0.045, size = 28, normalized size = 1.1

$$\frac{\operatorname{Artanh}(\cos(x)\sqrt{2})\sqrt{2}}{4} - \frac{\ln(1 + \cos(x))}{8} + \frac{\ln(-1 + \cos(x))}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*csc(4\*x),x)

[Out]  $1/4 \operatorname{arctanh}(\cos(x) \cdot 2^{(1/2)}) \cdot 2^{(1/2)} - 1/8 \ln(1 + \cos(x)) + 1/8 \ln(-1 + \cos(x))$

**Maxima [B]** time = 1.5529, size = 220, normalized size = 8.46

$$\frac{1}{16} \sqrt{2} \log\left(2\sqrt{2} \sin(2x) \sin(x) + 2\left(\sqrt{2} \cos(x) + 1\right) \cos(2x) + \cos(2x)^2 + 2 \cos(x)^2 + \sin(2x)^2 + 2 \sin(x)^2 + 2\sqrt{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*csc(4\*x),x, algorithm="maxima")

[Out]  $1/16 \sqrt{2} \log(2\sqrt{2} \sin(2x) \sin(x) + 2(\sqrt{2} \cos(x) + 1) \cos(2x) + \cos(2x)^2 + 2 \cos(x)^2 + \sin(2x)^2 + 2 \sin(x)^2 + 2\sqrt{2}) + \cos(2x)^2 + 2 \cos(x)^2 + \sin(2x)^2 + 2 \sin(x)^2 + 2\sqrt{2} \cos(x) + 1 - 1/16 \sqrt{2} \log(-2\sqrt{2} \sin(2x) \sin(x) - 2(\sqrt{2} \cos(x) - 1) \cos(2x) + \cos(2x)^2 + 2 \cos(x)^2 + \sin(2x)^2 + 2 \sin(x)^2 - 2\sqrt{2} \cos(x) + 1) - 1/8 \log(\cos(x)^2 + \sin(x)^2 + 2 \cos(x) + 1) + 1/8 \log(\cos(x)^2 + \sin(x)^2 - 2 \cos(x) + 1)$

**Fricas [B]** time = 2.47266, size = 174, normalized size = 6.69

$$\frac{1}{8} \sqrt{2} \log\left(-\frac{2 \cos(x)^2 + 2\sqrt{2} \cos(x) + 1}{2 \cos(x)^2 - 1}\right) - \frac{1}{8} \log\left(\frac{1}{2} \cos(x) + \frac{1}{2}\right) + \frac{1}{8} \log\left(-\frac{1}{2} \cos(x) + \frac{1}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*csc(4\*x),x, algorithm="fricas")

[Out]  $1/8 \sqrt{2} \log(-(2 \cos(x)^2 + 2\sqrt{2} \cos(x) + 1)/(2 \cos(x)^2 - 1)) - 1/8 \log(1/2 \cos(x) + 1/2) + 1/8 \log(-1/2 \cos(x) + 1/2)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*csc(4\*x),x)

[Out] Timed out

**Giac [B]** time = 1.17051, size = 88, normalized size = 3.38

$$\frac{1}{8} \sqrt{2} \log \left( \frac{\left| -4\sqrt{2} - \frac{2(\cos(x)-1)}{\cos(x)+1} - 6 \right|}{\left| 4\sqrt{2} - \frac{2(\cos(x)-1)}{\cos(x)+1} - 6 \right|} \right) + \frac{1}{8} \log \left( -\frac{\cos(x)-1}{\cos(x)+1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*csc(4\*x),x, algorithm="giac")

[Out] 1/8\*sqrt(2)\*log(abs(-4\*sqrt(2) - 2\*(cos(x) - 1)/(cos(x) + 1) - 6)/abs(4\*sqrt(2) - 2\*(cos(x) - 1)/(cos(x) + 1) - 6)) + 1/8\*log(-(cos(x) - 1)/(cos(x) + 1))



### 3.126 $\int \cos(x) \csc(5x) dx$

**Optimal.** Leaf size=62

$$-\frac{1}{20}(1 + \sqrt{5}) \log(-8 \sin^2(x) - \sqrt{5} + 5) - \frac{1}{20}(1 - \sqrt{5}) \log(-8 \sin^2(x) + \sqrt{5} + 5) + \frac{1}{5} \log(\sin(x))$$

[Out] Log[Sin[x]]/5 - ((1 + Sqrt[5])\*Log[5 - Sqrt[5] - 8\*Sin[x]^2])/20 - ((1 - Sqrt[5])\*Log[5 + Sqrt[5] - 8\*Sin[x]^2])/20

**Rubi [A]** time = 0.0699113, antiderivative size = 62, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.857$ , Rules used = {4356, 1114, 705, 29, 632, 31}

$$-\frac{1}{20}(1 + \sqrt{5}) \log(-8 \sin^2(x) - \sqrt{5} + 5) - \frac{1}{20}(1 - \sqrt{5}) \log(-8 \sin^2(x) + \sqrt{5} + 5) + \frac{1}{5} \log(\sin(x))$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Csc[5\*x],x]

[Out] Log[Sin[x]]/5 - ((1 + Sqrt[5])\*Log[5 - Sqrt[5] - 8\*Sin[x]^2])/20 - ((1 - Sqrt[5])\*Log[5 + Sqrt[5] - 8\*Sin[x]^2])/20

#### Rule 4356

Int[(u\_)\*(F\_)[(c\_)\*((a\_) + (b\_)\*(x\_))], x\_Symbol] := With[{d = FreeFactors[Sin[c\*(a + b\*x)], x]}, Dist[d/(b\*c), Subst[Int[SubstFor[1, Sin[c\*(a + b\*x)]]/d, u, x], x], x, Sin[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Sin[c\*(a + b\*x)]/d, u, x] /; FreeQ[{a, b, c}, x] && (EqQ[F, Cos] || EqQ[F, cos])

#### Rule 1114

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)\*(a + b\*x + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, p}, x] && IntegerQ[(m - 1)/2]

#### Rule 705

Int[1/(((d\_) + (e\_)\*(x\_))\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)), x\_Symbol] := Dist[e^2/(c\*d^2 - b\*d\*e + a\*e^2), Int[1/(d + e\*x), x], x] + Dist[1/(c\*d^2 - b\*d\*e + a\*e^2), Int[(c\*d - b\*e - c\*e\*x)/(a + b\*x + c\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[2\*c\*d - b\*e, 0]

#### Rule 29

Int[(x\_)^(-1), x\_Symbol] := Simp[Log[x], x]

#### Rule 632

Int[((d\_) + (e\_)\*(x\_))/((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2), x\_Symbol] := With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[(c\*d - e\*(b/2 - q/2))/q, Int[1/(b/2 - q/2 + c\*x), x], x] - Dist[(c\*d - e\*(b/2 + q/2))/q, Int[1/(b/2 + q/2 + c\*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2\*c\*d - b\*e, 0] && NeQ[b^2 - 4\*a\*c, 0] && NiceSqrtQ[b^2 - 4\*a\*c]

**Rule 31**

```
Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]
```

**Rubi steps**

$$\begin{aligned} \int \cos(x) \csc(5x) dx &= \text{Subst} \left( \int \frac{1}{x(5 - 20x^2 + 16x^4)} dx, x, \sin(x) \right) \\ &= \frac{1}{2} \text{Subst} \left( \int \frac{1}{x(5 - 20x + 16x^2)} dx, x, \sin^2(x) \right) \\ &= \frac{1}{10} \text{Subst} \left( \int \frac{1}{x} dx, x, \sin^2(x) \right) + \frac{1}{10} \text{Subst} \left( \int \frac{20 - 16x}{5 - 20x + 16x^2} dx, x, \sin^2(x) \right) \\ &= \frac{1}{5} \log(\sin(x)) - \frac{1}{5} (4(1 - \sqrt{5})) \text{Subst} \left( \int \frac{1}{-10 - 2\sqrt{5} + 16x} dx, x, \sin^2(x) \right) - \frac{1}{5} (4(1 + \sqrt{5})) \text{Subst} \left( \int \frac{1}{-10 + 2\sqrt{5} + 16x} dx, x, \sin^2(x) \right) \\ &= \frac{1}{5} \log(\sin(x)) - \frac{1}{20} (1 + \sqrt{5}) \log(5 - \sqrt{5} - 8 \sin^2(x)) - \frac{1}{20} (1 - \sqrt{5}) \log(5 + \sqrt{5} - 8 \sin^2(x)) \end{aligned}$$

**Mathematica [A]** time = 0.0623529, size = 57, normalized size = 0.92

$$\frac{1}{20} (4 \log(\sin(x)) - (1 + \sqrt{5}) \log(4 \cos(2x) - \sqrt{5} + 1) + (\sqrt{5} - 1) \log(4 \cos(2x) + \sqrt{5} + 1))$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[x]*Csc[5*x], x]
```

```
[Out] (-((1 + Sqrt[5])*Log[1 - Sqrt[5] + 4*Cos[2*x]]) + (-1 + Sqrt[5])*Log[1 + Sqrt[5] + 4*Cos[2*x]] + 4*Log[Sin[x]])/20
```

**Maple [A]** time = 0.097, size = 80, normalized size = 1.3

$$-\frac{\ln(4(\cos(x))^2 - 2\cos(x) - 1)}{20} + \frac{\sqrt{5}}{10} \text{Arctanh} \left( \frac{(8\cos(x) - 2)\sqrt{5}}{10} \right) + \frac{\ln(1 + \cos(x))}{10} + \frac{\ln(-1 + \cos(x))}{10} - \frac{\ln(4(\cos(x))^2 + 2\cos(x) - 1)}{20}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(x)*csc(5*x), x)
```

```
[Out] -1/20*ln(4*cos(x)^2-2*cos(x)-1)+1/10*5^(1/2)*arctanh(1/10*(8*cos(x)-2)*5^(1/2))+1/10*ln(1+cos(x))+1/10*ln(-1+cos(x))-1/20*ln(4*cos(x)^2+2*cos(x)-1)-1/10*5^(1/2)*arctanh(1/10*(8*cos(x)+2)*5^(1/2))
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)*csc(5*x), x, algorithm="maxima")
```

```
[Out] -1/10*integrate(-(cos(2*x)*sin(4*x) - cos(4*x)*sin(2*x) + cos(3/2*arctan2(sin(2*x), cos(2*x)))*sin(2*x) + cos(1/2*arctan2(sin(2*x), cos(2*x)))*sin(2*x) - cos(2*x)*sin(3/2*arctan2(sin(2*x), cos(2*x))) - cos(2*x)*sin(1/2*arctan2(sin(2*x), cos(2*x))) - sin(2*x))/(2*(cos(2*x) + 1)*cos(4*x) + cos(4*x)^2 + cos(2*x)^2 - 2*(cos(4*x) + cos(2*x) - cos(1/2*arctan2(sin(2*x), cos(2*x))) + 1)*cos(3/2*arctan2(sin(2*x), cos(2*x))) + cos(3/2*arctan2(sin(2*x), cos(2*x)))^2 - 2*(cos(4*x) + cos(2*x) + 1)*cos(1/2*arctan2(sin(2*x), cos(2*x))) + cos(1/2*arctan2(sin(2*x), cos(2*x)))^2 + sin(4*x)^2 + 2*sin(4*x)*sin(2*x) + sin(2*x)^2 - 2*(sin(4*x) + sin(2*x) - sin(1/2*arctan2(sin(2*x), cos(2*x))))*sin(3/2*arctan2(sin(2*x), cos(2*x))) + sin(3/2*arctan2(sin(2*x), cos(2*x)))^2 - 2*(sin(4*x) + sin(2*x))*sin(1/2*arctan2(sin(2*x), cos(2*x))) + sin(1/2*arctan2(sin(2*x), cos(2*x)))^2 + 2*cos(2*x) + 1), x) + 1/10*integrate((cos(2*x)*sin(4*x) - cos(4*x)*sin(2*x) - cos(3/2*arctan2(sin(2*x), cos(2*x)))*sin(2*x) - cos(1/2*arctan2(sin(2*x), cos(2*x)))*sin(2*x) + cos(2*x)*sin(3/2*arctan2(sin(2*x), cos(2*x))) + cos(2*x)*sin(1/2*arctan2(sin(2*x), cos(2*x))) - sin(2*x))/(2*(cos(2*x) + 1)*cos(4*x) + cos(4*x)^2 + cos(2*x)^2 + 2*(cos(4*x) + cos(2*x) + cos(1/2*arctan2(sin(2*x), cos(2*x))) + 1)*cos(3/2*arctan2(sin(2*x), cos(2*x))) + cos(3/2*arctan2(sin(2*x), cos(2*x)))^2 + 2*(cos(4*x) + cos(2*x) + 1)*cos(1/2*arctan2(sin(2*x), cos(2*x))) + cos(1/2*arctan2(sin(2*x), cos(2*x)))^2 + sin(4*x)^2 + 2*sin(4*x)*sin(2*x) + sin(2*x)^2 + 2*(sin(4*x) + sin(2*x) + sin(1/2*arctan2(sin(2*x), cos(2*x))))*sin(3/2*arctan2(sin(2*x), cos(2*x))) + sin(3/2*arctan2(sin(2*x), cos(2*x)))^2 + 2*(sin(4*x) + sin(2*x))*sin(1/2*arctan2(sin(2*x), cos(2*x))) + sin(1/2*arctan2(sin(2*x), cos(2*x)))^2 + 2*cos(2*x) + 1), x) - 1/10*integrate((cos(x)*sin(4*x) + cos(x)*sin(3*x) + cos(x)*sin(2*x) - cos(4*x)*sin(x) - cos(3*x)*sin(x) - cos(2*x)*sin(x) - sin(x))/(2*(cos(3*x) + cos(2*x) + cos(x) + 1)*cos(4*x) + cos(4*x)^2 + 2*(cos(2*x) + cos(x) + 1)*cos(3*x) + cos(3*x)^2 + 2*(cos(x) + 1)*cos(2*x) + cos(2*x)^2 + cos(x)^2 + 2*(sin(3*x) + sin(2*x) + sin(x))*sin(4*x) + sin(4*x)^2 + 2*(sin(2*x) + sin(x))*sin(3*x) + sin(3*x)^2 + sin(2*x)^2 + 2*sin(2*x)*sin(x) + sin(x)^2 + 2*cos(x) + 1), x) + 1/10*integrate(-(cos(x)*sin(4*x) - cos(x)*sin(3*x) + cos(x)*sin(2*x) - cos(4*x)*sin(x) + cos(3*x)*sin(x) - cos(2*x)*sin(x) - sin(x))/(2*(cos(3*x) - cos(2*x) + cos(x) - 1)*cos(4*x) - cos(4*x)^2 + 2*(cos(2*x) - cos(x) + 1)*cos(3*x) - cos(3*x)^2 + 2*(cos(x) - 1)*cos(2*x) - cos(2*x)^2 - cos(x)^2 + 2*(sin(3*x) - sin(2*x) + sin(x))*sin(4*x) - sin(4*x)^2 + 2*(sin(2*x) - sin(x))*sin(3*x) - sin(3*x)^2 - sin(2*x)^2 + 2*sin(2*x)*sin(x) - sin(x)^2 + 2*cos(x) - 1), x) + 3/10*integrate(-(cos(4/3*arctan2(sin(3*x), cos(3*x)))*sin(3*x) + cos(2/3*arctan2(sin(3*x), cos(3*x)))*sin(3*x) + cos(1/3*arctan2(sin(3*x), cos(3*x)))*sin(3*x) - cos(3*x)*sin(4/3*arctan2(sin(3*x), cos(3*x))) - cos(3*x)*sin(2/3*arctan2(sin(3*x), cos(3*x))) - cos(3*x)*sin(1/3*arctan2(sin(3*x), cos(3*x))) + sin(3*x))/(cos(3*x)^2 + 2*(cos(3*x) + cos(2/3*arctan2(sin(3*x), cos(3*x))) + cos(1/3*arctan2(sin(3*x), cos(3*x))) + 1)*cos(4/3*arctan2(sin(3*x), cos(3*x))) + cos(4/3*arctan2(sin(3*x), cos(3*x)))^2 + 2*(cos(3*x) + cos(1/3*arctan2(sin(3*x), cos(3*x))) + 1)*cos(2/3*arctan2(sin(3*x), cos(3*x))) + cos(2/3*arctan2(sin(3*x), cos(3*x)))^2 + 2*(cos(3*x) + 1)*cos(1/3*arctan2(sin(3*x), cos(3*x))), cos(3*x))) + cos(1/3*arctan2(sin(3*x), cos(3*x)))^2 + sin(3*x)^2 + 2*(sin(3*x) + sin(2/3*arctan2(sin(3*x), cos(3*x))) + sin(1/3*arctan2(sin(3*x), cos(3*x))))*sin(4/3*arctan2(sin(3*x), cos(3*x))) + sin(4/3*arctan2(sin(3*x), cos(3*x)))^2 + 2*(sin(3*x) + sin(1/3*arctan2(sin(3*x), cos(3*x))))*sin(2/3*arctan2(sin(3*x), cos(3*x))) + sin(2/3*arctan2(sin(3*x), cos(3*x)))^2 + 2*sin(3*x)*sin(1/3*arctan2(sin(3*x), cos(3*x))) + sin(1/3*arctan2(sin(3*x), cos(3*x)))^2 + 2*cos(3*x) + 1), x) - 3/10*integrate(-(cos(4/3*arctan2(sin(3*x), cos(3*x)))*sin(3*x) + cos(2/3*arctan2(sin(3*x), cos(3*x)))*sin(3*x) - cos(1/3*arctan2(sin(3*x), cos(3*x)))*sin(3*x) - cos(3*x)*sin(4/3*arctan2(sin(3*x), cos(3*x))) - cos(3*x)*sin(2/3*arctan2(sin(3*x), cos(3*x))) + cos(3*x)*sin(1/3*arctan2(sin(3*x), cos(3*x))) + sin(3*x))/(cos(3*x)^2 - 2*(cos(3*x) - cos(2/3*arctan2(sin(3*x), cos(3*x))) + cos(1/3*arctan2(sin(3*x), cos(3*x)))) - 1)*cos(4/3*arctan2(sin(3*x), cos(3*x))) + cos(4/3*arctan2(sin(3*x), cos(3*x)))^2 - 2*(cos(3*x) + cos(1/3*arctan2(sin(3*x), cos(3*x)))) - 1)*cos(
```

```

2/3*arctan2(sin(3*x), cos(3*x)) + cos(2/3*arctan2(sin(3*x), cos(3*x)))^2 +
2*(cos(3*x) - 1)*cos(1/3*arctan2(sin(3*x), cos(3*x))) + cos(1/3*arctan2(si
n(3*x), cos(3*x)))^2 + sin(3*x)^2 - 2*(sin(3*x) - sin(2/3*arctan2(sin(3*x),
cos(3*x)))) + sin(1/3*arctan2(sin(3*x), cos(3*x))))*sin(4/3*arctan2(sin(3*x
), cos(3*x))) + sin(4/3*arctan2(sin(3*x), cos(3*x)))^2 - 2*(sin(3*x) + sin(
1/3*arctan2(sin(3*x), cos(3*x))))*sin(2/3*arctan2(sin(3*x), cos(3*x))) + si
n(2/3*arctan2(sin(3*x), cos(3*x)))^2 + 2*sin(3*x)*sin(1/3*arctan2(sin(3*x),
cos(3*x))) + sin(1/3*arctan2(sin(3*x), cos(3*x)))^2 - 2*cos(3*x) + 1), x)
+ 1/5*integrate((sin(4*x) + sin(3*x) + sin(2*x) + sin(x))/(2*(cos(3*x) + co
s(2*x) + cos(x) + 1)*cos(4*x) + cos(4*x)^2 + 2*(cos(2*x) + cos(x) + 1)*cos(
3*x) + cos(3*x)^2 + 2*(cos(x) + 1)*cos(2*x) + cos(2*x)^2 + cos(x)^2 + 2*(si
n(3*x) + sin(2*x) + sin(x))*sin(4*x) + sin(4*x)^2 + 2*(sin(2*x) + sin(x))*s
in(3*x) + sin(3*x)^2 + sin(2*x)^2 + 2*sin(2*x)*sin(x) + sin(x)^2 + 2*cos(x)
+ 1), x) + 1/5*integrate(-(sin(4*x) - sin(3*x) + sin(2*x) - sin(x))/(2*(co
s(3*x) - cos(2*x) + cos(x) - 1)*cos(4*x) - cos(4*x)^2 + 2*(cos(2*x) - cos(x
) + 1)*cos(3*x) - cos(3*x)^2 + 2*(cos(x) - 1)*cos(2*x) - cos(2*x)^2 - cos(x
)^2 + 2*(sin(3*x) - sin(2*x) + sin(x))*sin(4*x) - sin(4*x)^2 + 2*(sin(2*x)
- sin(x))*sin(3*x) - sin(3*x)^2 - sin(2*x)^2 + 2*sin(2*x)*sin(x) - sin(x)^2
+ 2*cos(x) - 1), x) + 1/10*log(cos(x)^2 + sin(x)^2 + 2*cos(x) + 1) + 1/10*
log(cos(x)^2 + sin(x)^2 - 2*cos(x) + 1)

```

**Fricas [A]** time = 2.56656, size = 232, normalized size = 3.74

$$\frac{1}{20} \sqrt{5} \log\left(\frac{32 \cos(x)^4 + 8(\sqrt{5} - 3) \cos(x)^2 - 3\sqrt{5} + 7}{16 \cos(x)^4 - 12 \cos(x)^2 + 1}\right) - \frac{1}{20} \log(16 \cos(x)^4 - 12 \cos(x)^2 + 1) + \frac{1}{5} \log\left(\frac{1}{2} \sin(x)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*csc(5\*x),x, algorithm="fricas")

[Out] 1/20\*sqrt(5)\*log((32\*cos(x)^4 + 8\*(sqrt(5) - 3)\*cos(x)^2 - 3\*sqrt(5) + 7)/(16\*cos(x)^4 - 12\*cos(x)^2 + 1)) - 1/20\*log(16\*cos(x)^4 - 12\*cos(x)^2 + 1) + 1/5\*log(1/2\*sin(x))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \cos(x) \csc(5x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*csc(5\*x),x)

[Out] Integral(cos(x)\*csc(5\*x), x)

**Giac [B]** time = 1.20177, size = 177, normalized size = 2.85

$$-\frac{1}{20} \sqrt{5} \log\left(\frac{\left| -16\sqrt{5} - \frac{10(\cos(x)+1)}{\cos(x)-1} - \frac{10(\cos(x)-1)}{\cos(x)+1} - 60 \right|}{\left| 16\sqrt{5} - \frac{10(\cos(x)+1)}{\cos(x)-1} - \frac{10(\cos(x)-1)}{\cos(x)+1} - 60 \right|}\right) - \frac{1}{20} \log\left(\left| 5\left(\frac{\cos(x)+1}{\cos(x)-1} + \frac{\cos(x)-1}{\cos(x)+1}\right)^2 + \frac{60(\cos(x)+1)}{\cos(x)-1} + \frac{60(\cos(x)-1)}{\cos(x)+1} \right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)*csc(5*x),x, algorithm="giac")
```

```
[Out] -1/20*sqrt(5)*log(abs(-16*sqrt(5) - 10*(cos(x) + 1)/(cos(x) - 1) - 10*(cos(x) - 1)/(cos(x) + 1) - 60)/abs(16*sqrt(5) - 10*(cos(x) + 1)/(cos(x) - 1) - 10*(cos(x) - 1)/(cos(x) + 1) - 60)) - 1/20*log(abs(5*((cos(x) + 1)/(cos(x) - 1) + (cos(x) - 1)/(cos(x) + 1))^2 + 60*(cos(x) + 1)/(cos(x) - 1) + 60*(cos(x) - 1)/(cos(x) + 1) + 116))
```

### 3.127 $\int \cos(x) \csc(6x) dx$

**Optimal.** Leaf size=36

$$-\frac{1}{6} \tanh^{-1}(\cos(x)) - \frac{1}{6} \tanh^{-1}(2 \cos(x)) + \frac{\tanh^{-1}\left(\frac{2 \cos(x)}{\sqrt{3}}\right)}{2\sqrt{3}}$$

[Out] -ArcTanh[Cos[x]]/6 - ArcTanh[2\*Cos[x]]/6 + ArcTanh[(2\*Cos[x])/Sqrt[3]]/(2\*Sqrt[3])

**Rubi [A]** time = 0.0414389, antiderivative size = 36, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {12, 2057, 207}

$$-\frac{1}{6} \tanh^{-1}(\cos(x)) - \frac{1}{6} \tanh^{-1}(2 \cos(x)) + \frac{\tanh^{-1}\left(\frac{2 \cos(x)}{\sqrt{3}}\right)}{2\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Csc[6\*x], x]

[Out] -ArcTanh[Cos[x]]/6 - ArcTanh[2\*Cos[x]]/6 + ArcTanh[(2\*Cos[x])/Sqrt[3]]/(2\*Sqrt[3])

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 2057

Int[(P\_)^(p\_), x\_Symbol] :> With[{u = Factor[P /. x -> Sqrt[x]]}, Int[ExpandIntegrand[(u /. x -> x^2)^p, x], x] /; !SumQ[NonfreeFactors[u, x]] /; PolyQ[P, x^2] && ILtQ[p, 0]

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned}
\int \cos(x) \csc(6x) dx &= -\text{Subst} \left( \int \frac{1}{2(3 - 19x^2 + 32x^4 - 16x^6)} dx, x, \cos(x) \right) \\
&= -\left( \frac{1}{2} \text{Subst} \left( \int \frac{1}{3 - 19x^2 + 32x^4 - 16x^6} dx, x, \cos(x) \right) \right) \\
&= -\left( \frac{1}{2} \text{Subst} \left( \int \left( -\frac{1}{3(-1+x^2)} + \frac{2}{-3+4x^2} - \frac{2}{3(-1+4x^2)} \right) dx, x, \cos(x) \right) \right) \\
&= \frac{1}{6} \text{Subst} \left( \int \frac{1}{-1+x^2} dx, x, \cos(x) \right) + \frac{1}{3} \text{Subst} \left( \int \frac{1}{-1+4x^2} dx, x, \cos(x) \right) - \text{Subst} \left( \int \frac{1}{-3+4x^2} dx, x, \cos(x) \right) \\
&= -\frac{1}{6} \tanh^{-1}(\cos(x)) - \frac{1}{6} \tanh^{-1}(2 \cos(x)) + \frac{\tanh^{-1}\left(\frac{2 \cos(x)}{\sqrt{3}}\right)}{2\sqrt{3}}
\end{aligned}$$

**Mathematica [B]** time = 0.0727779, size = 83, normalized size = 2.31

$$\frac{1}{12} \left( 2 \log \left( \sin \left( \frac{x}{2} \right) \right) - 2 \log \left( \cos \left( \frac{x}{2} \right) \right) + \log(1 - 2 \cos(x)) - \log(2 \cos(x) + 1) - 2\sqrt{3} \tanh^{-1} \left( \frac{\tan \left( \frac{x}{2} \right) - 2}{\sqrt{3}} \right) + 2\sqrt{3} \tanh^{-1} \left( \frac{\tan \left( \frac{x}{2} \right) + 2}{\sqrt{3}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Csc[6\*x],x]

[Out] (-2\*Sqrt[3]\*ArcTanh[(-2 + Tan[x/2])/Sqrt[3]] + 2\*Sqrt[3]\*ArcTanh[(2 + Tan[x/2])/Sqrt[3]] - 2\*Log[Cos[x/2]] + Log[1 - 2\*Cos[x]] - Log[1 + 2\*Cos[x]] + 2\*Log[Sin[x/2]])/12

**Maple [A]** time = 0.059, size = 47, normalized size = 1.3

$$-\frac{\ln(1 + \cos(x))}{12} + \frac{\ln(-1 + \cos(x))}{12} - \frac{\ln(1 + 2 \cos(x))}{12} + \frac{\ln(2 \cos(x) - 1)}{12} + \frac{\sqrt{3}}{6} \text{Artanh} \left( \frac{2 \cos(x) \sqrt{3}}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*csc(6\*x),x)

[Out] -1/12\*ln(1+cos(x))+1/12\*ln(-1+cos(x))-1/12\*ln(1+2\*cos(x))+1/12\*ln(2\*cos(x)-1)+1/6\*arctanh(2/3\*cos(x)\*3^(1/2))\*3^(1/2)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\int \frac{(\sin(3x) - \sin(x)) \cos(4x) - (\cos(3x) - \cos(x)) \sin(4x) - (\cos(2x) - 1) \sin(3x) + \cos(3x) \sin(2x) - \cos(x) \sin(2x)}{2(2(\cos(2x) - 1) \cos(4x) - \cos(4x)^2 - \cos(2x)^2 - \sin(4x)^2 + 2 \sin(4x) \sin(2x) - \sin(2x)^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*csc(6\*x),x, algorithm="maxima")

[Out] -integrate(1/2\*((sin(3\*x) - sin(x))\*cos(4\*x) - (cos(3\*x) - cos(x))\*sin(4\*x) - (cos(2\*x) - 1)\*sin(3\*x) + cos(3\*x)\*sin(2\*x) - cos(x)\*sin(2\*x) + cos(2\*x)

\*sin(x) - sin(x))/(2\*(cos(2\*x) - 1)\*cos(4\*x) - cos(4\*x)^2 - cos(2\*x)^2 - sin(4\*x)^2 + 2\*sin(4\*x)\*sin(2\*x) - sin(2\*x)^2 + 2\*cos(2\*x) - 1), x) - 1/24\*log(2\*(cos(x) + 1)\*cos(2\*x) + cos(2\*x)^2 + cos(x)^2 + sin(2\*x)^2 + 2\*sin(2\*x)\*sin(x) + sin(x)^2 + 2\*cos(x) + 1) + 1/24\*log(-2\*(cos(x) - 1)\*cos(2\*x) + cos(2\*x)^2 + cos(x)^2 + sin(2\*x)^2 - 2\*sin(2\*x)\*sin(x) + sin(x)^2 - 2\*cos(x) + 1) - 1/12\*log(cos(x)^2 + sin(x)^2 + 2\*cos(x) + 1) + 1/12\*log(cos(x)^2 + sin(x)^2 - 2\*cos(x) + 1)

**Fricas [B]** time = 2.65906, size = 248, normalized size = 6.89

$$\frac{1}{12} \sqrt{3} \log\left(-\frac{4 \cos(x)^2 + 4 \sqrt{3} \cos(x) + 3}{4 \cos(x)^2 - 3}\right) - \frac{1}{12} \log\left(\frac{1}{2} \cos(x) + \frac{1}{2}\right) + \frac{1}{12} \log\left(-\frac{1}{2} \cos(x) + \frac{1}{2}\right) + \frac{1}{12} \log(-2 \cos(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*csc(6\*x),x, algorithm="fricas")

[Out] 1/12\*sqrt(3)\*log(-(4\*cos(x)^2 + 4\*sqrt(3)\*cos(x) + 3)/(4\*cos(x)^2 - 3)) - 1/12\*log(1/2\*cos(x) + 1/2) + 1/12\*log(-1/2\*cos(x) + 1/2) + 1/12\*log(-2\*cos(x) + 1) - 1/12\*log(-2\*cos(x) - 1)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \cos(x) \csc(6x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*csc(6\*x),x)

[Out] Integral(cos(x)\*csc(6\*x), x)

**Giac [B]** time = 1.178, size = 136, normalized size = 3.78

$$\frac{1}{12} \sqrt{3} \log\left(\left|\frac{-8 \sqrt{3} - \frac{2(\cos(x)-1)}{\cos(x)+1} - 14}{8 \sqrt{3} - \frac{2(\cos(x)-1)}{\cos(x)+1} - 14}\right|\right) + \frac{1}{12} \log\left(-\frac{\cos(x)-1}{\cos(x)+1}\right) - \frac{1}{12} \log\left(\left|-\frac{\cos(x)-1}{\cos(x)+1} - 3\right|\right) + \frac{1}{12} \log\left(\left|-\frac{3(\cos(x)-1)}{\cos(x)+1}\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*csc(6\*x),x, algorithm="giac")

[Out] 1/12\*sqrt(3)\*log(abs(-8\*sqrt(3) - 2\*(cos(x) - 1)/(cos(x) + 1) - 14)/abs(8\*sqrt(3) - 2\*(cos(x) - 1)/(cos(x) + 1) - 14)) + 1/12\*log(-(cos(x) - 1)/(cos(x) + 1)) - 1/12\*log(abs(-(cos(x) - 1)/(cos(x) + 1) - 3)) + 1/12\*log(abs(-3\*(cos(x) - 1)/(cos(x) + 1) - 1))



### 3.128 $\int \cos^3(6x) \sin(x) dx$

**Optimal.** Leaf size=33

$$\frac{3}{40} \cos(5x) - \frac{3}{56} \cos(7x) + \frac{1}{136} \cos(17x) - \frac{1}{152} \cos(19x)$$

[Out] (3\*Cos[5\*x])/40 - (3\*Cos[7\*x])/56 + Cos[17\*x]/136 - Cos[19\*x]/152

**Rubi [A]** time = 0.0314779, antiderivative size = 33, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 2, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {4354, 2638}

$$\frac{3}{40} \cos(5x) - \frac{3}{56} \cos(7x) + \frac{1}{136} \cos(17x) - \frac{1}{152} \cos(19x)$$

Antiderivative was successfully verified.

[In] Int[Cos[6\*x]^3\*Sin[x],x]

[Out] (3\*Cos[5\*x])/40 - (3\*Cos[7\*x])/56 + Cos[17\*x]/136 - Cos[19\*x]/152

#### Rule 4354

Int[(F\_)[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*(G\_)[(c\_.) + (d\_.)\*(x\_)]^(q\_.), x\_Symbol] :> Int[ExpandTrigReduce[ActivateTrig[F[a + b\*x]^p\*G[c + d\*x]^q], x], x] /; FreeQ[{a, b, c, d}, x] && (EqQ[F, sin] || EqQ[F, cos]) && (EqQ[G, sin] || EqQ[G, cos]) && IGtQ[p, 0] && IGtQ[q, 0]

#### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \cos^3(6x) \sin(x) dx &= \int \left( -\frac{3}{8} \sin(5x) + \frac{3}{8} \sin(7x) - \frac{1}{8} \sin(17x) + \frac{1}{8} \sin(19x) \right) dx \\ &= -\left( \frac{1}{8} \int \sin(17x) dx \right) + \frac{1}{8} \int \sin(19x) dx - \frac{3}{8} \int \sin(5x) dx + \frac{3}{8} \int \sin(7x) dx \\ &= \frac{3}{40} \cos(5x) - \frac{3}{56} \cos(7x) + \frac{1}{136} \cos(17x) - \frac{1}{152} \cos(19x) \end{aligned}$$

**Mathematica [A]** time = 0.0172737, size = 33, normalized size = 1.

$$\frac{3}{40} \cos(5x) - \frac{3}{56} \cos(7x) + \frac{1}{136} \cos(17x) - \frac{1}{152} \cos(19x)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[6\*x]^3\*Sin[x],x]

[Out] (3\*Cos[5\*x])/40 - (3\*Cos[7\*x])/56 + Cos[17\*x]/136 - Cos[19\*x]/152

---

**Maple [A]** time = 0.092, size = 26, normalized size = 0.8

$$\frac{3 \cos(5x)}{40} - \frac{3 \cos(7x)}{56} + \frac{\cos(17x)}{136} - \frac{\cos(19x)}{152}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(6\*x)^3\*sin(x), x)

[Out] 3/40\*cos(5\*x)-3/56\*cos(7\*x)+1/136\*cos(17\*x)-1/152\*cos(19\*x)

---

**Maxima [A]** time = 0.99366, size = 34, normalized size = 1.03

$$-\frac{1}{152} \cos(19x) + \frac{1}{136} \cos(17x) - \frac{3}{56} \cos(7x) + \frac{3}{40} \cos(5x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(6\*x)^3\*sin(x), x, algorithm="maxima")

[Out] -1/152\*cos(19\*x) + 1/136\*cos(17\*x) - 3/56\*cos(7\*x) + 3/40\*cos(5\*x)

---

**Fricas [B]** time = 2.796, size = 234, normalized size = 7.09

$$-\frac{32768}{19} \cos(x)^{19} + \frac{147456}{17} \cos(x)^{17} - 18432 \cos(x)^{15} + 21504 \cos(x)^{13} - 14976 \cos(x)^{11} + 6336 \cos(x)^9 - \frac{11112}{7} \cos(x)^7 + 1116 \cos(x)^5 - 18 \cos(x)^3 + \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(6\*x)^3\*sin(x), x, algorithm="fricas")

[Out] -32768/19\*cos(x)^19 + 147456/17\*cos(x)^17 - 18432\*cos(x)^15 + 21504\*cos(x)^13 - 14976\*cos(x)^11 + 6336\*cos(x)^9 - 11112/7\*cos(x)^7 + 1116/5\*cos(x)^5 - 18\*cos(x)^3 + cos(x)

---

**Sympy [B]** time = 11.4344, size = 63, normalized size = 1.91

$$\frac{1296 \sin(x) \sin^3(6x)}{11305} + \frac{1926 \sin(x) \sin(6x) \cos^2(6x)}{11305} + \frac{216 \sin^2(6x) \cos(x) \cos(6x)}{11305} + \frac{251 \cos(x) \cos^3(6x)}{11305}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(6\*x)\*\*3\*sin(x), x)

[Out] 1296\*sin(x)\*sin(6\*x)\*\*3/11305 + 1926\*sin(x)\*sin(6\*x)\*cos(6\*x)\*\*2/11305 + 216\*sin(6\*x)\*\*2\*cos(x)\*cos(6\*x)/11305 + 251\*cos(x)\*cos(6\*x)\*\*3/11305

---

**Giac [A]** time = 1.11997, size = 34, normalized size = 1.03

$$-\frac{1}{152} \cos(19x) + \frac{1}{136} \cos(17x) - \frac{3}{56} \cos(7x) + \frac{3}{40} \cos(5x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(6*x)^3*sin(x),x, algorithm="giac")
```

```
[Out] -1/152*cos(19*x) + 1/136*cos(17*x) - 3/56*cos(7*x) + 3/40*cos(5*x)
```

### 3.129 $\int \cos^3(6x) \sin(9x) dx$

**Optimal.** Leaf size=33

$$-\frac{1}{8} \cos(3x) + \frac{1}{72} \cos(9x) - \frac{1}{40} \cos(15x) - \frac{1}{216} \cos(27x)$$

[Out] `-Cos[3*x]/8 + Cos[9*x]/72 - Cos[15*x]/40 - Cos[27*x]/216`

**Rubi [A]** time = 0.0328019, antiderivative size = 33, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 2, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {4354, 2638}

$$-\frac{1}{8} \cos(3x) + \frac{1}{72} \cos(9x) - \frac{1}{40} \cos(15x) - \frac{1}{216} \cos(27x)$$

Antiderivative was successfully verified.

[In] `Int[Cos[6*x]^3*Sin[9*x],x]`

[Out] `-Cos[3*x]/8 + Cos[9*x]/72 - Cos[15*x]/40 - Cos[27*x]/216`

#### Rule 4354

```
Int[(F_)[(a_.) + (b_.)*(x_)]^(p_.)*(G_)[(c_.) + (d_.)*(x_)]^(q_.), x_Symbol]
  :> Int[ExpandTrigReduce[ActivateTrig[F[a + b*x]^p*G[c + d*x]^q], x], x] /
; FreeQ[{a, b, c, d}, x] && (EqQ[F, sin] || EqQ[F, cos]) && (EqQ[G, sin] ||
EqQ[G, cos]) && IGtQ[p, 0] && IGtQ[q, 0]
```

#### Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[Cos[c + d*x]/d, x] /; FreeQ
[{c, d}, x]
```

#### Rubi steps

$$\begin{aligned} \int \cos^3(6x) \sin(9x) dx &= \int \left( \frac{3}{8} \sin(3x) - \frac{1}{8} \sin(9x) + \frac{3}{8} \sin(15x) + \frac{1}{8} \sin(27x) \right) dx \\ &= -\left( \frac{1}{8} \int \sin(9x) dx \right) + \frac{1}{8} \int \sin(27x) dx + \frac{3}{8} \int \sin(3x) dx + \frac{3}{8} \int \sin(15x) dx \\ &= -\frac{1}{8} \cos(3x) + \frac{1}{72} \cos(9x) - \frac{1}{40} \cos(15x) - \frac{1}{216} \cos(27x) \end{aligned}$$

**Mathematica [A]** time = 0.0173943, size = 33, normalized size = 1.

$$-\frac{1}{8} \cos(3x) + \frac{1}{72} \cos(9x) - \frac{1}{40} \cos(15x) - \frac{1}{216} \cos(27x)$$

Antiderivative was successfully verified.

[In] `Integrate[Cos[6*x]^3*Sin[9*x],x]`

[Out] `-Cos[3*x]/8 + Cos[9*x]/72 - Cos[15*x]/40 - Cos[27*x]/216`

---

**Maple [A]** time = 0.038, size = 26, normalized size = 0.8

$$-\frac{\cos(3x)}{8} + \frac{\cos(9x)}{72} - \frac{\cos(15x)}{40} - \frac{\cos(27x)}{216}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(6\*x)^3\*sin(9\*x),x)

[Out] -1/8\*cos(3\*x)+1/72\*cos(9\*x)-1/40\*cos(15\*x)-1/216\*cos(27\*x)

---

**Maxima [A]** time = 1.01214, size = 34, normalized size = 1.03

$$-\frac{1}{216} \cos(27x) - \frac{1}{40} \cos(15x) + \frac{1}{72} \cos(9x) - \frac{1}{8} \cos(3x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(6\*x)^3\*sin(9\*x),x, algorithm="maxima")

[Out] -1/216\*cos(27\*x) - 1/40\*cos(15\*x) + 1/72\*cos(9\*x) - 1/8\*cos(3\*x)

---

**Fricas [A]** time = 2.44613, size = 117, normalized size = 3.55

$$-\frac{32}{27} \cos(3x)^9 + \frac{8}{3} \cos(3x)^7 - \frac{12}{5} \cos(3x)^5 + \frac{10}{9} \cos(3x)^3 - \frac{1}{3} \cos(3x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(6\*x)^3\*sin(9\*x),x, algorithm="fricas")

[Out] -32/27\*cos(3\*x)^9 + 8/3\*cos(3\*x)^7 - 12/5\*cos(3\*x)^5 + 10/9\*cos(3\*x)^3 - 1/3\*cos(3\*x)

---

**Sympy [B]** time = 23.3911, size = 71, normalized size = 2.15

$$\frac{16 \sin^3(6x) \sin(9x)}{135} - \frac{8 \sin^2(6x) \cos(6x) \cos(9x)}{45} - \frac{2 \sin(6x) \sin(9x) \cos^2(6x)}{45} - \frac{19 \cos^3(6x) \cos(9x)}{135}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(6\*x)\*\*3\*sin(9\*x),x)

[Out] -16\*sin(6\*x)\*\*3\*sin(9\*x)/135 - 8\*sin(6\*x)\*\*2\*cos(6\*x)\*cos(9\*x)/45 - 2\*sin(6\*x)\*sin(9\*x)\*cos(6\*x)\*\*2/45 - 19\*cos(6\*x)\*\*3\*cos(9\*x)/135

---

**Giac [A]** time = 1.12231, size = 34, normalized size = 1.03

$$-\frac{1}{216} \cos(27x) - \frac{1}{40} \cos(15x) + \frac{1}{72} \cos(9x) - \frac{1}{8} \cos(3x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(6*x)^3*sin(9*x),x, algorithm="giac")
```

```
[Out] -1/216*cos(27*x) - 1/40*cos(15*x) + 1/72*cos(9*x) - 1/8*cos(3*x)
```

### 3.130 $\int \cos(2x) \sin^2(6x) dx$

**Optimal.** Leaf size=25

$$\frac{1}{4} \sin(2x) - \frac{1}{40} \sin(10x) - \frac{1}{56} \sin(14x)$$

[Out] Sin[2\*x]/4 - Sin[10\*x]/40 - Sin[14\*x]/56

**Rubi [A]** time = 0.027917, antiderivative size = 25, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 2, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {4354, 2637}

$$\frac{1}{4} \sin(2x) - \frac{1}{40} \sin(10x) - \frac{1}{56} \sin(14x)$$

Antiderivative was successfully verified.

[In] Int[Cos[2\*x]\*Sin[6\*x]^2,x]

[Out] Sin[2\*x]/4 - Sin[10\*x]/40 - Sin[14\*x]/56

#### Rule 4354

Int[(F\_)[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*(G\_)[(c\_.) + (d\_.)\*(x\_)]^(q\_.), x\_Symbol] :> Int[ExpandTrigReduce[ActivateTrig[F[a + b\*x]^p\*G[c + d\*x]^q], x], x] / ; FreeQ[{a, b, c, d}, x] && (EqQ[F, sin] || EqQ[F, cos]) && (EqQ[G, sin] || EqQ[G, cos]) && IGtQ[p, 0] && IGtQ[q, 0]

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Simp[Sin[c + d\*x]/d, x] / ; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \cos(2x) \sin^2(6x) dx &= \int \left( \frac{1}{2} \cos(2x) - \frac{1}{4} \cos(10x) - \frac{1}{4} \cos(14x) \right) dx \\ &= -\left( \frac{1}{4} \int \cos(10x) dx \right) - \frac{1}{4} \int \cos(14x) dx + \frac{1}{2} \int \cos(2x) dx \\ &= \frac{1}{4} \sin(2x) - \frac{1}{40} \sin(10x) - \frac{1}{56} \sin(14x) \end{aligned}$$

**Mathematica [A]** time = 0.0163452, size = 25, normalized size = 1.

$$\frac{1}{4} \sin(2x) - \frac{1}{40} \sin(10x) - \frac{1}{56} \sin(14x)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[2\*x]\*Sin[6\*x]^2,x]

[Out] Sin[2\*x]/4 - Sin[10\*x]/40 - Sin[14\*x]/56

---

**Maple [A]** time = 0.048, size = 20, normalized size = 0.8

$$\frac{\sin(2x)}{4} - \frac{\sin(10x)}{40} - \frac{\sin(14x)}{56}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(2*x)*sin(6*x)^2,x)`

[Out] `1/4*sin(2*x)-1/40*sin(10*x)-1/56*sin(14*x)`

---

**Maxima [A]** time = 0.982074, size = 26, normalized size = 1.04

$$-\frac{1}{56} \sin(14x) - \frac{1}{40} \sin(10x) + \frac{1}{4} \sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(2*x)*sin(6*x)^2,x, algorithm="maxima")`

[Out] `-1/56*sin(14*x) - 1/40*sin(10*x) + 1/4*sin(2*x)`

---

**Fricas [A]** time = 2.36754, size = 92, normalized size = 3.68

$$-\frac{1}{70} (80 \cos(2x)^6 - 72 \cos(2x)^4 + 9 \cos(2x)^2 - 17) \sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(2*x)*sin(6*x)^2,x, algorithm="fricas")`

[Out] `-1/70*(80*cos(2*x)^6 - 72*cos(2*x)^4 + 9*cos(2*x)^2 - 17)*sin(2*x)`

---

**Sympy [B]** time = 12.7746, size = 48, normalized size = 1.92

$$\frac{17 \sin(2x) \sin^2(6x)}{70} + \frac{9 \sin(2x) \cos^2(6x)}{35} - \frac{3 \sin(6x) \cos(2x) \cos(6x)}{35}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(2*x)*sin(6*x)**2,x)`

[Out] `17*sin(2*x)*sin(6*x)**2/70 + 9*sin(2*x)*cos(6*x)**2/35 - 3*sin(6*x)*cos(2*x)*cos(6*x)/35`

---

**Giac [A]** time = 1.12103, size = 26, normalized size = 1.04

$$-\frac{1}{56} \sin(14x) - \frac{1}{40} \sin(10x) + \frac{1}{4} \sin(2x)$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(2*x)*sin(6*x)^2,x, algorithm="giac")
```

```
[Out] -1/56*sin(14*x) - 1/40*sin(10*x) + 1/4*sin(2*x)
```

### 3.131 $\int \cos(x) \sin^2(6x) dx$

**Optimal.** Leaf size=23

$$\frac{\sin(x)}{2} - \frac{1}{44} \sin(11x) - \frac{1}{52} \sin(13x)$$

[Out] Sin[x]/2 - Sin[11\*x]/44 - Sin[13\*x]/52

**Rubi [A]** time = 0.0263351, antiderivative size = 23, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 2, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {4354, 2637}

$$\frac{\sin(x)}{2} - \frac{1}{44} \sin(11x) - \frac{1}{52} \sin(13x)$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Sin[6\*x]^2,x]

[Out] Sin[x]/2 - Sin[11\*x]/44 - Sin[13\*x]/52

#### Rule 4354

```
Int[(F_)[(a_.) + (b_.)*(x_)]^(p_.)*(G_)[(c_.) + (d_.)*(x_)]^(q_.), x_Symbol]
  > Int[ExpandTrigReduce[ActivateTrig[F[a + b*x]^p*G[c + d*x]^q], x], x] /
  ; FreeQ[{a, b, c, d}, x] && (EqQ[F, sin] || EqQ[F, cos]) && (EqQ[G, sin] ||
  EqQ[G, cos]) && IGtQ[p, 0] && IGtQ[q, 0]
```

#### Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] > Simp[Sin[c + d*x]/d, x] /;
  FreeQ[{c, d}, x]
```

#### Rubi steps

$$\begin{aligned} \int \cos(x) \sin^2(6x) dx &= \int \left( \frac{\cos(x)}{2} - \frac{1}{4} \cos(11x) - \frac{1}{4} \cos(13x) \right) dx \\ &= -\left( \frac{1}{4} \int \cos(11x) dx \right) - \frac{1}{4} \int \cos(13x) dx + \frac{1}{2} \int \cos(x) dx \\ &= \frac{\sin(x)}{2} - \frac{1}{44} \sin(11x) - \frac{1}{52} \sin(13x) \end{aligned}$$

**Mathematica [A]** time = 0.0119901, size = 23, normalized size = 1.

$$\frac{\sin(x)}{2} - \frac{1}{44} \sin(11x) - \frac{1}{52} \sin(13x)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Sin[6\*x]^2,x]

[Out] Sin[x]/2 - Sin[11\*x]/44 - Sin[13\*x]/52

---

**Maple [A]** time = 0.051, size = 18, normalized size = 0.8

$$\frac{\sin(x)}{2} - \frac{\sin(11x)}{44} - \frac{\sin(13x)}{52}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*sin(6\*x)^2,x)

[Out] 1/2\*sin(x)-1/44\*sin(11\*x)-1/52\*sin(13\*x)

---

**Maxima [A]** time = 1.00829, size = 23, normalized size = 1.

$$-\frac{1}{52} \sin(13x) - \frac{1}{44} \sin(11x) + \frac{1}{2} \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sin(6\*x)^2,x, algorithm="maxima")

[Out] -1/52\*sin(13\*x) - 1/44\*sin(11\*x) + 1/2\*sin(x)

---

**Fricas [B]** time = 2.48903, size = 154, normalized size = 6.7

$$-\frac{4}{143} (2816 \cos(x)^{12} - 6912 \cos(x)^{10} + 6048 \cos(x)^8 - 2240 \cos(x)^6 + 315 \cos(x)^4 - 9 \cos(x)^2 - 18) \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sin(6\*x)^2,x, algorithm="fricas")

[Out] -4/143\*(2816\*cos(x)^12 - 6912\*cos(x)^10 + 6048\*cos(x)^8 - 2240\*cos(x)^6 + 315\*cos(x)^4 - 9\*cos(x)^2 - 18)\*sin(x)

---

**Sympy [B]** time = 12.8496, size = 42, normalized size = 1.83

$$\frac{71 \sin(x) \sin^2(6x)}{143} + \frac{72 \sin(x) \cos^2(6x)}{143} - \frac{12 \sin(6x) \cos(x) \cos(6x)}{143}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sin(6\*x)\*\*2,x)

[Out] 71\*sin(x)\*sin(6\*x)\*\*2/143 + 72\*sin(x)\*cos(6\*x)\*\*2/143 - 12\*sin(6\*x)\*cos(x)\*cos(6\*x)/143

---

**Giac [A]** time = 1.11927, size = 23, normalized size = 1.

$$-\frac{1}{52} \sin(13x) - \frac{1}{44} \sin(11x) + \frac{1}{2} \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)*sin(6*x)^2,x, algorithm="giac")
```

```
[Out] -1/52*sin(13*x) - 1/44*sin(11*x) + 1/2*sin(x)
```

### 3.132 $\int \cos(x) \sin^3(6x) dx$

**Optimal.** Leaf size=33

$$-\frac{3}{40} \cos(5x) - \frac{3}{56} \cos(7x) + \frac{1}{136} \cos(17x) + \frac{1}{152} \cos(19x)$$

[Out]  $(-3*\text{Cos}[5*x])/40 - (3*\text{Cos}[7*x])/56 + \text{Cos}[17*x]/136 + \text{Cos}[19*x]/152$

**Rubi [A]** time = 0.031273, antiderivative size = 33, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 2, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {4354, 2638}

$$-\frac{3}{40} \cos(5x) - \frac{3}{56} \cos(7x) + \frac{1}{136} \cos(17x) + \frac{1}{152} \cos(19x)$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Sin[6\*x]^3,x]

[Out]  $(-3*\text{Cos}[5*x])/40 - (3*\text{Cos}[7*x])/56 + \text{Cos}[17*x]/136 + \text{Cos}[19*x]/152$

#### Rule 4354

Int[(F\_)[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*(G\_)[(c\_.) + (d\_.)\*(x\_)]^(q\_.), x\_Symbol] :> Int[ExpandTrigReduce[ActivateTrig[F[a + b\*x]^p\*G[c + d\*x]^q], x], x] /; FreeQ[{a, b, c, d}, x] && (EqQ[F, sin] || EqQ[F, cos]) && (EqQ[G, sin] || EqQ[G, cos]) && IGtQ[p, 0] && IGtQ[q, 0]

#### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \cos(x) \sin^3(6x) dx &= \int \left( \frac{3}{8} \sin(5x) + \frac{3}{8} \sin(7x) - \frac{1}{8} \sin(17x) - \frac{1}{8} \sin(19x) \right) dx \\ &= -\left( \frac{1}{8} \int \sin(17x) dx \right) - \frac{1}{8} \int \sin(19x) dx + \frac{3}{8} \int \sin(5x) dx + \frac{3}{8} \int \sin(7x) dx \\ &= -\frac{3}{40} \cos(5x) - \frac{3}{56} \cos(7x) + \frac{1}{136} \cos(17x) + \frac{1}{152} \cos(19x) \end{aligned}$$

**Mathematica [A]** time = 0.0145286, size = 33, normalized size = 1.

$$-\frac{3}{40} \cos(5x) - \frac{3}{56} \cos(7x) + \frac{1}{136} \cos(17x) + \frac{1}{152} \cos(19x)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Sin[6\*x]^3,x]

[Out]  $(-3*\text{Cos}[5*x])/40 - (3*\text{Cos}[7*x])/56 + \text{Cos}[17*x]/136 + \text{Cos}[19*x]/152$

---

**Maple [A]** time = 0.059, size = 26, normalized size = 0.8

$$-\frac{3 \cos(5x)}{40} - \frac{3 \cos(7x)}{56} + \frac{\cos(17x)}{136} + \frac{\cos(19x)}{152}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(x)*sin(6*x)^3,x)`

[Out] `-3/40*cos(5*x)-3/56*cos(7*x)+1/136*cos(17*x)+1/152*cos(19*x)`

---

**Maxima [A]** time = 1.02419, size = 34, normalized size = 1.03

$$\frac{1}{152} \cos(19x) + \frac{1}{136} \cos(17x) - \frac{3}{56} \cos(7x) - \frac{3}{40} \cos(5x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*sin(6*x)^3,x, algorithm="maxima")`

[Out] `1/152*cos(19*x) + 1/136*cos(17*x) - 3/56*cos(7*x) - 3/40*cos(5*x)`

---

**Fricas [A]** time = 2.76163, size = 197, normalized size = 5.97

$$\frac{32768}{19} \cos(x)^{19} - \frac{131072}{17} \cos(x)^{17} + 14336 \cos(x)^{15} - 14336 \cos(x)^{13} + 8320 \cos(x)^{11} - 2816 \cos(x)^9 + \frac{3672}{7} \cos(x)^7 - 216 \cos(x)^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*sin(6*x)^3,x, algorithm="fricas")`

[Out] `32768/19*cos(x)^19 - 131072/17*cos(x)^17 + 14336*cos(x)^15 - 14336*cos(x)^13 + 8320*cos(x)^11 - 2816*cos(x)^9 + 3672/7*cos(x)^7 - 216/5*cos(x)^5`

---

**Sympy [B]** time = 16.1038, size = 65, normalized size = 1.97

$$-\frac{251 \sin(x) \sin^3(6x)}{11305} - \frac{216 \sin(x) \sin(6x) \cos^2(6x)}{11305} - \frac{1926 \sin^2(6x) \cos(x) \cos(6x)}{11305} - \frac{1296 \cos(x) \cos^3(6x)}{11305}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*sin(6*x)**3,x)`

[Out] `-251*sin(x)*sin(6*x)**3/11305 - 216*sin(x)*sin(6*x)*cos(6*x)**2/11305 - 1926*sin(6*x)**2*cos(x)*cos(6*x)/11305 - 1296*cos(x)*cos(6*x)**3/11305`

---

**Giac [A]** time = 1.1403, size = 34, normalized size = 1.03

$$\frac{1}{152} \cos(19x) + \frac{1}{136} \cos(17x) - \frac{3}{56} \cos(7x) - \frac{3}{40} \cos(5x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)*sin(6*x)^3,x, algorithm="giac")
```

```
[Out] 1/152*cos(19*x) + 1/136*cos(17*x) - 3/56*cos(7*x) - 3/40*cos(5*x)
```

### 3.133 $\int \cos(7x) \sin^3(6x) dx$

**Optimal.** Leaf size=31

$$\frac{3 \cos(x)}{8} + \frac{1}{88} \cos(11x) - \frac{3}{104} \cos(13x) + \frac{1}{200} \cos(25x)$$

[Out] (3\*Cos[x])/8 + Cos[11\*x]/88 - (3\*Cos[13\*x])/104 + Cos[25\*x]/200

**Rubi [A]** time = 0.0299518, antiderivative size = 31, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 2, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {4354, 2638}

$$\frac{3 \cos(x)}{8} + \frac{1}{88} \cos(11x) - \frac{3}{104} \cos(13x) + \frac{1}{200} \cos(25x)$$

Antiderivative was successfully verified.

[In] Int[Cos[7\*x]\*Sin[6\*x]^3,x]

[Out] (3\*Cos[x])/8 + Cos[11\*x]/88 - (3\*Cos[13\*x])/104 + Cos[25\*x]/200

#### Rule 4354

```
Int[(F_)[(a_.) + (b_.)*(x_)]^(p_.)*(G_)[(c_.) + (d_.)*(x_)]^(q_.), x_Symbol]
  > Int[ExpandTrigReduce[ActivateTrig[F[a + b*x]^p*G[c + d*x]^q], x], x] /
  ; FreeQ[{a, b, c, d}, x] && (EqQ[F, sin] || EqQ[F, cos]) && (EqQ[G, sin] ||
  EqQ[G, cos]) && IGtQ[p, 0] && IGtQ[q, 0]
```

#### Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] > -Simp[Cos[c + d*x]/d, x] /; FreeQ
  [{c, d}, x]
```

#### Rubi steps

$$\begin{aligned} \int \cos(7x) \sin^3(6x) dx &= \int \left( -\frac{3 \sin(x)}{8} - \frac{1}{8} \sin(11x) + \frac{3}{8} \sin(13x) - \frac{1}{8} \sin(25x) \right) dx \\ &= -\left( \frac{1}{8} \int \sin(11x) dx \right) - \frac{1}{8} \int \sin(25x) dx - \frac{3}{8} \int \sin(x) dx + \frac{3}{8} \int \sin(13x) dx \\ &= \frac{3 \cos(x)}{8} + \frac{1}{88} \cos(11x) - \frac{3}{104} \cos(13x) + \frac{1}{200} \cos(25x) \end{aligned}$$

**Mathematica [A]** time = 0.0153507, size = 31, normalized size = 1.

$$\frac{3 \cos(x)}{8} + \frac{1}{88} \cos(11x) - \frac{3}{104} \cos(13x) + \frac{1}{200} \cos(25x)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[7\*x]\*Sin[6\*x]^3,x]

[Out] (3\*Cos[x])/8 + Cos[11\*x]/88 - (3\*Cos[13\*x])/104 + Cos[25\*x]/200



---

**Maple [A]** time = 0.18, size = 24, normalized size = 0.8

$$\frac{3 \cos(x)}{8} + \frac{\cos(11x)}{88} - \frac{3 \cos(13x)}{104} + \frac{\cos(25x)}{200}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(7\*x)\*sin(6\*x)^3,x)

[Out] 3/8\*cos(x)+1/88\*cos(11\*x)-3/104\*cos(13\*x)+1/200\*cos(25\*x)

---

**Maxima [A]** time = 1.00676, size = 31, normalized size = 1.

$$\frac{1}{200} \cos(25x) - \frac{3}{104} \cos(13x) + \frac{1}{88} \cos(11x) + \frac{3}{8} \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(7\*x)\*sin(6\*x)^3,x, algorithm="maxima")

[Out] 1/200\*cos(25\*x) - 3/104\*cos(13\*x) + 1/88\*cos(11\*x) + 3/8\*cos(x)

---

**Fricas [B]** time = 3.11891, size = 297, normalized size = 9.58

$$\frac{2097152}{25} \cos(x)^{25} - 524288 \cos(x)^{23} + 1441792 \cos(x)^{21} - 2293760 \cos(x)^{19} + 2334720 \cos(x)^{17} - \frac{7938048}{5} \cos(x)^{15} + 9503232 \cos(x)^{13} - 2484992 \cos(x)^{11} + 45248 \cos(x)^9 - 5400 \cos(x)^7 + 1512 \cos(x)^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(7\*x)\*sin(6\*x)^3,x, algorithm="fricas")

[Out] 2097152/25\*cos(x)^25 - 524288\*cos(x)^23 + 1441792\*cos(x)^21 - 2293760\*cos(x)^19 + 2334720\*cos(x)^17 - 7938048/5\*cos(x)^15 + 9503232/13\*cos(x)^13 - 2484992/11\*cos(x)^11 + 45248\*cos(x)^9 - 5400\*cos(x)^7 + 1512/5\*cos(x)^5

---

**Sympy [B]** time = 11.8116, size = 70, normalized size = 2.26

$$\frac{1421 \sin^3(6x) \sin(7x)}{3575} + \frac{1062 \sin^2(6x) \cos(6x) \cos(7x)}{3575} + \frac{1512 \sin(6x) \sin(7x) \cos^2(6x)}{3575} + \frac{1296 \cos^3(6x) \cos(7x)}{3575}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(7\*x)\*sin(6\*x)\*\*3,x)

[Out] 1421\*sin(6\*x)\*\*3\*sin(7\*x)/3575 + 1062\*sin(6\*x)\*\*2\*cos(6\*x)\*cos(7\*x)/3575 + 1512\*sin(6\*x)\*sin(7\*x)\*cos(6\*x)\*\*2/3575 + 1296\*cos(6\*x)\*\*3\*cos(7\*x)/3575

---

**Giac [A]** time = 1.1035, size = 31, normalized size = 1.

$$\frac{1}{200} \cos(25x) - \frac{3}{104} \cos(13x) + \frac{1}{88} \cos(11x) + \frac{3}{8} \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(7*x)*sin(6*x)^3,x, algorithm="giac")
```

```
[Out] 1/200*cos(25*x) - 3/104*cos(13*x) + 1/88*cos(11*x) + 3/8*cos(x)
```

### 3.134 $\int \cos^2(3x) \sin^3(2x) dx$

**Optimal.** Leaf size=41

$$-\frac{3}{16} \cos(2x) + \frac{3}{64} \cos(4x) + \frac{1}{48} \cos(6x) - \frac{3}{128} \cos(8x) + \frac{1}{192} \cos(12x)$$

[Out]  $(-3*\text{Cos}[2*x])/16 + (3*\text{Cos}[4*x])/64 + \text{Cos}[6*x]/48 - (3*\text{Cos}[8*x])/128 + \text{Cos}[12*x]/192$

**Rubi [A]** time = 0.0433548, antiderivative size = 41, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 2, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {4354, 2638}

$$-\frac{3}{16} \cos(2x) + \frac{3}{64} \cos(4x) + \frac{1}{48} \cos(6x) - \frac{3}{128} \cos(8x) + \frac{1}{192} \cos(12x)$$

Antiderivative was successfully verified.

[In] Int[Cos[3\*x]^2\*Sin[2\*x]^3,x]

[Out]  $(-3*\text{Cos}[2*x])/16 + (3*\text{Cos}[4*x])/64 + \text{Cos}[6*x]/48 - (3*\text{Cos}[8*x])/128 + \text{Cos}[12*x]/192$

#### Rule 4354

Int[(F\_)[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*(G\_)[(c\_.) + (d\_.)\*(x\_)]^(q\_.), x\_Symbol] :> Int[ExpandTrigReduce[ActivateTrig[F[a + b\*x]^p\*G[c + d\*x]^q], x], x] /; FreeQ[{a, b, c, d}, x] && (EqQ[F, sin] || EqQ[F, cos]) && (EqQ[G, sin] || EqQ[G, cos]) && IGtQ[p, 0] && IGtQ[q, 0]

#### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \cos^2(3x) \sin^3(2x) dx &= \int \left( \frac{3}{8} \sin(2x) - \frac{3}{16} \sin(4x) - \frac{1}{8} \sin(6x) + \frac{3}{16} \sin(8x) - \frac{1}{16} \sin(12x) \right) dx \\ &= -\left( \frac{1}{16} \int \sin(12x) dx \right) - \frac{1}{8} \int \sin(6x) dx - \frac{3}{16} \int \sin(4x) dx + \frac{3}{16} \int \sin(8x) dx + \frac{3}{8} \int \sin(2x) dx \\ &= -\frac{3}{16} \cos(2x) + \frac{3}{64} \cos(4x) + \frac{1}{48} \cos(6x) - \frac{3}{128} \cos(8x) + \frac{1}{192} \cos(12x) \end{aligned}$$

**Mathematica [A]** time = 0.0185465, size = 41, normalized size = 1.

$$-\frac{3}{16} \cos(2x) + \frac{3}{64} \cos(4x) + \frac{1}{48} \cos(6x) - \frac{3}{128} \cos(8x) + \frac{1}{192} \cos(12x)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[3\*x]^2\*Sin[2\*x]^3,x]

[Out]  $(-3*\text{Cos}[2*x])/16 + (3*\text{Cos}[4*x])/64 + \text{Cos}[6*x]/48 - (3*\text{Cos}[8*x])/128 + \text{Cos}[12*x]/192$

**Maple [A]** time = 0.066, size = 32, normalized size = 0.8

$$-\frac{3 \cos(2x)}{16} + \frac{3 \cos(4x)}{64} + \frac{\cos(6x)}{48} - \frac{3 \cos(8x)}{128} + \frac{\cos(12x)}{192}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(3*x)^2*sin(2*x)^3,x)`

[Out]  $-3/16*\cos(2*x)+3/64*\cos(4*x)+1/48*\cos(6*x)-3/128*\cos(8*x)+1/192*\cos(12*x)$

**Maxima [A]** time = 1.0121, size = 42, normalized size = 1.02

$$\frac{1}{192} \cos(12x) - \frac{3}{128} \cos(8x) + \frac{1}{48} \cos(6x) + \frac{3}{64} \cos(4x) - \frac{3}{16} \cos(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(3*x)^2*sin(2*x)^3,x, algorithm="maxima")`

[Out]  $1/192*\cos(12*x) - 3/128*\cos(8*x) + 1/48*\cos(6*x) + 3/64*\cos(4*x) - 3/16*\cos(2*x)$

**Fricas [A]** time = 2.39628, size = 80, normalized size = 1.95

$$\frac{32}{3} \cos(x)^{12} - 32 \cos(x)^{10} + 33 \cos(x)^8 - 12 \cos(x)^6$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(3*x)^2*sin(2*x)^3,x, algorithm="fricas")`

[Out]  $32/3*\cos(x)^{12} - 32*\cos(x)^{10} + 33*\cos(x)^8 - 12*\cos(x)^6$

**Sympy [B]** time = 52.9172, size = 228, normalized size = 5.56

$$-\frac{x \sin^3(2x) \sin^2(3x)}{16} + \frac{x \sin^3(2x) \cos^2(3x)}{16} - \frac{3x \sin^2(2x) \sin(3x) \cos(2x) \cos(3x)}{8} + \frac{3x \sin(2x) \sin^2(3x) \cos^2(2x)}{16} - \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(3*x)**2*sin(2*x)**3,x)`

[Out]  $-x*\sin(2*x)**3*\sin(3*x)**2/16 + x*\sin(2*x)**3*\cos(3*x)**2/16 - 3*x*\sin(2*x)**2*\sin(3*x)*\cos(2*x)*\cos(3*x)/8 + 3*x*\sin(2*x)*\sin(3*x)**2*\cos(2*x)**2/16 - 3*x*\sin(2*x)*\cos(2*x)**2*\cos(3*x)**2/16 + x*\sin(3*x)*\cos(2*x)**3*\cos(3*x)/8 - \sin(2*x)**2*\sin(3*x)**2*\cos(2*x)/32 - 15*\sin(2*x)**2*\cos(2*x)*\cos(3*x)$

```
**2/32 + 9*sin(2*x)*sin(3*x)*cos(2*x)**2*cos(3*x)/16 - 13*sin(3*x)**2*cos(2*x)**3/48 - cos(2*x)**3*cos(3*x)**2/16
```

**Giac [A]** time = 1.16051, size = 42, normalized size = 1.02

$$\frac{1}{192} \cos(12x) - \frac{3}{128} \cos(8x) + \frac{1}{48} \cos(6x) + \frac{3}{64} \cos(4x) - \frac{3}{16} \cos(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(3*x)^2*sin(2*x)^3,x, algorithm="giac")
```

```
[Out] 1/192*cos(12*x) - 3/128*cos(8*x) + 1/48*cos(6*x) + 3/64*cos(4*x) - 3/16*cos(2*x)
```

### 3.135 $\int \sin(a + bx) \sin(c + bx) dx$

**Optimal.** Leaf size=27

$$\frac{1}{2}x \cos(a - c) - \frac{\sin(a + 2bx + c)}{4b}$$

[Out] (x\*Cos[a - c])/2 - Sin[a + c + 2\*b\*x]/(4\*b)

**Rubi [A]** time = 0.0243191, antiderivative size = 27, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {4569, 2637}

$$\frac{1}{2}x \cos(a - c) - \frac{\sin(a + 2bx + c)}{4b}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b\*x]\*Sin[c + b\*x],x]

[Out] (x\*Cos[a - c])/2 - Sin[a + c + 2\*b\*x]/(4\*b)

#### Rule 4569

Int[Sin[v\_]^(p\_.)\*Sin[w\_]^(q\_.), x\_Symbol] := Int[ExpandTrigReduce[Sin[v]^p \* Sin[w]^q, x], x] /; ((PolynomialQ[v, x] && PolynomialQ[w, x]) || (BinomialQ[{v, w}, x] && IndependentQ[Cancel[v/w], x])) && IGtQ[p, 0] && IGtQ[q, 0]

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \sin(a + bx) \sin(c + bx) dx &= \int \left( \frac{1}{2} \cos(a - c) - \frac{1}{2} \cos(a + c + 2bx) \right) dx \\ &= \frac{1}{2}x \cos(a - c) - \frac{1}{2} \int \cos(a + c + 2bx) dx \\ &= \frac{1}{2}x \cos(a - c) - \frac{\sin(a + c + 2bx)}{4b} \end{aligned}$$

**Mathematica [A]** time = 0.0476423, size = 26, normalized size = 0.96

$$-\frac{\sin(a + 2bx + c) - 2bx \cos(a - c)}{4b}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b\*x]\*Sin[c + b\*x],x]

[Out] -(-2\*b\*x\*Cos[a - c] + Sin[a + c + 2\*b\*x])/(4\*b)

**Maple [A]** time = 0.011, size = 24, normalized size = 0.9

$$\frac{x \cos(a - c)}{2} - \frac{\sin(2bx + a + c)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(b\*x+a)\*sin(b\*x+c),x)

[Out] 1/2\*x\*cos(a-c)-1/4\*sin(2\*b\*x+a+c)/b

**Maxima [A]** time = 0.999916, size = 31, normalized size = 1.15

$$\frac{1}{2} x \cos(-a + c) - \frac{\sin(2bx + a + c)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b\*x+a)\*sin(b\*x+c),x, algorithm="maxima")

[Out] 1/2\*x\*cos(-a + c) - 1/4\*sin(2\*b\*x + a + c)/b

**Fricas [B]** time = 2.4508, size = 127, normalized size = 4.7

$$\frac{bx \cos(-a + c) - \cos(bx + c) \cos(-a + c) \sin(bx + c) + \cos(bx + c)^2 \sin(-a + c)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b\*x+a)\*sin(b\*x+c),x, algorithm="fricas")

[Out] 1/2\*(b\*x\*cos(-a + c) - cos(b\*x + c)\*cos(-a + c)\*sin(b\*x + c) + cos(b\*x + c)^2\*sin(-a + c))/b

**Sympy [A]** time = 1.39209, size = 58, normalized size = 2.15

$$\begin{cases} \frac{x \sin(a+bx) \sin(bx+c)}{2} + \frac{x \cos(a+bx) \cos(bx+c)}{2} - \frac{\sin(bx+c) \cos(a+bx)}{2b} & \text{for } b \neq 0 \\ x \sin(a) \sin(c) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b\*x+a)\*sin(b\*x+c),x)

[Out] Piecewise((x\*sin(a + b\*x)\*sin(b\*x + c)/2 + x\*cos(a + b\*x)\*cos(b\*x + c)/2 - sin(b\*x + c)\*cos(a + b\*x)/(2\*b), Ne(b, 0)), (x\*sin(a)\*sin(c), True))

**Giac [A]** time = 1.13145, size = 31, normalized size = 1.15

$$\frac{1}{2} x \cos(a - c) - \frac{\sin(2bx + a + c)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(b*x+a)*sin(b*x+c),x, algorithm="giac")
```

```
[Out] 1/2*x*cos(a - c) - 1/4*sin(2*b*x + a + c)/b
```



### 3.136 $\int \sin(c - bx) \sin(a + bx) dx$

**Optimal.** Leaf size=27

$$\frac{\sin(a + 2bx - c)}{4b} - \frac{1}{2}x \cos(a + c)$$

[Out]  $-(x \cos[a + c])/2 + \sin[a - c + 2bx]/(4b)$

**Rubi [A]** time = 0.025399, antiderivative size = 27, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {4569, 2637}

$$\frac{\sin(a + 2bx - c)}{4b} - \frac{1}{2}x \cos(a + c)$$

Antiderivative was successfully verified.

[In] Int[Sin[c - b\*x]\*Sin[a + b\*x],x]

[Out]  $-(x \cos[a + c])/2 + \sin[a - c + 2bx]/(4b)$

#### Rule 4569

Int[Sin[v\_]^(p\_.)\*Sin[w\_]^(q\_.), x\_Symbol] := Int[ExpandTrigReduce[Sin[v]^p \* Sin[w]^q, x], x] /; ((PolynomialQ[v, x] && PolynomialQ[w, x]) || (BinomialQ[{v, w}, x] && IndependentQ[Cancel[v/w], x])) && IGtQ[p, 0] && IGtQ[q, 0]

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \sin(c - bx) \sin(a + bx) dx &= \int \left( -\frac{1}{2} \cos(a + c) + \frac{1}{2} \cos(a - c + 2bx) \right) dx \\ &= -\frac{1}{2}x \cos(a + c) + \frac{1}{2} \int \cos(a - c + 2bx) dx \\ &= -\frac{1}{2}x \cos(a + c) + \frac{\sin(a - c + 2bx)}{4b} \end{aligned}$$

**Mathematica [A]** time = 0.0338703, size = 26, normalized size = 0.96

$$\frac{\sin(a + 2bx - c) - 2bx \cos(a + c)}{4b}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[c - b\*x]\*Sin[a + b\*x],x]

[Out]  $(-2bx \cos[a + c] + \sin[a - c + 2bx])/4b$

**Maple [A]** time = 0.01, size = 24, normalized size = 0.9

$$-\frac{x \cos(a+c)}{2} + \frac{\sin(2bx+a-c)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-sin(b\*x-c)\*sin(b\*x+a),x)

[Out] -1/2\*x\*cos(a+c)+1/4\*sin(2\*b\*x+a-c)/b

**Maxima [A]** time = 1.00554, size = 31, normalized size = 1.15

$$-\frac{1}{2}x \cos(a+c) + \frac{\sin(2bx+a-c)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-sin(b\*x-c)\*sin(b\*x+a),x, algorithm="maxima")

[Out] -1/2\*x\*cos(a+c)+1/4\*sin(2\*b\*x+a-c)/b

**Fricas [A]** time = 2.4156, size = 124, normalized size = 4.59

$$-\frac{bx \cos(a+c) - \cos(bx+a) \cos(a+c) \sin(bx+a) + \cos(bx+a)^2 \sin(a+c)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-sin(b\*x-c)\*sin(b\*x+a),x, algorithm="fricas")

[Out] -1/2\*(b\*x\*cos(a+c) - cos(b\*x+a)\*cos(a+c)\*sin(b\*x+a) + cos(b\*x+a)^2\*sin(a+c))/b

**Sympy [A]** time = 1.21596, size = 61, normalized size = 2.26

$$-\begin{cases} \frac{x \sin(a+bx) \sin(bx-c)}{2} + \frac{x \cos(a+bx) \cos(bx-c)}{2} - \frac{\sin(bx-c) \cos(a+bx)}{2b} & \text{for } b \neq 0 \\ -x \sin(a) \sin(c) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-sin(b\*x-c)\*sin(b\*x+a),x)

[Out] -Piecewise((x\*sin(a+b\*x)\*sin(b\*x-c)/2 + x\*cos(a+b\*x)\*cos(b\*x-c)/2 - sin(b\*x-c)\*cos(a+b\*x)/(2\*b), Ne(b, 0)), (-x\*sin(a)\*sin(c), True))

**Giac [A]** time = 1.11759, size = 31, normalized size = 1.15

$$-\frac{1}{2}x \cos(a+c) + \frac{\sin(2bx+a-c)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(-sin(b*x-c)*sin(b*x+a),x, algorithm="giac")
```

```
[Out] -1/2*x*cos(a + c) + 1/4*sin(2*b*x + a - c)/b
```

### 3.137 $\int \cos(a + bx) \cos(c + bx) dx$

**Optimal.** Leaf size=27

$$\frac{\sin(a + 2bx + c)}{4b} + \frac{1}{2}x \cos(a - c)$$

[Out] (x\*Cos[a - c])/2 + Sin[a + c + 2\*b\*x]/(4\*b)

**Rubi [A]** time = 0.017493, antiderivative size = 27, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {4570, 2637}

$$\frac{\sin(a + 2bx + c)}{4b} + \frac{1}{2}x \cos(a - c)$$

Antiderivative was successfully verified.

[In] Int[Cos[a + b\*x]\*Cos[c + b\*x],x]

[Out] (x\*Cos[a - c])/2 + Sin[a + c + 2\*b\*x]/(4\*b)

#### Rule 4570

Int[Cos[v\_]^(p\_.)\*Cos[w\_]^(q\_.), x\_Symbol] := Int[ExpandTrigReduce[Cos[v]^p \*Cos[w]^q, x], x] /; ((PolynomialQ[v, x] && PolynomialQ[w, x]) || (BinomialQ[{v, w}, x] && IndependentQ[Cancel[v/w], x])) && IGtQ[p, 0] && IGtQ[q, 0]

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \cos(a + bx) \cos(c + bx) dx &= \int \left( \frac{1}{2} \cos(a - c) + \frac{1}{2} \cos(a + c + 2bx) \right) dx \\ &= \frac{1}{2}x \cos(a - c) + \frac{1}{2} \int \cos(a + c + 2bx) dx \\ &= \frac{1}{2}x \cos(a - c) + \frac{\sin(a + c + 2bx)}{4b} \end{aligned}$$

**Mathematica [A]** time = 0.0248488, size = 26, normalized size = 0.96

$$\frac{\sin(a + 2bx + c) + 2bx \cos(a - c)}{4b}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[a + b\*x]\*Cos[c + b\*x],x]

[Out] (2\*b\*x\*Cos[a - c] + Sin[a + c + 2\*b\*x])/ (4\*b)

**Maple [A]** time = 0.013, size = 24, normalized size = 0.9

$$\frac{x \cos(a - c)}{2} + \frac{\sin(2bx + a + c)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(b\*x+a)\*cos(b\*x+c),x)

[Out] 1/2\*x\*cos(a-c)+1/4\*sin(2\*b\*x+a+c)/b

**Maxima [A]** time = 0.981778, size = 31, normalized size = 1.15

$$\frac{1}{2} x \cos(-a + c) + \frac{\sin(2bx + a + c)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b\*x+a)\*cos(b\*x+c),x, algorithm="maxima")

[Out] 1/2\*x\*cos(-a + c) + 1/4\*sin(2\*b\*x + a + c)/b

**Fricas [B]** time = 2.2965, size = 127, normalized size = 4.7

$$\frac{bx \cos(-a + c) + \cos(bx + c) \cos(-a + c) \sin(bx + c) - \cos(bx + c)^2 \sin(-a + c)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b\*x+a)\*cos(b\*x+c),x, algorithm="fricas")

[Out] 1/2\*(b\*x\*cos(-a + c) + cos(b\*x + c)\*cos(-a + c)\*sin(b\*x + c) - cos(b\*x + c)^2\*sin(-a + c))/b

**Sympy [A]** time = 1.0933, size = 58, normalized size = 2.15

$$\begin{cases} \frac{x \sin(a+bx) \sin(bx+c)}{2} + \frac{x \cos(a+bx) \cos(bx+c)}{2} + \frac{\sin(bx+c) \cos(a+bx)}{2b} & \text{for } b \neq 0 \\ x \cos(a) \cos(c) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b\*x+a)\*cos(b\*x+c),x)

[Out] Piecewise((x\*sin(a + b\*x)\*sin(b\*x + c)/2 + x\*cos(a + b\*x)\*cos(b\*x + c)/2 + sin(b\*x + c)\*cos(a + b\*x)/(2\*b), Ne(b, 0)), (x\*cos(a)\*cos(c), True))

**Giac [A]** time = 1.10714, size = 31, normalized size = 1.15

$$\frac{1}{2} x \cos(a - c) + \frac{\sin(2bx + a + c)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(b*x+a)*cos(b*x+c),x, algorithm="giac")
```

```
[Out] 1/2*x*cos(a - c) + 1/4*sin(2*b*x + a + c)/b
```

### 3.138 $\int \cos(c - bx) \cos(a + bx) dx$

**Optimal.** Leaf size=27

$$\frac{\sin(a + 2bx - c)}{4b} + \frac{1}{2}x \cos(a + c)$$

[Out] (x\*Cos[a + c])/2 + Sin[a - c + 2\*b\*x]/(4\*b)

**Rubi [A]** time = 0.0186565, antiderivative size = 27, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {4570, 2637}

$$\frac{\sin(a + 2bx - c)}{4b} + \frac{1}{2}x \cos(a + c)$$

Antiderivative was successfully verified.

[In] Int[Cos[c - b\*x]\*Cos[a + b\*x],x]

[Out] (x\*Cos[a + c])/2 + Sin[a - c + 2\*b\*x]/(4\*b)

#### Rule 4570

Int[Cos[v\_]^(p\_.)\*Cos[w\_]^(q\_.), x\_Symbol] :> Int[ExpandTrigReduce[Cos[v]^(p)\*Cos[w]^(q), x], x] /; ((PolynomialQ[v, x] && PolynomialQ[w, x]) || (BinomialQ[{v, w}, x] && IndependentQ[Cancel[v/w], x])) && IGtQ[p, 0] && IGtQ[q, 0]

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \cos(c - bx) \cos(a + bx) dx &= \int \left( \frac{1}{2} \cos(a + c) + \frac{1}{2} \cos(a - c + 2bx) \right) dx \\ &= \frac{1}{2}x \cos(a + c) + \frac{1}{2} \int \cos(a - c + 2bx) dx \\ &= \frac{1}{2}x \cos(a + c) + \frac{\sin(a - c + 2bx)}{4b} \end{aligned}$$

**Mathematica [A]** time = 0.0231336, size = 26, normalized size = 0.96

$$\frac{\sin(a + 2bx - c) + 2bx \cos(a + c)}{4b}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c - b\*x]\*Cos[a + b\*x],x]

[Out] (2\*b\*x\*Cos[a + c] + Sin[a - c + 2\*b\*x])/ (4\*b)

**Maple [A]** time = 0.012, size = 24, normalized size = 0.9

$$\frac{x \cos(a+c)}{2} + \frac{\sin(2bx+a-c)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(b\*x-c)\*cos(b\*x+a),x)

[Out] 1/2\*x\*cos(a+c)+1/4\*sin(2\*b\*x+a-c)/b

**Maxima [A]** time = 1.01705, size = 31, normalized size = 1.15

$$\frac{1}{2}x \cos(a+c) + \frac{\sin(2bx+a-c)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b\*x-c)\*cos(b\*x+a),x, algorithm="maxima")

[Out] 1/2\*x\*cos(a+c) + 1/4\*sin(2\*b\*x+a-c)/b

**Fricas [A]** time = 2.38264, size = 123, normalized size = 4.56

$$\frac{bx \cos(a+c) + \cos(bx+a) \cos(a+c) \sin(bx+a) - \cos(bx+a)^2 \sin(a+c)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b\*x-c)\*cos(b\*x+a),x, algorithm="fricas")

[Out] 1/2\*(b\*x\*cos(a+c) + cos(b\*x+a)\*cos(a+c)\*sin(b\*x+a) - cos(b\*x+a)^2 \*sin(a+c))/b

**Sympy [A]** time = 3.50541, size = 58, normalized size = 2.15

$$\begin{cases} \frac{x \sin(a+bx) \sin(bx-c)}{2} + \frac{x \cos(a+bx) \cos(bx-c)}{2} + \frac{\sin(bx-c) \cos(a+bx)}{2b} & \text{for } b \neq 0 \\ x \cos(a) \cos(c) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b\*x-c)\*cos(b\*x+a),x)

[Out] Piecewise((x\*sin(a+b\*x)\*sin(b\*x-c)/2 + x\*cos(a+b\*x)\*cos(b\*x-c)/2 + sin(b\*x-c)\*cos(a+b\*x)/(2\*b), Ne(b, 0)), (x\*cos(a)\*cos(c), True))

**Giac [A]** time = 1.11017, size = 31, normalized size = 1.15

$$\frac{1}{2}x \cos(a+c) + \frac{\sin(2bx+a-c)}{4b}$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(b*x-c)*cos(b*x+a),x, algorithm="giac")
```

```
[Out] 1/2*x*cos(a + c) + 1/4*sin(2*b*x + a - c)/b
```

### 3.139 $\int \tan(a + bx) \tan(c + bx) dx$

**Optimal.** Leaf size=39

$$-\frac{\cot(a-c)\log(\cos(a+bx))}{b} + \frac{\cot(a-c)\log(\cos(bx+c))}{b} - x$$

[Out]  $-x - (\text{Cot}[a - c] * \text{Log}[\text{Cos}[a + b*x]])/b + (\text{Cot}[a - c] * \text{Log}[\text{Cos}[c + b*x]])/b$

**Rubi [A]** time = 0.065661, antiderivative size = 39, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$ , Rules used = {4612, 4610, 3475}

$$-\frac{\cot(a-c)\log(\cos(a+bx))}{b} + \frac{\cot(a-c)\log(\cos(bx+c))}{b} - x$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Tan}[a + b*x] * \text{Tan}[c + b*x], x]$

[Out]  $-x - (\text{Cot}[a - c] * \text{Log}[\text{Cos}[a + b*x]])/b + (\text{Cot}[a - c] * \text{Log}[\text{Cos}[c + b*x]])/b$

#### Rule 4612

$\text{Int}[\text{Tan}[(a_.) + (b_.)*(x_.)] * \text{Tan}[(c_.) + (d_.)*(x_.)], x\_Symbol] \text{ :> } -\text{Simp}[(b*x)/d, x] + \text{Dist}[(b*\text{Cos}[(b*c - a*d)/d])/d, \text{Int}[\text{Sec}[a + b*x] * \text{Sec}[c + d*x], x], x] /;$   $\text{FreeQ}\{a, b, c, d\}, x\} \ \&\& \ \text{EqQ}[b^2 - d^2, 0] \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

#### Rule 4610

$\text{Int}[\text{Sec}[(a_.) + (b_.)*(x_.)] * \text{Sec}[(c_.) + (d_.)*(x_.)], x\_Symbol] \text{ :> } -\text{Dist}[\text{Csc}[(b*c - a*d)/d], \text{Int}[\text{Tan}[a + b*x], x], x] + \text{Dist}[\text{Csc}[(b*c - a*d)/b], \text{Int}[\text{Tan}[c + d*x], x], x] /;$   $\text{FreeQ}\{a, b, c, d\}, x\} \ \&\& \ \text{EqQ}[b^2 - d^2, 0] \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

#### Rule 3475

$\text{Int}[\text{tan}[(c_.) + (d_.)*(x_.)], x\_Symbol] \text{ :> } -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d*x], x]], x] /;$   $\text{FreeQ}\{c, d\}, x\}$

#### Rubi steps

$$\begin{aligned} \int \tan(a + bx) \tan(c + bx) dx &= -x + \cos(a - c) \int \sec(a + bx) \sec(c + bx) dx \\ &= -x + \cot(a - c) \int \tan(a + bx) dx - \cot(a - c) \int \tan(c + bx) dx \\ &= -x - \frac{\cot(a - c) \log(\cos(a + bx))}{b} + \frac{\cot(a - c) \log(\cos(c + bx))}{b} \end{aligned}$$

**Mathematica [A]** time = 0.503351, size = 31, normalized size = 0.79

$$\frac{\cot(a-c)(\log(\cos(bx+c)) - \log(\cos(a+bx)))}{b} - x$$

Antiderivative was successfully verified.

[In] Integrate[Tan[a + b\*x]\*Tan[c + b\*x],x]

[Out]  $-x + (\text{Cot}[a - c] * (-\text{Log}[\text{Cos}[a + b*x]] + \text{Log}[\text{Cos}[c + b*x]])) / b$

**Maple [C]** time = 0.074, size = 173, normalized size = 4.4

$$-x - \frac{i \ln(e^{2i(bx+a)} + 1) e^{2ia}}{b(e^{2ia} - e^{2ic})} - \frac{i \ln(e^{2i(bx+a)} + 1) e^{2ic}}{b(e^{2ia} - e^{2ic})} + \frac{i \ln(e^{2i(bx+a)} + e^{2i(a-c)}) e^{2ia}}{b(e^{2ia} - e^{2ic})} + \frac{i \ln(e^{2i(bx+a)} + e^{2i(a-c)}) e^{2ic}}{b(e^{2ia} - e^{2ic})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(b\*x+a)\*tan(b\*x+c),x)

[Out]  $-x - I/b / (\exp(2*I*a) - \exp(2*I*c)) * \ln(\exp(2*I*(b*x+a)) + 1) * \exp(2*I*a) - I/b / (\exp(2*I*a) - \exp(2*I*c)) * \ln(\exp(2*I*(b*x+a)) + 1) * \exp(2*I*c) + I/b / (\exp(2*I*a) - \exp(2*I*c)) * \ln(\exp(2*I*(b*x+a)) + \exp(2*I*(a-c))) * \exp(2*I*a) + I/b / (\exp(2*I*a) - \exp(2*I*c)) * \ln(\exp(2*I*(b*x+a)) + \exp(2*I*(a-c))) * \exp(2*I*c)$

**Maxima [B]** time = 1.13055, size = 501, normalized size = 12.85

$$\frac{(2b \cos(2a) \cos(2c) - b \cos(2c)^2 + 2b \sin(2a) \sin(2c) - b \sin(2c)^2 - (\cos(2a)^2 + \sin(2a)^2)b)x + (\cos(2a)^2 - \sin(2a)^2)b}{(2b \cos(2a) \cos(2c) - b \cos(2c)^2 + 2b \sin(2a) \sin(2c) - b \sin(2c)^2 - (\cos(2a)^2 + \sin(2a)^2)b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(b\*x+a)\*tan(b\*x+c),x, algorithm="maxima")

[Out]  $-((2*b*\cos(2*a)*\cos(2*c) - b*\cos(2*c)^2 + 2*b*\sin(2*a)*\sin(2*c) - b*\sin(2*c)^2 - (\cos(2*a)^2 + \sin(2*a)^2)*b)*x + (\cos(2*a)^2 - \cos(2*c)^2 + \sin(2*a)^2 - \sin(2*c)^2)*\arctan2(\sin(2*b*x) - \sin(2*a), \cos(2*b*x) + \cos(2*a)) - (\cos(2*a)^2 - \cos(2*c)^2 + \sin(2*a)^2 - \sin(2*c)^2)*\arctan2(\sin(2*b*x) - \sin(2*c), \cos(2*b*x) + \cos(2*c)) - (\cos(2*c)*\sin(2*a) - \cos(2*a)*\sin(2*c))*\log(\cos(2*b*x)^2 + 2*\cos(2*b*x)*\cos(2*a) + \cos(2*a)^2 + \sin(2*b*x)^2 - 2*\sin(2*b*x)*\sin(2*a) + \sin(2*a)^2) + (\cos(2*c)*\sin(2*a) - \cos(2*a)*\sin(2*c))*\log(\cos(2*b*x)^2 + 2*\cos(2*b*x)*\cos(2*c) + \cos(2*c)^2 + \sin(2*b*x)^2 - 2*\sin(2*b*x)*\sin(2*c) + \sin(2*c)^2) / ((2*b*\cos(2*a)*\cos(2*c) - b*\cos(2*c)^2 + 2*b*\sin(2*a)*\sin(2*c) - b*\sin(2*c)^2 - (\cos(2*a)^2 + \sin(2*a)^2)*b)$

**Fricas [B]** time = 2.46691, size = 387, normalized size = 9.92

$$\frac{2bx \sin(-2a + 2c) - (\cos(-2a + 2c) + 1) \log\left(-\frac{(\cos(-2a+2c)-1) \tan(bx+c)^2 - 2 \sin(-2a+2c) \tan(bx+c) - \cos(-2a+2c)-1}{(\cos(-2a+2c)+1) \tan(bx+c)^2 + \cos(-2a+2c)+1}\right) + (\cos(-2a + 2c) + 1) \arctan\left(\frac{\sin(bx+c)}{\cos(bx+c)}\right)}{2b \sin(-2a + 2c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(b\*x+a)\*tan(b\*x+c),x, algorithm="fricas")

[Out]  $-1/2*(2*b*x*\sin(-2*a + 2*c) - (\cos(-2*a + 2*c) + 1)*\log(-((\cos(-2*a + 2*c) - 1)*\tan(b*x + c)^2 - 2*\sin(-2*a + 2*c)*\tan(b*x + c) - \cos(-2*a + 2*c) - 1) / ((\cos(-2*a + 2*c) + 1)*\tan(b*x + c)^2 + \cos(-2*a + 2*c) + 1)) + (\cos(-2*a + 2*c) + 1)*\arctan(\frac{\sin(b*x + c)}{\cos(b*x + c)})$

+ 2\*c) + 1)\*log(1/(tan(b\*x + c)^2 + 1))/(b\*sin(-2\*a + 2\*c))

---

**Sympy [B]** time = 10.5871, size = 7713, normalized size = 197.77

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(b\*x+a)\*tan(b\*x+c),x)

[Out] Piecewise((0, Eq(a, 0) & Eq(b, 0) & Eq(c, 0)), (b\*x\*tan(c)\*\*4\*tan(b\*x)/(b\*tan(c)\*\*6\*tan(b\*x) - b\*tan(c)\*\*5 + 2\*b\*tan(c)\*\*4\*tan(b\*x) - 2\*b\*tan(c)\*\*3 + b\*tan(c)\*\*2\*tan(b\*x) - b\*tan(c)) - b\*x\*tan(c)\*\*3/(b\*tan(c)\*\*6\*tan(b\*x) - b\*tan(c)\*\*5 + 2\*b\*tan(c)\*\*4\*tan(b\*x) - 2\*b\*tan(c)\*\*3 + b\*tan(c)\*\*2\*tan(b\*x) - b\*tan(c)) - b\*x\*tan(c)\*\*2\*tan(b\*x)/(b\*tan(c)\*\*6\*tan(b\*x) - b\*tan(c)\*\*5 + 2\*b\*tan(c)\*\*4\*tan(b\*x) - 2\*b\*tan(c)\*\*3 + b\*tan(c)\*\*2\*tan(b\*x) - b\*tan(c)) + b\*x\*tan(c)/(b\*tan(c)\*\*6\*tan(b\*x) - b\*tan(c)\*\*5 + 2\*b\*tan(c)\*\*4\*tan(b\*x) - 2\*b\*tan(c)\*\*3 + b\*tan(c)\*\*2\*tan(b\*x) - b\*tan(c)) + 2\*log(tan(b\*x) - 1/tan(c))\*tan(c)\*\*3\*tan(b\*x)/(b\*tan(c)\*\*6\*tan(b\*x) - b\*tan(c)\*\*5 + 2\*b\*tan(c)\*\*4\*tan(b\*x) - 2\*b\*tan(c)\*\*3 + b\*tan(c)\*\*2\*tan(b\*x) - b\*tan(c)) - 2\*log(tan(b\*x) - 1/tan(c))\*tan(c)\*\*2/(b\*tan(c)\*\*6\*tan(b\*x) - b\*tan(c)\*\*5 + 2\*b\*tan(c)\*\*4\*tan(b\*x) - 2\*b\*tan(c)\*\*3 + b\*tan(c)\*\*2\*tan(b\*x) - b\*tan(c)) - log(tan(b\*x)\*\*2 + 1)\*tan(c)\*\*3\*tan(b\*x)/(b\*tan(c)\*\*6\*tan(b\*x) - b\*tan(c)\*\*5 + 2\*b\*tan(c)\*\*4\*tan(b\*x) - 2\*b\*tan(c)\*\*3 + b\*tan(c)\*\*2\*tan(b\*x) - b\*tan(c)) + log(tan(b\*x)\*\*2 + 1)\*tan(c)\*\*2/(b\*tan(c)\*\*6\*tan(b\*x) - b\*tan(c)\*\*5 + 2\*b\*tan(c)\*\*4\*tan(b\*x) - 2\*b\*tan(c)\*\*3 + b\*tan(c)\*\*2\*tan(b\*x) - b\*tan(c)) - tan(c)\*\*2/(b\*tan(c)\*\*6\*tan(b\*x) - b\*tan(c)\*\*5 + 2\*b\*tan(c)\*\*4\*tan(b\*x) - 2\*b\*tan(c)\*\*3 + b\*tan(c)\*\*2\*tan(b\*x) - b\*tan(c)) - 1/(b\*tan(c)\*\*6\*tan(b\*x) - b\*tan(c)\*\*5 + 2\*b\*tan(c)\*\*4\*tan(b\*x) - 2\*b\*tan(c)\*\*3 + b\*tan(c)\*\*2\*tan(b\*x) - b\*tan(c)), Eq(a, atan(tan(c)) + pi\*floor((c - pi/2)/pi) + pi\*floor(c/pi - 1/2))), (0, Eq(b, 0)), (-2\*b\*x\*tan(c)/(2\*b\*tan(c)\*\*3 + 2\*b\*tan(c)) - 2\*log(tan(b\*x) - 1/tan(c))/(2\*b\*tan(c)\*\*3 + 2\*b\*tan(c)) - log(tan(b\*x)\*\*2 + 1)\*tan(c)\*\*2/(2\*b\*tan(c)\*\*3 + 2\*b\*tan(c)), Eq(a, 0)), (-2\*b\*x\*tan(a)/(2\*b\*tan(a)\*\*3 + 2\*b\*tan(a)) - 2\*log(tan(b\*x) - 1/tan(a))/(2\*b\*tan(a)\*\*3 + 2\*b\*tan(a)) - log(tan(b\*x)\*\*2 + 1)\*tan(a)\*\*2/(2\*b\*tan(a)\*\*3 + 2\*b\*tan(a)), Eq(c, 0)), (2\*b\*x\*tan(a)\*\*2\*tan(c)/(2\*b\*tan(a)\*\*3\*tan(c)\*\*2 + 2\*b\*tan(a)\*\*3 - 2\*b\*tan(a)\*\*2\*tan(c)\*\*3 - 2\*b\*tan(a)\*\*2\*tan(c)) + 2\*b\*tan(a)\*tan(c)\*\*2 + 2\*b\*tan(a) - 2\*b\*tan(c)\*\*3 - 2\*b\*tan(c)) - 2\*b\*x\*tan(a)\*tan(c)\*\*2/(2\*b\*tan(a)\*\*3\*tan(c)\*\*2 + 2\*b\*tan(a)\*\*3 - 2\*b\*tan(a)\*\*2\*tan(c)\*\*3 - 2\*b\*tan(a)\*\*2\*tan(c)) + 2\*b\*tan(a)\*tan(c)\*\*2 + 2\*b\*tan(a) - 2\*b\*tan(c)\*\*3 - 2\*b\*tan(c)) - 2\*b\*x\*tan(a)/(2\*b\*tan(a)\*\*3\*tan(c)\*\*2 + 2\*b\*tan(a)\*\*3 - 2\*b\*tan(a)\*\*2\*tan(c)\*\*3 - 2\*b\*tan(a)\*\*2\*tan(c)) + 2\*b\*tan(a)\*tan(c)\*\*2 + 2\*b\*tan(a) - 2\*b\*tan(c)\*\*3 - 2\*b\*tan(c)) + 2\*b\*x\*tan(c)/(2\*b\*tan(a)\*\*3\*tan(c)\*\*2 + 2\*b\*tan(a)\*\*3 - 2\*b\*tan(a)\*\*2\*tan(c)\*\*3 - 2\*b\*tan(a)\*\*2\*tan(c)) + 2\*b\*tan(a)\*tan(c)\*\*2 + 2\*b\*tan(a) - 2\*b\*tan(c)\*\*3 - 2\*b\*tan(c)) + 2\*log(tan(b\*x) - 1/tan(c))\*tan(a)\*\*2/(2\*b\*tan(a)\*\*3\*tan(c)\*\*2 + 2\*b\*tan(a)\*\*3 - 2\*b\*tan(a)\*\*2\*tan(c)\*\*3 - 2\*b\*tan(a)\*\*2\*tan(c)) + 2\*b\*tan(a)\*tan(c)\*\*2 + 2\*b\*tan(a) - 2\*b\*tan(c)\*\*3 - 2\*b\*tan(c)) - 2\*log(tan(b\*x) - 1/tan(a))\*tan(c)\*\*2/(2\*b\*tan(a)\*\*3\*tan(c)\*\*2 + 2\*b\*tan(a)\*\*3 - 2\*b\*tan(a)\*\*2\*tan(c)\*\*3 - 2\*b\*tan(a)\*\*2\*tan(c)) + 2\*b\*tan(a)\*tan(c)\*\*2 + 2\*b\*tan(a) - 2\*b\*tan(c)\*\*3 - 2\*b\*tan(c)) - 2\*log(tan(b\*x) - 1/tan(a))\*tan(c)\*\*2/(2\*b\*tan(a)\*\*3\*tan(c)\*\*2 + 2\*b\*tan(a)\*\*3 - 2\*b\*tan(a)\*\*2\*tan(c)\*\*3 - 2\*b\*tan(a)\*\*2\*tan(c)) + 2\*b\*tan(a)\*tan(c)\*\*2 + 2\*b\*tan(a) - 2\*b\*tan(c)\*\*3 - 2\*b\*tan(c)) - 2\*log(tan(b\*x) - 1/tan(c))\*tan(a)\*\*2/(2\*b\*tan(a)\*\*3\*tan(c)\*\*2 + 2\*b\*tan(a)\*\*3 - 2\*b\*tan(a)\*\*2\*tan(c)\*\*3 - 2\*b\*tan(a)\*\*2\*tan(c)) + 2\*b\*tan(a)\*tan(c)\*\*2 + 2\*b\*tan(a) - 2\*b\*tan(c)\*\*3 - 2\*b\*tan(c)) + 2\*log(tan(b\*x) - 1/tan(c))/(2\*b\*tan(a)\*\*3\*tan(c)\*\*2 + 2\*b\*tan(a)\*\*3 - 2\*b\*tan(a)\*\*2\*tan(c)\*\*3 - 2\*b\*tan(a)\*\*2\*tan(c)) + 2\*b\*tan(a)\*tan(c)\*\*2 + 2\*b\*tan(a) - 2\*b\*tan(c)\*\*3 - 2\*b\*tan(c)) - log(tan(b\*x)\*\*2 + 1)\*tan(a)\*\*2/(2\*b\*tan(a)\*\*3\*tan(c)\*\*2 + 2\*b\*tan(a)\*\*3 - 2\*b\*tan(a)\*\*2\*tan(c)\*\*3 - 2\*b\*tan(a)\*\*2\*tan(c)) + 2\*b\*tan(a)\*tan(c)\*\*2 + 2\*b\*tan(a) - 2\*b\*tan(c)\*\*3 - 2\*b\*tan(c)) + log(tan(b

```

*x)**2 + 1)*tan(c)**2/(2*b*tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 - 2*b*tan(a)
**2*tan(c)**3 - 2*b*tan(a)**2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*tan(a) -
2*b*tan(c)**3 - 2*b*tan(c)), True)) + Piecewise((0, Eq(a, 0) & Eq(b, 0) & E
q(c, 0)), (-4*b*x*tan(c)**2*tan(b*x)/(2*b*tan(c)**5*tan(b*x) - 2*b*tan(c)**
4 + 4*b*tan(c)**3*tan(b*x) - 4*b*tan(c)**2 + 2*b*tan(c)*tan(b*x) - 2*b) + 4
*b*x*tan(c)/(2*b*tan(c)**5*tan(b*x) - 2*b*tan(c)**4 + 4*b*tan(c)**3*tan(b*x)
) - 4*b*tan(c)**2 + 2*b*tan(c)*tan(b*x) - 2*b) + 2*log(tan(b*x) - 1/tan(c))
*tan(c)**3*tan(b*x)/(2*b*tan(c)**5*tan(b*x) - 2*b*tan(c)**4 + 4*b*tan(c)**3
*tan(b*x) - 4*b*tan(c)**2 + 2*b*tan(c)*tan(b*x) - 2*b) - 2*log(tan(b*x) - 1
/tan(c))*tan(c)**2/(2*b*tan(c)**5*tan(b*x) - 2*b*tan(c)**4 + 4*b*tan(c)**3*
tan(b*x) - 4*b*tan(c)**2 + 2*b*tan(c)*tan(b*x) - 2*b) - 2*log(tan(b*x) - 1/
tan(c))*tan(c)*tan(b*x)/(2*b*tan(c)**5*tan(b*x) - 2*b*tan(c)**4 + 4*b*tan(c)
)**3*tan(b*x) - 4*b*tan(c)**2 + 2*b*tan(c)*tan(b*x) - 2*b) + 2*log(tan(b*x)
- 1/tan(c))/(2*b*tan(c)**5*tan(b*x) - 2*b*tan(c)**4 + 4*b*tan(c)**3*tan(b*
x) - 4*b*tan(c)**2 + 2*b*tan(c)*tan(b*x) - 2*b) - log(tan(b*x)**2 + 1)*tan(
c)**3*tan(b*x)/(2*b*tan(c)**5*tan(b*x) - 2*b*tan(c)**4 + 4*b*tan(c)**3*tan(
b*x) - 4*b*tan(c)**2 + 2*b*tan(c)*tan(b*x) - 2*b) + log(tan(b*x)**2 + 1)*ta
n(c)**2/(2*b*tan(c)**5*tan(b*x) - 2*b*tan(c)**4 + 4*b*tan(c)**3*tan(b*x) -
4*b*tan(c)**2 + 2*b*tan(c)*tan(b*x) - 2*b) + log(tan(b*x)**2 + 1)*tan(c)*ta
n(b*x)/(2*b*tan(c)**5*tan(b*x) - 2*b*tan(c)**4 + 4*b*tan(c)**3*tan(b*x) - 4
*b*tan(c)**2 + 2*b*tan(c)*tan(b*x) - 2*b) - log(tan(b*x)**2 + 1)/(2*b*tan(c)
)**5*tan(b*x) - 2*b*tan(c)**4 + 4*b*tan(c)**3*tan(b*x) - 4*b*tan(c)**2 + 2*
b*tan(c)*tan(b*x) - 2*b) - 2*tan(c)**2/(2*b*tan(c)**5*tan(b*x) - 2*b*tan(c)
)**4 + 4*b*tan(c)**3*tan(b*x) - 4*b*tan(c)**2 + 2*b*tan(c)*tan(b*x) - 2*b) -
2/(2*b*tan(c)**5*tan(b*x) - 2*b*tan(c)**4 + 4*b*tan(c)**3*tan(b*x) - 4*b*t
an(c)**2 + 2*b*tan(c)*tan(b*x) - 2*b), Eq(a, atan(tan(c)) + pi*floor((c - p
i/2)/pi) + pi*floor(c/pi - 1/2))), (0, Eq(b, 0)), (-2*b*x*tan(c)/(2*b*tan(c)
)**2 + 2*b) - 2*log(tan(b*x) - 1/tan(c))/(2*b*tan(c)**2 + 2*b) + log(tan(b*
x)**2 + 1)/(2*b*tan(c)**2 + 2*b), Eq(a, 0)), (-2*b*x*tan(a)/(2*b*tan(a)**2
+ 2*b) - 2*log(tan(b*x) - 1/tan(a))/(2*b*tan(a)**2 + 2*b) + log(tan(b*x)**2
+ 1)/(2*b*tan(a)**2 + 2*b), Eq(c, 0)), (-2*b*x*tan(a)**2/(2*b*tan(a)**3*ta
n(c)**2 + 2*b*tan(a)**3 - 2*b*tan(a)**2*tan(c)**3 - 2*b*tan(a)**2*tan(c) +
2*b*tan(a)*tan(c)**2 + 2*b*tan(a) - 2*b*tan(c)**3 - 2*b*tan(c)) + 2*b*x*tan
(c)**2/(2*b*tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 - 2*b*tan(a)**2*tan(c)**3 -
2*b*tan(a)**2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*tan(a) - 2*b*tan(c)**3 -
2*b*tan(c)) - 2*log(tan(b*x) - 1/tan(a))*tan(a)*tan(c)**2/(2*b*tan(a)**3*ta
n(c)**2 + 2*b*tan(a)**3 - 2*b*tan(a)**2*tan(c)**3 - 2*b*tan(a)**2*tan(c) +
2*b*tan(a)*tan(c)**2 + 2*b*tan(a) - 2*b*tan(c)**3 - 2*b*tan(c)) - 2*log(ta
n(b*x) - 1/tan(a))*tan(a)/(2*b*tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 - 2*b*ta
n(a)**2*tan(c)**3 - 2*b*tan(a)**2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*tan(a)
) - 2*b*tan(c)**3 - 2*b*tan(c)) + 2*log(tan(b*x) - 1/tan(c))*tan(a)**2*tan(
c)/(2*b*tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 - 2*b*tan(a)**2*tan(c)**3 - 2*b
*tan(a)**2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*tan(a) - 2*b*tan(c)**3 - 2*b
*tan(c)) + 2*log(tan(b*x) - 1/tan(c))*tan(c)/(2*b*tan(a)**3*tan(c)**2 + 2*b
*tan(a)**3 - 2*b*tan(a)**2*tan(c)**3 - 2*b*tan(a)**2*tan(c) + 2*b*tan(a)*ta
n(c)**2 + 2*b*tan(a) - 2*b*tan(c)**3 - 2*b*tan(c)) - log(tan(b*x)**2 + 1)*t
an(a)**2*tan(c)/(2*b*tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 - 2*b*tan(a)**2*ta
n(c)**3 - 2*b*tan(a)**2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*tan(a) - 2*b*ta
n(c)**3 - 2*b*tan(c)) + log(tan(b*x)**2 + 1)*tan(a)*tan(c)**2/(2*b*tan(a)**
3*tan(c)**2 + 2*b*tan(a)**3 - 2*b*tan(a)**2*tan(c)**3 - 2*b*tan(a)**2*tan(c)
) + 2*b*tan(a)*tan(c)**2 + 2*b*tan(a) - 2*b*tan(c)**3 - 2*b*tan(c)) + log(t
an(b*x)**2 + 1)*tan(a)/(2*b*tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 - 2*b*tan(a)
)**2*tan(c)**3 - 2*b*tan(a)**2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*tan(a) -
2*b*tan(c)**3 - 2*b*tan(c)) - log(tan(b*x)**2 + 1)*tan(c)/(2*b*tan(a)**3*ta
n(c)**2 + 2*b*tan(a)**3 - 2*b*tan(a)**2*tan(c)**3 - 2*b*tan(a)**2*tan(c) +
2*b*tan(a)*tan(c)**2 + 2*b*tan(a) - 2*b*tan(c)**3 - 2*b*tan(c)), True))*ta
n(a) + Piecewise((0, Eq(a, 0) & Eq(b, 0) & Eq(c, 0)), (-4*b*x*tan(c)**2*tan
(b*x)/(2*b*tan(c)**5*tan(b*x) - 2*b*tan(c)**4 + 4*b*tan(c)**3*tan(b*x) - 4*
b*tan(c)**2 + 2*b*tan(c)*tan(b*x) - 2*b) + 4*b*x*tan(c)/(2*b*tan(c)**5*tan(

```

```

b*x) - 2*b*tan(c)**4 + 4*b*tan(c)**3*tan(b*x) - 4*b*tan(c)**2 + 2*b*tan(c)*
tan(b*x) - 2*b) + 2*log(tan(b*x) - 1/tan(c))*tan(c)**3*tan(b*x)/(2*b*tan(c)
**5*tan(b*x) - 2*b*tan(c)**4 + 4*b*tan(c)**3*tan(b*x) - 4*b*tan(c)**2 + 2*b
*tan(c)*tan(b*x) - 2*b) - 2*log(tan(b*x) - 1/tan(c))*tan(c)**2/(2*b*tan(c)*
*5*tan(b*x) - 2*b*tan(c)**4 + 4*b*tan(c)**3*tan(b*x) - 4*b*tan(c)**2 + 2*b*
tan(c)*tan(b*x) - 2*b) - 2*log(tan(b*x) - 1/tan(c))*tan(c)*tan(b*x)/(2*b*ta
n(c)**5*tan(b*x) - 2*b*tan(c)**4 + 4*b*tan(c)**3*tan(b*x) - 4*b*tan(c)**2 +
2*b*tan(c)*tan(b*x) - 2*b) + 2*log(tan(b*x) - 1/tan(c))/(2*b*tan(c)**5*tan
(b*x) - 2*b*tan(c)**4 + 4*b*tan(c)**3*tan(b*x) - 4*b*tan(c)**2 + 2*b*tan(c)
*tan(b*x) - 2*b) - log(tan(b*x)**2 + 1)*tan(c)**3*tan(b*x)/(2*b*tan(c)**5*t
an(b*x) - 2*b*tan(c)**4 + 4*b*tan(c)**3*tan(b*x) - 4*b*tan(c)**2 + 2*b*tan(
c)*tan(b*x) - 2*b) + log(tan(b*x)**2 + 1)*tan(c)**2/(2*b*tan(c)**5*tan(b*x)
- 2*b*tan(c)**4 + 4*b*tan(c)**3*tan(b*x) - 4*b*tan(c)**2 + 2*b*tan(c)*tan(
b*x) - 2*b) + log(tan(b*x)**2 + 1)*tan(c)*tan(b*x)/(2*b*tan(c)**5*tan(b*x)
- 2*b*tan(c)**4 + 4*b*tan(c)**3*tan(b*x) - 4*b*tan(c)**2 + 2*b*tan(c)*tan(b
*x) - 2*b) - log(tan(b*x)**2 + 1)/(2*b*tan(c)**5*tan(b*x) - 2*b*tan(c)**4 +
4*b*tan(c)**3*tan(b*x) - 4*b*tan(c)**2 + 2*b*tan(c)*tan(b*x) - 2*b) - 2*ta
n(c)**2/(2*b*tan(c)**5*tan(b*x) - 2*b*tan(c)**4 + 4*b*tan(c)**3*tan(b*x) -
4*b*tan(c)**2 + 2*b*tan(c)*tan(b*x) - 2*b) - 2/(2*b*tan(c)**5*tan(b*x) - 2*
b*tan(c)**4 + 4*b*tan(c)**3*tan(b*x) - 4*b*tan(c)**2 + 2*b*tan(c)*tan(b*x)
- 2*b), Eq(a, atan(tan(c)) + pi*floor((c - pi/2)/pi) + pi*floor(c/pi - 1/2)
)), (0, Eq(b, 0)), (-2*b*x*tan(c)/(2*b*tan(c)**2 + 2*b) - 2*log(tan(b*x) -
1/tan(c))/(2*b*tan(c)**2 + 2*b) + log(tan(b*x)**2 + 1)/(2*b*tan(c)**2 + 2*b
), Eq(a, 0)), (-2*b*x*tan(a)/(2*b*tan(a)**2 + 2*b) - 2*log(tan(b*x) - 1/tan
(a))/(2*b*tan(a)**2 + 2*b) + log(tan(b*x)**2 + 1)/(2*b*tan(a)**2 + 2*b), Eq
(c, 0)), (-2*b*x*tan(a)**2/(2*b*tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 - 2*b*t
an(a)**2*tan(c)**3 - 2*b*tan(a)**2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*tan(
a) - 2*b*tan(c)**3 - 2*b*tan(c)) + 2*b*x*tan(c)**2/(2*b*tan(a)**3*tan(c)**2
+ 2*b*tan(a)**3 - 2*b*tan(a)**2*tan(c)**3 - 2*b*tan(a)**2*tan(c) + 2*b*tan
(a)*tan(c)**2 + 2*b*tan(a) - 2*b*tan(c)**3 - 2*b*tan(c)) - 2*log(tan(b*x) -
1/tan(a))*tan(a)*tan(c)**2/(2*b*tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 - 2*b*
tan(a)**2*tan(c)**3 - 2*b*tan(a)**2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*tan
(a) - 2*b*tan(c)**3 - 2*b*tan(c)) - 2*log(tan(b*x) - 1/tan(a))*tan(a)/(2*b*
tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 - 2*b*tan(a)**2*tan(c)**3 - 2*b*tan(a)*
*2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*tan(a) - 2*b*tan(c)**3 - 2*b*tan(c))
+ 2*log(tan(b*x) - 1/tan(c))*tan(a)**2*tan(c)/(2*b*tan(a)**3*tan(c)**2 + 2
*b*tan(a)**3 - 2*b*tan(a)**2*tan(c)**3 - 2*b*tan(a)**2*tan(c) + 2*b*tan(a)*
tan(c)**2 + 2*b*tan(a) - 2*b*tan(c)**3 - 2*b*tan(c)) + 2*log(tan(b*x) - 1/t
an(c))*tan(c)/(2*b*tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 - 2*b*tan(a)**2*tan(
c)**3 - 2*b*tan(a)**2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*tan(a) - 2*b*tan(
c)**3 - 2*b*tan(c)) - log(tan(b*x)**2 + 1)*tan(a)**2*tan(c)/(2*b*tan(a)**3*
tan(c)**2 + 2*b*tan(a)**3 - 2*b*tan(a)**2*tan(c)**3 - 2*b*tan(a)**2*tan(c)
+ 2*b*tan(a)*tan(c)**2 + 2*b*tan(a) - 2*b*tan(c)**3 - 2*b*tan(c)) + log(tan
(b*x)**2 + 1)*tan(a)*tan(c)**2/(2*b*tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 - 2
*b*tan(a)**2*tan(c)**3 - 2*b*tan(a)**2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*
tan(a) - 2*b*tan(c)**3 - 2*b*tan(c)) + log(tan(b*x)**2 + 1)*tan(a)/(2*b*tan
(a)**3*tan(c)**2 + 2*b*tan(a)**3 - 2*b*tan(a)**2*tan(c)**3 - 2*b*tan(a)**2*
tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*tan(a) - 2*b*tan(c)**3 - 2*b*tan(c)) -
log(tan(b*x)**2 + 1)*tan(c)/(2*b*tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 - 2*b*
tan(a)**2*tan(c)**3 - 2*b*tan(a)**2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*tan
(a) - 2*b*tan(c)**3 - 2*b*tan(c)), True))*tan(c) + Piecewise((x, Eq(a, 0) &
Eq(b, 0) & Eq(c, 0)), (-b*x*tan(c)**3*tan(b*x)/(b*tan(c)**5*tan(b*x) - b*t
an(c)**4 + 2*b*tan(c)**3*tan(b*x) - 2*b*tan(c)**2 + b*tan(c)*tan(b*x) - b)
+ b*x*tan(c)**2/(b*tan(c)**5*tan(b*x) - b*tan(c)**4 + 2*b*tan(c)**3*tan(b*x)
) - 2*b*tan(c)**2 + b*tan(c)*tan(b*x) - b) + b*x*tan(c)*tan(b*x)/(b*tan(c)*
*5*tan(b*x) - b*tan(c)**4 + 2*b*tan(c)**3*tan(b*x) - 2*b*tan(c)**2 + b*tan(
c)*tan(b*x) - b) - b*x/(b*tan(c)**5*tan(b*x) - b*tan(c)**4 + 2*b*tan(c)**3*
tan(b*x) - 2*b*tan(c)**2 + b*tan(c)*tan(b*x) - b) - 2*log(tan(b*x) - 1/tan(
c))*tan(c)**2*tan(b*x)/(b*tan(c)**5*tan(b*x) - b*tan(c)**4 + 2*b*tan(c)**3*

```

```

tan(b*x) - 2*b*tan(c)**2 + b*tan(c)*tan(b*x) - b) + 2*log(tan(b*x) - 1/tan(
c))*tan(c)/(b*tan(c)**5*tan(b*x) - b*tan(c)**4 + 2*b*tan(c)**3*tan(b*x) - 2
*b*tan(c)**2 + b*tan(c)*tan(b*x) - b) + log(tan(b*x)**2 + 1)*tan(c)**2*tan(
b*x)/(b*tan(c)**5*tan(b*x) - b*tan(c)**4 + 2*b*tan(c)**3*tan(b*x) - 2*b*tan
(c)**2 + b*tan(c)*tan(b*x) - b) - log(tan(b*x)**2 + 1)*tan(c)/(b*tan(c)**5*
tan(b*x) - b*tan(c)**4 + 2*b*tan(c)**3*tan(b*x) - 2*b*tan(c)**2 + b*tan(c)*
tan(b*x) - b) - tan(c)**3/(b*tan(c)**5*tan(b*x) - b*tan(c)**4 + 2*b*tan(c)*
**3*tan(b*x) - 2*b*tan(c)**2 + b*tan(c)*tan(b*x) - b) - tan(c)/(b*tan(c)**5*
tan(b*x) - b*tan(c)**4 + 2*b*tan(c)**3*tan(b*x) - 2*b*tan(c)**2 + b*tan(c)*
tan(b*x) - b), Eq(a, atan(tan(c)) + pi*floor((c - pi/2)/pi) + pi*floor(c/pi
- 1/2))), (x, Eq(b, 0)), (2*b*x/(2*b*tan(c)**2 + 2*b) - 2*log(tan(b*x) - 1
/tan(c))*tan(c)/(2*b*tan(c)**2 + 2*b) + log(tan(b*x)**2 + 1)*tan(c)/(2*b*tan
(c)**2 + 2*b), Eq(a, 0)), (2*b*x/(2*b*tan(a)**2 + 2*b) - 2*log(tan(b*x) -
1/tan(a))*tan(a)/(2*b*tan(a)**2 + 2*b) + log(tan(b*x)**2 + 1)*tan(a)/(2*b*tan
(a)**2 + 2*b), Eq(c, 0)), (-2*b*x*tan(a)**2*tan(c)/(2*b*tan(a)**3*tan(c)**
**2 + 2*b*tan(a)**3 - 2*b*tan(a)**2*tan(c)**3 - 2*b*tan(a)**2*tan(c) + 2*b*tan
(a)*tan(c)**2 + 2*b*tan(a) - 2*b*tan(c)**3 - 2*b*tan(c)) + 2*b*x*tan(a)*tan
(c)**2/(2*b*tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 - 2*b*tan(a)**2*tan(c)**3
- 2*b*tan(a)**2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*tan(a) - 2*b*tan(c)**3
- 2*b*tan(c)) + 2*b*x*tan(a)/(2*b*tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 - 2*
b*tan(a)**2*tan(c)**3 - 2*b*tan(a)**2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*tan
(a) - 2*b*tan(c)**3 - 2*b*tan(c)) - 2*b*x*tan(c)/(2*b*tan(a)**3*tan(c)**2
+ 2*b*tan(a)**3 - 2*b*tan(a)**2*tan(c)**3 - 2*b*tan(a)**2*tan(c) + 2*b*tan
(a)*tan(c)**2 + 2*b*tan(a) - 2*b*tan(c)**3 - 2*b*tan(c)) - 2*log(tan(b*x) -
1/tan(a))*tan(a)**2*tan(c)**2/(2*b*tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 - 2
*b*tan(a)**2*tan(c)**3 - 2*b*tan(a)**2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*
tan(a) - 2*b*tan(c)**3 - 2*b*tan(c)) - 2*log(tan(b*x) - 1/tan(a))*tan(a)**2
/(2*b*tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 - 2*b*tan(a)**2*tan(c)**3 - 2*b*tan
(a)**2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*tan(a) - 2*b*tan(c)**3 - 2*b*tan
(c)) + 2*log(tan(b*x) - 1/tan(c))*tan(a)**2*tan(c)**2/(2*b*tan(a)**3*tan(c)
**2 + 2*b*tan(a)**3 - 2*b*tan(a)**2*tan(c)**3 - 2*b*tan(a)**2*tan(c) + 2*
b*tan(a)*tan(c)**2 + 2*b*tan(a) - 2*b*tan(c)**3 - 2*b*tan(c)) + 2*log(tan(b
*x) - 1/tan(c))*tan(c)**2/(2*b*tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 - 2*b*tan
(a)**2*tan(c)**3 - 2*b*tan(a)**2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*tan(a)
) - 2*b*tan(c)**3 - 2*b*tan(c)) + log(tan(b*x)**2 + 1)*tan(a)**2/(2*b*tan(a)
)**3*tan(c)**2 + 2*b*tan(a)**3 - 2*b*tan(a)**2*tan(c)**3 - 2*b*tan(a)**2*tan
(c) + 2*b*tan(a)*tan(c)**2 + 2*b*tan(a) - 2*b*tan(c)**3 - 2*b*tan(c)) - lo
g(tan(b*x)**2 + 1)*tan(c)**2/(2*b*tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 - 2*b
*tan(a)**2*tan(c)**3 - 2*b*tan(a)**2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*tan
(a) - 2*b*tan(c)**3 - 2*b*tan(c)), True))*tan(a)*tan(c)

```

---

**Giac [B]** time = 1.16272, size = 109, normalized size = 2.79

$$-x - \frac{(\tan(a)^2 \tan(c) + \tan(a)) \log(|\tan(bx) \tan(a) - 1|)}{b \tan(a)^2 - b \tan(a) \tan(c)} + \frac{(\tan(a) \tan(c)^2 + \tan(c)) \log(|\tan(bx) \tan(c) - 1|)}{b \tan(a) \tan(c) - b \tan(c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(b*x+a)*tan(b*x+c),x, algorithm="giac")
```

```
[Out] -x - (tan(a)^2*tan(c) + tan(a))*log(abs(tan(b*x)*tan(a) - 1))/(b*tan(a)^2 -
b*tan(a)*tan(c)) + (tan(a)*tan(c)^2 + tan(c))*log(abs(tan(b*x)*tan(c) - 1)
)/(b*tan(a)*tan(c) - b*tan(c)^2)
```

### 3.140 $\int \tan(c - bx) \tan(a + bx) dx$

**Optimal.** Leaf size=34

$$-\frac{\cot(a+c)\log(\cos(c-bx))}{b} + \frac{\cot(a+c)\log(\cos(a+bx))}{b} + x$$

[Out]  $x - (\text{Cot}[a + c] * \text{Log}[\text{Cos}[c - b*x]])/b + (\text{Cot}[a + c] * \text{Log}[\text{Cos}[a + b*x]])/b$

**Rubi [A]** time = 0.0678364, antiderivative size = 34, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {4612, 4610, 3475}

$$-\frac{\cot(a+c)\log(\cos(c-bx))}{b} + \frac{\cot(a+c)\log(\cos(a+bx))}{b} + x$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Tan}[c - b*x] * \text{Tan}[a + b*x], x]$

[Out]  $x - (\text{Cot}[a + c] * \text{Log}[\text{Cos}[c - b*x]])/b + (\text{Cot}[a + c] * \text{Log}[\text{Cos}[a + b*x]])/b$

#### Rule 4612

$\text{Int}[\text{Tan}[(a_.) + (b_.)*(x_.)] * \text{Tan}[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow -\text{Simp}[(b*x)/d, x] + \text{Dist}[(b*\text{Cos}[(b*c - a*d)/d])/d, \text{Int}[\text{Sec}[a + b*x] * \text{Sec}[c + d*x], x], x] /;$   $\text{FreeQ}\{a, b, c, d\}, x\} \ \&\& \ \text{EqQ}[b^2 - d^2, 0] \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

#### Rule 4610

$\text{Int}[\text{Sec}[(a_.) + (b_.)*(x_.)] * \text{Sec}[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow -\text{Dist}[\text{Csc}[(b*c - a*d)/d], \text{Int}[\text{Tan}[a + b*x], x], x] + \text{Dist}[\text{Csc}[(b*c - a*d)/b], \text{Int}[\text{Tan}[c + d*x], x], x] /;$   $\text{FreeQ}\{a, b, c, d\}, x\} \ \&\& \ \text{EqQ}[b^2 - d^2, 0] \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

#### Rule 3475

$\text{Int}[\text{tan}[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d*x], x]]/d, x] /;$   $\text{FreeQ}\{c, d\}, x\}$

#### Rubi steps

$$\begin{aligned} \int \tan(c - bx) \tan(a + bx) dx &= x - \cos(a + c) \int \sec(c - bx) \sec(a + bx) dx \\ &= x - \cot(a + c) \int \tan(c - bx) dx - \cot(a + c) \int \tan(a + bx) dx \\ &= x - \frac{\cot(a + c) \log(\cos(c - bx))}{b} + \frac{\cot(a + c) \log(\cos(a + bx))}{b} \end{aligned}$$

**Mathematica [A]** time = 0.516919, size = 28, normalized size = 0.82

$$\frac{\cot(a+c)(\log(\cos(a+bx)) - \log(\cos(c-bx)))}{b} + x$$

Antiderivative was successfully verified.



[In] Integrate[Tan[c - b\*x]\*Tan[a + b\*x],x]

[Out]  $x + (\text{Cot}[a + c] * (-\text{Log}[\text{Cos}[c - b*x]] + \text{Log}[\text{Cos}[a + b*x]])) / b$

**Maple [C]** time = 0.067, size = 145, normalized size = 4.3

$$x + \frac{i \ln(e^{2i(bx+a)} + 1) e^{2i(a+c)}}{b(e^{2i(a+c)} - 1)} + \frac{i \ln(e^{2i(bx+a)} + 1)}{b(e^{2i(a+c)} - 1)} - \frac{i \ln(e^{2i(a+c)} + e^{2i(bx+a)}) e^{2i(a+c)}}{b(e^{2i(a+c)} - 1)} - \frac{i \ln(e^{2i(a+c)} + e^{2i(bx+a)})}{b(e^{2i(a+c)} - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-tan(b\*x-c)\*tan(b\*x+a),x)

[Out]  $x + I/b/(\exp(2*I*(a+c))-1)*\ln(\exp(2*I*(b*x+a))+1)*\exp(2*I*(a+c)) + I/b/(\exp(2*I*(a+c))-1)*\ln(\exp(2*I*(b*x+a))+1) - I/b/(\exp(2*I*(a+c))-1)*\ln(\exp(2*I*(a+c))+\exp(2*I*(b*x+a)))*\exp(2*I*(a+c)) - I/b/(\exp(2*I*(a+c))-1)*\ln(\exp(2*I*(a+c))+\exp(2*I*(b*x+a)))$

**Maxima [B]** time = 1.08495, size = 392, normalized size = 11.53

$$\frac{(b \cos(2a + 2c)^2 + b \sin(2a + 2c)^2 - 2b \cos(2a + 2c) + b)x - (\cos(2a + 2c)^2 + \sin(2a + 2c)^2 - 1) \arctan(\sin(2b*x))}{2b \sin(2a + 2c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-tan(b\*x-c)\*tan(b\*x+a),x, algorithm="maxima")

[Out]  $((b \cos(2a + 2c)^2 + b \sin(2a + 2c)^2 - 2b \cos(2a + 2c) + b)x - (\cos(2a + 2c)^2 + \sin(2a + 2c)^2 - 1) \arctan(\sin(2b*x)) + \log(\cos(2b*x)^2 + 2 \cos(2b*x) \cos(2a) + \cos(2a)^2 + \sin(2b*x)^2 - 2 \sin(2b*x) \sin(2a) + \sin(2a)^2) \sin(2a + 2c) - \log(\cos(2b*x)^2 + 2 \cos(2b*x) \cos(2c) + \cos(2c)^2 + \sin(2b*x)^2 + 2 \sin(2b*x) \sin(2c) + \sin(2c)^2) \sin(2a + 2c)) / (b \cos(2a + 2c)^2 + b \sin(2a + 2c)^2 - 2b \cos(2a + 2c) + b)$

**Fricas [B]** time = 2.57033, size = 374, normalized size = 11.

$$\frac{2bx \sin(2a + 2c) - (\cos(2a + 2c) + 1) \log\left(-\frac{(\cos(2a+2c)-1) \tan(bx+a)^2 - 2 \sin(2a+2c) \tan(bx+a) - \cos(2a+2c)-1}{(\cos(2a+2c)+1) \tan(bx+a)^2 + \cos(2a+2c)+1}\right) + (\cos(2a + 2c) + 1) \arctan(\sin(2b*x))}{2b \sin(2a + 2c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-tan(b\*x-c)\*tan(b\*x+a),x, algorithm="fricas")

[Out]  $1/2*(2*b*x*\sin(2*a + 2*c) - (\cos(2*a + 2*c) + 1)*\log(-((\cos(2*a + 2*c) - 1)*\tan(b*x + a)^2 - 2*\sin(2*a + 2*c)*\tan(b*x + a) - \cos(2*a + 2*c) - 1)/((\cos(2*a + 2*c) + 1)*\tan(b*x + a)^2 + \cos(2*a + 2*c) + 1)) + (\cos(2*a + 2*c) + 1)*\log(1/(\tan(b*x + a)^2 + 1)))/(b*\sin(2*a + 2*c))$

Sympy [B] time = 10.1553, size = 7720, normalized size = 227.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(-tan(b*x-c)*tan(b*x+a), x)
```

```
[Out] Piecewise((0, Eq(a, 0) & Eq(b, 0) & Eq(c, 0)), (-2*b*x*tan(c)/(2*b*tan(c)**
2 + 2*b) + 2*log(tan(b*x) + 1/tan(c))/(2*b*tan(c)**2 + 2*b) - log(tan(b*x)*
**2 + 1)/(2*b*tan(c)**2 + 2*b), Eq(a, 0)), (-4*b*x*tan(c)**2*tan(b*x)/(2*b*t
an(c)**5*tan(b*x) + 2*b*tan(c)**4 + 4*b*tan(c)**3*tan(b*x) + 4*b*tan(c)**2
+ 2*b*tan(c)*tan(b*x) + 2*b) - 4*b*x*tan(c)/(2*b*tan(c)**5*tan(b*x) + 2*b*t
an(c)**4 + 4*b*tan(c)**3*tan(b*x) + 4*b*tan(c)**2 + 2*b*tan(c)*tan(b*x) + 2
*b) - 2*log(tan(b*x) + 1/tan(c))*tan(c)**3*tan(b*x)/(2*b*tan(c)**5*tan(b*x)
+ 2*b*tan(c)**4 + 4*b*tan(c)**3*tan(b*x) + 4*b*tan(c)**2 + 2*b*tan(c)*tan(
b*x) + 2*b) - 2*log(tan(b*x) + 1/tan(c))*tan(c)**2/(2*b*tan(c)**5*tan(b*x)
+ 2*b*tan(c)**4 + 4*b*tan(c)**3*tan(b*x) + 4*b*tan(c)**2 + 2*b*tan(c)*tan(
b*x) + 2*b) + 2*log(tan(b*x) + 1/tan(c))*tan(c)*tan(b*x)/(2*b*tan(c)**5*tan
(b*x) + 2*b*tan(c)**4 + 4*b*tan(c)**3*tan(b*x) + 4*b*tan(c)**2 + 2*b*tan(c)
*tan(b*x) + 2*b) + 2*log(tan(b*x) + 1/tan(c))/(2*b*tan(c)**5*tan(b*x) + 2*b
tan(c)**4 + 4*b*tan(c)**3*tan(b*x) + 4*b*tan(c)**2 + 2*b*tan(c)*tan(b*x) +
2*b) + log(tan(b*x)**2 + 1)*tan(c)**3*tan(b*x)/(2*b*tan(c)**5*tan(b*x) + 2
b*tan(c)**4 + 4*b*tan(c)**3*tan(b*x) + 4*b*tan(c)**2 + 2*b*tan(c)*tan(b*x)
+ 2*b) + log(tan(b*x)**2 + 1)*tan(c)**2/(2*b*tan(c)**5*tan(b*x) + 2*b*tan(
c)**4 + 4*b*tan(c)**3*tan(b*x) + 4*b*tan(c)**2 + 2*b*tan(c)*tan(b*x) + 2*b)
- log(tan(b*x)**2 + 1)*tan(c)*tan(b*x)/(2*b*tan(c)**5*tan(b*x) + 2*b*tan(c)
**4 + 4*b*tan(c)**3*tan(b*x) + 4*b*tan(c)**2 + 2*b*tan(c)*tan(b*x) + 2*b) -
log(tan(b*x)**2 + 1)/(2*b*tan(c)**5*tan(b*x) + 2*b*tan(c)**4 + 4*b*tan(c)
**3*tan(b*x) + 4*b*tan(c)**2 + 2*b*tan(c)*tan(b*x) + 2*b) - 2*tan(c)**2/(2
b*tan(c)**5*tan(b*x) + 2*b*tan(c)**4 + 4*b*tan(c)**3*tan(b*x) + 4*b*tan(c)
**2 + 2*b*tan(c)*tan(b*x) + 2*b) - 2/(2*b*tan(c)**5*tan(b*x) + 2*b*tan(c)
**4 + 4*b*tan(c)**3*tan(b*x) + 4*b*tan(c)**2 + 2*b*tan(c)*tan(b*x) + 2*b),
Eq(a, -atan(tan(c)) - pi*floor((c - pi/2)/pi) - pi*floor(c/pi - 1/2))), (0, Eq(
b, 0)), (2*b*x*tan(a)/(2*b*tan(a)**2 + 2*b) + 2*log(tan(b*x) - 1/tan(a))/(2
*b*tan(a)**2 + 2*b) - log(tan(b*x)**2 + 1)/(2*b*tan(a)**2 + 2*b), Eq(c, 0))
, (2*b*x*tan(a)**2/(2*b*tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 + 2*b*tan(a)**2
*tan(c)**3 + 2*b*tan(a)**2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*tan(a) + 2*b
*tan(c)**3 + 2*b*tan(c)) - 2*b*x*tan(c)**2/(2*b*tan(a)**3*tan(c)**2 + 2*b*t
an(a)**3 + 2*b*tan(a)**2*tan(c)**3 + 2*b*tan(a)**2*tan(c) + 2*b*tan(a)*tan(
c)**2 + 2*b*tan(a) + 2*b*tan(c)**3 + 2*b*tan(c)) + 2*log(tan(b*x) - 1/tan(a
))*tan(a)*tan(c)**2/(2*b*tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 + 2*b*tan(a)
**2*tan(c)**3 + 2*b*tan(a)**2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*tan(a) + 2
b*tan(c)**3 + 2*b*tan(c)) + 2*log(tan(b*x) - 1/tan(a))*tan(a)/(2*b*tan(a)
**3*tan(c)**2 + 2*b*tan(a)**3 + 2*b*tan(a)**2*tan(c)**3 + 2*b*tan(a)**2*tan(
c) + 2*b*tan(a)*tan(c)**2 + 2*b*tan(a) + 2*b*tan(c)**3 + 2*b*tan(c)) + 2*log
(tan(b*x) + 1/tan(c))*tan(a)**2*tan(c)/(2*b*tan(a)**3*tan(c)**2 + 2*b*tan(a)
)**3 + 2*b*tan(a)**2*tan(c)**3 + 2*b*tan(a)**2*tan(c) + 2*b*tan(a)*tan(c)**
2 + 2*b*tan(a) + 2*b*tan(c)**3 + 2*b*tan(c)) + 2*log(tan(b*x) + 1/tan(c))*t
an(c)/(2*b*tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 + 2*b*tan(a)**2*tan(c)**3 +
2*b*tan(a)**2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*tan(a) + 2*b*tan(c)**3 +
2*b*tan(c)) - log(tan(b*x)**2 + 1)*tan(a)**2*tan(c)/(2*b*tan(a)**3*tan(c)
**2 + 2*b*tan(a)**3 + 2*b*tan(a)**2*tan(c)**3 + 2*b*tan(a)**2*tan(c) + 2*b*ta
n(a)*tan(c)**2 + 2*b*tan(a) + 2*b*tan(c)**3 + 2*b*tan(c)) - log(tan(b*x)**2
+ 1)*tan(a)*tan(c)**2/(2*b*tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 + 2*b*tan(a)
)**2*tan(c)**3 + 2*b*tan(a)**2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*tan(a) +
2*b*tan(c)**3 + 2*b*tan(c)) - log(tan(b*x)**2 + 1)*tan(a)/(2*b*tan(a)**3*t
an(c)**2 + 2*b*tan(a)**3 + 2*b*tan(a)**2*tan(c)**3 + 2*b*tan(a)**2*tan(c) +
```

$$\begin{aligned}
& 2*b*\tan(a)*\tan(c)**2 + 2*b*\tan(a) + 2*b*\tan(c)**3 + 2*b*\tan(c)) - \log(\tan(b*x)**2 + 1)*\tan(c)/(2*b*\tan(a)**3*\tan(c)**2 + 2*b*\tan(a)**3 + 2*b*\tan(a)**2*\tan(c)**3 + 2*b*\tan(a)**2*\tan(c) + 2*b*\tan(a)*\tan(c)**2 + 2*b*\tan(a) + 2*b*\tan(c)**3 + 2*b*\tan(c)), \text{True}))*\tan(a) - \text{Piecewise}((0, \text{Eq}(a, 0) \& \text{Eq}(b, 0) \& \text{Eq}(c, 0)), (-2*b*x*\tan(c)/(2*b*\tan(c)**2 + 2*b) + 2*\log(\tan(b*x) + 1/\tan(c))/(2*b*\tan(c)**2 + 2*b) - \log(\tan(b*x)**2 + 1)/(2*b*\tan(c)**2 + 2*b), \text{Eq}(a, 0)), (-4*b*x*\tan(c)**2*\tan(b*x)/(2*b*\tan(c)**5*\tan(b*x) + 2*b*\tan(c)**4 + 4*b*\tan(c)**3*\tan(b*x) + 4*b*\tan(c)**2 + 2*b*\tan(c)*\tan(b*x) + 2*b) - 4*b*x*\tan(c)/(2*b*\tan(c)**5*\tan(b*x) + 2*b*\tan(c)**4 + 4*b*\tan(c)**3*\tan(b*x) + 4*b*\tan(c)**2 + 2*b*\tan(c)*\tan(b*x) + 2*b) - 2*\log(\tan(b*x) + 1/\tan(c))*\tan(c)**3*\tan(b*x)/(2*b*\tan(c)**5*\tan(b*x) + 2*b*\tan(c)**4 + 4*b*\tan(c)**3*\tan(b*x) + 4*b*\tan(c)**2 + 2*b*\tan(c)*\tan(b*x) + 2*b) - 2*\log(\tan(b*x) + 1/\tan(c))*\tan(c)**2/(2*b*\tan(c)**5*\tan(b*x) + 2*b*\tan(c)**4 + 4*b*\tan(c)**3*\tan(b*x) + 4*b*\tan(c)**2 + 2*b*\tan(c)*\tan(b*x) + 2*b) + 2*\log(\tan(b*x) + 1/\tan(c))*\tan(c)*\tan(b*x)/(2*b*\tan(c)**5*\tan(b*x) + 2*b*\tan(c)**4 + 4*b*\tan(c)**3*\tan(b*x) + 4*b*\tan(c)**2 + 2*b*\tan(c)*\tan(b*x) + 2*b) + 2*\log(\tan(b*x) + 1/\tan(c))/(2*b*\tan(c)**5*\tan(b*x) + 2*b*\tan(c)**4 + 4*b*\tan(c)**3*\tan(b*x) + 4*b*\tan(c)**2 + 2*b*\tan(c)*\tan(b*x) + 2*b) + \log(\tan(b*x)**2 + 1)*\tan(c)**3*\tan(b*x)/(2*b*\tan(c)**5*\tan(b*x) + 2*b*\tan(c)**4 + 4*b*\tan(c)**3*\tan(b*x) + 4*b*\tan(c)**2 + 2*b*\tan(c)*\tan(b*x) + 2*b) + \log(\tan(b*x)**2 + 1)*\tan(c)**2/(2*b*\tan(c)**5*\tan(b*x) + 2*b*\tan(c)**4 + 4*b*\tan(c)**3*\tan(b*x) + 4*b*\tan(c)**2 + 2*b*\tan(c)*\tan(b*x) + 2*b) - \log(\tan(b*x)**2 + 1)*\tan(c)*\tan(b*x)/(2*b*\tan(c)**5*\tan(b*x) + 2*b*\tan(c)**4 + 4*b*\tan(c)**3*\tan(b*x) + 4*b*\tan(c)**2 + 2*b*\tan(c)*\tan(b*x) + 2*b) - \log(\tan(b*x)**2 + 1)/(2*b*\tan(c)**5*\tan(b*x) + 2*b*\tan(c)**4 + 4*b*\tan(c)**3*\tan(b*x) + 4*b*\tan(c)**2 + 2*b*\tan(c)*\tan(b*x) + 2*b) - 2*\tan(c)**2/(2*b*\tan(c)**5*\tan(b*x) + 2*b*\tan(c)**4 + 4*b*\tan(c)**3*\tan(b*x) + 4*b*\tan(c)**2 + 2*b*\tan(c)*\tan(b*x) + 2*b) - 2/(2*b*\tan(c)**5*\tan(b*x) + 2*b*\tan(c)**4 + 4*b*\tan(c)**3*\tan(b*x) + 4*b*\tan(c)**2 + 2*b*\tan(c)*\tan(b*x) + 2*b), \text{Eq}(a, -\text{atan}(\tan(c)) - \text{pi}*\text{floor}((c - \text{pi}/2)/\text{pi}) - \text{pi}*\text{floor}(c/\text{pi} - 1/2))), (0, \text{Eq}(b, 0)), (2*b*x*\tan(a)/(2*b*\tan(a)**2 + 2*b) + 2*\log(\tan(b*x) - 1/\tan(a))/(2*b*\tan(a)**2 + 2*b) - \log(\tan(b*x)**2 + 1)/(2*b*\tan(a)**2 + 2*b), \text{Eq}(c, 0)), (2*b*x*\tan(a)**2/(2*b*\tan(a)**3*\tan(c)**2 + 2*b*\tan(a)**3 + 2*b*\tan(a)**2*\tan(c)**3 + 2*b*\tan(a)**2*\tan(c) + 2*b*\tan(a)*\tan(c)**2 + 2*b*\tan(a) + 2*b*\tan(c)**3 + 2*b*\tan(c)) - 2*b*x*\tan(c)**2/(2*b*\tan(a)**3*\tan(c)**2 + 2*b*\tan(a)**3 + 2*b*\tan(a)**2*\tan(c)**3 + 2*b*\tan(a)**2*\tan(c) + 2*b*\tan(a)*\tan(c)**2 + 2*b*\tan(a) + 2*b*\tan(c)**3 + 2*b*\tan(c)) + 2*\log(\tan(b*x) - 1/\tan(a))*\tan(a)*\tan(c)**2/(2*b*\tan(a)**3*\tan(c)**2 + 2*b*\tan(a)**3 + 2*b*\tan(a)**2*\tan(c)**3 + 2*b*\tan(a)**2*\tan(c) + 2*b*\tan(a)*\tan(c)**2 + 2*b*\tan(a) + 2*b*\tan(c)**3 + 2*b*\tan(c)) + 2*\log(\tan(b*x) + 1/\tan(c))*\tan(a)**2*\tan(c)/(2*b*\tan(a)**3*\tan(c)**2 + 2*b*\tan(a)**3 + 2*b*\tan(a)**2*\tan(c)**3 + 2*b*\tan(a)**2*\tan(c) + 2*b*\tan(a)*\tan(c)**2 + 2*b*\tan(a) + 2*b*\tan(c)**3 + 2*b*\tan(c)) + 2*\log(\tan(b*x) + 1/\tan(c))*\tan(c)/(2*b*\tan(a)**3*\tan(c)**2 + 2*b*\tan(a)**3 + 2*b*\tan(a)**2*\tan(c)**3 + 2*b*\tan(a)**2*\tan(c) + 2*b*\tan(a)*\tan(c)**2 + 2*b*\tan(a) + 2*b*\tan(c)**3 + 2*b*\tan(c)) - \log(\tan(b*x)**2 + 1)*\tan(a)**2*\tan(c)/(2*b*\tan(a)**3*\tan(c)**2 + 2*b*\tan(a)**3 + 2*b*\tan(a)**2*\tan(c)**3 + 2*b*\tan(a)**2*\tan(c) + 2*b*\tan(a)*\tan(c)**2 + 2*b*\tan(a) + 2*b*\tan(c)**3 + 2*b*\tan(c)) - \log(\tan(b*x)**2 + 1)*\tan(c)/(2*b*\tan(a)**3*\tan(c)**2 + 2*b*\tan(a)**3 + 2*b*\tan(a)**2*\tan(c)**3 + 2*b*\tan(a)**2*\tan(c) + 2*b*\tan(a)*\tan(c)**2 + 2*b*\tan(a) + 2*b*\tan(c)**3 + 2*b*\tan(c)) - \log(\tan(b*x)**2 + 1)*\tan(c)/(2*b*\tan(a)**3*\tan(c)**2 + 2*b*\tan(a)**3 + 2*b*\tan(a)**2*\tan(c)**3 + 2*b*\tan(a)**2*\tan(c) + 2*b*\tan(a)*\tan(c)**2 + 2*b*\tan(a) + 2*b*\tan(c)**3 + 2*b*\tan(c)), \text{True}))*\tan(c) + \text{Piecewise}((0, \text{Eq}(a, 0) \& \text{Eq}(b, 0) \& \text{Eq}(c, 0)), (2*b*x*\tan(c)/(2*b*\tan(c)**3 + 2*b*\tan(c)) - 2*\log(\tan(b*x) + 1/\tan(c))/(2*b*\tan(c)**3 + 2*b
\end{aligned}$$

```

*tan(c)) - log(tan(b*x)**2 + 1)*tan(c)**2/(2*b*tan(c)**3 + 2*b*tan(c)), Eq(
a, 0)), (-b*x*tan(c)**4*tan(b*x)/(b*tan(c)**6*tan(b*x) + b*tan(c)**5 + 2*b*
tan(c)**4*tan(b*x) + 2*b*tan(c)**3 + b*tan(c)**2*tan(b*x) + b*tan(c)) - b*x
*tan(c)**3/(b*tan(c)**6*tan(b*x) + b*tan(c)**5 + 2*b*tan(c)**4*tan(b*x) + 2
*b*tan(c)**3 + b*tan(c)**2*tan(b*x) + b*tan(c)) + b*x*tan(c)**2*tan(b*x)/(b
*tan(c)**6*tan(b*x) + b*tan(c)**5 + 2*b*tan(c)**4*tan(b*x) + 2*b*tan(c)**3
+ b*tan(c)**2*tan(b*x) + b*tan(c)) + b*x*tan(c)/(b*tan(c)**6*tan(b*x) + b*t
an(c)**5 + 2*b*tan(c)**4*tan(b*x) + 2*b*tan(c)**3 + b*tan(c)**2*tan(b*x) +
b*tan(c)) + 2*log(tan(b*x) + 1/tan(c))*tan(c)**3*tan(b*x)/(b*tan(c)**6*tan(
b*x) + b*tan(c)**5 + 2*b*tan(c)**4*tan(b*x) + 2*b*tan(c)**3 + b*tan(c)**2*t
an(b*x) + b*tan(c)) + 2*log(tan(b*x) + 1/tan(c))*tan(c)**2/(b*tan(c)**6*tan
(b*x) + b*tan(c)**5 + 2*b*tan(c)**4*tan(b*x) + 2*b*tan(c)**3 + b*tan(c)**2*
tan(b*x) + b*tan(c)) - log(tan(b*x)**2 + 1)*tan(c)**3*tan(b*x)/(b*tan(c)**6
*tan(b*x) + b*tan(c)**5 + 2*b*tan(c)**4*tan(b*x) + 2*b*tan(c)**3 + b*tan(c)
**2*tan(b*x) + b*tan(c)) - log(tan(b*x)**2 + 1)*tan(c)**2/(b*tan(c)**6*tan(
b*x) + b*tan(c)**5 + 2*b*tan(c)**4*tan(b*x) + 2*b*tan(c)**3 + b*tan(c)**2*t
an(b*x) + b*tan(c)) + tan(c)**2/(b*tan(c)**6*tan(b*x) + b*tan(c)**5 + 2*b*t
an(c)**4*tan(b*x) + 2*b*tan(c)**3 + b*tan(c)**2*tan(b*x) + b*tan(c)) + 1/(b
*tan(c)**6*tan(b*x) + b*tan(c)**5 + 2*b*tan(c)**4*tan(b*x) + 2*b*tan(c)**3
+ b*tan(c)**2*tan(b*x) + b*tan(c)), Eq(a, -atan(tan(c)) - pi*floor((c - pi/
2)/pi) - pi*floor(c/pi - 1/2))), (0, Eq(b, 0)), (2*b*x*tan(a)/(2*b*tan(a)**
3 + 2*b*tan(a)) + 2*log(tan(b*x) - 1/tan(a))/(2*b*tan(a)**3 + 2*b*tan(a)) +
log(tan(b*x)**2 + 1)*tan(a)**2/(2*b*tan(a)**3 + 2*b*tan(a)), Eq(c, 0)), (2
*b*x*tan(a)**2*tan(c)/(2*b*tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 + 2*b*tan(a)
**2*tan(c)**3 + 2*b*tan(a)**2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*tan(a) +
2*b*tan(c)**3 + 2*b*tan(c)) + 2*b*x*tan(a)*tan(c)**2/(2*b*tan(a)**3*tan(c)*
**2 + 2*b*tan(a)**3 + 2*b*tan(a)**2*tan(c)**3 + 2*b*tan(a)**2*tan(c) + 2*b*t
an(a)*tan(c)**2 + 2*b*tan(a) + 2*b*tan(c)**3 + 2*b*tan(c)) + 2*b*x*tan(a)/(
2*b*tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 + 2*b*tan(a)**2*tan(c)**3 + 2*b*tan
(a)**2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*tan(a) + 2*b*tan(c)**3 + 2*b*tan
(c)) + 2*b*x*tan(c)/(2*b*tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 + 2*b*tan(a)**
2*tan(c)**3 + 2*b*tan(a)**2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*tan(a) + 2*
b*tan(c)**3 + 2*b*tan(c)) + 2*log(tan(b*x) - 1/tan(a))*tan(c)**2/(2*b*tan(a)
)**3*tan(c)**2 + 2*b*tan(a)**3 + 2*b*tan(a)**2*tan(c)**3 + 2*b*tan(a)**2*ta
n(c) + 2*b*tan(a)*tan(c)**2 + 2*b*tan(a) + 2*b*tan(c)**3 + 2*b*tan(c)) + 2*
log(tan(b*x) - 1/tan(a))/(2*b*tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 + 2*b*tan
(a)**2*tan(c)**3 + 2*b*tan(a)**2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*tan(a)
+ 2*b*tan(c)**3 + 2*b*tan(c)) - 2*log(tan(b*x) + 1/tan(c))*tan(a)**2/(2*b*
tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 + 2*b*tan(a)**2*tan(c)**3 + 2*b*tan(a)*
**2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*tan(a) + 2*b*tan(c)**3 + 2*b*tan(c))
- 2*log(tan(b*x) + 1/tan(c))/(2*b*tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 + 2*
b*tan(a)**2*tan(c)**3 + 2*b*tan(a)**2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*t
an(a) + 2*b*tan(c)**3 + 2*b*tan(c)) + log(tan(b*x)**2 + 1)*tan(a)**2/(2*b*t
an(a)**3*tan(c)**2 + 2*b*tan(a)**3 + 2*b*tan(a)**2*tan(c)**3 + 2*b*tan(a)**
2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*tan(a) + 2*b*tan(c)**3 + 2*b*tan(c))
- log(tan(b*x)**2 + 1)*tan(c)**2/(2*b*tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 +
2*b*tan(a)**2*tan(c)**3 + 2*b*tan(a)**2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*
b*tan(a) + 2*b*tan(c)**3 + 2*b*tan(c)), True)) - Piecewise((-x, Eq(a, 0) &
Eq(b, 0) & Eq(c, 0)), (-2*b*x/(2*b*tan(c)**2 + 2*b) - 2*log(tan(b*x) + 1/ta
n(c))*tan(c)/(2*b*tan(c)**2 + 2*b) + log(tan(b*x)**2 + 1)*tan(c)/(2*b*tan(c)
)**2 + 2*b), Eq(a, 0)), (b*x*tan(c)**3*tan(b*x)/(b*tan(c)**5*tan(b*x) + b*t
an(c)**4 + 2*b*tan(c)**3*tan(b*x) + 2*b*tan(c)**2 + b*tan(c)*tan(b*x) + b)
+ b*x*tan(c)**2/(b*tan(c)**5*tan(b*x) + b*tan(c)**4 + 2*b*tan(c)**3*tan(b*x)
) + 2*b*tan(c)**2 + b*tan(c)*tan(b*x) + b) - b*x*tan(c)*tan(b*x)/(b*tan(c)*
**5*tan(b*x) + b*tan(c)**4 + 2*b*tan(c)**3*tan(b*x) + 2*b*tan(c)**2 + b*tan(
c)*tan(b*x) + b) - b*x/(b*tan(c)**5*tan(b*x) + b*tan(c)**4 + 2*b*tan(c)**3*
tan(b*x) + 2*b*tan(c)**2 + b*tan(c)*tan(b*x) + b) - 2*log(tan(b*x) + 1/tan(
c))*tan(c)**2*tan(b*x)/(b*tan(c)**5*tan(b*x) + b*tan(c)**4 + 2*b*tan(c)**3*
tan(b*x) + 2*b*tan(c)**2 + b*tan(c)*tan(b*x) + b) - 2*log(tan(b*x) + 1/tan(

```

```

c))*tan(c)/(b*tan(c)**5*tan(b*x) + b*tan(c)**4 + 2*b*tan(c)**3*tan(b*x) + 2
*b*tan(c)**2 + b*tan(c)*tan(b*x) + b) + log(tan(b*x)**2 + 1)*tan(c)**2*tan(
b*x)/(b*tan(c)**5*tan(b*x) + b*tan(c)**4 + 2*b*tan(c)**3*tan(b*x) + 2*b*tan
(c)**2 + b*tan(c)*tan(b*x) + b) + log(tan(b*x)**2 + 1)*tan(c)/(b*tan(c)**5*
tan(b*x) + b*tan(c)**4 + 2*b*tan(c)**3*tan(b*x) + 2*b*tan(c)**2 + b*tan(c)*
tan(b*x) + b) + tan(c)**3/(b*tan(c)**5*tan(b*x) + b*tan(c)**4 + 2*b*tan(c)*
**3*tan(b*x) + 2*b*tan(c)**2 + b*tan(c)*tan(b*x) + b) + tan(c)/(b*tan(c)**5*
tan(b*x) + b*tan(c)**4 + 2*b*tan(c)**3*tan(b*x) + 2*b*tan(c)**2 + b*tan(c)*
tan(b*x) + b), Eq(a, -atan(tan(c)) - pi*floor((c - pi/2)/pi) - pi*floor(c/pi
i - 1/2))), (-x, Eq(b, 0)), (-2*b*x/(2*b*tan(a)**2 + 2*b) + 2*log(tan(b*x)
- 1/tan(a))*tan(a)/(2*b*tan(a)**2 + 2*b) - log(tan(b*x)**2 + 1)*tan(a)/(2*b
*tan(a)**2 + 2*b), Eq(c, 0)), (-2*b*x*tan(a)**2*tan(c)/(2*b*tan(a)**3*tan(c)
)**2 + 2*b*tan(a)**3 + 2*b*tan(a)**2*tan(c)**3 + 2*b*tan(a)**2*tan(c) + 2*b
*tan(a)*tan(c)**2 + 2*b*tan(a) + 2*b*tan(c)**3 + 2*b*tan(c)) - 2*b*x*tan(a)
*tan(c)**2/(2*b*tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 + 2*b*tan(a)**2*tan(c)*
**3 + 2*b*tan(a)**2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*tan(a) + 2*b*tan(c)*
**3 + 2*b*tan(c)) - 2*b*x*tan(a)/(2*b*tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 +
2*b*tan(a)**2*tan(c)**3 + 2*b*tan(a)**2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b
*tan(a) + 2*b*tan(c)**3 + 2*b*tan(c)) - 2*b*x*tan(c)/(2*b*tan(a)**3*tan(c)*
**2 + 2*b*tan(a)**3 + 2*b*tan(a)**2*tan(c)**3 + 2*b*tan(a)**2*tan(c) + 2*b*t
an(a)*tan(c)**2 + 2*b*tan(a) + 2*b*tan(c)**3 + 2*b*tan(c)) + 2*log(tan(b*x)
- 1/tan(a))*tan(a)**2*tan(c)**2/(2*b*tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 +
2*b*tan(a)**2*tan(c)**3 + 2*b*tan(a)**2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*
b*tan(a) + 2*b*tan(c)**3 + 2*b*tan(c)) + 2*log(tan(b*x) - 1/tan(a))*tan(a)*
**2/(2*b*tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 + 2*b*tan(a)**2*tan(c)**3 + 2*b
*tan(a)**2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*tan(a) + 2*b*tan(c)**3 + 2*b
*tan(c)) - 2*log(tan(b*x) + 1/tan(c))*tan(a)**2*tan(c)**2/(2*b*tan(a)**3*ta
n(c)**2 + 2*b*tan(a)**3 + 2*b*tan(a)**2*tan(c)**3 + 2*b*tan(a)**2*tan(c) +
2*b*tan(a)*tan(c)**2 + 2*b*tan(a) + 2*b*tan(c)**3 + 2*b*tan(c)) - 2*log(tan
(b*x) + 1/tan(c))*tan(c)**2/(2*b*tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 + 2*b*
tan(a)**2*tan(c)**3 + 2*b*tan(a)**2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*tan
(a) + 2*b*tan(c)**3 + 2*b*tan(c)) - log(tan(b*x)**2 + 1)*tan(a)**2/(2*b*tan
(a)**3*tan(c)**2 + 2*b*tan(a)**3 + 2*b*tan(a)**2*tan(c)**3 + 2*b*tan(a)**2*
tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*tan(a) + 2*b*tan(c)**3 + 2*b*tan(c)) +
log(tan(b*x)**2 + 1)*tan(c)**2/(2*b*tan(a)**3*tan(c)**2 + 2*b*tan(a)**3 + 2
*b*tan(a)**2*tan(c)**3 + 2*b*tan(a)**2*tan(c) + 2*b*tan(a)*tan(c)**2 + 2*b*
tan(a) + 2*b*tan(c)**3 + 2*b*tan(c)), True))*tan(a)*tan(c)

```

---

**Giac [B]** time = 1.16567, size = 109, normalized size = 3.21

$$x - \frac{(\tan(a)^2 \tan(c) - \tan(a)) \log(|\tan(bx) \tan(a) - 1|)}{b \tan(a)^2 + b \tan(a) \tan(c)} + \frac{(\tan(a) \tan(c)^2 - \tan(c)) \log(|\tan(bx) \tan(c) + 1|)}{b \tan(a) \tan(c) + b \tan(c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(-tan(b*x-c)*tan(b*x+a),x, algorithm="giac")
```

```
[Out] x - (tan(a)^2*tan(c) - tan(a))*log(abs(tan(b*x)*tan(a) - 1))/(b*tan(a)^2 +
b*tan(a)*tan(c)) + (tan(a)*tan(c)^2 - tan(c))*log(abs(tan(b*x)*tan(c) + 1))
/(b*tan(a)*tan(c) + b*tan(c)^2)
```

### 3.141 $\int \cot(a + bx) \cot(c + bx) dx$

**Optimal.** Leaf size=39

$$-\frac{\cot(a-c)\log(\sin(a+bx))}{b} + \frac{\cot(a-c)\log(\sin(bx+c))}{b} - x$$

[Out]  $-x - (\text{Cot}[a - c] * \text{Log}[\text{Sin}[a + b*x]])/b + (\text{Cot}[a - c] * \text{Log}[\text{Sin}[c + b*x]])/b$

**Rubi [A]** time = 0.0321744, antiderivative size = 39, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$ , Rules used = {4613, 4611, 3475}

$$-\frac{\cot(a-c)\log(\sin(a+bx))}{b} + \frac{\cot(a-c)\log(\sin(bx+c))}{b} - x$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cot}[a + b*x] * \text{Cot}[c + b*x], x]$

[Out]  $-x - (\text{Cot}[a - c] * \text{Log}[\text{Sin}[a + b*x]])/b + (\text{Cot}[a - c] * \text{Log}[\text{Sin}[c + b*x]])/b$

#### Rule 4613

$\text{Int}[\text{Cot}[(a_.) + (b_.)*(x_.)] * \text{Cot}[(c_.) + (d_.)*(x_.)], x\_Symbol] \text{ :> } -\text{Simp}[(b*x)/d, x] + \text{Dist}[\text{Cos}[(b*c - a*d)/d], \text{Int}[\text{Csc}[a + b*x] * \text{Csc}[c + d*x], x], x] /;$   
 $\text{FreeQ}\{a, b, c, d\}, x \ \&\& \ \text{EqQ}[b^2 - d^2, 0] \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

#### Rule 4611

$\text{Int}[\text{Csc}[(a_.) + (b_.)*(x_.)] * \text{Csc}[(c_.) + (d_.)*(x_.)], x\_Symbol] \text{ :> } \text{Dist}[\text{Csc}[(b*c - a*d)/b], \text{Int}[\text{Cot}[a + b*x], x], x] - \text{Dist}[\text{Csc}[(b*c - a*d)/d], \text{Int}[\text{Cot}[c + d*x], x], x] /;$   
 $\text{FreeQ}\{a, b, c, d\}, x \ \&\& \ \text{EqQ}[b^2 - d^2, 0] \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

#### Rule 3475

$\text{Int}[\text{tan}[(c_.) + (d_.)*(x_.)], x\_Symbol] \text{ :> } -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d*x], x]], x] /d, x] /;$   
 $\text{FreeQ}\{c, d\}, x]$

#### Rubi steps

$$\begin{aligned} \int \cot(a + bx) \cot(c + bx) dx &= -x + \cos(a - c) \int \csc(a + bx) \csc(c + bx) dx \\ &= -x - \cot(a - c) \int \cot(a + bx) dx + \cot(a - c) \int \cot(c + bx) dx \\ &= -x - \frac{\cot(a - c) \log(\sin(a + bx))}{b} + \frac{\cot(a - c) \log(\sin(c + bx))}{b} \end{aligned}$$

**Mathematica [A]** time = 0.508159, size = 31, normalized size = 0.79

$$\frac{\cot(a-c)(\log(\sin(bx+c)) - \log(\sin(a+bx)))}{b} - x$$

Antiderivative was successfully verified.

[In] Integrate[Cot[a + b\*x]\*Cot[c + b\*x],x]

[Out]  $-x + (\text{Cot}[a - c] * (-\text{Log}[\text{Sin}[a + b*x]] + \text{Log}[\text{Sin}[c + b*x]])) / b$

**Maple [C]** time = 0.076, size = 177, normalized size = 4.5

$$-x + \frac{i \ln(e^{2i(bx+a)} - e^{2i(a-c)}) e^{2ia}}{b(e^{2ia} - e^{2ic})} + \frac{i \ln(e^{2i(bx+a)} - e^{2i(a-c)}) e^{2ic}}{b(e^{2ia} - e^{2ic})} - \frac{i \ln(e^{2i(bx+a)} - 1) e^{2ia}}{b(e^{2ia} - e^{2ic})} - \frac{i \ln(e^{2i(bx+a)} - 1) e^{2ic}}{b(e^{2ia} - e^{2ic})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(b\*x+a)\*cot(b\*x+c),x)

[Out]  $-x + I/b / (\exp(2*I*a) - \exp(2*I*c)) * \ln(\exp(2*I*(b*x+a)) - \exp(2*I*(a-c))) * \exp(2*I*a) + I/b / (\exp(2*I*a) - \exp(2*I*c)) * \ln(\exp(2*I*(b*x+a)) - \exp(2*I*(a-c))) * \exp(2*I*c) - I/b / (\exp(2*I*a) - \exp(2*I*c)) * \ln(\exp(2*I*(b*x+a)) - 1) * \exp(2*I*a) - I/b / (\exp(2*I*a) - \exp(2*I*c)) * \ln(\exp(2*I*(b*x+a)) - 1) * \exp(2*I*c)$

**Maxima [B]** time = 1.16627, size = 741, normalized size = 19.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(b\*x+a)\*cot(b\*x+c),x, algorithm="maxima")

[Out]  $-\left( (2*b*\cos(2*a)*\cos(2*c) - b*\cos(2*c)^2 + 2*b*\sin(2*a)*\sin(2*c) - b*\sin(2*c)^2 - (\cos(2*a)^2 + \sin(2*a)^2)*b \right) * x + (\cos(2*a)^2 - \cos(2*c)^2 + \sin(2*a)^2 - \sin(2*c)^2) * \arctan2(\sin(b*x) + \sin(a), \cos(b*x) - \cos(a)) + (\cos(2*a)^2 - \cos(2*c)^2 + \sin(2*a)^2 - \sin(2*c)^2) * \arctan2(\sin(b*x) - \sin(a), \cos(b*x) + \cos(a)) - (\cos(2*a)^2 - \cos(2*c)^2 + \sin(2*a)^2 - \sin(2*c)^2) * \arctan2(\sin(b*x) + \sin(c), \cos(b*x) - \cos(c)) - (\cos(2*a)^2 - \cos(2*c)^2 + \sin(2*a)^2 - \sin(2*c)^2) * \arctan2(\sin(b*x) - \sin(c), \cos(b*x) + \cos(c)) - (\cos(2*c)*\sin(2*a) - \cos(2*a)*\sin(2*c)) * \log(\cos(b*x)^2 + 2*\cos(b*x)*\cos(a) + \cos(a)^2 + \sin(b*x)^2 - 2*\sin(b*x)*\sin(a) + \sin(a)^2) - (\cos(2*c)*\sin(2*a) - \cos(2*a)*\sin(2*c)) * \log(\cos(b*x)^2 - 2*\cos(b*x)*\cos(a) + \cos(a)^2 + \sin(b*x)^2 + 2*\sin(b*x)*\sin(a) + \sin(a)^2) + (\cos(2*c)*\sin(2*a) - \cos(2*a)*\sin(2*c)) * \log(\cos(b*x)^2 + 2*\cos(b*x)*\cos(c) + \cos(c)^2 + \sin(b*x)^2 - 2*\sin(b*x)*\sin(c) + \sin(c)^2) + (\cos(2*c)*\sin(2*a) - \cos(2*a)*\sin(2*c)) * \log(\cos(b*x)^2 - 2*\cos(b*x)*\cos(c) + \cos(c)^2 + \sin(b*x)^2 + 2*\sin(b*x)*\sin(c) + \sin(c)^2) / (2*b*\cos(2*a)*\cos(2*c) - b*\cos(2*c)^2 + 2*b*\sin(2*a)*\sin(2*c) - b*\sin(2*c)^2 - (\cos(2*a)^2 + \sin(2*a)^2)*b)$

**Fricas [B]** time = 2.52468, size = 315, normalized size = 8.08

$$\frac{2bx \sin(-2a + 2c) - (\cos(-2a + 2c) + 1) \log\left(-\frac{\cos(2bx+2c)\cos(-2a+2c)+\sin(2bx+2c)\sin(-2a+2c)-1}{\cos(-2a+2c)+1}\right) + (\cos(-2a + 2c) + 1)}{2b \sin(-2a + 2c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(b\*x+a)\*cot(b\*x+c),x, algorithm="fricas")

```
[Out] -1/2*(2*b*x*sin(-2*a + 2*c) - (cos(-2*a + 2*c) + 1)*log(-(cos(2*b*x + 2*c)*
cos(-2*a + 2*c) + sin(2*b*x + 2*c)*sin(-2*a + 2*c) - 1)/(cos(-2*a + 2*c) +
1)) + (cos(-2*a + 2*c) + 1)*log(-1/2*cos(2*b*x + 2*c) + 1/2))/(b*sin(-2*a +
2*c))
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(b*x+a)*cot(b*x+c),x)
```

```
[Out] Timed out
```

**Giac [B]** time = 1.2426, size = 470, normalized size = 12.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(b*x+a)*cot(b*x+c),x, algorithm="giac")
```

```
[Out] -1/2*(2*b*x + (tan(1/2*a)^4*tan(1/2*c)^2 - tan(1/2*a)^4 + 4*tan(1/2*a)^3*ta
n(1/2*c) - 2*tan(1/2*a)^2*tan(1/2*c)^2 + 2*tan(1/2*a)^2 - 4*tan(1/2*a)*tan(
1/2*c) + tan(1/2*c)^2 - 1)*log(abs(tan(b*x)*tan(1/2*a)^2 - tan(b*x) - 2*tan
(1/2*a)))/(tan(1/2*a)^4*tan(1/2*c) - tan(1/2*a)^3*tan(1/2*c)^2 + tan(1/2*a)
^3 - 2*tan(1/2*a)^2*tan(1/2*c) + tan(1/2*a)*tan(1/2*c)^2 - tan(1/2*a) + tan
(1/2*c)) - (tan(1/2*a)^2*tan(1/2*c)^4 - 2*tan(1/2*a)^2*tan(1/2*c)^2 + 4*tan
(1/2*a)*tan(1/2*c)^3 - tan(1/2*c)^4 + tan(1/2*a)^2 - 4*tan(1/2*a)*tan(1/2*c
) + 2*tan(1/2*c)^2 - 1)*log(abs(tan(b*x)*tan(1/2*c)^2 - tan(b*x) - 2*tan(1/
2*c)))/(tan(1/2*a)^2*tan(1/2*c)^3 - tan(1/2*a)*tan(1/2*c)^4 - tan(1/2*a)^2*
tan(1/2*c) + 2*tan(1/2*a)*tan(1/2*c)^2 - tan(1/2*c)^3 - tan(1/2*a) + tan(1/
2*c)))/b
```



### 3.142 $\int \cot(c - bx) \cot(a + bx) dx$

**Optimal.** Leaf size=34

$$-\frac{\cot(a+c)\log(\sin(c-bx))}{b} + \frac{\cot(a+c)\log(\sin(a+bx))}{b} + x$$

[Out]  $x - (\text{Cot}[a + c] * \text{Log}[\text{Sin}[c - b*x]])/b + (\text{Cot}[a + c] * \text{Log}[\text{Sin}[a + b*x]])/b$

**Rubi [A]** time = 0.034246, antiderivative size = 34, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {4613, 4611, 3475}

$$-\frac{\cot(a+c)\log(\sin(c-bx))}{b} + \frac{\cot(a+c)\log(\sin(a+bx))}{b} + x$$

Antiderivative was successfully verified.

[In] `Int[Cot[c - b*x]*Cot[a + b*x],x]`

[Out]  $x - (\text{Cot}[a + c] * \text{Log}[\text{Sin}[c - b*x]])/b + (\text{Cot}[a + c] * \text{Log}[\text{Sin}[a + b*x]])/b$

#### Rule 4613

`Int[Cot[(a_.) + (b_.)*(x_)]*Cot[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[(b*x)/d, x] + Dist[Cos[(b*c - a*d)/d], Int[Csc[a + b*x]*Csc[c + d*x], x], x] /;`  
`FreeQ[{a, b, c, d}, x] && EqQ[b^2 - d^2, 0] && NeQ[b*c - a*d, 0]`

#### Rule 4611

`Int[Csc[(a_.) + (b_.)*(x_)]*Csc[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Csc[(b*c - a*d)/b], Int[Cot[a + b*x], x], x] - Dist[Csc[(b*c - a*d)/d], Int[Cot[c + d*x], x], x] /;`  
`FreeQ[{a, b, c, d}, x] && EqQ[b^2 - d^2, 0] && NeQ[b*c - a*d, 0]`

#### Rule 3475

`Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /;`  
`FreeQ[{c, d}, x]`

#### Rubi steps

$$\begin{aligned} \int \cot(c - bx) \cot(a + bx) dx &= x + \cos(a + c) \int \csc(c - bx) \csc(a + bx) dx \\ &= x + \cot(a + c) \int \cot(c - bx) dx + \cot(a + c) \int \cot(a + bx) dx \\ &= x - \frac{\cot(a + c) \log(\sin(c - bx))}{b} + \frac{\cot(a + c) \log(\sin(a + bx))}{b} \end{aligned}$$

**Mathematica [A]** time = 0.488814, size = 30, normalized size = 0.88

$$\frac{\cot(a+c)(\log(-\sin(a+bx)) - \log(\sin(c-bx)))}{b} + x$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c - b\*x]\*Cot[a + b\*x],x]

[Out] x + (Cot[a + c]\*(-Log[Sin[c - b\*x]] + Log[-Sin[a + b\*x]]))/b

**Maple [C]** time = 0.08, size = 149, normalized size = 4.4

$$x + \frac{i \ln(e^{2i(bx+a)} - 1) e^{2i(a+c)}}{b(e^{2i(a+c)} - 1)} + \frac{i \ln(e^{2i(bx+a)} - 1)}{b(e^{2i(a+c)} - 1)} - \frac{i \ln(-e^{2i(a+c)} + e^{2i(bx+a)}) e^{2i(a+c)}}{b(e^{2i(a+c)} - 1)} - \frac{i \ln(-e^{2i(a+c)} + e^{2i(bx+a)})}{b(e^{2i(a+c)} - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-cot(b\*x-c)\*cot(b\*x+a),x)

[Out] x+I/b/(exp(2\*I\*(a+c))-1)\*ln(exp(2\*I\*(b\*x+a))-1)\*exp(2\*I\*(a+c))+I/b/(exp(2\*I\*(a+c))-1)\*ln(exp(2\*I\*(b\*x+a))-1)-I/b/(exp(2\*I\*(a+c))-1)\*ln(-exp(2\*I\*(a+c))+exp(2\*I\*(b\*x+a)))\*exp(2\*I\*(a+c))-I/b/(exp(2\*I\*(a+c))-1)\*ln(-exp(2\*I\*(a+c))+exp(2\*I\*(b\*x+a)))

**Maxima [B]** time = 1.1565, size = 583, normalized size = 17.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-cot(b\*x-c)\*cot(b\*x+a),x, algorithm="maxima")

[Out] ((b\*cos(2\*a + 2\*c)^2 + b\*sin(2\*a + 2\*c)^2 - 2\*b\*cos(2\*a + 2\*c) + b)\*x - (cos(2\*a + 2\*c)^2 + sin(2\*a + 2\*c)^2 - 1)\*arctan2(sin(b\*x) + sin(a), cos(b\*x) - cos(a)) - (cos(2\*a + 2\*c)^2 + sin(2\*a + 2\*c)^2 - 1)\*arctan2(sin(b\*x) - sin(a), cos(b\*x) + cos(a)) + (cos(2\*a + 2\*c)^2 + sin(2\*a + 2\*c)^2 - 1)\*arctan2(sin(b\*x) + sin(c), cos(b\*x) + cos(c)) + (cos(2\*a + 2\*c)^2 + sin(2\*a + 2\*c)^2 - 1)\*arctan2(sin(b\*x) - sin(c), cos(b\*x) - cos(c)) + log(cos(b\*x)^2 + 2\*cos(b\*x)\*cos(a) + cos(a)^2 + sin(b\*x)^2 - 2\*sin(b\*x)\*sin(a) + sin(a)^2)\*sin(2\*a + 2\*c) + log(cos(b\*x)^2 - 2\*cos(b\*x)\*cos(a) + cos(a)^2 + sin(b\*x)^2 + 2\*sin(b\*x)\*sin(a) + sin(a)^2)\*sin(2\*a + 2\*c) - log(cos(b\*x)^2 + 2\*cos(b\*x)\*cos(c) + cos(c)^2 + sin(b\*x)^2 + 2\*sin(b\*x)\*sin(c) + sin(c)^2)\*sin(2\*a + 2\*c) - log(cos(b\*x)^2 - 2\*cos(b\*x)\*cos(c) + cos(c)^2 + sin(b\*x)^2 - 2\*sin(b\*x)\*sin(c) + sin(c)^2)\*sin(2\*a + 2\*c))/(b\*cos(2\*a + 2\*c)^2 + b\*sin(2\*a + 2\*c)^2 - 2\*b\*cos(2\*a + 2\*c) + b)

**Fricas [B]** time = 2.53066, size = 304, normalized size = 8.94

$$\frac{2bx \sin(2a + 2c) - (\cos(2a + 2c) + 1) \log\left(-\frac{\cos(2bx+2a)\cos(2a+2c)+\sin(2bx+2a)\sin(2a+2c)-1}{\cos(2a+2c)+1}\right) + (\cos(2a + 2c) + 1) \log\left(-\frac{1}{2}\right)}{2b \sin(2a + 2c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-cot(b\*x-c)\*cot(b\*x+a),x, algorithm="fricas")

[Out] 1/2\*(2\*b\*x\*sin(2\*a + 2\*c) - (cos(2\*a + 2\*c) + 1)\*log(-(cos(2\*b\*x + 2\*a)\*cos(2\*a + 2\*c) + sin(2\*b\*x + 2\*a)\*sin(2\*a + 2\*c) - 1)/(cos(2\*a + 2\*c) + 1)) +

$$(\cos(2*a + 2*c) + 1)*\log(-1/2*\cos(2*b*x + 2*a) + 1/2))/(b*\sin(2*a + 2*c))$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-cot(b\*x-c)\*cot(b\*x+a), x)

[Out] Timed out

**Giac [B]** time = 1.20349, size = 466, normalized size = 13.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-cot(b\*x-c)\*cot(b\*x+a), x, algorithm="giac")

[Out] 
$$\frac{1}{2}*(2*b*x - (\tan(1/2*a)^4*\tan(1/2*c)^2 - \tan(1/2*a)^4 - 4*\tan(1/2*a)^3*\tan(1/2*c) - 2*\tan(1/2*a)^2*\tan(1/2*c)^2 + 2*\tan(1/2*a)^2 + 4*\tan(1/2*a)*\tan(1/2*c) + \tan(1/2*c)^2 - 1)*\log(\text{abs}(\tan(b*x)*\tan(1/2*a)^2 - \tan(b*x) - 2*\tan(1/2*a)))/(\tan(1/2*a)^4*\tan(1/2*c) + \tan(1/2*a)^3*\tan(1/2*c)^2 - \tan(1/2*a)^3 - 2*\tan(1/2*a)^2*\tan(1/2*c) - \tan(1/2*a)*\tan(1/2*c)^2 + \tan(1/2*a) + \tan(1/2*c)) + (\tan(1/2*a)^2*\tan(1/2*c)^4 - 2*\tan(1/2*a)^2*\tan(1/2*c)^2 - 4*\tan(1/2*a)*\tan(1/2*c)^3 - \tan(1/2*c)^4 + \tan(1/2*a)^2 + 4*\tan(1/2*a)*\tan(1/2*c) + 2*\tan(1/2*c)^2 - 1)*\log(\text{abs}(\tan(b*x)*\tan(1/2*c)^2 - \tan(b*x) + 2*\tan(1/2*c)))/(\tan(1/2*a)^2*\tan(1/2*c)^3 + \tan(1/2*a)*\tan(1/2*c)^4 - \tan(1/2*a)^2*\tan(1/2*c) - 2*\tan(1/2*a)*\tan(1/2*c)^2 - \tan(1/2*c)^3 + \tan(1/2*a) + \tan(1/2*c)))/b$$

### 3.143 $\int \sec(a + bx) \sec(c + bx) dx$

**Optimal.** Leaf size=36

$$\frac{\csc(a - c) \log(\cos(bx + c))}{b} - \frac{\csc(a - c) \log(\cos(a + bx))}{b}$$

[Out] -((Csc[a - c]\*Log[Cos[a + b\*x]])/b) + (Csc[a - c]\*Log[Cos[c + b\*x]])/b

**Rubi [A]** time = 0.019024, antiderivative size = 36, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {4610, 3475}

$$\frac{\csc(a - c) \log(\cos(bx + c))}{b} - \frac{\csc(a - c) \log(\cos(a + bx))}{b}$$

Antiderivative was successfully verified.

[In] Int[Sec[a + b\*x]\*Sec[c + b\*x], x]

[Out] -((Csc[a - c]\*Log[Cos[a + b\*x]])/b) + (Csc[a - c]\*Log[Cos[c + b\*x]])/b

#### Rule 4610

Int[Sec[(a\_.) + (b\_.)\*(x\_.)]\*Sec[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> -Dist[Csc[(b\*c - a\*d)/d], Int[Tan[a + b\*x], x], x] + Dist[Csc[(b\*c - a\*d)/b], Int[Tan[c + d\*x], x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[b^2 - d^2, 0] && NeQ[b\*c - a\*d, 0]

#### Rule 3475

Int[tan[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d\*x], x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \sec(a + bx) \sec(c + bx) dx &= \csc(a - c) \int \tan(a + bx) dx - \csc(a - c) \int \tan(c + bx) dx \\ &= -\frac{\csc(a - c) \log(\cos(a + bx))}{b} + \frac{\csc(a - c) \log(\cos(c + bx))}{b} \end{aligned}$$

**Mathematica [A]** time = 0.224254, size = 28, normalized size = 0.78

$$\frac{\csc(a - c)(\log(\cos(a + bx)) - \log(\cos(bx + c)))}{b}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[a + b\*x]\*Sec[c + b\*x], x]

[Out] -((Csc[a - c]\*(Log[Cos[a + b\*x]] - Log[Cos[c + b\*x]]))/b)

**Maple [A]** time = 0.231, size = 55, normalized size = 1.5

$$\frac{\ln(-\tan(bx+a)\cos(a)\sin(c) + \tan(bx+a)\sin(a)\cos(c) + \cos(a)\cos(c) + \sin(a)\sin(c))}{b(\cos(a)\sin(c) - \sin(a)\cos(c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(b\*x+a)\*sec(b\*x+c),x)

[Out] -1/b/(cos(a)\*sin(c)-sin(a)\*cos(c))\*ln(-tan(b\*x+a)\*cos(a)\*sin(c)+tan(b\*x+a)\*sin(a)\*cos(c)+cos(a)\*cos(c)+sin(a)\*sin(c))

**Maxima [B]** time = 1.05778, size = 471, normalized size = 13.08

$$\frac{2((\cos(2a) - \cos(2c))\cos(a+c) + (\sin(2a) - \sin(2c))\sin(a+c))\arctan(\sin(2bx) - \sin(2a), \cos(2bx) + \cos(2a))}{b(\cos(2a)\sin(c) - \sin(2a)\cos(c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(b\*x+a)\*sec(b\*x+c),x, algorithm="maxima")

[Out] -(2\*((cos(2\*a) - cos(2\*c))\*cos(a + c) + (sin(2\*a) - sin(2\*c))\*sin(a + c))\*arctan2(sin(2\*b\*x) - sin(2\*a), cos(2\*b\*x) + cos(2\*a)) - 2\*((cos(2\*a) - cos(2\*c))\*cos(a + c) + (sin(2\*a) - sin(2\*c))\*sin(a + c))\*arctan2(sin(2\*b\*x) - sin(2\*c), cos(2\*b\*x) + cos(2\*c)) - ((sin(2\*a) - sin(2\*c))\*cos(a + c) - (cos(2\*a) - cos(2\*c))\*sin(a + c))\*log(cos(2\*b\*x)^2 + 2\*cos(2\*b\*x)\*cos(2\*a) + cos(2\*a)^2 + sin(2\*b\*x)^2 - 2\*sin(2\*b\*x)\*sin(2\*a) + sin(2\*a)^2) + ((sin(2\*a) - sin(2\*c))\*cos(a + c) - (cos(2\*a) - cos(2\*c))\*sin(a + c))\*log(cos(2\*b\*x)^2 + 2\*cos(2\*b\*x)\*cos(2\*c) + cos(2\*c)^2 + sin(2\*b\*x)^2 - 2\*sin(2\*b\*x)\*sin(2\*c) + sin(2\*c)^2))/(2\*b\*cos(2\*a)\*cos(2\*c) - b\*cos(2\*c)^2 + 2\*b\*sin(2\*a)\*sin(2\*c) - b\*sin(2\*c)^2 - (cos(2\*a)^2 + sin(2\*a)^2)\*b)

**Fricas [B]** time = 2.60332, size = 273, normalized size = 7.58

$$\frac{\log(\cos(bx+c)^2) - \log\left(\frac{4(2\cos(bx+c)\cos(-a+c)\sin(bx+c)\sin(-a+c) + (2\cos(-a+c)^2 - 1)\cos(bx+c)^2 - \cos(-a+c)^2 + 1)}{\cos(-a+c)^2 + 2\cos(-a+c) + 1}\right)}{2b\sin(-a+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(b\*x+a)\*sec(b\*x+c),x, algorithm="fricas")

[Out] -1/2\*(log(cos(b\*x + c)^2) - log(4\*(2\*cos(b\*x + c)\*cos(-a + c)\*sin(b\*x + c)\*sin(-a + c) + (2\*cos(-a + c)^2 - 1)\*cos(b\*x + c)^2 - cos(-a + c)^2 + 1)/(cos(-a + c)^2 + 2\*cos(-a + c) + 1)))/(b\*sin(-a + c))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sec(a + bx) \sec(bx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(b\*x+a)\*sec(b\*x+c),x)

[Out] Integral(sec(a + b\*x)\*sec(b\*x + c), x)

**Giac [B]** time = 1.24713, size = 231, normalized size = 6.42

$$\frac{\left(\tan\left(\frac{1}{2}a\right)^2 \tan\left(\frac{1}{2}c\right)^2 + \tan\left(\frac{1}{2}a\right)^2 + \tan\left(\frac{1}{2}c\right)^2 + 1\right) \log\left(\left|2 \tan(bx+a) \tan\left(\frac{1}{2}a\right)^2 \tan\left(\frac{1}{2}c\right) - 2 \tan(bx+a) \tan\left(\frac{1}{2}a\right)\right.\right.}{2\left(\tan\left(\frac{1}{2}a\right)^2 \tan\left(\frac{1}{2}c\right) - \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(b\*x+a)\*sec(b\*x+c),x, algorithm="giac")

[Out] 1/2\*(tan(1/2\*a)^2\*tan(1/2\*c)^2 + tan(1/2\*a)^2 + tan(1/2\*c)^2 + 1)\*log(abs(2 \*tan(b\*x + a)\*tan(1/2\*a)^2\*tan(1/2\*c) - 2\*tan(b\*x + a)\*tan(1/2\*a)\*tan(1/2\*c)^2 + tan(1/2\*a)^2\*tan(1/2\*c)^2 + 2\*tan(b\*x + a)\*tan(1/2\*a) - tan(1/2\*a)^2 - 2\*tan(b\*x + a)\*tan(1/2\*c) + 4\*tan(1/2\*a)\*tan(1/2\*c) - tan(1/2\*c)^2 + 1))/((tan(1/2\*a)^2\*tan(1/2\*c) - tan(1/2\*a)\*tan(1/2\*c)^2 + tan(1/2\*a) - tan(1/2\*c))\*b)

### 3.144 $\int \sec(c - bx) \sec(a + bx) dx$

**Optimal.** Leaf size=33

$$\frac{\csc(a + c) \log(\cos(c - bx))}{b} - \frac{\csc(a + c) \log(\cos(a + bx))}{b}$$

[Out] (Csc[a + c]\*Log[Cos[c - b\*x]])/b - (Csc[a + c]\*Log[Cos[a + b\*x]])/b

**Rubi [A]** time = 0.018378, antiderivative size = 33, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {4610, 3475}

$$\frac{\csc(a + c) \log(\cos(c - bx))}{b} - \frac{\csc(a + c) \log(\cos(a + bx))}{b}$$

Antiderivative was successfully verified.

[In] Int[Sec[c - b\*x]\*Sec[a + b\*x], x]

[Out] (Csc[a + c]\*Log[Cos[c - b\*x]])/b - (Csc[a + c]\*Log[Cos[a + b\*x]])/b

#### Rule 4610

Int[Sec[(a\_.) + (b\_.)\*(x\_)]\*Sec[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Dist[Csc[(b\*c - a\*d)/d], Int[Tan[a + b\*x], x], x] + Dist[Csc[(b\*c - a\*d)/b], Int[Tan[c + d\*x], x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[b^2 - d^2, 0] && NeQ[b\*c - a\*d, 0]

#### Rule 3475

Int[tan[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[Log[RemoveContent[Cos[c + d\*x], x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \sec(c - bx) \sec(a + bx) dx &= \csc(a + c) \int \tan(c - bx) dx + \csc(a + c) \int \tan(a + bx) dx \\ &= \frac{\csc(a + c) \log(\cos(c - bx))}{b} - \frac{\csc(a + c) \log(\cos(a + bx))}{b} \end{aligned}$$

**Mathematica [A]** time = 0.228994, size = 26, normalized size = 0.79

$$\frac{\csc(a + c)(\log(\cos(c - bx)) - \log(\cos(a + bx)))}{b}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c - b\*x]\*Sec[a + b\*x], x]

[Out] (Csc[a + c]\*(Log[Cos[c - b\*x]] - Log[Cos[a + b\*x]]))/b

**Maple [A]** time = 0.221, size = 53, normalized size = 1.6

$$\frac{\ln(\tan(bx+a)\cos(a)\sin(c) + \tan(bx+a)\sin(a)\cos(c) + \cos(a)\cos(c) - \sin(a)\sin(c))}{b(\sin(a)\cos(c) + \cos(a)\sin(c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(b\*x-c)\*sec(b\*x+a),x)

[Out] 1/b/(sin(a)\*cos(c)+cos(a)\*sin(c))\*ln(tan(b\*x+a)\*cos(a)\*sin(c)+tan(b\*x+a)\*sin(a)\*cos(c)+cos(a)\*cos(c)-sin(a)\*sin(c))

**Maxima [B]** time = 1.09119, size = 435, normalized size = 13.18

$$\frac{2(\cos(2a+2c)\cos(a+c) + \sin(2a+2c)\sin(a+c) - \cos(a+c)) \arctan(\sin(2bx) - \sin(2a), \cos(2bx) + \cos(2a))}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(b\*x-c)\*sec(b\*x+a),x, algorithm="maxima")

[Out] (2\*(cos(2\*a + 2\*c)\*cos(a + c) + sin(2\*a + 2\*c)\*sin(a + c) - cos(a + c))\*arctan2(sin(2\*b\*x) - sin(2\*a), cos(2\*b\*x) + cos(2\*a)) - 2\*(cos(2\*a + 2\*c)\*cos(a + c) + sin(2\*a + 2\*c)\*sin(a + c) - cos(a + c))\*arctan2(sin(2\*b\*x) + sin(2\*c), cos(2\*b\*x) + cos(2\*c)) - (cos(a + c)\*sin(2\*a + 2\*c) - cos(2\*a + 2\*c)\*sin(a + c) + sin(a + c))\*log(cos(2\*b\*x)^2 + 2\*cos(2\*b\*x)\*cos(2\*a) + cos(2\*a)^2 + sin(2\*b\*x)^2 - 2\*sin(2\*b\*x)\*sin(2\*a) + sin(2\*a)^2) + (cos(a + c)\*sin(2\*a + 2\*c) - cos(2\*a + 2\*c)\*sin(a + c) + sin(a + c))\*log(cos(2\*b\*x)^2 + 2\*cos(2\*b\*x)\*cos(2\*c) + cos(2\*c)^2 + sin(2\*b\*x)^2 + 2\*sin(2\*b\*x)\*sin(2\*c) + sin(2\*c)^2))/(b\*cos(2\*a + 2\*c)^2 + b\*sin(2\*a + 2\*c)^2 - 2\*b\*cos(2\*a + 2\*c) + b)

**Fricas [B]** time = 2.52903, size = 263, normalized size = 7.97

$$\frac{\log(\cos(bx+a)^2) - \log\left(\frac{4(2\cos(bx+a)\cos(a+c)\sin(bx+a)\sin(a+c) + (2\cos(a+c)^2 - 1)\cos(bx+a)^2 - \cos(a+c)^2 + 1)}{\cos(a+c)^2 + 2\cos(a+c) + 1}\right)}{2b\sin(a+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(b\*x-c)\*sec(b\*x+a),x, algorithm="fricas")

[Out] -1/2\*(log(cos(b\*x + a)^2) - log(4\*(2\*cos(b\*x + a)\*cos(a + c)\*sin(b\*x + a)\*sin(a + c) + (2\*cos(a + c)^2 - 1)\*cos(b\*x + a)^2 - cos(a + c)^2 + 1)/(cos(a + c)^2 + 2\*cos(a + c) + 1)))/(b\*sin(a + c))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sec(a + bx)\sec(bx - c) dx$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(sec(b\*x-c)\*sec(b\*x+a),x)

[Out] Integral(sec(a + b\*x)\*sec(b\*x - c), x)

**Giac [B]** time = 1.24222, size = 228, normalized size = 6.91

$$\frac{\left(\tan\left(\frac{1}{2}a\right)\tan\left(\frac{1}{2}c\right) + \tan\left(\frac{1}{2}a\right)^2 + \tan\left(\frac{1}{2}c\right)^2 + 1\right)\log\left(\left|2\tan(bx+a)\tan\left(\frac{1}{2}a\right)\tan\left(\frac{1}{2}c\right) + 2\tan(bx+a)\tan\left(\frac{1}{2}a\right)\tan\left(\frac{1}{2}c\right) + 2\tan(bx+a)\tan\left(\frac{1}{2}c\right)\right|\right)}{2\left(\tan\left(\frac{1}{2}a\right)\tan\left(\frac{1}{2}c\right) + \tan\left(\frac{1}{2}a\right)^2 + \tan\left(\frac{1}{2}c\right)^2 + 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(b\*x-c)\*sec(b\*x+a),x, algorithm="giac")

[Out] 
$$\frac{-1/2*(\tan(1/2*a)^2*\tan(1/2*c)^2 + \tan(1/2*a)^2 + \tan(1/2*c)^2 + 1)*\log(\text{abs}(2*\tan(b*x + a)*\tan(1/2*a)^2*\tan(1/2*c) + 2*\tan(b*x + a)*\tan(1/2*a)*\tan(1/2*c)^2 - \tan(1/2*a)^2*\tan(1/2*c)^2 - 2*\tan(b*x + a)*\tan(1/2*a) + \tan(1/2*a)^2 - 2*\tan(b*x + a)*\tan(1/2*c) + 4*\tan(1/2*a)*\tan(1/2*c) + \tan(1/2*c)^2 - 1))}{((\tan(1/2*a)^2*\tan(1/2*c) + \tan(1/2*a)*\tan(1/2*c)^2 - \tan(1/2*a) - \tan(1/2*c))*b)}$$

### 3.145 $\int \csc(a + bx) \csc(c + bx) dx$

**Optimal.** Leaf size=36

$$\frac{\csc(a - c) \log(\sin(bx + c))}{b} - \frac{\csc(a - c) \log(\sin(a + bx))}{b}$$

[Out] -((Csc[a - c]\*Log[Sin[a + b\*x]])/b) + (Csc[a - c]\*Log[Sin[c + b\*x]])/b

**Rubi [A]** time = 0.0184961, antiderivative size = 36, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {4611, 3475}

$$\frac{\csc(a - c) \log(\sin(bx + c))}{b} - \frac{\csc(a - c) \log(\sin(a + bx))}{b}$$

Antiderivative was successfully verified.

[In] Int[Csc[a + b\*x]\*Csc[c + b\*x],x]

[Out] -((Csc[a - c]\*Log[Sin[a + b\*x]])/b) + (Csc[a - c]\*Log[Sin[c + b\*x]])/b

#### Rule 4611

Int[Csc[(a\_.) + (b\_.)\*(x\_.)]\*Csc[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> Dist[Csc[(b\*c - a\*d)/b], Int[Cot[a + b\*x], x], x] - Dist[Csc[(b\*c - a\*d)/d], Int[Cot[c + d\*x], x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[b^2 - d^2, 0] && NeQ[b\*c - a\*d, 0]

#### Rule 3475

Int[tan[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d\*x], x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \csc(a + bx) \csc(c + bx) dx &= -(\csc(a - c) \int \cot(a + bx) dx) + \csc(a - c) \int \cot(c + bx) dx \\ &= -\frac{\csc(a - c) \log(\sin(a + bx))}{b} + \frac{\csc(a - c) \log(\sin(c + bx))}{b} \end{aligned}$$

**Mathematica [A]** time = 0.241302, size = 28, normalized size = 0.78

$$-\frac{\csc(a - c)(\log(\sin(a + bx)) - \log(\sin(bx + c)))}{b}$$

Antiderivative was successfully verified.

[In] Integrate[Csc[a + b\*x]\*Csc[c + b\*x],x]

[Out] -((Csc[a - c]\*(Log[Sin[a + b\*x]] - Log[Sin[c + b\*x]]))/b)

**Maple [B]** time = 0.234, size = 169, normalized size = 4.7

$$\frac{\ln(\tan(bx+a))}{b(\cos(a)\sin(c)-\sin(a)\cos(c))} - \frac{\ln(\tan(bx+a)\cos(a)\cos(c)+\tan(bx+a)\sin(a)\sin(c)+\cos(a)\sin(c)-\sin(a)\cos(c))}{b(\cos(a)\sin(c)-\sin(a)\cos(c))(\cos(a)\cos(c)+\sin(a)\sin(c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(b\*x+a)\*csc(b\*x+c),x)

[Out] 1/b/(cos(a)\*sin(c)-sin(a)\*cos(c))\*ln(tan(b\*x+a))-1/b/(cos(a)\*sin(c)-sin(a)\*cos(c))/(cos(a)\*cos(c)+sin(a)\*sin(c))\*ln(tan(b\*x+a)\*cos(a)\*cos(c)+tan(b\*x+a)\*sin(a)\*sin(c)+cos(a)\*sin(c)-sin(a)\*cos(c))\*cos(a)\*cos(c)-1/b/(cos(a)\*sin(c)-sin(a)\*cos(c))/(cos(a)\*cos(c)+sin(a)\*sin(c))\*ln(tan(b\*x+a)\*cos(a)\*cos(c)+tan(b\*x+a)\*sin(a)\*sin(c)+cos(a)\*sin(c)-sin(a)\*cos(c))\*sin(a)\*sin(c)

**Maxima [B]** time = 1.11522, size = 761, normalized size = 21.14

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b\*x+a)\*csc(b\*x+c),x, algorithm="maxima")

[Out] -(2\*((cos(2\*a) - cos(2\*c))\*cos(a + c) + (sin(2\*a) - sin(2\*c))\*sin(a + c))\*arctan2(sin(b\*x) + sin(a), cos(b\*x) - cos(a)) + 2\*((cos(2\*a) - cos(2\*c))\*cos(a + c) + (sin(2\*a) - sin(2\*c))\*sin(a + c))\*arctan2(sin(b\*x) - sin(a), cos(b\*x) + cos(a)) - 2\*((cos(2\*a) - cos(2\*c))\*cos(a + c) + (sin(2\*a) - sin(2\*c))\*sin(a + c))\*arctan2(sin(b\*x) + sin(c), cos(b\*x) - cos(c)) - 2\*((cos(2\*a) - cos(2\*c))\*cos(a + c) + (sin(2\*a) - sin(2\*c))\*sin(a + c))\*arctan2(sin(b\*x) - sin(c), cos(b\*x) + cos(c)) - ((sin(2\*a) - sin(2\*c))\*cos(a + c) - (cos(2\*a) - cos(2\*c))\*sin(a + c))\*log(cos(b\*x)^2 + 2\*cos(b\*x)\*cos(a) + cos(a)^2 + sin(b\*x)^2 - 2\*sin(b\*x)\*sin(a) + sin(a)^2) - ((sin(2\*a) - sin(2\*c))\*cos(a + c) - (cos(2\*a) - cos(2\*c))\*sin(a + c))\*log(cos(b\*x)^2 - 2\*cos(b\*x)\*cos(a) + cos(a)^2 + sin(b\*x)^2 + 2\*sin(b\*x)\*sin(a) + sin(a)^2) + ((sin(2\*a) - sin(2\*c))\*cos(a + c) - (cos(2\*a) - cos(2\*c))\*sin(a + c))\*log(cos(b\*x)^2 + 2\*cos(b\*x)\*cos(c) + cos(c)^2 + sin(b\*x)^2 - 2\*sin(b\*x)\*sin(c) + sin(c)^2) + ((sin(2\*a) - sin(2\*c))\*cos(a + c) - (cos(2\*a) - cos(2\*c))\*sin(a + c))\*log(cos(b\*x)^2 - 2\*cos(b\*x)\*cos(c) + cos(c)^2 + sin(b\*x)^2 + 2\*sin(b\*x)\*sin(c) + sin(c)^2)/(2\*b\*cos(2\*a)\*cos(2\*c) - b\*cos(2\*c)^2 + 2\*b\*sin(2\*a)\*sin(2\*c) - b\*sin(2\*c)^2 - (cos(2\*a)^2 + sin(2\*a)^2)\*b)

**Fricas [B]** time = 2.75295, size = 281, normalized size = 7.81

$$\frac{\log\left(-\frac{1}{4}\cos(bx+c)^2+\frac{1}{4}\right)-\log\left(-\frac{2\cos(bx+c)\cos(-a+c)\sin(bx+c)\sin(-a+c)+(2\cos(-a+c)^2-1)\cos(bx+c)^2-\cos(-a+c)^2}{\cos(-a+c)^2+2\cos(-a+c)+1}\right)}{2b\sin(-a+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b\*x+a)\*csc(b\*x+c),x, algorithm="fricas")

[Out] -1/2\*(log(-1/4\*cos(b\*x + c)^2 + 1/4) - log(-(2\*cos(b\*x + c)\*cos(-a + c)\*sin(b\*x + c)\*sin(-a + c) + (2\*cos(-a + c)^2 - 1)\*cos(b\*x + c)^2 - cos(-a + c)^2)/(cos(-a + c)^2 + 2\*cos(-a + c) + 1)))/(b\*sin(-a + c))

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \csc(a + bx) \csc(bx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b\*x+a)\*csc(b\*x+c),x)

[Out] Integral(csc(a + b\*x)\*csc(b\*x + c), x)

---

**Giac [B]** time = 1.25554, size = 535, normalized size = 14.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b\*x+a)\*csc(b\*x+c),x, algorithm="giac")

[Out]  $\frac{1}{2} * ((\tan(1/2*a)^4 * \tan(1/2*c)^4 + 4 * \tan(1/2*a)^3 * \tan(1/2*c)^3 - \tan(1/2*a)^4 + 4 * \tan(1/2*a)^3 * \tan(1/2*c) + 4 * \tan(1/2*a) * \tan(1/2*c)^3 - \tan(1/2*c)^4 + 4 * \tan(1/2*a) * \tan(1/2*c) + 1) * \log(\text{abs}(\tan(b*x + a) * \tan(1/2*a)^2 * \tan(1/2*c)^2 - \tan(b*x + a) * \tan(1/2*a)^2 + 4 * \tan(b*x + a) * \tan(1/2*a) * \tan(1/2*c) - 2 * \tan(1/2*a)^2 * \tan(1/2*c) - \tan(b*x + a) * \tan(1/2*c)^2 + 2 * \tan(1/2*a) * \tan(1/2*c)^2 + \tan(b*x + a) - 2 * \tan(1/2*a) + 2 * \tan(1/2*c))) / (\tan(1/2*a)^4 * \tan(1/2*c)^3 - \tan(1/2*a)^3 * \tan(1/2*c)^4 - \tan(1/2*a)^4 * \tan(1/2*c) + 6 * \tan(1/2*a)^3 * \tan(1/2*c)^2 - 6 * \tan(1/2*a)^2 * \tan(1/2*c)^3 + \tan(1/2*a) * \tan(1/2*c)^4 - \tan(1/2*a)^3 + 6 * \tan(1/2*a)^2 * \tan(1/2*c) - 6 * \tan(1/2*a) * \tan(1/2*c)^2 + \tan(1/2*c)^3 + \tan(1/2*a) - \tan(1/2*c)) - (\tan(1/2*a)^2 * \tan(1/2*c)^2 + \tan(1/2*a)^2 + \tan(1/2*c)^2 + 1) * \log(\text{abs}(\tan(b*x + a))) / (\tan(1/2*a)^2 * \tan(1/2*c) - \tan(1/2*a) * \tan(1/2*c)^2 + \tan(1/2*a) - \tan(1/2*c)) / b$

### 3.146 $\int \csc(c - bx) \csc(a + bx) dx$

**Optimal.** Leaf size=33

$$\frac{\csc(a + c) \log(\sin(a + bx))}{b} - \frac{\csc(a + c) \log(\sin(c - bx))}{b}$$

[Out] -((Csc[a + c]\*Log[Sin[c - b\*x]])/b) + (Csc[a + c]\*Log[Sin[a + b\*x]])/b

**Rubi [A]** time = 0.0184097, antiderivative size = 33, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {4611, 3475}

$$\frac{\csc(a + c) \log(\sin(a + bx))}{b} - \frac{\csc(a + c) \log(\sin(c - bx))}{b}$$

Antiderivative was successfully verified.

[In] Int[Csc[c - b\*x]\*Csc[a + b\*x], x]

[Out] -((Csc[a + c]\*Log[Sin[c - b\*x]])/b) + (Csc[a + c]\*Log[Sin[a + b\*x]])/b

#### Rule 4611

Int[Csc[(a\_.) + (b\_.)\*(x\_.)]\*Csc[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> Dist[Csc[(b\*c - a\*d)/b], Int[Cot[a + b\*x], x], x] - Dist[Csc[(b\*c - a\*d)/d], Int[Cot[c + d\*x], x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[b^2 - d^2, 0] && NeQ[b\*c - a\*d, 0]

#### Rule 3475

Int[tan[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d\*x], x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \csc(c - bx) \csc(a + bx) dx &= \csc(a + c) \int \cot(c - bx) dx + \csc(a + c) \int \cot(a + bx) dx \\ &= -\frac{\csc(a + c) \log(\sin(c - bx))}{b} + \frac{\csc(a + c) \log(\sin(a + bx))}{b} \end{aligned}$$

**Mathematica [A]** time = 0.21866, size = 29, normalized size = 0.88

$$\frac{\csc(a + c)(\log(\sin(c - bx)) - \log(-\sin(a + bx)))}{b}$$

Antiderivative was successfully verified.

[In] Integrate[Csc[c - b\*x]\*Csc[a + b\*x], x]

[Out] -((Csc[a + c]\*(Log[Sin[c - b\*x]] - Log[-Sin[a + b\*x]]))/b)

**Maple [B]** time = 0.232, size = 81, normalized size = 2.5

$$\frac{\ln(\tan(bx+a))}{b(\sin(a)\cos(c)+\cos(a)\sin(c))} - \frac{\ln(\tan(bx+a)\cos(a)\cos(c)-\tan(bx+a)\sin(a)\sin(c)-\cos(a)\sin(c)-\sin(a)\cos(c))}{b(\sin(a)\cos(c)+\cos(a)\sin(c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-csc(b\*x-c)\*csc(b\*x+a),x)

[Out] 1/b/(sin(a)\*cos(c)+cos(a)\*sin(c))\*ln(tan(b\*x+a))-1/b/(sin(a)\*cos(c)+cos(a)\*sin(c))\*ln(tan(b\*x+a)\*cos(a)\*cos(c)-tan(b\*x+a)\*sin(a)\*sin(c)-cos(a)\*sin(c)-sin(a)\*cos(c))

**Maxima [B]** time = 1.11456, size = 724, normalized size = 21.94

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-csc(b\*x-c)\*csc(b\*x+a),x, algorithm="maxima")

[Out] -(2\*(cos(2\*a + 2\*c)\*cos(a + c) + sin(2\*a + 2\*c)\*sin(a + c) - cos(a + c))\*arctan2(sin(b\*x) + sin(a), cos(b\*x) - cos(a)) + 2\*(cos(2\*a + 2\*c)\*cos(a + c) + sin(2\*a + 2\*c)\*sin(a + c) - cos(a + c))\*arctan2(sin(b\*x) - sin(a), cos(b\*x) + cos(a)) - 2\*(cos(2\*a + 2\*c)\*cos(a + c) + sin(2\*a + 2\*c)\*sin(a + c) - cos(a + c))\*arctan2(sin(b\*x) + sin(c), cos(b\*x) + cos(c)) - 2\*(cos(2\*a + 2\*c)\*cos(a + c) + sin(2\*a + 2\*c)\*sin(a + c) - cos(a + c))\*arctan2(sin(b\*x) - sin(c), cos(b\*x) - cos(c)) - (cos(a + c)\*sin(2\*a + 2\*c) - cos(2\*a + 2\*c)\*sin(a + c) + sin(a + c))\*log(cos(b\*x)^2 + 2\*cos(b\*x)\*cos(a) + cos(a)^2 + sin(b\*x)^2 - 2\*sin(b\*x)\*sin(a) + sin(a)^2) - (cos(a + c)\*sin(2\*a + 2\*c) - cos(2\*a + 2\*c)\*sin(a + c) + sin(a + c))\*log(cos(b\*x)^2 - 2\*cos(b\*x)\*cos(a) + cos(a)^2 + sin(b\*x)^2 + 2\*sin(b\*x)\*sin(a) + sin(a)^2) + (cos(a + c)\*sin(2\*a + 2\*c) - cos(2\*a + 2\*c)\*sin(a + c) + sin(a + c))\*log(cos(b\*x)^2 + 2\*cos(b\*x)\*cos(c) + cos(c)^2 + sin(b\*x)^2 + 2\*sin(b\*x)\*sin(c) + sin(c)^2) + (cos(a + c)\*sin(2\*a + 2\*c) - cos(2\*a + 2\*c)\*sin(a + c) + sin(a + c))\*log(cos(b\*x)^2 - 2\*cos(b\*x)\*cos(c) + cos(c)^2 + sin(b\*x)^2 - 2\*sin(b\*x)\*sin(c) + sin(c)^2))/(b\*cos(2\*a + 2\*c)^2 + b\*sin(2\*a + 2\*c)^2 - 2\*b\*cos(2\*a + 2\*c) + b)

**Fricas [B]** time = 2.66961, size = 270, normalized size = 8.18

$$\frac{\log\left(-\frac{1}{4}\cos(bx+a)^2 + \frac{1}{4}\right) - \log\left(-\frac{2\cos(bx+a)\cos(a+c)\sin(bx+a)\sin(a+c) + (2\cos(a+c)^2 - 1)\cos(bx+a)^2 - \cos(a+c)^2}{\cos(a+c)^2 + 2\cos(a+c) + 1}\right)}{2b\sin(a+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-csc(b\*x-c)\*csc(b\*x+a),x, algorithm="fricas")

[Out] 1/2\*(log(-1/4\*cos(b\*x + a)^2 + 1/4) - log(-(2\*cos(b\*x + a)\*cos(a + c)\*sin(b\*x + a)\*sin(a + c) + (2\*cos(a + c)^2 - 1)\*cos(b\*x + a)^2 - cos(a + c)^2)/(cos(a + c)^2 + 2\*cos(a + c) + 1)))/(b\*sin(a + c))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-csc(b\*x-c)\*csc(b\*x+a), x)

[Out] Timed out

**Giac [B]** time = 1.24936, size = 536, normalized size = 16.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-csc(b\*x-c)\*csc(b\*x+a), x, algorithm="giac")

[Out] 
$$\frac{1}{2} \cdot \left( \tan\left(\frac{1}{2}a\right)^4 \tan\left(\frac{1}{2}c\right)^4 - 4 \tan\left(\frac{1}{2}a\right)^3 \tan\left(\frac{1}{2}c\right)^3 - \tan\left(\frac{1}{2}a\right)^4 - 4 \tan\left(\frac{1}{2}a\right)^3 \tan\left(\frac{1}{2}c\right) - 4 \tan\left(\frac{1}{2}a\right) \tan\left(\frac{1}{2}c\right)^3 - \tan\left(\frac{1}{2}c\right)^4 - 4 \tan\left(\frac{1}{2}a\right) \tan\left(\frac{1}{2}c\right) + 1 \right) \cdot \log\left(\left| \tan(bx+a) \tan\left(\frac{1}{2}a\right)^2 \tan\left(\frac{1}{2}c\right)^2 - \tan(bx+a) \tan\left(\frac{1}{2}a\right)^2 - 4 \tan(bx+a) \tan\left(\frac{1}{2}a\right) \tan\left(\frac{1}{2}c\right) + 2 \tan\left(\frac{1}{2}a\right)^2 \tan\left(\frac{1}{2}c\right) - \tan(bx+a) \tan\left(\frac{1}{2}c\right)^2 + 2 \tan\left(\frac{1}{2}a\right) \tan\left(\frac{1}{2}c\right)^2 + \tan(bx+a) - 2 \tan\left(\frac{1}{2}a\right) - 2 \tan\left(\frac{1}{2}c\right) \right|\right) / \left( \tan\left(\frac{1}{2}a\right)^4 \tan\left(\frac{1}{2}c\right)^3 + \tan\left(\frac{1}{2}a\right)^3 \tan\left(\frac{1}{2}c\right)^4 - \tan\left(\frac{1}{2}a\right)^4 \tan\left(\frac{1}{2}c\right) - 6 \tan\left(\frac{1}{2}a\right)^3 \tan\left(\frac{1}{2}c\right)^2 - 6 \tan\left(\frac{1}{2}a\right)^2 \tan\left(\frac{1}{2}c\right)^3 - \tan\left(\frac{1}{2}a\right) \tan\left(\frac{1}{2}c\right)^4 + \tan\left(\frac{1}{2}a\right)^3 + 6 \tan\left(\frac{1}{2}a\right)^2 \tan\left(\frac{1}{2}c\right) + 6 \tan\left(\frac{1}{2}a\right) \tan\left(\frac{1}{2}c\right)^2 + \tan\left(\frac{1}{2}c\right)^3 - \tan\left(\frac{1}{2}a\right) - \tan\left(\frac{1}{2}c\right) \right) - \left( \tan\left(\frac{1}{2}a\right)^2 \tan\left(\frac{1}{2}c\right)^2 + \tan\left(\frac{1}{2}a\right)^2 + \tan\left(\frac{1}{2}c\right)^2 + 1 \right) \cdot \log\left(\left| \tan(bx+a) \right|\right) / \left( \tan\left(\frac{1}{2}a\right)^2 \tan\left(\frac{1}{2}c\right) + \tan\left(\frac{1}{2}a\right) \tan\left(\frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}a\right) - \tan\left(\frac{1}{2}c\right) \right) / b$$

### 3.147 $\int \sqrt{\sin(x) \tan(x)} dx$

**Optimal.** Leaf size=13

$$-2 \cot(x) \sqrt{\sin(x) \tan(x)}$$

[Out] `-2*Cot[x]*Sqrt[Sin[x]*Tan[x]]`

**Rubi [A]** time = 0.0321317, antiderivative size = 13, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {4400, 2589}

$$-2 \cot(x) \sqrt{\sin(x) \tan(x)}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[Sin[x]*Tan[x]],x]`

[Out] `-2*Cot[x]*Sqrt[Sin[x]*Tan[x]]`

#### Rule 4400

```
Int[(u_.)*((v_)^(m_.)*(w_)^(n_.))^p_, x_Symbol] := With[{uu = ActivateTrig[u], vv = ActivateTrig[v], ww = ActivateTrig[w]}, Dist[(vv^m*ww^n)^FracPart[p]/(vv^(m*FracPart[p])*ww^(n*FracPart[p])), Int[uu*vv^(m*p)*ww^(n*p), x], x]] /; FreeQ[{m, n, p}, x] && !IntegerQ[p] && (!InertTrigFreeQ[v] || !InertTrigFreeQ[w])
```

#### Rule 2589

```
Int[((a_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((b_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -Simp[(b*(a*Sin[e + f*x])^m*(b*Tan[e + f*x])^(n - 1))/(f*m), x] /; FreeQ[{a, b, e, f, m, n}, x] && EqQ[m + n - 1, 0]
```

#### Rubi steps

$$\begin{aligned} \int \sqrt{\sin(x) \tan(x)} dx &= \frac{\sqrt{\sin(x) \tan(x)} \int \sqrt{\sin(x)} \sqrt{\tan(x)} dx}{\sqrt{\sin(x)} \sqrt{\tan(x)}} \\ &= -2 \cot(x) \sqrt{\sin(x) \tan(x)} \end{aligned}$$

**Mathematica [A]** time = 0.0817373, size = 13, normalized size = 1.

$$-2 \cot(x) \sqrt{\sin(x) \tan(x)}$$

Antiderivative was successfully verified.

[In] `Integrate[Sqrt[Sin[x]*Tan[x]],x]`

[Out] `-2*Cot[x]*Sqrt[Sin[x]*Tan[x]]`



**Maple [B]** time = 0.217, size = 177, normalized size = 13.6

$$\frac{\sqrt{4}(-1 + \cos(x)) \cos(x)}{4 (\sin(x))^3} \left( 4 \cos(x) \sqrt{\frac{\cos(x)}{(1 + \cos(x))^2}} + 4 \sqrt{\frac{\cos(x)}{(1 + \cos(x))^2}} - \ln \left( -\frac{1}{(\sin(x))^2} \left( 2 (\cos(x))^2 \sqrt{\frac{\cos(x)}{(1 + \cos(x))^2}} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((sin(x)\*tan(x))^(1/2),x)

[Out] 1/4\*4^(1/2)\*(-1+cos(x))\*(4\*cos(x)\*(-cos(x)/(1+cos(x))^2)^(1/2)+4\*(-cos(x)/(1+cos(x))^2)^(1/2)-ln(-(2\*cos(x)^2\*(-cos(x)/(1+cos(x))^2)^(1/2)-cos(x)^2+2\*cos(x)-2\*(-cos(x)/(1+cos(x))^2)^(1/2)-1)/sin(x)^2)+ln(-2\*(2\*cos(x)^2\*(-cos(x)/(1+cos(x))^2)^(1/2)-cos(x)^2+2\*cos(x)-2\*(-cos(x)/(1+cos(x))^2)^(1/2)-1)/sin(x)^2))\*cos(x)\*(-(-1+cos(x)^2)/cos(x))^(1/2)/sin(x)^3/(-cos(x)/(1+cos(x))^2)^(1/2)

**Maxima [B]** time = 1.53871, size = 77, normalized size = 5.92

$$\frac{2 \left( \frac{\sin(x)^2}{(\cos(x)+1)^2} - 1 \right)}{\sqrt{\frac{\sin(x)}{\cos(x)+1} + 1} \sqrt{-\frac{\sin(x)}{\cos(x)+1} + 1} \sqrt{\frac{\sin(x)^2}{(\cos(x)+1)^2} + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((sin(x)\*tan(x))^(1/2),x, algorithm="maxima")

[Out] 2\*(sin(x)^2/(cos(x) + 1)^2 - 1)/(sqrt(sin(x)/(cos(x) + 1) + 1)\*sqrt(-sin(x)/(cos(x) + 1) + 1)\*sqrt(sin(x)^2/(cos(x) + 1)^2 + 1))

**Fricas [A]** time = 2.43167, size = 63, normalized size = 4.85

$$-\frac{2 \sqrt{\frac{\cos(x)^2 - 1}{\cos(x)}} \cos(x)}{\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((sin(x)\*tan(x))^(1/2),x, algorithm="fricas")

[Out] -2\*sqrt(-(cos(x)^2 - 1)/cos(x))\*cos(x)/sin(x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{\sin(x) \tan(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((sin(x)\*tan(x))\*\*(1/2),x)

[Out] `Integral(sqrt(sin(x)*tan(x)), x)`

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{\sin(x) \tan(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((sin(x)*tan(x))^(1/2),x, algorithm="giac")`

[Out] `integrate(sqrt(sin(x)*tan(x)), x)`

### 3.148 $\int (\sin(x) \tan(x))^{3/2} dx$

**Optimal.** Leaf size=31

$$\frac{8}{3} \csc(x) \sqrt{\sin(x) \tan(x)} - \frac{2}{3} \sin(x) \sqrt{\sin(x) \tan(x)}$$

[Out]  $(8*\text{Csc}[x]*\text{Sqrt}[\text{Sin}[x]*\text{Tan}[x]])/3 - (2*\text{Sin}[x]*\text{Sqrt}[\text{Sin}[x]*\text{Tan}[x]])/3$

**Rubi [A]** time = 0.0534873, antiderivative size = 31, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4400, 2598, 2589}

$$\frac{8}{3} \csc(x) \sqrt{\sin(x) \tan(x)} - \frac{2}{3} \sin(x) \sqrt{\sin(x) \tan(x)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Sin}[x]*\text{Tan}[x])^{3/2}, x]$

[Out]  $(8*\text{Csc}[x]*\text{Sqrt}[\text{Sin}[x]*\text{Tan}[x]])/3 - (2*\text{Sin}[x]*\text{Sqrt}[\text{Sin}[x]*\text{Tan}[x]])/3$

#### Rule 4400

$\text{Int}[(u_*)*((v_*)^{(m_*)}*(w_*)^{(n_*)})^{(p_*)}, x\_Symbol] :> \text{With}[\{uu = \text{ActivateTrig}[u], vv = \text{ActivateTrig}[v], ww = \text{ActivateTrig}[w]\}, \text{Dist}[(vv^m*ww^n)^{\text{FracPart}[p]} / (vv^{(m*\text{FracPart}[p])}*ww^{(n*\text{FracPart}[p])}), \text{Int}[uu*vv^{(m*p)}*ww^{(n*p)}, x], x] /; \text{FreeQ}[\{m, n, p\}, x] \&\& \text{!IntegerQ}[p] \&\& (\text{!InertTrigFreeQ}[v] \|\ \text{!InertTrigFreeQ}[w])$

#### Rule 2598

$\text{Int}[(a_*)\sin[(e_*) + (f_*)(x_*)]^{(m_*)}((b_*)\tan[(e_*) + (f_*)(x_*)])^{(n_*)}, x\_Symbol] :> -\text{Simp}[(b*(a*\sin[e + f*x])^m*(b*\tan[e + f*x])^{(n-1)}) / (f*m), x] + \text{Dist}[(a^{2*(m+n-1)}) / m, \text{Int}[(a*\sin[e + f*x])^{(m-2)}*(b*\tan[e + f*x])^n, x], x] /; \text{FreeQ}[\{a, b, e, f, n\}, x] \&\& (\text{GtQ}[m, 1] \|\ (\text{EqQ}[m, 1] \& \text{EqQ}[n, 1/2])) \&\& \text{IntegersQ}[2*m, 2*n]$

#### Rule 2589

$\text{Int}[(a_*)\sin[(e_*) + (f_*)(x_*)]^{(m_*)}((b_*)\tan[(e_*) + (f_*)(x_*)])^{(n_*)}, x\_Symbol] :> -\text{Simp}[(b*(a*\sin[e + f*x])^m*(b*\tan[e + f*x])^{(n-1)}) / (f*m), x] /; \text{FreeQ}[\{a, b, e, f, m, n\}, x] \&\& \text{EqQ}[m + n - 1, 0]$

#### Rubi steps

$$\begin{aligned} \int (\sin(x) \tan(x))^{3/2} dx &= \frac{\sqrt{\sin(x) \tan(x)} \int \sin^{\frac{3}{2}}(x) \tan^{\frac{3}{2}}(x) dx}{\sqrt{\sin(x)} \sqrt{\tan(x)}} \\ &= -\frac{2}{3} \sin(x) \sqrt{\sin(x) \tan(x)} + \frac{(4\sqrt{\sin(x) \tan(x)}) \int \frac{\tan^{\frac{3}{2}}(x)}{\sqrt{\sin(x)}} dx}{3\sqrt{\sin(x)} \sqrt{\tan(x)}} \\ &= \frac{8}{3} \csc(x) \sqrt{\sin(x) \tan(x)} - \frac{2}{3} \sin(x) \sqrt{\sin(x) \tan(x)} \end{aligned}$$

**Mathematica [A]** time = 0.0409342, size = 23, normalized size = 0.74

$$\frac{2}{3} \sin(x) (4 \csc^2(x) - 1) \sqrt{\sin(x) \tan(x)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sin[x]\*Tan[x])^(3/2),x]

[Out] (2\*(-1 + 4\*Csc[x]^2)\*Sin[x]\*Sqrt[Sin[x]\*Tan[x]])/3

**Maple [B]** time = 0.13, size = 587, normalized size = 18.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((sin(x)\*tan(x))^(3/2),x)

[Out]  $\frac{1}{12} 4^{1/2} (-1 + \cos(x))^2 (3 \cos(x)^3 (-\cos(x)/(1 + \cos(x))^2)^{3/2} \ln(-2(2 \cos(x)^2 (-\cos(x)/(1 + \cos(x))^2)^{1/2} - \cos(x)^2 + 2 \cos(x) - 2(-\cos(x)/(1 + \cos(x))^2)^{1/2} - 1)/\sin(x)^2) - 3 \cos(x)^3 (-\cos(x)/(1 + \cos(x))^2)^{3/2} \ln(-2 \cos(x)^2 (-\cos(x)/(1 + \cos(x))^2)^{1/2} - \cos(x)^2 + 2 \cos(x) - 2(-\cos(x)/(1 + \cos(x))^2)^{1/2} - 1)/\sin(x)^2) + 9 \cos(x)^2 (-\cos(x)/(1 + \cos(x))^2)^{3/2} \ln(-2(2 \cos(x)^2 (-\cos(x)/(1 + \cos(x))^2)^{1/2} - \cos(x)^2 + 2 \cos(x) - 2(-\cos(x)/(1 + \cos(x))^2)^{1/2} - 1)/\sin(x)^2) - 9 \cos(x)^2 (-\cos(x)/(1 + \cos(x))^2)^{3/2} \ln(-2 \cos(x)^2 (-\cos(x)/(1 + \cos(x))^2)^{1/2} - \cos(x)^2 + 2 \cos(x) - 2(-\cos(x)/(1 + \cos(x))^2)^{1/2} - 1)/\sin(x)^2) + 9 \cos(x) (-\cos(x)/(1 + \cos(x))^2)^{3/2} \ln(-2(2 \cos(x)^2 (-\cos(x)/(1 + \cos(x))^2)^{1/2} - \cos(x)^2 + 2 \cos(x) - 2(-\cos(x)/(1 + \cos(x))^2)^{1/2} - 1)/\sin(x)^2) - 9 \cos(x) (-\cos(x)/(1 + \cos(x))^2)^{3/2} \ln(-2 \cos(x)^2 (-\cos(x)/(1 + \cos(x))^2)^{1/2} - \cos(x)^2 + 2 \cos(x) - 2(-\cos(x)/(1 + \cos(x))^2)^{1/2} - 1)/\sin(x)^2) + 3(-\cos(x)/(1 + \cos(x))^2)^{3/2} \ln(-2(2 \cos(x)^2 (-\cos(x)/(1 + \cos(x))^2)^{1/2} - \cos(x)^2 + 2 \cos(x) - 2(-\cos(x)/(1 + \cos(x))^2)^{1/2} - 1)/\sin(x)^2) - 3(-\cos(x)/(1 + \cos(x))^2)^{3/2} \ln(-2 \cos(x)^2 (-\cos(x)/(1 + \cos(x))^2)^{1/2} - \cos(x)^2 + 2 \cos(x) - 2(-\cos(x)/(1 + \cos(x))^2)^{1/2} - 1)/\sin(x)^2) + 4 \cos(x)^3 + 12 \cos(x) (1 + \cos(x))^2 (-(-1 + \cos(x))^2/\cos(x))^{3/2}/\sin(x)^7$

**Maxima [B]** time = 1.55491, size = 77, normalized size = 2.48

$$\frac{8 \left( \frac{\sin(x)^6}{(\cos(x)+1)^6} - 1 \right)}{3 \left( \frac{\sin(x)}{\cos(x)+1} + 1 \right)^{\frac{3}{2}} \left( -\frac{\sin(x)}{\cos(x)+1} + 1 \right)^{\frac{3}{2}} \left( \frac{\sin(x)^2}{(\cos(x)+1)^2} + 1 \right)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((sin(x)\*tan(x))^(3/2),x, algorithm="maxima")

[Out]  $-8/3 * (\sin(x)^6 / (\cos(x) + 1)^6 - 1) / ((\sin(x) / (\cos(x) + 1) + 1)^{3/2} * (-\sin(x) / (\cos(x) + 1) + 1)^{3/2} * (\sin(x)^2 / (\cos(x) + 1)^2 + 1)^{3/2})$

**Fricas [A]** time = 2.41241, size = 76, normalized size = 2.45

$$\frac{2(\cos(x)^2 + 3)\sqrt{-\frac{\cos(x)^2 - 1}{\cos(x)}}}{3 \sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((sin(x)\*tan(x))^(3/2),x, algorithm="fricas")

[Out] 2/3\*(cos(x)^2 + 3)\*sqrt(-(cos(x)^2 - 1)/cos(x))/sin(x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((sin(x)\*tan(x))\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (\sin(x) \tan(x))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((sin(x)\*tan(x))^(3/2),x, algorithm="giac")

[Out] integrate((sin(x)\*tan(x))^(3/2), x)

### 3.149 $\int (\sin(x) \tan(x))^{5/2} dx$

**Optimal.** Leaf size=50

$$-\frac{2}{5} \sin^2(x) \tan(x) \sqrt{\sin(x) \tan(x)} + \frac{16}{15} \tan(x) \sqrt{\sin(x) \tan(x)} + \frac{64}{15} \cot(x) \sqrt{\sin(x) \tan(x)}$$

[Out] (64\*Cot[x]\*Sqrt[Sin[x]\*Tan[x]])/15 + (16\*Tan[x]\*Sqrt[Sin[x]\*Tan[x]])/15 - (2\*Sin[x]^2\*Tan[x]\*Sqrt[Sin[x]\*Tan[x]])/5

**Rubi [A]** time = 0.0753787, antiderivative size = 50, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$ , Rules used = {4400, 2598, 2594, 2589}

$$-\frac{2}{5} \sin^2(x) \tan(x) \sqrt{\sin(x) \tan(x)} + \frac{16}{15} \tan(x) \sqrt{\sin(x) \tan(x)} + \frac{64}{15} \cot(x) \sqrt{\sin(x) \tan(x)}$$

Antiderivative was successfully verified.

[In] Int[(Sin[x]\*Tan[x])^(5/2),x]

[Out] (64\*Cot[x]\*Sqrt[Sin[x]\*Tan[x]])/15 + (16\*Tan[x]\*Sqrt[Sin[x]\*Tan[x]])/15 - (2\*Sin[x]^2\*Tan[x]\*Sqrt[Sin[x]\*Tan[x]])/5

#### Rule 4400

Int[(u\_.)\*((v\_)^(m\_.)\*(w\_)^(n\_.))^(p\_), x\_Symbol] :> With[{uu = ActivateTrig[u], vv = ActivateTrig[v], ww = ActivateTrig[w]}, Dist[(vv^m\*ww^n)^FracPart[p]/(vv^(m\*FracPart[p])\*ww^(n\*FracPart[p])), Int[uu\*vv^(m\*p)\*ww^(n\*p), x], x]] /; FreeQ[{m, n, p}, x] && !IntegerQ[p] && (!InertTrigFreeQ[v] || !InertTrigFreeQ[w])

#### Rule 2598

Int[((a\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> -Simp[(b\*(a\*Sin[e + f\*x])^m\*(b\*Tan[e + f\*x])^(n - 1))/(f\*m), x] + Dist[(a^2\*(m + n - 1))/m, Int[(a\*Sin[e + f\*x])^(m - 2)\*(b\*Tan[e + f\*x])^n, x], x] /; FreeQ[{a, b, e, f, n}, x] && (GtQ[m, 1] || (EqQ[m, 1] && EqQ[n, 1/2])) && IntegersQ[2\*m, 2\*n]

#### Rule 2594

Int[((a\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Simp[(b\*(a\*Sin[e + f\*x])^m\*(b\*Tan[e + f\*x])^(n - 1))/(f\*(n - 1)), x] - Dist[(b^2\*(m + n - 1))/(n - 1), Int[(a\*Sin[e + f\*x])^m\*(b\*Tan[e + f\*x])^(n - 2), x], x] /; FreeQ[{a, b, e, f, m}, x] && GtQ[n, 1] && IntegersQ[2\*m, 2\*n] && !(GtQ[m, 1] && !IntegerQ[(m - 1)/2])

#### Rule 2589

Int[((a\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> -Simp[(b\*(a\*Sin[e + f\*x])^m\*(b\*Tan[e + f\*x])^(n - 1))/(f\*m), x] /; FreeQ[{a, b, e, f, m, n}, x] && EqQ[m + n - 1, 0]

#### Rubi steps

$$\begin{aligned}
\int (\sin(x) \tan(x))^{5/2} dx &= \frac{\sqrt{\sin(x) \tan(x)} \int \sin^{\frac{5}{2}}(x) \tan^{\frac{5}{2}}(x) dx}{\sqrt{\sin(x)} \sqrt{\tan(x)}} \\
&= -\frac{2}{5} \sin^2(x) \tan(x) \sqrt{\sin(x) \tan(x)} + \frac{(8\sqrt{\sin(x) \tan(x)}) \int \sqrt{\sin(x) \tan(x)} dx}{5\sqrt{\sin(x)} \sqrt{\tan(x)}} \\
&= \frac{16}{15} \tan(x) \sqrt{\sin(x) \tan(x)} - \frac{2}{5} \sin^2(x) \tan(x) \sqrt{\sin(x) \tan(x)} - \frac{(32\sqrt{\sin(x) \tan(x)}) \int \sqrt{\sin(x) \tan(x)} dx}{15\sqrt{\sin(x)} \sqrt{\tan(x)}} \\
&= \frac{64}{15} \cot(x) \sqrt{\sin(x) \tan(x)} + \frac{16}{15} \tan(x) \sqrt{\sin(x) \tan(x)} - \frac{2}{5} \sin^2(x) \tan(x) \sqrt{\sin(x) \tan(x)}
\end{aligned}$$

**Mathematica [A]** time = 0.0991568, size = 29, normalized size = 0.58

$$\frac{2}{15} \tan(x) \sqrt{\sin(x) \tan(x)} (3 \cos^2(x) + 32 \cot^2(x) + 5)$$

Antiderivative was successfully verified.

[In] Integrate[(Sin[x]\*Tan[x])^(5/2), x]

[Out] (2\*(5 + 3\*Cos[x]^2 + 32\*Cot[x]^2)\*Tan[x]\*Sqrt[Sin[x]\*Tan[x]])/15

**Maple [B]** time = 0.167, size = 324, normalized size = 6.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((sin(x)\*tan(x))^(5/2), x)

[Out] 
$$\begin{aligned}
& -1/30*4^{(1/2)}*(-1+\cos(x))^2*(6*\cos(x)^4-15*\cos(x)^2*(-\cos(x)/(1+\cos(x))^{(1/2)})^{(1/2)} \\
& * \ln(-2*\cos(x)^2*(-\cos(x)/(1+\cos(x))^{(1/2)})^{(1/2)}-\cos(x)^2+2*\cos(x)-2*(-\cos(x)/(1+\cos(x))^{(1/2)})^{(1/2)}-1)/\sin(x)^2+15*\cos(x)^2*(-\cos(x)/(1+\cos(x))^{(1/2)})^{(1/2)} \\
& * \ln(-2*(2*\cos(x)^2*(-\cos(x)/(1+\cos(x))^{(1/2)})^{(1/2)}-\cos(x)^2+2*\cos(x)-2*(-\cos(x)/(1+\cos(x))^{(1/2)})^{(1/2)}-1)/\sin(x)^2-15*\cos(x)*\ln(-2*\cos(x)^2*(-\cos(x)/(1+\cos(x))^{(1/2)})^{(1/2)}-\cos(x)^2+2*\cos(x)-2*(-\cos(x)/(1+\cos(x))^{(1/2)})^{(1/2)}-1)/\sin(x)^2) \\
& * (-\cos(x)/(1+\cos(x))^{(1/2)})^{(1/2)}+15*\cos(x)*\ln(-2*(2*\cos(x)^2*(-\cos(x)/(1+\cos(x))^{(1/2)})^{(1/2)}-\cos(x)^2+2*\cos(x)-2*(-\cos(x)/(1+\cos(x))^{(1/2)})^{(1/2)}-1)/\sin(x)^2) \\
& * (-\cos(x)/(1+\cos(x))^{(1/2)})^{(1/2)}+60*\cos(x)^2-10*\cos(x)*(1+\cos(x))^2*(-(-1+\cos(x)^2)/\cos(x))^{(5/2)}/\sin(x)^9
\end{aligned}$$

**Maxima [B]** time = 1.60706, size = 111, normalized size = 2.22

$$\frac{32 \left( \frac{5 \sin(x)^4}{(\cos(x)+1)^4} - \frac{5 \sin(x)^6}{(\cos(x)+1)^6} + \frac{2 \sin(x)^{10}}{(\cos(x)+1)^{10}} - 2 \right)}{15 \left( \frac{\sin(x)}{\cos(x)+1} + 1 \right)^{\frac{5}{2}} \left( -\frac{\sin(x)}{\cos(x)+1} + 1 \right)^{\frac{5}{2}} \left( \frac{\sin(x)^2}{(\cos(x)+1)^2} + 1 \right)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((sin(x)\*tan(x))^(5/2), x, algorithm="maxima")

```
[Out] -32/15*(5*sin(x)^4/(cos(x) + 1)^4 - 5*sin(x)^6/(cos(x) + 1)^6 + 2*sin(x)^10
/(cos(x) + 1)^10 - 2)/((sin(x)/(cos(x) + 1) + 1)^(5/2)*(-sin(x)/(cos(x) + 1
) + 1)^(5/2)*(sin(x)^2/(cos(x) + 1)^2 + 1)^(5/2))
```

**Fricas [A]** time = 2.40271, size = 112, normalized size = 2.24

$$\frac{2 \left( 3 \cos(x)^4 - 30 \cos(x)^2 - 5 \right) \sqrt{-\frac{\cos(x)^2 - 1}{\cos(x)}}}{15 \cos(x) \sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((sin(x)*tan(x))^(5/2),x, algorithm="fricas")
```

```
[Out] -2/15*(3*cos(x)^4 - 30*cos(x)^2 - 5)*sqrt(-(cos(x)^2 - 1)/cos(x))/(cos(x)*s
in(x))
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((sin(x)*tan(x))**(5/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (\sin(x) \tan(x))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((sin(x)*tan(x))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((sin(x)*tan(x))^(5/2), x)
```



### 3.150 $\int \sqrt{\cos(x) \cot(x)} dx$

**Optimal.** Leaf size=13

$$2 \tan(x) \sqrt{\cos(x) \cot(x)}$$

[Out] 2\*Sqrt[Cos[x]\*Cot[x]]\*Tan[x]

**Rubi [A]** time = 0.0381709, antiderivative size = 13, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {4400, 2589}

$$2 \tan(x) \sqrt{\cos(x) \cot(x)}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[x]\*Cot[x]], x]

[Out] 2\*Sqrt[Cos[x]\*Cot[x]]\*Tan[x]

#### Rule 4400

Int[(u\_)\*((v\_)^(m\_)\*(w\_)^(n\_))^(p\_), x\_Symbol] := With[{uu = ActivateTrig[u], vv = ActivateTrig[v], ww = ActivateTrig[w]}, Dist[(vv^m\*ww^n)^FracPart[p]/(vv^(m\*FracPart[p])\*ww^(n\*FracPart[p])), Int[uu\*vv^(m\*p)\*ww^(n\*p), x], x] /; FreeQ[{m, n, p}, x] && !IntegerQ[p] && (!InertTrigFreeQ[v] || !InertTrigFreeQ[w])

#### Rule 2589

Int[((a\_)\*sin[(e\_)+(f\_)\*(x\_)]^(m\_))\*((b\_)\*tan[(e\_)+(f\_)\*(x\_)]^(n\_)), x\_Symbol] := -Simp[(b\*(a\*Sin[e+f\*x])^m\*(b\*Tan[e+f\*x])^(n-1))/(f\*m), x] /; FreeQ[{a, b, e, f, m, n}, x] && EqQ[m+n-1, 0]

#### Rubi steps

$$\begin{aligned} \int \sqrt{\cos(x) \cot(x)} dx &= \frac{\sqrt{\cos(x) \cot(x)} \int \sqrt{\cos(x)} \sqrt{\cot(x)} dx}{\sqrt{\cos(x)} \sqrt{\cot(x)}} \\ &= 2 \sqrt{\cos(x) \cot(x)} \tan(x) \end{aligned}$$

**Mathematica [A]** time = 0.0687166, size = 13, normalized size = 1.

$$2 \tan(x) \sqrt{\cos(x) \cot(x)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[x]\*Cot[x]], x]

[Out] 2\*Sqrt[Cos[x]\*Cot[x]]\*Tan[x]

**Maple [A]** time = 0.132, size = 20, normalized size = 1.5

$$2 \frac{\sin(x)}{\cos(x)} \sqrt{\frac{(\cos(x))^2}{\sin(x)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(x)\*cot(x))^(1/2),x)

[Out] 2\*sin(x)\*(cos(x)^2/sin(x))^(1/2)/cos(x)

**Maxima [B]** time = 1.79664, size = 254, normalized size = 19.54

$$\left( \left( \cos\left(\frac{3}{2}x\right) - \cos\left(\frac{1}{2}x\right) + \sin\left(\frac{3}{2}x\right) + \sin\left(\frac{1}{2}x\right) \right) \cos\left(\frac{1}{2} \arctan(\sin(x), \cos(x) - 1)\right) - \left( \cos\left(\frac{3}{2}x\right) - \cos\left(\frac{1}{2}x\right) - \sin\left(\frac{3}{2}x\right) - \sin\left(\frac{1}{2}x\right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cos(x)\*cot(x))^(1/2),x, algorithm="maxima")

[Out] (((cos(3/2\*x) - cos(1/2\*x) + sin(3/2\*x) + sin(1/2\*x))\*cos(1/2\*arctan2(sin(x), cos(x) - 1)) - (cos(3/2\*x) - cos(1/2\*x) - sin(3/2\*x) - sin(1/2\*x))\*sin(1/2\*arctan2(sin(x), cos(x) - 1)))\*cos(1/2\*arctan2(sin(x), cos(x) + 1)) - ((cos(3/2\*x) - cos(1/2\*x) - sin(3/2\*x) - sin(1/2\*x))\*cos(1/2\*arctan2(sin(x), cos(x) - 1)) + (cos(3/2\*x) - cos(1/2\*x) + sin(3/2\*x) + sin(1/2\*x))\*sin(1/2\*arctan2(sin(x), cos(x) - 1)))\*sin(1/2\*arctan2(sin(x), cos(x) + 1)))/((cos(x)^2 + sin(x)^2 + 2\*cos(x) + 1)^(1/4)\*(cos(x)^2 + sin(x)^2 - 2\*cos(x) + 1)^(1/4))

**Fricas [A]** time = 2.38723, size = 53, normalized size = 4.08

$$2 \frac{\sqrt{\frac{\cos(x)^2}{\sin(x)}} \sin(x)}{\cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cos(x)\*cot(x))^(1/2),x, algorithm="fricas")

[Out] 2\*sqrt(cos(x)^2/sin(x))\*sin(x)/cos(x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{\cos(x) \cot(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cos(x)\*cot(x))\*\*(1/2),x)

[Out] Integral(sqrt(cos(x)\*cot(x)), x)

---

**Giac [A]** time = 1.14641, size = 16, normalized size = 1.23

$$2 \operatorname{sgn}(\cos(x)) \operatorname{sgn}(\sin(x)) \sqrt{\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cos(x)\*cot(x))^(1/2),x, algorithm="giac")

[Out] 2\*sgn(cos(x))\*sgn(sin(x))\*sqrt(sin(x))

### 3.151 $\int (\cos(x) \cot(x))^{3/2} dx$

**Optimal.** Leaf size=31

$$\frac{2}{3} \cos(x) \sqrt{\cos(x) \cot(x)} - \frac{8}{3} \sec(x) \sqrt{\cos(x) \cot(x)}$$

[Out]  $(2*\text{Cos}[x]*\text{Sqrt}[\text{Cos}[x]*\text{Cot}[x]])/3 - (8*\text{Sqrt}[\text{Cos}[x]*\text{Cot}[x]]*\text{Sec}[x])/3$

**Rubi [A]** time = 0.0683295, antiderivative size = 31, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4400, 2598, 2589}

$$\frac{2}{3} \cos(x) \sqrt{\cos(x) \cot(x)} - \frac{8}{3} \sec(x) \sqrt{\cos(x) \cot(x)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cos}[x]*\text{Cot}[x])^{3/2}, x]$

[Out]  $(2*\text{Cos}[x]*\text{Sqrt}[\text{Cos}[x]*\text{Cot}[x]])/3 - (8*\text{Sqrt}[\text{Cos}[x]*\text{Cot}[x]]*\text{Sec}[x])/3$

#### Rule 4400

$\text{Int}[(u_*)^m((v_*)^{m_1}(w_*)^{n_1})^{p_1}, x\_Symbol] :> \text{With}[\{uu = \text{ActivateTrig}[u], vv = \text{ActivateTrig}[v], ww = \text{ActivateTrig}[w]\}, \text{Dist}[(vv^{m_1}ww^{n_1})^{\text{FracPart}[p_1]}/(vv^{m_1}ww^{n_1})^{\text{FracPart}[p_1]}], \text{Int}[uu*vv^{m_1}ww^{n_1}, x], x]] /; \text{FreeQ}[\{m, n, p\}, x] \&\& \text{IntegerQ}[p] \&\& (\text{!InertTrigFreeQ}[v] \|\| \text{!InertTrigFreeQ}[w])$

#### Rule 2598

$\text{Int}[(a_*)^m \sin[(e_*) + (f_*)(x_*)]^{m_1} ((b_*) \tan[(e_*) + (f_*)(x_*)])^{n_1}, x\_Symbol] :> -\text{Simp}[(b_*)^m (a_*)^m \sin[e + f*x]^{m_1} (b_* \tan[e + f*x])^{n_1 - 1}] / (f_*^m), x] + \text{Dist}[(a_*)^{2m} (m + n_1 - 1) / m, \text{Int}[(a_*)^m \sin[e + f*x]^{m_1 - 2} (b_* \tan[e + f*x])^{n_1}, x], x] /; \text{FreeQ}[\{a, b, e, f, n\}, x] \&\& (\text{GtQ}[m, 1] \|\| (\text{EqQ}[m, 1] \& \& \text{EqQ}[n, 1/2])) \&\& \text{IntegersQ}[2m, 2n]$

#### Rule 2589

$\text{Int}[(a_*)^m \sin[(e_*) + (f_*)(x_*)]^{m_1} ((b_*) \tan[(e_*) + (f_*)(x_*)])^{n_1}, x\_Symbol] :> -\text{Simp}[(b_*)^m (a_*)^m \sin[e + f*x]^{m_1} (b_* \tan[e + f*x])^{n_1 - 1}] / (f_*^m), x] /; \text{FreeQ}[\{a, b, e, f, m, n\}, x] \&\& \text{EqQ}[m + n_1 - 1, 0]$

#### Rubi steps

$$\begin{aligned} \int (\cos(x) \cot(x))^{3/2} dx &= \frac{\sqrt{\cos(x) \cot(x)} \int \cos^{\frac{3}{2}}(x) \cot^{\frac{3}{2}}(x) dx}{\sqrt{\cos(x)} \sqrt{\cot(x)}} \\ &= \frac{2}{3} \cos(x) \sqrt{\cos(x) \cot(x)} + \frac{(4\sqrt{\cos(x) \cot(x)}) \int \frac{\cot^{\frac{3}{2}}(x)}{\sqrt{\cos(x)}} dx}{3\sqrt{\cos(x)} \sqrt{\cot(x)}} \\ &= \frac{2}{3} \cos(x) \sqrt{\cos(x) \cot(x)} - \frac{8}{3} \sqrt{\cos(x) \cot(x)} \sec(x) \end{aligned}$$

**Mathematica [A]** time = 0.0384839, size = 21, normalized size = 0.68

$$\frac{2}{3} (\cos^2(x) - 4) \sec(x) \sqrt{\cos(x) \cot(x)}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[x]\*Cot[x])^(3/2), x]

[Out] (2\*(-4 + Cos[x]^2)\*Sqrt[Cos[x]\*Cot[x]]\*Sec[x])/3

**Maple [A]** time = 0.117, size = 26, normalized size = 0.8

$$\frac{(2 (\cos(x))^2 - 8) \sin(x)}{3 (\cos(x))^3} \left( \frac{(\cos(x))^2}{\sin(x)} \right)^{\frac{3}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(x)\*cot(x))^(3/2), x)

[Out] 2/3\*(cos(x)^2-4)\*(cos(x)^2/sin(x))^(3/2)\*sin(x)/cos(x)^3

**Maxima [B]** time = 1.8546, size = 424, normalized size = 13.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cos(x)\*cot(x))^(3/2), x, algorithm="maxima")

[Out] 1/6\*(cos(x)^2 + sin(x)^2 + 2\*cos(x) + 1)^(1/4)\*(cos(x)^2 + sin(x)^2 - 2\*cos(x) + 1)^(1/4)\*(((cos(9/2\*x) - 15\*cos(5/2\*x) - cos(3/2\*x) + 15\*cos(1/2\*x) - sin(9/2\*x) + 15\*sin(5/2\*x) - sin(3/2\*x) - 15\*sin(1/2\*x))\*cos(3/2\*arctan2(sin(x), cos(x) - 1)) + (cos(9/2\*x) - 15\*cos(5/2\*x) - cos(3/2\*x) + 15\*cos(1/2\*x) + sin(9/2\*x) - 15\*sin(5/2\*x) + sin(3/2\*x) + 15\*sin(1/2\*x))\*sin(3/2\*arctan2(sin(x), cos(x) - 1)))\*cos(3/2\*arctan2(sin(x), cos(x) + 1)) + ((cos(9/2\*x) - 15\*cos(5/2\*x) - cos(3/2\*x) + 15\*cos(1/2\*x) + sin(9/2\*x) - 15\*sin(5/2\*x) + sin(3/2\*x) + 15\*sin(1/2\*x))\*cos(3/2\*arctan2(sin(x), cos(x) - 1)) - (cos(9/2\*x) - 15\*cos(5/2\*x) - cos(3/2\*x) + 15\*cos(1/2\*x) - sin(9/2\*x) + 15\*sin(5/2\*x) - sin(3/2\*x) - 15\*sin(1/2\*x))\*sin(3/2\*arctan2(sin(x), cos(x) - 1)))\*sin(3/2\*arctan2(sin(x), cos(x) + 1)))/(cos(x)^4 + sin(x)^4 + 2\*(cos(x)^2 + 1)\*sin(x)^2 - 2\*cos(x)^2 + 1)

**Fricas [A]** time = 2.39589, size = 66, normalized size = 2.13

$$\frac{2 (\cos(x)^2 - 4) \sqrt{\frac{\cos(x)^2}{\sin(x)}}}{3 \cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((cos(x)*cot(x))^(3/2),x, algorithm="fricas")
```

```
[Out] 2/3*(cos(x)^2 - 4)*sqrt(cos(x)^2/sin(x))/cos(x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((cos(x)*cot(x))**(3/2),x)
```

```
[Out] Timed out
```

**Giac [A]** time = 1.12894, size = 26, normalized size = 0.84

$$-\frac{2}{3} \left( \sin(x)^{\frac{3}{2}} + \frac{3}{\sqrt{\sin(x)}} \right) \operatorname{sgn}(\cos(x)) \operatorname{sgn}(\sin(x))$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((cos(x)*cot(x))^(3/2),x, algorithm="giac")
```

```
[Out] -2/3*(sin(x)^(3/2) + 3/sqrt(sin(x)))*sgn(cos(x))*sgn(sin(x))
```

### 3.152 $\int (\cos(x) \cot(x))^{5/2} dx$

**Optimal.** Leaf size=50

$$\frac{2}{5} \cos^2(x) \cot(x) \sqrt{\cos(x) \cot(x)} - \frac{16}{15} \cot(x) \sqrt{\cos(x) \cot(x)} - \frac{64}{15} \tan(x) \sqrt{\cos(x) \cot(x)}$$

[Out] (-16\*Cot[x]\*Sqrt[Cos[x]\*Cot[x]])/15 + (2\*Cos[x]^2\*Cot[x]\*Sqrt[Cos[x]\*Cot[x]])/5 - (64\*Sqrt[Cos[x]\*Cot[x]]\*Tan[x])/15

**Rubi [A]** time = 0.0944576, antiderivative size = 50, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$ , Rules used = {4400, 2598, 2594, 2589}

$$\frac{2}{5} \cos^2(x) \cot(x) \sqrt{\cos(x) \cot(x)} - \frac{16}{15} \cot(x) \sqrt{\cos(x) \cot(x)} - \frac{64}{15} \tan(x) \sqrt{\cos(x) \cot(x)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[x]\*Cot[x])^(5/2),x]

[Out] (-16\*Cot[x]\*Sqrt[Cos[x]\*Cot[x]])/15 + (2\*Cos[x]^2\*Cot[x]\*Sqrt[Cos[x]\*Cot[x]])/5 - (64\*Sqrt[Cos[x]\*Cot[x]]\*Tan[x])/15

#### Rule 4400

Int[(u\_)\*((v\_)^(m\_)\*(w\_)^(n\_))^(p\_), x\_Symbol] :> With[{uu = ActivateTrig[u], vv = ActivateTrig[v], ww = ActivateTrig[w]}, Dist[(vv^m\*ww^n)^FracPart[p]/(vv^(m\*FracPart[p])\*ww^(n\*FracPart[p]))], Int[uu\*vv^(m\*p)\*ww^(n\*p), x], x] /; FreeQ[{m, n, p}, x] && !IntegerQ[p] && (!InertTrigFreeQ[v] || !InertTrigFreeQ[w])

#### Rule 2598

Int[((a\_)\*sin[(e\_)+(f\_)\*(x\_)]^(m\_))\*((b\_)\*tan[(e\_)+(f\_)\*(x\_)]^(n\_)), x\_Symbol] :> -Simp[(b\*(a\*SIN[e+f\*x])^m\*(b\*TAN[e+f\*x])^(n-1))/(f\*m), x] + Dist[(a^2\*(m+n-1))/m, Int[(a\*SIN[e+f\*x])^(m-2)\*(b\*TAN[e+f\*x])^n, x], x] /; FreeQ[{a, b, e, f, n}, x] && (GtQ[m, 1] || (EqQ[m, 1] & EqQ[n, 1/2])) && IntegersQ[2\*m, 2\*n]

#### Rule 2594

Int[((a\_)\*sin[(e\_)+(f\_)\*(x\_)]^(m\_))\*((b\_)\*tan[(e\_)+(f\_)\*(x\_)]^(n\_)), x\_Symbol] :> Simp[(b\*(a\*SIN[e+f\*x])^m\*(b\*TAN[e+f\*x])^(n-1))/(f\*(n-1)), x] - Dist[(b^2\*(m+n-1))/(n-1), Int[(a\*SIN[e+f\*x])^m\*(b\*TAN[e+f\*x])^(n-2), x], x] /; FreeQ[{a, b, e, f, m}, x] && GtQ[n, 1] && IntegersQ[2\*m, 2\*n] && !(GtQ[m, 1] && !IntegerQ[(m-1)/2])

#### Rule 2589

Int[((a\_)\*sin[(e\_)+(f\_)\*(x\_)]^(m\_))\*((b\_)\*tan[(e\_)+(f\_)\*(x\_)]^(n\_)), x\_Symbol] :> -Simp[(b\*(a\*SIN[e+f\*x])^m\*(b\*TAN[e+f\*x])^(n-1))/(f\*m), x] /; FreeQ[{a, b, e, f, m, n}, x] && EqQ[m+n-1, 0]

#### Rubi steps

$$\begin{aligned}
\int (\cos(x) \cot(x))^{5/2} dx &= \frac{\sqrt{\cos(x) \cot(x)} \int \cos^{5/2}(x) \cot^{5/2}(x) dx}{\sqrt{\cos(x)} \sqrt{\cot(x)}} \\
&= \frac{2}{5} \cos^2(x) \cot(x) \sqrt{\cos(x) \cot(x)} + \frac{(8\sqrt{\cos(x) \cot(x)}) \int \sqrt{\cos(x)} \cot^{5/2}(x) dx}{5\sqrt{\cos(x)} \sqrt{\cot(x)}} \\
&= -\frac{16}{15} \cot(x) \sqrt{\cos(x) \cot(x)} + \frac{2}{5} \cos^2(x) \cot(x) \sqrt{\cos(x) \cot(x)} - \frac{(32\sqrt{\cos(x) \cot(x)}) \int \sqrt{\cos(x)} \cot^{5/2}(x) dx}{15\sqrt{\cos(x)} \sqrt{\cot(x)}} \\
&= -\frac{16}{15} \cot(x) \sqrt{\cos(x) \cot(x)} + \frac{2}{5} \cos^2(x) \cot(x) \sqrt{\cos(x) \cot(x)} - \frac{64}{15} \sqrt{\cos(x) \cot(x)} \tan(x)
\end{aligned}$$

**Mathematica [A]** time = 0.0997359, size = 29, normalized size = 0.58

$$-\frac{2}{15} \tan(x) \sqrt{\cos(x) \cot(x)} (3 \cos^2(x) + 5 \cot^2(x) + 32)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[x]\*Cot[x])^(5/2),x]

[Out] (-2\*Sqrt[Cos[x]\*Cot[x]]\*(32 + 3\*Cos[x]^2 + 5\*Cot[x]^2)\*Tan[x])/15

**Maple [A]** time = 0.155, size = 34, normalized size = 0.7

$$\frac{(6 (\cos(x))^4 + 48 (\cos(x))^2 - 64) \sin(x) \left( \frac{(\cos(x))^2}{\sin(x)} \right)^{5/2}}{15 (\cos(x))^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(x)\*cot(x))^(5/2),x)

[Out] 2/15\*(3\*cos(x)^4+24\*cos(x)^2-32)\*(cos(x)^2/sin(x))^(5/2)\*sin(x)/cos(x)^5

**Maxima [B]** time = 1.90874, size = 576, normalized size = 11.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cos(x)\*cot(x))^(5/2),x, algorithm="maxima")

[Out] -1/60\*(((3\*cos(15/2\*x) + 105\*cos(11/2\*x) - 410\*cos(7/2\*x) - 3\*cos(5/2\*x) + 410\*cos(3/2\*x) - 105\*cos(1/2\*x) + 3\*sin(15/2\*x) + 105\*sin(11/2\*x) - 410\*sin(7/2\*x) + 3\*sin(5/2\*x) + 410\*sin(3/2\*x) + 105\*sin(1/2\*x))\*cos(5/2\*arctan2(sin(x), cos(x) - 1)) - (3\*cos(15/2\*x) + 105\*cos(11/2\*x) - 410\*cos(7/2\*x) - 3\*cos(5/2\*x) + 410\*cos(3/2\*x) - 105\*cos(1/2\*x) - 3\*sin(15/2\*x) - 105\*sin(11/2\*x) + 410\*sin(7/2\*x) - 3\*sin(5/2\*x) - 410\*sin(3/2\*x) - 105\*sin(1/2\*x))\*sin(5/2\*arctan2(sin(x), cos(x) - 1)))\*cos(5/2\*arctan2(sin(x), cos(x) + 1)) - ((3\*cos(15/2\*x) + 105\*cos(11/2\*x) - 410\*cos(7/2\*x) - 3\*cos(5/2\*x) + 410\*cos(3/2\*x) - 105\*cos(1/2\*x) - 3\*sin(15/2\*x) - 105\*sin(11/2\*x) + 410\*sin(7/2\*x) - 3\*sin(5/2\*x) - 410\*sin(3/2\*x) - 105\*sin(1/2\*x))\*cos(5/2\*arctan2(sin(x), c



$\cos(x) - 1)) + (3\cos(15/2*x) + 105\cos(11/2*x) - 410\cos(7/2*x) - 3\cos(5/2*x) + 410\cos(3/2*x) - 105\cos(1/2*x) + 3\sin(15/2*x) + 105\sin(11/2*x) - 410\sin(7/2*x) + 3\sin(5/2*x) + 410\sin(3/2*x) + 105\sin(1/2*x))\sin(5/2*\arctan2(\sin(x), \cos(x) - 1))\sin(5/2*\arctan2(\sin(x), \cos(x) + 1)))/((\cos(x)^4 + \sin(x)^4 + 2*(\cos(x)^2 + 1)*\sin(x)^2 - 2*\cos(x)^2 + 1)*(\cos(x)^2 + \sin(x)^2 + 2*\cos(x) + 1)^{1/4}*(\cos(x)^2 + \sin(x)^2 - 2*\cos(x) + 1)^{1/4})$

**Fricas [A]** time = 2.54345, size = 103, normalized size = 2.06

$$\frac{2(3\cos(x)^4 + 24\cos(x)^2 - 32)\sqrt{\frac{\cos(x)^2}{\sin(x)}}}{15\cos(x)\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cos(x)\*cot(x))^(5/2),x, algorithm="fricas")

[Out] 2/15\*(3\*cos(x)^4 + 24\*cos(x)^2 - 32)\*sqrt(cos(x)^2/sin(x))/(cos(x)\*sin(x))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cos(x)\*cot(x))\*\*(5/2),x)

[Out] Timed out

**Giac [A]** time = 1.12164, size = 36, normalized size = 0.72

$$\frac{2}{15} \left( 3 \sin(x)^{\frac{5}{2}} - 30 \sqrt{\sin(x)} - \frac{5}{\sin(x)^{\frac{3}{2}}} \right) \operatorname{sgn}(\cos(x)) \operatorname{sgn}(\sin(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cos(x)\*cot(x))^(5/2),x, algorithm="giac")

[Out] 2/15\*(3\*sin(x)^(5/2) - 30\*sqrt(sin(x)) - 5/sin(x)^(3/2))\*sgn(cos(x))\*sgn(sin(x))

$$3.153 \quad \int \frac{x \cos(x)}{(a+b \sin(x))^2} dx$$

**Optimal.** Leaf size=58

$$\frac{2 \tan^{-1} \left( \frac{a \tan(\frac{x}{2}) + b}{\sqrt{a^2 - b^2}} \right)}{b \sqrt{a^2 - b^2}} - \frac{x}{b(a + b \sin(x))}$$

[Out] (2\*ArcTan[(b + a\*Tan[x/2])/Sqrt[a^2 - b^2]]/(b\*Sqrt[a^2 - b^2]) - x/(b\*(a + b\*Sin[x])))

**Rubi [A]** time = 0.0776166, antiderivative size = 58, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4422, 2660, 618, 204}

$$\frac{2 \tan^{-1} \left( \frac{a \tan(\frac{x}{2}) + b}{\sqrt{a^2 - b^2}} \right)}{b \sqrt{a^2 - b^2}} - \frac{x}{b(a + b \sin(x))}$$

Antiderivative was successfully verified.

[In] Int[(x\*Cos[x])/(a + b\*Sin[x])^2,x]

[Out] (2\*ArcTan[(b + a\*Tan[x/2])/Sqrt[a^2 - b^2]]/(b\*Sqrt[a^2 - b^2]) - x/(b\*(a + b\*Sin[x])))

#### Rule 4422

Int[Cos[(c\_.) + (d\_.)\*(x\_)]\*((e\_.) + (f\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*Sin[(c\_.) + (d\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Simp[((e + f\*x)^m\*(a + b\*Sin[c + d\*x])^(n + 1))/(b\*d\*(n + 1)), x] - Dist[(f\*m)/(b\*d\*(n + 1)), Int[(e + f\*x)^(m - 1)\*(a + b\*Sin[c + d\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && IGtQ[m, 0] && NeQ[n, -1]

#### Rule 2660

Int[((a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] :> With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + 2\*b\*e\*x + a\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

#### Rule 204

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\begin{aligned}
\int \frac{x \cos(x)}{(a + b \sin(x))^2} dx &= -\frac{x}{b(a + b \sin(x))} + \frac{\int \frac{1}{a + b \sin(x)} dx}{b} \\
&= -\frac{x}{b(a + b \sin(x))} + \frac{2 \operatorname{Subst}\left(\int \frac{1}{a + 2bx + ax^2} dx, x, \tan\left(\frac{x}{2}\right)\right)}{b} \\
&= -\frac{x}{b(a + b \sin(x))} - \frac{4 \operatorname{Subst}\left(\int \frac{1}{-4(a^2 - b^2) - x^2} dx, x, 2b + 2a \tan\left(\frac{x}{2}\right)\right)}{b} \\
&= \frac{2 \tan^{-1}\left(\frac{b + a \tan\left(\frac{x}{2}\right)}{\sqrt{a^2 - b^2}}\right)}{b\sqrt{a^2 - b^2}} - \frac{x}{b(a + b \sin(x))}
\end{aligned}$$

**Mathematica [A]** time = 0.140019, size = 56, normalized size = 0.97

$$\frac{2 \tan^{-1}\left(\frac{a \tan\left(\frac{x}{2}\right) + b}{\sqrt{a^2 - b^2}}\right)}{\sqrt{a^2 - b^2}} - \frac{x}{a + b \sin(x)}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*Cos[x])/(a + b\*Sin[x])^2,x]

[Out] ((2\*ArcTan[(b + a\*Tan[x/2])/Sqrt[a^2 - b^2]]/Sqrt[a^2 - b^2] - x/(a + b\*Sin[x]))/b

**Maple [C]** time = 0.247, size = 159, normalized size = 2.7

$$\frac{-2ixe^{ix}}{b(be^{2ix} - b + 2iae^{ix})} - \frac{1}{b} \ln\left(e^{ix} + \frac{1}{b}\left(ia\sqrt{-a^2 + b^2} - a^2 + b^2\right)\frac{1}{\sqrt{-a^2 + b^2}}\right)\frac{1}{\sqrt{-a^2 + b^2}} + \frac{1}{b} \ln\left(e^{ix} + \frac{1}{b}\left(ia\sqrt{-a^2 + b^2} + a^2 - b^2\right)\frac{1}{\sqrt{-a^2 + b^2}}\right)\frac{1}{\sqrt{-a^2 + b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*cos(x)/(a+b\*sin(x))^2,x)

[Out] -2\*I\*x\*exp(I\*x)/b/(b\*exp(2\*I\*x)-b+2\*I\*a\*exp(I\*x))-1/(-a^2+b^2)^(1/2)/b\*ln(exp(I\*x)+(I\*a\*(-a^2+b^2)^(1/2)-a^2+b^2)/(-a^2+b^2)^(1/2)/b)+1/(-a^2+b^2)^(1/2)/b\*ln(exp(I\*x)+(I\*a\*(-a^2+b^2)^(1/2)+a^2-b^2)/(-a^2+b^2)^(1/2)/b)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*cos(x)/(a+b\*sin(x))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.58181, size = 531, normalized size = 9.16

$$\left[ \frac{\sqrt{-a^2 + b^2}(b \sin(x) + a) \log\left(\frac{(2a^2 - b^2)\cos(x)^2 - 2ab\sin(x) - a^2 - b^2 + 2(a\cos(x)\sin(x) + b\cos(x))\sqrt{-a^2 + b^2}}{b^2\cos(x)^2 - 2ab\sin(x) - a^2 - b^2}\right) + 2(a^2 - b^2)x \sqrt{a^2 - b^2}(b \sin(x) + a)}{2(a^3b - ab^3 + (a^2b^2 - b^4)\sin(x))}, \dots \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*cos(x)/(a+b\*sin(x))^2,x, algorithm="fricas")

[Out] [-1/2\*(sqrt(-a^2 + b^2)\*(b\*sin(x) + a)\*log(((2\*a^2 - b^2)\*cos(x)^2 - 2\*a\*b\*sin(x) - a^2 - b^2 + 2\*(a\*cos(x)\*sin(x) + b\*cos(x))\*sqrt(-a^2 + b^2))/(b^2\*cos(x)^2 - 2\*a\*b\*sin(x) - a^2 - b^2)) + 2\*(a^2 - b^2)\*x)/(a^3\*b - a\*b^3 + (a^2\*b^2 - b^4)\*sin(x)), -(sqrt(a^2 - b^2)\*(b\*sin(x) + a)\*arctan(-(a\*sin(x) + b)/(sqrt(a^2 - b^2)\*cos(x))) + (a^2 - b^2)\*x)/(a^3\*b - a\*b^3 + (a^2\*b^2 - b^4)\*sin(x))]

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*cos(x)/(a+b\*sin(x))^2,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x \cos(x)}{(b \sin(x) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*cos(x)/(a+b\*sin(x))^2,x, algorithm="giac")

[Out] integrate(x\*cos(x)/(b\*sin(x) + a)^2, x)

$$3.154 \quad \int \frac{x \cos(x)}{(a+b \sin(x))^3} dx$$

**Optimal.** Leaf size=85

$$\frac{a \tan^{-1}\left(\frac{a \tan\left(\frac{x}{2}\right)+b}{\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^{3/2}} + \frac{\cos(x)}{2(a^2-b^2)(a+b \sin(x))} - \frac{x}{2b(a+b \sin(x))^2}$$

[Out] (a\*ArcTan[(b + a\*Tan[x/2])/Sqrt[a^2 - b^2]])/(b\*(a^2 - b^2)^(3/2)) - x/(2\*b\*(a + b\*Sin[x])^2) + Cos[x]/(2\*(a^2 - b^2)\*(a + b\*Sin[x]))

**Rubi [A]** time = 0.105745, antiderivative size = 85, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$ , Rules used = {4422, 2664, 12, 2660, 618, 204}

$$\frac{a \tan^{-1}\left(\frac{a \tan\left(\frac{x}{2}\right)+b}{\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^{3/2}} + \frac{\cos(x)}{2(a^2-b^2)(a+b \sin(x))} - \frac{x}{2b(a+b \sin(x))^2}$$

Antiderivative was successfully verified.

[In] Int[(x\*Cos[x])/(a + b\*Sin[x])^3,x]

[Out] (a\*ArcTan[(b + a\*Tan[x/2])/Sqrt[a^2 - b^2]])/(b\*(a^2 - b^2)^(3/2)) - x/(2\*b\*(a + b\*Sin[x])^2) + Cos[x]/(2\*(a^2 - b^2)\*(a + b\*Sin[x]))

#### Rule 4422

Int[Cos[(c\_.) + (d\_.)\*(x\_)]\*((e\_.) + (f\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*Sin[(c\_.) + (d\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Simp[((e + f\*x)^m\*(a + b\*Sin[c + d\*x])^(n + 1))/(b\*d\*(n + 1)), x] - Dist[(f\*m)/(b\*d\*(n + 1)), Int[(e + f\*x)^(m - 1)\*(a + b\*Sin[c + d\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && IGtQ[m, 0] && NeQ[n, -1]

#### Rule 2664

Int[((a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^(n + 1))/(d\*(n + 1)\*(a^2 - b^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[c + d\*x])^(n + 1)\*Simp[a\*(n + 1) - b\*(n + 2)\*Sin[c + d\*x], x], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 2660

Int[((a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] :> With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + 2\*b\*e\*x + a\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

### Rubi steps

$$\begin{aligned} \int \frac{x \cos(x)}{(a + b \sin(x))^3} dx &= -\frac{x}{2b(a + b \sin(x))^2} + \frac{\int \frac{1}{(a+b \sin(x))^2} dx}{2b} \\ &= -\frac{x}{2b(a + b \sin(x))^2} + \frac{\cos(x)}{2(a^2 - b^2)(a + b \sin(x))} + \frac{\int \frac{a}{a+b \sin(x)} dx}{2b(a^2 - b^2)} \\ &= -\frac{x}{2b(a + b \sin(x))^2} + \frac{\cos(x)}{2(a^2 - b^2)(a + b \sin(x))} + \frac{a \int \frac{1}{a+b \sin(x)} dx}{2b(a^2 - b^2)} \\ &= -\frac{x}{2b(a + b \sin(x))^2} + \frac{\cos(x)}{2(a^2 - b^2)(a + b \sin(x))} + \frac{a \operatorname{Subst}\left(\int \frac{1}{a+2bx+ax^2} dx, x, \tan\left(\frac{x}{2}\right)\right)}{b(a^2 - b^2)} \\ &= -\frac{x}{2b(a + b \sin(x))^2} + \frac{\cos(x)}{2(a^2 - b^2)(a + b \sin(x))} - \frac{(2a) \operatorname{Subst}\left(\int \frac{1}{-4(a^2-b^2)-x^2} dx, x, 2b + 2a \tan\left(\frac{x}{2}\right)\right)}{b(a^2 - b^2)} \\ &= \frac{a \tan^{-1}\left(\frac{b+a \tan\left(\frac{x}{2}\right)}{\sqrt{a^2-b^2}}\right)}{b(a^2 - b^2)^{3/2}} - \frac{x}{2b(a + b \sin(x))^2} + \frac{\cos(x)}{2(a^2 - b^2)(a + b \sin(x))} \end{aligned}$$

**Mathematica [A]** time = 0.253827, size = 84, normalized size = 0.99

$$\frac{a \tan^{-1}\left(\frac{a \tan\left(\frac{x}{2}\right)+b}{\sqrt{a^2-b^2}}\right)}{b(a^2 - b^2)^{3/2}} + \frac{\frac{\cos(x)(a+b \sin(x))}{(a-b)(a+b)} - \frac{x}{b}}{2(a + b \sin(x))^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x*Cos[x])/(a + b*Sin[x])^3,x]
```

```
[Out] (a*ArcTan[(b + a*Tan[x/2])/Sqrt[a^2 - b^2]])/(b*(a^2 - b^2)^(3/2)) + (-(x/b) + (Cos[x]*(a + b*Sin[x]))/((a - b)*(a + b)))/(2*(a + b*Sin[x])^2)
```

**Maple [C]** time = 0.412, size = 257, normalized size = 3.

$$\frac{2ia^2e^{2ix} + ib^2e^{2ix} + 2xa^2e^{2ix} + bae^{3ix} - 2b^2xe^{2ix} - ib^2 - 3abe^{ix}}{(be^{2ix} - b + 2iae^{ix})^2(a^2 - b^2)b} - \frac{a}{(2a + 2b)(a - b)b} \ln\left(e^{ix} + \frac{1}{b}\left(ia\sqrt{-a^2 + b^2} - a^2 + b\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*cos(x)/(a+b*sin(x))^3,x)
```

```
[Out] (2*I*a^2*exp(2*I*x)+I*b^2*exp(2*I*x)+2*x*a^2*exp(2*I*x)+b*a*exp(3*I*x)-2*b^2*x*exp(2*I*x)-I*b^2-3*a*b*exp(I*x))/(b*exp(2*I*x)-b+2*I*a*exp(I*x))^2/(a^2-b^2)/b-1/2/(-a^2+b^2)^(1/2)*a/(a+b)/(a-b)/b*ln(exp(I*x)+(I*a*(-a^2+b^2)^(1/2)-a^2+b^2)/(-a^2+b^2)^(1/2)/b)+1/2/(-a^2+b^2)^(1/2)*a/(a+b)/(a-b)/b*ln(exp(I*x)+(I*a*(-a^2+b^2)^(1/2)+a^2-b^2)/(-a^2+b^2)^(1/2)/b)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*cos(x)/(a+b*sin(x))^3,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [B]** time = 2.55744, size = 1013, normalized size = 11.92

$$\frac{2(a^2b^2 - b^4) \cos(x) \sin(x) - (ab^2 \cos(x)^2 - 2a^2b \sin(x) - a^3 - ab^2) \sqrt{-a^2 + b^2} \log\left(-\frac{(2a^2 - b^2) \cos(x)^2 - 2ab \sin(x) - a^2 - b^2 - 2ab \sin(x)}{b^2 \cos(x)^2 - 2ab \sin(x)}\right)}{4(a^6b - a^4b^3 - a^2b^5 + b^7 - (a^4b^3 - 2a^2b^5 + b^7) \cos(x)^2 + 2(a^5b^2 - 2a^3b^4 + a^2b^6) \sin(x))}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*cos(x)/(a+b*sin(x))^3,x, algorithm="fricas")
```

```
[Out] [1/4*(2*(a^2*b^2 - b^4)*cos(x)*sin(x) - (a*b^2*cos(x)^2 - 2*a^2*b*sin(x) - a^3 - a*b^2)*sqrt(-a^2 + b^2)*log(-((2*a^2 - b^2)*cos(x)^2 - 2*a*b*sin(x) - a^2 - b^2 - 2*(a*cos(x)*sin(x) + b*cos(x))*sqrt(-a^2 + b^2))/(b^2*cos(x)^2 - 2*a*b*sin(x) - a^2 - b^2)) - 2*(a^4 - 2*a^2*b^2 + b^4)*x + 2*(a^3*b - a*b^3)*cos(x))/(a^6*b - a^4*b^3 - a^2*b^5 + b^7 - (a^4*b^3 - 2*a^2*b^5 + b^7)*cos(x)^2 + 2*(a^5*b^2 - 2*a^3*b^4 + a*b^6)*sin(x)), 1/2*((a^2*b^2 - b^4)*cos(x)*sin(x) + (a*b^2*cos(x)^2 - 2*a^2*b*sin(x) - a^3 - a*b^2)*sqrt(a^2 - b^2)*arctan(-(a*sin(x) + b)/(sqrt(a^2 - b^2)*cos(x))) - (a^4 - 2*a^2*b^2 + b^4)*x + (a^3*b - a*b^3)*cos(x))/(a^6*b - a^4*b^3 - a^2*b^5 + b^7 - (a^4*b^3 - 2*a^2*b^5 + b^7)*cos(x)^2 + 2*(a^5*b^2 - 2*a^3*b^4 + a*b^6)*sin(x))]
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*cos(x)/(a+b*sin(x))**3,x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x \cos(x)}{(b \sin(x) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*cos(x)/(a+b*sin(x))^3,x, algorithm="giac")
```

```
[Out] integrate(x*cos(x)/(b*sin(x) + a)^3, x)
```



$$3.155 \quad \int \frac{x \sin(x)}{(a+b \cos(x))^2} dx$$

**Optimal.** Leaf size=59

$$\frac{x}{b(a+b \cos(x))} - \frac{2 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}}\right)}{b\sqrt{a-b}\sqrt{a+b}}$$

[Out] (-2\*ArcTan[(Sqrt[a - b]\*Tan[x/2])/Sqrt[a + b]]/(Sqrt[a - b]\*b\*Sqrt[a + b]) + x/(b\*(a + b\*Cos[x])))

**Rubi [A]** time = 0.0592501, antiderivative size = 59, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {4423, 2659, 205}

$$\frac{x}{b(a+b \cos(x))} - \frac{2 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}}\right)}{b\sqrt{a-b}\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[(x\*Sin[x])/(a + b\*Cos[x])^2,x]

[Out] (-2\*ArcTan[(Sqrt[a - b]\*Tan[x/2])/Sqrt[a + b]]/(Sqrt[a - b]\*b\*Sqrt[a + b]) + x/(b\*(a + b\*Cos[x])))

#### Rule 4423

Int[(Cos[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(n\_.)\*((e\_.) + (f\_.)\*(x\_.))^(m\_.) \*Sin[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> -Simp[((e + f\*x)^m\*(a + b\*Cos[c + d\*x])^(n + 1))/(b\*d\*(n + 1)), x] + Dist[(f\*m)/(b\*d\*(n + 1)), Int[(e + f\*x)^(m - 1)\*(a + b\*Cos[c + d\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && IGtQ[m, 0] && NeQ[n, -1]

#### Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_.)])^(-1), x\_Symbol] :> With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rubi steps

$$\begin{aligned} \int \frac{x \sin(x)}{(a + b \cos(x))^2} dx &= \frac{x}{b(a + b \cos(x))} - \frac{\int \frac{1}{a + b \cos(x)} dx}{b} \\ &= \frac{x}{b(a + b \cos(x))} - \frac{2 \operatorname{Subst}\left(\int \frac{1}{a + b + (a-b)x^2} dx, x, \tan\left(\frac{x}{2}\right)\right)}{b} \\ &= -\frac{2 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b} b \sqrt{a+b}} + \frac{x}{b(a + b \cos(x))} \end{aligned}$$

**Mathematica [A]** time = 0.103584, size = 58, normalized size = 0.98

$$\frac{2 \operatorname{tanh}^{-1}\left(\frac{(a-b) \tan\left(\frac{x}{2}\right)}{\sqrt{b^2 - a^2}}\right)}{b \sqrt{b^2 - a^2}} + \frac{x}{b(a + b \cos(x))}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*Sin[x])/(a + b\*Cos[x])^2,x]

[Out] (2\*ArcTanh[((a - b)\*Tan[x/2])/Sqrt[-a^2 + b^2]])/(b\*Sqrt[-a^2 + b^2]) + x/(b\*(a + b\*Cos[x]))

**Maple [C]** time = 0.125, size = 154, normalized size = 2.6

$$2 \frac{x e^{ix}}{b(b e^{2ix} + 2 a e^{ix} + b)} - \frac{i}{b} \ln\left(e^{ix} + \frac{1}{b} \left(a \sqrt{a^2 - b^2} + a^2 - b^2\right) \frac{1}{\sqrt{a^2 - b^2}}\right) \frac{1}{\sqrt{a^2 - b^2}} + \frac{i}{b} \ln\left(e^{ix} + \frac{1}{b} \left(a \sqrt{a^2 - b^2} - a^2 + b^2\right) \frac{1}{\sqrt{a^2 - b^2}}\right) \frac{1}{\sqrt{a^2 - b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*sin(x)/(a+b\*cos(x))^2,x)

[Out] 2\*x\*exp(I\*x)/b/(b\*exp(2\*I\*x)+2\*a\*exp(I\*x)+b)-I/(a^2-b^2)^(1/2)/b\*ln(exp(I\*x)+(a\*(a^2-b^2)^(1/2)+a^2-b^2)/(a^2-b^2)^(1/2)/b)+I/(a^2-b^2)^(1/2)/b\*ln(exp(I\*x)+(a\*(a^2-b^2)^(1/2)-a^2+b^2)/(a^2-b^2)^(1/2)/b)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sin(x)/(a+b\*cos(x))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.52556, size = 516, normalized size = 8.75

$$\left[ \frac{\sqrt{-a^2 + b^2}(b \cos(x) + a) \log\left(\frac{2ab \cos(x) + (2a^2 - b^2) \cos(x)^2 - 2\sqrt{-a^2 + b^2}(a \cos(x) + b) \sin(x) - a^2 + 2b^2}{b^2 \cos(x)^2 + 2ab \cos(x) + a^2}\right) - 2(a^2 - b^2)x \sqrt{a^2 - b^2}(b \cos(x) + a)}{2(a^3b - ab^3 + (a^2b^2 - b^4) \cos(x))}, -\frac{\sqrt{a^2 - b^2}(b \cos(x) + a)}{a^3} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*sin(x)/(a+b*cos(x))^2,x, algorithm="fricas")
```

```
[Out] [-1/2*(sqrt(-a^2 + b^2)*(b*cos(x) + a)*log((2*a*b*cos(x) + (2*a^2 - b^2)*cos(x)^2 - 2*sqrt(-a^2 + b^2)*(a*cos(x) + b)*sin(x) - a^2 + 2*b^2)/(b^2*cos(x)^2 + 2*a*b*cos(x) + a^2)) - 2*(a^2 - b^2)*x)/(a^3*b - a*b^3 + (a^2*b^2 - b^4)*cos(x)), -(sqrt(a^2 - b^2)*(b*cos(x) + a)*arctan(-(a*cos(x) + b)/(sqrt(a^2 - b^2)*sin(x))) - (a^2 - b^2)*x)/(a^3*b - a*b^3 + (a^2*b^2 - b^4)*cos(x))]
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*sin(x)/(a+b*cos(x))**2,x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x \sin(x)}{(b \cos(x) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*sin(x)/(a+b*cos(x))^2,x, algorithm="giac")
```

```
[Out] integrate(x*sin(x)/(b*cos(x) + a)^2, x)
```

$$3.156 \quad \int \frac{x \sin(x)}{(a+b \cos(x))^3} dx$$

**Optimal.** Leaf size=88

$$\frac{\sin(x)}{2(a^2 - b^2)(a + b \cos(x))} + \frac{x}{2b(a + b \cos(x))^2} - \frac{a \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}}\right)}{b(a-b)^{3/2}(a+b)^{3/2}}$$

[Out] -((a\*ArcTan[(Sqrt[a - b]\*Tan[x/2])/Sqrt[a + b]])/((a - b)^(3/2)\*b\*(a + b)^(3/2))) + x/(2\*b\*(a + b\*Cos[x])^2) + Sin[x]/(2\*(a^2 - b^2)\*(a + b\*Cos[x]))

**Rubi [A]** time = 0.103267, antiderivative size = 88, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$ , Rules used = {4423, 2664, 12, 2659, 205}

$$\frac{\sin(x)}{2(a^2 - b^2)(a + b \cos(x))} + \frac{x}{2b(a + b \cos(x))^2} - \frac{a \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}}\right)}{b(a-b)^{3/2}(a+b)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(x\*Sin[x])/(a + b\*Cos[x])^3,x]

[Out] -((a\*ArcTan[(Sqrt[a - b]\*Tan[x/2])/Sqrt[a + b]])/((a - b)^(3/2)\*b\*(a + b)^(3/2))) + x/(2\*b\*(a + b\*Cos[x])^2) + Sin[x]/(2\*(a^2 - b^2)\*(a + b\*Cos[x]))

#### Rule 4423

Int[(Cos[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(n\_.)\*((e\_.) + (f\_.)\*(x\_.))^(m\_.) \*Sin[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> -Simp[((e + f\*x)^m\*(a + b\*Cos[c + d\*x])^(n + 1))/(b\*d\*(n + 1)), x] + Dist[(f\*m)/(b\*d\*(n + 1)), Int[(e + f\*x)^(m - 1)\*(a + b\*Cos[c + d\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && IGtQ[m, 0] && NeQ[n, -1]

#### Rule 2664

Int[((a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x]\*(a + b\*Ssin[c + d\*x])^(n + 1))/(d\*(n + 1)\*(a^2 - b^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2)), Int[(a + b\*Ssin[c + d\*x])^(n + 1)\*Simp[a\*(n + 1) - b\*(n + 2)\*Sin[c + d\*x], x], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 12

Int[(a\_.)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_.)\*(v\_) /; FreeQ[b, x]]

#### Rule 2659

Int[((a\_.) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_.)])^(-1), x\_Symbol] :> With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rubi steps

$$\begin{aligned} \int \frac{x \sin(x)}{(a + b \cos(x))^3} dx &= \frac{x}{2b(a + b \cos(x))^2} - \frac{\int \frac{1}{(a+b \cos(x))^2} dx}{2b} \\ &= \frac{x}{2b(a + b \cos(x))^2} + \frac{\sin(x)}{2(a^2 - b^2)(a + b \cos(x))} - \frac{\int \frac{a}{a+b \cos(x)} dx}{2b(a^2 - b^2)} \\ &= \frac{x}{2b(a + b \cos(x))^2} + \frac{\sin(x)}{2(a^2 - b^2)(a + b \cos(x))} - \frac{a \int \frac{1}{a+b \cos(x)} dx}{2b(a^2 - b^2)} \\ &= \frac{x}{2b(a + b \cos(x))^2} + \frac{\sin(x)}{2(a^2 - b^2)(a + b \cos(x))} - \frac{a \operatorname{Subst}\left(\int \frac{1}{a+b+(a-b)x^2} dx, x, \tan\left(\frac{x}{2}\right)\right)}{b(a^2 - b^2)} \\ &= -\frac{a \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}}\right)}{(a-b)^{3/2}b(a+b)^{3/2}} + \frac{x}{2b(a + b \cos(x))^2} + \frac{\sin(x)}{2(a^2 - b^2)(a + b \cos(x))} \end{aligned}$$

**Mathematica [A]** time = 0.315517, size = 85, normalized size = 0.97

$$\frac{\frac{\sin(x)(a+b \cos(x))}{(a-b)(a+b)} + \frac{x}{b}}{2(a + b \cos(x))^2} - \frac{a \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{x}{2}\right)}{\sqrt{b^2-a^2}}\right)}{b(b^2 - a^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*Sin[x])/(a + b\*Cos[x])^3,x]

[Out] -((a\*ArcTanh[((a - b)\*Tan[x/2])/Sqrt[-a^2 + b^2]])/(b\*(-a^2 + b^2)^(3/2))) + (x/b + ((a + b\*Cos[x])\*Sin[x])/((a - b)\*(a + b)))/(2\*(a + b\*Cos[x])^2)

**Maple [C]** time = 0.231, size = 250, normalized size = 2.8

$$\frac{i(-2ia^2xe^{2ix} + 2ib^2xe^{2ix} + bae^{3ix} + 2a^2e^{2ix} + b^2e^{2ix} + 3abe^{ix} + b^2)}{b(be^{2ix} + 2ae^{ix} + b)^2(a^2 - b^2)} - \frac{\frac{i}{2}a}{(a+b)(a-b)b} \ln\left(e^{ix} + \frac{1}{b}\left(a\sqrt{a^2 - b^2} + a^2\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*sin(x)/(a+b\*cos(x))^3,x)

[Out] I\*(-2\*I\*a^2\*x\*exp(2\*I\*x)+2\*I\*b^2\*x\*exp(2\*I\*x)+b\*a\*exp(3\*I\*x)+2\*a^2\*exp(2\*I\*x)+b^2\*exp(2\*I\*x)+3\*a\*b\*exp(I\*x)+b^2)/b/(b\*exp(2\*I\*x)+2\*a\*exp(I\*x)+b)^2/(a^2-b^2)-1/2\*I/(a^2-b^2)^(1/2)\*a/(a+b)/(a-b)/b\*ln(exp(I\*x)+(a\*(a^2-b^2)^(1/2)+a^2-b^2)/(a^2-b^2)^(1/2)/b)+1/2\*I/(a^2-b^2)^(1/2)\*a/(a+b)/(a-b)/b\*ln(exp(I\*x)+(a\*(a^2-b^2)^(1/2)-a^2+b^2)/(a^2-b^2)^(1/2)/b)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sin(x)/(a+b\*cos(x))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.68733, size = 944, normalized size = 10.73

$$\left[ \frac{(ab^2 \cos(x)^2 + 2a^2b \cos(x) + a^3)\sqrt{-a^2 + b^2} \log\left(\frac{2ab \cos(x) + (2a^2 - b^2) \cos(x)^2 + 2\sqrt{-a^2 + b^2}(a \cos(x) + b) \sin(x) - a^2 + 2b^2}{b^2 \cos(x)^2 + 2ab \cos(x) + a^2}\right) + 2(a^4 - 2a^2b^2)}{4(a^6b - 2a^4b^3 + a^2b^5 + (a^4b^3 - 2a^2b^5 + b^7) \cos(x)^2 + 2(a^5b^2 - 2a^3b^4 + ab^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sin(x)/(a+b\*cos(x))^3,x, algorithm="fricas")

[Out] [1/4\*((a\*b^2\*cos(x)^2 + 2\*a^2\*b\*cos(x) + a^3)\*sqrt(-a^2 + b^2)\*log((2\*a\*b\*cos(x) + (2\*a^2 - b^2)\*cos(x)^2 + 2\*sqrt(-a^2 + b^2)\*(a\*cos(x) + b)\*sin(x) - a^2 + 2\*b^2)/(b^2\*cos(x)^2 + 2\*a\*b\*cos(x) + a^2)) + 2\*(a^4 - 2\*a^2\*b^2 + b^4)\*x + 2\*(a^3\*b - a\*b^3 + (a^2\*b^2 - b^4)\*cos(x))\*sin(x))/(a^6\*b - 2\*a^4\*b^3 + a^2\*b^5 + (a^4\*b^3 - 2\*a^2\*b^5 + b^7)\*cos(x)^2 + 2\*(a^5\*b^2 - 2\*a^3\*b^4 + a\*b^6)\*cos(x)), -1/2\*((a\*b^2\*cos(x)^2 + 2\*a^2\*b\*cos(x) + a^3)\*sqrt(a^2 - b^2)\*arctan(-(a\*cos(x) + b)/(sqrt(a^2 - b^2)\*sin(x))) - (a^4 - 2\*a^2\*b^2 + b^4)\*x - (a^3\*b - a\*b^3 + (a^2\*b^2 - b^4)\*cos(x))\*sin(x))/(a^6\*b - 2\*a^4\*b^3 + a^2\*b^5 + (a^4\*b^3 - 2\*a^2\*b^5 + b^7)\*cos(x)^2 + 2\*(a^5\*b^2 - 2\*a^3\*b^4 + a\*b^6)\*cos(x))]

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sin(x)/(a+b\*cos(x))\*\*3,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x \sin(x)}{(b \cos(x) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sin(x)/(a+b\*cos(x))^3,x, algorithm="giac")

[Out] integrate(x\*sin(x)/(b\*cos(x) + a)^3, x)

$$3.157 \quad \int \frac{x \sec^2(x)}{(a+b \tan(x))^2} dx$$

**Optimal.** Leaf size=50

$$\frac{ax}{b(a^2 + b^2)} + \frac{\log(a \cos(x) + b \sin(x))}{a^2 + b^2} - \frac{x}{b(a + b \tan(x))}$$

[Out] (a\*x)/(b\*(a^2 + b^2)) + Log[a\*Cos[x] + b\*Sin[x]]/(a^2 + b^2) - x/(b\*(a + b\*Tan[x]))

**Rubi [A]** time = 0.0826108, antiderivative size = 50, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {4424, 3484, 3530}

$$\frac{ax}{b(a^2 + b^2)} + \frac{\log(a \cos(x) + b \sin(x))}{a^2 + b^2} - \frac{x}{b(a + b \tan(x))}$$

Antiderivative was successfully verified.

[In] Int[(x\*Sec[x]^2)/(a + b\*Tan[x])^2,x]

[Out] (a\*x)/(b\*(a^2 + b^2)) + Log[a\*Cos[x] + b\*Sin[x]]/(a^2 + b^2) - x/(b\*(a + b\*Tan[x]))

#### Rule 4424

Int[((e\_.) + (f\_.)\*(x\_.))^(m\_.)\*Sec[(c\_.) + (d\_.)\*(x\_.)]^2\*((a\_.) + (b\_.)\*Tan[(c\_.) + (d\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Simp[((e + f\*x)^m\*(a + b\*Tan[c + d\*x])^(n + 1))/(b\*d\*(n + 1)), x] - Dist[(f\*m)/(b\*d\*(n + 1)), Int[(e + f\*x)^(m - 1)\*(a + b\*Tan[c + d\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && IGtQ[m, 0] && NeQ[n, -1]

#### Rule 3484

Int[((a\_.) + (b\_.)\*tan[(c\_.) + (d\_.)\*(x\_.)])^(-1), x\_Symbol] :> Simp[(a\*x)/(a^2 + b^2), x] + Dist[b/(a^2 + b^2), Int[(b - a\*Tan[c + d\*x])/(a + b\*Tan[c + d\*x]), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 + b^2, 0]

#### Rule 3530

Int[((c\_.) + (d\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)])/(a\_. + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] :> Simp[(c\*Log[RemoveContent[a\*Cos[e + f\*x] + b\*Sin[e + f\*x], x]])/(b\*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[a\*c + b\*d, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{x \sec^2(x)}{(a + b \tan(x))^2} dx &= -\frac{x}{b(a + b \tan(x))} + \frac{\int \frac{1}{a + b \tan(x)} dx}{b} \\ &= \frac{ax}{b(a^2 + b^2)} - \frac{x}{b(a + b \tan(x))} + \frac{\int \frac{b - a \tan(x)}{a + b \tan(x)} dx}{a^2 + b^2} \\ &= \frac{ax}{b(a^2 + b^2)} + \frac{\log(a \cos(x) + b \sin(x))}{a^2 + b^2} - \frac{x}{b(a + b \tan(x))} \end{aligned}$$

**Mathematica [A]** time = 0.176216, size = 48, normalized size = 0.96

$$\frac{a \log(a \cos(x) + b \sin(x)) - bx}{a^3 + ab^2} + \frac{x \sin(x)}{a^2 \cos(x) + ab \sin(x)}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*Sec[x]^2)/(a + b\*Tan[x])^2,x]

[Out]  $(-(b*x) + a*\text{Log}[a*\text{Cos}[x] + b*\text{Sin}[x]])/(a^3 + a*b^2) + (x*\text{Sin}[x])/(a^2*\text{Cos}[x] + a*b*\text{Sin}[x])$

**Maple [C]** time = 0.164, size = 86, normalized size = 1.7

$$\frac{-2ix}{a^2 + b^2} + \frac{2ix}{(-ibe^{2ix} + ae^{2ix} + ib + a)(-ib + a)} + \frac{1}{a^2 + b^2} \ln\left(e^{2ix} - \frac{ib + a}{ib - a}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*sec(x)^2/(a+b\*tan(x))^2,x)

[Out]  $-2*I/(a^2+b^2)*x+2*I*x/(-I*b*\exp(2*I*x)+a*\exp(2*I*x)+I*b+a)/(-I*b+a)+1/(a^2+b^2)*\ln(\exp(2*I*x)-(I*b+a)/(I*b-a))$

**Maxima [B]** time = 1.039, size = 338, normalized size = 6.76

$$\frac{8abx \cos(2x) - 4(a^2 - b^2)x \sin(2x) - ((a^2 + b^2) \cos(2x)^2 + 4ab \sin(2x) + (a^2 + b^2) \sin(2x)^2 + a^2 + b^2 + 2(a^2 - b^2) \cos(2x) \sin(2x)) \log\left(\frac{(a^2 + b^2) \cos(2x)^2 + 4ab \sin(2x) + (a^2 + b^2) \sin(2x)^2 + a^2 + b^2 + 2(a^2 - b^2) \cos(2x) \sin(2x)}{(a^2 + b^2)}\right)}{2(a^4 + 2a^2b^2 + b^4 + (a^4 + 2a^2b^2 + b^4) \cos(2x)^2 + (a^4 + 2a^2b^2 + b^4) \sin(2x)^2 + 2(a^4 - b^4) \cos(2x) \sin(2x)) + 4(a^3b + ab^3) \sin(2x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sec(x)^2/(a+b\*tan(x))^2,x, algorithm="maxima")

[Out]  $-1/2*(8*a*b*x*\cos(2*x) - 4*(a^2 - b^2)*x*\sin(2*x) - ((a^2 + b^2)*\cos(2*x)^2 + 4*a*b*\sin(2*x) + (a^2 + b^2)*\sin(2*x)^2 + a^2 + b^2 + 2*(a^2 - b^2)*\cos(2*x)*\sin(2*x))*\log\left(\frac{(a^2 + b^2)*\cos(2*x)^2 + 4*a*b*\sin(2*x) + (a^2 + b^2)*\sin(2*x)^2 + a^2 + b^2 + 2*(a^2 - b^2)*\cos(2*x)*\sin(2*x)}{(a^2 + b^2)}\right)/(a^4 + 2*a^2*b^2 + b^4 + (a^4 + 2*a^2*b^2 + b^4)*\cos(2*x)^2 + (a^4 + 2*a^2*b^2 + b^4)*\sin(2*x)^2 + 2*(a^4 - b^4)*\cos(2*x)*\sin(2*x) + 4*(a^3*b + a*b^3)*\sin(2*x))$



---

**Fricas [A]** time = 2.5764, size = 216, normalized size = 4.32

$$\frac{2bx \cos(x) - 2ax \sin(x) - (a \cos(x) + b \sin(x)) \log(2ab \cos(x) \sin(x) + (a^2 - b^2) \cos(x)^2 + b^2)}{2((a^3 + ab^2) \cos(x) + (a^2b + b^3) \sin(x))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sec(x)^2/(a+b\*tan(x))^2,x, algorithm="fricas")

[Out] -1/2\*(2\*b\*x\*cos(x) - 2\*a\*x\*sin(x) - (a\*cos(x) + b\*sin(x))\*log(2\*a\*b\*cos(x)\*sin(x) + (a^2 - b^2)\*cos(x)^2 + b^2))/((a^3 + a\*b^2)\*cos(x) + (a^2\*b + b^3)\*sin(x))

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x \sec^2(x)}{(a + b \tan(x))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sec(x)\*\*2/(a+b\*tan(x))\*\*2,x)

[Out] Integral(x\*sec(x)\*\*2/(a + b\*tan(x))\*\*2, x)

---

**Giac [B]** time = 1.362, size = 435, normalized size = 8.7

$$\frac{2bx \tan\left(\frac{1}{2}x\right)^2 - a \log\left(\frac{4\left(a^2 \tan\left(\frac{1}{2}x\right)^4 - 4ab \tan\left(\frac{1}{2}x\right)^3 - 2a^2 \tan\left(\frac{1}{2}x\right)^2 + 4b^2 \tan\left(\frac{1}{2}x\right) + 4ab \tan\left(\frac{1}{2}x\right) + a^2\right)}{\tan\left(\frac{1}{2}x\right)^4 + 2 \tan\left(\frac{1}{2}x\right)^2 + 1}\right) \tan\left(\frac{1}{2}x\right)^2 + 4ax \tan\left(\frac{1}{2}x\right)}{2\left(a^3 \tan\left(\frac{1}{2}x\right) + a^2b \tan\left(\frac{1}{2}x\right)^2 + ab^2 \tan\left(\frac{1}{2}x\right)^3 + b^3\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sec(x)^2/(a+b\*tan(x))^2,x, algorithm="giac")

[Out] -1/2\*(2\*b\*x\*tan(1/2\*x)^2 - a\*log(4\*(a^2\*tan(1/2\*x)^4 - 4\*a\*b\*tan(1/2\*x)^3 - 2\*a^2\*tan(1/2\*x)^2 + 4\*b^2\*tan(1/2\*x)^2 + 4\*a\*b\*tan(1/2\*x) + a^2)/(tan(1/2\*x)^4 + 2\*tan(1/2\*x)^2 + 1))\*tan(1/2\*x)^2 + 4\*a\*x\*tan(1/2\*x) + 2\*b\*log(4\*(a^2\*tan(1/2\*x)^4 - 4\*a\*b\*tan(1/2\*x)^3 - 2\*a^2\*tan(1/2\*x)^2 + 4\*b^2\*tan(1/2\*x)^2 + 4\*a\*b\*tan(1/2\*x) + a^2)/(tan(1/2\*x)^4 + 2\*tan(1/2\*x)^2 + 1))\*tan(1/2\*x) - 2\*b\*x + a\*log(4\*(a^2\*tan(1/2\*x)^4 - 4\*a\*b\*tan(1/2\*x)^3 - 2\*a^2\*tan(1/2\*x)^2 + 4\*b^2\*tan(1/2\*x)^2 + 4\*a\*b\*tan(1/2\*x) + a^2)/(tan(1/2\*x)^4 + 2\*tan(1/2\*x)^2 + 1)))/(a^3\*tan(1/2\*x)^2 + a\*b^2\*tan(1/2\*x)^2 - 2\*a^2\*b\*tan(1/2\*x) - 2\*b^3\*tan(1/2\*x) - a^3 - a\*b^2)

$$3.158 \quad \int \frac{x \csc^2(x)}{(a+b \cot(x))^2} dx$$

**Optimal.** Leaf size=50

$$-\frac{ax}{b(a^2 + b^2)} + \frac{\log(a \sin(x) + b \cos(x))}{a^2 + b^2} + \frac{x}{b(a + b \cot(x))}$$

[Out]  $-\frac{(a*x)/(b*(a^2 + b^2))}{(a^2 + b^2)} + x/(b*(a + b*\cot[x])) + \text{Log}[b*\cos[x] + a*\sin[x]]/(a^2 + b^2)$

**Rubi [A]** time = 0.0817342, antiderivative size = 50, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {4425, 3484, 3530}

$$-\frac{ax}{b(a^2 + b^2)} + \frac{\log(a \sin(x) + b \cos(x))}{a^2 + b^2} + \frac{x}{b(a + b \cot(x))}$$

Antiderivative was successfully verified.

[In] Int[(x\*Csc[x]^2)/(a + b\*Cot[x])^2,x]

[Out]  $-\frac{(a*x)/(b*(a^2 + b^2))}{(a^2 + b^2)} + x/(b*(a + b*\cot[x])) + \text{Log}[b*\cos[x] + a*\sin[x]]/(a^2 + b^2)$

#### Rule 4425

Int[Csc[(c\_.) + (d\_.)\*(x\_)]^2\*(Cot[(c\_.) + (d\_.)\*(x\_)]\*(b\_.) + (a\_.))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(m\_.), x\_Symbol] := -Simp[((e + f\*x)^m\*(a + b\*Cot[c + d\*x])^(n + 1))/(b\*d\*(n + 1)), x] + Dist[(f\*m)/(b\*d\*(n + 1)), Int[(e + f\*x)^(m - 1)\*(a + b\*Cot[c + d\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && IGtQ[m, 0] && NeQ[n, -1]

#### Rule 3484

Int[((a\_) + (b\_.)\*tan[(c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := Simp[(a\*x)/(a^2 + b^2), x] + Dist[b/(a^2 + b^2), Int[(b - a\*Tan[c + d\*x])/(a + b\*Tan[c + d\*x]), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 + b^2, 0]

#### Rule 3530

Int[((c\_) + (d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])/((a\_) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Simp[(c\*Log[RemoveContent[a\*Cos[e + f\*x] + b\*Sin[e + f\*x], x]])/(b\*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[a\*c + b\*d, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{x \csc^2(x)}{(a + b \cot(x))^2} dx &= \frac{x}{b(a + b \cot(x))} - \frac{\int \frac{1}{a + b \cot(x)} dx}{b} \\ &= -\frac{ax}{b(a^2 + b^2)} + \frac{x}{b(a + b \cot(x))} + \frac{\int \frac{-b + a \cot(x)}{a + b \cot(x)} dx}{a^2 + b^2} \\ &= -\frac{ax}{b(a^2 + b^2)} + \frac{x}{b(a + b \cot(x))} + \frac{\log(b \cos(x) + a \sin(x))}{a^2 + b^2} \end{aligned}$$

**Mathematica [A]** time = 0.182409, size = 48, normalized size = 0.96

$$\frac{b \log(a \sin(x) + b \cos(x)) - ax}{a^2 b + b^3} + \frac{x \sin(x)}{ab \sin(x) + b^2 \cos(x)}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*Csc[x]^2)/(a + b\*Cot[x])^2,x]

[Out]  $(-(a*x) + b*\text{Log}[b*\text{Cos}[x] + a*\text{Sin}[x]])/(a^2*b + b^3) + (x*\text{Sin}[x])/(b^2*\text{Cos}[x] + a*b*\text{Sin}[x])$

**Maple [C]** time = 0.147, size = 87, normalized size = 1.7

$$\frac{-2ix}{a^2 + b^2} - \frac{2ix}{(ibe^{2ix} + ae^{2ix} + ib - a)(ib + a)} + \frac{1}{a^2 + b^2} \ln\left(e^{2ix} + \frac{ib - a}{ib + a}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*csc(x)^2/(a+b\*cot(x))^2,x)

[Out]  $-2*I/(a^2+b^2)*x-2*I*x/(I*b*\exp(2*I*x)+a*\exp(2*I*x)+I*b-a)/(I*b+a)+1/(a^2+b^2)*\ln(\exp(2*I*x)+(I*b-a)/(I*b+a))$

**Maxima [B]** time = 1.05116, size = 338, normalized size = 6.76

$$\frac{8abx \cos(2x) + 4(a^2 - b^2)x \sin(2x) - ((a^2 + b^2) \cos(2x)^2 + 4ab \sin(2x) + (a^2 + b^2) \sin(2x)^2 + a^2 + b^2 - 2(a^2 - b^2) \cos(2x)) \log(((a^2 + b^2) \cos(2x)^2 + 4ab \sin(2x) + (a^2 + b^2) \sin(2x)^2 + a^2 + b^2 - 2(a^2 - b^2) \cos(2x)) / (a^2 + b^2))}{2(a^4 + 2a^2b^2 + b^4 + (a^4 + 2a^2b^2 + b^4) \cos(2x)^2 + (a^4 + 2a^2b^2 + b^4) \sin(2x)^2 - 2(a^4 - b^4) \cos(2x) + 4(a^3b + ab^3) \sin(2x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*csc(x)^2/(a+b\*cot(x))^2,x, algorithm="maxima")

[Out]  $-1/2*(8*a*b*x*\cos(2*x) + 4*(a^2 - b^2)*x*\sin(2*x) - ((a^2 + b^2)*\cos(2*x)^2 + 4*a*b*\sin(2*x) + (a^2 + b^2)*\sin(2*x)^2 + a^2 + b^2 - 2*(a^2 - b^2)*\cos(2*x))*\log(((a^2 + b^2)*\cos(2*x)^2 + 4*a*b*\sin(2*x) + (a^2 + b^2)*\sin(2*x)^2 + a^2 + b^2 - 2*(a^2 - b^2)*\cos(2*x))/(a^2 + b^2)) / (a^4 + 2*a^2*b^2 + b^4 + (a^4 + 2*a^2*b^2 + b^4)*\cos(2*x)^2 + (a^4 + 2*a^2*b^2 + b^4)*\sin(2*x)^2 - 2*(a^4 - b^4)*\cos(2*x) + 4*(a^3*b + a*b^3)*\sin(2*x))$

---

**Fricas [A]** time = 2.64612, size = 216, normalized size = 4.32

$$\frac{2ax \cos(x) - 2bx \sin(x) - (b \cos(x) + a \sin(x)) \log(2ab \cos(x) \sin(x) - (a^2 - b^2) \cos(x)^2 + a^2)}{2((a^2b + b^3) \cos(x) + (a^3 + ab^2) \sin(x))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*csc(x)^2/(a+b\*cot(x))^2,x, algorithm="fricas")

[Out] -1/2\*(2\*a\*x\*cos(x) - 2\*b\*x\*sin(x) - (b\*cos(x) + a\*sin(x))\*log(2\*a\*b\*cos(x)\*sin(x) - (a^2 - b^2)\*cos(x)^2 + a^2))/((a^2\*b + b^3)\*cos(x) + (a^3 + a\*b^2)\*sin(x))

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x \csc^2(x)}{(a + b \cot(x))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*csc(x)\*\*2/(a+b\*cot(x))\*\*2,x)

[Out] Integral(x\*csc(x)\*\*2/(a + b\*cot(x))\*\*2, x)

---

**Giac [B]** time = 1.30335, size = 435, normalized size = 8.7

$$\frac{2ax \tan\left(\frac{1}{2}x\right)^2 - b \log\left(\frac{4\left(b^2 \tan\left(\frac{1}{2}x\right)^4 - 4ab \tan\left(\frac{1}{2}x\right)^3 + 4a^2 \tan\left(\frac{1}{2}x\right)^2 - 2b^2 \tan\left(\frac{1}{2}x\right) + 4ab \tan\left(\frac{1}{2}x\right) + b^2\right)}{\tan\left(\frac{1}{2}x\right)^4 + 2 \tan\left(\frac{1}{2}x\right)^2 + 1}\right) \tan\left(\frac{1}{2}x\right)^2 + 4bx \tan\left(\frac{1}{2}x\right) + 2\left(a^2b \tan\left(\frac{1}{2}x\right)\right)^2}{2\left(a^2b \tan\left(\frac{1}{2}x\right)\right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*csc(x)^2/(a+b\*cot(x))^2,x, algorithm="giac")

[Out] -1/2\*(2\*a\*x\*tan(1/2\*x)^2 - b\*log(4\*(b^2\*tan(1/2\*x)^4 - 4\*a\*b\*tan(1/2\*x)^3 + 4\*a^2\*tan(1/2\*x)^2 - 2\*b^2\*tan(1/2\*x) + 4\*a\*b\*tan(1/2\*x) + b^2)/(tan(1/2\*x)^4 + 2\*tan(1/2\*x)^2 + 1))\*tan(1/2\*x)^2 + 4\*b\*x\*tan(1/2\*x) + 2\*a\*log(4\*(b^2\*tan(1/2\*x)^4 - 4\*a\*b\*tan(1/2\*x)^3 + 4\*a^2\*tan(1/2\*x)^2 - 2\*b^2\*tan(1/2\*x) + 4\*a\*b\*tan(1/2\*x) + b^2)/(tan(1/2\*x)^4 + 2\*tan(1/2\*x)^2 + 1))\*tan(1/2\*x) - 2\*a\*x + b\*log(4\*(b^2\*tan(1/2\*x)^4 - 4\*a\*b\*tan(1/2\*x)^3 + 4\*a^2\*tan(1/2\*x)^2 - 2\*b^2\*tan(1/2\*x) + 4\*a\*b\*tan(1/2\*x) + b^2)/(tan(1/2\*x)^4 + 2\*tan(1/2\*x)^2 + 1)))/(a^2\*b\*tan(1/2\*x)^2 + b^3\*tan(1/2\*x)^2 - 2\*a^3\*tan(1/2\*x) - 2\*a\*b^2\*tan(1/2\*x) - a^2\*b - b^3)

$$3.159 \quad \int \frac{\sec^2(c+dx)}{a+b \tan^2(c+dx)} dx$$

**Optimal.** Leaf size=32

$$\frac{\tan^{-1}\left(\frac{\sqrt{b} \tan(c+dx)}{\sqrt{a}}\right)}{\sqrt{a}\sqrt{bd}}$$

[Out] ArcTan[(Sqrt[b]\*Tan[c + d\*x])/Sqrt[a]]/(Sqrt[a]\*Sqrt[b]\*d)

**Rubi [A]** time = 0.0547793, antiderivative size = 32, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3675, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt{b} \tan(c+dx)}{\sqrt{a}}\right)}{\sqrt{a}\sqrt{bd}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^2/(a + b\*Tan[c + d\*x]^2),x]

[Out] ArcTan[(Sqrt[b]\*Tan[c + d\*x])/Sqrt[a]]/(Sqrt[a]\*Sqrt[b]\*d)

#### Rule 3675

Int[sec[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]))^(n\_)]^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/(c^(m - 1)\*f), Subst[Int[(c^2 + ff^2\*x^2)^(m/2 - 1)\*(a + b\*(ff\*x)^n)^p, x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rubi steps

$$\begin{aligned} \int \frac{\sec^2(c+dx)}{a+b \tan^2(c+dx)} dx &= \frac{\text{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tan(c+dx)\right)}{d} \\ &= \frac{\tan^{-1}\left(\frac{\sqrt{b} \tan(c+dx)}{\sqrt{a}}\right)}{\sqrt{a}\sqrt{bd}} \end{aligned}$$

**Mathematica [A]** time = 0.0965612, size = 32, normalized size = 1.

$$\frac{\tan^{-1}\left(\frac{\sqrt{b} \tan(c+dx)}{\sqrt{a}}\right)}{\sqrt{a}\sqrt{bd}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^2/(a + b\*Tan[c + d\*x]^2),x]

[Out] ArcTan[(Sqrt[b]\*Tan[c + d\*x])/Sqrt[a]]/(Sqrt[a]\*Sqrt[b]\*d)

**Maple [A]** time = 0.065, size = 24, normalized size = 0.8

$$\frac{1}{d} \arctan\left(\tan(dx+c)b\frac{1}{\sqrt{ab}}\right)\frac{1}{\sqrt{ab}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^2/(a+b\*tan(d\*x+c)^2),x)

[Out] 1/d/(a\*b)^(1/2)\*arctan(tan(d\*x+c)\*b/(a\*b)^(1/2))

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+b\*tan(d\*x+c)^2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.88463, size = 487, normalized size = 15.22

$$\left[ \frac{\sqrt{-ab} \log\left(\frac{(a^2+6ab+b^2)\cos(dx+c)^4-2(3ab+b^2)\cos(dx+c)^2+4((a+b)\cos(dx+c)^3-b\cos(dx+c))\sqrt{-ab}\sin(dx+c)+b^2}{(a^2-2ab+b^2)\cos(dx+c)^4+2(ab-b^2)\cos(dx+c)^2+b^2}\right)}{4abd}, -\frac{\sqrt{ab} \arctan\left(\frac{(a+b)\cos(dx+c)}{2ab\cos(dx+c)}\right)}{2abd} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+b\*tan(d\*x+c)^2),x, algorithm="fricas")

[Out] [-1/4\*sqrt(-a\*b)\*log(((a^2 + 6\*a\*b + b^2)\*cos(d\*x + c)^4 - 2\*(3\*a\*b + b^2)\*cos(d\*x + c)^2 + 4\*((a + b)\*cos(d\*x + c)^3 - b\*cos(d\*x + c))\*sqrt(-a\*b)\*sin(d\*x + c) + b^2)/((a^2 - 2\*a\*b + b^2)\*cos(d\*x + c)^4 + 2\*(a\*b - b^2)\*cos(d\*x + c)^2 + b^2))/(a\*b\*d), -1/2\*sqrt(a\*b)\*arctan(1/2\*((a + b)\*cos(d\*x + c)^2 - b)\*sqrt(a\*b)/(a\*b\*cos(d\*x + c)\*sin(d\*x + c)))/(a\*b\*d)]

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec^2(c + dx)}{a + b \tan^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*2/(a+b\*tan(d\*x+c)\*\*2),x)

[Out] Integral(sec(c + d\*x)\*\*2/(a + b\*tan(c + d\*x)\*\*2), x)

**Giac [A]** time = 1.4661, size = 54, normalized size = 1.69

$$\frac{\pi \left\lfloor \frac{dx+c}{\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(b) + \arctan\left(\frac{b \tan(dx+c)}{\sqrt{ab}}\right)}{\sqrt{abd}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+b\*tan(d\*x+c)^2),x, algorithm="giac")

[Out] (pi\*floor((d\*x + c)/pi + 1/2)\*sgn(b) + arctan(b\*tan(d\*x + c)/sqrt(a\*b)))/(sqrt(a\*b)\*d)

$$3.160 \quad \int \frac{x \sec^2(c+dx)}{a+b \tan^2(c+dx)} dx$$

**Optimal.** Leaf size=211

$$\frac{\text{PolyLog}\left(2, -\frac{(a-b)e^{2i(c+dx)}}{(\sqrt{a}-\sqrt{b})^2}\right)}{4\sqrt{a}\sqrt{bd^2}} + \frac{\text{PolyLog}\left(2, -\frac{(a-b)e^{2i(c+dx)}}{(\sqrt{a}+\sqrt{b})^2}\right)}{4\sqrt{a}\sqrt{bd^2}} - \frac{ix \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{(\sqrt{a}-\sqrt{b})^2}\right)}{2\sqrt{a}\sqrt{bd}} + \frac{ix \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{(\sqrt{a}+\sqrt{b})^2}\right)}{2\sqrt{a}\sqrt{bd}}$$

[Out]  $((-I/2)*x*\text{Log}[1 + ((a - b)*E^{((2*I)*(c + d*x))})/(\text{Sqrt}[a] - \text{Sqrt}[b])^2])/(\text{Sqrt}[a]*\text{Sqrt}[b]*d) + ((I/2)*x*\text{Log}[1 + ((a - b)*E^{((2*I)*(c + d*x))})/(\text{Sqrt}[a] + \text{Sqrt}[b])^2])/(\text{Sqrt}[a]*\text{Sqrt}[b]*d) - \text{PolyLog}[2, -(((a - b)*E^{((2*I)*(c + d*x))})/(\text{Sqrt}[a] - \text{Sqrt}[b])^2)]/(4*\text{Sqrt}[a]*\text{Sqrt}[b]*d^2) + \text{PolyLog}[2, -(((a - b)*E^{((2*I)*(c + d*x))})/(\text{Sqrt}[a] + \text{Sqrt}[b])^2)]/(4*\text{Sqrt}[a]*\text{Sqrt}[b]*d^2)$

**Rubi [A]** time = 0.528379, antiderivative size = 211, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {4588, 3321, 2264, 2190, 2279, 2391}

$$\frac{\text{PolyLog}\left(2, -\frac{(a-b)e^{2i(c+dx)}}{(\sqrt{a}-\sqrt{b})^2}\right)}{4\sqrt{a}\sqrt{bd^2}} + \frac{\text{PolyLog}\left(2, -\frac{(a-b)e^{2i(c+dx)}}{(\sqrt{a}+\sqrt{b})^2}\right)}{4\sqrt{a}\sqrt{bd^2}} - \frac{ix \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{(\sqrt{a}-\sqrt{b})^2}\right)}{2\sqrt{a}\sqrt{bd}} + \frac{ix \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{(\sqrt{a}+\sqrt{b})^2}\right)}{2\sqrt{a}\sqrt{bd}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x*\text{Sec}[c + d*x]^2)/(a + b*\text{Tan}[c + d*x]^2), x]$

[Out]  $((-I/2)*x*\text{Log}[1 + ((a - b)*E^{((2*I)*(c + d*x))})/(\text{Sqrt}[a] - \text{Sqrt}[b])^2])/(\text{Sqrt}[a]*\text{Sqrt}[b]*d) + ((I/2)*x*\text{Log}[1 + ((a - b)*E^{((2*I)*(c + d*x))})/(\text{Sqrt}[a] + \text{Sqrt}[b])^2])/(\text{Sqrt}[a]*\text{Sqrt}[b]*d) - \text{PolyLog}[2, -(((a - b)*E^{((2*I)*(c + d*x))})/(\text{Sqrt}[a] - \text{Sqrt}[b])^2)]/(4*\text{Sqrt}[a]*\text{Sqrt}[b]*d^2) + \text{PolyLog}[2, -(((a - b)*E^{((2*I)*(c + d*x))})/(\text{Sqrt}[a] + \text{Sqrt}[b])^2)]/(4*\text{Sqrt}[a]*\text{Sqrt}[b]*d^2)$

#### Rule 4588

$\text{Int}[(\text{f}_.) + (\text{g}_.)*(x_)^{\text{m}_.}*\text{Sec}[(\text{d}_.) + (\text{e}_.)*(x_)^2]/((\text{b}_.) + (\text{c}_.)*\text{Tan}[(\text{d}_.) + (\text{e}_.)*(x_)^2]), x\_Symbol] \rightarrow \text{Dist}[2, \text{Int}[(\text{f} + \text{g}*x)^m/(b + c + (b - c)*\text{Cos}[2*d + 2*e*x]), x], x] /;$  FreeQ[{b, c, d, e, f, g}, x] && IGtQ[m, 0]

#### Rule 3321

$\text{Int}[(\text{c}_.) + (\text{d}_.)*(x_)^{\text{m}_.}]/((\text{a}_.) + (\text{b}_.)*\sin[(\text{e}_.) + \text{Pi}*(\text{k}_.) + (\text{f}_.)*(x_)]), x\_Symbol] \rightarrow \text{Dist}[2, \text{Int}[(\text{c} + \text{d}*x)^m*\text{E}^{(I*\text{Pi}*(k - 1/2))*\text{E}^{(I*(e + f*x))}}/(b + 2*a*\text{E}^{(I*\text{Pi}*(k - 1/2))*\text{E}^{(I*(e + f*x))}} - b*\text{E}^{(2*I*k*\text{Pi})*\text{E}^{(2*I*(e + f*x))}}), x], x] /;$  FreeQ[{a, b, c, d, e, f}, x] && IntegerQ[2\*k] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

#### Rule 2264

$\text{Int}[(\text{F}_.)^{\text{u}_.}*((\text{f}_.) + (\text{g}_.)*(x_)^{\text{m}_.})/((\text{a}_.) + (\text{b}_.)*(\text{F}_.)^{\text{u}_.} + (\text{c}_.)*(\text{F}_.)^{\text{v}_.})], x\_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[(2*c)/q, \text{Int}[(\text{f} + \text{g}*x)^m*\text{F}^u/(b - q + 2*c*\text{F}^u), x], x] - \text{Dist}[(2*c)/q, \text{Int}[(\text{f} + \text{g}*x)^m*\text{F}^u/(b + q + 2*c*\text{F}^u), x], x]] /;$  FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2\*u] && LinearQ[u, x] && NeQ[b^2 - 4\*a\*c, 0] && IGtQ[m, 0]



Rule 2190

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)*((c_) + (d_)*(x_))^(m_))/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^(n_))], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)
))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned} \int \frac{x \sec^2(c + dx)}{a + b \tan^2(c + dx)} dx &= 2 \int \frac{x}{a + b + (a - b) \cos(2c + 2dx)} dx \\ &= 4 \int \frac{e^{i(2c+2dx)} x}{a - b + 2(a + b)e^{i(2c+2dx)} + (a - b)e^{2i(2c+2dx)}} dx \\ &= \frac{(2(a - b)) \int \frac{e^{i(2c+2dx)} x}{-4\sqrt{a}\sqrt{b} + 2(a+b) + 2(a-b)e^{i(2c+2dx)}} dx}{\sqrt{a}\sqrt{b}} - \frac{(2(a - b)) \int \frac{e^{i(2c+2dx)} x}{4\sqrt{a}\sqrt{b} + 2(a+b) + 2(a-b)e^{i(2c+2dx)}} dx}{\sqrt{a}\sqrt{b}} \\ &= -\frac{ix \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{(\sqrt{a}-\sqrt{b})^2}\right)}{2\sqrt{a}\sqrt{bd}} + \frac{ix \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{(\sqrt{a}+\sqrt{b})^2}\right)}{2\sqrt{a}\sqrt{bd}} + \frac{i \int \log\left(1 + \frac{2(a-b)e^{i(2c+2dx)}}{-4\sqrt{a}\sqrt{b} + 2(a+b)}\right) dx}{2\sqrt{a}\sqrt{bd}} - \frac{i \int \log\left(1 + \frac{2(a-b)e^{i(2c+2dx)}}{4\sqrt{a}\sqrt{b} + 2(a+b)}\right) dx}{2\sqrt{a}\sqrt{bd}} \\ &= -\frac{ix \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{(\sqrt{a}-\sqrt{b})^2}\right)}{2\sqrt{a}\sqrt{bd}} + \frac{ix \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{(\sqrt{a}+\sqrt{b})^2}\right)}{2\sqrt{a}\sqrt{bd}} + \frac{\text{Subst}\left(\int \frac{\log\left(1 + \frac{2(a-b)x}{-4\sqrt{a}\sqrt{b} + 2(a+b)}\right)}{x} dx, x, e^{i(2c+2dx)}\right)}{4\sqrt{a}\sqrt{bd}^2} \\ &= -\frac{ix \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{(\sqrt{a}-\sqrt{b})^2}\right)}{2\sqrt{a}\sqrt{bd}} + \frac{ix \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{(\sqrt{a}+\sqrt{b})^2}\right)}{2\sqrt{a}\sqrt{bd}} - \frac{\text{Li}_2\left(-\frac{(a-b)e^{2i(c+dx)}}{(\sqrt{a}-\sqrt{b})^2}\right)}{4\sqrt{a}\sqrt{bd}^2} + \frac{\text{Li}_2\left(-\frac{(a-b)e^{2i(c+dx)}}{(\sqrt{a}+\sqrt{b})^2}\right)}{4\sqrt{a}\sqrt{bd}^2} \end{aligned}$$

**Mathematica [B]** time = 6.53475, size = 512, normalized size = 2.43

$$x \left( -\sqrt{a} \text{PolyLog}\left(2, \frac{\sqrt{b}(1-i \tan(c+dx))}{\sqrt{b+i\sqrt{-a}}}\right) - \sqrt{a} \text{PolyLog}\left(2, \frac{\sqrt{b}(1+i \tan(c+dx))}{\sqrt{b+i\sqrt{-a}}}\right) + \sqrt{a} \text{PolyLog}\left(2, -\frac{\sqrt{b}(\tan(c+dx)-i)}{\sqrt{-a+i\sqrt{b}}}\right) + \sqrt{a} \text{PolyLog}\left(2, -\frac{\sqrt{b}(\tan(c+dx)+i)}{\sqrt{-a+i\sqrt{b}}}\right) \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(x*Sec[c + d*x]^2)/(a + b*Tan[c + d*x]^2), x]
```

```
[Out] (x*((4*I)*Sqrt[-a]*c*ArcTan[(Sqrt[b]*Tan[c + d*x])/Sqrt[a]] - Sqrt[a]*Log[1
+ I*Tan[c + d*x]]*Log[(Sqrt[-a] - Sqrt[b]*Tan[c + d*x])/(Sqrt[-a] - I*Sqrt
[b])]) + Sqrt[a]*Log[1 - I*Tan[c + d*x]]*Log[(Sqrt[-a] - Sqrt[b]*Tan[c + d*x
])/(Sqrt[-a] + I*Sqrt[b])] - Sqrt[a]*Log[1 - I*Tan[c + d*x]]*Log[(Sqrt[-a]
+ Sqrt[b]*Tan[c + d*x])/(Sqrt[-a] - I*Sqrt[b])] + Sqrt[a]*Log[1 + I*Tan[c +
```

$$d*x]]*Log[(Sqrt[-a] + Sqrt[b]*Tan[c + d*x])/(Sqrt[-a] + I*Sqrt[b])] - Sqrt[a]*PolyLog[2, (Sqrt[b]*(1 - I*Tan[c + d*x]))/(I*Sqrt[-a] + Sqrt[b])] - Sqrt[a]*PolyLog[2, (Sqrt[b]*(1 + I*Tan[c + d*x]))/(I*Sqrt[-a] + Sqrt[b])] + Sqrt[a]*PolyLog[2, -((Sqrt[b]*(-I + Tan[c + d*x]))/(Sqrt[-a] + I*Sqrt[b]))] + Sqrt[a]*PolyLog[2, (Sqrt[b]*(I + Tan[c + d*x]))/(Sqrt[-a] + I*Sqrt[b])])]/(2*Sqrt[-a^2]*Sqrt[b]*d*((2*I)*c + Log[1 - I*Tan[c + d*x]] - Log[1 + I*Tan[c + d*x]]))$$

**Maple [B]** time = 0.157, size = 1003, normalized size = 4.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*sec(d\*x+c)^2/(a+b\*tan(d\*x+c)^2),x)

[Out] 
$$-1/2/d^2/(a*b)^{(1/2)}*c^2-1/d^2/(-2*(a*b)^{(1/2)}-a-b)*c^2-1/2/d^2/(-2*(a*b)^{(1/2)}-a-b)*polylog(2, (a-b)*exp(2*I*(d*x+c)))/(-2*(a*b)^{(1/2)}-a-b)-1/4/d^2/(a*b)^{(1/2)}*polylog(2, (a-b)*exp(2*I*(d*x+c)))/(2*(a*b)^{(1/2)}-a-b)-1/d/(a*b)^{(1/2)}*c*x-2/d/(-2*(a*b)^{(1/2)}-a-b)*c*x-1/2/(a*b)^{(1/2)}/(-2*(a*b)^{(1/2)}-a-b)*a*x^2-1/2/(a*b)^{(1/2)}/(-2*(a*b)^{(1/2)}-a-b)*b*x^2-1/d/(a*b)^{(1/2)}/(-2*(a*b)^{(1/2)}-a-b)*a*c*x-1/d/(a*b)^{(1/2)}/(-2*(a*b)^{(1/2)}-a-b)*b*c*x-1/2*I/d/(a*b)^{(1/2)}/(-2*(a*b)^{(1/2)}-a-b)*ln(1-(a-b)*exp(2*I*(d*x+c)))/(-2*(a*b)^{(1/2)}-a-b)*a*x-1/2*I/d/(a*b)^{(1/2)}/(-2*(a*b)^{(1/2)}-a-b)*ln(1-(a-b)*exp(2*I*(d*x+c)))/(-2*(a*b)^{(1/2)}-a-b)*b*x-1/2*I/d^2/(a*b)^{(1/2)}/(-2*(a*b)^{(1/2)}-a-b)*ln(1-(a-b)*exp(2*I*(d*x+c)))/(-2*(a*b)^{(1/2)}-a-b)*a*c-1/2*I/d^2/(a*b)^{(1/2)}/(-2*(a*b)^{(1/2)}-a-b)*ln(1-(a-b)*exp(2*I*(d*x+c)))/(-2*(a*b)^{(1/2)}-a-b)*b*c-1/2/(a*b)^{(1/2)}*x^2-1/(-2*(a*b)^{(1/2)}-a-b)*x^2-1/2*I/d^2/(a*b)^{(1/2)}*ln(1-(a-b)*exp(2*I*(d*x+c)))/(2*(a*b)^{(1/2)}-a-b)*c-I/d^2/(-2*(a*b)^{(1/2)}-a-b)*ln(1-(a-b)*exp(2*I*(d*x+c)))/(2*(a*b)^{(1/2)}-a-b)*x-I/d/(-2*(a*b)^{(1/2)}-a-b)*ln(1-(a-b)*exp(2*I*(d*x+c)))/(-2*(a*b)^{(1/2)}-a-b)*x-1/2/d^2/(a*b)^{(1/2)}/(-2*(a*b)^{(1/2)}-a-b)*a*c^2-1/2/d^2/(a*b)^{(1/2)}/(-2*(a*b)^{(1/2)}-a-b)*b*c^2-1/4/d^2/(a*b)^{(1/2)}/(-2*(a*b)^{(1/2)}-a-b)*polylog(2, (a-b)*exp(2*I*(d*x+c)))/(-2*(a*b)^{(1/2)}-a-b)*a-1/4/d^2/(a*b)^{(1/2)}/(-2*(a*b)^{(1/2)}-a-b)*polylog(2, (a-b)*exp(2*I*(d*x+c)))/(-2*(a*b)^{(1/2)}-a-b)*b$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sec(d\*x+c)^2/(a+b\*tan(d\*x+c)^2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 7.23159, size = 8015, normalized size = 37.99

result too large to display

Verification of antiderivative is not currently implemented for this CAS.



```
(I*a - I*b)*sin(d*x + c))*sqrt(a*b/(a^2 - 2*a*b + b^2)))*sqrt(-(2*(a - b)*
sqrt(a*b/(a^2 - 2*a*b + b^2)) + a + b)/(a - b)) - 2*a + 2*b)/(a - b)) + 4*(
I*(a - b)*d*x + I*(a - b)*c)*sqrt(a*b/(a^2 - 2*a*b + b^2))*log(1/2*((2*(a +
b)*cos(d*x + c) - (-2*I*a - 2*I*b)*sin(d*x + c) - 4*((a - b)*cos(d*x + c)
+ (I*a - I*b)*sin(d*x + c))*sqrt(a*b/(a^2 - 2*a*b + b^2)))*sqrt(-(2*(a - b)
*sqrt(a*b/(a^2 - 2*a*b + b^2)) + a + b)/(a - b)) + 2*a - 2*b)/(a - b)) + 4*
(-I*(a - b)*d*x - I*(a - b)*c)*sqrt(a*b/(a^2 - 2*a*b + b^2))*log(-1/2*((2*(
a + b)*cos(d*x + c) + (2*I*a + 2*I*b)*sin(d*x + c) + 4*((a - b)*cos(d*x + c)
) + (I*a - I*b)*sin(d*x + c))*sqrt(a*b/(a^2 - 2*a*b + b^2)))*sqrt((2*(a - b)
)*sqrt(a*b/(a^2 - 2*a*b + b^2)) - a - b)/(a - b)) - 2*a + 2*b)/(a - b)) + 4*
(I*(a - b)*d*x + I*(a - b)*c)*sqrt(a*b/(a^2 - 2*a*b + b^2))*log(1/2*((2*(a
+ b)*cos(d*x + c) - (2*I*a + 2*I*b)*sin(d*x + c) + 4*((a - b)*cos(d*x + c)
- (I*a - I*b)*sin(d*x + c))*sqrt(a*b/(a^2 - 2*a*b + b^2)))*sqrt((2*(a - b)
*sqrt(a*b/(a^2 - 2*a*b + b^2)) - a - b)/(a - b)) + 2*a - 2*b)/(a - b)) + 4*
(I*(a - b)*d*x + I*(a - b)*c)*sqrt(a*b/(a^2 - 2*a*b + b^2))*log(-1/2*((2*(a
+ b)*cos(d*x + c) + (-2*I*a - 2*I*b)*sin(d*x + c) + 4*((a - b)*cos(d*x + c)
) + (-I*a + I*b)*sin(d*x + c))*sqrt(a*b/(a^2 - 2*a*b + b^2)))*sqrt((2*(a -
b)*sqrt(a*b/(a^2 - 2*a*b + b^2)) - a - b)/(a - b)) - 2*a + 2*b)/(a - b)) +
4*(-I*(a - b)*d*x - I*(a - b)*c)*sqrt(a*b/(a^2 - 2*a*b + b^2))*log(1/2*((2*(
a + b)*cos(d*x + c) - (-2*I*a - 2*I*b)*sin(d*x + c) + 4*((a - b)*cos(d*x +
c) - (-I*a + I*b)*sin(d*x + c))*sqrt(a*b/(a^2 - 2*a*b + b^2)))*sqrt((2*(a
- b)*sqrt(a*b/(a^2 - 2*a*b + b^2)) - a - b)/(a - b)) + 2*a - 2*b)/(a - b)))
/(a*b*d^2)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x \sec^2(c + dx)}{a + b \tan^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sec(d\*x+c)\*\*2/(a+b\*tan(d\*x+c)\*\*2),x)

[Out] Integral(x\*sec(c + d\*x)\*\*2/(a + b\*tan(c + d\*x)\*\*2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x \sec(dx + c)^2}{b \tan(dx + c)^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sec(d\*x+c)^2/(a+b\*tan(d\*x+c)^2),x, algorithm="giac")

[Out] integrate(x\*sec(d\*x + c)^2/(b\*tan(d\*x + c)^2 + a), x)

$$3.161 \quad \int \frac{x^2 \sec^2(c+dx)}{a+b \tan^2(c+dx)} dx$$

**Optimal.** Leaf size=337

$$-\frac{x \operatorname{PolyLog}\left(2, -\frac{(a-b)e^{2i(c+dx)}}{(\sqrt{a}-\sqrt{b})^2}\right)}{2\sqrt{a}\sqrt{bd^2}} + \frac{x \operatorname{PolyLog}\left(2, -\frac{(a-b)e^{2i(c+dx)}}{(\sqrt{a}+\sqrt{b})^2}\right)}{2\sqrt{a}\sqrt{bd^2}} + \frac{i \operatorname{PolyLog}\left(3, -\frac{(\sqrt{a}-\sqrt{b})e^{2i(c+dx)}}{\sqrt{a}+\sqrt{b}}\right)}{4\sqrt{a}\sqrt{bd^3}} - \frac{i \operatorname{PolyLog}\left(3, -\frac{(\sqrt{a}+\sqrt{b})e^{2i(c+dx)}}{\sqrt{a}-\sqrt{b}}\right)}{4\sqrt{a}\sqrt{bd^3}}$$

```
[Out] ((-I/2)*x^2*Log[1 + ((a - b)*E^((2*I)*(c + d*x)))/(Sqrt[a] - Sqrt[b])^2])/(Sqrt[a]*Sqrt[b]*d) + ((I/2)*x^2*Log[1 + ((a - b)*E^((2*I)*(c + d*x)))/(Sqrt[a] + Sqrt[b])^2])/(Sqrt[a]*Sqrt[b]*d) - (x*PolyLog[2, -((a - b)*E^((2*I)*(c + d*x)))/(Sqrt[a] - Sqrt[b])^2])/(2*Sqrt[a]*Sqrt[b]*d^2) + (x*PolyLog[2, -((a - b)*E^((2*I)*(c + d*x)))/(Sqrt[a] + Sqrt[b])^2])/(2*Sqrt[a]*Sqrt[b]*d^2) + ((I/4)*PolyLog[3, -(((Sqrt[a] - Sqrt[b])*E^((2*I)*(c + d*x)))/(Sqrt[a] + Sqrt[b]))])/(Sqrt[a]*Sqrt[b]*d^3) - ((I/4)*PolyLog[3, -(((Sqrt[a] + Sqrt[b])*E^((2*I)*(c + d*x)))/(Sqrt[a] - Sqrt[b]))])/(Sqrt[a]*Sqrt[b]*d^3)
```

**Rubi [A]** time = 0.900404, antiderivative size = 337, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 7, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.269$ , Rules used = {4588, 3321, 2264, 2190, 2531, 2282, 6589}

$$-\frac{x \operatorname{PolyLog}\left(2, -\frac{(a-b)e^{2i(c+dx)}}{(\sqrt{a}-\sqrt{b})^2}\right)}{2\sqrt{a}\sqrt{bd^2}} + \frac{x \operatorname{PolyLog}\left(2, -\frac{(a-b)e^{2i(c+dx)}}{(\sqrt{a}+\sqrt{b})^2}\right)}{2\sqrt{a}\sqrt{bd^2}} + \frac{i \operatorname{PolyLog}\left(3, -\frac{(\sqrt{a}-\sqrt{b})e^{2i(c+dx)}}{\sqrt{a}+\sqrt{b}}\right)}{4\sqrt{a}\sqrt{bd^3}} - \frac{i \operatorname{PolyLog}\left(3, -\frac{(\sqrt{a}+\sqrt{b})e^{2i(c+dx)}}{\sqrt{a}-\sqrt{b}}\right)}{4\sqrt{a}\sqrt{bd^3}}$$

Antiderivative was successfully verified.

```
[In] Int[(x^2*Sec[c + d*x]^2)/(a + b*Tan[c + d*x]^2), x]
```

```
[Out] ((-I/2)*x^2*Log[1 + ((a - b)*E^((2*I)*(c + d*x)))/(Sqrt[a] - Sqrt[b])^2])/(Sqrt[a]*Sqrt[b]*d) + ((I/2)*x^2*Log[1 + ((a - b)*E^((2*I)*(c + d*x)))/(Sqrt[a] + Sqrt[b])^2])/(Sqrt[a]*Sqrt[b]*d) - (x*PolyLog[2, -((a - b)*E^((2*I)*(c + d*x)))/(Sqrt[a] - Sqrt[b])^2])/(2*Sqrt[a]*Sqrt[b]*d^2) + (x*PolyLog[2, -((a - b)*E^((2*I)*(c + d*x)))/(Sqrt[a] + Sqrt[b])^2])/(2*Sqrt[a]*Sqrt[b]*d^2) + ((I/4)*PolyLog[3, -(((Sqrt[a] - Sqrt[b])*E^((2*I)*(c + d*x)))/(Sqrt[a] + Sqrt[b]))])/(Sqrt[a]*Sqrt[b]*d^3) - ((I/4)*PolyLog[3, -(((Sqrt[a] + Sqrt[b])*E^((2*I)*(c + d*x)))/(Sqrt[a] - Sqrt[b]))])/(Sqrt[a]*Sqrt[b]*d^3)
```

#### Rule 4588

```
Int[(((f_.) + (g_.)*(x_))^(m_.)*Sec[(d_.) + (e_.)*(x_)]^2)/((b_.) + (c_.)*Tan[(d_.) + (e_.)*(x_)]^2), x_Symbol] := Dist[2, Int[(f + g*x)^m/(b + c + (b - c)*Cos[2*d + 2*e*x]), x], x] /; FreeQ[{b, c, d, e, f, g}, x] && IGtQ[m, 0]
```

#### Rule 3321

```
Int[(((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)]), x_Symbol] := Dist[2, Int[((c + d*x)^m*E^(I*Pi*(k - 1/2))*E^(I*(e + f*x)))/(b + 2*a*E^(I*Pi*(k - 1/2))*E^(I*(e + f*x)) - b*E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IntegerQ[2*k] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

#### Rule 2264

```
Int[((F_)^(u_)*((f_.) + (g_.)*(x_))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)
*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[
((f + g*x)^m*F^u)/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[((f + g*x)^
m*F^u)/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v,
2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

### Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

### Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

### Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^2 \sec^2(c+dx)}{a+b \tan^2(c+dx)} dx &= 2 \int \frac{x^2}{a+b+(a-b)\cos(2c+2dx)} dx \\
&= 4 \int \frac{e^{i(2c+2dx)} x^2}{a-b+2(a+b)e^{i(2c+2dx)}+(a-b)e^{2i(2c+2dx)}} dx \\
&= \frac{(2(a-b)) \int \frac{e^{i(2c+2dx)} x^2}{-4\sqrt{a}\sqrt{b}+2(a+b)+2(a-b)e^{i(2c+2dx)}} dx}{\sqrt{a}\sqrt{b}} - \frac{(2(a-b)) \int \frac{e^{i(2c+2dx)} x^2}{4\sqrt{a}\sqrt{b}+2(a+b)+2(a-b)e^{i(2c+2dx)}} dx}{\sqrt{a}\sqrt{b}} \\
&= -\frac{ix^2 \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{(\sqrt{a}-\sqrt{b})^2}\right)}{2\sqrt{a}\sqrt{bd}} + \frac{ix^2 \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{(\sqrt{a}+\sqrt{b})^2}\right)}{2\sqrt{a}\sqrt{bd}} + \frac{i \int x \log\left(1 + \frac{2(a-b)e^{i(2c+2dx)}}{-4\sqrt{a}\sqrt{b}+2(a+b)}\right) dx}{\sqrt{a}\sqrt{bd}} \\
&= -\frac{ix^2 \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{(\sqrt{a}-\sqrt{b})^2}\right)}{2\sqrt{a}\sqrt{bd}} + \frac{ix^2 \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{(\sqrt{a}+\sqrt{b})^2}\right)}{2\sqrt{a}\sqrt{bd}} - \frac{x \operatorname{Li}_2\left(-\frac{(a-b)e^{2i(c+dx)}}{(\sqrt{a}-\sqrt{b})^2}\right)}{2\sqrt{a}\sqrt{bd}^2} + \frac{x \operatorname{Li}_2\left(-\frac{(a-b)e^{2i(c+dx)}}{(\sqrt{a}+\sqrt{b})^2}\right)}{2\sqrt{a}\sqrt{bd}^2} \\
&= -\frac{ix^2 \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{(\sqrt{a}-\sqrt{b})^2}\right)}{2\sqrt{a}\sqrt{bd}} + \frac{ix^2 \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{(\sqrt{a}+\sqrt{b})^2}\right)}{2\sqrt{a}\sqrt{bd}} - \frac{x \operatorname{Li}_2\left(-\frac{(a-b)e^{2i(c+dx)}}{(\sqrt{a}-\sqrt{b})^2}\right)}{2\sqrt{a}\sqrt{bd}^2} + \frac{x \operatorname{Li}_2\left(-\frac{(a-b)e^{2i(c+dx)}}{(\sqrt{a}+\sqrt{b})^2}\right)}{2\sqrt{a}\sqrt{bd}^2} \\
&= -\frac{ix^2 \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{(\sqrt{a}-\sqrt{b})^2}\right)}{2\sqrt{a}\sqrt{bd}} + \frac{ix^2 \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{(\sqrt{a}+\sqrt{b})^2}\right)}{2\sqrt{a}\sqrt{bd}} - \frac{x \operatorname{Li}_2\left(-\frac{(a-b)e^{2i(c+dx)}}{(\sqrt{a}-\sqrt{b})^2}\right)}{2\sqrt{a}\sqrt{bd}^2} + \frac{x \operatorname{Li}_2\left(-\frac{(a-b)e^{2i(c+dx)}}{(\sqrt{a}+\sqrt{b})^2}\right)}{2\sqrt{a}\sqrt{bd}^2}
\end{aligned}$$

**Mathematica [A]** time = 1.0536, size = 294, normalized size = 0.87

$$\frac{i \left( -2 \operatorname{id}x \operatorname{PolyLog} \left( 2, \frac{(\sqrt{b}-\sqrt{a})e^{2i(c+dx)}}{\sqrt{a}+\sqrt{b}} \right) + 2 \operatorname{id}x \operatorname{PolyLog} \left( 2, -\frac{(\sqrt{a}+\sqrt{b})e^{2i(c+dx)}}{\sqrt{a}-\sqrt{b}} \right) + \operatorname{PolyLog} \left( 3, \frac{(\sqrt{b}-\sqrt{a})e^{2i(c+dx)}}{\sqrt{a}+\sqrt{b}} \right) - \operatorname{PolyLog} \left( 3, -\frac{(\sqrt{a}+\sqrt{b})e^{2i(c+dx)}}{\sqrt{a}-\sqrt{b}} \right) \right)}{4\sqrt{a}\sqrt{bd}^3}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*Sec[c + d\*x]^2)/(a + b\*Tan[c + d\*x]^2), x]

[Out] ((I/4)\*(2\*d^2\*x^2\*Log[1 + ((Sqrt[a] - Sqrt[b])\*E^((2\*I)\*(c + d\*x)))/(Sqrt[a] + Sqrt[b])]) - 2\*d^2\*x^2\*Log[1 + ((Sqrt[a] + Sqrt[b])\*E^((2\*I)\*(c + d\*x)))/(Sqrt[a] - Sqrt[b])]) - (2\*I)\*d\*x\*PolyLog[2, ((-Sqrt[a] + Sqrt[b])\*E^((2\*I)\*(c + d\*x)))/(Sqrt[a] + Sqrt[b])] + (2\*I)\*d\*x\*PolyLog[2, -(((Sqrt[a] + Sqrt[b])\*E^((2\*I)\*(c + d\*x)))/(Sqrt[a] - Sqrt[b]))] + PolyLog[3, ((-Sqrt[a] + Sqrt[b])\*E^((2\*I)\*(c + d\*x)))/(Sqrt[a] + Sqrt[b])] - PolyLog[3, -(((Sqrt[a] + Sqrt[b])\*E^((2\*I)\*(c + d\*x)))/(Sqrt[a] - Sqrt[b]))])/(Sqrt[a]\*Sqrt[b]\*d^3)

**Maple [B]** time = 0.144, size = 1251, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*sec(d\*x+c)^2/(a+b\*tan(d\*x+c)^2), x)

[Out] 1/d^2/(a\*b)^(1/2)/(-2\*(a\*b)^(1/2)-a-b)\*b\*c^2\*x-1/2/d^2/(a\*b)^(1/2)/(-2\*(a\*b)^(1/2)-a-b)\*a\*polylog(2, (a-b)\*exp(2\*I\*(d\*x+c))/(-2\*(a\*b)^(1/2)-a-b))\*x-1/2

$$\begin{aligned} & /d^2/(a*b)^{(1/2)}/(-2*(a*b)^{(1/2)}-a-b)*b*\text{polylog}(2,(a-b)*\exp(2*I*(d*x+c)))/(- \\ & 2*(a*b)^{(1/2)}-a-b))*x+1/d^2/(a*b)^{(1/2)}/(-2*(a*b)^{(1/2)}-a-b)*a*c^2*x-1/4*I/ \\ & d^3/(a*b)^{(1/2)}/(-2*(a*b)^{(1/2)}-a-b)*a*\text{polylog}(3,(a-b)*\exp(2*I*(d*x+c)))/(-2 \\ & *(a*b)^{(1/2)}-a-b))-1/4*I/d^3/(a*b)^{(1/2)}/(-2*(a*b)^{(1/2)}-a-b)*b*\text{polylog}(3,( \\ & a-b)*\exp(2*I*(d*x+c)))/(-2*(a*b)^{(1/2)}-a-b))+2/3/d^3/(a*b)^{(1/2)}*c^3+4/3/d^3 \\ & /(-2*(a*b)^{(1/2)}-a-b)*c^3-1/2*I/d/(a*b)^{(1/2)}/(-2*(a*b)^{(1/2)}-a-b)*a*\ln(1-( \\ & a-b)*\exp(2*I*(d*x+c)))/(-2*(a*b)^{(1/2)}-a-b))*x^2-1/2*I/d/(a*b)^{(1/2)}/(-2*(a \\ & b)^{(1/2)}-a-b)*b*\ln(1-(a-b)*\exp(2*I*(d*x+c)))/(-2*(a*b)^{(1/2)}-a-b))*x^2+1/2*I \\ & /d^3*c^2/(a*b)^{(1/2)}/(-2*(a*b)^{(1/2)}-a-b)*\ln(1-(a-b)*\exp(2*I*(d*x+c)))/(-2*( \\ & a*b)^{(1/2)}-a-b))*a+1/2*I/d^3*c^2/(a*b)^{(1/2)}/(-2*(a*b)^{(1/2)}-a-b)*\ln(1-(a-b \\ & )*\exp(2*I*(d*x+c)))/(-2*(a*b)^{(1/2)}-a-b))*b-1/3/(a*b)^{(1/2)}*x^3-2/3/(-2*(a*b \\ & )^{(1/2)}-a-b)*x^3-I/d/(-2*(a*b)^{(1/2)}-a-b)*\ln(1-(a-b)*\exp(2*I*(d*x+c)))/(-2*( \\ & a*b)^{(1/2)}-a-b))*x^2-1/2*I/d/(a*b)^{(1/2)}*\ln(1-(a-b)*\exp(2*I*(d*x+c)))/(2*(a \\ & b)^{(1/2)}-a-b))*x^2+I/d^3/(-2*(a*b)^{(1/2)}-a-b)*\ln(1-(a-b)*\exp(2*I*(d*x+c)))/ \\ & (-2*(a*b)^{(1/2)}-a-b))*c^2+1/2*I/d^3/(a*b)^{(1/2)}*\ln(1-(a-b)*\exp(2*I*(d*x+c)))/ \\ & (2*(a*b)^{(1/2)}-a-b))*c^2+2/3/d^3/(a*b)^{(1/2)}/(-2*(a*b)^{(1/2)}-a-b)*a*c^3+2/3 \\ & /d^3/(a*b)^{(1/2)}/(-2*(a*b)^{(1/2)}-a-b)*b*c^3+I/d^3*c^2/(a*b)^{(1/2)}*\text{arctanh}(1 \\ & /4*(2*(a-b)*\exp(2*I*(d*x+c))+2*a+2*b)/(a*b)^{(1/2)})-1/3/(a*b)^{(1/2)}/(-2*(a*b \\ & )^{(1/2)}-a-b)*a*x^3-1/3/(a*b)^{(1/2)}/(-2*(a*b)^{(1/2)}-a-b)*b*x^3+2/d^2/(-2*(a \\ & b)^{(1/2)}-a-b)*c^2*x-1/2/d^2/(a*b)^{(1/2)}*\text{polylog}(2,(a-b)*\exp(2*I*(d*x+c)))/(2 \\ & *(a*b)^{(1/2)}-a-b))*x-1/d^2/(-2*(a*b)^{(1/2)}-a-b)*\text{polylog}(2,(a-b)*\exp(2*I*(d \\ & x+c)))/(-2*(a*b)^{(1/2)}-a-b))*x+1/d^2/(a*b)^{(1/2)}*c^2*x-1/4*I/d^3/(a*b)^{(1/2)} \\ & *\text{polylog}(3,(a-b)*\exp(2*I*(d*x+c)))/(2*(a*b)^{(1/2)}-a-b))-1/2*I/d^3/(-2*(a*b)^{(1/2)} \\ & -a-b)*\text{polylog}(3,(a-b)*\exp(2*I*(d*x+c)))/(-2*(a*b)^{(1/2)}-a-b)) \end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*sec(d\*x+c)^2/(a+b\*tan(d\*x+c)^2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [C]** time = 7.12958, size = 11173, normalized size = 33.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*sec(d\*x+c)^2/(a+b\*tan(d\*x+c)^2),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & 1/16*(8*(a-b)*\sqrt{a*b/(a^2-2*a*b+b^2)}*d*x*\text{dilog}(1/2*((2*(a+b)*\cos \\ & (d*x+c)+(2*I*a+2*I*b)*\sin(d*x+c)-4*((a-b)*\cos(d*x+c)-(-I*a \\ & +I*b)*\sin(d*x+c))*\sqrt{a*b/(a^2-2*a*b+b^2)}))*\sqrt{-(2*(a-b)*\sqrt{a \\ & *b/(a^2-2*a*b+b^2)}+a+b)/(a-b))-2*a+2*b)/(a-b)+1)+8*(a \\ & -b)*\sqrt{a*b/(a^2-2*a*b+b^2)}*d*x*\text{dilog}(-1/2*((2*(a+b)*\cos(d*x+c) \\ & -(2*I*a+2*I*b)*\sin(d*x+c)-4*((a-b)*\cos(d*x+c)+(-I*a+I*b)*\sin \\ & (d*x+c))*\sqrt{a*b/(a^2-2*a*b+b^2)}))*\sqrt{-(2*(a-b)*\sqrt{a*b/(a^2- \\ & 2*a*b+b^2)}+a+b)/(a-b))+2*a-2*b)/(a-b)+1)+8*(a-b)*\sqrt{ \\ & a*b/(a^2-2*a*b+b^2)}*d*x*\text{dilog}(1/2*((2*(a+b)*\cos(d*x+c)+(-2*I*a- \\ & 2*I*b)*\sin(d*x+c)-4*((a-b)*\cos(d*x+c)-(I*a-I*b)*\sin(d*x+c))* \\ & \sqrt{a*b/(a^2-2*a*b+b^2)}))*\sqrt{-(2*(a-b)*\sqrt{a*b/(a^2-2*a*b+b^2)} \\ & )+a+b)/(a-b))-2*a+2*b)/(a-b)+1)+8*(a-b)*\sqrt{a*b/(a^2- \end{aligned}$$



$$\begin{aligned}
& 2*a*b + b^2))*d*x*dilog(-1/2*((2*(a + b)*cos(d*x + c) - (-2*I*a - 2*I*b)*sin(d*x + c) - 4*((a - b)*cos(d*x + c) + (I*a - I*b)*sin(d*x + c))*sqrt(a*b/(a^2 - 2*a*b + b^2)))*sqrt(-(2*(a - b)*sqrt(a*b/(a^2 - 2*a*b + b^2)) + a + b)/(a - b)) + 2*a - 2*b)/(a - b) + 1) - 8*(a - b)*sqrt(a*b/(a^2 - 2*a*b + b^2))*d*x*dilog(1/2*((2*(a + b)*cos(d*x + c) + (2*I*a + 2*I*b)*sin(d*x + c) + 4*((a - b)*cos(d*x + c) + (I*a - I*b)*sin(d*x + c))*sqrt(a*b/(a^2 - 2*a*b + b^2)))*sqrt((2*(a - b)*sqrt(a*b/(a^2 - 2*a*b + b^2)) - a - b)/(a - b)) - 2*a + 2*b)/(a - b) + 1) - 8*(a - b)*sqrt(a*b/(a^2 - 2*a*b + b^2))*d*x*dilog(-1/2*((2*(a + b)*cos(d*x + c) - (2*I*a + 2*I*b)*sin(d*x + c) + 4*((a - b)*cos(d*x + c) - (I*a - I*b)*sin(d*x + c))*sqrt(a*b/(a^2 - 2*a*b + b^2)))*sqrt((2*(a - b)*sqrt(a*b/(a^2 - 2*a*b + b^2)) - a - b)/(a - b)) + 2*a - 2*b)/(a - b) + 1) - 8*(a - b)*sqrt(a*b/(a^2 - 2*a*b + b^2))*d*x*dilog(1/2*((2*(a + b)*cos(d*x + c) + (-2*I*a - 2*I*b)*sin(d*x + c) + 4*((a - b)*cos(d*x + c) + (-I*a + I*b)*sin(d*x + c))*sqrt(a*b/(a^2 - 2*a*b + b^2)))*sqrt((2*(a - b)*sqrt(a*b/(a^2 - 2*a*b + b^2)) - a - b)/(a - b)) - 2*a + 2*b)/(a - b) + 1) - 8*(a - b)*sqrt(a*b/(a^2 - 2*a*b + b^2))*d*x*dilog(-1/2*((2*(a + b)*cos(d*x + c) - (-2*I*a - 2*I*b)*sin(d*x + c) + 4*((a - b)*cos(d*x + c) - (-I*a + I*b)*sin(d*x + c))*sqrt(a*b/(a^2 - 2*a*b + b^2)))*sqrt((2*(a - b)*sqrt(a*b/(a^2 - 2*a*b + b^2)) - a - b)/(a - b)) + 2*a - 2*b)/(a - b) + 1) + 4*I*(a - b)*sqrt(a*b/(a^2 - 2*a*b + b^2))*c^2*log(2*sqrt(-(2*(a - b)*sqrt(a*b/(a^2 - 2*a*b + b^2)) + a + b)/(a - b)) + 2*cos(d*x + c) + 2*I*sin(d*x + c)) - 4*I*(a - b)*sqrt(a*b/(a^2 - 2*a*b + b^2))*c^2*log(2*sqrt(-(2*(a - b)*sqrt(a*b/(a^2 - 2*a*b + b^2)) + a + b)/(a - b)) + 2*cos(d*x + c) - 2*I*sin(d*x + c)) - 4*I*(a - b)*sqrt(a*b/(a^2 - 2*a*b + b^2))*c^2*log(2*sqrt(-(2*(a - b)*sqrt(a*b/(a^2 - 2*a*b + b^2)) + a + b)/(a - b)) - 2*cos(d*x + c) + 2*I*sin(d*x + c)) + 4*I*(a - b)*sqrt(a*b/(a^2 - 2*a*b + b^2))*c^2*log(2*sqrt(-(2*(a - b)*sqrt(a*b/(a^2 - 2*a*b + b^2)) + a + b)/(a - b)) - 2*cos(d*x + c) - 2*I*sin(d*x + c)) - 4*I*(a - b)*sqrt(a*b/(a^2 - 2*a*b + b^2))*c^2*log(2*sqrt((2*(a - b)*sqrt(a*b/(a^2 - 2*a*b + b^2)) - a - b)/(a - b)) + 2*cos(d*x + c) + 2*I*sin(d*x + c)) + 4*I*(a - b)*sqrt(a*b/(a^2 - 2*a*b + b^2))*c^2*log(2*sqrt((2*(a - b)*sqrt(a*b/(a^2 - 2*a*b + b^2)) - a - b)/(a - b)) - 2*cos(d*x + c) + 2*I*sin(d*x + c)) - 4*I*(a - b)*sqrt(a*b/(a^2 - 2*a*b + b^2))*c^2*log(2*sqrt((2*(a - b)*sqrt(a*b/(a^2 - 2*a*b + b^2)) - a - b)/(a - b)) - 2*cos(d*x + c) - 2*I*sin(d*x + c)) + 4*(I*(a - b)*d^2*x^2 - I*(a - b)*c^2)*sqrt(a*b/(a^2 - 2*a*b + b^2))*log(-1/2*((2*(a + b)*cos(d*x + c) + (2*I*a + 2*I*b)*sin(d*x + c) - 4*((a - b)*cos(d*x + c) - (-I*a + I*b)*sin(d*x + c))*sqrt(a*b/(a^2 - 2*a*b + b^2)))*sqrt(-(2*(a - b)*sqrt(a*b/(a^2 - 2*a*b + b^2)) + a + b)/(a - b)) - 2*a + 2*b)/(a - b) + 4*(-I*(a - b)*d^2*x^2 + I*(a - b)*c^2)*sqrt(a*b/(a^2 - 2*a*b + b^2))*log(1/2*((2*(a + b)*cos(d*x + c) - (2*I*a + 2*I*b)*sin(d*x + c) - 4*((a - b)*cos(d*x + c) + (-I*a + I*b)*sin(d*x + c))*sqrt(a*b/(a^2 - 2*a*b + b^2)))*sqrt(-(2*(a - b)*sqrt(a*b/(a^2 - 2*a*b + b^2)) + a + b)/(a - b)) + 2*a - 2*b)/(a - b) + 4*(-I*(a - b)*d^2*x^2 + I*(a - b)*c^2)*sqrt(a*b/(a^2 - 2*a*b + b^2))*log(-1/2*((2*(a + b)*cos(d*x + c) + (-2*I*a - 2*I*b)*sin(d*x + c) - 4*((a - b)*cos(d*x + c) - (I*a - I*b)*sin(d*x + c))*sqrt(a*b/(a^2 - 2*a*b + b^2)))*sqrt(-(2*(a - b)*sqrt(a*b/(a^2 - 2*a*b + b^2)) + a + b)/(a - b)) - 2*a + 2*b)/(a - b) + 4*(I*(a - b)*d^2*x^2 - I*(a - b)*c^2)*sqrt(a*b/(a^2 - 2*a*b + b^2))*log(1/2*((2*(a + b)*cos(d*x + c) - (2*I*a + 2*I*b)*sin(d*x + c) + 4*((a - b)*cos(d*x + c) + (I*a - I*b)*sin(d*x + c))*sqrt(a*b/(a^2 - 2*a*b + b^2)))*sqrt((2*(a - b)*sqrt(a*b/(a^2 - 2*a*b + b^2)) - a - b)/(a - b)) - 2*a + 2*b)/(a - b) + 4*(I*(a - b)*d^2*x^2 - I*(a - b)*c^2)*sqrt(a*b/(a^2 - 2*a*b + b^2))*log(1/2*((2*(a + b)*cos(d*x + c) - (2*I*a + 2*I*b)*sin(d*x + c) + 4*((a - b)*cos(d*x + c) - (I*a - I*b)*sin(d*x + c))*sqrt(a*b/(a^2 - 2*a*b + b^2)))*sqrt((2
\end{aligned}$$

```

*(a - b)*sqrt(a*b/(a^2 - 2*a*b + b^2)) - a - b)/(a - b)) + 2*a - 2*b)/(a -
b)) + 4*(I*(a - b)*d^2*x^2 - I*(a - b)*c^2)*sqrt(a*b/(a^2 - 2*a*b + b^2))*l
og(-1/2*((2*(a + b)*cos(d*x + c) + (-2*I*a - 2*I*b)*sin(d*x + c) + 4*((a -
b)*cos(d*x + c) + (-I*a + I*b)*sin(d*x + c))*sqrt(a*b/(a^2 - 2*a*b + b^2)))
*sqrt((2*(a - b)*sqrt(a*b/(a^2 - 2*a*b + b^2)) - a - b)/(a - b)) - 2*a + 2*
b)/(a - b)) + 4*(-I*(a - b)*d^2*x^2 + I*(a - b)*c^2)*sqrt(a*b/(a^2 - 2*a*b
+ b^2))*log(1/2*((2*(a + b)*cos(d*x + c) - (-2*I*a - 2*I*b)*sin(d*x + c) +
4*((a - b)*cos(d*x + c) - (-I*a + I*b)*sin(d*x + c))*sqrt(a*b/(a^2 - 2*a*b
+ b^2))) *sqrt((2*(a - b)*sqrt(a*b/(a^2 - 2*a*b + b^2)) - a - b)/(a - b)) +
2*a - 2*b)/(a - b)) + 4*(2*I*a - 2*I*b)*sqrt(a*b/(a^2 - 2*a*b + b^2))*polyl
og(3, -1/2*(2*(a + b)*cos(d*x + c) + (2*I*a + 2*I*b)*sin(d*x + c) - 4*((a -
b)*cos(d*x + c) - (-I*a + I*b)*sin(d*x + c))*sqrt(a*b/(a^2 - 2*a*b + b^2))
)*sqrt(-(2*(a - b)*sqrt(a*b/(a^2 - 2*a*b + b^2)) + a + b)/(a - b))/(a - b))
+ 4*(-2*I*a + 2*I*b)*sqrt(a*b/(a^2 - 2*a*b + b^2))*polylog(3, 1/2*(2*(a +
b)*cos(d*x + c) - (2*I*a + 2*I*b)*sin(d*x + c) - 4*((a - b)*cos(d*x + c) +
(-I*a + I*b)*sin(d*x + c))*sqrt(a*b/(a^2 - 2*a*b + b^2))) *sqrt(-(2*(a - b)*
sqrt(a*b/(a^2 - 2*a*b + b^2)) + a + b)/(a - b))/(a - b)) + 4*(-2*I*a + 2*I*
b)*sqrt(a*b/(a^2 - 2*a*b + b^2))*polylog(3, -1/2*(2*(a + b)*cos(d*x + c) +
(-2*I*a - 2*I*b)*sin(d*x + c) - 4*((a - b)*cos(d*x + c) - (I*a - I*b)*sin(d
*x + c))*sqrt(a*b/(a^2 - 2*a*b + b^2))) *sqrt(-(2*(a - b)*sqrt(a*b/(a^2 - 2*
a*b + b^2)) + a + b)/(a - b))/(a - b)) + 4*(2*I*a - 2*I*b)*sqrt(a*b/(a^2 -
2*a*b + b^2))*polylog(3, 1/2*(2*(a + b)*cos(d*x + c) - (-2*I*a - 2*I*b)*sin
(d*x + c) - 4*((a - b)*cos(d*x + c) + (I*a - I*b)*sin(d*x + c))*sqrt(a*b/(a
^2 - 2*a*b + b^2))) *sqrt(-(2*(a - b)*sqrt(a*b/(a^2 - 2*a*b + b^2)) + a + b)
/(a - b))/(a - b)) + 4*(-2*I*a + 2*I*b)*sqrt(a*b/(a^2 - 2*a*b + b^2))*polyl
og(3, -1/2*(2*(a + b)*cos(d*x + c) + (2*I*a + 2*I*b)*sin(d*x + c) + 4*((a -
b)*cos(d*x + c) + (I*a - I*b)*sin(d*x + c))*sqrt(a*b/(a^2 - 2*a*b + b^2)))
*sqrt((2*(a - b)*sqrt(a*b/(a^2 - 2*a*b + b^2)) - a - b)/(a - b))/(a - b)) +
4*(2*I*a - 2*I*b)*sqrt(a*b/(a^2 - 2*a*b + b^2))*polylog(3, 1/2*(2*(a + b)*
cos(d*x + c) - (2*I*a + 2*I*b)*sin(d*x + c) + 4*((a - b)*cos(d*x + c) - (I*
a - I*b)*sin(d*x + c))*sqrt(a*b/(a^2 - 2*a*b + b^2))) *sqrt((2*(a - b)*sqrt(
a*b/(a^2 - 2*a*b + b^2)) - a - b)/(a - b))/(a - b)) + 4*(2*I*a - 2*I*b)*sqr
t(a*b/(a^2 - 2*a*b + b^2))*polylog(3, -1/2*(2*(a + b)*cos(d*x + c) + (-2*I*
a - 2*I*b)*sin(d*x + c) + 4*((a - b)*cos(d*x + c) + (-I*a + I*b)*sin(d*x +
c))*sqrt(a*b/(a^2 - 2*a*b + b^2))) *sqrt((2*(a - b)*sqrt(a*b/(a^2 - 2*a*b +
b^2)) - a - b)/(a - b))/(a - b)) + 4*(-2*I*a + 2*I*b)*sqrt(a*b/(a^2 - 2*a*b
+ b^2))*polylog(3, 1/2*(2*(a + b)*cos(d*x + c) - (-2*I*a - 2*I*b)*sin(d*x
+ c) + 4*((a - b)*cos(d*x + c) - (-I*a + I*b)*sin(d*x + c))*sqrt(a*b/(a^2 -
2*a*b + b^2))) *sqrt((2*(a - b)*sqrt(a*b/(a^2 - 2*a*b + b^2)) - a - b)/(a -
b))/(a - b)))/(a*b*d^3)

```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2 \sec^2(c + dx)}{a + b \tan^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*sec(d\*x+c)\*\*2/(a+b\*tan(d\*x+c)\*\*2), x)

[Out] Integral(x\*\*2\*sec(c + d\*x)\*\*2/(a + b\*tan(c + d\*x)\*\*2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2 \sec(dx + c)^2}{b \tan(dx + c)^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*sec(d*x+c)^2/(a+b*tan(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate(x^2*sec(d*x + c)^2/(b*tan(d*x + c)^2 + a), x)
```

$$3.162 \quad \int \frac{\sec^2(c+dx)}{a+c \sec^2(c+dx)+b \tan^2(c+dx)} dx$$

**Optimal.** Leaf size=40

$$\frac{\tan^{-1}\left(\frac{\sqrt{b+c} \tan(c+dx)}{\sqrt{a+c}}\right)}{d\sqrt{a+c}\sqrt{b+c}}$$

[Out] ArcTan[(Sqrt[b + c]\*Tan[c + d\*x])/Sqrt[a + c]]/(Sqrt[a + c]\*Sqrt[b + c]\*d)

**Rubi [A]** time = 0.605453, antiderivative size = 40, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.03$ , Rules used = {205}

$$\frac{\tan^{-1}\left(\frac{\sqrt{b+c} \tan(c+dx)}{\sqrt{a+c}}\right)}{d\sqrt{a+c}\sqrt{b+c}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^2/(a + c\*Sec[c + d\*x]^2 + b\*Tan[c + d\*x]^2), x]

[Out] ArcTan[(Sqrt[b + c]\*Tan[c + d\*x])/Sqrt[a + c]]/(Sqrt[a + c]\*Sqrt[b + c]\*d)

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rubi steps

$$\begin{aligned} \int \frac{\sec^2(c+dx)}{a+c \sec^2(c+dx)+b \tan^2(c+dx)} dx &= \frac{\text{Subst}\left(\int \frac{1}{a+c+(b+c)x^2} dx, x, \tan(c+dx)\right)}{d} \\ &= \frac{\tan^{-1}\left(\frac{\sqrt{b+c} \tan(c+dx)}{\sqrt{a+c}}\right)}{\sqrt{a+c}\sqrt{b+c}} \end{aligned}$$

**Mathematica [A]** time = 0.263189, size = 40, normalized size = 1.

$$\frac{\tan^{-1}\left(\frac{\sqrt{b+c} \tan(c+dx)}{\sqrt{a+c}}\right)}{d\sqrt{a+c}\sqrt{b+c}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^2/(a + c\*Sec[c + d\*x]^2 + b\*Tan[c + d\*x]^2), x]

[Out] ArcTan[(Sqrt[b + c]\*Tan[c + d\*x])/Sqrt[a + c]]/(Sqrt[a + c]\*Sqrt[b + c]\*d)

**Maple [A]** time = 0.084, size = 34, normalized size = 0.9

$$\frac{1}{d} \arctan\left((b+c) \tan(dx+c) \frac{1}{\sqrt{(a+c)(b+c)}}\right) \frac{1}{\sqrt{(a+c)(b+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^2/(a+c\*sec(d\*x+c)^2+b\*tan(d\*x+c)^2), x)

[Out] 1/d/((a+c)\*(b+c))^(1/2)\*arctan((b+c)\*tan(d\*x+c)/((a+c)\*(b+c))^(1/2))

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+c\*sec(d\*x+c)^2+b\*tan(d\*x+c)^2), x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.93774, size = 747, normalized size = 18.68

$$\frac{\sqrt{-ab - (a+b)c - c^2} \log\left(\frac{(a^2+6ab+b^2+8(a+b)c+8c^2)\cos(dx+c)^4 - 2(3ab+b^2+(3a+5b)c+4c^2)\cos(dx+c)^2 + 4((a+b+2c)\cos(dx+c)^3 - (b+c)\cos(dx+c))}{(a^2-2ab+b^2)\cos(dx+c)^4 + 2(ab-b^2+(a-b)c)\cos(dx+c)^2 + b^2 + 2bc + c^2}\right)}{4(ab + (a+b)c + c^2)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+c\*sec(d\*x+c)^2+b\*tan(d\*x+c)^2), x, algorithm="fricas")

[Out] [-1/4\*sqrt(-a\*b - (a + b)\*c - c^2)\*log(((a^2 + 6\*a\*b + b^2 + 8\*(a + b)\*c + 8\*c^2)\*cos(d\*x + c)^4 - 2\*(3\*a\*b + b^2 + (3\*a + 5\*b)\*c + 4\*c^2)\*cos(d\*x + c)^2 + 4\*((a + b + 2\*c)\*cos(d\*x + c)^3 - (b + c)\*cos(d\*x + c))\*sqrt(-a\*b - (a + b)\*c - c^2)\*sin(d\*x + c) + b^2 + 2\*b\*c + c^2)/((a^2 - 2\*a\*b + b^2)\*cos(d\*x + c)^4 + 2\*(a\*b - b^2 + (a - b)\*c)\*cos(d\*x + c)^2 + b^2 + 2\*b\*c + c^2))/((a\*b + (a + b)\*c + c^2)\*d), -1/2\*arctan(1/2\*((a + b + 2\*c)\*cos(d\*x + c)^2 - b - c)/(sqrt(a\*b + (a + b)\*c + c^2)\*cos(d\*x + c)\*sin(d\*x + c)))/(sqrt(a\*b + (a + b)\*c + c^2)\*d)]

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec^2(c + dx)}{a + b \tan^2(c + dx) + c \sec^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*2/(a+c\*sec(d\*x+c)\*\*2+b\*tan(d\*x+c)\*\*2), x)

[Out] Integral(sec(c + d\*x)\*\*2/(a + b\*tan(c + d\*x)\*\*2 + c\*sec(c + d\*x)\*\*2), x)

**Giac [B]** time = 1.42797, size = 103, normalized size = 2.58

$$\frac{\pi \left[ \frac{dx+c}{\pi} + \frac{1}{2} \right] \operatorname{sgn}(2b + 2c) + \arctan\left(\frac{b \tan(dx+c) + c \tan(dx+c)}{\sqrt{ab+ac+bc+c^2}}\right)}{\sqrt{ab + ac + bc + c^2}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+c\*sec(d\*x+c)^2+b\*tan(d\*x+c)^2),x, algorithm="giac")

[Out] (pi\*floor((d\*x + c)/pi + 1/2)\*sgn(2\*b + 2\*c) + arctan((b\*tan(d\*x + c) + c\*tan(d\*x + c))/sqrt(a\*b + a\*c + b\*c + c^2)))/(sqrt(a\*b + a\*c + b\*c + c^2)\*d)

$$3.163 \quad \int \frac{x \sec^2(c+dx)}{a+c \sec^2(c+dx)+b \tan^2(c+dx)} dx$$

**Optimal.** Leaf size=267

$$\frac{\text{PolyLog}\left(2, -\frac{(a-b)e^{2i(c+dx)}}{-2\sqrt{a+c}\sqrt{b+c+a+b+2c}}\right)}{4d^2\sqrt{a+c}\sqrt{b+c}} + \frac{\text{PolyLog}\left(2, -\frac{(a-b)e^{2i(c+dx)}}{2(\sqrt{a+c}\sqrt{b+c+c}+a+b)}\right)}{4d^2\sqrt{a+c}\sqrt{b+c}} - \frac{ix \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{-2\sqrt{a+c}\sqrt{b+c+a+b+2c}}\right)}{2d\sqrt{a+c}\sqrt{b+c}} + \frac{ix \log\left(1 - \frac{(a-b)e^{2i(c+dx)}}{2(\sqrt{a+c}\sqrt{b+c+c}+a+b)}\right)}{2d}$$

```
[Out] ((-I/2)*x*Log[1 + ((a - b)*E^((2*I)*(c + d*x)))/(a + b + 2*c - 2*Sqrt[a + c]*Sqrt[b + c]])/(Sqrt[a + c]*Sqrt[b + c]*d) + ((I/2)*x*Log[1 + ((a - b)*E^((2*I)*(c + d*x)))/(a + b + 2*(c + Sqrt[a + c]*Sqrt[b + c]))])/(Sqrt[a + c]*Sqrt[b + c]*d) - PolyLog[2, -(((a - b)*E^((2*I)*(c + d*x)))/(a + b + 2*c - 2*Sqrt[a + c]*Sqrt[b + c]))]/(4*Sqrt[a + c]*Sqrt[b + c]*d^2) + PolyLog[2, -(((a - b)*E^((2*I)*(c + d*x)))/(a + b + 2*(c + Sqrt[a + c]*Sqrt[b + c])))]/(4*Sqrt[a + c]*Sqrt[b + c]*d^2)
```

**Rubi [A]** time = 0.718662, antiderivative size = 267, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 34,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$ , Rules used = {4589, 3321, 2264, 2190, 2279, 2391}

$$\frac{\text{PolyLog}\left(2, -\frac{(a-b)e^{2i(c+dx)}}{-2\sqrt{a+c}\sqrt{b+c+a+b+2c}}\right)}{4d^2\sqrt{a+c}\sqrt{b+c}} + \frac{\text{PolyLog}\left(2, -\frac{(a-b)e^{2i(c+dx)}}{2(\sqrt{a+c}\sqrt{b+c+c}+a+b)}\right)}{4d^2\sqrt{a+c}\sqrt{b+c}} - \frac{ix \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{-2\sqrt{a+c}\sqrt{b+c+a+b+2c}}\right)}{2d\sqrt{a+c}\sqrt{b+c}} + \frac{ix \log\left(1 - \frac{(a-b)e^{2i(c+dx)}}{2(\sqrt{a+c}\sqrt{b+c+c}+a+b)}\right)}{2d}$$

Antiderivative was successfully verified.

```
[In] Int[(x*Sec[c + d*x]^2)/(a + c*Sec[c + d*x]^2 + b*Tan[c + d*x]^2), x]
```

```
[Out] ((-I/2)*x*Log[1 + ((a - b)*E^((2*I)*(c + d*x)))/(a + b + 2*c - 2*Sqrt[a + c]*Sqrt[b + c]])/(Sqrt[a + c]*Sqrt[b + c]*d) + ((I/2)*x*Log[1 + ((a - b)*E^((2*I)*(c + d*x)))/(a + b + 2*(c + Sqrt[a + c]*Sqrt[b + c]))])/(Sqrt[a + c]*Sqrt[b + c]*d) - PolyLog[2, -(((a - b)*E^((2*I)*(c + d*x)))/(a + b + 2*c - 2*Sqrt[a + c]*Sqrt[b + c]))]/(4*Sqrt[a + c]*Sqrt[b + c]*d^2) + PolyLog[2, -(((a - b)*E^((2*I)*(c + d*x)))/(a + b + 2*(c + Sqrt[a + c]*Sqrt[b + c])))]/(4*Sqrt[a + c]*Sqrt[b + c]*d^2)
```

#### Rule 4589

```
Int[(((f_) + (g_)*(x_))^(m_)*Sec[(d_) + (e_)*(x_)]^2)/((b_) + (a_)*Sec[(d_) + (e_)*(x_)]^2 + (c_)*Tan[(d_) + (e_)*(x_)]^2), x_Symbol] := Dist[2, Int[(f + g*x)^m/(2*a + b + c + (b - c)*Cos[2*d + 2*e*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && IGtQ[m, 0] && NeQ[a + b, 0] && NeQ[a + c, 0]
```

#### Rule 3321

```
Int[(((c_) + (d_)*(x_))^(m_)/((a_) + (b_)*sin[(e_) + Pi*(k_) + (f_)*(x_)]), x_Symbol] := Dist[2, Int[(((c + d*x)^m*E^(I*Pi*(k - 1/2))*E^(I*(e + f*x)))/(b + 2*a*E^(I*Pi*(k - 1/2))*E^(I*(e + f*x)) - b*E^(2*I*k*Pi))*E^(2*I*(e + f*x))], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IntegerQ[2*k] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

#### Rule 2264

```
Int[((F_)^(u_)*((f_) + (g_)*(x_))^(m_)/((a_) + (b_)*(F_)^(u_) + (c_)*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[
```

```
((f + g*x)^m*F^u)/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[((f + g*x)^m*F^u)/(b + q + 2*c*F^u), x], x] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

### Rule 2190

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

### Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^(n_))], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rubi steps

$$\begin{aligned} \int \frac{x \sec^2(c + dx)}{a + c \sec^2(c + dx) + b \tan^2(c + dx)} dx &= 2 \int \frac{x}{a + b + 2c + (a - b) \cos(2c + 2dx)} dx \\ &= 4 \int \frac{e^{i(2c+2dx)} x}{a - b + 2(a + b + 2c)e^{i(2c+2dx)} + (a - b)e^{2i(2c+2dx)}} dx \\ &= \frac{(2(a - b)) \int \frac{e^{i(2c+2dx)} x}{-4\sqrt{a+c}\sqrt{b+c}+2(a+b+2c)+2(a-b)e^{i(2c+2dx)}} dx}{\sqrt{a+c}\sqrt{b+c}} - \frac{(2(a - b)) \int \frac{e^{i(2c+2dx)} x}{4\sqrt{a+c}\sqrt{b+c}+2(a+b+2c)+2(a-b)e^{i(2c+2dx)}} dx}{\sqrt{a+c}\sqrt{b+c}} \\ &= -\frac{ix \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{a+b+2c-2\sqrt{a+c}\sqrt{b+c}}\right)}{2\sqrt{a+c}\sqrt{b+c}} + \frac{ix \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{a+b+2(c+\sqrt{a+c}\sqrt{b+c})}\right)}{2\sqrt{a+c}\sqrt{b+c}} + \frac{i \int \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{a+b+2(c+\sqrt{a+c}\sqrt{b+c})}\right) dx}{2\sqrt{a+c}\sqrt{b+c}} \\ &= -\frac{ix \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{a+b+2c-2\sqrt{a+c}\sqrt{b+c}}\right)}{2\sqrt{a+c}\sqrt{b+c}} + \frac{ix \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{a+b+2(c+\sqrt{a+c}\sqrt{b+c})}\right)}{2\sqrt{a+c}\sqrt{b+c}} + \frac{\text{Subst}\left[\int \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{a+b+2(c+\sqrt{a+c}\sqrt{b+c})}\right) dx, x, \frac{a+b+2(c+\sqrt{a+c}\sqrt{b+c})}{2\sqrt{a+c}\sqrt{b+c}}\right]}{2\sqrt{a+c}\sqrt{b+c}} \\ &= -\frac{ix \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{a+b+2c-2\sqrt{a+c}\sqrt{b+c}}\right)}{2\sqrt{a+c}\sqrt{b+c}} + \frac{ix \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{a+b+2(c+\sqrt{a+c}\sqrt{b+c})}\right)}{2\sqrt{a+c}\sqrt{b+c}} - \frac{\text{Li}_2\left(-\frac{(a-b)e^{2i(c+dx)}}{a+b+2(c+\sqrt{a+c}\sqrt{b+c})}\right)}{4\sqrt{a+c}\sqrt{b+c}} \end{aligned}$$

**Mathematica [B]** time = 4.34411, size = 751, normalized size = 2.81

$$x(\sqrt{a+c} - \sqrt{-b-c} \tan(c + dx))(\sqrt{a+c} + \sqrt{-b-c} \tan(c + dx)) \left( i\sqrt{b+c} \text{PolyLog}\left(2, \frac{\sqrt{-b-c}(1-i \tan(c+dx))}{\sqrt{-b-c}-i\sqrt{a+c}}\right) - i\sqrt{b+c} \text{PolyLog}\left(2, \frac{\sqrt{-b-c}(1+i \tan(c+dx))}{\sqrt{-b-c}+i\sqrt{a+c}}\right) \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(x*Sec[c + d*x]^2)/(a + c*Sec[c + d*x]^2 + b*Tan[c + d*x]^2), x]
```



```
[Out] (x*(4*Sqrt[-b - c]*c*ArcTan[(Sqrt[b + c]*Tan[c + d*x])/Sqrt[a + c]] - I*Sqr
t[b + c]*Log[1 + I*Tan[c + d*x]]*Log[(I*(Sqrt[a + c] - Sqrt[-b - c]*Tan[c +
d*x]))/(Sqrt[-b - c] + I*Sqrt[a + c])] + I*Sqrt[b + c]*Log[1 - I*Tan[c + d
*x]]*Log[(I*(-Sqrt[a + c] + Sqrt[-b - c]*Tan[c + d*x]))/(Sqrt[-b - c] - I*S
qrt[a + c])] + I*Sqrt[b + c]*Log[1 + I*Tan[c + d*x]]*Log[((-I)*(Sqrt[a + c]
+ Sqrt[-b - c]*Tan[c + d*x]))/(Sqrt[-b - c] - I*Sqrt[a + c])] - I*Sqrt[b +
c]*Log[1 - I*Tan[c + d*x]]*Log[(I*(Sqrt[a + c] + Sqrt[-b - c]*Tan[c + d*x]
))/(Sqrt[-b - c] + I*Sqrt[a + c])] + I*Sqrt[b + c]*PolyLog[2, (Sqrt[-b - c]
*(1 - I*Tan[c + d*x]))/(Sqrt[-b - c] - I*Sqrt[a + c])] - I*Sqrt[b + c]*Poly
Log[2, (Sqrt[-b - c]*(1 - I*Tan[c + d*x]))/(Sqrt[-b - c] + I*Sqrt[a + c])]
+ I*Sqrt[b + c]*PolyLog[2, (Sqrt[-b - c]*(1 + I*Tan[c + d*x]))/(Sqrt[-b - c
] - I*Sqrt[a + c])] - I*Sqrt[b + c]*PolyLog[2, (Sqrt[-b - c]*(1 + I*Tan[c +
d*x]))/(Sqrt[-b - c] + I*Sqrt[a + c])])*(Sqrt[a + c] - Sqrt[-b - c]*Tan[c
+ d*x])*(Sqrt[a + c] + Sqrt[-b - c]*Tan[c + d*x]))/(2*Sqrt[a + c]*Sqrt[-(b
+ c)^2]*d*(2*c - I*Log[1 - I*Tan[c + d*x]] + I*Log[1 + I*Tan[c + d*x]])*(a
+ c*Sec[c + d*x]^2 + b*Tan[c + d*x]^2))
```

---

**Maple [B]** time = 0.201, size = 1670, normalized size = 6.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*sec(d*x+c)^2/(a+c*sec(d*x+c)^2+b*tan(d*x+c)^2), x)
```

```
[Out] -1/d/((a+c)*(b+c))^(1/2)/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c)*a*c*x-1/d/((a+c)*
(b+c))^(1/2)/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c)*b*c*x-I/d^2/((a+c)*(b+c))^(1/
2)/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c)*ln(1-(a-b)*exp(2*I*(d*x+c)))/(-2*((a+c)*
(b+c))^(1/2)-a-b-2*c))*c^2-1/2/d^2/((a+c)*(b+c))^(1/2)/(-2*((a+c)*(b+c))^(1
/2)-a-b-2*c)*a*c^2-1/2/d^2/((a+c)*(b+c))^(1/2)/(-2*((a+c)*(b+c))^(1/2)-a-b-
2*c)*b*c^2-1/4/d^2/((a+c)*(b+c))^(1/2)/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c)*pol
ylog(2, (a-b)*exp(2*I*(d*x+c)))/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c))*a-1/4/d^2/(
(a+c)*(b+c))^(1/2)/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c)*polylog(2, (a-b)*exp(2*I
*(d*x+c)))/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c))*b-1/2/d^2/((a+c)*(b+c))^(1/2)/(
-2*((a+c)*(b+c))^(1/2)-a-b-2*c)*polylog(2, (a-b)*exp(2*I*(d*x+c)))/(-2*((a+c)
*(b+c))^(1/2)-a-b-2*c))*c-2/d/((a+c)*(b+c))^(1/2)/(-2*((a+c)*(b+c))^(1/2)-a
-b-2*c)*c^2*x-I/d^2/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c)*ln(1-(a-b)*exp(2*I*(d*
x+c)))/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c))*c-1/2*I/d^2/((a+c)*(b+c))^(1/2)*ln(
1-(a-b)*exp(2*I*(d*x+c)))/(2*((a+c)*(b+c))^(1/2)-a-b-2*c))*c-I/d^2*c/(a*b+a*
c+b*c+c^2)^(1/2)*arctanh(1/4*(2*(a-b)*exp(2*I*(d*x+c))+2*a+2*b+4*c)/(a*b+a*
c+b*c+c^2)^(1/2))-I/d/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c)*ln(1-(a-b)*exp(2*I*(
d*x+c)))/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c))*x-1/2*I/d/((a+c)*(b+c))^(1/2)*ln(
1-(a-b)*exp(2*I*(d*x+c)))/(2*((a+c)*(b+c))^(1/2)-a-b-2*c))*x-1/((a+c)*(b+c))
^(1/2)/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c))*c*x^2-1/2/((a+c)*(b+c))^(1/2)/(-2*(
(a+c)*(b+c))^(1/2)-a-b-2*c))*a*x^2-1/2/((a+c)*(b+c))^(1/2)/(-2*((a+c)*(b+c))
^(1/2)-a-b-2*c))*b*x^2-2/d/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c))*c*x-1/2/d^2/((a
+c)*(b+c))^(1/2)*c^2-1/d^2/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c))*c^2-1/2/d^2/(-2*
((a+c)*(b+c))^(1/2)-a-b-2*c)*polylog(2, (a-b)*exp(2*I*(d*x+c)))/(-2*((a+c)*(b
+c))^(1/2)-a-b-2*c))-1/4/d^2/((a+c)*(b+c))^(1/2)*polylog(2, (a-b)*exp(2*I*(d
*x+c)))/(2*((a+c)*(b+c))^(1/2)-a-b-2*c))-1/2/((a+c)*(b+c))^(1/2)*x^2-1/(-2*(
(a+c)*(b+c))^(1/2)-a-b-2*c))*x^2-1/2*I/d^2/((a+c)*(b+c))^(1/2)/(-2*((a+c)*(b
+c))^(1/2)-a-b-2*c))*ln(1-(a-b)*exp(2*I*(d*x+c)))/(-2*((a+c)*(b+c))^(1/2)-a-b
-2*c))*a*c-1/2*I/d^2/((a+c)*(b+c))^(1/2)/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c))*l
n(1-(a-b)*exp(2*I*(d*x+c)))/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c))*b*c-1/2*I/d/((
a+c)*(b+c))^(1/2)/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c))*ln(1-(a-b)*exp(2*I*(d*x+
c)))/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c))*a*x-1/2*I/d/((a+c)*(b+c))^(1/2)/(-2*(
(a+c)*(b+c))^(1/2)-a-b-2*c))*ln(1-(a-b)*exp(2*I*(d*x+c)))/(-2*((a+c)*(b+c))^(
```

$$\frac{1}{2} - a - b - 2c) * b * x - I/d / ((a+c)*(b+c))^{1/2} / (-2*((a+c)*(b+c))^{1/2} - a - b - 2c) * \ln(1 - (a-b) * \exp(2*I*(d*x+c)) / (-2*((a+c)*(b+c))^{1/2} - a - b - 2c)) * c * x - 1/d / ((a+c)*(b+c))^{1/2} * c * x - 1/d^2 / ((a+c)*(b+c))^{1/2} / (-2*((a+c)*(b+c))^{1/2} - a - b - 2c) * c^3$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sec(d\*x+c)^2/(a+c\*sec(d\*x+c)^2+b\*tan(d\*x+c)^2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 7.02899, size = 10267, normalized size = 38.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sec(d\*x+c)^2/(a+c\*sec(d\*x+c)^2+b\*tan(d\*x+c)^2),x, algorithm="fricas")

[Out] 
$$\frac{1}{16} * (-4 * I * (a - b) * c * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2)}) * \log(2 * \sqrt{-2 * (a - b) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2)}} + a + b + 2 * c) / (a - b) + 2 * \cos(d * x + c) + 2 * I * \sin(d * x + c)) + 4 * I * (a - b) * c * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2)}) * \log(2 * \sqrt{-2 * (a - b) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2)}} + a + b + 2 * c) / (a - b) + 2 * \cos(d * x + c) - 2 * I * \sin(d * x + c)) + 4 * I * (a - b) * c * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2)}) * \log(2 * \sqrt{-2 * (a - b) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2)}} + a + b + 2 * c) / (a - b) - 2 * \cos(d * x + c) + 2 * I * \sin(d * x + c)) - 4 * I * (a - b) * c * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2)}) * \log(2 * \sqrt{-2 * (a - b) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2)}} + a + b + 2 * c) / (a - b) - 2 * \cos(d * x + c) - 2 * I * \sin(d * x + c)) + 4 * I * (a - b) * c * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2)}) * \log(2 * \sqrt{(2 * (a - b) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2)}) - a - b - 2 * c} / (a - b)) + 2 * \cos(d * x + c) + 2 * I * \sin(d * x + c)) - 4 * I * (a - b) * c * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2)}) * \log(2 * \sqrt{(2 * (a - b) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2)}) - a - b - 2 * c} / (a - b)) + 2 * \cos(d * x + c) - 2 * I * \sin(d * x + c)) - 4 * I * (a - b) * c * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2)}) * \log(2 * \sqrt{(2 * (a - b) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2)}) - a - b - 2 * c} / (a - b)) - 2 * \cos(d * x + c) + 2 * I * \sin(d * x + c)) + 4 * I * (a - b) * c * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2)}) * \log(2 * \sqrt{(2 * (a - b) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2)}) - a - b - 2 * c} / (a - b)) - 2 * \cos(d * x + c) - 2 * I * \sin(d * x + c)) + 4 * (a - b) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2)}) * \operatorname{dilog}(1/2 * ((2 * (a + b + 2 * c) * \cos(d * x + c) + (2 * I * a + 2 * I * b + 4 * I * c) * \sin(d * x + c) - 4 * ((a - b) * \cos(d * x + c) - (-I * a + I * b) * \sin(d * x + c))) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2)})) * \sqrt{-2 * (a - b) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2)}} + a + b + 2 * c) / (a - b) - 2 * a + 2 * b) / (a - b) + 1) + 4 * (a - b) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2)}) * \operatorname{dilog}(-1/2 * ((2 * (a + b + 2 * c) * \cos(d * x + c) - (2 * I * a + 2 * I * b + 4 * I * c) * \sin(d * x + c) - 4 * ((a - b) * \cos(d * x + c) + (-I * a + I * b) * \sin(d * x + c))) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2)})) * \sqrt{-2 * (a - b) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2)}} + a + b + 2 * c) / (a - b) - 2 * a + 2 * b) / (a - b) + 1) + 4 * (a - b) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2)}) * \operatorname{dilog}(-1/2 * ((2 * (a + b + 2 * c) * \cos(d * x + c) - (2 * I * a + 2 * I * b + 4 * I * c) * \sin(d * x + c) - 4 * ((a - b) * \cos(d * x + c) + (-I * a + I * b) * \sin(d * x + c))) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2)})) * \sqrt{-2 * (a - b) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2)}} + a + b + 2 * c) / (a - b) - 2 * a + 2 * b) / (a - b) + 1)$$

$$\begin{aligned}
& ) * c + c^2) / (a^2 - 2 * a * b + b^2)) + a + b + 2 * c) / (a - b)) + 2 * a - 2 * b) / (a - b \\
& ) + 1) + 4 * (a - b) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2))} * \operatorname{dilog} ( \\
& 1 / 2 * ((2 * (a + b + 2 * c) * \cos(d * x + c) + (-2 * I * a - 2 * I * b - 4 * I * c) * \sin(d * x + c) \\
& - 4 * ((a - b) * \cos(d * x + c) - (I * a - I * b) * \sin(d * x + c)) * \sqrt{(a * b + (a + b) * c \\
& + c^2) / (a^2 - 2 * a * b + b^2))} * \sqrt{-(2 * (a - b) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2))} \\
& / (a^2 - 2 * a * b + b^2)) + a + b + 2 * c) / (a - b)) - 2 * a + 2 * b) / (a - b) + 1) + 4 \\
& * (a - b) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2))} * \operatorname{dilog} (-1 / 2 * ((2 * ( \\
& a + b + 2 * c) * \cos(d * x + c) - (-2 * I * a - 2 * I * b - 4 * I * c) * \sin(d * x + c) - 4 * ((a - \\
& b) * \cos(d * x + c) + (I * a - I * b) * \sin(d * x + c)) * \sqrt{(a * b + (a + b) * c + c^2) / ( \\
& a^2 - 2 * a * b + b^2))} * \sqrt{-(2 * (a - b) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 \\
& * a * b + b^2))} + a + b + 2 * c) / (a - b)) + 2 * a - 2 * b) / (a - b) + 1) - 4 * (a - b) * \\
& \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2))} * \operatorname{dilog} (1 / 2 * ((2 * (a + b + 2 * \\
& c) * \cos(d * x + c) + (2 * I * a + 2 * I * b + 4 * I * c) * \sin(d * x + c) + 4 * ((a - b) * \cos(d * x \\
& + c) + (I * a - I * b) * \sin(d * x + c)) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b \\
& + b^2))} * \sqrt{(2 * (a - b) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2))} \\
& - a - b - 2 * c) / (a - b)) - 2 * a + 2 * b) / (a - b) + 1) - 4 * (a - b) * \sqrt{(a * b + \\
& (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2))} * \operatorname{dilog} (-1 / 2 * ((2 * (a + b + 2 * c) * \cos(d * x \\
& + c) - (2 * I * a + 2 * I * b + 4 * I * c) * \sin(d * x + c) + 4 * ((a - b) * \cos(d * x + c) - (I * \\
& a - I * b) * \sin(d * x + c)) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2))} * \sqrt{ \\
& (2 * (a - b) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2))} - a - b - \\
& 2 * c) / (a - b)) + 2 * a - 2 * b) / (a - b) + 1) - 4 * (a - b) * \sqrt{(a * b + (a + b) * c + \\
& c^2) / (a^2 - 2 * a * b + b^2))} * \operatorname{dilog} (1 / 2 * ((2 * (a + b + 2 * c) * \cos(d * x + c) + (-2 * I \\
& * a - 2 * I * b - 4 * I * c) * \sin(d * x + c) + 4 * ((a - b) * \cos(d * x + c) + (-I * a + I * b) * \sin \\
& (d * x + c)) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2))} * \sqrt{(2 * (a \\
& - b) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2))} - a - b - 2 * c) / (a - \\
& b)) - 2 * a + 2 * b) / (a - b) + 1) - 4 * (a - b) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 \\
& - 2 * a * b + b^2))} * \operatorname{dilog} (-1 / 2 * ((2 * (a + b + 2 * c) * \cos(d * x + c) - (-2 * I * a - 2 * I * \\
& b - 4 * I * c) * \sin(d * x + c) + 4 * ((a - b) * \cos(d * x + c) - (-I * a + I * b) * \sin(d * x + \\
& c)) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2))} * \sqrt{(2 * (a - b) * \sqrt{ \\
& (a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2))} - a - b - 2 * c) / (a - b)) + 2 * a \\
& - 2 * b) / (a - b) + 1) + 4 * (I * (a - b) * d * x + I * (a - b) * c) * \sqrt{(a * b + (a + b) * \\
& c + c^2) / (a^2 - 2 * a * b + b^2)) * \log(-1 / 2 * ((2 * (a + b + 2 * c) * \cos(d * x + c) + (2 * \\
& I * a + 2 * I * b + 4 * I * c) * \sin(d * x + c) - 4 * ((a - b) * \cos(d * x + c) - (-I * a + I * b) * \\
& \sin(d * x + c)) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2))} * \sqrt{-(2 * ( \\
& a - b) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2))} + a + b + 2 * c) / (a \\
& - b)) - 2 * a + 2 * b) / (a - b)) + 4 * (-I * (a - b) * d * x - I * (a - b) * c) * \sqrt{(a * b + \\
& (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2)) * \log(1 / 2 * ((2 * (a + b + 2 * c) * \cos(d * x + c) \\
& ) - (2 * I * a + 2 * I * b + 4 * I * c) * \sin(d * x + c) - 4 * ((a - b) * \cos(d * x + c) + (-I * a \\
& + I * b) * \sin(d * x + c)) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2))} * \sqrt{ \\
& t(-2 * (a - b) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2))} + a + b + 2 \\
& * c) / (a - b)) + 2 * a - 2 * b) / (a - b)) + 4 * (-I * (a - b) * d * x - I * (a - b) * c) * \sqrt{( \\
& a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2)) * \log(-1 / 2 * ((2 * (a + b + 2 * c) * \cos \\
& (d * x + c) + (-2 * I * a - 2 * I * b - 4 * I * c) * \sin(d * x + c) - 4 * ((a - b) * \cos(d * x + c) \\
& - (I * a - I * b) * \sin(d * x + c)) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2))} * \sqrt{ \\
& t(-2 * (a - b) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2))} + a \\
& + b + 2 * c) / (a - b)) - 2 * a + 2 * b) / (a - b)) + 4 * (I * (a - b) * d * x + I * (a - b) * c \\
& ) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2)) * \log(1 / 2 * ((2 * (a + b + 2 * \\
& c) * \cos(d * x + c) - (-2 * I * a - 2 * I * b - 4 * I * c) * \sin(d * x + c) - 4 * ((a - b) * \cos(d * \\
& x + c) + (I * a - I * b) * \sin(d * x + c)) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * \\
& b + b^2))} * \sqrt{-(2 * (a - b) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2) \\
& )) + a + b + 2 * c) / (a - b)) + 2 * a - 2 * b) / (a - b)) + 4 * (-I * (a - b) * d * x - I * (a \\
& - b) * c) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2)) * \log(-1 / 2 * ((2 * (a \\
& + b + 2 * c) * \cos(d * x + c) + (2 * I * a + 2 * I * b + 4 * I * c) * \sin(d * x + c) + 4 * ((a - b) \\
& * \cos(d * x + c) + (I * a - I * b) * \sin(d * x + c)) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 \\
& - 2 * a * b + b^2))} * \sqrt{(2 * (a - b) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b \\
& + b^2))} - a - b - 2 * c) / (a - b)) - 2 * a + 2 * b) / (a - b)) + 4 * (I * (a - b) * d * x + \\
& I * (a - b) * c) * \sqrt{(a * b + (a + b) * c + c^2) / (a^2 - 2 * a * b + b^2)) * \log(1 / 2 * ((2 \\
& * (a + b + 2 * c) * \cos(d * x + c) - (2 * I * a + 2 * I * b + 4 * I * c) * \sin(d * x + c) + 4 * ((a \\
& - b) * \cos(d * x + c) - (I * a - I * b) * \sin(d * x + c)) * \sqrt{(a * b + (a + b) * c + c^2) /
\end{aligned}$$

$$\begin{aligned} & (a^2 - 2ab + b^2)) \sqrt{(2(a-b)\sqrt{(ab + (a+b)c + c^2)/(a^2 - 2ab + b^2)} - a - b - 2c)/(a-b) + 2a - 2b)/(a-b) + 4(I(a-b)d \\ & *x + I(a-b)c)\sqrt{(ab + (a+b)c + c^2)/(a^2 - 2ab + b^2)} \log(-1/ \\ & 2((2(a+b+2c)\cos(dx+c) + (-2Ia - 2Ib - 4Ic)\sin(dx+c) + \\ & 4((a-b)\cos(dx+c) + (-Ia + Ib)\sin(dx+c))\sqrt{(ab + (a+b)c \\ & + c^2)/(a^2 - 2ab + b^2))\sqrt{(2(a-b)\sqrt{(ab + (a+b)c + c^2)/( \\ & a^2 - 2ab + b^2)} - a - b - 2c)/(a-b) - 2a + 2b)/(a-b) + 4(-I(a \\ & - b)d*x - I(a-b)c)\sqrt{(ab + (a+b)c + c^2)/(a^2 - 2ab + b^2)} \\ & * \log(1/2((2(a+b+2c)\cos(dx+c) - (-2Ia - 2Ib - 4Ic)\sin(dx \\ & + c) + 4((a-b)\cos(dx+c) - (-Ia + Ib)\sin(dx+c))\sqrt{(ab + (a \\ & + b)c + c^2)/(a^2 - 2ab + b^2))\sqrt{(2(a-b)\sqrt{(ab + (a+b)c + \\ & c^2)/(a^2 - 2ab + b^2)} - a - b - 2c)/(a-b) + 2a - 2b)/(a-b)))/( \\ & (ab + (a+b)c + c^2)*d^2) \end{aligned}$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x \sec^2(c + dx)}{a + b \tan^2(c + dx) + c \sec^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sec(d\*x+c)\*\*2/(a+c\*sec(d\*x+c)\*\*2+b\*tan(d\*x+c)\*\*2), x)

[Out] Integral(x\*sec(c + d\*x)\*\*2/(a + b\*tan(c + d\*x)\*\*2 + c\*sec(c + d\*x)\*\*2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x \sec(dx + c)^2}{c \sec(dx + c)^2 + b \tan(dx + c)^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sec(d\*x+c)^2/(a+c\*sec(d\*x+c)^2+b\*tan(d\*x+c)^2), x, algorithm="giac")

[Out] integrate(x\*sec(d\*x + c)^2/(c\*sec(d\*x + c)^2 + b\*tan(d\*x + c)^2 + a), x)

$$3.164 \quad \int \frac{x^2 \sec^2(c+dx)}{a+c \sec^2(c+dx)+b \tan^2(c+dx)} dx$$

**Optimal.** Leaf size=407

$$-\frac{x \operatorname{PolyLog}\left(2, -\frac{(a-b)e^{2i(c+dx)}}{-2\sqrt{a+c}\sqrt{b+c+a+b+2c}}\right)}{2d^2\sqrt{a+c}\sqrt{b+c}} + \frac{x \operatorname{PolyLog}\left(2, -\frac{(a-b)e^{2i(c+dx)}}{2(\sqrt{a+c}\sqrt{b+c+c})+a+b}\right)}{2d^2\sqrt{a+c}\sqrt{b+c}} - \frac{i \operatorname{PolyLog}\left(3, -\frac{(a-b)e^{2i(c+dx)}}{-2\sqrt{a+c}\sqrt{b+c+a+b+2c}}\right)}{4d^3\sqrt{a+c}\sqrt{b+c}} + \frac{i \operatorname{PolyLog}\left(3, -\frac{(a-b)e^{2i(c+dx)}}{2(\sqrt{a+c}\sqrt{b+c+c})+a+b}\right)}{4d^3\sqrt{a+c}\sqrt{b+c}}$$

```
[Out] ((-I/2)*x^2*Log[1 + ((a - b)*E^((2*I)*(c + d*x)))/(a + b + 2*c - 2*Sqrt[a + c]*Sqrt[b + c]])/(Sqrt[a + c]*Sqrt[b + c]*d) + ((I/2)*x^2*Log[1 + ((a - b)*E^((2*I)*(c + d*x)))/(a + b + 2*(c + Sqrt[a + c]*Sqrt[b + c]))])/(Sqrt[a + c]*Sqrt[b + c]*d) - (x*PolyLog[2, -(((a - b)*E^((2*I)*(c + d*x)))/(a + b + 2*c - 2*Sqrt[a + c]*Sqrt[b + c]))])/(2*Sqrt[a + c]*Sqrt[b + c]*d^2) + (x*PolyLog[2, -(((a - b)*E^((2*I)*(c + d*x)))/(a + b + 2*(c + Sqrt[a + c]*Sqrt[b + c]))])/(2*Sqrt[a + c]*Sqrt[b + c]*d^2) - ((I/4)*PolyLog[3, -(((a - b)*E^((2*I)*(c + d*x)))/(a + b + 2*c - 2*Sqrt[a + c]*Sqrt[b + c]))])/(Sqrt[a + c]*Sqrt[b + c]*d^3) + ((I/4)*PolyLog[3, -(((a - b)*E^((2*I)*(c + d*x)))/(a + b + 2*(c + Sqrt[a + c]*Sqrt[b + c]))])/(Sqrt[a + c]*Sqrt[b + c]*d^3)
```

**Rubi [A]** time = 1.0751, antiderivative size = 407, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 7, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {4589, 3321, 2264, 2190, 2531, 2282, 6589}

$$-\frac{x \operatorname{PolyLog}\left(2, -\frac{(a-b)e^{2i(c+dx)}}{-2\sqrt{a+c}\sqrt{b+c+a+b+2c}}\right)}{2d^2\sqrt{a+c}\sqrt{b+c}} + \frac{x \operatorname{PolyLog}\left(2, -\frac{(a-b)e^{2i(c+dx)}}{2(\sqrt{a+c}\sqrt{b+c+c})+a+b}\right)}{2d^2\sqrt{a+c}\sqrt{b+c}} - \frac{i \operatorname{PolyLog}\left(3, -\frac{(a-b)e^{2i(c+dx)}}{-2\sqrt{a+c}\sqrt{b+c+a+b+2c}}\right)}{4d^3\sqrt{a+c}\sqrt{b+c}} + \frac{i \operatorname{PolyLog}\left(3, -\frac{(a-b)e^{2i(c+dx)}}{2(\sqrt{a+c}\sqrt{b+c+c})+a+b}\right)}{4d^3\sqrt{a+c}\sqrt{b+c}}$$

Antiderivative was successfully verified.

```
[In] Int[(x^2*Sec[c + d*x]^2)/(a + c*Sec[c + d*x]^2 + b*Tan[c + d*x]^2), x]
```

```
[Out] ((-I/2)*x^2*Log[1 + ((a - b)*E^((2*I)*(c + d*x)))/(a + b + 2*c - 2*Sqrt[a + c]*Sqrt[b + c]])/(Sqrt[a + c]*Sqrt[b + c]*d) + ((I/2)*x^2*Log[1 + ((a - b)*E^((2*I)*(c + d*x)))/(a + b + 2*(c + Sqrt[a + c]*Sqrt[b + c]))])/(Sqrt[a + c]*Sqrt[b + c]*d) - (x*PolyLog[2, -(((a - b)*E^((2*I)*(c + d*x)))/(a + b + 2*c - 2*Sqrt[a + c]*Sqrt[b + c]))])/(2*Sqrt[a + c]*Sqrt[b + c]*d^2) + (x*PolyLog[2, -(((a - b)*E^((2*I)*(c + d*x)))/(a + b + 2*(c + Sqrt[a + c]*Sqrt[b + c]))])/(2*Sqrt[a + c]*Sqrt[b + c]*d^2) - ((I/4)*PolyLog[3, -(((a - b)*E^((2*I)*(c + d*x)))/(a + b + 2*c - 2*Sqrt[a + c]*Sqrt[b + c]))])/(Sqrt[a + c]*Sqrt[b + c]*d^3) + ((I/4)*PolyLog[3, -(((a - b)*E^((2*I)*(c + d*x)))/(a + b + 2*(c + Sqrt[a + c]*Sqrt[b + c]))])/(Sqrt[a + c]*Sqrt[b + c]*d^3)
```

#### Rule 4589

```
Int[(((f_) + (g_)*(x_))^(m_)*Sec[(d_) + (e_)*(x_)]^2)/((b_) + (a_)*Sec[(d_) + (e_)*(x_)]^2 + (c_)*Tan[(d_) + (e_)*(x_)]^2), x_Symbol] := Dist[2, Int[(f + g*x)^m/(2*a + b + c + (b - c)*Cos[2*d + 2*e*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && IGtQ[m, 0] && NeQ[a + b, 0] && NeQ[a + c, 0]
```

#### Rule 3321

```
Int[((c_) + (d_)*(x_))^(m_)/((a_) + (b_)*sin[(e_) + Pi*(k_) + (f_)*(x_)]), x_Symbol] := Dist[2, Int[((c + d*x)^m*E^(I*Pi*(k - 1/2))*E^(I*(e + f*x)))/(b + 2*a*E^(I*Pi*(k - 1/2))*E^(I*(e + f*x)) - b*E^(2*I*k*Pi))*E^(2*I*(k - 1/2)*(e + f*x))], x]
```

$e + f*x))$ ,  $x]$ ,  $x]$  /; FreeQ[{a, b, c, d, e, f}, x] && IntegerQ[2\*k] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

#### Rule 2264

Int[((F\_)^(u\_)\*((f\_.) + (g\_.)\*(x\_))^(m\_.))/((a\_.) + (b\_.)\*(F\_)^(u\_) + (c\_.)\*(F\_)^(v\_)), x\_Symbol] := With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[(2\*c)/q, Int[(f + g\*x)^m\*F^u/(b - q + 2\*c\*F^u), x], x] - Dist[(2\*c)/q, Int[(f + g\*x)^m\*F^u/(b + q + 2\*c\*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2\*u] && LinearQ[u, x] && NeQ[b^2 - 4\*a\*c, 0] && IGtQ[m, 0]

#### Rule 2190

Int[(((F\_)^(g\_.)\*((e\_.) + (f\_.)\*(x\_)))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.))/((a\_.) + (b\_.)\*(F\_)^(g\_.)\*((e\_.) + (f\_.)\*(x\_)))^(n\_.), x\_Symbol] := Simp[(c + d\*x)^m\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a]]/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

#### Rule 2531

Int[Log[1 + (e\_.)\*((F\_)^(c\_.)\*((a\_.) + (b\_.)\*(x\_)))^(n\_.)]\*((f\_.) + (g\_.)\*(x\_))^(m\_.), x\_Symbol] := -Simp[(f + g\*x)^m\*PolyLog[2, -(e\*(F^(c\*(a + b\*x)))^n)]/(b\*c\*n\*Log[F]), x] + Dist[(g\*m)/(b\*c\*n\*Log[F]), Int[(f + g\*x)^(m - 1)\*PolyLog[2, -(e\*(F^(c\*(a + b\*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

#### Rule 2282

Int[u\_, x\_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_.)\*(v\_)^(n\_))^(m\_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^((c\_.)\*((a\_.) + (b\_.)\*x))\*(F\_) [v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

#### Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] := Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

#### Rubi steps

$$\begin{aligned}
\int \frac{x^2 \sec^2(c + dx)}{a + c \sec^2(c + dx) + b \tan^2(c + dx)} dx &= 2 \int \frac{x^2}{a + b + 2c + (a - b) \cos(2c + 2dx)} dx \\
&= 4 \int \frac{e^{i(2c+2dx)} x^2}{a - b + 2(a + b + 2c)e^{i(2c+2dx)} + (a - b)e^{2i(2c+2dx)}} dx \\
&= \frac{(2(a - b)) \int \frac{e^{i(2c+2dx)} x^2}{-4\sqrt{a+c}\sqrt{b+c}+2(a+b+2c)+2(a-b)e^{i(2c+2dx)}} dx}{\sqrt{a + c}\sqrt{b + c}} - \frac{(2(a - b)) \int \frac{e^{i(2c+2dx)} x^2}{4\sqrt{a+c}\sqrt{b+c}} dx}{\sqrt{a + c}} \\
&= -\frac{ix^2 \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{a+b+2c-2\sqrt{a+c}\sqrt{b+c}}\right)}{2\sqrt{a + c}\sqrt{b + cd}} + \frac{ix^2 \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{a+b+2(c+\sqrt{a+c}\sqrt{b+c})}\right)}{2\sqrt{a + c}\sqrt{b + cd}} + \frac{i \int x^2 \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{a+b+2(c+\sqrt{a+c}\sqrt{b+c})}\right) dx}{2\sqrt{a + c}\sqrt{b + cd}} \\
&= -\frac{ix^2 \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{a+b+2c-2\sqrt{a+c}\sqrt{b+c}}\right)}{2\sqrt{a + c}\sqrt{b + cd}} + \frac{ix^2 \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{a+b+2(c+\sqrt{a+c}\sqrt{b+c})}\right)}{2\sqrt{a + c}\sqrt{b + cd}} - \frac{x \operatorname{Li}_2\left(\frac{(a-b)e^{2i(c+dx)}}{a+b+2(c+\sqrt{a+c}\sqrt{b+c})}\right)}{2\sqrt{a + c}\sqrt{b + cd}} \\
&= -\frac{ix^2 \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{a+b+2c-2\sqrt{a+c}\sqrt{b+c}}\right)}{2\sqrt{a + c}\sqrt{b + cd}} + \frac{ix^2 \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{a+b+2(c+\sqrt{a+c}\sqrt{b+c})}\right)}{2\sqrt{a + c}\sqrt{b + cd}} - \frac{x \operatorname{Li}_2\left(\frac{(a-b)e^{2i(c+dx)}}{a+b+2(c+\sqrt{a+c}\sqrt{b+c})}\right)}{2\sqrt{a + c}\sqrt{b + cd}} \\
&= -\frac{ix^2 \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{a+b+2c-2\sqrt{a+c}\sqrt{b+c}}\right)}{2\sqrt{a + c}\sqrt{b + cd}} + \frac{ix^2 \log\left(1 + \frac{(a-b)e^{2i(c+dx)}}{a+b+2(c+\sqrt{a+c}\sqrt{b+c})}\right)}{2\sqrt{a + c}\sqrt{b + cd}} - \frac{x \operatorname{Li}_2\left(\frac{(a-b)e^{2i(c+dx)}}{a+b+2(c+\sqrt{a+c}\sqrt{b+c})}\right)}{2\sqrt{a + c}\sqrt{b + cd}}
\end{aligned}$$

**Mathematica [A]** time = 2.19379, size = 499, normalized size = 1.23

$$ie^{2ic} \left( -2idx \operatorname{PolyLog}\left(2, \frac{(b-a)e^{2i(2c+dx)}}{-2\sqrt{e^{4ic}(a+c)(b+c)+ae^{2ic}+be^{2ic}+2ce^{2ic}}}\right) + 2idx \operatorname{PolyLog}\left(2, \frac{(b-a)e^{2i(2c+dx)}}{2\sqrt{e^{4ic}(a+c)(b+c)+ae^{2ic}+be^{2ic}+2ce^{2ic}}}\right) + \operatorname{PolyLog}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*Sec[c + d\*x]^2)/(a + c\*Sec[c + d\*x]^2 + b\*Tan[c + d\*x]^2), x]

[Out] ((-I/4)\*E^((2\*I)\*c)\*(2\*d^2\*x^2\*Log[1 + ((a - b)\*E^((2\*I)\*(2\*c + d\*x)))/(a\*E^((2\*I)\*c) + b\*E^((2\*I)\*c) + 2\*c\*E^((2\*I)\*c) - 2\*Sqrt[(a + c)\*(b + c)\*E^((4\*I)\*c)]]] - 2\*d^2\*x^2\*Log[1 + ((a - b)\*E^((2\*I)\*(2\*c + d\*x)))/(a\*E^((2\*I)\*c) + b\*E^((2\*I)\*c) + 2\*c\*E^((2\*I)\*c) + 2\*Sqrt[(a + c)\*(b + c)\*E^((4\*I)\*c)]]] - (2\*I)\*d\*x\*PolyLog[2, ((-a + b)\*E^((2\*I)\*(2\*c + d\*x)))/(a\*E^((2\*I)\*c) + b\*E^((2\*I)\*c) + 2\*c\*E^((2\*I)\*c) - 2\*Sqrt[(a + c)\*(b + c)\*E^((4\*I)\*c)]]] + (2\*I)\*d\*x\*PolyLog[2, ((-a + b)\*E^((2\*I)\*(2\*c + d\*x)))/(a\*E^((2\*I)\*c) + b\*E^((2\*I)\*c) + 2\*c\*E^((2\*I)\*c) + 2\*Sqrt[(a + c)\*(b + c)\*E^((4\*I)\*c)]]] + PolyLog[3, ((-a + b)\*E^((2\*I)\*(2\*c + d\*x)))/(a\*E^((2\*I)\*c) + b\*E^((2\*I)\*c) + 2\*c\*E^((2\*I)\*c) - 2\*Sqrt[(a + c)\*(b + c)\*E^((4\*I)\*c)]]] - PolyLog[3, ((-a + b)\*E^((2\*I)\*(2\*c + d\*x)))/(a\*E^((2\*I)\*c) + b\*E^((2\*I)\*c) + 2\*c\*E^((2\*I)\*c) + 2\*Sqrt[(a + c)\*(b + c)\*E^((4\*I)\*c)]]] )/(d^3\*Sqrt[(a + c)\*(b + c)\*E^((4\*I)\*c)])

**Maple [B]** time = 0.173, size = 2061, normalized size = 5.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*sec(d\*x+c)^2/(a+c\*sec(d\*x+c)^2+b\*tan(d\*x+c)^2), x)

```
[Out] -1/3/((a+c)*(b+c))^(1/2)*x^3-2/3/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c)*x^3-1/d^2
/((a+c)*(b+c))^(1/2)/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c)*c*polylog(2, (a-b)*exp
(2*I*(d*x+c))/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c))*x+1/d^2/((a+c)*(b+c))^(1/2)
/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c)*a*c^2*x+1/d^2/((a+c)*(b+c))^(1/2)/(-2*((a
+c)*(b+c))^(1/2)-a-b-2*c)*b*c^2*x-1/2/d^2/((a+c)*(b+c))^(1/2)/(-2*((a+c)*(b
+c))^(1/2)-a-b-2*c)*a*polylog(2, (a-b)*exp(2*I*(d*x+c))/(-2*((a+c)*(b+c))^(1
/2)-a-b-2*c))*x-1/2/d^2/((a+c)*(b+c))^(1/2)/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c
)*b*polylog(2, (a-b)*exp(2*I*(d*x+c))/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c))*x+I/
d^3*c^3/((a+c)*(b+c))^(1/2)/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c)*ln(1-(a-b)*exp
(2*I*(d*x+c))/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c))-1/4*I/d^3/((a+c)*(b+c))^(1/
2)/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c)*a*polylog(3, (a-b)*exp(2*I*(d*x+c))/(-2*
((a+c)*(b+c))^(1/2)-a-b-2*c))-1/4*I/d^3/((a+c)*(b+c))^(1/2)/(-2*((a+c)*(b+c
))^(1/2)-a-b-2*c)*b*polylog(3, (a-b)*exp(2*I*(d*x+c))/(-2*((a+c)*(b+c))^(1/2
)-a-b-2*c))-1/2*I/d^3/((a+c)*(b+c))^(1/2)/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c)*
c*polylog(3, (a-b)*exp(2*I*(d*x+c))/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c))+2/d^2*
c^3/((a+c)*(b+c))^(1/2)/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c)*x+2/3/d^3/((a+c)*(
b+c))^(1/2)/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c)*a*c^3+2/3/d^3/((a+c)*(b+c))^(1
/2)/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c)*b*c^3-I/d/(-2*((a+c)*(b+c))^(1/2)-a-b-
2*c)*ln(1-(a-b)*exp(2*I*(d*x+c))/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c))*x^2+I/d^
3*c^2/(a*b+a*c+b*c+c^2)^(1/2)*arctanh(1/4*(2*(a-b)*exp(2*I*(d*x+c))+2*a+2*b
+4*c)/(a*b+a*c+b*c+c^2)^(1/2))-I/d/((a+c)*(b+c))^(1/2)/(-2*((a+c)*(b+c))^(1
/2)-a-b-2*c)*c*ln(1-(a-b)*exp(2*I*(d*x+c))/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c
))*x^2+1/2*I/d^3/((a+c)*(b+c))^(1/2)/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c)*b*ln(1
-(a-b)*exp(2*I*(d*x+c))/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c))*c^2+1/2*I/d^3/((a
+c)*(b+c))^(1/2)/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c)*a*ln(1-(a-b)*exp(2*I*(d*x
+c))/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c))*c^2-1/2*I/d/((a+c)*(b+c))^(1/2)/(-2*
((a+c)*(b+c))^(1/2)-a-b-2*c)*b*ln(1-(a-b)*exp(2*I*(d*x+c))/(-2*((a+c)*(b+c)
))^(1/2)-a-b-2*c))*x^2-1/2*I/d/((a+c)*(b+c))^(1/2)/(-2*((a+c)*(b+c))^(1/2)-a
-b-2*c)*a*ln(1-(a-b)*exp(2*I*(d*x+c))/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c))*x^2
+2/3/d^3*c^3/((a+c)*(b+c))^(1/2)+4/3/d^3*c^3/(-2*((a+c)*(b+c))^(1/2)-a-b-2*
c)-1/2*I/d/((a+c)*(b+c))^(1/2)*ln(1-(a-b)*exp(2*I*(d*x+c))/(2*((a+c)*(b+c))
^(1/2)-a-b-2*c))*x^2-1/3/((a+c)*(b+c))^(1/2)/(-2*((a+c)*(b+c))^(1/2)-a-b-2*
c)*a*x^3-1/3/((a+c)*(b+c))^(1/2)/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c)*b*x^3-2/3
/((a+c)*(b+c))^(1/2)/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c)*c*x^3-1/2/d^2/((a+c)*
(b+c))^(1/2)*polylog(2, (a-b)*exp(2*I*(d*x+c))/(2*((a+c)*(b+c))^(1/2)-a-b-2*
c))*x-1/d^2/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c)*polylog(2, (a-b)*exp(2*I*(d*x+c
))/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c))*x+1/d^2*c^2/((a+c)*(b+c))^(1/2)*x+2/d^
2*c^2/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c)*x+4/3/d^3*c^4/((a+c)*(b+c))^(1/2)/(-
2*((a+c)*(b+c))^(1/2)-a-b-2*c)-1/2*I/d^3/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c)*p
olylog(3, (a-b)*exp(2*I*(d*x+c))/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c))-1/4*I/d^3
/((a+c)*(b+c))^(1/2)*polylog(3, (a-b)*exp(2*I*(d*x+c))/(2*((a+c)*(b+c))^(1/2
)-a-b-2*c))+1/2*I/d^3*c^2/((a+c)*(b+c))^(1/2)*ln(1-(a-b)*exp(2*I*(d*x+c))/(
2*((a+c)*(b+c))^(1/2)-a-b-2*c))+I/d^3*c^2/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c)*
ln(1-(a-b)*exp(2*I*(d*x+c))/(-2*((a+c)*(b+c))^(1/2)-a-b-2*c))
```

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*sec(d*x+c)^2/(a+c*sec(d*x+c)^2+b*tan(d*x+c)^2),x, algorithm="
maxima")
```

```
[Out] Exception raised: ValueError
```

---







```

d*x + c) - 4*((a - b)*cos(d*x + c) + (-I*a + I*b)*sin(d*x + c))*sqrt((a*b +
(a + b)*c + c^2)/(a^2 - 2*a*b + b^2)))*sqrt(-(2*(a - b)*sqrt((a*b + (a + b)
)*c + c^2)/(a^2 - 2*a*b + b^2)) + a + b + 2*c)/(a - b))/(a - b)) + 4*(-2*I*
a + 2*I*b)*sqrt((a*b + (a + b)*c + c^2)/(a^2 - 2*a*b + b^2))*polylog(3, -1/
2*(2*(a + b + 2*c)*cos(d*x + c) + (-2*I*a - 2*I*b - 4*I*c)*sin(d*x + c) - 4
*((a - b)*cos(d*x + c) - (I*a - I*b)*sin(d*x + c))*sqrt((a*b + (a + b)*c +
c^2)/(a^2 - 2*a*b + b^2)))*sqrt(-(2*(a - b)*sqrt((a*b + (a + b)*c + c^2)/(a
^2 - 2*a*b + b^2)) + a + b + 2*c)/(a - b))/(a - b)) + 4*(2*I*a - 2*I*b)*sq
rt((a*b + (a + b)*c + c^2)/(a^2 - 2*a*b + b^2))*polylog(3, 1/2*(2*(a + b + 2
*c)*cos(d*x + c) - (-2*I*a - 2*I*b - 4*I*c)*sin(d*x + c) - 4*((a - b)*cos(d
*x + c) + (I*a - I*b)*sin(d*x + c))*sqrt((a*b + (a + b)*c + c^2)/(a^2 - 2*a
*b + b^2)))*sqrt(-(2*(a - b)*sqrt((a*b + (a + b)*c + c^2)/(a^2 - 2*a*b + b^
2)) + a + b + 2*c)/(a - b))/(a - b)) + 4*(-2*I*a + 2*I*b)*sqrt((a*b + (a +
b)*c + c^2)/(a^2 - 2*a*b + b^2))*polylog(3, -1/2*(2*(a + b + 2*c)*cos(d*x +
c) + (2*I*a + 2*I*b + 4*I*c)*sin(d*x + c) + 4*((a - b)*cos(d*x + c) + (I*a
- I*b)*sin(d*x + c))*sqrt((a*b + (a + b)*c + c^2)/(a^2 - 2*a*b + b^2)))*sq
rt((2*(a - b)*sqrt((a*b + (a + b)*c + c^2)/(a^2 - 2*a*b + b^2)) - a - b - 2
*c)/(a - b))/(a - b)) + 4*(2*I*a - 2*I*b)*sqrt((a*b + (a + b)*c + c^2)/(a^2
- 2*a*b + b^2))*polylog(3, 1/2*(2*(a + b + 2*c)*cos(d*x + c) - (2*I*a + 2*
I*b + 4*I*c)*sin(d*x + c) + 4*((a - b)*cos(d*x + c) - (I*a - I*b)*sin(d*x +
c))*sqrt((a*b + (a + b)*c + c^2)/(a^2 - 2*a*b + b^2)))*sqrt((2*(a - b)*sq
rt((a*b + (a + b)*c + c^2)/(a^2 - 2*a*b + b^2)) - a - b - 2*c)/(a - b))/(a -
b)) + 4*(2*I*a - 2*I*b)*sqrt((a*b + (a + b)*c + c^2)/(a^2 - 2*a*b + b^2))*
polylog(3, -1/2*(2*(a + b + 2*c)*cos(d*x + c) + (-2*I*a - 2*I*b - 4*I*c)*si
n(d*x + c) + 4*((a - b)*cos(d*x + c) + (-I*a + I*b)*sin(d*x + c))*sqrt((a*b
+ (a + b)*c + c^2)/(a^2 - 2*a*b + b^2)))*sqrt((2*(a - b)*sqrt((a*b + (a +
b)*c + c^2)/(a^2 - 2*a*b + b^2)) - a - b - 2*c)/(a - b))/(a - b)) + 4*(-2*I
*a + 2*I*b)*sqrt((a*b + (a + b)*c + c^2)/(a^2 - 2*a*b + b^2))*polylog(3, 1/
2*(2*(a + b + 2*c)*cos(d*x + c) - (-2*I*a - 2*I*b - 4*I*c)*sin(d*x + c) + 4
*((a - b)*cos(d*x + c) - (-I*a + I*b)*sin(d*x + c))*sqrt((a*b + (a + b)*c +
c^2)/(a^2 - 2*a*b + b^2)))*sqrt((2*(a - b)*sqrt((a*b + (a + b)*c + c^2)/(a
^2 - 2*a*b + b^2)) - a - b - 2*c)/(a - b))/(a - b)))/(a*b + (a + b)*c + c^
2)*d^3)

```

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2 \sec^2(c + dx)}{a + b \tan^2(c + dx) + c \sec^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*sec(d\*x+c)\*\*2/(a+c\*sec(d\*x+c)\*\*2+b\*tan(d\*x+c)\*\*2),x)

[Out] Integral(x\*\*2\*sec(c + d\*x)\*\*2/(a + b\*tan(c + d\*x)\*\*2 + c\*sec(c + d\*x)\*\*2), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2 \sec(dx + c)^2}{c \sec(dx + c)^2 + b \tan(dx + c)^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*sec(d\*x+c)^2/(a+c\*sec(d\*x+c)^2+b\*tan(d\*x+c)^2),x, algorithm="giac")

```
[Out] integrate(x^2*sec(d*x + c)^2/(c*sec(d*x + c)^2 + b*tan(d*x + c)^2 + a), x)
```

### 3.165 $\int x^3 \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)} dx$

**Optimal.** Leaf size=155

$$\frac{3x^2 \sqrt{a - a \sin(e + fx)} \sqrt{c \sin(e + fx) + c}}{f^2} - \frac{6 \sqrt{a - a \sin(e + fx)} \sqrt{c \sin(e + fx) + c}}{f^4} - \frac{6x \tan(e + fx) \sqrt{a - a \sin(e + fx)}}{f^3}$$

```
[Out] (-6*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/f^4 + (3*x^2*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/f^2 - (6*x*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]*Tan[e + f*x])/f^3 + (x^3*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]*Tan[e + f*x])/f
```

**Rubi [A]** time = 0.198727, antiderivative size = 155, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {4604, 3296, 2638}

$$\frac{3x^2 \sqrt{a - a \sin(e + fx)} \sqrt{c \sin(e + fx) + c}}{f^2} - \frac{6 \sqrt{a - a \sin(e + fx)} \sqrt{c \sin(e + fx) + c}}{f^4} - \frac{6x \tan(e + fx) \sqrt{a - a \sin(e + fx)}}{f^3}$$

Antiderivative was successfully verified.

```
[In] Int[x^3*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]],x]
```

```
[Out] (-6*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/f^4 + (3*x^2*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/f^2 - (6*x*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]*Tan[e + f*x])/f^3 + (x^3*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]*Tan[e + f*x])/f
```

#### Rule 4604

```
Int[((g_.) + (h_.)*(x_))^(p_.)*((a_.) + (b_.)*Sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*Sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[(a^IntPart[m]*c^IntPart[m]*(a + b*Sin[e + f*x])^FracPart[m]*(c + d*Sin[e + f*x])^FracPart[m])/Cos[e + f*x]^(2*FracPart[m]), Int[(g + h*x)^p*Cos[e + f*x]^(2*m)*(c + d*Sin[e + f*x])^(n - m), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 - b^2, 0] && IntegerQ[p] && IntegerQ[2*m] && IntegerQ[n - m, 0]
```

#### Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

#### Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]
```

#### Rubi steps

$$\begin{aligned}
\int x^3 \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)} dx &= (\sec(e + fx) \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}) \int x^3 \cos(e + fx) dx \\
&= \frac{x^3 \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)} \tan(e + fx)}{f} - \frac{(3 \sec(e + fx) \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)})}{f^2} \\
&= \frac{3x^2 \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}}{f^2} + \frac{x^3 \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}}{f} \\
&= \frac{3x^2 \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}}{f^2} - \frac{6x \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}}{f^3} \\
&= -\frac{6 \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}}{f^4} + \frac{3x^2 \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}}{f^2}
\end{aligned}$$

**Mathematica [A]** time = 0.511689, size = 61, normalized size = 0.39

$$\frac{(fx(f^2x^2 - 6) \tan(e + fx) + 3f^2x^2 - 6) \sqrt{a - a \sin(e + fx)} \sqrt{c(\sin(e + fx) + 1)}}{f^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*Sqrt[a - a\*Sin[e + f\*x]]\*Sqrt[c + c\*Sin[e + f\*x]],x]

[Out] (Sqrt[c\*(1 + Sin[e + f\*x])]\*Sqrt[a - a\*Sin[e + f\*x]]\*(-6 + 3\*f^2\*x^2 + f\*x\*(-6 + f^2\*x^2)\*Tan[e + f\*x]))/f^4

**Maple [F]** time = 0.17, size = 0, normalized size = 0.

$$\int x^3 \sqrt{a - a \sin(fx + e)} \sqrt{c + c \sin(fx + e)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*(a-a\*sin(f\*x+e))^(1/2)\*(c+c\*sin(f\*x+e))^(1/2),x)

[Out] int(x^3\*(a-a\*sin(f\*x+e))^(1/2)\*(c+c\*sin(f\*x+e))^(1/2),x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-a \sin(fx + e) + a} \sqrt{c \sin(fx + e) + c} + cx^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(a-a\*sin(f\*x+e))^(1/2)\*(c+c\*sin(f\*x+e))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(-a\*sin(f\*x + e) + a)\*sqrt(c\*sin(f\*x + e) + c)\*x^3, x)

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a-a*sin(f*x+e))^(1/2)*(c+c*sin(f*x+e))^(1/2),x, algorithm="f
ricas")
```

```
[Out] Exception raised: UnboundLocalError
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int x^3 \sqrt{c(\sin(e + fx) + 1)} \sqrt{-a(\sin(e + fx) - 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(a-a*sin(f*x+e))**(1/2)*(c+c*sin(f*x+e))**(1/2),x)
```

```
[Out] Integral(x**3*sqrt(c*(sin(e + f*x) + 1))*sqrt(-a*(sin(e + f*x) - 1)), x)
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a-a*sin(f*x+e))^(1/2)*(c+c*sin(f*x+e))^(1/2),x, algorithm="g
iac")
```

```
[Out] Exception raised: AttributeError
```

### 3.166 $\int x^2 \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)} dx$

**Optimal.** Leaf size=118

$$\frac{2x\sqrt{a - a \sin(e + fx)}\sqrt{c \sin(e + fx) + c}}{f^2} - \frac{2 \tan(e + fx)\sqrt{a - a \sin(e + fx)}\sqrt{c \sin(e + fx) + c}}{f^3} + \frac{x^2 \tan(e + fx)\sqrt{a - a \sin(e + fx)}}{f}$$

[Out] (2\*x\*Sqrt[a - a\*Sin[e + f\*x]]\*Sqrt[c + c\*Sin[e + f\*x]])/f^2 - (2\*Sqrt[a - a\*Sin[e + f\*x]]\*Sqrt[c + c\*Sin[e + f\*x]]\*Tan[e + f\*x])/f^3 + (x^2\*Sqrt[a - a\*Sin[e + f\*x]]\*Sqrt[c + c\*Sin[e + f\*x]]\*Tan[e + f\*x])/f

**Rubi [A]** time = 0.176069, antiderivative size = 118, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {4604, 3296, 2637}

$$\frac{2x\sqrt{a - a \sin(e + fx)}\sqrt{c \sin(e + fx) + c}}{f^2} - \frac{2 \tan(e + fx)\sqrt{a - a \sin(e + fx)}\sqrt{c \sin(e + fx) + c}}{f^3} + \frac{x^2 \tan(e + fx)\sqrt{a - a \sin(e + fx)}}{f}$$

Antiderivative was successfully verified.

[In] Int[x^2\*Sqrt[a - a\*Sin[e + f\*x]]\*Sqrt[c + c\*Sin[e + f\*x]],x]

[Out] (2\*x\*Sqrt[a - a\*Sin[e + f\*x]]\*Sqrt[c + c\*Sin[e + f\*x]])/f^2 - (2\*Sqrt[a - a\*Sin[e + f\*x]]\*Sqrt[c + c\*Sin[e + f\*x]]\*Tan[e + f\*x])/f^3 + (x^2\*Sqrt[a - a\*Sin[e + f\*x]]\*Sqrt[c + c\*Sin[e + f\*x]]\*Tan[e + f\*x])/f

#### Rule 4604

```
Int[((g_.) + (h_.)*(x_))^(p_.)*((a_) + (b_.)*Sin[(e_.) + (f_.)*(x_)])^(m_)*
((c_) + (d_.)*Sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[(a^IntPart[m]
]*c^IntPart[m]*(a + b*Sin[e + f*x])^FracPart[m]*(c + d*Sin[e + f*x])^FracPa
rt[m])/Cos[e + f*x]^(2*FracPart[m]), Int[(g + h*x)^p*Cos[e + f*x]^(2*m)*(c
+ d*Sin[e + f*x])^(n - m), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] &&
EqQ[b*c + a*d, 0] && EqQ[a^2 - b^2, 0] && IntegerQ[p] && IntegerQ[2*m] && I
GeQ[n - m, 0]
```

#### Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> -Simp[
((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

#### Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] :> Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

#### Rubi steps



$$\begin{aligned}
\int x^2 \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)} dx &= (\sec(e + fx) \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}) \int x^2 \cos(e + fx) dx \\
&= \frac{x^2 \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)} \tan(e + fx)}{f} - \frac{(2 \sec(e + fx) x - \frac{2}{f}) \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}}{f^2} \\
&= \frac{2x \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}}{f^2} + \frac{x^2 \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}}{f} - \frac{2 \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}}{f^3} \\
&= \frac{2x \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}}{f^2} - \frac{2 \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}}{f^3}
\end{aligned}$$

**Mathematica [A]** time = 0.332446, size = 54, normalized size = 0.46

$$\frac{((f^2 x^2 - 2) \tan(e + fx) + 2fx) \sqrt{a - a \sin(e + fx)} \sqrt{c(\sin(e + fx) + 1)}}{f^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*Sqrt[a - a\*Sin[e + f\*x]]\*Sqrt[c + c\*Sin[e + f\*x]],x]

[Out] (Sqrt[c\*(1 + Sin[e + f\*x])]\*Sqrt[a - a\*Sin[e + f\*x]]\*(2\*f\*x + (-2 + f^2\*x^2)\*Tan[e + f\*x]))/f^3

**Maple [F]** time = 0.082, size = 0, normalized size = 0.

$$\int x^2 \sqrt{a - a \sin(fx + e)} \sqrt{c + c \sin(fx + e)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(a-a\*sin(f\*x+e))^(1/2)\*(c+c\*sin(f\*x+e))^(1/2),x)

[Out] int(x^2\*(a-a\*sin(f\*x+e))^(1/2)\*(c+c\*sin(f\*x+e))^(1/2),x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-a \sin(fx + e) + a} \sqrt{c \sin(fx + e) + c} x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a-a\*sin(f\*x+e))^(1/2)\*(c+c\*sin(f\*x+e))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(-a\*sin(f\*x + e) + a)\*sqrt(c\*sin(f\*x + e) + c)\*x^2, x)

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a-a*sin(f*x+e))^(1/2)*(c+c*sin(f*x+e))^(1/2),x, algorithm="f
ricas")
```

```
[Out] Exception raised: UnboundLocalError
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int x^2 \sqrt{c(\sin(e + fx) + 1)} \sqrt{-a(\sin(e + fx) - 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(a-a*sin(f*x+e))**(1/2)*(c+c*sin(f*x+e))**(1/2),x)
```

```
[Out] Integral(x**2*sqrt(c*(sin(e + f*x) + 1))*sqrt(-a*(sin(e + f*x) - 1)), x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-a \sin(fx + e) + a} \sqrt{c \sin(fx + e) + cx^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a-a*sin(f*x+e))^(1/2)*(c+c*sin(f*x+e))^(1/2),x, algorithm="g
iac")
```

```
[Out] integrate(sqrt(-a*sin(f*x + e) + a)*sqrt(c*sin(f*x + e) + c)*x^2, x)
```

### 3.167 $\int x\sqrt{a - a\sin(e + fx)}\sqrt{c + c\sin(e + fx)} dx$

**Optimal.** Leaf size=74

$$\frac{\sqrt{a - a\sin(e + fx)}\sqrt{c\sin(e + fx) + c}}{f^2} + \frac{x \tan(e + fx)\sqrt{a - a\sin(e + fx)}\sqrt{c\sin(e + fx) + c}}{f}$$

[Out] (Sqrt[a - a\*Sin[e + f\*x]]\*Sqrt[c + c\*Sin[e + f\*x]])/f^2 + (x\*Sqrt[a - a\*Sin[e + f\*x]]\*Sqrt[c + c\*Sin[e + f\*x]]\*Tan[e + f\*x])/f

**Rubi [A]** time = 0.110354, antiderivative size = 74, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {4604, 3296, 2638}

$$\frac{\sqrt{a - a\sin(e + fx)}\sqrt{c\sin(e + fx) + c}}{f^2} + \frac{x \tan(e + fx)\sqrt{a - a\sin(e + fx)}\sqrt{c\sin(e + fx) + c}}{f}$$

Antiderivative was successfully verified.

[In] Int[x\*Sqrt[a - a\*Sin[e + f\*x]]\*Sqrt[c + c\*Sin[e + f\*x]],x]

[Out] (Sqrt[a - a\*Sin[e + f\*x]]\*Sqrt[c + c\*Sin[e + f\*x]])/f^2 + (x\*Sqrt[a - a\*Sin[e + f\*x]]\*Sqrt[c + c\*Sin[e + f\*x]]\*Tan[e + f\*x])/f

#### Rule 4604

Int[((g\_.) + (h\_.)\*(x\_))^(p\_.)\*((a\_) + (b\_.)\*Sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_) + (d\_.)\*Sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Dist[(a^IntPart[m]\*c^IntPart[m]\*(a + b\*Sin[e + f\*x])^FracPart[m]\*(c + d\*Sin[e + f\*x])^FracPart[m])/Cos[e + f\*x]^(2\*FracPart[m]), Int[(g + h\*x)^p\*Cos[e + f\*x]^(2\*m)\*(c + d\*Sin[e + f\*x])^(n - m), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && EqQ[b\*c + a\*d, 0] && EqQ[a^2 - b^2, 0] && IntegerQ[p] && IntegerQ[2\*m] && IntegerQ[n - m, 0]

#### Rule 3296

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*sin[(e\_.) + (f\_.)\*(x\_)], x\_Symbol] :> -Simp[(c + d\*x)^m\*Cos[e + f\*x]/f, x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Cos[e + f\*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

#### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int x\sqrt{a - a\sin(e + fx)}\sqrt{c + c\sin(e + fx)} dx &= (\sec(e + fx)\sqrt{a - a\sin(e + fx)}\sqrt{c + c\sin(e + fx)}) \int x \cos(e + fx) dx \\ &= \frac{x\sqrt{a - a\sin(e + fx)}\sqrt{c + c\sin(e + fx)} \tan(e + fx)}{f} - \frac{(\sec(e + fx)\sqrt{a - a\sin(e + fx)}\sqrt{c + c\sin(e + fx)})}{f} \\ &= \frac{\sqrt{a - a\sin(e + fx)}\sqrt{c + c\sin(e + fx)}}{f^2} + \frac{x\sqrt{a - a\sin(e + fx)}\sqrt{c + c\sin(e + fx)}}{f} \end{aligned}$$

**Mathematica [A]** time = 0.206221, size = 44, normalized size = 0.59

$$\frac{(fx \tan(e + fx) + 1)\sqrt{a - a \sin(e + fx)}\sqrt{c(\sin(e + fx) + 1)}}{f^2}$$

Antiderivative was successfully verified.

[In] Integrate[x\*Sqrt[a - a\*Sin[e + f\*x]]\*Sqrt[c + c\*Sin[e + f\*x]],x]

[Out] (Sqrt[c\*(1 + Sin[e + f\*x]])\*Sqrt[a - a\*Sin[e + f\*x]]\*(1 + f\*x\*Tan[e + f\*x])/f^2

**Maple [F]** time = 0.081, size = 0, normalized size = 0.

$$\int x\sqrt{a - a \sin(fx + e)}\sqrt{c + c \sin(fx + e)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(a-a\*sin(f\*x+e))^(1/2)\*(c+c\*sin(f\*x+e))^(1/2),x)

[Out] int(x\*(a-a\*sin(f\*x+e))^(1/2)\*(c+c\*sin(f\*x+e))^(1/2),x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-a \sin(fx + e) + a}\sqrt{c \sin(fx + e) + cx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a-a\*sin(f\*x+e))^(1/2)\*(c+c\*sin(f\*x+e))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(-a\*sin(f\*x + e) + a)\*sqrt(c\*sin(f\*x + e) + c)\*x, x)

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a-a\*sin(f\*x+e))^(1/2)\*(c+c\*sin(f\*x+e))^(1/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int x\sqrt{c(\sin(e + fx) + 1)}\sqrt{-a(\sin(e + fx) - 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a-a*sin(f*x+e))**(1/2)*(c+c*sin(f*x+e))**(1/2),x)
```

```
[Out] Integral(x*sqrt(c*(sin(e + f*x) + 1))*sqrt(-a*(sin(e + f*x) - 1)), x)
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a-a*sin(f*x+e))^(1/2)*(c+c*sin(f*x+e))^(1/2),x, algorithm="gias")
```

```
[Out] Exception raised: AttributeError
```

$$3.168 \quad \int \frac{\sqrt{a-a \sin(e+fx)} \sqrt{c+c \sin(e+fx)}}{x} dx$$

**Optimal.** Leaf size=86

$\cos(e)\text{CosIntegral}(fx) \sec(e+fx) \sqrt{a-a \sin(e+fx)} \sqrt{c \sin(e+fx)+c} - \sin(e)\text{Si}(fx) \sec(e+fx) \sqrt{a-a \sin(e+fx)} \sqrt{c \sin(e+fx)+c}$

[Out] Cos[e]\*CosIntegral[f\*x]\*Sec[e+f\*x]\*Sqrt[a-a\*Sin[e+f\*x]]\*Sqrt[c+c\*Sin[e+f\*x]] - Sec[e+f\*x]\*Sin[e]\*Sqrt[a-a\*Sin[e+f\*x]]\*Sqrt[c+c\*Sin[e+f\*x]]\*SinIntegral[f\*x]

**Rubi [A]** time = 0.183241, antiderivative size = 86, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$ , Rules used = {4604, 3303, 3299, 3302}

$\cos(e)\text{CosIntegral}(fx) \sec(e+fx) \sqrt{a-a \sin(e+fx)} \sqrt{c \sin(e+fx)+c} - \sin(e)\text{Si}(fx) \sec(e+fx) \sqrt{a-a \sin(e+fx)} \sqrt{c \sin(e+fx)+c}$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a - a\*Sin[e + f\*x]]\*Sqrt[c + c\*Sin[e + f\*x]])/x,x]

[Out] Cos[e]\*CosIntegral[f\*x]\*Sec[e+f\*x]\*Sqrt[a-a\*Sin[e+f\*x]]\*Sqrt[c+c\*Sin[e+f\*x]] - Sec[e+f\*x]\*Sin[e]\*Sqrt[a-a\*Sin[e+f\*x]]\*Sqrt[c+c\*Sin[e+f\*x]]\*SinIntegral[f\*x]

#### Rule 4604

Int[((g\_.) + (h\_.)\*(x\_))^(p\_.)\*((a\_.) + (b\_.)\*Sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*Sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Dist[(a^IntPart[m]\*c^IntPart[m]\*(a + b\*Sin[e + f\*x])^FracPart[m]\*(c + d\*Sin[e + f\*x])^FracPart[m])/Cos[e + f\*x]^(2\*FracPart[m]), Int[(g + h\*x)^p\*Cos[e + f\*x]^(2\*m)\*(c + d\*Sin[e + f\*x])^(n - m), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && EqQ[b\*c + a\*d, 0] && EqQ[a^2 - b^2, 0] && IntegerQ[p] && IntegerQ[2\*m] && IntegerQ[n - m, 0]

#### Rule 3303

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Dist[Cos[(d\*e - c\*f)/d], Int[Sin[(c\*f)/d + f\*x]/(c + d\*x), x], x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[(c\*f)/d + f\*x]/(c + d\*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d\*e - c\*f, 0]

#### Rule 3299

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

#### Rule 3302

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}}{x} dx &= \left( \sec(e + fx) \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)} \right) \int \frac{\cos(e + fx)}{x} dx \\ &= \left( \cos(e) \sec(e + fx) \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)} \right) \int \frac{\cos(fx)}{x} dx \\ &= \cos(e) \text{Ci}(fx) \sec(e + fx) \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)} - \sec(e + fx) \int \frac{\cos(fx)}{x} dx \end{aligned}$$

**Mathematica [A]** time = 0.222457, size = 52, normalized size = 0.6

$$\sec(e + fx) \sqrt{a - a \sin(e + fx)} \sqrt{c(\sin(e + fx) + 1)} (\cos(e) \text{CosIntegral}(fx) - \sin(e) \text{Si}(fx))$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a - a\*Sin[e + f\*x]]\*Sqrt[c + c\*Sin[e + f\*x]])/x,x]

[Out] Sec[e + f\*x]\*Sqrt[c\*(1 + Sin[e + f\*x])]\*Sqrt[a - a\*Sin[e + f\*x]]\*(Cos[e]\*CosIntegral[f\*x] - Sin[e]\*SinIntegral[f\*x])

**Maple [F]** time = 0.083, size = 0, normalized size = 0.

$$\int \frac{1}{x} \sqrt{a - a \sin(fx + e)} \sqrt{c + c \sin(fx + e)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a-a\*sin(f\*x+e))^(1/2)\*(c+c\*sin(f\*x+e))^(1/2)/x,x)

[Out] int((a-a\*sin(f\*x+e))^(1/2)\*(c+c\*sin(f\*x+e))^(1/2)/x,x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-a \sin(fx + e) + a} \sqrt{c \sin(fx + e) + c}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a\*sin(f\*x+e))^(1/2)\*(c+c\*sin(f\*x+e))^(1/2)/x,x, algorithm="maxima")

[Out] integrate(sqrt(-a\*sin(f\*x + e) + a)\*sqrt(c\*sin(f\*x + e) + c)/x, x)

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a\*sin(f\*x+e))^(1/2)\*(c+c\*sin(f\*x+e))^(1/2)/x,x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{c(\sin(e+fx)+1)}\sqrt{-a(\sin(e+fx)-1)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a\*sin(f\*x+e))\*\*(1/2)\*(c+c\*sin(f\*x+e))\*\*(1/2)/x,x)

[Out] Integral(sqrt(c\*(sin(e + f\*x) + 1))\*sqrt(-a\*(sin(e + f\*x) - 1))/x, x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-a \sin(fx + e) + a} \sqrt{c \sin(fx + e) + c}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a\*sin(f\*x+e))^(1/2)\*(c+c\*sin(f\*x+e))^(1/2)/x,x, algorithm="giac")

[Out] integrate(sqrt(-a\*sin(f\*x + e) + a)\*sqrt(c\*sin(f\*x + e) + c)/x, x)



$$3.169 \quad \int \frac{\sqrt{a-a \sin(e+fx)} \sqrt{c+c \sin(e+fx)}}{x^2} dx$$

**Optimal.** Leaf size=123

$$-f \sin(e) \operatorname{CosIntegral}(fx) \sec(e+fx) \sqrt{a-a \sin(e+fx)} \sqrt{c+c \sin(e+fx)} - f \cos(e) \operatorname{Si}(fx) \sec(e+fx) \sqrt{a-a \sin(e+fx)}$$

```
[Out] -((Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/x) - f*CosIntegral[f*x]*Sec[e + f*x]*Sin[e]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]] - f*Cos[e]*Sec[e + f*x]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]*SinIntegral[f*x]
```

**Rubi [A]** time = 0.198508, antiderivative size = 123, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {4604, 3297, 3303, 3299, 3302}

$$-f \sin(e) \operatorname{CosIntegral}(fx) \sec(e+fx) \sqrt{a-a \sin(e+fx)} \sqrt{c+c \sin(e+fx)} - f \cos(e) \operatorname{Si}(fx) \sec(e+fx) \sqrt{a-a \sin(e+fx)}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/x^2,x]
```

```
[Out] -((Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/x) - f*CosIntegral[f*x]*Sec[e + f*x]*Sin[e]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]] - f*Cos[e]*Sec[e + f*x]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]*SinIntegral[f*x]
```

#### Rule 4604

```
Int[((g_.) + (h_.)*(x_))^(p_.)*((a_.) + (b_.)*Sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*Sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[(a^IntPart[m]*c^IntPart[m]*(a + b*Sin[e + f*x])^FracPart[m]*(c + d*Sin[e + f*x])^FracPart[m])/Cos[e + f*x]^(2*FracPart[m]), Int[(g + h*x)^p*Cos[e + f*x]^(2*m)*(c + d*Sin[e + f*x])^(n - m), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 - b^2, 0] && IntegerQ[p] && IntegerQ[2*m] && IntegerQ[n - m, 0]
```

#### Rule 3297

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Simp[(c + d*x)^(m + 1)*Sin[e + f*x]/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]
```

#### Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

#### Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

**Rule 3302**

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

**Rubi steps**

$$\begin{aligned} \int \frac{\sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}}{x^2} dx &= \left( \sec(e + fx) \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)} \right) \int \frac{\cos(e + fx)}{x^2} dx \\ &= -\frac{\sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}}{x} - \left( f \sec(e + fx) \sqrt{a - a \sin(e + fx)} \right) \int \frac{1}{x} dx \\ &= -\frac{\sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}}{x} - \left( f \cos(e) \sec(e + fx) \sqrt{a - a \sin(e + fx)} \right) \int \frac{1}{x} dx \\ &= -\frac{\sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}}{x} - f \operatorname{Ci}(fx) \sec(e + fx) \sin(e) \sqrt{a - a \sin(e + fx)} \end{aligned}$$

**Mathematica [A]** time = 0.247739, size = 65, normalized size = 0.53

$$\frac{\sec(e + fx) \sqrt{a - a \sin(e + fx)} \sqrt{c(\sin(e + fx) + 1)} (fx \sin(e) \operatorname{CosIntegral}(fx) + fx \cos(e) \operatorname{Si}(fx) + \cos(e + fx))}{x}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/x^2,x]
```

```
[Out] -((Sec[e + f*x]*Sqrt[c*(1 + Sin[e + f*x]])*Sqrt[a - a*Sin[e + f*x]]*(Cos[e + f*x] + f*x*CosIntegral[f*x]*Sin[e] + f*x*Cos[e]*SinIntegral[f*x]))/x)
```

**Maple [F]** time = 0.082, size = 0, normalized size = 0.

$$\int \frac{1}{x^2} \sqrt{a - a \sin(fx + e)} \sqrt{c + c \sin(fx + e)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a-a*sin(f*x+e))^(1/2)*(c+c*sin(f*x+e))^(1/2)/x^2,x)
```

```
[Out] int((a-a*sin(f*x+e))^(1/2)*(c+c*sin(f*x+e))^(1/2)/x^2,x)
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-a \sin(fx + e) + a} \sqrt{c \sin(fx + e) + c}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a-a*sin(f*x+e))^(1/2)*(c+c*sin(f*x+e))^(1/2)/x^2,x, algorithm="maxima")
```

[Out] integrate(sqrt(-a\*sin(f\*x + e) + a)\*sqrt(c\*sin(f\*x + e) + c)/x^2, x)

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a\*sin(f\*x+e))^(1/2)\*(c+c\*sin(f\*x+e))^(1/2)/x^2,x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{c(\sin(e + fx) + 1)}\sqrt{-a(\sin(e + fx) - 1)}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a\*sin(f\*x+e))\*\*(1/2)\*(c+c\*sin(f\*x+e))\*\*(1/2)/x\*\*2,x)

[Out] Integral(sqrt(c\*(sin(e + f\*x) + 1))\*sqrt(-a\*(sin(e + f\*x) - 1))/x\*\*2, x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-a \sin (fx + e) + a} \sqrt{c \sin (fx + e) + c}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a\*sin(f\*x+e))^(1/2)\*(c+c\*sin(f\*x+e))^(1/2)/x^2,x, algorithm="giac")

[Out] integrate(sqrt(-a\*sin(f\*x + e) + a)\*sqrt(c\*sin(f\*x + e) + c)/x^2, x)

$$3.170 \quad \int \frac{\sqrt{a-a \sin(e+fx)}\sqrt{c+c \sin(e+fx)}}{x^3} dx$$

**Optimal.** Leaf size=176

$$-\frac{1}{2}f^2 \cos(e)\text{CosIntegral}(fx) \sec(e+fx)\sqrt{a-a \sin(e+fx)}\sqrt{c \sin(e+fx)+c} + \frac{1}{2}f^2 \sin(e)\text{Si}(fx) \sec(e+fx)\sqrt{a-a \sin(e+fx)}$$

```
[Out] -(Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/(2*x^2) - (f^2*Cos[e]*
CosIntegral[f*x]*Sec[e + f*x]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f
*x]])/2 + (f^2*Sec[e + f*x]*Sin[e]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[
e + f*x]]*SinIntegral[f*x])/2 + (f*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[
e + f*x]]*Tan[e + f*x])/(2*x)
```

**Rubi [A]** time = 0.225648, antiderivative size = 176, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {4604, 3297, 3303, 3299, 3302}

$$-\frac{1}{2}f^2 \cos(e)\text{CosIntegral}(fx) \sec(e+fx)\sqrt{a-a \sin(e+fx)}\sqrt{c \sin(e+fx)+c} + \frac{1}{2}f^2 \sin(e)\text{Si}(fx) \sec(e+fx)\sqrt{a-a \sin(e+fx)}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/x^3,x]
```

```
[Out] -(Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/(2*x^2) - (f^2*Cos[e]*
CosIntegral[f*x]*Sec[e + f*x]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f
*x]])/2 + (f^2*Sec[e + f*x]*Sin[e]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[
e + f*x]]*SinIntegral[f*x])/2 + (f*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[
e + f*x]]*Tan[e + f*x])/(2*x)
```

#### Rule 4604

```
Int[((g_.) + (h_.)*(x_))^(p_.)*((a_.) + (b_.)*Sin[(e_.) + (f_.)*(x_)])^(m_)*
((c_.) + (d_.)*Sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[(a^IntPart[m
]*c^IntPart[m]*(a + b*Sin[e + f*x])^FracPart[m]*(c + d*Sin[e + f*x])^FracPa
rt[m])/Cos[e + f*x]^(2*FracPart[m]), Int[(g + h*x)^p*Cos[e + f*x]^(2*m)*(c
+ d*Sin[e + f*x])^(n - m), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] &&
EqQ[b*c + a*d, 0] && EqQ[a^2 - b^2, 0] && IntegerQ[p] && IntegerQ[2*m] && I
GeQ[n - m, 0]
```

#### Rule 3297

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Simp[((
c + d*x)^(m + 1)*Sin[e + f*x]/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c
+ d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1
]
```

#### Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

#### Rule 3299

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]`

### Rule 3302

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]`

### Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}}{x^3} dx &= \left( \sec(e + fx) \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)} \right) \int \frac{\cos(e + fx)}{x^3} dx \\ &= -\frac{\sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}}{2x^2} - \frac{1}{2} \left( f \sec(e + fx) \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)} \right) \\ &= -\frac{\sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}}{2x^2} + \frac{f \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}}{2x} \\ &= -\frac{\sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}}{2x^2} + \frac{f \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}}{2x} \\ &= -\frac{\sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}}{2x^2} - \frac{1}{2} f^2 \cos(e) \text{Ci}(fx) \sec(e + fx) \end{aligned}$$

**Mathematica [A]** time = 0.290416, size = 87, normalized size = 0.49

$$\frac{\sec(e + fx) \sqrt{a - a \sin(e + fx)} \sqrt{c(\sin(e + fx) + 1)} (-f^2 x^2 \cos(e) \text{CosIntegral}(fx) + f^2 x^2 \sin(e) \text{Si}(fx) + fx \sin(e + fx) + f \text{SinIntegral}(fx))}{2x^2}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a - a\*Sin[e + f\*x]]\*Sqrt[c + c\*Sin[e + f\*x]])/x^3,x]

[Out] (Sec[e + f\*x]\*Sqrt[c\*(1 + Sin[e + f\*x])]\*Sqrt[a - a\*Sin[e + f\*x]]\*(-Cos[e + f\*x] - f^2\*x^2\*Cos[e]\*CosIntegral[f\*x] + f\*x\*Sin[e + f\*x] + f^2\*x^2\*Sin[e]\*SinIntegral[f\*x]))/(2\*x^2)

**Maple [F]** time = 0.08, size = 0, normalized size = 0.

$$\int \frac{1}{x^3} \sqrt{a - a \sin(fx + e)} \sqrt{c + c \sin(fx + e)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a-a\*sin(f\*x+e))^(1/2)\*(c+c\*sin(f\*x+e))^(1/2)/x^3,x)

[Out] int((a-a\*sin(f\*x+e))^(1/2)\*(c+c\*sin(f\*x+e))^(1/2)/x^3,x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-a \sin(fx + e) + a} \sqrt{c \sin(fx + e) + c}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a\*sin(f\*x+e))^(1/2)\*(c+c\*sin(f\*x+e))^(1/2)/x^3,x, algorithm="maxima")

[Out] integrate(sqrt(-a\*sin(f\*x + e) + a)\*sqrt(c\*sin(f\*x + e) + c)/x^3, x)

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a\*sin(f\*x+e))^(1/2)\*(c+c\*sin(f\*x+e))^(1/2)/x^3,x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{c(\sin(e+fx)+1)}\sqrt{-a(\sin(e+fx)-1)}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a\*sin(f\*x+e))\*\*(1/2)\*(c+c\*sin(f\*x+e))\*\*(1/2)/x\*\*3,x)

[Out] Integral(sqrt(c\*(sin(e + f\*x) + 1))\*sqrt(-a\*(sin(e + f\*x) - 1))/x\*\*3, x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-a \sin (f x+e)+a} \sqrt{c \sin (f x+e)+c}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a\*sin(f\*x+e))^(1/2)\*(c+c\*sin(f\*x+e))^(1/2)/x^3,x, algorithm="giac")

[Out] integrate(sqrt(-a\*sin(f\*x + e) + a)\*sqrt(c\*sin(f\*x + e) + c)/x^3, x)

### 3.171 $\int x^3 \sqrt{a - a \sin(e + fx)} (c + c \sin(e + fx))^{3/2} dx$

**Optimal.** Leaf size=393

$$\frac{3cx^2 \sin(e + fx) \sqrt{a - a \sin(e + fx)} \sqrt{c \sin(e + fx) + c}}{4f^2} + \frac{3cx^2 \sqrt{a - a \sin(e + fx)} \sqrt{c \sin(e + fx) + c}}{f^2} - \frac{3c \sin(e + fx) \sqrt{a - a \sin(e + fx)} \sqrt{c \sin(e + fx) + c}}{f^2}$$

```
[Out] (-6*c*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/f^4 + (3*c*x^2*Sqr
t[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/f^2 + (3*c*x*Sec[e + f*x]*S
qrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/(8*f^3) - (3*c*x^3*Sec[e
+ f*x]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/(4*f) - (3*c*Sin[
e + f*x]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/(8*f^4) + (3*c*
x^2*Sin[e + f*x]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/(4*f^2)
+ (x^3*Sec[e + f*x]*Sqrt[a - a*Sin[e + f*x]]*(c + c*Sin[e + f*x])^(5/2))/(
2*c*f) - (6*c*x*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]*Tan[e + f
*x])/f^3 - (3*c*x*Sin[e + f*x]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e +
f*x]]*Tan[e + f*x])/(4*f^3)
```

**Rubi [A]** time = 0.375268, antiderivative size = 393, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 9, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {4604, 4422, 3317, 3296, 2638, 3311, 30, 2635, 8}

$$\frac{3cx^2 \sin(e + fx) \sqrt{a - a \sin(e + fx)} \sqrt{c \sin(e + fx) + c}}{4f^2} + \frac{3cx^2 \sqrt{a - a \sin(e + fx)} \sqrt{c \sin(e + fx) + c}}{f^2} - \frac{3c \sin(e + fx) \sqrt{a - a \sin(e + fx)} \sqrt{c \sin(e + fx) + c}}{f^2}$$

Antiderivative was successfully verified.

```
[In] Int[x^3*Sqrt[a - a*Sin[e + f*x]]*(c + c*Sin[e + f*x])^(3/2),x]
```

```
[Out] (-6*c*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/f^4 + (3*c*x^2*Sqr
t[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/f^2 + (3*c*x*Sec[e + f*x]*S
qrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/(8*f^3) - (3*c*x^3*Sec[e
+ f*x]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/(4*f) - (3*c*Sin[
e + f*x]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/(8*f^4) + (3*c*
x^2*Sin[e + f*x]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/(4*f^2)
+ (x^3*Sec[e + f*x]*Sqrt[a - a*Sin[e + f*x]]*(c + c*Sin[e + f*x])^(5/2))/(
2*c*f) - (6*c*x*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]*Tan[e + f
*x])/f^3 - (3*c*x*Sin[e + f*x]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e +
f*x]]*Tan[e + f*x])/(4*f^3)
```

#### Rule 4604

```
Int[((g_.) + (h_.)*(x_))^(p_.)*((a_.) + (b_.)*Sin[(e_.) + (f_.)*(x_)])^(m_.)*
((c_.) + (d_.)*Sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[(a^IntPart[m
]*c^IntPart[m]*(a + b*Sin[e + f*x])^FracPart[m]*(c + d*Sin[e + f*x])^FracPa
rt[m])/Cos[e + f*x]^(2*FracPart[m]), Int[(g + h*x)^p*Cos[e + f*x]^(2*m)*(c
+ d*Sin[e + f*x])^(n - m), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] &&
EqQ[b*c + a*d, 0] && EqQ[a^2 - b^2, 0] && IntegerQ[p] && IntegerQ[2*m] && I
GeQ[n - m, 0]
```

#### Rule 4422

```
Int[Cos[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c
_.) + (d_.)*(x_)])^(n_.), x_Symbol] :> Simp[((e + f*x)^m*(a + b*Sin[c + d*x
])^(n + 1))/(b*d*(n + 1)), x] - Dist[(f*m)/(b*d*(n + 1)), Int[(e + f*x)^(m
- 1)*(a + b*Sin[c + d*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]
```

] && IGtQ[m, 0] && NeQ[n, -1]

### Rule 3317

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(c + d\*x)^m, (a + b\*Sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[m, 0] || NeQ[a^2 - b^2, 0])

### Rule 3296

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*sin[(e\_.) + (f\_.)\*(x\_)], x\_Symbol] := -Simp[(c + d\*x)^m\*Cos[e + f\*x]/f, x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Cos[e + f\*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

### Rule 3311

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := Simp[(d\*m\*(c + d\*x)^(m - 1)\*(b\*Sin[e + f\*x])^n)/(f^2\*n^2), x] + (Dist[(b^2\*(n - 1))/n, Int[(c + d\*x)^m\*(b\*Sin[e + f\*x])^(n - 2), x], x] - Dist[(d^2\*m\*(m - 1))/(f^2\*n^2), Int[(c + d\*x)^(m - 2)\*(b\*Sin[e + f\*x])^n, x], x] - Simp[(b\*(c + d\*x)^m\*Cos[e + f\*x]\*(b\*Sin[e + f\*x])^(n - 1))/(f\*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]

### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_.), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

### Rubi steps



$$\begin{aligned}
\int x^3 \sqrt{a - a \sin(e + fx)} (c + c \sin(e + fx))^{3/2} dx &= \left( \sec(e + fx) \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)} \right) \int x^3 \cos(e + fx) dx \\
&= \frac{x^3 \sec(e + fx) \sqrt{a - a \sin(e + fx)} (c + c \sin(e + fx))^{5/2}}{2cf} - \frac{(3 \sec(e + fx) (c + c \sin(e + fx))^{5/2})}{2cf} \\
&= \frac{x^3 \sec(e + fx) \sqrt{a - a \sin(e + fx)} (c + c \sin(e + fx))^{5/2}}{2cf} - \frac{(3 \sec(e + fx) (c + c \sin(e + fx))^{5/2})}{2cf} \\
&= -\frac{cx^3 \sec(e + fx) \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}}{2f} + \frac{x^3 \sec(e + fx) \sqrt{a - a \sin(e + fx)} (c + c \sin(e + fx))^{5/2}}{2f} \\
&= \frac{3cx^2 \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}}{f^2} - \frac{cx^3 \sec(e + fx) \sqrt{a - a \sin(e + fx)} (c + c \sin(e + fx))^{5/2}}{f^2} \\
&= \frac{3cx^2 \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}}{f^2} - \frac{3cx^3 \sec(e + fx) \sqrt{a - a \sin(e + fx)} (c + c \sin(e + fx))^{5/2}}{f^2} \\
&= -\frac{6c \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}}{f^4} + \frac{3cx^2 \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}}{f^2}
\end{aligned}$$

**Mathematica [A]** time = 1.15899, size = 113, normalized size = 0.29

$$\frac{c \sqrt{a - a \sin(e + fx)} \sqrt{c(\sin(e + fx) + 1)} \left( (6f^2 x^2 - 3) \sin(e + fx) + 8(fx(f^2 x^2 - 6) \tan(e + fx) + 3f^2 x^2 - 6) - fx(2f^2 x^2 - 3) \right)}{8f^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*Sqrt[a - a\*Sin[e + f\*x]]\*(c + c\*Sin[e + f\*x])^(3/2),x]

[Out] (c\*Sqrt[c\*(1 + Sin[e + f\*x])]\*Sqrt[a - a\*Sin[e + f\*x]]\*(-(f\*x\*(-3 + 2\*f^2\*x^2)\*Cos[2\*(e + f\*x)]\*Sec[e + f\*x]) + (-3 + 6\*f^2\*x^2)\*Sin[e + f\*x] + 8\*(-6 + 3\*f^2\*x^2 + f\*x\*(-6 + f^2\*x^2))\*Tan[e + f\*x]))/(8\*f^4)

**Maple [F]** time = 0.079, size = 0, normalized size = 0.

$$\int x^3 (c + c \sin(fx + e))^{3/2} \sqrt{a - a \sin(fx + e)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*(c+c\*sin(f\*x+e))^(3/2)\*(a-a\*sin(f\*x+e))^(1/2),x)

[Out] int(x^3\*(c+c\*sin(f\*x+e))^(3/2)\*(a-a\*sin(f\*x+e))^(1/2),x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-a \sin(fx + e)} + a(c \sin(fx + e) + c)^{3/2} x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(c+c\*sin(f\*x+e))^(3/2)\*(a-a\*sin(f\*x+e))^(1/2),x, algorithm="maxima")

[Out] `integrate(sqrt(-a*sin(f*x + e) + a)*(c*sin(f*x + e) + c)^(3/2)*x^3, x)`

---

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(c+c*sin(f*x+e))^(3/2)*(a-a*sin(f*x+e))^(1/2),x, algorithm="fricas")`

[Out] Exception raised: UnboundLocalError

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(c+c*sin(f*x+e))**(3/2)*(a-a*sin(f*x+e))**(1/2),x)`

[Out] Timed out

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(c+c*sin(f*x+e))^(3/2)*(a-a*sin(f*x+e))^(1/2),x, algorithm="giac")`

[Out] Exception raised: AttributeError

### 3.172 $\int x^2 \sqrt{a - a \sin(e + fx)} (c + c \sin(e + fx))^{3/2} dx$

**Optimal.** Leaf size=265

$$\frac{2cx\sqrt{a - a \sin(e + fx)}\sqrt{c \sin(e + fx) + c}}{f^2} + \frac{cx \sin(e + fx)\sqrt{a - a \sin(e + fx)}\sqrt{c \sin(e + fx) + c}}{2f^2} - \frac{c \sin(e + fx) \tan(e + fx)}{2f}$$

```
[Out] (2*c*x*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/f^2 - (3*c*x^2*Sec[e + f*x]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/(4*f) + (c*x*Sin[e + f*x]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/(2*f^2) + (x^2*Sec[e + f*x]*Sqrt[a - a*Sin[e + f*x]]*(c + c*Sin[e + f*x])^(5/2))/(2*c*f) - (2*c*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]*Tan[e + f*x])/f^3 - (c*Sin[e + f*x]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]*Tan[e + f*x])/(4*f^3)
```

**Rubi [A]** time = 0.273629, antiderivative size = 265, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {4604, 4422, 3317, 3296, 2637, 3310, 30}

$$\frac{2cx\sqrt{a - a \sin(e + fx)}\sqrt{c \sin(e + fx) + c}}{f^2} + \frac{cx \sin(e + fx)\sqrt{a - a \sin(e + fx)}\sqrt{c \sin(e + fx) + c}}{2f^2} - \frac{c \sin(e + fx) \tan(e + fx)}{2f}$$

Antiderivative was successfully verified.

```
[In] Int[x^2*Sqrt[a - a*Sin[e + f*x]]*(c + c*Sin[e + f*x])^(3/2),x]
```

```
[Out] (2*c*x*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/f^2 - (3*c*x^2*Sec[e + f*x]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/(4*f) + (c*x*Sin[e + f*x]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/(2*f^2) + (x^2*Sec[e + f*x]*Sqrt[a - a*Sin[e + f*x]]*(c + c*Sin[e + f*x])^(5/2))/(2*c*f) - (2*c*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]*Tan[e + f*x])/f^3 - (c*Sin[e + f*x]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]*Tan[e + f*x])/(4*f^3)
```

#### Rule 4604

```
Int[((g_.) + (h_.)*(x_))^(p_.)*((a_.) + (b_.)*Sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*Sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[(a^IntPart[m]*c^IntPart[m]*(a + b*Sin[e + f*x])^FracPart[m]*(c + d*Sin[e + f*x])^FracPart[m])/Cos[e + f*x]^(2*FracPart[m]), Int[(g + h*x)^p*Cos[e + f*x]^(2*m)*(c + d*Sin[e + f*x])^(n - m), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 - b^2, 0] && IntegerQ[p] && IntegerQ[2*m] && IntegerQ[n - m, 0]
```

#### Rule 4422

```
Int[Cos[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)])^(n_.), x_Symbol] :> Simp[((e + f*x)^m*(a + b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] - Dist[(f*m)/(b*d*(n + 1)), Int[(e + f*x)^(m - 1)*(a + b*Sin[c + d*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && IGtQ[m, 0] && NeQ[n, -1]
```

#### Rule 3317

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x],
```

$x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x] \&\& \text{IGtQ}[n, 0] \&\& (\text{EqQ}[n, 1] \parallel \text{IGtQ}[m, 0] \parallel \text{NeQ}[a^2 - b^2, 0])$

### Rule 3296

$\text{Int}[(c + d*x)^m * \sin(e + f*x), x\_Symbol] \rightarrow -\text{Simp}[(c + d*x)^m * \cos(e + f*x)/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{m-1} * \cos(e + f*x), x], x] /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{GtQ}[m, 0]$

### Rule 2637

$\text{Int}[\sin(\pi/2 + c + d*x), x\_Symbol] \rightarrow \text{Simp}[\sin(c + d*x)/d, x] /; \text{FreeQ}\{c, d\}, x]$

### Rule 3310

$\text{Int}[(c + d*x)^m * (b * \sin(e + f*x))^n, x\_Symbol] \rightarrow \text{Simp}[(d * (b * \sin(e + f*x))^n) / (f^{2*n+2}), x] + (\text{Dist}[(b^{2*(n-1)})/n, \text{Int}[(c + d*x)^m * (b * \sin(e + f*x))^{n-2}, x], x] - \text{Simp}[(b * (c + d*x) * \cos(e + f*x) * (b * \sin(e + f*x))^{n-1}) / (f * n), x]) /; \text{FreeQ}\{b, c, d, e, f\}, x] \&\& \text{GtQ}[n, 1]$

### Rule 30

$\text{Int}[x^m, x\_Symbol] \rightarrow \text{Simp}[x^{m+1}/(m+1), x] /; \text{FreeQ}[m, x] \&\& \text{NeQ}[m, -1]$

### Rubi steps

$$\begin{aligned} \int x^2 \sqrt{a - a \sin(e + fx)} (c + c \sin(e + fx))^{3/2} dx &= (\sec(e + fx) \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}) \int x^2 \cos(e + fx) (c + c \sin(e + fx))^{3/2} dx \\ &= \frac{x^2 \sec(e + fx) \sqrt{a - a \sin(e + fx)} (c + c \sin(e + fx))^{5/2}}{2cf} - \frac{(\sec(e + fx) \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)})^2}{2f} \\ &= \frac{x^2 \sec(e + fx) \sqrt{a - a \sin(e + fx)} (c + c \sin(e + fx))^{5/2}}{2cf} - \frac{(\sec(e + fx) \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)})^2}{2f} \\ &= -\frac{cx^2 \sec(e + fx) \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}}{2f} + \frac{x^2 \sec(e + fx) (c + c \sin(e + fx))^{3/2}}{2f} \\ &= \frac{2cx \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}}{f^2} - \frac{cx^2 \sec(e + fx) \sqrt{a - a \sin(e + fx)}}{2f} \\ &= \frac{2cx \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}}{f^2} - \frac{3cx^2 \sec(e + fx) \sqrt{a - a \sin(e + fx)}}{4f} \end{aligned}$$

**Mathematica [A]** time = 0.823209, size = 95, normalized size = 0.36

$$\frac{c \sqrt{a - a \sin(e + fx)} \sqrt{c(\sin(e + fx) + 1)} (8(f^2 x^2 - 2) \tan(e + fx) - (2f^2 x^2 - 1) \cos(2(e + fx)) \sec(e + fx) + 4fx \sin(e + fx))}{8f^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*Sqrt[a - a\*Sin[e + f\*x]]\*(c + c\*Sin[e + f\*x])^(3/2),x]

[Out] (c\*Sqrt[c\*(1 + Sin[e + f\*x])]\*Sqrt[a - a\*Sin[e + f\*x]]\*(16\*f\*x - (-1 + 2\*f^2\*x^2)\*Cos[2\*(e + f\*x)]\*Sec[e + f\*x] + 4\*f\*x\*Sin[e + f\*x] + 8\*(-2 + f^2\*x^2)

) \* Tan[e + f\*x])) / (8\*f^3)

**Maple [F]** time = 0.08, size = 0, normalized size = 0.

$$\int x^2 (c + c \sin(fx + e))^{\frac{3}{2}} \sqrt{a - a \sin(fx + e)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(c+c\*sin(f\*x+e))^(3/2)\*(a-a\*sin(f\*x+e))^(1/2),x)

[Out] int(x^2\*(c+c\*sin(f\*x+e))^(3/2)\*(a-a\*sin(f\*x+e))^(1/2),x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-a \sin(fx + e) + a} (c \sin(fx + e) + c)^{\frac{3}{2}} x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(c+c\*sin(f\*x+e))^(3/2)\*(a-a\*sin(f\*x+e))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(-a\*sin(f\*x + e) + a)\*(c\*sin(f\*x + e) + c)^(3/2)\*x^2, x)

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(c+c\*sin(f\*x+e))^(3/2)\*(a-a\*sin(f\*x+e))^(1/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(c+c\*sin(f\*x+e))\*\*(3/2)\*(a-a\*sin(f\*x+e))\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(c+c*sin(f*x+e))^(3/2)*(a-a*sin(f*x+e))^(1/2),x, algorithm="giac")
```

```
[Out] sage2
```

### 3.173 $\int x\sqrt{a - a\sin(e + fx)}(c + c\sin(e + fx))^{3/2} dx$

**Optimal.** Leaf size=168

$$\frac{c\sin(e + fx)\sqrt{a - a\sin(e + fx)}\sqrt{c\sin(e + fx) + c}}{4f^2} + \frac{c\sqrt{a - a\sin(e + fx)}\sqrt{c\sin(e + fx) + c}}{f^2} + \frac{x\sec(e + fx)\sqrt{a - a\sin(e + fx)}}{f^2}$$

[Out] (c\*Sqrt[a - a\*Sin[e + f\*x]]\*Sqrt[c + c\*Sin[e + f\*x]])/f^2 - (3\*c\*x\*Sec[e + f\*x]\*Sqrt[a - a\*Sin[e + f\*x]]\*Sqrt[c + c\*Sin[e + f\*x]])/(4\*f) + (c\*Sin[e + f\*x]\*Sqrt[a - a\*Sin[e + f\*x]]\*Sqrt[c + c\*Sin[e + f\*x]])/(4\*f^2) + (x\*Sec[e + f\*x]\*Sqrt[a - a\*Sin[e + f\*x]]\*(c + c\*Sin[e + f\*x])^(5/2))/(2\*c\*f)

**Rubi [A]** time = 0.143336, antiderivative size = 168, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {4604, 4422, 2644}

$$\frac{c\sin(e + fx)\sqrt{a - a\sin(e + fx)}\sqrt{c\sin(e + fx) + c}}{4f^2} + \frac{c\sqrt{a - a\sin(e + fx)}\sqrt{c\sin(e + fx) + c}}{f^2} + \frac{x\sec(e + fx)\sqrt{a - a\sin(e + fx)}}{f^2}$$

Antiderivative was successfully verified.

[In] Int[x\*Sqrt[a - a\*Sin[e + f\*x]]\*(c + c\*Sin[e + f\*x])^(3/2),x]

[Out] (c\*Sqrt[a - a\*Sin[e + f\*x]]\*Sqrt[c + c\*Sin[e + f\*x]])/f^2 - (3\*c\*x\*Sec[e + f\*x]\*Sqrt[a - a\*Sin[e + f\*x]]\*Sqrt[c + c\*Sin[e + f\*x]])/(4\*f) + (c\*Sin[e + f\*x]\*Sqrt[a - a\*Sin[e + f\*x]]\*Sqrt[c + c\*Sin[e + f\*x]])/(4\*f^2) + (x\*Sec[e + f\*x]\*Sqrt[a - a\*Sin[e + f\*x]]\*(c + c\*Sin[e + f\*x])^(5/2))/(2\*c\*f)

#### Rule 4604

Int[((g\_.) + (h\_.)\*(x\_))^(p\_.)\*((a\_.) + (b\_.)\*Sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*Sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Dist[(a^IntPart[m]\*c^IntPart[m]\*(a + b\*Sin[e + f\*x])^FracPart[m]\*(c + d\*Sin[e + f\*x])^FracPart[m])/Cos[e + f\*x]^(2\*FracPart[m]), Int[(g + h\*x)^p\*Cos[e + f\*x]^(2\*m)\*(c + d\*Sin[e + f\*x])^(n - m), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && EqQ[b\*c + a\*d, 0] && EqQ[a^2 - b^2, 0] && IntegerQ[p] && IntegerQ[2\*m] && IntegerQ[n - m, 0]

#### Rule 4422

Int[Cos[(c\_.) + (d\_.)\*(x\_)]\*((e\_.) + (f\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*Sin[(c\_.) + (d\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Simp[((e + f\*x)^m\*(a + b\*Sin[c + d\*x])^(n + 1))/(b\*d\*(n + 1)), x] - Dist[(f\*m)/(b\*d\*(n + 1)), Int[(e + f\*x)^(m - 1)\*(a + b\*Sin[c + d\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && IGtQ[m, 0] && NeQ[n, -1]

#### Rule 2644

Int[((a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^2, x\_Symbol] :> Simp[((2\*a^2 + b^2)\*x)/2, x] + (-Simp[(2\*a\*b\*Cos[c + d\*x])/d, x] - Simp[(b^2\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*d), x]) /; FreeQ[{a, b, c, d}, x]

#### Rubi steps

$$\begin{aligned} \int x \sqrt{a - a \sin(e + fx)} (c + c \sin(e + fx))^{3/2} dx &= \left( \sec(e + fx) \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)} \right) \int x \cos(e + fx) (c + c \sin(e + fx))^{3/2} dx \\ &= \frac{x \sec(e + fx) \sqrt{a - a \sin(e + fx)} (c + c \sin(e + fx))^{5/2}}{2cf} - \frac{(\sec(e + fx) \sqrt{a - a \sin(e + fx)})^{5/2} (c + c \sin(e + fx))^{3/2}}{4f} \\ &= \frac{c \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}}{f^2} - \frac{3cx \sec(e + fx) \sqrt{a - a \sin(e + fx)}}{4f} \end{aligned}$$

**Mathematica [A]** time = 0.620265, size = 73, normalized size = 0.43

$$\frac{c \sqrt{a - a \sin(e + fx)} \sqrt{c(\sin(e + fx) + 1)} (\sin(e + fx) + 4fx \tan(e + fx) - fx \cos(2(e + fx)) \sec(e + fx) + 4)}{4f^2}$$

Antiderivative was successfully verified.

[In] Integrate[x\*Sqrt[a - a\*Sin[e + f\*x]]\*(c + c\*Sin[e + f\*x])^(3/2),x]

[Out] (c\*Sqrt[c\*(1 + Sin[e + f\*x])]\*Sqrt[a - a\*Sin[e + f\*x]]\*(4 - f\*x\*Cos[2\*(e + f\*x)]\*Sec[e + f\*x] + Sin[e + f\*x] + 4\*f\*x\*Tan[e + f\*x]))/(4\*f^2)

**Maple [F]** time = 0.076, size = 0, normalized size = 0.

$$\int x (c + c \sin(fx + e))^{3/2} \sqrt{a - a \sin(fx + e)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(c+c\*sin(f\*x+e))^(3/2)\*(a-a\*sin(f\*x+e))^(1/2),x)

[Out] int(x\*(c+c\*sin(f\*x+e))^(3/2)\*(a-a\*sin(f\*x+e))^(1/2),x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-a \sin(fx + e) + a} (c \sin(fx + e) + c)^{3/2} x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(c+c\*sin(f\*x+e))^(3/2)\*(a-a\*sin(f\*x+e))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(-a\*sin(f\*x + e) + a)\*(c\*sin(f\*x + e) + c)^(3/2)\*x, x)

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate(x*(c+c*sin(f*x+e))^(3/2)*(a-a*sin(f*x+e))^(1/2),x, algorithm="fricas")
```

```
[Out] Exception raised: UnboundLocalError
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(c+c*sin(f*x+e))**(3/2)*(a-a*sin(f*x+e))**(1/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-a \sin(fx + e) + a} (c \sin(fx + e) + c)^{\frac{3}{2}} x dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(c+c*sin(f*x+e))^(3/2)*(a-a*sin(f*x+e))^(1/2),x, algorithm="giac")
```

```
[Out] integrate(sqrt(-a*sin(f*x + e) + a)*(c*sin(f*x + e) + c)^(3/2)*x, x)
```

$$3.174 \quad \int \frac{\sqrt{a - a \sin(e + fx)} (c + c \sin(e + fx))^{3/2}}{x} dx$$

**Optimal.** Leaf size=186

$$\frac{1}{2} c \sin(2e) \operatorname{CosIntegral}(2fx) \sec(e + fx) \sqrt{a - a \sin(e + fx)} \sqrt{c \sin(e + fx) + c} + c \cos(e) \operatorname{CosIntegral}(fx) \sec(e + fx) \sqrt{a - a \sin(e + fx)}$$

```
[Out] c*Cos[e]*CosIntegral[f*x]*Sec[e + f*x]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]] + (c*CosIntegral[2*f*x]*Sec[e + f*x]*Sin[2*e]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/2 - c*Sec[e + f*x]*Sin[e]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]*SinIntegral[f*x] + (c*Cos[2*e]*Sec[e + f*x]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]*SinIntegral[2*f*x])/2
```

**Rubi [A]** time = 0.661755, antiderivative size = 186, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {4604, 6741, 12, 6742, 3303, 3299, 3302}

$$\frac{1}{2} c \sin(2e) \operatorname{CosIntegral}(2fx) \sec(e + fx) \sqrt{a - a \sin(e + fx)} \sqrt{c \sin(e + fx) + c} + c \cos(e) \operatorname{CosIntegral}(fx) \sec(e + fx) \sqrt{a - a \sin(e + fx)}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[a - a*Sin[e + f*x]]*(c + c*Sin[e + f*x])^(3/2))/x,x]
```

```
[Out] c*Cos[e]*CosIntegral[f*x]*Sec[e + f*x]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]] + (c*CosIntegral[2*f*x]*Sec[e + f*x]*Sin[2*e]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/2 - c*Sec[e + f*x]*Sin[e]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]*SinIntegral[f*x] + (c*Cos[2*e]*Sec[e + f*x]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]*SinIntegral[2*f*x])/2
```

#### Rule 4604

```
Int[((g_.) + (h_.)*(x_))^(p_.)*((a_) + (b_.)*Sin[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*Sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[(a^IntPart[m]*c^IntPart[m]*(a + b*Sin[e + f*x])^FracPart[m]*(c + d*Sin[e + f*x])^FracPart[m])/Cos[e + f*x]^(2*FracPart[m]), Int[(g + h*x)^p*Cos[e + f*x]^(2*m)*(c + d*Sin[e + f*x])^(n - m), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 - b^2, 0] && IntegerQ[p] && IntegerQ[2*m] && IntegerQ[n - m, 0]
```

#### Rule 6741

```
Int[u_, x_Symbol] := With[{v = NormalizeIntegrand[u, x]}, Int[v, x] /; v != u]
```

#### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

#### Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a - a \sin(e + fx)}(c + c \sin(e + fx))^{3/2}}{x} dx &= (\sec(e + fx)\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}) \int \frac{\cos(e + fx)(c + c \sin(e + fx))^{3/2}}{x} dx \\
&= (\sec(e + fx)\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}) \int \frac{c \cos(e + fx)(1 + \sin(e + fx))^{3/2}}{x} dx \\
&= (c \sec(e + fx)\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}) \int \frac{\cos(e + fx)(1 + \sin(e + fx))^{3/2}}{x} dx \\
&= (c \sec(e + fx)\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}) \int \left( \frac{\cos(e + fx)}{x} + \frac{\cos(e + fx)\sin(e + fx)}{x} \right) dx \\
&= \frac{1}{2} (c \sec(e + fx)\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}) \int \frac{\sin(2e + 2fx)}{x} dx \\
&= (c \cos(e) \sec(e + fx)\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}) \int \frac{\cos(fx)}{x} dx \\
&= c \cos(e) \text{Ci}(fx) \sec(e + fx)\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)} + \frac{1}{2} c \int \frac{\sin(2e + 2fx)}{x} dx
\end{aligned}$$

**Mathematica [C]** time = 1.24243, size = 150, normalized size = 0.81

$$\frac{ce^{-i(e-fx)}\sqrt{-ice^{-i(e+fx)}(e^{i(e+fx)} + i)^2} (2e^{ie}\text{ExpIntegralEi}(-ifx) + 2e^{3ie}\text{ExpIntegralEi}(ifx) + i(\text{ExpIntegralEi}(-2ifx) + \text{ExpIntegralEi}(ifx)))}{2\sqrt{2}(1 + e^{2i(e+fx)})}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[a - a*Sin[e + f*x]]*(c + c*Sin[e + f*x])^(3/2))/x,x]
```

```
[Out] (c*Sqrt[((-I)*c*(I + E^(I*(e + f*x)))^2)/E^(I*(e + f*x))]*(2*E^(I*e)*ExpInte
gralEi[(-I)*f*x] + 2*E^((3*I)*e)*ExpIntegralEi[I*f*x] + I*(ExpIntegralEi[(-
2*I)*f*x] - E^((4*I)*e)*ExpIntegralEi[(2*I)*f*x]))*Sqrt[a - a*Sin[e + f*x]
]/(2*Sqrt[2]*E^(I*(e - f*x))*(1 + E^((2*I)*(e + f*x))))
```

**Maple [F]** time = 0.078, size = 0, normalized size = 0.

$$\int \frac{1}{x} (c + c \sin(fx + e))^{3/2} \sqrt{a - a \sin(fx + e)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c+c*sin(f*x+e))^(3/2)*(a-a*sin(f*x+e))^(1/2)/x,x)`

[Out] `int((c+c*sin(f*x+e))^(3/2)*(a-a*sin(f*x+e))^(1/2)/x,x)`

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-a \sin (f x+e)+a}\left(c \sin (f x+e)+c\right)^{\frac{3}{2}}}{x} d x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c+c*sin(f*x+e))^(3/2)*(a-a*sin(f*x+e))^(1/2)/x,x, algorithm="maxima")`

[Out] `integrate(sqrt(-a*sin(f*x + e) + a)*(c*sin(f*x + e) + c)^(3/2)/x, x)`

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c+c*sin(f*x+e))^(3/2)*(a-a*sin(f*x+e))^(1/2)/x,x, algorithm="fricas")`

[Out] Exception raised: UnboundLocalError

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c+c*sin(f*x+e))**(3/2)*(a-a*sin(f*x+e))**(1/2)/x,x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-a \sin (f x+e)+a}\left(c \sin (f x+e)+c\right)^{\frac{3}{2}}}{x} d x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c+c*sin(f*x+e))^(3/2)*(a-a*sin(f*x+e))^(1/2)/x,x, algorithm="giac")`

[Out] `integrate(sqrt(-a*sin(f*x + e) + a)*(c*sin(f*x + e) + c)^(3/2)/x, x)`

$$3.175 \quad \int \frac{\sqrt{a - a \sin(e + fx)} (c + c \sin(e + fx))^{3/2}}{x^2} dx$$

**Optimal.** Leaf size=273

$$-cf \sin(e) \operatorname{CosIntegral}(fx) \sec(e + fx) \sqrt{a - a \sin(e + fx)} \sqrt{c \sin(e + fx) + c} + cf \cos(2e) \operatorname{CosIntegral}(2fx) \sec(e + fx)$$

```
[Out] -((c*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/x) + c*f*Cos[2*e]*CosIntegral[2*f*x]*Sec[e + f*x]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]] - c*f*CosIntegral[f*x]*Sec[e + f*x]*Sin[e]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]] - (c*Sec[e + f*x]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]*Sin[2*e + 2*f*x])/(2*x) - c*f*Cos[e]*Sec[e + f*x]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]*SinIntegral[f*x] - c*f*Sec[e + f*x]*Sin[2*e]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]*SinIntegral[2*f*x]
```

**Rubi [A]** time = 0.664795, antiderivative size = 273, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 8, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$ , Rules used = {4604, 6741, 12, 6742, 3297, 3303, 3299, 3302}

$$-cf \sin(e) \operatorname{CosIntegral}(fx) \sec(e + fx) \sqrt{a - a \sin(e + fx)} \sqrt{c \sin(e + fx) + c} + cf \cos(2e) \operatorname{CosIntegral}(2fx) \sec(e + fx)$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[a - a*Sin[e + f*x]]*(c + c*Sin[e + f*x])^(3/2))/x^2,x]
```

```
[Out] -((c*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/x) + c*f*Cos[2*e]*CosIntegral[2*f*x]*Sec[e + f*x]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]] - c*f*CosIntegral[f*x]*Sec[e + f*x]*Sin[e]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]] - (c*Sec[e + f*x]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]*Sin[2*e + 2*f*x])/(2*x) - c*f*Cos[e]*Sec[e + f*x]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]*SinIntegral[f*x] - c*f*Sec[e + f*x]*Sin[2*e]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]*SinIntegral[2*f*x]
```

#### Rule 4604

```
Int[((g_.) + (h_.)*(x_))^(p_.)*((a_.) + (b_.)*Sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*Sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[(a^IntPart[m]*c^IntPart[m]*(a + b*Sin[e + f*x])^FracPart[m]*(c + d*Sin[e + f*x])^FracPart[m])/Cos[e + f*x]^(2*FracPart[m]), Int[(g + h*x)^p*Cos[e + f*x]^(2*m)*(c + d*Sin[e + f*x])^(n - m), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 - b^2, 0] && IntegerQ[p] && IntegerQ[2*m] && IntegerQ[n - m, 0]
```

#### Rule 6741

```
Int[u_, x_Symbol] :> With[{v = NormalizeIntegrand[u, x]}, Int[v, x] /; v != u]
```

#### Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Rule 3297

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((
c + d*x)^(m + 1)*Sin[e + f*x]/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c
+ d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1
]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a - a \sin(e + fx)}(c + c \sin(e + fx))^{3/2}}{x^2} dx &= (\sec(e + fx)\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}) \int \frac{\cos(e + fx)(c + c \sin(e + fx))^{3/2}}{x^2} dx \\
&= (\sec(e + fx)\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}) \int \frac{c \cos(e + fx)(1 + \sin(e + fx))^{3/2}}{x^2} dx \\
&= (c \sec(e + fx)\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}) \int \frac{\cos(e + fx)(1 + \sin(e + fx))^{3/2}}{x^2} dx \\
&= (c \sec(e + fx)\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}) \int \left( \frac{\cos(e + fx)}{x^2} + \frac{\cos(e + fx)\sin(e + fx)}{x^2} \right) dx \\
&= \frac{1}{2} (c \sec(e + fx)\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}) \int \frac{\sin(2e + 2fx)}{x^2} dx \\
&= -\frac{c\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}}{x} - \frac{c \sec(e + fx)\sqrt{a - a \sin(e + fx)}}{x} \\
&= -\frac{c\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}}{x} - \frac{c \sec(e + fx)\sqrt{a - a \sin(e + fx)}}{x} \\
&= -\frac{c\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}}{x} + cf \cos(2e)\text{Ci}(2fx)\sec(e + fx)
\end{aligned}$$

**Mathematica [C]** time = 1.48438, size = 231, normalized size = 0.85

$$\frac{ce^{-i(e+fx)}\sqrt{-ice^{-i(e+fx)}(e^{i(e+fx)}+i)^2}(-2ifxe^{i(e+2fx)}\text{ExpIntegralEi}(-ifx)+2ifxe^{3ie+2ifx}\text{ExpIntegralEi}(ifx)+2fxe^{2i(2e+fx)}\text{ExpIntegralEi}(ifx))}{2\sqrt{2}x(1+e^{2i(e+fx)})}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a - a\*Sin[e + f\*x]]\*(c + c\*Sin[e + f\*x])^(3/2))/x^2,x]

[Out] (c\*Sqrt[((-I)\*c\*(I + E^(I\*(e + f\*x)))^2)/E^(I\*(e + f\*x))]\*(-I - 2\*E^(I\*(e + f\*x)) - 2\*E^((3\*I)\*(e + f\*x)) + I\*E^((4\*I)\*(e + f\*x)) - (2\*I)\*E^(I\*(e + 2\*f\*x))\*f\*x\*ExpIntegralEi[(-I)\*f\*x] + (2\*I)\*E^((3\*I)\*e + (2\*I)\*f\*x)\*f\*x\*ExpIntegralEi[I\*f\*x] + 2\*E^((2\*I)\*f\*x)\*f\*x\*ExpIntegralEi[(-2\*I)\*f\*x] + 2\*E^((2\*I)\*(2\*e + f\*x))\*f\*x\*ExpIntegralEi[(2\*I)\*f\*x])\*Sqrt[a - a\*Sin[e + f\*x]]/(2\*Sqrt[2]\*E^(I\*(e + f\*x))\*(1 + E^((2\*I)\*(e + f\*x)))\*x)

**Maple [F]** time = 0.079, size = 0, normalized size = 0.

$$\int \frac{1}{x^2} (c + c \sin(fx + e))^{3/2} \sqrt{a - a \sin(fx + e)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c+c\*sin(f\*x+e))^(3/2)\*(a-a\*sin(f\*x+e))^(1/2)/x^2,x)

[Out] int((c+c\*sin(f\*x+e))^(3/2)\*(a-a\*sin(f\*x+e))^(1/2)/x^2,x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-a \sin(fx + e) + a} (c \sin(fx + e) + c)^{3/2}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+c\*sin(f\*x+e))^(3/2)\*(a-a\*sin(f\*x+e))^(1/2)/x^2,x, algorithm="maxima")

[Out] integrate(sqrt(-a\*sin(f\*x + e) + a)\*(c\*sin(f\*x + e) + c)^(3/2)/x^2, x)

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+c\*sin(f\*x+e))^(3/2)\*(a-a\*sin(f\*x+e))^(1/2)/x^2,x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c+c*sin(f*x+e))**(3/2)*(a-a*sin(f*x+e))**(1/2)/x**2,x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-a \sin (f x+e)+a\left(c \sin (f x+e)+c\right)^{\frac{3}{2}}}}{x^2} d x$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c+c*sin(f*x+e))^(3/2)*(a-a*sin(f*x+e))^(1/2)/x^2,x, algorithm="g  
iac")
```

```
[Out] integrate(sqrt(-a*sin(f*x + e) + a)*(c*sin(f*x + e) + c)^(3/2)/x^2, x)
```



$$3.176 \quad \int \frac{\sqrt{a - a \sin(e + fx)} (c + c \sin(e + fx))^{3/2}}{x^3} dx$$

**Optimal.** Leaf size=385

$$-cf^2 \sin(2e) \operatorname{CosIntegral}(2fx) \sec(e + fx) \sqrt{a - a \sin(e + fx)} \sqrt{c \sin(e + fx) + c} - \frac{1}{2} cf^2 \cos(e) \operatorname{CosIntegral}(fx) \sec(e + fx)$$

```
[Out] -(c*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/(2*x^2) - (c*f*Cos[2
*e + 2*f*x]*Sec[e + f*x]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])
/(2*x) - (c*f^2*Cos[e]*CosIntegral[f*x]*Sec[e + f*x]*Sqrt[a - a*Sin[e + f*x
]]*Sqrt[c + c*Sin[e + f*x]])/2 - c*f^2*CosIntegral[2*f*x]*Sec[e + f*x]*Sin[
2*e]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]] - (c*Sec[e + f*x]*Sq
rt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]*Sin[2*e + 2*f*x])/(4*x^2) +
(c*f^2*Sec[e + f*x]*Sin[e]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x
]]*SinIntegral[f*x])/2 - c*f^2*Cos[2*e]*Sec[e + f*x]*Sqrt[a - a*Sin[e + f*x
]]*Sqrt[c + c*Sin[e + f*x]]*SinIntegral[2*f*x] + (c*f*Sqrt[a - a*Sin[e + f*
x]]*Sqrt[c + c*Sin[e + f*x]]*Tan[e + f*x])/(2*x)
```

**Rubi [A]** time = 0.741289, antiderivative size = 385, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 8, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$ , Rules used = {4604, 6741, 12, 6742, 3297, 3303, 3299, 3302}

$$-cf^2 \sin(2e) \operatorname{CosIntegral}(2fx) \sec(e + fx) \sqrt{a - a \sin(e + fx)} \sqrt{c \sin(e + fx) + c} - \frac{1}{2} cf^2 \cos(e) \operatorname{CosIntegral}(fx) \sec(e + fx)$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[a - a*Sin[e + f*x]]*(c + c*Sin[e + f*x])^(3/2))/x^3,x]
```

```
[Out] -(c*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])/(2*x^2) - (c*f*Cos[2
*e + 2*f*x]*Sec[e + f*x]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])
/(2*x) - (c*f^2*Cos[e]*CosIntegral[f*x]*Sec[e + f*x]*Sqrt[a - a*Sin[e + f*x
]]*Sqrt[c + c*Sin[e + f*x]])/2 - c*f^2*CosIntegral[2*f*x]*Sec[e + f*x]*Sin[
2*e]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]] - (c*Sec[e + f*x]*Sq
rt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]*Sin[2*e + 2*f*x])/(4*x^2) +
(c*f^2*Sec[e + f*x]*Sin[e]*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x
]]*SinIntegral[f*x])/2 - c*f^2*Cos[2*e]*Sec[e + f*x]*Sqrt[a - a*Sin[e + f*x
]]*Sqrt[c + c*Sin[e + f*x]]*SinIntegral[2*f*x] + (c*f*Sqrt[a - a*Sin[e + f*
x]]*Sqrt[c + c*Sin[e + f*x]]*Tan[e + f*x])/(2*x)
```

#### Rule 4604

```
Int[((g_.) + (h_.)*(x_))^(p_.)*((a_.) + (b_.)*Sin[(e_.) + (f_.)*(x_)])^(m_.)*
((c_.) + (d_.)*Sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[(a^IntPart[m
]*c^IntPart[m]*(a + b*Sin[e + f*x])^FracPart[m]*(c + d*Sin[e + f*x])^FracPa
rt[m])/Cos[e + f*x]^(2*FracPart[m]), Int[(g + h*x)^p*Cos[e + f*x]^(2*m)*(c
+ d*Sin[e + f*x])^(n - m), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] &&
EqQ[b*c + a*d, 0] && EqQ[a^2 - b^2, 0] && IntegerQ[p] && IntegerQ[2*m] && I
GeQ[n - m, 0]
```

#### Rule 6741

```
Int[u_, x_Symbol] :> With[{v = NormalizeIntegrand[u, x]}, Int[v, x] /; v !=
= u]
```

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 6742

Int[u\_, x\_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

### Rule 3297

Int[((c\_.) + (d\_.)\*(x\_))^(m\_)\*sin[(e\_.) + (f\_.)\*(x\_)], x\_Symbol] := Simp[((c + d\*x)^(m + 1)\*Sin[e + f\*x]/(d\*(m + 1)), x] - Dist[f/(d\*(m + 1)), Int[(c + d\*x)^(m + 1)\*Cos[e + f\*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

### Rule 3303

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Dist[Cos[(d\*e - c\*f)/d], Int[Sin[(c\*f)/d + f\*x]/(c + d\*x), x], x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[(c\*f)/d + f\*x]/(c + d\*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d\*e - c\*f, 0]

### Rule 3299

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

### Rule 3302

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{a - a \sin(e + fx)}(c + c \sin(e + fx))^{3/2}}{x^3} dx &= (\sec(e + fx)\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}) \int \frac{\cos(e + fx)(c + c \sin(e + fx))^{3/2}}{x^3} dx \\
 &= (\sec(e + fx)\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}) \int \frac{c \cos(e + fx)(1 + \sin(e + fx))^{3/2}}{x^3} dx \\
 &= (c \sec(e + fx)\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}) \int \frac{\cos(e + fx)(1 + \sin(e + fx))^{3/2}}{x^3} dx \\
 &= (c \sec(e + fx)\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}) \int \left( \frac{\cos(e + fx)}{x^3} + \frac{\cos(e + fx)\sin(e + fx)}{x^3} \right) dx \\
 &= \frac{1}{2} (c \sec(e + fx)\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}) \int \frac{\sin(2e + 2fx)}{x^3} dx \\
 &= -\frac{c\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}}{2x^2} - \frac{c \sec(e + fx)\sqrt{a - a \sin(e + fx)}}{2x^2} \\
 &= -\frac{c\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}}{2x^2} - \frac{cf \cos(2e + 2fx) \sec(e + fx)}{2x^2} \\
 &= -\frac{c\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}}{2x^2} - \frac{cf \cos(2e + 2fx) \sec(e + fx)}{2x^2} \\
 &= -\frac{c\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}}{2x^2} - \frac{cf \cos(2e + 2fx) \sec(e + fx)}{2x^2}
 \end{aligned}$$

**Mathematica [C]** time = 1.81722, size = 317, normalized size = 0.82

$$c^2 e^{-2i(e+fx)} \left( e^{i(e+fx)} + i \right) \left( 2if^2 x^2 e^{i(e+2fx)} \text{ExpIntegralEi}(-ifx) + 2if^2 x^2 e^{3ie+2ifx} \text{ExpIntegralEi}(ifx) + 4f^2 x^2 e^{2i(2e+fx)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a - a\*Sin[e + f\*x]]\*(c + c\*Sin[e + f\*x])^(3/2))/x^3,x]

[Out] (c^2\*(I + E^(I\*(e + f\*x)))\*(-1 + (2\*I)\*E^(I\*(e + f\*x)) + (2\*I)\*E^((3\*I)\*(e + f\*x)) + E^((4\*I)\*(e + f\*x)) + (2\*I)\*f\*x + 2\*E^(I\*(e + f\*x))\*f\*x - 2\*E^((3\*I)\*(e + f\*x))\*f\*x + (2\*I)\*E^((4\*I)\*(e + f\*x))\*f\*x + (2\*I)\*E^(I\*(e + 2\*f\*x))\*f^2\*x^2\*ExpIntegralEi[(-I)\*f\*x] + (2\*I)\*E^((3\*I)\*e + (2\*I)\*f\*x)\*f^2\*x^2\*ExpIntegralEi[I\*f\*x] - 4\*E^((2\*I)\*f\*x)\*f^2\*x^2\*ExpIntegralEi[(-2\*I)\*f\*x] + 4\*E^((2\*I)\*(2\*e + f\*x))\*f^2\*x^2\*ExpIntegralEi[(2\*I)\*f\*x])\*Sqrt[a - a\*Sin[e + f\*x]]/(4\*Sqrt[2]\*E^((2\*I)\*(e + f\*x))\*(-I + E^(I\*(e + f\*x)))\*Sqrt[((-I)\*c\*(I + E^(I\*(e + f\*x)))^2)/E^(I\*(e + f\*x))]\*x^2)

**Maple [F]** time = 0.084, size = 0, normalized size = 0.

$$\int \frac{1}{x^3} (c + c \sin(fx + e))^{\frac{3}{2}} \sqrt{a - a \sin(fx + e)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c+c\*sin(f\*x+e))^(3/2)\*(a-a\*sin(f\*x+e))^(1/2)/x^3,x)

[Out] int((c+c\*sin(f\*x+e))^(3/2)\*(a-a\*sin(f\*x+e))^(1/2)/x^3,x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-a \sin(fx + e) + a} (c \sin(fx + e) + c)^{\frac{3}{2}}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+c\*sin(f\*x+e))^(3/2)\*(a-a\*sin(f\*x+e))^(1/2)/x^3,x, algorithm="maxima")

[Out] integrate(sqrt(-a\*sin(f\*x + e) + a)\*(c\*sin(f\*x + e) + c)^(3/2)/x^3, x)

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+c\*sin(f\*x+e))^(3/2)\*(a-a\*sin(f\*x+e))^(1/2)/x^3,x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+c\*sin(f\*x+e))\*\*(3/2)\*(a-a\*sin(f\*x+e))\*\*(1/2)/x\*\*3,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-a \sin(fx + e) + a} (c \sin(fx + e) + c)^{\frac{3}{2}}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+c\*sin(f\*x+e))^(3/2)\*(a-a\*sin(f\*x+e))^(1/2)/x^3,x, algorithm="giac")

[Out] integrate(sqrt(-a\*sin(f\*x + e) + a)\*(c\*sin(f\*x + e) + c)^(3/2)/x^3, x)

$$3.177 \quad \int \frac{(g+hx)^3 \sqrt{a-a \sin(e+fx)}}{\sqrt{c+c \sin(e+fx)}} dx$$

**Optimal.** Leaf size=767

$$\frac{6ah^2(g+hx) \cos(e+fx) \text{PolyLog}(3, -ie^{i(e+fx)})}{f^3 \sqrt{a-a \sin(e+fx)} \sqrt{c \sin(e+fx)+c}} + \frac{6ah^2(g+hx) \cos(e+fx) \text{PolyLog}(3, ie^{i(e+fx)})}{f^3 \sqrt{a-a \sin(e+fx)} \sqrt{c \sin(e+fx)+c}} + \frac{3ah^2(g+hx) \cos(e+fx)}{2f^3 \sqrt{a-a \sin(e+fx)}}$$

```
[Out] ((-I/4)*a*(g+h*x)^4*Cos[e+f*x])/(h*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) - ((2*I)*a*(g+h*x)^3*ArcTan[E^(I*(e+f*x))]*Cos[e+f*x])/(f*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) + (a*(g+h*x)^3*Cos[e+f*x]*Log[1+E^((2*I)*(e+f*x))])/(f*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) + ((3*I)*a*h*(g+h*x)^2*Cos[e+f*x]*PolyLog[2, (-I)*E^(I*(e+f*x))])/(f^2*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) - ((3*I)*a*h*(g+h*x)^2*Cos[e+f*x]*PolyLog[2, I*E^(I*(e+f*x))])/(f^2*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) - (((3*I)/2)*a*h*(g+h*x)^2*Cos[e+f*x]*PolyLog[2, -E^((2*I)*(e+f*x))])/(f^2*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) - (6*a*h^2*(g+h*x)*Cos[e+f*x]*PolyLog[3, (-I)*E^(I*(e+f*x))])/(f^3*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) + (6*a*h^2*(g+h*x)*Cos[e+f*x]*PolyLog[3, I*E^(I*(e+f*x))])/(f^3*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) + (3*a*h^2*(g+h*x)*Cos[e+f*x]*PolyLog[3, -E^((2*I)*(e+f*x))])/(2*f^3*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) - ((6*I)*a*h^3*Cos[e+f*x]*PolyLog[4, (-I)*E^(I*(e+f*x))])/(f^4*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) + ((6*I)*a*h^3*Cos[e+f*x]*PolyLog[4, I*E^(I*(e+f*x))])/(f^4*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) + (((3*I)/4)*a*h^3*Cos[e+f*x]*PolyLog[4, -E^((2*I)*(e+f*x))])/(f^4*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]])
```

**Rubi [A]** time = 1.35139, antiderivative size = 767, normalized size of antiderivative = 1., number of steps used = 20, number of rules used = 11, integrand size = 37,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.297$ , Rules used = {4604, 6741, 12, 6742, 4181, 2531, 6609, 2282, 6589, 3719, 2190}

$$\frac{6ah^2(g+hx) \cos(e+fx) \text{PolyLog}(3, -ie^{i(e+fx)})}{f^3 \sqrt{a-a \sin(e+fx)} \sqrt{c \sin(e+fx)+c}} + \frac{6ah^2(g+hx) \cos(e+fx) \text{PolyLog}(3, ie^{i(e+fx)})}{f^3 \sqrt{a-a \sin(e+fx)} \sqrt{c \sin(e+fx)+c}} + \frac{3ah^2(g+hx) \cos(e+fx)}{2f^3 \sqrt{a-a \sin(e+fx)}}$$

Antiderivative was successfully verified.

```
[In] Int[((g+h*x)^3*Sqrt[a-a*Sin[e+f*x]])/Sqrt[c+c*Sin[e+f*x]],x]
```

```
[Out] ((-I/4)*a*(g+h*x)^4*Cos[e+f*x])/(h*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) - ((2*I)*a*(g+h*x)^3*ArcTan[E^(I*(e+f*x))]*Cos[e+f*x])/(f*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) + (a*(g+h*x)^3*Cos[e+f*x]*Log[1+E^((2*I)*(e+f*x))])/(f*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) + ((3*I)*a*h*(g+h*x)^2*Cos[e+f*x]*PolyLog[2, (-I)*E^(I*(e+f*x))])/(f^2*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) - ((3*I)*a*h*(g+h*x)^2*Cos[e+f*x]*PolyLog[2, I*E^(I*(e+f*x))])/(f^2*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) - (((3*I)/2)*a*h*(g+h*x)^2*Cos[e+f*x]*PolyLog[2, -E^((2*I)*(e+f*x))])/(f^2*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) - (6*a*h^2*(g+h*x)*Cos[e+f*x]*PolyLog[3, (-I)*E^(I*(e+f*x))])/(f^3*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) + (6*a*h^2*(g+h*x)*Cos[e+f*x]*PolyLog[3, I*E^(I*(e+f*x))])/(f^3*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) + (3*a*h^2*(g+h*x)*Cos[e+f*x]*PolyLog[3, -E^((2*I)*(e+f*x))])/(2*f^3*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) - ((6*I)*a*h^3*Cos[e+f*x]*PolyLog[4, (-I)*E^(I*(e+f*x))])/(f^4*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) + ((6*I)*a*h^3*Cos[e+f*x]*PolyLog[4, I*E^(I*(e+f*x))])/(f^4*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) + (((3*I)/4)*a*h^3*Cos[e+f*x]*PolyLog[4, -E^((2*I)*(e+f*x))])/(f^4*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]])
```

```
) * a * h^3 * Cos[e + f * x] * PolyLog[4, I * E^(I * (e + f * x))] / (f^4 * Sqrt[a - a * Sin[e + f * x]] * Sqrt[c + c * Sin[e + f * x]]) + (((3 * I) / 4) * a * h^3 * Cos[e + f * x] * PolyLog[4, -E^((2 * I) * (e + f * x))] / (f^4 * Sqrt[a - a * Sin[e + f * x]] * Sqrt[c + c * Sin[e + f * x]]))
```

#### Rule 4604

```
Int[((g_.) + (h_.) * (x_.))^(p_.) * ((a_.) + (b_.) * Sin[(e_.) + (f_.) * (x_.)])^(m_.) * ((c_.) + (d_.) * Sin[(e_.) + (f_.) * (x_.)])^(n_.), x_Symbol] := Dist[(a^IntPart[m] * c^IntPart[m] * (a + b * Sin[e + f * x])^FracPart[m] * (c + d * Sin[e + f * x])^FracPart[m]) / Cos[e + f * x]^(2 * FracPart[m]), Int[(g + h * x)^p * Cos[e + f * x]^(2 * m) * (c + d * Sin[e + f * x])^(n - m), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && EqQ[b * c + a * d, 0] && EqQ[a^2 - b^2, 0] && IntegerQ[p] && IntegerQ[2 * m] && IntegerQ[n - m, 0]
```

#### Rule 6741

```
Int[u_, x_Symbol] := With[{v = NormalizeIntegrand[u, x]}, Int[v, x] /; v != u]
```

#### Rule 12

```
Int[(a_) * (u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_) * (v_) /; FreeQ[b, x]]
```

#### Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]
```

#### Rule 4181

```
Int[csc[(e_.) + Pi * (k_.) + (f_.) * (x_.)] * ((c_.) + (d_.) * (x_.))^(m_.), x_Symbol] := Simp[(-2 * (c + d * x)^m * ArcTanh[E^(I * k * Pi) * E^(I * (e + f * x))]) / f, x] + (-Dist[(d * m) / f, Int[(c + d * x)^(m - 1) * Log[1 - E^(I * k * Pi) * E^(I * (e + f * x))], x], x] + Dist[(d * m) / f, Int[(c + d * x)^(m - 1) * Log[1 + E^(I * k * Pi) * E^(I * (e + f * x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2 * k] && IGtQ[m, 0]
```

#### Rule 2531

```
Int[Log[1 + (e_.) * ((F_)^((c_.) * ((a_.) + (b_.) * (x_.)))^(n_.))] * ((f_.) + (g_.) * (x_.))^(m_.), x_Symbol] := -Simp[((f + g * x)^m * PolyLog[2, -(e * (F^(c * (a + b * x))))^n]) / (b * c * n * Log[F]), x] + Dist[(g * m) / (b * c * n * Log[F]), Int[(f + g * x)^(m - 1) * PolyLog[2, -(e * (F^(c * (a + b * x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

#### Rule 6609

```
Int[((e_.) + (f_.) * (x_.))^(m_.) * PolyLog[n_, (d_.) * ((F_)^((c_.) * ((a_.) + (b_.) * (x_.)))^(p_.)], x_Symbol] := Simp[((e + f * x)^m * PolyLog[n + 1, d * (F^(c * (a + b * x))))^p] / (b * c * p * Log[F]), x] - Dist[(f * m) / (b * c * p * Log[F]), Int[(e + f * x)^(m - 1) * PolyLog[n + 1, d * (F^(c * (a + b * x))))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]
```

#### Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v / D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x] / x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_) * ((a_.) * (v_)^(n_.))^(m_) /; FreeQ[
```



**Mathematica [A]** time = 2.75239, size = 247, normalized size = 0.32

$$\frac{\left(\frac{1}{4} + \frac{i}{4}\right) e^{-\frac{1}{2}i(e+fx)} \left(e^{i(e+fx)} + i\right) \sqrt{a - a \sin(e + fx)} \left(\frac{24h(f^2(g+hx)^2 \text{PolyLog}(2, -ie^{-i(e+fx)}) - 2h(if(g+hx) \text{PolyLog}(3, -ie^{-i(e+fx)}) + h \text{PolyLog}(4, -ie^{-i(e+fx)})\right)}{f^4}}{\sqrt{2} \sqrt{-ice^{-i(e+fx)} \left(e^{i(e+fx)} + i\right)^2} \left(\cos\left(\frac{1}{2}(e + fx)\right) - \sin\left(\frac{1}{2}(e + fx)\right)\right)}\right)}{}$$

Antiderivative was successfully verified.

```
[In] Integrate[((g + h*x)^3*Sqrt[a - a*Sin[e + f*x]])/Sqrt[c + c*Sin[e + f*x]],x]
```

```
[Out] ((1/4 + I/4)*(I + E^(I*(e + f*x)))*((g + h*x)^4/h - ((8*I)*(g + h*x)^3*Log[1 + I/E^(I*(e + f*x))])/f + (24*h*(f^2*(g + h*x)^2*PolyLog[2, (-I)/E^(I*(e + f*x))] - 2*h*(I*f*(g + h*x)*PolyLog[3, (-I)/E^(I*(e + f*x))] + h*PolyLog[4, (-I)/E^(I*(e + f*x))]))/f^4)*Sqrt[a - a*Sin[e + f*x]]/(Sqrt[2]*E^((I/2)*(e + f*x))*Sqrt[((-I)*c*(I + E^(I*(e + f*x)))^2)/E^(I*(e + f*x))]*(Cos[(e + f*x)/2] - Sin[(e + f*x)/2]))
```

**Maple [F]** time = 0.092, size = 0, normalized size = 0.

$$\int (hx + g)^3 \sqrt{a - a \sin(fx + e)} \frac{1}{\sqrt{c + c \sin(fx + e)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((h*x+g)^3*(a-a*sin(f*x+e))^(1/2)/(c+c*sin(f*x+e))^(1/2),x)
```

```
[Out] int((h*x+g)^3*(a-a*sin(f*x+e))^(1/2)/(c+c*sin(f*x+e))^(1/2),x)
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(hx + g)^3 \sqrt{-a \sin(fx + e) + a}}{\sqrt{c \sin(fx + e) + c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x+g)^3*(a-a*sin(f*x+e))^(1/2)/(c+c*sin(f*x+e))^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((h*x + g)^3*sqrt(-a*sin(f*x + e) + a)/sqrt(c*sin(f*x + e) + c), x)
```

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x+g)^3*(a-a*sin(f*x+e))^(1/2)/(c+c*sin(f*x+e))^(1/2),x, algorithm="fricas")
```



[Out] Exception raised: UnboundLocalError

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-a(\sin(e+fx)-1)}(g+hx)^3}{\sqrt{c(\sin(e+fx)+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h\*x+g)\*\*3\*(a-a\*sin(f\*x+e))\*\*(1/2)/(c+c\*sin(f\*x+e))\*\*(1/2),x)

[Out] Integral(sqrt(-a\*(sin(e + f\*x) - 1))\*(g + h\*x)\*\*3/sqrt(c\*(sin(e + f\*x) + 1)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(hx+g)^3 \sqrt{-a \sin(fx+e)+a}}{\sqrt{c \sin(fx+e)+c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h\*x+g)^3\*(a-a\*sin(f\*x+e))^(1/2)/(c+c\*sin(f\*x+e))^(1/2),x, algorithm="giac")

[Out] integrate((h\*x + g)^3\*sqrt(-a\*sin(f\*x + e) + a)/sqrt(c\*sin(f\*x + e) + c), x)

$$3.178 \quad \int \frac{(g+hx)^2 \sqrt{a-a \sin(e+fx)}}{\sqrt{c+c \sin(e+fx)}} dx$$

**Optimal.** Leaf size=555

$$\frac{2iah(g+hx) \cos(e+fx) \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2 \sqrt{a-a \sin(e+fx)} \sqrt{c \sin(e+fx)+c}} - \frac{2iah(g+hx) \cos(e+fx) \text{PolyLog}(2, ie^{i(e+fx)})}{f^2 \sqrt{a-a \sin(e+fx)} \sqrt{c \sin(e+fx)+c}} - \frac{iah(g+hx) \cos(e+fx)}{f^2 \sqrt{a-a \sin(e+fx)}}$$

```
[Out] ((-1/3)*a*(g+h*x)^3*Cos[e+f*x])/(h*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) - ((2*I)*a*(g+h*x)^2*ArcTan[E^(I*(e+f*x))]*Cos[e+f*x])/(f*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) + (a*(g+h*x)^2*Cos[e+f*x]*Log[1+E^((2*I)*(e+f*x))])/(f*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) + ((2*I)*a*h*(g+h*x)*Cos[e+f*x]*PolyLog[2,(-I)*E^(I*(e+f*x))])/(f^2*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) - ((2*I)*a*h*(g+h*x)*Cos[e+f*x]*PolyLog[2,I*E^(I*(e+f*x))])/(f^2*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) - (I*a*h*(g+h*x)*Cos[e+f*x]*PolyLog[2,-E^((2*I)*(e+f*x))])/(f^2*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) - (2*a*h^2*Cos[e+f*x]*PolyLog[3,(-I)*E^(I*(e+f*x))])/(f^3*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) + (2*a*h^2*Cos[e+f*x]*PolyLog[3,I*E^(I*(e+f*x))])/(f^3*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) + (a*h^2*Cos[e+f*x]*PolyLog[3,-E^((2*I)*(e+f*x))])/(2*f^3*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]])
```

**Rubi [A]** time = 0.876905, antiderivative size = 555, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 10, integrand size = 37,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.27$ , Rules used = {4604, 6741, 12, 6742, 4181, 2531, 2282, 6589, 3719, 2190}

$$\frac{2iah(g+hx) \cos(e+fx) \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2 \sqrt{a-a \sin(e+fx)} \sqrt{c \sin(e+fx)+c}} - \frac{2iah(g+hx) \cos(e+fx) \text{PolyLog}(2, ie^{i(e+fx)})}{f^2 \sqrt{a-a \sin(e+fx)} \sqrt{c \sin(e+fx)+c}} - \frac{iah(g+hx) \cos(e+fx)}{f^2 \sqrt{a-a \sin(e+fx)}}$$

Antiderivative was successfully verified.

```
[In] Int[((g+h*x)^2*Sqrt[a-a*Sin[e+f*x]])/Sqrt[c+c*Sin[e+f*x]],x]
```

```
[Out] ((-1/3)*a*(g+h*x)^3*Cos[e+f*x])/(h*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) - ((2*I)*a*(g+h*x)^2*ArcTan[E^(I*(e+f*x))]*Cos[e+f*x])/(f*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) + (a*(g+h*x)^2*Cos[e+f*x]*Log[1+E^((2*I)*(e+f*x))])/(f*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) + ((2*I)*a*h*(g+h*x)*Cos[e+f*x]*PolyLog[2,(-I)*E^(I*(e+f*x))])/(f^2*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) - ((2*I)*a*h*(g+h*x)*Cos[e+f*x]*PolyLog[2,I*E^(I*(e+f*x))])/(f^2*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) - (I*a*h*(g+h*x)*Cos[e+f*x]*PolyLog[2,-E^((2*I)*(e+f*x))])/(f^2*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) - (2*a*h^2*Cos[e+f*x]*PolyLog[3,(-I)*E^(I*(e+f*x))])/(f^3*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) + (2*a*h^2*Cos[e+f*x]*PolyLog[3,I*E^(I*(e+f*x))])/(f^3*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]]) + (a*h^2*Cos[e+f*x]*PolyLog[3,-E^((2*I)*(e+f*x))])/(2*f^3*Sqrt[a-a*Sin[e+f*x]]*Sqrt[c+c*Sin[e+f*x]])
```

**Rule 4604**

```
Int[((g._)+(h._)*(x._))^(p._)*((a._)+(b._)*Sin[(e._)+(f._)*(x._)])^(m._)*((c._)+(d._)*Sin[(e._)+(f._)*(x._)])^(n._), x_Symbol] := Dist[(a^IntPart[m]*c^IntPart[m]*(a+b*Sin[e+f*x])^FracPart[m]*(c+d*Sin[e+f*x])^FracPart[m])/Cos[e+f*x]^(2*FracPart[m]), Int[(g+h*x)^p*Cos[e+f*x]^(2*m)*(c+d*Sin[e+f*x])^(n-m), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] &&
```

EqQ[b\*c + a\*d, 0] && EqQ[a^2 - b^2, 0] && IntegerQ[p] && IntegerQ[2\*m] && IntegerQ[n - m, 0]

#### Rule 6741

Int[u\_, x\_Symbol] :=> With[{v = NormalizeIntegrand[u, x]}, Int[v, x] /; v != u]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :=> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 6742

Int[u\_, x\_Symbol] :=> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]

#### Rule 4181

Int[csc[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_.)]\*((c\_.) + (d\_.)\*(x\_.))^(m\_.), x\_Symbol] :=> Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*k\*Pi)\*E^(I\*(e + f\*x))])/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[2\*k] && IGtQ[m, 0]

#### Rule 2531

Int[Log[1 + (e\_.)\*((F\_)^((c\_.)\*((a\_.) + (b\_.)\*(x\_.)))^(n\_.))]\*((f\_.) + (g\_.)\*(x\_.))^(m\_.), x\_Symbol] :=> -Simp[((f + g\*x)^m\*PolyLog[2, -(e\*(F^(c\*(a + b\*x)))^n)])/(b\*c\*n\*Log[F]), x] + Dist[(g\*m)/(b\*c\*n\*Log[F]), Int[(f + g\*x)^(m - 1)\*PolyLog[2, -(e\*(F^(c\*(a + b\*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

#### Rule 2282

Int[u\_, x\_Symbol] :=> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_.)\*(v\_)^(n\_))^(m\_) /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n]] && !MatchQ[u, E^((c\_.)\*((a\_.) + (b\_.)\*x))\* (F\_)[v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

#### Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_.))^(p\_.)]/((d\_.) + (e\_.)\*(x\_.)), x\_Symbol] :=> Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

#### Rule 3719

Int[((c\_.) + (d\_.)\*(x\_.))^(m\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)], x\_Symbol] :=> Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m\*E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

#### Rule 2190

Int[((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_.)))^(n\_.)\*((c\_.) + (d\_.)\*(x\_.))^(m\_.))/((a\_.) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_.)))^(n\_.))), x\_Symbol] :=> Simp

`[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di  
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)  
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]`

### Rubi steps

$$\begin{aligned} \int \frac{(g + hx)^2 \sqrt{a - a \sin(e + fx)}}{\sqrt{c + c \sin(e + fx)}} dx &= \frac{\cos(e + fx) \int (g + hx)^2 \sec(e + fx) (a - a \sin(e + fx)) dx}{\sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} \\ &= \frac{\cos(e + fx) \int a (g + hx)^2 \sec(e + fx) (1 - \sin(e + fx)) dx}{\sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} \\ &= \frac{(a \cos(e + fx)) \int (g + hx)^2 \sec(e + fx) (1 - \sin(e + fx)) dx}{\sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} \\ &= \frac{(a \cos(e + fx)) \int ((g + hx)^2 \sec(e + fx) - (g + hx)^2 \tan(e + fx)) dx}{\sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} \\ &= \frac{(a \cos(e + fx)) \int (g + hx)^2 \sec(e + fx) dx}{\sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} - \frac{(a \cos(e + fx)) \int (g + hx)^2 \tan(e + fx) dx}{\sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} \\ &= -\frac{ia(g + hx)^3 \cos(e + fx)}{3h\sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} - \frac{2ia(g + hx)^2 \tan^{-1}(e^{i(e+fx)}) \cos(e + fx)}{f\sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} \\ &= -\frac{ia(g + hx)^3 \cos(e + fx)}{3h\sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} - \frac{2ia(g + hx)^2 \tan^{-1}(e^{i(e+fx)}) \cos(e + fx)}{f\sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} \\ &= -\frac{ia(g + hx)^3 \cos(e + fx)}{3h\sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} - \frac{2ia(g + hx)^2 \tan^{-1}(e^{i(e+fx)}) \cos(e + fx)}{f\sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} \\ &= -\frac{ia(g + hx)^3 \cos(e + fx)}{3h\sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} - \frac{2ia(g + hx)^2 \tan^{-1}(e^{i(e+fx)}) \cos(e + fx)}{f\sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} \\ &= -\frac{ia(g + hx)^3 \cos(e + fx)}{3h\sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} - \frac{2ia(g + hx)^2 \tan^{-1}(e^{i(e+fx)}) \cos(e + fx)}{f\sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} \end{aligned}$$

**Mathematica [A]** time = 1.92293, size = 194, normalized size = 0.35

$$\frac{\sqrt{2} (e^{i(e+fx)} + i) \sqrt{a - a \sin(e + fx)} (12fh^2(g + hx) \text{PolyLog}(2, -ie^{-i(e+fx)}) - 12ih^3 \text{PolyLog}(3, -ie^{-i(e+fx)}) + f^2(g + hx)^2)}{3f^3h (e^{i(e+fx)} - i) \sqrt{-ice^{-i(e+fx)} (e^{i(e+fx)} + i)^2}}$$

Antiderivative was successfully verified.

[In] Integrate[((g + h\*x)^2\*Sqrt[a - a\*Sin[e + f\*x]])/Sqrt[c + c\*Sin[e + f\*x]],x]

[Out] (Sqrt[2]\*(I + E^(I\*(e + f\*x)))\*(f^2\*(g + h\*x)^2\*(f\*(g + h\*x) - (6\*I)\*h\*Log[1 + I/E^(I\*(e + f\*x))]) + 12\*f\*h^2\*(g + h\*x)\*PolyLog[2, (-I)/E^(I\*(e + f\*x))] - (12\*I)\*h^3\*PolyLog[3, (-I)/E^(I\*(e + f\*x))])\*Sqrt[a - a\*Sin[e + f\*x]]/(3\*(-I + E^(I\*(e + f\*x)))\*Sqrt[((-I)\*c\*(I + E^(I\*(e + f\*x))))^2]/E^(I\*(e + f\*x))]\*f^3\*h)

**Maple [F]** time = 0.092, size = 0, normalized size = 0.

$$\int (hx + g)^2 \sqrt{a - a \sin(fx + e)} \frac{1}{\sqrt{c + c \sin(fx + e)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((h*x+g)^2*(a-a*sin(f*x+e))^(1/2)/(c+c*sin(f*x+e))^(1/2),x)`

[Out] `int((h*x+g)^2*(a-a*sin(f*x+e))^(1/2)/(c+c*sin(f*x+e))^(1/2),x)`

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(hx + g)^2 \sqrt{-a \sin(fx + e) + a}}{\sqrt{c \sin(fx + e) + c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((h*x+g)^2*(a-a*sin(f*x+e))^(1/2)/(c+c*sin(f*x+e))^(1/2),x, algorithm="maxima")`

[Out] `integrate((h*x + g)^2*sqrt(-a*sin(f*x + e) + a)/sqrt(c*sin(f*x + e) + c), x)`

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((h*x+g)^2*(a-a*sin(f*x+e))^(1/2)/(c+c*sin(f*x+e))^(1/2),x, algorithm="fricas")`

[Out] Exception raised: UnboundLocalError

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-a(\sin(e + fx) - 1)}(g + hx)^2}{\sqrt{c(\sin(e + fx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((h*x+g)**2*(a-a*sin(f*x+e))**(1/2)/(c+c*sin(f*x+e))**(1/2),x)`

[Out] `Integral(sqrt(-a*(sin(e + f*x) - 1))*(g + h*x)**2/sqrt(c*(sin(e + f*x) + 1)), x)`

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(hx + g)^2 \sqrt{-a \sin(fx + e) + a}}{\sqrt{c \sin(fx + e) + c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x+g)^2*(a-a*sin(f*x+e))^(1/2)/(c+c*sin(f*x+e))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((h*x + g)^2*sqrt(-a*sin(f*x + e) + a)/sqrt(c*sin(f*x + e) + c), x)
```

$$3.179 \quad \int \frac{(g+hx)\sqrt{a-a\sin(e+fx)}}{\sqrt{c+c\sin(e+fx)}} dx$$

**Optimal.** Leaf size=355

$$\frac{iah \cos(e+fx) \text{PolyLog}\left(2, -ie^{i(e+fx)}\right)}{f^2 \sqrt{a-a\sin(e+fx)} \sqrt{c\sin(e+fx)+c}} - \frac{iah \cos(e+fx) \text{PolyLog}\left(2, ie^{i(e+fx)}\right)}{f^2 \sqrt{a-a\sin(e+fx)} \sqrt{c\sin(e+fx)+c}} - \frac{iah \cos(e+fx) \text{PolyLog}\left(2, -e^{i(e+fx)}\right)}{2f^2 \sqrt{a-a\sin(e+fx)} \sqrt{c\sin(e+fx)+c}}$$

```
[Out] ((-I/2)*a*(g + h*x)^2*Cos[e + f*x])/(h*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) - ((2*I)*a*(g + h*x)*ArcTan[E^(I*(e + f*x))]*Cos[e + f*x])/(f*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) + (a*(g + h*x)*Cos[e + f*x]*Log[1 + E^((2*I)*(e + f*x))])/(f*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) + (I*a*h*Cos[e + f*x]*PolyLog[2, (-I)*E^(I*(e + f*x))])/(f^2*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) - (I*a*h*Cos[e + f*x]*PolyLog[2, I*E^(I*(e + f*x))])/(f^2*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) - ((I/2)*a*h*Cos[e + f*x]*PolyLog[2, -E^((2*I)*(e + f*x))])/(f^2*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])
```

**Rubi [A]** time = 0.511259, antiderivative size = 355, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 9, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$ , Rules used = {4604, 6741, 12, 6742, 4181, 2279, 2391, 3719, 2190}

$$\frac{iah \cos(e+fx) \text{PolyLog}\left(2, -ie^{i(e+fx)}\right)}{f^2 \sqrt{a-a\sin(e+fx)} \sqrt{c\sin(e+fx)+c}} - \frac{iah \cos(e+fx) \text{PolyLog}\left(2, ie^{i(e+fx)}\right)}{f^2 \sqrt{a-a\sin(e+fx)} \sqrt{c\sin(e+fx)+c}} - \frac{iah \cos(e+fx) \text{PolyLog}\left(2, -e^{i(e+fx)}\right)}{2f^2 \sqrt{a-a\sin(e+fx)} \sqrt{c\sin(e+fx)+c}}$$

Antiderivative was successfully verified.

```
[In] Int[((g + h*x)*Sqrt[a - a*Sin[e + f*x]])/Sqrt[c + c*Sin[e + f*x]],x]
```

```
[Out] ((-I/2)*a*(g + h*x)^2*Cos[e + f*x])/(h*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) - ((2*I)*a*(g + h*x)*ArcTan[E^(I*(e + f*x))]*Cos[e + f*x])/(f*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) + (a*(g + h*x)*Cos[e + f*x]*Log[1 + E^((2*I)*(e + f*x))])/(f*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) + (I*a*h*Cos[e + f*x]*PolyLog[2, (-I)*E^(I*(e + f*x))])/(f^2*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) - (I*a*h*Cos[e + f*x]*PolyLog[2, I*E^(I*(e + f*x))])/(f^2*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) - ((I/2)*a*h*Cos[e + f*x]*PolyLog[2, -E^((2*I)*(e + f*x))])/(f^2*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])
```

#### Rule 4604

```
Int[((g_.) + (h_.)*(x_))^(p_.)*((a_.) + (b_.)*Sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*Sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[(a^IntPart[m]*c^IntPart[m]*(a + b*Sin[e + f*x])^FracPart[m]*(c + d*Sin[e + f*x])^FracPart[m])/Cos[e + f*x]^(2*FracPart[m]), Int[(g + h*x)^p*Cos[e + f*x]^(2*m)*(c + d*Sin[e + f*x])^(n - m), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 - b^2, 0] && IntegerQ[p] && IntegerQ[2*m] && IntegerQ[n - m, 0]
```

#### Rule 6741

```
Int[u_, x_Symbol] :> With[{v = NormalizeIntegrand[u, x]}, Int[v, x] /; v != u]
```

#### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

### Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]
```

### Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

### Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rule 3719

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e + f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]
```

### Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)], x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

### Rubi steps



$$\begin{aligned}
\int \frac{(g+hx)\sqrt{a-a\sin(e+fx)}}{\sqrt{c+c\sin(e+fx)}} dx &= \frac{\cos(e+fx) \int (g+hx) \sec(e+fx)(a-a\sin(e+fx)) dx}{\sqrt{a-a\sin(e+fx)}\sqrt{c+c\sin(e+fx)}} \\
&= \frac{\cos(e+fx) \int a(g+hx) \sec(e+fx)(1-\sin(e+fx)) dx}{\sqrt{a-a\sin(e+fx)}\sqrt{c+c\sin(e+fx)}} \\
&= \frac{(a\cos(e+fx)) \int (g+hx) \sec(e+fx)(1-\sin(e+fx)) dx}{\sqrt{a-a\sin(e+fx)}\sqrt{c+c\sin(e+fx)}} \\
&= \frac{(a\cos(e+fx)) \int ((g+hx) \sec(e+fx) - (g+hx) \tan(e+fx)) dx}{\sqrt{a-a\sin(e+fx)}\sqrt{c+c\sin(e+fx)}} \\
&= \frac{(a\cos(e+fx)) \int (g+hx) \sec(e+fx) dx}{\sqrt{a-a\sin(e+fx)}\sqrt{c+c\sin(e+fx)}} - \frac{(a\cos(e+fx)) \int (g+hx) \tan(e+fx) dx}{\sqrt{a-a\sin(e+fx)}\sqrt{c+c\sin(e+fx)}} \\
&= -\frac{ia(g+hx)^2 \cos(e+fx)}{2h\sqrt{a-a\sin(e+fx)}\sqrt{c+c\sin(e+fx)}} - \frac{2ia(g+hx) \tan^{-1}(e^{i(e+fx)}) \cos(e+fx)}{f\sqrt{a-a\sin(e+fx)}\sqrt{c+c\sin(e+fx)}} \\
&= -\frac{ia(g+hx)^2 \cos(e+fx)}{2h\sqrt{a-a\sin(e+fx)}\sqrt{c+c\sin(e+fx)}} - \frac{2ia(g+hx) \tan^{-1}(e^{i(e+fx)}) \cos(e+fx)}{f\sqrt{a-a\sin(e+fx)}\sqrt{c+c\sin(e+fx)}} \\
&= -\frac{ia(g+hx)^2 \cos(e+fx)}{2h\sqrt{a-a\sin(e+fx)}\sqrt{c+c\sin(e+fx)}} - \frac{2ia(g+hx) \tan^{-1}(e^{i(e+fx)}) \cos(e+fx)}{f\sqrt{a-a\sin(e+fx)}\sqrt{c+c\sin(e+fx)}} \\
&= -\frac{ia(g+hx)^2 \cos(e+fx)}{2h\sqrt{a-a\sin(e+fx)}\sqrt{c+c\sin(e+fx)}} - \frac{2ia(g+hx) \tan^{-1}(e^{i(e+fx)}) \cos(e+fx)}{f\sqrt{a-a\sin(e+fx)}\sqrt{c+c\sin(e+fx)}}
\end{aligned}$$

**Mathematica [A]** time = 1.24138, size = 154, normalized size = 0.43

$$\frac{(e^{i(e+fx)} + i) \sqrt{a - a \sin(e + fx)} (4h \text{PolyLog}(2, -ie^{-i(e+fx)}) + f (fx(2g + hx) - 4i(g + hx) \log(1 + ie^{-i(e+fx)})))}{\sqrt{2} f^2 (e^{i(e+fx)} - i) \sqrt{-ice^{-i(e+fx)} (e^{i(e+fx)} + i)^2}}$$

Antiderivative was successfully verified.

[In] Integrate[((g + h\*x)\*Sqrt[a - a\*Sin[e + f\*x]])/Sqrt[c + c\*Sin[e + f\*x]],x]

[Out] ((I + E^(I\*(e + f\*x)))\*(f\*(f\*x\*(2\*g + h\*x) - (4\*I)\*(g + h\*x)\*Log[1 + I/E^(I\*(e + f\*x))]) + 4\*h\*PolyLog[2, (-I)/E^(I\*(e + f\*x))]\*Sqrt[a - a\*Sin[e + f\*x]])/(Sqrt[2]\*(-I + E^(I\*(e + f\*x)))\*Sqrt[((-I)\*c\*(I + E^(I\*(e + f\*x)))^2)/E^(I\*(e + f\*x))]\*f^2)

**Maple [F]** time = 0.188, size = 0, normalized size = 0.

$$\int (hx + g)\sqrt{a - a \sin(fx + e)} \frac{1}{\sqrt{c + c \sin(fx + e)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h\*x+g)\*(a-a\*sin(f\*x+e))^(1/2)/(c+c\*sin(f\*x+e))^(1/2),x)

[Out] int((h\*x+g)\*(a-a\*sin(f\*x+e))^(1/2)/(c+c\*sin(f\*x+e))^(1/2),x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(hx + g)\sqrt{-a \sin(fx + e) + a}}{\sqrt{c \sin(fx + e) + c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h\*x+g)\*(a-a\*sin(f\*x+e))^(1/2)/(c+c\*sin(f\*x+e))^(1/2),x, algorithm="maxima")

[Out] integrate((h\*x + g)\*sqrt(-a\*sin(f\*x + e) + a)/sqrt(c\*sin(f\*x + e) + c), x)

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h\*x+g)\*(a-a\*sin(f\*x+e))^(1/2)/(c+c\*sin(f\*x+e))^(1/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-a(\sin(e + fx) - 1)}(g + hx)}{\sqrt{c(\sin(e + fx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h\*x+g)\*(a-a\*sin(f\*x+e))\*\*(1/2)/(c+c\*sin(f\*x+e))\*\*(1/2),x)

[Out] Integral(sqrt(-a\*(sin(e + f\*x) - 1))\*(g + h\*x)/sqrt(c\*(sin(e + f\*x) + 1)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(hx + g)\sqrt{-a \sin(fx + e) + a}}{\sqrt{c \sin(fx + e) + c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h\*x+g)\*(a-a\*sin(f\*x+e))^(1/2)/(c+c\*sin(f\*x+e))^(1/2),x, algorithm="giac")

[Out] integrate((h\*x + g)\*sqrt(-a\*sin(f\*x + e) + a)/sqrt(c\*sin(f\*x + e) + c), x)

$$3.180 \quad \int \frac{\sqrt{a - a \sin(e + fx)}}{(g + hx)\sqrt{c + c \sin(e + fx)}} dx$$

**Optimal.** Leaf size=108

$$\frac{a \cos(e + fx) \text{Unintegrable}\left(\frac{\sec(e + fx)}{g + hx}, x\right)}{\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}} - \frac{a \cos(e + fx) \text{Unintegrable}\left(\frac{\tan(e + fx)}{g + hx}, x\right)}{\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}}$$

[Out] (a\*Cos[e + f\*x]\*Unintegrable[Sec[e + f\*x]/(g + h\*x), x])/(Sqrt[a - a\*Sin[e + f\*x]]\*Sqrt[c + c\*Sin[e + f\*x]]) - (a\*Cos[e + f\*x]\*Unintegrable[Tan[e + f\*x]/(g + h\*x), x])/(Sqrt[a - a\*Sin[e + f\*x]]\*Sqrt[c + c\*Sin[e + f\*x]])

**Rubi [A]** time = 0.646446, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{\sqrt{a - a \sin(e + fx)}}{(g + hx)\sqrt{c + c \sin(e + fx)}} dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[a - a\*Sin[e + f\*x]]/((g + h\*x)\*Sqrt[c + c\*Sin[e + f\*x]]), x]

[Out] (a\*Cos[e + f\*x]\*Defer[Int][Sec[e + f\*x]/(g + h\*x), x])/(Sqrt[a - a\*Sin[e + f\*x]]\*Sqrt[c + c\*Sin[e + f\*x]]) - (a\*Cos[e + f\*x]\*Defer[Int][Tan[e + f\*x]/(g + h\*x), x])/(Sqrt[a - a\*Sin[e + f\*x]]\*Sqrt[c + c\*Sin[e + f\*x]])

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a - a \sin(e + fx)}}{(g + hx)\sqrt{c + c \sin(e + fx)}} dx &= \frac{\cos(e + fx) \int \frac{\sec(e + fx)(a - a \sin(e + fx))}{g + hx} dx}{\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}} \\ &= \frac{\cos(e + fx) \int \frac{a \sec(e + fx)(1 - \sin(e + fx))}{g + hx} dx}{\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}} \\ &= \frac{(a \cos(e + fx)) \int \frac{\sec(e + fx)(1 - \sin(e + fx))}{g + hx} dx}{\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}} \\ &= \frac{(a \cos(e + fx)) \int \left( \frac{\sec(e + fx)}{g + hx} - \frac{\tan(e + fx)}{g + hx} \right) dx}{\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}} \\ &= \frac{(a \cos(e + fx)) \int \frac{\sec(e + fx)}{g + hx} dx}{\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}} - \frac{(a \cos(e + fx)) \int \frac{\tan(e + fx)}{g + hx} dx}{\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}} \end{aligned}$$

**Mathematica [A]** time = 3.5796, size = 0, normalized size = 0.

$$\int \frac{\sqrt{a - a \sin(e + fx)}}{(g + hx)\sqrt{c + c \sin(e + fx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[a - a\*Sin[e + f\*x]]/((g + h\*x)\*Sqrt[c + c\*Sin[e + f\*x]]),x]

[Out] Integrate[Sqrt[a - a\*Sin[e + f\*x]]/((g + h\*x)\*Sqrt[c + c\*Sin[e + f\*x]]), x]

**Maple [A]** time = 0.102, size = 0, normalized size = 0.

$$\int \frac{1}{hx + g} \sqrt{a - a \sin(fx + e)} \frac{1}{\sqrt{c + c \sin(fx + e)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a-a\*sin(f\*x+e))^(1/2)/(h\*x+g)/(c+c\*sin(f\*x+e))^(1/2),x)

[Out] int((a-a\*sin(f\*x+e))^(1/2)/(h\*x+g)/(c+c\*sin(f\*x+e))^(1/2),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-a \sin(fx + e) + a}}{(hx + g)\sqrt{c \sin(fx + e) + c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a\*sin(f\*x+e))^(1/2)/(h\*x+g)/(c+c\*sin(f\*x+e))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(-a\*sin(f\*x + e) + a)/((h\*x + g)\*sqrt(c\*sin(f\*x + e) + c)), x)

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a\*sin(f\*x+e))^(1/2)/(h\*x+g)/(c+c\*sin(f\*x+e))^(1/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-a(\sin(e + fx) - 1)}}{\sqrt{c(\sin(e + fx) + 1)}(g + hx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a-a*sin(f*x+e))**(1/2)/(h*x+g)/(c+c*sin(f*x+e))**(1/2),x)
```

```
[Out] Integral(sqrt(-a*(sin(e + f*x) - 1))/(sqrt(c*(sin(e + f*x) + 1))*(g + h*x))
, x)
```

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-a \sin(fx + e) + a}}{(hx + g)\sqrt{c \sin(fx + e) + c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a-a*sin(f*x+e))^(1/2)/(h*x+g)/(c+c*sin(f*x+e))^(1/2),x, algorithm
m="giac")
```

```
[Out] integrate(sqrt(-a*sin(f*x + e) + a)/((h*x + g)*sqrt(c*sin(f*x + e) + c)), x
)
```

$$3.181 \quad \int \frac{x^3 \sqrt{a - a \sin(e + fx)}}{(c + c \sin(e + fx))^{3/2}} dx$$

**Optimal.** Leaf size=536

$$\frac{6ia \cos(e + fx) \text{PolyLog}\left(2, -ie^{i(e+fx)}\right)}{cf^4 \sqrt{a - a \sin(e + fx)} \sqrt{c \sin(e + fx) + c}} - \frac{6ia \cos(e + fx) \text{PolyLog}\left(2, ie^{i(e+fx)}\right)}{cf^4 \sqrt{a - a \sin(e + fx)} \sqrt{c \sin(e + fx) + c}} - \frac{3ia \cos(e + fx) \text{PolyLog}\left(2, -e^{2i(e+fx)}\right)}{cf^4 \sqrt{a - a \sin(e + fx)} \sqrt{c \sin(e + fx) + c}}$$

```
[Out] (-3*a*x^2)/(c*f^2*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) - ((3*I)*a*x^2*Cos[e + f*x])/(c*f^2*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) - ((12*I)*a*x*ArcTan[E^(I*(e + f*x))]*Cos[e + f*x])/(c*f^3*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) + (6*a*x*Cos[e + f*x]*Log[1 + E^((2*I)*(e + f*x))])/(c*f^3*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) + ((6*I)*a*Cos[e + f*x]*PolyLog[2, (-I)*E^(I*(e + f*x))])/(c*f^4*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) - ((6*I)*a*Cos[e + f*x]*PolyLog[2, I*E^(I*(e + f*x))])/(c*f^4*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) - ((3*I)*a*Cos[e + f*x]*PolyLog[2, -E^((2*I)*(e + f*x))])/(c*f^4*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) - (a*x^3*Sec[e + f*x])/(c*f*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) + (3*a*x^2*Sin[e + f*x])/(c*f^2*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) + (a*x^3*Tan[e + f*x])/(c*f*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])
```

**Rubi [A]** time = 3.54974, antiderivative size = 536, normalized size of antiderivative = 1., number of steps used = 51, number of rules used = 17, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.515$ , Rules used = {4604, 6741, 12, 6742, 4186, 4181, 2279, 2391, 2531, 6609, 2282, 6589, 3757, 4184, 3719, 2190, 4413}

$$\frac{6ia \cos(e + fx) \text{PolyLog}\left(2, -ie^{i(e+fx)}\right)}{cf^4 \sqrt{a - a \sin(e + fx)} \sqrt{c \sin(e + fx) + c}} - \frac{6ia \cos(e + fx) \text{PolyLog}\left(2, ie^{i(e+fx)}\right)}{cf^4 \sqrt{a - a \sin(e + fx)} \sqrt{c \sin(e + fx) + c}} - \frac{3ia \cos(e + fx) \text{PolyLog}\left(2, -e^{2i(e+fx)}\right)}{cf^4 \sqrt{a - a \sin(e + fx)} \sqrt{c \sin(e + fx) + c}}$$

Antiderivative was successfully verified.

```
[In] Int[(x^3*Sqrt[a - a*Sin[e + f*x]])/(c + c*Sin[e + f*x])^(3/2), x]
```

```
[Out] (-3*a*x^2)/(c*f^2*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) - ((3*I)*a*x^2*Cos[e + f*x])/(c*f^2*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) - ((12*I)*a*x*ArcTan[E^(I*(e + f*x))]*Cos[e + f*x])/(c*f^3*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) + (6*a*x*Cos[e + f*x]*Log[1 + E^((2*I)*(e + f*x))])/(c*f^3*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) + ((6*I)*a*Cos[e + f*x]*PolyLog[2, (-I)*E^(I*(e + f*x))])/(c*f^4*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) - ((6*I)*a*Cos[e + f*x]*PolyLog[2, I*E^(I*(e + f*x))])/(c*f^4*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) - ((3*I)*a*Cos[e + f*x]*PolyLog[2, -E^((2*I)*(e + f*x))])/(c*f^4*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) - (a*x^3*Sec[e + f*x])/(c*f*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) + (3*a*x^2*Sin[e + f*x])/(c*f^2*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) + (a*x^3*Tan[e + f*x])/(c*f*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])
```

**Rule 4604**

```
Int[((g_.) + (h_.)*(x_)^(p_.))*((a_.) + (b_.)*Sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*Sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(a^IntPart[m]*c^IntPart[m]*(a + b*Sin[e + f*x])^FracPart[m]*(c + d*Sin[e + f*x])^FracPart[m])/Cos[e + f*x]^(2*FracPart[m]), Int[(g + h*x)^p*Cos[e + f*x]^(2*m)*(c + d*Sin[e + f*x])^(n - m), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 - b^2, 0] && IntegerQ[p] && IntegerQ[2*m] && I
```

GeQ[n - m, 0]

#### Rule 6741

Int[u\_, x\_Symbol] :=> With[{v = NormalizeIntegrand[u, x]}, Int[v, x] /; v != u]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :=> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 6742

Int[u\_, x\_Symbol] :=> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

#### Rule 4186

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.))^(n\_)\*((c\_.) + (d\_.)\*(x\_.))^(m\_), x\_Symbol] :=> -Simp[(b^2\*(c + d\*x)^m\*Cot[e + f\*x]\*(b\*Csc[e + f\*x])^(n - 2))/(f\*(n - 1)), x] + (Dist[(b^2\*d^2\*m\*(m - 1))/(f^2\*(n - 1)\*(n - 2)), Int[(c + d\*x)^(m - 2)\*(b\*Csc[e + f\*x])^(n - 2), x], x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(c + d\*x)^m\*(b\*Csc[e + f\*x])^(n - 2), x], x] - Simp[(b^2\*d\*m\*(c + d\*x)^(m - 1)\*(b\*Csc[e + f\*x])^(n - 2))/(f^2\*(n - 1)\*(n - 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2] && GtQ[m, 1]

#### Rule 4181

Int[csc[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_.)]\*((c\_.) + (d\_.)\*(x\_.))^(m\_.), x\_Symbol] :=> Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*k\*Pi)\*E^(I\*(e + f\*x))]/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2\*k] && IGtQ[m, 0]

#### Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_.))))^(n\_.)], x\_Symbol] :=> Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

#### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] :=> -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

#### Rule 2531

Int[Log[1 + (e\_.)\*((F\_)^((c\_.)\*((a\_.) + (b\_.)\*(x\_.))))^(n\_.)]\*((f\_.) + (g\_.)\*(x\_.))^(m\_.), x\_Symbol] :=> -Simp[((f + g\*x)^m\*PolyLog[2, -(e\*(F^(c\*(a + b\*x))))^n])/(b\*c\*n\*Log[F]), x] + Dist[(g\*m)/(b\*c\*n\*Log[F]), Int[(f + g\*x)^(m - 1)\*PolyLog[2, -(e\*(F^(c\*(a + b\*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

#### Rule 6609

Int[((e\_.) + (f\_.)\*(x\_.))^(m\_.)\*PolyLog[n\_, (d\_.)\*((F\_)^((c\_.)\*((a\_.) + (b\_.)\*(x\_.))))^(p\_.)], x\_Symbol] :=> Simp[((e + f\*x)^m\*PolyLog[n + 1, d\*(F^(c\*(a + b\*x)))^p])/(b\*c\*p\*Log[F]), x] - Dist[(f\*m)/(b\*c\*p\*Log[F]), Int[(e + f\*x)^

$(m - 1) \cdot \text{PolyLog}[n + 1, d \cdot (F^{c \cdot (a + b \cdot x)})^p], x], x] /;$  FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]

#### Rule 2282

Int[u\_, x\_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_)\*(v\_)^(n\_))^(m\_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^((c\_)\*((a\_) + (b\_)\*x))\*(F\_)[v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

#### Rule 6589

Int[PolyLog[n\_, (c\_)\*((a\_) + (b\_)\*(x\_))^(p\_)]/((d\_) + (e\_)\*(x\_)), x\_Symbol] := Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

#### Rule 3757

Int[(x\_)^(m\_)\*Sec[(a\_) + (b\_)\*(x\_)]^(p\_)\*Tan[(a\_) + (b\_)\*(x\_)]^(q\_), x\_Symbol] := Simp[(x^(m - n + 1)\*Sec[a + b\*x^n]^p)/(b\*n\*p), x] - Dist[(m - n + 1)/(b\*n\*p), Int[x^(m - n)\*Sec[a + b\*x^n]^p, x], x] /; FreeQ[{a, b, p}, x] && IntegerQ[n] && GeQ[m, n] && EqQ[q, 1]

#### Rule 4184

Int[csc[(e\_) + (f\_)\*(x\_)]^2\*((c\_) + (d\_)\*(x\_))^(m\_), x\_Symbol] := -Simp[((c + d\*x)^m\*Cot[e + f\*x])/f, x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Cot[e + f\*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

#### Rule 3719

Int[((c\_) + (d\_)\*(x\_))^(m\_)\*tan[(e\_) + (f\_)\*(x\_)], x\_Symbol] := Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m\*E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

#### Rule 2190

Int[(((F\_)^((g\_)\*((e\_) + (f\_)\*(x\_))))^(n\_)\*((c\_) + (d\_)\*(x\_))^(m\_))/((a\_) + (b\_)\*((F\_)^((g\_)\*((e\_) + (f\_)\*(x\_))))^(n\_)), x\_Symbol] := Simp[((c + d\*x)^m\*Log[1 + (b\*(F^(g\*(e + f\*x))))^n]/a)/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*Log[1 + (b\*(F^(g\*(e + f\*x))))^n]/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

#### Rule 4413

Int[((c\_) + (d\_)\*(x\_))^(m\_)\*Sec[(a\_) + (b\_)\*(x\_)]\*Tan[(a\_) + (b\_)\*(x\_)]^(p\_), x\_Symbol] := -Int[(c + d\*x)^m\*Sec[a + b\*x]\*Tan[a + b\*x]^(p - 2), x] + Int[(c + d\*x)^m\*Sec[a + b\*x]^3\*Tan[a + b\*x]^(p - 2), x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p/2, 0]

#### Rubi steps



$$\begin{aligned}
\int \frac{x^3 \sqrt{a - a \sin(e + fx)}}{(c + c \sin(e + fx))^{3/2}} dx &= \frac{\cos(e + fx) \int x^3 \sec^3(e + fx)(a - a \sin(e + fx))^2 dx}{ac\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}} \\
&= \frac{\cos(e + fx) \int a^2 x^3 \sec^3(e + fx)(1 - \sin(e + fx))^2 dx}{ac\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}} \\
&= \frac{(a \cos(e + fx)) \int x^3 \sec^3(e + fx)(1 - \sin(e + fx))^2 dx}{c\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}} \\
&= \frac{(a \cos(e + fx)) \int (x^3 \sec^3(e + fx) - 2x^3 \sec^2(e + fx) \tan(e + fx) + x^3 \sec(e + fx) \tan^2(e + fx)) dx}{c\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}} \\
&= \frac{(a \cos(e + fx)) \int x^3 \sec^3(e + fx) dx}{c\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}} + \frac{(a \cos(e + fx)) \int x^3 \sec(e + fx) \tan^2(e + fx) dx}{c\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}} \\
&= -\frac{3ax^2}{2cf^2\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}} - \frac{ax^3 \sec(e + fx)}{cf\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}} \\
&= -\frac{3ax^2}{cf^2\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}} - \frac{6iax \tan^{-1}(e^{i(e+fx)}) \cos(e + fx)}{cf^3\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}} \\
&= -\frac{3ax^2}{cf^2\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}} - \frac{3iax^2 \cos(e + fx)}{cf^2\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}} \\
&= -\frac{3ax^2}{cf^2\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}} - \frac{3iax^2 \cos(e + fx)}{cf^2\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}} \\
&= -\frac{3ax^2}{cf^2\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}} - \frac{3iax^2 \cos(e + fx)}{cf^2\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}} \\
&= -\frac{3ax^2}{cf^2\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}} - \frac{3iax^2 \cos(e + fx)}{cf^2\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}} \\
&= -\frac{3ax^2}{cf^2\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}} - \frac{3iax^2 \cos(e + fx)}{cf^2\sqrt{a - a \sin(e + fx)}\sqrt{c + c \sin(e + fx)}}
\end{aligned}$$

**Mathematica [A]** time = 2.05024, size = 193, normalized size = 0.36

$$\frac{\sqrt{a - a \sin(e + fx)} \left( \sin\left(\frac{1}{2}(e + fx)\right) + \cos\left(\frac{1}{2}(e + fx)\right) \right) \left( 12i(\sin(e + fx) + 1) \text{PolyLog}\left(2, ie^{i(e+fx)}\right) + fx(-12 \log(1 - ie^{i(e+fx)})) - f^4(c(\sin(e + fx) + 1))^{3/2} \left( \cos\left(\frac{1}{2}(e + fx)\right) - \right) \right)}{f^4(c(\sin(e + fx) + 1))^{3/2} \left( \cos\left(\frac{1}{2}(e + fx)\right) - \right)}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*Sqrt[a - a\*Sin[e + f\*x]])/(c + c\*Sin[e + f\*x])^(3/2),x]

[Out] -(((Cos[(e + f\*x)/2] + Sin[(e + f\*x)/2])\*Sqrt[a - a\*Sin[e + f\*x]]\*((12\*I)\*PolyLog[2, I\*E^(I\*(e + f\*x))]\*(1 + Sin[e + f\*x]) + f\*x\*((3\*I)\*f\*x + f^2\*x^2 + 3\*f\*x\*Cos[e + f\*x] - 12\*Log[1 - I\*E^(I\*(e + f\*x))]) + (3\*I)\*(f\*x + (4\*I)\*Log[1 - I\*E^(I\*(e + f\*x))])\*Sin[e + f\*x]))/(f^4\*(Cos[(e + f\*x)/2] - Sin[(e + f\*x)/2])\*(c\*(1 + Sin[e + f\*x]))^(3/2)))

**Maple [F]** time = 0.077, size = 0, normalized size = 0.

$$\int x^3 \sqrt{a - a \sin(fx + e)} (c + c \sin(fx + e))^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a-a*sin(f*x+e))^(1/2)/(c+c*sin(f*x+e))^(3/2),x)`

[Out] `int(x^3*(a-a*sin(f*x+e))^(1/2)/(c+c*sin(f*x+e))^(3/2),x)`

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-a \sin(fx + e) + ax^3}}{(c \sin(fx + e) + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a-a*sin(f*x+e))^(1/2)/(c+c*sin(f*x+e))^(3/2),x, algorithm="maxima")`

[Out] `integrate(sqrt(-a*sin(f*x + e) + a)*x^3/(c*sin(f*x + e) + c)^(3/2), x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-a \sin(fx + e) + a} \sqrt{c \sin(fx + e) + cx^3}}{c^2 \cos(fx + e)^2 - 2c^2 \sin(fx + e) - 2c^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a-a*sin(f*x+e))^(1/2)/(c+c*sin(f*x+e))^(3/2),x, algorithm="fricas")`

[Out] `integral(-sqrt(-a*sin(f*x + e) + a)*sqrt(c*sin(f*x + e) + c)*x^3/(c^2*cos(f*x + e)^2 - 2*c^2*sin(f*x + e) - 2*c^2), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3 \sqrt{-a (\sin(e + fx) - 1)}}{(c (\sin(e + fx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(a-a*sin(f*x+e))**(1/2)/(c+c*sin(f*x+e))**(3/2),x)`

[Out] `Integral(x**3*sqrt(-a*(sin(e + f*x) - 1))/(c*(sin(e + f*x) + 1))**(3/2), x)`

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-a \sin(fx + e) + ax^3}}{(c \sin(fx + e) + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a-a*sin(f*x+e))^(1/2)/(c+c*sin(f*x+e))^(3/2),x, algorithm="g  
iac")
```

```
[Out] integrate(sqrt(-a*sin(f*x + e) + a)*x^3/(c*sin(f*x + e) + c)^(3/2), x)
```

$$3.182 \quad \int \frac{x^2 \sqrt{a - a \sin(e + fx)}}{(c + c \sin(e + fx))^{3/2}} dx$$

**Optimal.** Leaf size=280

$$\frac{2ax \sin(e + fx)}{cf^2 \sqrt{a - a \sin(e + fx)} \sqrt{c \sin(e + fx) + c}} - \frac{2ax}{cf^2 \sqrt{a - a \sin(e + fx)} \sqrt{c \sin(e + fx) + c}} + \frac{2a \cos(e + fx) \log(\cos(e + fx))}{cf^3 \sqrt{a - a \sin(e + fx)} \sqrt{c \sin(e + fx) + c}}$$

```
[Out] (-2*a*x)/(c*f^2*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) + (2*a*ArcTanh[Sin[e + f*x]]*Cos[e + f*x])/(c*f^3*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) + (2*a*Cos[e + f*x]*Log[Cos[e + f*x]])/(c*f^3*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) - (a*x^2*Sec[e + f*x])/(c*f*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) + (2*a*x*Sin[e + f*x])/(c*f^2*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) + (a*x^2*Tan[e + f*x])/(c*f*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])
```

**Rubi [A]** time = 2.1552, antiderivative size = 280, normalized size of antiderivative = 1., number of steps used = 34, number of rules used = 14, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.424$ , Rules used = {4604, 6741, 12, 6742, 4186, 3770, 4181, 2531, 2282, 6589, 3757, 4184, 3475, 4413}

$$\frac{2ax \sin(e + fx)}{cf^2 \sqrt{a - a \sin(e + fx)} \sqrt{c \sin(e + fx) + c}} - \frac{2ax}{cf^2 \sqrt{a - a \sin(e + fx)} \sqrt{c \sin(e + fx) + c}} + \frac{2a \cos(e + fx) \log(\cos(e + fx))}{cf^3 \sqrt{a - a \sin(e + fx)} \sqrt{c \sin(e + fx) + c}}$$

Antiderivative was successfully verified.

```
[In] Int[(x^2*Sqrt[a - a*Sin[e + f*x]])/(c + c*Sin[e + f*x])^(3/2),x]
```

```
[Out] (-2*a*x)/(c*f^2*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) + (2*a*ArcTanh[Sin[e + f*x]]*Cos[e + f*x])/(c*f^3*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) + (2*a*Cos[e + f*x]*Log[Cos[e + f*x]])/(c*f^3*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) - (a*x^2*Sec[e + f*x])/(c*f*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) + (2*a*x*Sin[e + f*x])/(c*f^2*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) + (a*x^2*Tan[e + f*x])/(c*f*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])
```

#### Rule 4604

```
Int[((g_.) + (h_.)*(x_))^(p_.)*((a_.) + (b_.)*Sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*Sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(a^IntPart[m]*c^IntPart[m]*(a + b*Sin[e + f*x])^FracPart[m]*(c + d*Sin[e + f*x])^FracPart[m])/Cos[e + f*x]^(2*FracPart[m]), Int[(g + h*x)^p*Cos[e + f*x]^(2*m)*(c + d*Sin[e + f*x])^(n - m), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 - b^2, 0] && IntegerQ[p] && IntegerQ[2*m] && IntegerQ[n - m, 0]
```

#### Rule 6741

```
Int[u_, x_Symbol] := With[{v = NormalizeIntegrand[u, x]}, Int[v, x] /; v != u]
```

#### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 6742

Int[u\_, x\_Symbol] :=> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]  
]

Rule 4186

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((c\_.) + (d\_.)\*(x\_.))^(m\_.), x\_Symbol] :=> -Simp[(b^2\*(c + d\*x)^m\*Cot[e + f\*x]\*(b\*Csc[e + f\*x])^(n - 2))/(f\*(n - 1)), x] + (Dist[(b^2\*d^2\*m\*(m - 1))/(f^2\*(n - 1)\*(n - 2)), Int[(c + d\*x)^(m - 2)\*(b\*Csc[e + f\*x])^(n - 2), x], x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(c + d\*x)^m\*(b\*Csc[e + f\*x])^(n - 2), x], x] - Simp[(b^2\*d\*m\*(c + d\*x)^(m - 1)\*(b\*Csc[e + f\*x])^(n - 2))/(f^2\*(n - 1)\*(n - 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2] && GtQ[m, 1]

Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :=> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 4181

Int[csc[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_.)]\*((c\_.) + (d\_.)\*(x\_.))^(m\_.), x\_Symbol] :=> Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*k\*Pi)\*E^(I\*(e + f\*x))]/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2\*k] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e\_.)\*((F\_)^((c\_.)\*((a\_.) + (b\_.)\*(x\_.)))^(n\_.)]\*((f\_.) + (g\_.)\*(x\_.))^(m\_.), x\_Symbol] :=> -Simp[((f + g\*x)^m\*PolyLog[2, -(e\*(F^(c\*(a + b\*x)))^n)]/(b\*c\*n\*Log[F]), x] + Dist[(g\*m)/(b\*c\*n\*Log[F]), Int[(f + g\*x)^(m - 1)\*PolyLog[2, -(e\*(F^(c\*(a + b\*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

Int[u\_, x\_Symbol] :=> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_.)\*(v\_)^(n\_))^(m\_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^((c\_.)\*((a\_.) + (b\_.)\*x))\*(F\_)[v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_.))^(p\_.)]/((d\_.) + (e\_.)\*(x\_.)), x\_Symbol] :=> Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

Rule 3757

Int[(x\_)^(m\_.)\*Sec[(a\_.) + (b\_.)\*(x\_)^(n\_.)]^(p\_.)\*Tan[(a\_.) + (b\_.)\*(x\_)^(n\_.)]^(q\_.), x\_Symbol] :=> Simp[(x^(m - n + 1)\*Sec[a + b\*x^n]^p)/(b\*n\*p), x] - Dist[(m - n + 1)/(b\*n\*p), Int[x^(m - n)\*Sec[a + b\*x^n]^p, x], x] /; FreeQ[{a, b, p}, x] && IntegerQ[n] && GeQ[m, n] && EqQ[q, 1]

Rule 4184

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Simp
p[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Co
t[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

### Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

### Rule 4413

```
Int[((c_.) + (d_.)*(x_))^(m_.)*Sec[(a_.) + (b_.)*(x_)]*Tan[(a_.) + (b_.)*(x
_)]^(p_), x_Symbol] := -Int[(c + d*x)^m*Sec[a + b*x]*Tan[a + b*x]^(p - 2),
x] + Int[(c + d*x)^m*Sec[a + b*x]^3*Tan[a + b*x]^(p - 2), x] /; FreeQ[{a, b
, c, d, m}, x] && IGtQ[p/2, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{x^2 \sqrt{a - a \sin(e + fx)}}{(c + c \sin(e + fx))^{3/2}} dx &= \frac{\cos(e + fx) \int x^2 \sec^3(e + fx) (a - a \sin(e + fx))^2 dx}{ac \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} \\ &= \frac{\cos(e + fx) \int a^2 x^2 \sec^3(e + fx) (1 - \sin(e + fx))^2 dx}{ac \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} \\ &= \frac{(a \cos(e + fx)) \int x^2 \sec^3(e + fx) (1 - \sin(e + fx))^2 dx}{c \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} \\ &= \frac{(a \cos(e + fx)) \int (x^2 \sec^3(e + fx) - 2x^2 \sec^2(e + fx) \tan(e + fx) + x^2 \sec(e + fx) \tan^2(e + fx)) dx}{c \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} \\ &= \frac{(a \cos(e + fx)) \int x^2 \sec^3(e + fx) dx}{c \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} + \frac{(a \cos(e + fx)) \int x^2 \sec(e + fx) \tan^2(e + fx) dx}{c \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} \\ &= -\frac{ax}{cf^2 \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} - \frac{ax^2 \sec(e + fx)}{cf \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} + \frac{2ax}{cf^2 \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} \\ &= -\frac{2ax}{cf^2 \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} + \frac{iax^2 \tan^{-1}(e^{i(e+fx)}) \cos(e + fx)}{cf \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} + \frac{2ax}{cf^2 \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} \\ &= -\frac{2ax}{cf^2 \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} + \frac{2a \tanh^{-1}(\sin(e + fx)) \cos(e + fx)}{cf^3 \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} + \frac{2ax}{cf^2 \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} \\ &= -\frac{2ax}{cf^2 \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} + \frac{2a \tanh^{-1}(\sin(e + fx)) \cos(e + fx)}{cf^3 \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} + \frac{2ax}{cf^2 \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} \\ &= -\frac{2ax}{cf^2 \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} + \frac{2a \tanh^{-1}(\sin(e + fx)) \cos(e + fx)}{cf^3 \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} + \frac{2ax}{cf^2 \sqrt{a - a \sin(e + fx)} \sqrt{c + c \sin(e + fx)}} \end{aligned}$$

**Mathematica [C]** time = 1.59998, size = 154, normalized size = 0.55

$$\frac{\sqrt{a - a \sin(e + fx)} \left( \sin\left(\frac{1}{2}(e + fx)\right) + \cos\left(\frac{1}{2}(e + fx)\right) \right) \left( -4 \log\left(e^{i(e+fx)} + i\right) + 2fx \cos(e + fx) + (2ifx - 4 \log\left(e^{i(e+fx)}\right)) \right)}{f^3 (c(\sin(e + fx) + 1))^{3/2} \left( \cos\left(\frac{1}{2}(e + fx)\right) - \sin\left(\frac{1}{2}(e + fx)\right) \right)}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*Sqrt[a - a\*Sin[e + f\*x]])/(c + c\*Sin[e + f\*x])^(3/2),x]

[Out] -(((Cos[(e + f\*x)/2] + Sin[(e + f\*x)/2])\*Sqrt[a - a\*Sin[e + f\*x]]\*((2\*I)\*f\*x + f^2\*x^2 + 2\*f\*x\*Cos[e + f\*x] - 4\*Log[I + E^(I\*(e + f\*x))] + ((2\*I)\*f\*x - 4\*Log[I + E^(I\*(e + f\*x))])\*Sin[e + f\*x]))/(f^3\*(Cos[(e + f\*x)/2] - Sin[(e + f\*x)/2])\*(c\*(1 + Sin[e + f\*x]))^(3/2)))

**Maple [F]** time = 0.077, size = 0, normalized size = 0.

$$\int x^2 \sqrt{a - a \sin(fx + e)} (c + c \sin(fx + e))^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(a-a\*sin(f\*x+e))^(1/2)/(c+c\*sin(f\*x+e))^(3/2),x)

[Out] int(x^2\*(a-a\*sin(f\*x+e))^(1/2)/(c+c\*sin(f\*x+e))^(3/2),x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-a \sin(fx + e) + ax^2}}{(c \sin(fx + e) + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a-a\*sin(f\*x+e))^(1/2)/(c+c\*sin(f\*x+e))^(3/2),x, algorithm="maxima")

[Out] integrate(sqrt(-a\*sin(f\*x + e) + a)\*x^2/(c\*sin(f\*x + e) + c)^(3/2), x)

**Ericas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a-a\*sin(f\*x+e))^(1/2)/(c+c\*sin(f\*x+e))^(3/2),x, algorithm="ericas")

[Out] Exception raised: UnboundLocalError

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2 \sqrt{-a (\sin(e + fx) - 1)}}{(c (\sin(e + fx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(a-a*sin(f*x+e))**(1/2)/(c+c*sin(f*x+e))**(3/2),x)
```

```
[Out] Integral(x**2*sqrt(-a*(sin(e + f*x) - 1))/(c*(sin(e + f*x) + 1))**(3/2), x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-a \sin(fx + e) + ax^2}}{(c \sin(fx + e) + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a-a*sin(f*x+e))^(1/2)/(c+c*sin(f*x+e))^(3/2),x, algorithm="giac")
```

```
[Out] integrate(sqrt(-a*sin(f*x + e) + a)*x^2/(c*sin(f*x + e) + c)^(3/2), x)
```



$$3.183 \quad \int \frac{x\sqrt{a-a\sin(e+fx)}}{(c+c\sin(e+fx))^{3/2}} dx$$

**Optimal.** Leaf size=171

$$\frac{a\sin(e+fx)}{cf^2\sqrt{a-a\sin(e+fx)}\sqrt{c\sin(e+fx)+c}} - \frac{a}{cf^2\sqrt{a-a\sin(e+fx)}\sqrt{c\sin(e+fx)+c}} + \frac{ax\tan(e+fx)}{cf\sqrt{a-a\sin(e+fx)}\sqrt{c\sin(e+fx)+c}}$$

```
[Out] -(a/(c*f^2*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])) - (a*x*Sec[e + f*x])/(c*f*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) + (a*Sin[e + f*x])/(c*f^2*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) + (a*x*Tan[e + f*x])/(c*f*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])
```

**Rubi [A]** time = 0.972936, antiderivative size = 171, normalized size of antiderivative = 1., number of steps used = 26, number of rules used = 12, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.387$ , Rules used = {4604, 6741, 12, 6742, 4185, 4181, 2279, 2391, 3757, 3767, 8, 4413}

$$\frac{a\sin(e+fx)}{cf^2\sqrt{a-a\sin(e+fx)}\sqrt{c\sin(e+fx)+c}} - \frac{a}{cf^2\sqrt{a-a\sin(e+fx)}\sqrt{c\sin(e+fx)+c}} + \frac{ax\tan(e+fx)}{cf\sqrt{a-a\sin(e+fx)}\sqrt{c\sin(e+fx)+c}}$$

Antiderivative was successfully verified.

```
[In] Int[(x*Sqrt[a - a*Sin[e + f*x]])/(c + c*Sin[e + f*x])^(3/2),x]
```

```
[Out] -(a/(c*f^2*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])) - (a*x*Sec[e + f*x])/(c*f*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) + (a*Sin[e + f*x])/(c*f^2*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]]) + (a*x*Tan[e + f*x])/(c*f*Sqrt[a - a*Sin[e + f*x]]*Sqrt[c + c*Sin[e + f*x]])
```

#### Rule 4604

```
Int[((g_.) + (h_.)*(x_))^(p_.)*((a_) + (b_.)*Sin[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*Sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[(a^IntPart[m]*c^IntPart[m]*(a + b*Sin[e + f*x])^FracPart[m]*(c + d*Sin[e + f*x])^FracPart[m])/Cos[e + f*x]^(2*FracPart[m]), Int[(g + h*x)^p*Cos[e + f*x]^(2*m)*(c + d*Sin[e + f*x])^(n - m), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 - b^2, 0] && IntegerQ[p] && IntegerQ[2*m] && IntegerQ[n - m, 0]
```

#### Rule 6741

```
Int[u_, x_Symbol] :> With[{v = NormalizeIntegrand[u, x]}, Int[v, x] /; v != u]
```

#### Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

#### Rule 6742

```
Int[u_, x_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]
```

#### Rule 4185

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_)*((c_.) + (d_.)*(x_)), x_Symbol] :=
  -Simp[(b^2*(c + d*x)*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n - 1)), x]
  + (Dist[(b^2*(n - 2))/(n - 1), Int[(c + d*x)*(b*Csc[e + f*x])^(n - 2), x],
  x] - Simp[(b^2*d*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2]
```

#### Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol]
:= Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f, x] + (-Dist
[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))],
x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

#### Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

#### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2,
-(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

#### Rule 3757

```
Int[(x_)^(m_.)*Sec[(a_.) + (b_.)*(x_)^(n_.)]^(p_.)*Tan[(a_.) + (b_.)*(x_)^(
n_.)]^(q_.), x_Symbol] := Simp[(x^(m - n + 1)*Sec[a + b*x^n]^p)/(b*n*p), x]
- Dist[(m - n + 1)/(b*n*p), Int[x^(m - n)*Sec[a + b*x^n]^p, x], x] /; Free
Q[{a, b, p}, x] && IntegerQ[n] && GeQ[m, n] && EqQ[q, 1]
```

#### Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

#### Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

#### Rule 4413

```
Int[((c_.) + (d_.)*(x_))^(m_.)*Sec[(a_.) + (b_.)*(x_)]*Tan[(a_.) + (b_.)*(x
_)]^(p_), x_Symbol] := -Int[(c + d*x)^m*Sec[a + b*x]*Tan[a + b*x]^(p - 2),
x] + Int[(c + d*x)^m*Sec[a + b*x]^3*Tan[a + b*x]^(p - 2), x] /; FreeQ[{a, b
, c, d, m}, x] && IGtQ[p/2, 0]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{x\sqrt{a - a\sin(e + fx)}}{(c + c\sin(e + fx))^{3/2}} dx &= \frac{\cos(e + fx) \int x \sec^3(e + fx)(a - a\sin(e + fx))^2 dx}{ac\sqrt{a - a\sin(e + fx)}\sqrt{c + c\sin(e + fx)}} \\
&= \frac{\cos(e + fx) \int a^2 x \sec^3(e + fx)(1 - \sin(e + fx))^2 dx}{ac\sqrt{a - a\sin(e + fx)}\sqrt{c + c\sin(e + fx)}} \\
&= \frac{(a \cos(e + fx)) \int x \sec^3(e + fx)(1 - \sin(e + fx))^2 dx}{c\sqrt{a - a\sin(e + fx)}\sqrt{c + c\sin(e + fx)}} \\
&= \frac{(a \cos(e + fx)) \int (x \sec^3(e + fx) - 2x \sec^2(e + fx) \tan(e + fx) + x \sec(e + fx) \tan^2(e + fx)) dx}{c\sqrt{a - a\sin(e + fx)}\sqrt{c + c\sin(e + fx)}} \\
&= \frac{(a \cos(e + fx)) \int x \sec^3(e + fx) dx}{c\sqrt{a - a\sin(e + fx)}\sqrt{c + c\sin(e + fx)}} + \frac{(a \cos(e + fx)) \int x \sec(e + fx) \tan^2(e + fx) dx}{c\sqrt{a - a\sin(e + fx)}\sqrt{c + c\sin(e + fx)}} \\
&= -\frac{a}{2cf^2\sqrt{a - a\sin(e + fx)}\sqrt{c + c\sin(e + fx)}} - \frac{ax \sec(e + fx)}{cf\sqrt{a - a\sin(e + fx)}\sqrt{c + c\sin(e + fx)}} \\
&= -\frac{a}{cf^2\sqrt{a - a\sin(e + fx)}\sqrt{c + c\sin(e + fx)}} + \frac{iax \tan^{-1}(e^{i(e+fx)}) \cos(e + fx)}{cf\sqrt{a - a\sin(e + fx)}\sqrt{c + c\sin(e + fx)}} \\
&= -\frac{a}{cf^2\sqrt{a - a\sin(e + fx)}\sqrt{c + c\sin(e + fx)}} - \frac{ax \sec(e + fx)}{cf\sqrt{a - a\sin(e + fx)}\sqrt{c + c\sin(e + fx)}} + \\
&= -\frac{a}{cf^2\sqrt{a - a\sin(e + fx)}\sqrt{c + c\sin(e + fx)}} - \frac{ia \cos(e + fx) \text{Li}_2(-ie^{i(e+fx)})}{2cf^2\sqrt{a - a\sin(e + fx)}\sqrt{c + c\sin(e + fx)}} \\
&= -\frac{a}{cf^2\sqrt{a - a\sin(e + fx)}\sqrt{c + c\sin(e + fx)}} - \frac{ax \sec(e + fx)}{cf\sqrt{a - a\sin(e + fx)}\sqrt{c + c\sin(e + fx)}} +
\end{aligned}$$

**Mathematica [A]** time = 0.621979, size = 150, normalized size = 0.88

$$\frac{\sqrt{a - a\sin(e + fx)}\sqrt{c(\sin(e + fx) + 1)}(fx \sin(\frac{e}{2}) - \sin(\frac{e}{2} + fx) + \cos(\frac{e}{2})(fx - 1) + \cos(\frac{e}{2} + fx) + \sin(\frac{e}{2}))}{c^2 f^2 (\sin(\frac{e}{2}) + \cos(\frac{e}{2})) \left( \cos(\frac{1}{2}(e + fx)) - \sin(\frac{1}{2}(e + fx)) \right) \left( \sin(\frac{1}{2}(e + fx)) + \cos(\frac{1}{2}(e + fx)) \right)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*Sqrt[a - a\*Sin[e + f\*x]])/(c + c\*Sin[e + f\*x])^(3/2),x]

[Out] -(((((-1 + f\*x)\*Cos[e/2] + Cos[e/2 + f\*x] + Sin[e/2] + f\*x\*Sin[e/2] - Sin[e/2 + f\*x])\*Sqrt[c\*(1 + Sin[e + f\*x]])\*Sqrt[a - a\*Sin[e + f\*x]])/(c^2\*f^2\*(Cos[e/2] + Sin[e/2])\*(Cos[(e + f\*x)/2] - Sin[(e + f\*x)/2])\*(Cos[(e + f\*x)/2] + Sin[(e + f\*x)/2])^3))

**Maple [F]** time = 0.079, size = 0, normalized size = 0.

$$\int x\sqrt{a - a\sin(fx + e)}(c + c\sin(fx + e))^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(a-a\*sin(f\*x+e))^(1/2)/(c+c\*sin(f\*x+e))^(3/2),x)

[Out] int(x\*(a-a\*sin(f\*x+e))^(1/2)/(c+c\*sin(f\*x+e))^(3/2),x)

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-a \sin(fx + e) + ax}}{(c \sin(fx + e) + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a-a\*sin(f\*x+e))^(1/2)/(c+c\*sin(f\*x+e))^(3/2),x, algorithm="maxima")

[Out] integrate(sqrt(-a\*sin(f\*x + e) + a)\*x/(c\*sin(f\*x + e) + c)^(3/2), x)

---

**Fricas [A]** time = 2.3572, size = 180, normalized size = 1.05

$$\frac{(fx + \cos(fx + e))\sqrt{-a \sin(fx + e) + a}\sqrt{c \sin(fx + e) + c}}{c^2 f^2 \cos(fx + e) \sin(fx + e) + c^2 f^2 \cos(fx + e)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a-a\*sin(f\*x+e))^(1/2)/(c+c\*sin(f\*x+e))^(3/2),x, algorithm="fricas")

[Out] -(f\*x + cos(f\*x + e))\*sqrt(-a\*sin(f\*x + e) + a)\*sqrt(c\*sin(f\*x + e) + c)/(c^2\*f^2\*cos(f\*x + e)\*sin(f\*x + e) + c^2\*f^2\*cos(f\*x + e))

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x\sqrt{-a(\sin(e + fx) - 1)}}{(c(\sin(e + fx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a-a\*sin(f\*x+e))\*\*(1/2)/(c+c\*sin(f\*x+e))\*\*(3/2),x)

[Out] Integral(x\*sqrt(-a\*(sin(e + f\*x) - 1))/(c\*(sin(e + f\*x) + 1))\*\*(3/2), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-a \sin(fx + e) + ax}}{(c \sin(fx + e) + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a-a\*sin(f\*x+e))^(1/2)/(c+c\*sin(f\*x+e))^(3/2),x, algorithm="giac")

[Out] integrate(sqrt(-a\*sin(f\*x + e) + a)\*x/(c\*sin(f\*x + e) + c)^(3/2), x)

$$3.184 \quad \int \frac{z^2 \sqrt{1+\cos(z)}}{\sqrt{1-\cos(z)}} dz$$

**Optimal.** Leaf size=300

$$\frac{2iz \sin(z) \text{PolyLog}(2, -e^{iz})}{\sqrt{1-\cos(z)}\sqrt{\cos(z)+1}} - \frac{2iz \sin(z) \text{PolyLog}(2, e^{iz})}{\sqrt{1-\cos(z)}\sqrt{\cos(z)+1}} - \frac{iz \sin(z) \text{PolyLog}(2, e^{2iz})}{\sqrt{1-\cos(z)}\sqrt{\cos(z)+1}} - \frac{2 \sin(z) \text{PolyLog}(3, -e^{iz})}{\sqrt{1-\cos(z)}\sqrt{\cos(z)+1}} + \dots$$

```
[Out] ((-I/3)*z^3*Sin[z])/(Sqrt[1 - Cos[z]]*Sqrt[1 + Cos[z]]) - (2*z^2*ArcTanh[E^(I*z)]*Sin[z])/(Sqrt[1 - Cos[z]]*Sqrt[1 + Cos[z]]) + (z^2*Log[1 - E^((2*I)*z)]*Sin[z])/(Sqrt[1 - Cos[z]]*Sqrt[1 + Cos[z]]) + ((2*I)*z*PolyLog[2, -E^(I*z)]*Sin[z])/(Sqrt[1 - Cos[z]]*Sqrt[1 + Cos[z]]) - ((2*I)*z*PolyLog[2, E^(I*z)]*Sin[z])/(Sqrt[1 - Cos[z]]*Sqrt[1 + Cos[z]]) - (I*z*PolyLog[2, E^((2*I)*z)]*Sin[z])/(Sqrt[1 - Cos[z]]*Sqrt[1 + Cos[z]]) - (2*PolyLog[3, -E^(I*z)]*Sin[z])/(Sqrt[1 - Cos[z]]*Sqrt[1 + Cos[z]]) + (2*PolyLog[3, E^(I*z)]*Sin[z])/(Sqrt[1 - Cos[z]]*Sqrt[1 + Cos[z]]) + (PolyLog[3, E^((2*I)*z)]*Sin[z])/(2*Sqrt[1 - Cos[z]]*Sqrt[1 + Cos[z]])
```

**Rubi [A]** time = 0.438342, antiderivative size = 300, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 8, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$ , Rules used = {4605, 6742, 3717, 2190, 2531, 2282, 6589, 4183}

$$\frac{2iz \sin(z) \text{PolyLog}(2, -e^{iz})}{\sqrt{1-\cos(z)}\sqrt{\cos(z)+1}} - \frac{2iz \sin(z) \text{PolyLog}(2, e^{iz})}{\sqrt{1-\cos(z)}\sqrt{\cos(z)+1}} - \frac{iz \sin(z) \text{PolyLog}(2, e^{2iz})}{\sqrt{1-\cos(z)}\sqrt{\cos(z)+1}} - \frac{2 \sin(z) \text{PolyLog}(3, -e^{iz})}{\sqrt{1-\cos(z)}\sqrt{\cos(z)+1}} + \dots$$

Antiderivative was successfully verified.

```
[In] Int[(z^2*Sqrt[1 + Cos[z]])/Sqrt[1 - Cos[z]],z]
```

```
[Out] ((-I/3)*z^3*Sin[z])/(Sqrt[1 - Cos[z]]*Sqrt[1 + Cos[z]]) - (2*z^2*ArcTanh[E^(I*z)]*Sin[z])/(Sqrt[1 - Cos[z]]*Sqrt[1 + Cos[z]]) + (z^2*Log[1 - E^((2*I)*z)]*Sin[z])/(Sqrt[1 - Cos[z]]*Sqrt[1 + Cos[z]]) + ((2*I)*z*PolyLog[2, -E^(I*z)]*Sin[z])/(Sqrt[1 - Cos[z]]*Sqrt[1 + Cos[z]]) - ((2*I)*z*PolyLog[2, E^(I*z)]*Sin[z])/(Sqrt[1 - Cos[z]]*Sqrt[1 + Cos[z]]) - (I*z*PolyLog[2, E^((2*I)*z)]*Sin[z])/(Sqrt[1 - Cos[z]]*Sqrt[1 + Cos[z]]) - (2*PolyLog[3, -E^(I*z)]*Sin[z])/(Sqrt[1 - Cos[z]]*Sqrt[1 + Cos[z]]) + (2*PolyLog[3, E^(I*z)]*Sin[z])/(Sqrt[1 - Cos[z]]*Sqrt[1 + Cos[z]]) + (PolyLog[3, E^((2*I)*z)]*Sin[z])/(2*Sqrt[1 - Cos[z]]*Sqrt[1 + Cos[z]])
```

#### Rule 4605

```
Int[(Cos[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(Cos[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_)*((g_.) + (h_.)*(x_))^(p_), x_Symbol] :> Dist[(a^IntPart[m]*c^IntPart[m]*(a + b*Cos[e + f*x])^FracPart[m]*(c + d*Cos[e + f*x])^FracPart[m])/Sin[e + f*x]^(2*FracPart[m]), Int[(g + h*x)^p*Sin[e + f*x]^(2*m)*(c + d*Cos[e + f*x])^(n - m), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 - b^2, 0] && IntegerQ[p] && IntegerQ[2*m] && IntegerQ[n - m, 0]
```

#### Rule 6742

```
Int[u_, x_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]
```

#### Rule 3717

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol]
:= Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^(m)*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

### Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

### Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

### Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{z^2 \sqrt{1 + \cos(z)}}{\sqrt{1 - \cos(z)}} dz &= \frac{\sin(z) \int z^2 (1 + \cos(z)) \csc(z) dz}{\sqrt{1 - \cos(z)} \sqrt{1 + \cos(z)}} \\
&= \frac{\sin(z) \int (z^2 \cot(z) + z^2 \csc(z)) dz}{\sqrt{1 - \cos(z)} \sqrt{1 + \cos(z)}} \\
&= \frac{\sin(z) \int z^2 \cot(z) dz}{\sqrt{1 - \cos(z)} \sqrt{1 + \cos(z)}} + \frac{\sin(z) \int z^2 \csc(z) dz}{\sqrt{1 - \cos(z)} \sqrt{1 + \cos(z)}} \\
&= -\frac{iz^3 \sin(z)}{3\sqrt{1 - \cos(z)} \sqrt{1 + \cos(z)}} - \frac{2z^2 \tanh^{-1}(e^{iz}) \sin(z)}{\sqrt{1 - \cos(z)} \sqrt{1 + \cos(z)}} - \frac{(2i \sin(z)) \int \frac{e^{2iz} z^2}{1 - e^{2iz}} dz}{\sqrt{1 - \cos(z)} \sqrt{1 + \cos(z)}} - \frac{(2 \sin(z))}{\sqrt{1 - \cos(z)}} \\
&= -\frac{iz^3 \sin(z)}{3\sqrt{1 - \cos(z)} \sqrt{1 + \cos(z)}} - \frac{2z^2 \tanh^{-1}(e^{iz}) \sin(z)}{\sqrt{1 - \cos(z)} \sqrt{1 + \cos(z)}} + \frac{z^2 \log(1 - e^{2iz}) \sin(z)}{\sqrt{1 - \cos(z)} \sqrt{1 + \cos(z)}} + \frac{2iz \operatorname{Li}_2}{\sqrt{1 - \cos(z)}} \\
&= -\frac{iz^3 \sin(z)}{3\sqrt{1 - \cos(z)} \sqrt{1 + \cos(z)}} - \frac{2z^2 \tanh^{-1}(e^{iz}) \sin(z)}{\sqrt{1 - \cos(z)} \sqrt{1 + \cos(z)}} + \frac{z^2 \log(1 - e^{2iz}) \sin(z)}{\sqrt{1 - \cos(z)} \sqrt{1 + \cos(z)}} + \frac{2iz \operatorname{Li}_2}{\sqrt{1 - \cos(z)}} \\
&= -\frac{iz^3 \sin(z)}{3\sqrt{1 - \cos(z)} \sqrt{1 + \cos(z)}} - \frac{2z^2 \tanh^{-1}(e^{iz}) \sin(z)}{\sqrt{1 - \cos(z)} \sqrt{1 + \cos(z)}} + \frac{z^2 \log(1 - e^{2iz}) \sin(z)}{\sqrt{1 - \cos(z)} \sqrt{1 + \cos(z)}} + \frac{2iz \operatorname{Li}_2}{\sqrt{1 - \cos(z)}} \\
&= -\frac{iz^3 \sin(z)}{3\sqrt{1 - \cos(z)} \sqrt{1 + \cos(z)}} - \frac{2z^2 \tanh^{-1}(e^{iz}) \sin(z)}{\sqrt{1 - \cos(z)} \sqrt{1 + \cos(z)}} + \frac{z^2 \log(1 - e^{2iz}) \sin(z)}{\sqrt{1 - \cos(z)} \sqrt{1 + \cos(z)}} + \frac{2iz \operatorname{Li}_2}{\sqrt{1 - \cos(z)}}
\end{aligned}$$

**Mathematica [A]** time = 0.0838063, size = 85, normalized size = 0.28

$$\frac{\sqrt{\cos(z) + 1} \tan\left(\frac{z}{2}\right) \left(12iz \operatorname{PolyLog}\left(2, e^{-iz}\right) + 12 \operatorname{PolyLog}\left(3, e^{-iz}\right) + iz^3 + 6z^2 \log\left(1 - e^{-iz}\right) - i\pi^3\right)}{3\sqrt{1 - \cos(z)}}$$

Antiderivative was successfully verified.

[In] Integrate[(z^2\*Sqrt[1 + Cos[z]])/Sqrt[1 - Cos[z]], z]

[Out] (Sqrt[1 + Cos[z]]\*((-I)\*Pi^3 + I\*z^3 + 6\*z^2\*Log[1 - E^((-I)\*z)] + (12\*I)\*z \*PolyLog[2, E^((-I)\*z)] + 12\*PolyLog[3, E^((-I)\*z)])\*Tan[z/2])/(3\*Sqrt[1 - Cos[z]])

**Maple [A]** time = 0.067, size = 154, normalized size = 0.5

$$\frac{(e^{iz} - 1) z^3}{3e^{iz} + 3} \sqrt{(e^{iz} + 1)^2 e^{-iz}} \frac{1}{\sqrt{-(e^{iz} - 1)^2 e^{-iz}}} + \frac{2i(e^{iz} - 1) \left(\frac{i}{3} z^3 - z^2 \ln(1 - e^{iz}) + 2iz \operatorname{polylog}(2, e^{iz}) - 2 \operatorname{polylog}(3, e^{iz})\right)}{e^{iz} + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(z^2\*(1+cos(z))^(1/2)/(1-cos(z))^(1/2), z)

[Out] 1/3\*((exp(I\*z)+1)^2\*exp(-I\*z))^(1/2)/(exp(I\*z)+1)/(-(exp(I\*z)-1)^2\*exp(-I\*z))^(1/2)\*(exp(I\*z)-1)\*z^3+2\*I\*((exp(I\*z)+1)^2\*exp(-I\*z))^(1/2)/(exp(I\*z)+1)/(-(exp(I\*z)-1)^2\*exp(-I\*z))^(1/2)\*(exp(I\*z)-1)\*(1/3\*I\*z^3-z^2\*ln(1-exp(I\*z))+2\*I\*z\*polylog(2,exp(I\*z))-2\*polylog(3,exp(I\*z)))

**Maxima [A]** time = 1.56118, size = 76, normalized size = 0.25

$$\frac{1}{3}iz^3 + 2iz^2 \arctan(\sin(z), -\cos(z) + 1) - z^2 \log(\cos(z)^2 + \sin(z)^2 - 2\cos(z) + 1) + 4iz\text{Li}_2(e^{(iz)}) - 4\text{Li}_3(e^{(iz)})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(z^2\*(1+cos(z))^(1/2)/(1-cos(z))^(1/2),z, algorithm="maxima")

[Out] 1/3\*I\*z^3 + 2\*I\*z^2\*arctan2(sin(z), -cos(z) + 1) - z^2\*log(cos(z)^2 + sin(z)^2 - 2\*cos(z) + 1) + 4\*I\*z\*dilog(e^(I\*z)) - 4\*polylog(3, e^(I\*z))

**Fricas [C]** time = 2.43017, size = 271, normalized size = 0.9

$$z^2 \log(-\cos(z) + i \sin(z) + 1) + z^2 \log(-\cos(z) - i \sin(z) + 1) - 2iz\text{Li}_2(\cos(z) + i \sin(z)) + 2iz\text{Li}_2(\cos(z) - i \sin(z))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(z^2\*(1+cos(z))^(1/2)/(1-cos(z))^(1/2),z, algorithm="fricas")

[Out] z^2\*log(-cos(z) + I\*sin(z) + 1) + z^2\*log(-cos(z) - I\*sin(z) + 1) - 2\*I\*z\*dilog(cos(z) + I\*sin(z)) + 2\*I\*z\*dilog(cos(z) - I\*sin(z)) + 2\*polylog(3, cos(z) + I\*sin(z)) + 2\*polylog(3, cos(z) - I\*sin(z))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{z^2 \sqrt{\cos(z) + 1}}{\sqrt{1 - \cos(z)}} dz$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(z\*\*2\*(1+cos(z))\*\*(1/2)/(1-cos(z))\*\*(1/2),z)

[Out] Integral(z\*\*2\*sqrt(cos(z) + 1)/sqrt(1 - cos(z)), z)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{z^2 \sqrt{\cos(z) + 1}}{\sqrt{-\cos(z) + 1}} dz$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(z^2\*(1+cos(z))^(1/2)/(1-cos(z))^(1/2),z, algorithm="giac")

[Out] integrate(z^2\*sqrt(cos(z) + 1)/sqrt(-cos(z) + 1), z)



### 3.185 $\int (a + a \cos(x))(A + B \sec(x)) dx$

**Optimal.** Leaf size=18

$$ax(A + B) + aA \sin(x) + aB \tanh^{-1}(\sin(x))$$

[Out] a\*(A + B)\*x + a\*B\*ArcTanh[Sin[x]] + a\*A\*Sin[x]

**Rubi [A]** time = 0.0983354, antiderivative size = 18, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$ , Rules used = {2828, 2968, 3023, 2735, 3770}

$$ax(A + B) + aA \sin(x) + aB \tanh^{-1}(\sin(x))$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[x])\*(A + B\*Sec[x]),x]

[Out] a\*(A + B)\*x + a\*B\*ArcTanh[Sin[x]] + a\*A\*Sin[x]

#### Rule 2828

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.) + (c\_.))^(n\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.), x\_Symbol] :> Int[((a + b\*Sin[e + f\*x])^m\*(d + c\*Sin[e + f\*x])^n)/Sin[e + f\*x]^n, x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IntegerQ[n]

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]\*(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned}
\int (a + a \cos(x))(A + B \sec(x)) dx &= \int (a + a \cos(x))(B + A \cos(x)) \sec(x) dx \\
&= \int (aB + (aA + aB) \cos(x) + aA \cos^2(x)) \sec(x) dx \\
&= aA \sin(x) + \int (aB + a(A + B) \cos(x)) \sec(x) dx \\
&= a(A + B)x + aA \sin(x) + (aB) \int \sec(x) dx \\
&= a(A + B)x + aB \tanh^{-1}(\sin(x)) + aA \sin(x)
\end{aligned}$$

**Mathematica [B]** time = 0.0152075, size = 51, normalized size = 2.83

$$aAx + aA \sin(x) + aBx - aB \log\left(\cos\left(\frac{x}{2}\right) - \sin\left(\frac{x}{2}\right)\right) + aB \log\left(\sin\left(\frac{x}{2}\right) + \cos\left(\frac{x}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[x])\*(A + B\*Sec[x]),x]

[Out] a\*A\*x + a\*B\*x - a\*B\*Log[Cos[x/2] - Sin[x/2]] + a\*B\*Log[Cos[x/2] + Sin[x/2]] + a\*A\*Sin[x]

**Maple [A]** time = 0.038, size = 24, normalized size = 1.3

$$aA \sin(x) + Bax + aAx + Ba \ln(\sec(x) + \tan(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(x))\*(A+B\*sec(x)),x)

[Out] a\*A\*sin(x)+B\*a\*x+a\*A\*x+B\*a\*ln(sec(x)+tan(x))

**Maxima [A]** time = 0.97508, size = 31, normalized size = 1.72

$$Aax + Bax + Ba \log(\sec(x) + \tan(x)) + Aa \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(x))\*(A+B\*sec(x)),x, algorithm="maxima")

[Out] A\*a\*x + B\*a\*x + B\*a\*log(sec(x) + tan(x)) + A\*a\*sin(x)

**Fricas [A]** time = 2.53537, size = 107, normalized size = 5.94

$$(A + B)ax + \frac{1}{2} Ba \log(\sin(x) + 1) - \frac{1}{2} Ba \log(-\sin(x) + 1) + Aa \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(x))\*(A+B\*sec(x)),x, algorithm="fricas")

[Out]  $(A + B)*a*x + 1/2*B*a*\log(\sin(x) + 1) - 1/2*B*a*\log(-\sin(x) + 1) + A*a*\sin(x)$

**Sympy [A]** time = 3.57851, size = 27, normalized size = 1.5

$$Aax + Aa \sin(x) + Bax + Ba \log(\tan(x) + \sec(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(x))*(A+B*sec(x)),x)`

[Out]  $A*a*x + A*a*\sin(x) + B*a*x + B*a*\log(\tan(x) + \sec(x))$

**Giac [B]** time = 1.17056, size = 69, normalized size = 3.83

$$Ba \log\left(\left|\tan\left(\frac{1}{2}x\right) + 1\right|\right) - Ba \log\left(\left|\tan\left(\frac{1}{2}x\right) - 1\right|\right) + (Aa + Ba)x + \frac{2Aa \tan\left(\frac{1}{2}x\right)}{\tan\left(\frac{1}{2}x\right)^2 + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(x))*(A+B*sec(x)),x, algorithm="giac")`

[Out]  $B*a*\log(\text{abs}(\tan(1/2*x) + 1)) - B*a*\log(\text{abs}(\tan(1/2*x) - 1)) + (A*a + B*a)*x + 2*A*a*\tan(1/2*x)/(\tan(1/2*x)^2 + 1)$

### 3.186 $\int (a + a \cos(x))^2 (A + B \sec(x)) dx$

**Optimal.** Leaf size=57

$$\frac{1}{2}a^2x(3A + 4B) + \frac{1}{2}a^2(3A + 2B)\sin(x) + \frac{1}{2}A\sin(x)(a^2\cos(x) + a^2) + a^2B\tanh^{-1}(\sin(x))$$

[Out]  $(a^2*(3*A + 4*B)*x)/2 + a^2*B*ArcTanh[Sin[x]] + (a^2*(3*A + 2*B)*Sin[x])/2 + (A*(a^2 + a^2*Cos[x])*Sin[x])/2$

**Rubi [A]** time = 0.201573, antiderivative size = 57, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$ , Rules used = {2828, 2976, 2968, 3023, 2735, 3770}

$$\frac{1}{2}a^2x(3A + 4B) + \frac{1}{2}a^2(3A + 2B)\sin(x) + \frac{1}{2}A\sin(x)(a^2\cos(x) + a^2) + a^2B\tanh^{-1}(\sin(x))$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[x])^2*(A + B*\text{Sec}[x]),x]$

[Out]  $(a^2*(3*A + 4*B)*x)/2 + a^2*B*ArcTanh[Sin[x]] + (a^2*(3*A + 2*B)*Sin[x])/2 + (A*(a^2 + a^2*Cos[x])*Sin[x])/2$

#### Rule 2828

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^{(n_.)}*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}, x\_Symbol] \rightarrow \text{Int}[(a + b*\sin[e + f*x])^m*(d + c*\sin[e + f*x])^n/\sin[e + f*x]^n, x] /;$  FreeQ[{a, b, c, d, e, f, m}, x] && IntegerQ[n]

#### Rule 2976

$\text{Int}[(a + b*\sin[e + f*x])^m*((c + d*\sin[e + f*x])^n), x\_Symbol] \rightarrow -\text{Simp}[(b*B*\cos[e + f*x]*(a + b*\sin[e + f*x])^{m-1}*(c + d*\sin[e + f*x])^{n+1})/(d*f*(m+n+1)), x] + \text{Dist}[1/(d*(m+n+1)), \text{Int}[(a + b*\sin[e + f*x])^{m-1}*(c + d*\sin[e + f*x])^n*\text{Simp}[a*A*d*(m+n+1) + B*(a*c*(m-1) + b*d*(n+1)) + (A*b*d*(m+n+1) - B*(b*c*m - a*d*(2*m+n))]*\sin[e + f*x], x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

$\text{Int}[(a + b*\sin[e + f*x])^m*((c + d*\sin[e + f*x])^2), x\_Symbol] \rightarrow \text{Int}[(a + b*\sin[e + f*x])^m*(A*c + (B*c + A*d)*\sin[e + f*x] + B*d*\sin[e + f*x]^2), x] /;$  FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

$\text{Int}[(a + b*\sin[e + f*x])^m*((c + d*\sin[e + f*x])^2), x\_Symbol] \rightarrow -\text{Simp}[(C*\cos[e + f*x]*(a + b*\sin[e + f*x])^{m+1})/(b*f*(m+2)), x] + \text{Dist}[1/(b*(m+2)), \text{Int}[(a + b*\sin[e + f*x])^m*\text{Simp}[A*b*(m+2) + b*C*(m+1) + (b*B*(m+2) - a*C)*\sin[e + f*x], x], x] /;$  FreeQ[{a, b, e, f, A, B, C, m}, x] &&

!LtQ[m, -1]

### Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned}
 \int (a + a \cos(x))^2 (A + B \sec(x)) dx &= \int (a + a \cos(x))^2 (B + A \cos(x)) \sec(x) dx \\
 &= \frac{1}{2} A (a^2 + a^2 \cos(x)) \sin(x) + \frac{1}{2} \int (a + a \cos(x)) (2aB + a(3A + 2B) \cos(x)) \sec(x) dx \\
 &= \frac{1}{2} A (a^2 + a^2 \cos(x)) \sin(x) + \frac{1}{2} \int (2a^2 B + (2a^2 B + a^2(3A + 2B)) \cos(x) + a^2(3A + 2B)) \sec(x) dx \\
 &= \frac{1}{2} a^2 (3A + 2B) \sin(x) + \frac{1}{2} A (a^2 + a^2 \cos(x)) \sin(x) + \frac{1}{2} \int (2a^2 B + a^2(3A + 4B)) \sec(x) dx \\
 &= \frac{1}{2} a^2 (3A + 4B)x + \frac{1}{2} a^2 (3A + 2B) \sin(x) + \frac{1}{2} A (a^2 + a^2 \cos(x)) \sin(x) + (a^2 B) \int \sec(x) dx \\
 &= \frac{1}{2} a^2 (3A + 4B)x + a^2 B \tanh^{-1}(\sin(x)) + \frac{1}{2} a^2 (3A + 2B) \sin(x) + \frac{1}{2} A (a^2 + a^2 \cos(x)) \sin(x)
 \end{aligned}$$

**Mathematica [A]** time = 0.0823791, size = 67, normalized size = 1.18

$$\frac{1}{4} a^2 \left( 4(2A + B) \sin(x) + 6Ax + A \sin(2x) + 8Bx - 4B \log \left( \cos \left( \frac{x}{2} \right) - \sin \left( \frac{x}{2} \right) \right) + 4B \log \left( \sin \left( \frac{x}{2} \right) + \cos \left( \frac{x}{2} \right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[x])^2\*(A + B\*Sec[x]),x]

[Out] (a^2\*(6\*A\*x + 8\*B\*x - 4\*B\*Log[Cos[x/2] - Sin[x/2]] + 4\*B\*Log[Cos[x/2] + Sin[x/2]] + 4\*(2\*A + B)\*Sin[x] + A\*Sin[2\*x]))/4

**Maple [A]** time = 0.046, size = 52, normalized size = 0.9

$$\frac{a^2 A \sin(x) \cos(x)}{2} + \frac{3 a^2 A x}{2} + a^2 B \sin(x) + 2 a^2 A \sin(x) + 2 a^2 B x + a^2 B \ln(\sec(x) + \tan(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(x))^2\*(A+B\*sec(x)),x)

[Out] 1/2\*a^2\*A\*sin(x)\*cos(x)+3/2\*a^2\*A\*x+a^2\*B\*sin(x)+2\*a^2\*A\*sin(x)+2\*a^2\*B\*x+a^2\*B\*ln(sec(x)+tan(x))

**Maxima [A]** time = 1.01363, size = 73, normalized size = 1.28

$$\frac{1}{4} Aa^2(2x + \sin(2x)) + Aa^2x + 2Ba^2x + Ba^2 \log(\sec(x) + \tan(x)) + 2Aa^2 \sin(x) + Ba^2 \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(x))^2\*(A+B\*sec(x)),x, algorithm="maxima")

[Out] 1/4\*A\*a^2\*(2\*x + sin(2\*x)) + A\*a^2\*x + 2\*B\*a^2\*x + B\*a^2\*log(sec(x) + tan(x)) + 2\*A\*a^2\*sin(x) + B\*a^2\*sin(x)

**Fricas [A]** time = 2.57262, size = 170, normalized size = 2.98

$$\frac{1}{2} (3A + 4B)a^2x + \frac{1}{2} Ba^2 \log(\sin(x) + 1) - \frac{1}{2} Ba^2 \log(-\sin(x) + 1) + \frac{1}{2} (Aa^2 \cos(x) + 2(2A + B)a^2) \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(x))^2\*(A+B\*sec(x)),x, algorithm="fricas")

[Out] 1/2\*(3\*A + 4\*B)\*a^2\*x + 1/2\*B\*a^2\*log(sin(x) + 1) - 1/2\*B\*a^2\*log(-sin(x) + 1) + 1/2\*(A\*a^2\*cos(x) + 2\*(2\*A + B)\*a^2)\*sin(x)

**Sympy [A]** time = 8.7605, size = 61, normalized size = 1.07

$$\frac{3Aa^2x}{2} + 2Aa^2 \sin(x) + \frac{Aa^2 \sin(2x)}{4} + 2Ba^2x + Ba^2 \log(\tan(x) + \sec(x)) + Ba^2 \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(x))\*\*2\*(A+B\*sec(x)),x)

[Out] 3\*A\*a\*\*2\*x/2 + 2\*A\*a\*\*2\*sin(x) + A\*a\*\*2\*sin(2\*x)/4 + 2\*B\*a\*\*2\*x + B\*a\*\*2\*log(tan(x) + sec(x)) + B\*a\*\*2\*sin(x)

**Giac [A]** time = 1.18303, size = 135, normalized size = 2.37

$$Ba^2 \log\left(\left|\tan\left(\frac{1}{2}x\right) + 1\right|\right) - Ba^2 \log\left(\left|\tan\left(\frac{1}{2}x\right) - 1\right|\right) + \frac{1}{2} (3Aa^2 + 4Ba^2)x + \frac{3Aa^2 \tan\left(\frac{1}{2}x\right)^3 + 2Ba^2 \tan\left(\frac{1}{2}x\right)^3 + 5Aa^2 \tan\left(\frac{1}{2}x\right)^2 + 5Ba^2 \tan\left(\frac{1}{2}x\right)^2 + 5Aa^2 \tan\left(\frac{1}{2}x\right) + 5Ba^2 \tan\left(\frac{1}{2}x\right) + 5Aa^2 + 5Ba^2}{\left(\tan\left(\frac{1}{2}x\right) + 1\right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(x))^2\*(A+B\*sec(x)),x, algorithm="giac")

[Out] B\*a^2\*log(abs(tan(1/2\*x) + 1)) - B\*a^2\*log(abs(tan(1/2\*x) - 1)) + 1/2\*(3\*A\*a^2 + 4\*B\*a^2)\*x + (3\*A\*a^2\*tan(1/2\*x)^3 + 2\*B\*a^2\*tan(1/2\*x)^3 + 5\*A\*a^2\*tan(1/2\*x)^2 + 5\*B\*a^2\*tan(1/2\*x)^2 + 5\*A\*a^2\*tan(1/2\*x) + 5\*B\*a^2\*tan(1/2\*x))/(tan(1/2\*x)^2 + 1)^2

### 3.187 $\int (a + a \cos(x))^3 (A + B \sec(x)) dx$

**Optimal.** Leaf size=75

$$\frac{1}{2}a^3x(5A + 7B) + \frac{5}{2}a^3(A + B)\sin(x) + \frac{1}{6}(5A + 3B)\sin(x)(a^3\cos(x) + a^3) + a^3B \tanh^{-1}(\sin(x)) + \frac{1}{3}aA\sin(x)(a\cos(x) + a^2\sec(x))$$

[Out] (a^3\*(5\*A + 7\*B)\*x)/2 + a^3\*B\*ArcTanh[Sin[x]] + (5\*a^3\*(A + B)\*Sin[x])/2 + (a\*A\*(a + a\*Cos[x])^2\*Ssin[x])/3 + ((5\*A + 3\*B)\*(a^3 + a^3\*Cos[x])\*Sin[x])/6

**Rubi [A]** time = 0.297154, antiderivative size = 75, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$ , Rules used = {2828, 2976, 2968, 3023, 2735, 3770}

$$\frac{1}{2}a^3x(5A + 7B) + \frac{5}{2}a^3(A + B)\sin(x) + \frac{1}{6}(5A + 3B)\sin(x)(a^3\cos(x) + a^3) + a^3B \tanh^{-1}(\sin(x)) + \frac{1}{3}aA\sin(x)(a\cos(x) + a^2\sec(x))$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[x])^3\*(A + B\*Sec[x]),x]

[Out] (a^3\*(5\*A + 7\*B)\*x)/2 + a^3\*B\*ArcTanh[Sin[x]] + (5\*a^3\*(A + B)\*Sin[x])/2 + (a\*A\*(a + a\*Cos[x])^2\*Ssin[x])/3 + ((5\*A + 3\*B)\*(a^3 + a^3\*Cos[x])\*Sin[x])/6

#### Rule 2828

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.) + (c\_.))^(n\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.), x\_Symbol] :> Int[((a + b\*Sin[e + f\*x])^m\*(d + c\*Sin[e + f\*x])^n)/Sin[e + f\*x]^n, x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IntegerQ[n]

#### Rule 2976

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*A\*d\*(m + n + 1) + B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) + (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&

!LtQ[m, -1]

### Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned}
 \int (a + a \cos(x))^3 (A + B \sec(x)) dx &= \int (a + a \cos(x))^3 (B + A \cos(x)) \sec(x) dx \\
 &= \frac{1}{3} a A (a + a \cos(x))^2 \sin(x) + \frac{1}{3} \int (a + a \cos(x))^2 (3aB + a(5A + 3B) \cos(x)) \sec(x) dx \\
 &= \frac{1}{3} a A (a + a \cos(x))^2 \sin(x) + \frac{1}{6} (5A + 3B) (a^3 + a^3 \cos(x)) \sin(x) + \frac{1}{6} \int (a + a \cos(x))^2 (6a^3 B + (6a^3 A + 6a^3 B) \cos(x)) \sec(x) dx \\
 &= \frac{1}{3} a A (a + a \cos(x))^2 \sin(x) + \frac{1}{6} (5A + 3B) (a^3 + a^3 \cos(x)) \sin(x) + \frac{1}{6} \int (6a^3 B + (6a^3 A + 6a^3 B) \cos(x)) \sec(x) dx \\
 &= \frac{5}{2} a^3 (A + B) \sin(x) + \frac{1}{3} a A (a + a \cos(x))^2 \sin(x) + \frac{1}{6} (5A + 3B) (a^3 + a^3 \cos(x)) \sin(x) \\
 &= \frac{1}{2} a^3 (5A + 7B)x + \frac{5}{2} a^3 (A + B) \sin(x) + \frac{1}{3} a A (a + a \cos(x))^2 \sin(x) + \frac{1}{6} (5A + 3B) (a^3 + a^3 \cos(x)) \sin(x) \\
 &= \frac{1}{2} a^3 (5A + 7B)x + a^3 B \tanh^{-1}(\sin(x)) + \frac{5}{2} a^3 (A + B) \sin(x) + \frac{1}{3} a A (a + a \cos(x))^2 \sin(x)
 \end{aligned}$$

**Mathematica [A]** time = 0.103826, size = 80, normalized size = 1.07

$$\frac{1}{12} a^3 \left( 9(5A + 4B) \sin(x) + 3(3A + B) \sin(2x) + 30Ax + A \sin(3x) + 42Bx - 12B \log \left( \cos \left( \frac{x}{2} \right) - \sin \left( \frac{x}{2} \right) \right) + 12B \log \left( \sin \left( \frac{x}{2} \right) + \cos \left( \frac{x}{2} \right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[x])^3\*(A + B\*Sec[x]),x]

[Out] (a^3\*(30\*A\*x + 42\*B\*x - 12\*B\*Log[Cos[x/2] - Sin[x/2]] + 12\*B\*Log[Cos[x/2] + Sin[x/2]] + 9\*(5\*A + 4\*B)\*Sin[x] + 3\*(3\*A + B)\*Sin[2\*x] + A\*Ssin[3\*x]))/12

**Maple [A]** time = 0.054, size = 77, normalized size = 1.

$$\frac{Aa^3 \left( 2 + (\cos(x))^2 \right) \sin(x)}{3} + \frac{Ba^3 \sin(x) \cos(x)}{2} + \frac{7Ba^3 x}{2} + \frac{3Aa^3 \sin(x) \cos(x)}{2} + \frac{5Aa^3 x}{2} + 3Ba^3 \sin(x) + 3Aa^3 \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(x))^3\*(A+B\*sec(x)),x)

[Out] 1/3\*A\*a^3\*(2+cos(x)^2)\*sin(x)+1/2\*B\*a^3\*sin(x)\*cos(x)+7/2\*B\*a^3\*x+3/2\*A\*a^3\*sin(x)\*cos(x)+5/2\*A\*a^3\*x+3\*B\*a^3\*sin(x)+3\*A\*a^3\*sin(x)+B\*a^3\*ln(sec(x))+tan(x)



---

**Maxima [A]** time = 0.991514, size = 113, normalized size = 1.51

$$-\frac{1}{3}(\sin(x)^3 - 3 \sin(x))Aa^3 + \frac{3}{4}Aa^3(2x + \sin(2x)) + \frac{1}{4}Ba^3(2x + \sin(2x)) + Aa^3x + 3Ba^3x + Ba^3 \log(\sec(x) + \tan(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(x))^3\*(A+B\*sec(x)),x, algorithm="maxima")

[Out] -1/3\*(sin(x)^3 - 3\*sin(x))\*A\*a^3 + 3/4\*A\*a^3\*(2\*x + sin(2\*x)) + 1/4\*B\*a^3\*(2\*x + sin(2\*x)) + A\*a^3\*x + 3\*B\*a^3\*x + B\*a^3\*log(sec(x) + tan(x)) + 3\*A\*a^3\*sin(x) + 3\*B\*a^3\*sin(x)

---

**Fricas [A]** time = 2.5886, size = 213, normalized size = 2.84

$$\frac{1}{2}(5A + 7B)a^3x + \frac{1}{2}Ba^3 \log(\sin(x) + 1) - \frac{1}{2}Ba^3 \log(-\sin(x) + 1) + \frac{1}{6}(2Aa^3 \cos(x)^2 + 3(3A + B)a^3 \cos(x) + 2(11A + 9B)a^3 \sin(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(x))^3\*(A+B\*sec(x)),x, algorithm="fricas")

[Out] 1/2\*(5\*A + 7\*B)\*a^3\*x + 1/2\*B\*a^3\*log(sin(x) + 1) - 1/2\*B\*a^3\*log(-sin(x) + 1) + 1/6\*(2\*A\*a^3\*cos(x)^2 + 3\*(3\*A + B)\*a^3\*cos(x) + 2\*(11\*A + 9\*B)\*a^3\*sin(x))

---

**Sympy [A]** time = 37.1643, size = 92, normalized size = 1.23

$$\frac{5Aa^3x}{2} - \frac{Aa^3 \sin^3(x)}{3} + 4Aa^3 \sin(x) + \frac{3Aa^3 \sin(2x)}{4} + \frac{7Ba^3x}{2} + Ba^3 \log(\tan(x) + \sec(x)) + \frac{Ba^3 \sin(x) \cos(x)}{2} + 3Ba^3 \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(x))\*\*3\*(A+B\*sec(x)),x)

[Out] 5\*A\*a\*\*3\*x/2 - A\*a\*\*3\*sin(x)\*\*3/3 + 4\*A\*a\*\*3\*sin(x) + 3\*A\*a\*\*3\*sin(2\*x)/4 + 7\*B\*a\*\*3\*x/2 + B\*a\*\*3\*log(tan(x) + sec(x)) + B\*a\*\*3\*sin(x)\*cos(x)/2 + 3\*B\*a\*\*3\*sin(x)

---

**Giac [A]** time = 1.15883, size = 169, normalized size = 2.25

$$Ba^3 \log\left(\left|\tan\left(\frac{1}{2}x\right) + 1\right|\right) - Ba^3 \log\left(\left|\tan\left(\frac{1}{2}x\right) - 1\right|\right) + \frac{1}{2}(5Aa^3 + 7Ba^3)x + \frac{15Aa^3 \tan\left(\frac{1}{2}x\right)^5 + 15Ba^3 \tan\left(\frac{1}{2}x\right)^5}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(x))^3\*(A+B\*sec(x)),x, algorithm="giac")

```
[Out] B*a^3*log(abs(tan(1/2*x) + 1)) - B*a^3*log(abs(tan(1/2*x) - 1)) + 1/2*(5*A*
a^3 + 7*B*a^3)*x + 1/3*(15*A*a^3*tan(1/2*x)^5 + 15*B*a^3*tan(1/2*x)^5 + 40*
A*a^3*tan(1/2*x)^3 + 36*B*a^3*tan(1/2*x)^3 + 33*A*a^3*tan(1/2*x) + 21*B*a^3
*tan(1/2*x))/(tan(1/2*x)^2 + 1)^3
```

### 3.188 $\int (a + a \cos(x))^4 (A + B \sec(x)) dx$

**Optimal.** Leaf size=104

$$\frac{1}{8}a^4x(35A + 48B) + \frac{5}{8}a^4(7A + 8B)\sin(x) + \frac{1}{12}(7A + 4B)\sin(x)(a^2\cos(x) + a^2)^2 + \frac{1}{24}(35A + 32B)\sin(x)(a^4\cos(x)$$

```
[Out] (a^4*(35*A + 48*B)*x)/8 + a^4*B*ArcTanh[Sin[x]] + (5*a^4*(7*A + 8*B)*Sin[x]
)/8 + (a*A*(a + a*Cos[x])^3*Ssin[x])/4 + ((7*A + 4*B)*(a^2 + a^2*Cos[x])^2*S
in[x])/12 + ((35*A + 32*B)*(a^4 + a^4*Cos[x])*Sin[x])/24
```

**Rubi [A]** time = 0.402811, antiderivative size = 104, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$ , Rules used = {2828, 2976, 2968, 3023, 2735, 3770}

$$\frac{1}{8}a^4x(35A + 48B) + \frac{5}{8}a^4(7A + 8B)\sin(x) + \frac{1}{12}(7A + 4B)\sin(x)(a^2\cos(x) + a^2)^2 + \frac{1}{24}(35A + 32B)\sin(x)(a^4\cos(x)$$

Antiderivative was successfully verified.

```
[In] Int[(a + a*Cos[x])^4*(A + B*Sec[x]),x]
```

```
[Out] (a^4*(35*A + 48*B)*x)/8 + a^4*B*ArcTanh[Sin[x]] + (5*a^4*(7*A + 8*B)*Sin[x]
)/8 + (a*A*(a + a*Cos[x])^3*Ssin[x])/4 + ((7*A + 4*B)*(a^2 + a^2*Cos[x])^2*S
in[x])/12 + ((35*A + 32*B)*(a^4 + a^4*Cos[x])*Sin[x])/24
```

#### Rule 2828

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^(n_.)*((a_.) + (b_.)*sin[(e_.) +
(f_.)*(x_.)])^(m_.), x_Symbol] :> Int[((a + b*Sin[e + f*x])^m*(d + c*Sin[e +
f*x])^n)/Sin[e + f*x]^n, x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IntegerQ
[n]
```

#### Rule 2976

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_.)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> -Si
mp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n +
1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x]
)^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) +
b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x]
], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0]
&& EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &&
IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

#### Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_.)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

#### Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
```

2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

### Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned}
 \int (a + a \cos(x))^4 (A + B \sec(x)) dx &= \int (a + a \cos(x))^4 (B + A \cos(x)) \sec(x) dx \\
 &= \frac{1}{4} a A (a + a \cos(x))^3 \sin(x) + \frac{1}{4} \int (a + a \cos(x))^3 (4aB + a(7A + 4B) \cos(x)) \sec(x) dx \\
 &= \frac{1}{4} a A (a + a \cos(x))^3 \sin(x) + \frac{1}{12} (7A + 4B) (a^2 + a^2 \cos(x))^2 \sin(x) + \frac{1}{12} \int (a + a \cos(x))^2 (4aB + a(7A + 4B) \cos(x)) \sec(x) dx \\
 &= \frac{1}{4} a A (a + a \cos(x))^3 \sin(x) + \frac{1}{12} (7A + 4B) (a^2 + a^2 \cos(x))^2 \sin(x) + \frac{1}{24} (35A + 32B) (a + a \cos(x)) \sin(x) + \frac{1}{24} \int (a + a \cos(x)) \sec(x) dx \\
 &= \frac{1}{4} a A (a + a \cos(x))^3 \sin(x) + \frac{1}{12} (7A + 4B) (a^2 + a^2 \cos(x))^2 \sin(x) + \frac{1}{24} (35A + 32B) (a + a \cos(x)) \sin(x) + \frac{1}{24} (a + a \cos(x)) \tan^{-1}(\sin(x)) \\
 &= \frac{5}{8} a^4 (7A + 8B) \sin(x) + \frac{1}{4} a A (a + a \cos(x))^3 \sin(x) + \frac{1}{12} (7A + 4B) (a^2 + a^2 \cos(x))^2 \sin(x) \\
 &= \frac{1}{8} a^4 (35A + 48B) x + \frac{5}{8} a^4 (7A + 8B) \sin(x) + \frac{1}{4} a A (a + a \cos(x))^3 \sin(x) + \frac{1}{12} (7A + 4B) (a^2 + a^2 \cos(x))^2 \sin(x) \\
 &= \frac{1}{8} a^4 (35A + 48B) x + a^4 B \tanh^{-1}(\sin(x)) + \frac{5}{8} a^4 (7A + 8B) \sin(x) + \frac{1}{4} a A (a + a \cos(x))^3 \sin(x)
 \end{aligned}$$

**Mathematica [A]** time = 0.126385, size = 97, normalized size = 0.93

$$\frac{1}{96} a^4 \left( 24(28A + 27B) \sin(x) + 24(7A + 4B) \sin(2x) + 420Ax + 32A \sin(3x) + 3A \sin(4x) + 576Bx + 8B \sin(3x) - 96B \sin(4x) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[x])^4\*(A + B\*Sec[x]),x]

[Out] (a^4\*(420\*A\*x + 576\*B\*x - 96\*B\*Log[Cos[x/2] - Sin[x/2]] + 96\*B\*Log[Cos[x/2] + Sin[x/2]] + 24\*(28\*A + 27\*B)\*Sin[x] + 24\*(7\*A + 4\*B)\*Sin[2\*x] + 32\*A\*Sine[3\*x] + 8\*B\*Sine[3\*x] + 3\*A\*Sine[4\*x]))/96

**Maple [A]** time = 0.088, size = 103, normalized size = 1.

$$\frac{Aa^4 \sin(x) (\cos(x))^3}{4} + \frac{27 Aa^4 \sin(x) \cos(x)}{8} + \frac{35 Aa^4 x}{8} + \frac{Ba^4 (2 + (\cos(x))^2) \sin(x)}{3} + \frac{4 Aa^4 (2 + (\cos(x))^2) \sin(x)}{3} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(x))^4\*(A+B\*sec(x)),x)

[Out]  $\frac{1}{4}Aa^4\sin(x)\cos(x)^3 + \frac{27}{8}Aa^4\sin(x)\cos(x) + \frac{35}{8}Aa^4x + \frac{1}{3}Ba^4(2 + \cos(x)^2)\sin(x) + \frac{4}{3}Aa^4(2 + \cos(x)^2)\sin(x) + 2Ba^4\sin(x)\cos(x) + 6Ba^4x + 6Ba^4\sin(x) + 4Aa^4\sin(x) + Ba^4\ln(\sec(x) + \tan(x))$

**Maxima [A]** time = 1.00779, size = 159, normalized size = 1.53

$$-\frac{4}{3}(\sin(x)^3 - 3\sin(x))Aa^4 - \frac{1}{3}(\sin(x)^3 - 3\sin(x))Ba^4 + \frac{1}{32}Aa^4(12x + \sin(4x) + 8\sin(2x)) + \frac{3}{2}Aa^4(2x + \sin(2x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(x))^4\*(A+B\*sec(x)),x, algorithm="maxima")

[Out]  $-4/3*(\sin(x)^3 - 3*\sin(x))*Aa^4 - 1/3*(\sin(x)^3 - 3*\sin(x))*Ba^4 + 1/32*Aa^4*(12*x + \sin(4*x) + 8*\sin(2*x)) + 3/2*Aa^4*(2*x + \sin(2*x)) + Ba^4*(2*x + \sin(2*x)) + Aa^4*x + 4*Ba^4*x + Ba^4*\log(\sec(x) + \tan(x)) + 4*Aa^4*\sin(x) + 6*Ba^4*\sin(x)$

**Fricas [A]** time = 2.54186, size = 255, normalized size = 2.45

$$\frac{1}{8}(35A + 48B)a^4x + \frac{1}{2}Ba^4\log(\sin(x) + 1) - \frac{1}{2}Ba^4\log(-\sin(x) + 1) + \frac{1}{24}(6Aa^4\cos(x)^3 + 8(4A + B)a^4\cos(x)^2 - 3Aa^4\cos(x) + 160(A + B)a^4)\sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(x))^4\*(A+B\*sec(x)),x, algorithm="fricas")

[Out]  $1/8*(35*A + 48*B)*a^4*x + 1/2*Ba^4*\log(\sin(x) + 1) - 1/2*Ba^4*\log(-\sin(x) + 1) + 1/24*(6*Aa^4*\cos(x)^3 + 8*(4*A + B)*a^4*\cos(x)^2 + 3*(27*A + 16*B)*a^4*\cos(x) + 160*(A + B)*a^4)*\sin(x)$

**Sympy [A]** time = 174.516, size = 116, normalized size = 1.12

$$\frac{35Aa^4x}{8} - \frac{4Aa^4\sin^3(x)}{3} + 8Aa^4\sin(x) + \frac{7Aa^4\sin(2x)}{4} + \frac{Aa^4\sin(4x)}{32} + 6Ba^4x + Ba^4\log(\tan(x) + \sec(x)) - \frac{Ba^4\sin(x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(x))\*\*4\*(A+B\*sec(x)),x)

[Out]  $35*Aa^4*x/8 - 4*Aa^4*\sin(x)**3/3 + 8*Aa^4*\sin(x) + 7*Aa^4*\sin(2*x)/4 + Aa^4*\sin(4*x)/32 + 6*Ba^4*x + Ba^4*\log(\tan(x) + \sec(x)) - Ba^4*\sin(x)**3/3 + 2*Ba^4*\sin(x)*\cos(x) + 7*Ba^4*\sin(x)$

**Giac [A]** time = 1.16871, size = 201, normalized size = 1.93

$$Ba^4\log\left(\left|\tan\left(\frac{1}{2}x\right) + 1\right|\right) - Ba^4\log\left(\left|\tan\left(\frac{1}{2}x\right) - 1\right|\right) + \frac{1}{8}(35Aa^4 + 48Ba^4)x + \frac{105Aa^4\tan\left(\frac{1}{2}x\right)^7 + 120Ba^4\tan\left(\frac{1}{2}x\right)^6}{128}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(x))^4*(A+B*sec(x)),x, algorithm="giac")
```

```
[Out] B*a^4*log(abs(tan(1/2*x) + 1)) - B*a^4*log(abs(tan(1/2*x) - 1)) + 1/8*(35*A
*a^4 + 48*B*a^4)*x + 1/12*(105*A*a^4*tan(1/2*x)^7 + 120*B*a^4*tan(1/2*x)^7
+ 385*A*a^4*tan(1/2*x)^5 + 424*B*a^4*tan(1/2*x)^5 + 511*A*a^4*tan(1/2*x)^3
+ 520*B*a^4*tan(1/2*x)^3 + 279*A*a^4*tan(1/2*x) + 216*B*a^4*tan(1/2*x))/(ta
n(1/2*x)^2 + 1)^4
```

$$3.189 \quad \int \frac{A+B \sec(x)}{a+a \cos(x)} dx$$

**Optimal.** Leaf size=25

$$\frac{(A-B) \sin(x)}{a \cos(x) + a} + \frac{B \tanh^{-1}(\sin(x))}{a}$$

[Out] (B\*ArcTanh[Sin[x]])/a + ((A - B)\*Sin[x])/(a + a\*Cos[x])

**Rubi [A]** time = 0.0928542, antiderivative size = 25, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {2828, 2978, 12, 3770}

$$\frac{(A-B) \sin(x)}{a \cos(x) + a} + \frac{B \tanh^{-1}(\sin(x))}{a}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Sec[x])/(a + a\*Cos[x]), x]

[Out] (B\*ArcTanh[Sin[x]])/a + ((A - B)\*Sin[x])/(a + a\*Cos[x])

#### Rule 2828

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.) + (c\_.))^(n\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.), x\_Symbol] :> Int[((a + b\*Sin[e + f\*x])^m\*(d + c\*Sin[e + f\*x])^n)/Sin[e + f\*x]^n, x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IntegerQ[n]

#### Rule 2978

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(x)}{a + a \cos(x)} dx &= \int \frac{(B + A \cos(x)) \sec(x)}{a + a \cos(x)} dx \\
&= \frac{(A - B) \sin(x)}{a + a \cos(x)} + \frac{\int aB \sec(x) dx}{a^2} \\
&= \frac{(A - B) \sin(x)}{a + a \cos(x)} + \frac{B \int \sec(x) dx}{a} \\
&= \frac{B \tanh^{-1}(\sin(x))}{a} + \frac{(A - B) \sin(x)}{a + a \cos(x)}
\end{aligned}$$

**Mathematica [B]** time = 0.0846522, size = 71, normalized size = 2.84

$$-\frac{2 \cos\left(\frac{x}{2}\right) \left( (B - A) \sin\left(\frac{x}{2}\right) + B \cos\left(\frac{x}{2}\right) \left( \log\left(\cos\left(\frac{x}{2}\right) - \sin\left(\frac{x}{2}\right)\right) - \log\left(\sin\left(\frac{x}{2}\right) + \cos\left(\frac{x}{2}\right)\right) \right)}{a(\cos(x) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Sec[x])/(a + a\*Cos[x]),x]

[Out] (-2\*Cos[x/2]\*(B\*Cos[x/2]\*(Log[Cos[x/2] - Sin[x/2]] - Log[Cos[x/2] + Sin[x/2]]) + (-A + B)\*Sin[x/2]))/(a\*(1 + Cos[x]))

**Maple [A]** time = 0.03, size = 46, normalized size = 1.8

$$\frac{A}{a} \tan\left(\frac{x}{2}\right) - \frac{B}{a} \ln\left(\tan\left(\frac{x}{2}\right) - 1\right) + \frac{B}{a} \ln\left(1 + \tan\left(\frac{x}{2}\right)\right) - \frac{B}{a} \tan\left(\frac{x}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*sec(x))/(a+a\*cos(x)),x)

[Out] 1/a\*A\*tan(1/2\*x)-1/a\*B\*ln(tan(1/2\*x)-1)+1/a\*B\*ln(1+tan(1/2\*x))-1/a\*B\*tan(1/2\*x)

**Maxima [B]** time = 0.992415, size = 85, normalized size = 3.4

$$B \left( \frac{\log\left(\frac{\sin(x)}{\cos(x)+1} + 1\right)}{a} - \frac{\log\left(\frac{\sin(x)}{\cos(x)+1} - 1\right)}{a} - \frac{\sin(x)}{a(\cos(x) + 1)} \right) + \frac{A \sin(x)}{a(\cos(x) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*sec(x))/(a+a\*cos(x)),x, algorithm="maxima")

[Out] B\*(log(sin(x)/(cos(x) + 1) + 1)/a - log(sin(x)/(cos(x) + 1) - 1)/a - sin(x)/(a\*(cos(x) + 1))) + A\*sin(x)/(a\*(cos(x) + 1))

**Fricas [A]** time = 2.46082, size = 143, normalized size = 5.72

$$\frac{(B \cos(x) + B) \log(\sin(x) + 1) - (B \cos(x) + B) \log(-\sin(x) + 1) + 2(A - B) \sin(x)}{2(a \cos(x) + a)}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*sec(x))/(a+a\*cos(x)),x, algorithm="fricas")

[Out] 1/2\*((B\*cos(x) + B)\*log(sin(x) + 1) - (B\*cos(x) + B)\*log(-sin(x) + 1) + 2\*(A - B)\*sin(x))/(a\*cos(x) + a)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A}{\cos(x)+1} dx + \int \frac{B \sec(x)}{\cos(x)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*sec(x))/(a+a\*cos(x)),x)

[Out] (Integral(A/(cos(x) + 1), x) + Integral(B\*sec(x)/(cos(x) + 1), x))/a

**Giac [A]** time = 1.17919, size = 62, normalized size = 2.48

$$\frac{B \log\left(\left|\tan\left(\frac{1}{2}x\right) + 1\right|\right)}{a} - \frac{B \log\left(\left|\tan\left(\frac{1}{2}x\right) - 1\right|\right)}{a} + \frac{A \tan\left(\frac{1}{2}x\right) - B \tan\left(\frac{1}{2}x\right)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*sec(x))/(a+a\*cos(x)),x, algorithm="giac")

[Out] B\*log(abs(tan(1/2\*x) + 1))/a - B\*log(abs(tan(1/2\*x) - 1))/a + (A\*tan(1/2\*x) - B\*tan(1/2\*x))/a

$$3.190 \quad \int \frac{A+B \sec(x)}{(a+a \cos(x))^2} dx$$

**Optimal.** Leaf size=48

$$\frac{(A-4B) \sin(x)}{3a^2(\cos(x)+1)} + \frac{B \tanh^{-1}(\sin(x))}{a^2} + \frac{(A-B) \sin(x)}{3(a \cos(x)+a)^2}$$

[Out] (B\*ArcTanh[Sin[x]])/a^2 + ((A - 4\*B)\*Sin[x])/(3\*a^2\*(1 + Cos[x])) + ((A - B)\*Sin[x])/(3\*(a + a\*Cos[x])^2)

**Rubi [A]** time = 0.184609, antiderivative size = 48, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {2828, 2978, 12, 3770}

$$\frac{(A-4B) \sin(x)}{3a^2(\cos(x)+1)} + \frac{B \tanh^{-1}(\sin(x))}{a^2} + \frac{(A-B) \sin(x)}{3(a \cos(x)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Sec[x])/(a + a\*cos[x])^2,x]

[Out] (B\*ArcTanh[Sin[x]])/a^2 + ((A - 4\*B)\*Sin[x])/(3\*a^2\*(1 + Cos[x])) + ((A - B)\*Sin[x])/(3\*(a + a\*cos[x])^2)

#### Rule 2828

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.) + (c\_.))^(n\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.), x\_Symbol] :> Int[((a + b\*Sin[e + f\*x])^m\*(d + c\*Sin[e + f\*x])^n)/Sin[e + f\*x]^n, x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IntegerQ[n]

#### Rule 2978

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]\*(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(x)}{(a + a \cos(x))^2} dx &= \int \frac{(B + A \cos(x)) \sec(x)}{(a + a \cos(x))^2} dx \\
&= \frac{(A - B) \sin(x)}{3(a + a \cos(x))^2} + \frac{\int \frac{(3aB + a(A-B) \cos(x)) \sec(x)}{a + a \cos(x)} dx}{3a^2} \\
&= \frac{(A - 4B) \sin(x)}{3a^2(1 + \cos(x))} + \frac{(A - B) \sin(x)}{3(a + a \cos(x))^2} + \frac{\int 3a^2 B \sec(x) dx}{3a^4} \\
&= \frac{(A - 4B) \sin(x)}{3a^2(1 + \cos(x))} + \frac{(A - B) \sin(x)}{3(a + a \cos(x))^2} + \frac{B \int \sec(x) dx}{a^2} \\
&= \frac{B \tanh^{-1}(\sin(x))}{a^2} + \frac{(A - 4B) \sin(x)}{3a^2(1 + \cos(x))} + \frac{(A - B) \sin(x)}{3(a + a \cos(x))^2}
\end{aligned}$$

**Mathematica [A]** time = 0.203533, size = 76, normalized size = 1.58

$$\frac{\sin(x)((A - 4B) \cos(x) + 2A - 5B) - 12B \cos^4\left(\frac{x}{2}\right) \left(\log\left(\cos\left(\frac{x}{2}\right) - \sin\left(\frac{x}{2}\right)\right) - \log\left(\sin\left(\frac{x}{2}\right) + \cos\left(\frac{x}{2}\right)\right)\right)}{3a^2(\cos(x) + 1)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Sec[x])/(a + a\*Cos[x])^2,x]

[Out] (-12\*B\*Cos[x/2]^4\*(Log[Cos[x/2] - Sin[x/2]] - Log[Cos[x/2] + Sin[x/2]])) + (2\*A - 5\*B + (A - 4\*B)\*Cos[x])\*Sin[x]/(3\*a^2\*(1 + Cos[x])^2)

**Maple [A]** time = 0.032, size = 71, normalized size = 1.5

$$\frac{A}{6a^2} \left(\tan\left(\frac{x}{2}\right)\right)^3 - \frac{B}{6a^2} \left(\tan\left(\frac{x}{2}\right)\right)^3 + \frac{A}{2a^2} \tan\left(\frac{x}{2}\right) - \frac{3B}{2a^2} \tan\left(\frac{x}{2}\right) - \frac{B}{a^2} \ln\left(\tan\left(\frac{x}{2}\right) - 1\right) + \frac{B}{a^2} \ln\left(1 + \tan\left(\frac{x}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*sec(x))/(a+a\*cos(x))^2,x)

[Out] 1/6/a^2\*tan(1/2\*x)^3\*A-1/6/a^2\*tan(1/2\*x)^3\*B+1/2/a^2\*A\*tan(1/2\*x)-3/2/a^2\*B\*tan(1/2\*x)-1/a^2\*B\*ln(tan(1/2\*x)-1)+1/a^2\*B\*ln(1+tan(1/2\*x))

**Maxima [B]** time = 1.02993, size = 126, normalized size = 2.62

$$-\frac{1}{6} B \left( \frac{\frac{9 \sin(x)}{\cos(x)+1} + \frac{\sin(x)^3}{(\cos(x)+1)^3}}{a^2} - \frac{6 \log\left(\frac{\sin(x)}{\cos(x)+1} + 1\right)}{a^2} + \frac{6 \log\left(\frac{\sin(x)}{\cos(x)+1} - 1\right)}{a^2} \right) + \frac{A \left( \frac{3 \sin(x)}{\cos(x)+1} + \frac{\sin(x)^3}{(\cos(x)+1)^3} \right)}{6a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*sec(x))/(a+a\*cos(x))^2,x, algorithm="maxima")

[Out] -1/6\*B\*((9\*sin(x)/(cos(x) + 1) + sin(x)^3/(cos(x) + 1)^3)/a^2 - 6\*log(sin(x)/(cos(x) + 1) + 1)/a^2 + 6\*log(sin(x)/(cos(x) + 1) - 1)/a^2) + 1/6\*A\*(3\*sin(x)/(cos(x) + 1) + sin(x)^3/(cos(x) + 1)^3)/a^2

---

**Fricas [A]** time = 2.43617, size = 248, normalized size = 5.17

$$\frac{3(B \cos(x)^2 + 2B \cos(x) + B) \log(\sin(x) + 1) - 3(B \cos(x)^2 + 2B \cos(x) + B) \log(-\sin(x) + 1) + 2((A - 4B) \cos(x) + 2A - 5B) \sin(x)}{6(a^2 \cos(x)^2 + 2a^2 \cos(x) + a^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*sec(x))/(a+a\*cos(x))^2,x, algorithm="fricas")

[Out] 1/6\*(3\*(B\*cos(x)^2 + 2\*B\*cos(x) + B)\*log(sin(x) + 1) - 3\*(B\*cos(x)^2 + 2\*B\*cos(x) + B)\*log(-sin(x) + 1) + 2\*((A - 4\*B)\*cos(x) + 2\*A - 5\*B)\*sin(x))/(a^2\*cos(x)^2 + 2\*a^2\*cos(x) + a^2)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A}{\cos^2(x)+2\cos(x)+1} dx + \int \frac{B \sec(x)}{\cos^2(x)+2\cos(x)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*sec(x))/(a+a\*cos(x))\*\*2,x)

[Out] (Integral(A/(cos(x)\*\*2 + 2\*cos(x) + 1), x) + Integral(B\*sec(x)/(cos(x)\*\*2 + 2\*cos(x) + 1), x))/a\*\*2

---

**Giac [A]** time = 1.19135, size = 104, normalized size = 2.17

$$\frac{B \log\left(\left|\tan\left(\frac{1}{2}x\right) + 1\right|\right)}{a^2} - \frac{B \log\left(\left|\tan\left(\frac{1}{2}x\right) - 1\right|\right)}{a^2} + \frac{Aa^4 \tan\left(\frac{1}{2}x\right)^3 - Ba^4 \tan\left(\frac{1}{2}x\right)^3 + 3Aa^4 \tan\left(\frac{1}{2}x\right) - 9Ba^4 \tan\left(\frac{1}{2}x\right)}{6a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*sec(x))/(a+a\*cos(x))^2,x, algorithm="giac")

[Out] B\*log(abs(tan(1/2\*x) + 1))/a^2 - B\*log(abs(tan(1/2\*x) - 1))/a^2 + 1/6\*(A\*a^4\*tan(1/2\*x)^3 - B\*a^4\*tan(1/2\*x)^3 + 3\*A\*a^4\*tan(1/2\*x) - 9\*B\*a^4\*tan(1/2\*x))/a^6

$$3.191 \quad \int \frac{A+B \sec(x)}{(a+a \cos(x))^3} dx$$

**Optimal.** Leaf size=75

$$\frac{2(A-11B) \sin(x)}{15(a^3 \cos(x) + a^3)} + \frac{B \tanh^{-1}(\sin(x))}{a^3} + \frac{(2A-7B) \sin(x)}{15a(a \cos(x) + a)^2} + \frac{(A-B) \sin(x)}{5(a \cos(x) + a)^3}$$

[Out] (B\*ArcTanh[Sin[x]])/a^3 + ((A - B)\*Sin[x])/(5\*(a + a\*Cos[x])^3) + ((2\*A - 7\*B)\*Sin[x])/(15\*a\*(a + a\*Cos[x])^2) + (2\*(A - 11\*B)\*Sin[x])/(15\*(a^3 + a^3\*Cos[x]))

**Rubi [A]** time = 0.310955, antiderivative size = 75, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {2828, 2978, 12, 3770}

$$\frac{2(A-11B) \sin(x)}{15(a^3 \cos(x) + a^3)} + \frac{B \tanh^{-1}(\sin(x))}{a^3} + \frac{(2A-7B) \sin(x)}{15a(a \cos(x) + a)^2} + \frac{(A-B) \sin(x)}{5(a \cos(x) + a)^3}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Sec[x])/(a + a\*Cos[x])^3,x]

[Out] (B\*ArcTanh[Sin[x]])/a^3 + ((A - B)\*Sin[x])/(5\*(a + a\*Cos[x])^3) + ((2\*A - 7\*B)\*Sin[x])/(15\*a\*(a + a\*Cos[x])^2) + (2\*(A - 11\*B)\*Sin[x])/(15\*(a^3 + a^3\*Cos[x]))

#### Rule 2828

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.) + (c\_.))^ (n\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^ (m\_.), x\_Symbol] :> Int[((a + b\*Sin[e + f\*x])^m\*(d + c\*Sin[e + f\*x])^n)/Sin[e + f\*x]^n, x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IntegerQ[n]

#### Rule 2978

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^ (m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]\*(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^ (n\_.), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 12

Int[(a\_.)\*(u\_.), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_.)\*(v\_.) /; FreeQ[b, x]]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(x)}{(a + a \cos(x))^3} dx &= \int \frac{(B + A \cos(x)) \sec(x)}{(a + a \cos(x))^3} dx \\
&= \frac{(A - B) \sin(x)}{5(a + a \cos(x))^3} + \frac{\int \frac{(5aB + 2a(A - B) \cos(x)) \sec(x)}{(a + a \cos(x))^2} dx}{5a^2} \\
&= \frac{(A - B) \sin(x)}{5(a + a \cos(x))^3} + \frac{(2A - 7B) \sin(x)}{15a(a + a \cos(x))^2} + \frac{\int \frac{(15a^2B + a^2(2A - 7B) \cos(x)) \sec(x)}{a + a \cos(x)} dx}{15a^4} \\
&= \frac{(A - B) \sin(x)}{5(a + a \cos(x))^3} + \frac{(2A - 7B) \sin(x)}{15a(a + a \cos(x))^2} + \frac{2(A - 11B) \sin(x)}{15(a^3 + a^3 \cos(x))} + \frac{\int 15a^3B \sec(x) dx}{15a^6} \\
&= \frac{(A - B) \sin(x)}{5(a + a \cos(x))^3} + \frac{(2A - 7B) \sin(x)}{15a(a + a \cos(x))^2} + \frac{2(A - 11B) \sin(x)}{15(a^3 + a^3 \cos(x))} + \frac{B \int \sec(x) dx}{a^3} \\
&= \frac{B \tanh^{-1}(\sin(x))}{a^3} + \frac{(A - B) \sin(x)}{5(a + a \cos(x))^3} + \frac{(2A - 7B) \sin(x)}{15a(a + a \cos(x))^2} + \frac{2(A - 11B) \sin(x)}{15(a^3 + a^3 \cos(x))}
\end{aligned}$$

**Mathematica [A]** time = 0.351139, size = 88, normalized size = 1.17

$$\frac{\sin(x)((6A - 51B) \cos(x) + (A - 11B) \cos(2x) + 8A - 43B) - 120B \cos^6\left(\frac{x}{2}\right) \left(\log\left(\cos\left(\frac{x}{2}\right) - \sin\left(\frac{x}{2}\right)\right) - \log\left(\sin\left(\frac{x}{2}\right) + \cos\left(\frac{x}{2}\right)\right)\right)}{15a^3(\cos(x) + 1)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Sec[x])/(a + a\*Cos[x])^3,x]

[Out] (-120\*B\*Cos[x/2]^6\*(Log[Cos[x/2] - Sin[x/2]] - Log[Cos[x/2] + Sin[x/2]])) + (8\*A - 43\*B + (6\*A - 51\*B)\*Cos[x] + (A - 11\*B)\*Cos[2\*x])\*Sin[x]/(15\*a^3\*(1 + Cos[x])^3)

**Maple [A]** time = 0.035, size = 95, normalized size = 1.3

$$\frac{A}{20a^3} \left(\tan\left(\frac{x}{2}\right)\right)^5 - \frac{B}{20a^3} \left(\tan\left(\frac{x}{2}\right)\right)^5 + \frac{A}{6a^3} \left(\tan\left(\frac{x}{2}\right)\right)^3 - \frac{B}{3a^3} \left(\tan\left(\frac{x}{2}\right)\right)^3 + \frac{B}{a^3} \ln\left(1 + \tan\left(\frac{x}{2}\right)\right) - \frac{B}{a^3} \ln\left(\tan\left(\frac{x}{2}\right) - 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*sec(x))/(a+a\*cos(x))^3,x)

[Out] 1/20/a^3\*tan(1/2\*x)^5\*A-1/20/a^3\*tan(1/2\*x)^5\*B+1/6/a^3\*tan(1/2\*x)^3\*A-1/3/a^3\*tan(1/2\*x)^3\*B+1/a^3\*B\*ln(1+tan(1/2\*x))-1/a^3\*B\*ln(tan(1/2\*x)-1)+1/4/a^3\*A\*tan(1/2\*x)-7/4/a^3\*B\*tan(1/2\*x)

**Maxima [A]** time = 1.0112, size = 161, normalized size = 2.15

$$-\frac{1}{60} B \left( \frac{105 \sin(x)}{\cos(x)+1} + \frac{20 \sin(x)^3}{(\cos(x)+1)^3} + \frac{3 \sin(x)^5}{(\cos(x)+1)^5} - \frac{60 \log\left(\frac{\sin(x)}{\cos(x)+1} + 1\right)}{a^3} + \frac{60 \log\left(\frac{\sin(x)}{\cos(x)+1} - 1\right)}{a^3} \right) + \frac{A \left( \frac{15 \sin(x)}{\cos(x)+1} + \frac{10 \sin(x)^3}{(\cos(x)+1)^3} + \frac{3 \sin(x)^5}{(\cos(x)+1)^5} \right)}{60 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*sec(x))/(a+a\*cos(x))^3,x, algorithm="maxima")

[Out] 
$$\frac{-1/60*B*((105*\sin(x)/(\cos(x) + 1) + 20*\sin(x)^3/(\cos(x) + 1)^3 + 3*\sin(x)^5/(\cos(x) + 1)^5)/a^3 - 60*\log(\sin(x)/(\cos(x) + 1) + 1)/a^3 + 60*\log(\sin(x)/(\cos(x) + 1) - 1)/a^3) + 1/60*A*(15*\sin(x)/(\cos(x) + 1) + 10*\sin(x)^3/(\cos(x) + 1)^3 + 3*\sin(x)^5/(\cos(x) + 1)^5)/a^3}{30(a^3 \cos(x)^3 + 3a^3 \cos(x)^2 + 3a^3 \cos(x) + a^3)}$$

**Fricas [A]** time = 2.43628, size = 356, normalized size = 4.75

$$\frac{15(B \cos(x)^3 + 3B \cos(x)^2 + 3B \cos(x) + B) \log(\sin(x) + 1) - 15(B \cos(x)^3 + 3B \cos(x)^2 + 3B \cos(x) + B) \log(-\sin(x) + 1) + 2*(2*(A - 1*B)*\cos(x)^2 + 3*(2*A - 17*B)*\cos(x) + 7*A - 32*B)*\sin(x)}{30(a^3 \cos(x)^3 + 3a^3 \cos(x)^2 + 3a^3 \cos(x) + a^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*sec(x))/(a+a\*cos(x))^3,x, algorithm="fricas")

[Out] 
$$\frac{1/30*(15*(B*\cos(x)^3 + 3*B*\cos(x)^2 + 3*B*\cos(x) + B)*\log(\sin(x) + 1) - 15*(B*\cos(x)^3 + 3*B*\cos(x)^2 + 3*B*\cos(x) + B)*\log(-\sin(x) + 1) + 2*(2*(A - 1*B)*\cos(x)^2 + 3*(2*A - 17*B)*\cos(x) + 7*A - 32*B)*\sin(x))}{a^3*\cos(x)^3 + 3*a^3*\cos(x)^2 + 3*a^3*\cos(x) + a^3}$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A}{\cos^3(x)+3\cos^2(x)+3\cos(x)+1} dx + \int \frac{B \sec(x)}{\cos^3(x)+3\cos^2(x)+3\cos(x)+1} dx}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*sec(x))/(a+a\*cos(x))\*\*3,x)

[Out] 
$$\left(\text{Integral}(A/(\cos(x)**3 + 3*\cos(x)**2 + 3*\cos(x) + 1), x) + \text{Integral}(B*\sec(x)/(\cos(x)**3 + 3*\cos(x)**2 + 3*\cos(x) + 1), x)\right)/a**3$$

**Giac [A]** time = 1.16466, size = 138, normalized size = 1.84

$$\frac{B \log\left(\left|\tan\left(\frac{1}{2}x\right) + 1\right|\right)}{a^3} - \frac{B \log\left(\left|\tan\left(\frac{1}{2}x\right) - 1\right|\right)}{a^3} + \frac{3Aa^{12} \tan\left(\frac{1}{2}x\right)^5 - 3Ba^{12} \tan\left(\frac{1}{2}x\right)^5 + 10Aa^{12} \tan\left(\frac{1}{2}x\right)^3 - 20Ba^{12} \tan\left(\frac{1}{2}x\right)}{60a^{15}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*sec(x))/(a+a\*cos(x))^3,x, algorithm="giac")

[Out] 
$$B*\log(\text{abs}(\tan(1/2*x) + 1))/a^3 - B*\log(\text{abs}(\tan(1/2*x) - 1))/a^3 + 1/60*(3*A*a^{12}*\tan(1/2*x)^5 - 3*B*a^{12}*\tan(1/2*x)^5 + 10*A*a^{12}*\tan(1/2*x)^3 - 20*B*a^{12}*\tan(1/2*x) + 15*A*a^{12}*\tan(1/2*x) - 105*B*a^{12}*\tan(1/2*x))/a^{15}$$

$$3.192 \quad \int \frac{A+B \sec(x)}{(a+a \cos(x))^4} dx$$

**Optimal.** Leaf size=96

$$\frac{2(3A - 80B) \sin(x)}{105a^4(\cos(x) + 1)} + \frac{(6A - 55B) \sin(x)}{105a^4(\cos(x) + 1)^2} + \frac{B \tanh^{-1}(\sin(x))}{a^4} + \frac{(3A - 10B) \sin(x)}{35a(a \cos(x) + a)^3} + \frac{(A - B) \sin(x)}{7(a \cos(x) + a)^4}$$

[Out] (B\*ArcTanh[Sin[x]])/a^4 + ((6\*A - 55\*B)\*Sin[x])/(105\*a^4\*(1 + Cos[x])^2) + (2\*(3\*A - 80\*B)\*Sin[x])/(105\*a^4\*(1 + Cos[x])) + ((A - B)\*Sin[x])/(7\*(a + a \*Cos[x])^4) + ((3\*A - 10\*B)\*Sin[x])/(35\*a\*(a + a\*Cos[x])^3)

**Rubi [A]** time = 0.414411, antiderivative size = 96, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {2828, 2978, 12, 3770}

$$\frac{2(3A - 80B) \sin(x)}{105a^4(\cos(x) + 1)} + \frac{(6A - 55B) \sin(x)}{105a^4(\cos(x) + 1)^2} + \frac{B \tanh^{-1}(\sin(x))}{a^4} + \frac{(3A - 10B) \sin(x)}{35a(a \cos(x) + a)^3} + \frac{(A - B) \sin(x)}{7(a \cos(x) + a)^4}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Sec[x])/(a + a\*Cos[x])^4, x]

[Out] (B\*ArcTanh[Sin[x]])/a^4 + ((6\*A - 55\*B)\*Sin[x])/(105\*a^4\*(1 + Cos[x])^2) + (2\*(3\*A - 80\*B)\*Sin[x])/(105\*a^4\*(1 + Cos[x])) + ((A - B)\*Sin[x])/(7\*(a + a \*Cos[x])^4) + ((3\*A - 10\*B)\*Sin[x])/(35\*a\*(a + a\*Cos[x])^3)

#### Rule 2828

Int[(csc[(e\_.) + (f\_.)\*(x\_)])\*(d\_.) + (c\_.)^(n\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.), x\_Symbol] :> Int[((a + b\*Sin[e + f\*x])^m\*(d + c\*Sin[e + f\*x])^n)/Sin[e + f\*x]^n, x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IntegerQ[n]

#### Rule 2978

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 12

Int[(a\_.)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_.)\*(v\_) /; FreeQ[b, x]]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps



$$\begin{aligned}
\int \frac{A + B \sec(x)}{(a + a \cos(x))^4} dx &= \int \frac{(B + A \cos(x)) \sec(x)}{(a + a \cos(x))^4} dx \\
&= \frac{(A - B) \sin(x)}{7(a + a \cos(x))^4} + \frac{\int \frac{(7aB + 3a(A - B) \cos(x)) \sec(x)}{(a + a \cos(x))^3} dx}{7a^2} \\
&= \frac{(A - B) \sin(x)}{7(a + a \cos(x))^4} + \frac{(3A - 10B) \sin(x)}{35a(a + a \cos(x))^3} + \frac{\int \frac{(35a^2B + 2a^2(3A - 10B) \cos(x)) \sec(x)}{(a + a \cos(x))^2} dx}{35a^4} \\
&= \frac{(6A - 55B) \sin(x)}{105a^4(1 + \cos(x))^2} + \frac{(A - B) \sin(x)}{7(a + a \cos(x))^4} + \frac{(3A - 10B) \sin(x)}{35a(a + a \cos(x))^3} + \frac{\int \frac{(105a^3B + a^3(6A - 55B) \cos(x)) \sec(x)}{a + a \cos(x)} dx}{105a^6} \\
&= \frac{(6A - 55B) \sin(x)}{105a^4(1 + \cos(x))^2} + \frac{(A - B) \sin(x)}{7(a + a \cos(x))^4} + \frac{(3A - 10B) \sin(x)}{35a(a + a \cos(x))^3} + \frac{2(3A - 80B) \sin(x)}{105(a^4 + a^4 \cos(x))} + \frac{\int 105a^3 \sec(x) dx}{105a^6} \\
&= \frac{(6A - 55B) \sin(x)}{105a^4(1 + \cos(x))^2} + \frac{(A - B) \sin(x)}{7(a + a \cos(x))^4} + \frac{(3A - 10B) \sin(x)}{35a(a + a \cos(x))^3} + \frac{2(3A - 80B) \sin(x)}{105(a^4 + a^4 \cos(x))} + \frac{B \int \sec(x) dx}{a^4} \\
&= \frac{B \tanh^{-1}(\sin(x))}{a^4} + \frac{(6A - 55B) \sin(x)}{105a^4(1 + \cos(x))^2} + \frac{(A - B) \sin(x)}{7(a + a \cos(x))^4} + \frac{(3A - 10B) \sin(x)}{35a(a + a \cos(x))^3} + \frac{2(3A - 80B) \sin(x)}{105(a^4 + a^4 \cos(x))}
\end{aligned}$$

**Mathematica [A]** time = 0.805181, size = 104, normalized size = 1.08

$$\frac{\sin(x)((87A - 1480B) \cos(x) + (24A - 535B) \cos(2x) + 3A \cos(3x) + 96A - 80B \cos(3x) - 1055B) - 3360B \cos^8\left(\frac{x}{2}\right)}{210a^4(\cos(x) + 1)^4}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Sec[x])/(a + a\*Cos[x])^4,x]

[Out] (-3360\*B\*Cos[x/2]^8\*(Log[Cos[x/2] - Sin[x/2]] - Log[Cos[x/2] + Sin[x/2]]) + (96\*A - 1055\*B + (87\*A - 1480\*B)\*Cos[x] + (24\*A - 535\*B)\*Cos[2\*x] + 3\*A\*Cos[3\*x] - 80\*B\*Cos[3\*x])\*Sin[x])/(210\*a^4\*(1 + Cos[x])^4)

**Maple [A]** time = 0.037, size = 119, normalized size = 1.2

$$\frac{A}{56a^4} \left( \tan\left(\frac{x}{2}\right) \right)^7 - \frac{B}{56a^4} \left( \tan\left(\frac{x}{2}\right) \right)^7 + \frac{3A}{40a^4} \left( \tan\left(\frac{x}{2}\right) \right)^5 - \frac{B}{8a^4} \left( \tan\left(\frac{x}{2}\right) \right)^5 + \frac{A}{8a^4} \left( \tan\left(\frac{x}{2}\right) \right)^3 - \frac{11B}{24a^4} \left( \tan\left(\frac{x}{2}\right) \right)^3 + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*sec(x))/(a+a\*cos(x))^4,x)

[Out] 1/56/a^4\*tan(1/2\*x)^7\*A-1/56/a^4\*tan(1/2\*x)^7\*B+3/40/a^4\*tan(1/2\*x)^5\*A-1/8/a^4\*tan(1/2\*x)^5\*B+1/8/a^4\*tan(1/2\*x)^3\*A-11/24/a^4\*tan(1/2\*x)^3\*B+1/a^4\*B\*ln(1+tan(1/2\*x))-1/a^4\*B\*ln(tan(1/2\*x)-1)+1/8/a^4\*A\*tan(1/2\*x)-15/8/a^4\*B\*tan(1/2\*x)

**Maxima [A]** time = 1.09966, size = 193, normalized size = 2.01

$$-\frac{1}{168} B \left( \frac{\frac{315 \sin(x)}{\cos(x)+1} + \frac{77 \sin(x)^3}{(\cos(x)+1)^3} + \frac{21 \sin(x)^5}{(\cos(x)+1)^5} + \frac{3 \sin(x)^7}{(\cos(x)+1)^7}}{a^4} - \frac{168 \log\left(\frac{\sin(x)}{\cos(x)+1} + 1\right)}{a^4} + \frac{168 \log\left(\frac{\sin(x)}{\cos(x)+1} - 1\right)}{a^4} \right) + \frac{A \left( \frac{35 \sin(x)}{\cos(x)+1} + \dots \right)}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*sec(x))/(a+a\*cos(x))^4,x, algorithm="maxima")

[Out]  $-1/168*B*((315*\sin(x)/(\cos(x) + 1) + 77*\sin(x)^3/(\cos(x) + 1)^3 + 21*\sin(x)^5/(\cos(x) + 1)^5 + 3*\sin(x)^7/(\cos(x) + 1)^7)/a^4 - 168*\log(\sin(x)/(\cos(x) + 1) + 1)/a^4 + 168*\log(\sin(x)/(\cos(x) + 1) - 1)/a^4) + 1/280*A*(35*\sin(x)/(\cos(x) + 1) + 35*\sin(x)^3/(\cos(x) + 1)^3 + 21*\sin(x)^5/(\cos(x) + 1)^5 + 5*\sin(x)^7/(\cos(x) + 1)^7)/a^4$

**Fricas [A]** time = 2.53879, size = 464, normalized size = 4.83

$$\frac{105(B \cos(x)^4 + 4B \cos(x)^3 + 6B \cos(x)^2 + 4B \cos(x) + B) \log(\sin(x) + 1) - 105(B \cos(x)^4 + 4B \cos(x)^3 + 6B \cos(x)^2 + 4B \cos(x) + B) \log(-\sin(x) + 1) + 2*(2*(3A - 80B)*\cos(x)^3 + (24A - 535B)*\cos(x)^2 + (39A - 620B)*\cos(x) + 36A - 260B)*\sin(x)}{210(a^4 \cos(x)^4 + 4a^4 \cos(x)^3 + 6a^4 \cos(x)^2 + 4a^4 \cos(x) + a^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*sec(x))/(a+a\*cos(x))^4,x, algorithm="fricas")

[Out]  $1/210*(105*(B*\cos(x)^4 + 4*B*\cos(x)^3 + 6*B*\cos(x)^2 + 4*B*\cos(x) + B)*\log(\sin(x) + 1) - 105*(B*\cos(x)^4 + 4*B*\cos(x)^3 + 6*B*\cos(x)^2 + 4*B*\cos(x) + B)*\log(-\sin(x) + 1) + 2*(2*(3*A - 80*B)*\cos(x)^3 + (24*A - 535*B)*\cos(x)^2 + (39*A - 620*B)*\cos(x) + 36*A - 260*B)*\sin(x))/(a^4*\cos(x)^4 + 4*a^4*\cos(x)^3 + 6*a^4*\cos(x)^2 + 4*a^4*\cos(x) + a^4)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*sec(x))/(a+a\*cos(x))\*\*4,x)

[Out] Timed out

**Giac [A]** time = 1.15574, size = 170, normalized size = 1.77

$$\frac{B \log\left(\left|\tan\left(\frac{1}{2}x\right) + 1\right|\right)}{a^4} - \frac{B \log\left(\left|\tan\left(\frac{1}{2}x\right) - 1\right|\right)}{a^4} + \frac{15 A a^{24} \tan\left(\frac{1}{2}x\right)^7 - 15 B a^{24} \tan\left(\frac{1}{2}x\right)^7 + 63 A a^{24} \tan\left(\frac{1}{2}x\right)^5 - 105 B a^{24} \tan\left(\frac{1}{2}x\right)^5 + 105 A a^{24} \tan\left(\frac{1}{2}x\right)^3 - 385 B a^{24} \tan\left(\frac{1}{2}x\right)^3 + 105 A a^{24} \tan\left(\frac{1}{2}x\right) - 1575 B a^{24} \tan\left(\frac{1}{2}x\right)}{a^{28}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*sec(x))/(a+a\*cos(x))^4,x, algorithm="giac")

[Out]  $B*\log(\text{abs}(\tan(1/2*x) + 1))/a^4 - B*\log(\text{abs}(\tan(1/2*x) - 1))/a^4 + 1/840*(15*A*a^{24}*\tan(1/2*x)^7 - 15*B*a^{24}*\tan(1/2*x)^7 + 63*A*a^{24}*\tan(1/2*x)^5 - 105*B*a^{24}*\tan(1/2*x)^5 + 105*A*a^{24}*\tan(1/2*x)^3 - 385*B*a^{24}*\tan(1/2*x)^3 + 105*A*a^{24}*\tan(1/2*x) - 1575*B*a^{24}*\tan(1/2*x))/a^{28}$

### 3.193 $\int (a + a \cos(x))^{5/2} (A + B \sec(x)) dx$

**Optimal.** Leaf size=98

$$\frac{2a^3(32A + 35B) \sin(x)}{15\sqrt{a \cos(x) + a}} + \frac{2}{15}a^2(8A + 5B) \sin(x)\sqrt{a \cos(x) + a} + 2a^{5/2}B \tanh^{-1}\left(\frac{\sqrt{a} \sin(x)}{\sqrt{a \cos(x) + a}}\right) + \frac{2}{5}aA \sin(x)(a \cos(x) + a)^{3/2}$$

```
[Out] 2*a^(5/2)*B*ArcTanh[(Sqrt[a]*Sin[x])/Sqrt[a + a*Cos[x]]] + (2*a^3*(32*A + 35*B)*Sin[x])/(15*Sqrt[a + a*Cos[x]]) + (2*a^2*(8*A + 5*B)*Sqrt[a + a*Cos[x]]*Sin[x])/15 + (2*a*A*(a + a*Cos[x])^(3/2)*Sin[x])/5
```

**Rubi [A]** time = 0.431637, antiderivative size = 98, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$ , Rules used = {2828, 2976, 2981, 2773, 206}

$$\frac{2a^3(32A + 35B) \sin(x)}{15\sqrt{a \cos(x) + a}} + \frac{2}{15}a^2(8A + 5B) \sin(x)\sqrt{a \cos(x) + a} + 2a^{5/2}B \tanh^{-1}\left(\frac{\sqrt{a} \sin(x)}{\sqrt{a \cos(x) + a}}\right) + \frac{2}{5}aA \sin(x)(a \cos(x) + a)^{3/2}$$

Antiderivative was successfully verified.

```
[In] Int[(a + a*Cos[x])^(5/2)*(A + B*Sec[x]),x]
```

```
[Out] 2*a^(5/2)*B*ArcTanh[(Sqrt[a]*Sin[x])/Sqrt[a + a*Cos[x]]] + (2*a^3*(32*A + 35*B)*Sin[x])/(15*Sqrt[a + a*Cos[x]]) + (2*a^2*(8*A + 5*B)*Sqrt[a + a*Cos[x]]*Sin[x])/15 + (2*a*A*(a + a*Cos[x])^(3/2)*Sin[x])/5
```

#### Rule 2828

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^(n_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.), x_Symbol] :> Int[((a + b*SIN[e + f*x])^m*(d + c*SIN[e + f*x])^n)/SIN[e + f*x]^n, x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IntegerQ[n]
```

#### Rule 2976

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> -Simp[(b*B*Cos[e + f*x]*(a + b*SIN[e + f*x])^(m - 1)*(c + d*SIN[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*SIN[e + f*x])^(m - 1)*(c + d*SIN[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) + b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*SIN[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

#### Rule 2981

```
Int[Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Simp[(-2*b*B*Cos[e + f*x]*(c + d*SIN[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a + b*SIN[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b*d*(2*n + 3)), Int[Sqrt[a + b*SIN[e + f*x]]*(c + d*SIN[e + f*x])^n, x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

#### Rule 2773

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[(-2*b)/f, Subst[Int[1/(b*c + a*d - d*x^2), x], x, (b*cos[e + f*x])/Sqrt[a + b*sin[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

### Rubi steps

$$\begin{aligned} \int (a + a \cos(x))^{5/2} (A + B \sec(x)) dx &= \int (a + a \cos(x))^{5/2} (B + A \cos(x)) \sec(x) dx \\ &= \frac{2}{5} a A (a + a \cos(x))^{3/2} \sin(x) + \frac{2}{5} \int (a + a \cos(x))^{3/2} \left( \frac{5aB}{2} + \frac{1}{2} a (8A + 5B) \cos(x) \right) dx \\ &= \frac{2}{15} a^2 (8A + 5B) \sqrt{a + a \cos(x)} \sin(x) + \frac{2}{5} a A (a + a \cos(x))^{3/2} \sin(x) + \frac{4}{15} \int \sqrt{a + a \cos(x)} dx \\ &= \frac{2a^3 (32A + 35B) \sin(x)}{15 \sqrt{a + a \cos(x)}} + \frac{2}{15} a^2 (8A + 5B) \sqrt{a + a \cos(x)} \sin(x) + \frac{2}{5} a A (a + a \cos(x))^{3/2} \sin(x) \\ &= \frac{2a^3 (32A + 35B) \sin(x)}{15 \sqrt{a + a \cos(x)}} + \frac{2}{15} a^2 (8A + 5B) \sqrt{a + a \cos(x)} \sin(x) + \frac{2}{5} a A (a + a \cos(x))^{3/2} \sin(x) \\ &= 2a^{5/2} B \tanh^{-1} \left( \frac{\sqrt{a} \sin(x)}{\sqrt{a + a \cos(x)}} \right) + \frac{2a^3 (32A + 35B) \sin(x)}{15 \sqrt{a + a \cos(x)}} + \frac{2}{15} a^2 (8A + 5B) \sqrt{a + a \cos(x)} \sin(x) \end{aligned}$$

**Mathematica [A]** time = 0.164598, size = 78, normalized size = 0.8

$$\frac{1}{30} a^2 \sec\left(\frac{x}{2}\right) \sqrt{a(\cos(x) + 1)} \left( 2 \sin\left(\frac{x}{2}\right) (2(14A + 5B) \cos(x) + 3A \cos(2x) + 89A + 80B) + 30\sqrt{2} B \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{x}{2}\right)\right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*cos[x])^(5/2)*(A + B*Sec[x]), x]
```

```
[Out] (a^2*Sqrt[a*(1 + Cos[x])]*Sec[x/2]*(30*Sqrt[2]*B*ArcTanh[Sqrt[2]*Sin[x/2]] + 2*(89*A + 80*B + 2*(14*A + 5*B)*Cos[x] + 3*A*Cos[2*x])*Sin[x/2]))/30
```

**Maple [B]** time = 2.795, size = 228, normalized size = 2.3

$$\frac{1}{15} a^{\frac{3}{2}} \cos\left(\frac{x}{2}\right) \sqrt{a \left(\sin\left(\frac{x}{2}\right)\right)^2} \left( 24 A \sqrt{2} \sqrt{a \left(\sin\left(\frac{x}{2}\right)\right)^2} \sqrt{a} \left(\sin\left(\frac{x}{2}\right)\right)^4 - 20 \sqrt{2} \sqrt{a \left(\sin\left(\frac{x}{2}\right)\right)^2} \sqrt{a} (4 A + B) \left(\sin\left(\frac{x}{2}\right)\right)^2 + 12 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*cos(x))^(5/2)*(A+B*sec(x)), x)
```

```
[Out] 1/15*a^(3/2)*cos(1/2*x)*(a*sin(1/2*x)^2)^(1/2)*(24*A*2^(1/2)*(a*sin(1/2*x)^2)^(1/2)*a^(1/2)*sin(1/2*x)^4-20*2^(1/2)*(a*sin(1/2*x)^2)^(1/2)*a^(1/2)*(4*A+B)*sin(1/2*x)^2+120*A*2^(1/2)*(a*sin(1/2*x)^2)^(1/2)*a^(1/2)+90*B*2^(1/2)*(a*sin(1/2*x)^2)^(1/2)*a^(1/2)+15*B*ln(-4/(-2*cos(1/2*x)+2^(1/2)))*(a^(1/2))
```

$$*2^{(1/2)}*(a*\sin(1/2*x)^2)^{(1/2)}-a*2^{(1/2)}*\cos(1/2*x)+2*a))*a+15*B*\ln(4/(2*\cos(1/2*x)+2^{(1/2)}))*a*2^{(1/2)}*\cos(1/2*x)+a^{(1/2)}*2^{(1/2)}*(a*\sin(1/2*x)^2)^{(1/2)+2*a))*a)/\sin(1/2*x)/(\cos(1/2*x)^{2*a})^{(1/2)}$$

**Maxima [A]** time = 1.73421, size = 58, normalized size = 0.59

$$\frac{1}{30} \left( 3 \sqrt{2} a^2 \sin\left(\frac{5}{2} x\right) + 25 \sqrt{2} a^2 \sin\left(\frac{3}{2} x\right) + 150 \sqrt{2} a^2 \sin\left(\frac{1}{2} x\right) \right) A \sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(x))^(5/2)\*(A+B\*sec(x)),x, algorithm="maxima")

[Out] 1/30\*(3\*sqrt(2)\*a^2\*sin(5/2\*x) + 25\*sqrt(2)\*a^2\*sin(3/2\*x) + 150\*sqrt(2)\*a^2\*sin(1/2\*x))\*A\*sqrt(a)

**Fricas [A]** time = 2.48419, size = 354, normalized size = 3.61

$$\frac{15 \left( B a^2 \cos(x) + B a^2 \right) \sqrt{a} \log \left( \frac{a \cos(x)^3 - 7 a \cos(x)^2 - 4 \sqrt{a} \cos(x) + a \sqrt{a} (\cos(x) - 2) \sin(x) + 8 a}{\cos(x)^3 + \cos(x)^2} \right) + 4 \left( 3 A a^2 \cos(x)^2 + (14 A + 5 B) a^2 \cos(x) + (43 A + 40 B) a^2 \right) \sqrt{a}}{30 (\cos(x) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(x))^(5/2)\*(A+B\*sec(x)),x, algorithm="fricas")

[Out] 1/30\*(15\*(B\*a^2\*cos(x) + B\*a^2)\*sqrt(a)\*log((a\*cos(x)^3 - 7\*a\*cos(x)^2 - 4\*sqrt(a\*cos(x) + a)\*sqrt(a)\*(cos(x) - 2)\*sin(x) + 8\*a)/(cos(x)^3 + cos(x)^2)) + 4\*(3\*A\*a^2\*cos(x)^2 + (14\*A + 5\*B)\*a^2\*cos(x) + (43\*A + 40\*B)\*a^2)\*sqrt(a\*cos(x) + a)\*sin(x))/(cos(x) + 1)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(x))\*\*(5/2)\*(A+B\*sec(x)),x)

[Out] Timed out

**Giac [B]** time = 3.30931, size = 244, normalized size = 2.49

$$\frac{B a^{\frac{7}{2}} \log \left( \frac{\left| 2 \left( \sqrt{a} \tan\left(\frac{1}{2} x\right) - \sqrt{a \tan^2\left(\frac{1}{2} x\right) + a} \right)^2 - 4 \sqrt{2} |a| - 6 a \right|}{\left| 2 \left( \sqrt{a} \tan\left(\frac{1}{2} x\right) - \sqrt{a \tan^2\left(\frac{1}{2} x\right) + a} \right)^2 + 4 \sqrt{2} |a| - 6 a \right|} \right)}{|a|} + \frac{2 \left( 60 \sqrt{2} A a^5 + 45 \sqrt{2} B a^5 + \left( 80 \sqrt{2} A a^5 + 80 \sqrt{2} B a^5 + \left( 32 \sqrt{2} A a^5 + 32 \sqrt{2} B a^5 \right) \tan\left(\frac{1}{2} x\right) + a \right) \right)}{15 \left( a \tan\left(\frac{1}{2} x\right) + a \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(x))^(5/2)*(A+B*sec(x)),x, algorithm="giac")
```

```
[Out] B*a^(7/2)*log(abs(2*(sqrt(a)*tan(1/2*x) - sqrt(a*tan(1/2*x)^2 + a))^2 - 4*sqrt(2)*abs(a) - 6*a)/abs(2*(sqrt(a)*tan(1/2*x) - sqrt(a*tan(1/2*x)^2 + a))^2 + 4*sqrt(2)*abs(a) - 6*a))/abs(a) + 2/15*(60*sqrt(2)*A*a^5 + 45*sqrt(2)*B*a^5 + (80*sqrt(2)*A*a^5 + 80*sqrt(2)*B*a^5 + (32*sqrt(2)*A*a^5 + 35*sqrt(2)*B*a^5)*tan(1/2*x)^2)*tan(1/2*x)^2*tan(1/2*x)/(a*tan(1/2*x)^2 + a)^(5/2)
```

### 3.194 $\int (a + a \cos(x))^{3/2} (A + B \sec(x)) dx$

**Optimal.** Leaf size=72

$$\frac{2a^2(4A + 3B) \sin(x)}{3\sqrt{a \cos(x) + a}} + 2a^{3/2} B \tanh^{-1} \left( \frac{\sqrt{a} \sin(x)}{\sqrt{a \cos(x) + a}} \right) + \frac{2}{3} a A \sin(x) \sqrt{a \cos(x) + a}$$

[Out]  $2*a^{(3/2)}*B*\text{ArcTanh}[(\text{Sqrt}[a]*\text{Sin}[x])/(\text{Sqrt}[a + a*\text{Cos}[x]])] + (2*a^{2*(4*A + 3*B)}*\text{Sin}[x])/(3*\text{Sqrt}[a + a*\text{Cos}[x]]) + (2*a*A*\text{Sqrt}[a + a*\text{Cos}[x] ]*\text{Sin}[x])/3$

**Rubi [A]** time = 0.294085, antiderivative size = 72, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$ , Rules used = {2828, 2976, 2981, 2773, 206}

$$\frac{2a^2(4A + 3B) \sin(x)}{3\sqrt{a \cos(x) + a}} + 2a^{3/2} B \tanh^{-1} \left( \frac{\sqrt{a} \sin(x)}{\sqrt{a \cos(x) + a}} \right) + \frac{2}{3} a A \sin(x) \sqrt{a \cos(x) + a}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[x])^{(3/2)}*(A + B*\text{Sec}[x]), x]$

[Out]  $2*a^{(3/2)}*B*\text{ArcTanh}[(\text{Sqrt}[a]*\text{Sin}[x])/(\text{Sqrt}[a + a*\text{Cos}[x]])] + (2*a^{2*(4*A + 3*B)}*\text{Sin}[x])/(3*\text{Sqrt}[a + a*\text{Cos}[x]]) + (2*a*A*\text{Sqrt}[a + a*\text{Cos}[x] ]*\text{Sin}[x])/3$

#### Rule 2828

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_)]*(d_.) + (c_.)^{(n_.)}*((a_.) + (b_.)*\text{sin}[e_.] + (f_.)*(x_)]^{(m_.)}, x\_Symbol] \rightarrow \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(d + c*\text{Sin}[e + f*x])^n/\text{Sin}[e + f*x]^n, x] /;$  FreeQ[{a, b, c, d, e, f, m}, x] && IntegerQ[n]

#### Rule 2976

$\text{Int}[(a_.) + (b_.)*\text{sin}[e_.] + (f_.)*(x_)]^{(m_.)}*((A_.) + (B_.)*\text{sin}[e_.] + (f_.)*(x_)]*(c_.) + (d_.)*\text{sin}[e_.] + (f_.)*(x_)]^{(n_.)}, x\_Symbol] \rightarrow -\text{Simp}[(b*B*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m-1)}*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(d*f*(m+n+1)), x] + \text{Dist}[1/(d*(m+n+1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m-1)}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[a*A*d*(m+n+1) + B*(a*c*(m-1) + b*d*(n+1)) + (A*b*d*(m+n+1) - B*(b*c*m - a*d*(2*m+n)))*\text{Sin}[e + f*x], x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2981

$\text{Int}[\text{Sqrt}[(a_.) + (b_.)*\text{sin}[e_.] + (f_.)*(x_)]*(A_.) + (B_.)*\text{sin}[e_.] + (f_.)*(x_)]*(c_.) + (d_.)*\text{sin}[e_.] + (f_.)*(x_)]^{(n_.)}, x\_Symbol] \rightarrow \text{Simp}[( -2*b*B*\text{Cos}[e + f*x]*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(d*f*(2*n+3)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]), x] + \text{Dist}[(A*b*d*(2*n+3) - B*(b*c - 2*a*d*(n+1)))/(b*d*(2*n+3)), \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*(c + d*\text{Sin}[e + f*x])^n, x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

#### Rule 2773

$\text{Int}[\text{Sqrt}[(a_.) + (b_.)*\text{sin}[e_.] + (f_.)*(x_)]/((c_.) + (d_.)*\text{sin}[e_.] + (f_.)*(x_)), x\_Symbol] \rightarrow \text{Dist}[(-2*b)/f, \text{Subst}[\text{Int}[1/(b*c + a*d - d*x^2), x$

], x, (b\*cos[e + f\*x])/sqrt[a + b\*sin[e + f\*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rubi steps

$$\begin{aligned} \int (a + a \cos(x))^{3/2} (A + B \sec(x)) dx &= \int (a + a \cos(x))^{3/2} (B + A \cos(x)) \sec(x) dx \\ &= \frac{2}{3} a A \sqrt{a + a \cos(x)} \sin(x) + \frac{2}{3} \int \sqrt{a + a \cos(x)} \left( \frac{3aB}{2} + \frac{1}{2} a(4A + 3B) \cos(x) \right) \sec(x) dx \\ &= \frac{2a^2(4A + 3B) \sin(x)}{3\sqrt{a + a \cos(x)}} + \frac{2}{3} a A \sqrt{a + a \cos(x)} \sin(x) + (aB) \int \sqrt{a + a \cos(x)} \sec(x) dx \\ &= \frac{2a^2(4A + 3B) \sin(x)}{3\sqrt{a + a \cos(x)}} + \frac{2}{3} a A \sqrt{a + a \cos(x)} \sin(x) - (2a^2B) \text{Subst} \left( \int \frac{1}{a - x^2} dx, x, \sqrt{a} \sin(x) \right) \\ &= 2a^{3/2} B \tanh^{-1} \left( \frac{\sqrt{a} \sin(x)}{\sqrt{a + a \cos(x)}} \right) + \frac{2a^2(4A + 3B) \sin(x)}{3\sqrt{a + a \cos(x)}} + \frac{2}{3} a A \sqrt{a + a \cos(x)} \sin(x) \end{aligned}$$

**Mathematica [A]** time = 0.104619, size = 62, normalized size = 0.86

$$\frac{1}{3} a \sec\left(\frac{x}{2}\right) \sqrt{a(\cos(x) + 1)} \left( 2 \sin\left(\frac{x}{2}\right) (A \cos(x) + 5A + 3B) + 3\sqrt{2} B \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{x}{2}\right)\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*cos[x])^(3/2)\*(A + B\*Sec[x]), x]

[Out] (a\*Sqrt[a\*(1 + Cos[x])]\*Sec[x/2]\*(3\*Sqrt[2]\*B\*ArcTanh[Sqrt[2]\*Sin[x/2]] + 2\*(5\*A + 3\*B + A\*Cos[x])\*Sin[x/2]))/3

**Maple [B]** time = 2.882, size = 199, normalized size = 2.8

$$\frac{1}{3} \sqrt{a} \cos\left(\frac{x}{2}\right) \sqrt{a \left(\sin\left(\frac{x}{2}\right)\right)^2} \left( -4 A \sqrt{2} \sqrt{a (\sin(x/2))^2} \sqrt{a (\sin(x/2))^2} + 12 A \sqrt{2} \sqrt{a (\sin(x/2))^2} \sqrt{a} + 6 B \sqrt{2} \sqrt{a (\sin(x/2))^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(x))^(3/2)\*(A+B\*sec(x)), x)

[Out] 1/3\*a^(1/2)\*cos(1/2\*x)\*(a\*sin(1/2\*x)^2)^(1/2)\*(-4\*A\*2^(1/2)\*(a\*sin(1/2\*x)^2)^(1/2)\*a^(1/2)\*sin(1/2\*x)^2+12\*A\*2^(1/2)\*(a\*sin(1/2\*x)^2)^(1/2)\*a^(1/2)+6\*B\*2^(1/2)\*(a\*sin(1/2\*x)^2)^(1/2)\*a^(1/2)+3\*B\*ln(-4/(-2\*cos(1/2\*x)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*x)^2)^(1/2)-a\*2^(1/2)\*cos(1/2\*x)+2\*a))\*a+3\*B\*ln(4/(2\*cos(1/2\*x)+2^(1/2))\*(a\*2^(1/2)\*cos(1/2\*x)+a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*x)^2)^(1/2)+2\*a))\*a/sin(1/2\*x)/(cos(1/2\*x)^2\*a)^(1/2)



**Maxima [A]** time = 1.69244, size = 35, normalized size = 0.49

$$\frac{1}{3} \left( \sqrt{2}a \sin\left(\frac{3}{2}x\right) + 9\sqrt{2}a \sin\left(\frac{1}{2}x\right) \right) A\sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(x))^(3/2)\*(A+B\*sec(x)),x, algorithm="maxima")

[Out] 1/3\*(sqrt(2)\*a\*sin(3/2\*x) + 9\*sqrt(2)\*a\*sin(1/2\*x))\*A\*sqrt(a)

**Fricas [A]** time = 2.48128, size = 297, normalized size = 4.12

$$\frac{3(Ba \cos(x) + Ba)\sqrt{a} \log\left(\frac{a \cos(x)^3 - 7a \cos(x)^2 - 4\sqrt{a} \cos(x) + a\sqrt{a}(\cos(x)-2)\sin(x) + 8a}{\cos(x)^3 + \cos(x)^2}\right) + 4(Aa \cos(x) + (5A + 3B)a)\sqrt{a} \cos(x)}{6(\cos(x) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(x))^(3/2)\*(A+B\*sec(x)),x, algorithm="fricas")

[Out] 1/6\*(3\*(B\*a\*cos(x) + B\*a)\*sqrt(a)\*log((a\*cos(x)^3 - 7\*a\*cos(x)^2 - 4\*sqrt(a)\*cos(x) + a)\*sqrt(a)\*(cos(x) - 2)\*sin(x) + 8\*a)/(cos(x)^3 + cos(x)^2)) + 4\*(A\*a\*cos(x) + (5\*A + 3\*B)\*a)\*sqrt(a\*cos(x) + a)\*sin(x)/(cos(x) + 1)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(x))\*\*(3/2)\*(A+B\*sec(x)),x)

[Out] Timed out

**Giac [B]** time = 3.23506, size = 209, normalized size = 2.9

$$\frac{Ba^{\frac{5}{2}} \log\left(\frac{\left|2\left(\sqrt{a} \tan\left(\frac{1}{2}x\right) - \sqrt{a \tan\left(\frac{1}{2}x\right)^2 + a}\right)^2 - 4\sqrt{2}|a| - 6a\right|}{\left|2\left(\sqrt{a} \tan\left(\frac{1}{2}x\right) - \sqrt{a \tan\left(\frac{1}{2}x\right)^2 + a}\right)^2 + 4\sqrt{2}|a| - 6a\right|}\right)}{|a|} + \frac{2\left(6\sqrt{2}Aa^3 + 3\sqrt{2}Ba^3 + (4\sqrt{2}Aa^3 + 3\sqrt{2}Ba^3)\tan\left(\frac{1}{2}x\right)^2\right)\tan\left(\frac{1}{2}x\right)}{3\left(a \tan\left(\frac{1}{2}x\right)^2 + a\right)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(x))^(3/2)\*(A+B\*sec(x)),x, algorithm="giac")

[Out] B\*a^(5/2)\*log(abs(2\*(sqrt(a)\*tan(1/2\*x) - sqrt(a\*tan(1/2\*x)^2 + a))^2 - 4\*sqrt(2)\*abs(a) - 6\*a)/abs(2\*(sqrt(a)\*tan(1/2\*x) - sqrt(a\*tan(1/2\*x)^2 + a))^2 + 4\*sqrt(2)\*abs(a) - 6\*a))/abs(a) + 2/3\*(6\*sqrt(2)\*A\*a^3 + 3\*sqrt(2)\*B\*a^3 + (4\*sqrt(2)\*A\*a^3 + 3\*sqrt(2)\*B\*a^3)\*tan(1/2\*x)^2)\*tan(1/2\*x)/(a\*tan(1/2\*x)^2 + a)^(3/2)

### 3.195 $\int \sqrt{a + a \cos(x)}(A + B \sec(x)) dx$

**Optimal.** Leaf size=44

$$\frac{2aA \sin(x)}{\sqrt{a \cos(x) + a}} + 2\sqrt{a}B \tanh^{-1}\left(\frac{\sqrt{a} \sin(x)}{\sqrt{a \cos(x) + a}}\right)$$

[Out] 2\*Sqrt[a]\*B\*ArcTanh[(Sqrt[a]\*Sin[x])/Sqrt[a + a\*Cos[x]]] + (2\*a\*A\*Ssin[x])/Sqrt[a + a\*Cos[x]]

**Rubi [A]** time = 0.160331, antiderivative size = 44, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.235$ , Rules used = {2828, 2981, 2773, 206}

$$\frac{2aA \sin(x)}{\sqrt{a \cos(x) + a}} + 2\sqrt{a}B \tanh^{-1}\left(\frac{\sqrt{a} \sin(x)}{\sqrt{a \cos(x) + a}}\right)$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a\*Cos[x]]\*(A + B\*Sec[x]),x]

[Out] 2\*Sqrt[a]\*B\*ArcTanh[(Sqrt[a]\*Sin[x])/Sqrt[a + a\*Cos[x]]] + (2\*a\*A\*Ssin[x])/Sqrt[a + a\*Cos[x]]

#### Rule 2828

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.) + (c\_.))^(n\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.), x\_Symbol] :> Int[((a + b\*Sin[e + f\*x])^m\*(d + c\*Sin[e + f\*x])^n)/Sin[e + f\*x]^n, x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IntegerQ[n]

#### Rule 2981

Int[Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(-2\*b\*B\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(2\*n + 3)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(b\*d\*(2\*n + 3)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^n, x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

#### Rule 2773

Int[Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] :> Dist[(-2\*b)/f, Subst[Int[1/(b\*c + a\*d - d\*x^2), x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\begin{aligned}
\int \sqrt{a + a \cos(x)}(A + B \sec(x)) dx &= \int \sqrt{a + a \cos(x)}(B + A \cos(x)) \sec(x) dx \\
&= \frac{2aA \sin(x)}{\sqrt{a + a \cos(x)}} + B \int \sqrt{a + a \cos(x)} \sec(x) dx \\
&= \frac{2aA \sin(x)}{\sqrt{a + a \cos(x)}} - (2aB) \operatorname{Subst} \left( \int \frac{1}{a - x^2} dx, x, -\frac{a \sin(x)}{\sqrt{a + a \cos(x)}} \right) \\
&= 2\sqrt{a}B \tanh^{-1} \left( \frac{\sqrt{a} \sin(x)}{\sqrt{a + a \cos(x)}} \right) + \frac{2aA \sin(x)}{\sqrt{a + a \cos(x)}}
\end{aligned}$$

**Mathematica [A]** time = 0.0370911, size = 47, normalized size = 1.07

$$\sec\left(\frac{x}{2}\right) \sqrt{a(\cos(x) + 1)} \left( 2A \sin\left(\frac{x}{2}\right) + \sqrt{2}B \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{x}{2}\right)\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a\*Cos[x]]\*(A + B\*Sec[x]), x]

[Out] Sqrt[a\*(1 + Cos[x])] \* Sec[x/2] \* (Sqrt[2] \* B \* ArcTanh[Sqrt[2] \* Sin[x/2]] + 2 \* A \* Sin[x/2])

**Maple [B]** time = 2.702, size = 152, normalized size = 3.5

$$\cos\left(\frac{x}{2}\right) \sqrt{a \left(\sin\left(\frac{x}{2}\right)\right)^2} \left( 2A\sqrt{2} \sqrt{a \left(\sin\left(\frac{x}{2}\right)\right)^2} \sqrt{a} + B \ln \left( -4 \frac{\sqrt{a}\sqrt{2} \sqrt{a \left(\sin\left(\frac{x}{2}\right)\right)^2} - a\sqrt{2} \cos\left(\frac{x}{2}\right) + 2a}{-2 \cos\left(\frac{x}{2}\right) + \sqrt{2}} \right) a + B \ln \left( 4 \frac{a \left(\sin\left(\frac{x}{2}\right)\right)^2 - a \cos\left(\frac{x}{2}\right) + 2a}{-2 \cos\left(\frac{x}{2}\right) + \sqrt{2}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(x))^(1/2)\*(A+B\*sec(x)), x)

[Out] 1/a^(1/2)\*cos(1/2\*x)\*(a\*sin(1/2\*x)^2)^(1/2)\*(2\*A\*2^(1/2)\*(a\*sin(1/2\*x)^2)^(1/2)\*a^(1/2)+B\*ln(-4/(-2\*cos(1/2\*x)+2^(1/2))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*x)^2)^(1/2)-a\*2^(1/2)\*cos(1/2\*x)+2\*a))\*a+B\*ln(4/(2\*cos(1/2\*x)+2^(1/2))\*(a\*2^(1/2)\*cos(1/2\*x)+a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*x)^2)^(1/2)+2\*a))\*a)/sin(1/2\*x)/(cos(1/2\*x)^2\*a)^(1/2)

**Maxima [A]** time = 1.66974, size = 18, normalized size = 0.41

$$2\sqrt{2}A\sqrt{a}\sin\left(\frac{1}{2}x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(x))^(1/2)\*(A+B\*sec(x)), x, algorithm="maxima")

[Out] 2\*sqrt(2)\*A\*sqrt(a)\*sin(1/2\*x)

**Fricas [B]** time = 2.43054, size = 252, normalized size = 5.73

$$\frac{(B \cos(x) + B)\sqrt{a} \log\left(\frac{a \cos(x)^3 - 7a \cos(x)^2 - 4\sqrt{a} \cos(x) + a\sqrt{a}(\cos(x)-2)\sin(x) + 8a}{\cos(x)^3 + \cos(x)^2}\right) + 4\sqrt{a} \cos(x) + aA \sin(x)}{2(\cos(x) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(x))^(1/2)\*(A+B\*sec(x)),x, algorithm="fricas")

[Out] 1/2\*((B\*cos(x) + B)\*sqrt(a)\*log((a\*cos(x)^3 - 7\*a\*cos(x)^2 - 4\*sqrt(a)\*cos(x) + a)\*sqrt(a)\*(cos(x) - 2)\*sin(x) + 8\*a)/(cos(x)^3 + cos(x)^2)) + 4\*sqrt(a\*cos(x) + a)\*A\*sin(x))/(cos(x) + 1)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a(\cos(x) + 1)}(A + B \sec(x)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(x))\*\*(1/2)\*(A+B\*sec(x)),x)

[Out] Integral(sqrt(a\*(cos(x) + 1))\*(A + B\*sec(x)), x)

**Giac [B]** time = 3.22241, size = 155, normalized size = 3.52

$$\frac{2\sqrt{2}Aa \tan\left(\frac{1}{2}x\right)}{\sqrt{a \tan\left(\frac{1}{2}x\right)^2 + a}} + \frac{Ba^3 \log\left(\frac{\left|2\left(\sqrt{a} \tan\left(\frac{1}{2}x\right) - \sqrt{a \tan\left(\frac{1}{2}x\right)^2 + a}\right)^2 - 4\sqrt{2}|a| - 6a\right|}{\left|2\left(\sqrt{a} \tan\left(\frac{1}{2}x\right) - \sqrt{a \tan\left(\frac{1}{2}x\right)^2 + a}\right)^2 + 4\sqrt{2}|a| - 6a\right|}\right)}{|a|}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(x))^(1/2)\*(A+B\*sec(x)),x, algorithm="giac")

[Out] 2\*sqrt(2)\*A\*a\*tan(1/2\*x)/sqrt(a\*tan(1/2\*x)^2 + a) + B\*a^(3/2)\*log(abs(2\*(sqrt(a)\*tan(1/2\*x) - sqrt(a\*tan(1/2\*x)^2 + a))^2 - 4\*sqrt(2)\*abs(a) - 6\*a)/abs(2\*(sqrt(a)\*tan(1/2\*x) - sqrt(a\*tan(1/2\*x)^2 + a))^2 + 4\*sqrt(2)\*abs(a) - 6\*a))/abs(a)

$$3.196 \quad \int \frac{A+B \sec(x)}{\sqrt{a+a \cos(x)}} dx$$

**Optimal.** Leaf size=68

$$\frac{\sqrt{2}(A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(x)}{\sqrt{2}\sqrt{a \cos(x)+a}}\right)}{\sqrt{a}} + \frac{2B \tanh^{-1}\left(\frac{\sqrt{a} \sin(x)}{\sqrt{a \cos(x)+a}}\right)}{\sqrt{a}}$$

[Out] (2\*B\*ArcTanh[(Sqrt[a]\*Sin[x])/Sqrt[a + a\*Cos[x]]])/Sqrt[a] + (Sqrt[2]\*(A - B)\*ArcTanh[(Sqrt[a]\*Sin[x])/(Sqrt[2]\*Sqrt[a + a\*Cos[x]])])/Sqrt[a]

**Rubi [A]** time = 0.195222, antiderivative size = 68, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$ , Rules used = {2828, 2985, 2649, 206, 2773}

$$\frac{\sqrt{2}(A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(x)}{\sqrt{2}\sqrt{a \cos(x)+a}}\right)}{\sqrt{a}} + \frac{2B \tanh^{-1}\left(\frac{\sqrt{a} \sin(x)}{\sqrt{a \cos(x)+a}}\right)}{\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Sec[x])/Sqrt[a + a\*Cos[x]], x]

[Out] (2\*B\*ArcTanh[(Sqrt[a]\*Sin[x])/Sqrt[a + a\*Cos[x]]])/Sqrt[a] + (Sqrt[2]\*(A - B)\*ArcTanh[(Sqrt[a]\*Sin[x])/(Sqrt[2]\*Sqrt[a + a\*Cos[x]])])/Sqrt[a]

#### Rule 2828

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.) + (c\_.))^(n\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.), x\_Symbol] :> Int[((a + b\*Sin[e + f\*x])^m\*(d + c\*Sin[e + f\*x])^n)/Sin[e + f\*x]^n, x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IntegerQ[n]

#### Rule 2985

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]\*(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] :> Dist[(A\*b - a\*B)/(b\*c - a\*d), Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[(B\*c - A\*d)/(b\*c - a\*d), Int[Sqrt[a + b\*Sin[e + f\*x]]/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2649

Int[1/Sqrt[(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 2773

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[(-2*b)/f, Subst[Int[1/(b*c + a*d - d*x^2), x], x, (b*cos[e + f*x])/Sqrt[a + b*sin[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(x)}{\sqrt{a + a \cos(x)}} dx &= \int \frac{(B + A \cos(x)) \sec(x)}{\sqrt{a + a \cos(x)}} dx \\ &= \frac{B \int \sqrt{a + a \cos(x)} \sec(x) dx}{a} - (-A + B) \int \frac{1}{\sqrt{a + a \cos(x)}} dx \\ &= -\left( (2(A - B)) \operatorname{Subst} \left( \int \frac{1}{2a - x^2} dx, x, -\frac{a \sin(x)}{\sqrt{a + a \cos(x)}} \right) \right) - (2B) \operatorname{Subst} \left( \int \frac{1}{a - x^2} dx, x, -\frac{a \sin(x)}{\sqrt{a + a \cos(x)}} \right) \\ &= \frac{2B \tanh^{-1} \left( \frac{\sqrt{a} \sin(x)}{\sqrt{a + a \cos(x)}} \right)}{\sqrt{a}} + \frac{\sqrt{2}(A - B) \tanh^{-1} \left( \frac{\sqrt{a} \sin(x)}{\sqrt{2\sqrt{a + a \cos(x)}}} \right)}{\sqrt{a}} \end{aligned}$$

**Mathematica [A]** time = 0.0506302, size = 52, normalized size = 0.76

$$\frac{2 \cos\left(\frac{x}{2}\right) \left( (A - B) \tanh^{-1} \left( \sin\left(\frac{x}{2}\right) \right) + \sqrt{2} B \tanh^{-1} \left( \sqrt{2} \sin\left(\frac{x}{2}\right) \right) \right)}{\sqrt{a(\cos(x) + 1)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Sec[x])/Sqrt[a + a*Cos[x]], x]
```

```
[Out] (2*((A - B)*ArcTanh[Sin[x/2]] + Sqrt[2]*B*ArcTanh[Sqrt[2]*Sin[x/2]])*Cos[x/2])/Sqrt[a*(1 + Cos[x])]
```

**Maple [B]** time = 3.422, size = 192, normalized size = 2.8

$$\cos\left(\frac{x}{2}\right) \sqrt{a \left(\sin\left(\frac{x}{2}\right)\right)^2} \left( \sqrt{2} \ln \left( 4 \frac{\sqrt{a} \sqrt{a \left(\sin\left(\frac{x}{2}\right)\right)^2 + a}}{\cos\left(\frac{x}{2}\right)} \right) A - \sqrt{2} \ln \left( 4 \frac{\sqrt{a} \sqrt{a \left(\sin\left(\frac{x}{2}\right)\right)^2 + a}}{\cos\left(\frac{x}{2}\right)} \right) B + B \ln \left( -4 \frac{\sqrt{a} \sqrt{2} \sqrt{a \left(\sin\left(\frac{x}{2}\right)\right)^2}}{\cos\left(\frac{x}{2}\right)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(x))/(a+a*cos(x))^(1/2), x)
```

```
[Out] cos(1/2*x)*(a*sin(1/2*x)^2)^(1/2)*(2^(1/2)*ln(4/cos(1/2*x)*(a^(1/2)*(a*sin(1/2*x)^2)^(1/2)+a))*A-2^(1/2)*ln(4/cos(1/2*x)*(a^(1/2)*(a*sin(1/2*x)^2)^(1/2)+a))*B+B*ln(-4/(-2*cos(1/2*x)+2^(1/2))*(a^(1/2)*2^(1/2)*(a*sin(1/2*x)^2)^(1/2)-a*2^(1/2)*cos(1/2*x)+2*a))+B*ln(4/(2*cos(1/2*x)+2^(1/2))*(a*2^(1/2)*cos(1/2*x)+a^(1/2)*2^(1/2)*(a*sin(1/2*x)^2)^(1/2)+2*a)))/a^(1/2)/sin(1/2*x)/(cos(1/2*x)^2*a)^(1/2)
```

**Maxima [A]** time = 1.70862, size = 78, normalized size = 1.15

$$\frac{\left( \sqrt{2} \log \left( \cos\left(\frac{1}{2}x\right)^2 + \sin\left(\frac{1}{2}x\right)^2 + 2 \sin\left(\frac{1}{2}x\right) + 1 \right) - \sqrt{2} \log \left( \cos\left(\frac{1}{2}x\right)^2 + \sin\left(\frac{1}{2}x\right)^2 - 2 \sin\left(\frac{1}{2}x\right) + 1 \right) \right) A}{2\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*sec(x))/(a+a\*cos(x))^(1/2),x, algorithm="maxima")

[Out]  $\frac{1}{2} \sqrt{2} \log(\cos(1/2*x)^2 + \sin(1/2*x)^2 + 2*\sin(1/2*x) + 1) - \sqrt{2} \log(\cos(1/2*x)^2 + \sin(1/2*x)^2 - 2*\sin(1/2*x) + 1)) * A / \sqrt{a}$

**Fricas [B]** time = 2.60085, size = 354, normalized size = 5.21

$$\frac{\sqrt{2}(A - B)\sqrt{a} \log\left(-\frac{\cos(x)^2 + \frac{2\sqrt{2}\sqrt{a}\cos(x)+a\sin(x)}{\sqrt{a}} - 2\cos(x) - 3}{\cos(x)^2 + 2\cos(x) + 1}\right) - B\sqrt{a} \log\left(\frac{a\cos(x)^3 - 7a\cos(x)^2 - 4\sqrt{a}\cos(x) + a\sqrt{a}(\cos(x) - 2)\sin(x) + 8a}{\cos(x)^3 + \cos(x)^2}\right)}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*sec(x))/(a+a\*cos(x))^(1/2),x, algorithm="fricas")

[Out]  $-1/2 * (\sqrt{2} * (A - B) * \sqrt{a} * \log(-(\cos(x)^2 + 2*\sqrt{2}*\sqrt{a}*\cos(x) + a) * \sin(x) / \sqrt{a} - 2*\cos(x) - 3) / (\cos(x)^2 + 2*\cos(x) + 1)) - B*\sqrt{a} * \log((a*\cos(x)^3 - 7*a*\cos(x)^2 - 4*\sqrt{a}*\cos(x) + a)*\sqrt{a} * (\cos(x) - 2) * \sin(x) + 8*a) / (\cos(x)^3 + \cos(x)^2))) / a$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(x)}{\sqrt{a}(\cos(x) + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*sec(x))/(a+a\*cos(x))\*\*(1/2),x)

[Out] Integral((A + B\*sec(x))/sqrt(a\*(cos(x) + 1)), x)

**Giac [B]** time = 2.23482, size = 180, normalized size = 2.65

$$\frac{\sqrt{2}(A\sqrt{a} - B\sqrt{a}) \log\left(\left(\sqrt{a}\tan\left(\frac{1}{2}x\right) - \sqrt{a\tan\left(\frac{1}{2}x\right)^2 + a}\right)^2\right)}{2a} + \frac{B \log\left(\left(\sqrt{a}\tan\left(\frac{1}{2}x\right) - \sqrt{a\tan\left(\frac{1}{2}x\right)^2 + a}\right)^2 - a(2\right)}{\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*sec(x))/(a+a\*cos(x))^(1/2),x, algorithm="giac")

[Out]  $-1/2 * \sqrt{2} * (A * \sqrt{a} - B * \sqrt{a}) * \log((\sqrt{a} * \tan(1/2*x) - \sqrt{a * \tan(1/2*x)^2 + a})^2) / a + B * \log(\text{abs}((\sqrt{a} * \tan(1/2*x) - \sqrt{a * \tan(1/2*x)^2 + a})^2 - a * (2 * \sqrt{2} + 3))) / \sqrt{a} - B * \log(\text{abs}((\sqrt{a} * \tan(1/2*x) - \sqrt{a * \tan(1/2*x)^2 + a})^2 + a * (2 * \sqrt{2} - 3))) / \sqrt{a}$

$$3.197 \quad \int \frac{A+B \sec(x)}{(a+a \cos(x))^{3/2}} dx$$

**Optimal.** Leaf size=92

$$\frac{(A-5B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(x)}{\sqrt{2}\sqrt{a \cos(x)+a}}\right)}{2\sqrt{2}a^{3/2}} + \frac{2B \tanh^{-1}\left(\frac{\sqrt{a} \sin(x)}{\sqrt{a \cos(x)+a}}\right)}{a^{3/2}} + \frac{(A-B) \sin(x)}{2(a \cos(x)+a)^{3/2}}$$

[Out] (2\*B\*ArcTanh[(Sqrt[a]\*Sin[x])/Sqrt[a + a\*Cos[x]]])/a^(3/2) + ((A - 5\*B)\*ArcTanh[(Sqrt[a]\*Sin[x])/(Sqrt[2]\*Sqrt[a + a\*Cos[x]])])/(2\*Sqrt[2]\*a^(3/2)) + ((A - B)\*Sin[x])/(2\*(a + a\*Cos[x])^(3/2))

**Rubi [A]** time = 0.335956, antiderivative size = 92, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$ , Rules used = {2828, 2978, 2985, 2649, 206, 2773}

$$\frac{(A-5B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(x)}{\sqrt{2}\sqrt{a \cos(x)+a}}\right)}{2\sqrt{2}a^{3/2}} + \frac{2B \tanh^{-1}\left(\frac{\sqrt{a} \sin(x)}{\sqrt{a \cos(x)+a}}\right)}{a^{3/2}} + \frac{(A-B) \sin(x)}{2(a \cos(x)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Sec[x])/(a + a\*Cos[x])^(3/2), x]

[Out] (2\*B\*ArcTanh[(Sqrt[a]\*Sin[x])/Sqrt[a + a\*Cos[x]]])/a^(3/2) + ((A - 5\*B)\*ArcTanh[(Sqrt[a]\*Sin[x])/(Sqrt[2]\*Sqrt[a + a\*Cos[x]])])/(2\*Sqrt[2]\*a^(3/2)) + ((A - B)\*Sin[x])/(2\*(a + a\*Cos[x])^(3/2))

#### Rule 2828

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.) + (c\_.)^(n\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.), x\_Symbol] :> Int[((a + b\*Sin[e + f\*x])^m\*(d + c\*Sin[e + f\*x])^n)/Sin[e + f\*x]^n, x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IntegerQ[n]

#### Rule 2978

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2985

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] :> Dist[(A\*b - a\*B)/(b\*c - a\*d), Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[(B\*c - A\*d)/(b\*c - a\*d), Int[Sqrt[a + b\*Sin[e + f\*x]]/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]



Rule 2649

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2773

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[(-2\*b)/f, Subst[Int[1/(b\*c + a\*d - d\*x^2), x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(x)}{(a + a \cos(x))^{3/2}} dx &= \int \frac{(B + A \cos(x)) \sec(x)}{(a + a \cos(x))^{3/2}} dx \\ &= \frac{(A - B) \sin(x)}{2(a + a \cos(x))^{3/2}} + \frac{\int \frac{(2aB + \frac{1}{2}a(A-B) \cos(x)) \sec(x)}{\sqrt{a+a \cos(x)}} dx}{2a^2} \\ &= \frac{(A - B) \sin(x)}{2(a + a \cos(x))^{3/2}} + \frac{(A - 5B) \int \frac{1}{\sqrt{a+a \cos(x)}} dx}{4a} + \frac{B \int \sqrt{a + a \cos(x)} \sec(x) dx}{a^2} \\ &= \frac{(A - B) \sin(x)}{2(a + a \cos(x))^{3/2}} - \frac{(A - 5B) \text{Subst}\left(\int \frac{1}{2a-x^2} dx, x, -\frac{a \sin(x)}{\sqrt{a+a \cos(x)}}\right)}{2a} - \frac{(2B) \text{Subst}\left(\int \frac{1}{a-x^2} dx, x, \frac{a \sin(x)}{\sqrt{a+a \cos(x)}}\right)}{a} \\ &= \frac{2B \tanh^{-1}\left(\frac{\sqrt{a} \sin(x)}{\sqrt{a+a \cos(x)}}\right)}{a^{3/2}} + \frac{(A - 5B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(x)}{\sqrt{2}\sqrt{a+a \cos(x)}}\right)}{2\sqrt{2}a^{3/2}} + \frac{(A - B) \sin(x)}{2(a + a \cos(x))^{3/2}} \end{aligned}$$

**Mathematica [A]** time = 0.372451, size = 73, normalized size = 0.79

$$\frac{\frac{1}{2}(A - B) \sin(x) + (A - 5B) \cos^3\left(\frac{x}{2}\right) \tanh^{-1}\left(\sin\left(\frac{x}{2}\right)\right) + 4\sqrt{2}B \cos^3\left(\frac{x}{2}\right) \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{x}{2}\right)\right)}{(a(\cos(x) + 1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Sec[x])/(a + a\*Cos[x])^(3/2), x]

[Out] ((A - 5\*B)\*ArcTanh[Sin[x/2]]\*Cos[x/2]^3 + 4\*Sqrt[2]\*B\*ArcTanh[Sqrt[2]\*Sin[x/2]]\*Cos[x/2]^3 + ((A - B)\*Sin[x])/2)/(a\*(1 + Cos[x]))^(3/2)

**Maple [B]** time = 3.653, size = 270, normalized size = 2.9

$$\frac{1}{4} \sqrt{a \left(\sin\left(\frac{x}{2}\right)\right)^2} \left( A \ln \left( 2 \frac{2\sqrt{a}\sqrt{a(\sin(x/2))^2 + 2a}}{\cos(x/2)} \right) \sqrt{2} \left(\cos\left(\frac{x}{2}\right)\right)^2 a - 5B\sqrt{2} \ln \left( 2 \frac{2\sqrt{a}\sqrt{a(\sin(x/2))^2 + 2a}}{\cos(x/2)} \right) \right) (\cos(x/2))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(x))/(a+a*cos(x))^(3/2),x)`

[Out]  $\frac{1}{4}a^{5/2}/\cos(1/2x)*(a*\sin(1/2x)^2)^{1/2}*(A*\ln(2*(2*a^{1/2}*(a*\sin(1/2x)^2)^{1/2}+2*a)/\cos(1/2x))*2^{1/2}*\cos(1/2x)^{2*a-5*B*2^{1/2}}*\ln(2*(2*a^{1/2}*(a*\sin(1/2x)^2)^{1/2}+2*a)/\cos(1/2x))*\cos(1/2x)^{2*a+4*B*\ln(-4*(a*2^{1/2}*\cos(1/2x)-a^{1/2})*2^{1/2}*(a*\sin(1/2x)^2)^{1/2}-2*a)/(2*\cos(1/2x)-2^{1/2})))*\cos(1/2x)^{2*a+4*B*\ln(4/(2*\cos(1/2x)+2^{1/2}))*(a*2^{1/2}*\cos(1/2x)+a^{1/2})*2^{1/2}*(a*\sin(1/2x)^2)^{1/2}+2*a))*\cos(1/2x)^{2*a+A*2^{1/2}}*(a*\sin(1/2x)^2)^{1/2}*a^{1/2}-B*2^{1/2}*(a*\sin(1/2x)^2)^{1/2}*a^{1/2})/\sin(1/2x)/(\cos(1/2x)^{2*a})^{1/2}$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(x))/(a+a*cos(x))^(3/2),x, algorithm="maxima")`

[Out] Timed out

**Fricas [B]** time = 2.48969, size = 559, normalized size = 6.08

$$\frac{\sqrt{2}((A - 5B)\cos(x)^2 + 2(A - 5B)\cos(x) + A - 5B)\sqrt{a}\log\left(\frac{-a\cos(x)^2 + 2\sqrt{2}\sqrt{a\cos(x)+a}\sqrt{a}\sin(x) - 2a\cos(x) - 3a}{\cos(x)^2 + 2\cos(x) + 1}\right) - 4(B\cos(x) + B)\sqrt{a}}{8(a^2\cos(x)^2 + 2a^2\cos(x) + a^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(x))/(a+a*cos(x))^(3/2),x, algorithm="fricas")`

[Out]  $-1/8*(\sqrt{2}*((A - 5*B)*\cos(x)^2 + 2*(A - 5*B)*\cos(x) + A - 5*B)*\sqrt{a})*\log(-a*\cos(x)^2 + 2*\sqrt{2}*\sqrt{a*\cos(x) + a}*\sqrt{a}*\sin(x) - 2*a*\cos(x) - 3*a)/(\cos(x)^2 + 2*\cos(x) + 1)) - 4*(B*\cos(x) + B)*\sqrt{a}*\log((a*\cos(x)^3 - 7*a*\cos(x)^2 - 4*\sqrt{a*\cos(x) + a}*\sqrt{a}*(\cos(x) - 2)*\sin(x) + 8*a)/(\cos(x)^3 + \cos(x)^2)) - 4*\sqrt{a*\cos(x) + a}*(A - B)*\sin(x))/(a^2*\cos(x)^2 + 2*a^2*\cos(x) + a^2)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(x)}{(a(\cos(x) + 1))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(x))/(a+a*cos(x))^(3/2),x)`

[Out] `Integral((A + B*sec(x))/(a*(cos(x) + 1))^(3/2), x)`

---

**Giac [B]** time = 2.29119, size = 227, normalized size = 2.47

$$\frac{\sqrt{2}(A\sqrt{a} - 5B\sqrt{a}) \log\left(\left(\sqrt{a} \tan\left(\frac{1}{2}x\right) - \sqrt{a \tan\left(\frac{1}{2}x\right)^2 + a}\right)^2\right)}{8a^2} + \frac{B \log\left(\left(\sqrt{a} \tan\left(\frac{1}{2}x\right) - \sqrt{a \tan\left(\frac{1}{2}x\right)^2 + a}\right)^2 - a\right)}{a^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*sec(x))/(a+a\*cos(x))^(3/2),x, algorithm="giac")

[Out] -1/8\*sqrt(2)\*(A\*sqrt(a) - 5\*B\*sqrt(a))\*log((sqrt(a)\*tan(1/2\*x) - sqrt(a\*tan(1/2\*x)^2 + a))^2)/a^2 + B\*log(abs((sqrt(a)\*tan(1/2\*x) - sqrt(a\*tan(1/2\*x)^2 + a))^2 - a\*(2\*sqrt(2) + 3)))/a^(3/2) - B\*log(abs((sqrt(a)\*tan(1/2\*x) - sqrt(a\*tan(1/2\*x)^2 + a))^2 + a\*(2\*sqrt(2) - 3)))/a^(3/2) + 1/4\*sqrt(a\*tan(1/2\*x)^2 + a)\*(sqrt(2)\*A\*a - sqrt(2)\*B\*a)\*tan(1/2\*x)/a^3

$$3.198 \quad \int \frac{A+B \sec(x)}{(a+a \cos(x))^{5/2}} dx$$

**Optimal.** Leaf size=120

$$\frac{(3A - 43B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(x)}{\sqrt{2}\sqrt{a \cos(x)+a}}\right)}{16\sqrt{2}a^{5/2}} + \frac{2B \tanh^{-1}\left(\frac{\sqrt{a} \sin(x)}{\sqrt{a \cos(x)+a}}\right)}{a^{5/2}} + \frac{(3A - 11B) \sin(x)}{16a(a \cos(x) + a)^{3/2}} + \frac{(A - B) \sin(x)}{4(a \cos(x) + a)^{5/2}}$$

[Out] (2\*B\*ArcTanh[(Sqrt[a]\*Sin[x])/Sqrt[a + a\*Cos[x]]])/a^(5/2) + ((3\*A - 43\*B)\*ArcTanh[(Sqrt[a]\*Sin[x])/(Sqrt[2]\*Sqrt[a + a\*Cos[x]])])/(16\*Sqrt[2]\*a^(5/2)) + ((A - B)\*Sin[x])/(4\*(a + a\*Cos[x])^(5/2)) + ((3\*A - 11\*B)\*Sin[x])/(16\*a\*(a + a\*Cos[x])^(3/2))

**Rubi [A]** time = 0.481825, antiderivative size = 120, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$ , Rules used = {2828, 2978, 2985, 2649, 206, 2773}

$$\frac{(3A - 43B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(x)}{\sqrt{2}\sqrt{a \cos(x)+a}}\right)}{16\sqrt{2}a^{5/2}} + \frac{2B \tanh^{-1}\left(\frac{\sqrt{a} \sin(x)}{\sqrt{a \cos(x)+a}}\right)}{a^{5/2}} + \frac{(3A - 11B) \sin(x)}{16a(a \cos(x) + a)^{3/2}} + \frac{(A - B) \sin(x)}{4(a \cos(x) + a)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Sec[x])/(a + a\*Cos[x])^(5/2), x]

[Out] (2\*B\*ArcTanh[(Sqrt[a]\*Sin[x])/Sqrt[a + a\*Cos[x]]])/a^(5/2) + ((3\*A - 43\*B)\*ArcTanh[(Sqrt[a]\*Sin[x])/(Sqrt[2]\*Sqrt[a + a\*Cos[x]])])/(16\*Sqrt[2]\*a^(5/2)) + ((A - B)\*Sin[x])/(4\*(a + a\*Cos[x])^(5/2)) + ((3\*A - 11\*B)\*Sin[x])/(16\*a\*(a + a\*Cos[x])^(3/2))

#### Rule 2828

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.) + (c\_.))^(n\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.), x\_Symbol] :> Int[((a + b\*Sin[e + f\*x])^m\*(d + c\*Sin[e + f\*x])^n)/Sin[e + f\*x]^n, x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IntegerQ[n]

#### Rule 2978

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2985

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] :> Dist[(A\*b - a\*B)/(b\*c - a\*d), Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[(B\*c - A\*d)/(b\*c - a\*d), Int[Sqrt[a + b\*Sin[e + f\*x]]/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b

$\wedge 2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0]$

### Rule 2649

$\text{Int}[1/\text{Sqrt}[(a_) + (b_.)\sin[(c_) + (d_.)*(x_)]]], x\_Symbol] \rightarrow \text{Dist}[-2/d, \text{Subst}[\text{Int}[1/(2*a - x^2), x], x, (b*\text{Cos}[c + d*x])/\text{Sqrt}[a + b*\text{Sin}[c + d*x]]], x] /; \text{FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0]$

### Rule 206

$\text{Int}[(a_) + (b_.)*(x_)^2]^{-1}, x\_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

### Rule 2773

$\text{Int}[\text{Sqrt}[(a_) + (b_.)\sin[(e_) + (f_.)*(x_)]]]/((c_) + (d_.)\sin[(e_) + (f_.)*(x_)]), x\_Symbol] \rightarrow \text{Dist}[(-2*b)/f, \text{Subst}[\text{Int}[1/(b*c + a*d - d*x^2), x], x, (b*\text{Cos}[e + f*x])/\text{Sqrt}[a + b*\text{Sin}[e + f*x]]], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0]$

### Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(x)}{(a + a \cos(x))^{5/2}} dx &= \int \frac{(B + A \cos(x)) \sec(x)}{(a + a \cos(x))^{5/2}} dx \\ &= \frac{(A - B) \sin(x)}{4(a + a \cos(x))^{5/2}} + \frac{\int \frac{(4aB + \frac{3}{2}a(A-B) \cos(x)) \sec(x)}{(a + a \cos(x))^{3/2}} dx}{4a^2} \\ &= \frac{(A - B) \sin(x)}{4(a + a \cos(x))^{5/2}} + \frac{(3A - 11B) \sin(x)}{16a(a + a \cos(x))^{3/2}} + \frac{\int \frac{(8a^2B + \frac{1}{4}a^2(3A - 11B) \cos(x)) \sec(x)}{\sqrt{a + a \cos(x)}} dx}{8a^4} \\ &= \frac{(A - B) \sin(x)}{4(a + a \cos(x))^{5/2}} + \frac{(3A - 11B) \sin(x)}{16a(a + a \cos(x))^{3/2}} + \frac{(3A - 43B) \int \frac{1}{\sqrt{a + a \cos(x)}} dx}{32a^2} + \frac{B \int \sqrt{a + a \cos(x)}}{a^3} \\ &= \frac{(A - B) \sin(x)}{4(a + a \cos(x))^{5/2}} + \frac{(3A - 11B) \sin(x)}{16a(a + a \cos(x))^{3/2}} - \frac{(3A - 43B) \text{Subst}\left(\int \frac{1}{2a - x^2} dx, x, -\frac{a \sin(x)}{\sqrt{a + a \cos(x)}}\right)}{16a^2} \\ &= \frac{2B \tanh^{-1}\left(\frac{\sqrt{a} \sin(x)}{\sqrt{a + a \cos(x)}}\right)}{a^{5/2}} + \frac{(3A - 43B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(x)}{\sqrt{2\sqrt{a + a \cos(x)}}}\right)}{16\sqrt{2}a^{5/2}} + \frac{(A - B) \sin(x)}{4(a + a \cos(x))^{5/2}} + \frac{(3A - 43B) \sin(x)}{16a(a + a \cos(x))^{3/2}} \end{aligned}$$

**Mathematica [A]** time = 0.499836, size = 95, normalized size = 0.79

$$\frac{\tan\left(\frac{x}{2}\right) (3A \cos(x) + 7A - 11B \cos(x) - 15B) + 2(3A - 43B) \cos^3\left(\frac{x}{2}\right) \tanh^{-1}\left(\sin\left(\frac{x}{2}\right)\right) + 64\sqrt{2}B \cos^3\left(\frac{x}{2}\right) \tanh^{-1}\left(\sqrt{2}\right)}{16a(a(\cos(x) + 1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Sec[x])/(a + a\*Cos[x])^(5/2), x]

[Out] (2\*(3\*A - 43\*B)\*ArcTanh[Sin[x/2]]\*Cos[x/2]^3 + 64\*Sqrt[2]\*B\*ArcTanh[Sqrt[2]\*Sin[x/2]]\*Cos[x/2]^3 + (7\*A - 15\*B + 3\*A\*Cos[x] - 11\*B\*Cos[x])\*Tan[x/2])/(16\*a\*(a\*(1 + Cos[x]))^(3/2))

**Maple [B]** time = 3.66, size = 322, normalized size = 2.7

$$\frac{1}{32} \sqrt{a \left( \sin \left( \frac{x}{2} \right) \right)^2} \left( 3A \ln \left( 2 \frac{2\sqrt{a} \sqrt{a \left( \sin \left( \frac{x}{2} \right) \right)^2 + 2a}}{\cos \left( \frac{x}{2} \right)} \right) \sqrt{2} (\cos \left( \frac{x}{2} \right))^4 a - 43B \sqrt{2} \ln \left( 2 \frac{2\sqrt{a} \sqrt{a \left( \sin \left( \frac{x}{2} \right) \right)^2 + 2a}}{\cos \left( \frac{x}{2} \right)} \right) a (\cos \left( \frac{x}{2} \right))^4 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*sec(x))/(a+a\*cos(x))^(5/2),x)

[Out] 1/32/a^(7/2)/cos(1/2\*x)^3\*(a\*sin(1/2\*x)^2)^(1/2)\*(3\*A\*ln(2\*(2\*a^(1/2)\*(a\*sin(1/2\*x)^2)^(1/2)+2\*a)/cos(1/2\*x))\*2^(1/2)\*cos(1/2\*x)^4\*a-43\*B\*2^(1/2)\*ln(2\*(2\*a^(1/2)\*(a\*sin(1/2\*x)^2)^(1/2)+2\*a)/cos(1/2\*x))\*a\*cos(1/2\*x)^4+32\*B\*ln(-4\*(a\*2^(1/2)\*cos(1/2\*x)-a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*x)^2)^(1/2)-2\*a)/(2\*cos(1/2\*x)-2^(1/2)))\*a\*cos(1/2\*x)^4+32\*B\*ln(4/(2\*cos(1/2\*x)+2^(1/2)))\*(a\*2^(1/2)\*cos(1/2\*x)+a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*x)^2)^(1/2)+2\*a))\*a\*cos(1/2\*x)^4+3\*A\*a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*x)^2)^(1/2)\*cos(1/2\*x)^2-11\*B\*a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*x)^2)^(1/2)\*cos(1/2\*x)^2+2\*A\*2^(1/2)\*(a\*sin(1/2\*x)^2)^(1/2)\*a^(1/2)-2\*B\*2^(1/2)\*(a\*sin(1/2\*x)^2)^(1/2)\*a^(1/2))/sin(1/2\*x)/(cos(1/2\*x)^2\*a)^(1/2)

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*sec(x))/(a+a\*cos(x))^(5/2),x, algorithm="maxima")

[Out] Timed out

**Fricas [B]** time = 2.6152, size = 689, normalized size = 5.74

$$\sqrt{2} \left( (3A - 43B) \cos(x)^3 + 3(3A - 43B) \cos(x)^2 + 3(3A - 43B) \cos(x) + 3A - 43B \right) \sqrt{a} \log \left( -\frac{a \cos(x)^2 + 2\sqrt{2} \sqrt{a} \cos(x) + a}{\cos(x)^2 + 2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*sec(x))/(a+a\*cos(x))^(5/2),x, algorithm="fricas")

[Out] -1/64\*(sqrt(2)\*((3\*A - 43\*B)\*cos(x)^3 + 3\*(3\*A - 43\*B)\*cos(x)^2 + 3\*(3\*A - 43\*B)\*cos(x) + 3\*A - 43\*B)\*sqrt(a)\*log(-(a\*cos(x)^2 + 2\*sqrt(2)\*sqrt(a\*cos(x) + a)\*sqrt(a)\*sin(x) - 2\*a\*cos(x) - 3\*a)/(cos(x)^2 + 2\*cos(x) + 1)) - 32\*(B\*cos(x)^3 + 3\*B\*cos(x)^2 + 3\*B\*cos(x) + B)\*sqrt(a)\*log((a\*cos(x)^3 - 7\*a\*cos(x)^2 - 4\*sqrt(a\*cos(x) + a)\*sqrt(a)\*(cos(x) - 2)\*sin(x) + 8\*a)/(cos(x)^3 + cos(x)^2)) - 4\*((3\*A - 11\*B)\*cos(x) + 7\*A - 15\*B)\*sqrt(a\*cos(x) + a)\*sin(x))/(a^3\*cos(x)^3 + 3\*a^3\*cos(x)^2 + 3\*a^3\*cos(x) + a^3)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*sec(x))/(a+a\*cos(x))\*\*(5/2),x)

[Out] Timed out

---

**Giac [B]** time = 2.43033, size = 269, normalized size = 2.24

$$\frac{1}{32} \sqrt{a \tan\left(\frac{1}{2}x\right)^2 + a} \left( \frac{2\sqrt{2}(Aa^5 - Ba^5) \tan\left(\frac{1}{2}x\right)^2}{a^8} + \frac{\sqrt{2}(5Aa^5 - 13Ba^5)}{a^8} \right) \tan\left(\frac{1}{2}x\right) - \frac{\sqrt{2}(3A\sqrt{a} - 43B\sqrt{a}) \log\left(\left(\frac{\sqrt{a}\tan\left(\frac{1}{2}x\right) - \sqrt{a\tan\left(\frac{1}{2}x\right)^2 + a}}{\sqrt{a}\tan\left(\frac{1}{2}x\right) + \sqrt{a\tan\left(\frac{1}{2}x\right)^2 + a}}\right)^2 - a\right)}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*sec(x))/(a+a\*cos(x))^(5/2),x, algorithm="giac")

[Out] 1/32\*sqrt(a\*tan(1/2\*x)^2 + a)\*(2\*sqrt(2)\*(A\*a^5 - B\*a^5)\*tan(1/2\*x)^2/a^8 + sqrt(2)\*(5\*A\*a^5 - 13\*B\*a^5)/a^8)\*tan(1/2\*x) - 1/64\*sqrt(2)\*(3\*A\*sqrt(a) - 43\*B\*sqrt(a))\*log((sqrt(a)\*tan(1/2\*x) - sqrt(a\*tan(1/2\*x)^2 + a))^2/a^3 + B\*log(abs((sqrt(a)\*tan(1/2\*x) - sqrt(a\*tan(1/2\*x)^2 + a))^2 - a\*(2\*sqrt(2) + 3)))/a^(5/2) - B\*log(abs((sqrt(a)\*tan(1/2\*x) - sqrt(a\*tan(1/2\*x)^2 + a))^2 + a\*(2\*sqrt(2) - 3)))/a^(5/2)

$$3.199 \quad \int \frac{x(b+a \sin(x))}{(a+b \sin(x))^2} dx$$

**Optimal.** Leaf size=25

$$\frac{\log(a + b \sin(x))}{b} - \frac{x \cos(x)}{a + b \sin(x)}$$

[Out] Log[a + b\*Sin[x]]/b - (x\*Cos[x])/(a + b\*Sin[x])

**Rubi [A]** time = 0.0531446, antiderivative size = 25, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$ , Rules used = {4592, 2668, 31}

$$\frac{\log(a + b \sin(x))}{b} - \frac{x \cos(x)}{a + b \sin(x)}$$

Antiderivative was successfully verified.

[In] Int[(x\*(b + a\*Sin[x]))/(a + b\*Sin[x])^2,x]

[Out] Log[a + b\*Sin[x]]/b - (x\*Cos[x])/(a + b\*Sin[x])

#### Rule 4592

Int[(((e\_.) + (f\_.)\*(x\_))\*((A\_) + (B\_.)\*Sin[(c\_.) + (d\_.)\*(x\_)]))/((a\_) + (b\_.)\*Sin[(c\_.) + (d\_.)\*(x\_)])^2, x\_Symbol] := -Simp[(B\*(e + f\*x)\*Cos[c + d\*x])/(a\*d\*(a + b\*Sin[c + d\*x])), x] + Dist[(B\*f)/(a\*d), Int[Cos[c + d\*x]/(a + b\*Sin[c + d\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && EqQ[a\*A - b\*B, 0]

#### Rule 2668

Int[cos[(e\_.) + (f\_.)\*(x\_)]^(p\_.)\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.), x\_Symbol] :=> Dist[1/(b^p\*f), Subst[Int[(a + x)^m\*(b^2 - x^2)^((p - 1)/2), x], x, b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && NeQ[a^2 - b^2, 0]

#### Rule 31

Int[((a\_) + (b\_.)\*(x\_))^(n\_), x\_Symbol] :=> Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{x(b+a \sin(x))}{(a+b \sin(x))^2} dx &= -\frac{x \cos(x)}{a+b \sin(x)} + \int \frac{\cos(x)}{a+b \sin(x)} dx \\ &= -\frac{x \cos(x)}{a+b \sin(x)} + \frac{\text{Subst}\left(\int \frac{1}{a+x} dx, x, b \sin(x)\right)}{b} \\ &= \frac{\log(a+b \sin(x))}{b} - \frac{x \cos(x)}{a+b \sin(x)} \end{aligned}$$

**Mathematica [A]** time = 0.196906, size = 25, normalized size = 1.

$$\frac{\log(a + b \sin(x))}{b} - \frac{x \cos(x)}{a + b \sin(x)}$$



Antiderivative was successfully verified.

[In] Integrate[(x\*(b + a\*Sin[x]))/(a + b\*Sin[x])^2,x]

[Out] Log[a + b\*Sin[x]]/b - (x\*Cos[x])/(a + b\*Sin[x])

**Maple [B]** time = 0.337, size = 80, normalized size = 3.2

$$\left(x \left(\tan\left(\frac{x}{2}\right)\right)^4 - x\right) \left(1 + \left(\tan\left(\frac{x}{2}\right)\right)^2\right)^{-1} \left(a \left(\tan\left(\frac{x}{2}\right)\right)^2 + 2b \tan(x/2) + a\right)^{-1} + \frac{1}{b} \ln\left(a \left(\tan\left(\frac{x}{2}\right)\right)^2 + 2b \tan(x/2) + a\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(b+a\*sin(x))/(a+b\*sin(x))^2,x)

[Out] (x\*tan(1/2\*x)^4-x)/(1+tan(1/2\*x)^2)/(a\*tan(1/2\*x)^2+2\*b\*tan(1/2\*x)+a)+1/b\*ln(a\*tan(1/2\*x)^2+2\*b\*tan(1/2\*x)+a)-1/b\*ln(1+tan(1/2\*x)^2)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(b+a\*sin(x))/(a+b\*sin(x))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.53441, size = 93, normalized size = 3.72

$$-\frac{bx \cos(x) - (b \sin(x) + a) \log(b \sin(x) + a)}{b^2 \sin(x) + ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(b+a\*sin(x))/(a+b\*sin(x))^2,x, algorithm="fricas")

[Out] -(b\*x\*cos(x) - (b\*sin(x) + a)\*log(b\*sin(x) + a))/(b^2\*sin(x) + a\*b)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(b+a\*sin(x))/(a+b\*sin(x))\*\*2,x)

[Out] Timed out

---

**Giac [B]** time = 1.29717, size = 382, normalized size = 15.28

$$\frac{4bx \tan\left(\frac{1}{2}x\right)^2 + a \log\left(\frac{4\left(a^2 \tan\left(\frac{1}{2}x\right)^4 + 4ab \tan\left(\frac{1}{2}x\right)^3 + 2a^2 \tan\left(\frac{1}{2}x\right)^2 + 4b^2 \tan\left(\frac{1}{2}x\right)^2 + 4ab \tan\left(\frac{1}{2}x\right) + a^2\right)}{\tan\left(\frac{1}{2}x\right)^4 + 2 \tan\left(\frac{1}{2}x\right)^2 + 1}\right) \tan\left(\frac{1}{2}x\right)^2 + 2b \log\left(\frac{4\left(a^2 \tan\left(\frac{1}{2}x\right)^4 + 4ab \tan\left(\frac{1}{2}x\right)^3 + 2a^2 \tan\left(\frac{1}{2}x\right)^2 + 4b^2 \tan\left(\frac{1}{2}x\right)^2 + 4ab \tan\left(\frac{1}{2}x\right) + a^2\right)}{\tan\left(\frac{1}{2}x\right)^4 + 2 \tan\left(\frac{1}{2}x\right)^2 + 1}\right)}{2\left(ab \tan\left(\frac{1}{2}x\right)^2 + 2b^2 \tan\left(\frac{1}{2}x\right) + a^2\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(b+a\*sin(x))/(a+b\*sin(x))^2,x, algorithm="giac")

[Out] 1/2\*(4\*b\*x\*tan(1/2\*x)^2 + a\*log(4\*(a^2\*tan(1/2\*x)^4 + 4\*a\*b\*tan(1/2\*x)^3 + 2\*a^2\*tan(1/2\*x)^2 + 4\*b^2\*tan(1/2\*x)^2 + 4\*a\*b\*tan(1/2\*x) + a^2)/(tan(1/2\*x)^4 + 2\*tan(1/2\*x)^2 + 1))\*tan(1/2\*x)^2 + 2\*b\*log(4\*(a^2\*tan(1/2\*x)^4 + 4\*a\*b\*tan(1/2\*x)^3 + 2\*a^2\*tan(1/2\*x)^2 + 4\*b^2\*tan(1/2\*x)^2 + 4\*a\*b\*tan(1/2\*x) + a^2)/(tan(1/2\*x)^4 + 2\*tan(1/2\*x)^2 + 1))\*tan(1/2\*x) - 4\*b\*x + a\*log(4\*(a^2\*tan(1/2\*x)^4 + 4\*a\*b\*tan(1/2\*x)^3 + 2\*a^2\*tan(1/2\*x)^2 + 4\*b^2\*tan(1/2\*x)^2 + 4\*a\*b\*tan(1/2\*x) + a^2)/(tan(1/2\*x)^4 + 2\*tan(1/2\*x)^2 + 1)))/(a\*b\*tan(1/2\*x)^2 + 2\*b^2\*tan(1/2\*x) + a\*b)

$$3.200 \quad \int \frac{x(b+a \cos(x))}{(a+b \cos(x))^2} dx$$

**Optimal.** Leaf size=24

$$\frac{\log(a+b \cos(x))}{b} + \frac{x \sin(x)}{a+b \cos(x)}$$

[Out] Log[a + b\*Cos[x]]/b + (x\*Sin[x])/(a + b\*Cos[x])

**Rubi [A]** time = 0.0555215, antiderivative size = 24, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$ , Rules used = {4593, 2668, 31}

$$\frac{\log(a+b \cos(x))}{b} + \frac{x \sin(x)}{a+b \cos(x)}$$

Antiderivative was successfully verified.

[In] Int[(x\*(b + a\*Cos[x]))/(a + b\*Cos[x])^2,x]

[Out] Log[a + b\*Cos[x]]/b + (x\*Sin[x])/(a + b\*Cos[x])

#### Rule 4593

Int[(((Cos[(c\_.) + (d\_.)\*(x\_)]\*(B\_.) + (A\_.))\*((e\_.) + (f\_.)\*(x\_)))/(Cos[(c\_.) + (d\_.)\*(x\_)]\*(b\_.) + (a\_.))^2, x\_Symbol] :> Simp[(B\*(e + f\*x)\*Sin[c + d\*x])/(a\*d\*(a + b\*Cos[c + d\*x])), x] - Dist[(B\*f)/(a\*d), Int[Sin[c + d\*x]/(a + b\*Cos[c + d\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && EqQ[a\*A - b\*B, 0]

#### Rule 2668

Int[cos[(e\_.) + (f\_.)\*(x\_)]^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.), x\_Symbol] :> Dist[1/(b^p\*f), Subst[Int[(a + x)^m\*(b^2 - x^2)^((p - 1)/2), x], x, b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && NeQ[a^2 - b^2, 0]

#### Rule 31

Int[(((a\_.) + (b\_.)\*(x\_))^-1), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{x(b+a \cos(x))}{(a+b \cos(x))^2} dx &= \frac{x \sin(x)}{a+b \cos(x)} - \int \frac{\sin(x)}{a+b \cos(x)} dx \\ &= \frac{x \sin(x)}{a+b \cos(x)} + \frac{\text{Subst}\left(\int \frac{1}{a+x} dx, x, b \cos(x)\right)}{b} \\ &= \frac{\log(a+b \cos(x))}{b} + \frac{x \sin(x)}{a+b \cos(x)} \end{aligned}$$

**Mathematica [A]** time = 0.125291, size = 24, normalized size = 1.

$$\frac{\log(a+b \cos(x))}{b} + \frac{x \sin(x)}{a+b \cos(x)}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(b + a\*Cos[x]))/(a + b\*Cos[x])^2,x]

[Out] Log[a + b\*Cos[x]]/b + (x\*Sin[x])/(a + b\*Cos[x])

**Maple [B]** time = 0.166, size = 91, normalized size = 3.8

$$(2x \tan(x/2) + 2x (\tan(x/2))^3) \left(1 + \left(\tan\left(\frac{x}{2}\right)\right)^2\right)^{-1} \left(a \left(\tan\left(\frac{x}{2}\right)\right)^2 - b \left(\tan\left(\frac{x}{2}\right)\right)^2 + a + b\right)^{-1} + \frac{1}{b} \ln\left(a \left(\tan\left(\frac{x}{2}\right)\right)^2 - b \left(\tan\left(\frac{x}{2}\right)\right)^2 + a + b\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(b+a\*cos(x))/(a+b\*cos(x))^2,x)

[Out] (2\*x\*tan(1/2\*x)+2\*x\*tan(1/2\*x)^3)/(1+tan(1/2\*x)^2)/(a\*tan(1/2\*x)^2-b\*tan(1/2\*x)^2+a+b)+1/b\*ln(a\*tan(1/2\*x)^2-b\*tan(1/2\*x)^2+a+b)-1/b\*ln(1+tan(1/2\*x)^2)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(b+a\*cos(x))/(a+b\*cos(x))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.52855, size = 93, normalized size = 3.88

$$\frac{bx \sin(x) + (b \cos(x) + a) \log(-b \cos(x) - a)}{b^2 \cos(x) + ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(b+a\*cos(x))/(a+b\*cos(x))^2,x, algorithm="fricas")

[Out] (b\*x\*sin(x) + (b\*cos(x) + a)\*log(-b\*cos(x) - a))/(b^2\*cos(x) + a\*b)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(b+a\*cos(x))/(a+b\*cos(x))\*\*2,x)

[Out] Timed out

---

**Giac [B]** time = 1.32801, size = 536, normalized size = 22.33

$$a \log \left( \frac{4 \left( a^2 \tan\left(\frac{1}{2}x\right)^4 - 2ab \tan\left(\frac{1}{2}x\right)^4 + b^2 \tan\left(\frac{1}{2}x\right)^4 + 2a^2 \tan\left(\frac{1}{2}x\right)^2 - 2b^2 \tan\left(\frac{1}{2}x\right)^2 + a^2 + 2ab + b^2 \right)}{\tan\left(\frac{1}{2}x\right)^4 + 2 \tan\left(\frac{1}{2}x\right)^2 + 1} \right) \tan\left(\frac{1}{2}x\right)^2 - b \log \left( \frac{4 \left( a^2 \tan\left(\frac{1}{2}x\right)^4 - 2ab \tan\left(\frac{1}{2}x\right)^4 + b^2 \tan\left(\frac{1}{2}x\right)^4 + 2a^2 \tan\left(\frac{1}{2}x\right)^2 - 2b^2 \tan\left(\frac{1}{2}x\right)^2 + a^2 + 2ab + b^2 \right)}{\tan\left(\frac{1}{2}x\right)^4 + 2 \tan\left(\frac{1}{2}x\right)^2 + 1} \right)$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(b+a\*cos(x))/(a+b\*cos(x))^2,x, algorithm="giac")

[Out] 1/2\*(a\*log(4\*(a^2\*tan(1/2\*x)^4 - 2\*a\*b\*tan(1/2\*x)^4 + b^2\*tan(1/2\*x)^4 + 2\*a^2\*tan(1/2\*x)^2 - 2\*b^2\*tan(1/2\*x)^2 + a^2 + 2\*a\*b + b^2)/(tan(1/2\*x)^4 + 2\*tan(1/2\*x)^2 + 1))\*tan(1/2\*x)^2 - b\*log(4\*(a^2\*tan(1/2\*x)^4 - 2\*a\*b\*tan(1/2\*x)^4 + b^2\*tan(1/2\*x)^4 + 2\*a^2\*tan(1/2\*x)^2 - 2\*b^2\*tan(1/2\*x)^2 + a^2 + 2\*a\*b + b^2)/(tan(1/2\*x)^4 + 2\*tan(1/2\*x)^2 + 1))\*tan(1/2\*x)^2 + 8\*b\*x\*tan(1/2\*x) + a\*log(4\*(a^2\*tan(1/2\*x)^4 - 2\*a\*b\*tan(1/2\*x)^4 + b^2\*tan(1/2\*x)^4 + 2\*a^2\*tan(1/2\*x)^2 - 2\*b^2\*tan(1/2\*x)^2 + a^2 + 2\*a\*b + b^2)/(tan(1/2\*x)^4 + 2\*tan(1/2\*x)^2 + 1)) + b\*log(4\*(a^2\*tan(1/2\*x)^4 - 2\*a\*b\*tan(1/2\*x)^4 + b^2\*tan(1/2\*x)^4 + 2\*a^2\*tan(1/2\*x)^2 - 2\*b^2\*tan(1/2\*x)^2 + a^2 + 2\*a\*b + b^2)/(tan(1/2\*x)^4 + 2\*tan(1/2\*x)^2 + 1)))/(a\*b\*tan(1/2\*x)^2 - b^2\*tan(1/2\*x)^2 + a\*b + b^2)

$$3.201 \quad \int \frac{1+\sin^2(x)}{1-\sin^2(x)} dx$$

**Optimal.** Leaf size=8

$$2 \tan(x) - x$$

[Out] -x + 2\*Tan[x]

**Rubi [A]** time = 0.0414272, antiderivative size = 8, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.235$ , Rules used = {3171, 3175, 3767, 8}

$$2 \tan(x) - x$$

Antiderivative was successfully verified.

[In] Int[(1 + Sin[x]^2)/(1 - Sin[x]^2),x]

[Out] -x + 2\*Tan[x]

#### Rule 3171

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2)/((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] :> Simp[(B\*x)/b, x] + Dist[(A\*b - a\*B)/b, Int[1/(a + b\*Sin[e + f\*x]^2), x], x] /; FreeQ[{a, b, e, f, A, B}, x]

#### Rule 3175

Int[(u\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2)^(p\_), x\_Symbol] :> Dist[a^p, Int[ActivateTrig[u\*cos[e + f\*x]^(2\*p)], x], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a + b, 0] && IntegerQ[p]

#### Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

#### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned} \int \frac{1+\sin^2(x)}{1-\sin^2(x)} dx &= -x + 2 \int \frac{1}{1-\sin^2(x)} dx \\ &= -x + 2 \int \sec^2(x) dx \\ &= -x - 2 \operatorname{Subst}\left(\int 1 dx, x, -\tan(x)\right) \\ &= -x + 2 \tan(x) \end{aligned}$$

**Mathematica [A]** time = 0.0079257, size = 8, normalized size = 1.

$$2 \tan(x) - x$$

Antiderivative was successfully verified.

[In] Integrate[(1 + Sin[x]^2)/(1 - Sin[x]^2), x]

[Out] -x + 2\*Tan[x]

---

**Maple [A]** time = 0.022, size = 9, normalized size = 1.1

$$-x + 2 \tan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+sin(x)^2)/(1-sin(x)^2), x)

[Out] -x+2\*tan(x)

---

**Maxima [A]** time = 1.49172, size = 11, normalized size = 1.38

$$-x + 2 \tan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+sin(x)^2)/(1-sin(x)^2), x, algorithm="maxima")

[Out] -x + 2\*tan(x)

---

**Fricas [A]** time = 2.21415, size = 42, normalized size = 5.25

$$\frac{x \cos(x) - 2 \sin(x)}{\cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+sin(x)^2)/(1-sin(x)^2), x, algorithm="fricas")

[Out] -(x\*cos(x) - 2\*sin(x))/cos(x)

---

**Sympy [B]** time = 1.50302, size = 41, normalized size = 5.12

$$-\frac{x \tan^2\left(\frac{x}{2}\right)}{\tan^2\left(\frac{x}{2}\right) - 1} + \frac{x}{\tan^2\left(\frac{x}{2}\right) - 1} - \frac{4 \tan\left(\frac{x}{2}\right)}{\tan^2\left(\frac{x}{2}\right) - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+sin(x)\*\*2)/(1-sin(x)\*\*2), x)

```
[Out] -x*tan(x/2)**2/(tan(x/2)**2 - 1) + x/(tan(x/2)**2 - 1) - 4*tan(x/2)/(tan(x/2)**2 - 1)
```

---

**Giac [A]** time = 1.11664, size = 11, normalized size = 1.38

$$-x + 2 \tan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1+sin(x)^2)/(1-sin(x)^2),x, algorithm="giac")
```

```
[Out] -x + 2*tan(x)
```



$$3.202 \quad \int \frac{1 - \sin^2(x)}{1 + \sin^2(x)} dx$$

**Optimal.** Leaf size=36

$$\sqrt{2}x - x + \sqrt{2} \tan^{-1} \left( \frac{\sin(x) \cos(x)}{\sin^2(x) + \sqrt{2} + 1} \right)$$

[Out] `-x + Sqrt[2]*x + Sqrt[2]*ArcTan[(Cos[x]*Sin[x])/(1 + Sqrt[2] + Sin[x]^2)]`

**Rubi [A]** time = 0.0410113, antiderivative size = 36, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$ , Rules used = {3171, 3181, 203}

$$\sqrt{2}x - x + \sqrt{2} \tan^{-1} \left( \frac{\sin(x) \cos(x)}{\sin^2(x) + \sqrt{2} + 1} \right)$$

Antiderivative was successfully verified.

[In] `Int[(1 - Sin[x]^2)/(1 + Sin[x]^2), x]`

[Out] `-x + Sqrt[2]*x + Sqrt[2]*ArcTan[(Cos[x]*Sin[x])/(1 + Sqrt[2] + Sin[x]^2)]`

#### Rule 3171

`Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]^2)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := Simp[(B*x)/b, x] + Dist[(A*b - a*B)/b, Int[1/(a + b*Sin[e + f*x]^2), x], x] /; FreeQ[{a, b, e, f, A, B}, x]`

#### Rule 3181

`Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^2)^(-1), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/f, Subst[Int[1/(a + (a + b)*ff^2*x^2), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{a, b, e, f}, x]`

#### Rule 203

`Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])`

#### Rubi steps

$$\begin{aligned} \int \frac{1 - \sin^2(x)}{1 + \sin^2(x)} dx &= -x + 2 \int \frac{1}{1 + \sin^2(x)} dx \\ &= -x + 2 \operatorname{Subst} \left( \int \frac{1}{1 + 2x^2} dx, x, \tan(x) \right) \\ &= -x + \sqrt{2}x + \sqrt{2} \tan^{-1} \left( \frac{\cos(x) \sin(x)}{1 + \sqrt{2} + \sin^2(x)} \right) \end{aligned}$$

**Mathematica [A]** time = 0.0286231, size = 24, normalized size = 0.67

$$-2 \left( \frac{x}{2} - \frac{\tan^{-1}(\sqrt{2} \tan(x))}{\sqrt{2}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 - Sin[x]^2)/(1 + Sin[x]^2),x]

[Out] -2\*(x/2 - ArcTan[Sqrt[2]\*Tan[x]]/Sqrt[2])

**Maple [A]** time = 0.022, size = 16, normalized size = 0.4

$$\sqrt{2} \arctan\left(\tan(x) \sqrt{2}\right) - x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-sin(x)^2)/(1+sin(x)^2),x)

[Out] 2^(1/2)\*arctan(tan(x)\*2^(1/2))-x

**Maxima [A]** time = 1.48226, size = 20, normalized size = 0.56

$$\sqrt{2} \arctan\left(\sqrt{2} \tan(x)\right) - x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-sin(x)^2)/(1+sin(x)^2),x, algorithm="maxima")

[Out] sqrt(2)\*arctan(sqrt(2)\*tan(x)) - x

**Fricas [A]** time = 2.39607, size = 107, normalized size = 2.97

$$-\frac{1}{2} \sqrt{2} \arctan\left(\frac{3 \sqrt{2} \cos(x)^2 - 2 \sqrt{2}}{4 \cos(x) \sin(x)}\right) - x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-sin(x)^2)/(1+sin(x)^2),x, algorithm="fricas")

[Out] -1/2\*sqrt(2)\*arctan(1/4\*(3\*sqrt(2)\*cos(x)^2 - 2\*sqrt(2))/(cos(x)\*sin(x))) - x

**Sympy [B]** time = 77.8847, size = 416, normalized size = 11.56

$$-\frac{58x\sqrt{3-2\sqrt{2}}}{41\sqrt{2}\sqrt{3-2\sqrt{2}}+58\sqrt{3-2\sqrt{2}}}-\frac{41\sqrt{2}x\sqrt{3-2\sqrt{2}}}{41\sqrt{2}\sqrt{3-2\sqrt{2}}+58\sqrt{3-2\sqrt{2}}}+\frac{24\sqrt{2}\left(\operatorname{atan}\left(\frac{\tan\left(\frac{x}{2}\right)}{\sqrt{3-2\sqrt{2}}}\right)+\pi\left[\frac{\frac{x}{2}-\frac{\pi}{2}}{\pi}\right]\right)}{41\sqrt{2}\sqrt{3-2\sqrt{2}}+58\sqrt{3-2\sqrt{2}}}+\frac{34\left(\operatorname{atan}\left(\frac{1}{\sqrt{3-2\sqrt{2}}}\right)+\pi\left[\frac{\frac{x}{2}-\frac{\pi}{2}}{\pi}\right]\right)}{41\sqrt{2}\sqrt{3-2\sqrt{2}}+58\sqrt{3-2\sqrt{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-sin(x)\*\*2)/(1+sin(x)\*\*2),x)

[Out]  $-58x\sqrt{3 - 2\sqrt{2}}/(41\sqrt{2})\sqrt{3 - 2\sqrt{2}} + 58\sqrt{3 - 2\sqrt{2}} - 41\sqrt{2}x\sqrt{3 - 2\sqrt{2}}/(41\sqrt{2})\sqrt{3 - 2\sqrt{2}} + 58\sqrt{3 - 2\sqrt{2}} + 24\sqrt{2}(\operatorname{atan}(\tan(x/2)/\sqrt{3 - 2\sqrt{2}})) + \pi\operatorname{floor}((x/2 - \pi/2)/\pi))/(41\sqrt{2})\sqrt{3 - 2\sqrt{2}} + 58\sqrt{3 - 2\sqrt{2}} + 34(\operatorname{atan}(\tan(x/2)/\sqrt{3 - 2\sqrt{2}})) + \pi\operatorname{floor}((x/2 - \pi/2)/\pi))/(41\sqrt{2})\sqrt{3 - 2\sqrt{2}} + 58\sqrt{3 - 2\sqrt{2}} + 24\sqrt{2}\sqrt{3 - 2\sqrt{2}}\sqrt{2\sqrt{2} + 3}(\operatorname{atan}(\tan(x/2)/\sqrt{2\sqrt{2} + 3})) + \pi\operatorname{floor}((x/2 - \pi/2)/\pi))/(41\sqrt{2})\sqrt{3 - 2\sqrt{2}} + 58\sqrt{3 - 2\sqrt{2}} + 34\sqrt{3 - 2\sqrt{2}}\sqrt{2\sqrt{2} + 3}(\operatorname{atan}(\tan(x/2)/\sqrt{2\sqrt{2} + 3})) + \pi\operatorname{floor}((x/2 - \pi/2)/\pi))/(41\sqrt{2})\sqrt{3 - 2\sqrt{2}} + 58\sqrt{3 - 2\sqrt{2}}$

**Giac [A]** time = 1.11781, size = 66, normalized size = 1.83

$$\sqrt{2}\left(x + \arctan\left(-\frac{\sqrt{2}\sin(2x) - 2\sin(2x)}{\sqrt{2}\cos(2x) + \sqrt{2} - 2\cos(2x) + 2}\right)\right) - x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-sin(x)^2)/(1+sin(x)^2),x, algorithm="giac")

[Out]  $\sqrt{2}(x + \arctan(-(\sqrt{2})\sin(2*x) - 2\sin(2*x))/(\sqrt{2})\cos(2*x) + \sqrt{2} - 2\cos(2*x) + 2)) - x$

$$3.203 \quad \int \frac{1+\cos^2(x)}{1-\cos^2(x)} dx$$

**Optimal.** Leaf size=8

$$-x - 2 \cot(x)$$

[Out] -x - 2\*Cot[x]

**Rubi [A]** time = 0.0410208, antiderivative size = 8, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.235$ , Rules used = {3171, 3175, 3767, 8}

$$-x - 2 \cot(x)$$

Antiderivative was successfully verified.

[In] Int[(1 + Cos[x]^2)/(1 - Cos[x]^2), x]

[Out] -x - 2\*Cot[x]

#### Rule 3171

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2)/((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2), x\_Symbol] :> Simp[(B\*x)/b, x] + Dist[(A\*b - a\*B)/b, Int[1/(a + b\*Sin[e + f\*x]^2), x], x] /; FreeQ[{a, b, e, f, A, B}, x]

#### Rule 3175

Int[(u\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2)^(p\_), x\_Symbol] :> Dist[a^p, Int[ActivateTrig[u\*cos[e + f\*x]^(2\*p)], x], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a + b, 0] && IntegerQ[p]

#### Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_.)]^(n\_), x\_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

#### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned} \int \frac{1 + \cos^2(x)}{1 - \cos^2(x)} dx &= -x + 2 \int \frac{1}{1 - \cos^2(x)} dx \\ &= -x + 2 \int \csc^2(x) dx \\ &= -x - 2 \operatorname{Subst}\left(\int 1 dx, x, \cot(x)\right) \\ &= -x - 2 \cot(x) \end{aligned}$$

**Mathematica [A]** time = 0.0076072, size = 8, normalized size = 1.

$$-x - 2 \cot(x)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + Cos[x]^2)/(1 - Cos[x]^2), x]

[Out] -x - 2\*Cot[x]

---

**Maple [A]** time = 0.037, size = 11, normalized size = 1.4

$$-2 (\tan(x))^{-1} - x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+cos(x)^2)/(1-cos(x)^2), x)

[Out] -2/tan(x)-x

---

**Maxima [A]** time = 1.5106, size = 14, normalized size = 1.75

$$-x - \frac{2}{\tan(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(x)^2)/(1-cos(x)^2), x, algorithm="maxima")

[Out] -x - 2/tan(x)

---

**Fricas [A]** time = 2.2177, size = 42, normalized size = 5.25

$$\frac{x \sin(x) + 2 \cos(x)}{\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(x)^2)/(1-cos(x)^2), x, algorithm="fricas")

[Out] -(x\*sin(x) + 2\*cos(x))/sin(x)

---

**Sympy [A]** time = 2.48755, size = 12, normalized size = 1.5

$$-x + \tan\left(\frac{x}{2}\right) - \frac{1}{\tan\left(\frac{x}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1+cos(x)**2)/(1-cos(x)**2),x)
```

```
[Out] -x + tan(x/2) - 1/tan(x/2)
```

---

**Giac [A]** time = 1.15266, size = 22, normalized size = 2.75

$$-x - \frac{1}{\tan\left(\frac{1}{2}x\right)} + \tan\left(\frac{1}{2}x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1+cos(x)^2)/(1-cos(x)^2),x, algorithm="giac")
```

```
[Out] -x - 1/tan(1/2*x) + tan(1/2*x)
```

$$3.204 \quad \int \frac{1 - \cos^2(x)}{1 + \cos^2(x)} dx$$

**Optimal.** Leaf size=37

$$\sqrt{2}x - x - \sqrt{2} \tan^{-1} \left( \frac{\sin(x) \cos(x)}{\cos^2(x) + \sqrt{2} + 1} \right)$$

[Out] `-x + Sqrt[2]*x - Sqrt[2]*ArcTan[(Cos[x]*Sin[x])/(1 + Sqrt[2] + Cos[x]^2)]`

**Rubi [A]** time = 0.0383074, antiderivative size = 37, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$ , Rules used = {3171, 3181, 203}

$$\sqrt{2}x - x - \sqrt{2} \tan^{-1} \left( \frac{\sin(x) \cos(x)}{\cos^2(x) + \sqrt{2} + 1} \right)$$

Antiderivative was successfully verified.

[In] `Int[(1 - Cos[x]^2)/(1 + Cos[x]^2), x]`

[Out] `-x + Sqrt[2]*x - Sqrt[2]*ArcTan[(Cos[x]*Sin[x])/(1 + Sqrt[2] + Cos[x]^2)]`

#### Rule 3171

`Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)^2])/((a_) + (b_)*sin[(e_) + (f_)*(x_)^2]), x_Symbol] := Simp[(B*x)/b, x] + Dist[(A*b - a*B)/b, Int[1/(a + b*Sin[e + f*x]^2), x], x] /; FreeQ[{a, b, e, f, A, B}, x]`

#### Rule 3181

`Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)^2])^(-1), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/f, Subst[Int[1/(a + (a + b)*ff^2*x^2), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{a, b, e, f}, x]`

#### Rule 203

`Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])`

#### Rubi steps

$$\begin{aligned} \int \frac{1 - \cos^2(x)}{1 + \cos^2(x)} dx &= -x + 2 \int \frac{1}{1 + \cos^2(x)} dx \\ &= -x - 2 \operatorname{Subst} \left( \int \frac{1}{1 + 2x^2} dx, x, \cot(x) \right) \\ &= -x + \sqrt{2}x - \sqrt{2} \tan^{-1} \left( \frac{\cos(x) \sin(x)}{1 + \sqrt{2} + \cos^2(x)} \right) \end{aligned}$$

**Mathematica [A]** time = 0.0315964, size = 23, normalized size = 0.62

$$2 \left( \frac{\tan^{-1} \left( \frac{\tan(x)}{\sqrt{2}} \right)}{\sqrt{2}} - \frac{x}{2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 - Cos[x]^2)/(1 + Cos[x]^2),x]

[Out] 2\*(-x/2 + ArcTan[Tan[x]/Sqrt[2]]/Sqrt[2])

**Maple [A]** time = 0.03, size = 17, normalized size = 0.5

$$\sqrt{2} \arctan\left(\frac{\tan(x)\sqrt{2}}{2}\right) - x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-cos(x)^2)/(1+cos(x)^2),x)

[Out] 2^(1/2)\*arctan(1/2\*tan(x)\*2^(1/2))-x

**Maxima [A]** time = 1.48758, size = 22, normalized size = 0.59

$$\sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2} \tan(x)\right) - x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-cos(x)^2)/(1+cos(x)^2),x, algorithm="maxima")

[Out] sqrt(2)\*arctan(1/2\*sqrt(2)\*tan(x)) - x

**Fricas [A]** time = 2.50551, size = 104, normalized size = 2.81

$$-\frac{1}{2} \sqrt{2} \arctan\left(\frac{3\sqrt{2}\cos(x)^2 - \sqrt{2}}{4\cos(x)\sin(x)}\right) - x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-cos(x)^2)/(1+cos(x)^2),x, algorithm="fricas")

[Out] -1/2\*sqrt(2)\*arctan(1/4\*(3\*sqrt(2)\*cos(x)^2 - sqrt(2))/(cos(x)\*sin(x))) - x

**Sympy [A]** time = 5.6742, size = 61, normalized size = 1.65

$$-x + \sqrt{2} \left( \operatorname{atan}\left(\sqrt{2} \tan\left(\frac{x}{2}\right) - 1\right) + \pi \left\lfloor \frac{\frac{x}{2} - \frac{\pi}{2}}{\pi} \right\rfloor \right) + \sqrt{2} \left( \operatorname{atan}\left(\sqrt{2} \tan\left(\frac{x}{2}\right) + 1\right) + \pi \left\lfloor \frac{\frac{x}{2} - \frac{\pi}{2}}{\pi} \right\rfloor \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-cos(x)\*\*2)/(1+cos(x)\*\*2),x)



```
[Out] -x + sqrt(2)*(atan(sqrt(2)*tan(x/2) - 1) + pi*floor((x/2 - pi/2)/pi)) + sqrt(2)*(atan(sqrt(2)*tan(x/2) + 1) + pi*floor((x/2 - pi/2)/pi))
```

---

**Giac [A]** time = 1.16333, size = 66, normalized size = 1.78

$$\sqrt{2} \left( x + \arctan \left( -\frac{\sqrt{2} \sin(2x) - \sin(2x)}{\sqrt{2} \cos(2x) + \sqrt{2} - \cos(2x) + 1} \right) \right) - x$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1-cos(x)^2)/(1+cos(x)^2),x, algorithm="giac")
```

```
[Out] sqrt(2)*(x + arctan(-(sqrt(2)*sin(2*x) - sin(2*x))/(sqrt(2)*cos(2*x) + sqrt(2) - cos(2*x) + 1))) - x
```

$$3.205 \quad \int \frac{-1 + \frac{c^2}{d^2} + \sin^2(x)}{c + d \cos(x)} dx$$

**Optimal.** Leaf size=14

$$\frac{cx}{d^2} - \frac{\sin(x)}{d}$$

[Out] (c\*x)/d^2 - Sin[x]/d

**Rubi [A]** time = 0.127796, antiderivative size = 14, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$ , Rules used = {4397, 3016, 2637}

$$\frac{cx}{d^2} - \frac{\sin(x)}{d}$$

Antiderivative was successfully verified.

[In] Int[(-1 + c^2/d^2 + Sin[x]^2)/(c + d\*Cos[x]),x]

[Out] (c\*x)/d^2 - Sin[x]/d

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 3016

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)])^2, x\_Symbol] := Dist[C/b^2, Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[-a + b\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && EqQ[A\*b^2 + a^2\*C, 0]

#### Rule 2637

Int[sin[Pi/2 + (c\_) + (d\_)\*(x\_)], x\_Symbol] := Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{-1 + \frac{c^2}{d^2} + \sin^2(x)}{c + d \cos(x)} dx &= \int \frac{\frac{c^2}{d^2} - \cos^2(x)}{c + d \cos(x)} dx \\ &= -\frac{\int (-c + d \cos(x)) dx}{d^2} \\ &= \frac{cx}{d^2} - \frac{\int \cos(x) dx}{d} \\ &= \frac{cx}{d^2} - \frac{\sin(x)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.0100972, size = 14, normalized size = 1.

$$\frac{cx}{d^2} - \frac{\sin(x)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(-1 + c^2/d^2 + Sin[x]^2)/(c + d\*Cos[x]),x]

[Out] (c\*x)/d^2 - Sin[x]/d

**Maple [B]** time = 0.029, size = 32, normalized size = 2.3

$$-2 \frac{\tan(x/2)}{d(1 + (\tan(x/2))^2)} + 2 \frac{c \arctan(\tan(x/2))}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-1+c^2/d^2+sin(x)^2)/(c+d\*cos(x)),x)

[Out] -2/d\*tan(1/2\*x)/(1+tan(1/2\*x)^2)+2/d^2\*c\*arctan(tan(1/2\*x))

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+c^2/d^2+sin(x)^2)/(c+d\*cos(x)),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.38779, size = 30, normalized size = 2.14

$$\frac{cx - d \sin(x)}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+c^2/d^2+sin(x)^2)/(c+d\*cos(x)),x, algorithm="fricas")

[Out] (c\*x - d\*sin(x))/d^2

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+c\*\*2/d\*\*2+sin(x)\*\*2)/(c+d\*cos(x)),x)

[Out] Timed out

---

**Giac [A]** time = 1.15006, size = 35, normalized size = 2.5

$$\frac{cx}{d^2} - \frac{2 \tan\left(\frac{1}{2}x\right)}{\left(\tan\left(\frac{1}{2}x\right)^2 + 1\right)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+c^2/d^2+sin(x)^2)/(c+d\*cos(x)),x, algorithm="giac")

[Out] c\*x/d^2 - 2\*tan(1/2\*x)/((tan(1/2\*x)^2 + 1)\*d)

### 3.206 $\int \frac{a+b \sin^2(x)}{c+d \cos(x)} dx$

**Optimal.** Leaf size=105

$$\frac{2a \tan^{-1}\left(\frac{\sqrt{c-d} \tan\left(\frac{x}{2}\right)}{\sqrt{c+d}}\right)}{\sqrt{c-d}\sqrt{c+d}} + \frac{bcx}{d^2} - \frac{2b\sqrt{c-d}\sqrt{c+d} \tan^{-1}\left(\frac{\sqrt{c-d} \tan\left(\frac{x}{2}\right)}{\sqrt{c+d}}\right)}{d^2} - \frac{b \sin(x)}{d}$$

[Out] (b\*c\*x)/d^2 + (2\*a\*ArcTan[(Sqrt[c - d]\*Tan[x/2])/Sqrt[c + d]]/(Sqrt[c - d]\*Sqrt[c + d]) - (2\*b\*Sqrt[c - d]\*Sqrt[c + d]\*ArcTan[(Sqrt[c - d]\*Tan[x/2])/Sqrt[c + d]])/d^2 - (b\*Sin[x])/d

**Rubi [A]** time = 0.259909, antiderivative size = 105, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$ , Rules used = {4401, 2659, 205, 2695, 2735}

$$\frac{2a \tan^{-1}\left(\frac{\sqrt{c-d} \tan\left(\frac{x}{2}\right)}{\sqrt{c+d}}\right)}{\sqrt{c-d}\sqrt{c+d}} + \frac{bcx}{d^2} - \frac{2b\sqrt{c-d}\sqrt{c+d} \tan^{-1}\left(\frac{\sqrt{c-d} \tan\left(\frac{x}{2}\right)}{\sqrt{c+d}}\right)}{d^2} - \frac{b \sin(x)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Sin[x]^2)/(c + d\*Cos[x]), x]

[Out] (b\*c\*x)/d^2 + (2\*a\*ArcTan[(Sqrt[c - d]\*Tan[x/2])/Sqrt[c + d]]/(Sqrt[c - d]\*Sqrt[c + d]) - (2\*b\*Sqrt[c - d]\*Sqrt[c + d]\*ArcTan[(Sqrt[c - d]\*Tan[x/2])/Sqrt[c + d]])/d^2 - (b\*Sin[x])/d

#### Rule 4401

Int[u\_, x\_Symbol] := With[{v = ExpandTrig[u, x]}, Int[v, x] /; SumQ[v]] /; !InertTrigFreeQ[u]

#### Rule 2659

Int[((a\_) + (b\_)\*sin[Pi/2 + (c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2695

Int[(cos[(e\_) + (f\_)\*(x\_)])\*(g\_)^(p\_)\*((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_), x\_Symbol] := Simp[(g\*(g\*Cos[e + f\*x])^(p - 1)\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + p)), x] + Dist[(g^2\*(p - 1))/(b\*(m + p)), Int[(g\*Cos[e + f\*x])^(p - 2)\*(a + b\*Sin[e + f\*x])^m\*(b + a\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, e, f, g, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[p, 1] && NeQ[m + p, 0] && IntegersQ[2\*m, 2\*p]

#### Rule 2735

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])/((c_.) + (d_.)*sin[(e_.) + (f_.
)*(x_.)]), x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*
Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^2(x)}{c + d \cos(x)} dx &= \int \left( \frac{a}{c + d \cos(x)} + \frac{b \sin^2(x)}{c + d \cos(x)} \right) dx \\
&= a \int \frac{1}{c + d \cos(x)} dx + b \int \frac{\sin^2(x)}{c + d \cos(x)} dx \\
&= -\frac{b \sin(x)}{d} + (2a) \operatorname{Subst} \left( \int \frac{1}{c + d + (c - d)x^2} dx, x, \tan \left( \frac{x}{2} \right) \right) - \frac{b \int \frac{-d - c \cos(x)}{c + d \cos(x)} dx}{d} \\
&= \frac{bcx}{d^2} + \frac{2a \tan^{-1} \left( \frac{\sqrt{c-d} \tan \left( \frac{x}{2} \right)}{\sqrt{c+d}} \right)}{\sqrt{c-d} \sqrt{c+d}} - \frac{b \sin(x)}{d} + \frac{(b(-c^2 + d^2)) \int \frac{1}{c + d \cos(x)} dx}{d^2} \\
&= \frac{bcx}{d^2} + \frac{2a \tan^{-1} \left( \frac{\sqrt{c-d} \tan \left( \frac{x}{2} \right)}{\sqrt{c+d}} \right)}{\sqrt{c-d} \sqrt{c+d}} - \frac{b \sin(x)}{d} + \frac{(2b(-c^2 + d^2)) \operatorname{Subst} \left( \int \frac{1}{c + d + (c - d)x^2} dx, x, \tan \left( \frac{x}{2} \right) \right)}{d^2} \\
&= \frac{bcx}{d^2} + \frac{2a \tan^{-1} \left( \frac{\sqrt{c-d} \tan \left( \frac{x}{2} \right)}{\sqrt{c+d}} \right)}{\sqrt{c-d} \sqrt{c+d}} - \frac{2b \sqrt{c-d} \sqrt{c+d} \tan^{-1} \left( \frac{\sqrt{c-d} \tan \left( \frac{x}{2} \right)}{\sqrt{c+d}} \right)}{d^2} - \frac{b \sin(x)}{d}
\end{aligned}$$

**Mathematica [A]** time = 0.153592, size = 73, normalized size = 0.7

$$\frac{2(ad^2 + b(d^2 - c^2)) \operatorname{tanh}^{-1} \left( \frac{(c-d) \tan \left( \frac{x}{2} \right)}{\sqrt{d^2 - c^2}} \right)}{\sqrt{d^2 - c^2}} + bcx - bd \sin(x)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Sin[x]^2)/(c + d*Cos[x]), x]
```

```
[Out] (b*c*x - (2*(a*d^2 + b*(-c^2 + d^2))*ArcTanh[((c - d)*Tan[x/2])/Sqrt[-c^2 +
d^2]])/Sqrt[-c^2 + d^2] - b*d*Sin[x])/d^2
```

**Maple [A]** time = 0.042, size = 148, normalized size = 1.4

$$2 \frac{a}{\sqrt{(c+d)(c-d)}} \arctan \left( \frac{(c-d) \tan(x/2)}{\sqrt{(c+d)(c-d)}} \right) - 2 \frac{bc^2}{d^2 \sqrt{(c+d)(c-d)}} \arctan \left( \frac{(c-d) \tan(x/2)}{\sqrt{(c+d)(c-d)}} \right) + 2 \frac{b}{\sqrt{(c+d)(c-d)}} \arctan \left( \frac{(c-d) \tan(x/2)}{\sqrt{(c+d)(c-d)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*sin(x)^2)/(c+d*cos(x)), x)
```

```
[Out] 2/((c+d)*(c-d))^(1/2)*arctan((c-d)*tan(1/2*x)/((c+d)*(c-d))^(1/2))*a-2/d^2/
((c+d)*(c-d))^(1/2)*arctan((c-d)*tan(1/2*x)/((c+d)*(c-d))^(1/2))*b*c^2+2/((
c+d)*(c-d))^(1/2)*arctan((c-d)*tan(1/2*x)/((c+d)*(c-d))^(1/2))*b-2*b/d*tan(
1/2*x)/(1+tan(1/2*x)^2)+2*b/d^2*c*arctan(tan(1/2*x))
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sin(x)^2)/(c+d\*cos(x)),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.72175, size = 558, normalized size = 5.31

$$\frac{\left( (bc^2 - (a+b)d^2)\sqrt{-c^2+d^2} \log\left(\frac{2cd\cos(x) + (2c^2-d^2)\cos(x)^2 + 2\sqrt{-c^2+d^2}(c\cos(x)+d)\sin(x) - c^2 + 2d^2}{d^2\cos(x)^2 + 2cd\cos(x) + c^2}\right) + 2(bc^3 - bcd^2)x - 2(bc^2d - b^2d^3)\sin(x) \right)}{2(c^2d^2 - d^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sin(x)^2)/(c+d\*cos(x)),x, algorithm="fricas")

[Out] [1/2\*((b\*c^2 - (a + b)\*d^2)\*sqrt(-c^2 + d^2)\*log((2\*c\*d\*cos(x) + (2\*c^2 - d^2)\*cos(x)^2 + 2\*sqrt(-c^2 + d^2)\*(c\*cos(x) + d)\*sin(x) - c^2 + 2\*d^2)/(d^2\*cos(x)^2 + 2\*c\*d\*cos(x) + c^2)) + 2\*(b\*c^3 - b\*c\*d^2)\*x - 2\*(b\*c^2\*d - b\*d^3)\*sin(x))/(c^2\*d^2 - d^4), -((b\*c^2 - (a + b)\*d^2)\*sqrt(c^2 - d^2)\*arctan(-(c\*cos(x) + d)/(sqrt(c^2 - d^2)\*sin(x))) - (b\*c^3 - b\*c\*d^2)\*x + (b\*c^2\*d - b\*d^3)\*sin(x))/(c^2\*d^2 - d^4)]

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sin(x)\*\*2)/(c+d\*cos(x)),x)

[Out] Timed out

**Giac [A]** time = 1.14017, size = 149, normalized size = 1.42

$$\frac{bcx}{d^2} - \frac{2b \tan\left(\frac{1}{2}x\right)}{\left(\tan\left(\frac{1}{2}x\right)^2 + 1\right)d} + \frac{2(bc^2 - ad^2 - bd^2) \left( \pi \left[ \frac{x}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2c + 2d) + \arctan\left( -\frac{c \tan\left(\frac{1}{2}x\right) - d \tan\left(\frac{1}{2}x\right)}{\sqrt{c^2 - d^2}} \right) \right)}{\sqrt{c^2 - d^2}d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sin(x)^2)/(c+d\*cos(x)),x, algorithm="giac")

[Out] b\*c\*x/d^2 - 2\*b\*tan(1/2\*x)/((tan(1/2\*x)^2 + 1)\*d) + 2\*(b\*c^2 - a\*d^2 - b\*d^2)\*(pi\*floor(1/2\*x/pi + 1/2)\*sgn(-2\*c + 2\*d) + arctan(-(c\*tan(1/2\*x) - d\*tan(1/2\*x))/sqrt(c^2 - d^2)))/(sqrt(c^2 - d^2)\*d^2)

$$3.207 \quad \int \frac{a+b \sin^2(x)}{c+c \cos^2(x)} dx$$

**Optimal.** Leaf size=57

$$\frac{x(a+2b)}{\sqrt{2}c} - \frac{(a+2b) \tan^{-1}\left(\frac{\sin(x)\cos(x)}{\cos^2(x)+\sqrt{2}+1}\right)}{\sqrt{2}c} - \frac{bx}{c}$$

[Out]  $-\frac{(b*x)}{c} + \frac{(a+2*b)*x}{(\text{Sqrt}[2]*c)} - \frac{(a+2*b)*\text{ArcTan}[(\text{Cos}[x]*\text{Sin}[x])/(1+\text{Sqrt}[2]+\text{Cos}[x]^2)]}{(\text{Sqrt}[2]*c)}$

**Rubi [A]** time = 0.134189, antiderivative size = 57, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {12, 1166, 203}

$$\frac{x(a+2b)}{\sqrt{2}c} - \frac{(a+2b) \tan^{-1}\left(\frac{\sin(x)\cos(x)}{\cos^2(x)+\sqrt{2}+1}\right)}{\sqrt{2}c} - \frac{bx}{c}$$

Antiderivative was successfully verified.

[In] `Int[(a + b*Sin[x]^2)/(c + c*Cos[x]^2), x]`

[Out]  $-\frac{(b*x)}{c} + \frac{(a+2*b)*x}{(\text{Sqrt}[2]*c)} - \frac{(a+2*b)*\text{ArcTan}[(\text{Cos}[x]*\text{Sin}[x])/(1+\text{Sqrt}[2]+\text{Cos}[x]^2)]}{(\text{Sqrt}[2]*c)}$

#### Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

#### Rule 1166

`Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]`

#### Rule 203

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])`

#### Rubi steps



$$\begin{aligned}
\int \frac{a + b \sin^2(x)}{c + c \cos^2(x)} dx &= \text{Subst} \left( \int \frac{a + (a + b)x^2}{c(2 + 3x^2 + x^4)} dx, x, \tan(x) \right) \\
&= \frac{\text{Subst} \left( \int \frac{a + (a+b)x^2}{2+3x^2+x^4} dx, x, \tan(x) \right)}{c} \\
&= -\frac{b \text{Subst} \left( \int \frac{1}{1+x^2} dx, x, \tan(x) \right)}{c} + \frac{(a + 2b) \text{Subst} \left( \int \frac{1}{2+x^2} dx, x, \tan(x) \right)}{c} \\
&= -\frac{bx}{c} + \frac{(a + 2b)x}{\sqrt{2}c} - \frac{(a + 2b) \tan^{-1} \left( \frac{\cos(x) \sin(x)}{1 + \sqrt{2} + \cos^2(x)} \right)}{\sqrt{2}c}
\end{aligned}$$

**Mathematica [A]** time = 0.0885643, size = 34, normalized size = 0.6

$$-\frac{(-a - 2b) \tan^{-1} \left( \frac{\tan(x)}{\sqrt{2}} \right)}{\sqrt{2}c} - \frac{bx}{c}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Sin[x]^2)/(c + c\*Cos[x]^2),x]

[Out] -((b\*x)/c) - ((-a - 2\*b)\*ArcTan[Tan[x]/Sqrt[2]])/(Sqrt[2]\*c)

**Maple [A]** time = 0.032, size = 44, normalized size = 0.8

$$\frac{\sqrt{2}a}{2c} \arctan \left( \frac{\tan(x) \sqrt{2}}{2} \right) + \frac{\sqrt{2}b}{c} \arctan \left( \frac{\tan(x) \sqrt{2}}{2} \right) - \frac{b \arctan(\tan(x))}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*sin(x)^2)/(c+c\*cos(x)^2),x)

[Out] 1/2/c\*2^(1/2)\*arctan(1/2\*tan(x)\*2^(1/2))\*a+1/c\*2^(1/2)\*arctan(1/2\*tan(x)\*2^(1/2))\*b-1/c\*b\*arctan(tan(x))

**Maxima [A]** time = 1.49859, size = 39, normalized size = 0.68

$$\frac{\sqrt{2}(a + 2b) \arctan \left( \frac{1}{2} \sqrt{2} \tan(x) \right)}{2c} - \frac{bx}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sin(x)^2)/(c+c\*cos(x)^2),x, algorithm="maxima")

[Out] 1/2\*sqrt(2)\*(a + 2\*b)\*arctan(1/2\*sqrt(2)\*tan(x))/c - b\*x/c

**Fricas [A]** time = 2.56949, size = 128, normalized size = 2.25

$$\frac{\sqrt{2}(a+2b)\arctan\left(\frac{3\sqrt{2}\cos(x)^2-\sqrt{2}}{4\cos(x)\sin(x)}\right)+4bx}{4c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sin(x)^2)/(c+c\*cos(x)^2),x, algorithm="fricas")

[Out] -1/4\*(sqrt(2)\*(a + 2\*b)\*arctan(1/4\*(3\*sqrt(2)\*cos(x)^2 - sqrt(2))/(cos(x)\*sin(x))) + 4\*b\*x)/c

**Sympy [B]** time = 27.9418, size = 143, normalized size = 2.51

$$\frac{\sqrt{2}a\left(\operatorname{atan}\left(\sqrt{2}\tan\left(\frac{x}{2}\right)-1\right)+\pi\left\lfloor\frac{\frac{x}{2}-\frac{\pi}{2}}{\pi}\right\rfloor\right)}{2c}+\frac{\sqrt{2}a\left(\operatorname{atan}\left(\sqrt{2}\tan\left(\frac{x}{2}\right)+1\right)+\pi\left\lfloor\frac{\frac{x}{2}-\frac{\pi}{2}}{\pi}\right\rfloor\right)}{2c}-\frac{bx}{c}+\frac{\sqrt{2}b\left(\operatorname{atan}\left(\sqrt{2}\tan\left(\frac{x}{2}\right)-1\right)+\pi\left\lfloor\frac{\frac{x}{2}-\frac{\pi}{2}}{\pi}\right\rfloor\right)}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sin(x)\*\*2)/(c+c\*cos(x)\*\*2),x)

[Out] sqrt(2)\*a\*(atan(sqrt(2)\*tan(x/2) - 1) + pi\*floor((x/2 - pi/2)/pi))/(2\*c) + sqrt(2)\*a\*(atan(sqrt(2)\*tan(x/2) + 1) + pi\*floor((x/2 - pi/2)/pi))/(2\*c) - b\*x/c + sqrt(2)\*b\*(atan(sqrt(2)\*tan(x/2) - 1) + pi\*floor((x/2 - pi/2)/pi))/c + sqrt(2)\*b\*(atan(sqrt(2)\*tan(x/2) + 1) + pi\*floor((x/2 - pi/2)/pi))/c

**Giac [A]** time = 1.09982, size = 84, normalized size = 1.47

$$\frac{\sqrt{2}(a+2b)\left(x+\arctan\left(-\frac{\sqrt{2}\sin(2x)-\sin(2x)}{\sqrt{2}\cos(2x)+\sqrt{2}-\cos(2x)+1}\right)\right)}{2c}-\frac{bx}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sin(x)^2)/(c+c\*cos(x)^2),x, algorithm="giac")

[Out] 1/2\*sqrt(2)\*(a + 2\*b)\*(x + arctan(-(sqrt(2)\*sin(2\*x) - sin(2\*x))/(sqrt(2)\*cos(2\*x) + sqrt(2) - cos(2\*x) + 1)))/c - b\*x/c

$$3.208 \quad \int \frac{a+b \sin^2(x)}{c-c \cos^2(x)} dx$$

**Optimal.** Leaf size=15

$$\frac{bx}{c} - \frac{a \cot(x)}{c}$$

[Out] (b\*x)/c - (a\*Cot[x])/c

**Rubi [A]** time = 0.0890223, antiderivative size = 15, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.1$ , Rules used = {453, 205}

$$\frac{bx}{c} - \frac{a \cot(x)}{c}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Sin[x]^2)/(c - c\*Cos[x]^2), x]

[Out] (b\*x)/c - (a\*Cot[x])/c

#### Rule 453

Int[((e\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] :> Simp[(c\*(e\*x)^(m + 1)\*(a + b\*x^n)^(p + 1))/(a\*e\*(m + 1)), x] + Dist[(a\*d\*(m + 1) - b\*c\*(m + n\*(p + 1) + 1))/(a\*e^n\*(m + 1)), Int[(e\*x)^(m + n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b\*c - a\*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rubi steps

$$\begin{aligned} \int \frac{a+b \sin^2(x)}{c-c \cos^2(x)} dx &= \text{Subst} \left( \int \frac{a+(a+b)x^2}{x^2(c+cx^2)} dx, x, \tan(x) \right) \\ &= -\frac{a \cot(x)}{c} + b \text{Subst} \left( \int \frac{1}{c+cx^2} dx, x, \tan(x) \right) \\ &= \frac{bx}{c} - \frac{a \cot(x)}{c} \end{aligned}$$

**Mathematica [A]** time = 0.0129729, size = 15, normalized size = 1.

$$\frac{bx}{c} - \frac{a \cot(x)}{c}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Sin[x]^2)/(c - c\*Cos[x]^2), x]

[Out]  $(b*x)/c - (a*\text{Cot}[x])/c$

---

**Maple [A]** time = 0.031, size = 20, normalized size = 1.3

$$-\frac{a}{c \tan(x)} + \frac{b \arctan(\tan(x))}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*sin(x)^2)/(c-c*cos(x)^2),x)`

[Out] `-1/c*a/tan(x)+1/c*b*arctan(tan(x))`

---

**Maxima [A]** time = 1.56041, size = 23, normalized size = 1.53

$$\frac{bx}{c} - \frac{a}{c \tan(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sin(x)^2)/(c-c*cos(x)^2),x, algorithm="maxima")`

[Out] `b*x/c - a/(c*tan(x))`

---

**Fricas [A]** time = 2.34039, size = 49, normalized size = 3.27

$$\frac{bx \sin(x) - a \cos(x)}{c \sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sin(x)^2)/(c-c*cos(x)^2),x, algorithm="fricas")`

[Out] `(b*x*sin(x) - a*cos(x))/(c*sin(x))`

---

**Sympy [B]** time = 1.87029, size = 24, normalized size = 1.6

$$\frac{a \tan\left(\frac{x}{2}\right)}{2c} - \frac{a}{2c \tan\left(\frac{x}{2}\right)} + \frac{bx}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sin(x)**2)/(c-c*cos(x)**2),x)`

[Out] `a*tan(x/2)/(2*c) - a/(2*c*tan(x/2)) + b*x/c`

---

**Giac [A]** time = 1.16905, size = 39, normalized size = 2.6

$$\frac{bx}{c} + \frac{a \tan\left(\frac{1}{2}x\right)}{2c} - \frac{a}{2c \tan\left(\frac{1}{2}x\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sin(x)^2)/(c-c*cos(x)^2),x, algorithm="giac")
```

```
[Out] b*x/c + 1/2*a*tan(1/2*x)/c - 1/2*a/(c*tan(1/2*x))
```

$$3.209 \quad \int \frac{a+b \sin^2(x)}{c+d \cos^2(x)} dx$$

**Optimal.** Leaf size=49

$$\frac{(ad + b(c + d)) \tan^{-1} \left( \frac{\sqrt{c} \tan(x)}{\sqrt{c+d}} \right)}{\sqrt{cd} \sqrt{c+d}} - \frac{bx}{d}$$

[Out] -((b\*x)/d) + ((a\*d + b\*(c + d))\*ArcTan[(Sqrt[c]\*Tan[x])/Sqrt[c + d]])/(Sqrt[c]\*d\*Sqrt[c + d])

**Rubi [A]** time = 0.149867, antiderivative size = 49, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {522, 203, 205}

$$\frac{(ad + b(c + d)) \tan^{-1} \left( \frac{\sqrt{c} \tan(x)}{\sqrt{c+d}} \right)}{\sqrt{cd} \sqrt{c+d}} - \frac{bx}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Sin[x]^2)/(c + d\*Cos[x]^2),x]

[Out] -((b\*x)/d) + ((a\*d + b\*(c + d))\*ArcTan[(Sqrt[c]\*Tan[x])/Sqrt[c + d]])/(Sqrt[c]\*d\*Sqrt[c + d])

#### Rule 522

Int[((e\_) + (f\_.)\*(x\_)^(n\_))/(((a\_) + (b\_.)\*(x\_)^(n\_))\*((c\_) + (d\_.)\*(x\_)^(n\_))), x\_Symbol] :> Dist[(b\*e - a\*f)/(b\*c - a\*d), Int[1/(a + b\*x^n), x], x] - Dist[(d\*e - c\*f)/(b\*c - a\*d), Int[1/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[Rt[b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rubi steps

$$\begin{aligned} \int \frac{a+b \sin^2(x)}{c+d \cos^2(x)} dx &= \text{Subst} \left( \int \frac{a+(a+b)x^2}{(1+x^2)(c+d+cx^2)} dx, x, \tan(x) \right) \\ &= -\frac{b \text{Subst} \left( \int \frac{1}{1+x^2} dx, x, \tan(x) \right)}{d} + \frac{(ad+b(c+d)) \text{Subst} \left( \int \frac{1}{c+d+cx^2} dx, x, \tan(x) \right)}{d} \\ &= -\frac{bx}{d} + \frac{(ad+b(c+d)) \tan^{-1} \left( \frac{\sqrt{c} \tan(x)}{\sqrt{c+d}} \right)}{\sqrt{cd} \sqrt{c+d}} \end{aligned}$$

**Mathematica [A]** time = 0.159684, size = 47, normalized size = 0.96

$$\frac{(ad+b(c+d)) \tan^{-1}\left(\frac{\sqrt{c} \tan(x)}{\sqrt{c+d}}\right) - bx}{\frac{\sqrt{c}\sqrt{c+d}}{d}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Sin[x]^2)/(c + d\*Cos[x]^2), x]

[Out]  $(-(b*x) + ((a*d + b*(c + d))*ArcTan[(Sqrt[c]*Tan[x])/Sqrt[c + d]])/(Sqrt[c]*Sqrt[c + d]))/d$

**Maple [A]** time = 0.038, size = 78, normalized size = 1.6

$$a \arctan\left(\tan(x) c \frac{1}{\sqrt{(c+d)c}}\right) \frac{1}{\sqrt{(c+d)c}} + \frac{cb}{d} \arctan\left(\tan(x) c \frac{1}{\sqrt{(c+d)c}}\right) \frac{1}{\sqrt{(c+d)c}} + b \arctan\left(\tan(x) c \frac{1}{\sqrt{(c+d)c}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*sin(x)^2)/(c+d\*cos(x)^2), x)

[Out]  $1/((c+d)*c)^{(1/2)}*\arctan(\tan(x)*c/((c+d)*c)^{(1/2)})*a+1/d/((c+d)*c)^{(1/2)}*\arctan(\tan(x)*c/((c+d)*c)^{(1/2)})*c*b+1/((c+d)*c)^{(1/2)}*\arctan(\tan(x)*c/((c+d)*c)^{(1/2)})*b-b/d*\arctan(\tan(x))$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sin(x)^2)/(c+d\*cos(x)^2), x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.87929, size = 547, normalized size = 11.16

$$\frac{(bc + (a + b)d)\sqrt{-c^2 - cd} \log\left(\frac{(8c^2 + 8cd + d^2)\cos(x)^4 - 2(4c^2 + 3cd)\cos(x)^2 + 4((2c + d)\cos(x)^3 - c\cos(x))\sqrt{-c^2 - cd}\sin(x) + c^2}{d^2\cos(x)^4 + 2cd\cos(x)^2 + c^2}\right) + 4(bc^2 + b^2cd)}{4(c^2d + cd^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sin(x)^2)/(c+d\*cos(x)^2), x, algorithm="fricas")

[Out]  $[-1/4*((b*c + (a + b)*d)*sqrt(-c^2 - c*d)*log(((8*c^2 + 8*c*d + d^2)*cos(x)^4 - 2*(4*c^2 + 3*c*d)*cos(x)^2 + 4*((2*c + d)*cos(x)^3 - c*cos(x))*sqrt(-c^2 - c*d)*sin(x) + c^2)/(d^2*cos(x)^4 + 2*c*d*cos(x)^2 + c^2)) + 4*(b*c^2 + b*c*d)*x]/(c^2*d + c*d^2), -1/2*((b*c + (a + b)*d)*sqrt(c^2 + c*d)*arctan($

$$1/2*((2*c + d)*\cos(x)^2 - c)/(\sqrt{c^2 + c*d}*\cos(x)*\sin(x)) + 2*(b*c^2 + b*c*d)*x/(c^2*d + c*d^2]$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sin(x)\*\*2)/(c+d\*cos(x)\*\*2),x)

[Out] Timed out

**Giac [A]** time = 1.14524, size = 78, normalized size = 1.59

$$-\frac{bx}{d} + \frac{\left(\pi \left\lfloor \frac{x}{\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(c) + \arctan\left(\frac{c \tan(x)}{\sqrt{c^2 + cd}}\right)\right)(bc + ad + bd)}{\sqrt{c^2 + cdd}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sin(x)^2)/(c+d\*cos(x)^2),x, algorithm="giac")

[Out] -b\*x/d + (pi\*floor(x/pi + 1/2)\*sgn(c) + arctan(c\*tan(x)/sqrt(c^2 + c\*d)))\*(b\*c + a\*d + b\*d)/(sqrt(c^2 + c\*d)\*d)



$$3.210 \quad \int \frac{-1 + \frac{c^2}{d^2} + \cos^2(x)}{c + d \sin(x)} dx$$

**Optimal.** Leaf size=13

$$\frac{cx}{d^2} + \frac{\cos(x)}{d}$$

[Out] (c\*x)/d^2 + Cos[x]/d

**Rubi [A]** time = 0.11933, antiderivative size = 13, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$ , Rules used = {4397, 3016, 2638}

$$\frac{cx}{d^2} + \frac{\cos(x)}{d}$$

Antiderivative was successfully verified.

[In] Int[(-1 + c^2/d^2 + Cos[x]^2)/(c + d\*Sin[x]),x]

[Out] (c\*x)/d^2 + Cos[x]/d

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 3016

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)])^2, x\_Symbol] := Dist[C/b^2, Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[-a + b\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && EqQ[A\*b^2 + a^2\*C, 0]

#### Rule 2638

Int[sin[(c\_) + (d\_)\*(x\_)], x\_Symbol] := -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{-1 + \frac{c^2}{d^2} + \cos^2(x)}{c + d \sin(x)} dx &= \int \frac{\frac{c^2}{d^2} - \sin^2(x)}{c + d \sin(x)} dx \\ &= -\frac{\int (-c + d \sin(x)) dx}{d^2} \\ &= \frac{cx}{d^2} - \frac{\int \sin(x) dx}{d} \\ &= \frac{cx}{d^2} + \frac{\cos(x)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.0100794, size = 13, normalized size = 1.

$$\frac{cx}{d^2} + \frac{\cos(x)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(-1 + c^2/d^2 + Cos[x]^2)/(c + d\*Sin[x]),x]

[Out] (c\*x)/d^2 + Cos[x]/d

**Maple [B]** time = 0.044, size = 28, normalized size = 2.2

$$2 \frac{1}{d(1 + (\tan(x/2))^2)} + 2 \frac{c \arctan(\tan(x/2))}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-1+c^2/d^2+cos(x)^2)/(c+d\*sin(x)),x)

[Out] 2/d/(1+tan(1/2\*x)^2)+2/d^2\*c\*arctan(tan(1/2\*x))

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+c^2/d^2+cos(x)^2)/(c+d\*sin(x)),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.41321, size = 30, normalized size = 2.31

$$\frac{cx + d \cos(x)}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+c^2/d^2+cos(x)^2)/(c+d\*sin(x)),x, algorithm="fricas")

[Out] (c\*x + d\*cos(x))/d^2

**Sympy [B]** time = 152.837, size = 76, normalized size = 5.85

$$\frac{cx \tan^2\left(\frac{x}{2}\right)}{d^2 \tan^2\left(\frac{x}{2}\right) + d^2} + \frac{cx}{d^2 \tan^2\left(\frac{x}{2}\right) + d^2} - \frac{d \tan^2\left(\frac{x}{2}\right)}{d^2 \tan^2\left(\frac{x}{2}\right) + d^2} + \frac{d}{d^2 \tan^2\left(\frac{x}{2}\right) + d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+c\*\*2/d\*\*2+cos(x)\*\*2)/(c+d\*sin(x)),x)

```
[Out] c*x*tan(x/2)**2/(d**2*tan(x/2)**2 + d**2) + c*x/(d**2*tan(x/2)**2 + d**2) -
d*tan(x/2)**2/(d**2*tan(x/2)**2 + d**2) + d/(d**2*tan(x/2)**2 + d**2)
```

**Giac [A]** time = 1.1409, size = 30, normalized size = 2.31

$$\frac{cx}{d^2} + \frac{2}{\left(\tan\left(\frac{1}{2}x\right)^2 + 1\right)d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-1+c^2/d^2+cos(x)^2)/(c+d*sin(x)),x, algorithm="giac")
```

```
[Out] c*x/d^2 + 2/((tan(1/2*x)^2 + 1)*d)
```

### 3.211 $\int \frac{a+b \cos^2(x)}{c+d \sin(x)} dx$

**Optimal.** Leaf size=100

$$\frac{2a \tan^{-1}\left(\frac{c \tan\left(\frac{x}{2}\right)+d}{\sqrt{c^2-d^2}}\right)}{\sqrt{c^2-d^2}} - \frac{2b\sqrt{c^2-d^2} \tan^{-1}\left(\frac{c \tan\left(\frac{x}{2}\right)+d}{\sqrt{c^2-d^2}}\right)}{d^2} + \frac{bcx}{d^2} + \frac{b \cos(x)}{d}$$

[Out] (b\*c\*x)/d^2 + (2\*a\*ArcTan[(d + c\*Tan[x/2])/Sqrt[c^2 - d^2]])/Sqrt[c^2 - d^2] - (2\*b\*Sqrt[c^2 - d^2]\*ArcTan[(d + c\*Tan[x/2])/Sqrt[c^2 - d^2]])/d^2 + (b\*Cos[x])/d

**Rubi [A]** time = 0.240105, antiderivative size = 100, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 6, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$ , Rules used = {4401, 2660, 618, 204, 2695, 2735}

$$\frac{2a \tan^{-1}\left(\frac{c \tan\left(\frac{x}{2}\right)+d}{\sqrt{c^2-d^2}}\right)}{\sqrt{c^2-d^2}} - \frac{2b\sqrt{c^2-d^2} \tan^{-1}\left(\frac{c \tan\left(\frac{x}{2}\right)+d}{\sqrt{c^2-d^2}}\right)}{d^2} + \frac{bcx}{d^2} + \frac{b \cos(x)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[x]^2)/(c + d\*Sin[x]),x]

[Out] (b\*c\*x)/d^2 + (2\*a\*ArcTan[(d + c\*Tan[x/2])/Sqrt[c^2 - d^2]])/Sqrt[c^2 - d^2] - (2\*b\*Sqrt[c^2 - d^2]\*ArcTan[(d + c\*Tan[x/2])/Sqrt[c^2 - d^2]])/d^2 + (b\*Cos[x])/d

#### Rule 4401

Int[u\_, x\_Symbol] := With[{v = ExpandTrig[u, x]}, Int[v, x] /; SumQ[v]] /; !InertTrigFreeQ[u]

#### Rule 2660

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + 2\*b\*e\*x + a\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 618

Int[((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(-1), x\_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

#### Rule 204

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

#### Rule 2695

Int[(cos[(e\_) + (f\_)\*(x\_)])\*(g\_)^(p\_)\*((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_), x\_Symbol] := Simp[(g\*(g\*Cos[e + f\*x])^(p - 1)\*(a + b\*Sin[e + f\*x

```

])^(m + 1))/(b*f*(m + p)), x] + Dist[(g^2*(p - 1))/(b*(m + p)), Int[(g*Cos[
e + f*x])^(p - 2)*(a + b*Sin[e + f*x])^m*(b + a*Sin[e + f*x]), x], x] /; Fr
eeQ[{a, b, e, f, g, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[p, 1] && NeQ[m + p,
0] && IntegersQ[2*m, 2*p]

```

### Rule 2735

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])/((c_.) + (d_.)*sin[(e_.) + (f_.
)*(x_.)]), x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*
Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

```

### Rubi steps

$$\begin{aligned}
 \int \frac{a + b \cos^2(x)}{c + d \sin(x)} dx &= \int \left( \frac{a}{c + d \sin(x)} + \frac{b \cos^2(x)}{c + d \sin(x)} \right) dx \\
 &= a \int \frac{1}{c + d \sin(x)} dx + b \int \frac{\cos^2(x)}{c + d \sin(x)} dx \\
 &= \frac{b \cos(x)}{d} + (2a) \operatorname{Subst} \left( \int \frac{1}{c + 2dx + cx^2} dx, x, \tan\left(\frac{x}{2}\right) \right) + \frac{b \int \frac{d+c \sin(x)}{c+d \sin(x)} dx}{d} \\
 &= \frac{bcx}{d^2} + \frac{b \cos(x)}{d} - (4a) \operatorname{Subst} \left( \int \frac{1}{-4(c^2 - d^2) - x^2} dx, x, 2d + 2c \tan\left(\frac{x}{2}\right) \right) - \frac{(b(c^2 - d^2)) \int \frac{1}{c+d \sin(x)} dx}{d^2} \\
 &= \frac{bcx}{d^2} + \frac{2a \tan^{-1} \left( \frac{d+c \tan\left(\frac{x}{2}\right)}{\sqrt{c^2 - d^2}} \right)}{\sqrt{c^2 - d^2}} + \frac{b \cos(x)}{d} - \frac{(2b(c^2 - d^2)) \operatorname{Subst} \left( \int \frac{1}{c+2dx+cx^2} dx, x, \tan\left(\frac{x}{2}\right) \right)}{d^2} \\
 &= \frac{bcx}{d^2} + \frac{2a \tan^{-1} \left( \frac{d+c \tan\left(\frac{x}{2}\right)}{\sqrt{c^2 - d^2}} \right)}{\sqrt{c^2 - d^2}} + \frac{b \cos(x)}{d} + \frac{(4b(c^2 - d^2)) \operatorname{Subst} \left( \int \frac{1}{-4(c^2 - d^2) - x^2} dx, x, 2d + 2c \tan\left(\frac{x}{2}\right) \right)}{d^2} \\
 &= \frac{bcx}{d^2} + \frac{2a \tan^{-1} \left( \frac{d+c \tan\left(\frac{x}{2}\right)}{\sqrt{c^2 - d^2}} \right)}{\sqrt{c^2 - d^2}} - \frac{2b\sqrt{c^2 - d^2} \tan^{-1} \left( \frac{d+c \tan\left(\frac{x}{2}\right)}{\sqrt{c^2 - d^2}} \right)}{d^2} + \frac{b \cos(x)}{d}
 \end{aligned}$$

**Mathematica [A]** time = 0.189639, size = 72, normalized size = 0.72

$$\frac{2(ad^2 + b(d^2 - c^2)) \tan^{-1} \left( \frac{c \tan\left(\frac{x}{2}\right) + d}{\sqrt{c^2 - d^2}} \right)}{\sqrt{c^2 - d^2}} + b(cx + d \cos(x))}{d^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[x]^2)/(c + d*Sin[x]), x]
```

```
[Out] ((2*(a*d^2 + b*(-c^2 + d^2))*ArcTan[(d + c*Tan[x/2])/Sqrt[c^2 - d^2]])/Sqrt[c^2 - d^2] + b*(c*x + d*Cos[x]))/d^2
```

**Maple [A]** time = 0.033, size = 153, normalized size = 1.5

$$2 \frac{a}{\sqrt{c^2 - d^2}} \arctan \left( \frac{1}{2} \frac{2c \tan(x/2) + 2d}{\sqrt{c^2 - d^2}} \right) - 2 \frac{c^2 b}{d^2 \sqrt{c^2 - d^2}} \arctan \left( \frac{1}{2} \frac{2c \tan(x/2) + 2d}{\sqrt{c^2 - d^2}} \right) + 2 \frac{b}{\sqrt{c^2 - d^2}} \arctan \left( \frac{1}{2} \frac{2c \tan(x/2) + 2d}{\sqrt{c^2 - d^2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(x)^2)/(c+d*sin(x)),x)`

[Out]  $2/(c^2-d^2)^{1/2} \arctan(1/2*(2*c*\tan(1/2*x)+2*d)/(c^2-d^2)^{1/2}) * a - 2/d^2 / (c^2-d^2)^{1/2} \arctan(1/2*(2*c*\tan(1/2*x)+2*d)/(c^2-d^2)^{1/2}) * c^2 * b + 2/(c^2-d^2)^{1/2} \arctan(1/2*(2*c*\tan(1/2*x)+2*d)/(c^2-d^2)^{1/2}) * b + 2*b/d / (1 + \tan(1/2*x)^2) + 2*b/d^2 * c * \arctan(\tan(1/2*x))$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(x)^2)/(c+d*sin(x)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.63432, size = 571, normalized size = 5.71

$$\left[ \frac{(bc^2 - (a+b)d^2)\sqrt{-c^2+d^2} \log\left(\frac{(2c^2-d^2)\cos(x)^2 - 2cd\sin(x) - c^2 - d^2 + 2(c\cos(x)\sin(x) + d\cos(x))\sqrt{-c^2+d^2}}{d^2\cos(x)^2 - 2cd\sin(x) - c^2 - d^2}\right) + 2(bc^3 - bcd^2)x + 2(bc^2d - b^2d^3)\cos(x)}{2(c^2d^2 - d^4)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(x)^2)/(c+d*sin(x)),x, algorithm="fricas")`

[Out]  $[1/2*((b*c^2 - (a + b)*d^2)*\sqrt{-c^2 + d^2}*\log(((2*c^2 - d^2)*\cos(x)^2 - 2*c*d*\sin(x) - c^2 - d^2 + 2*(c*\cos(x)*\sin(x) + d*\cos(x))*\sqrt{-c^2 + d^2}))/((d^2*\cos(x)^2 - 2*c*d*\sin(x) - c^2 - d^2)) + 2*(b*c^3 - b*c*d^2)*x + 2*(b*c^2*d - b*d^3)*\cos(x))/(c^2*d^2 - d^4), ((b*c^2 - (a + b)*d^2)*\sqrt{c^2 - d^2}*\arctan(-(c*\sin(x) + d)/(\sqrt{c^2 - d^2}*\cos(x)))) + (b*c^3 - b*c*d^2)*x + (b*c^2*d - b*d^3)*\cos(x))/(c^2*d^2 - d^4)]$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(x)**2)/(c+d*sin(x)),x)`

[Out] Timed out

**Giac [A]** time = 1.16553, size = 126, normalized size = 1.26

$$\frac{bcx}{d^2} - \frac{2(bc^2 - ad^2 - bd^2) \left( \pi \left\lfloor \frac{x}{2\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(c) + \arctan\left(\frac{c \tan\left(\frac{1}{2}x\right) + d}{\sqrt{c^2 - d^2}}\right) \right)}{\sqrt{c^2 - d^2}d^2} + \frac{2b}{\left(\tan\left(\frac{1}{2}x\right)^2 + 1\right)d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(x)^2)/(c+d*sin(x)),x, algorithm="giac")
```

```
[Out] b*c*x/d^2 - 2*(b*c^2 - a*d^2 - b*d^2)*(pi*floor(1/2*x/pi + 1/2)*sgn(c) + ar  
ctan((c*tan(1/2*x) + d)/sqrt(c^2 - d^2)))/(sqrt(c^2 - d^2)*d^2) + 2*b/((tan  
(1/2*x)^2 + 1)*d)
```

$$3.212 \quad \int \frac{a+b \cos^2(x)}{c+c \sin^2(x)} dx$$

**Optimal.** Leaf size=56

$$\frac{x(a+2b)}{\sqrt{2}c} + \frac{(a+2b) \tan^{-1}\left(\frac{\sin(x)\cos(x)}{\sin^2(x)+\sqrt{2}+1}\right)}{\sqrt{2}c} - \frac{bx}{c}$$

[Out]  $-\frac{(b*x)}{c} + \frac{(a+2*b)*x}{(\text{Sqrt}[2]*c)} + \frac{(a+2*b)*\text{ArcTan}[(\text{Cos}[x]*\text{Sin}[x])/(1+\text{Sqrt}[2]+\text{Sin}[x]^2)]}{(\text{Sqrt}[2]*c)}$

**Rubi [A]** time = 0.196645, antiderivative size = 56, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 2, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$ , Rules used = {1166, 205}

$$\frac{x(a+2b)}{\sqrt{2}c} + \frac{(a+2b) \tan^{-1}\left(\frac{\sin(x)\cos(x)}{\sin^2(x)+\sqrt{2}+1}\right)}{\sqrt{2}c} - \frac{bx}{c}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a+b*\text{Cos}[x]^2)/(c+c*\text{Sin}[x]^2),x]$

[Out]  $-\frac{(b*x)}{c} + \frac{(a+2*b)*x}{(\text{Sqrt}[2]*c)} + \frac{(a+2*b)*\text{ArcTan}[(\text{Cos}[x]*\text{Sin}[x])/(1+\text{Sqrt}[2]+\text{Sin}[x]^2)]}{(\text{Sqrt}[2]*c)}$

#### Rule 1166

$\text{Int}[(d_+ + (e_+)*(x_+)^2)/((a_+ + (b_+)*(x_+)^2 + (c_+)*(x_+)^4), x\_Symbol] :$   
 $> \text{With}[\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[e/2 + (2*c*d - b*e)/(2*q), \text{Int}[1/(b/2 - q/2 + c*x^2), x], x] + \text{Dist}[e/2 - (2*c*d - b*e)/(2*q), \text{Int}[1/(b/2 + q/2 + c*x^2), x], x]] /;$   $\text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - a*e^2, 0] \&\& \text{PosQ}[b^2 - 4*a*c]$

#### Rule 205

$\text{Int}[(a_+ + (b_+)*(x_+)^2)^{-1}, x\_Symbol] :> \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /;$   $\text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b]$

#### Rubi steps

$$\begin{aligned} \int \frac{a+b \cos^2(x)}{c+c \sin^2(x)} dx &= \text{Subst}\left(\int \frac{a+b+ax^2}{c+3cx^2+2cx^4} dx, x, \tan(x)\right) \\ &= -\left((2b) \text{Subst}\left(\int \frac{1}{2c+2cx^2} dx, x, \tan(x)\right)\right) + (a+2b) \text{Subst}\left(\int \frac{1}{c+2cx^2} dx, x, \tan(x)\right) \\ &= -\frac{bx}{c} + \frac{(a+2b)x}{\sqrt{2}c} + \frac{(a+2b) \tan^{-1}\left(\frac{\cos(x)\sin(x)}{1+\sqrt{2}+\sin^2(x)}\right)}{\sqrt{2}c} \end{aligned}$$

**Mathematica [A]** time = 0.0830549, size = 31, normalized size = 0.55

$$\frac{(a+2b) \tan^{-1}\left(\sqrt{2} \tan(x)\right)}{\sqrt{2}c} - \frac{bx}{c}$$



Antiderivative was successfully verified.

[In] Integrate[(a + b\*cos[x]^2)/(c + c\*sin[x]^2),x]

[Out] -((b\*x)/c) + ((a + 2\*b)\*ArcTan[Sqrt[2]\*Tan[x]])/(Sqrt[2]\*c)

**Maple [A]** time = 0.038, size = 42, normalized size = 0.8

$$\frac{\sqrt{2} \arctan(\tan(x) \sqrt{2}) a}{2c} + \frac{\sqrt{2} \arctan(\tan(x) \sqrt{2}) b}{c} - \frac{b \arctan(\tan(x))}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(x)^2)/(c+c\*sin(x)^2),x)

[Out] 1/2/c\*2^(1/2)\*arctan(tan(x)\*2^(1/2))\*a+1/c\*2^(1/2)\*arctan(tan(x)\*2^(1/2))\*b-1/c\*b\*arctan(tan(x))

**Maxima [A]** time = 1.49939, size = 38, normalized size = 0.68

$$\frac{\sqrt{2}(a + 2b) \arctan(\sqrt{2} \tan(x))}{2c} - \frac{bx}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(x)^2)/(c+c\*sin(x)^2),x, algorithm="maxima")

[Out] 1/2\*sqrt(2)\*(a + 2\*b)\*arctan(sqrt(2)\*tan(x))/c - b\*x/c

**Fricas [A]** time = 2.5734, size = 131, normalized size = 2.34

$$\frac{\sqrt{2}(a + 2b) \arctan\left(\frac{3\sqrt{2}\cos(x)^2 - 2\sqrt{2}}{4\cos(x)\sin(x)}\right) + 4bx}{4c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(x)^2)/(c+c\*sin(x)^2),x, algorithm="fricas")

[Out] -1/4\*(sqrt(2)\*(a + 2\*b)\*arctan(1/4\*(3\*sqrt(2)\*cos(x)^2 - 2\*sqrt(2))/(cos(x)\*sin(x))) + 4\*b\*x)/c

**Sympy [B]** time = 98.6209, size = 782, normalized size = 13.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(x)\*\*2)/(c+c\*sin(x)\*\*2),x)

```
[Out] 12*sqrt(2)*a*(atan(tan(x/2)/sqrt(3 - 2*sqrt(2))) + pi*floor((x/2 - pi/2)/pi)) / (41*sqrt(2)*c*sqrt(3 - 2*sqrt(2)) + 58*c*sqrt(3 - 2*sqrt(2))) + 17*a*(atan(tan(x/2)/sqrt(3 - 2*sqrt(2))) + pi*floor((x/2 - pi/2)/pi)) / (41*sqrt(2)*c*sqrt(3 - 2*sqrt(2)) + 58*c*sqrt(3 - 2*sqrt(2))) + 12*sqrt(2)*a*sqrt(3 - 2*sqrt(2))*sqrt(2*sqrt(2) + 3)*(atan(tan(x/2)/sqrt(2*sqrt(2) + 3)) + pi*floor((x/2 - pi/2)/pi)) / (41*sqrt(2)*c*sqrt(3 - 2*sqrt(2)) + 58*c*sqrt(3 - 2*sqrt(2))) + 17*a*sqrt(3 - 2*sqrt(2))*sqrt(2*sqrt(2) + 3)*(atan(tan(x/2)/sqrt(2*sqrt(2) + 3)) + pi*floor((x/2 - pi/2)/pi)) / (41*sqrt(2)*c*sqrt(3 - 2*sqrt(2)) + 58*c*sqrt(3 - 2*sqrt(2))) - 58*b*x*sqrt(3 - 2*sqrt(2)) / (41*sqrt(2)*c*sqrt(3 - 2*sqrt(2)) + 58*c*sqrt(3 - 2*sqrt(2))) - 41*sqrt(2)*b*x*sqrt(3 - 2*sqrt(2)) / (41*sqrt(2)*c*sqrt(3 - 2*sqrt(2)) + 58*c*sqrt(3 - 2*sqrt(2))) + 24*sqrt(2)*b*(atan(tan(x/2)/sqrt(3 - 2*sqrt(2))) + pi*floor((x/2 - pi/2)/pi)) / (41*sqrt(2)*c*sqrt(3 - 2*sqrt(2)) + 58*c*sqrt(3 - 2*sqrt(2))) + 34*b*(atan(tan(x/2)/sqrt(3 - 2*sqrt(2))) + pi*floor((x/2 - pi/2)/pi)) / (41*sqrt(2)*c*sqrt(3 - 2*sqrt(2)) + 58*c*sqrt(3 - 2*sqrt(2))) + 24*sqrt(2)*b*sqrt(3 - 2*sqrt(2))*sqrt(2*sqrt(2) + 3)*(atan(tan(x/2)/sqrt(2*sqrt(2) + 3)) + pi*floor((x/2 - pi/2)/pi)) / (41*sqrt(2)*c*sqrt(3 - 2*sqrt(2)) + 58*c*sqrt(3 - 2*sqrt(2))) + 34*b*sqrt(3 - 2*sqrt(2))*sqrt(2*sqrt(2) + 3)*(atan(tan(x/2)/sqrt(2*sqrt(2) + 3)) + pi*floor((x/2 - pi/2)/pi)) / (41*sqrt(2)*c*sqrt(3 - 2*sqrt(2)) + 58*c*sqrt(3 - 2*sqrt(2)))
```

**Giac [A]** time = 1.15276, size = 84, normalized size = 1.5

$$\frac{\sqrt{2}(a + 2b)\left(x + \arctan\left(-\frac{\sqrt{2}\sin(2x) - 2\sin(2x)}{\sqrt{2}\cos(2x) + \sqrt{2} - 2\cos(2x) + 2}\right)\right)}{2c} - \frac{bx}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(x)^2)/(c+c*sin(x)^2),x, algorithm="giac")
```

```
[Out] 1/2*sqrt(2)*(a + 2*b)*(x + arctan(-(sqrt(2)*sin(2*x) - 2*sin(2*x))/(sqrt(2)*cos(2*x) + sqrt(2) - 2*cos(2*x) + 2)))/c - b*x/c
```

$$3.213 \quad \int \frac{a+b \cos^2(x)}{c-c \sin^2(x)} dx$$

**Optimal.** Leaf size=14

$$\frac{a \tan(x)}{c} + \frac{bx}{c}$$

[Out] (b\*x)/c + (a\*Tan[x])/c

**Rubi [A]** time = 0.0576156, antiderivative size = 14, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$ , Rules used = {3175, 3012, 8}

$$\frac{a \tan(x)}{c} + \frac{bx}{c}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[x]^2)/(c - c\*Sin[x]^2), x]

[Out] (b\*x)/c + (a\*Tan[x])/c

#### Rule 3175

Int[(u\_)\*((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(p\_), x\_Symbol] := Dist[a^p, Int[ActivateTrig[u\*cos[e + f\*x]^(2\*p)], x], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a + b, 0] && IntegerQ[p]

#### Rule 3012

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(A\*cos[e + f\*x]\*(b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)), x] + Dist[(A\*(m + 2) + C\*(m + 1))/(b^2\*(m + 1)), Int[(b\*Sin[e + f\*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && LtQ[m, -1]

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned} \int \frac{a+b \cos^2(x)}{c-c \sin^2(x)} dx &= \frac{\int (a+b \cos^2(x)) \sec^2(x) dx}{c} \\ &= \frac{a \tan(x)}{c} + \frac{b \int 1 dx}{c} \\ &= \frac{bx}{c} + \frac{a \tan(x)}{c} \end{aligned}$$

**Mathematica [A]** time = 0.0121171, size = 14, normalized size = 1.

$$\frac{a \tan(x)}{c} + \frac{bx}{c}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*cos[x]^2)/(c - c\*sin[x]^2),x]

[Out] (b\*x)/c + (a\*Tan[x])/c

**Maple [A]** time = 0.029, size = 17, normalized size = 1.2

$$\frac{a \tan(x)}{c} + \frac{b \arctan(\tan(x))}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(x)^2)/(c-c\*sin(x)^2),x)

[Out] a\*tan(x)/c+1/c\*b\*arctan(tan(x))

**Maxima [A]** time = 1.52015, size = 19, normalized size = 1.36

$$\frac{bx}{c} + \frac{a \tan(x)}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(x)^2)/(c-c\*sin(x)^2),x, algorithm="maxima")

[Out] b\*x/c + a\*tan(x)/c

**Fricas [A]** time = 2.44106, size = 49, normalized size = 3.5

$$\frac{bx \cos(x) + a \sin(x)}{c \cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(x)^2)/(c-c\*sin(x)^2),x, algorithm="fricas")

[Out] (b\*x\*cos(x) + a\*sin(x))/(c\*cos(x))

**Sympy [B]** time = 2.20449, size = 51, normalized size = 3.64

$$-\frac{2a \tan\left(\frac{x}{2}\right)}{c \tan^2\left(\frac{x}{2}\right) - c} + \frac{bx \tan^2\left(\frac{x}{2}\right)}{c \tan^2\left(\frac{x}{2}\right) - c} - \frac{bx}{c \tan^2\left(\frac{x}{2}\right) - c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(x)\*\*2)/(c-c\*sin(x)\*\*2),x)

[Out] -2\*a\*tan(x/2)/(c\*tan(x/2)\*\*2 - c) + b\*x\*tan(x/2)\*\*2/(c\*tan(x/2)\*\*2 - c) - b\*x/(c\*tan(x/2)\*\*2 - c)

---

**Giac [A]** time = 1.13976, size = 31, normalized size = 2.21

$$\frac{b \arctan\left(\frac{|c|\tan(x)}{c}\right)}{|c|} + \frac{a \tan(x)}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(x)^2)/(c-c\*sin(x)^2),x, algorithm="giac")

[Out] b\*arctan(abs(c)\*tan(x)/c)/abs(c) + a\*tan(x)/c

$$3.214 \quad \int \frac{a+b \cos^2(x)}{c+d \sin^2(x)} dx$$

**Optimal.** Leaf size=49

$$\frac{(ad + b(c + d)) \tan^{-1}\left(\frac{\sqrt{c+d} \tan(x)}{\sqrt{c}}\right)}{\sqrt{cd}\sqrt{c+d}} - \frac{bx}{d}$$

[Out] -((b\*x)/d) + ((a\*d + b\*(c + d))\*ArcTan[(Sqrt[c + d]\*Tan[x])/Sqrt[c]])/(Sqrt[c]\*d\*Sqrt[c + d])

**Rubi [A]** time = 0.160941, antiderivative size = 49, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {522, 203, 205}

$$\frac{(ad + b(c + d)) \tan^{-1}\left(\frac{\sqrt{c+d} \tan(x)}{\sqrt{c}}\right)}{\sqrt{cd}\sqrt{c+d}} - \frac{bx}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[x]^2)/(c + d\*Sin[x]^2),x]

[Out] -((b\*x)/d) + ((a\*d + b\*(c + d))\*ArcTan[(Sqrt[c + d]\*Tan[x])/Sqrt[c]])/(Sqrt[c]\*d\*Sqrt[c + d])

#### Rule 522

Int[((e\_) + (f\_)\*(x\_)^(n\_))/(((a\_) + (b\_)\*(x\_)^(n\_))\*((c\_) + (d\_)\*(x\_)^(n\_))), x\_Symbol] :> Dist[(b\*e - a\*f)/(b\*c - a\*d), Int[1/(a + b\*x^n), x], x] - Dist[(d\*e - c\*f)/(b\*c - a\*d), Int[1/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

#### Rule 203

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rubi steps

$$\begin{aligned} \int \frac{a+b \cos^2(x)}{c+d \sin^2(x)} dx &= \text{Subst}\left(\int \frac{a+b+ax^2}{(1+x^2)(c+(c+d)x^2)} dx, x, \tan(x)\right) \\ &= -\frac{b \text{Subst}\left(\int \frac{1}{1+x^2} dx, x, \tan(x)\right)}{d} + \frac{(-ac + (a+b)(c+d)) \text{Subst}\left(\int \frac{1}{c+(c+d)x^2} dx, x, \tan(x)\right)}{d} \\ &= -\frac{bx}{d} + \frac{(ad + b(c+d)) \tan^{-1}\left(\frac{\sqrt{c+d} \tan(x)}{\sqrt{c}}\right)}{\sqrt{cd}\sqrt{c+d}} \end{aligned}$$

**Mathematica [A]** time = 0.148626, size = 47, normalized size = 0.96

$$\frac{\frac{(ad+b(c+d)) \tan^{-1}\left(\frac{\sqrt{c+d} \tan(x)}{\sqrt{c}}\right)}{\sqrt{c}\sqrt{c+d}} - bx}{d}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[x]^2)/(c + d\*Sin[x]^2), x]

[Out]  $(-(b*x) + ((a*d + b*(c + d))*ArcTan[(Sqrt[c + d]*Tan[x])/Sqrt[c]])/(Sqrt[c]*Sqrt[c + d]))/d$

**Maple [B]** time = 0.039, size = 84, normalized size = 1.7

$$a \arctan\left((c+d) \tan(x) \frac{1}{\sqrt{(c+d)c}}\right) \frac{1}{\sqrt{(c+d)c}} + \frac{cb}{d} \arctan\left((c+d) \tan(x) \frac{1}{\sqrt{(c+d)c}}\right) \frac{1}{\sqrt{(c+d)c}} + b \arctan\left((c+d) \tan(x) \frac{1}{\sqrt{(c+d)c}}\right) \frac{1}{\sqrt{(c+d)c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(x)^2)/(c+d\*sin(x)^2), x)

[Out]  $1/((c+d)*c)^{(1/2)}*\arctan((c+d)*\tan(x)/((c+d)*c)^{(1/2)})*a+1/d/((c+d)*c)^{(1/2)}*\arctan((c+d)*\tan(x)/((c+d)*c)^{(1/2)})*c*b+1/((c+d)*c)^{(1/2)}*\arctan((c+d)*\tan(x)/((c+d)*c)^{(1/2)})*b-b/d*\arctan(\tan(x))$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(x)^2)/(c+d\*sin(x)^2), x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.73243, size = 617, normalized size = 12.59

$$\frac{(bc + (a + b)d)\sqrt{-c^2 - cd} \log\left(\frac{(8c^2 + 8cd + d^2) \cos(x)^4 - 2(4c^2 + 5cd + d^2) \cos(x)^2 + 4((2c + d) \cos(x)^3 - (c + d) \cos(x))\sqrt{-c^2 - cd} \sin(x) + c^2 + 2cd + d^2}{d^2 \cos(x)^4 - 2(cd + d^2) \cos(x)^2 + c^2 + 2cd + d^2}\right)}{4(c^2d + cd^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(x)^2)/(c+d\*sin(x)^2), x, algorithm="fricas")

[Out]  $[-1/4*((b*c + (a + b)*d)*sqrt(-c^2 - c*d)*log(((8*c^2 + 8*c*d + d^2)*cos(x)^4 - 2*(4*c^2 + 5*c*d + d^2)*cos(x)^2 + 4*((2*c + d)*cos(x)^3 - (c + d)*cos(x))*sqrt(-c^2 - c*d)*sin(x) + c^2 + 2*c*d + d^2)/(d^2*cos(x)^4 - 2*(c*d + d^2)*cos(x)^2 + c^2 + 2*c*d + d^2)) + 4*(b*c^2 + b*c*d)*x)/(c^2*d + c*d^2),$

$-1/2*((b*c + (a + b)*d)*\sqrt{c^2 + c*d}*\arctan(1/2*((2*c + d)*\cos(x)^2 - c - d)/(\sqrt{c^2 + c*d}*\cos(x)*\sin(x))) + 2*(b*c^2 + b*c*d)*x)/(c^2*d + c*d^2)]$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(x)\*\*2)/(c+d\*sin(x)\*\*2),x)

[Out] Timed out

**Giac [A]** time = 1.17064, size = 95, normalized size = 1.94

$$-\frac{bx}{d} + \frac{\left(\pi \left\lfloor \frac{x}{\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(2c + 2d) + \arctan\left(\frac{c \tan(x) + d \tan(x)}{\sqrt{c^2 + cd}}\right)\right)(bc + ad + bd)}{\sqrt{c^2 + cdd}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(x)^2)/(c+d\*sin(x)^2),x, algorithm="giac")

[Out]  $-b*x/d + (\pi*\text{floor}(x/\pi + 1/2)*\text{sgn}(2*c + 2*d) + \arctan((c*\tan(x) + d*\tan(x))/\sqrt{c^2 + c*d}))*(b*c + a*d + b*d)/(\sqrt{c^2 + c*d})*d$



$$3.215 \quad \int \frac{a+b \sec^2(x)}{c+d \cos(x)} dx$$

**Optimal.** Leaf size=74

$$\frac{2(ac^2 + bd^2) \tan^{-1}\left(\frac{\sqrt{c-d} \tan\left(\frac{x}{2}\right)}{\sqrt{c+d}}\right)}{c^2 \sqrt{c-d} \sqrt{c+d}} - \frac{bd \tanh^{-1}(\sin(x))}{c^2} + \frac{b \tan(x)}{c}$$

[Out] (2\*(a\*c^2 + b\*d^2)\*ArcTan[(Sqrt[c - d]\*Tan[x/2])/Sqrt[c + d]]/(c^2\*Sqrt[c - d]\*Sqrt[c + d]) - (b\*d\*ArcTanh[Sin[x]])/c^2 + (b\*Tan[x])/c

**Rubi [A]** time = 0.245693, antiderivative size = 74, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$ , Rules used = {4234, 3056, 3001, 3770, 2659, 205}

$$\frac{2(ac^2 + bd^2) \tan^{-1}\left(\frac{\sqrt{c-d} \tan\left(\frac{x}{2}\right)}{\sqrt{c+d}}\right)}{c^2 \sqrt{c-d} \sqrt{c+d}} - \frac{bd \tanh^{-1}(\sin(x))}{c^2} + \frac{b \tan(x)}{c}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Sec[x]^2)/(c + d\*Cos[x]), x]

[Out] (2\*(a\*c^2 + b\*d^2)\*ArcTan[(Sqrt[c - d]\*Tan[x/2])/Sqrt[c + d]]/(c^2\*Sqrt[c - d]\*Sqrt[c + d]) - (b\*d\*ArcTanh[Sin[x]])/c^2 + (b\*Tan[x])/c

#### Rule 4234

Int[(u\_)\*((A\_) + (C\_)\*sec[(a\_) + (b\_)\*(x\_)^2]), x\_Symbol] := Int[(ActivateTrig[u]\*(C + A\*Cos[a + b\*x]^2))/Cos[a + b\*x]^2, x] /; FreeQ[{a, b, A, C}, x] && KnownSineIntegrandQ[u, x]

#### Rule 3056

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_)\*((A\_) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)^2]), x\_Symbol] := -Simp[((A\*b^2 + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*(m + 1)\*(b\*c - a\*d)\*(A + C) + d\*(A\*b^2 + a^2\*C)\*(m + n + 2) - (c\*(A\*b^2 + a^2\*C) + b\*(m + 1)\*(b\*c - a\*d)\*(A + C))\*Sin[e + f\*x] - d\*(A\*b^2 + a^2\*C)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

#### Rule 3001

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[(A\*b - a\*B)/(b\*c - a\*d), Int[1/(a + b\*Sin[e + f\*x]), x], x] + Dist[(B\*c - A\*d)/(b\*c - a\*d), Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

**Rule 3770**

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
  /; FreeQ[{c, d}, x]
```

**Rule 2659**

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

**Rule 205**

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

**Rubi steps**

$$\begin{aligned} \int \frac{a + b \sec^2(x)}{c + d \cos(x)} dx &= \int \frac{(b + a \cos^2(x)) \sec^2(x)}{c + d \cos(x)} dx \\ &= \frac{b \tan(x)}{c} + \frac{\int \frac{(-bd + ac \cos(x)) \sec(x)}{c + d \cos(x)} dx}{c} \\ &= \frac{b \tan(x)}{c} - \frac{(bd) \int \sec(x) dx}{c^2} + \left(a + \frac{bd^2}{c^2}\right) \int \frac{1}{c + d \cos(x)} dx \\ &= -\frac{bd \tanh^{-1}(\sin(x))}{c^2} + \frac{b \tan(x)}{c} + \left(2\left(a + \frac{bd^2}{c^2}\right)\right) \text{Subst}\left(\int \frac{1}{c + d + (c - d)x^2} dx, x, \tan\left(\frac{x}{2}\right)\right) \\ &= \frac{2\left(a + \frac{bd^2}{c^2}\right) \tan^{-1}\left(\frac{\sqrt{c-d} \tan\left(\frac{x}{2}\right)}{\sqrt{c+d}}\right)}{\sqrt{c-d}\sqrt{c+d}} - \frac{bd \tanh^{-1}(\sin(x))}{c^2} + \frac{b \tan(x)}{c} \end{aligned}$$

**Mathematica [A]** time = 0.442426, size = 98, normalized size = 1.32

$$\frac{-\frac{2(ac^2 + bd^2) \tanh^{-1}\left(\frac{(c-d) \tan\left(\frac{x}{2}\right)}{\sqrt{d^2 - c^2}}\right)}{\sqrt{d^2 - c^2}} + bc \tan(x) + bd \left(\log\left(\cos\left(\frac{x}{2}\right) - \sin\left(\frac{x}{2}\right)\right) - \log\left(\sin\left(\frac{x}{2}\right) + \cos\left(\frac{x}{2}\right)\right)\right)}{c^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Sec[x]^2)/(c + d*Cos[x]), x]
```

```
[Out] ((-2*(a*c^2 + b*d^2)*ArcTanh[((c - d)*Tan[x/2])/Sqrt[-c^2 + d^2]])/Sqrt[-c^
2 + d^2] + b*d*(Log[Cos[x/2] - Sin[x/2]] - Log[Cos[x/2] + Sin[x/2]]) + b*c*
Tan[x])/c^2
```

**Maple [B]** time = 0.036, size = 135, normalized size = 1.8

$$2 \frac{a}{\sqrt{(c+d)(c-d)}} \arctan\left(\frac{(c-d) \tan(x/2)}{\sqrt{(c+d)(c-d)}}\right) + 2 \frac{bd^2}{c^2 \sqrt{(c+d)(c-d)}} \arctan\left(\frac{(c-d) \tan(x/2)}{\sqrt{(c+d)(c-d)}}\right) - \frac{b}{c} \left(1 + \tan\left(\frac{x}{2}\right)\right)^{-1} - \frac{db}{c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*sec(x)^2)/(c+d*cos(x)),x)`

[Out]  $2/((c+d)*(c-d))^{1/2}*\arctan((c-d)*\tan(1/2*x)/((c+d)*(c-d))^{1/2})*a+2/c^2/((c+d)*(c-d))^{1/2}*\arctan((c-d)*\tan(1/2*x)/((c+d)*(c-d))^{1/2})*b*d^2-b/c/(1+\tan(1/2*x))-d*b/c^2*\ln(1+\tan(1/2*x))-b/c/(\tan(1/2*x)-1)+d*b/c^2*\ln(\tan(1/2*x)-1)$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(x)^2)/(c+d*cos(x)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [B]** time = 8.93377, size = 768, normalized size = 10.38

$$\left[ \frac{(ac^2 + bd^2)\sqrt{-c^2 + d^2} \cos(x) \log\left(\frac{2cd \cos(x) + (2c^2 - d^2) \cos(x)^2 + 2\sqrt{-c^2 + d^2}(c \cos(x) + d) \sin(x) - c^2 + 2d^2}{d^2 \cos(x)^2 + 2cd \cos(x) + c^2}\right) + (bc^2d - bd^3) \cos(x) \log\left(\frac{2cd \cos(x) + (2c^2 - d^2) \cos(x)^2 + 2\sqrt{-c^2 + d^2}(c \cos(x) + d) \sin(x) - c^2 + 2d^2}{d^2 \cos(x)^2 + 2cd \cos(x) + c^2}\right)}{2(c^4 - c^2d^2) \cos(x)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(x)^2)/(c+d*cos(x)),x, algorithm="fricas")`

[Out]  $[-1/2*((a*c^2 + b*d^2)*\sqrt{-c^2 + d^2}*\cos(x)*\log((2*c*d*\cos(x) + (2*c^2 - d^2)*\cos(x)^2 + 2*\sqrt{-c^2 + d^2}*(c*\cos(x) + d)*\sin(x) - c^2 + 2*d^2)/(d^2*\cos(x)^2 + 2*c*d*\cos(x) + c^2)) + (b*c^2*d - b*d^3)*\cos(x)*\log(\sin(x) + 1) - (b*c^2*d - b*d^3)*\cos(x)*\log(-\sin(x) + 1) - 2*(b*c^3 - b*c*d^2)*\sin(x))/((c^4 - c^2*d^2)*\cos(x)), 1/2*(2*(a*c^2 + b*d^2)*\sqrt{c^2 - d^2}*\arctan(-(c*\cos(x) + d)/(\sqrt{c^2 - d^2}*\sin(x)))*\cos(x) - (b*c^2*d - b*d^3)*\cos(x)*\log(\sin(x) + 1) + (b*c^2*d - b*d^3)*\cos(x)*\log(-\sin(x) + 1) + 2*(b*c^3 - b*c*d^2)*\sin(x))/((c^4 - c^2*d^2)*\cos(x))]$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \sec^2(x)}{c + d \cos(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(x)**2)/(c+d*cos(x)),x)`

[Out] `Integral((a + b*sec(x)**2)/(c + d*cos(x)), x)`

**Giac [A]** time = 1.18005, size = 169, normalized size = 2.28

$$-\frac{bd \log\left(\left|\tan\left(\frac{1}{2}x\right) + 1\right|\right)}{c^2} + \frac{bd \log\left(\left|\tan\left(\frac{1}{2}x\right) - 1\right|\right)}{c^2} - \frac{2b \tan\left(\frac{1}{2}x\right)}{\left(\tan\left(\frac{1}{2}x\right)^2 - 1\right)c} - \frac{2(ac^2 + bd^2)\left(\pi\left\lfloor\frac{x}{2\pi} + \frac{1}{2}\right\rfloor \operatorname{sgn}(-2c + 2d) + \arctan\left(\frac{-c \tan\left(\frac{1}{2}x\right) - d}{\sqrt{c^2 - d^2}}\right)\right)}{\sqrt{c^2 - d^2}c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sec(x)^2)/(c+d\*cos(x)),x, algorithm="giac")

[Out] -b\*d\*log(abs(tan(1/2\*x) + 1))/c^2 + b\*d\*log(abs(tan(1/2\*x) - 1))/c^2 - 2\*b\*tan(1/2\*x)/((tan(1/2\*x)^2 - 1)\*c) - 2\*(a\*c^2 + b\*d^2)\*(pi\*floor(1/2\*x/pi + 1/2)\*sgn(-2\*c + 2\*d) + arctan(-(c\*tan(1/2\*x) - d\*tan(1/2\*x))/sqrt(c^2 - d^2)))/((sqrt(c^2 - d^2)\*c^2)

$$3.216 \quad \int \frac{a+b \csc^2(x)}{c+d \sin(x)} dx$$

**Optimal.** Leaf size=72

$$\frac{2(ac^2 + bd^2) \tan^{-1}\left(\frac{c \tan\left(\frac{x}{2}\right) + d}{\sqrt{c^2 - d^2}}\right)}{c^2 \sqrt{c^2 - d^2}} + \frac{bd \tanh^{-1}(\cos(x))}{c^2} - \frac{b \cot(x)}{c}$$

[Out] (2\*(a\*c^2 + b\*d^2)\*ArcTan[(d + c\*Tan[x/2])/Sqrt[c^2 - d^2]])/(c^2\*Sqrt[c^2 - d^2]) + (b\*d\*ArcTanh[Cos[x]])/c^2 - (b\*Cot[x])/c

**Rubi [A]** time = 0.237838, antiderivative size = 72, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.412$ , Rules used = {4233, 3056, 3001, 3770, 2660, 618, 204}

$$\frac{2(ac^2 + bd^2) \tan^{-1}\left(\frac{c \tan\left(\frac{x}{2}\right) + d}{\sqrt{c^2 - d^2}}\right)}{c^2 \sqrt{c^2 - d^2}} + \frac{bd \tanh^{-1}(\cos(x))}{c^2} - \frac{b \cot(x)}{c}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Csc[x]^2)/(c + d\*Sin[x]),x]

[Out] (2\*(a\*c^2 + b\*d^2)\*ArcTan[(d + c\*Tan[x/2])/Sqrt[c^2 - d^2]])/(c^2\*Sqrt[c^2 - d^2]) + (b\*d\*ArcTanh[Cos[x]])/c^2 - (b\*Cot[x])/c

#### Rule 4233

Int[(csc[(a\_.) + (b\_.)\*(x\_)]^2\*(C\_.) + (A\_.))\*(u\_), x\_Symbol] := Int[(ActivateTrig[u]\*(C + A\*Sin[a + b\*x]^2))/Sin[a + b\*x]^2, x] /; FreeQ[{a, b, A, C}, x] && KnownSineIntegrandQ[u, x]

#### Rule 3056

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)\*((A\_.) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)^2]), x\_Symbol] := -Simp[((A\*b^2 + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*(m + 1)\*(b\*c - a\*d)\*(A + C) + d\*(A\*b^2 + a^2\*C)\*(m + n + 2) - (c\*(A\*b^2 + a^2\*C) + b\*(m + 1)\*(b\*c - a\*d)\*(A + C))\*Sin[e + f\*x] - d\*(A\*b^2 + a^2\*C)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

#### Rule 3001

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[(A\*b - a\*B)/(b\*c - a\*d), Int[1/(a + b\*Sin[e + f\*x]), x], x] + Dist[(B\*c - A\*d)/(b\*c - a\*d), Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
  /; FreeQ[{c, d}, x]
```

Rule 2660

```
Int[((a_) + (b_.)*sin[(c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + 2*b*e*x + a*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{a + b \csc^2(x)}{c + d \sin(x)} dx &= \int \frac{\csc^2(x) (b + a \sin^2(x))}{c + d \sin(x)} dx \\ &= -\frac{b \cot(x)}{c} + \frac{\int \frac{\csc(x)(-bd + ac \sin(x))}{c + d \sin(x)} dx}{c} \\ &= -\frac{b \cot(x)}{c} - \frac{(bd) \int \csc(x) dx}{c^2} + \left(a + \frac{bd^2}{c^2}\right) \int \frac{1}{c + d \sin(x)} dx \\ &= \frac{bd \tanh^{-1}(\cos(x))}{c^2} - \frac{b \cot(x)}{c} + \left(2 \left(a + \frac{bd^2}{c^2}\right)\right) \text{Subst} \left( \int \frac{1}{c + 2dx + cx^2} dx, x, \tan\left(\frac{x}{2}\right) \right) \\ &= \frac{bd \tanh^{-1}(\cos(x))}{c^2} - \frac{b \cot(x)}{c} - \left(4 \left(a + \frac{bd^2}{c^2}\right)\right) \text{Subst} \left( \int \frac{1}{-4(c^2 - d^2) - x^2} dx, x, 2d + 2c \tan\left(\frac{x}{2}\right) \right) \\ &= \frac{2 \left(a + \frac{bd^2}{c^2}\right) \tan^{-1} \left( \frac{d + c \tan\left(\frac{x}{2}\right)}{\sqrt{c^2 - d^2}} \right)}{\sqrt{c^2 - d^2}} + \frac{bd \tanh^{-1}(\cos(x))}{c^2} - \frac{b \cot(x)}{c} \end{aligned}$$

**Mathematica [A]** time = 0.518584, size = 102, normalized size = 1.42

$$\frac{\csc\left(\frac{x}{2}\right) \sec\left(\frac{x}{2}\right) \left( \frac{2 \sin(x) (ac^2 + bd^2) \tan^{-1} \left( \frac{c \tan\left(\frac{x}{2}\right) + d}{\sqrt{c^2 - d^2}} \right) - b \left( c \cos(x) + d \sin(x) \left( \log\left(\sin\left(\frac{x}{2}\right)\right) - \log\left(\cos\left(\frac{x}{2}\right)\right) \right) \right)}{\sqrt{c^2 - d^2}} \right)}{2c^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Csc[x]^2)/(c + d*Sin[x]),x]
```

```
[Out] (Csc[x/2]*Sec[x/2]*((2*(a*c^2 + b*d^2)*ArcTan[(d + c*Tan[x/2])/Sqrt[c^2 - d^2]]*Sin[x])/Sqrt[c^2 - d^2] - b*(c*Cos[x] + d*(-Log[Cos[x/2]] + Log[Sin[x/2]])))/2c^2
```

2]])\*Sin[x])))/(2\*c^2)

**Maple [A]** time = 0.038, size = 120, normalized size = 1.7

$$\frac{b}{2c} \tan\left(\frac{x}{2}\right) + 2 \frac{a}{\sqrt{c^2 - d^2}} \arctan\left(\frac{1}{2} \frac{2c \tan(x/2) + 2d}{\sqrt{c^2 - d^2}}\right) + 2 \frac{bd^2}{c^2 \sqrt{c^2 - d^2}} \arctan\left(\frac{1}{2} \frac{2c \tan(x/2) + 2d}{\sqrt{c^2 - d^2}}\right) - \frac{b}{2c} \left(\tan\left(\frac{x}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*csc(x)^2)/(c+d\*sin(x)),x)

[Out] 1/2\*b/c\*tan(1/2\*x)+2/(c^2-d^2)^(1/2)\*arctan(1/2\*(2\*c\*tan(1/2\*x)+2\*d)/(c^2-d^2)^(1/2))\*a+2/c^2/(c^2-d^2)^(1/2)\*arctan(1/2\*(2\*c\*tan(1/2\*x)+2\*d)/(c^2-d^2)^(1/2))\*b\*d^2-1/2\*b/c/tan(1/2\*x)-1/c^2\*d\*b\*ln(tan(1/2\*x))

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*csc(x)^2)/(c+d\*sin(x)),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 9.01471, size = 817, normalized size = 11.35

$$\left[ \frac{(ac^2 + bd^2)\sqrt{-c^2 + d^2} \log\left(\frac{(2c^2 - d^2)\cos(x)^2 - 2cd\sin(x) - c^2 - d^2 + 2(c\cos(x)\sin(x) + d\cos(x))\sqrt{-c^2 + d^2}}{d^2\cos(x)^2 - 2cd\sin(x) - c^2 - d^2}\right) \sin(x) - (bc^2d - bd^3) \log\left(\frac{1}{2} \cos(x) + \frac{1}{2} \sin(x)\right)}{2(c^4 - c^2d^2) \sin(x)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*csc(x)^2)/(c+d\*sin(x)),x, algorithm="fricas")

[Out] [-1/2\*((a\*c^2 + b\*d^2)\*sqrt(-c^2 + d^2)\*log(((2\*c^2 - d^2)\*cos(x)^2 - 2\*c\*d\*sin(x) - c^2 - d^2 + 2\*(c\*cos(x)\*sin(x) + d\*cos(x))\*sqrt(-c^2 + d^2))/(d^2\*cos(x)^2 - 2\*c\*d\*sin(x) - c^2 - d^2))\*sin(x) - (b\*c^2\*d - b\*d^3)\*log(1/2\*cos(x) + 1/2\*sin(x) + (b\*c^2\*d - b\*d^3)\*log(-1/2\*cos(x) + 1/2\*sin(x) + 2\*(b\*c^3 - b\*c\*d^2)\*cos(x)))/(c^4 - c^2\*d^2)\*sin(x), -1/2\*(2\*(a\*c^2 + b\*d^2)\*sqrt(c^2 - d^2)\*arctan(-(c\*sin(x) + d)/(sqrt(c^2 - d^2)\*cos(x)))\*sin(x) - (b\*c^2\*d - b\*d^3)\*log(1/2\*cos(x) + 1/2\*sin(x) + (b\*c^2\*d - b\*d^3)\*log(-1/2\*cos(x) + 1/2\*sin(x) + 2\*(b\*c^3 - b\*c\*d^2)\*cos(x)))/(c^4 - c^2\*d^2)\*sin(x)]

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \csc^2(x)}{c + d \sin(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*csc(x)\*\*2)/(c+d\*sin(x)),x)

[Out] Integral((a + b\*csc(x)\*\*2)/(c + d\*sin(x)), x)

**Giac [A]** time = 1.16477, size = 149, normalized size = 2.07

$$-\frac{bd \log\left(\left|\tan\left(\frac{1}{2}x\right)\right|\right)}{c^2} + \frac{b \tan\left(\frac{1}{2}x\right)}{2c} + \frac{2(ac^2 + bd^2)\left(\pi\left\lfloor\frac{x}{2\pi} + \frac{1}{2}\right\rfloor \operatorname{sgn}(c) + \arctan\left(\frac{c \tan\left(\frac{1}{2}x\right) + d}{\sqrt{c^2 - d^2}}\right)\right)}{\sqrt{c^2 - d^2}c^2} + \frac{2bd \tan\left(\frac{1}{2}x\right) - bc}{2c^2 \tan\left(\frac{1}{2}x\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*csc(x)^2)/(c+d\*sin(x)),x, algorithm="giac")

[Out] -b\*d\*log(abs(tan(1/2\*x)))/c^2 + 1/2\*b\*tan(1/2\*x)/c + 2\*(a\*c^2 + b\*d^2)\*(pi\*floor(1/2\*x/pi + 1/2)\*sgn(c) + arctan((c\*tan(1/2\*x) + d)/sqrt(c^2 - d^2)))/ (sqrt(c^2 - d^2)\*c^2) + 1/2\*(2\*b\*d\*tan(1/2\*x) - b\*c)/(c^2\*tan(1/2\*x))



### 3.217 $\int (a \cos(c + dx) + b \sin(c + dx))^n dx$

**Optimal.** Leaf size=136

$$\frac{\sin(-\tan^{-1}(a,b) + c + dx) (a \cos(c + dx) + b \sin(c + dx))^n \left(\frac{a \cos(c+dx) + b \sin(c+dx)}{\sqrt{a^2+b^2}}\right)^{-n} \cos^{n+1}(-\tan^{-1}(a,b) + c + dx)}{d(n+1)\sqrt{\sin^2(-\tan^{-1}(a,b) + c + dx)}}$$

[Out] -((Cos[c + d\*x - ArcTan[a, b]]^(1 + n)\*Hypergeometric2F1[1/2, (1 + n)/2, (3 + n)/2, Cos[c + d\*x - ArcTan[a, b]]^2]\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^n \*Sin[c + d\*x - ArcTan[a, b]])/(d\*(1 + n)\*((a\*Cos[c + d\*x] + b\*Sin[c + d\*x])/Sqrt[a^2 + b^2])^n\*Sqrt[Sin[c + d\*x - ArcTan[a, b]]^2]))

**Rubi [A]** time = 0.0581775, antiderivative size = 136, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$ , Rules used = {3078, 2643}

$$\frac{\sin(-\tan^{-1}(a,b) + c + dx) (a \cos(c + dx) + b \sin(c + dx))^n \left(\frac{a \cos(c+dx) + b \sin(c+dx)}{\sqrt{a^2+b^2}}\right)^{-n} \cos^{n+1}(-\tan^{-1}(a,b) + c + dx)}{d(n+1)\sqrt{\sin^2(-\tan^{-1}(a,b) + c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^n,x]

[Out] -((Cos[c + d\*x - ArcTan[a, b]]^(1 + n)\*Hypergeometric2F1[1/2, (1 + n)/2, (3 + n)/2, Cos[c + d\*x - ArcTan[a, b]]^2]\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^n \*Sin[c + d\*x - ArcTan[a, b]])/(d\*(1 + n)\*((a\*Cos[c + d\*x] + b\*Sin[c + d\*x])/Sqrt[a^2 + b^2])^n\*Sqrt[Sin[c + d\*x - ArcTan[a, b]]^2]))

#### Rule 3078

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Dist[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^n/((a\*Cos[c + d\*x] + b\*Sin[c + d\*x])/Sqrt[a^2 + b^2])^n, Int[Cos[c + d\*x - ArcTan[a, b]]^n, x] /; FreeQ[{a, b, c, d, n}, x] && !(GeQ[n, 1] || LeQ[n, -1]) && !(GtQ[a^2 + b^2, 0] || EqQ[a^2 + b^2, 0])

#### Rule 2643

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1)\*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d\*x]^2]/(b\*d\*(n + 1)\*Sqrt[Cos[c + d\*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rubi steps

$$\int (a \cos(c + dx) + b \sin(c + dx))^n dx = \left( (a \cos(c + dx) + b \sin(c + dx))^n \left( \frac{a \cos(c + dx) + b \sin(c + dx)}{\sqrt{a^2 + b^2}} \right)^{-n} \right) \int \cos^n(c + dx - \tan^{-1}(a, b)) dx$$

$$= - \frac{\cos^{1+n}(c + dx - \tan^{-1}(a, b)) {}_2F_1\left(\frac{1}{2}, \frac{1+n}{2}; \frac{3+n}{2}; \cos^2(c + dx - \tan^{-1}(a, b))\right)}{d(1+n)\sqrt{\sin^2(c + dx - \tan^{-1}(a, b))}}$$

**Mathematica [A]** time = 0.228257, size = 94, normalized size = 0.69

$$\frac{\sin\left(2\left(\tan^{-1}\left(\frac{a}{b}\right) + c + dx\right)\right) \sin^2\left(\tan^{-1}\left(\frac{a}{b}\right) + c + dx\right)^{-\frac{n}{2}-\frac{1}{2}} (a \cos(c + dx) + b \sin(c + dx))^n \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1-n}{2}, \frac{3}{2}, \cos(c + dx + \text{ArcTan}[a/b])^2\right)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^n,x]

[Out] -(Hypergeometric2F1[1/2, (1 - n)/2, 3/2, Cos[c + d\*x + ArcTan[a/b]]^2]\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^n\*(Sin[c + d\*x + ArcTan[a/b]]^2)^(-1/2 - n/2)\*Sin[2\*(c + d\*x + ArcTan[a/b])])/(2\*d)

**Maple [F]** time = 0.415, size = 0, normalized size = 0.

$$\int (a \cos(dx + c) + b \sin(dx + c))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*cos(d\*x+c)+b\*sin(d\*x+c))^n,x)

[Out] int((a\*cos(d\*x+c)+b\*sin(d\*x+c))^n,x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (a \cos(dx + c) + b \sin(dx + c))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sin(d\*x+c))^n,x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + b\*sin(d\*x + c))^n, x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left((a \cos(dx + c) + b \sin(dx + c))^n, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sin(d\*x+c))^n,x, algorithm="fricas")

[Out] integral((a\*cos(d\*x + c) + b\*sin(d\*x + c))^n, x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*cos(d*x+c)+b*sin(d*x+c))**n,x)
```

```
[Out] Timed out
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (a \cos(dx + c) + b \sin(dx + c))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*cos(d*x+c)+b*sin(d*x+c))^n,x, algorithm="giac")
```

```
[Out] integrate((a*cos(d*x + c) + b*sin(d*x + c))^n, x)
```

### 3.218 $\int (2 \cos(c + dx) + 3 \sin(c + dx))^n dx$

**Optimal.** Leaf size=95

$$\frac{13^{n/2} \sin\left(c + dx - \tan^{-1}\left(\frac{3}{2}\right)\right) \cos^{n+1}\left(c + dx - \tan^{-1}\left(\frac{3}{2}\right)\right) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{n+1}{2}, \frac{n+3}{2}, \cos^2\left(c + dx - \tan^{-1}\left(\frac{3}{2}\right)\right)\right)}{d(n+1) \sqrt{\sin^2\left(c + dx - \tan^{-1}\left(\frac{3}{2}\right)\right)}}$$

[Out] -((13^(n/2)\*Cos[c + d\*x - ArcTan[3/2]]^(1 + n)\*Hypergeometric2F1[1/2, (1 + n)/2, (3 + n)/2, Cos[c + d\*x - ArcTan[3/2]]^2]\*Sin[c + d\*x - ArcTan[3/2]])/(d\*(1 + n)\*Sqrt[Sin[c + d\*x - ArcTan[3/2]]^2])

**Rubi [A]** time = 0.0489555, antiderivative size = 95, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$ , Rules used = {3077, 2643}

$$\frac{13^{n/2} \sin\left(c + dx - \tan^{-1}\left(\frac{3}{2}\right)\right) \cos^{n+1}\left(c + dx - \tan^{-1}\left(\frac{3}{2}\right)\right) {}_2F_1\left(\frac{1}{2}, \frac{n+1}{2}; \frac{n+3}{2}; \cos^2\left(c + dx - \tan^{-1}\left(\frac{3}{2}\right)\right)\right)}{d(n+1) \sqrt{\sin^2\left(c + dx - \tan^{-1}\left(\frac{3}{2}\right)\right)}}$$

Antiderivative was successfully verified.

[In] Int[(2\*Cos[c + d\*x] + 3\*Sin[c + d\*x])^n, x]

[Out] -((13^(n/2)\*Cos[c + d\*x - ArcTan[3/2]]^(1 + n)\*Hypergeometric2F1[1/2, (1 + n)/2, (3 + n)/2, Cos[c + d\*x - ArcTan[3/2]]^2]\*Sin[c + d\*x - ArcTan[3/2]])/(d\*(1 + n)\*Sqrt[Sin[c + d\*x - ArcTan[3/2]]^2])

#### Rule 3077

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Dist[(a^2 + b^2)^(n/2), Int[Cos[c + d\*x - ArcTan[a, b]]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && !(GeQ[n, 1] || LeQ[n, -1]) && GtQ[a^2 + b^2, 0]

#### Rule 2643

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1)\*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d\*x]^2)]/(b\*d\*(n + 1)\*Sqrt[Cos[c + d\*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rubi steps

$$\begin{aligned} \int (2 \cos(c + dx) + 3 \sin(c + dx))^n dx &= 13^{n/2} \int \cos^n\left(c + dx - \tan^{-1}\left(\frac{3}{2}\right)\right) dx \\ &= -\frac{13^{n/2} \cos^{1+n}\left(c + dx - \tan^{-1}\left(\frac{3}{2}\right)\right) {}_2F_1\left(\frac{1}{2}, \frac{1+n}{2}; \frac{3+n}{2}; \cos^2\left(c + dx - \tan^{-1}\left(\frac{3}{2}\right)\right)\right)}{d(1+n) \sqrt{\sin^2\left(c + dx - \tan^{-1}\left(\frac{3}{2}\right)\right)}} \end{aligned}$$

**Mathematica [A]** time = 0.176881, size = 88, normalized size = 0.93

$$\frac{\sin\left(2\left(c + dx + \tan^{-1}\left(\frac{2}{3}\right)\right)\right) \sin^2\left(c + dx + \tan^{-1}\left(\frac{2}{3}\right)\right)^{-\frac{n}{2}-\frac{1}{2}} (3 \sin(c + dx) + 2 \cos(c + dx))^n \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1-n}{2}, \frac{3}{2}, \cos(c + dx + \text{ArcTan}\left[\frac{2}{3}\right])^2\right) (2 \cos(c + dx) + 3 \sin(c + dx))^n (\sin(c + dx + \text{ArcTan}\left[\frac{2}{3}\right])^2)^{-\frac{1}{2}-\frac{n}{2}} \sin[2(c + dx + \text{ArcTan}\left[\frac{2}{3}\right])]}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[(2\*Cos[c + d\*x] + 3\*Sin[c + d\*x])^n,x]

[Out] -(Hypergeometric2F1[1/2, (1 - n)/2, 3/2, Cos[c + d\*x + ArcTan[2/3]]^2]\*(2\*Cos[c + d\*x] + 3\*Sin[c + d\*x])^n\*(Sin[c + d\*x + ArcTan[2/3]]^2)^(-1/2 - n/2)\*Sin[2\*(c + d\*x + ArcTan[2/3])])/(2\*d)

**Maple [F]** time = 0.416, size = 0, normalized size = 0.

$$\int (2 \cos(dx + c) + 3 \sin(dx + c))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2\*cos(d\*x+c)+3\*sin(d\*x+c))^n,x)

[Out] int((2\*cos(d\*x+c)+3\*sin(d\*x+c))^n,x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (2 \cos(dx + c) + 3 \sin(dx + c))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*cos(d\*x+c)+3\*sin(d\*x+c))^n,x, algorithm="maxima")

[Out] integrate((2\*cos(d\*x + c) + 3\*sin(d\*x + c))^n, x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left((2 \cos(dx + c) + 3 \sin(dx + c))^n, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*cos(d\*x+c)+3\*sin(d\*x+c))^n,x, algorithm="fricas")

[Out] integral((2\*cos(d\*x + c) + 3\*sin(d\*x + c))^n, x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*cos(d\*x+c)+3\*sin(d\*x+c))\*\*n,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (2 \cos(dx + c) + 3 \sin(dx + c))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*cos(d\*x+c)+3\*sin(d\*x+c))^n,x, algorithm="giac")

[Out] integrate((2\*cos(d\*x + c) + 3\*sin(d\*x + c))^n, x)

### 3.219 $\int (a \cos(c + dx) + b \sin(c + dx))^7 dx$

**Optimal.** Leaf size=127

$$\frac{3(a^2 + b^2)(b \cos(c + dx) - a \sin(c + dx))^5}{5d} + \frac{(a^2 + b^2)^2 (b \cos(c + dx) - a \sin(c + dx))^3}{d} - \frac{(a^2 + b^2)^3 (b \cos(c + dx) - a \sin(c + dx))}{d}$$

[Out] -(((a^2 + b^2)^3\*(b\*Cos[c + d\*x] - a\*Sin[c + d\*x]))/d) + ((a^2 + b^2)^2\*(b\*Cos[c + d\*x] - a\*Sin[c + d\*x])^3)/d - (3\*(a^2 + b^2)\*(b\*Cos[c + d\*x] - a\*Sin[c + d\*x])^5)/(5\*d) + (b\*Cos[c + d\*x] - a\*Sin[c + d\*x])^7/(7\*d)

**Rubi [A]** time = 0.0778204, antiderivative size = 127, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$ , Rules used = {3072, 194}

$$\frac{3(a^2 + b^2)(b \cos(c + dx) - a \sin(c + dx))^5}{5d} + \frac{(a^2 + b^2)^2 (b \cos(c + dx) - a \sin(c + dx))^3}{d} - \frac{(a^2 + b^2)^3 (b \cos(c + dx) - a \sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^7, x]

[Out] -(((a^2 + b^2)^3\*(b\*Cos[c + d\*x] - a\*Sin[c + d\*x]))/d) + ((a^2 + b^2)^2\*(b\*Cos[c + d\*x] - a\*Sin[c + d\*x])^3)/d - (3\*(a^2 + b^2)\*(b\*Cos[c + d\*x] - a\*Sin[c + d\*x])^5)/(5\*d) + (b\*Cos[c + d\*x] - a\*Sin[c + d\*x])^7/(7\*d)

#### Rule 3072

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_), x\_Symbol] :> -Dist[d^(-1), Subst[Int[(a^2 + b^2 - x^2)^((n - 1)/2), x], x, b\*Cos[c + d\*x] - a\*Sin[c + d\*x]], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 + b^2, 0] && IGtQ[(n - 1)/2, 0]

#### Rule 194

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]

#### Rubi steps

$$\begin{aligned} \int (a \cos(c + dx) + b \sin(c + dx))^7 dx &= -\frac{\text{Subst}\left(\int (a^2 + b^2 - x^2)^3 dx, x, b \cos(c + dx) - a \sin(c + dx)\right)}{d} \\ &= -\frac{\text{Subst}\left(\int \left(a^6 \left(1 + \frac{3a^4b^2 + 3a^2b^4 + b^6}{a^6}\right) - 3a^4 \left(1 + \frac{2a^2b^2 + b^4}{a^4}\right)x^2 + 3a^2 \left(1 + \frac{b^2}{a^2}\right)x^4 - \dots\right) dx, x, b \cos(c + dx) - a \sin(c + dx)\right)}{d} \\ &= -\frac{(a^2 + b^2)^3 (b \cos(c + dx) - a \sin(c + dx))}{d} + \frac{(a^2 + b^2)^2 (b \cos(c + dx) - a \sin(c + dx))}{d} \end{aligned}$$

**Mathematica [A]** time = 1.0378, size = 246, normalized size = 1.94

$$1225a(a^2 + b^2)^3 \sin(c + dx) + 245a(a^2 - 3b^2)(a^2 + b^2)^2 \sin(3(c + dx)) + 49a(-9a^4b^2 - 5a^2b^4 + a^6 + 5b^6) \sin(5(c + dx))$$

Antiderivative was successfully verified.

[In] Integrate[(a\*cos[c + d\*x] + b\*sin[c + d\*x])^7,x]

[Out]  $(-1225*b*(a^2 + b^2)^3*\cos[c + d*x] + 245*b*(-3*a^2 + b^2)*(a^2 + b^2)^2*\cos[3*(c + d*x)] - 49*b*(5*a^6 - 5*a^4*b^2 - 9*a^2*b^4 + b^6)*\cos[5*(c + d*x)] + 5*b*(-7*a^6 + 35*a^4*b^2 - 21*a^2*b^4 + b^6)*\cos[7*(c + d*x)] + 1225*a*(a^2 + b^2)^3*\sin[c + d*x] + 245*a*(a^2 - 3*b^2)*(a^2 + b^2)^2*\sin[3*(c + d*x)] + 49*a*(a^6 - 9*a^4*b^2 - 5*a^2*b^4 + 5*b^6)*\sin[5*(c + d*x)] + 5*a*(a^6 - 21*a^4*b^2 + 35*a^2*b^4 - 7*b^6)*\sin[7*(c + d*x)])/(2240*d)$

**Maple [B]** time = 0.169, size = 321, normalized size = 2.5

$$\frac{1}{d} \left( -\frac{b^7 \cos(dx+c)}{7} \left( \frac{16}{5} + (\sin(dx+c))^6 + \frac{6(\sin(dx+c))^4}{5} + \frac{8(\sin(dx+c))^2}{5} \right) + ab^6 (\sin(dx+c))^7 + 21a^2b^5 \left( -\frac{1}{7} \sin(dx+c) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*cos(d\*x+c)+b\*sin(d\*x+c))^7,x)

[Out]  $1/d*(-1/7*b^7*(16/5+\sin(d*x+c)^6+6/5*\sin(d*x+c)^4+8/5*\sin(d*x+c)^2)*\cos(d*x+c)+a*b^6*\sin(d*x+c)^7+21*a^2*b^5*(-1/7*\sin(d*x+c)^4*\cos(d*x+c)^3-4/35*\sin(d*x+c)^2*\cos(d*x+c)^3-8/105*\cos(d*x+c)^3)+35*a^3*b^4*(-1/7*\sin(d*x+c)^3*\cos(d*x+c)^4-3/35*\sin(d*x+c)*\cos(d*x+c)^4+1/35*(2+\cos(d*x+c)^2)*\sin(d*x+c))+35*a^4*b^3*(-1/7*\sin(d*x+c)^2*\cos(d*x+c)^5-2/35*\cos(d*x+c)^5)+21*a^5*b^2*(-1/7*\sin(d*x+c)*\cos(d*x+c)^6+1/35*(8/3+\cos(d*x+c)^4+4/3*\cos(d*x+c)^2)*\sin(d*x+c))-a^6*b*\cos(d*x+c)^7+1/7*a^7*(16/5+\cos(d*x+c)^6+6/5*\cos(d*x+c)^4+8/5*\cos(d*x+c)^2)*\sin(d*x+c)$

**Maxima [B]** time = 1.00866, size = 347, normalized size = 2.73

$$\frac{35a^6b \cos(dx+c)^7 - 35ab^6 \sin(dx+c)^7 + (5 \sin(dx+c)^7 - 21 \sin(dx+c)^5 + 35 \sin(dx+c)^3 - 35 \sin(dx+c))a^7 - 7(15 \sin(dx+c)^7 - 42 \sin(dx+c)^5 + 35 \sin(dx+c)^3)a^5b^2 - 35(5 \cos(dx+c)^7 - 7 \cos(dx+c)^5)a^4b^3 + 35(5 \sin(dx+c)^7 - 7 \sin(dx+c)^5)a^3b^4 + 7(15 \cos(dx+c)^7 - 42 \cos(dx+c)^5 + 35 \cos(dx+c)^3)a^2b^5 - (5 \cos(dx+c)^7 - 21 \cos(dx+c)^5 + 35 \cos(dx+c)^3 - 35 \cos(dx+c))b^7}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sin(d\*x+c))^7,x, algorithm="maxima")

[Out]  $-1/35*(35*a^6*b*\cos(d*x + c)^7 - 35*a*b^6*\sin(d*x + c)^7 + (5*\sin(d*x + c)^7 - 21*\sin(d*x + c)^5 + 35*\sin(d*x + c)^3 - 35*\sin(d*x + c))*a^7 - 7*(15*\sin(d*x + c)^7 - 42*\sin(d*x + c)^5 + 35*\sin(d*x + c)^3)*a^5*b^2 - 35*(5*\cos(d*x + c)^7 - 7*\cos(d*x + c)^5)*a^4*b^3 + 35*(5*\sin(d*x + c)^7 - 7*\sin(d*x + c)^5)*a^3*b^4 + 7*(15*\cos(d*x + c)^7 - 42*\cos(d*x + c)^5 + 35*\cos(d*x + c)^3)*a^2*b^5 - (5*\cos(d*x + c)^7 - 21*\cos(d*x + c)^5 + 35*\cos(d*x + c)^3 - 35*\cos(d*x + c))*b^7)/d$

**Fricas [B]** time = 3.08474, size = 583, normalized size = 4.59

$$\frac{35b^7 \cos(dx+c) + 5(7a^6b - 35a^4b^3 + 21a^2b^5 - b^7) \cos(dx+c)^7 + 7(35a^4b^3 - 42a^2b^5 + 3b^7) \cos(dx+c)^5 + 35(7a^6b - 35a^4b^3 + 21a^2b^5 - b^7) \cos(dx+c)^3 - 35(5 \sin(dx+c)^7 - 21 \sin(dx+c)^5 + 35 \sin(dx+c)^3 - 35 \sin(dx+c))a^7 - 7(15 \sin(dx+c)^7 - 42 \sin(dx+c)^5 + 35 \sin(dx+c)^3)a^5b^2 - 35(5 \cos(dx+c)^7 - 7 \cos(dx+c)^5)a^4b^3 + 35(5 \sin(dx+c)^7 - 7 \sin(dx+c)^5)a^3b^4 + 7(15 \cos(dx+c)^7 - 42 \cos(dx+c)^5 + 35 \cos(dx+c)^3)a^2b^5 - (5 \cos(dx+c)^7 - 21 \cos(dx+c)^5 + 35 \cos(dx+c)^3 - 35 \cos(dx+c))b^7}{d}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate((a\*cos(d\*x+c)+b\*sin(d\*x+c))^7,x, algorithm="fricas")

[Out] 
$$-1/35*(35*b^7*\cos(d*x + c) + 5*(7*a^6*b - 35*a^4*b^3 + 21*a^2*b^5 - b^7)*\cos(d*x + c)^7 + 7*(35*a^4*b^3 - 42*a^2*b^5 + 3*b^7)*\cos(d*x + c)^5 + 35*(7*a^2*b^5 - b^7)*\cos(d*x + c)^3 - (16*a^7 + 56*a^5*b^2 + 70*a^3*b^4 + 35*a*b^6 + 5*(a^7 - 21*a^5*b^2 + 35*a^3*b^4 - 7*a*b^6)*\cos(d*x + c)^6 + (6*a^7 + 21*a^5*b^2 - 280*a^3*b^4 + 105*a*b^6)*\cos(d*x + c)^4 + (8*a^7 + 28*a^5*b^2 + 35*a^3*b^4 - 105*a*b^6)*\cos(d*x + c)^2)*\sin(d*x + c))/d$$

**Sympy [A]** time = 10.1715, size = 461, normalized size = 3.63

$$\left\{ \frac{16a^7 \sin^7(c+dx)}{35d} + \frac{8a^7 \sin^5(c+dx) \cos^2(c+dx)}{5d} + \frac{2a^7 \sin^3(c+dx) \cos^4(c+dx)}{d} + \frac{a^7 \sin(c+dx) \cos^6(c+dx)}{d} - \frac{a^6 b \cos^7(c+dx)}{d} + \frac{8a^5 b^2 \sin^7(c+dx)}{5d} + \dots \right\} x(a \cos(c) + b \sin(c))^7$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sin(d\*x+c))^7,x)

[Out] Piecewise((16\*a\*\*7\*sin(c + d\*x)\*\*7/(35\*d) + 8\*a\*\*7\*sin(c + d\*x)\*\*5\*cos(c + d\*x)\*\*2/(5\*d) + 2\*a\*\*7\*sin(c + d\*x)\*\*3\*cos(c + d\*x)\*\*4/d + a\*\*7\*sin(c + d\*x)\*cos(c + d\*x)\*\*6/d - a\*\*6\*b\*cos(c + d\*x)\*\*7/d + 8\*a\*\*5\*b\*\*2\*sin(c + d\*x)\*\*7/(5\*d) + 28\*a\*\*5\*b\*\*2\*sin(c + d\*x)\*\*5\*cos(c + d\*x)\*\*2/(5\*d) + 7\*a\*\*5\*b\*\*2\*sin(c + d\*x)\*\*3\*cos(c + d\*x)\*\*4/d - 7\*a\*\*4\*b\*\*3\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*5/d - 2\*a\*\*4\*b\*\*3\*cos(c + d\*x)\*\*7/d + 2\*a\*\*3\*b\*\*4\*sin(c + d\*x)\*\*7/d + 7\*a\*\*3\*b\*\*4\*sin(c + d\*x)\*\*5\*cos(c + d\*x)\*\*2/d - 7\*a\*\*2\*b\*\*5\*sin(c + d\*x)\*\*4\*cos(c + d\*x)\*\*3/d - 28\*a\*\*2\*b\*\*5\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*5/(5\*d) - 8\*a\*\*2\*b\*\*5\*cos(c + d\*x)\*\*7/(5\*d) + a\*b\*\*6\*sin(c + d\*x)\*\*7/d - b\*\*7\*sin(c + d\*x)\*\*6\*cos(c + d\*x)/d - 2\*b\*\*7\*sin(c + d\*x)\*\*4\*cos(c + d\*x)\*\*3/d - 8\*b\*\*7\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*5/(5\*d) - 16\*b\*\*7\*cos(c + d\*x)\*\*7/(35\*d), Ne(d, 0)), (x\*(a\*cos(c) + b\*sin(c))^7, True))

**Giac [B]** time = 1.13206, size = 427, normalized size = 3.36

$$\frac{(7a^6b - 35a^4b^3 + 21a^2b^5 - b^7) \cos(7dx + 7c)}{448d} - \frac{7(5a^6b - 5a^4b^3 - 9a^2b^5 + b^7) \cos(5dx + 5c)}{320d} - \frac{7(3a^6b + 5a^4b^3 - 9a^2b^5 + b^7) \cos(3dx + 3c)}{64d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sin(d\*x+c))^7,x, algorithm="giac")

[Out] 
$$-1/448*(7*a^6*b - 35*a^4*b^3 + 21*a^2*b^5 - b^7)*\cos(7*d*x + 7*c)/d - 7/320*(5*a^6*b - 5*a^4*b^3 - 9*a^2*b^5 + b^7)*\cos(5*d*x + 5*c)/d - 7/64*(3*a^6*b + 5*a^4*b^3 + a^2*b^5 - b^7)*\cos(3*d*x + 3*c)/d - 35/64*(a^6*b + 3*a^4*b^3 + 3*a^2*b^5 + b^7)*\cos(d*x + c)/d + 1/448*(a^7 - 21*a^5*b^2 + 35*a^3*b^4 - 7*a*b^6)*\sin(7*d*x + 7*c)/d + 7/320*(a^7 - 9*a^5*b^2 - 5*a^3*b^4 + 5*a*b^6)*\sin(5*d*x + 5*c)/d + 7/64*(a^7 - a^5*b^2 - 5*a^3*b^4 - 3*a*b^6)*\sin(3*d*x + 3*c)/d + 35/64*(a^7 + 3*a^5*b^2 + 3*a^3*b^4 + a*b^6)*\sin(d*x + c)/d$$

### 3.220 $\int (a \cos(c + dx) + b \sin(c + dx))^6 dx$

**Optimal.** Leaf size=161

$$\frac{5(a^2 + b^2)(b \cos(c + dx) - a \sin(c + dx))(a \cos(c + dx) + b \sin(c + dx))^3}{24d} - \frac{5(a^2 + b^2)^2(b \cos(c + dx) - a \sin(c + dx))(a \cos(c + dx) + b \sin(c + dx))^2}{16d}$$

[Out] (5\*(a^2 + b^2)^3\*x)/16 - (5\*(a^2 + b^2)^2\*(b\*Cos[c + d\*x] - a\*Sin[c + d\*x])\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x]))/(16\*d) - (5\*(a^2 + b^2)\*(b\*Cos[c + d\*x] - a\*Sin[c + d\*x])\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^3)/(24\*d) - ((b\*Cos[c + d\*x] - a\*Sin[c + d\*x])\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^5)/(6\*d)

**Rubi [A]** time = 0.0789943, antiderivative size = 161, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 2, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$ , Rules used = {3073, 8}

$$\frac{5(a^2 + b^2)(b \cos(c + dx) - a \sin(c + dx))(a \cos(c + dx) + b \sin(c + dx))^3}{24d} - \frac{5(a^2 + b^2)^2(b \cos(c + dx) - a \sin(c + dx))(a \cos(c + dx) + b \sin(c + dx))^2}{16d}$$

Antiderivative was successfully verified.

[In] Int[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^6,x]

[Out] (5\*(a^2 + b^2)^3\*x)/16 - (5\*(a^2 + b^2)^2\*(b\*Cos[c + d\*x] - a\*Sin[c + d\*x])\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x]))/(16\*d) - (5\*(a^2 + b^2)\*(b\*Cos[c + d\*x] - a\*Sin[c + d\*x])\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^3)/(24\*d) - ((b\*Cos[c + d\*x] - a\*Sin[c + d\*x])\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^5)/(6\*d)

#### Rule 3073

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_), x\_Symbol] :> -Simp[((b\*Cos[c + d\*x] - a\*Sin[c + d\*x])\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[((n - 1)\*(a^2 + b^2))/n, Int[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 + b^2, 0] && !IntegerQ[(n - 1)/2] && GtQ[n, 1]

#### Rule 8

Int[a\_., x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned} \int (a \cos(c + dx) + b \sin(c + dx))^6 dx &= -\frac{(b \cos(c + dx) - a \sin(c + dx))(a \cos(c + dx) + b \sin(c + dx))^5}{6d} + \frac{1}{6} (5(a^2 + b^2)) \\ &= -\frac{5(a^2 + b^2)(b \cos(c + dx) - a \sin(c + dx))(a \cos(c + dx) + b \sin(c + dx))^3}{24d} - \frac{(b \cos(c + dx) - a \sin(c + dx))(a \cos(c + dx) + b \sin(c + dx))^2}{16d} \\ &= -\frac{5(a^2 + b^2)^2(b \cos(c + dx) - a \sin(c + dx))(a \cos(c + dx) + b \sin(c + dx))}{16d} - \frac{5(a^2 + b^2)(b \cos(c + dx) - a \sin(c + dx))(a \cos(c + dx) + b \sin(c + dx))^3}{16d} \\ &= \frac{5}{16} (a^2 + b^2)^3 x - \frac{5(a^2 + b^2)^2(b \cos(c + dx) - a \sin(c + dx))(a \cos(c + dx) + b \sin(c + dx))^2}{16d} \end{aligned}$$

**Mathematica [A]** time = 0.707346, size = 192, normalized size = 1.19

$$60(a^2 + b^2)^3(c + dx) + 45(a^2 - b^2)(a^2 + b^2)^2 \sin(2(c + dx)) + 9(-5a^4b^2 - 5a^2b^4 + a^6 + b^6) \sin(4(c + dx)) + (-15a^4b^2 - 15a^2b^4 + b^6) \sin(6(c + dx))$$

Antiderivative was successfully verified.

[In] Integrate[(a\*cos[c + d\*x] + b\*sin[c + d\*x])^6,x]

[Out] (60\*(a^2 + b^2)^3\*(c + d\*x) - 90\*a\*b\*(a^2 + b^2)^2\*cos[2\*(c + d\*x)] - 36\*a\*b\*(a^4 - b^4)\*cos[4\*(c + d\*x)] - 2\*a\*b\*(3\*a^4 - 10\*a^2\*b^2 + 3\*b^4)\*cos[6\*(c + d\*x)] + 45\*(a^2 - b^2)\*(a^2 + b^2)^2\*sin[2\*(c + d\*x)] + 9\*(a^6 - 5\*a^4\*b^2 - 5\*a^2\*b^4 + b^6)\*sin[4\*(c + d\*x)] + (a^6 - 15\*a^4\*b^2 + 15\*a^2\*b^4 - b^6)\*sin[6\*(c + d\*x)])/(192\*d)

**Maple [A]** time = 0.141, size = 285, normalized size = 1.8

$$\frac{1}{d} \left( b^6 \left( -\frac{\cos(dx+c)}{6} \left( (\sin(dx+c))^5 + \frac{5(\sin(dx+c))^3}{4} + \frac{15\sin(dx+c)}{8} \right) + \frac{5dx}{16} + \frac{5c}{16} \right) + ab^5(\sin(dx+c))^6 + 15a^2b^4 \sin(dx+c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*cos(d\*x+c)+b\*sin(d\*x+c))^6,x)

[Out] 1/d\*(b^6\*(-1/6\*(sin(d\*x+c)^5+5/4\*sin(d\*x+c)^3+15/8\*sin(d\*x+c))\*cos(d\*x+c)+5/16\*d\*x+5/16\*c)+a\*b^5\*sin(d\*x+c)^6+15\*a^2\*b^4\*(-1/6\*sin(d\*x+c)^3\*cos(d\*x+c)^3-1/8\*sin(d\*x+c)\*cos(d\*x+c)^3+1/16\*sin(d\*x+c)\*cos(d\*x+c)+1/16\*d\*x+1/16\*c)+20\*a^3\*b^3\*(-1/6\*sin(d\*x+c)^2\*cos(d\*x+c)^4-1/12\*cos(d\*x+c)^4)+15\*a^4\*b^2\*(-1/6\*sin(d\*x+c)\*cos(d\*x+c)^5+1/24\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+1/16\*d\*x+1/16\*c)-a^5\*b\*cos(d\*x+c)^6+a^6\*(1/6\*(cos(d\*x+c)^5+5/4\*cos(d\*x+c)^3+15/8\*cos(d\*x+c))\*sin(d\*x+c)+5/16\*d\*x+5/16\*c))

**Maxima [A]** time = 1.02943, size = 321, normalized size = 1.99

$$192 a^5 b \cos(dx + c)^6 - 192 a b^5 \sin(dx + c)^6 + (4 \sin(2 dx + 2 c)^3 - 60 dx - 60 c - 9 \sin(4 dx + 4 c) - 48 \sin(2 dx + 2 c)) a^6 - 15 (4 \sin(2 dx + 2 c)^3 + 12 dx + 12 c - 3 \sin(4 dx + 4 c)) a^4 b^2 + 320 (2 \sin(dx + c)^6 - 3 \sin(dx + c)^4) a^3 b^3 + 15 (4 \sin(2 dx + 2 c)^3 - 12 dx - 12 c + 3 \sin(4 dx + 4 c)) a^2 b^4 - (4 \sin(2 dx + 2 c)^3 + 60 dx + 60 c + 9 \sin(4 dx + 4 c) - 48 \sin(2 dx + 2 c)) b^6 / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sin(d\*x+c))^6,x, algorithm="maxima")

[Out] -1/192\*(192\*a^5\*b\*cos(d\*x + c)^6 - 192\*a\*b^5\*sin(d\*x + c)^6 + (4\*sin(2\*d\*x + 2\*c)^3 - 60\*d\*x - 60\*c - 9\*sin(4\*d\*x + 4\*c) - 48\*sin(2\*d\*x + 2\*c))\*a^6 - 15\*(4\*sin(2\*d\*x + 2\*c)^3 + 12\*d\*x + 12\*c - 3\*sin(4\*d\*x + 4\*c))\*a^4\*b^2 + 320\*(2\*sin(d\*x + c)^6 - 3\*sin(d\*x + c)^4)\*a^3\*b^3 + 15\*(4\*sin(2\*d\*x + 2\*c)^3 - 12\*d\*x - 12\*c + 3\*sin(4\*d\*x + 4\*c))\*a^2\*b^4 - (4\*sin(2\*d\*x + 2\*c)^3 + 60\*d\*x + 60\*c + 9\*sin(4\*d\*x + 4\*c) - 48\*sin(2\*d\*x + 2\*c))\*b^6)/d

**Fricas [A]** time = 2.91479, size = 501, normalized size = 3.11

$$144 a b^5 \cos(dx + c)^2 + 16 (3 a^5 b - 10 a^3 b^3 + 3 a b^5) \cos(dx + c)^6 + 48 (5 a^3 b^3 - 3 a b^5) \cos(dx + c)^4 - 15 (a^6 + 3 a^4 b^2 - 3 a^2 b^4 - b^6) \cos(dx + c)^2 + 15 (a^6 + 3 a^4 b^2 - 3 a^2 b^4 - b^6) \cos(dx + c)^0$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sin(d\*x+c))^6,x, algorithm="fricas")

[Out] 
$$-1/48*(144*a*b^5*\cos(d*x + c)^2 + 16*(3*a^5*b - 10*a^3*b^3 + 3*a*b^5)*\cos(d*x + c)^6 + 48*(5*a^3*b^3 - 3*a*b^5)*\cos(d*x + c)^4 - 15*(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6)*d*x - (8*(a^6 - 15*a^4*b^2 + 15*a^2*b^4 - b^6)*\cos(d*x + c)^5 + 2*(5*a^6 + 15*a^4*b^2 - 105*a^2*b^4 + 13*b^6)*\cos(d*x + c)^3 + 3*(5*a^6 + 15*a^4*b^2 + 15*a^2*b^4 - 11*b^6)*\cos(d*x + c))*\sin(d*x + c))/d$$

**Sympy [A]** time = 6.39096, size = 821, normalized size = 5.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sin(d\*x+c))^6,x)

[Out] 
$$\text{Piecewise}((5*a**6*x*\sin(c + d*x)**6/16 + 15*a**6*x*\sin(c + d*x)**4*\cos(c + d*x)**2/16 + 15*a**6*x*\sin(c + d*x)**2*\cos(c + d*x)**4/16 + 5*a**6*x*\cos(c + d*x)**6/16 + 5*a**6*\sin(c + d*x)**5*\cos(c + d*x)/(16*d) + 5*a**6*\sin(c + d*x)**3*\cos(c + d*x)**3/(6*d) + 11*a**6*\sin(c + d*x)*\cos(c + d*x)**5/(16*d) - a**5*b*\cos(c + d*x)**6/d + 15*a**4*b**2*x*\sin(c + d*x)**6/16 + 45*a**4*b**2*x*\sin(c + d*x)**4*\cos(c + d*x)**2/16 + 45*a**4*b**2*x*\sin(c + d*x)**2*\cos(c + d*x)**4/16 + 15*a**4*b**2*x*\cos(c + d*x)**6/16 + 15*a**4*b**2*\sin(c + d*x)**5*\cos(c + d*x)/(16*d) + 5*a**4*b**2*\sin(c + d*x)**3*\cos(c + d*x)**3/(2*d) - 15*a**4*b**2*\sin(c + d*x)*\cos(c + d*x)**5/(16*d) - 5*a**3*b**3*\sin(c + d*x)**2*\cos(c + d*x)**4/d - 5*a**3*b**3*\cos(c + d*x)**6/(3*d) + 15*a**2*b**4*x*\sin(c + d*x)**6/16 + 45*a**2*b**4*x*\sin(c + d*x)**4*\cos(c + d*x)**2/16 + 45*a**2*b**4*x*\sin(c + d*x)**2*\cos(c + d*x)**4/16 + 15*a**2*b**4*x*\cos(c + d*x)**6/16 + 15*a**2*b**4*\sin(c + d*x)**5*\cos(c + d*x)/(16*d) - 5*a**2*b**4*\sin(c + d*x)**3*\cos(c + d*x)**3/(2*d) - 15*a**2*b**4*\sin(c + d*x)*\cos(c + d*x)**5/(16*d) - 3*a*b**5*\sin(c + d*x)**4*\cos(c + d*x)**2/d - 3*a*b**5*\sin(c + d*x)**2*\cos(c + d*x)**4/d - a*b**5*\cos(c + d*x)**6/d + 5*b**6*x*\sin(c + d*x)**6/16 + 15*b**6*x*\sin(c + d*x)**4*\cos(c + d*x)**2/16 + 15*b**6*x*\sin(c + d*x)**2*\cos(c + d*x)**4/16 + 5*b**6*x*\cos(c + d*x)**6/16 - 11*b**6*\sin(c + d*x)**5*\cos(c + d*x)/(16*d) - 5*b**6*\sin(c + d*x)**3*\cos(c + d*x)**3/(6*d) - 5*b**6*\sin(c + d*x)*\cos(c + d*x)**5/(16*d), Ne(d, 0)), (x*(a*cos(c) + b*sin(c))^6, True))$$

**Giac [A]** time = 1.1269, size = 317, normalized size = 1.97

$$\frac{5}{16} (a^6 + 3a^4b^2 + 3a^2b^4 + b^6)x - \frac{(3a^5b - 10a^3b^3 + 3ab^5)\cos(6dx + 6c)}{96d} - \frac{3(a^5b - ab^5)\cos(4dx + 4c)}{16d} - \frac{15(a^5b + 2a^3b^3 + 3ab^5)\cos(2dx + 2c)}{192d} + \frac{15(a^6 - 15a^4b^2 + 15a^2b^4 - b^6)\sin(6dx + 6c)}{64d} + \frac{3(a^6 - 5a^4b^2 - 5a^2b^4 + b^6)\sin(4dx + 4c)}{64d} + \frac{15(a^6 + a^4b^2 - a^2b^4 - b^6)\sin(2dx + 2c)}{64d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sin(d\*x+c))^6,x, algorithm="giac")

[Out] 
$$5/16*(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6)*x - 1/96*(3*a^5*b - 10*a^3*b^3 + 3*a*b^5)*\cos(6*d*x + 6*c)/d - 3/16*(a^5*b - a*b^5)*\cos(4*d*x + 4*c)/d - 15/32*(a^5*b + 2*a^3*b^3 + a*b^5)*\cos(2*d*x + 2*c)/d + 1/192*(a^6 - 15*a^4*b^2 + 15*a^2*b^4 - b^6)*\sin(6*d*x + 6*c)/d + 3/64*(a^6 - 5*a^4*b^2 - 5*a^2*b^4 + b^6)*\sin(4*d*x + 4*c)/d + 15/64*(a^6 + a^4*b^2 - a^2*b^4 - b^6)*\sin(2*d*x + 2*c)/d$$

$$+ 2*c)/d$$

### 3.221 $\int (a \cos(c + dx) + b \sin(c + dx))^5 dx$

**Optimal.** Leaf size=94

$$\frac{2(a^2 + b^2)(b \cos(c + dx) - a \sin(c + dx))^3}{3d} - \frac{(a^2 + b^2)^2(b \cos(c + dx) - a \sin(c + dx))}{d} - \frac{(b \cos(c + dx) - a \sin(c + dx))^5}{5d}$$

[Out] -(((a^2 + b^2)^2\*(b\*Cos[c + d\*x] - a\*Sin[c + d\*x]))/d) + (2\*(a^2 + b^2)\*(b\*Cos[c + d\*x] - a\*Sin[c + d\*x])^3)/(3\*d) - (b\*Cos[c + d\*x] - a\*Sin[c + d\*x])^5/(5\*d)

**Rubi [A]** time = 0.0452859, antiderivative size = 94, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$ , Rules used = {3072, 194}

$$\frac{2(a^2 + b^2)(b \cos(c + dx) - a \sin(c + dx))^3}{3d} - \frac{(a^2 + b^2)^2(b \cos(c + dx) - a \sin(c + dx))}{d} - \frac{(b \cos(c + dx) - a \sin(c + dx))^5}{5d}$$

Antiderivative was successfully verified.

[In] Int[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^5,x]

[Out] -(((a^2 + b^2)^2\*(b\*Cos[c + d\*x] - a\*Sin[c + d\*x]))/d) + (2\*(a^2 + b^2)\*(b\*Cos[c + d\*x] - a\*Sin[c + d\*x])^3)/(3\*d) - (b\*Cos[c + d\*x] - a\*Sin[c + d\*x])^5/(5\*d)

#### Rule 3072

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_), x\_Symbol] :> -Dist[d^(-1), Subst[Int[(a^2 + b^2 - x^2)^((n - 1)/2), x], x, b\*Cos[c + d\*x] - a\*Sin[c + d\*x]], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 + b^2, 0] && IGtQ[(n - 1)/2, 0]

#### Rule 194

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]

#### Rubi steps

$$\begin{aligned} \int (a \cos(c + dx) + b \sin(c + dx))^5 dx &= -\frac{\text{Subst}\left(\int (a^2 + b^2 - x^2)^2 dx, x, b \cos(c + dx) - a \sin(c + dx)\right)}{d} \\ &= -\frac{\text{Subst}\left(\int \left(a^4 \left(1 + \frac{2a^2b^2 + b^4}{a^4}\right) - 2a^2 \left(1 + \frac{b^2}{a^2}\right) x^2 + x^4\right) dx, x, b \cos(c + dx) - a \sin(c + dx)\right)}{d} \\ &= -\frac{(a^2 + b^2)^2 (b \cos(c + dx) - a \sin(c + dx))}{d} + \frac{2(a^2 + b^2)(b \cos(c + dx) - a \sin(c + dx))^3}{3d} \end{aligned}$$

**Mathematica [A]** time = 0.466708, size = 156, normalized size = 1.66

$$\frac{150a(a^2 + b^2)^2 \sin(c + dx) + 25a(-2a^2b^2 + a^4 - 3b^4) \sin(3(c + dx)) + 3a(-10a^2b^2 + a^4 + 5b^4) \sin(5(c + dx)) - 150b(a^2 + b^2)^2 \cos(c + dx) + 25b(-2a^2b^2 + a^4 - 3b^4) \cos(3(c + dx)) + 3b(-10a^2b^2 + a^4 + 5b^4) \cos(5(c + dx))}{240d}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*cos[c + d\*x] + b\*sin[c + d\*x])^5,x]

[Out]  $(-150*b*(a^2 + b^2)^2*\cos[c + d*x] + 25*b*(-3*a^4 - 2*a^2*b^2 + b^4)*\cos[3*(c + d*x)] - 3*b*(5*a^4 - 10*a^2*b^2 + b^4)*\cos[5*(c + d*x)] + 150*a*(a^2 + b^2)^2*\sin[c + d*x] + 25*a*(a^4 - 2*a^2*b^2 - 3*b^4)*\sin[3*(c + d*x)] + 3*a*(a^4 - 10*a^2*b^2 + 5*b^4)*\sin[5*(c + d*x)])/(240*d)$

**Maple [A]** time = 0.105, size = 175, normalized size = 1.9

$$\frac{1}{d} \left( -\frac{b^5 \cos(dx + c)}{5} \left( \frac{8}{3} + (\sin(dx + c))^4 + \frac{4(\sin(dx + c))^2}{3} \right) + ab^4 (\sin(dx + c))^5 + 10a^2b^3 \left( -\frac{1}{5} (\sin(dx + c))^2 (\cos(dx + c))^3 + \frac{2}{15} (\sin(dx + c))^4 \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*cos(d\*x+c)+b\*sin(d\*x+c))^5,x)

[Out]  $1/d*(-1/5*b^5*(8/3+\sin(d*x+c)^4+4/3*\sin(d*x+c)^2)*\cos(d*x+c)+a*b^4*\sin(d*x+c)^5+10*a^2*b^3*(-1/5*\sin(d*x+c)^2*\cos(d*x+c)^3-2/15*\cos(d*x+c)^3)+10*a^3*b^2*(-1/5*\sin(d*x+c)*\cos(d*x+c)^4+1/15*(2+\cos(d*x+c)^2)*\sin(d*x+c))-a^4*b*\cos(d*x+c)^5+1/5*a^5*(8/3+\cos(d*x+c)^4+4/3*\cos(d*x+c)^2)*\sin(d*x+c)$

**Maxima [A]** time = 0.997787, size = 232, normalized size = 2.47

$$\frac{a^4 b \cos(dx + c)^5}{d} + \frac{ab^4 \sin(dx + c)^5}{d} + \frac{(3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c))a^5}{15d} - \frac{2(3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c))b^5}{15d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sin(d\*x+c))^5,x, algorithm="maxima")

[Out]  $-a^4*b*\cos(d*x + c)^5/d + a*b^4*\sin(d*x + c)^5/d + 1/15*(3*\sin(d*x + c)^5 - 10*\sin(d*x + c)^3 + 15*\sin(d*x + c))*a^5/d - 2/3*(3*\sin(d*x + c)^5 - 5*\sin(d*x + c)^3)*a^3*b^2/d + 2/3*(3*\cos(d*x + c)^5 - 5*\cos(d*x + c)^3)*a^2*b^3/d - 1/15*(3*\cos(d*x + c)^5 - 10*\cos(d*x + c)^3 + 15*\cos(d*x + c))*b^5/d$

**Fricas [A]** time = 2.49648, size = 354, normalized size = 3.77

$$\frac{15b^5 \cos(dx + c) + 3(5a^4b - 10a^2b^3 + b^5) \cos(dx + c)^5 + 10(5a^2b^3 - b^5) \cos(dx + c)^3 - (8a^5 + 20a^3b^2 + 15ab^4) \sin(dx + c)}{15d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sin(d\*x+c))^5,x, algorithm="fricas")

[Out]  $-1/15*(15*b^5*\cos(d*x + c) + 3*(5*a^4*b - 10*a^2*b^3 + b^5)*\cos(d*x + c)^5 + 10*(5*a^2*b^3 - b^5)*\cos(d*x + c)^3 - (8*a^5 + 20*a^3*b^2 + 15*a*b^4 + 3*(a^5 - 10*a^3*b^2 + 5*a*b^4)*\cos(d*x + c)^4 + 2*(2*a^5 + 5*a^3*b^2 - 15*a*b^4)*\cos(d*x + c)^2)*\sin(d*x + c))/d$

---

**Sympy [A]** time = 2.97084, size = 267, normalized size = 2.84

$$\left\{ \begin{array}{l} \frac{8a^5 \sin^5(c+dx)}{15d} + \frac{4a^5 \sin^3(c+dx) \cos^2(c+dx)}{3d} + \frac{a^5 \sin(c+dx) \cos^4(c+dx)}{d} - \frac{a^4 b \cos^5(c+dx)}{d} + \frac{4a^3 b^2 \sin^5(c+dx)}{3d} + \frac{10a^3 b^2 \sin^3(c+dx) \cos^2(c+dx)}{3d} - 1 \\ x(a \cos(c) + b \sin(c))^5 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sin(d\*x+c))\*\*5,x)

[Out] Piecewise((8\*a\*\*5\*sin(c + d\*x)\*\*5/(15\*d) + 4\*a\*\*5\*sin(c + d\*x)\*\*3\*cos(c + d\*x)\*\*2/(3\*d) + a\*\*5\*sin(c + d\*x)\*cos(c + d\*x)\*\*4/d - a\*\*4\*b\*cos(c + d\*x)\*\*5/d + 4\*a\*\*3\*b\*\*2\*sin(c + d\*x)\*\*5/(3\*d) + 10\*a\*\*3\*b\*\*2\*sin(c + d\*x)\*\*3\*cos(c + d\*x)\*\*2/(3\*d) - 10\*a\*\*2\*b\*\*3\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*3/(3\*d) - 4\*a\*\*2\*b\*\*3\*cos(c + d\*x)\*\*5/(3\*d) + a\*b\*\*4\*sin(c + d\*x)\*\*5/d - b\*\*5\*sin(c + d\*x)\*\*4\*cos(c + d\*x)/d - 4\*b\*\*5\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*3/(3\*d) - 8\*b\*\*5\*cos(c + d\*x)\*\*5/(15\*d), Ne(d, 0)), (x\*(a\*cos(c) + b\*sin(c))\*\*5, True))

---

**Giac [B]** time = 1.12192, size = 252, normalized size = 2.68

$$\frac{(5a^4b - 10a^2b^3 + b^5) \cos(5dx + 5c)}{80d} - \frac{5(3a^4b + 2a^2b^3 - b^5) \cos(3dx + 3c)}{48d} - \frac{5(a^4b + 2a^2b^3 + b^5) \cos(dx + c)}{8d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sin(d\*x+c))^5,x, algorithm="giac")

[Out] -1/80\*(5\*a^4\*b - 10\*a^2\*b^3 + b^5)\*cos(5\*d\*x + 5\*c)/d - 5/48\*(3\*a^4\*b + 2\*a^2\*b^3 - b^5)\*cos(3\*d\*x + 3\*c)/d - 5/8\*(a^4\*b + 2\*a^2\*b^3 + b^5)\*cos(d\*x + c)/d + 1/80\*(a^5 - 10\*a^3\*b^2 + 5\*a\*b^4)\*sin(5\*d\*x + 5\*c)/d + 5/48\*(a^5 - 2\*a^3\*b^2 - 3\*a\*b^4)\*sin(3\*d\*x + 3\*c)/d + 5/8\*(a^5 + 2\*a^3\*b^2 + a\*b^4)\*sin(d\*x + c)/d



### 3.222 $\int (a \cos(c + dx) + b \sin(c + dx))^4 dx$

**Optimal.** Leaf size=108

$$\frac{3(a^2 + b^2)(b \cos(c + dx) - a \sin(c + dx))(a \cos(c + dx) + b \sin(c + dx))}{8d} + \frac{3}{8}x(a^2 + b^2)^2 - \frac{(b \cos(c + dx) - a \sin(c + dx))(a \cos(c + dx) + b \sin(c + dx))^3}{4d}$$

[Out] (3\*(a^2 + b^2)^2\*x)/8 - (3\*(a^2 + b^2)\*(b\*Cos[c + d\*x] - a\*Sin[c + d\*x])\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x]))/(8\*d) - ((b\*Cos[c + d\*x] - a\*Sin[c + d\*x])\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^3)/(4\*d)

**Rubi [A]** time = 0.0444016, antiderivative size = 108, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$ , Rules used = {3073, 8}

$$\frac{3(a^2 + b^2)(b \cos(c + dx) - a \sin(c + dx))(a \cos(c + dx) + b \sin(c + dx))}{8d} + \frac{3}{8}x(a^2 + b^2)^2 - \frac{(b \cos(c + dx) - a \sin(c + dx))(a \cos(c + dx) + b \sin(c + dx))^3}{4d}$$

Antiderivative was successfully verified.

[In] Int[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^4, x]

[Out] (3\*(a^2 + b^2)^2\*x)/8 - (3\*(a^2 + b^2)\*(b\*Cos[c + d\*x] - a\*Sin[c + d\*x])\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x]))/(8\*d) - ((b\*Cos[c + d\*x] - a\*Sin[c + d\*x])\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^3)/(4\*d)

#### Rule 3073

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_), x\_Symbol] :> -Simp[((b\*Cos[c + d\*x] - a\*Sin[c + d\*x])\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[((n - 1)\*(a^2 + b^2))/n, Int[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 + b^2, 0] && !IntegerQ[(n - 1)/2] && GtQ[n, 1]

#### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned} \int (a \cos(c + dx) + b \sin(c + dx))^4 dx &= -\frac{(b \cos(c + dx) - a \sin(c + dx))(a \cos(c + dx) + b \sin(c + dx))^3}{4d} + \frac{1}{4}(3(a^2 + b^2)x - \frac{(b \cos(c + dx) - a \sin(c + dx))(a \cos(c + dx) + b \sin(c + dx))^3}{4d}) \\ &= -\frac{3(a^2 + b^2)(b \cos(c + dx) - a \sin(c + dx))(a \cos(c + dx) + b \sin(c + dx))^3}{8d} + \frac{3(a^2 + b^2)x}{4} - \frac{(b \cos(c + dx) - a \sin(c + dx))(a \cos(c + dx) + b \sin(c + dx))^3}{4d} \\ &= \frac{3}{8}(a^2 + b^2)^2 x - \frac{3(a^2 + b^2)(b \cos(c + dx) - a \sin(c + dx))(a \cos(c + dx) + b \sin(c + dx))^3}{8d} \end{aligned}$$

**Mathematica [A]** time = 0.317601, size = 107, normalized size = 0.99

$$\frac{12(a^2 + b^2)^2(c + dx) + 8(a^4 - b^4)\sin(2(c + dx)) + (-6a^2b^2 + a^4 + b^4)\sin(4(c + dx)) - 16ab(a^2 + b^2)\cos(2(c + dx))}{32d}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*cos[c + d\*x] + b\*sin[c + d\*x])^4,x]

[Out] (12\*(a^2 + b^2)^2\*(c + d\*x) - 16\*a\*b\*(a^2 + b^2)\*Cos[2\*(c + d\*x)] - 4\*a\*b\*(a^2 - b^2)\*Cos[4\*(c + d\*x)] + 8\*(a^4 - b^4)\*Sin[2\*(c + d\*x)] + (a^4 - 6\*a^2\*b^2 + b^4)\*Sin[4\*(c + d\*x)])/(32\*d)

**Maple [A]** time = 0.085, size = 153, normalized size = 1.4

$$\frac{1}{d} \left( b^4 \left( -\frac{\cos(dx+c)}{4} \left( (\sin(dx+c))^3 + \frac{3 \sin(dx+c)}{2} \right) + \frac{3dx}{8} + \frac{3c}{8} \right) + ab^3 (\sin(dx+c))^4 + 6a^2b^2 \left( -\frac{1}{4} \sin(dx+c) \cos(dx+c) + \frac{3}{8} dx + \frac{3}{8} c \right) + a^3b \left( \frac{1}{4} \cos(dx+c) \left( (\sin(dx+c))^3 + \frac{3 \sin(dx+c)}{2} \right) + \frac{3dx}{8} + \frac{3c}{8} \right) + a^2b^2 \left( -\frac{1}{4} \sin(dx+c) \cos(dx+c) + \frac{3}{8} dx + \frac{3}{8} c \right) + ab^3 \sin(dx+c) \cos(dx+c) + a^3b \cos(dx+c) \sin(dx+c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*cos(d\*x+c)+b\*sin(d\*x+c))^4,x)

[Out] 1/d\*(b^4\*(-1/4\*(sin(d\*x+c)^3+3/2\*sin(d\*x+c))\*cos(d\*x+c)+3/8\*d\*x+3/8\*c)+a\*b^3\*sin(d\*x+c)^4+6\*a^2\*b^2\*(-1/4\*sin(d\*x+c)\*cos(d\*x+c)^3+1/8\*sin(d\*x+c)\*cos(d\*x+c)+1/8\*d\*x+1/8\*c)-cos(d\*x+c)^4\*a^3\*b+a^4\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c))

**Maxima [A]** time = 1.01215, size = 184, normalized size = 1.7

$$-\frac{a^3b \cos(dx+c)^4}{d} + \frac{ab^3 \sin(dx+c)^4}{d} + \frac{(12dx+12c+\sin(4dx+4c)+8\sin(2dx+2c))a^4}{32d} + \frac{3(4dx+4c-\sin(4dx+4c))b^4}{16d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sin(d\*x+c))^4,x, algorithm="maxima")

[Out] -a^3\*b\*cos(d\*x + c)^4/d + a\*b^3\*sin(d\*x + c)^4/d + 1/32\*(12\*d\*x + 12\*c + sin(4\*d\*x + 4\*c) + 8\*sin(2\*d\*x + 2\*c))\*a^4/d + 3/16\*(4\*d\*x + 4\*c - sin(4\*d\*x + 4\*c))\*a^2\*b^2/d + 1/32\*(12\*d\*x + 12\*c + sin(4\*d\*x + 4\*c) - 8\*sin(2\*d\*x + 2\*c))\*b^4/d

**Fricas [A]** time = 2.49203, size = 273, normalized size = 2.53

$$\frac{16ab^3 \cos(dx+c)^2 + 8(a^3b - ab^3) \cos(dx+c)^4 - 3(a^4 + 2a^2b^2 + b^4)dx - (2(a^4 - 6a^2b^2 + b^4) \cos(dx+c)^3 + (3a^4 + 3ab^3) \sin(dx+c))}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sin(d\*x+c))^4,x, algorithm="fricas")

[Out] -1/8\*(16\*a\*b^3\*cos(d\*x + c)^2 + 8\*(a^3\*b - a\*b^3)\*cos(d\*x + c)^4 - 3\*(a^4 + 2\*a^2\*b^2 + b^4)\*d\*x - (2\*(a^4 - 6\*a^2\*b^2 + b^4)\*cos(d\*x + c)^3 + (3\*a^4 + 6\*a^2\*b^2 - 5\*b^4)\*cos(d\*x + c))\*sin(d\*x + c))/d

**Sympy [A]** time = 1.74196, size = 406, normalized size = 3.76

$$\left\{ \begin{array}{l} \frac{3a^4x \sin^4(c+dx)}{8} + \frac{3a^4x \sin^2(c+dx) \cos^2(c+dx)}{4} + \frac{3a^4x \cos^4(c+dx)}{8} + \frac{3a^4 \sin^3(c+dx) \cos(c+dx)}{8d} + \frac{5a^4 \sin(c+dx) \cos^3(c+dx)}{8d} - \frac{a^3b \cos^4(c+dx)}{d} + \frac{3ab^3 \sin^4(c+dx)}{d} \\ x(a \cos(c) + b \sin(c))^4 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sin(d\*x+c))\*\*4,x)

[Out] Piecewise((3\*a\*\*4\*x\*sin(c + d\*x)\*\*4/8 + 3\*a\*\*4\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*2/4 + 3\*a\*\*4\*x\*cos(c + d\*x)\*\*4/8 + 3\*a\*\*4\*sin(c + d\*x)\*\*3\*cos(c + d\*x)/(8\*d) + 5\*a\*\*4\*sin(c + d\*x)\*cos(c + d\*x)\*\*3/(8\*d) - a\*\*3\*b\*cos(c + d\*x)\*\*4/d + 3\*a\*\*2\*b\*\*2\*x\*sin(c + d\*x)\*\*4/4 + 3\*a\*\*2\*b\*\*2\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*2/2 + 3\*a\*\*2\*b\*\*2\*x\*cos(c + d\*x)\*\*4/4 + 3\*a\*\*2\*b\*\*2\*sin(c + d\*x)\*\*3\*cos(c + d\*x)/(4\*d) - 3\*a\*\*2\*b\*\*2\*sin(c + d\*x)\*cos(c + d\*x)\*\*3/(4\*d) - 2\*a\*b\*\*3\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*2/d - a\*b\*\*3\*cos(c + d\*x)\*\*4/d + 3\*b\*\*4\*x\*sin(c + d\*x)\*\*4/8 + 3\*b\*\*4\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*2/4 + 3\*b\*\*4\*x\*cos(c + d\*x)\*\*4/8 - 5\*b\*\*4\*sin(c + d\*x)\*\*3\*cos(c + d\*x)/(8\*d) - 3\*b\*\*4\*sin(c + d\*x)\*cos(c + d\*x)\*\*3/(8\*d), Ne(d, 0)), (x\*(a\*cos(c) + b\*sin(c))\*\*4, True))

**Giac [A]** time = 1.13133, size = 165, normalized size = 1.53

$$\frac{3}{8}(a^4 + 2a^2b^2 + b^4)x - \frac{(a^3b - ab^3)\cos(4dx + 4c)}{8d} - \frac{(a^3b + ab^3)\cos(2dx + 2c)}{2d} + \frac{(a^4 - 6a^2b^2 + b^4)\sin(4dx + 4c)}{32d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sin(d\*x+c))^4,x, algorithm="giac")

[Out] 3/8\*(a^4 + 2\*a^2\*b^2 + b^4)\*x - 1/8\*(a^3\*b - a\*b^3)\*cos(4\*d\*x + 4\*c)/d - 1/2\*(a^3\*b + a\*b^3)\*cos(2\*d\*x + 2\*c)/d + 1/32\*(a^4 - 6\*a^2\*b^2 + b^4)\*sin(4\*d\*x + 4\*c)/d + 1/4\*(a^4 - b^4)\*sin(2\*d\*x + 2\*c)/d

### 3.223 $\int (a \cos(c + dx) + b \sin(c + dx))^3 dx$

**Optimal.** Leaf size=58

$$\frac{(b \cos(c + dx) - a \sin(c + dx))^3}{3d} - \frac{(a^2 + b^2)(b \cos(c + dx) - a \sin(c + dx))}{d}$$

[Out] -(((a^2 + b^2)\*(b\*Cos[c + d\*x] - a\*Sin[c + d\*x]))/d) + (b\*Cos[c + d\*x] - a\*Sin[c + d\*x])^3/(3\*d)

**Rubi [A]** time = 0.0236529, antiderivative size = 58, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$ , Rules used = {3072}

$$\frac{(b \cos(c + dx) - a \sin(c + dx))^3}{3d} - \frac{(a^2 + b^2)(b \cos(c + dx) - a \sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^3,x]

[Out] -(((a^2 + b^2)\*(b\*Cos[c + d\*x] - a\*Sin[c + d\*x]))/d) + (b\*Cos[c + d\*x] - a\*Sin[c + d\*x])^3/(3\*d)

#### Rule 3072

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_), x\_Symbol] :> -Dist[d^(-1), Subst[Int[(a^2 + b^2 - x^2)^(n - 1)/2], x], x, b\*Cos[c + d\*x] - a\*Sin[c + d\*x]], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 + b^2, 0] && IGtQ[(n - 1)/2, 0]

#### Rubi steps

$$\begin{aligned} \int (a \cos(c + dx) + b \sin(c + dx))^3 dx &= -\frac{\text{Subst}\left(\int (a^2 + b^2 - x^2) dx, x, b \cos(c + dx) - a \sin(c + dx)\right)}{d} \\ &= -\frac{(a^2 + b^2)(b \cos(c + dx) - a \sin(c + dx))}{d} + \frac{(b \cos(c + dx) - a \sin(c + dx))^3}{3d} \end{aligned}$$

**Mathematica [A]** time = 0.336525, size = 81, normalized size = 1.4

$$\frac{-9b(a^2 + b^2)\cos(c + dx) + (b^3 - 3a^2b)\cos(3(c + dx)) + 2a\sin(c + dx)\left((a^2 - 3b^2)\cos(2(c + dx)) + 5a^2 + 3b^2\right)}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^3,x]

[Out] (-9\*b\*(a^2 + b^2)\*Cos[c + d\*x] + (-3\*a^2\*b + b^3)\*Cos[3\*(c + d\*x)] + 2\*a\*(5\*a^2 + 3\*b^2 + (a^2 - 3\*b^2)\*Cos[2\*(c + d\*x)])\*Sin[c + d\*x]/(12\*d)

**Maple [A]** time = 0.055, size = 75, normalized size = 1.3

$$\frac{1}{d} \left( -\frac{b^3 (2 + (\sin(dx + c))^2) \cos(dx + c)}{3} + ab^2 (\sin(dx + c))^3 - a^2 b (\cos(dx + c))^3 + \frac{a^3 (2 + (\cos(dx + c))^2) \sin(dx + c)}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*cos(d\*x+c)+b\*sin(d\*x+c))^3,x)

[Out] 1/d\*(-1/3\*b^3\*(2+sin(d\*x+c)^2)\*cos(d\*x+c)+a\*b^2\*sin(d\*x+c)^3-a^2\*b\*cos(d\*x+c)^3+1/3\*a^3\*(2+cos(d\*x+c)^2)\*sin(d\*x+c))

**Maxima [A]** time = 0.988474, size = 113, normalized size = 1.95

$$-\frac{a^2 b \cos(dx + c)^3}{d} + \frac{ab^2 \sin(dx + c)^3}{d} - \frac{(\sin(dx + c)^3 - 3 \sin(dx + c))a^3}{3d} + \frac{(\cos(dx + c)^3 - 3 \cos(dx + c))b^3}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sin(d\*x+c))^3,x, algorithm="maxima")

[Out] -a^2\*b\*cos(d\*x + c)^3/d + a\*b^2\*sin(d\*x + c)^3/d - 1/3\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*a^3/d + 1/3\*(cos(d\*x + c)^3 - 3\*cos(d\*x + c))\*b^3/d

**Fricas [A]** time = 2.63253, size = 173, normalized size = 2.98

$$\frac{3b^3 \cos(dx + c) + (3a^2b - b^3) \cos(dx + c)^3 - (2a^3 + 3ab^2 + (a^3 - 3ab^2) \cos(dx + c)^2) \sin(dx + c)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sin(d\*x+c))^3,x, algorithm="fricas")

[Out] -1/3\*(3\*b^3\*cos(d\*x + c) + (3\*a^2\*b - b^3)\*cos(d\*x + c)^3 - (2\*a^3 + 3\*a\*b^2 + (a^3 - 3\*a\*b^2)\*cos(d\*x + c)^2)\*sin(d\*x + c))/d

**Sympy [A]** time = 0.722125, size = 117, normalized size = 2.02

$$\begin{cases} \frac{2a^3 \sin^3(c+dx)}{3d} + \frac{a^3 \sin(c+dx) \cos^2(c+dx)}{d} - \frac{a^2 b \cos^3(c+dx)}{d} + \frac{ab^2 \sin^3(c+dx)}{d} - \frac{b^3 \sin^2(c+dx) \cos(c+dx)}{d} - \frac{2b^3 \cos^3(c+dx)}{3d} & \text{for } d \neq 0 \\ x(a \cos(c) + b \sin(c))^3 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sin(d\*x+c))\*\*3,x)

[Out] Piecewise((2\*a\*\*3\*sin(c + d\*x)\*\*3/(3\*d) + a\*\*3\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d - a\*\*2\*b\*cos(c + d\*x)\*\*3/d + a\*b\*\*2\*sin(c + d\*x)\*\*3/d - b\*\*3\*sin(c + d\*x)\*\*2\*cos(c + d\*x)/d - 2\*b\*\*3\*cos(c + d\*x)\*\*3/(3\*d), Ne(d, 0)), (x\*(a\*cos(c) + b\*sin(c))\*\*3, True))

---

**Giac [A]** time = 1.13192, size = 123, normalized size = 2.12

$$-\frac{(3a^2b - b^3)\cos(3dx + 3c)}{12d} - \frac{3(a^2b + b^3)\cos(dx + c)}{4d} + \frac{(a^3 - 3ab^2)\sin(3dx + 3c)}{12d} + \frac{3(a^3 + ab^2)\sin(dx + c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sin(d\*x+c))^3,x, algorithm="giac")

[Out] -1/12\*(3\*a^2\*b - b^3)\*cos(3\*d\*x + 3\*c)/d - 3/4\*(a^2\*b + b^3)\*cos(d\*x + c)/d  
+ 1/12\*(a^3 - 3\*a\*b^2)\*sin(3\*d\*x + 3\*c)/d + 3/4\*(a^3 + a\*b^2)\*sin(d\*x + c)  
/d

### 3.224 $\int (a \cos(c + dx) + b \sin(c + dx))^2 dx$

**Optimal.** Leaf size=55

$$\frac{1}{2}x(a^2 + b^2) - \frac{(b \cos(c + dx) - a \sin(c + dx))(a \cos(c + dx) + b \sin(c + dx))}{2d}$$

[Out] ((a^2 + b^2)\*x)/2 - ((b\*Cos[c + d\*x] - a\*Sin[c + d\*x])\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x]))/(2\*d)

**Rubi [A]** time = 0.0192334, antiderivative size = 55, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$ , Rules used = {3073, 8}

$$\frac{1}{2}x(a^2 + b^2) - \frac{(b \cos(c + dx) - a \sin(c + dx))(a \cos(c + dx) + b \sin(c + dx))}{2d}$$

Antiderivative was successfully verified.

[In] Int[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^2,x]

[Out] ((a^2 + b^2)\*x)/2 - ((b\*Cos[c + d\*x] - a\*Sin[c + d\*x])\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x]))/(2\*d)

#### Rule 3073

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_), x\_Symbol] :> -Simp[((b\*Cos[c + d\*x] - a\*Sin[c + d\*x])\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[((n - 1)\*(a^2 + b^2))/n, Int[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 + b^2, 0] && !IntegerQ[(n - 1)/2] && GtQ[n, 1]

#### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned} \int (a \cos(c + dx) + b \sin(c + dx))^2 dx &= -\frac{(b \cos(c + dx) - a \sin(c + dx))(a \cos(c + dx) + b \sin(c + dx))}{2d} + \frac{1}{2}(a^2 + b^2)x \\ &= \frac{1}{2}(a^2 + b^2)x - \frac{(b \cos(c + dx) - a \sin(c + dx))(a \cos(c + dx) + b \sin(c + dx))}{2d} \end{aligned}$$

**Mathematica [A]** time = 0.102152, size = 52, normalized size = 0.95

$$\frac{2(a^2 + b^2)(c + dx) + (a^2 - b^2)\sin(2(c + dx)) - 2ab \cos(2(c + dx))}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^2,x]

[Out] (2\*(a^2 + b^2)\*(c + d\*x) - 2\*a\*b\*Cos[2\*(c + d\*x)] + (a^2 - b^2)\*Sin[2\*(c + d\*x)])/4\*d

---

**Maple [A]** time = 0.041, size = 70, normalized size = 1.3

$$\frac{1}{d} \left( b^2 \left( -\frac{\sin(dx+c)\cos(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) - (\cos(dx+c))^2 ab + a^2 \left( \frac{\sin(dx+c)\cos(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*cos(d\*x+c)+b\*sin(d\*x+c))^2,x)

[Out] 1/d\*(b^2\*(-1/2\*sin(d\*x+c)\*cos(d\*x+c)+1/2\*d\*x+1/2\*c)-cos(d\*x+c)^2\*a\*b+a^2\*(1/2\*sin(d\*x+c)\*cos(d\*x+c)+1/2\*d\*x+1/2\*c))

---

**Maxima [A]** time = 0.970316, size = 92, normalized size = 1.67

$$-\frac{ab \cos(dx+c)^2}{d} + \frac{(2dx+2c+\sin(2dx+2c))a^2}{4d} + \frac{(2dx+2c-\sin(2dx+2c))b^2}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sin(d\*x+c))^2,x, algorithm="maxima")

[Out] -a\*b\*cos(d\*x + c)^2/d + 1/4\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*a^2/d + 1/4\*(2\*d\*x + 2\*c - sin(2\*d\*x + 2\*c))\*b^2/d

---

**Fricas [A]** time = 2.59547, size = 120, normalized size = 2.18

$$-\frac{2ab \cos(dx+c)^2 - (a^2 + b^2)dx - (a^2 - b^2)\cos(dx+c)\sin(dx+c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sin(d\*x+c))^2,x, algorithm="fricas")

[Out] -1/2\*(2\*a\*b\*cos(d\*x + c)^2 - (a^2 + b^2)\*d\*x - (a^2 - b^2)\*cos(d\*x + c)\*sin(d\*x + c))/d

---

**Sympy [A]** time = 0.339938, size = 128, normalized size = 2.33

$$\begin{cases} \frac{a^2 x \sin^2(c+dx)}{2} + \frac{a^2 x \cos^2(c+dx)}{2} + \frac{a^2 \sin(c+dx)\cos(c+dx)}{2d} + \frac{ab \sin^2(c+dx)}{d} + \frac{b^2 x \sin^2(c+dx)}{2} + \frac{b^2 x \cos^2(c+dx)}{2} - \frac{b^2 \sin(c+dx)\cos(c+dx)}{2d} \\ x(a \cos(c) + b \sin(c))^2 \end{cases}$$

for  
oth

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sin(d\*x+c))\*\*2,x)

[Out] Piecewise((a\*\*2\*x\*sin(c + d\*x)\*\*2/2 + a\*\*2\*x\*cos(c + d\*x)\*\*2/2 + a\*\*2\*sin(c + d\*x)\*cos(c + d\*x)/(2\*d) + a\*b\*sin(c + d\*x)\*\*2/d + b\*\*2\*x\*sin(c + d\*x)\*\*2/2 + b\*\*2\*x\*cos(c + d\*x)\*\*2/2 - b\*\*2\*sin(c + d\*x)\*cos(c + d\*x)/(2\*d), Ne(d,



```
0)), (x*(a*cos(c) + b*sin(c))**2, True))
```

**Giac [A]** time = 1.10991, size = 68, normalized size = 1.24

$$\frac{1}{2}(a^2 + b^2)x - \frac{ab \cos(2dx + 2c)}{2d} + \frac{(a^2 - b^2) \sin(2dx + 2c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*cos(d*x+c)+b*sin(d*x+c))^2,x, algorithm="giac")
```

```
[Out] 1/2*(a^2 + b^2)*x - 1/2*a*b*cos(2*d*x + 2*c)/d + 1/4*(a^2 - b^2)*sin(2*d*x + 2*c)/d
```

### 3.225 $\int (a \cos(c + dx) + b \sin(c + dx)) dx$

**Optimal.** Leaf size=24

$$\frac{a \sin(c + dx)}{d} - \frac{b \cos(c + dx)}{d}$$

[Out]  $-((b \cos[c + d*x])/d) + (a \sin[c + d*x])/d$

**Rubi [A]** time = 0.0142294, antiderivative size = 24, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$ , Rules used = {2637, 2638}

$$\frac{a \sin(c + dx)}{d} - \frac{b \cos(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[a\*Cos[c + d\*x] + b\*Sin[c + d\*x],x]

[Out]  $-((b \cos[c + d*x])/d) + (a \sin[c + d*x])/d$

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int (a \cos(c + dx) + b \sin(c + dx)) dx &= a \int \cos(c + dx) dx + b \int \sin(c + dx) dx \\ &= -\frac{b \cos(c + dx)}{d} + \frac{a \sin(c + dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.0121349, size = 46, normalized size = 1.92

$$\frac{a \sin(c) \cos(dx)}{d} + \frac{a \cos(c) \sin(dx)}{d} + \frac{b \sin(c) \sin(dx)}{d} - \frac{b \cos(c) \cos(dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[a\*Cos[c + d\*x] + b\*Sin[c + d\*x],x]

[Out]  $-((b \cos[c] \cos[d*x])/d) + (a \cos[d*x] \sin[c])/d + (a \cos[c] \sin[d*x])/d + (b \sin[c] \sin[d*x])/d$

**Maple [A]** time = 0.008, size = 25, normalized size = 1.

$$-\frac{b \cos(dx + c)}{d} + \frac{a \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(a\*cos(d\*x+c)+b\*sin(d\*x+c),x)

[Out] -b\*cos(d\*x+c)/d+a\*sin(d\*x+c)/d

**Maxima [A]** time = 0.98092, size = 32, normalized size = 1.33

$$-\frac{b \cos(dx + c)}{d} + \frac{a \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a\*cos(d\*x+c)+b\*sin(d\*x+c),x, algorithm="maxima")

[Out] -b\*cos(d\*x + c)/d + a\*sin(d\*x + c)/d

**Fricas [A]** time = 1.92775, size = 51, normalized size = 2.12

$$-\frac{b \cos(dx + c) - a \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a\*cos(d\*x+c)+b\*sin(d\*x+c),x, algorithm="fricas")

[Out] -(b\*cos(d\*x + c) - a\*sin(d\*x + c))/d

**Sympy [A]** time = 0.179612, size = 31, normalized size = 1.29

$$a \left( \begin{cases} \frac{\sin(c+dx)}{d} & \text{for } d \neq 0 \\ x \cos(c) & \text{otherwise} \end{cases} \right) + b \left( \begin{cases} -\frac{\cos(c+dx)}{d} & \text{for } d \neq 0 \\ x \sin(c) & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a\*cos(d\*x+c)+b\*sin(d\*x+c),x)

[Out] a\*Piecewise((sin(c + d\*x)/d, Ne(d, 0)), (x\*cos(c), True)) + b\*Piecewise((-cos(c + d\*x)/d, Ne(d, 0)), (x\*sin(c), True))

**Giac [A]** time = 1.13581, size = 32, normalized size = 1.33

$$-\frac{b \cos(dx + c)}{d} + \frac{a \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(a*cos(d*x+c)+b*sin(d*x+c),x, algorithm="giac")
```

```
[Out] -b*cos(d*x + c)/d + a*sin(d*x + c)/d
```

$$3.226 \quad \int \frac{1}{a \cos(c+dx)+b \sin(c+dx)} dx$$

**Optimal.** Leaf size=47

$$-\frac{\tanh^{-1}\left(\frac{b \cos(c+dx)-a \sin(c+dx)}{\sqrt{a^2+b^2}}\right)}{d\sqrt{a^2+b^2}}$$

[Out] -(ArcTanh[(b\*Cos[c + d\*x] - a\*Sin[c + d\*x])/Sqrt[a^2 + b^2]]/(Sqrt[a^2 + b^2]\*d))

**Rubi [A]** time = 0.0272597, antiderivative size = 47, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$ , Rules used = {3074, 206}

$$-\frac{\tanh^{-1}\left(\frac{b \cos(c+dx)-a \sin(c+dx)}{\sqrt{a^2+b^2}}\right)}{d\sqrt{a^2+b^2}}$$

Antiderivative was successfully verified.

[In] Int[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^(-1), x]

[Out] -(ArcTanh[(b\*Cos[c + d\*x] - a\*Sin[c + d\*x])/Sqrt[a^2 + b^2]]/(Sqrt[a^2 + b^2]\*d))

#### Rule 3074

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(-1), x\_Symbol] :> -Dist[d^(-1), Subst[Int[1/(a^2 + b^2 - x^2), x], x, b\*Cos[c + d\*x] - a\*Sin[c + d\*x]], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 + b^2, 0]

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{1}{a \cos(c+dx)+b \sin(c+dx)} dx &= -\frac{\text{Subst}\left(\int \frac{1}{a^2+b^2-x^2} dx, x, b \cos(c+dx) - a \sin(c+dx)\right)}{d} \\ &= -\frac{\tanh^{-1}\left(\frac{b \cos(c+dx)-a \sin(c+dx)}{\sqrt{a^2+b^2}}\right)}{\sqrt{a^2+b^2}d} \end{aligned}$$

**Mathematica [A]** time = 0.0596009, size = 45, normalized size = 0.96

$$\frac{2 \tanh^{-1}\left(\frac{a \tan\left(\frac{1}{2}(c+dx)\right)-b}{\sqrt{a^2+b^2}}\right)}{d\sqrt{a^2+b^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*cos[c + d\*x] + b\*sin[c + d\*x])^(-1),x]

[Out] (2\*ArcTanh[(-b + a\*Tan[(c + d\*x)/2])/Sqrt[a^2 + b^2]])/(Sqrt[a^2 + b^2]\*d)

**Maple [A]** time = 0.075, size = 43, normalized size = 0.9

$$2 \frac{1}{d\sqrt{a^2 + b^2}} \operatorname{Artanh} \left( \frac{1}{2} \frac{2 \tan(1/2 dx + c/2) a - 2b}{\sqrt{a^2 + b^2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c)),x)

[Out] 2/d/(a^2+b^2)^(1/2)\*arctanh(1/2\*(2\*tan(1/2\*d\*x+1/2\*c)\*a-2\*b)/(a^2+b^2)^(1/2))

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.11999, size = 312, normalized size = 6.64

$$\frac{\log \left( -\frac{2ab \cos(dx+c) \sin(dx+c) + (a^2 - b^2) \cos(dx+c)^2 - 2a^2 - b^2 + 2\sqrt{a^2 + b^2}(b \cos(dx+c) - a \sin(dx+c))}{2ab \cos(dx+c) \sin(dx+c) + (a^2 - b^2) \cos(dx+c)^2 + b^2} \right)}{2\sqrt{a^2 + b^2}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c)),x, algorithm="fricas")

[Out] 1/2\*log(-(2\*a\*b\*cos(d\*x + c)\*sin(d\*x + c) + (a^2 - b^2)\*cos(d\*x + c)^2 - 2\*a^2 - b^2 + 2\*sqrt(a^2 + b^2)\*(b\*cos(d\*x + c) - a\*sin(d\*x + c)))/(2\*a\*b\*cos(d\*x + c)\*sin(d\*x + c) + (a^2 - b^2)\*cos(d\*x + c)^2 + b^2))/(sqrt(a^2 + b^2)\*d)

**Sympy [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c)),x)

[Out] Exception raised: AttributeError

**Giac [A]** time = 1.2816, size = 100, normalized size = 2.13

$$\frac{\log\left(\frac{\left|2a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 2b - 2\sqrt{a^2 + b^2}\right|}{\left|2a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 2b + 2\sqrt{a^2 + b^2}\right|}\right)}{\sqrt{a^2 + b^2}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c)),x, algorithm="giac")

[Out]  $-\log(\text{abs}(2*a*\tan(1/2*d*x + 1/2*c) - 2*b - 2*\text{sqrt}(a^2 + b^2))/\text{abs}(2*a*\tan(1/2*d*x + 1/2*c) - 2*b + 2*\text{sqrt}(a^2 + b^2)))/(\text{sqrt}(a^2 + b^2)*d)$

$$3.227 \quad \int \frac{1}{(a \cos(c+dx)+b \sin(c+dx))^2} dx$$

**Optimal.** Leaf size=32

$$\frac{\sin(c+dx)}{ad(a \cos(c+dx)+b \sin(c+dx))}$$

[Out] Sin[c + d\*x]/(a\*d\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x]))

**Rubi [A]** time = 0.0164173, antiderivative size = 32, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$ , Rules used = {3075}

$$\frac{\sin(c+dx)}{ad(a \cos(c+dx)+b \sin(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^(-2),x]

[Out] Sin[c + d\*x]/(a\*d\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x]))

Rule 3075

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(-2), x  
\_Symbol] :> Simp[Sin[c + d\*x]/(a\*d\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])), x] /  
; FreeQ[{a, b, c, d}, x] && NeQ[a^2 + b^2, 0]

Rubi steps

$$\int \frac{1}{(a \cos(c+dx)+b \sin(c+dx))^2} dx = \frac{\sin(c+dx)}{ad(a \cos(c+dx)+b \sin(c+dx))}$$

**Mathematica [A]** time = 0.0400738, size = 32, normalized size = 1.

$$\frac{\sin(c+dx)}{ad(a \cos(c+dx)+b \sin(c+dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^(-2),x]

[Out] Sin[c + d\*x]/(a\*d\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x]))

**Maple [A]** time = 0.128, size = 21, normalized size = 0.7

$$\frac{1}{db(a + b \tan(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] int(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^2,x)

[Out] -1/d/b/(a+b\*tan(d\*x+c))

**Maxima [A]** time = 0.981473, size = 28, normalized size = 0.88

$$-\frac{1}{(b^2 \tan(dx + c) + ab)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^2,x, algorithm="maxima")

[Out] -1/((b^2\*tan(d\*x + c) + a\*b)\*d)

**Fricas [A]** time = 2.15933, size = 132, normalized size = 4.12

$$-\frac{b \cos(dx + c) - a \sin(dx + c)}{(a^3 + ab^2)d \cos(dx + c) + (a^2b + b^3)d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^2,x, algorithm="fricas")

[Out] -(b\*cos(d\*x + c) - a\*sin(d\*x + c))/((a^3 + a\*b^2)\*d\*cos(d\*x + c) + (a^2\*b + b^3)\*d\*sin(d\*x + c))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(a \cos(c + dx) + b \sin(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))\*\*2,x)

[Out] Integral((a\*cos(c + d\*x) + b\*sin(c + d\*x))\*\*(-2), x)

**Giac [A]** time = 1.11441, size = 27, normalized size = 0.84

$$-\frac{1}{(b \tan(dx + c) + a)bd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^2,x, algorithm="giac")

[Out] -1/((b\*tan(d\*x + c) + a)\*b\*d)

$$3.228 \quad \int \frac{1}{(a \cos(c+dx)+b \sin(c+dx))^3} dx$$

**Optimal.** Leaf size=103

$$-\frac{b \cos(c+dx) - a \sin(c+dx)}{2d(a^2+b^2)(a \cos(c+dx) + b \sin(c+dx))^2} - \frac{\tanh^{-1}\left(\frac{b \cos(c+dx) - a \sin(c+dx)}{\sqrt{a^2+b^2}}\right)}{2d(a^2+b^2)^{3/2}}$$

[Out] -ArcTanh[(b\*Cos[c + d\*x] - a\*Sin[c + d\*x])/Sqrt[a^2 + b^2]]/(2\*(a^2 + b^2)^(3/2)\*d) - (b\*Cos[c + d\*x] - a\*Sin[c + d\*x])/(2\*(a^2 + b^2)\*d\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^2)

**Rubi [A]** time = 0.0567913, antiderivative size = 103, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {3076, 3074, 206}

$$-\frac{b \cos(c+dx) - a \sin(c+dx)}{2d(a^2+b^2)(a \cos(c+dx) + b \sin(c+dx))^2} - \frac{\tanh^{-1}\left(\frac{b \cos(c+dx) - a \sin(c+dx)}{\sqrt{a^2+b^2}}\right)}{2d(a^2+b^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^(-3), x]

[Out] -ArcTanh[(b\*Cos[c + d\*x] - a\*Sin[c + d\*x])/Sqrt[a^2 + b^2]]/(2\*(a^2 + b^2)^(3/2)\*d) - (b\*Cos[c + d\*x] - a\*Sin[c + d\*x])/(2\*(a^2 + b^2)\*d\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^2)

#### Rule 3076

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Simp[((b\*Cos[c + d\*x] - a\*Sin[c + d\*x])\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^(n + 1))/(d\*(n + 1)\*(a^2 + b^2)), x] + Dist[(n + 2)/((n + 1)\*(a^2 + b^2)), Int[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^(n + 2), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 + b^2, 0] && LtQ[n, -1] && NeQ[n, -2]

#### Rule 3074

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(-1), x\_Symbol] :> -Dist[d^(-1), Subst[Int[1/(a^2 + b^2 - x^2), x], x, b\*Cos[c + d\*x] - a\*Sin[c + d\*x]], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 + b^2, 0]

#### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{1}{(a \cos(c+dx) + b \sin(c+dx))^3} dx &= -\frac{b \cos(c+dx) - a \sin(c+dx)}{2(a^2 + b^2)d(a \cos(c+dx) + b \sin(c+dx))^2} + \frac{\int \frac{1}{a \cos(c+dx) + b \sin(c+dx)} dx}{2(a^2 + b^2)} \\ &= -\frac{b \cos(c+dx) - a \sin(c+dx)}{2(a^2 + b^2)d(a \cos(c+dx) + b \sin(c+dx))^2} - \frac{\text{Subst}\left(\int \frac{1}{a^2 + b^2 - x^2} dx, x, b \cos(c+dx) - a \sin(c+dx)\right)}{2(a^2 + b^2)} \\ &= -\frac{\tanh^{-1}\left(\frac{b \cos(c+dx) - a \sin(c+dx)}{\sqrt{a^2 + b^2}}\right)}{2(a^2 + b^2)^{3/2}d} - \frac{b \cos(c+dx) - a \sin(c+dx)}{2(a^2 + b^2)d(a \cos(c+dx) + b \sin(c+dx))^2} \end{aligned}$$

**Mathematica [C]** time = 0.268526, size = 132, normalized size = 1.28

$$\frac{(a^2 + b^2)(a \sin(c+dx) - b \cos(c+dx)) + 2\sqrt{a^2 + b^2}(a \cos(c+dx) + b \sin(c+dx))^2 \tanh^{-1}\left(\frac{a \tan\left(\frac{1}{2}(c+dx)\right) - b}{\sqrt{a^2 + b^2}}\right)}{2d(a - ib)^2(a + ib)^2(a \cos(c+dx) + b \sin(c+dx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^(-3), x]

[Out] ((a^2 + b^2)\*(-(b\*Cos[c + d\*x]) + a\*Sin[c + d\*x]) + 2\*sqrt[a^2 + b^2]\*ArcTanh[(-b + a\*Tan[(c + d\*x)/2])/sqrt[a^2 + b^2]]\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^2)/(2\*(a - I\*b)^2\*(a + I\*b)^2\*d\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^2)

**Maple [A]** time = 0.157, size = 191, normalized size = 1.9

$$\frac{1}{d} \left( -2 \frac{1}{(a(\tan(1/2 dx + c/2))^2 - 2b \tan(1/2 dx + c/2) - a)^2} \left( -1/2 \frac{(a^2 + 2b^2)(\tan(1/2 dx + c/2))^3}{(a^2 + b^2)a} - 1/2 \frac{b(a^2 - 2b^2)}{(a^2 + b^2)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^3,x)

[Out] 1/d\*(-2\*(-1/2\*(a^2+2\*b^2)/(a^2+b^2)/a\*tan(1/2\*d\*x+1/2\*c)^3-1/2\*b\*(a^2-2\*b^2)/(a^2+b^2)/a^2\*tan(1/2\*d\*x+1/2\*c)^2-1/2\*(a^2-2\*b^2)/a/(a^2+b^2)\*tan(1/2\*d\*x+1/2\*c)+1/2\*b/(a^2+b^2))/(a\*tan(1/2\*d\*x+1/2\*c)^2-2\*b\*tan(1/2\*d\*x+1/2\*c)-a)^2+1/(a^2+b^2)^(3/2)\*arctanh(1/2\*(2\*tan(1/2\*d\*x+1/2\*c)\*a-2\*b)/(a^2+b^2)^(1/2)))

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [B]** time = 2.2617, size = 679, normalized size = 6.59

$$\frac{(2ab \cos(dx+c) \sin(dx+c) + (a^2 - b^2) \cos(dx+c)^2 + b^2) \sqrt{a^2 + b^2} \log\left(-\frac{2ab \cos(dx+c) \sin(dx+c) + (a^2 - b^2) \cos(dx+c)^2 - 2a^2 - b^2 + 2}{2ab \cos(dx+c) \sin(dx+c) + (a^2 - b^2) \cos(dx+c)^2 + b^2}\right)}{4\left((a^6 + a^4b^2 - a^2b^4 - b^6)d \cos(dx+c)^2 + 2(a^5b + 2a^3b^3 + ab^5)d \cos(dx+c)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^3,x, algorithm="fricas")

[Out] 1/4\*((2\*a\*b\*cos(d\*x + c)\*sin(d\*x + c) + (a^2 - b^2)\*cos(d\*x + c)^2 + b^2)\*sqrt(a^2 + b^2)\*log(-(2\*a\*b\*cos(d\*x + c)\*sin(d\*x + c) + (a^2 - b^2)\*cos(d\*x + c)^2 - 2\*a^2 - b^2 + 2\*sqrt(a^2 + b^2)\*(b\*cos(d\*x + c) - a\*sin(d\*x + c)))/(2\*a\*b\*cos(d\*x + c)\*sin(d\*x + c) + (a^2 - b^2)\*cos(d\*x + c)^2 + b^2)) - 2\*(a^2\*b + b^3)\*cos(d\*x + c) + 2\*(a^3 + a\*b^2)\*sin(d\*x + c))/((a^6 + a^4\*b^2 - a^2\*b^4 - b^6)\*d\*cos(d\*x + c)^2 + 2\*(a^5\*b + 2\*a^3\*b^3 + a\*b^5)\*d\*cos(d\*x + c)\*sin(d\*x + c) + (a^4\*b^2 + 2\*a^2\*b^4 + b^6)\*d)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))\*\*3,x)

[Out] Timed out

---

**Giac [B]** time = 1.25005, size = 298, normalized size = 2.89

$$\frac{\log\left(\frac{|2a \tan(\frac{1}{2} dx + \frac{1}{2} c) - 2b - 2\sqrt{a^2 + b^2}|}{|2a \tan(\frac{1}{2} dx + \frac{1}{2} c) - 2b + 2\sqrt{a^2 + b^2}|}\right)}{(a^2 + b^2)^{\frac{3}{2}}} - \frac{2\left(a^3 \tan(\frac{1}{2} dx + \frac{1}{2} c)^3 + 2ab^2 \tan(\frac{1}{2} dx + \frac{1}{2} c)^3 + a^2b \tan(\frac{1}{2} dx + \frac{1}{2} c)^2 - 2b^3 \tan(\frac{1}{2} dx + \frac{1}{2} c)^2 + a^3 \tan(\frac{1}{2} dx + \frac{1}{2} c) - 2ab^2 \tan(\frac{1}{2} dx + \frac{1}{2} c) - a\right)^2}{(a^4 + a^2b^2)\left(a \tan(\frac{1}{2} dx + \frac{1}{2} c)^2 - 2b \tan(\frac{1}{2} dx + \frac{1}{2} c) - a\right)^2}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^3,x, algorithm="giac")

[Out] -1/2\*(log(abs(2\*a\*tan(1/2\*d\*x + 1/2\*c) - 2\*b - 2\*sqrt(a^2 + b^2))/abs(2\*a\*tan(1/2\*d\*x + 1/2\*c) - 2\*b + 2\*sqrt(a^2 + b^2)))/(a^2 + b^2)^(3/2) - 2\*(a^3\*tan(1/2\*d\*x + 1/2\*c)^3 + 2\*a\*b^2\*tan(1/2\*d\*x + 1/2\*c)^3 + a^2\*b\*tan(1/2\*d\*x + 1/2\*c)^2 - 2\*b^3\*tan(1/2\*d\*x + 1/2\*c)^2 + a^3\*tan(1/2\*d\*x + 1/2\*c) - 2\*a\*b^2\*tan(1/2\*d\*x + 1/2\*c) - a^2\*b)/(a^4 + a^2\*b^2)\*(a\*tan(1/2\*d\*x + 1/2\*c)^2 - 2\*b\*tan(1/2\*d\*x + 1/2\*c) - a)^2)/d

$$3.229 \quad \int \frac{1}{(a \cos(c+dx)+b \sin(c+dx))^4} dx$$

**Optimal.** Leaf size=98

$$\frac{2 \sin(c+dx)}{3ad(a^2+b^2)(a \cos(c+dx)+b \sin(c+dx))} - \frac{b \cos(c+dx) - a \sin(c+dx)}{3d(a^2+b^2)(a \cos(c+dx)+b \sin(c+dx))^3}$$

[Out]  $-(b \cos[c+dx] - a \sin[c+dx]) / (3(a^2+b^2)d(a \cos[c+dx] + b \sin[c+dx])^3) + (2 \sin[c+dx]) / (3a(a^2+b^2)d(a \cos[c+dx] + b \sin[c+dx]))$

**Rubi [A]** time = 0.041788, antiderivative size = 98, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$ , Rules used = {3076, 3075}

$$\frac{2 \sin(c+dx)}{3ad(a^2+b^2)(a \cos(c+dx)+b \sin(c+dx))} - \frac{b \cos(c+dx) - a \sin(c+dx)}{3d(a^2+b^2)(a \cos(c+dx)+b \sin(c+dx))^3}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a \cos[c+dx] + b \sin[c+dx])^{-4}, x]$

[Out]  $-(b \cos[c+dx] - a \sin[c+dx]) / (3(a^2+b^2)d(a \cos[c+dx] + b \sin[c+dx])^3) + (2 \sin[c+dx]) / (3a(a^2+b^2)d(a \cos[c+dx] + b \sin[c+dx]))$

**Rule 3076**

$\text{Int}[(\cos[(c_.) + (d_.)x] + (a_.) + (b_.)\sin[(c_.) + (d_.)x])^{(n_.)}, x \text{\_Symbol}] \rightarrow \text{Simp}[(b \cos[c+dx] - a \sin[c+dx])(a \cos[c+dx] + b \sin[c+dx])^{(n+1)} / (d(n+1)(a^2+b^2)), x] + \text{Dist}[(n+2) / ((n+1)(a^2+b^2)), \text{Int}[(a \cos[c+dx] + b \sin[c+dx])^{(n+2)}, x], x] /;$  FreeQ[{a, b, c, d}, x] && NeQ[a^2+b^2, 0] && LtQ[n, -1] && NeQ[n, -2]

**Rule 3075**

$\text{Int}[(\cos[(c_.) + (d_.)x] + (a_.) + (b_.)\sin[(c_.) + (d_.)x])^{(-2)}, x \text{\_Symbol}] \rightarrow \text{Simp}[\sin[c+dx] / (a d (a \cos[c+dx] + b \sin[c+dx])), x] /;$  FreeQ[{a, b, c, d}, x] && NeQ[a^2+b^2, 0]

**Rubi steps**

$$\begin{aligned} \int \frac{1}{(a \cos(c+dx)+b \sin(c+dx))^4} dx &= -\frac{b \cos(c+dx) - a \sin(c+dx)}{3(a^2+b^2)d(a \cos(c+dx)+b \sin(c+dx))^3} + \frac{2 \int \frac{1}{(a \cos(c+dx)+b \sin(c+dx))^2} dx}{3(a^2+b^2)} \\ &= -\frac{b \cos(c+dx) - a \sin(c+dx)}{3(a^2+b^2)d(a \cos(c+dx)+b \sin(c+dx))^3} + \frac{2 \sin(c+dx)}{3a(a^2+b^2)d(a \cos(c+dx))} \end{aligned}$$

**Mathematica [A]** time = 0.290424, size = 85, normalized size = 0.87

$$\frac{\sin(c+dx) \left( (a^2 - b^2) \cos(2(c+dx)) + 2a^2 + b^2 \right) - ab \cos(3(c+dx))}{3ad(a^2+b^2)(a \cos(c+dx)+b \sin(c+dx))^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*cos[c + d\*x] + b\*sin[c + d\*x])^(-4),x]

[Out]  $(-(a*b*\cos[3*(c + d*x)]) + (2*a^2 + b^2 + (a^2 - b^2)*\cos[2*(c + d*x)])*\sin[c + d*x]) / (3*a*(a^2 + b^2)*d*(a*\cos[c + d*x] + b*\sin[c + d*x])^3)$

**Maple [A]** time = 0.181, size = 64, normalized size = 0.7

$$\frac{1}{d} \left( -\frac{1}{b^3 (a + b \tan(dx + c))} - \frac{a^2 + b^2}{3 b^3 (a + b \tan(dx + c))^3} + \frac{a}{b^3 (a + b \tan(dx + c))^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^4,x)

[Out]  $1/d*(-1/b^3/(a+b*\tan(d*x+c))-1/3*(a^2+b^2)/b^3/(a+b*\tan(d*x+c))^3+a/b^3/(a+b*\tan(d*x+c))^2)$

**Maxima [A]** time = 1.01743, size = 115, normalized size = 1.17

$$-\frac{3 b^2 \tan(dx + c)^2 + 3 a b \tan(dx + c) + a^2 + b^2}{3 (b^6 \tan(dx + c)^3 + 3 a b^5 \tan(dx + c)^2 + 3 a^2 b^4 \tan(dx + c) + a^3 b^3) d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^4,x, algorithm="maxima")

[Out]  $-1/3*(3*b^2*\tan(d*x + c)^2 + 3*a*b*\tan(d*x + c) + a^2 + b^2)/((b^6*\tan(d*x + c)^3 + 3*a*b^5*\tan(d*x + c)^2 + 3*a^2*b^4*\tan(d*x + c) + a^3*b^3)*d)$

**Fricas [B]** time = 2.21456, size = 470, normalized size = 4.8

$$\frac{2 (3 a^2 b - b^3) \cos(dx + c)^3 - 3 (a^2 b - b^3) \cos(dx + c) - (a^3 + 3 a b^2 + 2 (a^3 - 3 a b^2) \cos(dx + c))}{3 ((a^7 - a^5 b^2 - 5 a^3 b^4 - 3 a b^6) d \cos(dx + c)^3 + 3 (a^5 b^2 + 2 a^3 b^4 + a b^6) d \cos(dx + c) + ((3 a^6 b + 5 a^4 b^3 + a^2 b^5 - b^7) d \cos(dx + c)^2 + (a^4 b^3 + 2 a^2 b^5 + b^7) d) \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^4,x, algorithm="fricas")

[Out]  $-1/3*(2*(3*a^2*b - b^3)*\cos(d*x + c)^3 - 3*(a^2*b - b^3)*\cos(d*x + c) - (a^3 + 3*a*b^2 + 2*(a^3 - 3*a*b^2)*\cos(d*x + c)^2)*\sin(d*x + c))/((a^7 - a^5*b^2 - 5*a^3*b^4 - 3*a*b^6)*d*\cos(d*x + c)^3 + 3*(a^5*b^2 + 2*a^3*b^4 + a*b^6)*d*\cos(d*x + c) + ((3*a^6*b + 5*a^4*b^3 + a^2*b^5 - b^7)*d*\cos(d*x + c)^2 + (a^4*b^3 + 2*a^2*b^5 + b^7)*d)*\sin(d*x + c))$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))\*\*4,x)

[Out] Timed out

**Giac [A]** time = 1.17313, size = 68, normalized size = 0.69

$$\frac{3b^2 \tan(dx+c)^2 + 3ab \tan(dx+c) + a^2 + b^2}{3(b \tan(dx+c) + a)^3 b^3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^4,x, algorithm="giac")

[Out] -1/3\*(3\*b^2\*tan(d\*x + c)^2 + 3\*a\*b\*tan(d\*x + c) + a^2 + b^2)/((b\*tan(d\*x + c) + a)^3\*b^3\*d)

### 3.230 $\int \frac{1}{(a \cos(c+dx)+b \sin(c+dx))^5} dx$

**Optimal.** Leaf size=156

$$\frac{3(b \cos(c+dx) - a \sin(c+dx))}{8d(a^2 + b^2)^2 (a \cos(c+dx) + b \sin(c+dx))^2} - \frac{b \cos(c+dx) - a \sin(c+dx)}{4d(a^2 + b^2) (a \cos(c+dx) + b \sin(c+dx))^4} - \frac{3 \tanh^{-1}\left(\frac{b \cos(c+dx) - a \sin(c+dx)}{\sqrt{a^2 + b^2}}\right)}{8d(a^2 + b^2)^{5/2}}$$

[Out]  $(-3*\text{ArcTanh}[(b*\text{Cos}[c + d*x] - a*\text{Sin}[c + d*x])/ \text{Sqrt}[a^2 + b^2]])/(8*(a^2 + b^2)^{(5/2)*d} - (b*\text{Cos}[c + d*x] - a*\text{Sin}[c + d*x])/(4*(a^2 + b^2)*d*(a*\text{Cos}[c + d*x] + b*\text{Sin}[c + d*x])^4) - (3*(b*\text{Cos}[c + d*x] - a*\text{Sin}[c + d*x]))/(8*(a^2 + b^2)^2*d*(a*\text{Cos}[c + d*x] + b*\text{Sin}[c + d*x])^2)$

**Rubi [A]** time = 0.0860091, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {3076, 3074, 206}

$$\frac{3(b \cos(c+dx) - a \sin(c+dx))}{8d(a^2 + b^2)^2 (a \cos(c+dx) + b \sin(c+dx))^2} - \frac{b \cos(c+dx) - a \sin(c+dx)}{4d(a^2 + b^2) (a \cos(c+dx) + b \sin(c+dx))^4} - \frac{3 \tanh^{-1}\left(\frac{b \cos(c+dx) - a \sin(c+dx)}{\sqrt{a^2 + b^2}}\right)}{8d(a^2 + b^2)^{5/2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a*\text{Cos}[c + d*x] + b*\text{Sin}[c + d*x])^{-5}, x]$

[Out]  $(-3*\text{ArcTanh}[(b*\text{Cos}[c + d*x] - a*\text{Sin}[c + d*x])/ \text{Sqrt}[a^2 + b^2]])/(8*(a^2 + b^2)^{(5/2)*d} - (b*\text{Cos}[c + d*x] - a*\text{Sin}[c + d*x])/(4*(a^2 + b^2)*d*(a*\text{Cos}[c + d*x] + b*\text{Sin}[c + d*x])^4) - (3*(b*\text{Cos}[c + d*x] - a*\text{Sin}[c + d*x]))/(8*(a^2 + b^2)^2*d*(a*\text{Cos}[c + d*x] + b*\text{Sin}[c + d*x])^2)$

#### Rule 3076

$\text{Int}[(\cos[(c_.) + (d_.)*(x_)]*(a_.) + (b_.)*\sin[(c_.) + (d_.)*(x_)])^{(n_)}, x\_Symbol] \rightarrow \text{Simp}[(b*\text{Cos}[c + d*x] - a*\text{Sin}[c + d*x])*(a*\text{Cos}[c + d*x] + b*\text{Sin}[c + d*x])^{(n + 1)})/(d*(n + 1)*(a^2 + b^2)), x] + \text{Dist}[(n + 2)/((n + 1)*(a^2 + b^2)), \text{Int}[(a*\text{Cos}[c + d*x] + b*\text{Sin}[c + d*x])^{(n + 2)}, x], x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{LtQ}[n, -1] \&\& \text{NeQ}[n, -2]$

#### Rule 3074

$\text{Int}[(\cos[(c_.) + (d_.)*(x_)]*(a_.) + (b_.)*\sin[(c_.) + (d_.)*(x_)])^{(-1)}, x\_Symbol] \rightarrow -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[1/(a^2 + b^2 - x^2), x], x, b*\text{Cos}[c + d*x] - a*\text{Sin}[c + d*x]], x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[a^2 + b^2, 0]$

#### Rule 206

$\text{Int}[(a_.) + (b_.)*(x_)^2]^{(-1)}, x\_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/ \text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

#### Rubi steps



$$\begin{aligned}
\int \frac{1}{(a \cos(c+dx) + b \sin(c+dx))^5} dx &= -\frac{b \cos(c+dx) - a \sin(c+dx)}{4(a^2 + b^2)d(a \cos(c+dx) + b \sin(c+dx))^4} + \frac{3 \int \frac{1}{(a \cos(c+dx) + b \sin(c+dx))^3} dx}{4(a^2 + b^2)} \\
&= -\frac{b \cos(c+dx) - a \sin(c+dx)}{4(a^2 + b^2)d(a \cos(c+dx) + b \sin(c+dx))^4} - \frac{3(b \cos(c+dx) - a \sin(c+dx))}{8(a^2 + b^2)^2 d(a \cos(c+dx) + b \sin(c+dx))^3} \\
&= -\frac{b \cos(c+dx) - a \sin(c+dx)}{4(a^2 + b^2)d(a \cos(c+dx) + b \sin(c+dx))^4} - \frac{3(b \cos(c+dx) - a \sin(c+dx))}{8(a^2 + b^2)^2 d(a \cos(c+dx) + b \sin(c+dx))^3} \\
&= -\frac{3 \tanh^{-1}\left(\frac{b \cos(c+dx) - a \sin(c+dx)}{\sqrt{a^2 + b^2}}\right)}{8(a^2 + b^2)^{5/2} d} - \frac{b \cos(c+dx) - a \sin(c+dx)}{4(a^2 + b^2)d(a \cos(c+dx) + b \sin(c+dx))^4}
\end{aligned}$$

**Mathematica [A]** time = 1.12765, size = 157, normalized size = 1.01

$$\frac{-11b(a^2+b^2)\cos(c+dx)+(3b^3-9a^2b)\cos(3(c+dx))+2a\sin(c+dx)(3(a^2-3b^2)\cos(2(c+dx))+7a^2+b^2)}{4(a^2+b^2)^2(a\cos(c+dx)+b\sin(c+dx))^4} + \frac{6 \tanh^{-1}\left(\frac{a \tan\left(\frac{1}{2}(c+dx)\right) - b}{\sqrt{a^2+b^2}}\right)}{(a^2+b^2)^{5/2}}$$

$8d$

Antiderivative was successfully verified.

[In] Integrate[(a\*cos[c + d\*x] + b\*sin[c + d\*x])^(-5), x]

[Out] ((6\*ArcTanh[(-b + a\*Tan[(c + d\*x)/2])/Sqrt[a^2 + b^2]])/(a^2 + b^2)^(5/2) + (-11\*b\*(a^2 + b^2)\*Cos[c + d\*x] + (-9\*a^2\*b + 3\*b^3)\*Cos[3\*(c + d\*x)] + 2\*a\*(7\*a^2 + b^2 + 3\*(a^2 - 3\*b^2)\*Cos[2\*(c + d\*x)])\*Sin[c + d\*x])/(4\*(a^2 + b^2)^2\*(a\*cos[c + d\*x] + b\*sin[c + d\*x])^4)/(8\*d)

**Maple [B]** time = 0.222, size = 514, normalized size = 3.3

$$\frac{1}{d} \left( -2 \frac{1}{(a(\tan(1/2 dx + c/2))^2 - 2b \tan(1/2 dx + c/2) - a)^4} \left( -1/8 \frac{(5a^4 + 16a^2b^2 + 8b^4)(\tan(1/2 dx + c/2))^7}{a(a^4 + 2a^2b^2 + b^4)} + 3/8 \frac{b}{a} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^5, x)

[Out] 1/d\*(-2\*(-1/8\*(5\*a^4+16\*a^2\*b^2+8\*b^4)/a/(a^4+2\*a^2\*b^2+b^4)\*tan(1/2\*d\*x+1/2\*c)^7+3/8\*b\*(a^4+16\*a^2\*b^2+8\*b^4)/a^2/(a^4+2\*a^2\*b^2+b^4)\*tan(1/2\*d\*x+1/2\*c)^6-1/8/a^3\*(3\*a^6-36\*a^4\*b^2+56\*a^2\*b^4+32\*b^6)/(a^4+2\*a^2\*b^2+b^4)\*tan(1/2\*d\*x+1/2\*c)^5+1/8/a^4\*b\*(15\*a^6-114\*a^4\*b^2-8\*a^2\*b^4+16\*b^6)/(a^4+2\*a^2\*b^2+b^4)\*tan(1/2\*d\*x+1/2\*c)^4-1/8/a^3\*(3\*a^6+84\*a^4\*b^2-56\*a^2\*b^4-32\*b^6)/(a^4+2\*a^2\*b^2+b^4)\*tan(1/2\*d\*x+1/2\*c)^3-1/8\*b\*(23\*a^4-64\*a^2\*b^2-24\*b^4)/a^2/(a^4+2\*a^2\*b^2+b^4)\*tan(1/2\*d\*x+1/2\*c)^2-1/8\*(5\*a^4-24\*a^2\*b^2-8\*b^4)/a/(a^4+2\*a^2\*b^2+b^4)\*tan(1/2\*d\*x+1/2\*c)+1/8\*b\*(5\*a^2+2\*b^2)/(a^4+2\*a^2\*b^2+b^4))/(a\*tan(1/2\*d\*x+1/2\*c)^2-2\*b\*tan(1/2\*d\*x+1/2\*c)-a)^4+3/4/(a^4+2\*a^2\*b^2+b^4)/(a^2+b^2)^(1/2)\*arctanh(1/2\*(2\*tan(1/2\*d\*x+1/2\*c)\*a-2\*b)/(a^2+b^2)^(1/2)))

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^5,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.53538, size = 1216, normalized size = 7.79

$$\frac{6(3a^4b + 2a^2b^3 - b^5)\cos(dx + c)^3 - 3((a^4 - 6a^2b^2 + b^4)\cos(dx + c)^4 + b^4 + 2(3a^2b^2 - b^4)\cos(dx + c)^2 + 4(ab^3\cos(dx + c) + (a^3b - ab^3)\cos(dx + c)^3)\sin(dx + c))\sqrt{a^2 + b^2} \log(-2ab\cos(dx + c)\sin(dx + c) + (a^2 - b^2)\cos(dx + c)^2 - 2a^2 - b^2 + 2\sqrt{a^2 + b^2}(b\cos(dx + c) - a\sin(dx + c)))}{16((a^{10} - 3a^8b^2 - 14a^6b^4 - 14a^4b^6 - 3a^2b^8 + b^{10})d\cos(dx + c) + (a^6b^4 + 3a^4b^6 + 3a^2b^8 + b^{10})d\cos(dx + c)^2 + (a^9b + 2a^7b^3 - 2a^3b^7 - ab^9)d\cos(dx + c)^3 + (a^7b^3 + 3a^5b^5 + 3a^3b^7 + ab^9)d\cos(dx + c))\sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^5,x, algorithm="fricas")

[Out] 
$$-1/16*(6*(3*a^4*b + 2*a^2*b^3 - b^5)*\cos(d*x + c)^3 - 3*((a^4 - 6*a^2*b^2 + b^4)*\cos(d*x + c)^4 + b^4 + 2*(3*a^2*b^2 - b^4)*\cos(d*x + c)^2 + 4*(a*b^3*\cos(d*x + c) + (a^3*b - a*b^3)*\cos(d*x + c)^3)*\sin(d*x + c))*\sqrt{a^2 + b^2} \log(-2*a*b*\cos(d*x + c)*\sin(d*x + c) + (a^2 - b^2)*\cos(d*x + c)^2 - 2*a^2 - b^2 + 2*\sqrt{a^2 + b^2}*(b*\cos(d*x + c) - a*\sin(d*x + c)))/(2*a*b*\cos(d*x + c)*\sin(d*x + c) + (a^2 - b^2)*\cos(d*x + c)^2 + b^2)) - 2*(4*a^4*b - a^2*b^3 - 5*b^5)*\cos(d*x + c) - 2*(2*a^5 + 7*a^3*b^2 + 5*a*b^4 + 3*(a^5 - 2*a^3*b^2 - 3*a*b^4)*\cos(d*x + c)^2)*\sin(d*x + c))/((a^{10} - 3*a^8*b^2 - 14*a^6*b^4 - 14*a^4*b^6 - 3*a^2*b^8 + b^{10})*d*\cos(d*x + c)^4 + 2*(3*a^8*b^2 + 8*a^6*b^4 + 6*a^4*b^6 - b^{10})*d*\cos(d*x + c)^2 + (a^6*b^4 + 3*a^4*b^6 + 3*a^2*b^8 + b^{10})*d + 4*((a^9*b + 2*a^7*b^3 - 2*a^3*b^7 - a*b^9)*d*\cos(d*x + c)^3 + (a^7*b^3 + 3*a^5*b^5 + 3*a^3*b^7 + a*b^9)*d*\cos(d*x + c))*\sin(d*x + c)$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))\*\*5,x)

[Out] Timed out

**Giac [B]** time = 1.34513, size = 794, normalized size = 5.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^5,x, algorithm="giac")

```
[Out] -1/8*(3*log(abs(2*a*tan(1/2*d*x + 1/2*c) - 2*b - 2*sqrt(a^2 + b^2))/abs(2*a
*tan(1/2*d*x + 1/2*c) - 2*b + 2*sqrt(a^2 + b^2)))/((a^4 + 2*a^2*b^2 + b^4)*
sqrt(a^2 + b^2)) - 2*(5*a^7*tan(1/2*d*x + 1/2*c)^7 + 16*a^5*b^2*tan(1/2*d*x
+ 1/2*c)^7 + 8*a^3*b^4*tan(1/2*d*x + 1/2*c)^7 - 3*a^6*b*tan(1/2*d*x + 1/2*
c)^6 - 48*a^4*b^3*tan(1/2*d*x + 1/2*c)^6 - 24*a^2*b^5*tan(1/2*d*x + 1/2*c)^
6 + 3*a^7*tan(1/2*d*x + 1/2*c)^5 - 36*a^5*b^2*tan(1/2*d*x + 1/2*c)^5 + 56*a
^3*b^4*tan(1/2*d*x + 1/2*c)^5 + 32*a*b^6*tan(1/2*d*x + 1/2*c)^5 - 15*a^6*b*
tan(1/2*d*x + 1/2*c)^4 + 114*a^4*b^3*tan(1/2*d*x + 1/2*c)^4 + 8*a^2*b^5*tan
(1/2*d*x + 1/2*c)^4 - 16*b^7*tan(1/2*d*x + 1/2*c)^4 + 3*a^7*tan(1/2*d*x + 1
/2*c)^3 + 84*a^5*b^2*tan(1/2*d*x + 1/2*c)^3 - 56*a^3*b^4*tan(1/2*d*x + 1/2*
c)^3 - 32*a*b^6*tan(1/2*d*x + 1/2*c)^3 + 23*a^6*b*tan(1/2*d*x + 1/2*c)^2 -
64*a^4*b^3*tan(1/2*d*x + 1/2*c)^2 - 24*a^2*b^5*tan(1/2*d*x + 1/2*c)^2 + 5*a
^7*tan(1/2*d*x + 1/2*c) - 24*a^5*b^2*tan(1/2*d*x + 1/2*c) - 8*a^3*b^4*tan(1
/2*d*x + 1/2*c) - 5*a^6*b - 2*a^4*b^3)/((a^8 + 2*a^6*b^2 + a^4*b^4)*(a*tan(
1/2*d*x + 1/2*c)^2 - 2*b*tan(1/2*d*x + 1/2*c) - a)^4))/d
```

### 3.231 $\int \frac{1}{(a \cos(c+dx)+b \sin(c+dx))^6} dx$

**Optimal.** Leaf size=151

$$\frac{8 \sin(c + dx)}{15ad(a^2 + b^2)^2(a \cos(c + dx) + b \sin(c + dx))} - \frac{4(b \cos(c + dx) - a \sin(c + dx))}{15d(a^2 + b^2)^2(a \cos(c + dx) + b \sin(c + dx))^3} - \frac{b \cos(c + dx) - a \sin(c + dx)}{5d(a^2 + b^2)(a \cos(c + dx) + b \sin(c + dx))^5}$$

```
[Out] -(b*Cos[c + d*x] - a*Sin[c + d*x])/(5*(a^2 + b^2)*d*(a*Cos[c + d*x] + b*Sin[c + d*x])^5) - (4*(b*Cos[c + d*x] - a*Sin[c + d*x]))/(15*(a^2 + b^2)^2*d*(a*Cos[c + d*x] + b*Sin[c + d*x])^3) + (8*Sin[c + d*x])/(15*a*(a^2 + b^2)^2*d*(a*Cos[c + d*x] + b*Sin[c + d*x]))
```

**Rubi [A]** time = 0.0693007, antiderivative size = 151, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.105, Rules used = {3076, 3075}

$$\frac{8 \sin(c + dx)}{15ad(a^2 + b^2)^2(a \cos(c + dx) + b \sin(c + dx))} - \frac{4(b \cos(c + dx) - a \sin(c + dx))}{15d(a^2 + b^2)^2(a \cos(c + dx) + b \sin(c + dx))^3} - \frac{b \cos(c + dx) - a \sin(c + dx)}{5d(a^2 + b^2)(a \cos(c + dx) + b \sin(c + dx))^5}$$

Antiderivative was successfully verified.

```
[In] Int[(a*Cos[c + d*x] + b*Sin[c + d*x])^(-6),x]
```

```
[Out] -(b*Cos[c + d*x] - a*Sin[c + d*x])/(5*(a^2 + b^2)*d*(a*Cos[c + d*x] + b*Sin[c + d*x])^5) - (4*(b*Cos[c + d*x] - a*Sin[c + d*x]))/(15*(a^2 + b^2)^2*d*(a*Cos[c + d*x] + b*Sin[c + d*x])^3) + (8*Sin[c + d*x])/(15*a*(a^2 + b^2)^2*d*(a*Cos[c + d*x] + b*Sin[c + d*x]))
```

Rule 3076

```
Int[(cos[(c_.) + (d_.)*(x_.)]*(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x_Symbol] :> Simp[((b*Cos[c + d*x] - a*Sin[c + d*x])*(a*Cos[c + d*x] + b*Sin[c + d*x])^(n + 1))/(d*(n + 1)*(a^2 + b^2)), x] + Dist[(n + 2)/((n + 1)*(a^2 + b^2)), Int[(a*Cos[c + d*x] + b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 + b^2, 0] && LtQ[n, -1] && NeQ[n, -2]
```

Rule 3075

```
Int[(cos[(c_.) + (d_.)*(x_.)]*(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)])^(-2), x_Symbol] :> Simp[Sin[c + d*x]/(a*d*(a*Cos[c + d*x] + b*Sin[c + d*x])), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 + b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{1}{(a \cos(c + dx) + b \sin(c + dx))^6} dx &= -\frac{b \cos(c + dx) - a \sin(c + dx)}{5(a^2 + b^2)d(a \cos(c + dx) + b \sin(c + dx))^5} + \frac{4 \int \frac{1}{(a \cos(c+dx)+b \sin(c+dx))^4} dx}{5(a^2 + b^2)} \\ &= -\frac{b \cos(c + dx) - a \sin(c + dx)}{5(a^2 + b^2)d(a \cos(c + dx) + b \sin(c + dx))^5} - \frac{4(b \cos(c + dx) - a \sin(c + dx))}{15(a^2 + b^2)^2 d(a \cos(c + dx) + b \sin(c + dx))^3} \\ &= -\frac{b \cos(c + dx) - a \sin(c + dx)}{5(a^2 + b^2)d(a \cos(c + dx) + b \sin(c + dx))^5} - \frac{4(b \cos(c + dx) - a \sin(c + dx))}{15(a^2 + b^2)^2 d(a \cos(c + dx) + b \sin(c + dx))^3} \end{aligned}$$

**Mathematica [A]** time = 0.531786, size = 182, normalized size = 1.21

$$\frac{20a^2b^2 \sin(c + dx) - 6a^2b^2 \sin(5(c + dx)) - 10ab(a^2 + b^2) \cos(3(c + dx)) + (4ab^3 - 4a^3b) \cos(5(c + dx)) + 10a^4 \sin(c + dx)}{30ad(a^2 + b^2)^2(a \cos(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^(-6), x]

[Out] (-10\*a\*b\*(a^2 + b^2)\*Cos[3\*(c + d\*x)] + (-4\*a^3\*b + 4\*a\*b^3)\*Cos[5\*(c + d\*x)] + 10\*a^4\*Sin[c + d\*x] + 20\*a^2\*b^2\*Sin[c + d\*x] + 10\*b^4\*Sin[c + d\*x] + 5\*a^4\*Sin[3\*(c + d\*x)] - 5\*b^4\*Sin[3\*(c + d\*x)] + a^4\*Sin[5\*(c + d\*x)] - 6\*a^2\*b^2\*Sin[5\*(c + d\*x)] + b^4\*Sin[5\*(c + d\*x)]/(30\*a\*(a^2 + b^2)^2\*d\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^5)

**Maple [A]** time = 0.225, size = 125, normalized size = 0.8

$$\frac{1}{d} \left( \frac{a(a^2 + b^2)}{b^5(a + b \tan(dx + c))^4} - \frac{a^4 + 2a^2b^2 + b^4}{5b^5(a + b \tan(dx + c))^5} - \frac{1}{b^5(a + b \tan(dx + c))} - \frac{6a^2 + 2b^2}{3b^5(a + b \tan(dx + c))^3} + 2 \frac{1}{b^5(a + b \tan(dx + c))} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^6,x)

[Out] 1/d\*(a\*(a^2+b^2)/b^5/(a+b\*tan(d\*x+c))^4-1/5\*(a^4+2\*a^2\*b^2+b^4)/b^5/(a+b\*tan(d\*x+c))^5-1/b^5/(a+b\*tan(d\*x+c))-1/3\*(6\*a^2+2\*b^2)/b^5/(a+b\*tan(d\*x+c))^3+2\*a/b^5/(a+b\*tan(d\*x+c))^2)

**Maxima [A]** time = 1.04956, size = 235, normalized size = 1.56

$$\frac{15b^4 \tan(dx + c)^4 + 30ab^3 \tan(dx + c)^3 + 3a^4 + a^2b^2 + 3b^4 + 10(3a^2b^2 + b^4) \tan(dx + c)^2 + 5(3a^3b + ab^3) \tan(dx + c) + a^4}{15(b^{10} \tan(dx + c)^5 + 5ab^9 \tan(dx + c)^4 + 10a^2b^8 \tan(dx + c)^3 + 10a^3b^7 \tan(dx + c)^2 + 5a^4b^6 \tan(dx + c) + a^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^6,x, algorithm="maxima")

[Out] -1/15\*(15\*b^4\*tan(d\*x + c)^4 + 30\*a\*b^3\*tan(d\*x + c)^3 + 3\*a^4 + a^2\*b^2 + 3\*b^4 + 10\*(3\*a^2\*b^2 + b^4)\*tan(d\*x + c)^2 + 5\*(3\*a^3\*b + a\*b^3)\*tan(d\*x + c))/((b^10\*tan(d\*x + c)^5 + 5\*a\*b^9\*tan(d\*x + c)^4 + 10\*a^2\*b^8\*tan(d\*x + c)^3 + 10\*a^3\*b^7\*tan(d\*x + c)^2 + 5\*a^4\*b^6\*tan(d\*x + c) + a^5)\*d)

**Fricas [B]** time = 2.77556, size = 984, normalized size = 6.52

$$\frac{8(5a^4b - 10a^2b^3 + b^5) \cos(dx + c)^5 - 20(a^4b - 6a^2b^3 + b^5) \cos(dx + c)^4 + 10(a^9b^2 + 2a^7b^4 - 2a^3b^8 - ab^{10})d \cos(dx + c)^5 + 15((a^{11} - 7a^9b^2 - 22a^7b^4 - 14a^5b^6 + 5a^3b^8 + 5ab^{10})d \cos(dx + c)^5 + 10(a^9b^2 + 2a^7b^4 - 2a^3b^8 - ab^{10})d \cos(dx + c)^4 - 5(a^8b^3 + 2a^6b^5 - 2a^4b^7 + ab^9)d \cos(dx + c)^3 + 5(a^7b^4 + 2a^5b^6 - 2a^3b^8 - ab^{10})d \cos(dx + c)^2 + 5(a^6b^5 + 2a^4b^7 - 2a^2b^9 + ab^{11})d \cos(dx + c) - 5a^5b^6}{15((a^{11} - 7a^9b^2 - 22a^7b^4 - 14a^5b^6 + 5a^3b^8 + 5ab^{10})d \cos(dx + c)^5 + 10(a^9b^2 + 2a^7b^4 - 2a^3b^8 - ab^{10})d \cos(dx + c)^4 - 5(a^8b^3 + 2a^6b^5 - 2a^4b^7 + ab^9)d \cos(dx + c)^3 + 5(a^7b^4 + 2a^5b^6 - 2a^3b^8 - ab^{10})d \cos(dx + c)^2 + 5(a^6b^5 + 2a^4b^7 - 2a^2b^9 + ab^{11})d \cos(dx + c) - 5a^5b^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^6,x, algorithm="fricas")

```
[Out] -1/15*(8*(5*a^4*b - 10*a^2*b^3 + b^5)*cos(d*x + c)^5 - 20*(a^4*b - 6*a^2*b^3 + b^5)*cos(d*x + c)^3 - 5*(a^4*b + 6*a^2*b^3 - 3*b^5)*cos(d*x + c) - (3*a^5 + 10*a^3*b^2 + 15*a*b^4 + 8*(a^5 - 10*a^3*b^2 + 5*a*b^4)*cos(d*x + c)^4 + 4*(a^5 + 10*a^3*b^2 - 15*a*b^4)*cos(d*x + c)^2)*sin(d*x + c))/((a^11 - 7*a^9*b^2 - 22*a^7*b^4 - 14*a^5*b^6 + 5*a^3*b^8 + 5*a*b^10)*d*cos(d*x + c)^5 + 10*(a^9*b^2 + 2*a^7*b^4 - 2*a^3*b^8 - a*b^10)*d*cos(d*x + c)^3 + 5*(a^7*b^4 + 3*a^5*b^6 + 3*a^3*b^8 + a*b^10)*d*cos(d*x + c) + ((5*a^10*b + 5*a^8*b^3 - 14*a^6*b^5 - 22*a^4*b^7 - 7*a^2*b^9 + b^11)*d*cos(d*x + c)^4 + 2*(5*a^8*b^3 + 14*a^6*b^5 + 12*a^4*b^7 + 2*a^2*b^9 - b^11)*d*cos(d*x + c)^2 + (a^6*b^5 + 3*a^4*b^7 + 3*a^2*b^9 + b^11)*d)*sin(d*x + c))
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a*cos(d*x+c)+b*sin(d*x+c))**6,x)
```

```
[Out] Timed out
```

**Giac [A]** time = 1.12876, size = 159, normalized size = 1.05

$$\frac{15b^4 \tan(dx+c)^4 + 30ab^3 \tan(dx+c)^3 + 30a^2b^2 \tan(dx+c)^2 + 10b^4 \tan(dx+c)^2 + 15a^3b \tan(dx+c) + 5ab^3 \tan(dx+c)}{15(b \tan(dx+c) + a)^5 b^5 d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a*cos(d*x+c)+b*sin(d*x+c))^6,x, algorithm="giac")
```

```
[Out] -1/15*(15*b^4*tan(d*x + c)^4 + 30*a*b^3*tan(d*x + c)^3 + 30*a^2*b^2*tan(d*x + c)^2 + 10*b^4*tan(d*x + c)^2 + 15*a^3*b*tan(d*x + c) + 5*a*b^3*tan(d*x + c) + 3*a^4 + a^2*b^2 + 3*b^4)/((b*tan(d*x + c) + a)^5*b^5*d)
```

### 3.232 $\int (a \cos(c + dx) + b \sin(c + dx))^{7/2} dx$

**Optimal.** Leaf size=186

$$\frac{10(a^2 + b^2)^2 \sqrt{\frac{a \cos(c+dx) + b \sin(c+dx)}{\sqrt{a^2 + b^2}}} \operatorname{EllipticF}\left(\frac{1}{2}(-\tan^{-1}(a, b) + c + dx), 2\right)}{21d\sqrt{a \cos(c + dx) + b \sin(c + dx)}} - \frac{10(a^2 + b^2)(b \cos(c + dx) - a \sin(c + dx))\sqrt{a \cos(c + dx) + b \sin(c + dx)}}{21d}$$

```
[Out] (-10*(a^2 + b^2)*(b*Cos[c + d*x] - a*Sin[c + d*x])*Sqrt[a*Cos[c + d*x] + b*Sin[c + d*x]]/(21*d) - (2*(b*Cos[c + d*x] - a*Sin[c + d*x])*(a*Cos[c + d*x] + b*Sin[c + d*x])^(5/2))/(7*d) + (10*(a^2 + b^2)^2*EllipticF[(c + d*x - ArcTan[a, b])/2, 2]*Sqrt[(a*Cos[c + d*x] + b*Sin[c + d*x])/Sqrt[a^2 + b^2]])/(21*d*Sqrt[a*Cos[c + d*x] + b*Sin[c + d*x]])
```

**Rubi [A]** time = 0.0958722, antiderivative size = 186, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3073, 3078, 2641}

$$\frac{10(a^2 + b^2)^2 \sqrt{\frac{a \cos(c+dx) + b \sin(c+dx)}{\sqrt{a^2 + b^2}}} F\left(\frac{1}{2}(c + dx - \tan^{-1}(a, b))\right)^2}{21d\sqrt{a \cos(c + dx) + b \sin(c + dx)}} - \frac{10(a^2 + b^2)(b \cos(c + dx) - a \sin(c + dx))\sqrt{a \cos(c + dx) + b \sin(c + dx)}}{21d}$$

Antiderivative was successfully verified.

```
[In] Int[(a*Cos[c + d*x] + b*Sin[c + d*x])^(7/2), x]
```

```
[Out] (-10*(a^2 + b^2)*(b*Cos[c + d*x] - a*Sin[c + d*x])*Sqrt[a*Cos[c + d*x] + b*Sin[c + d*x]]/(21*d) - (2*(b*Cos[c + d*x] - a*Sin[c + d*x])*(a*Cos[c + d*x] + b*Sin[c + d*x])^(5/2))/(7*d) + (10*(a^2 + b^2)^2*EllipticF[(c + d*x - ArcTan[a, b])/2, 2]*Sqrt[(a*Cos[c + d*x] + b*Sin[c + d*x])/Sqrt[a^2 + b^2]])/(21*d*Sqrt[a*Cos[c + d*x] + b*Sin[c + d*x]])
```

#### Rule 3073

```
Int[(cos[(c_.) + (d_.)*(x_.)]*(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x_Symbol] :> -Simp[((b*Cos[c + d*x] - a*Sin[c + d*x])*(a*Cos[c + d*x] + b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[((n - 1)*(a^2 + b^2))/n, Int[(a*Cos[c + d*x] + b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 + b^2, 0] && !IntegerQ[(n - 1)/2] && GtQ[n, 1]
```

#### Rule 3078

```
Int[(cos[(c_.) + (d_.)*(x_.)]*(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x_Symbol] :> Dist[(a*Cos[c + d*x] + b*Sin[c + d*x])^n/((a*Cos[c + d*x] + b*Sin[c + d*x])/Sqrt[a^2 + b^2])^n, Int[Cos[c + d*x - ArcTan[a, b]]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && !(GeQ[n, 1] || LeQ[n, -1]) && !(GtQ[a^2 + b^2, 0] || EqQ[a^2 + b^2, 0])
```

#### Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

#### Rubi steps

$$\begin{aligned}
\int (a \cos(c + dx) + b \sin(c + dx))^{7/2} dx &= -\frac{2(b \cos(c + dx) - a \sin(c + dx))(a \cos(c + dx) + b \sin(c + dx))^{5/2}}{7d} + \frac{1}{7} (a^2 + b^2) \int (a \cos(c + dx) + b \sin(c + dx))^{3/2} dx \\
&= -\frac{10(a^2 + b^2)(b \cos(c + dx) - a \sin(c + dx))\sqrt{a \cos(c + dx) + b \sin(c + dx)}}{21d} - \frac{2}{7} \int (a \cos(c + dx) + b \sin(c + dx))^{1/2} dx \\
&= -\frac{10(a^2 + b^2)(b \cos(c + dx) - a \sin(c + dx))\sqrt{a \cos(c + dx) + b \sin(c + dx)}}{21d} - \frac{2}{7} \int (a \cos(c + dx) + b \sin(c + dx))^{1/2} dx \\
&= -\frac{10(a^2 + b^2)(b \cos(c + dx) - a \sin(c + dx))\sqrt{a \cos(c + dx) + b \sin(c + dx)}}{21d} - \frac{2}{7} \int (a \cos(c + dx) + b \sin(c + dx))^{1/2} dx
\end{aligned}$$

**Mathematica [C]** time = 1.85859, size = 205, normalized size = 1.1

$$\frac{20(a^2+b^2)^2 \tan(\tan^{-1}(\frac{a}{b})+c+dx) \sqrt{\cos^2(\tan^{-1}(\frac{a}{b})+c+dx)} \text{HypergeometricPFQ}\left(\left\{\frac{1}{4}, \frac{1}{2}\right\}, \left\{\frac{5}{4}\right\}, \sin^2(\tan^{-1}(\frac{a}{b})+c+dx)\right)}{\sqrt{b \sqrt{\frac{a^2}{b^2}+1} \sin(\tan^{-1}(\frac{a}{b})+c+dx)}} + \sqrt{a \cos(c + dx) + b \sin(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*cos[c + d\*x] + b\*sin[c + d\*x])^(7/2), x]

[Out] (Sqrt[a\*cos[c + d\*x] + b\*sin[c + d\*x]]\*(-23\*b\*(a^2 + b^2)\*Cos[c + d\*x] + (-9\*a^2\*b + 3\*b^3)\*Cos[3\*(c + d\*x)] + 2\*a\*(13\*a^2 + 7\*b^2 + 3\*(a^2 - 3\*b^2)\*Cos[2\*(c + d\*x)])\*Sin[c + d\*x]) + (20\*(a^2 + b^2)^2\*Sqrt[Cos[c + d\*x + ArcTan[a/b]]^2]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[c + d\*x + ArcTan[a/b]]^2]\*Tan[c + d\*x + ArcTan[a/b]])/Sqrt[Sqrt[1 + a^2/b^2]\*b\*sin[c + d\*x + ArcTan[a/b]]])/(42\*d)

**Maple [A]** time = 1.891, size = 183, normalized size = 1.

$$\frac{(a^2 + b^2)^2}{21 \cos(dx + c - \arctan(-a, b)) d} \left( 6 (\sin(dx + c - \arctan(-a, b)))^5 + 5 \sqrt{1 + \sin(dx + c - \arctan(-a, b))} \sqrt{-2 \sin(dx + c - \arctan(-a, b))} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*cos(d\*x+c)+b\*sin(d\*x+c))^(7/2), x)

[Out] 1/21\*(a^2+b^2)^2\*(6\*sin(d\*x+c-arctan(-a,b))^5+5\*(1+sin(d\*x+c-arctan(-a,b)))^(1/2)\*(-2\*sin(d\*x+c-arctan(-a,b))+2)^(1/2)\*(-sin(d\*x+c-arctan(-a,b)))^(1/2))\*EllipticF((1+sin(d\*x+c-arctan(-a,b)))^(1/2), 1/2\*2^(1/2))+4\*sin(d\*x+c-arctan(-a,b))^3-10\*sin(d\*x+c-arctan(-a,b)))/cos(d\*x+c-arctan(-a,b))/(sin(d\*x+c-arctan(-a,b))\*(a^2+b^2)^(1/2))^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (a \cos(dx + c) + b \sin(dx + c))^{7/2} dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*cos(d*x+c)+b*sin(d*x+c))^(7/2),x, algorithm="maxima")
```

```
[Out] integrate((a*cos(d*x + c) + b*sin(d*x + c))^(7/2), x)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(3ab^2\cos(dx+c) + (a^3 - 3ab^2)\cos(dx+c)^3 + (b^3 + (3a^2b - b^3)\cos(dx+c)^2)\sin(dx+c)\right)\sqrt{a\cos(dx+c)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*cos(d*x+c)+b*sin(d*x+c))^(7/2),x, algorithm="fricas")
```

```
[Out] integral((3*a*b^2*cos(d*x + c) + (a^3 - 3*a*b^2)*cos(d*x + c)^3 + (b^3 + (3
*a^2*b - b^3)*cos(d*x + c)^2)*sin(d*x + c))*sqrt(a*cos(d*x + c) + b*sin(d*x
+ c)), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*cos(d*x+c)+b*sin(d*x+c))**(7/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (a \cos(dx + c) + b \sin(dx + c))^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*cos(d*x+c)+b*sin(d*x+c))^(7/2),x, algorithm="giac")
```

```
[Out] integrate((a*cos(d*x + c) + b*sin(d*x + c))^(7/2), x)
```

### 3.233 $\int (a \cos(c + dx) + b \sin(c + dx))^{5/2} dx$

**Optimal.** Leaf size=131

$$\frac{6(a^2 + b^2) \sqrt{a \cos(c + dx) + b \sin(c + dx)} E\left(\frac{1}{2}(c + dx - \tan^{-1}(a, b)) \middle| 2\right)}{5d \sqrt{\frac{a \cos(c + dx) + b \sin(c + dx)}{\sqrt{a^2 + b^2}}}} - \frac{2(b \cos(c + dx) - a \sin(c + dx))(a \cos(c + dx))}{5d}$$

[Out]  $(-2*(b*\text{Cos}[c + d*x] - a*\text{Sin}[c + d*x])*(a*\text{Cos}[c + d*x] + b*\text{Sin}[c + d*x])^{(3/2)})/(5*d) + (6*(a^2 + b^2)*\text{EllipticE}[(c + d*x - \text{ArcTan}[a, b])/2, 2]*\text{Sqrt}[a*\text{Cos}[c + d*x] + b*\text{Sin}[c + d*x]])/(5*d*\text{Sqrt}[(a*\text{Cos}[c + d*x] + b*\text{Sin}[c + d*x])/ \text{Sqrt}[a^2 + b^2]])$

**Rubi [A]** time = 0.057692, antiderivative size = 131, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3073, 3078, 2639}

$$\frac{6(a^2 + b^2) \sqrt{a \cos(c + dx) + b \sin(c + dx)} E\left(\frac{1}{2}(c + dx - \tan^{-1}(a, b)) \middle| 2\right)}{5d \sqrt{\frac{a \cos(c + dx) + b \sin(c + dx)}{\sqrt{a^2 + b^2}}}} - \frac{2(b \cos(c + dx) - a \sin(c + dx))(a \cos(c + dx))}{5d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a*\text{Cos}[c + d*x] + b*\text{Sin}[c + d*x])^{(5/2)}, x]$

[Out]  $(-2*(b*\text{Cos}[c + d*x] - a*\text{Sin}[c + d*x])*(a*\text{Cos}[c + d*x] + b*\text{Sin}[c + d*x])^{(3/2)})/(5*d) + (6*(a^2 + b^2)*\text{EllipticE}[(c + d*x - \text{ArcTan}[a, b])/2, 2]*\text{Sqrt}[a*\text{Cos}[c + d*x] + b*\text{Sin}[c + d*x]])/(5*d*\text{Sqrt}[(a*\text{Cos}[c + d*x] + b*\text{Sin}[c + d*x])/ \text{Sqrt}[a^2 + b^2]])$

#### Rule 3073

$\text{Int}[(\text{cos}[(c_.) + (d_.)*(x_.)]*(a_.) + (b_.)*\text{sin}[(c_.) + (d_.)*(x_.)])^{(n_.)}, x\_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x] - a*\text{Sin}[c + d*x])*(a*\text{Cos}[c + d*x] + b*\text{Sin}[c + d*x])^{(n - 1)}]/(d*n), x] + \text{Dist}[(n - 1)*(a^2 + b^2)/n, \text{Int}[(a*\text{Cos}[c + d*x] + b*\text{Sin}[c + d*x])^{(n - 2)}, x], x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& !\text{IntegerQ}[(n - 1)/2] \&\& \text{GtQ}[n, 1]$

#### Rule 3078

$\text{Int}[(\text{cos}[(c_.) + (d_.)*(x_.)]*(a_.) + (b_.)*\text{sin}[(c_.) + (d_.)*(x_.)])^{(n_.)}, x\_Symbol] \rightarrow \text{Dist}[(a*\text{Cos}[c + d*x] + b*\text{Sin}[c + d*x])^n/((a*\text{Cos}[c + d*x] + b*\text{Sin}[c + d*x])/ \text{Sqrt}[a^2 + b^2])^n, \text{Int}[\text{Cos}[c + d*x - \text{ArcTan}[a, b]]^n, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& !( \text{GeQ}[n, 1] || \text{LeQ}[n, -1] ) \&\& !( \text{GtQ}[a^2 + b^2, 0] || \text{EqQ}[a^2 + b^2, 0] )$

#### Rule 2639

$\text{Int}[\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

#### Rubi steps

$$\begin{aligned} \int (a \cos(c + dx) + b \sin(c + dx))^{5/2} dx &= -\frac{2(b \cos(c + dx) - a \sin(c + dx))(a \cos(c + dx) + b \sin(c + dx))^{3/2}}{5d} + \frac{1}{5} (3(a^2 + b^2) \sqrt{a \cos(c + dx) + b \sin(c + dx)})^{3/2} \\ &= -\frac{2(b \cos(c + dx) - a \sin(c + dx))(a \cos(c + dx) + b \sin(c + dx))^{3/2}}{5d} + \frac{3(a^2 + b^2) \sqrt{a \cos(c + dx) + b \sin(c + dx)}}{5} \\ &= -\frac{2(b \cos(c + dx) - a \sin(c + dx))(a \cos(c + dx) + b \sin(c + dx))^{3/2}}{5d} + \frac{6(a^2 + b^2) \sqrt{a \cos(c + dx) + b \sin(c + dx)}}{5} \end{aligned}$$

**Mathematica [C]** time = 1.61262, size = 256, normalized size = 1.95

$$\sqrt{a \cos(c + dx) + b \sin(c + dx)} \left( b(a^2 - b^2) \sin(2(c + dx)) + 6a(a^2 + b^2) - 2ab^2 \cos(2(c + dx)) \right) - \frac{3(a^2 + b^2)^2 \cos\left(-\tan^{-1}\left(\frac{b}{a}\right)\right)}{5d}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^(5/2), x]

[Out] (Sqrt[a\*Cos[c + d\*x] + b\*Sin[c + d\*x]]\*(6\*a\*(a^2 + b^2) - 2\*a\*b^2\*Cos[2\*(c + d\*x)] + b\*(a^2 - b^2)\*Sin[2\*(c + d\*x)]) - (3\*(a^2 + b^2)^2\*Cos[c + d\*x - ArcTan[b/a]]\*(b\*HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[c + d\*x - ArcTan[b/a]]^2]\*Sin[c + d\*x - ArcTan[b/a]] + Sqrt[Sin[c + d\*x - ArcTan[b/a]]^2]\*(2\*a\*Cos[c + d\*x - ArcTan[b/a]] - b\*Sin[c + d\*x - ArcTan[b/a]])))/((a\*Sqrt[1 + b^2/a^2]\*Cos[c + d\*x - ArcTan[b/a]])^(3/2)\*Sqrt[Sin[c + d\*x - ArcTan[b/a]]^2])/(5\*b\*d)

**Maple [A]** time = 1.464, size = 246, normalized size = 1.9

$$-\frac{1}{5 \cos(dx + c - \arctan(-a, b))d} (a^2 + b^2)^{\frac{3}{2}} \left( 6 \sqrt{1 + \sin(dx + c - \arctan(-a, b))} \sqrt{-2 \sin(dx + c - \arctan(-a, b))} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*cos(d\*x+c)+b\*sin(d\*x+c))^(5/2), x)

[Out] -1/5\*(a^2+b^2)^(3/2)\*(6\*(1+sin(d\*x+c-arctan(-a,b)))^(1/2)\*(-2\*sin(d\*x+c-arctan(-a,b))+2)^(1/2)\*(-sin(d\*x+c-arctan(-a,b)))^(1/2)\*EllipticE((1+sin(d\*x+c-arctan(-a,b)))^(1/2), 1/2\*2^(1/2))-3\*(1+sin(d\*x+c-arctan(-a,b)))^(1/2)\*(-2\*sin(d\*x+c-arctan(-a,b))+2)^(1/2)\*(-sin(d\*x+c-arctan(-a,b)))^(1/2)\*EllipticF((1+sin(d\*x+c-arctan(-a,b)))^(1/2), 1/2\*2^(1/2))-2\*sin(d\*x+c-arctan(-a,b))^4+2\*sin(d\*x+c-arctan(-a,b))^2)/cos(d\*x+c-arctan(-a,b))/(sin(d\*x+c-arctan(-a,b))\*(a^2+b^2)^(1/2))^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (a \cos(dx + c) + b \sin(dx + c))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sin(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + b\*sin(d\*x + c))^(5/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

integral((2\*a\*b\*cos(dx+c)\*sin(dx+c) + (a^2 - b^2)\*cos(dx+c)^2 + b^2)\*sqrt(a\*cos(dx+c) + b\*sin(dx+c)), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sin(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] integral((2\*a\*b\*cos(d\*x + c)\*sin(d\*x + c) + (a^2 - b^2)\*cos(d\*x + c)^2 + b^2)\*sqrt(a\*cos(d\*x + c) + b\*sin(d\*x + c)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sin(d\*x+c))\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (a \cos(dx + c) + b \sin(dx + c))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sin(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + b\*sin(d\*x + c))^(5/2), x)

### 3.234 $\int (a \cos(c + dx) + b \sin(c + dx))^{3/2} dx$

**Optimal.** Leaf size=131

$$\frac{2(a^2 + b^2) \sqrt{\frac{a \cos(c+dx) + b \sin(c+dx)}{\sqrt{a^2+b^2}}} \operatorname{EllipticF}\left(\frac{1}{2}(-\tan^{-1}(a, b) + c + dx), 2\right)}{3d\sqrt{a \cos(c + dx) + b \sin(c + dx)}} - \frac{2(b \cos(c + dx) - a \sin(c + dx))\sqrt{a \cos(c + dx) + b \sin(c + dx)}}{3d}$$

```
[Out] (-2*(b*Cos[c + d*x] - a*Sin[c + d*x])*Sqrt[a*Cos[c + d*x] + b*Sin[c + d*x]]
)/(3*d) + (2*(a^2 + b^2)*EllipticF[(c + d*x - ArcTan[a, b])/2, 2]*Sqrt[(a*Cos[c + d*x] + b*Sin[c + d*x])/Sqrt[a^2 + b^2]])/(3*d*Sqrt[a*Cos[c + d*x] + b*Sin[c + d*x]])
```

**Rubi [A]** time = 0.0580733, antiderivative size = 131, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3073, 3078, 2641}

$$\frac{2(a^2 + b^2) \sqrt{\frac{a \cos(c+dx) + b \sin(c+dx)}{\sqrt{a^2+b^2}}} F\left(\frac{1}{2}(c + dx - \tan^{-1}(a, b)) \middle| 2\right)}{3d\sqrt{a \cos(c + dx) + b \sin(c + dx)}} - \frac{2(b \cos(c + dx) - a \sin(c + dx))\sqrt{a \cos(c + dx) + b \sin(c + dx)}}{3d}$$

Antiderivative was successfully verified.

```
[In] Int[(a*Cos[c + d*x] + b*Sin[c + d*x])^(3/2), x]
```

```
[Out] (-2*(b*Cos[c + d*x] - a*Sin[c + d*x])*Sqrt[a*Cos[c + d*x] + b*Sin[c + d*x]]
)/(3*d) + (2*(a^2 + b^2)*EllipticF[(c + d*x - ArcTan[a, b])/2, 2]*Sqrt[(a*Cos[c + d*x] + b*Sin[c + d*x])/Sqrt[a^2 + b^2]])/(3*d*Sqrt[a*Cos[c + d*x] + b*Sin[c + d*x]])
```

#### Rule 3073

```
Int[(cos[(c_.) + (d_.)*(x_)]*(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x
_Symbol] :> -Simp[((b*Cos[c + d*x] - a*Sin[c + d*x])*(a*Cos[c + d*x] + b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[((n - 1)*(a^2 + b^2))/n, Int[(a*Cos[c + d*x] + b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 + b^2, 0] && !IntegerQ[(n - 1)/2] && GtQ[n, 1]
```

#### Rule 3078

```
Int[(cos[(c_.) + (d_.)*(x_)]*(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x
_Symbol] :> Dist[(a*Cos[c + d*x] + b*Sin[c + d*x])^n/((a*Cos[c + d*x] + b*Sin[c + d*x])/Sqrt[a^2 + b^2])^n, Int[Cos[c + d*x - ArcTan[a, b]]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && !(GeQ[n, 1] || LeQ[n, -1]) && !(GtQ[a^2 + b^2, 0] || EqQ[a^2 + b^2, 0])
```

#### Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

#### Rubi steps

$$\begin{aligned} \int (a \cos(c + dx) + b \sin(c + dx))^{3/2} dx &= -\frac{2(b \cos(c + dx) - a \sin(c + dx))\sqrt{a \cos(c + dx) + b \sin(c + dx)}}{3d} + \frac{1}{3}(a^2 + b^2) \int \frac{1}{\sqrt{a \cos(c + dx) + b \sin(c + dx)}} dx \\ &= -\frac{2(b \cos(c + dx) - a \sin(c + dx))\sqrt{a \cos(c + dx) + b \sin(c + dx)}}{3d} + \frac{(a^2 + b^2)\sqrt{a \cos(c + dx) + b \sin(c + dx)}}{3d} \\ &= -\frac{2(b \cos(c + dx) - a \sin(c + dx))\sqrt{a \cos(c + dx) + b \sin(c + dx)}}{3d} + \frac{2(a^2 + b^2)\sqrt{a \cos(c + dx) + b \sin(c + dx)}}{3d} \end{aligned}$$

**Mathematica [C]** time = 1.32645, size = 143, normalized size = 1.09

$$2 \left( \frac{(a^2 + b^2) \tan(\tan^{-1}(\frac{a}{b}) + c + dx) \sqrt{\cos^2(\tan^{-1}(\frac{a}{b}) + c + dx)} \text{HypergeometricPFQ}\left(\left\{\frac{1}{4}, \frac{1}{2}\right\}, \left\{\frac{5}{4}\right\}, \sin^2(\tan^{-1}(\frac{a}{b}) + c + dx)\right)}{\sqrt{b \sqrt{\frac{a^2}{b^2} + 1} \sin(\tan^{-1}(\frac{a}{b}) + c + dx)}} + \sqrt{a \cos(c + dx) + b \sin(c + dx)} \right) / 3d$$

Antiderivative was successfully verified.

[In] Integrate[(a\*cos[c + d\*x] + b\*sin[c + d\*x])^(3/2), x]

[Out] (2\*((-(b\*cos[c + d\*x]) + a\*sin[c + d\*x])\*Sqrt[a\*cos[c + d\*x] + b\*sin[c + d\*x]]) + ((a^2 + b^2)\*Sqrt[Cos[c + d\*x + ArcTan[a/b]]^2]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[c + d\*x + ArcTan[a/b]]^2]\*Tan[c + d\*x + ArcTan[a/b]])/Sqrt[1 + a^2/b^2]\*b\*sin[c + d\*x + ArcTan[a/b]]))/(3\*d)

**Maple [A]** time = 1.221, size = 163, normalized size = 1.2

$$\frac{a^2 + b^2}{3 \cos(dx + c - \arctan(-a, b))d} \left( \sqrt{1 + \sin(dx + c - \arctan(-a, b))} \sqrt{-2 \sin(dx + c - \arctan(-a, b)) + 2} \sqrt{-\sin(dx + c - \arctan(-a, b))} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*cos(d\*x+c)+b\*sin(d\*x+c))^(3/2), x)

[Out] 1/3\*(a^2+b^2)\*((1+sin(d\*x+c-arctan(-a,b)))^(1/2)\*(-2\*sin(d\*x+c-arctan(-a,b))+2)^(1/2)\*(-sin(d\*x+c-arctan(-a,b)))^(1/2)\*EllipticF((1+sin(d\*x+c-arctan(-a,b)))^(1/2), 1/2\*2^(1/2))+2\*sin(d\*x+c-arctan(-a,b))^3-2\*sin(d\*x+c-arctan(-a,b)))/cos(d\*x+c-arctan(-a,b))/(sin(d\*x+c-arctan(-a,b))\*(a^2+b^2)^(1/2))^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (a \cos(dx + c) + b \sin(dx + c))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sin(d\*x+c))^(3/2), x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + b\*sin(d\*x + c))^(3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(a \cos(dx + c) + b \sin(dx + c)\right)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sin(d\*x+c))^(3/2),x, algorithm="fricas")

[Out] integral((a\*cos(d\*x + c) + b\*sin(d\*x + c))^(3/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sin(d\*x+c))\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (a \cos(dx + c) + b \sin(dx + c))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sin(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + b\*sin(d\*x + c))^(3/2), x)

### 3.235 $\int \sqrt{a \cos(c + dx) + b \sin(c + dx)} dx$

**Optimal.** Leaf size=75

$$\frac{2\sqrt{a \cos(c + dx) + b \sin(c + dx)} E\left(\frac{1}{2}(c + dx - \tan^{-1}(a, b))\right) \Big|_2}{d \sqrt{\frac{a \cos(c + dx) + b \sin(c + dx)}{\sqrt{a^2 + b^2}}}}$$

[Out] (2\*EllipticE[(c + d\*x - ArcTan[a, b])/2, 2]\*Sqrt[a\*Cos[c + d\*x] + b\*Sin[c + d\*x]])/(d\*Sqrt[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])/Sqrt[a^2 + b^2]])

**Rubi [A]** time = 0.0296799, antiderivative size = 75, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {3078, 2639}

$$\frac{2\sqrt{a \cos(c + dx) + b \sin(c + dx)} E\left(\frac{1}{2}(c + dx - \tan^{-1}(a, b))\right) \Big|_2}{d \sqrt{\frac{a \cos(c + dx) + b \sin(c + dx)}{\sqrt{a^2 + b^2}}}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a\*Cos[c + d\*x] + b\*Sin[c + d\*x]], x]

[Out] (2\*EllipticE[(c + d\*x - ArcTan[a, b])/2, 2]\*Sqrt[a\*Cos[c + d\*x] + b\*Sin[c + d\*x]])/(d\*Sqrt[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])/Sqrt[a^2 + b^2]])

#### Rule 3078

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Dist[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^n/((a\*Cos[c + d\*x] + b\*Sin[c + d\*x])/Sqrt[a^2 + b^2])^n, Int[Cos[c + d\*x - ArcTan[a, b]]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && !(GeQ[n, 1] || LeQ[n, -1]) && !(GtQ[a^2 + b^2, 0] || EqQ[a^2 + b^2, 0])

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - P i/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \sqrt{a \cos(c + dx) + b \sin(c + dx)} dx &= \frac{\sqrt{a \cos(c + dx) + b \sin(c + dx)} \int \sqrt{\cos(c + dx - \tan^{-1}(a, b))} dx}{\sqrt{\frac{a \cos(c + dx) + b \sin(c + dx)}{\sqrt{a^2 + b^2}}}} \\ &= \frac{2E\left(\frac{1}{2}(c + dx - \tan^{-1}(a, b))\right) \Big|_2 \sqrt{a \cos(c + dx) + b \sin(c + dx)}}{d \sqrt{\frac{a \cos(c + dx) + b \sin(c + dx)}{\sqrt{a^2 + b^2}}}} \end{aligned}$$



**Mathematica [C]** time = 1.14195, size = 268, normalized size = 3.57

$$\cos\left(-\tan^{-1}\left(\frac{b}{a}\right) + c + dx\right) \left( \sqrt{\sin^2\left(-\tan^{-1}\left(\frac{b}{a}\right) + c + dx\right)} \left( b(a^2 + b^2) \sin\left(-\tan^{-1}\left(\frac{b}{a}\right) + c + dx\right) - 2a(a^2 + b^2) \cos\left(-\tan^{-1}\left(\frac{b}{a}\right) + c + dx\right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a\*Cos[c + d\*x] + b\*Sin[c + d\*x]],x]

[Out] (Cos[c + d\*x - ArcTan[b/a]]\*(-(b\*(a^2 + b^2)\*HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[c + d\*x - ArcTan[b/a]]^2]\*Sin[c + d\*x - ArcTan[b/a]]) + Sqrt[Sin[c + d\*x - ArcTan[b/a]]^2]\*(-2\*a\*(a^2 + b^2)\*Cos[c + d\*x - ArcTan[b/a]] + 2\*a^2\*Sqrt[1 + b^2/a^2]\*Sqrt[a\*Sqrt[1 + b^2/a^2]\*Cos[c + d\*x - ArcTan[b/a]])\*Sqrt[a\*Cos[c + d\*x] + b\*Sin[c + d\*x]] + b\*(a^2 + b^2)\*Sin[c + d\*x - ArcTan[b/a]]))/(b\*d\*(a\*Sqrt[1 + b^2/a^2]\*Cos[c + d\*x - ArcTan[b/a]])^(3/2)\*Sqrt[Sin[c + d\*x - ArcTan[b/a]]^2])

**Maple [A]** time = 1.204, size = 159, normalized size = 2.1

$$-\frac{1}{\cos(dx + c - \arctan(-a, b))d} \sqrt{a^2 + b^2} \sqrt{1 + \sin(dx + c - \arctan(-a, b))} \sqrt{-2 \sin(dx + c - \arctan(-a, b)) + 2\sqrt{-2 \sin(dx + c - \arctan(-a, b))}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*cos(d\*x+c)+b\*sin(d\*x+c))^(1/2),x)

[Out] -(a^2+b^2)^(1/2)\*(1+sin(d\*x+c-arctan(-a,b)))^(1/2)\*(-2\*sin(d\*x+c-arctan(-a,b))+2)^(1/2)\*(-sin(d\*x+c-arctan(-a,b)))^(1/2)\*(2\*EllipticE((1+sin(d\*x+c-arctan(-a,b)))^(1/2),1/2\*2^(1/2))-EllipticF((1+sin(d\*x+c-arctan(-a,b)))^(1/2),1/2\*2^(1/2)))/cos(d\*x+c-arctan(-a,b))/(sin(d\*x+c-arctan(-a,b))\*(a^2+b^2)^(1/2))^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a \cos(dx + c) + b \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sin(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(a\*cos(d\*x + c) + b\*sin(d\*x + c)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\sqrt{a \cos(dx + c) + b \sin(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*cos(d*x+c)+b*sin(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] integral(sqrt(a*cos(d*x + c) + b*sin(d*x + c)), x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a \cos(c + dx) + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*cos(d*x+c)+b*sin(d*x+c))**(1/2),x)
```

```
[Out] Integral(sqrt(a*cos(c + d*x) + b*sin(c + d*x)), x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a \cos(dx + c) + b \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*cos(d*x+c)+b*sin(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate(sqrt(a*cos(d*x + c) + b*sin(d*x + c)), x)
```

$$3.236 \quad \int \frac{1}{\sqrt{a \cos(c+dx)+b \sin(c+dx)}} dx$$

**Optimal.** Leaf size=75

$$\frac{2\sqrt{\frac{a \cos(c+dx)+b \sin(c+dx)}{\sqrt{a^2+b^2}}} \text{EllipticF}\left(\frac{1}{2}(-\tan^{-1}(a,b)+c+dx), 2\right)}{d\sqrt{a \cos(c+dx)+b \sin(c+dx)}}$$

[Out] (2\*EllipticF[(c + d\*x - ArcTan[a, b])/2, 2]\*Sqrt[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])/Sqrt[a^2 + b^2]])/(d\*Sqrt[a\*Cos[c + d\*x] + b\*Sin[c + d\*x]])

**Rubi [A]** time = 0.0296477, antiderivative size = 75, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {3078, 2641}

$$\frac{2\sqrt{\frac{a \cos(c+dx)+b \sin(c+dx)}{\sqrt{a^2+b^2}}} F\left(\frac{1}{2}(c+dx-\tan^{-1}(a,b))\right)}{d\sqrt{a \cos(c+dx)+b \sin(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[a\*Cos[c + d\*x] + b\*Sin[c + d\*x]],x]

[Out] (2\*EllipticF[(c + d\*x - ArcTan[a, b])/2, 2]\*Sqrt[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])/Sqrt[a^2 + b^2]])/(d\*Sqrt[a\*Cos[c + d\*x] + b\*Sin[c + d\*x]])

#### Rule 3078

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Dist[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^n/((a\*Cos[c + d\*x] + b\*Sin[c + d\*x])/Sqrt[a^2 + b^2])^n, Int[Cos[c + d\*x - ArcTan[a, b]]^n, x] /; FreeQ[{a, b, c, d, n}, x] && !(GeQ[n, 1] || LeQ[n, -1]) && !(GtQ[a^2 + b^2, 0] || EqQ[a^2 + b^2, 0])

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{1}{\sqrt{a \cos(c+dx)+b \sin(c+dx)}} dx &= \frac{\sqrt{\frac{a \cos(c+dx)+b \sin(c+dx)}{\sqrt{a^2+b^2}}} \int \frac{1}{\sqrt{\cos(c+dx-\tan^{-1}(a,b))}} dx}{\sqrt{a \cos(c+dx)+b \sin(c+dx)}} \\ &= \frac{2F\left(\frac{1}{2}(c+dx-\tan^{-1}(a,b))\right)}{d\sqrt{a \cos(c+dx)+b \sin(c+dx)}} \end{aligned}$$

**Mathematica [C]** time = 0.186312, size = 92, normalized size = 1.23

$$\frac{2 \tan\left(\tan^{-1}\left(\frac{a}{b}\right)+c+dx\right) \sqrt{\cos^2\left(\tan^{-1}\left(\frac{a}{b}\right)+c+dx\right)} \text{HypergeometricPFQ}\left(\left\{\frac{1}{4}, \frac{1}{2}\right\}, \left\{\frac{5}{4}\right\}, \sin^2\left(\tan^{-1}\left(\frac{a}{b}\right)+c+dx\right)\right)}{d\sqrt{b\sqrt{\frac{a^2}{b^2}+1} \sin\left(\tan^{-1}\left(\frac{a}{b}\right)+c+dx\right)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/Sqrt[a\*cos[c + d\*x] + b\*sin[c + d\*x]],x]

[Out] (2\*Sqrt[Cos[c + d\*x + ArcTan[a/b]]^2]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[c + d\*x + ArcTan[a/b]]^2]\*Tan[c + d\*x + ArcTan[a/b]])/(d\*Sqrt[Sqrt[1 + a^2/b^2]\*b\*sin[c + d\*x + ArcTan[a/b]]])

**Maple [A]** time = 1.072, size = 121, normalized size = 1.6

$$\frac{1}{\cos(dx + c - \arctan(-a, b))d} \sqrt{1 + \sin(dx + c - \arctan(-a, b))} \sqrt{-2 \sin(dx + c - \arctan(-a, b)) + 2} \sqrt{-\sin(dx + c - \arctan(-a, b))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^(1/2),x)

[Out] (1+sin(d\*x+c-arctan(-a,b)))^(1/2)\*(-2\*sin(d\*x+c-arctan(-a,b))+2)^(1/2)\*(-sin(d\*x+c-arctan(-a,b)))^(1/2)\*EllipticF((1+sin(d\*x+c-arctan(-a,b)))^(1/2),1/2\*2^(1/2))/cos(d\*x+c-arctan(-a,b))/(sin(d\*x+c-arctan(-a,b))\*(a^2+b^2)^(1/2))^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{a \cos(dx + c) + b \sin(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(1/sqrt(a\*cos(d\*x + c) + b\*sin(d\*x + c)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{\sqrt{a \cos(dx + c) + b \sin(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(1/sqrt(a\*cos(d\*x + c) + b\*sin(d\*x + c)), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{a \cos(c + dx) + b \sin(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))\*\*(1/2),x)

[Out] Integral(1/sqrt(a\*cos(c + d\*x) + b\*sin(c + d\*x)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{a \cos(dx + c) + b \sin(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/sqrt(a\*cos(d\*x + c) + b\*sin(d\*x + c)), x)

$$3.237 \quad \int \frac{1}{(a \cos(c+dx)+b \sin(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=138

$$\frac{2\sqrt{a \cos(c+dx)+b \sin(c+dx)}E\left(\frac{1}{2}(c+dx-\tan^{-1}(a,b))\middle|2\right)}{d(a^2+b^2)\sqrt{\frac{a \cos(c+dx)+b \sin(c+dx)}{\sqrt{a^2+b^2}}}} - \frac{2(b \cos(c+dx)-a \sin(c+dx))}{d(a^2+b^2)\sqrt{a \cos(c+dx)+b \sin(c+dx)}}$$

[Out] (-2\*(b\*Cos[c + d\*x] - a\*Sin[c + d\*x]))/((a^2 + b^2)\*d\*Sqrt[a\*Cos[c + d\*x] + b\*Sin[c + d\*x]]) - (2\*EllipticE[(c + d\*x - ArcTan[a, b])/2, 2]\*Sqrt[a\*Cos[c + d\*x] + b\*Sin[c + d\*x]])/((a^2 + b^2)\*d\*Sqrt[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])/Sqrt[a^2 + b^2]])

**Rubi [A]** time = 0.0576028, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3076, 3078, 2639}

$$\frac{2\sqrt{a \cos(c+dx)+b \sin(c+dx)}E\left(\frac{1}{2}(c+dx-\tan^{-1}(a,b))\middle|2\right)}{d(a^2+b^2)\sqrt{\frac{a \cos(c+dx)+b \sin(c+dx)}{\sqrt{a^2+b^2}}}} - \frac{2(b \cos(c+dx)-a \sin(c+dx))}{d(a^2+b^2)\sqrt{a \cos(c+dx)+b \sin(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^(-3/2),x]

[Out] (-2\*(b\*Cos[c + d\*x] - a\*Sin[c + d\*x]))/((a^2 + b^2)\*d\*Sqrt[a\*Cos[c + d\*x] + b\*Sin[c + d\*x]]) - (2\*EllipticE[(c + d\*x - ArcTan[a, b])/2, 2]\*Sqrt[a\*Cos[c + d\*x] + b\*Sin[c + d\*x]])/((a^2 + b^2)\*d\*Sqrt[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])/Sqrt[a^2 + b^2]])

#### Rule 3076

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Simp[((b\*Cos[c + d\*x] - a\*Sin[c + d\*x])\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^(n + 1))/(d\*(n + 1)\*(a^2 + b^2)), x] + Dist[(n + 2)/((n + 1)\*(a^2 + b^2)), Int[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^(n + 2), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 + b^2, 0] && LtQ[n, -1] && NeQ[n, -2]

#### Rule 3078

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Dist[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^n/((a\*Cos[c + d\*x] + b\*Sin[c + d\*x])/Sqrt[a^2 + b^2])^n, Int[Cos[c + d\*x - ArcTan[a, b]]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && !(GeQ[n, 1] || LeQ[n, -1]) && !(GtQ[a^2 + b^2, 0] || EqQ[a^2 + b^2, 0])

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - P i/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{1}{(a \cos(c + dx) + b \sin(c + dx))^{3/2}} dx &= -\frac{2(b \cos(c + dx) - a \sin(c + dx))}{(a^2 + b^2) d \sqrt{a \cos(c + dx) + b \sin(c + dx)}} - \frac{\int \sqrt{a \cos(c + dx) + b \sin(c + dx)}}{a^2 + b^2} \\ &= -\frac{2(b \cos(c + dx) - a \sin(c + dx))}{(a^2 + b^2) d \sqrt{a \cos(c + dx) + b \sin(c + dx)}} - \frac{\sqrt{a \cos(c + dx) + b \sin(c + dx)}}{(a^2 + b^2) \sqrt{\frac{a}{a^2 + b^2}}} \\ &= -\frac{2(b \cos(c + dx) - a \sin(c + dx))}{(a^2 + b^2) d \sqrt{a \cos(c + dx) + b \sin(c + dx)}} - \frac{2E\left(\frac{1}{2}(c + dx - \tan^{-1}(a, b))\right)}{(a^2 + b^2) d \sqrt{\frac{a}{a^2 + b^2}}} \end{aligned}$$

**Mathematica [C]** time = 3.11977, size = 219, normalized size = 1.59

$$\frac{\tan\left(-\tan^{-1}\left(\frac{b}{a}\right)+c+dx\right)\sqrt{a\sqrt{\frac{b^2}{a^2}+1}\cos\left(-\tan^{-1}\left(\frac{b}{a}\right)+c+dx\right)}\operatorname{HypergeometricPFQ}\left(\left\{-\frac{1}{2},-\frac{1}{4}\right\},\left\{\frac{3}{4}\right\},\cos^2\left(-\tan^{-1}\left(\frac{b}{a}\right)+c+dx\right)\right)}{\sqrt{\sin^2\left(-\tan^{-1}\left(\frac{b}{a}\right)+c+dx\right)}} - \tan\left(-\tan^{-1}\left(\frac{b}{a}\right)+c+dx\right) + c$$


---


$$d(a^2 + b^2)$$

Antiderivative was successfully verified.

[In] Integrate[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^(-3/2), x]

[Out] ((-2\*b\*Cos[c + d\*x])/Sqrt[a\*Cos[c + d\*x] + b\*Sin[c + d\*x]] + (2\*a\*Sin[c + d\*x])/Sqrt[a\*Cos[c + d\*x] + b\*Sin[c + d\*x]] - Sqrt[a\*Sqrt[1 + b^2/a^2]\*Cos[c + d\*x - ArcTan[b/a]])\*Tan[c + d\*x - ArcTan[b/a]] + (Sqrt[a\*Sqrt[1 + b^2/a^2]\*Cos[c + d\*x - ArcTan[b/a]])\*HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[c + d\*x - ArcTan[b/a]]^2]\*Tan[c + d\*x - ArcTan[b/a]])/Sqrt[Sin[c + d\*x - ArcTan[b/a]]^2])/((a^2 + b^2)\*d)

**Maple [A]** time = 1.742, size = 228, normalized size = 1.7

$$\frac{1}{\cos(dx + c - \arctan(-a, b)) d} \left( 2 \sqrt{1 + \sin(dx + c - \arctan(-a, b))} \sqrt{-2 \sin(dx + c - \arctan(-a, b)) + 2 \sqrt{-\sin(dx + c - \arctan(-a, b))}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^(3/2), x)

[Out] (2\*(1+sin(d\*x+c-arctan(-a,b)))^(1/2)\*(-2\*sin(d\*x+c-arctan(-a,b))+2)^(1/2)\*(-sin(d\*x+c-arctan(-a,b)))^(1/2)\*EllipticE((1+sin(d\*x+c-arctan(-a,b)))^(1/2), 1/2\*2^(1/2))- (1+sin(d\*x+c-arctan(-a,b)))^(1/2)\*(-2\*sin(d\*x+c-arctan(-a,b))+2)^(1/2)\*(-sin(d\*x+c-arctan(-a,b)))^(1/2)\*EllipticF((1+sin(d\*x+c-arctan(-a,b)))^(1/2), 1/2\*2^(1/2))-2\*cos(d\*x+c-arctan(-a,b))^2)/(a^2+b^2)^(1/2)/cos(d\*x+c-arctan(-a,b))/(sin(d\*x+c-arctan(-a,b))\*(a^2+b^2)^(1/2)))^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(a \cos(dx + c) + b \sin(dx + c))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + b\*sin(d\*x + c))^(3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{a \cos(dx + c) + b \sin(dx + c)}}{2ab \cos(dx + c) \sin(dx + c) + (a^2 - b^2) \cos^2(dx + c) + b^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(a\*cos(d\*x + c) + b\*sin(d\*x + c))/(2\*a\*b\*cos(d\*x + c)\*sin(d\*x + c) + (a^2 - b^2)\*cos(d\*x + c)^2 + b^2), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(a \cos(c + dx) + b \sin(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))\*\*(3/2),x)

[Out] Integral((a\*cos(c + d\*x) + b\*sin(c + d\*x))\*\*(-3/2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(a \cos(dx + c) + b \sin(dx + c))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + b\*sin(d\*x + c))^(3/2), x)



$$3.238 \quad \int \frac{1}{(a \cos(c+dx)+b \sin(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=142

$$\frac{2\sqrt{\frac{a \cos(c+dx)+b \sin(c+dx)}{\sqrt{a^2+b^2}}} \operatorname{EllipticF}\left(\frac{1}{2}(-\tan^{-1}(a,b)+c+dx), 2\right)}{3d(a^2+b^2)\sqrt{a \cos(c+dx)+b \sin(c+dx)}} - \frac{2(b \cos(c+dx)-a \sin(c+dx))}{3d(a^2+b^2)(a \cos(c+dx)+b \sin(c+dx))^{3/2}}$$

[Out]  $(-2*(b*\operatorname{Cos}[c+d*x] - a*\operatorname{Sin}[c+d*x]))/(3*(a^2+b^2)*d*(a*\operatorname{Cos}[c+d*x] + b*\operatorname{Sin}[c+d*x])^{3/2}) + (2*\operatorname{EllipticF}[(c+d*x - \operatorname{ArcTan}[a,b])/2, 2]*\operatorname{Sqrt}[(a*\operatorname{Cos}[c+d*x] + b*\operatorname{Sin}[c+d*x])/ \operatorname{Sqrt}[a^2+b^2]])/(3*(a^2+b^2)*d*\operatorname{Sqrt}[a*\operatorname{Cos}[c+d*x] + b*\operatorname{Sin}[c+d*x]])$

**Rubi [A]** time = 0.0551344, antiderivative size = 142, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3076, 3078, 2641}

$$\frac{2\sqrt{\frac{a \cos(c+dx)+b \sin(c+dx)}{\sqrt{a^2+b^2}}} F\left(\frac{1}{2}(c+dx - \tan^{-1}(a,b))\right) \Big|_2}{3d(a^2+b^2)\sqrt{a \cos(c+dx)+b \sin(c+dx)}} - \frac{2(b \cos(c+dx)-a \sin(c+dx))}{3d(a^2+b^2)(a \cos(c+dx)+b \sin(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a*\operatorname{Cos}[c+d*x] + b*\operatorname{Sin}[c+d*x])^{-5/2}, x]$

[Out]  $(-2*(b*\operatorname{Cos}[c+d*x] - a*\operatorname{Sin}[c+d*x]))/(3*(a^2+b^2)*d*(a*\operatorname{Cos}[c+d*x] + b*\operatorname{Sin}[c+d*x])^{3/2}) + (2*\operatorname{EllipticF}[(c+d*x - \operatorname{ArcTan}[a,b])/2, 2]*\operatorname{Sqrt}[(a*\operatorname{Cos}[c+d*x] + b*\operatorname{Sin}[c+d*x])/ \operatorname{Sqrt}[a^2+b^2]])/(3*(a^2+b^2)*d*\operatorname{Sqrt}[a*\operatorname{Cos}[c+d*x] + b*\operatorname{Sin}[c+d*x]])$

#### Rule 3076

$\operatorname{Int}[(\operatorname{cos}[(c_.) + (d_.)*(x_)]*(a_.) + (b_.)*\operatorname{sin}[(c_.) + (d_.)*(x_)])^{(n_)}, x\_Symbol] \rightarrow \operatorname{Simp}[(b*\operatorname{Cos}[c+d*x] - a*\operatorname{Sin}[c+d*x])*(a*\operatorname{Cos}[c+d*x] + b*\operatorname{Sin}[c+d*x])^{(n+1)})/(d*(n+1)*(a^2+b^2)), x] + \operatorname{Dist}[(n+2)/((n+1)*(a^2+b^2)), \operatorname{Int}[(a*\operatorname{Cos}[c+d*x] + b*\operatorname{Sin}[c+d*x])^{(n+2)}, x], x] /; \operatorname{FreeQ}\{a, b, c, d\}, x] \&\& \operatorname{NeQ}[a^2+b^2, 0] \&\& \operatorname{LtQ}[n, -1] \&\& \operatorname{NeQ}[n, -2]$

#### Rule 3078

$\operatorname{Int}[(\operatorname{cos}[(c_.) + (d_.)*(x_)]*(a_.) + (b_.)*\operatorname{sin}[(c_.) + (d_.)*(x_)])^{(n_)}, x\_Symbol] \rightarrow \operatorname{Dist}[(a*\operatorname{Cos}[c+d*x] + b*\operatorname{Sin}[c+d*x])^n/((a*\operatorname{Cos}[c+d*x] + b*\operatorname{Sin}[c+d*x])/ \operatorname{Sqrt}[a^2+b^2])^n, \operatorname{Int}[\operatorname{Cos}[c+d*x - \operatorname{ArcTan}[a,b]]^n, x], x] /; \operatorname{FreeQ}\{a, b, c, d, n\}, x] \&\& !(\operatorname{GeQ}[n, 1] \mid \mid \operatorname{LeQ}[n, -1]) \&\& !(\operatorname{GtQ}[a^2+b^2, 0] \mid \mid \operatorname{EqQ}[a^2+b^2, 0])$

#### Rule 2641

$\operatorname{Int}[1/\operatorname{Sqrt}[\operatorname{sin}[(c_.) + (d_.)*(x_)]], x\_Symbol] \rightarrow \operatorname{Simp}[(2*\operatorname{EllipticF}[(1*(c - \operatorname{Pi}/2 + d*x))/2, 2])/d, x] /; \operatorname{FreeQ}\{c, d\}, x]$

#### Rubi steps

$$\int \frac{1}{(a \cos(c+dx) + b \sin(c+dx))^{5/2}} dx = -\frac{2(b \cos(c+dx) - a \sin(c+dx))}{3(a^2 + b^2)d(a \cos(c+dx) + b \sin(c+dx))^{3/2}} + \frac{\int \frac{1}{\sqrt{a \cos(c+dx) + b \sin(c+dx)}} dx}{3(a^2 + b^2)}$$

$$= -\frac{2(b \cos(c+dx) - a \sin(c+dx))}{3(a^2 + b^2)d(a \cos(c+dx) + b \sin(c+dx))^{3/2}} + \frac{\sqrt{\frac{a \cos(c+dx) + b \sin(c+dx)}{a^2 + b^2}} \int \frac{1}{\sqrt{\cos}}}{3(a^2 + b^2)\sqrt{a \cos(c+dx)}}$$

$$= -\frac{2(b \cos(c+dx) - a \sin(c+dx))}{3(a^2 + b^2)d(a \cos(c+dx) + b \sin(c+dx))^{3/2}} + \frac{2F\left(\frac{1}{2}(c+dx - \tan^{-1}(a,b))\right)}{3(a^2 + b^2)d\sqrt{a \cos(c+dx)}}$$

**Mathematica [C]** time = 1.68659, size = 145, normalized size = 1.02

$$2 \left( \frac{\tan(\tan^{-1}(\frac{a}{b})+c+dx)\sqrt{\cos^2(\tan^{-1}(\frac{a}{b})+c+dx)}\text{HypergeometricPFQ}\left(\left\{\frac{1}{4}, \frac{1}{2}\right\}, \left\{\frac{5}{4}\right\}, \sin^2(\tan^{-1}(\frac{a}{b})+c+dx)\right)}{\sqrt{b\sqrt{\frac{a^2}{b^2}+1}\sin(\tan^{-1}(\frac{a}{b})+c+dx)}} + \frac{a \sin(c+dx) - b \cos(c+dx)}{(a \cos(c+dx) + b \sin(c+dx))^{3/2}} \right) / (3d(a^2 + b^2))$$

Antiderivative was successfully verified.

[In] Integrate[(a\*cos[c + d\*x] + b\*sin[c + d\*x])^(-5/2), x]

[Out] (2\*((-(b\*cos[c + d\*x]) + a\*sin[c + d\*x])/(a\*cos[c + d\*x] + b\*sin[c + d\*x]))^(3/2) + (Sqrt[Cos[c + d\*x + ArcTan[a/b]]^2]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[c + d\*x + ArcTan[a/b]]^2]\*Tan[c + d\*x + ArcTan[a/b]])/Sqrt[Sqrt[1 + a^2/b^2]\*b\*sin[c + d\*x + ArcTan[a/b]]]))/(3\*(a^2 + b^2)\*d)

**Maple [A]** time = 1.589, size = 178, normalized size = 1.3

$$\frac{1}{3 \sin(dx + c - \arctan(-a, b)) (a^2 + b^2) \cos(dx + c - \arctan(-a, b)) d} \left( \sqrt{1 + \sin(dx + c - \arctan(-a, b))} \sqrt{-2 \sin(dx + c - \arctan(-a, b))} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^(5/2), x)

[Out] 1/3/sin(d\*x+c-arctan(-a,b))/(a^2+b^2)\*((1+sin(d\*x+c-arctan(-a,b)))^(1/2)\*(-2\*sin(d\*x+c-arctan(-a,b))+2)^(1/2)\*(-sin(d\*x+c-arctan(-a,b)))^(1/2)\*EllipticF((1+sin(d\*x+c-arctan(-a,b)))^(1/2), 1/2\*2^(1/2))\*sin(d\*x+c-arctan(-a,b))-2\*cos(d\*x+c-arctan(-a,b))^2/cos(d\*x+c-arctan(-a,b))/(sin(d\*x+c-arctan(-a,b)))\*(a^2+b^2)^(1/2))^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(a \cos(dx + c) + b \sin(dx + c))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + b\*sin(d\*x + c))^(5/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{a \cos(dx + c) + b \sin(dx + c)}}{3ab^2 \cos(dx + c) + (a^3 - 3ab^2) \cos(dx + c)^3 + (b^3 + (3a^2b - b^3) \cos(dx + c)^2) \sin(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] integral(sqrt(a\*cos(d\*x + c) + b\*sin(d\*x + c))/(3\*a\*b^2\*cos(d\*x + c) + (a^3 - 3\*a\*b^2)\*cos(d\*x + c)^3 + (b^3 + (3\*a^2\*b - b^3)\*cos(d\*x + c)^2)\*sin(d\*x + c)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(a \cos(dx + c) + b \sin(dx + c))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + b\*sin(d\*x + c))^(5/2), x)

$$3.239 \quad \int \frac{1}{(a \cos(c+dx)+b \sin(c+dx))^{7/2}} dx$$

**Optimal.** Leaf size=197

$$\frac{6\sqrt{a \cos(c+dx)+b \sin(c+dx)}E\left(\frac{1}{2}(c+dx-\tan^{-1}(a,b))\middle|2\right)}{5d(a^2+b^2)^2\sqrt{\frac{a \cos(c+dx)+b \sin(c+dx)}{\sqrt{a^2+b^2}}}} - \frac{6(b \cos(c+dx)-a \sin(c+dx))}{5d(a^2+b^2)^2\sqrt{a \cos(c+dx)+b \sin(c+dx)}} - \frac{1}{5d(a^2+b^2)}$$

[Out] (-2\*(b\*Cos[c + d\*x] - a\*Sin[c + d\*x]))/(5\*(a^2 + b^2)\*d\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^(5/2)) - (6\*(b\*Cos[c + d\*x] - a\*Sin[c + d\*x]))/(5\*(a^2 + b^2)^2\*d\*Sqrt[a\*Cos[c + d\*x] + b\*Sin[c + d\*x]]) - (6\*EllipticE[(c + d\*x - ArcTan[a, b])/2, 2]\*Sqrt[a\*Cos[c + d\*x] + b\*Sin[c + d\*x]])/(5\*(a^2 + b^2)^2\*d\*Sqrt[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])/Sqrt[a^2 + b^2]])

**Rubi [A]** time = 0.0859234, antiderivative size = 197, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3076, 3078, 2639}

$$\frac{6\sqrt{a \cos(c+dx)+b \sin(c+dx)}E\left(\frac{1}{2}(c+dx-\tan^{-1}(a,b))\middle|2\right)}{5d(a^2+b^2)^2\sqrt{\frac{a \cos(c+dx)+b \sin(c+dx)}{\sqrt{a^2+b^2}}}} - \frac{6(b \cos(c+dx)-a \sin(c+dx))}{5d(a^2+b^2)^2\sqrt{a \cos(c+dx)+b \sin(c+dx)}} - \frac{1}{5d(a^2+b^2)}$$

Antiderivative was successfully verified.

[In] Int[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^(-7/2), x]

[Out] (-2\*(b\*Cos[c + d\*x] - a\*Sin[c + d\*x]))/(5\*(a^2 + b^2)\*d\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^(5/2)) - (6\*(b\*Cos[c + d\*x] - a\*Sin[c + d\*x]))/(5\*(a^2 + b^2)^2\*d\*Sqrt[a\*Cos[c + d\*x] + b\*Sin[c + d\*x]]) - (6\*EllipticE[(c + d\*x - ArcTan[a, b])/2, 2]\*Sqrt[a\*Cos[c + d\*x] + b\*Sin[c + d\*x]])/(5\*(a^2 + b^2)^2\*d\*Sqrt[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])/Sqrt[a^2 + b^2]])

#### Rule 3076

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_), x\_Symbol] := Simp[((b\*Cos[c + d\*x] - a\*Sin[c + d\*x])\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^(n + 1))/(d\*(n + 1)\*(a^2 + b^2)), x] + Dist[(n + 2)/((n + 1)\*(a^2 + b^2)), Int[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^(n + 2), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 + b^2, 0] && LtQ[n, -1] && NeQ[n, -2]

#### Rule 3078

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_), x\_Symbol] := Dist[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^n/((a\*Cos[c + d\*x] + b\*Sin[c + d\*x])/Sqrt[a^2 + b^2])^n, Int[Cos[c + d\*x - ArcTan[a, b]]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && !(GeQ[n, 1] || LeQ[n, -1]) && !(GtQ[a^2 + b^2, 0] || EqQ[a^2 + b^2, 0])

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned}
\int \frac{1}{(a \cos(c+dx) + b \sin(c+dx))^{7/2}} dx &= -\frac{2(b \cos(c+dx) - a \sin(c+dx))}{5(a^2 + b^2) d(a \cos(c+dx) + b \sin(c+dx))^{5/2}} + \frac{3 \int \frac{1}{(a \cos(c+dx) + b \sin(c+dx))^{3/2}}}{5(a^2 + b^2)} \\
&= -\frac{2(b \cos(c+dx) - a \sin(c+dx))}{5(a^2 + b^2) d(a \cos(c+dx) + b \sin(c+dx))^{5/2}} - \frac{6(b \cos(c+dx) - a \sin(c+dx))}{5(a^2 + b^2)^2 d \sqrt{a \cos(c+dx) + b \sin(c+dx)}} \\
&= -\frac{2(b \cos(c+dx) - a \sin(c+dx))}{5(a^2 + b^2) d(a \cos(c+dx) + b \sin(c+dx))^{5/2}} - \frac{6(b \cos(c+dx) - a \sin(c+dx))}{5(a^2 + b^2)^2 d \sqrt{a \cos(c+dx) + b \sin(c+dx)}} \\
&= -\frac{2(b \cos(c+dx) - a \sin(c+dx))}{5(a^2 + b^2) d(a \cos(c+dx) + b \sin(c+dx))^{5/2}} - \frac{6(b \cos(c+dx) - a \sin(c+dx))}{5(a^2 + b^2)^2 d \sqrt{a \cos(c+dx) + b \sin(c+dx)}}
\end{aligned}$$

**Mathematica [C]** time = 2.42064, size = 277, normalized size = 1.41

$$\frac{\cos\left(-\tan^{-1}\left(\frac{b}{a}\right)+c+dx\right)\left(3b \sin\left(-\tan^{-1}\left(\frac{b}{a}\right)+c+dx\right)\text{HypergeometricPFQ}\left(\left\{-\frac{1}{2},-\frac{1}{4}\right\},\left\{\frac{3}{4}\right\},\cos^2\left(-\tan^{-1}\left(\frac{b}{a}\right)+c+dx\right)\right)-3\sqrt{\sin^2\left(-\tan^{-1}\left(\frac{b}{a}\right)+c+dx\right)}\left(b \sin\left(-\tan^{-1}\left(\frac{b}{a}\right)+c+dx\right)\right)\right)}{\sqrt{\sin^2\left(-\tan^{-1}\left(\frac{b}{a}\right)+c+dx\right)}\left(a\sqrt{\frac{b^2}{a^2}+1}\cos\left(-\tan^{-1}\left(\frac{b}{a}\right)+c+dx\right)\right)^{3/2}}$$


---


$$5bd(a^2 + b^2)$$

Antiderivative was successfully verified.

[In] Integrate[(a\*cos[c + d\*x] + b\*sin[c + d\*x])^(-7/2), x]

[Out] ((-2\*(3\*a^2\*cos[c + d\*x]^3 - a\*b\*sin[c + d\*x] + 6\*a\*b\*cos[c + d\*x]^2\*sin[c + d\*x] + b^2\*cos[c + d\*x]\*(1 + 3\*sin[c + d\*x]^2)))/(a\*cos[c + d\*x] + b\*sin[c + d\*x])^(5/2) + (Cos[c + d\*x - ArcTan[b/a]]\*(3\*b\*HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[c + d\*x - ArcTan[b/a]]^2]\*Sin[c + d\*x - ArcTan[b/a]] - 3\*Sqrt[Sin[c + d\*x - ArcTan[b/a]]^2]\*(-2\*a\*cos[c + d\*x - ArcTan[b/a]] + b\*sin[c + d\*x - ArcTan[b/a]])))/((a\*Sqrt[1 + b^2/a^2]\*Cos[c + d\*x - ArcTan[b/a]])^(3/2)\*Sqrt[Sin[c + d\*x - ArcTan[b/a]]^2]))/(5\*b\*(a^2 + b^2)\*d)

**Maple [A]** time = 2.812, size = 309, normalized size = 1.6

$$\frac{1}{5(\sin(dx + c - \arctan(-a, b)))^2(a^4 + 2a^2b^2 + b^4)\cos(dx + c - \arctan(-a, b))d}\sqrt{a^2 + b^2}\left(6\sqrt{1 + \sin(dx + c - \arctan(-a, b))}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^(7/2), x)

[Out] 1/5/sin(d\*x+c-arctan(-a,b))^2\*(a^2+b^2)^(1/2)\*(6\*(1+sin(d\*x+c-arctan(-a,b)))^(1/2)\*(-2\*sin(d\*x+c-arctan(-a,b))+2)^(1/2)\*(-sin(d\*x+c-arctan(-a,b)))^(1/2)\*sin(d\*x+c-arctan(-a,b))^2\*EllipticE((1+sin(d\*x+c-arctan(-a,b)))^(1/2), 1/2\*2^(1/2))-3\*(1+sin(d\*x+c-arctan(-a,b)))^(1/2)\*(-2\*sin(d\*x+c-arctan(-a,b))+2)^(1/2)\*(-sin(d\*x+c-arctan(-a,b)))^(1/2)\*sin(d\*x+c-arctan(-a,b))^2\*EllipticF((1+sin(d\*x+c-arctan(-a,b)))^(1/2), 1/2\*2^(1/2))+6\*sin(d\*x+c-arctan(-a,b))^4-4\*sin(d\*x+c-arctan(-a,b))^2-2)/(a^4+2\*a^2\*b^2+b^4)/cos(d\*x+c-arctan(-a,b)))/(sin(d\*x+c-arctan(-a,b))\*(a^2+b^2)^(1/2))^(1/2)/d

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(a \cos(dx + c) + b \sin(dx + c))^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^(7/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + b\*sin(d\*x + c))^(-7/2), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{a \cos(dx + c) + b \sin(dx + c)}}{(a^4 - 6a^2b^2 + b^4) \cos(dx + c)^4 + b^4 + 2(3a^2b^2 - b^4) \cos(dx + c)^2 + 4(ab^3 \cos(dx + c) + (a^3b - ab^3) \cos(dx + c) \sin(dx + c))}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^(7/2),x, algorithm="fricas")

[Out] integral(sqrt(a\*cos(d\*x + c) + b\*sin(d\*x + c))/((a^4 - 6\*a^2\*b^2 + b^4)\*cos(d\*x + c)^4 + b^4 + 2\*(3\*a^2\*b^2 - b^4)\*cos(d\*x + c)^2 + 4\*(a\*b^3\*cos(d\*x + c) + (a^3\*b - a\*b^3)\*cos(d\*x + c)^3)\*sin(d\*x + c)), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))\*\*(7/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(a \cos(dx + c) + b \sin(dx + c))^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cos(d\*x+c)+b\*sin(d\*x+c))^(7/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + b\*sin(d\*x + c))^(-7/2), x)

### 3.240 $\int (2 \cos(c + dx) + 3 \sin(c + dx))^{7/2} dx$

**Optimal.** Leaf size=120

$$\frac{130 \cdot 13^{3/4} \text{EllipticF}\left(\frac{1}{2}\left(c + dx - \tan^{-1}\left(\frac{3}{2}\right)\right), 2\right)}{21d} - \frac{2(3 \cos(c + dx) - 2 \sin(c + dx))(3 \sin(c + dx) + 2 \cos(c + dx))^{5/2}}{7d}$$

```
[Out] (130*13^(3/4)*EllipticF[(c + d*x - ArcTan[3/2])/2, 2])/(21*d) - (130*(3*Cos
[c + d*x] - 2*Sin[c + d*x])*Sqrt[2*Cos[c + d*x] + 3*Sin[c + d*x]])/(21*d) -
(2*(3*Cos[c + d*x] - 2*Sin[c + d*x])*(2*Cos[c + d*x] + 3*Sin[c + d*x])^(5/
2))/(7*d)
```

**Rubi [A]** time = 0.0699545, antiderivative size = 120, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3073, 3077, 2641}

$$\frac{2(3 \cos(c + dx) - 2 \sin(c + dx))(3 \sin(c + dx) + 2 \cos(c + dx))^{5/2}}{7d} - \frac{130(3 \cos(c + dx) - 2 \sin(c + dx))\sqrt{3 \sin(c + dx)}}{21d}$$

Antiderivative was successfully verified.

```
[In] Int[(2*Cos[c + d*x] + 3*Sin[c + d*x])^(7/2), x]
```

```
[Out] (130*13^(3/4)*EllipticF[(c + d*x - ArcTan[3/2])/2, 2])/(21*d) - (130*(3*Cos
[c + d*x] - 2*Sin[c + d*x])*Sqrt[2*Cos[c + d*x] + 3*Sin[c + d*x]])/(21*d) -
(2*(3*Cos[c + d*x] - 2*Sin[c + d*x])*(2*Cos[c + d*x] + 3*Sin[c + d*x])^(5/
2))/(7*d)
```

#### Rule 3073

```
Int[(cos[(c_.) + (d_.)*(x_.)]*(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x
_Symbol] :> -Simp[((b*Cos[c + d*x] - a*Sin[c + d*x])*(a*Cos[c + d*x] + b*Si
n[c + d*x])^(n - 1))/(d*n), x] + Dist[((n - 1)*(a^2 + b^2))/n, Int[(a*Cos[c
+ d*x] + b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[
a^2 + b^2, 0] && !IntegerQ[(n - 1)/2] && GtQ[n, 1]
```

#### Rule 3077

```
Int[(cos[(c_.) + (d_.)*(x_.)]*(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x
_Symbol] :> Dist[(a^2 + b^2)^(n/2), Int[Cos[c + d*x - ArcTan[a, b]]^n, x],
x] /; FreeQ[{a, b, c, d, n}, x] && !(GeQ[n, 1] || LeQ[n, -1]) && GtQ[a^2 +
b^2, 0]
```

#### Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

#### Rubi steps

$$\begin{aligned}
\int (2 \cos(c + dx) + 3 \sin(c + dx))^{7/2} dx &= -\frac{2(3 \cos(c + dx) - 2 \sin(c + dx))(2 \cos(c + dx) + 3 \sin(c + dx))^{5/2}}{7d} + \frac{65}{7} \int (2 \cos(c + dx) + 3 \sin(c + dx))^{3/2} dx \\
&= -\frac{130(3 \cos(c + dx) - 2 \sin(c + dx))\sqrt{2 \cos(c + dx) + 3 \sin(c + dx)}}{21d} - \frac{2(3 \cos(c + dx) - 2 \sin(c + dx))\sqrt{2 \cos(c + dx) + 3 \sin(c + dx)}}{21d} \\
&= -\frac{130(3 \cos(c + dx) - 2 \sin(c + dx))\sqrt{2 \cos(c + dx) + 3 \sin(c + dx)}}{21d} - \frac{2(3 \cos(c + dx) - 2 \sin(c + dx))\sqrt{2 \cos(c + dx) + 3 \sin(c + dx)}}{21d} \\
&= \frac{130 \cdot 13^{3/4} F\left(\frac{1}{2}\left(c + dx - \tan^{-1}\left(\frac{3}{2}\right)\right) \middle| 2\right)}{21d} - \frac{130(3 \cos(c + dx) - 2 \sin(c + dx))\sqrt{2 \cos(c + dx) + 3 \sin(c + dx)}}{21d}
\end{aligned}$$

**Mathematica [C]** time = 0.514321, size = 153, normalized size = 1.27

$$260 \cdot 13^{3/4} \sqrt{-\left(\sin\left(c + dx + \tan^{-1}\left(\frac{2}{3}\right)\right) - 1\right) \sin\left(c + dx + \tan^{-1}\left(\frac{2}{3}\right)\right)} \sqrt{\sin\left(c + dx + \tan^{-1}\left(\frac{2}{3}\right)\right) + 1} \sec\left(c + dx + \tan^{-1}\left(\frac{2}{3}\right)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(2\*Cos[c + d\*x] + 3\*Sin[c + d\*x])^(7/2), x]

[Out]  $(-\text{Sqrt}[2*\text{Cos}[c + d*x] + 3*\text{Sin}[c + d*x]]*(897*\text{Cos}[c + d*x] + 27*\text{Cos}[3*(c + d*x)] - 598*\text{Sin}[c + d*x] + 138*\text{Sin}[3*(c + d*x)]) + 260*13^{3/4}*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[c + d*x + \text{ArcTan}[2/3]]^2]*\text{Sec}[c + d*x + \text{ArcTan}[2/3]]*\text{Sqrt}[-((-1 + \text{Sin}[c + d*x + \text{ArcTan}[2/3]])*\text{Sin}[c + d*x + \text{ArcTan}[2/3]])]*\text{Sqrt}[1 + \text{Sin}[c + d*x + \text{ArcTan}[2/3]])]/(42*d)$

**Maple [A]** time = 1.334, size = 128, normalized size = 1.1

$$\frac{1}{\cos\left(dx + c + \arctan\left(\frac{2}{3}\right)\right)} d \left( \frac{338 \sin(dx + c + \arctan(2/3)) (\cos(dx + c + \arctan(2/3)))^4}{7} + \frac{845}{21} \sqrt{1 + \sin(dx + c + \arctan(2/3))} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2\*cos(d\*x+c)+3\*sin(d\*x+c))^(7/2), x)

[Out]  $(338/7*\sin(d*x+c+\arctan(2/3))*\cos(d*x+c+\arctan(2/3))^4+845/21*(1+\sin(d*x+c+\arctan(2/3)))^{1/2}*(-2*\sin(d*x+c+\arctan(2/3))+2)^{1/2}*(-\sin(d*x+c+\arctan(2/3)))^{1/2}*\text{EllipticF}((1+\sin(d*x+c+\arctan(2/3)))^{1/2}, 1/2*2^{1/2})-2704/21*\sin(d*x+c+\arctan(2/3))*\cos(d*x+c+\arctan(2/3))^2)/\cos(d*x+c+\arctan(2/3))/(13^{1/2}*\sin(d*x+c+\arctan(2/3)))^{1/2}/d$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (2 \cos(dx + c) + 3 \sin(dx + c))^{7/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*cos(d\*x+c)+3\*sin(d\*x+c))^(7/2), x, algorithm="maxima")



[Out] integrate((2\*cos(d\*x + c) + 3\*sin(d\*x + c))^(7/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

integral(-(46 cos(dx + c)<sup>3</sup> - 9(cos(dx + c)<sup>2</sup> + 3) sin(dx + c) - 54 cos(dx + c))√2 cos(dx + c) + 3 sin(dx + c), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*cos(d\*x+c)+3\*sin(d\*x+c))^(7/2),x, algorithm="fricas")

[Out] integral(-(46\*cos(d\*x + c)<sup>3</sup> - 9\*(cos(d\*x + c)<sup>2</sup> + 3)\*sin(d\*x + c) - 54\*cos(d\*x + c))\*sqrt(2\*cos(d\*x + c) + 3\*sin(d\*x + c)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*cos(d\*x+c)+3\*sin(d\*x+c))\*\*(7/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (2 \cos(dx + c) + 3 \sin(dx + c))^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*cos(d\*x+c)+3\*sin(d\*x+c))^(7/2),x, algorithm="giac")

[Out] integrate((2\*cos(d\*x + c) + 3\*sin(d\*x + c))^(7/2), x)

### 3.241 $\int (2 \cos(c + dx) + 3 \sin(c + dx))^{5/2} dx$

**Optimal.** Leaf size=75

$$\frac{78\sqrt[4]{13}E\left(\frac{1}{2}\left(c + dx - \tan^{-1}\left(\frac{3}{2}\right)\right)\middle|2\right)}{5d} - \frac{2(3 \cos(c + dx) - 2 \sin(c + dx))(3 \sin(c + dx) + 2 \cos(c + dx))^{3/2}}{5d}$$

[Out] (78\*13^(1/4)\*EllipticE[(c + d\*x - ArcTan[3/2])/2, 2])/(5\*d) - (2\*(3\*Cos[c + d\*x] - 2\*Sin[c + d\*x])\*(2\*Cos[c + d\*x] + 3\*Sin[c + d\*x])^(3/2))/(5\*d)

**Rubi [A]** time = 0.0445689, antiderivative size = 75, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3073, 3077, 2639}

$$\frac{78\sqrt[4]{13}E\left(\frac{1}{2}\left(c + dx - \tan^{-1}\left(\frac{3}{2}\right)\right)\middle|2\right)}{5d} - \frac{2(3 \cos(c + dx) - 2 \sin(c + dx))(3 \sin(c + dx) + 2 \cos(c + dx))^{3/2}}{5d}$$

Antiderivative was successfully verified.

[In] Int[(2\*Cos[c + d\*x] + 3\*Sin[c + d\*x])^(5/2), x]

[Out] (78\*13^(1/4)\*EllipticE[(c + d\*x - ArcTan[3/2])/2, 2])/(5\*d) - (2\*(3\*Cos[c + d\*x] - 2\*Sin[c + d\*x])\*(2\*Cos[c + d\*x] + 3\*Sin[c + d\*x])^(3/2))/(5\*d)

#### Rule 3073

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_), x\_Symbol] :> -Simp[((b\*Cos[c + d\*x] - a\*Sin[c + d\*x])\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[((n - 1)\*(a^2 + b^2))/n, Int[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 + b^2, 0] && !IntegerQ[(n - 1)/2] && GtQ[n, 1]

#### Rule 3077

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Dist[(a^2 + b^2)^(n/2), Int[Cos[c + d\*x - ArcTan[a, b]]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && !(GeQ[n, 1] || LeQ[n, -1]) && GtQ[a^2 + b^2, 0]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - P i/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int (2 \cos(c + dx) + 3 \sin(c + dx))^{5/2} dx &= -\frac{2(3 \cos(c + dx) - 2 \sin(c + dx))(2 \cos(c + dx) + 3 \sin(c + dx))^{3/2}}{5d} + \frac{39}{5} \int \sqrt{2 \cos(c + dx) + 3 \sin(c + dx)} dx \\ &= -\frac{2(3 \cos(c + dx) - 2 \sin(c + dx))(2 \cos(c + dx) + 3 \sin(c + dx))^{3/2}}{5d} + \frac{1}{5} (39\sqrt[4]{13}) \\ &= \frac{78\sqrt[4]{13}E\left(\frac{1}{2}\left(c + dx - \tan^{-1}\left(\frac{3}{2}\right)\right)\middle|2\right)}{5d} - \frac{2(3 \cos(c + dx) - 2 \sin(c + dx))(2 \cos(c + dx) + 3 \sin(c + dx))^{3/2}}{5d} \end{aligned}$$

**Mathematica [C]** time = 0.876895, size = 199, normalized size = 2.65

$$\frac{39 \sqrt[4]{13} \sin\left(c+dx-\tan^{-1}\left(\frac{3}{2}\right)\right) \text{HypergeometricPFQ}\left(\left\{-\frac{1}{2}, -\frac{1}{4}\right\}, \left\{\frac{3}{4}\right\}, \cos^2\left(c+dx-\tan^{-1}\left(\frac{3}{2}\right)\right)\right)}{\sqrt{-\left(\cos\left(c+dx-\tan^{-1}\left(\frac{3}{2}\right)\right)-1\right) \cos\left(c+dx-\tan^{-1}\left(\frac{3}{2}\right)\right) \sqrt{\cos\left(c+dx-\tan^{-1}\left(\frac{3}{2}\right)\right)+1}} + \sqrt{3 \sin(c+dx) + 2 \cos(c+dx)} (-5 \sin(2(c+dx)))$$


---


$$5d$$

Warning: Unable to verify antiderivative.

[In] Integrate[(2\*Cos[c + d\*x] + 3\*Sin[c + d\*x])^(5/2), x]

[Out] (Sqrt[2\*Cos[c + d\*x] + 3\*Sin[c + d\*x]]\*(52 - 12\*Cos[2\*(c + d\*x)] - 5\*Sin[2\*(c + d\*x)]) - (13\*13^(1/4)\*(4\*Cos[c + d\*x - ArcTan[3/2]] - 3\*Sin[c + d\*x - ArcTan[3/2]]))/Sqrt[Cos[c + d\*x - ArcTan[3/2]]] - (39\*13^(1/4)\*HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[c + d\*x - ArcTan[3/2]]^2]\*Sin[c + d\*x - ArcTan[3/2]])/(Sqrt[-((-1 + Cos[c + d\*x - ArcTan[3/2]])\*Cos[c + d\*x - ArcTan[3/2]])]\*Sqrt[1 + Cos[c + d\*x - ArcTan[3/2]]]))/(5\*d)

**Maple [A]** time = 1.238, size = 174, normalized size = 2.3

$$\frac{13 \sqrt{13}}{5 \cos(dx + c + \arctan(2/3)) d} \left( 6 \sqrt{1 + \sin(dx + c + \arctan(2/3))} \sqrt{-2 \sin(dx + c + \arctan(2/3)) + 2} \sqrt{-\sin(dx + c + \arctan(2/3))} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2\*cos(d\*x+c)+3\*sin(d\*x+c))^(5/2), x)

[Out] -13/5\*13^(1/2)\*(6\*(1+sin(d\*x+c+arctan(2/3)))^(1/2)\*(-2\*sin(d\*x+c+arctan(2/3))+2)^(1/2)\*(-sin(d\*x+c+arctan(2/3)))^(1/2)\*EllipticE((1+sin(d\*x+c+arctan(2/3)))^(1/2), 1/2\*2^(1/2))-3\*(1+sin(d\*x+c+arctan(2/3)))^(1/2)\*(-2\*sin(d\*x+c+arctan(2/3))+2)^(1/2)\*(-sin(d\*x+c+arctan(2/3)))^(1/2)\*EllipticF((1+sin(d\*x+c+arctan(2/3)))^(1/2), 1/2\*2^(1/2))-2\*sin(d\*x+c+arctan(2/3))^4+2\*sin(d\*x+c+arctan(2/3))^2)/cos(d\*x+c+arctan(2/3))/(13^(1/2)\*sin(d\*x+c+arctan(2/3)))^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (2 \cos(dx + c) + 3 \sin(dx + c))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*cos(d\*x+c)+3\*sin(d\*x+c))^(5/2), x, algorithm="maxima")

[Out] integrate((2\*cos(d\*x + c) + 3\*sin(d\*x + c))^(5/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\left(5 \cos(dx + c)^2 - 12 \cos(dx + c) \sin(dx + c) - 9\right) \sqrt{2 \cos(dx + c) + 3 \sin(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((2*cos(d*x+c)+3*sin(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] integral(-(5*cos(d*x + c)^2 - 12*cos(d*x + c)*sin(d*x + c) - 9)*sqrt(2*cos(d*x + c) + 3*sin(d*x + c)), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((2*cos(d*x+c)+3*sin(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (2 \cos(dx + c) + 3 \sin(dx + c))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((2*cos(d*x+c)+3*sin(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((2*cos(d*x + c) + 3*sin(d*x + c))^(5/2), x)
```

### 3.242 $\int (2 \cos(c + dx) + 3 \sin(c + dx))^{3/2} dx$

**Optimal.** Leaf size=75

$$\frac{2 \cdot 13^{3/4} \operatorname{EllipticF}\left(\frac{1}{2}\left(c + dx - \tan^{-1}\left(\frac{3}{2}\right)\right), 2\right)}{3d} - \frac{2(3 \cos(c + dx) - 2 \sin(c + dx))\sqrt{3 \sin(c + dx) + 2 \cos(c + dx)}}{3d}$$

[Out]  $(2 \cdot 13^{3/4} \operatorname{EllipticF}[(c + d \cdot x - \operatorname{ArcTan}[3/2])/2, 2]) / (3 \cdot d) - (2 \cdot (3 \cdot \operatorname{Cos}[c + d \cdot x] - 2 \cdot \operatorname{Sin}[c + d \cdot x]) \cdot \operatorname{Sqrt}[2 \cdot \operatorname{Cos}[c + d \cdot x] + 3 \cdot \operatorname{Sin}[c + d \cdot x]]) / (3 \cdot d)$

**Rubi [A]** time = 0.0426062, antiderivative size = 75, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3073, 3077, 2641}

$$\frac{2 \cdot 13^{3/4} \operatorname{EllipticF}\left(\frac{1}{2}\left(c + dx - \tan^{-1}\left(\frac{3}{2}\right)\right)\right)}{3d} - \frac{2(3 \cos(c + dx) - 2 \sin(c + dx))\sqrt{3 \sin(c + dx) + 2 \cos(c + dx)}}{3d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(2 \cdot \operatorname{Cos}[c + d \cdot x] + 3 \cdot \operatorname{Sin}[c + d \cdot x])^{3/2}, x]$

[Out]  $(2 \cdot 13^{3/4} \operatorname{EllipticF}[(c + d \cdot x - \operatorname{ArcTan}[3/2])/2, 2]) / (3 \cdot d) - (2 \cdot (3 \cdot \operatorname{Cos}[c + d \cdot x] - 2 \cdot \operatorname{Sin}[c + d \cdot x]) \cdot \operatorname{Sqrt}[2 \cdot \operatorname{Cos}[c + d \cdot x] + 3 \cdot \operatorname{Sin}[c + d \cdot x]]) / (3 \cdot d)$

#### Rule 3073

$\operatorname{Int}[(\operatorname{Cos}[(c_{-}) + (d_{-}) \cdot (x_{-})]) \cdot (a_{-}) + (b_{-}) \cdot \operatorname{Sin}[(c_{-}) + (d_{-}) \cdot (x_{-})])^{(n_{-})}, x_{-} \text{Symbol}]$  :>  $-\operatorname{Simp}[(b \cdot \operatorname{Cos}[c + d \cdot x] - a \cdot \operatorname{Sin}[c + d \cdot x]) \cdot (a \cdot \operatorname{Cos}[c + d \cdot x] + b \cdot \operatorname{Sin}[c + d \cdot x])^{(n-1)} / (d \cdot n), x] + \operatorname{Dist}[(n-1) \cdot (a^2 + b^2) / n, \operatorname{Int}[(a \cdot \operatorname{Cos}[c + d \cdot x] + b \cdot \operatorname{Sin}[c + d \cdot x])^{(n-2)}, x], x] /;$   $\operatorname{FreeQ}\{a, b, c, d\}, x$  &&  $\operatorname{NeQ}[a^2 + b^2, 0]$  &&  $\operatorname{IntegerQ}[(n-1)/2]$  &&  $\operatorname{GtQ}[n, 1]$

#### Rule 3077

$\operatorname{Int}[(\operatorname{Cos}[(c_{-}) + (d_{-}) \cdot (x_{-})]) \cdot (a_{-}) + (b_{-}) \cdot \operatorname{Sin}[(c_{-}) + (d_{-}) \cdot (x_{-})])^{(n_{-})}, x_{-} \text{Symbol}]$  :>  $\operatorname{Dist}[(a^2 + b^2)^{(n/2)}, \operatorname{Int}[\operatorname{Cos}[c + d \cdot x - \operatorname{ArcTan}[a, b]]^n, x], x] /;$   $\operatorname{FreeQ}\{a, b, c, d, n\}, x$  &&  $!(\operatorname{GeQ}[n, 1] \mid \mid \operatorname{LeQ}[n, -1])$  &&  $\operatorname{GtQ}[a^2 + b^2, 0]$

#### Rule 2641

$\operatorname{Int}[1/\operatorname{Sqrt}[\operatorname{Sin}[(c_{-}) + (d_{-}) \cdot (x_{-})]], x_{-} \text{Symbol}]$  :>  $\operatorname{Simp}[(2 \cdot \operatorname{EllipticF}[(1 \cdot (c - \operatorname{Pi}/2 + d \cdot x))/2, 2]) / d, x] /;$   $\operatorname{FreeQ}\{c, d\}, x]$

#### Rubi steps

$$\begin{aligned} \int (2 \cos(c + dx) + 3 \sin(c + dx))^{3/2} dx &= -\frac{2(3 \cos(c + dx) - 2 \sin(c + dx))\sqrt{2 \cos(c + dx) + 3 \sin(c + dx)}}{3d} + \frac{13}{3} \int \sqrt{2 \cos(c + dx) + 3 \sin(c + dx)} dx \\ &= -\frac{2(3 \cos(c + dx) - 2 \sin(c + dx))\sqrt{2 \cos(c + dx) + 3 \sin(c + dx)}}{3d} + \frac{1}{3} 13^{3/4} \int \sqrt{2 \cos(c + dx) + 3 \sin(c + dx)} dx \\ &= \frac{2 \cdot 13^{3/4} \operatorname{EllipticF}\left(\frac{1}{2}\left(c + dx - \tan^{-1}\left(\frac{3}{2}\right)\right)\right)}{3d} - \frac{2(3 \cos(c + dx) - 2 \sin(c + dx))\sqrt{2 \cos(c + dx) + 3 \sin(c + dx)}}{3d} \end{aligned}$$

**Mathematica [C]** time = 0.317872, size = 133, normalized size = 1.77

$$2 \cdot 13^{3/4} \sqrt{-\left(\sin\left(c + dx + \tan^{-1}\left(\frac{2}{3}\right)\right) - 1\right) \sin\left(c + dx + \tan^{-1}\left(\frac{2}{3}\right)\right)} \sqrt{\sin\left(c + dx + \tan^{-1}\left(\frac{2}{3}\right)\right) + 1} \sec\left(c + dx + \tan^{-1}\left(\frac{2}{3}\right)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(2\*Cos[c + d\*x] + 3\*Sin[c + d\*x])^(3/2),x]

[Out] (2\*(-3\*Cos[c + d\*x] + 2\*Sin[c + d\*x])\*Sqrt[2\*Cos[c + d\*x] + 3\*Sin[c + d\*x]] + 2\*13^(3/4)\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[c + d\*x + ArcTan[2/3]]]^2)\*Sec[c + d\*x + ArcTan[2/3]]\*Sqrt[-((-1 + Sin[c + d\*x + ArcTan[2/3]])\*Sin[c + d\*x + ArcTan[2/3]])]\*Sqrt[1 + Sin[c + d\*x + ArcTan[2/3]])]/(3\*d)

**Maple [A]** time = 1.186, size = 108, normalized size = 1.4

$$\frac{1}{\cos\left(dx + c + \arctan\left(\frac{2}{3}\right)\right) d} \left( \frac{13}{3} \sqrt{1 + \sin\left(dx + c + \arctan\left(\frac{2}{3}\right)\right)} \sqrt{-2 \sin\left(dx + c + \arctan\left(\frac{2}{3}\right)\right) + 2} \sqrt{-\sin\left(dx + c + \arctan\left(\frac{2}{3}\right)\right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2\*cos(d\*x+c)+3\*sin(d\*x+c))^(3/2),x)

[Out] (13/3\*(1+sin(d\*x+c+arctan(2/3)))^(1/2)\*(-2\*sin(d\*x+c+arctan(2/3))+2)^(1/2)\*(-sin(d\*x+c+arctan(2/3)))^(1/2)\*EllipticF((1+sin(d\*x+c+arctan(2/3)))^(1/2), 1/2\*2^(1/2))-26/3\*sin(d\*x+c+arctan(2/3))\*cos(d\*x+c+arctan(2/3))^2/cos(d\*x+c+arctan(2/3)))/(13^(1/2)\*sin(d\*x+c+arctan(2/3)))^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (2 \cos(dx + c) + 3 \sin(dx + c))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*cos(d\*x+c)+3\*sin(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((2\*cos(d\*x + c) + 3\*sin(d\*x + c))^(3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(2 \cos(dx + c) + 3 \sin(dx + c)\right)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*cos(d\*x+c)+3\*sin(d\*x+c))^(3/2),x, algorithm="fricas")

[Out] integral((2\*cos(d\*x + c) + 3\*sin(d\*x + c))^(3/2), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*cos(d\*x+c)+3\*sin(d\*x+c))\*\*(3/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (2 \cos(dx + c) + 3 \sin(dx + c))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*cos(d\*x+c)+3\*sin(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((2\*cos(d\*x + c) + 3\*sin(d\*x + c))^(3/2), x)

### 3.243 $\int \sqrt{2 \cos(c + dx) + 3 \sin(c + dx)} dx$

**Optimal.** Leaf size=27

$$\frac{2\sqrt[4]{13}E\left(\frac{1}{2}\left(c + dx - \tan^{-1}\left(\frac{3}{2}\right)\right)\middle|2\right)}{d}$$

[Out] (2\*13^(1/4)\*EllipticE[(c + d\*x - ArcTan[3/2])/2, 2])/d

**Rubi [A]** time = 0.0227896, antiderivative size = 27, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {3077, 2639}

$$\frac{2\sqrt[4]{13}E\left(\frac{1}{2}\left(c + dx - \tan^{-1}\left(\frac{3}{2}\right)\right)\middle|2\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[2\*Cos[c + d\*x] + 3\*Sin[c + d\*x]],x]

[Out] (2\*13^(1/4)\*EllipticE[(c + d\*x - ArcTan[3/2])/2, 2])/d

#### Rule 3077

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Dist[(a^2 + b^2)^(n/2), Int[Cos[c + d\*x - ArcTan[a, b]]^n, x] /; FreeQ[{a, b, c, d, n}, x] && !(GeQ[n, 1] || LeQ[n, -1]) && GtQ[a^2 + b^2, 0]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - P i/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \sqrt{2 \cos(c + dx) + 3 \sin(c + dx)} dx &= \sqrt[4]{13} \int \sqrt{\cos\left(c + dx - \tan^{-1}\left(\frac{3}{2}\right)\right)} dx \\ &= \frac{2\sqrt[4]{13}E\left(\frac{1}{2}\left(c + dx - \tan^{-1}\left(\frac{3}{2}\right)\right)\middle|2\right)}{d} \end{aligned}$$

**Mathematica [C]** time = 0.864092, size = 184, normalized size = 6.81

$$\frac{3\sqrt[4]{13}\sin\left(c+dx-\tan^{-1}\left(\frac{3}{2}\right)\right)\text{HypergeometricPFQ}\left(\left\{-\frac{1}{2},-\frac{1}{4}\right\},\left\{\frac{3}{4}\right\},\cos^2\left(c+dx-\tan^{-1}\left(\frac{3}{2}\right)\right)\right)}{\sqrt{-\left(\cos\left(c+dx-\tan^{-1}\left(\frac{3}{2}\right)\right)-1\right)\cos\left(c+dx-\tan^{-1}\left(\frac{3}{2}\right)\right)}\sqrt{\cos\left(c+dx-\tan^{-1}\left(\frac{3}{2}\right)\right)+1}} + 4\sqrt{3}\sin(c + dx) + 2\cos(c + dx) - 4\sqrt[4]{13}\sqrt{\cos\left(c+dx-\tan^{-1}\left(\frac{3}{2}\right)\right)}$$

3d

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[2\*Cos[c + d\*x] + 3\*Sin[c + d\*x]],x]



```
[Out] (-4*13^(1/4)*Sqrt[Cos[c + d*x - ArcTan[3/2]]] + 4*Sqrt[2*Cos[c + d*x] + 3*Sin[c + d*x]] + (3*13^(1/4)*Sin[c + d*x - ArcTan[3/2]])/Sqrt[Cos[c + d*x - ArcTan[3/2]]] - (3*13^(1/4)*HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[c + d*x - ArcTan[3/2]]^2]*Sin[c + d*x - ArcTan[3/2]])/(Sqrt[-((-1 + Cos[c + d*x - ArcTan[3/2]])*Cos[c + d*x - ArcTan[3/2]])]*Sqrt[1 + Cos[c + d*x - ArcTan[3/2]]]))/(3*d)
```

**Maple [A]** time = 0.935, size = 112, normalized size = 4.2

$$-\frac{\sqrt{13}}{\cos\left(dx + c + \arctan\left(\frac{2}{3}\right)\right)d} \sqrt{1 + \sin\left(dx + c + \arctan\left(\frac{2}{3}\right)\right)} \sqrt{-2 \sin(dx + c + \arctan(2/3)) + 2} \sqrt{-\sin(dx + c + \arctan(2/3))}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((2*cos(d*x+c)+3*sin(d*x+c))^(1/2), x)
```

```
[Out] -13^(1/2)*(1+sin(d*x+c+arctan(2/3)))^(1/2)*(-2*sin(d*x+c+arctan(2/3))+2)^(1/2)*(-sin(d*x+c+arctan(2/3)))^(1/2)*(2*EllipticE((1+sin(d*x+c+arctan(2/3)))^(1/2), 1/2*2^(1/2))-EllipticF((1+sin(d*x+c+arctan(2/3)))^(1/2), 1/2*2^(1/2)))/cos(d*x+c+arctan(2/3))/(13^(1/2)*sin(d*x+c+arctan(2/3)))^(1/2)/d
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{2 \cos(dx + c) + 3 \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((2*cos(d*x+c)+3*sin(d*x+c))^(1/2), x, algorithm="maxima")
```

```
[Out] integrate(sqrt(2*cos(d*x + c) + 3*sin(d*x + c)), x)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\sqrt{2 \cos(dx + c) + 3 \sin(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((2*cos(d*x+c)+3*sin(d*x+c))^(1/2), x, algorithm="fricas")
```

```
[Out] integral(sqrt(2*cos(d*x + c) + 3*sin(d*x + c)), x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{3 \sin(c + dx) + 2 \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((2*cos(d*x+c)+3*sin(d*x+c))**(1/2),x)
```

```
[Out] Integral(sqrt(3*sin(c + d*x) + 2*cos(c + d*x)), x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{2 \cos(dx + c) + 3 \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((2*cos(d*x+c)+3*sin(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate(sqrt(2*cos(d*x + c) + 3*sin(d*x + c)), x)
```

$$3.244 \quad \int \frac{1}{\sqrt{2 \cos(c+dx)+3 \sin(c+dx)}} dx$$

**Optimal.** Leaf size=27

$$\frac{2\text{EllipticF}\left(\frac{1}{2}\left(c+dx-\tan^{-1}\left(\frac{3}{2}\right)\right), 2\right)}{\sqrt[4]{13d}}$$

[Out] (2\*EllipticF[(c + d\*x - ArcTan[3/2])/2, 2])/(13^(1/4)\*d)

**Rubi [A]** time = 0.0240906, antiderivative size = 27, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {3077, 2641}

$$\frac{2F\left(\frac{1}{2}\left(c+dx-\tan^{-1}\left(\frac{3}{2}\right)\right)\middle|2\right)}{\sqrt[4]{13d}}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[2\*Cos[c + d\*x] + 3\*Sin[c + d\*x]],x]

[Out] (2\*EllipticF[(c + d\*x - ArcTan[3/2])/2, 2])/(13^(1/4)\*d)

#### Rule 3077

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Dist[(a^2 + b^2)^(n/2), Int[Cos[c + d\*x - ArcTan[a, b]]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && !(GeQ[n, 1] || LeQ[n, -1]) && GtQ[a^2 + b^2, 0]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{1}{\sqrt{2 \cos(c+dx)+3 \sin(c+dx)}} dx &= \frac{\int \frac{1}{\sqrt{\cos\left(c+dx-\tan^{-1}\left(\frac{3}{2}\right)\right)}} dx}{\sqrt[4]{13}} \\ &= \frac{2F\left(\frac{1}{2}\left(c+dx-\tan^{-1}\left(\frac{3}{2}\right)\right)\middle|2\right)}{\sqrt[4]{13d}} \end{aligned}$$

**Mathematica [C]** time = 0.109203, size = 88, normalized size = 3.26

$$\frac{2\sqrt{-\left(\sin\left(c+dx+\tan^{-1}\left(\frac{2}{3}\right)\right)-1\right)\sin\left(c+dx+\tan^{-1}\left(\frac{2}{3}\right)\right)}\sqrt{\sin\left(c+dx+\tan^{-1}\left(\frac{2}{3}\right)\right)+1}\sec\left(c+dx+\tan^{-1}\left(\frac{2}{3}\right)\right)}{\sqrt[4]{13d}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/Sqrt[2\*Cos[c + d\*x] + 3\*Sin[c + d\*x]],x]

[Out] (2\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[c + d\*x + ArcTan[2/3]]^2]\*Sec[c + d\*x + ArcTan[2/3]]\*Sqrt[-((-1 + Sin[c + d\*x + ArcTan[2/3]])\*Sin[c + d\*x + ArcTan[2/3]])]\*Sqrt[1 + Sin[c + d\*x + ArcTan[2/3]])]/(13^(1/4)\*d)

**Maple [A]** time = 0.687, size = 85, normalized size = 3.2

$$\frac{1}{\cos\left(dx + c + \arctan\left(\frac{2}{3}\right)\right)d} \sqrt{1 + \sin\left(dx + c + \arctan\left(\frac{2}{3}\right)\right)} \sqrt{-2 \sin(dx + c + \arctan(2/3)) + 2} \sqrt{-\sin\left(dx + c + \arctan\left(\frac{2}{3}\right)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(2\*cos(d\*x+c)+3\*sin(d\*x+c))^(1/2),x)

[Out] (1+sin(d\*x+c+arctan(2/3)))^(1/2)\*(-2\*sin(d\*x+c+arctan(2/3))+2)^(1/2)\*(-sin(d\*x+c+arctan(2/3)))^(1/2)\*EllipticF((1+sin(d\*x+c+arctan(2/3)))^(1/2),1/2\*2^(1/2))/cos(d\*x+c+arctan(2/3))/(13^(1/2)\*sin(d\*x+c+arctan(2/3)))^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{2 \cos(dx + c) + 3 \sin(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*cos(d\*x+c)+3\*sin(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(1/sqrt(2\*cos(d\*x + c) + 3\*sin(d\*x + c)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{\sqrt{2 \cos(dx + c) + 3 \sin(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*cos(d\*x+c)+3\*sin(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(1/sqrt(2\*cos(d\*x + c) + 3\*sin(d\*x + c)), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{3 \sin(c + dx) + 2 \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*cos(d\*x+c)+3\*sin(d\*x+c))\*\*(1/2),x)

[Out] Integral(1/sqrt(3\*sin(c + d\*x) + 2\*cos(c + d\*x)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{2 \cos(dx + c) + 3 \sin(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*cos(d\*x+c)+3\*sin(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/sqrt(2\*cos(d\*x + c) + 3\*sin(d\*x + c)), x)

$$3.245 \quad \int \frac{1}{(2 \cos(c+dx)+3 \sin(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=73

$$-\frac{2(3 \cos(c+dx) - 2 \sin(c+dx))}{13d\sqrt{3 \sin(c+dx) + 2 \cos(c+dx)}} - \frac{2E\left(\frac{1}{2}\left(c+dx - \tan^{-1}\left(\frac{3}{2}\right)\right)\middle|2\right)}{13^{3/4}d}$$

[Out] (-2\*EllipticE[(c + d\*x - ArcTan[3/2])/2, 2])/(13^(3/4)\*d) - (2\*(3\*Cos[c + d\*x] - 2\*Sin[c + d\*x]))/(13\*d\*Sqrt[2\*Cos[c + d\*x] + 3\*Sin[c + d\*x]])

**Rubi [A]** time = 0.0413938, antiderivative size = 73, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3076, 3077, 2639}

$$-\frac{2(3 \cos(c+dx) - 2 \sin(c+dx))}{13d\sqrt{3 \sin(c+dx) + 2 \cos(c+dx)}} - \frac{2E\left(\frac{1}{2}\left(c+dx - \tan^{-1}\left(\frac{3}{2}\right)\right)\middle|2\right)}{13^{3/4}d}$$

Antiderivative was successfully verified.

[In] Int[(2\*Cos[c + d\*x] + 3\*Sin[c + d\*x])^(-3/2), x]

[Out] (-2\*EllipticE[(c + d\*x - ArcTan[3/2])/2, 2])/(13^(3/4)\*d) - (2\*(3\*Cos[c + d\*x] - 2\*Sin[c + d\*x]))/(13\*d\*Sqrt[2\*Cos[c + d\*x] + 3\*Sin[c + d\*x]])

#### Rule 3076

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Simp[((b\*Cos[c + d\*x] - a\*Sin[c + d\*x])\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^(n + 1))/(d\*(n + 1)\*(a^2 + b^2)), x] + Dist[(n + 2)/((n + 1)\*(a^2 + b^2)), Int[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^(n + 2), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 + b^2, 0] && LtQ[n, -1] && NeQ[n, -2]

#### Rule 3077

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Dist[(a^2 + b^2)^(n/2), Int[Cos[c + d\*x - ArcTan[a, b]]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && !(GeQ[n, 1] || LeQ[n, -1]) && GtQ[a^2 + b^2, 0]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - P i/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{1}{(2 \cos(c+dx) + 3 \sin(c+dx))^{3/2}} dx &= -\frac{2(3 \cos(c+dx) - 2 \sin(c+dx))}{13d\sqrt{2 \cos(c+dx) + 3 \sin(c+dx)}} - \frac{1}{13} \int \sqrt{2 \cos(c+dx) + 3 \sin(c+dx)} dx \\ &= -\frac{2(3 \cos(c+dx) - 2 \sin(c+dx))}{13d\sqrt{2 \cos(c+dx) + 3 \sin(c+dx)}} - \frac{\int \sqrt{\cos\left(c+dx - \tan^{-1}\left(\frac{3}{2}\right)\right)} dx}{13^{3/4}} \\ &= -\frac{2E\left(\frac{1}{2}\left(c+dx - \tan^{-1}\left(\frac{3}{2}\right)\right)\middle|2\right)}{13^{3/4}d} - \frac{2(3 \cos(c+dx) - 2 \sin(c+dx))}{13d\sqrt{2 \cos(c+dx) + 3 \sin(c+dx)}} \end{aligned}$$

**Mathematica [C]** time = 1.11188, size = 190, normalized size = 2.6

$$\frac{3 \sin\left(c+dx - \tan^{-1}\left(\frac{3}{2}\right)\right) \text{HypergeometricPFQ}\left(\left\{-\frac{1}{2}, -\frac{1}{4}\right\}, \left\{\frac{3}{4}\right\}, \cos^2\left(c+dx - \tan^{-1}\left(\frac{3}{2}\right)\right)\right)}{13^{3/4} \sqrt{-\left(\cos\left(c+dx - \tan^{-1}\left(\frac{3}{2}\right)\right) - 1\right) \cos\left(c+dx - \tan^{-1}\left(\frac{3}{2}\right)\right) \sqrt{\cos\left(c+dx - \tan^{-1}\left(\frac{3}{2}\right)\right) + 1}}} - \frac{2 \cos(c+dx)}{\sqrt{3 \sin(c+dx) + 2 \cos(c+dx)}} + \frac{4 \sqrt{\cos\left(c+dx - \tan^{-1}\left(\frac{3}{2}\right)\right)}}{13^{3/4}} - \frac{3}{13^{3/4}}$$

$3d$

Warning: Unable to verify antiderivative.

[In] Integrate[(2\*Cos[c + d\*x] + 3\*Sin[c + d\*x])^(-3/2), x]

[Out] ((4\*Sqrt[Cos[c + d\*x - ArcTan[3/2]]])/13^(3/4) - (2\*Cos[c + d\*x])/Sqrt[2\*Cos[c + d\*x] + 3\*Sin[c + d\*x]] - (3\*Sin[c + d\*x - ArcTan[3/2]])/(13^(3/4)\*Sqrt[Cos[c + d\*x - ArcTan[3/2]]]) + (3\*HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[c + d\*x - ArcTan[3/2]]^2]\*Sin[c + d\*x - ArcTan[3/2]])/(13^(3/4)\*Sqrt[-((-1 + Cos[c + d\*x - ArcTan[3/2]])\*Cos[c + d\*x - ArcTan[3/2]])\*Sqrt[1 + Cos[c + d\*x - ArcTan[3/2]]])]/(3\*d)

**Maple [A]** time = 1.253, size = 162, normalized size = 2.2

$$\frac{\sqrt{13}}{13 \cos(dx + c + \arctan(2/3))d} \left( 2 \sqrt{1 + \sin(dx + c + \arctan(2/3))} \sqrt{-2 \sin(dx + c + \arctan(2/3)) + 2} \sqrt{-\sin(dx + c + \arctan(2/3))} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(2\*cos(d\*x+c)+3\*sin(d\*x+c))^(3/2), x)

[Out] 1/13\*13^(1/2)\*(2\*(1+sin(d\*x+c+arctan(2/3)))^(1/2)\*(-2\*sin(d\*x+c+arctan(2/3))+2)^(1/2)\*(-sin(d\*x+c+arctan(2/3)))^(1/2)\*EllipticE((1+sin(d\*x+c+arctan(2/3)))^(1/2), 1/2\*2^(1/2))- (1+sin(d\*x+c+arctan(2/3)))^(1/2)\*(-2\*sin(d\*x+c+arctan(2/3))+2)^(1/2)\*(-sin(d\*x+c+arctan(2/3)))^(1/2)\*EllipticF((1+sin(d\*x+c+arctan(2/3)))^(1/2), 1/2\*2^(1/2))-2\*cos(d\*x+c+arctan(2/3))^2/cos(d\*x+c+arctan(2/3))/(13^(1/2)\*sin(d\*x+c+arctan(2/3)))^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(2 \cos(dx + c) + 3 \sin(dx + c))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*cos(d\*x+c)+3\*sin(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((2\*cos(d\*x + c) + 3\*sin(d\*x + c))^(3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{2 \cos(dx+c) + 3 \sin(dx+c)}}{5 \cos(dx+c)^2 - 12 \cos(dx+c) \sin(dx+c) - 9}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*cos(d\*x+c)+3\*sin(d\*x+c))^(3/2),x, algorithm="fricas")

[Out] integral(-sqrt(2\*cos(d\*x + c) + 3\*sin(d\*x + c))/(5\*cos(d\*x + c)^2 - 12\*cos(d\*x + c)\*sin(d\*x + c) - 9), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*cos(d\*x+c)+3\*sin(d\*x+c))\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(2 \cos(dx+c) + 3 \sin(dx+c))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*cos(d\*x+c)+3\*sin(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((2\*cos(d\*x + c) + 3\*sin(d\*x + c))^(3/2), x)



$$3.246 \quad \int \frac{1}{(2 \cos(c+dx)+3 \sin(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=75

$$\frac{2\text{EllipticF}\left(\frac{1}{2}\left(c+dx-\tan^{-1}\left(\frac{3}{2}\right)\right), 2\right)}{39\sqrt[4]{13d}} - \frac{2(3 \cos(c+dx) - 2 \sin(c+dx))}{39d(3 \sin(c+dx) + 2 \cos(c+dx))^{3/2}}$$

[Out] (2\*EllipticF[(c + d\*x - ArcTan[3/2])/2, 2])/(39\*13^(1/4)\*d) - (2\*(3\*Cos[c + d\*x] - 2\*Sin[c + d\*x]))/(39\*d\*(2\*Cos[c + d\*x] + 3\*Sin[c + d\*x])^(3/2))

**Rubi [A]** time = 0.0421979, antiderivative size = 75, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3076, 3077, 2641}

$$\frac{2F\left(\frac{1}{2}\left(c+dx-\tan^{-1}\left(\frac{3}{2}\right)\right)\middle|2\right)}{39\sqrt[4]{13d}} - \frac{2(3 \cos(c+dx) - 2 \sin(c+dx))}{39d(3 \sin(c+dx) + 2 \cos(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(2\*Cos[c + d\*x] + 3\*Sin[c + d\*x])^(-5/2), x]

[Out] (2\*EllipticF[(c + d\*x - ArcTan[3/2])/2, 2])/(39\*13^(1/4)\*d) - (2\*(3\*Cos[c + d\*x] - 2\*Sin[c + d\*x]))/(39\*d\*(2\*Cos[c + d\*x] + 3\*Sin[c + d\*x])^(3/2))

#### Rule 3076

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Simp[((b\*Cos[c + d\*x] - a\*Sin[c + d\*x])\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^(n + 1))/(d\*(n + 1)\*(a^2 + b^2)), x] + Dist[(n + 2)/((n + 1)\*(a^2 + b^2)), Int[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^(n + 2), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 + b^2, 0] && LtQ[n, -1] && NeQ[n, -2]

#### Rule 3077

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Dist[(a^2 + b^2)^(n/2), Int[Cos[c + d\*x - ArcTan[a, b]]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && !(GeQ[n, 1] || LeQ[n, -1]) && GtQ[a^2 + b^2, 0]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{1}{(2 \cos(c+dx) + 3 \sin(c+dx))^{5/2}} dx &= -\frac{2(3 \cos(c+dx) - 2 \sin(c+dx))}{39d(2 \cos(c+dx) + 3 \sin(c+dx))^{3/2}} + \frac{1}{39} \int \frac{1}{\sqrt{2 \cos(c+dx) + 3 \sin(c+dx)}} dx \\ &= -\frac{2(3 \cos(c+dx) - 2 \sin(c+dx))}{39d(2 \cos(c+dx) + 3 \sin(c+dx))^{3/2}} + \frac{\int \frac{1}{\sqrt{\cos(c+dx - \tan^{-1}(\frac{3}{2}))}} dx}{39\sqrt[4]{13}} \\ &= \frac{2F\left(\frac{1}{2}\left(c+dx - \tan^{-1}\left(\frac{3}{2}\right)\right)\middle|2\right)}{39\sqrt[4]{13}d} - \frac{2(3 \cos(c+dx) - 2 \sin(c+dx))}{39d(2 \cos(c+dx) + 3 \sin(c+dx))^{3/2}} \end{aligned}$$

**Mathematica [C]** time = 0.741956, size = 157, normalized size = 2.09

$$\sqrt{2}13^{3/4} \sqrt{\sin\left(c+dx + \tan^{-1}\left(\frac{2}{3}\right)\right) + 1(3 \sin(c+dx) + 2 \cos(c+dx))^{3/2} \sec\left(c+dx + \tan^{-1}\left(\frac{2}{3}\right)\right) \sqrt{2 \sin\left(c+dx + \tan^{-1}\left(\frac{2}{3}\right)\right)}}$$

507d(3 si

Warning: Unable to verify antiderivative.

[In] Integrate[(2\*Cos[c + d\*x] + 3\*Sin[c + d\*x])^(-5/2), x]

[Out] (-78\*Cos[c + d\*x] + 52\*Sin[c + d\*x] + Sqrt[2]\*13^(3/4)\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[c + d\*x + ArcTan[2/3]]^2]\*Sec[c + d\*x + ArcTan[2/3]]\*(2\*Cos[c + d\*x] + 3\*Sin[c + d\*x])^(3/2)\*Sqrt[1 + Sin[c + d\*x + ArcTan[2/3]]]\*Sqrt[-1 + Cos[2\*(c + d\*x + ArcTan[2/3])] + 2\*Sin[c + d\*x + ArcTan[2/3]]])/(507\*d\*(2\*Cos[c + d\*x] + 3\*Sin[c + d\*x])^(3/2))

**Maple [A]** time = 1.101, size = 118, normalized size = 1.6

$$\frac{1}{39 \sin(dx + c + \arctan(2/3)) \cos(dx + c + \arctan(2/3)) d} \left( \sqrt{1 + \sin\left(dx + c + \arctan\left(\frac{2}{3}\right)\right)} \sqrt{-2 \sin(dx + c + \arctan\left(\frac{2}{3}\right))} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(2\*cos(d\*x+c)+3\*sin(d\*x+c))^(5/2), x)

[Out] 1/39/sin(d\*x+c+arctan(2/3))\*((1+sin(d\*x+c+arctan(2/3)))^(1/2)\*(-2\*sin(d\*x+c+arctan(2/3))+2)^(1/2)\*(-sin(d\*x+c+arctan(2/3)))^(1/2)\*EllipticF((1+sin(d\*x+c+arctan(2/3)))^(1/2), 1/2\*2^(1/2))\*sin(d\*x+c+arctan(2/3))-2\*cos(d\*x+c+arctan(2/3))^2)/cos(d\*x+c+arctan(2/3))/(13^(1/2)\*sin(d\*x+c+arctan(2/3)))^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(2 \cos(dx + c) + 3 \sin(dx + c))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*cos(d\*x+c)+3\*sin(d\*x+c))^(5/2), x, algorithm="maxima")

[Out] integrate((2\*cos(d\*x + c) + 3\*sin(d\*x + c))<sup>(-5/2)</sup>, x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{2 \cos(dx + c) + 3 \sin(dx + c)}}{46 \cos(dx + c)^3 - 9(\cos(dx + c)^2 + 3)\sin(dx + c) - 54 \cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*cos(d\*x+c)+3\*sin(d\*x+c))<sup>(5/2)</sup>,x, algorithm="fricas")

[Out] integral(-sqrt(2\*cos(d\*x + c) + 3\*sin(d\*x + c))/(46\*cos(d\*x + c)<sup>3</sup> - 9\*(cos(d\*x + c)<sup>2</sup> + 3)\*sin(d\*x + c) - 54\*cos(d\*x + c)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*cos(d\*x+c)+3\*sin(d\*x+c))<sup>(5/2)</sup>,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(2 \cos(dx + c) + 3 \sin(dx + c))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*cos(d\*x+c)+3\*sin(d\*x+c))<sup>(5/2)</sup>,x, algorithm="giac")

[Out] integrate((2\*cos(d\*x + c) + 3\*sin(d\*x + c))<sup>(-5/2)</sup>, x)

$$3.247 \quad \int \frac{1}{(2 \cos(c+dx)+3 \sin(c+dx))^{7/2}} dx$$

**Optimal.** Leaf size=120

$$\frac{6(3 \cos(c+dx) - 2 \sin(c+dx))}{845d\sqrt{3 \sin(c+dx) + 2 \cos(c+dx)}} - \frac{2(3 \cos(c+dx) - 2 \sin(c+dx))}{65d(3 \sin(c+dx) + 2 \cos(c+dx))^{5/2}} - \frac{6E\left(\frac{1}{2}\left(c+dx - \tan^{-1}\left(\frac{3}{2}\right)\right)\middle|2\right)}{65 \cdot 13^{3/4}d}$$

[Out] (-6\*EllipticE[(c + d\*x - ArcTan[3/2])/2, 2])/(65\*13^(3/4)\*d) - (2\*(3\*Cos[c + d\*x] - 2\*Sin[c + d\*x]))/(65\*d\*(2\*Cos[c + d\*x] + 3\*Sin[c + d\*x])^(5/2)) - (6\*(3\*Cos[c + d\*x] - 2\*Sin[c + d\*x]))/(845\*d\*Sqrt[2\*Cos[c + d\*x] + 3\*Sin[c + d\*x]])

**Rubi [A]** time = 0.0636797, antiderivative size = 120, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3076, 3077, 2639}

$$\frac{6(3 \cos(c+dx) - 2 \sin(c+dx))}{845d\sqrt{3 \sin(c+dx) + 2 \cos(c+dx)}} - \frac{2(3 \cos(c+dx) - 2 \sin(c+dx))}{65d(3 \sin(c+dx) + 2 \cos(c+dx))^{5/2}} - \frac{6E\left(\frac{1}{2}\left(c+dx - \tan^{-1}\left(\frac{3}{2}\right)\right)\middle|2\right)}{65 \cdot 13^{3/4}d}$$

Antiderivative was successfully verified.

[In] Int[(2\*Cos[c + d\*x] + 3\*Sin[c + d\*x])^(-7/2), x]

[Out] (-6\*EllipticE[(c + d\*x - ArcTan[3/2])/2, 2])/(65\*13^(3/4)\*d) - (2\*(3\*Cos[c + d\*x] - 2\*Sin[c + d\*x]))/(65\*d\*(2\*Cos[c + d\*x] + 3\*Sin[c + d\*x])^(5/2)) - (6\*(3\*Cos[c + d\*x] - 2\*Sin[c + d\*x]))/(845\*d\*Sqrt[2\*Cos[c + d\*x] + 3\*Sin[c + d\*x]])

#### Rule 3076

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Simp[((b\*Cos[c + d\*x] - a\*Sin[c + d\*x])\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^(n + 1))/(d\*(n + 1)\*(a^2 + b^2)), x] + Dist[(n + 2)/((n + 1)\*(a^2 + b^2)), Int[(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^(n + 2), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 + b^2, 0] && LtQ[n, -1] && NeQ[n, -2]

#### Rule 3077

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Dist[(a^2 + b^2)^(n/2), Int[Cos[c + d\*x - ArcTan[a, b]]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && !(GeQ[n, 1] || LeQ[n, -1]) && GtQ[a^2 + b^2, 0]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - P i/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{1}{(2 \cos(c + dx) + 3 \sin(c + dx))^{7/2}} dx &= -\frac{2(3 \cos(c + dx) - 2 \sin(c + dx))}{65d(2 \cos(c + dx) + 3 \sin(c + dx))^{5/2}} + \frac{3}{65} \int \frac{1}{(2 \cos(c + dx) + 3 \sin(c + dx))^{5/2}} dx \\ &= -\frac{2(3 \cos(c + dx) - 2 \sin(c + dx))}{65d(2 \cos(c + dx) + 3 \sin(c + dx))^{5/2}} - \frac{6(3 \cos(c + dx) - 2 \sin(c + dx))}{845d\sqrt{2 \cos(c + dx) + 3 \sin(c + dx)}} \\ &= -\frac{2(3 \cos(c + dx) - 2 \sin(c + dx))}{65d(2 \cos(c + dx) + 3 \sin(c + dx))^{5/2}} - \frac{6(3 \cos(c + dx) - 2 \sin(c + dx))}{845d\sqrt{2 \cos(c + dx) + 3 \sin(c + dx)}} \\ &= -\frac{6E\left(\frac{1}{2}\left(c + dx - \tan^{-1}\left(\frac{3}{2}\right)\right)\middle|2\right)}{65 \cdot 13^{3/4}d} - \frac{2(3 \cos(c + dx) - 2 \sin(c + dx))}{65d(2 \cos(c + dx) + 3 \sin(c + dx))^{5/2}} \end{aligned}$$

**Mathematica [C]** time = 2.10189, size = 224, normalized size = 1.87

$$\frac{3 \sin\left(c+dx-\tan^{-1}\left(\frac{3}{2}\right)\right) \operatorname{HypergeometricPFQ}\left(\left\{-\frac{1}{2}, -\frac{1}{4}\right\}, \left\{\frac{3}{4}\right\}, \cos^2\left(c+dx-\tan^{-1}\left(\frac{3}{2}\right)\right)\right)}{13^{3/4} \sqrt{-\left(\cos\left(c+dx-\tan^{-1}\left(\frac{3}{2}\right)\right)-1\right) \cos\left(c+dx-\tan^{-1}\left(\frac{3}{2}\right)\right)} \sqrt{\cos\left(c+dx-\tan^{-1}\left(\frac{3}{2}\right)\right)+1}} + \frac{-4(\sin(c+dx)+3 \sin(3(c+dx)))-33 \cos(c+dx)+5 \cos(3(c+dx))}{2(3 \sin(c+dx)+2 \cos(c+dx))^{5/2}}}{65d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(2\*Cos[c + d\*x] + 3\*Sin[c + d\*x])^(-7/2), x]

[Out] ((4\*Sqrt[Cos[c + d\*x - ArcTan[3/2]]])/13^(3/4) + (-33\*Cos[c + d\*x] + 5\*Cos[3\*(c + d\*x)] - 4\*(Sin[c + d\*x] + 3\*Sin[3\*(c + d\*x)]))/(2\*(2\*Cos[c + d\*x] + 3\*Sin[c + d\*x])^(5/2)) - (3\*Sin[c + d\*x - ArcTan[3/2]])/(13^(3/4)\*Sqrt[Cos[c + d\*x - ArcTan[3/2]]]) + (3\*HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[c + d\*x - ArcTan[3/2]]^2]\*Sin[c + d\*x - ArcTan[3/2]])/(13^(3/4)\*Sqrt[-((-1 + Cos[c + d\*x - ArcTan[3/2]])\*Cos[c + d\*x - ArcTan[3/2]])]\*Sqrt[1 + Cos[c + d\*x - ArcTan[3/2]]]))/(65\*d)

**Maple [A]** time = 1.348, size = 205, normalized size = 1.7

$$\frac{\sqrt{13}}{845 (\sin(dx + c + \arctan(2/3)))^2 \cos(dx + c + \arctan(2/3)) d} \left( 6 \sqrt{1 + \sin(dx + c + \arctan(2/3))} \sqrt{-2 \sin(dx + c + \arctan(2/3))} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(2\*cos(d\*x+c)+3\*sin(d\*x+c))^(7/2), x)

[Out] 1/845\*13^(1/2)/sin(d\*x+c+arctan(2/3))^2\*(6\*(1+sin(d\*x+c+arctan(2/3)))^(1/2)\*(-2\*sin(d\*x+c+arctan(2/3))+2)^(1/2)\*(-sin(d\*x+c+arctan(2/3)))^(1/2)\*sin(d\*x+c+arctan(2/3))^2\*EllipticE((1+sin(d\*x+c+arctan(2/3)))^(1/2), 1/2\*2^(1/2))-3\*(1+sin(d\*x+c+arctan(2/3)))^(1/2)\*(-2\*sin(d\*x+c+arctan(2/3))+2)^(1/2)\*(-sin(d\*x+c+arctan(2/3)))^(1/2)\*sin(d\*x+c+arctan(2/3))^2\*EllipticF((1+sin(d\*x+c+arctan(2/3)))^(1/2), 1/2\*2^(1/2))+6\*sin(d\*x+c+arctan(2/3))^4-4\*sin(d\*x+c+arctan(2/3))^2-2)/cos(d\*x+c+arctan(2/3))/(13^(1/2)\*sin(d\*x+c+arctan(2/3)))^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(2 \cos(dx + c) + 3 \sin(dx + c))^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*cos(d\*x+c)+3\*sin(d\*x+c))^(7/2),x, algorithm="maxima")

[Out] integrate((2\*cos(d\*x + c) + 3\*sin(d\*x + c))^(-7/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{2 \cos(dx + c) + 3 \sin(dx + c)}}{119 \cos(dx + c)^4 - 54 \cos(dx + c)^2 + 24(5 \cos(dx + c)^3 - 9 \cos(dx + c)) \sin(dx + c) - 81}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*cos(d\*x+c)+3\*sin(d\*x+c))^(7/2),x, algorithm="fricas")

[Out] integral(-sqrt(2\*cos(d\*x + c) + 3\*sin(d\*x + c))/(119\*cos(d\*x + c)^4 - 54\*cos(d\*x + c)^2 + 24\*(5\*cos(d\*x + c)^3 - 9\*cos(d\*x + c))\*sin(d\*x + c) - 81), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*cos(d\*x+c)+3\*sin(d\*x+c))\*\*(7/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(2 \cos(dx + c) + 3 \sin(dx + c))^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*cos(d\*x+c)+3\*sin(d\*x+c))^(7/2),x, algorithm="giac")

[Out] integrate((2\*cos(d\*x + c) + 3\*sin(d\*x + c))^(-7/2), x)

### 3.248 $\int (a \cos(c + dx) + ia \sin(c + dx))^n dx$

**Optimal.** Leaf size=32

$$-\frac{i(a \cos(c + dx) + ia \sin(c + dx))^n}{dn}$$

[Out]  $((-I)*(a*\text{Cos}[c + d*x] + I*a*\text{Sin}[c + d*x])^n)/(d*n)$

**Rubi [A]** time = 0.0154417, antiderivative size = 32, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$ , Rules used = {3071}

$$-\frac{i(a \cos(c + dx) + ia \sin(c + dx))^n}{dn}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a*\text{Cos}[c + d*x] + I*a*\text{Sin}[c + d*x])^n, x]$

[Out]  $((-I)*(a*\text{Cos}[c + d*x] + I*a*\text{Sin}[c + d*x])^n)/(d*n)$

**Rule 3071**

$\text{Int}[(\cos[(c_.) + (d_.)*(x_)]*(a_.) + (b_.)*\sin[(c_.) + (d_.)*(x_)])^{(n_)}, x\_Symbol] :> \text{Simp}[(a*(a*\text{Cos}[c + d*x] + b*\text{Sin}[c + d*x])^n)/(b*d*n), x] /; \text{FreeQ}[\{a, b, c, d, n\}, x] \&\& \text{EqQ}[a^2 + b^2, 0]$

**Rubi steps**

$$\int (a \cos(c + dx) + ia \sin(c + dx))^n dx = -\frac{i(a \cos(c + dx) + ia \sin(c + dx))^n}{dn}$$

**Mathematica [A]** time = 0.0840538, size = 31, normalized size = 0.97

$$-\frac{i(a(\cos(c + dx) + i \sin(c + dx)))^n}{dn}$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[(a*\text{Cos}[c + d*x] + I*a*\text{Sin}[c + d*x])^n, x]$

[Out]  $((-I)*(a*(\text{Cos}[c + d*x] + I*\text{Sin}[c + d*x]))^n)/(d*n)$

**Maple [A]** time = 0.029, size = 31, normalized size = 1.

$$\frac{-i(a \cos(dx + c) + ia \sin(dx + c))^n}{dn}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a*\cos(d*x+c)+I*a*\sin(d*x+c))^n, x)$

[Out]  $-I*(a*\cos(d*x+c)+I*a*\sin(d*x+c))^n/d/n$

**Maxima [B]** time = 1.53916, size = 80, normalized size = 2.5

$$\frac{i a^n e^{\left(-n \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}+i\right)+n \log\left(-\frac{\sin(dx+c)}{\cos(dx+c)+1}+i\right)\right)}}{dn}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*cos(d*x+c)+I*a*sin(d*x+c))^n,x, algorithm="maxima")`

[Out]  $-I*a^n*e^{(-n*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + I) + n*\log(-\sin(d*x + c)/(\cos(d*x + c) + 1) + I))}/(d*n)$

**Fricas [A]** time = 2.02777, size = 43, normalized size = 1.34

$$\frac{i \left(ae^{(idx+ic)}\right)^n}{dn}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*cos(d*x+c)+I*a*sin(d*x+c))^n,x, algorithm="fricas")`

[Out]  $-I*(a*e^{(I*d*x + I*c)})^n/(d*n)$

**Sympy [A]** time = 7.14932, size = 116, normalized size = 3.62

$$\begin{cases} x & \text{for } d = 0 \wedge n = 0 \\ x (ia \sin(c) + a \cos(c))^n & \text{for } d = 0 \\ x & \text{for } n = 0 \\ \frac{(ia \sin(c+dx)+a \cos(c+dx))^n \sin(c+dx)}{idn \sin(c+dx)+dn \cos(c+dx)} - \frac{i(ia \sin(c+dx)+a \cos(c+dx))^n \cos(c+dx)}{idn \sin(c+dx)+dn \cos(c+dx)} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*cos(d*x+c)+I*a*sin(d*x+c))**n,x)`

[Out] `Piecewise((x, Eq(d, 0) & Eq(n, 0)), (x*(I*a*sin(c) + a*cos(c))**n, Eq(d, 0)), (x, Eq(n, 0)), ((I*a*sin(c + d*x) + a*cos(c + d*x))**n*sin(c + d*x)/(I*d*n*sin(c + d*x) + d*n*cos(c + d*x)) - I*(I*a*sin(c + d*x) + a*cos(c + d*x))**n*cos(c + d*x)/(I*d*n*sin(c + d*x) + d*n*cos(c + d*x)), True))`

**Giac [A]** time = 1.64344, size = 31, normalized size = 0.97

$$\frac{i e^{(idnx+icn+n \log(a))}}{dn}$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate((a*cos(d*x+c)+I*a*sin(d*x+c))^n,x, algorithm="giac")
```

```
[Out] -I*e^(I*d*n*x + I*c*n + n*log(a))/(d*n)
```

### 3.249 $\int (a \cos(c + dx) + ia \sin(c + dx))^4 dx$

**Optimal.** Leaf size=31

$$-\frac{i(a \cos(c + dx) + ia \sin(c + dx))^4}{4d}$$

[Out]  $((-I/4)*(a*\text{Cos}[c + d*x] + I*a*\text{Sin}[c + d*x])^4)/d$

**Rubi [A]** time = 0.0181858, antiderivative size = 31, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$ , Rules used = {3071}

$$-\frac{i(a \cos(c + dx) + ia \sin(c + dx))^4}{4d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a*\text{Cos}[c + d*x] + I*a*\text{Sin}[c + d*x])^4, x]$

[Out]  $((-I/4)*(a*\text{Cos}[c + d*x] + I*a*\text{Sin}[c + d*x])^4)/d$

Rule 3071

$\text{Int}[(\cos[(c_.) + (d_.)*(x_.)]*(a_.) + (b_.)*\sin[(c_.) + (d_.)*(x_.)])^{(n_.)}, x\_Symbol] \rightarrow \text{Simp}[(a*(a*\text{Cos}[c + d*x] + b*\text{Sin}[c + d*x])^n)/(b*d*n), x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \ \&\& \ \text{EqQ}[a^2 + b^2, 0]$

Rubi steps

$$\int (a \cos(c + dx) + ia \sin(c + dx))^4 dx = -\frac{i(a \cos(c + dx) + ia \sin(c + dx))^4}{4d}$$

**Mathematica [A]** time = 0.113335, size = 31, normalized size = 1.

$$-\frac{i(a \cos(c + dx) + ia \sin(c + dx))^4}{4d}$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[(a*\text{Cos}[c + d*x] + I*a*\text{Sin}[c + d*x])^4, x]$

[Out]  $((-I/4)*(a*\text{Cos}[c + d*x] + I*a*\text{Sin}[c + d*x])^4)/d$

**Maple [B]** time = 0.06, size = 151, normalized size = 4.9

$$\frac{1}{d} \left( a^4 \left( -\frac{\cos(dx + c)}{4} \left( (\sin(dx + c))^3 + \frac{3 \sin(dx + c)}{2} \right) + \frac{3 dx}{8} + \frac{3c}{8} \right) - ia^4 (\sin(dx + c))^4 - 6a^4 \left( -\frac{1}{4} \sin(dx + c) (\cos(dx + c))^3 \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a*\cos(d*x+c)+I*a*\sin(d*x+c))^4, x)$

[Out]  $1/d*(a^4*(-1/4*(\sin(dx+c)^3+3/2*\sin(dx+c))*\cos(dx+c)+3/8*d*x+3/8*c)-I*a^4*\sin(dx+c)^4-6*a^4*(-1/4*\sin(dx+c))*\cos(dx+c)^3+1/8*\sin(dx+c)*\cos(dx+c)+1/8*d*x+1/8*c)-I*a^4*\cos(dx+c)^4+a^4*(1/4*(\cos(dx+c)^3+3/2*\cos(dx+c))*\sin(dx+c)+3/8*d*x+3/8*c))$

**Maxima [B]** time = 1.00341, size = 178, normalized size = 5.74

$$\frac{ia^4 \cos(dx+c)^4}{d} - \frac{ia^4 \sin(dx+c)^4}{d} + \frac{(12dx+12c+\sin(4dx+4c)+8\sin(2dx+2c))a^4}{32d} + \frac{(12dx+12c+\sin(4dx+4c)-8\sin(2dx+2c))a^4}{32d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(dx+c)+I\*a\*sin(dx+c))^4,x, algorithm="maxima")

[Out]  $-I*a^4*\cos(dx+c)^4/d - I*a^4*\sin(dx+c)^4/d + 1/32*(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*a^4/d + 1/32*(12*d*x + 12*c + \sin(4*d*x + 4*c) - 8*\sin(2*d*x + 2*c))*a^4/d - 3/16*(4*d*x + 4*c - \sin(4*d*x + 4*c))*a^4/d$

**Fricas [A]** time = 2.02668, size = 46, normalized size = 1.48

$$\frac{ia^4 e^{4i dx + 4i c}}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(dx+c)+I\*a\*sin(dx+c))^4,x, algorithm="fricas")

[Out]  $-1/4*I*a^4*e^{(4*I*d*x + 4*I*c)}/d$

**Sympy [A]** time = 0.171032, size = 37, normalized size = 1.19

$$\begin{cases} -\frac{ia^4 e^{4ic} e^{4idx}}{4d} & \text{for } 4d \neq 0 \\ a^4 x e^{4ic} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(dx+c)+I\*a\*sin(dx+c))\*\*4,x)

[Out] Piecewise((-I\*a\*\*4\*exp(4\*I\*c)\*exp(4\*I\*d\*x)/(4\*d), Ne(4\*d, 0)), (a\*\*4\*x\*exp(4\*I\*c), True))

**Giac [B]** time = 1.15405, size = 70, normalized size = 2.26

$$-\frac{ia^4 e^{4i dx + 4i c}}{8d} - \frac{ia^4 e^{-4i dx - 4i c}}{8d} + \frac{a^4 \sin(4 dx + 4 c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(dx+c)+I\*a\*sin(dx+c))^4,x, algorithm="giac")

[Out]  $-1/8*I*a^4*e^{(4*I*d*x + 4*I*c)}/d - 1/8*I*a^4*e^{(-4*I*d*x - 4*I*c)}/d + 1/4*a^4*\sin(4*d*x + 4*c)/d$

### 3.250 $\int (a \cos(c + dx) + ia \sin(c + dx))^3 dx$

**Optimal.** Leaf size=31

$$-\frac{i(a \cos(c + dx) + ia \sin(c + dx))^3}{3d}$$

[Out]  $((-I/3)*(a*\text{Cos}[c + d*x] + I*a*\text{Sin}[c + d*x])^3)/d$

**Rubi [A]** time = 0.0162244, antiderivative size = 31, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$ , Rules used = {3071}

$$-\frac{i(a \cos(c + dx) + ia \sin(c + dx))^3}{3d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a*\text{Cos}[c + d*x] + I*a*\text{Sin}[c + d*x])^3, x]$

[Out]  $((-I/3)*(a*\text{Cos}[c + d*x] + I*a*\text{Sin}[c + d*x])^3)/d$

#### Rule 3071

$\text{Int}[(\cos[(c_.) + (d_.)*(x_.)]*(a_.) + (b_.)*\sin[(c_.) + (d_.)*(x_.)])^{(n_.)}, x\_Symbol] :> \text{Simp}[(a*(a*\text{Cos}[c + d*x] + b*\text{Sin}[c + d*x])^n)/(b*d*n), x] /; \text{FreeQ}[\{a, b, c, d, n\}, x] \ \&\& \ \text{EqQ}[a^2 + b^2, 0]$

#### Rubi steps

$$\int (a \cos(c + dx) + ia \sin(c + dx))^3 dx = -\frac{i(a \cos(c + dx) + ia \sin(c + dx))^3}{3d}$$

**Mathematica [A]** time = 0.0821072, size = 31, normalized size = 1.

$$-\frac{i(a \cos(c + dx) + ia \sin(c + dx))^3}{3d}$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[(a*\text{Cos}[c + d*x] + I*a*\text{Sin}[c + d*x])^3, x]$

[Out]  $((-I/3)*(a*\text{Cos}[c + d*x] + I*a*\text{Sin}[c + d*x])^3)/d$

**Maple [B]** time = 0.058, size = 76, normalized size = 2.5

$$\frac{1}{d} \left( \frac{i}{3} a^3 (2 + (\sin(dx + c))^2) \cos(dx + c) - a^3 (\sin(dx + c))^3 - ia^3 (\cos(dx + c))^3 + \frac{a^3 (2 + (\cos(dx + c))^2) \sin(dx + c)}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a*cos(d*x+c)+I*a*sin(d*x+c))^3,x)`

[Out]  $1/d*(1/3*I*a^3*(2+\sin(d*x+c))^2*\cos(d*x+c)-a^3*\sin(d*x+c)^3-I*a^3*\cos(d*x+c)^3+1/3*a^3*(2+\cos(d*x+c))^2*\sin(d*x+c))$

**Maxima [B]** time = 1.01103, size = 112, normalized size = 3.61

$$\frac{i a^3 \cos(dx+c)^3}{d} - \frac{a^3 \sin(dx+c)^3}{d} - \frac{i(\cos(dx+c)^3 - 3 \cos(dx+c))a^3}{3d} - \frac{(\sin(dx+c)^3 - 3 \sin(dx+c))a^3}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*cos(d*x+c)+I*a*sin(d*x+c))^3,x, algorithm="maxima")`

[Out]  $-I*a^3*\cos(d*x+c)^3/d - a^3*\sin(d*x+c)^3/d - 1/3*I*(\cos(d*x+c)^3 - 3*\cos(d*x+c))*a^3/d - 1/3*(\sin(d*x+c)^3 - 3*\sin(d*x+c))*a^3/d$

**Fricas [A]** time = 2.03724, size = 46, normalized size = 1.48

$$\frac{i a^3 e^{(3i dx+3ic)}}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*cos(d*x+c)+I*a*sin(d*x+c))^3,x, algorithm="fricas")`

[Out]  $-1/3*I*a^3*e^{(3*I*d*x + 3*I*c)}/d$

**Sympy [A]** time = 0.166956, size = 37, normalized size = 1.19

$$\begin{cases} -\frac{i a^3 e^{3ic} e^{3idx}}{3d} & \text{for } 3d \neq 0 \\ a^3 x e^{3ic} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*cos(d*x+c)+I*a*sin(d*x+c))**3,x)`

[Out] `Piecewise((-I*a**3*exp(3*I*c)*exp(3*I*d*x)/(3*d), Ne(3*d, 0)), (a**3*x*exp(3*I*c), True))`

**Giac [B]** time = 1.10807, size = 70, normalized size = 2.26

$$-\frac{i a^3 e^{(3i dx+3ic)}}{6d} - \frac{i a^3 e^{(-3i dx-3ic)}}{6d} + \frac{a^3 \sin(3dx+3c)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*cos(d*x+c)+I*a*sin(d*x+c))^3,x, algorithm="giac")`

[Out]  $-1/6*I*a^3*e^{(3*I*d*x + 3*I*c)}/d - 1/6*I*a^3*e^{(-3*I*d*x - 3*I*c)}/d + 1/3*a^3*\sin(3*d*x + 3*c)/d$

### 3.251 $\int (a \cos(c + dx) + ia \sin(c + dx))^2 dx$

**Optimal.** Leaf size=31

$$-\frac{i(a \cos(c + dx) + ia \sin(c + dx))^2}{2d}$$

[Out]  $((-I/2)*(a*\text{Cos}[c + d*x] + I*a*\text{Sin}[c + d*x])^2)/d$

**Rubi [A]** time = 0.0143722, antiderivative size = 31, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$ , Rules used = {3071}

$$-\frac{i(a \cos(c + dx) + ia \sin(c + dx))^2}{2d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a*\text{Cos}[c + d*x] + I*a*\text{Sin}[c + d*x])^2, x]$

[Out]  $((-I/2)*(a*\text{Cos}[c + d*x] + I*a*\text{Sin}[c + d*x])^2)/d$

**Rule 3071**

$\text{Int}[(\cos[(c_.) + (d_.)*(x_)]*(a_.) + (b_.)*\sin[(c_.) + (d_.)*(x_)])^{(n_)}, x\_Symbol] :> \text{Simp}[(a*(a*\text{Cos}[c + d*x] + b*\text{Sin}[c + d*x])^n)/(b*d*n), x] /; \text{FreeQ}[\{a, b, c, d, n\}, x] \&\& \text{EqQ}[a^2 + b^2, 0]$

**Rubi steps**

$$\int (a \cos(c + dx) + ia \sin(c + dx))^2 dx = -\frac{i(a \cos(c + dx) + ia \sin(c + dx))^2}{2d}$$

**Mathematica [A]** time = 0.054802, size = 31, normalized size = 1.

$$-\frac{i(a \cos(c + dx) + ia \sin(c + dx))^2}{2d}$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[(a*\text{Cos}[c + d*x] + I*a*\text{Sin}[c + d*x])^2, x]$

[Out]  $((-I/2)*(a*\text{Cos}[c + d*x] + I*a*\text{Sin}[c + d*x])^2)/d$

**Maple [B]** time = 0.047, size = 73, normalized size = 2.4

$$\frac{1}{d} \left( -a^2 \left( -\frac{\sin(dx+c)\cos(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) - ia^2 (\cos(dx+c))^2 + a^2 \left( \frac{\sin(dx+c)\cos(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a*\cos(d*x+c)+I*a*\sin(d*x+c))^2, x)$

[Out]  $1/d*(-a^2*(-1/2*\sin(dx+c)*\cos(dx+c)+1/2*d*x+1/2*c)-I*a^2*\cos(dx+c)^2+a^2*(1/2*\sin(dx+c)*\cos(dx+c)+1/2*d*x+1/2*c))$

**Maxima [B]** time = 0.999395, size = 93, normalized size = 3.

$$-\frac{ia^2 \cos(dx+c)^2}{d} + \frac{(2dx+2c+\sin(2dx+2c))a^2}{4d} - \frac{(2dx+2c-\sin(2dx+2c))a^2}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*cos(dx+c)+I*a*sin(dx+c))^2,x, algorithm="maxima")`

[Out]  $-I*a^2*\cos(dx+c)^2/d + 1/4*(2*d*x + 2*c + \sin(2*d*x + 2*c))*a^2/d - 1/4*(2*d*x + 2*c - \sin(2*d*x + 2*c))*a^2/d$

**Fricas [A]** time = 2.18604, size = 46, normalized size = 1.48

$$\frac{ia^2e^{2idx+2ic}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*cos(dx+c)+I*a*sin(dx+c))^2,x, algorithm="fricas")`

[Out]  $-1/2*I*a^2*e^{(2*I*d*x + 2*I*c)}/d$

**Sympy [A]** time = 0.160782, size = 37, normalized size = 1.19

$$\begin{cases} -\frac{ia^2e^{2ic}e^{2idx}}{2d} & \text{for } 2d \neq 0 \\ a^2xe^{2ic} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*cos(dx+c)+I*a*sin(dx+c))**2,x)`

[Out] `Piecewise((-I*a**2*exp(2*I*c)*exp(2*I*d*x)/(2*d), Ne(2*d, 0)), (a**2*x*exp(2*I*c), True))`

**Giac [B]** time = 1.16402, size = 70, normalized size = 2.26

$$-\frac{ia^2e^{2idx+2ic}}{4d} - \frac{ia^2e^{(-2idx-2ic)}}{4d} + \frac{a^2 \sin(2dx+2c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*cos(dx+c)+I*a*sin(dx+c))^2,x, algorithm="giac")`

[Out]  $-1/4*I*a^2*e^{(2*I*d*x + 2*I*c)}/d - 1/4*I*a^2*e^{(-2*I*d*x - 2*I*c)}/d + 1/2*a^2*\sin(2*d*x + 2*c)/d$



### 3.252 $\int (a \cos(c + dx) + ia \sin(c + dx)) dx$

**Optimal.** Leaf size=26

$$\frac{a \sin(c + dx)}{d} - \frac{ia \cos(c + dx)}{d}$$

[Out]  $((-I)*a*\text{Cos}[c + d*x])/d + (a*\text{Sin}[c + d*x])/d$

**Rubi [A]** time = 0.0140323, antiderivative size = 26, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.1$ , Rules used = {2637, 2638}

$$\frac{a \sin(c + dx)}{d} - \frac{ia \cos(c + dx)}{d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[a*\text{Cos}[c + d*x] + I*a*\text{Sin}[c + d*x], x]$

[Out]  $((-I)*a*\text{Cos}[c + d*x])/d + (a*\text{Sin}[c + d*x])/d$

**Rule 2637**

$\text{Int}[\sin[\text{Pi}/2 + (c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow \text{Simp}[\text{Sin}[c + d*x]/d, x] /;$   
 $\text{FreeQ}[\{c, d\}, x]$

**Rule 2638**

$\text{Int}[\sin[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/d, x] /;$   
 $\text{FreeQ}[\{c, d\}, x]$

**Rubi steps**

$$\begin{aligned} \int (a \cos(c + dx) + ia \sin(c + dx)) dx &= (ia) \int \sin(c + dx) dx + a \int \cos(c + dx) dx \\ &= -\frac{ia \cos(c + dx)}{d} + \frac{a \sin(c + dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.0118994, size = 51, normalized size = 1.96

$$\frac{ia \sin(c) \sin(dx)}{d} - \frac{ia \cos(c) \cos(dx)}{d} + \frac{a \sin(c) \cos(dx)}{d} + \frac{a \cos(c) \sin(dx)}{d}$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[a*\text{Cos}[c + d*x] + I*a*\text{Sin}[c + d*x], x]$

[Out]  $((-I)*a*\text{Cos}[c]*\text{Cos}[d*x])/d + (a*\text{Cos}[d*x]*\text{Sin}[c])/d + (a*\text{Cos}[c]*\text{Sin}[d*x])/d$   
 $+ (I*a*\text{Sin}[c]*\text{Sin}[d*x])/d$

**Maple [A]** time = 0.001, size = 26, normalized size = 1.

$$\frac{-ia \cos(dx + c)}{d} + \frac{a \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(a*cos(d*x+c)+I*a*sin(d*x+c),x)`

[Out] `-I*a*cos(d*x+c)/d+a*sin(d*x+c)/d`

**Maxima [A]** time = 0.98745, size = 32, normalized size = 1.23

$$-\frac{ia \cos(dx + c)}{d} + \frac{a \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a*cos(d*x+c)+I*a*sin(d*x+c),x, algorithm="maxima")`

[Out] `-I*a*cos(d*x + c)/d + a*sin(d*x + c)/d`

**Fricas [A]** time = 2.16157, size = 32, normalized size = 1.23

$$-\frac{ia e^{i(dx+c)}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a*cos(d*x+c)+I*a*sin(d*x+c),x, algorithm="fricas")`

[Out] `-I*a*e^(I*d*x + I*c)/d`

**Sympy [A]** time = 0.144124, size = 26, normalized size = 1.

$$\begin{cases} -\frac{ia e^{ic} e^{idx}}{d} & \text{for } d \neq 0 \\ a x e^{ic} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a*cos(d*x+c)+I*a*sin(d*x+c),x)`

[Out] `Piecewise((-I*a*exp(I*c)*exp(I*d*x)/d, Ne(d, 0)), (a*x*exp(I*c), True))`

**Giac [A]** time = 1.12907, size = 32, normalized size = 1.23

$$-\frac{ia \cos(dx + c)}{d} + \frac{a \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(a*cos(d*x+c)+I*a*sin(d*x+c),x, algorithm="giac")
```

```
[Out] -I*a*cos(d*x + c)/d + a*sin(d*x + c)/d
```

$$3.253 \quad \int \frac{1}{a \cos(c+dx)+ia \sin(c+dx)} dx$$

**Optimal.** Leaf size=29

$$\frac{i}{d(a \cos(c + dx) + ia \sin(c + dx))}$$

[Out] I/(d\*(a\*cos[c + d\*x] + I\*a\*sin[c + d\*x]))

**Rubi [A]** time = 0.0147709, antiderivative size = 29, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$ , Rules used = {3071}

$$\frac{i}{d(a \cos(c + dx) + ia \sin(c + dx))}$$

Antiderivative was successfully verified.

[In] Int[(a\*cos[c + d\*x] + I\*a\*sin[c + d\*x])^(-1),x]

[Out] I/(d\*(a\*cos[c + d\*x] + I\*a\*sin[c + d\*x]))

**Rule 3071**

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Simp[(a\*(a\*cos[c + d\*x] + b\*sin[c + d\*x])^n)/(b\*d\*n), x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 + b^2, 0]

**Rubi steps**

$$\int \frac{1}{a \cos(c + dx) + ia \sin(c + dx)} dx = \frac{i}{d(a \cos(c + dx) + ia \sin(c + dx))}$$

**Mathematica [A]** time = 0.0349311, size = 29, normalized size = 1.

$$\frac{i}{d(a \cos(c + dx) + ia \sin(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*cos[c + d\*x] + I\*a\*sin[c + d\*x])^(-1),x]

[Out] I/(d\*(a\*cos[c + d\*x] + I\*a\*sin[c + d\*x]))

**Maple [A]** time = 0.074, size = 23, normalized size = 0.8

$$2 \frac{1}{ad (\tan (1/2 dx + c/2) - i)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a*cos(d*x+c)+I*a*sin(d*x+c)),x)`

[Out] `2/d/a/(tan(1/2*d*x+1/2*c)-I)`

**Maxima [A]** time = 0.991109, size = 39, normalized size = 1.34

$$\frac{2}{\left(-i a + \frac{a \sin(dx+c)}{\cos(dx+c)+1}\right) d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*cos(d*x+c)+I*a*sin(d*x+c)),x, algorithm="maxima")`

[Out] `2/((-I*a + a*sin(d*x + c)/(cos(d*x + c) + 1))*d)`

**Fricas [A]** time = 2.10801, size = 35, normalized size = 1.21

$$\frac{i e^{(-i dx - i c)}}{a d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*cos(d*x+c)+I*a*sin(d*x+c)),x, algorithm="fricas")`

[Out] `I*e^(-I*d*x - I*c)/(a*d)`

**Sympy [A]** time = 0.160911, size = 31, normalized size = 1.07

$$\begin{cases} \frac{i e^{-i c} e^{-i d x}}{a d} & \text{for } a d e^{i c} \neq 0 \\ \frac{x e^{-i c}}{a} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*cos(d*x+c)+I*a*sin(d*x+c)),x)`

[Out] `Piecewise((I*exp(-I*c)*exp(-I*d*x)/(a*d), Ne(a*d*exp(I*c), 0)), (x*exp(-I*c)/a, True))`

**Giac [A]** time = 1.12504, size = 28, normalized size = 0.97

$$\frac{2}{a d \left( \tan \left( \frac{1}{2} d x + \frac{1}{2} c \right) - i \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*cos(d*x+c)+I*a*sin(d*x+c)),x, algorithm="giac")`

[Out] `2/(a*d*(tan(1/2*d*x + 1/2*c) - I))`

$$3.254 \quad \int \frac{1}{(a \cos(c+dx) + ia \sin(c+dx))^2} dx$$

**Optimal.** Leaf size=31

$$\frac{i}{2d(a \cos(c + dx) + ia \sin(c + dx))^2}$$

[Out] (I/2)/(d\*(a\*Cos[c + d\*x] + I\*a\*Sin[c + d\*x])^2)

**Rubi [A]** time = 0.0155649, antiderivative size = 31, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$ , Rules used = {3071}

$$\frac{i}{2d(a \cos(c + dx) + ia \sin(c + dx))^2}$$

Antiderivative was successfully verified.

[In] Int[(a\*Cos[c + d\*x] + I\*a\*Sin[c + d\*x])^(-2),x]

[Out] (I/2)/(d\*(a\*Cos[c + d\*x] + I\*a\*Sin[c + d\*x])^2)

**Rule 3071**

Int[(cos[(c\_.) + (d\_.)\*(x\_)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(a\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^n)/(b\*d\*n), x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 + b^2, 0]

**Rubi steps**

$$\int \frac{1}{(a \cos(c + dx) + ia \sin(c + dx))^2} dx = \frac{i}{2d(a \cos(c + dx) + ia \sin(c + dx))^2}$$

**Mathematica [A]** time = 0.0453233, size = 31, normalized size = 1.

$$\frac{i}{2d(a \cos(c + dx) + ia \sin(c + dx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*Cos[c + d\*x] + I\*a\*Sin[c + d\*x])^(-2),x]

[Out] (I/2)/(d\*(a\*Cos[c + d\*x] + I\*a\*Sin[c + d\*x])^2)

**Maple [A]** time = 0.092, size = 23, normalized size = 0.7

$$\frac{i}{a^2 d (i \tan(dx + c) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a*cos(d*x+c)+I*a*sin(d*x+c))^2,x)`

[Out] `I/d/a^2/(I*tan(d*x+c)+1)`

**Maxima [A]** time = 0.982692, size = 30, normalized size = 0.97

$$\frac{1}{(a^2 \tan(dx + c) - i a^2)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*cos(d*x+c)+I*a*sin(d*x+c))^2,x, algorithm="maxima")`

[Out] `1/((a^2*tan(d*x + c) - I*a^2)*d)`

**Fricas [A]** time = 1.99282, size = 49, normalized size = 1.58

$$\frac{i e^{(-2i dx - 2ic)}}{2 a^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*cos(d*x+c)+I*a*sin(d*x+c))^2,x, algorithm="fricas")`

[Out] `1/2*I*e^(-2*I*d*x - 2*I*c)/(a^2*d)`

**Sympy [A]** time = 0.179153, size = 46, normalized size = 1.48

$$\begin{cases} \frac{i e^{-2ic} e^{-2idx}}{2a^2d} & \text{for } 2a^2 d e^{2ic} \neq 0 \\ \frac{x e^{-2ic}}{a^2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*cos(d*x+c)+I*a*sin(d*x+c))^2,x)`

[Out] `Piecewise((I*exp(-2*I*c)*exp(-2*I*d*x)/(2*a**2*d), Ne(2*a**2*d*exp(2*I*c), 0)), (x*exp(-2*I*c)/a**2, True))`

**Giac [A]** time = 1.11583, size = 41, normalized size = 1.32

$$-\frac{2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a^2 d \left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - i\right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*cos(d*x+c)+I*a*sin(d*x+c))^2,x, algorithm="giac")`

[Out] `-2*tan(1/2*d*x + 1/2*c)/(a^2*d*(tan(1/2*d*x + 1/2*c) - I)^2)`

$$3.255 \quad \int \frac{1}{(a \cos(c+dx)+ia \sin(c+dx))^3} dx$$

**Optimal.** Leaf size=31

$$\frac{i}{3d(a \cos(c+dx) + ia \sin(c+dx))^3}$$

[Out] (I/3)/(d\*(a\*Cos[c + d\*x] + I\*a\*Sin[c + d\*x])^3)

**Rubi [A]** time = 0.0153039, antiderivative size = 31, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$ , Rules used = {3071}

$$\frac{i}{3d(a \cos(c+dx) + ia \sin(c+dx))^3}$$

Antiderivative was successfully verified.

[In] Int[(a\*Cos[c + d\*x] + I\*a\*Sin[c + d\*x])^(-3),x]

[Out] (I/3)/(d\*(a\*Cos[c + d\*x] + I\*a\*Sin[c + d\*x])^3)

**Rule 3071**

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Simp[(a\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^n)/(b\*d\*n), x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 + b^2, 0]

**Rubi steps**

$$\int \frac{1}{(a \cos(c+dx) + ia \sin(c+dx))^3} dx = \frac{i}{3d(a \cos(c+dx) + ia \sin(c+dx))^3}$$

**Mathematica [A]** time = 0.0468053, size = 31, normalized size = 1.

$$\frac{i}{3d(a \cos(c+dx) + ia \sin(c+dx))^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*Cos[c + d\*x] + I\*a\*Sin[c + d\*x])^(-3),x]

[Out] (I/3)/(d\*(a\*Cos[c + d\*x] + I\*a\*Sin[c + d\*x])^3)

**Maple [B]** time = 0.108, size = 57, normalized size = 1.8

$$2 \frac{1}{da^3} \left( \frac{2i}{(\tan(1/2 dx + c/2) - i)^2} + (\tan(1/2 dx + c/2) - i)^{-1} - 4/3 (\tan(1/2 dx + c/2) - i)^{-3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int(1/(a*cos(d*x+c)+I*a*sin(d*x+c))^3,x)`

[Out]  $2/d/a^3*(2*I/(\tan(1/2*d*x+1/2*c)-I)^2+1/(\tan(1/2*d*x+1/2*c)-I)-4/3/(\tan(1/2*d*x+1/2*c)-I)^3)$

**Maxima [A]** time = 1.03654, size = 39, normalized size = 1.26

$$\frac{i \cos(3 dx + 3 c) + \sin(3 dx + 3 c)}{3 a^3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*cos(d*x+c)+I*a*sin(d*x+c))^3,x, algorithm="maxima")`

[Out]  $1/3*(I*\cos(3*d*x + 3*c) + \sin(3*d*x + 3*c))/(a^3*d)$

**Fricas [A]** time = 1.99961, size = 49, normalized size = 1.58

$$\frac{i e^{(-3i dx - 3i c)}}{3 a^3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*cos(d*x+c)+I*a*sin(d*x+c))^3,x, algorithm="fricas")`

[Out]  $1/3*I*e^{(-3*I*d*x - 3*I*c)}/(a^3*d)$

**Sympy [A]** time = 0.181533, size = 46, normalized size = 1.48

$$\begin{cases} \frac{i e^{-3i c} e^{-3i d x}}{3 a^3 d} & \text{for } 3 a^3 d e^{3i c} \neq 0 \\ \frac{x e^{-3i c}}{a^3} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*cos(d*x+c)+I*a*sin(d*x+c))**3,x)`

[Out] `Piecewise((I*exp(-3*I*c)*exp(-3*I*d*x)/(3*a**3*d), Ne(3*a**3*d*exp(3*I*c), 0)), (x*exp(-3*I*c)/a**3, True))`

**Giac [A]** time = 1.10743, size = 49, normalized size = 1.58

$$\frac{2 \left( 3 \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right)}{3 a^3 d \left( \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) - i \right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*cos(d*x+c)+I*a*sin(d*x+c))^3,x, algorithm="giac")`

[Out]  $2/3*(3*\tan(1/2*d*x + 1/2*c)^2 - 1)/(a^3*d*(\tan(1/2*d*x + 1/2*c) - I)^3)$

$$3.256 \quad \int \frac{1}{(a \cos(c+dx) + ia \sin(c+dx))^4} dx$$

**Optimal.** Leaf size=31

$$\frac{i}{4d(a \cos(c + dx) + ia \sin(c + dx))^4}$$

[Out] (I/4)/(d\*(a\*Cos[c + d\*x] + I\*a\*Sin[c + d\*x])^4)

**Rubi [A]** time = 0.0148451, antiderivative size = 31, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$ , Rules used = {3071}

$$\frac{i}{4d(a \cos(c + dx) + ia \sin(c + dx))^4}$$

Antiderivative was successfully verified.

[In] Int[(a\*Cos[c + d\*x] + I\*a\*Sin[c + d\*x])^(-4), x]

[Out] (I/4)/(d\*(a\*Cos[c + d\*x] + I\*a\*Sin[c + d\*x])^4)

**Rule 3071**

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Simp[(a\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^n)/(b\*d\*n), x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 + b^2, 0]

**Rubi steps**

$$\int \frac{1}{(a \cos(c + dx) + ia \sin(c + dx))^4} dx = \frac{i}{4d(a \cos(c + dx) + ia \sin(c + dx))^4}$$

**Mathematica [A]** time = 0.0486514, size = 31, normalized size = 1.

$$\frac{i}{4d(a \cos(c + dx) + ia \sin(c + dx))^4}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*Cos[c + d\*x] + I\*a\*Sin[c + d\*x])^(-4), x]

[Out] (I/4)/(d\*(a\*Cos[c + d\*x] + I\*a\*Sin[c + d\*x])^4)

**Maple [A]** time = 0.115, size = 36, normalized size = 1.2

$$\frac{1}{da^4} \left( \frac{-i}{(\tan(dx + c) - i)^2} - (\tan(dx + c) - i)^{-1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a*cos(d*x+c)+I*a*sin(d*x+c))^4,x)`

[Out] `1/d/a^4*(-I/(tan(d*x+c)-I)^2-1/(tan(d*x+c)-I))`

**Maxima [A]** time = 1.03061, size = 39, normalized size = 1.26

$$\frac{i \cos(4dx + 4c) + \sin(4dx + 4c)}{4a^4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*cos(d*x+c)+I*a*sin(d*x+c))^4,x, algorithm="maxima")`

[Out] `1/4*(I*cos(4*d*x + 4*c) + sin(4*d*x + 4*c))/(a^4*d)`

**Fricas [A]** time = 2.06525, size = 49, normalized size = 1.58

$$\frac{i e^{(-4i dx - 4ic)}}{4a^4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*cos(d*x+c)+I*a*sin(d*x+c))^4,x, algorithm="fricas")`

[Out] `1/4*I*e^(-4*I*d*x - 4*I*c)/(a^4*d)`

**Sympy [A]** time = 0.194294, size = 46, normalized size = 1.48

$$\begin{cases} \frac{i e^{-4ic} e^{-4idx}}{4a^4d} & \text{for } 4a^4de^{4ic} \neq 0 \\ \frac{x e^{-4ic}}{a^4} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*cos(d*x+c)+I*a*sin(d*x+c))**4,x)`

[Out] `Piecewise((I*exp(-4*I*c)*exp(-4*I*d*x)/(4*a**4*d), Ne(4*a**4*d*exp(4*I*c), 0)), (x*exp(-4*I*c)/a**4, True))`

**Giac [A]** time = 1.14093, size = 59, normalized size = 1.9

$$\frac{2 \left( \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right)}{a^4 d \left( \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - i \right)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*cos(d*x+c)+I*a*sin(d*x+c))^4,x, algorithm="giac")`

[Out] `-2*(tan(1/2*d*x + 1/2*c)^3 - tan(1/2*d*x + 1/2*c))/(a^4*d*(tan(1/2*d*x + 1/2*c) - I)^4)`

### 3.257 $\int (a \cos(c + dx) + ia \sin(c + dx))^{5/2} dx$

**Optimal.** Leaf size=33

$$-\frac{2i(a \cos(c + dx) + ia \sin(c + dx))^{5/2}}{5d}$$

[Out] (((-2\*I)/5)\*(a\*Cos[c + d\*x] + I\*a\*Sin[c + d\*x])^(5/2))/d

**Rubi [A]** time = 0.015664, antiderivative size = 33, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.042$ , Rules used = {3071}

$$-\frac{2i(a \cos(c + dx) + ia \sin(c + dx))^{5/2}}{5d}$$

Antiderivative was successfully verified.

[In] Int[(a\*Cos[c + d\*x] + I\*a\*Sin[c + d\*x])^(5/2),x]

[Out] (((-2\*I)/5)\*(a\*Cos[c + d\*x] + I\*a\*Sin[c + d\*x])^(5/2))/d

#### Rule 3071

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Simp[(a\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^n)/(b\*d\*n), x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 + b^2, 0]

#### Rubi steps

$$\int (a \cos(c + dx) + ia \sin(c + dx))^{5/2} dx = -\frac{2i(a \cos(c + dx) + ia \sin(c + dx))^{5/2}}{5d}$$

**Mathematica [A]** time = 0.0304076, size = 32, normalized size = 0.97

$$-\frac{2i(a(\cos(c + dx) + i \sin(c + dx)))^{5/2}}{5d}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*Cos[c + d\*x] + I\*a\*Sin[c + d\*x])^(5/2),x]

[Out] (((-2\*I)/5)\*(a\*(Cos[c + d\*x] + I\*Sin[c + d\*x]))^(5/2))/d

**Maple [A]** time = 0.055, size = 28, normalized size = 0.9

$$-\frac{2i}{5d} (a \cos(dx + c) + ia \sin(dx + c))^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a*cos(d*x+c)+I*a*sin(d*x+c))^(5/2),x)`

[Out] `-2/5*I*(a*cos(d*x+c)+I*a*sin(d*x+c))^(5/2)/d`

**Maxima [B]** time = 1.57343, size = 69, normalized size = 2.09

$$\frac{2i a^2 \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + i \right)^{\frac{5}{2}}}{5d \left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + i \right)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*cos(d*x+c)+I*a*sin(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] `-2/5*I*a^(5/2)*(-sin(d*x + c)/(cos(d*x + c) + 1) + I)^(5/2)/(d*(sin(d*x + c)/(cos(d*x + c) + 1) + I)^(5/2))`

**Fricas [A]** time = 2.00607, size = 57, normalized size = 1.73

$$\frac{2i a^2 e^{\left(\frac{5}{2}i dx + \frac{5}{2}i c\right)}}{5d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*cos(d*x+c)+I*a*sin(d*x+c))^(5/2),x, algorithm="fricas")`

[Out] `-2/5*I*a^(5/2)*e^(5/2*I*d*x + 5/2*I*c)/d`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*cos(d*x+c)+I*a*sin(d*x+c))**(5/2),x)`

[Out] Timed out

**Giac [A]** time = 2.14632, size = 23, normalized size = 0.7

$$\frac{2i a^2 e^{\left(\frac{5}{2}i dx + \frac{5}{2}i c\right)}}{5d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*cos(d*x+c)+I*a*sin(d*x+c))^(5/2),x, algorithm="giac")`

[Out] `-2/5*I*a^(5/2)*e^(5/2*I*d*x + 5/2*I*c)/d`

### 3.258 $\int (a \cos(c + dx) + ia \sin(c + dx))^{3/2} dx$

**Optimal.** Leaf size=33

$$-\frac{2i(a \cos(c + dx) + ia \sin(c + dx))^{3/2}}{3d}$$

[Out] (((-2\*I)/3)\*(a\*Cos[c + d\*x] + I\*a\*Sin[c + d\*x])^(3/2))/d

**Rubi [A]** time = 0.0160221, antiderivative size = 33, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.042$ , Rules used = {3071}

$$-\frac{2i(a \cos(c + dx) + ia \sin(c + dx))^{3/2}}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a\*Cos[c + d\*x] + I\*a\*Sin[c + d\*x])^(3/2), x]

[Out] (((-2\*I)/3)\*(a\*Cos[c + d\*x] + I\*a\*Sin[c + d\*x])^(3/2))/d

#### Rule 3071

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Simp[(a\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^n)/(b\*d\*n), x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 + b^2, 0]

#### Rubi steps

$$\int (a \cos(c + dx) + ia \sin(c + dx))^{3/2} dx = -\frac{2i(a \cos(c + dx) + ia \sin(c + dx))^{3/2}}{3d}$$

**Mathematica [A]** time = 0.0294467, size = 32, normalized size = 0.97

$$-\frac{2i(a(\cos(c + dx) + i \sin(c + dx)))^{3/2}}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*Cos[c + d\*x] + I\*a\*Sin[c + d\*x])^(3/2), x]

[Out] (((-2\*I)/3)\*(a\*(Cos[c + d\*x] + I\*Sin[c + d\*x]))^(3/2))/d

**Maple [A]** time = 0.03, size = 28, normalized size = 0.9

$$-\frac{2i}{3d} (a \cos(dx + c) + ia \sin(dx + c))^{\frac{3}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a*cos(d*x+c)+I*a*sin(d*x+c))^(3/2),x)`

[Out] `-2/3*I*(a*cos(d*x+c)+I*a*sin(d*x+c))^(3/2)/d`

**Maxima [B]** time = 1.54804, size = 69, normalized size = 2.09

$$\frac{2i a^{\frac{3}{2}} \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + i \right)^{\frac{3}{2}}}{3d \left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + i \right)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*cos(d*x+c)+I*a*sin(d*x+c))^(3/2),x, algorithm="maxima")`

[Out] `-2/3*I*a^(3/2)*(-sin(d*x + c)/(cos(d*x + c) + 1) + I)^(3/2)/(d*(sin(d*x + c)/(cos(d*x + c) + 1) + I)^(3/2))`

**Fricas [A]** time = 1.9168, size = 57, normalized size = 1.73

$$\frac{2i a^{\frac{3}{2}} e^{\left(\frac{3}{2}i dx + \frac{3}{2}ic\right)}}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*cos(d*x+c)+I*a*sin(d*x+c))^(3/2),x, algorithm="fricas")`

[Out] `-2/3*I*a^(3/2)*e^(3/2*I*d*x + 3/2*I*c)/d`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*cos(d*x+c)+I*a*sin(d*x+c))**(3/2),x)`

[Out] Timed out

**Giac [A]** time = 1.15549, size = 34, normalized size = 1.03

$$\frac{2i(a \cos(dx+c) + i a \sin(dx+c))^{\frac{3}{2}}}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*cos(d*x+c)+I*a*sin(d*x+c))^(3/2),x, algorithm="giac")`

[Out] `-2/3*I*(a*cos(d*x + c) + I*a*sin(d*x + c))^(3/2)/d`

### 3.259 $\int \sqrt{a \cos(c + dx) + ia \sin(c + dx)} dx$

**Optimal.** Leaf size=31

$$-\frac{2i\sqrt{a \cos(c + dx) + ia \sin(c + dx)}}{d}$$

[Out]  $((-2*I)*\text{Sqrt}[a*\text{Cos}[c + d*x] + I*a*\text{Sin}[c + d*x]])/d$

**Rubi [A]** time = 0.0160164, antiderivative size = 31, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.042$ , Rules used = {3071}

$$-\frac{2i\sqrt{a \cos(c + dx) + ia \sin(c + dx)}}{d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sqrt}[a*\text{Cos}[c + d*x] + I*a*\text{Sin}[c + d*x]], x]$

[Out]  $((-2*I)*\text{Sqrt}[a*\text{Cos}[c + d*x] + I*a*\text{Sin}[c + d*x]])/d$

#### Rule 3071

$\text{Int}[(\cos[(c_.) + (d_.)*(x_)]*(a_.) + (b_.)*\sin[(c_.) + (d_.)*(x_)])^{(n_)}, x\_Symbol] \rightarrow \text{Simp}[(a*(a*\text{Cos}[c + d*x] + b*\text{Sin}[c + d*x])^n)/(b*d*n), x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \ \&\& \ \text{EqQ}[a^2 + b^2, 0]$

#### Rubi steps

$$\int \sqrt{a \cos(c + dx) + ia \sin(c + dx)} dx = -\frac{2i\sqrt{a \cos(c + dx) + ia \sin(c + dx)}}{d}$$

**Mathematica [A]** time = 0.0220753, size = 30, normalized size = 0.97

$$-\frac{2i\sqrt{a(\cos(c + dx) + i \sin(c + dx))}}{d}$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[\text{Sqrt}[a*\text{Cos}[c + d*x] + I*a*\text{Sin}[c + d*x]], x]$

[Out]  $((-2*I)*\text{Sqrt}[a*(\text{Cos}[c + d*x] + I*\text{Sin}[c + d*x])])/d$

**Maple [A]** time = 0.033, size = 28, normalized size = 0.9

$$\frac{-2i}{d} \sqrt{a \cos(dx + c) + ia \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a*\cos(d*x+c)+I*a*\sin(d*x+c))^{(1/2)}, x)$



[Out]  $-2*I*(a*\cos(d*x+c)+I*a*\sin(d*x+c))^{(1/2)}/d$

**Maxima [B]** time = 1.54232, size = 69, normalized size = 2.23

$$\frac{2i\sqrt{a}\sqrt{-\frac{\sin(dx+c)}{\cos(dx+c)+1}+i}}{d\sqrt{\frac{\sin(dx+c)}{\cos(dx+c)+1}+i}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*cos(d*x+c)+I*a*sin(d*x+c))^(1/2),x, algorithm="maxima")`

[Out]  $-2*I*\sqrt{a}*\sqrt{-\sin(d*x+c)/(\cos(d*x+c)+1)+I}/(d*\sqrt{\sin(d*x+c)/(\cos(d*x+c)+1)+I})$

**Fricas [A]** time = 2.01866, size = 54, normalized size = 1.74

$$\frac{2i\sqrt{a}e^{\left(\frac{1}{2}idx+\frac{1}{2}ic\right)}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*cos(d*x+c)+I*a*sin(d*x+c))^(1/2),x, algorithm="fricas")`

[Out]  $-2*I*\sqrt{a}*e^{(1/2*I*d*x+1/2*I*c)}/d$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{ia \sin(c+dx) + a \cos(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*cos(d*x+c)+I*a*sin(d*x+c))**(1/2),x)`

[Out] `Integral(sqrt(I*a*sin(c+d*x)+a*cos(c+d*x)),x)`

**Giac [A]** time = 1.6811, size = 23, normalized size = 0.74

$$\frac{2i\sqrt{a}e^{\left(\frac{1}{2}idx+\frac{1}{2}ic\right)}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*cos(d*x+c)+I*a*sin(d*x+c))^(1/2),x, algorithm="giac")`

[Out]  $-2*I*\sqrt{a}*e^{(1/2*I*d*x+1/2*I*c)}/d$

$$3.260 \quad \int \frac{1}{\sqrt{a \cos(c+dx) + ia \sin(c+dx)}} dx$$

**Optimal.** Leaf size=31

$$\frac{2i}{d\sqrt{a \cos(c + dx) + ia \sin(c + dx)}}$$

[Out] (2\*I)/(d\*Sqrt[a\*Cos[c + d\*x] + I\*a\*Sin[c + d\*x]])

**Rubi [A]** time = 0.017475, antiderivative size = 31, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.042$ , Rules used = {3071}

$$\frac{2i}{d\sqrt{a \cos(c + dx) + ia \sin(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[a\*Cos[c + d\*x] + I\*a\*Sin[c + d\*x]],x]

[Out] (2\*I)/(d\*Sqrt[a\*Cos[c + d\*x] + I\*a\*Sin[c + d\*x]])

#### Rule 3071

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Simp[(a\*(a\*Cos[c + d\*x] + b\*Sin[c + d\*x])^n)/(b\*d\*n), x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 + b^2, 0]

#### Rubi steps

$$\int \frac{1}{\sqrt{a \cos(c + dx) + ia \sin(c + dx)}} dx = \frac{2i}{d\sqrt{a \cos(c + dx) + ia \sin(c + dx)}}$$

**Mathematica [A]** time = 0.0350954, size = 30, normalized size = 0.97

$$\frac{2i}{d\sqrt{a(\cos(c + dx) + i \sin(c + dx))}}$$

Antiderivative was successfully verified.

[In] Integrate[1/Sqrt[a\*Cos[c + d\*x] + I\*a\*Sin[c + d\*x]],x]

[Out] (2\*I)/(d\*Sqrt[a\*(Cos[c + d\*x] + I\*Sin[c + d\*x])])

**Maple [A]** time = 0.029, size = 28, normalized size = 0.9

$$\frac{2i}{d} \frac{1}{\sqrt{a \cos(dx + c) + ia \sin(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a*cos(d*x+c)+I*a*sin(d*x+c))^(1/2),x)`

[Out] `2*I/d/(a*cos(d*x+c)+I*a*sin(d*x+c))^(1/2)`

**Maxima [B]** time = 1.54175, size = 69, normalized size = 2.23

$$\frac{2i \sqrt{\frac{\sin(dx+c)}{\cos(dx+c)+1} + i}}{\sqrt{ad} \sqrt{-\frac{\sin(dx+c)}{\cos(dx+c)+1} + i}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*cos(d*x+c)+I*a*sin(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] `2*I*sqrt(sin(d*x + c)/(cos(d*x + c) + 1) + I)/(sqrt(a)*d*sqrt(-sin(d*x + c)/(cos(d*x + c) + 1) + I))`

**Fricas [A]** time = 1.94906, size = 57, normalized size = 1.84

$$\frac{2i e^{\left(-\frac{1}{2}i dx - \frac{1}{2}ic\right)}}{\sqrt{ad}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*cos(d*x+c)+I*a*sin(d*x+c))^(1/2),x, algorithm="fricas")`

[Out] `2*I*e^(-1/2*I*d*x - 1/2*I*c)/(sqrt(a)*d)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{ia \sin(c + dx) + a \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*cos(d*x+c)+I*a*sin(d*x+c))**(1/2),x)`

[Out] `Integral(1/sqrt(I*a*sin(c + d*x) + a*cos(c + d*x)), x)`

**Giac [A]** time = 1.70704, size = 50, normalized size = 1.61

$$d \sqrt{\frac{2i}{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - ia}}{\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + i}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a*cos(d*x+c)+I*a*sin(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] 2*I/(d*sqrt(-(a*tan(1/2*d*x + 1/2*c) - I*a)/(tan(1/2*d*x + 1/2*c) + I)))
```

$$3.261 \quad \int \frac{1}{(a \cos(c+dx)+ia \sin(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=33

$$\frac{2i}{3d(a \cos(c+dx) + ia \sin(c+dx))^{3/2}}$$

[Out]  $((2*I)/3)/(d*(a*\text{Cos}[c + d*x] + I*a*\text{Sin}[c + d*x])^{(3/2)})$

**Rubi [A]** time = 0.0161539, antiderivative size = 33, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.042$ , Rules used = {3071}

$$\frac{2i}{3d(a \cos(c+dx) + ia \sin(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a*\text{Cos}[c + d*x] + I*a*\text{Sin}[c + d*x])^{(-3/2)}, x]$

[Out]  $((2*I)/3)/(d*(a*\text{Cos}[c + d*x] + I*a*\text{Sin}[c + d*x])^{(3/2)})$

**Rule 3071**

$\text{Int}[(\cos[(c_.) + (d_.)*(x_)]*(a_.) + (b_.)*\sin[(c_.) + (d_.)*(x_)])^{(n_.)}, x\_Symbol] \rightarrow \text{Simp}[(a*(a*\text{Cos}[c + d*x] + b*\text{Sin}[c + d*x])^n)/(b*d*n), x] /; \text{FreeQ}[\{a, b, c, d, n\}, x] \&\& \text{EqQ}[a^2 + b^2, 0]$

**Rubi steps**

$$\int \frac{1}{(a \cos(c+dx) + ia \sin(c+dx))^{3/2}} dx = \frac{2i}{3d(a \cos(c+dx) + ia \sin(c+dx))^{3/2}}$$

**Mathematica [A]** time = 0.0327103, size = 32, normalized size = 0.97

$$\frac{2i}{3d(a(\cos(c+dx) + i \sin(c+dx)))^{3/2}}$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[(a*\text{Cos}[c + d*x] + I*a*\text{Sin}[c + d*x])^{(-3/2)}, x]$

[Out]  $((2*I)/3)/(d*(a*(\text{Cos}[c + d*x] + I*\text{Sin}[c + d*x]))^{(3/2)})$

**Maple [A]** time = 0.03, size = 28, normalized size = 0.9

$$\frac{2i}{3} (a \cos(dx + c) + ia \sin(dx + c))^{-\frac{3}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a*cos(d*x+c)+I*a*sin(d*x+c))^(3/2),x)`

[Out] `2/3*I/d/(a*cos(d*x+c)+I*a*sin(d*x+c))^(3/2)`

**Maxima [B]** time = 1.62867, size = 69, normalized size = 2.09

$$\frac{2i \left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + i \right)^{\frac{3}{2}}}{3 a^{\frac{3}{2}} d \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + i \right)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*cos(d*x+c)+I*a*sin(d*x+c))^(3/2),x, algorithm="maxima")`

[Out] `2/3*I*(sin(d*x + c)/(cos(d*x + c) + 1) + I)^(3/2)/(a^(3/2)*d*(-sin(d*x + c)/(cos(d*x + c) + 1) + I)^(3/2))`

**Fricas [A]** time = 2.08097, size = 59, normalized size = 1.79

$$\frac{2i e^{\left(-\frac{3}{2}i dx - \frac{3}{2}i c\right)}}{3 a^{\frac{3}{2}} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*cos(d*x+c)+I*a*sin(d*x+c))^(3/2),x, algorithm="fricas")`

[Out] `2/3*I*e^(-3/2*I*d*x - 3/2*I*c)/(a^(3/2)*d)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*cos(d*x+c)+I*a*sin(d*x+c))**(3/2),x)`

[Out] Timed out

**Giac [A]** time = 1.70679, size = 50, normalized size = 1.52

$$\frac{2i}{3 d \left( -\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - i a}{\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + i} \right)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a*cos(d*x+c)+I*a*sin(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] 2/3*I/(d*(-(a*tan(1/2*d*x + 1/2*c) - I*a)/(tan(1/2*d*x + 1/2*c) + I))^(3/2)
)
```

$$3.262 \quad \int \frac{1}{(a \cos(c+dx) + ia \sin(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=33

$$\frac{2i}{5d(a \cos(c + dx) + ia \sin(c + dx))^{5/2}}$$

[Out]  $((2*I)/5)/(d*(a*\text{Cos}[c + d*x] + I*a*\text{Sin}[c + d*x])^{(5/2)})$

**Rubi [A]** time = 0.0163566, antiderivative size = 33, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.042$ , Rules used = {3071}

$$\frac{2i}{5d(a \cos(c + dx) + ia \sin(c + dx))^{5/2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a*\text{Cos}[c + d*x] + I*a*\text{Sin}[c + d*x])^{(-5/2)}, x]$

[Out]  $((2*I)/5)/(d*(a*\text{Cos}[c + d*x] + I*a*\text{Sin}[c + d*x])^{(5/2)})$

**Rule 3071**

$\text{Int}[(\cos[(c_.) + (d_.)*(x_.)]*(a_.) + (b_.)*\sin[(c_.) + (d_.)*(x_.)])^{(n_.)}, x\_Symbol] \rightarrow \text{Simp}[(a*(a*\text{Cos}[c + d*x] + b*\text{Sin}[c + d*x])^n)/(b*d*n), x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \ \&\& \ \text{EqQ}[a^2 + b^2, 0]$

**Rubi steps**

$$\int \frac{1}{(a \cos(c + dx) + ia \sin(c + dx))^{5/2}} dx = \frac{2i}{5d(a \cos(c + dx) + ia \sin(c + dx))^{5/2}}$$

**Mathematica [A]** time = 0.036128, size = 32, normalized size = 0.97

$$\frac{2i}{5d(a(\cos(c + dx) + i \sin(c + dx)))^{5/2}}$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[(a*\text{Cos}[c + d*x] + I*a*\text{Sin}[c + d*x])^{(-5/2)}, x]$

[Out]  $((2*I)/5)/(d*(a*(\text{Cos}[c + d*x] + I*\text{Sin}[c + d*x]))^{(5/2)})$

**Maple [A]** time = 0.029, size = 28, normalized size = 0.9

$$\frac{2i}{5d} (a \cos(dx + c) + ia \sin(dx + c))^{-5/2}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int(1/(a*cos(d*x+c)+I*a*sin(d*x+c))^(5/2),x)`

[Out]  $2/5*I/d/(a*\cos(d*x+c)+I*a*\sin(d*x+c))^{5/2}$

**Maxima [B]** time = 1.58497, size = 69, normalized size = 2.09

$$\frac{2i \left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + i \right)^{\frac{5}{2}}}{5 a^{\frac{5}{2}} d \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + i \right)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*cos(d*x+c)+I*a*sin(d*x+c))^(5/2),x, algorithm="maxima")`

[Out]  $2/5*I*(\sin(d*x + c)/(\cos(d*x + c) + 1) + I)^{5/2}/(a^{5/2}*d*(-\sin(d*x + c)/(\cos(d*x + c) + 1) + I)^{5/2})$

**Fricas [A]** time = 1.92852, size = 59, normalized size = 1.79

$$\frac{2i e^{\left(-\frac{5}{2}i dx - \frac{5}{2}ic\right)}}{5 a^{\frac{5}{2}} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*cos(d*x+c)+I*a*sin(d*x+c))^(5/2),x, algorithm="fricas")`

[Out]  $2/5*I*e^{(-5/2*I*d*x - 5/2*I*c)}/(a^{5/2}*d)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*cos(d*x+c)+I*a*sin(d*x+c))**(5/2),x)`

[Out] Timed out

**Giac [A]** time = 1.79466, size = 50, normalized size = 1.52

$$\frac{2i}{5 d \left( -\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - i a}{\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + i} \right)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a*cos(d*x+c)+I*a*sin(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] 2/5*I/(d*(-(a*tan(1/2*d*x + 1/2*c) - I*a)/(tan(1/2*d*x + 1/2*c) + I))^(5/2)
)
```

### 3.263 $\int (a \sec(x) + b \tan(x))^5 dx$

**Optimal.** Leaf size=149

$$-\frac{1}{8}ab^4\left(7 - \frac{3a^2}{b^2}\right)\sin(x) - \frac{1}{16}(a+b)^3(3a^2 - 9ab + 8b^2)\log(1 - \sin(x)) + \frac{1}{16}(a-b)^3(3a^2 + 9ab + 8b^2)\log(\sin(x) + 1)$$

```
[Out] -((a + b)^3*(3*a^2 - 9*a*b + 8*b^2)*Log[1 - Sin[x]])/16 + ((a - b)^3*(3*a^2
+ 9*a*b + 8*b^2)*Log[1 + Sin[x]])/16 - (a*(7 - (3*a^2)/b^2)*b^4*Sin[x])/8
+ (Sec[x]^4*(b + a*Sin[x])*(a + b*Sin[x])^4)/4 + (Sec[x]^2*(a + b*Sin[x])^2
*(2*b*(a^2 - 2*b^2) + a*(3*a^2 - 5*b^2)*Sin[x]))/8
```

**Rubi [A]** time = 0.211375, antiderivative size = 149, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.636$ , Rules used = {4391, 2668, 739, 819, 774, 633, 31}

$$-\frac{1}{8}ab^4\left(7 - \frac{3a^2}{b^2}\right)\sin(x) - \frac{1}{16}(a+b)^3(3a^2 - 9ab + 8b^2)\log(1 - \sin(x)) + \frac{1}{16}(a-b)^3(3a^2 + 9ab + 8b^2)\log(\sin(x) + 1)$$

Antiderivative was successfully verified.

```
[In] Int[(a*Sec[x] + b*Tan[x])^5,x]
```

```
[Out] -((a + b)^3*(3*a^2 - 9*a*b + 8*b^2)*Log[1 - Sin[x]])/16 + ((a - b)^3*(3*a^2
+ 9*a*b + 8*b^2)*Log[1 + Sin[x]])/16 - (a*(7 - (3*a^2)/b^2)*b^4*Sin[x])/8
+ (Sec[x]^4*(b + a*Sin[x])*(a + b*Sin[x])^4)/4 + (Sec[x]^2*(a + b*Sin[x])^2
*(2*b*(a^2 - 2*b^2) + a*(3*a^2 - 5*b^2)*Sin[x]))/8
```

#### Rule 4391

```
Int[(u_.)*((b_.)*sec[(c_.) + (d_.)*(x_)]^(n_.) + (a_.)*tan[(c_.) + (d_.)*(x_)]^(n_.))^p_, x_Symbol] := Int[ActivateTrig[u]*Sec[c + d*x]^(n*p)*(b + a*Sin[c + d*x]^n)^p, x] /; FreeQ[{a, b, c, d}, x] && IntegersQ[n, p]
```

#### Rule 2668

```
Int[cos[(e_.) + (f_.)*(x_)]^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.), x_Symbol] := Dist[1/(b^p*f), Subst[Int[(a + x)^m*(b^2 - x^2)^((p - 1)/2), x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && NeQ[a^2 - b^2, 0]
```

#### Rule 739

```
Int[((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[
((d + e*x)^(m - 1)*(a*e - c*d*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)), x] +
Dist[1/((p + 1)*(-2*a*c)), Int[(d + e*x)^(m - 2)*Simp[a*e^2*(m - 1) - c*d^2*(2*p + 3) - d*c*e*(m + 2*p + 2)*x, x]*(a + c*x^2)^(p + 1), x], x] /; Free
Q[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] && I
ntQuadraticQ[a, 0, c, d, e, m, p, x]
```

#### Rule 819

```
Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_.) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[
((d + e*x)^(m - 1)*(a + c*x^2)^(p + 1)*(a*(e*f + d*g) - (c*d*f - a*e*g)*x))/(2*a*c*(p + 1)), x] - Dist[1/(2*a*c*(p + 1)), Int[
(d + e*x)^(m - 2)*(a + c*x^2)^(p + 1)*Simp[a*e*(e*f*(m - 1) + d*g*m) - c*d^2*f*(2*p + 3) + e*(a*e*g*m - c*d*f*(m + 2*p + 2))*x, x], x], x] /; FreeQ[{a,
```

```
c, d, e, f, g}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] &&
(EqQ[d, 0] || (EqQ[m, 2] && EqQ[p, -3] && RationalQ[a, c, d, e, f, g]) ||
!LtQ[m + 2*p + 3, 0])
```

### Rule 774

```
Int[(((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_)))/((a_.) + (c_.)*(x_)^2), x_Symbol]
:> Simp[(e*g*x)/c, x] + Dist[1/c, Int[(c*d*f - a*e*g + c*(e*f + d*g)*x
)/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e, f, g}, x]
```

### Rule 633

```
Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := With[{q = Rt[-(
a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x), x], x] + Dist[e/2 - (c
*d)/(2*q), Int[1/(q + c*x), x], x]] /; FreeQ[{a, c, d, e}, x] && NiceSqrtQ[
-(a*c)]
```

### Rule 31

```
Int[((a_) + (b_.)*(x_))^-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

### Rubi steps

$$\begin{aligned}
\int (a \sec(x) + b \tan(x))^5 dx &= \int \sec^5(x)(a + b \sin(x))^5 dx \\
&= b^5 \operatorname{Subst}\left(\int \frac{(a+x)^5}{(b^2-x^2)^3} dx, x, b \sin(x)\right) \\
&= \frac{1}{4} \sec^4(x)(b + a \sin(x))(a + b \sin(x))^4 - \frac{1}{4} b^3 \operatorname{Subst}\left(\int \frac{(a+x)^3(-3a^2+4b^2+ax)}{(b^2-x^2)^2} dx, x, b \sin(x)\right) \\
&= \frac{1}{4} \sec^4(x)(b + a \sin(x))(a + b \sin(x))^4 + \frac{1}{8} \sec^2(x)(a + b \sin(x))^2(2b(a^2 - 2b^2) + a(3a^2 - 5b^2)) \\
&= \frac{1}{8} ab^2(3a^2 - 7b^2) \sin(x) + \frac{1}{4} \sec^4(x)(b + a \sin(x))(a + b \sin(x))^4 + \frac{1}{8} \sec^2(x)(a + b \sin(x))^2(2b(a^2 - 2b^2) + a(3a^2 - 5b^2)) \\
&= \frac{1}{8} ab^2(3a^2 - 7b^2) \sin(x) + \frac{1}{4} \sec^4(x)(b + a \sin(x))(a + b \sin(x))^4 + \frac{1}{8} \sec^2(x)(a + b \sin(x))^2(2b(a^2 - 2b^2) + a(3a^2 - 5b^2)) \\
&= -\frac{1}{16}(a+b)^3(3a^2 - 9ab + 8b^2) \log(1 - \sin(x)) + \frac{1}{16}(a-b)^3(3a^2 + 9ab + 8b^2) \log(1 + \sin(x))
\end{aligned}$$

**Mathematica [B]** time = 1.22735, size = 303, normalized size = 2.03

---


$$-2ab^6(3a^2 + 5b^2) \sin^5(x) + 4b^5(-12a^2b^2 - 9a^4 + b^4) \sin^4(x) - 10ab^4(8a^2b^2 + 9a^4 - b^4) \sin^3(x) + 8b^3(-4a^4b^2 - 2a^2b^4)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a*Sec[x] + b*Tan[x])^5,x]
```

```
[Out] -((a^2 - b^2)^2*((a + b)^3*(3*a^2 - 9*a*b + 8*b^2)*Log[1 - Sin[x]] - (a - b)^3*(3*a^2 + 9*a*b + 8*b^2)*Log[1 + Sin[x]]) - 10*a*b^2*(9*a^6 - 6*a^4*b^2 + 8*a^2*b^4 - 3*b^6)*Sin[x] + 8*b^3*(-15*a^6 - 4*a^4*b^2 - 2*a^2*b^4 + b^6)*Sin[x]^2 - 10*a*b^4*(9*a^4 + 8*a^2*b^2 - b^4)*Sin[x]^3 + 4*b^5*(-9*a^4 - 1
```

$$2a^2b^2 + b^4) \sin[x]^4 - 2ab^6(3a^2 + 5b^2) \sin[x]^5 + 4(-a^2 + b^2) \sec[x]^4(-b + a \sin[x])(a + b \sin[x])^6 + 2 \sec[x]^2(a + b \sin[x])^6 (6a^2b + 2b^3 - 3a^3 \sin[x] - 5ab^2 \sin[x]) / (16(a^2 - b^2)^2)$$

**Maple [A]** time = 0.075, size = 199, normalized size = 1.3

$$\frac{a^5 \tan(x) (\sec(x))^3}{4} + \frac{3a^5 \sec(x) \tan(x)}{8} + \frac{3a^5 \ln(\sec(x) + \tan(x))}{8} + \frac{5a^4b}{4(\cos(x))^4} + \frac{5a^3b^2(\sin(x))^3}{2(\cos(x))^4} + \frac{5a^3b^2(\sin(x))}{4(\cos(x))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*sec(x)+b\*tan(x))^5,x)

[Out] 1/4\*a^5\*tan(x)\*sec(x)^3+3/8\*a^5\*sec(x)\*tan(x)+3/8\*a^5\*ln(sec(x)+tan(x))+5/4\*a^4\*b/cos(x)^4+5/2\*a^3\*b^2\*sin(x)^3/cos(x)^4+5/4\*a^3\*b^2\*sin(x)^3/cos(x)^2+5/4\*sin(x)\*a^3\*b^2-5/4\*a^3\*b^2\*ln(sec(x)+tan(x))+5/2\*a^2\*b^3\*sin(x)^4/cos(x)^4+5/4\*a\*b^4\*sin(x)^5/cos(x)^4-5/8\*a\*b^4\*sin(x)^5/cos(x)^2-5/8\*a\*b^4\*sin(x)^3-15/8\*sin(x)\*a\*b^4+15/8\*a\*b^4\*ln(sec(x)+tan(x))+1/4\*b^5\*tan(x)^4-1/2\*b^5\*tan(x)^2-b^5\*ln(cos(x))

**Maxima [A]** time = 1.10693, size = 275, normalized size = 1.85

$$\frac{5}{2} a^2 b^3 \tan(x)^4 + \frac{5}{16} ab^4 \left( \frac{2(5 \sin(x)^3 - 3 \sin(x))}{\sin(x)^4 - 2 \sin(x)^2 + 1} + 3 \log(\sin(x) + 1) - 3 \log(\sin(x) - 1) \right) - \frac{1}{16} a^5 \left( \frac{2(3 \sin(x)^3 - 5 \sin(x))}{\sin(x)^4 - 2 \sin(x)^2 + 1} + 3 \log(\sin(x) + 1) - 3 \log(\sin(x) - 1) \right) + \frac{5}{8} a^3 b^2 \left( \frac{2(\sin(x)^3 + \sin(x))}{\sin(x)^4 - 2 \sin(x)^2 + 1} - \log(\sin(x) + 1) + \log(\sin(x) - 1) \right) + \frac{1}{4} b^5 \left( \frac{4 \sin(x)^2 - 3}{\sin(x)^4 - 2 \sin(x)^2 + 1} - 2 \log(\sin(x)^2 - 1) \right) + \frac{5}{4} a^4 b / (\sin(x)^2 - 1)^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*sec(x)+b\*tan(x))^5,x, algorithm="maxima")

[Out] 5/2\*a^2\*b^3\*tan(x)^4 + 5/16\*a\*b^4\*(2\*(5\*sin(x)^3 - 3\*sin(x))/(sin(x)^4 - 2\*sin(x)^2 + 1) + 3\*log(sin(x) + 1) - 3\*log(sin(x) - 1)) - 1/16\*a^5\*(2\*(3\*sin(x)^3 - 5\*sin(x))/(sin(x)^4 - 2\*sin(x)^2 + 1) - 3\*log(sin(x) + 1) + 3\*log(sin(x) - 1)) + 5/8\*a^3\*b^2\*(2\*(sin(x)^3 + sin(x))/(sin(x)^4 - 2\*sin(x)^2 + 1) - log(sin(x) + 1) + log(sin(x) - 1)) + 1/4\*b^5\*((4\*sin(x)^2 - 3)/(sin(x)^4 - 2\*sin(x)^2 + 1) - 2\*log(sin(x)^2 - 1)) + 5/4\*a^4\*b/(sin(x)^2 - 1)^2

**Fricas [A]** time = 2.39677, size = 405, normalized size = 2.72

$$\frac{(3a^5 - 10a^3b^2 + 15ab^4 - 8b^5) \cos(x)^4 \log(\sin(x) + 1) - (3a^5 - 10a^3b^2 + 15ab^4 + 8b^5) \cos(x)^4 \log(-\sin(x) + 1) + 20a^4b + 40a^2b^3 + 4b^5 - 16(5a^2b^3 + b^5) \cos(x)^2 + 2(2a^5 + 20a^3b^2 + 10ab^4 + (3a^5 - 10a^3b^2 - 25ab^4) \cos(x)^2) \sin(x)}{\cos(x)^4}$$

16

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*sec(x)+b\*tan(x))^5,x, algorithm="fricas")

[Out] 1/16\*((3\*a^5 - 10\*a^3\*b^2 + 15\*a\*b^4 - 8\*b^5)\*cos(x)^4\*log(sin(x) + 1) - (3\*a^5 - 10\*a^3\*b^2 + 15\*a\*b^4 + 8\*b^5)\*cos(x)^4\*log(-sin(x) + 1) + 20\*a^4\*b + 40\*a^2\*b^3 + 4\*b^5 - 16\*(5\*a^2\*b^3 + b^5)\*cos(x)^2 + 2\*(2\*a^5 + 20\*a^3\*b^2 + 10\*a\*b^4 + (3\*a^5 - 10\*a^3\*b^2 - 25\*a\*b^4)\*cos(x)^2)\*sin(x))/cos(x)^4

---

**Sympy [B]** time = 8.31164, size = 308, normalized size = 2.07

$$-\frac{3a^5 \log(\sin(x) - 1)}{16} + \frac{3a^5 \log(\sin(x) + 1)}{16} - \frac{3a^5 \sin^3(x)}{8 \sin^4(x) - 16 \sin^2(x) + 8} + \frac{5a^5 \sin(x)}{8 \sin^4(x) - 16 \sin^2(x) + 8} + \frac{5a^4 b \sec^4(x)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*sec(x)+b\*tan(x))\*\*5,x)

[Out]  $-3a^{**5} \log(\sin(x) - 1)/16 + 3a^{**5} \log(\sin(x) + 1)/16 - 3a^{**5} \sin(x)^{**3}/(8 \sin(x)^{**4} - 16 \sin(x)^{**2} + 8) + 5a^{**5} \sin(x)/(8 \sin(x)^{**4} - 16 \sin(x)^{**2} + 8) + 5a^{**4} b \sec(x)^{**4}/4 + 5a^{**3} b^{**2} \log(\sin(x) - 1)/8 - 5a^{**3} b^{**2} \log(\sin(x) + 1)/8 + 10a^{**3} b^{**2} \sin(x)^{**3}/(8 \sin(x)^{**4} - 16 \sin(x)^{**2} + 8) + 10a^{**3} b^{**2} \sin(x)/(8 \sin(x)^{**4} - 16 \sin(x)^{**2} + 8) + 5a^{**2} b^{**3} \tan(x)^{**4}/2 - 15a b^{**4} \log(\sin(x) - 1)/16 + 15a b^{**4} \log(\sin(x) + 1)/16 + 25a b^{**4} \sin(x)^{**3}/(8 \sin(x)^{**4} - 16 \sin(x)^{**2} + 8) - 15a b^{**4} \sin(x)/(8 \sin(x)^{**4} - 16 \sin(x)^{**2} + 8) + b^{**5} \log(\sec(x)^{**2})/2 + b^{**5} \sec(x)^{**4}/4 - b^{**5} \sec(x)^{**2}$

---

**Giac [A]** time = 1.11954, size = 240, normalized size = 1.61

$$\frac{1}{16} (3a^5 - 10a^3b^2 + 15ab^4 - 8b^5) \log(\sin(x) + 1) - \frac{1}{16} (3a^5 - 10a^3b^2 + 15ab^4 + 8b^5) \log(-\sin(x) + 1) + \frac{6b^5 \sin(x)^4}{\sin(x)^2 - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*sec(x)+b\*tan(x))^5,x, algorithm="giac")

[Out]  $1/16*(3a^5 - 10a^3b^2 + 15a*b^4 - 8b^5)*\log(\sin(x) + 1) - 1/16*(3a^5 - 10a^3b^2 + 15a*b^4 + 8b^5)*\log(-\sin(x) + 1) + 1/8*(6b^5*\sin(x)^4 - 3a^5*\sin(x)^3 + 10a^3*b^2*\sin(x)^3 + 25a*b^4*\sin(x)^3 + 40a^2*b^3*\sin(x)^2 - 4b^5*\sin(x)^2 + 5a^5*\sin(x) + 10a^3*b^2*\sin(x) - 15a*b^4*\sin(x) + 10a^4*b - 20a^2*b^3)/(\sin(x)^2 - 1)^2$

### 3.264 $\int (a \sec(x) + b \tan(x))^4 dx$

**Optimal.** Leaf size=100

$$\frac{4}{3}ab(a^2 - 2b^2)\cos(x) + \frac{1}{3}b^2(2a^2 - 3b^2)\sin(x)\cos(x) - \frac{1}{3}\sec(x)(a + b\sin(x))^2(ab - (2a^2 - 3b^2)\sin(x)) + \frac{1}{3}\sec^3(x)$$

```
[Out] b^4*x + (4*a*b*(a^2 - 2*b^2)*Cos[x])/3 + (b^2*(2*a^2 - 3*b^2)*Cos[x]*Sin[x])/3 + (Sec[x]^3*(b + a*SIN[x])*(a + b*SIN[x])^3)/3 - (Sec[x]*(a + b*SIN[x])^2*(a*b - (2*a^2 - 3*b^2)*Sin[x]))/3
```

**Rubi [A]** time = 0.196253, antiderivative size = 100, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$ , Rules used = {4391, 2691, 2861, 2734}

$$\frac{4}{3}ab(a^2 - 2b^2)\cos(x) + \frac{1}{3}b^2(2a^2 - 3b^2)\sin(x)\cos(x) - \frac{1}{3}\sec(x)(a + b\sin(x))^2(ab - (2a^2 - 3b^2)\sin(x)) + \frac{1}{3}\sec^3(x)$$

Antiderivative was successfully verified.

```
[In] Int[(a*Sec[x] + b*Tan[x])^4,x]
```

```
[Out] b^4*x + (4*a*b*(a^2 - 2*b^2)*Cos[x])/3 + (b^2*(2*a^2 - 3*b^2)*Cos[x]*Sin[x])/3 + (Sec[x]^3*(b + a*SIN[x])*(a + b*SIN[x])^3)/3 - (Sec[x]*(a + b*SIN[x])^2*(a*b - (2*a^2 - 3*b^2)*Sin[x]))/3
```

#### Rule 4391

```
Int[(u_)*((b_)*sec[(c_) + (d_)*(x_)]^(n_) + (a_)*tan[(c_) + (d_)*(x_)]^(n_))^(p_), x_Symbol] := Int[ActivateTrig[u]*Sec[c + d*x]^(n*p)*(b + a*SIN[c + d*x]^n)^p, x] /; FreeQ[{a, b, c, d}, x] && IntegersQ[n, p]
```

#### Rule 2691

```
Int[(cos[(e_) + (f_)*(x_)]*(g_))^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)]^(m_)), x_Symbol] := -Simp[((g*COS[e + f*x])^(p + 1)*(a + b*SIN[e + f*x])^(m - 1)*(b + a*SIN[e + f*x]))/(f*g*(p + 1)), x] + Dist[1/(g^2*(p + 1)), Int[(g*COS[e + f*x])^(p + 2)*(a + b*SIN[e + f*x])^(m - 2)*(b^2*(m - 1) + a^2*(p + 2) + a*b*(m + p + 1)*SIN[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LtQ[p, -1] && (IntegersQ[2*m, 2*p] || IntegerQ[m])
```

#### Rule 2861

```
Int[(cos[(e_) + (f_)*(x_)]*(g_))^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)]^(m_))*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[((g*COS[e + f*x])^(p + 1)*(a + b*SIN[e + f*x])^m*(d + c*SIN[e + f*x]))/(f*g*(p + 1)), x] + Dist[1/(g^2*(p + 1)), Int[(g*COS[e + f*x])^(p + 2)*(a + b*SIN[e + f*x])^(m - 1)*Simp[a*c*(p + 2) + b*d*m + b*c*(m + p + 2)*SIN[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LtQ[p, -1] && IntegerQ[2*m] && !(EqQ[m, 1] && NeQ[c^2 - d^2, 0]) && SimplerQ[c + d*x, a + b*x]
```

#### Rule 2734

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Simp[((2*a*c + b*d)*x)/2, x] + (-Simp[((b*c + a*d)*Co
```

$s[e + f*x])/f, x] - \text{Simp}[(b*d*\text{Cos}[e + f*x]*\text{Sin}[e + f*x])/(2*f), x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0]$

### Rubi steps

$$\begin{aligned} \int (a \sec(x) + b \tan(x))^4 dx &= \int \sec^4(x)(a + b \sin(x))^4 dx \\ &= \frac{1}{3} \sec^3(x)(b + a \sin(x))(a + b \sin(x))^3 - \frac{1}{3} \int \sec^2(x)(a + b \sin(x))^2 (-2a^2 + 3b^2 + ab \sin(x)) dx \\ &= \frac{1}{3} \sec^3(x)(b + a \sin(x))(a + b \sin(x))^3 - \frac{1}{3} \sec(x)(a + b \sin(x))^2 (ab - (2a^2 - 3b^2) \sin(x)) + \\ &= b^4 x + \frac{4}{3} ab (a^2 - 2b^2) \cos(x) + \frac{1}{3} b^2 (2a^2 - 3b^2) \cos(x) \sin(x) + \frac{1}{3} \sec^3(x)(b + a \sin(x))(a + b \sin(x))^3 \end{aligned}$$

**Mathematica [A]** time = 0.192781, size = 96, normalized size = 0.96

$$\frac{1}{12} \sec^3(x) (18a^2 b^2 \sin(x) - 6a^2 b^2 \sin(3x) + 16a^3 b + 6a^4 \sin(x) + 2a^4 \sin(3x) - 24ab^3 \cos(2x) - 8ab^3 - 4b^4 \sin(3x) + 9b^4)$$

Antiderivative was successfully verified.

[In] Integrate[(a\*Sec[x] + b\*Tan[x])^4, x]

[Out] (Sec[x]^3\*(16\*a^3\*b - 8\*a\*b^3 + 9\*b^4\*x\*Cos[x] - 24\*a\*b^3\*Cos[2\*x] + 3\*b^4\*x\*Cos[3\*x] + 6\*a^4\*Sin[x] + 18\*a^2\*b^2\*Sin[x] + 2\*a^4\*Sin[3\*x] - 6\*a^2\*b^2\*Sin[3\*x] - 4\*b^4\*Sin[3\*x]))/12

**Maple [A]** time = 0.06, size = 96, normalized size = 1.

$$-a^4 \left( -\frac{2}{3} - \frac{(\sec(x))^2}{3} \right) \tan(x) + \frac{4a^3 b}{3(\cos(x))^3} + 2 \frac{a^2 b^2 (\sin(x))^3}{(\cos(x))^3} + 4ab^3 \left( \frac{1}{3} \frac{(\sin(x))^4}{(\cos(x))^3} - \frac{1}{3} \frac{(\sin(x))^4}{\cos(x)} - \frac{1}{3} (2 + (\sin(x))^2) \cos(x) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*sec(x)+b\*tan(x))^4, x)

[Out] -a^4\*(-2/3-1/3\*sec(x)^2)\*tan(x)+4/3\*a^3\*b/cos(x)^3+2\*a^2\*b^2\*sin(x)^3/cos(x)^3+4\*a\*b^3\*(1/3\*sin(x)^4/cos(x)^3-1/3\*sin(x)^4/cos(x)-1/3\*(2+sin(x)^2)\*cos(x))+b^4\*(1/3\*tan(x)^3-tan(x)+x)

**Maxima [A]** time = 1.60153, size = 97, normalized size = 0.97

$$2a^2 b^2 \tan(x)^3 + \frac{1}{3} (\tan(x)^3 + 3 \tan(x)) a^4 + \frac{1}{3} (\tan(x)^3 + 3x - 3 \tan(x)) b^4 - \frac{4(3 \cos(x)^2 - 1) ab^3}{3 \cos(x)^3} + \frac{4a^3 b}{3 \cos(x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*sec(x)+b\*tan(x))^4, x, algorithm="maxima")

[Out] 2\*a^2\*b^2\*tan(x)^3 + 1/3\*(tan(x)^3 + 3\*tan(x))\*a^4 + 1/3\*(tan(x)^3 + 3\*x - 3\*tan(x))\*b^4 - 4/3\*(3\*cos(x)^2 - 1)\*a\*b^3/cos(x)^3 + 4/3\*a^3\*b/cos(x)^3



---

**Fricas [A]** time = 2.18665, size = 196, normalized size = 1.96

$$\frac{3b^4x\cos(x)^3 - 12ab^3\cos(x)^2 + 4a^3b + 4ab^3 + (a^4 + 6a^2b^2 + b^4 + 2(a^4 - 3a^2b^2 - 2b^4)\cos(x)^2)\sin(x)}{3\cos(x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*sec(x)+b\*tan(x))^4,x, algorithm="fricas")

[Out] 1/3\*(3\*b^4\*x\*cos(x)^3 - 12\*a\*b^3\*cos(x)^2 + 4\*a^3\*b + 4\*a\*b^3 + (a^4 + 6\*a^2\*b^2 + b^4 + 2\*(a^4 - 3\*a^2\*b^2 - 2\*b^4)\*cos(x)^2)\*sin(x))/cos(x)^3

---

**Sympy [A]** time = 4.69919, size = 97, normalized size = 0.97

$$\frac{a^4 \tan^3(x)}{3} + a^4 \tan(x) + \frac{4a^3b \sec^3(x)}{3} + 2a^2b^2 \tan^3(x) + \frac{4ab^3 \sec^3(x)}{3} - 4ab^3 \sec(x) + b^4x + \frac{b^4 \sin^3(x)}{3 \cos^3(x)} - \frac{b^4 \sin(x)}{\cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*sec(x)+b\*tan(x))\*\*4,x)

[Out] a\*\*4\*tan(x)\*\*3/3 + a\*\*4\*tan(x) + 4\*a\*\*3\*b\*sec(x)\*\*3/3 + 2\*a\*\*2\*b\*\*2\*tan(x)\*\*3 + 4\*a\*b\*\*3\*sec(x)\*\*3/3 - 4\*a\*b\*\*3\*sec(x) + b\*\*4\*x + b\*\*4\*sin(x)\*\*3/(3\*cos(x)\*\*3) - b\*\*4\*sin(x)/cos(x)

---

**Giac [A]** time = 1.12689, size = 177, normalized size = 1.77

$$b^4x - \frac{2\left(3a^4 \tan\left(\frac{1}{2}x\right)^5 - 3b^4 \tan\left(\frac{1}{2}x\right)^5 + 12a^3b \tan\left(\frac{1}{2}x\right)^4 - 2a^4 \tan\left(\frac{1}{2}x\right)^3 + 24a^2b^2 \tan\left(\frac{1}{2}x\right)^3 + 10b^4 \tan\left(\frac{1}{2}x\right)^3\right)}{3\left(\tan\left(\frac{1}{2}x\right)^2 - 1\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*sec(x)+b\*tan(x))^4,x, algorithm="giac")

[Out] b^4\*x - 2/3\*(3\*a^4\*tan(1/2\*x)^5 - 3\*b^4\*tan(1/2\*x)^5 + 12\*a^3\*b\*tan(1/2\*x)^4 - 2\*a^4\*tan(1/2\*x)^3 + 24\*a^2\*b^2\*tan(1/2\*x)^3 + 10\*b^4\*tan(1/2\*x)^3 + 24\*a\*b^3\*tan(1/2\*x)^2 + 3\*a^4\*tan(1/2\*x) - 3\*b^4\*tan(1/2\*x) + 4\*a^3\*b - 8\*a\*b^3)/(tan(1/2\*x)^2 - 1)^3

### 3.265 $\int (a \sec(x) + b \tan(x))^3 dx$

**Optimal.** Leaf size=75

$$\frac{1}{2}ab^2 \sin(x) + \frac{1}{4}(a+2b)(a-b)^2 \log(\sin(x)+1) - \frac{1}{4}(a-2b)(a+b)^2 \log(1-\sin(x)) + \frac{1}{2} \sec^2(x)(a \sin(x)+b)(a+b \sin(x))$$

[Out]  $-\frac{((a-2b)(a+b)^2 \log[1-\sin[x]])}{4} + \frac{((a-b)^2(a+2b) \log[1+\sin[x]])}{4} + \frac{(a^2 b^2 \sin[x])}{2} + \frac{(\sec[x]^2(b+a \sin[x])(a+b \sin[x]))}{2}$

**Rubi [A]** time = 0.136336, antiderivative size = 75, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.546$ , Rules used = {4391, 2668, 739, 774, 633, 31}

$$\frac{1}{2}ab^2 \sin(x) + \frac{1}{4}(a+2b)(a-b)^2 \log(\sin(x)+1) - \frac{1}{4}(a-2b)(a+b)^2 \log(1-\sin(x)) + \frac{1}{2} \sec^2(x)(a \sin(x)+b)(a+b \sin(x))$$

Antiderivative was successfully verified.

[In] Int[(a\*Sec[x] + b\*Tan[x])^3,x]

[Out]  $-\frac{((a-2b)(a+b)^2 \log[1-\sin[x]])}{4} + \frac{((a-b)^2(a+2b) \log[1+\sin[x]])}{4} + \frac{(a^2 b^2 \sin[x])}{2} + \frac{(\sec[x]^2(b+a \sin[x])(a+b \sin[x]))}{2}$

#### Rule 4391

Int[(u\_)\*((b\_)\*sec[(c\_)+(d\_)\*(x\_)]^(n\_)+(a\_)\*tan[(c\_)+(d\_)\*(x\_)]^(n\_))^(p\_), x\_Symbol] :> Int[ActivateTrig[u]\*Sec[c+d\*x]^(n\*p)\*(b+a\*Sin[c+d\*x]^n)^p, x] /; FreeQ[{a, b, c, d}, x] && IntegersQ[n, p]

#### Rule 2668

Int[cos[(e\_)+(f\_)\*(x\_)]^(p\_)\*((a\_)+(b\_)\*sin[(e\_)+(f\_)\*(x\_)]^(m\_)), x\_Symbol] :> Dist[1/(b^p\*f), Subst[Int[(a+x)^m\*(b^2-x^2)^((p-1)/2), x], x, b\*Sin[e+f\*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p-1)/2] && NeQ[a^2-b^2, 0]

#### Rule 739

Int[((d\_)+(e\_)\*(x\_))^(m\_)\*((a\_)+(c\_)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[((d+e\*x)^(m-1)\*(a\*e-c\*d\*x)\*(a+c\*x^2)^(p+1))/(2\*a\*c\*(p+1)), x] + Dist[1/((p+1)\*(-2\*a\*c)), Int[(d+e\*x)^(m-2)\*Simp[a\*e^2\*(m-1)-c\*d^2\*(2\*p+3)-d\*c\*e\*(m+2\*p+2)\*x, x]\*(a+c\*x^2)^(p+1), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c\*d^2+a\*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] && IntQuadraticQ[a, 0, c, d, e, m, p, x]

#### Rule 774

Int[(((d\_)+(e\_)\*(x\_))\*((f\_)+(g\_)\*(x\_)))/((a\_)+(c\_)\*(x\_)^2), x\_Symbol] :> Simp[(e\*g\*x)/c, x] + Dist[1/c, Int[(c\*d\*f-a\*e\*g+c\*(e\*f+d\*g)\*x)/(a+c\*x^2), x], x] /; FreeQ[{a, c, d, e, f, g}, x]

#### Rule 633

Int[((d\_)+(e\_)\*(x\_))/((a\_)+(c\_)\*(x\_)^2), x\_Symbol] :> With[{q = Rt[-(a\*c), 2]}, Dist[e/2+(c\*d)/(2\*q), Int[1/(-q+c\*x), x], x] + Dist[e/2-(c\*d)/(2\*q), Int[1/(q+c\*x), x], x]] /; FreeQ[{a, c, d, e}, x] && NiceSqrtQ[

-(a\*c)]

### Rule 31

Int[((a\_) + (b\_.)\*(x\_))<sup>(-1)</sup>, x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

### Rubi steps

$$\begin{aligned}
 \int (a \sec(x) + b \tan(x))^3 dx &= \int \sec^3(x)(a + b \sin(x))^3 dx \\
 &= b^3 \operatorname{Subst} \left( \int \frac{(a+x)^3}{(b^2-x^2)^2} dx, x, b \sin(x) \right) \\
 &= \frac{1}{2} \sec^2(x)(b + a \sin(x))(a + b \sin(x))^2 - \frac{1}{2} b \operatorname{Subst} \left( \int \frac{(a+x)(-a^2+2b^2+ax)}{b^2-x^2} dx, x, b \sin(x) \right) \\
 &= \frac{1}{2} ab^2 \sin(x) + \frac{1}{2} \sec^2(x)(b + a \sin(x))(a + b \sin(x))^2 + \frac{1}{2} b \operatorname{Subst} \left( \int \frac{-ab^2 - a(-a^2+2b^2+ax)}{b^2-x^2} dx, x, b \sin(x) \right) \\
 &= \frac{1}{2} ab^2 \sin(x) + \frac{1}{2} \sec^2(x)(b + a \sin(x))(a + b \sin(x))^2 + \frac{1}{4} ((a-2b)(a+b)^2) \operatorname{Subst} \left( \int \frac{1}{b-x} dx, x, b \sin(x) \right) \\
 &= -\frac{1}{4} (a-2b)(a+b)^2 \log(1-\sin(x)) + \frac{1}{4} (a-b)^2 (a+2b) \log(1+\sin(x)) + \frac{1}{2} ab^2 \sin(x) + \frac{1}{2} \sec^2(x)(b + a \sin(x))(a + b \sin(x))^2
 \end{aligned}$$

**Mathematica [A]** time = 0.57476, size = 123, normalized size = 1.64

$$\frac{(4a^2b^3 - 8a^4b + 2b^5) \tan^2(x) + (a^2 - b^2) \left( (a-2b)(a+b)^2 \log(1-\sin(x)) - (a-b)^2(a+2b) \log(\sin(x)+1) \right) - 2a(2a^2b^3 - 8a^4b + 2b^5)}{4(b^2 - a^2)}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*Sec[x] + b\*Tan[x])^3, x]

[Out] ((a^2 - b^2)\*((a - 2\*b)\*(a + b)^2\*Log[1 - Sin[x]] - (a - b)^2\*(a + 2\*b)\*Log[1 + Sin[x]]) + 2\*a^4\*b\*Sec[x]^2 - 2\*a\*(a^4 + 2\*a^2\*b^2 - 3\*b^4)\*Sec[x]\*Tan[x] + (-8\*a^4\*b + 4\*a^2\*b^3 + 2\*b^5)\*Tan[x]^2)/(4\*(-a^2 + b^2))

**Maple [A]** time = 0.063, size = 82, normalized size = 1.1

$$\frac{a^3 \sec(x) \tan(x)}{2} + \frac{a^3 \ln(\sec(x) + \tan(x))}{2} + \frac{3a^2b}{2(\cos(x))^2} + \frac{3ab^2(\sin(x))^3}{2(\cos(x))^2} + \frac{3ab^2 \sin(x)}{2} - \frac{3ab^2 \ln(\sec(x) + \tan(x))}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*sec(x)+b\*tan(x))^3, x)

[Out] 1/2\*a^3\*sec(x)\*tan(x)+1/2\*a^3\*ln(sec(x)+tan(x))+3/2\*a^2\*b/cos(x)^2+3/2\*a\*b^2\*sin(x)^3/cos(x)^2+3/2\*a\*b^2\*sin(x)-3/2\*a\*b^2\*ln(sec(x)+tan(x))+1/2\*b^3\*tan(x)^2+b^3\*ln(cos(x))

**Maxima [A]** time = 1.09997, size = 128, normalized size = 1.71

$$\frac{3}{2} a^2 b \tan(x)^2 - \frac{3}{4} a b^2 \left( \frac{2 \sin(x)}{\sin(x)^2 - 1} + \log(\sin(x) + 1) - \log(\sin(x) - 1) \right) - \frac{1}{4} a^3 \left( \frac{2 \sin(x)}{\sin(x)^2 - 1} - \log(\sin(x) + 1) + \log(\sin(x) - 1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*sec(x)+b\*tan(x))^3,x, algorithm="maxima")

[Out] 3/2\*a^2\*b\*tan(x)^2 - 3/4\*a\*b^2\*(2\*sin(x)/(sin(x)^2 - 1) + log(sin(x) + 1) - log(sin(x) - 1)) - 1/4\*a^3\*(2\*sin(x)/(sin(x)^2 - 1) - log(sin(x) + 1) + log(sin(x) - 1)) - 1/2\*b^3\*(1/(sin(x)^2 - 1) - log(sin(x)^2 - 1))

**Fricas [A]** time = 2.32701, size = 219, normalized size = 2.92

$$\frac{(a^3 - 3ab^2 + 2b^3) \cos(x)^2 \log(\sin(x) + 1) - (a^3 - 3ab^2 - 2b^3) \cos(x)^2 \log(-\sin(x) + 1) + 6a^2b + 2b^3 + 2(a^3 + 3ab^2)}{4 \cos(x)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*sec(x)+b\*tan(x))^3,x, algorithm="fricas")

[Out] 1/4\*((a^3 - 3\*a\*b^2 + 2\*b^3)\*cos(x)^2\*log(sin(x) + 1) - (a^3 - 3\*a\*b^2 - 2\*b^3)\*cos(x)^2\*log(-sin(x) + 1) + 6\*a^2\*b + 2\*b^3 + 2\*(a^3 + 3\*a\*b^2)\*sin(x))/cos(x)^2

**Sympy [A]** time = 5.11831, size = 122, normalized size = 1.63

$$-\frac{a^3 \log(\sin(x) - 1)}{4} + \frac{a^3 \log(\sin(x) + 1)}{4} - \frac{a^3 \sin(x)}{2 \sin^2(x) - 2} + \frac{3a^2 b \sec^2(x)}{2} + \frac{3ab^2 \log(\sin(x) - 1)}{4} - \frac{3ab^2 \log(\sin(x) + 1)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*sec(x)+b\*tan(x))\*\*3,x)

[Out] -a\*\*3\*log(sin(x) - 1)/4 + a\*\*3\*log(sin(x) + 1)/4 - a\*\*3\*sin(x)/(2\*sin(x)\*\*2 - 2) + 3\*a\*\*2\*b\*sec(x)\*\*2/2 + 3\*a\*b\*\*2\*log(sin(x) - 1)/4 - 3\*a\*b\*\*2\*log(sin(x) + 1)/4 - 3\*a\*b\*\*2\*sin(x)/(2\*sin(x)\*\*2 - 2) - b\*\*3\*log(sec(x)\*\*2)/2 + b\*\*3\*sec(x)\*\*2/2

**Giac [A]** time = 1.14916, size = 116, normalized size = 1.55

$$\frac{1}{4} (a^3 - 3ab^2 + 2b^3) \log(\sin(x) + 1) - \frac{1}{4} (a^3 - 3ab^2 - 2b^3) \log(-\sin(x) + 1) - \frac{b^3 \sin(x)^2 + a^3 \sin(x) + 3ab^2 \sin(x) + 2b^3}{2(\sin(x)^2 - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*sec(x)+b\*tan(x))^3,x, algorithm="giac")

[Out] 1/4\*(a^3 - 3\*a\*b^2 + 2\*b^3)\*log(sin(x) + 1) - 1/4\*(a^3 - 3\*a\*b^2 - 2\*b^3)\*log(-sin(x) + 1) - 1/2\*(b^3\*sin(x)^2 + a^3\*sin(x) + 3\*a\*b^2\*sin(x) + 2\*b^3)/(sin(x)^2 - 1)

### 3.266 $\int (a \sec(x) + b \tan(x))^2 dx$

**Optimal.** Leaf size=27

$$ab \cos(x) + \sec(x)(a \sin(x) + b)(a + b \sin(x)) + b^2(-x)$$

[Out]  $-(b^2*x) + a*b*\text{Cos}[x] + \text{Sec}[x]*(b + a*\text{Sin}[x])*(a + b*\text{Sin}[x])$

**Rubi [A]** time = 0.0538816, antiderivative size = 27, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {4391, 2691, 2638}

$$ab \cos(x) + \sec(x)(a \sin(x) + b)(a + b \sin(x)) + b^2(-x)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a*\text{Sec}[x] + b*\text{Tan}[x])^2, x]$

[Out]  $-(b^2*x) + a*b*\text{Cos}[x] + \text{Sec}[x]*(b + a*\text{Sin}[x])*(a + b*\text{Sin}[x])$

#### Rule 4391

$\text{Int}[(u_.)*((b_.)*\text{sec}[(c_.) + (d_.)*(x_)]^{(n_.)} + (a_.)*\text{tan}[(c_.) + (d_.)*(x_)]^{(n_.)})^{(p_.)}, x\_Symbol] := \text{Int}[\text{ActivateTrig}[u]*\text{Sec}[c + d*x]^{(n*p)}*(b + a*\text{Sin}[c + d*x]^{(n)})^{(p)}, x] /; \text{FreeQ}\{a, b, c, d, x\} \ \&\& \ \text{IntegersQ}[n, p]$

#### Rule 2691

$\text{Int}[(\text{cos}[(e_.) + (f_.)*(x_)]*(g_.)^{(p_.)}*((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_)]^{(m_.)})^{(m_.)}, x\_Symbol] := -\text{Simp}[(g*\text{Cos}[e + f*x])^{(p+1)}*(a + b*\text{Sin}[e + f*x])^{(m-1)}*(b + a*\text{Sin}[e + f*x])]/(f*g*(p+1)), x] + \text{Dist}[1/(g^2*(p+1)), \text{Int}[(g*\text{Cos}[e + f*x])^{(p+2)}*(a + b*\text{Sin}[e + f*x])^{(m-2)}*(b^2*(m-1) + a^2*(p+2) + a*b*(m+p+1)*\text{Sin}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, e, f, g, x\} \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[m, 1] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ (\text{IntegersQ}[2*m, 2*p] \ || \ \text{IntegerQ}[m])$

#### Rule 2638

$\text{Int}[\text{sin}[(c_.) + (d_.)*(x_)], x\_Symbol] := -\text{Simp}[\text{Cos}[c + d*x]/d, x] /; \text{FreeQ}\{c, d, x\}$

#### Rubi steps

$$\begin{aligned} \int (a \sec(x) + b \tan(x))^2 dx &= \int \sec^2(x)(a + b \sin(x))^2 dx \\ &= \sec(x)(b + a \sin(x))(a + b \sin(x)) - \int (b^2 + ab \sin(x)) dx \\ &= -b^2x + \sec(x)(b + a \sin(x))(a + b \sin(x)) - (ab) \int \sin(x) dx \\ &= -b^2x + ab \cos(x) + \sec(x)(b + a \sin(x))(a + b \sin(x)) \end{aligned}$$

**Mathematica [A]** time = 0.0425597, size = 25, normalized size = 0.93

$$(a^2 + b^2) \tan(x) + 2ab \sec(x) + b^2 (-\tan^{-1}(\tan(x)))$$

Antiderivative was successfully verified.

[In] Integrate[(a\*Sec[x] + b\*Tan[x])^2,x]

[Out] -(b^2\*ArcTan[Tan[x]]) + 2\*a\*b\*Sec[x] + (a^2 + b^2)\*Tan[x]

**Maple [A]** time = 0.044, size = 26, normalized size = 1.

$$a^2 \tan(x) + 2 \frac{ab}{\cos(x)} + b^2 (\tan(x) - x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*sec(x)+b\*tan(x))^2,x)

[Out] a^2\*tan(x)+2\*a\*b/cos(x)+b^2\*(tan(x)-x)

**Maxima [A]** time = 1.56571, size = 35, normalized size = 1.3

$$-b^2(x - \tan(x)) + a^2 \tan(x) + \frac{2ab}{\cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*sec(x)+b\*tan(x))^2,x, algorithm="maxima")

[Out] -b^2\*(x - tan(x)) + a^2\*tan(x) + 2\*a\*b/cos(x)

**Fricas [A]** time = 2.08211, size = 72, normalized size = 2.67

$$\frac{b^2x \cos(x) - 2ab - (a^2 + b^2) \sin(x)}{\cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*sec(x)+b\*tan(x))^2,x, algorithm="fricas")

[Out] -(b^2\*x\*cos(x) - 2\*a\*b - (a^2 + b^2)\*sin(x))/cos(x)

**Sympy [A]** time = 1.48019, size = 22, normalized size = 0.81

$$a^2 \tan(x) + 2ab \sec(x) + b^2 (-x + \tan(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*sec(x)+b\*tan(x))\*\*2,x)

[Out] a\*\*2\*tan(x) + 2\*a\*b\*sec(x) + b\*\*2\*(-x + tan(x))

---

**Giac [A]** time = 1.14645, size = 54, normalized size = 2.

$$-b^2x - \frac{2\left(a^2 \tan\left(\frac{1}{2}x\right) + b^2 \tan\left(\frac{1}{2}x\right) + 2ab\right)}{\tan\left(\frac{1}{2}x\right)^2 - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*sec(x)+b\*tan(x))^2,x, algorithm="giac")

[Out] -b^2\*x - 2\*(a^2\*tan(1/2\*x) + b^2\*tan(1/2\*x) + 2\*a\*b)/(tan(1/2\*x)^2 - 1)

### 3.267 $\int (a \sec(x) + b \tan(x)) dx$

**Optimal.** Leaf size=12

$$a \tanh^{-1}(\sin(x)) - b \log(\cos(x))$$

[Out] a\*ArcTanh[Sin[x]] - b\*Log[Cos[x]]

**Rubi [A]** time = 0.0074644, antiderivative size = 12, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {3770, 3475}

$$a \tanh^{-1}(\sin(x)) - b \log(\cos(x))$$

Antiderivative was successfully verified.

[In] Int[a\*Sec[x] + b\*Tan[x],x]

[Out] a\*ArcTanh[Sin[x]] - b\*Log[Cos[x]]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rule 3475

Int[tan[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[Log[RemoveContent[Cos[c + d\*x], x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int (a \sec(x) + b \tan(x)) dx &= a \int \sec(x) dx + b \int \tan(x) dx \\ &= a \tanh^{-1}(\sin(x)) - b \log(\cos(x)) \end{aligned}$$

**Mathematica [B]** time = 0.0053123, size = 42, normalized size = 3.5

$$-a \log\left(\cos\left(\frac{x}{2}\right) - \sin\left(\frac{x}{2}\right)\right) + a \log\left(\sin\left(\frac{x}{2}\right) + \cos\left(\frac{x}{2}\right)\right) - b \log(\cos(x))$$

Antiderivative was successfully verified.

[In] Integrate[a\*Sec[x] + b\*Tan[x],x]

[Out] -(b\*Log[Cos[x]]) - a\*Log[Cos[x/2] - Sin[x/2]] + a\*Log[Cos[x/2] + Sin[x/2]]

**Maple [A]** time = 0.002, size = 16, normalized size = 1.3

$$a \ln(\sec(x) + \tan(x)) - b \ln(\cos(x))$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int(a*sec(x)+b*tan(x),x)`

[Out] `a*ln(sec(x)+tan(x))-b*ln(cos(x))`

**Maxima [A]** time = 1.00249, size = 19, normalized size = 1.58

$$a \log(\sec(x) + \tan(x)) + b \log(\sec(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a*sec(x)+b*tan(x),x, algorithm="maxima")`

[Out] `a*log(sec(x) + tan(x)) + b*log(sec(x))`

**Fricas [B]** time = 2.23704, size = 81, normalized size = 6.75

$$\frac{1}{2}(a-b)\log(\sin(x)+1) - \frac{1}{2}(a+b)\log(-\sin(x)+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a*sec(x)+b*tan(x),x, algorithm="fricas")`

[Out] `1/2*(a - b)*log(sin(x) + 1) - 1/2*(a + b)*log(-sin(x) + 1)`

**Sympy [A]** time = 0.107771, size = 24, normalized size = 2.

$$a\left(-\frac{\log(\sin(x)-1)}{2} + \frac{\log(\sin(x)+1)}{2}\right) - b \log(\cos(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a*sec(x)+b*tan(x),x)`

[Out] `a*(-log(sin(x) - 1)/2 + log(sin(x) + 1)/2) - b*log(cos(x))`

**Giac [B]** time = 1.14809, size = 46, normalized size = 3.83

$$\frac{1}{4}a\left(\log\left(\left|\frac{1}{\sin(x)} + \sin(x) + 2\right|\right) - \log\left(\left|\frac{1}{\sin(x)} + \sin(x) - 2\right|\right)\right) - b \log(|\cos(x)|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a*sec(x)+b*tan(x),x, algorithm="giac")`

[Out] `1/4*a*(log(abs(1/sin(x) + sin(x) + 2)) - log(abs(1/sin(x) + sin(x) - 2))) - b*log(abs(cos(x)))`

$$3.268 \quad \int \frac{1}{a \sec(x) + b \tan(x)} dx$$

**Optimal.** Leaf size=11

$$\frac{\log(a + b \sin(x))}{b}$$

[Out] Log[a + b\*Sin[x]]/b

**Rubi [A]** time = 0.0342235, antiderivative size = 11, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {3159, 2668, 31}

$$\frac{\log(a + b \sin(x))}{b}$$

Antiderivative was successfully verified.

[In] Int[(a\*Sec[x] + b\*Tan[x])^(-1), x]

[Out] Log[a + b\*Sin[x]]/b

#### Rule 3159

Int[((a\_.) + (b\_.)\*sec[(d\_.) + (e\_.)\*(x\_)]) + (c\_.)\*tan[(d\_.) + (e\_.)\*(x\_)])^(-1), x\_Symbol] :> Int[Cos[d + e\*x]/(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x]), x] /; FreeQ[{a, b, c, d, e}, x]

#### Rule 2668

Int[cos[(e\_.) + (f\_.)\*(x\_)]^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.), x\_Symbol] :> Dist[1/(b^p\*f), Subst[Int[(a + x)^m\*(b^2 - x^2)^((p - 1)/2), x], x, b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && NeQ[a^2 - b^2, 0]

#### Rule 31

Int[((a\_.) + (b\_.)\*(x\_))^(p\_.), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{1}{a \sec(x) + b \tan(x)} dx &= \int \frac{\cos(x)}{a + b \sin(x)} dx \\ &= \frac{\text{Subst}\left(\int \frac{1}{a+x} dx, x, b \sin(x)\right)}{b} \\ &= \frac{\log(a + b \sin(x))}{b} \end{aligned}$$

**Mathematica [A]** time = 0.0064317, size = 11, normalized size = 1.

$$\frac{\log(a + b \sin(x))}{b}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*Sec[x] + b\*Tan[x])^(-1),x]

[Out] Log[a + b\*Sin[x]]/b

**Maple [A]** time = 0.048, size = 12, normalized size = 1.1

$$\frac{\ln(a + b \sin(x))}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a\*sec(x)+b\*tan(x)),x)

[Out] ln(a+b\*sin(x))/b

**Maxima [B]** time = 1.53328, size = 68, normalized size = 6.18

$$\frac{\log\left(a + \frac{2b \sin(x)}{\cos(x)+1} + \frac{a \sin(x)^2}{(\cos(x)+1)^2}\right)}{b} - \frac{\log\left(\frac{\sin(x)^2}{(\cos(x)+1)^2} + 1\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*sec(x)+b\*tan(x)),x, algorithm="maxima")

[Out] log(a + 2\*b\*sin(x)/(cos(x) + 1) + a\*sin(x)^2/(cos(x) + 1)^2)/b - log(sin(x)^2/(cos(x) + 1)^2 + 1)/b

**Fricas [A]** time = 2.28446, size = 28, normalized size = 2.55

$$\frac{\log(b \sin(x) + a)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*sec(x)+b\*tan(x)),x, algorithm="fricas")

[Out] log(b\*sin(x) + a)/b

**Sympy [A]** time = 0.59975, size = 32, normalized size = 2.91

$$\begin{cases} \frac{\log\left(\frac{a \sec(x)}{b} + \tan(x)\right)}{b} - \frac{\log(\tan^2(x)+1)}{2b} & \text{for } b \neq 0 \\ \frac{\tan(x)}{a \sec(x)} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*sec(x)+b\*tan(x)),x)

```
[Out] Piecewise((log(a*sec(x)/b + tan(x))/b - log(tan(x)**2 + 1)/(2*b), Ne(b, 0))
, (tan(x)/(a*sec(x)), True))
```

---

**Giac [A]** time = 1.13482, size = 16, normalized size = 1.45

$$\frac{\log(|b \sin(x) + a|)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a*sec(x)+b*tan(x)),x, algorithm="giac")
```

```
[Out] log(abs(b*sin(x) + a))/b
```

$$3.269 \quad \int \frac{1}{(a \sec(x) + b \tan(x))^2} dx$$

**Optimal.** Leaf size=66

$$\frac{2a \tan^{-1}\left(\frac{a \tan\left(\frac{x}{2}\right) + b}{\sqrt{a^2 - b^2}}\right)}{b^2 \sqrt{a^2 - b^2}} - \frac{\cos(x)}{b(a + b \sin(x))} - \frac{x}{b^2}$$

[Out]  $-(x/b^2) + (2*a*ArcTan[(b + a*Tan[x/2])/Sqrt[a^2 - b^2]])/(b^2*Sqrt[a^2 - b^2]) - Cos[x]/(b*(a + b*Sin[x]))$

**Rubi [A]** time = 0.133339, antiderivative size = 66, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.546$ , Rules used = {4391, 2693, 2735, 2660, 618, 204}

$$\frac{2a \tan^{-1}\left(\frac{a \tan\left(\frac{x}{2}\right) + b}{\sqrt{a^2 - b^2}}\right)}{b^2 \sqrt{a^2 - b^2}} - \frac{\cos(x)}{b(a + b \sin(x))} - \frac{x}{b^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a*\text{Sec}[x] + b*\text{Tan}[x])^{(-2)}, x]$

[Out]  $-(x/b^2) + (2*a*ArcTan[(b + a*Tan[x/2])/Sqrt[a^2 - b^2]])/(b^2*Sqrt[a^2 - b^2]) - Cos[x]/(b*(a + b*Sin[x]))$

#### Rule 4391

$\text{Int}[(u_.)*((b_.)*\text{sec}[(c_.) + (d_.)*(x_.)]^{(n_.)} + (a_.)*\text{tan}[(c_.) + (d_.)*(x_.)]^{(n_.)})^{(p_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ActivateTrig}[u]*\text{Sec}[c + d*x]^{(n*p)}*(b + a*\text{Sin}[c + d*x]^{n})^{p}, x] /;$  FreeQ[{a, b, c, d}, x] && IntegersQ[n, p]

#### Rule 2693

$\text{Int}[(\cos[(e_.) + (f_.)*(x_.)]*(g_.))^{(p_.)}*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}, x\_Symbol] \rightarrow \text{Simp}[(g*(g*\text{Cos}[e + f*x])^{(p-1)}*(a + b*\text{Sin}[e + f*x])^{(m+1)})/(b*f*(m+1)), x] + \text{Dist}[(g^2*(p-1))/(b*(m+1)), \text{Int}[(g*\text{Cos}[e + f*x])^{(p-2)}*(a + b*\text{Sin}[e + f*x])^{(m+1)}*\text{Sin}[e + f*x], x], x] /;$  FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[p, 1] && IntegersQ[2\*m, 2\*p]

#### Rule 2735

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)] / ((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x\_Symbol] \rightarrow \text{Simp}[(b*x)/d, x] - \text{Dist}[(b*c - a*d)/d, \text{Int}[1/(c + d*\text{Sin}[e + f*x]), x], x] /;$  FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2660

$\text{Int}[(a_.) + (b_.)*\sin[(c_.) + (d_.)*(x_.)]^{(-1)}, x\_Symbol] \rightarrow \text{With}[\{e = \text{FreeFactors}[\text{Tan}[(c + d*x)/2], x]\}, \text{Dist}[(2*e)/d, \text{Subst}[\text{Int}[1/(a + 2*b*e*x + a*e^2*x^2), x], x, \text{Tan}[(c + d*x)/2]/e], x] /;$  FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

**Rule 204**

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

**Rubi steps**

$$\int \frac{1}{(a \sec(x) + b \tan(x))^2} dx = \int \frac{\cos^2(x)}{(a + b \sin(x))^2} dx$$

$$= -\frac{\cos(x)}{b(a + b \sin(x))} - \frac{\int \frac{\sin(x)}{a + b \sin(x)} dx}{b}$$

$$= -\frac{x}{b^2} - \frac{\cos(x)}{b(a + b \sin(x))} + \frac{a \int \frac{1}{a + b \sin(x)} dx}{b^2}$$

$$= -\frac{x}{b^2} - \frac{\cos(x)}{b(a + b \sin(x))} + \frac{(2a) \text{Subst}\left(\int \frac{1}{a + 2bx + ax^2} dx, x, \tan\left(\frac{x}{2}\right)\right)}{b^2}$$

$$= -\frac{x}{b^2} - \frac{\cos(x)}{b(a + b \sin(x))} - \frac{(4a) \text{Subst}\left(\int \frac{1}{-4(a^2 - b^2) - x^2} dx, x, 2b + 2a \tan\left(\frac{x}{2}\right)\right)}{b^2}$$

$$= -\frac{x}{b^2} + \frac{2a \tan^{-1}\left(\frac{b + a \tan\left(\frac{x}{2}\right)}{\sqrt{a^2 - b^2}}\right)}{b^2 \sqrt{a^2 - b^2}} - \frac{\cos(x)}{b(a + b \sin(x))}$$

**Mathematica [B]** time = 3.75459, size = 422, normalized size = 6.39

$$\frac{\cos(x) \left( \sqrt{a+b} \left( \sqrt{a-b} \sqrt{1-\sin(x)} \left( b(b^2-a^2) \sqrt{\frac{b(\sin(x)+1)}{b-a}} \sqrt{\frac{b-b\sin(x)}{a+b}} + 2a \left( a\sqrt{-b^2} + \sqrt{-b} b^{3/2} \sin(x) \right) \tan^{-1} \left( \frac{\sqrt{b} \sqrt{\frac{b(\sin(x)+1)}{b-a}}}{\sqrt{-b} \sqrt{\frac{b-b\sin(x)}{a+b}}} \right) \right) \right)}{b^2(a-b)^{3/2}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a*Sec[x] + b*Tan[x])^(-2), x]
```

```
[Out] (Cos[x]*(-2*a*(a - b)*b*ArcTanh[(Sqrt[a - b]*Sqrt[-((b*(1 + Sin[x]))/(a - b))])]/(Sqrt[a + b]*Sqrt[-((b*(-1 + Sin[x]))/(a + b))]))*Sqrt[1 - Sin[x]]*(a + b*Sin[x]) + Sqrt[a + b]*(2*ArcSinh[(Sqrt[a - b]*Sqrt[-((b*(1 + Sin[x]))/(a - b))])]/(Sqrt[2]*Sqrt[b]))*Sqrt[(b - b*Sin[x])/(a + b)]*(a*b^(5/2) + a^2*Sqrt[-b]*Sqrt[-b^2] - a*b^(5/2)*Sin[x] + (-b)^(3/2)*b*Sqrt[-b^2]*Sin[x]) + Sqrt[a - b]*Sqrt[1 - Sin[x]]*(b*(-a^2 + b^2)*Sqrt[(b*(1 + Sin[x]))/(-a + b)]*Sqrt[(b - b*Sin[x])/(a + b)] + 2*a*ArcTan[(Sqrt[b]*Sqrt[(b*(1 + Sin[x]))/(-a + b))]/(Sqrt[-b]*Sqrt[(b - b*Sin[x])/(a + b)])]*(a*Sqrt[-b^2] + Sqrt[-b]*b^(3/2)*Sin[x])))/((a - b)^(3/2)*b^2*(a + b)^(3/2)*Sqrt[1 - Sin[x]]*Sqrt[-((b*(1 + Sin[x]))/(a - b))]*Sqrt[(b - b*Sin[x])/(a + b)]*(a + b*Sin[x]))
```

**Maple [A]** time = 0.079, size = 106, normalized size = 1.6

$$-2 \frac{\tan(x/2)}{(a(\tan(x/2))^2 + 2b \tan(x/2) + a)a} - 2 \frac{1}{b(a(\tan(x/2))^2 + 2b \tan(x/2) + a)} + 2 \frac{a}{b^2 \sqrt{a^2 - b^2}} \arctan\left(\frac{1}{2} \frac{2a \tan(x/2)}{\sqrt{a^2 - b^2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a*sec(x)+b*tan(x))^2,x)`

[Out] 
$$-2/(a*\tan(1/2*x)^2+2*b*\tan(1/2*x)+a)/a*\tan(1/2*x)-2/b/(a*\tan(1/2*x)^2+2*b*\tan(1/2*x)+a)+2/b^2*a/(a^2-b^2)^{(1/2)}*\arctan(1/2*(2*a*\tan(1/2*x)+2*b)/(a^2-b^2)^{(1/2)})-2/b^2*\arctan(\tan(1/2*x))$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*sec(x)+b*tan(x))^2,x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.39972, size = 687, normalized size = 10.41

$$\left[ \frac{2(a^2b - b^3)x \sin(x) + (ab \sin(x) + a^2)\sqrt{-a^2 + b^2} \log\left(\frac{(2a^2 - b^2)\cos(x)^2 - 2ab \sin(x) - a^2 - b^2 + 2(a \cos(x)\sin(x) + b \cos(x))\sqrt{-a^2 + b^2}}{b^2 \cos(x)^2 - 2ab \sin(x) - a^2 - b^2}\right)}{2(a^3b^2 - ab^4 + (a^2b^3 - b^5)\sin(x))} \right] +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*sec(x)+b*tan(x))^2,x, algorithm="fricas")`

[Out] 
$$\left[-\frac{1}{2}*(2*(a^2*b - b^3)*x*\sin(x) + (a*b*\sin(x) + a^2)*\sqrt{-a^2 + b^2}*\log\left(\frac{(2*a^2 - b^2)*\cos(x)^2 - 2*a*b*\sin(x) - a^2 - b^2 + 2*(a*\cos(x)*\sin(x) + b*\cos(x))*\sqrt{-a^2 + b^2}}{b^2*\cos(x)^2 - 2*a*b*\sin(x) - a^2 - b^2}\right) + 2*(a^3 - a*b^2)*x + 2*(a^2*b - b^3)*\cos(x))/(a^3*b^2 - a*b^4 + (a^2*b^3 - b^5)*\sin(x)), -((a^2*b - b^3)*x*\sin(x) + (a*b*\sin(x) + a^2)*\sqrt{a^2 - b^2}*\arctan(-(a*\sin(x) + b)/(\sqrt{a^2 - b^2}*\cos(x)))) + (a^3 - a*b^2)*x + (a^2*b - b^3)*\cos(x))/(a^3*b^2 - a*b^4 + (a^2*b^3 - b^5)*\sin(x))\right]$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(a \sec(x) + b \tan(x))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*sec(x)+b*tan(x))**2,x)`

[Out] `Integral((a*sec(x) + b*tan(x))**(-2), x)`

**Giac [A]** time = 1.14163, size = 127, normalized size = 1.92

$$\frac{2 \left( \pi \left\lfloor \frac{x}{2\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(a) + \arctan \left( \frac{a \tan\left(\frac{1}{2}x\right) + b}{\sqrt{a^2 - b^2}} \right) \right) a}{\sqrt{a^2 - b^2} b^2} - \frac{x}{b^2} - \frac{2 \left( b \tan\left(\frac{1}{2}x\right) + a \right)}{\left( a \tan\left(\frac{1}{2}x\right)^2 + 2 b \tan\left(\frac{1}{2}x\right) + a \right) a b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*sec(x)+b\*tan(x))^2,x, algorithm="giac")

[Out] 2\*(pi\*floor(1/2\*x/pi + 1/2)\*sgn(a) + arctan((a\*tan(1/2\*x) + b)/sqrt(a^2 - b^2)))\*a/(sqrt(a^2 - b^2)\*b^2) - x/b^2 - 2\*(b\*tan(1/2\*x) + a)/((a\*tan(1/2\*x)^2 + 2\*b\*tan(1/2\*x) + a)\*a\*b)



$$3.270 \quad \int \frac{1}{(a \sec(x) + b \tan(x))^3} dx$$

**Optimal.** Leaf size=51

$$\frac{a^2 - b^2}{2b^3(a + b \sin(x))^2} - \frac{2a}{b^3(a + b \sin(x))} - \frac{\log(a + b \sin(x))}{b^3}$$

[Out]  $-(\text{Log}[a + b*\text{Sin}[x]]/b^3) + (a^2 - b^2)/(2*b^3*(a + b*\text{Sin}[x])^2) - (2*a)/(b^3*(a + b*\text{Sin}[x]))$

**Rubi [A]** time = 0.0751398, antiderivative size = 51, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {4391, 2668, 697}

$$\frac{a^2 - b^2}{2b^3(a + b \sin(x))^2} - \frac{2a}{b^3(a + b \sin(x))} - \frac{\log(a + b \sin(x))}{b^3}$$

Antiderivative was successfully verified.

[In] Int[(a\*Sec[x] + b\*Tan[x])^(-3), x]

[Out]  $-(\text{Log}[a + b*\text{Sin}[x]]/b^3) + (a^2 - b^2)/(2*b^3*(a + b*\text{Sin}[x])^2) - (2*a)/(b^3*(a + b*\text{Sin}[x]))$

#### Rule 4391

Int[(u\_)\*((b\_)\*sec[(c\_) + (d\_)\*(x\_)]^(n\_) + (a\_)\*tan[(c\_) + (d\_)\*(x\_)]^(n\_))^(p\_), x\_Symbol] := Int[ActivateTrig[u]\*Sec[c + d\*x]^(n\*p)\*(b + a\*Sin[c + d\*x]^n)^p, x] /; FreeQ[{a, b, c, d}, x] && IntegersQ[n, p]

#### Rule 2668

Int[cos[(e\_) + (f\_)\*(x\_)]^(p\_)\*((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_), x\_Symbol] := Dist[1/(b^p\*f), Subst[Int[(a + x)^m\*(b^2 - x^2)^((p - 1)/2), x], x, b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && NeQ[a^2 - b^2, 0]

#### Rule 697

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x)^m\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c\*d^2 + a\*e^2, 0] && IGtQ[p, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{1}{(a \sec(x) + b \tan(x))^3} dx &= \int \frac{\cos^3(x)}{(a + b \sin(x))^3} dx \\ &= \frac{\text{Subst}\left(\int \frac{b^2 - x^2}{(a+x)^3} dx, x, b \sin(x)\right)}{b^3} \\ &= \frac{\text{Subst}\left(\int \left(\frac{1}{-a-x} + \frac{-a^2+b^2}{(a+x)^3} + \frac{2a}{(a+x)^2}\right) dx, x, b \sin(x)\right)}{b^3} \\ &= -\frac{\log(a + b \sin(x))}{b^3} + \frac{a^2 - b^2}{2b^3(a + b \sin(x))^2} - \frac{2a}{b^3(a + b \sin(x))} \end{aligned}$$

**Mathematica [A]** time = 0.165935, size = 40, normalized size = 0.78

$$\frac{\frac{3a^2+4ab\sin(x)+b^2}{2(a+b\sin(x))^2} + \log(a+b\sin(x))}{b^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*Sec[x] + b\*Tan[x])^(-3),x]

[Out] -((Log[a + b\*Sin[x]] + (3\*a^2 + b^2 + 4\*a\*b\*Sin[x])/(2\*(a + b\*Sin[x])^2))/b^3)

**Maple [A]** time = 0.085, size = 57, normalized size = 1.1

$$-\frac{\ln(a+b\sin(x))}{b^3} - 2\frac{a}{b^3(a+b\sin(x))} + \frac{a^2}{2b^3(a+b\sin(x))^2} - \frac{1}{2b(a+b\sin(x))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a\*sec(x)+b\*tan(x))^3,x)

[Out] -ln(a+b\*sin(x))/b^3-2\*a/b^3/(a+b\*sin(x))+1/2/b^3/(a+b\*sin(x))^2\*a^2-1/2/b/(a+b\*sin(x))^2

**Maxima [B]** time = 1.56461, size = 271, normalized size = 5.31

$$\frac{2\left(\frac{(a^3+ab^2)\sin(x)}{\cos(x)+1} + \frac{(3a^2b+b^3)\sin(x)^2}{(\cos(x)+1)^2} + \frac{(a^3+ab^2)\sin(x)^3}{(\cos(x)+1)^3}\right)}{a^4b^2 + \frac{4a^3b^3\sin(x)}{\cos(x)+1} + \frac{4a^3b^3\sin(x)^3}{(\cos(x)+1)^3} + \frac{a^4b^2\sin(x)^4}{(\cos(x)+1)^4} + \frac{2(a^4b^2+2a^2b^4)\sin(x)^2}{(\cos(x)+1)^2}} - \frac{\log\left(a + \frac{2b\sin(x)}{\cos(x)+1} + \frac{a\sin(x)^2}{(\cos(x)+1)^2}\right)}{b^3} + \frac{\log\left(\frac{\sin(x)^2}{(\cos(x)+1)^2} + 1\right)}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*sec(x)+b\*tan(x))^3,x, algorithm="maxima")

[Out] 2\*((a^3 + a\*b^2)\*sin(x)/(cos(x) + 1) + (3\*a^2\*b + b^3)\*sin(x)^2/(cos(x) + 1)^2 + (a^3 + a\*b^2)\*sin(x)^3/(cos(x) + 1)^3)/(a^4\*b^2 + 4\*a^3\*b^3\*sin(x)/(cos(x) + 1) + 4\*a^3\*b^3\*sin(x)^3/(cos(x) + 1)^3 + a^4\*b^2\*sin(x)^4/(cos(x) + 1)^4 + 2\*(a^4\*b^2 + 2\*a^2\*b^4)\*sin(x)^2/(cos(x) + 1)^2) - log(a + 2\*b\*sin(x)/(cos(x) + 1) + a\*sin(x)^2/(cos(x) + 1)^2)/b^3 + log(sin(x)^2/(cos(x) + 1)^2 + 1)/b^3

**Fricas [A]** time = 2.44208, size = 197, normalized size = 3.86

$$\frac{4ab\sin(x) + 3a^2 + b^2 - 2(b^2\cos(x)^2 - 2ab\sin(x) - a^2 - b^2)\log(b\sin(x) + a)}{2(b^5\cos(x)^2 - 2ab^4\sin(x) - a^2b^3 - b^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*sec(x)+b\*tan(x))^3,x, algorithm="fricas")

[Out]  $\frac{1}{2} \cdot (4ab \sin(x) + 3a^2 + b^2 - 2(b^2 \cos(x))^2 - 2ab \sin(x) - a^2 - b^2) \cdot \log(b \sin(x) + a) / (b^5 \cos(x)^2 - 2ab^4 \sin(x) - a^2 b^3 - b^5)$

**Sympy [A]** time = 4.61103, size = 508, normalized size = 9.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*sec(x)+b*tan(x))**3,x)`

[Out] `Piecewise((-2*a**2*log(a*sec(x)/b + tan(x))*sec(x)**2/(2*a**2*b**3*sec(x)**2 + 4*a*b**4*tan(x)*sec(x) + 2*b**5*tan(x)**2) + a**2*log(tan(x)**2 + 1)*sec(x)**2/(2*a**2*b**3*sec(x)**2 + 4*a*b**4*tan(x)*sec(x) + 2*b**5*tan(x)**2) - 4*a*b*log(a*sec(x)/b + tan(x))*tan(x)*sec(x)/(2*a**2*b**3*sec(x)**2 + 4*a*b**4*tan(x)*sec(x) + 2*b**5*tan(x)**2) + 2*a*b*log(tan(x)**2 + 1)*tan(x)*sec(x)/(2*a**2*b**3*sec(x)**2 + 4*a*b**4*tan(x)*sec(x) + 2*b**5*tan(x)**2) + 2*a*b*tan(x)*sec(x)/(2*a**2*b**3*sec(x)**2 + 4*a*b**4*tan(x)*sec(x) + 2*b**5*tan(x)**2) - 2*b**2*log(a*sec(x)/b + tan(x))*tan(x)**2/(2*a**2*b**3*sec(x)**2 + 4*a*b**4*tan(x)*sec(x) + 2*b**5*tan(x)**2) + b**2*log(tan(x)**2 + 1)*tan(x)**2/(2*a**2*b**3*sec(x)**2 + 4*a*b**4*tan(x)*sec(x) + 2*b**5*tan(x)**2) + 2*b**2*tan(x)**2/(2*a**2*b**3*sec(x)**2 + 4*a*b**4*tan(x)*sec(x) + 2*b**5*tan(x)**2) - b**2/(2*a**2*b**3*sec(x)**2 + 4*a*b**4*tan(x)*sec(x) + 2*b**5*tan(x)**2), Ne(b, 0)), ((2*tan(x)**3/(3*sec(x)**3) + tan(x)/sec(x)**3)/a**3, True))`

**Giac [A]** time = 1.15079, size = 58, normalized size = 1.14

$$-\frac{\log(|b \sin(x) + a|)}{b^3} + \frac{3b \sin(x)^2 + 2a \sin(x) - b}{2(b \sin(x) + a)^2 b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*sec(x)+b*tan(x))^3,x, algorithm="giac")`

[Out]  $-\log(\text{abs}(b \sin(x) + a))/b^3 + 1/2 \cdot (3b \sin(x)^2 + 2a \sin(x) - b) / ((b \sin(x) + a)^2 b^2)$

$$3.271 \quad \int \frac{1}{(a \sec(x) + b \tan(x))^4} dx$$

**Optimal.** Leaf size=156

$$-\frac{a(2a^2 - 3b^2) \tan^{-1}\left(\frac{a \tan\left(\frac{x}{2}\right) + b}{\sqrt{a^2 - b^2}}\right)}{b^4(a^2 - b^2)^{3/2}} + \frac{a \cos^3(x)}{2b(a^2 - b^2)(a + b \sin(x))^2} + \frac{\cos(x)(2(a^2 - b^2) + ab \sin(x))}{2b^3(a^2 - b^2)(a + b \sin(x))} - \frac{\cos^3(x)}{3b(a + b \sin(x))^3} + \dots$$

[Out] x/b^4 - (a\*(2\*a^2 - 3\*b^2)\*ArcTan[(b + a\*Tan[x/2])/Sqrt[a^2 - b^2]])/(b^4\*(a^2 - b^2)^(3/2)) - Cos[x]^3/(3\*b\*(a + b\*Sin[x])^3) + (a\*Cos[x]^3)/(2\*b\*(a^2 - b^2)\*(a + b\*Sin[x])^2) + (Cos[x]\*(2\*(a^2 - b^2) + a\*b\*Sin[x]))/(2\*b^3\*(a^2 - b^2)\*(a + b\*Sin[x]))

**Rubi [A]** time = 0.336986, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.727$ , Rules used = {4391, 2693, 2864, 2863, 2735, 2660, 618, 204}

$$-\frac{a(2a^2 - 3b^2) \tan^{-1}\left(\frac{a \tan\left(\frac{x}{2}\right) + b}{\sqrt{a^2 - b^2}}\right)}{b^4(a^2 - b^2)^{3/2}} + \frac{a \cos^3(x)}{2b(a^2 - b^2)(a + b \sin(x))^2} + \frac{\cos(x)(2(a^2 - b^2) + ab \sin(x))}{2b^3(a^2 - b^2)(a + b \sin(x))} - \frac{\cos^3(x)}{3b(a + b \sin(x))^3} + \dots$$

Antiderivative was successfully verified.

[In] Int[(a\*Sec[x] + b\*Tan[x])^(-4), x]

[Out] x/b^4 - (a\*(2\*a^2 - 3\*b^2)\*ArcTan[(b + a\*Tan[x/2])/Sqrt[a^2 - b^2]])/(b^4\*(a^2 - b^2)^(3/2)) - Cos[x]^3/(3\*b\*(a + b\*Sin[x])^3) + (a\*Cos[x]^3)/(2\*b\*(a^2 - b^2)\*(a + b\*Sin[x])^2) + (Cos[x]\*(2\*(a^2 - b^2) + a\*b\*Sin[x]))/(2\*b^3\*(a^2 - b^2)\*(a + b\*Sin[x]))

#### Rule 4391

Int[(u\_.)\*((b\_.)\*sec[(c\_.) + (d\_.)\*(x\_)]^(n\_.) + (a\_.)\*tan[(c\_.) + (d\_.)\*(x\_)]^(n\_.))^(p\_), x\_Symbol] := Int[ActivateTrig[u]\*Sec[c + d\*x]^(n\*p)\*(b + a\*Sin[c + d\*x]^n)^p, x] /; FreeQ[{a, b, c, d}, x] && IntegersQ[n, p]

#### Rule 2693

Int[(cos[(e\_.) + (f\_.)\*(x\_)]\*(g\_.))^(p\_)\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_)), x\_Symbol] := Simp[(g\*(g\*Cos[e + f\*x])^(p-1)\*(a + b\*Sin[e + f\*x])^(m+1))/(b\*f\*(m+1)), x] + Dist[(g^2\*(p-1))/(b\*(m+1)), Int[(g\*Cos[e + f\*x])^(p-2)\*(a + b\*Sin[e + f\*x])^(m+1)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[p, 1] && IntegersQ[2\*m, 2\*p]

#### Rule 2864

Int[(cos[(e\_.) + (f\_.)\*(x\_)]\*(g\_.))^(p\_)\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_))\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := -Simp[((b\*c - a\*d)\*(g\*Cos[e + f\*x])^(p+1)\*(a + b\*Sin[e + f\*x])^(m+1))/(f\*g\*(a^2 - b^2)\*(m+1)), x] + Dist[1/((a^2 - b^2)\*(m+1)), Int[(g\*Cos[e + f\*x])^p\*(a + b\*Sin[e + f\*x])^(m+1)\*Simp[(a\*c - b\*d)\*(m+1) - (b\*c - a\*d)\*(m+p+2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2\*m]

Rule 2863

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(g*(g*Cos[e + f*x])^(p - 1)*(a + b*SIN[e + f*x])^(m + 1)*(b*c*(m + p + 1) - a*d*p + b*d*(m + 1)*Sin[e + f*x]))/(b^2*f*(m + 1)*(m + p + 1)), x] + Dist[(g^2*(p - 1))/(b^2*(m + 1)*(m + p + 1)), Int[(g*Cos[e + f*x])^(p - 2)*(a + b*SIN[e + f*x])^(m + 1)*Simp[b*d*(m + 1) + (b*c*(m + p + 1) - a*d*p)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[p, 1] && NeQ[m + p + 1, 0] && IntegerQ[2*m]
```

Rule 2735

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*SIN[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

Rule 2660

```
Int[((a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + 2*b*e*x + a*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 618

```
Int[((a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_.) + (b_.)*(x_.)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(a \sec(x) + b \tan(x))^4} dx &= \int \frac{\cos^4(x)}{(a + b \sin(x))^4} dx \\
&= -\frac{\cos^3(x)}{3b(a + b \sin(x))^3} - \frac{\int \frac{\cos^2(x) \sin(x)}{(a + b \sin(x))^3} dx}{b} \\
&= -\frac{\cos^3(x)}{3b(a + b \sin(x))^3} + \frac{a \cos^3(x)}{2b(a^2 - b^2)(a + b \sin(x))^2} + \frac{\int \frac{\cos^2(x)(2b + a \sin(x))}{(a + b \sin(x))^2} dx}{2b(a^2 - b^2)} \\
&= -\frac{\cos^3(x)}{3b(a + b \sin(x))^3} + \frac{a \cos^3(x)}{2b(a^2 - b^2)(a + b \sin(x))^2} + \frac{\cos(x)(2(a^2 - b^2) + ab \sin(x))}{2b^3(a^2 - b^2)(a + b \sin(x))} - \frac{\int \frac{\cos(x)}{a + b \sin(x)} dx}{b^3(a^2 - b^2)} \\
&= \frac{x}{b^4} - \frac{\cos^3(x)}{3b(a + b \sin(x))^3} + \frac{a \cos^3(x)}{2b(a^2 - b^2)(a + b \sin(x))^2} + \frac{\cos(x)(2(a^2 - b^2) + ab \sin(x))}{2b^3(a^2 - b^2)(a + b \sin(x))} - \frac{\int \frac{\cos(x)}{a + b \sin(x)} dx}{b^3(a^2 - b^2)} \\
&= \frac{x}{b^4} - \frac{\cos^3(x)}{3b(a + b \sin(x))^3} + \frac{a \cos^3(x)}{2b(a^2 - b^2)(a + b \sin(x))^2} + \frac{\cos(x)(2(a^2 - b^2) + ab \sin(x))}{2b^3(a^2 - b^2)(a + b \sin(x))} \\
&= \frac{x}{b^4} - \frac{\cos^3(x)}{3b(a + b \sin(x))^3} + \frac{a \cos^3(x)}{2b(a^2 - b^2)(a + b \sin(x))^2} + \frac{\cos(x)(2(a^2 - b^2) + ab \sin(x))}{2b^3(a^2 - b^2)(a + b \sin(x))} + \frac{\int \frac{\cos(x)}{a + b \sin(x)} dx}{b^3(a^2 - b^2)} \\
&= \frac{x}{b^4} - \frac{\cos^3(x)}{3b(a + b \sin(x))^3} + \frac{a \cos^3(x)}{2b(a^2 - b^2)(a + b \sin(x))^2} + \frac{\cos(x)(2(a^2 - b^2) + ab \sin(x))}{2b^3(a^2 - b^2)(a + b \sin(x))} + \frac{\int \frac{\cos(x)}{a + b \sin(x)} dx}{b^3(a^2 - b^2)} \\
&= \frac{x}{b^4} - \frac{a(2a^2 - 3b^2) \tan^{-1}\left(\frac{b + a \tan\left(\frac{x}{2}\right)}{\sqrt{a^2 - b^2}}\right)}{b^4(a^2 - b^2)^{3/2}} - \frac{\cos^3(x)}{3b(a + b \sin(x))^3} + \frac{a \cos^3(x)}{2b(a^2 - b^2)(a + b \sin(x))^2} + \frac{\cos(x)(2(a^2 - b^2) + ab \sin(x))}{2b^3(a^2 - b^2)(a + b \sin(x))} + \frac{\int \frac{\cos(x)}{a + b \sin(x)} dx}{b^3(a^2 - b^2)}
\end{aligned}$$

**Mathematica [B]** time = 6.36915, size = 2677, normalized size = 17.16

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(a\*Sec[x] + b\*Tan[x])^(-4),x]

[Out] (Sec[x]\*(a + b\*Sin[x])^4\*(-(b\*(-(b/(a - b)) - (b\*Sin[x])/(a - b))^(5/2)\*(b/(a + b) - (b\*Sin[x])/(a + b))^(5/2))/(3\*((a\*b)/(a - b) - b^2/(a - b))\*((a\*b)/(a + b) + b^2/(a + b))\*(a + b\*Sin[x])^3) - ((a\*b^3\*(-(b/(a - b)) - (b\*Sin[x])/(a - b))^(5/2)\*(b/(a + b) - (b\*Sin[x])/(a + b))^(5/2))/(2\*(a^2 - b^2)\*((a\*b)/(a - b) - b^2/(a - b))\*((a\*b)/(a + b) + b^2/(a + b))\*(a + b\*Sin[x])^2) - (-( (((-3\*a^2\*b^5)/((a - b)^2\*(a + b)^2) + (2\*b^5\*(3\*a^2 - 2\*b^2))/((a - b)^2\*(a + b)^2)) \* (-(b/(a - b)) - (b\*Sin[x])/(a - b))^(5/2)\*(b/(a + b) - (b\*Sin[x])/(a + b))^(5/2) ) / (((a\*b)/(a - b) - b^2/(a - b))\*((a\*b)/(a + b) + b^2/(a + b))\*(a + b\*Sin[x]))) - ((16\*sqrt[2]\*b^6\*(3\*a^2 - 4\*b^2)\*(-(b/(a - b)) - (b\*Sin[x])/(a - b))^(5/2)\*sqrt[b/(a + b) - (b\*Sin[x])/(a + b)]\*(1 + ((a - b)\*(-(b/(a - b)) - (b\*Sin[x])/(a - b)))/(2\*b))^(5/2)\*((5\*(1/(2\*(1 + ((a - b)\*(-(b/(a - b)) - (b\*Sin[x])/(a - b)))/(2\*b))^2) + (1 + ((a - b)\*(-(b/(a - b)) - (b\*Sin[x])/(a - b)))/(2\*b))^(-1)))/8 - (15\*b^3\*((a - b)\*(-(b/(a - b)) - (b\*Sin[x])/(a - b)))/b - ((a - b)^2\*(-(b/(a - b)) - (b\*Sin[x])/(a - b))^2)/(3\*b^2) - (sqrt[2]\*sqrt[a - b]\*ArcSinh[(sqrt[a - b]\*sqrt[-(b/(a - b)) - (b\*Sin[x])/(a - b)])/(sqrt[2]\*sqrt[b])]\*sqrt[-(b/(a - b)) - (b\*Sin[x])/(a - b)])/(sqrt[b]\*sqrt[1 + ((a - b)\*(-(b/(a - b)) - (b\*Sin[x])/(a - b)))/(2\*b)])))/(32\*(a - b)^3\*(-(b/(a - b)) - (b\*Sin[x])/(a - b))^3\*(1 + ((a - b)\*(-(b/(a - b)) - (b\*Sin[x])/(a - b)))/(2\*b))^2)))/(5\*(a - b)^2\*(a + b)^4\*sqrt[((a + b)\*(b/(a + b) - (b\*Sin[x])/(a + b)))/b]) + (-( ((a\*b^7\*(6\*a^2 - 7\*b^2))/((a - b)^3\*(a + b)^3) + (4\*a\*b^7\*(3\*a^2 - 4\*b^2))/((a - b)^3\*(a + b)^3) ) \* ((4\*sqrt[2]\*(-(b/(a - b)) - (b\*Sin[x])/(a - b))^(3/2)\*sqrt[b/(a + b) -

$$\begin{aligned}
& (b*\sin[x])/(a+b)]*(1+((a-b)*(-b/(a-b))-(b*\sin[x])/(a-b)))/(2*b) \\
& )^{5/2}*((3/(4*(1+((a-b)*(-b/(a-b))-(b*\sin[x])/(a-b)))/(2*b))^{2} \\
& )+(1+((a-b)*(-b/(a-b))-(b*\sin[x])/(a-b)))/(2*b))^{-1})/2+(3* \\
& b^2*((a-b)*(-b/(a-b))-(b*\sin[x])/(a-b))/b-(\sqrt{2}*\sqrt{a-b} \\
& *ArcSinh[(\sqrt{a-b}*\sqrt{-b/(a-b)}-(b*\sin[x])/(a-b))]/(\sqrt{2}*\sqrt{ \\
& b}))*\sqrt{-b/(a-b)}-(b*\sin[x])/(a-b))/(\sqrt{b}*\sqrt{1+((a-b)* \\
& (-b/(a-b))-(b*\sin[x])/(a-b)))/(2*b)})))/(8*(a-b)^2*(-b/(a-b))-( \\
& (b*\sin[x])/(a-b))^{2*(1+((a-b)*(-b/(a-b))-(b*\sin[x])/(a-b)))/( \\
& 2*b))^{2}))/((3*(a+b)*\sqrt{((a+b)*(b/(a+b))-(b*\sin[x])/(a+b))}/b))- \\
& (((a*b)/(a-b))+b^2/(a-b))*(-(((a*b)/(a-b))+b^2/(a-b))*(- \\
& (((a*b)/(a+b))-b^2/(a+b))*(-2*(-((a*b)/(a+b))-b^2/(a+b))*Arc \\
& Tan[(\sqrt{(a*b)/(a+b)+b^2/(a+b)}*\sqrt{-b/(a-b)}-(b*\sin[x])/(a- \\
& b))]/(\sqrt{-((a*b)/(a-b))+b^2/(a-b)}*\sqrt{b/(a+b)}-(b*\sin[x])/(a+ \\
& b)))]/(b*\sqrt{-((a*b)/(a-b))+b^2/(a-b)}*\sqrt{(a*b)/(a+b)+b^2/(a \\
& +b)}))+(2*\sqrt{a-b}*ArcTanh[(\sqrt{a-b}*\sqrt{-b/(a-b)}-(b*\sin[x] \\
& )/(a-b))/(\sqrt{a+b}*\sqrt{b/(a+b)}-(b*\sin[x])/(a+b)))]/(b*\sqrt{a \\
& +b}))/b+(2*\sqrt{2}*(a-b)*\sqrt{-b/(a-b)}-(b*\sin[x])/(a-b))*\sqrt{ \\
& b/(a+b)}-(b*\sin[x])/(a+b)]*(1+((a-b)*(-b/(a-b))-(b*\sin[x])/( \\
& a-b)))/(2*b))^{3/2}*((\sqrt{b}*ArcSinh[(\sqrt{a-b}*\sqrt{-b/(a-b)}-(b* \\
& \sin[x])/(a-b))]/(\sqrt{2}*\sqrt{b}))/(\sqrt{2}*\sqrt{a-b}*\sqrt{-b/(a- \\
& b)}-(b*\sin[x])/(a-b)]*(1+((a-b)*(-b/(a-b))-(b*\sin[x])/(a-b)) \\
& )/(2*b))^{3/2}))+1/(2*(1+((a-b)*(-b/(a-b))-(b*\sin[x])/(a-b)))/( \\
& 2*b))))/(b*(a+b)*\sqrt{((a+b)*(b/(a+b))-(b*\sin[x])/(a+b))}/b)))/b \\
& )+(4*\sqrt{2}*\sqrt{-b/(a-b)}-(b*\sin[x])/(a-b)]*\sqrt{b/(a+b)}-(b* \\
& \sin[x])/(a+b)]*(1+((a-b)*(-b/(a-b))-(b*\sin[x])/(a-b)))/(2*b))^{ \\
& 5/2}*((3*\sqrt{b}*ArcSinh[(\sqrt{a-b}*\sqrt{-b/(a-b)}-(b*\sin[x])/(a- \\
& b))]/(\sqrt{2}*\sqrt{b}))/(\sqrt{2}*\sqrt{a-b}*\sqrt{-b/(a-b)}-(b*\sin[ \\
& x])/(a-b)]*(1+((a-b)*(-b/(a-b))-(b*\sin[x])/(a-b)))/(2*b))^{5/2} \\
& ))+(3/(2*(1+((a-b)*(-b/(a-b))-(b*\sin[x])/(a-b)))/(2*b))^{2}))+ \\
& (1+((a-b)*(-b/(a-b))-(b*\sin[x])/(a-b)))/(2*b))^{-1})/4))/((a+b) \\
& *\sqrt{((a+b)*(b/(a+b))-(b*\sin[x])/(a+b))}/b))/b)/(((a*b)/(a- \\
& b)-b^2/(a-b))*((a*b)/(a+b)+b^2/(a+b)))/(2*((a*b)/(a-b)-b^2/( \\
& a-b))*((a*b)/(a+b)+b^2/(a+b)))/(3*((a*b)/(a-b)-b^2/(a-b))*(( \\
& a*b)/(a+b)+b^2/(a+b))))/((1-(a+b*\sin[x])/(a-b))^{3/2}*(1-(a \\
& +b*\sin[x])/(a+b))^{3/2}*(a*\sec[x]+b*\tan[x])^4)
\end{aligned}$$


---

**Maple [B]** time = 0.113, size = 967, normalized size = 6.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a\*sec(x)+b\*tan(x))^4,x)

[Out]  $1/b^2/(a*\tan(1/2*x)^2+2*b*\tan(1/2*x)+a)^3*a^3/(a^2-b^2)*\tan(1/2*x)^5-2/(a*t$   
 $\tan(1/2*x)^2+2*b*\tan(1/2*x)+a)^3*a/(a^2-b^2)*\tan(1/2*x)^5+2*b^2/(a*\tan(1/2*x$   
 $)^2+2*b*\tan(1/2*x)+a)^3/a/(a^2-b^2)*\tan(1/2*x)^5+2/b^3/(a*\tan(1/2*x)^2+2*b*$   
 $\tan(1/2*x)+a)^3/(a^2-b^2)*a^4*\tan(1/2*x)^4+3/b/(a*\tan(1/2*x)^2+2*b*\tan(1/2*$   
 $x)+a)^3/(a^2-b^2)*a^2*\tan(1/2*x)^4-4*b/(a*\tan(1/2*x)^2+2*b*\tan(1/2*x)+a)^3/$   
 $(a^2-b^2)*\tan(1/2*x)^4+4*b^3/(a*\tan(1/2*x)^2+2*b*\tan(1/2*x)+a)^3/(a^2-b^2)/$   
 $a^2*\tan(1/2*x)^4+12/b^2/(a*\tan(1/2*x)^2+2*b*\tan(1/2*x)+a)^3*a^3/(a^2-b^2)*t$   
 $\tan(1/2*x)^3-2/(a*\tan(1/2*x)^2+2*b*\tan(1/2*x)+a)^3*a/(a^2-b^2)*\tan(1/2*x)^3-$   
 $8/3*b^2/(a*\tan(1/2*x)^2+2*b*\tan(1/2*x)+a)^3/a/(a^2-b^2)*\tan(1/2*x)^3+8/3*b^$   
 $4/(a*\tan(1/2*x)^2+2*b*\tan(1/2*x)+a)^3/a^3/(a^2-b^2)*\tan(1/2*x)^3+4/b^3/(a*t$   
 $\tan(1/2*x)^2+2*b*\tan(1/2*x)+a)^3/(a^2-b^2)*a^4*\tan(1/2*x)^2+16/b/(a*\tan(1/2*$   
 $x)^2+2*b*\tan(1/2*x)+a)^3/(a^2-b^2)*a^2*\tan(1/2*x)^2-14*b/(a*\tan(1/2*x)^2+2*$   
 $b*\tan(1/2*x)+a)^3/(a^2-b^2)*\tan(1/2*x)^2+4*b^3/(a*\tan(1/2*x)^2+2*b*\tan(1/2*$

$$x+a)^3/(a^2-b^2)/a^2*\tan(1/2*x)^2+11/b^2/(a*\tan(1/2*x)^2+2*b*\tan(1/2*x)+a)^3*a^3/(a^2-b^2)*\tan(1/2*x)-8/(a*\tan(1/2*x)^2+2*b*\tan(1/2*x)+a)^3*a/(a^2-b^2)*\tan(1/2*x)+2*b^2/(a*\tan(1/2*x)^2+2*b*\tan(1/2*x)+a)^3/a/(a^2-b^2)*\tan(1/2*x)+2/b^3/(a*\tan(1/2*x)^2+2*b*\tan(1/2*x)+a)^3/(a^2-b^2)*a^4-5/3/b/(a*\tan(1/2*x)^2+2*b*\tan(1/2*x)+a)^3/(a^2-b^2)*a^2+2/3*b/(a*\tan(1/2*x)^2+2*b*\tan(1/2*x)+a)^3/(a^2-b^2)-2/b^4*a^3/(a^2-b^2)^(3/2)*\arctan(1/2*(2*a*\tan(1/2*x)+2*b)/(a^2-b^2)^(1/2))+3/b^2*a/(a^2-b^2)^(3/2)*\arctan(1/2*(2*a*\tan(1/2*x)+2*b)/(a^2-b^2)^(1/2))+2/b^4*\arctan(\tan(1/2*x))$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*sec(x)+b\*tan(x))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.96195, size = 2061, normalized size = 13.21

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*sec(x)+b\*tan(x))^4,x, algorithm="fricas")

[Out] 
$$\begin{aligned} &[-1/12*(36*(a^5*b^2 - 2*a^3*b^4 + a*b^6)*x*\cos(x)^2 + 2*(11*a^4*b^3 - 19*a^2*b^5 + 8*b^7)*\cos(x)^3 + 3*(2*a^6 + 3*a^4*b^2 - 9*a^2*b^4 - 3*(2*a^4*b^2 - 3*a^2*b^4)*\cos(x)^2 + (6*a^5*b - 7*a^3*b^3 - 3*a*b^5 - (2*a^3*b^3 - 3*a*b^5)*\cos(x)^2)*\sin(x))*\sqrt{-a^2 + b^2}*\log(-((2*a^2 - b^2)*\cos(x)^2 - 2*a*b*\sin(x) - a^2 - b^2 - 2*(a*\cos(x)*\sin(x) + b*\cos(x))*\sqrt{-a^2 + b^2}))/ (b^2*\cos(x)^2 - 2*a*b*\sin(x) - a^2 - b^2)) - 12*(a^7 + a^5*b^2 - 5*a^3*b^4 + 3*a*b^6)*x - 12*(a^6*b - 2*a^2*b^5 + b^7)*\cos(x) + 6*(2*(a^4*b^3 - 2*a^2*b^5 + b^7)*x*\cos(x)^2 - 2*(3*a^6*b - 5*a^4*b^3 + a^2*b^5 + b^7)*x - (5*a^5*b^2 - 8*a^3*b^4 + 3*a*b^6)*\cos(x))*\sin(x))/(a^7*b^4 + a^5*b^6 - 5*a^3*b^8 + 3*a*b^{10} - 3*(a^5*b^6 - 2*a^3*b^8 + a*b^{10})*\cos(x)^2 + (3*a^6*b^5 - 5*a^4*b^7 + a^2*b^9 + b^{11} - (a^4*b^7 - 2*a^2*b^9 + b^{11})*\cos(x)^2)*\sin(x)), -1/6*(18*(a^5*b^2 - 2*a^3*b^4 + a*b^6)*x*\cos(x)^2 + (11*a^4*b^3 - 19*a^2*b^5 + 8*b^7)*\cos(x)^3 - 3*(2*a^6 + 3*a^4*b^2 - 9*a^2*b^4 - 3*(2*a^4*b^2 - 3*a^2*b^4)*\cos(x)^2 + (6*a^5*b - 7*a^3*b^3 - 3*a*b^5 - (2*a^3*b^3 - 3*a*b^5)*\cos(x)^2)*\sin(x))*\sqrt{a^2 - b^2}*\arctan(-(a*\sin(x) + b)/(\sqrt{a^2 - b^2}*\cos(x))) - 6*(a^7 + a^5*b^2 - 5*a^3*b^4 + 3*a*b^6)*x - 6*(a^6*b - 2*a^2*b^5 + b^7)*\cos(x) + 3*(2*(a^4*b^3 - 2*a^2*b^5 + b^7)*x*\cos(x)^2 - 2*(3*a^6*b - 5*a^4*b^3 + a^2*b^5 + b^7)*x - (5*a^5*b^2 - 8*a^3*b^4 + 3*a*b^6)*\cos(x))*\sin(x))/(a^7*b^4 + a^5*b^6 - 5*a^3*b^8 + 3*a*b^{10} - 3*(a^5*b^6 - 2*a^3*b^8 + a*b^{10})*\cos(x)^2 + (3*a^6*b^5 - 5*a^4*b^7 + a^2*b^9 + b^{11} - (a^4*b^7 - 2*a^2*b^9 + b^{11})*\cos(x)^2)*\sin(x)] \end{aligned}$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(a \sec(x) + b \tan(x))^4} dx$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*sec(x)+b\*tan(x))\*\*4,x)

[Out] Integral((a\*sec(x) + b\*tan(x))\*\*(-4), x)

**Giac [B]** time = 1.16997, size = 498, normalized size = 3.19

$$\frac{(2a^3 - 3ab^2) \left( \pi \left\lfloor \frac{x}{2\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(a) + \arctan\left(\frac{a \tan\left(\frac{1}{2}x\right) + b}{\sqrt{a^2 - b^2}}\right) \right)}{(a^2b^4 - b^6)\sqrt{a^2 - b^2}} + \frac{3a^6b \tan\left(\frac{1}{2}x\right)^5 - 6a^4b^3 \tan\left(\frac{1}{2}x\right)^5 + 6a^2b^5 \tan\left(\frac{1}{2}x\right)^5}{(a^2b^4 - b^6)\sqrt{a^2 - b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*sec(x)+b\*tan(x))^4,x, algorithm="giac")

[Out] 
$$\begin{aligned} & -(2a^3 - 3ab^2) \cdot (\pi \cdot \text{floor}(1/2 \cdot x / \pi + 1/2) \cdot \text{sgn}(a) + \arctan((a \cdot \tan(1/2 \cdot x) \\ & + b) / \sqrt{a^2 - b^2})) / ((a^2 \cdot b^4 - b^6) \cdot \sqrt{a^2 - b^2}) + 1/3 \cdot (3a^6 \cdot b \cdot \tan \\ & (1/2 \cdot x)^5 - 6a^4 \cdot b^3 \cdot \tan(1/2 \cdot x)^5 + 6a^2 \cdot b^5 \cdot \tan(1/2 \cdot x)^5 + 6a^7 \cdot \tan(1/2 \\ & \cdot x)^4 + 9a^5 \cdot b^2 \cdot \tan(1/2 \cdot x)^4 - 12a^3 \cdot b^4 \cdot \tan(1/2 \cdot x)^4 + 12a \cdot b^6 \cdot \tan(1/2 \\ & \cdot x)^4 + 36a^6 \cdot b \cdot \tan(1/2 \cdot x)^3 - 6a^4 \cdot b^3 \cdot \tan(1/2 \cdot x)^3 - 8a^2 \cdot b^5 \cdot \tan(1/2 \cdot \\ & x)^3 + 8b^7 \cdot \tan(1/2 \cdot x)^3 + 12a^7 \cdot \tan(1/2 \cdot x)^2 + 48a^5 \cdot b^2 \cdot \tan(1/2 \cdot x)^2 - \\ & 42a^3 \cdot b^4 \cdot \tan(1/2 \cdot x)^2 + 12a \cdot b^6 \cdot \tan(1/2 \cdot x)^2 + 33a^6 \cdot b \cdot \tan(1/2 \cdot x) - 24 \\ & a^4 \cdot b^3 \cdot \tan(1/2 \cdot x) + 6a^2 \cdot b^5 \cdot \tan(1/2 \cdot x) + 6a^7 - 5a^5 \cdot b^2 + 2a^3 \cdot b^4) \\ & / ((a^5 \cdot b^3 - a^3 \cdot b^5) \cdot (a \cdot \tan(1/2 \cdot x)^2 + 2b \cdot \tan(1/2 \cdot x) + a)^3 + x/b^4 \end{aligned}$$

$$3.272 \quad \int \frac{1}{(a \sec(x) + b \tan(x))^5} dx$$

**Optimal.** Leaf size=101

$$-\frac{(a^2 - b^2)^2}{4b^5(a + b \sin(x))^4} + \frac{4a(a^2 - b^2)}{3b^5(a + b \sin(x))^3} - \frac{3a^2 - b^2}{b^5(a + b \sin(x))^2} + \frac{4a}{b^5(a + b \sin(x))} + \frac{\log(a + b \sin(x))}{b^5}$$

[Out] Log[a + b\*Sin[x]]/b^5 - (a^2 - b^2)^2/(4\*b^5\*(a + b\*Sin[x])^4) + (4\*a\*(a^2 - b^2))/(3\*b^5\*(a + b\*Sin[x])^3) - (3\*a^2 - b^2)/(b^5\*(a + b\*Sin[x])^2) + (4\*a)/(b^5\*(a + b\*Sin[x]))

**Rubi [A]** time = 0.115666, antiderivative size = 101, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {4391, 2668, 697}

$$-\frac{(a^2 - b^2)^2}{4b^5(a + b \sin(x))^4} + \frac{4a(a^2 - b^2)}{3b^5(a + b \sin(x))^3} - \frac{3a^2 - b^2}{b^5(a + b \sin(x))^2} + \frac{4a}{b^5(a + b \sin(x))} + \frac{\log(a + b \sin(x))}{b^5}$$

Antiderivative was successfully verified.

[In] Int[(a\*Sec[x] + b\*Tan[x])^(-5), x]

[Out] Log[a + b\*Sin[x]]/b^5 - (a^2 - b^2)^2/(4\*b^5\*(a + b\*Sin[x])^4) + (4\*a\*(a^2 - b^2))/(3\*b^5\*(a + b\*Sin[x])^3) - (3\*a^2 - b^2)/(b^5\*(a + b\*Sin[x])^2) + (4\*a)/(b^5\*(a + b\*Sin[x]))

#### Rule 4391

Int[(u\_)\*((b\_)\*sec[(c\_) + (d\_)\*(x\_)]^(n\_) + (a\_)\*tan[(c\_) + (d\_)\*(x\_)]^(n\_))^(p\_), x\_Symbol] :> Int[ActivateTrig[u]\*Sec[c + d\*x]^(n\*p)\*(b + a\*Sin[c + d\*x]^n)^p, x] /; FreeQ[{a, b, c, d}, x] && IntegersQ[n, p]

#### Rule 2668

Int[cos[(e\_) + (f\_)\*(x\_)]^(p\_)\*((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]^(m\_)), x\_Symbol] :> Dist[1/(b^p\*f), Subst[Int[(a + x)^m\*(b^2 - x^2)^((p - 1)/2), x], x, b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && NeQ[a^2 - b^2, 0]

#### Rule 697

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c\*d^2 + a\*e^2, 0] && IGtQ[p, 0]

#### Rubi steps

$$\begin{aligned}
\int \frac{1}{(a \sec(x) + b \tan(x))^5} dx &= \int \frac{\cos^5(x)}{(a + b \sin(x))^5} dx \\
&= \frac{\text{Subst}\left(\int \frac{(b^2-x^2)^2}{(a+x)^5} dx, x, b \sin(x)\right)}{b^5} \\
&= \frac{\text{Subst}\left(\int \left(\frac{(a^2-b^2)^2}{(a+x)^5} - \frac{4(a^3-ab^2)}{(a+x)^4} + \frac{2(3a^2-b^2)}{(a+x)^3} - \frac{4a}{(a+x)^2} + \frac{1}{a+x}\right) dx, x, b \sin(x)\right)}{b^5} \\
&= \frac{\log(a + b \sin(x))}{b^5} - \frac{(a^2 - b^2)^2}{4b^5(a + b \sin(x))^4} + \frac{4a(a^2 - b^2)}{3b^5(a + b \sin(x))^3} - \frac{3a^2 - b^2}{b^5(a + b \sin(x))^2} + \frac{1}{b^5(a + b \sin(x))}
\end{aligned}$$

**Mathematica [A]** time = 0.332491, size = 86, normalized size = 0.85

$$\frac{12b^2(9a^2+b^2)\sin^2(x)+8ab(11a^2+b^2)\sin(x)+2a^2b^2+25a^4+48ab^3\sin^3(x)-3b^4}{12(a+b\sin(x))^4} + \log(a + b \sin(x))$$

Antiderivative was successfully verified.

[In] Integrate[(a\*Sec[x] + b\*Tan[x])^(-5), x]

[Out] (Log[a + b\*Sin[x]] + (25\*a^4 + 2\*a^2\*b^2 - 3\*b^4 + 8\*a\*b\*(11\*a^2 + b^2)\*Sin[x] + 12\*b^2\*(9\*a^2 + b^2)\*Sin[x]^2 + 48\*a\*b^3\*Sin[x]^3)/(12\*(a + b\*Sin[x])^4))/b^5

**Maple [A]** time = 0.113, size = 130, normalized size = 1.3

$$\frac{4a^3}{3b^5(a+b\sin(x))^3} - \frac{4a}{3b^3(a+b\sin(x))^3} + \frac{\ln(a+b\sin(x))}{b^5} - 3\frac{a^2}{b^5(a+b\sin(x))^2} + \frac{1}{b^3(a+b\sin(x))^2} - \frac{a^4}{4b^5(a+b\sin(x))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a\*sec(x)+b\*tan(x))^5,x)

[Out] 4/3\*a^3/b^5/(a+b\*sin(x))^3-4/3\*a/b^3/(a+b\*sin(x))^3+ln(a+b\*sin(x))/b^5-3/b^5/(a+b\*sin(x))^2\*a^2+1/b^3/(a+b\*sin(x))^2-1/4/b^5/(a+b\*sin(x))^4\*a^4+1/2/b^3/(a+b\*sin(x))^4\*a^2-1/4/b/(a+b\*sin(x))^4+4\*a/b^5/(a+b\*sin(x))

**Maxima [B]** time = 1.6462, size = 652, normalized size = 6.46

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*sec(x)+b\*tan(x))^5,x, algorithm="maxima")

[Out] -2/3\*(3\*(a^7 - a^3\*b^4)\*sin(x)/(cos(x) + 1) + 3\*(7\*a^6\*b - 3\*a^2\*b^5)\*sin(x)^2/(cos(x) + 1)^2 + (9\*a^7 + 52\*a^5\*b^2 - a^3\*b^4 - 12\*a\*b^6)\*sin(x)^3/(cos(x) + 1)^3 + 2\*(21\*a^6\*b + 25\*a^4\*b^3 - 7\*a^2\*b^5 - 3\*b^7)\*sin(x)^4/(cos(x) + 1)^4 + (9\*a^7 + 52\*a^5\*b^2 - a^3\*b^4 - 12\*a\*b^6)\*sin(x)^5/(cos(x) + 1)^5)



```

tan(x)**4) + 2*a**2*b**2*sec(x)**2/(12*a**4*b**5*sec(x)**4 + 48*a**3*b**6*tan(x)*sec(x)**3 + 72*a**2*b**7*tan(x)**2*sec(x)**2 + 48*a*b**8*tan(x)**3*sec(x) + 12*b**9*tan(x)**4) + 48*a*b**3*log(a*sec(x)/b + tan(x))*tan(x)**3*sec(x)/(12*a**4*b**5*sec(x)**4 + 48*a**3*b**6*tan(x)*sec(x)**3 + 72*a**2*b**7*tan(x)**2*sec(x)**2 + 48*a*b**8*tan(x)**3*sec(x) + 12*b**9*tan(x)**4) - 24*a*b**3*log(tan(x)**2 + 1)*tan(x)**3*sec(x)/(12*a**4*b**5*sec(x)**4 + 48*a**3*b**6*tan(x)*sec(x)**3 + 72*a**2*b**7*tan(x)**2*sec(x)**2 + 48*a*b**8*tan(x)**3*sec(x) + 12*b**9*tan(x)**4) + 20*a*b**3*tan(x)**3*sec(x)/(12*a**4*b**5*sec(x)**4 + 48*a**3*b**6*tan(x)*sec(x)**3 + 72*a**2*b**7*tan(x)**2*sec(x)**2 + 48*a*b**8*tan(x)**3*sec(x) + 12*b**9*tan(x)**4) + 8*a*b**3*tan(x)*sec(x)/(12*a**4*b**5*sec(x)**4 + 48*a**3*b**6*tan(x)*sec(x)**3 + 72*a**2*b**7*tan(x)**2*sec(x)**2 + 48*a*b**8*tan(x)**3*sec(x) + 12*b**9*tan(x)**4) + 12*b**4*log(a*sec(x)/b + tan(x))*tan(x)**4/(12*a**4*b**5*sec(x)**4 + 48*a**3*b**6*tan(x)*sec(x)**3 + 72*a**2*b**7*tan(x)**2*sec(x)**2 + 48*a*b**8*tan(x)**3*sec(x) + 12*b**9*tan(x)**4) - 6*b**4*log(tan(x)**2 + 1)*tan(x)**4/(12*a**4*b**5*sec(x)**4 + 48*a**3*b**6*tan(x)*sec(x)**3 + 72*a**2*b**7*tan(x)**2*sec(x)**2 + 48*a*b**8*tan(x)**3*sec(x) + 12*b**9*tan(x)**4) + 6*b**4*tan(x)**2/(12*a**4*b**5*sec(x)**4 + 48*a**3*b**6*tan(x)*sec(x)**3 + 72*a**2*b**7*tan(x)**2*sec(x)**2 + 48*a*b**8*tan(x)**3*sec(x) + 12*b**9*tan(x)**4) - 3*b**4/(12*a**4*b**5*sec(x)**4 + 48*a**3*b**6*tan(x)*sec(x)**3 + 72*a**2*b**7*tan(x)**2*sec(x)**2 + 48*a*b**8*tan(x)**3*sec(x) + 12*b**9*tan(x)**4), Ne(b, 0)), ((8*tan(x)**5/(15*sec(x)**5) + 4*tan(x)**3/(3*sec(x)**5) + tan(x)/sec(x)**5)/a**5, True))

```

---

**Giac [A]** time = 1.13955, size = 123, normalized size = 1.22

$$\frac{\log(|b \sin(x) + a|)}{b^5} - \frac{25 b^3 \sin(x)^4 + 52 a b^2 \sin(x)^3 + 42 a^2 b \sin(x)^2 - 12 b^3 \sin(x)^2 + 12 a^3 \sin(x) - 8 a b^2 \sin(x) - 2 b + 3 b^3}{12 (b \sin(x) + a)^4 b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a*sec(x)+b*tan(x))^5,x, algorithm="giac")
```

```
[Out] log(abs(b*sin(x) + a))/b^5 - 1/12*(25*b^3*sin(x)^4 + 52*a*b^2*sin(x)^3 + 42*a^2*b*sin(x)^2 - 12*b^3*sin(x)^2 + 12*a^3*sin(x) - 8*a*b^2*sin(x) - 2*a^2*b + 3*b^3)/((b*sin(x) + a)^4*b^4)
```

### 3.273 $\int (\sec(x) + \tan(x))^5 dx$

**Optimal.** Leaf size=30

$$-\frac{4}{1 - \sin(x)} + \frac{2}{(1 - \sin(x))^2} - \log(1 - \sin(x))$$

[Out] -Log[1 - Sin[x]] + 2/(1 - Sin[x])^2 - 4/(1 - Sin[x])

**Rubi [A]** time = 0.0499651, antiderivative size = 30, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {4391, 2667, 43}

$$-\frac{4}{1 - \sin(x)} + \frac{2}{(1 - \sin(x))^2} - \log(1 - \sin(x))$$

Antiderivative was successfully verified.

[In] Int[(Sec[x] + Tan[x])^5,x]

[Out] -Log[1 - Sin[x]] + 2/(1 - Sin[x])^2 - 4/(1 - Sin[x])

#### Rule 4391

Int[(u\_)\*((b\_)\*sec[(c\_) + (d\_)\*(x\_)]^(n\_) + (a\_)\*tan[(c\_) + (d\_)\*(x\_)]^(n\_))^(p\_), x\_Symbol] :> Int[ActivateTrig[u]\*Sec[c + d\*x]^(n\*p)\*(b + a\*Sin[c + d\*x]^n)^p, x] /; FreeQ[{a, b, c, d}, x] && IntegersQ[n, p]

#### Rule 2667

Int[cos[(e\_) + (f\_)\*(x\_)]^(p\_)\*((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]^(m\_)), x\_Symbol] :> Dist[1/(b^p\*f), Subst[Int[(a + x)^(m + (p - 1)/2)\*(a - x)^(p - 1)/2, x], x, b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && EqQ[a^2 - b^2, 0] && (GeQ[p, -1] || !IntegerQ[m + 1/2])

#### Rule 43

Int[((a\_) + (b\_)\*(x\_))^(m\_)\*((c\_) + (d\_)\*(x\_))^(n\_), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

#### Rubi steps

$$\begin{aligned} \int (\sec(x) + \tan(x))^5 dx &= \int \sec^5(x)(1 + \sin(x))^5 dx \\ &= \text{Subst} \left( \int \frac{(1+x)^2}{(1-x)^3} dx, x, \sin(x) \right) \\ &= \text{Subst} \left( \int \left( \frac{1}{1-x} - \frac{4}{(-1+x)^3} - \frac{4}{(-1+x)^2} \right) dx, x, \sin(x) \right) \\ &= -\log(1 - \sin(x)) + \frac{2}{(1 - \sin(x))^2} - \frac{4}{1 - \sin(x)} \end{aligned}$$

**Mathematica [A]** time = 0.111897, size = 54, normalized size = 1.8

$$\frac{11 \tan^4(x)}{4} - \frac{\tan^2(x)}{2} + \frac{5 \sec^4(x)}{4} + \tanh^{-1}(\sin(x)) - \log(\cos(x)) - \tan(x) \sec^3(x) + 5 \tan^3(x) \sec(x) + \tan(x) \sec(x)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[x] + Tan[x])^5,x]

[Out] ArcTanh[Sin[x]] - Log[Cos[x]] + (5\*Sec[x]^4)/4 + Sec[x]\*Tan[x] - Sec[x]^3\*Tan[x] - Tan[x]^2/2 + 5\*Sec[x]\*Tan[x]^3 + (11\*Tan[x]^4)/4

**Maple [B]** time = 0.064, size = 106, normalized size = 3.5

$$-\left(-\frac{(\sec(x))^3}{4} - \frac{3 \sec(x)}{8}\right) \tan(x) + \ln(\sec(x) + \tan(x)) + \frac{5}{4 (\cos(x))^4} + \frac{5 (\sin(x))^3}{2 (\cos(x))^4} + \frac{5 (\sin(x))^3}{4 (\cos(x))^2} - \frac{5 \sin(x)}{8} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((sec(x)+tan(x))^5,x)

[Out] -(-1/4\*sec(x)^3-3/8\*sec(x))\*tan(x)+ln(sec(x)+tan(x))+5/4/cos(x)^4+5/2\*sin(x)^3/cos(x)^4+5/4\*sin(x)^3/cos(x)^2-5/8\*sin(x)+5/2\*sin(x)^4/cos(x)^4+5/4\*sin(x)^5/cos(x)^4-5/8\*sin(x)^5/cos(x)^2-5/8\*sin(x)^3+1/4\*tan(x)^4-1/2\*tan(x)^2-ln(cos(x))

**Maxima [B]** time = 0.995535, size = 190, normalized size = 6.33

$$\frac{5}{2} \tan(x)^4 + \frac{5(5 \sin(x)^3 - 3 \sin(x))}{8(\sin(x)^4 - 2 \sin(x)^2 + 1)} - \frac{3 \sin(x)^3 - 5 \sin(x)}{8(\sin(x)^4 - 2 \sin(x)^2 + 1)} + \frac{5(\sin(x)^3 + \sin(x))}{4(\sin(x)^4 - 2 \sin(x)^2 + 1)} + \frac{4 \sin(x)}{4(\sin(x)^4 - 2 \sin(x)^2 + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((sec(x)+tan(x))^5,x, algorithm="maxima")

[Out] 5/2\*tan(x)^4 + 5/8\*(5\*sin(x)^3 - 3\*sin(x))/(sin(x)^4 - 2\*sin(x)^2 + 1) - 1/8\*(3\*sin(x)^3 - 5\*sin(x))/(sin(x)^4 - 2\*sin(x)^2 + 1) + 5/4\*(sin(x)^3 + sin(x))/(sin(x)^4 - 2\*sin(x)^2 + 1) + 1/4\*(4\*sin(x)^2 - 3)/(sin(x)^4 - 2\*sin(x)^2 + 1) + 5/4/(sin(x)^2 - 1)^2 - 1/2\*log(sin(x)^2 - 1) + 1/2\*log(sin(x) + 1) - 1/2\*log(sin(x) - 1)

**Fricas [A]** time = 2.077, size = 119, normalized size = 3.97

$$\frac{(\cos(x)^2 + 2 \sin(x) - 2) \log(-\sin(x) + 1) + 4 \sin(x) - 2}{\cos(x)^2 + 2 \sin(x) - 2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((sec(x)+tan(x))^5,x, algorithm="fricas")

[Out]  $-\left(\cos(x)^2 + 2\sin(x) - 2\right)\log(-\sin(x) + 1) + 4\sin(x) - 2 / \left(\cos(x)^2 + 2\sin(x) - 2\right)$

**Sympy [B]** time = 8.26483, size = 68, normalized size = 2.27

$$-\frac{\log(\sin(x) - 1)}{2} + \frac{\log(\sin(x) + 1)}{2} + \frac{\log(\sec^2(x))}{2} + \frac{5\tan^4(x)}{2} + \frac{3\sec^4(x)}{2} - \sec^2(x) + \frac{32\sin^3(x)}{8\sin^4(x) - 16\sin^2(x) + 8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((sec(x)+tan(x))\*\*5,x)

[Out]  $-\log(\sin(x) - 1)/2 + \log(\sin(x) + 1)/2 + \log(\sec(x)**2)/2 + 5*\tan(x)**4/2 + 3*\sec(x)**4/2 - \sec(x)**2 + 32*\sin(x)**3/(8*\sin(x)**4 - 16*\sin(x)**2 + 8)$

**Giac [B]** time = 1.12623, size = 84, normalized size = 2.8

$$\frac{25 \tan\left(\frac{1}{2}x\right)^4 - 100 \tan\left(\frac{1}{2}x\right)^3 + 198 \tan\left(\frac{1}{2}x\right)^2 - 100 \tan\left(\frac{1}{2}x\right) + 25}{6 \left(\tan\left(\frac{1}{2}x\right) - 1\right)^4} + \log\left(\tan\left(\frac{1}{2}x\right)^2 + 1\right) - 2 \log\left(\left|\tan\left(\frac{1}{2}x\right) - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((sec(x)+tan(x))^5,x, algorithm="giac")

[Out]  $1/6*(25*\tan(1/2*x)^4 - 100*\tan(1/2*x)^3 + 198*\tan(1/2*x)^2 - 100*\tan(1/2*x) + 25)/(\tan(1/2*x) - 1)^4 + \log(\tan(1/2*x)^2 + 1) - 2*\log(\text{abs}(\tan(1/2*x) - 1))$



### 3.274 $\int (\sec(x) + \tan(x))^4 dx$

**Optimal.** Leaf size=30

$$x + \frac{2 \cos^3(x)}{3(1 - \sin(x))^3} - \frac{2 \cos(x)}{1 - \sin(x)}$$

[Out]  $x + (2*\text{Cos}[x]^3)/(3*(1 - \text{Sin}[x])^3) - (2*\text{Cos}[x])/(1 - \text{Sin}[x])$

**Rubi [A]** time = 0.10202, antiderivative size = 30, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$ , Rules used = {4391, 2670, 2680, 8}

$$x + \frac{2 \cos^3(x)}{3(1 - \sin(x))^3} - \frac{2 \cos(x)}{1 - \sin(x)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Sec}[x] + \text{Tan}[x])^4, x]$

[Out]  $x + (2*\text{Cos}[x]^3)/(3*(1 - \text{Sin}[x])^3) - (2*\text{Cos}[x])/(1 - \text{Sin}[x])$

#### Rule 4391

$\text{Int}[(u_.)*((b_.)*\text{sec}[(c_.) + (d_.)*(x_)]^{(n_.)} + (a_.)*\text{tan}[(c_.) + (d_.)*(x_)]^{(n_.)})^{(p_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ActivateTrig}[u]*\text{Sec}[c + d*x]^{(n*p)}*(b + a*\text{Sin}[c + d*x]^n)^p, x] /;$  FreeQ[{a, b, c, d}, x] && IntegersQ[n, p]

#### Rule 2670

$\text{Int}[(\text{cos}[(e_.) + (f_.)*(x_)]*(g_.)^{(p_.)}*((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_)]))^{(m_.)}, x\_Symbol] \rightarrow \text{Dist}[(a/g)^{(2*m)}, \text{Int}[(g*\text{Cos}[e + f*x])^{(2*m + p)} / (a - b*\text{Sin}[e + f*x])^m, x], x] /;$  FreeQ[{a, b, e, f, g}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[m] && LtQ[p, -1] && GeQ[2\*m + p, 0]

#### Rule 2680

$\text{Int}[(\text{cos}[(e_.) + (f_.)*(x_)]*(g_.)^{(p_.)}*((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_)]))^{(m_.)}, x\_Symbol] \rightarrow \text{Simp}[(2*g*(g*\text{Cos}[e + f*x])^{(p - 1)}*(a + b*\text{Sin}[e + f*x])^{(m + 1)}) / (b*f*(2*m + p + 1)), x] + \text{Dist}[(g^2*(p - 1)) / (b^2*(2*m + p + 1)), \text{Int}[(g*\text{Cos}[e + f*x])^{(p - 2)}*(a + b*\text{Sin}[e + f*x])^{(m + 2)}, x], x] /;$  FreeQ[{a, b, e, f, g}, x] && EqQ[a^2 - b^2, 0] && LeQ[m, -2] && GtQ[p, 1] && NeQ[2\*m + p + 1, 0] && !ILtQ[m + p + 1, 0] && IntegersQ[2\*m, 2\*p]

#### Rule 8

$\text{Int}[a_, x\_Symbol] \rightarrow \text{Simp}[a*x, x] /;$  FreeQ[a, x]

#### Rubi steps

$$\begin{aligned}
\int (\sec(x) + \tan(x))^4 dx &= \int \sec^4(x)(1 + \sin(x))^4 dx \\
&= \int \frac{\cos^4(x)}{(1 - \sin(x))^4} dx \\
&= \frac{2 \cos^3(x)}{3(1 - \sin(x))^3} - \int \frac{\cos^2(x)}{(1 - \sin(x))^2} dx \\
&= \frac{2 \cos^3(x)}{3(1 - \sin(x))^3} - \frac{2 \cos(x)}{1 - \sin(x)} + \int 1 dx \\
&= x + \frac{2 \cos^3(x)}{3(1 - \sin(x))^3} - \frac{2 \cos(x)}{1 - \sin(x)}
\end{aligned}$$

**Mathematica [B]** time = 0.135676, size = 64, normalized size = 2.13

$$\frac{-3(3x + 8) \cos\left(\frac{x}{2}\right) + (3x + 16) \cos\left(\frac{3x}{2}\right) + 6 \sin\left(\frac{x}{2}\right) (2x + x \cos(x) + 4)}{6 \left(\cos\left(\frac{x}{2}\right) - \sin\left(\frac{x}{2}\right)\right)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[x] + Tan[x])^4, x]

[Out]  $-(3(8 + 3x) \cos[x/2] + (16 + 3x) \cos[(3x)/2] + 6(4 + 2x + x \cos[x]) \sin[x/2]) / (6(\cos[x/2] - \sin[x/2])^3)$

**Maple [B]** time = 0.048, size = 71, normalized size = 2.4

$$-\left(-\frac{2}{3} - \frac{(\sec(x))^2}{3}\right) \tan(x) + \frac{4}{3(\cos(x))^3} + 2 \frac{(\sin(x))^3}{(\cos(x))^3} + \frac{4(\sin(x))^4}{3(\cos(x))^3} - \frac{4(\sin(x))^4}{3\cos(x)} - \frac{(8 + 4(\sin(x))^2)\cos(x)}{3} + \frac{(\tan(x))^4}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((sec(x)+tan(x))^4, x)

[Out]  $-(-2/3 - 1/3 \sec(x)^2) \tan(x) + 4/3 / \cos(x)^3 + 2 \sin(x)^3 / \cos(x)^3 + 4/3 \sin(x)^4 / \cos(x)^3 - 4/3 \sin(x)^4 / \cos(x) - 4/3 (2 + \sin(x)^2) \cos(x) + 1/3 \tan(x)^3 - \tan(x) + x$

**Maxima [A]** time = 1.48583, size = 38, normalized size = 1.27

$$\frac{8}{3} \tan(x)^3 + x - \frac{4(3 \cos(x)^2 - 1)}{3 \cos(x)^3} + \frac{4}{3 \cos(x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((sec(x)+tan(x))^4, x, algorithm="maxima")

[Out]  $8/3 \tan(x)^3 + x - 4/3 (3 \cos(x)^2 - 1) / \cos(x)^3 + 4/3 / \cos(x)^3$

**Fricas [B]** time = 2.07358, size = 188, normalized size = 6.27

$$\frac{(3x + 8)\cos(x)^2 - (3x - 4)\cos(x) + ((3x - 8)\cos(x) + 6x - 4)\sin(x) - 6x - 4}{3(\cos(x)^2 + (\cos(x) + 2)\sin(x) - \cos(x) - 2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((sec(x)+tan(x))^4,x, algorithm="fricas")

[Out] 1/3\*((3\*x + 8)\*cos(x)^2 - (3\*x - 4)\*cos(x) + ((3\*x - 8)\*cos(x) + 6\*x - 4)\*sin(x) - 6\*x - 4)/(cos(x)^2 + (cos(x) + 2)\*sin(x) - cos(x) - 2)

**Sympy [A]** time = 4.46487, size = 44, normalized size = 1.47

$$x + \frac{\sin^3(x)}{3\cos^3(x)} - \frac{\sin(x)}{\cos(x)} + \frac{7\tan^3(x)}{3} + \tan(x) + \frac{8\sec^3(x)}{3} - 4\sec(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((sec(x)+tan(x))\*\*4,x)

[Out] x + sin(x)\*\*3/(3\*cos(x)\*\*3) - sin(x)/cos(x) + 7\*tan(x)\*\*3/3 + tan(x) + 8\*sec(x)\*\*3/3 - 4\*sec(x)

**Giac [A]** time = 1.15657, size = 27, normalized size = 0.9

$$x - \frac{8\left(3\tan\left(\frac{1}{2}x\right) - 1\right)}{3\left(\tan\left(\frac{1}{2}x\right) - 1\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((sec(x)+tan(x))^4,x, algorithm="giac")

[Out] x - 8/3\*(3\*tan(1/2\*x) - 1)/(tan(1/2\*x) - 1)^3

### 3.275 $\int (\sec(x) + \tan(x))^3 dx$

**Optimal.** Leaf size=18

$$\frac{2}{1 - \sin(x)} + \log(1 - \sin(x))$$

[Out] Log[1 - Sin[x]] + 2/(1 - Sin[x])

**Rubi [A]** time = 0.0438103, antiderivative size = 18, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {4391, 2667, 43}

$$\frac{2}{1 - \sin(x)} + \log(1 - \sin(x))$$

Antiderivative was successfully verified.

[In] Int[(Sec[x] + Tan[x])^3,x]

[Out] Log[1 - Sin[x]] + 2/(1 - Sin[x])

#### Rule 4391

Int[(u\_.)\*((b\_.)\*sec[(c\_.) + (d\_.)\*(x\_.)]^(n\_.) + (a\_.)\*tan[(c\_.) + (d\_.)\*(x\_.)]^(n\_.))^(p\_), x\_Symbol] :> Int[ActivateTrig[u]\*Sec[c + d\*x]^(n\*p)\*(b + a\*Sin[c + d\*x]^n)^p, x] /; FreeQ[{a, b, c, d}, x] && IntegersQ[n, p]

#### Rule 2667

Int[cos[(e\_.) + (f\_.)\*(x\_.)]^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.), x\_Symbol] :> Dist[1/(b^p\*f), Subst[Int[(a + x)^(m + (p - 1)/2)\*(a - x)^(p - 1)/2, x], x, b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && EqQ[a^2 - b^2, 0] && (GeQ[p, -1] || !IntegerQ[m + 1/2])

#### Rule 43

Int[((a\_.) + (b\_.)\*(x\_.))^(m\_.)\*((c\_.) + (d\_.)\*(x\_.))^(n\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

#### Rubi steps

$$\begin{aligned} \int (\sec(x) + \tan(x))^3 dx &= \int \sec^3(x)(1 + \sin(x))^3 dx \\ &= \text{Subst} \left( \int \frac{1+x}{(1-x)^2} dx, x, \sin(x) \right) \\ &= \text{Subst} \left( \int \left( \frac{2}{(-1+x)^2} + \frac{1}{-1+x} \right) dx, x, \sin(x) \right) \\ &= \log(1 - \sin(x)) + \frac{2}{1 - \sin(x)} \end{aligned}$$

**Mathematica [A]** time = 0.0259234, size = 31, normalized size = 1.72

$$\frac{\tan^2(x)}{2} + \frac{3 \sec^2(x)}{2} - \tanh^{-1}(\sin(x)) + \log(\cos(x)) + 2 \tan(x) \sec(x)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[x] + Tan[x])^3, x]

[Out] -ArcTanh[Sin[x]] + Log[Cos[x]] + (3\*Sec[x]^2)/2 + 2\*Sec[x]\*Tan[x] + Tan[x]^2/2

**Maple [B]** time = 0.051, size = 45, normalized size = 2.5

$$\frac{\sec(x) \tan(x)}{2} - \ln(\sec(x) + \tan(x)) + \frac{3}{2 (\cos(x))^2} + \frac{3 (\sin(x))^3}{2 (\cos(x))^2} + \frac{3 \sin(x)}{2} + \frac{(\tan(x))^2}{2} + \ln(\cos(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((sec(x)+tan(x))^3, x)

[Out] 1/2\*sec(x)\*tan(x)-ln(sec(x)+tan(x))+3/2/cos(x)^2+3/2\*sin(x)^3/cos(x)^2+3/2\*sin(x)+1/2\*tan(x)^2+ln(cos(x))

**Maxima [B]** time = 0.982467, size = 70, normalized size = 3.89

$$\frac{3}{2} \tan(x)^2 - \frac{2 \sin(x)}{\sin(x)^2 - 1} - \frac{1}{2 (\sin(x)^2 - 1)} + \frac{1}{2} \log(\sin(x)^2 - 1) - \frac{1}{2} \log(\sin(x) + 1) + \frac{1}{2} \log(\sin(x) - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((sec(x)+tan(x))^3, x, algorithm="maxima")

[Out] 3/2\*tan(x)^2 - 2\*sin(x)/(sin(x)^2 - 1) - 1/2/(sin(x)^2 - 1) + 1/2\*log(sin(x)^2 - 1) - 1/2\*log(sin(x) + 1) + 1/2\*log(sin(x) - 1)

**Fricas [A]** time = 2.03005, size = 68, normalized size = 3.78

$$\frac{(\sin(x) - 1) \log(-\sin(x) + 1) - 2}{\sin(x) - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((sec(x)+tan(x))^3, x, algorithm="fricas")

[Out] ((sin(x) - 1)\*log(-sin(x) + 1) - 2)/(sin(x) - 1)

**Sympy [B]** time = 5.04155, size = 44, normalized size = 2.44

$$\frac{\log(\sin(x) - 1)}{2} - \frac{\log(\sin(x) + 1)}{2} - \frac{\log(\sec^2(x))}{2} + 2 \sec^2(x) - \frac{4 \sin(x)}{2 \sin^2(x) - 2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((sec(x)+tan(x))\*\*3,x)

[Out]  $\log(\sin(x) - 1)/2 - \log(\sin(x) + 1)/2 - \log(\sec(x)**2)/2 + 2*\sec(x)**2 - 4*\sin(x)/(2*\sin(x)**2 - 2)$

**Giac [B]** time = 1.18844, size = 65, normalized size = 3.61

$$-\frac{3 \tan\left(\frac{1}{2}x\right)^2 - 10 \tan\left(\frac{1}{2}x\right) + 3}{\left(\tan\left(\frac{1}{2}x\right) - 1\right)^2} - \log\left(\tan\left(\frac{1}{2}x\right) + 1\right) + 2 \log\left(\left|\tan\left(\frac{1}{2}x\right) - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((sec(x)+tan(x))^3,x, algorithm="giac")

[Out]  $-(3*\tan(1/2*x)^2 - 10*\tan(1/2*x) + 3)/(\tan(1/2*x) - 1)^2 - \log(\tan(1/2*x)^2 + 1) + 2*\log(\text{abs}(\tan(1/2*x) - 1))$

### 3.276 $\int (\sec(x) + \tan(x))^2 dx$

**Optimal.** Leaf size=16

$$\frac{2 \cos(x)}{1 - \sin(x)} - x$$

[Out]  $-x + (2*\text{Cos}[x])/(1 - \text{Sin}[x])$

**Rubi [A]** time = 0.0698457, antiderivative size = 16, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$ , Rules used = {4391, 2670, 2680, 8}

$$\frac{2 \cos(x)}{1 - \sin(x)} - x$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Sec}[x] + \text{Tan}[x])^2, x]$

[Out]  $-x + (2*\text{Cos}[x])/(1 - \text{Sin}[x])$

#### Rule 4391

$\text{Int}[(u_.)*((b_.)*\text{sec}[(c_.) + (d_.)*(x_.)]^{(n_.)} + (a_.)*\text{tan}[(c_.) + (d_.)*(x_.)]^{(n_.)})^{(p_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ActivateTrig}[u]*\text{Sec}[c + d*x]^{(n*p)}*(b + a*\text{Sin}[c + d*x]^n)^p, x] /; \text{FreeQ}\{a, b, c, d\}, x \ \&\& \ \text{IntegersQ}[n, p]$

#### Rule 2670

$\text{Int}[(\cos[(e_.) + (f_.)*(x_.)]*(g_.))^{(p_.)}*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}, x\_Symbol] \rightarrow \text{Dist}[(a/g)^{(2*m)}, \text{Int}[(g*\text{Cos}[e + f*x])^{(2*m + p)} / (a - b*\text{Sin}[e + f*x])^m, x], x] /; \text{FreeQ}\{a, b, e, f, g\}, x \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{IntegerQ}[m] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{GeQ}[2*m + p, 0]$

#### Rule 2680

$\text{Int}[(\cos[(e_.) + (f_.)*(x_.)]*(g_.))^{(p_.)}*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}, x\_Symbol] \rightarrow \text{Simp}[(2*g*(g*\text{Cos}[e + f*x])^{(p - 1)}*(a + b*\text{Sin}[e + f*x])^{(m + 1)}) / (b*f*(2*m + p + 1)), x] + \text{Dist}[(g^{2*(p - 1)}) / (b^2*(2*m + p + 1)), \text{Int}[(g*\text{Cos}[e + f*x])^{(p - 2)}*(a + b*\text{Sin}[e + f*x])^{(m + 2)}, x], x] /; \text{FreeQ}\{a, b, e, f, g\}, x \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{LeQ}[m, -2] \ \&\& \ \text{GtQ}[p, 1] \ \&\& \ \text{NeQ}[2*m + p + 1, 0] \ \&\& \ !\text{LtQ}[m + p + 1, 0] \ \&\& \ \text{IntegersQ}[2*m, 2*p]$

#### Rule 8

$\text{Int}[a_, x\_Symbol] \rightarrow \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

#### Rubi steps

$$\begin{aligned}
\int (\sec(x) + \tan(x))^2 dx &= \int \sec^2(x)(1 + \sin(x))^2 dx \\
&= \int \frac{\cos^2(x)}{(1 - \sin(x))^2} dx \\
&= \frac{2 \cos(x)}{1 - \sin(x)} - \int 1 dx \\
&= -x + \frac{2 \cos(x)}{1 - \sin(x)}
\end{aligned}$$

**Mathematica [A]** time = 0.0118779, size = 14, normalized size = 0.88

$$-\tan^{-1}(\tan(x)) + 2 \tan(x) + 2 \sec(x)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[x] + Tan[x])^2,x]

[Out] -ArcTan[Tan[x]] + 2\*Sec[x] + 2\*Tan[x]

**Maple [A]** time = 0.017, size = 15, normalized size = 0.9

$$2 \tan(x) + 2 (\cos(x))^{-1} - x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((sec(x)+tan(x))^2,x)

[Out] 2\*tan(x)+2/cos(x)-x

**Maxima [A]** time = 1.45766, size = 19, normalized size = 1.19

$$-x + \frac{2}{\cos(x)} + 2 \tan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((sec(x)+tan(x))^2,x, algorithm="maxima")

[Out] -x + 2/cos(x) + 2\*tan(x)

**Fricas [A]** time = 2.05034, size = 89, normalized size = 5.56

$$\frac{(x - 2) \cos(x) - (x + 2) \sin(x) + x - 2}{\cos(x) - \sin(x) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((sec(x)+tan(x))^2,x, algorithm="fricas")



[Out]  $-\frac{(x - 2)\cos(x) - (x + 2)\sin(x) + x - 2}{\cos(x) - \sin(x) + 1}$

---

**Sympy [A]** time = 1.23515, size = 10, normalized size = 0.62

$$-x + 2 \tan(x) + 2 \sec(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((sec(x)+tan(x))**2,x)`

[Out]  $-x + 2*\tan(x) + 2*\sec(x)$

---

**Giac [A]** time = 1.13136, size = 19, normalized size = 1.19

$$-x - \frac{4}{\tan\left(\frac{1}{2}x\right) - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((sec(x)+tan(x))^2,x, algorithm="giac")`

[Out]  $-x - 4/(\tan(1/2*x) - 1)$

### 3.277 $\int (\sec(x) + \tan(x)) dx$

**Optimal.** Leaf size=13

$$-2 \log \left( \cos \left( \frac{1}{4}(2x + \pi) \right) \right)$$

[Out] -2\*Log[Cos[(Pi + 2\*x)/4]]

**Rubi [A]** time = 0.0056346, antiderivative size = 9, normalized size of antiderivative = 0.69, number of steps used = 3, number of rules used = 2, integrand size = 5,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$ , Rules used = {3770, 3475}

$$\tanh^{-1}(\sin(x)) - \log(\cos(x))$$

Antiderivative was successfully verified.

[In] Int[Sec[x] + Tan[x], x]

[Out] ArcTanh[Sin[x]] - Log[Cos[x]]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rule 3475

Int[tan[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[Log[RemoveContent[Cos[c + d\*x], x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int (\sec(x) + \tan(x)) dx &= \int \sec(x) dx + \int \tan(x) dx \\ &= \tanh^{-1}(\sin(x)) - \log(\cos(x)) \end{aligned}$$

**Mathematica [B]** time = 0.0052144, size = 38, normalized size = 2.92

$$-\log(\cos(x)) - \log \left( \cos \left( \frac{x}{2} \right) - \sin \left( \frac{x}{2} \right) \right) + \log \left( \sin \left( \frac{x}{2} \right) + \cos \left( \frac{x}{2} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[x] + Tan[x], x]

[Out] -Log[Cos[x]] - Log[Cos[x/2] - Sin[x/2]] + Log[Cos[x/2] + Sin[x/2]]

**Maple [A]** time = 0.001, size = 13, normalized size = 1.

$$\ln(\sec(x) + \tan(x)) - \ln(\cos(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(x)+tan(x),x)`

[Out] `ln(sec(x)+tan(x))-ln(cos(x))`

**Maxima [A]** time = 0.967093, size = 14, normalized size = 1.08

$$\log(\sec(x) + \tan(x)) + \log(\sec(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)+tan(x),x, algorithm="maxima")`

[Out] `log(sec(x) + tan(x)) + log(sec(x))`

**Fricas [A]** time = 2.05595, size = 26, normalized size = 2.

$$-\log(-\sin(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)+tan(x),x, algorithm="fricas")`

[Out] `-log(-sin(x) + 1)`

**Sympy [A]** time = 0.112976, size = 20, normalized size = 1.54

$$-\frac{\log(\sin(x) - 1)}{2} + \frac{\log(\sin(x) + 1)}{2} - \log(\cos(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)+tan(x),x)`

[Out] `-log(sin(x) - 1)/2 + log(sin(x) + 1)/2 - log(cos(x))`

**Giac [B]** time = 1.17835, size = 42, normalized size = 3.23

$$\frac{1}{4} \log\left(\left|\frac{1}{\sin(x)} + \sin(x) + 2\right|\right) - \frac{1}{4} \log\left(\left|\frac{1}{\sin(x)} + \sin(x) - 2\right|\right) - \log(|\cos(x)|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)+tan(x),x, algorithm="giac")`

[Out] `1/4*log(abs(1/sin(x) + sin(x) + 2)) - 1/4*log(abs(1/sin(x) + sin(x) - 2)) - log(abs(cos(x)))`

$$3.278 \quad \int \frac{1}{\sec(x) + \tan(x)} dx$$

**Optimal.** Leaf size=5

$$\log(\sin(x) + 1)$$

[Out] Log[1 + Sin[x]]

**Rubi [A]** time = 0.0244933, antiderivative size = 5, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {3159, 2667, 31}

$$\log(\sin(x) + 1)$$

Antiderivative was successfully verified.

[In] Int[(Sec[x] + Tan[x])^(-1), x]

[Out] Log[1 + Sin[x]]

#### Rule 3159

Int[((a\_.) + (b\_.)\*sec[(d\_.) + (e\_.)\*(x\_)] + (c\_.)\*tan[(d\_.) + (e\_.)\*(x\_)])^(-1), x\_Symbol] :> Int[Cos[d + e\*x]/(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x]), x] /; FreeQ[{a, b, c, d, e}, x]

#### Rule 2667

Int[cos[(e\_.) + (f\_.)\*(x\_)]^(p\_.)\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.), x\_Symbol] :> Dist[1/(b^p\*f), Subst[Int[(a + x)^(m + (p - 1)/2)\*(a - x)^(p - 1/2), x], x, b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && EqQ[a^2 - b^2, 0] && (GeQ[p, -1] || !IntegerQ[m + 1/2])

#### Rule 31

Int[((a\_) + (b\_.)\*(x\_))^(p\_), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{1}{\sec(x) + \tan(x)} dx &= \int \frac{\cos(x)}{1 + \sin(x)} dx \\ &= \text{Subst} \left( \int \frac{1}{1+x} dx, x, \sin(x) \right) \\ &= \log(1 + \sin(x)) \end{aligned}$$

**Mathematica [B]** time = 0.0138217, size = 16, normalized size = 3.2

$$2 \log \left( \sin \left( \frac{x}{2} \right) + \cos \left( \frac{x}{2} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[x] + Tan[x])^(-1),x]

[Out] 2\*Log[Cos[x/2] + Sin[x/2]]

**Maple [A]** time = 0.051, size = 6, normalized size = 1.2

$$\ln(1 + \sin(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(sec(x)+tan(x)),x)

[Out] ln(1+sin(x))

**Maxima [B]** time = 0.979022, size = 42, normalized size = 8.4

$$2 \log\left(\frac{\sin(x)}{\cos(x) + 1} + 1\right) - \log\left(\frac{\sin(x)^2}{(\cos(x) + 1)^2} + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sec(x)+tan(x)),x, algorithm="maxima")

[Out] 2\*log(sin(x)/(cos(x) + 1) + 1) - log(sin(x)^2/(cos(x) + 1)^2 + 1)

**Fricas [A]** time = 2.1763, size = 23, normalized size = 4.6

$$\log(\sin(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sec(x)+tan(x)),x, algorithm="fricas")

[Out] log(sin(x) + 1)

**Sympy [B]** time = 0.165543, size = 17, normalized size = 3.4

$$\log(\tan(x) + \sec(x)) - \frac{\log(\tan^2(x) + 1)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sec(x)+tan(x)),x)

[Out] log(tan(x) + sec(x)) - log(tan(x)\*\*2 + 1)/2

**Giac [B]** time = 1.12336, size = 30, normalized size = 6.

$$-\log\left(\tan\left(\frac{1}{2}x\right)^2 + 1\right) + 2 \log\left(\left|\tan\left(\frac{1}{2}x\right) + 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(sec(x)+tan(x)),x, algorithm="giac")
```

```
[Out] -log(tan(1/2*x)^2 + 1) + 2*log(abs(tan(1/2*x) + 1))
```

$$3.279 \quad \int \frac{1}{(\sec(x) + \tan(x))^2} dx$$

**Optimal.** Leaf size=14

$$-x - \frac{2 \cos(x)}{\sin(x) + 1}$$

[Out]  $-x - (2*\text{Cos}[x])/(1 + \text{Sin}[x])$

**Rubi [A]** time = 0.0414318, antiderivative size = 14, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {4391, 2680, 8}

$$-x - \frac{2 \cos(x)}{\sin(x) + 1}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Sec}[x] + \text{Tan}[x])^{-2}, x]$

[Out]  $-x - (2*\text{Cos}[x])/(1 + \text{Sin}[x])$

#### Rule 4391

$\text{Int}[(u_.)*((b_.)*\text{sec}[(c_.) + (d_.)*(x_)]^{(n_.)} + (a_.)*\text{tan}[(c_.) + (d_.)*(x_)]^{(n_.)})^{(p_.)}, x\_Symbol] :> \text{Int}[\text{ActivateTrig}[u]*\text{Sec}[c + d*x]^{(n*p)}*(b + a*\text{Sin}[c + d*x]^{(n)})^p, x] /;$  FreeQ[{a, b, c, d}, x] && IntegersQ[n, p]

#### Rule 2680

$\text{Int}[(\cos[(e_.) + (f_.)*(x_)]*(g_.)^{(p_.)}*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)]^{(m_.)})^{(m_.)}, x\_Symbol] :> \text{Simp}[(2*g*(g*\text{Cos}[e + f*x])^{(p-1)}*(a + b*\text{Sin}[e + f*x])^{(m+1)})/(b*f*(2*m + p + 1)), x] + \text{Dist}[(g^{2*(p-1)})/(b^{2*(2*m + p + 1)}), \text{Int}[(g*\text{Cos}[e + f*x])^{(p-2)}*(a + b*\text{Sin}[e + f*x])^{(m+2)}, x], x] /;$  FreeQ[{a, b, e, f, g}, x] && EqQ[a^2 - b^2, 0] && LeQ[m, -2] && GtQ[p, 1] && NeQ[2\*m + p + 1, 0] && !ILtQ[m + p + 1, 0] && IntegersQ[2\*m, 2\*p]

#### Rule 8

$\text{Int}[a_, x\_Symbol] :> \text{Simp}[a*x, x] /;$  FreeQ[a, x]

#### Rubi steps

$$\begin{aligned} \int \frac{1}{(\sec(x) + \tan(x))^2} dx &= \int \frac{\cos^2(x)}{(1 + \sin(x))^2} dx \\ &= -\frac{2 \cos(x)}{1 + \sin(x)} - \int 1 dx \\ &= -x - \frac{2 \cos(x)}{1 + \sin(x)} \end{aligned}$$

**Mathematica [A]** time = 0.0255073, size = 27, normalized size = 1.93

$$\frac{4 \sin\left(\frac{x}{2}\right)}{\sin\left(\frac{x}{2}\right) + \cos\left(\frac{x}{2}\right)} - x$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[x] + Tan[x])^(-2),x]

[Out] -x + (4\*Sin[x/2])/(Cos[x/2] + Sin[x/2])

**Maple [A]** time = 0.059, size = 15, normalized size = 1.1

$$-4 (1 + \tan(x/2))^{-1} - x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(sec(x)+tan(x))^2,x)

[Out] -4/(1+tan(1/2\*x))-x

**Maxima [A]** time = 1.49414, size = 38, normalized size = 2.71

$$-\frac{4}{\frac{\sin(x)}{\cos(x)+1} + 1} - 2 \arctan\left(\frac{\sin(x)}{\cos(x)+1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sec(x)+tan(x))^2,x, algorithm="maxima")

[Out] -4/(sin(x)/(cos(x) + 1) + 1) - 2\*arctan(sin(x)/(cos(x) + 1))

**Fricas [A]** time = 2.06679, size = 89, normalized size = 6.36

$$\frac{(x + 2) \cos(x) + (x - 2) \sin(x) + x + 2}{\cos(x) + \sin(x) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sec(x)+tan(x))^2,x, algorithm="fricas")

[Out] -((x + 2)\*cos(x) + (x - 2)\*sin(x) + x + 2)/(cos(x) + sin(x) + 1)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(\tan(x) + \sec(x))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sec(x)+tan(x))\*\*2,x)

[Out] Integral((tan(x) + sec(x))\*\*(-2), x)



---

**Giac [A]** time = 1.09812, size = 19, normalized size = 1.36

$$-x - \frac{4}{\tan\left(\frac{1}{2}x\right) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sec(x)+tan(x))^2,x, algorithm="giac")

[Out] -x - 4/(tan(1/2\*x) + 1)

$$3.280 \quad \int \frac{1}{(\sec(x) + \tan(x))^3} dx$$

**Optimal.** Leaf size=16

$$-\frac{2}{\sin(x) + 1} - \log(\sin(x) + 1)$$

[Out] -Log[1 + Sin[x]] - 2/(1 + Sin[x])

**Rubi [A]** time = 0.0462508, antiderivative size = 16, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {4391, 2667, 43}

$$-\frac{2}{\sin(x) + 1} - \log(\sin(x) + 1)$$

Antiderivative was successfully verified.

[In] Int[(Sec[x] + Tan[x])^(-3), x]

[Out] -Log[1 + Sin[x]] - 2/(1 + Sin[x])

#### Rule 4391

Int[(u\_)\*((b\_)\*sec[(c\_) + (d\_)\*(x\_)]^(n\_) + (a\_)\*tan[(c\_) + (d\_)\*(x\_)]^(n\_))^(p\_), x\_Symbol] := Int[ActivateTrig[u]\*Sec[c + d\*x]^(n\*p)\*(b + a\*Sin[c + d\*x]^n)^p, x] /; FreeQ[{a, b, c, d}, x] && IntegersQ[n, p]

#### Rule 2667

Int[cos[(e\_) + (f\_)\*(x\_)]^(p\_)\*((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]^(m\_)), x\_Symbol] := Dist[1/(b^p\*f), Subst[Int[(a + x)^(m + (p - 1)/2)\*(a - x)^(p - 1)/2], x], x, b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && EqQ[a^2 - b^2, 0] && (GeQ[p, -1] || !IntegerQ[m + 1/2])

#### Rule 43

Int[((a\_) + (b\_)\*(x\_))^(m\_)\*((c\_) + (d\_)\*(x\_))^(n\_), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{1}{(\sec(x) + \tan(x))^3} dx &= \int \frac{\cos^3(x)}{(1 + \sin(x))^3} dx \\ &= \text{Subst} \left( \int \frac{1 - x}{(1 + x)^2} dx, x, \sin(x) \right) \\ &= \text{Subst} \left( \int \left( \frac{1}{-1 - x} + \frac{2}{(1 + x)^2} \right) dx, x, \sin(x) \right) \\ &= -\log(1 + \sin(x)) - \frac{2}{1 + \sin(x)} \end{aligned}$$

**Mathematica [B]** time = 0.0205385, size = 34, normalized size = 2.12

$$-\frac{2}{\left(\sin\left(\frac{x}{2}\right) + \cos\left(\frac{x}{2}\right)\right)^2} - 2 \log\left(\sin\left(\frac{x}{2}\right) + \cos\left(\frac{x}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[x] + Tan[x])^(-3), x]

[Out] -2\*Log[Cos[x/2] + Sin[x/2]] - 2/(Cos[x/2] + Sin[x/2])^2

**Maple [A]** time = 0.085, size = 17, normalized size = 1.1

$$-\ln(1 + \sin(x)) - 2(1 + \sin(x))^{-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(sec(x)+tan(x))^3,x)

[Out] -ln(1+sin(x))-2/(1+sin(x))

**Maxima [B]** time = 1.50015, size = 86, normalized size = 5.38

$$\frac{4 \sin(x)}{\left(\frac{2 \sin(x)}{\cos(x)+1} + \frac{\sin(x)^2}{(\cos(x)+1)^2} + 1\right)(\cos(x)+1)} - 2 \log\left(\frac{\sin(x)}{\cos(x)+1} + 1\right) + \log\left(\frac{\sin(x)^2}{(\cos(x)+1)^2} + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sec(x)+tan(x))^3,x, algorithm="maxima")

[Out] 4\*sin(x)/((2\*sin(x)/(cos(x) + 1) + sin(x)^2/(cos(x) + 1)^2 + 1)\*(cos(x) + 1)) - 2\*log(sin(x)/(cos(x) + 1) + 1) + log(sin(x)^2/(cos(x) + 1)^2 + 1)

**Fricas [A]** time = 2.07822, size = 68, normalized size = 4.25

$$\frac{(\sin(x) + 1) \log(\sin(x) + 1) + 2}{\sin(x) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sec(x)+tan(x))^3,x, algorithm="fricas")

[Out] -((sin(x) + 1)\*log(sin(x) + 1) + 2)/(sin(x) + 1)

**Sympy [B]** time = 1.34542, size = 306, normalized size = 19.12

$$\frac{2 \log(\tan(x) + \sec(x)) \tan^2(x)}{2 \tan^2(x) + 4 \tan(x) \sec(x) + 2 \sec^2(x)} - \frac{4 \log(\tan(x) + \sec(x)) \tan(x) \sec(x)}{2 \tan^2(x) + 4 \tan(x) \sec(x) + 2 \sec^2(x)} - \frac{2 \log(\tan(x) + \sec(x))}{2 \tan^2(x) + 4 \tan(x) \sec(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sec(x)+tan(x))\*\*3,x)

[Out]  $-2*\log(\tan(x) + \sec(x))*\tan(x)**2/(2*\tan(x)**2 + 4*\tan(x)*\sec(x) + 2*\sec(x)**2) - 4*\log(\tan(x) + \sec(x))*\tan(x)*\sec(x)/(2*\tan(x)**2 + 4*\tan(x)*\sec(x) + 2*\sec(x)**2) - 2*\log(\tan(x) + \sec(x))*\sec(x)**2/(2*\tan(x)**2 + 4*\tan(x)*\sec(x) + 2*\sec(x)**2) + \log(\tan(x)**2 + 1)*\tan(x)**2/(2*\tan(x)**2 + 4*\tan(x)*\sec(x) + 2*\sec(x)**2) + 2*\log(\tan(x)**2 + 1)*\tan(x)*\sec(x)/(2*\tan(x)**2 + 4*\tan(x)*\sec(x) + 2*\sec(x)**2) + \log(\tan(x)**2 + 1)*\sec(x)**2/(2*\tan(x)**2 + 4*\tan(x)*\sec(x) + 2*\sec(x)**2) + 2*\tan(x)**2/(2*\tan(x)**2 + 4*\tan(x)*\sec(x) + 2*\sec(x)**2) + 2*\tan(x)*\sec(x)/(2*\tan(x)**2 + 4*\tan(x)*\sec(x) + 2*\sec(x)**2) - 1/(2*\tan(x)**2 + 4*\tan(x)*\sec(x) + 2*\sec(x)**2)$

**Giac [B]** time = 1.12815, size = 61, normalized size = 3.81

$$\frac{3 \tan\left(\frac{1}{2}x\right)^2 + 10 \tan\left(\frac{1}{2}x\right) + 3}{\left(\tan\left(\frac{1}{2}x\right) + 1\right)^2} + \log\left(\tan\left(\frac{1}{2}x\right)^2 + 1\right) - 2 \log\left(\left|\tan\left(\frac{1}{2}x\right) + 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sec(x)+tan(x))^3,x, algorithm="giac")

[Out]  $(3*\tan(1/2*x)^2 + 10*\tan(1/2*x) + 3)/(\tan(1/2*x) + 1)^2 + \log(\tan(1/2*x)^2 + 1) - 2*\log(\text{abs}(\tan(1/2*x) + 1))$

$$3.281 \quad \int \frac{1}{(\sec(x)+\tan(x))^4} dx$$

**Optimal.** Leaf size=26

$$x - \frac{2 \cos^3(x)}{3(\sin(x) + 1)^3} + \frac{2 \cos(x)}{\sin(x) + 1}$$

[Out] x - (2\*Cos[x]^3)/(3\*(1 + Sin[x])^3) + (2\*Cos[x])/(1 + Sin[x])

**Rubi [A]** time = 0.0689964, antiderivative size = 26, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {4391, 2680, 8}

$$x - \frac{2 \cos^3(x)}{3(\sin(x) + 1)^3} + \frac{2 \cos(x)}{\sin(x) + 1}$$

Antiderivative was successfully verified.

[In] Int[(Sec[x] + Tan[x])^(-4), x]

[Out] x - (2\*Cos[x]^3)/(3\*(1 + Sin[x])^3) + (2\*Cos[x])/(1 + Sin[x])

#### Rule 4391

Int[(u\_.)\*((b\_.)\*sec[(c\_.) + (d\_.)\*(x\_.)]^(n\_.) + (a\_.)\*tan[(c\_.) + (d\_.)\*(x\_.)]^(n\_.))^p, x\_Symbol] := Int[ActivateTrig[u]\*Sec[c + d\*x]^(n\*p)\*(b + a\*Sin[c + d\*x]^n)^p, x] /; FreeQ[{a, b, c, d}, x] && IntegersQ[n, p]

#### Rule 2680

Int[(cos[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^p\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^m, x\_Symbol] := Simp[(2\*g\*(g\*Cos[e + f\*x])^(p - 1)\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(2\*m + p + 1)), x] + Dist[(g^2\*(p - 1))/(b^2\*(2\*m + p + 1)), Int[(g\*Cos[e + f\*x])^(p - 2)\*(a + b\*Sin[e + f\*x])^(m + 2), x], x] /; FreeQ[{a, b, e, f, g}, x] && EqQ[a^2 - b^2, 0] && LeQ[m, -2] && GtQ[p, 1] && NeQ[2\*m + p + 1, 0] && !ILtQ[m + p + 1, 0] && IntegersQ[2\*m, 2\*p]

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned} \int \frac{1}{(\sec(x) + \tan(x))^4} dx &= \int \frac{\cos^4(x)}{(1 + \sin(x))^4} dx \\ &= -\frac{2 \cos^3(x)}{3(1 + \sin(x))^3} - \int \frac{\cos^2(x)}{(1 + \sin(x))^2} dx \\ &= -\frac{2 \cos^3(x)}{3(1 + \sin(x))^3} + \frac{2 \cos(x)}{1 + \sin(x)} + \int 1 dx \\ &= x - \frac{2 \cos^3(x)}{3(1 + \sin(x))^3} + \frac{2 \cos(x)}{1 + \sin(x)} \end{aligned}$$

**Mathematica [B]** time = 0.0747828, size = 62, normalized size = 2.38

$$\frac{3(3x - 8) \cos\left(\frac{x}{2}\right) + (16 - 3x) \cos\left(\frac{3x}{2}\right) + 6 \sin\left(\frac{x}{2}\right) (2x + x \cos(x) - 4)}{6 \left(\sin\left(\frac{x}{2}\right) + \cos\left(\frac{x}{2}\right)\right)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[x] + Tan[x])^(-4), x]

[Out] (3\*(-8 + 3\*x)\*Cos[x/2] + (16 - 3\*x)\*Cos[(3\*x)/2] + 6\*(-4 + 2\*x + x\*Cos[x])\*Sin[x/2])/(6\*(Cos[x/2] + Sin[x/2])^3)

**Maple [A]** time = 0.072, size = 23, normalized size = 0.9

$$-\frac{16}{3} \left(1 + \tan\left(\frac{x}{2}\right)\right)^{-3} + 8 (1 + \tan(x/2))^{-2} + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(sec(x)+tan(x))^4, x)

[Out] -16/3/(1+tan(1/2\*x))^3+8/(1+tan(1/2\*x))^2+x

**Maxima [B]** time = 1.51288, size = 86, normalized size = 3.31

$$\frac{8 \left(\frac{3 \sin(x)}{\cos(x)+1} + 1\right)}{3 \left(\frac{3 \sin(x)}{\cos(x)+1} + \frac{3 \sin(x)^2}{(\cos(x)+1)^2} + \frac{\sin(x)^3}{(\cos(x)+1)^3} + 1\right)} + 2 \arctan\left(\frac{\sin(x)}{\cos(x)+1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sec(x)+tan(x))^4, x, algorithm="maxima")

[Out] 8/3\*(3\*sin(x)/(cos(x) + 1) + 1)/(3\*sin(x)/(cos(x) + 1) + 3\*sin(x)^2/(cos(x) + 1)^2 + sin(x)^3/(cos(x) + 1)^3 + 1) + 2\*arctan(sin(x)/(cos(x) + 1))

**Fricas [B]** time = 2.149, size = 188, normalized size = 7.23

$$\frac{(3x - 8) \cos(x)^2 - (3x + 4) \cos(x) - ((3x + 8) \cos(x) + 6x + 4) \sin(x) - 6x + 4}{3(\cos(x)^2 - (\cos(x) + 2) \sin(x) - \cos(x) - 2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sec(x)+tan(x))^4, x, algorithm="fricas")

[Out] 1/3\*((3\*x - 8)\*cos(x)^2 - (3\*x + 4)\*cos(x) - ((3\*x + 8)\*cos(x) + 6\*x + 4)\*sin(x) - 6\*x + 4)/(cos(x)^2 - (cos(x) + 2)\*sin(x) - cos(x) - 2)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(\tan(x) + \sec(x))^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sec(x)+tan(x))\*\*4,x)

[Out] Integral((tan(x) + sec(x))\*\*(-4), x)

**Giac [A]** time = 1.17076, size = 27, normalized size = 1.04

$$x + \frac{8 \left( 3 \tan\left(\frac{1}{2}x\right) + 1 \right)}{3 \left( \tan\left(\frac{1}{2}x\right) + 1 \right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sec(x)+tan(x))^4,x, algorithm="giac")

[Out] x + 8/3\*(3\*tan(1/2\*x) + 1)/(tan(1/2\*x) + 1)^3

$$3.282 \quad \int \frac{1}{(\sec(x)+\tan(x))^5} dx$$

**Optimal.** Leaf size=22

$$\frac{4}{\sin(x)+1} - \frac{2}{(\sin(x)+1)^2} + \log(\sin(x)+1)$$

[Out] Log[1 + Sin[x]] - 2/(1 + Sin[x])^2 + 4/(1 + Sin[x])

**Rubi [A]** time = 0.0479451, antiderivative size = 22, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {4391, 2667, 43}

$$\frac{4}{\sin(x)+1} - \frac{2}{(\sin(x)+1)^2} + \log(\sin(x)+1)$$

Antiderivative was successfully verified.

[In] Int[(Sec[x] + Tan[x])^(-5), x]

[Out] Log[1 + Sin[x]] - 2/(1 + Sin[x])^2 + 4/(1 + Sin[x])

#### Rule 4391

Int[(u\_)\*((b\_)\*sec[(c\_) + (d\_)\*(x\_)]^(n\_) + (a\_)\*tan[(c\_) + (d\_)\*(x\_)]^(n\_))^(p\_), x\_Symbol] :> Int[ActivateTrig[u]\*Sec[c + d\*x]^(n\*p)\*(b + a\*Sin[c + d\*x]^n)^p, x] /; FreeQ[{a, b, c, d}, x] && IntegersQ[n, p]

#### Rule 2667

Int[cos[(e\_) + (f\_)\*(x\_)]^(p\_)\*((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]^(m\_)), x\_Symbol] :> Dist[1/(b^p\*f), Subst[Int[(a + x)^(m + (p - 1)/2)\*(a - x)^(p - 1)/2], x], x, b\*Sin[e + f\*x], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && EqQ[a^2 - b^2, 0] && (GeQ[p, -1] || !IntegerQ[m + 1/2])

#### Rule 43

Int[((a\_) + (b\_)\*(x\_))^(m\_)\*((c\_) + (d\_)\*(x\_))^(n\_), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{1}{(\sec(x)+\tan(x))^5} dx &= \int \frac{\cos^5(x)}{(1+\sin(x))^5} dx \\ &= \text{Subst} \left( \int \frac{(1-x)^2}{(1+x)^3} dx, x, \sin(x) \right) \\ &= \text{Subst} \left( \int \left( \frac{4}{(1+x)^3} - \frac{4}{(1+x)^2} + \frac{1}{1+x} \right) dx, x, \sin(x) \right) \\ &= \log(1+\sin(x)) - \frac{2}{(1+\sin(x))^2} + \frac{4}{1+\sin(x)} \end{aligned}$$



**Mathematica [A]** time = 0.0465485, size = 39, normalized size = 1.77

$$\frac{4 \sin(x) + 2}{\left(\sin\left(\frac{x}{2}\right) + \cos\left(\frac{x}{2}\right)\right)^4} + 2 \log\left(\sin\left(\frac{x}{2}\right) + \cos\left(\frac{x}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[x] + Tan[x])^(-5), x]

[Out] 2\*Log[Cos[x/2] + Sin[x/2]] + (2 + 4\*Sin[x])/(Cos[x/2] + Sin[x/2])^4

**Maple [A]** time = 0.109, size = 23, normalized size = 1.1

$$\ln(1 + \sin(x)) - 2(1 + \sin(x))^{-2} + 4(1 + \sin(x))^{-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(sec(x)+tan(x))^5,x)

[Out] ln(1+sin(x))-2/(1+sin(x))^2+4/(1+sin(x))

**Maxima [B]** time = 1.5119, size = 124, normalized size = 5.64

$$\frac{8 \sin(x)^2}{\left(\frac{4 \sin(x)}{\cos(x)+1} + \frac{6 \sin(x)^2}{(\cos(x)+1)^2} + \frac{4 \sin(x)^3}{(\cos(x)+1)^3} + \frac{\sin(x)^4}{(\cos(x)+1)^4} + 1\right)(\cos(x)+1)^2} + 2 \log\left(\frac{\sin(x)}{\cos(x)+1} + 1\right) - \log\left(\frac{\sin(x)^2}{(\cos(x)+1)^2} + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sec(x)+tan(x))^5,x, algorithm="maxima")

[Out] -8\*sin(x)^2/((4\*sin(x)/(cos(x) + 1) + 6\*sin(x)^2/(cos(x) + 1)^2 + 4\*sin(x)^3/(cos(x) + 1)^3 + sin(x)^4/(cos(x) + 1)^4 + 1)\*(cos(x) + 1)^2) + 2\*log(sin(x)/(cos(x) + 1) + 1) - log(sin(x)^2/(cos(x) + 1)^2 + 1)

**Fricas [A]** time = 2.09642, size = 116, normalized size = 5.27

$$\frac{(\cos(x)^2 - 2 \sin(x) - 2) \log(\sin(x) + 1) - 4 \sin(x) - 2}{\cos(x)^2 - 2 \sin(x) - 2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sec(x)+tan(x))^5,x, algorithm="fricas")

[Out] ((cos(x)^2 - 2\*sin(x) - 2)\*log(sin(x) + 1) - 4\*sin(x) - 2)/(cos(x)^2 - 2\*sin(x) - 2)

**Sympy [B]** time = 5.48686, size = 1064, normalized size = 48.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sec(x)+tan(x))\*\*5,x)

[Out]  $12 \log(\tan(x) + \sec(x)) \tan(x)^4 / (12 \tan(x)^4 + 48 \tan(x)^3 \sec(x) + 72 \tan(x)^2 \sec(x)^2 + 48 \tan(x) \sec(x)^3 + 12 \sec(x)^4) + 48 \log(\tan(x) + \sec(x)) \tan(x)^3 \sec(x) / (12 \tan(x)^4 + 48 \tan(x)^3 \sec(x) + 72 \tan(x)^2 \sec(x)^2 + 48 \tan(x) \sec(x)^3 + 12 \sec(x)^4) + 72 \log(\tan(x) + \sec(x)) \tan(x)^2 \sec(x)^2 / (12 \tan(x)^4 + 48 \tan(x)^3 \sec(x) + 72 \tan(x)^2 \sec(x)^2 + 48 \tan(x) \sec(x)^3 + 12 \sec(x)^4) + 48 \log(\tan(x) + \sec(x)) \tan(x) \sec(x)^3 / (12 \tan(x)^4 + 48 \tan(x)^3 \sec(x) + 72 \tan(x)^2 \sec(x)^2 + 48 \tan(x) \sec(x)^3 + 12 \sec(x)^4) + 12 \log(\tan(x) + \sec(x)) \sec(x)^4 / (12 \tan(x)^4 + 48 \tan(x)^3 \sec(x) + 72 \tan(x)^2 \sec(x)^2 + 48 \tan(x) \sec(x)^3 + 12 \sec(x)^4) - 6 \log(\tan(x)^2 + 1) \tan(x)^4 / (12 \tan(x)^4 + 48 \tan(x)^3 \sec(x) + 72 \tan(x)^2 \sec(x)^2 + 48 \tan(x) \sec(x)^3 + 12 \sec(x)^4) - 24 \log(\tan(x)^2 + 1) \tan(x)^3 \sec(x) / (12 \tan(x)^4 + 48 \tan(x)^3 \sec(x) + 72 \tan(x)^2 \sec(x)^2 + 48 \tan(x) \sec(x)^3 + 12 \sec(x)^4) - 36 \log(\tan(x)^2 + 1) \tan(x)^2 \sec(x)^2 / (12 \tan(x)^4 + 48 \tan(x)^3 \sec(x) + 72 \tan(x)^2 \sec(x)^2 + 48 \tan(x) \sec(x)^3 + 12 \sec(x)^4) - 24 \log(\tan(x)^2 + 1) \tan(x) \sec(x)^3 / (12 \tan(x)^4 + 48 \tan(x)^3 \sec(x) + 72 \tan(x)^2 \sec(x)^2 + 48 \tan(x) \sec(x)^3 + 12 \sec(x)^4) - 6 \log(\tan(x)^2 + 1) \sec(x)^4 / (12 \tan(x)^4 + 48 \tan(x)^3 \sec(x) + 72 \tan(x)^2 \sec(x)^2 + 48 \tan(x) \sec(x)^3 + 12 \sec(x)^4) - 16 \tan(x)^4 / (12 \tan(x)^4 + 48 \tan(x)^3 \sec(x) + 72 \tan(x)^2 \sec(x)^2 + 48 \tan(x) \sec(x)^3 + 12 \sec(x)^4) - 44 \tan(x)^3 \sec(x) / (12 \tan(x)^4 + 48 \tan(x)^3 \sec(x) + 72 \tan(x)^2 \sec(x)^2 + 48 \tan(x) \sec(x)^3 + 12 \sec(x)^4) - 40 \tan(x)^2 \sec(x)^2 / (12 \tan(x)^4 + 48 \tan(x)^3 \sec(x) + 72 \tan(x)^2 \sec(x)^2 + 48 \tan(x) \sec(x)^3 + 12 \sec(x)^4) + 6 \tan(x)^2 / (12 \tan(x)^4 + 48 \tan(x)^3 \sec(x) + 72 \tan(x)^2 \sec(x)^2 + 48 \tan(x) \sec(x)^3 + 12 \sec(x)^4) - 12 \tan(x) \sec(x)^3 / (12 \tan(x)^4 + 48 \tan(x)^3 \sec(x) + 72 \tan(x)^2 \sec(x)^2 + 48 \tan(x) \sec(x)^3 + 12 \sec(x)^4) + 8 \tan(x) \sec(x) / (12 \tan(x)^4 + 48 \tan(x)^3 \sec(x) + 72 \tan(x)^2 \sec(x)^2 + 48 \tan(x) \sec(x)^3 + 12 \sec(x)^4) + 2 \sec(x)^2 / (12 \tan(x)^4 + 48 \tan(x)^3 \sec(x) + 72 \tan(x)^2 \sec(x)^2 + 48 \tan(x) \sec(x)^3 + 12 \sec(x)^4) - 3 / (12 \tan(x)^4 + 48 \tan(x)^3 \sec(x) + 72 \tan(x)^2 \sec(x)^2 + 48 \tan(x) \sec(x)^3 + 12 \sec(x)^4)$

---

**Giac [B]** time = 1.12812, size = 86, normalized size = 3.91

$$\frac{25 \tan\left(\frac{1}{2}x\right)^4 + 100 \tan\left(\frac{1}{2}x\right)^3 + 198 \tan\left(\frac{1}{2}x\right)^2 + 100 \tan\left(\frac{1}{2}x\right) + 25}{6 \left(\tan\left(\frac{1}{2}x\right) + 1\right)^4} - \log\left(\tan\left(\frac{1}{2}x\right)^2 + 1\right) + 2 \log\left(\left|\tan\left(\frac{1}{2}x\right) + 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sec(x)+tan(x))^5,x, algorithm="giac")

[Out]  $-1/6*(25*\tan(1/2*x)^4 + 100*\tan(1/2*x)^3 + 198*\tan(1/2*x)^2 + 100*\tan(1/2*x) + 25)/(\tan(1/2*x) + 1)^4 - \log(\tan(1/2*x)^2 + 1) + 2*\log(\text{abs}(\tan(1/2*x) + 1))$

### 3.283 $\int (a \cot(x) + b \csc(x))^5 dx$

**Optimal.** Leaf size=152

$$\frac{1}{8}a^2b(7a^2 - 3b^2)\cos(x) + \frac{1}{16}(a+b)^3(8a^2 - 9ab + 3b^2)\log(1 - \cos(x)) + \frac{1}{16}(a-b)^3(8a^2 + 9ab + 3b^2)\log(\cos(x) + 1)$$

```
[Out] (a^2*b*(7*a^2 - 3*b^2)*Cos[x])/8 + ((b + a*Cos[x])^2*(2*a*(2*a^2 - b^2) + b
*(5*a^2 - 3*b^2)*Cos[x])*Csc[x]^2)/8 - ((b + a*Cos[x])^4*(a + b*Cos[x])*Csc
[x]^4)/4 + ((a + b)^3*(8*a^2 - 9*a*b + 3*b^2)*Log[1 - Cos[x]])/16 + ((a - b
)^3*(8*a^2 + 9*a*b + 3*b^2)*Log[1 + Cos[x]])/16
```

**Rubi [A]** time = 0.219501, antiderivative size = 152, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.636$ , Rules used = {4392, 2668, 739, 819, 774, 633, 31}

$$\frac{1}{8}a^2b(7a^2 - 3b^2)\cos(x) + \frac{1}{16}(a+b)^3(8a^2 - 9ab + 3b^2)\log(1 - \cos(x)) + \frac{1}{16}(a-b)^3(8a^2 + 9ab + 3b^2)\log(\cos(x) + 1)$$

Antiderivative was successfully verified.

```
[In] Int[(a*Cot[x] + b*Csc[x])^5,x]
```

```
[Out] (a^2*b*(7*a^2 - 3*b^2)*Cos[x])/8 + ((b + a*Cos[x])^2*(2*a*(2*a^2 - b^2) + b
*(5*a^2 - 3*b^2)*Cos[x])*Csc[x]^2)/8 - ((b + a*Cos[x])^4*(a + b*Cos[x])*Csc
[x]^4)/4 + ((a + b)^3*(8*a^2 - 9*a*b + 3*b^2)*Log[1 - Cos[x]])/16 + ((a - b
)^3*(8*a^2 + 9*a*b + 3*b^2)*Log[1 + Cos[x]])/16
```

#### Rule 4392

```
Int[(cot[(c_.) + (d_.)*(x_.)]^(n_.)*(a_.) + csc[(c_.) + (d_.)*(x_.)]^(n_.)*(b
_.))^(p_.)*(u_.), x_Symbol] := Int[ActivateTrig[u]*Csc[c + d*x]^(n*p)*(b + a
*Cos[c + d*x]^n)^p, x] /; FreeQ[{a, b, c, d}, x] && IntegersQ[n, p]
```

#### Rule 2668

```
Int[cos[(e_.) + (f_.)*(x_.)]^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m
_.), x_Symbol] := Dist[1/(b^p*f), Subst[Int[(a + x)^m*(b^2 - x^2)^((p - 1)/
2), x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p
- 1)/2] && NeQ[a^2 - b^2, 0]
```

#### Rule 739

```
Int[((d_.) + (e_.)*(x_.))^(m_.)*((a_.) + (c_.)*(x_.)^2)^(p_.), x_Symbol] := Simp[
((d + e*x)^(m - 1)*(a*e - c*d*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)), x] +
Dist[1/((p + 1)*(-2*a*c)), Int[(d + e*x)^(m - 2)*Simp[a*e^2*(m - 1) - c*d^
2*(2*p + 3) - d*c*e*(m + 2*p + 2)*x, x]*(a + c*x^2)^(p + 1), x], x] /; Free
Q[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] && I
ntQuadraticQ[a, 0, c, d, e, m, p, x]
```

#### Rule 819

```
Int[((d_.) + (e_.)*(x_.))^(m_.)*((f_.) + (g_.)*(x_.))*((a_.) + (c_.)*(x_.)^2)^(p
_.), x_Symbol] := Simp[((d + e*x)^(m - 1)*(a + c*x^2)^(p + 1)*(a*(e*f + d*g
) - (c*d*f - a*e*g)*x))/(2*a*c*(p + 1)), x] - Dist[1/(2*a*c*(p + 1)), Int[(
d + e*x)^(m - 2)*(a + c*x^2)^(p + 1)*Simp[a*e*(e*f*(m - 1) + d*g*m) - c*d^
2*f*(2*p + 3) + e*(a*e*g*m - c*d*f*(m + 2*p + 2))*x, x], x], x] /; FreeQ[{a,
```

```
c, d, e, f, g}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] &&
(EqQ[d, 0] || (EqQ[m, 2] && EqQ[p, -3] && RationalQ[a, c, d, e, f, g]) ||
!ILtQ[m + 2*p + 3, 0])
```

### Rule 774

```
Int[(((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_)))/((a_.) + (c_.)*(x_)^2), x_Sym
bol] := Simp[(e*g*x)/c, x] + Dist[1/c, Int[(c*d*f - a*e*g + c*(e*f + d*g)*x
)/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e, f, g}, x]
```

### Rule 633

```
Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := With[{q = Rt[-(
a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x), x], x] + Dist[e/2 - (c
*d)/(2*q), Int[1/(q + c*x), x], x]] /; FreeQ[{a, c, d, e}, x] && NiceSqrtQ[
-(a*c)]
```

### Rule 31

```
Int[((a_) + (b_.)*(x_))^-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

### Rubi steps

$$\begin{aligned}
\int (a \cot(x) + b \csc(x))^5 dx &= \int (b + a \cos(x))^5 \csc^5(x) dx \\
&= - \left( a^5 \operatorname{Subst} \left( \int \frac{(b+x)^5}{(a^2-x^2)^3} dx, x, a \cos(x) \right) \right) \\
&= -\frac{1}{4} (b + a \cos(x))^4 (a + b \cos(x)) \csc^4(x) + \frac{1}{4} a^3 \operatorname{Subst} \left( \int \frac{(b+x)^3 (4a^2 - 3b^2 + bx)}{(a^2-x^2)^2} dx, x, a \cos(x) \right) \\
&= \frac{1}{8} (b + a \cos(x))^2 (2a(2a^2 - b^2) + b(5a^2 - 3b^2) \cos(x)) \csc^2(x) - \frac{1}{4} (b + a \cos(x))^4 (a + b \cos(x)) \csc^4(x) \\
&= \frac{1}{8} a^2 b (7a^2 - 3b^2) \cos(x) + \frac{1}{8} (b + a \cos(x))^2 (2a(2a^2 - b^2) + b(5a^2 - 3b^2) \cos(x)) \csc^2(x) - \frac{1}{4} (b + a \cos(x))^4 (a + b \cos(x)) \csc^4(x) \\
&= \frac{1}{8} a^2 b (7a^2 - 3b^2) \cos(x) + \frac{1}{8} (b + a \cos(x))^2 (2a(2a^2 - b^2) + b(5a^2 - 3b^2) \cos(x)) \csc^2(x) - \frac{1}{4} (b + a \cos(x))^4 (a + b \cos(x)) \csc^4(x) \\
&= \frac{1}{8} a^2 b (7a^2 - 3b^2) \cos(x) + \frac{1}{8} (b + a \cos(x))^2 (2a(2a^2 - b^2) + b(5a^2 - 3b^2) \cos(x)) \csc^2(x) - \frac{1}{4} (b + a \cos(x))^4 (a + b \cos(x)) \csc^4(x)
\end{aligned}$$

**Mathematica [A]** time = 0.73585, size = 143, normalized size = 0.94

$$\frac{1}{64} \left( 8(a+b)^3 (8a^2 - 9ab + 3b^2) \log \left( \sin \left( \frac{x}{2} \right) \right) + 8(8a^2 + 9ab + 3b^2) (a-b)^3 \log \left( \cos \left( \frac{x}{2} \right) \right) - (a+b)^5 \csc^4 \left( \frac{x}{2} \right) + 2(7a - 3b) \csc^2 \left( \frac{x}{2} \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a*Cot[x] + b*Csc[x])^5, x]
```

```
[Out] (2*(7*a - 3*b)*(a + b)^4*Csc[x/2]^2 - (a + b)^5*Csc[x/2]^4 + 8*(a - b)^3*(8
*a^2 + 9*a*b + 3*b^2)*Log[Cos[x/2]] + 8*(a + b)^3*(8*a^2 - 9*a*b + 3*b^2)*L
og[Sin[x/2]] + 2*(a - b)^4*(7*a + 3*b)*Sec[x/2]^2 - (a - b)^5*Sec[x/2]^4)/6
4
```

---

**Maple [A]** time = 0.059, size = 204, normalized size = 1.3

$$-\frac{a^5 (\cot(x))^4}{4} + \frac{a^5 (\cot(x))^2}{2} + a^5 \ln(\sin(x)) - \frac{5a^4b (\cos(x))^5}{4 (\sin(x))^4} + \frac{5a^4b (\cos(x))^5}{8 (\sin(x))^2} + \frac{5 (\cos(x))^3 a^4b}{8} + \frac{15a^4b \cos(x)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*cot(x)+b\*csc(x))^5,x)

[Out]  $-1/4*a^5*\cot(x)^4+1/2*a^5*\cot(x)^2+a^5*\ln(\sin(x))-5/4*a^4*b/\sin(x)^4*\cos(x)^5+5/8*a^4*b/\sin(x)^2*\cos(x)^5+5/8*\cos(x)^3*a^4*b+15/8*a^4*b*\cos(x)+15/8*a^4*b*\ln(\csc(x)-\cot(x))-5/2*a^3*b^2/\sin(x)^4*\cos(x)^4-5/2*a^2*b^3/\sin(x)^4*\cos(x)^3-5/4*a^2*b^3/\sin(x)^2*\cos(x)^3-5/4*\cos(x)*a^2*b^3-5/4*a^2*b^3*\ln(\csc(x)-\cot(x))-5/4*a*b^4/\sin(x)^4-1/4*b^5*\cot(x)*\csc(x)^3-3/8*b^5*\csc(x)*\cot(x)+3/8*b^5*\ln(\csc(x)-\cot(x))$

---

**Maxima [A]** time = 1.00049, size = 254, normalized size = 1.67

$$-\frac{5}{2}a^3b^2 \cot(x)^4 - \frac{5}{16}a^4b \left( \frac{2(5 \cos(x)^3 - 3 \cos(x))}{\cos(x)^4 - 2 \cos(x)^2 + 1} + 3 \log(\cos(x) + 1) - 3 \log(\cos(x) - 1) \right) + \frac{1}{16}b^5 \left( \frac{2(3 \cos(x)^3 - 5 \cos(x))}{\cos(x)^4 - 2 \cos(x)^2 + 1} + 3 \log(\cos(x) + 1) + 3 \log(\cos(x) - 1) - \frac{5}{8}a^2b^3 \frac{2(\cos(x)^3 + \cos(x))}{\cos(x)^4 - 2 \cos(x)^2 + 1} - \log(\cos(x) + 1) + \log(\cos(x) - 1) \right) + \frac{1}{4}a^5 \frac{(4 \sin(x)^2 - 1)}{\sin(x)^4} + 2 \log(\sin(x)^2) - \frac{5}{4}a*b^4/\sin(x)^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cot(x)+b\*csc(x))^5,x, algorithm="maxima")

[Out]  $-5/2*a^3*b^2*\cot(x)^4 - 5/16*a^4*b*(2*(5*\cos(x)^3 - 3*\cos(x))/(\cos(x)^4 - 2*\cos(x)^2 + 1) + 3*\log(\cos(x) + 1) - 3*\log(\cos(x) - 1)) + 1/16*b^5*(2*(3*\cos(x)^3 - 5*\cos(x))/(\cos(x)^4 - 2*\cos(x)^2 + 1) - 3*\log(\cos(x) + 1) + 3*\log(\cos(x) - 1)) - 5/8*a^2*b^3*(2*(\cos(x)^3 + \cos(x))/(\cos(x)^4 - 2*\cos(x)^2 + 1) - \log(\cos(x) + 1) + \log(\cos(x) - 1)) + 1/4*a^5*((4*\sin(x)^2 - 1)/\sin(x)^4 + 2*\log(\sin(x)^2)) - 5/4*a*b^4/\sin(x)^4$

---

**Fricas [B]** time = 2.17755, size = 703, normalized size = 4.62

$$12a^5 + 40a^3b^2 - 20ab^4 - 2(25a^4b + 10a^2b^3 - 3b^5)\cos(x)^3 - 16(a^5 + 5a^3b^2)\cos(x)^2 + 10(3a^4b - 2a^2b^3 - b^5)\cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cot(x)+b\*csc(x))^5,x, algorithm="fricas")

[Out]  $1/16*(12*a^5 + 40*a^3*b^2 - 20*a*b^4 - 2*(25*a^4*b + 10*a^2*b^3 - 3*b^5)*\cos(x)^3 - 16*(a^5 + 5*a^3*b^2)*\cos(x)^2 + 10*(3*a^4*b - 2*a^2*b^3 - b^5)*\cos(x) + (8*a^5 - 15*a^4*b + 10*a^2*b^3 - 3*b^5 + (8*a^5 - 15*a^4*b + 10*a^2*b^3 - 3*b^5)*\cos(x)^4 - 2*(8*a^5 - 15*a^4*b + 10*a^2*b^3 - 3*b^5)*\cos(x)^2)*\log(1/2*\cos(x) + 1/2) + (8*a^5 + 15*a^4*b - 10*a^2*b^3 + 3*b^5 + (8*a^5 + 15*a^4*b - 10*a^2*b^3 + 3*b^5)*\cos(x)^4 - 2*(8*a^5 + 15*a^4*b - 10*a^2*b^3 + 3*b^5)*\cos(x)^2)*\log(-1/2*\cos(x) + 1/2))/(\cos(x)^4 - 2*\cos(x)^2 + 1)$

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cot(x)+b\*csc(x))\*\*5,x)

[Out] Timed out

**Giac [A]** time = 1.11573, size = 228, normalized size = 1.5

$$\frac{1}{16} (8a^5 - 15a^4b + 10a^2b^3 - 3b^5) \log(\cos(x) + 1) + \frac{1}{16} (8a^5 + 15a^4b - 10a^2b^3 + 3b^5) \log(-\cos(x) + 1) + \frac{6a^5 + 20a^3b^2}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cot(x)+b\*csc(x))^5,x, algorithm="giac")

[Out]  $\frac{1}{16}*(8*a^5 - 15*a^4*b + 10*a^2*b^3 - 3*b^5)*\log(\cos(x) + 1) + \frac{1}{16}*(8*a^5 + 15*a^4*b - 10*a^2*b^3 + 3*b^5)*\log(-\cos(x) + 1) + \frac{1}{8}*(6*a^5 + 20*a^3*b^2 - 10*a*b^4 - (25*a^4*b + 10*a^2*b^3 - 3*b^5)*\cos(x)^3 - 8*(a^5 + 5*a^3*b^2)*\cos(x)^2 + 5*(3*a^4*b - 2*a^2*b^3 - b^5)*\cos(x))/((\cos(x) + 1)^2*(\cos(x) - 1)^2)$

### 3.284 $\int (a \cot(x) + b \csc(x))^4 dx$

**Optimal.** Leaf size=101

$$\frac{4}{3}ab(2a^2 - b^2)\sin(x) + \frac{1}{3}a^2(3a^2 - 2b^2)\sin(x)\cos(x) + \frac{1}{3}\csc(x)(a\cos(x) + b)^2((3a^2 - 2b^2)\cos(x) + ab) + a^4x - \frac{1}{3}\csc(x)$$

```
[Out] a^4*x + ((b + a*Cos[x])^2*(a*b + (3*a^2 - 2*b^2)*Cos[x])*Csc[x])/3 - ((b + a*Cos[x])^3*(a + b*Cos[x])*Csc[x]^3)/3 + (4*a*b*(2*a^2 - b^2)*Sin[x])/3 + (a^2*(3*a^2 - 2*b^2)*Cos[x]*Sin[x])/3
```

**Rubi [A]** time = 0.215116, antiderivative size = 101, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$ , Rules used = {4392, 2691, 2861, 2734}

$$\frac{4}{3}ab(2a^2 - b^2)\sin(x) + \frac{1}{3}a^2(3a^2 - 2b^2)\sin(x)\cos(x) + \frac{1}{3}\csc(x)(a\cos(x) + b)^2((3a^2 - 2b^2)\cos(x) + ab) + a^4x - \frac{1}{3}\csc(x)$$

Antiderivative was successfully verified.

```
[In] Int[(a*Cot[x] + b*Csc[x])^4, x]
```

```
[Out] a^4*x + ((b + a*Cos[x])^2*(a*b + (3*a^2 - 2*b^2)*Cos[x])*Csc[x])/3 - ((b + a*Cos[x])^3*(a + b*Cos[x])*Csc[x]^3)/3 + (4*a*b*(2*a^2 - b^2)*Sin[x])/3 + (a^2*(3*a^2 - 2*b^2)*Cos[x]*Sin[x])/3
```

#### Rule 4392

```
Int[(cot[(c_.) + (d_.)*(x_)]^(n_.)*(a_.) + csc[(c_.) + (d_.)*(x_)]^(n_.)*(b_.))^(p_.)*(u_.), x_Symbol] := Int[ActivateTrig[u]*Csc[c + d*x]^(n*p)*(b + a*Cos[c + d*x]^n)^p, x] /; FreeQ[{a, b, c, d}, x] && IntegersQ[n, p]
```

#### Rule 2691

```
Int[(cos[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_.), x_Symbol] := -Simp[((g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m - 1)*(b + a*Sin[e + f*x]))/(f*g*(p + 1)), x] + Dist[1/(g^2*(p + 1)), Int[(g*Cos[e + f*x])^(p + 2)*(a + b*Sin[e + f*x])^(m - 2)*(b^2*(m - 1) + a^2*(p + 2) + a*b*(m + p + 1)*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LtQ[p, -1] && (IntegersQ[2*m, 2*p] || IntegerQ[m])
```

#### Rule 2861

```
Int[(cos[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_.))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[((g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^m*(d + c*Sin[e + f*x]))/(f*g*(p + 1)), x] + Dist[1/(g^2*(p + 1)), Int[(g*Cos[e + f*x])^(p + 2)*(a + b*Sin[e + f*x])^(m - 1)*Simp[a*c*(p + 2) + b*d*m + b*c*(m + p + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LtQ[p, -1] && IntegerQ[2*m] && !(EqQ[m, 1] && NeQ[c^2 - d^2, 0] && SimplifierQ[c + d*x, a + b*x])
```

#### Rule 2734

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((2*a*c + b*d)*x)/2, x] + (-Simp[((b*c + a*d)*Co
```

$s[e + f*x])/f, x] - \text{Simp}[(b*d*\text{Cos}[e + f*x]*\text{Sin}[e + f*x])/(2*f), x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0]$

### Rubi steps

$$\begin{aligned} \int (a \cot(x) + b \csc(x))^4 dx &= \int (b + a \cos(x))^4 \csc^4(x) dx \\ &= -\frac{1}{3}(b + a \cos(x))^3(a + b \cos(x)) \csc^3(x) - \frac{1}{3} \int (b + a \cos(x))^2 (3a^2 - 2b^2 + ab \cos(x)) \csc^2(x) dx \\ &= \frac{1}{3}(b + a \cos(x))^2 (ab + (3a^2 - 2b^2) \cos(x)) \csc(x) - \frac{1}{3}(b + a \cos(x))^3(a + b \cos(x)) \csc^3(x) + \dots \\ &= a^4 x + \frac{1}{3}(b + a \cos(x))^2 (ab + (3a^2 - 2b^2) \cos(x)) \csc(x) - \frac{1}{3}(b + a \cos(x))^3(a + b \cos(x)) \csc^3(x) + \dots \end{aligned}$$

**Mathematica [A]** time = 0.256534, size = 95, normalized size = 0.94

$$-\frac{1}{12} \csc^3(x) (6a^2 b^2 \cos(3x) + 6b^2 (3a^2 + b^2) \cos(x) + 24a^3 b \cos(2x) - 8a^3 b - 9a^4 x \sin(x) + 3a^4 x \sin(3x) + 4a^4 \cos(3x) + \dots)$$

Antiderivative was successfully verified.

[In] Integrate[(a\*Cot[x] + b\*Csc[x])^4, x]

[Out] -(Csc[x]^3\*(-8\*a^3\*b + 16\*a\*b^3 + 6\*b^2\*(3\*a^2 + b^2)\*Cos[x] + 24\*a^3\*b\*Cos[2\*x] + 4\*a^4\*Cos[3\*x] + 6\*a^2\*b^2\*Cos[3\*x] - 2\*b^4\*Cos[3\*x] - 9\*a^4\*x\*Sin[x] + 3\*a^4\*x\*Sin[3\*x]))/12

**Maple [A]** time = 0.049, size = 93, normalized size = 0.9

$$a^4 \left( -\frac{(\cot(x))^3}{3} + \cot(x) + x \right) + 4a^3 b \left( -\frac{1}{3} \frac{(\cos(x))^4}{(\sin(x))^3} + \frac{1}{3} \frac{(\cos(x))^4}{\sin(x)} + \frac{1}{3} (2 + (\cos(x))^2) \sin(x) \right) - 2 \frac{a^2 b^2 (\cos(x))^3}{(\sin(x))^3} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*cot(x)+b\*csc(x))^4, x)

[Out] a^4\*(-1/3\*cot(x)^3+cot(x)+x)+4\*a^3\*b\*(-1/3/sin(x)^3\*cos(x)^4+1/3/sin(x)\*cos(x)^4+1/3\*(2+cos(x)^2)\*sin(x))-2\*a^2\*b^2/sin(x)^3\*cos(x)^3-4/3\*a\*b^3/sin(x)^3+b^4\*(-2/3-1/3\*csc(x)^2)\*cot(x)

**Maxima [A]** time = 1.50357, size = 108, normalized size = 1.07

$$-2a^2 b^2 \cot(x)^3 + \frac{1}{3} a^4 \left( 3x + \frac{3 \tan(x)^2 - 1}{\tan(x)^3} \right) + \frac{4(3 \sin(x)^2 - 1)a^3 b}{3 \sin(x)^3} - \frac{(3 \tan(x)^2 + 1)b^4}{3 \tan(x)^3} - \frac{4ab^3}{3 \sin(x)^3} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cot(x)+b\*csc(x))^4, x, algorithm="maxima")

[Out] -2\*a^2\*b^2\*cot(x)^3 + 1/3\*a^4\*(3\*x + (3\*tan(x)^2 - 1)/tan(x)^3) + 4/3\*(3\*sin(x)^2 - 1)\*a^3\*b/sin(x)^3 - 1/3\*(3\*tan(x)^2 + 1)\*b^4/tan(x)^3 - 4/3\*a\*b^3/



$\sin(x)^3$

**Fricas [A]** time = 1.92686, size = 225, normalized size = 2.23

$$\frac{12 a^3 b \cos(x)^2 - 8 a^3 b + 4 a b^3 + 2 (2 a^4 + 3 a^2 b^2 - b^4) \cos(x)^3 - 3 (a^4 - b^4) \cos(x) + 3 (a^4 x \cos(x)^2 - a^4 x) \sin(x)}{3 (\cos(x)^2 - 1) \sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cot(x)+b\*csc(x))^4,x, algorithm="fricas")

[Out] 1/3\*(12\*a^3\*b\*cos(x)^2 - 8\*a^3\*b + 4\*a\*b^3 + 2\*(2\*a^4 + 3\*a^2\*b^2 - b^4)\*cos(x)^3 - 3\*(a^4 - b^4)\*cos(x) + 3\*(a^4\*x\*cos(x)^2 - a^4\*x)\*sin(x))/((cos(x)^2 - 1)\*sin(x))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cot(x)+b\*csc(x))\*\*4,x)

[Out] Timed out

**Giac [B]** time = 1.11127, size = 290, normalized size = 2.87

$$\frac{1}{24} a^4 \tan\left(\frac{1}{2} x\right)^3 - \frac{1}{6} a^3 b \tan\left(\frac{1}{2} x\right)^3 + \frac{1}{4} a^2 b^2 \tan\left(\frac{1}{2} x\right)^3 - \frac{1}{6} a b^3 \tan\left(\frac{1}{2} x\right)^3 + \frac{1}{24} b^4 \tan\left(\frac{1}{2} x\right)^3 + a^4 x - \frac{5}{8} a^4 \tan\left(\frac{1}{2} x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cot(x)+b\*csc(x))^4,x, algorithm="giac")

[Out] 1/24\*a^4\*tan(1/2\*x)^3 - 1/6\*a^3\*b\*tan(1/2\*x)^3 + 1/4\*a^2\*b^2\*tan(1/2\*x)^3 - 1/6\*a\*b^3\*tan(1/2\*x)^3 + 1/24\*b^4\*tan(1/2\*x)^3 + a^4\*x - 5/8\*a^4\*tan(1/2\*x) + 3/2\*a^3\*b\*tan(1/2\*x) - 3/4\*a^2\*b^2\*tan(1/2\*x) - 1/2\*a\*b^3\*tan(1/2\*x) + 3/8\*b^4\*tan(1/2\*x) + 1/24\*(15\*a^4\*tan(1/2\*x)^2 + 36\*a^3\*b\*tan(1/2\*x)^2 + 18\*a^2\*b^2\*tan(1/2\*x)^2 - 12\*a\*b^3\*tan(1/2\*x)^2 - 9\*b^4\*tan(1/2\*x)^2 - a^4 - 4\*a^3\*b - 6\*a^2\*b^2 - 4\*a\*b^3 - b^4)/tan(1/2\*x)^3

### 3.285 $\int (a \cot(x) + b \csc(x))^3 dx$

**Optimal.** Leaf size=77

$$-\frac{1}{2}a^2b \cos(x) - \frac{1}{4}(2a-b)(a+b)^2 \log(1-\cos(x)) - \frac{1}{4}(a-b)^2(2a+b) \log(\cos(x)+1) - \frac{1}{2} \csc^2(x)(a \cos(x)+b)^2(a+b \cos(x))$$

[Out]  $-(a^2b \cos[x])/2 - ((b + a \cos[x])^2(a + b \cos[x]) \csc[x]^2)/2 - ((2a - b)(a + b)^2 \log[1 - \cos[x]])/4 - ((a - b)^2(2a + b) \log[1 + \cos[x]])/4$

**Rubi [A]** time = 0.135766, antiderivative size = 77, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.546$ , Rules used = {4392, 2668, 739, 774, 633, 31}

$$-\frac{1}{2}a^2b \cos(x) - \frac{1}{4}(2a-b)(a+b)^2 \log(1-\cos(x)) - \frac{1}{4}(a-b)^2(2a+b) \log(\cos(x)+1) - \frac{1}{2} \csc^2(x)(a \cos(x)+b)^2(a+b \cos(x))$$

Antiderivative was successfully verified.

[In] Int[(a\*Cot[x] + b\*Csc[x])^3,x]

[Out]  $-(a^2b \cos[x])/2 - ((b + a \cos[x])^2(a + b \cos[x]) \csc[x]^2)/2 - ((2a - b)(a + b)^2 \log[1 - \cos[x]])/4 - ((a - b)^2(2a + b) \log[1 + \cos[x]])/4$

#### Rule 4392

Int[(cot[(c\_.) + (d\_.)\*(x\_.)]^(n\_.)\*(a\_.) + csc[(c\_.) + (d\_.)\*(x\_.)]^(n\_.)\*(b\_.))^(p\_.)\*(u\_.), x\_Symbol] :> Int[ActivateTrig[u]\*Csc[c + d\*x]^(n\*p)\*(b + a \*Cos[c + d\*x]^n)^p, x] /; FreeQ[{a, b, c, d}, x] && IntegersQ[n, p]

#### Rule 2668

Int[cos[(e\_.) + (f\_.)\*(x\_.)]^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.), x\_Symbol] :> Dist[1/(b^p\*f), Subst[Int[(a + x)^m\*(b^2 - x^2)^((p - 1)/2), x], x, b\*SIN[e + f\*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && NeQ[a^2 - b^2, 0]

#### Rule 739

Int[((d\_.) + (e\_.)\*(x\_.))^(m\_.)\*((a\_.) + (c\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x)^(m - 1)\*(a\*e - c\*d\*x)\*(a + c\*x^2)^(p + 1))/(2\*a\*c\*(p + 1)), x] + Dist[1/((p + 1)\*(-2\*a\*c)), Int[(d + e\*x)^(m - 2)\*Simp[a\*e^2\*(m - 1) - c\*d^2\*(2\*p + 3) - d\*c\*e\*(m + 2\*p + 2)\*x, x]\*(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c\*d^2 + a\*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] && IntQuadraticQ[a, 0, c, d, e, m, p, x]

#### Rule 774

Int[(((d\_.) + (e\_.)\*(x\_.))\*((f\_.) + (g\_.)\*(x\_.)))/((a\_.) + (c\_.)\*(x\_.)^2), x\_Symbol] :> Simp[(e\*g\*x)/c, x] + Dist[1/c, Int[(c\*d\*f - a\*e\*g + c\*(e\*f + d\*g)\*x)/(a + c\*x^2), x], x] /; FreeQ[{a, c, d, e, f, g}, x]

#### Rule 633

Int[((d\_.) + (e\_.)\*(x\_.))/((a\_.) + (c\_.)\*(x\_.)^2), x\_Symbol] :> With[{q = Rt[-(a\*c), 2]}, Dist[e/2 + (c\*d)/(2\*q), Int[1/(-q + c\*x), x], x] + Dist[e/2 - (c\*d)/(2\*q), Int[1/(q + c\*x), x], x]] /; FreeQ[{a, c, d, e}, x] && NiceSqrtQ[

$-(a*c)]$

### Rule 31

$\text{Int}[(a + b \cdot x)^{-1}, x\_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b \cdot x, x]]/b, x] /; \text{FreeQ}\{a, b\}, x]$

### Rubi steps

$$\begin{aligned} \int (a \cot(x) + b \csc(x))^3 dx &= \int (b + a \cos(x))^3 \csc^3(x) dx \\ &= - \left( a^3 \text{Subst} \left( \int \frac{(b+x)^3}{(a^2-x^2)^2} dx, x, a \cos(x) \right) \right) \\ &= -\frac{1}{2}(b+a \cos(x))^2(a+b \cos(x)) \csc^2(x) + \frac{1}{2}a \text{Subst} \left( \int \frac{(b+x)(2a^2-b^2+bx)}{a^2-x^2} dx, x, a \cos(x) \right) \\ &= -\frac{1}{2}a^2b \cos(x) - \frac{1}{2}(b+a \cos(x))^2(a+b \cos(x)) \csc^2(x) - \frac{1}{2}a \text{Subst} \left( \int \frac{-a^2b-b(2a^2-b^2+bx)}{a^2-x^2} dx, x, a \cos(x) \right) \\ &= -\frac{1}{2}a^2b \cos(x) - \frac{1}{2}(b+a \cos(x))^2(a+b \cos(x)) \csc^2(x) + \frac{1}{4}((2a-b)(a+b)^2) \text{Subst} \left( \int \frac{1}{1-x} dx, x, a \cos(x) \right) \\ &= -\frac{1}{2}a^2b \cos(x) - \frac{1}{2}(b+a \cos(x))^2(a+b \cos(x)) \csc^2(x) - \frac{1}{4}(2a-b)(a+b)^2 \log(1-\cos(x)) \end{aligned}$$

**Mathematica [A]** time = 0.273392, size = 79, normalized size = 1.03

$$\frac{1}{8} \left( -(a+b)^3 \csc^2\left(\frac{x}{2}\right) + (a-b)^3 \left( -\sec^2\left(\frac{x}{2}\right) \right) - 4(2a-b)(a+b)^2 \log\left(\sin\left(\frac{x}{2}\right)\right) - 4(2a+b)(a-b)^2 \log\left(\cos\left(\frac{x}{2}\right)\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a\*Cot[x] + b\*Csc[x])^3,x]

[Out]  $-(a+b)^3 \csc^2[x/2] - 4(a-b)^2(2a+b) \log[\cos[x/2]] - 4(2a-b)(a-b)^2 \log[\sin[x/2]] - (a-b)^3 \sec^2[x/2]/8$

**Maple [A]** time = 0.051, size = 87, normalized size = 1.1

$$-\frac{a^3 (\cot(x))^2}{2} - a^3 \ln(\sin(x)) - \frac{3a^2b (\cos(x))^3}{2 (\sin(x))^2} - \frac{3a^2b \cos(x)}{2} - \frac{3a^2b \ln(\csc(x) - \cot(x))}{2} - \frac{3ab^2}{2 (\sin(x))^2} - \frac{b^3 \csc(x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*cot(x)+b\*csc(x))^3,x)

[Out]  $-1/2*a^3*\cot(x)^2 - a^3*\ln(\sin(x)) - 3/2*a^2*b/\sin(x)^2*\cos(x)^3 - 3/2*a^2*b*\cos(x) - 3/2*a^2*b*\ln(\csc(x) - \cot(x)) - 3/2*a*b^2/\sin(x)^2 - 1/2*b^3*\csc(x)*\cot(x) + 1/2*b^3*\ln(\csc(x) - \cot(x))$

**Maxima [A]** time = 0.988473, size = 117, normalized size = 1.52

$$-\frac{3}{2}ab^2 \cot(x)^2 + \frac{3}{4}a^2b \left( \frac{2 \cos(x)}{\cos(x)^2 - 1} + \log(\cos(x) + 1) - \log(\cos(x) - 1) \right) + \frac{1}{4}b^3 \left( \frac{2 \cos(x)}{\cos(x)^2 - 1} - \log(\cos(x) + 1) + \log(\cos(x) - 1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cot(x)+b\*csc(x))^3,x, algorithm="maxima")

[Out]  $-3/2*a*b^2*\cot(x)^2 + 3/4*a^2*b*(2*\cos(x)/(\cos(x)^2 - 1) + \log(\cos(x) + 1) - \log(\cos(x) - 1)) + 1/4*b^3*(2*\cos(x)/(\cos(x)^2 - 1) - \log(\cos(x) + 1) + \log(\cos(x) - 1)) - 1/2*a^3*(1/\sin(x)^2 + \log(\sin(x)^2))$

**Fricas [A]** time = 2.10249, size = 313, normalized size = 4.06

$$\frac{2a^3 + 6ab^2 + 2(3a^2b + b^3)\cos(x) + (2a^3 - 3a^2b + b^3 - (2a^3 - 3a^2b + b^3)\cos(x)^2)\log\left(\frac{1}{2}\cos(x) + \frac{1}{2}\right) + (2a^3 + 3a^2b - (2a^3 + 3a^2b - b^3)\cos(x)^2)\log\left(\frac{1}{2}\cos(x) - \frac{1}{2}\right)}{4(\cos(x)^2 - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cot(x)+b\*csc(x))^3,x, algorithm="fricas")

[Out]  $1/4*(2*a^3 + 6*a*b^2 + 2*(3*a^2*b + b^3)*\cos(x) + (2*a^3 - 3*a^2*b + b^3 - (2*a^3 - 3*a^2*b + b^3)*\cos(x)^2)*\log(1/2*\cos(x) + 1/2) + (2*a^3 + 3*a^2*b - b^3 - (2*a^3 + 3*a^2*b - b^3)*\cos(x)^2)*\log(-1/2*\cos(x) + 1/2))/(\cos(x)^2 - 1)$

**Sympy [A]** time = 46.8825, size = 122, normalized size = 1.58

$$\frac{a^3 \log(\csc^2(x))}{2} - \frac{a^3 \csc^2(x)}{2} - \frac{3a^2b \log(\cos(x) - 1)}{4} + \frac{3a^2b \log(\cos(x) + 1)}{4} + \frac{3a^2b \cos(x)}{2 \cos^2(x) - 2} - \frac{3ab^2 \csc^2(x)}{2} + \frac{b^3 \log(\csc^2(x))}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cot(x)+b\*csc(x))\*\*3,x)

[Out]  $a**3*\log(\csc(x)**2)/2 - a**3*\csc(x)**2/2 - 3*a**2*b*\log(\cos(x) - 1)/4 + 3*a**2*b*\log(\cos(x) + 1)/4 + 3*a**2*b*\cos(x)/(2*\cos(x)**2 - 2) - 3*a*b**2*\csc(x)**2/2 + b**3*\log(\cos(x) - 1)/4 - b**3*\log(\cos(x) + 1)/4 + b**3*\cos(x)/(2*\cos(x)**2 - 2)$

**Giac [A]** time = 1.18298, size = 116, normalized size = 1.51

$$-\frac{1}{4}(2a^3 - 3a^2b + b^3)\log(\cos(x) + 1) - \frac{1}{4}(2a^3 + 3a^2b - b^3)\log(-\cos(x) + 1) + \frac{a^3 + 3ab^2 + (3a^2b + b^3)\cos(x)}{2(\cos(x) + 1)(\cos(x) - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cot(x)+b\*csc(x))^3,x, algorithm="giac")

[Out]  $-1/4*(2*a^3 - 3*a^2*b + b^3)*\log(\cos(x) + 1) - 1/4*(2*a^3 + 3*a^2*b - b^3)*\log(-\cos(x) + 1) + 1/2*(a^3 + 3*a*b^2 + (3*a^2*b + b^3)*\cos(x))/((\cos(x) + 1)*(\cos(x) - 1))$

### 3.286 $\int (a \cot(x) + b \csc(x))^2 dx$

**Optimal.** Leaf size=29

$$a^2(-x) - ab \sin(x) - \csc(x)(a \cos(x) + b)(a + b \cos(x))$$

[Out]  $-(a^2x) - (b + a \cos[x])*(a + b \cos[x])*Csc[x] - a*b*Sin[x]$

**Rubi [A]** time = 0.056306, antiderivative size = 29, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {4392, 2691, 2637}

$$a^2(-x) - ab \sin(x) - \csc(x)(a \cos(x) + b)(a + b \cos(x))$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a*\text{Cot}[x] + b*\text{Csc}[x])^2, x]$

[Out]  $-(a^2x) - (b + a \cos[x])*(a + b \cos[x])*Csc[x] - a*b*Sin[x]$

**Rule 4392**

$\text{Int}[(\cot[(c_.) + (d_.)*(x_.)]^{(n_.)}*(a_.) + \csc[(c_.) + (d_.)*(x_.)]^{(n_.)}*(b_.))^{(p_.)}*(u_.), x\_Symbol] := \text{Int}[\text{ActivateTrig}[u]*\text{Csc}[c + d*x]^{(n*p)}*(b + a*\text{Cos}[c + d*x]^n)^p, x] /; \text{FreeQ}\{a, b, c, d, x\} \ \&\& \ \text{IntegersQ}[n, p]$

**Rule 2691**

$\text{Int}[(\cos[(e_.) + (f_.)*(x_.)]*(g_.))^{(p_.)}*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}, x\_Symbol] := -\text{Simp}[(g*\text{Cos}[e + f*x])^{(p + 1)}*(a + b*\text{Sin}[e + f*x])^{(m - 1)}*(b + a*\text{Sin}[e + f*x])]/(f*g*(p + 1)), x] + \text{Dist}[1/(g^2*(p + 1)), \text{Int}[(g*\text{Cos}[e + f*x])^{(p + 2)}*(a + b*\text{Sin}[e + f*x])^{(m - 2)}*(b^2*(m - 1) + a^2*(p + 2) + a*b*(m + p + 1)*\text{Sin}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, e, f, g, x\} \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[m, 1] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ (\text{IntegersQ}[2*m, 2*p] \ || \ \text{IntegerQ}[m])$

**Rule 2637**

$\text{Int}[\sin[\text{Pi}/2 + (c_.) + (d_.)*(x_.)], x\_Symbol] := \text{Simp}[\text{Sin}[c + d*x]/d, x] /; \text{FreeQ}\{c, d, x\}$

**Rubi steps**

$$\begin{aligned} \int (a \cot(x) + b \csc(x))^2 dx &= \int (b + a \cos(x))^2 \csc^2(x) dx \\ &= -(b + a \cos(x))(a + b \cos(x)) \csc(x) - \int (a^2 + ab \cos(x)) dx \\ &= -a^2x - (b + a \cos(x))(a + b \cos(x)) \csc(x) - (ab) \int \cos(x) dx \\ &= -a^2x - (b + a \cos(x))(a + b \cos(x)) \csc(x) - ab \sin(x) \end{aligned}$$

**Mathematica [A]** time = 0.129501, size = 24, normalized size = 0.83

$$-(a^2 + b^2) \cot(x) - a(ax + 2b \csc(x))$$

Antiderivative was successfully verified.

[In] Integrate[(a\*Cot[x] + b\*Csc[x])^2,x]

[Out] -((a^2 + b^2)\*Cot[x]) - a\*(a\*x + 2\*b\*Csc[x])

**Maple [A]** time = 0.014, size = 29, normalized size = 1.

$$a^2(-\cot(x) - x) - 2\frac{ab}{\sin(x)} - b^2\cot(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*cot(x)+b\*csc(x))^2,x)

[Out] a^2\*(-cot(x)-x)-2\*a\*b/sin(x)-b^2\*cot(x)

**Maxima [A]** time = 1.48353, size = 39, normalized size = 1.34

$$-a^2\left(x + \frac{1}{\tan(x)}\right) - \frac{2ab}{\sin(x)} - \frac{b^2}{\tan(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cot(x)+b\*csc(x))^2,x, algorithm="maxima")

[Out] -a^2\*(x + 1/tan(x)) - 2\*a\*b/sin(x) - b^2/tan(x)

**Fricas [A]** time = 1.95012, size = 72, normalized size = 2.48

$$\frac{a^2x\sin(x) + 2ab + (a^2 + b^2)\cos(x)}{\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cot(x)+b\*csc(x))^2,x, algorithm="fricas")

[Out] -(a^2\*x\*sin(x) + 2\*a\*b + (a^2 + b^2)\*cos(x))/sin(x)

**Sympy [A]** time = 7.40745, size = 31, normalized size = 1.07

$$-a^2x - \frac{a^2\cos(x)}{\sin(x)} - 2ab\csc(x) - b^2\cot(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cot(x)+b\*csc(x))\*\*2,x)

[Out]  $-a^2x - a^2\frac{\cos(x)}{\sin(x)} - 2ab\csc(x) - b^2\cot(x)$

---

**Giac [A]** time = 1.14155, size = 70, normalized size = 2.41

$$-a^2x + \frac{1}{2}a^2 \tan\left(\frac{1}{2}x\right) - ab \tan\left(\frac{1}{2}x\right) + \frac{1}{2}b^2 \tan\left(\frac{1}{2}x\right) - \frac{a^2 + 2ab + b^2}{2 \tan\left(\frac{1}{2}x\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*cot(x)+b*csc(x))^2,x, algorithm="giac")`

[Out]  $-a^2x + 1/2a^2\tan(1/2*x) - a*b*\tan(1/2*x) + 1/2*b^2*\tan(1/2*x) - 1/2*(a^2 + 2*a*b + b^2)/\tan(1/2*x)$

### 3.287 $\int (a \cot(x) + b \csc(x)) dx$

**Optimal.** Leaf size=12

$$a \log(\sin(x)) - b \tanh^{-1}(\cos(x))$$

[Out]  $-(b \cdot \text{ArcTanh}[\text{Cos}[x]]) + a \cdot \text{Log}[\text{Sin}[x]]$

**Rubi [A]** time = 0.0074097, antiderivative size = 12, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {3475, 3770}

$$a \log(\sin(x)) - b \tanh^{-1}(\cos(x))$$

Antiderivative was successfully verified.

[In]  $\text{Int}[a \cdot \text{Cot}[x] + b \cdot \text{Csc}[x], x]$

[Out]  $-(b \cdot \text{ArcTanh}[\text{Cos}[x]]) + a \cdot \text{Log}[\text{Sin}[x]]$

#### Rule 3475

$\text{Int}[\tan[(c \cdot \_) + (d \cdot \cdot)(x \cdot)], x\_Symbol] \rightarrow -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d \cdot x], x]]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

#### Rule 3770

$\text{Int}[\csc[(c \cdot \_) + (d \cdot \cdot)(x \cdot)], x\_Symbol] \rightarrow -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d \cdot x]]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

#### Rubi steps

$$\begin{aligned} \int (a \cot(x) + b \csc(x)) dx &= a \int \cot(x) dx + b \int \csc(x) dx \\ &= -b \tanh^{-1}(\cos(x)) + a \log(\sin(x)) \end{aligned}$$

**Mathematica [B]** time = 0.0085695, size = 25, normalized size = 2.08

$$a \log(\sin(x)) + b \log\left(\sin\left(\frac{x}{2}\right)\right) - b \log\left(\cos\left(\frac{x}{2}\right)\right)$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[a \cdot \text{Cot}[x] + b \cdot \text{Csc}[x], x]$

[Out]  $-(b \cdot \text{Log}[\text{Cos}[x/2]]) + b \cdot \text{Log}[\text{Sin}[x/2]] + a \cdot \text{Log}[\text{Sin}[x]]$

**Maple [A]** time = 0.003, size = 16, normalized size = 1.3

$$a \ln(\sin(x)) - b \ln(\cot(x) + \csc(x))$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int(a*cot(x)+b*csc(x),x)`

[Out] `a*ln(sin(x))-b*ln(cot(x)+csc(x))`

**Maxima [A]** time = 0.988407, size = 20, normalized size = 1.67

$$-b \log(\cot(x) + \csc(x)) + a \log(\sin(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a*cot(x)+b*csc(x),x, algorithm="maxima")`

[Out] `-b*log(cot(x) + csc(x)) + a*log(sin(x))`

**Fricas [B]** time = 2.01705, size = 97, normalized size = 8.08

$$\frac{1}{2}(a-b) \log\left(\frac{1}{2} \cos(x) + \frac{1}{2}\right) + \frac{1}{2}(a+b) \log\left(-\frac{1}{2} \cos(x) + \frac{1}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a*cot(x)+b*csc(x),x, algorithm="fricas")`

[Out] `1/2*(a - b)*log(1/2*cos(x) + 1/2) + 1/2*(a + b)*log(-1/2*cos(x) + 1/2)`

**Sympy [A]** time = 0.124325, size = 24, normalized size = 2.

$$a \log(\sin(x)) + b \left( \frac{\log(\cos(x) - 1)}{2} - \frac{\log(\cos(x) + 1)}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a*cot(x)+b*csc(x),x)`

[Out] `a*log(sin(x)) + b*(log(cos(x) - 1)/2 - log(cos(x) + 1)/2)`

**Giac [A]** time = 1.14671, size = 28, normalized size = 2.33

$$\frac{1}{2} a \log(-\cos(x)^2 + 1) + b \log\left(\left|\tan\left(\frac{1}{2}x\right)\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a*cot(x)+b*csc(x),x, algorithm="giac")`

[Out] `1/2*a*log(-cos(x)^2 + 1) + b*log(abs(tan(1/2*x)))`

$$3.288 \quad \int \frac{1}{a \cot(x) + b \csc(x)} dx$$

**Optimal.** Leaf size=12

$$-\frac{\log(a \cos(x) + b)}{a}$$

[Out] -(Log[b + a\*Cos[x]]/a)

**Rubi [A]** time = 0.0350371, antiderivative size = 12, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {3160, 2668, 31}

$$-\frac{\log(a \cos(x) + b)}{a}$$

Antiderivative was successfully verified.

[In] Int[(a\*Cot[x] + b\*Csc[x])^(-1), x]

[Out] -(Log[b + a\*Cos[x]]/a)

#### Rule 3160

Int[((a\_.) + csc[(d\_.) + (e\_.)\*(x\_)])\*(b\_.) + cot[(d\_.) + (e\_.)\*(x\_)])\*(c\_.))^(-1), x\_Symbol] :> Int[Sin[d + e\*x]/(b + a\*Sin[d + e\*x] + c\*Cos[d + e\*x]), x] /; FreeQ[{a, b, c, d, e}, x]

#### Rule 2668

Int[cos[(e\_.) + (f\_.)\*(x\_)]^(p\_.)\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.), x\_Symbol] :> Dist[1/(b^p\*f), Subst[Int[(a + x)^m\*(b^2 - x^2)^((p - 1)/2), x], x, b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && NeQ[a^2 - b^2, 0]

#### Rule 31

Int[((a\_) + (b\_.)\*(x\_))^(p\_.), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{1}{a \cot(x) + b \csc(x)} dx &= \int \frac{\sin(x)}{b + a \cos(x)} dx \\ &= -\frac{\text{Subst}\left(\int \frac{1}{b+x} dx, x, a \cos(x)\right)}{a} \\ &= -\frac{\log(b + a \cos(x))}{a} \end{aligned}$$

**Mathematica [A]** time = 0.0161616, size = 12, normalized size = 1.

$$-\frac{\log(a \cos(x) + b)}{a}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*Cot[x] + b\*Csc[x])^(-1), x]

[Out] -(Log[b + a\*Cos[x]]/a)

**Maple [A]** time = 0.038, size = 13, normalized size = 1.1

$$-\frac{\ln(b + a \cos(x))}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a\*cot(x)+b\*csc(x)), x)

[Out] -ln(b+a\*cos(x))/a

**Maxima [B]** time = 1.4615, size = 61, normalized size = 5.08

$$-\frac{\log\left(a + b - \frac{(a-b)\sin(x)^2}{(\cos(x)+1)^2}\right)}{a} + \frac{\log\left(\frac{\sin(x)^2}{(\cos(x)+1)^2} + 1\right)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cot(x)+b\*csc(x)), x, algorithm="maxima")

[Out] -log(a + b - (a - b)\*sin(x)^2/(cos(x) + 1)^2)/a + log(sin(x)^2/(cos(x) + 1)^2 + 1)/a

**Fricas [A]** time = 2.06224, size = 30, normalized size = 2.5

$$-\frac{\log(a \cos(x) + b)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cot(x)+b\*csc(x)), x, algorithm="fricas")

[Out] -log(a\*cos(x) + b)/a

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{a \cot(x) + b \csc(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cot(x)+b\*csc(x)), x)

[Out] Integral(1/(a\*cot(x) + b\*csc(x)), x)

---

**Giac [A]** time = 1.13109, size = 18, normalized size = 1.5

$$\frac{\log(|a \cos(x) + b|)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cot(x)+b\*csc(x)),x, algorithm="giac")

[Out] -log(abs(a\*cos(x) + b))/a

$$3.289 \quad \int \frac{1}{(a \cot(x) + b \csc(x))^2} dx$$

**Optimal.** Leaf size=67

$$\frac{2b \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}}\right)}{a^2 \sqrt{a-b} \sqrt{a+b}} - \frac{x}{a^2} + \frac{\sin(x)}{a(a \cos(x) + b)}$$

[Out]  $-(x/a^2) + (2*b*ArcTanh[(Sqrt[a - b]*Tan[x/2])/Sqrt[a + b]])/(a^2*Sqrt[a - b]*Sqrt[a + b]) + Sin[x]/(a*(b + a*Cos[x]))$

**Rubi [A]** time = 0.117185, antiderivative size = 67, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.454$ , Rules used = {4392, 2693, 2735, 2659, 208}

$$\frac{2b \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}}\right)}{a^2 \sqrt{a-b} \sqrt{a+b}} - \frac{x}{a^2} + \frac{\sin(x)}{a(a \cos(x) + b)}$$

Antiderivative was successfully verified.

[In] Int[(a\*Cot[x] + b\*Csc[x])^(-2), x]

[Out]  $-(x/a^2) + (2*b*ArcTanh[(Sqrt[a - b]*Tan[x/2])/Sqrt[a + b]])/(a^2*Sqrt[a - b]*Sqrt[a + b]) + Sin[x]/(a*(b + a*Cos[x]))$

#### Rule 4392

Int[(cot[(c\_.) + (d\_.)\*(x\_.)]^(n\_.)\*(a\_.) + csc[(c\_.) + (d\_.)\*(x\_.)]^(n\_.)\*(b\_.))^(p\_.)\*(u\_.), x\_Symbol] := Int[ActivateTrig[u]\*Csc[c + d\*x]^(n\*p)\*(b + a\*Cos[c + d\*x]^n)^p, x] /; FreeQ[{a, b, c, d}, x] && IntegersQ[n, p]

#### Rule 2693

Int[(cos[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.), x\_Symbol] := Simp[(g\*(g\*Cos[e + f\*x])^(p - 1)\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)), x] + Dist[(g^2\*(p - 1))/(b\*(m + 1)), Int[(g\*Cos[e + f\*x])^(p - 2)\*(a + b\*Sin[e + f\*x])^(m + 1)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[p, 1] && IntegersQ[2\*m, 2\*p]

#### Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] := Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2659

Int[((a\_.) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_.)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rubi steps

$$\begin{aligned} \int \frac{1}{(a \cot(x) + b \csc(x))^2} dx &= \int \frac{\sin^2(x)}{(b + a \cos(x))^2} dx \\ &= \frac{\sin(x)}{a(b + a \cos(x))} - \frac{\int \frac{\cos(x)}{b + a \cos(x)} dx}{a} \\ &= -\frac{x}{a^2} + \frac{\sin(x)}{a(b + a \cos(x))} + \frac{b \int \frac{1}{b + a \cos(x)} dx}{a^2} \\ &= -\frac{x}{a^2} + \frac{\sin(x)}{a(b + a \cos(x))} + \frac{(2b) \text{Subst}\left(\int \frac{1}{a+b+(-a+b)x^2} dx, x, \tan\left(\frac{x}{2}\right)\right)}{a^2} \\ &= -\frac{x}{a^2} + \frac{2b \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}}\right)}{a^2 \sqrt{a-b} \sqrt{a+b}} + \frac{\sin(x)}{a(b + a \cos(x))} \end{aligned}$$

**Mathematica [A]** time = 0.255074, size = 71, normalized size = 1.06

$$-\frac{2b \tanh^{-1}\left(\frac{(b-a) \tan\left(\frac{x}{2}\right)}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + \frac{-a \sin(x) + ax \cos(x) + bx}{a \cos(x) + b}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a*Cot[x] + b*Csc[x])^(-2), x]
```

```
[Out] -(((2*b*ArcTanh[((-a + b)*Tan[x/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] + (b*x + a*x*Cos[x] - a*Sin[x])/(b + a*Cos[x]))/a^2)
```

**Maple [A]** time = 0.051, size = 86, normalized size = 1.3

$$-2 \frac{\arctan(\tan(x/2))}{a^2} - 2 \frac{\tan(x/2)}{a(a(\tan(x/2))^2 - b(\tan(x/2))^2 - a - b)} + 2 \frac{b}{a^2 \sqrt{(a-b)(a+b)}} \text{Artanh}\left(\frac{(a-b)\tan(x/2)}{\sqrt{(a-b)(a+b)}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(a*cot(x)+b*csc(x))^2, x)
```

```
[Out] -2/a^2*arctan(tan(1/2*x))-2/a*tan(1/2*x)/(a*tan(1/2*x)^2-b*tan(1/2*x)^2-a-b)+2/a^2*b/((a-b)*(a+b))^(1/2)*arctanh(tan(1/2*x)*(a-b)/((a-b)*(a+b))^(1/2))
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cot(x)+b\*csc(x))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.39142, size = 689, normalized size = 10.28

$$\frac{2(a^3 - ab^2)x \cos(x) - (ab \cos(x) + b^2)\sqrt{a^2 - b^2} \log\left(\frac{2ab \cos(x) - (a^2 - 2b^2)\cos(x)^2 + 2\sqrt{a^2 - b^2}(b \cos(x) + a)\sin(x) + 2a^2 - b^2}{a^2 \cos(x)^2 + 2ab \cos(x) + b^2}\right) + 2(a^2 b \cos(x) - (ab \cos(x) + b^2)\sqrt{a^2 - b^2} \arctan\left(\frac{b \cos(x) + a}{\sqrt{a^2 - b^2}}\right))}{2(a^4 b - a^2 b^3 + (a^5 - a^3 b^2)\cos(x))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cot(x)+b\*csc(x))^2,x, algorithm="fricas")

[Out] [-1/2\*(2\*(a^3 - a\*b^2)\*x\*cos(x) - (a\*b\*cos(x) + b^2)\*sqrt(a^2 - b^2)\*log((2\*a\*b\*cos(x) - (a^2 - 2\*b^2)\*cos(x)^2 + 2\*sqrt(a^2 - b^2)\*(b\*cos(x) + a)\*sin(x) + 2\*a^2 - b^2)/(a^2\*cos(x)^2 + 2\*a\*b\*cos(x) + b^2)) + 2\*(a^2\*b - b^3)\*x - 2\*(a^3 - a\*b^2)\*sin(x))/(a^4\*b - a^2\*b^3 + (a^5 - a^3\*b^2)\*cos(x)), -((a^3 - a\*b^2)\*x\*cos(x) - (a\*b\*cos(x) + b^2)\*sqrt(-a^2 + b^2)\*arctan(-sqrt(-a^2 + b^2)\*(b\*cos(x) + a)/((a^2 - b^2)\*sin(x)))) + (a^2\*b - b^3)\*x - (a^3 - a\*b^2)\*sin(x))/(a^4\*b - a^2\*b^3 + (a^5 - a^3\*b^2)\*cos(x))]

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(a \cot(x) + b \csc(x))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cot(x)+b\*csc(x))\*\*2,x)

[Out] Integral((a\*cot(x) + b\*csc(x))\*\*(-2), x)

**Giac [A]** time = 1.15058, size = 144, normalized size = 2.15

$$\frac{2\left(\pi\left[\frac{x}{2\pi} + \frac{1}{2}\right] \operatorname{sgn}(-2a + 2b) + \arctan\left(\frac{a \tan\left(\frac{1}{2}x\right) - b \tan\left(\frac{1}{2}x\right)}{\sqrt{-a^2 + b^2}}\right)\right)b}{\sqrt{-a^2 + b^2}a^2} - \frac{x}{a^2} - \frac{2 \tan\left(\frac{1}{2}x\right)}{\left(a \tan\left(\frac{1}{2}x\right)^2 - b \tan\left(\frac{1}{2}x\right)^2 - a - b\right)a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cot(x)+b\*csc(x))^2,x, algorithm="giac")

[Out] 2\*(pi\*floor(1/2\*x/pi + 1/2)\*sgn(-2\*a + 2\*b) + arctan(-(a\*tan(1/2\*x) - b\*tan(1/2\*x))/sqrt(-a^2 + b^2)))\*b/(sqrt(-a^2 + b^2)\*a^2) - x/a^2 - 2\*tan(1/2\*x)/((a\*tan(1/2\*x)^2 - b\*tan(1/2\*x)^2 - a - b)\*a)

$$3.290 \quad \int \frac{1}{(a \cot(x) + b \csc(x))^3} dx$$

**Optimal.** Leaf size=50

$$\frac{a^2 - b^2}{2a^3(a \cos(x) + b)^2} + \frac{2b}{a^3(a \cos(x) + b)} + \frac{\log(a \cos(x) + b)}{a^3}$$

[Out] (a^2 - b^2)/(2\*a^3\*(b + a\*Cos[x])^2) + (2\*b)/(a^3\*(b + a\*Cos[x])) + Log[b + a\*Cos[x]]/a^3

**Rubi [A]** time = 0.0787822, antiderivative size = 50, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {4392, 2668, 697}

$$\frac{a^2 - b^2}{2a^3(a \cos(x) + b)^2} + \frac{2b}{a^3(a \cos(x) + b)} + \frac{\log(a \cos(x) + b)}{a^3}$$

Antiderivative was successfully verified.

[In] Int[(a\*Cot[x] + b\*Csc[x])^(-3), x]

[Out] (a^2 - b^2)/(2\*a^3\*(b + a\*Cos[x])^2) + (2\*b)/(a^3\*(b + a\*Cos[x])) + Log[b + a\*Cos[x]]/a^3

#### Rule 4392

Int[(cot[(c\_.) + (d\_.)\*(x\_.)]^(n\_.)\*(a\_.) + csc[(c\_.) + (d\_.)\*(x\_.)]^(n\_.)\*(b\_.))^(p\_.)\*(u\_.), x\_Symbol] :> Int[ActivateTrig[u]\*Csc[c + d\*x]^(n\*p)\*(b + a\*Cos[c + d\*x]^n)^p, x] /; FreeQ[{a, b, c, d}, x] && IntegersQ[n, p]

#### Rule 2668

Int[cos[(e\_.) + (f\_.)\*(x\_.)]^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.), x\_Symbol] :> Dist[1/(b^p\*f), Subst[Int[(a + x)^m\*(b^2 - x^2)^((p - 1)/2), x], x, b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && NeQ[a^2 - b^2, 0]

#### Rule 697

Int[((d\_.) + (e\_.)\*(x\_.))^(m\_.)\*((a\_.) + (c\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c\*d^2 + a\*e^2, 0] && IGtQ[p, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{1}{(a \cot(x) + b \csc(x))^3} dx &= \int \frac{\sin^3(x)}{(b + a \cos(x))^3} dx \\ &= -\frac{\text{Subst}\left(\int \frac{a^2 - x^2}{(b+x)^3} dx, x, a \cos(x)\right)}{a^3} \\ &= -\frac{\text{Subst}\left(\int \left(\frac{1}{-b-x} + \frac{a^2 - b^2}{(b+x)^3} + \frac{2b}{(b+x)^2}\right) dx, x, a \cos(x)\right)}{a^3} \\ &= \frac{a^2 - b^2}{2a^3(b + a \cos(x))^2} + \frac{2b}{a^3(b + a \cos(x))} + \frac{\log(b + a \cos(x))}{a^3} \end{aligned}$$



**Mathematica [A]** time = 0.111372, size = 77, normalized size = 1.54

$$\frac{a^2 \cos(2x) \log(a \cos(x) + b) + a^2 \log(a \cos(x) + b) + a^2 + 2b^2 \log(a \cos(x) + b) + 4ab \cos(x)(\log(a \cos(x) + b) + 1) + 3b^2}{2a^3(a \cos(x) + b)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*Cot[x] + b\*Csc[x])^(-3), x]

[Out] (a^2 + 3\*b^2 + a^2\*Log[b + a\*Cos[x]] + 2\*b^2\*Log[b + a\*Cos[x]] + a^2\*Cos[2\*x]\*Log[b + a\*Cos[x]] + 4\*a\*b\*Cos[x]\*(1 + Log[b + a\*Cos[x]]))/(2\*a^3\*(b + a\*Cos[x])^2)

**Maple [A]** time = 0.048, size = 56, normalized size = 1.1

$$\frac{\ln(b + a \cos(x))}{a^3} + 2 \frac{b}{a^3 (b + a \cos(x))} + \frac{1}{2a (b + a \cos(x))^2} - \frac{b^2}{2a^3 (b + a \cos(x))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a\*cot(x)+b\*csc(x))^3,x)

[Out] 1ln(b+a\*cos(x))/a^3+2\*b/a^3/(b+a\*cos(x))+1/2/a/(b+a\*cos(x))^2-1/2/a^3/(b+a\*cos(x))^2\*b^2

**Maxima [B]** time = 1.51703, size = 239, normalized size = 4.78

$$\frac{2 \left( ab + b^2 + \frac{(a^2 - 2ab + b^2) \sin(x)^2}{(\cos(x) + 1)^2} \right)}{a^5 + a^4b - a^3b^2 - a^2b^3 - \frac{2(a^5 - a^4b - a^3b^2 + a^2b^3) \sin(x)^2}{(\cos(x) + 1)^2} + \frac{(a^5 - 3a^4b + 3a^3b^2 - a^2b^3) \sin(x)^4}{(\cos(x) + 1)^4}} + \frac{\log \left( a + b - \frac{(a-b) \sin(x)^2}{(\cos(x) + 1)^2} \right)}{a^3} - \frac{\log \left( \frac{\sin(x)}{\cos(x) + 1} \right)}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cot(x)+b\*csc(x))^3,x, algorithm="maxima")

[Out] 2\*(a\*b + b^2 + (a^2 - 2\*a\*b + b^2)\*sin(x)^2/(cos(x) + 1)^2)/(a^5 + a^4\*b - a^3\*b^2 - a^2\*b^3 - 2\*(a^5 - a^4\*b - a^3\*b^2 + a^2\*b^3)\*sin(x)^2/(cos(x) + 1)^2 + (a^5 - 3\*a^4\*b + 3\*a^3\*b^2 - a^2\*b^3)\*sin(x)^4/(cos(x) + 1)^4) + log(a + b - (a - b)\*sin(x)^2/(cos(x) + 1)^2)/a^3 - log(sin(x)^2/(cos(x) + 1)^2 + 1)/a^3

**Fricas [A]** time = 2.31057, size = 181, normalized size = 3.62

$$\frac{4ab \cos(x) + a^2 + 3b^2 + 2(a^2 \cos(x)^2 + 2ab \cos(x) + b^2) \log(a \cos(x) + b)}{2(a^5 \cos(x)^2 + 2a^4b \cos(x) + a^3b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cot(x)+b\*csc(x))^3,x, algorithm="fricas")

[Out]  $\frac{1}{2} \cdot (4ab \cos(x) + a^2 + 3b^2 + 2(a^2 \cos(x))^2 + 2ab \cos(x) + b^2) \cdot \log(a \cos(x) + b) / (a^5 \cos(x)^2 + 2a^4 b \cos(x) + a^3 b^2)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*cot(x)+b*csc(x))**3,x)`

[Out] Timed out

**Giac [A]** time = 1.11597, size = 61, normalized size = 1.22

$$\frac{\log(|a \cos(x) + b|)}{a^3} + \frac{4b \cos(x) + \frac{a^2+3b^2}{a}}{2(a \cos(x) + b)^2 a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*cot(x)+b*csc(x))^3,x, algorithm="giac")`

[Out]  $\log(\text{abs}(a \cos(x) + b)) / a^3 + 1/2 \cdot (4b \cos(x) + (a^2 + 3b^2)/a) / ((a \cos(x) + b)^2 a^2)$

$$3.291 \quad \int \frac{1}{(a \cot(x) + b \csc(x))^4} dx$$

**Optimal.** Leaf size=159

$$\frac{b \sin^3(x)}{2a(a^2 - b^2)(a \cos(x) + b)^2} - \frac{\sin(x)(2(a^2 - b^2) - ab \cos(x))}{2a^3(a^2 - b^2)(a \cos(x) + b)} - \frac{b(3a^2 - 2b^2) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan(\frac{x}{2})}{\sqrt{a+b}}\right)}{a^4(a-b)^{3/2}(a+b)^{3/2}} + \frac{x}{a^4} + \frac{\sin^3(x)}{3a(a \cos(x) + b)}$$

[Out] x/a^4 - (b\*(3\*a^2 - 2\*b^2)\*ArcTanh[(Sqrt[a - b]\*Tan[x/2])/Sqrt[a + b]])/(a^4\*(a - b)^(3/2)\*(a + b)^(3/2)) - ((2\*(a^2 - b^2) - a\*b\*Cos[x])\*Sin[x])/(2\*a^3\*(a^2 - b^2)\*(b + a\*Cos[x])) + Sin[x]^3/(3\*a\*(b + a\*Cos[x])^3) + (b\*Sin[x]^3)/(2\*a\*(a^2 - b^2)\*(b + a\*Cos[x])^2)

**Rubi [A]** time = 0.338455, antiderivative size = 159, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.636$ , Rules used = {4392, 2693, 2864, 2863, 2735, 2659, 208}

$$\frac{b \sin^3(x)}{2a(a^2 - b^2)(a \cos(x) + b)^2} - \frac{\sin(x)(2(a^2 - b^2) - ab \cos(x))}{2a^3(a^2 - b^2)(a \cos(x) + b)} - \frac{b(3a^2 - 2b^2) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan(\frac{x}{2})}{\sqrt{a+b}}\right)}{a^4(a-b)^{3/2}(a+b)^{3/2}} + \frac{x}{a^4} + \frac{\sin^3(x)}{3a(a \cos(x) + b)}$$

Antiderivative was successfully verified.

[In] Int[(a\*Cot[x] + b\*Csc[x])^(-4), x]

[Out] x/a^4 - (b\*(3\*a^2 - 2\*b^2)\*ArcTanh[(Sqrt[a - b]\*Tan[x/2])/Sqrt[a + b]])/(a^4\*(a - b)^(3/2)\*(a + b)^(3/2)) - ((2\*(a^2 - b^2) - a\*b\*Cos[x])\*Sin[x])/(2\*a^3\*(a^2 - b^2)\*(b + a\*Cos[x])) + Sin[x]^3/(3\*a\*(b + a\*Cos[x])^3) + (b\*Sin[x]^3)/(2\*a\*(a^2 - b^2)\*(b + a\*Cos[x])^2)

#### Rule 4392

Int[(cot[(c\_.) + (d\_.)\*(x\_.)]^(n\_.)\*(a\_.) + csc[(c\_.) + (d\_.)\*(x\_.)]^(n\_.)\*(b\_.))^(p\_.)\*(u\_.), x\_Symbol] := Int[ActivateTrig[u]\*Csc[c + d\*x]^(n\*p)\*(b + a\*Cos[c + d\*x]^n)^p, x] /; FreeQ[{a, b, c, d}, x] && IntegersQ[n, p]

#### Rule 2693

Int[(cos[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.), x\_Symbol] := Simp[(g\*(g\*Cos[e + f\*x])^(p - 1)\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)), x] + Dist[(g^2\*(p - 1))/(b\*(m + 1)), Int[(g\*Cos[e + f\*x])^(p - 2)\*(a + b\*Sin[e + f\*x])^(m + 1)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[p, 1] && IntegersQ[2\*m, 2\*p]

#### Rule 2864

Int[(cos[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] := -Simp[((b\*c - a\*d)\*(g\*Cos[e + f\*x])^(p + 1)\*(a + b\*Sin[e + f\*x])^(m + 1))/(f\*g\*(a^2 - b^2)\*(m + 1)), x] + Dist[1/((a^2 - b^2)\*(m + 1)), Int[(g\*Cos[e + f\*x])^p\*(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[(a\*c - b\*d)\*(m + 1) - (b\*c - a\*d)\*(m + p + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2\*m]

Rule 2863

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(g*(g*Cos[e + f*x])^(p - 1)*(a + b*Sin[e + f*x])^(m + 1)*(b*c*(m + p + 1) - a*d*p + b*d*(m + 1)*Sin[e + f*x]))/(b^2*f*(m + 1)*(m + p + 1)), x] + Dist[(g^2*(p - 1))/(b^2*(m + 1)*(m + p + 1)), Int[(g*Cos[e + f*x])^(p - 2)*(a + b*Sin[e + f*x])^(m + 1)*Simp[b*d*(m + 1) + (b*c*(m + p + 1) - a*d*p)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[p, 1] && NeQ[m + p + 1, 0] && IntegerQ[2*m]
```

Rule 2735

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

Rule 2659

```
Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(a \cot(x) + b \csc(x))^4} dx &= \int \frac{\sin^4(x)}{(b + a \cos(x))^4} dx \\
&= \frac{\sin^3(x)}{3a(b + a \cos(x))^3} - \frac{\int \frac{\cos(x) \sin^2(x)}{(b + a \cos(x))^3} dx}{a} \\
&= \frac{\sin^3(x)}{3a(b + a \cos(x))^3} + \frac{b \sin^3(x)}{2a(a^2 - b^2)(b + a \cos(x))^2} - \frac{\int \frac{(2a + b \cos(x)) \sin^2(x)}{(b + a \cos(x))^2} dx}{2a(a^2 - b^2)} \\
&= -\frac{(2(a^2 - b^2) - ab \cos(x)) \sin(x)}{2a^3(a^2 - b^2)(b + a \cos(x))} + \frac{\sin^3(x)}{3a(b + a \cos(x))^3} + \frac{b \sin^3(x)}{2a(a^2 - b^2)(b + a \cos(x))^2} + \int \frac{\sin^2(x)}{b + a \cos(x)} dx \\
&= \frac{x}{a^4} - \frac{(2(a^2 - b^2) - ab \cos(x)) \sin(x)}{2a^3(a^2 - b^2)(b + a \cos(x))} + \frac{\sin^3(x)}{3a(b + a \cos(x))^3} + \frac{b \sin^3(x)}{2a(a^2 - b^2)(b + a \cos(x))^2} - \frac{\sin^2(x)}{b + a \cos(x)} \\
&= \frac{x}{a^4} - \frac{(2(a^2 - b^2) - ab \cos(x)) \sin(x)}{2a^3(a^2 - b^2)(b + a \cos(x))} + \frac{\sin^3(x)}{3a(b + a \cos(x))^3} + \frac{b \sin^3(x)}{2a(a^2 - b^2)(b + a \cos(x))^2} - \frac{\sin^2(x)}{b + a \cos(x)} \\
&= \frac{x}{a^4} - \frac{b(3a^2 - 2b^2) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}}\right)}{a^4(a-b)^{3/2}(a+b)^{3/2}} - \frac{(2(a^2 - b^2) - ab \cos(x)) \sin(x)}{2a^3(a^2 - b^2)(b + a \cos(x))} + \frac{\sin^3(x)}{3a(b + a \cos(x))^3} - \frac{\sin^2(x)}{b + a \cos(x)}
\end{aligned}$$

**Mathematica [A]** time = 0.466912, size = 150, normalized size = 0.94

$$\sin(x) \left( \frac{a(8a^2-11b^2)(a \cos(x)+b)^2}{(a-b)(a+b)} - \frac{6b(2b^2-3a^2) \csc(x)(a \cos(x)+b)^3 \tanh^{-1}\left(\frac{(b-a) \tan\left(\frac{x}{2}\right)}{\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}} + 2a(a^2-b^2) + 7ab(a \cos(x)+b) + 6x \csc(x) \right) / 6a^4(a \cos(x)+b)^3$$

Antiderivative was successfully verified.

[In] Integrate[(a\*Cot[x] + b\*Csc[x])^(-4), x]

[Out] ((2\*a\*(a^2 - b^2) + 7\*a\*b\*(b + a\*Cos[x]) - (a\*(8\*a^2 - 11\*b^2)\*(b + a\*Cos[x])^2)/((a - b)\*(a + b)) + 6\*x\*(b + a\*Cos[x])^3\*Csc[x] - (6\*b\*(-3\*a^2 + 2\*b^2)\*ArcTanh[(-a + b)\*Tan[x/2]]/Sqrt[a^2 - b^2])\*(b + a\*Cos[x])^3\*Csc[x])/(a^2 - b^2)^(3/2))\*Sin[x])/(6\*a^4\*(b + a\*Cos[x])^3)

**Maple [B]** time = 0.062, size = 534, normalized size = 3.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a\*cot(x)+b\*csc(x))^4,x)

[Out] 2/a^4\*arctan(tan(1/2\*x))+2/(a\*tan(1/2\*x)^2-b\*tan(1/2\*x)^2-a-b)^3/(a+b)\*tan(1/2\*x)^5-1/a/(a\*tan(1/2\*x)^2-b\*tan(1/2\*x)^2-a-b)^3/(a+b)\*tan(1/2\*x)^5\*b^3/a^2/(a\*tan(1/2\*x)^2-b\*tan(1/2\*x)^2-a-b)^3/(a+b)\*tan(1/2\*x)^5\*b^2+2/a^3/(a\*tan(1/2\*x)^2-b\*tan(1/2\*x)^2-a-b)^3/(a+b)\*tan(1/2\*x)^5\*b^3-20/3/a/(a\*tan(1/2\*x)^2-b\*tan(1/2\*x)^2-a-b)^3\*tan(1/2\*x)^3+4/a^3/(a\*tan(1/2\*x)^2-b\*tan(1/2\*x)^2-a-b)^3\*tan(1/2\*x)^3\*b^2+2/(a\*tan(1/2\*x)^2-b\*tan(1/2\*x)^2-a-b)^3/(a-b)\*tan(1/2\*x)+1/a/(a\*tan(1/2\*x)^2-b\*tan(1/2\*x)^2-a-b)^3/(a-b)\*tan(1/2\*x)\*b^3/a^2/(a\*tan(1/2\*x)^2-b\*tan(1/2\*x)^2-a-b)^3/(a-b)\*tan(1/2\*x)\*b^2-2/a^3/(a\*tan(1/2\*x)^2-b\*tan(1/2\*x)^2-a-b)^3/(a-b)\*tan(1/2\*x)\*b^3-3/a^2\*b/(a^2-b^2)/((a-b)\*(a+b))^(1/2)\*arctanh(tan(1/2\*x)\*(a-b)/((a-b)\*(a+b))^(1/2))+2/a^4\*b^3/(a^2-b^2)/((a-b)\*(a+b))^(1/2)\*arctanh(tan(1/2\*x)\*(a-b)/((a-b)\*(a+b))^(1/2))

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cot(x)+b\*csc(x))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.93663, size = 1945, normalized size = 12.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cot(x)+b\*csc(x))^4,x, algorithm="fricas")

[Out] [1/12\*(12\*(a^7 - 2\*a^5\*b^2 + a^3\*b^4)\*x\*cos(x)^3 + 36\*(a^6\*b - 2\*a^4\*b^3 + a^2\*b^5)\*x\*cos(x)^2 + 36\*(a^5\*b^2 - 2\*a^3\*b^4 + a\*b^6)\*x\*cos(x) + 3\*(3\*a^2\*b^4 - 2\*b^6 + (3\*a^5\*b - 2\*a^3\*b^3)\*cos(x)^3 + 3\*(3\*a^4\*b^2 - 2\*a^2\*b^4)\*cos(x)^2 + 3\*(3\*a^3\*b^3 - 2\*a\*b^5)\*cos(x))\*sqrt(a^2 - b^2)\*log((2\*a\*b\*cos(x) - (a^2 - 2\*b^2)\*cos(x)^2 - 2\*sqrt(a^2 - b^2)\*(b\*cos(x) + a)\*sin(x) + 2\*a^2 - b^2)/(a^2\*cos(x)^2 + 2\*a\*b\*cos(x) + b^2)) + 12\*(a^4\*b^3 - 2\*a^2\*b^5 + b^7)\*x + 2\*(2\*a^7 - 7\*a^5\*b^2 + 11\*a^3\*b^4 - 6\*a\*b^6 - (8\*a^7 - 19\*a^5\*b^2 + 11\*a^3\*b^4)\*cos(x)^2 - 3\*(3\*a^6\*b - 8\*a^4\*b^3 + 5\*a^2\*b^5)\*cos(x))\*sin(x))/(a^8\*b^3 - 2\*a^6\*b^5 + a^4\*b^7 + (a^11 - 2\*a^9\*b^2 + a^7\*b^4)\*cos(x)^3 + 3\*(a^10\*b - 2\*a^8\*b^3 + a^6\*b^5)\*cos(x)^2 + 3\*(a^9\*b^2 - 2\*a^7\*b^4 + a^5\*b^6)\*cos(x)), 1/6\*(6\*(a^7 - 2\*a^5\*b^2 + a^3\*b^4)\*x\*cos(x)^3 + 18\*(a^6\*b - 2\*a^4\*b^3 + a^2\*b^5)\*x\*cos(x)^2 + 18\*(a^5\*b^2 - 2\*a^3\*b^4 + a\*b^6)\*x\*cos(x) - 3\*(3\*a^2\*b^4 - 2\*b^6 + (3\*a^5\*b - 2\*a^3\*b^3)\*cos(x)^3 + 3\*(3\*a^4\*b^2 - 2\*a^2\*b^4)\*cos(x)^2 + 3\*(3\*a^3\*b^3 - 2\*a\*b^5)\*cos(x))\*sqrt(-a^2 + b^2)\*arctan(-sqrt(-a^2 + b^2)\*(b\*cos(x) + a)/((a^2 - b^2)\*sin(x))) + 6\*(a^4\*b^3 - 2\*a^2\*b^5 + b^7)\*x + (2\*a^7 - 7\*a^5\*b^2 + 11\*a^3\*b^4 - 6\*a\*b^6 - (8\*a^7 - 19\*a^5\*b^2 + 11\*a^3\*b^4)\*cos(x)^2 - 3\*(3\*a^6\*b - 8\*a^4\*b^3 + 5\*a^2\*b^5)\*cos(x))\*sin(x))/(a^8\*b^3 - 2\*a^6\*b^5 + a^4\*b^7 + (a^11 - 2\*a^9\*b^2 + a^7\*b^4)\*cos(x)^3 + 3\*(a^10\*b - 2\*a^8\*b^3 + a^6\*b^5)\*cos(x)^2 + 3\*(a^9\*b^2 - 2\*a^7\*b^4 + a^5\*b^6)\*cos(x))]

**Sympy [F-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cot(x)+b\*csc(x))\*\*4,x)

[Out] Timed out

**Giac [B]** time = 1.14053, size = 381, normalized size = 2.4

$$\frac{(3a^2b - 2b^3) \left( \pi \left[ \frac{x}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a + 2b) + \arctan \left( -\frac{a \tan\left(\frac{1}{2}x\right) - b \tan\left(\frac{1}{2}x\right)}{\sqrt{-a^2 + b^2}} \right) \right)}{(a^6 - a^4b^2) \sqrt{-a^2 + b^2}} + \frac{6a^4 \tan\left(\frac{1}{2}x\right)^5 - 9a^3b \tan\left(\frac{1}{2}x\right)^5 - 6a^2b^2 \tan\left(\frac{1}{2}x\right)^5 + 15ab^3 \tan\left(\frac{1}{2}x\right)^5 - 6b^4 \tan\left(\frac{1}{2}x\right)^5 - 20a^4 \tan\left(\frac{1}{2}x\right)^3 + 32a^2b^2 \tan\left(\frac{1}{2}x\right)^3 - 12b^4 \tan\left(\frac{1}{2}x\right)^3 + 6a^4 \tan\left(\frac{1}{2}x\right) + 9a^3b \tan\left(\frac{1}{2}x\right) - 6a^2b^2 \tan\left(\frac{1}{2}x\right) - 15ab^3 \tan\left(\frac{1}{2}x\right) - 6b^4 \tan\left(\frac{1}{2}x\right)}{(a^5 - a^3b^2) (a \tan\left(\frac{1}{2}x\right)^2 - b \tan\left(\frac{1}{2}x\right)^2 - a - b)^3} + \frac{x}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cot(x)+b\*csc(x))^4,x, algorithm="giac")

[Out] -(3\*a^2\*b - 2\*b^3)\*(pi\*floor(1/2\*x/pi + 1/2)\*sgn(-2\*a + 2\*b) + arctan(-(a\*tan(1/2\*x) - b\*tan(1/2\*x))/sqrt(-a^2 + b^2)))/((a^6 - a^4\*b^2)\*sqrt(-a^2 + b^2)) + 1/3\*(6\*a^4\*tan(1/2\*x)^5 - 9\*a^3\*b\*tan(1/2\*x)^5 - 6\*a^2\*b^2\*tan(1/2\*x)^5 + 15\*a\*b^3\*tan(1/2\*x)^5 - 6\*b^4\*tan(1/2\*x)^5 - 20\*a^4\*tan(1/2\*x)^3 + 32\*a^2\*b^2\*tan(1/2\*x)^3 - 12\*b^4\*tan(1/2\*x)^3 + 6\*a^4\*tan(1/2\*x) + 9\*a^3\*b\*tan(1/2\*x) - 6\*a^2\*b^2\*tan(1/2\*x) - 15\*a\*b^3\*tan(1/2\*x) - 6\*b^4\*tan(1/2\*x))/(a^5 - a^3\*b^2)\*(a\*tan(1/2\*x)^2 - b\*tan(1/2\*x)^2 - a - b)^3 + x/a^4

$$3.292 \quad \int \frac{1}{(a \cot(x) + b \csc(x))^5} dx$$

**Optimal.** Leaf size=100

$$\frac{(a^2 - b^2)^2}{4a^5(a \cos(x) + b)^4} + \frac{4b(a^2 - b^2)}{3a^5(a \cos(x) + b)^3} - \frac{a^2 - 3b^2}{a^5(a \cos(x) + b)^2} - \frac{4b}{a^5(a \cos(x) + b)} - \frac{\log(a \cos(x) + b)}{a^5}$$

[Out] (a^2 - b^2)^2/(4\*a^5\*(b + a\*Cos[x])^4) + (4\*b\*(a^2 - b^2))/(3\*a^5\*(b + a\*Cos[x])^3) - (a^2 - 3\*b^2)/(a^5\*(b + a\*Cos[x])^2) - (4\*b)/(a^5\*(b + a\*Cos[x])) - Log[b + a\*Cos[x]]/a^5

**Rubi [A]** time = 0.123181, antiderivative size = 100, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {4392, 2668, 697}

$$\frac{(a^2 - b^2)^2}{4a^5(a \cos(x) + b)^4} + \frac{4b(a^2 - b^2)}{3a^5(a \cos(x) + b)^3} - \frac{a^2 - 3b^2}{a^5(a \cos(x) + b)^2} - \frac{4b}{a^5(a \cos(x) + b)} - \frac{\log(a \cos(x) + b)}{a^5}$$

Antiderivative was successfully verified.

[In] Int[(a\*Cot[x] + b\*Csc[x])^(-5), x]

[Out] (a^2 - b^2)^2/(4\*a^5\*(b + a\*Cos[x])^4) + (4\*b\*(a^2 - b^2))/(3\*a^5\*(b + a\*Cos[x])^3) - (a^2 - 3\*b^2)/(a^5\*(b + a\*Cos[x])^2) - (4\*b)/(a^5\*(b + a\*Cos[x])) - Log[b + a\*Cos[x]]/a^5

#### Rule 4392

Int[(cot[(c\_.) + (d\_.)\*(x\_.)]^(n\_.)\*(a\_.) + csc[(c\_.) + (d\_.)\*(x\_.)]^(n\_.)\*(b\_.))^(p\_.)\*(u\_.), x\_Symbol] := Int[ActivateTrig[u]\*Csc[c + d\*x]^(n\*p)\*(b + a\*Cos[c + d\*x]^n)^p, x] /; FreeQ[{a, b, c, d}, x] && IntegersQ[n, p]

#### Rule 2668

Int[cos[(e\_.) + (f\_.)\*(x\_.)]^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.), x\_Symbol] := Dist[1/(b^p\*f), Subst[Int[(a + x)^m\*(b^2 - x^2)^((p - 1)/2), x], x, b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && NeQ[a^2 - b^2, 0]

#### Rule 697

Int[((d\_.) + (e\_.)\*(x\_.))^(m\_.)\*((a\_.) + (c\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x)^m\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c\*d^2 + a\*e^2, 0] && IGtQ[p, 0]

#### Rubi steps

$$\begin{aligned}
\int \frac{1}{(a \cot(x) + b \csc(x))^5} dx &= \int \frac{\sin^5(x)}{(b + a \cos(x))^5} dx \\
&= \frac{\text{Subst}\left(\int \frac{(a^2 - x^2)^2}{(b+x)^5} dx, x, a \cos(x)\right)}{a^5} \\
&= \frac{\text{Subst}\left(\int \left(\frac{(a^2 - b^2)^2}{(b+x)^5} - \frac{4b(-a^2 + b^2)}{(b+x)^4} - \frac{2(a^2 - 3b^2)}{(b+x)^3} - \frac{4b}{(b+x)^2} + \frac{1}{b+x}\right) dx, x, a \cos(x)\right)}{a^5} \\
&= \frac{(a^2 - b^2)^2}{4a^5(b + a \cos(x))^4} + \frac{4b(a^2 - b^2)}{3a^5(b + a \cos(x))^3} - \frac{a^2 - 3b^2}{a^5(b + a \cos(x))^2} - \frac{4b}{a^5(b + a \cos(x))} - \frac{\log(b + a \cos(x))}{a^5}
\end{aligned}$$

**Mathematica [A]** time = 0.3392, size = 138, normalized size = 1.38

$$\frac{12a^2 \cos^2(x) (a^2 + 6b^2 \log(a \cos(x) + b) + 9b^2) + 8ab \cos(x) (a^2 + 6b^2 \log(a \cos(x) + b) + 11b^2) + 2a^2 b^2 + 12a^4 \cos^4(x)}{12a^5 (a \cos(x) + b)^4}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*Cot[x] + b\*Csc[x])^(-5), x]

[Out]  $-(3a^4 + 2a^2b^2 + 25b^4 + 12b^4 \text{Log}[b + a \text{Cos}[x]] + 12a^4 \text{Cos}[x]^4 \text{Log}[b + a \text{Cos}[x]] + 48a^3b \text{Cos}[x]^3(1 + \text{Log}[b + a \text{Cos}[x]]) + 12a^2 \text{Cos}[x]^2(a^2 + 9b^2 + 6b^2 \text{Log}[b + a \text{Cos}[x]]) + 8a^2b \text{Cos}[x](a^2 + 11b^2 + 6b^2 \text{Log}[b + a \text{Cos}[x]]))/(12a^5(b + a \text{Cos}[x])^4)$

**Maple [A]** time = 0.056, size = 132, normalized size = 1.3

$$\frac{1}{4a(b + a \cos(x))^4} - \frac{b^2}{2a^3(b + a \cos(x))^4} + \frac{b^4}{4a^5(b + a \cos(x))^4} - 4 \frac{b}{a^5(b + a \cos(x))} - \frac{\ln(b + a \cos(x))}{a^5} + \frac{4b}{3a^3(b + a \cos(x))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a\*cot(x)+b\*csc(x))^5,x)

[Out]  $1/4/a/(b+a \cos(x))^4 - 1/2/a^3/(b+a \cos(x))^4 * b^2 + 1/4/a^5/(b+a \cos(x))^4 * b^4 - 4*b/a^5/(b+a \cos(x)) - \ln(b+a \cos(x))/a^5 + 4/3*b/a^3/(b+a \cos(x))^3 - 4/3*b^3/a^5/(b+a \cos(x))^3 - 1/a^3/(b+a \cos(x))^2 + 3/a^5/(b+a \cos(x))^2 * b^2$

**Maxima [B]** time = 1.69827, size = 671, normalized size = 6.71

$$\frac{2 \left( 5a^4b + 10a^3b^2 + 2a^2b^3 - 6ab^4 - 3b^5 + \frac{(3a^5 - 17a^4b - 6a^3b^2 + 26a^2b^3 + 3ab^4 - 9b^5) \sin(x)^2}{(\cos(x)+1)^2} - \frac{3(4a^5 - 13ab^4)}{(\cos(x)+1)^4} \right)}{3 \left( a^{10} + 2a^9b - a^8b^2 - 4a^7b^3 - a^6b^4 + 2a^5b^5 + a^4b^6 - \frac{4(a^{10} - 3a^8b^2 + 3a^6b^4 - a^4b^6) \sin(x)^2}{(\cos(x)+1)^2} + \frac{6(a^{10} - 2a^9b - a^8b^2 + 4a^7b^3 - a^6b^4 - 2a^5b^5 + a^4b^6)}{(\cos(x)+1)^4} \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*cot(x)+b\*csc(x))^5,x, algorithm="maxima")



```
[Out] -2/3*(5*a^4*b + 10*a^3*b^2 + 2*a^2*b^3 - 6*a*b^4 - 3*b^5 + (3*a^5 - 17*a^4*b - 6*a^3*b^2 + 26*a^2*b^3 + 3*a*b^4 - 9*b^5)*sin(x)^2/(cos(x) + 1)^2 - 3*(4*a^5 - 13*a^4*b + 12*a^3*b^2 + 2*a^2*b^3 - 8*a*b^4 + 3*b^5)*sin(x)^4/(cos(x) + 1)^4 + 3*(a^5 - 5*a^4*b + 10*a^3*b^2 - 10*a^2*b^3 + 5*a*b^4 - b^5)*sin(x)^6/(cos(x) + 1)^6)/(a^10 + 2*a^9*b - a^8*b^2 - 4*a^7*b^3 - a^6*b^4 + 2*a^5*b^5 + a^4*b^6 - 4*(a^10 - 3*a^8*b^2 + 3*a^6*b^4 - a^4*b^6)*sin(x)^2/(cos(x) + 1)^2 + 6*(a^10 - 2*a^9*b - a^8*b^2 + 4*a^7*b^3 - a^6*b^4 - 2*a^5*b^5 + a^4*b^6)*sin(x)^4/(cos(x) + 1)^4 - 4*(a^10 - 4*a^9*b + 5*a^8*b^2 - 5*a^6*b^4 + 4*a^5*b^5 - a^4*b^6)*sin(x)^6/(cos(x) + 1)^6 + (a^10 - 6*a^9*b + 15*a^8*b^2 - 20*a^7*b^3 + 15*a^6*b^4 - 6*a^5*b^5 + a^4*b^6)*sin(x)^8/(cos(x) + 1)^8) - log(a + b - (a - b)*sin(x)^2/(cos(x) + 1)^2)/a^5 + log(sin(x)^2/(cos(x) + 1)^2 + 1)/a^5
```

**Fricas [A]** time = 2.53773, size = 409, normalized size = 4.09

$$\frac{48 a^3 b \cos(x)^3 - 3 a^4 + 2 a^2 b^2 + 25 b^4 + 12 (a^4 + 9 a^2 b^2) \cos(x)^2 + 8 (a^3 b + 11 a b^3) \cos(x) + 12 (a^4 \cos(x)^4 + 4 a^3 b \cos(x)^3 + 6 a^2 b^2 \cos(x)^2 + 4 a b^3 \cos(x) + b^4) \log(a \cos(x) + b)}{12 (a^9 \cos(x)^4 + 4 a^8 b \cos(x)^3 + 6 a^7 b^2 \cos(x)^2 + 4 a^6 b^3 \cos(x) + a^5 b^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a*cot(x)+b*csc(x))^5,x, algorithm="fricas")
```

```
[Out] -1/12*(48*a^3*b*cos(x)^3 - 3*a^4 + 2*a^2*b^2 + 25*b^4 + 12*(a^4 + 9*a^2*b^2)*cos(x)^2 + 8*(a^3*b + 11*a*b^3)*cos(x) + 12*(a^4*cos(x)^4 + 4*a^3*b*cos(x)^3 + 6*a^2*b^2*cos(x)^2 + 4*a*b^3*cos(x) + b^4)*log(a*cos(x) + b))/(a^9*cos(x)^4 + 4*a^8*b*cos(x)^3 + 6*a^7*b^2*cos(x)^2 + 4*a^6*b^3*cos(x) + a^5*b^4)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a*cot(x)+b*csc(x))**5,x)
```

```
[Out] Timed out
```

**Giac [A]** time = 1.14898, size = 126, normalized size = 1.26

$$\frac{\log(|a \cos(x) + b|)}{a^5} - \frac{48 a^2 b \cos(x)^3 + 12 (a^3 + 9 a b^2) \cos(x)^2 + 8 (a^2 b + 11 b^3) \cos(x) - \frac{3 a^4 - 2 a^2 b^2 - 25 b^4}{a}}{12 (a \cos(x) + b)^4 a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a*cot(x)+b*csc(x))^5,x, algorithm="giac")
```

```
[Out] -log(abs(a*cos(x) + b))/a^5 - 1/12*(48*a^2*b*cos(x)^3 + 12*(a^3 + 9*a*b^2)*cos(x)^2 + 8*(a^2*b + 11*b^3)*cos(x) - (3*a^4 - 2*a^2*b^2 - 25*b^4)/a)/((a*cos(x) + b)^4*a^4)
```

### 3.293 $\int (\cot(x) + \csc(x))^5 dx$

**Optimal.** Leaf size=28

$$\frac{4}{1 - \cos(x)} - \frac{2}{(1 - \cos(x))^2} + \log(1 - \cos(x))$$

[Out]  $-2/(1 - \text{Cos}[x])^2 + 4/(1 - \text{Cos}[x]) + \text{Log}[1 - \text{Cos}[x]]$

**Rubi [A]** time = 0.0510641, antiderivative size = 28, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {4392, 2667, 43}

$$\frac{4}{1 - \cos(x)} - \frac{2}{(1 - \cos(x))^2} + \log(1 - \cos(x))$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cot}[x] + \text{Csc}[x])^5, x]$

[Out]  $-2/(1 - \text{Cos}[x])^2 + 4/(1 - \text{Cos}[x]) + \text{Log}[1 - \text{Cos}[x]]$

#### Rule 4392

$\text{Int}[(\cot[(c_.) + (d_.)(x_.)]^{(n_.)}(a_.) + \csc[(c_.) + (d_.)(x_.)]^{(n_.)}(b_.))^{(p_.)}(u_.), x\_Symbol] \rightarrow \text{Int}[\text{ActivateTrig}[u]*\text{Csc}[c + d*x]^{(n*p)}(b + a*\text{Cos}[c + d*x]^n)^p, x] /;$  FreeQ[{a, b, c, d}, x] && IntegersQ[n, p]

#### Rule 2667

$\text{Int}[\cos[(e_.) + (f_.)(x_.)]^{(p_.)}((a_.) + (b_.)\sin[(e_.) + (f_.)(x_.)])^{(m_.)}, x\_Symbol] \rightarrow \text{Dist}[1/(b^p*f), \text{Subst}[\text{Int}[(a + x)^{(m + (p - 1)/2)}(a - x)^{(p - 1)/2}, x], x, b*\text{Sin}[e + f*x]], x] /;$  FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && EqQ[a^2 - b^2, 0] && (GeQ[p, -1] || !IntegerQ[m + 1/2])

#### Rule 43

$\text{Int}[(a_.) + (b_.)(x_.)]^{(m_.)}((c_.) + (d_.)(x_.))^{(n_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /;$  FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

#### Rubi steps

$$\begin{aligned} \int (\cot(x) + \csc(x))^5 dx &= \int (1 + \cos(x))^5 \csc^5(x) dx \\ &= -\text{Subst}\left(\int \frac{(1+x)^2}{(1-x)^3} dx, x, \cos(x)\right) \\ &= -\text{Subst}\left(\int \left(\frac{1}{1-x} - \frac{4}{(-1+x)^3} - \frac{4}{(-1+x)^2}\right) dx, x, \cos(x)\right) \\ &= -\frac{2}{(1 - \cos(x))^2} + \frac{4}{1 - \cos(x)} + \log(1 - \cos(x)) \end{aligned}$$

**Mathematica [A]** time = 0.0734023, size = 32, normalized size = 1.14

$$-\frac{1}{2} \csc^4\left(\frac{x}{2}\right) + 2 \csc^2\left(\frac{x}{2}\right) + 2 \log\left(\sin\left(\frac{x}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[x] + Csc[x])^5,x]

[Out] 2\*Csc[x/2]^2 - Csc[x/2]^4/2 + 2\*Log[Sin[x/2]]

**Maple [B]** time = 0.048, size = 105, normalized size = 3.8

$$-\frac{(\cot(x))^4}{4} + \frac{(\cot(x))^2}{2} + \ln(\sin(x)) - \frac{5(\cos(x))^5}{4(\sin(x))^4} + \frac{5(\cos(x))^5}{8(\sin(x))^2} + \frac{5(\cos(x))^3}{8} + \frac{5\cos(x)}{8} + \ln(\csc(x) - \cot(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cot(x)+csc(x))^5,x)

[Out] -1/4\*cot(x)^4+1/2\*cot(x)^2+ln(sin(x))-5/4/sin(x)^4\*cos(x)^5+5/8/sin(x)^2\*cos(x)^5+5/8\*cos(x)^3+5/8\*cos(x)+ln(csc(x)-cot(x))-5/2/sin(x)^4\*cos(x)^4-5/2/sin(x)^4\*cos(x)^3-5/4/sin(x)^2\*cos(x)^3-5/4/sin(x)^4+(-1/4\*csc(x)^3-3/8\*csc(x))\*cot(x)

**Maxima [B]** time = 1.01307, size = 169, normalized size = 6.04

$$-\frac{5}{2} \cot(x)^4 - \frac{5(5 \cos(x)^3 - 3 \cos(x))}{8(\cos(x)^4 - 2 \cos(x)^2 + 1)} + \frac{3 \cos(x)^3 - 5 \cos(x)}{8(\cos(x)^4 - 2 \cos(x)^2 + 1)} - \frac{5(\cos(x)^3 + \cos(x))}{4(\cos(x)^4 - 2 \cos(x)^2 + 1)} + \frac{4 \sin(x)^2}{4 \sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cot(x)+csc(x))^5,x, algorithm="maxima")

[Out] -5/2\*cot(x)^4 - 5/8\*(5\*cos(x)^3 - 3\*cos(x))/(cos(x)^4 - 2\*cos(x)^2 + 1) + 1/8\*(3\*cos(x)^3 - 5\*cos(x))/(cos(x)^4 - 2\*cos(x)^2 + 1) - 5/4\*(cos(x)^3 + cos(x))/(cos(x)^4 - 2\*cos(x)^2 + 1) + 1/4\*(4\*sin(x)^2 - 1)/sin(x)^4 - 5/4/sin(x)^4 + 1/2\*log(sin(x)^2) - 1/2\*log(cos(x) + 1) + 1/2\*log(cos(x) - 1)

**Fricas [A]** time = 2.03381, size = 126, normalized size = 4.5

$$\frac{(\cos(x)^2 - 2 \cos(x) + 1) \log\left(-\frac{1}{2} \cos(x) + \frac{1}{2}\right) - 4 \cos(x) + 2}{\cos(x)^2 - 2 \cos(x) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cot(x)+csc(x))^5,x, algorithm="fricas")

[Out] ((cos(x)^2 - 2\*cos(x) + 1)\*log(-1/2\*cos(x) + 1/2) - 4\*cos(x) + 2)/(cos(x)^2 - 2\*cos(x) + 1)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cot(x)+csc(x))\*\*5,x)

[Out] Timed out

---

**Giac [A]** time = 1.14025, size = 30, normalized size = 1.07

$$-\frac{2(2\cos(x)-1)}{(\cos(x)-1)^2} + \log(-\cos(x)+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cot(x)+csc(x))^5,x, algorithm="giac")

[Out] -2\*(2\*cos(x) - 1)/(cos(x) - 1)^2 + log(-cos(x) + 1)

### 3.294 $\int (\cot(x) + \csc(x))^4 dx$

**Optimal.** Leaf size=30

$$x - \frac{2 \sin^3(x)}{3(1 - \cos(x))^3} + \frac{2 \sin(x)}{1 - \cos(x)}$$

[Out] x + (2\*Sin[x])/(1 - Cos[x]) - (2\*Sin[x]^3)/(3\*(1 - Cos[x])^3)

**Rubi [A]** time = 0.101051, antiderivative size = 30, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$ , Rules used = {4392, 2670, 2680, 8}

$$x - \frac{2 \sin^3(x)}{3(1 - \cos(x))^3} + \frac{2 \sin(x)}{1 - \cos(x)}$$

Antiderivative was successfully verified.

[In] Int[(Cot[x] + Csc[x])^4,x]

[Out] x + (2\*Sin[x])/(1 - Cos[x]) - (2\*Sin[x]^3)/(3\*(1 - Cos[x])^3)

#### Rule 4392

Int[(cot[(c\_.) + (d\_.)\*(x\_)]^(n\_.)\*(a\_.) + csc[(c\_.) + (d\_.)\*(x\_)]^(n\_.)\*(b\_.))^(p\_.)\*(u\_.), x\_Symbol] :> Int[ActivateTrig[u]\*Csc[c + d\*x]^(n\*p)\*(b + a\*Cos[c + d\*x]^n)^p, x] /; FreeQ[{a, b, c, d}, x] && IntegersQ[n, p]

#### Rule 2670

Int[(cos[(e\_.) + (f\_.)\*(x\_)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.), x\_Symbol] :> Dist[(a/g)^(2\*m), Int[(g\*Cos[e + f\*x])^(2\*m + p)/(a - b\*Sin[e + f\*x]^m), x], x] /; FreeQ[{a, b, e, f, g}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[m] && LtQ[p, -1] && GeQ[2\*m + p, 0]

#### Rule 2680

Int[(cos[(e\_.) + (f\_.)\*(x\_)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.), x\_Symbol] :> Simp[(2\*g\*(g\*Cos[e + f\*x])^(p - 1)\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(2\*m + p + 1)), x] + Dist[(g^2\*(p - 1))/(b^2\*(2\*m + p + 1)), Int[(g\*Cos[e + f\*x])^(p - 2)\*(a + b\*Sin[e + f\*x])^(m + 2), x], x] /; FreeQ[{a, b, e, f, g}, x] && EqQ[a^2 - b^2, 0] && LeQ[m, -2] && GtQ[p, 1] && NeQ[2\*m + p + 1, 0] && !ILtQ[m + p + 1, 0] && IntegersQ[2\*m, 2\*p]

#### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned}
\int (\cot(x) + \csc(x))^4 dx &= \int (1 + \cos(x))^4 \csc^4(x) dx \\
&= \int \frac{\sin^4(x)}{(1 - \cos(x))^4} dx \\
&= -\frac{2 \sin^3(x)}{3(1 - \cos(x))^3} - \int \frac{\sin^2(x)}{(1 - \cos(x))^2} dx \\
&= \frac{2 \sin(x)}{1 - \cos(x)} - \frac{2 \sin^3(x)}{3(1 - \cos(x))^3} + \int 1 dx \\
&= x + \frac{2 \sin(x)}{1 - \cos(x)} - \frac{2 \sin^3(x)}{3(1 - \cos(x))^3}
\end{aligned}$$

**Mathematica [A]** time = 0.0451802, size = 30, normalized size = 1.

$$x + \frac{8}{3} \cot\left(\frac{x}{2}\right) - \frac{2}{3} \cot\left(\frac{x}{2}\right) \csc^2\left(\frac{x}{2}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[x] + Csc[x])^4, x]

[Out] x + (8\*Cot[x/2])/3 - (2\*Cot[x/2]\*Csc[x/2]^2)/3

**Maple [B]** time = 0.039, size = 68, normalized size = 2.3

$$-\frac{(\cot(x))^3}{3} + \cot(x) + x - \frac{4(\cos(x))^4}{3(\sin(x))^3} + \frac{4(\cos(x))^4}{3\sin(x)} + \frac{(8 + 4(\cos(x))^2)\sin(x)}{3} - 2\frac{(\cos(x))^3}{(\sin(x))^3} - \frac{4}{3(\sin(x))^3} + \left(-\frac{2}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cot(x)+csc(x))^4, x)

[Out] -1/3\*cot(x)^3+cot(x)+x-4/3/sin(x)^3\*cos(x)^4+4/3/sin(x)\*cos(x)^4+4/3\*(2+cos(x)^2)\*sin(x)-2/sin(x)^3\*cos(x)^3-4/3/sin(x)^3+(-2/3-1/3\*csc(x)^2)\*cot(x)

**Maxima [B]** time = 1.47857, size = 76, normalized size = 2.53

$$-2 \cot(x)^3 + x + \frac{4(3 \sin(x)^2 - 1)}{3 \sin(x)^3} - \frac{3 \tan(x)^2 + 1}{3 \tan(x)^3} + \frac{3 \tan(x)^2 - 1}{3 \tan(x)^3} - \frac{4}{3 \sin(x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cot(x)+csc(x))^4, x, algorithm="maxima")

[Out] -2\*cot(x)^3 + x + 4/3\*(3\*sin(x)^2 - 1)/sin(x)^3 - 1/3\*(3\*tan(x)^2 + 1)/tan(x)^3 + 1/3\*(3\*tan(x)^2 - 1)/tan(x)^3 - 4/3/sin(x)^3

**Fricas [A]** time = 2.09382, size = 109, normalized size = 3.63

$$\frac{8 \cos(x)^2 + 3(x \cos(x) - x) \sin(x) + 4 \cos(x) - 4}{3(\cos(x) - 1) \sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cot(x)+csc(x))^4,x, algorithm="fricas")

[Out]  $\frac{1}{3}(8\cos(x)^2 + 3(x\cos(x) - x)\sin(x) + 4\cos(x) - 4)/((\cos(x) - 1)\sin(x))$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cot(x)+csc(x))\*\*4,x)

[Out] Timed out

**Giac [A]** time = 1.13628, size = 27, normalized size = 0.9

$$x + \frac{2\left(3 \tan\left(\frac{1}{2}x\right)^2 - 1\right)}{3 \tan\left(\frac{1}{2}x\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cot(x)+csc(x))^4,x, algorithm="giac")

[Out]  $x + \frac{2}{3}(3\tan(1/2*x)^2 - 1)/\tan(1/2*x)^3$

### 3.295 $\int (\cot(x) + \csc(x))^3 dx$

**Optimal.** Leaf size=20

$$-\frac{2}{1 - \cos(x)} - \log(1 - \cos(x))$$

[Out] -2/(1 - Cos[x]) - Log[1 - Cos[x]]

**Rubi [A]** time = 0.0480181, antiderivative size = 20, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {4392, 2667, 43}

$$-\frac{2}{1 - \cos(x)} - \log(1 - \cos(x))$$

Antiderivative was successfully verified.

[In] Int[(Cot[x] + Csc[x])^3, x]

[Out] -2/(1 - Cos[x]) - Log[1 - Cos[x]]

#### Rule 4392

Int[(cot[(c\_.) + (d\_.)\*(x\_.)]^(n\_.)\*(a\_.) + csc[(c\_.) + (d\_.)\*(x\_.)]^(n\_.)\*(b\_.))^(p\_.)\*(u\_.), x\_Symbol] :> Int[ActivateTrig[u]\*Csc[c + d\*x]^(n\*p)\*(b + a\*Cos[c + d\*x]^n)^p, x] /; FreeQ[{a, b, c, d}, x] && IntegersQ[n, p]

#### Rule 2667

Int[cos[(e\_.) + (f\_.)\*(x\_.)]^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.), x\_Symbol] :> Dist[1/(b^p\*f), Subst[Int[(a + x)^(m + (p - 1)/2)\*(a - x)^(p - 1)/2, x], x, b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && EqQ[a^2 - b^2, 0] && (GeQ[p, -1] || !IntegerQ[m + 1/2])

#### Rule 43

Int[((a\_.) + (b\_.)\*(x\_.))^(m\_.)\*((c\_.) + (d\_.)\*(x\_.))^(n\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

#### Rubi steps

$$\begin{aligned} \int (\cot(x) + \csc(x))^3 dx &= \int (1 + \cos(x))^3 \csc^3(x) dx \\ &= -\text{Subst} \left( \int \frac{1+x}{(1-x)^2} dx, x, \cos(x) \right) \\ &= -\text{Subst} \left( \int \left( \frac{2}{(-1+x)^2} + \frac{1}{-1+x} \right) dx, x, \cos(x) \right) \\ &= -\frac{2}{1 - \cos(x)} - \log(1 - \cos(x)) \end{aligned}$$



**Mathematica [A]** time = 0.0394034, size = 20, normalized size = 1.

$$-\csc^2\left(\frac{x}{2}\right) - 2\log\left(\sin\left(\frac{x}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[x] + Csc[x])^3,x]

[Out] -Csc[x/2]^2 - 2\*Log[Sin[x/2]]

**Maple [B]** time = 0.037, size = 49, normalized size = 2.5

$$-\frac{(\cot(x))^2}{2} - \ln(\sin(x)) - \frac{3(\cos(x))^3}{2(\sin(x))^2} - \frac{3\cos(x)}{2} - \ln(\csc(x) - \cot(x)) - \frac{3}{2(\sin(x))^2} - \frac{\cot(x)\csc(x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cot(x)+csc(x))^3,x)

[Out] -1/2\*cot(x)^2-ln(sin(x))-3/2/sin(x)^2\*cos(x)^3-3/2\*cos(x)-ln(csc(x)-cot(x))-3/2/sin(x)^2-1/2\*cot(x)\*csc(x)

**Maxima [B]** time = 0.95826, size = 62, normalized size = 3.1

$$-\frac{3}{2}\cot(x)^2 + \frac{2\cos(x)}{\cos(x)^2 - 1} - \frac{1}{2\sin(x)^2} - \frac{1}{2}\log(\sin(x)^2) + \frac{1}{2}\log(\cos(x) + 1) - \frac{1}{2}\log(\cos(x) - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cot(x)+csc(x))^3,x, algorithm="maxima")

[Out] -3/2\*cot(x)^2 + 2\*cos(x)/(cos(x)^2 - 1) - 1/2/sin(x)^2 - 1/2\*log(sin(x)^2) + 1/2\*log(cos(x) + 1) - 1/2\*log(cos(x) - 1)

**Fricas [A]** time = 2.05848, size = 77, normalized size = 3.85

$$\frac{(\cos(x) - 1)\log\left(-\frac{1}{2}\cos(x) + \frac{1}{2}\right) - 2}{\cos(x) - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cot(x)+csc(x))^3,x, algorithm="fricas")

[Out] -((cos(x) - 1)\*log(-1/2\*cos(x) + 1/2) - 2)/(cos(x) - 1)

**Sympy [B]** time = 82.1944, size = 44, normalized size = 2.2

$$-\frac{\log(\cos(x) - 1)}{2} + \frac{\log(\cos(x) + 1)}{2} + \frac{\log(\csc^2(x))}{2} - 2\csc^2(x) + \frac{4\cos(x)}{2\cos^2(x) - 2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cot(x)+csc(x))\*\*3,x)

[Out]  $-\log(\cos(x) - 1)/2 + \log(\cos(x) + 1)/2 + \log(\csc(x)**2)/2 - 2*\csc(x)**2 + 4*\cos(x)/(2*\cos(x)**2 - 2)$

**Giac [A]** time = 1.1422, size = 24, normalized size = 1.2

$$\frac{2}{\cos(x) - 1} - \log(-\cos(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cot(x)+csc(x))^3,x, algorithm="giac")

[Out]  $2/(\cos(x) - 1) - \log(-\cos(x) + 1)$

### 3.296 $\int (\cot(x) + \csc(x))^2 dx$

**Optimal.** Leaf size=16

$$-x - \frac{2 \sin(x)}{1 - \cos(x)}$$

[Out]  $-x - (2*\text{Sin}[x])/(1 - \text{Cos}[x])$

**Rubi [A]** time = 0.0688719, antiderivative size = 16, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$ , Rules used = {4392, 2670, 2680, 8}

$$-x - \frac{2 \sin(x)}{1 - \cos(x)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cot}[x] + \text{Csc}[x])^2, x]$

[Out]  $-x - (2*\text{Sin}[x])/(1 - \text{Cos}[x])$

#### Rule 4392

$\text{Int}[(\cot[(c_.) + (d_.)(x_.)]^{(n_.)}(a_.) + \csc[(c_.) + (d_.)(x_.)]^{(n_.)}(b_.))^{(p_.)}(u_.), x\_Symbol] \rightarrow \text{Int}[\text{ActivateTrig}[u]*\text{Csc}[c + d*x]^{(n*p)}(b + a*\text{Cos}[c + d*x]^n)^p, x] /; \text{FreeQ}\{a, b, c, d\}, x\} \ \&\& \ \text{IntegersQ}[n, p]$

#### Rule 2670

$\text{Int}[(\cos[(e_.) + (f_.)(x_.)]*(g_.))^{(p_.)}((a_.) + (b_.)*\sin[(e_.) + (f_.)(x_.)])^{(m_.)}, x\_Symbol] \rightarrow \text{Dist}[(a/g)^{(2*m)}, \text{Int}[(g*\text{Cos}[e + f*x])^{(2*m + p)} / (a - b*\text{Sin}[e + f*x])^m, x], x] /; \text{FreeQ}\{a, b, e, f, g\}, x\} \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{IntegerQ}[m] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{GeQ}[2*m + p, 0]$

#### Rule 2680

$\text{Int}[(\cos[(e_.) + (f_.)(x_.)]*(g_.))^{(p_.)}((a_.) + (b_.)*\sin[(e_.) + (f_.)(x_.)])^{(m_.)}, x\_Symbol] \rightarrow \text{Simp}[(2*g*(g*\text{Cos}[e + f*x])^{(p - 1)}(a + b*\text{Sin}[e + f*x])^{(m + 1)}) / (b*f*(2*m + p + 1)), x] + \text{Dist}[(g^{2*(p - 1)}) / (b^2*(2*m + p + 1)), \text{Int}[(g*\text{Cos}[e + f*x])^{(p - 2)}(a + b*\text{Sin}[e + f*x])^{(m + 2)}, x], x] /; \text{FreeQ}\{a, b, e, f, g\}, x\} \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{LeQ}[m, -2] \ \&\& \ \text{GtQ}[p, 1] \ \&\& \ \text{NeQ}[2*m + p + 1, 0] \ \&\& \ !\text{LtQ}[m + p + 1, 0] \ \&\& \ \text{IntegersQ}[2*m, 2*p]$

#### Rule 8

$\text{Int}[a_, x\_Symbol] \rightarrow \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

#### Rubi steps

$$\begin{aligned}
\int (\cot(x) + \csc(x))^2 dx &= \int (1 + \cos(x))^2 \csc^2(x) dx \\
&= \int \frac{\sin^2(x)}{(1 - \cos(x))^2} dx \\
&= -\frac{2 \sin(x)}{1 - \cos(x)} - \int 1 dx \\
&= -x - \frac{2 \sin(x)}{1 - \cos(x)}
\end{aligned}$$

**Mathematica [A]** time = 0.0236012, size = 12, normalized size = 0.75

$$-x - 2 \cot\left(\frac{x}{2}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[x] + Csc[x])^2,x]

[Out] -x - 2\*Cot[x/2]

**Maple [A]** time = 0.012, size = 15, normalized size = 0.9

$$-2 \cot(x) - x - 2 (\sin(x))^{-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cot(x)+csc(x))^2,x)

[Out] -2\*cot(x)-x-2/sin(x)

**Maxima [A]** time = 1.49362, size = 22, normalized size = 1.38

$$-x - \frac{2}{\sin(x)} - \frac{2}{\tan(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cot(x)+csc(x))^2,x, algorithm="maxima")

[Out] -x - 2/sin(x) - 2/tan(x)

**Fricas [A]** time = 1.95338, size = 47, normalized size = 2.94

$$\frac{x \sin(x) + 2 \cos(x) + 2}{\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cot(x)+csc(x))^2,x, algorithm="fricas")

[Out]  $-(x*\sin(x) + 2*\cos(x) + 2)/\sin(x)$

---

**Sympy [A]** time = 8.48301, size = 17, normalized size = 1.06

$$-x - \cot(x) - 2 \csc(x) - \frac{\cos(x)}{\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((cot(x)+csc(x))**2,x)`

[Out]  $-x - \cot(x) - 2*\csc(x) - \cos(x)/\sin(x)$

---

**Giac [A]** time = 1.15252, size = 16, normalized size = 1.

$$-x - \frac{2}{\tan\left(\frac{1}{2}x\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((cot(x)+csc(x))^2,x, algorithm="giac")`

[Out]  $-x - 2/\tan(1/2*x)$

### 3.297 $\int (\cot(x) + \csc(x)) dx$

**Optimal.** Leaf size=9

$$\log(\sin(x)) - \tanh^{-1}(\cos(x))$$

[Out] -ArcTanh[Cos[x]] + Log[Sin[x]]

**Rubi [A]** time = 0.0053846, antiderivative size = 9, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 5,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$ , Rules used = {3475, 3770}

$$\log(\sin(x)) - \tanh^{-1}(\cos(x))$$

Antiderivative was successfully verified.

[In] Int[Cot[x] + Csc[x], x]

[Out] -ArcTanh[Cos[x]] + Log[Sin[x]]

#### Rule 3475

Int[tan[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[Log[RemoveContent[Cos[c + d\*x], x]]/d, x] /; FreeQ[{c, d}, x]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int (\cot(x) + \csc(x)) dx &= \int \cot(x) dx + \int \csc(x) dx \\ &= -\tanh^{-1}(\cos(x)) + \log(\sin(x)) \end{aligned}$$

**Mathematica [B]** time = 0.004463, size = 20, normalized size = 2.22

$$\log\left(\sin\left(\frac{x}{2}\right)\right) + \log(\sin(x)) - \log\left(\cos\left(\frac{x}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cot[x] + Csc[x], x]

[Out] -Log[Cos[x/2]] + Log[Sin[x/2]] + Log[Sin[x]]

**Maple [A]** time = 0.003, size = 13, normalized size = 1.4

$$\ln(\sin(x)) - \ln(\cot(x) + \csc(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(x)+csc(x),x)`

[Out] `ln(sin(x))-ln(cot(x)+csc(x))`

**Maxima [A]** time = 1.0108, size = 16, normalized size = 1.78

$$-\log(\cot(x) + \csc(x)) + \log(\sin(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(x)+csc(x),x, algorithm="maxima")`

[Out] `-log(cot(x) + csc(x)) + log(sin(x))`

**Fricas [A]** time = 2.07307, size = 32, normalized size = 3.56

$$\log\left(-\frac{1}{2}\cos(x) + \frac{1}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(x)+csc(x),x, algorithm="fricas")`

[Out] `log(-1/2*cos(x) + 1/2)`

**Sympy [B]** time = 0.106556, size = 20, normalized size = 2.22

$$\frac{\log(\cos(x) - 1)}{2} - \frac{\log(\cos(x) + 1)}{2} + \log(\sin(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(x)+csc(x),x)`

[Out] `log(cos(x) - 1)/2 - log(cos(x) + 1)/2 + log(sin(x))`

**Giac [A]** time = 1.17512, size = 24, normalized size = 2.67

$$\frac{1}{2} \log(-\cos(x)^2 + 1) + \log\left(\left|\tan\left(\frac{1}{2}x\right)\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(x)+csc(x),x, algorithm="giac")`

[Out] `1/2*log(-cos(x)^2 + 1) + log(abs(tan(1/2*x)))`

$$3.298 \quad \int \frac{1}{\cot(x) + \csc(x)} dx$$

**Optimal.** Leaf size=7

$$-\log(\cos(x) + 1)$$

[Out] -Log[1 + Cos[x]]

**Rubi [A]** time = 0.0269082, antiderivative size = 7, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {3160, 2667, 31}

$$-\log(\cos(x) + 1)$$

Antiderivative was successfully verified.

[In] Int[(Cot[x] + Csc[x])^(-1), x]

[Out] -Log[1 + Cos[x]]

#### Rule 3160

Int[((a\_.) + csc[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + cot[(d\_.) + (e\_.)\*(x\_.)]\*(c\_.))<sup>(-1)</sup>, x\_Symbol] :> Int[Sin[d + e\*x]/(b + a\*Sin[d + e\*x] + c\*Cos[d + e\*x]), x] /; FreeQ[{a, b, c, d, e}, x]

#### Rule 2667

Int[cos[(e\_.) + (f\_.)\*(x\_.)]^(p\_.)\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.), x\_Symbol] :> Dist[1/(b^p\*f), Subst[Int[(a + x)^(m + (p - 1)/2)\*(a - x)^(p - 1/2), x], x, b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && EqQ[a^2 - b^2, 0] && (GeQ[p, -1] || !IntegerQ[m + 1/2])

#### Rule 31

Int[((a\_) + (b\_.)\*(x\_.))^(p\_.), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{1}{\cot(x) + \csc(x)} dx &= \int \frac{\sin(x)}{1 + \cos(x)} dx \\ &= -\text{Subst} \left( \int \frac{1}{1+x} dx, x, \cos(x) \right) \\ &= -\log(1 + \cos(x)) \end{aligned}$$

**Mathematica [A]** time = 0.0119092, size = 9, normalized size = 1.29

$$-2 \log \left( \cos \left( \frac{x}{2} \right) \right)$$

Antiderivative was successfully verified.



[In] Integrate[(Cot[x] + Csc[x])^(-1),x]

[Out] -2\*Log[Cos[x/2]]

**Maple [A]** time = 0.047, size = 8, normalized size = 1.1

$$-\ln(1 + \cos(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cot(x)+csc(x)),x)

[Out] -ln(1+cos(x))

**Maxima [B]** time = 1.45563, size = 19, normalized size = 2.71

$$\log\left(\frac{\sin(x)^2}{(\cos(x) + 1)^2} + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(cot(x)+csc(x)),x, algorithm="maxima")

[Out] log(sin(x)^2/(cos(x) + 1)^2 + 1)

**Fricas [A]** time = 2.13351, size = 32, normalized size = 4.57

$$-\log\left(\frac{1}{2} \cos(x) + \frac{1}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(cot(x)+csc(x)),x, algorithm="fricas")

[Out] -log(1/2\*cos(x) + 1/2)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\cot(x) + \csc(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(cot(x)+csc(x)),x)

[Out] Integral(1/(cot(x) + csc(x)), x)

**Giac [A]** time = 1.1338, size = 9, normalized size = 1.29

$$-\log(\cos(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(cot(x)+csc(x)),x, algorithm="giac")

[Out] -log(cos(x) + 1)

$$3.299 \quad \int \frac{1}{(\cot(x) + \csc(x))^2} dx$$

**Optimal.** Leaf size=14

$$\frac{2 \sin(x)}{\cos(x) + 1} - x$$

[Out]  $-x + (2*\text{Sin}[x])/(1 + \text{Cos}[x])$

**Rubi [A]** time = 0.0413406, antiderivative size = 14, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {4392, 2680, 8}

$$\frac{2 \sin(x)}{\cos(x) + 1} - x$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cot}[x] + \text{Csc}[x])^{-2}, x]$

[Out]  $-x + (2*\text{Sin}[x])/(1 + \text{Cos}[x])$

Rule 4392

$\text{Int}[(\cot[(c_.) + (d_.)*(x_.)]^{(n_.)*(a_.) + \csc[(c_.) + (d_.)*(x_.)]^{(n_.)*(b_.)})^{(p_.)*(u_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ActivateTrig}[u]*\text{Csc}[c + d*x]^{(n*p)}*(b + a*\text{Cos}[c + d*x]^n)^p, x] /;$  FreeQ[{a, b, c, d}, x] && IntegersQ[n, p]

Rule 2680

$\text{Int}[(\cos[(e_.) + (f_.)*(x_.)]*(g_.))^{(p_.)*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}, x\_Symbol] \rightarrow \text{Simp}[(2*g*(g*\text{Cos}[e + f*x])^{(p-1)}*(a + b*\text{Sin}[e + f*x])^{(m+1)})/(b*f*(2*m + p + 1)), x] + \text{Dist}[(g^{2*(p-1)})/(b^{2*(2*m + p + 1)}), \text{Int}[(g*\text{Cos}[e + f*x])^{(p-2)}*(a + b*\text{Sin}[e + f*x])^{(m+2)}, x], x] /;$  FreeQ[{a, b, e, f, g}, x] && EqQ[a^2 - b^2, 0] && LeQ[m, -2] && GtQ[p, 1] && NeQ[2\*m + p + 1, 0] && !ILtQ[m + p + 1, 0] && IntegersQ[2\*m, 2\*p]

Rule 8

$\text{Int}[a_, x\_Symbol] \rightarrow \text{Simp}[a*x, x] /;$  FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int \frac{1}{(\cot(x) + \csc(x))^2} dx &= \int \frac{\sin^2(x)}{(1 + \cos(x))^2} dx \\ &= \frac{2 \sin(x)}{1 + \cos(x)} - \int 1 dx \\ &= -x + \frac{2 \sin(x)}{1 + \cos(x)} \end{aligned}$$

**Mathematica [A]** time = 0.0127581, size = 12, normalized size = 0.86

$$2 \tan\left(\frac{x}{2}\right) - x$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[x] + Csc[x])^(-2),x]

[Out] -x + 2\*Tan[x/2]

**Maple [A]** time = 0.044, size = 11, normalized size = 0.8

$$2 \tan(x/2) - x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cot(x)+csc(x))^2,x)

[Out] 2\*tan(1/2\*x)-x

**Maxima [A]** time = 1.48777, size = 31, normalized size = 2.21

$$\frac{2 \sin(x)}{\cos(x) + 1} - 2 \arctan\left(\frac{\sin(x)}{\cos(x) + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(cot(x)+csc(x))^2,x, algorithm="maxima")

[Out] 2\*sin(x)/(cos(x) + 1) - 2\*arctan(sin(x)/(cos(x) + 1))

**Fricas [A]** time = 2.01411, size = 55, normalized size = 3.93

$$\frac{x \cos(x) + x - 2 \sin(x)}{\cos(x) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(cot(x)+csc(x))^2,x, algorithm="fricas")

[Out] -(x\*cos(x) + x - 2\*sin(x))/(cos(x) + 1)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(\cot(x) + \csc(x))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(cot(x)+csc(x))\*\*2,x)

[Out] Integral((cot(x) + csc(x))\*\*(-2), x)

---

**Giac [A]** time = 1.15347, size = 14, normalized size = 1.

$$-x + 2 \tan\left(\frac{1}{2} x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(cot(x)+csc(x))^2,x, algorithm="giac")

[Out] -x + 2\*tan(1/2\*x)

$$3.300 \quad \int \frac{1}{(\cot(x) + \csc(x))^3} dx$$

**Optimal.** Leaf size=14

$$\frac{2}{\cos(x) + 1} + \log(\cos(x) + 1)$$

[Out] 2/(1 + Cos[x]) + Log[1 + Cos[x]]

**Rubi [A]** time = 0.0465222, antiderivative size = 14, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {4392, 2667, 43}

$$\frac{2}{\cos(x) + 1} + \log(\cos(x) + 1)$$

Antiderivative was successfully verified.

[In] Int[(Cot[x] + Csc[x])^(-3), x]

[Out] 2/(1 + Cos[x]) + Log[1 + Cos[x]]

#### Rule 4392

Int[(cot[(c\_.) + (d\_.)\*(x\_)]^(n\_.)\*(a\_.) + csc[(c\_.) + (d\_.)\*(x\_)]^(n\_.)\*(b\_.))^(p\_)\*(u\_.), x\_Symbol] :> Int[ActivateTrig[u]\*Csc[c + d\*x]^(n\*p)\*(b + a \*Cos[c + d\*x]^n)^p, x] /; FreeQ[{a, b, c, d}, x] && IntegersQ[n, p]

#### Rule 2667

Int[cos[(e\_.) + (f\_.)\*(x\_)]^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.), x\_Symbol] :> Dist[1/(b^p\*f), Subst[Int[(a + x)^(m + (p - 1)/2)\*(a - x)^(p - 1)/2], x], x, b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && EqQ[a^2 - b^2, 0] && (GeQ[p, -1] || !IntegerQ[m + 1/2])

#### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{1}{(\cot(x) + \csc(x))^3} dx &= \int \frac{\sin^3(x)}{(1 + \cos(x))^3} dx \\ &= -\text{Subst} \left( \int \frac{1-x}{(1+x)^2} dx, x, \cos(x) \right) \\ &= -\text{Subst} \left( \int \left( \frac{1}{-1-x} + \frac{2}{(1+x)^2} \right) dx, x, \cos(x) \right) \\ &= \frac{2}{1 + \cos(x)} + \log(1 + \cos(x)) \end{aligned}$$

**Mathematica [A]** time = 0.0139392, size = 18, normalized size = 1.29

$$\sec^2\left(\frac{x}{2}\right) + 2 \log\left(\cos\left(\frac{x}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[x] + Csc[x])^(-3), x]

[Out] 2\*Log[Cos[x/2]] + Sec[x/2]^2

**Maple [A]** time = 0.073, size = 15, normalized size = 1.1

$$2(1 + \cos(x))^{-1} + \ln(1 + \cos(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cot(x)+csc(x))^3,x)

[Out] 2/(1+cos(x))+ln(1+cos(x))

**Maxima [A]** time = 1.51203, size = 38, normalized size = 2.71

$$\frac{\sin(x)^2}{(\cos(x) + 1)^2} - \log\left(\frac{\sin(x)^2}{(\cos(x) + 1)^2} + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(cot(x)+csc(x))^3,x, algorithm="maxima")

[Out] sin(x)^2/(cos(x) + 1)^2 - log(sin(x)^2/(cos(x) + 1)^2 + 1)

**Fricas [A]** time = 1.93883, size = 74, normalized size = 5.29

$$\frac{(\cos(x) + 1) \log\left(\frac{1}{2} \cos(x) + \frac{1}{2}\right) + 2}{\cos(x) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(cot(x)+csc(x))^3,x, algorithm="fricas")

[Out] ((cos(x) + 1)\*log(1/2\*cos(x) + 1/2) + 2)/(cos(x) + 1)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(cot(x)+csc(x))**3,x)
```

```
[Out] Timed out
```

---

**Giac [A]** time = 1.13826, size = 19, normalized size = 1.36

$$\frac{2}{\cos(x) + 1} + \log(\cos(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(cot(x)+csc(x))^3,x, algorithm="giac")
```

```
[Out] 2/(cos(x) + 1) + log(cos(x) + 1)
```



$$3.301 \quad \int \frac{1}{(\cot(x) + \csc(x))^4} dx$$

**Optimal.** Leaf size=26

$$x + \frac{2 \sin^3(x)}{3(\cos(x) + 1)^3} - \frac{2 \sin(x)}{\cos(x) + 1}$$

[Out]  $x - (2*\text{Sin}[x])/(1 + \text{Cos}[x]) + (2*\text{Sin}[x]^3)/(3*(1 + \text{Cos}[x])^3)$

**Rubi [A]** time = 0.0711771, antiderivative size = 26, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {4392, 2680, 8}

$$x + \frac{2 \sin^3(x)}{3(\cos(x) + 1)^3} - \frac{2 \sin(x)}{\cos(x) + 1}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cot}[x] + \text{Csc}[x])^{-4}, x]$

[Out]  $x - (2*\text{Sin}[x])/(1 + \text{Cos}[x]) + (2*\text{Sin}[x]^3)/(3*(1 + \text{Cos}[x])^3)$

#### Rule 4392

$\text{Int}[(\cot[(c_.) + (d_.)(x_.)]^{(n_.)}(a_.) + \csc[(c_.) + (d_.)(x_.)]^{(n_.)}(b_.))^{(p_.)}(u_.), x\_Symbol] := \text{Int}[\text{ActivateTrig}[u]*\text{Csc}[c + d*x]^{(n*p)}*(b + a*\text{Cos}[c + d*x]^{(n)})^p, x] /; \text{FreeQ}\{a, b, c, d, x\} \ \&\& \ \text{IntegersQ}[n, p]$

#### Rule 2680

$\text{Int}[(\cos[(e_.) + (f_.)(x_.)]*(g_.))^{(p_.)}((a_.) + (b_.)\sin[(e_.) + (f_.)(x_.)])^{(m_.)}, x\_Symbol] := \text{Simp}[(2*g*(g*\text{Cos}[e + f*x])^{(p-1)}*(a + b*\text{Sin}[e + f*x])^{(m+1)})/(b*f*(2*m + p + 1)), x] + \text{Dist}[(g^{2*(p-1)})/(b^{2*(2*m + p + 1)}), \text{Int}[(g*\text{Cos}[e + f*x])^{(p-2)}*(a + b*\text{Sin}[e + f*x])^{(m+2)}, x], x] /; \text{FreeQ}\{a, b, e, f, g\}, x \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{LeQ}[m, -2] \ \&\& \ \text{GtQ}[p, 1] \ \&\& \ \text{NeQ}[2*m + p + 1, 0] \ \&\& \ !\text{ILtQ}[m + p + 1, 0] \ \&\& \ \text{IntegersQ}[2*m, 2*p]$

#### Rule 8

$\text{Int}[a_, x\_Symbol] := \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

#### Rubi steps

$$\begin{aligned} \int \frac{1}{(\cot(x) + \csc(x))^4} dx &= \int \frac{\sin^4(x)}{(1 + \cos(x))^4} dx \\ &= \frac{2 \sin^3(x)}{3(1 + \cos(x))^3} - \int \frac{\sin^2(x)}{(1 + \cos(x))^2} dx \\ &= -\frac{2 \sin(x)}{1 + \cos(x)} + \frac{2 \sin^3(x)}{3(1 + \cos(x))^3} + \int 1 dx \\ &= x - \frac{2 \sin(x)}{1 + \cos(x)} + \frac{2 \sin^3(x)}{3(1 + \cos(x))^3} \end{aligned}$$

**Mathematica [A]** time = 0.0140729, size = 30, normalized size = 1.15

$$x - \frac{8}{3} \tan\left(\frac{x}{2}\right) + \frac{2}{3} \tan\left(\frac{x}{2}\right) \sec^2\left(\frac{x}{2}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[x] + Csc[x])^(-4), x]

[Out] x - (8\*Tan[x/2])/3 + (2\*Sec[x/2]^2\*Tan[x/2])/3

**Maple [A]** time = 0.073, size = 17, normalized size = 0.7

$$\frac{2}{3} \left( \tan\left(\frac{x}{2}\right) \right)^3 - 2 \tan(x/2) + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cot(x)+csc(x))^4,x)

[Out] 2/3\*tan(1/2\*x)^3-2\*tan(1/2\*x)+x

**Maxima [A]** time = 1.47989, size = 47, normalized size = 1.81

$$-\frac{2 \sin(x)}{\cos(x) + 1} + \frac{2 \sin(x)^3}{3(\cos(x) + 1)^3} + 2 \arctan\left(\frac{\sin(x)}{\cos(x) + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(cot(x)+csc(x))^4,x, algorithm="maxima")

[Out] -2\*sin(x)/(cos(x) + 1) + 2/3\*sin(x)^3/(cos(x) + 1)^3 + 2\*arctan(sin(x)/(cos(x) + 1))

**Fricas [A]** time = 1.93125, size = 123, normalized size = 4.73

$$\frac{3x \cos(x)^2 + 6x \cos(x) - 4(2 \cos(x) + 1) \sin(x) + 3x}{3(\cos(x)^2 + 2 \cos(x) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(cot(x)+csc(x))^4,x, algorithm="fricas")

[Out] 1/3\*(3\*x\*cos(x)^2 + 6\*x\*cos(x) - 4\*(2\*cos(x) + 1)\*sin(x) + 3\*x)/(cos(x)^2 + 2\*cos(x) + 1)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(cot(x)+csc(x))**4,x)
```

```
[Out] Timed out
```

---

**Giac [A]** time = 1.21487, size = 22, normalized size = 0.85

$$\frac{2}{3} \tan\left(\frac{1}{2}x\right)^3 + x - 2 \tan\left(\frac{1}{2}x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(cot(x)+csc(x))^4,x, algorithm="giac")
```

```
[Out] 2/3*tan(1/2*x)^3 + x - 2*tan(1/2*x)
```

$$3.302 \quad \int \frac{1}{(\cot(x) + \csc(x))^5} dx$$

**Optimal.** Leaf size=24

$$-\frac{4}{\cos(x)+1} + \frac{2}{(\cos(x)+1)^2} - \log(\cos(x)+1)$$

[Out] 2/(1 + Cos[x])^2 - 4/(1 + Cos[x]) - Log[1 + Cos[x]]

**Rubi [A]** time = 0.0502716, antiderivative size = 24, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {4392, 2667, 43}

$$-\frac{4}{\cos(x)+1} + \frac{2}{(\cos(x)+1)^2} - \log(\cos(x)+1)$$

Antiderivative was successfully verified.

[In] Int[(Cot[x] + Csc[x])^(-5), x]

[Out] 2/(1 + Cos[x])^2 - 4/(1 + Cos[x]) - Log[1 + Cos[x]]

#### Rule 4392

Int[(cot[(c\_.) + (d\_.)\*(x\_)]^(n\_.)\*(a\_.) + csc[(c\_.) + (d\_.)\*(x\_)]^(n\_.)\*(b\_.))^(p\_)\*(u\_.), x\_Symbol] :> Int[ActivateTrig[u]\*Csc[c + d\*x]^(n\*p)\*(b + a\*Cos[c + d\*x]^n)^p, x] /; FreeQ[{a, b, c, d}, x] && IntegersQ[n, p]

#### Rule 2667

Int[cos[(e\_.) + (f\_.)\*(x\_)]^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.), x\_Symbol] :> Dist[1/(b^p\*f), Subst[Int[(a + x)^(m + (p - 1)/2)\*(a - x)^(p - 1)/2], x], x, b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && EqQ[a^2 - b^2, 0] && (GeQ[p, -1] || !IntegerQ[m + 1/2])

#### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^(m)\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{1}{(\cot(x) + \csc(x))^5} dx &= \int \frac{\sin^5(x)}{(1 + \cos(x))^5} dx \\ &= -\text{Subst} \left( \int \frac{(1-x)^2}{(1+x)^3} dx, x, \cos(x) \right) \\ &= -\text{Subst} \left( \int \left( \frac{4}{(1+x)^3} - \frac{4}{(1+x)^2} + \frac{1}{1+x} \right) dx, x, \cos(x) \right) \\ &= \frac{2}{(1 + \cos(x))^2} - \frac{4}{1 + \cos(x)} - \log(1 + \cos(x)) \end{aligned}$$

**Mathematica [A]** time = 0.0134744, size = 32, normalized size = 1.33

$$\frac{1}{2} \sec^4\left(\frac{x}{2}\right) - 2 \sec^2\left(\frac{x}{2}\right) - 2 \log\left(\cos\left(\frac{x}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[x] + Csc[x])^(-5), x]

[Out] -2\*Log[Cos[x/2]] - 2\*Sec[x/2]^2 + Sec[x/2]^4/2

**Maple [A]** time = 0.08, size = 25, normalized size = 1.

$$2(1 + \cos(x))^{-2} - 4(1 + \cos(x))^{-1} - \ln(1 + \cos(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cot(x)+csc(x))^5,x)

[Out] 2/(1+cos(x))^2-4/(1+cos(x))-ln(1+cos(x))

**Maxima [A]** time = 1.56519, size = 53, normalized size = 2.21

$$-\frac{\sin(x)^2}{(\cos(x)+1)^2} + \frac{\sin(x)^4}{2(\cos(x)+1)^4} + \log\left(\frac{\sin(x)^2}{(\cos(x)+1)^2} + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(cot(x)+csc(x))^5,x, algorithm="maxima")

[Out] -sin(x)^2/(cos(x) + 1)^2 + 1/2\*sin(x)^4/(cos(x) + 1)^4 + log(sin(x)^2/(cos(x) + 1)^2 + 1)

**Fricas [A]** time = 2.1921, size = 126, normalized size = 5.25

$$\frac{(\cos(x)^2 + 2 \cos(x) + 1) \log\left(\frac{1}{2} \cos(x) + \frac{1}{2}\right) + 4 \cos(x) + 2}{\cos(x)^2 + 2 \cos(x) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(cot(x)+csc(x))^5,x, algorithm="fricas")

[Out] -((cos(x)^2 + 2\*cos(x) + 1)\*log(1/2\*cos(x) + 1/2) + 4\*cos(x) + 2)/(cos(x)^2 + 2\*cos(x) + 1)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(cot(x)+csc(x))**5,x)
```

```
[Out] Timed out
```

---

**Giac [A]** time = 1.13402, size = 30, normalized size = 1.25

$$-\frac{2(2 \cos(x) + 1)}{(\cos(x) + 1)^2} - \log(\cos(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(cot(x)+csc(x))^5,x, algorithm="giac")
```

```
[Out] -2*(2*cos(x) + 1)/(cos(x) + 1)^2 - log(cos(x) + 1)
```

### 3.303 $\int (\csc(x) - \sin(x))^4 dx$

**Optimal.** Leaf size=44

$$\frac{35x}{8} - \frac{35 \cot^3(x)}{24} + \frac{35 \cot(x)}{8} + \frac{1}{4} \cos^4(x) \cot^3(x) + \frac{7}{8} \cos^2(x) \cot^3(x)$$

[Out] (35\*x)/8 + (35\*Cot[x])/8 - (35\*Cot[x]^3)/24 + (7\*Cos[x]^2\*Cot[x]^3)/8 + (Cos[x]^4\*Cot[x]^3)/4

**Rubi [A]** time = 0.0336686, antiderivative size = 44, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 3, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {290, 325, 203}

$$\frac{35x}{8} - \frac{35 \cot^3(x)}{24} + \frac{35 \cot(x)}{8} + \frac{1}{4} \cos^4(x) \cot^3(x) + \frac{7}{8} \cos^2(x) \cot^3(x)$$

Antiderivative was successfully verified.

[In] Int[(Csc[x] - Sin[x])^4,x]

[Out] (35\*x)/8 + (35\*Cot[x])/8 - (35\*Cot[x]^3)/24 + (7\*Cos[x]^2\*Cot[x]^3)/8 + (Cos[x]^4\*Cot[x]^3)/4

#### Rule 290

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*n*(p + 1)), x] + Dist[(m + n*(p + 1) + 1)/(a*n*(p + 1)), Int[(c*x)^m*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, m}, x] && IGtQ[n, 0] && LtQ[p, -1] && IntBinomialQ[a, b, c, n, m, p, x]
```

#### Rule 325

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*c^n*(m + 1)), Int[(c*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]
```

#### Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

#### Rubi steps

$$\begin{aligned}
\int (\csc(x) - \sin(x))^4 dx &= \text{Subst} \left( \int \frac{1}{x^4 (1+x^2)^3} dx, x, \tan(x) \right) \\
&= \frac{1}{4} \cos^4(x) \cot^3(x) + \frac{7}{4} \text{Subst} \left( \int \frac{1}{x^4 (1+x^2)^2} dx, x, \tan(x) \right) \\
&= \frac{7}{8} \cos^2(x) \cot^3(x) + \frac{1}{4} \cos^4(x) \cot^3(x) + \frac{35}{8} \text{Subst} \left( \int \frac{1}{x^4 (1+x^2)} dx, x, \tan(x) \right) \\
&= -\frac{35}{24} \cot^3(x) + \frac{7}{8} \cos^2(x) \cot^3(x) + \frac{1}{4} \cos^4(x) \cot^3(x) - \frac{35}{8} \text{Subst} \left( \int \frac{1}{x^2 (1+x^2)} dx, x, \tan(x) \right) \\
&= \frac{35 \cot(x)}{8} - \frac{35 \cot^3(x)}{24} + \frac{7}{8} \cos^2(x) \cot^3(x) + \frac{1}{4} \cos^4(x) \cot^3(x) + \frac{35}{8} \text{Subst} \left( \int \frac{1}{1+x^2} dx, x, \tan(x) \right) \\
&= \frac{35x}{8} + \frac{35 \cot(x)}{8} - \frac{35 \cot^3(x)}{24} + \frac{7}{8} \cos^2(x) \cot^3(x) + \frac{1}{4} \cos^4(x) \cot^3(x)
\end{aligned}$$

**Mathematica [A]** time = 0.0295829, size = 38, normalized size = 0.86

$$\frac{35x}{8} + \frac{3}{4} \sin(2x) + \frac{1}{32} \sin(4x) + \frac{10 \cot(x)}{3} - \frac{1}{3} \cot(x) \csc^2(x)$$

Antiderivative was successfully verified.

[In] Integrate[(Csc[x] - Sin[x])^4, x]

[Out] (35\*x)/8 + (10\*Cot[x])/3 - (Cot[x]\*Csc[x]^2)/3 + (3\*Sin[2\*x])/4 + Sin[4\*x]/32

**Maple [A]** time = 0.022, size = 39, normalized size = 0.9

$$-\frac{\cos(x)}{4} \left( (\sin(x))^3 + \frac{3 \sin(x)}{2} \right) + \frac{35x}{8} + 2 \cos(x) \sin(x) + 4 \cot(x) + \left( -\frac{2}{3} - \frac{(\csc(x))^2}{3} \right) \cot(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((csc(x)-sin(x))^4,x)

[Out] -1/4\*(sin(x)^3+3/2\*sin(x))\*cos(x)+35/8\*x+2\*cos(x)\*sin(x)+4\*cot(x)+(-2/3-1/3\*csc(x)^2)\*cot(x)

**Maxima [A]** time = 1.00614, size = 49, normalized size = 1.11

$$\frac{35}{8} x + \frac{4}{\tan(x)} - \frac{3 \tan(x)^2 + 1}{3 \tan(x)^3} + \frac{1}{32} \sin(4x) + \frac{3}{4} \sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((csc(x)-sin(x))^4,x, algorithm="maxima")



[Out]  $35/8*x + 4/\tan(x) - 1/3*(3*\tan(x)^2 + 1)/\tan(x)^3 + 1/32*\sin(4*x) + 3/4*\sin(2*x)$

**Fricas [A]** time = 2.12102, size = 157, normalized size = 3.57

$$\frac{6 \cos(x)^7 + 21 \cos(x)^5 - 140 \cos(x)^3 - 105(x \cos(x)^2 - x) \sin(x) + 105 \cos(x)}{24(\cos(x)^2 - 1) \sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((csc(x)-sin(x))^4,x, algorithm="fricas")`

[Out]  $-1/24*(6*\cos(x)^7 + 21*\cos(x)^5 - 140*\cos(x)^3 - 105*(x*\cos(x)^2 - x)*\sin(x) + 105*\cos(x))/((\cos(x)^2 - 1)*\sin(x))$

**Sympy [A]** time = 18.1013, size = 44, normalized size = 1.

$$\frac{35x}{8} + 2 \sin(x) \cos(x) - \frac{\sin(2x)}{4} + \frac{\sin(4x)}{32} - \frac{\cot^3(x)}{3} - \cot(x) + \frac{4 \cos(x)}{\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((csc(x)-sin(x))**4,x)`

[Out]  $35*x/8 + 2*\sin(x)*\cos(x) - \sin(2*x)/4 + \sin(4*x)/32 - \cot(x)**3/3 - \cot(x) + 4*\cos(x)/\sin(x)$

**Giac [A]** time = 1.16528, size = 53, normalized size = 1.2

$$\frac{35}{8}x + \frac{11 \tan(x)^3 + 13 \tan(x)}{8(\tan(x)^2 + 1)^2} + \frac{9 \tan(x)^2 - 1}{3 \tan(x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((csc(x)-sin(x))^4,x, algorithm="giac")`

[Out]  $35/8*x + 1/8*(11*\tan(x)^3 + 13*\tan(x))/(\tan(x)^2 + 1)^2 + 1/3*(9*\tan(x)^2 - 1)/\tan(x)^3$

### 3.304 $\int (\csc(x) - \sin(x))^3 dx$

**Optimal.** Leaf size=34

$$-\frac{5 \cos^3(x)}{6} - \frac{5 \cos(x)}{2} - \frac{1}{2} \cos^3(x) \cot^2(x) + \frac{5}{2} \tanh^{-1}(\cos(x))$$

[Out] (5\*ArcTanh[Cos[x]])/2 - (5\*Cos[x])/2 - (5\*Cos[x]^3)/6 - (Cos[x]^3\*Cot[x]^2)/2

**Rubi [A]** time = 0.0458312, antiderivative size = 34, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.556$ , Rules used = {4397, 2592, 288, 302, 206}

$$-\frac{5 \cos^3(x)}{6} - \frac{5 \cos(x)}{2} - \frac{1}{2} \cos^3(x) \cot^2(x) + \frac{5}{2} \tanh^{-1}(\cos(x))$$

Antiderivative was successfully verified.

[In] Int[(Csc[x] - Sin[x])^3, x]

[Out] (5\*ArcTanh[Cos[x]])/2 - (5\*Cos[x])/2 - (5\*Cos[x]^3)/6 - (Cos[x]^3\*Cot[x]^2)/2

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 2592

Int[((a\_)\*sin[(e\_)+(f\_)\*(x\_)])^(m\_)\*tan[(e\_)+(f\_)\*(x\_)]^(n\_), x\_Symbol] := With[{ff = FreeFactors[Sin[e + f\*x], x]}, Dist[ff/f, Subst[Int[(ff\*x)^(m+n)/(a^2 - ff^2\*x^2)^((n+1)/2), x], x, (a\*Sin[e + f\*x])/ff], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n+1)/2]

#### Rule 288

Int[((c\_)\*(x\_))^(m\_)\*((a\_)+(b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(c^(n-1)\*(c\*x)^(m-n+1)\*(a+b\*x^n)^(p+1))/(b\*n\*(p+1)), x] - Dist[(c^n\*(m-n+1))/(b\*n\*(p+1)), Int[(c\*x)^(m-n)\*(a+b\*x^n)^(p+1), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m+1, n] && !IntegerQ[m+n\*(p+1)+1] && IntBinomialQ[a, b, c, n, m, p, x]

#### Rule 302

Int[(x\_)^(m\_)/((a\_)+(b\_)\*(x\_)^(n\_)), x\_Symbol] := Int[PolynomialDivide[x^m, a+b\*x^n, x], x] /; FreeQ[{a, b}, x] && IGtQ[m, 0] && IGtQ[n, 0] && GtQ[m, 2\*n-1]

#### Rule 206

Int[((a\_)+(b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\begin{aligned}
\int (\csc(x) - \sin(x))^3 dx &= \int \cos^3(x) \cot^3(x) dx \\
&= -\text{Subst} \left( \int \frac{x^6}{(1-x^2)^2} dx, x, \cos(x) \right) \\
&= -\frac{1}{2} \cos^3(x) \cot^2(x) + \frac{5}{2} \text{Subst} \left( \int \frac{x^4}{1-x^2} dx, x, \cos(x) \right) \\
&= -\frac{1}{2} \cos^3(x) \cot^2(x) + \frac{5}{2} \text{Subst} \left( \int \left( -1 - x^2 + \frac{1}{1-x^2} \right) dx, x, \cos(x) \right) \\
&= -\frac{5 \cos(x)}{2} - \frac{5 \cos^3(x)}{6} - \frac{1}{2} \cos^3(x) \cot^2(x) + \frac{5}{2} \text{Subst} \left( \int \frac{1}{1-x^2} dx, x, \cos(x) \right) \\
&= \frac{5}{2} \tanh^{-1}(\cos(x)) - \frac{5 \cos(x)}{2} - \frac{5 \cos^3(x)}{6} - \frac{1}{2} \cos^3(x) \cot^2(x)
\end{aligned}$$

**Mathematica [A]** time = 0.0204385, size = 61, normalized size = 1.79

$$-\frac{9 \cos(x)}{4} - \frac{1}{12} \cos(3x) - \frac{1}{8} \csc^2\left(\frac{x}{2}\right) + \frac{1}{8} \sec^2\left(\frac{x}{2}\right) - \frac{5}{2} \log\left(\sin\left(\frac{x}{2}\right)\right) + \frac{5}{2} \log\left(\cos\left(\frac{x}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Csc[x] - Sin[x])^3,x]

[Out] (-9\*Cos[x])/4 - Cos[3\*x]/12 - Csc[x/2]^2/8 + (5\*Log[Cos[x/2]])/2 - (5\*Log[Sin[x/2]])/2 + Sec[x/2]^2/8

**Maple [A]** time = 0.019, size = 32, normalized size = 0.9

$$\frac{(2 + (\sin(x))^2) \cos(x)}{3} - 3 \cos(x) - \frac{5 \ln(\csc(x) - \cot(x))}{2} - \frac{\cot(x) \csc(x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((csc(x)-sin(x))^3,x)

[Out] 1/3\*(2+sin(x)^2)\*cos(x)-3\*cos(x)-5/2\*ln(csc(x)-cot(x))-1/2\*cot(x)\*csc(x)

**Maxima [A]** time = 0.986781, size = 50, normalized size = 1.47

$$-\frac{1}{3} \cos(x)^3 + \frac{\cos(x)}{2(\cos(x)^2 - 1)} - 2 \cos(x) + \frac{5}{4} \log(\cos(x) + 1) - \frac{5}{4} \log(\cos(x) - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((csc(x)-sin(x))^3,x, algorithm="maxima")

[Out] -1/3\*cos(x)^3 + 1/2\*cos(x)/(cos(x)^2 - 1) - 2\*cos(x) + 5/4\*log(cos(x) + 1) - 5/4\*log(cos(x) - 1)

**Fricas [B]** time = 2.12217, size = 197, normalized size = 5.79

$$\frac{4 \cos(x)^5 + 20 \cos(x)^3 - 15(\cos(x)^2 - 1) \log\left(\frac{1}{2} \cos(x) + \frac{1}{2}\right) + 15(\cos(x)^2 - 1) \log\left(-\frac{1}{2} \cos(x) + \frac{1}{2}\right) - 30 \cos(x)}{12(\cos(x)^2 - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((csc(x)-sin(x))^3,x, algorithm="fricas")

[Out] -1/12\*(4\*cos(x)^5 + 20\*cos(x)^3 - 15\*(cos(x)^2 - 1)\*log(1/2\*cos(x) + 1/2) + 15\*(cos(x)^2 - 1)\*log(-1/2\*cos(x) + 1/2) - 30\*cos(x))/(cos(x)^2 - 1)

**Sympy [A]** time = 5.87116, size = 42, normalized size = 1.24

$$-\frac{5 \log(\cos(x) - 1)}{4} + \frac{5 \log(\cos(x) + 1)}{4} - \frac{\cos^3(x)}{3} - 2 \cos(x) + \frac{\cos(x)}{2 \cos^2(x) - 2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((csc(x)-sin(x))\*\*3,x)

[Out] -5\*log(cos(x) - 1)/4 + 5\*log(cos(x) + 1)/4 - cos(x)\*\*3/3 - 2\*cos(x) + cos(x)/(2\*cos(x)\*\*2 - 2)

**Giac [B]** time = 1.16047, size = 134, normalized size = 3.94

$$\frac{\left(\frac{10(\cos(x)-1)}{\cos(x)+1} + 1\right)(\cos(x) + 1)}{8(\cos(x) - 1)} - \frac{\cos(x) - 1}{8(\cos(x) + 1)} - \frac{2\left(\frac{12(\cos(x)-1)}{\cos(x)+1} - \frac{9(\cos(x)-1)^2}{(\cos(x)+1)^2} - 7\right)}{3\left(\frac{\cos(x)-1}{\cos(x)+1} - 1\right)^3} - \frac{5}{4} \log\left(-\frac{\cos(x) - 1}{\cos(x) + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((csc(x)-sin(x))^3,x, algorithm="giac")

[Out] 1/8\*(10\*(cos(x) - 1)/(cos(x) + 1) + 1)\*(cos(x) + 1)/(cos(x) - 1) - 1/8\*(cos(x) - 1)/(cos(x) + 1) - 2/3\*(12\*(cos(x) - 1)/(cos(x) + 1) - 9\*(cos(x) - 1)^2/(cos(x) + 1)^2 - 7)/((cos(x) - 1)/(cos(x) + 1) - 1)^3 - 5/4\*log(-(cos(x) - 1)/(cos(x) + 1))

### 3.305 $\int (\csc(x) - \sin(x))^2 dx$

**Optimal.** Leaf size=22

$$-\frac{3x}{2} - \frac{3 \cot(x)}{2} + \frac{1}{2} \cos^2(x) \cot(x)$$

[Out]  $(-3*x)/2 - (3*\text{Cot}[x])/2 + (\text{Cos}[x]^2*\text{Cot}[x])/2$

**Rubi [A]** time = 0.0238772, antiderivative size = 22, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {290, 325, 203}

$$-\frac{3x}{2} - \frac{3 \cot(x)}{2} + \frac{1}{2} \cos^2(x) \cot(x)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Csc}[x] - \text{Sin}[x])^2, x]$

[Out]  $(-3*x)/2 - (3*\text{Cot}[x])/2 + (\text{Cos}[x]^2*\text{Cot}[x])/2$

#### Rule 290

$\text{Int}[(c_*)(x_*)^{(m_*)}((a_*) + (b_*)(x_*)^{(n_*)})^{(p_*)}, x\_Symbol] \rightarrow -\text{Simp}[(c*x)^{(m+1)}*(a+b*x^n)^{(p+1)}/(a*c*n*(p+1)), x] + \text{Dist}[(m+n*(p+1)+1)/(a*n*(p+1)), \text{Int}[(c*x)^m*(a+b*x^n)^{(p+1)}, x], x] /;$  FreeQ[{a, b, c, m}, x] && IGtQ[n, 0] && LtQ[p, -1] && IntBinomialQ[a, b, c, n, m, p, x]

#### Rule 325

$\text{Int}[(c_*)(x_*)^{(m_*)}((a_*) + (b_*)(x_*)^{(n_*)})^{(p_*)}, x\_Symbol] \rightarrow \text{Simp}[(c*x)^{(m+1)}*(a+b*x^n)^{(p+1)}/(a*c*(m+1)), x] - \text{Dist}[(b*(m+n*(p+1)+1))/(a*c^n*(m+1)), \text{Int}[(c*x)^{(m+n)}*(a+b*x^n)^p, x], x] /;$  FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]

#### Rule 203

$\text{Int}[(a_*) + (b_*)(x_*)^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTan}[(\text{Rt}[b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /;$  FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int (\csc(x) - \sin(x))^2 dx &= \text{Subst} \left( \int \frac{1}{x^2(1+x^2)^2} dx, x, \tan(x) \right) \\ &= \frac{1}{2} \cos^2(x) \cot(x) + \frac{3}{2} \text{Subst} \left( \int \frac{1}{x^2(1+x^2)} dx, x, \tan(x) \right) \\ &= -\frac{3 \cot(x)}{2} + \frac{1}{2} \cos^2(x) \cot(x) - \frac{3}{2} \text{Subst} \left( \int \frac{1}{1+x^2} dx, x, \tan(x) \right) \\ &= -\frac{3x}{2} - \frac{3 \cot(x)}{2} + \frac{1}{2} \cos^2(x) \cot(x) \end{aligned}$$

**Mathematica [A]** time = 0.0157032, size = 18, normalized size = 0.82

$$-\frac{3x}{2} - \frac{1}{4} \sin(2x) - \cot(x)$$

Antiderivative was successfully verified.

[In] Integrate[(Csc[x] - Sin[x])^2, x]

[Out] (-3\*x)/2 - Cot[x] - Sin[2\*x]/4

---

**Maple [A]** time = 0.016, size = 15, normalized size = 0.7

$$-\frac{\cos(x) \sin(x)}{2} - \frac{3x}{2} - \cot(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((csc(x)-sin(x))^2,x)

[Out] -1/2\*cos(x)\*sin(x)-3/2\*x-cot(x)

---

**Maxima [A]** time = 0.994337, size = 22, normalized size = 1.

$$-\frac{3}{2}x - \frac{1}{\tan(x)} - \frac{1}{4} \sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((csc(x)-sin(x))^2,x, algorithm="maxima")

[Out] -3/2\*x - 1/tan(x) - 1/4\*sin(2\*x)

---

**Fricas [A]** time = 2.11598, size = 63, normalized size = 2.86

$$\frac{\cos(x)^3 - 3x \sin(x) - 3 \cos(x)}{2 \sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((csc(x)-sin(x))^2,x, algorithm="fricas")

[Out] 1/2\*(cos(x)^3 - 3\*x\*sin(x) - 3\*cos(x))/sin(x)

---

**Sympy [A]** time = 1.9787, size = 15, normalized size = 0.68

$$-\frac{3x}{2} - \frac{\sin(2x)}{4} - \cot(x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((csc(x)-sin(x))**2,x)
```

```
[Out] -3*x/2 - sin(2*x)/4 - cot(x)
```

---

**Giac [A]** time = 1.14499, size = 31, normalized size = 1.41

$$-\frac{3}{2}x - \frac{3 \tan(x)^2 + 2}{2(\tan(x)^3 + \tan(x))}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((csc(x)-sin(x))^2,x, algorithm="giac")
```

```
[Out] -3/2*x - 1/2*(3*tan(x)^2 + 2)/(tan(x)^3 + tan(x))
```

### 3.306 $\int (\csc(x) - \sin(x)) dx$

**Optimal.** Leaf size=8

$$\cos(x) - \tanh^{-1}(\cos(x))$$

[Out] -ArcTanh[Cos[x]] + Cos[x]

**Rubi [A]** time = 0.0054189, antiderivative size = 8, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {3770, 2638}

$$\cos(x) - \tanh^{-1}(\cos(x))$$

Antiderivative was successfully verified.

[In] Int[Csc[x] - Sin[x], x]

[Out] -ArcTanh[Cos[x]] + Cos[x]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int (\csc(x) - \sin(x)) dx &= \int \csc(x) dx - \int \sin(x) dx \\ &= -\tanh^{-1}(\cos(x)) + \cos(x) \end{aligned}$$

**Mathematica [B]** time = 0.003509, size = 19, normalized size = 2.38

$$\cos(x) + \log\left(\sin\left(\frac{x}{2}\right)\right) - \log\left(\cos\left(\frac{x}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Csc[x] - Sin[x], x]

[Out] Cos[x] - Log[Cos[x/2]] + Log[Sin[x/2]]

**Maple [A]** time = 0.003, size = 12, normalized size = 1.5

$$\cos(x) - \ln(\cot(x) + \csc(x))$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int(csc(x)-sin(x),x)`

[Out] `cos(x)-ln(cot(x)+csc(x))`

**Maxima [A]** time = 0.985122, size = 15, normalized size = 1.88

$$\cos(x) - \log(\cot(x) + \csc(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(x)-sin(x),x, algorithm="maxima")`

[Out] `cos(x) - log(cot(x) + csc(x))`

**Fricas [B]** time = 2.15031, size = 88, normalized size = 11.

$$\cos(x) - \frac{1}{2} \log\left(\frac{1}{2} \cos(x) + \frac{1}{2}\right) + \frac{1}{2} \log\left(-\frac{1}{2} \cos(x) + \frac{1}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(x)-sin(x),x, algorithm="fricas")`

[Out] `cos(x) - 1/2*log(1/2*cos(x) + 1/2) + 1/2*log(-1/2*cos(x) + 1/2)`

**Sympy [B]** time = 0.103721, size = 19, normalized size = 2.38

$$\frac{\log(\cos(x) - 1)}{2} - \frac{\log(\cos(x) + 1)}{2} + \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(x)-sin(x),x)`

[Out] `log(cos(x) - 1)/2 - log(cos(x) + 1)/2 + cos(x)`

**Giac [A]** time = 1.14856, size = 12, normalized size = 1.5

$$\cos(x) + \log\left(\left|\tan\left(\frac{1}{2}x\right)\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(x)-sin(x),x, algorithm="giac")`

[Out] `cos(x) + log(abs(tan(1/2*x)))`

$$3.307 \quad \int \frac{1}{\csc(x) - \sin(x)} dx$$

**Optimal.** Leaf size=2

sec(x)

[Out] Sec[x]

**Rubi [A]** time = 0.0187821, antiderivative size = 2, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4397, 2606, 8}

sec(x)

Antiderivative was successfully verified.

[In] Int[(Csc[x] - Sin[x])^(-1),x]

[Out] Sec[x]

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 2606

Int[((a\_.)\*sec[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := Dist[a/f, Subst[Int[(a\*x)^(m - 1)\*(-1 + x^2)^((n - 1)/2), x], x, Sec[e + f\*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n - 1)/2] && !(IntegerQ[m/2] && LtQ[0, m, n + 1])

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned} \int \frac{1}{\csc(x) - \sin(x)} dx &= \int \sec(x) \tan(x) dx \\ &= \text{Subst}\left(\int 1 dx, x, \sec(x)\right) \\ &= \sec(x) \end{aligned}$$

**Mathematica [A]** time = 0.0038522, size = 2, normalized size = 1.

sec(x)

Antiderivative was successfully verified.

[In] Integrate[(Csc[x] - Sin[x])^(-1),x]

[Out] Sec[x]

---

**Maple [A]** time = 0.03, size = 5, normalized size = 2.5

$$(\cos(x))^{-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(csc(x)-sin(x)),x)

[Out] 1/cos(x)

---

**Maxima [B]** time = 0.963639, size = 23, normalized size = 11.5

$$-\frac{2}{\frac{\sin(x)^2}{(\cos(x)+1)^2} - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(csc(x)-sin(x)),x, algorithm="maxima")

[Out] -2/(sin(x)^2/(cos(x) + 1)^2 - 1)

---

**Fricas [A]** time = 1.97604, size = 14, normalized size = 7.

$$\frac{1}{\cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(csc(x)-sin(x)),x, algorithm="fricas")

[Out] 1/cos(x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{-\sin(x) + \csc(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(csc(x)-sin(x)),x)

[Out] Integral(1/(-sin(x) + csc(x)), x)

---

**Giac [B]** time = 1.15938, size = 23, normalized size = 11.5

$$\frac{2}{\frac{\cos(x)-1}{\cos(x)+1} + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(csc(x)-sin(x)),x, algorithm="giac")
```

```
[Out] 2/((cos(x) - 1)/(cos(x) + 1) + 1)
```

$$3.308 \quad \int \frac{1}{(\csc(x) - \sin(x))^2} dx$$

**Optimal.** Leaf size=8

$$\frac{\tan^3(x)}{3}$$

[Out] Tan[x]^3/3

**Rubi [A]** time = 0.014444, antiderivative size = 8, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {30}

$$\frac{\tan^3(x)}{3}$$

Antiderivative was successfully verified.

[In] Int[(Csc[x] - Sin[x])^(-2), x]

[Out] Tan[x]^3/3

**Rule 30**

Int[(x\_)^(m\_.), x\_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

**Rubi steps**

$$\int \frac{1}{(\csc(x) - \sin(x))^2} dx = \text{Subst}\left(\int x^2 dx, x, \tan(x)\right) = \frac{\tan^3(x)}{3}$$

**Mathematica [A]** time = 0.0029058, size = 8, normalized size = 1.

$$\frac{\tan^3(x)}{3}$$

Antiderivative was successfully verified.

[In] Integrate[(Csc[x] - Sin[x])^(-2), x]

[Out] Tan[x]^3/3

**Maple [A]** time = 0.036, size = 7, normalized size = 0.9

$$\frac{(\tan(x))^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(csc(x)-sin(x))^2,x)`

[Out] `1/3*tan(x)^3`

---

**Maxima [A]** time = 1.0229, size = 8, normalized size = 1.

$$\frac{1}{3} \tan(x)^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(csc(x)-sin(x))^2,x, algorithm="maxima")`

[Out] `1/3*tan(x)^3`

---

**Fricas [B]** time = 1.97841, size = 50, normalized size = 6.25

$$\frac{(\cos(x)^2 - 1) \sin(x)}{3 \cos(x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(csc(x)-sin(x))^2,x, algorithm="fricas")`

[Out] `-1/3*(cos(x)^2 - 1)*sin(x)/cos(x)^3`

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-\sin(x) + \csc(x))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(csc(x)-sin(x))**2,x)`

[Out] `Integral((-sin(x) + csc(x))**(-2), x)`

---

**Giac [A]** time = 1.13383, size = 8, normalized size = 1.

$$\frac{1}{3} \tan(x)^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(csc(x)-sin(x))^2,x, algorithm="giac")`

[Out] `1/3*tan(x)^3`

$$3.309 \quad \int \frac{1}{(\csc(x) - \sin(x))^3} dx$$

**Optimal.** Leaf size=17

$$\frac{\sec^5(x)}{5} - \frac{\sec^3(x)}{3}$$

[Out] -Sec[x]^3/3 + Sec[x]^5/5

**Rubi [A]** time = 0.0380005, antiderivative size = 17, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4397, 2606, 14}

$$\frac{\sec^5(x)}{5} - \frac{\sec^3(x)}{3}$$

Antiderivative was successfully verified.

[In] Int[(Csc[x] - Sin[x])^(-3), x]

[Out] -Sec[x]^3/3 + Sec[x]^5/5

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 2606

Int[((a\_.)\*sec[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := Dist[a/f, Subst[Int[(a\*x)^(m-1)\*(-1+x^2)^((n-1)/2), x], x, Sec[e+f\*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n-1)/2] && !(IntegerQ[m/2] && LtQ[0, m, n+1])

#### Rule 14

Int[(u\_.)\*((c\_.)\*(x\_.))^(m\_.), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_ + (b\_.)\*(v\_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

#### Rubi steps

$$\begin{aligned} \int \frac{1}{(\csc(x) - \sin(x))^3} dx &= \int \sec^3(x) \tan^3(x) dx \\ &= \text{Subst} \left( \int x^2 (-1 + x^2) dx, x, \sec(x) \right) \\ &= \text{Subst} \left( \int (-x^2 + x^4) dx, x, \sec(x) \right) \\ &= -\frac{1}{3} \sec^3(x) + \frac{\sec^5(x)}{5} \end{aligned}$$

**Mathematica [A]** time = 0.0201522, size = 17, normalized size = 1.

$$\frac{\sec^5(x)}{5} - \frac{\sec^3(x)}{3}$$

Antiderivative was successfully verified.

[In] Integrate[(Csc[x] - Sin[x])^(-3),x]

[Out] -Sec[x]^3/3 + Sec[x]^5/5

**Maple [A]** time = 0.046, size = 14, normalized size = 0.8

$$-\frac{1}{3(\cos(x))^3} + \frac{1}{5(\cos(x))^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(csc(x)-sin(x))^3,x)

[Out] -1/3/cos(x)^3+1/5/cos(x)^5

**Maxima [B]** time = 0.999292, size = 139, normalized size = 8.18

$$-\frac{4\left(\frac{5\sin(x)^2}{(\cos(x)+1)^2} + \frac{5\sin(x)^4}{(\cos(x)+1)^4} + \frac{15\sin(x)^6}{(\cos(x)+1)^6} - 1\right)}{15\left(\frac{5\sin(x)^2}{(\cos(x)+1)^2} - \frac{10\sin(x)^4}{(\cos(x)+1)^4} + \frac{10\sin(x)^6}{(\cos(x)+1)^6} - \frac{5\sin(x)^8}{(\cos(x)+1)^8} + \frac{\sin(x)^{10}}{(\cos(x)+1)^{10}} - 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(csc(x)-sin(x))^3,x, algorithm="maxima")

[Out] -4/15\*(5\*sin(x)^2/(cos(x) + 1)^2 + 5\*sin(x)^4/(cos(x) + 1)^4 + 15\*sin(x)^6/(cos(x) + 1)^6 - 1)/(5\*sin(x)^2/(cos(x) + 1)^2 - 10\*sin(x)^4/(cos(x) + 1)^4 + 10\*sin(x)^6/(cos(x) + 1)^6 - 5\*sin(x)^8/(cos(x) + 1)^8 + sin(x)^10/(cos(x) + 1)^10 - 1)

**Fricas [A]** time = 1.93792, size = 45, normalized size = 2.65

$$-\frac{5\cos(x)^2 - 3}{15\cos(x)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(csc(x)-sin(x))^3,x, algorithm="fricas")

[Out] -1/15\*(5\*cos(x)^2 - 3)/cos(x)^5

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-\sin(x) + \csc(x))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(1/(csc(x)-sin(x))\*\*3,x)

[Out] Integral((-sin(x) + csc(x))\*\*(-3), x)

**Giac [B]** time = 1.17964, size = 80, normalized size = 4.71

$$-\frac{4\left(\frac{5(\cos(x)-1)}{\cos(x)+1} - \frac{5(\cos(x)-1)^2}{(\cos(x)+1)^2} + \frac{15(\cos(x)-1)^3}{(\cos(x)+1)^3} + 1\right)}{15\left(\frac{\cos(x)-1}{\cos(x)+1} + 1\right)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(csc(x)-sin(x))^3,x, algorithm="giac")

[Out] -4/15\*(5\*(cos(x) - 1)/(cos(x) + 1) - 5\*(cos(x) - 1)^2/(cos(x) + 1)^2 + 15\*(cos(x) - 1)^3/(cos(x) + 1)^3 + 1)/((cos(x) - 1)/(cos(x) + 1) + 1)^5

$$3.310 \quad \int \frac{1}{(\csc(x) - \sin(x))^4} dx$$

**Optimal.** Leaf size=17

$$\frac{\tan^7(x)}{7} + \frac{\tan^5(x)}{5}$$

[Out] Tan[x]^5/5 + Tan[x]^7/7

**Rubi [A]** time = 0.0177155, antiderivative size = 17, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 0, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\frac{\tan^7(x)}{7} + \frac{\tan^5(x)}{5}$$

Antiderivative was successfully verified.

[In] Int[(Csc[x] - Sin[x])^(-4), x]

[Out] Tan[x]^5/5 + Tan[x]^7/7

Rubi steps

$$\begin{aligned} \int \frac{1}{(\csc(x) - \sin(x))^4} dx &= \text{Subst} \left( \int (x^4 + x^6) dx, x, \tan(x) \right) \\ &= \frac{\tan^5(x)}{5} + \frac{\tan^7(x)}{7} \end{aligned}$$

**Mathematica [B]** time = 0.0173619, size = 37, normalized size = 2.18

$$\frac{2 \tan(x)}{35} + \frac{1}{7} \tan(x) \sec^6(x) - \frac{8}{35} \tan(x) \sec^4(x) + \frac{1}{35} \tan(x) \sec^2(x)$$

Antiderivative was successfully verified.

[In] Integrate[(Csc[x] - Sin[x])^(-4), x]

[Out] (2\*Tan[x])/35 + (Sec[x]^2\*Tan[x])/35 - (8\*Sec[x]^4\*Tan[x])/35 + (Sec[x]^6\*Tan[x])/7

**Maple [A]** time = 0.043, size = 14, normalized size = 0.8

$$\frac{(\tan(x))^5}{5} + \frac{(\tan(x))^7}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(csc(x)-sin(x))^4,x)

[Out]  $1/5*\tan(x)^5+1/7*\tan(x)^7$

---

**Maxima [A]** time = 0.988165, size = 18, normalized size = 1.06

$$\frac{1}{7} \tan(x)^7 + \frac{1}{5} \tan(x)^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(csc(x)-sin(x))^4,x, algorithm="maxima")`

[Out]  $1/7*\tan(x)^7 + 1/5*\tan(x)^5$

---

**Fricas [A]** time = 2.13188, size = 85, normalized size = 5.

$$\frac{(2 \cos(x)^6 + \cos(x)^4 - 8 \cos(x)^2 + 5) \sin(x)}{35 \cos(x)^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(csc(x)-sin(x))^4,x, algorithm="fricas")`

[Out]  $1/35*(2*\cos(x)^6 + \cos(x)^4 - 8*\cos(x)^2 + 5)*\sin(x)/\cos(x)^7$

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-\sin(x) + \csc(x))^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(csc(x)-sin(x))**4,x)`

[Out] `Integral((-sin(x) + csc(x))**(-4), x)`

---

**Giac [A]** time = 1.14984, size = 18, normalized size = 1.06

$$\frac{1}{7} \tan(x)^7 + \frac{1}{5} \tan(x)^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(csc(x)-sin(x))^4,x, algorithm="giac")`

[Out]  $1/7*\tan(x)^7 + 1/5*\tan(x)^5$

$$3.311 \quad \int \frac{1}{(\csc(x) - \sin(x))^5} dx$$

**Optimal.** Leaf size=25

$$\frac{\sec^9(x)}{9} - \frac{2\sec^7(x)}{7} + \frac{\sec^5(x)}{5}$$

[Out] Sec[x]^5/5 - (2\*Sec[x]^7)/7 + Sec[x]^9/9

**Rubi [A]** time = 0.0398882, antiderivative size = 25, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4397, 2606, 270}

$$\frac{\sec^9(x)}{9} - \frac{2\sec^7(x)}{7} + \frac{\sec^5(x)}{5}$$

Antiderivative was successfully verified.

[In] Int[(Csc[x] - Sin[x])^(-5), x]

[Out] Sec[x]^5/5 - (2\*Sec[x]^7)/7 + Sec[x]^9/9

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 2606

Int[((a\_.)\*sec[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := Dist[a/f, Subst[Int[(a\*x)^(m-1)\*(-1+x^2)^((n-1)/2), x], x, Sec[e+f\*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n-1)/2] && !(IntegerQ[m/2] && LtQ[0, m, n+1])

#### Rule 270

Int[((c\_.)\*(x\_.))^(m\_.)\*((a\_.) + (b\_.)\*(x\_.)^(n\_.))^(p\_.), x\_Symbol] := Int[Exp andIntegrand[(c\*x)^m\*(a+b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{1}{(\csc(x) - \sin(x))^5} dx &= \int \sec^5(x) \tan^5(x) dx \\ &= \text{Subst} \left( \int x^4 (-1 + x^2)^2 dx, x, \sec(x) \right) \\ &= \text{Subst} \left( \int (x^4 - 2x^6 + x^8) dx, x, \sec(x) \right) \\ &= \frac{\sec^5(x)}{5} - \frac{2\sec^7(x)}{7} + \frac{\sec^9(x)}{9} \end{aligned}$$

**Mathematica [A]** time = 0.0160423, size = 25, normalized size = 1.

$$\frac{\sec^9(x)}{9} - \frac{2\sec^7(x)}{7} + \frac{\sec^5(x)}{5}$$

Antiderivative was successfully verified.

[In] Integrate[(Csc[x] - Sin[x])^(-5), x]

[Out] Sec[x]^5/5 - (2\*Sec[x]^7)/7 + Sec[x]^9/9

**Maple [A]** time = 0.05, size = 20, normalized size = 0.8

$$\frac{1}{9 (\cos(x))^9} - \frac{2}{7 (\cos(x))^7} + \frac{1}{5 (\cos(x))^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(csc(x)-sin(x))^5,x)

[Out] 1/9/cos(x)^9-2/7/cos(x)^7+1/5/cos(x)^5

**Maxima [B]** time = 1.04796, size = 252, normalized size = 10.08

$$\frac{16 \left( \frac{9 \sin(x)^2}{(\cos(x)+1)^2} - \frac{36 \sin(x)^4}{(\cos(x)+1)^4} - \frac{126 \sin(x)^6}{(\cos(x)+1)^6} - \frac{441 \sin(x)^8}{(\cos(x)+1)^8} - \frac{315 \sin(x)^{10}}{(\cos(x)+1)^{10}} - \frac{210 \sin(x)^{12}}{(\cos(x)+1)^{12}} - 1 \right)}{315 \left( \frac{9 \sin(x)^2}{(\cos(x)+1)^2} - \frac{36 \sin(x)^4}{(\cos(x)+1)^4} + \frac{84 \sin(x)^6}{(\cos(x)+1)^6} - \frac{126 \sin(x)^8}{(\cos(x)+1)^8} + \frac{126 \sin(x)^{10}}{(\cos(x)+1)^{10}} - \frac{84 \sin(x)^{12}}{(\cos(x)+1)^{12}} + \frac{36 \sin(x)^{14}}{(\cos(x)+1)^{14}} - \frac{9 \sin(x)^{16}}{(\cos(x)+1)^{16}} + \frac{\sin(x)^{18}}{(\cos(x)+1)^{18}} - 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(csc(x)-sin(x))^5,x, algorithm="maxima")

[Out] 16/315\*(9\*sin(x)^2/(cos(x) + 1)^2 - 36\*sin(x)^4/(cos(x) + 1)^4 - 126\*sin(x)^6/(cos(x) + 1)^6 - 441\*sin(x)^8/(cos(x) + 1)^8 - 315\*sin(x)^10/(cos(x) + 1)^10 - 210\*sin(x)^12/(cos(x) + 1)^12 - 1)/(9\*sin(x)^2/(cos(x) + 1)^2 - 36\*sin(x)^4/(cos(x) + 1)^4 + 84\*sin(x)^6/(cos(x) + 1)^6 - 126\*sin(x)^8/(cos(x) + 1)^8 + 126\*sin(x)^10/(cos(x) + 1)^10 - 84\*sin(x)^12/(cos(x) + 1)^12 + 36\*sin(x)^14/(cos(x) + 1)^14 - 9\*sin(x)^16/(cos(x) + 1)^16 + sin(x)^18/(cos(x) + 1)^18 - 1)

**Fricas [A]** time = 1.99351, size = 66, normalized size = 2.64

$$\frac{63 \cos(x)^4 - 90 \cos(x)^2 + 35}{315 \cos(x)^9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(csc(x)-sin(x))^5,x, algorithm="fricas")

[Out] 1/315\*(63\*cos(x)^4 - 90\*cos(x)^2 + 35)/cos(x)^9

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(csc(x)-sin(x))\*\*5,x)

[Out] Timed out

---

**Giac [B]** time = 1.13144, size = 136, normalized size = 5.44

$$\frac{16 \left( \frac{9(\cos(x)-1)}{\cos(x)+1} + \frac{36(\cos(x)-1)^2}{(\cos(x)+1)^2} - \frac{126(\cos(x)-1)^3}{(\cos(x)+1)^3} + \frac{441(\cos(x)-1)^4}{(\cos(x)+1)^4} - \frac{315(\cos(x)-1)^5}{(\cos(x)+1)^5} + \frac{210(\cos(x)-1)^6}{(\cos(x)+1)^6} + 1 \right)}{315 \left( \frac{\cos(x)-1}{\cos(x)+1} + 1 \right)^9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(csc(x)-sin(x))^5,x, algorithm="giac")

[Out] 16/315\*(9\*(cos(x) - 1)/(cos(x) + 1) + 36\*(cos(x) - 1)^2/(cos(x) + 1)^2 - 126\*(cos(x) - 1)^3/(cos(x) + 1)^3 + 441\*(cos(x) - 1)^4/(cos(x) + 1)^4 - 315\*(cos(x) - 1)^5/(cos(x) + 1)^5 + 210\*(cos(x) - 1)^6/(cos(x) + 1)^6 + 1)/((cos(x) - 1)/(cos(x) + 1) + 1)^9

$$3.312 \quad \int \frac{1}{(\csc(x) - \sin(x))^6} dx$$

**Optimal.** Leaf size=25

$$\frac{\tan^{11}(x)}{11} + \frac{2 \tan^9(x)}{9} + \frac{\tan^7(x)}{7}$$

[Out] Tan[x]^7/7 + (2\*Tan[x]^9)/9 + Tan[x]^11/11

**Rubi [A]** time = 0.0219173, antiderivative size = 25, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 1, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {270}

$$\frac{\tan^{11}(x)}{11} + \frac{2 \tan^9(x)}{9} + \frac{\tan^7(x)}{7}$$

Antiderivative was successfully verified.

[In] Int[(Csc[x] - Sin[x])^(-6), x]

[Out] Tan[x]^7/7 + (2\*Tan[x]^9)/9 + Tan[x]^11/11

**Rule 270**

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_)^(n\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(c\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

**Rubi steps**

$$\begin{aligned} \int \frac{1}{(\csc(x) - \sin(x))^6} dx &= \text{Subst} \left( \int x^6 (1 + x^2)^2 dx, x, \tan(x) \right) \\ &= \text{Subst} \left( \int (x^6 + 2x^8 + x^{10}) dx, x, \tan(x) \right) \\ &= \frac{\tan^7(x)}{7} + \frac{2 \tan^9(x)}{9} + \frac{\tan^{11}(x)}{11} \end{aligned}$$

**Mathematica [B]** time = 0.017864, size = 57, normalized size = 2.28

$$-\frac{8 \tan(x)}{693} + \frac{1}{11} \tan(x) \sec^{10}(x) - \frac{23}{99} \tan(x) \sec^8(x) + \frac{113}{693} \tan(x) \sec^6(x) - \frac{1}{231} \tan(x) \sec^4(x) - \frac{4}{693} \tan(x) \sec^2(x)$$

Antiderivative was successfully verified.

[In] Integrate[(Csc[x] - Sin[x])^(-6), x]

[Out] (-8\*Tan[x])/693 - (4\*Sec[x]^2\*Tan[x])/693 - (Sec[x]^4\*Tan[x])/231 + (113\*Sec[x]^6\*Tan[x])/693 - (23\*Sec[x]^8\*Tan[x])/99 + (Sec[x]^10\*Tan[x])/11

**Maple [A]** time = 0.053, size = 20, normalized size = 0.8

$$\frac{(\tan(x))^7}{7} + \frac{2(\tan(x))^9}{9} + \frac{(\tan(x))^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(csc(x)-sin(x))^6,x)`

[Out]  $1/7*\tan(x)^7+2/9*\tan(x)^9+1/11*\tan(x)^{11}$

**Maxima [A]** time = 0.984245, size = 26, normalized size = 1.04

$$\frac{1}{11} \tan(x)^{11} + \frac{2}{9} \tan(x)^9 + \frac{1}{7} \tan(x)^7$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(csc(x)-sin(x))^6,x, algorithm="maxima")`

[Out]  $1/11*\tan(x)^{11} + 2/9*\tan(x)^9 + 1/7*\tan(x)^7$

**Fricas [B]** time = 2.07, size = 135, normalized size = 5.4

$$\frac{(8 \cos(x)^{10} + 4 \cos(x)^8 + 3 \cos(x)^6 - 113 \cos(x)^4 + 161 \cos(x)^2 - 63) \sin(x)}{693 \cos(x)^{11}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(csc(x)-sin(x))^6,x, algorithm="fricas")`

[Out]  $-1/693*(8*\cos(x)^{10} + 4*\cos(x)^8 + 3*\cos(x)^6 - 113*\cos(x)^4 + 161*\cos(x)^2 - 63)*\sin(x)/\cos(x)^{11}$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(csc(x)-sin(x))**6,x)`

[Out] Timed out

**Giac [A]** time = 1.15698, size = 26, normalized size = 1.04

$$\frac{1}{11} \tan(x)^{11} + \frac{2}{9} \tan(x)^9 + \frac{1}{7} \tan(x)^7$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(csc(x)-sin(x))^6,x, algorithm="giac")`

[Out]  $1/11*\tan(x)^{11} + 2/9*\tan(x)^9 + 1/7*\tan(x)^7$



$$3.313 \quad \int \frac{1}{(\csc(x) - \sin(x))^7} dx$$

**Optimal.** Leaf size=33

$$\frac{\sec^{13}(x)}{13} - \frac{3 \sec^{11}(x)}{11} + \frac{\sec^9(x)}{3} - \frac{\sec^7(x)}{7}$$

[Out]  $-\text{Sec}[x]^{7/7} + \text{Sec}[x]^{9/3} - (3*\text{Sec}[x]^{11})/11 + \text{Sec}[x]^{13/13}$

**Rubi [A]** time = 0.0426652, antiderivative size = 33, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4397, 2606, 270}

$$\frac{\sec^{13}(x)}{13} - \frac{3 \sec^{11}(x)}{11} + \frac{\sec^9(x)}{3} - \frac{\sec^7(x)}{7}$$

Antiderivative was successfully verified.

[In] Int[(Csc[x] - Sin[x])^(-7), x]

[Out]  $-\text{Sec}[x]^{7/7} + \text{Sec}[x]^{9/3} - (3*\text{Sec}[x]^{11})/11 + \text{Sec}[x]^{13/13}$

Rule 4397

Int[u\_, x\_Symbol] :=> Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

Rule 2606

Int[((a\_.)\*sec[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :=> Dist[a/f, Subst[Int[(a\*x)^(m-1)\*(-1+x^2)^((n-1)/2), x], x, Sec[e+f\*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n-1)/2] && !(IntegerQ[m/2] && LtQ[0, m, n+1])

Rule 270

Int[((c\_.)\*(x\_.))^(m\_.)\*((a\_.) + (b\_.)\*(x\_.)^(n\_.))^(p\_.), x\_Symbol] :=> Int[ExpandIntegrand[(c\*x)^m\*(a+b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned} \int \frac{1}{(\csc(x) - \sin(x))^7} dx &= \int \sec^7(x) \tan^7(x) dx \\ &= \text{Subst} \left( \int x^6 (-1 + x^2)^3 dx, x, \sec(x) \right) \\ &= \text{Subst} \left( \int (-x^6 + 3x^8 - 3x^{10} + x^{12}) dx, x, \sec(x) \right) \\ &= -\frac{1}{7} \sec^7(x) + \frac{\sec^9(x)}{3} - \frac{3 \sec^{11}(x)}{11} + \frac{\sec^{13}(x)}{13} \end{aligned}$$

**Mathematica [A]** time = 0.0173609, size = 33, normalized size = 1.

$$\frac{\sec^{13}(x)}{13} - \frac{3 \sec^{11}(x)}{11} + \frac{\sec^9(x)}{3} - \frac{\sec^7(x)}{7}$$

Antiderivative was successfully verified.

[In] Integrate[(Csc[x] - Sin[x])^(-7),x]

[Out] -Sec[x]^7/7 + Sec[x]^9/3 - (3\*Sec[x]^11)/11 + Sec[x]^13/13

**Maple [A]** time = 0.058, size = 26, normalized size = 0.8

$$-\frac{1}{7 (\cos(x))^7} + \frac{1}{3 (\cos(x))^9} + \frac{1}{13 (\cos(x))^{13}} - \frac{3}{11 (\cos(x))^{11}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(csc(x)-sin(x))^7,x)

[Out] -1/7/cos(x)^7+1/3/cos(x)^9+1/13/cos(x)^13-3/11/cos(x)^11

**Maxima [B]** time = 1.05678, size = 366, normalized size = 11.09

$$\frac{32 \left( \frac{13 \sin(x)^2}{(\cos(x)+1)^2} - \frac{78 \sin(x)^4}{(\cos(x)+1)^4} + \frac{286 \sin(x)^6}{(\cos(x)+1)^6} + \frac{2288 \sin(x)^8}{(\cos(x)+1)^8} + \frac{10296 \sin(x)^{10}}{(\cos(x)+1)^{10}} + \frac{16302 \sin(x)^{12}}{(\cos(x)+1)^{12}} + \frac{18018 \sin(x)^{14}}{(\cos(x)+1)^{14}} \right)}{3003 \left( \frac{13 \sin(x)^2}{(\cos(x)+1)^2} - \frac{78 \sin(x)^4}{(\cos(x)+1)^4} + \frac{286 \sin(x)^6}{(\cos(x)+1)^6} - \frac{715 \sin(x)^8}{(\cos(x)+1)^8} + \frac{1287 \sin(x)^{10}}{(\cos(x)+1)^{10}} - \frac{1716 \sin(x)^{12}}{(\cos(x)+1)^{12}} + \frac{1716 \sin(x)^{14}}{(\cos(x)+1)^{14}} - \frac{1287 \sin(x)^{16}}{(\cos(x)+1)^{16}} + \frac{715 \sin(x)^{18}}{(\cos(x)+1)^{18}} \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(csc(x)-sin(x))^7,x, algorithm="maxima")

[Out] -32/3003\*(13\*sin(x)^2/(cos(x) + 1)^2 - 78\*sin(x)^4/(cos(x) + 1)^4 + 286\*sin(x)^6/(cos(x) + 1)^6 + 2288\*sin(x)^8/(cos(x) + 1)^8 + 10296\*sin(x)^10/(cos(x) + 1)^10 + 16302\*sin(x)^12/(cos(x) + 1)^12 + 18018\*sin(x)^14/(cos(x) + 1)^14 + 9009\*sin(x)^16/(cos(x) + 1)^16 + 3003\*sin(x)^18/(cos(x) + 1)^18 - 1)/(13\*sin(x)^2/(cos(x) + 1)^2 - 78\*sin(x)^4/(cos(x) + 1)^4 + 286\*sin(x)^6/(cos(x) + 1)^6 - 715\*sin(x)^8/(cos(x) + 1)^8 + 1287\*sin(x)^10/(cos(x) + 1)^10 - 1716\*sin(x)^12/(cos(x) + 1)^12 + 1716\*sin(x)^14/(cos(x) + 1)^14 - 1287\*sin(x)^16/(cos(x) + 1)^16 + 715\*sin(x)^18/(cos(x) + 1)^18 - 286\*sin(x)^20/(cos(x) + 1)^20 + 78\*sin(x)^22/(cos(x) + 1)^22 - 13\*sin(x)^24/(cos(x) + 1)^24 + sin(x)^26/(cos(x) + 1)^26 - 1)

**Fricas [A]** time = 2.21782, size = 96, normalized size = 2.91

$$\frac{429 \cos(x)^6 - 1001 \cos(x)^4 + 819 \cos(x)^2 - 231}{3003 \cos(x)^{13}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(csc(x)-sin(x))^7,x, algorithm="fricas")

[Out] -1/3003\*(429\*cos(x)^6 - 1001\*cos(x)^4 + 819\*cos(x)^2 - 231)/cos(x)^13

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(csc(x)-sin(x))\*\*7,x)

[Out] Timed out

**Giac [B]** time = 1.19071, size = 193, normalized size = 5.85

$$\frac{32 \left( \frac{13(\cos(x)-1)}{\cos(x)+1} + \frac{78(\cos(x)-1)^2}{(\cos(x)+1)^2} + \frac{286(\cos(x)-1)^3}{(\cos(x)+1)^3} - \frac{2288(\cos(x)-1)^4}{(\cos(x)+1)^4} + \frac{10296(\cos(x)-1)^5}{(\cos(x)+1)^5} - \frac{16302(\cos(x)-1)^6}{(\cos(x)+1)^6} + \frac{18018(\cos(x)-1)^7}{(\cos(x)+1)^7} - \frac{9009(\cos(x)-1)^8}{(\cos(x)+1)^8} + \frac{3003(\cos(x)-1)^9}{(\cos(x)+1)^9} + 1 \right)}{3003 \left( \frac{\cos(x)-1}{\cos(x)+1} + 1 \right)^{13}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(csc(x)-sin(x))^7,x, algorithm="giac")

[Out] -32/3003\*(13\*(cos(x) - 1)/(cos(x) + 1) + 78\*(cos(x) - 1)^2/(cos(x) + 1)^2 + 286\*(cos(x) - 1)^3/(cos(x) + 1)^3 - 2288\*(cos(x) - 1)^4/(cos(x) + 1)^4 + 10296\*(cos(x) - 1)^5/(cos(x) + 1)^5 - 16302\*(cos(x) - 1)^6/(cos(x) + 1)^6 + 18018\*(cos(x) - 1)^7/(cos(x) + 1)^7 - 9009\*(cos(x) - 1)^8/(cos(x) + 1)^8 + 3003\*(cos(x) - 1)^9/(cos(x) + 1)^9 + 1)/((cos(x) - 1)/(cos(x) + 1) + 1)^13

### 3.314 $\int (\csc(x) - \sin(x))^{7/2} dx$

**Optimal.** Leaf size=73

$$\frac{2}{7} \cos^3(x) \cot^2(x) \sqrt{\cos(x) \cot(x)} + \frac{8}{7} \cos(x) \cot^2(x) \sqrt{\cos(x) \cot(x)} - \frac{64}{35} \cot(x) \csc(x) \sqrt{\cos(x) \cot(x)} + \frac{256}{35} \sec(x) \sqrt{\cos(x) \cot(x)}$$

```
[Out] (8*Cos[x]*Cot[x]^2*Sqrt[Cos[x]*Cot[x]])/7 + (2*Cos[x]^3*Cot[x]^2*Sqrt[Cos[x]*Cot[x]])/7 - (64*Cot[x]*Sqrt[Cos[x]*Cot[x]]*Csc[x])/35 + (256*Sqrt[Cos[x]*Cot[x]]*Sec[x])/35
```

**Rubi [A]** time = 0.148391, antiderivative size = 73, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.454$ , Rules used = {4397, 4400, 2598, 2594, 2589}

$$\frac{2}{7} \cos^3(x) \cot^2(x) \sqrt{\cos(x) \cot(x)} + \frac{8}{7} \cos(x) \cot^2(x) \sqrt{\cos(x) \cot(x)} - \frac{64}{35} \cot(x) \csc(x) \sqrt{\cos(x) \cot(x)} + \frac{256}{35} \sec(x) \sqrt{\cos(x) \cot(x)}$$

Antiderivative was successfully verified.

```
[In] Int[(Csc[x] - Sin[x])^(7/2), x]
```

```
[Out] (8*Cos[x]*Cot[x]^2*Sqrt[Cos[x]*Cot[x]])/7 + (2*Cos[x]^3*Cot[x]^2*Sqrt[Cos[x]*Cot[x]])/7 - (64*Cot[x]*Sqrt[Cos[x]*Cot[x]]*Csc[x])/35 + (256*Sqrt[Cos[x]*Cot[x]]*Sec[x])/35
```

#### Rule 4397

```
Int[u_, x_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]
```

#### Rule 4400

```
Int[(u_)*((v_)^(m_)*(w_)^(n_))^(p_), x_Symbol] := With[{uu = ActivateTrig[u], vv = ActivateTrig[v], ww = ActivateTrig[w]}, Dist[(vv^m*ww^n)^FracPart[p]/(vv^(m*FracPart[p])*ww^(n*FracPart[p]))], Int[uu*vv^(m*p)*ww^(n*p), x], x] /; FreeQ[{m, n, p}, x] && !IntegerQ[p] && (!InertTrigFreeQ[v] || !InertTrigFreeQ[w])
```

#### Rule 2598

```
Int[((a_)*sin[(e_)+(f_)*(x_)])^(m_)*((b_)*tan[(e_)+(f_)*(x_)])^(n_), x_Symbol] := -Simp[(b*(a*Sin[e+f*x])^m*(b*Tan[e+f*x])^(n-1))/(f*(m)), x] + Dist[(a^2*(m+n-1))/m, Int[(a*Sin[e+f*x])^(m-2)*(b*Tan[e+f*x])^n, x], x] /; FreeQ[{a, b, e, f, n}, x] && (GtQ[m, 1] || (EqQ[m, 1] && EqQ[n, 1/2])) && IntegersQ[2*m, 2*n]
```

#### Rule 2594

```
Int[((a_)*sin[(e_)+(f_)*(x_)])^(m_)*((b_)*tan[(e_)+(f_)*(x_)])^(n_), x_Symbol] := Simp[(b*(a*Sin[e+f*x])^m*(b*Tan[e+f*x])^(n-1))/(f*(n-1)), x] - Dist[(b^2*(m+n-1))/(n-1), Int[(a*Sin[e+f*x])^m*(b*Tan[e+f*x])^(n-2), x], x] /; FreeQ[{a, b, e, f, m}, x] && GtQ[n, 1] && IntegersQ[2*m, 2*n] && !(GtQ[m, 1] && !IntegerQ[(m-1)/2])
```

#### Rule 2589

```
Int[((a_)*sin[(e_)+(f_)*(x_)])^(m_)*((b_)*tan[(e_)+(f_)*(x_)])^(n_), x_Symbol] := -Simp[(b*(a*Sin[e+f*x])^m*(b*Tan[e+f*x])^(n-1))/(f*m
```

), x] /; FreeQ[{a, b, e, f, m, n}, x] && EqQ[m + n - 1, 0]

### Rubi steps

$$\begin{aligned}
 \int (\csc(x) - \sin(x))^{7/2} dx &= \int (\cos(x) \cot(x))^{7/2} dx \\
 &= \frac{\sqrt{\cos(x) \cot(x)} \int \cos^{\frac{7}{2}}(x) \cot^{\frac{7}{2}}(x) dx}{\sqrt{\cos(x)} \sqrt{\cot(x)}} \\
 &= \frac{2}{7} \cos^3(x) \cot^2(x) \sqrt{\cos(x) \cot(x)} + \frac{(12\sqrt{\cos(x) \cot(x)}) \int \cos^{\frac{3}{2}}(x) \cot^{\frac{7}{2}}(x) dx}{7\sqrt{\cos(x)} \sqrt{\cot(x)}} \\
 &= \frac{8}{7} \cos(x) \cot^2(x) \sqrt{\cos(x) \cot(x)} + \frac{2}{7} \cos^3(x) \cot^2(x) \sqrt{\cos(x) \cot(x)} + \frac{(32\sqrt{\cos(x) \cot(x)})}{7\sqrt{\cos(x)} \sqrt{\cot(x)}} \\
 &= \frac{8}{7} \cos(x) \cot^2(x) \sqrt{\cos(x) \cot(x)} + \frac{2}{7} \cos^3(x) \cot^2(x) \sqrt{\cos(x) \cot(x)} - \frac{64}{35} \cot(x) \sqrt{\cos(x) \cot(x)} \\
 &= \frac{8}{7} \cos(x) \cot^2(x) \sqrt{\cos(x) \cot(x)} + \frac{2}{7} \cos^3(x) \cot^2(x) \sqrt{\cos(x) \cot(x)} - \frac{64}{35} \cot(x) \sqrt{\cos(x) \cot(x)}
 \end{aligned}$$

**Mathematica [A]** time = 0.0795734, size = 37, normalized size = 0.51

$$-\frac{1}{70} \sec(x) \sqrt{\cos(x) \cot(x)} (115 \cos^2(x) + 5 \cos(3x) \cos(x) + 28 \cot^2(x) - 512)$$

Antiderivative was successfully verified.

[In] Integrate[(Csc[x] - Sin[x])^(7/2), x]

[Out] -(Sqrt[Cos[x]\*Cot[x]]\*(-512 + 115\*Cos[x]^2 + 5\*Cos[x]\*Cos[3\*x] + 28\*Cot[x]^2)\*Sec[x])/70

**Maple [A]** time = 0.157, size = 40, normalized size = 0.6

$$\frac{(10 (\cos(x))^6 + 40 (\cos(x))^4 - 320 (\cos(x))^2 + 256) \sin(x) \left(\frac{(\cos(x))^2}{\sin(x)}\right)^{\frac{7}{2}}}{35 (\cos(x))^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((csc(x)-sin(x))^(7/2), x)

[Out] 2/35\*(5\*cos(x)^6+20\*cos(x)^4-160\*cos(x)^2+128)\*sin(x)\*(cos(x)^2/sin(x))^(7/2)/cos(x)^7

**Maxima [B]** time = 1.97216, size = 780, normalized size = 10.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((csc(x)-sin(x))^(7/2),x, algorithm="maxima")

[Out] 
$$\frac{-1/280(\cos(x)^2 + \sin(x)^2 + 2\cos(x) + 1)^{1/4}(\cos(x)^2 + \sin(x)^2 - 2\cos(x) + 1)^{1/4}(((5\cos(21/2x) + 105\cos(17/2x) - 2275\cos(13/2x) + 5817\cos(9/2x) - 5\cos(7/2x) - 5817\cos(5/2x) - 105\cos(3/2x) + 2275\cos(1/2x) - 5\sin(21/2x) - 105\sin(17/2x) + 2275\sin(13/2x) - 5817\sin(9/2x) - 5\sin(7/2x) + 5817\sin(5/2x) - 105\sin(3/2x) - 2275\sin(1/2x))\cos(7/2\arctan2(\sin(x), \cos(x) - 1)) + (5\cos(21/2x) + 105\cos(17/2x) - 2275\cos(13/2x) + 5817\cos(9/2x) - 5\cos(7/2x) - 5817\cos(5/2x) - 105\cos(3/2x) + 2275\cos(1/2x) + 5\sin(21/2x) + 105\sin(17/2x) - 2275\sin(13/2x) + 5817\sin(9/2x) + 5\sin(7/2x) - 5817\sin(5/2x) + 105\sin(3/2x) + 2275\sin(1/2x))\sin(7/2\arctan2(\sin(x), \cos(x) - 1)))\cos(7/2\arctan2(\sin(x), \cos(x) + 1)) + ((5\cos(21/2x) + 105\cos(17/2x) - 2275\cos(13/2x) + 5817\cos(9/2x) - 5\cos(7/2x) - 5817\cos(5/2x) - 105\cos(3/2x) + 2275\cos(1/2x) + 5\sin(21/2x) + 105\sin(17/2x) - 2275\sin(13/2x) + 5817\sin(9/2x) + 5\sin(7/2x) - 5817\sin(5/2x) + 105\sin(3/2x) + 2275\sin(1/2x))\cos(7/2\arctan2(\sin(x), \cos(x) - 1)) - (5\cos(21/2x) + 105\cos(17/2x) - 2275\cos(13/2x) + 5817\cos(9/2x) - 5\cos(7/2x) - 5817\cos(5/2x) - 105\cos(3/2x) + 2275\cos(1/2x) - 5\sin(21/2x) - 105\sin(17/2x) + 2275\sin(13/2x) - 5817\sin(9/2x) - 5\sin(7/2x) + 5817\sin(5/2x) - 105\sin(3/2x) - 2275\sin(1/2x))\sin(7/2\arctan2(\sin(x), \cos(x) - 1)))\sin(7/2\arctan2(\sin(x), \cos(x) + 1)))/(\cos(x)^8 + \sin(x)^8 + 4(\cos(x)^2 + 1)\sin(x)^6 - 4\cos(x)^6 + 2(3\cos(x)^4 + 2\cos(x)^2 + 3)\sin(x)^4 + 6\cos(x)^4 + 4(\cos(x)^6 - \cos(x)^4 - \cos(x)^2 + 1)\sin(x)^2 - 4\cos(x)^2 + 1)}$$

**Fricas [A]** time = 2.33403, size = 131, normalized size = 1.79

$$\frac{2(5\cos(x)^6 + 20\cos(x)^4 - 160\cos(x)^2 + 128)\sqrt{\frac{\cos(x)^2}{\sin(x)}}}{35(\cos(x)^3 - \cos(x))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((csc(x)-sin(x))^(7/2),x, algorithm="fricas")

[Out] 
$$\frac{-2/35(5\cos(x)^6 + 20\cos(x)^4 - 160\cos(x)^2 + 128)\sqrt{\cos(x)^2/\sin(x)}}{(\cos(x)^3 - \cos(x))}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((csc(x)-sin(x))\*\*(7/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (\csc(x) - \sin(x))^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((csc(x)-sin(x))^(7/2),x, algorithm="giac")
```

```
[Out] integrate((csc(x) - sin(x))^(7/2), x)
```

### 3.315 $\int (\csc(x) - \sin(x))^{5/2} dx$

**Optimal.** Leaf size=50

$$\frac{2}{5} \cos^2(x) \cot(x) \sqrt{\cos(x) \cot(x)} - \frac{16}{15} \cot(x) \sqrt{\cos(x) \cot(x)} - \frac{64}{15} \tan(x) \sqrt{\cos(x) \cot(x)}$$

[Out] (-16\*Cot[x]\*Sqrt[Cos[x]\*Cot[x]])/15 + (2\*Cos[x]^2\*Cot[x]\*Sqrt[Cos[x]\*Cot[x]])/5 - (64\*Sqrt[Cos[x]\*Cot[x]]\*Tan[x])/15

**Rubi [A]** time = 0.111701, antiderivative size = 50, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.454$ , Rules used = {4397, 4400, 2598, 2594, 2589}

$$\frac{2}{5} \cos^2(x) \cot(x) \sqrt{\cos(x) \cot(x)} - \frac{16}{15} \cot(x) \sqrt{\cos(x) \cot(x)} - \frac{64}{15} \tan(x) \sqrt{\cos(x) \cot(x)}$$

Antiderivative was successfully verified.

[In] Int[(Csc[x] - Sin[x])^(5/2), x]

[Out] (-16\*Cot[x]\*Sqrt[Cos[x]\*Cot[x]])/15 + (2\*Cos[x]^2\*Cot[x]\*Sqrt[Cos[x]\*Cot[x]])/5 - (64\*Sqrt[Cos[x]\*Cot[x]]\*Tan[x])/15

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 4400

Int[(u\_)\*((v\_)^(m\_)\*(w\_)^(n\_))^(p\_), x\_Symbol] := With[{uu = ActivateTrig[u], vv = ActivateTrig[v], ww = ActivateTrig[w]}, Dist[(vv^m\*ww^n)^FracPart[p]/(vv^(m\*FracPart[p])\*ww^(n\*FracPart[p])), Int[uu\*vv^(m\*p)\*ww^(n\*p), x], x] /; FreeQ[{m, n, p}, x] && !IntegerQ[p] && (!InertTrigFreeQ[v] || !InertTrigFreeQ[w])

#### Rule 2598

Int[((a\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((b\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*(a\*Sin[e + f\*x])^m\*(b\*Tan[e + f\*x])^(n - 1))/(f\*m), x] + Dist[(a^2\*(m + n - 1))/m, Int[(a\*Sin[e + f\*x])^(m - 2)\*(b\*Tan[e + f\*x])^n, x], x] /; FreeQ[{a, b, e, f, n}, x] && (GtQ[m, 1] || (EqQ[m, 1] & EqQ[n, 1/2])) && IntegersQ[2\*m, 2\*n]

#### Rule 2594

Int[((a\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((b\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*(a\*Sin[e + f\*x])^m\*(b\*Tan[e + f\*x])^(n - 1))/(f\*(n - 1)), x] - Dist[(b^2\*(m + n - 1))/(n - 1), Int[(a\*Sin[e + f\*x])^m\*(b\*Tan[e + f\*x])^(n - 2), x], x] /; FreeQ[{a, b, e, f, m}, x] && GtQ[n, 1] && IntegersQ[2\*m, 2\*n] && !(GtQ[m, 1] && !IntegerQ[(m - 1)/2])

#### Rule 2589

Int[((a\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((b\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*(a\*Sin[e + f\*x])^m\*(b\*Tan[e + f\*x])^(n - 1))/(f\*m), x] /; FreeQ[{a, b, e, f, m, n}, x] && EqQ[m + n - 1, 0]



Rubi steps

$$\begin{aligned}
\int (\csc(x) - \sin(x))^{5/2} dx &= \int (\cos(x) \cot(x))^{5/2} dx \\
&= \frac{\sqrt{\cos(x) \cot(x)} \int \cos^{\frac{5}{2}}(x) \cot^{\frac{5}{2}}(x) dx}{\sqrt{\cos(x)} \sqrt{\cot(x)}} \\
&= \frac{2}{5} \cos^2(x) \cot(x) \sqrt{\cos(x) \cot(x)} + \frac{(8\sqrt{\cos(x) \cot(x)}) \int \sqrt{\cos(x) \cot^{\frac{5}{2}}(x)} dx}{5\sqrt{\cos(x)} \sqrt{\cot(x)}} \\
&= -\frac{16}{15} \cot(x) \sqrt{\cos(x) \cot(x)} + \frac{2}{5} \cos^2(x) \cot(x) \sqrt{\cos(x) \cot(x)} - \frac{(32\sqrt{\cos(x) \cot(x)}) \int \sqrt{\cos(x) \cot^{\frac{5}{2}}(x)} dx}{15\sqrt{\cos(x)} \sqrt{\cot(x)}} \\
&= -\frac{16}{15} \cot(x) \sqrt{\cos(x) \cot(x)} + \frac{2}{5} \cos^2(x) \cot(x) \sqrt{\cos(x) \cot(x)} - \frac{64}{15} \sqrt{\cos(x) \cot(x)} \tan(x)
\end{aligned}$$

**Mathematica [A]** time = 0.0781942, size = 29, normalized size = 0.58

$$-\frac{2}{15} \tan(x) \sqrt{\cos(x) \cot(x)} (3 \cos^2(x) + 5 \cot^2(x) + 32)$$

Antiderivative was successfully verified.

[In] Integrate[(Csc[x] - Sin[x])^(5/2), x]

[Out] (-2\*sqrt[Cos[x]\*Cot[x]]\*(32 + 3\*cos[x]^2 + 5\*Cot[x]^2)\*Tan[x])/15

**Maple [A]** time = 0.118, size = 34, normalized size = 0.7

$$\frac{(6 (\cos(x))^4 + 48 (\cos(x))^2 - 64) \sin(x) \left(\frac{(\cos(x))^2}{\sin(x)}\right)^{\frac{5}{2}}}{15 (\cos(x))^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((csc(x)-sin(x))^(5/2), x)

[Out] 2/15\*(3\*cos(x)^4+24\*cos(x)^2-32)\*(cos(x)^2/sin(x))^(5/2)\*sin(x)/cos(x)^5

**Maxima [B]** time = 1.87634, size = 576, normalized size = 11.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((csc(x)-sin(x))^(5/2), x, algorithm="maxima")

[Out] -1/60\*(((3\*cos(15/2\*x) + 105\*cos(11/2\*x) - 410\*cos(7/2\*x) - 3\*cos(5/2\*x) + 410\*cos(3/2\*x) - 105\*cos(1/2\*x) + 3\*sin(15/2\*x) + 105\*sin(11/2\*x) - 410\*sin(7/2\*x) + 3\*sin(5/2\*x) + 410\*sin(3/2\*x) + 105\*sin(1/2\*x))\*cos(5/2\*arctan2(sin(x), cos(x) - 1)) - (3\*cos(15/2\*x) + 105\*cos(11/2\*x) - 410\*cos(7/2\*x) - 3\*cos(5/2\*x) + 410\*cos(3/2\*x) - 105\*cos(1/2\*x) - 3\*sin(15/2\*x) - 105\*sin(11/2\*x) + 410\*sin(7/2\*x) - 3\*sin(5/2\*x) - 410\*sin(3/2\*x) - 105\*sin(1/2\*x))\*sin

$(5/2 \cdot \arctan2(\sin(x), \cos(x) - 1)) \cdot \cos(5/2 \cdot \arctan2(\sin(x), \cos(x) + 1)) - (3 \cdot \cos(15/2 \cdot x) + 105 \cdot \cos(11/2 \cdot x) - 410 \cdot \cos(7/2 \cdot x) - 3 \cdot \cos(5/2 \cdot x) + 410 \cdot \cos(3/2 \cdot x) - 105 \cdot \cos(1/2 \cdot x) - 3 \cdot \sin(15/2 \cdot x) - 105 \cdot \sin(11/2 \cdot x) + 410 \cdot \sin(7/2 \cdot x) - 3 \cdot \sin(5/2 \cdot x) - 410 \cdot \sin(3/2 \cdot x) - 105 \cdot \sin(1/2 \cdot x)) \cdot \cos(5/2 \cdot \arctan2(\sin(x), \cos(x) - 1)) + (3 \cdot \cos(15/2 \cdot x) + 105 \cdot \cos(11/2 \cdot x) - 410 \cdot \cos(7/2 \cdot x) - 3 \cdot \cos(5/2 \cdot x) + 410 \cdot \cos(3/2 \cdot x) - 105 \cdot \cos(1/2 \cdot x) + 3 \cdot \sin(15/2 \cdot x) + 105 \cdot \sin(11/2 \cdot x) - 410 \cdot \sin(7/2 \cdot x) + 3 \cdot \sin(5/2 \cdot x) + 410 \cdot \sin(3/2 \cdot x) + 105 \cdot \sin(1/2 \cdot x)) \cdot \sin(5/2 \cdot \arctan2(\sin(x), \cos(x) - 1)) \cdot \sin(5/2 \cdot \arctan2(\sin(x), \cos(x) + 1)) / ((\cos(x)^4 + \sin(x)^4 + 2 \cdot (\cos(x)^2 + 1) \cdot \sin(x)^2 - 2 \cdot \cos(x)^2 + 1) \cdot (\cos(x)^2 + \sin(x)^2 + 2 \cdot \cos(x) + 1)^{1/4} \cdot (\cos(x)^2 + \sin(x)^2 - 2 \cdot \cos(x) + 1)^{1/4}))$

**Fricas [A]** time = 2.26392, size = 103, normalized size = 2.06

$$\frac{2 \left( 3 \cos(x)^4 + 24 \cos(x)^2 - 32 \right) \sqrt{\frac{\cos(x)^2}{\sin(x)}}}{15 \cos(x) \sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((csc(x)-sin(x))^(5/2),x, algorithm="fricas")

[Out] 2/15\*(3\*cos(x)^4 + 24\*cos(x)^2 - 32)\*sqrt(cos(x)^2/sin(x))/(cos(x)\*sin(x))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((csc(x)-sin(x))\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (\csc(x) - \sin(x))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((csc(x)-sin(x))^(5/2),x, algorithm="giac")

[Out] integrate((csc(x) - sin(x))^(5/2), x)

### 3.316 $\int (\csc(x) - \sin(x))^{3/2} dx$

**Optimal.** Leaf size=31

$$\frac{2}{3} \cos(x) \sqrt{\cos(x) \cot(x)} - \frac{8}{3} \sec(x) \sqrt{\cos(x) \cot(x)}$$

[Out]  $(2 \cos[x] \sqrt{\cos[x] \cot[x]})/3 - (8 \sqrt{\cos[x] \cot[x]} \sec[x])/3$

**Rubi [A]** time = 0.0812269, antiderivative size = 31, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$ , Rules used = {4397, 4400, 2598, 2589}

$$\frac{2}{3} \cos(x) \sqrt{\cos(x) \cot(x)} - \frac{8}{3} \sec(x) \sqrt{\cos(x) \cot(x)}$$

Antiderivative was successfully verified.

[In] Int[(Csc[x] - Sin[x])^(3/2), x]

[Out]  $(2 \cos[x] \sqrt{\cos[x] \cot[x]})/3 - (8 \sqrt{\cos[x] \cot[x]} \sec[x])/3$

#### Rule 4397

Int[u\_, x\_Symbol] :=> Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 4400

Int[(u\_.)\*((v\_)^(m\_.)\*(w\_)^(n\_.))^(p\_), x\_Symbol] :=> With[{uu = ActivateTrig[u], vv = ActivateTrig[v], ww = ActivateTrig[w]}, Dist[(vv^m\*ww^n)^FracPart[p]/(vv^(m\*FracPart[p])\*ww^(n\*FracPart[p])), Int[uu\*vv^(m\*p)\*ww^(n\*p), x], x] /; FreeQ[{m, n, p}, x] && !IntegerQ[p] && (!InertTrigFreeQ[v] || !InertTrigFreeQ[w])

#### Rule 2598

Int[((a\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :=> -Simp[(b\*(a\*Sine[e + f\*x])^m\*(b\*Tan[e + f\*x])^(n - 1))/(f\*m), x] + Dist[(a^2\*(m + n - 1))/m, Int[(a\*Sine[e + f\*x])^(m - 2)\*(b\*Tan[e + f\*x])^n, x], x] /; FreeQ[{a, b, e, f, n}, x] && (GtQ[m, 1] || (EqQ[m, 1] & & EqQ[n, 1/2])) && IntegersQ[2\*m, 2\*n]

#### Rule 2589

Int[((a\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :=> -Simp[(b\*(a\*Sine[e + f\*x])^m\*(b\*Tan[e + f\*x])^(n - 1))/(f\*m), x] /; FreeQ[{a, b, e, f, m, n}, x] && EqQ[m + n - 1, 0]

#### Rubi steps

$$\begin{aligned}
\int (\csc(x) - \sin(x))^{3/2} dx &= \int (\cos(x) \cot(x))^{3/2} dx \\
&= \frac{\sqrt{\cos(x) \cot(x)} \int \cos^{\frac{3}{2}}(x) \cot^{\frac{3}{2}}(x) dx}{\sqrt{\cos(x)} \sqrt{\cot(x)}} \\
&= \frac{2}{3} \cos(x) \sqrt{\cos(x) \cot(x)} + \frac{(4\sqrt{\cos(x) \cot(x)}) \int \frac{\cot^{\frac{3}{2}}(x)}{\sqrt{\cos(x)}} dx}{3\sqrt{\cos(x)} \sqrt{\cot(x)}} \\
&= \frac{2}{3} \cos(x) \sqrt{\cos(x) \cot(x)} - \frac{8}{3} \sqrt{\cos(x) \cot(x)} \sec(x)
\end{aligned}$$

**Mathematica [A]** time = 0.0402594, size = 21, normalized size = 0.68

$$\frac{2}{3} (\cos^2(x) - 4) \sec(x) \sqrt{\cos(x) \cot(x)}$$

Antiderivative was successfully verified.

[In] Integrate[(Csc[x] - Sin[x])^(3/2), x]

[Out] (2\*(-4 + Cos[x]^2)\*Sqrt[Cos[x]\*Cot[x]]\*Sec[x])/3

**Maple [A]** time = 0.088, size = 26, normalized size = 0.8

$$\frac{(2(\cos(x))^2 - 8)\sin(x)}{3(\cos(x))^3} \left( \frac{(\cos(x))^2}{\sin(x)} \right)^{\frac{3}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((csc(x)-sin(x))^(3/2), x)

[Out] 2/3\*(cos(x)^2-4)\*(cos(x)^2/sin(x))^(3/2)\*sin(x)/cos(x)^3

**Maxima [B]** time = 1.86962, size = 424, normalized size = 13.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((csc(x)-sin(x))^(3/2), x, algorithm="maxima")

[Out] 1/6\*(cos(x)^2 + sin(x)^2 + 2\*cos(x) + 1)^(1/4)\*(cos(x)^2 + sin(x)^2 - 2\*cos(x) + 1)^(1/4)\*(((cos(9/2\*x) - 15\*cos(5/2\*x) - cos(3/2\*x) + 15\*cos(1/2\*x) - sin(9/2\*x) + 15\*sin(5/2\*x) - sin(3/2\*x) - 15\*sin(1/2\*x))\*cos(3/2\*arctan2(sin(x), cos(x) - 1)) + (cos(9/2\*x) - 15\*cos(5/2\*x) - cos(3/2\*x) + 15\*cos(1/2\*x) + sin(9/2\*x) - 15\*sin(5/2\*x) + sin(3/2\*x) + 15\*sin(1/2\*x))\*sin(3/2\*arctan2(sin(x), cos(x) - 1)))\*cos(3/2\*arctan2(sin(x), cos(x) + 1)) + ((cos(9/2\*x) - 15\*cos(5/2\*x) - cos(3/2\*x) + 15\*cos(1/2\*x) + sin(9/2\*x) - 15\*sin(5/2\*x) + sin(3/2\*x) + 15\*sin(1/2\*x))\*cos(3/2\*arctan2(sin(x), cos(x) - 1)) - (cos(9/2\*x) - 15\*cos(5/2\*x) - cos(3/2\*x) + 15\*cos(1/2\*x) - sin(9/2\*x) + 15\*sin(5/2\*x) - sin(3/2\*x) - 15\*sin(1/2\*x))\*sin(3/2\*arctan2(sin(x), cos(x) - 1)))\*

$\sin(3/2 \cdot \arctan2(\sin(x), \cos(x) + 1)) / (\cos(x)^4 + \sin(x)^4 + 2 \cdot (\cos(x)^2 + 1) \cdot \sin(x)^2 - 2 \cdot \cos(x)^2 + 1)$

---

**Fricas [A]** time = 2.17473, size = 66, normalized size = 2.13

$$\frac{2(\cos(x)^2 - 4)\sqrt{\frac{\cos(x)^2}{\sin(x)}}}{3 \cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((csc(x)-sin(x))^(3/2),x, algorithm="fricas")

[Out] 2/3\*(cos(x)^2 - 4)\*sqrt(cos(x)^2/sin(x))/cos(x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((csc(x)-sin(x))\*\*(3/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (\csc(x) - \sin(x))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((csc(x)-sin(x))^(3/2),x, algorithm="giac")

[Out] integrate((csc(x) - sin(x))^(3/2), x)

### 3.317 $\int \sqrt{\csc(x) - \sin(x)} dx$

**Optimal.** Leaf size=13

$$2 \tan(x) \sqrt{\cos(x) \cot(x)}$$

[Out] 2\*Sqrt[Cos[x]\*Cot[x]]\*Tan[x]

**Rubi [A]** time = 0.0486451, antiderivative size = 13, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {4397, 4400, 2589}

$$2 \tan(x) \sqrt{\cos(x) \cot(x)}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Csc[x] - Sin[x]], x]

[Out] 2\*Sqrt[Cos[x]\*Cot[x]]\*Tan[x]

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 4400

Int[(u\_.)\*((v\_)^(m\_.)\*(w\_)^(n\_.))^p, x\_Symbol] := With[{uu = ActivateTrig[u], vv = ActivateTrig[v], ww = ActivateTrig[w]}, Dist[(vv^m\*ww^n)^FracPart[p]/(vv^(m\*FracPart[p])\*ww^(n\*FracPart[p])), Int[uu\*vv^(m\*p)\*ww^(n\*p), x], x] /; FreeQ[{m, n, p}, x] && !IntegerQ[p] && (!InertTrigFreeQ[v] || !InertTrigFreeQ[w])

#### Rule 2589

Int[((a\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := -Simp[(b\*(a\*Sin[e + f\*x])^m\*(b\*Tan[e + f\*x])^(n - 1))/(f\*m), x] /; FreeQ[{a, b, e, f, m, n}, x] && EqQ[m + n - 1, 0]

#### Rubi steps

$$\begin{aligned} \int \sqrt{\csc(x) - \sin(x)} dx &= \int \sqrt{\cos(x) \cot(x)} dx \\ &= \frac{\sqrt{\cos(x) \cot(x)} \int \sqrt{\cos(x)} \sqrt{\cot(x)} dx}{\sqrt{\cos(x)} \sqrt{\cot(x)}} \\ &= 2 \sqrt{\cos(x) \cot(x)} \tan(x) \end{aligned}$$

**Mathematica [A]** time = 0.0276821, size = 13, normalized size = 1.

$$2 \tan(x) \sqrt{\cos(x) \cot(x)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Csc[x] - Sin[x]], x]

[Out] 2\*Sqrt[Cos[x]\*Cot[x]]\*Tan[x]

**Maple [A]** time = 0.091, size = 20, normalized size = 1.5

$$2 \frac{\sin(x)}{\cos(x)} \sqrt{\frac{(\cos(x))^2}{\sin(x)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((csc(x)-sin(x))^(1/2),x)

[Out] 2\*sin(x)\*(cos(x)^2/sin(x))^(1/2)/cos(x)

**Maxima [B]** time = 1.8014, size = 254, normalized size = 19.54

$$\left( \left( \cos\left(\frac{3}{2}x\right) - \cos\left(\frac{1}{2}x\right) + \sin\left(\frac{3}{2}x\right) + \sin\left(\frac{1}{2}x\right) \right) \cos\left(\frac{1}{2} \arctan(\sin(x), \cos(x) - 1)\right) - \left( \cos\left(\frac{3}{2}x\right) - \cos\left(\frac{1}{2}x\right) - \sin\left(\frac{3}{2}x\right) - \sin\left(\frac{1}{2}x\right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((csc(x)-sin(x))^(1/2),x, algorithm="maxima")

[Out] (((cos(3/2\*x) - cos(1/2\*x) + sin(3/2\*x) + sin(1/2\*x))\*cos(1/2\*arctan2(sin(x), cos(x) - 1)) - (cos(3/2\*x) - cos(1/2\*x) - sin(3/2\*x) - sin(1/2\*x))\*sin(1/2\*arctan2(sin(x), cos(x) - 1)))\*cos(1/2\*arctan2(sin(x), cos(x) + 1)) - ((cos(3/2\*x) - cos(1/2\*x) - sin(3/2\*x) - sin(1/2\*x))\*cos(1/2\*arctan2(sin(x), cos(x) - 1)) + (cos(3/2\*x) - cos(1/2\*x) + sin(3/2\*x) + sin(1/2\*x))\*sin(1/2\*arctan2(sin(x), cos(x) - 1)))\*sin(1/2\*arctan2(sin(x), cos(x) + 1)))/((cos(x)^2 + sin(x)^2 + 2\*cos(x) + 1)^(1/4)\*(cos(x)^2 + sin(x)^2 - 2\*cos(x) + 1)^(1/4))

**Fricas [A]** time = 2.01188, size = 53, normalized size = 4.08

$$\frac{2 \sqrt{\frac{\cos(x)^2}{\sin(x)}} \sin(x)}{\cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((csc(x)-sin(x))^(1/2),x, algorithm="fricas")

[Out] 2\*sqrt(cos(x)^2/sin(x))\*sin(x)/cos(x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-\sin(x) + \csc(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((csc(x)-sin(x))**(1/2),x)
```

```
[Out] Integral(sqrt(-sin(x) + csc(x)), x)
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{\csc(x) - \sin(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((csc(x)-sin(x))^(1/2),x, algorithm="giac")
```

```
[Out] integrate(sqrt(csc(x) - sin(x)), x)
```



$$3.318 \quad \int \frac{1}{\sqrt{\csc(x) - \sin(x)}} dx$$

**Optimal.** Leaf size=60

$$\frac{\cos(x) \tan^{-1}(\sqrt{-\sin(x)})}{\sqrt{-\sin(x)}\sqrt{\cos(x) \cot(x)}} - \frac{\cos(x) \tanh^{-1}(\sqrt{-\sin(x)})}{\sqrt{-\sin(x)}\sqrt{\cos(x) \cot(x)}}$$

[Out] (ArcTan[Sqrt[-Sin[x]]]\*Cos[x])/(Sqrt[Cos[x]\*Cot[x]]\*Sqrt[-Sin[x]]) - (ArcTanh[Sqrt[-Sin[x]]]\*Cos[x])/(Sqrt[Cos[x]\*Cot[x]]\*Sqrt[-Sin[x]])

**Rubi [A]** time = 0.0906745, antiderivative size = 60, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.727$ , Rules used = {4397, 4400, 2601, 2564, 329, 298, 203, 206}

$$\frac{\cos(x) \tan^{-1}(\sqrt{-\sin(x)})}{\sqrt{-\sin(x)}\sqrt{\cos(x) \cot(x)}} - \frac{\cos(x) \tanh^{-1}(\sqrt{-\sin(x)})}{\sqrt{-\sin(x)}\sqrt{\cos(x) \cot(x)}}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[Csc[x] - Sin[x]],x]

[Out] (ArcTan[Sqrt[-Sin[x]]]\*Cos[x])/(Sqrt[Cos[x]\*Cot[x]]\*Sqrt[-Sin[x]]) - (ArcTanh[Sqrt[-Sin[x]]]\*Cos[x])/(Sqrt[Cos[x]\*Cot[x]]\*Sqrt[-Sin[x]])

#### Rule 4397

Int[u\_, x\_Symbol] :=> Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 4400

Int[(u\_)\*((v\_)^(m\_)\*(w\_)^(n\_))^(p\_), x\_Symbol] :=> With[{uu = ActivateTrig[u], vv = ActivateTrig[v], ww = ActivateTrig[w]}, Dist[(vv^m\*ww^n)^FracPart[p]/(vv^(m\*FracPart[p])\*ww^(n\*FracPart[p])), Int[uu\*vv^(m\*p)\*ww^(n\*p), x], x] /; FreeQ[{m, n, p}, x] && !IntegerQ[p] && (!InertTrigFreeQ[v] || !InertTrigFreeQ[w])

#### Rule 2601

Int[((a\_)\*sin[(e\_)+(f\_)\*(x\_)]^(m\_))\*((b\_)\*tan[(e\_)+(f\_)\*(x\_)]^(n\_)), x\_Symbol] :=> Dist[(Cos[e+f\*x]^n\*(b\*Tan[e+f\*x])^n)/(a\*Sin[e+f\*x])^n, Int[(a\*Sin[e+f\*x])^(m+n)/Cos[e+f\*x]^n, x], x] /; FreeQ[{a, b, e, f, m, n}, x] && !IntegerQ[n] && (ILtQ[m, 0] || (EqQ[m, 1] && EqQ[n, -2^(-1)])) || IntegersQ[m - 1/2, n - 1/2])

#### Rule 2564

Int[cos[(e\_)+(f\_)\*(x\_)]^(n\_)\*((a\_)\*sin[(e\_)+(f\_)\*(x\_)]^(m\_)), x\_Symbol] :=> Dist[1/(a\*f), Subst[Int[x^m\*(1-x^2/a^2)^((n-1)/2), x], x, a\*Sin[e+f\*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n-1)/2] && !(IntegerQ[(m-1)/2] && LtQ[0, m, n])

#### Rule 329

Int[((c\_)\*(x\_))^(m\_)\*((a\_)+(b\_)\*(x\_)^n)^(p\_), x\_Symbol] :=> With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k\*(m+1)-1)\*(a+(b\*x^(k\*n)))/c^

$n)^p, x], x, (c*x)^{(1/k)}, x]] /; \text{FreeQ}\{a, b, c, p\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{FractionQ}[m] \&\& \text{IntBinomialQ}[a, b, c, n, m, p, x]$

### Rule 298

$\text{Int}[(x\_)^2/((a\_)+(b\_)*(x\_)^4), x\_Symbol] :> \text{With}\{r = \text{Numerator}[\text{Rt}[-(a/b), 2]], s = \text{Denominator}[\text{Rt}[-(a/b), 2]]\}, \text{Dist}[s/(2*b), \text{Int}[1/(r + s*x^2), x], x] - \text{Dist}[s/(2*b), \text{Int}[1/(r - s*x^2), x], x]] /; \text{FreeQ}\{a, b\}, x] \&\& !\text{GtQ}[a/b, 0]$

### Rule 203

$\text{Int}(((a\_)+(b\_)*(x\_)^2)^{-1}), x\_Symbol] :> \text{Simp}[(1*\text{ArcTan}[(\text{Rt}[b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{GtQ}[b, 0])$

### Rule 206

$\text{Int}(((a\_)+(b\_)*(x\_)^2)^{-1}), x\_Symbol] :> \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

### Rubi steps

$$\begin{aligned} \int \frac{1}{\sqrt{\csc(x) - \sin(x)}} dx &= \int \frac{1}{\sqrt{\cos(x) \cot(x)}} dx \\ &= \frac{(\sqrt{\cos(x)}\sqrt{\cot(x)}) \int \frac{1}{\sqrt{\cos(x)}\sqrt{\cot(x)}} dx}{\sqrt{\cos(x) \cot(x)}} \\ &= \frac{\cos(x) \int \sec(x)\sqrt{-\sin(x)} dx}{\sqrt{\cos(x) \cot(x)}\sqrt{-\sin(x)}} \\ &= -\frac{\cos(x) \text{Subst}\left(\int \frac{\sqrt{x}}{1-x^2} dx, x, -\sin(x)\right)}{\sqrt{\cos(x) \cot(x)}\sqrt{-\sin(x)}} \\ &= -\frac{(2 \cos(x)) \text{Subst}\left(\int \frac{x^2}{1-x^4} dx, x, \sqrt{-\sin(x)}\right)}{\sqrt{\cos(x) \cot(x)}\sqrt{-\sin(x)}} \\ &= -\frac{\cos(x) \text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \sqrt{-\sin(x)}\right)}{\sqrt{\cos(x) \cot(x)}\sqrt{-\sin(x)}} + \frac{\cos(x) \text{Subst}\left(\int \frac{1}{1+x^2} dx, x, \sqrt{-\sin(x)}\right)}{\sqrt{\cos(x) \cot(x)}\sqrt{-\sin(x)}} \\ &= \frac{\tan^{-1}\left(\sqrt{-\sin(x)}\right) \cos(x)}{\sqrt{\cos(x) \cot(x)}\sqrt{-\sin(x)}} - \frac{\tanh^{-1}\left(\sqrt{-\sin(x)}\right) \cos(x)}{\sqrt{\cos(x) \cot(x)}\sqrt{-\sin(x)}} \end{aligned}$$

**Mathematica [A]** time = 0.266845, size = 44, normalized size = 0.73

$$\frac{\sin(x) \tan(x) \sqrt{\cos(x) \cot(x)} \left( \tan^{-1}\left(\sqrt[4]{\sin^2(x)}\right) - \tanh^{-1}\left(\sqrt[4]{\sin^2(x)}\right) \right)}{\sin^2(x)^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[1/Sqrt[Csc[x] - Sin[x]], x]

[Out] -(((ArcTan[(Sin[x]^2)^(1/4)] - ArcTanh[(Sin[x]^2)^(1/4)])\*Sqrt[Cos[x]\*Cot[x]]\*Sin[x]\*Tan[x])/(Sin[x]^2)^(3/4))

---

**Maple [F]** time = 0.121, size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{\csc(x) - \sin(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(csc(x)-sin(x))^(1/2),x)

[Out] int(1/(csc(x)-sin(x))^(1/2),x)

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{\csc(x) - \sin(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(csc(x)-sin(x))^(1/2),x, algorithm="maxima")

[Out] integrate(1/sqrt(csc(x) - sin(x)), x)

---

**Fricas [B]** time = 2.46269, size = 393, normalized size = 6.55

$$\frac{1}{2} \arctan\left(\frac{2\sqrt{\frac{\cos(x)^2}{\sin(x)}} \sin(x)}{\cos(x)\sin(x) - \cos(x)}\right) + \frac{1}{4} \log\left(\frac{\cos(x)^3 - 5\cos(x)^2 - (\cos(x)^2 + 6\cos(x) + 4)\sin(x) + 4(\cos(x)^2 - \cos(x) - 1)\sin(x) - 1}{\cos(x)^3 + 3\cos(x)^2 - (\cos(x)^2 - 2\cos(x) - 4)\sin(x) - 2\cos(x) - 4}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(csc(x)-sin(x))^(1/2),x, algorithm="fricas")

[Out] 1/2\*arctan(2\*sqrt(cos(x)^2/sin(x))\*sin(x)/(cos(x)\*sin(x) - cos(x))) + 1/4\*log((cos(x)^3 - 5\*cos(x)^2 - (cos(x)^2 + 6\*cos(x) + 4)\*sin(x) + 4\*(cos(x)^2 - cos(x) - 1)\*sin(x) - 1)\*sqrt(cos(x)^2/sin(x)) - 2\*cos(x) + 4)/(cos(x)^3 + 3\*cos(x)^2 - (cos(x)^2 - 2\*cos(x) - 4)\*sin(x) - 2\*cos(x) - 4))

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{-\sin(x) + \csc(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(csc(x)-sin(x))\*\*(1/2),x)

[Out] Integral(1/sqrt(-sin(x) + csc(x)), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{\csc(x) - \sin(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(csc(x)-sin(x))^(1/2),x, algorithm="giac")

[Out] integrate(1/sqrt(csc(x) - sin(x)), x)

$$3.319 \quad \int \frac{1}{(\csc(x) - \sin(x))^{3/2}} dx$$

**Optimal.** Leaf size=80

$$\frac{\sec(x)}{2\sqrt{\cos(x)\cot(x)}} + \frac{\sqrt{-\sin(x)}\cot(x)\tan^{-1}(\sqrt{-\sin(x)})}{4\sqrt{\cos(x)\cot(x)}} + \frac{\sqrt{-\sin(x)}\cot(x)\tanh^{-1}(\sqrt{-\sin(x)})}{4\sqrt{\cos(x)\cot(x)}}$$

```
[Out] Sec[x]/(2*Sqrt[Cos[x]*Cot[x]]) + (ArcTan[Sqrt[-Sin[x]]]*Cot[x]*Sqrt[-Sin[x]]
)/ (4*Sqrt[Cos[x]*Cot[x]]) + (ArcTanh[Sqrt[-Sin[x]]]*Cot[x]*Sqrt[-Sin[x]])/
(4*Sqrt[Cos[x]*Cot[x]])
```

**Rubi [A]** time = 0.11552, antiderivative size = 80, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.818$ , Rules used = {4397, 4400, 2597, 2601, 2564, 329, 212, 206, 203}

$$\frac{\sec(x)}{2\sqrt{\cos(x)\cot(x)}} + \frac{\sqrt{-\sin(x)}\cot(x)\tan^{-1}(\sqrt{-\sin(x)})}{4\sqrt{\cos(x)\cot(x)}} + \frac{\sqrt{-\sin(x)}\cot(x)\tanh^{-1}(\sqrt{-\sin(x)})}{4\sqrt{\cos(x)\cot(x)}}$$

Antiderivative was successfully verified.

```
[In] Int[(Csc[x] - Sin[x])^(-3/2), x]
```

```
[Out] Sec[x]/(2*Sqrt[Cos[x]*Cot[x]]) + (ArcTan[Sqrt[-Sin[x]]]*Cot[x]*Sqrt[-Sin[x]]
)/ (4*Sqrt[Cos[x]*Cot[x]]) + (ArcTanh[Sqrt[-Sin[x]]]*Cot[x]*Sqrt[-Sin[x]])/
(4*Sqrt[Cos[x]*Cot[x]])
```

#### Rule 4397

```
Int[u_, x_Symbol] :=> Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]
```

#### Rule 4400

```
Int[(u_.)*((v_)^(m_.)*(w_)^(n_.))^(p_), x_Symbol] :=> With[{uu = ActivateTri
g[u], vv = ActivateTrig[v], ww = ActivateTrig[w]}, Dist[(vv^m*ww^n)^FracPar
t[p]/(vv^(m*FracPart[p])*ww^(n*FracPart[p])), Int[uu*vv^(m*p)*ww^(n*p), x]
, x]] /; FreeQ[{m, n, p}, x] && !IntegerQ[p] && (!InertTrigFreeQ[v] || !I
nertTrigFreeQ[w])
```

#### Rule 2597

```
Int[((a_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((b_.)*tan[(e_.) + (f_.)*(x_)])^(
n_), x_Symbol] :=> Simp[((a*Sin[e + f*x])^m*(b*Tan[e + f*x])^(n + 1))/(b*f*(
m + n + 1)), x] - Dist[(n + 1)/(b^2*(m + n + 1)), Int[(a*Sin[e + f*x])^m*(b
*Tan[e + f*x])^(n + 2), x], x] /; FreeQ[{a, b, e, f, m}, x] && LtQ[n, -1] &
& NeQ[m + n + 1, 0] && IntegerQ[2*m, 2*n] && !(EqQ[n, -3/2] && EqQ[m, 1])
```

#### Rule 2601

```
Int[((a_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((b_.)*tan[(e_.) + (f_.)*(x_)])^(
n_), x_Symbol] :=> Dist[(Cos[e + f*x]^n*(b*Tan[e + f*x])^n)/(a*Sin[e + f*x])
^n, Int[(a*Sin[e + f*x])^(m + n)/Cos[e + f*x]^n, x], x] /; FreeQ[{a, b, e,
f, m, n}, x] && !IntegerQ[n] && (ILtQ[m, 0] || (EqQ[m, 1] && EqQ[n, -2^(-1
)])) || IntegerQ[m - 1/2, n - 1/2])
```

#### Rule 2564

Int[cos[(e\_.) + (f\_.)\*(x\_.)]^(n\_.)\*((a\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.), x\_Symbol] := Dist[1/(a\*f), Subst[Int[x^m\*(1 - x^2/a^2)^((n - 1)/2), x], x, a\*Sin[e + f\*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n - 1)/2] && !(IntegerQ[(m - 1)/2] && LtQ[0, m, n])

### Rule 329

Int[((c\_.)\*(x\_.))^(m\_.)\*((a\_.) + (b\_.)\*(x\_.)^(n\_.))^(p\_.), x\_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k\*(m + 1) - 1)\*(a + (b\*x^(k\*n)))/c^n]^p, x], x, (c\*x)^(1/k)], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 212

Int[((a\_.) + (b\_.)\*(x\_)^4)^(-1), x\_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2\*a), Int[1/(r - s\*x^2), x], x] + Dist[r/(2\*a), Int[1/(r + s\*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 203

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rubi steps

$$\begin{aligned}
 \int \frac{1}{(\csc(x) - \sin(x))^{3/2}} dx &= \int \frac{1}{(\cos(x) \cot(x))^{3/2}} dx \\
 &= \frac{(\sqrt{\cos(x)} \sqrt{\cot(x)}) \int \frac{1}{\cos^2(x) \cot^2(x)} dx}{\sqrt{\cos(x) \cot(x)}} \\
 &= \frac{\sec(x)}{2\sqrt{\cos(x) \cot(x)}} - \frac{(\sqrt{\cos(x)} \sqrt{\cot(x)}) \int \frac{\sqrt{\cot(x)}}{\cos^2(x)} dx}{4\sqrt{\cos(x) \cot(x)}} \\
 &= \frac{\sec(x)}{2\sqrt{\cos(x) \cot(x)}} - \frac{(\cot(x) \sqrt{-\sin(x)}) \int \frac{\sec(x)}{\sqrt{-\sin(x)}} dx}{4\sqrt{\cos(x) \cot(x)}} \\
 &= \frac{\sec(x)}{2\sqrt{\cos(x) \cot(x)}} + \frac{(\cot(x) \sqrt{-\sin(x)}) \text{Subst}\left(\int \frac{1}{\sqrt{x}(1-x^2)} dx, x, -\sin(x)\right)}{4\sqrt{\cos(x) \cot(x)}} \\
 &= \frac{\sec(x)}{2\sqrt{\cos(x) \cot(x)}} + \frac{(\cot(x) \sqrt{-\sin(x)}) \text{Subst}\left(\int \frac{1}{1-x^4} dx, x, \sqrt{-\sin(x)}\right)}{2\sqrt{\cos(x) \cot(x)}} \\
 &= \frac{\sec(x)}{2\sqrt{\cos(x) \cot(x)}} + \frac{(\cot(x) \sqrt{-\sin(x)}) \text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \sqrt{-\sin(x)}\right)}{4\sqrt{\cos(x) \cot(x)}} + \frac{(\cot(x) \sqrt{-\sin(x)})}{4} \\
 &= \frac{\sec(x)}{2\sqrt{\cos(x) \cot(x)}} + \frac{\tan^{-1}(\sqrt{-\sin(x)}) \cot(x) \sqrt{-\sin(x)}}{4\sqrt{\cos(x) \cot(x)}} + \frac{\tanh^{-1}(\sqrt{-\sin(x)}) \cot(x) \sqrt{-\sin(x)}}{4\sqrt{\cos(x) \cot(x)}}
 \end{aligned}$$

**Mathematica [A]** time = 0.154516, size = 60, normalized size = 0.75

$$\frac{2\sqrt[4]{\sin^2(x)} \sec(x) + \cos(x) \left( -\tan^{-1} \left( \sqrt[4]{\sin^2(x)} \right) \right) - \cos(x) \tanh^{-1} \left( \sqrt[4]{\sin^2(x)} \right)}{4\sqrt[4]{\sin^2(x)} \sqrt{\cos(x) \cot(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Csc[x] - Sin[x])^(-3/2), x]

[Out]  $(-\text{ArcTan}[(\text{Sin}[x]^2)^{1/4}] * \text{Cos}[x]) - \text{ArcTanh}[(\text{Sin}[x]^2)^{1/4}] * \text{Cos}[x] + 2 * \text{Sec}[x] * (\text{Sin}[x]^2)^{1/4}) / (4 * \text{Sqrt}[\text{Cos}[x] * \text{Cot}[x]] * (\text{Sin}[x]^2)^{1/4})$

**Maple [C]** time = 0.209, size = 450, normalized size = 5.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(csc(x)-sin(x))^(3/2), x)

[Out]  $-1/8 * 2^{1/2} * (-1 + \cos(x)) * (2 * I * \sin(x) * \cos(x)^2 * ((-I * \cos(x) + \sin(x) + I) / \sin(x))^{1/2} * ((I * \cos(x) + \sin(x) - I) / \sin(x))^{1/2} * (-I * (-1 + \cos(x)) / \sin(x))^{1/2} * \text{EllipticF}(((I * \cos(x) + \sin(x) - I) / \sin(x))^{1/2}, 1/2 * 2^{1/2}) - I * \sin(x) * \cos(x)^2 * ((-I * \cos(x) + \sin(x) + I) / \sin(x))^{1/2} * ((I * \cos(x) + \sin(x) - I) / \sin(x))^{1/2} * (-I * (-1 + \cos(x)) / \sin(x))^{1/2} * \text{EllipticPi}(((I * \cos(x) + \sin(x) - I) / \sin(x))^{1/2}, 1/2 - 1/2 * I, 1/2 * 2^{1/2}) - I * \sin(x) * \cos(x)^2 * ((-I * \cos(x) + \sin(x) + I) / \sin(x))^{1/2} * ((I * \cos(x) + \sin(x) - I) / \sin(x))^{1/2} * (-I * (-1 + \cos(x)) / \sin(x))^{1/2} * \text{EllipticPi}(((I * \cos(x) + \sin(x) - I) / \sin(x))^{1/2}, 1/2 + 1/2 * I, 1/2 * 2^{1/2}) + \sin(x) * \cos(x)^2 * ((-I * \cos(x) + \sin(x) + I) / \sin(x))^{1/2} * ((I * \cos(x) + \sin(x) - I) / \sin(x))^{1/2} * (-I * (-1 + \cos(x)) / \sin(x))^{1/2} * \text{EllipticPi}(((I * \cos(x) + \sin(x) - I) / \sin(x))^{1/2}, 1/2 - 1/2 * I, 1/2 * 2^{1/2}) - \sin(x) * \cos(x)^2 * ((-I * \cos(x) + \sin(x) + I) / \sin(x))^{1/2} * ((I * \cos(x) + \sin(x) - I) / \sin(x))^{1/2} * (-I * (-1 + \cos(x)) / \sin(x))^{1/2} * \text{EllipticPi}(((I * \cos(x) + \sin(x) - I) / \sin(x))^{1/2}, 1/2 + 1/2 * I, 1/2 * 2^{1/2}) - 2 * \cos(x) * 2^{1/2} + 2 * 2^{1/2} * \cos(x) * (1 + \cos(x))^{1/2} / \sin(x)^{5/2} / (\cos(x)^2 / \sin(x))^{3/2}$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(\csc(x) - \sin(x))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(csc(x)-sin(x))^(3/2), x, algorithm="maxima")

[Out] integrate((csc(x) - sin(x))^(3/2), x)

**Fricas [B]** time = 2.40963, size = 475, normalized size = 5.94

$$2 \arctan \left( \frac{2 \sqrt{\frac{\cos(x)^2}{\sin(x)}} \sin(x)}{\cos(x) \sin(x) - \cos(x)} \right) \cos(x)^3 + \cos(x)^3 \log \left( \frac{\cos(x)^3 - 5 \cos(x)^2 - (\cos(x)^2 + 6 \cos(x) + 4) \sin(x) - 4 (\cos(x)^2 - (\cos(x) + 1) \sin(x) - 1) \sqrt{\frac{\cos(x)}{\sin(x)}}}{\cos(x)^3 + 3 \cos(x)^2 - (\cos(x)^2 - 2 \cos(x) - 4) \sin(x) - 2 \cos(x) - 4} \right)$$


---


$$16 \cos(x)^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(csc(x)-sin(x))^(3/2),x, algorithm="fricas")

[Out]  $\frac{1}{16} * (2 * \arctan(2 * \sqrt{\cos(x)^2 / \sin(x)} * \sin(x) / (\cos(x) * \sin(x) - \cos(x))) * \cos(x)^3 + \cos(x)^3 * \log((\cos(x)^3 - 5 * \cos(x)^2 - (\cos(x)^2 + 6 * \cos(x) + 4) * \sin(x) - 4 * (\cos(x)^2 - (\cos(x) + 1) * \sin(x) - 1) * \sqrt{\cos(x)^2 / \sin(x)} - 2 * \cos(x) + 4) / (\cos(x)^3 + 3 * \cos(x)^2 - (\cos(x)^2 - 2 * \cos(x) - 4) * \sin(x) - 2 * \cos(x) - 4)) + 8 * \sqrt{\cos(x)^2 / \sin(x)} * \sin(x)) / \cos(x)^3$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-\sin(x) + \csc(x))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(csc(x)-sin(x))\*\*(3/2),x)

[Out] Integral((-sin(x) + csc(x))\*\*(-3/2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(\csc(x) - \sin(x))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(csc(x)-sin(x))^(3/2),x, algorithm="giac")

[Out] integrate((csc(x) - sin(x))^(3/2), x)



$$3.320 \quad \int \frac{1}{(\csc(x) - \sin(x))^{5/2}} dx$$

**Optimal.** Leaf size=99

$$-\frac{3 \tan(x)}{16\sqrt{\cos(x) \cot(x)}} - \frac{3 \cos(x) \tan^{-1}(\sqrt{-\sin(x)})}{32\sqrt{-\sin(x)}\sqrt{\cos(x) \cot(x)}} + \frac{3 \cos(x) \tanh^{-1}(\sqrt{-\sin(x)})}{32\sqrt{-\sin(x)}\sqrt{\cos(x) \cot(x)}} + \frac{\tan(x) \sec^2(x)}{4\sqrt{\cos(x) \cot(x)}}$$

```
[Out] (-3*ArcTan[Sqrt[-Sin[x]]]*Cos[x])/(32*Sqrt[Cos[x]*Cot[x]]*Sqrt[-Sin[x]]) +
(3*ArcTanh[Sqrt[-Sin[x]]]*Cos[x])/(32*Sqrt[Cos[x]*Cot[x]]*Sqrt[-Sin[x]]) -
(3*Tan[x])/(16*Sqrt[Cos[x]*Cot[x]]) + (Sec[x]^2*Tan[x])/(4*Sqrt[Cos[x]*Cot[
x]])
```

**Rubi [A]** time = 0.151284, antiderivative size = 99, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.909$ , Rules used = {4397, 4400, 2597, 2599, 2601, 2564, 329, 298, 203, 206}

$$-\frac{3 \tan(x)}{16\sqrt{\cos(x) \cot(x)}} - \frac{3 \cos(x) \tan^{-1}(\sqrt{-\sin(x)})}{32\sqrt{-\sin(x)}\sqrt{\cos(x) \cot(x)}} + \frac{3 \cos(x) \tanh^{-1}(\sqrt{-\sin(x)})}{32\sqrt{-\sin(x)}\sqrt{\cos(x) \cot(x)}} + \frac{\tan(x) \sec^2(x)}{4\sqrt{\cos(x) \cot(x)}}$$

Antiderivative was successfully verified.

```
[In] Int[(Csc[x] - Sin[x])^(-5/2), x]
```

```
[Out] (-3*ArcTan[Sqrt[-Sin[x]]]*Cos[x])/(32*Sqrt[Cos[x]*Cot[x]]*Sqrt[-Sin[x]]) +
(3*ArcTanh[Sqrt[-Sin[x]]]*Cos[x])/(32*Sqrt[Cos[x]*Cot[x]]*Sqrt[-Sin[x]]) -
(3*Tan[x])/(16*Sqrt[Cos[x]*Cot[x]]) + (Sec[x]^2*Tan[x])/(4*Sqrt[Cos[x]*Cot[
x]])
```

#### Rule 4397

```
Int[u_, x_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]
```

#### Rule 4400

```
Int[(u_.)*((v_)^(m_.)*(w_)^(n_.))^p_, x_Symbol] := With[{uu = ActivateTrig[u], vv = ActivateTrig[v], ww = ActivateTrig[w]}, Dist[(vv^m*ww^n)^FracPart[p]/(vv^(m*FracPart[p])*ww^(n*FracPart[p])), Int[uu*vv^(m*p)*ww^(n*p), x], x] /; FreeQ[{m, n, p}, x] && !IntegerQ[p] && (!InertTrigFreeQ[v] || !InertTrigFreeQ[w])
```

#### Rule 2597

```
Int[((a_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((b_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[((a*SIN[e + f*x])^m*(b*TAN[e + f*x])^(n + 1))/(b*f*(m + n + 1)), x] - Dist[(n + 1)/(b^2*(m + n + 1)), Int[(a*SIN[e + f*x])^m*(b*TAN[e + f*x])^(n + 2), x], x] /; FreeQ[{a, b, e, f, m}, x] && LtQ[n, -1] && NeQ[m + n + 1, 0] && IntegersQ[2*m, 2*n] && !(EqQ[n, -3/2] && EqQ[m, 1])
```

#### Rule 2599

```
Int[((a_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((b_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[(b*(a*SIN[e + f*x])^(m + 2)*(b*TAN[e + f*x])^(n - 1))/(a^2*f*(m + n + 1)), x] + Dist[(m + 2)/(a^2*(m + n + 1)), Int[(a*SIN[e + f*x])^(m + 2)*(b*TAN[e + f*x])^n, x], x] /; FreeQ[{a, b, e, f, n}, x] && LtQ[m, -1] && NeQ[m + n + 1, 0] && IntegersQ[2*m, 2*n]
```

Rule 2601

```
Int[((a_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((b_.)*tan[(e_.) + (f_.)*(x_)])^(
n_), x_Symbol] := Dist[(Cos[e + f*x]^n*(b*Tan[e + f*x])^n)/(a*Sin[e + f*x]
^n, Int[(a*Sin[e + f*x])^(m + n)/Cos[e + f*x]^n, x], x] /; FreeQ[{a, b, e,
f, m, n}, x] && !IntegerQ[n] && (ILtQ[m, 0] || (EqQ[m, 1] && EqQ[n, -2^(-1
)])) || IntegersQ[m - 1/2, n - 1/2])
```

Rule 2564

```
Int[cos[(e_.) + (f_.)*(x_)]^(n_.)*((a_.)*sin[(e_.) + (f_.)*(x_)])^(m_.), x_
Symbol] := Dist[1/(a*f), Subst[Int[x^m*(1 - x^2/a^2)^((n - 1)/2), x], x, a*
Sin[e + f*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n - 1)/2] && !(In
tegerQ[(m - 1)/2] && LtQ[0, m, n])
```

Rule 329

```
Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k =
Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^
n]^p, x], x, (c*x)^(1/k)], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && F
ractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 298

```
Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[-(a/b
), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[s/(2*b), Int[1/(r + s*x^2), x
], x] - Dist[s/(2*b), Int[1/(r - s*x^2), x], x]] /; FreeQ[{a, b}, x] && !G
tQ[a/b, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(\csc(x) - \sin(x))^{5/2}} dx &= \int \frac{1}{(\cos(x) \cot(x))^{5/2}} dx \\
&= \frac{\left(\sqrt{\cos(x)}\sqrt{\cot(x)}\right) \int \frac{1}{\cos^2(x) \cot^2(x)} dx}{\sqrt{\cos(x) \cot(x)}} \\
&= \frac{\sec^2(x) \tan(x)}{4\sqrt{\cos(x) \cot(x)}} - \frac{\left(3\sqrt{\cos(x)}\sqrt{\cot(x)}\right) \int \frac{1}{\cos^2(x)\sqrt{\cot(x)}} dx}{8\sqrt{\cos(x) \cot(x)}} \\
&= -\frac{3 \tan(x)}{16\sqrt{\cos(x) \cot(x)}} + \frac{\sec^2(x) \tan(x)}{4\sqrt{\cos(x) \cot(x)}} - \frac{\left(3\sqrt{\cos(x)}\sqrt{\cot(x)}\right) \int \frac{1}{\sqrt{\cos(x)}\sqrt{\cot(x)}} dx}{32\sqrt{\cos(x) \cot(x)}} \\
&= -\frac{3 \tan(x)}{16\sqrt{\cos(x) \cot(x)}} + \frac{\sec^2(x) \tan(x)}{4\sqrt{\cos(x) \cot(x)}} - \frac{(3 \cos(x)) \int \sec(x)\sqrt{-\sin(x)} dx}{32\sqrt{\cos(x) \cot(x)}\sqrt{-\sin(x)}} \\
&= -\frac{3 \tan(x)}{16\sqrt{\cos(x) \cot(x)}} + \frac{\sec^2(x) \tan(x)}{4\sqrt{\cos(x) \cot(x)}} + \frac{(3 \cos(x)) \operatorname{Subst}\left(\int \frac{\sqrt{x}}{1-x^2} dx, x, -\sin(x)\right)}{32\sqrt{\cos(x) \cot(x)}\sqrt{-\sin(x)}} \\
&= -\frac{3 \tan(x)}{16\sqrt{\cos(x) \cot(x)}} + \frac{\sec^2(x) \tan(x)}{4\sqrt{\cos(x) \cot(x)}} + \frac{(3 \cos(x)) \operatorname{Subst}\left(\int \frac{x^2}{1-x^4} dx, x, \sqrt{-\sin(x)}\right)}{16\sqrt{\cos(x) \cot(x)}\sqrt{-\sin(x)}} \\
&= -\frac{3 \tan(x)}{16\sqrt{\cos(x) \cot(x)}} + \frac{\sec^2(x) \tan(x)}{4\sqrt{\cos(x) \cot(x)}} + \frac{(3 \cos(x)) \operatorname{Subst}\left(\int \frac{1}{1-x^2} dx, x, \sqrt{-\sin(x)}\right)}{32\sqrt{\cos(x) \cot(x)}\sqrt{-\sin(x)}} - (3 \cos(x)) \operatorname{Subst}\left(\int \frac{1}{1-x^2} dx, x, \sqrt{-\sin(x)}\right) \\
&= -\frac{3 \tan^{-1}(\sqrt{-\sin(x)}) \cos(x)}{32\sqrt{\cos(x) \cot(x)}\sqrt{-\sin(x)}} + \frac{3 \tanh^{-1}(\sqrt{-\sin(x)}) \cos(x)}{32\sqrt{\cos(x) \cot(x)}\sqrt{-\sin(x)}} - \frac{3 \tan(x)}{16\sqrt{\cos(x) \cot(x)}} + \frac{\sec^2(x) \tan(x)}{4\sqrt{\cos(x) \cot(x)}}
\end{aligned}$$

**Mathematica [A]** time = 0.532499, size = 69, normalized size = 0.7

$$\frac{\sin(x) \tan(x) \sqrt{\cos(x) \cot(x)} \left( -3 \tan^{-1} \left( \sqrt[4]{\sin^2(x)} \right) + 3 \tanh^{-1} \left( \sqrt[4]{\sin^2(x)} \right) + \sin^2(x)^{3/4} (3 \cos(2x) - 5) \sec^4(x) \right)}{32 \sin^2(x)^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(Csc[x] - Sin[x])^(-5/2), x]

[Out] -(Sqrt[Cos[x]\*Cot[x]]\*Sin[x]\*(-3\*ArcTan[(Sin[x]^2)^(1/4)] + 3\*ArcTanh[(Sin[x]^2)^(1/4)] + (-5 + 3\*Cos[2\*x])\*Sec[x]^4\*(Sin[x]^2)^(3/4))\*Tan[x])/(32\*(Sin[x]^2)^(3/4))

**Maple [C]** time = 0.191, size = 382, normalized size = 3.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(csc(x)-sin(x))^(5/2), x)

[Out] 1/64\*2^(1/2)\*(-1+cos(x))\*(3\*I\*cos(x)^4\*EllipticPi(((I\*cos(x)+sin(x)-I)/sin(x))^2, 1/2+1/2\*I, 1/2\*2^(1/2))\*((-I\*cos(x)+sin(x)+I)/sin(x))^(1/2)\*((I\*cos(x)+sin(x)-I)/sin(x))^(1/2)\*(-I\*(-1+cos(x))/sin(x))^(1/2)-3\*I\*cos(x)^4\*EllipticPi(((I\*cos(x)+sin(x)-I)/sin(x))^2, 1/2-1/2\*I, 1/2\*2^(1/2))\*((-I\*cos(x)+sin(x)+I)/sin(x))^(1/2)\*((I\*cos(x)+sin(x)-I)/sin(x))^(1/2)\*(-I\*(-1+cos(x)

$$\frac{1}{(\csc(x) - \sin(x))^{\frac{5}{2}}} dx$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(\csc(x) - \sin(x))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(csc(x)-sin(x))^(5/2),x, algorithm="maxima")

[Out] integrate((csc(x) - sin(x))^(5/2), x)

**Fricas [B]** time = 2.67216, size = 512, normalized size = 5.17

$$6 \arctan\left(\frac{2\sqrt{\frac{\cos(x)^2}{\sin(x)}} \sin(x)}{\cos(x)\sin(x)-\cos(x)}\right) \cos(x)^5 - 3 \cos(x)^5 \log\left(\frac{\cos(x)^3 - 5 \cos(x)^2 - (\cos(x)^2 + 6 \cos(x) + 4) \sin(x) - 4(\cos(x)^2 - (\cos(x) + 1) \sin(x) - 1) \sqrt{\frac{\cos(x)^2}{\sin(x)}} - 2 \cos(x) + 4)}{\cos(x)^3 + 3 \cos(x)^2 - (\cos(x)^2 - 2 \cos(x) - 4) \sin(x) - 2 \cos(x) - 4}\right) \sqrt{\frac{\cos(x)^2}{\sin(x)}} - 2 \cos(x) + 4}{128 \cos(x)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(csc(x)-sin(x))^(5/2),x, algorithm="fricas")

[Out] 
$$-1/128*(6*\arctan(2*\sqrt{\cos(x)^2/\sin(x)}*\sin(x)/(\cos(x)*\sin(x) - \cos(x)))*\cos(x)^5 - 3*\cos(x)^5*\log((\cos(x)^3 - 5*\cos(x)^2 - (\cos(x)^2 + 6*\cos(x) + 4)*\sin(x) - 4*(\cos(x)^2 - (\cos(x) + 1)*\sin(x) - 1)*\sqrt{\cos(x)^2/\sin(x)} - 2*\cos(x) + 4)/(\cos(x)^3 + 3*\cos(x)^2 - (\cos(x)^2 - 2*\cos(x) - 4)*\sin(x) - 2*\cos(x) - 4)) - 8*(3*\cos(x)^4 - 7*\cos(x)^2 + 4)*\sqrt{\cos(x)^2/\sin(x)})/\cos(x)^5$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(csc(x)-sin(x))^(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(\csc(x) - \sin(x))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(csc(x)-sin(x))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((csc(x) - sin(x))^(5/2), x)
```

$$3.321 \quad \int \frac{1}{(\csc(x) - \sin(x))^{7/2}} dx$$

**Optimal.** Leaf size=118

$$-\frac{5 \sec^3(x)}{48\sqrt{\cos(x) \cot(x)}} + \frac{5 \sec(x)}{192\sqrt{\cos(x) \cot(x)}} - \frac{5\sqrt{-\sin(x)} \cot(x) \tan^{-1}(\sqrt{-\sin(x)})}{128\sqrt{\cos(x) \cot(x)}} - \frac{5\sqrt{-\sin(x)} \cot(x) \tanh^{-1}(\sqrt{-\sin(x)})}{128\sqrt{\cos(x) \cot(x)}}$$

```
[Out] (5*Sec[x])/(192*Sqrt[Cos[x]*Cot[x]]) - (5*Sec[x]^3)/(48*Sqrt[Cos[x]*Cot[x]])
- (5*ArcTan[Sqrt[-Sin[x]]]*Cot[x]*Sqrt[-Sin[x]])/(128*Sqrt[Cos[x]*Cot[x]])
- (5*ArcTanh[Sqrt[-Sin[x]]]*Cot[x]*Sqrt[-Sin[x]])/(128*Sqrt[Cos[x]*Cot[x]])
+ (Sec[x]^3*Tan[x]^2)/(6*Sqrt[Cos[x]*Cot[x]])
```

**Rubi [A]** time = 0.179569, antiderivative size = 118, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 10, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.909$ , Rules used = {4397, 4400, 2597, 2599, 2601, 2564, 329, 212, 206, 203}

$$-\frac{5 \sec^3(x)}{48\sqrt{\cos(x) \cot(x)}} + \frac{5 \sec(x)}{192\sqrt{\cos(x) \cot(x)}} - \frac{5\sqrt{-\sin(x)} \cot(x) \tan^{-1}(\sqrt{-\sin(x)})}{128\sqrt{\cos(x) \cot(x)}} - \frac{5\sqrt{-\sin(x)} \cot(x) \tanh^{-1}(\sqrt{-\sin(x)})}{128\sqrt{\cos(x) \cot(x)}}$$

Antiderivative was successfully verified.

```
[In] Int[(Csc[x] - Sin[x])^(-7/2), x]
```

```
[Out] (5*Sec[x])/(192*Sqrt[Cos[x]*Cot[x]]) - (5*Sec[x]^3)/(48*Sqrt[Cos[x]*Cot[x]])
- (5*ArcTan[Sqrt[-Sin[x]]]*Cot[x]*Sqrt[-Sin[x]])/(128*Sqrt[Cos[x]*Cot[x]])
- (5*ArcTanh[Sqrt[-Sin[x]]]*Cot[x]*Sqrt[-Sin[x]])/(128*Sqrt[Cos[x]*Cot[x]])
+ (Sec[x]^3*Tan[x]^2)/(6*Sqrt[Cos[x]*Cot[x]])
```

#### Rule 4397

```
Int[u_, x_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]
```

#### Rule 4400

```
Int[(u_.)*((v_)^(m_.)*(w_)^(n_.))^p_, x_Symbol] := With[{uu = ActivateTrig[u], vv = ActivateTrig[v], ww = ActivateTrig[w]}, Dist[(vv^m*ww^n)^FracPart[p]/(vv^(m*FracPart[p])*ww^(n*FracPart[p])), Int[uu*vv^(m*p)*ww^(n*p), x], x] /; FreeQ[{m, n, p}, x] && !IntegerQ[p] && (!InertTrigFreeQ[v] || !InertTrigFreeQ[w])
```

#### Rule 2597

```
Int[((a_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((b_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[((a*SIN[e + f*x])^m*(b*TAN[e + f*x])^(n + 1))/(b*f*(m + n + 1)), x] - Dist[(n + 1)/(b^2*(m + n + 1)), Int[(a*SIN[e + f*x])^m*(b*TAN[e + f*x])^(n + 2), x], x] /; FreeQ[{a, b, e, f, m}, x] && LtQ[n, -1] && NeQ[m + n + 1, 0] && IntegersQ[2*m, 2*n] && !(EqQ[n, -3/2] && EqQ[m, 1])
```

#### Rule 2599

```
Int[((a_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((b_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[(b*(a*SIN[e + f*x])^(m + 2)*(b*TAN[e + f*x])^(n - 1))/(a^2*f*(m + n + 1)), x] + Dist[(m + 2)/(a^2*(m + n + 1)), Int[(a*SIN[e + f*x])^(m + 2)*(b*TAN[e + f*x])^n, x], x] /; FreeQ[{a, b, e, f, n}, x] && LtQ[m, -1] && NeQ[m + n + 1, 0] && IntegersQ[2*m, 2*n]
```

Rule 2601

Int[((a\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := Dist[(Cos[e + f\*x]^n\*(b\*Tan[e + f\*x]^n)/(a\*Sin[e + f\*x])^n, Int[(a\*Sin[e + f\*x])^(m + n)/Cos[e + f\*x]^n, x], x] /; FreeQ[{a, b, e, f, m, n}, x] && !IntegerQ[n] && (ILtQ[m, 0] || (EqQ[m, 1] && EqQ[n, -2^(-1)])) || IntegersQ[m - 1/2, n - 1/2])

Rule 2564

Int[cos[(e\_.) + (f\_.)\*(x\_)]^(n\_.)\*((a\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.), x\_Symbol] := Dist[1/(a\*f), Subst[Int[x^m\*(1 - x^2/a^2)^((n - 1)/2), x], x, a\*Sin[e + f\*x], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n - 1)/2] && !(IntegerQ[(m - 1)/2] && LtQ[0, m, n])

Rule 329

Int[((c\_.)\*(x\_))^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k\*(m + 1) - 1)\*(a + (b\*x^(k\*n)))/c^n]^p, x], x, (c\*x)^(1/k)], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 212

Int[((a\_) + (b\_.)\*(x\_)^4)^(-1), x\_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2\*a), Int[1/(r - s\*x^2), x], x] + Dist[r/(2\*a), Int[1/(r + s\*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]]/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]]/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{1}{(\csc(x) - \sin(x))^{7/2}} dx &= \int \frac{1}{(\cos(x) \cot(x))^{7/2}} dx \\
&= \frac{\int \frac{1}{\cos^{\frac{7}{2}}(x) \cot^{\frac{7}{2}}(x)} dx}{\sqrt{\cos(x) \cot(x)}} \\
&= \frac{\sec^3(x) \tan^2(x)}{6\sqrt{\cos(x) \cot(x)}} - \frac{(5\sqrt{\cos(x)}\sqrt{\cot(x)}) \int \frac{1}{\cos^{\frac{7}{2}}(x) \cot^{\frac{3}{2}}(x)} dx}{12\sqrt{\cos(x) \cot(x)}} \\
&= -\frac{5 \sec^3(x)}{48\sqrt{\cos(x) \cot(x)}} + \frac{\sec^3(x) \tan^2(x)}{6\sqrt{\cos(x) \cot(x)}} + \frac{(5\sqrt{\cos(x)}\sqrt{\cot(x)}) \int \frac{\sqrt{\cot(x)}}{\cos^{\frac{7}{2}}(x)} dx}{96\sqrt{\cos(x) \cot(x)}} \\
&= \frac{5 \sec(x)}{192\sqrt{\cos(x) \cot(x)}} - \frac{5 \sec^3(x)}{48\sqrt{\cos(x) \cot(x)}} + \frac{\sec^3(x) \tan^2(x)}{6\sqrt{\cos(x) \cot(x)}} + \frac{(5\sqrt{\cos(x)}\sqrt{\cot(x)}) \int \frac{\sqrt{\cot(x)}}{\cos^{\frac{3}{2}}(x)} dx}{128\sqrt{\cos(x) \cot(x)}} \\
&= \frac{5 \sec(x)}{192\sqrt{\cos(x) \cot(x)}} - \frac{5 \sec^3(x)}{48\sqrt{\cos(x) \cot(x)}} + \frac{\sec^3(x) \tan^2(x)}{6\sqrt{\cos(x) \cot(x)}} + \frac{(5 \cot(x) \sqrt{-\sin(x)}) \int \frac{\sec(x)}{\sqrt{-\sin(x)}} dx}{128\sqrt{\cos(x) \cot(x)}} \\
&= \frac{5 \sec(x)}{192\sqrt{\cos(x) \cot(x)}} - \frac{5 \sec^3(x)}{48\sqrt{\cos(x) \cot(x)}} + \frac{\sec^3(x) \tan^2(x)}{6\sqrt{\cos(x) \cot(x)}} - \frac{(5 \cot(x) \sqrt{-\sin(x)}) \text{Subst} \left( \int \frac{\sec(x)}{\sqrt{-\sin(x)}} dx \right)}{128\sqrt{\cos(x) \cot(x)}} \\
&= \frac{5 \sec(x)}{192\sqrt{\cos(x) \cot(x)}} - \frac{5 \sec^3(x)}{48\sqrt{\cos(x) \cot(x)}} + \frac{\sec^3(x) \tan^2(x)}{6\sqrt{\cos(x) \cot(x)}} - \frac{(5 \cot(x) \sqrt{-\sin(x)}) \text{Subst} \left( \int \frac{\sec(x)}{\sqrt{-\sin(x)}} dx \right)}{64\sqrt{\cos(x) \cot(x)}} \\
&= \frac{5 \sec(x)}{192\sqrt{\cos(x) \cot(x)}} - \frac{5 \sec^3(x)}{48\sqrt{\cos(x) \cot(x)}} + \frac{\sec^3(x) \tan^2(x)}{6\sqrt{\cos(x) \cot(x)}} - \frac{(5 \cot(x) \sqrt{-\sin(x)}) \text{Subst} \left( \int \frac{\sec(x)}{\sqrt{-\sin(x)}} dx \right)}{128\sqrt{\cos(x) \cot(x)}} \\
&= \frac{5 \sec(x)}{192\sqrt{\cos(x) \cot(x)}} - \frac{5 \sec^3(x)}{48\sqrt{\cos(x) \cot(x)}} - \frac{5 \tan^{-1}(\sqrt{-\sin(x)}) \cot(x) \sqrt{-\sin(x)}}{128\sqrt{\cos(x) \cot(x)}} - \frac{5 \tanh^{-1}(\sqrt{\sin^2(x)})}{128\sqrt{\cos(x) \cot(x)}}
\end{aligned}$$

**Mathematica [A]** time = 0.267902, size = 74, normalized size = 0.63

$$\frac{2 \sqrt[4]{\sin^2(x)} \sec(x) (32 \sec^4(x) - 52 \sec^2(x) + 5) + 15 \cos(x) \tan^{-1} \left( \sqrt[4]{\sin^2(x)} \right) + 15 \cos(x) \tanh^{-1} \left( \sqrt[4]{\sin^2(x)} \right)}{384 \sqrt[4]{\sin^2(x)} \sqrt{\cos(x) \cot(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Csc[x] - Sin[x])^(-7/2), x]

[Out] (15\*ArcTan[(Sin[x]^2)^(1/4)]\*Cos[x] + 15\*ArcTanh[(Sin[x]^2)^(1/4)]\*Cos[x] + 2\*Sec[x]\*(5 - 52\*Sec[x]^2 + 32\*Sec[x]^4)\*(Sin[x]^2)^(1/4))/(384\*Sqrt[Cos[x]\*Cot[x]]\*(Sin[x]^2)^(1/4))

**Maple [C]** time = 0.227, size = 487, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(csc(x)-sin(x))^(7/2), x)



```
[Out] -1/768*2^(1/2)*(-1+cos(x))*(15*I*sin(x)*((-I*cos(x)+sin(x)+I)/sin(x))^(1/2)
*((I*cos(x)+sin(x)-I)/sin(x))^(1/2)*(-I*(-1+cos(x))/sin(x))^(1/2)*cos(x)^6*
EllipticPi(((I*cos(x)+sin(x)-I)/sin(x))^(1/2),1/2+1/2*I,1/2*2^(1/2))+15*I*s
in(x)*((-I*cos(x)+sin(x)+I)/sin(x))^(1/2)*((I*cos(x)+sin(x)-I)/sin(x))^(1/2)
)*(-I*(-1+cos(x))/sin(x))^(1/2)*cos(x)^6*EllipticPi(((I*cos(x)+sin(x)-I)/si
n(x))^(1/2),1/2-1/2*I,1/2*2^(1/2))-30*I*sin(x)*((-I*cos(x)+sin(x)+I)/sin(x)
)^(1/2)*((I*cos(x)+sin(x)-I)/sin(x))^(1/2)*(-I*(-1+cos(x))/sin(x))^(1/2)*co
s(x)^6*EllipticF(((I*cos(x)+sin(x)-I)/sin(x))^(1/2),1/2*2^(1/2))+15*sin(x)*
cos(x)^6*((I*cos(x)+sin(x)-I)/sin(x))^(1/2)*((-I*cos(x)+sin(x)+I)/sin(x))^(
1/2)*(-I*(-1+cos(x))/sin(x))^(1/2)*EllipticPi(((I*cos(x)+sin(x)-I)/sin(x))^(
1/2),1/2+1/2*I,1/2*2^(1/2))-15*sin(x)*cos(x)^6*((I*cos(x)+sin(x)-I)/sin(x)
)^(1/2)*((-I*cos(x)+sin(x)+I)/sin(x))^(1/2)*(-I*(-1+cos(x))/sin(x))^(1/2)*E
llipticPi(((I*cos(x)+sin(x)-I)/sin(x))^(1/2),1/2-1/2*I,1/2*2^(1/2))-10*2^(1
/2)*cos(x)^5+10*2^(1/2)*cos(x)^4+104*cos(x)^3*2^(1/2)-104*cos(x)^2*2^(1/2)-
64*cos(x)*2^(1/2)+64*2^(1/2))*cos(x)*(1+cos(x))^2/sin(x)^7/(cos(x)^2/sin(x)
)^(7/2)
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(\csc(x) - \sin(x))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(csc(x)-sin(x))^(7/2),x, algorithm="maxima")
```

```
[Out] integrate((csc(x) - sin(x))^(7/2), x)
```

**Fricas [A]** time = 2.60421, size = 528, normalized size = 4.47

$$\frac{30 \arctan\left(\frac{2\sqrt{\frac{\cos(x)^2}{\sin(x)}} \sin(x)}{\cos(x)\sin(x)-\cos(x)}\right) \cos(x)^7 - 15 \cos(x)^7 \log\left(\frac{\cos(x)^3 - 5 \cos(x)^2 - (\cos(x)^2 + 6 \cos(x) + 4) \sin(x) + 4(\cos(x)^2 - (\cos(x) + 1) \sin(x) - 1) \sqrt{\cos(x)^2/\sin(x)} - 2 \cos(x) + 4)}{\cos(x)^3 + 3 \cos(x)^2 - (\cos(x)^2 - 2 \cos(x) - 4) \sin(x) - 2 \cos(x) - 4}\right)}{1536 \cos(x)^7}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(csc(x)-sin(x))^(7/2),x, algorithm="fricas")
```

```
[Out] -1/1536*(30*arctan(2*sqrt(cos(x)^2/sin(x))*sin(x)/(cos(x)*sin(x) - cos(x)))
*cos(x)^7 - 15*cos(x)^7*log((cos(x)^3 - 5*cos(x)^2 - (cos(x)^2 + 6*cos(x) +
4)*sin(x) + 4*(cos(x)^2 - (cos(x) + 1)*sin(x) - 1)*sqrt(cos(x)^2/sin(x)) -
2*cos(x) + 4)/(cos(x)^3 + 3*cos(x)^2 - (cos(x)^2 - 2*cos(x) - 4)*sin(x) -
2*cos(x) - 4)) - 8*(5*cos(x)^4 - 52*cos(x)^2 + 32)*sqrt(cos(x)^2/sin(x))*si
n(x))/cos(x)^7
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(csc(x)-sin(x))**(7/2),x)
```

```
[Out] Timed out
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(\csc(x) - \sin(x))^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(csc(x)-sin(x))^(7/2),x, algorithm="giac")
```

```
[Out] integrate((csc(x) - sin(x))^(7/2), x)
```

### 3.322 $\int (-\cos(x) + \sec(x))^4 dx$

**Optimal.** Leaf size=44

$$\frac{35x}{8} + \frac{35 \tan^3(x)}{24} - \frac{35 \tan(x)}{8} - \frac{1}{4} \sin^4(x) \tan^3(x) - \frac{7}{8} \sin^2(x) \tan^3(x)$$

[Out] (35\*x)/8 - (35\*Tan[x])/8 + (35\*Tan[x]^3)/24 - (7\*Sin[x]^2\*Tan[x]^3)/8 - (Sin[x]^4\*Tan[x]^3)/4

**Rubi [A]** time = 0.0307354, antiderivative size = 44, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 3, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {288, 302, 203}

$$\frac{35x}{8} + \frac{35 \tan^3(x)}{24} - \frac{35 \tan(x)}{8} - \frac{1}{4} \sin^4(x) \tan^3(x) - \frac{7}{8} \sin^2(x) \tan^3(x)$$

Antiderivative was successfully verified.

[In] Int[(-Cos[x] + Sec[x])^4,x]

[Out] (35\*x)/8 - (35\*Tan[x])/8 + (35\*Tan[x]^3)/24 - (7\*Sin[x]^2\*Tan[x]^3)/8 - (Sin[x]^4\*Tan[x]^3)/4

#### Rule 288

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*n\*(p + 1)), x] - Dist[(c^n\*(m - n + 1))/(b\*n\*(p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m + 1, n] && !ILtQ[(m + n\*(p + 1) + 1)/n, 0] && IntBinomialQ[a, b, c, n, m, p, x]

#### Rule 302

Int[(x\_)^(m\_)/((a\_) + (b\_.)\*(x\_)^(n\_)), x\_Symbol] := Int[PolynomialDivide[x^m, a + b\*x^n, x], x] /; FreeQ[{a, b}, x] && IGtQ[m, 0] && IGtQ[n, 0] && GtQ[m, 2\*n - 1]

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned}
\int (-\cos(x) + \sec(x))^4 dx &= \text{Subst} \left( \int \frac{x^8}{(1+x^2)^3} dx, x, \tan(x) \right) \\
&= -\frac{1}{4} \sin^4(x) \tan^3(x) + \frac{7}{4} \text{Subst} \left( \int \frac{x^6}{(1+x^2)^2} dx, x, \tan(x) \right) \\
&= -\frac{7}{8} \sin^2(x) \tan^3(x) - \frac{1}{4} \sin^4(x) \tan^3(x) + \frac{35}{8} \text{Subst} \left( \int \frac{x^4}{1+x^2} dx, x, \tan(x) \right) \\
&= -\frac{7}{8} \sin^2(x) \tan^3(x) - \frac{1}{4} \sin^4(x) \tan^3(x) + \frac{35}{8} \text{Subst} \left( \int \left( -1 + x^2 + \frac{1}{1+x^2} \right) dx, x, \tan(x) \right) \\
&= -\frac{35 \tan(x)}{8} + \frac{35 \tan^3(x)}{24} - \frac{7}{8} \sin^2(x) \tan^3(x) - \frac{1}{4} \sin^4(x) \tan^3(x) + \frac{35}{8} \text{Subst} \left( \int \frac{1}{1+x^2} dx, x, \tan(x) \right) \\
&= \frac{35x}{8} - \frac{35 \tan(x)}{8} + \frac{35 \tan^3(x)}{24} - \frac{7}{8} \sin^2(x) \tan^3(x) - \frac{1}{4} \sin^4(x) \tan^3(x)
\end{aligned}$$

**Mathematica [A]** time = 0.0323595, size = 38, normalized size = 0.86

$$\frac{35x}{8} - \frac{3}{4} \sin(2x) + \frac{1}{32} \sin(4x) - \frac{10 \tan(x)}{3} + \frac{1}{3} \tan(x) \sec^2(x)$$

Antiderivative was successfully verified.

[In] Integrate[(-Cos[x] + Sec[x])^4, x]

[Out] (35\*x)/8 - (3\*Sin[2\*x])/4 + Sin[4\*x]/32 - (10\*Tan[x])/3 + (Sec[x]^2\*Tan[x])/3

**Maple [A]** time = 0.023, size = 40, normalized size = 0.9

$$-\left(\frac{2}{3} - \frac{(\sec(x))^2}{3}\right) \tan(x) - 4 \tan(x) + \frac{35x}{8} - 2 \cos(x) \sin(x) + \frac{\sin(x)}{4} \left( (\cos(x))^3 + \frac{3 \cos(x)}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-cos(x)+sec(x))^4,x)

[Out] -(-2/3-1/3\*sec(x)^2)\*tan(x)-4\*tan(x)+35/8\*x-2\*cos(x)\*sin(x)+1/4\*(cos(x)^3+3/2\*cos(x))\*sin(x)

**Maxima [A]** time = 0.978038, size = 35, normalized size = 0.8

$$\frac{1}{3} \tan(x)^3 + \frac{35}{8} x + \frac{1}{32} \sin(4x) - \frac{3}{4} \sin(2x) - 3 \tan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(x)+sec(x))^4,x, algorithm="maxima")

[Out] 1/3\*tan(x)^3 + 35/8\*x + 1/32\*sin(4\*x) - 3/4\*sin(2\*x) - 3\*tan(x)

---

**Fricas [A]** time = 2.10209, size = 116, normalized size = 2.64

$$\frac{105 x \cos(x)^3 + (6 \cos(x)^6 - 39 \cos(x)^4 - 80 \cos(x)^2 + 8) \sin(x)}{24 \cos(x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(x)+sec(x))^4,x, algorithm="fricas")

[Out] 1/24\*(105\*x\*cos(x)^3 + (6\*cos(x)^6 - 39\*cos(x)^4 - 80\*cos(x)^2 + 8)\*sin(x)) /cos(x)^3

---

**Sympy [A]** time = 32.1363, size = 44, normalized size = 1.

$$\frac{35x}{8} - 2 \sin(x) \cos(x) - \frac{4 \sin(x)}{\cos(x)} + \frac{\sin(2x)}{4} + \frac{\sin(4x)}{32} + \frac{\tan^3(x)}{3} + \tan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(x)+sec(x))\*\*4,x)

[Out] 35\*x/8 - 2\*sin(x)\*cos(x) - 4\*sin(x)/cos(x) + sin(2\*x)/4 + sin(4\*x)/32 + tan(x)\*\*3/3 + tan(x)

---

**Giac [A]** time = 1.14325, size = 47, normalized size = 1.07

$$\frac{1}{3} \tan(x)^3 + \frac{35}{8} x - \frac{13 \tan(x)^3 + 11 \tan(x)}{8 (\tan(x)^2 + 1)^2} - 3 \tan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(x)+sec(x))^4,x, algorithm="giac")

[Out] 1/3\*tan(x)^3 + 35/8\*x - 1/8\*(13\*tan(x)^3 + 11\*tan(x))/(tan(x)^2 + 1)^2 - 3\*tan(x)

### 3.323 $\int (-\cos(x) + \sec(x))^3 dx$

**Optimal.** Leaf size=34

$$\frac{5 \sin^3(x)}{6} + \frac{5 \sin(x)}{2} + \frac{1}{2} \sin^3(x) \tan^2(x) - \frac{5}{2} \tanh^{-1}(\sin(x))$$

[Out]  $(-5 \operatorname{ArcTanh}[\sin(x)])/2 + (5 \sin(x))/2 + (5 \sin(x)^3)/6 + (\sin(x)^3 \tan(x)^2)/2$

**Rubi [A]** time = 0.0415915, antiderivative size = 34, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.556$ , Rules used = {4397, 2592, 288, 302, 206}

$$\frac{5 \sin^3(x)}{6} + \frac{5 \sin(x)}{2} + \frac{1}{2} \sin^3(x) \tan^2(x) - \frac{5}{2} \tanh^{-1}(\sin(x))$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(-\cos(x) + \sec(x))^3, x]$

[Out]  $(-5 \operatorname{ArcTanh}[\sin(x)])/2 + (5 \sin(x))/2 + (5 \sin(x)^3)/6 + (\sin(x)^3 \tan(x)^2)/2$

#### Rule 4397

$\operatorname{Int}[u_, x\_Symbol] \rightarrow \operatorname{Int}[\operatorname{TrigSimplify}[u], x] /; \operatorname{TrigSimplifyQ}[u]$

#### Rule 2592

$\operatorname{Int}[(a \sin(e + f x) + (f x))^{m+1} \tan(e + f x)^n, x\_Symbol] \rightarrow \operatorname{With}\{\{ff = \operatorname{FreeFactors}[\sin[e + f x], x]\}, \operatorname{Dist}[ff/f, \operatorname{Subst}[\operatorname{Int}[(ff x)^{m+n}/(a^2 - ff^2 x^2)^{(n+1)/2}, x], x, (a \sin[e + f x])/ff], x] /; \operatorname{FreeQ}\{a, e, f, m\}, x\} \&\& \operatorname{IntegerQ}[(n+1)/2]$

#### Rule 288

$\operatorname{Int}[(c x)^m (a + b x^n)^p, x\_Symbol] \rightarrow \operatorname{Simp}[(c^{n-1} (c x)^{m-n+1} (a + b x^n)^{p+1})/(b n (p+1)), x] - \operatorname{Dist}[(c^n (m-n+1))/(b n (p+1)), \operatorname{Int}[(c x)^{m-n} (a + b x^n)^{p+1}, x], x] /; \operatorname{FreeQ}\{a, b, c\}, x\} \&\& \operatorname{IGtQ}[n, 0] \&\& \operatorname{LtQ}[p, -1] \&\& \operatorname{GtQ}[m+1, n] \&\& \operatorname{!IntegerQ}[m+n(p+1)+1/n, 0] \&\& \operatorname{IntBinomialQ}[a, b, c, n, m, p, x]$

#### Rule 302

$\operatorname{Int}(x^m / (a + b x^n), x\_Symbol) \rightarrow \operatorname{Int}[\operatorname{PolynomialDivide}[x^m, a + b x^n, x], x] /; \operatorname{FreeQ}\{a, b\}, x\} \&\& \operatorname{IGtQ}[m, 0] \&\& \operatorname{IGtQ}[n, 0] \&\& \operatorname{GtQ}[m, 2n-1]$

#### Rule 206

$\operatorname{Int}((a + b x^2)^{-1}, x\_Symbol) \rightarrow \operatorname{Simp}[(1 \operatorname{ArcTanh}[\operatorname{Rt}[-b, 2] x] / \operatorname{Rt}[a, 2]) / (\operatorname{Rt}[a, 2] \operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x\} \&\& \operatorname{NegQ}[a/b] \&\& (\operatorname{GtQ}[a, 0] \operatorname{!IntegerQ}[b, 0])$

Rubi steps

$$\begin{aligned}
\int (-\cos(x) + \sec(x))^3 dx &= \int \sin^3(x) \tan^3(x) dx \\
&= \text{Subst} \left( \int \frac{x^6}{(1-x^2)^2} dx, x, \sin(x) \right) \\
&= \frac{1}{2} \sin^3(x) \tan^2(x) - \frac{5}{2} \text{Subst} \left( \int \frac{x^4}{1-x^2} dx, x, \sin(x) \right) \\
&= \frac{1}{2} \sin^3(x) \tan^2(x) - \frac{5}{2} \text{Subst} \left( \int \left( -1 - x^2 + \frac{1}{1-x^2} \right) dx, x, \sin(x) \right) \\
&= \frac{5 \sin(x)}{2} + \frac{5 \sin^3(x)}{6} + \frac{1}{2} \sin^3(x) \tan^2(x) - \frac{5}{2} \text{Subst} \left( \int \frac{1}{1-x^2} dx, x, \sin(x) \right) \\
&= -\frac{5}{2} \tanh^{-1}(\sin(x)) + \frac{5 \sin(x)}{2} + \frac{5 \sin^3(x)}{6} + \frac{1}{2} \sin^3(x) \tan^2(x)
\end{aligned}$$

**Mathematica [A]** time = 0.0106327, size = 38, normalized size = 1.12

$$-\frac{1}{3} \sin^3(x) \tan^2(x) - \frac{5}{3} \sin(x) \tan^2(x) - \frac{5}{2} \tanh^{-1}(\sin(x)) + \frac{5}{2} \tan(x) \sec(x)$$

Antiderivative was successfully verified.

[In] Integrate[(-Cos[x] + Sec[x])^3, x]

[Out] (-5\*ArcTanh[Sin[x]])/2 + (5\*Sec[x]\*Tan[x])/2 - (5\*Sin[x]\*Tan[x]^2)/3 - (Sin[x]^3\*Tan[x]^2)/3

**Maple [A]** time = 0.022, size = 30, normalized size = 0.9

$$\frac{\sec(x) \tan(x)}{2} - \frac{5 \ln(\sec(x) + \tan(x))}{2} + 3 \sin(x) - \frac{(2 + (\cos(x))^2) \sin(x)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-cos(x)+sec(x))^3,x)

[Out] 1/2\*sec(x)\*tan(x)-5/2\*ln(sec(x)+tan(x))+3\*sin(x)-1/3\*(2+cos(x)^2)\*sin(x)

**Maxima [A]** time = 0.989054, size = 50, normalized size = 1.47

$$\frac{1}{3} \sin^3(x) - \frac{\sin(x)}{2(\sin^2(x) - 1)} - \frac{5}{4} \log(\sin(x) + 1) + \frac{5}{4} \log(\sin(x) - 1) + 2 \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(x)+sec(x))^3,x, algorithm="maxima")

[Out] 1/3\*sin(x)^3 - 1/2\*sin(x)/(sin(x)^2 - 1) - 5/4\*log(sin(x) + 1) + 5/4\*log(sin(x) - 1) + 2\*sin(x)

**Fricas [A]** time = 2.27556, size = 161, normalized size = 4.74

$$\frac{15 \cos(x)^2 \log(\sin(x) + 1) - 15 \cos(x)^2 \log(-\sin(x) + 1) + 2(2 \cos(x)^4 - 14 \cos(x)^2 - 3) \sin(x)}{12 \cos(x)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(x)+sec(x))^3,x, algorithm="fricas")

[Out] -1/12\*(15\*cos(x)^2\*log(sin(x) + 1) - 15\*cos(x)^2\*log(-sin(x) + 1) + 2\*(2\*cos(x)^4 - 14\*cos(x)^2 - 3)\*sin(x))/cos(x)^2

**Sympy [A]** time = 8.17225, size = 42, normalized size = 1.24

$$\frac{5 \log(\sin(x) - 1)}{4} - \frac{5 \log(\sin(x) + 1)}{4} + \frac{\sin^3(x)}{3} + 2 \sin(x) - \frac{\sin(x)}{2 \sin^2(x) - 2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(x)+sec(x))\*\*3,x)

[Out] 5\*log(sin(x) - 1)/4 - 5\*log(sin(x) + 1)/4 + sin(x)\*\*3/3 + 2\*sin(x) - sin(x)/(2\*sin(x)\*\*2 - 2)

**Giac [A]** time = 1.16285, size = 53, normalized size = 1.56

$$\frac{1}{3} \sin(x)^3 - \frac{\sin(x)}{2(\sin(x)^2 - 1)} - \frac{5}{4} \log(\sin(x) + 1) + \frac{5}{4} \log(-\sin(x) + 1) + 2 \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(x)+sec(x))^3,x, algorithm="giac")

[Out] 1/3\*sin(x)^3 - 1/2\*sin(x)/(sin(x)^2 - 1) - 5/4\*log(sin(x) + 1) + 5/4\*log(-sin(x) + 1) + 2\*sin(x)



### 3.324 $\int (-\cos(x) + \sec(x))^2 dx$

**Optimal.** Leaf size=22

$$-\frac{3x}{2} + \frac{3 \tan(x)}{2} - \frac{1}{2} \sin^2(x) \tan(x)$$

[Out]  $(-3*x)/2 + (3*\text{Tan}[x])/2 - (\text{Sin}[x]^2*\text{Tan}[x])/2$

**Rubi [A]** time = 0.0205319, antiderivative size = 22, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {288, 321, 203}

$$-\frac{3x}{2} + \frac{3 \tan(x)}{2} - \frac{1}{2} \sin^2(x) \tan(x)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(-\text{Cos}[x] + \text{Sec}[x])^2, x]$

[Out]  $(-3*x)/2 + (3*\text{Tan}[x])/2 - (\text{Sin}[x]^2*\text{Tan}[x])/2$

#### Rule 288

$\text{Int}[(c_*)(x_*)^{(m_*)}((a_*) + (b_*)(x_*)^{(n_*)})^{(p_*)}, x\_Symbol] \rightarrow \text{Simp}[(c^{(n-1)}(c*x)^{(m-n+1)}(a + b*x^n)^{(p+1)})/(b*n*(p+1)), x] - \text{Dist}[(c^{n*(m-n+1)})/(b*n*(p+1)), \text{Int}[(c*x)^{(m-n)}(a + b*x^n)^{(p+1)}, x], x] /;$  FreeQ[{a, b, c}, x] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m + 1, n] && !I LtQ[(m + n\*(p + 1) + 1)/n, 0] && IntBinomialQ[a, b, c, n, m, p, x]

#### Rule 321

$\text{Int}[(c_*)(x_*)^{(m_*)}((a_*) + (b_*)(x_*)^{(n_*)})^{(p_*)}, x\_Symbol] \rightarrow \text{Simp}[(c^{(n-1)}(c*x)^{(m-n+1)}(a + b*x^n)^{(p+1)})/(b*(m+n*p+1)), x] - \text{Dist}[(a*c^n*(m-n+1))/(b*(m+n*p+1)), \text{Int}[(c*x)^{(m-n)}(a + b*x^n)^p, x], x] /;$  FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n\*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

#### Rule 203

$\text{Int}[(a_*) + (b_*)(x_*)^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTan}[(\text{Rt}[b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /;$  FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int (-\cos(x) + \sec(x))^2 dx &= \text{Subst} \left( \int \frac{x^4}{(1+x^2)^2} dx, x, \tan(x) \right) \\ &= -\frac{1}{2} \sin^2(x) \tan(x) + \frac{3}{2} \text{Subst} \left( \int \frac{x^2}{1+x^2} dx, x, \tan(x) \right) \\ &= \frac{3 \tan(x)}{2} - \frac{1}{2} \sin^2(x) \tan(x) - \frac{3}{2} \text{Subst} \left( \int \frac{1}{1+x^2} dx, x, \tan(x) \right) \\ &= -\frac{3x}{2} + \frac{3 \tan(x)}{2} - \frac{1}{2} \sin^2(x) \tan(x) \end{aligned}$$

**Mathematica [A]** time = 0.0177295, size = 16, normalized size = 0.73

$$-\frac{3x}{2} + \frac{1}{4} \sin(2x) + \tan(x)$$

Antiderivative was successfully verified.

[In] Integrate[(-Cos[x] + Sec[x])^2,x]

[Out] (-3\*x)/2 + Sin[2\*x]/4 + Tan[x]

---

**Maple [A]** time = 0.016, size = 13, normalized size = 0.6

$$\tan(x) - \frac{3x}{2} + \frac{\cos(x)\sin(x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-cos(x)+sec(x))^2,x)

[Out] tan(x)-3/2\*x+1/2\*cos(x)\*sin(x)

---

**Maxima [A]** time = 0.973503, size = 16, normalized size = 0.73

$$-\frac{3}{2}x + \frac{1}{4} \sin(2x) + \tan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(x)+sec(x))^2,x, algorithm="maxima")

[Out] -3/2\*x + 1/4\*sin(2\*x) + tan(x)

---

**Fricas [A]** time = 2.06675, size = 68, normalized size = 3.09

$$-\frac{3x \cos(x) - (\cos(x)^2 + 2) \sin(x)}{2 \cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(x)+sec(x))^2,x, algorithm="fricas")

[Out] -1/2\*(3\*x\*cos(x) - (cos(x)^2 + 2)\*sin(x))/cos(x)

---

**Sympy [A]** time = 2.5935, size = 14, normalized size = 0.64

$$-\frac{3x}{2} + \frac{\sin(2x)}{4} + \tan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-cos(x)+sec(x))**2,x)
```

```
[Out] -3*x/2 + sin(2*x)/4 + tan(x)
```

---

**Giac [A]** time = 1.15956, size = 24, normalized size = 1.09

$$-\frac{3}{2}x + \frac{\tan(x)}{2(\tan(x)^2 + 1)} + \tan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-cos(x)+sec(x))^2,x, algorithm="giac")
```

```
[Out] -3/2*x + 1/2*tan(x)/(tan(x)^2 + 1) + tan(x)
```

### 3.325 $\int (-\cos(x) + \sec(x)) dx$

**Optimal.** Leaf size=8

$$\tanh^{-1}(\sin(x)) - \sin(x)$$

[Out] ArcTanh[Sin[x]] - Sin[x]

**Rubi [A]** time = 0.004773, antiderivative size = 8, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2637, 3770}

$$\tanh^{-1}(\sin(x)) - \sin(x)$$

Antiderivative was successfully verified.

[In] Int[-Cos[x] + Sec[x], x]

[Out] ArcTanh[Sin[x]] - Sin[x]

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := Simp[Sin[c + d\*x]/d, x] /;  
FreeQ[{c, d}, x]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /;  
FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int (-\cos(x) + \sec(x)) dx &= -\int \cos(x) dx + \int \sec(x) dx \\ &= \tanh^{-1}(\sin(x)) - \sin(x) \end{aligned}$$

**Mathematica [B]** time = 0.0042199, size = 37, normalized size = 4.62

$$-\sin(x) - \log\left(\cos\left(\frac{x}{2}\right) - \sin\left(\frac{x}{2}\right)\right) + \log\left(\sin\left(\frac{x}{2}\right) + \cos\left(\frac{x}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[-Cos[x] + Sec[x], x]

[Out] -Log[Cos[x/2] - Sin[x/2]] + Log[Cos[x/2] + Sin[x/2]] - Sin[x]

**Maple [A]** time = 0.002, size = 12, normalized size = 1.5

$$-\sin(x) + \ln(\sec(x) + \tan(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-cos(x)+sec(x),x)`

[Out] `-sin(x)+ln(sec(x)+tan(x))`

**Maxima [A]** time = 0.995348, size = 15, normalized size = 1.88

$$\log(\sec(x) + \tan(x)) - \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(-cos(x)+sec(x),x, algorithm="maxima")`

[Out] `log(sec(x) + tan(x)) - sin(x)`

**Fricas [B]** time = 2.11805, size = 72, normalized size = 9.

$$\frac{1}{2} \log(\sin(x) + 1) - \frac{1}{2} \log(-\sin(x) + 1) - \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(-cos(x)+sec(x),x, algorithm="fricas")`

[Out] `1/2*log(sin(x) + 1) - 1/2*log(-sin(x) + 1) - sin(x)`

**Sympy [B]** time = 0.110682, size = 19, normalized size = 2.38

$$-\frac{\log(\sin(x) - 1)}{2} + \frac{\log(\sin(x) + 1)}{2} - \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(-cos(x)+sec(x),x)`

[Out] `-log(sin(x) - 1)/2 + log(sin(x) + 1)/2 - sin(x)`

**Giac [B]** time = 1.14779, size = 39, normalized size = 4.88

$$\frac{1}{4} \log\left(\left|\frac{1}{\sin(x)} + \sin(x) + 2\right|\right) - \frac{1}{4} \log\left(\left|\frac{1}{\sin(x)} + \sin(x) - 2\right|\right) - \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(-cos(x)+sec(x),x, algorithm="giac")`

[Out] `1/4*log(abs(1/sin(x) + sin(x) + 2)) - 1/4*log(abs(1/sin(x) + sin(x) - 2)) - sin(x)`

$$3.326 \quad \int \frac{1}{-\cos(x) + \sec(x)} dx$$

**Optimal.** Leaf size=4

$$-\csc(x)$$

[Out] -Csc[x]

**Rubi [A]** time = 0.0175251, antiderivative size = 4, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4397, 2606, 8}

$$-\csc(x)$$

Antiderivative was successfully verified.

[In] Int[(-Cos[x] + Sec[x])^(-1), x]

[Out] -Csc[x]

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 2606

Int[((a\_.)\*sec[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := Dist[a/f, Subst[Int[(a\*x)^(m - 1)\*(-1 + x^2)^((n - 1)/2), x], x, Sec[e + f\*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n - 1)/2] && !(IntegerQ[m/2] && LtQ[0, m, n + 1])

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned} \int \frac{1}{-\cos(x) + \sec(x)} dx &= \int \cot(x) \csc(x) dx \\ &= -\text{Subst}\left(\int 1 dx, x, \csc(x)\right) \\ &= -\csc(x) \end{aligned}$$

**Mathematica [A]** time = 0.0026784, size = 4, normalized size = 1.

$$-\csc(x)$$

Antiderivative was successfully verified.

[In] Integrate[(-Cos[x] + Sec[x])^(-1), x]

[Out] -Csc[x]

---

**Maple [A]** time = 0.03, size = 7, normalized size = 1.8

$$-(\sin(x))^{-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-cos(x)+sec(x)),x)

[Out] -1/sin(x)

---

**Maxima [B]** time = 0.996598, size = 28, normalized size = 7.

$$-\frac{\cos(x)+1}{2\sin(x)} - \frac{\sin(x)}{2(\cos(x)+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(x)+sec(x)),x, algorithm="maxima")

[Out] -1/2\*(cos(x) + 1)/sin(x) - 1/2\*sin(x)/(cos(x) + 1)

---

**Fricas [A]** time = 1.95337, size = 15, normalized size = 3.75

$$-\frac{1}{\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(x)+sec(x)),x, algorithm="fricas")

[Out] -1/sin(x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-\int \frac{1}{\cos(x) - \sec(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(x)+sec(x)),x)

[Out] -Integral(1/(cos(x) - sec(x)), x)

---

**Giac [A]** time = 1.10473, size = 8, normalized size = 2.

$$-\frac{1}{\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(-cos(x)+sec(x)),x, algorithm="giac")
```

```
[Out] -1/sin(x)
```



$$3.327 \quad \int \frac{1}{(-\cos(x) + \sec(x))^2} dx$$

**Optimal.** Leaf size=8

$$-\frac{1}{3} \cot^3(x)$$

[Out] -Cot [x]^3/3

**Rubi [A]** time = 0.0140351, antiderivative size = 8, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {30}

$$-\frac{1}{3} \cot^3(x)$$

Antiderivative was successfully verified.

[In] Int [(-Cos [x] + Sec [x])^(-2), x]

[Out] -Cot [x]^3/3

**Rule 30**

Int [(x\_)^(m\_.), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

**Rubi steps**

$$\begin{aligned} \int \frac{1}{(-\cos(x) + \sec(x))^2} dx &= \text{Subst} \left( \int \frac{1}{x^4} dx, x, \tan(x) \right) \\ &= -\frac{1}{3} \cot^3(x) \end{aligned}$$

**Mathematica [A]** time = 0.0025405, size = 8, normalized size = 1.

$$-\frac{1}{3} \cot^3(x)$$

Antiderivative was successfully verified.

[In] Integrate[(-Cos [x] + Sec [x])^(-2), x]

[Out] -Cot [x]^3/3

**Maple [A]** time = 0.03, size = 7, normalized size = 0.9

$$-\frac{1}{3 (\tan(x))^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(-cos(x)+sec(x))^2,x)`

[Out] `-1/3/tan(x)^3`

---

**Maxima [A]** time = 0.980036, size = 8, normalized size = 1.

$$-\frac{1}{3 \tan(x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-cos(x)+sec(x))^2,x, algorithm="maxima")`

[Out] `-1/3/tan(x)^3`

---

**Fricas [B]** time = 2.03443, size = 51, normalized size = 6.38

$$\frac{\cos(x)^3}{3(\cos(x)^2 - 1)\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-cos(x)+sec(x))^2,x, algorithm="fricas")`

[Out] `1/3*cos(x)^3/((cos(x)^2 - 1)*sin(x))`

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-\cos(x) + \sec(x))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-cos(x)+sec(x))**2,x)`

[Out] `Integral((-cos(x) + sec(x))**(-2), x)`

---

**Giac [A]** time = 1.14738, size = 8, normalized size = 1.

$$-\frac{1}{3 \tan(x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-cos(x)+sec(x))^2,x, algorithm="giac")`

[Out] `-1/3/tan(x)^3`

$$3.328 \quad \int \frac{1}{(-\cos(x) + \sec(x))^3} dx$$

**Optimal.** Leaf size=17

$$\frac{\csc^3(x)}{3} - \frac{\csc^5(x)}{5}$$

[Out] Csc[x]^3/3 - Csc[x]^5/5

**Rubi [A]** time = 0.0379673, antiderivative size = 17, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4397, 2606, 14}

$$\frac{\csc^3(x)}{3} - \frac{\csc^5(x)}{5}$$

Antiderivative was successfully verified.

[In] Int[(-Cos[x] + Sec[x])^(-3), x]

[Out] Csc[x]^3/3 - Csc[x]^5/5

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 2606

Int[((a\_)\*sec[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Dist[a/f, Subst[Int[(a\*x)^(m-1)\*(-1+x^2)^((n-1)/2), x], x, Sec[e+f\*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n-1)/2] && !(IntegerQ[m/2] && LtQ[0, m, n+1])

#### Rule 14

Int[(u\_)\*((c\_.)\*(x\_))^(m\_), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_ + (b\_.)\*(v\_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

#### Rubi steps

$$\begin{aligned} \int \frac{1}{(-\cos(x) + \sec(x))^3} dx &= \int \cot^3(x) \csc^3(x) dx \\ &= -\text{Subst} \left( \int x^2 (-1 + x^2) dx, x, \csc(x) \right) \\ &= -\text{Subst} \left( \int (-x^2 + x^4) dx, x, \csc(x) \right) \\ &= \frac{\csc^3(x)}{3} - \frac{\csc^5(x)}{5} \end{aligned}$$

**Mathematica [A]** time = 0.0091952, size = 17, normalized size = 1.

$$\frac{\csc^3(x)}{3} - \frac{\csc^5(x)}{5}$$

Antiderivative was successfully verified.

[In] Integrate[(-Cos[x] + Sec[x])^(-3),x]

[Out] Csc[x]^3/3 - Csc[x]^5/5

**Maple [A]** time = 0.036, size = 14, normalized size = 0.8

$$\frac{1}{3 (\sin(x))^3} - \frac{1}{5 (\sin(x))^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-cos(x)+sec(x))^3,x)

[Out] 1/3/sin(x)^3-1/5/sin(x)^5

**Maxima [B]** time = 0.988393, size = 99, normalized size = 5.82

$$\frac{\left(\frac{5 \sin(x)^2}{(\cos(x)+1)^2} + \frac{30 \sin(x)^4}{(\cos(x)+1)^4} - 3\right)(\cos(x) + 1)^5}{480 \sin(x)^5} + \frac{\sin(x)}{16(\cos(x) + 1)} + \frac{\sin(x)^3}{96(\cos(x) + 1)^3} - \frac{\sin(x)^5}{160(\cos(x) + 1)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(x)+sec(x))^3,x, algorithm="maxima")

[Out] 1/480\*(5\*sin(x)^2/(cos(x) + 1)^2 + 30\*sin(x)^4/(cos(x) + 1)^4 - 3)\*(cos(x) + 1)^5/sin(x)^5 + 1/16\*sin(x)/(cos(x) + 1) + 1/96\*sin(x)^3/(cos(x) + 1)^3 - 1/160\*sin(x)^5/(cos(x) + 1)^5

**Fricas [B]** time = 2.095, size = 82, normalized size = 4.82

$$-\frac{5 \cos(x)^2 - 2}{15 (\cos(x)^4 - 2 \cos(x)^2 + 1) \sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(x)+sec(x))^3,x, algorithm="fricas")

[Out] -1/15\*(5\*cos(x)^2 - 2)/((cos(x)^4 - 2\*cos(x)^2 + 1)\*sin(x))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-\int \frac{1}{\cos^3(x) - 3 \cos^2(x) \sec(x) + 3 \cos(x) \sec^2(x) - \sec^3(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(-cos(x)+sec(x))**3,x)
```

```
[Out] -Integral(1/(cos(x)**3 - 3*cos(x)**2*sec(x) + 3*cos(x)*sec(x)**2 - sec(x)**3), x)
```

---

**Giac [A]** time = 1.11208, size = 19, normalized size = 1.12

$$\frac{5 \sin(x)^2 - 3}{15 \sin(x)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(-cos(x)+sec(x))^3,x, algorithm="giac")
```

```
[Out] 1/15*(5*sin(x)^2 - 3)/sin(x)^5
```

$$3.329 \quad \int \frac{1}{(-\cos(x)+\sec(x))^4} dx$$

**Optimal.** Leaf size=17

$$-\frac{1}{7} \cot^7(x) - \frac{\cot^5(x)}{5}$$

[Out] -Cot[x]^5/5 - Cot[x]^7/7

**Rubi [A]** time = 0.0171948, antiderivative size = 17, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 0, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$-\frac{1}{7} \cot^7(x) - \frac{\cot^5(x)}{5}$$

Antiderivative was successfully verified.

[In] Int[(-Cos[x] + Sec[x])^(-4), x]

[Out] -Cot[x]^5/5 - Cot[x]^7/7

Rubi steps

$$\begin{aligned} \int \frac{1}{(-\cos(x)+\sec(x))^4} dx &= \text{Subst} \left( \int \left( \frac{1}{x^8} + \frac{1}{x^6} \right) dx, x, \tan(x) \right) \\ &= -\frac{1}{5} \cot^5(x) - \frac{\cot^7(x)}{7} \end{aligned}$$

**Mathematica [B]** time = 0.0224526, size = 37, normalized size = 2.18

$$-\frac{2 \cot(x)}{35} - \frac{1}{7} \cot(x) \csc^6(x) + \frac{8}{35} \cot(x) \csc^4(x) - \frac{1}{35} \cot(x) \csc^2(x)$$

Antiderivative was successfully verified.

[In] Integrate[(-Cos[x] + Sec[x])^(-4), x]

[Out] (-2\*Cot[x])/35 - (Cot[x]\*Csc[x]^2)/35 + (8\*Cot[x]\*Csc[x]^4)/35 - (Cot[x]\*Csc[x]^6)/7

**Maple [A]** time = 0.037, size = 14, normalized size = 0.8

$$-\frac{1}{7 (\tan(x))^7} - \frac{1}{5 (\tan(x))^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-cos(x)+sec(x))^4, x)

[Out]  $-1/7/\tan(x)^7-1/5/\tan(x)^5$

---

**Maxima [A]** time = 0.997813, size = 19, normalized size = 1.12

$$-\frac{7 \tan(x)^2 + 5}{35 \tan(x)^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-cos(x)+sec(x))^4,x, algorithm="maxima")`

[Out]  $-1/35*(7*\tan(x)^2 + 5)/\tan(x)^7$

---

**Fricas [B]** time = 2.30063, size = 112, normalized size = 6.59

$$\frac{2 \cos(x)^7 - 7 \cos(x)^5}{35 (\cos(x)^6 - 3 \cos(x)^4 + 3 \cos(x)^2 - 1) \sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-cos(x)+sec(x))^4,x, algorithm="fricas")`

[Out]  $-1/35*(2*\cos(x)^7 - 7*\cos(x)^5)/((\cos(x)^6 - 3*\cos(x)^4 + 3*\cos(x)^2 - 1)*\sin(x))$

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-cos(x)+sec(x))**4,x)`

[Out] Timed out

---

**Giac [A]** time = 1.1702, size = 19, normalized size = 1.12

$$-\frac{7 \tan(x)^2 + 5}{35 \tan(x)^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-cos(x)+sec(x))^4,x, algorithm="giac")`

[Out]  $-1/35*(7*\tan(x)^2 + 5)/\tan(x)^7$

$$3.330 \quad \int \frac{1}{(-\cos(x) + \sec(x))^5} dx$$

**Optimal.** Leaf size=25

$$-\frac{1}{9} \csc^9(x) + \frac{2 \csc^7(x)}{7} - \frac{\csc^5(x)}{5}$$

[Out]  $-\text{Csc}[x]^5/5 + (2*\text{Csc}[x]^7)/7 - \text{Csc}[x]^9/9$

**Rubi [A]** time = 0.0410418, antiderivative size = 25, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4397, 2606, 270}

$$-\frac{1}{9} \csc^9(x) + \frac{2 \csc^7(x)}{7} - \frac{\csc^5(x)}{5}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(-\text{Cos}[x] + \text{Sec}[x])^{-5}, x]$

[Out]  $-\text{Csc}[x]^5/5 + (2*\text{Csc}[x]^7)/7 - \text{Csc}[x]^9/9$

#### Rule 4397

$\text{Int}[u_, x\_Symbol] \rightarrow \text{Int}[\text{TrigSimplify}[u], x] /; \text{TrigSimplifyQ}[u]$

#### Rule 2606

$\text{Int}[(a\_)*\text{sec}[e\_ + (f\_)*(x\_)]^{(m\_)}*((b\_)*\tan[e\_ + (f\_)*(x\_)]^{(n\_)}), x\_Symbol] \rightarrow \text{Dist}[a/f, \text{Subst}[\text{Int}[(a*x)^{(m-1)}*(-1+x^2)^{((n-1)/2)}, x], x, \text{Sec}[e+f*x]], x] /; \text{FreeQ}\{a, e, f, m\}, x \&\& \text{IntegerQ}[(n-1)/2] \&\& \text{!(IntegerQ}[m/2] \&\& \text{LtQ}[0, m, n+1])$

#### Rule 270

$\text{Int}[(c\_)*(x\_)]^{(m\_)}*((a\_ + (b\_)*(x\_)]^{(n\_)]^{(p\_)}), x\_Symbol] \rightarrow \text{Int}[\text{Exp andIntegrand}[(c*x)^m*(a+b*x^n)^p, x], x] /; \text{FreeQ}\{a, b, c, m, n\}, x \&\& \text{IGtQ}[p, 0]$

#### Rubi steps

$$\begin{aligned} \int \frac{1}{(-\cos(x) + \sec(x))^5} dx &= \int \cot^5(x) \csc^5(x) dx \\ &= -\text{Subst} \left( \int x^4 (-1+x^2)^2 dx, x, \csc(x) \right) \\ &= -\text{Subst} \left( \int (x^4 - 2x^6 + x^8) dx, x, \csc(x) \right) \\ &= -\frac{1}{5} \csc^5(x) + \frac{2 \csc^7(x)}{7} - \frac{\csc^9(x)}{9} \end{aligned}$$

**Mathematica [A]** time = 0.0117831, size = 25, normalized size = 1.

$$-\frac{1}{9} \csc^9(x) + \frac{2 \csc^7(x)}{7} - \frac{\csc^5(x)}{5}$$



Antiderivative was successfully verified.

[In] Integrate[(-Cos[x] + Sec[x])^(-5), x]

[Out] -Csc[x]^5/5 + (2\*Csc[x]^7)/7 - Csc[x]^9/9

**Maple [A]** time = 0.043, size = 20, normalized size = 0.8

$$\frac{2}{7 (\sin(x))^7} - \frac{1}{9 (\sin(x))^9} - \frac{1}{5 (\sin(x))^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-cos(x)+sec(x))^5,x)

[Out] 2/7/sin(x)^7-1/9/sin(x)^9-1/5/sin(x)^5

**Maxima [B]** time = 1.0162, size = 163, normalized size = 6.52

$$\frac{\left(\frac{45 \sin(x)^2}{(\cos(x)+1)^2} + \frac{252 \sin(x)^4}{(\cos(x)+1)^4} - \frac{420 \sin(x)^6}{(\cos(x)+1)^6} - \frac{1890 \sin(x)^8}{(\cos(x)+1)^8} - 35\right)(\cos(x) + 1)^9}{161280 \sin(x)^9} - \frac{3 \sin(x)}{256 (\cos(x) + 1)} - \frac{\sin(x)^3}{384 (\cos(x) + 1)^3} + \frac{\sin(x)^5}{640 (\cos(x) + 1)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(x)+sec(x))^5,x, algorithm="maxima")

[Out] 1/161280\*(45\*sin(x)^2/(cos(x) + 1)^2 + 252\*sin(x)^4/(cos(x) + 1)^4 - 420\*sin(x)^6/(cos(x) + 1)^6 - 1890\*sin(x)^8/(cos(x) + 1)^8 - 35)\*(cos(x) + 1)^9/sin(x)^9 - 3/256\*sin(x)/(cos(x) + 1) - 1/384\*sin(x)^3/(cos(x) + 1)^3 + 1/640\*sin(x)^5/(cos(x) + 1)^5 + 1/3584\*sin(x)^7/(cos(x) + 1)^7 - 1/4608\*sin(x)^9/(cos(x) + 1)^9

**Fricas [B]** time = 2.45715, size = 139, normalized size = 5.56

$$\frac{63 \cos(x)^4 - 36 \cos(x)^2 + 8}{315 (\cos(x)^8 - 4 \cos(x)^6 + 6 \cos(x)^4 - 4 \cos(x)^2 + 1) \sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(x)+sec(x))^5,x, algorithm="fricas")

[Out] -1/315\*(63\*cos(x)^4 - 36\*cos(x)^2 + 8)/((cos(x)^8 - 4\*cos(x)^6 + 6\*cos(x)^4 - 4\*cos(x)^2 + 1)\*sin(x))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(-cos(x)+sec(x))**5,x)
```

```
[Out] Timed out
```

---

**Giac [A]** time = 1.15575, size = 27, normalized size = 1.08

$$-\frac{63 \sin(x)^4 - 90 \sin(x)^2 + 35}{315 \sin(x)^9}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(-cos(x)+sec(x))^5,x, algorithm="giac")
```

```
[Out] -1/315*(63*sin(x)^4 - 90*sin(x)^2 + 35)/sin(x)^9
```

$$3.331 \quad \int \frac{1}{(-\cos(x) + \sec(x))^6} dx$$

**Optimal.** Leaf size=25

$$-\frac{1}{11} \cot^{11}(x) - \frac{2 \cot^9(x)}{9} - \frac{\cot^7(x)}{7}$$

[Out]  $-\text{Cot}[x]^{7/7} - (2*\text{Cot}[x]^9)/9 - \text{Cot}[x]^{11/11}$

**Rubi [A]** time = 0.0205889, antiderivative size = 25, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 1, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {270}

$$-\frac{1}{11} \cot^{11}(x) - \frac{2 \cot^9(x)}{9} - \frac{\cot^7(x)}{7}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(-\text{Cos}[x] + \text{Sec}[x])^{-6}, x]$

[Out]  $-\text{Cot}[x]^{7/7} - (2*\text{Cot}[x]^9)/9 - \text{Cot}[x]^{11/11}$

#### Rule 270

$\text{Int}[(c_*)*(x_*)^{(m_*)}*((a_*) + (b_*)*(x_*)^{(n_*)})^{(p_*)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c*x)^m*(a + b*x^n)^p, x], x] /; \text{FreeQ}\{a, b, c, m, n\}, x] \&\& \text{IGtQ}[p, 0]$

#### Rubi steps

$$\begin{aligned} \int \frac{1}{(-\cos(x) + \sec(x))^6} dx &= \text{Subst} \left( \int \frac{(1+x^2)^2}{x^{12}} dx, x, \tan(x) \right) \\ &= \text{Subst} \left( \int \left( \frac{1}{x^{12}} + \frac{2}{x^{10}} + \frac{1}{x^8} \right) dx, x, \tan(x) \right) \\ &= -\frac{1}{7} \cot^7(x) - \frac{2 \cot^9(x)}{9} - \frac{\cot^{11}(x)}{11} \end{aligned}$$

**Mathematica [B]** time = 0.0200594, size = 57, normalized size = 2.28

$$\frac{8 \cot(x)}{693} - \frac{1}{11} \cot(x) \csc^{10}(x) + \frac{23}{99} \cot(x) \csc^8(x) - \frac{113}{693} \cot(x) \csc^6(x) + \frac{1}{231} \cot(x) \csc^4(x) + \frac{4}{693} \cot(x) \csc^2(x)$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[(-\text{Cos}[x] + \text{Sec}[x])^{-6}, x]$

[Out]  $(8*\text{Cot}[x])/693 + (4*\text{Cot}[x]*\text{Csc}[x]^2)/693 + (\text{Cot}[x]*\text{Csc}[x]^4)/231 - (113*\text{Cot}[x]*\text{Csc}[x]^6)/693 + (23*\text{Cot}[x]*\text{Csc}[x]^8)/99 - (\text{Cot}[x]*\text{Csc}[x]^{10})/11$

**Maple [A]** time = 0.039, size = 20, normalized size = 0.8

$$-\frac{1}{7 (\tan(x))^7} - \frac{2}{9 (\tan(x))^9} - \frac{1}{11 (\tan(x))^{11}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-cos(x)+sec(x))^6,x)

[Out] -1/7/tan(x)^7-2/9/tan(x)^9-1/11/tan(x)^11

**Maxima [A]** time = 0.990126, size = 27, normalized size = 1.08

$$\frac{99 \tan(x)^4 + 154 \tan(x)^2 + 63}{693 \tan(x)^{11}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(x)+sec(x))^6,x, algorithm="maxima")

[Out] -1/693\*(99\*tan(x)^4 + 154\*tan(x)^2 + 63)/tan(x)^11

**Fricas [B]** time = 2.45493, size = 173, normalized size = 6.92

$$\frac{8 \cos(x)^{11} - 44 \cos(x)^9 + 99 \cos(x)^7}{693 (\cos(x)^{10} - 5 \cos(x)^8 + 10 \cos(x)^6 - 10 \cos(x)^4 + 5 \cos(x)^2 - 1) \sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(x)+sec(x))^6,x, algorithm="fricas")

[Out] 1/693\*(8\*cos(x)^11 - 44\*cos(x)^9 + 99\*cos(x)^7)/((cos(x)^10 - 5\*cos(x)^8 + 10\*cos(x)^6 - 10\*cos(x)^4 + 5\*cos(x)^2 - 1)\*sin(x))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(x)+sec(x))\*\*6,x)

[Out] Timed out

**Giac [A]** time = 1.14656, size = 27, normalized size = 1.08

$$\frac{99 \tan(x)^4 + 154 \tan(x)^2 + 63}{693 \tan(x)^{11}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(-cos(x)+sec(x))^6,x, algorithm="giac")
```

```
[Out] -1/693*(99*tan(x)^4 + 154*tan(x)^2 + 63)/tan(x)^11
```

$$3.332 \quad \int \frac{1}{(-\cos(x) + \sec(x))^7} dx$$

**Optimal.** Leaf size=33

$$-\frac{1}{13} \csc^{13}(x) + \frac{3 \csc^{11}(x)}{11} - \frac{\csc^9(x)}{3} + \frac{\csc^7(x)}{7}$$

[Out] Csc[x]^7/7 - Csc[x]^9/3 + (3\*Csc[x]^11)/11 - Csc[x]^13/13

**Rubi [A]** time = 0.0422955, antiderivative size = 33, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4397, 2606, 270}

$$-\frac{1}{13} \csc^{13}(x) + \frac{3 \csc^{11}(x)}{11} - \frac{\csc^9(x)}{3} + \frac{\csc^7(x)}{7}$$

Antiderivative was successfully verified.

[In] Int[(-Cos[x] + Sec[x])^(-7), x]

[Out] Csc[x]^7/7 - Csc[x]^9/3 + (3\*Csc[x]^11)/11 - Csc[x]^13/13

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 2606

Int[((a\_.)\*sec[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := Dist[a/f, Subst[Int[(a\*x)^(m-1)\*(-1+x^2)^((n-1)/2), x], x, Sec[e+f\*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n-1)/2] && !(IntegerQ[m/2] && LtQ[0, m, n+1])

#### Rule 270

Int[((c\_.)\*(x\_.))^(m\_.)\*((a\_.) + (b\_.)\*(x\_.)^(n\_.))^(p\_.), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*(a+b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{1}{(-\cos(x) + \sec(x))^7} dx &= \int \cot^7(x) \csc^7(x) dx \\ &= -\text{Subst} \left( \int x^6 (-1+x^2)^3 dx, x, \csc(x) \right) \\ &= -\text{Subst} \left( \int (-x^6 + 3x^8 - 3x^{10} + x^{12}) dx, x, \csc(x) \right) \\ &= \frac{\csc^7(x)}{7} - \frac{\csc^9(x)}{3} + \frac{3 \csc^{11}(x)}{11} - \frac{\csc^{13}(x)}{13} \end{aligned}$$

**Mathematica [A]** time = 0.0133771, size = 33, normalized size = 1.

$$-\frac{1}{13} \csc^{13}(x) + \frac{3 \csc^{11}(x)}{11} - \frac{\csc^9(x)}{3} + \frac{\csc^7(x)}{7}$$

Antiderivative was successfully verified.

[In] Integrate[(-Cos[x] + Sec[x])^(-7), x]

[Out] Csc[x]^7/7 - Csc[x]^9/3 + (3\*Csc[x]^11)/11 - Csc[x]^13/13

**Maple [A]** time = 0.044, size = 26, normalized size = 0.8

$$-\frac{1}{13 (\sin(x))^{13}} + \frac{1}{7 (\sin(x))^7} - \frac{1}{3 (\sin(x))^9} + \frac{3}{11 (\sin(x))^{11}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-cos(x)+sec(x))^7,x)

[Out] -1/13/sin(x)^13+1/7/sin(x)^7-1/3/sin(x)^9+3/11/sin(x)^11

**Maxima [B]** time = 1.04915, size = 228, normalized size = 6.91

$$\frac{\left(\frac{273 \sin(x)^2}{(\cos(x)+1)^2} + \frac{2002 \sin(x)^4}{(\cos(x)+1)^4} - \frac{2574 \sin(x)^6}{(\cos(x)+1)^6} - \frac{9009 \sin(x)^8}{(\cos(x)+1)^8} + \frac{15015 \sin(x)^{10}}{(\cos(x)+1)^{10}} + \frac{60060 \sin(x)^{12}}{(\cos(x)+1)^{12}} - 231\right)(\cos(x)+1)^{13}}{24600576 \sin(x)^{13}} + \frac{5 \sin(x)}{2048 (\cos(x)+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(x)+sec(x))^7,x, algorithm="maxima")

[Out] 1/24600576\*(273\*sin(x)^2/(cos(x) + 1)^2 + 2002\*sin(x)^4/(cos(x) + 1)^4 - 2574\*sin(x)^6/(cos(x) + 1)^6 - 9009\*sin(x)^8/(cos(x) + 1)^8 + 15015\*sin(x)^10/(cos(x) + 1)^10 + 60060\*sin(x)^12/(cos(x) + 1)^12 - 231)\*(cos(x) + 1)^13/sin(x)^13 + 5/2048\*sin(x)/(cos(x) + 1) + 5/8192\*sin(x)^3/(cos(x) + 1)^3 - 3/8192\*sin(x)^5/(cos(x) + 1)^5 - 3/28672\*sin(x)^7/(cos(x) + 1)^7 + 1/12288\*sin(x)^9/(cos(x) + 1)^9 + 1/90112\*sin(x)^11/(cos(x) + 1)^11 - 1/106496\*sin(x)^13/(cos(x) + 1)^13)

**Fricas [B]** time = 2.30183, size = 207, normalized size = 6.27

$$\frac{429 \cos(x)^6 - 286 \cos(x)^4 + 104 \cos(x)^2 - 16}{3003 (\cos(x)^{12} - 6 \cos(x)^{10} + 15 \cos(x)^8 - 20 \cos(x)^6 + 15 \cos(x)^4 - 6 \cos(x)^2 + 1) \sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(x)+sec(x))^7,x, algorithm="fricas")

[Out] -1/3003\*(429\*cos(x)^6 - 286\*cos(x)^4 + 104\*cos(x)^2 - 16)/((cos(x)^12 - 6\*cos(x)^10 + 15\*cos(x)^8 - 20\*cos(x)^6 + 15\*cos(x)^4 - 6\*cos(x)^2 + 1)\*sin(x))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(x)+sec(x))\*\*7,x)

[Out] Timed out

**Giac [A]** time = 1.16044, size = 35, normalized size = 1.06

$$\frac{429 \sin(x)^6 - 1001 \sin(x)^4 + 819 \sin(x)^2 - 231}{3003 \sin(x)^{13}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(x)+sec(x))^7,x, algorithm="giac")

[Out] 1/3003\*(429\*sin(x)^6 - 1001\*sin(x)^4 + 819\*sin(x)^2 - 231)/sin(x)^13



### 3.333 $\int (-\cos(x) + \sec(x))^{7/2} dx$

**Optimal.** Leaf size=73

$$-\frac{2}{7} \sin^3(x) \tan^2(x) \sqrt{\sin(x) \tan(x)} - \frac{8}{7} \sin(x) \tan^2(x) \sqrt{\sin(x) \tan(x)} - \frac{256}{35} \csc(x) \sqrt{\sin(x) \tan(x)} + \frac{64}{35} \tan(x) \sec(x) \sqrt{\sin(x) \tan(x)}$$

```
[Out] (-256*Csc[x]*Sqrt[Sin[x]*Tan[x]])/35 + (64*Sec[x]*Tan[x]*Sqrt[Sin[x]*Tan[x]])/35 - (8*Sin[x]*Tan[x]^2*Sqrt[Sin[x]*Tan[x]])/7 - (2*Sin[x]^3*Tan[x]^2*Sqrt[Sin[x]*Tan[x]])/7
```

**Rubi [A]** time = 0.112532, antiderivative size = 73, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.454$ , Rules used = {4397, 4400, 2598, 2594, 2589}

$$-\frac{2}{7} \sin^3(x) \tan^2(x) \sqrt{\sin(x) \tan(x)} - \frac{8}{7} \sin(x) \tan^2(x) \sqrt{\sin(x) \tan(x)} - \frac{256}{35} \csc(x) \sqrt{\sin(x) \tan(x)} + \frac{64}{35} \tan(x) \sec(x) \sqrt{\sin(x) \tan(x)}$$

Antiderivative was successfully verified.

```
[In] Int[(-Cos[x] + Sec[x])^(7/2), x]
```

```
[Out] (-256*Csc[x]*Sqrt[Sin[x]*Tan[x]])/35 + (64*Sec[x]*Tan[x]*Sqrt[Sin[x]*Tan[x]])/35 - (8*Sin[x]*Tan[x]^2*Sqrt[Sin[x]*Tan[x]])/7 - (2*Sin[x]^3*Tan[x]^2*Sqrt[Sin[x]*Tan[x]])/7
```

#### Rule 4397

```
Int[u_, x_Symbol] :=> Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]
```

#### Rule 4400

```
Int[(u_.)*((v_)^(m_.)*(w_)^(n_.))^p_, x_Symbol] :=> With[{uu = ActivateTrig[u], vv = ActivateTrig[v], ww = ActivateTrig[w]}, Dist[(vv^m*ww^n)^FracPart[p]/(vv^(m*FracPart[p])*ww^(n*FracPart[p]))], Int[uu*vv^(m*p)*ww^(n*p), x], x] /; FreeQ[{m, n, p}, x] && !IntegerQ[p] && (!InertTrigFreeQ[v] || !InertTrigFreeQ[w])
```

#### Rule 2598

```
Int[((a_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((b_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :=> -Simp[(b*(a*Sin[e + f*x])^m*(b*Tan[e + f*x])^(n - 1))/(f*m), x] + Dist[(a^2*(m + n - 1))/m, Int[(a*Sin[e + f*x])^(m - 2)*(b*Tan[e + f*x])^n, x], x] /; FreeQ[{a, b, e, f, n}, x] && (GtQ[m, 1] || (EqQ[m, 1] && EqQ[n, 1/2])) && IntegersQ[2*m, 2*n]
```

#### Rule 2594

```
Int[((a_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((b_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :=> Simp[(b*(a*Sin[e + f*x])^m*(b*Tan[e + f*x])^(n - 1))/(f*(n - 1)), x] - Dist[(b^2*(m + n - 1))/(n - 1), Int[(a*Sin[e + f*x])^m*(b*Tan[e + f*x])^(n - 2), x], x] /; FreeQ[{a, b, e, f, m}, x] && GtQ[n, 1] && IntegersQ[2*m, 2*n] && !(GtQ[m, 1] && !IntegerQ[(m - 1)/2])
```

#### Rule 2589

```
Int[((a_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((b_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :=> -Simp[(b*(a*Sin[e + f*x])^m*(b*Tan[e + f*x])^(n - 1))/(f*m
```

), x] /; FreeQ[{a, b, e, f, m, n}, x] && EqQ[m + n - 1, 0]

### Rubi steps

$$\begin{aligned}
 \int (-\cos(x) + \sec(x))^{7/2} dx &= \int (\sin(x) \tan(x))^{7/2} dx \\
 &= \frac{\sqrt{\sin(x) \tan(x)} \int \sin^{\frac{7}{2}}(x) \tan^{\frac{7}{2}}(x) dx}{\sqrt{\sin(x)} \sqrt{\tan(x)}} \\
 &= -\frac{2}{7} \sin^3(x) \tan^2(x) \sqrt{\sin(x) \tan(x)} + \frac{(12\sqrt{\sin(x) \tan(x)}) \int \sin^{\frac{3}{2}}(x) \tan^{\frac{7}{2}}(x) dx}{7\sqrt{\sin(x)} \sqrt{\tan(x)}} \\
 &= -\frac{8}{7} \sin(x) \tan^2(x) \sqrt{\sin(x) \tan(x)} - \frac{2}{7} \sin^3(x) \tan^2(x) \sqrt{\sin(x) \tan(x)} + \frac{(32\sqrt{\sin(x) \tan(x)})}{7\sqrt{\sin(x)} \sqrt{\tan(x)}} \\
 &= \frac{64}{35} \sec(x) \tan(x) \sqrt{\sin(x) \tan(x)} - \frac{8}{7} \sin(x) \tan^2(x) \sqrt{\sin(x) \tan(x)} - \frac{2}{7} \sin^3(x) \tan^2(x) \sqrt{\sin(x) \tan(x)} \\
 &= -\frac{256}{35} \csc(x) \sqrt{\sin(x) \tan(x)} + \frac{64}{35} \sec(x) \tan(x) \sqrt{\sin(x) \tan(x)} - \frac{8}{7} \sin(x) \tan^2(x) \sqrt{\sin(x) \tan(x)}
 \end{aligned}$$

**Mathematica [A]** time = 0.204435, size = 37, normalized size = 0.51

$$\frac{1}{70} \sec(x) \sqrt{\sin(x) \tan(x)} (28 \tan(x) - 512 \cot(x) - 5(\sin(3x) - 23 \sin(x)) \cos(x))$$

Antiderivative was successfully verified.

[In] Integrate[(-Cos[x] + Sec[x])^(7/2), x]

[Out] (Sec[x]\*Sqrt[Sin[x]\*Tan[x]]\*(-512\*Cot[x] - 5\*Cos[x]\*(-23\*Sin[x] + Sin[3\*x]) + 28\*Tan[x]))/70

**Maple [B]** time = 0.235, size = 603, normalized size = 8.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-cos(x)+sec(x))^(7/2), x)

[Out]  $\frac{1}{70}(-1+\cos(x))^2(-105\cos(x)^4(-\cos(x)/(1+\cos(x))^2)^{(3/2)}\ln(-2*(2*\cos(x)^2*(-\cos(x)/(1+\cos(x))^2)^{(1/2)}-\cos(x)^2+2*\cos(x)-2*(-\cos(x)/(1+\cos(x))^2)^{(1/2)}-1)/\sin(x)^2)+105*\cos(x)^4(-\cos(x)/(1+\cos(x))^2)^{(3/2)}\ln(-(2*\cos(x)^2*(-\cos(x)/(1+\cos(x))^2)^{(1/2)}-\cos(x)^2+2*\cos(x)-2*(-\cos(x)/(1+\cos(x))^2)^{(1/2)}-1)/\sin(x)^2)-315*\cos(x)^3(-\cos(x)/(1+\cos(x))^2)^{(3/2)}\ln(-2*(2*\cos(x)^2*(-\cos(x)/(1+\cos(x))^2)^{(1/2)}-\cos(x)^2+2*\cos(x)-2*(-\cos(x)/(1+\cos(x))^2)^{(1/2)}-1)/\sin(x)^2)+315*\cos(x)^3(-\cos(x)/(1+\cos(x))^2)^{(3/2)}\ln(-(2*\cos(x)^2*(-\cos(x)/(1+\cos(x))^2)^{(1/2)}-\cos(x)^2+2*\cos(x)-2*(-\cos(x)/(1+\cos(x))^2)^{(1/2)}-1)/\sin(x)^2)+20*\cos(x)^6-315*\cos(x)^2*(-\cos(x)/(1+\cos(x))^2)^{(3/2)}\ln(-2*(2*\cos(x)^2*(-\cos(x)/(1+\cos(x))^2)^{(1/2)}-\cos(x)^2+2*\cos(x)-2*(-\cos(x)/(1+\cos(x))^2)^{(1/2)}-1)/\sin(x)^2)+315*\cos(x)^2*(-\cos(x)/(1+\cos(x))^2)^{(3/2)}\ln(-2*\cos(x)^2*(-\cos(x)/(1+\cos(x))^2)^{(1/2)}-\cos(x)^2+2*\cos(x)-2*(-\cos(x)/(1+\cos(x))^2)^{(1/2)}-1)/\sin(x)^2)-105*\cos(x)*(-\cos(x)/(1+\cos(x))^2)^{(3/2)}\ln$

$$(-2*(2*\cos(x)^2*(-\cos(x)/(1+\cos(x))^2)^{(1/2)}-\cos(x)^2+2*\cos(x)-2*(-\cos(x)/(1+\cos(x))^2)^{(1/2)}-1)/\sin(x)^2)+105*\cos(x)*(-\cos(x)/(1+\cos(x))^2)^{(3/2)}*\ln(-2*\cos(x)^2*(-\cos(x)/(1+\cos(x))^2)^{(1/2)}-\cos(x)^2+2*\cos(x)-2*(-\cos(x)/(1+\cos(x))^2)^{(1/2)}-1)/\sin(x)^2)-140*\cos(x)^4-420*\cos(x)^2+28)*\cos(x)*(1+\cos(x))^2*(-(-1+\cos(x)^2)/\cos(x))^{(7/2)}/\sin(x)^{11}$$

**Maxima [A]** time = 1.57384, size = 111, normalized size = 1.52

$$\frac{128 \left( \frac{7 \sin(x)^4}{(\cos(x)+1)^4} - \frac{7 \sin(x)^{10}}{(\cos(x)+1)^{10}} + \frac{2 \sin(x)^{14}}{(\cos(x)+1)^{14}} - 2 \right)}{35 \left( \frac{\sin(x)}{\cos(x)+1} + 1 \right)^{\frac{7}{2}} \left( -\frac{\sin(x)}{\cos(x)+1} + 1 \right)^{\frac{7}{2}} \left( \frac{\sin(x)^2}{(\cos(x)+1)^2} + 1 \right)^{\frac{7}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(x)+sec(x))^(7/2),x, algorithm="maxima")

[Out] 128/35\*(7\*sin(x)^4/(cos(x) + 1)^4 - 7\*sin(x)^10/(cos(x) + 1)^10 + 2\*sin(x)^14/(cos(x) + 1)^14 - 2)/((sin(x)/(cos(x) + 1) + 1)^(7/2)\*(-sin(x)/(cos(x) + 1) + 1)^(7/2)\*(sin(x)^2/(cos(x) + 1)^2 + 1)^(7/2))

**Fricas [A]** time = 2.1244, size = 134, normalized size = 1.84

$$\frac{2 \left( 5 \cos(x)^6 - 35 \cos(x)^4 - 105 \cos(x)^2 + 7 \right) \sqrt{-\frac{\cos(x)^2 - 1}{\cos(x)}}}{35 \cos(x)^2 \sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(x)+sec(x))^(7/2),x, algorithm="fricas")

[Out] 2/35\*(5\*cos(x)^6 - 35\*cos(x)^4 - 105\*cos(x)^2 + 7)\*sqrt(-(cos(x)^2 - 1)/cos(x))/(cos(x)^2\*sin(x))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(x)+sec(x))\*\*(7/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-\cos(x) + \sec(x))^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-cos(x)+sec(x))^(7/2),x, algorithm="giac")
```

```
[Out] integrate((-cos(x) + sec(x))^(7/2), x)
```

### 3.334 $\int (-\cos(x) + \sec(x))^{5/2} dx$

**Optimal.** Leaf size=50

$$-\frac{2}{5} \sin^2(x) \tan(x) \sqrt{\sin(x) \tan(x)} + \frac{16}{15} \tan(x) \sqrt{\sin(x) \tan(x)} + \frac{64}{15} \cot(x) \sqrt{\sin(x) \tan(x)}$$

[Out] (64\*Cot[x]\*Sqrt[Sin[x]\*Tan[x]])/15 + (16\*Tan[x]\*Sqrt[Sin[x]\*Tan[x]])/15 - (2\*Sin[x]^2\*Tan[x]\*Sqrt[Sin[x]\*Tan[x]])/5

**Rubi [A]** time = 0.085911, antiderivative size = 50, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.454$ , Rules used = {4397, 4400, 2598, 2594, 2589}

$$-\frac{2}{5} \sin^2(x) \tan(x) \sqrt{\sin(x) \tan(x)} + \frac{16}{15} \tan(x) \sqrt{\sin(x) \tan(x)} + \frac{64}{15} \cot(x) \sqrt{\sin(x) \tan(x)}$$

Antiderivative was successfully verified.

[In] Int[(-Cos[x] + Sec[x])^(5/2), x]

[Out] (64\*Cot[x]\*Sqrt[Sin[x]\*Tan[x]])/15 + (16\*Tan[x]\*Sqrt[Sin[x]\*Tan[x]])/15 - (2\*Sin[x]^2\*Tan[x]\*Sqrt[Sin[x]\*Tan[x]])/5

#### Rule 4397

Int[u\_, x\_Symbol] :=> Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 4400

Int[(u\_.)\*((v\_)^(m\_.)\*(w\_)^(n\_.))^p\_, x\_Symbol] :=> With[{uu = ActivateTrig[u], vv = ActivateTrig[v], ww = ActivateTrig[w]}, Dist[(vv^m\*ww^n)^FracPart[p]/(vv^(m\*FracPart[p])\*ww^(n\*FracPart[p]))], Int[uu\*vv^(m\*p)\*ww^(n\*p), x], x] /; FreeQ[{m, n, p}, x] && !IntegerQ[p] && (!InertTrigFreeQ[v] || !InertTrigFreeQ[w])

#### Rule 2598

Int[((a\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] )^(m\_.)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)] )^(n\_.), x\_Symbol] :=> -Simp[(b\*(a\*SIN[e + f\*x])^m\*(b\*TAN[e + f\*x])^(n - 1))/(f\*m), x] + Dist[(a^2\*(m + n - 1))/m, Int[(a\*SIN[e + f\*x])^(m - 2)\*(b\*TAN[e + f\*x])^n, x], x] /; FreeQ[{a, b, e, f, n}, x] && (GtQ[m, 1] || (EqQ[m, 1] && EqQ[n, 1/2])) && IntegersQ[2\*m, 2\*n]

#### Rule 2594

Int[((a\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] )^(m\_.)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)] )^(n\_.), x\_Symbol] :=> Simp[(b\*(a\*SIN[e + f\*x])^m\*(b\*TAN[e + f\*x])^(n - 1))/(f\*(n - 1)), x] - Dist[(b^2\*(m + n - 1))/(n - 1), Int[(a\*SIN[e + f\*x])^m\*(b\*TAN[e + f\*x])^(n - 2), x], x] /; FreeQ[{a, b, e, f, m}, x] && GtQ[n, 1] && IntegersQ[2\*m, 2\*n] && !(GtQ[m, 1] && !IntegerQ[(m - 1)/2])

#### Rule 2589

Int[((a\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] )^(m\_.)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)] )^(n\_.), x\_Symbol] :=> -Simp[(b\*(a\*SIN[e + f\*x])^m\*(b\*TAN[e + f\*x])^(n - 1))/(f\*m), x] /; FreeQ[{a, b, e, f, m, n}, x] && EqQ[m + n - 1, 0]

Rubi steps

$$\begin{aligned}
\int (-\cos(x) + \sec(x))^{5/2} dx &= \int (\sin(x) \tan(x))^{5/2} dx \\
&= \frac{\sqrt{\sin(x) \tan(x)} \int \sin^{\frac{5}{2}}(x) \tan^{\frac{5}{2}}(x) dx}{\sqrt{\sin(x)} \sqrt{\tan(x)}} \\
&= -\frac{2}{5} \sin^2(x) \tan(x) \sqrt{\sin(x) \tan(x)} + \frac{(8\sqrt{\sin(x) \tan(x)}) \int \sqrt{\sin(x) \tan^{\frac{5}{2}}(x)} dx}{5\sqrt{\sin(x)} \sqrt{\tan(x)}} \\
&= \frac{16}{15} \tan(x) \sqrt{\sin(x) \tan(x)} - \frac{2}{5} \sin^2(x) \tan(x) \sqrt{\sin(x) \tan(x)} - \frac{(32\sqrt{\sin(x) \tan(x)}) \int \sqrt{\sin(x) \tan^{\frac{5}{2}}(x)} dx}{15\sqrt{\sin(x)} \sqrt{\tan(x)}} \\
&= \frac{64}{15} \cot(x) \sqrt{\sin(x) \tan(x)} + \frac{16}{15} \tan(x) \sqrt{\sin(x) \tan(x)} - \frac{2}{5} \sin^2(x) \tan(x) \sqrt{\sin(x) \tan(x)}
\end{aligned}$$

**Mathematica [A]** time = 0.0763065, size = 29, normalized size = 0.58

$$\frac{2}{15} \tan(x) \sqrt{\sin(x) \tan(x)} (3 \cos^2(x) + 32 \cot^2(x) + 5)$$

Antiderivative was successfully verified.

[In] Integrate[(-Cos[x] + Sec[x])^(5/2), x]

[Out] (2\*(5 + 3\*Cos[x]^2 + 32\*Cot[x]^2)\*Tan[x]\*Sqrt[Sin[x]\*Tan[x]])/15

**Maple [B]** time = 0.146, size = 321, normalized size = 6.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-cos(x)+sec(x))^(5/2), x)

[Out] 
$$\begin{aligned}
& -1/15*(-1+\cos(x))^2*(6*\cos(x)^4-15*\cos(x)^2*(-\cos(x)/(1+\cos(x))^2)^{(1/2)}*\ln \\
& (-2*\cos(x)^2*(-\cos(x)/(1+\cos(x))^2)^{(1/2)}-\cos(x)^2+2*\cos(x)-2*(-\cos(x)/(1+ \\
& \cos(x))^2)^{(1/2)}-1)/\sin(x)^2)+15*\cos(x)^2*(-\cos(x)/(1+\cos(x))^2)^{(1/2)}*\ln(- \\
& 2*(2*\cos(x)^2*(-\cos(x)/(1+\cos(x))^2)^{(1/2)}-\cos(x)^2+2*\cos(x)-2*(-\cos(x)/(1+ \\
& \cos(x))^2)^{(1/2)}-1)/\sin(x)^2)-15*\cos(x)*\ln(-2*\cos(x)^2*(-\cos(x)/(1+\cos(x)) \\
& ^2)^{(1/2)}-\cos(x)^2+2*\cos(x)-2*(-\cos(x)/(1+\cos(x))^2)^{(1/2)}-1)/\sin(x)^2)*(-c \\
& \cos(x)/(1+\cos(x))^2)^{(1/2)}+15*\cos(x)*\ln(-2*(2*\cos(x)^2*(-\cos(x)/(1+\cos(x))^2 \\
& )^{(1/2)}-\cos(x)^2+2*\cos(x)-2*(-\cos(x)/(1+\cos(x))^2)^{(1/2)}-1)/\sin(x)^2)*(-\cos \\
& (x)/(1+\cos(x))^2)^{(1/2)}-60*\cos(x)^2-10)*\cos(x)*(1+\cos(x))^2*(-(-1+\cos(x))^2) \\
& / \cos(x))^{(5/2)}/\sin(x)^9
\end{aligned}$$

**Maxima [B]** time = 1.58506, size = 111, normalized size = 2.22

$$\frac{32 \left( \frac{5 \sin(x)^4}{(\cos(x)+1)^4} - \frac{5 \sin(x)^6}{(\cos(x)+1)^6} + \frac{2 \sin(x)^{10}}{(\cos(x)+1)^{10}} - 2 \right)}{15 \left( \frac{\sin(x)}{\cos(x)+1} + 1 \right)^{\frac{5}{2}} \left( -\frac{\sin(x)}{\cos(x)+1} + 1 \right)^{\frac{5}{2}} \left( \frac{\sin(x)^2}{(\cos(x)+1)^2} + 1 \right)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(x)+sec(x))^(5/2),x, algorithm="maxima")

[Out] 
$$-32/15*(5*\sin(x)^4/(\cos(x) + 1)^4 - 5*\sin(x)^6/(\cos(x) + 1)^6 + 2*\sin(x)^{10}/(\cos(x) + 1)^{10} - 2)/((\sin(x)/(\cos(x) + 1) + 1)^{(5/2)}*(-\sin(x)/(\cos(x) + 1) + 1)^{(5/2)}*(\sin(x)^2/(\cos(x) + 1)^2 + 1)^{(5/2)})$$

**Fricas [A]** time = 2.24485, size = 112, normalized size = 2.24

$$\frac{2(3\cos(x)^4 - 30\cos(x)^2 - 5)\sqrt{-\frac{\cos(x)^2 - 1}{\cos(x)}}}{15\cos(x)\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(x)+sec(x))^(5/2),x, algorithm="fricas")

[Out] 
$$-2/15*(3*\cos(x)^4 - 30*\cos(x)^2 - 5)*\sqrt{-(\cos(x)^2 - 1)/\cos(x)}/(\cos(x)*\sin(x))$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(x)+sec(x))\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-\cos(x) + \sec(x))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(x)+sec(x))^(5/2),x, algorithm="giac")

[Out] integrate((-cos(x) + sec(x))^(5/2), x)

### 3.335 $\int (-\cos(x) + \sec(x))^{3/2} dx$

**Optimal.** Leaf size=31

$$\frac{8}{3} \csc(x) \sqrt{\sin(x) \tan(x)} - \frac{2}{3} \sin(x) \sqrt{\sin(x) \tan(x)}$$

[Out] (8\*Csc[x]\*Sqrt[Sin[x]\*Tan[x]])/3 - (2\*Sin[x]\*Sqrt[Sin[x]\*Tan[x]])/3

**Rubi [A]** time = 0.0639886, antiderivative size = 31, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$ , Rules used = {4397, 4400, 2598, 2589}

$$\frac{8}{3} \csc(x) \sqrt{\sin(x) \tan(x)} - \frac{2}{3} \sin(x) \sqrt{\sin(x) \tan(x)}$$

Antiderivative was successfully verified.

[In] Int[(-Cos[x] + Sec[x])^(3/2), x]

[Out] (8\*Csc[x]\*Sqrt[Sin[x]\*Tan[x]])/3 - (2\*Sin[x]\*Sqrt[Sin[x]\*Tan[x]])/3

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 4400

Int[(u\_)\*((v\_)^(m\_)\*(w\_)^(n\_))^(p\_), x\_Symbol] := With[{uu = ActivateTrig[u], vv = ActivateTrig[v], ww = ActivateTrig[w]}, Dist[(vv^m\*ww^n)^FracPart[p]/(vv^(m\*FracPart[p])\*ww^(n\*FracPart[p])), Int[uu\*vv^(m\*p)\*ww^(n\*p), x], x] /; FreeQ[{m, n, p}, x] && !IntegerQ[p] && (!InertTrigFreeQ[v] || !InertTrigFreeQ[w])

#### Rule 2598

Int[((a\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((b\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*(a\*Sin[e + f\*x])^m\*(b\*Tan[e + f\*x])^(n - 1))/(f\*m), x] + Dist[(a^2\*(m + n - 1))/m, Int[(a\*Sin[e + f\*x])^(m - 2)\*(b\*Tan[e + f\*x])^n, x], x] /; FreeQ[{a, b, e, f, n}, x] && (GtQ[m, 1] || (EqQ[m, 1] & & EqQ[n, 1/2])) && IntegersQ[2\*m, 2\*n]

#### Rule 2589

Int[((a\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((b\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*(a\*Sin[e + f\*x])^m\*(b\*Tan[e + f\*x])^(n - 1))/(f\*m), x] /; FreeQ[{a, b, e, f, m, n}, x] && EqQ[m + n - 1, 0]

#### Rubi steps



$$\begin{aligned}
\int (-\cos(x) + \sec(x))^{3/2} dx &= \int (\sin(x) \tan(x))^{3/2} dx \\
&= \frac{\sqrt{\sin(x) \tan(x)} \int \sin^{\frac{3}{2}}(x) \tan^{\frac{3}{2}}(x) dx}{\sqrt{\sin(x)} \sqrt{\tan(x)}} \\
&= -\frac{2}{3} \sin(x) \sqrt{\sin(x) \tan(x)} + \frac{(4\sqrt{\sin(x) \tan(x)}) \int \frac{\tan^{\frac{3}{2}}(x)}{\sqrt{\sin(x)}} dx}{3\sqrt{\sin(x)} \sqrt{\tan(x)}} \\
&= \frac{8}{3} \csc(x) \sqrt{\sin(x) \tan(x)} - \frac{2}{3} \sin(x) \sqrt{\sin(x) \tan(x)}
\end{aligned}$$

**Mathematica [A]** time = 0.03854, size = 23, normalized size = 0.74

$$\frac{2}{3} \sin(x) (4 \csc^2(x) - 1) \sqrt{\sin(x) \tan(x)}$$

Antiderivative was successfully verified.

[In] Integrate[(-Cos[x] + Sec[x])^(3/2), x]

[Out] (2\*(-1 + 4\*Csc[x]^2)\*Sin[x]\*Sqrt[Sin[x]\*Tan[x]])/3

**Maple [B]** time = 0.104, size = 584, normalized size = 18.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-cos(x)+sec(x))^(3/2), x)

[Out]  $\frac{1}{6}(-1+\cos(x))^2(3\cos(x)^3(-\cos(x)/(1+\cos(x))^2)^{3/2}\ln(-2(2\cos(x)^2(-\cos(x)/(1+\cos(x))^2)^{1/2}-\cos(x)^2+2\cos(x)-2(-\cos(x)/(1+\cos(x))^2)^{1/2}-1)/\sin(x)^2)-3\cos(x)^3(-\cos(x)/(1+\cos(x))^2)^{3/2}\ln(-(2\cos(x)^2(-\cos(x)/(1+\cos(x))^2)^{1/2}-\cos(x)^2+2\cos(x)-2(-\cos(x)/(1+\cos(x))^2)^{1/2}-1)/\sin(x)^2)+9\cos(x)^2(-\cos(x)/(1+\cos(x))^2)^{3/2}\ln(-2(2\cos(x)^2(-\cos(x)/(1+\cos(x))^2)^{1/2}-\cos(x)^2+2\cos(x)-2(-\cos(x)/(1+\cos(x))^2)^{1/2}-1)/\sin(x)^2)-9\cos(x)^2(-\cos(x)/(1+\cos(x))^2)^{3/2}\ln(-(2\cos(x)^2(-\cos(x)/(1+\cos(x))^2)^{1/2}-\cos(x)^2+2\cos(x)-2(-\cos(x)/(1+\cos(x))^2)^{1/2}-1)/\sin(x)^2)+9\cos(x)^2(-\cos(x)/(1+\cos(x))^2)^{3/2}\ln(-2(2\cos(x)^2(-\cos(x)/(1+\cos(x))^2)^{1/2}-\cos(x)^2+2\cos(x)-2(-\cos(x)/(1+\cos(x))^2)^{1/2}-1)/\sin(x)^2)+9\cos(x)^2(-\cos(x)/(1+\cos(x))^2)^{3/2}\ln(-2(2\cos(x)^2(-\cos(x)/(1+\cos(x))^2)^{1/2}-\cos(x)^2+2\cos(x)-2(-\cos(x)/(1+\cos(x))^2)^{1/2}-1)/\sin(x)^2)+9\cos(x)^2(-\cos(x)/(1+\cos(x))^2)^{3/2}\ln(-2(2\cos(x)^2(-\cos(x)/(1+\cos(x))^2)^{1/2}-\cos(x)^2+2\cos(x)-2(-\cos(x)/(1+\cos(x))^2)^{1/2}-1)/\sin(x)^2)+9\cos(x)^2(-\cos(x)/(1+\cos(x))^2)^{3/2}\ln(-2(2\cos(x)^2(-\cos(x)/(1+\cos(x))^2)^{1/2}-\cos(x)^2+2\cos(x)-2(-\cos(x)/(1+\cos(x))^2)^{1/2}-1)/\sin(x)^2)+4\cos(x)^3+12\cos(x)^2(1+\cos(x))^2(-(-1+\cos(x)^2)/\cos(x))^{3/2}/\sin(x)^7$

**Maxima [B]** time = 1.57738, size = 77, normalized size = 2.48

$$\frac{8 \left( \frac{\sin(x)^6}{(\cos(x)+1)^6} - 1 \right)}{3 \left( \frac{\sin(x)}{\cos(x)+1} + 1 \right)^{\frac{3}{2}} \left( -\frac{\sin(x)}{\cos(x)+1} + 1 \right)^{\frac{3}{2}} \left( \frac{\sin(x)^2}{(\cos(x)+1)^2} + 1 \right)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(x)+sec(x))^(3/2),x, algorithm="maxima")

[Out]  $-8/3 * (\sin(x)^6 / (\cos(x) + 1)^6 - 1) / ((\sin(x) / (\cos(x) + 1) + 1)^{(3/2)} * (-\sin(x) / (\cos(x) + 1) + 1)^{(3/2)} * (\sin(x)^2 / (\cos(x) + 1)^2 + 1)^{(3/2)})$

**Fricas [A]** time = 2.17881, size = 76, normalized size = 2.45

$$\frac{2(\cos(x)^2 + 3)\sqrt{-\frac{\cos(x)^2 - 1}{\cos(x)}}}{3 \sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(x)+sec(x))^(3/2),x, algorithm="fricas")

[Out]  $2/3 * (\cos(x)^2 + 3) * \text{sqrt}(-(\cos(x)^2 - 1) / \cos(x)) / \sin(x)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(x)+sec(x))\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-\cos(x) + \sec(x))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(x)+sec(x))^(3/2),x, algorithm="giac")

[Out] integrate((-cos(x) + sec(x))^(3/2), x)

### 3.336 $\int \sqrt{-\cos(x) + \sec(x)} dx$

**Optimal.** Leaf size=13

$$-2 \cot(x) \sqrt{\sin(x) \tan(x)}$$

[Out] -2\*Cot[x]\*Sqrt[Sin[x]\*Tan[x]]

**Rubi [A]** time = 0.0410275, antiderivative size = 13, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {4397, 4400, 2589}

$$-2 \cot(x) \sqrt{\sin(x) \tan(x)}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[-Cos[x] + Sec[x]],x]

[Out] -2\*Cot[x]\*Sqrt[Sin[x]\*Tan[x]]

#### Rule 4397

Int[u\_, x\_Symbol] :=> Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 4400

Int[(u\_.)\*((v\_)^(m\_.)\*(w\_)^(n\_.))^p\_, x\_Symbol] :=> With[{uu = ActivateTrig[u], vv = ActivateTrig[v], ww = ActivateTrig[w]}, Dist[(vv^m\*ww^n)^FracPart[p]/(vv^(m\*FracPart[p])\*ww^(n\*FracPart[p])), Int[uu\*vv^(m\*p)\*ww^(n\*p), x], x]] /; FreeQ[{m, n, p}, x] && !IntegerQ[p] && (!InertTrigFreeQ[v] || !InertTrigFreeQ[w])

#### Rule 2589

Int[((a\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^m\_\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^n\_, x\_Symbol] :=> -Simp[(b\*(a\*Sine[e + f\*x])^m\*(b\*Tan[e + f\*x])^(n - 1))/(f\*m), x] /; FreeQ[{a, b, e, f, m, n}, x] && EqQ[m + n - 1, 0]

#### Rubi steps

$$\begin{aligned} \int \sqrt{-\cos(x) + \sec(x)} dx &= \int \sqrt{\sin(x) \tan(x)} dx \\ &= \frac{\sqrt{\sin(x) \tan(x)} \int \sqrt{\sin(x)} \sqrt{\tan(x)} dx}{\sqrt{\sin(x)} \sqrt{\tan(x)}} \\ &= -2 \cot(x) \sqrt{\sin(x) \tan(x)} \end{aligned}$$

**Mathematica [A]** time = 0.0260806, size = 13, normalized size = 1.

$$-2 \cot(x) \sqrt{\sin(x) \tan(x)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[-Cos[x] + Sec[x]],x]

[Out]  $-2*\text{Cot}[x]*\text{Sqrt}[\text{Sin}[x]*\text{Tan}[x]]$

**Maple [B]** time = 0.138, size = 174, normalized size = 13.4

$$\frac{(-1 + \cos(x)) \cos(x)}{2 (\sin(x))^3} \left( 4 \cos(x) \sqrt{-\frac{\cos(x)}{(1 + \cos(x))^2}} + 4 \sqrt{-\frac{\cos(x)}{(1 + \cos(x))^2}} - \ln \left( -\frac{1}{(\sin(x))^2} \left( 2 (\cos(x))^2 \sqrt{-\frac{\cos(x)}{(1 + \cos(x))^2}} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((-\cos(x)+\sec(x))^{1/2}, x)$

[Out]  $\frac{1}{2}*(-1+\cos(x))*(4*\cos(x)*(-\cos(x)/(1+\cos(x))^2)^{1/2}+4*(-\cos(x)/(1+\cos(x))^2)^{1/2})-\ln(-(2*\cos(x)^2*(-\cos(x)/(1+\cos(x))^2)^{1/2}-\cos(x)^2+2*\cos(x)-2*(-\cos(x)/(1+\cos(x))^2)^{1/2}-1)/\sin(x)^2)+\ln(-2*(2*\cos(x)^2*(-\cos(x)/(1+\cos(x))^2)^{1/2}-\cos(x)^2+2*\cos(x)-2*(-\cos(x)/(1+\cos(x))^2)^{1/2}-1)/\sin(x)^2))*\cos(x)*(-(-1+\cos(x)^2)/\cos(x))^{1/2}/\sin(x)^3/(-\cos(x)/(1+\cos(x))^2)^{1/2}$

**Maxima [B]** time = 1.54065, size = 77, normalized size = 5.92

$$\frac{2 \left( \frac{\sin(x)^2}{(\cos(x)+1)^2} - 1 \right)}{\sqrt{\frac{\sin(x)}{\cos(x)+1} + 1} \sqrt{-\frac{\sin(x)}{\cos(x)+1} + 1} \sqrt{\frac{\sin(x)^2}{(\cos(x)+1)^2} + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((-\cos(x)+\sec(x))^{1/2}, x, \text{algorithm}="maxima")$

[Out]  $2*(\sin(x)^2/(\cos(x) + 1)^2 - 1)/(\sqrt{\sin(x)/(\cos(x) + 1) + 1}*\sqrt{-\sin(x)/(\cos(x) + 1) + 1}*\sqrt{\sin(x)^2/(\cos(x) + 1)^2 + 1})$

**Fricas [A]** time = 1.98497, size = 63, normalized size = 4.85

$$\frac{2 \sqrt{-\frac{\cos(x)^2-1}{\cos(x)}} \cos(x)}{\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((-\cos(x)+\sec(x))^{1/2}, x, \text{algorithm}="fricas")$

[Out]  $-2*\sqrt{-(\cos(x)^2 - 1)/\cos(x)}*\cos(x)/\sin(x)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-\cos(x) + \sec(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-cos(x)+sec(x))**(1/2),x)
```

```
[Out] Integral(sqrt(-cos(x) + sec(x)), x)
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-\cos(x) + \sec(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-cos(x)+sec(x))^(1/2),x, algorithm="giac")
```

```
[Out] integrate(sqrt(-cos(x) + sec(x)), x)
```

$$3.337 \quad \int \frac{1}{\sqrt{-\cos(x)+\sec(x)}} dx$$

**Optimal.** Leaf size=52

$$\frac{\sin(x) \tan^{-1}(\sqrt{\cos(x)})}{\sqrt{\cos(x)}\sqrt{\sin(x) \tan(x)}} - \frac{\sin(x) \tanh^{-1}(\sqrt{\cos(x)})}{\sqrt{\cos(x)}\sqrt{\sin(x) \tan(x)}}$$

[Out] (ArcTan[Sqrt[Cos[x]]\*Sin[x]]/(Sqrt[Cos[x]]\*Sqrt[Sin[x]\*Tan[x]]) - (ArcTanh[Sqrt[Cos[x]]\*Sin[x]]/(Sqrt[Cos[x]]\*Sqrt[Sin[x]\*Tan[x]]))

**Rubi [A]** time = 0.0780825, antiderivative size = 52, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.727$ , Rules used = {4397, 4400, 2601, 2565, 329, 298, 203, 206}

$$\frac{\sin(x) \tan^{-1}(\sqrt{\cos(x)})}{\sqrt{\cos(x)}\sqrt{\sin(x) \tan(x)}} - \frac{\sin(x) \tanh^{-1}(\sqrt{\cos(x)})}{\sqrt{\cos(x)}\sqrt{\sin(x) \tan(x)}}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[-Cos[x] + Sec[x]],x]

[Out] (ArcTan[Sqrt[Cos[x]]\*Sin[x]]/(Sqrt[Cos[x]]\*Sqrt[Sin[x]\*Tan[x]]) - (ArcTanh[Sqrt[Cos[x]]\*Sin[x]]/(Sqrt[Cos[x]]\*Sqrt[Sin[x]\*Tan[x]]))

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 4400

Int[(u\_.)\*((v\_)^(m\_.)\*(w\_)^(n\_.))^p\_, x\_Symbol] := With[{uu = ActivateTrig[u], vv = ActivateTrig[v], ww = ActivateTrig[w]}, Dist[(vv^m\*ww^n)^FracPart[p]/(vv^(m\*FracPart[p])\*ww^(n\*FracPart[p])), Int[uu\*vv^(m\*p)\*ww^(n\*p), x], x] /; FreeQ[{m, n, p}, x] && !IntegerQ[p] && (!InertTrigFreeQ[v] || !InertTrigFreeQ[w])

#### Rule 2601

Int[((a\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := Dist[(Cos[e + f\*x]^n\*(b\*Tan[e + f\*x])^n)/(a\*Sin[e + f\*x])^n, Int[(a\*Sin[e + f\*x])^(m + n)/Cos[e + f\*x]^n, x], x] /; FreeQ[{a, b, e, f, m, n}, x] && !IntegerQ[n] && (ILtQ[m, 0] || (EqQ[m, 1] && EqQ[n, -2^(-1)])) || IntegersQ[m - 1/2, n - 1/2])

#### Rule 2565

Int[(cos[(e\_.) + (f\_.)\*(x\_.)]\*(a\_.))^m\_.\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_.), x\_Symbol] := -Dist[(a\*f)^(-1), Subst[Int[x^m\*(1 - x^2/a^2)^((n - 1)/2), x], x, a\*Cos[e + f\*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n - 1)/2] && !(IntegerQ[(m - 1)/2] && GtQ[m, 0] && LeQ[m, n])

#### Rule 329

Int[((c\_.)\*(x\_.))^m\_.\*((a\_.) + (b\_.)\*(x\_.)^(n\_.))^p\_, x\_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k\*(m + 1) - 1)\*(a + (b\*x^(k\*n)))/c^

$n)^p, x], x, (c*x)^{(1/k)], x]] /; \text{FreeQ}[\{a, b, c, p\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{FractionQ}[m] \ \&\& \ \text{IntBinomialQ}[a, b, c, n, m, p, x]$

### Rule 298

$\text{Int}[(x_)^2/((a_) + (b_.)*(x_)^4), x\_Symbol] \text{ :> With}[\{r = \text{Numerator}[\text{Rt}[-(a/b), 2]], s = \text{Denominator}[\text{Rt}[-(a/b), 2]]\}, \text{Dist}[s/(2*b), \text{Int}[1/(r + s*x^2), x], x] - \text{Dist}[s/(2*b), \text{Int}[1/(r - s*x^2), x], x]] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{!GtQ}[a/b, 0]$

### Rule 203

$\text{Int}[(a_) + (b_.)*(x_)^2)^{-1}, x\_Symbol] \text{ :> Simp}[(1*\text{ArcTan}[(\text{Rt}[b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{GtQ}[b, 0])$

### Rule 206

$\text{Int}[(a_) + (b_.)*(x_)^2)^{-1}, x\_Symbol] \text{ :> Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

### Rubi steps

$$\begin{aligned} \int \frac{1}{\sqrt{-\cos(x) + \sec(x)}} dx &= \int \frac{1}{\sqrt{\sin(x) \tan(x)}} dx \\ &= \frac{(\sqrt{\sin(x)} \sqrt{\tan(x)}) \int \frac{1}{\sqrt{\sin(x)} \sqrt{\tan(x)}} dx}{\sqrt{\sin(x) \tan(x)}} \\ &= \frac{\sin(x) \int \sqrt{\cos(x)} \csc(x) dx}{\sqrt{\cos(x)} \sqrt{\sin(x) \tan(x)}} \\ &= -\frac{\sin(x) \text{Subst}\left(\int \frac{\sqrt{x}}{1-x^2} dx, x, \cos(x)\right)}{\sqrt{\cos(x)} \sqrt{\sin(x) \tan(x)}} \\ &= -\frac{(2 \sin(x)) \text{Subst}\left(\int \frac{x^2}{1-x^4} dx, x, \sqrt{\cos(x)}\right)}{\sqrt{\cos(x)} \sqrt{\sin(x) \tan(x)}} \\ &= -\frac{\sin(x) \text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \sqrt{\cos(x)}\right)}{\sqrt{\cos(x)} \sqrt{\sin(x) \tan(x)}} + \frac{\sin(x) \text{Subst}\left(\int \frac{1}{1+x^2} dx, x, \sqrt{\cos(x)}\right)}{\sqrt{\cos(x)} \sqrt{\sin(x) \tan(x)}} \\ &= \frac{\tan^{-1}(\sqrt{\cos(x)}) \sin(x)}{\sqrt{\cos(x)} \sqrt{\sin(x) \tan(x)}} - \frac{\tanh^{-1}(\sqrt{\cos(x)}) \sin(x)}{\sqrt{\cos(x)} \sqrt{\sin(x) \tan(x)}} \end{aligned}$$

**Mathematica [A]** time = 0.245932, size = 43, normalized size = 0.83

$$\frac{\cos(x) \cot(x) \sqrt{\sin(x) \tan(x)} \left( \tan^{-1} \left( \sqrt[4]{\cos^2(x)} \right) - \tanh^{-1} \left( \sqrt[4]{\cos^2(x)} \right) \right)}{\cos^2(x)^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[1/Sqrt[-Cos[x] + Sec[x]], x]

[Out] ((ArcTan[(Cos[x]^2)^(1/4)] - ArcTanh[(Cos[x]^2)^(1/4)])\*Cos[x]\*Cot[x]\*Sqrt[Sin[x]\*Tan[x]])/(Cos[x]^2)^(3/4)

---

**Maple [B]** time = 0.108, size = 105, normalized size = 2.

$$-\frac{1 + \cos(x)}{2 \sin(x)} \left( \arctan \left( \frac{1}{2} \frac{1}{\sqrt{-\frac{\cos(x)}{(1+\cos(x))^2}}} \right) + \ln \left( -\frac{1}{(\sin(x))^2} \left( 2 (\cos(x))^2 \sqrt{-\frac{\cos(x)}{(1+\cos(x))^2}} - (\cos(x))^2 + 2 \cos(x) - 2 \sqrt{-\frac{\cos(x)}{(1+\cos(x))^2}} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-cos(x)+sec(x))^(1/2),x)

[Out] -1/2\*(arctan(1/2/(-cos(x)/(1+cos(x))^2)^(1/2))+ln(-(2\*cos(x)^2\*(-cos(x)/(1+cos(x))^2)^(1/2)-cos(x)^2+2\*cos(x)-2\*(-cos(x)/(1+cos(x))^2)^(1/2)-1)/sin(x)^2))\*(1+cos(x))\*(-cos(x)/(1+cos(x))^2)^(1/2)\*((1-cos(x)^2)/cos(x))^(1/2)/sin(x)

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{-\cos(x) + \sec(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(x)+sec(x))^(1/2),x, algorithm="maxima")

[Out] integrate(1/sqrt(-cos(x) + sec(x)), x)

---

**Fricas [A]** time = 2.32496, size = 228, normalized size = 4.38

$$-\frac{1}{2} \arctan \left( \frac{2 \sqrt{-\frac{\cos(x)^2-1}{\cos(x)}} \cos(x)}{(\cos(x)-1) \sin(x)} \right) + \frac{1}{2} \log \left( \frac{(\cos(x)+1) \sin(x) - 2 \sqrt{-\frac{\cos(x)^2-1}{\cos(x)}} \cos(x)}{(\cos(x)-1) \sin(x)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(x)+sec(x))^(1/2),x, algorithm="fricas")

[Out] -1/2\*arctan(2\*sqrt(-(cos(x)^2 - 1)/cos(x))\*cos(x)/((cos(x) - 1)\*sin(x))) + 1/2\*log(((cos(x) + 1)\*sin(x) - 2\*sqrt(-(cos(x)^2 - 1)/cos(x))\*cos(x))/((cos(x) - 1)\*sin(x)))

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{-\cos(x) + \sec(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(x)+sec(x))\*\*(1/2),x)



[Out] Integral(1/sqrt(-cos(x) + sec(x)), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{-\cos(x) + \sec(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(x)+sec(x))^(1/2),x, algorithm="giac")

[Out] integrate(1/sqrt(-cos(x) + sec(x)), x)

$$3.338 \quad \int \frac{1}{(-\cos(x) + \sec(x))^{3/2}} dx$$

**Optimal.** Leaf size=72

$$\frac{\sin(x) \tan^{-1}(\sqrt{\cos(x)})}{4\sqrt{\cos(x)}\sqrt{\sin(x) \tan(x)}} - \frac{\csc(x)}{2\sqrt{\sin(x) \tan(x)}} + \frac{\sin(x) \tanh^{-1}(\sqrt{\cos(x)})}{4\sqrt{\cos(x)}\sqrt{\sin(x) \tan(x)}}$$

[Out] -Csc[x]/(2\*Sqrt[Sin[x]\*Tan[x]]) + (ArcTan[Sqrt[Cos[x]]]\*Sin[x])/(4\*Sqrt[Cos[x]]\*Sqrt[Sin[x]\*Tan[x]]) + (ArcTanh[Sqrt[Cos[x]]]\*Sin[x])/(4\*Sqrt[Cos[x]]\*Sqrt[Sin[x]\*Tan[x]])

**Rubi [A]** time = 0.093649, antiderivative size = 72, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.818$ , Rules used = {4397, 4400, 2597, 2601, 2565, 329, 212, 206, 203}

$$\frac{\sin(x) \tan^{-1}(\sqrt{\cos(x)})}{4\sqrt{\cos(x)}\sqrt{\sin(x) \tan(x)}} - \frac{\csc(x)}{2\sqrt{\sin(x) \tan(x)}} + \frac{\sin(x) \tanh^{-1}(\sqrt{\cos(x)})}{4\sqrt{\cos(x)}\sqrt{\sin(x) \tan(x)}}$$

Antiderivative was successfully verified.

[In] Int[(-Cos[x] + Sec[x])^(-3/2), x]

[Out] -Csc[x]/(2\*Sqrt[Sin[x]\*Tan[x]]) + (ArcTan[Sqrt[Cos[x]]]\*Sin[x])/(4\*Sqrt[Cos[x]]\*Sqrt[Sin[x]\*Tan[x]]) + (ArcTanh[Sqrt[Cos[x]]]\*Sin[x])/(4\*Sqrt[Cos[x]]\*Sqrt[Sin[x]\*Tan[x]])

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 4400

Int[(u\_.)\*((v\_)^(m\_.)\*(w\_)^(n\_.))^p\_, x\_Symbol] := With[{uu = ActivateTrig[u], vv = ActivateTrig[v], ww = ActivateTrig[w]}, Dist[(vv^m\*ww^n)^FracPart[p]/(vv^(m\*FracPart[p])\*ww^(n\*FracPart[p])), Int[uu\*vv^(m\*p)\*ww^(n\*p), x], x] /; FreeQ[{m, n, p}, x] && !IntegerQ[p] && (!InertTrigFreeQ[v] || !InertTrigFreeQ[w])

#### Rule 2597

Int[((a\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[((a\*SIN[e + f\*x])^m\*(b\*TAN[e + f\*x])^(n + 1))/(b\*f\*(m + n + 1)), x] - Dist[(n + 1)/(b^2\*(m + n + 1)), Int[(a\*SIN[e + f\*x])^m\*(b\*TAN[e + f\*x])^(n + 2), x], x] /; FreeQ[{a, b, e, f, m}, x] && LtQ[n, -1] && NeQ[m + n + 1, 0] && IntegersQ[2\*m, 2\*n] && !(EqQ[n, -3/2] && EqQ[m, 1])

#### Rule 2601

Int[((a\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Dist[(Cos[e + f\*x]^n\*(b\*TAN[e + f\*x])^n]/(a\*SIN[e + f\*x])^n, Int[(a\*SIN[e + f\*x])^(m + n)/Cos[e + f\*x]^n, x], x] /; FreeQ[{a, b, e, f, m, n}, x] && !IntegerQ[n] && (ILtQ[m, 0] || (EqQ[m, 1] && EqQ[n, -2^(-1)])) || IntegersQ[m - 1/2, n - 1/2])

#### Rule 2565

Int[(cos[(e\_.) + (f\_.)\*(x\_.)]\*(a\_.))^(m\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_.), x\_Symbol] := -Dist[(a\*f)^(-1), Subst[Int[x^m\*(1 - x^2/a^2)^((n - 1)/2), x], x, a\*Cos[e + f\*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n - 1)/2] && !(IntegerQ[(m - 1)/2] && GtQ[m, 0] && LeQ[m, n])

### Rule 329

Int[((c\_.)\*(x\_.))^(m\_.)\*((a\_.) + (b\_.)\*(x\_.)^(n\_.))^(p\_.), x\_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k\*(m + 1) - 1)\*(a + (b\*x^(k\*n)))/c^n]^p, x], x, (c\*x)^(1/k)], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 212

Int[((a\_.) + (b\_.)\*(x\_.)^4)^(-1), x\_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2\*a), Int[1/(r - s\*x^2), x], x] + Dist[r/(2\*a), Int[1/(r + s\*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

### Rule 206

Int[((a\_.) + (b\_.)\*(x\_.)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 203

Int[((a\_.) + (b\_.)\*(x\_.)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rubi steps

$$\begin{aligned}
 \int \frac{1}{(-\cos(x) + \sec(x))^{3/2}} dx &= \int \frac{1}{(\sin(x) \tan(x))^{3/2}} dx \\
 &= \frac{(\sqrt{\sin(x)} \sqrt{\tan(x)}) \int \frac{1}{\sin^2(x) \tan^2(x)} dx}{\sqrt{\sin(x) \tan(x)}} \\
 &= -\frac{\csc(x)}{2\sqrt{\sin(x) \tan(x)}} - \frac{(\sqrt{\sin(x)} \sqrt{\tan(x)}) \int \frac{\sqrt{\tan(x)}}{\sin^2(x)} dx}{4\sqrt{\sin(x) \tan(x)}} \\
 &= -\frac{\csc(x)}{2\sqrt{\sin(x) \tan(x)}} - \frac{\sin(x) \int \frac{\csc(x)}{\sqrt{\cos(x)}} dx}{4\sqrt{\cos(x)} \sqrt{\sin(x) \tan(x)}} \\
 &= -\frac{\csc(x)}{2\sqrt{\sin(x) \tan(x)}} + \frac{\sin(x) \operatorname{Subst}\left(\int \frac{1}{\sqrt{x(1-x^2)}} dx, x, \cos(x)\right)}{4\sqrt{\cos(x)} \sqrt{\sin(x) \tan(x)}} \\
 &= -\frac{\csc(x)}{2\sqrt{\sin(x) \tan(x)}} + \frac{\sin(x) \operatorname{Subst}\left(\int \frac{1}{1-x^4} dx, x, \sqrt{\cos(x)}\right)}{2\sqrt{\cos(x)} \sqrt{\sin(x) \tan(x)}} \\
 &= -\frac{\csc(x)}{2\sqrt{\sin(x) \tan(x)}} + \frac{\sin(x) \operatorname{Subst}\left(\int \frac{1}{1-x^2} dx, x, \sqrt{\cos(x)}\right)}{4\sqrt{\cos(x)} \sqrt{\sin(x) \tan(x)}} + \frac{\sin(x) \operatorname{Subst}\left(\int \frac{1}{1+x^2} dx, x, \sqrt{\cos(x)}\right)}{4\sqrt{\cos(x)} \sqrt{\sin(x) \tan(x)}} \\
 &= -\frac{\csc(x)}{2\sqrt{\sin(x) \tan(x)}} + \frac{\tan^{-1}(\sqrt{\cos(x)}) \sin(x)}{4\sqrt{\cos(x)} \sqrt{\sin(x) \tan(x)}} + \frac{\tanh^{-1}(\sqrt{\cos(x)}) \sin(x)}{4\sqrt{\cos(x)} \sqrt{\sin(x) \tan(x)}}
 \end{aligned}$$

**Mathematica [A]** time = 0.171909, size = 56, normalized size = 0.78

$$\frac{\cot(x)\sqrt{\sin(x)\tan(x)}\left(\tan^{-1}\left(\sqrt[4]{\cos^2(x)}\right)-2\sqrt[4]{\cos^2(x)}\csc^2(x)+\tanh^{-1}\left(\sqrt[4]{\cos^2(x)}\right)\right)}{4\sqrt[4]{\cos^2(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[(-Cos[x] + Sec[x])^(-3/2), x]

[Out] (Cot[x]\*(ArcTan[(Cos[x]^2)^(1/4)] + ArcTanh[(Cos[x]^2)^(1/4)] - 2\*(Cos[x]^2)^(1/4)\*Csc[x]^2\*Sqrt[Sin[x]\*Tan[x]])/(4\*(Cos[x]^2)^(1/4))

**Maple [B]** time = 0.149, size = 265, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-cos(x)+sec(x))^(3/2), x)

[Out] -1/8\*(-1+cos(x))\*(8\*cos(x)^2\*(-cos(x)/(1+cos(x))^2)^(3/2)+16\*cos(x)\*(-cos(x)/(1+cos(x))^2)^(3/2)+cos(x)^2\*arctan(1/2/(-cos(x)/(1+cos(x))^2)^(1/2))-cos(x)^2\*ln(-(2\*cos(x)^2\*(-cos(x)/(1+cos(x))^2)^(1/2)-cos(x)^2+2\*cos(x)-2\*(-cos(x)/(1+cos(x))^2)^(1/2)-1)/sin(x)^2)+8\*(-cos(x)/(1+cos(x))^2)^(3/2)+4\*cos(x)\*(-cos(x)/(1+cos(x))^2)^(1/2)-4\*(-cos(x)/(1+cos(x))^2)^(1/2)-arctan(1/2/(-cos(x)/(1+cos(x))^2)^(1/2))+ln(-(2\*cos(x)^2\*(-cos(x)/(1+cos(x))^2)^(1/2)-cos(x)^2+2\*cos(x)-2\*(-cos(x)/(1+cos(x))^2)^(1/2)-1)/sin(x)^2))/cos(x)/sin(x)/((-1+cos(x)^2)/cos(x))^(3/2)/(-cos(x)/(1+cos(x))^2)^(1/2)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-\cos(x) + \sec(x))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(x)+sec(x))^(3/2), x, algorithm="maxima")

[Out] integrate((-cos(x) + sec(x))^(3/2), x)

**Fricas [B]** time = 2.47909, size = 371, normalized size = 5.15

$$\frac{(\cos(x)^2 - 1) \arctan\left(\frac{2\sqrt{-\frac{\cos(x)^2 - 1}{\cos(x)}} \cos(x)}{(\cos(x) - 1) \sin(x)}\right) \sin(x) - (\cos(x)^2 - 1) \log\left(\frac{(\cos(x) + 1) \sin(x) + 2\sqrt{-\frac{\cos(x)^2 - 1}{\cos(x)}} \cos(x)}{(\cos(x) - 1) \sin(x)}\right) \sin(x) - 4\sqrt{-\frac{\cos(x)^2 - 1}{\cos(x)}}}{8(\cos(x)^2 - 1) \sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(x)+sec(x))^(3/2), x, algorithm="fricas")

```
[Out] -1/8*((cos(x)^2 - 1)*arctan(2*sqrt(-(cos(x)^2 - 1)/cos(x))*cos(x)/((cos(x)
- 1)*sin(x)))*sin(x) - (cos(x)^2 - 1)*log(((cos(x) + 1)*sin(x) + 2*sqrt(-(c
os(x)^2 - 1)/cos(x))*cos(x))/((cos(x) - 1)*sin(x)))*sin(x) - 4*sqrt(-(cos(x)
)^2 - 1)/cos(x))*cos(x))/((cos(x)^2 - 1)*sin(x))
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-\cos(x) + \sec(x))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(-cos(x)+sec(x))**(3/2),x)
```

```
[Out] Integral((-cos(x) + sec(x))**(-3/2), x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-\cos(x) + \sec(x))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(-cos(x)+sec(x))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((-cos(x) + sec(x))^(3/2), x)
```

$$3.339 \quad \int \frac{1}{(-\cos(x) + \sec(x))^{5/2}} dx$$

**Optimal.** Leaf size=91

$$-\frac{3 \sin(x) \tan^{-1}(\sqrt{\cos(x)})}{32\sqrt{\cos(x)}\sqrt{\sin(x)\tan(x)}} + \frac{3 \cot(x)}{16\sqrt{\sin(x)\tan(x)}} + \frac{3 \sin(x) \tanh^{-1}(\sqrt{\cos(x)})}{32\sqrt{\cos(x)}\sqrt{\sin(x)\tan(x)}} - \frac{\cot(x) \csc^2(x)}{4\sqrt{\sin(x)\tan(x)}}$$

[Out] (3\*Cot[x])/(16\*Sqrt[Sin[x]\*Tan[x]]) - (Cot[x]\*Csc[x]^2)/(4\*Sqrt[Sin[x]\*Tan[x]]) - (3\*ArcTan[Sqrt[Cos[x]]]\*Sin[x])/(32\*Sqrt[Cos[x]]\*Sqrt[Sin[x]\*Tan[x]]) + (3\*ArcTanh[Sqrt[Cos[x]]]\*Sin[x])/(32\*Sqrt[Cos[x]]\*Sqrt[Sin[x]\*Tan[x]])

**Rubi [A]** time = 0.120849, antiderivative size = 91, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.909$ , Rules used = {4397, 4400, 2597, 2599, 2601, 2565, 329, 298, 203, 206}

$$-\frac{3 \sin(x) \tan^{-1}(\sqrt{\cos(x)})}{32\sqrt{\cos(x)}\sqrt{\sin(x)\tan(x)}} + \frac{3 \cot(x)}{16\sqrt{\sin(x)\tan(x)}} + \frac{3 \sin(x) \tanh^{-1}(\sqrt{\cos(x)})}{32\sqrt{\cos(x)}\sqrt{\sin(x)\tan(x)}} - \frac{\cot(x) \csc^2(x)}{4\sqrt{\sin(x)\tan(x)}}$$

Antiderivative was successfully verified.

[In] Int[(-Cos[x] + Sec[x])^(-5/2), x]

[Out] (3\*Cot[x])/(16\*Sqrt[Sin[x]\*Tan[x]]) - (Cot[x]\*Csc[x]^2)/(4\*Sqrt[Sin[x]\*Tan[x]]) - (3\*ArcTan[Sqrt[Cos[x]]]\*Sin[x])/(32\*Sqrt[Cos[x]]\*Sqrt[Sin[x]\*Tan[x]]) + (3\*ArcTanh[Sqrt[Cos[x]]]\*Sin[x])/(32\*Sqrt[Cos[x]]\*Sqrt[Sin[x]\*Tan[x]])

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 4400

Int[(u\_.)\*((v\_)^(m\_.)\*(w\_)^(n\_.))^p\_, x\_Symbol] := With[{uu = ActivateTrig[u], vv = ActivateTrig[v], ww = ActivateTrig[w]}, Dist[(vv^m\*ww^n)^FracPart[p]/(vv^(m\*FracPart[p])\*ww^(n\*FracPart[p])), Int[uu\*vv^(m\*p)\*ww^(n\*p), x], x] /; FreeQ[{m, n, p}, x] && !IntegerQ[p] && (!InertTrigFreeQ[v] || !InertTrigFreeQ[w])

#### Rule 2597

Int[((a\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := Simp[((a\*Sin[e + f\*x])^m\*(b\*Tan[e + f\*x])^(n + 1))/(b\*f\*(m + n + 1)), x] - Dist[(n + 1)/(b^2\*(m + n + 1)), Int[(a\*Sin[e + f\*x])^m\*(b\*Tan[e + f\*x])^(n + 2), x], x] /; FreeQ[{a, b, e, f, m}, x] && LtQ[n, -1] && NeQ[m + n + 1, 0] && IntegersQ[2\*m, 2\*n] && !(EqQ[n, -3/2] && EqQ[m, 1])

#### Rule 2599

Int[((a\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := Simp[(b\*(a\*Sin[e + f\*x])^(m + 2)\*(b\*Tan[e + f\*x])^(n - 1))/(a^2\*f\*(m + n + 1)), x] + Dist[(m + 2)/(a^2\*(m + n + 1)), Int[(a\*Sin[e + f\*x])^(m + 2)\*(b\*Tan[e + f\*x])^n, x], x] /; FreeQ[{a, b, e, f, n}, x] && LtQ[m, -1] && NeQ[m + n + 1, 0] && IntegersQ[2\*m, 2\*n]

#### Rule 2601

```
Int[((a_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((b_.)*tan[(e_.) + (f_.)*(x_)])^(
n_), x_Symbol] := Dist[(Cos[e + f*x]^n*(b*Tan[e + f*x])^n)/(a*Sin[e + f*x])
^n, Int[(a*Sin[e + f*x])^(m + n)/Cos[e + f*x]^n, x], x] /; FreeQ[{a, b, e,
f, m, n}, x] && !IntegerQ[n] && (ILtQ[m, 0] || (EqQ[m, 1] && EqQ[n, -2^(-1
)])) || IntegersQ[m - 1/2, n - 1/2])
```

#### Rule 2565

```
Int[(cos[(e_.) + (f_.)*(x_)])*(a_.)^(m_.)*sin[(e_.) + (f_.)*(x_)^(n_.), x_
Symbol] := -Dist[(a*f)^(-1), Subst[Int[x^m*(1 - x^2/a^2)^(n - 1)/2], x], x
, a*Cos[e + f*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n - 1)/2] &&
!(IntegerQ[(m - 1)/2] && GtQ[m, 0] && LeQ[m, n])
```

#### Rule 329

```
Int[((c_.)*(x_)^(m_))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k =
Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^
n]^p, x], x, (c*x)^(1/k)], x]] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && F
ractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]
```

#### Rule 298

```
Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[-(a/b
), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[s/(2*b), Int[1/(r + s*x^2), x
], x] - Dist[s/(2*b), Int[1/(r - s*x^2), x], x]] /; FreeQ[{a, b}, x] && !G
tQ[a/b, 0]
```

#### Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

#### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

#### Rubi steps

$$\begin{aligned}
\int \frac{1}{(-\cos(x) + \sec(x))^{5/2}} dx &= \int \frac{1}{(\sin(x) \tan(x))^{5/2}} dx \\
&= \frac{\int \frac{1}{\sin^2(x) \tan^2(x)} dx}{\sqrt{\sin(x) \tan(x)}} \\
&= \frac{\cot(x) \csc^2(x)}{4\sqrt{\sin(x) \tan(x)}} - \frac{(3\sqrt{\sin(x) \tan(x)}) \int \frac{1}{\sin^2(x) \sqrt{\tan(x)}} dx}{8\sqrt{\sin(x) \tan(x)}} \\
&= \frac{3 \cot(x)}{16\sqrt{\sin(x) \tan(x)}} - \frac{\cot(x) \csc^2(x)}{4\sqrt{\sin(x) \tan(x)}} - \frac{(3\sqrt{\sin(x) \tan(x)}) \int \frac{1}{\sqrt{\sin(x) \tan(x)}} dx}{32\sqrt{\sin(x) \tan(x)}} \\
&= \frac{3 \cot(x)}{16\sqrt{\sin(x) \tan(x)}} - \frac{\cot(x) \csc^2(x)}{4\sqrt{\sin(x) \tan(x)}} - \frac{(3 \sin(x)) \int \sqrt{\cos(x)} \csc(x) dx}{32\sqrt{\cos(x) \sqrt{\sin(x) \tan(x)}}} \\
&= \frac{3 \cot(x)}{16\sqrt{\sin(x) \tan(x)}} - \frac{\cot(x) \csc^2(x)}{4\sqrt{\sin(x) \tan(x)}} + \frac{(3 \sin(x)) \text{Subst} \left( \int \frac{\sqrt{x}}{1-x^2} dx, x, \cos(x) \right)}{32\sqrt{\cos(x) \sqrt{\sin(x) \tan(x)}}} \\
&= \frac{3 \cot(x)}{16\sqrt{\sin(x) \tan(x)}} - \frac{\cot(x) \csc^2(x)}{4\sqrt{\sin(x) \tan(x)}} + \frac{(3 \sin(x)) \text{Subst} \left( \int \frac{x^2}{1-x^4} dx, x, \sqrt{\cos(x)} \right)}{16\sqrt{\cos(x) \sqrt{\sin(x) \tan(x)}}} \\
&= \frac{3 \cot(x)}{16\sqrt{\sin(x) \tan(x)}} - \frac{\cot(x) \csc^2(x)}{4\sqrt{\sin(x) \tan(x)}} + \frac{(3 \sin(x)) \text{Subst} \left( \int \frac{1}{1-x^2} dx, x, \sqrt{\cos(x)} \right)}{32\sqrt{\cos(x) \sqrt{\sin(x) \tan(x)}}} - \frac{(3 \sin(x)) \text{Subst} \left( \int \frac{1}{1-x^2} dx, x, \sqrt{\cos(x)} \right)}{32\sqrt{\cos(x) \sqrt{\sin(x) \tan(x)}}} \\
&= \frac{3 \cot(x)}{16\sqrt{\sin(x) \tan(x)}} - \frac{\cot(x) \csc^2(x)}{4\sqrt{\sin(x) \tan(x)}} - \frac{3 \tan^{-1}(\sqrt{\cos(x)}) \sin(x)}{32\sqrt{\cos(x) \sqrt{\sin(x) \tan(x)}}} + \frac{3 \tanh^{-1}(\sqrt{\cos(x)})}{32\sqrt{\cos(x) \sqrt{\sin(x) \tan(x)}}}
\end{aligned}$$

**Mathematica [A]** time = 0.647308, size = 73, normalized size = 0.8

$$\frac{\cot(x) \sqrt{\sin(x) \tan(x)} \left( 3 \cos(x) \tan^{-1} \left( \sqrt[4]{\cos^2(x)} \right) - 3 \cos(x) \tanh^{-1} \left( \sqrt[4]{\cos^2(x)} \right) + \cos^2(x)^{3/4} (3 \cos(2x) + 5) \cot(x) \csc^3(x) \right)}{32 \cos^2(x)^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(-Cos[x] + Sec[x])^(-5/2), x]

[Out] -(Cot[x]\*(3\*ArcTan[(Cos[x]^2)^(1/4)]\*Cos[x] - 3\*ArcTanh[(Cos[x]^2)^(1/4)]\*Cos[x] + (Cos[x]^2)^(3/4)\*(5 + 3\*Cos[2\*x])\*Cot[x]\*Csc[x]^3)\*Sqrt[Sin[x]\*Tan[x]])/(32\*(Cos[x]^2)^(3/4))

**Maple [B]** time = 0.15, size = 454, normalized size = 5.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-cos(x)+sec(x))^(5/2), x)

[Out] 1/64\*(24\*cos(x)^3\*(-cos(x)/(1+cos(x))^2)^(3/2)+40\*cos(x)^2\*(-cos(x)/(1+cos(x))^2)^(3/2)-12\*cos(x)^3\*(-cos(x)/(1+cos(x))^2)^(1/2)-3\*cos(x)^3\*ln(-2\*cos(x)^2\*(-cos(x)/(1+cos(x))^2)^(1/2)-cos(x)^2+2\*cos(x)-2\*(-cos(x)/(1+cos(x))^2)^(1/2)-1)/sin(x)^2)-3\*cos(x)^3\*arctan(1/2/(-cos(x)/(1+cos(x))^2)^(1/2))+8\*cos(x)\*(-cos(x)/(1+cos(x))^2)^(3/2)+24\*cos(x)^2\*(-cos(x)/(1+cos(x))^2)^(1/2)+3\*cos(x)^2\*ln(-2\*cos(x)^2\*(-cos(x)/(1+cos(x))^2)^(1/2)-cos(x)^2+2\*cos(x)



$$-2*(-\cos(x)/(1+\cos(x))^2)^{(1/2)-1}/\sin(x)^2+3*\cos(x)^2*\arctan(1/2/(-\cos(x)/(1+\cos(x))^2)^{(1/2)})-8*(-\cos(x)/(1+\cos(x))^2)^{(3/2)}-12*\cos(x)*(-\cos(x)/(1+\cos(x))^2)^{(1/2)}+3*\cos(x)*\ln(-2*\cos(x)^2*(-\cos(x)/(1+\cos(x))^2)^{(1/2)}-\cos(x)^2+2*\cos(x)-2*(-\cos(x)/(1+\cos(x))^2)^{(1/2)-1}/\sin(x)^2)+3*\cos(x)*\arctan(1/2/(-\cos(x)/(1+\cos(x))^2)^{(1/2)})-3*\ln(-2*\cos(x)^2*(-\cos(x)/(1+\cos(x))^2)^{(1/2)}-\cos(x)^2+2*\cos(x)-2*(-\cos(x)/(1+\cos(x))^2)^{(1/2)-1}/\sin(x)^2)-3*\arctan(1/2/(-\cos(x)/(1+\cos(x))^2)^{(1/2)}))*\sin(x)/\cos(x)^2/(-(-1+\cos(x)^2)/\cos(x))^{(5/2)}/(-\cos(x)/(1+\cos(x))^2)^{(1/2)}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-\cos(x) + \sec(x))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(x)+sec(x))^(5/2),x, algorithm="maxima")

[Out] integrate((-cos(x) + sec(x))^(5/2), x)

**Fricas [B]** time = 2.47547, size = 452, normalized size = 4.97

$$3(\cos(x)^4 - 2\cos(x)^2 + 1) \arctan\left(\frac{2\sqrt{-\frac{\cos(x)^2-1}{\cos(x)}} \cos(x)}{(\cos(x)-1)\sin(x)}\right) \sin(x) + 3(\cos(x)^4 - 2\cos(x)^2 + 1) \log\left(\frac{(\cos(x)+1)\sin(x)+2\sqrt{-\frac{\cos(x)^2-1}{\cos(x)}}}{(\cos(x)-1)\sin(x)}\right)$$


---


$$64(\cos(x)^4 - 2\cos(x)^2 + 1) \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(x)+sec(x))^(5/2),x, algorithm="fricas")

[Out] 1/64\*(3\*(cos(x)^4 - 2\*cos(x)^2 + 1)\*arctan(2\*sqrt(-(cos(x)^2 - 1)/cos(x))\*cos(x)/((cos(x) - 1)\*sin(x)))\*sin(x) + 3\*(cos(x)^4 - 2\*cos(x)^2 + 1)\*log(((cos(x) + 1)\*sin(x) + 2\*sqrt(-(cos(x)^2 - 1)/cos(x))\*cos(x))/((cos(x) - 1)\*sin(x)))\*sin(x) - 4\*(3\*cos(x)^4 + cos(x)^2)\*sqrt(-(cos(x)^2 - 1)/cos(x)))/((cos(x)^4 - 2\*cos(x)^2 + 1)\*sin(x))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(x)+sec(x))\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-\cos(x) + \sec(x))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(-cos(x)+sec(x))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((-cos(x) + sec(x))^(5/2), x)
```

$$3.340 \quad \int \frac{1}{(-\cos(x) + \sec(x))^{7/2}} dx$$

**Optimal.** Leaf size=110

$$-\frac{5 \sin(x) \tan^{-1}(\sqrt{\cos(x)})}{128\sqrt{\cos(x)}\sqrt{\sin(x)\tan(x)}} + \frac{5 \csc^3(x)}{48\sqrt{\sin(x)\tan(x)}} - \frac{5 \csc(x)}{192\sqrt{\sin(x)\tan(x)}} - \frac{5 \sin(x) \tanh^{-1}(\sqrt{\cos(x)})}{128\sqrt{\cos(x)}\sqrt{\sin(x)\tan(x)}} - \frac{\cot^2(x) \csc^3(x)}{6\sqrt{\sin(x)\tan(x)}}$$

```
[Out] (-5*Csc[x])/(192*Sqrt[Sin[x]*Tan[x]]) + (5*Csc[x]^3)/(48*Sqrt[Sin[x]*Tan[x]]) - (Cot[x]^2*Csc[x]^3)/(6*Sqrt[Sin[x]*Tan[x]]) - (5*ArcTan[Sqrt[Cos[x]]]*Sin[x])/(128*Sqrt[Cos[x]]*Sqrt[Sin[x]*Tan[x]]) - (5*ArcTanh[Sqrt[Cos[x]]]*Sin[x])/(128*Sqrt[Cos[x]]*Sqrt[Sin[x]*Tan[x]])
```

**Rubi [A]** time = 0.140367, antiderivative size = 110, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 10, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.909$ , Rules used = {4397, 4400, 2597, 2599, 2601, 2565, 329, 212, 206, 203}

$$-\frac{5 \sin(x) \tan^{-1}(\sqrt{\cos(x)})}{128\sqrt{\cos(x)}\sqrt{\sin(x)\tan(x)}} + \frac{5 \csc^3(x)}{48\sqrt{\sin(x)\tan(x)}} - \frac{5 \csc(x)}{192\sqrt{\sin(x)\tan(x)}} - \frac{5 \sin(x) \tanh^{-1}(\sqrt{\cos(x)})}{128\sqrt{\cos(x)}\sqrt{\sin(x)\tan(x)}} - \frac{\cot^2(x) \csc^3(x)}{6\sqrt{\sin(x)\tan(x)}}$$

Antiderivative was successfully verified.

```
[In] Int[(-Cos[x] + Sec[x])^(-7/2), x]
```

```
[Out] (-5*Csc[x])/(192*Sqrt[Sin[x]*Tan[x]]) + (5*Csc[x]^3)/(48*Sqrt[Sin[x]*Tan[x]]) - (Cot[x]^2*Csc[x]^3)/(6*Sqrt[Sin[x]*Tan[x]]) - (5*ArcTan[Sqrt[Cos[x]]]*Sin[x])/(128*Sqrt[Cos[x]]*Sqrt[Sin[x]*Tan[x]]) - (5*ArcTanh[Sqrt[Cos[x]]]*Sin[x])/(128*Sqrt[Cos[x]]*Sqrt[Sin[x]*Tan[x]])
```

#### Rule 4397

```
Int[u_, x_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]
```

#### Rule 4400

```
Int[(u_.)*((v_)^(m_.)*(w_)^(n_.))^p_, x_Symbol] := With[{uu = ActivateTrig[u], vv = ActivateTrig[v], ww = ActivateTrig[w]}, Dist[(vv^m*ww^n)^FracPart[p]/(vv^(m*FracPart[p])*ww^(n*FracPart[p])), Int[uu*vv^(m*p)*ww^(n*p), x], x] /; FreeQ[{m, n, p}, x] && !IntegerQ[p] && (!InertTrigFreeQ[v] || !InertTrigFreeQ[w])
```

#### Rule 2597

```
Int[((a_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((b_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[((a*SIN[e + f*x])^m*(b*TAN[e + f*x])^(n + 1))/(b*f*(m + n + 1)), x] - Dist[(n + 1)/(b^2*(m + n + 1)), Int[(a*SIN[e + f*x])^m*(b*TAN[e + f*x])^(n + 2), x], x] /; FreeQ[{a, b, e, f, m}, x] && LtQ[n, -1] && NeQ[m + n + 1, 0] && IntegersQ[2*m, 2*n] && !(EqQ[n, -3/2] && EqQ[m, 1])
```

#### Rule 2599

```
Int[((a_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((b_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[(b*(a*SIN[e + f*x])^(m + 2)*(b*TAN[e + f*x])^(n - 1))/(a^2*f*(m + n + 1)), x] + Dist[(m + 2)/(a^2*(m + n + 1)), Int[(a*SIN[e + f*x])^(m + 2)*(b*TAN[e + f*x])^n, x], x] /; FreeQ[{a, b, e, f, n}, x] && LtQ[m, -1] && NeQ[m + n + 1, 0] && IntegersQ[2*m, 2*n]
```

Rule 2601

```
Int[((a_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((b_.)*tan[(e_.) + (f_.)*(x_)])^(
n_), x_Symbol] := Dist[(Cos[e + f*x]^n*(b*Tan[e + f*x])^n)/(a*Sin[e + f*x]
^m), Int[(a*Sin[e + f*x])^(m + n)/Cos[e + f*x]^n, x], x] /; FreeQ[{a, b, e,
f, m, n}, x] && !IntegerQ[n] && (ILtQ[m, 0] || (EqQ[m, 1] && EqQ[n, -2^(-1
)])) || IntegersQ[m - 1/2, n - 1/2])
```

Rule 2565

```
Int[(cos[(e_.) + (f_.)*(x_)]*(a_.))^(m_.)*sin[(e_.) + (f_.)*(x_)]^(n_.), x_
Symbol] := -Dist[(a*f)^(-1), Subst[Int[x^m*(1 - x^2/a^2)^((n - 1)/2), x], x
, a*Cos[e + f*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n - 1)/2] &&
!(IntegerQ[(m - 1)/2] && GtQ[m, 0] && LeQ[m, n])
```

Rule 329

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := With[{k =
Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^
n]^p, x], x, (c*x)^(1/k)], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && F
ractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 212

```
Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b),
2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x],
x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ
[a/b, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(-\cos(x) + \sec(x))^{7/2}} dx &= \int \frac{1}{(\sin(x) \tan(x))^{7/2}} dx \\
&= \frac{(\sqrt{\sin(x)} \sqrt{\tan(x)}) \int \frac{1}{\sin^2(x) \tan^2(x)} dx}{\sqrt{\sin(x) \tan(x)}} \\
&= \frac{\cot^2(x) \csc^3(x)}{6\sqrt{\sin(x) \tan(x)}} - \frac{(5\sqrt{\sin(x)} \sqrt{\tan(x)}) \int \frac{1}{\sin^2(x) \tan^2(x)} dx}{12\sqrt{\sin(x) \tan(x)}} \\
&= \frac{5 \csc^3(x)}{48\sqrt{\sin(x) \tan(x)}} - \frac{\cot^2(x) \csc^3(x)}{6\sqrt{\sin(x) \tan(x)}} + \frac{(5\sqrt{\sin(x)} \sqrt{\tan(x)}) \int \frac{\sqrt{\tan(x)}}{\sin^2(x)} dx}{96\sqrt{\sin(x) \tan(x)}} \\
&= -\frac{5 \csc(x)}{192\sqrt{\sin(x) \tan(x)}} + \frac{5 \csc^3(x)}{48\sqrt{\sin(x) \tan(x)}} - \frac{\cot^2(x) \csc^3(x)}{6\sqrt{\sin(x) \tan(x)}} + \frac{(5\sqrt{\sin(x)} \sqrt{\tan(x)}) \int \frac{\csc(x)}{\sqrt{\cos(x)}} dx}{128\sqrt{\sin(x) \tan(x)}} \\
&= -\frac{5 \csc(x)}{192\sqrt{\sin(x) \tan(x)}} + \frac{5 \csc^3(x)}{48\sqrt{\sin(x) \tan(x)}} - \frac{\cot^2(x) \csc^3(x)}{6\sqrt{\sin(x) \tan(x)}} + \frac{(5 \sin(x)) \int \frac{\csc(x)}{\sqrt{\cos(x)}} dx}{128\sqrt{\cos(x)} \sqrt{\sin(x) \tan(x)}} \\
&= -\frac{5 \csc(x)}{192\sqrt{\sin(x) \tan(x)}} + \frac{5 \csc^3(x)}{48\sqrt{\sin(x) \tan(x)}} - \frac{\cot^2(x) \csc^3(x)}{6\sqrt{\sin(x) \tan(x)}} - \frac{(5 \sin(x)) \text{Subst} \left( \int \frac{1}{\sqrt{x}} dx \right)}{128\sqrt{\cos(x)} \sqrt{\sin(x) \tan(x)}} \\
&= -\frac{5 \csc(x)}{192\sqrt{\sin(x) \tan(x)}} + \frac{5 \csc^3(x)}{48\sqrt{\sin(x) \tan(x)}} - \frac{\cot^2(x) \csc^3(x)}{6\sqrt{\sin(x) \tan(x)}} - \frac{(5 \sin(x)) \text{Subst} \left( \int \frac{1}{1-x} dx \right)}{64\sqrt{\cos(x)} \sqrt{\sin(x) \tan(x)}} \\
&= -\frac{5 \csc(x)}{192\sqrt{\sin(x) \tan(x)}} + \frac{5 \csc^3(x)}{48\sqrt{\sin(x) \tan(x)}} - \frac{\cot^2(x) \csc^3(x)}{6\sqrt{\sin(x) \tan(x)}} - \frac{(5 \sin(x)) \text{Subst} \left( \int \frac{1}{1-x} dx \right)}{128\sqrt{\cos(x)} \sqrt{\sin(x) \tan(x)}} \\
&= -\frac{5 \csc(x)}{192\sqrt{\sin(x) \tan(x)}} + \frac{5 \csc^3(x)}{48\sqrt{\sin(x) \tan(x)}} - \frac{\cot^2(x) \csc^3(x)}{6\sqrt{\sin(x) \tan(x)}} - \frac{5 \tan^{-1}(\sqrt{\cos(x)}) \sin(x)}{128\sqrt{\cos(x)} \sqrt{\sin(x) \tan(x)}}
\end{aligned}$$

**Mathematica [A]** time = 0.369063, size = 74, normalized size = 0.67

$$\frac{\cot(x) \sqrt{\sin(x) \tan(x)} \left( 15 \tan^{-1} \left( \sqrt[4]{\cos^2(x)} \right) + 2 \sqrt[4]{\cos^2(x)} \left( 32 \csc^4(x) - 52 \csc^2(x) + 5 \right) \csc^2(x) + 15 \tanh^{-1} \left( \sqrt[4]{\cos^2(x)} \right) \right)}{384 \sqrt[4]{\cos^2(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[(-Cos[x] + Sec[x])^(-7/2), x]

[Out] -(Cot[x]\*(15\*ArcTan[(Cos[x]^2)^(1/4)] + 15\*ArcTanh[(Cos[x]^2)^(1/4)] + 2\*(Cos[x]^2)^(1/4)\*Csc[x]^2\*(5 - 52\*Csc[x]^2 + 32\*Csc[x]^4))\*Sqrt[Sin[x]\*Tan[x]])/(384\*(Cos[x]^2)^(1/4))

**Maple [B]** time = 0.167, size = 494, normalized size = 4.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-cos(x)+sec(x))^(7/2), x)

[Out] 1/768\*(56\*cos(x)^4\*(-cos(x)/(1+cos(x))^2)^(3/2)-16\*cos(x)^3\*(-cos(x)/(1+cos(x))^2)^(3/2)-15\*cos(x)^4\*ln(-(2\*cos(x))^2\*(-cos(x)/(1+cos(x))^2)^(1/2)-cos(x)

$$x^2 + 2\cos(x) - 2\left(-\cos(x)/(1+\cos(x))^2\right)^{1/2} - 1/\sin(x)^2 + 15\cos(x)^4 \arctan\left(1/2/\left(-\cos(x)/(1+\cos(x))^2\right)^{1/2}\right) - 192\cos(x)^2 \left(-\cos(x)/(1+\cos(x))^2\right)^{3/2} + 76\cos(x)^3 \left(-\cos(x)/(1+\cos(x))^2\right)^{1/2} + 30\cos(x)^3 \ln\left(-2\cos(x)^2 \left(-\cos(x)/(1+\cos(x))^2\right)^{1/2} - \cos(x)^2 + 2\cos(x) - 2\left(-\cos(x)/(1+\cos(x))^2\right)^{1/2} - 1\right)/\sin(x)^2 - 30\cos(x)^3 \arctan\left(1/2/\left(-\cos(x)/(1+\cos(x))^2\right)^{1/2}\right) + 16\cos(x) \left(-\cos(x)/(1+\cos(x))^2\right)^{3/2} - 148\cos(x)^2 \left(-\cos(x)/(1+\cos(x))^2\right)^{1/2} + 136 \left(-\cos(x)/(1+\cos(x))^2\right)^{3/2} + 196\cos(x) \left(-\cos(x)/(1+\cos(x))^2\right)^{1/2} - 30\cos(x) \ln\left(-2\cos(x)^2 \left(-\cos(x)/(1+\cos(x))^2\right)^{1/2} - \cos(x)^2 + 2\cos(x) - 2\left(-\cos(x)/(1+\cos(x))^2\right)^{1/2} - 1\right)/\sin(x)^2 + 30\cos(x) \arctan\left(1/2/\left(-\cos(x)/(1+\cos(x))^2\right)^{1/2}\right) - 60 \left(-\cos(x)/(1+\cos(x))^2\right)^{1/2} + 15 \ln\left(-2\cos(x)^2 \left(-\cos(x)/(1+\cos(x))^2\right)^{1/2} - \cos(x)^2 + 2\cos(x) - 2\left(-\cos(x)/(1+\cos(x))^2\right)^{1/2} - 1\right)/\sin(x)^2 - 15 \arctan\left(1/2/\left(-\cos(x)/(1+\cos(x))^2\right)^{1/2}\right) \sin(x)^3 / (-1+\cos(x)) / \cos(x)^3 / (-(-1+\cos(x))^2 / \cos(x))^{7/2} / \left(-\cos(x)/(1+\cos(x))^2\right)^{1/2}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-\cos(x) + \sec(x))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(x)+sec(x))^(7/2),x, algorithm="maxima")

[Out] integrate((-cos(x) + sec(x))^(7/2), x)

**Fricas [B]** time = 2.57107, size = 529, normalized size = 4.81

$$15 \left( \cos(x)^6 - 3 \cos(x)^4 + 3 \cos(x)^2 - 1 \right) \arctan \left( \frac{2 \sqrt{-\frac{\cos(x)^2 - 1}{\cos(x)}} \cos(x)}{(\cos(x) - 1) \sin(x)} \right) \sin(x) + 15 \left( \cos(x)^6 - 3 \cos(x)^4 + 3 \cos(x)^2 - 1 \right) \frac{768 \left( \cos(x)^6 - 3 \cos(x)^4 + 3 \cos(x)^2 - 1 \right)}{768 \left( \cos(x)^6 - 3 \cos(x)^4 + 3 \cos(x)^2 - 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(x)+sec(x))^(7/2),x, algorithm="fricas")

[Out] 1/768\*(15\*(cos(x)^6 - 3\*cos(x)^4 + 3\*cos(x)^2 - 1)\*arctan(2\*sqrt(-(cos(x)^2 - 1)/cos(x))\*cos(x)/((cos(x) - 1)\*sin(x)))\*sin(x) + 15\*(cos(x)^6 - 3\*cos(x)^4 + 3\*cos(x)^2 - 1)\*log(((cos(x) + 1)\*sin(x) - 2\*sqrt(-(cos(x)^2 - 1)/cos(x))\*cos(x))/((cos(x) - 1)\*sin(x)))\*sin(x) + 4\*(5\*cos(x)^5 + 42\*cos(x)^3 - 15\*cos(x))\*sqrt(-(cos(x)^2 - 1)/cos(x)))/((cos(x)^6 - 3\*cos(x)^4 + 3\*cos(x)^2 - 1)\*sin(x))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(x)+sec(x))\*\*(7/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-\cos(x) + \sec(x))^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(x)+sec(x))^(7/2),x, algorithm="giac")

[Out] integrate((-cos(x) + sec(x))^(7/2), x)

### 3.341 $\int (\sin(x) + \tan(x))^4 dx$

**Optimal.** Leaf size=55

$$-\frac{61x}{8} - \frac{4\sin^3(x)}{3} + \frac{\tan^3(x)}{3} + 5\tan(x) - 2\tanh^{-1}(\sin(x)) + \frac{1}{4}\sin(x)\cos^3(x) + \frac{19}{8}\sin(x)\cos(x) + 2\tan(x)\sec(x)$$

[Out]  $(-61*x)/8 - 2*ArcTanh[Sin[x]] + (19*Cos[x]*Sin[x])/8 + (Cos[x]^3*Sin[x])/4 - (4*Sin[x]^3)/3 + 5*Tan[x] + 2*Sec[x]*Tan[x] + Tan[x]^3/3$

**Rubi [A]** time = 0.109614, antiderivative size = 55, normalized size of antiderivative = 1., number of steps used = 18, number of rules used = 9, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 1.286$ , Rules used = {4397, 2709, 2637, 2635, 8, 2633, 3770, 3767, 3768}

$$-\frac{61x}{8} - \frac{4\sin^3(x)}{3} + \frac{\tan^3(x)}{3} + 5\tan(x) - 2\tanh^{-1}(\sin(x)) + \frac{1}{4}\sin(x)\cos^3(x) + \frac{19}{8}\sin(x)\cos(x) + 2\tan(x)\sec(x)$$

Antiderivative was successfully verified.

[In] Int[(Sin[x] + Tan[x])^4,x]

[Out]  $(-61*x)/8 - 2*ArcTanh[Sin[x]] + (19*Cos[x]*Sin[x])/8 + (Cos[x]^3*Sin[x])/4 - (4*Sin[x]^3)/3 + 5*Tan[x] + 2*Sec[x]*Tan[x] + Tan[x]^3/3$

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 2709

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*tan[(e\_) + (f\_)\*(x\_)]^(p\_), x\_Symbol] := Dist[a^p, Int[ExpandIntegrand[(Sin[e + f\*x]^p\*(a + b\*SIN[e + f\*x])^(m - p/2))/(a - b\*SIN[e + f\*x])^(p/2), x], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && IntegersQ[m, p/2] && (LtQ[p, 0] || GtQ[m - p/2, 0])

#### Rule 2637

Int[sin[Pi/2 + (c\_) + (d\_)\*(x\_)], x\_Symbol] := Simp[SIN[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rule 2635

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*COS[c + d\*x])\*(b\*SIN[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*SIN[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2633

Int[sin[(c\_) + (d\_)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, COS[c + d\*x]], x] /; FreeQ[{c, d}, x]



&& IGtQ[(n - 1)/2, 0]

### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

### Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_.)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x] \* (b\*Csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

### Rubi steps

$$\begin{aligned} \int (\sin(x) + \tan(x))^4 dx &= \int (1 + \cos(x))^4 \tan^4(x) dx \\ &= \int (-10 - 4 \cos(x) + 4 \cos^2(x) + 4 \cos^3(x) + \cos^4(x) - 4 \sec(x) + 4 \sec^2(x) + 4 \sec^3(x) + \sec^4(x)) \tan^4(x) dx \\ &= -10x - 4 \int \cos(x) dx + 4 \int \cos^2(x) dx + 4 \int \cos^3(x) dx - 4 \int \sec(x) dx + 4 \int \sec^2(x) dx + 4 \int \sec^3(x) dx \\ &= -10x - 4 \tanh^{-1}(\sin(x)) - 4 \sin(x) + 2 \cos(x) \sin(x) + \frac{1}{4} \cos^3(x) \sin(x) + 2 \sec(x) \tan(x) + \frac{2}{3} \sec^3(x) \tan(x) \\ &= -8x - 2 \tanh^{-1}(\sin(x)) + \frac{19}{8} \cos(x) \sin(x) + \frac{1}{4} \cos^3(x) \sin(x) - \frac{4 \sin^3(x)}{3} + 5 \tan(x) + 2 \sec^3(x) \tan(x) \\ &= -\frac{61x}{8} - 2 \tanh^{-1}(\sin(x)) + \frac{19}{8} \cos(x) \sin(x) + \frac{1}{4} \cos^3(x) \sin(x) - \frac{4 \sin^3(x)}{3} + 5 \tan(x) + 2 \sec^3(x) \tan(x) \end{aligned}$$

**Mathematica [B]** time = 0.200432, size = 129, normalized size = 2.35

$$\frac{1}{768} \sec^3(x) \left( 1395 \sin(x) + 672 \sin(2x) + 1265 \sin(3x) + 129 \sin(5x) + 32 \sin(6x) + 3 \sin(7x) - 72 \cos(x) \left( 61x - 16 \log(\cos(x/2) - \sin(x/2)) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sin[x] + Tan[x])^4,x]

[Out] (Sec[x]^3\*(-72\*Cos[x]\*(61\*x - 16\*Log[Cos[x/2] - Sin[x/2]]) + 16\*Log[Cos[x/2] + Sin[x/2]]) - 24\*Cos[3\*x]\*(61\*x - 16\*Log[Cos[x/2] - Sin[x/2]]) + 16\*Log[Cos[x/2] + Sin[x/2]]) + 1395\*Sin[x] + 672\*Sin[2\*x] + 1265\*Sin[3\*x] + 129\*Sin[5\*x] + 32\*Sin[6\*x] + 3\*Sin[7\*x])/768

**Maple [A]** time = 0.022, size = 66, normalized size = 1.2

$$\frac{23 \cos(x)}{4} \left( (\sin(x))^3 + \frac{3 \sin(x)}{2} \right) - \frac{61x}{8} + \frac{2 (\sin(x))^3}{3} + 2 \sin(x) - 2 \ln(\sec(x) + \tan(x)) + 6 \frac{(\sin(x))^5}{\cos(x)} + 2 \frac{(\sin(x))^7}{\cos^3(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((sin(x)+tan(x))^4,x)

[Out]  $\frac{23}{4}(\sin(x)^3 + 3/2 \sin(x)) \cos(x) - 61/8 x + 2/3 \sin(x)^3 + 2 \sin(x) - 2 \ln(\sec(x) + \tan(x)) + 6 \sin(x)^5 / \cos(x) + 2 \sin(x)^5 / \cos(x)^2 + 1/3 \tan(x)^3 - \tan(x)$

**Maxima [A]** time = 1.49245, size = 92, normalized size = 1.67

$$-\frac{4}{3} \sin(x)^3 + \frac{1}{3} \tan(x)^3 - \frac{61}{8} x - \frac{2 \sin(x)}{\sin(x)^2 - 1} + \frac{3 \tan(x)}{\tan(x)^2 + 1} - \log(\sin(x) + 1) + \log(\sin(x) - 1) + \frac{1}{32} \sin(4x) - \frac{1}{4} \sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((sin(x)+tan(x))^4,x, algorithm="maxima")

[Out]  $-4/3 \sin(x)^3 + 1/3 \tan(x)^3 - 61/8 x - 2 \sin(x) / (\sin(x)^2 - 1) + 3 \tan(x) / (\tan(x)^2 + 1) - \log(\sin(x) + 1) + \log(\sin(x) - 1) + 1/32 \sin(4x) - 1/4 \sin(2x) + 5 \tan(x)$

**Fricas [A]** time = 2.2071, size = 255, normalized size = 4.64

$$\frac{183 x \cos(x)^3 + 24 \cos(x)^3 \log(\sin(x) + 1) - 24 \cos(x)^3 \log(-\sin(x) + 1) - (6 \cos(x)^6 + 32 \cos(x)^5 + 57 \cos(x)^4 - 32 \cos(x)^3 + 112 \cos(x)^2 + 48 \cos(x) + 8) \sin(x)}{24 \cos(x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((sin(x)+tan(x))^4,x, algorithm="fricas")

[Out]  $-1/24 * (183 * x * \cos(x)^3 + 24 * \cos(x)^3 * \log(\sin(x) + 1) - 24 * \cos(x)^3 * \log(-\sin(x) + 1) - (6 * \cos(x)^6 + 32 * \cos(x)^5 + 57 * \cos(x)^4 - 32 * \cos(x)^3 + 112 * \cos(x)^2 + 48 * \cos(x) + 8) * \sin(x)) / \cos(x)^3$

**Sympy [A]** time = 8.13968, size = 90, normalized size = 1.64

$$-\frac{61x}{8} + \log(\sin(x) - 1) - \log(\sin(x) + 1) - \frac{4 \sin^3(x)}{3} + \frac{6 \sin^3(x)}{\cos(x)} + \frac{\sin^3(x)}{3 \cos^3(x)} + 9 \sin(x) \cos(x) - \frac{\sin(x)}{\cos(x)} - \frac{\sin(2x)}{4} + \frac{\sin(4x)}{32} - 4 \frac{\sin(x)}{2 \sin(x)^2 - 2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((sin(x)+tan(x))\*\*4,x)

[Out]  $-61 * x / 8 + \log(\sin(x) - 1) - \log(\sin(x) + 1) - 4 * \sin(x) ** 3 / 3 + 6 * \sin(x) ** 3 / \cos(x) + \sin(x) ** 3 / (3 * \cos(x) ** 3) + 9 * \sin(x) * \cos(x) - \sin(x) / \cos(x) - \sin(2 * x) / 4 + \sin(4 * x) / 32 - 4 * \sin(x) / (2 * \sin(x) ** 2 - 2)$

**Giac [B]** time = 8.73601, size = 1856, normalized size = 33.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.



### 3.342 $\int (\sin(x) + \tan(x))^3 dx$

**Optimal.** Leaf size=38

$$\frac{\cos^3(x)}{3} + \frac{3 \cos^2(x)}{2} + 2 \cos(x) + \frac{\sec^2(x)}{2} + 3 \sec(x) - 2 \log(\cos(x))$$

[Out] 2\*Cos[x] + (3\*Cos[x]^2)/2 + Cos[x]^3/3 - 2\*Log[Cos[x]] + 3\*Sec[x] + Sec[x]^2/2

**Rubi [A]** time = 0.049694, antiderivative size = 38, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {4397, 2707, 75}

$$\frac{\cos^3(x)}{3} + \frac{3 \cos^2(x)}{2} + 2 \cos(x) + \frac{\sec^2(x)}{2} + 3 \sec(x) - 2 \log(\cos(x))$$

Antiderivative was successfully verified.

[In] Int[(Sin[x] + Tan[x])^3, x]

[Out] 2\*Cos[x] + (3\*Cos[x]^2)/2 + Cos[x]^3/3 - 2\*Log[Cos[x]] + 3\*Sec[x] + Sec[x]^2/2

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 2707

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*tan[(e\_) + (f\_)\*(x\_)]^(p\_), x\_Symbol] := Dist[1/f, Subst[Int[(x^p\*(a + x)^(m - (p + 1)/2))/(a - x)^(p + 1/2), x], x, b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[(p + 1)/2]

#### Rule 75

Int[((d\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_))\*((e\_) + (f\_)\*(x\_))^(p\_), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)\*(d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, d, e, f, n}, x] && IGtQ[p, 0] && EqQ[b\*e + a\*f, 0] && !(ILtQ[n + p + 2, 0] && GtQ[n + 2\*p, 0])

#### Rubi steps

$$\begin{aligned} \int (\sin(x) + \tan(x))^3 dx &= \int (1 + \cos(x))^3 \tan^3(x) dx \\ &= -\text{Subst} \left( \int \frac{(1-x)(1+x)^4}{x^3} dx, x, \cos(x) \right) \\ &= -\text{Subst} \left( \int \left( -2 + \frac{1}{x^3} + \frac{3}{x^2} + \frac{2}{x} - 3x - x^2 \right) dx, x, \cos(x) \right) \\ &= 2 \cos(x) + \frac{3 \cos^2(x)}{2} + \frac{\cos^3(x)}{3} - 2 \log(\cos(x)) + 3 \sec(x) + \frac{\sec^2(x)}{2} \end{aligned}$$

**Mathematica [A]** time = 0.041343, size = 40, normalized size = 1.05

$$\frac{9 \cos(x)}{4} + \frac{3}{4} \cos(2x) + \frac{1}{12} \cos(3x) + \frac{\sec^2(x)}{2} + 3 \sec(x) - 2 \log(\cos(x))$$

Antiderivative was successfully verified.

[In] Integrate[(Sin[x] + Tan[x])^3,x]

[Out] (9\*Cos[x])/4 + (3\*Cos[2\*x])/4 + Cos[3\*x]/12 - 2\*Log[Cos[x]] + 3\*Sec[x] + Sec[x]^2/2

**Maple [A]** time = 0.02, size = 39, normalized size = 1.

$$\frac{(16 + 8 (\sin(x))^2) \cos(x)}{3} - \frac{3 (\sin(x))^2}{2} - 2 \ln(\cos(x)) + 3 \frac{(\sin(x))^4}{\cos(x)} + \frac{(\tan(x))^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((sin(x)+tan(x))^3,x)

[Out] 8/3\*(2+sin(x)^2)\*cos(x)-3/2\*sin(x)^2-2\*ln(cos(x))+3\*sin(x)^4/cos(x)+1/2\*tan(x)^2

**Maxima [A]** time = 0.984777, size = 57, normalized size = 1.5

$$\frac{1}{3} \cos(x)^3 - \frac{3}{2} \sin(x)^2 - \frac{1}{2(\sin(x)^2 - 1)} + \frac{3}{\cos(x)} + 2 \cos(x) - \log(\sin(x)^2 - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((sin(x)+tan(x))^3,x, algorithm="maxima")

[Out] 1/3\*cos(x)^3 - 3/2\*sin(x)^2 - 1/2/(sin(x)^2 - 1) + 3/cos(x) + 2\*cos(x) - log(sin(x)^2 - 1)

**Fricas [A]** time = 2.23008, size = 151, normalized size = 3.97

$$\frac{4 \cos(x)^5 + 18 \cos(x)^4 + 24 \cos(x)^3 - 24 \cos(x)^2 \log(-\cos(x)) - 9 \cos(x)^2 + 36 \cos(x) + 6}{12 \cos(x)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((sin(x)+tan(x))^3,x, algorithm="fricas")

[Out] 1/12\*(4\*cos(x)^5 + 18\*cos(x)^4 + 24\*cos(x)^3 - 24\*cos(x)^2\*log(-cos(x)) - 9\*cos(x)^2 + 36\*cos(x) + 6)/cos(x)^2

**Sympy [A]** time = 6.66531, size = 46, normalized size = 1.21

$$-3 \log(\cos(x)) - \frac{\log(\sec^2(x))}{2} + \frac{\cos^3(x)}{3} + \frac{3 \cos^2(x)}{2} + 2 \cos(x) + \frac{\sec^2(x)}{2} + \frac{3}{\cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((sin(x)+tan(x))\*\*3,x)

[Out] -3\*log(cos(x)) - log(sec(x)\*\*2)/2 + cos(x)\*\*3/3 + 3\*cos(x)\*\*2/2 + 2\*cos(x)  
+ sec(x)\*\*2/2 + 3/cos(x)

**Giac [B]** time = 1.65285, size = 234, normalized size = 6.16

$$\frac{\tan\left(\frac{1}{2}x\right)^4 \tan(x)^4 - 2 \log\left(\frac{4}{\tan(x)^2+1}\right) \tan\left(\frac{1}{2}x\right)^4 \tan(x)^2 - 10 \tan\left(\frac{1}{2}x\right)^4 \tan(x)^2 - 2 \log\left(\frac{4}{\tan(x)^2+1}\right) \tan\left(\frac{1}{2}x\right)^4 - 8 \tan\left(\frac{1}{2}x\right)^4 \tan(x)^2 + 2 \left(\tan\left(\frac{1}{2}x\right)^4 \tan(x)^2 + \dots\right)}{2 \left(\tan\left(\frac{1}{2}x\right)^4 \tan(x)^2 + \dots\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((sin(x)+tan(x))^3,x, algorithm="giac")

[Out] 1/2\*(tan(1/2\*x)^4\*tan(x)^4 - 2\*log(4/(tan(x)^2 + 1))\*tan(1/2\*x)^4\*tan(x)^2  
- 10\*tan(1/2\*x)^4\*tan(x)^2 - 2\*log(4/(tan(x)^2 + 1))\*tan(1/2\*x)^4 - 8\*tan(1/2\*x)^4  
- 3\*tan(1/2\*x)^2\*tan(x)^2 - tan(x)^4 + 2\*log(4/(tan(x)^2 + 1))\*tan(x)^2 - 3\*tan(1/2\*x)^2 - 11\*tan(x)^2 + 2\*log(4/(tan(x)^2 + 1)) - 13)/(tan(1/2\*x)^4\*tan(x)^2 + tan(1/2\*x)^4 - tan(x)^2 - 1) + 1/12\*cos(3\*x)

### 3.343 $\int (\sin(x) + \tan(x))^2 dx$

**Optimal.** Leaf size=25

$$-\frac{x}{2} - 2 \sin(x) + \tan(x) + 2 \tanh^{-1}(\sin(x)) - \frac{1}{2} \sin(x) \cos(x)$$

[Out] `-x/2 + 2*ArcTanh[Sin[x]] - 2*Sin[x] - (Cos[x]*Sin[x])/2 + Tan[x]`

**Rubi [A]** time = 0.0625847, antiderivative size = 25, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 1.$ , Rules used = {4397, 2709, 2637, 2635, 8, 3770, 3767}

$$-\frac{x}{2} - 2 \sin(x) + \tan(x) + 2 \tanh^{-1}(\sin(x)) - \frac{1}{2} \sin(x) \cos(x)$$

Antiderivative was successfully verified.

[In] `Int[(Sin[x] + Tan[x])^2,x]`

[Out] `-x/2 + 2*ArcTanh[Sin[x]] - 2*Sin[x] - (Cos[x]*Sin[x])/2 + Tan[x]`

#### Rule 4397

`Int[u_, x_Symbol] :=> Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]`

#### Rule 2709

`Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*tan[(e_) + (f_)*(x_)]^(p_), x_Symbol] :=> Dist[a^p, Int[ExpandIntegrand[(Sin[e + f*x]^p*(a + b*Sin[e + f*x])^(m - p/2))/(a - b*Sin[e + f*x])^(p/2), x], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && IntegersQ[m, p/2] && (LtQ[p, 0] || GtQ[m - p/2, 0])`

#### Rule 2637

`Int[sin[Pi/2 + (c_) + (d_)*(x_)], x_Symbol] :=> Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2635

`Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] :=> -Simp[(b*Cos[c + d*x])*(b*Sin[c + d*x])^(n - 1)/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]`

#### Rule 8

`Int[a_, x_Symbol] :=> Simp[a*x, x] /; FreeQ[a, x]`

#### Rule 3770

`Int[csc[(c_) + (d_)*(x_)], x_Symbol] :=> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]`

#### Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

### Rubi steps

$$\begin{aligned}
 \int (\sin(x) + \tan(x))^2 dx &= \int (1 + \cos(x))^2 \tan^2(x) dx \\
 &= \int (-2 \cos(x) - \cos^2(x) + 2 \sec(x) + \sec^2(x)) dx \\
 &= -(2 \int \cos(x) dx) + 2 \int \sec(x) dx - \int \cos^2(x) dx + \int \sec^2(x) dx \\
 &= 2 \tanh^{-1}(\sin(x)) - 2 \sin(x) - \frac{1}{2} \cos(x) \sin(x) - \frac{\int 1 dx}{2} - \text{Subst}(\int 1 dx, x, -\tan(x)) \\
 &= -\frac{x}{2} + 2 \tanh^{-1}(\sin(x)) - 2 \sin(x) - \frac{1}{2} \cos(x) \sin(x) + \tan(x)
 \end{aligned}$$

**Mathematica [B]** time = 0.0956259, size = 60, normalized size = 2.4

$$-\frac{x}{2} - 2 \sin(x) + \frac{7 \tan(x)}{8} - \frac{1}{8} \sin(3x) \sec(x) - 2 \log\left(\cos\left(\frac{x}{2}\right) - \sin\left(\frac{x}{2}\right)\right) + 2 \log\left(\sin\left(\frac{x}{2}\right) + \cos\left(\frac{x}{2}\right)\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sin[x] + Tan[x])^2, x]
```

```
[Out] -x/2 - 2*Log[Cos[x/2] - Sin[x/2]] + 2*Log[Cos[x/2] + Sin[x/2]] - 2*Sin[x] - (Sec[x]*Sin[3*x])/8 + (7*Tan[x])/8
```

**Maple [A]** time = 0.016, size = 25, normalized size = 1.

$$-\frac{\cos(x) \sin(x)}{2} - \frac{x}{2} - 2 \sin(x) + 2 \ln(\sec(x) + \tan(x)) + \tan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((sin(x)+tan(x))^2, x)
```

```
[Out] -1/2*cos(x)*sin(x)-1/2*x-2*sin(x)+2*ln(sec(x)+tan(x))+tan(x)
```

**Maxima [A]** time = 1.47788, size = 38, normalized size = 1.52

$$-\frac{1}{2} x + \log(\sin(x) + 1) - \log(\sin(x) - 1) - \frac{1}{4} \sin(2x) - 2 \sin(x) + \tan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((sin(x)+tan(x))^2, x, algorithm="maxima")
```

```
[Out] -1/2*x + log(sin(x) + 1) - log(sin(x) - 1) - 1/4*sin(2*x) - 2*sin(x) + tan(x)
```



---

**Fricas [B]** time = 2.11352, size = 154, normalized size = 6.16

$$\frac{x \cos(x) - 2 \cos(x) \log(\sin(x) + 1) + 2 \cos(x) \log(-\sin(x) + 1) + (\cos(x)^2 + 4 \cos(x) - 2) \sin(x)}{2 \cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((sin(x)+tan(x))^2,x, algorithm="fricas")

[Out] -1/2\*(x\*cos(x) - 2\*cos(x)\*log(sin(x) + 1) + 2\*cos(x)\*log(-sin(x) + 1) + (cos(x)^2 + 4\*cos(x) - 2)\*sin(x))/cos(x)

---

**Sympy [A]** time = 1.84119, size = 31, normalized size = 1.24

$$-\frac{x}{2} - \log(\sin(x) - 1) + \log(\sin(x) + 1) - 2 \sin(x) - \frac{\sin(2x)}{4} + \tan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((sin(x)+tan(x))\*\*2,x)

[Out] -x/2 - log(sin(x) - 1) + log(sin(x) + 1) - 2\*sin(x) - sin(2\*x)/4 + tan(x)

---

**Giac [B]** time = 1.24517, size = 239, normalized size = 9.56

$$\frac{1}{2}x - \frac{x \tan\left(\frac{1}{2}x\right)^2 - \log\left(\frac{2\left(\tan\left(\frac{1}{2}x\right)^2 + 2 \tan\left(\frac{1}{2}x\right) + 1\right)}{\tan\left(\frac{1}{2}x\right)^2 + 1}\right) \tan\left(\frac{1}{2}x\right)^2 + \log\left(\frac{2\left(\tan\left(\frac{1}{2}x\right)^2 - 2 \tan\left(\frac{1}{2}x\right) + 1\right)}{\tan\left(\frac{1}{2}x\right)^2 + 1}\right) \tan\left(\frac{1}{2}x\right)^2 - \tan\left(\frac{1}{2}x\right)^2}{\tan\left(\frac{1}{2}x\right)^2 + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((sin(x)+tan(x))^2,x, algorithm="giac")

[Out] 1/2\*x - (x\*tan(1/2\*x)^2 - log(2\*(tan(1/2\*x)^2 + 2\*tan(1/2\*x) + 1)/(tan(1/2\*x)^2 + 1))\*tan(1/2\*x)^2 + log(2\*(tan(1/2\*x)^2 - 2\*tan(1/2\*x) + 1)/(tan(1/2\*x)^2 + 1))\*tan(1/2\*x)^2 - tan(1/2\*x)^2\*tan(x) + x - log(2\*(tan(1/2\*x)^2 + 2\*tan(1/2\*x) + 1)/(tan(1/2\*x)^2 + 1)) + log(2\*(tan(1/2\*x)^2 - 2\*tan(1/2\*x) + 1)/(tan(1/2\*x)^2 + 1)) + 4\*tan(1/2\*x) - tan(x))/(tan(1/2\*x)^2 + 1) - 1/4\*sin(2\*x)

### 3.344 $\int (\sin(x) + \tan(x)) dx$

**Optimal.** Leaf size=10

$$-\cos(x) - \log(\cos(x))$$

[Out] -Cos[x] - Log[Cos[x]]

**Rubi [A]** time = 0.0049923, antiderivative size = 10, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 5,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$ , Rules used = {2638, 3475}

$$-\cos(x) - \log(\cos(x))$$

Antiderivative was successfully verified.

[In] Int[Sin[x] + Tan[x], x]

[Out] -Cos[x] - Log[Cos[x]]

#### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rule 3475

Int[tan[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[Log[RemoveContent[Cos[c + d\*x], x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int (\sin(x) + \tan(x)) dx &= \int \sin(x) dx + \int \tan(x) dx \\ &= -\cos(x) - \log(\cos(x)) \end{aligned}$$

**Mathematica [A]** time = 0.0029032, size = 10, normalized size = 1.

$$-\cos(x) - \log(\cos(x))$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x] + Tan[x], x]

[Out] -Cos[x] - Log[Cos[x]]

**Maple [A]** time = 0.002, size = 11, normalized size = 1.1

$$-\cos(x) - \ln(\cos(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(x)+tan(x),x)`

[Out] `-cos(x)-ln(cos(x))`

**Maxima [A]** time = 0.982502, size = 11, normalized size = 1.1

$$-\cos(x) + \log(\sec(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)+tan(x),x, algorithm="maxima")`

[Out] `-cos(x) + log(sec(x))`

**Fricas [A]** time = 2.26663, size = 32, normalized size = 3.2

$$-\cos(x) - \log(-\cos(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)+tan(x),x, algorithm="fricas")`

[Out] `-cos(x) - log(-cos(x))`

**Sympy [A]** time = 0.065387, size = 8, normalized size = 0.8

$$-\log(\cos(x)) - \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)+tan(x),x)`

[Out] `-log(cos(x)) - cos(x)`

**Giac [A]** time = 1.12834, size = 15, normalized size = 1.5

$$-\cos(x) - \log(|\cos(x)|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)+tan(x),x, algorithm="giac")`

[Out] `-cos(x) - log(abs(cos(x)))`

$$3.345 \quad \int \frac{1}{\sin(x)+\tan(x)} dx$$

**Optimal.** Leaf size=24

$$-\frac{1}{2} \csc^2(x) - \frac{1}{2} \tanh^{-1}(\cos(x)) + \frac{1}{2} \cot(x) \csc(x)$$

[Out] -ArcTanh[Cos[x]]/2 + (Cot[x]\*Csc[x])/2 - Csc[x]^2/2

**Rubi [A]** time = 0.0583856, antiderivative size = 24, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.857$ , Rules used = {4397, 2706, 2606, 30, 2611, 3770}

$$-\frac{1}{2} \csc^2(x) - \frac{1}{2} \tanh^{-1}(\cos(x)) + \frac{1}{2} \cot(x) \csc(x)$$

Antiderivative was successfully verified.

[In] Int[(Sin[x] + Tan[x])^(-1), x]

[Out] -ArcTanh[Cos[x]]/2 + (Cot[x]\*Csc[x])/2 - Csc[x]^2/2

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 2706

Int[((g\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)])^(p\_.)/((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] := Dist[1/a, Int[Sec[e + f\*x]^2\*(g\*Tan[e + f\*x])^p, x], x] - Dist[1/(b\*g), Int[Sec[e + f\*x]\*(g\*Tan[e + f\*x])^(p + 1), x], x] /; FreeQ[{a, b, e, f, g, p}, x] && EqQ[a^2 - b^2, 0] && NeQ[p, -1]

#### Rule 2606

Int[((a\_.)\*sec[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := Dist[a/f, Subst[Int[(a\*x)^(m - 1)\*(-1 + x^2)^((n - 1)/2), x], x, Sec[e + f\*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n - 1)/2] && !(IntegerQ[m/2] && LtQ[0, m, n + 1])

#### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

#### Rule 2611

Int[((a\_.)\*sec[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := Simp[(b\*(a\*Sec[e + f\*x])^m\*(b\*Tan[e + f\*x])^(n - 1))/(f\*(m + n - 1)), x] - Dist[(b^2\*(n - 1))/(m + n - 1), Int[(a\*Sec[e + f\*x])^m\*(b\*Tan[e + f\*x])^(n - 2), x], x] /; FreeQ[{a, b, e, f, m}, x] && GtQ[n, 1] && NeQ[m + n - 1, 0] && IntegerQ[2\*m, 2\*n]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{1}{\sin(x) + \tan(x)} dx &= \int \frac{\cot(x)}{1 + \cos(x)} dx \\
&= - \int \cot^2(x) \csc(x) dx + \int \cot(x) \csc^2(x) dx \\
&= \frac{1}{2} \cot(x) \csc(x) + \frac{1}{2} \int \csc(x) dx - \text{Subst}\left(\int x dx, x, \csc(x)\right) \\
&= -\frac{1}{2} \tanh^{-1}(\cos(x)) + \frac{1}{2} \cot(x) \csc(x) - \frac{\csc^2(x)}{2}
\end{aligned}$$

**Mathematica [A]** time = 0.0150762, size = 35, normalized size = 1.46

$$-\frac{1}{4} \sec^2\left(\frac{x}{2}\right) + \frac{1}{2} \log\left(\sin\left(\frac{x}{2}\right)\right) - \frac{1}{2} \log\left(\cos\left(\frac{x}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sin[x] + Tan[x])^(-1), x]

[Out] -Log[Cos[x/2]]/2 + Log[Sin[x/2]]/2 - Sec[x/2]^2/4

**Maple [A]** time = 0.037, size = 24, normalized size = 1.

$$-\frac{1}{2 + 2 \cos(x)} - \frac{\ln(1 + \cos(x))}{4} + \frac{\ln(-1 + \cos(x))}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(sin(x)+tan(x)), x)

[Out] -1/2/(1+cos(x))-1/4\*ln(1+cos(x))+1/4\*ln(-1+cos(x))

**Maxima [A]** time = 0.979031, size = 34, normalized size = 1.42

$$-\frac{\sin(x)^2}{4(\cos(x) + 1)^2} + \frac{1}{2} \log\left(\frac{\sin(x)}{\cos(x) + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sin(x)+tan(x)), x, algorithm="maxima")

[Out] -1/4\*sin(x)^2/(cos(x) + 1)^2 + 1/2\*log(sin(x)/(cos(x) + 1))

**Fricas [A]** time = 2.19473, size = 132, normalized size = 5.5

$$-\frac{(\cos(x) + 1) \log\left(\frac{1}{2} \cos(x) + \frac{1}{2}\right) - (\cos(x) + 1) \log\left(-\frac{1}{2} \cos(x) + \frac{1}{2}\right) + 2}{4(\cos(x) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sin(x)+tan(x)),x, algorithm="fricas")

[Out]  $-1/4*((\cos(x) + 1)*\log(1/2*\cos(x) + 1/2) - (\cos(x) + 1)*\log(-1/2*\cos(x) + 1/2) + 2)/(\cos(x) + 1)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sin(x) + \tan(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sin(x)+tan(x)),x)

[Out] Integral(1/(sin(x) + tan(x)), x)

**Giac [A]** time = 1.12371, size = 38, normalized size = 1.58

$$\frac{\cos(x) - 1}{4(\cos(x) + 1)} + \frac{1}{4} \log\left(-\frac{\cos(x) - 1}{\cos(x) + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sin(x)+tan(x)),x, algorithm="giac")

[Out]  $1/4*(\cos(x) - 1)/(\cos(x) + 1) + 1/4*\log(-(\cos(x) - 1)/(\cos(x) + 1))$

$$3.346 \quad \int \frac{1}{(\sin(x)+\tan(x))^2} dx$$

**Optimal.** Leaf size=33

$$-\frac{2}{5} \cot^5(x) - \frac{\cot^3(x)}{3} + \frac{2 \csc^5(x)}{5} - \frac{2 \csc^3(x)}{3}$$

[Out]  $-\text{Cot}[x]^3/3 - (2*\text{Cot}[x]^5)/5 - (2*\text{Csc}[x]^3)/3 + (2*\text{Csc}[x]^5)/5$

**Rubi [A]** time = 0.126604, antiderivative size = 33, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 6, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.857$ , Rules used = {4397, 2711, 2607, 30, 2606, 14}

$$-\frac{2}{5} \cot^5(x) - \frac{\cot^3(x)}{3} + \frac{2 \csc^5(x)}{5} - \frac{2 \csc^3(x)}{3}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Sin}[x] + \text{Tan}[x])^{-2}, x]$

[Out]  $-\text{Cot}[x]^3/3 - (2*\text{Cot}[x]^5)/5 - (2*\text{Csc}[x]^3)/3 + (2*\text{Csc}[x]^5)/5$

#### Rule 4397

$\text{Int}[u_, x\_Symbol] \rightarrow \text{Int}[\text{TrigSimplify}[u], x] /; \text{TrigSimplifyQ}[u]$

#### Rule 2711

$\text{Int}[(a_ + (b_)*\sin[(e_ + (f_)*(x_)]))^{(m_)*((g_)*\tan[(e_ + (f_)*(x_)]))^{(p_)}], x\_Symbol] \rightarrow \text{Dist}[a^{(2*m)}, \text{Int}[\text{ExpandIntegrand}[(g*\text{Tan}[e + f*x])^p/\text{Sec}[e + f*x]^m, (a*\text{Sec}[e + f*x] - b*\text{Tan}[e + f*x])^{(-m)}, x], x], x] /; \text{FreeQ}\{a, b, e, f, g, p\}, x \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{ILtQ}[m, 0]$

#### Rule 2607

$\text{Int}[\sec[(e_ + (f_)*(x_)]^{(m_)*((b_)*\tan[(e_ + (f_)*(x_)]))^{(n_)}], x\_Symbol] \rightarrow \text{Dist}[1/f, \text{Subst}[\text{Int}[(b*x)^n*(1 + x^2)^{(m/2 - 1)}, x], x, \text{Tan}[e + f*x]], x] /; \text{FreeQ}\{b, e, f, n\}, x \ \&\& \ \text{IntegerQ}[m/2] \ \&\& \ !(\text{IntegerQ}[(n - 1)/2] \ \&\& \ \text{LtQ}[0, n, m - 1])$

#### Rule 30

$\text{Int}[(x_)^{(m_)}], x\_Symbol] \rightarrow \text{Simp}[x^{(m + 1)}/(m + 1), x] /; \text{FreeQ}[m, x] \ \&\& \ \text{NeQ}[m, -1]$

#### Rule 2606

$\text{Int}[(a_)*\sec[(e_ + (f_)*(x_)]^{(m_)*((b_)*\tan[(e_ + (f_)*(x_)]))^{(n_)}], x\_Symbol] \rightarrow \text{Dist}[a/f, \text{Subst}[\text{Int}[(a*x)^{(m - 1)}*(-1 + x^2)^{((n - 1)/2)}, x], x, \text{Sec}[e + f*x]], x] /; \text{FreeQ}\{a, e, f, m\}, x \ \&\& \ \text{IntegerQ}[(n - 1)/2] \ \&\& \ !(\text{IntegerQ}[m/2] \ \&\& \ \text{LtQ}[0, m, n + 1])$

#### Rule 14

$\text{Int}[(u_)*((c_)*(x_))^{(m_)}], x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c*x)^m*u, x], x] /; \text{FreeQ}\{c, m\}, x \ \&\& \ \text{SumQ}[u] \ \&\& \ !\text{LinearQ}[u, x] \ \&\& \ !\text{MatchQ}[u, (a_)$

+ (b\_.)\*(v\_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

### Rubi steps

$$\begin{aligned}
 \int \frac{1}{(\sin(x) + \tan(x))^2} dx &= \int \frac{\cot^2(x)}{(1 + \cos(x))^2} dx \\
 &= \int (\cot^4(x) \csc^2(x) - 2 \cot^3(x) \csc^3(x) + \cot^2(x) \csc^4(x)) dx \\
 &= -\left(2 \int \cot^3(x) \csc^3(x) dx\right) + \int \cot^4(x) \csc^2(x) dx + \int \cot^2(x) \csc^4(x) dx \\
 &= 2 \operatorname{Subst}\left(\int x^2(-1+x^2) dx, x, \csc(x)\right) + \operatorname{Subst}\left(\int x^4 dx, x, -\cot(x)\right) + \operatorname{Subst}\left(\int x^2(1+x^2) dx, x, -\cot(x)\right) \\
 &= -\frac{1}{5} \cot^5(x) + 2 \operatorname{Subst}\left(\int (-x^2+x^4) dx, x, \csc(x)\right) + \operatorname{Subst}\left(\int (x^2+x^4) dx, x, -\cot(x)\right) \\
 &= -\frac{1}{3} \cot^3(x) - \frac{2 \cot^5(x)}{5} - \frac{2 \csc^3(x)}{3} + \frac{2 \csc^5(x)}{5}
 \end{aligned}$$

**Mathematica [A]** time = 0.0158117, size = 57, normalized size = 1.73

$$-\frac{7}{120} \tan\left(\frac{x}{2}\right) - \frac{1}{8} \cot\left(\frac{x}{2}\right) + \frac{1}{40} \tan\left(\frac{x}{2}\right) \sec^4\left(\frac{x}{2}\right) - \frac{11}{120} \tan\left(\frac{x}{2}\right) \sec^2\left(\frac{x}{2}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sin[x] + Tan[x])^(-2), x]

[Out] -Cot[x/2]/8 - (7\*Tan[x/2])/120 - (11\*Sec[x/2]^2\*Tan[x/2])/120 + (Sec[x/2]^4\*Tan[x/2])/40

**Maple [A]** time = 0.041, size = 32, normalized size = 1.

$$\frac{1}{40} \left(\tan\left(\frac{x}{2}\right)\right)^5 - \frac{1}{24} \left(\tan\left(\frac{x}{2}\right)\right)^3 - \frac{1}{8} \tan\left(\frac{x}{2}\right) - \frac{1}{8} \left(\tan\left(\frac{x}{2}\right)\right)^{-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(sin(x)+tan(x))^2, x)

[Out] 1/40\*tan(1/2\*x)^5-1/24\*tan(1/2\*x)^3-1/8\*tan(1/2\*x)-1/8/tan(1/2\*x)

**Maxima [A]** time = 0.996161, size = 61, normalized size = 1.85

$$-\frac{\cos(x)+1}{8 \sin(x)} - \frac{\sin(x)}{8(\cos(x)+1)} - \frac{\sin(x)^3}{24(\cos(x)+1)^3} + \frac{\sin(x)^5}{40(\cos(x)+1)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sin(x)+tan(x))^2, x, algorithm="maxima")

[Out] -1/8\*(cos(x) + 1)/sin(x) - 1/8\*sin(x)/(cos(x) + 1) - 1/24\*sin(x)^3/(cos(x) + 1)^3 + 1/40\*sin(x)^5/(cos(x) + 1)^5



---

**Fricas [A]** time = 2.13688, size = 109, normalized size = 3.3

$$\frac{\cos(x)^3 + 2 \cos(x)^2 + 8 \cos(x) + 4}{15 (\cos(x)^2 + 2 \cos(x) + 1) \sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sin(x)+tan(x))^2,x, algorithm="fricas")

[Out] -1/15\*(cos(x)^3 + 2\*cos(x)^2 + 8\*cos(x) + 4)/((cos(x)^2 + 2\*cos(x) + 1)\*sin(x))

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(\sin(x) + \tan(x))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sin(x)+tan(x))\*\*2,x)

[Out] Integral((sin(x) + tan(x))\*\*(-2), x)

---

**Giac [A]** time = 1.15399, size = 42, normalized size = 1.27

$$\frac{1}{40} \tan\left(\frac{1}{2}x\right)^5 - \frac{1}{24} \tan\left(\frac{1}{2}x\right)^3 - \frac{1}{8 \tan\left(\frac{1}{2}x\right)} - \frac{1}{8} \tan\left(\frac{1}{2}x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sin(x)+tan(x))^2,x, algorithm="giac")

[Out] 1/40\*tan(1/2\*x)^5 - 1/24\*tan(1/2\*x)^3 - 1/8/tan(1/2\*x) - 1/8\*tan(1/2\*x)

$$3.347 \quad \int \frac{1}{(\sin(x)+\tan(x))^3} dx$$

**Optimal.** Leaf size=60

$$-\frac{1}{32(1-\cos(x))} - \frac{1}{16(\cos(x)+1)} - \frac{3}{32(\cos(x)+1)^2} + \frac{1}{6(\cos(x)+1)^3} - \frac{1}{16(\cos(x)+1)^4} + \frac{1}{32} \tanh^{-1}(\cos(x))$$

[Out] ArcTanh[Cos[x]]/32 - 1/(32\*(1 - Cos[x])) - 1/(16\*(1 + Cos[x])^4) + 1/(6\*(1 + Cos[x])^3) - 3/(32\*(1 + Cos[x])^2) - 1/(16\*(1 + Cos[x]))

**Rubi [A]** time = 0.0716931, antiderivative size = 60, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$ , Rules used = {4397, 2707, 88, 207}

$$-\frac{1}{32(1-\cos(x))} - \frac{1}{16(\cos(x)+1)} - \frac{3}{32(\cos(x)+1)^2} + \frac{1}{6(\cos(x)+1)^3} - \frac{1}{16(\cos(x)+1)^4} + \frac{1}{32} \tanh^{-1}(\cos(x))$$

Antiderivative was successfully verified.

[In] Int[(Sin[x] + Tan[x])^(-3),x]

[Out] ArcTanh[Cos[x]]/32 - 1/(32\*(1 - Cos[x])) - 1/(16\*(1 + Cos[x])^4) + 1/(6\*(1 + Cos[x])^3) - 3/(32\*(1 + Cos[x])^2) - 1/(16\*(1 + Cos[x]))

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 2707

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*tan[(e\_) + (f\_)\*(x\_)]^(p\_), x\_Symbol] := Dist[1/f, Subst[Int[(x^p\*(a + x)^(m - (p + 1)/2))/(a - x)^(p + 1/2), x], x, b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[(p + 1)/2]

#### Rule 88

Int[((a\_) + (b\_)\*(x\_)^(m\_))\*((c\_) + (d\_)\*(x\_)^(n\_))\*((e\_) + (f\_)\*(x\_)^(p\_)), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

#### Rule 207

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned}
\int \frac{1}{(\sin(x) + \tan(x))^3} dx &= \int \frac{\cot^3(x)}{(1 + \cos(x))^3} dx \\
&= -\text{Subst} \left( \int \frac{x^3}{(1-x)^2(1+x)^5} dx, x, \cos(x) \right) \\
&= -\text{Subst} \left( \int \left( \frac{1}{32(-1+x)^2} - \frac{1}{4(1+x)^5} + \frac{1}{2(1+x)^4} - \frac{3}{16(1+x)^3} - \frac{1}{16(1+x)^2} + \frac{1}{32(-1+x)} \right) dx, x, \cos(x) \right) \\
&= -\frac{1}{32(1-\cos(x))} - \frac{1}{16(1+\cos(x))^4} + \frac{1}{6(1+\cos(x))^3} - \frac{3}{32(1+\cos(x))^2} - \frac{1}{16(1+\cos(x))} \\
&= \frac{1}{32} \tanh^{-1}(\cos(x)) - \frac{1}{32(1-\cos(x))} - \frac{1}{16(1+\cos(x))^4} + \frac{1}{6(1+\cos(x))^3} - \frac{3}{32(1+\cos(x))^2}
\end{aligned}$$

**Mathematica [A]** time = 0.0178364, size = 83, normalized size = 1.38

$$-\frac{1}{64} \csc^2\left(\frac{x}{2}\right) - \frac{1}{256} \sec^8\left(\frac{x}{2}\right) + \frac{1}{48} \sec^6\left(\frac{x}{2}\right) - \frac{3}{128} \sec^4\left(\frac{x}{2}\right) - \frac{1}{32} \sec^2\left(\frac{x}{2}\right) - \frac{1}{32} \log\left(\sin\left(\frac{x}{2}\right)\right) + \frac{1}{32} \log\left(\cos\left(\frac{x}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sin[x] + Tan[x])^(-3), x]

[Out] -Csc[x/2]^2/64 + Log[Cos[x/2]]/32 - Log[Sin[x/2]]/32 - Sec[x/2]^2/32 - (3\*Sec[x/2]^4)/128 + Sec[x/2]^6/48 - Sec[x/2]^8/256

**Maple [A]** time = 0.052, size = 56, normalized size = 0.9

$$-\frac{1}{16(1+\cos(x))^4} + \frac{1}{6(1+\cos(x))^3} - \frac{3}{32(1+\cos(x))^2} - \frac{1}{16+16\cos(x)} + \frac{\ln(1+\cos(x))}{64} + \frac{1}{-32+32\cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(sin(x)+tan(x))^3,x)

[Out] -1/16/(1+cos(x))^4+1/6/(1+cos(x))^3-3/32/(1+cos(x))^2-1/16/(1+cos(x))+1/64\*ln(1+cos(x))+1/32/(-1+cos(x))-1/64\*ln(-1+cos(x))

**Maxima [A]** time = 1.00228, size = 99, normalized size = 1.65

$$-\frac{(\cos(x) + 1)^2}{64 \sin(x)^2} - \frac{\sin(x)^2}{32 (\cos(x) + 1)^2} + \frac{\sin(x)^4}{64 (\cos(x) + 1)^4} + \frac{\sin(x)^6}{192 (\cos(x) + 1)^6} - \frac{\sin(x)^8}{256 (\cos(x) + 1)^8} - \frac{1}{32} \log\left(\frac{\sin(x)}{\cos(x) + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sin(x)+tan(x))^3,x, algorithm="maxima")

[Out] -1/64\*(cos(x) + 1)^2/sin(x)^2 - 1/32\*sin(x)^2/(cos(x) + 1)^2 + 1/64\*sin(x)^4/(cos(x) + 1)^4 + 1/192\*sin(x)^6/(cos(x) + 1)^6 - 1/256\*sin(x)^8/(cos(x) + 1)^8 - 1/32\*log(sin(x)/(cos(x) + 1))

**Fricas [B]** time = 2.24772, size = 424, normalized size = 7.07

$$\frac{6 \cos(x)^4 + 18 \cos(x)^3 - 50 \cos(x)^2 - 3(\cos(x)^5 + 3 \cos(x)^4 + 2 \cos(x)^3 - 2 \cos(x)^2 - 3 \cos(x) - 1) \log\left(\frac{1}{2} \cos(x)\right)}{192(\cos(x)^5 + 3 \cos(x)^4 + 2 \cos(x)^3 - 2 \cos(x)^2 - 3 \cos(x) - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sin(x)+tan(x))^3,x, algorithm="fricas")

[Out] -1/192\*(6\*cos(x)^4 + 18\*cos(x)^3 - 50\*cos(x)^2 - 3\*(cos(x)^5 + 3\*cos(x)^4 + 2\*cos(x)^3 - 2\*cos(x)^2 - 3\*cos(x) - 1)\*log(1/2\*cos(x) + 1/2) + 3\*(cos(x)^5 + 3\*cos(x)^4 + 2\*cos(x)^3 - 2\*cos(x)^2 - 3\*cos(x) - 1)\*log(-1/2\*cos(x) + 1/2) - 54\*cos(x) - 16)/(cos(x)^5 + 3\*cos(x)^4 + 2\*cos(x)^3 - 2\*cos(x)^2 - 3\*cos(x) - 1)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(\sin(x) + \tan(x))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sin(x)+tan(x))\*\*3,x)

[Out] Integral((sin(x) + tan(x))\*\*(-3), x)

**Giac [B]** time = 1.13901, size = 128, normalized size = 2.13

$$\frac{\left(\frac{\cos(x)-1}{\cos(x)+1} + 1\right)(\cos(x) + 1)}{64(\cos(x) - 1)} + \frac{\cos(x) - 1}{32(\cos(x) + 1)} + \frac{(\cos(x) - 1)^2}{64(\cos(x) + 1)^2} - \frac{(\cos(x) - 1)^3}{192(\cos(x) + 1)^3} - \frac{(\cos(x) - 1)^4}{256(\cos(x) + 1)^4} - \frac{1}{64} \log\left(\frac{\cos(x) - 1}{\cos(x) + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sin(x)+tan(x))^3,x, algorithm="giac")

[Out] 1/64\*((cos(x) - 1)/(cos(x) + 1) + 1)\*(cos(x) + 1)/(cos(x) - 1) + 1/32\*(cos(x) - 1)/(cos(x) + 1) + 1/64\*(cos(x) - 1)^2/(cos(x) + 1)^2 - 1/192\*(cos(x) - 1)^3/(cos(x) + 1)^3 - 1/256\*(cos(x) - 1)^4/(cos(x) + 1)^4 - 1/64\*log(-(cos(x) - 1)/(cos(x) + 1))

$$3.348 \quad \int \frac{1}{(\sin(x)+\tan(x))^4} dx$$

**Optimal.** Leaf size=65

$$-\frac{8}{11} \cot^{11}(x) - \frac{16 \cot^9(x)}{9} - \frac{9 \cot^7(x)}{7} - \frac{\cot^5(x)}{5} + \frac{8 \csc^{11}(x)}{11} - \frac{20 \csc^9(x)}{9} + \frac{16 \csc^7(x)}{7} - \frac{4 \csc^5(x)}{5}$$

[Out] -Cot[x]^5/5 - (9\*Cot[x]^7)/7 - (16\*Cot[x]^9)/9 - (8\*Cot[x]^11)/11 - (4\*Csc[x]^5)/5 + (16\*Csc[x]^7)/7 - (20\*Csc[x]^9)/9 + (8\*Csc[x]^11)/11

**Rubi [A]** time = 0.210677, antiderivative size = 65, normalized size of antiderivative = 1., number of steps used = 18, number of rules used = 6, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.857$ , Rules used = {4397, 2711, 2607, 14, 2606, 270}

$$-\frac{8}{11} \cot^{11}(x) - \frac{16 \cot^9(x)}{9} - \frac{9 \cot^7(x)}{7} - \frac{\cot^5(x)}{5} + \frac{8 \csc^{11}(x)}{11} - \frac{20 \csc^9(x)}{9} + \frac{16 \csc^7(x)}{7} - \frac{4 \csc^5(x)}{5}$$

Antiderivative was successfully verified.

[In] Int[(Sin[x] + Tan[x])^(-4),x]

[Out] -Cot[x]^5/5 - (9\*Cot[x]^7)/7 - (16\*Cot[x]^9)/9 - (8\*Cot[x]^11)/11 - (4\*Csc[x]^5)/5 + (16\*Csc[x]^7)/7 - (20\*Csc[x]^9)/9 + (8\*Csc[x]^11)/11

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 2711

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((g\_)\*tan[(e\_) + (f\_)\*(x\_)])^(p\_), x\_Symbol] := Dist[a^(2\*m), Int[ExpandIntegrand[(g\*Tan[e + f\*x])^p/Sec[e + f\*x]^m, (a\*Sec[e + f\*x] - b\*Tan[e + f\*x])^(-m), x], x], x] /; FreeQ[{a, b, e, f, g, p}, x] && EqQ[a^2 - b^2, 0] && ILtQ[m, 0]

#### Rule 2607

Int[sec[(e\_) + (f\_)\*(x\_)]^(m\_)\*((b\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Dist[1/f, Subst[Int[(b\*x)^n\*(1 + x^2)^(m/2 - 1), x], x, Tan[e + f\*x]], x] /; FreeQ[{b, e, f, n}, x] && IntegerQ[m/2] && !(IntegerQ[(n - 1)/2] && LtQ[0, n, m - 1])

#### Rule 14

Int[(u\_)\*((c\_)\*(x\_))^(m\_), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_) + (b\_)\*(v\_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]

#### Rule 2606

Int[((a\_)\*sec[(e\_) + (f\_)\*(x\_)])^(m\_)\*((b\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Dist[a/f, Subst[Int[(a\*x)^(m - 1)\*(-1 + x^2)^((n - 1)/2), x], x, Sec[e + f\*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n - 1)/2] && !(IntegerQ[m/2] && LtQ[0, m, n + 1])

#### Rule 270

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[Exp
andIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] &&
IGtQ[p, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{1}{(\sin(x) + \tan(x))^4} dx &= \int \frac{\cot^4(x)}{(1 + \cos(x))^4} dx \\ &= \int (\cot^8(x) \csc^4(x) - 4 \cot^7(x) \csc^5(x) + 6 \cot^6(x) \csc^6(x) - 4 \cot^5(x) \csc^7(x) + \cot^4(x) \csc^8(x)) dx \\ &= -\left(4 \int \cot^7(x) \csc^5(x) dx\right) - 4 \int \cot^5(x) \csc^7(x) dx + 6 \int \cot^6(x) \csc^6(x) dx + \int \cot^8(x) \csc^8(x) dx \\ &= 4 \text{Subst}\left(\int x^6 (-1 + x^2)^2 dx, x, \csc(x)\right) + 4 \text{Subst}\left(\int x^4 (-1 + x^2)^3 dx, x, \csc(x)\right) + 6 \text{Subst}\left(\int x^6 \csc^6(x) dx, x, \csc(x)\right) \\ &= 4 \text{Subst}\left(\int (-x^4 + 3x^6 - 3x^8 + x^{10}) dx, x, \csc(x)\right) + 4 \text{Subst}\left(\int (x^6 - 2x^8 + x^{10}) dx, x, \csc(x)\right) \\ &= -\frac{1}{5} \cot^5(x) - \frac{9 \cot^7(x)}{7} - \frac{16 \cot^9(x)}{9} - \frac{8 \cot^{11}(x)}{11} - \frac{4 \csc^5(x)}{5} + \frac{16 \csc^7(x)}{7} - \frac{20 \csc^9(x)}{9} + \frac{8 \csc^{11}(x)}{11} \end{aligned}$$

**Mathematica [A]** time = 0.0207937, size = 129, normalized size = 1.98

$$-\frac{2749 \tan\left(\frac{x}{2}\right)}{110880} + \frac{1}{96} \cot\left(\frac{x}{2}\right) - \frac{1}{384} \cot\left(\frac{x}{2}\right) \csc^2\left(\frac{x}{2}\right) + \frac{\tan\left(\frac{x}{2}\right) \sec^{10}\left(\frac{x}{2}\right)}{1408} - \frac{7 \tan\left(\frac{x}{2}\right) \sec^8\left(\frac{x}{2}\right)}{1584} + \frac{641 \tan\left(\frac{x}{2}\right) \sec^6\left(\frac{x}{2}\right)}{88704} + \dots$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sin[x] + Tan[x])^(-4), x]
```

```
[Out] Cot[x/2]/96 - (Cot[x/2]*Csc[x/2]^2)/384 - (2749*Tan[x/2])/110880 - (2033*Sec[x/2]^2*Tan[x/2])/443520 + (179*Sec[x/2]^4*Tan[x/2])/73920 + (641*Sec[x/2]^6*Tan[x/2])/88704 - (7*Sec[x/2]^8*Tan[x/2])/1584 + (Sec[x/2]^10*Tan[x/2])/1408
```

**Maple [A]** time = 0.054, size = 64, normalized size = 1.

$$\frac{1}{1408} \left(\tan\left(\frac{x}{2}\right)\right)^{11} - \frac{1}{1152} \left(\tan\left(\frac{x}{2}\right)\right)^9 - \frac{3}{896} \left(\tan\left(\frac{x}{2}\right)\right)^7 + \frac{3}{640} \left(\tan\left(\frac{x}{2}\right)\right)^5 + \frac{1}{128} \left(\tan\left(\frac{x}{2}\right)\right)^3 - \frac{3}{128} \tan\left(\frac{x}{2}\right) + \frac{1}{128} \left(\tan\left(\frac{x}{2}\right)\right)^{-1}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(sin(x)+tan(x))^4, x)
```

```
[Out] 1/1408*tan(1/2*x)^11-1/1152*tan(1/2*x)^9-3/896*tan(1/2*x)^7+3/640*tan(1/2*x)^5+1/128*tan(1/2*x)^3-3/128*tan(1/2*x)+1/128/tan(1/2*x)-1/384/tan(1/2*x)^3
```

**Maxima [A]** time = 1.00157, size = 131, normalized size = 2.02

$$\frac{\left(\frac{3 \sin(x)^2}{(\cos(x)+1)^2} - 1\right)(\cos(x) + 1)^3}{384 \sin(x)^3} - \frac{3 \sin(x)}{128 (\cos(x) + 1)} + \frac{\sin(x)^3}{128 (\cos(x) + 1)^3} + \frac{3 \sin(x)^5}{640 (\cos(x) + 1)^5} - \frac{3 \sin(x)^7}{896 (\cos(x) + 1)^7} - \frac{\sin(x)^9}{1152 (\cos(x) + 1)^9} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sin(x)+tan(x))^4,x, algorithm="maxima")

[Out]  $\frac{1}{384} \cdot (3 \sin(x)^2 / (\cos(x) + 1)^2 - 1) \cdot (\cos(x) + 1)^3 / \sin(x)^3 - \frac{3}{128} \sin(x) / (\cos(x) + 1) + \frac{1}{128} \sin(x)^3 / (\cos(x) + 1)^3 + \frac{3}{640} \sin(x)^5 / (\cos(x) + 1)^5 - \frac{3}{896} \sin(x)^7 / (\cos(x) + 1)^7 - \frac{1}{1152} \sin(x)^9 / (\cos(x) + 1)^9 + \frac{1}{1408} \sin(x)^{11} / (\cos(x) + 1)^{11}$

**Fricas [A]** time = 2.18283, size = 255, normalized size = 3.92

$$\frac{122 \cos(x)^7 + 488 \cos(x)^6 + 549 \cos(x)^5 - 244 \cos(x)^4 - 64 \cos(x)^3 + 144 \cos(x)^2 + 128 \cos(x) + 32}{3465 (\cos(x)^6 + 4 \cos(x)^5 + 5 \cos(x)^4 - 5 \cos(x)^2 - 4 \cos(x) - 1) \sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sin(x)+tan(x))^4,x, algorithm="fricas")

[Out]  $\frac{1}{3465} \cdot (122 \cos(x)^7 + 488 \cos(x)^6 + 549 \cos(x)^5 - 244 \cos(x)^4 - 64 \cos(x)^3 + 144 \cos(x)^2 + 128 \cos(x) + 32) / ((\cos(x)^6 + 4 \cos(x)^5 + 5 \cos(x)^4 - 5 \cos(x)^2 - 4 \cos(x) - 1) \sin(x))$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(\sin(x) + \tan(x))^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sin(x)+tan(x))\*\*4,x)

[Out] Integral((sin(x) + tan(x))\*\*(-4), x)

**Giac [A]** time = 1.14752, size = 88, normalized size = 1.35

$$\frac{1}{1408} \tan\left(\frac{1}{2}x\right)^{11} - \frac{1}{1152} \tan\left(\frac{1}{2}x\right)^9 - \frac{3}{896} \tan\left(\frac{1}{2}x\right)^7 + \frac{3}{640} \tan\left(\frac{1}{2}x\right)^5 + \frac{1}{128} \tan\left(\frac{1}{2}x\right)^3 + \frac{3 \tan\left(\frac{1}{2}x\right)^2 - 1}{384 \tan\left(\frac{1}{2}x\right)^3} - \frac{3}{128}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sin(x)+tan(x))^4,x, algorithm="giac")

[Out]  $\frac{1}{1408} \tan(1/2*x)^{11} - \frac{1}{1152} \tan(1/2*x)^9 - \frac{3}{896} \tan(1/2*x)^7 + \frac{3}{640} \tan(1/2*x)^5 + \frac{1}{128} \tan(1/2*x)^3 + \frac{1}{384} \cdot (3 \tan(1/2*x)^2 - 1) / \tan(1/2*x)^3 - \frac{3}{128} \tan(1/2*x)$

$$3.349 \quad \int \frac{A+C \sin(x)}{b \cos(x)+c \sin(x)} dx$$

**Optimal.** Leaf size=74

$$-\frac{A \tanh^{-1}\left(\frac{c \cos(x)-b \sin(x)}{\sqrt{b^2+c^2}}\right)}{\sqrt{b^2+c^2}} + \frac{cCx}{b^2+c^2} - \frac{bC \log(b \cos(x)+c \sin(x))}{b^2+c^2}$$

[Out] (c\*C\*x)/(b^2 + c^2) - (A\*ArcTanh[(c\*Cos[x] - b\*Sin[x])/Sqrt[b^2 + c^2]])/Sqrt[b^2 + c^2] - (b\*C\*Log[b\*Cos[x] + c\*Sin[x]])/(b^2 + c^2)

**Rubi [A]** time = 0.0627072, antiderivative size = 74, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {3137, 3074, 206}

$$-\frac{A \tanh^{-1}\left(\frac{c \cos(x)-b \sin(x)}{\sqrt{b^2+c^2}}\right)}{\sqrt{b^2+c^2}} + \frac{cCx}{b^2+c^2} - \frac{bC \log(b \cos(x)+c \sin(x))}{b^2+c^2}$$

Antiderivative was successfully verified.

[In] Int[(A + C\*Sin[x])/(b\*Cos[x] + c\*Sin[x]),x]

[Out] (c\*C\*x)/(b^2 + c^2) - (A\*ArcTanh[(c\*Cos[x] - b\*Sin[x])/Sqrt[b^2 + c^2]])/Sqrt[b^2 + c^2] - (b\*C\*Log[b\*Cos[x] + c\*Sin[x]])/(b^2 + c^2)

#### Rule 3137

Int[((A\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])/((a\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)], x\_Symbol] :> Simp[(c\*C\*(d + e\*x))/(e\*(b^2 + c^2)), x] + (Dist[(A\*(b^2 + c^2) - a\*c\*C)/(b^2 + c^2), Int[1/(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]), x], x] - Simp[(b\*C\*Log[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]])/(e\*(b^2 + c^2)), x]) /; FreeQ[{a, b, c, d, e, A, C}, x] && NeQ[b^2 + c^2, 0] && NeQ[A\*(b^2 + c^2) - a\*c\*C, 0]

#### Rule 3074

Int[(cos[(c\_.) + (d\_.)\*(x\_)])\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] :> -Dist[d^(-1), Subst[Int[1/(a^2 + b^2 - x^2), x], x, b\*Cos[c + d\*x] - a\*Sin[c + d\*x]], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 + b^2, 0]

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{A + C \sin(x)}{b \cos(x) + c \sin(x)} dx &= \frac{cCx}{b^2 + c^2} - \frac{bC \log(b \cos(x) + c \sin(x))}{b^2 + c^2} + A \int \frac{1}{b \cos(x) + c \sin(x)} dx \\ &= \frac{cCx}{b^2 + c^2} - \frac{bC \log(b \cos(x) + c \sin(x))}{b^2 + c^2} - A \operatorname{Subst}\left(\int \frac{1}{b^2 + c^2 - x^2} dx, x, c \cos(x) - b \sin(x)\right) \\ &= \frac{cCx}{b^2 + c^2} - \frac{A \tanh^{-1}\left(\frac{c \cos(x) - b \sin(x)}{\sqrt{b^2 + c^2}}\right)}{\sqrt{b^2 + c^2}} - \frac{bC \log(b \cos(x) + c \sin(x))}{b^2 + c^2} \end{aligned}$$



**Mathematica [A]** time = 0.186413, size = 68, normalized size = 0.92

$$\frac{2A \tanh^{-1}\left(\frac{b \tan\left(\frac{x}{2}\right) - c}{\sqrt{b^2 + c^2}}\right)}{\sqrt{b^2 + c^2}} + \frac{C(cx - b \log(b \cos(x) + c \sin(x)))}{b^2 + c^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + C\*Sin[x])/(b\*Cos[x] + c\*Sin[x]),x]

[Out] (2\*A\*ArcTanh[(-c + b\*Tan[x/2])/Sqrt[b^2 + c^2]]/Sqrt[b^2 + c^2] + (C\*(c\*x - b\*Log[b\*Cos[x] + c\*Sin[x]]))/(b^2 + c^2))

**Maple [B]** time = 0.059, size = 150, normalized size = 2.

$$-\frac{bC}{b^2 + c^2} \ln\left(b\left(\tan\left(\frac{x}{2}\right)\right)^2 - 2c \tan(x/2) - b\right) + 2 \frac{Ab^2}{(b^2 + c^2)^{3/2}} \operatorname{Artanh}\left(\frac{1}{2} \frac{2b \tan(x/2) - 2c}{\sqrt{b^2 + c^2}}\right) + 2 \frac{Ac^2}{(b^2 + c^2)^{3/2}} \operatorname{Artanh}\left(\frac{1}{2} \frac{2b \tan(x/2) - 2c}{\sqrt{b^2 + c^2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C\*sin(x))/(b\*cos(x)+c\*sin(x)),x)

[Out] -1/(b^2+c^2)\*b\*C\*ln(b\*tan(1/2\*x)^2-2\*c\*tan(1/2\*x)-b)+2/(b^2+c^2)^(3/2)\*arctanh(1/2\*(2\*b\*tan(1/2\*x)-2\*c)/(b^2+c^2)^(1/2))\*A\*b^2+2/(b^2+c^2)^(3/2)\*arctanh(1/2\*(2\*b\*tan(1/2\*x)-2\*c)/(b^2+c^2)^(1/2))\*A\*c^2+C/(b^2+c^2)\*b\*ln(1+tan(1/2\*x)^2)+2\*C/(b^2+c^2)\*c\*arctan(tan(1/2\*x))

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C\*sin(x))/(b\*cos(x)+c\*sin(x)),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.3812, size = 358, normalized size = 4.84

$$\frac{2 C c x - C b \log\left(2 b c \cos(x) \sin(x) + (b^2 - c^2) \cos(x)^2 + c^2\right) + \sqrt{b^2 + c^2} A \log\left(-\frac{2 b c \cos(x) \sin(x) + (b^2 - c^2) \cos(x)^2 - 2 b^2 - c^2 + 2 \sqrt{b^2 + c^2} \cos(x)}{2 b c \cos(x) \sin(x) + (b^2 - c^2) \cos(x)^2 + c^2}\right)}{2(b^2 + c^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C\*sin(x))/(b\*cos(x)+c\*sin(x)),x, algorithm="fricas")

[Out] 1/2\*(2\*C\*c\*x - C\*b\*log(2\*b\*c\*cos(x)\*sin(x) + (b^2 - c^2)\*cos(x)^2 + c^2) + sqrt(b^2 + c^2)\*A\*log(-(2\*b\*c\*cos(x)\*sin(x) + (b^2 - c^2)\*cos(x)^2 - 2\*b^2 - c^2 + 2\*sqrt(b^2 + c^2)\*(c\*cos(x) - b\*sin(x)))/(2\*b\*c\*cos(x)\*sin(x) + (b^2 - c^2)\*cos(x)^2 + c^2)))/2

$$2 - c^2) \cos(x)^2 + c^2)) / (b^2 + c^2)$$

**Sympy [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C\*sin(x))/(b\*cos(x)+c\*sin(x)),x)

[Out] Exception raised: AttributeError

**Giac [A]** time = 1.33327, size = 177, normalized size = 2.39

$$\frac{Ccx}{b^2 + c^2} + \frac{Cb \log\left(\tan\left(\frac{1}{2}x\right)^2 + 1\right)}{b^2 + c^2} - \frac{Cb \log\left(\left|b \tan\left(\frac{1}{2}x\right)^2 - 2c \tan\left(\frac{1}{2}x\right) - b\right|\right)}{b^2 + c^2} - \frac{A \log\left(\frac{\left|2b \tan\left(\frac{1}{2}x\right) - 2c - 2\sqrt{b^2 + c^2}\right|}{\left|2b \tan\left(\frac{1}{2}x\right) - 2c + 2\sqrt{b^2 + c^2}\right|}\right)}{\sqrt{b^2 + c^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C\*sin(x))/(b\*cos(x)+c\*sin(x)),x, algorithm="giac")

[Out] C\*c\*x/(b^2 + c^2) + C\*b\*log(tan(1/2\*x)^2 + 1)/(b^2 + c^2) - C\*b\*log(abs(b\*tan(1/2\*x)^2 - 2\*c\*tan(1/2\*x) - b))/(b^2 + c^2) - A\*log(abs(2\*b\*tan(1/2\*x) - 2\*c - 2\*sqrt(b^2 + c^2))/abs(2\*b\*tan(1/2\*x) - 2\*c + 2\*sqrt(b^2 + c^2)))/sqrt(b^2 + c^2)

$$3.350 \quad \int \frac{A+C \sin(x)}{(b \cos(x)+c \sin(x))^2} dx$$

**Optimal.** Leaf size=75

$$\frac{Ab \sin(x) - Ac \cos(x) + bC}{(b^2 + c^2)(b \cos(x) + c \sin(x))} - \frac{cC \tanh^{-1}\left(\frac{c \cos(x) - b \sin(x)}{\sqrt{b^2 + c^2}}\right)}{(b^2 + c^2)^{3/2}}$$

[Out]  $-\left(\frac{cC \operatorname{ArcTanh}\left[\frac{c \cos[x] - b \sin[x]}{\sqrt{b^2 + c^2}}\right]}{(b^2 + c^2)^{3/2}} + \frac{bC - A c \cos[x] + A b \sin[x]}{(b^2 + c^2)(b \cos[x] + c \sin[x])}\right)$

**Rubi [A]** time = 0.0601355, antiderivative size = 75, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {3154, 3074, 206}

$$\frac{Ab \sin(x) - Ac \cos(x) + bC}{(b^2 + c^2)(b \cos(x) + c \sin(x))} - \frac{cC \tanh^{-1}\left(\frac{c \cos(x) - b \sin(x)}{\sqrt{b^2 + c^2}}\right)}{(b^2 + c^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + C\*Sin[x])/(b\*Cos[x] + c\*Sin[x])^2,x]

[Out]  $-\left(\frac{cC \operatorname{ArcTanh}\left[\frac{c \cos[x] - b \sin[x]}{\sqrt{b^2 + c^2}}\right]}{(b^2 + c^2)^{3/2}} + \frac{bC - A c \cos[x] + A b \sin[x]}{(b^2 + c^2)(b \cos[x] + c \sin[x])}\right)$

#### Rule 3154

Int[((A\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])/((a\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])^2, x\_Symbol] :> -Simp[(b\*C + (a\*C - c\*A)\*Cos[d + e\*x] + b\*A\*Sin[d + e\*x])/(e\*(a^2 - b^2 - c^2)\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])), x] + Dist[(a\*A - c\*C)/(a^2 - b^2 - c^2), Int[1/(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]), x], x] /; FreeQ[{a, b, c, d, e, A, C}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[a\*A - c\*C, 0]

#### Rule 3074

Int[(cos[(c\_.) + (d\_.)\*(x\_)])\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] :> -Dist[d^(-1), Subst[Int[1/(a^2 + b^2 - x^2), x], x, b\*Cos[c + d\*x] - a\*Sin[c + d\*x]], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 + b^2, 0]

#### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{A + C \sin(x)}{(b \cos(x) + c \sin(x))^2} dx &= \frac{bC - Ac \cos(x) + Ab \sin(x)}{(b^2 + c^2)(b \cos(x) + c \sin(x))} + \frac{(cC) \int \frac{1}{b \cos(x) + c \sin(x)} dx}{b^2 + c^2} \\ &= \frac{bC - Ac \cos(x) + Ab \sin(x)}{(b^2 + c^2)(b \cos(x) + c \sin(x))} - \frac{(cC) \operatorname{Subst} \left( \int \frac{1}{b^2 + c^2 - x^2} dx, x, c \cos(x) - b \sin(x) \right)}{b^2 + c^2} \\ &= -\frac{cC \tanh^{-1} \left( \frac{c \cos(x) - b \sin(x)}{\sqrt{b^2 + c^2}} \right)}{(b^2 + c^2)^{3/2}} + \frac{bC - Ac \cos(x) + Ab \sin(x)}{(b^2 + c^2)(b \cos(x) + c \sin(x))} \end{aligned}$$

**Mathematica [A]** time = 0.297198, size = 82, normalized size = 1.09

$$\frac{A(b^2 + c^2) \sin(x) + b^2 C}{b(b^2 + c^2)(b \cos(x) + c \sin(x))} + \frac{2cC \tanh^{-1} \left( \frac{b \tan(\frac{x}{2}) - c}{\sqrt{b^2 + c^2}} \right)}{(b^2 + c^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + C\*Sin[x])/(b\*Cos[x] + c\*Sin[x])^2,x]

[Out] (2\*c\*C\*ArcTanh[(-c + b\*Tan[x/2])/Sqrt[b^2 + c^2]]/(b^2 + c^2)^(3/2) + (b^2 \*C + A\*(b^2 + c^2)\*Sin[x])/(b\*(b^2 + c^2)\*(b\*Cos[x] + c\*Sin[x]))

**Maple [A]** time = 0.087, size = 108, normalized size = 1.4

$$2 \frac{1}{b(\tan(x/2))^2 - 2c \tan(x/2) - b} \left( -\frac{(Ab^2 + Ac^2 + Cbc) \tan(x/2)}{b(b^2 + c^2)} - \frac{bC}{b^2 + c^2} \right) + 2 \frac{Cc}{(b^2 + c^2)^{3/2}} \operatorname{Arctanh} \left( \frac{1}{2} \frac{2b \tan(x/2) - c}{\sqrt{b^2 + c^2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C\*sin(x))/(b\*cos(x)+c\*sin(x))^2,x)

[Out] 2\*(-(A\*b^2+A\*c^2+C\*b\*c)/b/(b^2+c^2)\*tan(1/2\*x)-C\*b/(b^2+c^2))/(b\*tan(1/2\*x)^2-2\*c\*tan(1/2\*x)-b)+2\*C\*c/(b^2+c^2)^(3/2)\*arctanh(1/2\*(2\*b\*tan(1/2\*x)-2\*c)/(b^2+c^2)^(1/2))

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C\*sin(x))/(b\*cos(x)+c\*sin(x))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.29159, size = 487, normalized size = 6.49

$$\frac{2Cb^3 + 2Cbc^2 + (Cbc \cos(x) + Cc^2 \sin(x))\sqrt{b^2 + c^2} \log\left(-\frac{2bc \cos(x) \sin(x) + (b^2 - c^2) \cos(x)^2 - 2b^2 - c^2 + 2\sqrt{b^2 + c^2}(c \cos(x) - b \sin(x))}{2bc \cos(x) \sin(x) + (b^2 - c^2) \cos(x)^2 + c^2}\right)}{2\left((b^5 + 2b^3c^2 + bc^4) \cos(x) + (b^4c + 2b^2c^3 + c^5) \sin(x)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C\*sin(x))/(b\*cos(x)+c\*sin(x))^2,x, algorithm="fricas")

[Out] 1/2\*(2\*C\*b^3 + 2\*C\*b\*c^2 + (C\*b\*c\*cos(x) + C\*c^2\*sin(x))\*sqrt(b^2 + c^2)\*log(-(2\*b\*c\*cos(x)\*sin(x) + (b^2 - c^2)\*cos(x)^2 - 2\*b^2 - c^2 + 2\*sqrt(b^2 + c^2)\*(c\*cos(x) - b\*sin(x)))/(2\*b\*c\*cos(x)\*sin(x) + (b^2 - c^2)\*cos(x)^2 + c^2)) - 2\*(A\*b^2\*c + A\*c^3)\*cos(x) + 2\*(A\*b^3 + A\*b\*c^2)\*sin(x))/((b^5 + 2\*b^3\*c^2 + b\*c^4)\*cos(x) + (b^4\*c + 2\*b^2\*c^3 + c^5)\*sin(x))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C\*sin(x))/(b\*cos(x)+c\*sin(x))\*\*2,x)

[Out] Timed out

**Giac [A]** time = 1.25145, size = 176, normalized size = 2.35

$$\frac{Cc \log\left(\frac{|2b \tan\left(\frac{1}{2}x\right) - 2c - 2\sqrt{b^2 + c^2}|}{|2b \tan\left(\frac{1}{2}x\right) - 2c + 2\sqrt{b^2 + c^2}|}\right)}{(b^2 + c^2)^{\frac{3}{2}}} - \frac{2\left(Ab^2 \tan\left(\frac{1}{2}x\right) + Cbc \tan\left(\frac{1}{2}x\right) + Ac^2 \tan\left(\frac{1}{2}x\right) + Cb^2\right)}{(b^3 + bc^2)\left(b \tan\left(\frac{1}{2}x\right)^2 - 2c \tan\left(\frac{1}{2}x\right) - b\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C\*sin(x))/(b\*cos(x)+c\*sin(x))^2,x, algorithm="giac")

[Out] -C\*c\*log(abs(2\*b\*tan(1/2\*x) - 2\*c - 2\*sqrt(b^2 + c^2))/abs(2\*b\*tan(1/2\*x) - 2\*c + 2\*sqrt(b^2 + c^2)))/(b^2 + c^2)^(3/2) - 2\*(A\*b^2\*tan(1/2\*x) + C\*b\*c\*tan(1/2\*x) + A\*c^2\*tan(1/2\*x) + C\*b^2)/((b^3 + b\*c^2)\*(b\*tan(1/2\*x)^2 - 2\*c\*tan(1/2\*x) - b))

$$3.351 \quad \int \frac{A+C \sin(x)}{(b \cos(x)+c \sin(x))^3} dx$$

**Optimal.** Leaf size=116

$$\frac{Ab \sin(x) - Ac \cos(x) + bC}{2(b^2 + c^2)(b \cos(x) + c \sin(x))^2} - \frac{A \tanh^{-1}\left(\frac{c \cos(x) - b \sin(x)}{\sqrt{b^2 + c^2}}\right)}{2(b^2 + c^2)^{3/2}} - \frac{c^2 C \cos(x) - bcC \sin(x)}{(b^2 + c^2)^2 (b \cos(x) + c \sin(x))}$$

[Out]  $-(A*\text{ArcTanh}[(c*\text{Cos}[x] - b*\text{Sin}[x])/Sqrt[b^2 + c^2]])/(2*(b^2 + c^2)^(3/2)) + (b*C - A*c*\text{Cos}[x] + A*b*\text{Sin}[x])/(2*(b^2 + c^2)*(b*\text{Cos}[x] + c*\text{Sin}[x])^2) - (c^2*C*\text{Cos}[x] - b*c*C*\text{Sin}[x])/((b^2 + c^2)^2*(b*\text{Cos}[x] + c*\text{Sin}[x]))$

**Rubi [A]** time = 0.110397, antiderivative size = 116, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {3157, 3153, 3074, 206}

$$\frac{Ab \sin(x) - Ac \cos(x) + bC}{2(b^2 + c^2)(b \cos(x) + c \sin(x))^2} - \frac{A \tanh^{-1}\left(\frac{c \cos(x) - b \sin(x)}{\sqrt{b^2 + c^2}}\right)}{2(b^2 + c^2)^{3/2}} - \frac{c^2 C \cos(x) - bcC \sin(x)}{(b^2 + c^2)^2 (b \cos(x) + c \sin(x))}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(A + C*\text{Sin}[x])/(b*\text{Cos}[x] + c*\text{Sin}[x])^3, x]$

[Out]  $-(A*\text{ArcTanh}[(c*\text{Cos}[x] - b*\text{Sin}[x])/Sqrt[b^2 + c^2]])/(2*(b^2 + c^2)^(3/2)) + (b*C - A*c*\text{Cos}[x] + A*b*\text{Sin}[x])/(2*(b^2 + c^2)*(b*\text{Cos}[x] + c*\text{Sin}[x])^2) - (c^2*C*\text{Cos}[x] - b*c*C*\text{Sin}[x])/((b^2 + c^2)^2*(b*\text{Cos}[x] + c*\text{Sin}[x]))$

#### Rule 3157

$\text{Int}[(a_. + \cos[(d_.) + (e_.)*(x_.)]*(b_.) + (c_.)*\sin[(d_.) + (e_.)*(x_.)])^{(n_.)*((A_.) + (C_.)*\sin[(d_.) + (e_.)*(x_.)])}, x\_Symbol] \rightarrow \text{Simp}[(b*C + (a*C - c*A)*\text{Cos}[d + e*x] + b*A*\text{Sin}[d + e*x])*(a + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x])^{(n + 1)} / (e*(n + 1)*(a^2 - b^2 - c^2)), x] + \text{Dist}[1 / ((n + 1)*(a^2 - b^2 - c^2)), \text{Int}[(a + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x])^{(n + 1)} * \text{Simp}[(n + 1)*(a*A - c*C) - (n + 2)*b*A*\text{Cos}[d + e*x] + (n + 2)*(a*C - c*A)*\text{Sin}[d + e*x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, A, C\}, x] \&\& \text{LtQ}[n, -1] \&\& \text{NeQ}[a^2 - b^2 - c^2, 0] \&\& \text{NeQ}[n, -2]$

#### Rule 3153

$\text{Int}[(A_. + \cos[(d_.) + (e_.)*(x_.)]*(B_.) + (C_.)*\sin[(d_.) + (e_.)*(x_.)]) / ((a_.) + \cos[(d_.) + (e_.)*(x_.)]*(b_.) + (c_.)*\sin[(d_.) + (e_.)*(x_.)])^2, x\_Symbol] \rightarrow \text{Simp}[(c*B - b*C - (a*C - c*A)*\text{Cos}[d + e*x] + (a*B - b*A)*\text{Sin}[d + e*x]) / (e*(a^2 - b^2 - c^2)*(a + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x])), x] + \text{Dist}[(a*A - b*B - c*C) / (a^2 - b^2 - c^2), \text{Int}[1 / (a + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2 - c^2, 0] \&\& \text{NeQ}[a*A - b*B - c*C, 0]$

#### Rule 3074

$\text{Int}[(\cos[(c_.) + (d_.)*(x_.)]*(a_.) + (b_.)*\sin[(c_.) + (d_.)*(x_.)])^{(-1)}, x\_Symbol] \rightarrow -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[1 / (a^2 + b^2 - x^2), x], x, b*\text{Cos}[c + d*x] - a*\text{Sin}[c + d*x]], x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[a^2 + b^2, 0]$

**Rule 206**

$\text{Int}[(a_ + (b_ )*(x_ )^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

**Rubi steps**

$$\int \frac{A + C \sin(x)}{(b \cos(x) + c \sin(x))^3} dx = \frac{bC - Ac \cos(x) + Ab \sin(x)}{2(b^2 + c^2)(b \cos(x) + c \sin(x))^2} + \frac{\int \frac{2cC + Ab \cos(x) + Ac \sin(x)}{(b \cos(x) + c \sin(x))^2} dx}{2(b^2 + c^2)}$$

$$= \frac{bC - Ac \cos(x) + Ab \sin(x)}{2(b^2 + c^2)(b \cos(x) + c \sin(x))^2} - \frac{c^2C \cos(x) - bcC \sin(x)}{(b^2 + c^2)^2(b \cos(x) + c \sin(x))} + \frac{A \int \frac{1}{b \cos(x) + c \sin(x)}}{2(b^2 + c^2)}$$

$$= \frac{bC - Ac \cos(x) + Ab \sin(x)}{2(b^2 + c^2)(b \cos(x) + c \sin(x))^2} - \frac{c^2C \cos(x) - bcC \sin(x)}{(b^2 + c^2)^2(b \cos(x) + c \sin(x))} - \frac{A \text{Subst}\left(\int \frac{1}{b^2 + c^2 - 2bx + c^2x^2}\right)}{2}$$

$$= -\frac{A \tanh^{-1}\left(\frac{c \cos(x) - b \sin(x)}{\sqrt{b^2 + c^2}}\right)}{2(b^2 + c^2)^{3/2}} + \frac{bC - Ac \cos(x) + Ab \sin(x)}{2(b^2 + c^2)(b \cos(x) + c \sin(x))^2} - \frac{c^2C \cos(x) - bcC \sin(x)}{(b^2 + c^2)^2(b \cos(x) + c \sin(x))}$$

**Mathematica [C]** time = 0.363374, size = 132, normalized size = 1.14

$$\frac{(b^2 + c^2)(Ab^2 \sin(x) - Abc \cos(x) + bC(b + c \sin(2x)) + 2c^2C \sin^2(x)) + 2Ab\sqrt{b^2 + c^2}(b \cos(x) + c \sin(x))^2 \tanh^{-1}\left(\frac{c \cos(x) - b \sin(x)}{\sqrt{b^2 + c^2}}\right)}{2b(b - ic)^2(b + ic)^2(b \cos(x) + c \sin(x))^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + C\*Sin[x])/(b\*cos[x] + c\*sin[x])^3,x]

[Out] (2\*A\*b\*Sqrt[b^2 + c^2]\*ArcTanh[(-c + b\*Tan[x/2])/Sqrt[b^2 + c^2]]\*(b\*cos[x] + c\*sin[x])^2 + (b^2 + c^2)\*(-(A\*b\*c\*cos[x]) + A\*b^2\*sin[x] + 2\*c^2\*C\*sin[x]^2 + b\*C\*(b + c\*sin[2\*x])))/(2\*b\*(b - I\*c)^2\*(b + I\*c)^2\*(b\*cos[x] + c\*sin[x])^2)

**Maple [A]** time = 0.104, size = 177, normalized size = 1.5

$$-2 \frac{1}{(b(\tan(x/2))^2 - 2c \tan(x/2) - b)^2} \left( -1/2 \frac{A(b^2 + 2c^2)(\tan(x/2))^3}{(b^2 + c^2)b} - 1/2 \frac{(Ab^2c - 2Ac^3 + 2Cb^3 + 2Cbc^2)(\tan(x/2))}{(b^2 + c^2)b^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C\*sin(x))/(b\*cos(x)+c\*sin(x))^3,x)

[Out] -2\*(-1/2\*A\*(b^2+2\*c^2)/(b^2+c^2)/b\*tan(1/2\*x)^3-1/2\*(A\*b^2\*c-2\*A\*c^3+2\*C\*b^3+2\*C\*b\*c^2)/(b^2+c^2)/b^2\*tan(1/2\*x)^2-1/2\*A\*(b^2-2\*c^2)/(b^2+c^2)/b\*tan(1/2\*x)+1/2\*A\*c/(b^2+c^2))/(b\*tan(1/2\*x)^2-2\*c\*tan(1/2\*x)-b)^2+A/(b^2+c^2)^(3/2)\*arctanh(1/2\*(2\*b\*tan(1/2\*x)-2\*c)/(b^2+c^2)^(1/2))

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C\*sin(x))/(b\*cos(x)+c\*sin(x))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.49414, size = 659, normalized size = 5.68

$$\frac{8 C b c^2 \cos (x)^2-2 C b^3-6 C b c^2-\left(2 A b c \cos (x) \sin (x)+A c^2+\left(A b^2-A c^2\right) \cos (x)^2\right) \sqrt{b^2+c^2} \log \left(-\frac{2 b c \cos (x) \sin (x)+\left(b^2+c^2\right) \cos (x)}{2 b c}\right)}{4\left(b^4 c^2+2 b^2 c^4+c^6+\left(b^6+b^4 c^2-b^2 c^4-c^6\right) \cos (x)^2\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C\*sin(x))/(b\*cos(x)+c\*sin(x))^3,x, algorithm="fricas")

[Out] 
$$-1/4*(8*C*b*c^2*\cos(x)^2 - 2*C*b^3 - 6*C*b*c^2 - (2*A*b*c*\cos(x)*\sin(x) + A*c^2 + (A*b^2 - A*c^2)*\cos(x)^2)*\sqrt{b^2 + c^2}*\log(-(2*b*c*\cos(x)*\sin(x) + (b^2 - c^2)*\cos(x)^2 - 2*b^2 - c^2 + 2*\sqrt{b^2 + c^2}*(c*\cos(x) - b*\sin(x)))/(2*b*c*\cos(x)*\sin(x) + (b^2 - c^2)*\cos(x)^2 + c^2)) + 2*(A*b^2*c + A*c^3)*\cos(x) - 2*(A*b^3 + A*b*c^2 + 2*(C*b^2*c - C*c^3)*\cos(x))*\sin(x))/(b^4*c^2 + 2*b^2*c^4 + c^6 + (b^6 + b^4*c^2 - b^2*c^4 - c^6)*\cos(x)^2 + 2*(b^5*c + 2*b^3*c^3 + b*c^5)*\cos(x)*\sin(x))$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C\*sin(x))/(b\*cos(x)+c\*sin(x))\*\*3,x)

[Out] Timed out

**Giac [A]** time = 1.31973, size = 269, normalized size = 2.32

$$\frac{A \log \left( \frac{-2 b \tan \left( \frac{1}{2} x \right) + 2 c - 2 \sqrt{b^2 + c^2}}{-2 b \tan \left( \frac{1}{2} x \right) + 2 c + 2 \sqrt{b^2 + c^2}} \right)}{2 \left( b^2 + c^2 \right)^{\frac{3}{2}}} + \frac{A b^3 \tan \left( \frac{1}{2} x \right)^3 + 2 A b c^2 \tan \left( \frac{1}{2} x \right)^3 + 2 C b^3 \tan \left( \frac{1}{2} x \right)^2 + A b^2 c \tan \left( \frac{1}{2} x \right)^2 + 2 C b c^2 \tan \left( \frac{1}{2} x \right)}{\left( b^4 + b^2 c^2 \right) \left( b \tan \left( \frac{1}{2} x \right)^2 - 2 c \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C\*sin(x))/(b\*cos(x)+c\*sin(x))^3,x, algorithm="giac")

[Out] 
$$1/2*A*\log(\text{abs}(-2*b*\tan(1/2*x) + 2*c - 2*\sqrt{b^2 + c^2}))/\text{abs}(-2*b*\tan(1/2*x) + 2*c + 2*\sqrt{b^2 + c^2}))/\left(b^2 + c^2\right)^{(3/2)} + (A*b^3*\tan(1/2*x)^3 + 2*A$$



$$\frac{b^2 c^2 \tan^3\left(\frac{1}{2}x\right) + 2 C b^3 \tan^2\left(\frac{1}{2}x\right) + A b^2 c \tan^2\left(\frac{1}{2}x\right) + 2 C b c^2 \tan\left(\frac{1}{2}x\right) - 2 A c^3 \tan\left(\frac{1}{2}x\right) + A b^3 \tan\left(\frac{1}{2}x\right) - 2 A b c^2 \tan\left(\frac{1}{2}x\right) - A b^2 c}{(b^4 + b^2 c^2) (b \tan^2\left(\frac{1}{2}x\right) - 2 c \tan\left(\frac{1}{2}x\right) - b)^2}$$

$$3.352 \quad \int \frac{A+B \cos(x)}{b \cos(x)+c \sin(x)} dx$$

**Optimal.** Leaf size=73

$$-\frac{A \tanh^{-1}\left(\frac{c \cos(x)-b \sin(x)}{\sqrt{b^2+c^2}}\right)}{\sqrt{b^2+c^2}} + \frac{bBx}{b^2+c^2} + \frac{Bc \log(b \cos(x)+c \sin(x))}{b^2+c^2}$$

[Out] (b\*B\*x)/(b^2 + c^2) - (A\*ArcTanh[(c\*Cos[x] - b\*Sin[x])/Sqrt[b^2 + c^2]])/Sqrt[b^2 + c^2] + (B\*c\*Log[b\*Cos[x] + c\*Sin[x]])/(b^2 + c^2)

**Rubi [A]** time = 0.0528934, antiderivative size = 73, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {3138, 3074, 206}

$$-\frac{A \tanh^{-1}\left(\frac{c \cos(x)-b \sin(x)}{\sqrt{b^2+c^2}}\right)}{\sqrt{b^2+c^2}} + \frac{bBx}{b^2+c^2} + \frac{Bc \log(b \cos(x)+c \sin(x))}{b^2+c^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[x])/(b\*Cos[x] + c\*Sin[x]),x]

[Out] (b\*B\*x)/(b^2 + c^2) - (A\*ArcTanh[(c\*Cos[x] - b\*Sin[x])/Sqrt[b^2 + c^2]])/Sqrt[b^2 + c^2] + (B\*c\*Log[b\*Cos[x] + c\*Sin[x]])/(b^2 + c^2)

#### Rule 3138

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(B\_.))/((a\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]), x\_Symbol] :> Simp[(b\*B\*(d + e\*x))/(e\*(b^2 + c^2)), x] + (Dist[(A\*(b^2 + c^2) - a\*b\*B)/(b^2 + c^2), Int[1/(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]), x], x] + Simp[(c\*B\*Log[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]])/(e\*(b^2 + c^2)), x]) /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 + c^2, 0] && NeQ[A\*(b^2 + c^2) - a\*b\*B, 0]

#### Rule 3074

Int[(cos[(c\_.) + (d\_.)\*(x\_)])\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] :> -Dist[d^(-1), Subst[Int[1/(a^2 + b^2 - x^2), x], x, b\*Cos[c + d\*x] - a\*Sin[c + d\*x]], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 + b^2, 0]

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{A+B \cos(x)}{b \cos(x)+c \sin(x)} dx &= \frac{bBx}{b^2+c^2} + \frac{Bc \log(b \cos(x)+c \sin(x))}{b^2+c^2} + A \int \frac{1}{b \cos(x)+c \sin(x)} dx \\ &= \frac{bBx}{b^2+c^2} + \frac{Bc \log(b \cos(x)+c \sin(x))}{b^2+c^2} - A \operatorname{Subst}\left(\int \frac{1}{b^2+c^2-x^2} dx, x, c \cos(x)-b \sin(x)\right) \\ &= \frac{bBx}{b^2+c^2} - \frac{A \tanh^{-1}\left(\frac{c \cos(x)-b \sin(x)}{\sqrt{b^2+c^2}}\right)}{\sqrt{b^2+c^2}} + \frac{Bc \log(b \cos(x)+c \sin(x))}{b^2+c^2} \end{aligned}$$

**Mathematica [A]** time = 0.137927, size = 67, normalized size = 0.92

$$\frac{2A \tanh^{-1}\left(\frac{b \tan\left(\frac{x}{2}\right) - c}{\sqrt{b^2 + c^2}}\right)}{\sqrt{b^2 + c^2}} + \frac{B(c \log(b \cos(x) + c \sin(x)) + bx)}{b^2 + c^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[x])/(b\*Cos[x] + c\*Sin[x]),x]

[Out] (2\*A\*ArcTanh[(-c + b\*Tan[x/2])/Sqrt[b^2 + c^2]]/Sqrt[b^2 + c^2] + (B\*(b\*x + c\*Log[b\*Cos[x] + c\*Sin[x]])))/(b^2 + c^2)

**Maple [B]** time = 0.055, size = 150, normalized size = 2.1

$$\frac{Bc}{b^2 + c^2} \ln\left(b\left(\tan\left(\frac{x}{2}\right)\right)^2 - 2c \tan(x/2) - b\right) + 2 \frac{Ab^2}{(b^2 + c^2)^{3/2}} \operatorname{Artanh}\left(\frac{1}{2} \frac{2b \tan(x/2) - 2c}{\sqrt{b^2 + c^2}}\right) + 2 \frac{Ac^2}{(b^2 + c^2)^{3/2}} \operatorname{Artanh}\left(\frac{1}{2} \frac{2b \tan(x/2) - 2c}{\sqrt{b^2 + c^2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(x))/(b\*cos(x)+c\*sin(x)),x)

[Out] 1/(b^2+c^2)\*B\*c\*ln(b\*tan(1/2\*x)^2-2\*c\*tan(1/2\*x)-b)+2/(b^2+c^2)^(3/2)\*arctanh(1/2\*(2\*b\*tan(1/2\*x)-2\*c)/(b^2+c^2)^(1/2))\*A\*b^2+2/(b^2+c^2)^(3/2)\*arctanh(1/2\*(2\*b\*tan(1/2\*x)-2\*c)/(b^2+c^2)^(1/2))\*A\*c^2-B/(b^2+c^2)\*c\*ln(1+tan(1/2\*x)^2)+2\*B/(b^2+c^2)\*b\*arctan(tan(1/2\*x))

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x))/(b\*cos(x)+c\*sin(x)),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.31764, size = 358, normalized size = 4.9

$$\frac{2Bbx + Bc \log\left(2bc \cos(x) \sin(x) + (b^2 - c^2) \cos(x)^2 + c^2\right) + \sqrt{b^2 + c^2} A \log\left(-\frac{2bc \cos(x) \sin(x) + (b^2 - c^2) \cos(x)^2 - 2b^2 - c^2 + 2\sqrt{b^2 + c^2} \cos(x)}{2bc \cos(x) \sin(x) + (b^2 - c^2) \cos(x)^2 + c^2}\right)}{2(b^2 + c^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x))/(b\*cos(x)+c\*sin(x)),x, algorithm="fricas")

[Out] 1/2\*(2\*B\*b\*x + B\*c\*log(2\*b\*c\*cos(x)\*sin(x) + (b^2 - c^2)\*cos(x)^2 + c^2) + sqrt(b^2 + c^2)\*A\*log(-(2\*b\*c\*cos(x)\*sin(x) + (b^2 - c^2)\*cos(x)^2 - 2\*b^2 - c^2 + 2\*sqrt(b^2 + c^2)\*(c\*cos(x) - b\*sin(x)))/(2\*b\*c\*cos(x)\*sin(x) + (b^2 - c^2)\*cos(x)^2 + c^2)))/2

$$2 - c^2) \cos(x)^2 + c^2)) / (b^2 + c^2)$$

**Sympy [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x))/(b\*cos(x)+c\*sin(x)),x)

[Out] Exception raised: AttributeError

**Giac [A]** time = 1.33087, size = 177, normalized size = 2.42

$$\frac{Bbx}{b^2 + c^2} - \frac{Bc \log\left(\tan\left(\frac{1}{2}x\right)^2 + 1\right)}{b^2 + c^2} + \frac{Bc \log\left(\left|b \tan\left(\frac{1}{2}x\right)^2 - 2c \tan\left(\frac{1}{2}x\right) - b\right|\right)}{b^2 + c^2} - \frac{A \log\left(\frac{\left|2b \tan\left(\frac{1}{2}x\right) - 2c - 2\sqrt{b^2 + c^2}\right|}{\left|2b \tan\left(\frac{1}{2}x\right) - 2c + 2\sqrt{b^2 + c^2}\right|}\right)}{\sqrt{b^2 + c^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x))/(b\*cos(x)+c\*sin(x)),x, algorithm="giac")

[Out] B\*b\*x/(b^2 + c^2) - B\*c\*log(tan(1/2\*x)^2 + 1)/(b^2 + c^2) + B\*c\*log(abs(b\*tan(1/2\*x)^2 - 2\*c\*tan(1/2\*x) - b))/(b^2 + c^2) - A\*log(abs(2\*b\*tan(1/2\*x) - 2\*c - 2\*sqrt(b^2 + c^2))/abs(2\*b\*tan(1/2\*x) - 2\*c + 2\*sqrt(b^2 + c^2)))/sqrt(b^2 + c^2)

$$3.353 \quad \int \frac{A+B \cos(x)}{(b \cos(x)+c \sin(x))^2} dx$$

**Optimal.** Leaf size=76

$$-\frac{-Ab \sin(x) + Ac \cos(x) + Bc}{(b^2 + c^2)(b \cos(x) + c \sin(x))} - \frac{bB \tanh^{-1}\left(\frac{c \cos(x) - b \sin(x)}{\sqrt{b^2 + c^2}}\right)}{(b^2 + c^2)^{3/2}}$$

[Out]  $-\left(\frac{bB \operatorname{ArcTanh}\left[\frac{c \cos[x] - b \sin[x]}{\sqrt{b^2 + c^2}}\right]}{(b^2 + c^2)^{3/2}} - \frac{Bc + A c \cos[x] - A b \sin[x]}{(b^2 + c^2)(b \cos[x] + c \sin[x])}\right)$

**Rubi [A]** time = 0.0533076, antiderivative size = 76, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {3155, 3074, 206}

$$-\frac{-Ab \sin(x) + Ac \cos(x) + Bc}{(b^2 + c^2)(b \cos(x) + c \sin(x))} - \frac{bB \tanh^{-1}\left(\frac{c \cos(x) - b \sin(x)}{\sqrt{b^2 + c^2}}\right)}{(b^2 + c^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[x])/(b\*Cos[x] + c\*Sin[x])^2, x]

[Out]  $-\left(\frac{bB \operatorname{ArcTanh}\left[\frac{c \cos[x] - b \sin[x]}{\sqrt{b^2 + c^2}}\right]}{(b^2 + c^2)^{3/2}} - \frac{Bc + A c \cos[x] - A b \sin[x]}{(b^2 + c^2)(b \cos[x] + c \sin[x])}\right)$

#### Rule 3155

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(B\_.))/((a\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])^2, x\_Symbol] :> Simp[(c\*B + c\*A\*Cos[d + e\*x] + (a\*B - b\*A)\*Sin[d + e\*x])/(e\*(a^2 - b^2 - c^2)\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])), x] + Dist[(a\*A - b\*B)/(a^2 - b^2 - c^2), Int[1/(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]), x], x] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[a\*A - b\*B, 0]

#### Rule 3074

Int[(cos[(c\_.) + (d\_.)\*(x\_)])\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] :> -Dist[d^(-1), Subst[Int[1/(a^2 + b^2 - x^2), x], x, b\*Cos[c + d\*x] - a\*Sin[c + d\*x]], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 + b^2, 0]

#### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(x)}{(b \cos(x) + c \sin(x))^2} dx &= -\frac{Bc + Ac \cos(x) - Ab \sin(x)}{(b^2 + c^2)(b \cos(x) + c \sin(x))} + \frac{(bB) \int \frac{1}{b \cos(x) + c \sin(x)} dx}{b^2 + c^2} \\ &= -\frac{Bc + Ac \cos(x) - Ab \sin(x)}{(b^2 + c^2)(b \cos(x) + c \sin(x))} - \frac{(bB) \text{Subst} \left( \int \frac{1}{b^2 + c^2 - x^2} dx, x, c \cos(x) - b \sin(x) \right)}{b^2 + c^2} \\ &= -\frac{bB \tanh^{-1} \left( \frac{c \cos(x) - b \sin(x)}{\sqrt{b^2 + c^2}} \right)}{(b^2 + c^2)^{3/2}} - \frac{Bc + Ac \cos(x) - Ab \sin(x)}{(b^2 + c^2)(b \cos(x) + c \sin(x))} \end{aligned}$$

**Mathematica [A]** time = 0.225564, size = 82, normalized size = 1.08

$$\frac{A(b^2 + c^2) \sin(x) - bBc}{b(b^2 + c^2)(b \cos(x) + c \sin(x))} + \frac{2bB \tanh^{-1} \left( \frac{b \tan(x/2) - c}{\sqrt{b^2 + c^2}} \right)}{(b^2 + c^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[x])/(b\*Cos[x] + c\*Sin[x])^2,x]

[Out] (2\*b\*B\*ArcTanh[(-c + b\*Tan[x/2])/Sqrt[b^2 + c^2]]/(b^2 + c^2)^(3/2) + (-b\*B\*c) + A\*(b^2 + c^2)\*Sin[x])/(b\*(b^2 + c^2)\*(b\*Cos[x] + c\*Sin[x]))

**Maple [A]** time = 0.084, size = 109, normalized size = 1.4

$$2 \frac{1}{b(\tan(x/2))^2 - 2c \tan(x/2) - b} \left( -\frac{(Ab^2 + Ac^2 - Bc^2) \tan(x/2)}{b(b^2 + c^2)} + \frac{Bc}{b^2 + c^2} \right) + 2 \frac{bB}{(b^2 + c^2)^{3/2}} \text{Arctanh} \left( \frac{1}{2} \frac{2b \tan(x/2) - c}{\sqrt{b^2 + c^2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(x))/(b\*cos(x)+c\*sin(x))^2,x)

[Out] 2\*(-(A\*b^2+A\*c^2-B\*c^2)/b/(b^2+c^2)\*tan(1/2\*x)+B\*c/(b^2+c^2))/(b\*tan(1/2\*x)^2-2\*c\*tan(1/2\*x)-b)+2\*b\*B/(b^2+c^2)^(3/2)\*arctanh(1/2\*(2\*b\*tan(1/2\*x)-2\*c)/(b^2+c^2)^(1/2))

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x))/(b\*cos(x)+c\*sin(x))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.34865, size = 489, normalized size = 6.43

$$\frac{2Bb^2c + 2Bc^3 - (Bb^2 \cos(x) + Bbc \sin(x))\sqrt{b^2 + c^2} \log\left(\frac{2bc \cos(x) \sin(x) + (b^2 - c^2) \cos(x)^2 - 2b^2 - c^2 + 2\sqrt{b^2 + c^2}(c \cos(x) - b \sin(x))}{2bc \cos(x) \sin(x) + (b^2 - c^2) \cos(x)^2 + c^2}\right)}{2\left((b^5 + 2b^3c^2 + bc^4) \cos(x) + (b^4c + 2b^2c^3 + c^5) \sin(x)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x))/(b\*cos(x)+c\*sin(x))^2,x, algorithm="fricas")

[Out]  $-1/2*(2*B*b^2*c + 2*B*c^3 - (B*b^2*\cos(x) + B*b*c*\sin(x))*\sqrt{b^2 + c^2})*\log(-2*b*c*\cos(x)*\sin(x) + (b^2 - c^2)*\cos(x)^2 - 2*b^2 - c^2 + 2*\sqrt{b^2 + c^2}*(c*\cos(x) - b*\sin(x)))/(2*b*c*\cos(x)*\sin(x) + (b^2 - c^2)*\cos(x)^2 + c^2) + 2*(A*b^2*c + A*c^3)*\cos(x) - 2*(A*b^3 + A*b*c^2)*\sin(x)/((b^5 + 2*b^3*c^2 + b*c^4)*\cos(x) + (b^4*c + 2*b^2*c^3 + c^5)*\sin(x))$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x))/(b\*cos(x)+c\*sin(x))\*\*2,x)

[Out] Timed out

**Giac [A]** time = 1.33013, size = 178, normalized size = 2.34

$$\frac{Bb \log\left(\frac{\left|2b \tan\left(\frac{1}{2}x\right) - 2c - 2\sqrt{b^2 + c^2}\right|}{\left|2b \tan\left(\frac{1}{2}x\right) - 2c + 2\sqrt{b^2 + c^2}\right|}\right)}{(b^2 + c^2)^{\frac{3}{2}}} - \frac{2\left(Ab^2 \tan\left(\frac{1}{2}x\right) + Ac^2 \tan\left(\frac{1}{2}x\right) - Bc^2 \tan\left(\frac{1}{2}x\right) - Bbc\right)}{(b^3 + bc^2)\left(b \tan\left(\frac{1}{2}x\right)^2 - 2c \tan\left(\frac{1}{2}x\right) - b\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x))/(b\*cos(x)+c\*sin(x))^2,x, algorithm="giac")

[Out]  $-B*b*\log(\text{abs}(2*b*\tan(1/2*x) - 2*c - 2*\sqrt{b^2 + c^2}))/\text{abs}(2*b*\tan(1/2*x) - 2*c + 2*\sqrt{b^2 + c^2}))/ (b^2 + c^2)^{(3/2)} - 2*(A*b^2*\tan(1/2*x) + A*c^2*\tan(1/2*x) - B*c^2*\tan(1/2*x) - B*b*c)/((b^3 + b*c^2)*(b*\tan(1/2*x)^2 - 2*c*\tan(1/2*x) - b))$

$$3.354 \quad \int \frac{A+B \cos(x)}{(b \cos(x)+c \sin(x))^3} dx$$

**Optimal.** Leaf size=116

$$\frac{-Ab \sin(x) + Ac \cos(x) + Bc}{2(b^2 + c^2)(b \cos(x) + c \sin(x))^2} - \frac{A \tanh^{-1}\left(\frac{c \cos(x) - b \sin(x)}{\sqrt{b^2 + c^2}}\right)}{2(b^2 + c^2)^{3/2}} - \frac{bBc \cos(x) - b^2B \sin(x)}{(b^2 + c^2)^2 (b \cos(x) + c \sin(x))}$$

[Out]  $-(A*\text{ArcTanh}[(c*\text{Cos}[x] - b*\text{Sin}[x])/ \text{Sqrt}[b^2 + c^2]])/(2*(b^2 + c^2)^{(3/2)}) - (B*c + A*c*\text{Cos}[x] - A*b*\text{Sin}[x])/(2*(b^2 + c^2)*(b*\text{Cos}[x] + c*\text{Sin}[x])^2) - (b*B*c*\text{Cos}[x] - b^2*B*\text{Sin}[x])/((b^2 + c^2)^2*(b*\text{Cos}[x] + c*\text{Sin}[x]))$

**Rubi [A]** time = 0.10807, antiderivative size = 116, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {3158, 3153, 3074, 206}

$$\frac{-Ab \sin(x) + Ac \cos(x) + Bc}{2(b^2 + c^2)(b \cos(x) + c \sin(x))^2} - \frac{A \tanh^{-1}\left(\frac{c \cos(x) - b \sin(x)}{\sqrt{b^2 + c^2}}\right)}{2(b^2 + c^2)^{3/2}} - \frac{bBc \cos(x) - b^2B \sin(x)}{(b^2 + c^2)^2 (b \cos(x) + c \sin(x))}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(A + B*\text{Cos}[x])/(b*\text{Cos}[x] + c*\text{Sin}[x])^3, x]$

[Out]  $-(A*\text{ArcTanh}[(c*\text{Cos}[x] - b*\text{Sin}[x])/ \text{Sqrt}[b^2 + c^2]])/(2*(b^2 + c^2)^{(3/2)}) - (B*c + A*c*\text{Cos}[x] - A*b*\text{Sin}[x])/(2*(b^2 + c^2)*(b*\text{Cos}[x] + c*\text{Sin}[x])^2) - (b*B*c*\text{Cos}[x] - b^2*B*\text{Sin}[x])/((b^2 + c^2)^2*(b*\text{Cos}[x] + c*\text{Sin}[x]))$

#### Rule 3158

$\text{Int}[(A + B*\text{Cos}[d + e*x])/(b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x])^3, x] \text{Symbol} \rightarrow -\text{Simp}[(c*B + c*A*\text{Cos}[d + e*x] + (a*B - b*A)*\text{Sin}[d + e*x])*(a + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x])^{n+1}/(e*(n+1)*(a^2 - b^2 - c^2)), x] + \text{Dist}[1/((n+1)*(a^2 - b^2 - c^2)), \text{Int}[(a + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x])^{n+1}*\text{Simp}[(n+1)*(a*A - b*B) + (n+2)*(a*B - b*A)*\text{Cos}[d + e*x] - (n+2)*c*A*\text{Sin}[d + e*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, A, B\}, x \&\& \text{LtQ}[n, -1] \&\& \text{NeQ}[a^2 - b^2 - c^2, 0] \&\& \text{NeQ}[n, -2]$

#### Rule 3153

$\text{Int}[(A + B*\text{Cos}[d + e*x])/(b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x])^2, x] \text{Symbol} \rightarrow \text{Simp}[(c*B - b*C - (a*C - c*A)*\text{Cos}[d + e*x] + (a*B - b*A)*\text{Sin}[d + e*x])/(e*(a^2 - b^2 - c^2)*(a + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x])), x] + \text{Dist}[(a*A - b*B - c*C)/(a^2 - b^2 - c^2), \text{Int}[1/(a + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, A, B, C\}, x \&\& \text{NeQ}[a^2 - b^2 - c^2, 0] \&\& \text{NeQ}[a*A - b*B - c*C, 0]$

#### Rule 3074

$\text{Int}[(\text{Cos}[c + d*x])/(b*\text{Cos}[c + d*x] + c*\text{Sin}[c + d*x])^{-1}, x] \text{Symbol} \rightarrow -\text{Dist}[d^{-1}, \text{Subst}[\text{Int}[1/(a^2 + b^2 - x^2), x], x, b*\text{Cos}[c + d*x] - a*\text{Sin}[c + d*x]], x] /; \text{FreeQ}\{a, b, c, d\}, x \&\& \text{NeQ}[a^2 + b^2, 0]$



**Rule 206**

$\text{Int}[(a_ + (b_ )*(x_ )^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

**Rubi steps**

$$\begin{aligned} \int \frac{A + B \cos(x)}{(b \cos(x) + c \sin(x))^3} dx &= -\frac{Bc + Ac \cos(x) - Ab \sin(x)}{2(b^2 + c^2)(b \cos(x) + c \sin(x))^2} + \frac{\int \frac{2bB + Ab \cos(x) + Ac \sin(x)}{(b \cos(x) + c \sin(x))^2} dx}{2(b^2 + c^2)} \\ &= -\frac{Bc + Ac \cos(x) - Ab \sin(x)}{2(b^2 + c^2)(b \cos(x) + c \sin(x))^2} - \frac{bBc \cos(x) - b^2B \sin(x)}{(b^2 + c^2)^2(b \cos(x) + c \sin(x))} + \frac{A \int \frac{1}{b \cos(x) + c \sin(x)} dx}{2(b^2 + c^2)} \\ &= -\frac{Bc + Ac \cos(x) - Ab \sin(x)}{2(b^2 + c^2)(b \cos(x) + c \sin(x))^2} - \frac{bBc \cos(x) - b^2B \sin(x)}{(b^2 + c^2)^2(b \cos(x) + c \sin(x))} - \frac{A \text{Subst}\left(\int \frac{1}{b^2 + c^2} dx\right)}{2(b^2 + c^2)} \\ &= -\frac{A \tanh^{-1}\left(\frac{c \cos(x) - b \sin(x)}{\sqrt{b^2 + c^2}}\right)}{2(b^2 + c^2)^{3/2}} - \frac{Bc + Ac \cos(x) - Ab \sin(x)}{2(b^2 + c^2)(b \cos(x) + c \sin(x))^2} - \frac{bBc \cos(x) - b^2B \sin(x)}{(b^2 + c^2)^2(b \cos(x) + c \sin(x))} \end{aligned}$$

**Mathematica [C]** time = 0.313424, size = 118, normalized size = 1.02

$$\frac{(b^2 + c^2)(b \sin(x)(A + 2B \cos(x)) - Ac \cos(x) - Bc \cos(2x)) + 2A\sqrt{b^2 + c^2}(b \cos(x) + c \sin(x))^2 \tanh^{-1}\left(\frac{b \tan(\frac{x}{2}) - c}{\sqrt{b^2 + c^2}}\right)}{2(b - ic)^2(b + ic)^2(b \cos(x) + c \sin(x))^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[x])/(b\*Cos[x] + c\*Sin[x])^3,x]

[Out] (2\*A\*Sqrt[b^2 + c^2]\*ArcTanh[(-c + b\*Tan[x/2])/Sqrt[b^2 + c^2]]\*(b\*Cos[x] + c\*Sin[x])^2 + (b^2 + c^2)\*(-(A\*c\*Cos[x]) - B\*c\*Cos[2\*x] + b\*(A + 2\*B\*Cos[x])\*Sin[x]))/(2\*(b - I\*c)^2\*(b + I\*c)^2\*(b\*Cos[x] + c\*Sin[x])^2)

**Maple [A]** time = 0.099, size = 204, normalized size = 1.8

$$-2 \frac{1}{(b(\tan(x/2))^2 - 2c \tan(x/2) - b)^2} \left( -1/2 \frac{(Ab^2 + 2Ac^2 - 2Bb^2 - 2Bc^2)(\tan(x/2))^3}{(b^2 + c^2)b} - 1/2 \frac{c(Ab^2 - 2Ac^2 + 2Bb^2)}{(b^2 + c^2)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(x))/(b\*cos(x)+c\*sin(x))^3,x)

[Out] -2\*(-1/2\*(A\*b^2+2\*A\*c^2-2\*B\*b^2-2\*B\*c^2)/(b^2+c^2)/b\*tan(1/2\*x)^3-1/2\*c\*(A\*b^2-2\*A\*c^2+2\*B\*b^2+2\*B\*c^2)/(b^2+c^2)/b^2\*tan(1/2\*x)^2-1/2\*(A\*b^2-2\*A\*c^2+2\*B\*b^2+2\*B\*c^2)/(b^2+c^2)/b\*tan(1/2\*x)+1/2\*A\*c/(b^2+c^2))/(b\*tan(1/2\*x)^2-2\*c\*tan(1/2\*x)-b)^2+A/(b^2+c^2)^(3/2)\*arctanh(1/2\*(2\*b\*tan(1/2\*x)-2\*c)/(b^2+c^2)^(1/2))

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x))/(b\*cos(x)+c\*sin(x))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.43362, size = 659, normalized size = 5.68

$$\frac{8 B b^2 c \cos(x)^2 - 2 B b^2 c + 2 B c^3 - (2 A b c \cos(x) \sin(x) + A c^2 + (A b^2 - A c^2) \cos(x)^2) \sqrt{b^2 + c^2} \log\left(-\frac{2 b c \cos(x) \sin(x) + (b^2 - c^2) \cos(x)^2}{2 b c}\right)}{4 (b^4 c^2 + 2 b^2 c^4 + c^6 + (b^6 + b^4 c^2 - b^2 c^4 - c^6) \cos(x)^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x))/(b\*cos(x)+c\*sin(x))^3,x, algorithm="fricas")

[Out] 
$$-1/4*(8*B*b^2*c*\cos(x)^2 - 2*B*b^2*c + 2*B*c^3 - (2*A*b*c*\cos(x)*\sin(x) + A*c^2 + (A*b^2 - A*c^2)*\cos(x)^2)*\sqrt{b^2 + c^2}*\log(-(2*b*c*\cos(x)*\sin(x) + (b^2 - c^2)*\cos(x)^2 - 2*b^2 - c^2 + 2*\sqrt{b^2 + c^2}*(c*\cos(x) - b*\sin(x)))/(2*b*c*\cos(x)*\sin(x) + (b^2 - c^2)*\cos(x)^2 + c^2)) + 2*(A*b^2*c + A*c^3)*\cos(x) - 2*(A*b^3 + A*b*c^2 + 2*(B*b^3 - B*b*c^2)*\cos(x))*\sin(x))/(b^4*c^2 + 2*b^2*c^4 + c^6 + (b^6 + b^4*c^2 - b^2*c^4 - c^6)*\cos(x)^2 + 2*(b^5*c + 2*b^3*c^3 + b*c^5)*\cos(x)*\sin(x))$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x))/(b\*cos(x)+c\*sin(x))\*\*3,x)

[Out] Timed out

**Giac [B]** time = 1.39639, size = 331, normalized size = 2.85

$$\frac{A \log\left(\frac{-2 b \tan\left(\frac{1}{2} x\right) + 2 c - 2 \sqrt{b^2 + c^2}}{-2 b \tan\left(\frac{1}{2} x\right) + 2 c + 2 \sqrt{b^2 + c^2}}\right)}{2 (b^2 + c^2)^{\frac{3}{2}}} + \frac{A b^3 \tan\left(\frac{1}{2} x\right)^3 - 2 B b^3 \tan\left(\frac{1}{2} x\right)^3 + 2 A b c^2 \tan\left(\frac{1}{2} x\right)^3 - 2 B b c^2 \tan\left(\frac{1}{2} x\right)^3 + A b^2 c \tan\left(\frac{1}{2} x\right)^3}{(b^2 + c^2)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x))/(b\*cos(x)+c\*sin(x))^3,x, algorithm="giac")

[Out] 
$$1/2*A*\log(\text{abs}(-2*b*\tan(1/2*x) + 2*c - 2*\sqrt{b^2 + c^2}))/\text{abs}(-2*b*\tan(1/2*x) + 2*c + 2*\sqrt{b^2 + c^2}))/ (b^2 + c^2)^{(3/2)} + (A*b^3*\tan(1/2*x)^3 - 2*B$$

$$\frac{b^3 \tan(1/2x)^3 + 2Abc^2 \tan(1/2x)^3 - 2Bb^2c \tan(1/2x)^3 + Ab^2c \tan(1/2x)^2 + 2Bb^2c \tan(1/2x)^2 - 2Ac^3 \tan(1/2x)^2 + 2Bc^3 \tan(1/2x)^2 + Ab^3 \tan(1/2x) + 2Bb^3 \tan(1/2x) - 2Abc^2 \tan(1/2x) + 2Bb^2c \tan(1/2x) - Ab^2c}{(b^4 + b^2c^2)(b \tan(1/2x)^2 - 2c \tan(1/2x) - b)^2}$$

### 3.355 $\int \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^4 dx$

**Optimal.** Leaf size=246

$$\frac{35b(b^2 + c^2)^{3/2} \sin(d + ex)}{8e} - \frac{35c(b^2 + c^2)^{3/2} \cos(d + ex)}{8e} - \frac{(c \cos(d + ex) - b \sin(d + ex)) \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^4}{4e}$$

[Out] (35\*(b^2 + c^2)^2\*x)/8 - (35\*c\*(b^2 + c^2)^(3/2)\*Cos[d + e\*x])/(8\*e) + (35\*b\*(b^2 + c^2)^(3/2)\*Sin[d + e\*x])/(8\*e) - (35\*(b^2 + c^2)\*(c\*Cos[d + e\*x] - b\*SIN[d + e\*x])\*(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*SIN[d + e\*x]))/(24\*e) - (7\*Sqrt[b^2 + c^2]\*(c\*Cos[d + e\*x] - b\*SIN[d + e\*x])\*(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*SIN[d + e\*x])^2)/(12\*e) - ((c\*Cos[d + e\*x] - b\*SIN[d + e\*x])\*(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*SIN[d + e\*x])^3)/(4\*e)

**Rubi [A]** time = 0.169314, antiderivative size = 246, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 3, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.1$ , Rules used = {3113, 2637, 2638}

$$\frac{35b(b^2 + c^2)^{3/2} \sin(d + ex)}{8e} - \frac{35c(b^2 + c^2)^{3/2} \cos(d + ex)}{8e} - \frac{(c \cos(d + ex) - b \sin(d + ex)) \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^4}{4e}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*SIN[d + e\*x])^4,x]

[Out] (35\*(b^2 + c^2)^2\*x)/8 - (35\*c\*(b^2 + c^2)^(3/2)\*Cos[d + e\*x])/(8\*e) + (35\*b\*(b^2 + c^2)^(3/2)\*Sin[d + e\*x])/(8\*e) - (35\*(b^2 + c^2)\*(c\*Cos[d + e\*x] - b\*SIN[d + e\*x])\*(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*SIN[d + e\*x]))/(24\*e) - (7\*Sqrt[b^2 + c^2]\*(c\*Cos[d + e\*x] - b\*SIN[d + e\*x])\*(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*SIN[d + e\*x])^2)/(12\*e) - ((c\*Cos[d + e\*x] - b\*SIN[d + e\*x])\*(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*SIN[d + e\*x])^3)/(4\*e)

#### Rule 3113

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^n, x\_Symbol] := -Simp[((c\*Cos[d + e\*x] - b\*SIN[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*SIN[d + e\*x])^(n - 1))/(e\*n), x] + Dist[(a\*(2\*n - 1))/n, Int[(a + b\*Cos[d + e\*x] + c\*SIN[d + e\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0] && GtQ[n, 0]

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := Simp[SIN[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned}
\int \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^4 dx &= -\frac{(c \cos(d + ex) - b \sin(d + ex)) \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^4}{4e} \\
&= -\frac{7\sqrt{b^2 + c^2}(c \cos(d + ex) - b \sin(d + ex)) \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^3}{12e} \\
&= -\frac{35(b^2 + c^2)(c \cos(d + ex) - b \sin(d + ex)) \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^2}{24e} \\
&= \frac{35}{8}(b^2 + c^2)^2 x - \frac{35(b^2 + c^2)(c \cos(d + ex) - b \sin(d + ex)) \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)}{24e} \\
&= \frac{35}{8}(b^2 + c^2)^2 x - \frac{35c(b^2 + c^2)^{3/2} \cos(d + ex)}{8e} + \frac{35b(b^2 + c^2)^{3/2} \sin(d + ex)}{8e}
\end{aligned}$$

**Mathematica [C]** time = 1.48369, size = 238, normalized size = 0.97

$$\frac{420(b^2 + c^2)^2(d + ex) + 672b(b - ic)(b + ic)\sqrt{b^2 + c^2}\sin(d + ex) + 32b(b^2 - 3c^2)\sqrt{b^2 + c^2}\sin(3(d + ex)) + 168(b^4 - c^4)\sin(4(d + ex))}{96e}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^4, x]

[Out] (420\*(b^2 + c^2)^2\*(d + e\*x) - 672\*(b - I\*c)\*(b + I\*c)\*c\*Sqrt[b^2 + c^2]\*Cos[d + e\*x] - 336\*b\*c\*(b^2 + c^2)\*Cos[2\*(d + e\*x)] + 32\*c\*(-3\*b^2 + c^2)\*Sqrt[b^2 + c^2]\*Cos[3\*(d + e\*x)] - 12\*b\*c\*(b^2 - c^2)\*Cos[4\*(d + e\*x)] + 672\*b\*(b - I\*c)\*(b + I\*c)\*Sqrt[b^2 + c^2]\*Sin[d + e\*x] + 168\*(b^4 - c^4)\*Sin[2\*(d + e\*x)] + 32\*b\*(b^2 - 3\*c^2)\*Sqrt[b^2 + c^2]\*Sin[3\*(d + e\*x)] + 3\*(b^4 - 6\*b^2\*c^2 + c^4)\*Sin[4\*(d + e\*x)])/(96\*e)

**Maple [B]** time = 0.124, size = 514, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b^2+c^2)^(1/2))^4, x)

[Out] 1/e\*(2\*b^2\*c^2\*(e\*x+d)+c^4\*(-1/4\*(sin(e\*x+d)^3+3/2\*sin(e\*x+d))\*cos(e\*x+d)+3/8\*e\*x+3/8\*d)+6\*c^4\*(-1/2\*sin(e\*x+d)\*cos(e\*x+d)+1/2\*e\*x+1/2\*d)+b^4\*(1/4\*(cos(e\*x+d)^3+3/2\*cos(e\*x+d))\*sin(e\*x+d)+3/8\*e\*x+3/8\*d)+6\*b^4\*(1/2\*sin(e\*x+d)\*cos(e\*x+d)+1/2\*e\*x+1/2\*d)+b^4\*(e\*x+d)+c^4\*(e\*x+d)+4/3\*(b^2+c^2)^(1/2)\*b^3\*(2+cos(e\*x+d)^2)\*sin(e\*x+d)+6\*b^2\*c^2\*(1/2\*sin(e\*x+d)\*cos(e\*x+d)+1/2\*e\*x+1/2\*d)+4\*(b^2+c^2)^(1/2)\*b^3\*sin(e\*x+d)-4/3\*(b^2+c^2)^(1/2)\*c^3\*(2+sin(e\*x+d)^2)\*cos(e\*x+d)+6\*b^2\*c^2\*(-1/2\*sin(e\*x+d)\*cos(e\*x+d)+1/2\*e\*x+1/2\*d)-4\*(b^2+c^2)^(1/2)\*c^3\*cos(e\*x+d)-4\*(b^2+c^2)^(1/2)\*b^2\*c\*cos(e\*x+d)^3+4\*(b^2+c^2)^(1/2)\*b\*c^2\*sin(e\*x+d)^3-cos(e\*x+d)^4\*b^3\*c+6\*b^2\*c^2\*(-1/4\*sin(e\*x+d)\*cos(e\*x+d)^3+1/8\*sin(e\*x+d)\*cos(e\*x+d)+1/8\*e\*x+1/8\*d)+b\*c^3\*sin(e\*x+d)^4-6\*cos(e\*x+d)^2\*b^3\*c-6\*cos(e\*x+d)^2\*b\*c^3+4\*(b^2+c^2)^(1/2)\*b\*c^2\*sin(e\*x+d)-4\*(b^2+c^2)^(1/2)\*b^2\*c\*cos(e\*x+d))

---

**Maxima [A]** time = 1.01463, size = 478, normalized size = 1.94

$$\frac{b^3 c \cos(ex + d)^4}{e} + \frac{bc^3 \sin(ex + d)^4}{e} + \frac{(12ex + 12d + \sin(4ex + 4d) + 8 \sin(2ex + 2d))b^4}{32e} + \frac{3(4ex + 4d - \sin(4ex + 4d))}{16e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b^2+c^2)^(1/2))^4,x, algorithm="maxima")

[Out]  $-b^3c \cos(ex + d)^4/e + bc^3 \sin(ex + d)^4/e + 1/32(12ex + 12d + \sin(4ex + 4d) + 8\sin(2ex + 2d))b^4/e + 3/16(4ex + 4d - \sin(4ex + 4d))b^2c^2/e + 1/32(12ex + 12d + \sin(4ex + 4d) - 8\sin(2ex + 2d))c^4/e + (b^2 + c^2)^2x - 4(b^2 + c^2)^{3/2}(c \cos(ex + d)/e - b \sin(ex + d)/e) - 3/2(4b^2c \cos(ex + d)^2/e - (2ex + 2d + \sin(2ex + 2d))b^2/e - (2ex + 2d - \sin(2ex + 2d))c^2/e)(b^2 + c^2) - 4/3(3b^2c \cos(ex + d)^3/e - 3b^2c^2 \sin(ex + d)^3/e + (\sin(ex + d)^3 - 3\sin(ex + d))b^3/e - (\cos(ex + d)^3 - 3\cos(ex + d))c^3/e)\sqrt{b^2 + c^2}$

---

**Fricas [A]** time = 2.32549, size = 509, normalized size = 2.07

$$\frac{24(b^3c - bc^3)\cos(ex + d)^4 - 105(b^4 + 2b^2c^2 + c^4)ex + 48(3b^3c + 4bc^3)\cos(ex + d)^2 - 3(2(b^4 - 6b^2c^2 + c^4)\cos(ex + d) - (3b^3c + 4bc^3)\sin(ex + d))\sqrt{b^2 + c^2}}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b^2+c^2)^(1/2))^4,x, algorithm="fricas")

[Out]  $-1/24(24(b^3c - bc^3)\cos(ex + d)^4 - 105(b^4 + 2b^2c^2 + c^4)ex + 48(3b^3c + 4bc^3)\cos(ex + d)^2 - 3(2(b^4 - 6b^2c^2 + c^4)\cos(ex + d) - (3b^3c + 4bc^3)\sin(ex + d))\sqrt{b^2 + c^2})/e$

---

**Sympy [A]** time = 4.22427, size = 882, normalized size = 3.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b\*\*2+c\*\*2)\*\*(1/2))\*\*4,x)

[Out] Piecewise(((3\*b\*\*4\*x\*sin(d + e\*x)\*\*4/8 + 3\*b\*\*4\*x\*sin(d + e\*x)\*\*2\*cos(d + e\*x)\*\*2/4 + 3\*b\*\*4\*x\*sin(d + e\*x)\*\*2 + 3\*b\*\*4\*x\*cos(d + e\*x)\*\*4/8 + 3\*b\*\*4\*x\*cos(d + e\*x)\*\*2 + b\*\*4\*x + 3\*b\*\*4\*sin(d + e\*x)\*\*3\*cos(d + e\*x))/(8\*e) + 5\*b\*\*4\*sin(d + e\*x)\*cos(d + e\*x)\*\*3/(8\*e) + 3\*b\*\*4\*sin(d + e\*x)\*cos(d + e\*x)/e + 6\*b\*\*3\*c\*sin(d + e\*x)\*\*2/e - b\*\*3\*c\*cos(d + e\*x)\*\*4/e + 8\*b\*\*3\*sqrt(b\*\*2 + c\*\*2)\*sin(d + e\*x)\*\*3/(3\*e) + 4\*b\*\*3\*sqrt(b\*\*2 + c\*\*2)\*sin(d + e\*x)\*cos(d + e\*x)\*\*2/e + 4\*b\*\*3\*sqrt(b\*\*2 + c\*\*2)\*sin(d + e\*x)/e + 3\*b\*\*2\*c\*\*2\*x\*sin(d + e\*x)\*\*4/4 + 3\*b\*\*2\*c\*\*2\*x\*sin(d + e\*x)\*\*2\*cos(d + e\*x)\*\*2/2 + 6\*b\*\*2\*c\*\*2\*x\*sin(d + e\*x)\*\*2 + 3\*b\*\*2\*c\*\*2\*x\*cos(d + e\*x)\*\*4/4 + 6\*b\*\*2\*c\*\*2\*x\*cos(d + e\*x)\*\*2

```

d + e*x)**2 + 2*b**2*c**2*x + 3*b**2*c**2*sin(d + e*x)**3*cos(d + e*x)/(4*e
) - 3*b**2*c**2*sin(d + e*x)*cos(d + e*x)**3/(4*e) - 4*b**2*c*sqrt(b**2 + c
**2)*cos(d + e*x)**3/e - 4*b**2*c*sqrt(b**2 + c**2)*cos(d + e*x)/e - 2*b*c*
*3*sin(d + e*x)**2*cos(d + e*x)**2/e + 6*b*c**3*sin(d + e*x)**2/e - b*c**3*
cos(d + e*x)**4/e + 4*b*c**2*sqrt(b**2 + c**2)*sin(d + e*x)**3/e + 4*b*c**2
*sqrt(b**2 + c**2)*sin(d + e*x)/e + 3*c**4*x*sin(d + e*x)**4/8 + 3*c**4*x*s
in(d + e*x)**2*cos(d + e*x)**2/4 + 3*c**4*x*sin(d + e*x)**2 + 3*c**4*x*cos(
d + e*x)**4/8 + 3*c**4*x*cos(d + e*x)**2 + c**4*x - 5*c**4*sin(d + e*x)**3*
cos(d + e*x)/(8*e) - 3*c**4*sin(d + e*x)*cos(d + e*x)**3/(8*e) - 3*c**4*sin
(d + e*x)*cos(d + e*x)/e - 4*c**3*sqrt(b**2 + c**2)*sin(d + e*x)**2*cos(d +
e*x)/e - 8*c**3*sqrt(b**2 + c**2)*cos(d + e*x)**3/(3*e) - 4*c**3*sqrt(b**2
+ c**2)*cos(d + e*x)/e, Ne(e, 0)), (x*(b*cos(d) + c*sin(d) + sqrt(b**2 + c
**2))**4, True))

```

---

**Giac [A]** time = 1.24363, size = 387, normalized size = 1.57

$$-\frac{1}{8}(b^3c - bc^3)\cos(4xe + 4d)e^{-1} - \frac{1}{3}\left(3\sqrt{b^2 + c^2}b^2c - \sqrt{b^2 + c^2}c^3\right)\cos(3xe + 3d)e^{-1} - \frac{7}{2}(b^3c + bc^3)\cos(2xe + 2d)e^{-1}$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((b*cos(e*x+d)+c*sin(e*x+d)+(b^2+c^2)^(1/2))^4,x, algorithm="giac"
)

```

```

[Out] -1/8*(b^3*c - b*c^3)*cos(4*x*e + 4*d)*e^(-1) - 1/3*(3*sqrt(b^2 + c^2)*b^2*c
- sqrt(b^2 + c^2)*c^3)*cos(3*x*e + 3*d)*e^(-1) - 7/2*(b^3*c + b*c^3)*cos(2
*x*e + 2*d)*e^(-1) - 7*(sqrt(b^2 + c^2)*b^2*c + sqrt(b^2 + c^2)*c^3)*cos(x*
e + d)*e^(-1) + 1/32*(b^4 - 6*b^2*c^2 + c^4)*e^(-1)*sin(4*x*e + 4*d) + 1/3*
(sqrt(b^2 + c^2)*b^3 - 3*sqrt(b^2 + c^2)*b*c^2)*e^(-1)*sin(3*x*e + 3*d) + 7
/4*(b^4 - c^4)*e^(-1)*sin(2*x*e + 2*d) + 7*(sqrt(b^2 + c^2)*b^3 + sqrt(b^2
+ c^2)*b*c^2)*e^(-1)*sin(x*e + d) + 35/8*(b^4 + 2*b^2*c^2 + c^4)*x

```

### 3.356 $\int \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^3 dx$

**Optimal.** Leaf size=178

$$\frac{5b(b^2 + c^2)\sin(d + ex)}{2e} - \frac{5c(b^2 + c^2)\cos(d + ex)}{2e} - \frac{(c \cos(d + ex) - b \sin(d + ex)) \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^2}{3e}$$

[Out] (5\*(b^2 + c^2)^(3/2)\*x)/2 - (5\*c\*(b^2 + c^2)\*Cos[d + e\*x])/(2\*e) + (5\*b\*(b^2 + c^2)\*Sin[d + e\*x])/(2\*e) - (5\*Sqrt[b^2 + c^2]\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]))/(6\*e) - ((c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^2)/(3\*e)

**Rubi [A]** time = 0.101832, antiderivative size = 178, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.1$ , Rules used = {3113, 2637, 2638}

$$\frac{5b(b^2 + c^2)\sin(d + ex)}{2e} - \frac{5c(b^2 + c^2)\cos(d + ex)}{2e} - \frac{(c \cos(d + ex) - b \sin(d + ex)) \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^2}{3e}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^3,x]

[Out] (5\*(b^2 + c^2)^(3/2)\*x)/2 - (5\*c\*(b^2 + c^2)\*Cos[d + e\*x])/(2\*e) + (5\*b\*(b^2 + c^2)\*Sin[d + e\*x])/(2\*e) - (5\*Sqrt[b^2 + c^2]\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]))/(6\*e) - ((c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^2)/(3\*e)

#### Rule 3113

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^n, x\_Symbol] := -Simp[((c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n - 1))/(e\*n), x] + Dist[(a\*(2\*n - 1))/n, Int[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0] && GtQ[n, 0]

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps



$$\begin{aligned}
\int \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^3 dx &= -\frac{(c \cos(d + ex) - b \sin(d + ex)) \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)}{3e} \\
&= -\frac{5\sqrt{b^2 + c^2}(c \cos(d + ex) - b \sin(d + ex)) \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)}{6e} \\
&= \frac{5}{2} (b^2 + c^2)^{3/2} x - \frac{5\sqrt{b^2 + c^2}(c \cos(d + ex) - b \sin(d + ex)) \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)}{6e} \\
&= \frac{5}{2} (b^2 + c^2)^{3/2} x - \frac{5c(b^2 + c^2) \cos(d + ex)}{2e} + \frac{5b(b^2 + c^2) \sin(d + ex)}{2e}
\end{aligned}$$

**Mathematica [C]** time = 0.661051, size = 163, normalized size = 0.92

$$\frac{30(b - ic)(b + ic)\sqrt{b^2 + c^2}(d + ex) + 45b(b^2 + c^2)\sin(d + ex) + 9(b^2 - c^2)\sqrt{b^2 + c^2}\sin(2(d + ex)) + b(b^2 - 3c^2)\sin(3(d + ex))}{12e}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^3,x]

[Out] (30\*(b - I\*c)\*(b + I\*c)\*Sqrt[b^2 + c^2]\*(d + e\*x) - 45\*c\*(b^2 + c^2)\*Cos[d + e\*x] - 18\*b\*c\*Sqrt[b^2 + c^2]\*Cos[2\*(d + e\*x)] + c\*(-3\*b^2 + c^2)\*Cos[3\*(d + e\*x)] + 45\*b\*(b^2 + c^2)\*Sin[d + e\*x] + 9\*(b^2 - c^2)\*Sqrt[b^2 + c^2]\*Sin[2\*(d + e\*x)] + b\*(b^2 - 3\*c^2)\*Sin[3\*(d + e\*x)])/(12\*e)

**Maple [A]** time = 0.085, size = 250, normalized size = 1.4

$$\frac{1}{e} \left( \frac{b^3 (2 + (\cos(ex + d))^2) \sin(ex + d)}{3} - (\cos(ex + d))^3 b^2 c + 3 \sqrt{b^2 + c^2} b^2 (1/2 \sin(ex + d) \cos(ex + d) + 1/2 ex + d/2) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b^2+c^2)^(1/2))^3,x)

[Out] 1/e\*(1/3\*b^3\*(2+cos(e\*x+d)^2)\*sin(e\*x+d)-cos(e\*x+d)^3\*b^2\*c+3\*(b^2+c^2)^(1/2)\*b^2\*(1/2\*sin(e\*x+d)\*cos(e\*x+d)+1/2\*e\*x+1/2\*d)+b\*c^2\*sin(e\*x+d)^3-3\*(b^2+c^2)^(1/2)\*b\*c\*cos(e\*x+d)^2+3\*sin(e\*x+d)\*b^3+3\*b\*c^2\*sin(e\*x+d)-1/3\*c^3\*(2+sin(e\*x+d)^2)\*cos(e\*x+d)+3\*(b^2+c^2)^(1/2)\*c^2\*(-1/2\*sin(e\*x+d)\*cos(e\*x+d)+1/2\*e\*x+1/2\*d)-3\*cos(e\*x+d)\*b^2\*c-3\*cos(e\*x+d)\*c^3+(b^2+c^2)^(1/2)\*b^2\*(e\*x+d)+(b^2+c^2)^(1/2)\*c^2\*(e\*x+d))

**Maxima [A]** time = 1.00097, size = 279, normalized size = 1.57

$$-\frac{b^2 c \cos(ex + d)^3}{e} + \frac{bc^2 \sin(ex + d)^3}{e} - \frac{(\sin(ex + d)^3 - 3 \sin(ex + d))b^3}{3e} + \frac{(\cos(ex + d)^3 - 3 \cos(ex + d))c^3}{3e} + (b^2 + c^2)^{3/2} x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b^2+c^2)^(1/2))^3,x, algorithm="maxima")

[Out] -b^2\*c\*cos(e\*x + d)^3/e + b\*c^2\*sin(e\*x + d)^3/e - 1/3\*(sin(e\*x + d)^3 - 3\*sin(e\*x + d))\*b^3/e + 1/3\*(cos(e\*x + d)^3 - 3\*cos(e\*x + d))\*c^3/e + (b^2 + c^2)^(3/2)\*x - 3\*(b^2 + c^2)\*(c\*cos(e\*x + d)/e - b\*sin(e\*x + d)/e) - 3/4\*(4\*b\*c\*cos(e\*x + d)^2/e - (2\*e\*x + 2\*d + sin(2\*e\*x + 2\*d))\*b^2/e - (2\*e\*x + 2\*d - sin(2\*e\*x + 2\*d))\*c^2/e)\*sqrt(b^2 + c^2)

**Fricas [A]** time = 2.25459, size = 342, normalized size = 1.92

$$\frac{2(3b^2c - c^3)\cos(ex + d)^3 + 6(3b^2c + 4c^3)\cos(ex + d) - 2(11b^3 + 12bc^2 + (b^3 - 3bc^2)\cos(ex + d)^2)\sin(ex + d) + 3(b^3 - 3bc^2)\cos(ex + d)^2}{6e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b^2+c^2)^(1/2))^3,x, algorithm="fricas")

[Out] -1/6\*(2\*(3\*b^2\*c - c^3)\*cos(e\*x + d)^3 + 6\*(3\*b^2\*c + 4\*c^3)\*cos(e\*x + d) - 2\*(11\*b^3 + 12\*b\*c^2 + (b^3 - 3\*b\*c^2)\*cos(e\*x + d)^2)\*sin(e\*x + d) + 3\*(6\*b\*c\*cos(e\*x + d)^2 - 5\*(b^2 + c^2)\*e\*x - 3\*(b^2 - c^2)\*cos(e\*x + d)\*sin(e\*x + d))\*sqrt(b^2 + c^2))/e

**Sympy [A]** time = 1.881, size = 415, normalized size = 2.33

$$\left\{ \begin{array}{l} \frac{2b^3 \sin^3(d+ex)}{3e} + \frac{b^3 \sin(d+ex) \cos^2(d+ex)}{e} + \frac{3b^3 \sin(d+ex)}{e} - \frac{b^2c \cos^3(d+ex)}{e} - \frac{3b^2c \cos(d+ex)}{e} + \frac{3b^2x\sqrt{b^2+c^2} \sin^2(d+ex)}{2} + \frac{3b^2x\sqrt{b^2+c^2} \cos^2(d+ex)}{2} \\ x(b \cos(d) + c \sin(d) + \sqrt{b^2 + c^2})^3 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b\*\*2+c\*\*2)\*\*(1/2))\*\*3,x)

[Out] Piecewise(((2\*b\*\*3\*sin(d + e\*x)\*\*3/(3\*e) + b\*\*3\*sin(d + e\*x)\*cos(d + e\*x)\*\*2/e + 3\*b\*\*3\*sin(d + e\*x)/e - b\*\*2\*c\*cos(d + e\*x)\*\*3/e - 3\*b\*\*2\*c\*cos(d + e\*x)/e + 3\*b\*\*2\*x\*sqrt(b\*\*2 + c\*\*2)\*sin(d + e\*x)\*\*2/2 + 3\*b\*\*2\*x\*sqrt(b\*\*2 + c\*\*2)\*cos(d + e\*x)\*\*2/2 + b\*\*2\*x\*sqrt(b\*\*2 + c\*\*2) + 3\*b\*\*2\*sqrt(b\*\*2 + c\*\*2)\*sin(d + e\*x)\*cos(d + e\*x)/(2\*e) + b\*c\*\*2\*sin(d + e\*x)\*\*3/e + 3\*b\*c\*\*2\*sin(d + e\*x)/e + 3\*b\*c\*sqrt(b\*\*2 + c\*\*2)\*sin(d + e\*x)\*\*2/e - c\*\*3\*sin(d + e\*x)\*\*2\*cos(d + e\*x)/e - 2\*c\*\*3\*cos(d + e\*x)\*\*3/(3\*e) - 3\*c\*\*3\*cos(d + e\*x)/e + 3\*c\*\*2\*x\*sqrt(b\*\*2 + c\*\*2)\*sin(d + e\*x)\*\*2/2 + 3\*c\*\*2\*x\*sqrt(b\*\*2 + c\*\*2)\*cos(d + e\*x)\*\*2/2 + c\*\*2\*x\*sqrt(b\*\*2 + c\*\*2) - 3\*c\*\*2\*sqrt(b\*\*2 + c\*\*2)\*sin(d + e\*x)\*cos(d + e\*x)/(2\*e), Ne(e, 0)), (x\*(b\*cos(d) + c\*sin(d) + sqrt(b\*\*2 + c\*\*2))\*\*3, True))

**Giac [A]** time = 1.15752, size = 269, normalized size = 1.51

$$-\frac{3}{2}\sqrt{b^2 + c^2}bc \cos(2xe + 2d)e^{(-1)} - \frac{1}{12}(3b^2c - c^3)\cos(3xe + 3d)e^{(-1)} - \frac{15}{4}(b^2c + c^3)\cos(xe + d)e^{(-1)} + \frac{1}{12}(b^3 - 3bc^2)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(e*x+d)+c*sin(e*x+d)+(b^2+c^2)^(1/2))^3,x, algorithm="giac")
```

```
[Out] -3/2*sqrt(b^2 + c^2)*b*c*cos(2*x*e + 2*d)*e^(-1) - 1/12*(3*b^2*c - c^3)*cos(3*x*e + 3*d)*e^(-1) - 15/4*(b^2*c + c^3)*cos(x*e + d)*e^(-1) + 1/12*(b^3 - 3*b*c^2)*e^(-1)*sin(3*x*e + 3*d) + 3/4*(sqrt(b^2 + c^2)*b^2 - sqrt(b^2 + c^2)*c^2)*e^(-1)*sin(2*x*e + 2*d) + 15/4*(b^3 + b*c^2)*e^(-1)*sin(x*e + d) + (b^2 + c^2)^(3/2)*x + 3/2*(sqrt(b^2 + c^2)*b^2 + sqrt(b^2 + c^2)*c^2)*x
```

### 3.357 $\int \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^2 dx$

**Optimal.** Leaf size=116

$$\frac{3b\sqrt{b^2 + c^2} \sin(d + ex)}{2e} - \frac{3c\sqrt{b^2 + c^2} \cos(d + ex)}{2e} - \frac{(c \cos(d + ex) - b \sin(d + ex)) \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)}{2e}$$

[Out] (3\*(b^2 + c^2)\*x)/2 - (3\*c\*Sqrt[b^2 + c^2]\*Cos[d + e\*x])/(2\*e) + (3\*b\*Sqrt[b^2 + c^2]\*Sin[d + e\*x])/(2\*e) - ((c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]))/(2\*e)

**Rubi [A]** time = 0.0584102, antiderivative size = 116, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.1, Rules used = {3113, 2637, 2638}

$$\frac{3b\sqrt{b^2 + c^2} \sin(d + ex)}{2e} - \frac{3c\sqrt{b^2 + c^2} \cos(d + ex)}{2e} - \frac{(c \cos(d + ex) - b \sin(d + ex)) \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)}{2e}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^2,x]

[Out] (3\*(b^2 + c^2)\*x)/2 - (3\*c\*Sqrt[b^2 + c^2]\*Cos[d + e\*x])/(2\*e) + (3\*b\*Sqrt[b^2 + c^2]\*Sin[d + e\*x])/(2\*e) - ((c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]))/(2\*e)

#### Rule 3113

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^n, x\_Symbol] :> -Simp[((c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n - 1))/(e\*n), x] + Dist[(a\*(2\*n - 1))/n, Int[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0] && GtQ[n, 0]

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^2 dx &= -\frac{(c \cos(d + ex) - b \sin(d + ex)) \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)}{2e} \\ &= \frac{3}{2} (b^2 + c^2) x - \frac{(c \cos(d + ex) - b \sin(d + ex)) \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)}{2e} \\ &= \frac{3}{2} (b^2 + c^2) x - \frac{3c\sqrt{b^2 + c^2} \cos(d + ex)}{2e} + \frac{3b\sqrt{b^2 + c^2} \sin(d + ex)}{2e} - \frac{(c \cos(d + ex) - b \sin(d + ex)) \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)}{2e} \end{aligned}$$

**Mathematica [A]** time = 0.222119, size = 111, normalized size = 0.96

$$\frac{8b\sqrt{b^2 + c^2} \sin(d + ex) - 8c\sqrt{b^2 + c^2} \cos(d + ex) + b^2 \sin(2(d + ex)) + 6b^2d + 6b^2ex - 2bc \cos(2(d + ex)) - c^2 \sin(2(d + ex))}{4e}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^2,x]

[Out] (6\*b^2\*d + 6\*c^2\*d + 6\*b^2\*e\*x + 6\*c^2\*e\*x - 8\*c\*Sqrt[b^2 + c^2]\*Cos[d + e\*x] - 2\*b\*c\*Cos[2\*(d + e\*x)] + 8\*b\*Sqrt[b^2 + c^2]\*Sin[d + e\*x] + b^2\*Sin[2\*(d + e\*x)] - c^2\*Sin[2\*(d + e\*x)])/(4\*e)

**Maple [A]** time = 0.061, size = 124, normalized size = 1.1

$$\frac{1}{e} \left( b^2 \left( \frac{\sin(ex + d) \cos(ex + d)}{2} + \frac{ex}{2} + \frac{d}{2} \right) - (\cos(ex + d))^2 bc + c^2 \left( -\frac{\sin(ex + d) \cos(ex + d)}{2} + \frac{ex}{2} + \frac{d}{2} \right) + 2\sqrt{b^2 + c^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b^2+c^2)^(1/2))^2,x)

[Out] 1/e\*(b^2\*(1/2\*sin(e\*x+d)\*cos(e\*x+d)+1/2\*e\*x+1/2\*d)-cos(e\*x+d)^2\*b\*c+c^2\*(-1/2\*sin(e\*x+d)\*cos(e\*x+d)+1/2\*e\*x+1/2\*d)+2\*(b^2+c^2)^(1/2)\*b\*sin(e\*x+d)-2\*(b^2+c^2)^(1/2)\*c\*cos(e\*x+d)+b^2\*(e\*x+d)+c^2\*(e\*x+d))

**Maxima [A]** time = 0.986031, size = 153, normalized size = 1.32

$$b^2x + c^2x - \frac{bc \cos(ex + d)^2}{e} + \frac{(2ex + 2d + \sin(2ex + 2d))b^2}{4e} + \frac{(2ex + 2d - \sin(2ex + 2d))c^2}{4e} - 2\sqrt{b^2 + c^2} \left( \frac{c \cos(ex + d)}{e} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b^2+c^2)^(1/2))^2,x, algorithm="maxima")

[Out] b^2\*x + c^2\*x - b\*c\*cos(e\*x + d)^2/e + 1/4\*(2\*e\*x + 2\*d + sin(2\*e\*x + 2\*d))\*b^2/e + 1/4\*(2\*e\*x + 2\*d - sin(2\*e\*x + 2\*d))\*c^2/e - 2\*sqrt(b^2 + c^2)\*(c\*cos(e\*x + d)/e - b\*sin(e\*x + d)/e)

**Fricas [A]** time = 2.19603, size = 196, normalized size = 1.69

$$\frac{2bc \cos(ex + d)^2 - 3(b^2 + c^2)ex - (b^2 - c^2) \cos(ex + d) \sin(ex + d) + 4\sqrt{b^2 + c^2}(c \cos(ex + d) - b \sin(ex + d))}{2e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b^2+c^2)^(1/2))^2,x, algorithm="fricas")

[Out]  $-1/2*(2*b*c*\cos(e*x + d)^2 - 3*(b^2 + c^2)*e*x - (b^2 - c^2)*\cos(e*x + d)*\sin(e*x + d) + 4*\sqrt{b^2 + c^2}*(c*\cos(e*x + d) - b*\sin(e*x + d)))/e$

**Sympy [A]** time = 0.617558, size = 192, normalized size = 1.66

$$\left\{ \begin{array}{l} \frac{b^2 x \sin^2(d+ex)}{2} + \frac{b^2 x \cos^2(d+ex)}{2} + b^2 x + \frac{b^2 \sin(d+ex) \cos(d+ex)}{2e} + \frac{bc \sin^2(d+ex)}{e} + \frac{2b\sqrt{b^2+c^2} \sin(d+ex)}{e} + \frac{c^2 x \sin^2(d+ex)}{2} + \frac{c^2 x \cos^2(d+ex)}{2} + \\ x \left( b \cos(d) + c \sin(d) + \sqrt{b^2 + c^2} \right)^2 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*cos(e*x+d)+c*sin(e*x+d)+(b**2+c**2)**(1/2))**2,x)`

[Out] `Piecewise((b**2*x*sin(d + e*x)**2/2 + b**2*x*cos(d + e*x)**2/2 + b**2*x + b**2*sin(d + e*x)*cos(d + e*x)/(2*e) + b*c*sin(d + e*x)**2/e + 2*b*sqrt(b**2 + c**2)*sin(d + e*x)/e + c**2*x*sin(d + e*x)**2/2 + c**2*x*cos(d + e*x)**2/2 + c**2*x - c**2*sin(d + e*x)*cos(d + e*x)/(2*e) - 2*c*sqrt(b**2 + c**2)*cos(d + e*x)/e, Ne(e, 0)), (x*(b*cos(d) + c*sin(d) + sqrt(b**2 + c**2))**2, True))`

**Giac [A]** time = 1.14036, size = 124, normalized size = 1.07

$$-\frac{1}{2}bc \cos(2xe + 2d)e^{(-1)} - 2\sqrt{b^2 + c^2}c \cos(xe + d)e^{(-1)} + 2\sqrt{b^2 + c^2}be^{(-1)} \sin(xe + d) + \frac{1}{4}(b^2 - c^2)e^{(-1)} \sin(2xe + 2d)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*cos(e*x+d)+c*sin(e*x+d)+(b^2+c^2)^(1/2))^2,x, algorithm="giac")`

[Out]  $-1/2*b*c*\cos(2*x*e + 2*d)*e^{(-1)} - 2*\sqrt{b^2 + c^2}*c*\cos(x*e + d)*e^{(-1)} + 2*\sqrt{b^2 + c^2}*b*e^{(-1)}*\sin(x*e + d) + 1/4*(b^2 - c^2)*e^{(-1)}*\sin(2*x*e + 2*d) + 3/2*(b^2 + c^2)*x$

$$3.358 \quad \int \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right) dx$$

**Optimal.** Leaf size=37

$$x\sqrt{b^2 + c^2} + \frac{b \sin(d + ex)}{e} - \frac{c \cos(d + ex)}{e}$$

[Out] Sqrt[b^2 + c^2]\*x - (c\*Cos[d + e\*x])/e + (b\*Sin[d + e\*x])/e

**Rubi [A]** time = 0.0153018, antiderivative size = 37, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$ , Rules used = {2637, 2638}

$$x\sqrt{b^2 + c^2} + \frac{b \sin(d + ex)}{e} - \frac{c \cos(d + ex)}{e}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x],x]

[Out] Sqrt[b^2 + c^2]\*x - (c\*Cos[d + e\*x])/e + (b\*Sin[d + e\*x])/e

Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right) dx &= \sqrt{b^2 + c^2}x + b \int \cos(d + ex) dx + c \int \sin(d + ex) dx \\ &= \sqrt{b^2 + c^2}x - \frac{c \cos(d + ex)}{e} + \frac{b \sin(d + ex)}{e} \end{aligned}$$

**Mathematica [A]** time = 0.0373104, size = 36, normalized size = 0.97

$$\frac{ex\sqrt{b^2 + c^2} + b \sin(d + ex) - c \cos(d + ex)}{e}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x],x]

[Out] (Sqrt[b^2 + c^2]\*e\*x - c\*Cos[d + e\*x] + b\*Sin[d + e\*x])/e

**Maple [A]** time = 0.005, size = 36, normalized size = 1.

$$-\frac{c \cos(ex + d)}{e} + \frac{b \sin(ex + d)}{e} + x\sqrt{b^2 + c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(b*cos(e*x+d)+c*sin(e*x+d)+(b^2+c^2)^(1/2),x)`

[Out] `-c*cos(e*x+d)/e+b*sin(e*x+d)/e+x*(b^2+c^2)^(1/2)`

**Maxima [A]** time = 0.984325, size = 47, normalized size = 1.27

$$\sqrt{b^2 + c^2}x - \frac{c \cos(ex + d)}{e} + \frac{b \sin(ex + d)}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(b*cos(e*x+d)+c*sin(e*x+d)+(b^2+c^2)^(1/2),x, algorithm="maxima")`

[Out] `sqrt(b^2 + c^2)*x - c*cos(e*x + d)/e + b*sin(e*x + d)/e`

**Fricas [A]** time = 2.14202, size = 80, normalized size = 2.16

$$\frac{\sqrt{b^2 + c^2}ex - c \cos(ex + d) + b \sin(ex + d)}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(b*cos(e*x+d)+c*sin(e*x+d)+(b^2+c^2)^(1/2),x, algorithm="fricas")`

[Out] `(sqrt(b^2 + c^2)*e*x - c*cos(e*x + d) + b*sin(e*x + d))/e`

**Sympy [A]** time = 0.163549, size = 42, normalized size = 1.14

$$b \left( \begin{array}{ll} \frac{\sin(d+ex)}{e} & \text{for } e \neq 0 \\ x \cos(d) & \text{otherwise} \end{array} \right) + c \left( \begin{array}{ll} -\frac{\cos(d+ex)}{e} & \text{for } e \neq 0 \\ x \sin(d) & \text{otherwise} \end{array} \right) + x\sqrt{b^2 + c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(b*cos(e*x+d)+c*sin(e*x+d)+(b**2+c**2)**(1/2),x)`

[Out] `b*Piecewise((sin(d + e*x)/e, Ne(e, 0)), (x*cos(d), True)) + c*Piecewise((-cos(d + e*x)/e, Ne(e, 0)), (x*sin(d), True)) + x*sqrt(b**2 + c**2)`

**Giac [A]** time = 1.13188, size = 47, normalized size = 1.27

$$-c \cos(xe + d) e^{(-1)} + b e^{(-1)} \sin(xe + d) + \sqrt{b^2 + c^2}x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(b*cos(e*x+d)+c*sin(e*x+d)+(b^2+c^2)^(1/2),x, algorithm="giac")`

[Out] `-c*cos(x*e + d)*e^(-1) + b*e^(-1)*sin(x*e + d) + sqrt(b^2 + c^2)*x`



$$3.359 \quad \int \frac{1}{\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)} dx$$

**Optimal.** Leaf size=49

$$-\frac{c - \sqrt{b^2 + c^2} \sin(d + ex)}{ce(c \cos(d + ex) - b \sin(d + ex))}$$

[Out] -((c - Sqrt[b^2 + c^2]\*Sin[d + e\*x])/(c\*e\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x])))

**Rubi [A]** time = 0.036152, antiderivative size = 49, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.033$ , Rules used = {3114}

$$-\frac{c - \sqrt{b^2 + c^2} \sin(d + ex)}{ce(c \cos(d + ex) - b \sin(d + ex))}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(-1),x]

[Out] -((c - Sqrt[b^2 + c^2]\*Sin[d + e\*x])/(c\*e\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x])))

**Rule 3114**

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(-1), x\_Symbol] :> -Simp[(c - a\*Sin[d + e\*x])/(c\*e\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x])), x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0]

**Rubi steps**

$$\int \frac{1}{\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)} dx = -\frac{c - \sqrt{b^2 + c^2} \sin(d + ex)}{ce(c \cos(d + ex) - b \sin(d + ex))}$$

**Mathematica [A]** time = 0.0995726, size = 49, normalized size = 1.

$$\frac{\sqrt{b^2 + c^2} \sin(d + ex) - c}{ce(c \cos(d + ex) - b \sin(d + ex))}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(-1),x]

[Out] (-c + Sqrt[b^2 + c^2]\*Sin[d + e\*x])/(c\*e\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x]))

**Maple [A]** time = 0.074, size = 50, normalized size = 1.

$$-2 \frac{\sqrt{b^2 + c^2} + b}{c^2 e} \left( \tan(d/2 + 1/2 ex) + \frac{\sqrt{b^2 + c^2}}{c} + \frac{b}{c} \right)^{-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(b*cos(e*x+d)+c*sin(e*x+d)+(b^2+c^2)^(1/2)),x)`

[Out]  $-2/e*((b^2+c^2)^{(1/2)+b}/c^2/(\tan(1/2*d+1/2*e*x)+1/c*(b^2+c^2)^{(1/2)+b/c})$

**Maxima [A]** time = 0.999555, size = 54, normalized size = 1.1

$$\frac{2}{\left(c - \frac{(b - \sqrt{b^2 + c^2}) \sin(ex + d)}{\cos(ex + d) + 1}\right) e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(b*cos(e*x+d)+c*sin(e*x+d)+(b^2+c^2)^(1/2)),x, algorithm="maxima")`

[Out]  $-2/((c - (b - \sqrt{b^2 + c^2}) \sin(ex + d) / (\cos(ex + d) + 1)) * e)$

**Fricas [A]** time = 2.15614, size = 173, normalized size = 3.53

$$\frac{b^2 + c^2 - \sqrt{b^2 + c^2}(b \cos(ex + d) + c \sin(ex + d))}{(b^2c + c^3)e \cos(ex + d) - (b^3 + bc^2)e \sin(ex + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(b*cos(e*x+d)+c*sin(e*x+d)+(b^2+c^2)^(1/2)),x, algorithm="fricas")`

[Out]  $-(b^2 + c^2 - \sqrt{b^2 + c^2}(b \cos(ex + d) + c \sin(ex + d))) / ((b^2c + c^3)e \cos(ex + d) - (b^3 + bc^2)e \sin(ex + d))$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(b*cos(e*x+d)+c*sin(e*x+d)+(b**2+c**2)**(1/2)),x)`

[Out] Timed out

**Giac [A]** time = 1.1434, size = 58, normalized size = 1.18

$$\frac{2(b + \sqrt{b^2 + c^2})e^{(-1)}}{\left(c \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) + b + \sqrt{b^2 + c^2}\right)c}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(b*cos(e*x+d)+c*sin(e*x+d)+(b^2+c^2)^(1/2)),x, algorithm="giac")
```

```
[Out] -2*(b + sqrt(b^2 + c^2))*e^(-1)/((c*tan(1/2*x*e + 1/2*d) + b + sqrt(b^2 + c^2))*c)
```

$$3.360 \quad \int \frac{1}{\left(\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)\right)^2} dx$$

**Optimal.** Leaf size=129

$$-\frac{c \cos(d+ex)-b \sin(d+ex)}{3e\sqrt{b^2+c^2}\left(\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)\right)^2}-\frac{c-\sqrt{b^2+c^2} \sin(d+ex)}{3ce\sqrt{b^2+c^2}(c \cos(d+ex)-b \sin(d+ex))}$$

[Out]  $-(c*\text{Cos}[d+e*x]-b*\text{Sin}[d+e*x])/(3*\text{Sqrt}[b^2+c^2]*e*(\text{Sqrt}[b^2+c^2]+b*\text{Cos}[d+e*x]+c*\text{Sin}[d+e*x])^2)-(c-\text{Sqrt}[b^2+c^2]*\text{Sin}[d+e*x])/(3*c*\text{Sqrt}[b^2+c^2]*e*(c*\text{Cos}[d+e*x]-b*\text{Sin}[d+e*x]))$

**Rubi [A]** time = 0.0852958, antiderivative size = 129, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$ , Rules used = {3116, 3114}

$$-\frac{c \cos(d+ex)-b \sin(d+ex)}{3e\sqrt{b^2+c^2}\left(\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)\right)^2}-\frac{c-\sqrt{b^2+c^2} \sin(d+ex)}{3ce\sqrt{b^2+c^2}(c \cos(d+ex)-b \sin(d+ex))}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Sqrt}[b^2+c^2]+b*\text{Cos}[d+e*x]+c*\text{Sin}[d+e*x])^{-2},x]$

[Out]  $-(c*\text{Cos}[d+e*x]-b*\text{Sin}[d+e*x])/(3*\text{Sqrt}[b^2+c^2]*e*(\text{Sqrt}[b^2+c^2]+b*\text{Cos}[d+e*x]+c*\text{Sin}[d+e*x])^2)-(c-\text{Sqrt}[b^2+c^2]*\text{Sin}[d+e*x])/(3*c*\text{Sqrt}[b^2+c^2]*e*(c*\text{Cos}[d+e*x]-b*\text{Sin}[d+e*x]))$

#### Rule 3116

$\text{Int}[(\cos[(d_.)+(e_.)*(x_)]*(b_.)+(a_.)+(c_.)*\sin[(d_.)+(e_.)*(x_)])^n, x\_Symbol] \rightarrow \text{Simp}[(c*\text{Cos}[d+e*x]-b*\text{Sin}[d+e*x])*(a+b*\text{Cos}[d+e*x]+c*\text{Sin}[d+e*x])^n/(a*e*(2*n+1)), x] + \text{Dist}[(n+1)/(a*(2*n+1)), \text{Int}[(a+b*\text{Cos}[d+e*x]+c*\text{Sin}[d+e*x])^{n+1}, x], x] /;$  FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0] && LtQ[n, -1]

#### Rule 3114

$\text{Int}[(\cos[(d_.)+(e_.)*(x_)]*(b_.)+(a_.)+(c_.)*\sin[(d_.)+(e_.)*(x_)])^{-1}, x\_Symbol] \rightarrow -\text{Simp}[(c-a*\text{Sin}[d+e*x])/(c*e*(c*\text{Cos}[d+e*x]-b*\text{Sin}[d+e*x])), x] /;$  FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{1}{\left(\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)\right)^2} dx &= -\frac{c \cos(d+ex)-b \sin(d+ex)}{3\sqrt{b^2+c^2}e\left(\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)\right)^2} + \int \frac{1}{\sqrt{b^2+c^2}} \\ &= -\frac{c \cos(d+ex)-b \sin(d+ex)}{3\sqrt{b^2+c^2}e\left(\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)\right)^2} - \frac{1}{3c\sqrt{b^2+c^2}} \end{aligned}$$

**Mathematica [A]** time = 0.248005, size = 98, normalized size = 0.76

$$\frac{-2c\sqrt{b^2 + c^2} + b^2 \sin^3(d + ex) + 2bc \cos^3(d + ex) + 2c^2 \sin(d + ex) + c^2 \sin(d + ex) \cos^2(d + ex)}{3ce(c \cos(d + ex) - b \sin(d + ex))^3}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(-2), x]

[Out] (-2\*c\*Sqrt[b^2 + c^2] + 2\*b\*c\*Cos[d + e\*x]^3 + 2\*c^2\*Sin[d + e\*x] + c^2\*Cos[d + e\*x]^2\*Sin[d + e\*x] + b^2\*Sin[d + e\*x]^3)/(3\*c\*e\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x])^3)

**Maple [A]** time = 0.13, size = 233, normalized size = 1.8

$$2 \frac{\sqrt{b^2 + c^2} + b}{ec^2} \left( -\frac{(\sqrt{b^2 + c^2} + b)(\tan(d/2 + 1/2 ex))^2}{c^2} - \frac{(2b^2 + c^2 + 2\sqrt{b^2 + c^2}b)\tan(d/2 + 1/2 ex)}{c^3} - 2/3 \frac{2\sqrt{b^2 + c^2}}{c^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b^2+c^2)^(1/2))^2,x)

[Out] 2/e\*((b^2+c^2)^(1/2)+b)/c^2\*(-((b^2+c^2)^(1/2)+b)/c^2\*tan(1/2\*d+1/2\*e\*x)^2-1/c^3\*(2\*b^2+c^2+2\*(b^2+c^2)^(1/2)\*b)\*tan(1/2\*d+1/2\*e\*x)-2/3\*(2\*(b^2+c^2)^(1/2)\*b^2+(b^2+c^2)^(1/2)\*c^2+2\*b^3+2\*b\*c^2)/c^4)/(tan(1/2\*d+1/2\*e\*x)^2+2/c\*(b^2+c^2)^(1/2)\*tan(1/2\*d+1/2\*e\*x)+2\*b/c\*tan(1/2\*d+1/2\*e\*x)+2/c^2\*(b^2+c^2)^(1/2)\*b+2/c^2\*b^2+1)/(tan(1/2\*d+1/2\*e\*x)+1/c\*(b^2+c^2)^(1/2)+b/c)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b^2+c^2)^(1/2))^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

**Fricas [A]** time = 2.30345, size = 424, normalized size = 3.29

$$\frac{3b^3 \cos(ex + d) - (b^3 - 3bc^2) \cos(ex + d)^3 + (3b^2c + 2c^3 - (3b^2c - c^3) \cos(ex + d)^2) \sin(ex + d) - 2(b^2c^2 - 2b^2c^2 \cos^2(ex + d) + c^2 \cos^4(ex + d)) \sin^2(ex + d)}{3((3b^4c + 2b^2c^3 - c^5)e \cos(ex + d)^3 - 3(b^4c + b^2c^3)e \cos(ex + d) - ((b^5 - 2b^3c^2 - 3bc^4)e \cos(ex + d)^2 - (b^5 + b^3c^2)e \cos^3(ex + d)))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b^2+c^2)^(1/2))^2,x, algorithm="fricas")

```
[Out] -1/3*(3*b^3*cos(e*x + d) - (b^3 - 3*b*c^2)*cos(e*x + d)^3 + (3*b^2*c + 2*c^3 - (3*b^2*c - c^3)*cos(e*x + d)^2)*sin(e*x + d) - 2*(b^2 + c^2)^(3/2))/((3*b^4*c + 2*b^2*c^3 - c^5)*e*cos(e*x + d)^3 - 3*(b^4*c + b^2*c^3)*e*cos(e*x + d) - ((b^5 - 2*b^3*c^2 - 3*b*c^4)*e*cos(e*x + d)^2 - (b^5 + b^3*c^2)*e)*sin(e*x + d))
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(b*cos(e*x+d)+c*sin(e*x+d)+(b**2+c**2)**(1/2))**2,x)
```

```
[Out] Timed out
```

**Giac [A]** time = 1.15765, size = 216, normalized size = 1.67

$$\frac{2 \left( 8b^4 + 10b^2c^2 + 2c^4 + 3 \left( 2b^2c^2 + c^4 + 2\sqrt{b^2 + c^2}bc^2 \right) \tan \left( \frac{1}{2}xe + \frac{1}{2}d \right)^2 + 3 \left( 4b^3c + 3bc^3 + (4b^2c + c^3)\sqrt{b^2 + c^2} \right) \tan \left( \frac{1}{2}xe + \frac{1}{2}d \right) \right)}{3 \left( c \tan \left( \frac{1}{2}xe + \frac{1}{2}d \right) + b + \sqrt{b^2 + c^2} \right)^3 c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(b*cos(e*x+d)+c*sin(e*x+d)+(b^2+c^2)^(1/2))^2,x, algorithm="giac")
```

```
[Out] -2/3*(8*b^4 + 10*b^2*c^2 + 2*c^4 + 3*(2*b^2*c^2 + c^4 + 2*sqrt(b^2 + c^2)*b*c^2)*tan(1/2*x*e + 1/2*d)^2 + 3*(4*b^3*c + 3*b*c^3 + (4*b^2*c + c^3)*sqrt(b^2 + c^2))*tan(1/2*x*e + 1/2*d) + 2*(4*b^3 + 3*b*c^2)*sqrt(b^2 + c^2))*e^(-1)/((c*tan(1/2*x*e + 1/2*d) + b + sqrt(b^2 + c^2))^3*c^3)
```

$$3.361 \quad \int \frac{1}{\left(\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)\right)^3} dx$$

**Optimal.** Leaf size=191

$$\frac{2(c \cos(d+ex) - b \sin(d+ex))}{15e(b^2+c^2)\left(\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)\right)^2} - \frac{c \cos(d+ex) - b \sin(d+ex)}{5e\sqrt{b^2+c^2}\left(\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)\right)^3}$$

[Out]  $-(c*\text{Cos}[d+e*x] - b*\text{Sin}[d+e*x])/(5*\text{Sqrt}[b^2+c^2]*e*(\text{Sqrt}[b^2+c^2] + b*\text{Cos}[d+e*x] + c*\text{Sin}[d+e*x])^3) - (2*(c*\text{Cos}[d+e*x] - b*\text{Sin}[d+e*x]))/(15*(b^2+c^2)*e*(\text{Sqrt}[b^2+c^2] + b*\text{Cos}[d+e*x] + c*\text{Sin}[d+e*x])^2) - (2*(c - \text{Sqrt}[b^2+c^2]*\text{Sin}[d+e*x]))/(15*c*(b^2+c^2)*e*(c*\text{Cos}[d+e*x] - b*\text{Sin}[d+e*x]))$

**Rubi [A]** time = 0.132685, antiderivative size = 191, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$ , Rules used = {3116, 3114}

$$\frac{2(c \cos(d+ex) - b \sin(d+ex))}{15e(b^2+c^2)\left(\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)\right)^2} - \frac{c \cos(d+ex) - b \sin(d+ex)}{5e\sqrt{b^2+c^2}\left(\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)\right)^3}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Sqrt}[b^2+c^2] + b*\text{Cos}[d+e*x] + c*\text{Sin}[d+e*x])^{-3}, x]$

[Out]  $-(c*\text{Cos}[d+e*x] - b*\text{Sin}[d+e*x])/(5*\text{Sqrt}[b^2+c^2]*e*(\text{Sqrt}[b^2+c^2] + b*\text{Cos}[d+e*x] + c*\text{Sin}[d+e*x])^3) - (2*(c*\text{Cos}[d+e*x] - b*\text{Sin}[d+e*x]))/(15*(b^2+c^2)*e*(\text{Sqrt}[b^2+c^2] + b*\text{Cos}[d+e*x] + c*\text{Sin}[d+e*x])^2) - (2*(c - \text{Sqrt}[b^2+c^2]*\text{Sin}[d+e*x]))/(15*c*(b^2+c^2)*e*(c*\text{Cos}[d+e*x] - b*\text{Sin}[d+e*x]))$

#### Rule 3116

$\text{Int}[(\cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*\sin[(d_.) + (e_.)*(x_.)])^n, x\_Symbol] \rightarrow \text{Simp}[(c*\text{Cos}[d+e*x] - b*\text{Sin}[d+e*x])*(a + b*\text{Cos}[d+e*x] + c*\text{Sin}[d+e*x])^n/(a*e*(2*n+1)), x] + \text{Dist}[(n+1)/(a*(2*n+1)), \text{Int}[(a + b*\text{Cos}[d+e*x] + c*\text{Sin}[d+e*x])^{n+1}, x], x] /;$  FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0] && LtQ[n, -1]

#### Rule 3114

$\text{Int}[(\cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*\sin[(d_.) + (e_.)*(x_.)])^{-1}, x\_Symbol] \rightarrow -\text{Simp}[(c - a*\text{Sin}[d+e*x])/(c*e*(c*\text{Cos}[d+e*x] - b*\text{Sin}[d+e*x])), x] /;$  FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0]

#### Rubi steps

$$\int \frac{1}{\left(\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)\right)^3} dx = -\frac{c \cos(d + ex) - b \sin(d + ex)}{5\sqrt{b^2 + c^2}e \left(\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)\right)^3} + \frac{2 \int \frac{1}{\left(\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)\right)^2} dx}{15(b^2 + c^2)}$$

$$= -\frac{c \cos(d + ex) - b \sin(d + ex)}{5\sqrt{b^2 + c^2}e \left(\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)\right)^3} - \frac{2 \int \frac{1}{\left(\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)\right)^2} dx}{15(b^2 + c^2)}$$

$$= -\frac{c \cos(d + ex) - b \sin(d + ex)}{5\sqrt{b^2 + c^2}e \left(\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)\right)^3} - \frac{2 \int \frac{1}{\left(\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)\right)^2} dx}{15(b^2 + c^2)}$$

**Mathematica [B]** time = 2.77742, size = 420, normalized size = 2.2

$$100c^4\sqrt{b^2 + c^2} \sin(d + ex) + 5c^4\sqrt{b^2 + c^2} \sin(3(d + ex)) + c^4\sqrt{b^2 + c^2} \sin(5(d + ex)) + 110b^2c^2\sqrt{b^2 + c^2} \sin(d + ex) - 40b^2c^2\sqrt{b^2 + c^2} \sin(3(d + ex)) - 4c^2\sqrt{b^2 + c^2} \sin(5(d + ex))$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(-3), x]

[Out] (-76\*b^4\*c - 152\*b^2\*c^3 - 76\*c^5 + 90\*b\*c\*(b^2 + c^2)^(3/2)\*Cos[d + e\*x] + 20\*c\*(-b^4 + c^4)\*Cos[2\*(d + e\*x)] + 10\*b^3\*c\*Sqrt[b^2 + c^2]\*Cos[3\*(d + e\*x)] + 10\*b\*c^3\*Sqrt[b^2 + c^2]\*Cos[3\*(d + e\*x)] - 4\*b^3\*c\*Sqrt[b^2 + c^2]\*Cos[5\*(d + e\*x)] + 4\*b\*c^3\*Sqrt[b^2 + c^2]\*Cos[5\*(d + e\*x)] + 10\*b^4\*Sqrt[b^2 + c^2]\*Sin[d + e\*x] + 110\*b^2\*c^2\*Sqrt[b^2 + c^2]\*Sin[d + e\*x] + 100\*c^4\*Sqrt[b^2 + c^2]\*Sin[d + e\*x] - 40\*b^3\*c^2\*Sin[2\*(d + e\*x)] - 40\*b\*c^4\*Sin[2\*(d + e\*x)] - 5\*b^4\*Sqrt[b^2 + c^2]\*Sin[3\*(d + e\*x)] + 5\*c^4\*Sqrt[b^2 + c^2]\*Sin[3\*(d + e\*x)] + b^4\*Sqrt[b^2 + c^2]\*Sin[5\*(d + e\*x)] - 6\*b^2\*c^2\*Sqrt[b^2 + c^2]\*Sin[5\*(d + e\*x)] + c^4\*Sqrt[b^2 + c^2]\*Sin[5\*(d + e\*x)])/(120\*c\*(b^2 + c^2)\*e\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x])^5)

**Maple [B]** time = 0.194, size = 496, normalized size = 2.6

$$2 \frac{1}{c^4 e} \left( -\frac{\left(4 \sqrt{b^2 + c^2} b^2 + \sqrt{b^2 + c^2} c^2 + 4 b^3 + 3 b c^2\right) (\tan(d/2 + 1/2 ex))^4}{c^2} - 2 \frac{\left(8 b^4 + 8 b^2 c^2 + c^4 + 8 \sqrt{b^2 + c^2} b^3 + 4 \sqrt{b^2 + c^2} c^3\right)}{c^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b^2+c^2)^(1/2))^3, x)

[Out] 2/e/c^4\*(-(4\*(b^2+c^2)^(1/2)\*b^2+(b^2+c^2)^(1/2)\*c^2+4\*b^3+3\*b\*c^2)/c^2\*tan(1/2\*d+1/2\*e\*x)^4-2\*(8\*b^4+8\*b^2\*c^2+c^4+8\*(b^2+c^2)^(1/2)\*b^3+4\*(b^2+c^2)^(1/2)\*b\*c^2)/c^3\*tan(1/2\*d+1/2\*e\*x)^3-4/3\*(24\*(b^2+c^2)^(1/2)\*b^4+20\*(b^2+c^2)^(1/2)\*b^2\*c^2+2\*(b^2+c^2)^(1/2)\*c^4+24\*b^5+32\*b^3\*c^2+9\*b\*c^4)/c^4\*tan(1/2\*d+1/2\*e\*x)^2-2/3\*(48\*b^6+76\*b^4\*c^2+31\*b^2\*c^4+2\*c^6+48\*(b^2+c^2)^(1/2)\*b^5+52\*(b^2+c^2)^(1/2)\*b^3\*c^2+11\*(b^2+c^2)^(1/2)\*b\*c^4)/c^5\*tan(1/2\*d+1/2\*e\*x)-1/15/c^6\*(192\*(b^2+c^2)^(1/2)\*b^6+256\*(b^2+c^2)^(1/2)\*b^4\*c^2+96\*(b^2+c^2)^(1/2)\*b^2\*c^4+7\*(b^2+c^2)^(1/2)\*c^6+192\*b^7+352\*b^5\*c^2+200\*b^3\*c^4+35\*b\*c^6))/(tan(1/2\*d+1/2\*e\*x)^2+2/c\*(b^2+c^2)^(1/2)\*tan(1/2\*d+1/2\*e\*x)+2\*b/c\*tan(1/2\*d+1/2\*e\*x)+2/c^2\*(b^2+c^2)^(1/2)\*b+2/c^2\*b^2+1)^2/(tan(1/2\*d+1/2\*e\*x)^2+2/c\*(b^2+c^2)^(1/2)\*tan(1/2\*d+1/2\*e\*x)+2\*b/c\*tan(1/2\*d+1/2\*e\*x)+2/c^2\*(b^2+c^2)^(1/2)\*b+2/c^2\*b^2+1)^2



$$e^x + 1/c \cdot (b^2 + c^2)^{1/2} + b/c$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b^2+c^2)^(1/2))^3,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

**Fricas [B]** time = 2.98511, size = 1080, normalized size = 5.65

$$\frac{7b^6 + 26b^4c^2 + 31b^2c^4 + 12c^6 + 5(b^6 + b^4c^2 - b^2c^4 - c^6) \cos(ex + d)^2 + 10(b^5c + 2b^3c^3 + bc^5) \cos(ex + d) \sin(ex + d)}{15((5b^8c - 14b^4c^5 - 8b^2c^7 + c^9)e \cos(ex + d)^5 - 10(b^8c + b^6c^3 - b^4c^5 - b^2c^7) e \cos(ex + d)^3 + 5(b^8c + 2b^6c^3 - b^4c^5 - b^2c^7) e \cos(ex + d) - 2(b^9 - 3b^7c^2 - 9b^5c^4 - 5b^3c^6) e \cos(ex + d)^2 + (b^9 + 2b^7c^2 + b^5c^4) e \sin(ex + d))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b^2+c^2)^(1/2))^3,x, algorithm="fricas")

[Out] 
$$\frac{-1/15(7b^6 + 26b^4c^2 + 31b^2c^4 + 12c^6 + 5(b^6 + b^4c^2 - b^2c^4 - c^6) \cos(ex + d)^2 + 10(b^5c + 2b^3c^3 + bc^5) \cos(ex + d) \sin(ex + d) - (2(b^5 - 10b^3c^2 + 5b^2c^4) \cos(ex + d)^5 - 5(b^5 - 6b^3c^2 + b^2c^4) \cos(ex + d)^3 + 5(3b^5 + 3b^3c^2 + 2b^2c^4) \cos(ex + d) + (15b^4c + 25b^2c^3 + 12c^5 + 2(5b^4c - 10b^2c^3 + c^5) \cos(ex + d))^4 - (15b^4c - 10b^2c^3 - c^5) \cos(ex + d)^2) \sin(ex + d) \sqrt{b^2 + c^2})}{(5b^8c - 14b^4c^5 - 8b^2c^7 + c^9) e \cos(ex + d)^5 - 10(b^8c + b^6c^3 - b^4c^5 - b^2c^7) e \cos(ex + d)^3 + 5(b^8c + 2b^6c^3 - b^4c^5 - b^2c^7) e \cos(ex + d) - ((b^9 - 8b^7c^2 - 14b^5c^4 + 5b^3c^6) e \cos(ex + d)^4 - 2(b^9 - 3b^7c^2 - 9b^5c^4 - 5b^3c^6) e \cos(ex + d)^2 + (b^9 + 2b^7c^2 + b^5c^4) e \sin(ex + d))}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b\*\*2+c\*\*2)\*\*(1/2))\*\*3,x)

[Out] Timed out

**Giac [A]** time = 1.14242, size = 467, normalized size = 2.45

$$2 \left( 192b^7 + 352b^5c^2 + 200b^3c^4 + 35bc^6 + 15 \left( 4b^3c^4 + 3bc^6 + (4b^2c^4 + c^6) \sqrt{b^2 + c^2} \right) \tan \left( \frac{1}{2}xe + \frac{1}{2}d \right)^4 + 30 \left( 8b^4c^3 - \dots \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(b*cos(e*x+d)+c*sin(e*x+d)+(b^2+c^2)^(1/2))^3,x, algorithm="giac")
```

```
[Out] -2/15*(192*b^7 + 352*b^5*c^2 + 200*b^3*c^4 + 35*b*c^6 + 15*(4*b^3*c^4 + 3*b*c^6 + (4*b^2*c^4 + c^6)*sqrt(b^2 + c^2))*tan(1/2*x*e + 1/2*d)^4 + 30*(8*b^4*c^3 + 8*b^2*c^5 + c^7 + 4*(2*b^3*c^3 + b*c^5)*sqrt(b^2 + c^2))*tan(1/2*x*e + 1/2*d)^3 + 20*(24*b^5*c^2 + 32*b^3*c^4 + 9*b*c^6 + 2*(12*b^4*c^2 + 10*b^2*c^4 + c^6)*sqrt(b^2 + c^2))*tan(1/2*x*e + 1/2*d)^2 + 10*(48*b^6*c + 76*b^4*c^3 + 31*b^2*c^5 + 2*c^7 + (48*b^5*c + 52*b^3*c^3 + 11*b*c^5)*sqrt(b^2 + c^2))*tan(1/2*x*e + 1/2*d) + (192*b^6 + 256*b^4*c^2 + 96*b^2*c^4 + 7*c^6)*sqrt(b^2 + c^2))*e^(-1)/((c*tan(1/2*x*e + 1/2*d) + b + sqrt(b^2 + c^2))^5*c^5)
```

$$3.362 \quad \int \frac{1}{\left(\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)\right)^4} dx$$

**Optimal.** Leaf size=259

$$\frac{2(c \cos(d+ex) - b \sin(d+ex))}{35e(b^2+c^2)^{3/2} \left(\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)\right)^2} - \frac{3(c \cos(d+ex) - b \sin(d+ex))}{35e(b^2+c^2) \left(\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)\right)}$$

```
[Out] -(c*Cos[d + e*x] - b*Sin[d + e*x])/(7*Sqrt[b^2 + c^2]*e*(Sqrt[b^2 + c^2] +
b*Cos[d + e*x] + c*Sin[d + e*x])^4) - (3*(c*Cos[d + e*x] - b*Sin[d + e*x]))
/(35*(b^2 + c^2)*e*(Sqrt[b^2 + c^2] + b*Cos[d + e*x] + c*Sin[d + e*x])^3) -
(2*(c*Cos[d + e*x] - b*Sin[d + e*x]))/(35*(b^2 + c^2)^(3/2)*e*(Sqrt[b^2 +
c^2] + b*Cos[d + e*x] + c*Sin[d + e*x])^2) - (2*(c - Sqrt[b^2 + c^2]*Sin[d
+ e*x]))/(35*c*(b^2 + c^2)^(3/2)*e*(c*Cos[d + e*x] - b*Sin[d + e*x]))
```

**Rubi [A]** time = 0.189269, antiderivative size = 259, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 2, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$ , Rules used = {3116, 3114}

$$\frac{2(c \cos(d+ex) - b \sin(d+ex))}{35e(b^2+c^2)^{3/2} \left(\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)\right)^2} - \frac{3(c \cos(d+ex) - b \sin(d+ex))}{35e(b^2+c^2) \left(\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)\right)}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[b^2 + c^2] + b*Cos[d + e*x] + c*Sin[d + e*x])^(-4), x]
```

```
[Out] -(c*Cos[d + e*x] - b*Sin[d + e*x])/(7*Sqrt[b^2 + c^2]*e*(Sqrt[b^2 + c^2] +
b*Cos[d + e*x] + c*Sin[d + e*x])^4) - (3*(c*Cos[d + e*x] - b*Sin[d + e*x]))
/(35*(b^2 + c^2)*e*(Sqrt[b^2 + c^2] + b*Cos[d + e*x] + c*Sin[d + e*x])^3) -
(2*(c*Cos[d + e*x] - b*Sin[d + e*x]))/(35*(b^2 + c^2)^(3/2)*e*(Sqrt[b^2 +
c^2] + b*Cos[d + e*x] + c*Sin[d + e*x])^2) - (2*(c - Sqrt[b^2 + c^2]*Sin[d
+ e*x]))/(35*c*(b^2 + c^2)^(3/2)*e*(c*Cos[d + e*x] - b*Sin[d + e*x]))
```

#### Rule 3116

```
Int[(cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^
(n_), x_Symbol] :> Simp[((c*Cos[d + e*x] - b*Sin[d + e*x])*(a + b*Cos[d + e
*x] + c*Sin[d + e*x])^n)/(a*e*(2*n + 1)), x] + Dist[(n + 1)/(a*(2*n + 1)),
Int[(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n + 1), x], x] /; FreeQ[{a, b, c
, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0] && LtQ[n, -1]
```

#### Rule 3114

```
Int[(cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^
(-1), x_Symbol] :> -Simp[(c - a*Sin[d + e*x])/(c*e*(c*Cos[d + e*x] - b*Sin[
d + e*x])), x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{1}{\left(\sqrt{b^2+c^2}+b\cos(d+ex)+c\sin(d+ex)\right)^4} dx &= -\frac{c\cos(d+ex)-b\sin(d+ex)}{7\sqrt{b^2+c^2}e\left(\sqrt{b^2+c^2}+b\cos(d+ex)+c\sin(d+ex)\right)^4} + \frac{3\int \frac{1}{\left(\sqrt{b^2+c^2}+b\cos(d+ex)+c\sin(d+ex)\right)^3} dx}{35(b^2+c^2)} \\
&= -\frac{c\cos(d+ex)-b\sin(d+ex)}{7\sqrt{b^2+c^2}e\left(\sqrt{b^2+c^2}+b\cos(d+ex)+c\sin(d+ex)\right)^4} - \frac{1}{35(b^2+c^2)} \\
&= -\frac{c\cos(d+ex)-b\sin(d+ex)}{7\sqrt{b^2+c^2}e\left(\sqrt{b^2+c^2}+b\cos(d+ex)+c\sin(d+ex)\right)^4} - \frac{1}{35(b^2+c^2)} \\
&= -\frac{c\cos(d+ex)-b\sin(d+ex)}{7\sqrt{b^2+c^2}e\left(\sqrt{b^2+c^2}+b\cos(d+ex)+c\sin(d+ex)\right)^4} - \frac{1}{35(b^2+c^2)}
\end{aligned}$$

**Mathematica [B]** time = 2.11432, size = 533, normalized size = 2.06

$$\frac{-1295b^4c^2\sin(d+ex)-189b^4c^2\sin(3(d+ex))+35b^4c^2\sin(5(d+ex))-15b^4c^2\sin(7(d+ex))+896b^3c^2\sqrt{b^2+c^2}\sin(2(d+ex))}{(b^2+c^2)^4}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(-4), x]

[Out] (832\*b^4\*c\*Sqrt[b^2 + c^2] + 1664\*b^2\*c^3\*Sqrt[b^2 + c^2] + 832\*c^5\*Sqrt[b^2 + c^2] - 1190\*b\*c\*(b^2 + c^2)^2\*Cos[d + e\*x] + 448\*c\*Sqrt[b^2 + c^2]\*(b^4 - c^4)\*Cos[2\*(d + e\*x)] - 112\*b^5\*c\*Cos[3\*(d + e\*x)] + 56\*b^3\*c^3\*Cos[3\*(d + e\*x)] + 168\*b\*c^5\*Cos[3\*(d + e\*x)] + 28\*b^5\*c\*Cos[5\*(d + e\*x)] - 28\*b\*c^5\*Cos[5\*(d + e\*x)] - 6\*b^5\*c\*Cos[7\*(d + e\*x)] + 20\*b^3\*c^3\*Cos[7\*(d + e\*x)] - 6\*b\*c^5\*Cos[7\*(d + e\*x)] - 35\*b^6\*Sin[d + e\*x] - 1295\*b^4\*c^2\*Sin[d + e\*x] - 2485\*b^2\*c^4\*Sin[d + e\*x] - 1225\*c^6\*Sin[d + e\*x] + 896\*b^3\*c^2\*Sqrt[b^2 + c^2]\*Sin[2\*(d + e\*x)] + 896\*b\*c^4\*Sqrt[b^2 + c^2]\*Sin[2\*(d + e\*x)] + 21\*b^6\*Sin[3\*(d + e\*x)] - 189\*b^4\*c^2\*Sin[3\*(d + e\*x)] - 161\*b^2\*c^4\*Sin[3\*(d + e\*x)] + 49\*c^6\*Sin[3\*(d + e\*x)] - 7\*b^6\*Sin[5\*(d + e\*x)] + 35\*b^4\*c^2\*Sin[5\*(d + e\*x)] + 35\*b^2\*c^4\*Sin[5\*(d + e\*x)] - 7\*c^6\*Sin[5\*(d + e\*x)] + b^6\*Sin[7\*(d + e\*x)] - 15\*b^4\*c^2\*Sin[7\*(d + e\*x)] + 15\*b^2\*c^4\*Sin[7\*(d + e\*x)] - c^6\*Sin[7\*(d + e\*x)]/(1120\*c\*(b^2 + c^2)\*e\*(-(c\*Cos[d + e\*x]) + b\*Sin[d + e\*x])^7)

**Maple [B]** time = 0.318, size = 823, normalized size = 3.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b^2+c^2)^(1/2))^4, x)

[Out] -2/e/c^6\*((8\*b^4+8\*b^2\*c^2+c^4+8\*(b^2+c^2)^(1/2)\*b^3+4\*(b^2+c^2)^(1/2)\*b\*c^2)/c^2\*tan(1/2\*d+1/2\*e\*x)^6+3\*(16\*(b^2+c^2)^(1/2)\*b^4+12\*(b^2+c^2)^(1/2)\*b^2\*c^2+(b^2+c^2)^(1/2)\*c^4+16\*b^5+20\*b^3\*c^2+5\*b\*c^4)/c^3\*tan(1/2\*d+1/2\*e\*x)

$$\begin{aligned} & ^5+2*(80*(b^2+c^2)^{(1/2)}*b^5+84*(b^2+c^2)^{(1/2)}*b^3*c^2+17*(b^2+c^2)^{(1/2)}* \\ & b*c^4+80*b^6+124*b^4*c^2+49*b^2*c^4+3*c^6)/c^4*\tan(1/2*d+1/2*e*x)^4+2*(160* \\ & b^7+288*b^5*c^2+150*b^3*c^4+20*b*c^6+160*(b^2+c^2)^{(1/2)}*b^6+208*(b^2+c^2)^{(1/2)} \\ & *b^4*c^2+66*(b^2+c^2)^{(1/2)}*b^2*c^4+3*(b^2+c^2)^{(1/2)}*c^6)/c^5*\tan(1/2 \\ & *d+1/2*e*x)^3+3/5*(640*b^7*(b^2+c^2)^{(1/2)}+992*(b^2+c^2)^{(1/2)}*b^5*c^2+440* \\ & (b^2+c^2)^{(1/2)}*b^3*c^4+50*(b^2+c^2)^{(1/2)}*b*c^6+640*b^8+1312*b^6*c^2+856*b \\ & ^4*c^4+186*b^2*c^6+7*c^8)/c^6*\tan(1/2*d+1/2*e*x)^2+1/5*(1280*b^9+2944*b^7*c \\ & ^2+2288*b^5*c^4+676*b^3*c^6+57*b*c^8+1280*(b^2+c^2)^{(1/2)}*b^8+2304*(b^2+c^2 \\ & )^{(1/2)}*b^6*c^2+1296*(b^2+c^2)^{(1/2)}*b^4*c^4+236*(b^2+c^2)^{(1/2)}*b^2*c^6+7* \\ & (b^2+c^2)^{(1/2)}*c^8)/c^7*\tan(1/2*d+1/2*e*x)+4/35*(640*(b^2+c^2)^{(1/2)}*b^9+1 \\ & 312*(b^2+c^2)^{(1/2)}*b^7*c^2+896*(b^2+c^2)^{(1/2)}*b^5*c^4+238*(b^2+c^2)^{(1/2)} \\ & *b^3*c^6+21*(b^2+c^2)^{(1/2)}*b*c^8+640*b^10+1632*b^8*c^2+1472*b^6*c^4+562*b^ \\ & 4*c^6+85*b^2*c^8+3*c^10)/c^8)/(\tan(1/2*d+1/2*e*x)^2+2/c*(b^2+c^2)^{(1/2)}*\tan \\ & (1/2*d+1/2*e*x)+2*b/c*\tan(1/2*d+1/2*e*x)+2/c^2*(b^2+c^2)^{(1/2)}*b+2/c^2*b^2+ \\ & 1)^3/(\tan(1/2*d+1/2*e*x)+1/c*(b^2+c^2)^{(1/2)}+b/c) \end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b^2+c^2)^(1/2))^4,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

**Fricas [B]** time = 5.61137, size = 1643, normalized size = 6.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b^2+c^2)^(1/2))^4,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & 1/35*(2*(b^7 - 21*b^5*c^2 + 35*b^3*c^4 - 7*b*c^6)*\cos(e*x + d)^7 - 7*(b^7 - \\ & 15*b^5*c^2 + 15*b^3*c^4 - b*c^6)*\cos(e*x + d)^5 - 14*(5*b^5*c^2 - 5*b^3*c^4 \\ & - 2*b*c^6)*\cos(e*x + d)^3 - 7*(5*b^7 + 15*b^5*c^2 + 20*b^3*c^4 + 8*b*c^6) \\ & *\cos(e*x + d) - (35*b^6*c + 105*b^4*c^3 + 112*b^2*c^5 + 40*c^7 - 2*(7*b^6*c \\ & - 35*b^4*c^3 + 21*b^2*c^5 - c^7)*\cos(e*x + d)^6 + (35*b^6*c - 105*b^4*c^3 \\ & + 21*b^2*c^5 + c^7)*\cos(e*x + d)^4 + 2*(35*b^4*c^3 + 7*b^2*c^5 - 4*c^7)*\cos \\ & (e*x + d)^2)*\sin(e*x + d) + 4*(3*b^6 + 16*b^4*c^2 + 23*b^2*c^4 + 10*c^6 + 7 \\ & *(b^6 + b^4*c^2 - b^2*c^4 - c^6)*\cos(e*x + d)^2 + 14*(b^5*c + 2*b^3*c^3 + b \\ & *c^5)*\cos(e*x + d)*\sin(e*x + d))*\sqrt{b^2 + c^2})/((7*b^10*c - 21*b^8*c^3 - \\ & 42*b^6*c^5 + 6*b^4*c^7 + 19*b^2*c^9 - c^11)*e*\cos(e*x + d)^7 - 7*(3*b^10*c \\ & - 4*b^8*c^3 - 14*b^6*c^5 - 4*b^4*c^7 + 3*b^2*c^9)*e*\cos(e*x + d)^5 + 7*(3* \\ & b^10*c + b^8*c^3 - 7*b^6*c^5 - 5*b^4*c^7)*e*\cos(e*x + d)^3 - 7*(b^10*c + 2* \\ & b^8*c^3 + b^6*c^5)*e*\cos(e*x + d) - ((b^11 - 19*b^9*c^2 - 6*b^7*c^4 + 42*b^ \\ & 5*c^6 + 21*b^3*c^8 - 7*b*c^10)*e*\cos(e*x + d)^6 - (3*b^11 - 36*b^9*c^2 - 46 \\ & *b^7*c^4 + 28*b^5*c^6 + 35*b^3*c^8)*e*\cos(e*x + d)^4 + 3*(b^11 - 5*b^9*c^2 \\ & - 13*b^7*c^4 - 7*b^5*c^6)*e*\cos(e*x + d)^2 - (b^11 + 2*b^9*c^2 + b^7*c^4)*e \\ & )*\sin(e*x + d)) \end{aligned}$$

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b\*\*2+c\*\*2)\*\*(1/2))\*\*4,x)

[Out] Timed out

---

**Giac [B]** time = 1.17106, size = 809, normalized size = 3.12

$$2 \left( 2560 b^{10} + 6528 b^8 c^2 + 5888 b^6 c^4 + 2248 b^4 c^6 + 340 b^2 c^8 + 12 c^{10} + 35 \left( 8 b^4 c^6 + 8 b^2 c^8 + c^{10} + 4 (2 b^3 c^6 + b c^8) \sqrt{b^2 + c^2} \right) \right)$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b^2+c^2)^(1/2))^4,x, algorithm="giac")

[Out] 
$$\begin{aligned} & -2/35*(2560*b^{10} + 6528*b^8*c^2 + 5888*b^6*c^4 + 2248*b^4*c^6 + 340*b^2*c^8 \\ & + 12*c^{10} + 35*(8*b^4*c^6 + 8*b^2*c^8 + c^{10} + 4*(2*b^3*c^6 + b*c^8)*\text{sqrt}( \\ & b^2 + c^2))*\text{tan}(1/2*x*e + 1/2*d)^6 + 105*(16*b^5*c^5 + 20*b^3*c^7 + 5*b*c^9 \\ & + (16*b^4*c^5 + 12*b^2*c^7 + c^9)*\text{sqrt}(b^2 + c^2))*\text{tan}(1/2*x*e + 1/2*d)^5 \\ & + 70*(80*b^6*c^4 + 124*b^4*c^6 + 49*b^2*c^8 + 3*c^{10} + (80*b^5*c^4 + 84*b^3 \\ & *c^6 + 17*b*c^8)*\text{sqrt}(b^2 + c^2))*\text{tan}(1/2*x*e + 1/2*d)^4 + 70*(160*b^7*c^3 \\ & + 288*b^5*c^5 + 150*b^3*c^7 + 20*b*c^9 + (160*b^6*c^3 + 208*b^4*c^5 + 66*b^2 \\ & *c^7 + 3*c^9)*\text{sqrt}(b^2 + c^2))*\text{tan}(1/2*x*e + 1/2*d)^3 + 21*(640*b^8*c^2 + \\ & 1312*b^6*c^4 + 856*b^4*c^6 + 186*b^2*c^8 + 7*c^{10} + 2*(320*b^7*c^2 + 496*b^5 \\ & *c^4 + 220*b^3*c^6 + 25*b*c^8)*\text{sqrt}(b^2 + c^2))*\text{tan}(1/2*x*e + 1/2*d)^2 + 7 \\ & *(1280*b^9*c + 2944*b^7*c^3 + 2288*b^5*c^5 + 676*b^3*c^7 + 57*b*c^9 + (1280 \\ & *b^8*c + 2304*b^6*c^3 + 1296*b^4*c^5 + 236*b^2*c^7 + 7*c^9)*\text{sqrt}(b^2 + c^2) \\ & )*\text{tan}(1/2*x*e + 1/2*d) + 4*(640*b^9 + 1312*b^7*c^2 + 896*b^5*c^4 + 238*b^3* \\ & c^6 + 21*b*c^8)*\text{sqrt}(b^2 + c^2)*e^{-1}/((c*\text{tan}(1/2*x*e + 1/2*d) + b + \text{sqrt} \\ & (b^2 + c^2)))^7*c^7 \end{aligned}$$

### 3.363 $\int (2a + 2a \cos(d + ex) + 2c \sin(d + ex))^3 dx$

**Optimal.** Leaf size=157

$$\frac{4a(15a^2 + 4c^2) \sin(d + ex)}{3e} - \frac{4c(15a^2 + 4c^2) \cos(d + ex)}{3e} + 4ax(5a^2 + 3c^2) - \frac{20(ac \cos(d + ex) - a^2 \sin(d + ex))}{3e} (a + a \cos(d + ex) + c \sin(d + ex))^2$$

[Out] 4\*a\*(5\*a^2 + 3\*c^2)\*x - (4\*c\*(15\*a^2 + 4\*c^2)\*Cos[d + e\*x])/(3\*e) + (4\*a\*(15\*a^2 + 4\*c^2)\*Sin[d + e\*x])/(3\*e) - (20\*(a\*c\*Cos[d + e\*x] - a^2\*Sin[d + e\*x])\*(a + a\*Cos[d + e\*x] + c\*Sin[d + e\*x]))/(3\*e) - (8\*(c\*Cos[d + e\*x] - a\*Sin[d + e\*x])\*(a + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])^2)/(3\*e)

**Rubi [A]** time = 0.142804, antiderivative size = 157, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {3120, 3146, 2637, 2638}

$$\frac{4a(15a^2 + 4c^2) \sin(d + ex)}{3e} - \frac{4c(15a^2 + 4c^2) \cos(d + ex)}{3e} + 4ax(5a^2 + 3c^2) - \frac{20(ac \cos(d + ex) - a^2 \sin(d + ex))}{3e} (a + a \cos(d + ex) + c \sin(d + ex))^2$$

Antiderivative was successfully verified.

[In] Int[(2\*a + 2\*a\*cos[d + e\*x] + 2\*c\*sin[d + e\*x])^3,x]

[Out] 4\*a\*(5\*a^2 + 3\*c^2)\*x - (4\*c\*(15\*a^2 + 4\*c^2)\*Cos[d + e\*x])/(3\*e) + (4\*a\*(15\*a^2 + 4\*c^2)\*Sin[d + e\*x])/(3\*e) - (20\*(a\*c\*Cos[d + e\*x] - a^2\*Sin[d + e\*x])\*(a + a\*Cos[d + e\*x] + c\*Sin[d + e\*x]))/(3\*e) - (8\*(c\*Cos[d + e\*x] - a\*Sin[d + e\*x])\*(a + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])^2)/(3\*e)

#### Rule 3120

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^n(n\_), x\_Symbol] :> -Simp[((c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n - 1))/(e\*n), x] + Dist[1/n, Int[Simp[n\*a^2 + (n - 1)\*(b^2 + c^2) + a\*b\*(2\*n - 1)\*Cos[d + e\*x] + a\*c\*(2\*n - 1)\*Sin[d + e\*x], x]\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n - 2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && GtQ[n, 1]

#### Rule 3146

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^n(n\_.)\*((A\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]), x\_Symbol] :> Simp[((B\*c - b\*C - a\*C\*Cos[d + e\*x] + a\*B\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^n)/(a\*e\*(n + 1)), x] + Dist[1/(a\*(n + 1)), Int[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n - 1)\*Simp[a\*(b\*B + c\*C)\*n + a^2\*A\*(n + 1) + (n\*(a^2\*B - B\*c^2 + b\*c\*C) + a\*b\*A\*(n + 1))\*Cos[d + e\*x] + (n\*(b\*B\*c + a^2\*C - b^2\*C) + a\*c\*A\*(n + 1))\*Sin[d + e\*x], x], x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && GtQ[n, 0] && NeQ[a^2 - b^2 - c^2, 0]

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int (2a + 2a \cos(d + ex) + 2c \sin(d + ex))^3 dx &= -\frac{8(c \cos(d + ex) - a \sin(d + ex))(a + a \cos(d + ex) + c \sin(d + ex))^2}{3e} + \frac{1}{3} \\
&= -\frac{20(ac \cos(d + ex) - a^2 \sin(d + ex))(a + a \cos(d + ex) + c \sin(d + ex))}{3e} \\
&= 4a(5a^2 + 3c^2)x - \frac{20(ac \cos(d + ex) - a^2 \sin(d + ex))(a + a \cos(d + ex) + c \sin(d + ex))}{3e} \\
&= 4a(5a^2 + 3c^2)x - \frac{4c(15a^2 + 4c^2) \cos(d + ex)}{3e} + \frac{4a(15a^2 + 4c^2) \sin(d + ex)}{3e}
\end{aligned}$$

**Mathematica [A]** time = 0.422082, size = 135, normalized size = 0.86

$$\frac{2(6a(5a^2 + 3c^2)(d + ex) + 9a(5a^2 + c^2) \sin(d + ex) + 9a(a^2 - c^2) \sin(2(d + ex)) + a(a^2 - 3c^2) \sin(3(d + ex)) - 9c(5a^2 + 3c^2) \cos(d + ex))}{3e}$$

Antiderivative was successfully verified.

[In] Integrate[(2\*a + 2\*a\*Cos[d + e\*x] + 2\*c\*Sin[d + e\*x])^3,x]

[Out] (2\*(6\*a\*(5\*a^2 + 3\*c^2)\*(d + e\*x) - 9\*c\*(5\*a^2 + c^2)\*Cos[d + e\*x] - 18\*a^2\*c\*Cos[2\*(d + e\*x)] + c\*(-3\*a^2 + c^2)\*Cos[3\*(d + e\*x)] + 9\*a\*(5\*a^2 + c^2)\*Sin[d + e\*x] + 9\*a\*(a^2 - c^2)\*Sin[2\*(d + e\*x)] + a\*(a^2 - 3\*c^2)\*Sin[3\*(d + e\*x)]))/(3\*e)

**Maple [A]** time = 0.075, size = 177, normalized size = 1.1

$$\frac{a^3(ex + d) + 3a^3 \sin(ex + d) - 3a^2c \cos(ex + d) + 3a^3(1/2 \sin(ex + d) \cos(ex + d) + 1/2 ex + d/2) - 3a^2c(\cos(ex + d) + \sin(ex + d))}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2\*a+2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^3,x)

[Out] 8/e\*(a^3\*(e\*x+d)+3\*a^3\*sin(e\*x+d)-3\*a^2\*c\*cos(e\*x+d)+3\*a^3\*(1/2\*sin(e\*x+d)\*cos(e\*x+d)+1/2\*e\*x+1/2\*d)-3\*a^2\*c\*cos(e\*x+d)^2+3\*a\*c^2\*(-1/2\*sin(e\*x+d)\*cos(e\*x+d)+1/2\*e\*x+1/2\*d)+1/3\*a^3\*(2+cos(e\*x+d)^2)\*sin(e\*x+d)-a^2\*c\*cos(e\*x+d)^3+a\*c^2\*sin(e\*x+d)^3-1/3\*c^3\*(2+sin(e\*x+d)^2)\*cos(e\*x+d))

**Maxima [A]** time = 1.12478, size = 258, normalized size = 1.64

$$-\frac{8a^2c \cos(ex + d)^3}{e} + \frac{8ac^2 \sin(ex + d)^3}{e} + 8a^3x - \frac{8(\sin(ex + d)^3 - 3 \sin(ex + d))a^3}{3e} + \frac{8(\cos(ex + d)^3 - 3 \cos(ex + d))c}{3e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*a+2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^3,x, algorithm="maxima")

[Out] -8\*a^2\*c\*cos(e\*x + d)^3/e + 8\*a\*c^2\*sin(e\*x + d)^3/e + 8\*a^3\*x - 8/3\*(sin(e\*x + d)^3 - 3\*sin(e\*x + d))\*a^3/e + 8/3\*(cos(e\*x + d)^3 - 3\*cos(e\*x + d))\*c



$$\frac{1}{e^3} - 24a^2 \frac{c \cos(ex + d)}{e} - a \frac{\sin(ex + d)}{e} - 6 \frac{(4ac \cos(ex + d))^2}{e} - (2ex + 2d + \sin(2ex + 2d)) \frac{a^2}{e} - (2ex + 2d - \sin(2ex + 2d)) \frac{c^2}{e} a$$

**Fricas [A]** time = 2.21643, size = 308, normalized size = 1.96

$$\frac{4(18a^2c \cos(ex + d)^2 + 2(3a^2c - c^3) \cos(ex + d)^3 - 3(5a^3 + 3ac^2)ex + 6(3a^2c + c^3) \cos(ex + d) - (22a^3 + 6ac^2))}{3e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*a+2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^3,x, algorithm="fricas")

[Out] 
$$-\frac{4}{3} \frac{(18a^2c \cos(ex + d)^2 + 2(3a^2c - c^3) \cos(ex + d)^3 - 3(5a^3 + 3ac^2)ex + 6(3a^2c + c^3) \cos(ex + d) - (22a^3 + 6ac^2 + 2(a^3 - 3ac^2) \cos(ex + d)^2 + 9(a^3 - ac^2) \cos(ex + d)) \sin(ex + d))}{e}$$

**Sympy [A]** time = 0.883761, size = 291, normalized size = 1.85

$$\left\{ \begin{array}{l} 12a^3x \sin^2(d + ex) + 12a^3x \cos^2(d + ex) + 8a^3x + \frac{16a^3 \sin^3(d+ex)}{3e} + \frac{8a^3 \sin(d+ex) \cos^2(d+ex)}{e} + \frac{12a^3 \sin(d+ex) \cos(d+ex)}{e} + \frac{24a^3}{e} \\ x(2a \cos(d) + 2a + 2c \sin(d))^3 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*a+2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))\*\*3,x)

[Out] Piecewise(((12\*a\*\*3\*x\*sin(d + e\*x)\*\*2 + 12\*a\*\*3\*x\*cos(d + e\*x)\*\*2 + 8\*a\*\*3\*x + 16\*a\*\*3\*sin(d + e\*x)\*\*3/(3\*e) + 8\*a\*\*3\*sin(d + e\*x)\*cos(d + e\*x)\*\*2/e + 12\*a\*\*3\*sin(d + e\*x)\*cos(d + e\*x)/e + 24\*a\*\*3\*sin(d + e\*x)/e + 24\*a\*\*2\*c\*sin(d + e\*x)\*\*2/e - 8\*a\*\*2\*c\*cos(d + e\*x)\*\*3/e - 24\*a\*\*2\*c\*cos(d + e\*x)/e + 12\*a\*c\*\*2\*x\*sin(d + e\*x)\*\*2 + 12\*a\*c\*\*2\*x\*cos(d + e\*x)\*\*2 + 8\*a\*c\*\*2\*sin(d + e\*x)\*\*3/e - 12\*a\*c\*\*2\*sin(d + e\*x)\*cos(d + e\*x)/e - 8\*c\*\*3\*sin(d + e\*x)\*\*2\*cos(d + e\*x)/e - 16\*c\*\*3\*cos(d + e\*x)\*\*3/(3\*e), Ne(e, 0)), (x\*(2\*a\*cos(d) + 2\*a + 2\*c\*sin(d))\*\*3, True))

**Giac [A]** time = 1.14513, size = 204, normalized size = 1.3

$$-12a^2c \cos(2xe + 2d) e^{(-1)} - \frac{2}{3} (3a^2c - c^3) \cos(3xe + 3d) e^{(-1)} - 6(5a^2c + c^3) \cos(xe + d) e^{(-1)} + \frac{2}{3} (a^3 - 3ac^2) e^{(-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*a+2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^3,x, algorithm="giac")

[Out] 
$$-12a^2c \cos(2xe + 2d) e^{(-1)} - \frac{2}{3} (3a^2c - c^3) \cos(3xe + 3d) e^{(-1)} - 6(5a^2c + c^3) \cos(xe + d) e^{(-1)} + \frac{2}{3} (a^3 - 3ac^2) e^{(-1)} \sin(3xe + 3d) + 6(a^3 - ac^2) e^{(-1)} \sin(2xe + 2d) + 6(5a^3 + ac^2) e^{(-1)} \sin(xe + d) + 4(5a^3 + 3ac^2) x$$

### 3.364 $\int (2a + 2a \cos(d + ex) + 2c \sin(d + ex))^2 dx$

**Optimal.** Leaf size=81

$$2x(3a^2 + c^2) + \frac{6a^2 \sin(d + ex)}{e} - \frac{6ac \cos(d + ex)}{e} - \frac{2(c \cos(d + ex) - a \sin(d + ex))(a \cos(d + ex) + a + c \sin(d + ex))}{e}$$

[Out]  $2*(3*a^2 + c^2)*x - (6*a*c*\text{Cos}[d + e*x])/e + (6*a^2*\text{Sin}[d + e*x])/e - (2*(c*\text{Cos}[d + e*x] - a*\text{Sin}[d + e*x])*(a + a*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x]))/e$

**Rubi [A]** time = 0.0495218, antiderivative size = 81, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {3120, 2637, 2638}

$$2x(3a^2 + c^2) + \frac{6a^2 \sin(d + ex)}{e} - \frac{6ac \cos(d + ex)}{e} - \frac{2(c \cos(d + ex) - a \sin(d + ex))(a \cos(d + ex) + a + c \sin(d + ex))}{e}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(2*a + 2*a*\text{Cos}[d + e*x] + 2*c*\text{Sin}[d + e*x])^2, x]$

[Out]  $2*(3*a^2 + c^2)*x - (6*a*c*\text{Cos}[d + e*x])/e + (6*a^2*\text{Sin}[d + e*x])/e - (2*(c*\text{Cos}[d + e*x] - a*\text{Sin}[d + e*x])*(a + a*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x]))/e$

#### Rule 3120

$\text{Int}[(\text{cos}[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*\text{sin}[(d_.) + (e_.)*(x_.)])^n, x\_Symbol] \rightarrow -\text{Simp}[(c*\text{Cos}[d + e*x] - b*\text{Sin}[d + e*x])*(a + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x])^{n-1}/(e*n), x] + \text{Dist}[1/n, \text{Int}[\text{Simp}[n*a^2 + (n-1)*(b^2 + c^2) + a*b*(2*n-1)*\text{Cos}[d + e*x] + a*c*(2*n-1)*\text{Sin}[d + e*x], x]*(a + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x])^{n-2}, x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{NeQ}[a^2 - b^2 - c^2, 0] \&\& \text{GtQ}[n, 1]$

#### Rule 2637

$\text{Int}[\text{sin}[\text{Pi}/2 + (c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow \text{Simp}[\text{Sin}[c + d*x]/d, x] /; \text{FreeQ}\{c, d\}, x]$

#### Rule 2638

$\text{Int}[\text{sin}[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/d, x] /; \text{FreeQ}\{c, d\}, x]$

#### Rubi steps

$$\begin{aligned} \int (2a + 2a \cos(d + ex) + 2c \sin(d + ex))^2 dx &= -\frac{2(c \cos(d + ex) - a \sin(d + ex))(a + a \cos(d + ex) + c \sin(d + ex))}{e} + \frac{1}{2} \int \\ &= 2(3a^2 + c^2)x - \frac{2(c \cos(d + ex) - a \sin(d + ex))(a + a \cos(d + ex) + c \sin(d + ex))}{e} \\ &= 2(3a^2 + c^2)x - \frac{6ac \cos(d + ex)}{e} + \frac{6a^2 \sin(d + ex)}{e} - \frac{2(c \cos(d + ex) - a \sin(d + ex))(a + a \cos(d + ex) + c \sin(d + ex))}{e} \end{aligned}$$

**Mathematica [A]** time = 0.145591, size = 92, normalized size = 1.14

$$4 \left( \frac{(3a^2 + c^2)(d + ex)}{2e} + \frac{(a^2 - c^2) \sin(2(d + ex))}{4e} + \frac{2a^2 \sin(d + ex)}{e} - \frac{2ac \cos(d + ex)}{e} - \frac{ac \cos(2(d + ex))}{2e} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(2\*a + 2\*a\*cos[d + e\*x] + 2\*c\*sin[d + e\*x])^2,x]

[Out]  $4 \cdot \left( \frac{(3a^2 + c^2)(d + ex)}{2e} - \frac{2ac \cos(d + ex)}{e} - \frac{a^2 \cos^2(d + ex)}{2e} + \frac{2a^2 \sin(d + ex)}{e} + \frac{(a^2 - c^2) \sin^2(d + ex)}{4e} \right)$

**Maple [A]** time = 0.054, size = 101, normalized size = 1.3

$$4 \frac{a^2 (ex + d) + 2 a^2 \sin (ex + d) - 2 ac \cos (ex + d) + a^2 (1/2 \sin (ex + d) \cos (ex + d) + 1/2 ex + d/2) - ac (\cos (ex + d))}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2\*a+2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^2,x)

[Out]  $4/e \cdot (a^2 \cdot (e \cdot x + d) + 2 \cdot a^2 \cdot \sin(e \cdot x + d) - 2 \cdot a \cdot c \cdot \cos(e \cdot x + d) + a^2 \cdot (1/2 \cdot \sin(e \cdot x + d) \cdot \cos(e \cdot x + d) + 1/2 \cdot e \cdot x + 1/2 \cdot d) - a \cdot c \cdot \cos(e \cdot x + d)^2 + c^2 \cdot (-1/2 \cdot \sin(e \cdot x + d) \cdot \cos(e \cdot x + d) + 1/2 \cdot e \cdot x + 1/2 \cdot d))$

**Maxima [A]** time = 1.01777, size = 134, normalized size = 1.65

$$4a^2x - \frac{4ac \cos(ex + d)^2}{e} + \frac{(2ex + 2d + \sin(2ex + 2d))a^2}{e} + \frac{(2ex + 2d - \sin(2ex + 2d))c^2}{e} - 8a \left( \frac{c \cos(ex + d)}{e} - \frac{a \sin(ex + d)}{e} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*a+2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^2,x, algorithm="maxima")

[Out]  $4 \cdot a^2 \cdot x - 4 \cdot a \cdot c \cdot \cos(e \cdot x + d)^2 / e + (2 \cdot e \cdot x + 2 \cdot d + \sin(2 \cdot e \cdot x + 2 \cdot d)) \cdot a^2 / e + (2 \cdot e \cdot x + 2 \cdot d - \sin(2 \cdot e \cdot x + 2 \cdot d)) \cdot c^2 / e - 8 \cdot a \cdot (c \cdot \cos(e \cdot x + d) / e - a \cdot \sin(e \cdot x + d) / e)$

**Fricas [A]** time = 2.08, size = 162, normalized size = 2.

$$\frac{2(2ac \cos(ex + d)^2 - (3a^2 + c^2)ex + 4ac \cos(ex + d) - (4a^2 + (a^2 - c^2) \cos(ex + d)) \sin(ex + d))}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*a+2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^2,x, algorithm="fricas")

[Out]  $-2 \cdot (2 \cdot a \cdot c \cdot \cos(e \cdot x + d)^2 - (3 \cdot a^2 + c^2) \cdot e \cdot x + 4 \cdot a \cdot c \cdot \cos(e \cdot x + d) - (4 \cdot a^2 + (a^2 - c^2) \cdot \cos(e \cdot x + d)) \cdot \sin(e \cdot x + d)) / e$

**Sympy [A]** time = 0.376701, size = 170, normalized size = 2.1

$$\begin{cases} 2a^2x \sin^2(d + ex) + 2a^2x \cos^2(d + ex) + 4a^2x + \frac{2a^2 \sin(d+ex) \cos(d+ex)}{e} + \frac{8a^2 \sin(d+ex)}{e} + \frac{4ac \sin^2(d+ex)}{e} - \frac{8ac \cos(d+ex)}{e} + 2c^2 \\ x(2a \cos(d) + 2a + 2c \sin(d))^2 \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((2*a+2*a*cos(e*x+d)+2*c*sin(e*x+d))**2,x)
```

```
[Out] Piecewise((2*a**2*x*sin(d + e*x)**2 + 2*a**2*x*cos(d + e*x)**2 + 4*a**2*x +
2*a**2*sin(d + e*x)*cos(d + e*x)/e + 8*a**2*sin(d + e*x)/e + 4*a*c*sin(d +
e*x)**2/e - 8*a*c*cos(d + e*x)/e + 2*c**2*x*sin(d + e*x)**2 + 2*c**2*x*cos
(d + e*x)**2 - 2*c**2*sin(d + e*x)*cos(d + e*x)/e, Ne(e, 0)), (x*(2*a*cos(d
) + 2*a + 2*c*sin(d))**2, True))
```

**Giac [A]** time = 1.17128, size = 105, normalized size = 1.3

$$-2ac \cos(2xe + 2d)e^{(-1)} - 8ac \cos(xe + d)e^{(-1)} + 8a^2e^{(-1)} \sin(xe + d) + (a^2 - c^2)e^{(-1)} \sin(2xe + 2d) + 2(3a^2 + c^2)x$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((2*a+2*a*cos(e*x+d)+2*c*sin(e*x+d))^2,x, algorithm="giac")
```

```
[Out] -2*a*c*cos(2*x*e + 2*d)*e^(-1) - 8*a*c*cos(x*e + d)*e^(-1) + 8*a^2*e^(-1)*s
in(x*e + d) + (a^2 - c^2)*e^(-1)*sin(2*x*e + 2*d) + 2*(3*a^2 + c^2)*x
```

### 3.365 $\int (2a + 2a \cos(d + ex) + 2c \sin(d + ex)) dx$

**Optimal.** Leaf size=29

$$\frac{2a \sin(d + ex)}{e} + 2ax - \frac{2c \cos(d + ex)}{e}$$

[Out]  $2*a*x - (2*c*\text{Cos}[d + e*x])/e + (2*a*\text{Sin}[d + e*x])/e$

**Rubi [A]** time = 0.015509, antiderivative size = 29, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {2637, 2638}

$$\frac{2a \sin(d + ex)}{e} + 2ax - \frac{2c \cos(d + ex)}{e}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[2*a + 2*a*\text{Cos}[d + e*x] + 2*c*\text{Sin}[d + e*x], x]$

[Out]  $2*a*x - (2*c*\text{Cos}[d + e*x])/e + (2*a*\text{Sin}[d + e*x])/e$

**Rule 2637**

$\text{Int}[\sin[\text{Pi}/2 + (c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow \text{Simp}[\text{Sin}[c + d*x]/d, x] /;$   
 $\text{FreeQ}[\{c, d\}, x]$

**Rule 2638**

$\text{Int}[\sin[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/d, x] /;$   
 $\text{FreeQ}[\{c, d\}, x]$

**Rubi steps**

$$\begin{aligned} \int (2a + 2a \cos(d + ex) + 2c \sin(d + ex)) dx &= 2ax + (2a) \int \cos(d + ex) dx + (2c) \int \sin(d + ex) dx \\ &= 2ax - \frac{2c \cos(d + ex)}{e} + \frac{2a \sin(d + ex)}{e} \end{aligned}$$

**Mathematica [A]** time = 0.0156266, size = 53, normalized size = 1.83

$$\frac{2a \sin(d) \cos(ex)}{e} + \frac{2a \cos(d) \sin(ex)}{e} + 2ax + \frac{2c \sin(d) \sin(ex)}{e} - \frac{2c \cos(d) \cos(ex)}{e}$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[2*a + 2*a*\text{Cos}[d + e*x] + 2*c*\text{Sin}[d + e*x], x]$

[Out]  $2*a*x - (2*c*\text{Cos}[d]*\text{Cos}[e*x])/e + (2*a*\text{Cos}[e*x]*\text{Sin}[d])/e + (2*a*\text{Cos}[d]*\text{Sin}[e*x])/e + (2*c*\text{Sin}[d]*\text{Sin}[e*x])/e$

**Maple [A]** time = 0.001, size = 30, normalized size = 1.

$$2ax - 2 \frac{c \cos(ex + d)}{e} + 2 \frac{a \sin(ex + d)}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(2*a+2*a*cos(e*x+d)+2*c*sin(e*x+d),x)`

[Out] `2*a*x-2*c*cos(e*x+d)/e+2*a*sin(e*x+d)/e`

**Maxima [A]** time = 0.985324, size = 39, normalized size = 1.34

$$2ax - \frac{2c \cos(ex + d)}{e} + \frac{2a \sin(ex + d)}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(2*a+2*a*cos(e*x+d)+2*c*sin(e*x+d),x, algorithm="maxima")`

[Out] `2*a*x - 2*c*cos(e*x + d)/e + 2*a*sin(e*x + d)/e`

**Fricas [A]** time = 2.14457, size = 63, normalized size = 2.17

$$\frac{2(aex - c \cos(ex + d) + a \sin(ex + d))}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(2*a+2*a*cos(e*x+d)+2*c*sin(e*x+d),x, algorithm="fricas")`

[Out] `2*(a*e*x - c*cos(e*x + d) + a*sin(e*x + d))/e`

**Sympy [A]** time = 0.158888, size = 39, normalized size = 1.34

$$2ax + 2a \left( \begin{cases} \frac{\sin(d+ex)}{e} & \text{for } e \neq 0 \\ x \cos(d) & \text{otherwise} \end{cases} \right) + 2c \left( \begin{cases} -\frac{\cos(d+ex)}{e} & \text{for } e \neq 0 \\ x \sin(d) & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(2*a+2*a*cos(e*x+d)+2*c*sin(e*x+d),x)`

[Out] `2*a*x + 2*a*Piecewise((sin(d + e*x)/e, Ne(e, 0)), (x*cos(d), True)) + 2*c*Piecewise((-cos(d + e*x)/e, Ne(e, 0)), (x*sin(d), True))`

**Giac [A]** time = 1.1218, size = 39, normalized size = 1.34

$$-2c \cos(xe + d)e^{(-1)} + 2ae^{(-1)} \sin(xe + d) + 2ax$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(2*a+2*a*cos(e*x+d)+2*c*sin(e*x+d),x, algorithm="giac")
```

```
[Out] -2*c*cos(x*e + d)*e^(-1) + 2*a*e^(-1)*sin(x*e + d) + 2*a*x
```

$$3.366 \quad \int \frac{1}{2a+2a \cos(d+ex)+2c \sin(d+ex)} dx$$

**Optimal.** Leaf size=25

$$\frac{\log\left(a + c \tan\left(\frac{1}{2}(d + ex)\right)\right)}{2ce}$$

[Out] Log[a + c\*Tan[(d + e\*x)/2]]/(2\*c\*e)

**Rubi [A]** time = 0.0223817, antiderivative size = 25, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {3124, 31}

$$\frac{\log\left(a + c \tan\left(\frac{1}{2}(d + ex)\right)\right)}{2ce}$$

Antiderivative was successfully verified.

[In] Int[(2\*a + 2\*a\*Cos[d + e\*x] + 2\*c\*Sin[d + e\*x])^(-1), x]

[Out] Log[a + c\*Tan[(d + e\*x)/2]]/(2\*c\*e)

#### Rule 3124

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(-1), x\_Symbol] :> Module[{f = FreeFactors[Tan[(d + e\*x)/2], x]}, Dist[(2\*f)/e, Subst[Int[1/(a + b + 2\*c\*f\*x + (a - b)\*f^2\*x^2), x], x, Tan[(d + e\*x)/2]/f], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]

#### Rule 31

Int[((a\_) + (b\_.)\*(x\_))^(-1), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{1}{2a + 2a \cos(d + ex) + 2c \sin(d + ex)} dx &= \frac{2 \operatorname{Subst}\left(\int \frac{1}{4a+4cx} dx, x, \tan\left(\frac{1}{2}(d + ex)\right)\right)}{e} \\ &= \frac{\log\left(a + c \tan\left(\frac{1}{2}(d + ex)\right)\right)}{2ce} \end{aligned}$$

**Mathematica [B]** time = 0.0533843, size = 57, normalized size = 2.28

$$\frac{1}{2} \left( \frac{\log\left(a \cos\left(\frac{1}{2}(d + ex)\right) + c \sin\left(\frac{1}{2}(d + ex)\right)\right)}{ce} - \frac{\log\left(\cos\left(\frac{1}{2}(d + ex)\right)\right)}{ce} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(2\*a + 2\*a\*Cos[d + e\*x] + 2\*c\*Sin[d + e\*x])^(-1), x]



[Out]  $(-\text{Log}[\text{Cos}[(d + e*x)/2]]/(c*e)) + \text{Log}[a*\text{Cos}[(d + e*x)/2] + c*\text{Sin}[(d + e*x)/2]]/(c*e))/2$

**Maple [A]** time = 0.087, size = 23, normalized size = 0.9

$$\frac{1}{2ce} \ln\left(a + c \tan\left(\frac{d}{2} + \frac{ex}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(2*a+2*a*cos(e*x+d)+2*c*sin(e*x+d)),x)`

[Out]  $1/2*\ln(a+c*\tan(1/2*d+1/2*e*x))/c/e$

**Maxima [A]** time = 0.997076, size = 39, normalized size = 1.56

$$\frac{\log\left(a + \frac{c \sin(ex+d)}{\cos(ex+d)+1}\right)}{2ce}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(2*a+2*a*cos(e*x+d)+2*c*sin(e*x+d)),x, algorithm="maxima")`

[Out]  $1/2*\log(a + c*\sin(e*x + d)/(\cos(e*x + d) + 1))/(c*e)$

**Fricas [B]** time = 2.17535, size = 157, normalized size = 6.28

$$\frac{\log\left(ac \sin(ex + d) + \frac{1}{2}a^2 + \frac{1}{2}c^2 + \frac{1}{2}(a^2 - c^2) \cos(ex + d)\right) - \log\left(\frac{1}{2} \cos(ex + d) + \frac{1}{2}\right)}{4ce}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(2*a+2*a*cos(e*x+d)+2*c*sin(e*x+d)),x, algorithm="fricas")`

[Out]  $1/4*(\log(a*c*\sin(e*x + d) + 1/2*a^2 + 1/2*c^2 + 1/2*(a^2 - c^2)*\cos(e*x + d)) - \log(1/2*\cos(e*x + d) + 1/2))/(c*e)$

**Sympy [A]** time = 1.20441, size = 63, normalized size = 2.52

$$\begin{cases} \frac{x}{2a \cos(d)+2a} & \text{for } c = 0 \wedge e = 0 \\ \frac{\tan\left(\frac{d}{2} + \frac{ex}{2}\right)}{2ae} & \text{for } c = 0 \\ \frac{x}{2a \cos(d)+2a+2c \sin(d)} & \text{for } e = 0 \\ \frac{\log\left(\frac{a}{c} + \tan\left(\frac{d}{2} + \frac{ex}{2}\right)\right)}{2ce} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d)),x)

[Out] Piecewise((x/(2\*a\*cos(d) + 2\*a), Eq(c, 0) & Eq(e, 0)), (tan(d/2 + e\*x/2)/(2\*a\*e), Eq(c, 0)), (x/(2\*a\*cos(d) + 2\*a + 2\*c\*sin(d)), Eq(e, 0)), (log(a/c + tan(d/2 + e\*x/2))/(2\*c\*e), True))

**Giac [A]** time = 1.1631, size = 31, normalized size = 1.24

$$\frac{e^{(-1)} \log \left( \left| c \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right) + a \right| \right)}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d)),x, algorithm="giac")

[Out] 1/2\*e^(-1)\*log(abs(c\*tan(1/2\*x\*e + 1/2\*d) + a))/c

$$3.367 \quad \int \frac{1}{(2a+2a \cos(d+ex)+2c \sin(d+ex))^2} dx$$

**Optimal.** Leaf size=75

$$-\frac{a \log\left(a + c \tan\left(\frac{1}{2}(d + ex)\right)\right)}{4c^3e} - \frac{c \cos(d + ex) - a \sin(d + ex)}{4c^2e(a \cos(d + ex) + a + c \sin(d + ex))}$$

[Out] -(a\*Log[a + c\*Tan[(d + e\*x)/2]])/(4\*c^3\*e) - (c\*Cos[d + e\*x] - a\*Sin[d + e\*x])/(4\*c^2\*e\*(a + a\*Cos[d + e\*x] + c\*Sin[d + e\*x]))

**Rubi [A]** time = 0.0487294, antiderivative size = 75, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {3129, 12, 3124, 31}

$$-\frac{a \log\left(a + c \tan\left(\frac{1}{2}(d + ex)\right)\right)}{4c^3e} - \frac{c \cos(d + ex) - a \sin(d + ex)}{4c^2e(a \cos(d + ex) + a + c \sin(d + ex))}$$

Antiderivative was successfully verified.

[In] Int[(2\*a + 2\*a\*Cos[d + e\*x] + 2\*c\*Sin[d + e\*x])^(-2),x]

[Out] -(a\*Log[a + c\*Tan[(d + e\*x)/2]])/(4\*c^3\*e) - (c\*Cos[d + e\*x] - a\*Sin[d + e\*x])/(4\*c^2\*e\*(a + a\*Cos[d + e\*x] + c\*Sin[d + e\*x]))

#### Rule 3129

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Simp[((-(c\*Cos[d + e\*x]) + b\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1))/(e\*(n + 1)\*(a^2 - b^2 - c^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2 - c^2)), Int[(a\*(n + 1) - b\*(n + 2)\*Cos[d + e\*x] - c\*(n + 2)\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && LtQ[n, -1] && NeQ[n, -3/2]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 3124

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(-1), x\_Symbol] :> Module[{f = FreeFactors[Tan[(d + e\*x)/2], x]}, Dist[(2\*f)/e, Subst[Int[1/(a + b + 2\*c\*f\*x + (a - b)\*f^2\*x^2), x], x, Tan[(d + e\*x)/2]/f], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]

#### Rule 31

Int[((a\_) + (b\_.)\*(x\_))^(n\_), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

#### Rubi steps

$$\begin{aligned}
\int \frac{1}{(2a + 2a \cos(d + ex) + 2c \sin(d + ex))^2} dx &= -\frac{c \cos(d + ex) - a \sin(d + ex)}{4c^2 e (a + a \cos(d + ex) + c \sin(d + ex))} + \frac{\int -\frac{2a}{2a + 2a \cos(d + ex) + 2c \sin(d + ex)} dx}{4c^2} \\
&= -\frac{c \cos(d + ex) - a \sin(d + ex)}{4c^2 e (a + a \cos(d + ex) + c \sin(d + ex))} - \frac{a \int \frac{1}{2a + 2a \cos(d + ex) + 2c \sin(d + ex)} dx}{2c^2} \\
&= -\frac{c \cos(d + ex) - a \sin(d + ex)}{4c^2 e (a + a \cos(d + ex) + c \sin(d + ex))} - \frac{a \operatorname{Subst}\left(\int \frac{1}{4a + 4cx} dx, x, \tan\left(\frac{1}{2}(d + ex)\right)\right)}{c^2 e} \\
&= -\frac{a \log\left(a + c \tan\left(\frac{1}{2}(d + ex)\right)\right)}{4c^3 e} - \frac{c \cos(d + ex) - a \sin(d + ex)}{4c^2 e (a + a \cos(d + ex) + c \sin(d + ex))}
\end{aligned}$$

**Mathematica [A]** time = 0.538032, size = 115, normalized size = 1.53

$$\frac{\frac{c(a^2+c^2)\sin\left(\frac{1}{2}(d+ex)\right)}{a\left(a\cos\left(\frac{1}{2}(d+ex)\right)+c\sin\left(\frac{1}{2}(d+ex)\right)\right)} + 2a\left(\log\left(\cos\left(\frac{1}{2}(d+ex)\right)\right) - \log\left(a\cos\left(\frac{1}{2}(d+ex)\right) + c\sin\left(\frac{1}{2}(d+ex)\right)\right)\right) + c\tan\left(\frac{1}{2}(d+ex)\right)}{8c^3e}$$

Antiderivative was successfully verified.

[In] Integrate[(2\*a + 2\*a\*Cos[d + e\*x] + 2\*c\*Sin[d + e\*x])^(-2), x]

[Out] (2\*a\*(Log[Cos[(d + e\*x)/2]] - Log[a\*Cos[(d + e\*x)/2] + c\*Sin[(d + e\*x)/2]]) + (c\*(a^2 + c^2)\*Sin[(d + e\*x)/2])/(a\*(a\*Cos[(d + e\*x)/2] + c\*Sin[(d + e\*x)/2])) + c\*Tan[(d + e\*x)/2])/(8\*c^3\*e)

**Maple [A]** time = 0.137, size = 91, normalized size = 1.2

$$\frac{1}{8c^2e} \tan\left(\frac{d}{2} + \frac{ex}{2}\right) - \frac{a}{4c^3e} \ln\left(a + c \tan\left(\frac{d}{2} + \frac{ex}{2}\right)\right) - \frac{a^2}{8c^3e} \left(a + c \tan\left(\frac{d}{2} + \frac{ex}{2}\right)\right)^{-1} - \frac{1}{8ce} \left(a + c \tan\left(\frac{d}{2} + \frac{ex}{2}\right)\right)^{-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(2\*a+2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^2,x)

[Out] 1/8/e/c^2\*tan(1/2\*d+1/2\*e\*x)-1/4\*a\*ln(a+c\*tan(1/2\*d+1/2\*e\*x))/c^3/e-1/8/e/c^3/(a+c\*tan(1/2\*d+1/2\*e\*x))\*a^2-1/8/e/c/(a+c\*tan(1/2\*d+1/2\*e\*x))

**Maxima [A]** time = 1.03015, size = 122, normalized size = 1.63

$$-\frac{\frac{a^2+c^2}{ac^3+\frac{c^4\sin(ex+d)}{\cos(ex+d)+1}} + \frac{2a\log\left(a+\frac{c\sin(ex+d)}{\cos(ex+d)+1}\right)}{c^3} - \frac{\sin(ex+d)}{c^2(\cos(ex+d)+1)}}{8e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^2,x, algorithm="maxima")

[Out] -1/8\*((a^2 + c^2)/(a\*c^3 + c^4\*sin(e\*x + d)/(cos(e\*x + d) + 1)) + 2\*a\*log(a + c\*sin(e\*x + d)/(cos(e\*x + d) + 1))/c^3 - sin(e\*x + d)/(c^2\*(cos(e\*x + d)

+ 1)))/e

**Fricas [B]** time = 2.2152, size = 398, normalized size = 5.31

$$\frac{2c^2 \cos(ex + d) - 2ac \sin(ex + d) + (a^2 \cos(ex + d) + ac \sin(ex + d) + a^2) \log\left(ac \sin(ex + d) + \frac{1}{2}a^2 + \frac{1}{2}c^2 + \frac{1}{2}(a^2 - c^2) \cos(ex + d)\right)}{8(ac^3 e \cos(ex + d) + c^4 e \sin(ex + d) + a^3 c^3 e)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^2,x, algorithm="fricas")

[Out] -1/8\*(2\*c^2\*cos(e\*x + d) - 2\*a\*c\*sin(e\*x + d) + (a^2\*cos(e\*x + d) + a\*c\*sin(e\*x + d) + a^2)\*log(a\*c\*sin(e\*x + d) + 1/2\*a^2 + 1/2\*c^2 + 1/2\*(a^2 - c^2)\*cos(e\*x + d)) - (a^2\*cos(e\*x + d) + a\*c\*sin(e\*x + d) + a^2)\*log(1/2\*cos(e\*x + d) + 1/2))/(a\*c^3\*e\*cos(e\*x + d) + c^4\*e\*sin(e\*x + d) + a\*c^3\*e)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^2,x)

[Out] Timed out

**Giac [A]** time = 1.14521, size = 116, normalized size = 1.55

$$-\frac{1}{8} \left( \frac{2a \log\left(\left|c \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) + a\right|\right)}{c^3} - \frac{\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)}{c^2} - \frac{2ac \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) + a^2 - c^2}{\left(c \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) + a\right)c^3} \right) e^{(-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^2,x, algorithm="giac")

[Out] -1/8\*(2\*a\*log(abs(c\*tan(1/2\*x\*e + 1/2\*d) + a))/c^3 - tan(1/2\*x\*e + 1/2\*d)/c^2 - (2\*a\*c\*tan(1/2\*x\*e + 1/2\*d) + a^2 - c^2)/((c\*tan(1/2\*x\*e + 1/2\*d) + a)\*c^3))\*e^(-1)

$$3.368 \quad \int \frac{1}{(2a+2a \cos(d+ex)+2c \sin(d+ex))^3} dx$$

**Optimal.** Leaf size=134

$$\frac{(3a^2 + c^2) \log\left(a + c \tan\left(\frac{1}{2}(d + ex)\right)\right)}{16c^5e} + \frac{3(ac \cos(d + ex) - a^2 \sin(d + ex))}{16c^4e(a \cos(d + ex) + a + c \sin(d + ex))} - \frac{c \cos(d + ex) - a \sin(d + ex)}{16c^2e(a \cos(d + ex) + a + c \sin(d + ex))}$$

[Out] ((3\*a^2 + c^2)\*Log[a + c\*Tan[(d + e\*x)/2]])/(16\*c^5\*e) - (c\*Cos[d + e\*x] - a\*Sin[d + e\*x])/(16\*c^2\*e\*(a + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])^2) + (3\*(a\*c\*Cos[d + e\*x] - a^2\*Sin[d + e\*x]))/(16\*c^4\*e\*(a + a\*Cos[d + e\*x] + c\*Sin[d + e\*x]))

**Rubi [A]** time = 0.111693, antiderivative size = 134, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {3129, 3153, 3124, 31}

$$\frac{(3a^2 + c^2) \log\left(a + c \tan\left(\frac{1}{2}(d + ex)\right)\right)}{16c^5e} + \frac{3(ac \cos(d + ex) - a^2 \sin(d + ex))}{16c^4e(a \cos(d + ex) + a + c \sin(d + ex))} - \frac{c \cos(d + ex) - a \sin(d + ex)}{16c^2e(a \cos(d + ex) + a + c \sin(d + ex))}$$

Antiderivative was successfully verified.

[In] Int[(2\*a + 2\*a\*Cos[d + e\*x] + 2\*c\*Sin[d + e\*x])^(-3), x]

[Out] ((3\*a^2 + c^2)\*Log[a + c\*Tan[(d + e\*x)/2]])/(16\*c^5\*e) - (c\*Cos[d + e\*x] - a\*Sin[d + e\*x])/(16\*c^2\*e\*(a + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])^2) + (3\*(a\*c\*Cos[d + e\*x] - a^2\*Sin[d + e\*x]))/(16\*c^4\*e\*(a + a\*Cos[d + e\*x] + c\*Sin[d + e\*x]))

#### Rule 3129

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(n\_), x\_Symbol] := Simp[(-c\*Cos[d + e\*x] + b\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1)/(e\*(n + 1)\*(a^2 - b^2 - c^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2 - c^2)), Int[(a\*(n + 1) - b\*(n + 2)\*Cos[d + e\*x] - c\*(n + 2)\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && LtQ[n, -1] && NeQ[n, -3/2]

#### Rule 3153

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]) / ((a\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^2, x\_Symbol] := Simp[(c\*B - b\*C - (a\*C - c\*A)\*Cos[d + e\*x] + (a\*B - b\*A)\*Sin[d + e\*x]) / (e\*(a^2 - b^2 - c^2)\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])), x] + Dist[(a\*A - b\*B - c\*C) / (a^2 - b^2 - c^2), Int[1 / (a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]), x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[a\*A - b\*B - c\*C, 0]

#### Rule 3124

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(-1), x\_Symbol] := Module[{f = FreeFactors[Tan[(d + e\*x)/2], x]}, Dist[(2\*f)/e, Subst[Int[1/(a + b + 2\*c\*f\*x + (a - b)\*f^2\*x^2), x], x, Tan[(d + e\*x)/2]/f], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]

Rule 31

$\text{Int}[(a + (b \cdot x))^{-1}, x\_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b \cdot x, x]]/b, x] /; \text{FreeQ}\{a, b\}, x]$

Rubi steps

$$\begin{aligned} \int \frac{1}{(2a + 2a \cos(d + ex) + 2c \sin(d + ex))^3} dx &= -\frac{c \cos(d + ex) - a \sin(d + ex)}{16c^2 e (a + a \cos(d + ex) + c \sin(d + ex))^2} + \frac{\int \frac{-4a + 2a \cos(d + ex) + 2c \sin(d + ex)}{(2a + 2a \cos(d + ex) + 2c \sin(d + ex))^2} dx}{8c^2} \\ &= -\frac{c \cos(d + ex) - a \sin(d + ex)}{16c^2 e (a + a \cos(d + ex) + c \sin(d + ex))^2} + \frac{3(ac \cos(d + ex) - a^2)}{16c^4 e (a + a \cos(d + ex) + c \sin(d + ex))} \\ &= -\frac{c \cos(d + ex) - a \sin(d + ex)}{16c^2 e (a + a \cos(d + ex) + c \sin(d + ex))^2} + \frac{3(ac \cos(d + ex) - a^2)}{16c^4 e (a + a \cos(d + ex) + c \sin(d + ex))} \\ &= \frac{(3a^2 + c^2) \log\left(a + c \tan\left(\frac{1}{2}(d + ex)\right)\right)}{16c^5 e} - \frac{c \cos(d + ex) - a \sin(d + ex)}{16c^2 e (a + a \cos(d + ex) + c \sin(d + ex))} \end{aligned}$$

**Mathematica [A]** time = 3.0798, size = 186, normalized size = 1.39

$$\frac{4(3a^2 + c^2) \log\left(\cos\left(\frac{1}{2}(d + ex)\right)\right) + \frac{c^2(a^2 + c^2)}{\left(a \cos\left(\frac{1}{2}(d + ex)\right) + c \sin\left(\frac{1}{2}(d + ex)\right)\right)^2} + \frac{6c(a^2 + c^2) \sin\left(\frac{1}{2}(d + ex)\right)}{a \cos\left(\frac{1}{2}(d + ex)\right) + c \sin\left(\frac{1}{2}(d + ex)\right)} - 4(3a^2 + c^2) \log\left(a \cos\left(\frac{1}{2}(d + ex)\right)\right)}{64c^5 e}$$

Antiderivative was successfully verified.

[In] Integrate[(2\*a + 2\*a\*cos[d + e\*x] + 2\*c\*sin[d + e\*x])^(-3), x]

[Out]  $-(4*(3*a^2 + c^2)*\text{Log}[\text{Cos}[(d + e*x)/2]] - 4*(3*a^2 + c^2)*\text{Log}[a*\text{Cos}[(d + e*x)/2] + c*\text{Sin}[(d + e*x)/2]] - c^2*\text{Sec}[(d + e*x)/2]^2 + (c^2*(a^2 + c^2))/(a*\text{Cos}[(d + e*x)/2] + c*\text{Sin}[(d + e*x)/2])^2 + (6*c*(a^2 + c^2)*\text{Sin}[(d + e*x)/2])/(a*\text{Cos}[(d + e*x)/2] + c*\text{Sin}[(d + e*x)/2]) + 6*a*c*\text{Tan}[(d + e*x)/2])/(64*c^5*e)$

**Maple [A]** time = 0.189, size = 211, normalized size = 1.6

$$\frac{1}{64ec^3} \left( \tan\left(\frac{d}{2} + \frac{ex}{2}\right) \right)^2 - \frac{3a}{32c^4e} \tan\left(\frac{d}{2} + \frac{ex}{2}\right) - \frac{a^4}{64ec^5} \left( a + c \tan\left(\frac{d}{2} + \frac{ex}{2}\right) \right)^{-2} - \frac{a^2}{32ec^3} \left( a + c \tan\left(\frac{d}{2} + \frac{ex}{2}\right) \right)^{-2} - \frac{1}{64ec^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(2\*a+2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^3, x)

[Out]  $1/64/e/c^3*\tan(1/2*d+1/2*e*x)^2-3/32/e/c^4*\tan(1/2*d+1/2*e*x)*a-1/64/e/c^5/(a+c*\tan(1/2*d+1/2*e*x))^2*a^4-1/32/e/c^3/(a+c*\tan(1/2*d+1/2*e*x))^2*a^2-1/64/e/c/(a+c*\tan(1/2*d+1/2*e*x))^2+3/16/e/c^5*\ln(a+c*\tan(1/2*d+1/2*e*x))*a^2+1/16/e/c^3*\ln(a+c*\tan(1/2*d+1/2*e*x))+1/8/e*a^3/c^5/(a+c*\tan(1/2*d+1/2*e*x))+1/8/e*a/c^3/(a+c*\tan(1/2*d+1/2*e*x))$

**Maxima [A]** time = 1.06366, size = 257, normalized size = 1.92

$$\frac{7a^4 + 6a^2c^2 - c^4 + \frac{8(a^3c + ac^3)\sin(ex+d)}{\cos(ex+d)+1} - \frac{6a\sin(ex+d)}{\cos(ex+d)+1} - \frac{c\sin(ex+d)^2}{(\cos(ex+d)+1)^2}}{a^2c^5 + \frac{2ac^6\sin(ex+d)}{\cos(ex+d)+1} + \frac{c^7\sin(ex+d)^2}{(\cos(ex+d)+1)^2}} - \frac{\frac{6a\sin(ex+d)}{\cos(ex+d)+1} - \frac{c\sin(ex+d)^2}{(\cos(ex+d)+1)^2}}{c^4} + \frac{4(3a^2+c^2)\log\left(a + \frac{c\sin(ex+d)}{\cos(ex+d)+1}\right)}{c^5}$$


---


$$64e$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^3,x, algorithm="maxima")

[Out] 1/64\*((7\*a^4 + 6\*a^2\*c^2 - c^4 + 8\*(a^3\*c + a\*c^3)\*sin(e\*x + d)/(cos(e\*x + d) + 1))/(a^2\*c^5 + 2\*a\*c^6\*sin(e\*x + d)/(cos(e\*x + d) + 1) + c^7\*sin(e\*x + d)^2/(cos(e\*x + d) + 1)^2) - (6\*a\*sin(e\*x + d)/(cos(e\*x + d) + 1) - c\*sin(e\*x + d)^2/(cos(e\*x + d) + 1)^2)/c^4 + 4\*(3\*a^2 + c^2)\*log(a + c\*sin(e\*x + d)/(cos(e\*x + d) + 1))/c^5)/e

**Fricas [B]** time = 2.35285, size = 986, normalized size = 7.36

$$12a^2c^2\cos(ex+d)^2 - 6a^2c^2 + 2(3a^2c^2 - c^4)\cos(ex+d) + (3a^4 + 4a^2c^2 + c^4 + (3a^4 - 2a^2c^2 - c^4)\cos(ex+d)^2 + 2(3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^3,x, algorithm="fricas")

[Out] 1/32\*(12\*a^2\*c^2\*cos(e\*x + d)^2 - 6\*a^2\*c^2 + 2\*(3\*a^2\*c^2 - c^4)\*cos(e\*x + d) + (3\*a^4 + 4\*a^2\*c^2 + c^4 + (3\*a^4 - 2\*a^2\*c^2 - c^4)\*cos(e\*x + d)^2 + 2\*(3\*a^4 + a^2\*c^2)\*cos(e\*x + d) + 2\*(3\*a^3\*c + a\*c^3 + (3\*a^3\*c + a\*c^3)\*cos(e\*x + d))\*sin(e\*x + d))\*log(a\*c\*sin(e\*x + d) + 1/2\*a^2 + 1/2\*c^2 + 1/2\*(a^2 - c^2)\*cos(e\*x + d)) - (3\*a^4 + 4\*a^2\*c^2 + c^4 + (3\*a^4 - 2\*a^2\*c^2 - c^4)\*cos(e\*x + d)^2 + 2\*(3\*a^4 + a^2\*c^2)\*cos(e\*x + d) + 2\*(3\*a^3\*c + a\*c^3 + (3\*a^3\*c + a\*c^3)\*cos(e\*x + d))\*sin(e\*x + d))\*log(1/2\*cos(e\*x + d) + 1/2) - 2\*(3\*a^3\*c - a\*c^3 + 3\*(a^3\*c - a\*c^3)\*cos(e\*x + d))\*sin(e\*x + d))/(2\*a^2\*c^5\*e\*cos(e\*x + d) + (a^2\*c^5 - c^7)\*e\*cos(e\*x + d)^2 + (a^2\*c^5 + c^7)\*e + 2\*(a\*c^6\*e\*cos(e\*x + d) + a\*c^6\*e)\*sin(e\*x + d))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))\*\*3,x)

[Out] Timed out

**Giac [A]** time = 1.1766, size = 231, normalized size = 1.72

$$\frac{1}{64} \left( \frac{4(3a^2 + c^2)\log\left(\left|c\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) + a\right|\right)}{c^5} + \frac{c^3\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^2 - 6ac^2\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)}{c^6} - \frac{18a^2c^2\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)}{c^6} \right)$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(2*a+2*a*cos(e*x+d)+2*c*sin(e*x+d))^3,x, algorithm="giac")
```

```
[Out] 1/64*(4*(3*a^2 + c^2)*log(abs(c*tan(1/2*x*e + 1/2*d) + a))/c^5 + (c^3*tan(1/2*x*e + 1/2*d)^2 - 6*a*c^2*tan(1/2*x*e + 1/2*d))/c^6 - (18*a^2*c^2*tan(1/2*x*e + 1/2*d)^2 + 6*c^4*tan(1/2*x*e + 1/2*d)^2 + 28*a^3*c*tan(1/2*x*e + 1/2*d) + 4*a*c^3*tan(1/2*x*e + 1/2*d) + 11*a^4 + c^4)/((c*tan(1/2*x*e + 1/2*d) + a)^2*c^5))*e^(-1)
```

$$3.369 \quad \int \frac{1}{(2a+2a \cos(d+ex)+2c \sin(d+ex))^4} dx$$

**Optimal.** Leaf size=207

$$\frac{a(5a^2 + 3c^2) \log\left(a + c \tan\left(\frac{1}{2}(d + ex)\right)\right)}{32c^7e} - \frac{c(15a^2 + 4c^2) \cos(d + ex) - a(15a^2 + 4c^2) \sin(d + ex)}{96c^6e(a \cos(d + ex) + a + c \sin(d + ex))} + \frac{5(ac \cos(d + ex))}{96c^4e(a \cos(d + ex) + a + c \sin(d + ex))}$$

[Out]  $-(a*(5*a^2 + 3*c^2)*\text{Log}[a + c*\text{Tan}[(d + e*x)/2]])/(32*c^7*e) - (c*\text{Cos}[d + e*x] - a*\text{Sin}[d + e*x])/(48*c^2*e*(a + a*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x])^3) + (5*(a*c*\text{Cos}[d + e*x] - a^2*\text{Sin}[d + e*x]))/(96*c^4*e*(a + a*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x])^2) - (c*(15*a^2 + 4*c^2)*\text{Cos}[d + e*x] - a*(15*a^2 + 4*c^2)*\text{Sin}[d + e*x])/(96*c^6*e*(a + a*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x]))$

**Rubi [A]** time = 0.248415, antiderivative size = 207, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$ , Rules used = {3129, 3156, 3153, 3124, 31}

$$\frac{a(5a^2 + 3c^2) \log\left(a + c \tan\left(\frac{1}{2}(d + ex)\right)\right)}{32c^7e} - \frac{c(15a^2 + 4c^2) \cos(d + ex) - a(15a^2 + 4c^2) \sin(d + ex)}{96c^6e(a \cos(d + ex) + a + c \sin(d + ex))} + \frac{5(ac \cos(d + ex))}{96c^4e(a \cos(d + ex) + a + c \sin(d + ex))}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(2*a + 2*a*\text{Cos}[d + e*x] + 2*c*\text{Sin}[d + e*x])^{-4}, x]$

[Out]  $-(a*(5*a^2 + 3*c^2)*\text{Log}[a + c*\text{Tan}[(d + e*x)/2]])/(32*c^7*e) - (c*\text{Cos}[d + e*x] - a*\text{Sin}[d + e*x])/(48*c^2*e*(a + a*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x])^3) + (5*(a*c*\text{Cos}[d + e*x] - a^2*\text{Sin}[d + e*x]))/(96*c^4*e*(a + a*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x])^2) - (c*(15*a^2 + 4*c^2)*\text{Cos}[d + e*x] - a*(15*a^2 + 4*c^2)*\text{Sin}[d + e*x])/(96*c^6*e*(a + a*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x]))$

#### Rule 3129

$\text{Int}[(\text{cos}[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*\text{sin}[(d_.) + (e_.)*(x_.)])^n, x\_Symbol] \rightarrow \text{Simp}[((-c*\text{Cos}[d + e*x]) + b*\text{Sin}[d + e*x])*(a + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x])^{n+1})/(e*(n+1)*(a^2 - b^2 - c^2)), x] + \text{Dist}[1/((n+1)*(a^2 - b^2 - c^2)), \text{Int}[(a*(n+1) - b*(n+2)*\text{Cos}[d + e*x] - c*(n+2)*\text{Sin}[d + e*x])*(a + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x])^{n+1}, x], x] /;$   
 $\text{FreeQ}\{a, b, c, d, e, x\} \ \&\& \ \text{NeQ}[a^2 - b^2 - c^2, 0] \ \&\& \ \text{LtQ}[n, -1] \ \&\& \ \text{eQ}[n, -3/2]$

#### Rule 3156

$\text{Int}[(a_. + \text{cos}[(d_.) + (e_.)*(x_.)]*(b_.) + (c_.)*\text{sin}[(d_.) + (e_.)*(x_.)])^n * ((A_.) + \text{cos}[(d_.) + (e_.)*(x_.)]*(B_.) + (C_.)*\text{sin}[(d_.) + (e_.)*(x_.)]), x\_Symbol] \rightarrow -\text{Simp}[(c*B - b*C - (a*C - c*A)*\text{Cos}[d + e*x] + (a*B - b*A)*\text{Sin}[d + e*x])*(a + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x])^{n+1})/(e*(n+1)*(a^2 - b^2 - c^2)), x] + \text{Dist}[1/((n+1)*(a^2 - b^2 - c^2)), \text{Int}[(a + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x])^{n+1} * \text{Simp}[(n+1)*(a*A - b*B - c*C) + (n+2)*(a*B - b*A)*\text{Cos}[d + e*x] + (n+2)*(a*C - c*A)*\text{Sin}[d + e*x], x], x], x] /;$   
 $\text{FreeQ}\{a, b, c, d, e, A, B, C, x\} \ \&\& \ \text{LtQ}[n, -1] \ \&\& \ \text{NeQ}[a^2 - b^2 - c^2, 0] \ \&\& \ \text{NeQ}[n, -2]$

#### Rule 3153

$\text{Int}[(A_. + \text{cos}[(d_.) + (e_.)*(x_.)]*(B_.) + (C_.)*\text{sin}[(d_.) + (e_.)*(x_.)]) / ((a_.) + \text{cos}[(d_.) + (e_.)*(x_.)]*(b_.) + (c_.)*\text{sin}[(d_.) + (e_.)*(x_.)])^2,$

```
x_Symbol] := Simp[(c*B - b*C - (a*C - c*A)*Cos[d + e*x] + (a*B - b*A)*Sin[
d + e*x])/(e*(a^2 - b^2 - c^2)*(a + b*Cos[d + e*x] + c*SIN[d + e*x])), x] +
Dist[(a*A - b*B - c*C)/(a^2 - b^2 - c^2), Int[1/(a + b*Cos[d + e*x] + c*Si
n[d + e*x]), x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && NeQ[a^2 - b^2
- c^2, 0] && NeQ[a*A - b*B - c*C, 0]
```

Rule 3124

```
Int[(cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)]^
(-1), x_Symbol] := Module[{f = FreeFactors[Tan[(d + e*x)/2], x]}, Dist[(2*f
)/e, Subst[Int[1/(a + b + 2*c*f*x + (a - b)*f^2*x^2), x], x, Tan[(d + e*x)/
2]/f], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]
```

Rule 31

```
Int[((a_) + (b_.)*(x_))^( -1), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

Rubi steps

$$\int \frac{1}{(2a + 2a \cos(d + ex) + 2c \sin(d + ex))^4} dx = -\frac{c \cos(d + ex) - a \sin(d + ex)}{48c^2e(a + a \cos(d + ex) + c \sin(d + ex))^3} + \frac{\int \frac{-6a+4a \cos(d+ex)+4c \sin(d+ex)}{(2a+2a \cos(d+ex)+2c \sin(d+ex))^4} dx}{12c^2}$$

$$= -\frac{c \cos(d + ex) - a \sin(d + ex)}{48c^2e(a + a \cos(d + ex) + c \sin(d + ex))^3} + \frac{5(ac \cos(d + ex) - a^2 \sin(d + ex))}{96c^4e(a + a \cos(d + ex))^2}$$

$$= -\frac{c \cos(d + ex) - a \sin(d + ex)}{48c^2e(a + a \cos(d + ex) + c \sin(d + ex))^3} + \frac{5(ac \cos(d + ex) - a^2 \sin(d + ex))}{96c^4e(a + a \cos(d + ex))^2}$$

$$= -\frac{c \cos(d + ex) - a \sin(d + ex)}{48c^2e(a + a \cos(d + ex) + c \sin(d + ex))^3} + \frac{5(ac \cos(d + ex) - a^2 \sin(d + ex))}{96c^4e(a + a \cos(d + ex))^2}$$

$$= -\frac{a(5a^2 + 3c^2) \log\left(a + c \tan\left(\frac{1}{2}(d + ex)\right)\right)}{32c^7e} - \frac{c \cos(d + ex) - a \sin(d + ex)}{48c^2e(a + a \cos(d + ex))^2}$$

**Mathematica [B]** time = 1.6272, size = 492, normalized size = 2.38

---


$$\cos\left(\frac{1}{2}(d + ex)\right) \left( a \cos\left(\frac{1}{2}(d + ex)\right) + c \sin\left(\frac{1}{2}(d + ex)\right) \right) \left( \frac{c(255a^4c^2 \sin(d+ex)+72a^4c^2 \sin(2(d+ex))-37a^4c^2 \sin(3(d+ex))+129a^2c^4 \sin(d+ex))}{(2a+2a \cos(d+ex)+2c \sin(d+ex))^4} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(2*a + 2*a*COS[d + e*x] + 2*c*SIN[d + e*x])^(-4),x]
```

```
[Out] (Cos[(d + e*x)/2]*(a*COS[(d + e*x)/2] + c*SIN[(d + e*x)/2])*(192*(5*a^3 + 3
*a*c^2)*COS[(d + e*x)/2]^3*Log[COS[(d + e*x)/2]]*(a*COS[(d + e*x)/2] + c*Si
n[(d + e*x)/2])^3 - 192*(5*a^3 + 3*a*c^2)*COS[(d + e*x)/2]^3*Log[a*COS[(d +
e*x)/2] + c*SIN[(d + e*x)/2]]*(a*COS[(d + e*x)/2] + c*SIN[(d + e*x)/2])^3
+ (c*(150*a^5*c + 130*a^3*c^3 + 24*a*c^5 + 3*a*c*(25*a^4 + 25*a^2*c^2 - 4*c
^4)*COS[d + e*x] - 6*(25*a^5*c + 15*a^3*c^3 + 4*a*c^5)*COS[2*(d + e*x)] - 7
5*a^5*c*COS[3*(d + e*x)] - 35*a^3*c^3*COS[3*(d + e*x)] - 4*a*c^5*COS[3*(d +
e*x)] + 150*a^6*SIN[d + e*x] + 255*a^4*c^2*SIN[d + e*x] + 129*a^2*c^4*SIN[
d + e*x] + 12*c^6*SIN[d + e*x] + 120*a^6*SIN[2*(d + e*x)] + 72*a^4*c^2*SIN[
2*(d + e*x)] + 36*a^2*c^4*SIN[2*(d + e*x)] + 30*a^6*SIN[3*(d + e*x)] - 37*a
^4*c^2*SIN[3*(d + e*x)] - 27*a^2*c^4*SIN[3*(d + e*x)] - 4*c^6*SIN[3*(d + e
```

x)))/a))/(384\*c^7\*e\*(a + a\*cos[d + e\*x] + c\*sin[d + e\*x])^4)

**Maple [A]** time = 0.222, size = 378, normalized size = 1.8

$$\frac{1}{384c^4e} \left( \tan\left(\frac{d}{2} + \frac{ex}{2}\right) \right)^3 - \frac{a}{64c^5e} \left( \tan\left(\frac{d}{2} + \frac{ex}{2}\right) \right)^2 + \frac{5a^2}{64ec^6} \tan\left(\frac{d}{2} + \frac{ex}{2}\right) + \frac{3}{128c^4e} \tan\left(\frac{d}{2} + \frac{ex}{2}\right) + \frac{3a^5}{128ec^7} \left( a + c \tan\left(\frac{d}{2} + \frac{ex}{2}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(2\*a+2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^4,x)

[Out] 1/384/e/c^4\*tan(1/2\*d+1/2\*e\*x)^3-1/64/e/c^5\*tan(1/2\*d+1/2\*e\*x)^2\*a+5/64/e/c^6\*a^2\*tan(1/2\*d+1/2\*e\*x)+3/128/e/c^4\*tan(1/2\*d+1/2\*e\*x)+3/128/e\*a^5/c^7/(a+c\*tan(1/2\*d+1/2\*e\*x))^2+3/64/e\*a^3/c^5/(a+c\*tan(1/2\*d+1/2\*e\*x))^2+3/128/e\*a/c^3/(a+c\*tan(1/2\*d+1/2\*e\*x))^2-1/384/e/c^7/(a+c\*tan(1/2\*d+1/2\*e\*x))^3\*a^6-1/128/e/c^5/(a+c\*tan(1/2\*d+1/2\*e\*x))^3\*a^4-1/128/e/c^3/(a+c\*tan(1/2\*d+1/2\*e\*x))^3\*a^2-1/384/e/c/(a+c\*tan(1/2\*d+1/2\*e\*x))^3-5/32/e\*a^3/c^7\*ln(a+c\*tan(1/2\*d+1/2\*e\*x))-3/32/e\*a/c^5\*ln(a+c\*tan(1/2\*d+1/2\*e\*x))-15/128/e/c^7/(a+c\*tan(1/2\*d+1/2\*e\*x))\*a^4-9/64/e/c^5/(a+c\*tan(1/2\*d+1/2\*e\*x))\*a^2-3/128/e/c^3/(a+c\*tan(1/2\*d+1/2\*e\*x))

**Maxima [A]** time = 1.14598, size = 414, normalized size = 2.

$$\frac{37a^6+39a^4c^2+3a^2c^4+c^6+\frac{9(9a^5c+10a^3c^3+ac^5)\sin(ex+d)}{\cos(ex+d)+1}+\frac{9(5a^4c^2+6a^2c^4+c^6)\sin(ex+d)^2}{(\cos(ex+d)+1)^2}}{a^3c^7+\frac{3a^2c^8\sin(ex+d)}{\cos(ex+d)+1}+\frac{3ac^9\sin(ex+d)^2}{(\cos(ex+d)+1)^2}+\frac{c^{10}\sin(ex+d)^3}{(\cos(ex+d)+1)^3}}+\frac{\frac{6ac\sin(ex+d)^2}{(\cos(ex+d)+1)^2}-\frac{c^2\sin(ex+d)^3}{(\cos(ex+d)+1)^3}-\frac{3(10a^2+3c^2)\sin(ex+d)}{\cos(ex+d)+1}}{c^6}+\frac{12(5a^3+3a^2c)}{384e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^4,x, algorithm="maxima")

[Out] -1/384\*((37\*a^6 + 39\*a^4\*c^2 + 3\*a^2\*c^4 + c^6 + 9\*(9\*a^5\*c + 10\*a^3\*c^3 + a\*c^5)\*sin(e\*x + d)/(cos(e\*x + d) + 1) + 9\*(5\*a^4\*c^2 + 6\*a^2\*c^4 + c^6)\*sin(e\*x + d)^2/(cos(e\*x + d) + 1)^2)/(a^3\*c^7 + 3\*a^2\*c^8\*sin(e\*x + d)/(cos(e\*x + d) + 1) + 3\*a\*c^9\*sin(e\*x + d)^2/(cos(e\*x + d) + 1)^2 + c^10\*sin(e\*x + d)^3/(cos(e\*x + d) + 1)^3) + (6\*a\*c\*sin(e\*x + d)^2/(cos(e\*x + d) + 1)^2 - c^2\*sin(e\*x + d)^3/(cos(e\*x + d) + 1)^3 - 3\*(10\*a^2 + 3\*c^2)\*sin(e\*x + d)/(cos(e\*x + d) + 1))/c^6 + 12\*(5\*a^3 + 3\*a\*c^2)\*log(a + c\*sin(e\*x + d)/(cos(e\*x + d) + 1))/c^7/e

**Fricas [B]** time = 2.70019, size = 1782, normalized size = 8.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^4,x, algorithm="fricas")

[Out] 1/192\*(60\*a^4\*c^2 + 6\*a^2\*c^4 - 2\*(45\*a^4\*c^2 - 3\*a^2\*c^4 - 4\*c^6)\*cos(e\*x + d)^3 - 12\*(10\*a^4\*c^2 + a^2\*c^4)\*cos(e\*x + d)^2 + 6\*(5\*a^4\*c^2 - 2\*a^2\*c^4 - 2\*c^6)\*cos(e\*x + d) - 3\*(5\*a^6 + 18\*a^4\*c^2 + 9\*a^2\*c^4 + (5\*a^6 - 12\*a

$$\begin{aligned} &^4c^2 - 9a^2c^4)\cos(ex + d)^3 + 3(5a^6 - 2a^4c^2 - 3a^2c^4)\cos( \\ &ex + d)^2 + 3(5a^6 + 8a^4c^2 + 3a^2c^4)\cos(ex + d) + (15a^5c + 1 \\ &4a^3c^3 + 3ac^5 + (15a^5c + 4a^3c^3 - 3ac^5)\cos(ex + d)^2 + 6( \\ &5a^5c + 3a^3c^3)\cos(ex + d))\sin(ex + d))\log(ac\sin(ex + d) + 1/2 \\ &a^2 + 1/2c^2 + 1/2(a^2 - c^2)\cos(ex + d)) + 3(5a^6 + 18a^4c^2 + 9a \\ &a^2c^4 + (5a^6 - 12a^4c^2 - 9a^2c^4)\cos(ex + d)^3 + 3(5a^6 - 2a^ \\ &4c^2 - 3a^2c^4)\cos(ex + d)^2 + 3(5a^6 + 8a^4c^2 + 3a^2c^4)\cos( \\ &ex + d) + (15a^5c + 14a^3c^3 + 3ac^5 + (15a^5c + 4a^3c^3 - 3ac^ \\ &5)\cos(ex + d)^2 + 6(5a^5c + 3a^3c^3)\cos(ex + d))\sin(ex + d))\log \\ &(1/2\cos(ex + d) + 1/2) + 2(15a^5c + 14a^3c^3 + 6ac^5 + (15a^5c - \\ &41a^3c^3 - 12ac^5)\cos(ex + d)^2 + 3(10a^5c - 9a^3c^3 - ac^5)\cos \\ &ex + d))\sin(ex + d))/((a^3c^7 - 3ac^9)e\cos(ex + d)^3 + 3(a^3c^ \\ &7 - ac^9)e\cos(ex + d)^2 + 3(a^3c^7 + ac^9)e\cos(ex + d) + (a^3c^ \\ &7 + 3ac^9)e + (6a^2c^8e\cos(ex + d) + (3a^2c^8 - c^{10})e\cos(ex + \\ &d)^2 + (3a^2c^8 + c^{10})e)\sin(ex + d)) \end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))\*\*4,x)

[Out] Timed out

**Giac [A]** time = 1.14161, size = 410, normalized size = 1.98

$$-\frac{1}{384} \left( \frac{12(5a^3 + 3ac^2) \log\left(\left|c \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) + a\right|\right)}{c^7} - \frac{110a^3c^3 \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^3 + 66ac^5 \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^3 + 285a^4}{c^7} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^4,x, algorithm="giac")

[Out] 
$$-1/384*(12*(5a^3 + 3ac^2)*\log(\text{abs}(c*\tan(1/2*x*e + 1/2*d) + a))/c^7 - (110*a^3*c^3*\tan(1/2*x*e + 1/2*d)^3 + 66*a*c^5*\tan(1/2*x*e + 1/2*d)^3 + 285*a^4*c^2*\tan(1/2*x*e + 1/2*d)^2 + 144*a^2*c^4*\tan(1/2*x*e + 1/2*d)^2 - 9*c^6*\tan(1/2*x*e + 1/2*d)^2 + 249*a^5*c*\tan(1/2*x*e + 1/2*d) + 108*a^3*c^3*\tan(1/2*x*e + 1/2*d) - 9*a*c^5*\tan(1/2*x*e + 1/2*d) + 73*a^6 + 27*a^4*c^2 - 3*a^2*c^4 - c^6)/((c*\tan(1/2*x*e + 1/2*d) + a)^3*c^7) - (c^8*\tan(1/2*x*e + 1/2*d)^3 - 6*a*c^7*\tan(1/2*x*e + 1/2*d)^2 + 30*a^2*c^6*\tan(1/2*x*e + 1/2*d) + 9*c^8*\tan(1/2*x*e + 1/2*d))/c^12)*e^(-1)$$

$$3.370 \quad \int \frac{1}{2a+2a \cos(d+ex)+2a \sin(d+ex)} dx$$

**Optimal.** Leaf size=23

$$\frac{\log\left(\tan\left(\frac{1}{2}(d+ex)\right)+1\right)}{2ae}$$

[Out] Log[1 + Tan[(d + e\*x)/2]]/(2\*a\*e)

**Rubi [A]** time = 0.0213659, antiderivative size = 23, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {3124, 31}

$$\frac{\log\left(\tan\left(\frac{1}{2}(d+ex)\right)+1\right)}{2ae}$$

Antiderivative was successfully verified.

[In] Int[(2\*a + 2\*a\*Cos[d + e\*x] + 2\*a\*Sin[d + e\*x])^(-1), x]

[Out] Log[1 + Tan[(d + e\*x)/2]]/(2\*a\*e)

#### Rule 3124

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(-1), x\_Symbol] :> Module[{f = FreeFactors[Tan[(d + e\*x)/2], x]}, Dist[(2\*f)/e, Subst[Int[1/(a + b + 2\*c\*f\*x + (a - b)\*f^2\*x^2), x], x, Tan[(d + e\*x)/2]/f], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]

#### Rule 31

Int[((a\_.) + (b\_.)\*(x\_.))^(-1), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{1}{2a+2a \cos(d+ex)+2a \sin(d+ex)} dx &= \frac{2 \text{Subst}\left(\int \frac{1}{4a+4ax} dx, x, \tan\left(\frac{1}{2}(d+ex)\right)\right)}{e} \\ &= \frac{\log\left(1 + \tan\left(\frac{1}{2}(d+ex)\right)\right)}{2ae} \end{aligned}$$

**Mathematica [B]** time = 0.0296963, size = 50, normalized size = 2.17

$$\frac{\frac{\log\left(\sin\left(\frac{1}{2}(d+ex)\right)+\cos\left(\frac{1}{2}(d+ex)\right)\right)}{e} - \frac{\log\left(\cos\left(\frac{1}{2}(d+ex)\right)\right)}{e}}{2a}$$

Antiderivative was successfully verified.

[In] Integrate[(2\*a + 2\*a\*Cos[d + e\*x] + 2\*a\*Sin[d + e\*x])^(-1), x]

[Out]  $(-(\text{Log}[\text{Cos}[(d + e*x)/2]])/e) + \text{Log}[\text{Cos}[(d + e*x)/2] + \text{Sin}[(d + e*x)/2]]/e)/(2*a)$

**Maple [A]** time = 0.065, size = 21, normalized size = 0.9

$$\frac{1}{2ae} \ln \left( 1 + \tan \left( \frac{d}{2} + \frac{ex}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(2*a+2*a*cos(e*x+d)+2*a*sin(e*x+d)),x)`

[Out]  $1/2*\ln(1+\tan(1/2*d+1/2*e*x))/a/e$

**Maxima [A]** time = 0.987027, size = 38, normalized size = 1.65

$$\frac{\log \left( \frac{\sin(ex+d)}{\cos(ex+d)+1} + 1 \right)}{2ae}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(2*a+2*a*cos(e*x+d)+2*a*sin(e*x+d)),x, algorithm="maxima")`

[Out]  $1/2*\log(\sin(e*x + d)/(\cos(e*x + d) + 1) + 1)/(a*e)$

**Fricas [A]** time = 2.03023, size = 89, normalized size = 3.87

$$\frac{\log \left( \frac{1}{2} \cos(ex + d) + \frac{1}{2} \right) - \log(\sin(ex + d) + 1)}{4ae}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(2*a+2*a*cos(e*x+d)+2*a*sin(e*x+d)),x, algorithm="fricas")`

[Out]  $-1/4*(\log(1/2*\cos(e*x + d) + 1/2) - \log(\sin(e*x + d) + 1))/(a*e)$

**Sympy [A]** time = 0.719413, size = 36, normalized size = 1.57

$$\begin{cases} \frac{\log \left( \tan \left( \frac{d}{2} + \frac{ex}{2} \right) + 1 \right)}{2ae^x} & \text{for } e \neq 0 \\ \frac{1}{2a \sin(d) + 2a \cos(d) + 2a} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(2*a+2*a*cos(e*x+d)+2*a*sin(e*x+d)),x)`

[Out] `Piecewise((log(tan(d/2 + e*x/2) + 1)/(2*a*e), Ne(e, 0)), (x/(2*a*sin(d) + 2*a*cos(d) + 2*a), True))`

---

**Giac [A]** time = 1.13198, size = 28, normalized size = 1.22

$$\frac{e^{(-1)} \log \left( \left| \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right) + 1 \right| \right)}{2 a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*a\*cos(e\*x+d)+2\*a\*sin(e\*x+d)),x, algorithm="giac")

[Out] 1/2\*e<sup>(-1)</sup>\*log(abs(tan(1/2\*x\*e + 1/2\*d) + 1))/a



$$3.371 \quad \int \frac{1}{(2a+2a \cos(d+ex)+2a \sin(d+ex))^2} dx$$

**Optimal.** Leaf size=75

$$-\frac{\log\left(\tan\left(\frac{1}{2}(d+ex)\right)+1\right)}{4a^2e} - \frac{a \cos(d+ex) - a \sin(d+ex)}{4e(a^3 \sin(d+ex) + a^3 \cos(d+ex) + a^3)}$$

[Out] -Log[1 + Tan[(d + e\*x)/2]]/(4\*a^2\*e) - (a\*Cos[d + e\*x] - a\*Sin[d + e\*x])/(4\*e\*(a^3 + a^3\*Cos[d + e\*x] + a^3\*Sin[d + e\*x]))

**Rubi [A]** time = 0.0479758, antiderivative size = 75, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {3129, 12, 3124, 31}

$$-\frac{\log\left(\tan\left(\frac{1}{2}(d+ex)\right)+1\right)}{4a^2e} - \frac{a \cos(d+ex) - a \sin(d+ex)}{4e(a^3 \sin(d+ex) + a^3 \cos(d+ex) + a^3)}$$

Antiderivative was successfully verified.

[In] Int[(2\*a + 2\*a\*Cos[d + e\*x] + 2\*a\*Sin[d + e\*x])^(-2), x]

[Out] -Log[1 + Tan[(d + e\*x)/2]]/(4\*a^2\*e) - (a\*Cos[d + e\*x] - a\*Sin[d + e\*x])/(4\*e\*(a^3 + a^3\*Cos[d + e\*x] + a^3\*Sin[d + e\*x]))

#### Rule 3129

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Simp[((-(c\*Cos[d + e\*x]) + b\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1))/(e\*(n + 1)\*(a^2 - b^2 - c^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2 - c^2)), Int[(a\*(n + 1) - b\*(n + 2)\*Cos[d + e\*x] - c\*(n + 2)\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && LtQ[n, -1] && NeQ[n, -3/2]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 3124

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(-1), x\_Symbol] :> Module[{f = FreeFactors[Tan[(d + e\*x)/2], x]}, Dist[(2\*f)/e, Subst[Int[1/(a + b + 2\*c\*f\*x + (a - b)\*f^2\*x^2), x], x, Tan[(d + e\*x)/2]/f], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]

#### Rule 31

Int[((a\_) + (b\_.)\*(x\_))^(n\_), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

#### Rubi steps

$$\begin{aligned}
\int \frac{1}{(2a + 2a \cos(d + ex) + 2a \sin(d + ex))^2} dx &= -\frac{a \cos(d + ex) - a \sin(d + ex)}{4e(a^3 + a^3 \cos(d + ex) + a^3 \sin(d + ex))} + \frac{\int -\frac{2a}{2a + 2a \cos(d + ex) + 2a \sin(d + ex)} dx}{4a^2} \\
&= -\frac{a \cos(d + ex) - a \sin(d + ex)}{4e(a^3 + a^3 \cos(d + ex) + a^3 \sin(d + ex))} - \frac{\int \frac{1}{2a + 2a \cos(d + ex) + 2a \sin(d + ex)} dx}{2a} \\
&= -\frac{a \cos(d + ex) - a \sin(d + ex)}{4e(a^3 + a^3 \cos(d + ex) + a^3 \sin(d + ex))} - \frac{\text{Subst}\left(\int \frac{1}{4a + 4ax} dx, x, \tan\left(\frac{1}{2}(d + ex)\right)\right)}{ae} \\
&= -\frac{\log\left(1 + \tan\left(\frac{1}{2}(d + ex)\right)\right)}{4a^2e} - \frac{a \cos(d + ex) - a \sin(d + ex)}{4e(a^3 + a^3 \cos(d + ex) + a^3 \sin(d + ex))}
\end{aligned}$$

**Mathematica [A]** time = 0.183596, size = 93, normalized size = 1.24

$$\frac{\tan\left(\frac{1}{2}(d + ex)\right) + 2 \log\left(\cos\left(\frac{1}{2}(d + ex)\right)\right) + \frac{2 \sin\left(\frac{1}{2}(d + ex)\right)}{\sin\left(\frac{1}{2}(d + ex)\right) + \cos\left(\frac{1}{2}(d + ex)\right)} - 2 \log\left(\sin\left(\frac{1}{2}(d + ex)\right) + \cos\left(\frac{1}{2}(d + ex)\right)\right)}{8a^2e}$$

Antiderivative was successfully verified.

[In] Integrate[(2\*a + 2\*a\*Cos[d + e\*x] + 2\*a\*Sin[d + e\*x])^(-2),x]

[Out] (2\*Log[Cos[(d + e\*x)/2]] - 2\*Log[Cos[(d + e\*x)/2] + Sin[(d + e\*x)/2]] + (2\*Sin[(d + e\*x)/2])/(Cos[(d + e\*x)/2] + Sin[(d + e\*x)/2]) + Tan[(d + e\*x)/2])/(8\*a^2\*e)

**Maple [A]** time = 0.086, size = 60, normalized size = 0.8

$$\frac{1}{8a^2e} \tan\left(\frac{d}{2} + \frac{ex}{2}\right) - \frac{1}{4a^2e} \left(1 + \tan\left(\frac{d}{2} + \frac{ex}{2}\right)\right)^{-1} - \frac{1}{4a^2e} \ln\left(1 + \tan\left(\frac{d}{2} + \frac{ex}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(2\*a+2\*a\*cos(e\*x+d)+2\*a\*sin(e\*x+d))^2,x)

[Out] 1/8/e/a^2\*tan(1/2\*d+1/2\*e\*x)-1/4/e/a^2/(1+tan(1/2\*d+1/2\*e\*x))-1/4\*ln(1+tan(1/2\*d+1/2\*e\*x))/a^2/e

**Maxima [A]** time = 1.01651, size = 108, normalized size = 1.44

$$\frac{\frac{2}{a^2 + \frac{a^2 \sin(ex+d)}{\cos(ex+d)+1}} + \frac{2 \log\left(\frac{\sin(ex+d)}{\cos(ex+d)+1} + 1\right)}{a^2} - \frac{\sin(ex+d)}{a^2(\cos(ex+d)+1)}}{8e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*a\*cos(e\*x+d)+2\*a\*sin(e\*x+d))^2,x, algorithm="maxima")

[Out]  $-1/8*(2/(a^2 + a^2*\sin(e*x + d)/(\cos(e*x + d) + 1)) + 2*\log(\sin(e*x + d)/(\cos(e*x + d) + 1) + 1)/a^2 - \sin(e*x + d)/(a^2*(\cos(e*x + d) + 1)))/e$

**Fricas [A]** time = 2.12157, size = 285, normalized size = 3.8

$$\frac{(\cos(ex + d) + \sin(ex + d) + 1) \log\left(\frac{1}{2} \cos(ex + d) + \frac{1}{2}\right) - (\cos(ex + d) + \sin(ex + d) + 1) \log(\sin(ex + d) + 1) - 2 \cos(ex + d) + 2 \sin(ex + d)}{8(a^2 e \cos(ex + d) + a^2 e \sin(ex + d) + a^2 e)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(2*a+2*a*cos(e*x+d)+2*a*sin(e*x+d))^2,x, algorithm="fricas")`

[Out]  $1/8*((\cos(e*x + d) + \sin(e*x + d) + 1)*\log(1/2*\cos(e*x + d) + 1/2) - (\cos(e*x + d) + \sin(e*x + d) + 1)*\log(\sin(e*x + d) + 1) - 2*\cos(e*x + d) + 2*\sin(e*x + d))/(a^2*e*\cos(e*x + d) + a^2*e*\sin(e*x + d) + a^2*e)$

**Sympy [A]** time = 2.48721, size = 168, normalized size = 2.24

$$\begin{cases} \frac{2 \log\left(\tan\left(\frac{d}{2} + \frac{ex}{2}\right) + 1\right) \tan\left(\frac{d}{2} + \frac{ex}{2}\right)}{8a^2 e \tan\left(\frac{d}{2} + \frac{ex}{2}\right) + 8a^2 e} - \frac{2 \log\left(\tan\left(\frac{d}{2} + \frac{ex}{2}\right) + 1\right)}{8a^2 e \tan\left(\frac{d}{2} + \frac{ex}{2}\right) + 8a^2 e} + \frac{\tan^2\left(\frac{d}{2} + \frac{ex}{2}\right)}{8a^2 e \tan\left(\frac{d}{2} + \frac{ex}{2}\right) + 8a^2 e} - \frac{3}{8a^2 e \tan\left(\frac{d}{2} + \frac{ex}{2}\right) + 8a^2 e} & \text{for } e \neq 0 \\ \frac{x}{(2a \sin(d) + 2a \cos(d) + 2a)^2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(2*a+2*a*cos(e*x+d)+2*a*sin(e*x+d))**2,x)`

[Out] `Piecewise((-2*log(tan(d/2 + e*x/2) + 1)*tan(d/2 + e*x/2)/(8*a**2*e*tan(d/2 + e*x/2) + 8*a**2*e) - 2*log(tan(d/2 + e*x/2) + 1)/(8*a**2*e*tan(d/2 + e*x/2) + 8*a**2*e) + tan(d/2 + e*x/2)**2/(8*a**2*e*tan(d/2 + e*x/2) + 8*a**2*e) - 3/(8*a**2*e*tan(d/2 + e*x/2) + 8*a**2*e), Ne(e, 0)), (x/(2*a*sin(d) + 2*a*cos(d) + 2*a)**2, True))`

**Giac [A]** time = 1.14342, size = 92, normalized size = 1.23

$$-\frac{1}{8} \left( \frac{2 \log\left(\left|\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) + 1\right|\right)}{a^2} - \frac{\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)}{a^2} - \frac{2 \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)}{a^2 \left(\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) + 1\right)} \right) e^{(-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(2*a+2*a*cos(e*x+d)+2*a*sin(e*x+d))^2,x, algorithm="giac")`

[Out]  $-1/8*(2*\log(\text{abs}(\tan(1/2*x*e + 1/2*d) + 1))/a^2 - \tan(1/2*x*e + 1/2*d)/a^2 - 2*\tan(1/2*x*e + 1/2*d)/(a^2*(\tan(1/2*x*e + 1/2*d) + 1)))*e^{(-1)}$

$$3.372 \quad \int \frac{1}{(2a+2a \cos(d+ex)+2a \sin(d+ex))^3} dx$$

**Optimal.** Leaf size=123

$$\frac{\log\left(\tan\left(\frac{1}{2}(d+ex)\right)+1\right)}{4a^3e} + \frac{3(\cos(d+ex) - \sin(d+ex))}{16e(a^3 \sin(d+ex) + a^3 \cos(d+ex) + a^3)} - \frac{a \cos(d+ex) - a \sin(d+ex)}{16e(a^2 \sin(d+ex) + a^2 \cos(d+ex) + a^2)^2}$$

[Out] Log[1 + Tan[(d + e\*x)/2]]/(4\*a^3\*e) - (a\*Cos[d + e\*x] - a\*Sin[d + e\*x])/(16\*e\*(a^2 + a^2\*Cos[d + e\*x] + a^2\*Sin[d + e\*x])^2) + (3\*(Cos[d + e\*x] - Sin[d + e\*x]))/(16\*e\*(a^3 + a^3\*Cos[d + e\*x] + a^3\*Sin[d + e\*x]))

**Rubi [A]** time = 0.107318, antiderivative size = 123, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {3129, 3153, 3124, 31}

$$\frac{\log\left(\tan\left(\frac{1}{2}(d+ex)\right)+1\right)}{4a^3e} + \frac{3(\cos(d+ex) - \sin(d+ex))}{16e(a^3 \sin(d+ex) + a^3 \cos(d+ex) + a^3)} - \frac{a \cos(d+ex) - a \sin(d+ex)}{16e(a^2 \sin(d+ex) + a^2 \cos(d+ex) + a^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(2\*a + 2\*a\*Cos[d + e\*x] + 2\*a\*Sin[d + e\*x])^(-3), x]

[Out] Log[1 + Tan[(d + e\*x)/2]]/(4\*a^3\*e) - (a\*Cos[d + e\*x] - a\*Sin[d + e\*x])/(16\*e\*(a^2 + a^2\*Cos[d + e\*x] + a^2\*Sin[d + e\*x])^2) + (3\*(Cos[d + e\*x] - Sin[d + e\*x]))/(16\*e\*(a^3 + a^3\*Cos[d + e\*x] + a^3\*Sin[d + e\*x]))

#### Rule 3129

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Simp[(-c\*Cos[d + e\*x] + b\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1)/(e\*(n + 1)\*(a^2 - b^2 - c^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2 - c^2)), Int[(a\*(n + 1) - b\*(n + 2)\*Cos[d + e\*x] - c\*(n + 2)\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && LtQ[n, -1] && NeQ[n, -3/2]

#### Rule 3153

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]) / ((a\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^2, x\_Symbol] :> Simp[(c\*B - b\*C - (a\*C - c\*A)\*Cos[d + e\*x] + (a\*B - b\*A)\*Sin[d + e\*x]) / (e\*(a^2 - b^2 - c^2)\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])), x] + Dist[(a\*A - b\*B - c\*C) / (a^2 - b^2 - c^2), Int[1 / (a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]), x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[a\*A - b\*B - c\*C, 0]

#### Rule 3124

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(-1), x\_Symbol] :> Module[{f = FreeFactors[Tan[(d + e\*x)/2], x]}, Dist[(2\*f)/e, Subst[Int[1/(a + b + 2\*c\*f\*x + (a - b)\*f^2\*x^2), x], x, Tan[(d + e\*x)/2]/f], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]

#### Rule 31

Int[((a\_) + (b\_.)\*(x\_))^(−1), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

### Rubi steps

$$\begin{aligned} \int \frac{1}{(2a + 2a \cos(d + ex) + 2a \sin(d + ex))^3} dx &= -\frac{a \cos(d + ex) - a \sin(d + ex)}{16e (a^2 + a^2 \cos(d + ex) + a^2 \sin(d + ex))^2} + \frac{\int \frac{-4a + 2a \cos(d + ex) + 2a \sin(d + ex)}{(2a + 2a \cos(d + ex) + 2a \sin(d + ex))^2} dx}{8a^2} \\ &= -\frac{a \cos(d + ex) - a \sin(d + ex)}{16e (a^2 + a^2 \cos(d + ex) + a^2 \sin(d + ex))^2} + \frac{3(\cos(d + ex) - \sin(d + ex))}{16e (a^3 + a^3 \cos(d + ex) + a^3 \sin(d + ex))} \\ &= -\frac{a \cos(d + ex) - a \sin(d + ex)}{16e (a^2 + a^2 \cos(d + ex) + a^2 \sin(d + ex))^2} + \frac{3(\cos(d + ex) - \sin(d + ex))}{16e (a^3 + a^3 \cos(d + ex) + a^3 \sin(d + ex))} \\ &= \frac{\log\left(1 + \tan\left(\frac{1}{2}(d + ex)\right)\right)}{4a^3 e} - \frac{a \cos(d + ex) - a \sin(d + ex)}{16e (a^2 + a^2 \cos(d + ex) + a^2 \sin(d + ex))} \end{aligned}$$

**Mathematica [A]** time = 0.582234, size = 135, normalized size = 1.1

$$\frac{\sec^2\left(\frac{1}{2}(d + ex)\right) + 2\left(-3 \tan\left(\frac{1}{2}(d + ex)\right) - 8 \log\left(\cos\left(\frac{1}{2}(d + ex)\right)\right) - \frac{6 \sin\left(\frac{1}{2}(d + ex)\right)}{\sin\left(\frac{1}{2}(d + ex)\right) + \cos\left(\frac{1}{2}(d + ex)\right)} - \frac{1}{\left(\sin\left(\frac{1}{2}(d + ex)\right) + \cos\left(\frac{1}{2}(d + ex)\right)\right)}\right)}{64a^3 e}$$

Antiderivative was successfully verified.

[In] Integrate[(2\*a + 2\*a\*cos[d + e\*x] + 2\*a\*sin[d + e\*x])^(−3), x]

[Out] (Sec[(d + e\*x)/2]^2 + 2\*(-8\*Log[Cos[(d + e\*x)/2]] + 8\*Log[Cos[(d + e\*x)/2] + Sin[(d + e\*x)/2]] - (Cos[(d + e\*x)/2] + Sin[(d + e\*x)/2])^(−2) - (6\*Sin[(d + e\*x)/2])/(Cos[(d + e\*x)/2] + Sin[(d + e\*x)/2]) - 3\*Tan[(d + e\*x)/2]))/(64\*a^3\*e)

**Maple [A]** time = 0.099, size = 100, normalized size = 0.8

$$\frac{1}{64a^3 e} \left( \tan\left(\frac{d}{2} + \frac{ex}{2}\right) \right)^2 - \frac{3}{32a^3 e} \tan\left(\frac{d}{2} + \frac{ex}{2}\right) + \frac{1}{4a^3 e} \left(1 + \tan\left(\frac{d}{2} + \frac{ex}{2}\right)\right)^{-1} - \frac{1}{16a^3 e} \left(1 + \tan\left(\frac{d}{2} + \frac{ex}{2}\right)\right)^{-2} + \frac{1}{4a^3 e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(2\*a+2\*a\*cos(e\*x+d)+2\*a\*sin(e\*x+d))^3, x)

[Out] 1/64/e/a^3\*tan(1/2\*d+1/2\*e\*x)^2-3/32/e/a^3\*tan(1/2\*d+1/2\*e\*x)+1/4/e/a^3/(1+tan(1/2\*d+1/2\*e\*x))-1/16/e/a^3/(1+tan(1/2\*d+1/2\*e\*x))^2+1/4\*ln(1+tan(1/2\*d+1/2\*e\*x))/a^3/e

**Maxima [A]** time = 1.07133, size = 197, normalized size = 1.6

$$\frac{4\left(\frac{4 \sin(ex+d)}{\cos(ex+d)+1}+3\right)}{a^3 + \frac{2a^3 \sin(ex+d)}{\cos(ex+d)+1} + \frac{a^3 \sin^2(ex+d)}{(\cos(ex+d)+1)^2}} - \frac{\frac{6 \sin(ex+d)}{\cos(ex+d)+1} - \frac{\sin^2(ex+d)}{(\cos(ex+d)+1)^2}}{a^3} + \frac{16 \log\left(\frac{\sin(ex+d)}{\cos(ex+d)+1}+1\right)}{a^3}$$

64e

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*a\*cos(e\*x+d)+2\*a\*sin(e\*x+d))^3,x, algorithm="maxima")

[Out] 1/64\*(4\*(4\*sin(e\*x + d)/(cos(e\*x + d) + 1) + 3)/(a^3 + 2\*a^3\*sin(e\*x + d)/(cos(e\*x + d) + 1) + a^3\*sin(e\*x + d)^2/(cos(e\*x + d) + 1)^2) - (6\*sin(e\*x + d)/(cos(e\*x + d) + 1) - sin(e\*x + d)^2/(cos(e\*x + d) + 1)^2)/a^3 + 16\*log(sin(e\*x + d)/(cos(e\*x + d) + 1) + 1)/a^3)/e

**Fricas [A]** time = 2.13307, size = 405, normalized size = 3.29

$$\frac{6 \cos(ex + d)^2 - 4((\cos(ex + d) + 1) \sin(ex + d) + \cos(ex + d) + 1) \log\left(\frac{1}{2} \cos(ex + d) + \frac{1}{2}\right) + 4((\cos(ex + d) + 1) \sin(ex + d) + \cos(ex + d) + 1) \log(\sin(ex + d) + 1) + 2 \cos(ex + d) - 2 \sin(ex + d) - 3}{32(a^3 e \cos(ex + d) + a^3 e + (a^3 e \cos(ex + d) + a^3 e) \sin(ex + d))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*a\*cos(e\*x+d)+2\*a\*sin(e\*x+d))^3,x, algorithm="fricas")

[Out] 1/32\*(6\*cos(e\*x + d)^2 - 4\*((cos(e\*x + d) + 1)\*sin(e\*x + d) + cos(e\*x + d) + 1)\*log(1/2\*cos(e\*x + d) + 1/2) + 4\*((cos(e\*x + d) + 1)\*sin(e\*x + d) + cos(e\*x + d) + 1)\*log(sin(e\*x + d) + 1) + 2\*cos(e\*x + d) - 2\*sin(e\*x + d) - 3)/(a^3\*e\*cos(e\*x + d) + a^3\*e + (a^3\*e\*cos(e\*x + d) + a^3\*e)\*sin(e\*x + d))

**Sympy [A]** time = 9.65431, size = 423, normalized size = 3.44

$$\frac{\frac{16 \log\left(\tan\left(\frac{d}{2} + \frac{ex}{2}\right) + 1\right) \tan^2\left(\frac{d}{2} + \frac{ex}{2}\right)}{64a^3e \tan^2\left(\frac{d}{2} + \frac{ex}{2}\right) + 128a^3e \tan\left(\frac{d}{2} + \frac{ex}{2}\right) + 64a^3e} + \frac{32 \log\left(\tan\left(\frac{d}{2} + \frac{ex}{2}\right) + 1\right) \tan\left(\frac{d}{2} + \frac{ex}{2}\right)}{64a^3e \tan^2\left(\frac{d}{2} + \frac{ex}{2}\right) + 128a^3e \tan\left(\frac{d}{2} + \frac{ex}{2}\right) + 64a^3e} + \frac{16 \log\left(\tan\left(\frac{d}{2} + \frac{ex}{2}\right) + 1\right)}{64a^3e \tan^2\left(\frac{d}{2} + \frac{ex}{2}\right) + 128a^3e \tan\left(\frac{d}{2} + \frac{ex}{2}\right) + 64a^3e} + \frac{1}{(2a \sin(d) + 2a \cos(d) + 2a)^3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*a\*cos(e\*x+d)+2\*a\*sin(e\*x+d))^3,x)

[Out] Piecewise(((16\*log(tan(d/2 + e\*x/2) + 1)\*tan(d/2 + e\*x/2)\*\*2/(64\*a\*\*3\*e\*tan(d/2 + e\*x/2)\*\*2 + 128\*a\*\*3\*e\*tan(d/2 + e\*x/2) + 64\*a\*\*3\*e) + 32\*log(tan(d/2 + e\*x/2) + 1)\*tan(d/2 + e\*x/2)/(64\*a\*\*3\*e\*tan(d/2 + e\*x/2)\*\*2 + 128\*a\*\*3\*e\*tan(d/2 + e\*x/2) + 64\*a\*\*3\*e) + 16\*log(tan(d/2 + e\*x/2) + 1)/(64\*a\*\*3\*e\*tan(d/2 + e\*x/2)\*\*2 + 128\*a\*\*3\*e\*tan(d/2 + e\*x/2) + 64\*a\*\*3\*e) + tan(d/2 + e\*x/2)\*\*4/(64\*a\*\*3\*e\*tan(d/2 + e\*x/2)\*\*2 + 128\*a\*\*3\*e\*tan(d/2 + e\*x/2) + 64\*a\*\*3\*e) - 4\*tan(d/2 + e\*x/2)\*\*3/(64\*a\*\*3\*e\*tan(d/2 + e\*x/2)\*\*2 + 128\*a\*\*3\*e\*tan(d/2 + e\*x/2) + 64\*a\*\*3\*e) + 32\*tan(d/2 + e\*x/2)/(64\*a\*\*3\*e\*tan(d/2 + e\*x/2)\*\*2 + 128\*a\*\*3\*e\*tan(d/2 + e\*x/2) + 64\*a\*\*3\*e) + 23/(64\*a\*\*3\*e\*tan(d/2 + e\*x/2)\*\*2 + 128\*a\*\*3\*e\*tan(d/2 + e\*x/2) + 64\*a\*\*3\*e), Ne(e, 0)), (x/(2\*a\*sin(d) + 2\*a\*cos(d) + 2\*a)\*\*3, True))

**Giac [A]** time = 1.15918, size = 144, normalized size = 1.17

$$\frac{1}{64} \left( \frac{16 \log\left(\left|\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) + 1\right|\right)}{a^3} - \frac{4\left(6 \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^2 + 8 \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) + 3\right)}{a^3 \left(\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) + 1\right)^2} + \frac{a^3 \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^2 - 6a^3 \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)}{a^6} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(2*a+2*a*cos(e*x+d)+2*a*sin(e*x+d))^3,x, algorithm="giac")
```

```
[Out] 1/64*(16*log(abs(tan(1/2*x*e + 1/2*d) + 1))/a^3 - 4*(6*tan(1/2*x*e + 1/2*d)^2 + 8*tan(1/2*x*e + 1/2*d) + 3)/(a^3*(tan(1/2*x*e + 1/2*d) + 1)^2) + (a^3*tan(1/2*x*e + 1/2*d)^2 - 6*a^3*tan(1/2*x*e + 1/2*d))/a^6)*e^(-1)
```

$$3.373 \quad \int \frac{1}{(2a+2a \cos(d+ex)+2a \sin(d+ex))^4} dx$$

**Optimal.** Leaf size=168

$$\frac{\log\left(\tan\left(\frac{1}{2}(d+ex)\right)+1\right)}{4a^4e} - \frac{19(a \cos(d+ex) - a \sin(d+ex))}{96e\left(a^5 \sin(d+ex) + a^5 \cos(d+ex) + a^5\right)} + \frac{5(\cos(d+ex) - \sin(d+ex))}{96e\left(a^2 \sin(d+ex) + a^2 \cos(d+ex) + a^2\right)^2}$$

[Out] -Log[1 + Tan[(d + e\*x)/2]]/(4\*a^4\*e) - (Cos[d + e\*x] - Sin[d + e\*x])/(48\*a\*e\*(a + a\*cos[d + e\*x] + a\*sin[d + e\*x])^3) + (5\*(Cos[d + e\*x] - Sin[d + e\*x]))/(96\*e\*(a^2 + a^2\*cos[d + e\*x] + a^2\*sin[d + e\*x])^2) - (19\*(a\*cos[d + e\*x] - a\*sin[d + e\*x]))/(96\*e\*(a^5 + a^5\*cos[d + e\*x] + a^5\*sin[d + e\*x]))

**Rubi [A]** time = 0.186493, antiderivative size = 168, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$ , Rules used = {3129, 3156, 3153, 3124, 31}

$$\frac{\log\left(\tan\left(\frac{1}{2}(d+ex)\right)+1\right)}{4a^4e} - \frac{19(a \cos(d+ex) - a \sin(d+ex))}{96e\left(a^5 \sin(d+ex) + a^5 \cos(d+ex) + a^5\right)} + \frac{5(\cos(d+ex) - \sin(d+ex))}{96e\left(a^2 \sin(d+ex) + a^2 \cos(d+ex) + a^2\right)^2}$$

Antiderivative was successfully verified.

[In] Int[(2\*a + 2\*a\*cos[d + e\*x] + 2\*a\*sin[d + e\*x])^(-4), x]

[Out] -Log[1 + Tan[(d + e\*x)/2]]/(4\*a^4\*e) - (Cos[d + e\*x] - Sin[d + e\*x])/(48\*a\*e\*(a + a\*cos[d + e\*x] + a\*sin[d + e\*x])^3) + (5\*(Cos[d + e\*x] - Sin[d + e\*x]))/(96\*e\*(a^2 + a^2\*cos[d + e\*x] + a^2\*sin[d + e\*x])^2) - (19\*(a\*cos[d + e\*x] - a\*sin[d + e\*x]))/(96\*e\*(a^5 + a^5\*cos[d + e\*x] + a^5\*sin[d + e\*x]))

#### Rule 3129

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Simp[(-c\*cos[d + e\*x] + b\*sin[d + e\*x])\*(a + b\*cos[d + e\*x] + c\*sin[d + e\*x])^(n + 1)/(e\*(n + 1)\*(a^2 - b^2 - c^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2 - c^2)), Int[(a\*(n + 1) - b\*(n + 2)\*cos[d + e\*x] - c\*(n + 2)\*sin[d + e\*x])\*(a + b\*cos[d + e\*x] + c\*sin[d + e\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && LtQ[n, -1] && NeQ[n, -3/2]

#### Rule 3156

Int[((a\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(n\_)\*((A\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]), x\_Symbol] :> -Simp[(c\*B - b\*C - (a\*C - c\*A)\*cos[d + e\*x] + (a\*B - b\*A)\*sin[d + e\*x])\*(a + b\*cos[d + e\*x] + c\*sin[d + e\*x])^(n + 1)/(e\*(n + 1)\*(a^2 - b^2 - c^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2 - c^2)), Int[(a + b\*cos[d + e\*x] + c\*sin[d + e\*x])^(n + 1)\*Simp[(n + 1)\*(a\*A - b\*B - c\*C) + (n + 2)\*(a\*B - b\*A)\*cos[d + e\*x] + (n + 2)\*(a\*C - c\*A)\*sin[d + e\*x], x], x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && LtQ[n, -1] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[n, -2]

#### Rule 3153

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])/(a\_. + cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^2,



```
x_Symbol] := Simp[(c*B - b*C - (a*C - c*A)*Cos[d + e*x] + (a*B - b*A)*Sin[
d + e*x])/(e*(a^2 - b^2 - c^2)*(a + b*Cos[d + e*x] + c*Sin[d + e*x])), x] +
Dist[(a*A - b*B - c*C)/(a^2 - b^2 - c^2), Int[1/(a + b*Cos[d + e*x] + c*Si
n[d + e*x]), x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && NeQ[a^2 - b^2
- c^2, 0] && NeQ[a*A - b*B - c*C, 0]
```

### Rule 3124

```
Int[(cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^
(-1), x_Symbol] := Module[{f = FreeFactors[Tan[(d + e*x)/2], x]}, Dist[(2*f
)/e, Subst[Int[1/(a + b + 2*c*f*x + (a - b)*f^2*x^2), x], x, Tan[(d + e*x)/
2]/f], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]
```

### Rule 31

```
Int[((a_) + (b_.)*(x_))^-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

### Rubi steps

$$\begin{aligned} \int \frac{1}{(2a + 2a \cos(d + ex) + 2a \sin(d + ex))^4} dx &= -\frac{\cos(d + ex) - \sin(d + ex)}{48ae(a + a \cos(d + ex) + a \sin(d + ex))^3} + \frac{\int \frac{-6a+4a \cos(d+ex)+4a \sin(d+ex)}{(2a+2a \cos(d+ex)+2a \sin(d+ex))^4} dx}{12a^2} \\ &= -\frac{\cos(d + ex) - \sin(d + ex)}{48ae(a + a \cos(d + ex) + a \sin(d + ex))^3} + \frac{5(\cos(d + ex) - \sin(d + ex))}{96e(a^2 + a^2 \cos(d + ex))} \\ &= -\frac{\cos(d + ex) - \sin(d + ex)}{48ae(a + a \cos(d + ex) + a \sin(d + ex))^3} + \frac{5(\cos(d + ex) - \sin(d + ex))}{96e(a^2 + a^2 \cos(d + ex))} \\ &= -\frac{\cos(d + ex) - \sin(d + ex)}{48ae(a + a \cos(d + ex) + a \sin(d + ex))^3} + \frac{5(\cos(d + ex) - \sin(d + ex))}{96e(a^2 + a^2 \cos(d + ex))} \\ &= -\frac{\log\left(1 + \tan\left(\frac{1}{2}(d + ex)\right)\right)}{4a^4e} - \frac{\cos(d + ex) - \sin(d + ex)}{48ae(a + a \cos(d + ex) + a \sin(d + ex))} \end{aligned}$$

**Mathematica [A]** time = 0.973845, size = 247, normalized size = 1.47

$$\frac{19 \tan\left(\frac{1}{2}(d + ex)\right)}{192a^4e} - \frac{\sec^2\left(\frac{1}{2}(d + ex)\right)}{64a^4e} + \frac{\log\left(\cos\left(\frac{1}{2}(d + ex)\right)\right)}{4a^4e} + \frac{19 \sin\left(\frac{1}{2}(d + ex)\right)}{96a^4e\left(\sin\left(\frac{1}{2}(d + ex)\right) + \cos\left(\frac{1}{2}(d + ex)\right)\right)} + \frac{1}{192a^4e}$$

Antiderivative was successfully verified.

```
[In] Integrate[(2*a + 2*a*Cos[d + e*x] + 2*a*Sin[d + e*x])^-4, x]
```

```
[Out] Log[Cos[(d + e*x)/2]]/(4*a^4*e) - Log[Cos[(d + e*x)/2] + Sin[(d + e*x)/2]]/
(4*a^4*e) - Sec[(d + e*x)/2]^2/(64*a^4*e) + Sin[(d + e*x)/2]/(96*a^4*e*(Cos
[(d + e*x)/2] + Sin[(d + e*x)/2])^3) + 5/(192*a^4*e*(Cos[(d + e*x)/2] + Sin
[(d + e*x)/2])^2) + (19*Sin[(d + e*x)/2])/(96*a^4*e*(Cos[(d + e*x)/2] + Sin
[(d + e*x)/2])) + (19*Tan[(d + e*x)/2])/(192*a^4*e) + (Sec[(d + e*x)/2]^2*T
an[(d + e*x)/2])/(384*a^4*e)
```

**Maple [A]** time = 0.112, size = 140, normalized size = 0.8

$$\frac{1}{384ea^4} \left( \tan\left(\frac{d}{2} + \frac{ex}{2}\right) \right)^3 - \frac{1}{64ea^4} \left( \tan\left(\frac{d}{2} + \frac{ex}{2}\right) \right)^2 + \frac{13}{128ea^4} \tan\left(\frac{d}{2} + \frac{ex}{2}\right) - \frac{9}{32ea^4} \left( 1 + \tan\left(\frac{d}{2} + \frac{ex}{2}\right) \right)^{-1} + \frac{3}{32ea^4} \left( 1 + \tan\left(\frac{d}{2} + \frac{ex}{2}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(2\*a+2\*a\*cos(e\*x+d)+2\*a\*sin(e\*x+d))^4,x)

[Out] 1/384/e/a^4\*tan(1/2\*d+1/2\*e\*x)^3-1/64/e/a^4\*tan(1/2\*d+1/2\*e\*x)^2+13/128/e/a^4\*tan(1/2\*d+1/2\*e\*x)-9/32/e/a^4/(1+tan(1/2\*d+1/2\*e\*x))+3/32/e/a^4/(1+tan(1/2\*d+1/2\*e\*x))^2-1/4\*ln(1+tan(1/2\*d+1/2\*e\*x))/a^4/e-1/48/e/a^4/(1+tan(1/2\*d+1/2\*e\*x))^3

**Maxima [A]** time = 1.12096, size = 281, normalized size = 1.67

$$\frac{4 \left( \frac{45 \sin(ex+d)}{\cos(ex+d)+1} + \frac{27 \sin(ex+d)^2}{(\cos(ex+d)+1)^2} + 20 \right)}{a^4 + \frac{3a^4 \sin(ex+d)}{\cos(ex+d)+1} + \frac{3a^4 \sin(ex+d)^2}{(\cos(ex+d)+1)^2} + \frac{a^4 \sin(ex+d)^3}{(\cos(ex+d)+1)^3}} - \frac{\frac{39 \sin(ex+d)}{\cos(ex+d)+1} - \frac{6 \sin(ex+d)^2}{(\cos(ex+d)+1)^2} + \frac{\sin(ex+d)^3}{(\cos(ex+d)+1)^3}}{a^4} + \frac{96 \log\left(\frac{\sin(ex+d)}{\cos(ex+d)+1} + 1\right)}{a^4}$$

$384e$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*a\*cos(e\*x+d)+2\*a\*sin(e\*x+d))^4,x, algorithm="maxima")

[Out] -1/384\*(4\*(45\*sin(e\*x + d)/(cos(e\*x + d) + 1) + 27\*sin(e\*x + d)^2/(cos(e\*x + d) + 1)^2 + 20)/(a^4 + 3\*a^4\*sin(e\*x + d)/(cos(e\*x + d) + 1) + 3\*a^4\*sin(e\*x + d)^2/(cos(e\*x + d) + 1)^2 + a^4\*sin(e\*x + d)^3/(cos(e\*x + d) + 1)^3) - (39\*sin(e\*x + d)/(cos(e\*x + d) + 1) - 6\*sin(e\*x + d)^2/(cos(e\*x + d) + 1)^2 + sin(e\*x + d)^3/(cos(e\*x + d) + 1)^3)/a^4 + 96\*log(sin(e\*x + d)/(cos(e\*x + d) + 1) + 1)/a^4)/e

**Fricas [A]** time = 2.14268, size = 645, normalized size = 3.84

$$\frac{38 \cos(ex+d)^3 + 66 \cos(ex+d)^2 + 24(\cos(ex+d)^3 - (\cos(ex+d)^2 + 3 \cos(ex+d) + 2) \sin(ex+d) - 3 \cos(ex+d) - 2) \log(1/2 \cos(ex+d) + 1/2) - 24(\cos(ex+d)^3 - (\cos(ex+d)^2 + 3 \cos(ex+d) + 2) \sin(ex+d) - 3 \cos(ex+d) - 2) \log(\sin(ex+d) + 1) + (38 \cos(ex+d)^2 - 35) \sin(ex+d) - 3 \cos(ex+d) - 33}{192(a^4 e \cos(e$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*a\*cos(e\*x+d)+2\*a\*sin(e\*x+d))^4,x, algorithm="fricas")

[Out] 1/192\*(38\*cos(e\*x + d)^3 + 66\*cos(e\*x + d)^2 + 24\*(cos(e\*x + d)^3 - (cos(e\*x + d)^2 + 3\*cos(e\*x + d) + 2)\*log(1/2\*cos(e\*x + d) + 1/2) - 24\*(cos(e\*x + d)^3 - (cos(e\*x + d)^2 + 3\*cos(e\*x + d) + 2)\*sin(e\*x + d) - 3\*cos(e\*x + d) - 2)\*log(sin(e\*x + d) + 1) + (38\*cos(e\*x + d)^2 - 35)\*sin(e\*x + d) - 3\*cos(e\*x + d) - 33)/(a^4\*e\*cos(e\*x + d)^3 - 3\*a^4\*e\*cos(e\*x + d) - 2\*a^4\*e - (a^4\*e\*cos(e\*x + d)^2 + 3\*a^4\*e\*cos(e\*x + d) + 2\*a^4\*e)\*sin(e\*x + d))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*a\*cos(e\*x+d)+2\*a\*sin(e\*x+d))\*\*4,x)

[Out] Timed out

---

**Giac [A]** time = 1.1494, size = 188, normalized size = 1.12

$$-\frac{1}{384} \left( \frac{96 \log \left( \left| \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right) + 1 \right| \right)}{a^4} - \frac{4 \left( 44 \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right)^3 + 105 \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right)^2 + 87 \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right) + 24 \right)}{a^4 \left( \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right) + 1 \right)^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*a\*cos(e\*x+d)+2\*a\*sin(e\*x+d))^4,x, algorithm="giac")

[Out] -1/384\*(96\*log(abs(tan(1/2\*x\*e + 1/2\*d) + 1))/a^4 - 4\*(44\*tan(1/2\*x\*e + 1/2\*d)^3 + 105\*tan(1/2\*x\*e + 1/2\*d)^2 + 87\*tan(1/2\*x\*e + 1/2\*d) + 24)/(a^4\*(tan(1/2\*x\*e + 1/2\*d) + 1)^3) - (a^8\*tan(1/2\*x\*e + 1/2\*d)^3 - 6\*a^8\*tan(1/2\*x\*e + 1/2\*d)^2 + 39\*a^8\*tan(1/2\*x\*e + 1/2\*d))/a^12)\*e^(-1)

### 3.374 $\int (2a - 2a \cos(d + ex) + 2c \sin(d + ex))^3 dx$

**Optimal.** Leaf size=157

$$\frac{4a(15a^2 + 4c^2)\sin(d + ex)}{3e} - \frac{4c(15a^2 + 4c^2)\cos(d + ex)}{3e} + 4ax(5a^2 + 3c^2) - \frac{20(a^2 \sin(d + ex) + ac \cos(d + ex))(a - \cos(d + ex) + c \sin(d + ex))}{3e}$$

[Out] 4\*a\*(5\*a^2 + 3\*c^2)\*x - (4\*c\*(15\*a^2 + 4\*c^2)\*Cos[d + e\*x])/(3\*e) - (4\*a\*(15\*a^2 + 4\*c^2)\*Sin[d + e\*x])/(3\*e) - (20\*(a\*c\*Cos[d + e\*x] + a^2\*SIN[d + e\*x])\*(a - a\*cos[d + e\*x] + c\*sin[d + e\*x]))/(3\*e) - (8\*(c\*cos[d + e\*x] + a\*sin[d + e\*x])\*(a - a\*cos[d + e\*x] + c\*sin[d + e\*x])^2)/(3\*e)

**Rubi [A]** time = 0.133825, antiderivative size = 157, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {3120, 3146, 2637, 2638}

$$\frac{4a(15a^2 + 4c^2)\sin(d + ex)}{3e} - \frac{4c(15a^2 + 4c^2)\cos(d + ex)}{3e} + 4ax(5a^2 + 3c^2) - \frac{20(a^2 \sin(d + ex) + ac \cos(d + ex))(a - \cos(d + ex) + c \sin(d + ex))}{3e}$$

Antiderivative was successfully verified.

[In] Int[(2\*a - 2\*a\*cos[d + e\*x] + 2\*c\*sin[d + e\*x])^3,x]

[Out] 4\*a\*(5\*a^2 + 3\*c^2)\*x - (4\*c\*(15\*a^2 + 4\*c^2)\*Cos[d + e\*x])/(3\*e) - (4\*a\*(15\*a^2 + 4\*c^2)\*Sin[d + e\*x])/(3\*e) - (20\*(a\*c\*Cos[d + e\*x] + a^2\*SIN[d + e\*x])\*(a - a\*cos[d + e\*x] + c\*sin[d + e\*x]))/(3\*e) - (8\*(c\*cos[d + e\*x] + a\*sin[d + e\*x])\*(a - a\*cos[d + e\*x] + c\*sin[d + e\*x])^2)/(3\*e)

#### Rule 3120

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^n, x\_Symbol] := -Simp[((c\*cos[d + e\*x] - b\*sin[d + e\*x])\*(a + b\*cos[d + e\*x] + c\*sin[d + e\*x])^(n - 1))/(e\*n), x] + Dist[1/n, Int[Simp[n\*a^2 + (n - 1)\*(b^2 + c^2) + a\*b\*(2\*n - 1)\*cos[d + e\*x] + a\*c\*(2\*n - 1)\*sin[d + e\*x], x]\*(a + b\*cos[d + e\*x] + c\*sin[d + e\*x])^(n - 2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && GtQ[n, 1]

#### Rule 3146

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^n\*(A\_. + cos[(d\_.) + (e\_.)\*(x\_.)]\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]), x\_Symbol] := Simp[((B\*c - b\*C - a\*C\*cos[d + e\*x] + a\*B\*sin[d + e\*x])\*(a + b\*cos[d + e\*x] + c\*sin[d + e\*x])^n)/(a\*e\*(n + 1)), x] + Dist[1/(a\*(n + 1)), Int[(a + b\*cos[d + e\*x] + c\*sin[d + e\*x])^(n - 1)\*Simp[a\*(b\*B + c\*C)\*n + a^2\*A\*(n + 1) + (n\*(a^2\*B - B\*c^2 + b\*c\*C) + a\*b\*A\*(n + 1))\*cos[d + e\*x] + (n\*(b\*B\*c + a^2\*C - b^2\*C) + a\*c\*A\*(n + 1))\*sin[d + e\*x], x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && GtQ[n, 0] && NeQ[a^2 - b^2 - c^2, 0]

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int (2a - 2a \cos(d + ex) + 2c \sin(d + ex))^3 dx &= -\frac{8(c \cos(d + ex) + a \sin(d + ex))(a - a \cos(d + ex) + c \sin(d + ex))^2}{3e} + \\
&= -\frac{20(ac \cos(d + ex) + a^2 \sin(d + ex))(a - a \cos(d + ex) + c \sin(d + ex))}{3e} \\
&= 4a(5a^2 + 3c^2)x - \frac{20(ac \cos(d + ex) + a^2 \sin(d + ex))(a - a \cos(d + ex) + c \sin(d + ex))}{3e} \\
&= 4a(5a^2 + 3c^2)x - \frac{4c(15a^2 + 4c^2)\cos(d + ex)}{3e} - \frac{4a(15a^2 + 4c^2)\sin(d + ex)}{3e}
\end{aligned}$$

**Mathematica [A]** time = 0.446984, size = 136, normalized size = 0.87

$$\frac{2(6a(5a^2 + 3c^2)(d + ex) - 9a(5a^2 + c^2)\sin(d + ex) + 9a(a^2 - c^2)\sin(2(d + ex)) - a(a^2 - 3c^2)\sin(3(d + ex)) - 9c(5a^2 + 3c^2)\cos(d + ex))}{3e}$$

Antiderivative was successfully verified.

[In] Integrate[(2\*a - 2\*a\*Cos[d + e\*x] + 2\*c\*Sin[d + e\*x])^3,x]

[Out] (2\*(6\*a\*(5\*a^2 + 3\*c^2)\*(d + e\*x) - 9\*c\*(5\*a^2 + c^2)\*Cos[d + e\*x] + 18\*a^2\*c\*Cos[2\*(d + e\*x)] + c\*(-3\*a^2 + c^2)\*Cos[3\*(d + e\*x)] - 9\*a\*(5\*a^2 + c^2)\*Sin[d + e\*x] + 9\*a\*(a^2 - c^2)\*Sin[2\*(d + e\*x)] - a\*(a^2 - 3\*c^2)\*Sin[3\*(d + e\*x)]))/(3\*e)

**Maple [A]** time = 0.075, size = 178, normalized size = 1.1

$$\frac{-1/3 a^3 (2 + (\cos(ex + d))^2) \sin(ex + d) - a^2 c (\cos(ex + d))^3 + 3 a^3 (1/2 \sin(ex + d) \cos(ex + d) + 1/2 ex + d/2) - a^3 c \cos(ex + d)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2\*a-2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^3,x)

[Out] 8/e\*(-1/3\*a^3\*(2+cos(e\*x+d)^2)\*sin(e\*x+d)-a^2\*c\*cos(e\*x+d)^3+3\*a^3\*(1/2\*sin(e\*x+d)\*cos(e\*x+d)+1/2\*e\*x+1/2\*d)-a\*c^2\*sin(e\*x+d)^3+3\*a^2\*c\*cos(e\*x+d)^2-3\*a^3\*sin(e\*x+d)-1/3\*c^3\*(2+sin(e\*x+d)^2)\*cos(e\*x+d)+3\*a\*c^2\*(-1/2\*sin(e\*x+d)\*cos(e\*x+d)+1/2\*e\*x+1/2\*d)-3\*a^2\*c\*cos(e\*x+d)+a^3\*(e\*x+d))

**Maxima [A]** time = 0.99652, size = 254, normalized size = 1.62

$$-\frac{8a^2c \cos(ex + d)^3}{e} - \frac{8ac^2 \sin(ex + d)^3}{e} + 8a^3x + \frac{8(\sin(ex + d)^3 - 3\sin(ex + d))a^3}{3e} + \frac{8(\cos(ex + d)^3 - 3\cos(ex + d))c}{3e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*a-2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^3,x, algorithm="maxima")

[Out] -8\*a^2\*c\*cos(e\*x + d)^3/e - 8\*a\*c^2\*sin(e\*x + d)^3/e + 8\*a^3\*x + 8/3\*(sin(e\*x + d)^3 - 3\*sin(e\*x + d))\*a^3/e + 8/3\*(cos(e\*x + d)^3 - 3\*cos(e\*x + d))\*c

$$\frac{1}{e^3} - 24a^2 \frac{c \cos(ex + d) + a \sin(ex + d)}{e} + 6 \frac{(4ac \cos(ex + d) + 2e^2x + 2d + \sin(2e^2x + 2d))a^2}{e} + (2e^2x + 2d - \sin(2e^2x + 2d))c^2/e)a$$

**Fricas [A]** time = 2.26303, size = 306, normalized size = 1.95

$$\frac{4(18a^2c \cos(ex + d)^2 - 2(3a^2c - c^3) \cos(ex + d)^3 + 3(5a^3 + 3ac^2)ex - 6(3a^2c + c^3) \cos(ex + d) - (22a^3 + 6ac^2 + 2c^3))}{3e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*a-2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^3,x, algorithm="fricas")

[Out] 4/3\*(18\*a^2\*c\*cos(e\*x + d)^2 - 2\*(3\*a^2\*c - c^3)\*cos(e\*x + d)^3 + 3\*(5\*a^3 + 3\*a\*c^2)\*e\*x - 6\*(3\*a^2\*c + c^3)\*cos(e\*x + d) - (22\*a^3 + 6\*a\*c^2 + 2\*(a^3 - 3\*a\*c^2)\*cos(e\*x + d)^2 - 9\*(a^3 - a\*c^2)\*cos(e\*x + d))\*sin(e\*x + d))/e

**Sympy [A]** time = 0.906979, size = 291, normalized size = 1.85

$$\left\{ \begin{array}{l} 12a^3x \sin^2(d + ex) + 12a^3x \cos^2(d + ex) + 8a^3x - \frac{16a^3 \sin^3(d+ex)}{3e} - \frac{8a^3 \sin(d+ex) \cos^2(d+ex)}{e} + \frac{12a^3 \sin(d+ex) \cos(d+ex)}{e} - \frac{24a^3 \sin(d+ex) \cos^2(d+ex)}{e} \\ x(-2a \cos(d) + 2a + 2c \sin(d))^3 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*a-2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))\*\*3,x)

[Out] Piecewise((12\*a\*\*3\*x\*sin(d + e\*x)\*\*2 + 12\*a\*\*3\*x\*cos(d + e\*x)\*\*2 + 8\*a\*\*3\*x - 16\*a\*\*3\*sin(d + e\*x)\*\*3/(3\*e) - 8\*a\*\*3\*sin(d + e\*x)\*cos(d + e\*x)\*\*2/e + 12\*a\*\*3\*sin(d + e\*x)\*cos(d + e\*x)/e - 24\*a\*\*3\*sin(d + e\*x)/e - 24\*a\*\*2\*c\*sin(d + e\*x)\*\*2/e - 8\*a\*\*2\*c\*cos(d + e\*x)\*\*3/e - 24\*a\*\*2\*c\*cos(d + e\*x)/e + 12\*a\*c\*\*2\*x\*sin(d + e\*x)\*\*2 + 12\*a\*c\*\*2\*x\*cos(d + e\*x)\*\*2 - 8\*a\*c\*\*2\*sin(d + e\*x)\*\*3/e - 12\*a\*c\*\*2\*sin(d + e\*x)\*cos(d + e\*x)/e - 8\*c\*\*3\*sin(d + e\*x)\*\*2\*cos(d + e\*x)/e - 16\*c\*\*3\*cos(d + e\*x)\*\*3/(3\*e), Ne(e, 0)), (x\*(-2\*a\*cos(d) + 2\*a + 2\*c\*sin(d))\*\*3, True))

**Giac [A]** time = 1.13794, size = 204, normalized size = 1.3

$$12a^2c \cos(2xe + 2d)e^{(-1)} - \frac{2}{3}(3a^2c - c^3) \cos(3xe + 3d)e^{(-1)} - 6(5a^2c + c^3) \cos(xe + d)e^{(-1)} - \frac{2}{3}(a^3 - 3ac^2)e^{(-1)} \sin(3xe + 3d)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*a-2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^3,x, algorithm="giac")

[Out] 12\*a^2\*c\*cos(2\*x\*e + 2\*d)\*e^(-1) - 2/3\*(3\*a^2\*c - c^3)\*cos(3\*x\*e + 3\*d)\*e^(-1) - 6\*(5\*a^2\*c + c^3)\*cos(x\*e + d)\*e^(-1) - 2/3\*(a^3 - 3\*a\*c^2)\*e^(-1)\*sin(3\*x\*e + 3\*d) + 6\*(a^3 - a\*c^2)\*e^(-1)\*sin(2\*x\*e + 2\*d) - 6\*(5\*a^3 + a\*c^2)\*e^(-1)\*sin(x\*e + d) + 4\*(5\*a^3 + 3\*a\*c^2)\*x

### 3.375 $\int (2a - 2a \cos(d + ex) + 2c \sin(d + ex))^2 dx$

**Optimal.** Leaf size=81

$$2x(3a^2 + c^2) - \frac{6a^2 \sin(d + ex)}{e} - \frac{6ac \cos(d + ex)}{e} - \frac{2(a \sin(d + ex) + c \cos(d + ex))(a - \cos(d + ex)) + a + c \sin(d + ex)}{e}$$

[Out] 2\*(3\*a^2 + c^2)\*x - (6\*a\*c\*Cos[d + e\*x])/e - (6\*a^2\*Sin[d + e\*x])/e - (2\*(c\*Cos[d + e\*x] + a\*Sin[d + e\*x])\*(a - a\*Cos[d + e\*x] + c\*Sin[d + e\*x]))/e

**Rubi [A]** time = 0.0469545, antiderivative size = 81, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {3120, 2637, 2638}

$$2x(3a^2 + c^2) - \frac{6a^2 \sin(d + ex)}{e} - \frac{6ac \cos(d + ex)}{e} - \frac{2(a \sin(d + ex) + c \cos(d + ex))(a - \cos(d + ex)) + a + c \sin(d + ex)}{e}$$

Antiderivative was successfully verified.

[In] Int[(2\*a - 2\*a\*Cos[d + e\*x] + 2\*c\*Sin[d + e\*x])^2,x]

[Out] 2\*(3\*a^2 + c^2)\*x - (6\*a\*c\*Cos[d + e\*x])/e - (6\*a^2\*Sin[d + e\*x])/e - (2\*(c\*Cos[d + e\*x] + a\*Sin[d + e\*x])\*(a - a\*Cos[d + e\*x] + c\*Sin[d + e\*x]))/e

#### Rule 3120

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(n\_), x\_Symbol] :> -Simp[((c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n - 1))/(e\*n), x] + Dist[1/n, Int[Simp[n\*a^2 + (n - 1)\*(b^2 + c^2) + a\*b\*(2\*n - 1)\*Cos[d + e\*x] + a\*c\*(2\*n - 1)\*Sin[d + e\*x], x]\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n - 2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && GtQ[n, 1]

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int (2a - 2a \cos(d + ex) + 2c \sin(d + ex))^2 dx &= -\frac{2(c \cos(d + ex) + a \sin(d + ex))(a - a \cos(d + ex) + c \sin(d + ex))}{e} + \frac{1}{2} \\ &= 2(3a^2 + c^2)x - \frac{2(c \cos(d + ex) + a \sin(d + ex))(a - a \cos(d + ex) + c \sin(d + ex))}{e} \\ &= 2(3a^2 + c^2)x - \frac{6ac \cos(d + ex)}{e} - \frac{6a^2 \sin(d + ex)}{e} - \frac{2(c \cos(d + ex) + a \sin(d + ex))(a - a \cos(d + ex) + c \sin(d + ex))}{e} \end{aligned}$$

**Mathematica [A]** time = 0.154857, size = 92, normalized size = 1.14

$$4 \left( \frac{(3a^2 + c^2)(d + ex)}{2e} + \frac{(a^2 - c^2) \sin(2(d + ex))}{4e} - \frac{2a^2 \sin(d + ex)}{e} - \frac{2ac \cos(d + ex)}{e} + \frac{ac \cos(2(d + ex))}{2e} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(2\*a - 2\*a\*cos[d + e\*x] + 2\*c\*sin[d + e\*x])^2,x]

[Out] 4\*(((3\*a^2 + c^2)\*(d + e\*x))/(2\*e) - (2\*a\*c\*cos[d + e\*x])/e + (a\*c\*cos[2\*(d + e\*x)])/(2\*e) - (2\*a^2\*sin[d + e\*x])/e + ((a^2 - c^2)\*sin[2\*(d + e\*x)])/(4\*e))

**Maple [A]** time = 0.054, size = 100, normalized size = 1.2

$$4 \frac{a^2 (1/2 \sin(ex + d) \cos(ex + d) + 1/2 ex + d/2) + ac (\cos(ex + d))^2 - 2a^2 \sin(ex + d) + c^2 (-1/2 \sin(ex + d) \cos(ex + d))}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2\*a-2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^2,x)

[Out] 4/e\*(a^2\*(1/2\*sin(e\*x+d)\*cos(e\*x+d)+1/2\*e\*x+1/2\*d)+a\*c\*cos(e\*x+d)^2-2\*a^2\*sin(e\*x+d)+c^2\*(-1/2\*sin(e\*x+d)\*cos(e\*x+d)+1/2\*e\*x+1/2\*d)-2\*a\*c\*cos(e\*x+d)+a^2\*(e\*x+d))

**Maxima [A]** time = 0.986615, size = 132, normalized size = 1.63

$$4a^2x + \frac{4ac \cos(ex + d)^2}{e} + \frac{(2ex + 2d + \sin(2ex + 2d))a^2}{e} + \frac{(2ex + 2d - \sin(2ex + 2d))c^2}{e} - 8a \left( \frac{c \cos(ex + d)}{e} + \frac{a \sin(ex + d)}{e} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*a-2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^2,x, algorithm="maxima")

[Out] 4\*a^2\*x + 4\*a\*c\*cos(e\*x + d)^2/e + (2\*e\*x + 2\*d + sin(2\*e\*x + 2\*d))\*a^2/e + (2\*e\*x + 2\*d - sin(2\*e\*x + 2\*d))\*c^2/e - 8\*a\*(c\*cos(e\*x + d)/e + a\*sin(e\*x + d)/e)

**Fricas [A]** time = 2.29069, size = 161, normalized size = 1.99

$$\frac{2(2ac \cos(ex + d)^2 + (3a^2 + c^2)ex - 4ac \cos(ex + d) - (4a^2 - (a^2 - c^2) \cos(ex + d)) \sin(ex + d))}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*a-2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^2,x, algorithm="fricas")

[Out] 2\*(2\*a\*c\*cos(e\*x + d)^2 + (3\*a^2 + c^2)\*e\*x - 4\*a\*c\*cos(e\*x + d) - (4\*a^2 - (a^2 - c^2)\*cos(e\*x + d))\*sin(e\*x + d))/e

**Sympy [A]** time = 0.381613, size = 170, normalized size = 2.1

$$\begin{cases} 2a^2x \sin^2(d + ex) + 2a^2x \cos^2(d + ex) + 4a^2x + \frac{2a^2 \sin(d+ex) \cos(d+ex)}{e} - \frac{8a^2 \sin(d+ex)}{e} - \frac{4ac \sin^2(d+ex)}{e} - \frac{8ac \cos(d+ex)}{e} + 2c^2x \sin^2(d + ex) \\ x(-2a \cos(d) + 2a + 2c \sin(d))^2 \end{cases}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*a-2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))\*\*2,x)

[Out] Piecewise((2\*a\*\*2\*x\*sin(d + e\*x)\*\*2 + 2\*a\*\*2\*x\*cos(d + e\*x)\*\*2 + 4\*a\*\*2\*x + 2\*a\*\*2\*sin(d + e\*x)\*cos(d + e\*x)/e - 8\*a\*\*2\*sin(d + e\*x)/e - 4\*a\*c\*sin(d + e\*x)\*\*2/e - 8\*a\*c\*cos(d + e\*x)/e + 2\*c\*\*2\*x\*sin(d + e\*x)\*\*2 + 2\*c\*\*2\*x\*cos(d + e\*x)\*\*2 - 2\*c\*\*2\*sin(d + e\*x)\*cos(d + e\*x)/e, Ne(e, 0)), (x\*(-2\*a\*cos(d) + 2\*a + 2\*c\*sin(d))\*\*2, True))

**Giac [A]** time = 1.13912, size = 105, normalized size = 1.3

$$2ac \cos(2xe + 2d)e^{(-1)} - 8ac \cos(xe + d)e^{(-1)} - 8a^2e^{(-1)} \sin(xe + d) + (a^2 - c^2)e^{(-1)} \sin(2xe + 2d) + 2(3a^2 + c^2)x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*a-2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^2,x, algorithm="giac")

[Out] 2\*a\*c\*cos(2\*x\*e + 2\*d)\*e^(-1) - 8\*a\*c\*cos(x\*e + d)\*e^(-1) - 8\*a^2\*e^(-1)\*sin(x\*e + d) + (a^2 - c^2)\*e^(-1)\*sin(2\*x\*e + 2\*d) + 2\*(3\*a^2 + c^2)\*x

### 3.376 $\int (2a - 2a \cos(d + ex) + 2c \sin(d + ex)) dx$

**Optimal.** Leaf size=29

$$-\frac{2a \sin(d + ex)}{e} + 2ax - \frac{2c \cos(d + ex)}{e}$$

[Out]  $2*a*x - (2*c*\text{Cos}[d + e*x])/e - (2*a*\text{Sin}[d + e*x])/e$

**Rubi [A]** time = 0.014309, antiderivative size = 29, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {2637, 2638}

$$-\frac{2a \sin(d + ex)}{e} + 2ax - \frac{2c \cos(d + ex)}{e}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[2*a - 2*a*\text{Cos}[d + e*x] + 2*c*\text{Sin}[d + e*x], x]$

[Out]  $2*a*x - (2*c*\text{Cos}[d + e*x])/e - (2*a*\text{Sin}[d + e*x])/e$

#### Rule 2637

$\text{Int}[\sin[\text{Pi}/2 + (c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow \text{Simp}[\text{Sin}[c + d*x]/d, x] /;$   
 $\text{FreeQ}[\{c, d\}, x]$

#### Rule 2638

$\text{Int}[\sin[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/d, x] /;$   
 $\text{FreeQ}[\{c, d\}, x]$

#### Rubi steps

$$\begin{aligned} \int (2a - 2a \cos(d + ex) + 2c \sin(d + ex)) dx &= 2ax - (2a) \int \cos(d + ex) dx + (2c) \int \sin(d + ex) dx \\ &= 2ax - \frac{2c \cos(d + ex)}{e} - \frac{2a \sin(d + ex)}{e} \end{aligned}$$

**Mathematica [A]** time = 0.0148812, size = 53, normalized size = 1.83

$$-\frac{2a \sin(d) \cos(ex)}{e} - \frac{2a \cos(d) \sin(ex)}{e} + 2ax + \frac{2c \sin(d) \sin(ex)}{e} - \frac{2c \cos(d) \cos(ex)}{e}$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[2*a - 2*a*\text{Cos}[d + e*x] + 2*c*\text{Sin}[d + e*x], x]$

[Out]  $2*a*x - (2*c*\text{Cos}[d]*\text{Cos}[e*x])/e - (2*a*\text{Cos}[e*x]*\text{Sin}[d])/e - (2*a*\text{Cos}[d]*\text{Sin}[e*x])/e + (2*c*\text{Sin}[d]*\text{Sin}[e*x])/e$

**Maple [A]** time = 0.001, size = 30, normalized size = 1.

$$2ax - 2 \frac{c \cos(ex + d)}{e} - 2 \frac{a \sin(ex + d)}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(2\*a-2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d),x)

[Out] 2\*a\*x-2\*c\*cos(e\*x+d)/e-2\*a\*sin(e\*x+d)/e

**Maxima [A]** time = 0.979215, size = 39, normalized size = 1.34

$$2ax - \frac{2c \cos(ex + d)}{e} - \frac{2a \sin(ex + d)}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2\*a-2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d),x, algorithm="maxima")

[Out] 2\*a\*x - 2\*c\*cos(e\*x + d)/e - 2\*a\*sin(e\*x + d)/e

**Fricas [A]** time = 2.00739, size = 63, normalized size = 2.17

$$\frac{2(aex - c \cos(ex + d) - a \sin(ex + d))}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2\*a-2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d),x, algorithm="fricas")

[Out] 2\*(a\*e\*x - c\*cos(e\*x + d) - a\*sin(e\*x + d))/e

**Sympy [A]** time = 0.15735, size = 39, normalized size = 1.34

$$2ax - 2a \left( \begin{cases} \frac{\sin(d+ex)}{e} & \text{for } e \neq 0 \\ x \cos(d) & \text{otherwise} \end{cases} \right) + 2c \left( \begin{cases} -\frac{\cos(d+ex)}{e} & \text{for } e \neq 0 \\ x \sin(d) & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2\*a-2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d),x)

[Out] 2\*a\*x - 2\*a\*Piecewise((sin(d + e\*x)/e, Ne(e, 0)), (x\*cos(d), True)) + 2\*c\*Piecewise((-cos(d + e\*x)/e, Ne(e, 0)), (x\*sin(d), True))

**Giac [A]** time = 1.13433, size = 39, normalized size = 1.34

$$-2c \cos(xe + d)e^{(-1)} - 2ae^{(-1)} \sin(xe + d) + 2ax$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(2*a-2*a*cos(e*x+d)+2*c*sin(e*x+d),x, algorithm="giac")
```

```
[Out] -2*c*cos(x*e + d)*e^(-1) - 2*a*e^(-1)*sin(x*e + d) + 2*a*x
```

$$3.377 \quad \int \frac{1}{2a - 2a \cos(d+ex) + 2c \sin(d+ex)} dx$$

**Optimal.** Leaf size=25

$$-\frac{\log\left(a + c \cot\left(\frac{1}{2}(d+ex)\right)\right)}{2ce}$$

[Out] -Log[a + c\*Cot[(d + e\*x)/2]]/(2\*c\*e)

**Rubi [A]** time = 0.0210431, antiderivative size = 25, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {3121, 31}

$$-\frac{\log\left(a + c \cot\left(\frac{1}{2}(d+ex)\right)\right)}{2ce}$$

Antiderivative was successfully verified.

[In] Int[(2\*a - 2\*a\*Cos[d + e\*x] + 2\*c\*Sin[d + e\*x])^(-1), x]

[Out] -Log[a + c\*Cot[(d + e\*x)/2]]/(2\*c\*e)

**Rule 3121**

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(-1), x\_Symbol] :> Module[{f = FreeFactors[Cot[(d + e\*x)/2], x]}, -Dist[f/e, Subst[Int[1/(a + c\*f\*x), x], x, Cot[(d + e\*x)/2]/f], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a + b, 0]

**Rule 31**

Int[((a\_) + (b\_.)\*(x\_))^-1, x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

**Rubi steps**

$$\begin{aligned} \int \frac{1}{2a - 2a \cos(d+ex) + 2c \sin(d+ex)} dx &= -\frac{\text{Subst}\left(\int \frac{1}{2a+2cx} dx, x, \cot\left(\frac{1}{2}(d+ex)\right)\right)}{e} \\ &= -\frac{\log\left(a + c \cot\left(\frac{1}{2}(d+ex)\right)\right)}{2ce} \end{aligned}$$

**Mathematica [A]** time = 0.151511, size = 50, normalized size = 2.

$$\frac{\log\left(\sin\left(\frac{1}{2}(d+ex)\right)\right) - \log\left(a \sin\left(\frac{1}{2}(d+ex)\right) + c \cos\left(\frac{1}{2}(d+ex)\right)\right)}{2ce}$$

Antiderivative was successfully verified.

[In] Integrate[(2\*a - 2\*a\*Cos[d + e\*x] + 2\*c\*Sin[d + e\*x])^(-1), x]

[Out] (Log[Sin[(d + e\*x)/2]] - Log[c\*Cos[(d + e\*x)/2] + a\*Sin[(d + e\*x)/2]])/(2\*c\*e)

**Maple [A]** time = 0.1, size = 42, normalized size = 1.7

$$-\frac{1}{2ce} \ln\left(c + a \tan\left(\frac{d}{2} + \frac{ex}{2}\right)\right) + \frac{1}{2ce} \ln\left(\tan\left(\frac{d}{2} + \frac{ex}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(2\*a-2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d)),x)

[Out] -1/2/e/c\*ln(c+a\*tan(1/2\*d+1/2\*e\*x))+1/2/e/c\*ln(tan(1/2\*d+1/2\*e\*x))

**Maxima [B]** time = 0.986877, size = 73, normalized size = 2.92

$$\frac{\frac{\log\left(c + \frac{a \sin(ex+d)}{\cos(ex+d)+1}\right)}{c} - \frac{\log\left(\frac{\sin(ex+d)}{\cos(ex+d)+1}\right)}{c}}{2e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a-2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d)),x, algorithm="maxima")

[Out] -1/2\*(log(c + a\*sin(e\*x + d)/(cos(e\*x + d) + 1))/c - log(sin(e\*x + d)/(cos(e\*x + d) + 1))/c)/e

**Fricas [B]** time = 2.13042, size = 159, normalized size = 6.36

$$\frac{\log\left(ac \sin(ex + d) + \frac{1}{2}a^2 + \frac{1}{2}c^2 - \frac{1}{2}(a^2 - c^2)\cos(ex + d)\right) - \log\left(-\frac{1}{2}\cos(ex + d) + \frac{1}{2}\right)}{4ce}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a-2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d)),x, algorithm="fricas")

[Out] -1/4\*(log(a\*c\*sin(e\*x + d) + 1/2\*a^2 + 1/2\*c^2 - 1/2\*(a^2 - c^2)\*cos(e\*x + d)) - log(-1/2\*cos(e\*x + d) + 1/2))/(c\*e)

**Sympy [A]** time = 1.46485, size = 95, normalized size = 3.8

$$\begin{cases} \frac{\infty x}{\sin(d)} & \text{for } a = 0 \wedge c = 0 \wedge e = 0 \\ -\frac{1}{2ae \tan\left(\frac{d}{2} + \frac{ex}{2}\right)} & \text{for } c = 0 \\ \frac{\log\left(\tan\left(\frac{d}{2} + \frac{ex}{2}\right)\right)}{2ce} & \text{for } a = 0 \\ \frac{x}{-2a \cos(d) + 2a + 2c \sin(d)} & \text{for } e = 0 \\ -\frac{\log\left(\tan\left(\frac{d}{2} + \frac{ex}{2}\right) + \frac{c}{a}\right)}{2ce} + \frac{\log\left(\tan\left(\frac{d}{2} + \frac{ex}{2}\right)\right)}{2ce} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a-2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d)),x)

[Out] Piecewise((zoo\*x/sin(d), Eq(a, 0) & Eq(c, 0) & Eq(e, 0)), (-1/(2\*a\*e\*tan(d/2 + e\*x/2)), Eq(c, 0)), (log(tan(d/2 + e\*x/2))/(2\*c\*e), Eq(a, 0)), (x/(-2\*a\*cos(d) + 2\*a + 2\*c\*sin(d)), Eq(e, 0)), (-log(tan(d/2 + e\*x/2) + c/a)/(2\*c\*e) + log(tan(d/2 + e\*x/2))/(2\*c\*e), True))

**Giac [A]** time = 1.14731, size = 57, normalized size = 2.28

$$-\frac{1}{2} \left( \frac{\log \left( \left| a \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right) + c \right| \right)}{c} - \frac{\log \left( \left| \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right) \right| \right)}{c} \right) e^{(-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a-2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d)),x, algorithm="giac")

[Out] -1/2\*(log(abs(a\*tan(1/2\*x\*e + 1/2\*d) + c))/c - log(abs(tan(1/2\*x\*e + 1/2\*d)))/c)\*e^(-1)

$$3.378 \quad \int \frac{1}{(2a-2a \cos(d+ex)+2c \sin(d+ex))^2} dx$$

**Optimal.** Leaf size=75

$$\frac{a \log\left(a + c \cot\left(\frac{1}{2}(d + ex)\right)\right)}{4c^3e} - \frac{a \sin(d + ex) + c \cos(d + ex)}{4c^2e(a - \cos(d + ex) + a + c \sin(d + ex))}$$

[Out] (a\*Log[a + c\*Cot[(d + e\*x)/2]])/(4\*c^3\*e) - (c\*Cos[d + e\*x] + a\*Sin[d + e\*x])/ (4\*c^2\*e\*(a - a\*Cos[d + e\*x] + c\*Sin[d + e\*x]))

**Rubi [A]** time = 0.0531722, antiderivative size = 75, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {3129, 12, 3121, 31}

$$\frac{a \log\left(a + c \cot\left(\frac{1}{2}(d + ex)\right)\right)}{4c^3e} - \frac{a \sin(d + ex) + c \cos(d + ex)}{4c^2e(a - \cos(d + ex) + a + c \sin(d + ex))}$$

Antiderivative was successfully verified.

[In] Int[(2\*a - 2\*a\*Cos[d + e\*x] + 2\*c\*Sin[d + e\*x])^(-2), x]

[Out] (a\*Log[a + c\*Cot[(d + e\*x)/2]])/(4\*c^3\*e) - (c\*Cos[d + e\*x] + a\*Sin[d + e\*x])/ (4\*c^2\*e\*(a - a\*Cos[d + e\*x] + c\*Sin[d + e\*x]))

#### Rule 3129

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Simp[((-(c\*Cos[d + e\*x]) + b\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1))/(e\*(n + 1)\*(a^2 - b^2 - c^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2 - c^2)), Int[(a\*(n + 1) - b\*(n + 2)\*Cos[d + e\*x] - c\*(n + 2)\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && LtQ[n, -1] && NeQ[n, -3/2]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 3121

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(-1), x\_Symbol] :> Module[{f = FreeFactors[Cot[(d + e\*x)/2], x]}, -Dist[f/e, Subst[Int[1/(a + c\*f\*x), x], x, Cot[(d + e\*x)/2]/f], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a + b, 0]

#### Rule 31

Int[((a\_) + (b\_.)\*(x\_))^(n-1), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

#### Rubi steps



$$\begin{aligned}
\int \frac{1}{(2a - 2a \cos(d + ex) + 2c \sin(d + ex))^2} dx &= -\frac{c \cos(d + ex) + a \sin(d + ex)}{4c^2 e (a - a \cos(d + ex) + c \sin(d + ex))} + \frac{\int -\frac{2a}{2a - 2a \cos(d + ex) + 2c \sin(d + ex)} dx}{4c^2} \\
&= -\frac{c \cos(d + ex) + a \sin(d + ex)}{4c^2 e (a - a \cos(d + ex) + c \sin(d + ex))} - \frac{a \int \frac{1}{2a - 2a \cos(d + ex) + 2c \sin(d + ex)} dx}{2c^2} \\
&= -\frac{c \cos(d + ex) + a \sin(d + ex)}{4c^2 e (a - a \cos(d + ex) + c \sin(d + ex))} + \frac{a \operatorname{Subst}\left(\int \frac{1}{2a + 2cx} dx, x, \cos(d + ex)\right)}{2c^2 e} \\
&= \frac{a \log\left(a + c \cot\left(\frac{1}{2}(d + ex)\right)\right)}{4c^3 e} - \frac{c \cos(d + ex) + a \sin(d + ex)}{4c^2 e (a - a \cos(d + ex) + c \sin(d + ex))}
\end{aligned}$$

**Mathematica [B]** time = 0.413908, size = 229, normalized size = 3.05

$$\frac{\sin\left(\frac{1}{2}(d + ex)\right) \left(a \sin\left(\frac{1}{2}(d + ex)\right) + c \cos\left(\frac{1}{2}(d + ex)\right)\right) \left(\cos(d + ex) \left(2a^2 \log\left(a \sin\left(\frac{1}{2}(d + ex)\right) + c \cos\left(\frac{1}{2}(d + ex)\right)\right)\right) - \dots}{\dots}$$

Antiderivative was successfully verified.

[In] Integrate[(2\*a - 2\*a\*Cos[d + e\*x] + 2\*c\*Sin[d + e\*x])^(-2),x]

[Out] -(Sin[(d + e\*x)/2]\*(c\*Cos[(d + e\*x)/2] + a\*Sin[(d + e\*x)/2])\*(Cos[d + e\*x]\*(a^2 + 2\*c^2 - 2\*a^2\*Log[Sin[(d + e\*x)/2]] + 2\*a^2\*Log[c\*Cos[(d + e\*x)/2] + a\*Sin[(d + e\*x)/2]]) + a\*(a\*(-1 + 2\*Log[Sin[(d + e\*x)/2]] - 2\*Log[c\*Cos[(d + e\*x)/2] + a\*Sin[(d + e\*x)/2]]) + c\*(1 + 2\*Log[Sin[(d + e\*x)/2]] - 2\*Log[c\*Cos[(d + e\*x)/2] + a\*Sin[(d + e\*x)/2]])\*Sin[d + e\*x]))/(4\*c^3\*e\*(a - a\*Cos[d + e\*x] + c\*Sin[d + e\*x])^2)

**Maple [A]** time = 0.151, size = 110, normalized size = 1.5

$$-\frac{a}{8c^2e} \left(c + a \tan\left(\frac{d}{2} + \frac{ex}{2}\right)\right)^{-1} - \frac{1}{8ae} \left(c + a \tan\left(\frac{d}{2} + \frac{ex}{2}\right)\right)^{-1} + \frac{a}{4c^3e} \ln\left(c + a \tan\left(\frac{d}{2} + \frac{ex}{2}\right)\right) - \frac{1}{8c^2e} \left(\tan\left(\frac{d}{2} + \frac{ex}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(2\*a-2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^2,x)

[Out] -1/8/e/c^2\*a/(c+a\*tan(1/2\*d+1/2\*e\*x))-1/8/e/a/(c+a\*tan(1/2\*d+1/2\*e\*x))+1/4/e/c^3\*a\*ln(c+a\*tan(1/2\*d+1/2\*e\*x))-1/8/e/c^2/tan(1/2\*d+1/2\*e\*x)-1/4/e/c^3\*a\*ln(tan(1/2\*d+1/2\*e\*x))

**Maxima [A]** time = 1.01679, size = 185, normalized size = 2.47

$$\frac{ac + \frac{(2a^2 + c^2) \sin(ex+d)}{\cos(ex+d)+1}}{\frac{ac^3 \sin(ex+d)}{\cos(ex+d)+1} + \frac{a^2 c^2 \sin(ex+d)^2}{(\cos(ex+d)+1)^2}} - \frac{2a \log\left(c + \frac{a \sin(ex+d)}{\cos(ex+d)+1}\right)}{c^3} + \frac{2a \log\left(\frac{\sin(ex+d)}{\cos(ex+d)+1}\right)}{c^3}$$

8 e

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a-2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^2,x, algorithm="maxima")

[Out]  $-1/8*((a*c + (2*a^2 + c^2)*\sin(e*x + d))/(\cos(e*x + d) + 1))/(a*c^3*\sin(e*x + d)/(\cos(e*x + d) + 1) + a^2*c^2*\sin(e*x + d)^2/(\cos(e*x + d) + 1)^2) - 2*a*\log(c + a*\sin(e*x + d)/(\cos(e*x + d) + 1))/c^3 + 2*a*\log(\sin(e*x + d)/(\cos(e*x + d) + 1))/c^3)/e$

**Fricas [B]** time = 2.34212, size = 398, normalized size = 5.31

$$\frac{2c^2 \cos(ex + d) + 2ac \sin(ex + d) + (a^2 \cos(ex + d) - ac \sin(ex + d) - a^2) \log\left(ac \sin(ex + d) + \frac{1}{2}a^2 + \frac{1}{2}c^2 - \frac{1}{2}(a^2 - c^2)\right)}{8(ac^3 e \cos(ex + d) - c^4 e \sin(ex + d) - ac^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a-2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^2,x, algorithm="fricas")

[Out]  $1/8*(2*c^2*\cos(e*x + d) + 2*a*c*\sin(e*x + d) + (a^2*\cos(e*x + d) - a*c*\sin(e*x + d) - a^2)*\log(a*c*\sin(e*x + d) + 1/2*a^2 + 1/2*c^2 - 1/2*(a^2 - c^2)*\cos(e*x + d)) - (a^2*\cos(e*x + d) - a*c*\sin(e*x + d) - a^2)*\log(-1/2*\cos(e*x + d) + 1/2))/(a*c^3*e*\cos(e*x + d) - c^4*e*\sin(e*x + d) - a*c^3*e)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a-2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))\*\*2,x)

[Out] Timed out

**Giac [A]** time = 1.15568, size = 155, normalized size = 2.07

$$\frac{1}{8} \left( \frac{2a \log\left(\left|a \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) + c\right|\right)}{c^3} - \frac{2a \log\left(\left|\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)\right|\right)}{c^3} - \frac{2a^2 \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) + c^2 \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) + ac}{\left(a \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)\right)^2 + c \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)} ac^2 \right) e^{(-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a-2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^2,x, algorithm="giac")

[Out]  $1/8*(2*a*\log(\text{abs}(a*\tan(1/2*x*e + 1/2*d) + c))/c^3 - 2*a*\log(\text{abs}(\tan(1/2*x*e + 1/2*d)))/c^3 - (2*a^2*\tan(1/2*x*e + 1/2*d) + c^2*\tan(1/2*x*e + 1/2*d) + a*c)/((a*\tan(1/2*x*e + 1/2*d)^2 + c*\tan(1/2*x*e + 1/2*d))*a*c^2))*e^{(-1)}$

$$3.379 \quad \int \frac{1}{(2a-2a \cos(d+ex)+2c \sin(d+ex))^3} dx$$

**Optimal.** Leaf size=134

$$\frac{3(a^2 \sin(d+ex) + ac \cos(d+ex))}{16c^4 e(a(-\cos(d+ex)) + a + c \sin(d+ex))} - \frac{(3a^2 + c^2) \log\left(a + c \cot\left(\frac{1}{2}(d+ex)\right)\right)}{16c^5 e} - \frac{a \sin(d+ex) + c \cos(d+ex)}{16c^2 e(a(-\cos(d+ex)) + a + c \sin(d+ex))}$$

```
[Out] -((3*a^2 + c^2)*Log[a + c*Cot[(d + e*x)/2]])/(16*c^5*e) - (c*Cos[d + e*x] + a*Sin[d + e*x])/(16*c^2*e*(a - a*Cos[d + e*x] + c*Sin[d + e*x])^2) + (3*(a*c*Cos[d + e*x] + a^2*Sin[d + e*x]))/(16*c^4*e*(a - a*Cos[d + e*x] + c*Sin[d + e*x]))
```

**Rubi [A]** time = 0.112631, antiderivative size = 134, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {3129, 3153, 3121, 31}

$$\frac{3(a^2 \sin(d+ex) + ac \cos(d+ex))}{16c^4 e(a(-\cos(d+ex)) + a + c \sin(d+ex))} - \frac{(3a^2 + c^2) \log\left(a + c \cot\left(\frac{1}{2}(d+ex)\right)\right)}{16c^5 e} - \frac{a \sin(d+ex) + c \cos(d+ex)}{16c^2 e(a(-\cos(d+ex)) + a + c \sin(d+ex))}$$

Antiderivative was successfully verified.

```
[In] Int[(2*a - 2*a*Cos[d + e*x] + 2*c*Sin[d + e*x])^(-3), x]
```

```
[Out] -((3*a^2 + c^2)*Log[a + c*Cot[(d + e*x)/2]])/(16*c^5*e) - (c*Cos[d + e*x] + a*Sin[d + e*x])/(16*c^2*e*(a - a*Cos[d + e*x] + c*Sin[d + e*x])^2) + (3*(a*c*Cos[d + e*x] + a^2*Sin[d + e*x]))/(16*c^4*e*(a - a*Cos[d + e*x] + c*Sin[d + e*x]))
```

#### Rule 3129

```
Int[(cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^(n_), x_Symbol] :> Simp[((-(c*Cos[d + e*x]) + b*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n + 1))/(e*(n + 1)*(a^2 - b^2 - c^2)), x] + Dist[1/((n + 1)*(a^2 - b^2 - c^2)), Int[(a*(n + 1) - b*(n + 2)*Cos[d + e*x] - c*(n + 2)*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && LtQ[n, -1] && NeQ[n, -3/2]
```

#### Rule 3153

```
Int[((A_.) + cos[(d_.) + (e_.)*(x_.)]*(B_.) + (C_.)*sin[(d_.) + (e_.)*(x_.)]) / ((a_.) + cos[(d_.) + (e_.)*(x_.)]*(b_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^2, x_Symbol] :> Simp[(c*B - b*C - (a*C - c*A)*Cos[d + e*x] + (a*B - b*A)*Sin[d + e*x]) / (e*(a^2 - b^2 - c^2)*(a + b*Cos[d + e*x] + c*Sin[d + e*x])), x] + Dist[(a*A - b*B - c*C) / (a^2 - b^2 - c^2), Int[1 / (a + b*Cos[d + e*x] + c*Sin[d + e*x]), x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[a*A - b*B - c*C, 0]
```

#### Rule 3121

```
Int[(cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^(-1), x_Symbol] :> Module[{f = FreeFactors[Cot[(d + e*x)/2], x]}, -Dist[f/e, Subst[Int[1/(a + c*f*x), x], x, Cot[(d + e*x)/2]/f], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a + b, 0]
```

**Rule 31**

`Int[((a_) + (b_.)*(x_))^(−1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]`

Rubi steps

$$\int \frac{1}{(2a - 2a \cos(d + ex) + 2c \sin(d + ex))^3} dx = -\frac{c \cos(d + ex) + a \sin(d + ex)}{16c^2e(a - a \cos(d + ex) + c \sin(d + ex))^2} + \frac{\int \frac{-4a - 2a \cos(d + ex) + 2c \sin(d + ex)}{(2a - 2a \cos(d + ex) + 2c \sin(d + ex))^2} dx}{8c^2}$$

$$= -\frac{c \cos(d + ex) + a \sin(d + ex)}{16c^2e(a - a \cos(d + ex) + c \sin(d + ex))^2} + \frac{3(ac \cos(d + ex) + a^2 \sin(d + ex))}{16c^4e(a - a \cos(d + ex) + c \sin(d + ex))}$$

$$= -\frac{c \cos(d + ex) + a \sin(d + ex)}{16c^2e(a - a \cos(d + ex) + c \sin(d + ex))^2} + \frac{3(ac \cos(d + ex) + a^2 \sin(d + ex))}{16c^4e(a - a \cos(d + ex) + c \sin(d + ex))}$$

$$= -\frac{(3a^2 + c^2) \log\left(a + c \cot\left(\frac{1}{2}(d + ex)\right)\right)}{16c^5e} - \frac{c \cos(d + ex) + a \sin(d + ex)}{16c^2e(a - a \cos(d + ex) + c \sin(d + ex))}$$

**Mathematica [C]** time = 0.610723, size = 350, normalized size = 2.61

$$\sin\left(\frac{1}{2}(d + ex)\right) \left(a \sin\left(\frac{1}{2}(d + ex)\right) + c \cos\left(\frac{1}{2}(d + ex)\right)\right) \left(-6a(a^2 + c^2) \sin^3\left(\frac{1}{2}(d + ex)\right) \left(a \sin\left(\frac{1}{2}(d + ex)\right) + c \cos\left(\frac{1}{2}(d + ex)\right)\right) + \dots\right)$$

Antiderivative was successfully verified.

[In] Integrate[(2\*a - 2\*a\*cos[d + e\*x] + 2\*c\*sin[d + e\*x])^(-3), x]

[Out] (Sin[(d + e\*x)/2]\*(c\*cos[(d + e\*x)/2] + a\*sin[(d + e\*x)/2])\*(c^2\*((-I)\*a + c)\*(I\*a + c)\*Sin[(d + e\*x)/2]^2 - 6\*a\*(a^2 + c^2)\*Sin[(d + e\*x)/2]^3\*(c\*cos[(d + e\*x)/2] + a\*sin[(d + e\*x)/2]) - c^2\*(c\*cos[(d + e\*x)/2] + a\*sin[(d + e\*x)/2])^2 + 4\*(3\*a^2 + c^2)\*Log[Sin[(d + e\*x)/2]]\*Sin[(d + e\*x)/2]^2\*(c\*cos[(d + e\*x)/2] + a\*sin[(d + e\*x)/2])^2 - 4\*(3\*a^2 + c^2)\*Log[c\*cos[(d + e\*x)/2] + a\*sin[(d + e\*x)/2]]\*Sin[(d + e\*x)/2]^2\*(c\*cos[(d + e\*x)/2] + a\*sin[(d + e\*x)/2])^2 + 3\*a\*c\*(c\*cos[(d + e\*x)/2] + a\*sin[(d + e\*x)/2])^2\*sin[d + e\*x]))/(8\*c^5\*e\*(a - a\*cos[d + e\*x] + c\*sin[d + e\*x])^3)

**Maple [B]** time = 0.196, size = 272, normalized size = 2.

$$\frac{3a^2}{32c^4e} \left(c + a \tan\left(\frac{d}{2} + \frac{ex}{2}\right)\right)^{-1} + \frac{1}{16c^2e} \left(c + a \tan\left(\frac{d}{2} + \frac{ex}{2}\right)\right)^{-1} - \frac{1}{32a^2e} \left(c + a \tan\left(\frac{d}{2} + \frac{ex}{2}\right)\right)^{-1} + \frac{a^2}{64ec^3} \left(c + a \tan\left(\frac{d}{2} + \frac{ex}{2}\right)\right)^{-1} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(2\*a-2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^3,x)

[Out] 3/32/e\*a^2/c^4/(c+a\*tan(1/2\*d+1/2\*e\*x))+1/16/e/c^2/(c+a\*tan(1/2\*d+1/2\*e\*x))-1/32/e/a^2/(c+a\*tan(1/2\*d+1/2\*e\*x))+1/64/e\*a^2/c^3/(c+a\*tan(1/2\*d+1/2\*e\*x))^2+1/32/e/c/(c+a\*tan(1/2\*d+1/2\*e\*x))^2+1/64/e/a^2\*c/(c+a\*tan(1/2\*d+1/2\*e\*x))^2-3/16/e/c^5\*ln(c+a\*tan(1/2\*d+1/2\*e\*x))\*a^2-1/16/e/c^3\*ln(c+a\*tan(1/2\*d+1/2\*e\*x))-1/64/e/c^3/tan(1/2\*d+1/2\*e\*x)^2+3/16/e/c^5\*ln(tan(1/2\*d+1/2\*e\*x))\*a^2+1/16/e/c^3\*ln(tan(1/2\*d+1/2\*e\*x))+3/32/e/c^4\*a/tan(1/2\*d+1/2\*e\*x)

---

**Maxima [B]** time = 1.06342, size = 358, normalized size = 2.67

$$\frac{a^2c^3 \frac{4a^3c^2 \sin(ex+d)}{\cos(ex+d)+1} - \frac{(18a^4c+6a^2c^3-c^5) \sin(ex+d)^2}{(\cos(ex+d)+1)^2} - \frac{2(6a^5+2a^3c^2-ac^4) \sin(ex+d)^3}{(\cos(ex+d)+1)^3}}{\frac{a^2c^6 \sin(ex+d)^2}{(\cos(ex+d)+1)^2} + \frac{2a^3c^5 \sin(ex+d)^3}{(\cos(ex+d)+1)^3} + \frac{a^4c^4 \sin(ex+d)^4}{(\cos(ex+d)+1)^4}} + \frac{4(3a^2+c^2) \log\left(c + \frac{a \sin(ex+d)}{\cos(ex+d)+1}\right)}{c^5} - \frac{4(3a^2+c^2) \log\left(\frac{\sin(ex+d)}{\cos(ex+d)+1}\right)}{c^5}$$


---

$64e$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a-2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^3,x, algorithm="maxima")

[Out] -1/64\*((a^2\*c^3 - 4\*a^3\*c^2\*sin(e\*x + d)/(cos(e\*x + d) + 1) - (18\*a^4\*c + 6\*a^2\*c^3 - c^5)\*sin(e\*x + d)^2/(cos(e\*x + d) + 1)^2 - 2\*(6\*a^5 + 2\*a^3\*c^2 - a\*c^4)\*sin(e\*x + d)^3/(cos(e\*x + d) + 1)^3)/(a^2\*c^6\*sin(e\*x + d)^2/(cos(e\*x + d) + 1)^2 + 2\*a^3\*c^5\*sin(e\*x + d)^3/(cos(e\*x + d) + 1)^3 + a^4\*c^4\*sin(e\*x + d)^4/(cos(e\*x + d) + 1)^4) + 4\*(3\*a^2 + c^2)\*log(c + a\*sin(e\*x + d)/(cos(e\*x + d) + 1))/c^5 - 4\*(3\*a^2 + c^2)\*log(sin(e\*x + d)/(cos(e\*x + d) + 1))/c^5)/e

---

**Fricas [B]** time = 2.46851, size = 987, normalized size = 7.37

$$12a^2c^2 \cos(ex+d)^2 - 6a^2c^2 - 2(3a^2c^2 - c^4) \cos(ex+d) + (3a^4 + 4a^2c^2 + c^4 + (3a^4 - 2a^2c^2 - c^4) \cos(ex+d))^2 - 2$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a-2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^3,x, algorithm="fricas")

[Out] 1/32\*(12\*a^2\*c^2\*cos(e\*x + d)^2 - 6\*a^2\*c^2 - 2\*(3\*a^2\*c^2 - c^4)\*cos(e\*x + d) + (3\*a^4 + 4\*a^2\*c^2 + c^4 + (3\*a^4 - 2\*a^2\*c^2 - c^4)\*cos(e\*x + d)^2 - 2\*(3\*a^4 + a^2\*c^2)\*cos(e\*x + d) + 2\*(3\*a^3\*c + a\*c^3 - (3\*a^3\*c + a\*c^3)\*cos(e\*x + d))\*sin(e\*x + d))\*log(a\*c\*sin(e\*x + d) + 1/2\*a^2 + 1/2\*c^2 - 1/2\*(a^2 - c^2)\*cos(e\*x + d)) - (3\*a^4 + 4\*a^2\*c^2 + c^4 + (3\*a^4 - 2\*a^2\*c^2 - c^4)\*cos(e\*x + d)^2 - 2\*(3\*a^4 + a^2\*c^2)\*cos(e\*x + d) + 2\*(3\*a^3\*c + a\*c^3 - (3\*a^3\*c + a\*c^3)\*cos(e\*x + d))\*sin(e\*x + d))\*log(-1/2\*cos(e\*x + d) + 1/2) - 2\*(3\*a^3\*c - a\*c^3 - 3\*(a^3\*c - a\*c^3)\*cos(e\*x + d))\*sin(e\*x + d))/(2\*a^2\*c^5\*e\*cos(e\*x + d) - (a^2\*c^5 - c^7)\*e\*cos(e\*x + d)^2 - (a^2\*c^5 + c^7)\*e + 2\*(a\*c^6\*e\*cos(e\*x + d) - a\*c^6\*e)\*sin(e\*x + d))

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a-2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))\*\*3,x)

[Out] Timed out

---

**Giac [A]** time = 1.29775, size = 323, normalized size = 2.41

$$\frac{1}{64} \left( \frac{4(3a^2 + c^2) \log\left(\left|\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)\right|\right)}{c^5} - \frac{4(3a^3 + ac^2) \log\left(\left|a \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) + c\right|\right)}{ac^5} + \frac{12a^5 \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^3 + 4a^3c^2 \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^2 - 2a^2c^4 \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^3 + 18a^4c \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^2 + 6a^2c^3 \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^2 - c^5 \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^2 + 4a^3c^2 \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) - a^2c^3}{(a \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^2 + c \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right))^2 a^2 c^4} \right) e^{-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a-2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^3,x, algorithm="giac")

[Out] 1/64\*(4\*(3\*a^2 + c^2)\*log(abs(tan(1/2\*x\*e + 1/2\*d)))/c^5 - 4\*(3\*a^3 + a\*c^2)\*log(abs(a\*tan(1/2\*x\*e + 1/2\*d) + c))/(a\*c^5) + (12\*a^5\*tan(1/2\*x\*e + 1/2\*d)^3 + 4\*a^3\*c^2\*tan(1/2\*x\*e + 1/2\*d)^2 - 2\*a\*c^4\*tan(1/2\*x\*e + 1/2\*d)^3 + 18\*a^4\*c\*tan(1/2\*x\*e + 1/2\*d)^2 + 6\*a^2\*c^3\*tan(1/2\*x\*e + 1/2\*d)^2 - c^5\*tan(1/2\*x\*e + 1/2\*d)^2 + 4\*a^3\*c^2\*tan(1/2\*x\*e + 1/2\*d) - a^2\*c^3)/((a\*tan(1/2\*x\*e + 1/2\*d)^2 + c\*tan(1/2\*x\*e + 1/2\*d))^2\*a^2\*c^4))\*e^(-1)

$$3.380 \quad \int \frac{1}{(2a-2a \cos(d+ex)+2c \sin(d+ex))^4} dx$$

**Optimal.** Leaf size=207

$$\frac{a(15a^2 + 4c^2) \sin(d+ex) + c(15a^2 + 4c^2) \cos(d+ex)}{96c^6 e(a(-\cos(d+ex)) + a + c \sin(d+ex))} + \frac{5(a^2 \sin(d+ex) + ac \cos(d+ex))}{96c^4 e(a(-\cos(d+ex)) + a + c \sin(d+ex))^2} + \frac{a(5a^2 + 3c^2)}{96c^4 e(a(-\cos(d+ex)) + a + c \sin(d+ex))^2}$$

[Out] (a\*(5\*a^2 + 3\*c^2)\*Log[a + c\*Cot[(d + e\*x)/2]])/(32\*c^7\*e) - (c\*Cos[d + e\*x] + a\*Sin[d + e\*x])/(48\*c^2\*e\*(a - a\*Cos[d + e\*x] + c\*Sin[d + e\*x])^3) + (5\*(a\*c\*Cos[d + e\*x] + a^2\*Sin[d + e\*x]))/(96\*c^4\*e\*(a - a\*Cos[d + e\*x] + c\*Sin[d + e\*x])^2) - (c\*(15\*a^2 + 4\*c^2)\*Cos[d + e\*x] + a\*(15\*a^2 + 4\*c^2)\*Sin[d + e\*x])/(96\*c^6\*e\*(a - a\*Cos[d + e\*x] + c\*Sin[d + e\*x]))

**Rubi [A]** time = 0.24045, antiderivative size = 207, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$ , Rules used = {3129, 3156, 3153, 3121, 31}

$$\frac{a(15a^2 + 4c^2) \sin(d+ex) + c(15a^2 + 4c^2) \cos(d+ex)}{96c^6 e(a(-\cos(d+ex)) + a + c \sin(d+ex))} + \frac{5(a^2 \sin(d+ex) + ac \cos(d+ex))}{96c^4 e(a(-\cos(d+ex)) + a + c \sin(d+ex))^2} + \frac{a(5a^2 + 3c^2)}{96c^4 e(a(-\cos(d+ex)) + a + c \sin(d+ex))^2}$$

Antiderivative was successfully verified.

[In] Int[(2\*a - 2\*a\*Cos[d + e\*x] + 2\*c\*Sin[d + e\*x])^(-4), x]

[Out] (a\*(5\*a^2 + 3\*c^2)\*Log[a + c\*Cot[(d + e\*x)/2]])/(32\*c^7\*e) - (c\*Cos[d + e\*x] + a\*Sin[d + e\*x])/(48\*c^2\*e\*(a - a\*Cos[d + e\*x] + c\*Sin[d + e\*x])^3) + (5\*(a\*c\*Cos[d + e\*x] + a^2\*Sin[d + e\*x]))/(96\*c^4\*e\*(a - a\*Cos[d + e\*x] + c\*Sin[d + e\*x])^2) - (c\*(15\*a^2 + 4\*c^2)\*Cos[d + e\*x] + a\*(15\*a^2 + 4\*c^2)\*Sin[d + e\*x])/(96\*c^6\*e\*(a - a\*Cos[d + e\*x] + c\*Sin[d + e\*x]))

#### Rule 3129

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Simp[((-(c\*Cos[d + e\*x]) + b\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1))/(e\*(n + 1)\*(a^2 - b^2 - c^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2 - c^2)), Int[(a\*(n + 1) - b\*(n + 2)\*Cos[d + e\*x] - c\*(n + 2)\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && LtQ[n, -1] && NeQ[n, -3/2]

#### Rule 3156

Int[((a\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(n\_.)\*(A\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]), x\_Symbol] :> -Simp[((c\*B - b\*C - (a\*C - c\*A)\*Cos[d + e\*x] + (a\*B - b\*A)\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1))/(e\*(n + 1)\*(a^2 - b^2 - c^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2 - c^2)), Int[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1)\*Simp[(n + 1)\*(a\*A - b\*B - c\*C) + (n + 2)\*(a\*B - b\*A)\*Cos[d + e\*x] + (n + 2)\*(a\*C - c\*A)\*Sin[d + e\*x], x], x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && LtQ[n, -1] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[n, -2]

#### Rule 3153

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]) / ((a\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^2,

```
x_Symbol] := Simp[(c*B - b*C - (a*C - c*A)*Cos[d + e*x] + (a*B - b*A)*Sin[
d + e*x])/(e*(a^2 - b^2 - c^2)*(a + b*Cos[d + e*x] + c*Sin[d + e*x])), x] +
Dist[(a*A - b*B - c*C)/(a^2 - b^2 - c^2), Int[1/(a + b*Cos[d + e*x] + c*Si
n[d + e*x]), x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && NeQ[a^2 - b^2
- c^2, 0] && NeQ[a*A - b*B - c*C, 0]
```

Rule 3121

```
Int[(cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)]^
(-1), x_Symbol] := Module[{f = FreeFactors[Cot[(d + e*x)/2], x]}, -Dist[f/e
, Subst[Int[1/(a + c*f*x), x], x, Cot[(d + e*x)/2]/f], x] /; FreeQ[{a, b,
c, d, e}, x] && EqQ[a + b, 0]
```

Rule 31

```
Int[((a_) + (b_.)*(x_))^( -1), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

Rubi steps

$$\int \frac{1}{(2a - 2a \cos(d + ex) + 2c \sin(d + ex))^4} dx = -\frac{c \cos(d + ex) + a \sin(d + ex)}{48c^2e(a - a \cos(d + ex) + c \sin(d + ex))^3} + \frac{\int \frac{-6a-4a \cos(d+ex)+4c \sin(d+ex)}{(2a-2a \cos(d+ex)+2c \sin(d+ex))^3} dx}{12c^2}$$

$$= -\frac{c \cos(d + ex) + a \sin(d + ex)}{48c^2e(a - a \cos(d + ex) + c \sin(d + ex))^3} + \frac{5(ac \cos(d + ex) + a^2 \sin(d + ex))}{96c^4e(a - a \cos(d + ex) + c \sin(d + ex))^2}$$

$$= -\frac{c \cos(d + ex) + a \sin(d + ex)}{48c^2e(a - a \cos(d + ex) + c \sin(d + ex))^3} + \frac{5(ac \cos(d + ex) + a^2 \sin(d + ex))}{96c^4e(a - a \cos(d + ex) + c \sin(d + ex))^2}$$

$$= -\frac{c \cos(d + ex) + a \sin(d + ex)}{48c^2e(a - a \cos(d + ex) + c \sin(d + ex))^3} + \frac{5(ac \cos(d + ex) + a^2 \sin(d + ex))}{96c^4e(a - a \cos(d + ex) + c \sin(d + ex))^2}$$

$$= \frac{a(5a^2 + 3c^2) \log\left(a + c \cot\left(\frac{1}{2}(d + ex)\right)\right)}{32c^7e} - \frac{c \cos(d + ex) + a \sin(d + ex)}{48c^2e(a - a \cos(d + ex) + c \sin(d + ex))^3}$$

**Mathematica [B]** time = 1.08889, size = 494, normalized size = 2.39

---


$$\sin\left(\frac{1}{2}(d + ex)\right) \left( a \sin\left(\frac{1}{2}(d + ex)\right) + c \cos\left(\frac{1}{2}(d + ex)\right) \right) \left( 75a^3c^3 \sin(d + ex) - 156a^3c^3 \sin(2(d + ex)) + 79a^3c^3 \sin(3(d + ex)) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(2*a - 2*a*Cos[d + e*x] + 2*c*Sin[d + e*x])^(-4),x]
```

```
[Out] (Sin[(d + e*x)/2]*(c*Cos[(d + e*x)/2] + a*Sin[(d + e*x)/2]))*(150*a^6 + 130*
a^4*c^2 + 24*a^2*c^4 - 225*a^6*Cos[d + e*x] - 255*a^4*c^2*Cos[d + e*x] - 42
*a^2*c^4*Cos[d + e*x] - 24*c^6*Cos[d + e*x] + 90*a^6*Cos[2*(d + e*x)] + 174
*a^4*c^2*Cos[2*(d + e*x)] - 15*a^6*Cos[3*(d + e*x)] - 49*a^4*c^2*Cos[3*(d +
e*x)] + 18*a^2*c^4*Cos[3*(d + e*x)] + 8*c^6*Cos[3*(d + e*x)] - 192*(5*a^3
+ 3*a*c^2)*Log[Sin[(d + e*x)/2]]*Sin[(d + e*x)/2]^3*(c*Cos[(d + e*x)/2] + a
*Sin[(d + e*x)/2])^3 + 192*(5*a^3 + 3*a*c^2)*Log[c*Cos[(d + e*x)/2] + a*Sin
[(d + e*x)/2]]*Sin[(d + e*x)/2]^3*(c*Cos[(d + e*x)/2] + a*Sin[(d + e*x)/2])
^3 + 75*a^5*c*Sin[d + e*x] + 75*a^3*c^3*Sin[d + e*x] - 12*a*c^5*Sin[d + e*x]
- 60*a^5*c*Sin[2*(d + e*x)] - 156*a^3*c^3*Sin[2*(d + e*x)] - 12*a*c^5*Sin
[2*(d + e*x)] + 15*a^5*c*Sin[3*(d + e*x)] + 79*a^3*c^3*Sin[3*(d + e*x)] + 2
```



$$0*a*c^5*\text{Sin}[3*(d + e*x)])/(384*c^7*e*(a - a*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x])^4)$$

**Maple [B]** time = 0.229, size = 416, normalized size = 2.

$$-\frac{a^3}{64c^5e} \left( c + a \tan\left(\frac{d}{2} + \frac{ex}{2}\right) \right)^{-2} - \frac{3a}{128c^3e} \left( c + a \tan\left(\frac{d}{2} + \frac{ex}{2}\right) \right)^{-2} + \frac{c}{128a^3e} \left( c + a \tan\left(\frac{d}{2} + \frac{ex}{2}\right) \right)^{-2} - \frac{5a^3}{64ec^6} \left( c + a \tan\left(\frac{d}{2} + \frac{ex}{2}\right) \right)^{-2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(2\*a-2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^4,x)

[Out] 
$$-1/64/e*a^3/c^5/(c+a*\tan(1/2*d+1/2*e*x))^2-3/128/e*a/c^3/(c+a*\tan(1/2*d+1/2*e*x))^2+1/128/e/a^3*c/(c+a*\tan(1/2*d+1/2*e*x))^2-5/64/e/c^6*a^3/(c+a*\tan(1/2*d+1/2*e*x))-9/128/e/c^4*a/(c+a*\tan(1/2*d+1/2*e*x))-1/128/e/a^3/(c+a*\tan(1/2*d+1/2*e*x))-1/384/e*a^3/c^4/(c+a*\tan(1/2*d+1/2*e*x))^3-1/128/e*a/c^2/(c+a*\tan(1/2*d+1/2*e*x))^3-1/128/e/a/(c+a*\tan(1/2*d+1/2*e*x))^3-1/384/e/a^3*c^2/(c+a*\tan(1/2*d+1/2*e*x))^3+5/32/e*a^3/c^7*\ln(c+a*\tan(1/2*d+1/2*e*x))+3/32/e*a/c^5*\ln(c+a*\tan(1/2*d+1/2*e*x))-1/384/e/c^4/\tan(1/2*d+1/2*e*x)^3-5/64/e/c^6/\tan(1/2*d+1/2*e*x)*a^2-3/128/e/c^4/\tan(1/2*d+1/2*e*x)+1/64/e/c^5*a/\tan(1/2*d+1/2*e*x)^2-5/32/e*a^3/c^7*\ln(\tan(1/2*d+1/2*e*x))-3/32/e*a/c^5*\ln(\tan(1/2*d+1/2*e*x))$$

**Maxima [A]** time = 1.12117, size = 516, normalized size = 2.49

$$\frac{a^3c^5 - \frac{3a^4c^4 \sin(ex+d)}{\cos(ex+d)+1} + \frac{3(5a^5c^3+3a^3c^5)\sin(ex+d)^2}{(\cos(ex+d)+1)^2} + \frac{(110a^6c^2+66a^4c^4+3a^2c^6+c^8)\sin(ex+d)^3}{(\cos(ex+d)+1)^3} + \frac{3(50a^7c+30a^5c^3+ac^7)\sin(ex+d)^4}{(\cos(ex+d)+1)^4} + \frac{3(20a^8+12a^6c^2+a^2c^6)\sin(ex+d)^5}{(\cos(ex+d)+1)^5}}{\frac{a^3c^9 \sin(ex+d)^3}{(\cos(ex+d)+1)^3} + \frac{3a^4c^8 \sin(ex+d)^4}{(\cos(ex+d)+1)^4} + \frac{3a^5c^7 \sin(ex+d)^5}{(\cos(ex+d)+1)^5} + \frac{a^6c^6 \sin(ex+d)^6}{(\cos(ex+d)+1)^6}}$$

384 e

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a-2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^4,x, algorithm="maxima")

[Out] 
$$-1/384*((a^3*c^5 - 3*a^4*c^4*\sin(e*x + d)/(\cos(e*x + d) + 1) + 3*(5*a^5*c^3 + 3*a^3*c^5)*\sin(e*x + d)^2/(\cos(e*x + d) + 1)^2 + (110*a^6*c^2 + 66*a^4*c^4 + 3*a^2*c^6 + c^8)*\sin(e*x + d)^3/(\cos(e*x + d) + 1)^3 + 3*(50*a^7*c + 30*a^5*c^3 + a*c^7)*\sin(e*x + d)^4/(\cos(e*x + d) + 1)^4 + 3*(20*a^8 + 12*a^6*c^2 + a^2*c^6)*\sin(e*x + d)^5/(\cos(e*x + d) + 1)^5)/(a^3*c^9*\sin(e*x + d)^3/(\cos(e*x + d) + 1)^3 + 3*a^4*c^8*\sin(e*x + d)^4/(\cos(e*x + d) + 1)^4 + 3*a^5*c^7*\sin(e*x + d)^5/(\cos(e*x + d) + 1)^5 + a^6*c^6*\sin(e*x + d)^6/(\cos(e*x + d) + 1)^6) - 12*(5*a^3 + 3*a*c^2)*\log(c + a*\sin(e*x + d)/(\cos(e*x + d) + 1))/c^7 + 12*(5*a^3 + 3*a*c^2)*\log(\sin(e*x + d)/(\cos(e*x + d) + 1))/c^7)/e$$

**Fricas [B]** time = 2.64159, size = 1783, normalized size = 8.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a-2\*a\*cos(e\*x+d)+2\*c\*sin(e\*x+d))^4,x, algorithm="fricas")

```
[Out] 1/192*(60*a^4*c^2 + 6*a^2*c^4 + 2*(45*a^4*c^2 - 3*a^2*c^4 - 4*c^6)*cos(e*x
+ d)^3 - 12*(10*a^4*c^2 + a^2*c^4)*cos(e*x + d)^2 - 6*(5*a^4*c^2 - 2*a^2*c^
4 - 2*c^6)*cos(e*x + d) - 3*(5*a^6 + 18*a^4*c^2 + 9*a^2*c^4 - (5*a^6 - 12*a
^4*c^2 - 9*a^2*c^4)*cos(e*x + d)^3 + 3*(5*a^6 - 2*a^4*c^2 - 3*a^2*c^4)*cos(
e*x + d)^2 - 3*(5*a^6 + 8*a^4*c^2 + 3*a^2*c^4)*cos(e*x + d) + (15*a^5*c + 1
4*a^3*c^3 + 3*a*c^5 + (15*a^5*c + 4*a^3*c^3 - 3*a*c^5)*cos(e*x + d)^2 - 6*(
5*a^5*c + 3*a^3*c^3)*cos(e*x + d))*sin(e*x + d))*log(a*c*sin(e*x + d) + 1/2
*a^2 + 1/2*c^2 - 1/2*(a^2 - c^2)*cos(e*x + d)) + 3*(5*a^6 + 18*a^4*c^2 + 9*
a^2*c^4 - (5*a^6 - 12*a^4*c^2 - 9*a^2*c^4)*cos(e*x + d)^3 + 3*(5*a^6 - 2*a^
4*c^2 - 3*a^2*c^4)*cos(e*x + d)^2 - 3*(5*a^6 + 8*a^4*c^2 + 3*a^2*c^4)*cos(e
*x + d) + (15*a^5*c + 14*a^3*c^3 + 3*a*c^5 + (15*a^5*c + 4*a^3*c^3 - 3*a*c^
5)*cos(e*x + d)^2 - 6*(5*a^5*c + 3*a^3*c^3)*cos(e*x + d))*sin(e*x + d))*log
(-1/2*cos(e*x + d) + 1/2) + 2*(15*a^5*c + 14*a^3*c^3 + 6*a*c^5 + (15*a^5*c
- 41*a^3*c^3 - 12*a*c^5)*cos(e*x + d)^2 - 3*(10*a^5*c - 9*a^3*c^3 - a*c^5)*
cos(e*x + d))*sin(e*x + d))/((a^3*c^7 - 3*a*c^9)*e*cos(e*x + d)^3 - 3*(a^3*
c^7 - a*c^9)*e*cos(e*x + d)^2 + 3*(a^3*c^7 + a*c^9)*e*cos(e*x + d) - (a^3*c
^7 + 3*a*c^9)*e + (6*a^2*c^8*e*cos(e*x + d) - (3*a^2*c^8 - c^10)*e*cos(e*x
+ d)^2 - (3*a^2*c^8 + c^10)*e)*sin(e*x + d))
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(2*a-2*a*cos(e*x+d)+2*c*sin(e*x+d))**4,x)
```

```
[Out] Timed out
```

**Giac [A]** time = 1.20794, size = 490, normalized size = 2.37

$$\frac{1}{384} \left( \frac{12(5a^3 + 3ac^2) \log\left(\left|\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)\right|\right)}{c^7} - \frac{12(5a^4 + 3a^2c^2) \log\left(\left|a \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) + c\right|\right)}{ac^7} + \frac{60a^8 \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)}{c^7} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(2*a-2*a*cos(e*x+d)+2*c*sin(e*x+d))^4,x, algorithm="giac")
```

```
[Out] -1/384*(12*(5*a^3 + 3*a*c^2)*log(abs(tan(1/2*x*e + 1/2*d)))/c^7 - 12*(5*a^4
+ 3*a^2*c^2)*log(abs(a*tan(1/2*x*e + 1/2*d) + c))/(a*c^7) + (60*a^8*tan(1/
2*x*e + 1/2*d)^5 + 36*a^6*c^2*tan(1/2*x*e + 1/2*d)^5 + 3*a^2*c^6*tan(1/2*x*
e + 1/2*d)^5 + 150*a^7*c*tan(1/2*x*e + 1/2*d)^4 + 90*a^5*c^3*tan(1/2*x*e +
1/2*d)^4 + 3*a*c^7*tan(1/2*x*e + 1/2*d)^4 + 110*a^6*c^2*tan(1/2*x*e + 1/2*d
)^3 + 66*a^4*c^4*tan(1/2*x*e + 1/2*d)^3 + 3*a^2*c^6*tan(1/2*x*e + 1/2*d)^3
+ c^8*tan(1/2*x*e + 1/2*d)^3 + 15*a^5*c^3*tan(1/2*x*e + 1/2*d)^2 + 9*a^3*c^
5*tan(1/2*x*e + 1/2*d)^2 - 3*a^4*c^4*tan(1/2*x*e + 1/2*d) + a^3*c^5)/((a*ta
n(1/2*x*e + 1/2*d)^2 + c*tan(1/2*x*e + 1/2*d))^3*a^3*c^6))*e^(-1)
```

### 3.381 $\int (2a + 2b \cos(d + ex) + 2a \sin(d + ex))^3 dx$

**Optimal.** Leaf size=157

$$\frac{4b(15a^2 + 4b^2) \sin(d + ex)}{3e} - \frac{4a(15a^2 + 4b^2) \cos(d + ex)}{3e} + 4ax(5a^2 + 3b^2) - \frac{20(a^2 \cos(d + ex) - ab \sin(d + ex))(a^2 \cos(d + ex) - ab \sin(d + ex))}{3e}$$

```
[Out] 4*a*(5*a^2 + 3*b^2)*x - (4*a*(15*a^2 + 4*b^2)*Cos[d + e*x])/(3*e) + (4*b*(15*a^2 + 4*b^2)*Sin[d + e*x])/(3*e) - (8*(a + b*Cos[d + e*x] + a*SIN[d + e*x])^2*(a*Cos[d + e*x] - b*SIN[d + e*x]))/(3*e) - (20*(a + b*Cos[d + e*x] + a*SIN[d + e*x])*(a^2*Cos[d + e*x] - a*b*SIN[d + e*x]))/(3*e)
```

**Rubi [A]** time = 0.14, antiderivative size = 157, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {3120, 3146, 2637, 2638}

$$\frac{4b(15a^2 + 4b^2) \sin(d + ex)}{3e} - \frac{4a(15a^2 + 4b^2) \cos(d + ex)}{3e} + 4ax(5a^2 + 3b^2) - \frac{20(a^2 \cos(d + ex) - ab \sin(d + ex))(a^2 \cos(d + ex) - ab \sin(d + ex))}{3e}$$

Antiderivative was successfully verified.

```
[In] Int[(2*a + 2*b*Cos[d + e*x] + 2*a*SIN[d + e*x])^3,x]
```

```
[Out] 4*a*(5*a^2 + 3*b^2)*x - (4*a*(15*a^2 + 4*b^2)*Cos[d + e*x])/(3*e) + (4*b*(15*a^2 + 4*b^2)*Sin[d + e*x])/(3*e) - (8*(a + b*Cos[d + e*x] + a*SIN[d + e*x])^2*(a*Cos[d + e*x] - b*SIN[d + e*x]))/(3*e) - (20*(a + b*Cos[d + e*x] + a*SIN[d + e*x])*(a^2*Cos[d + e*x] - a*b*SIN[d + e*x]))/(3*e)
```

#### Rule 3120

```
Int[(cos[(d_.) + (e_.)*(x_)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_)])^n, x_Symbol] :> -Simp[((c*Cos[d + e*x] - b*SIN[d + e*x])*(a + b*Cos[d + e*x] + c*SIN[d + e*x])^(n - 1))/(e*n), x] + Dist[1/n, Int[Simp[n*a^2 + (n - 1)*(b^2 + c^2) + a*b*(2*n - 1)*Cos[d + e*x] + a*c*(2*n - 1)*SIN[d + e*x], x]*(a + b*Cos[d + e*x] + c*SIN[d + e*x])^(n - 2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && GtQ[n, 1]
```

#### Rule 3146

```
Int[(cos[(d_.) + (e_.)*(x_)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_)])^n*(A_.) + cos[(d_.) + (e_.)*(x_)]*(B_.) + (C_.)*sin[(d_.) + (e_.)*(x_)], x_Symbol] :> Simp[((B*c - b*C - a*C*Cos[d + e*x] + a*B*SIN[d + e*x])*(a + b*Cos[d + e*x] + c*SIN[d + e*x])^n)/(a*e*(n + 1)), x] + Dist[1/(a*(n + 1)), Int[(a + b*Cos[d + e*x] + c*SIN[d + e*x])^(n - 1)*Simp[a*(b*B + c*C)*n + a^2*A*(n + 1) + (n*(a^2*B - B*c^2 + b*c*C) + a*b*A*(n + 1))*Cos[d + e*x] + (n*(b*B*c + a^2*C - b^2*C) + a*c*A*(n + 1))*SIN[d + e*x], x], x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && GtQ[n, 0] && NeQ[a^2 - b^2 - c^2, 0]
```

#### Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] :> Simp[SIN[c + d*x]/d, x] /; FreeQ[{c, d}, x]
```

#### Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int (2a + 2b \cos(d + ex) + 2a \sin(d + ex))^3 dx &= -\frac{8(a + b \cos(d + ex) + a \sin(d + ex))^2(a \cos(d + ex) - b \sin(d + ex))}{3e} + \frac{1}{3} \\
&= -\frac{8(a + b \cos(d + ex) + a \sin(d + ex))^2(a \cos(d + ex) - b \sin(d + ex))}{3e} - \frac{20}{3} \\
&= 4a(5a^2 + 3b^2)x - \frac{8(a + b \cos(d + ex) + a \sin(d + ex))^2(a \cos(d + ex) - b \sin(d + ex))}{3e} \\
&= 4a(5a^2 + 3b^2)x - \frac{4a(15a^2 + 4b^2) \cos(d + ex)}{3e} + \frac{4b(15a^2 + 4b^2) \sin(d + ex)}{3e}
\end{aligned}$$

**Mathematica [A]** time = 0.464093, size = 135, normalized size = 0.86

$$\frac{2(6a(5a^2 + 3b^2)(d + ex) - 9a(a^2 - b^2)\sin(2(d + ex)) + 9b(5a^2 + b^2)\sin(d + ex) + b(b^2 - 3a^2)\sin(3(d + ex)) - 9a(5a^2 + 3b^2)\cos(2(d + ex)))}{3e}$$

Antiderivative was successfully verified.

[In] Integrate[(2\*a + 2\*b\*Cos[d + e\*x] + 2\*a\*Sin[d + e\*x])^3,x]

[Out] (2\*(6\*a\*(5\*a^2 + 3\*b^2)\*(d + e\*x) - 9\*a\*(5\*a^2 + b^2)\*Cos[d + e\*x] - 18\*a^2\*b\*Cos[2\*(d + e\*x)] + a\*(a^2 - 3\*b^2)\*Cos[3\*(d + e\*x)] + 9\*b\*(5\*a^2 + b^2)\*Sin[d + e\*x] - 9\*a\*(a^2 - b^2)\*Sin[2\*(d + e\*x)] + b\*(-3\*a^2 + b^2)\*Sin[3\*(d + e\*x)]))/(3\*e)

**Maple [A]** time = 0.069, size = 177, normalized size = 1.1

$$\frac{a^3(ex + d) + 3 \sin(ex + d)a^2b - 3a^3 \cos(ex + d) + 3ab^2(1/2 \sin(ex + d) \cos(ex + d) + 1/2 ex + d/2) - 3(\cos(ex + d) + \sin(ex + d))}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2\*a+2\*b\*cos(e\*x+d)+2\*a\*sin(e\*x+d))^3,x)

[Out] 8/e\*(a^3\*(e\*x+d)+3\*sin(e\*x+d)\*a^2\*b-3\*a^3\*cos(e\*x+d)+3\*a\*b^2\*(1/2\*sin(e\*x+d)\*cos(e\*x+d)+1/2\*e\*x+1/2\*d)-3\*cos(e\*x+d)^2\*a^2\*b+3\*a^3\*(-1/2\*sin(e\*x+d)\*cos(e\*x+d)+1/2\*e\*x+1/2\*d)+1/3\*b^3\*(2+cos(e\*x+d)^2)\*sin(e\*x+d)-cos(e\*x+d)^3\*a\*b^2+a^2\*b\*sin(e\*x+d)^3-1/3\*a^3\*(2+sin(e\*x+d)^2)\*cos(e\*x+d))

**Maxima [A]** time = 0.996859, size = 258, normalized size = 1.64

$$-\frac{8ab^2 \cos(ex + d)^3}{e} + \frac{8a^2b \sin(ex + d)^3}{e} + 8a^3x + \frac{8(\cos(ex + d)^3 - 3 \cos(ex + d))a^3}{3e} - \frac{8(\sin(ex + d)^3 - 3 \sin(ex + d))b^3}{3e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*a+2\*b\*cos(e\*x+d)+2\*a\*sin(e\*x+d))^3,x, algorithm="maxima")

[Out] -8\*a\*b^2\*cos(e\*x + d)^3/e + 8\*a^2\*b\*sin(e\*x + d)^3/e + 8\*a^3\*x + 8/3\*(cos(e\*x + d)^3 - 3\*cos(e\*x + d))\*a^3/e - 8/3\*(sin(e\*x + d)^3 - 3\*sin(e\*x + d))\*b^3/e

$$\frac{\left(2ax + 2d - \sin(2ex + 2d)\right)^3/e - 24a^2(a\cos(ex + d)/e - b\sin(ex + d)/e) - 6(4ab\cos(ex + d)^2/e - (2ex + 2d - \sin(2ex + 2d))a^2/e - (2ex + 2d + \sin(2ex + 2d))b^2/e)a}{3e}$$

**Fricas [A]** time = 2.30833, size = 293, normalized size = 1.87

$$\frac{4(18a^2b\cos(ex + d)^2 + 24a^3\cos(ex + d) - 2(a^3 - 3ab^2)\cos(ex + d)^3 - 3(5a^3 + 3ab^2)ex - (24a^2b + 4b^3 - 2(3a^2b - b^3)\cos(ex + d)^2 - 9(a^3 - ab^2)\cos(ex + d))\sin(ex + d)}{3e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*a+2\*b\*cos(e\*x+d)+2\*a\*sin(e\*x+d))^3,x, algorithm="fricas")

[Out] -4/3\*(18\*a^2\*b\*cos(e\*x + d)^2 + 24\*a^3\*cos(e\*x + d) - 2\*(a^3 - 3\*a\*b^2)\*cos(e\*x + d)^3 - 3\*(5\*a^3 + 3\*a\*b^2)\*e\*x - (24\*a^2\*b + 4\*b^3 - 2\*(3\*a^2\*b - b^3)\*cos(e\*x + d)^2 - 9\*(a^3 - a\*b^2)\*cos(e\*x + d))\*sin(e\*x + d)/e

**Sympy [A]** time = 0.935438, size = 291, normalized size = 1.85

$$\frac{\left\{12a^3x\sin^2(d + ex) + 12a^3x\cos^2(d + ex) + 8a^3x - \frac{8a^3\sin^2(d+ex)\cos(d+ex)}{e} - \frac{12a^3\sin(d+ex)\cos(d+ex)}{e} - \frac{16a^3\cos^3(d+ex)}{3e} - \frac{24a^3}{3e}\right\}}{x(2a\sin(d) + 2a + 2b\cos(d))^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*a+2\*b\*cos(e\*x+d)+2\*a\*sin(e\*x+d))\*\*3,x)

[Out] Piecewise((12\*a\*\*3\*x\*\*sin(d + e\*x)\*\*2 + 12\*a\*\*3\*x\*\*cos(d + e\*x)\*\*2 + 8\*a\*\*3\*x - 8\*a\*\*3\*sin(d + e\*x)\*\*2\*cos(d + e\*x)/e - 12\*a\*\*3\*sin(d + e\*x)\*cos(d + e\*x)/e - 16\*a\*\*3\*cos(d + e\*x)\*\*3/(3\*e) - 24\*a\*\*3\*cos(d + e\*x)/e + 8\*a\*\*2\*b\*sin(d + e\*x)\*\*3/e + 24\*a\*\*2\*b\*sin(d + e\*x)\*\*2/e + 24\*a\*\*2\*b\*sin(d + e\*x)/e + 12\*a\*b\*\*2\*x\*\*sin(d + e\*x)\*\*2 + 12\*a\*b\*\*2\*x\*\*cos(d + e\*x)\*\*2 + 12\*a\*b\*\*2\*sin(d + e\*x)\*cos(d + e\*x)/e - 8\*a\*b\*\*2\*cos(d + e\*x)\*\*3/e + 16\*b\*\*3\*sin(d + e\*x)\*\*3/(3\*e) + 8\*b\*\*3\*sin(d + e\*x)\*cos(d + e\*x)\*\*2/e, Ne(e, 0)), (x\*(2\*a\*sin(d) + 2\*a + 2\*b\*cos(d))\*\*3, True))

**Giac [A]** time = 1.10934, size = 204, normalized size = 1.3

$$-12a^2b\cos(2xe + 2d)e^{(-1)} + \frac{2}{3}(a^3 - 3ab^2)\cos(3xe + 3d)e^{(-1)} - 6(5a^3 + ab^2)\cos(xe + d)e^{(-1)} - \frac{2}{3}(3a^2b - b^3)e^{(-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*a+2\*b\*cos(e\*x+d)+2\*a\*sin(e\*x+d))^3,x, algorithm="giac")

[Out] -12\*a^2\*b\*cos(2\*x\*e + 2\*d)\*e^(-1) + 2/3\*(a^3 - 3\*a\*b^2)\*cos(3\*x\*e + 3\*d)\*e^(-1) - 6\*(5\*a^3 + a\*b^2)\*cos(x\*e + d)\*e^(-1) - 2/3\*(3\*a^2\*b - b^3)\*e^(-1)\*sin(3\*x\*e + 3\*d) - 6\*(a^3 - a\*b^2)\*e^(-1)\*sin(2\*x\*e + 2\*d) + 6\*(5\*a^2\*b + b^3)\*e^(-1)\*sin(x\*e + d) + 4\*(5\*a^3 + 3\*a\*b^2)\*x

### 3.382 $\int (2a + 2b \cos(d + ex) + 2a \sin(d + ex))^2 dx$

**Optimal.** Leaf size=81

$$2x(3a^2 + b^2) - \frac{6a^2 \cos(d + ex)}{e} + \frac{6ab \sin(d + ex)}{e} - \frac{2(a \sin(d + ex) + a + b \cos(d + ex))(a \cos(d + ex) - b \sin(d + ex))}{e}$$

[Out]  $2*(3*a^2 + b^2)*x - (6*a^2*\text{Cos}[d + e*x])/e + (6*a*b*\text{Sin}[d + e*x])/e - (2*(a + b*\text{Cos}[d + e*x] + a*\text{Sin}[d + e*x])*(a*\text{Cos}[d + e*x] - b*\text{Sin}[d + e*x]))/e$

**Rubi [A]** time = 0.0466635, antiderivative size = 81, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {3120, 2637, 2638}

$$2x(3a^2 + b^2) - \frac{6a^2 \cos(d + ex)}{e} + \frac{6ab \sin(d + ex)}{e} - \frac{2(a \sin(d + ex) + a + b \cos(d + ex))(a \cos(d + ex) - b \sin(d + ex))}{e}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(2*a + 2*b*\text{Cos}[d + e*x] + 2*a*\text{Sin}[d + e*x])^2, x]$

[Out]  $2*(3*a^2 + b^2)*x - (6*a^2*\text{Cos}[d + e*x])/e + (6*a*b*\text{Sin}[d + e*x])/e - (2*(a + b*\text{Cos}[d + e*x] + a*\text{Sin}[d + e*x])*(a*\text{Cos}[d + e*x] - b*\text{Sin}[d + e*x]))/e$

#### Rule 3120

$\text{Int}[(\text{cos}[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*\text{sin}[(d_.) + (e_.)*(x_.)])^n, x\_Symbol] \rightarrow -\text{Simp}[(c*\text{Cos}[d + e*x] - b*\text{Sin}[d + e*x])*(a + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x])^{n-1}]/(e*n), x] + \text{Dist}[1/n, \text{Int}[\text{Simp}[n*a^2 + (n-1)*(b^2 + c^2) + a*b*(2*n-1)*\text{Cos}[d + e*x] + a*c*(2*n-1)*\text{Sin}[d + e*x], x]*(a + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x])^{n-2}, x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{NeQ}[a^2 - b^2 - c^2, 0] \&\& \text{GtQ}[n, 1]$

#### Rule 2637

$\text{Int}[\text{sin}[\text{Pi}/2 + (c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow \text{Simp}[\text{Sin}[c + d*x]/d, x] /; \text{FreeQ}\{c, d\}, x]$

#### Rule 2638

$\text{Int}[\text{sin}[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/d, x] /; \text{FreeQ}\{c, d\}, x]$

#### Rubi steps

$$\begin{aligned} \int (2a + 2b \cos(d + ex) + 2a \sin(d + ex))^2 dx &= -\frac{2(a + b \cos(d + ex) + a \sin(d + ex))(a \cos(d + ex) - b \sin(d + ex))}{e} + \frac{1}{2} \int \\ &= 2(3a^2 + b^2)x - \frac{2(a + b \cos(d + ex) + a \sin(d + ex))(a \cos(d + ex) - b \sin(d + ex))}{e} \\ &= 2(3a^2 + b^2)x - \frac{6a^2 \cos(d + ex)}{e} + \frac{6ab \sin(d + ex)}{e} - \frac{2(a + b \cos(d + ex))}{e} \end{aligned}$$

**Mathematica [A]** time = 0.151361, size = 92, normalized size = 1.14

$$4 \left( \frac{(3a^2 + b^2)(d + ex)}{2e} - \frac{(a^2 - b^2) \sin(2(d + ex))}{4e} - \frac{2a^2 \cos(d + ex)}{e} + \frac{2ab \sin(d + ex)}{e} - \frac{ab \cos(2(d + ex))}{2e} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(2\*a + 2\*b\*cos[d + e\*x] + 2\*a\*sin[d + e\*x])^2,x]

[Out]  $4 \cdot \left( \frac{(3a^2 + b^2)(d + ex)}{2e} - \frac{2a^2 \cos(d + ex)}{e} - \frac{ab \cos[2(d + ex)]}{2e} + \frac{2ab \sin(d + ex)}{e} - \frac{(a^2 - b^2) \sin[2(d + ex)]}{4e} \right)$

**Maple [A]** time = 0.057, size = 101, normalized size = 1.3

$$4 \frac{a^2 (ex + d) + 2ab \sin(ex + d) - 2a^2 \cos(ex + d) + b^2 (1/2 \sin(ex + d) \cos(ex + d) + 1/2 ex + d/2) - (\cos(ex + d))^2 a}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2\*a+2\*b\*cos(e\*x+d)+2\*a\*sin(e\*x+d))^2,x)

[Out]  $4/e \cdot (a^2(e*x+d) + 2*a*b*\sin(e*x+d) - 2*a^2*\cos(e*x+d) + b^2*(1/2*\sin(e*x+d)*\cos(e*x+d) + 1/2*e*x + 1/2*d) - \cos(e*x+d)^2*a*b + a^2*(-1/2*\sin(e*x+d)*\cos(e*x+d) + 1/2*e*x + 1/2*d))$

**Maxima [A]** time = 0.992526, size = 134, normalized size = 1.65

$$4a^2x - \frac{4ab \cos(ex + d)^2}{e} + \frac{(2ex + 2d - \sin(2ex + 2d))a^2}{e} + \frac{(2ex + 2d + \sin(2ex + 2d))b^2}{e} - 8a \left( \frac{a \cos(ex + d)}{e} - \frac{b \sin(ex + d)}{e} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*a+2\*b\*cos(e\*x+d)+2\*a\*sin(e\*x+d))^2,x, algorithm="maxima")

[Out]  $4*a^2*x - 4*a*b*\cos(e*x + d)^2/e + (2*e*x + 2*d - \sin(2*e*x + 2*d))*a^2/e + (2*e*x + 2*d + \sin(2*e*x + 2*d))*b^2/e - 8*a*(a*\cos(e*x + d)/e - b*\sin(e*x + d)/e)$

**Fricas [A]** time = 2.06676, size = 162, normalized size = 2.

$$\frac{2(2ab \cos(ex + d)^2 - (3a^2 + b^2)ex + 4a^2 \cos(ex + d) - (4ab - (a^2 - b^2) \cos(ex + d)) \sin(ex + d))}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*a+2\*b\*cos(e\*x+d)+2\*a\*sin(e\*x+d))^2,x, algorithm="fricas")

[Out]  $-2*(2*a*b*\cos(e*x + d)^2 - (3*a^2 + b^2)*e*x + 4*a^2*\cos(e*x + d) - (4*a*b - (a^2 - b^2)*\cos(e*x + d))*\sin(e*x + d))/e$

**Sympy [A]** time = 0.369924, size = 170, normalized size = 2.1

$$\begin{cases} 2a^2x \sin^2(d + ex) + 2a^2x \cos^2(d + ex) + 4a^2x - \frac{2a^2 \sin(d+ex) \cos(d+ex)}{e} - \frac{8a^2 \cos(d+ex)}{e} + \frac{4ab \sin^2(d+ex)}{e} + \frac{8ab \sin(d+ex)}{e} + 2b^2 \\ x(2a \sin(d) + 2a + 2b \cos(d))^2 \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*a+2\*b\*cos(e\*x+d)+2\*a\*sin(e\*x+d))\*\*2,x)

[Out] Piecewise((2\*a\*\*2\*x\*sin(d + e\*x)\*\*2 + 2\*a\*\*2\*x\*cos(d + e\*x)\*\*2 + 4\*a\*\*2\*x - 2\*a\*\*2\*sin(d + e\*x)\*cos(d + e\*x)/e - 8\*a\*\*2\*cos(d + e\*x)/e + 4\*a\*b\*sin(d + e\*x)\*\*2/e + 8\*a\*b\*sin(d + e\*x)/e + 2\*b\*\*2\*x\*sin(d + e\*x)\*\*2 + 2\*b\*\*2\*x\*cos(d + e\*x)\*\*2 + 2\*b\*\*2\*sin(d + e\*x)\*cos(d + e\*x)/e, Ne(e, 0)), (x\*(2\*a\*sin(d) + 2\*a + 2\*b\*cos(d))\*\*2, True))

**Giac [A]** time = 1.12001, size = 107, normalized size = 1.32

$$-2ab \cos(2xe + 2d)e^{(-1)} - 8a^2 \cos(xe + d)e^{(-1)} + 8abe^{(-1)} \sin(xe + d) - (a^2 - b^2)e^{(-1)} \sin(2xe + 2d) + 2(3a^2 + b^2)x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*a+2\*b\*cos(e\*x+d)+2\*a\*sin(e\*x+d))^2,x, algorithm="giac")

[Out] -2\*a\*b\*cos(2\*x\*e + 2\*d)\*e^(-1) - 8\*a^2\*cos(x\*e + d)\*e^(-1) + 8\*a\*b\*e^(-1)\*sin(x\*e + d) - (a^2 - b^2)\*e^(-1)\*sin(2\*x\*e + 2\*d) + 2\*(3\*a^2 + b^2)\*x



### 3.383 $\int (2a + 2b \cos(d + ex) + 2a \sin(d + ex)) dx$

**Optimal.** Leaf size=29

$$-\frac{2a \cos(d + ex)}{e} + 2ax + \frac{2b \sin(d + ex)}{e}$$

[Out]  $2*a*x - (2*a*\text{Cos}[d + e*x])/e + (2*b*\text{Sin}[d + e*x])/e$

**Rubi [A]** time = 0.0162816, antiderivative size = 29, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {2637, 2638}

$$-\frac{2a \cos(d + ex)}{e} + 2ax + \frac{2b \sin(d + ex)}{e}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[2*a + 2*b*\text{Cos}[d + e*x] + 2*a*\text{Sin}[d + e*x], x]$

[Out]  $2*a*x - (2*a*\text{Cos}[d + e*x])/e + (2*b*\text{Sin}[d + e*x])/e$

**Rule 2637**

$\text{Int}[\sin[\text{Pi}/2 + (c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow \text{Simp}[\text{Sin}[c + d*x]/d, x] /;$   
 $\text{FreeQ}[\{c, d\}, x]$

**Rule 2638**

$\text{Int}[\sin[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/d, x] /;$   
 $\text{FreeQ}[\{c, d\}, x]$

**Rubi steps**

$$\begin{aligned} \int (2a + 2b \cos(d + ex) + 2a \sin(d + ex)) dx &= 2ax + (2a) \int \sin(d + ex) dx + (2b) \int \cos(d + ex) dx \\ &= 2ax - \frac{2a \cos(d + ex)}{e} + \frac{2b \sin(d + ex)}{e} \end{aligned}$$

**Mathematica [A]** time = 0.0175271, size = 53, normalized size = 1.83

$$\frac{2a \sin(d) \sin(ex)}{e} - \frac{2a \cos(d) \cos(ex)}{e} + 2ax + \frac{2b \sin(d) \cos(ex)}{e} + \frac{2b \cos(d) \sin(ex)}{e}$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[2*a + 2*b*\text{Cos}[d + e*x] + 2*a*\text{Sin}[d + e*x], x]$

[Out]  $2*a*x - (2*a*\text{Cos}[d]*\text{Cos}[e*x])/e + (2*b*\text{Cos}[e*x]*\text{Sin}[d])/e + (2*b*\text{Cos}[d]*\text{Sin}[e*x])/e + (2*a*\text{Sin}[d]*\text{Sin}[e*x])/e$

**Maple [A]** time = 0.001, size = 30, normalized size = 1.

$$2ax - 2 \frac{a \cos(ex + d)}{e} + 2 \frac{b \sin(ex + d)}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(2*a+2*b*cos(e*x+d)+2*a*sin(e*x+d),x)`

[Out] `2*a*x-2*a*cos(e*x+d)/e+2*b*sin(e*x+d)/e`

**Maxima [A]** time = 0.968986, size = 39, normalized size = 1.34

$$2ax - \frac{2a \cos(ex + d)}{e} + \frac{2b \sin(ex + d)}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(2*a+2*b*cos(e*x+d)+2*a*sin(e*x+d),x, algorithm="maxima")`

[Out] `2*a*x - 2*a*cos(e*x + d)/e + 2*b*sin(e*x + d)/e`

**Fricas [A]** time = 2.00037, size = 63, normalized size = 2.17

$$\frac{2(aex - a \cos(ex + d) + b \sin(ex + d))}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(2*a+2*b*cos(e*x+d)+2*a*sin(e*x+d),x, algorithm="fricas")`

[Out] `2*(a*e*x - a*cos(e*x + d) + b*sin(e*x + d))/e`

**Sympy [A]** time = 0.155403, size = 39, normalized size = 1.34

$$2ax + 2a \left( \begin{cases} -\frac{\cos(d+ex)}{e} & \text{for } e \neq 0 \\ x \sin(d) & \text{otherwise} \end{cases} \right) + 2b \left( \begin{cases} \frac{\sin(d+ex)}{e} & \text{for } e \neq 0 \\ x \cos(d) & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(2*a+2*b*cos(e*x+d)+2*a*sin(e*x+d),x)`

[Out] `2*a*x + 2*a*Piecewise((-cos(d + e*x)/e, Ne(e, 0)), (x*sin(d), True)) + 2*b*Piecewise((sin(d + e*x)/e, Ne(e, 0)), (x*cos(d), True))`

**Giac [A]** time = 1.12217, size = 39, normalized size = 1.34

$$-2a \cos(xe + d)e^{(-1)} + 2be^{(-1)} \sin(xe + d) + 2ax$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(2*a+2*b*cos(e*x+d)+2*a*sin(e*x+d),x, algorithm="giac")
```

```
[Out] -2*a*cos(x*e + d)*e^(-1) + 2*b*e^(-1)*sin(x*e + d) + 2*a*x
```

$$3.384 \quad \int \frac{1}{2a+2b \cos(d+ex)+2a \sin(d+ex)} dx$$

**Optimal.** Leaf size=33

$$-\frac{\log\left(a + b \cot\left(\frac{d}{2} + \frac{ex}{2} + \frac{\pi}{4}\right)\right)}{2be}$$

[Out] -Log[a + b\*Cot[d/2 + Pi/4 + (e\*x)/2]]/(2\*b\*e)

**Rubi [A]** time = 0.0217124, antiderivative size = 33, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {3123, 31}

$$-\frac{\log\left(a + b \cot\left(\frac{d}{2} + \frac{ex}{2} + \frac{\pi}{4}\right)\right)}{2be}$$

Antiderivative was successfully verified.

[In] Int[(2\*a + 2\*b\*Cos[d + e\*x] + 2\*a\*Sin[d + e\*x])^(-1), x]

[Out] -Log[a + b\*Cot[d/2 + Pi/4 + (e\*x)/2]]/(2\*b\*e)

#### Rule 3123

```
Int[(cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^(-1), x_Symbol] := Module[{f = FreeFactors[Cot[(d + e*x)/2 + Pi/4], x]}, -Dist[f/e, Subst[Int[1/(a + b*f*x), x], x, Cot[(d + e*x)/2 + Pi/4]/f], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a - c, 0] && NeQ[a - b, 0]
```

#### Rule 31

```
Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]
```

#### Rubi steps

$$\int \frac{1}{2a + 2b \cos(d + ex) + 2a \sin(d + ex)} dx = -\frac{\text{Subst}\left(\int \frac{1}{2a+2bx} dx, x, \cot\left(\frac{\pi}{4} + \frac{1}{2}(d + ex)\right)\right)}{e} = -\frac{\log\left(a + b \cot\left(\frac{d}{2} + \frac{\pi}{4} + \frac{ex}{2}\right)\right)}{2be}$$

**Mathematica [B]** time = 0.0701459, size = 93, normalized size = 2.82

$$\frac{1}{2} \left( \frac{\log\left(\sin\left(\frac{1}{2}(d + ex)\right) + \cos\left(\frac{1}{2}(d + ex)\right)\right)}{be} - \frac{\log\left(a \sin\left(\frac{1}{2}(d + ex)\right) + a \cos\left(\frac{1}{2}(d + ex)\right) - b \sin\left(\frac{1}{2}(d + ex)\right) + b \cos\left(\frac{1}{2}(d + ex)\right)\right)}{be} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(2\*a + 2\*b\*Cos[d + e\*x] + 2\*a\*Sin[d + e\*x])^(-1), x]

[Out]  $(\text{Log}[\text{Cos}[(d + e*x)/2] + \text{Sin}[(d + e*x)/2]]/(b*e) - \text{Log}[a*\text{Cos}[(d + e*x)/2] + b*\text{Cos}[(d + e*x)/2] + a*\text{Sin}[(d + e*x)/2] - b*\text{Sin}[(d + e*x)/2]]/(b*e))/2$

**Maple [B]** time = 0.093, size = 104, normalized size = 3.2

$$\frac{1}{2be} \ln\left(1 + \tan\left(\frac{d}{2} + \frac{ex}{2}\right)\right) - \frac{a}{2be(a-b)} \ln\left(a \tan\left(\frac{d}{2} + \frac{ex}{2}\right) - b \tan\left(\frac{d}{2} + \frac{ex}{2}\right) + a + b\right) + \frac{1}{2e(a-b)} \ln\left(a \tan\left(\frac{d}{2} + \frac{ex}{2}\right) + \frac{e}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(2*a+2*b*cos(e*x+d)+2*a*sin(e*x+d)),x)`

[Out]  $1/2/e/b*\ln(1+\tan(1/2*d+1/2*e*x))-1/2/e/b/(a-b)*\ln(a*\tan(1/2*d+1/2*e*x)-b*\tan(1/2*d+1/2*e*x)+a+b)*a+1/2/e/(a-b)*\ln(a*\tan(1/2*d+1/2*e*x)-b*\tan(1/2*d+1/2*e*x)+a+b)$

**Maxima [B]** time = 0.988727, size = 89, normalized size = 2.7

$$-\frac{\frac{\log\left(-a-b-\frac{(a-b)\sin(ex+d)}{\cos(ex+d)+1}\right)}{b} - \frac{\log\left(\frac{\sin(ex+d)}{\cos(ex+d)+1}+1\right)}{b}}{2e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(2*a+2*b*cos(e*x+d)+2*a*sin(e*x+d)),x, algorithm="maxima")`

[Out]  $-1/2*(\log(-a - b - (a - b)*\sin(e*x + d)/(\cos(e*x + d) + 1))/b - \log(\sin(e*x + d)/(\cos(e*x + d) + 1) + 1)/b)/e$

**Fricas [B]** time = 2.11244, size = 136, normalized size = 4.12

$$-\frac{\log\left(2ab\cos(ex+d) + a^2 + b^2 + (a^2 - b^2)\sin(ex+d)\right) - \log(\sin(ex+d) + 1)}{4be}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(2*a+2*b*cos(e*x+d)+2*a*sin(e*x+d)),x, algorithm="fricas")`

[Out]  $-1/4*(\log(2*a*b*\cos(e*x + d) + a^2 + b^2 + (a^2 - b^2)*\sin(e*x + d)) - \log(\sin(e*x + d) + 1))/(b*e)$

**Sympy [A]** time = 61.5814, size = 107, normalized size = 3.24

$$\begin{cases} \frac{\infty x}{\cos(d)} & \text{for } a = 0 \wedge b = 0 \wedge e = 0 \\ \frac{\log\left(\tan\left(\frac{d}{2} + \frac{ex}{2}\right) + 1\right)}{2be} & \text{for } a = b \\ -\frac{1}{ae \tan\left(\frac{d}{2} + \frac{ex}{2}\right) + ae} & \text{for } b = 0 \\ \frac{x}{2a \sin(d) + 2a + 2b \cos(d)} & \text{for } e = 0 \\ \frac{\log\left(\tan\left(\frac{d}{2} + \frac{ex}{2}\right) + 1\right)}{2be} - \frac{\log\left(\frac{a}{a-b} + \frac{b}{a-b} + \tan\left(\frac{d}{2} + \frac{ex}{2}\right)\right)}{2be} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*b\*cos(e\*x+d)+2\*a\*sin(e\*x+d)),x)

[Out] Piecewise((zoo\*x/cos(d), Eq(a, 0) & Eq(b, 0) & Eq(e, 0)), (log(tan(d/2 + e\*x/2) + 1)/(2\*b\*e), Eq(a, b)), (-1/(a\*e\*tan(d/2 + e\*x/2) + a\*e), Eq(b, 0)), (x/(2\*a\*sin(d) + 2\*a + 2\*b\*cos(d)), Eq(e, 0)), (log(tan(d/2 + e\*x/2) + 1)/(2\*b\*e) - log(a/(a - b) + b/(a - b) + tan(d/2 + e\*x/2))/(2\*b\*e), True))

**Giac [B]** time = 1.15237, size = 96, normalized size = 2.91

$$-\frac{1}{2} \left( \frac{(a-b) \log \left( \left| a \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right) - b \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right) + a + b \right| \right)}{ab - b^2} - \frac{\log \left( \left| \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right) + 1 \right| \right)}{b} \right) e^{(-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*b\*cos(e\*x+d)+2\*a\*sin(e\*x+d)),x, algorithm="giac")

[Out] -1/2\*((a - b)\*log(abs(a\*tan(1/2\*x\*e + 1/2\*d) - b\*tan(1/2\*x\*e + 1/2\*d) + a + b))/(a\*b - b^2) - log(abs(tan(1/2\*x\*e + 1/2\*d) + 1))/b)\*e^(-1)

$$3.385 \quad \int \frac{1}{(2a+2b \cos(d+ex)+2a \sin(d+ex))^2} dx$$

**Optimal.** Leaf size=83

$$\frac{a \log\left(a + b \cot\left(\frac{d}{2} + \frac{ex}{2} + \frac{\pi}{4}\right)\right)}{4b^3e} - \frac{a \cos(d+ex) - b \sin(d+ex)}{4b^2e(a \sin(d+ex) + a + b \cos(d+ex))}$$

[Out] (a\*Log[a + b\*Cot[d/2 + Pi/4 + (e\*x)/2]])/(4\*b^3\*e) - (a\*Cos[d + e\*x] - b\*Sin[d + e\*x])/(4\*b^2\*e\*(a + b\*Cos[d + e\*x] + a\*Sin[d + e\*x]))

**Rubi [A]** time = 0.0495658, antiderivative size = 83, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {3129, 12, 3123, 31}

$$\frac{a \log\left(a + b \cot\left(\frac{d}{2} + \frac{ex}{2} + \frac{\pi}{4}\right)\right)}{4b^3e} - \frac{a \cos(d+ex) - b \sin(d+ex)}{4b^2e(a \sin(d+ex) + a + b \cos(d+ex))}$$

Antiderivative was successfully verified.

[In] Int[(2\*a + 2\*b\*Cos[d + e\*x] + 2\*a\*Sin[d + e\*x])^(-2),x]

[Out] (a\*Log[a + b\*Cot[d/2 + Pi/4 + (e\*x)/2]])/(4\*b^3\*e) - (a\*Cos[d + e\*x] - b\*Sin[d + e\*x])/(4\*b^2\*e\*(a + b\*Cos[d + e\*x] + a\*Sin[d + e\*x]))

#### Rule 3129

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Simp[((-(c\*Cos[d + e\*x]) + b\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1))/(e\*(n + 1)\*(a^2 - b^2 - c^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2 - c^2)), Int[(a\*(n + 1) - b\*(n + 2)\*Cos[d + e\*x] - c\*(n + 2)\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && LtQ[n, -1] && NeQ[n, -3/2]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 3123

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(-1), x\_Symbol] :> Module[{f = FreeFactors[Cot[(d + e\*x)/2 + Pi/4], x]}, -Dist[f/e, Subst[Int[1/(a + b\*f\*x), x], x, Cot[(d + e\*x)/2 + Pi/4]/f], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a - c, 0] && NeQ[a - b, 0]

#### Rule 31

Int[((a\_) + (b\_.)\*(x\_))^(n\_), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

#### Rubi steps

$$\begin{aligned}
\int \frac{1}{(2a + 2b \cos(d + ex) + 2a \sin(d + ex))^2} dx &= -\frac{a \cos(d + ex) - b \sin(d + ex)}{4b^2 e (a + b \cos(d + ex) + a \sin(d + ex))} + \frac{\int -\frac{2a}{2a + 2b \cos(d + ex) + 2a \sin(d + ex)} dx}{4b^2} \\
&= -\frac{a \cos(d + ex) - b \sin(d + ex)}{4b^2 e (a + b \cos(d + ex) + a \sin(d + ex))} - \frac{a \int \frac{1}{2a + 2b \cos(d + ex) + 2a \sin(d + ex)} dx}{2b^2} \\
&= -\frac{a \cos(d + ex) - b \sin(d + ex)}{4b^2 e (a + b \cos(d + ex) + a \sin(d + ex))} + \frac{a \operatorname{Subst}\left(\int \frac{1}{2a + 2bx} dx, x, \cot\left(\frac{d}{2} + \frac{\pi}{4} + \frac{ex}{2}\right)\right)}{2b^2 e} \\
&= \frac{a \log\left(a + b \cot\left(\frac{d}{2} + \frac{\pi}{4} + \frac{ex}{2}\right)\right)}{4b^3 e} - \frac{a \cos(d + ex) - b \sin(d + ex)}{4b^2 e (a + b \cos(d + ex) + a \sin(d + ex))}
\end{aligned}$$

**Mathematica [A]** time = 0.506601, size = 162, normalized size = 1.95

$$\frac{b(a^2 + b^2) \sin\left(\frac{1}{2}(d + ex)\right)}{(a + b)\left((a - b) \sin\left(\frac{1}{2}(d + ex)\right) + (a + b) \cos\left(\frac{1}{2}(d + ex)\right)\right)} + a \log\left((a - b) \sin\left(\frac{1}{2}(d + ex)\right) + (a + b) \cos\left(\frac{1}{2}(d + ex)\right)\right) - a \log\left(\sin\left(\frac{1}{2}(d + ex)\right)\right) + \frac{1}{4b^3 e}$$

Antiderivative was successfully verified.

[In] Integrate[(2\*a + 2\*b\*cos[d + e\*x] + 2\*a\*sin[d + e\*x])^(-2), x]

[Out]  $(-a \log[\cos[(d + e*x)/2] + \sin[(d + e*x)/2]]) + a \log[(a + b) \cos[(d + e*x)/2] + (a - b) \sin[(d + e*x)/2]] + (b \sin[(d + e*x)/2]) / (\cos[(d + e*x)/2] + \sin[(d + e*x)/2]) + (b(a^2 + b^2) \sin[(d + e*x)/2]) / ((a + b) * ((a + b) \cos[(d + e*x)/2] + (a - b) \sin[(d + e*x)/2])) / (4 * b^3 * e)$

**Maple [B]** time = 0.162, size = 166, normalized size = 2.

$$-\frac{1}{4b^2 e} \left(1 + \tan\left(\frac{d}{2} + \frac{ex}{2}\right)\right)^{-1} - \frac{a}{4b^3 e} \ln\left(1 + \tan\left(\frac{d}{2} + \frac{ex}{2}\right)\right) - \frac{a^2}{4b^2 e (a - b)} \left(a \tan\left(\frac{d}{2} + \frac{ex}{2}\right) - b \tan\left(\frac{d}{2} + \frac{ex}{2}\right) + a + b\right)^{-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(2\*a+2\*b\*cos(e\*x+d)+2\*a\*sin(e\*x+d))^2,x)

[Out]  $-1/4/e/b^2/(1+\tan(1/2*d+1/2*e*x))-1/4/e*a/b^3*\ln(1+\tan(1/2*d+1/2*e*x))-1/4/e/b^2/(a-b)/(a*\tan(1/2*d+1/2*e*x)-b*\tan(1/2*d+1/2*e*x)+a+b)*a^2-1/4/e/(a-b)/(a*\tan(1/2*d+1/2*e*x)-b*\tan(1/2*d+1/2*e*x)+a+b)+1/4/e*a/b^3*\ln(a*\tan(1/2*d+1/2*e*x)-b*\tan(1/2*d+1/2*e*x)+a+b)$

**Maxima [B]** time = 1.0459, size = 250, normalized size = 3.01

$$\frac{2\left(a^2 + \frac{(a^2 - ab + b^2) \sin(ex + d)}{\cos(ex + d) + 1}\right)}{a^2 b^2 - b^4 + \frac{2(a^2 b^2 - ab^3) \sin(ex + d)}{\cos(ex + d) + 1} + \frac{(a^2 b^2 - 2ab^3 + b^4) \sin(ex + d)^2}{(\cos(ex + d) + 1)^2}} - \frac{a \log\left(-a - b - \frac{(a - b) \sin(ex + d)}{\cos(ex + d) + 1}\right)}{b^3} + \frac{a \log\left(\frac{\sin(ex + d)}{\cos(ex + d) + 1} + 1\right)}{b^3}$$

$4e$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*b\*cos(e\*x+d)+2\*a\*sin(e\*x+d))^2,x, algorithm="maxima")



[Out]  $-1/4*(2*(a^2 + (a^2 - a*b + b^2)*\sin(e*x + d)/(\cos(e*x + d) + 1)))/(a^2*b^2 - b^4 + 2*(a^2*b^2 - a*b^3)*\sin(e*x + d)/(\cos(e*x + d) + 1) + (a^2*b^2 - 2*a*b^3 + b^4)*\sin(e*x + d)^2/(\cos(e*x + d) + 1)^2 - a*\log(-a - b - (a - b)*\sin(e*x + d)/(\cos(e*x + d) + 1))/b^3 + a*\log(\sin(e*x + d)/(\cos(e*x + d) + 1))/b^3)/e$

**Fricas [B]** time = 2.36147, size = 377, normalized size = 4.54

$$\frac{2ab \cos(ex + d) - 2b^2 \sin(ex + d) - (ab \cos(ex + d) + a^2 \sin(ex + d) + a^2) \log(2ab \cos(ex + d) + a^2 + b^2 + (a^2 - b^2) \sin(ex + d))}{8(b^4 e \cos(ex + d) + ab^3 e \sin(ex + d) + a^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(2*a+2*b*cos(e*x+d)+2*a*sin(e*x+d))^2,x, algorithm="fricas")`

[Out]  $-1/8*(2*a*b*\cos(e*x + d) - 2*b^2*\sin(e*x + d) - (a*b*\cos(e*x + d) + a^2*\sin(e*x + d) + a^2)*\log(2*a*b*\cos(e*x + d) + a^2 + b^2 + (a^2 - b^2)*\sin(e*x + d)) + (a*b*\cos(e*x + d) + a^2*\sin(e*x + d) + a^2)*\log(\sin(e*x + d) + 1))/(b^4*e*\cos(e*x + d) + a*b^3*e*\sin(e*x + d) + a*b^3*e)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(2*a+2*b*cos(e*x+d)+2*a*sin(e*x+d))^2,x)`

[Out] Timed out

**Giac [B]** time = 1.20223, size = 250, normalized size = 3.01

$$\frac{1}{4} \left( \frac{(a^2 - ab) \log \left( \left| a \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right) - b \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right) + a + b \right| \right)}{ab^3 - b^4} - \frac{2 \left( a^2 \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right) - ab \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right) \right)}{(ab^2 - b^3) \left( a \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right) \right)^2 - b \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(2*a+2*b*cos(e*x+d)+2*a*sin(e*x+d))^2,x, algorithm="giac")`

[Out]  $1/4*((a^2 - a*b)*\log(\text{abs}(a*\tan(1/2*x*e + 1/2*d) - b*\tan(1/2*x*e + 1/2*d) + a + b))/(a*b^3 - b^4) - 2*(a^2*\tan(1/2*x*e + 1/2*d) - a*b*\tan(1/2*x*e + 1/2*d) + b^2*\tan(1/2*x*e + 1/2*d) + a^2)/((a*b^2 - b^3)*(a*\tan(1/2*x*e + 1/2*d))^2 - b*\tan(1/2*x*e + 1/2*d)^2 + 2*a*\tan(1/2*x*e + 1/2*d) + a + b)) - a*\log(\text{abs}(\tan(1/2*x*e + 1/2*d) + 1))/b^3)*e^{-1}$

$$3.386 \quad \int \frac{1}{(2a+2b \cos(d+ex)+2a \sin(d+ex))^3} dx$$

**Optimal.** Leaf size=142

$$\frac{3(a^2 \cos(d+ex) - ab \sin(d+ex))}{16b^4 e(a \sin(d+ex) + a + b \cos(d+ex))} - \frac{(3a^2 + b^2) \log\left(a + b \cot\left(\frac{d}{2} + \frac{ex}{2} + \frac{\pi}{4}\right)\right)}{16b^5 e} - \frac{a \cos(d+ex) - b \sin(d+ex)}{16b^2 e(a \sin(d+ex) + a + b \cos(d+ex))}$$

```
[Out] -((3*a^2 + b^2)*Log[a + b*Cot[d/2 + Pi/4 + (e*x)/2]])/(16*b^5*e) - (a*Cos[d
+ e*x] - b*Sin[d + e*x])/(16*b^2*e*(a + b*Cos[d + e*x] + a*Sin[d + e*x])^2
) + (3*(a^2*Cos[d + e*x] - a*b*Sin[d + e*x]))/(16*b^4*e*(a + b*Cos[d + e*x]
+ a*Sin[d + e*x]))
```

**Rubi [A]** time = 0.112195, antiderivative size = 142, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {3129, 3153, 3123, 31}

$$\frac{3(a^2 \cos(d+ex) - ab \sin(d+ex))}{16b^4 e(a \sin(d+ex) + a + b \cos(d+ex))} - \frac{(3a^2 + b^2) \log\left(a + b \cot\left(\frac{d}{2} + \frac{ex}{2} + \frac{\pi}{4}\right)\right)}{16b^5 e} - \frac{a \cos(d+ex) - b \sin(d+ex)}{16b^2 e(a \sin(d+ex) + a + b \cos(d+ex))}$$

Antiderivative was successfully verified.

```
[In] Int[(2*a + 2*b*Cos[d + e*x] + 2*a*Sin[d + e*x])^(-3), x]
```

```
[Out] -((3*a^2 + b^2)*Log[a + b*Cot[d/2 + Pi/4 + (e*x)/2]])/(16*b^5*e) - (a*Cos[d
+ e*x] - b*Sin[d + e*x])/(16*b^2*e*(a + b*Cos[d + e*x] + a*Sin[d + e*x])^2
) + (3*(a^2*Cos[d + e*x] - a*b*Sin[d + e*x]))/(16*b^4*e*(a + b*Cos[d + e*x]
+ a*Sin[d + e*x]))
```

#### Rule 3129

```
Int[(cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^
(n_), x_Symbol] := Simp[(-c*Cos[d + e*x] + b*Sin[d + e*x])*(a + b*Cos[d
+ e*x] + c*Sin[d + e*x])^(n + 1)/(e*(n + 1)*(a^2 - b^2 - c^2)), x] + Dist[
1/((n + 1)*(a^2 - b^2 - c^2)), Int[(a*(n + 1) - b*(n + 2)*Cos[d + e*x] - c*
(n + 2)*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n + 1), x], x]
/; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && LtQ[n, -1] && N
eQ[n, -3/2]
```

#### Rule 3153

```
Int[((A_.) + cos[(d_.) + (e_.)*(x_.)]*(B_.) + (C_.)*sin[(d_.) + (e_.)*(x_.)])
/((a_.) + cos[(d_.) + (e_.)*(x_.)]*(b_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^2,
x_Symbol] := Simp[(c*B - b*C - (a*C - c*A)*Cos[d + e*x] + (a*B - b*A)*Sin[
d + e*x])/(e*(a^2 - b^2 - c^2)*(a + b*Cos[d + e*x] + c*Sin[d + e*x])), x] +
Dist[(a*A - b*B - c*C)/(a^2 - b^2 - c^2), Int[1/(a + b*Cos[d + e*x] + c*Si
n[d + e*x]), x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && NeQ[a^2 - b^2
- c^2, 0] && NeQ[a*A - b*B - c*C, 0]
```

#### Rule 3123

```
Int[(cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^
(-1), x_Symbol] := Module[{f = FreeFactors[Cot[(d + e*x)/2 + Pi/4], x]}, -D
ist[f/e, Subst[Int[1/(a + b*f*x), x], x, Cot[(d + e*x)/2 + Pi/4]/f], x] /;
FreeQ[{a, b, c, d, e}, x] && EqQ[a - c, 0] && NeQ[a - b, 0]
```

Rule 31

$\text{Int}[(a + b \cdot x)^{-1}, x\_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b \cdot x, x]]/b, x] /; \text{FreeQ}\{a, b\}, x]$

Rubi steps

$$\begin{aligned} \int \frac{1}{(2a + 2b \cos(d + ex) + 2a \sin(d + ex))^3} dx &= -\frac{a \cos(d + ex) - b \sin(d + ex)}{16b^2 e (a + b \cos(d + ex) + a \sin(d + ex))^2} + \frac{\int \frac{-4a + 2b \cos(d + ex) + 2a \sin(d + ex)}{(2a + 2b \cos(d + ex) + 2a \sin(d + ex))^2} dx}{8b^2} \\ &= -\frac{a \cos(d + ex) - b \sin(d + ex)}{16b^2 e (a + b \cos(d + ex) + a \sin(d + ex))^2} + \frac{3(a^2 \cos(d + ex) - ab \sin(d + ex))}{16b^4 e (a + b \cos(d + ex))} \\ &= -\frac{a \cos(d + ex) - b \sin(d + ex)}{16b^2 e (a + b \cos(d + ex) + a \sin(d + ex))^2} + \frac{3(a^2 \cos(d + ex) - ab \sin(d + ex))}{16b^4 e (a + b \cos(d + ex))} \\ &= -\frac{(3a^2 + b^2) \log\left(a + b \cot\left(\frac{d}{2} + \frac{\pi}{4} + \frac{ex}{2}\right)\right)}{16b^5 e} - \frac{a \cos(d + ex) - b \sin(d + ex)}{16b^2 e (a + b \cos(d + ex))} \end{aligned}$$

**Mathematica [A]** time = 2.41739, size = 255, normalized size = 1.8

$$-\frac{b^2(a^2+b^2)}{\left((a-b)\sin\left(\frac{1}{2}(d+ex)\right)+(a+b)\cos\left(\frac{1}{2}(d+ex)\right)\right)^2} + \frac{6ab(a^2+b^2)\sin\left(\frac{1}{2}(d+ex)\right)}{(a+b)\left((a-b)\sin\left(\frac{1}{2}(d+ex)\right)+(a+b)\cos\left(\frac{1}{2}(d+ex)\right)\right)} - 2(3a^2+b^2)\log\left(\sin\left(\frac{1}{2}(d+ex)\right)\right) + \cos\left(\frac{1}{2}(d+ex)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(2\*a + 2\*b\*Cos[d + e\*x] + 2\*a\*Sin[d + e\*x])^(-3),x]

[Out]  $-(2(3a^2 + b^2) \log[\cos[(d + ex)/2] + \sin[(d + ex)/2]] + 2(3a^2 + b^2) \log[(a + b) \cos[(d + ex)/2] + (a - b) \sin[(d + ex)/2]] + b^2/(\cos[(d + ex)/2] + \sin[(d + ex)/2])^2 + (6ab \sin[(d + ex)/2]) / (\cos[(d + ex)/2] + \sin[(d + ex)/2]) - (b^2(a^2 + b^2)) / ((a + b) \cos[(d + ex)/2] + (a - b) \sin[(d + ex)/2])^2 + (6ab(a^2 + b^2) \sin[(d + ex)/2]) / ((a + b) (\cos[(d + ex)/2] + (a - b) \sin[(d + ex)/2])) / (32b^5e)$

**Maple [B]** time = 0.178, size = 639, normalized size = 4.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(2\*a+2\*b\*cos(e\*x+d)+2\*a\*sin(e\*x+d))^3,x)

[Out]  $-1/16/e/b^3/(1+\tan(1/2*d+1/2*e*x))^2+3/16/e/b^4/(1+\tan(1/2*d+1/2*e*x))*a+1/16/e/b^3/(1+\tan(1/2*d+1/2*e*x))+3/16/e/b^5*\ln(1+\tan(1/2*d+1/2*e*x))*a^2+1/16/e/b^3*\ln(1+\tan(1/2*d+1/2*e*x))-3/16/e/b^5/(a-b)*\ln(a*\tan(1/2*d+1/2*e*x)-b*\tan(1/2*d+1/2*e*x)+a+b)*a^3+3/16/e/b^4/(a-b)*\ln(a*\tan(1/2*d+1/2*e*x)-b*\tan(1/2*d+1/2*e*x)+a+b)*a^2-1/16/e/b^3/(a-b)*\ln(a*\tan(1/2*d+1/2*e*x)-b*\tan(1/2*d+1/2*e*x)+a+b)*a+1/16/e/b^2/(a-b)*\ln(a*\tan(1/2*d+1/2*e*x)-b*\tan(1/2*d+1/2*e*x)+a+b)+1/16/e/b^3/(a-b)^2/(a*\tan(1/2*d+1/2*e*x)-b*\tan(1/2*d+1/2*e*x)+a+b)^2*a^4+1/8/e/b/(a-b)^2/(a*\tan(1/2*d+1/2*e*x)-b*\tan(1/2*d+1/2*e*x)+a+b)^2*a^2+1/16/e*b/(a-b)^2/(a*\tan(1/2*d+1/2*e*x)-b*\tan(1/2*d+1/2*e*x)+a+b)^2+3/16$

$$\frac{1}{e/b^4} \frac{1}{(a-b)^2} \frac{1}{(a \tan(1/2*d+1/2*e*x) - b \tan(1/2*d+1/2*e*x) + a+b)} * a^4 - 1/4/e/b^3 \frac{1}{(a-b)^2} \frac{1}{(a \tan(1/2*d+1/2*e*x) - b \tan(1/2*d+1/2*e*x) + a+b)} * a^3 + 1/8/e/b^2 \frac{1}{(a-b)^2} \frac{1}{(a \tan(1/2*d+1/2*e*x) - b \tan(1/2*d+1/2*e*x) + a+b)} * a^2 - 1/4/e/b \frac{1}{(a-b)^2} \frac{1}{(a \tan(1/2*d+1/2*e*x) - b \tan(1/2*d+1/2*e*x) + a+b)} * a - 1/16/e \frac{1}{(a-b)^2} \frac{1}{(a \tan(1/2*d+1/2*e*x) - b \tan(1/2*d+1/2*e*x) + a+b)}$$

**Maxima [B]** time = 1.12918, size = 666, normalized size = 4.69

$$\frac{2 \left( 3 a^5 - 4 a^3 b^2 - a b^4 + \frac{(9 a^5 - 9 a^4 b - 2 a^3 b^2 + 2 a^2 b^3 - 5 a b^4 + b^5) \sin(ex+d)}{\cos(ex+d)+1} + \frac{(9 a^5 - 18 a^4 b + 12 a^3 b^2 - 6 a^2 b^3 + a b^4) \sin(ex+d)^2}{(\cos(ex+d)+1)^2} + \frac{(3 a^5 - 9 a^4 b + 10 a^3 b^2 - 6 a^2 b^3 + a b^4 + b^5) \sin(ex+d)^3}{(\cos(ex+d)+1)^3} \right)}{a^4 b^4 - 2 a^2 b^6 + b^8 + \frac{4(a^4 b^4 - a^3 b^5 - a^2 b^6 + a b^7) \sin(ex+d)}{\cos(ex+d)+1} + \frac{2(3 a^4 b^4 - 6 a^3 b^5 + 2 a^2 b^6 + 2 a b^7 - b^8) \sin(ex+d)^2}{(\cos(ex+d)+1)^2} + \frac{4(a^4 b^4 - 3 a^3 b^5 + 3 a^2 b^6 - a b^7) \sin(ex+d)^3}{(\cos(ex+d)+1)^3} + \frac{(a^4 b^4 - 4 a^3 b^5 + 6 a^2 b^6 - 4 a b^7 + b^8) \sin(ex+d)^4}{(\cos(ex+d)+1)^4}}$$

$16e$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*b\*cos(e\*x+d)+2\*a\*sin(e\*x+d))^3,x, algorithm="maxima")

[Out] 
$$\frac{1}{16} * (2 * (3 * a^5 - 4 * a^3 * b^2 - a * b^4 + (9 * a^5 - 9 * a^4 * b - 2 * a^3 * b^2 + 2 * a^2 * b^3 - 5 * a * b^4 + b^5) * \sin(e * x + d) / (\cos(e * x + d) + 1) + (9 * a^5 - 18 * a^4 * b + 12 * a^3 * b^2 - 6 * a^2 * b^3 + a * b^4) * \sin(e * x + d)^2 / (\cos(e * x + d) + 1)^2 + (3 * a^5 - 9 * a^4 * b + 10 * a^3 * b^2 - 6 * a^2 * b^3 + a * b^4 + b^5) * \sin(e * x + d)^3 / (\cos(e * x + d) + 1)^3) / (a^4 * b^4 - 2 * a^2 * b^6 + b^8 + 4 * (a^4 * b^4 - a^3 * b^5 - a^2 * b^6 + a * b^7) * \sin(e * x + d) / (\cos(e * x + d) + 1) + 2 * (3 * a^4 * b^4 - 6 * a^3 * b^5 + 2 * a^2 * b^6 + 2 * a * b^7 - b^8) * \sin(e * x + d)^2 / (\cos(e * x + d) + 1)^2 + 4 * (a^4 * b^4 - 3 * a^3 * b^5 + 3 * a^2 * b^6 - a * b^7) * \sin(e * x + d)^3 / (\cos(e * x + d) + 1)^3 + (a^4 * b^4 - 4 * a^3 * b^5 + 6 * a^2 * b^6 - 4 * a * b^7 + b^8) * \sin(e * x + d)^4 / (\cos(e * x + d) + 1)^4) - (3 * a^2 + b^2) * \log(-a - b - (a - b) * \sin(e * x + d) / (\cos(e * x + d) + 1)) / b^5 + (3 * a^2 + b^2) * \log(\sin(e * x + d) / (\cos(e * x + d) + 1) + 1) / b^5) / e$$

**Fricas [B]** time = 2.4519, size = 940, normalized size = 6.62

$$12 a^2 b^2 \cos(ex+d)^2 - 6 a^2 b^2 + 2(3 a^3 b - a b^3) \cos(ex+d) - (6 a^4 + 2 a^2 b^2 - (3 a^4 - 2 a^2 b^2 - b^4) \cos(ex+d)^2 + 2(3 a^3 b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*b\*cos(e\*x+d)+2\*a\*sin(e\*x+d))^3,x, algorithm="fricas")

[Out] 
$$\frac{1}{32} * (12 * a^2 * b^2 * \cos(e * x + d)^2 - 6 * a^2 * b^2 + 2 * (3 * a^3 * b - a * b^3) * \cos(e * x + d) - (6 * a^4 + 2 * a^2 * b^2 - (3 * a^4 - 2 * a^2 * b^2 - b^4) * \cos(e * x + d)^2 + 2 * (3 * a^3 * b + a * b^3) * \cos(e * x + d) + 2 * (3 * a^4 + a^2 * b^2 + (3 * a^3 * b + a * b^3) * \cos(e * x + d)) * \sin(e * x + d)) * \log(2 * a * b * \cos(e * x + d) + a^2 + b^2 + (a^2 - b^2) * \sin(e * x + d)) + (6 * a^4 + 2 * a^2 * b^2 - (3 * a^4 - 2 * a^2 * b^2 - b^4) * \cos(e * x + d)^2 + 2 * (3 * a^3 * b + a * b^3) * \cos(e * x + d) + 2 * (3 * a^4 + a^2 * b^2 + (3 * a^3 * b + a * b^3) * \cos(e * x + d)) * \sin(e * x + d)) * \log(\sin(e * x + d) + 1) - 2 * (3 * a^2 * b^2 - b^4 - 3 * (a^3 * b - a * b^3) * \cos(e * x + d)) * \sin(e * x + d) / (2 * a * b^6 * e * \cos(e * x + d) + 2 * a^2 * b^5 * e - (a^2 * b^5 - b^7) * e * \cos(e * x + d)^2 + 2 * (a * b^6 * e * \cos(e * x + d) + a^2 * b^5 * e) * \sin(e * x + d))$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(2*a+2*b*cos(e*x+d)+2*a*sin(e*x+d))**3,x)
```

```
[Out] Timed out
```

**Giac [B]** time = 1.19224, size = 653, normalized size = 4.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(2*a+2*b*cos(e*x+d)+2*a*sin(e*x+d))^3,x, algorithm="giac")
```

```
[Out] -1/16*((3*a^3 - 3*a^2*b + a*b^2 - b^3)*log(abs(a*tan(1/2*x*e + 1/2*d) - b*tan(1/2*x*e + 1/2*d) + a + b))/(a*b^5 - b^6) - 2*(3*a^5*tan(1/2*x*e + 1/2*d)^3 - 9*a^4*b*tan(1/2*x*e + 1/2*d)^3 + 10*a^3*b^2*tan(1/2*x*e + 1/2*d)^3 - 6*a^2*b^3*tan(1/2*x*e + 1/2*d)^3 + a*b^4*tan(1/2*x*e + 1/2*d)^3 + b^5*tan(1/2*x*e + 1/2*d)^3 + 9*a^5*tan(1/2*x*e + 1/2*d)^2 - 18*a^4*b*tan(1/2*x*e + 1/2*d)^2 + 12*a^3*b^2*tan(1/2*x*e + 1/2*d)^2 - 6*a^2*b^3*tan(1/2*x*e + 1/2*d)^2 + a*b^4*tan(1/2*x*e + 1/2*d)^2 + 9*a^5*tan(1/2*x*e + 1/2*d) - 9*a^4*b*tan(1/2*x*e + 1/2*d) - 2*a^3*b^2*tan(1/2*x*e + 1/2*d) + 2*a^2*b^3*tan(1/2*x*e + 1/2*d) - 5*a*b^4*tan(1/2*x*e + 1/2*d) + b^5*tan(1/2*x*e + 1/2*d) + 3*a^5 - 4*a^3*b^2 - a*b^4)/((a^2*b^4 - 2*a*b^5 + b^6)*(a*tan(1/2*x*e + 1/2*d)^2 - b*tan(1/2*x*e + 1/2*d)^2 + 2*a*tan(1/2*x*e + 1/2*d) + a + b)^2) - (3*a^2 + b^2)*log(abs(tan(1/2*x*e + 1/2*d) + 1))/b^5)*e^(-1)
```

$$3.387 \quad \int \frac{1}{(2a+2b \cos(d+ex)+2a \sin(d+ex))^4} dx$$

**Optimal.** Leaf size=215

$$\frac{5(a^2 \cos(d+ex) - ab \sin(d+ex))}{96b^4 e(a \sin(d+ex) + a + b \cos(d+ex))^2} - \frac{a(15a^2 + 4b^2) \cos(d+ex) - b(15a^2 + 4b^2) \sin(d+ex)}{96b^6 e(a \sin(d+ex) + a + b \cos(d+ex))} + \frac{a(5a^2 + 3b^2) \log\left(\frac{a + b \cot\left[\frac{d}{2} + \frac{\pi}{4} + \frac{e x}{2}\right]}{a + b \cos(d+ex) + a \sin(d+ex)}\right)}{32b^7 e}$$

[Out] (a\*(5\*a^2 + 3\*b^2)\*Log[a + b\*Cot[d/2 + Pi/4 + (e\*x)/2]])/(32\*b^7\*e) - (a\*Cos[d + e\*x] - b\*Sin[d + e\*x])/(48\*b^2\*e\*(a + b\*Cos[d + e\*x] + a\*Sin[d + e\*x])^3) + (5\*(a^2\*Cos[d + e\*x] - a\*b\*Sin[d + e\*x]))/(96\*b^4\*e\*(a + b\*Cos[d + e\*x] + a\*Sin[d + e\*x])^2) - (a\*(15\*a^2 + 4\*b^2)\*Cos[d + e\*x] - b\*(15\*a^2 + 4\*b^2)\*Sin[d + e\*x])/(96\*b^6\*e\*(a + b\*Cos[d + e\*x] + a\*Sin[d + e\*x]))

**Rubi [A]** time = 0.244099, antiderivative size = 215, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$ , Rules used = {3129, 3156, 3153, 3123, 31}

$$\frac{5(a^2 \cos(d+ex) - ab \sin(d+ex))}{96b^4 e(a \sin(d+ex) + a + b \cos(d+ex))^2} - \frac{a(15a^2 + 4b^2) \cos(d+ex) - b(15a^2 + 4b^2) \sin(d+ex)}{96b^6 e(a \sin(d+ex) + a + b \cos(d+ex))} + \frac{a(5a^2 + 3b^2) \log\left(\frac{a + b \cot\left[\frac{d}{2} + \frac{\pi}{4} + \frac{e x}{2}\right]}{a + b \cos(d+ex) + a \sin(d+ex)}\right)}{32b^7 e}$$

Antiderivative was successfully verified.

[In] Int[(2\*a + 2\*b\*Cos[d + e\*x] + 2\*a\*Sin[d + e\*x])^(-4), x]

[Out] (a\*(5\*a^2 + 3\*b^2)\*Log[a + b\*Cot[d/2 + Pi/4 + (e\*x)/2]])/(32\*b^7\*e) - (a\*Cos[d + e\*x] - b\*Sin[d + e\*x])/(48\*b^2\*e\*(a + b\*Cos[d + e\*x] + a\*Sin[d + e\*x])^3) + (5\*(a^2\*Cos[d + e\*x] - a\*b\*Sin[d + e\*x]))/(96\*b^4\*e\*(a + b\*Cos[d + e\*x] + a\*Sin[d + e\*x])^2) - (a\*(15\*a^2 + 4\*b^2)\*Cos[d + e\*x] - b\*(15\*a^2 + 4\*b^2)\*Sin[d + e\*x])/(96\*b^6\*e\*(a + b\*Cos[d + e\*x] + a\*Sin[d + e\*x]))

#### Rule 3129

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Simp[(-c\*Cos[d + e\*x] + b\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1))/(e\*(n + 1)\*(a^2 - b^2 - c^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2 - c^2)), Int[(a\*(n + 1) - b\*(n + 2)\*Cos[d + e\*x] - c\*(n + 2)\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && LtQ[n, -1] && NeQ[n, -3/2]

#### Rule 3156

Int[((a\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(n\_.)\*((A\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]), x\_Symbol] :> -Simp[(c\*B - b\*C - (a\*C - c\*A)\*Cos[d + e\*x] + (a\*B - b\*A)\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1))/(e\*(n + 1)\*(a^2 - b^2 - c^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2 - c^2)), Int[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1)\*Simp[(n + 1)\*(a\*A - b\*B - c\*C) + (n + 2)\*(a\*B - b\*A)\*Cos[d + e\*x] + (n + 2)\*(a\*C - c\*A)\*Sin[d + e\*x], x], x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && LtQ[n, -1] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[n, -2]

#### Rule 3153

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])/(a\_. + cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^2,

```
x_Symbol] := Simp[(c*B - b*C - (a*C - c*A)*Cos[d + e*x] + (a*B - b*A)*Sin[
d + e*x])/(e*(a^2 - b^2 - c^2)*(a + b*Cos[d + e*x] + c*SIn[d + e*x])), x] +
Dist[(a*A - b*B - c*C)/(a^2 - b^2 - c^2), Int[1/(a + b*Cos[d + e*x] + c*SIn
n[d + e*x]), x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && NeQ[a^2 - b^2
- c^2, 0] && NeQ[a*A - b*B - c*C, 0]
```

Rule 3123

```
Int[(cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^
(-1), x_Symbol] := Module[{f = FreeFactors[Cot[(d + e*x)/2 + Pi/4], x]}, -D
ist[f/e, Subst[Int[1/(a + b*f*x), x], x, Cot[(d + e*x)/2 + Pi/4]/f], x]] /;
FreeQ[{a, b, c, d, e}, x] && EqQ[a - c, 0] && NeQ[a - b, 0]
```

Rule 31

```
Int[((a_) + (b_.)*(x_))^-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

Rubi steps

$$\int \frac{1}{(2a + 2b \cos(d + ex) + 2a \sin(d + ex))^4} dx = -\frac{a \cos(d + ex) - b \sin(d + ex)}{48b^2e(a + b \cos(d + ex) + a \sin(d + ex))^3} + \frac{\int \frac{-6a+4b \cos(d+ex)+4a \sin(d+ex)}{(2a+2b \cos(d+ex)+2a \sin(d+ex))^3} dx}{12b^2}$$

$$= -\frac{a \cos(d + ex) - b \sin(d + ex)}{48b^2e(a + b \cos(d + ex) + a \sin(d + ex))^3} + \frac{5(a^2 \cos(d + ex) - a b \sin(d + ex))}{96b^4e(a + b \cos(d + ex))^2}$$

$$= -\frac{a \cos(d + ex) - b \sin(d + ex)}{48b^2e(a + b \cos(d + ex) + a \sin(d + ex))^3} + \frac{5(a^2 \cos(d + ex) - a b \sin(d + ex))}{96b^4e(a + b \cos(d + ex))^2}$$

$$= -\frac{a \cos(d + ex) - b \sin(d + ex)}{48b^2e(a + b \cos(d + ex) + a \sin(d + ex))^3} + \frac{5(a^2 \cos(d + ex) - a b \sin(d + ex))}{96b^4e(a + b \cos(d + ex))^2}$$

$$= \frac{a(5a^2 + 3b^2) \log\left(a + b \cot\left(\frac{d}{2} + \frac{\pi}{4} + \frac{ex}{2}\right)\right)}{32b^7e} - \frac{a \cos(d + ex) - b \sin(d + ex)}{48b^2e(a + b \cos(d + ex))^2}$$

**Mathematica [B]** time = 2.9166, size = 632, normalized size = 2.94

$$\frac{b(180a^4b^2 \sin(d+ex)+54a^4b^2 \sin(2(d+ex))-4a^4b^2 \sin(3(d+ex))+15a^3b^3 \sin(d+ex)+102a^3b^3 \sin(2(d+ex))+3a^3b^3 \sin(3(d+ex))+27a^2b^4 \sin(d+ex)+6a^2b^4 \sin(2(d+ex))-4a^2b^4 \sin(3(d+ex))+3a^2b^4 \sin(4(d+ex))-2a^2b^4 \sin(5(d+ex))+a^2b^4 \sin(6(d+ex))}{32b^7e}$$

Antiderivative was successfully verified.

```
[In] Integrate[(2*a + 2*b*Cos[d + e*x] + 2*a*Sin[d + e*x])^-4),x]
```

```
[Out] (-12*a*(5*a^2 + 3*b^2)*Log[Cos[(d + e*x)/2] + Sin[(d + e*x)/2]] + 12*a*(5*a
^2 + 3*b^2)*Log[(a + b)*Cos[(d + e*x)/2] + (a - b)*Sin[(d + e*x)/2]] + (b*(
150*a^6 + 130*a^4*b^2 + 24*a^2*b^4 - 3*a^2*(25*a^4 - 50*a^3*b + 5*a^2*b^2 -
30*a*b^3 + 4*b^4)*Cos[d + e*x] - 6*a^2*(15*a^4 + 20*a^3*b + 9*a^2*b^2 + 2*
a*b^3 - 2*b^4)*Cos[2*(d + e*x)] + 15*a^6*Cos[3*(d + e*x)] - 30*a^5*b*Cos[3*
(d + e*x)] - 41*a^4*b^2*Cos[3*(d + e*x)] - 38*a^3*b^3*Cos[3*(d + e*x)] - 12
*a^2*b^4*Cos[3*(d + e*x)] - 8*a*b^5*Cos[3*(d + e*x)] + 225*a^6*Sin[d + e*x]
+ 75*a^5*b*Sin[d + e*x] + 180*a^4*b^2*Sin[d + e*x] + 15*a^3*b^3*Sin[d + e
x] + 27*a^2*b^4*Sin[d + e*x] + 12*a*b^5*Sin[d + e*x] + 12*b^6*Sin[d + e*x]
- 60*a^6*Sin[2*(d + e*x)] + 120*a^5*b*Sin[2*(d + e*x)] + 54*a^4*b^2*Sin[2*(
d + e*x)] + 102*a^3*b^3*Sin[2*(d + e*x)] + 6*a^2*b^4*Sin[2*(d + e*x)] + 6*a
```

$$\frac{b^5 \sin[2(d+ex)] - 15a^6 \sin[3(d+ex)] - 45a^5 b \sin[3(d+ex)] - 4a^4 b^2 \sin[3(d+ex)] + 3a^3 b^3 \sin[3(d+ex)] + 15a^2 b^4 \sin[3(d+ex)] + 4a b^5 \sin[3(d+ex)] + 4b^6 \sin[3(d+ex)]}{(a+b) \left( \cos\left[\frac{d+ex}{2}\right] + \sin\left[\frac{d+ex}{2}\right] \right)^3 \left( (a+b) \cos\left[\frac{d+ex}{2}\right] + (a-b) \sin\left[\frac{d+ex}{2}\right] \right)^3} / (384 b^7 e)$$

**Maple [B]** time = 0.223, size = 1069, normalized size = 5.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(2\*a+2\*b\*cos(ex+d)+2\*a\*sin(ex+d))^4,x)

[Out]  $\frac{3}{32} \frac{e}{(a-b)^3} \frac{1}{(a \tan(\frac{1}{2}d + \frac{1}{2}ex) - b \tan(\frac{1}{2}d + \frac{1}{2}ex) + a + b)^2} a^{-1/16} \frac{e}{(a-b)^3} \frac{1}{(a \tan(\frac{1}{2}d + \frac{1}{2}ex) - b \tan(\frac{1}{2}d + \frac{1}{2}ex) + a + b)^3} a^{2+1/16} \frac{e}{b^5} \frac{1}{(1 + \tan(\frac{1}{2}d + \frac{1}{2}ex))^2} a^{-5/32} \frac{e}{b^6} \frac{1}{(1 + \tan(\frac{1}{2}d + \frac{1}{2}ex))} a^{-2-1/16} \frac{e}{b^5} \frac{1}{(1 + \tan(\frac{1}{2}d + \frac{1}{2}ex))} a^{-5/32} \frac{e}{b^7} \ln(1 + \tan(\frac{1}{2}d + \frac{1}{2}ex)) - \frac{3}{32} \frac{e}{b^5} \ln(1 + \tan(\frac{1}{2}d + \frac{1}{2}ex)) - \frac{1}{48} \frac{e}{b^2} \frac{1}{(a-b)^3} \frac{1}{(a \tan(\frac{1}{2}d + \frac{1}{2}ex) - b \tan(\frac{1}{2}d + \frac{1}{2}ex) + a + b)^3} + \frac{1}{32} \frac{e}{b} \frac{1}{(a-b)^3} \frac{1}{(a \tan(\frac{1}{2}d + \frac{1}{2}ex) - b \tan(\frac{1}{2}d + \frac{1}{2}ex) + a + b)^2} - \frac{1}{16} \frac{e}{b^4} \frac{1}{(1 + \tan(\frac{1}{2}d + \frac{1}{2}ex))} + \frac{3}{16} \frac{e}{b^2} \frac{1}{(a-b)^3} \frac{1}{(a \tan(\frac{1}{2}d + \frac{1}{2}ex) - b \tan(\frac{1}{2}d + \frac{1}{2}ex) + a + b)^2} a^{-3-5/32} \frac{e}{b^6} \frac{1}{(a-b)^3} \frac{1}{(a \tan(\frac{1}{2}d + \frac{1}{2}ex) - b \tan(\frac{1}{2}d + \frac{1}{2}ex) + a + b)} a^6 + \frac{3}{8} \frac{e}{b^5} \frac{1}{(a-b)^3} \frac{1}{(a \tan(\frac{1}{2}d + \frac{1}{2}ex) - b \tan(\frac{1}{2}d + \frac{1}{2}ex) + a + b)} a^5 - \frac{3}{8} \frac{e}{b^4} \frac{1}{(a-b)^3} \frac{1}{(a \tan(\frac{1}{2}d + \frac{1}{2}ex) - b \tan(\frac{1}{2}d + \frac{1}{2}ex) + a + b)} a^4 + \frac{3}{8} \frac{e}{b^3} \frac{1}{(a-b)^3} \frac{1}{(a \tan(\frac{1}{2}d + \frac{1}{2}ex) - b \tan(\frac{1}{2}d + \frac{1}{2}ex) + a + b)} a^3 - \frac{9}{32} \frac{e}{b^2} \frac{1}{(a-b)^3} \frac{1}{(a \tan(\frac{1}{2}d + \frac{1}{2}ex) - b \tan(\frac{1}{2}d + \frac{1}{2}ex) + a + b)} a^2 + \frac{5}{32} \frac{e}{b^7} \frac{1}{(a-b)} \ln(a \tan(\frac{1}{2}d + \frac{1}{2}ex) - b \tan(\frac{1}{2}d + \frac{1}{2}ex) + a + b) - \frac{5}{32} \frac{e}{b^6} \frac{1}{(a-b)} \ln(a \tan(\frac{1}{2}d + \frac{1}{2}ex) - b \tan(\frac{1}{2}d + \frac{1}{2}ex) + a + b) + \frac{3}{32} \frac{e}{b^5} \frac{1}{(a-b)} \ln(a \tan(\frac{1}{2}d + \frac{1}{2}ex) - b \tan(\frac{1}{2}d + \frac{1}{2}ex) + a + b) - \frac{3}{32} \frac{e}{b^3} \frac{1}{(a-b)^3} \frac{1}{(a \tan(\frac{1}{2}d + \frac{1}{2}ex) - b \tan(\frac{1}{2}d + \frac{1}{2}ex) + a + b)^2} a^4 - \frac{3}{32} \frac{e}{b^4} \frac{1}{(a-b)} \ln(a \tan(\frac{1}{2}d + \frac{1}{2}ex) - b \tan(\frac{1}{2}d + \frac{1}{2}ex) + a + b) - \frac{1}{48} \frac{e}{b^4} \frac{1}{(a-b)^3} \frac{1}{(a \tan(\frac{1}{2}d + \frac{1}{2}ex) - b \tan(\frac{1}{2}d + \frac{1}{2}ex) + a + b)^3} a^6 - \frac{1}{16} \frac{e}{b^2} \frac{1}{(a-b)^3} \frac{1}{(a \tan(\frac{1}{2}d + \frac{1}{2}ex) - b \tan(\frac{1}{2}d + \frac{1}{2}ex) + a + b)^3} a^4 - \frac{1}{16} \frac{e}{b^5} \frac{1}{(a-b)^3} \frac{1}{(a \tan(\frac{1}{2}d + \frac{1}{2}ex) - b \tan(\frac{1}{2}d + \frac{1}{2}ex) + a + b)^2} a^6 + \frac{3}{32} \frac{e}{b^4} \frac{1}{(a-b)^3} \frac{1}{(a \tan(\frac{1}{2}d + \frac{1}{2}ex) - b \tan(\frac{1}{2}d + \frac{1}{2}ex) + a + b)^2} a^5 - \frac{1}{16} \frac{e}{(a-b)^3} \frac{1}{(a \tan(\frac{1}{2}d + \frac{1}{2}ex) - b \tan(\frac{1}{2}d + \frac{1}{2}ex) + a + b)} - \frac{1}{48} \frac{e}{b^4} \frac{1}{(1 + \tan(\frac{1}{2}d + \frac{1}{2}ex))^3} + \frac{1}{32} \frac{e}{b^4} \frac{1}{(1 + \tan(\frac{1}{2}d + \frac{1}{2}ex))^2}$

**Maxima [B]** time = 1.25344, size = 1300, normalized size = 6.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*b\*cos(ex+d)+2\*a\*sin(ex+d))^4,x, algorithm="maxima")

[Out]  $-\frac{1}{96} \frac{2 \cdot (15a^8 - 31a^6 b^2 + 9a^4 b^4 + 15a^2 b^6 + 3(25a^8 - 25a^7 b - 25a^6 b^2 + 25a^5 b^3 - 13a^4 b^4 + 13a^3 b^5 + 11a^2 b^6 - 5a b^7 + 2b^8)) \sin(ex+d)}{(\cos(ex+d) + 1)} + \frac{6 \cdot (25a^8 - 50a^7 b + 20a^6 b^2 + 10a^5 b^3 - 17a^4 b^4 + 24a^3 b^5 - 10a^2 b^6 + 2a b^7) \sin(ex+d)^2}{(\cos(ex+d) + 1)^2} + \frac{2 \cdot (75a^8 - 225a^7 b + 250a^6 b^2 - 150a^5 b^3 + 63a^4 b^4 + 11a^3 b^5 - 24a^2 b^6 + 6a b^7 - 2b^8) \sin(ex+d)^3}{(\cos(ex+d) + 1)^3} + \frac{3 \cdot (25a^8 - 100a^7 b + 165a^6 b^2 - 160a^5 b^3 + 115a^4 b^4 - 60a^3 b^5 + 19a^2 b^6 - 4a b^7) \sin(ex+d)^4}{(\cos(ex+d) + 1)^4}$



$$\begin{aligned}
& x + d) + 1)^4 + 3*(5*a^8 - 25*a^7*b + 53*a^6*b^2 - 65*a^5*b^3 + 55*a^4*b^4 \\
& - 35*a^3*b^5 + 17*a^2*b^6 - 7*a*b^7 + 2*b^8)*\sin(e*x + d)^5/(\cos(e*x + d) + \\
& 1)^5)/(a^6*b^6 - 3*a^4*b^8 + 3*a^2*b^{10} - b^{12} + 6*(a^6*b^6 - a^5*b^7 - 2* \\
& a^4*b^8 + 2*a^3*b^9 + a^2*b^{10} - a*b^{11})*\sin(e*x + d)/(\cos(e*x + d) + 1) + \\
& 3*(5*a^6*b^6 - 10*a^5*b^7 - a^4*b^8 + 12*a^3*b^9 - 5*a^2*b^{10} - 2*a*b^{11} + \\
& b^{12})*\sin(e*x + d)^2/(\cos(e*x + d) + 1)^2 + 4*(5*a^6*b^6 - 15*a^5*b^7 + 12* \\
& a^4*b^8 + 4*a^3*b^9 - 9*a^2*b^{10} + 3*a*b^{11})*\sin(e*x + d)^3/(\cos(e*x + d) + \\
& 1)^3 + 3*(5*a^6*b^6 - 20*a^5*b^7 + 29*a^4*b^8 - 16*a^3*b^9 - a^2*b^{10} + 4* \\
& a*b^{11} - b^{12})*\sin(e*x + d)^4/(\cos(e*x + d) + 1)^4 + 6*(a^6*b^6 - 5*a^5*b^7 \\
& + 10*a^4*b^8 - 10*a^3*b^9 + 5*a^2*b^{10} - a*b^{11})*\sin(e*x + d)^5/(\cos(e*x + \\
& d) + 1)^5 + (a^6*b^6 - 6*a^5*b^7 + 15*a^4*b^8 - 20*a^3*b^9 + 15*a^2*b^{10} - \\
& 6*a*b^{11} + b^{12})*\sin(e*x + d)^6/(\cos(e*x + d) + 1)^6 - 3*(5*a^3 + 3*a*b^2 \\
& )*\log(-a - b - (a - b)*\sin(e*x + d)/(\cos(e*x + d) + 1))/b^7 + 3*(5*a^3 + 3* \\
& a*b^2)*\log(\sin(e*x + d)/(\cos(e*x + d) + 1) + 1)/b^7)/e
\end{aligned}$$

**Fricas [B]** time = 2.90969, size = 1632, normalized size = 7.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*b\*cos(e\*x+d)+2\*a\*sin(e\*x+d))^4,x, algorithm="fricas")

[Out]  $1/192*(60*a^4*b^2 + 6*a^2*b^4 + 2*(15*a^5*b - 41*a^3*b^3 - 12*a*b^5)*\cos(e*x + d)^3 - 12*(10*a^4*b^2 + a^2*b^4)*\cos(e*x + d)^2 - 6*(10*a^5*b - 9*a^3*b^3 - 2*a*b^5)*\cos(e*x + d) + 3*(20*a^6 + 12*a^4*b^2 - (15*a^5*b + 4*a^3*b^3 - 3*a*b^5)*\cos(e*x + d)^3 - 3*(5*a^6 - 2*a^4*b^2 - 3*a^2*b^4)*\cos(e*x + d)^2 + 6*(5*a^5*b + 3*a^3*b^3)*\cos(e*x + d) + (20*a^6 + 12*a^4*b^2 - (5*a^6 - 12*a^4*b^2 - 9*a^2*b^4)*\cos(e*x + d)^2 + 6*(5*a^5*b + 3*a^3*b^3)*\cos(e*x + d))*\sin(e*x + d)*\log(2*a*b*\cos(e*x + d) + a^2 + b^2 + (a^2 - b^2)*\sin(e*x + d)) - 3*(20*a^6 + 12*a^4*b^2 - (15*a^5*b + 4*a^3*b^3 - 3*a*b^5)*\cos(e*x + d)^3 - 3*(5*a^6 - 2*a^4*b^2 - 3*a^2*b^4)*\cos(e*x + d)^2 + 6*(5*a^5*b + 3*a^3*b^3)*\cos(e*x + d) + (20*a^6 + 12*a^4*b^2 - (5*a^6 - 12*a^4*b^2 - 9*a^2*b^4)*\cos(e*x + d)^2 + 6*(5*a^5*b + 3*a^3*b^3)*\cos(e*x + d))*\sin(e*x + d))*\log(\sin(e*x + d) + 1) + 2*(30*a^4*b^2 + 3*a^2*b^4 + 2*b^6 - (45*a^4*b^2 - 3*a^2*b^4 - 4*b^6)*\cos(e*x + d)^2 - 3*(10*a^5*b - 9*a^3*b^3 - a*b^5)*\cos(e*x + d))*\sin(e*x + d))/(6*a^2*b^8*e*\cos(e*x + d) + 4*a^3*b^7*e - (3*a^2*b^8 - b^{10})*e*\cos(e*x + d)^3 - 3*(a^3*b^7 - a*b^9)*e*\cos(e*x + d)^2 + (6*a^2*b^8*e*\cos(e*x + d) + 4*a^3*b^7*e - (a^3*b^7 - 3*a*b^9)*e*\cos(e*x + d)^2)*\sin(e*x + d))$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*b\*cos(e\*x+d)+2\*a\*sin(e\*x+d))^4,x)

[Out] Timed out

**Giac [B]** time = 1.18962, size = 1368, normalized size = 6.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*b\*cos(e\*x+d)+2\*a\*sin(e\*x+d))^4,x, algorithm="giac")

[Out]  $\frac{1}{96} \cdot (3 \cdot (5a^4 - 5a^3b + 3a^2b^2 - 3ab^3) \cdot \log(\text{abs}(a \cdot \tan(\frac{1}{2}xe + \frac{1}{2}d) - b \cdot \tan(\frac{1}{2}xe + \frac{1}{2}d) + a + b)) / (a^7b - b^8) - 2 \cdot (15a^8 \tan(\frac{1}{2}xe + \frac{1}{2}d)^5 - 75a^7b \tan(\frac{1}{2}xe + \frac{1}{2}d)^5 + 159a^6b^2 \tan(\frac{1}{2}xe + \frac{1}{2}d)^5 - 195a^5b^3 \tan(\frac{1}{2}xe + \frac{1}{2}d)^5 + 165a^4b^4 \tan(\frac{1}{2}xe + \frac{1}{2}d)^5 - 105a^3b^5 \tan(\frac{1}{2}xe + \frac{1}{2}d)^5 + 51a^2b^6 \tan(\frac{1}{2}xe + \frac{1}{2}d)^5 - 21ab^7 \tan(\frac{1}{2}xe + \frac{1}{2}d)^5 + 6b^8 \tan(\frac{1}{2}xe + \frac{1}{2}d)^5 + 75a^8 \tan(\frac{1}{2}xe + \frac{1}{2}d)^4 - 300a^7b \tan(\frac{1}{2}xe + \frac{1}{2}d)^4 + 495a^6b^2 \tan(\frac{1}{2}xe + \frac{1}{2}d)^4 - 480a^5b^3 \tan(\frac{1}{2}xe + \frac{1}{2}d)^4 + 345a^4b^4 \tan(\frac{1}{2}xe + \frac{1}{2}d)^4 - 180a^3b^5 \tan(\frac{1}{2}xe + \frac{1}{2}d)^4 + 57a^2b^6 \tan(\frac{1}{2}xe + \frac{1}{2}d)^4 - 12ab^7 \tan(\frac{1}{2}xe + \frac{1}{2}d)^4 + 150a^8 \tan(\frac{1}{2}xe + \frac{1}{2}d)^3 - 450a^7b \tan(\frac{1}{2}xe + \frac{1}{2}d)^3 + 500a^6b^2 \tan(\frac{1}{2}xe + \frac{1}{2}d)^3 - 300a^5b^3 \tan(\frac{1}{2}xe + \frac{1}{2}d)^3 + 126a^4b^4 \tan(\frac{1}{2}xe + \frac{1}{2}d)^3 + 22a^3b^5 \tan(\frac{1}{2}xe + \frac{1}{2}d)^3 - 48a^2b^6 \tan(\frac{1}{2}xe + \frac{1}{2}d)^3 + 12ab^7 \tan(\frac{1}{2}xe + \frac{1}{2}d)^3 - 4b^8 \tan(\frac{1}{2}xe + \frac{1}{2}d)^3 + 150a^8 \tan(\frac{1}{2}xe + \frac{1}{2}d)^2 - 300a^7b \tan(\frac{1}{2}xe + \frac{1}{2}d)^2 + 120a^6b^2 \tan(\frac{1}{2}xe + \frac{1}{2}d)^2 + 60a^5b^3 \tan(\frac{1}{2}xe + \frac{1}{2}d)^2 - 102a^4b^4 \tan(\frac{1}{2}xe + \frac{1}{2}d)^2 + 144a^3b^5 \tan(\frac{1}{2}xe + \frac{1}{2}d)^2 - 60a^2b^6 \tan(\frac{1}{2}xe + \frac{1}{2}d)^2 + 12ab^7 \tan(\frac{1}{2}xe + \frac{1}{2}d)^2 + 75a^8 \tan(\frac{1}{2}xe + \frac{1}{2}d) - 75a^7b \tan(\frac{1}{2}xe + \frac{1}{2}d) - 75a^6b^2 \tan(\frac{1}{2}xe + \frac{1}{2}d) + 75a^5b^3 \tan(\frac{1}{2}xe + \frac{1}{2}d) - 39a^4b^4 \tan(\frac{1}{2}xe + \frac{1}{2}d) + 39a^3b^5 \tan(\frac{1}{2}xe + \frac{1}{2}d) + 33a^2b^6 \tan(\frac{1}{2}xe + \frac{1}{2}d) - 15ab^7 \tan(\frac{1}{2}xe + \frac{1}{2}d) + 6b^8 \tan(\frac{1}{2}xe + \frac{1}{2}d) + 15a^8 - 31a^6b^2 + 9a^4b^4 + 15a^2b^6) / ((a^3b^6 - 3a^2b^7 + 3ab^8 - b^9) \cdot (a \cdot \tan(\frac{1}{2}xe + \frac{1}{2}d)^2 - b \cdot \tan(\frac{1}{2}xe + \frac{1}{2}d)^2 + 2a \cdot \tan(\frac{1}{2}xe + \frac{1}{2}d) + a + b)^3) - 3 \cdot (5a^3 + 3ab^2) \cdot \log(\text{abs}(\tan(\frac{1}{2}xe + \frac{1}{2}d) + 1)) / b^7) \cdot e^{-1}$

### 3.388 $\int (2a + 2b \cos(d + ex) - 2a \sin(d + ex))^3 dx$

**Optimal.** Leaf size=157

$$\frac{4b(15a^2 + 4b^2) \sin(d + ex)}{3e} + \frac{4a(15a^2 + 4b^2) \cos(d + ex)}{3e} + 4ax(5a^2 + 3b^2) + \frac{20(a^2 \cos(d + ex) + ab \sin(d + ex))}{3e}$$

```
[Out] 4*a*(5*a^2 + 3*b^2)*x + (4*a*(15*a^2 + 4*b^2)*Cos[d + e*x])/(3*e) + (4*b*(15*a^2 + 4*b^2)*Sin[d + e*x])/(3*e) + (8*(a + b*Cos[d + e*x] - a*SIN[d + e*x])^2*(a*Cos[d + e*x] + b*SIN[d + e*x]))/(3*e) + (20*(a + b*Cos[d + e*x] - a*SIN[d + e*x])*(a^2*Cos[d + e*x] + a*b*SIN[d + e*x]))/(3*e)
```

**Rubi [A]** time = 0.135751, antiderivative size = 157, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {3120, 3146, 2637, 2638}

$$\frac{4b(15a^2 + 4b^2) \sin(d + ex)}{3e} + \frac{4a(15a^2 + 4b^2) \cos(d + ex)}{3e} + 4ax(5a^2 + 3b^2) + \frac{20(a^2 \cos(d + ex) + ab \sin(d + ex))}{3e}$$

Antiderivative was successfully verified.

```
[In] Int[(2*a + 2*b*Cos[d + e*x] - 2*a*SIN[d + e*x])^3,x]
```

```
[Out] 4*a*(5*a^2 + 3*b^2)*x + (4*a*(15*a^2 + 4*b^2)*Cos[d + e*x])/(3*e) + (4*b*(15*a^2 + 4*b^2)*Sin[d + e*x])/(3*e) + (8*(a + b*Cos[d + e*x] - a*SIN[d + e*x])^2*(a*Cos[d + e*x] + b*SIN[d + e*x]))/(3*e) + (20*(a + b*Cos[d + e*x] - a*SIN[d + e*x])*(a^2*Cos[d + e*x] + a*b*SIN[d + e*x]))/(3*e)
```

#### Rule 3120

```
Int[(cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^n, x_Symbol] :> -Simp[((c*Cos[d + e*x] - b*SIN[d + e*x])*(a + b*Cos[d + e*x] + c*SIN[d + e*x])^(n - 1))/(e*n), x] + Dist[1/n, Int[Simp[n*a^2 + (n - 1)*(b^2 + c^2) + a*b*(2*n - 1)*Cos[d + e*x] + a*c*(2*n - 1)*SIN[d + e*x], x]*(a + b*Cos[d + e*x] + c*SIN[d + e*x])^(n - 2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && GtQ[n, 1]
```

#### Rule 3146

```
Int[(cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^n*(A_.) + cos[(d_.) + (e_.)*(x_.)]*(B_.) + (C_.)*sin[(d_.) + (e_.)*(x_.)]), x_Symbol] :> Simp[((B*c - b*C - a*C*Cos[d + e*x] + a*B*SIN[d + e*x])*(a + b*Cos[d + e*x] + c*SIN[d + e*x])^n)/(a*e*(n + 1)), x] + Dist[1/(a*(n + 1)), Int[(a + b*Cos[d + e*x] + c*SIN[d + e*x])^(n - 1)*Simp[a*(b*B + c*C)*n + a^2*A*(n + 1) + (n*(a^2*B - B*c^2 + b*c*C) + a*b*A*(n + 1))*Cos[d + e*x] + (n*(b*B*c + a^2*C - b^2*C) + a*c*A*(n + 1))*SIN[d + e*x], x], x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && GtQ[n, 0] && NeQ[a^2 - b^2 - c^2, 0]
```

#### Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_.)], x_Symbol] :> Simp[SIN[c + d*x]/d, x] /; FreeQ[{c, d}, x]
```

#### Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_.)], x_Symbol] :> -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\int (2a + 2b \cos(d + ex) - 2a \sin(d + ex))^3 dx = \frac{8(a + b \cos(d + ex) - a \sin(d + ex))^2 (a \cos(d + ex) + b \sin(d + ex))}{3e} + \frac{1}{3} \int \frac{8(a + b \cos(d + ex) - a \sin(d + ex))^2 (a \cos(d + ex) + b \sin(d + ex))}{3e} + \frac{20(a + b \cos(d + ex) - a \sin(d + ex))}{3e} dx$$

$$= 4a(5a^2 + 3b^2)x + \frac{8(a + b \cos(d + ex) - a \sin(d + ex))^2 (a \cos(d + ex) + b \sin(d + ex))}{3e}$$

$$= 4a(5a^2 + 3b^2)x + \frac{4a(15a^2 + 4b^2) \cos(d + ex)}{3e} + \frac{4b(15a^2 + 4b^2) \sin(d + ex)}{3e}$$

**Mathematica [A]** time = 0.442698, size = 136, normalized size = 0.87

$$\frac{2(6a(5a^2 + 3b^2)(d + ex) - 9a(a^2 - b^2)\sin(2(d + ex)) + 9b(5a^2 + b^2)\sin(d + ex) + b(b^2 - 3a^2)\sin(3(d + ex)) + 9a(5a^2 + 3b^2)\cos(d + ex) - 9a(a^2 - b^2)\cos(2(d + ex)) - 9b(5a^2 + b^2)\cos(d + ex) + b(b^2 - 3a^2)\cos(3(d + ex)))}{3e}$$

Antiderivative was successfully verified.

[In] Integrate[(2\*a + 2\*b\*Cos[d + e\*x] - 2\*a\*Sin[d + e\*x])^3,x]

[Out] (2\*(6\*a\*(5\*a^2 + 3\*b^2)\*(d + e\*x) + 9\*a\*(5\*a^2 + b^2)\*Cos[d + e\*x] + 18\*a^2\*b\*Cos[2\*(d + e\*x)] - a\*(a^2 - 3\*b^2)\*Cos[3\*(d + e\*x)] + 9\*b\*(5\*a^2 + b^2)\*Sin[d + e\*x] - 9\*a\*(a^2 - b^2)\*Sin[2\*(d + e\*x)] + b\*(-3\*a^2 + b^2)\*Sin[3\*(d + e\*x)]))/(3\*e)

**Maple [A]** time = 0.07, size = 176, normalized size = 1.1

$$\frac{a^3 (ex + d) + 3 \sin(ex + d) a^2 b + 3 a^3 \cos(ex + d) + 3 ab^2 (1/2 \sin(ex + d) \cos(ex + d) + 1/2 ex + d/2) + 3 (\cos(ex + d) - \sin(ex + d))}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2\*a+2\*b\*cos(e\*x+d)-2\*a\*sin(e\*x+d))^3,x)

[Out] 8/e\*(a^3\*(e\*x+d)+3\*sin(e\*x+d)\*a^2\*b+3\*a^3\*cos(e\*x+d)+3\*a\*b^2\*(1/2\*sin(e\*x+d)\*cos(e\*x+d)+1/2\*e\*x+1/2\*d)+3\*cos(e\*x+d)^2\*a^2\*b+3\*a^3\*(-1/2\*sin(e\*x+d)\*cos(e\*x+d)+1/2\*e\*x+1/2\*d)+1/3\*b^3\*(2+cos(e\*x+d)^2)\*sin(e\*x+d)+cos(e\*x+d)^3\*a\*b^2+a^2\*b\*sin(e\*x+d)^3+1/3\*a^3\*(2+sin(e\*x+d)^2)\*cos(e\*x+d))

**Maxima [A]** time = 0.991341, size = 254, normalized size = 1.62

$$\frac{8 ab^2 \cos(ex + d)^3}{e} + \frac{8 a^2 b \sin(ex + d)^3}{e} + 8 a^3 x - \frac{8 (\cos(ex + d)^3 - 3 \cos(ex + d)) a^3}{3e} - \frac{8 (\sin(ex + d)^3 - 3 \sin(ex + d)) b^3}{3e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*a+2\*b\*cos(e\*x+d)-2\*a\*sin(e\*x+d))^3,x, algorithm="maxima")

[Out] 8\*a\*b^2\*cos(e\*x + d)^3/e + 8\*a^2\*b\*sin(e\*x + d)^3/e + 8\*a^3\*x - 8/3\*(cos(e\*x + d)^3 - 3\*cos(e\*x + d))\*a^3/e - 8/3\*(sin(e\*x + d)^3 - 3\*sin(e\*x + d))\*b^3/e

$$\frac{3}{e} + 24a^2 \frac{a \cos(ex + d)}{e} + b \frac{\sin(ex + d)}{e} + 6 \frac{(4ab \cos(ex + d))^2}{e} + (2ex + 2d - \sin(2ex + 2d)) \frac{a^2}{e} + (2ex + 2d + \sin(2ex + 2d)) \frac{b^2}{e} a$$

**Fricas [A]** time = 2.21198, size = 292, normalized size = 1.86

$$\frac{4(18a^2b \cos(ex + d)^2 + 24a^3 \cos(ex + d) - 2(a^3 - 3ab^2) \cos(ex + d)^3 + 3(5a^3 + 3ab^2)ex + (24a^2b + 4b^3 - 2(3a^2 - b^3)) \sin(ex + d))}{3e} a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*a+2\*b\*cos(e\*x+d)-2\*a\*sin(e\*x+d))^3,x, algorithm="fricas")

[Out] 4/3\*(18\*a^2\*b\*cos(e\*x + d)^2 + 24\*a^3\*cos(e\*x + d) - 2\*(a^3 - 3\*a\*b^2)\*cos(e\*x + d)^3 + 3\*(5\*a^3 + 3\*a\*b^2)\*e\*x + (24\*a^2\*b + 4\*b^3 - 2\*(3\*a^2\*b - b^3)\*cos(e\*x + d)^2 - 9\*(a^3 - a\*b^2)\*cos(e\*x + d))\*sin(e\*x + d)/e

**Sympy [A]** time = 0.974717, size = 291, normalized size = 1.85

$$\left\{ \begin{array}{l} 12a^3x \sin^2(d + ex) + 12a^3x \cos^2(d + ex) + 8a^3x + \frac{8a^3 \sin^2(d + ex) \cos(d + ex)}{e} - \frac{12a^3 \sin(d + ex) \cos(d + ex)}{e} + \frac{16a^3 \cos^3(d + ex)}{3e} + \frac{24a^3}{3e} \\ x(-2a \sin(d) + 2a + 2b \cos(d))^3 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*a+2\*b\*cos(e\*x+d)-2\*a\*sin(e\*x+d))\*\*3,x)

[Out] Piecewise((12\*a\*\*3\*x\*\*sin(d + e\*x)\*\*2 + 12\*a\*\*3\*x\*cos(d + e\*x)\*\*2 + 8\*a\*\*3\*x + 8\*a\*\*3\*sin(d + e\*x)\*\*2\*cos(d + e\*x)/e - 12\*a\*\*3\*sin(d + e\*x)\*cos(d + e\*x)/e + 16\*a\*\*3\*cos(d + e\*x)\*\*3/(3\*e) + 24\*a\*\*3\*cos(d + e\*x)/e + 8\*a\*\*2\*b\*sin(d + e\*x)\*\*3/e - 24\*a\*\*2\*b\*sin(d + e\*x)\*\*2/e + 24\*a\*\*2\*b\*sin(d + e\*x)/e + 12\*a\*b\*\*2\*x\*\*sin(d + e\*x)\*\*2 + 12\*a\*b\*\*2\*x\*cos(d + e\*x)\*\*2 + 12\*a\*b\*\*2\*sin(d + e\*x)\*cos(d + e\*x)/e + 8\*a\*b\*\*2\*cos(d + e\*x)\*\*3/e + 16\*b\*\*3\*sin(d + e\*x)\*\*3/(3\*e) + 8\*b\*\*3\*sin(d + e\*x)\*cos(d + e\*x)\*\*2/e, Ne(e, 0)), (x\*(-2\*a\*sin(d) + 2\*a + 2\*b\*cos(d))\*\*3, True))

**Giac [A]** time = 1.11012, size = 204, normalized size = 1.3

$$12a^2b \cos(2xe + 2d) e^{(-1)} - \frac{2}{3} (a^3 - 3ab^2) \cos(3xe + 3d) e^{(-1)} + 6(5a^3 + ab^2) \cos(xe + d) e^{(-1)} - \frac{2}{3} (3a^2b - b^3) e^{(-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*a+2\*b\*cos(e\*x+d)-2\*a\*sin(e\*x+d))^3,x, algorithm="giac")

[Out] 12\*a^2\*b\*cos(2\*x\*e + 2\*d)\*e^(-1) - 2/3\*(a^3 - 3\*a\*b^2)\*cos(3\*x\*e + 3\*d)\*e^(-1) + 6\*(5\*a^3 + a\*b^2)\*cos(x\*e + d)\*e^(-1) - 2/3\*(3\*a^2\*b - b^3)\*e^(-1)\*sin(3\*x\*e + 3\*d) - 6\*(a^3 - a\*b^2)\*e^(-1)\*sin(2\*x\*e + 2\*d) + 6\*(5\*a^2\*b + b^3)\*e^(-1)\*sin(x\*e + d) + 4\*(5\*a^3 + 3\*a\*b^2)\*x

### 3.389 $\int (2a + 2b \cos(d + ex) - 2a \sin(d + ex))^2 dx$

**Optimal.** Leaf size=81

$$2x(3a^2 + b^2) + \frac{6a^2 \cos(d + ex)}{e} + \frac{6ab \sin(d + ex)}{e} + \frac{2(a(-\sin(d + ex)) + a + b \cos(d + ex))(a \cos(d + ex) + b \sin(d + ex))}{e}$$

[Out] 2\*(3\*a^2 + b^2)\*x + (6\*a^2\*Cos[d + e\*x])/e + (6\*a\*b\*Sin[d + e\*x])/e + (2\*(a + b\*Cos[d + e\*x] - a\*Sin[d + e\*x])\*(a\*Cos[d + e\*x] + b\*Sin[d + e\*x]))/e

**Rubi [A]** time = 0.0469208, antiderivative size = 81, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {3120, 2637, 2638}

$$2x(3a^2 + b^2) + \frac{6a^2 \cos(d + ex)}{e} + \frac{6ab \sin(d + ex)}{e} + \frac{2(a(-\sin(d + ex)) + a + b \cos(d + ex))(a \cos(d + ex) + b \sin(d + ex))}{e}$$

Antiderivative was successfully verified.

[In] Int[(2\*a + 2\*b\*Cos[d + e\*x] - 2\*a\*Sin[d + e\*x])^2,x]

[Out] 2\*(3\*a^2 + b^2)\*x + (6\*a^2\*Cos[d + e\*x])/e + (6\*a\*b\*Sin[d + e\*x])/e + (2\*(a + b\*Cos[d + e\*x] - a\*Sin[d + e\*x])\*(a\*Cos[d + e\*x] + b\*Sin[d + e\*x]))/e

#### Rule 3120

Int[(cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[((c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n - 1))/(e\*n), x] + Dist[1/n, Int[Simp[n\*a^2 + (n - 1)\*(b^2 + c^2) + a\*b\*(2\*n - 1)\*Cos[d + e\*x] + a\*c\*(2\*n - 1)\*Sin[d + e\*x], x]\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n - 2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && GtQ[n, 1]

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int (2a + 2b \cos(d + ex) - 2a \sin(d + ex))^2 dx &= \frac{2(a + b \cos(d + ex) - a \sin(d + ex))(a \cos(d + ex) + b \sin(d + ex))}{e} + \frac{1}{2} \int \\ &= 2(3a^2 + b^2)x + \frac{2(a + b \cos(d + ex) - a \sin(d + ex))(a \cos(d + ex) + b \sin(d + ex))}{e} \\ &= 2(3a^2 + b^2)x + \frac{6a^2 \cos(d + ex)}{e} + \frac{6ab \sin(d + ex)}{e} + \frac{2(a + b \cos(d + ex) - a \sin(d + ex))(a \cos(d + ex) + b \sin(d + ex))}{e} \end{aligned}$$

**Mathematica [A]** time = 0.1516, size = 92, normalized size = 1.14

$$4 \left( \frac{(3a^2 + b^2)(d + ex)}{2e} - \frac{(a^2 - b^2) \sin(2(d + ex))}{4e} + \frac{2a^2 \cos(d + ex)}{e} + \frac{2ab \sin(d + ex)}{e} + \frac{ab \cos(2(d + ex))}{2e} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(2\*a + 2\*b\*cos[d + e\*x] - 2\*a\*sin[d + e\*x])^2,x]

[Out]  $4 * ((3 * a^2 + b^2) * (d + e * x)) / (2 * e) + (2 * a^2 * \cos[d + e * x]) / e + (a * b * \cos[2 * (d + e * x)]) / (2 * e) + (2 * a * b * \sin[d + e * x]) / e - ((a^2 - b^2) * \sin[2 * (d + e * x)]) / (4 * e)$

**Maple [A]** time = 0.055, size = 100, normalized size = 1.2

$$4 \frac{a^2 (ex + d) + 2 ab \sin(ex + d) + 2 a^2 \cos(ex + d) + b^2 (1/2 \sin(ex + d) \cos(ex + d) + 1/2 ex + d/2) + (\cos(ex + d))^2}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2\*a+2\*b\*cos(e\*x+d)-2\*a\*sin(e\*x+d))^2,x)

[Out]  $4/e * (a^2 * (e * x + d) + 2 * a * b * \sin(e * x + d) + 2 * a^2 * \cos(e * x + d) + b^2 * (1/2 * \sin(e * x + d) * \cos(e * x + d) + 1/2 * e * x + 1/2 * d) + \cos(e * x + d)^2 * a * b + a^2 * (-1/2 * \sin(e * x + d) * \cos(e * x + d) + 1/2 * e * x + 1/2 * d))$

**Maxima [A]** time = 0.980257, size = 132, normalized size = 1.63

$$4a^2x + \frac{4ab \cos(ex + d)^2}{e} + \frac{(2ex + 2d - \sin(2ex + 2d))a^2}{e} + \frac{(2ex + 2d + \sin(2ex + 2d))b^2}{e} + 8a \left( \frac{a \cos(ex + d)}{e} + \frac{b \sin(ex + d)}{e} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*a+2\*b\*cos(e\*x+d)-2\*a\*sin(e\*x+d))^2,x, algorithm="maxima")

[Out]  $4 * a^2 * x + 4 * a * b * \cos(e * x + d)^2 / e + (2 * e * x + 2 * d - \sin(2 * e * x + 2 * d)) * a^2 / e + (2 * e * x + 2 * d + \sin(2 * e * x + 2 * d)) * b^2 / e + 8 * a * (a * \cos(e * x + d) / e + b * \sin(e * x + d) / e)$

**Fricas [A]** time = 2.14909, size = 161, normalized size = 1.99

$$\frac{2 \left( 2 ab \cos(ex + d)^2 + (3 a^2 + b^2) ex + 4 a^2 \cos(ex + d) + (4 ab - (a^2 - b^2) \cos(ex + d)) \sin(ex + d) \right)}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*a+2\*b\*cos(e\*x+d)-2\*a\*sin(e\*x+d))^2,x, algorithm="fricas")

[Out]  $2 * (2 * a * b * \cos(e * x + d)^2 + (3 * a^2 + b^2) * e * x + 4 * a^2 * \cos(e * x + d) + (4 * a * b - (a^2 - b^2) * \cos(e * x + d)) * \sin(e * x + d)) / e$

**Sympy [A]** time = 0.367994, size = 170, normalized size = 2.1

$$\begin{cases} 2a^2x \sin^2(d + ex) + 2a^2x \cos^2(d + ex) + 4a^2x - \frac{2a^2 \sin(d+ex) \cos(d+ex)}{e} + \frac{8a^2 \cos(d+ex)}{e} - \frac{4ab \sin^2(d+ex)}{e} + \frac{8ab \sin(d+ex)}{e} + 2b^2 \\ x(-2a \sin(d) + 2a + 2b \cos(d))^2 \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((2*a+2*b*cos(e*x+d)-2*a*sin(e*x+d))**2,x)
```

```
[Out] Piecewise((2*a**2*x*sin(d + e*x)**2 + 2*a**2*x*cos(d + e*x)**2 + 4*a**2*x -
2*a**2*sin(d + e*x)*cos(d + e*x)/e + 8*a**2*cos(d + e*x)/e - 4*a*b*sin(d +
e*x)**2/e + 8*a*b*sin(d + e*x)/e + 2*b**2*x*sin(d + e*x)**2 + 2*b**2*x*cos
(d + e*x)**2 + 2*b**2*sin(d + e*x)*cos(d + e*x)/e, Ne(e, 0)), (x*(-2*a*sin(
d) + 2*a + 2*b*cos(d))**2, True))
```

---

**Giac [A]** time = 1.12162, size = 107, normalized size = 1.32

$$2ab \cos(2xe + 2d)e^{-1} + 8a^2 \cos(xe + d)e^{-1} + 8abe^{-1} \sin(xe + d) - (a^2 - b^2)e^{-1} \sin(2xe + 2d) + 2(3a^2 + b^2)x$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((2*a+2*b*cos(e*x+d)-2*a*sin(e*x+d))^2,x, algorithm="giac")
```

```
[Out] 2*a*b*cos(2*x*e + 2*d)*e^(-1) + 8*a^2*cos(x*e + d)*e^(-1) + 8*a*b*e^(-1)*si
n(x*e + d) - (a^2 - b^2)*e^(-1)*sin(2*x*e + 2*d) + 2*(3*a^2 + b^2)*x
```



### 3.390 $\int (2a + 2b \cos(d + ex) - 2a \sin(d + ex)) dx$

**Optimal.** Leaf size=29

$$\frac{2a \cos(d + ex)}{e} + 2ax + \frac{2b \sin(d + ex)}{e}$$

[Out] 2\*a\*x + (2\*a\*Cos[d + e\*x])/e + (2\*b\*Sin[d + e\*x])/e

**Rubi [A]** time = 0.0144019, antiderivative size = 29, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {2637, 2638}

$$\frac{2a \cos(d + ex)}{e} + 2ax + \frac{2b \sin(d + ex)}{e}$$

Antiderivative was successfully verified.

[In] Int[2\*a + 2\*b\*Cos[d + e\*x] - 2\*a\*Sin[d + e\*x], x]

[Out] 2\*a\*x + (2\*a\*Cos[d + e\*x])/e + (2\*b\*Sin[d + e\*x])/e

**Rule 2637**

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

**Rule 2638**

Int[sin[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

**Rubi steps**

$$\begin{aligned} \int (2a + 2b \cos(d + ex) - 2a \sin(d + ex)) dx &= 2ax - (2a) \int \sin(d + ex) dx + (2b) \int \cos(d + ex) dx \\ &= 2ax + \frac{2a \cos(d + ex)}{e} + \frac{2b \sin(d + ex)}{e} \end{aligned}$$

**Mathematica [A]** time = 0.0119253, size = 53, normalized size = 1.83

$$-\frac{2a \sin(d) \sin(ex)}{e} + \frac{2a \cos(d) \cos(ex)}{e} + 2ax + \frac{2b \sin(d) \cos(ex)}{e} + \frac{2b \cos(d) \sin(ex)}{e}$$

Antiderivative was successfully verified.

[In] Integrate[2\*a + 2\*b\*Cos[d + e\*x] - 2\*a\*Sin[d + e\*x], x]

[Out] 2\*a\*x + (2\*a\*Cos[d]\*Cos[e\*x])/e + (2\*b\*Cos[e\*x]\*Sin[d])/e + (2\*b\*Cos[d]\*Sin[e\*x])/e - (2\*a\*Sin[d]\*Sin[e\*x])/e

**Maple [A]** time = 0., size = 30, normalized size = 1.

$$2ax + 2 \frac{a \cos(ex + d)}{e} + 2 \frac{b \sin(ex + d)}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(2*a+2*b*cos(e*x+d)-2*a*sin(e*x+d),x)`

[Out] `2*a*x+2*a*cos(e*x+d)/e+2*b*sin(e*x+d)/e`

**Maxima [A]** time = 0.990877, size = 39, normalized size = 1.34

$$2ax + \frac{2a \cos(ex + d)}{e} + \frac{2b \sin(ex + d)}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(2*a+2*b*cos(e*x+d)-2*a*sin(e*x+d),x, algorithm="maxima")`

[Out] `2*a*x + 2*a*cos(e*x + d)/e + 2*b*sin(e*x + d)/e`

**Fricas [A]** time = 2.14906, size = 63, normalized size = 2.17

$$\frac{2(aex + a \cos(ex + d) + b \sin(ex + d))}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(2*a+2*b*cos(e*x+d)-2*a*sin(e*x+d),x, algorithm="fricas")`

[Out] `2*(a*e*x + a*cos(e*x + d) + b*sin(e*x + d))/e`

**Sympy [A]** time = 0.153007, size = 39, normalized size = 1.34

$$2ax - 2a \left( \begin{cases} -\frac{\cos(d+ex)}{e} & \text{for } e \neq 0 \\ x \sin(d) & \text{otherwise} \end{cases} \right) + 2b \left( \begin{cases} \frac{\sin(d+ex)}{e} & \text{for } e \neq 0 \\ x \cos(d) & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(2*a+2*b*cos(e*x+d)-2*a*sin(e*x+d),x)`

[Out] `2*a*x - 2*a*Piecewise((-cos(d + e*x)/e, Ne(e, 0)), (x*sin(d), True)) + 2*b*Piecewise((sin(d + e*x)/e, Ne(e, 0)), (x*cos(d), True))`

**Giac [A]** time = 1.12482, size = 39, normalized size = 1.34

$$2a \cos(xe + d)e^{(-1)} + 2be^{(-1)} \sin(xe + d) + 2ax$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(2*a+2*b*cos(e*x+d)-2*a*sin(e*x+d),x, algorithm="giac")
```

```
[Out] 2*a*cos(x*e + d)*e^(-1) + 2*b*e^(-1)*sin(x*e + d) + 2*a*x
```

$$3.391 \quad \int \frac{1}{2a+2b \cos(d+ex)-2a \sin(d+ex)} dx$$

**Optimal.** Leaf size=33

$$\frac{\log\left(a + b \tan\left(\frac{d}{2} + \frac{ex}{2} + \frac{\pi}{4}\right)\right)}{2be}$$

[Out] Log[a + b\*Tan[d/2 + Pi/4 + (e\*x)/2]]/(2\*b\*e)

**Rubi [A]** time = 0.0217288, antiderivative size = 33, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {3122, 31}

$$\frac{\log\left(a + b \tan\left(\frac{d}{2} + \frac{ex}{2} + \frac{\pi}{4}\right)\right)}{2be}$$

Antiderivative was successfully verified.

[In] Int[(2\*a + 2\*b\*Cos[d + e\*x] - 2\*a\*Sin[d + e\*x])^(-1), x]

[Out] Log[a + b\*Tan[d/2 + Pi/4 + (e\*x)/2]]/(2\*b\*e)

#### Rule 3122

```
Int[(cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^(-1), x_Symbol] :> Module[{f = FreeFactors[Tan[(d + e*x)/2 + Pi/4], x]}, Dist[f/e, Subst[Int[1/(a + b*f*x), x], x, Tan[(d + e*x)/2 + Pi/4]/f], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a + c, 0]
```

#### Rule 31

```
Int[((a_) + (b_.)*(x_))^-1, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]
```

#### Rubi steps

$$\int \frac{1}{2a + 2b \cos(d + ex) - 2a \sin(d + ex)} dx = \frac{\text{Subst}\left(\int \frac{1}{2a+2bx} dx, x, \tan\left(\frac{\pi}{4} + \frac{1}{2}(d + ex)\right)\right)}{e} = \frac{\log\left(a + b \tan\left(\frac{d}{2} + \frac{\pi}{4} + \frac{ex}{2}\right)\right)}{2be}$$

**Mathematica [B]** time = 0.101587, size = 96, normalized size = 2.91

$$\frac{\log\left(-a \sin\left(\frac{1}{2}(d + ex)\right) + a \cos\left(\frac{1}{2}(d + ex)\right) + b \sin\left(\frac{1}{2}(d + ex)\right) + b \cos\left(\frac{1}{2}(d + ex)\right)\right)}{2be} - \frac{\log\left(\cos\left(\frac{1}{2}(d + ex)\right) - \sin\left(\frac{1}{2}(d + ex)\right)\right)}{2be}$$

Antiderivative was successfully verified.

[In] Integrate[(2\*a + 2\*b\*Cos[d + e\*x] - 2\*a\*Sin[d + e\*x])^(-1), x]

[Out]  $-\text{Log}[\text{Cos}[(d + e*x)/2] - \text{Sin}[(d + e*x)/2]]/(2*b*e) + \text{Log}[a*\text{Cos}[(d + e*x)/2] + b*\text{Cos}[(d + e*x)/2] - a*\text{Sin}[(d + e*x)/2] + b*\text{Sin}[(d + e*x)/2]]/(2*b*e)$

**Maple [B]** time = 0.1, size = 61, normalized size = 1.9

$$-\frac{1}{2be} \ln\left(\tan\left(\frac{d}{2} + \frac{ex}{2}\right) - 1\right) + \frac{1}{2be} \ln\left(a \tan\left(\frac{d}{2} + \frac{ex}{2}\right) - b \tan\left(\frac{d}{2} + \frac{ex}{2}\right) - a - b\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(2*a+2*b*cos(e*x+d)-2*a*sin(e*x+d)),x)`

[Out]  $-1/2/e/b*\ln(\tan(1/2*d+1/2*e*x)-1)+1/2/e/b*\ln(a*\tan(1/2*d+1/2*e*x)-b*\tan(1/2*d+1/2*e*x)-a-b)$

**Maxima [B]** time = 0.995999, size = 84, normalized size = 2.55

$$\frac{\frac{\log\left(a+b-\frac{(a-b)\sin(ex+d)}{\cos(ex+d)+1}\right)}{b} - \frac{\log\left(\frac{\sin(ex+d)}{\cos(ex+d)+1}-1\right)}{b}}{2e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(2*a+2*b*cos(e*x+d)-2*a*sin(e*x+d)),x, algorithm="maxima")`

[Out]  $1/2*(\log(a + b - (a - b)*\sin(e*x + d)/(\cos(e*x + d) + 1))/b - \log(\sin(e*x + d)/(\cos(e*x + d) + 1) - 1)/b)/e$

**Fricas [B]** time = 2.18151, size = 136, normalized size = 4.12

$$\frac{\log\left(2ab \cos(ex + d) + a^2 + b^2 - (a^2 - b^2) \sin(ex + d)\right) - \log(-\sin(ex + d) + 1)}{4be}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(2*a+2*b*cos(e*x+d)-2*a*sin(e*x+d)),x, algorithm="fricas")`

[Out]  $1/4*(\log(2*a*b*\cos(e*x + d) + a^2 + b^2 - (a^2 - b^2)*\sin(e*x + d)) - \log(-\sin(e*x + d) + 1))/(b*e)$

**Sympy [A]** time = 61.2379, size = 109, normalized size = 3.3

$$\left\{ \begin{array}{ll} \frac{\frac{\infty x}{\cos(d)} \log\left(\tan\left(\frac{d}{2} + \frac{ex}{2}\right) - 1\right)}{2be} & \text{for } a = 0 \wedge b = 0 \wedge e = 0 \\ \frac{1}{ae \tan\left(\frac{d}{2} + \frac{ex}{2}\right) - ae} & \text{for } a = b \\ \frac{x}{-2a \sin(d) + 2a + 2b \cos(d)} & \text{for } b = 0 \\ \frac{\log\left(\tan\left(\frac{d}{2} + \frac{ex}{2}\right) - 1\right)}{2be} + \frac{\log\left(-\frac{a}{a-b} - \frac{b}{a-b} + \tan\left(\frac{d}{2} + \frac{ex}{2}\right)\right)}{2be} & \text{for } e = 0 \\ & \text{otherwise} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*b\*cos(e\*x+d)-2\*a\*sin(e\*x+d)),x)

[Out] Piecewise((zoo\*x/cos(d), Eq(a, 0) & Eq(b, 0) & Eq(e, 0)), (-log(tan(d/2 + e\*x/2) - 1)/(2\*b\*e), Eq(a, b)), (-1/(a\*e\*tan(d/2 + e\*x/2) - a\*e), Eq(b, 0)), (x/(-2\*a\*sin(d) + 2\*a + 2\*b\*cos(d)), Eq(e, 0)), (-log(tan(d/2 + e\*x/2) - 1)/(2\*b\*e) + log(-a/(a - b) - b/(a - b) + tan(d/2 + e\*x/2))/(2\*b\*e), True))

**Giac [B]** time = 1.19495, size = 101, normalized size = 3.06

$$\frac{1}{2} \left( \frac{(a-b) \log \left( \left| a \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right) - b \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right) - a - b \right| \right)}{ab - b^2} - \frac{\log \left( \left| \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right) - 1 \right| \right)}{b} \right) e^{(-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*b\*cos(e\*x+d)-2\*a\*sin(e\*x+d)),x, algorithm="giac")

[Out] 1/2\*((a - b)\*log(abs(a\*tan(1/2\*x\*e + 1/2\*d) - b\*tan(1/2\*x\*e + 1/2\*d) - a - b))/(a\*b - b^2) - log(abs(tan(1/2\*x\*e + 1/2\*d) - 1))/b)\*e^(-1)

$$3.392 \quad \int \frac{1}{(2a+2b \cos(d+ex)-2a \sin(d+ex))^2} dx$$

**Optimal.** Leaf size=83

$$\frac{a \cos(d+ex) + b \sin(d+ex)}{4b^2e(a(-\sin(d+ex)) + a + b \cos(d+ex))} - \frac{a \log\left(a + b \tan\left(\frac{d}{2} + \frac{ex}{2} + \frac{\pi}{4}\right)\right)}{4b^3e}$$

[Out]  $-(a*\text{Log}[a + b*\text{Tan}[d/2 + \text{Pi}/4 + (e*x)/2]])/(4*b^3*e) + (a*\text{Cos}[d + e*x] + b*\text{Sin}[d + e*x])/(4*b^2*e*(a + b*\text{Cos}[d + e*x] - a*\text{Sin}[d + e*x]))$

**Rubi [A]** time = 0.0529481, antiderivative size = 83, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {3129, 12, 3122, 31}

$$\frac{a \cos(d+ex) + b \sin(d+ex)}{4b^2e(a(-\sin(d+ex)) + a + b \cos(d+ex))} - \frac{a \log\left(a + b \tan\left(\frac{d}{2} + \frac{ex}{2} + \frac{\pi}{4}\right)\right)}{4b^3e}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(2*a + 2*b*\text{Cos}[d + e*x] - 2*a*\text{Sin}[d + e*x])^(-2), x]$

[Out]  $-(a*\text{Log}[a + b*\text{Tan}[d/2 + \text{Pi}/4 + (e*x)/2]])/(4*b^3*e) + (a*\text{Cos}[d + e*x] + b*\text{Sin}[d + e*x])/(4*b^2*e*(a + b*\text{Cos}[d + e*x] - a*\text{Sin}[d + e*x]))$

#### Rule 3129

$\text{Int}[(\text{cos}[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*\text{sin}[(d_.) + (e_.)*(x_.)])^n, x\_Symbol] \rightarrow \text{Simp}[((-c*\text{Cos}[d + e*x]) + b*\text{Sin}[d + e*x])*(a + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x])^(n + 1))/(e*(n + 1)*(a^2 - b^2 - c^2)), x] + \text{Dist}[1/((n + 1)*(a^2 - b^2 - c^2)), \text{Int}[(a*(n + 1) - b*(n + 2)*\text{Cos}[d + e*x] - c*(n + 2)*\text{Sin}[d + e*x])*(a + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x])^(n + 1), x], x] /;$  FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && LtQ[n, -1] && NeQ[n, -3/2]

#### Rule 12

$\text{Int}[(a_)*(u_), x\_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /;$  FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /]; FreeQ[b, x]

#### Rule 3122

$\text{Int}[(\text{cos}[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*\text{sin}[(d_.) + (e_.)*(x_.)])^(-1), x\_Symbol] \rightarrow \text{Module}[\{f = \text{FreeFactors}[\text{Tan}[(d + e*x)/2 + \text{Pi}/4], x]\}, \text{Dist}[f/e, \text{Subst}[\text{Int}[1/(a + b*f*x), x], x, \text{Tan}[(d + e*x)/2 + \text{Pi}/4]/f], x] /;$  FreeQ[{a, b, c, d, e}, x] && EqQ[a + c, 0]

#### Rule 31

$\text{Int}[(a_ + (b_.)*(x_))^(-1), x\_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] /;$  FreeQ[{a, b}, x]

#### Rubi steps

$$\begin{aligned}
\int \frac{1}{(2a + 2b \cos(d + ex) - 2a \sin(d + ex))^2} dx &= \frac{a \cos(d + ex) + b \sin(d + ex)}{4b^2 e (a + b \cos(d + ex) - a \sin(d + ex))} + \frac{\int -\frac{2a}{2a + 2b \cos(d + ex) - 2a \sin(d + ex)} dx}{4b^2} \\
&= \frac{a \cos(d + ex) + b \sin(d + ex)}{4b^2 e (a + b \cos(d + ex) - a \sin(d + ex))} - \frac{a \int \frac{1}{2a + 2b \cos(d + ex) - 2a \sin(d + ex)} dx}{2b^2} \\
&= \frac{a \cos(d + ex) + b \sin(d + ex)}{4b^2 e (a + b \cos(d + ex) - a \sin(d + ex))} - \frac{a \operatorname{Subst}\left(\int \frac{1}{2a + 2bx} dx, x, \tan\left(\frac{\pi}{4} + \frac{d + ex}{2}\right)\right)}{2b^2 e} \\
&= -\frac{a \log\left(a + b \tan\left(\frac{d}{2} + \frac{\pi}{4} + \frac{ex}{2}\right)\right)}{4b^3 e} + \frac{a \cos(d + ex) + b \sin(d + ex)}{4b^2 e (a + b \cos(d + ex) - a \sin(d + ex))}
\end{aligned}$$

**Mathematica [A]** time = 0.556618, size = 166, normalized size = 2.

$$\frac{b(a^2 + b^2) \sin\left(\frac{1}{2}(d + ex)\right)}{(a + b)\left((b - a) \sin\left(\frac{1}{2}(d + ex)\right) + (a + b) \cos\left(\frac{1}{2}(d + ex)\right)\right)} - a \log\left((b - a) \sin\left(\frac{1}{2}(d + ex)\right) + (a + b) \cos\left(\frac{1}{2}(d + ex)\right)\right) + a \log\left(\cos\left(\frac{1}{2}(d + ex)\right)\right) - \frac{1}{4b^3 e}$$

Antiderivative was successfully verified.

[In] Integrate[(2\*a + 2\*b\*cos[d + e\*x] - 2\*a\*sin[d + e\*x])^(-2), x]

[Out] (a\*Log[Cos[(d + e\*x)/2] - Sin[(d + e\*x)/2]] - a\*Log[(a + b)\*Cos[(d + e\*x)/2] + (-a + b)\*Sin[(d + e\*x)/2]] + (b\*Ssin[(d + e\*x)/2]))/(Cos[(d + e\*x)/2] - Sin[(d + e\*x)/2]) + (b\*(a^2 + b^2)\*Sin[(d + e\*x)/2])/((a + b)\*((a + b)\*Cos[(d + e\*x)/2] + (-a + b)\*Sin[(d + e\*x)/2]))/(4\*b^3\*e)

**Maple [B]** time = 0.148, size = 178, normalized size = 2.1

$$-\frac{1}{4b^2e} \left(\tan\left(\frac{d}{2} + \frac{ex}{2}\right) - 1\right)^{-1} + \frac{a}{4b^3e} \ln\left(\tan\left(\frac{d}{2} + \frac{ex}{2}\right) - 1\right) - \frac{a^2}{4b^2e(a-b)} \left(a \tan\left(\frac{d}{2} + \frac{ex}{2}\right) - b \tan\left(\frac{d}{2} + \frac{ex}{2}\right) - a - b\right)^{-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(2\*a+2\*b\*cos(e\*x+d)-2\*a\*sin(e\*x+d))^2,x)

[Out] -1/4/e/b^2/(tan(1/2\*d+1/2\*e\*x)-1)+1/4/e\*a/b^3\*ln(tan(1/2\*d+1/2\*e\*x)-1)-1/4/e/b^2/(a-b)/(a\*tan(1/2\*d+1/2\*e\*x)-b\*tan(1/2\*d+1/2\*e\*x)-a-b)\*a^2-1/4/e/(a-b)/(a\*tan(1/2\*d+1/2\*e\*x)-b\*tan(1/2\*d+1/2\*e\*x)-a-b)-1/4/e\*a/b^3\*ln(a\*tan(1/2\*d+1/2\*e\*x)-b\*tan(1/2\*d+1/2\*e\*x)-a-b)

**Maxima [B]** time = 1.00558, size = 246, normalized size = 2.96

$$\frac{2\left(a^2 - \frac{(a^2 - ab + b^2) \sin(ex + d)}{\cos(ex + d) + 1}\right)}{a^2 b^2 - b^4 - \frac{2(a^2 b^2 - ab^3) \sin(ex + d)}{\cos(ex + d) + 1} + \frac{(a^2 b^2 - 2ab^3 + b^4) \sin(ex + d)^2}{(\cos(ex + d) + 1)^2}} - \frac{a \log\left(a + b - \frac{(a - b) \sin(ex + d)}{\cos(ex + d) + 1}\right)}{b^3} + \frac{a \log\left(\frac{\sin(ex + d)}{\cos(ex + d) + 1} - 1\right)}{b^3}$$

$4e$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*b\*cos(e\*x+d)-2\*a\*sin(e\*x+d))^2,x, algorithm="maxima")



```
[Out] 1/4*(2*(a^2 - (a^2 - a*b + b^2)*sin(e*x + d)/(cos(e*x + d) + 1))/(a^2*b^2 -
b^4 - 2*(a^2*b^2 - a*b^3)*sin(e*x + d)/(cos(e*x + d) + 1) + (a^2*b^2 - 2*a
*b^3 + b^4)*sin(e*x + d)^2/(cos(e*x + d) + 1)^2 - a*log(a + b - (a - b)*si
n(e*x + d)/(cos(e*x + d) + 1))/b^3 + a*log(sin(e*x + d)/(cos(e*x + d) + 1)
- 1)/b^3)/e
```

---

**Fricas [B]** time = 2.27783, size = 377, normalized size = 4.54

$$\frac{2ab \cos(ex + d) + 2b^2 \sin(ex + d) - (ab \cos(ex + d) - a^2 \sin(ex + d) + a^2) \log(2ab \cos(ex + d) + a^2 + b^2 - (a^2 - b^2) \sin(ex + d))}{8(b^4 e \cos(ex + d) - ab^3 e \sin(ex + d) + ab^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(2*a+2*b*cos(e*x+d)-2*a*sin(e*x+d))^2,x, algorithm="fricas")
```

```
[Out] 1/8*(2*a*b*cos(e*x + d) + 2*b^2*sin(e*x + d) - (a*b*cos(e*x + d) - a^2*sin(
e*x + d) + a^2)*log(2*a*b*cos(e*x + d) + a^2 + b^2 - (a^2 - b^2)*sin(e*x +
d)) + (a*b*cos(e*x + d) - a^2*sin(e*x + d) + a^2)*log(-sin(e*x + d) + 1))/(
b^4*e*cos(e*x + d) - a*b^3*e*sin(e*x + d) + a*b^3*e)
```

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(2*a+2*b*cos(e*x+d)-2*a*sin(e*x+d))^2,x)
```

```
[Out] Timed out
```

---

**Giac [B]** time = 1.16489, size = 258, normalized size = 3.11

$$-\frac{1}{4} \left( \frac{(a^2 - ab) \log \left( \left| a \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right) - b \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right) - a - b \right| \right)}{ab^3 - b^4} + \frac{2 \left( a^2 \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right) - ab \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right) \right)}{(ab^2 - b^3) \left( a \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right) \right)^2 - b \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(2*a+2*b*cos(e*x+d)-2*a*sin(e*x+d))^2,x, algorithm="giac")
```

```
[Out] -1/4*((a^2 - a*b)*log(abs(a*tan(1/2*x*e + 1/2*d) - b*tan(1/2*x*e + 1/2*d) -
a - b))/(a*b^3 - b^4) + 2*(a^2*tan(1/2*x*e + 1/2*d) - a*b*tan(1/2*x*e + 1/
2*d) + b^2*tan(1/2*x*e + 1/2*d) - a^2)/((a*b^2 - b^3)*(a*tan(1/2*x*e + 1/2*
d)^2 - b*tan(1/2*x*e + 1/2*d)^2 - 2*a*tan(1/2*x*e + 1/2*d) + a + b)) - a*lo
g(abs(tan(1/2*x*e + 1/2*d) - 1))/b^3)*e^(-1)
```

$$3.393 \quad \int \frac{1}{(2a+2b \cos(d+ex)-2a \sin(d+ex))^3} dx$$

**Optimal.** Leaf size=142

$$\frac{(3a^2 + b^2) \log\left(a + b \tan\left(\frac{d}{2} + \frac{ex}{2} + \frac{\pi}{4}\right)\right)}{16b^5e} - \frac{3(a^2 \cos(d+ex) + ab \sin(d+ex))}{16b^4e(a(-\sin(d+ex)) + a + b \cos(d+ex))} + \frac{a \cos(d+ex) + b \sin(d+ex)}{16b^2e(a(-\sin(d+ex)) + a + b \cos(d+ex))}$$

```
[Out] ((3*a^2 + b^2)*Log[a + b*Tan[d/2 + Pi/4 + (e*x)/2]])/(16*b^5*e) + (a*Cos[d + e*x] + b*Sin[d + e*x])/(16*b^2*e*(a + b*Cos[d + e*x] - a*Sin[d + e*x])^2) - (3*(a^2*Cos[d + e*x] + a*b*Sin[d + e*x]))/(16*b^4*e*(a + b*Cos[d + e*x] - a*Sin[d + e*x]))
```

**Rubi [A]** time = 0.107658, antiderivative size = 142, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {3129, 3153, 3122, 31}

$$\frac{(3a^2 + b^2) \log\left(a + b \tan\left(\frac{d}{2} + \frac{ex}{2} + \frac{\pi}{4}\right)\right)}{16b^5e} - \frac{3(a^2 \cos(d+ex) + ab \sin(d+ex))}{16b^4e(a(-\sin(d+ex)) + a + b \cos(d+ex))} + \frac{a \cos(d+ex) + b \sin(d+ex)}{16b^2e(a(-\sin(d+ex)) + a + b \cos(d+ex))}$$

Antiderivative was successfully verified.

```
[In] Int[(2*a + 2*b*Cos[d + e*x] - 2*a*Sin[d + e*x])^(-3), x]
```

```
[Out] ((3*a^2 + b^2)*Log[a + b*Tan[d/2 + Pi/4 + (e*x)/2]])/(16*b^5*e) + (a*Cos[d + e*x] + b*Sin[d + e*x])/(16*b^2*e*(a + b*Cos[d + e*x] - a*Sin[d + e*x])^2) - (3*(a^2*Cos[d + e*x] + a*b*Sin[d + e*x]))/(16*b^4*e*(a + b*Cos[d + e*x] - a*Sin[d + e*x]))
```

#### Rule 3129

```
Int[(cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^(n_), x_Symbol] := Simp[(-c*Cos[d + e*x] + b*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n + 1)/(e*(n + 1)*(a^2 - b^2 - c^2)), x] + Dist[1/((n + 1)*(a^2 - b^2 - c^2)), Int[(a*(n + 1) - b*(n + 2)*Cos[d + e*x] - c*(n + 2)*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && LtQ[n, -1] && NeQ[n, -3/2]
```

#### Rule 3153

```
Int[((A_.) + cos[(d_.) + (e_.)*(x_.)]*(B_.) + (C_.)*sin[(d_.) + (e_.)*(x_.)]) / ((a_.) + cos[(d_.) + (e_.)*(x_.)]*(b_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^2, x_Symbol] := Simp[(c*B - b*C - (a*C - c*A)*Cos[d + e*x] + (a*B - b*A)*Sin[d + e*x]) / (e*(a^2 - b^2 - c^2)*(a + b*Cos[d + e*x] + c*Sin[d + e*x])), x] + Dist[(a*A - b*B - c*C) / (a^2 - b^2 - c^2), Int[1 / (a + b*Cos[d + e*x] + c*Sin[d + e*x]), x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[a*A - b*B - c*C, 0]
```

#### Rule 3122

```
Int[(cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^(-1), x_Symbol] := Module[{f = FreeFactors[Tan[(d + e*x)/2 + Pi/4], x]}, Dist[f/e, Subst[Int[1/(a + b*f*x), x], x, Tan[(d + e*x)/2 + Pi/4]/f], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a + c, 0]
```

Rule 31

Int[((a\_) + (b\_.)\*(x\_))<sup>(-1)</sup>, x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rubi steps

$$\int \frac{1}{(2a + 2b \cos(d + ex) - 2a \sin(d + ex))^3} dx = \frac{a \cos(d + ex) + b \sin(d + ex)}{16b^2 e (a + b \cos(d + ex) - a \sin(d + ex))^2} + \frac{\int \frac{-4a + 2b \cos(d + ex) - 2a \sin(d + ex)}{(2a + 2b \cos(d + ex) - 2a \sin(d + ex))^2} dx}{8b^2}$$

$$= \frac{a \cos(d + ex) + b \sin(d + ex)}{16b^2 e (a + b \cos(d + ex) - a \sin(d + ex))^2} - \frac{3(a^2 \cos(d + ex) + ab \sin(d + ex))}{16b^4 e (a + b \cos(d + ex) - a \sin(d + ex))}$$

$$= \frac{a \cos(d + ex) + b \sin(d + ex)}{16b^2 e (a + b \cos(d + ex) - a \sin(d + ex))^2} - \frac{3(a^2 \cos(d + ex) + ab \sin(d + ex))}{16b^4 e (a + b \cos(d + ex) - a \sin(d + ex))}$$

$$= \frac{(3a^2 + b^2) \log\left(a + b \tan\left(\frac{d}{2} + \frac{\pi}{4} + \frac{ex}{2}\right)\right)}{16b^5 e} + \frac{a \cos(d + ex) + b \sin(d + ex)}{16b^2 e (a + b \cos(d + ex) - a \sin(d + ex))}$$

**Mathematica [A]** time = 2.62173, size = 261, normalized size = 1.84

$$\frac{b^2(a^2 + b^2)}{\left((b-a) \sin\left(\frac{1}{2}(d+ex)\right) + (a+b) \cos\left(\frac{1}{2}(d+ex)\right)\right)^2} + \frac{6ab(a^2 + b^2) \sin\left(\frac{1}{2}(d+ex)\right)}{(a+b)\left((b-a) \sin\left(\frac{1}{2}(d+ex)\right) + (a+b) \cos\left(\frac{1}{2}(d+ex)\right)\right)} + 2(3a^2 + b^2) \log\left(\cos\left(\frac{1}{2}(d + ex)\right) - \sin\left(\frac{1}{2}(d + ex)\right)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(2\*a + 2\*b\*Cos[d + e\*x] - 2\*a\*Sin[d + e\*x])<sup>(-3)</sup>, x]

[Out] -(2\*(3\*a<sup>2</sup> + b<sup>2</sup>)\*Log[Cos[(d + e\*x)/2] - Sin[(d + e\*x)/2]] - 2\*(3\*a<sup>2</sup> + b<sup>2</sup>)\*Log[(a + b)\*Cos[(d + e\*x)/2] + (-a + b)\*Sin[(d + e\*x)/2]] - b<sup>2</sup>/((Cos[(d + e\*x)/2] - Sin[(d + e\*x)/2])<sup>2</sup> + (6\*a\*b\*Sin[(d + e\*x)/2])/(Cos[(d + e\*x)/2] - Sin[(d + e\*x)/2])) + (b<sup>2</sup>\*(a<sup>2</sup> + b<sup>2</sup>))/((a + b)\*Cos[(d + e\*x)/2] + (-a + b)\*Sin[(d + e\*x)/2])<sup>2</sup> + (6\*a\*b\*(a<sup>2</sup> + b<sup>2</sup>)\*Sin[(d + e\*x)/2])/(a + b)\*((a + b)\*Cos[(d + e\*x)/2] + (-a + b)\*Sin[(d + e\*x)/2]))/(32\*b<sup>5</sup>\*e)

**Maple [B]** time = 0.17, size = 687, normalized size = 4.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(2\*a+2\*b\*cos(e\*x+d)-2\*a\*sin(e\*x+d))<sup>3</sup>, x)

[Out] 1/16/e/b<sup>3</sup>/(tan(1/2\*d+1/2\*e\*x)-1)<sup>2</sup>+3/16/e/b<sup>4</sup>/(tan(1/2\*d+1/2\*e\*x)-1)\*a+1/16/e/b<sup>3</sup>/(tan(1/2\*d+1/2\*e\*x)-1)-3/16/e/b<sup>5</sup>\*ln(tan(1/2\*d+1/2\*e\*x)-1)\*a<sup>2</sup>-1/16/e/b<sup>3</sup>\*ln(tan(1/2\*d+1/2\*e\*x)-1)+3/16/e/b<sup>5</sup>/(a-b)\*ln(a\*tan(1/2\*d+1/2\*e\*x)-b\*tan(1/2\*d+1/2\*e\*x)-a-b)\*a<sup>3</sup>-3/16/e/b<sup>4</sup>/(a-b)\*ln(a\*tan(1/2\*d+1/2\*e\*x)-b\*tan(1/2\*d+1/2\*e\*x)-a-b)\*a<sup>2</sup>+1/16/e/b<sup>3</sup>/(a-b)\*ln(a\*tan(1/2\*d+1/2\*e\*x)-b\*tan(1/2\*d+1/2\*e\*x)-a-b)\*a-1/16/e/b<sup>2</sup>/(a-b)\*ln(a\*tan(1/2\*d+1/2\*e\*x)-b\*tan(1/2\*d+1/2\*e\*x)-a-b)-1/16/e/b<sup>3</sup>/(a-b)<sup>2</sup>/(a\*tan(1/2\*d+1/2\*e\*x)-b\*tan(1/2\*d+1/2\*e\*x)-a-b)<sup>2</sup>\*a<sup>4</sup>-1/8/e/b/(a-b)<sup>2</sup>/(a\*tan(1/2\*d+1/2\*e\*x)-b\*tan(1/2\*d+1/2\*e\*x)-a-b)<sup>2</sup>\*a<sup>2</sup>-1/16/e\*b/(a-b)<sup>2</sup>/(a\*tan(1/2\*d+1/2\*e\*x)-b\*tan(1/2\*d+1/2\*e\*x)-a-b)<sup>2</sup>+3/16/

$$\frac{e/b^4/(a-b)^2/(a*\tan(1/2*d+1/2*e*x)-b*\tan(1/2*d+1/2*e*x)-a-b)*a^4-1/4/e/b^3}{(a-b)^2/(a*\tan(1/2*d+1/2*e*x)-b*\tan(1/2*d+1/2*e*x)-a-b)*a^3+1/8/e/b^2/(a-b)^2/(a*\tan(1/2*d+1/2*e*x)-b*\tan(1/2*d+1/2*e*x)-a-b)*a^2-1/4/e/b/(a-b)^2/(a*\tan(1/2*d+1/2*e*x)-b*\tan(1/2*d+1/2*e*x)-a-b)*a-1/16/e/(a-b)^2/(a*\tan(1/2*d+1/2*e*x)-b*\tan(1/2*d+1/2*e*x)-a-b)}$$

**Maxima [B]** time = 1.10031, size = 663, normalized size = 4.67

$$\frac{2\left(3a^5-4a^3b^2-ab^4-\frac{(9a^5-9a^4b-2a^3b^2+2a^2b^3-5ab^4+b^5)\sin(ex+d)}{\cos(ex+d)+1}+\frac{(9a^5-18a^4b+12a^3b^2-6a^2b^3+ab^4)\sin(ex+d)^2}{(\cos(ex+d)+1)^2}-\frac{(3a^5-9a^4b+10a^3b^2-6a^2b^3+ab^4+b^5)\sin(ex+d)^3}{(\cos(ex+d)+1)^3}\right)}{a^4b^4-2a^2b^6+b^8-\frac{4(a^4b^4-a^3b^5-a^2b^6+ab^7)\sin(ex+d)}{\cos(ex+d)+1}+\frac{2(3a^4b^4-6a^3b^5+2a^2b^6+2ab^7-b^8)\sin(ex+d)^2}{(\cos(ex+d)+1)^2}-\frac{4(a^4b^4-3a^3b^5+3a^2b^6-ab^7)\sin(ex+d)^3}{(\cos(ex+d)+1)^3}+\frac{(a^4b^4-4a^3b^5+6a^2b^6-4ab^7+b^8)\sin(ex+d)^4}{(\cos(ex+d)+1)^4}}$$

16 e

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*b\*cos(e\*x+d)-2\*a\*sin(e\*x+d))^3,x, algorithm="maxima")

[Out] 
$$-1/16*(2*(3*a^5 - 4*a^3*b^2 - a*b^4 - (9*a^5 - 9*a^4*b - 2*a^3*b^2 + 2*a^2*b^3 - 5*a*b^4 + b^5)*\sin(e*x + d)/(\cos(e*x + d) + 1) + (9*a^5 - 18*a^4*b + 12*a^3*b^2 - 6*a^2*b^3 + a*b^4)*\sin(e*x + d)^2/(\cos(e*x + d) + 1)^2 - (3*a^5 - 9*a^4*b + 10*a^3*b^2 - 6*a^2*b^3 + a*b^4 + b^5)*\sin(e*x + d)^3/(\cos(e*x + d) + 1)^3)/(a^4*b^4 - 2*a^2*b^6 + b^8 - 4*(a^4*b^4 - a^3*b^5 - a^2*b^6 + a*b^7)*\sin(e*x + d)/(\cos(e*x + d) + 1) + 2*(3*a^4*b^4 - 6*a^3*b^5 + 2*a^2*b^6 + 2*a*b^7 - b^8)*\sin(e*x + d)^2/(\cos(e*x + d) + 1)^2 - 4*(a^4*b^4 - 3*a^3*b^5 + 3*a^2*b^6 - a*b^7)*\sin(e*x + d)^3/(\cos(e*x + d) + 1)^3 + (a^4*b^4 - 4*a^3*b^5 + 6*a^2*b^6 - 4*a*b^7 + b^8)*\sin(e*x + d)^4/(\cos(e*x + d) + 1)^4) - (3*a^2 + b^2)*\log(a + b - (a - b)*\sin(e*x + d)/(\cos(e*x + d) + 1))/b^5 + (3*a^2 + b^2)*\log(\sin(e*x + d)/(\cos(e*x + d) + 1) - 1)/b^5)/e$$

**Fricas [B]** time = 2.4585, size = 942, normalized size = 6.63

$$12a^2b^2 \cos(ex+d)^2 - 6a^2b^2 + 2(3a^3b - ab^3) \cos(ex+d) - (6a^4 + 2a^2b^2 - (3a^4 - 2a^2b^2 - b^4) \cos(ex+d)^2) + 2(3a^3b - ab^3) \cos(ex+d)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*b\*cos(e\*x+d)-2\*a\*sin(e\*x+d))^3,x, algorithm="fricas")

[Out] 
$$-1/32*(12*a^2*b^2*\cos(e*x + d)^2 - 6*a^2*b^2 + 2*(3*a^3*b - a*b^3)*\cos(e*x + d) - (6*a^4 + 2*a^2*b^2 - (3*a^4 - 2*a^2*b^2 - b^4)*\cos(e*x + d)^2 + 2*(3*a^3*b + a*b^3)*\cos(e*x + d) - 2*(3*a^4 + a^2*b^2 + (3*a^3*b + a*b^3)*\cos(e*x + d))*\sin(e*x + d))*\log(2*a*b*\cos(e*x + d) + a^2 + b^2 - (a^2 - b^2)*\sin(e*x + d)) + (6*a^4 + 2*a^2*b^2 - (3*a^4 - 2*a^2*b^2 - b^4)*\cos(e*x + d)^2 + 2*(3*a^3*b + a*b^3)*\cos(e*x + d) - 2*(3*a^4 + a^2*b^2 + (3*a^3*b + a*b^3)*\cos(e*x + d))*\sin(e*x + d))*\log(-\sin(e*x + d) + 1) + 2*(3*a^2*b^2 - b^4 - 3*(a^3*b - a*b^3)*\cos(e*x + d))*\sin(e*x + d))/(2*a*b^6*e*\cos(e*x + d) + 2*a^2*b^5*e - (a^2*b^5 - b^7)*e*\cos(e*x + d)^2 - 2*(a*b^6*e*\cos(e*x + d) + a^2*b^5*e)*\sin(e*x + d))$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(2*a+2*b*cos(e*x+d)-2*a*sin(e*x+d))**3,x)
```

```
[Out] Timed out
```

**Giac [B]** time = 1.20773, size = 659, normalized size = 4.64

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(2*a+2*b*cos(e*x+d)-2*a*sin(e*x+d))^3,x, algorithm="giac")
```

```
[Out] 1/16*((3*a^3 - 3*a^2*b + a*b^2 - b^3)*log(abs(a*tan(1/2*x*e + 1/2*d) - b*tan(1/2*x*e + 1/2*d) - a - b))/(a*b^5 - b^6) + 2*(3*a^5*tan(1/2*x*e + 1/2*d)^3 - 9*a^4*b*tan(1/2*x*e + 1/2*d)^3 + 10*a^3*b^2*tan(1/2*x*e + 1/2*d)^3 - 6*a^2*b^3*tan(1/2*x*e + 1/2*d)^3 + a*b^4*tan(1/2*x*e + 1/2*d)^3 + b^5*tan(1/2*x*e + 1/2*d)^3 - 9*a^5*tan(1/2*x*e + 1/2*d)^2 + 18*a^4*b*tan(1/2*x*e + 1/2*d)^2 - 12*a^3*b^2*tan(1/2*x*e + 1/2*d)^2 + 6*a^2*b^3*tan(1/2*x*e + 1/2*d)^2 - a*b^4*tan(1/2*x*e + 1/2*d)^2 + 9*a^5*tan(1/2*x*e + 1/2*d) - 9*a^4*b*tan(1/2*x*e + 1/2*d) - 2*a^3*b^2*tan(1/2*x*e + 1/2*d) + 2*a^2*b^3*tan(1/2*x*e + 1/2*d) - 5*a*b^4*tan(1/2*x*e + 1/2*d) + b^5*tan(1/2*x*e + 1/2*d) - 3*a^5 + 4*a^3*b^2 + a*b^4)/((a^2*b^4 - 2*a*b^5 + b^6)*(a*tan(1/2*x*e + 1/2*d)^2 - b*tan(1/2*x*e + 1/2*d)^2 - 2*a*tan(1/2*x*e + 1/2*d) + a + b)^2) - (3*a^2 + b^2)*log(abs(tan(1/2*x*e + 1/2*d) - 1))/b^5)*e^(-1)
```

$$3.394 \quad \int \frac{1}{(2a+2b \cos(d+ex)-2a \sin(d+ex))^4} dx$$

**Optimal.** Leaf size=215

$$\frac{a(5a^2 + 3b^2) \log\left(a + b \tan\left(\frac{d}{2} + \frac{ex}{2} + \frac{\pi}{4}\right)\right)}{32b^7e} - \frac{5(a^2 \cos(d+ex) + ab \sin(d+ex))}{96b^4e(a(-\sin(d+ex)) + a + b \cos(d+ex))^2} + \frac{b(15a^2 + 4b^2) \sin(d+ex)}{96b^6e(a(-\sin(d+ex)) + a + b \cos(d+ex))^2}$$

[Out]  $-(a*(5*a^2 + 3*b^2)*\text{Log}[a + b*\text{Tan}[d/2 + \text{Pi}/4 + (e*x)/2]])/(32*b^7*e) + (a*\text{Cos}[d + e*x] + b*\text{Sin}[d + e*x])/(48*b^2*e*(a + b*\text{Cos}[d + e*x] - a*\text{Sin}[d + e*x])^3) - (5*(a^2*\text{Cos}[d + e*x] + a*b*\text{Sin}[d + e*x]))/(96*b^4*e*(a + b*\text{Cos}[d + e*x] - a*\text{Sin}[d + e*x])^2) + (a*(15*a^2 + 4*b^2)*\text{Cos}[d + e*x] + b*(15*a^2 + 4*b^2)*\text{Sin}[d + e*x])/(96*b^6*e*(a + b*\text{Cos}[d + e*x] - a*\text{Sin}[d + e*x]))$

**Rubi [A]** time = 0.235165, antiderivative size = 215, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$ , Rules used = {3129, 3156, 3153, 3122, 31}

$$\frac{a(5a^2 + 3b^2) \log\left(a + b \tan\left(\frac{d}{2} + \frac{ex}{2} + \frac{\pi}{4}\right)\right)}{32b^7e} - \frac{5(a^2 \cos(d+ex) + ab \sin(d+ex))}{96b^4e(a(-\sin(d+ex)) + a + b \cos(d+ex))^2} + \frac{b(15a^2 + 4b^2) \sin(d+ex)}{96b^6e(a(-\sin(d+ex)) + a + b \cos(d+ex))^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(2*a + 2*b*\text{Cos}[d + e*x] - 2*a*\text{Sin}[d + e*x])^{-4}, x]$

[Out]  $-(a*(5*a^2 + 3*b^2)*\text{Log}[a + b*\text{Tan}[d/2 + \text{Pi}/4 + (e*x)/2]]/(32*b^7*e) + (a*\text{Cos}[d + e*x] + b*\text{Sin}[d + e*x])/(48*b^2*e*(a + b*\text{Cos}[d + e*x] - a*\text{Sin}[d + e*x])^3) - (5*(a^2*\text{Cos}[d + e*x] + a*b*\text{Sin}[d + e*x]))/(96*b^4*e*(a + b*\text{Cos}[d + e*x] - a*\text{Sin}[d + e*x])^2) + (a*(15*a^2 + 4*b^2)*\text{Cos}[d + e*x] + b*(15*a^2 + 4*b^2)*\text{Sin}[d + e*x])/(96*b^6*e*(a + b*\text{Cos}[d + e*x] - a*\text{Sin}[d + e*x]))$

### Rule 3129

$\text{Int}[(\text{cos}[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*\text{sin}[(d_.) + (e_.)*(x_.)])^n, x\_Symbol] \rightarrow \text{Simp}[((-c*\text{Cos}[d + e*x]) + b*\text{Sin}[d + e*x])*(a + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x])^{n+1})/(e*(n+1)*(a^2 - b^2 - c^2)), x] + \text{Dist}[1/((n+1)*(a^2 - b^2 - c^2)), \text{Int}[(a*(n+1) - b*(n+2)*\text{Cos}[d + e*x] - c*(n+2)*\text{Sin}[d + e*x])*(a + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x])^{n+1}, x], x] /;$  FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && LtQ[n, -1] && NeQ[n, -3/2]

### Rule 3156

$\text{Int}[(a_. + \text{cos}[(d_.) + (e_.)*(x_.)]*(b_.) + (c_.)*\text{sin}[(d_.) + (e_.)*(x_.)])^n * ((A_.) + \text{cos}[(d_.) + (e_.)*(x_.)]*(B_.) + (C_.)*\text{sin}[(d_.) + (e_.)*(x_.)]), x\_Symbol] \rightarrow -\text{Simp}[(c*B - b*C - (a*C - c*A)*\text{Cos}[d + e*x] + (a*B - b*A)*\text{Sin}[d + e*x])*(a + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x])^{n+1})/(e*(n+1)*(a^2 - b^2 - c^2)), x] + \text{Dist}[1/((n+1)*(a^2 - b^2 - c^2)), \text{Int}[(a + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x])^{n+1} * \text{Simp}[(n+1)*(a*A - b*B - c*C) + (n+2)*(a*B - b*A)*\text{Cos}[d + e*x] + (n+2)*(a*C - c*A)*\text{Sin}[d + e*x], x], x], x] /;$  FreeQ[{a, b, c, d, e, A, B, C}, x] && LtQ[n, -1] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[n, -2]

### Rule 3153

$\text{Int}[(A_. + \text{cos}[(d_.) + (e_.)*(x_.)]*(B_.) + (C_.)*\text{sin}[(d_.) + (e_.)*(x_.)]) / ((a_.) + \text{cos}[(d_.) + (e_.)*(x_.)]*(b_.) + (c_.)*\text{sin}[(d_.) + (e_.)*(x_.)])^2,$

```
x_Symbol] := Simp[(c*B - b*C - (a*C - c*A)*Cos[d + e*x] + (a*B - b*A)*Sin[
d + e*x])/(e*(a^2 - b^2 - c^2)*(a + b*Cos[d + e*x] + c*SIN[d + e*x])), x] +
Dist[(a*A - b*B - c*C)/(a^2 - b^2 - c^2), Int[1/(a + b*Cos[d + e*x] + c*SIN
n[d + e*x]), x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && NeQ[a^2 - b^2
- c^2, 0] && NeQ[a*A - b*B - c*C, 0]
```

### Rule 3122

```
Int[(cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^
(-1), x_Symbol] := Module[{f = FreeFactors[Tan[(d + e*x)/2 + Pi/4], x]}, Di
st[f/e, Subst[Int[1/(a + b*f*x), x], x, Tan[(d + e*x)/2 + Pi/4]/f], x]] /;
FreeQ[{a, b, c, d, e}, x] && EqQ[a + c, 0]
```

### Rule 31

```
Int[((a_) + (b_.)*(x_))^-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

### Rubi steps

$$\begin{aligned} \int \frac{1}{(2a + 2b \cos(d + ex) - 2a \sin(d + ex))^4} dx &= \frac{a \cos(d + ex) + b \sin(d + ex)}{48b^2e(a + b \cos(d + ex) - a \sin(d + ex))^3} + \frac{\int \frac{-6a + 4b \cos(d + ex) - 4a \sin(d + ex)}{(2a + 2b \cos(d + ex) - 2a \sin(d + ex))^3} dx}{12b^2} \\ &= \frac{a \cos(d + ex) + b \sin(d + ex)}{48b^2e(a + b \cos(d + ex) - a \sin(d + ex))^3} - \frac{5(a^2 \cos(d + ex) + ab \sin(d + ex))}{96b^4e(a + b \cos(d + ex) - a \sin(d + ex))^2} \\ &= \frac{a \cos(d + ex) + b \sin(d + ex)}{48b^2e(a + b \cos(d + ex) - a \sin(d + ex))^3} - \frac{5(a^2 \cos(d + ex) + ab \sin(d + ex))}{96b^4e(a + b \cos(d + ex) - a \sin(d + ex))^2} \\ &= \frac{a \cos(d + ex) + b \sin(d + ex)}{48b^2e(a + b \cos(d + ex) - a \sin(d + ex))^3} - \frac{5(a^2 \cos(d + ex) + ab \sin(d + ex))}{96b^4e(a + b \cos(d + ex) - a \sin(d + ex))^2} \\ &= -\frac{a(5a^2 + 3b^2) \log\left(a + b \tan\left(\frac{d}{2} + \frac{\pi}{4} + \frac{ex}{2}\right)\right)}{32b^7e} + \frac{a \cos(d + ex) + b \sin(d + ex)}{48b^2e(a + b \cos(d + ex) - a \sin(d + ex))^3} \end{aligned}$$

**Mathematica [B]** time = 1.85416, size = 636, normalized size = 2.96

$$\frac{b(180a^4b^2 \sin(d+ex) + 54a^4b^2 \sin(2(d+ex)) - 4a^4b^2 \sin(3(d+ex)) + 15a^3b^3 \sin(d+ex) + 102a^3b^3 \sin(2(d+ex)) + 3a^3b^3 \sin(3(d+ex)) + 27a^2b^4 \sin(d+ex) + 6a^2b^4 \sin(2(d+ex)) - 6a^2b^4 \sin(3(d+ex)) - 15a^2b^4 \sin(4(d+ex)) + 15a^2b^4 \sin(5(d+ex)) - 15a^2b^4 \sin(6(d+ex)) + 15a^2b^4 \sin(7(d+ex)) - 15a^2b^4 \sin(8(d+ex)) + 15a^2b^4 \sin(9(d+ex)) - 15a^2b^4 \sin(10(d+ex)) + 15a^2b^4 \sin(11(d+ex)) - 15a^2b^4 \sin(12(d+ex)) + 15a^2b^4 \sin(13(d+ex)) - 15a^2b^4 \sin(14(d+ex)) + 15a^2b^4 \sin(15(d+ex)) - 15a^2b^4 \sin(16(d+ex)) + 15a^2b^4 \sin(17(d+ex)) - 15a^2b^4 \sin(18(d+ex)) + 15a^2b^4 \sin(19(d+ex)) - 15a^2b^4 \sin(20(d+ex)) + 15a^2b^4 \sin(21(d+ex)) - 15a^2b^4 \sin(22(d+ex)) + 15a^2b^4 \sin(23(d+ex)) - 15a^2b^4 \sin(24(d+ex)) + 15a^2b^4 \sin(25(d+ex)) - 15a^2b^4 \sin(26(d+ex)) + 15a^2b^4 \sin(27(d+ex)) - 15a^2b^4 \sin(28(d+ex)) + 15a^2b^4 \sin(29(d+ex)) - 15a^2b^4 \sin(30(d+ex)) + 15a^2b^4 \sin(31(d+ex)) - 15a^2b^4 \sin(32(d+ex)) + 15a^2b^4 \sin(33(d+ex)) - 15a^2b^4 \sin(34(d+ex)) + 15a^2b^4 \sin(35(d+ex)) - 15a^2b^4 \sin(36(d+ex)) + 15a^2b^4 \sin(37(d+ex)) - 15a^2b^4 \sin(38(d+ex)) + 15a^2b^4 \sin(39(d+ex)) - 15a^2b^4 \sin(40(d+ex)) + 15a^2b^4 \sin(41(d+ex)) - 15a^2b^4 \sin(42(d+ex)) + 15a^2b^4 \sin(43(d+ex)) - 15a^2b^4 \sin(44(d+ex)) + 15a^2b^4 \sin(45(d+ex)) - 15a^2b^4 \sin(46(d+ex)) + 15a^2b^4 \sin(47(d+ex)) - 15a^2b^4 \sin(48(d+ex)) + 15a^2b^4 \sin(49(d+ex)) - 15a^2b^4 \sin(50(d+ex)) + 15a^2b^4 \sin(51(d+ex)) - 15a^2b^4 \sin(52(d+ex)) + 15a^2b^4 \sin(53(d+ex)) - 15a^2b^4 \sin(54(d+ex)) + 15a^2b^4 \sin(55(d+ex)) - 15a^2b^4 \sin(56(d+ex)) + 15a^2b^4 \sin(57(d+ex)) - 15a^2b^4 \sin(58(d+ex)) + 15a^2b^4 \sin(59(d+ex)) - 15a^2b^4 \sin(60(d+ex)) + 15a^2b^4 \sin(61(d+ex)) - 15a^2b^4 \sin(62(d+ex)) + 15a^2b^4 \sin(63(d+ex)) - 15a^2b^4 \sin(64(d+ex)) + 15a^2b^4 \sin(65(d+ex)) - 15a^2b^4 \sin(66(d+ex)) + 15a^2b^4 \sin(67(d+ex)) - 15a^2b^4 \sin(68(d+ex)) + 15a^2b^4 \sin(69(d+ex)) - 15a^2b^4 \sin(70(d+ex)) + 15a^2b^4 \sin(71(d+ex)) - 15a^2b^4 \sin(72(d+ex)) + 15a^2b^4 \sin(73(d+ex)) - 15a^2b^4 \sin(74(d+ex)) + 15a^2b^4 \sin(75(d+ex)) - 15a^2b^4 \sin(76(d+ex)) + 15a^2b^4 \sin(77(d+ex)) - 15a^2b^4 \sin(78(d+ex)) + 15a^2b^4 \sin(79(d+ex)) - 15a^2b^4 \sin(80(d+ex)) + 15a^2b^4 \sin(81(d+ex)) - 15a^2b^4 \sin(82(d+ex)) + 15a^2b^4 \sin(83(d+ex)) - 15a^2b^4 \sin(84(d+ex)) + 15a^2b^4 \sin(85(d+ex)) - 15a^2b^4 \sin(86(d+ex)) + 15a^2b^4 \sin(87(d+ex)) - 15a^2b^4 \sin(88(d+ex)) + 15a^2b^4 \sin(89(d+ex)) - 15a^2b^4 \sin(90(d+ex)) + 15a^2b^4 \sin(91(d+ex)) - 15a^2b^4 \sin(92(d+ex)) + 15a^2b^4 \sin(93(d+ex)) - 15a^2b^4 \sin(94(d+ex)) + 15a^2b^4 \sin(95(d+ex)) - 15a^2b^4 \sin(96(d+ex)) + 15a^2b^4 \sin(97(d+ex)) - 15a^2b^4 \sin(98(d+ex)) + 15a^2b^4 \sin(99(d+ex)) - 15a^2b^4 \sin(100(d+ex))}{32b^7e}$$

Antiderivative was successfully verified.

```
[In] Integrate[(2*a + 2*b*Cos[d + e*x] - 2*a*SIN[d + e*x])^-4, x]
```

```
[Out] (12*a*(5*a^2 + 3*b^2)*Log[Cos[(d + e*x)/2] - Sin[(d + e*x)/2]] - 12*a*(5*a^
2 + 3*b^2)*Log[(a + b)*Cos[(d + e*x)/2] + (-a + b)*Sin[(d + e*x)/2]] + (b*(
-150*a^6 - 130*a^4*b^2 - 24*a^2*b^4 + 3*a^2*(25*a^4 - 50*a^3*b + 5*a^2*b^2
- 30*a*b^3 + 4*b^4)*Cos[d + e*x] + 6*a^2*(15*a^4 + 20*a^3*b + 9*a^2*b^2 + 2
*a*b^3 - 2*b^4)*Cos[2*(d + e*x)] - 15*a^6*Cos[3*(d + e*x)] + 30*a^5*b*Cos[3
*(d + e*x)] + 41*a^4*b^2*Cos[3*(d + e*x)] + 38*a^3*b^3*Cos[3*(d + e*x)] + 1
2*a^2*b^4*Cos[3*(d + e*x)] + 8*a*b^5*Cos[3*(d + e*x)] + 225*a^6*SIN[d + e*x
] + 75*a^5*b*SIN[d + e*x] + 180*a^4*b^2*SIN[d + e*x] + 15*a^3*b^3*SIN[d + e
*x] + 27*a^2*b^4*SIN[d + e*x] + 12*a*b^5*SIN[d + e*x] + 12*b^6*SIN[d + e*x]
- 60*a^6*SIN[2*(d + e*x)] + 120*a^5*b*SIN[2*(d + e*x)] + 54*a^4*b^2*SIN[2*
(d + e*x)] + 102*a^3*b^3*SIN[2*(d + e*x)] + 6*a^2*b^4*SIN[2*(d + e*x)] + 6*
```

$$a^5 b^5 \sin[2(d+ex)] - 15a^6 \sin[3(d+ex)] - 45a^5 b \sin[3(d+ex)] - 4a^4 b^2 \sin[3(d+ex)] + 3a^3 b^3 \sin[3(d+ex)] + 15a^2 b^4 \sin[3(d+ex)] + 4a b^5 \sin[3(d+ex)] + 4b^6 \sin[3(d+ex)] / ((a+b) \cos[(d+ex)/2] - \sin[(d+ex)/2])^3 ((a+b) \cos[(d+ex)/2] + (-a+b) \sin[(d+ex)/2])^3 / (384 b^7 e)$$

**Maple [B]** time = 0.224, size = 1149, normalized size = 5.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(2*a+2*b*cos(e*x+d)-2*a*sin(e*x+d))^4,x)`

[Out] 
$$\begin{aligned} & -1/16/e/(a-b)^3/(a \tan(1/2*d+1/2*e*x)-b \tan(1/2*d+1/2*e*x)-a-b)-1/32/e/b^4/ \\ & (\tan(1/2*d+1/2*e*x)-1)^2-1/16/e/b^4/(\tan(1/2*d+1/2*e*x)-1)-1/48/e/b^4/(\tan( \\ & 1/2*d+1/2*e*x)-1)^3+3/32/e*a/b^4/(a-b)*\ln(a \tan(1/2*d+1/2*e*x)-b \tan(1/2*d+ \\ & 1/2*e*x)-a-b)-1/48/e/b^4/(a-b)^3/(a \tan(1/2*d+1/2*e*x)-b \tan(1/2*d+1/2*e*x) \\ & -a-b)^3*a^6-1/16/e/b^2/(a-b)^3/(a \tan(1/2*d+1/2*e*x)-b \tan(1/2*d+1/2*e*x)-a \\ & -b)^3*a^4+1/16/e/b^5/(a-b)^3/(a \tan(1/2*d+1/2*e*x)-b \tan(1/2*d+1/2*e*x)-a-b \\ & )^2*a^6-3/32/e/b^4/(a-b)^3/(a \tan(1/2*d+1/2*e*x)-b \tan(1/2*d+1/2*e*x)-a-b)^ \\ & 2*a^5+3/32/e/b^3/(a-b)^3/(a \tan(1/2*d+1/2*e*x)-b \tan(1/2*d+1/2*e*x)-a-b)^2* \\ & a^4-3/16/e/b^2/(a-b)^3/(a \tan(1/2*d+1/2*e*x)-b \tan(1/2*d+1/2*e*x)-a-b)^2*a^ \\ & 3-5/32/e/b^6/(a-b)^3/(a \tan(1/2*d+1/2*e*x)-b \tan(1/2*d+1/2*e*x)-a-b)*a^6+3/ \\ & 8/e/b^5/(a-b)^3/(a \tan(1/2*d+1/2*e*x)-b \tan(1/2*d+1/2*e*x)-a-b)*a^5-3/8/e/b \\ & ^4/(a-b)^3/(a \tan(1/2*d+1/2*e*x)-b \tan(1/2*d+1/2*e*x)-a-b)*a^4+3/8/e/b^3/(a \\ & -b)^3/(a \tan(1/2*d+1/2*e*x)-b \tan(1/2*d+1/2*e*x)-a-b)*a^3-9/32/e/b^2/(a-b)^ \\ & 3/(a \tan(1/2*d+1/2*e*x)-b \tan(1/2*d+1/2*e*x)-a-b)*a^2-5/32/e*a^4/b^7/(a-b)* \\ & \ln(a \tan(1/2*d+1/2*e*x)-b \tan(1/2*d+1/2*e*x)-a-b)+5/32/e*a^3/b^6/(a-b)*\ln(a \\ & \tan(1/2*d+1/2*e*x)-b \tan(1/2*d+1/2*e*x)-a-b)-3/32/e*a^2/b^5/(a-b)*\ln(a \tan \\ & (1/2*d+1/2*e*x)-b \tan(1/2*d+1/2*e*x)-a-b)-1/16/e/b^5/(\tan(1/2*d+1/2*e*x)-1) \\ & ^2*a^5-3/32/e/b^6/(\tan(1/2*d+1/2*e*x)-1)*a^2-1/16/e/b^5/(\tan(1/2*d+1/2*e*x)-1) \\ & )*a^5+3/32/e*a^3/b^7*\ln(\tan(1/2*d+1/2*e*x)-1)+3/32/e*a/b^5*\ln(\tan(1/2*d+1/2*e \\ & *x)-1)-1/48/e*b^2/(a-b)^3/(a \tan(1/2*d+1/2*e*x)-b \tan(1/2*d+1/2*e*x)-a-b)^3 \\ & -1/32/e*b/(a-b)^3/(a \tan(1/2*d+1/2*e*x)-b \tan(1/2*d+1/2*e*x)-a-b)^2-1/16/e/ \\ & (a-b)^3/(a \tan(1/2*d+1/2*e*x)-b \tan(1/2*d+1/2*e*x)-a-b)^3*a^2-3/32/e/(a-b)^ \\ & 3/(a \tan(1/2*d+1/2*e*x)-b \tan(1/2*d+1/2*e*x)-a-b)^2*a \end{aligned}$$

**Maxima [B]** time = 1.25758, size = 1295, normalized size = 6.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(2*a+2*b*cos(e*x+d)-2*a*sin(e*x+d))^4,x, algorithm="maxima")`

[Out] 
$$\begin{aligned} & 1/96*(2*(15*a^8 - 31*a^6*b^2 + 9*a^4*b^4 + 15*a^2*b^6 - 3*(25*a^8 - 25*a^7*b \\ & - 25*a^6*b^2 + 25*a^5*b^3 - 13*a^4*b^4 + 13*a^3*b^5 + 11*a^2*b^6 - 5*a*b^7 \\ & + 2*b^8))*\sin(e*x + d)/(\cos(e*x + d) + 1) + 6*(25*a^8 - 50*a^7*b + 20*a^6*b^2 \\ & + 10*a^5*b^3 - 17*a^4*b^4 + 24*a^3*b^5 - 10*a^2*b^6 + 2*a*b^7)*\sin(e*x \\ & + d)^2/(\cos(e*x + d) + 1)^2 - 2*(75*a^8 - 225*a^7*b + 250*a^6*b^2 - 150*a^5 \\ & *b^3 + 63*a^4*b^4 + 11*a^3*b^5 - 24*a^2*b^6 + 6*a*b^7 - 2*b^8)*\sin(e*x + d) \\ & ^3/(\cos(e*x + d) + 1)^3 + 3*(25*a^8 - 100*a^7*b + 165*a^6*b^2 - 160*a^5*b^3 \\ & + 115*a^4*b^4 - 60*a^3*b^5 + 19*a^2*b^6 - 4*a*b^7)*\sin(e*x + d)^4/(\cos(e*x \end{aligned}$$



$$\begin{aligned}
& + d) + 1)^4 - 3*(5*a^8 - 25*a^7*b + 53*a^6*b^2 - 65*a^5*b^3 + 55*a^4*b^4 - \\
& 35*a^3*b^5 + 17*a^2*b^6 - 7*a*b^7 + 2*b^8)*\sin(e*x + d)^5/(\cos(e*x + d) + \\
& 1)^5)/(a^6*b^6 - 3*a^4*b^8 + 3*a^2*b^10 - b^12 - 6*(a^6*b^6 - a^5*b^7 - 2*a^4*b^8 + \\
& 2*a^3*b^9 + a^2*b^10 - a*b^11)*\sin(e*x + d)/(\cos(e*x + d) + 1) + 3 \\
& *(5*a^6*b^6 - 10*a^5*b^7 - a^4*b^8 + 12*a^3*b^9 - 5*a^2*b^10 - 2*a*b^11 + b \\
& ^12)*\sin(e*x + d)^2/(\cos(e*x + d) + 1)^2 - 4*(5*a^6*b^6 - 15*a^5*b^7 + 12*a^4*b^8 + \\
& 4*a^3*b^9 - 9*a^2*b^10 + 3*a*b^11)*\sin(e*x + d)^3/(\cos(e*x + d) + \\
& 1)^3 + 3*(5*a^6*b^6 - 20*a^5*b^7 + 29*a^4*b^8 - 16*a^3*b^9 - a^2*b^10 + 4*a \\
& *b^11 - b^12)*\sin(e*x + d)^4/(\cos(e*x + d) + 1)^4 - 6*(a^6*b^6 - 5*a^5*b^7 \\
& + 10*a^4*b^8 - 10*a^3*b^9 + 5*a^2*b^10 - a*b^11)*\sin(e*x + d)^5/(\cos(e*x + \\
& d) + 1)^5 + (a^6*b^6 - 6*a^5*b^7 + 15*a^4*b^8 - 20*a^3*b^9 + 15*a^2*b^10 - \\
& 6*a*b^11 + b^12)*\sin(e*x + d)^6/(\cos(e*x + d) + 1)^6) - 3*(5*a^3 + 3*a*b^2) \\
& *log(a + b - (a - b)*\sin(e*x + d)/(\cos(e*x + d) + 1))/b^7 + 3*(5*a^3 + 3*a \\
& b^2)*log(\sin(e*x + d)/(\cos(e*x + d) + 1) - 1)/b^7)/e
\end{aligned}$$

**Fricas [B]** time = 2.82511, size = 1635, normalized size = 7.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*b\*cos(e\*x+d)-2\*a\*sin(e\*x+d))^4,x, algorithm="fricas")

[Out] 
$$\begin{aligned}
& -1/192*(60*a^4*b^2 + 6*a^2*b^4 + 2*(15*a^5*b - 41*a^3*b^3 - 12*a*b^5)*\cos(e \\
& *x + d)^3 - 12*(10*a^4*b^2 + a^2*b^4)*\cos(e*x + d)^2 - 6*(10*a^5*b - 9*a^3* \\
& b^3 - 2*a*b^5)*\cos(e*x + d) + 3*(20*a^6 + 12*a^4*b^2 - (15*a^5*b + 4*a^3*b^ \\
& 3 - 3*a*b^5)*\cos(e*x + d)^3 - 3*(5*a^6 - 2*a^4*b^2 - 3*a^2*b^4)*\cos(e*x + d \\
& )^2 + 6*(5*a^5*b + 3*a^3*b^3)*\cos(e*x + d) - (20*a^6 + 12*a^4*b^2 - (5*a^6 \\
& - 12*a^4*b^2 - 9*a^2*b^4)*\cos(e*x + d)^2 + 6*(5*a^5*b + 3*a^3*b^3)*\cos(e*x \\
& + d))*\sin(e*x + d))*\log(2*a*b*\cos(e*x + d) + a^2 + b^2 - (a^2 - b^2)*\sin(e \\
& x + d)) - 3*(20*a^6 + 12*a^4*b^2 - (15*a^5*b + 4*a^3*b^3 - 3*a*b^5)*\cos(e*x \\
& + d)^3 - 3*(5*a^6 - 2*a^4*b^2 - 3*a^2*b^4)*\cos(e*x + d)^2 + 6*(5*a^5*b + 3 \\
& *a^3*b^3)*\cos(e*x + d) - (20*a^6 + 12*a^4*b^2 - (5*a^6 - 12*a^4*b^2 - 9*a^2 \\
& *b^4)*\cos(e*x + d)^2 + 6*(5*a^5*b + 3*a^3*b^3)*\cos(e*x + d))*\sin(e*x + d))* \\
& \log(-\sin(e*x + d) + 1) - 2*(30*a^4*b^2 + 3*a^2*b^4 + 2*b^6 - (45*a^4*b^2 - \\
& 3*a^2*b^4 - 4*b^6)*\cos(e*x + d)^2 - 3*(10*a^5*b - 9*a^3*b^3 - a*b^5)*\cos(e \\
& x + d))*\sin(e*x + d))/(6*a^2*b^8*e*\cos(e*x + d) + 4*a^3*b^7*e - (3*a^2*b^8 \\
& - b^10)*e*\cos(e*x + d)^3 - 3*(a^3*b^7 - a*b^9)*e*\cos(e*x + d)^2 - (6*a^2*b^8 \\
& *e*\cos(e*x + d) + 4*a^3*b^7*e - (a^3*b^7 - 3*a*b^9)*e*\cos(e*x + d)^2)*\sin( \\
& e*x + d))
\end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*b\*cos(e\*x+d)-2\*a\*sin(e\*x+d))^4,x)

[Out] Timed out

**Giac [B]** time = 1.1823, size = 1373, normalized size = 6.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2\*a+2\*b\*cos(e\*x+d)-2\*a\*sin(e\*x+d))^4,x, algorithm="giac")

[Out] 
$$-1/96*(3*(5*a^4 - 5*a^3*b + 3*a^2*b^2 - 3*a*b^3)*\log(\text{abs}(a*\tan(1/2*x*e + 1/2*d) - b*\tan(1/2*x*e + 1/2*d) - a - b))/(a*b^7 - b^8) + 2*(15*a^8*\tan(1/2*x*e + 1/2*d)^5 - 75*a^7*b*\tan(1/2*x*e + 1/2*d)^5 + 159*a^6*b^2*\tan(1/2*x*e + 1/2*d)^5 - 195*a^5*b^3*\tan(1/2*x*e + 1/2*d)^5 + 165*a^4*b^4*\tan(1/2*x*e + 1/2*d)^5 - 105*a^3*b^5*\tan(1/2*x*e + 1/2*d)^5 + 51*a^2*b^6*\tan(1/2*x*e + 1/2*d)^5 - 21*a*b^7*\tan(1/2*x*e + 1/2*d)^5 + 6*b^8*\tan(1/2*x*e + 1/2*d)^5 - 75*a^8*\tan(1/2*x*e + 1/2*d)^4 + 300*a^7*b*\tan(1/2*x*e + 1/2*d)^4 - 495*a^6*b^2*\tan(1/2*x*e + 1/2*d)^4 + 480*a^5*b^3*\tan(1/2*x*e + 1/2*d)^4 - 345*a^4*b^4*\tan(1/2*x*e + 1/2*d)^4 + 180*a^3*b^5*\tan(1/2*x*e + 1/2*d)^4 - 57*a^2*b^6*\tan(1/2*x*e + 1/2*d)^4 + 12*a*b^7*\tan(1/2*x*e + 1/2*d)^4 + 150*a^8*\tan(1/2*x*e + 1/2*d)^3 - 450*a^7*b*\tan(1/2*x*e + 1/2*d)^3 + 500*a^6*b^2*\tan(1/2*x*e + 1/2*d)^3 - 300*a^5*b^3*\tan(1/2*x*e + 1/2*d)^3 + 126*a^4*b^4*\tan(1/2*x*e + 1/2*d)^3 + 22*a^3*b^5*\tan(1/2*x*e + 1/2*d)^3 - 48*a^2*b^6*\tan(1/2*x*e + 1/2*d)^3 + 12*a*b^7*\tan(1/2*x*e + 1/2*d)^3 - 4*b^8*\tan(1/2*x*e + 1/2*d)^3 - 150*a^8*\tan(1/2*x*e + 1/2*d)^2 + 300*a^7*b*\tan(1/2*x*e + 1/2*d)^2 - 120*a^6*b^2*\tan(1/2*x*e + 1/2*d)^2 - 60*a^5*b^3*\tan(1/2*x*e + 1/2*d)^2 + 102*a^4*b^4*\tan(1/2*x*e + 1/2*d)^2 - 144*a^3*b^5*\tan(1/2*x*e + 1/2*d)^2 + 60*a^2*b^6*\tan(1/2*x*e + 1/2*d)^2 - 12*a*b^7*\tan(1/2*x*e + 1/2*d)^2 + 75*a^8*\tan(1/2*x*e + 1/2*d) - 75*a^7*b*\tan(1/2*x*e + 1/2*d) - 75*a^6*b^2*\tan(1/2*x*e + 1/2*d) + 75*a^5*b^3*\tan(1/2*x*e + 1/2*d) - 39*a^4*b^4*\tan(1/2*x*e + 1/2*d) + 39*a^3*b^5*\tan(1/2*x*e + 1/2*d) + 33*a^2*b^6*\tan(1/2*x*e + 1/2*d) - 15*a*b^7*\tan(1/2*x*e + 1/2*d) + 6*b^8*\tan(1/2*x*e + 1/2*d) - 15*a^8 + 31*a^6*b^2 - 9*a^4*b^4 - 15*a^2*b^6)/((a^3*b^6 - 3*a^2*b^7 + 3*a*b^8 - b^9)*(a*\tan(1/2*x*e + 1/2*d)^2 - b*\tan(1/2*x*e + 1/2*d)^2 - 2*a*\tan(1/2*x*e + 1/2*d) + a + b)^3) - 3*(5*a^3 + 3*a*b^2)*\log(\text{abs}(\tan(1/2*x*e + 1/2*d) - 1))/b^7)*e^{-1}$$

### 3.395 $\int (a + b \cos(d + ex) + c \sin(d + ex))^4 dx$

**Optimal.** Leaf size=260

$$\frac{5ab(10a^2 + 11(b^2 + c^2)) \sin(d + ex)}{24e} - \frac{5ac(10a^2 + 11(b^2 + c^2)) \cos(d + ex)}{24e} - \frac{(c(26a^2 + 9(b^2 + c^2)) \cos(d + ex) - b(26a^2 + 9(b^2 + c^2)) \sin(d + ex))}{24e}$$

```
[Out] ((8*a^4 + 24*a^2*(b^2 + c^2) + 3*(b^2 + c^2)^2)*x)/8 - (5*a*c*(10*a^2 + 11*(b^2 + c^2))*Cos[d + e*x])/(24*e) + (5*a*b*(10*a^2 + 11*(b^2 + c^2))*Sin[d + e*x])/(24*e) - (7*(a*c*Cos[d + e*x] - a*b*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x]^2)/(12*e) - ((c*Cos[d + e*x] - b*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x]^3)/(4*e) - ((a + b*Cos[d + e*x] + c*Sin[d + e*x])*(c*(26*a^2 + 9*(b^2 + c^2))*Cos[d + e*x] - b*(26*a^2 + 9*(b^2 + c^2))*Sin[d + e*x]))/(24*e)
```

**Rubi [A]** time = 0.399687, antiderivative size = 260, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {3120, 3146, 2637, 2638}

$$\frac{5ab(10a^2 + 11(b^2 + c^2)) \sin(d + ex)}{24e} - \frac{5ac(10a^2 + 11(b^2 + c^2)) \cos(d + ex)}{24e} - \frac{(c(26a^2 + 9(b^2 + c^2)) \cos(d + ex) - b(26a^2 + 9(b^2 + c^2)) \sin(d + ex))}{24e}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[d + e*x] + c*Sin[d + e*x])^4,x]
```

```
[Out] ((8*a^4 + 24*a^2*(b^2 + c^2) + 3*(b^2 + c^2)^2)*x)/8 - (5*a*c*(10*a^2 + 11*(b^2 + c^2))*Cos[d + e*x])/(24*e) + (5*a*b*(10*a^2 + 11*(b^2 + c^2))*Sin[d + e*x])/(24*e) - (7*(a*c*Cos[d + e*x] - a*b*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x]^2)/(12*e) - ((c*Cos[d + e*x] - b*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x]^3)/(4*e) - ((a + b*Cos[d + e*x] + c*Sin[d + e*x])*(c*(26*a^2 + 9*(b^2 + c^2))*Cos[d + e*x] - b*(26*a^2 + 9*(b^2 + c^2))*Sin[d + e*x]))/(24*e)
```

#### Rule 3120

```
Int[(cos[(d_.) + (e_.)*(x_)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_)])^n, x_Symbol] :> -Simp[((c*Cos[d + e*x] - b*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n - 1))/(e*n), x] + Dist[1/n, Int[Simp[n*a^2 + (n - 1)*(b^2 + c^2) + a*b*(2*n - 1)*Cos[d + e*x] + a*c*(2*n - 1)*Sin[d + e*x], x]*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n - 2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && GtQ[n, 1]
```

#### Rule 3146

```
Int[(cos[(d_.) + (e_.)*(x_)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_)])^n, x_Symbol] :> Simp[((B*c - b*C - a*C*Cos[d + e*x] + a*B*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^n)/(a*e*(n + 1)), x] + Dist[1/(a*(n + 1)), Int[(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n - 1)*Simp[a*(b*B + c*C)*n + a^2*A*(n + 1) + (n*(a^2*B - B*c^2 + b*c*C) + a*b*A*(n + 1))*Cos[d + e*x] + (n*(b*B*c + a^2*C - b^2*C) + a*c*A*(n + 1))*Sin[d + e*x], x], x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && GtQ[n, 0] && NeQ[a^2 - b^2 - c^2, 0]
```

#### Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

**Rule 2638**

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ
[{c, d}, x]
```

**Rubi steps**

$$\begin{aligned} \int (a + b \cos(d + ex) + c \sin(d + ex))^4 dx &= -\frac{(c \cos(d + ex) - b \sin(d + ex))(a + b \cos(d + ex) + c \sin(d + ex))^3}{4e} + \frac{1}{4} \int (a - \\ &= -\frac{7(ac \cos(d + ex) - ab \sin(d + ex))(a + b \cos(d + ex) + c \sin(d + ex))^2}{12e} - \frac{(c \cos(d + ex) - b \sin(d + ex))^3}{12e} \\ &= -\frac{7(ac \cos(d + ex) - ab \sin(d + ex))(a + b \cos(d + ex) + c \sin(d + ex))^2}{12e} - \frac{(c \cos(d + ex) - b \sin(d + ex))^3}{12e} \\ &= \frac{1}{8} \left( 8a^4 + 24a^2(b^2 + c^2) + 3(b^2 + c^2)^2 \right) x - \frac{7(ac \cos(d + ex) - ab \sin(d + ex))(a + b \cos(d + ex) + c \sin(d + ex))^2}{12e} \\ &= \frac{1}{8} \left( 8a^4 + 24a^2(b^2 + c^2) + 3(b^2 + c^2)^2 \right) x - \frac{5ac(10a^2 + 11(b^2 + c^2)) \cos(d + ex) + 3(b^2 - c^2)(6a^2 + b^2 + c^2) \sin(d + ex)}{24e} \end{aligned}$$

**Mathematica [A]** time = 1.08928, size = 237, normalized size = 0.91

$$\frac{12 \left( 24a^2 (b^2 + c^2) + 8a^4 + 3(b^2 + c^2)^2 \right) (d + ex) + 96ab(4a^2 + 3(b^2 + c^2)) \sin(d + ex) + 24(b^2 - c^2)(6a^2 + b^2 + c^2) \sin(d + ex)}{24e}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[d + e*x] + c*Sin[d + e*x])^4, x]
```

```
[Out] (12*(8*a^4 + 24*a^2*(b^2 + c^2) + 3*(b^2 + c^2)^2)*(d + e*x) - 96*a*c*(4*a^2 + 3*(b^2 + c^2))*Cos[d + e*x] - 48*b*c*(6*a^2 + b^2 + c^2)*Cos[2*(d + e*x)] + 32*a*c*(-3*b^2 + c^2)*Cos[3*(d + e*x)] - 12*b*c*(b^2 - c^2)*Cos[4*(d + e*x)] + 96*a*b*(4*a^2 + 3*(b^2 + c^2))*Sin[d + e*x] + 24*(b^2 - c^2)*(6*a^2 + b^2 + c^2)*Sin[2*(d + e*x)] + 32*a*b*(b^2 - 3*c^2)*Sin[3*(d + e*x)] + 3*(b^4 - 6*b^2*c^2 + c^4)*Sin[4*(d + e*x)])/(96*e)
```

**Maple [A]** time = 0.072, size = 335, normalized size = 1.3

$$\frac{1}{e} \left( b^4 \left( \frac{\sin(ex + d)}{4} \left( (\cos(ex + d))^3 + \frac{3 \cos(ex + d)}{2} \right) + \frac{3ex}{8} + \frac{3d}{8} \right) + c^4 \left( -\frac{\cos(ex + d)}{4} \left( (\sin(ex + d))^3 + \frac{3 \sin(ex + d)}{2} \right) + \frac{3ex}{8} + \frac{3d}{8} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(e*x+d)+c*sin(e*x+d))^4, x)
```

```
[Out] 1/e*(b^4*(1/4*(cos(e*x+d)^3+3/2*cos(e*x+d))*sin(e*x+d)+3/8*e*x+3/8*d)+c^4*(-1/4*(sin(e*x+d)^3+3/2*sin(e*x+d))*cos(e*x+d)+3/8*e*x+3/8*d)+a^4*(e*x+d)-6*a^2*b*c*cos(e*x+d)^2-4*a*b^2*c*cos(e*x+d)^3+4*a*b*c^2*sin(e*x+d)^3+4*a^3*b*sin(e*x+d)-4*cos(e*x+d)*a^3*c+6*a^2*b^2*(1/2*sin(e*x+d)*cos(e*x+d)+1/2*e*x+1/2*d)+6*a^2*c^2*(-1/2*sin(e*x+d)*cos(e*x+d)+1/2*e*x+1/2*d)+4/3*a*b^3*(2+co
```

$$s(e*x+d)^2*\sin(e*x+d)-4/3*a*c^3*(2+\sin(e*x+d)^2)*\cos(e*x+d)-\cos(e*x+d)^4*b^3*c+6*b^2*c^2*(-1/4*\sin(e*x+d)*\cos(e*x+d)^3+1/8*\sin(e*x+d)*\cos(e*x+d)+1/8*e*x+1/8*d)+b*c^3*\sin(e*x+d)^4$$

**Maxima [A]** time = 1.02385, size = 446, normalized size = 1.72

$$\frac{b^3c \cos(ex+d)^4}{e} + \frac{bc^3 \sin(ex+d)^4}{e} + a^4x + \frac{(12ex + 12d + \sin(4ex + 4d) + 8 \sin(2ex + 2d))b^4}{32e} + \frac{3(4ex + 4d - \sin(4ex + 4d))b^2c^2}{e} + \frac{1}{32}(12ex + 12d + \sin(4ex + 4d) - 8 \sin(2ex + 2d))c^4/e - 4a^3(c \cos(ex+d)/e - b \sin(ex+d)/e) - 3/2(4b*c*\cos(ex+d)^2/e - (2*ex + 2*d + \sin(2*ex + 2*d))*b^2/e - (2*ex + 2*d - \sin(2*ex + 2*d))*c^2/e)*a^2 - 4/3*(3*b^2*c*\cos(ex+d)^3/e - 3*b*c^2*\sin(ex+d)^3/e + (\sin(ex+d)^3 - 3*\sin(ex+d))*b^3/e - (\cos(ex+d)^3 - 3*\cos(ex+d))*c^3/e)*a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^4,x, algorithm="maxima")

[Out] 
$$-b^3c*\cos(ex+d)^4/e + b*c^3*\sin(ex+d)^4/e + a^4*x + 1/32*(12*ex + 12*d + \sin(4*ex + 4*d) + 8*\sin(2*ex + 2*d))*b^4/e + 3/16*(4*ex + 4*d - \sin(4*ex + 4*d))*b^2*c^2/e + 1/32*(12*ex + 12*d + \sin(4*ex + 4*d) - 8*\sin(2*ex + 2*d))*c^4/e - 4*a^3*(c*\cos(ex+d)/e - b*\sin(ex+d)/e) - 3/2*(4*b*c*\cos(ex+d)^2/e - (2*ex + 2*d + \sin(2*ex + 2*d))*b^2/e - (2*ex + 2*d - \sin(2*ex + 2*d))*c^2/e)*a^2 - 4/3*(3*b^2*c*\cos(ex+d)^3/e - 3*b*c^2*\sin(ex+d)^3/e + (\sin(ex+d)^3 - 3*\sin(ex+d))*b^3/e - (\cos(ex+d)^3 - 3*\cos(ex+d))*c^3/e)*a$$

**Fricas [A]** time = 2.25867, size = 576, normalized size = 2.22

$$\frac{24(b^3c - bc^3)\cos(ex+d)^4 + 32(3ab^2c - ac^3)\cos(ex+d)^3 - 3(8a^4 + 24a^2b^2 + 3b^4 + 3c^4 + 6(4a^2 + b^2)c^2)ex + 48(3a^2b*c + b*c^3)\cos(ex+d)^2 + 96(a^3c + a*c^3)\cos(ex+d) - (96a^3b + 64a*b^3 + 96a*b*c^2 + 6(b^4 - 6b^2c^2 + c^4)\cos(ex+d)^3 + 32(a*b^3 - 3a*b*c^2)\cos(ex+d)^2 + 3(24a^2b^2 + 3b^4 - 5c^4 - 6(4a^2 - b^2)c^2)\cos(ex+d))*\sin(ex+d)/e}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^4,x, algorithm="fricas")

[Out] 
$$-1/24*(24*(b^3c - b*c^3)*\cos(ex+d)^4 + 32*(3*a*b^2*c - a*c^3)*\cos(ex+d)^3 - 3*(8*a^4 + 24*a^2*b^2 + 3*b^4 + 3*c^4 + 6*(4*a^2 + b^2)*c^2)*ex + 48*(3*a^2*b*c + b*c^3)*\cos(ex+d)^2 + 96*(a^3*c + a*c^3)*\cos(ex+d) - (96*a^3*b + 64*a*b^3 + 96*a*b*c^2 + 6*(b^4 - 6*b^2*c^2 + c^4)*\cos(ex+d)^3 + 32*(a*b^3 - 3*a*b*c^2)*\cos(ex+d)^2 + 3*(24*a^2*b^2 + 3*b^4 - 5*c^4 - 6*(4*a^2 - b^2)*c^2)*\cos(ex+d))*\sin(ex+d)/e$$

**Sympy [A]** time = 2.27997, size = 707, normalized size = 2.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(e\*x+d)+c\*sin(e\*x+d))\*\*4,x)

[Out] 
$$\text{Piecewise}((a**4*x + 4*a**3*b*\sin(d + e*x)/e - 4*a**3*c*\cos(d + e*x)/e + 3*a**2*b**2*x*\sin(d + e*x)**2 + 3*a**2*b**2*x*\cos(d + e*x)**2 + 3*a**2*b**2*\sin(d + e*x)*\cos(d + e*x)/e + 6*a**2*b*c*\sin(d + e*x)**2/e + 3*a**2*c**2*x*\sin(d + e*x)**2 + 3*a**2*c**2*x*\cos(d + e*x)**2 - 3*a**2*c**2*\sin(d + e*x)*\cos(d + e*x)/e + 8*a*b**3*\sin(d + e*x)**3/(3*e) + 4*a*b**3*\sin(d + e*x)*\cos(d + e*x)/e - 3*(8*a^4 + 24*a^2*b^2 + 3*b^4 + 3*c^4 + 6*(4*a^2 + b^2)*c^2)*ex + 48*(3*a^2*b*c + b*c^3)*\cos(ex+d)^2 + 96*(a^3*c + a*c^3)*\cos(ex+d) - (96*a^3*b + 64*a*b^3 + 96*a*b*c^2 + 6*(b^4 - 6*b^2*c^2 + c^4)*\cos(ex+d)^3 + 32*(a*b^3 - 3*a*b*c^2)*\cos(ex+d)^2 + 3*(24*a^2*b^2 + 3*b^4 - 5*c^4 - 6*(4*a^2 - b^2)*c^2)*\cos(ex+d))*\sin(ex+d)/e$$

```

+ e*x)**2/e - 4*a*b**2*c*cos(d + e*x)**3/e + 4*a*b*c**2*sin(d + e*x)**3/e
- 4*a*c**3*sin(d + e*x)**2*cos(d + e*x)/e - 8*a*c**3*cos(d + e*x)**3/(3*e)
+ 3*b**4*x*sin(d + e*x)**4/8 + 3*b**4*x*sin(d + e*x)**2*cos(d + e*x)**2/4 +
3*b**4*x*cos(d + e*x)**4/8 + 3*b**4*sin(d + e*x)**3*cos(d + e*x)/(8*e) + 5
*b**4*sin(d + e*x)*cos(d + e*x)**3/(8*e) - b**3*c*cos(d + e*x)**4/e + 3*b**
2*c**2*x*sin(d + e*x)**4/4 + 3*b**2*c**2*x*sin(d + e*x)**2*cos(d + e*x)**2/
2 + 3*b**2*c**2*x*cos(d + e*x)**4/4 + 3*b**2*c**2*sin(d + e*x)**3*cos(d + e
*x)/(4*e) - 3*b**2*c**2*sin(d + e*x)*cos(d + e*x)**3/(4*e) - 2*b*c**3*sin(d
+ e*x)**2*cos(d + e*x)**2/e - b*c**3*cos(d + e*x)**4/e + 3*c**4*x*sin(d +
e*x)**4/8 + 3*c**4*x*sin(d + e*x)**2*cos(d + e*x)**2/4 + 3*c**4*x*cos(d + e
*x)**4/8 - 5*c**4*sin(d + e*x)**3*cos(d + e*x)/(8*e) - 3*c**4*sin(d + e*x)*
cos(d + e*x)**3/(8*e), Ne(e, 0)), (x*(a + b*cos(d) + c*sin(d))**4, True))

```

**Giac [A]** time = 1.12332, size = 386, normalized size = 1.48

$$-\frac{1}{8}(b^3c - bc^3)\cos(4xe + 4d)e^{(-1)} - \frac{1}{3}(3ab^2c - ac^3)\cos(3xe + 3d)e^{(-1)} - \frac{1}{2}(6a^2bc + b^3c + bc^3)\cos(2xe + 2d)e^{(-1)} -$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(e*x+d)+c*sin(e*x+d))^4,x, algorithm="giac")
```

```
[Out] -1/8*(b^3*c - b*c^3)*cos(4*x*e + 4*d)*e^(-1) - 1/3*(3*a*b^2*c - a*c^3)*cos(
3*x*e + 3*d)*e^(-1) - 1/2*(6*a^2*b*c + b^3*c + b*c^3)*cos(2*x*e + 2*d)*e^(-
1) - (4*a^3*c + 3*a*b^2*c + 3*a*c^3)*cos(x*e + d)*e^(-1) + 1/32*(b^4 - 6*b^
2*c^2 + c^4)*e^(-1)*sin(4*x*e + 4*d) + 1/3*(a*b^3 - 3*a*b*c^2)*e^(-1)*sin(3
*x*e + 3*d) + 1/4*(6*a^2*b^2 + b^4 - 6*a^2*c^2 - c^4)*e^(-1)*sin(2*x*e + 2*
d) + (4*a^3*b + 3*a*b^3 + 3*a*b*c^2)*e^(-1)*sin(x*e + d) + 1/8*(8*a^4 + 24*
a^2*b^2 + 3*b^4 + 24*a^2*c^2 + 6*b^2*c^2 + 3*c^4)*x

```

### 3.396 $\int (a + b \cos(d + ex) + c \sin(d + ex))^3 dx$

**Optimal.** Leaf size=170

$$\frac{b(11a^2 + 4(b^2 + c^2)) \sin(d + ex)}{6e} - \frac{c(11a^2 + 4(b^2 + c^2)) \cos(d + ex)}{6e} + \frac{1}{2}ax(2a^2 + 3(b^2 + c^2)) - \frac{(c \cos(d + ex) - b \sin(d + ex))(a + b \cos(d + ex) + c \sin(d + ex))^2}{3e}$$

```
[Out] (a*(2*a^2 + 3*(b^2 + c^2))*x)/2 - (c*(11*a^2 + 4*(b^2 + c^2))*Cos[d + e*x])
/(6*e) + (b*(11*a^2 + 4*(b^2 + c^2))*Sin[d + e*x])/(6*e) - (5*(a*c*Cos[d +
e*x] - a*b*Ssin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x]))/(6*e) - ((c
*Cos[d + e*x] - b*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^2)/(3
*e)
```

**Rubi [A]** time = 0.186289, antiderivative size = 170, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {3120, 3146, 2637, 2638}

$$\frac{b(11a^2 + 4(b^2 + c^2)) \sin(d + ex)}{6e} - \frac{c(11a^2 + 4(b^2 + c^2)) \cos(d + ex)}{6e} + \frac{1}{2}ax(2a^2 + 3(b^2 + c^2)) - \frac{(c \cos(d + ex) - b \sin(d + ex))(a + b \cos(d + ex) + c \sin(d + ex))^2}{3e}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[d + e*x] + c*Sin[d + e*x])^3,x]
```

```
[Out] (a*(2*a^2 + 3*(b^2 + c^2))*x)/2 - (c*(11*a^2 + 4*(b^2 + c^2))*Cos[d + e*x])
/(6*e) + (b*(11*a^2 + 4*(b^2 + c^2))*Sin[d + e*x])/(6*e) - (5*(a*c*Cos[d +
e*x] - a*b*Ssin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x]))/(6*e) - ((c
*Cos[d + e*x] - b*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^2)/(3
*e)
```

#### Rule 3120

```
Int[(cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^
(n_), x_Symbol] :> -Simp[((c*Cos[d + e*x] - b*Sin[d + e*x])*(a + b*Cos[d +
e*x] + c*Sin[d + e*x])^(n - 1))/(e*n), x] + Dist[1/n, Int[Simp[n*a^2 + (n -
1)*(b^2 + c^2) + a*b*(2*n - 1)*Cos[d + e*x] + a*c*(2*n - 1)*Sin[d + e*x],
x]*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n - 2), x], x] /; FreeQ[{a, b, c,
d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && GtQ[n, 1]
```

#### Rule 3146

```
Int[(cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^
(n_.)*((A_.) + cos[(d_.) + (e_.)*(x_.)]*(B_.) + (C_.)*sin[(d_.) + (e_.)*(x_.)
]), x_Symbol] :> Simp[((B*c - b*C - a*C*Cos[d + e*x] + a*B*Sin[d + e*x])*(a
+ b*Cos[d + e*x] + c*Sin[d + e*x])^n)/(a*e*(n + 1)), x] + Dist[1/(a*(n + 1
)), Int[(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n - 1)*Simp[a*(b*B + c*C)*n
+ a^2*A*(n + 1) + (n*(a^2*B - B*c^2 + b*c*C) + a*b*A*(n + 1))*Cos[d + e*x]
+ (n*(b*B*c + a^2*C - b^2*C) + a*c*A*(n + 1))*Sin[d + e*x], x], x], x] /; F
reeQ[{a, b, c, d, e, A, B, C}, x] && GtQ[n, 0] && NeQ[a^2 - b^2 - c^2, 0]
```

#### Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_.)], x_Symbol] :> Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

#### Rule 2638

`Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]`

### Rubi steps

$$\begin{aligned} \int (a + b \cos(d + ex) + c \sin(d + ex))^3 dx &= -\frac{(c \cos(d + ex) - b \sin(d + ex))(a + b \cos(d + ex) + c \sin(d + ex))^2}{3e} + \frac{1}{3} \int (a - \\ &= -\frac{5(ac \cos(d + ex) - ab \sin(d + ex))(a + b \cos(d + ex) + c \sin(d + ex))}{6e} - \frac{(c \cos(d + ex) - b \sin(d + ex))^3}{3e} \\ &= \frac{1}{2} a (2a^2 + 3(b^2 + c^2)) x - \frac{5(ac \cos(d + ex) - ab \sin(d + ex))(a + b \cos(d + ex) + c \sin(d + ex))^2}{6e} \\ &= \frac{1}{2} a (2a^2 + 3(b^2 + c^2)) x - \frac{c(11a^2 + 4(b^2 + c^2)) \cos(d + ex)}{6e} + \frac{b(11a^2 + 4(b^2 + c^2)) \sin(d + ex)}{6e} \end{aligned}$$

**Mathematica [A]** time = 0.437597, size = 144, normalized size = 0.85

$$\frac{6a(2a^2 + 3(b^2 + c^2))(d + ex) + 9b(4a^2 + b^2 + c^2)\sin(d + ex) - 9c(4a^2 + b^2 + c^2)\cos(d + ex) + 9a(b^2 - c^2)\sin(2(d + ex))}{12e}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*Cos[d + e*x] + c*Sin[d + e*x])^3, x]`

`[Out] (6*a*(2*a^2 + 3*(b^2 + c^2))*(d + e*x) - 9*c*(4*a^2 + b^2 + c^2)*Cos[d + e*x] - 18*a*b*c*Cos[2*(d + e*x)] + c*(-3*b^2 + c^2)*Cos[3*(d + e*x)] + 9*b*(4*a^2 + b^2 + c^2)*Sin[d + e*x] + 9*a*(b^2 - c^2)*Sin[2*(d + e*x)] + b*(b^2 - 3*c^2)*Sin[3*(d + e*x)])/(12*e)`

**Maple [A]** time = 0.06, size = 177, normalized size = 1.

$$\frac{1}{e} \left( a^3 (ex + d) + 3 \sin(ex + d) a^2 b - 3 a^2 c \cos(ex + d) + 3 ab^2 (1/2 \sin(ex + d) \cos(ex + d) + 1/2 ex + d/2) - 3 abc (\cos(ex + d) \sin(ex + d) + 1/2 ex + d/2) - 3 b^2 c \cos(ex + d) \sin(ex + d) + 3 b^2 c \cos^2(ex + d) - 3 b^2 c \sin^2(ex + d) + 3 c^2 \cos(ex + d) \sin(ex + d) + 3 c^2 \cos^2(ex + d) - 3 c^2 \sin^2(ex + d) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((a+b*cos(e*x+d)+c*sin(e*x+d))^3, x)`

`[Out] 1/e*(a^3*(e*x+d)+3*sin(e*x+d)*a^2*b-3*a^2*c*cos(e*x+d)+3*a*b^2*(1/2*sin(e*x+d)*cos(e*x+d)+1/2*e*x+1/2*d)-3*a*b*c*cos(e*x+d)^2+3*a*c^2*(-1/2*sin(e*x+d)*cos(e*x+d)+1/2*e*x+1/2*d)+1/3*b^3*(2+cos(e*x+d)^2)*sin(e*x+d)-cos(e*x+d)^3*b^2*c+b*c^2*sin(e*x+d)^3-1/3*c^3*(2+sin(e*x+d)^2)*cos(e*x+d))`

**Maxima [A]** time = 0.998739, size = 255, normalized size = 1.5

$$-\frac{b^2 c \cos(ex + d)^3}{e} + \frac{bc^2 \sin(ex + d)^3}{e} + a^3 x - \frac{(\sin(ex + d)^3 - 3 \sin(ex + d)) b^3}{3e} + \frac{(\cos(ex + d)^3 - 3 \cos(ex + d)) c^3}{3e} - 3abc \cos(ex + d) \sin(ex + d)$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*cos(e*x+d)+c*sin(e*x+d))^3, x, algorithm="maxima")`



```
[Out] -b^2*c*cos(e*x + d)^3/e + b*c^2*sin(e*x + d)^3/e + a^3*x - 1/3*(sin(e*x + d)^3 - 3*sin(e*x + d))*b^3/e + 1/3*(cos(e*x + d)^3 - 3*cos(e*x + d))*c^3/e - 3*a^2*(c*cos(e*x + d)/e - b*sin(e*x + d)/e) - 3/4*(4*b*c*cos(e*x + d)^2/e - (2*e*x + 2*d + sin(2*e*x + 2*d))*b^2/e - (2*e*x + 2*d - sin(2*e*x + 2*d))*c^2/e)*a
```

**Fricas [A]** time = 2.22173, size = 338, normalized size = 1.99

$$\frac{18abc \cos(ex + d)^2 + 2(3b^2c - c^3) \cos(ex + d)^3 - 3(2a^3 + 3ab^2 + 3ac^2)ex + 6(3a^2c + c^3) \cos(ex + d) - (18a^2b + 6c^2) \sin(ex + d)}{6e}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(e*x+d)+c*sin(e*x+d))^3,x, algorithm="fricas")
```

```
[Out] -1/6*(18*a*b*c*cos(e*x + d)^2 + 2*(3*b^2*c - c^3)*cos(e*x + d)^3 - 3*(2*a^3 + 3*a*b^2 + 3*a*c^2)*e*x + 6*(3*a^2*c + c^3)*cos(e*x + d) - (18*a^2*b + 4*b^3 + 6*b*c^2 + 2*(b^3 - 3*b*c^2)*cos(e*x + d)^2 + 9*(a*b^2 - a*c^2)*cos(e*x + d))*sin(e*x + d))/e
```

**Sympy [A]** time = 0.90262, size = 294, normalized size = 1.73

$$\frac{\left\{ \begin{array}{l} a^3x + \frac{3a^2b \sin(d+ex)}{e} - \frac{3a^2c \cos(d+ex)}{e} + \frac{3ab^2x \sin^2(d+ex)}{2} + \frac{3ab^2x \cos^2(d+ex)}{2} + \frac{3ab^2 \sin(d+ex) \cos(d+ex)}{2e} + \frac{3abc \sin^2(d+ex)}{e} + \frac{3ac^2x \sin^2(d+ex)}{2} \\ x(a + b \cos(d) + c \sin(d))^3 \end{array} \right.}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(e*x+d)+c*sin(e*x+d))^3,x)
```

```
[Out] Piecewise((a**3*x + 3*a**2*b*sin(d + e*x)/e - 3*a**2*c*cos(d + e*x)/e + 3*a*b**2*x*sin(d + e*x)**2/2 + 3*a*b**2*x*cos(d + e*x)**2/2 + 3*a*b**2*sin(d + e*x)*cos(d + e*x)/(2*e) + 3*a*b*c**2*x*sin(d + e*x)**2/2 + 3*a*c**2*x*cos(d + e*x)**2/2 - 3*a*c**2*sin(d + e*x)*cos(d + e*x)/(2*e) + 2*b**3*sin(d + e*x)**3/(3*e) + b**3*sin(d + e*x)*cos(d + e*x)**2/e - b**2*c*cos(d + e*x)**3/e + b*c**2*sin(d + e*x)**3/e - c**3*sin(d + e*x)**2*cos(d + e*x)/e - 2*c**3*cos(d + e*x)**3/(3*e), Ne(e, 0)), (x*(a + b*cos(d) + c*sin(d))**3, True))
```

**Giac [A]** time = 1.1238, size = 225, normalized size = 1.32

$$-\frac{3}{2}abc \cos(2xe + 2d)e^{(-1)} - \frac{1}{12}(3b^2c - c^3) \cos(3xe + 3d)e^{(-1)} - \frac{3}{4}(4a^2c + b^2c + c^3) \cos(xe + d)e^{(-1)} + \frac{1}{12}(b^3 - 3b^2c - 3b^2c^2) \sin(3xe + 3d)e^{(-1)} + \frac{3}{4}(a^2b^2 - a^2c^2) \sin(2xe + 2d)e^{(-1)} + \frac{3}{4}(4a^2b + b^3 + b^2c^2) \sin(xe + d)e^{(-1)} + \frac{1}{2}(2a^3 + 3a^2b^2 + 3a^2c^2) \sin(xe + d)e^{(-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(e*x+d)+c*sin(e*x+d))^3,x, algorithm="giac")
```

```
[Out] -3/2*a*b*c*cos(2*x*e + 2*d)*e^(-1) - 1/12*(3*b^2*c - c^3)*cos(3*x*e + 3*d)*e^(-1) - 3/4*(4*a^2*c + b^2*c + c^3)*cos(x*e + d)*e^(-1) + 1/12*(b^3 - 3*b^2*c - 3*b^2*c^2)*e^(-1)*sin(3*x*e + 3*d) + 3/4*(a*b^2 - a*c^2)*e^(-1)*sin(2*x*e + 2*d) + 3/4*(4*a^2*b + b^3 + b*c^2)*e^(-1)*sin(x*e + d) + 1/2*(2*a^3 + 3*a*b^2 + 3*a*c^2)*x
```

### 3.397 $\int (a + b \cos(d + ex) + c \sin(d + ex))^2 dx$

**Optimal.** Leaf size=91

$$\frac{1}{2}x(2a^2 + b^2 + c^2) - \frac{(c \cos(d + ex) - b \sin(d + ex))(a + b \cos(d + ex) + c \sin(d + ex))}{2e} + \frac{3ab \sin(d + ex)}{2e} - \frac{3ac \cos(d + ex)}{2e}$$

[Out]  $((2a^2 + b^2 + c^2)x)/2 - (3ac \cos(d + ex) - 3ab \sin(d + ex))/(2e) + ((c \cos(d + ex) - b \sin(d + ex))(a + b \cos(d + ex) + c \sin(d + ex)))/(2e)$

**Rubi [A]** time = 0.0463345, antiderivative size = 91, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$ , Rules used = {3120, 2637, 2638}

$$\frac{1}{2}x(2a^2 + b^2 + c^2) - \frac{(c \cos(d + ex) - b \sin(d + ex))(a + b \cos(d + ex) + c \sin(d + ex))}{2e} + \frac{3ab \sin(d + ex)}{2e} - \frac{3ac \cos(d + ex)}{2e}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*cos[d + e\*x] + c\*sin[d + e\*x])^2,x]

[Out]  $((2a^2 + b^2 + c^2)x)/2 - (3ac \cos(d + ex) - 3ab \sin(d + ex))/(2e) + ((c \cos(d + ex) - b \sin(d + ex))(a + b \cos(d + ex) + c \sin(d + ex)))/(2e)$

#### Rule 3120

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(n\_), x\_Symbol] := -Simp[((c\*cos[d + e\*x] - b\*sin[d + e\*x])\*(a + b\*cos[d + e\*x] + c\*sin[d + e\*x])^(n - 1))/(e\*n), x] + Dist[1/n, Int[Simp[n\*a^2 + (n - 1)\*(b^2 + c^2) + a\*b\*(2\*n - 1)\*cos[d + e\*x] + a\*c\*(2\*n - 1)\*sin[d + e\*x], x]\*(a + b\*cos[d + e\*x] + c\*sin[d + e\*x])^(n - 2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && GtQ[n, 1]

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int (a + b \cos(d + ex) + c \sin(d + ex))^2 dx &= -\frac{(c \cos(d + ex) - b \sin(d + ex))(a + b \cos(d + ex) + c \sin(d + ex))}{2e} + \frac{1}{2} \int (2a^2 \\ &= \frac{1}{2} (2a^2 + b^2 + c^2) x - \frac{(c \cos(d + ex) - b \sin(d + ex))(a + b \cos(d + ex) + c \sin(d + ex))}{2e} \\ &= \frac{1}{2} (2a^2 + b^2 + c^2) x - \frac{3ac \cos(d + ex)}{2e} + \frac{3ab \sin(d + ex)}{2e} - \frac{(c \cos(d + ex) - b \sin(d + ex))(a + b \cos(d + ex) + c \sin(d + ex))}{2e} \end{aligned}$$

**Mathematica [A]** time = 0.170644, size = 77, normalized size = 0.85

$$\frac{2(2a^2 + b^2 + c^2)(d + ex) + 8ab \sin(d + ex) - 8ac \cos(d + ex) + (b^2 - c^2) \sin(2(d + ex)) - 2bc \cos(2(d + ex))}{4e}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^2,x]

[Out] (2\*(2\*a^2 + b^2 + c^2)\*(d + e\*x) - 8\*a\*c\*Cos[d + e\*x] - 2\*b\*c\*Cos[2\*(d + e\*x)] + 8\*a\*b\*Sin[d + e\*x] + (b^2 - c^2)\*Sin[2\*(d + e\*x)])/(4\*e)

**Maple [A]** time = 0.051, size = 99, normalized size = 1.1

$$\frac{1}{e} \left( a^2 (ex + d) + 2ab \sin(ex + d) - 2ac \cos(ex + d) + b^2 \left( \frac{\sin(ex + d) \cos(ex + d)}{2} + \frac{ex}{2} + \frac{d}{2} \right) - (\cos(ex + d))^2 bc + c^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^2,x)

[Out] 1/e\*(a^2\*(e\*x+d)+2\*a\*b\*sin(e\*x+d)-2\*a\*c\*cos(e\*x+d)+b^2\*(1/2\*sin(e\*x+d)\*cos(e\*x+d)+1/2\*e\*x+1/2\*d)-cos(e\*x+d)^2\*b\*c+c^2\*(-1/2\*sin(e\*x+d)\*cos(e\*x+d)+1/2\*e\*x+1/2\*d))

**Maxima [A]** time = 0.981224, size = 135, normalized size = 1.48

$$a^2x - \frac{bc \cos(ex + d)^2}{e} + \frac{(2ex + 2d + \sin(2ex + 2d))b^2}{4e} + \frac{(2ex + 2d - \sin(2ex + 2d))c^2}{4e} - 2a \left( \frac{c \cos(ex + d)}{e} - \frac{b \sin(ex + d)}{e} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^2,x, algorithm="maxima")

[Out] a^2\*x - b\*c\*cos(e\*x + d)^2/e + 1/4\*(2\*e\*x + 2\*d + sin(2\*e\*x + 2\*d))\*b^2/e + 1/4\*(2\*e\*x + 2\*d - sin(2\*e\*x + 2\*d))\*c^2/e - 2\*a\*(c\*cos(e\*x + d)/e - b\*sin(e\*x + d)/e)

**Fricas [A]** time = 2.23692, size = 173, normalized size = 1.9

$$\frac{2bc \cos(ex + d)^2 - (2a^2 + b^2 + c^2)ex + 4ac \cos(ex + d) - (4ab + (b^2 - c^2) \cos(ex + d)) \sin(ex + d)}{2e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^2,x, algorithm="fricas")

[Out] -1/2\*(2\*b\*c\*cos(e\*x + d)^2 - (2\*a^2 + b^2 + c^2)\*e\*x + 4\*a\*c\*cos(e\*x + d) - (4\*a\*b + (b^2 - c^2)\*cos(e\*x + d))\*sin(e\*x + d))/e

**Sympy [A]** time = 0.387578, size = 162, normalized size = 1.78

$$\left\{ \begin{array}{l} a^2x + \frac{2ab \sin(d+ex)}{e} - \frac{2ac \cos(d+ex)}{e} + \frac{b^2x \sin^2(d+ex)}{2} + \frac{b^2x \cos^2(d+ex)}{2} + \frac{b^2 \sin(d+ex) \cos(d+ex)}{2e} + \frac{bc \sin^2(d+ex)}{e} + \frac{c^2x \sin^2(d+ex)}{2} + \frac{c^2x \cos^2(d+ex)}{2} \\ x(a + b \cos(d) + c \sin(d))^2 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(e\*x+d)+c\*sin(e\*x+d))\*\*2,x)

[Out] Piecewise((a\*\*2\*x + 2\*a\*b\*sin(d + e\*x)/e - 2\*a\*c\*cos(d + e\*x)/e + b\*\*2\*x\*sin(d + e\*x)\*\*2/2 + b\*\*2\*x\*cos(d + e\*x)\*\*2/2 + b\*\*2\*sin(d + e\*x)\*cos(d + e\*x)/(2\*e) + b\*c\*sin(d + e\*x)\*\*2/e + c\*\*2\*x\*sin(d + e\*x)\*\*2/2 + c\*\*2\*x\*cos(d + e\*x)\*\*2/2 - c\*\*2\*sin(d + e\*x)\*cos(d + e\*x)/(2\*e), Ne(e, 0)), (x\*(a + b\*cos(d) + c\*sin(d))\*\*2, True))

**Giac [A]** time = 1.12857, size = 109, normalized size = 1.2

$$-\frac{1}{2}bc \cos(2xe + 2d)e^{(-1)} - 2ac \cos(xe + d)e^{(-1)} + 2abe^{(-1)} \sin(xe + d) + \frac{1}{4}(b^2 - c^2)e^{(-1)} \sin(2xe + 2d) + \frac{1}{2}(2a^2 + b^2 + c^2)x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^2,x, algorithm="giac")

[Out] -1/2\*b\*c\*cos(2\*x\*e + 2\*d)\*e^(-1) - 2\*a\*c\*cos(x\*e + d)\*e^(-1) + 2\*a\*b\*e^(-1)\*sin(x\*e + d) + 1/4\*(b^2 - c^2)\*e^(-1)\*sin(2\*x\*e + 2\*d) + 1/2\*(2\*a^2 + b^2 + c^2)\*x

### 3.398 $\int (a + b \cos(d + ex) + c \sin(d + ex)) dx$

**Optimal.** Leaf size=27

$$ax + \frac{b \sin(d + ex)}{e} - \frac{c \cos(d + ex)}{e}$$

[Out] a\*x - (c\*Cos[d + e\*x])/e + (b\*Sin[d + e\*x])/e

**Rubi [A]** time = 0.0157105, antiderivative size = 27, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {2637, 2638}

$$ax + \frac{b \sin(d + ex)}{e} - \frac{c \cos(d + ex)}{e}$$

Antiderivative was successfully verified.

[In] Int[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x],x]

[Out] a\*x - (c\*Cos[d + e\*x])/e + (b\*Sin[d + e\*x])/e

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int (a + b \cos(d + ex) + c \sin(d + ex)) dx &= ax + b \int \cos(d + ex) dx + c \int \sin(d + ex) dx \\ &= ax - \frac{c \cos(d + ex)}{e} + \frac{b \sin(d + ex)}{e} \end{aligned}$$

**Mathematica [A]** time = 0.0143011, size = 49, normalized size = 1.81

$$ax + \frac{b \sin(d) \cos(ex)}{e} + \frac{b \cos(d) \sin(ex)}{e} + \frac{c \sin(d) \sin(ex)}{e} - \frac{c \cos(d) \cos(ex)}{e}$$

Antiderivative was successfully verified.

[In] Integrate[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x],x]

[Out] a\*x - (c\*Cos[d]\*Cos[e\*x])/e + (b\*Cos[e\*x]\*Sin[d])/e + (b\*Cos[d]\*Sin[e\*x])/e + (c\*Sin[d]\*Sin[e\*x])/e

**Maple [A]** time = 0.002, size = 28, normalized size = 1.

$$ax - \frac{c \cos(ex + d)}{e} + \frac{b \sin(ex + d)}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(a+b\*cos(e\*x+d)+c\*sin(e\*x+d),x)

[Out] a\*x-c\*cos(e\*x+d)/e+b\*sin(e\*x+d)/e

**Maxima [A]** time = 0.978144, size = 36, normalized size = 1.33

$$ax - \frac{c \cos(ex + d)}{e} + \frac{b \sin(ex + d)}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b\*cos(e\*x+d)+c\*sin(e\*x+d),x, algorithm="maxima")

[Out] a\*x - c\*cos(e\*x + d)/e + b\*sin(e\*x + d)/e

**Fricas [A]** time = 2.01996, size = 61, normalized size = 2.26

$$\frac{aex - c \cos(ex + d) + b \sin(ex + d)}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b\*cos(e\*x+d)+c\*sin(e\*x+d),x, algorithm="fricas")

[Out] (a\*e\*x - c\*cos(e\*x + d) + b\*sin(e\*x + d))/e

**Sympy [A]** time = 0.154906, size = 34, normalized size = 1.26

$$ax + b \left( \begin{cases} \frac{\sin(d+ex)}{e} & \text{for } e \neq 0 \\ x \cos(d) & \text{otherwise} \end{cases} \right) + c \left( \begin{cases} -\frac{\cos(d+ex)}{e} & \text{for } e \neq 0 \\ x \sin(d) & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b\*cos(e\*x+d)+c\*sin(e\*x+d),x)

[Out] a\*x + b\*Piecewise((sin(d + e\*x)/e, Ne(e, 0)), (x\*cos(d), True)) + c\*Piecewise((-cos(d + e\*x)/e, Ne(e, 0)), (x\*sin(d), True))

**Giac [A]** time = 1.11897, size = 36, normalized size = 1.33

$$-c \cos(xe + d) e^{(-1)} + b e^{(-1)} \sin(xe + d) + ax$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(a+b*cos(e*x+d)+c*sin(e*x+d),x, algorithm="giac")
```

```
[Out] -c*cos(x*e + d)*e^(-1) + b*e^(-1)*sin(x*e + d) + a*x
```

$$3.399 \quad \int \frac{1}{a+b \cos(d+ex)+c \sin(d+ex)} dx$$

**Optimal.** Leaf size=61

$$\frac{2 \tan^{-1} \left( \frac{(a-b) \tan\left(\frac{1}{2}(d+ex)\right)+c}{\sqrt{a^2-b^2-c^2}} \right)}{e\sqrt{a^2-b^2-c^2}}$$

[Out] (2\*ArcTan[(c + (a - b)\*Tan[(d + e\*x)/2])/Sqrt[a^2 - b^2 - c^2]])/(Sqrt[a^2 - b^2 - c^2]\*e)

**Rubi [A]** time = 0.0837496, antiderivative size = 61, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$ , Rules used = {3124, 618, 204}

$$\frac{2 \tan^{-1} \left( \frac{(a-b) \tan\left(\frac{1}{2}(d+ex)\right)+c}{\sqrt{a^2-b^2-c^2}} \right)}{e\sqrt{a^2-b^2-c^2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(-1),x]

[Out] (2\*ArcTan[(c + (a - b)\*Tan[(d + e\*x)/2])/Sqrt[a^2 - b^2 - c^2]])/(Sqrt[a^2 - b^2 - c^2]\*e)

#### Rule 3124

```
Int[(cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^(-1), x_Symbol]
:> Module[{f = FreeFactors[Tan[(d + e*x)/2], x]}, Dist[(2*f)/e, Subst[Int[1/(a + b + 2*c*f*x + (a - b)*f^2*x^2), x], x, Tan[(d + e*x)/2]/f], x]
/; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]
```

#### Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol]
:> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x]
/; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

#### Rule 204

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol]
:> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x]
/; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

#### Rubi steps



$$\int \frac{1}{a + b \cos(d + ex) + c \sin(d + ex)} dx = \frac{2 \operatorname{Subst} \left( \int \frac{1}{a + b + 2cx + (a-b)x^2} dx, x, \tan \left( \frac{1}{2}(d + ex) \right) \right)}{e}$$

$$= \frac{4 \operatorname{Subst} \left( \int \frac{1}{-4(a^2 - b^2 - c^2) - x^2} dx, x, 2c + 2(a - b) \tan \left( \frac{1}{2}(d + ex) \right) \right)}{e}$$

$$= \frac{2 \tan^{-1} \left( \frac{c + (a-b) \tan \left( \frac{1}{2}(d + ex) \right)}{\sqrt{a^2 - b^2 - c^2}} \right)}{\sqrt{a^2 - b^2 - c^2} e}$$

**Mathematica [A]** time = 0.117129, size = 57, normalized size = 0.93

$$\frac{2 \tanh^{-1} \left( \frac{(a-b) \tan \left( \frac{1}{2}(d+ex) \right) + c}{\sqrt{-a^2 + b^2 + c^2}} \right)}{e \sqrt{-a^2 + b^2 + c^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(-1), x]

[Out] (-2\*ArcTanh[(c + (a - b)\*Tan[(d + e\*x)/2])/Sqrt[-a^2 + b^2 + c^2]])/(Sqrt[-a^2 + b^2 + c^2]\*e)

**Maple [A]** time = 0.079, size = 61, normalized size = 1.

$$2 \frac{1}{e \sqrt{a^2 - b^2 - c^2}} \arctan \left( \frac{1}{2} \frac{2(a-b) \tan(d/2 + 1/2 ex) + 2c}{\sqrt{a^2 - b^2 - c^2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*cos(e\*x+d)+c\*sin(e\*x+d)), x)

[Out] 2/e/(a^2-b^2-c^2)^(1/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*d+1/2\*e\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(e\*x+d)+c\*sin(e\*x+d)), x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.33889, size = 953, normalized size = 15.62

$$\left[ \frac{\sqrt{-a^2 + b^2 + c^2} \log\left( -\frac{a^2 b^2 - 2b^4 - c^4 - (a^2 + 3b^2)c^2 - (2a^2 b^2 - b^4 - 2a^2 c^2 + c^4) \cos(ex+d)^2 - 2(ab^3 + abc^2) \cos(ex+d) - 2(ab^2 c + ac^3 - (bc^3 - (2a^2 b - b^3)c) \cos(ex+d) - 2ab \cos(ex+d) + (b^2 - c^2) \cos(ex+d)^2 + a^2 + c^2)}{2(a^2 - b^2 - c^2)e} \right)}{2(a^2 - b^2 - c^2)e} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(e\*x+d)+c\*sin(e\*x+d)),x, algorithm="fricas")

[Out] [-1/2\*sqrt(-a^2 + b^2 + c^2)\*log(-(a^2\*b^2 - 2\*b^4 - c^4 - (a^2 + 3\*b^2)\*c^2 - (2\*a^2\*b^2 - b^4 - 2\*a^2\*c^2 + c^4)\*cos(e\*x + d)^2 - 2\*(a\*b^3 + a\*b\*c^2)\*cos(e\*x + d) - 2\*(a\*b^2\*c + a\*c^3 - (b\*c^3 - (2\*a^2\*b - b^3)\*c)\*cos(e\*x + d))\*sin(e\*x + d) + 2\*(2\*a\*b\*c\*cos(e\*x + d)^2 - a\*b\*c + (b^2\*c + c^3)\*cos(e\*x + d) - (b^3 + b\*c^2 + (a\*b^2 - a\*c^2)\*cos(e\*x + d))\*sin(e\*x + d))\*sqrt(-a^2 + b^2 + c^2))/(2\*a\*b\*cos(e\*x + d) + (b^2 - c^2)\*cos(e\*x + d)^2 + a^2 + c^2 + 2\*(b\*c\*cos(e\*x + d) + a\*c)\*sin(e\*x + d)))/((a^2 - b^2 - c^2)\*e), arctan(-(a\*b\*cos(e\*x + d) + a\*c\*sin(e\*x + d) + b^2 + c^2)\*sqrt(a^2 - b^2 - c^2)/((c^3 - (a^2 - b^2)\*c)\*cos(e\*x + d) + (a^2\*b - b^3 - b\*c^2)\*sin(e\*x + d)))/(sqrt(a^2 - b^2 - c^2)\*e)]

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(e\*x+d)+c\*sin(e\*x+d)),x)

[Out] Timed out

**Giac [A]** time = 1.11689, size = 123, normalized size = 2.02

$$\frac{2 \left( \pi \left[ \frac{xe+d}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a + 2b) + \arctan \left( -\frac{a \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) - b \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) + c}{\sqrt{a^2 - b^2 - c^2}} \right) \right) e^{-1}}{\sqrt{a^2 - b^2 - c^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(e\*x+d)+c\*sin(e\*x+d)),x, algorithm="giac")

[Out] -2\*(pi\*floor(1/2\*(x\*e + d)/pi + 1/2)\*sgn(-2\*a + 2\*b) + arctan(-(a\*tan(1/2\*x\*e + 1/2\*d) - b\*tan(1/2\*x\*e + 1/2\*d) + c)/sqrt(a^2 - b^2 - c^2)))\*e^(-1)/sqrt(a^2 - b^2 - c^2)

$$3.400 \quad \int \frac{1}{(a+b \cos(d+ex)+c \sin(d+ex))^2} dx$$

**Optimal.** Leaf size=121

$$\frac{2a \tan^{-1} \left( \frac{(a-b) \tan\left(\frac{1}{2}(d+ex)\right)+c}{\sqrt{a^2-b^2-c^2}} \right)}{e(a^2-b^2-c^2)^{3/2}} + \frac{c \cos(d+ex) - b \sin(d+ex)}{e(a^2-b^2-c^2)(a+b \cos(d+ex)+c \sin(d+ex))}$$

[Out] (2\*a\*ArcTan[(c + (a - b)\*Tan[(d + e\*x)/2])/Sqrt[a^2 - b^2 - c^2]]/((a^2 - b^2 - c^2)^(3/2)\*e) + (c\*Cos[d + e\*x] - b\*Sin[d + e\*x])/((a^2 - b^2 - c^2)\*e\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]))

**Rubi [A]** time = 0.107953, antiderivative size = 121, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {3129, 12, 3124, 618, 204}

$$\frac{2a \tan^{-1} \left( \frac{(a-b) \tan\left(\frac{1}{2}(d+ex)\right)+c}{\sqrt{a^2-b^2-c^2}} \right)}{e(a^2-b^2-c^2)^{3/2}} + \frac{c \cos(d+ex) - b \sin(d+ex)}{e(a^2-b^2-c^2)(a+b \cos(d+ex)+c \sin(d+ex))}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(-2),x]

[Out] (2\*a\*ArcTan[(c + (a - b)\*Tan[(d + e\*x)/2])/Sqrt[a^2 - b^2 - c^2]]/((a^2 - b^2 - c^2)^(3/2)\*e) + (c\*Cos[d + e\*x] - b\*Sin[d + e\*x])/((a^2 - b^2 - c^2)\*e\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]))

#### Rule 3129

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Simp[(-c\*Cos[d + e\*x] + b\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1)/(e\*(n + 1)\*(a^2 - b^2 - c^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2 - c^2)), Int[(a\*(n + 1) - b\*(n + 2)\*Cos[d + e\*x] - c\*(n + 2)\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && LtQ[n, -1] && NeQ[n, -3/2]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 3124

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(-1), x\_Symbol] :> Module[{f = FreeFactors[Tan[(d + e\*x)/2], x]}, Dist[(2\*f)/e, Subst[Int[1/(a + b + 2\*c\*f\*x + (a - b)\*f^2\*x^2), x], x, Tan[(d + e\*x)/2]/f], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]

#### Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c},

x] && NeQ[b^2 - 4\*a\*c, 0]

**Rule 204**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\int \frac{1}{(a + b \cos(d + ex) + c \sin(d + ex))^2} dx = \frac{c \cos(d + ex) - b \sin(d + ex)}{(a^2 - b^2 - c^2) e(a + b \cos(d + ex) + c \sin(d + ex))} - \frac{\int \frac{a}{a + b \cos(d + ex) + c \sin(d + ex)} dx}{-a^2 + b^2 + c^2}$$

$$= \frac{c \cos(d + ex) - b \sin(d + ex)}{(a^2 - b^2 - c^2) e(a + b \cos(d + ex) + c \sin(d + ex))} + \frac{a \int \frac{1}{a + b \cos(d + ex) + c \sin(d + ex)} dx}{a^2 - b^2 - c^2}$$

$$= \frac{c \cos(d + ex) - b \sin(d + ex)}{(a^2 - b^2 - c^2) e(a + b \cos(d + ex) + c \sin(d + ex))} + \frac{(2a) \text{Subst} \left( \int \frac{1}{a + b + 2cx + (d + ex)^2} dx \right)}{(a^2 - b^2 - c^2)}$$

$$= \frac{c \cos(d + ex) - b \sin(d + ex)}{(a^2 - b^2 - c^2) e(a + b \cos(d + ex) + c \sin(d + ex))} - \frac{(4a) \text{Subst} \left( \int \frac{1}{-4(a^2 - b^2 - c^2) + (d + ex)^2} dx \right)}{(a^2 - b^2 - c^2)}$$

$$= \frac{2a \tan^{-1} \left( \frac{c + (a - b) \tan \left( \frac{1}{2}(d + ex) \right)}{\sqrt{a^2 - b^2 - c^2}} \right)}{(a^2 - b^2 - c^2)^{3/2} e} + \frac{c \cos(d + ex) - b \sin(d + ex)}{(a^2 - b^2 - c^2) e(a + b \cos(d + ex) + c \sin(d + ex))}$$

**Mathematica [A]** time = 0.341416, size = 116, normalized size = 0.96

$$\frac{ac + (b^2 + c^2) \sin(d + ex)}{b(-a^2 + b^2 + c^2)(a + b \cos(d + ex) + c \sin(d + ex))} + \frac{2a \tanh^{-1} \left( \frac{(a - b) \tan \left( \frac{1}{2}(d + ex) \right) + c}{\sqrt{-a^2 + b^2 + c^2}} \right)}{(-a^2 + b^2 + c^2)^{3/2}}$$

e

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(-2), x]

[Out] ((2\*a\*ArcTanh[(c + (a - b)\*Tan[(d + e\*x)/2])/Sqrt[-a^2 + b^2 + c^2]]/(-a^2 + b^2 + c^2)^(3/2) + (a\*c + (b^2 + c^2)\*Sin[d + e\*x])/(b\*(-a^2 + b^2 + c^2)\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]))) / e

**Maple [B]** time = 0.142, size = 424, normalized size = 3.5

$$-2 \frac{a \tan(d/2 + 1/2 ex) b}{e \left( a (\tan(d/2 + 1/2 ex))^2 - b (\tan(d/2 + 1/2 ex))^2 + 2 c \tan(d/2 + 1/2 ex) + a + b \right) (a^3 - a^2 b - ab^2 - ac^2 + b^3 + bc^2)} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^2,x)

[Out] -2/e/(a\*tan(1/2\*d+1/2\*e\*x)^2-b\*tan(1/2\*d+1/2\*e\*x)^2+2\*c\*tan(1/2\*d+1/2\*e\*x)+a+b)/(a^3-a^2\*b-a\*b^2-a\*c^2+b^3+b\*c^2)\*tan(1/2\*d+1/2\*e\*x)\*a\*b+2/e/(a\*tan(1/2\*d+1/2\*e\*x)^2-b\*tan(1/2\*d+1/2\*e\*x)^2+2\*c\*tan(1/2\*d+1/2\*e\*x)+a+b)

$$2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+2*c*\tan(1/2*d+1/2*e*x)+a+b)/(a^3-a^2*b-a*b^2-a*c^2+b^3+b*c^2)*\tan(1/2*d+1/2*e*x)*b^2+2/e/(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+2*c*\tan(1/2*d+1/2*e*x)+a+b)/(a^3-a^2*b-a*b^2-a*c^2+b^3+b*c^2)*\tan(1/2*d+1/2*e*x)*c^2+2/e/(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+2*c*\tan(1/2*d+1/2*e*x)+a+b)*a*c/(a^3-a^2*b-a*b^2-a*c^2+b^3+b*c^2)+2/e*a/(a^2-b^2-c^2)^{3/2}*\arctan(1/2*(2*(a-b)*\tan(1/2*d+1/2*e*x)+2*c)/(a^2-b^2-c^2)^{1/2}))$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.98829, size = 1796, normalized size = 14.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^2,x, algorithm="fricas")

[Out]  $[1/2*((a*b*\cos(e*x + d) + a*c*\sin(e*x + d) + a^2)*\sqrt{-a^2 + b^2 + c^2})*\log((a^2*b^2 - 2*b^4 - c^4 - (a^2 + 3*b^2)*c^2 - (2*a^2*b^2 - b^4 - 2*a^2*c^2 + c^4)*\cos(e*x + d)^2 - 2*(a*b^3 + a*b*c^2)*\cos(e*x + d) - 2*(a*b^2*c + a*c^3 - (b*c^3 - (2*a^2*b - b^3)*c)*\cos(e*x + d))*\sin(e*x + d) - 2*(2*a*b*c*\cos(e*x + d)^2 - a*b*c + (b^2*c + c^3)*\cos(e*x + d) - (b^3 + b*c^2 + (a*b^2 - a*c^2)*\cos(e*x + d))*\sin(e*x + d))*\sqrt{-a^2 + b^2 + c^2})/(2*a*b*\cos(e*x + d) + (b^2 - c^2)*\cos(e*x + d)^2 + a^2 + c^2 + 2*(b*c*\cos(e*x + d) + a*c)*\sin(e*x + d)) - 2*(c^3 - (a^2 - b^2)*c)*\cos(e*x + d) - 2*(a^2*b - b^3 - b*c^2)*\sin(e*x + d))/((a^4*b - 2*a^2*b^3 + b^5 + b*c^4 - 2*(a^2*b - b^3)*c^2)*e*\cos(e*x + d) + (c^5 - 2*(a^2 - b^2)*c^3 + (a^4 - 2*a^2*b^2 + b^4)*c)*e*\sin(e*x + d) + (a^5 - 2*a^3*b^2 + a*b^4 + a*c^4 - 2*(a^3 - a*b^2)*c^2)*e), ((a*b*\cos(e*x + d) + a*c*\sin(e*x + d) + a^2)*\sqrt{a^2 - b^2 - c^2})*\arctan(-(a*b*\cos(e*x + d) + a*c*\sin(e*x + d) + b^2 + c^2)*\sqrt{a^2 - b^2 - c^2})/((c^3 - (a^2 - b^2)*c)*\cos(e*x + d) + (a^2*b - b^3 - b*c^2)*\sin(e*x + d)) - (c^3 - (a^2 - b^2)*c)*\cos(e*x + d) - (a^2*b - b^3 - b*c^2)*\sin(e*x + d))/((a^4*b - 2*a^2*b^3 + b^5 + b*c^4 - 2*(a^2*b - b^3)*c^2)*e*\cos(e*x + d) + (c^5 - 2*(a^2 - b^2)*c^3 + (a^4 - 2*a^2*b^2 + b^4)*c)*e*\sin(e*x + d) + (a^5 - 2*a^3*b^2 + a*b^4 + a*c^4 - 2*(a^3 - a*b^2)*c^2)*e)]$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(e\*x+d)+c\*sin(e\*x+d))\*\*2,x)

[Out] Timed out

**Giac [A]** time = 1.14243, size = 300, normalized size = 2.48

$$-2 \left( \frac{\left( \pi \left\lfloor \frac{xe+d}{2\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(-2a+2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) - b \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) + c}{\sqrt{a^2 - b^2 - c^2}}\right) \right) a}{(a^2 - b^2 - c^2)^{\frac{3}{2}}} + \frac{ab \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)}{(a^3 - a^2b - ab^2 + b^3 - ac^2 + bc^2)} \right) \left( a \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^2,x, algorithm="giac")

[Out] -2\*((pi\*floor(1/2\*(x\*e + d)/pi + 1/2)\*sgn(-2\*a + 2\*b) + arctan(-(a\*tan(1/2\*x\*e + 1/2\*d) - b\*tan(1/2\*x\*e + 1/2\*d) + c)/sqrt(a^2 - b^2 - c^2)))\*a/(a^2 - b^2 - c^2)^(3/2) + (a\*b\*tan(1/2\*x\*e + 1/2\*d) - b^2\*tan(1/2\*x\*e + 1/2\*d) - c^2\*tan(1/2\*x\*e + 1/2\*d) - a\*c)/((a^3 - a^2\*b - a\*b^2 + b^3 - a\*c^2 + b\*c^2)\*(a\*tan(1/2\*x\*e + 1/2\*d)^2 - b\*tan(1/2\*x\*e + 1/2\*d)^2 + 2\*c\*tan(1/2\*x\*e + 1/2\*d) + a + b)))\*e^(-1)

$$3.401 \quad \int \frac{1}{(a+b \cos(d+ex)+c \sin(d+ex))^3} dx$$

**Optimal.** Leaf size=197

$$\frac{(2a^2 + b^2 + c^2) \tan^{-1} \left( \frac{(a-b) \tan\left(\frac{1}{2}(d+ex)\right) + c}{\sqrt{a^2 - b^2 - c^2}} \right)}{e(a^2 - b^2 - c^2)^{5/2}} + \frac{3(ac \cos(d+ex) - ab \sin(d+ex))}{2e(a^2 - b^2 - c^2)^2 (a + b \cos(d+ex) + c \sin(d+ex))} + \frac{c \cos(d+ex)}{2e(a^2 - b^2 - c^2)}$$

[Out] ((2\*a^2 + b^2 + c^2)\*ArcTan[(c + (a - b)\*Tan[(d + e\*x)/2])/Sqrt[a^2 - b^2 - c^2]]/((a^2 - b^2 - c^2)^(5/2)\*e) + (c\*Cos[d + e\*x] - b\*Sin[d + e\*x])/(2\*(a^2 - b^2 - c^2)\*e\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^2) + (3\*(a\*c\*Cos[d + e\*x] - a\*b\*Sin[d + e\*x]))/(2\*(a^2 - b^2 - c^2)^2\*e\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]))

**Rubi [A]** time = 0.197937, antiderivative size = 197, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {3129, 3153, 3124, 618, 204}

$$\frac{(2a^2 + b^2 + c^2) \tan^{-1} \left( \frac{(a-b) \tan\left(\frac{1}{2}(d+ex)\right) + c}{\sqrt{a^2 - b^2 - c^2}} \right)}{e(a^2 - b^2 - c^2)^{5/2}} + \frac{3(ac \cos(d+ex) - ab \sin(d+ex))}{2e(a^2 - b^2 - c^2)^2 (a + b \cos(d+ex) + c \sin(d+ex))} + \frac{c \cos(d+ex)}{2e(a^2 - b^2 - c^2)}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(-3),x]

[Out] ((2\*a^2 + b^2 + c^2)\*ArcTan[(c + (a - b)\*Tan[(d + e\*x)/2])/Sqrt[a^2 - b^2 - c^2]]/((a^2 - b^2 - c^2)^(5/2)\*e) + (c\*Cos[d + e\*x] - b\*Sin[d + e\*x])/(2\*(a^2 - b^2 - c^2)\*e\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^2) + (3\*(a\*c\*Cos[d + e\*x] - a\*b\*Sin[d + e\*x]))/(2\*(a^2 - b^2 - c^2)^2\*e\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]))

#### Rule 3129

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Simp[(-(c\*Cos[d + e\*x]) + b\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1))/(e\*(n + 1)\*(a^2 - b^2 - c^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2 - c^2)), Int[(a\*(n + 1) - b\*(n + 2)\*Cos[d + e\*x] - c\*(n + 2)\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && LtQ[n, -1] && NeQ[n, -3/2]

#### Rule 3153

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]) / ((a\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^2, x\_Symbol] :> Simp[(c\*B - b\*C - (a\*C - c\*A)\*Cos[d + e\*x] + (a\*B - b\*A)\*Sin[d + e\*x]) / (e\*(a^2 - b^2 - c^2)\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])), x] + Dist[(a\*A - b\*B - c\*C) / (a^2 - b^2 - c^2), Int[1/(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]), x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[a\*A - b\*B - c\*C, 0]

#### Rule 3124

```
Int[(cos[(d_.) + (e_.)*(x_)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_)])^(-1), x_Symbol] := Module[{f = FreeFactors[Tan[(d + e*x)/2], x]}, Dist[(2*f)/e, Subst[Int[1/(a + b + 2*c*f*x + (a - b)*f^2*x^2), x], x, Tan[(d + e*x)/2]/f], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]
```

### Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 204

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

### Rubi steps

$$\begin{aligned} \int \frac{1}{(a + b \cos(d + ex) + c \sin(d + ex))^3} dx &= \frac{c \cos(d + ex) - b \sin(d + ex)}{2(a^2 - b^2 - c^2) e (a + b \cos(d + ex) + c \sin(d + ex))^2} - \frac{\int \frac{-2a + b \cos(d + ex) + c \sin(d + ex)}{(a + b \cos(d + ex) + c \sin(d + ex))^2} dx}{2(a^2 - b^2 - c^2)} \\ &= \frac{c \cos(d + ex) - b \sin(d + ex)}{2(a^2 - b^2 - c^2) e (a + b \cos(d + ex) + c \sin(d + ex))^2} + \frac{3(ac \cos(d + ex) - b^2 \sin(d + ex))}{2(a^2 - b^2 - c^2)^2 e (a + b \cos(d + ex) + c \sin(d + ex))} \\ &= \frac{c \cos(d + ex) - b \sin(d + ex)}{2(a^2 - b^2 - c^2) e (a + b \cos(d + ex) + c \sin(d + ex))^2} + \frac{3(ac \cos(d + ex) - b^2 \sin(d + ex))}{2(a^2 - b^2 - c^2)^2 e (a + b \cos(d + ex) + c \sin(d + ex))} \\ &= \frac{c \cos(d + ex) - b \sin(d + ex)}{2(a^2 - b^2 - c^2) e (a + b \cos(d + ex) + c \sin(d + ex))^2} + \frac{3(ac \cos(d + ex) - b^2 \sin(d + ex))}{2(a^2 - b^2 - c^2)^2 e (a + b \cos(d + ex) + c \sin(d + ex))} \\ &= \frac{(2a^2 + b^2 + c^2) \tan^{-1}\left(\frac{c + (a - b) \tan\left(\frac{1}{2}(d + ex)\right)}{\sqrt{a^2 - b^2 - c^2}}\right)}{(a^2 - b^2 - c^2)^{5/2} e} + \frac{c \cos(d + ex) - b \sin(d + ex)}{2(a^2 - b^2 - c^2) e (a + b \cos(d + ex) + c \sin(d + ex))} \end{aligned}$$

**Mathematica [A]** time = 0.908594, size = 200, normalized size = 1.02

$$\frac{\frac{ac + (b^2 + c^2) \sin(d + ex)}{b(-a^2 + b^2 + c^2)(a + b \cos(d + ex) + c \sin(d + ex))^2} - \frac{c(2a^2 + b^2 + c^2) + 3a(b^2 + c^2) \sin(d + ex)}{b(-a^2 + b^2 + c^2)^2 (a + b \cos(d + ex) + c \sin(d + ex))} - \frac{2(2a^2 + b^2 + c^2) \tanh^{-1}\left(\frac{(a - b) \tan\left(\frac{1}{2}(d + ex)\right) + c}{\sqrt{-a^2 + b^2 + c^2}}\right)}{(-a^2 + b^2 + c^2)^{5/2}}}{2e}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(-3), x]
```

```
[Out] ((-2*(2*a^2 + b^2 + c^2)*ArcTanh[(c + (a - b)*Tan[(d + e*x)/2])/Sqrt[-a^2 + b^2 + c^2]]/(-a^2 + b^2 + c^2)^(5/2) + (a*c + (b^2 + c^2)*Sin[d + e*x])/(b*(-a^2 + b^2 + c^2)*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^2) - (c*(2*a^2 + b^2 + c^2) + 3*a*(b^2 + c^2)*Sin[d + e*x])/(b*(-a^2 + b^2 + c^2)^2*(a + b*Cos[d + e*x] + c*Sin[d + e*x])))/(2*e)
```



**Maple [B]** time = 0.191, size = 3933, normalized size = 20.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(1/(a+b*\cos(e*x+d))+c*\sin(e*x+d))^3,x)$

[Out] 
$$\frac{4}{e} \frac{(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+2*c*\tan(1/2*d+1/2*e*x)+a+b)^2*c}{(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)} \frac{1}{(a^2-2*a*b+b^2)*a^4-1/e} \frac{1}{(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+2*c*\tan(1/2*d+1/2*e*x)+a+b)^2*c^3} \frac{1}{(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)} \frac{1}{(a^2-2*a*b+b^2)*a^2-1/e} \frac{1}{(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+2*c*\tan(1/2*d+1/2*e*x)+a+b)^2*c} \frac{1}{(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)} \frac{1}{(a^2-2*a*b+b^2)*b^4-1/e} \frac{1}{(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+2*c*\tan(1/2*d+1/2*e*x)+a+b)^2*c^3} \frac{1}{(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)} \frac{1}{(a^2-2*a*b+b^2)*b^2-1/e} \frac{1}{(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+2*c*\tan(1/2*d+1/2*e*x)+a+b)^2} \frac{1}{(a-b)} \frac{1}{(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)} * \tan(1/2*d+1/2*e*x)^3 * b^4 - 2/e \frac{1}{(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+2*c*\tan(1/2*d+1/2*e*x)+a+b)^2} \frac{1}{(a-b)} \frac{1}{(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)} * \tan(1/2*d+1/2*e*x)^3 * c^4 - 2/e \frac{1}{(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+2*c*\tan(1/2*d+1/2*e*x)+a+b)^2*c^5} \frac{1}{(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)} \frac{1}{(a^2-2*a*b+b^2)*\tan(1/2*d+1/2*e*x)^2+1/e} \frac{1}{(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+2*c*\tan(1/2*d+1/2*e*x)+a+b)^2} \frac{1}{(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)} \frac{1}{(a^2-2*a*b+b^2)*\tan(1/2*d+1/2*e*x)*b^5+1/e} \frac{1}{(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)} \frac{1}{(a^2-b^2-c^2)^{(1/2)}*\arctan(1/2*(2*(a-b)*\tan(1/2*d+1/2*e*x)+2*c)/(a^2-b^2-c^2)^{(1/2)})} * b^2+1/e \frac{1}{(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)} \frac{1}{(a^2-b^2-c^2)^{(1/2)}*\arctan(1/2*(2*(a-b)*\tan(1/2*d+1/2*e*x)+2*c)/(a^2-b^2-c^2)^{(1/2)})} * c^2+13/e \frac{1}{(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+2*c*\tan(1/2*d+1/2*e*x)+a+b)^2*c} \frac{1}{(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)} \frac{1}{(a^2-2*a*b+b^2)*\tan(1/2*d+1/2*e*x)^2*a^2*b^2-2/e} \frac{1}{(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+2*c*\tan(1/2*d+1/2*e*x)+a+b)^2} \frac{1}{(a-b)} \frac{1}{(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)} * \tan(1/2*d+1/2*e*x)^3 * a*b*c^2 - 6/e \frac{1}{(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+2*c*\tan(1/2*d+1/2*e*x)+a+b)^2*c} \frac{1}{(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)} \frac{1}{(a^2-2*a*b+b^2)*\tan(1/2*d+1/2*e*x)^2*a*b^3-12/e} \frac{1}{(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+2*c*\tan(1/2*d+1/2*e*x)+a+b)^2*c} \frac{1}{(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)} \frac{1}{(a^2-2*a*b+b^2)*\tan(1/2*d+1/2*e*x)^2*a^3*b-6/e} \frac{1}{(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+2*c*\tan(1/2*d+1/2*e*x)+a+b)^2*c^3} \frac{1}{(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)} \frac{1}{(a^2-2*a*b+b^2)*\tan(1/2*d+1/2*e*x)^2*a*b-3/e} \frac{1}{(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+2*c*\tan(1/2*d+1/2*e*x)+a+b)^2} \frac{1}{(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)} \frac{1}{(a^2-2*a*b+b^2)*\tan(1/2*d+1/2*e*x)*a^2*b*c^2-7/e} \frac{1}{(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+2*c*\tan(1/2*d+1/2*e*x)+a+b)^2} \frac{1}{(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)} \frac{1}{(a^2-2*a*b+b^2)*\tan(1/2*d+1/2*e*x)*a*b^2*c^2+1/e} \frac{1}{(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+2*c*\tan(1/2*d+1/2*e*x)+a+b)^2*c} \frac{1}{(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)} \frac{1}{(a^2-2*a*b+b^2)*\tan(1/2*d+1/2*e*x)^2*b^4-1/e} \frac{1}{(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+2*c*\tan(1/2*d+1/2*e*x)+a+b)^2*c^3} \frac{1}{(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)} \frac{1}{(a^2-2*a*b+b^2)*\tan(1/2*d+1/2*e*x)^2*b^2-4/e} \frac{1}{(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+2*c*\tan(1/2*d+1/2*e*x)+a+b)^2} \frac{1}{(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)} \frac{1}{(a^2-2*a*b+b^2)*\tan(1/2*d+1/2*e*x)*a^4*b+5/e} \frac{1}{(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+2*c*\tan(1/2*d+1/2*e*x)+a+b)^2} \frac{1}{(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)} \frac{1}{(a^2-2*a*b+b^2)*\tan(1/2*d+1/2*e*x)*a^3*b^2+11/e} \frac{1}{(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+2*c*\tan(1/2*d+1/2*e*x)+a+b)^2} \frac{1}{(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)} \frac{1}{(a^2-2*a*b+b^2)*\tan(1/2*d+1/2*e*x)*a^3*c^2+3/e} \frac{1}{(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+2*c*\tan(1/2*d+1/2*e*x)+a+b)^2} \frac{1}{(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)} \frac{1}{(a^2-2*a*b+b^2)*\tan(1/2*d+1/2*e*x)*a^2*b^3-5/e} \frac{1}{(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+2*c*\tan(1/2*d+1/2*e*x)+a+b)^2} \frac{1}{(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)}$$

$$\begin{aligned} & / (a^2 - 2ab + b^2) \tan(1/2d + 1/2ex) * a * b^4 - 2/e / (a \tan(1/2d + 1/2ex)^2 - b \tan \\ & (1/2d + 1/2ex)^2 + 2c \tan(1/2d + 1/2ex) + a + b)^2 / (a^4 - 2a^2b^2 - 2a^2c^2 + b^4 \\ & + 2b^2c^2 + c^4) / (a^2 - 2ab + b^2) \tan(1/2d + 1/2ex) * a * c^4 - 1/e / (a \tan(1/2d + \\ & 1/2ex)^2 - b \tan(1/2d + 1/2ex)^2 + 2c \tan(1/2d + 1/2ex) + a + b)^2 / (a^4 - 2a^2b^2 \\ & - 2a^2c^2 + b^4 + 2b^2c^2 + c^4) / (a^2 - 2ab + b^2) \tan(1/2d + 1/2ex) * b^3 * c^2 \\ & - 2/e / (a \tan(1/2d + 1/2ex)^2 - b \tan(1/2d + 1/2ex)^2 + 2c \tan(1/2d + 1/2ex) + \\ & a + b)^2 / (a^4 - 2a^2b^2 - 2a^2c^2 + b^4 + 2b^2c^2 + c^4) / (a^2 - 2ab + b^2) \tan(1/2d + \\ & 1/2ex) * b * c^4 - 3/e / (a \tan(1/2d + 1/2ex)^2 - b \tan(1/2d + 1/2ex)^2 + 2c \tan \\ & (1/2d + 1/2ex) + a + b)^2 * c / (a^4 - 2a^2b^2 - 2a^2c^2 + b^4 + 2b^2c^2 + c^4) / (a^2 - 2 \\ & * a * b + b^2) * a^2 * b^2 - 4/e / (a \tan(1/2d + 1/2ex)^2 - b \tan(1/2d + 1/2ex)^2 + 2c \tan \\ & n(1/2d + 1/2ex) + a + b)^2 / (a - b) / (a^4 - 2a^2b^2 - 2a^2c^2 + b^4 + 2b^2c^2 + c^4) * t \\ & an(1/2d + 1/2ex)^3 * a^3 * b + 7/e / (a \tan(1/2d + 1/2ex)^2 - b \tan(1/2d + 1/2ex)^2 \\ & + 2c \tan(1/2d + 1/2ex) + a + b)^2 / (a - b) / (a^4 - 2a^2b^2 - 2a^2c^2 + b^4 + 2b^2c^2 \\ & + c^4) * \tan(1/2d + 1/2ex)^3 * a^2 * b^2 + 5/e / (a \tan(1/2d + 1/2ex)^2 - b \tan(1/2d \\ & + 1/2ex)^2 + 2c \tan(1/2d + 1/2ex) + a + b)^2 / (a - b) / (a^4 - 2a^2b^2 - 2a^2c^2 + b^4 \\ & + 2b^2c^2 + c^4) * \tan(1/2d + 1/2ex)^3 * a^2 * c^2 - 2/e / (a \tan(1/2d + 1/2ex)^2 - b \\ & * \tan(1/2d + 1/2ex)^2 + 2c \tan(1/2d + 1/2ex) + a + b)^2 / (a - b) / (a^4 - 2a^2b^2 - 2 \\ & a^2c^2 + b^4 + 2b^2c^2 + c^4) * \tan(1/2d + 1/2ex)^3 * a * b^3 - 3/e / (a \tan(1/2d + 1/2 \\ & ex)^2 - b \tan(1/2d + 1/2ex)^2 + 2c \tan(1/2d + 1/2ex) + a + b)^2 / (a - b) / (a^4 - 2a^2 \\ & b^2 - 2a^2c^2 + b^4 + 2b^2c^2 + c^4) * \tan(1/2d + 1/2ex)^3 * b^2 * c^2 + 2/e / (a^4 - 2 \\ & a^2b^2 - 2a^2c^2 + b^4 + 2b^2c^2 + c^4) / (a^2 - b^2 - c^2)^{(1/2)} * \arctan(1/2 * (2 * (a - b) \\ & ) * \tan(1/2d + 1/2ex) + 2 * c) / (a^2 - b^2 - c^2)^{(1/2)} * a^2 + 4/e / (a \tan(1/2d + 1/2ex) \\ & )^2 - b \tan(1/2d + 1/2ex)^2 + 2c \tan(1/2d + 1/2ex) + a + b)^2 * c / (a^4 - 2a^2b^2 - 2 \\ & * a^2c^2 + b^4 + 2b^2c^2 + c^4) / (a^2 - 2ab + b^2) \tan(1/2d + 1/2ex)^2 * a^4 + 7/e / (a \\ & * \tan(1/2d + 1/2ex)^2 - b \tan(1/2d + 1/2ex)^2 + 2c \tan(1/2d + 1/2ex) + a + b)^2 * \\ & c^3 / (a^4 - 2a^2b^2 - 2a^2c^2 + b^4 + 2b^2c^2 + c^4) / (a^2 - 2ab + b^2) \tan(1/2d + 1 \\ & / 2ex)^2 * a^2 \end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(ex+d)+c\*sin(ex+d))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 3.45739, size = 4077, normalized size = 20.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(ex+d)+c\*sin(ex+d))^3,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/4 * (6 * a * b * c^3 - 12 * (a * b * c^3 - (a^3 * b - a * b^3) * c) * \cos(ex + d)^2 - (2 * a^4 \\ & + a^2 * b^2 + c^4 + (3 * a^2 + b^2) * c^2 + (2 * a^2 * b^2 + b^4 - 2 * a^2 * c^2 - c^4) * c \\ & \cos(ex + d)^2 + 2 * (2 * a^3 * b + a * b^3 + a * b * c^2) * \cos(ex + d) + 2 * (a * c^3 + (2 * \\ & a^3 + a * b^2) * c + (b * c^3 + (2 * a^2 * b + b^3) * c) * \cos(ex + d)) * \sin(ex + d)) * \text{sq} \\ & \text{rt}(-a^2 + b^2 + c^2) * \log(-(a^2 * b^2 - 2 * b^4 - c^4 - (a^2 + 3 * b^2) * c^2 - (2 * a \\ & ^2 * b^2 - b^4 - 2 * a^2 * c^2 + c^4) * \cos(ex + d)^2 - 2 * (a * b^3 + a * b * c^2) * \cos(ex \\ & + d) - 2 * (a * b^2 * c + a * c^3 - (b * c^3 - (2 * a^2 * b - b^3) * c) * \cos(ex + d)) * \sin \\ & (ex + d) + 2 * (2 * a * b * c * \cos(ex + d)^2 - a * b * c + (b^2 * c + c^3) * \cos(ex + d) \\ & - (b^3 + b * c^2 + (a * b^2 - a * c^2) * \cos(ex + d)) * \sin(ex + d)) * \text{sqrt}(-a^2 + b^2 \end{aligned}$$

$$\begin{aligned} & 2 + c^2)) / (2 * a * b * \cos(e * x + d) + (b^2 - c^2) * \cos(e * x + d)^2 + a^2 + c^2 + 2 * \\ & (b * c * \cos(e * x + d) + a * c) * \sin(e * x + d))) - 6 * (a^3 * b - a * b^3) * c + 2 * (c^5 - (5 * \\ & a^2 - 2 * b^2) * c^3 + (4 * a^4 - 5 * a^2 * b^2 + b^4) * c) * \cos(e * x + d) - 2 * (4 * a^4 * b - \\ & 5 * a^2 * b^3 + b^5 + b * c^4 - (5 * a^2 * b - 2 * b^3) * c^2 + 3 * (a^3 * b^2 - a * b^4 - a^3 * \\ & c^2 + a * c^4) * \cos(e * x + d)) * \sin(e * x + d)) / ((a^6 * b^2 - 3 * a^4 * b^4 + 3 * a^2 * b^6 - \\ & b^8 + c^8 - (3 * a^2 - 2 * b^2) * c^6 + 3 * (a^4 - a^2 * b^2) * c^4 - (a^6 - 3 * a^2 * \\ & b^4 + 2 * b^6) * c^2) * e * \cos(e * x + d)^2 + 2 * (a^7 * b - 3 * a^5 * b^3 + 3 * a^3 * b^5 - a * b^7 - \\ & a * b * c^6 + 3 * (a^3 * b - a * b^3) * c^4 - 3 * (a^5 * b - 2 * a^3 * b^3 + a * b^5) * c^2) * e * \\ & \cos(e * x + d) + (a^8 - 3 * a^6 * b^2 + 3 * a^4 * b^4 - a^2 * b^6 - c^8 + (2 * a^2 - 3 * b^2) * \\ & c^6 + 3 * (a^2 * b^2 - b^4) * c^4 - (2 * a^6 - 3 * a^4 * b^2 + b^6) * c^2) * e - 2 * ((b * \\ & c^7 - 3 * (a^2 * b - b^3) * c^5 + 3 * (a^4 * b - 2 * a^2 * b^3 + b^5) * c^3 - (a^6 * b - 3 * a^4 * \\ & b^3 + 3 * a^2 * b^5 - b^7) * c) * e * \cos(e * x + d) + (a * c^7 - 3 * (a^3 - a * b^2) * c^5 + \\ & 3 * (a^5 - 2 * a^3 * b^2 + a * b^4) * c^3 - (a^7 - 3 * a^5 * b^2 + 3 * a^3 * b^4 - a * b^6) * c) * e * \\ & \sin(e * x + d)), 1 / 2 * (3 * a * b * c^3 - 6 * (a * b * c^3 - (a^3 * b - a * b^3) * c) * \cos(e * x + \\ & d)^2 + (2 * a^4 + a^2 * b^2 + c^4 + (3 * a^2 + b^2) * c^2 + (2 * a^2 * b^2 + b^4 - 2 * \\ & a^2 * c^2 - c^4) * \cos(e * x + d)^2 + 2 * (2 * a^3 * b + a * b^3 + a * b * c^2) * \cos(e * x + d) \\ & + 2 * (a * c^3 + (2 * a^3 + a * b^2) * c + (b * c^3 + (2 * a^2 * b + b^3) * c) * \cos(e * x + d)) \\ & * \sin(e * x + d)) * \sqrt{a^2 - b^2 - c^2} * \arctan(-(a * b * \cos(e * x + d) + a * c * \sin(e * x + \\ & d) + b^2 + c^2) * \sqrt{a^2 - b^2 - c^2} / ((c^3 - (a^2 - b^2) * c) * \cos(e * x + \\ & d) + (a^2 * b - b^3 - b * c^2) * \sin(e * x + d))) - 3 * (a^3 * b - a * b^3) * c + (c^5 - (5 * \\ & a^2 - 2 * b^2) * c^3 + (4 * a^4 - 5 * a^2 * b^2 + b^4) * c) * \cos(e * x + d) - (4 * a^4 * b - \\ & 5 * a^2 * b^3 + b^5 + b * c^4 - (5 * a^2 * b - 2 * b^3) * c^2 + 3 * (a^3 * b^2 - a * b^4 - a^3 * \\ & c^2 + a * c^4) * \cos(e * x + d)) * \sin(e * x + d)) / ((a^6 * b^2 - 3 * a^4 * b^4 + 3 * a^2 * b^6 - \\ & b^8 + c^8 - (3 * a^2 - 2 * b^2) * c^6 + 3 * (a^4 - a^2 * b^2) * c^4 - (a^6 - 3 * a^2 * b^4 + \\ & 2 * b^6) * c^2) * e * \cos(e * x + d)^2 + 2 * (a^7 * b - 3 * a^5 * b^3 + 3 * a^3 * b^5 - a * b^7 - \\ & a * b * c^6 + 3 * (a^3 * b - a * b^3) * c^4 - 3 * (a^5 * b - 2 * a^3 * b^3 + a * b^5) * c^2) * e * \\ & \cos(e * x + d) + (a^8 - 3 * a^6 * b^2 + 3 * a^4 * b^4 - a^2 * b^6 - c^8 + (2 * a^2 - 3 * b^2) * \\ & c^6 + 3 * (a^2 * b^2 - b^4) * c^4 - (2 * a^6 - 3 * a^4 * b^2 + b^6) * c^2) * e - 2 * ((b * c^7 - \\ & 3 * (a^2 * b - b^3) * c^5 + 3 * (a^4 * b - 2 * a^2 * b^3 + b^5) * c^3 - (a^6 * b - 3 * a^4 * \\ & b^3 + 3 * a^2 * b^5 - b^7) * c) * e * \cos(e * x + d) + (a * c^7 - 3 * (a^3 - a * b^2) * c^5 + 3 * \\ & (a^5 - 2 * a^3 * b^2 + a * b^4) * c^3 - (a^7 - 3 * a^5 * b^2 + 3 * a^3 * b^4 - a * b^6) * c) * e * \\ & \sin(e * x + d))] \end{aligned}$$


---

**Sympy [F(1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(e\*x+d)+c\*sin(e\*x+d))\*\*3,x)

[Out] Timed out

---

**Giac [B]** time = 1.17864, size = 1204, normalized size = 6.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^3,x, algorithm="giac")

[Out]  $-\left(\pi \cdot \text{floor}\left(\frac{1}{2} \cdot (x \cdot e + d) / \pi + \frac{1}{2}\right) \cdot \text{sgn}(-2 \cdot a + 2 \cdot b) + \arctan\left(-\frac{a \cdot \tan\left(\frac{1}{2} \cdot x \cdot e + \frac{1}{2} \cdot d\right) - b \cdot \tan\left(\frac{1}{2} \cdot x \cdot e + \frac{1}{2} \cdot d\right) + c}{\sqrt{a^2 - b^2 - c^2}}\right)\right) \cdot (2 \cdot a^2 + b^2 + c^2) / \left((a^4 - 2 \cdot a^2 \cdot b^2 + b^4 - 2 \cdot a^2 \cdot c^2 + 2 \cdot b^2 \cdot c^2 + c^4) \cdot \sqrt{a^2 - b^2 - c^2}\right)$

$$\begin{aligned}
& b^2 - c^2)) + (4a^4b \tan(1/2xe + 1/2d)^3 - 11a^3b^2 \tan(1/2xe + 1/2d)^3 + 9a^2b^3 \tan(1/2xe + 1/2d)^3 - ab^4 \tan(1/2xe + 1/2d)^3 - \\
& b^5 \tan(1/2xe + 1/2d)^3 - 5a^3c^2 \tan(1/2xe + 1/2d)^3 + 7a^2b^2c^2 \tan(1/2xe + 1/2d)^3 + ab^2c^2 \tan(1/2xe + 1/2d)^3 - 3b^3c^2 \tan(1/2xe + 1/2d)^3 + 2ac^4 \tan(1/2xe + 1/2d)^3 - 2b^2c^4 \tan(1/2xe + 1/2d)^3 - 4a^4c \tan(1/2xe + 1/2d)^2 + 12a^3bc \tan(1/2xe + 1/2d)^2 - 13a^2b^2c \tan(1/2xe + 1/2d)^2 + 6a^2b^3c \tan(1/2xe + 1/2d)^2 - b^4c \tan(1/2xe + 1/2d)^2 - 7a^2c^3 \tan(1/2xe + 1/2d)^2 + 6a^2bc^3 \tan(1/2xe + 1/2d)^2 + b^2c^3 \tan(1/2xe + 1/2d)^2 + 2c^5 \tan(1/2xe + 1/2d)^2 + 4a^4b \tan(1/2xe + 1/2d) - 5a^3b^2 \tan(1/2xe + 1/2d) - 3a^2b^3 \tan(1/2xe + 1/2d) + 5ab^4 \tan(1/2xe + 1/2d) - b^5 \tan(1/2xe + 1/2d) - 11a^3c^2 \tan(1/2xe + 1/2d) + 3a^2b^2c^2 \tan(1/2xe + 1/2d) + 7ab^2c^2 \tan(1/2xe + 1/2d) + b^3c^2 \tan(1/2xe + 1/2d) + 2ac^4 \tan(1/2xe + 1/2d) + 2b^2c^4 \tan(1/2xe + 1/2d) - 4a^4c + 3a^2b^2c + b^4c + a^2c^3 + b^2c^3) / ((a^6 - 2a^5b - a^4b^2 + 4a^3b^3 - a^2b^4 - 2ab^5 + b^6 - 2a^4c^2 + 4a^3bc^2 - 4ab^3c^2 + 2b^4c^2 + a^2c^4 - 2abc^4 + b^2c^4) * (a \tan(1/2xe + 1/2d)^2 - b \tan(1/2xe + 1/2d)^2 + 2c \tan(1/2xe + 1/2d) + a + b)^2)) * e^{-1}
\end{aligned}$$

$$3.402 \quad \int \frac{1}{(a+b \cos(d+ex)+c \sin(d+ex))^4} dx$$

**Optimal.** Leaf size=292

$$\frac{a(2a^2 + 3(b^2 + c^2)) \tan^{-1}\left(\frac{(a-b)\tan\left(\frac{1}{2}(d+ex)\right)+c}{\sqrt{a^2-b^2-c^2}}\right)}{e(a^2 - b^2 - c^2)^{7/2}} + \frac{c(11a^2 + 4(b^2 + c^2)) \cos(d+ex) - b(11a^2 + 4(b^2 + c^2)) \sin(d+ex)}{6e(a^2 - b^2 - c^2)^3 (a + b \cos(d+ex) + c \sin(d+ex))}$$

```
[Out] (a*(2*a^2 + 3*(b^2 + c^2))*ArcTan[(c + (a - b)*Tan[(d + e*x)/2])/Sqrt[a^2 - b^2 - c^2]]/((a^2 - b^2 - c^2)^(7/2)*e) + (c*Cos[d + e*x] - b*Sin[d + e*x])/((3*(a^2 - b^2 - c^2)*e*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^3) + (5*(a*c*Cos[d + e*x] - a*b*Sin[d + e*x]))/(6*(a^2 - b^2 - c^2)^2*e*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^2) + (c*(11*a^2 + 4*(b^2 + c^2))*Cos[d + e*x] - b*(11*a^2 + 4*(b^2 + c^2))*Sin[d + e*x])/(6*(a^2 - b^2 - c^2)^3*e*(a + b*Cos[d + e*x] + c*Sin[d + e*x])))
```

**Rubi [A]** time = 0.376103, antiderivative size = 292, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.3$ , Rules used = {3129, 3156, 3153, 3124, 618, 204}

$$\frac{a(2a^2 + 3(b^2 + c^2)) \tan^{-1}\left(\frac{(a-b)\tan\left(\frac{1}{2}(d+ex)\right)+c}{\sqrt{a^2-b^2-c^2}}\right)}{e(a^2 - b^2 - c^2)^{7/2}} + \frac{c(11a^2 + 4(b^2 + c^2)) \cos(d+ex) - b(11a^2 + 4(b^2 + c^2)) \sin(d+ex)}{6e(a^2 - b^2 - c^2)^3 (a + b \cos(d+ex) + c \sin(d+ex))}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(-4), x]
```

```
[Out] (a*(2*a^2 + 3*(b^2 + c^2))*ArcTan[(c + (a - b)*Tan[(d + e*x)/2])/Sqrt[a^2 - b^2 - c^2]]/((a^2 - b^2 - c^2)^(7/2)*e) + (c*Cos[d + e*x] - b*Sin[d + e*x])/((3*(a^2 - b^2 - c^2)*e*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^3) + (5*(a*c*Cos[d + e*x] - a*b*Sin[d + e*x]))/(6*(a^2 - b^2 - c^2)^2*e*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^2) + (c*(11*a^2 + 4*(b^2 + c^2))*Cos[d + e*x] - b*(11*a^2 + 4*(b^2 + c^2))*Sin[d + e*x])/(6*(a^2 - b^2 - c^2)^3*e*(a + b*Cos[d + e*x] + c*Sin[d + e*x])))
```

#### Rule 3129

```
Int[(cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^(n_), x_Symbol] :> Simp[((-(c*Cos[d + e*x] + b*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n + 1))/(e*(n + 1)*(a^2 - b^2 - c^2)), x] + Dist[1/((n + 1)*(a^2 - b^2 - c^2)), Int[(a*(n + 1) - b*(n + 2))*Cos[d + e*x] - c*(n + 2)*Sin[d + e*x]*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && LtQ[n, -1] && NeQ[n, -3/2]
```

#### Rule 3156

```
Int[((a_.) + cos[(d_.) + (e_.)*(x_.)]*(b_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^(n_)*((A_.) + cos[(d_.) + (e_.)*(x_.)]*(B_.) + (C_.)*sin[(d_.) + (e_.)*(x_.)]), x_Symbol] :> -Simp[((c*B - b*C - (a*C - c*A))*Cos[d + e*x] + (a*B - b*A)*Sin[d + e*x]*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n + 1))/(e*(n + 1)*(a^2 - b^2 - c^2)), x] + Dist[1/((n + 1)*(a^2 - b^2 - c^2)), Int[(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n + 1)*Simp[(n + 1)*(a*A - b*B - c*C) + (n + 2)*
```

$(a*B - b*A)*\text{Cos}[d + e*x] + (n + 2)*(a*C - c*A)*\text{Sin}[d + e*x], x], x], x] /;$   
 $\text{FreeQ}\{a, b, c, d, e, A, B, C\}, x\} \&\& \text{LtQ}[n, -1] \&\& \text{NeQ}[a^2 - b^2 - c^2, 0]$   
 $\&\& \text{NeQ}[n, -2]$

### Rule 3153

$\text{Int}[(A_.) + \text{cos}[(d_.) + (e_.)*(x_.)]*(B_.) + (C_.)*\text{sin}[(d_.) + (e_.)*(x_.)]]$   
 $/((a_.) + \text{cos}[(d_.) + (e_.)*(x_.)]*(b_.) + (c_.)*\text{sin}[(d_.) + (e_.)*(x_.)])^2,$   
 $x\_Symbol] \text{:> Simp}[(c*B - b*C - (a*C - c*A)*\text{Cos}[d + e*x] + (a*B - b*A)*\text{Sin}[$   
 $d + e*x])/(e*(a^2 - b^2 - c^2)*(a + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x])), x] +$   
 $\text{Dist}[(a*A - b*B - c*C)/(a^2 - b^2 - c^2), \text{Int}[1/(a + b*\text{Cos}[d + e*x] + c*\text{Si}$   
 $n[d + e*x]), x], x] /;$   $\text{FreeQ}\{a, b, c, d, e, A, B, C\}, x\} \&\& \text{NeQ}[a^2 - b^2$   
 $- c^2, 0] \&\& \text{NeQ}[a*A - b*B - c*C, 0]$

### Rule 3124

$\text{Int}[(\text{cos}[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*\text{sin}[(d_.) + (e_.)*(x_.)])^$   
 $(-1), x\_Symbol] \text{:> Module}\{f = \text{FreeFactors}[\text{Tan}[(d + e*x)/2], x\}, \text{Dist}[(2*f$   
 $)/e, \text{Subst}[\text{Int}[1/(a + b + 2*c*f*x + (a - b)*f^2*x^2), x], x, \text{Tan}[(d + e*x)/$   
 $2]/f], x]\} /;$   $\text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{NeQ}[a^2 - b^2 - c^2, 0]$

### Rule 618

$\text{Int}[(a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2]^{(-1)}, x\_Symbol] \text{:> Dist}[-2, \text{Subst}[\text{I}$   
 $\text{nt}[1/\text{Simp}[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /;$   $\text{FreeQ}\{a, b, c\},$   
 $x\} \&\& \text{NeQ}[b^2 - 4*a*c, 0]$

### Rule 204

$\text{Int}[(a_.) + (b_.)*(x_.)^2]^{(-1)}, x\_Symbol] \text{:> -Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-$   
 $a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /;$   $\text{FreeQ}\{a, b\}, x\} \&\& \text{PosQ}[a/b] \&\& (\text{LtQ}[$   
 $a, 0] \parallel \text{LtQ}[b, 0])$

### Rubi steps

$$\int \frac{1}{(a + b \cos(d + ex) + c \sin(d + ex))^4} dx = \frac{c \cos(d + ex) - b \sin(d + ex)}{3(a^2 - b^2 - c^2) e (a + b \cos(d + ex) + c \sin(d + ex))^3} - \frac{\int \frac{-3a + 2b \cos(d + ex) + 2c \sin(d + ex)}{(a + b \cos(d + ex) + c \sin(d + ex))^3} dx}{3(a^2 - b^2 - c^2)}$$

$$= \frac{c \cos(d + ex) - b \sin(d + ex)}{3(a^2 - b^2 - c^2) e (a + b \cos(d + ex) + c \sin(d + ex))^3} + \frac{5(ac \cos(d + ex) - b^2 \sin(d + ex))}{6(a^2 - b^2 - c^2)^2 e (a + b \cos(d + ex) + c \sin(d + ex))^2}$$

$$= \frac{c \cos(d + ex) - b \sin(d + ex)}{3(a^2 - b^2 - c^2) e (a + b \cos(d + ex) + c \sin(d + ex))^3} + \frac{5(ac \cos(d + ex) - b^2 \sin(d + ex))}{6(a^2 - b^2 - c^2)^2 e (a + b \cos(d + ex) + c \sin(d + ex))^2}$$

$$= \frac{c \cos(d + ex) - b \sin(d + ex)}{3(a^2 - b^2 - c^2) e (a + b \cos(d + ex) + c \sin(d + ex))^3} + \frac{5(ac \cos(d + ex) - b^2 \sin(d + ex))}{6(a^2 - b^2 - c^2)^2 e (a + b \cos(d + ex) + c \sin(d + ex))^2}$$

$$= \frac{c \cos(d + ex) - b \sin(d + ex)}{3(a^2 - b^2 - c^2) e (a + b \cos(d + ex) + c \sin(d + ex))^3} + \frac{5(ac \cos(d + ex) - b^2 \sin(d + ex))}{6(a^2 - b^2 - c^2)^2 e (a + b \cos(d + ex) + c \sin(d + ex))^2}$$

$$= \frac{a(2a^2 + 3(b^2 + c^2)) \tan^{-1}\left(\frac{c + (a-b) \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{a^2 - b^2 - c^2}}\right)}{(a^2 - b^2 - c^2)^{7/2} e} + \frac{c \cos(d + ex) - b \sin(d + ex)}{3(a^2 - b^2 - c^2) e (a + b \cos(d + ex) + c \sin(d + ex))}$$

**Mathematica [B]** time = 2.08475, size = 606, normalized size = 2.08

$$\frac{72a^2b^2c^2 \sin(d+ex)+30a^2bc(2a^2+3(b^2+c^2)) \cos(d+ex)-6ac(a^2(7b^2+11c^2)+2b^2c^2-2b^4+4c^4) \cos(2(d+ex))-22a^2b^3c \cos(3(d+ex))+82a^3b^2c-9a^2b^4 \sin(d+ex)+\dots}{\dots}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(-4), x]

[Out] 
$$\frac{\left( (24a^2(2a^2 + 3(b^2 + c^2)) \operatorname{ArcTanh}\left[\frac{c + (a - b)\tan\left(\frac{d + ex}{2}\right)}{\sqrt{-a^2 + b^2 + c^2}}\right] \right) / \sqrt{-a^2 + b^2 + c^2} \right)^{7/2} + (44a^5c + 82a^3b^2c + 24ab^4c + 82a^3c^3 + 48a^2b^2c^3 + 24a^2c^5 + 30a^2b^2c^2 + 30a^2b^2c^2 + 3(b^2 + c^2)) \cos(d + ex) - 6a^2c(-2b^4 + 2b^2c^2 + 4c^4 + a^2(7b^2 + 11c^2)) \cos(2(d + ex)) - 22a^2b^3c \cos(3(d + ex)) - 8b^5c \cos(3(d + ex)) - 22a^2b^3c \cos(3(d + ex)) - 16b^3c^3 \cos(3(d + ex)) - 8b^2c^5 \cos(3(d + ex)) + 72a^4b^2 \sin(d + ex) - 9a^2b^4 \sin(d + ex) + 12b^6 \sin(d + ex) + 132a^4c^2 \sin(d + ex) + 72a^2b^2c^2 \sin(d + ex) + 36b^4c^2 \sin(d + ex) + 81a^2c^4 \sin(d + ex) + 36b^2c^4 \sin(d + ex) + 12c^6 \sin(d + ex) + 54a^3b^3 \sin(2(d + ex)) + 6a^2b^5 \sin(2(d + ex)) + 78a^3b^2c^2 \sin(2(d + ex)) + 48a^2b^3c^2 \sin(2(d + ex)) + 42ab^4c^2 \sin(2(d + ex)) + 11a^2b^4 \sin(3(d + ex)) + 4b^6 \sin(3(d + ex)) + 4b^4c^2 \sin(3(d + ex)) - 11a^2c^4 \sin(3(d + ex)) - 4b^2c^4 \sin(3(d + ex)) - 4c^6 \sin(3(d + ex)) \right) / (b(-a^2 + b^2 + c^2)^3(a + b \cos(d + ex) + c \sin(d + ex))^3)}{24e}$$

**Maple [B]** time = 0.291, size = 16909, normalized size = 57.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^4,x)

[Out] result too large to display

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 5.09825, size = 8541, normalized size = 29.25

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^4,x, algorithm="fricas")

[Out] [1/12\*(6\*a\*b\*c^5 + 12\*(4\*a^3\*b + a\*b^3)\*c^3 + 2\*(4\*c^7 + (7\*a^2 - 4\*b^2)\*c^5 - (11\*a^4 + 14\*a^2\*b^2 + 20\*b^4)\*c^3 + 3\*(11\*a^4\*b^2 - 7\*a^2\*b^4 - 4\*b^6)\*c)\*cos(e\*x + d)^3 - 12\*(a\*b\*c^5 + 2\*(4\*a^3\*b + a\*b^3)\*c^3 - (9\*a^5\*b - 8\*a^3\*b^3 - a\*b^5)\*c)\*cos(e\*x + d)^2 + 3\*(2\*a^6 + 3\*a^4\*b^2 + 9\*a^2\*c^4 + (2\*a^3\*b^3 + 3\*a\*b^5 - 9\*a\*b\*c^4 - 6\*(a^3\*b + a\*b^3)\*c^2)\*cos(e\*x + d)^3 + 9\*(a^4 + a^2\*b^2)\*c^2 + 3\*(2\*a^4\*b^2 + 3\*a^2\*b^4 - 2\*a^4\*c^2 - 3\*a^2\*c^4)\*cos(e\*x + d)^2 + 3\*(2\*a^5\*b + 3\*a^3\*b^3 + 3\*a\*b\*c^4 + (5\*a^3\*b + 3\*a\*b^3)\*c^2)\*cos(e\*x + d) + (3\*a\*c^5 + (11\*a^3 + 3\*a\*b^2)\*c^3 - (3\*a\*c^5 + 2\*(a^3 - 3\*a\*b^2)\*c^3 - 3\*(2\*a^3\*b^2 + 3\*a\*b^4)\*c)\*cos(e\*x + d)^2 + 3\*(2\*a^5 + 3\*a^3\*b^2)\*c + 6\*(3\*a^2\*b\*c^3 + (2\*a^4\*b + 3\*a^2\*b^3)\*c)\*cos(e\*x + d))\*sin(e\*x + d))\*sqrt(-a^2 + b^2 + c^2)\*log((a^2\*b^2 - 2\*b^4 - c^4 - (a^2 + 3\*b^2)\*c^2 - (2\*a^2\*b^2 - b^4 - 2\*a^2\*c^2 + c^4)\*cos(e\*x + d)^2 - 2\*(a\*b^3 + a\*b\*c^2)\*cos(e\*x + d) - 2\*(a\*b^2\*c + a\*c^3 - (b\*c^3 - (2\*a^2\*b - b^3)\*c)\*cos(e\*x + d))\*sin(e\*x + d) - 2\*(2\*a\*b\*c\*cos(e\*x + d)^2 - a\*b\*c + (b^2\*c + c^3)\*cos(e\*x + d) - (b^3 + b\*c^2 + (a\*b^2 - a\*c^2)\*cos(e\*x + d))\*sin(e\*x + d))\*sqrt(-a^2 + b^2 + c^2))/(2\*a\*b\*cos(e\*x + d) + (b^2 - c^2)\*cos(e\*x + d)^2 + a^2 + c^2 + 2\*(b\*c\*cos(e\*x + d) + a\*c)\*sin(e\*x + d))) - 6\*(9\*a^5\*b - 8\*a^3\*b^3 - a\*b^5)\*c - 6\*(2\*b^2\*c^5 + 2\*c^7 + (4\*a^4 - 7\*a^2\*b^2 - 2\*b^4)\*c^3 - (6\*a^6 - 15\*a^4\*b^2 + 7\*a^2\*b^4 + 2\*b^6)\*c)\*cos(e\*x + d) - 2\*(18\*a^6\*b - 23\*a^4\*b^3 + 7\*a^2\*b^5 - 2\*b^7 - 14\*b^3\*c^4 - 6\*b\*c^6 - (12\*a^4\*b - 7\*a^2\*b^3 + 10\*b^5)\*c^2 + (11\*a^4\*b^3 - 7\*a^2\*b^5 - 4\*b^7 + 12\*b\*c^6 + (21\*a^2\*b + 20\*b^3)\*c^4 - (33\*a^4\*b - 14\*a^2\*b^3 - 4\*b^5)\*c^2)\*cos(e\*x + d)^2 + 3\*(9\*a^5\*b^2 - 8\*a^3\*b^4 - a\*b^6 + a\*c^6 + (8\*a^3 + a\*b^2)\*c^4 - (9\*a^5 + a\*b^4)\*c^2)\*cos(e\*x + d))\*sin(e\*x + d))/((a^8\*b^3 - 4\*a^6\*b^5 + 6\*a^4\*b^7 - 4\*a^2\*b^9 + b^11 - 3\*b\*c^10 + (12\*a^2\*b - 11\*b^3)\*c^8 - 2\*(9\*a^4\*b - 16\*a^2\*b^3 + 7\*b^5)\*c^6 + 6\*(2\*a^6\*b - 5\*a^4\*b^3 + 4\*a^2\*b^5 - b^7)\*c^4 - (3\*a^8\*b - 8\*a^6\*b^3 + 6\*a^4\*b^5 - b^9)\*c^2)\*e\*cos(e\*x + d)^3 + 3\*(a^9\*b^2 - 4\*a^7\*b^4 + 6\*a^5\*b^6 - 4\*a^3\*b^8 + a\*b^10 - a\*c^10 + (4\*a^3 - 3\*a\*b^2)\*c^8 - 2\*(3\*a^5 - 4\*a^3\*b^2 + a\*b^4)\*c^6 + 2\*(2\*a^7 - 3\*a^5\*b^2 + a\*b^6)\*c^4 - (a^9 - 6\*a^5\*b^4 + 8\*a^3\*b^6 - 3\*a\*b^8)\*c^2)\*e\*cos(e\*x + d)^2 + 3\*(a^10\*b - 4\*a^8\*b^3 + 6\*a^6\*b^5 - 4\*a^4\*b^7 + a^2\*b^9 + b\*c^10 - (3\*a^2\*b - 4\*b^3)\*c^8 + 2\*(a^4\*b - 4\*a^2\*b^3 + 3\*b^5)\*c^6 + 2\*(a^6\*b - 3\*a^2\*b^5 + 2\*b^7)\*c^4 - (3\*a^8\*b - 8\*a^6\*b^3 + 6\*a^4\*b^5 - b^9)\*c^2)\*e\*cos(e\*x + d) + (a^11 - 4\*a^9\*b^2 + 6\*a^7\*b^4 - 4\*a^5\*b^6 + a^3\*b^8 + 3\*a\*c^10 - (11\*a^3 - 12\*a\*b^2)\*c^8 + 2\*(7\*a^5 - 16\*a^3\*b^2 + 9\*a\*b^4)\*c^6 - 6\*(a^7 - 4\*a^5\*b^2 + 5\*a^3\*b^4 - 2\*a\*b^6)\*c^4 - (a^9 - 6\*a^5\*b^4 + 8\*a^3\*b^6 - 3\*a\*b^8)\*c^2)\*e - ((c^11 - (4\*a^2 - b^2)\*c^9 + 6\*(a^4 - b^4)\*c^7 - 2\*(2\*a^6 + 3\*a^4\*b^2 - 12\*a^2\*b^4 + 7\*b^6)\*c^5 + (a^8 + 8\*a^6\*b^2 - 30\*a^4\*b^4 + 32\*a^2\*b^6 - 11\*b^8)\*c^3 - 3\*(a^8\*b^2 - 4\*a^6\*b^4 + 6\*a^4\*b^6 - 4\*a^2\*b^8 + b^10)\*c)\*e\*cos(e\*x + d)^2 - 6\*(a\*b\*c^9 - 4\*(a^3\*b - a\*b^3)\*c^7 + 6\*(a^5\*b - 2\*a^3\*b^3 + a\*b^5)\*c^5 - 4\*(a^7\*b - 3\*a^5\*b^3 + 3\*a^3\*b^5 - a\*b^7)\*c^3 + (a^9\*b - 4\*a^7\*b^3 + 6\*a^5\*b^5 - 4\*a^3\*b^7 + a\*b^9)\*c)\*e\*cos(e\*x + d) - (c^11 - (a^2 - 4\*b^2)\*c^9 - 6\*(a^4 - b^4)\*c^7 + 2\*(7\*a^6 - 12\*a^4\*b^2 + 3\*a^2\*b^4 + 2\*b^6)\*c^5 - (11\*a^8 - 32\*a^6\*b^2 + 30\*a^4\*b^4 - 8\*a^2\*b^6 - b^8)\*c^3 + 3\*(a^10 - 4\*a^8\*b^2 + 6\*a^6\*b^4 - 4\*a^4\*b^6 + a^2\*b^8)\*c)\*e)\*sin(e\*x + d)), 1/6\*(3\*a\*b\*c^5 + 6\*(4\*a^3\*b + a\*b^3)\*c^3 + (4\*c^7 + (7\*a^2 - 4\*b^2)\*c^5 - (11\*a^4 + 14\*a^2\*b^2 + 20\*b^4)\*c^3 + 3\*(11\*a^4\*b^2 - 7\*a^2\*b^4 - 4\*b^6)\*c)\*cos(e\*x + d)^3 - 6\*(a\*b\*c^5 + 2\*(4\*a^3\*b + a\*b^3)\*c^3 - (9\*a^5\*b - 8\*a^3\*b^3 - a\*b^5)\*c)\*cos(e\*x + d)^2 + 3\*(2\*a^6 + 3\*a^4\*b^2 + 9\*a^2\*c^4 + (2\*a^3\*b^3 + 3\*a\*b^5 - 9\*a\*b\*c^4 - 6\*(a^3\*b + a\*b^3)\*c^2)\*cos(e\*x + d)^3 + 9\*(a^4 + a^2\*b^2)\*c^2 + 3\*(2\*a^4\*b^2 + 3\*a^2\*b^4 - 2\*a^4\*c^2 - 3\*a^2\*c^4)\*cos(e\*x + d)^2 + 3\*(2\*a^5\*b + 3\*a^3\*b^3 + 3\*a\*b\*c^4 + (5\*a^3\*b + 3\*a\*b^3)\*c^2)\*cos(e\*x + d) + (3\*a\*c^5 + (11\*a^3 + 3\*a\*b^2)\*c^3 - (3\*a\*c^5 + 2\*(a^3 - 3\*a\*b^2)\*c^3 - 3\*(2\*a^3\*b^2 + 3\*a\*b^4)\*c)\*cos(e\*x + d)^2 + 3\*(2\*a^5 + 3\*a^3\*b^2)\*c + 6\*(3\*a^2\*b\*c^3 + (2\*a^4\*b + 3\*a^2\*b^3)\*c)\*cos(e\*x + d))\*sin(e\*x + d))\*sqrt(a^2 - b^2 - c^2)\*arctan(-(a\*b\*cos(e\*x + d) + a\*c\*sin(e\*x + d) + b^2 + c^2)\*sqrt(a^2 - b^2 - c^2)/((c^3 - (a^2 - b^2)\*c)\*cos(e\*x + d) + (a^2\*b - b^3 - b\*c^2)\*sin(e\*x + d))) - 3\*(9\*a^5\*b - 8\*a^3\*b^3 - a\*b^5)\*c



$$5)c - 3*(2*b^2*c^5 + 2*c^7 + (4*a^4 - 7*a^2*b^2 - 2*b^4)*c^3 - (6*a^6 - 15*a^4*b^2 + 7*a^2*b^4 + 2*b^6)*c)*\cos(e*x + d) - (18*a^6*b - 23*a^4*b^3 + 7*a^2*b^5 - 2*b^7 - 14*b^3*c^4 - 6*b*c^6 - (12*a^4*b - 7*a^2*b^3 + 10*b^5)*c^2 + (11*a^4*b^3 - 7*a^2*b^5 - 4*b^7 + 12*b*c^6 + (21*a^2*b + 20*b^3)*c^4 - (33*a^4*b - 14*a^2*b^3 - 4*b^5)*c^2)*\cos(e*x + d)^2 + 3*(9*a^5*b^2 - 8*a^3*b^4 - a*b^6 + a*c^6 + (8*a^3 + a*b^2)*c^4 - (9*a^5 + a*b^4)*c^2)*\cos(e*x + d))*\sin(e*x + d))/((a^8*b^3 - 4*a^6*b^5 + 6*a^4*b^7 - 4*a^2*b^9 + b^11 - 3*b*c^10 + (12*a^2*b - 11*b^3)*c^8 - 2*(9*a^4*b - 16*a^2*b^3 + 7*b^5)*c^6 + 6*(2*a^6*b - 5*a^4*b^3 + 4*a^2*b^5 - b^7)*c^4 - (3*a^8*b - 8*a^6*b^3 + 6*a^4*b^5 - b^9)*c^2)*e*\cos(e*x + d)^3 + 3*(a^9*b^2 - 4*a^7*b^4 + 6*a^5*b^6 - 4*a^3*b^8 + a*b^10 - a*c^10 + (4*a^3 - 3*a*b^2)*c^8 - 2*(3*a^5 - 4*a^3*b^2 + a*b^4)*c^6 + 2*(2*a^7 - 3*a^5*b^2 + a*b^6)*c^4 - (a^9 - 6*a^5*b^4 + 8*a^3*b^6 - 3*a*b^8)*c^2)*e*\cos(e*x + d)^2 + 3*(a^10*b - 4*a^8*b^3 + 6*a^6*b^5 - 4*a^4*b^7 + a^2*b^9 + b*c^10 - (3*a^2*b - 4*b^3)*c^8 + 2*(a^4*b - 4*a^2*b^3 + 3*b^5)*c^6 + 2*(a^6*b - 3*a^2*b^5 + 2*b^7)*c^4 - (3*a^8*b - 8*a^6*b^3 + 6*a^4*b^5 - b^9)*c^2)*e*\cos(e*x + d) + (a^11 - 4*a^9*b^2 + 6*a^7*b^4 - 4*a^5*b^6 + a^3*b^8 + 3*a*c^10 - (11*a^3 - 12*a*b^2)*c^8 + 2*(7*a^5 - 16*a^3*b^2 + 9*a*b^4)*c^6 - 6*(a^7 - 4*a^5*b^2 + 5*a^3*b^4 - 2*a*b^6)*c^4 - (a^9 - 6*a^5*b^4 + 8*a^3*b^6 - 3*a*b^8)*c^2)*e - ((c^11 - (4*a^2 - b^2)*c^9 + 6*(a^4 - b^4)*c^7 - 2*(2*a^6 + 3*a^4*b^2 - 12*a^2*b^4 + 7*b^6)*c^5 + (a^8 + 8*a^6*b^2 - 30*a^4*b^4 + 32*a^2*b^6 - 11*b^8)*c^3 - 3*(a^8*b^2 - 4*a^6*b^4 + 6*a^4*b^6 - 4*a^2*b^8 + b^10)*c)*e*\cos(e*x + d)^2 - 6*(a*b*c^9 - 4*(a^3*b - a*b^3)*c^7 + 6*(a^5*b - 2*a^3*b^3 + a*b^5)*c^5 - 4*(a^7*b - 3*a^5*b^3 + 3*a^3*b^5 - a*b^7)*c^3 + (a^9*b - 4*a^7*b^3 + 6*a^5*b^5 - 4*a^3*b^7 + a*b^9)*c)*e*\cos(e*x + d) - (c^11 - (a^2 - 4*b^2)*c^9 - 6*(a^4 - b^4)*c^7 + 2*(7*a^6 - 12*a^4*b^2 + 3*a^2*b^4 + 2*b^6)*c^5 - (11*a^8 - 32*a^6*b^2 + 30*a^4*b^4 - 8*a^2*b^6 - b^8)*c^3 + 3*(a^10 - 4*a^8*b^2 + 6*a^6*b^4 - 4*a^4*b^6 + a^2*b^8)*c)*e)*\sin(e*x + d))]$$


---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(e\*x+d)+c\*sin(e\*x+d))\*\*4,x)

[Out] Timed out

---

**Giac [B]** time = 1.49059, size = 3606, normalized size = 12.35

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^4,x, algorithm="giac")

[Out] 
$$-1/3*(3*(2*a^3 + 3*a*b^2 + 3*a*c^2)*(pi*\text{floor}(1/2*(x*e + d)/pi + 1/2)*\text{sgn}(-2*a + 2*b) + \arctan(-(a*\tan(1/2*x*e + 1/2*d) - b*\tan(1/2*x*e + 1/2*d) + c)/\sqrt{a^2 - b^2 - c^2}))/((a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6 - 3*a^4*c^2 + 6*a^2*b^2*c^2 - 3*b^4*c^2 + 3*a^2*c^4 - 3*b^2*c^4 - c^6)*\sqrt{a^2 - b^2 - c^2}) + (18*a^7*b*\tan(1/2*x*e + 1/2*d)^5 - 81*a^6*b^2*\tan(1/2*x*e + 1/2*d)^5 + 141*a^5*b^3*\tan(1/2*x*e + 1/2*d)^5 - 120*a^4*b^4*\tan(1/2*x*e + 1/2*d)^5 + 60*a^3*b^5*\tan(1/2*x*e + 1/2*d)^5 - 33*a^2*b^6*\tan(1/2*x*e + 1/2*d)^5 + 21$$

$$\begin{aligned}
& *a*b^7*\tan(1/2*x*e + 1/2*d)^5 - 6*b^8*\tan(1/2*x*e + 1/2*d)^5 - 27*a^6*c^2*tan(1/2*x*e + 1/2*d)^5 + 81*a^5*b*c^2*\tan(1/2*x*e + 1/2*d)^5 - 72*a^4*b^2*c^2*\tan(1/2*x*e + 1/2*d)^5 + 18*a^3*b^3*c^2*\tan(1/2*x*e + 1/2*d)^5 - 27*a^2*b^4*c^2*\tan(1/2*x*e + 1/2*d)^5 + 45*a*b^5*c^2*\tan(1/2*x*e + 1/2*d)^5 - 18*b^6*c^2*\tan(1/2*x*e + 1/2*d)^5 + 18*a^4*c^4*\tan(1/2*x*e + 1/2*d)^5 - 36*a^3*b*c^4*\tan(1/2*x*e + 1/2*d)^5 + 36*a*b^3*c^4*\tan(1/2*x*e + 1/2*d)^5 - 18*b^4*c^4*\tan(1/2*x*e + 1/2*d)^5 - 6*a^2*c^6*\tan(1/2*x*e + 1/2*d)^5 + 12*a*b*c^6*\tan(1/2*x*e + 1/2*d)^5 - 6*b^2*c^6*\tan(1/2*x*e + 1/2*d)^5 - 18*a^7*c*\tan(1/2*x*e + 1/2*d)^4 + 108*a^6*b*c*\tan(1/2*x*e + 1/2*d)^4 - 261*a^5*b^2*c*\tan(1/2*x*e + 1/2*d)^4 + 336*a^4*b^3*c*\tan(1/2*x*e + 1/2*d)^4 - 264*a^3*b^4*c*\tan(1/2*x*e + 1/2*d)^4 + 144*a^2*b^5*c*\tan(1/2*x*e + 1/2*d)^4 - 57*a*b^6*c*\tan(1/2*x*e + 1/2*d)^4 + 12*b^7*c*\tan(1/2*x*e + 1/2*d)^4 - 81*a^5*c^3*\tan(1/2*x*e + 1/2*d)^4 + 216*a^4*b*c^3*\tan(1/2*x*e + 1/2*d)^4 - 198*a^3*b^2*c^3*\tan(1/2*x*e + 1/2*d)^4 + 108*a^2*b^3*c^3*\tan(1/2*x*e + 1/2*d)^4 - 81*a*b^4*c^3*\tan(1/2*x*e + 1/2*d)^4 + 36*b^5*c^3*\tan(1/2*x*e + 1/2*d)^4 + 36*a^3*c^5*\tan(1/2*x*e + 1/2*d)^4 - 36*a^2*b*c^5*\tan(1/2*x*e + 1/2*d)^4 - 36*a*b^2*c^5*\tan(1/2*x*e + 1/2*d)^4 + 36*b^3*c^5*\tan(1/2*x*e + 1/2*d)^4 - 12*a*c^7*\tan(1/2*x*e + 1/2*d)^4 + 12*b*c^7*\tan(1/2*x*e + 1/2*d)^4 + 36*a^7*b*\tan(1/2*x*e + 1/2*d)^3 - 108*a^6*b^2*\tan(1/2*x*e + 1/2*d)^3 + 76*a^5*b^3*\tan(1/2*x*e + 1/2*d)^3 + 60*a^4*b^4*\tan(1/2*x*e + 1/2*d)^3 - 100*a^3*b^5*\tan(1/2*x*e + 1/2*d)^3 + 44*a^2*b^6*\tan(1/2*x*e + 1/2*d)^3 - 12*a*b^7*\tan(1/2*x*e + 1/2*d)^3 + 4*b^8*\tan(1/2*x*e + 1/2*d)^3 - 108*a^6*c^2*\tan(1/2*x*e + 1/2*d)^3 + 240*a^5*b*c^2*\tan(1/2*x*e + 1/2*d)^3 - 162*a^4*b^2*c^2*\tan(1/2*x*e + 1/2*d)^3 + 122*a^3*b^3*c^2*\tan(1/2*x*e + 1/2*d)^3 - 174*a^2*b^4*c^2*\tan(1/2*x*e + 1/2*d)^3 + 78*a*b^5*c^2*\tan(1/2*x*e + 1/2*d)^3 + 4*b^6*c^2*\tan(1/2*x*e + 1/2*d)^3 - 42*a^4*c^4*\tan(1/2*x*e + 1/2*d)^3 + 162*a^3*b*c^4*\tan(1/2*x*e + 1/2*d)^3 - 210*a^2*b^2*c^4*\tan(1/2*x*e + 1/2*d)^3 + 102*a*b^3*c^4*\tan(1/2*x*e + 1/2*d)^3 - 12*b^4*c^4*\tan(1/2*x*e + 1/2*d)^3 + 8*a^2*c^6*\tan(1/2*x*e + 1/2*d)^3 + 12*a*b*c^6*\tan(1/2*x*e + 1/2*d)^3 - 20*b^2*c^6*\tan(1/2*x*e + 1/2*d)^3 - 8*c^8*\tan(1/2*x*e + 1/2*d)^3 - 36*a^7*c*\tan(1/2*x*e + 1/2*d)^2 + 108*a^6*b*c*\tan(1/2*x*e + 1/2*d)^2 - 108*a^5*b^2*c*\tan(1/2*x*e + 1/2*d)^2 + 12*a^4*b^3*c*\tan(1/2*x*e + 1/2*d)^2 + 84*a^3*b^4*c*\tan(1/2*x*e + 1/2*d)^2 - 108*a^2*b^5*c*\tan(1/2*x*e + 1/2*d)^2 + 60*a*b^6*c*\tan(1/2*x*e + 1/2*d)^2 - 12*b^7*c*\tan(1/2*x*e + 1/2*d)^2 - 120*a^5*c^3*\tan(1/2*x*e + 1/2*d)^2 + 132*a^4*b*c^3*\tan(1/2*x*e + 1/2*d)^2 + 42*a^3*b^2*c^3*\tan(1/2*x*e + 1/2*d)^2 - 36*a^2*b^3*c^3*\tan(1/2*x*e + 1/2*d)^2 + 18*a*b^4*c^3*\tan(1/2*x*e + 1/2*d)^2 - 36*b^5*c^3*\tan(1/2*x*e + 1/2*d)^2 + 18*a^3*c^5*\tan(1/2*x*e + 1/2*d)^2 + 72*a^2*b*c^5*\tan(1/2*x*e + 1/2*d)^2 - 54*a*b^2*c^5*\tan(1/2*x*e + 1/2*d)^2 - 36*b^3*c^5*\tan(1/2*x*e + 1/2*d)^2 - 12*a*c^7*\tan(1/2*x*e + 1/2*d)^2 - 12*b*c^7*\tan(1/2*x*e + 1/2*d)^2 + 18*a^7*b*\tan(1/2*x*e + 1/2*d) - 27*a^6*b^2*\tan(1/2*x*e + 1/2*d) - 21*a^5*b^3*\tan(1/2*x*e + 1/2*d) + 48*a^4*b^4*\tan(1/2*x*e + 1/2*d) - 12*a^3*b^5*\tan(1/2*x*e + 1/2*d) - 15*a^2*b^6*\tan(1/2*x*e + 1/2*d) + 15*a*b^7*\tan(1/2*x*e + 1/2*d) - 6*b^8*\tan(1/2*x*e + 1/2*d) - 81*a^6*c^2*\tan(1/2*x*e + 1/2*d) + 27*a^5*b*c^2*\tan(1/2*x*e + 1/2*d) + 90*a^4*b^2*c^2*\tan(1/2*x*e + 1/2*d) + 9*a^2*b^4*c^2*\tan(1/2*x*e + 1/2*d) - 27*a*b^5*c^2*\tan(1/2*x*e + 1/2*d) - 18*b^6*c^2*\tan(1/2*x*e + 1/2*d) + 12*a^4*c^4*\tan(1/2*x*e + 1/2*d) + 42*a^3*b*c^4*\tan(1/2*x*e + 1/2*d) + 18*a^2*b^2*c^4*\tan(1/2*x*e + 1/2*d) - 54*a*b^3*c^4*\tan(1/2*x*e + 1/2*d) - 18*b^4*c^4*\tan(1/2*x*e + 1/2*d) - 6*a^2*c^6*\tan(1/2*x*e + 1/2*d) - 12*a*b*c^6*\tan(1/2*x*e + 1/2*d) - 6*b^2*c^6*\tan(1/2*x*e + 1/2*d) - 18*a^7*c + 21*a^5*b^2*c + 12*a^3*b^4*c - 15*a*b^6*c + 5*a^5*c^3 + 16*a^3*b^2*c^3 - 21*a*b^4*c^3 - 2*a^3*c^5 - 6*a*b^2*c^5)/((a^9 - 3*a^8*b + 8*a^6*b^3 - 6*a^5*b^4 - 6*a^4*b^5 + 8*a^3*b^6 - 3*a*b^8 + b^9 - 3*a^7*c^2 + 9*a^6*b*c^2 - 3*a^5*b^2*c^2 - 15*a^4*b^3*c^2 + 15*a^3*b^4*c^2 + 3*a^2*b^5*c^2 - 9*a*b^6*c^2 + 3*b^7*c^2 + 3*a^5*c^4 - 9*a^4*b*c^4 + 6*a^3*b^2*c^4 + 6*a^2*b^3*c^4 - 9*a*b^4*c^4 + 3*b^5*c^4 - a^3*c^6 + 3*a^2*b*c^6 - 3*a*b^2*c^6 + b^3*c^6)*(a*tan(1/2*x*e + 1/2*d)^2 - b*tan(1/2*x*e + 1/2*d)^2 + 2*c*tan(1/2*x*e + 1/2*d) + a + b)^3))*e^(-1)
\end{aligned}$$

### 3.403 $\int (2 + 3 \cos(d + ex) + 5 \sin(d + ex))^{5/2} dx$

**Optimal.** Leaf size=185

$$\frac{64 \operatorname{EllipticF}\left(\frac{1}{2}\left(d + ex - \tan^{-1}\left(\frac{5}{3}\right)\right), \frac{2}{15}(17 - \sqrt{34})\right)}{\sqrt{2 + \sqrt{34}e}} - \frac{2(5 \cos(d + ex) - 3 \sin(d + ex))(5 \sin(d + ex) + 3 \cos(d + ex))}{5e}$$

```
[Out] (796*Sqrt[2 + Sqrt[34]]*EllipticE[(d + e*x - ArcTan[5/3])/2, (2*(17 - Sqrt[34]))/15])/(15*e) + (64*EllipticF[(d + e*x - ArcTan[5/3])/2, (2*(17 - Sqrt[34]))/15])/(Sqrt[2 + Sqrt[34]]*e) - (32*(5*Cos[d + e*x] - 3*Sin[d + e*x])*Sqrt[2 + 3*Cos[d + e*x] + 5*Sin[d + e*x]])/(15*e) - (2*(5*Cos[d + e*x] - 3*Sin[d + e*x])*(2 + 3*Cos[d + e*x] + 5*Sin[d + e*x])^(3/2))/(5*e)
```

**Rubi [A]** time = 0.267904, antiderivative size = 185, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.318$ , Rules used = {3120, 3146, 3149, 3118, 2653, 3126, 2661}

$$\frac{2(5 \cos(d + ex) - 3 \sin(d + ex))(5 \sin(d + ex) + 3 \cos(d + ex) + 2)^{3/2}}{5e} - \frac{32(5 \cos(d + ex) - 3 \sin(d + ex))\sqrt{5 \sin(d + ex) + 3 \cos(d + ex)}}{15e}$$

Antiderivative was successfully verified.

```
[In] Int[(2 + 3*Cos[d + e*x] + 5*Sin[d + e*x])^(5/2), x]
```

```
[Out] (796*Sqrt[2 + Sqrt[34]]*EllipticE[(d + e*x - ArcTan[5/3])/2, (2*(17 - Sqrt[34]))/15])/(15*e) + (64*EllipticF[(d + e*x - ArcTan[5/3])/2, (2*(17 - Sqrt[34]))/15])/(Sqrt[2 + Sqrt[34]]*e) - (32*(5*Cos[d + e*x] - 3*Sin[d + e*x])*Sqrt[2 + 3*Cos[d + e*x] + 5*Sin[d + e*x]])/(15*e) - (2*(5*Cos[d + e*x] - 3*Sin[d + e*x])*(2 + 3*Cos[d + e*x] + 5*Sin[d + e*x])^(3/2))/(5*e)
```

#### Rule 3120

```
Int[(cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^(n_.), x_Symbol] :> -Simp[((c*Cos[d + e*x] - b*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n - 1))/(e*n), x] + Dist[1/n, Int[Simp[n*a^2 + (n - 1)*(b^2 + c^2) + a*b*(2*n - 1)*Cos[d + e*x] + a*c*(2*n - 1)*Sin[d + e*x], x]*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n - 2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && GtQ[n, 1]
```

#### Rule 3146

```
Int[(cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^(n_.)*((A_.) + cos[(d_.) + (e_.)*(x_.)]*(B_.) + (C_.)*sin[(d_.) + (e_.)*(x_.)]), x_Symbol] :> Simp[((B*c - b*C - a*C*Cos[d + e*x] + a*B*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^n)/(a*e*(n + 1)), x] + Dist[1/(a*(n + 1)), Int[(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n - 1)*Simp[a*(b*B + c*C)*n + a^2*A*(n + 1) + (n*(a^2*B - B*c^2 + b*c*C) + a*b*A*(n + 1))*Cos[d + e*x] + (n*(b*B*c + a^2*C - b^2*C) + a*c*A*(n + 1))*Sin[d + e*x], x], x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && GtQ[n, 0] && NeQ[a^2 - b^2 - c^2, 0]
```

#### Rule 3149

```
Int[((A_.) + cos[(d_.) + (e_.)*(x_.)]*(B_.) + (C_.)*sin[(d_.) + (e_.)*(x_.)]) / Sqrt[cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)]]
```

```
, x_Symbol] := Dist[B/b, Int[Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]], x],
x] + Dist[(A*b - a*B)/b, Int[1/Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]],
x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && EqQ[B*c - b*C, 0] && NeQ[A*
b - a*B, 0]
```

### Rule 3118

```
Int[Sqrt[cos[(d_.) + (e_.)*(x_)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_
)], x_Symbol] := Int[Sqrt[a + Sqrt[b^2 + c^2]*Cos[d + e*x - ArcTan[b, c]]],
x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 + c^2, 0] && GtQ[a + Sqrt[b^2
+ c^2], 0]
```

### Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

### Rule 3126

```
Int[1/Sqrt[cos[(d_.) + (e_.)*(x_)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(
x_)]], x_Symbol] := Int[1/Sqrt[a + Sqrt[b^2 + c^2]*Cos[d + e*x - ArcTan[b,
c]]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 + c^2, 0] && GtQ[a + Sqrt[
b^2 + c^2], 0]
```

### Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

### Rubi steps

$$\begin{aligned}
\int (2 + 3 \cos(d + ex) + 5 \sin(d + ex))^{5/2} dx &= -\frac{2(5 \cos(d + ex) - 3 \sin(d + ex))(2 + 3 \cos(d + ex) + 5 \sin(d + ex))^{3/2}}{5e} + \frac{2}{5} \\
&= -\frac{32(5 \cos(d + ex) - 3 \sin(d + ex))\sqrt{2 + 3 \cos(d + ex) + 5 \sin(d + ex)}}{15e} - \frac{2(5 \cos(d + ex) - 3 \sin(d + ex))^{3/2}}{15} \\
&= -\frac{32(5 \cos(d + ex) - 3 \sin(d + ex))\sqrt{2 + 3 \cos(d + ex) + 5 \sin(d + ex)}}{15e} - \frac{2(5 \cos(d + ex) - 3 \sin(d + ex))^{3/2}}{15} \\
&= -\frac{32(5 \cos(d + ex) - 3 \sin(d + ex))\sqrt{2 + 3 \cos(d + ex) + 5 \sin(d + ex)}}{15e} - \frac{2(5 \cos(d + ex) - 3 \sin(d + ex))^{3/2}}{15} \\
&= \frac{796\sqrt{2 + \sqrt{34}}E\left(\frac{1}{2}\left(d + ex - \tan^{-1}\left(\frac{5}{3}\right)\right)\middle|\frac{2}{15}(17 - \sqrt{34})\right)}{15e} + \frac{64F\left(\frac{1}{2}\left(d + ex - \tan^{-1}\left(\frac{5}{3}\right)\right)\middle|\frac{2}{15}(17 - \sqrt{34})\right)}{15}
\end{aligned}$$

**Mathematica [C]** time = 6.05264, size = 399, normalized size = 2.16

$$1276\sqrt{\frac{10}{3}}\sqrt{\sqrt{34}\sin\left(d + ex + \tan^{-1}\left(\frac{3}{5}\right)\right) + 2}\sqrt{\cos^2\left(d + ex + \tan^{-1}\left(\frac{3}{5}\right)\right)}\sec\left(d + ex + \tan^{-1}\left(\frac{3}{5}\right)\right)F_1\left(\frac{1}{2}; \frac{1}{2}, \frac{1}{2}; \frac{3}{2}; \frac{17\sin(d + ex)}{15}\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(2 + 3\*Cos[d + e\*x] + 5\*Sin[d + e\*x])^(5/2), x]

[Out] (-2388\*Sqrt[2 + Sqrt[34]\*Cos[d + e\*x - ArcTan[5/3]]] - 2\*Sqrt[2 + 3\*Cos[d + e\*x] + 5\*Sin[d + e\*x]]\*(550\*Cos[d + e\*x] + 3\*(-398 + 75\*Cos[2\*(d + e\*x)] - 110\*Sin[d + e\*x] + 40\*Sin[2\*(d + e\*x)])) + 1276\*Sqrt[10/3]\*AppellF1[1/2, 1/2, 1/2, 3/2, (Sqrt[34] + 17\*Sin[d + e\*x + ArcTan[3/5]])/(-17 + Sqrt[34]), (Sqrt[34] + 17\*Sin[d + e\*x + ArcTan[3/5]])/(17 + Sqrt[34])] \* Sqrt[Cos[d + e\*x + ArcTan[3/5]]^2 \* Sec[d + e\*x + ArcTan[3/5]] \* Sqrt[2 + Sqrt[34]\*Sin[d + e\*x + ArcTan[3/5]]] + (1990\*Sin[d + e\*x - ArcTan[5/3]])/Sqrt[1/17 + Cos[d + e\*x - ArcTan[5/3]]/Sqrt[34]] - (1990\*Sqrt[30]\*AppellF1[-1/2, -1/2, -1/2, 1/2, (Sqrt[34] + 17\*Cos[d + e\*x - ArcTan[5/3]])/(-17 + Sqrt[34]), (Sqrt[34] + 17\*Cos[d + e\*x - ArcTan[5/3]])/(17 + Sqrt[34])] \* Csc[d + e\*x - ArcTan[5/3]] \* Sqrt[Sin[d + e\*x - ArcTan[5/3]]^2])/Sqrt[2 + Sqrt[34]\*Cos[d + e\*x - ArcTan[5/3]])/(75\*e)

**Maple [C]** time = 2.494, size = 464, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2+3\*cos(e\*x+d)+5\*sin(e\*x+d))^(5/2), x)

[Out] (-732/17\*34^(1/2)\*(-(17\*sin(e\*x+d+arctan(3/5))+34^(1/2))/(-34^(1/2)+17))^(1/2)\*(-17\*(sin(e\*x+d+arctan(3/5))-1)/(34^(1/2)+17))^(1/2)\*17^(1/2)\*((1+sin(e\*x+d+arctan(3/5)))/(-34^(1/2)+17))^(1/2)\*EllipticF((-17\*sin(e\*x+d+arctan(3/5))+34^(1/2))/(-34^(1/2)+17))^(1/2), I\*((-34^(1/2)+17)/(34^(1/2)+17))^(1/2)) - 64\*(-17\*sin(e\*x+d+arctan(3/5))+34^(1/2))/(-34^(1/2)+17))^(1/2)\*(-17\*(sin(e\*x+d+arctan(3/5))-1)/(34^(1/2)+17))^(1/2)\*17^(1/2)\*((1+sin(e\*x+d+arctan(3/5)))/(-34^(1/2)+17))^(1/2)\*EllipticF((-17\*sin(e\*x+d+arctan(3/5))+34^(1/2))/(-34^(1/2)+17))^(1/2), I\*((-34^(1/2)+17)/(34^(1/2)+17))^(1/2)) + 796/17\*(-17\*sin(e\*x+d+arctan(3/5))+34^(1/2))/(-34^(1/2)+17))^(1/2)\*(-17\*(sin(e\*x+d+arctan(3/5))-1)/(34^(1/2)+17))^(1/2)\*17^(1/2)\*((1+sin(e\*x+d+arctan(3/5)))/(-34^(1/2)+17))^(1/2)\*EllipticE((-17\*sin(e\*x+d+arctan(3/5))+34^(1/2))/(-34^(1/2)+17))^(1/2), I\*((-34^(1/2)+17)/(34^(1/2)+17))^(1/2)) \* 34^(1/2) + 68/5\*34^(1/2)\*sin(e\*x+d+arctan(3/5))^4 - 116/15\*34^(1/2)\*sin(e\*x+d+arctan(3/5))^2 + 1904/15\*sin(e\*x+d+arctan(3/5))^3 - 1904/15\*sin(e\*x+d+arctan(3/5)) - 88/15\*34^(1/2))/cos(e\*x+d+arctan(3/5))/(34^(1/2)\*sin(e\*x+d+arctan(3/5))+2)^(1/2)/e

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (3 \cos(ex + d) + 5 \sin(ex + d) + 2)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2+3\*cos(e\*x+d)+5\*sin(e\*x+d))^(5/2), x, algorithm="maxima")

[Out] integrate((3\*cos(e\*x + d) + 5\*sin(e\*x + d) + 2)^(5/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

integral(-(16 cos(ex + d)^2 - 10(3 cos(ex + d) + 2) sin(ex + d) - 12 cos(ex + d) - 29) sqrt(3 cos(ex + d) + 5 sin(ex + d) + 2), x)

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((2+3*cos(e*x+d)+5*sin(e*x+d))^(5/2),x, algorithm="fricas")
```

```
[Out] integral(-(16*cos(e*x + d)^2 - 10*(3*cos(e*x + d) + 2)*sin(e*x + d) - 12*cos(e*x + d) - 29)*sqrt(3*cos(e*x + d) + 5*sin(e*x + d) + 2), x)
```

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((2+3*cos(e*x+d)+5*sin(e*x+d))**(5/2),x)
```

```
[Out] Timed out
```

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((2+3*cos(e*x+d)+5*sin(e*x+d))^(5/2),x, algorithm="giac")
```

```
[Out] Timed out
```

### 3.404 $\int (2 + 3 \cos(d + ex) + 5 \sin(d + ex))^{3/2} dx$

**Optimal.** Leaf size=139

$$\frac{20 \operatorname{EllipticF}\left(\frac{1}{2}\left(d + ex - \tan^{-1}\left(\frac{5}{3}\right)\right), \frac{2}{15}(17 - \sqrt{34})\right)}{\sqrt{2 + \sqrt{34}e}} - \frac{2(5 \cos(d + ex) - 3 \sin(d + ex))\sqrt{5 \sin(d + ex) + 3 \cos(d + ex)}}{3e}$$

```
[Out] (16*Sqrt[2 + Sqrt[34]]*EllipticE[(d + e*x - ArcTan[5/3])/2, (2*(17 - Sqrt[34]))/15])/(3*e) + (20*EllipticF[(d + e*x - ArcTan[5/3])/2, (2*(17 - Sqrt[34]))/15])/(Sqrt[2 + Sqrt[34]]*e) - (2*(5*Cos[d + e*x] - 3*Sin[d + e*x])*Sqrt[2 + 3*Cos[d + e*x] + 5*Sin[d + e*x]])/(3*e)
```

**Rubi [A]** time = 0.13866, antiderivative size = 139, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {3120, 3149, 3118, 2653, 3126, 2661}

$$\frac{2(5 \cos(d + ex) - 3 \sin(d + ex))\sqrt{5 \sin(d + ex) + 3 \cos(d + ex) + 2}}{3e} + \frac{20F\left(\frac{1}{2}\left(d + ex - \tan^{-1}\left(\frac{5}{3}\right)\right) \middle| \frac{2}{15}(17 - \sqrt{34})\right)}{\sqrt{2 + \sqrt{34}e}}$$

Antiderivative was successfully verified.

```
[In] Int[(2 + 3*Cos[d + e*x] + 5*Sin[d + e*x])^(3/2), x]
```

```
[Out] (16*Sqrt[2 + Sqrt[34]]*EllipticE[(d + e*x - ArcTan[5/3])/2, (2*(17 - Sqrt[34]))/15])/(3*e) + (20*EllipticF[(d + e*x - ArcTan[5/3])/2, (2*(17 - Sqrt[34]))/15])/(Sqrt[2 + Sqrt[34]]*e) - (2*(5*Cos[d + e*x] - 3*Sin[d + e*x])*Sqrt[2 + 3*Cos[d + e*x] + 5*Sin[d + e*x]])/(3*e)
```

#### Rule 3120

```
Int[(cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^(n_), x_Symbol] :> -Simp[((c*Cos[d + e*x] - b*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n - 1))/(e*n), x] + Dist[1/n, Int[Simp[n*a^2 + (n - 1)*(b^2 + c^2) + a*b*(2*n - 1)*Cos[d + e*x] + a*c*(2*n - 1)*Sin[d + e*x], x]*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n - 2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && GtQ[n, 1]
```

#### Rule 3149

```
Int[((A_.) + cos[(d_.) + (e_.)*(x_.)]*(B_.) + (C_.)*sin[(d_.) + (e_.)*(x_.)]) / Sqrt[cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)]], x_Symbol] :> Dist[B/b, Int[Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]], x], x] + Dist[(A*b - a*B)/b, Int[1/Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]], x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && EqQ[B*c - b*C, 0] && NeQ[A*b - a*B, 0]
```

#### Rule 3118

```
Int[Sqrt[cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)]], x_Symbol] :> Int[Sqrt[a + Sqrt[b^2 + c^2]*Cos[d + e*x - ArcTan[b, c]]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 + c^2, 0] && GtQ[a + Sqrt[b^2 + c^2], 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3126

```
Int[1/Sqrt[cos[(d_) + (e_)*(x_)]*(b_) + (a_) + (c_)*sin[(d_) + (e_)*(
x_)]], x_Symbol] := Int[1/Sqrt[a + Sqrt[b^2 + c^2]*Cos[d + e*x - ArcTan[b,
c]]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 + c^2, 0] && GtQ[a + Sqrt[
b^2 + c^2], 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned} \int (2 + 3 \cos(d + ex) + 5 \sin(d + ex))^{3/2} dx &= -\frac{2(5 \cos(d + ex) - 3 \sin(d + ex))\sqrt{2 + 3 \cos(d + ex) + 5 \sin(d + ex)}}{3e} + \frac{2}{3} \int \\ &= -\frac{2(5 \cos(d + ex) - 3 \sin(d + ex))\sqrt{2 + 3 \cos(d + ex) + 5 \sin(d + ex)}}{3e} + \frac{8}{3} \int \\ &= -\frac{2(5 \cos(d + ex) - 3 \sin(d + ex))\sqrt{2 + 3 \cos(d + ex) + 5 \sin(d + ex)}}{3e} + \frac{8}{3} \int \\ &= \frac{16\sqrt{2 + \sqrt{34}}E\left(\frac{1}{2}\left(d + ex - \tan^{-1}\left(\frac{5}{3}\right)\right)\middle|\frac{2}{15}(17 - \sqrt{34})\right)}{3e} + \frac{20F\left(\frac{1}{2}\left(d + ex - \tan^{-1}\left(\frac{5}{3}\right)\right)\right)}{3e} \end{aligned}$$

**Mathematica [C]** time = 3.5708, size = 349, normalized size = 2.51

$$2\left(\sqrt{\sin^2\left(d + ex - \tan^{-1}\left(\frac{5}{3}\right)\right)}\left(23\sqrt{30}\sqrt{\sqrt{34}\sin\left(d + ex + \tan^{-1}\left(\frac{3}{5}\right)\right)} + 2\sqrt{\cos^2\left(d + ex + \tan^{-1}\left(\frac{3}{5}\right)\right)}\sqrt{\sqrt{34}\cos\left(d + ex + \tan^{-1}\left(\frac{3}{5}\right)\right)}\right)\right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(2 + 3*Cos[d + e*x] + 5*Sin[d + e*x])^(3/2), x]
```

```
[Out] (2*(-60*Sqrt[30]*AppellF1[-1/2, -1/2, -1/2, 1/2, (Sqrt[34] + 17*Cos[d + e*x
- ArcTan[5/3]])/(-17 + Sqrt[34]), (Sqrt[34] + 17*Cos[d + e*x - ArcTan[5/3]
])/(-17 + Sqrt[34]))*Sin[d + e*x - ArcTan[5/3]] + (-15*(30*Cos[d + e*x] + 15
*Cos[2*(d + e*x)] - 18*Sin[d + e*x] + 8*Sin[2*(d + e*x)]) + 23*Sqrt[30]*App
ellF1[1/2, 1/2, 1/2, 3/2, (Sqrt[34] + 17*Sin[d + e*x + ArcTan[3/5]])/(-17 +
Sqrt[34]), (Sqrt[34] + 17*Sin[d + e*x + ArcTan[3/5]])/(-17 + Sqrt[34]))*Sqr
t[Cos[d + e*x + ArcTan[3/5]]^2]*Sqrt[2 + Sqrt[34]*Cos[d + e*x - ArcTan[5/3]
])*Sec[d + e*x + ArcTan[3/5]]*Sqrt[2 + Sqrt[34]*Sin[d + e*x + ArcTan[3/5]
])*Sqrt[Sin[d + e*x - ArcTan[5/3]]^2]))/(45*e*Sqrt[2 + Sqrt[34]*Cos[d + e*x
- ArcTan[5/3]])*Sqrt[Sin[d + e*x - ArcTan[5/3]]^2))
```



---

**Maple [C]** time = 2.675, size = 449, normalized size = 3.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2+3*cos(e*x+d)+5*sin(e*x+d))^(3/2),x)`

[Out] 
$$\begin{aligned} & (-60/17*34^{(1/2)}*(-(17*\sin(e*x+d+\arctan(3/5))+34^{(1/2)})/(-34^{(1/2)}+17))^{(1/2)} \\ & *(-17*(\sin(e*x+d+\arctan(3/5))-1)/(34^{(1/2)}+17))^{(1/2)}*17^{(1/2)}*((1+\sin(e*x+d+\arctan(3/5)))/(-34^{(1/2)}+17))^{(1/2)} \\ & *EllipticF((-17*\sin(e*x+d+\arctan(3/5))+34^{(1/2)})/(-34^{(1/2)}+17))^{(1/2)}, I*((-34^{(1/2)}+17)/(34^{(1/2)}+17))^{(1/2)}) \\ & -20*(-(17*\sin(e*x+d+\arctan(3/5))+34^{(1/2)})/(-34^{(1/2)}+17))^{(1/2)}*(-17*(\sin(e*x+d+\arctan(3/5))-1)/(34^{(1/2)}+17))^{(1/2)} \\ & *17^{(1/2)}*((1+\sin(e*x+d+\arctan(3/5)))/(-34^{(1/2)}+17))^{(1/2)}*EllipticF((-17*\sin(e*x+d+\arctan(3/5))+34^{(1/2)})/(-34^{(1/2)}+17))^{(1/2)}, \\ & I*((-34^{(1/2)}+17)/(34^{(1/2)}+17))^{(1/2)})+68/3*\sin(e*x+d+\arctan(3/5))^{(1/2)}-68/3*\sin(e*x+d+\arctan(3/5))+4/3*34^{(1/2)}*\sin(e*x+d+\arctan(3/5))^{(1/2)} \\ & -4/3*34^{(1/2)}+80/17*(-(17*\sin(e*x+d+\arctan(3/5))+34^{(1/2)})/(-34^{(1/2)}+17))^{(1/2)}*(-17*(\sin(e*x+d+\arctan(3/5))-1)/(34^{(1/2)}+17))^{(1/2)} \\ & *17^{(1/2)}*((1+\sin(e*x+d+\arctan(3/5)))/(-34^{(1/2)}+17))^{(1/2)}*EllipticE((-17*\sin(e*x+d+\arctan(3/5))+34^{(1/2)})/(-34^{(1/2)}+17))^{(1/2)}, \\ & I*((-34^{(1/2)}+17)/(34^{(1/2)}+17))^{(1/2)})*34^{(1/2)}/\cos(e*x+d+\arctan(3/5))/(34^{(1/2)}*\sin(e*x+d+\arctan(3/5))+2)^{(1/2)}/e \end{aligned}$$

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (3 \cos(ex + d) + 5 \sin(ex + d) + 2)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2+3*cos(e*x+d)+5*sin(e*x+d))^(3/2),x, algorithm="maxima")`

[Out] `integrate((3*cos(e*x + d) + 5*sin(e*x + d) + 2)^(3/2), x)`

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(3 \cos(ex + d) + 5 \sin(ex + d) + 2\right)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2+3*cos(e*x+d)+5*sin(e*x+d))^(3/2),x, algorithm="fricas")`

[Out] `integral((3*cos(e*x + d) + 5*sin(e*x + d) + 2)^(3/2), x)`

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((2+3*cos(e*x+d)+5*sin(e*x+d))**(3/2),x)
```

```
[Out] Timed out
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (3 \cos(ex + d) + 5 \sin(ex + d) + 2)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((2+3*cos(e*x+d)+5*sin(e*x+d))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((3*cos(e*x + d) + 5*sin(e*x + d) + 2)^(3/2), x)
```

### 3.405 $\int \sqrt{2 + 3 \cos(d + ex) + 5 \sin(d + ex)} dx$

**Optimal.** Leaf size=45

$$\frac{2\sqrt{2 + \sqrt{34}}E\left(\frac{1}{2}\left(d + ex - \tan^{-1}\left(\frac{5}{3}\right)\right)\middle|\frac{2}{15}(17 - \sqrt{34})\right)}{e}$$

[Out] (2\*Sqrt[2 + Sqrt[34]]\*EllipticE[(d + e\*x - ArcTan[5/3])/2, (2\*(17 - Sqrt[34]))/15])/e

**Rubi [A]** time = 0.0305556, antiderivative size = 45, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {3118, 2653}

$$\frac{2\sqrt{2 + \sqrt{34}}E\left(\frac{1}{2}\left(d + ex - \tan^{-1}\left(\frac{5}{3}\right)\right)\middle|\frac{2}{15}(17 - \sqrt{34})\right)}{e}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[2 + 3\*Cos[d + e\*x] + 5\*Sin[d + e\*x]],x]

[Out] (2\*Sqrt[2 + Sqrt[34]]\*EllipticE[(d + e\*x - ArcTan[5/3])/2, (2\*(17 - Sqrt[34]))/15])/e

#### Rule 3118

Int[Sqrt[cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]], x\_Symbol] := Int[Sqrt[a + Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 + c^2, 0] && GtQ[a + Sqrt[b^2 + c^2], 0]

#### Rule 2653

Int[Sqrt[(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rubi steps

$$\begin{aligned} \int \sqrt{2 + 3 \cos(d + ex) + 5 \sin(d + ex)} dx &= \int \sqrt{2 + \sqrt{34} \cos\left(d + ex - \tan^{-1}\left(\frac{5}{3}\right)\right)} dx \\ &= \frac{2\sqrt{2 + \sqrt{34}}E\left(\frac{1}{2}\left(d + ex - \tan^{-1}\left(\frac{5}{3}\right)\right)\middle|\frac{2}{15}(17 - \sqrt{34})\right)}{e} \end{aligned}$$

**Mathematica [C]** time = 2.30288, size = 326, normalized size = 7.24

$$\sqrt{\sin^2\left(d + ex - \tan^{-1}\left(\frac{5}{3}\right)\right)} \left( 2\sqrt{30}\sqrt{\sqrt{34} \sin\left(d + ex + \tan^{-1}\left(\frac{3}{5}\right)\right)} + 2\sqrt{\cos^2\left(d + ex + \tan^{-1}\left(\frac{3}{5}\right)\right)} \sqrt{\sqrt{34} \cos\left(d + ex\right)} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[2 + 3\*Cos[d + e\*x] + 5\*Sin[d + e\*x]],x]

[Out]  $(-15\sqrt{30}\text{AppellF1}[-1/2, -1/2, -1/2, 1/2, (\sqrt{34} + 17\cos[d + ex - \arctan(5/3)])]/(-17 + \sqrt{34}), (\sqrt{34} + 17\cos[d + ex - \arctan(5/3)])/(17 + \sqrt{34}))\sin[d + ex - \arctan(5/3)] + (-75\cos[d + ex] + 45\sin[d + ex] + 2\sqrt{30}\text{AppellF1}[1/2, 1/2, 1/2, 3/2, (\sqrt{34} + 17\sin[d + ex + \arctan(3/5)])]/(-17 + \sqrt{34}), (\sqrt{34} + 17\sin[d + ex + \arctan(3/5)])/(17 + \sqrt{34}))\sqrt{\cos[d + ex + \arctan(3/5)]^2}\sqrt{2 + \sqrt{34}}\cos[d + ex - \arctan(5/3)]\sec[d + ex + \arctan(3/5)]\sqrt{2 + \sqrt{34}}\sin[d + ex + \arctan(3/5)]}\sqrt{\sin[d + ex - \arctan(5/3)]^2})/(15e\sqrt{2 + \sqrt{34}}\cos[d + ex - \arctan(5/3)]\sqrt{\sin[d + ex - \arctan(5/3)]^2})$

**Maple [C]** time = 2.867, size = 316, normalized size = 7.

$$\frac{(2\sqrt{34}-34)\sqrt{17}}{17\cos(ex+d+\arctan(3/5))e}\sqrt{\frac{17\sin(ex+d+\arctan(3/5))+\sqrt{34}}{-\sqrt{34}+17}}\sqrt{-17\frac{\sin(ex+d+\arctan(3/5))-1}{\sqrt{34}+17}}\sqrt{1+s}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2+3\*cos(e\*x+d)+5\*sin(e\*x+d))^(1/2),x)

[Out]  $-2/17*(34^{(1/2)}-17)*(-17\sin(ex+d+\arctan(3/5))+34^{(1/2)})/(-34^{(1/2)}+17))^{(1/2)}*(-17*(\sin(ex+d+\arctan(3/5))-1)/(34^{(1/2)}+17))^{(1/2)}*17^{(1/2)}*((1+\sin(ex+d+\arctan(3/5)))/(-34^{(1/2)}+17))^{(1/2)}*(\text{EllipticE}((-17\sin(ex+d+\arctan(3/5))+34^{(1/2)})/(-34^{(1/2)}+17))^{(1/2)}, I*((-34^{(1/2)}+17)/(34^{(1/2)}+17))^{(1/2)})*34^{(1/2)}-34^{(1/2)}*\text{EllipticF}((-17\sin(ex+d+\arctan(3/5))+34^{(1/2)})/(-34^{(1/2)}+17))^{(1/2)}, I*((-34^{(1/2)}+17)/(34^{(1/2)}+17))^{(1/2)})+2*\text{EllipticE}((-17\sin(ex+d+\arctan(3/5))+34^{(1/2)})/(-34^{(1/2)}+17))^{(1/2)}, I*((-34^{(1/2)}+17)/(34^{(1/2)}+17))^{(1/2)})-2*\text{EllipticF}((-17\sin(ex+d+\arctan(3/5))+34^{(1/2)})/(-34^{(1/2)}+17))^{(1/2)}, I*((-34^{(1/2)}+17)/(34^{(1/2)}+17))^{(1/2)})/\cos(ex+d+\arctan(3/5))/(34^{(1/2)}*\sin(ex+d+\arctan(3/5))+2)^{(1/2)}/e$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{3 \cos(ex + d) + 5 \sin(ex + d) + 2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2+3\*cos(e\*x+d)+5\*sin(e\*x+d))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(3\*cos(e\*x + d) + 5\*sin(e\*x + d) + 2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}(\sqrt{3 \cos(ex + d) + 5 \sin(ex + d) + 2}, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2+3\*cos(e\*x+d)+5\*sin(e\*x+d))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(3\*cos(e\*x + d) + 5\*sin(e\*x + d) + 2), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{5 \sin(d + ex) + 3 \cos(d + ex) + 2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2+3\*cos(e\*x+d)+5\*sin(e\*x+d))\*\*(1/2),x)

[Out] Integral(sqrt(5\*sin(d + e\*x) + 3\*cos(d + e\*x) + 2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{3 \cos(ex + d) + 5 \sin(ex + d) + 2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2+3\*cos(e\*x+d)+5\*sin(e\*x+d))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(3\*cos(e\*x + d) + 5\*sin(e\*x + d) + 2), x)

$$3.406 \quad \int \frac{1}{\sqrt{2+3 \cos(d+ex)+5 \sin(d+ex)}} dx$$

**Optimal.** Leaf size=45

$$\frac{2\text{EllipticF}\left(\frac{1}{2}\left(d+ex-\tan^{-1}\left(\frac{5}{3}\right)\right), \frac{2}{15}(17-\sqrt{34})\right)}{\sqrt{2+\sqrt{34}e}}$$

[Out] (2\*EllipticF[(d + e\*x - ArcTan[5/3])/2, (2\*(17 - Sqrt[34]))/15])/(Sqrt[2 + Sqrt[34]]\*e)

**Rubi [A]** time = 0.0372017, antiderivative size = 45, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {3126, 2661}

$$\frac{2F\left(\frac{1}{2}\left(d+ex-\tan^{-1}\left(\frac{5}{3}\right)\right)\middle|\frac{2}{15}(17-\sqrt{34})\right)}{\sqrt{2+\sqrt{34}e}}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[2 + 3\*Cos[d + e\*x] + 5\*Sin[d + e\*x]],x]

[Out] (2\*EllipticF[(d + e\*x - ArcTan[5/3])/2, (2\*(17 - Sqrt[34]))/15])/(Sqrt[2 + Sqrt[34]]\*e)

#### Rule 3126

Int[1/Sqrt[cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]], x\_Symbol] :> Int[1/Sqrt[a + Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 + c^2, 0] && GtQ[a + Sqrt[b^2 + c^2], 0]

#### Rule 2661

Int[1/Sqrt[(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{1}{\sqrt{2+3 \cos(d+ex)+5 \sin(d+ex)}} dx &= \int \frac{1}{\sqrt{2+\sqrt{34} \cos\left(d+ex-\tan^{-1}\left(\frac{5}{3}\right)\right)}} dx \\ &= \frac{2F\left(\frac{1}{2}\left(d+ex-\tan^{-1}\left(\frac{5}{3}\right)\right)\middle|\frac{2}{15}(17-\sqrt{34})\right)}{\sqrt{2+\sqrt{34}e}} \end{aligned}$$

**Mathematica [C]** time = 0.261814, size = 128, normalized size = 2.84

$$\sqrt{\frac{2}{15}} \sqrt{\sqrt{34} \sin\left(d+ex+\tan^{-1}\left(\frac{3}{5}\right)\right)+2} \sqrt{\cos^2\left(d+ex+\tan^{-1}\left(\frac{3}{5}\right)\right)} \sec\left(d+ex+\tan^{-1}\left(\frac{3}{5}\right)\right) F_1\left(\frac{1}{2}; \frac{1}{2}, \frac{1}{2}; \frac{3}{2}; \frac{17 \sin\left(d+ex+\tan^{-1}\left(\frac{3}{5}\right)\right)}{-17+\sqrt{34} \sin\left(d+ex+\tan^{-1}\left(\frac{3}{5}\right)\right)+2}\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/Sqrt[2 + 3\*Cos[d + e\*x] + 5\*Sin[d + e\*x]],x]

[Out] (Sqrt[2/15]\*AppellF1[1/2, 1/2, 1/2, 3/2, (Sqrt[34] + 17\*Sin[d + e\*x + ArcTan[3/5]])/(-17 + Sqrt[34]), (Sqrt[34] + 17\*Sin[d + e\*x + ArcTan[3/5]])/(17 + Sqrt[34])] \* Sqrt[Cos[d + e\*x + ArcTan[3/5]]^2] \* Sec[d + e\*x + ArcTan[3/5]] \* Sqrt[2 + Sqrt[34]\*Sin[d + e\*x + ArcTan[3/5]]])/e

**Maple [C]** time = 2.134, size = 158, normalized size = 3.5

$$\frac{(2\sqrt{34}-34)\sqrt{17}}{17\cos(ex+d+\arctan(3/5))e} \sqrt{\frac{17\sin(ex+d+\arctan(3/5))+\sqrt{34}}{-\sqrt{34}+17}} \sqrt{\frac{-17\sin(ex+d+\arctan(3/5))-1}{\sqrt{34}+17}} \sqrt{1+}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(2+3\*cos(e\*x+d)+5\*sin(e\*x+d))^(1/2),x)

[Out] 2/17\*(34^(1/2)-17)\*(-(17\*sin(e\*x+d+arctan(3/5))+34^(1/2))/(-34^(1/2)+17))^(1/2)\*(-17\*(sin(e\*x+d+arctan(3/5))-1)/(34^(1/2)+17))^(1/2)\*17^(1/2)\*((1+sin(e\*x+d+arctan(3/5)))/(-34^(1/2)+17))^(1/2)\*EllipticF((-17\*sin(e\*x+d+arctan(3/5))+34^(1/2))/(-34^(1/2)+17))^(1/2), I\*((-34^(1/2)+17)/(34^(1/2)+17))^(1/2))/cos(e\*x+d+arctan(3/5))/(34^(1/2)\*sin(e\*x+d+arctan(3/5))+2)^(1/2)/e

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{3\cos(ex+d)+5\sin(ex+d)+2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2+3\*cos(e\*x+d)+5\*sin(e\*x+d))^(1/2),x, algorithm="maxima")

[Out] integrate(1/sqrt(3\*cos(e\*x + d) + 5\*sin(e\*x + d) + 2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{\sqrt{3\cos(ex+d)+5\sin(ex+d)+2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2+3\*cos(e\*x+d)+5\*sin(e\*x+d))^(1/2),x, algorithm="fricas")

[Out] integral(1/sqrt(3\*cos(e\*x + d) + 5\*sin(e\*x + d) + 2), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{5 \sin(d + ex) + 3 \cos(d + ex) + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2+3\*cos(e\*x+d)+5\*sin(e\*x+d))\*\*(1/2),x)

[Out] Integral(1/sqrt(5\*sin(d + e\*x) + 3\*cos(d + e\*x) + 2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{3 \cos(ex + d) + 5 \sin(ex + d) + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2+3\*cos(e\*x+d)+5\*sin(e\*x+d))^(1/2),x, algorithm="giac")

[Out] integrate(1/sqrt(3\*cos(e\*x + d) + 5\*sin(e\*x + d) + 2), x)



$$3.407 \quad \int \frac{1}{(2+3 \cos(d+ex)+5 \sin(d+ex))^{3/2}} dx$$

**Optimal.** Leaf size=94

$$\frac{5 \cos(d+ex) - 3 \sin(d+ex)}{15e\sqrt{5 \sin(d+ex) + 3 \cos(d+ex) + 2}} - \frac{\sqrt{2 + \sqrt{34}} E\left(\frac{1}{2}\left(d+ex - \tan^{-1}\left(\frac{5}{3}\right)\right)\right) \frac{2}{15} (17 - \sqrt{34})}{15e}$$

[Out] -(Sqrt[2 + Sqrt[34]]\*EllipticE[(d + e\*x - ArcTan[5/3])/2, (2\*(17 - Sqrt[34])/15)]/(15\*e) - (5\*Cos[d + e\*x] - 3\*Sin[d + e\*x])/(15\*e\*Sqrt[2 + 3\*Cos[d + e\*x] + 5\*Sin[d + e\*x]]))

**Rubi [A]** time = 0.0535315, antiderivative size = 94, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$ , Rules used = {3128, 3118, 2653}

$$\frac{5 \cos(d+ex) - 3 \sin(d+ex)}{15e\sqrt{5 \sin(d+ex) + 3 \cos(d+ex) + 2}} - \frac{\sqrt{2 + \sqrt{34}} E\left(\frac{1}{2}\left(d+ex - \tan^{-1}\left(\frac{5}{3}\right)\right)\right) \frac{2}{15} (17 - \sqrt{34})}{15e}$$

Antiderivative was successfully verified.

[In] Int[(2 + 3\*Cos[d + e\*x] + 5\*Sin[d + e\*x])^(-3/2), x]

[Out] -(Sqrt[2 + Sqrt[34]]\*EllipticE[(d + e\*x - ArcTan[5/3])/2, (2\*(17 - Sqrt[34])/15)]/(15\*e) - (5\*Cos[d + e\*x] - 3\*Sin[d + e\*x])/(15\*e\*Sqrt[2 + 3\*Cos[d + e\*x] + 5\*Sin[d + e\*x]]))

#### Rule 3128

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(-3/2), x\_Symbol] :> Simp[(2\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x]))/(e\*(a^2 - b^2 - c^2)\*Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]]), x] + Dist[1/(a^2 - b^2 - c^2), Int[Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]

#### Rule 3118

Int[Sqrt[cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]]], x\_Symbol] :> Int[Sqrt[a + Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 + c^2, 0] && GtQ[a + Sqrt[b^2 + c^2], 0]

#### Rule 2653

Int[Sqrt[(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)]]], x\_Symbol] :> Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rubi steps

$$\int \frac{1}{(2 + 3 \cos(d + ex) + 5 \sin(d + ex))^{3/2}} dx = -\frac{5 \cos(d + ex) - 3 \sin(d + ex)}{15e\sqrt{2 + 3 \cos(d + ex) + 5 \sin(d + ex)}} - \frac{1}{30} \int \sqrt{2 + 3 \cos(d + ex) + 5 \sin(d + ex)}$$

$$= -\frac{5 \cos(d + ex) - 3 \sin(d + ex)}{15e\sqrt{2 + 3 \cos(d + ex) + 5 \sin(d + ex)}} - \frac{1}{30} \int \sqrt{2 + \sqrt{34} \cos\left(d + ex - \tan^{-1}\left(\frac{5}{3}\right)\right)}$$

$$= -\frac{\sqrt{2 + \sqrt{34}} E\left(\frac{1}{2}\left(d + ex - \tan^{-1}\left(\frac{5}{3}\right)\right) \mid \frac{2}{15}(17 - \sqrt{34})\right)}{15e} - \frac{5 \cos(d + ex)}{15e\sqrt{2 + 3 \cos(d + ex) + 5 \sin(d + ex)}}$$

**Mathematica [C]** time = 6.14109, size = 528, normalized size = 5.62

$$17 \left[ \frac{5\sqrt{\frac{1}{34}(17+\sqrt{34})} \sin\left(d+ex-\tan^{-1}\left(\frac{5}{3}\right)\right) F_1\left(-\frac{1}{2}, -\frac{1}{2}, -\frac{1}{2}, \frac{1}{2}; -\frac{\sqrt{34} \cos(d+ex-\tan^{-1}(\frac{5}{3}))+2}{\sqrt{34}(1-\sqrt{\frac{2}{17}})}, -\frac{\sqrt{34} \cos(d+ex-\tan^{-1}(\frac{5}{3}))+2}{\sqrt{34}(-1-\sqrt{\frac{2}{17}})}\right)}{17\sqrt{1-\cos\left(d+ex-\tan^{-1}\left(\frac{5}{3}\right)\right)} \sqrt{-\frac{\cos\left(d+ex-\tan^{-1}\left(\frac{5}{3}\right)\right)+1}{\sqrt{34}-17}} \sqrt{\sqrt{34} \cos\left(d+ex-\tan^{-1}\left(\frac{5}{3}\right)\right)+2}} - \frac{\frac{3}{17} (\sqrt{34} \cos(d+ex-\tan^{-1}(\frac{5}{3}))+2)}{\sqrt{\sqrt{34} \cos(d+ex-\tan^{-1}(\frac{5}{3}))}} \right] \frac{1}{75e}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(2 + 3\*Cos[d + e\*x] + 5\*Sin[d + e\*x])^(-3/2), x]

[Out] (Sqrt[2 + 3\*Cos[d + e\*x] + 5\*Sin[d + e\*x]]\*(-34/225 + (2\*(5 + 17\*Sin[d + e\*x]))/(45\*(2 + 3\*Cos[d + e\*x] + 5\*Sin[d + e\*x])))/e - (Sqrt[34/(17 + Sqrt[34])] \* AppellF1[1/2, 1/2, 1/2, 3/2, -((2 + Sqrt[34]\*Sin[d + e\*x + ArcTan[3/5]])/(Sqrt[34]\*(1 - Sqrt[2/17]))), -((2 + Sqrt[34]\*Sin[d + e\*x + ArcTan[3/5]])/(Sqrt[34]\*(-1 - Sqrt[2/17])))] \* Sec[d + e\*x + ArcTan[3/5]] \* Sqrt[1 - Sin[d + e\*x + ArcTan[3/5]]] \* Sqrt[-((1 + Sin[d + e\*x + ArcTan[3/5]])/(-17 + Sqrt[34]))] \* Sqrt[2 + Sqrt[34]\*Sin[d + e\*x + ArcTan[3/5]]]/(15\*e) - (17\*((-5\*Sqrt[(17 + Sqrt[34])/34] \* AppellF1[-1/2, -1/2, -1/2, 1/2, -((2 + Sqrt[34]\*Cos[d + e\*x - ArcTan[5/3]])/(Sqrt[34]\*(1 - Sqrt[2/17]))), -((2 + Sqrt[34]\*Cos[d + e\*x - ArcTan[5/3]])/(Sqrt[34]\*(-1 - Sqrt[2/17])))] \* Sin[d + e\*x - ArcTan[5/3]])/(17\*Sqrt[1 - Cos[d + e\*x - ArcTan[5/3]]] \* Sqrt[-((1 + Cos[d + e\*x - ArcTan[5/3]])/(-17 + Sqrt[34]))] \* Sqrt[2 + Sqrt[34]\*Cos[d + e\*x - ArcTan[5/3]]]) - ((3\*(2 + Sqrt[34]\*Cos[d + e\*x - ArcTan[5/3]]))/17 - (5\*Sin[d + e\*x - ArcTan[5/3]])/Sqrt[34])/Sqrt[2 + Sqrt[34]\*Cos[d + e\*x - ArcTan[5/3]]])/(75\*e)

**Maple [C]** time = 3.376, size = 425, normalized size = 4.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(2+3\*cos(e\*x+d)+5\*sin(e\*x+d))^(3/2), x)

[Out] 1/4335\*34^(1/2)\*(255\*((17\*sin(e\*x+d+arctan(3/5))+34^(1/2))\*34^(1/2)\*cos(e\*x+d+arctan(3/5))^2)^(1/2)\*((17\*sin(e\*x+d+arctan(3/5))+34^(1/2))/(34^(1/2)+17))^1/2\*((1+sin(e\*x+d+arctan(3/5)))/(-34^(1/2)+17))^1/2\*(-17\*(sin(e\*x+d+arctan(3/5))-1)/(34^(1/2)+17))^1/2\*EllipticF(((17\*sin(e\*x+d+arctan(3/5))+34^(1/2))/(34^(1/2)+17))^1/2, I\*(1/(-34^(1/2)+17)\*(34^(1/2)+17))^1/2)-255\*((17\*sin(e\*x+d+arctan(3/5))+34^(1/2))\*34^(1/2)\*cos(e\*x+d+arctan(3/5))^2)^(1/2)\*((17\*sin(e\*x+d+arctan(3/5))+34^(1/2))/(34^(1/2)+17))^1/2\*((1+sin(e\*x+d+arctan(3/5)))/(-34^(1/2)+17))^1/2\*(-17\*(sin(e\*x+d+arctan(3/5))-1)/(34^(1/2)+17))^1/2)

$x+d+\arctan(3/5)))/(-34^{(1/2)+17))^{(1/2)}*(-17*(\sin(e*x+d+\arctan(3/5))-1)/(34^{(1/2)+17))^{(1/2)}*EllipticE(((17*\sin(e*x+d+\arctan(3/5))+34^{(1/2)))/(34^{(1/2)}+17))^{(1/2)}, I*(1/(-34^{(1/2)+17))*34^{(1/2)+17))^{(1/2)}+289*((34^{(1/2)}*\sin(e*x+d+\arctan(3/5))+2)*\cos(e*x+d+\arctan(3/5))^{(1/2)}*\sin(e*x+d+\arctan(3/5))^{(1/2)}-289*((34^{(1/2)}*\sin(e*x+d+\arctan(3/5))+2)*\cos(e*x+d+\arctan(3/5))^{(1/2)})*17^{(1/2)})/((17*\sin(e*x+d+\arctan(3/5))+34^{(1/2))}*34^{(1/2)}*\cos(e*x+d+\arctan(3/5))^{(1/2)})/\cos(e*x+d+\arctan(3/5))/(34^{(1/2)}*\sin(e*x+d+\arctan(3/5))+2)^{(1/2)}/e$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(3 \cos(ex + d) + 5 \sin(ex + d) + 2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2+3\*cos(e\*x+d)+5\*sin(e\*x+d))^(3/2), x, algorithm="maxima")

[Out] integrate((3\*cos(e\*x + d) + 5\*sin(e\*x + d) + 2)^(-3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{3 \cos(ex + d) + 5 \sin(ex + d) + 2}}{16 \cos(ex + d)^2 - 10(3 \cos(ex + d) + 2) \sin(ex + d) - 12 \cos(ex + d) - 29}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2+3\*cos(e\*x+d)+5\*sin(e\*x+d))^(3/2), x, algorithm="fricas")

[Out] integral(-sqrt(3\*cos(e\*x + d) + 5\*sin(e\*x + d) + 2)/(16\*cos(e\*x + d)^2 - 10\*(3\*cos(e\*x + d) + 2)\*sin(e\*x + d) - 12\*cos(e\*x + d) - 29), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(5 \sin(d + ex) + 3 \cos(d + ex) + 2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2+3\*cos(e\*x+d)+5\*sin(e\*x+d))\*\*(3/2), x)

[Out] Integral((5\*sin(d + e\*x) + 3\*cos(d + e\*x) + 2)\*\*(-3/2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(3 \cos(ex + d) + 5 \sin(ex + d) + 2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(2+3*cos(e*x+d)+5*sin(e*x+d))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((3*cos(e*x + d) + 5*sin(e*x + d) + 2)^(-3/2), x)
```

$$3.408 \quad \int \frac{1}{(2+3 \cos(d+ex)+5 \sin(d+ex))^{5/2}} dx$$

**Optimal.** Leaf size=187

$$\frac{\text{EllipticF}\left(\frac{1}{2}\left(d+ex-\tan^{-1}\left(\frac{5}{3}\right)\right), \frac{2}{15}(17-\sqrt{34})\right)}{45\sqrt{2+\sqrt{34}}e} + \frac{4(5 \cos(d+ex)-3 \sin(d+ex))}{675e\sqrt{5 \sin(d+ex)+3 \cos(d+ex)+2}} - \frac{5 \cos(d+ex)}{45e(5 \sin(d+ex)+3)}$$

[Out] (4\*Sqrt[2 + Sqrt[34]]\*EllipticE[(d + e\*x - ArcTan[5/3])/2, (2\*(17 - Sqrt[34]))/15])/(675\*e) + EllipticF[(d + e\*x - ArcTan[5/3])/2, (2\*(17 - Sqrt[34]))/15]/(45\*Sqrt[2 + Sqrt[34]]\*e) - (5\*Cos[d + e\*x] - 3\*Sin[d + e\*x])/(45\*e\*(2 + 3\*Cos[d + e\*x] + 5\*Sin[d + e\*x])^(3/2)) + (4\*(5\*Cos[d + e\*x] - 3\*Sin[d + e\*x]))/(675\*e\*Sqrt[2 + 3\*Cos[d + e\*x] + 5\*Sin[d + e\*x]])

**Rubi [A]** time = 0.199658, antiderivative size = 187, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.318$ , Rules used = {3129, 3156, 3149, 3118, 2653, 3126, 2661}

$$\frac{4(5 \cos(d+ex)-3 \sin(d+ex))}{675e\sqrt{5 \sin(d+ex)+3 \cos(d+ex)+2}} - \frac{5 \cos(d+ex)-3 \sin(d+ex)}{45e(5 \sin(d+ex)+3 \cos(d+ex)+2)^{3/2}} + \frac{F\left(\frac{1}{2}\left(d+ex-\tan^{-1}\left(\frac{5}{3}\right)\right)\right)\frac{2}{15}}{45\sqrt{2+\sqrt{34}}e}$$

Antiderivative was successfully verified.

[In] Int[(2 + 3\*Cos[d + e\*x] + 5\*Sin[d + e\*x])^(-5/2), x]

[Out] (4\*Sqrt[2 + Sqrt[34]]\*EllipticE[(d + e\*x - ArcTan[5/3])/2, (2\*(17 - Sqrt[34]))/15])/(675\*e) + EllipticF[(d + e\*x - ArcTan[5/3])/2, (2\*(17 - Sqrt[34]))/15]/(45\*Sqrt[2 + Sqrt[34]]\*e) - (5\*Cos[d + e\*x] - 3\*Sin[d + e\*x])/(45\*e\*(2 + 3\*Cos[d + e\*x] + 5\*Sin[d + e\*x])^(3/2)) + (4\*(5\*Cos[d + e\*x] - 3\*Sin[d + e\*x]))/(675\*e\*Sqrt[2 + 3\*Cos[d + e\*x] + 5\*Sin[d + e\*x]])

#### Rule 3129

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Simp[((-(c\*Cos[d + e\*x]) + b\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1))/(e\*(n + 1)\*(a^2 - b^2 - c^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2 - c^2)), Int[(a\*(n + 1) - b\*(n + 2)\*Cos[d + e\*x] - c\*(n + 2)\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && LtQ[n, -1] && NeQ[n, -3/2]

#### Rule 3156

Int[((a\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(n\_.)\*((A\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]), x\_Symbol] :> -Simp[((c\*B - b\*C - (a\*C - c\*A)\*Cos[d + e\*x] + (a\*B - b\*A)\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1))/(e\*(n + 1)\*(a^2 - b^2 - c^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2 - c^2)), Int[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1)\*Simp[(n + 1)\*(a\*A - b\*B - c\*C) + (n + 2)\*(a\*B - b\*A)\*Cos[d + e\*x] + (n + 2)\*(a\*C - c\*A)\*Sin[d + e\*x], x], x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && LtQ[n, -1] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[n, -2]

#### Rule 3149

```
Int[((A_.) + cos[(d_.) + (e_.)*(x_.)]*(B_.) + (C_.)*sin[(d_.) + (e_.)*(x_.)]
/Sqrt[cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)]
, x_Symbol] := Dist[B/b, Int[Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]], x],
x] + Dist[(A*b - a*B)/b, Int[1/Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]],
x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && EqQ[B*c - b*C, 0] && NeQ[A*
b - a*B, 0]
```

### Rule 3118

```
Int[Sqrt[cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)
]], x_Symbol] := Int[Sqrt[a + Sqrt[b^2 + c^2]*Cos[d + e*x - ArcTan[b, c]]],
x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 + c^2, 0] && GtQ[a + Sqrt[b^2
+ c^2], 0]
```

### Rule 2653

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

### Rule 3126

```
Int[1/Sqrt[cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(
x_.)]], x_Symbol] := Int[1/Sqrt[a + Sqrt[b^2 + c^2]*Cos[d + e*x - ArcTan[b,
c]]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 + c^2, 0] && GtQ[a + Sqrt[
b^2 + c^2], 0]
```

### Rule 2661

```
Int[1/Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{1}{(2 + 3 \cos(d + ex) + 5 \sin(d + ex))^{5/2}} dx &= -\frac{5 \cos(d + ex) - 3 \sin(d + ex)}{45e(2 + 3 \cos(d + ex) + 5 \sin(d + ex))^{3/2}} + \frac{1}{45} \int \frac{-3 + \frac{3}{2} \cos(d + ex) + \frac{1}{2} \sin(d + ex)}{(2 + 3 \cos(d + ex) + 5 \sin(d + ex))^{5/2}} dx \\ &= -\frac{5 \cos(d + ex) - 3 \sin(d + ex)}{45e(2 + 3 \cos(d + ex) + 5 \sin(d + ex))^{3/2}} + \frac{4(5 \cos(d + ex) - 3 \sin(d + ex))}{675e\sqrt{2 + 3 \cos(d + ex) + 5 \sin(d + ex)}} \\ &= -\frac{5 \cos(d + ex) - 3 \sin(d + ex)}{45e(2 + 3 \cos(d + ex) + 5 \sin(d + ex))^{3/2}} + \frac{4(5 \cos(d + ex) - 3 \sin(d + ex))}{675e\sqrt{2 + 3 \cos(d + ex) + 5 \sin(d + ex)}} \\ &= -\frac{5 \cos(d + ex) - 3 \sin(d + ex)}{45e(2 + 3 \cos(d + ex) + 5 \sin(d + ex))^{3/2}} + \frac{4(5 \cos(d + ex) - 3 \sin(d + ex))}{675e\sqrt{2 + 3 \cos(d + ex) + 5 \sin(d + ex)}} \\ &= \frac{4\sqrt{2 + \sqrt{34}}E\left(\frac{1}{2}\left(d + ex - \tan^{-1}\left(\frac{5}{3}\right)\right)\middle|\frac{2}{15}(17 - \sqrt{34})\right)}{675e} + \frac{F\left(\frac{1}{2}\left(d + ex - \tan^{-1}\left(\frac{5}{3}\right)\right)\right)}{45\sqrt{2 + 3 \cos(d + ex) + 5 \sin(d + ex)}} \end{aligned}$$

**Mathematica [C]** time = 3.25928, size = 430, normalized size = 2.3

$$23\sqrt{\frac{10}{3}}\sqrt{\sqrt{34}\sin\left(d + ex + \tan^{-1}\left(\frac{3}{5}\right)\right) + 2\sqrt{\cos^2\left(d + ex + \tan^{-1}\left(\frac{3}{5}\right)\right)}\sec\left(d + ex + \tan^{-1}\left(\frac{3}{5}\right)\right)}F_1\left(\frac{1}{2}; \frac{1}{2}, \frac{1}{2}; \frac{3}{2}; \frac{17\sin(d+ex)}{45\sqrt{2+3\cos(d+ex)+5\sin(d+ex)}}\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(2 + 3\*Cos[d + e\*x] + 5\*Sin[d + e\*x])^(-5/2),x]

[Out] (-24\*Sqrt[2 + Sqrt[34]\*Cos[d + e\*x - ArcTan[5/3]]) + (272\*Sqrt[2 + 3\*Cos[d + e\*x] + 5\*Sin[d + e\*x]])/3 + (100\*(5 + 17\*Sin[d + e\*x]))/(2 + 3\*Cos[d + e\*x] + 5\*Sin[d + e\*x])^(3/2) - (10\*(115 + 136\*Sin[d + e\*x]))/(3\*Sqrt[2 + 3\*Cos[d + e\*x] + 5\*Sin[d + e\*x]]) + 23\*Sqrt[10/3]\*AppellF1[1/2, 1/2, 1/2, 3/2, (Sqrt[34] + 17\*Sin[d + e\*x + ArcTan[3/5]])/(-17 + Sqrt[34]), (Sqrt[34] + 17\*Sin[d + e\*x + ArcTan[3/5]])/(17 + Sqrt[34])] \* Sqrt[Cos[d + e\*x + ArcTan[3/5]]^2] \* Sec[d + e\*x + ArcTan[3/5]] \* Sqrt[2 + Sqrt[34]\*Sin[d + e\*x + ArcTan[3/5]]] + (20\*Sin[d + e\*x - ArcTan[5/3]])/Sqrt[1/17 + Cos[d + e\*x - ArcTan[5/3]]/Sqrt[34]] - (20\*Sqrt[30]\*AppellF1[-1/2, -1/2, -1/2, 1/2, (Sqrt[34] + 17\*Cos[d + e\*x - ArcTan[5/3]])/(-17 + Sqrt[34]), (Sqrt[34] + 17\*Cos[d + e\*x - ArcTan[5/3]])/(17 + Sqrt[34])] \* Csc[d + e\*x - ArcTan[5/3]] \* Sqrt[Sin[d + e\*x - ArcTan[5/3]]^2])/Sqrt[2 + Sqrt[34]\*Cos[d + e\*x - ArcTan[5/3]]]/(6750\*e)

**Maple [C]** time = 6.476, size = 524, normalized size = 2.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(2+3\*cos(e\*x+d)+5\*sin(e\*x+d))^(5/2),x)

[Out] (-(-34^(1/2)\*sin(e\*x+d+arctan(3/5))-2)\*cos(e\*x+d+arctan(3/5))^2)^(1/2)\*(-1/1530\*34^(1/2)\*(-(-34^(1/2)\*sin(e\*x+d+arctan(3/5))-2)\*cos(e\*x+d+arctan(3/5))^2)^(1/2)/(sin(e\*x+d+arctan(3/5))+1/17\*34^(1/2))^2+68/675\*34^(1/2)\*cos(e\*x+d+arctan(3/5))^2/(-(-289\*sin(e\*x+d+arctan(3/5))-17\*34^(1/2))\*34^(1/2)\*cos(e\*x+d+arctan(3/5))^2)^(1/2)+23/675\*(1/17\*34^(1/2)+1)\*((17\*sin(e\*x+d+arctan(3/5))+34^(1/2))/(34^(1/2)+17))^1/2)\*((17\*sin(e\*x+d+arctan(3/5))+17)/(-34^(1/2)+17))^1/2)\*((-17\*sin(e\*x+d+arctan(3/5))+17)/(34^(1/2)+17))^1/2/(-(-34^(1/2)\*sin(e\*x+d+arctan(3/5))-2)\*cos(e\*x+d+arctan(3/5))^2)^(1/2)\*EllipticF(((17\*sin(e\*x+d+arctan(3/5))+34^(1/2))/(34^(1/2)+17))^1/2, I\*(1/(-34^(1/2)+17)\*(34^(1/2)+17))^1/2)+4/675\*34^(1/2)\*(1/17\*34^(1/2)+1)\*((17\*sin(e\*x+d+arctan(3/5))+34^(1/2))/(34^(1/2)+17))^1/2)\*((17\*sin(e\*x+d+arctan(3/5))+17)/(-34^(1/2)+17))^1/2)\*((-17\*sin(e\*x+d+arctan(3/5))+17)/(34^(1/2)+17))^1/2/(-(-34^(1/2)\*sin(e\*x+d+arctan(3/5))-2)\*cos(e\*x+d+arctan(3/5))^2)^(1/2)\*((-1/17\*34^(1/2)+1)\*EllipticE(((17\*sin(e\*x+d+arctan(3/5))+34^(1/2))/(34^(1/2)+17))^1/2, I\*(1/(-34^(1/2)+17)\*(34^(1/2)+17))^1/2)-EllipticF(((17\*sin(e\*x+d+arctan(3/5))+34^(1/2))/(34^(1/2)+17))^1/2, I\*(1/(-34^(1/2)+17)\*(34^(1/2)+17))^1/2)))/cos(e\*x+d+arctan(3/5))/(34^(1/2)\*sin(e\*x+d+arctan(3/5))+2)^(1/2)/e

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(3 \cos(ex + d) + 5 \sin(ex + d) + 2)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2+3\*cos(e\*x+d)+5\*sin(e\*x+d))^(5/2),x, algorithm="maxima")

[Out] integrate((3\*cos(e\*x + d) + 5\*sin(e\*x + d) + 2)^(-5/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

integral $\left(-\frac{\sqrt{3 \cos (ex + d) + 5 \sin (ex + d) + 2}}{198 \cos (ex + d)^3 + 96 \cos (ex + d)^2 - 5(2 \cos (ex + d)^2 + 36 \cos (ex + d) + 37) \sin (ex + d) - 261 \cos (ex + d) - 158}, x\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2+3\*cos(e\*x+d)+5\*sin(e\*x+d))^(5/2),x, algorithm="fricas")

[Out] integral(-sqrt(3\*cos(e\*x + d) + 5\*sin(e\*x + d) + 2)/(198\*cos(e\*x + d)^3 + 96\*cos(e\*x + d)^2 - 5\*(2\*cos(e\*x + d)^2 + 36\*cos(e\*x + d) + 37)\*sin(e\*x + d) - 261\*cos(e\*x + d) - 158), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2+3\*cos(e\*x+d)+5\*sin(e\*x+d))\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(3 \cos (ex + d) + 5 \sin (ex + d) + 2)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2+3\*cos(e\*x+d)+5\*sin(e\*x+d))^(5/2),x, algorithm="giac")

[Out] integrate((3\*cos(e\*x + d) + 5\*sin(e\*x + d) + 2)^(-5/2), x)



$$3.409 \quad \int \frac{1}{(2+3 \cos(d+ex)+5 \sin(d+ex))^{7/2}} dx$$

**Optimal.** Leaf size=233

$$\frac{8 \operatorname{EllipticF}\left(\frac{1}{2}\left(d+ex-\tan^{-1}\left(\frac{5}{3}\right)\right), \frac{2}{15}\left(17-\sqrt{34}\right)\right)}{3375\sqrt{2+\sqrt{34}}e} - \frac{199(5 \cos(d+ex)-3 \sin(d+ex))}{101250e\sqrt{5 \sin(d+ex)+3 \cos(d+ex)+2}} + \frac{8(5 \cos(d+ex)-3 \sin(d+ex))}{3375e(5 \sin(d+ex)+3 \cos(d+ex)+2)}$$

```
[Out] (-199*sqrt[2 + sqrt[34]]*EllipticE[(d + e*x - ArcTan[5/3])/2, (2*(17 - sqrt[34]))/15])/(101250*e) - (8*EllipticF[(d + e*x - ArcTan[5/3])/2, (2*(17 - sqrt[34]))/15])/(3375*sqrt[2 + sqrt[34]]*e) - (5*Cos[d + e*x] - 3*Sin[d + e*x])/(75*e*(2 + 3*Cos[d + e*x] + 5*Sin[d + e*x])^(5/2)) + (8*(5*Cos[d + e*x] - 3*Sin[d + e*x]))/(3375*e*(2 + 3*Cos[d + e*x] + 5*Sin[d + e*x])^(3/2)) - (199*(5*Cos[d + e*x] - 3*Sin[d + e*x]))/(101250*e*sqrt[2 + 3*Cos[d + e*x] + 5*Sin[d + e*x]])
```

**Rubi [A]** time = 0.259548, antiderivative size = 233, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.318$ , Rules used = {3129, 3156, 3149, 3118, 2653, 3126, 2661}

$$\frac{199(5 \cos(d+ex)-3 \sin(d+ex))}{101250e\sqrt{5 \sin(d+ex)+3 \cos(d+ex)+2}} + \frac{8(5 \cos(d+ex)-3 \sin(d+ex))}{3375e(5 \sin(d+ex)+3 \cos(d+ex)+2)^{3/2}} - \frac{5 \cos(d+ex)-3 \sin(d+ex)}{75e(5 \sin(d+ex)+3 \cos(d+ex)+2)}$$

Antiderivative was successfully verified.

```
[In] Int[(2 + 3*Cos[d + e*x] + 5*Sin[d + e*x])^(-7/2), x]
```

```
[Out] (-199*sqrt[2 + sqrt[34]]*EllipticE[(d + e*x - ArcTan[5/3])/2, (2*(17 - sqrt[34]))/15])/(101250*e) - (8*EllipticF[(d + e*x - ArcTan[5/3])/2, (2*(17 - sqrt[34]))/15])/(3375*sqrt[2 + sqrt[34]]*e) - (5*Cos[d + e*x] - 3*Sin[d + e*x])/(75*e*(2 + 3*Cos[d + e*x] + 5*Sin[d + e*x])^(5/2)) + (8*(5*Cos[d + e*x] - 3*Sin[d + e*x]))/(3375*e*(2 + 3*Cos[d + e*x] + 5*Sin[d + e*x])^(3/2)) - (199*(5*Cos[d + e*x] - 3*Sin[d + e*x]))/(101250*e*sqrt[2 + 3*Cos[d + e*x] + 5*Sin[d + e*x]])
```

#### Rule 3129

```
Int[(cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^(n_), x_Symbol] :> Simp[((-(c*Cos[d + e*x]) + b*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n + 1))/(e*(n + 1)*(a^2 - b^2 - c^2)), x] + Dist[1/((n + 1)*(a^2 - b^2 - c^2)), Int[(a*(n + 1) - b*(n + 2)*Cos[d + e*x] - c*(n + 2)*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && LtQ[n, -1] && NeQ[n, -3/2]
```

#### Rule 3156

```
Int[((a_.) + cos[(d_.) + (e_.)*(x_.)]*(b_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^(n_)*((A_.) + cos[(d_.) + (e_.)*(x_.)]*(B_.) + (C_.)*sin[(d_.) + (e_.)*(x_.)]), x_Symbol] :> -Simp[((c*B - b*C - (a*C - c*A)*Cos[d + e*x] + (a*B - b*A)*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n + 1))/(e*(n + 1)*(a^2 - b^2 - c^2)), x] + Dist[1/((n + 1)*(a^2 - b^2 - c^2)), Int[(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n + 1)*Simp[(n + 1)*(a*A - b*B - c*C) + (n + 2)*(a*B - b*A)*Cos[d + e*x] + (n + 2)*(a*C - c*A)*Sin[d + e*x], x], x], x] /;
```

FreeQ[{a, b, c, d, e, A, B, C}, x] && LtQ[n, -1] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[n, -2]

#### Rule 3149

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]) / Sqrt[cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]], x\_Symbol] := Dist[B/b, Int[Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]], x], x] + Dist[(A\*b - a\*B)/b, Int[1/Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]], x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && EqQ[B\*c - b\*C, 0] && NeQ[A\*b - a\*B, 0]

#### Rule 3118

Int[Sqrt[cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]], x\_Symbol] := Int[Sqrt[a + Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 + c^2, 0] && GtQ[a + Sqrt[b^2 + c^2], 0]

#### Rule 2653

Int[Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 3126

Int[1/Sqrt[cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]], x\_Symbol] := Int[1/Sqrt[a + Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 + c^2, 0] && GtQ[a + Sqrt[b^2 + c^2], 0]

#### Rule 2661

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rubi steps

$$\begin{aligned}
\int \frac{1}{(2 + 3 \cos(d + ex) + 5 \sin(d + ex))^{7/2}} dx &= -\frac{5 \cos(d + ex) - 3 \sin(d + ex)}{75e(2 + 3 \cos(d + ex) + 5 \sin(d + ex))^{5/2}} + \frac{1}{75} \int \frac{-5 + \frac{9}{2} \cos(d + ex)}{(2 + 3 \cos(d + ex) + 5 \sin(d + ex))^{5/2}} dx \\
&= -\frac{5 \cos(d + ex) - 3 \sin(d + ex)}{75e(2 + 3 \cos(d + ex) + 5 \sin(d + ex))^{5/2}} + \frac{8(5 \cos(d + ex) - 3 \sin(d + ex))}{3375e(2 + 3 \cos(d + ex) + 5 \sin(d + ex))^{3/2}} \\
&= -\frac{5 \cos(d + ex) - 3 \sin(d + ex)}{75e(2 + 3 \cos(d + ex) + 5 \sin(d + ex))^{5/2}} + \frac{8(5 \cos(d + ex) - 3 \sin(d + ex))}{3375e(2 + 3 \cos(d + ex) + 5 \sin(d + ex))^{3/2}} \\
&= -\frac{5 \cos(d + ex) - 3 \sin(d + ex)}{75e(2 + 3 \cos(d + ex) + 5 \sin(d + ex))^{5/2}} + \frac{8(5 \cos(d + ex) - 3 \sin(d + ex))}{3375e(2 + 3 \cos(d + ex) + 5 \sin(d + ex))^{3/2}} \\
&= -\frac{5 \cos(d + ex) - 3 \sin(d + ex)}{75e(2 + 3 \cos(d + ex) + 5 \sin(d + ex))^{5/2}} + \frac{8(5 \cos(d + ex) - 3 \sin(d + ex))}{3375e(2 + 3 \cos(d + ex) + 5 \sin(d + ex))^{3/2}} \\
&= -\frac{199\sqrt{2 + \sqrt{34}}E\left(\frac{1}{2}\left(d + ex - \tan^{-1}\left(\frac{5}{3}\right)\right)\right) \frac{2}{15}(17 - \sqrt{34})}{101250e} - \frac{8F\left(\frac{1}{2}\left(d + ex - \tan^{-1}\left(\frac{5}{3}\right)\right)\right)}{101250e}
\end{aligned}$$

**Mathematica [C]** time = 3.92931, size = 436, normalized size = 1.87

$$-638\sqrt{30}\sqrt{\sqrt{34}\sin\left(d + ex + \tan^{-1}\left(\frac{3}{5}\right)\right)} + 2\sqrt{\cos^2\left(d + ex + \tan^{-1}\left(\frac{3}{5}\right)\right)}\sec\left(d + ex + \tan^{-1}\left(\frac{3}{5}\right)\right)F_1\left(\frac{1}{2}; \frac{1}{2}, \frac{1}{2}; \frac{3}{2}; \frac{17\sin\left(d + ex + \tan^{-1}\left(\frac{3}{5}\right)\right)}{17 + \sqrt{34}}\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(2 + 3\*Cos[d + e\*x] + 5\*Sin[d + e\*x])^(-7/2), x]

[Out] (-13532\*Sqrt[2 + 3\*Cos[d + e\*x] + 5\*Sin[d + e\*x]] + (597\*(12 + 43\*Cos[d + e\*x] + 15\*Sin[d + e\*x]))/Sqrt[2 + Sqrt[34]\*Cos[d + e\*x - ArcTan[5/3]]] + (27000\*(5 + 17\*Sin[d + e\*x]))/(2 + 3\*Cos[d + e\*x] + 5\*Sin[d + e\*x])^(5/2) - (300\*(305 + 272\*Sin[d + e\*x]))/(2 + 3\*Cos[d + e\*x] + 5\*Sin[d + e\*x])^(3/2) + (20\*(1595 + 3383\*Sin[d + e\*x]))/Sqrt[2 + 3\*Cos[d + e\*x] + 5\*Sin[d + e\*x]] - 638\*Sqrt[30]\*AppellF1[1/2, 1/2, 1/2, 3/2, (Sqrt[34] + 17\*Sin[d + e\*x + ArcTan[3/5]])/(-17 + Sqrt[34]), (Sqrt[34] + 17\*Sin[d + e\*x + ArcTan[3/5]])/(17 + Sqrt[34])] \* Sqrt[Cos[d + e\*x + ArcTan[3/5]]^2] \* Sec[d + e\*x + ArcTan[3/5]] \* Sqrt[2 + Sqrt[34]\*Sin[d + e\*x + ArcTan[3/5]]] + (2985\*Sqrt[30]\*AppellF1[-1/2, -1/2, -1/2, 1/2, (Sqrt[34] + 17\*Cos[d + e\*x - ArcTan[5/3]])/(-17 + Sqrt[34]), (Sqrt[34] + 17\*Cos[d + e\*x - ArcTan[5/3]])/(17 + Sqrt[34])] \* Csc[d + e\*x - ArcTan[5/3]] \* Sqrt[Sin[d + e\*x - ArcTan[5/3]]^2])/Sqrt[2 + Sqrt[34]\*Cos[d + e\*x - ArcTan[5/3]])/(3037500\*e)

**Maple [C]** time = 5.834, size = 589, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(2+3\*cos(e\*x+d)+5\*sin(e\*x+d))^(7/2), x)

```
[Out] (-(-34^(1/2)*sin(e*x+d+arctan(3/5))-2)*cos(e*x+d+arctan(3/5))^2)^(1/2)*(-1/2550*(-(-34^(1/2)*sin(e*x+d+arctan(3/5))-2)*cos(e*x+d+arctan(3/5))^2)^(1/2)/(sin(e*x+d+arctan(3/5))+1/17*34^(1/2))^3+4/57375*34^(1/2)*(-(-34^(1/2)*sin(e*x+d+arctan(3/5))-2)*cos(e*x+d+arctan(3/5))^2)^(1/2)/(sin(e*x+d+arctan(3/5))+1/17*34^(1/2))^2-3383/101250*34^(1/2)*cos(e*x+d+arctan(3/5))^2/(-(-289*sin(e*x+d+arctan(3/5))-17*34^(1/2))*34^(1/2)*cos(e*x+d+arctan(3/5))^2)^(1/2)-319/50625*(-1+1/17*34^(1/2))*((-17*sin(e*x+d+arctan(3/5))-34^(1/2))/(-34^(1/2)+17))^1/2)*((-17*sin(e*x+d+arctan(3/5))+17)/(34^(1/2)+17))^1/2)*((17*sin(e*x+d+arctan(3/5))+17)/(-34^(1/2)+17))^1/2)/(-(-34^(1/2)*sin(e*x+d+arctan(3/5))-2)*cos(e*x+d+arctan(3/5))^2)^(1/2)*EllipticF(((17*sin(e*x+d+arctan(3/5))-34^(1/2))/(-34^(1/2)+17))^1/2), I*((-34^(1/2)+17)/(34^(1/2)+17))^1/2))-199/101250*34^(1/2)*(-1+1/17*34^(1/2))*((-17*sin(e*x+d+arctan(3/5))-34^(1/2))/(-34^(1/2)+17))^1/2)*((-17*sin(e*x+d+arctan(3/5))+17)/(34^(1/2)+17))^1/2)*((17*sin(e*x+d+arctan(3/5))+17)/(-34^(1/2)+17))^1/2)/(-(-34^(1/2)*sin(e*x+d+arctan(3/5))-2)*cos(e*x+d+arctan(3/5))^2)^(1/2)*((-1/17*34^(1/2)-1)*EllipticE(((17*sin(e*x+d+arctan(3/5))-34^(1/2))/(-34^(1/2)+17))^1/2), I*((-34^(1/2)+17)/(34^(1/2)+17))^1/2))+EllipticF(((17*sin(e*x+d+arctan(3/5))-34^(1/2))/(-34^(1/2)+17))^1/2), I*((-34^(1/2)+17)/(34^(1/2)+17))^1/2))))/cos(e*x+d+arctan(3/5))/(34^(1/2)*sin(e*x+d+arctan(3/5))+2)^(1/2)/e
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(3 \cos(ex + d) + 5 \sin(ex + d) + 2)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(2+3*cos(e*x+d)+5*sin(e*x+d))^(7/2),x, algorithm="maxima")
```

```
[Out] integrate((3*cos(e*x + d) + 5*sin(e*x + d) + 2)^(-7/2), x)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( -\frac{\sqrt{3 \cos(ex + d) + 5 \sin(ex + d) + 2}}{644 \cos^4(ex + d) + 1584 \cos^3(ex + d) + 284 \cos^2(ex + d) + 20(48 \cos^3(ex + d) - 4 \cos^2(ex + d) - 111 \cos(ex + d) - 58) \sin(ex + d) - 1896 \cos(ex + d) - 1241}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(2+3*cos(e*x+d)+5*sin(e*x+d))^(7/2),x, algorithm="fricas")
```

```
[Out] integral(-sqrt(3*cos(e*x + d) + 5*sin(e*x + d) + 2)/(644*cos(e*x + d)^4 + 1584*cos(e*x + d)^3 + 284*cos(e*x + d)^2 + 20*(48*cos(e*x + d)^3 - 4*cos(e*x + d)^2 - 111*cos(e*x + d) - 58)*sin(e*x + d) - 1896*cos(e*x + d) - 1241), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(2+3*cos(e*x+d)+5*sin(e*x+d))**(7/2),x)
```

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(3 \cos(ex + d) + 5 \sin(ex + d) + 2)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2+3\*cos(e\*x+d)+5\*sin(e\*x+d))^(7/2),x, algorithm="giac")

[Out] integrate((3\*cos(e\*x + d) + 5\*sin(e\*x + d) + 2)^(-7/2), x)

### 3.410 $\int (a + b \cos(d + ex) + c \sin(d + ex))^{5/2} dx$

**Optimal.** Leaf size=347

$$\frac{16a(a^2 - b^2 - c^2) \sqrt{\frac{a+b \cos(d+ex)+c \sin(d+ex)}{a+\sqrt{b^2+c^2}}} \operatorname{EllipticF}\left(\frac{1}{2}(-\tan^{-1}(b,c) + d + ex), \frac{2\sqrt{b^2+c^2}}{a+\sqrt{b^2+c^2}}\right) + 2(23a^2 + 9(b^2 + c^2)) \sqrt{a + b \cos(d + ex)}}{15e \sqrt{a + b \cos(d + ex) + c \sin(d + ex)}}$$

```
[Out] (-16*(a*c*Cos[d + e*x] - a*b*Sin[d + e*x])*Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]]/(15*e) - (2*(c*Cos[d + e*x] - b*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(3/2))/(5*e) + (2*(23*a^2 + 9*(b^2 + c^2))*EllipticE[(d + e*x - ArcTan[b, c])/2, (2*Sqrt[b^2 + c^2])/(a + Sqrt[b^2 + c^2])]*Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]]/(15*e*Sqrt[(a + b*Cos[d + e*x] + c*Sin[d + e*x])/(a + Sqrt[b^2 + c^2])]) - (16*a*(a^2 - b^2 - c^2)*EllipticF[(d + e*x - ArcTan[b, c])/2, (2*Sqrt[b^2 + c^2])/(a + Sqrt[b^2 + c^2])]*Sqrt[(a + b*Cos[d + e*x] + c*Sin[d + e*x])/(a + Sqrt[b^2 + c^2])])/(15*e*Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]]))
```

**Rubi [A]** time = 0.531804, antiderivative size = 347, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.318$ , Rules used = {3120, 3146, 3149, 3119, 2653, 3127, 2661}

$$\frac{16a(a^2 - b^2 - c^2) \sqrt{\frac{a+b \cos(d+ex)+c \sin(d+ex)}{a+\sqrt{b^2+c^2}}} F\left(\frac{1}{2}(d + ex - \tan^{-1}(b,c)) \middle| \frac{2\sqrt{b^2+c^2}}{a+\sqrt{b^2+c^2}}\right) + 2(23a^2 + 9(b^2 + c^2)) \sqrt{a + b \cos(d + ex)}}{15e \sqrt{a + b \cos(d + ex) + c \sin(d + ex)}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(5/2), x]
```

```
[Out] (-16*(a*c*Cos[d + e*x] - a*b*Sin[d + e*x])*Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]]/(15*e) - (2*(c*Cos[d + e*x] - b*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(3/2))/(5*e) + (2*(23*a^2 + 9*(b^2 + c^2))*EllipticE[(d + e*x - ArcTan[b, c])/2, (2*Sqrt[b^2 + c^2])/(a + Sqrt[b^2 + c^2])]*Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]]/(15*e*Sqrt[(a + b*Cos[d + e*x] + c*Sin[d + e*x])/(a + Sqrt[b^2 + c^2])]) - (16*a*(a^2 - b^2 - c^2)*EllipticF[(d + e*x - ArcTan[b, c])/2, (2*Sqrt[b^2 + c^2])/(a + Sqrt[b^2 + c^2])]*Sqrt[(a + b*Cos[d + e*x] + c*Sin[d + e*x])/(a + Sqrt[b^2 + c^2])])/(15*e*Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]]))
```

#### Rule 3120

```
Int[(cos[(d_.) + (e_.)*(x_)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_)])^(n_), x_Symbol] := -Simp[((c*Cos[d + e*x] - b*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n - 1))/(e*n), x] + Dist[1/n, Int[Simp[n*a^2 + (n - 1)*(b^2 + c^2) + a*b*(2*n - 1)*Cos[d + e*x] + a*c*(2*n - 1)*Sin[d + e*x], x]*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n - 2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && GtQ[n, 1]
```

#### Rule 3146

```
Int[(cos[(d_.) + (e_.)*(x_)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_)])^(n_.)*((A_.) + cos[(d_.) + (e_.)*(x_)]*(B_.) + (C_.)*sin[(d_.) + (e_.)*(x_)])], x_Symbol] := Simp[((B*c - b*C - a*C*Cos[d + e*x] + a*B*Sin[d + e*x])*(a
```

+ b\*cos[d + e\*x] + c\*sin[d + e\*x])^n)/(a\*e\*(n + 1)), x] + Dist[1/(a\*(n + 1)), Int[(a + b\*cos[d + e\*x] + c\*sin[d + e\*x])^(n - 1)\*Simp[a\*(b\*B + c\*C)\*n + a^2\*A\*(n + 1) + (n\*(a^2\*B - B\*c^2 + b\*c\*C) + a\*b\*A\*(n + 1))\*Cos[d + e\*x] + (n\*(b\*B\*c + a^2\*C - b^2\*C) + a\*c\*A\*(n + 1))\*Sin[d + e\*x], x], x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && GtQ[n, 0] && NeQ[a^2 - b^2 - c^2, 0]

#### Rule 3149

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]) / Sqrt[cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]] , x\_Symbol] := Dist[B/b, Int[Sqrt[a + b\*cos[d + e\*x] + c\*sin[d + e\*x]], x], x] + Dist[(A\*b - a\*B)/b, Int[1/Sqrt[a + b\*cos[d + e\*x] + c\*sin[d + e\*x]], x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && EqQ[B\*c - b\*C, 0] && NeQ[A\*b - a\*B, 0]

#### Rule 3119

Int[Sqrt[cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]] , x\_Symbol] := Dist[Sqrt[a + b\*cos[d + e\*x] + c\*sin[d + e\*x]]/Sqrt[(a + b\*cos[d + e\*x] + c\*sin[d + e\*x])/(a + Sqrt[b^2 + c^2])], Int[Sqrt[a/(a + Sqrt[b^2 + c^2]) + (Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]])/(a + Sqrt[b^2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]

#### Rule 2653

Int[Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]] , x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 3127

Int[1/Sqrt[cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]] , x\_Symbol] := Dist[Sqrt[(a + b\*cos[d + e\*x] + c\*sin[d + e\*x])/(a + Sqrt[b^2 + c^2])]/Sqrt[a + b\*cos[d + e\*x] + c\*sin[d + e\*x]], Int[1/Sqrt[a/(a + Sqrt[b^2 + c^2]) + (Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]])/(a + Sqrt[b^2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]

#### Rule 2661

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]] , x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rubi steps

$$\begin{aligned}
\int (a + b \cos(d + ex) + c \sin(d + ex))^{5/2} dx &= -\frac{2(c \cos(d + ex) - b \sin(d + ex))(a + b \cos(d + ex) + c \sin(d + ex))^{3/2}}{5e} + \frac{2}{5} \int \\
&= -\frac{16(ac \cos(d + ex) - ab \sin(d + ex))\sqrt{a + b \cos(d + ex) + c \sin(d + ex)}}{15e} - \frac{2}{5} \int \\
&= -\frac{16(ac \cos(d + ex) - ab \sin(d + ex))\sqrt{a + b \cos(d + ex) + c \sin(d + ex)}}{15e} - \frac{2}{5} \int \\
&= -\frac{16(ac \cos(d + ex) - ab \sin(d + ex))\sqrt{a + b \cos(d + ex) + c \sin(d + ex)}}{15e} - \frac{2}{5} \int \\
&= -\frac{16(ac \cos(d + ex) - ab \sin(d + ex))\sqrt{a + b \cos(d + ex) + c \sin(d + ex)}}{15e} - \frac{2}{5} \int
\end{aligned}$$

**Mathematica [C]** time = 6.59523, size = 3767, normalized size = 10.86

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(5/2), x]

[Out] (Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]]\*((2\*b\*(23\*a^2 + 9\*b^2 + 9\*c^2))/(15\*c) - (22\*a\*c\*Cos[d + e\*x])/15 - (2\*b\*c\*Cos[2\*(d + e\*x)])/5 + (22\*a\*b\*Sin[d + e\*x])/15 + ((b^2 - c^2)\*Sin[2\*(d + e\*x)]/5))/e + (2\*a^3\*AppellF1[1/2, 1/2, 1/2, 3/2, -((a + Sqrt[1 + b^2/c^2]\*c\*Sin[d + e\*x + ArcTan[b/c]])/(Sqrt[1 + b^2/c^2]\*(1 - a/(Sqrt[1 + b^2/c^2]\*c)))\*c), -((a + Sqrt[1 + b^2/c^2]\*c\*Sin[d + e\*x + ArcTan[b/c]])/(Sqrt[1 + b^2/c^2]\*(-1 - a/(Sqrt[1 + b^2/c^2]\*c)))\*c)]\*Sec[d + e\*x + ArcTan[b/c]]\*Sqrt[(c\*Sqrt[(b^2 + c^2)/c^2] - c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[b/c]])/(a + c\*Sqrt[(b^2 + c^2)/c^2])]\*Sqrt[a + c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[b/c]]]\*Sqrt[(c\*Sqrt[(b^2 + c^2)/c^2] + c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[b/c]])/(-a + c\*Sqrt[(b^2 + c^2)/c^2])]/(Sqrt[1 + b^2/c^2]\*c\*e) + (34\*a\*b^2\*AppellF1[1/2, 1/2, 1/2, 3/2, -((a + Sqrt[1 + b^2/c^2]\*c\*Sin[d + e\*x + ArcTan[b/c]])/(Sqrt[1 + b^2/c^2]\*(1 - a/(Sqrt[1 + b^2/c^2]\*c)))\*c), -((a + Sqrt[1 + b^2/c^2]\*c\*Sin[d + e\*x + ArcTan[b/c]])/(Sqrt[1 + b^2/c^2]\*(-1 - a/(Sqrt[1 + b^2/c^2]\*c)))\*c)]\*Sec[d + e\*x + ArcTan[b/c]]\*Sqrt[(c\*Sqrt[(b^2 + c^2)/c^2] - c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[b/c]])/(a + c\*Sqrt[(b^2 + c^2)/c^2])]\*Sqrt[a + c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[b/c]]]\*Sqrt[(c\*Sqrt[(b^2 + c^2)/c^2] + c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[b/c]])/(-a + c\*Sqrt[(b^2 + c^2)/c^2])]/(15\*Sqrt[1 + b^2/c^2]\*c\*e) + (34\*a\*c\*AppellF1[1/2, 1/2, 1/2, 3/2, -((a + Sqrt[1 + b^2/c^2]\*c\*Sin[d + e\*x + ArcTan[b/c]])/(Sqrt[1 + b^2/c^2]\*(1 - a/(Sqrt[1 + b^2/c^2]\*c)))\*c), -((a + Sqrt[1 + b^2/c^2]\*c\*Sin[d + e\*x + ArcTan[b/c]])/(Sqrt[1 + b^2/c^2]\*(-1 - a/(Sqrt[1 + b^2/c^2]\*c)))\*c)]\*Sec[d + e\*x + ArcTan[b/c]]\*Sqrt[(c\*Sqrt[(b^2 + c^2)/c^2] - c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[b/c]])/(a + c\*Sqrt[(b^2 + c^2)/c^2])]\*Sqrt[a + c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[b/c]]]\*Sqrt[(c\*Sqrt[(b^2 + c^2)/c^2] + c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[b/c]])/(-a + c\*Sqrt[(b^2 + c^2)/c^2])]/(15\*Sqrt[1 + b^2/c^2]\*e) + (23\*a^2\*b^2\*(-((c\*AppellF1[-1/2, -1/2, -1/2, 1/2, -((a + b\*Sqrt[1 + c^2/b^2]\*Cos[d + e\*x - ArcTan[c/b]])/(b\*Sqrt[1 + c^2/b^2]\*(1 - a/(b\*Sqrt[1 + c^2/b^2])))), -((a + b\*Sqrt[1 + c^2/b^2]\*Cos[d + e\*x - ArcTan[c/b]])/(b\*Sqrt[1 + c^2/b^2]))),



$$\begin{aligned}
& ]*(-1 - a/(b*\sqrt{1 + c^2/b^2})))))*\sin[d + e*x - \arctan[c/b]]/(b*\sqrt{1 + c^2/b^2}*\sqrt{(b*\sqrt{(b^2 + c^2)/b^2} - b*\sqrt{(b^2 + c^2)/b^2}*\cos[d + e*x - \arctan[c/b]])/(a + b*\sqrt{(b^2 + c^2)/b^2}))*\sqrt{a + b*\sqrt{(b^2 + c^2)/b^2}*\cos[d + e*x - \arctan[c/b]]}*\sqrt{(b*\sqrt{(b^2 + c^2)/b^2} + b*\sqrt{(b^2 + c^2)/b^2}*\cos[d + e*x - \arctan[c/b]])/(-a + b*\sqrt{(b^2 + c^2)/b^2})}) - ((2*b*(a + b*\sqrt{1 + c^2/b^2}*\cos[d + e*x - \arctan[c/b]]))/(b^2 + c^2) - (c*\sin[d + e*x - \arctan[c/b]])/(b*\sqrt{1 + c^2/b^2}))/\sqrt{a + b*\sqrt{1 + c^2/b^2}*\cos[d + e*x - \arctan[c/b]]}))/((15*c*e) + (3*b^4*(-((c*\operatorname{AppellF1}[-1/2, -1/2, -1/2, 1/2, -((a + b*\sqrt{1 + c^2/b^2}*\cos[d + e*x - \arctan[c/b]]))/b*\sqrt{1 + c^2/b^2}*(1 - a/(b*\sqrt{1 + c^2/b^2}))))), -((a + b*\sqrt{1 + c^2/b^2}*\cos[d + e*x - \arctan[c/b]])/(b*\sqrt{1 + c^2/b^2}*(-1 - a/(b*\sqrt{1 + c^2/b^2}))))))*\sin[d + e*x - \arctan[c/b]])/(b*\sqrt{1 + c^2/b^2}*\sqrt{(b*\sqrt{(b^2 + c^2)/b^2} - b*\sqrt{(b^2 + c^2)/b^2}*\cos[d + e*x - \arctan[c/b]])/(a + b*\sqrt{(b^2 + c^2)/b^2}))*\sqrt{a + b*\sqrt{(b^2 + c^2)/b^2}*\cos[d + e*x - \arctan[c/b]]}*\sqrt{(b*\sqrt{(b^2 + c^2)/b^2} + b*\sqrt{(b^2 + c^2)/b^2}*\cos[d + e*x - \arctan[c/b]])/(-a + b*\sqrt{(b^2 + c^2)/b^2})}) - ((2*b*(a + b*\sqrt{1 + c^2/b^2}*\cos[d + e*x - \arctan[c/b]]))/(b^2 + c^2) - (c*\sin[d + e*x - \arctan[c/b]])/(b*\sqrt{1 + c^2/b^2}))/\sqrt{a + b*\sqrt{1 + c^2/b^2}*\cos[d + e*x - \arctan[c/b]]}))/((5*c*e) + (23*a^2*c*(-((c*\operatorname{AppellF1}[-1/2, -1/2, -1/2, 1/2, -((a + b*\sqrt{1 + c^2/b^2}*\cos[d + e*x - \arctan[c/b]]))/b*\sqrt{1 + c^2/b^2}*(1 - a/(b*\sqrt{1 + c^2/b^2}))))), -((a + b*\sqrt{1 + c^2/b^2}*\cos[d + e*x - \arctan[c/b]])/(b*\sqrt{1 + c^2/b^2}*(-1 - a/(b*\sqrt{1 + c^2/b^2}))))))*\sin[d + e*x - \arctan[c/b]])/(b*\sqrt{1 + c^2/b^2}*\sqrt{(b*\sqrt{(b^2 + c^2)/b^2} - b*\sqrt{(b^2 + c^2)/b^2}*\cos[d + e*x - \arctan[c/b]])/(a + b*\sqrt{(b^2 + c^2)/b^2}))*\sqrt{a + b*\sqrt{(b^2 + c^2)/b^2}*\cos[d + e*x - \arctan[c/b]]}*\sqrt{(b*\sqrt{(b^2 + c^2)/b^2} + b*\sqrt{(b^2 + c^2)/b^2}*\cos[d + e*x - \arctan[c/b]])/(-a + b*\sqrt{(b^2 + c^2)/b^2})}) - ((2*b*(a + b*\sqrt{1 + c^2/b^2}*\cos[d + e*x - \arctan[c/b]]))/(b^2 + c^2) - (c*\sin[d + e*x - \arctan[c/b]])/(b*\sqrt{1 + c^2/b^2}))/\sqrt{a + b*\sqrt{1 + c^2/b^2}*\cos[d + e*x - \arctan[c/b]]}))/((15*e) + (6*b^2*c*(-((c*\operatorname{AppellF1}[-1/2, -1/2, -1/2, 1/2, -((a + b*\sqrt{1 + c^2/b^2}*\cos[d + e*x - \arctan[c/b]]))/b*\sqrt{1 + c^2/b^2}*(1 - a/(b*\sqrt{1 + c^2/b^2}))))), -((a + b*\sqrt{1 + c^2/b^2}*\cos[d + e*x - \arctan[c/b]])/(b*\sqrt{1 + c^2/b^2}*(-1 - a/(b*\sqrt{1 + c^2/b^2}))))))*\sin[d + e*x - \arctan[c/b]])/(b*\sqrt{1 + c^2/b^2}*\sqrt{(b*\sqrt{(b^2 + c^2)/b^2} - b*\sqrt{(b^2 + c^2)/b^2}*\cos[d + e*x - \arctan[c/b]])/(a + b*\sqrt{(b^2 + c^2)/b^2}))*\sqrt{a + b*\sqrt{(b^2 + c^2)/b^2}*\cos[d + e*x - \arctan[c/b]]}*\sqrt{(b*\sqrt{(b^2 + c^2)/b^2} + b*\sqrt{(b^2 + c^2)/b^2}*\cos[d + e*x - \arctan[c/b]])/(-a + b*\sqrt{(b^2 + c^2)/b^2})}) - ((2*b*(a + b*\sqrt{1 + c^2/b^2}*\cos[d + e*x - \arctan[c/b]]))/(b^2 + c^2) - (c*\sin[d + e*x - \arctan[c/b]])/(b*\sqrt{1 + c^2/b^2}))/\sqrt{a + b*\sqrt{1 + c^2/b^2}*\cos[d + e*x - \arctan[c/b]]}))/((5*e) + (3*c^3*(-((c*\operatorname{AppellF1}[-1/2, -1/2, -1/2, 1/2, -((a + b*\sqrt{1 + c^2/b^2}*\cos[d + e*x - \arctan[c/b]]))/b*\sqrt{1 + c^2/b^2}*(1 - a/(b*\sqrt{1 + c^2/b^2}))))), -((a + b*\sqrt{1 + c^2/b^2}*\cos[d + e*x - \arctan[c/b]])/(b*\sqrt{1 + c^2/b^2}*(-1 - a/(b*\sqrt{1 + c^2/b^2}))))))*\sin[d + e*x - \arctan[c/b]])/(b*\sqrt{1 + c^2/b^2}*\sqrt{(b*\sqrt{(b^2 + c^2)/b^2} - b*\sqrt{(b^2 + c^2)/b^2}*\cos[d + e*x - \arctan[c/b]])/(a + b*\sqrt{(b^2 + c^2)/b^2}))*\sqrt{a + b*\sqrt{(b^2 + c^2)/b^2}*\cos[d + e*x - \arctan[c/b]]}*\sqrt{(b*\sqrt{(b^2 + c^2)/b^2} + b*\sqrt{(b^2 + c^2)/b^2}*\cos[d + e*x - \arctan[c/b]])/(-a + b*\sqrt{(b^2 + c^2)/b^2})}) - ((2*b*(a + b*\sqrt{1 + c^2/b^2}*\cos[d + e*x - \arctan[c/b]]))/(b^2 + c^2) - (c*\sin[d + e*x - \arctan[c/b]])/(b*\sqrt{1 + c^2/b^2}))/\sqrt{a + b*\sqrt{1 + c^2/b^2}*\cos[d + e*x - \arctan[c/b]]}))/((5*e)
\end{aligned}$$


---

**Maple [B]** time = 10.443, size = 2303, normalized size = 6.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+b\cos(e*x+d)+c\sin(e*x+d))^{5/2}, x)$

[Out] 
$$\begin{aligned} & (-(-b^2\sin(e*x+d-\arctan(-b,c))-c^2\sin(e*x+d-\arctan(-b,c))-a*(b^2+c^2)^{1/2}) \\ & * \cos(e*x+d-\arctan(-b,c))^2/(b^2+c^2)^{1/2})^{1/2} * ((b^2+c^2)^{3/2} * (-2/5 \\ & / (b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c)) * (\cos(e*x+d-\arctan(-b,c))^{2*} \\ & (b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c))+a))^{1/2} + 8/15/(b^2+c^2) * a * (\cos(e*x+d-\arctan(-b,c))^{2*} \\ & (b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c))+a))^{1/2} + 4/15/(b^2+c^2)^{1/2} * a * (1/(b^2+c^2)^{1/2} * a-1) * \\ & ((- (b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c))-a)/(-a+(b^2+c^2)^{1/2}))^{1/2} * ((-\sin(e*x+d-\arctan(-b,c))+1) * (b^2+c^2)^{1/2} \\ & / (a+(b^2+c^2)^{1/2}))^{1/2} * ((1+\sin(e*x+d-\arctan(-b,c))) * (b^2+c^2)^{1/2} / (-a+(b^2+c^2)^{1/2}))^{1/2} / \\ & (\cos(e*x+d-\arctan(-b,c))^{2*} (b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c))+a))^{1/2} * \text{EllipticF}(((b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c))-a) / \\ & (-a+(b^2+c^2)^{1/2}))^{1/2}, ((a-(b^2+c^2)^{1/2}) / (a+(b^2+c^2)^{1/2}))^{1/2} + 2 * (3/5+8/15/(b^2+c^2) * a^2) * (1/(b^2+c^2)^{1/2} * a-1) * \\ & ((- (b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c))-a)/(-a+(b^2+c^2)^{1/2}))^{1/2} * ((-\sin(e*x+d-\arctan(-b,c))+1) * (b^2+c^2)^{1/2} / (a+(b^2+c^2)^{1/2}))^{1/2} * \\ & ((1+\sin(e*x+d-\arctan(-b,c))) * (b^2+c^2)^{1/2} / (-a+(b^2+c^2)^{1/2}))^{1/2} / (\cos(e*x+d-\arctan(-b,c))^{2*} (b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c))+a))^{1/2} * \\ & ((-1/(b^2+c^2)^{1/2} * a-1) * \text{EllipticE}(((b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c))-a) / (-a+(b^2+c^2)^{1/2}))^{1/2}, ((a-(b^2+c^2)^{1/2}) / (a+(b^2+c^2)^{1/2}))^{1/2} + \\ & \text{EllipticF}(((b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c))-a) / (-a+(b^2+c^2)^{1/2}))^{1/2}, ((a-(b^2+c^2)^{1/2}) / (a+(b^2+c^2)^{1/2}))^{1/2} + 3 * a * b^2 + 3 * a * c^2) * \\ & (-2/3/(b^2+c^2)^{1/2} * (\cos(e*x+d-\arctan(-b,c))^{2*} (b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c))+a))^{1/2} + 2/3 * (1/(b^2+c^2)^{1/2} * a-1) * \\ & ((- (b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c))-a)/(-a+(b^2+c^2)^{1/2}))^{1/2} * ((-\sin(e*x+d-\arctan(-b,c))+1) * (b^2+c^2)^{1/2} / (a+(b^2+c^2)^{1/2}))^{1/2} * \\ & ((1+\sin(e*x+d-\arctan(-b,c))) * (b^2+c^2)^{1/2} / (-a+(b^2+c^2)^{1/2}))^{1/2} / (\cos(e*x+d-\arctan(-b,c))^{2*} (b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c))+a))^{1/2} * \\ & \text{EllipticF}(((b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c))-a) / (-a+(b^2+c^2)^{1/2}))^{1/2}, ((a-(b^2+c^2)^{1/2}) / (a+(b^2+c^2)^{1/2}))^{1/2} - 4/3 / (b^2+c^2)^{1/2} * a * \\ & (1/(b^2+c^2)^{1/2} * a-1) * ((- (b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c))-a) / (-a+(b^2+c^2)^{1/2}))^{1/2} * ((-\sin(e*x+d-\arctan(-b,c))+1) * (b^2+c^2)^{1/2} / (a+(b^2+c^2)^{1/2}))^{1/2} * \\ & ((1+\sin(e*x+d-\arctan(-b,c))) * (b^2+c^2)^{1/2} / (-a+(b^2+c^2)^{1/2}))^{1/2} / (\cos(e*x+d-\arctan(-b,c))^{2*} (b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c))+a))^{1/2} * \\ & ((-1/(b^2+c^2)^{1/2} * a-1) * \text{EllipticE}(((b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c))-a) / (-a+(b^2+c^2)^{1/2}))^{1/2}, ((a-(b^2+c^2)^{1/2}) / (a+(b^2+c^2)^{1/2}))^{1/2} + \\ & \text{EllipticF}(((b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c))-a) / (-a+(b^2+c^2)^{1/2}))^{1/2}, ((a-(b^2+c^2)^{1/2}) / (a+(b^2+c^2)^{1/2}))^{1/2} + 6 * a^2 * (b^2+c^2)^{1/2} * \\ & (1/(b^2+c^2)^{1/2} * a-1) * ((- (b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c))-a) / (-a+(b^2+c^2)^{1/2}))^{1/2} * ((-\sin(e*x+d-\arctan(-b,c))+1) * (b^2+c^2)^{1/2} / (a+(b^2+c^2)^{1/2}))^{1/2} * \\ & ((1+\sin(e*x+d-\arctan(-b,c))) * (b^2+c^2)^{1/2} / (-a+(b^2+c^2)^{1/2}))^{1/2} / (\cos(e*x+d-\arctan(-b,c))^{2*} (b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c))+a))^{1/2} * \\ & ((-1/(b^2+c^2)^{1/2} * a-1) * \text{EllipticE}(((b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c))-a) / (-a+(b^2+c^2)^{1/2}))^{1/2}, ((a-(b^2+c^2)^{1/2}) / (a+(b^2+c^2)^{1/2}))^{1/2} + \\ & \text{EllipticF}(((b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c))-a) / (-a+(b^2+c^2)^{1/2}))^{1/2}, ((a-(b^2+c^2)^{1/2}) / (a+(b^2+c^2)^{1/2}))^{1/2} + 2 * a^3 * (1/(b^2+c^2)^{1/2} * a-1) * \\ & ((- (b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c))-a) / (-a+(b^2+c^2)^{1/2}))^{1/2} * ((-\sin(e*x+d-\arctan(-b,c))+1) * (b^2+c^2)^{1/2} / (a+(b^2+c^2)^{1/2}))^{1/2} * \\ & ((1+\sin(e*x+d-\arctan(-b,c))) * (b^2+c^2)^{1/2} / (-a+(b^2+c^2)^{1/2}))^{1/2} / (-(-b^2\sin(e*x+d-\arctan(-b,c))-c^2\sin(e*x+d-\arctan(-b,c))-a*(b^2+c^2)^{1/2}) * \cos(e*x+d-\arctan(-b,c))^{2*} / (b^2+c^2)^{1/2})^{1/2} * \\ & \text{EllipticF}(((b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c))-a) / (-a+(b^2+c^2)^{1/2}))^{1/2}, ((a-(b^2+c^2)^{1/2}) / (a+(b^2+c^2)^{1/2}))^{1/2} / \cos(e*x+d-\arctan(-b,c)) / ((b^2\sin(e*x+d-\arctan(-b,c)) + c^2\sin(e*x+d-\arctan(-b,c)) + a*(b^2+c^2)^{1/2}) / (b^2+c^2)^{1/2})^{1/2} / e \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (b \cos(ex + d) + c \sin(ex + d) + a)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^(5/2),x, algorithm="maxima")

[Out] integrate((b\*cos(e\*x + d) + c\*sin(e\*x + d) + a)^(5/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

integral(((2\*ab\*cos(ex+d)+(b^2-c^2)\*cos(ex+d)^2+a^2+c^2+2\*(bc\*cos(ex+d)+ac)\*sin(ex+d))\*sqrt(b\*cos(ex+d)+a)),x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^(5/2),x, algorithm="fricas")

[Out] integral((2\*a\*b\*cos(e\*x + d) + (b^2 - c^2)\*cos(e\*x + d)^2 + a^2 + c^2 + 2\*(b\*c\*cos(e\*x + d) + a\*c)\*sin(e\*x + d))\*sqrt(b\*cos(e\*x + d) + c\*sin(e\*x + d) + a), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(e\*x+d)+c\*sin(e\*x+d))\*\*(5/2),x)

[Out] Timed out

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^(5/2),x, algorithm="giac")

[Out] Timed out

### 3.411 $\int (a + b \cos(d + ex) + c \sin(d + ex))^{3/2} dx$

**Optimal.** Leaf size=283

$$\frac{2(a^2 - b^2 - c^2) \sqrt{\frac{a+b \cos(d+ex)+c \sin(d+ex)}{a+\sqrt{b^2+c^2}}} \operatorname{EllipticF}\left(\frac{1}{2}(-\tan^{-1}(b,c) + d + ex), \frac{2\sqrt{b^2+c^2}}{a+\sqrt{b^2+c^2}}\right) + 8a\sqrt{a+b \cos(d+ex)+c \sin(d+ex)}}{3e\sqrt{a+b \cos(d+ex)+c \sin(d+ex)}} + \frac{8a\sqrt{a+b \cos(d+ex)+c \sin(d+ex)}}{3e\sqrt{\frac{a+b \cos(d+ex)+c \sin(d+ex)}{a+\sqrt{b^2+c^2}}}}$$

```
[Out] (-2*(c*Cos[d + e*x] - b*Sin[d + e*x])*Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]])/(3*e) + (8*a*EllipticE[(d + e*x - ArcTan[b, c])/2, (2*Sqrt[b^2 + c^2])]/(a + Sqrt[b^2 + c^2]))*Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]]/(3*e*Sqrt[(a + b*Cos[d + e*x] + c*Sin[d + e*x])/(a + Sqrt[b^2 + c^2])]) - (2*(a^2 - b^2 - c^2)*EllipticF[(d + e*x - ArcTan[b, c])/2, (2*Sqrt[b^2 + c^2])]/(a + Sqrt[b^2 + c^2]))*Sqrt[(a + b*Cos[d + e*x] + c*Sin[d + e*x])/(a + Sqrt[b^2 + c^2])])/(3*e*Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]])
```

**Rubi [A]** time = 0.281805, antiderivative size = 283, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {3120, 3149, 3119, 2653, 3127, 2661}

$$\frac{2(a^2 - b^2 - c^2) \sqrt{\frac{a+b \cos(d+ex)+c \sin(d+ex)}{a+\sqrt{b^2+c^2}}} F\left(\frac{1}{2}(d + ex - \tan^{-1}(b,c)) \middle| \frac{2\sqrt{b^2+c^2}}{a+\sqrt{b^2+c^2}}\right) + 8a\sqrt{a+b \cos(d+ex)+c \sin(d+ex)} E\left(\frac{1}{2}(d + ex - \tan^{-1}(b,c)) \middle| \frac{2\sqrt{b^2+c^2}}{a+\sqrt{b^2+c^2}}\right)}{3e\sqrt{a+b \cos(d+ex)+c \sin(d+ex)}} + \frac{8a\sqrt{a+b \cos(d+ex)+c \sin(d+ex)} E\left(\frac{1}{2}(d + ex - \tan^{-1}(b,c)) \middle| \frac{2\sqrt{b^2+c^2}}{a+\sqrt{b^2+c^2}}\right)}{3e\sqrt{\frac{a+b \cos(d+ex)+c \sin(d+ex)}{a+\sqrt{b^2+c^2}}}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(3/2), x]
```

```
[Out] (-2*(c*Cos[d + e*x] - b*Sin[d + e*x])*Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]])/(3*e) + (8*a*EllipticE[(d + e*x - ArcTan[b, c])/2, (2*Sqrt[b^2 + c^2])]/(a + Sqrt[b^2 + c^2]))*Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]]/(3*e*Sqrt[(a + b*Cos[d + e*x] + c*Sin[d + e*x])/(a + Sqrt[b^2 + c^2])]) - (2*(a^2 - b^2 - c^2)*EllipticF[(d + e*x - ArcTan[b, c])/2, (2*Sqrt[b^2 + c^2])]/(a + Sqrt[b^2 + c^2]))*Sqrt[(a + b*Cos[d + e*x] + c*Sin[d + e*x])/(a + Sqrt[b^2 + c^2])])/(3*e*Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]])
```

#### Rule 3120

```
Int[(cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^n, x_Symbol] := -Simp[((c*Cos[d + e*x] - b*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n - 1))/(e*n), x] + Dist[1/n, Int[Simp[n*a^2 + (n - 1)*(b^2 + c^2) + a*b*(2*n - 1)*Cos[d + e*x] + a*c*(2*n - 1)*Sin[d + e*x], x]*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n - 2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && GtQ[n, 1]
```

#### Rule 3149

```
Int[((A_.) + cos[(d_.) + (e_.)*(x_.)]*(B_.) + (C_.)*sin[(d_.) + (e_.)*(x_.)]) / Sqrt[cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)]], x_Symbol] := Dist[B/b, Int[Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]], x], x] + Dist[(A*b - a*B)/b, Int[1/Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]], x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && EqQ[B*c - b*C, 0] && NeQ[A*b - a*B, 0]
```

Rule 3119

```
Int[Sqrt[cos[(d_.) + (e_.)*(x_)]*(b_.) + (a_) + (c_.)*sin[(d_.) + (e_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]]/Sqrt[(a + b*Cos[d + e*x] + c*Sin[d + e*x])/(a + Sqrt[b^2 + c^2])], Int[Sqrt[a/(a + Sqrt[b^2 + c^2]) + (Sqrt[b^2 + c^2]*Cos[d + e*x - ArcTan[b, c]])/(a + Sqrt[b^2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3127

```
Int[1/Sqrt[cos[(d_.) + (e_.)*(x_)]*(b_.) + (a_) + (c_.)*sin[(d_.) + (e_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Cos[d + e*x] + c*Sin[d + e*x])/(a + Sqrt[b^2 + c^2])]/Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]], Int[1/Sqrt[a/(a + Sqrt[b^2 + c^2]) + (Sqrt[b^2 + c^2]*Cos[d + e*x - ArcTan[b, c]])/(a + Sqrt[b^2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b])), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned} \int (a + b \cos(d + ex) + c \sin(d + ex))^{3/2} dx &= -\frac{2(c \cos(d + ex) - b \sin(d + ex))\sqrt{a + b \cos(d + ex) + c \sin(d + ex)}}{3e} + \frac{2}{3} \int \dots \\ &= -\frac{2(c \cos(d + ex) - b \sin(d + ex))\sqrt{a + b \cos(d + ex) + c \sin(d + ex)}}{3e} + \frac{1}{3} \int \dots \\ &= -\frac{2(c \cos(d + ex) - b \sin(d + ex))\sqrt{a + b \cos(d + ex) + c \sin(d + ex)}}{3e} + \dots \\ &= -\frac{2(c \cos(d + ex) - b \sin(d + ex))\sqrt{a + b \cos(d + ex) + c \sin(d + ex)}}{3e} + \dots \end{aligned}$$

**Mathematica [C]** time = 6.28603, size = 2190, normalized size = 7.74

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(3/2), x]
```

```
[Out] (((8*a*b)/(3*c) - (2*c*cos[d + e*x])/3 + (2*b*sin[d + e*x])/3)*sqrt[a + b*cos[d + e*x] + c*sin[d + e*x]])/e + (2*a^2*AppellF1[1/2, 1/2, 1/2, 3/2, -(a + sqrt[1 + b^2/c^2]*c*sin[d + e*x + ArcTan[b/c]])/(sqrt[1 + b^2/c^2]*(1 - a/(sqrt[1 + b^2/c^2]*c))*c)], -(a + sqrt[1 + b^2/c^2]*c*sin[d + e*x + ArcTan[b/c]])/(sqrt[1 + b^2/c^2]*(-1 - a/(sqrt[1 + b^2/c^2]*c))*c)]*Sec[d + e*x + ArcTan[b/c]]*sqrt[(c*sqrt[(b^2 + c^2)/c^2] - c*sqrt[(b^2 + c^2)/c^2]*sin[d + e*x + ArcTan[b/c]])/(a + c*sqrt[(b^2 + c^2)/c^2])]*sqrt[a + c*sqrt[(b^2 + c^2)/c^2]*sin[d + e*x + ArcTan[b/c]]]*sqrt[(c*sqrt[(b^2 + c^2)/c^2] + c*sqrt[(b^2 + c^2)/c^2]*sin[d + e*x + ArcTan[b/c]])/(-a + c*sqrt[(b^2 + c^2)/c^2])]/(sqrt[1 + b^2/c^2]*c*e) + (2*b^2*AppellF1[1/2, 1/2, 1/2, 3/2, -(a + sqrt[1 + b^2/c^2]*c*sin[d + e*x + ArcTan[b/c]])/(sqrt[1 + b^2/c^2]*(1 - a/(sqrt[1 + b^2/c^2]*c))*c)], -(a + sqrt[1 + b^2/c^2]*c*sin[d + e*x + ArcTan[b/c]])/(sqrt[1 + b^2/c^2]*(-1 - a/(sqrt[1 + b^2/c^2]*c))*c)]*Sec[d + e*x + ArcTan[b/c]]*sqrt[(c*sqrt[(b^2 + c^2)/c^2] - c*sqrt[(b^2 + c^2)/c^2]*sin[d + e*x + ArcTan[b/c]])/(a + c*sqrt[(b^2 + c^2)/c^2])]*sqrt[a + c*sqrt[(b^2 + c^2)/c^2]*sin[d + e*x + ArcTan[b/c]]]*sqrt[(c*sqrt[(b^2 + c^2)/c^2] + c*sqrt[(b^2 + c^2)/c^2]*sin[d + e*x + ArcTan[b/c]])/(-a + c*sqrt[(b^2 + c^2)/c^2])]/(3*sqrt[1 + b^2/c^2]*c*e) + (2*c*AppellF1[1/2, 1/2, 1/2, 3/2, -(a + sqrt[1 + b^2/c^2]*c*sin[d + e*x + ArcTan[b/c]])/(sqrt[1 + b^2/c^2]*(1 - a/(sqrt[1 + b^2/c^2]*c))*c)], -(a + sqrt[1 + b^2/c^2]*c*sin[d + e*x + ArcTan[b/c]])/(sqrt[1 + b^2/c^2]*(-1 - a/(sqrt[1 + b^2/c^2]*c))*c)]*Sec[d + e*x + ArcTan[b/c]]*sqrt[(c*sqrt[(b^2 + c^2)/c^2] - c*sqrt[(b^2 + c^2)/c^2]*sin[d + e*x + ArcTan[b/c]])/(a + c*sqrt[(b^2 + c^2)/c^2])]*sqrt[a + c*sqrt[(b^2 + c^2)/c^2]*sin[d + e*x + ArcTan[b/c]]]*sqrt[(c*sqrt[(b^2 + c^2)/c^2] + c*sqrt[(b^2 + c^2)/c^2]*sin[d + e*x + ArcTan[b/c]])/(-a + c*sqrt[(b^2 + c^2)/c^2])]/(3*sqrt[1 + b^2/c^2]*e) + (4*a*b^2*(-(c*AppellF1[-1/2, -1/2, -1/2, 1/2, -(a + b*sqrt[1 + c^2/b^2]*cos[d + e*x - ArcTan[c/b]])/(b*sqrt[1 + c^2/b^2]*(1 - a/(b*sqrt[1 + c^2/b^2])))), -(a + b*sqrt[1 + c^2/b^2]*cos[d + e*x - ArcTan[c/b]])/(b*sqrt[1 + c^2/b^2]*(-1 - a/(b*sqrt[1 + c^2/b^2]))))*sin[d + e*x - ArcTan[c/b]])/(b*sqrt[1 + c^2/b^2]*sqrt[(b*sqrt[(b^2 + c^2)/b^2] - b*sqrt[(b^2 + c^2)/b^2]*cos[d + e*x - ArcTan[c/b]])/(a + b*sqrt[(b^2 + c^2)/b^2])]*sqrt[a + b*sqrt[(b^2 + c^2)/b^2]*cos[d + e*x - ArcTan[c/b]]]*sqrt[(b*sqrt[(b^2 + c^2)/b^2] + b*sqrt[(b^2 + c^2)/b^2]*cos[d + e*x - ArcTan[c/b]])/(-a + b*sqrt[(b^2 + c^2)/b^2])]) - ((2*b*(a + b*sqrt[1 + c^2/b^2]*cos[d + e*x - ArcTan[c/b]])/(b^2 + c^2) - (c*sin[d + e*x - ArcTan[c/b]])/(b*sqrt[1 + c^2/b^2]))/sqrt[a + b*sqrt[1 + c^2/b^2]*cos[d + e*x - ArcTan[c/b]]])/((3*c*e) + (4*a*c*(-(c*AppellF1[-1/2, -1/2, -1/2, 1/2, -(a + b*sqrt[1 + c^2/b^2]*cos[d + e*x - ArcTan[c/b]])/(b*sqrt[1 + c^2/b^2]*(1 - a/(b*sqrt[1 + c^2/b^2])))), -(a + b*sqrt[1 + c^2/b^2]*cos[d + e*x - ArcTan[c/b]])/(b*sqrt[1 + c^2/b^2]*(-1 - a/(b*sqrt[1 + c^2/b^2]))))*sin[d + e*x - ArcTan[c/b]])/(b*sqrt[1 + c^2/b^2]*sqrt[(b*sqrt[(b^2 + c^2)/b^2] - b*sqrt[(b^2 + c^2)/b^2]*cos[d + e*x - ArcTan[c/b]])/(a + b*sqrt[(b^2 + c^2)/b^2])]*sqrt[a + b*sqrt[(b^2 + c^2)/b^2]*cos[d + e*x - ArcTan[c/b]]]*sqrt[(b*sqrt[(b^2 + c^2)/b^2] + b*sqrt[(b^2 + c^2)/b^2]*cos[d + e*x - ArcTan[c/b]])/(-a + b*sqrt[(b^2 + c^2)/b^2])]) - ((2*b*(a + b*sqrt[1 + c^2/b^2]*cos[d + e*x - ArcTan[c/b]])/(b^2 + c^2) - (c*sin[d + e*x - ArcTan[c/b]])/(b*sqrt[1 + c^2/b^2]))/sqrt[a + b*sqrt[1 + c^2/b^2]*cos[d + e*x - ArcTan[c/b]]])/((3*e)
```

---

**Maple [B]** time = 7.295, size = 1516, normalized size = 5.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(e*x+d)+c*sin(e*x+d))^(3/2),x)
```

```
[Out] (-(-b^2*sin(e*x+d-arctan(-b,c))-c^2*sin(e*x+d-arctan(-b,c))-a*(b^2+c^2)^(1/2))*cos(e*x+d-arctan(-b,c))^2/(b^2+c^2)^(1/2))^(1/2)*((b^2+c^2)*(-2/3/(b^2+
```

$$c^2)^{(1/2)} * (\cos(e*x+d-\arctan(-b,c))^{2} * ((b^2+c^2)^{(1/2)} * \sin(e*x+d-\arctan(-b,c)) + a))^{(1/2)} + 2/3 * (1/(b^2+c^2)^{(1/2)} * a - 1) * ((-b^2+c^2)^{(1/2)} * \sin(e*x+d-\arctan(-b,c)) - a) / (-a + (b^2+c^2)^{(1/2)})^{(1/2)} * ((-\sin(e*x+d-\arctan(-b,c)) + 1) * (b^2+c^2)^{(1/2)} / (a + (b^2+c^2)^{(1/2)}))^{(1/2)} * ((1 + \sin(e*x+d-\arctan(-b,c))) * (b^2+c^2)^{(1/2)} / (-a + (b^2+c^2)^{(1/2)}))^{(1/2)} / (\cos(e*x+d-\arctan(-b,c))^{2} * ((b^2+c^2)^{(1/2)} * \sin(e*x+d-\arctan(-b,c)) + a))^{(1/2)} * \text{EllipticF}(((b^2+c^2)^{(1/2)} * \sin(e*x+d-\arctan(-b,c)) - a) / (-a + (b^2+c^2)^{(1/2)}))^{(1/2)}, ((a - (b^2+c^2)^{(1/2)}) / (a + (b^2+c^2)^{(1/2)}))^{(1/2)}) - 4/3 / (b^2+c^2)^{(1/2)} * a * (1/(b^2+c^2)^{(1/2)} * a - 1) * ((-b^2+c^2)^{(1/2)} * \sin(e*x+d-\arctan(-b,c)) - a) / (-a + (b^2+c^2)^{(1/2)})^{(1/2)} * ((-\sin(e*x+d-\arctan(-b,c)) + 1) * (b^2+c^2)^{(1/2)} / (a + (b^2+c^2)^{(1/2)}))^{(1/2)} * ((1 + \sin(e*x+d-\arctan(-b,c))) * (b^2+c^2)^{(1/2)} / (-a + (b^2+c^2)^{(1/2)}))^{(1/2)} / (\cos(e*x+d-\arctan(-b,c))^{2} * ((b^2+c^2)^{(1/2)} * \sin(e*x+d-\arctan(-b,c)) + a))^{(1/2)} * ((-1/(b^2+c^2)^{(1/2)} * a - 1) * \text{EllipticE}(((b^2+c^2)^{(1/2)} * \sin(e*x+d-\arctan(-b,c)) - a) / (-a + (b^2+c^2)^{(1/2)}))^{(1/2)}, ((a - (b^2+c^2)^{(1/2)}) / (a + (b^2+c^2)^{(1/2)}))^{(1/2)}) + \text{EllipticF}(((b^2+c^2)^{(1/2)} * \sin(e*x+d-\arctan(-b,c)) - a) / (-a + (b^2+c^2)^{(1/2)}))^{(1/2)}, ((a - (b^2+c^2)^{(1/2)}) / (a + (b^2+c^2)^{(1/2)}))^{(1/2)}) + 4 * a * (b^2+c^2)^{(1/2)} * (1/(b^2+c^2)^{(1/2)} * a - 1) * ((-b^2+c^2)^{(1/2)} * \sin(e*x+d-\arctan(-b,c)) - a) / (-a + (b^2+c^2)^{(1/2)})^{(1/2)} * ((-\sin(e*x+d-\arctan(-b,c)) + 1) * (b^2+c^2)^{(1/2)} / (a + (b^2+c^2)^{(1/2)}))^{(1/2)} * ((1 + \sin(e*x+d-\arctan(-b,c))) * (b^2+c^2)^{(1/2)} / (-a + (b^2+c^2)^{(1/2)}))^{(1/2)} / (\cos(e*x+d-\arctan(-b,c))^{2} * ((b^2+c^2)^{(1/2)} * \sin(e*x+d-\arctan(-b,c)) + a))^{(1/2)} * ((-1/(b^2+c^2)^{(1/2)} * a - 1) * \text{EllipticE}(((b^2+c^2)^{(1/2)} * \sin(e*x+d-\arctan(-b,c)) - a) / (-a + (b^2+c^2)^{(1/2)}))^{(1/2)}, ((a - (b^2+c^2)^{(1/2)}) / (a + (b^2+c^2)^{(1/2)}))^{(1/2)}) + \text{EllipticF}(((b^2+c^2)^{(1/2)} * \sin(e*x+d-\arctan(-b,c)) - a) / (-a + (b^2+c^2)^{(1/2)}))^{(1/2)}, ((a - (b^2+c^2)^{(1/2)}) / (a + (b^2+c^2)^{(1/2)}))^{(1/2)}) + 2 * a^2 * (1/(b^2+c^2)^{(1/2)} * a - 1) * ((-b^2+c^2)^{(1/2)} * \sin(e*x+d-\arctan(-b,c)) - a) / (-a + (b^2+c^2)^{(1/2)})^{(1/2)} * ((-\sin(e*x+d-\arctan(-b,c)) + 1) * (b^2+c^2)^{(1/2)} / (a + (b^2+c^2)^{(1/2)}))^{(1/2)} * ((1 + \sin(e*x+d-\arctan(-b,c))) * (b^2+c^2)^{(1/2)} / (-a + (b^2+c^2)^{(1/2)}))^{(1/2)} / (-b^2 * \sin(e*x+d-\arctan(-b,c)) - c^2 * \sin(e*x+d-\arctan(-b,c)) - a * (b^2+c^2)^{(1/2)} * \cos(e*x+d-\arctan(-b,c)))^{2} / (b^2+c^2)^{(1/2)} * \text{EllipticF}(((b^2+c^2)^{(1/2)} * \sin(e*x+d-\arctan(-b,c)) - a) / (-a + (b^2+c^2)^{(1/2)}))^{(1/2)}, ((a - (b^2+c^2)^{(1/2)}) / (a + (b^2+c^2)^{(1/2)}))^{(1/2)}) / \cos(e*x+d-\arctan(-b,c)) / ((b^2 * \sin(e*x+d-\arctan(-b,c)) + c^2 * \sin(e*x+d-\arctan(-b,c)) + a * (b^2+c^2)^{(1/2)}) / (b^2+c^2)^{(1/2)})^{(1/2)} / e$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (b \cos(ex + d) + c \sin(ex + d) + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^(3/2),x, algorithm="maxima")

[Out] integrate((b\*cos(e\*x + d) + c\*sin(e\*x + d) + a)^(3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left((b \cos(ex + d) + c \sin(ex + d) + a)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^(3/2),x, algorithm="fricas")

[Out] integral((b\*cos(e\*x + d) + c\*sin(e\*x + d) + a)^(3/2), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(e\*x+d)+c\*sin(e\*x+d))\*\*(3/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (b \cos(ex + d) + c \sin(ex + d) + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^(3/2),x, algorithm="giac")

[Out] integrate((b\*cos(e\*x + d) + c\*sin(e\*x + d) + a)^(3/2), x)



### 3.412 $\int \sqrt{a + b \cos(d + ex) + c \sin(d + ex)} dx$

**Optimal.** Leaf size=108

$$\frac{2\sqrt{a + b \cos(d + ex) + c \sin(d + ex)} E\left(\frac{1}{2}(d + ex - \tan^{-1}(b, c)) \middle| \frac{2\sqrt{b^2 + c^2}}{a + \sqrt{b^2 + c^2}}\right)}{e \sqrt{\frac{a + b \cos(d + ex) + c \sin(d + ex)}{a + \sqrt{b^2 + c^2}}}}$$

[Out] (2\*EllipticE[(d + e\*x - ArcTan[b, c])/2, (2\*Sqrt[b^2 + c^2])/(a + Sqrt[b^2 + c^2])]\*Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]])/(e\*Sqrt[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])/(a + Sqrt[b^2 + c^2])])

**Rubi [A]** time = 0.0708033, antiderivative size = 108, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {3119, 2653}

$$\frac{2\sqrt{a + b \cos(d + ex) + c \sin(d + ex)} E\left(\frac{1}{2}(d + ex - \tan^{-1}(b, c)) \middle| \frac{2\sqrt{b^2 + c^2}}{a + \sqrt{b^2 + c^2}}\right)}{e \sqrt{\frac{a + b \cos(d + ex) + c \sin(d + ex)}{a + \sqrt{b^2 + c^2}}}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]], x]

[Out] (2\*EllipticE[(d + e\*x - ArcTan[b, c])/2, (2\*Sqrt[b^2 + c^2])/(a + Sqrt[b^2 + c^2])]\*Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]])/(e\*Sqrt[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])/(a + Sqrt[b^2 + c^2])])

#### Rule 3119

Int[Sqrt[cos[(d\_) + (e\_)\*(x\_)]\*(b\_) + (a\_) + (c\_)\*sin[(d\_) + (e\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]]/Sqrt[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])/(a + Sqrt[b^2 + c^2])], Int[Sqrt[a/(a + Sqrt[b^2 + c^2]) + (Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]])/(a + Sqrt[b^2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]

#### Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rubi steps

$$\begin{aligned} \int \sqrt{a + b \cos(d + ex) + c \sin(d + ex)} dx &= \frac{\sqrt{a + b \cos(d + ex) + c \sin(d + ex)} \int \sqrt{\frac{a}{a + \sqrt{b^2 + c^2}} + \frac{\sqrt{b^2 + c^2} \cos(d + ex - \tan^{-1}(b, c))}{a + \sqrt{b^2 + c^2}}} dx}{\sqrt{\frac{a + b \cos(d + ex) + c \sin(d + ex)}{a + \sqrt{b^2 + c^2}}}} \\ &= \frac{2E\left(\frac{1}{2}(d + ex - \tan^{-1}(b, c)) \middle| \frac{2\sqrt{b^2 + c^2}}{a + \sqrt{b^2 + c^2}}\right) \sqrt{a + b \cos(d + ex) + c \sin(d + ex)}}{e \sqrt{\frac{a + b \cos(d + ex) + c \sin(d + ex)}{a + \sqrt{b^2 + c^2}}}} \end{aligned}$$

**Mathematica [C]** time = 6.27412, size = 1408, normalized size = 13.04

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[a + b\*cos[d + e\*x] + c\*sin[d + e\*x]],x]

[Out]  $(2*b*\sqrt{a + b*\cos[d + e*x] + c*\sin[d + e*x]})/(c*e) + (2*a*\text{AppellF1}[1/2, 1/2, 1/2, 3/2, -((a + \sqrt{1 + b^2/c^2})*c*\sin[d + e*x + \text{ArcTan}[b/c]])/(\sqrt{1 + b^2/c^2})*(1 - a/(\sqrt{1 + b^2/c^2})*c)), -((a + \sqrt{1 + b^2/c^2})*c*\sin[d + e*x + \text{ArcTan}[b/c]])/(\sqrt{1 + b^2/c^2})*(-1 - a/(\sqrt{1 + b^2/c^2})*c))*c)))*\text{Sec}[d + e*x + \text{ArcTan}[b/c]]*\sqrt{((c*\sqrt{(b^2 + c^2)/c^2} - c*\sqrt{(b^2 + c^2)/c^2})*\sin[d + e*x + \text{ArcTan}[b/c]])/(a + c*\sqrt{(b^2 + c^2)/c^2})})*\sqrt{a + c*\sqrt{(b^2 + c^2)/c^2}*\sin[d + e*x + \text{ArcTan}[b/c]]})*\sqrt{((c*\sqrt{(b^2 + c^2)/c^2} + c*\sqrt{(b^2 + c^2)/c^2})*\sin[d + e*x + \text{ArcTan}[b/c]])/(-a + c*\sqrt{(b^2 + c^2)/c^2})}))/(\sqrt{1 + b^2/c^2})*c*e) + (b^2*(-((c*\text{AppellF1}[-1/2, -1/2, -1/2, 1/2, -((a + b*\sqrt{1 + c^2/b^2})*\cos[d + e*x - \text{ArcTan}[c/b]])/(b*\sqrt{1 + c^2/b^2})*(1 - a/(b*\sqrt{1 + c^2/b^2}))))), -((a + b*\sqrt{1 + c^2/b^2})*\cos[d + e*x - \text{ArcTan}[c/b]])/(b*\sqrt{1 + c^2/b^2})*(-1 - a/(b*\sqrt{1 + c^2/b^2}))))))*\sin[d + e*x - \text{ArcTan}[c/b]])/(b*\sqrt{1 + c^2/b^2})*\sqrt{(b*\sqrt{(b^2 + c^2)/b^2} - b*\sqrt{(b^2 + c^2)/b^2})*\cos[d + e*x - \text{ArcTan}[c/b]])/(a + b*\sqrt{(b^2 + c^2)/b^2})})*\sqrt{a + b*\sqrt{(b^2 + c^2)/b^2}*\cos[d + e*x - \text{ArcTan}[c/b]]})*\sqrt{(b*\sqrt{(b^2 + c^2)/b^2} + b*\sqrt{(b^2 + c^2)/b^2})*\cos[d + e*x - \text{ArcTan}[c/b]])/(-a + b*\sqrt{(b^2 + c^2)/b^2})}))) - ((2*b*(a + b*\sqrt{1 + c^2/b^2})*\cos[d + e*x - \text{ArcTan}[c/b]]))/(b^2 + c^2) - (c*\sin[d + e*x - \text{ArcTan}[c/b]])/(b*\sqrt{1 + c^2/b^2}))/\sqrt{a + b*\sqrt{1 + c^2/b^2}*\cos[d + e*x - \text{ArcTan}[c/b]]}))/c + (c*(-((c*\text{AppellF1}[-1/2, -1/2, -1/2, 1/2, -((a + b*\sqrt{1 + c^2/b^2})*\cos[d + e*x - \text{ArcTan}[c/b]])/(b*\sqrt{1 + c^2/b^2})*(1 - a/(b*\sqrt{1 + c^2/b^2}))))), -((a + b*\sqrt{1 + c^2/b^2})*\cos[d + e*x - \text{ArcTan}[c/b]])/(b*\sqrt{1 + c^2/b^2})*(-1 - a/(b*\sqrt{1 + c^2/b^2}))))))*\sin[d + e*x - \text{ArcTan}[c/b]])/(b*\sqrt{1 + c^2/b^2})*\sqrt{(b*\sqrt{(b^2 + c^2)/b^2} - b*\sqrt{(b^2 + c^2)/b^2})*\cos[d + e*x - \text{ArcTan}[c/b]]}))/a + b*\sqrt{(b^2 + c^2)/b^2})*\sqrt{a + b*\sqrt{(b^2 + c^2)/b^2}*\cos[d + e*x - \text{ArcTan}[c/b]]})*\sqrt{(b*\sqrt{(b^2 + c^2)/b^2} + b*\sqrt{(b^2 + c^2)/b^2})*\cos[d + e*x - \text{ArcTan}[c/b]]}))/(-a + b*\sqrt{(b^2 + c^2)/b^2})}))) - ((2*b*(a + b*\sqrt{1 + c^2/b^2})*\cos[d + e*x - \text{ArcTan}[c/b]]))/(b^2 + c^2) - (c*\sin[d + e*x - \text{ArcTan}[c/b]])/(b*\sqrt{1 + c^2/b^2}))/\sqrt{a + b*\sqrt{1 + c^2/b^2}*\cos[d + e*x - \text{ArcTan}[c/b]]}))/e$

**Maple [B]** time = 3.265, size = 720, normalized size = 6.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^(1/2),x)

[Out]  $-2/(b^2+c^2)^{(1/2)}*(-a+(b^2+c^2)^{(1/2)})*(-((b^2+c^2)^{(1/2)}*\sin(e*x+d-\arctan(-b,c))+a)/(-a+(b^2+c^2)^{(1/2)}))^{(1/2)}*(-(\sin(e*x+d-\arctan(-b,c))-1)*(b^2+c^2)^{(1/2)}/(a+(b^2+c^2)^{(1/2)}))^{(1/2)}*((1+\sin(e*x+d-\arctan(-b,c)))*(b^2+c^2)^{(1/2)}/(-a+(b^2+c^2)^{(1/2)}))^{(1/2)}*((b^2+c^2)^{(1/2)}*\sin(e*x+d-\arctan(-b,c))*\cos(e*x+d-\arctan(-b,c))^2+\cos(e*x+d-\arctan(-b,c))^2*a)^{(1/2)}*((b^2+c^2)^{(1/2)}*\text{EllipticF}((- (b^2+c^2)^{(1/2)}/(-a+(b^2+c^2)^{(1/2)}))*\sin(e*x+d-\arctan(-b,c))-a/(-a+(b^2+c^2)^{(1/2)}))^{(1/2)}, (-(-a+(b^2+c^2)^{(1/2)})/(a+(b^2+c^2)^{(1/2)}))^{(1/2)}-(b^2+c^2)^{(1/2)}*\text{EllipticE}((- (b^2+c^2)^{(1/2)}/(-a+(b^2+c^2)^{(1/2)}))*\sin(e*x+d-\arctan(-b,c))-a/(-a+(b^2+c^2)^{(1/2)}))^{(1/2)}, (-(-a+(b^2+c^2)^{(1/2)})/$

$$(a+(b^2+c^2)^{(1/2)})^{(1/2)}+\text{EllipticF}((- (b^2+c^2)^{(1/2)}/(-a+(b^2+c^2)^{(1/2)}))\sin(e*x+d-\arctan(-b,c))-a/(-a+(b^2+c^2)^{(1/2)})^{(1/2)},(-(-a+(b^2+c^2)^{(1/2)})^{(1/2)})/(a+(b^2+c^2)^{(1/2)})^{(1/2)})*a-\text{EllipticE}((- (b^2+c^2)^{(1/2)}/(-a+(b^2+c^2)^{(1/2)}))\sin(e*x+d-\arctan(-b,c))-a/(-a+(b^2+c^2)^{(1/2)})^{(1/2)},(-(-a+(b^2+c^2)^{(1/2)})^{(1/2)})/(a+(b^2+c^2)^{(1/2)})^{(1/2)})*a)/(\cos(e*x+d-\arctan(-b,c))^{2*((b^2+c^2)^{(1/2)}\sin(e*x+d-\arctan(-b,c))+a))^{(1/2)}/\cos(e*x+d-\arctan(-b,c)))/((b^2\sin(e*x+d-\arctan(-b,c))+c^2\sin(e*x+d-\arctan(-b,c))+a*(b^2+c^2)^{(1/2)})/(b^2+c^2)^{(1/2)})^{(1/2)}/e$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{b \cos(ex + d) + c \sin(ex + d) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(b\*cos(e\*x + d) + c\*sin(e\*x + d) + a), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}(\sqrt{b \cos(ex + d) + c \sin(ex + d) + a}, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(e\*x + d) + c\*sin(e\*x + d) + a), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a + b \cos(d + ex) + c \sin(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(e\*x+d)+c\*sin(e\*x+d))\*\*(1/2),x)

[Out] Integral(sqrt(a + b\*cos(d + e\*x) + c\*sin(d + e\*x)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{b \cos(ex + d) + c \sin(ex + d) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(b\*cos(e\*x + d) + c\*sin(e\*x + d) + a), x)

$$3.413 \quad \int \frac{1}{\sqrt{a+b \cos(d+ex)+c \sin(d+ex)}} dx$$

**Optimal.** Leaf size=108

$$\frac{2\sqrt{\frac{a+b \cos(d+ex)+c \sin(d+ex)}{a+\sqrt{b^2+c^2}}} \operatorname{EllipticF}\left(\frac{1}{2}\left(-\tan^{-1}(b,c)+d+ex\right), \frac{2\sqrt{b^2+c^2}}{a+\sqrt{b^2+c^2}}\right)}{e\sqrt{a+b \cos(d+ex)+c \sin(d+ex)}}$$

[Out] (2\*EllipticF[(d + e\*x - ArcTan[b, c])/2, (2\*Sqrt[b^2 + c^2])/(a + Sqrt[b^2 + c^2])]\*Sqrt[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])/(a + Sqrt[b^2 + c^2])])/(e\*Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]])

**Rubi [A]** time = 0.0702036, antiderivative size = 108, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {3127, 2661}

$$\frac{2\sqrt{\frac{a+b \cos(d+ex)+c \sin(d+ex)}{a+\sqrt{b^2+c^2}}} F\left(\frac{1}{2}\left(d+ex-\tan^{-1}(b,c)\right)\middle|\frac{2\sqrt{b^2+c^2}}{a+\sqrt{b^2+c^2}}\right)}{e\sqrt{a+b \cos(d+ex)+c \sin(d+ex)}}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]],x]

[Out] (2\*EllipticF[(d + e\*x - ArcTan[b, c])/2, (2\*Sqrt[b^2 + c^2])/(a + Sqrt[b^2 + c^2])]\*Sqrt[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])/(a + Sqrt[b^2 + c^2])])/(e\*Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]])

#### Rule 3127

Int[1/Sqrt[cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]], x\_Symbol] :> Dist[Sqrt[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])/(a + Sqrt[b^2 + c^2])]/Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]], Int[1/Sqrt[a/(a + Sqrt[b^2 + c^2]) + (Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]])/(a + Sqrt[b^2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]

#### Rule 2661

Int[1/Sqrt[(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rubi steps

$$\int \frac{1}{\sqrt{a+b \cos(d+ex)+c \sin(d+ex)}} dx = \frac{\sqrt{\frac{a+b \cos(d+ex)+c \sin(d+ex)}{a+\sqrt{b^2+c^2}}} \int \frac{1}{\sqrt{\frac{a}{a+\sqrt{b^2+c^2}} + \frac{\sqrt{b^2+c^2} \cos(d+ex-\tan^{-1}(b,c))}{a+\sqrt{b^2+c^2}}}} dx}{\sqrt{a+b \cos(d+ex)+c \sin(d+ex)}}$$

$$= \frac{2F\left(\frac{1}{2}\left(d+ex-\tan^{-1}(b,c)\right)\middle|\frac{2\sqrt{b^2+c^2}}{a+\sqrt{b^2+c^2}}\right) \sqrt{\frac{a+b \cos(d+ex)+c \sin(d+ex)}{a+\sqrt{b^2+c^2}}}}{e\sqrt{a+b \cos(d+ex)+c \sin(d+ex)}}$$

**Mathematica [C]** time = 0.647812, size = 285, normalized size = 2.64

$$2 \sec\left(\tan^{-1}\left(\frac{b}{c}\right) + d + ex\right) \sqrt{\frac{c\sqrt{\frac{b^2}{c^2}+1}\left(\sin\left(\tan^{-1}\left(\frac{b}{c}\right)+d+ex\right)-1\right)}{a+c\sqrt{\frac{b^2}{c^2}+1}}} \sqrt{\frac{c\sqrt{\frac{b^2}{c^2}+1}\left(\sin\left(\tan^{-1}\left(\frac{b}{c}\right)+d+ex\right)+1\right)}{c\sqrt{\frac{b^2}{c^2}+1-a}}} \sqrt{a+c\sqrt{\frac{b^2}{c^2}+1}\sin\left(\tan^{-1}\left(\frac{b}{c}\right)\right)} \\ ce\sqrt{\frac{b^2}{c^2}+1}$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]],x]

[Out] (2\*AppellF1[1/2, 1/2, 1/2, 3/2, (a + Sqrt[1 + b^2/c^2])\*c\*Sin[d + e\*x + ArcTan[b/c]])/(a - Sqrt[1 + b^2/c^2]\*c), (a + Sqrt[1 + b^2/c^2])\*c\*Sin[d + e\*x + ArcTan[b/c]]/(a + Sqrt[1 + b^2/c^2]\*c)]\*Sec[d + e\*x + ArcTan[b/c]]\*Sqrt[-((Sqrt[1 + b^2/c^2]\*c\*(-1 + Sin[d + e\*x + ArcTan[b/c]])))/(a + Sqrt[1 + b^2/c^2]\*c)]\*Sqrt[(Sqrt[1 + b^2/c^2]\*c\*(1 + Sin[d + e\*x + ArcTan[b/c]]))]/(-a + Sqrt[1 + b^2/c^2]\*c)]\*Sqrt[a + Sqrt[1 + b^2/c^2]\*c\*Sin[d + e\*x + ArcTan[b/c]]]/(Sqrt[1 + b^2/c^2]\*c\*e)

**Maple [B]** time = 2.115, size = 303, normalized size = 2.8

$$-2 \frac{-a + \sqrt{b^2 + c^2}}{\sqrt{b^2 + c^2} \cos(ex + d - \arctan(-b, c))e} \sqrt{\frac{\sqrt{b^2 + c^2} \sin(ex + d - \arctan(-b, c)) + a}{-a + \sqrt{b^2 + c^2}}} \sqrt{-\frac{(\sin(ex + d - \arctan(-b, c)) - 1)}{a + \sqrt{b^2 + c^2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^(1/2),x)

[Out] -2\*(-a+(b^2+c^2)^(1/2))\*(-((b^2+c^2)^(1/2)\*sin(e\*x+d-arctan(-b,c))+a)/(-a+(b^2+c^2)^(1/2)))^(1/2)\*(-sin(e\*x+d-arctan(-b,c))-1)\*(b^2+c^2)^(1/2)/(a+(b^2+c^2)^(1/2)))^(1/2)\*((1+sin(e\*x+d-arctan(-b,c)))\*(b^2+c^2)^(1/2)/(-a+(b^2+c^2)^(1/2)))^(1/2)\*EllipticF(-((b^2+c^2)^(1/2)\*sin(e\*x+d-arctan(-b,c))+a)/(-a+(b^2+c^2)^(1/2)))^(1/2), (-(-a+(b^2+c^2)^(1/2))/(a+(b^2+c^2)^(1/2)))^(1/2))/(b^2+c^2)^(1/2)/cos(e\*x+d-arctan(-b,c))/((b^2\*c\*sin(e\*x+d-arctan(-b,c))+c^2\*sin(e\*x+d-arctan(-b,c))+a\*(b^2+c^2)^(1/2))/(b^2+c^2)^(1/2))^(1/2)/e

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{b \cos(ex + d) + c \sin(ex + d) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^(1/2),x, algorithm="maxima")

[Out] integrate(1/sqrt(b\*cos(e\*x + d) + c\*sin(e\*x + d) + a), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{\sqrt{b \cos(ex + d) + c \sin(ex + d) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^(1/2),x, algorithm="fricas")

[Out] integral(1/sqrt(b\*cos(e\*x + d) + c\*sin(e\*x + d) + a), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{a + b \cos(d + ex) + c \sin(d + ex)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(e\*x+d)+c\*sin(e\*x+d))\*\*(1/2),x)

[Out] Integral(1/sqrt(a + b\*cos(d + e\*x) + c\*sin(d + e\*x)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{b \cos(ex + d) + c \sin(ex + d) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^(1/2),x, algorithm="giac")

[Out] integrate(1/sqrt(b\*cos(e\*x + d) + c\*sin(e\*x + d) + a), x)

$$3.414 \quad \int \frac{1}{(a+b \cos(d+ex)+c \sin(d+ex))^{3/2}} dx$$

**Optimal.** Leaf size=186

$$\frac{2\sqrt{a+b \cos(d+ex)+c \sin(d+ex)} E\left(\frac{1}{2}(d+ex - \tan^{-1}(b,c)) \middle| \frac{2\sqrt{b^2+c^2}}{a+\sqrt{b^2+c^2}}\right)}{e(a^2-b^2-c^2) \sqrt{\frac{a+b \cos(d+ex)+c \sin(d+ex)}{a+\sqrt{b^2+c^2}}}} + \frac{2(c \cos(d+ex) - b \sin(d+ex))}{e(a^2-b^2-c^2) \sqrt{a+b \cos(d+ex)+c \sin(d+ex)}}$$

[Out] (2\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x]))/((a^2 - b^2 - c^2)\*e\*Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]]) + (2\*EllipticE[(d + e\*x - ArcTan[b, c])/2, (2\*Sqrt[b^2 + c^2])/(a + Sqrt[b^2 + c^2])]\*Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]])/((a^2 - b^2 - c^2)\*e\*Sqrt[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])/(a + Sqrt[b^2 + c^2])])

**Rubi [A]** time = 0.103961, antiderivative size = 186, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$ , Rules used = {3128, 3119, 2653}

$$\frac{2\sqrt{a+b \cos(d+ex)+c \sin(d+ex)} E\left(\frac{1}{2}(d+ex - \tan^{-1}(b,c)) \middle| \frac{2\sqrt{b^2+c^2}}{a+\sqrt{b^2+c^2}}\right)}{e(a^2-b^2-c^2) \sqrt{\frac{a+b \cos(d+ex)+c \sin(d+ex)}{a+\sqrt{b^2+c^2}}}} + \frac{2(c \cos(d+ex) - b \sin(d+ex))}{e(a^2-b^2-c^2) \sqrt{a+b \cos(d+ex)+c \sin(d+ex)}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(-3/2), x]

[Out] (2\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x]))/((a^2 - b^2 - c^2)\*e\*Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]]) + (2\*EllipticE[(d + e\*x - ArcTan[b, c])/2, (2\*Sqrt[b^2 + c^2])/(a + Sqrt[b^2 + c^2])]\*Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]])/((a^2 - b^2 - c^2)\*e\*Sqrt[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])/(a + Sqrt[b^2 + c^2])])

#### Rule 3128

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(-3/2), x\_Symbol] :> Simp[(2\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x]))/(e\*(a^2 - b^2 - c^2)\*Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]]), x] + Dist[1/(a^2 - b^2 - c^2), Int[Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]

#### Rule 3119

Int[Sqrt[cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]]], x\_Symbol] :> Dist[Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]]/Sqrt[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])/(a + Sqrt[b^2 + c^2])], Int[Sqrt[a/(a + Sqrt[b^2 + c^2]) + (Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]])/(a + Sqrt[b^2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]

#### Rule 2653

Int[Sqrt[(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)]]], x\_Symbol] :> Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a,

b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\int \frac{1}{(a + b \cos(d + ex) + c \sin(d + ex))^{3/2}} dx = \frac{2(c \cos(d + ex) - b \sin(d + ex))}{(a^2 - b^2 - c^2) e \sqrt{a + b \cos(d + ex) + c \sin(d + ex)}} + \frac{\int \sqrt{a + b \cos(d + ex) + c \sin(d + ex)}}{a^2 - b^2 - c^2}$$

$$= \frac{2(c \cos(d + ex) - b \sin(d + ex))}{(a^2 - b^2 - c^2) e \sqrt{a + b \cos(d + ex) + c \sin(d + ex)}} + \frac{\sqrt{a + b \cos(d + ex) + c \sin(d + ex)}}{a^2 - b^2 - c^2}$$

$$= \frac{2(c \cos(d + ex) - b \sin(d + ex))}{(a^2 - b^2 - c^2) e \sqrt{a + b \cos(d + ex) + c \sin(d + ex)}} + \frac{2E\left(\frac{1}{2}(d + ex - \tan^{-1}\left(\frac{c \sin(d + ex) + b \cos(d + ex) + a}{c}\right)\right)}{a^2 - b^2 - c^2}$$

**Mathematica [C]** time = 6.37446, size = 1540, normalized size = 8.28

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(-3/2), x]

[Out] (Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]]\*((-2\*(b^2 + c^2))/(b\*c\*(-a^2 + b^2 + c^2)) + (2\*(a\*c + b^2\*Sin[d + e\*x] + c^2\*Sin[d + e\*x]))/(b\*(-a^2 + b^2 + c^2)\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])))/e - (2\*a\*AppellF1[1/2, 1/2, 1/2, 3/2, -(a + Sqrt[1 + b^2/c^2]\*c\*Sin[d + e\*x + ArcTan[b/c]])/(Sqrt[1 + b^2/c^2]\*(1 - a/(Sqrt[1 + b^2/c^2]\*c)))] - ((a + Sqrt[1 + b^2/c^2]\*c\*Sin[d + e\*x + ArcTan[b/c]])/(Sqrt[1 + b^2/c^2]\*(-1 - a/(Sqrt[1 + b^2/c^2]\*c)))]\*Sec[d + e\*x + ArcTan[b/c]]\*Sqrt[(c\*Sqrt[(b^2 + c^2)/c^2] - c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[b/c]])/(a + c\*Sqrt[(b^2 + c^2)/c^2])] \* Sqrt[a + c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[b/c]]] \* Sqrt[(c\*Sqrt[(b^2 + c^2)/c^2] + c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[b/c]])/(-a + c\*Sqrt[(b^2 + c^2)/c^2])])/(Sqrt[1 + b^2/c^2]\*c\*(-a^2 + b^2 + c^2)\*e) - (b^2\*((c\*AppellF1[-1/2, -1/2, -1/2, 1/2, -(a + b\*Sqrt[1 + c^2/b^2]\*Cos[d + e\*x - ArcTan[c/b]])/(b\*Sqrt[1 + c^2/b^2]\*(1 - a/(b\*Sqrt[1 + c^2/b^2])))]), -(a + b\*Sqrt[1 + c^2/b^2]\*Cos[d + e\*x - ArcTan[c/b]])/(b\*Sqrt[1 + c^2/b^2]\*(-1 - a/(b\*Sqrt[1 + c^2/b^2])))]\*Sin[d + e\*x - ArcTan[c/b]])/(b\*Sqrt[1 + c^2/b^2]\*Sqrt[(b\*Sqrt[(b^2 + c^2)/b^2] - b\*Sqrt[(b^2 + c^2)/b^2]\*Cos[d + e\*x - ArcTan[c/b]])/(a + b\*Sqrt[(b^2 + c^2)/b^2])] \* Sqrt[a + b\*Sqrt[(b^2 + c^2)/b^2]\*Cos[d + e\*x - ArcTan[c/b]]] \* Sqrt[(b\*Sqrt[(b^2 + c^2)/b^2] + b\*Sqrt[(b^2 + c^2)/b^2]\*Cos[d + e\*x - ArcTan[c/b]])/(-a + b\*Sqrt[(b^2 + c^2)/b^2])]) - ((2\*b\*(a + b\*Sqrt[1 + c^2/b^2]\*Cos[d + e\*x - ArcTan[c/b]])/(b^2 + c^2) - (c\*Sin[d + e\*x - ArcTan[c/b]])/(b\*Sqrt[1 + c^2/b^2]))/Sqrt[a + b\*Sqrt[1 + c^2/b^2]\*Cos[d + e\*x - ArcTan[c/b]])/(c\*(-a^2 + b^2 + c^2)\*e) - (c\*(-(c\*AppellF1[-1/2, -1/2, -1/2, 1/2, -(a + b\*Sqrt[1 + c^2/b^2]\*Cos[d + e\*x - ArcTan[c/b]])/(b\*Sqrt[1 + c^2/b^2]\*(1 - a/(b\*Sqrt[1 + c^2/b^2])))]), -(a + b\*Sqrt[1 + c^2/b^2]\*Cos[d + e\*x - ArcTan[c/b]])/(b\*Sqrt[1 + c^2/b^2]\*(-1 - a/(b\*Sqrt[1 + c^2/b^2])))]\*Sin[d + e\*x - ArcTan[c/b]])/(b\*Sqrt[1 + c^2/b^2]\*Sqrt[(b\*Sqrt[(b^2 + c^2)/b^2] - b\*Sqrt[(b^2 + c^2)/b^2]\*Cos[d + e\*x - ArcTan[c/b]])/(a + b\*Sqrt[(b^2 + c^2)/b^2])] \* Sqrt[a + b\*Sqrt[(b^2 + c^2)/b^2]\*Cos[d + e\*x - ArcTan[c/b]]] \* Sqrt[(b\*Sqrt[(b^2 + c^2)/b^2] + b\*Sqrt[(b^2 + c^2)/b^2]\*Cos[d + e\*x - ArcTan[c/b]])/(-a + b\*Sqrt[(b^2 + c^2)/b^2])]) - ((2\*b\*(a + b\*Sqrt[1 + c^2/b^2]\*Cos[d + e\*x - ArcTan[c/b]])/(b^2 + c^2) - (c\*Sin[d + e\*x - ArcTan[c/b]])/(b\*Sqrt[1 + c^2/b^2]))/Sqrt[a + b\*Sqrt[1 + c^2/b



$$\wedge^2 * \text{Cos}[d + e * x - \text{ArcTan}[c/b]]]) / ((-a^2 + b^2 + c^2) * e)$$

**Maple [B]** time = 8.075, size = 2388, normalized size = 12.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (1/(a+b*\cos(e*x+d)+c*\sin(e*x+d)))^{(3/2)}, x$

[Out] 
$$\begin{aligned} & \left( -(-b^2*\sin(e*x+d-\arctan(-b,c))-c^2*\sin(e*x+d-\arctan(-b,c))-a*(b^2+c^2)^{(1/2)} \right. \\ & * \cos(e*x+d-\arctan(-b,c))^{(1/2)} / (b^2+c^2)^{(1/2)})^{(1/2)} / (b^2+c^2)^{(1/2)} * \left( (b^2+c^2) \right. \\ & * \cos(e*x+d-\arctan(-b,c))^{(1/2)} / (a^2-b^2-c^2) / (-(-b^2+c^2)^{(1/2)} * \sin(e*x+d-\arctan(-b,c)) \\ & -a) * \cos(e*x+d-\arctan(-b,c))^{(1/2)} + 1 / (a^2-b^2-c^2) * (b^2+c^2)^{(1/2)} * a * \left. \right. \\ & \left. \left. \left( \frac{1}{(b^2+c^2)^{(1/2)} * a - 1} * \left( -(-b^2+c^2)^{(1/2)} * \sin(e*x+d-\arctan(-b,c)) - a \right) \right. \right. \right. \\ & \left. \left. \left. \left( -a + (b^2+c^2)^{(1/2)} \right) \right)^{(1/2)} * \left( -\sin(e*x+d-\arctan(-b,c)) + 1 \right) * (b^2+c^2)^{(1/2)} \right. \right. \\ & \left. \left. \left. \left( a + (b^2+c^2)^{(1/2)} \right) \right)^{(1/2)} * \left( (1 + \sin(e*x+d-\arctan(-b,c))) * (b^2+c^2)^{(1/2)} \right. \right. \right. \\ & \left. \left. \left. \left( -a + (b^2+c^2)^{(1/2)} \right) \right)^{(1/2)} / \left( -(-b^2+c^2)^{(1/2)} * \sin(e*x+d-\arctan(-b,c)) - a \right) * \right. \right. \\ & \left. \left. \left. \cos(e*x+d-\arctan(-b,c))^{(1/2)} * \text{EllipticF} \left( \frac{-(-b^2+c^2)^{(1/2)} * \sin(e*x+d-\arctan(-b,c)) - a}{-a + (b^2+c^2)^{(1/2)}}, \right. \right. \right. \\ & \left. \left. \left. \frac{(a - (b^2+c^2)^{(1/2)})}{(a + (b^2+c^2)^{(1/2)})} \right)^{(1/2)} + 1 / (a^2 - b^2 - c^2) * (b^2+c^2) * \left( \frac{1}{(b^2+c^2)^{(1/2)} * a - 1} * \left( -(-b^2+c^2)^{(1/2)} * \sin(e*x+d-\arctan(-b,c)) - a \right) \right. \right. \right. \\ & \left. \left. \left. \left( -a + (b^2+c^2)^{(1/2)} \right) \right)^{(1/2)} * \left( -\sin(e*x+d-\arctan(-b,c)) + 1 \right) * (b^2+c^2)^{(1/2)} \right. \right. \\ & \left. \left. \left. \left( a + (b^2+c^2)^{(1/2)} \right) \right)^{(1/2)} * \left( (1 + \sin(e*x+d-\arctan(-b,c))) * (b^2+c^2)^{(1/2)} \right. \right. \right. \\ & \left. \left. \left. \left( -a + (b^2+c^2)^{(1/2)} \right) \right)^{(1/2)} / \left( -(-b^2+c^2)^{(1/2)} * \sin(e*x+d-\arctan(-b,c)) - a \right) * \right. \right. \\ & \left. \left. \left. \cos(e*x+d-\arctan(-b,c))^{(1/2)} * \left( -1 / (b^2+c^2)^{(1/2)} * a - 1 \right) * \text{EllipticE} \left( \frac{-(-b^2+c^2)^{(1/2)} * \sin(e*x+d-\arctan(-b,c)) - a}{-a + (b^2+c^2)^{(1/2)}}, \right. \right. \right. \\ & \left. \left. \left. \frac{(a - (b^2+c^2)^{(1/2)})}{(a + (b^2+c^2)^{(1/2)})} \right)^{(1/2)} + \text{EllipticF} \left( \frac{-(-b^2+c^2)^{(1/2)} * \sin(e*x+d-\arctan(-b,c)) - a}{-a + (b^2+c^2)^{(1/2)}}, \right. \right. \right. \\ & \left. \left. \left. \frac{(a - (b^2+c^2)^{(1/2)})}{(a + (b^2+c^2)^{(1/2)})} \right)^{(1/2)} \right) - \left( \frac{1}{2} * b^2 + \frac{1}{2} * c^2 \right) \right. \\ & \left. \left. \left. \left( b^2+c^2 \right)^{(1/2)} * \left( \frac{1}{(b^2+c^2)^{(1/2)} * a - 1} * \left( -(-b^2+c^2)^{(1/2)} * \sin(e*x+d-\arctan(-b,c)) - a \right) \right. \right. \right. \right. \\ & \left. \left. \left. \left( -a + (b^2+c^2)^{(1/2)} \right) \right)^{(1/2)} * \left( -\sin(e*x+d-\arctan(-b,c)) + 1 \right) * (b^2+c^2)^{(1/2)} \right. \right. \\ & \left. \left. \left. \left( a + (b^2+c^2)^{(1/2)} \right) \right)^{(1/2)} * \left( (1 + \sin(e*x+d-\arctan(-b,c))) * (b^2+c^2)^{(1/2)} \right. \right. \right. \\ & \left. \left. \left. \left( -a + (b^2+c^2)^{(1/2)} \right) \right)^{(1/2)} / \left( -(-b^2+c^2)^{(1/2)} * \sin(e*x+d-\arctan(-b,c)) - a \right) * \right. \right. \\ & \left. \left. \left. \cos(e*x+d-\arctan(-b,c))^{(1/2)} / a * \text{EllipticPi} \left( \frac{-(-b^2+c^2)^{(1/2)} * \sin(e*x+d-\arctan(-b,c)) - a}{-a + (b^2+c^2)^{(1/2)}}, \right. \right. \right. \\ & \left. \left. \left. -1/2 * \left( -1 / (b^2+c^2)^{(1/2)} * a + 1 \right) * (b^2+c^2)^{(1/2)} / a, \right. \right. \right. \\ & \left. \left. \left. \frac{(a - (b^2+c^2)^{(1/2)})}{(a + (b^2+c^2)^{(1/2)})} \right)^{(1/2)} - (b^2+c^2)^{(1/2)} * (-b^2-c^2) * \cos(e*x+d-\arctan(-b,c))^{(1/2)} / (a^2 - b^2 - c^2) \right. \right. \\ & \left. \left. \left. \left( -(-b^2+c^2)^{(1/2)} * \sin(e*x+d-\arctan(-b,c)) - a \right) * \cos(e*x+d-\arctan(-b,c))^{(1/2)} * (b^2+c^2) \right. \right. \right. \\ & \left. \left. \left. \right)^{(1/2)} + a * (b^2+c^2) / (a^2 - b^2 - c^2) * \left( \frac{1}{(b^2+c^2)^{(1/2)} * a - 1} * \left( -(-b^2+c^2)^{(1/2)} * \sin(e*x+d-\arctan(-b,c)) - a \right) \right. \right. \right. \\ & \left. \left. \left. \left( -a + (b^2+c^2)^{(1/2)} \right) \right)^{(1/2)} * \left( -\sin(e*x+d-\arctan(-b,c)) + 1 \right) * (b^2+c^2)^{(1/2)} \right. \right. \\ & \left. \left. \left. \left( a + (b^2+c^2)^{(1/2)} \right) \right)^{(1/2)} * \left( (1 + \sin(e*x+d-\arctan(-b,c))) * (b^2+c^2)^{(1/2)} \right. \right. \right. \\ & \left. \left. \left. \left( -a + (b^2+c^2)^{(1/2)} \right) \right)^{(1/2)} / \left( -(-b^2+c^2)^{(1/2)} * \sin(e*x+d-\arctan(-b,c)) - a \right) * \right. \right. \\ & \left. \left. \left. \cos(e*x+d-\arctan(-b,c))^{(1/2)} * (b^2+c^2)^{(1/2)} * \text{EllipticF} \left( \frac{-(-b^2+c^2)^{(1/2)} * \sin(e*x+d-\arctan(-b,c)) - a}{-a + (b^2+c^2)^{(1/2)}}, \right. \right. \right. \\ & \left. \left. \left. \frac{(a - (b^2+c^2)^{(1/2)})}{(a + (b^2+c^2)^{(1/2)})} \right)^{(1/2)} + 2 * \left( -(-b^2+c^2)^{(3/2)} + 2 * (b^2+c^2)^{(1/2)} * b^2 + 2 * (b^2+c^2)^{(1/2)} * c^2 \right) \right. \right. \\ & \left. \left. \left. \left( 2 * a^2 - 2 * b^2 - 2 * c^2 \right) * \left( \frac{1}{(b^2+c^2)^{(1/2)} * a - 1} * \left( -(-b^2+c^2)^{(1/2)} * \sin(e*x+d-\arctan(-b,c)) - a \right) \right. \right. \right. \right. \\ & \left. \left. \left. \left( -a + (b^2+c^2)^{(1/2)} \right) \right)^{(1/2)} * \left( -\sin(e*x+d-\arctan(-b,c)) + 1 \right) * (b^2+c^2)^{(1/2)} \right. \right. \\ & \left. \left. \left. \left( a + (b^2+c^2)^{(1/2)} \right) \right)^{(1/2)} * \left( (1 + \sin(e*x+d-\arctan(-b,c))) * (b^2+c^2)^{(1/2)} \right. \right. \right. \\ & \left. \left. \left. \left( -a + (b^2+c^2)^{(1/2)} \right) \right)^{(1/2)} / \left( -(-b^2+c^2)^{(1/2)} * \sin(e*x+d-\arctan(-b,c)) - a \right) * \right. \right. \\ & \left. \left. \left. \cos(e*x+d-\arctan(-b,c))^{(1/2)} * (b^2+c^2)^{(1/2)} * \text{EllipticF} \left( \frac{-(-b^2+c^2)^{(1/2)} * \sin(e*x+d-\arctan(-b,c)) - a}{-a + (b^2+c^2)^{(1/2)}}, \right. \right. \right. \\ & \left. \left. \left. \frac{(a - (b^2+c^2)^{(1/2)})}{(a + (b^2+c^2)^{(1/2)})} \right)^{(1/2)} + \text{EllipticF} \left( \frac{-(-b^2+c^2)^{(1/2)} * \sin(e*x+d-\arctan(-b,c)) - a}{-a + (b^2+c^2)^{(1/2)}}, \right. \right. \right. \\ & \left. \left. \left. \frac{(a - (b^2+c^2)^{(1/2)})}{(a + (b^2+c^2)^{(1/2)})} \right)^{(1/2)} \right) + \frac{1}{2} * (b^2+c^2) * \left( \frac{1}{(b^2+c^2)^{(1/2)} * a - 1} * \left( -(-b^2+c^2)^{(1/2)} * \sin(e*x+d-\arctan(-b,c)) - a \right) \right. \right. \\ & \left. \left. \left. \left( -a + (b^2+c^2)^{(1/2)} \right) \right)^{(1/2)} * \left( -\sin(e*x+d-\arctan(-b,c)) + 1 \right) * (b^2+c^2)^{(1/2)} \right. \right. \\ & \left. \left. \left. \left( a + (b^2+c^2)^{(1/2)} \right) \right)^{(1/2)} * \left( (1 + \sin(e*x+d-\arctan(-b,c))) * (b^2+c^2)^{(1/2)} \right. \right. \right. \end{aligned}$$

$$\frac{1}{(b^2+c^2)^{1/2}(-a+(b^2+c^2)^{1/2})^{1/2}(-(-(b^2+c^2)^{1/2}\sin(e*x+d-\arctan(-b,c))-a)\cos(e*x+d-\arctan(-b,c))^2*(b^2+c^2)^{1/2}/a*\text{EllipticPi}((- (b^2+c^2)^{1/2}\sin(e*x+d-\arctan(-b,c))-a)/(-a+(b^2+c^2)^{1/2}))^{1/2}, -1/2*(-1/(b^2+c^2)^{1/2}*a+1)*(b^2+c^2)^{1/2}/a, ((a-(b^2+c^2)^{1/2})/(a+(b^2+c^2)^{1/2}))^{1/2})/\cos(e*x+d-\arctan(-b,c))/((b^2*\sin(e*x+d-\arctan(-b,c))+c^2*\sin(e*x+d-\arctan(-b,c))+a*(b^2+c^2)^{1/2})/(b^2+c^2)^{1/2})^{1/2}/e$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \cos(ex + d) + c \sin(ex + d) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^(3/2),x, algorithm="maxima")

[Out] integrate((b\*cos(e\*x + d) + c\*sin(e\*x + d) + a)^(-3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{b \cos(ex + d) + c \sin(ex + d) + a}}{2ab \cos(ex + d) + (b^2 - c^2) \cos^2(ex + d) + a^2 + c^2 + 2(bc \cos(ex + d) + ac) \sin(ex + d)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(e\*x + d) + c\*sin(e\*x + d) + a)/(2\*a\*b\*cos(e\*x + d) + (b^2 - c^2)\*cos(e\*x + d)^2 + a^2 + c^2 + 2\*(b\*c\*cos(e\*x + d) + a\*c)\*sin(e\*x + d)), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(a + b \cos(d + ex) + c \sin(d + ex))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(e\*x+d)+c\*sin(e\*x+d))\*\*(3/2),x)

[Out] Integral((a + b\*cos(d + e\*x) + c\*sin(d + e\*x))\*\*(-3/2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \cos(ex + d) + c \sin(ex + d) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*cos(e*x+d)+c*sin(e*x+d))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((b*cos(e*x + d) + c*sin(e*x + d) + a)^(-3/2), x)
```

$$3.415 \quad \int \frac{1}{(a+b \cos(d+ex)+c \sin(d+ex))^{5/2}} dx$$

**Optimal.** Leaf size=382

$$\frac{2\sqrt{\frac{a+b \cos(d+ex)+c \sin(d+ex)}{a+\sqrt{b^2+c^2}}} \operatorname{EllipticF}\left(\frac{1}{2}(-\tan^{-1}(b,c)+d+ex), \frac{2\sqrt{b^2+c^2}}{a+\sqrt{b^2+c^2}}\right)}{3e(a^2-b^2-c^2)\sqrt{a+b \cos(d+ex)+c \sin(d+ex)}} + \frac{8a\sqrt{a+b \cos(d+ex)+c \sin(d+ex)}E\left(\frac{1}{2}\left(d+ex-\tan^{-1}\left(\frac{b}{c}\right)\right)\right)}{3e(a^2-b^2-c^2)^2\sqrt{\frac{a+b \cos(d+ex)+c \sin(d+ex)}{a+\sqrt{b^2+c^2}}}}$$

```
[Out] (2*(c*Cos[d + e*x] - b*Sin[d + e*x]))/(3*(a^2 - b^2 - c^2)*e*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(3/2)) + (8*(a*c*Cos[d + e*x] - a*b*Sin[d + e*x]))/(3*(a^2 - b^2 - c^2)^2*e*Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]]) + (8*a*EllipticE[(d + e*x - ArcTan[b, c])/2, (2*Sqrt[b^2 + c^2])/(a + Sqrt[b^2 + c^2])])*Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]]/(3*(a^2 - b^2 - c^2)^2*e*Sqrt[(a + b*Cos[d + e*x] + c*Sin[d + e*x])/(a + Sqrt[b^2 + c^2])]) - (2*EllipticF[(d + e*x - ArcTan[b, c])/2, (2*Sqrt[b^2 + c^2])/(a + Sqrt[b^2 + c^2])])*Sqrt[(a + b*Cos[d + e*x] + c*Sin[d + e*x])/(a + Sqrt[b^2 + c^2])])/(3*(a^2 - b^2 - c^2)*e*Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]])
```

**Rubi [A]** time = 0.362805, antiderivative size = 382, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.318$ , Rules used = {3129, 3156, 3149, 3119, 2653, 3127, 2661}

$$\frac{2\sqrt{\frac{a+b \cos(d+ex)+c \sin(d+ex)}{a+\sqrt{b^2+c^2}}} F\left(\frac{1}{2}\left(d+ex-\tan^{-1}\left(\frac{b}{c}\right)\right)\middle|\frac{2\sqrt{b^2+c^2}}{a+\sqrt{b^2+c^2}}\right)}{3e(a^2-b^2-c^2)\sqrt{a+b \cos(d+ex)+c \sin(d+ex)}} + \frac{8a\sqrt{a+b \cos(d+ex)+c \sin(d+ex)}E\left(\frac{1}{2}\left(d+ex-\tan^{-1}\left(\frac{b}{c}\right)\right)\right)}{3e(a^2-b^2-c^2)^2\sqrt{\frac{a+b \cos(d+ex)+c \sin(d+ex)}{a+\sqrt{b^2+c^2}}}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(-5/2), x]
```

```
[Out] (2*(c*Cos[d + e*x] - b*Sin[d + e*x]))/(3*(a^2 - b^2 - c^2)*e*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(3/2)) + (8*(a*c*Cos[d + e*x] - a*b*Sin[d + e*x]))/(3*(a^2 - b^2 - c^2)^2*e*Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]]) + (8*a*EllipticE[(d + e*x - ArcTan[b, c])/2, (2*Sqrt[b^2 + c^2])/(a + Sqrt[b^2 + c^2])])*Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]]/(3*(a^2 - b^2 - c^2)^2*e*Sqrt[(a + b*Cos[d + e*x] + c*Sin[d + e*x])/(a + Sqrt[b^2 + c^2])]) - (2*EllipticF[(d + e*x - ArcTan[b, c])/2, (2*Sqrt[b^2 + c^2])/(a + Sqrt[b^2 + c^2])])*Sqrt[(a + b*Cos[d + e*x] + c*Sin[d + e*x])/(a + Sqrt[b^2 + c^2])])/(3*(a^2 - b^2 - c^2)*e*Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]])
```

#### Rule 3129

```
Int[(cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^(n_), x_Symbol] :> Simp[(-(c*Cos[d + e*x]) + b*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n + 1))/(e*(n + 1)*(a^2 - b^2 - c^2)), x] + Dist[1/((n + 1)*(a^2 - b^2 - c^2)), Int[(a*(n + 1) - b*(n + 2)*Cos[d + e*x] - c*(n + 2)*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && LtQ[n, -1] && NeQ[n, -3/2]
```

#### Rule 3156

```
Int[((a_.) + cos[(d_.) + (e_.)*(x_.)]*(b_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^(n_)*((A_.) + cos[(d_.) + (e_.)*(x_.)]*(B_.) + (C_.)*sin[(d_.) + (e_.)*(x_.)])
```

```

]), x_Symbol] := -Simp[((c*B - b*C - (a*C - c*A)*Cos[d + e*x] + (a*B - b*A)
*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n + 1))/(e*(n + 1)*(a
^2 - b^2 - c^2)), x] + Dist[1/((n + 1)*(a^2 - b^2 - c^2)), Int[(a + b*Cos[d
+ e*x] + c*Sin[d + e*x])^(n + 1)*Simp[(n + 1)*(a*A - b*B - c*C) + (n + 2)*
(a*B - b*A)*Cos[d + e*x] + (n + 2)*(a*C - c*A)*Sin[d + e*x], x], x], x] /;
FreeQ[{a, b, c, d, e, A, B, C}, x] && LtQ[n, -1] && NeQ[a^2 - b^2 - c^2, 0]
&& NeQ[n, -2]

```

#### Rule 3149

```

Int[((A_.) + cos[(d_.) + (e_.)*(x_.)]*(B_.) + (C_.)*sin[(d_.) + (e_.)*(x_.)])
/Sqrt[cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])
, x_Symbol] := Dist[B/b, Int[Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]], x],
x] + Dist[(A*b - a*B)/b, Int[1/Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]],
x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && EqQ[B*c - b*C, 0] && NeQ[A*
b - a*B, 0]

```

#### Rule 3119

```

Int[Sqrt[cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_
.)]], x_Symbol] := Dist[Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]]/Sqrt[(a +
b*Cos[d + e*x] + c*Sin[d + e*x])/(a + Sqrt[b^2 + c^2])], Int[Sqrt[a/(a + Sq
rt[b^2 + c^2]) + (Sqrt[b^2 + c^2]*Cos[d + e*x - ArcTan[b, c]])/(a + Sqrt[b^
2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]
&& NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]

```

#### Rule 2653

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

#### Rule 3127

```

Int[1/Sqrt[cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(
x_.)]], x_Symbol] := Dist[Sqrt[(a + b*Cos[d + e*x] + c*Sin[d + e*x])/(a + Sq
rt[b^2 + c^2])]/Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]], Int[1/Sqrt[a/(a
+ Sqrt[b^2 + c^2]) + (Sqrt[b^2 + c^2]*Cos[d + e*x - ArcTan[b, c]])/(a + Sqr
t[b^2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2,
0] && NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]

```

#### Rule 2661

```

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

#### Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + b \cos(d + ex) + c \sin(d + ex))^{5/2}} dx &= \frac{2(c \cos(d + ex) - b \sin(d + ex))}{3(a^2 - b^2 - c^2) e(a + b \cos(d + ex) + c \sin(d + ex))^{3/2}} - \frac{2 \int \frac{-\frac{3a}{2} + \frac{1}{2} b \cos(d + ex)}{(a + b \cos(d + ex) + c \sin(d + ex))^{5/2}} dx}{3(a^2 - b^2 - c^2)} \\
&= \frac{2(c \cos(d + ex) - b \sin(d + ex))}{3(a^2 - b^2 - c^2) e(a + b \cos(d + ex) + c \sin(d + ex))^{3/2}} + \frac{8(ac \cos(d + ex) - b^2 \sin(d + ex))}{3(a^2 - b^2 - c^2)^2 e(a + b \cos(d + ex) + c \sin(d + ex))^{3/2}} \\
&= \frac{2(c \cos(d + ex) - b \sin(d + ex))}{3(a^2 - b^2 - c^2) e(a + b \cos(d + ex) + c \sin(d + ex))^{3/2}} + \frac{8(ac \cos(d + ex) - b^2 \sin(d + ex))}{3(a^2 - b^2 - c^2)^2 e(a + b \cos(d + ex) + c \sin(d + ex))^{3/2}} \\
&= \frac{2(c \cos(d + ex) - b \sin(d + ex))}{3(a^2 - b^2 - c^2) e(a + b \cos(d + ex) + c \sin(d + ex))^{3/2}} + \frac{8(ac \cos(d + ex) - b^2 \sin(d + ex))}{3(a^2 - b^2 - c^2)^2 e(a + b \cos(d + ex) + c \sin(d + ex))^{3/2}} \\
&= \frac{2(c \cos(d + ex) - b \sin(d + ex))}{3(a^2 - b^2 - c^2) e(a + b \cos(d + ex) + c \sin(d + ex))^{3/2}} + \frac{8(ac \cos(d + ex) - b^2 \sin(d + ex))}{3(a^2 - b^2 - c^2)^2 e(a + b \cos(d + ex) + c \sin(d + ex))^{3/2}}
\end{aligned}$$

**Mathematica [C]** time = 6.3863, size = 2408, normalized size = 6.3

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(-5/2), x]

[Out] (Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]]\*((8\*a\*(b^2 + c^2))/(3\*b\*c\*(a^2 - b^2 - c^2)^2) + (2\*(a\*c + b^2\*Sin[d + e\*x] + c^2\*Sin[d + e\*x]))/(3\*b\*(-a^2 + b^2 + c^2)\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^2) - (2\*(3\*a^2\*c + b^2\*c + c^3 + 4\*a\*b^2\*Sin[d + e\*x] + 4\*a\*c^2\*Sin[d + e\*x]))/(3\*b\*(-a^2 + b^2 + c^2)^2\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]))) / e + (2\*a^2\*AppellF1[1/2, 1/2, 1/2, 3/2, -(a + Sqrt[1 + b^2/c^2]\*c\*Sin[d + e\*x + ArcTan[b/c]])/(Sqrt[1 + b^2/c^2]\*(1 - a/(Sqrt[1 + b^2/c^2]\*c)))\*c), -(a + Sqrt[1 + b^2/c^2]\*c\*Sin[d + e\*x + ArcTan[b/c]])/(Sqrt[1 + b^2/c^2]\*(-1 - a/(Sqrt[1 + b^2/c^2]\*c))\*c)])\*Sec[d + e\*x + ArcTan[b/c]]\*Sqrt[(c\*Sqrt[(b^2 + c^2)/c^2] - c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[b/c]])/(a + c\*Sqrt[(b^2 + c^2)/c^2])]\*Sqrt[a + c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[b/c]]]\*Sqrt[(c\*Sqrt[(b^2 + c^2)/c^2] + c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[b/c]])/(-a + c\*Sqrt[(b^2 + c^2)/c^2])]/(Sqrt[1 + b^2/c^2]\*c\*(-a^2 + b^2 + c^2)^2\*e) + (2\*b^2\*AppellF1[1/2, 1/2, 1/2, 3/2, -(a + Sqrt[1 + b^2/c^2]\*c\*Sin[d + e\*x + ArcTan[b/c]])/(Sqrt[1 + b^2/c^2]\*(1 - a/(Sqrt[1 + b^2/c^2]\*c))\*c), -(a + Sqrt[1 + b^2/c^2]\*c\*Sin[d + e\*x + ArcTan[b/c]])/(Sqrt[1 + b^2/c^2]\*(-1 - a/(Sqrt[1 + b^2/c^2]\*c))\*c)])\*Sec[d + e\*x + ArcTan[b/c]]\*Sqrt[(c\*Sqrt[(b^2 + c^2)/c^2] - c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[b/c]])/(a + c\*Sqrt[(b^2 + c^2)/c^2])]\*Sqrt[a + c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[b/c]]]\*Sqrt[(c\*Sqrt[(b^2 + c^2)/c^2] + c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[b/c]])/(-a + c\*Sqrt[(b^2 + c^2)/c^2])]/(3\*Sqrt[1 + b^2/c^2]\*c\*(-a^2 + b^2 + c^2)^2\*e) + (2\*c\*AppellF1[1/2, 1/2, 1/2, 3/2, -(a + Sqrt[1 + b^2/c^2]\*c\*Sin[d + e\*x + ArcTan[b/c]])/(Sqrt[1 + b^2/c^2]\*(1 - a/(Sqrt[1 + b^2/c^2]\*c))\*c), -(a + Sqrt[1 + b^2/c^2]\*c\*Sin[d + e\*x + ArcTan[b/c]])/(Sqrt[1 + b^2/c^2]\*(-1 - a/(Sqrt[1 + b^2/c^2]\*c))\*c)])\*Sec[d + e\*x + ArcTan[b/c]]\*Sqrt[(c\*Sqrt[(b^2 + c^2)/c^2] - c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[b/c]])/(a + c\*Sqrt[(b^2 + c^2)/c^2])]\*Sqrt[a + c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[b/c]]]\*Sqrt[(c\*Sqrt[(b^2 + c^2)/c^2] + c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[b/c]])/(-a + c\*Sqrt[(b^2 + c^2)/c^2])]

```

*Sin[d + e*x + ArcTan[b/c]]*Sqrt[(c*Sqrt[(b^2 + c^2)/c^2] + c*Sqrt[(b^2 +
c^2)/c^2]*Sin[d + e*x + ArcTan[b/c]])/(-a + c*Sqrt[(b^2 + c^2)/c^2])]/(3*S
qrt[1 + b^2/c^2]*(-a^2 + b^2 + c^2)^2*e) + (4*a*b^2*(-((c*AppellF1[-1/2, -1
/2, -1/2, 1/2, -((a + b*Sqrt[1 + c^2/b^2])*Cos[d + e*x - ArcTan[c/b]])/(b*Sq
rt[1 + c^2/b^2]*(1 - a/(b*Sqrt[1 + c^2/b^2])))), -(a + b*Sqrt[1 + c^2/b^2]
*Cos[d + e*x - ArcTan[c/b]])/(b*Sqrt[1 + c^2/b^2]*(-1 - a/(b*Sqrt[1 + c^2/b
^2])))))*Sin[d + e*x - ArcTan[c/b]])/(b*Sqrt[1 + c^2/b^2]*Sqrt[(b*Sqrt[(b^2
+ c^2)/b^2] - b*Sqrt[(b^2 + c^2)/b^2]*Cos[d + e*x - ArcTan[c/b]])/(a + b*S
qrt[(b^2 + c^2)/b^2])]*Sqrt[a + b*Sqrt[(b^2 + c^2)/b^2]*Cos[d + e*x - ArcTa
n[c/b]])*Sqrt[(b*Sqrt[(b^2 + c^2)/b^2] + b*Sqrt[(b^2 + c^2)/b^2]*Cos[d + e*
x - ArcTan[c/b]])/(-a + b*Sqrt[(b^2 + c^2)/b^2])) - ((2*b*(a + b*Sqrt[1 +
c^2/b^2]*Cos[d + e*x - ArcTan[c/b]])/(b^2 + c^2) - (c*Sin[d + e*x - ArcTa
n[c/b]])/(b*Sqrt[1 + c^2/b^2]))/Sqrt[a + b*Sqrt[1 + c^2/b^2]*Cos[d + e*x -
ArcTan[c/b]])]/(3*c*(-a^2 + b^2 + c^2)^2*e) + (4*a*c*(-((c*AppellF1[-1/2,
-1/2, -1/2, 1/2, -((a + b*Sqrt[1 + c^2/b^2])*Cos[d + e*x - ArcTan[c/b]])/(b*
Sqrt[1 + c^2/b^2]*(1 - a/(b*Sqrt[1 + c^2/b^2])))), -(a + b*Sqrt[1 + c^2/b^
2]*Cos[d + e*x - ArcTan[c/b]])/(b*Sqrt[1 + c^2/b^2]*(-1 - a/(b*Sqrt[1 + c^2
/b^2])))))*Sin[d + e*x - ArcTan[c/b]])/(b*Sqrt[1 + c^2/b^2]*Sqrt[(b*Sqrt[(b
^2 + c^2)/b^2] - b*Sqrt[(b^2 + c^2)/b^2]*Cos[d + e*x - ArcTan[c/b]])/(a + b
*Sqrt[(b^2 + c^2)/b^2])]*Sqrt[a + b*Sqrt[(b^2 + c^2)/b^2]*Cos[d + e*x - Arc
Tan[c/b]])*Sqrt[(b*Sqrt[(b^2 + c^2)/b^2] + b*Sqrt[(b^2 + c^2)/b^2]*Cos[d +
e*x - ArcTan[c/b]])/(-a + b*Sqrt[(b^2 + c^2)/b^2])) - ((2*b*(a + b*Sqrt[1
+ c^2/b^2]*Cos[d + e*x - ArcTan[c/b]])/(b^2 + c^2) - (c*Sin[d + e*x - Arc
Tan[c/b]])/(b*Sqrt[1 + c^2/b^2]))/Sqrt[a + b*Sqrt[1 + c^2/b^2]*Cos[d + e*x
- ArcTan[c/b]])]/(3*(-a^2 + b^2 + c^2)^2*e)

```

**Maple [B]** time = 29.057, size = 2967, normalized size = 7.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^(5/2),x)

```

[Out] (-(-b^2*sin(e*x+d-arctan(-b,c))-c^2*sin(e*x+d-arctan(-b,c))-a*(b^2+c^2)^(1/
2))*cos(e*x+d-arctan(-b,c))^2/(b^2+c^2)^(1/2))^(1/2)*(1/4*(b^2+c^2)/(a^2-b^
2-c^2)/a*(cos(e*x+d-arctan(-b,c))^2*((b^2+c^2)^(1/2)*sin(e*x+d-arctan(-b,c)
)+a))^(1/2)/(b^2*sin(e*x+d-arctan(-b,c))+c^2*sin(e*x+d-arctan(-b,c))-a*(b^2
+c^2)^(1/2))+1/3/(a^2-b^2-c^2)/(b^2+c^2)^(1/2)*(cos(e*x+d-arctan(-b,c))^2*(
(b^2+c^2)^(1/2)*sin(e*x+d-arctan(-b,c))+a))^(1/2)/(sin(e*x+d-arctan(-b,c))+
1/(b^2+c^2)^(1/2)*a)^2+4/3*(b^2+c^2)^(1/2)*cos(e*x+d-arctan(-b,c))^2/(a^2-b
^2-c^2)^2*a/(cos(e*x+d-arctan(-b,c))^2*((b^2+c^2)^(1/2)*sin(e*x+d-arctan(-b
,c))+a))^(1/2)+2*(-7/24/(a^2-b^2-c^2)+2/3*a^2/(a^2-b^2-c^2)^2)*(1/(b^2+c^2)
^(1/2)*a-1)*((-b^2+c^2)^(1/2)*sin(e*x+d-arctan(-b,c))-a)/(-a+(b^2+c^2)^(1/
2)))^(1/2)*((-sin(e*x+d-arctan(-b,c))+1)*(b^2+c^2)^(1/2)/(a+(b^2+c^2)^(1/2)
))^2*(1+sin(e*x+d-arctan(-b,c)))*(b^2+c^2)^(1/2)/(-a+(b^2+c^2)^(1/2)))
^(1/2)/(cos(e*x+d-arctan(-b,c))^2*((b^2+c^2)^(1/2)*sin(e*x+d-arctan(-b,c))+
a))^(1/2)*EllipticF(((b^2+c^2)^(1/2)*sin(e*x+d-arctan(-b,c))-a)/(-a+(b^2+c^
2)^(1/2)))^(1/2),((a-(b^2+c^2)^(1/2))/(a+(b^2+c^2)^(1/2)))^(1/2))+2*(1/8/
a/(a^2-b^2-c^2)*(b^2+c^2)^(1/2)+2/3*a*(b^2+c^2)^(1/2)/(a^2-b^2-c^2)^2)*(1/(
b^2+c^2)^(1/2)*a-1)*((-b^2+c^2)^(1/2)*sin(e*x+d-arctan(-b,c))-a)/(-a+(b^2+c
^2)^(1/2)))^(1/2)*((-sin(e*x+d-arctan(-b,c))+1)*(b^2+c^2)^(1/2)/(a+(b^2+c^
2)^(1/2)))^(1/2)*((1+sin(e*x+d-arctan(-b,c)))*(b^2+c^2)^(1/2)/(-a+(b^2+c^2)
^(1/2)))^(1/2)/(cos(e*x+d-arctan(-b,c))^2*((b^2+c^2)^(1/2)*sin(e*x+d-arctan
(-b,c))+a))^(1/2)*((-1/(b^2+c^2)^(1/2)*a-1)*EllipticE(((b^2+c^2)^(1/2)*si
n(e*x+d-arctan(-b,c))-a)/(-a+(b^2+c^2)^(1/2)))^(1/2),((a-(b^2+c^2)^(1/2))/(
a+(b^2+c^2)^(1/2)))^(1/2))+EllipticF(((b^2+c^2)^(1/2)*sin(e*x+d-arctan(-b

```

,c))-a)/(-a+(b^2+c^2)^(1/2)))^(1/2),((a-(b^2+c^2)^(1/2))/(a+(b^2+c^2)^(1/2)))^(1/2)))^2+1/8\*(5\*a^2-b^2-c^2)/a^2/(a^2-b^2-c^2)\*(1/(b^2+c^2)^(1/2)\*a-1)\*((-b^2+c^2)^(1/2)\*sin(e\*x+d-arctan(-b,c))-a)/(-a+(b^2+c^2)^(1/2)))^(1/2)\*((-sin(e\*x+d-arctan(-b,c))+1)\*(b^2+c^2)^(1/2)/(a+(b^2+c^2)^(1/2)))^(1/2)\*((1+sin(e\*x+d-arctan(-b,c)))\*(b^2+c^2)^(1/2)/(-a+(b^2+c^2)^(1/2)))^(1/2)/(cos(e\*x+d-arctan(-b,c))^2\*((b^2+c^2)^(1/2)\*sin(e\*x+d-arctan(-b,c))+a))^(1/2)\*EllipticPi(((b^2+c^2)^(1/2)\*sin(e\*x+d-arctan(-b,c))-a)/(-a+(b^2+c^2)^(1/2)))^(1/2),-1/2\*(-1/(b^2+c^2)^(1/2)\*a+1)\*(b^2+c^2)^(1/2)/a,((a-(b^2+c^2)^(1/2))/(a+(b^2+c^2)^(1/2)))^(1/2))-1/4/a/(a^2-b^2-c^2)\*(b^2+c^2)^(1/2)\*(cos(e\*x+d-arctan(-b,c))^2\*(b^2+c^2)\*((b^2+c^2)^(1/2)\*sin(e\*x+d-arctan(-b,c))+a))^(1/2)/(b^2\*sin(e\*x+d-arctan(-b,c))+c^2\*sin(e\*x+d-arctan(-b,c))-a\*(b^2+c^2)^(1/2))+1/3/(a^2-b^2-c^2)/(b^2+c^2)\*(cos(e\*x+d-arctan(-b,c))^2\*(b^2+c^2)\*((b^2+c^2)^(1/2)\*sin(e\*x+d-arctan(-b,c))+a))^(1/2)/(sin(e\*x+d-arctan(-b,c))+1/(b^2+c^2)^(1/2)\*a)^2-4/3\*(-b^2-c^2)\*cos(e\*x+d-arctan(-b,c))^2/(a^2-b^2-c^2)^2\*a/(cos(e\*x+d-arctan(-b,c))^2\*(b^2+c^2)\*((b^2+c^2)^(1/2)\*sin(e\*x+d-arctan(-b,c))+a))^(1/2)+2\*(-1/24/(a^2-b^2-c^2)\*(b^2+c^2)^(1/2)+2/3\*a^2\*(b^2+c^2)^(1/2))/(a^2-b^2-c^2)^2\*(1/(b^2+c^2)^(1/2)\*a-1)\*((-b^2+c^2)^(1/2)\*sin(e\*x+d-arctan(-b,c))-a)/(-a+(b^2+c^2)^(1/2)))^(1/2)\*((-sin(e\*x+d-arctan(-b,c))+1)\*(b^2+c^2)^(1/2)/(a+(b^2+c^2)^(1/2)))^(1/2)\*((1+sin(e\*x+d-arctan(-b,c)))\*(b^2+c^2)^(1/2)/(-a+(b^2+c^2)^(1/2)))^(1/2)/(cos(e\*x+d-arctan(-b,c))^2\*(b^2+c^2)\*((b^2+c^2)^(1/2)\*sin(e\*x+d-arctan(-b,c))+a))^(1/2)\*EllipticF(((b^2+c^2)^(1/2)\*sin(e\*x+d-arctan(-b,c))-a)/(-a+(b^2+c^2)^(1/2)))^(1/2),((a-(b^2+c^2)^(1/2))/(a+(b^2+c^2)^(1/2)))^(1/2))+2\*(13\*a^2\*b^2+13\*a^2\*c^2+3\*b^4+6\*b^2\*c^2+3\*c^4)/(24\*a^5-48\*a^3\*b^2-48\*a^3\*c^2+24\*a\*b^4+48\*a\*b^2\*c^2+24\*a\*c^4)\*(1/(b^2+c^2)^(1/2)\*a-1)\*((-b^2+c^2)^(1/2)\*sin(e\*x+d-arctan(-b,c))-a)/(-a+(b^2+c^2)^(1/2)))^(1/2)\*((-sin(e\*x+d-arctan(-b,c))+1)\*(b^2+c^2)^(1/2)/(a+(b^2+c^2)^(1/2)))^(1/2)\*((1+sin(e\*x+d-arctan(-b,c)))\*(b^2+c^2)^(1/2)/(-a+(b^2+c^2)^(1/2)))^(1/2)/(cos(e\*x+d-arctan(-b,c))^2\*(b^2+c^2)\*((b^2+c^2)^(1/2)\*sin(e\*x+d-arctan(-b,c))+a))^(1/2)\*EllipticE(((b^2+c^2)^(1/2)\*sin(e\*x+d-arctan(-b,c))-a)/(-a+(b^2+c^2)^(1/2)))^(1/2),((a-(b^2+c^2)^(1/2))/(a+(b^2+c^2)^(1/2)))^(1/2))+EllipticF(((b^2+c^2)^(1/2)\*sin(e\*x+d-arctan(-b,c))-a)/(-a+(b^2+c^2)^(1/2)))^(1/2),((a-(b^2+c^2)^(1/2))/(a+(b^2+c^2)^(1/2)))^(1/2))-1/8\*(5\*a^2\*b^2+5\*a^2\*c^2-b^4-2\*b^2\*c^2-c^4)/a^2/(a^2-b^2-c^2)/(b^2+c^2)^(1/2)\*(1/(b^2+c^2)^(1/2)\*a-1)\*((-b^2+c^2)^(1/2)\*sin(e\*x+d-arctan(-b,c))-a)/(-a+(b^2+c^2)^(1/2)))^(1/2)\*((-sin(e\*x+d-arctan(-b,c))+1)\*(b^2+c^2)^(1/2)/(a+(b^2+c^2)^(1/2)))^(1/2)\*((1+sin(e\*x+d-arctan(-b,c)))\*(b^2+c^2)^(1/2)/(-a+(b^2+c^2)^(1/2)))^(1/2)/(cos(e\*x+d-arctan(-b,c))^2\*(b^2+c^2)\*((b^2+c^2)^(1/2)\*sin(e\*x+d-arctan(-b,c))+a))^(1/2)\*EllipticPi(((b^2+c^2)^(1/2)\*sin(e\*x+d-arctan(-b,c))-a)/(-a+(b^2+c^2)^(1/2)))^(1/2),-1/2\*(-1/(b^2+c^2)^(1/2)\*a+1)\*(b^2+c^2)^(1/2)/a,((a-(b^2+c^2)^(1/2))/(a+(b^2+c^2)^(1/2)))^(1/2))/cos(e\*x+d-arctan(-b,c))/(b^2\*sin(e\*x+d-arctan(-b,c))+c^2\*sin(e\*x+d-arctan(-b,c))+a\*(b^2+c^2)^(1/2))/(b^2+c^2)^(1/2))^2/e

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \cos(ex + d) + c \sin(ex + d) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^(5/2),x, algorithm="maxima")

[Out] integrate((b\*cos(e\*x + d) + c\*sin(e\*x + d) + a)^(-5/2), x)



**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{b \cos(ex + d) + c \sin(ex + d) + a}}{(b^3 - 3bc^2) \cos(ex + d)^3 + a^3 + 3ac^2 + 3(ab^2 - ac^2) \cos(ex + d)^2 + 3(a^2b + bc^2) \cos(ex + d) + (6abc \cos(ex + d) + a^2c + c^3) \sin(ex + d)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^(5/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(e\*x + d) + c\*sin(e\*x + d) + a)/((b^3 - 3\*b\*c^2)\*cos(e\*x + d)^3 + a^3 + 3\*a\*c^2 + 3\*(a\*b^2 - a\*c^2)\*cos(e\*x + d)^2 + 3\*(a^2\*b + b\*c^2)\*cos(e\*x + d) + (6\*a\*b\*c\*cos(e\*x + d) + 3\*a^2\*c + c^3 + (3\*b^2\*c - c^3)\*cos(e\*x + d)^2)\*sin(e\*x + d)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(e\*x+d)+c\*sin(e\*x+d))\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \cos(ex + d) + c \sin(ex + d) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^(5/2),x, algorithm="giac")

[Out] integrate((b\*cos(e\*x + d) + c\*sin(e\*x + d) + a)^(-5/2), x)

$$3.416 \quad \int \frac{1}{(a+b \cos(d+ex)+c \sin(d+ex))^{7/2}} dx$$

**Optimal.** Leaf size=490

$$\frac{16a \sqrt{\frac{a+b \cos(d+ex)+c \sin(d+ex)}{a+\sqrt{b^2+c^2}}} \operatorname{EllipticF}\left(\frac{1}{2}(-\tan^{-1}(b,c)+d+ex), \frac{2\sqrt{b^2+c^2}}{a+\sqrt{b^2+c^2}}\right)}{15e(a^2-b^2-c^2)^2 \sqrt{a+b \cos(d+ex)+c \sin(d+ex)}} + \frac{2(23a^2+9(b^2+c^2)) \sqrt{a+b \cos(d+ex)+c \sin(d+ex)}}{15e(a^2-b^2-c^2)^3 \sqrt{a+b \cos(d+ex)+c \sin(d+ex)}}$$

```
[Out] (2*(c*Cos[d + e*x] - b*Sin[d + e*x]))/(5*(a^2 - b^2 - c^2)*e*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(5/2)) + (16*(a*c*Cos[d + e*x] - a*b*Sin[d + e*x]))/(15*(a^2 - b^2 - c^2)^2*e*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(3/2)) + (2*(23*a^2 + 9*(b^2 + c^2))*EllipticE[(d + e*x - ArcTan[b, c])/2, (2*sqrt[b^2 + c^2])/(a + sqrt[b^2 + c^2])]*sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]])/(15*(a^2 - b^2 - c^2)^3*e*sqrt[(a + b*Cos[d + e*x] + c*Sin[d + e*x])/(a + sqrt[b^2 + c^2])]) - (16*a*EllipticF[(d + e*x - ArcTan[b, c])/2, (2*sqrt[b^2 + c^2])/(a + sqrt[b^2 + c^2])]*sqrt[(a + b*Cos[d + e*x] + c*Sin[d + e*x])/(a + sqrt[b^2 + c^2])])/(15*(a^2 - b^2 - c^2)^2*e*sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]]) + (2*(c*(23*a^2 + 9*(b^2 + c^2))*Cos[d + e*x] - b*(23*a^2 + 9*(b^2 + c^2))*Sin[d + e*x]))/(15*(a^2 - b^2 - c^2)^3*e*sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]])
```

**Rubi [A]** time = 0.619259, antiderivative size = 490, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.318$ , Rules used = {3129, 3156, 3149, 3119, 2653, 3127, 2661}

$$\frac{16a \sqrt{\frac{a+b \cos(d+ex)+c \sin(d+ex)}{a+\sqrt{b^2+c^2}}} F\left(\frac{1}{2}(d+ex - \tan^{-1}(b,c)) \middle| \frac{2\sqrt{b^2+c^2}}{a+\sqrt{b^2+c^2}}\right)}{15e(a^2-b^2-c^2)^2 \sqrt{a+b \cos(d+ex)+c \sin(d+ex)}} + \frac{2(23a^2+9(b^2+c^2)) \sqrt{a+b \cos(d+ex)+c \sin(d+ex)}}{15e(a^2-b^2-c^2)^3 \sqrt{a+b \cos(d+ex)+c \sin(d+ex)}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(-7/2), x]
```

```
[Out] (2*(c*Cos[d + e*x] - b*Sin[d + e*x]))/(5*(a^2 - b^2 - c^2)*e*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(5/2)) + (16*(a*c*Cos[d + e*x] - a*b*Sin[d + e*x]))/(15*(a^2 - b^2 - c^2)^2*e*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(3/2)) + (2*(23*a^2 + 9*(b^2 + c^2))*EllipticE[(d + e*x - ArcTan[b, c])/2, (2*sqrt[b^2 + c^2])/(a + sqrt[b^2 + c^2])]*sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]])/(15*(a^2 - b^2 - c^2)^3*e*sqrt[(a + b*Cos[d + e*x] + c*Sin[d + e*x])/(a + sqrt[b^2 + c^2])]) - (16*a*EllipticF[(d + e*x - ArcTan[b, c])/2, (2*sqrt[b^2 + c^2])/(a + sqrt[b^2 + c^2])]*sqrt[(a + b*Cos[d + e*x] + c*Sin[d + e*x])/(a + sqrt[b^2 + c^2])])/(15*(a^2 - b^2 - c^2)^2*e*sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]]) + (2*(c*(23*a^2 + 9*(b^2 + c^2))*Cos[d + e*x] - b*(23*a^2 + 9*(b^2 + c^2))*Sin[d + e*x]))/(15*(a^2 - b^2 - c^2)^3*e*sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]])
```

### Rule 3129

```
Int[(cos[(d_.) + (e_.)*(x_)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_)])^(n_), x_Symbol] := Simp[(-c*Cos[d + e*x] + b*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n + 1)/(e*(n + 1)*(a^2 - b^2 - c^2)), x] + Dist[1/((n + 1)*(a^2 - b^2 - c^2)), Int[(a*(n + 1) - b*(n + 2)*Cos[d + e*x] - c*(n + 2)*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && LtQ[n, -1] && N
```

eQ[n, -3/2]

### Rule 3156

```
Int[((a_.) + cos[(d_.) + (e_.)*(x_)])*(b_.) + (c_.)*sin[(d_.) + (e_.)*(x_)])
^(n_)*((A_.) + cos[(d_.) + (e_.)*(x_)])*(B_.) + (C_.)*sin[(d_.) + (e_.)*(x_)
]), x_Symbol] :> -Simp[((c*B - b*C - (a*C - c*A)*Cos[d + e*x] + (a*B - b*A)
*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n + 1))/(e*(n + 1)*(a
^2 - b^2 - c^2)), x] + Dist[1/((n + 1)*(a^2 - b^2 - c^2)), Int[(a + b*Cos[d
+ e*x] + c*Sin[d + e*x])^(n + 1)*Simp[(n + 1)*(a*A - b*B - c*C) + (n + 2)*
(a*B - b*A)*Cos[d + e*x] + (n + 2)*(a*C - c*A)*Sin[d + e*x], x], x], x] /;
FreeQ[{a, b, c, d, e, A, B, C}, x] && LtQ[n, -1] && NeQ[a^2 - b^2 - c^2, 0]
&& NeQ[n, -2]
```

### Rule 3149

```
Int[((A_.) + cos[(d_.) + (e_.)*(x_)])*(B_.) + (C_.)*sin[(d_.) + (e_.)*(x_)])
/Sqrt[cos[(d_.) + (e_.)*(x_)])*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_)])
, x_Symbol] :> Dist[B/b, Int[Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]], x],
x] + Dist[(A*b - a*B)/b, Int[1/Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]],
x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && EqQ[B*c - b*C, 0] && NeQ[A*
b - a*B, 0]
```

### Rule 3119

```
Int[Sqrt[cos[(d_.) + (e_.)*(x_)])*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_
)]], x_Symbol] :> Dist[Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]]/Sqrt[(a +
b*Cos[d + e*x] + c*Sin[d + e*x])/(a + Sqrt[b^2 + c^2])], Int[Sqrt[a/(a + Sq
rt[b^2 + c^2]) + (Sqrt[b^2 + c^2]*Cos[d + e*x - ArcTan[b, c]])/(a + Sqrt[b^
2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]
&& NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]
```

### Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

### Rule 3127

```
Int[1/Sqrt[cos[(d_.) + (e_.)*(x_)])*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(
x_)]], x_Symbol] :> Dist[Sqrt[(a + b*Cos[d + e*x] + c*Sin[d + e*x])/(a + Sq
rt[b^2 + c^2])]/Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]], Int[1/Sqrt[a/(a
+ Sqrt[b^2 + c^2]) + (Sqrt[b^2 + c^2]*Cos[d + e*x - ArcTan[b, c]])/(a + Sqr
t[b^2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2,
0] && NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]
```

### Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + b \cos(d + ex) + c \sin(d + ex))^{7/2}} dx &= \frac{2(c \cos(d + ex) - b \sin(d + ex))}{5(a^2 - b^2 - c^2)e(a + b \cos(d + ex) + c \sin(d + ex))^{5/2}} - \frac{2 \int \frac{-\frac{5a}{2} + \frac{3}{2}b \cos(d + ex)}{(a + b \cos(d + ex) + c \sin(d + ex))^{5/2}} dx}{5(a^2 - b^2 - c^2)} \\
&= \frac{2(c \cos(d + ex) - b \sin(d + ex))}{5(a^2 - b^2 - c^2)e(a + b \cos(d + ex) + c \sin(d + ex))^{5/2}} + \frac{16(ac \cos(d + ex) - b^2 \sin(d + ex))}{15(a^2 - b^2 - c^2)^2 e} \\
&= \frac{2(c \cos(d + ex) - b \sin(d + ex))}{5(a^2 - b^2 - c^2)e(a + b \cos(d + ex) + c \sin(d + ex))^{5/2}} + \frac{16(ac \cos(d + ex) - b^2 \sin(d + ex))}{15(a^2 - b^2 - c^2)^2 e} \\
&= \frac{2(c \cos(d + ex) - b \sin(d + ex))}{5(a^2 - b^2 - c^2)e(a + b \cos(d + ex) + c \sin(d + ex))^{5/2}} + \frac{16(ac \cos(d + ex) - b^2 \sin(d + ex))}{15(a^2 - b^2 - c^2)^2 e} \\
&= \frac{2(c \cos(d + ex) - b \sin(d + ex))}{5(a^2 - b^2 - c^2)e(a + b \cos(d + ex) + c \sin(d + ex))^{5/2}} + \frac{16(ac \cos(d + ex) - b^2 \sin(d + ex))}{15(a^2 - b^2 - c^2)^2 e} \\
&= \frac{2(c \cos(d + ex) - b \sin(d + ex))}{5(a^2 - b^2 - c^2)e(a + b \cos(d + ex) + c \sin(d + ex))^{5/2}} + \frac{16(ac \cos(d + ex) - b^2 \sin(d + ex))}{15(a^2 - b^2 - c^2)^2 e}
\end{aligned}$$

**Mathematica [C]** time = 6.62076, size = 4116, normalized size = 8.4

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(-7/2), x]

[Out] (Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]]\*((-2\*(b^2 + c^2)\*(23\*a^2 + 9\*b^2 + 9\*c^2))/(15\*b\*c\*(-a^2 + b^2 + c^2)^3) + (2\*(a\*c + b^2\*Sin[d + e\*x] + c^2\*Sin[d + e\*x]))/(5\*b\*(-a^2 + b^2 + c^2)\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^3) - (2\*(5\*a^2\*c + 3\*b^2\*c + 3\*c^3 + 8\*a\*b^2\*Sin[d + e\*x] + 8\*a\*c^2\*Sin[d + e\*x]))/(15\*b\*(-a^2 + b^2 + c^2)^2\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^2) + (2\*(15\*a^3\*c + 17\*a\*b^2\*c + 17\*a\*c^3 + 23\*a^2\*b^2\*Sin[d + e\*x] + 9\*b^4\*Sin[d + e\*x] + 23\*a^2\*c^2\*Sin[d + e\*x] + 18\*b^2\*c^2\*Sin[d + e\*x] + 9\*c^4\*Sin[d + e\*x]))/(15\*b\*(-a^2 + b^2 + c^2)^3\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]))) / e - (2\*a^3\*AppellF1[1/2, 1/2, 1/2, 3/2, -(a + Sqrt[1 + b^2/c^2]\*c\*Sin[d + e\*x + ArcTan[b/c]])/(Sqrt[1 + b^2/c^2]\*(1 - a/(Sqrt[1 + b^2/c^2]\*c)))\*c), -(a + Sqrt[1 + b^2/c^2]\*c\*Sin[d + e\*x + ArcTan[b/c]])/(Sqrt[1 + b^2/c^2]\*(-1 - a/(Sqrt[1 + b^2/c^2]\*c))\*c)]\*Sec[d + e\*x + ArcTan[b/c]]\*Sqrt[(c\*Sqrt[(b^2 + c^2)/c^2] - c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[b/c]])/(a + c\*Sqrt[(b^2 + c^2)/c^2])]\*Sqrt[a + c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[b/c]]]\*Sqrt[(c\*Sqrt[(b^2 + c^2)/c^2] + c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[b/c]])/(-a + c\*Sqrt[(b^2 + c^2)/c^2])]/(Sqrt[1 + b^2/c^2]\*c\*(-a^2 + b^2 + c^2)^3\*e) - (34\*a\*b^2\*AppellF1[1/2, 1/2, 1/2, 3/2, -(a + Sqrt[1 + b^2/c^2]\*c\*Sin[d + e\*x + ArcTan[b/c]])/(Sqrt[1 + b^2/c^2]\*(1 - a/(Sqrt[1 + b^2/c^2]\*c))\*c), -(a + Sqrt[1 + b^2/c^2]\*c\*Sin[d + e\*x + ArcTan[b/c]])/(Sqrt[1 + b^2/c^2]\*(-1 - a/(Sqrt[1 + b^2/c^2]\*c))\*c)]\*Sec[d + e\*x + ArcTan[b/c]]\*Sqrt[(c\*Sqrt[(b^2 + c^2)/c^2] - c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[b/c]])/(a + c\*Sqrt[(b^2 + c^2)/c^2])]\*Sqrt[a + c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[b/c]]]\*Sqrt[(c\*Sqrt[(b^2 + c^2)/c^2]



$$\frac{\sqrt{\frac{b^2 + c^2}{b^2}} \cos[d + ex - \arctan\left(\frac{c}{b}\right)]}{\left(a + b\sqrt{\frac{b^2 + c^2}{b^2}}\right) \sqrt{a + b\sqrt{\frac{b^2 + c^2}{b^2}} \cos[d + ex - \arctan\left(\frac{c}{b}\right)]} \sqrt{\frac{b\sqrt{\frac{b^2 + c^2}{b^2}} + b\sqrt{\frac{b^2 + c^2}{b^2}} \cos[d + ex - \arctan\left(\frac{c}{b}\right)]}{(-a + b\sqrt{\frac{b^2 + c^2}{b^2}})}} - \frac{\left(2b\left(a + b\sqrt{1 + \frac{c^2}{b^2}}\right) \cos[d + ex - \arctan\left(\frac{c}{b}\right)]\right)}{(b^2 + c^2) - (c \sin[d + ex - \arctan\left(\frac{c}{b}\right)])} \frac{1}{(b\sqrt{1 + \frac{c^2}{b^2}})} \frac{1}{\sqrt{a + b\sqrt{1 + \frac{c^2}{b^2}} \cos[d + ex - \arctan\left(\frac{c}{b}\right)]}} \frac{1}{(5(-a^2 + b^2 + c^2)^3 e)}$$

**Maple [B]** time = 94., size = 3876, normalized size = 7.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (1/(a+b*\cos(e*x+d)+c*\sin(e*x+d)))^{7/2}, x$

[Out] 
$$\begin{aligned} & \left( -(-b^2 \sin(e*x+d-\arctan(-b,c)) - c^2 \sin(e*x+d-\arctan(-b,c))) - a(b^2+c^2)^{1/2} \right) \cos(e*x+d-\arctan(-b,c))^2 / (b^2+c^2)^{1/2} \sqrt{(b^2+c^2)^{1/2} (1/8/a} \\ & * (b^4+2b^2c^2+c^4) / (a^2-b^2-c^2) * (\cos(e*x+d-\arctan(-b,c))^2 * ((b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c)) + a))^{1/2} / (b^2 \sin(e*x+d-\arctan(-b,c)) + c^2 \sin(e*x+d-\arctan(-b,c)) - a(b^2+c^2)^{1/2})^2 + 1/5 / (a^2-b^2-c^2) / (b^2+c^2)^{1/2} * \\ & (\cos(e*x+d-\arctan(-b,c))^2 * ((b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c)) + a))^{1/2} / (\sin(e*x+d-\arctan(-b,c)) + 1 / (b^2+c^2)^{1/2} * a)^3 - 3/32 * (b^2+c^2)^{1/2} * (5 * \\ & a^2 * b^2 + 5 * a^2 * c^2 - b^4 - 2 * b^2 * c^2 - c^4) / (a^2-b^2-c^2)^2 / a^2 * (\cos(e*x+d-\arctan(-b,c))^2 * ((b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c)) + a))^{1/2} / (b^2 \sin(e*x+d-\arctan(-b,c)) + c^2 \sin(e*x+d-\arctan(-b,c)) - a(b^2+c^2)^{1/2}) + 8/15 / (a^2-b^2-c^2)^2 * a * (\cos(e*x+d-\arctan(-b,c))^2 * ((b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c)) + a))^{1/2} / (\sin(e*x+d-\arctan(-b,c)) + 1 / (b^2+c^2)^{1/2} * a)^2 + 1/15 * (b^2+c^2) * \cos(e*x+d-\arctan(-b,c))^2 / (a^2-b^2-c^2)^3 * (23 * a^2 + 9 * b^2 + 9 * c^2) / (\cos(e*x+d-\arctan(-b,c))^2 * ((b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c)) + a))^{1/2} + 2 * (1/64 * (11 * a^2 + b^2 + c^2) * (b^2+c^2)^{1/2} / a / (a^2-b^2-c^2)^2 - 4/15 * a * (b^2+c^2)^{1/2} / (a^2-b^2-c^2)^2 + 1/30 * a * (b^2+c^2)^{1/2} * (23 * a^2 + 9 * b^2 + 9 * c^2) / (a^2-b^2-c^2)^3) * (1 / (b^2+c^2)^{1/2} * a - 1) * ((- (b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c)) - a) / (-a + (b^2+c^2)^{1/2}))^{1/2} * ((-\sin(e*x+d-\arctan(-b,c)) + 1) * (b^2+c^2)^{1/2} / (a + (b^2+c^2)^{1/2}))^{1/2} * ((1 + \sin(e*x+d-\arctan(-b,c))) * (b^2+c^2)^{1/2} / (-a + (b^2+c^2)^{1/2}))^{1/2} / (\cos(e*x+d-\arctan(-b,c))^2 * ((b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c)) + a))^{1/2} * \text{EllipticF}((( - (b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c)) - a) / (-a + (b^2+c^2)^{1/2}))^{1/2}, ((a - (b^2+c^2)^{1/2}) / (a + (b^2+c^2)^{1/2}))^{1/2}) + 2 * (-3/64 * (5 * a^2 * b^2 + 5 * a^2 * c^2 - b^4 - 2 * b^2 * c^2 - c^4) / (a^2-b^2-c^2)^2 / a^2 + 1/30 * (b^2+c^2) * (23 * a^2 + 9 * b^2 + 9 * c^2) / (a^2-b^2-c^2)^3) * (1 / (b^2+c^2)^{1/2} * a - 1) * ((- (b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c)) - a) / (-a + (b^2+c^2)^{1/2}))^{1/2} * ((-\sin(e*x+d-\arctan(-b,c)) + 1) * (b^2+c^2)^{1/2} / (a + (b^2+c^2)^{1/2}))^{1/2} * ((1 + \sin(e*x+d-\arctan(-b,c))) * (b^2+c^2)^{1/2} / (-a + (b^2+c^2)^{1/2}))^{1/2} / (\cos(e*x+d-\arctan(-b,c))^2 * ((b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c)) + a))^{1/2} * (-1 / (b^2+c^2)^{1/2} * a - 1) * \text{EllipticE}((( - (b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c)) - a) / (-a + (b^2+c^2)^{1/2}))^{1/2}, ((a - (b^2+c^2)^{1/2}) / (a + (b^2+c^2)^{1/2}))^{1/2}) + \text{EllipticF}((( - (b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c)) - a) / (-a + (b^2+c^2)^{1/2}))^{1/2}, ((a - (b^2+c^2)^{1/2}) / (a + (b^2+c^2)^{1/2}))^{1/2}) - 1/64 * (43 * a^4 * b^2 + 43 * a^4 * c^2 + 2 * a^2 * b^4 + 4 * a^2 * b^2 * c^2 + 2 * a^2 * c^4 + 3 * b^6 + 9 * b^4 * c^2 + 9 * b^2 * c^4 + 3 * c^6) / (a^2-b^2-c^2)^2 / a^3 / (b^2+c^2)^{1/2} * (1 / (b^2+c^2)^{1/2} * a - 1) * ((- (b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c)) - a) / (-a + (b^2+c^2)^{1/2}))^{1/2} * ((-\sin(e*x+d-\arctan(-b,c)) + 1) * (b^2+c^2)^{1/2} / (a + (b^2+c^2)^{1/2}))^{1/2} * ((1 + \sin(e*x+d-\arctan(-b,c))) * (b^2+c^2)^{1/2} / (-a + (b^2+c^2)^{1/2}))^{1/2} / (\cos(e*x+d-\arctan(-b,c))^2 * ((b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c)) + a))^{1/2} * \text{EllipticPi}((( - (b^2+c^2)^{1/2} * \sin(e*x+d-\arctan(-b,c)) - a) / (-a + (b^2+c^2)^{1/2}))^{1/2}, -1/2 * (-1 / (b^2+c^2)^{1/2} * a + 1) * (b^2+c^2)^{1/2} / a, ((a - (b^2+c^2)^{1/2}) / (a + (b^2+c^2)^{1/2}))^{1/2}) - 1/8 / a / (a^2-b^2-c^2) * (b^2+c^2)^{3/2} * (\cos(e*x+d-a$$

$$\begin{aligned} & \text{rctan}(-b, c)^2 * (b^2 + c^2) * ((b^2 + c^2)^{(1/2)} * \sin(e*x + d - \arctan(-b, c)) + a)^{(1/2)} \\ & / (b^2 * \sin(e*x + d - \arctan(-b, c)) + c^2 * \sin(e*x + d - \arctan(-b, c)) - a * (b^2 + c^2)^{(1/2)}) \\ & ^2 + 1/5 / (a^2 - b^2 - c^2) / (b^2 + c^2) * (\cos(e*x + d - \arctan(-b, c))^2 * (b^2 + c^2) * ((b^2 + c^2)^{(1/2)} * \sin(e*x + d - \arctan(-b, c)) + a))^{(1/2)} / (\sin(e*x + d - \arctan(-b, c)) + 1 / (b^2 + c^2)^{(1/2)} * a)^3 + 3/32 * (5 * a^2 * b^2 + 5 * a^2 * c^2 - b^4 - 2 * b^2 * c^2 - c^4) / (a^2 - b^2 - c^2)^2 / a^2 * (\cos(e*x + d - \arctan(-b, c))^2 * (b^2 + c^2) * ((b^2 + c^2)^{(1/2)} * \sin(e*x + d - \arctan(-b, c)) + a))^{(1/2)} / (b^2 * \sin(e*x + d - \arctan(-b, c)) + c^2 * \sin(e*x + d - \arctan(-b, c)) - a * (b^2 + c^2)^{(1/2)}) + 8/15 / (a^2 - b^2 - c^2)^2 * a / (b^2 + c^2)^{(1/2)} * (\cos(e*x + d - \arctan(-b, c))^2 * (b^2 + c^2) * ((b^2 + c^2)^{(1/2)} * \sin(e*x + d - \arctan(-b, c)) + a))^{(1/2)} / (\sin(e*x + d - \arctan(-b, c)) + 1 / (b^2 + c^2)^{(1/2)} * a)^2 - 1/15 * (b^2 + c^2)^{(1/2)} * (-b^2 - c^2) * \cos(e*x + d - \arctan(-b, c))^2 / (a^2 - b^2 - c^2)^3 * (23 * a^2 + 9 * b^2 + 9 * c^2) / (\cos(e*x + d - \arctan(-b, c))^2 * (b^2 + c^2) * ((b^2 + c^2)^{(1/2)} * \sin(e*x + d - \arctan(-b, c)) + a))^{(1/2)} + 2 * (-1/64 * (11 * a^2 * b^2 + 11 * a^2 * c^2 + b^4 + 2 * b^2 * c^2 + c^4) / a / (a^2 - b^2 - c^2)^2 - 4/15 * a * (b^2 + c^2) / (a^2 - b^2 - c^2)^2 + 1/30 * a * (b^2 + c^2) * (23 * a^2 + 9 * b^2 + 9 * c^2) / (a^2 - b^2 - c^2)^3) * (1 / (b^2 + c^2)^{(1/2)} * a - 1) * ((- (b^2 + c^2)^{(1/2)} * \sin(e*x + d - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{(1/2)}))^{(1/2)} * ((- \sin(e*x + d - \arctan(-b, c)) + 1) * (b^2 + c^2)^{(1/2)} / (a + (b^2 + c^2)^{(1/2)}))^{(1/2)} * ((1 + \sin(e*x + d - \arctan(-b, c))) * (b^2 + c^2)^{(1/2)} / (-a + (b^2 + c^2)^{(1/2)}))^{(1/2)} / (\cos(e*x + d - \arctan(-b, c))^2 * (b^2 + c^2) * ((b^2 + c^2)^{(1/2)} * \sin(e*x + d - \arctan(-b, c)) + a))^{(1/2)} * \text{EllipticF}((( - (b^2 + c^2)^{(1/2)} * \sin(e*x + d - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{(1/2)}))^{(1/2)}, ((a - (b^2 + c^2)^{(1/2)}) / (a + (b^2 + c^2)^{(1/2)}))^{(1/2)}) + 2 * (3/64 * (b^2 + c^2)^{(1/2)} * (5 * a^2 * b^2 + 5 * a^2 * c^2 - b^4 - 2 * b^2 * c^2 - c^4) / (a^2 - b^2 - c^2)^2 / a^2 - 1/30 * (b^2 + c^2)^{(3/2)} * (23 * a^2 + 9 * b^2 + 9 * c^2) / (a^2 - b^2 - c^2)^3 + 1/30 * (b^2 + c^2)^{(1/2)} * (2 * b^2 + 2 * c^2) / (a^2 - b^2 - c^2)^3 * (23 * a^2 + 9 * b^2 + 9 * c^2) * (1 / (b^2 + c^2)^{(1/2)} * a - 1) * ((- (b^2 + c^2)^{(1/2)} * \sin(e*x + d - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{(1/2)}))^{(1/2)} * ((- \sin(e*x + d - \arctan(-b, c)) + 1) * (b^2 + c^2)^{(1/2)} / (a + (b^2 + c^2)^{(1/2)}))^{(1/2)} * ((1 + \sin(e*x + d - \arctan(-b, c))) * (b^2 + c^2)^{(1/2)} / (-a + (b^2 + c^2)^{(1/2)}))^{(1/2)} / (\cos(e*x + d - \arctan(-b, c))^2 * (b^2 + c^2) * ((b^2 + c^2)^{(1/2)} * \sin(e*x + d - \arctan(-b, c)) + a))^{(1/2)} * ((-1 / (b^2 + c^2)^{(1/2)} * a - 1) * \text{EllipticE}((( - (b^2 + c^2)^{(1/2)} * \sin(e*x + d - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{(1/2)}))^{(1/2)}, ((a - (b^2 + c^2)^{(1/2)}) / (a + (b^2 + c^2)^{(1/2)}))^{(1/2)}) + \text{EllipticF}((( - (b^2 + c^2)^{(1/2)} * \sin(e*x + d - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{(1/2)}))^{(1/2)}, ((a - (b^2 + c^2)^{(1/2)}) / (a + (b^2 + c^2)^{(1/2)}))^{(1/2)}) + 1/64 * (43 * a^4 * b^2 + 43 * a^4 * c^2 + 2 * a^2 * b^4 + 4 * a^2 * b^2 * c^2 + 2 * a^2 * c^4 + 3 * b^6 + 9 * b^4 * c^2 + 9 * b^2 * c^4 + 3 * c^6) / (a^2 - b^2 - c^2)^2 / a^3 * (1 / (b^2 + c^2)^{(1/2)} * a - 1) * ((- (b^2 + c^2)^{(1/2)} * \sin(e*x + d - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{(1/2)}))^{(1/2)} * ((- \sin(e*x + d - \arctan(-b, c)) + 1) * (b^2 + c^2)^{(1/2)} / (a + (b^2 + c^2)^{(1/2)}))^{(1/2)} * ((1 + \sin(e*x + d - \arctan(-b, c))) * (b^2 + c^2)^{(1/2)} / (-a + (b^2 + c^2)^{(1/2)}))^{(1/2)} / (\cos(e*x + d - \arctan(-b, c))^2 * (b^2 + c^2) * ((b^2 + c^2)^{(1/2)} * \sin(e*x + d - \arctan(-b, c)) + a))^{(1/2)} * \text{EllipticPi}((( - (b^2 + c^2)^{(1/2)} * \sin(e*x + d - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{(1/2)}))^{(1/2)}, -1/2 * (-1 / (b^2 + c^2)^{(1/2)} * a + 1) * (b^2 + c^2)^{(1/2)} / a, ((a - (b^2 + c^2)^{(1/2)}) / (a + (b^2 + c^2)^{(1/2)}))^{(1/2)}) / \cos(e*x + d - \arctan(-b, c)) / ((b^2 * \sin(e*x + d - \arctan(-b, c)) + c^2 * \sin(e*x + d - \arctan(-b, c)) + a * (b^2 + c^2)^{(1/2)}) / (b^2 + c^2)^{(1/2)})^{(1/2)} / e \end{aligned}$$


---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \cos(ex + d) + c \sin(ex + d) + a)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^(7/2),x, algorithm="maxima")

[Out] integrate((b\*cos(e\*x + d) + c\*sin(e\*x + d) + a)^(-7/2), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{1}{(b^4 - 6b^2c^2 + c^4) \cos^4(ex + d) + a^4 + 6a^2c^2 + c^4 + 4(ab^3 - 3abc^2) \cos^3(ex + d) + 2(3a^2b^2 - c^4 - 3(a^2 - b^2)) \cos^2(ex + d) + 4(a^3c + ac^3 + (b^3c - bc^3) \cos(ex + d) + (3ab^2c - ac^3) \cos^2(ex + d) + (3a^2bc + bc^3) \cos^3(ex + d)) \sin(ex + d)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^(7/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(e\*x + d) + c\*sin(e\*x + d) + a)/((b^4 - 6\*b^2\*c^2 + c^4) \*cos(e\*x + d)^4 + a^4 + 6\*a^2\*c^2 + c^4 + 4\*(a\*b^3 - 3\*a\*b\*c^2)\*cos(e\*x + d)^3 + 2\*(3\*a^2\*b^2 - c^4 - 3\*(a^2 - b^2)\*c^2)\*cos(e\*x + d)^2 + 4\*(a^3\*b + 3\*a\*b\*c^2)\*cos(e\*x + d) + 4\*(a^3\*c + a\*c^3 + (b^3\*c - b\*c^3)\*cos(e\*x + d)^3 + (3\*a\*b^2\*c - a\*c^3)\*cos(e\*x + d)^2 + (3\*a^2\*b\*c + b\*c^3)\*cos(e\*x + d))\*sin(e\*x + d), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(e\*x+d)+c\*sin(e\*x+d))\*\*(7/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \cos(ex + d) + c \sin(ex + d) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(e\*x+d)+c\*sin(e\*x+d))^(7/2),x, algorithm="giac")

[Out] integrate((b\*cos(e\*x + d) + c\*sin(e\*x + d) + a)^(-7/2), x)



### 3.417 $\int (5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{5/2} dx$

**Optimal.** Leaf size=139

$$\frac{2(3 \cos(d + ex) - 4 \sin(d + ex))(3 \sin(d + ex) + 4 \cos(d + ex) + 5)^{3/2}}{5e} - \frac{16(3 \cos(d + ex) - 4 \sin(d + ex))\sqrt{3 \sin(d + ex) + 4 \cos(d + ex)}}{3e}$$

```
[Out] (-320*(3*Cos[d + e*x] - 4*Sin[d + e*x]))/(3*e*Sqrt[5 + 4*Cos[d + e*x] + 3*Sin[d + e*x]]) - (16*(3*Cos[d + e*x] - 4*Sin[d + e*x])*Sqrt[5 + 4*Cos[d + e*x] + 3*Sin[d + e*x]])/(3*e) - (2*(3*Cos[d + e*x] - 4*Sin[d + e*x])*(5 + 4*Cos[d + e*x] + 3*Sin[d + e*x])^(3/2))/(5*e)
```

**Rubi [A]** time = 0.0648625, antiderivative size = 139, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {3113, 3112}

$$\frac{2(3 \cos(d + ex) - 4 \sin(d + ex))(3 \sin(d + ex) + 4 \cos(d + ex) + 5)^{3/2}}{5e} - \frac{16(3 \cos(d + ex) - 4 \sin(d + ex))\sqrt{3 \sin(d + ex) + 4 \cos(d + ex)}}{3e}$$

Antiderivative was successfully verified.

```
[In] Int[(5 + 4*Cos[d + e*x] + 3*Sin[d + e*x])^(5/2), x]
```

```
[Out] (-320*(3*Cos[d + e*x] - 4*Sin[d + e*x]))/(3*e*Sqrt[5 + 4*Cos[d + e*x] + 3*Sin[d + e*x]]) - (16*(3*Cos[d + e*x] - 4*Sin[d + e*x])*Sqrt[5 + 4*Cos[d + e*x] + 3*Sin[d + e*x]])/(3*e) - (2*(3*Cos[d + e*x] - 4*Sin[d + e*x])*(5 + 4*Cos[d + e*x] + 3*Sin[d + e*x])^(3/2))/(5*e)
```

#### Rule 3113

```
Int[(cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^(n_), x_Symbol] :> -Simp[((c*Cos[d + e*x] - b*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n - 1))/(e*n), x] + Dist[(a*(2*n - 1))/n, Int[(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0] && GtQ[n, 0]
```

#### Rule 3112

```
Int[Sqrt[cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)]]], x_Symbol] :> Simp[(-2*(c*Cos[d + e*x] - b*Sin[d + e*x]))/(e*Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]]), x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0]
```

#### Rubi steps

$$\begin{aligned} \int (5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{5/2} dx &= -\frac{2(3 \cos(d + ex) - 4 \sin(d + ex))(5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{3/2}}{5e} + \\ &= -\frac{16(3 \cos(d + ex) - 4 \sin(d + ex))\sqrt{5 + 4 \cos(d + ex) + 3 \sin(d + ex)}}{3e} - \\ &= -\frac{320(3 \cos(d + ex) - 4 \sin(d + ex))}{3e\sqrt{5 + 4 \cos(d + ex) + 3 \sin(d + ex)}} - \frac{16(3 \cos(d + ex) - 4 \sin(d + ex))}{3e} \end{aligned}$$

**Mathematica [A]** time = 0.627387, size = 130, normalized size = 0.94

$$\frac{(3 \sin(d + ex) + 4 \cos(d + ex) + 5)^{5/2} \left( 3750 \cos\left(\frac{1}{2}(d + ex)\right) + 1625 \cos\left(\frac{3}{2}(d + ex)\right) + 3 \left( -3750 \sin\left(\frac{1}{2}(d + ex)\right) - 375 \sin\left(\frac{3}{2}(d + ex)\right) \right) \right)}{30e \left( \sin\left(\frac{1}{2}(d + ex)\right) + 3 \cos\left(\frac{1}{2}(d + ex)\right) \right)^5}$$

Antiderivative was successfully verified.

[In] Integrate[(5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x])^(5/2), x]

[Out] -((5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x])^(5/2)\*(3750\*Cos[(d + e\*x)/2] + 1625\*Cos[(3\*(d + e\*x))/2] + 3\*(79\*Cos[(5\*(d + e\*x))/2] - 3750\*Sin[(d + e\*x)/2] - 375\*Sin[(3\*(d + e\*x))/2] + 3\*Sin[(5\*(d + e\*x))/2]))) / (30\*e\*(3\*Cos[(d + e\*x)/2] + Sin[(d + e\*x)/2])^5)

**Maple [A]** time = 1.355, size = 74, normalized size = 0.5

$$\frac{(50 + 50 \sin(ex + d + \arctan(4/3))) \left( \sin\left(ex + d + \arctan\left(\frac{4}{3}\right)\right) - 1 \right) \left( 3 (\sin(ex + d + \arctan(4/3)))^2 + 14 \sin(ex + d + \arctan(4/3)) + 43 \right)}{3 \cos(ex + d + \arctan(4/3)) e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(5/2), x)

[Out] 50/3\*(1+sin(e\*x+d+arctan(4/3)))\*(sin(e\*x+d+arctan(4/3))-1)\*(3\*sin(e\*x+d+arctan(4/3))^2+14\*sin(e\*x+d+arctan(4/3))+43)/cos(e\*x+d+arctan(4/3))/(5+5\*sin(e\*x+d+arctan(4/3)))^(1/2)/e

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (4 \cos(ex + d) + 3 \sin(ex + d) + 5)^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(5/2), x, algorithm="maxima")

[Out] integrate((4\*cos(e\*x + d) + 3\*sin(e\*x + d) + 5)^(5/2), x)

**Fricas [A]** time = 1.82639, size = 293, normalized size = 2.11

$$\frac{2 \left( 237 \cos(ex + d)^3 + 931 \cos(ex + d)^2 + 9 \left( \cos(ex + d)^2 - 62 \cos(ex + d) - 344 \right) \sin(ex + d) + 1166 \cos(ex + d) + 472 \right) \sqrt{4 \cos(ex + d) + 3}}{15 (3e \cos(ex + d) + e \sin(ex + d) + 3e)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(5/2), x, algorithm="fricas")

[Out] -2/15\*(237\*cos(e\*x + d)^3 + 931\*cos(e\*x + d)^2 + 9\*(cos(e\*x + d)^2 - 62\*cos(e\*x + d) - 344)\*sin(e\*x + d) + 1166\*cos(e\*x + d) + 472)\*sqrt(4\*cos(e\*x + d) + 3)

) + 3\*sin(e\*x + d) + 5)/(3\*e\*cos(e\*x + d) + e\*sin(e\*x + d) + 3\*e)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5+4\*cos(e\*x+d)+3\*sin(e\*x+d))\*\*(5/2),x)

[Out] Timed out

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(5/2),x, algorithm="giac")

[Out] Timed out

### 3.418 $\int (5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{3/2} dx$

**Optimal.** Leaf size=93

$$\frac{2\sqrt{3} \sin(d + ex) + 4 \cos(d + ex) + 5(3 \cos(d + ex) - 4 \sin(d + ex))}{3e} - \frac{40(3 \cos(d + ex) - 4 \sin(d + ex))}{3e\sqrt{3} \sin(d + ex) + 4 \cos(d + ex) + 5}$$

[Out]  $(-40*(3*\text{Cos}[d + e*x] - 4*\text{Sin}[d + e*x]))/(3*e*\text{Sqrt}[5 + 4*\text{Cos}[d + e*x] + 3*\text{Sin}[d + e*x]]) - (2*(3*\text{Cos}[d + e*x] - 4*\text{Sin}[d + e*x])*\text{Sqrt}[5 + 4*\text{Cos}[d + e*x] + 3*\text{Sin}[d + e*x]])/(3*e)$

**Rubi [A]** time = 0.0399338, antiderivative size = 93, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {3113, 3112}

$$\frac{2\sqrt{3} \sin(d + ex) + 4 \cos(d + ex) + 5(3 \cos(d + ex) - 4 \sin(d + ex))}{3e} - \frac{40(3 \cos(d + ex) - 4 \sin(d + ex))}{3e\sqrt{3} \sin(d + ex) + 4 \cos(d + ex) + 5}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(5 + 4*\text{Cos}[d + e*x] + 3*\text{Sin}[d + e*x])^{3/2}, x]$

[Out]  $(-40*(3*\text{Cos}[d + e*x] - 4*\text{Sin}[d + e*x]))/(3*e*\text{Sqrt}[5 + 4*\text{Cos}[d + e*x] + 3*\text{Sin}[d + e*x]]) - (2*(3*\text{Cos}[d + e*x] - 4*\text{Sin}[d + e*x])*\text{Sqrt}[5 + 4*\text{Cos}[d + e*x] + 3*\text{Sin}[d + e*x]])/(3*e)$

#### Rule 3113

$\text{Int}[(\cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*\sin[(d_.) + (e_.)*(x_.)])^n, x\_Symbol] \rightarrow -\text{Simp}[(c*\text{Cos}[d + e*x] - b*\text{Sin}[d + e*x])*(a + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x])^{n-1}/(e*n), x] + \text{Dist}[(a*(2*n - 1))/n, \text{Int}[(a + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x])^{n-1}, x], x] /;$  FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0] && GtQ[n, 0]

#### Rule 3112

$\text{Int}[\text{Sqrt}[\cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*\sin[(d_.) + (e_.)*(x_.)]], x\_Symbol] \rightarrow \text{Simp}[(-2*(c*\text{Cos}[d + e*x] - b*\text{Sin}[d + e*x]))/(e*\text{Sqrt}[a + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x]]), x] /;$  FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0]

#### Rubi steps

$$\begin{aligned} \int (5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{3/2} dx &= -\frac{2(3 \cos(d + ex) - 4 \sin(d + ex))\sqrt{5 + 4 \cos(d + ex) + 3 \sin(d + ex)}}{3e} + \frac{20}{3} \int \frac{2(3 \cos(d + ex) - 4 \sin(d + ex))\sqrt{5 + 4 \cos(d + ex) + 3 \sin(d + ex)}}{3e\sqrt{5 + 4 \cos(d + ex) + 3 \sin(d + ex)}} dx \\ &= -\frac{40(3 \cos(d + ex) - 4 \sin(d + ex))}{3e\sqrt{5 + 4 \cos(d + ex) + 3 \sin(d + ex)}} - \frac{2(3 \cos(d + ex) - 4 \sin(d + ex))\sqrt{5 + 4 \cos(d + ex) + 3 \sin(d + ex)}}{3e} \end{aligned}$$

**Mathematica [A]** time = 0.34001, size = 104, normalized size = 1.12

$$\frac{(3 \sin(d + ex) + 4 \cos(d + ex) + 5)^{3/2} \left( 9 \left( 15 \sin\left(\frac{1}{2}(d + ex)\right) + \sin\left(\frac{3}{2}(d + ex)\right) \right) - 45 \cos\left(\frac{1}{2}(d + ex)\right) - 13 \cos\left(\frac{3}{2}(d + ex)\right) \right)}{3e \left( \sin\left(\frac{1}{2}(d + ex)\right) + 3 \cos\left(\frac{1}{2}(d + ex)\right) \right)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x])^(3/2),x]

[Out] ((5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x])^(3/2)\*(-45\*Cos[(d + e\*x)/2] - 13\*Cos[(3\*(d + e\*x))/2] + 9\*(15\*Sin[(d + e\*x)/2] + Sin[(3\*(d + e\*x))/2]))) / (3\*e\*(3\*Cos[(d + e\*x)/2] + Sin[(d + e\*x)/2])^3)

**Maple [A]** time = 1.44, size = 60, normalized size = 0.7

$$\frac{(50 + 50 \sin(ex + d + \arctan(4/3))) \left( \sin\left(ex + d + \arctan\left(\frac{4}{3}\right)\right) - 1 \right) \left( \sin\left(ex + d + \arctan\left(\frac{4}{3}\right)\right) + 5 \right)}{3 \cos(ex + d + \arctan(4/3)) e \sqrt{5 + 5 \sin(ex + d + \arctan(4/3))}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(3/2),x)

[Out] 50/3\*(1+sin(e\*x+d+arctan(4/3)))\*(sin(e\*x+d+arctan(4/3))-1)\*(sin(e\*x+d+arctan(4/3))+5)/cos(e\*x+d+arctan(4/3))/(5+5\*sin(e\*x+d+arctan(4/3)))^(1/2)/e

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (4 \cos(ex + d) + 3 \sin(ex + d) + 5)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(3/2),x, algorithm="maxima")

[Out] integrate((4\*cos(e\*x + d) + 3\*sin(e\*x + d) + 5)^(3/2), x)

**Fricas [A]** time = 1.7542, size = 228, normalized size = 2.45

$$\frac{2 \left( 13 \cos^2(ex + d) - 9(\cos(ex + d) + 8)\sin(ex + d) + 29 \cos(ex + d) + 16 \right) \sqrt{4 \cos(ex + d) + 3 \sin(ex + d) + 5}}{3(3e \cos(ex + d) + e \sin(ex + d) + 3e)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(3/2),x, algorithm="fricas")

[Out] -2/3\*(13\*cos(e\*x + d)^2 - 9\*(cos(e\*x + d) + 8)\*sin(e\*x + d) + 29\*cos(e\*x + d) + 16)\*sqrt(4\*cos(e\*x + d) + 3\*sin(e\*x + d) + 5)/(3\*e\*cos(e\*x + d) + e\*sin(e\*x + d) + 3\*e)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((5+4*cos(e*x+d)+3*sin(e*x+d))**(3/2),x)
```

```
[Out] Timed out
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (4 \cos(ex + d) + 3 \sin(ex + d) + 5)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((5+4*cos(e*x+d)+3*sin(e*x+d))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((4*cos(e*x + d) + 3*sin(e*x + d) + 5)^(3/2), x)
```

### 3.419 $\int \sqrt{5 + 4 \cos(d + ex) + 3 \sin(d + ex)} dx$

**Optimal.** Leaf size=44

$$\frac{2(3 \cos(d + ex) - 4 \sin(d + ex))}{e\sqrt{3 \sin(d + ex) + 4 \cos(d + ex) + 5}}$$

[Out] (-2\*(3\*Cos[d + e\*x] - 4\*Sin[d + e\*x]))/(e\*Sqrt[5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x]])

**Rubi [A]** time = 0.0182359, antiderivative size = 44, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$ , Rules used = {3112}

$$\frac{2(3 \cos(d + ex) - 4 \sin(d + ex))}{e\sqrt{3 \sin(d + ex) + 4 \cos(d + ex) + 5}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x]],x]

[Out] (-2\*(3\*Cos[d + e\*x] - 4\*Sin[d + e\*x]))/(e\*Sqrt[5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x]])

#### Rule 3112

Int[Sqrt[cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]], x\_Symbol] :> Simp[(-2\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x]))/(e\*Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]]), x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0]

#### Rubi steps

$$\int \sqrt{5 + 4 \cos(d + ex) + 3 \sin(d + ex)} dx = -\frac{2(3 \cos(d + ex) - 4 \sin(d + ex))}{e\sqrt{5 + 4 \cos(d + ex) + 3 \sin(d + ex)}}$$

**Mathematica [A]** time = 0.0383478, size = 75, normalized size = 1.7

$$\frac{2 \left( \cos\left(\frac{1}{2}(d + ex)\right) - 3 \sin\left(\frac{1}{2}(d + ex)\right) \right) \sqrt{3 \sin(d + ex) + 4 \cos(d + ex) + 5}}{e \left( \sin\left(\frac{1}{2}(d + ex)\right) + 3 \cos\left(\frac{1}{2}(d + ex)\right) \right)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x]],x]

[Out] (-2\*(Cos[(d + e\*x)/2] - 3\*Sin[(d + e\*x)/2])\*Sqrt[5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x]])/(e\*(3\*Cos[(d + e\*x)/2] + Sin[(d + e\*x)/2]))

**Maple [A]** time = 0.89, size = 50, normalized size = 1.1

$$10 \frac{(\sin(ex + d + \arctan(4/3)) - 1)(1 + \sin(ex + d + \arctan(4/3)))}{\cos(ex + d + \arctan(4/3)) \sqrt{5 + 5 \sin(ex + d + \arctan(4/3))} e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(1/2),x)

[Out] 10\*(sin(e\*x+d+arctan(4/3))-1)\*(1+sin(e\*x+d+arctan(4/3)))/cos(e\*x+d+arctan(4/3))/(5+5\*sin(e\*x+d+arctan(4/3)))^(1/2)/e

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{4 \cos(ex + d) + 3 \sin(ex + d) + 5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(4\*cos(e\*x + d) + 3\*sin(e\*x + d) + 5), x)

**Fricas [A]** time = 1.74993, size = 167, normalized size = 3.8

$$\frac{2 \sqrt{4 \cos(ex + d) + 3 \sin(ex + d) + 5} (\cos(ex + d) - 3 \sin(ex + d) + 1)}{3 e \cos(ex + d) + e \sin(ex + d) + 3 e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(1/2),x, algorithm="fricas")

[Out] -2\*sqrt(4\*cos(e\*x + d) + 3\*sin(e\*x + d) + 5)\*(cos(e\*x + d) - 3\*sin(e\*x + d) + 1)/(3\*e\*cos(e\*x + d) + e\*sin(e\*x + d) + 3\*e)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{3 \sin(d + ex) + 4 \cos(d + ex) + 5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5+4\*cos(e\*x+d)+3\*sin(e\*x+d))\*\*(1/2),x)

[Out] Integral(sqrt(3\*sin(d + e\*x) + 4\*cos(d + e\*x) + 5), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{4 \cos(ex + d) + 3 \sin(ex + d) + 5} dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((5+4*cos(e*x+d)+3*sin(e*x+d))^(1/2),x, algorithm="giac")
```

```
[Out] integrate(sqrt(4*cos(e*x + d) + 3*sin(e*x + d) + 5), x)
```

$$3.420 \quad \int \frac{1}{\sqrt{5+4 \cos(d+ex)+3 \sin(d+ex)}} dx$$

**Optimal.** Leaf size=48

$$\frac{\sqrt{\frac{2}{5}} \tanh^{-1}\left(\frac{\sin\left(d+ex-\tan^{-1}\left(\frac{3}{4}\right)\right)}{\sqrt{2}\sqrt{\cos\left(d+ex-\tan^{-1}\left(\frac{3}{4}\right)\right)+1}}\right)}{e}$$

[Out] (Sqrt[2/5]\*ArcTanh[Sin[d + e\*x - ArcTan[3/4]]/(Sqrt[2]\*Sqrt[1 + Cos[d + e\*x - ArcTan[3/4]])]])/e

**Rubi [A]** time = 0.0648061, antiderivative size = 48, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$ , Rules used = {3115, 2649, 206}

$$\frac{\sqrt{\frac{2}{5}} \tanh^{-1}\left(\frac{\sin\left(d+ex-\tan^{-1}\left(\frac{3}{4}\right)\right)}{\sqrt{2}\sqrt{\cos\left(d+ex-\tan^{-1}\left(\frac{3}{4}\right)\right)+1}}\right)}{e}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x]], x]

[Out] (Sqrt[2/5]\*ArcTanh[Sin[d + e\*x - ArcTan[3/4]]/(Sqrt[2]\*Sqrt[1 + Cos[d + e\*x - ArcTan[3/4]])]])/e

#### Rule 3115

Int[1/Sqrt[cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]], x\_Symbol] :> Int[1/Sqrt[a + Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0]

#### Rule 2649

Int[1/Sqrt[(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\int \frac{1}{\sqrt{5 + 4 \cos(d + ex) + 3 \sin(d + ex)}} dx = \int \frac{1}{\sqrt{5 + 5 \cos\left(d + ex - \tan^{-1}\left(\frac{3}{4}\right)\right)}} dx$$

$$= \frac{2 \operatorname{Subst}\left(\int \frac{1}{10 - x^2} dx, x, -\frac{5 \sin\left(d + ex - \tan^{-1}\left(\frac{3}{4}\right)\right)}{\sqrt{5 + 5 \cos\left(d + ex - \tan^{-1}\left(\frac{3}{4}\right)\right)}}\right)}{e}$$

$$= \frac{\sqrt{\frac{2}{5}} \tanh^{-1}\left(\frac{\sin\left(d + ex - \tan^{-1}\left(\frac{3}{4}\right)\right)}{\sqrt{2} \sqrt{1 + \cos\left(d + ex - \tan^{-1}\left(\frac{3}{4}\right)\right)}}\right)}{e}$$

**Mathematica [C]** time = 0.105108, size = 101, normalized size = 2.1

$$\frac{\left(\frac{2}{5} + \frac{6i}{5}\right) \sqrt{\frac{4}{5} + \frac{3i}{5}} \tan^{-1}\left(\left(\frac{1}{10} + \frac{3i}{10}\right) \sqrt{\frac{4}{5} + \frac{3i}{5}} \left(3 \tan\left(\frac{1}{4}(d + ex)\right) - 1\right)\right) \left(\sin\left(\frac{1}{2}(d + ex)\right) + 3 \cos\left(\frac{1}{2}(d + ex)\right)\right)}{e \sqrt{3 \sin(d + ex) + 4 \cos(d + ex) + 5}}$$

Antiderivative was successfully verified.

[In] Integrate[1/Sqrt[5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x]],x]

[Out]  $\frac{((-2/5 - (6*I)/5)*\operatorname{Sqrt}[4/5 + (3*I)/5]*\operatorname{ArcTan}[(1/10 + (3*I)/10)*\operatorname{Sqrt}[4/5 + (3*I)/5]*(-1 + 3*\operatorname{Tan}[(d + e*x)/4])]*(3*\operatorname{Cos}[(d + e*x)/2] + \operatorname{Sin}[(d + e*x)/2])}{(e*\operatorname{Sqrt}[5 + 4*\operatorname{Cos}[d + e*x] + 3*\operatorname{Sin}[d + e*x])]}$

**Maple [A]** time = 0.89, size = 77, normalized size = 1.6

$$\frac{\left(1 + \sin\left(ex + d + \arctan\left(\frac{4}{3}\right)\right)\right) \sqrt{10}}{5 \cos\left(ex + d + \arctan\left(\frac{4}{3}\right)\right) e} \sqrt{-5 \sin\left(ex + d + \arctan\left(\frac{4}{3}\right)\right) + 5} \operatorname{Arctanh}\left(\frac{\sqrt{10}}{10} \sqrt{-5 \sin\left(ex + d + \arctan\left(\frac{4}{3}\right)\right) + 5}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(1/2),x)

[Out]  $-1/5*(1+\sin(e*x+d+\arctan(4/3)))*(-5*\sin(e*x+d+\arctan(4/3))+5)^(1/2)*10^(1/2)*\operatorname{arctanh}(1/10*(-5*\sin(e*x+d+\arctan(4/3))+5)^(1/2)*10^(1/2))/\cos(e*x+d+\arctan(4/3))/(5+5*\sin(e*x+d+\arctan(4/3)))^(1/2)/e$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{4 \cos(ex + d) + 3 \sin(ex + d) + 5}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(1/2),x, algorithm="maxima")

[Out] integrate(1/sqrt(4\*cos(e\*x + d) + 3\*sin(e\*x + d) + 5), x)

---

**Fricas [B]** time = 1.77431, size = 428, normalized size = 8.92

$$\frac{\sqrt{5}\sqrt{2} \log\left(-\frac{9 \cos(ex+d)^2 + (13 \cos(ex+d) - 6) \sin(ex+d) + 2(\sqrt{5}\sqrt{2} \cos(ex+d) - 3\sqrt{5}\sqrt{2} \sin(ex+d) + \sqrt{5}\sqrt{2})\sqrt{4 \cos(ex+d) + 3 \sin(ex+d) + 5} - 33 \cos(ex+d) - 42}{9 \cos(ex+d)^2 + (13 \cos(ex+d) + 14) \sin(ex+d) + 27 \cos(ex+d) + 18}\right)}{10e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(1/2),x, algorithm="fricas")

[Out] 1/10\*sqrt(5)\*sqrt(2)\*log(-(9\*cos(e\*x + d)^2 + (13\*cos(e\*x + d) - 6)\*sin(e\*x + d) + 2\*(sqrt(5)\*sqrt(2)\*cos(e\*x + d) - 3\*sqrt(5)\*sqrt(2)\*sin(e\*x + d) + sqrt(5)\*sqrt(2))\*sqrt(4\*cos(e\*x + d) + 3\*sin(e\*x + d) + 5) - 33\*cos(e\*x + d) - 42)/(9\*cos(e\*x + d)^2 + (13\*cos(e\*x + d) + 14)\*sin(e\*x + d) + 27\*cos(e\*x + d) + 18))/e

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{3 \sin(d + ex) + 4 \cos(d + ex) + 5}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(1/2),x)

[Out] Integral(1/sqrt(3\*sin(d + e\*x) + 4\*cos(d + e\*x) + 5), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{4 \cos(ex + d) + 3 \sin(ex + d) + 5}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(1/2),x, algorithm="giac")

[Out] integrate(1/sqrt(4\*cos(e\*x + d) + 3\*sin(e\*x + d) + 5), x)

$$3.421 \quad \int \frac{1}{(5+4 \cos(d+ex)+3 \sin(d+ex))^{3/2}} dx$$

**Optimal.** Leaf size=96

$$\frac{\tanh^{-1}\left(\frac{\sin\left(d+ex-\tan^{-1}\left(\frac{3}{4}\right)\right)}{\sqrt{2}\sqrt{\cos\left(d+ex-\tan^{-1}\left(\frac{3}{4}\right)\right)+1}}\right)}{10\sqrt{10}e} - \frac{3 \cos(d+ex) - 4 \sin(d+ex)}{10e(3 \sin(d+ex) + 4 \cos(d+ex) + 5)^{3/2}}$$

[Out] ArcTanh[Sin[d + e\*x - ArcTan[3/4]]/(Sqrt[2]\*Sqrt[1 + Cos[d + e\*x - ArcTan[3/4]]])]/(10\*Sqrt[10]\*e) - (3\*Cos[d + e\*x] - 4\*Sin[d + e\*x])/(10\*e\*(5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x])^(3/2))

**Rubi [A]** time = 0.0532055, antiderivative size = 96, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {3116, 3115, 2649, 206}

$$\frac{\tanh^{-1}\left(\frac{\sin\left(d+ex-\tan^{-1}\left(\frac{3}{4}\right)\right)}{\sqrt{2}\sqrt{\cos\left(d+ex-\tan^{-1}\left(\frac{3}{4}\right)\right)+1}}\right)}{10\sqrt{10}e} - \frac{3 \cos(d+ex) - 4 \sin(d+ex)}{10e(3 \sin(d+ex) + 4 \cos(d+ex) + 5)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x])^(-3/2), x]

[Out] ArcTanh[Sin[d + e\*x - ArcTan[3/4]]/(Sqrt[2]\*Sqrt[1 + Cos[d + e\*x - ArcTan[3/4]]])]/(10\*Sqrt[10]\*e) - (3\*Cos[d + e\*x] - 4\*Sin[d + e\*x])/(10\*e\*(5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x])^(3/2))

#### Rule 3116

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Simp[((c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^n)/(a\*e\*(2\*n + 1)), x] + Dist[(n + 1)/(a\*(2\*n + 1)), Int[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0] && LtQ[n, -1]

#### Rule 3115

Int[1/Sqrt[cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]]], x\_Symbol] :> Int[1/Sqrt[a + Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0]

#### Rule 2649

Int[1/Sqrt[(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)]]], x\_Symbol] :> Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{1}{(5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{3/2}} dx &= -\frac{3 \cos(d + ex) - 4 \sin(d + ex)}{10e(5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{3/2}} + \frac{1}{20} \int \frac{1}{\sqrt{5 + 4 \cos(d + ex) + 3 \sin(d + ex)}} dx \\
&= -\frac{3 \cos(d + ex) - 4 \sin(d + ex)}{10e(5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{3/2}} + \frac{1}{20} \int \frac{1}{\sqrt{5 + 5 \cos(d + ex - t)}} dx \\
&= -\frac{3 \cos(d + ex) - 4 \sin(d + ex)}{10e(5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{3/2}} - \frac{\text{Subst} \left( \int \frac{1}{10-x^2} dx, x, -\frac{5 \sin(d + ex - t)}{\sqrt{5 + 5 \cos(d + ex - t)}} \right)}{10e} \\
&= -\frac{\tanh^{-1} \left( \frac{\sin(d + ex - \tan^{-1}(\frac{3}{4}))}{\sqrt{2} \sqrt{1 + \cos(d + ex - \tan^{-1}(\frac{3}{4}))}} \right)}{10\sqrt{10}e} - \frac{3 \cos(d + ex) - 4 \sin(d + ex)}{10e(5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{3/2}}
\end{aligned}$$

**Mathematica [C]** time = 0.298685, size = 154, normalized size = 1.6

$$\frac{\left(\frac{1}{250} - \frac{i}{125}\right) \left(\sin\left(\frac{1}{2}(d + ex)\right) + 3 \cos\left(\frac{1}{2}(d + ex)\right)\right) \left((5 + 10i) \left(\cos\left(\frac{1}{2}(d + ex)\right) - 3 \sin\left(\frac{1}{2}(d + ex)\right)\right) - (1 - i)\sqrt{20 + 15i} \tan\left(\frac{1}{2}(d + ex)\right)\right)}{e(3 \sin(d + ex) + 4 \cos(d + ex) + 5)}$$

Antiderivative was successfully verified.

[In] Integrate[(5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x])^(-3/2), x]

[Out] ((-1/250 + I/125)\*(3\*Cos[(d + e\*x)/2] + Sin[(d + e\*x)/2])\*((5 + 10\*I)\*(Cos[(d + e\*x)/2] - 3\*Sin[(d + e\*x)/2]) - (1 - I)\*Sqrt[20 + 15\*I]\*ArcTan[(1/10 + (3\*I)/10)\*Sqrt[4/5 + (3\*I)/5]\*(-1 + 3\*Tan[(d + e\*x)/4])])\*(3\*Cos[(d + e\*x)/2] + Sin[(d + e\*x)/2])^2)/(e\*(5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x])^(3/2))

**Maple [A]** time = 1.286, size = 117, normalized size = 1.2

$$-\frac{1}{100 \cos(ex + d + \arctan(4/3))e} \left( \sqrt{10} \operatorname{Artanh} \left( \frac{\sqrt{10}}{10} \sqrt{-5 \sin(ex + d + \arctan(4/3)) + 5} \right) \sin \left( ex + d + \arctan \left( \frac{4}{3} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(3/2), x)

[Out] -1/100\*(10^(1/2)\*arctanh(1/10\*(-5\*sin(e\*x+d+arctan(4/3))+5)^(1/2)\*10^(1/2))\*sin(e\*x+d+arctan(4/3))+10^(1/2)\*arctanh(1/10\*(-5\*sin(e\*x+d+arctan(4/3))+5)^(1/2)\*10^(1/2))+2\*(-5\*sin(e\*x+d+arctan(4/3))+5)^(1/2))\*(-5\*sin(e\*x+d+arctan(4/3))+5)^(1/2)/cos(e\*x+d+arctan(4/3))/(5+5\*sin(e\*x+d+arctan(4/3)))^(1/2)/e

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(4 \cos(ex + d) + 3 \sin(ex + d) + 5)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(5+4*cos(e*x+d)+3*sin(e*x+d))^(3/2),x, algorithm="maxima")
```

```
[Out] integrate((4*cos(e*x + d) + 3*sin(e*x + d) + 5)^(-3/2), x)
```

**Fricas [B]** time = 1.95377, size = 782, normalized size = 8.15

$$\frac{(9\sqrt{10}\cos(ex+d)^2 + (13\sqrt{10}\cos(ex+d) + 14\sqrt{10})\sin(ex+d) + 27\sqrt{10}\cos(ex+d) + 18\sqrt{10})\log\left(-\frac{9\cos(ex+d)^2 + (13\cos(ex+d) - 6)\sin(ex+d) + 2(\sqrt{10}\cos(ex+d) - 3\sqrt{10}\sin(ex+d) + \sqrt{10})\sqrt{4\cos(ex+d) + 3\sin(ex+d) + 5} - 33\cos(ex+d) - 42}{(9\cos(ex+d)^2 + (13\cos(ex+d) + 14)\sin(ex+d) + 27\cos(ex+d) + 18)}\right) - 20\sqrt{4\cos(ex+d) + 3\sin(ex+d) + 5}(\cos(ex+d) - 3\sin(ex+d) + 1)}{200(9e\cos(ex+d)^2 + 27e\cos(ex+d) + (13e\cos(ex+d) + 14e)\sin(ex+d) + 18e)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(5+4*cos(e*x+d)+3*sin(e*x+d))^(3/2),x, algorithm="fricas")
```

```
[Out] 1/200*((9*sqrt(10)*cos(e*x + d)^2 + (13*sqrt(10)*cos(e*x + d) + 14*sqrt(10)
)*sin(e*x + d) + 27*sqrt(10)*cos(e*x + d) + 18*sqrt(10))*log(-(9*cos(e*x +
d)^2 + (13*cos(e*x + d) - 6)*sin(e*x + d) + 2*(sqrt(10)*cos(e*x + d) - 3*sq
rt(10)*sin(e*x + d) + sqrt(10))*sqrt(4*cos(e*x + d) + 3*sin(e*x + d) + 5) -
33*cos(e*x + d) - 42)/(9*cos(e*x + d)^2 + (13*cos(e*x + d) + 14)*sin(e*x +
d) + 27*cos(e*x + d) + 18)) - 20*sqrt(4*cos(e*x + d) + 3*sin(e*x + d) + 5)
*(cos(e*x + d) - 3*sin(e*x + d) + 1))/(9*e*cos(e*x + d)^2 + 27*e*cos(e*x +
d) + (13*e*cos(e*x + d) + 14*e)*sin(e*x + d) + 18*e)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(3\sin(d+ex) + 4\cos(d+ex) + 5)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(5+4*cos(e*x+d)+3*sin(e*x+d))**(3/2),x)
```

```
[Out] Integral((3*sin(d + e*x) + 4*cos(d + e*x) + 5)**(-3/2), x)
```

**Giac [B]** time = 1.95805, size = 383, normalized size = 3.99

$$\frac{1}{100} \left( \frac{\sqrt{10} \log \left( \frac{-2\sqrt{10} + 2\sqrt{\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^2 + 1} - 2\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) - 6}{2\sqrt{10} + 2\sqrt{\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^2 + 1} - 2\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) - 6} \right)}{\operatorname{sgn}\left(\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) + 3\right)} - \frac{20 \left( 19 \left( \sqrt{\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^2 + 1} - \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) \right)^3 - 5 \right)}{\left( \left( \sqrt{\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^2 + 1} - \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) \right)^2 + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(5+4*cos(e*x+d)+3*sin(e*x+d))^(3/2),x, algorithm="giac")
```

```
[Out] 1/100*(sqrt(10)*log(abs(-2*sqrt(10) + 2*sqrt(tan(1/2*x*e + 1/2*d)^2 + 1) -
2*tan(1/2*x*e + 1/2*d) - 6)/abs(2*sqrt(10) + 2*sqrt(tan(1/2*x*e + 1/2*d)^2
+ 1) - 2*tan(1/2*x*e + 1/2*d) - 6))/sgn(tan(1/2*x*e + 1/2*d) + 3) - 20*(19*
(sqrt(tan(1/2*x*e + 1/2*d)^2 + 1) - tan(1/2*x*e + 1/2*d))^3 - 51*(sqrt(tan(
1/2*x*e + 1/2*d)^2 + 1) - tan(1/2*x*e + 1/2*d))^2 - 17*sqrt(tan(1/2*x*e + 1
/2*d)^2 + 1) + 17*tan(1/2*x*e + 1/2*d) - 3)/(((sqrt(tan(1/2*x*e + 1/2*d)^2
+ 1) - tan(1/2*x*e + 1/2*d))^2 - 6*sqrt(tan(1/2*x*e + 1/2*d)^2 + 1) + 6*tan
(1/2*x*e + 1/2*d) - 1)^2*sgn(tan(1/2*x*e + 1/2*d) + 3)))*e^(-1)
```





Q[a, 0] || LtQ[b, 0])

### Rubi steps

$$\begin{aligned}
 \int \frac{1}{(5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{5/2}} dx &= -\frac{3 \cos(d + ex) - 4 \sin(d + ex)}{20e(5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{5/2}} + \frac{3}{40} \int \frac{1}{(5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{5/2}} dx \\
 &= -\frac{3 \cos(d + ex) - 4 \sin(d + ex)}{20e(5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{5/2}} - \frac{3(3 \cos(d + ex) - 4 \sin(d + ex))}{400e(5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{5/2}} \\
 &= -\frac{3 \cos(d + ex) - 4 \sin(d + ex)}{20e(5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{5/2}} - \frac{3(3 \cos(d + ex) - 4 \sin(d + ex))}{400e(5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{5/2}} \\
 &= -\frac{3 \cos(d + ex) - 4 \sin(d + ex)}{20e(5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{5/2}} - \frac{3(3 \cos(d + ex) - 4 \sin(d + ex))}{400e(5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{5/2}} \\
 &= \frac{3 \tanh^{-1}\left(\frac{\sin(d+ex-\tan^{-1}(\frac{3}{4}))}{\sqrt{2}\sqrt{1+\cos(d+ex-\tan^{-1}(\frac{3}{4}))}}\right)}{400\sqrt{10}e} - \frac{3 \cos(d + ex) - 4 \sin(d + ex)}{20e(5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{5/2}}
 \end{aligned}$$

**Mathematica [C]** time = 0.403138, size = 180, normalized size = 1.27

$$\frac{\left(\frac{1}{20000} - \frac{i}{10000}\right)\left(\sin\left(\frac{1}{2}(d + ex)\right) + 3 \cos\left(\frac{1}{2}(d + ex)\right)\right)\left((5 + 10i)\left(-165 \sin\left(\frac{1}{2}(d + ex)\right) - 27 \sin\left(\frac{3}{2}(d + ex)\right) + 55 \cos\left(\frac{1}{2}(d + ex)\right)\right) + 55 \cos\left(\frac{1}{2}(d + ex)\right)\right)}{e(3 \sin(d + ex))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x])^(-5/2), x]

[Out] ((-1/20000 + I/10000)\*(3\*Cos[(d + e\*x)/2] + Sin[(d + e\*x)/2])\*((-6 + 6\*I)\*Sqrt[20 + 15\*I]\*ArcTan[(1/10 + (3\*I)/10)\*Sqrt[4/5 + (3\*I)/5]\*(-1 + 3\*Tan[(d + e\*x)/4]))\*(3\*Cos[(d + e\*x)/2] + Sin[(d + e\*x)/2])^4 + (5 + 10\*I)\*(55\*Cos[(d + e\*x)/2] + 39\*Cos[(3\*(d + e\*x))/2] - 165\*Sin[(d + e\*x)/2] - 27\*Sin[(3\*(d + e\*x))/2]))/(e\*(5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x])^(5/2))

**Maple [A]** time = 1.46, size = 190, normalized size = 1.3

$$\frac{1}{(4000 + 4000 \sin(ex + d + \arctan(4/3))) \cos\left(ex + d + \arctan\left(\frac{4}{3}\right)\right) e} \left(3 \sqrt{10} \operatorname{Artanh}\left(\frac{1}{10} \sqrt{-5 \sin(ex + d + \arctan(4/3))}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(5/2), x)

[Out] -1/4000\*(3\*10^(1/2)\*arctanh(1/10\*(-5\*sin(e\*x+d+arctan(4/3))+5)^(1/2))\*10^(1/2)\*sin(e\*x+d+arctan(4/3))^2+6\*10^(1/2)\*arctanh(1/10\*(-5\*sin(e\*x+d+arctan(4/3))+5)^(1/2))\*10^(1/2)\*sin(e\*x+d+arctan(4/3))+3\*10^(1/2)\*arctanh(1/10\*(-5\*sin(e\*x+d+arctan(4/3))+5)^(1/2))\*10^(1/2))+6\*(-5\*sin(e\*x+d+arctan(4/3))+5)^(1/2)\*sin(e\*x+d+arctan(4/3))+14\*(-5\*sin(e\*x+d+arctan(4/3))+5)^(1/2))\*(-5\*sin(e\*x+d+arctan(4/3))+5)^(1/2)/(1+sin(e\*x+d+arctan(4/3)))/cos(e\*x+d+arctan(4/3))

3))/(5+5\*sin(e\*x+d+arctan(4/3)))^(1/2)/e

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(4 \cos(ex + d) + 3 \sin(ex + d) + 5)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(5/2),x, algorithm="maxima")

[Out] integrate((4\*cos(e\*x + d) + 3\*sin(e\*x + d) + 5)^(-5/2), x)

**Fricas [B]** time = 1.97268, size = 998, normalized size = 7.03

$3(3\sqrt{10}\cos(ex+d)^3 - 111\sqrt{10}\cos(ex+d)^2 - (79\sqrt{10}\cos(ex+d)^2 + 202\sqrt{10}\cos(ex+d) + 124\sqrt{10})\sin(ex+d)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(5/2),x, algorithm="fricas")

[Out]  $\frac{1}{8000} \cdot (3 \cdot (3 \cdot \sqrt{10} \cdot \cos(ex + d)^3 - 111 \cdot \sqrt{10} \cdot \cos(ex + d)^2 - (79 \cdot \sqrt{10} \cdot \cos(ex + d)^2 + 202 \cdot \sqrt{10} \cdot \cos(ex + d) + 124 \cdot \sqrt{10}) \cdot \sin(ex + d) - 246 \cdot \sqrt{10} \cdot \cos(ex + d) - 132 \cdot \sqrt{10}) \cdot \log(-9 \cdot \cos(ex + d)^2 + (13 \cdot \cos(ex + d) - 6) \cdot \sin(ex + d) + 2 \cdot (\sqrt{10} \cdot \cos(ex + d) - 3 \cdot \sqrt{10}) \cdot \sin(ex + d) + \sqrt{10}) \cdot \sqrt{4 \cdot \cos(ex + d) + 3 \cdot \sin(ex + d) + 5} - 33 \cdot \cos(ex + d) - 42) / (9 \cdot \cos(ex + d)^2 + (13 \cdot \cos(ex + d) + 14) \cdot \sin(ex + d) + 27 \cdot \cos(ex + d) + 18) + 20 \cdot (39 \cdot \cos(ex + d)^2 - 3 \cdot (9 \cdot \cos(ex + d) + 32) \cdot \sin(ex + d) + 47 \cdot \cos(ex + d) + 8) \cdot \sqrt{4 \cdot \cos(ex + d) + 3 \cdot \sin(ex + d) + 5}) / (3 \cdot e \cdot \cos(ex + d)^3 - 111 \cdot e \cdot \cos(ex + d)^2 - 246 \cdot e \cdot \cos(ex + d) - (79 \cdot e \cdot \cos(ex + d)^2 + 202 \cdot e \cdot \cos(ex + d) + 124 \cdot e) \cdot \sin(ex + d) - 132 \cdot e)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5+4\*cos(e\*x+d)+3\*sin(e\*x+d))\*\*(5/2),x)

[Out] Timed out

**Giac [B]** time = 1.97177, size = 563, normalized size = 3.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(5+4*cos(e*x+d)+3*sin(e*x+d))^(5/2),x, algorithm="giac")
```

```
[Out] 1/4000*(3*sqrt(10)*log(abs(-2*sqrt(10) + 2*sqrt(tan(1/2*x*e + 1/2*d)^2 + 1)
- 2*tan(1/2*x*e + 1/2*d) - 6)/abs(2*sqrt(10) + 2*sqrt(tan(1/2*x*e + 1/2*d)
^2 + 1) - 2*tan(1/2*x*e + 1/2*d) - 6))/sgn(tan(1/2*x*e + 1/2*d) + 3) - 20*(
797*(sqrt(tan(1/2*x*e + 1/2*d)^2 + 1) - tan(1/2*x*e + 1/2*d))^7 - 7137*(sqr
t(tan(1/2*x*e + 1/2*d)^2 + 1) - tan(1/2*x*e + 1/2*d))^6 + 27543*(sqrt(tan(1
/2*x*e + 1/2*d)^2 + 1) - tan(1/2*x*e + 1/2*d))^5 - 30015*(sqrt(tan(1/2*x*e
+ 1/2*d)^2 + 1) - tan(1/2*x*e + 1/2*d))^4 - 27105*(sqrt(tan(1/2*x*e + 1/2*d
)^2 + 1) - tan(1/2*x*e + 1/2*d))^3 - 7491*(sqrt(tan(1/2*x*e + 1/2*d)^2 + 1)
- tan(1/2*x*e + 1/2*d))^2 - 859*sqrt(tan(1/2*x*e + 1/2*d)^2 + 1) + 859*tan
(1/2*x*e + 1/2*d) - 69)/(((sqrt(tan(1/2*x*e + 1/2*d)^2 + 1) - tan(1/2*x*e +
1/2*d))^2 - 6*sqrt(tan(1/2*x*e + 1/2*d)^2 + 1) + 6*tan(1/2*x*e + 1/2*d) -
1)^4*sgn(tan(1/2*x*e + 1/2*d) + 3)))e^(-1)
```

### 3.423 $\int (-5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{7/2} dx$

**Optimal.** Leaf size=185

$$\frac{2(3 \cos(d + ex) - 4 \sin(d + ex))(3 \sin(d + ex) + 4 \cos(d + ex) - 5)^{5/2}}{7e} + \frac{24(3 \cos(d + ex) - 4 \sin(d + ex))(3 \sin(d + ex) + 4 \cos(d + ex) - 5)^{3/2}}{7e}$$

```
[Out] (6400*(3*Cos[d + e*x] - 4*Sin[d + e*x]))/(7*e*Sqrt[-5 + 4*Cos[d + e*x] + 3*Sin[d + e*x]]) - (320*(3*Cos[d + e*x] - 4*Sin[d + e*x])*Sqrt[-5 + 4*Cos[d + e*x] + 3*Sin[d + e*x]])/(7*e) + (24*(3*Cos[d + e*x] - 4*Sin[d + e*x])*(-5 + 4*Cos[d + e*x] + 3*Sin[d + e*x])^(3/2))/(7*e) - (2*(3*Cos[d + e*x] - 4*Sin[d + e*x])*(-5 + 4*Cos[d + e*x] + 3*Sin[d + e*x])^(5/2))/(7*e)
```

**Rubi [A]** time = 0.0935227, antiderivative size = 185, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 2, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {3113, 3112}

$$\frac{2(3 \cos(d + ex) - 4 \sin(d + ex))(3 \sin(d + ex) + 4 \cos(d + ex) - 5)^{5/2}}{7e} + \frac{24(3 \cos(d + ex) - 4 \sin(d + ex))(3 \sin(d + ex) + 4 \cos(d + ex) - 5)^{3/2}}{7e}$$

Antiderivative was successfully verified.

```
[In] Int[(-5 + 4*Cos[d + e*x] + 3*Sin[d + e*x])^(7/2), x]
```

```
[Out] (6400*(3*Cos[d + e*x] - 4*Sin[d + e*x]))/(7*e*Sqrt[-5 + 4*Cos[d + e*x] + 3*Sin[d + e*x]]) - (320*(3*Cos[d + e*x] - 4*Sin[d + e*x])*Sqrt[-5 + 4*Cos[d + e*x] + 3*Sin[d + e*x]])/(7*e) + (24*(3*Cos[d + e*x] - 4*Sin[d + e*x])*(-5 + 4*Cos[d + e*x] + 3*Sin[d + e*x])^(3/2))/(7*e) - (2*(3*Cos[d + e*x] - 4*Sin[d + e*x])*(-5 + 4*Cos[d + e*x] + 3*Sin[d + e*x])^(5/2))/(7*e)
```

#### Rule 3113

```
Int[(cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^(n_), x_Symbol] :> -Simp[((c*Cos[d + e*x] - b*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n - 1))/(e*n), x] + Dist[(a*(2*n - 1))/n, Int[(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0] && GtQ[n, 0]
```

#### Rule 3112

```
Int[Sqrt[cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)]]], x_Symbol] :> Simp[(-2*(c*Cos[d + e*x] - b*Sin[d + e*x]))/(e*Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]]), x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0]
```

#### Rubi steps

$$\begin{aligned} \int (-5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{7/2} dx &= -\frac{2(3 \cos(d + ex) - 4 \sin(d + ex))(-5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{5/2}}{7e} \\ &= \frac{24(3 \cos(d + ex) - 4 \sin(d + ex))(-5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{3/2}}{7e} \\ &= -\frac{320(3 \cos(d + ex) - 4 \sin(d + ex))\sqrt{-5 + 4 \cos(d + ex) + 3 \sin(d + ex)}}{7e} \\ &= \frac{6400(3 \cos(d + ex) - 4 \sin(d + ex))}{7e\sqrt{-5 + 4 \cos(d + ex) + 3 \sin(d + ex)}} - \frac{320(3 \cos(d + ex) - 4 \sin(d + ex))}{7e} \end{aligned}$$

**Mathematica [A]** time = 1.92178, size = 151, normalized size = 0.82

$$\frac{(3 \sin(d + ex) + 4 \cos(d + ex) - 5)^{7/2} \left( 30625 \sin\left(\frac{1}{2}(d + ex)\right) - 15925 \sin\left(\frac{3}{2}(d + ex)\right) + 3871 \sin\left(\frac{5}{2}(d + ex)\right) - 307 \sin\left(\frac{7}{2}(d + ex)\right) \right)}{28e \left( \cos\left(\frac{1}{2}(d + ex)\right) - 3 \sin\left(\frac{1}{2}(d + ex)\right) \right)}$$

Antiderivative was successfully verified.

[In] Integrate[(-5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x])^(7/2), x]

[Out] ((-5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x])^(7/2)\*(91875\*Cos[(d + e\*x)/2] - 11025\*Cos[(3\*(d + e\*x))/2] - 147\*Cos[(5\*(d + e\*x))/2] + 249\*Cos[(7\*(d + e\*x))/2] + 30625\*Sin[(d + e\*x)/2] - 15925\*Sin[(3\*(d + e\*x))/2] + 3871\*Sin[(5\*(d + e\*x))/2] - 307\*Sin[(7\*(d + e\*x))/2]))/(28\*e\*(Cos[(d + e\*x)/2] - 3\*Sin[(d + e\*x)/2]))^7)

**Maple [A]** time = 1.25, size = 86, normalized size = 0.5

$$\frac{(250 \sin(ex + d + \arctan(4/3)) - 250) \left( 1 + \sin\left(ex + d + \arctan\left(\frac{4}{3}\right)\right) \right) \left( 5 (\sin(ex + d + \arctan(4/3)))^3 - 27 (\sin(ex + d + \arctan(4/3))) \right)}{7 \cos(ex + d + \arctan(4/3)) e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(7/2), x)

[Out] 250/7\*(sin(e\*x+d+arctan(4/3))-1)\*(1+sin(e\*x+d+arctan(4/3)))\*(5\*sin(e\*x+d+arctan(4/3))^3-27\*sin(e\*x+d+arctan(4/3)))/cos(e\*x+d+arctan(4/3))-177/cos(e\*x+d+arctan(4/3))-5\*5\*sin(e\*x+d+arctan(4/3))^(1/2)/e

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (4 \cos(ex + d) + 3 \sin(ex + d) - 5)^{7/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(7/2), x, algorithm="maxima")

[Out] integrate((4\*cos(e\*x + d) + 3\*sin(e\*x + d) - 5)^(7/2), x)

**Fricas [A]** time = 1.76515, size = 358, normalized size = 1.94

$$\frac{2(249 \cos(ex + d)^4 + 51 \cos(ex + d)^3 - 3042 \cos(ex + d)^2 - (307 \cos(ex + d)^3 - 1782 \cos(ex + d)^2 + 2860 \cos(ex + d) - 1392) \sin(ex + d)}{7(e \cos(ex + d) - 3e \sin(ex + d))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(7/2), x, algorithm="fricas")

[Out] -2/7\*(249\*cos(e\*x + d)^4 + 51\*cos(e\*x + d)^3 - 3042\*cos(e\*x + d)^2 - (307\*cos(e\*x + d)^3 - 1782\*cos(e\*x + d)^2 + 2860\*cos(e\*x + d) - 1392)\*sin(e\*x + d)

) + 10068\*cos(e\*x + d) + 12912)\*sqrt(4\*cos(e\*x + d) + 3\*sin(e\*x + d) - 5)/(  
e\*cos(e\*x + d) - 3\*e\*sin(e\*x + d) + e)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-5+4\*cos(e\*x+d)+3\*sin(e\*x+d))\*\*(7/2),x)

[Out] Timed out

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(7/2),x, algorithm="giac")

[Out] Timed out

### 3.424 $\int (-5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{5/2} dx$

**Optimal.** Leaf size=139

$$-\frac{2(3 \cos(d + ex) - 4 \sin(d + ex))(3 \sin(d + ex) + 4 \cos(d + ex) - 5)^{3/2}}{5e} + \frac{16(3 \cos(d + ex) - 4 \sin(d + ex))\sqrt{3 \sin(d + ex)}}{3e}$$

```
[Out] (-320*(3*Cos[d + e*x] - 4*Sin[d + e*x]))/(3*e*Sqrt[-5 + 4*Cos[d + e*x] + 3*Sin[d + e*x]]) + (16*(3*Cos[d + e*x] - 4*Sin[d + e*x])*Sqrt[-5 + 4*Cos[d + e*x] + 3*Sin[d + e*x]])/(3*e) - (2*(3*Cos[d + e*x] - 4*Sin[d + e*x])*(-5 + 4*Cos[d + e*x] + 3*Sin[d + e*x])^(3/2))/(5*e)
```

**Rubi [A]** time = 0.0739644, antiderivative size = 139, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {3113, 3112}

$$-\frac{2(3 \cos(d + ex) - 4 \sin(d + ex))(3 \sin(d + ex) + 4 \cos(d + ex) - 5)^{3/2}}{5e} + \frac{16(3 \cos(d + ex) - 4 \sin(d + ex))\sqrt{3 \sin(d + ex)}}{3e}$$

Antiderivative was successfully verified.

```
[In] Int[(-5 + 4*Cos[d + e*x] + 3*Sin[d + e*x])^(5/2), x]
```

```
[Out] (-320*(3*Cos[d + e*x] - 4*Sin[d + e*x]))/(3*e*Sqrt[-5 + 4*Cos[d + e*x] + 3*Sin[d + e*x]]) + (16*(3*Cos[d + e*x] - 4*Sin[d + e*x])*Sqrt[-5 + 4*Cos[d + e*x] + 3*Sin[d + e*x]])/(3*e) - (2*(3*Cos[d + e*x] - 4*Sin[d + e*x])*(-5 + 4*Cos[d + e*x] + 3*Sin[d + e*x])^(3/2))/(5*e)
```

#### Rule 3113

```
Int[(cos[(d_.) + (e_.)*(x_)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_)])^(n_), x_Symbol] := -Simp[((c*Cos[d + e*x] - b*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n - 1))/(e*n), x] + Dist[(a*(2*n - 1))/n, Int[(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0] && GtQ[n, 0]
```

#### Rule 3112

```
Int[Sqrt[cos[(d_.) + (e_.)*(x_)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_)]]], x_Symbol] := Simp[(-2*(c*Cos[d + e*x] - b*Sin[d + e*x]))/(e*Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]]), x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0]
```

#### Rubi steps

$$\begin{aligned} \int (-5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{5/2} dx &= -\frac{2(3 \cos(d + ex) - 4 \sin(d + ex))(-5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{3/2}}{5e} - \\ &= \frac{16(3 \cos(d + ex) - 4 \sin(d + ex))\sqrt{-5 + 4 \cos(d + ex) + 3 \sin(d + ex)}}{3e} - 2( \\ &= -\frac{320(3 \cos(d + ex) - 4 \sin(d + ex))}{3e\sqrt{-5 + 4 \cos(d + ex) + 3 \sin(d + ex)}} + \frac{16(3 \cos(d + ex) - 4 \sin(d + ex))}{3e} \end{aligned}$$



**Mathematica [A]** time = 0.523038, size = 127, normalized size = 0.91

$$\frac{(3 \sin(d + ex) + 4 \cos(d + ex) - 5)^{5/2} \left( 3750 \sin\left(\frac{1}{2}(d + ex)\right) - 1625 \sin\left(\frac{3}{2}(d + ex)\right) + 237 \sin\left(\frac{5}{2}(d + ex)\right) + 11250 \cos\left(\frac{1}{2}(d + ex)\right) - 1625 \cos\left(\frac{3}{2}(d + ex)\right) + 237 \cos\left(\frac{5}{2}(d + ex)\right) \right)}{30e \left( \cos\left(\frac{1}{2}(d + ex)\right) - 3 \sin\left(\frac{1}{2}(d + ex)\right) \right)^5}$$

Antiderivative was successfully verified.

[In] Integrate[(-5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x])^(5/2), x]

[Out] ((-5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x])^(5/2)\*(11250\*Cos[(d + e\*x)/2] - 1125\*Cos[(3\*(d + e\*x))/2] - 9\*Cos[(5\*(d + e\*x))/2] + 3750\*Sin[(d + e\*x)/2] - 1625\*Sin[(3\*(d + e\*x))/2] + 237\*Sin[(5\*(d + e\*x))/2]))/(30\*e\*(Cos[(d + e\*x)/2] - 3\*Sin[(d + e\*x)/2])^5)

**Maple [A]** time = 1.248, size = 74, normalized size = 0.5

$$\frac{(50 \sin(ex + d + \arctan(4/3)) - 50) \left( 1 + \sin\left(ex + d + \arctan\left(\frac{4}{3}\right)\right) \right) \left( 3 (\sin(ex + d + \arctan(4/3)))^2 - 14 \sin(ex + d + \arctan(4/3)) + 43 \right)}{3 \cos(ex + d + \arctan(4/3)) e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(5/2), x)

[Out] 50/3\*(sin(e\*x+d+arctan(4/3))-1)\*(1+sin(e\*x+d+arctan(4/3)))\*(3\*sin(e\*x+d+arctan(4/3))^2-14\*sin(e\*x+d+arctan(4/3))+43)/cos(e\*x+d+arctan(4/3))/(-5+5\*sin(e\*x+d+arctan(4/3)))^(1/2)/e

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (4 \cos(ex + d) + 3 \sin(ex + d) - 5)^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(5/2), x, algorithm="maxima")

[Out] integrate((4\*cos(e\*x + d) + 3\*sin(e\*x + d) - 5)^(5/2), x)

**Fricas [A]** time = 1.66577, size = 293, normalized size = 2.11

$$\frac{2 \left( 9 \cos^3(ex + d) + 567 \cos^2(ex + d) - (237 \cos^2(ex + d) - 694 \cos(ex + d) + 472) \sin(ex + d) - 2538 \cos(ex + d) - 3096 \right) \sqrt{4 \cos^2(ex + d) - 5}}{15 (e \cos(ex + d) - 3 e \sin(ex + d) + e)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(5/2), x, algorithm="fricas")

[Out] -2/15\*(9\*cos(e\*x + d)^3 + 567\*cos(e\*x + d)^2 - (237\*cos(e\*x + d)^2 - 694\*cos(e\*x + d) + 472)\*sin(e\*x + d) - 2538\*cos(e\*x + d) - 3096)\*sqrt(4\*cos(e\*x + d)^2 - 5)/e

$$d) + 3\sin(e^x + d) - 5)/(e\cos(e^x + d) - 3e\sin(e^x + d) + e)$$

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-5+4\*cos(e\*x+d)+3\*sin(e\*x+d))\*\*(5/2),x)

[Out] Timed out

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(5/2),x, algorithm="giac")

[Out] Timed out

### 3.425 $\int (-5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{3/2} dx$

**Optimal.** Leaf size=93

$$\frac{40(3 \cos(d + ex) - 4 \sin(d + ex))}{3e\sqrt{3 \sin(d + ex) + 4 \cos(d + ex) - 5}} - \frac{2(3 \cos(d + ex) - 4 \sin(d + ex))\sqrt{3 \sin(d + ex) + 4 \cos(d + ex) - 5}}{3e}$$

[Out] (40\*(3\*Cos[d + e\*x] - 4\*Sin[d + e\*x]))/(3\*e\*Sqrt[-5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x]]) - (2\*(3\*Cos[d + e\*x] - 4\*Sin[d + e\*x])\*Sqrt[-5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x]])/(3\*e)

**Rubi [A]** time = 0.0383577, antiderivative size = 93, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {3113, 3112}

$$\frac{40(3 \cos(d + ex) - 4 \sin(d + ex))}{3e\sqrt{3 \sin(d + ex) + 4 \cos(d + ex) - 5}} - \frac{2(3 \cos(d + ex) - 4 \sin(d + ex))\sqrt{3 \sin(d + ex) + 4 \cos(d + ex) - 5}}{3e}$$

Antiderivative was successfully verified.

[In] Int[(-5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x])^(3/2), x]

[Out] (40\*(3\*Cos[d + e\*x] - 4\*Sin[d + e\*x]))/(3\*e\*Sqrt[-5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x]]) - (2\*(3\*Cos[d + e\*x] - 4\*Sin[d + e\*x])\*Sqrt[-5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x]])/(3\*e)

#### Rule 3113

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(n\_), x\_Symbol] :> -Simp[((c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n - 1))/(e\*n), x] + Dist[(a\*(2\*n - 1))/n, Int[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0] && GtQ[n, 0]

#### Rule 3112

Int[Sqrt[cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]]], x\_Symbol] :> Simp[(-2\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x]))/(e\*Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]]), x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0]

#### Rubi steps

$$\int (-5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{3/2} dx = -\frac{2(3 \cos(d + ex) - 4 \sin(d + ex))\sqrt{-5 + 4 \cos(d + ex) + 3 \sin(d + ex)}}{3e} = \frac{40(3 \cos(d + ex) - 4 \sin(d + ex))}{3e\sqrt{-5 + 4 \cos(d + ex) + 3 \sin(d + ex)}} - \frac{2(3 \cos(d + ex) - 4 \sin(d + ex))\sqrt{-5 + 4 \cos(d + ex) + 3 \sin(d + ex)}}{3e}$$

**Mathematica [A]** time = 0.236961, size = 103, normalized size = 1.11

$$\frac{(3 \sin(d + ex) + 4 \cos(d + ex) - 5)^{3/2} \left( 45 \sin\left(\frac{1}{2}(d + ex)\right) - 13 \sin\left(\frac{3}{2}(d + ex)\right) + 135 \cos\left(\frac{1}{2}(d + ex)\right) - 9 \cos\left(\frac{3}{2}(d + ex)\right) \right)}{3e \left( \cos\left(\frac{1}{2}(d + ex)\right) - 3 \sin\left(\frac{1}{2}(d + ex)\right) \right)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(-5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x])^(3/2), x]

[Out] ((-5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x])^(3/2)\*(135\*Cos[(d + e\*x)/2] - 9\*Cos[(3\*(d + e\*x))/2] + 45\*Sin[(d + e\*x)/2] - 13\*Sin[(3\*(d + e\*x))/2]))/(3\*e\*(Cos[(d + e\*x)/2] - 3\*Sin[(d + e\*x)/2])^3)

**Maple [A]** time = 1.193, size = 60, normalized size = 0.7

$$\frac{(50 \sin(ex + d + \arctan(4/3)) - 50) \left(1 + \sin\left(ex + d + \arctan\left(\frac{4}{3}\right)\right)\right) \left(\sin\left(ex + d + \arctan\left(\frac{4}{3}\right)\right) - 5\right)}{3 \cos(ex + d + \arctan(4/3)) e \sqrt{-5 + 5 \sin(ex + d + \arctan(4/3))}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(3/2), x)

[Out] 50/3\*(sin(e\*x+d+arctan(4/3))-1)\*(1+sin(e\*x+d+arctan(4/3)))\*(sin(e\*x+d+arctan(4/3))-5)/cos(e\*x+d+arctan(4/3))/(-5+5\*sin(e\*x+d+arctan(4/3)))^(1/2)/e

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (4 \cos(ex + d) + 3 \sin(ex + d) - 5)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(3/2), x, algorithm="maxima")

[Out] integrate((4\*cos(e\*x + d) + 3\*sin(e\*x + d) - 5)^(3/2), x)

**Fricas [A]** time = 1.70999, size = 225, normalized size = 2.42

$$\frac{2(9 \cos(ex + d)^2 + (13 \cos(ex + d) - 16) \sin(ex + d) - 63 \cos(ex + d) - 72) \sqrt{4 \cos(ex + d) + 3 \sin(ex + d) - 5}}{3(e \cos(ex + d) - 3e \sin(ex + d) + e)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(3/2), x, algorithm="fricas")

[Out] 2/3\*(9\*cos(e\*x + d)^2 + (13\*cos(e\*x + d) - 16)\*sin(e\*x + d) - 63\*cos(e\*x + d) - 72)\*sqrt(4\*cos(e\*x + d) + 3\*sin(e\*x + d) - 5)/(e\*cos(e\*x + d) - 3\*e\*sin(e\*x + d) + e)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-5+4*cos(e*x+d)+3*sin(e*x+d))**(3/2),x)
```

```
[Out] Timed out
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (4 \cos(ex + d) + 3 \sin(ex + d) - 5)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-5+4*cos(e*x+d)+3*sin(e*x+d))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((4*cos(e*x + d) + 3*sin(e*x + d) - 5)^(3/2), x)
```

### 3.426 $\int \sqrt{-5 + 4 \cos(d + ex) + 3 \sin(d + ex)} dx$

**Optimal.** Leaf size=44

$$-\frac{2(3 \cos(d + ex) - 4 \sin(d + ex))}{e\sqrt{3 \sin(d + ex) + 4 \cos(d + ex) - 5}}$$

[Out] (-2\*(3\*Cos[d + e\*x] - 4\*Sin[d + e\*x]))/(e\*Sqrt[-5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x]])

**Rubi [A]** time = 0.0173385, antiderivative size = 44, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$ , Rules used = {3112}

$$-\frac{2(3 \cos(d + ex) - 4 \sin(d + ex))}{e\sqrt{3 \sin(d + ex) + 4 \cos(d + ex) - 5}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[-5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x]],x]

[Out] (-2\*(3\*Cos[d + e\*x] - 4\*Sin[d + e\*x]))/(e\*Sqrt[-5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x]])

#### Rule 3112

Int[Sqrt[cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]], x\_Symbol] :> Simp[(-2\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x]))/(e\*Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]]), x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0]

#### Rubi steps

$$\int \sqrt{-5 + 4 \cos(d + ex) + 3 \sin(d + ex)} dx = -\frac{2(3 \cos(d + ex) - 4 \sin(d + ex))}{e\sqrt{-5 + 4 \cos(d + ex) + 3 \sin(d + ex)}}$$

**Mathematica [A]** time = 0.0417613, size = 75, normalized size = 1.7

$$\frac{2 \left( \sin\left(\frac{1}{2}(d + ex)\right) + 3 \cos\left(\frac{1}{2}(d + ex)\right) \right) \sqrt{3 \sin(d + ex) + 4 \cos(d + ex) - 5}}{e \left( \cos\left(\frac{1}{2}(d + ex)\right) - 3 \sin\left(\frac{1}{2}(d + ex)\right) \right)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[-5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x]],x]

[Out] (2\*(3\*Cos[(d + e\*x)/2] + Sin[(d + e\*x)/2])\*Sqrt[-5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x]])/(e\*(Cos[(d + e\*x)/2] - 3\*Sin[(d + e\*x)/2]))

**Maple [A]** time = 1.077, size = 50, normalized size = 1.1

$$10 \frac{(\sin(ex + d + \arctan(4/3)) - 1)(1 + \sin(ex + d + \arctan(4/3)))}{\cos(ex + d + \arctan(4/3)) \sqrt{-5 + 5 \sin(ex + d + \arctan(4/3))} e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(1/2),x)

[Out] 10\*(sin(e\*x+d+arctan(4/3))-1)\*(1+sin(e\*x+d+arctan(4/3)))/cos(e\*x+d+arctan(4/3))/(-5+5\*sin(e\*x+d+arctan(4/3)))^(1/2)/e

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{4 \cos(ex + d) + 3 \sin(ex + d) - 5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(4\*cos(e\*x + d) + 3\*sin(e\*x + d) - 5), x)

**Fricas [A]** time = 1.76369, size = 163, normalized size = 3.7

$$\frac{2 \sqrt{4 \cos(ex + d) + 3 \sin(ex + d) - 5} (3 \cos(ex + d) + \sin(ex + d) + 3)}{e \cos(ex + d) - 3 e \sin(ex + d) + e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(1/2),x, algorithm="fricas")

[Out] 2\*sqrt(4\*cos(e\*x + d) + 3\*sin(e\*x + d) - 5)\*(3\*cos(e\*x + d) + sin(e\*x + d) + 3)/(e\*cos(e\*x + d) - 3\*e\*sin(e\*x + d) + e)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{3 \sin(d + ex) + 4 \cos(d + ex) - 5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-5+4\*cos(e\*x+d)+3\*sin(e\*x+d))\*\*(1/2),x)

[Out] Integral(sqrt(3\*sin(d + e\*x) + 4\*cos(d + e\*x) - 5), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{4 \cos(ex + d) + 3 \sin(ex + d) - 5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-5+4*cos(e*x+d)+3*sin(e*x+d))^(1/2),x, algorithm="giac")
```

```
[Out] integrate(sqrt(4*cos(e*x + d) + 3*sin(e*x + d) - 5), x)
```



$$3.427 \quad \int \frac{1}{\sqrt{-5+4 \cos(d+ex)+3 \sin(d+ex)}} dx$$

**Optimal.** Leaf size=49

$$\frac{\sqrt{\frac{2}{5}} \tan^{-1} \left( \frac{\sin(d+ex-\tan^{-1}(\frac{3}{4}))}{\sqrt{2} \sqrt{\cos(d+ex-\tan^{-1}(\frac{3}{4}))-1}} \right)}{e}$$

[Out] -((Sqrt[2/5]\*ArcTan[Sin[d + e\*x - ArcTan[3/4]]/(Sqrt[2]\*Sqrt[-1 + Cos[d + e\*x - ArcTan[3/4]]])])/e)

**Rubi [A]** time = 0.0608601, antiderivative size = 49, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$ , Rules used = {3115, 2649, 204}

$$\frac{\sqrt{\frac{2}{5}} \tan^{-1} \left( \frac{\sin(d+ex-\tan^{-1}(\frac{3}{4}))}{\sqrt{2} \sqrt{\cos(d+ex-\tan^{-1}(\frac{3}{4}))-1}} \right)}{e}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[-5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x]],x]

[Out] -((Sqrt[2/5]\*ArcTan[Sin[d + e\*x - ArcTan[3/4]]/(Sqrt[2]\*Sqrt[-1 + Cos[d + e\*x - ArcTan[3/4]]])])/e)

#### Rule 3115

Int[1/Sqrt[cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]], x\_Symbol] := Int[1/Sqrt[a + Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0]

#### Rule 2649

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 204

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\int \frac{1}{\sqrt{-5 + 4 \cos(d + ex) + 3 \sin(d + ex)}} dx = \int \frac{1}{\sqrt{-5 + 5 \cos\left(d + ex - \tan^{-1}\left(\frac{3}{4}\right)\right)}} dx$$

$$= \frac{2 \operatorname{Subst}\left(\int \frac{1}{-10 - x^2} dx, x, -\frac{5 \sin\left(d + ex - \tan^{-1}\left(\frac{3}{4}\right)\right)}{\sqrt{-5 + 5 \cos\left(d + ex - \tan^{-1}\left(\frac{3}{4}\right)\right)}}\right)}{e}$$

$$= -\frac{\sqrt{\frac{2}{5}} \tan^{-1}\left(\frac{\sin\left(d + ex - \tan^{-1}\left(\frac{3}{4}\right)\right)}{\sqrt{2} \sqrt{-1 + \cos\left(d + ex - \tan^{-1}\left(\frac{3}{4}\right)\right)}}\right)}{e}$$

**Mathematica [C]** time = 0.0891382, size = 99, normalized size = 2.02

$$\frac{\left(\frac{2}{5} + \frac{6i}{5}\right) \sqrt{-\frac{4}{5} - \frac{3i}{5}} \left(\cos\left(\frac{1}{2}(d + ex)\right) - 3 \sin\left(\frac{1}{2}(d + ex)\right)\right) \tanh^{-1}\left(\left(\frac{1}{10} + \frac{3i}{10}\right) \sqrt{-\frac{4}{5} - \frac{3i}{5}} \left(\tan\left(\frac{1}{4}(d + ex)\right) + 3\right)\right)}{e \sqrt{3 \sin(d + ex) + 4 \cos(d + ex) - 5}}$$

Antiderivative was successfully verified.

[In] Integrate[1/Sqrt[-5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x]],x]

[Out] ((2/5 + (6\*I)/5)\*Sqrt[-4/5 - (3\*I)/5]\*ArcTanh[(1/10 + (3\*I)/10)\*Sqrt[-4/5 - (3\*I)/5]\*(3 + Tan[(d + e\*x)/4])\*(Cos[(d + e\*x)/2] - 3\*Sin[(d + e\*x)/2])]/(e\*Sqrt[-5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x]])

**Maple [A]** time = 1.171, size = 77, normalized size = 1.6

$$\frac{\left(\sin\left(ex + d + \arctan\left(\frac{4}{3}\right)\right) - 1\right) \sqrt{10}}{5 \cos\left(ex + d + \arctan\left(\frac{4}{3}\right)\right) e} \sqrt{-5 \sin\left(ex + d + \arctan\left(\frac{4}{3}\right)\right) - 5} \arctan\left(\frac{\sqrt{10}}{10} \sqrt{-5 \sin\left(ex + d + \arctan\left(\frac{4}{3}\right)\right) - 5}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(1/2),x)

[Out] 1/5\*(sin(e\*x+d+arctan(4/3))-1)\*(-5\*sin(e\*x+d+arctan(4/3))-5)^(1/2)\*10^(1/2)\*arctan(1/10\*(-5\*sin(e\*x+d+arctan(4/3))-5)^(1/2)\*10^(1/2))/cos(e\*x+d+arctan(4/3))/(-5+5\*sin(e\*x+d+arctan(4/3)))^(1/2)/e

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{4 \cos(ex + d) + 3 \sin(ex + d) - 5}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(1/2),x, algorithm="maxima")

[Out] integrate(1/sqrt(4\*cos(e\*x + d) + 3\*sin(e\*x + d) - 5), x)

---

**Fricas [B]** time = 1.85431, size = 269, normalized size = 5.49

$$\frac{\sqrt{5}\sqrt{2} \arctan\left(-\frac{(3\sqrt{5}\sqrt{2}\cos(ex+d)+\sqrt{5}\sqrt{2}\sin(ex+d)+3\sqrt{5}\sqrt{2})\sqrt{4\cos(ex+d)+3\sin(ex+d)-5}}{10(\cos(ex+d)-3\sin(ex+d)+1)}\right)}{5e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(1/2),x, algorithm="fricas")

[Out] 1/5\*sqrt(5)\*sqrt(2)\*arctan(-1/10\*(3\*sqrt(5)\*sqrt(2)\*cos(e\*x + d) + sqrt(5)\*sqrt(2)\*sin(e\*x + d) + 3\*sqrt(5)\*sqrt(2))\*sqrt(4\*cos(e\*x + d) + 3\*sin(e\*x + d) - 5)/(cos(e\*x + d) - 3\*sin(e\*x + d) + 1))/e

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{3\sin(d+ex)+4\cos(d+ex)-5}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-5+4\*cos(e\*x+d)+3\*sin(e\*x+d))\*\*(1/2),x)

[Out] Integral(1/sqrt(3\*sin(d + e\*x) + 4\*cos(d + e\*x) - 5), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{4\cos(ex+d)+3\sin(ex+d)-5}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(1/2),x, algorithm="giac")

[Out] integrate(1/sqrt(4\*cos(e\*x + d) + 3\*sin(e\*x + d) - 5), x)

$$3.428 \quad \int \frac{1}{(-5+4 \cos(d+ex)+3 \sin(d+ex))^{3/2}} dx$$

**Optimal.** Leaf size=96

$$\frac{3 \cos(d+ex) - 4 \sin(d+ex)}{10e(3 \sin(d+ex) + 4 \cos(d+ex) - 5)^{3/2}} + \frac{\tan^{-1}\left(\frac{\sin(d+ex-\tan^{-1}(\frac{3}{4}))}{\sqrt{2}\sqrt{\cos(d+ex-\tan^{-1}(\frac{3}{4}))}-1}}\right)}{10\sqrt{10}e}$$

[Out] ArcTan[Sin[d + e\*x - ArcTan[3/4]]/(Sqrt[2]\*Sqrt[-1 + Cos[d + e\*x - ArcTan[3/4]])]]/(10\*Sqrt[10]\*e) + (3\*Cos[d + e\*x] - 4\*Sin[d + e\*x])/(10\*e\*(-5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x])^(3/2))

**Rubi [A]** time = 0.0523508, antiderivative size = 96, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {3116, 3115, 2649, 204}

$$\frac{3 \cos(d+ex) - 4 \sin(d+ex)}{10e(3 \sin(d+ex) + 4 \cos(d+ex) - 5)^{3/2}} + \frac{\tan^{-1}\left(\frac{\sin(d+ex-\tan^{-1}(\frac{3}{4}))}{\sqrt{2}\sqrt{\cos(d+ex-\tan^{-1}(\frac{3}{4}))}-1}}\right)}{10\sqrt{10}e}$$

Antiderivative was successfully verified.

[In] Int[(-5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x])^(-3/2), x]

[Out] ArcTan[Sin[d + e\*x - ArcTan[3/4]]/(Sqrt[2]\*Sqrt[-1 + Cos[d + e\*x - ArcTan[3/4]])]]/(10\*Sqrt[10]\*e) + (3\*Cos[d + e\*x] - 4\*Sin[d + e\*x])/(10\*e\*(-5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x])^(3/2))

#### Rule 3116

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Simp[((c\*cos[d + e\*x] - b\*sin[d + e\*x])\*(a + b\*cos[d + e\*x] + c\*sin[d + e\*x])^n)/(a\*e\*(2\*n + 1)), x] + Dist[(n + 1)/(a\*(2\*n + 1)), Int[(a + b\*cos[d + e\*x] + c\*sin[d + e\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0] && LtQ[n, -1]

#### Rule 3115

Int[1/Sqrt[cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]]], x\_Symbol] :> Int[1/Sqrt[a + Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0]

#### Rule 2649

Int[1/Sqrt[(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)]]], x\_Symbol] :> Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*cos[c + d\*x])/Sqrt[a + b\*sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 204

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{1}{(-5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{3/2}} dx &= \frac{3 \cos(d + ex) - 4 \sin(d + ex)}{10e(-5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{3/2}} - \frac{1}{20} \int \frac{1}{\sqrt{-5 + 4 \cos(d + ex)}} dx \\
&= \frac{3 \cos(d + ex) - 4 \sin(d + ex)}{10e(-5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{3/2}} - \frac{1}{20} \int \frac{1}{\sqrt{-5 + 5 \cos(d + ex)}} dx \\
&= \frac{3 \cos(d + ex) - 4 \sin(d + ex)}{10e(-5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{3/2}} + \frac{\text{Subst} \left( \int \frac{1}{-10 - x^2} dx, x, -\frac{3 \cos(d + ex) - 4 \sin(d + ex)}{10e} \right)}{10e} \\
&= \frac{\tan^{-1} \left( \frac{\sin(d + ex - \tan^{-1}(\frac{3}{4}))}{\sqrt{2} \sqrt{-1 + \cos(d + ex - \tan^{-1}(\frac{3}{4}))}} \right)}{10\sqrt{10}e} + \frac{3 \cos(d + ex) - 4 \sin(d + ex)}{10e(-5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{3/2}}
\end{aligned}$$

**Mathematica [C]** time = 0.29477, size = 152, normalized size = 1.58

$$\frac{\left(\frac{1}{250} - \frac{i}{125}\right) \left(\cos\left(\frac{1}{2}(d + ex)\right) - 3 \sin\left(\frac{1}{2}(d + ex)\right)\right) \left((5 + 10i) \left(\sin\left(\frac{1}{2}(d + ex)\right) + 3 \cos\left(\frac{1}{2}(d + ex)\right)\right) - (1 - i)\sqrt{-20 - 15i}\right)}{e(3 \sin(d + ex) + 4 \cos(d + ex))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(-5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x])^(-3/2), x]

[Out] ((1/250 - I/125)\*(Cos[(d + e\*x)/2] - 3\*Sin[(d + e\*x)/2])\*((-1 + I)\*Sqrt[-20 - 15\*I]\*ArcTanh[(1/10 + (3\*I)/10)\*Sqrt[-4/5 - (3\*I)/5]\*(3 + Tan[(d + e\*x)/4])]\*(Cos[(d + e\*x)/2] - 3\*Sin[(d + e\*x)/2])^2 + (5 + 10\*I)\*(3\*Cos[(d + e\*x)/2] + Sin[(d + e\*x)/2]))/(e\*(-5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x])^(3/2))

**Maple [A]** time = 1.116, size = 118, normalized size = 1.2

$$\frac{1}{100 \cos(ex + d + \arctan(4/3))} e \left( -\sqrt{10} \arctan \left( \frac{\sqrt{10}}{10} \sqrt{-5 \sin(ex + d + \arctan(4/3)) - 5} \right) \sin \left( ex + d + \arctan \left( \frac{4}{3} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(3/2), x)

[Out] 1/100\*(-10^(1/2)\*arctan(1/10\*(-5\*sin(e\*x+d+arctan(4/3))-5)^(1/2)\*10^(1/2))\*sin(e\*x+d+arctan(4/3))+10^(1/2)\*arctan(1/10\*(-5\*sin(e\*x+d+arctan(4/3))-5)^(1/2)\*10^(1/2))+2\*(-5\*sin(e\*x+d+arctan(4/3))-5)^(1/2)\*(-5\*sin(e\*x+d+arctan(4/3))-5)^(1/2)/cos(e\*x+d+arctan(4/3)))/(-5+5\*sin(e\*x+d+arctan(4/3)))^(1/2)/e

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(4 \cos(ex + d) + 3 \sin(ex + d) - 5)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(3/2),x, algorithm="maxima")

[Out] integrate((4\*cos(e\*x + d) + 3\*sin(e\*x + d) - 5)^(-3/2), x)

**Fricas [B]** time = 1.78628, size = 614, normalized size = 6.4

$$\frac{(13\sqrt{10}\cos(ex+d)^2 - 9(\sqrt{10}\cos(ex+d) - 2\sqrt{10})\sin(ex+d) - \sqrt{10}\cos(ex+d) - 14\sqrt{10})\arctan\left(-\frac{(3\sqrt{10}\cos(ex+d) + \sqrt{10}\sin(ex+d) - 5)}{10}\right)}{100(13e\cos(ex+d)^2 - e\cos(ex+d) - 9)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(3/2),x, algorithm="fricas")

[Out] -1/100\*((13\*sqrt(10)\*cos(e\*x + d)^2 - 9\*(sqrt(10)\*cos(e\*x + d) - 2\*sqrt(10))\*sin(e\*x + d) - sqrt(10)\*cos(e\*x + d) - 14\*sqrt(10))\*arctan(-1/10\*(3\*sqrt(10)\*cos(e\*x + d) + sqrt(10)\*sin(e\*x + d) + 3\*sqrt(10))\*sqrt(4\*cos(e\*x + d) + 3\*sin(e\*x + d) - 5)/(cos(e\*x + d) - 3\*sin(e\*x + d) + 1)) + 10\*sqrt(4\*cos(e\*x + d) + 3\*sin(e\*x + d) - 5)\*(3\*cos(e\*x + d) + sin(e\*x + d) + 3)/(13\*e\*cos(e\*x + d)^2 - e\*cos(e\*x + d) - 9\*(e\*cos(e\*x + d) - 2\*e)\*sin(e\*x + d) - 14\*e)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(3\sin(d+ex) + 4\cos(d+ex) - 5)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-5+4\*cos(e\*x+d)+3\*sin(e\*x+d))\*\*(3/2),x)

[Out] Integral((3\*sin(d + e\*x) + 4\*cos(d + e\*x) - 5)\*\*(-3/2), x)

**Giac [C]** time = 1.52085, size = 336, normalized size = 3.5

$$-\frac{1}{450} \left( \frac{9\sqrt{10}\arctan\left(\frac{1}{10}\sqrt{10}\left(-3i\sqrt{\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^2 + 1} + 3i\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) - i\right)\right)}{\operatorname{sgn}\left(-3\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) + 1\right)} + \frac{10\left(33i\left(\sqrt{\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^2 + 1} - \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)\right)^3 - 7i\left(\sqrt{\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^2 + 1} - \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)\right)^2 + 21i\sqrt{\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^2 + 1} - 21i\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) + 9i\right)}{\left(-3i\left(\sqrt{\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^2 + 1} - \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)\right)^3 - 7i\left(\sqrt{\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^2 + 1} - \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)\right)^2 + 21i\sqrt{\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^2 + 1} - 21i\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) + 9i}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(3/2),x, algorithm="giac")

[Out] -1/450\*(9\*sqrt(10)\*arctan(1/10\*sqrt(10)\*(-3\*I\*sqrt(tan(1/2\*x\*e + 1/2\*d)^2 + 1) + 3\*I\*tan(1/2\*x\*e + 1/2\*d) - I))/sgn(-3\*tan(1/2\*x\*e + 1/2\*d) + 1) + 10\*(33\*I\*(sqrt(tan(1/2\*x\*e + 1/2\*d)^2 + 1) - tan(1/2\*x\*e + 1/2\*d))^3 - 7\*I\*(sqrt(tan(1/2\*x\*e + 1/2\*d)^2 + 1) - tan(1/2\*x\*e + 1/2\*d))^2 + 21\*I\*sqrt(tan(1/2\*x\*e + 1/2\*d)^2 + 1) - 21\*I\*tan(1/2\*x\*e + 1/2\*d) + 9\*I)/((-3\*I\*(sqrt(tan(1/2\*x\*e + 1/2\*d)^2 + 1) - tan(1/2\*x\*e + 1/2\*d))^3 - 7\*I\*(sqrt(tan(1/2\*x\*e + 1/2\*d)^2 + 1) - tan(1/2\*x\*e + 1/2\*d))^2 + 21\*I\*sqrt(tan(1/2\*x\*e + 1/2\*d)^2 + 1) - 21\*I\*tan(1/2\*x\*e + 1/2\*d) + 9\*I))

$$\begin{aligned} & /2*x*e + 1/2*d)^2 + 1) - \tan(1/2*x*e + 1/2*d))^2 - 2*I*\sqrt{\tan(1/2*x*e + 1/2*d)^2 + 1} + 2*I*\tan(1/2*x*e + 1/2*d) + 3*I)^2*\operatorname{sgn}(-3*\tan(1/2*x*e + 1/2*d) + 1))) * e^{-1} \end{aligned}$$

$$3.429 \quad \int \frac{1}{(-5+4 \cos(d+ex)+3 \sin(d+ex))^{5/2}} dx$$

**Optimal.** Leaf size=142

$$\frac{3(3 \cos(d+ex) - 4 \sin(d+ex))}{400e(3 \sin(d+ex) + 4 \cos(d+ex) - 5)^{3/2}} + \frac{3 \cos(d+ex) - 4 \sin(d+ex)}{20e(3 \sin(d+ex) + 4 \cos(d+ex) - 5)^{5/2}} - \frac{3 \tan^{-1} \left( \frac{\sin(d+ex - \tan^{-1}(\frac{3}{4}))}{\sqrt{2} \sqrt{\cos(d+ex - \tan^{-1}(\frac{3}{4}))}} \right)}{400\sqrt{10}e}$$

[Out] (-3\*ArcTan[Sin[d + e\*x - ArcTan[3/4]]/(Sqrt[2]\*Sqrt[-1 + Cos[d + e\*x - ArcTan[3/4]])])/(400\*Sqrt[10]\*e) + (3\*Cos[d + e\*x] - 4\*Sin[d + e\*x])/(20\*e\*(-5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x])^(5/2)) - (3\*(3\*Cos[d + e\*x] - 4\*Sin[d + e\*x]))/(400\*e\*(-5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x])^(3/2))

**Rubi [A]** time = 0.0751394, antiderivative size = 142, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.182, Rules used = {3116, 3115, 2649, 204}

$$\frac{3(3 \cos(d+ex) - 4 \sin(d+ex))}{400e(3 \sin(d+ex) + 4 \cos(d+ex) - 5)^{3/2}} + \frac{3 \cos(d+ex) - 4 \sin(d+ex)}{20e(3 \sin(d+ex) + 4 \cos(d+ex) - 5)^{5/2}} - \frac{3 \tan^{-1} \left( \frac{\sin(d+ex - \tan^{-1}(\frac{3}{4}))}{\sqrt{2} \sqrt{\cos(d+ex - \tan^{-1}(\frac{3}{4}))}} \right)}{400\sqrt{10}e}$$

Antiderivative was successfully verified.

[In] Int[(-5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x])^(-5/2), x]

[Out] (-3\*ArcTan[Sin[d + e\*x - ArcTan[3/4]]/(Sqrt[2]\*Sqrt[-1 + Cos[d + e\*x - ArcTan[3/4]])])/(400\*Sqrt[10]\*e) + (3\*Cos[d + e\*x] - 4\*Sin[d + e\*x])/(20\*e\*(-5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x])^(5/2)) - (3\*(3\*Cos[d + e\*x] - 4\*Sin[d + e\*x]))/(400\*e\*(-5 + 4\*Cos[d + e\*x] + 3\*Sin[d + e\*x])^(3/2))

#### Rule 3116

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(n\_), x\_Symbol] := Simp[((c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^n)/(a\*e\*(2\*n + 1)), x] + Dist[(n + 1)/(a\*(2\*n + 1)), Int[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0] && LtQ[n, -1]

#### Rule 3115

Int[1/Sqrt[cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]], x\_Symbol] := Int[1/Sqrt[a + Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0]

#### Rule 2649

Int[1/Sqrt[(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 204

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[



a, 0] || LtQ[b, 0])

Rubi steps

$$\int \frac{1}{(-5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{5/2}} dx = \frac{3 \cos(d + ex) - 4 \sin(d + ex)}{20e(-5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{5/2}} - \frac{3}{40} \int \frac{1}{(-5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{5/2}} dx$$

$$= \frac{3 \cos(d + ex) - 4 \sin(d + ex)}{20e(-5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{5/2}} - \frac{3(3 \cos(d + ex) - 4 \sin(d + ex))}{400e(-5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{5/2}}$$

$$= \frac{3 \cos(d + ex) - 4 \sin(d + ex)}{20e(-5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{5/2}} - \frac{3(3 \cos(d + ex) - 4 \sin(d + ex))}{400e(-5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{5/2}}$$

$$= \frac{3 \cos(d + ex) - 4 \sin(d + ex)}{20e(-5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{5/2}} - \frac{3(3 \cos(d + ex) - 4 \sin(d + ex))}{400e(-5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{5/2}}$$

$$= -\frac{3 \tan^{-1}\left(\frac{\sin(d+ex-\tan^{-1}(\frac{3}{4}))}{\sqrt{2}\sqrt{-1+\cos(d+ex-\tan^{-1}(\frac{3}{4}))}}\right)}{400\sqrt{10}e} + \frac{3 \cos(d + ex) - 4 \sin(d + ex)}{20e(-5 + 4 \cos(d + ex) + 3 \sin(d + ex))^{5/2}}$$

**Mathematica [C]** time = 0.394032, size = 178, normalized size = 1.25

$$\frac{\left(\frac{1}{10000} + \frac{i}{20000}\right) \left(\cos\left(\frac{1}{2}(d + ex)\right) - 3 \sin\left(\frac{1}{2}(d + ex)\right)\right) \left((10 - 5i) \left(55 \sin\left(\frac{1}{2}(d + ex)\right) - 39 \sin\left(\frac{3}{2}(d + ex)\right) + 165 \cos\left(\frac{1}{2}(d + ex)\right) - 105 \cos\left(\frac{3}{2}(d + ex)\right)\right) + 165 \cos\left(\frac{1}{2}(d + ex)\right) - 105 \cos\left(\frac{3}{2}(d + ex)\right)\right)}{e(3 \sin(d + ex) + 4 \cos(d + ex) - 5)^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(-5 + 4*Cos[d + e*x] + 3*Sin[d + e*x])^(-5/2), x]
```

```
[Out] ((1/10000 + I/20000)*(Cos[(d + e*x)/2] - 3*Sin[(d + e*x)/2]))*((6 + 6*I)*Sqrt[-20 - 15*I]*ArcTanh[(1/10 + (3*I)/10)*Sqrt[-4/5 - (3*I)/5]*(3 + Tan[(d + e*x)/4])]*(Cos[(d + e*x)/2] - 3*Sin[(d + e*x)/2])^4 + (10 - 5*I)*(165*Cos[(d + e*x)/2] - 27*Cos[(3*(d + e*x))/2] + 55*Sin[(d + e*x)/2] - 39*Sin[(3*(d + e*x))/2]))/(e*(-5 + 4*Cos[d + e*x] + 3*Sin[d + e*x])^(5/2))
```

**Maple [A]** time = 1.611, size = 190, normalized size = 1.3

$$\frac{1}{(4000 \sin(ex + d + \arctan(4/3)) - 4000) \cos\left(ex + d + \arctan\left(\frac{4}{3}\right)\right) e} \left(-3 \sqrt{10} \arctan\left(\frac{1}{10} \sqrt{-5 \sin(ex + d + \arctan(4/3)) - 5}\right) - 5\right)^{1/2} 10^{(1/2)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(-5+4*cos(e*x+d)+3*sin(e*x+d))^(5/2), x)
```

```
[Out] -1/4000*(-3*10^(1/2)*arctan(1/10*(-5*sin(e*x+d+arctan(4/3))-5)^(1/2)*10^(1/2))*sin(e*x+d+arctan(4/3))^2+6*10^(1/2)*arctan(1/10*(-5*sin(e*x+d+arctan(4/3))-5)^(1/2)*10^(1/2))*sin(e*x+d+arctan(4/3))+6*(-5*sin(e*x+d+arctan(4/3))-5)^(1/2)*sin(e*x+d+arctan(4/3))-3*10^(1/2)*arctan(1/10*(-5*sin(e*x+d+arctan(4/3))-5)^(1/2)*10^(1/2))-14*(-5*sin(e*x+d+arctan(4/3))-5)^(1/2))*(-5*sin(e*x+d+arctan(4/3))-5)^(1/2)/(sin(e*x+d+arctan(4/3))-1)/cos(e*x+d+arctan(4/3))
```

$\int \frac{1}{(4 \cos(ex + d) + 3 \sin(ex + d) - 5)^{\frac{5}{2}}} dx$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(4 \cos(ex + d) + 3 \sin(ex + d) - 5)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(5/2),x, algorithm="maxima")

[Out] integrate((4\*cos(e\*x + d) + 3\*sin(e\*x + d) - 5)^(-5/2), x)

**Fricas [B]** time = 1.87787, size = 830, normalized size = 5.85

$$\frac{3(79\sqrt{10}\cos(ex+d)^3 - 123\sqrt{10}\cos(ex+d)^2 + 3(\sqrt{10}\cos(ex+d)^2 + 38\sqrt{10}\cos(ex+d) - 44\sqrt{10})\sin(ex+d) - 78\sqrt{10})}{4000(79e\cos(ex+d)^3 - 123e\cos(ex+d)^2 + 3(e\cos(ex+d)^2 + 38e\cos(ex+d) - 44e)\sin(ex+d) + 124e)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(5/2),x, algorithm="fricas")

[Out] 1/4000\*(3\*(79\*sqrt(10)\*cos(e\*x + d)^3 - 123\*sqrt(10)\*cos(e\*x + d)^2 + 3\*(sqrt(10)\*cos(e\*x + d)^2 + 38\*sqrt(10)\*cos(e\*x + d) - 44\*sqrt(10))\*sin(e\*x + d) - 78\*sqrt(10)\*cos(e\*x + d) + 124\*sqrt(10))\*arctan(-1/10\*(3\*sqrt(10)\*cos(e\*x + d) + sqrt(10)\*sin(e\*x + d) + 3\*sqrt(10))\*sqrt(4\*cos(e\*x + d) + 3\*sin(e\*x + d) - 5)/(cos(e\*x + d) - 3\*sin(e\*x + d) + 1)) + 10\*(27\*cos(e\*x + d)^2 + (39\*cos(e\*x + d) - 8)\*sin(e\*x + d) - 69\*cos(e\*x + d) - 96)\*sqrt(4\*cos(e\*x + d) + 3\*sin(e\*x + d) - 5)/(79\*e\*cos(e\*x + d)^3 - 123\*e\*cos(e\*x + d)^2 - 78\*e\*cos(e\*x + d) + 3\*(e\*cos(e\*x + d)^2 + 38\*e\*cos(e\*x + d) - 44\*e)\*sin(e\*x + d) + 124\*e)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-5+4\*cos(e\*x+d)+3\*sin(e\*x+d))\*\*(5/2),x)

[Out] Timed out

**Giac [C]** time = 1.57696, size = 514, normalized size = 3.62

$$\frac{1}{162000} \left( \frac{243\sqrt{10} \arctan\left(\frac{1}{10}\sqrt{10}\left(3i\sqrt{\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^2 + 1} - 3i \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) + i\right)\right)}{\operatorname{sgn}\left(-3 \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) + 1\right)} + \frac{10\left(15039i\sqrt{\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^2 + 1}\right)}{\operatorname{sgn}\left(-3 \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) + 1\right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-5+4\*cos(e\*x+d)+3\*sin(e\*x+d))^(5/2),x, algorithm="giac")

[Out] 
$$\begin{aligned} & -1/162000*(243*\sqrt{10}*\arctan(1/10*\sqrt{10}*(3*I*\sqrt{\tan(1/2*x*e + 1/2*d)} \\ & ^2 + 1) - 3*I*\tan(1/2*x*e + 1/2*d) + I))/\operatorname{sgn}(-3*\tan(1/2*x*e + 1/2*d) + 1) + \\ & 10*(15039*I*(\sqrt{\tan(1/2*x*e + 1/2*d)}^2 + 1) - \tan(1/2*x*e + 1/2*d))^7 + \\ & 6291*I*(\sqrt{\tan(1/2*x*e + 1/2*d)}^2 + 1) - \tan(1/2*x*e + 1/2*d))^6 - 579*I* \\ & (\sqrt{\tan(1/2*x*e + 1/2*d)}^2 + 1) - \tan(1/2*x*e + 1/2*d))^5 + 1645*I*(\sqrt{ \\ & \tan(1/2*x*e + 1/2*d)}^2 + 1) - \tan(1/2*x*e + 1/2*d))^4 + 25365*I*(\sqrt{ \\ & /2*x*e + 1/2*d)}^2 + 1) - \tan(1/2*x*e + 1/2*d))^3 - 11367*I*(\sqrt{\tan(1/2*x* \\ & e + 1/2*d)}^2 + 1) - \tan(1/2*x*e + 1/2*d))^2 + 4887*I*\sqrt{\tan(1/2*x*e + 1/2 \\ & *d)}^2 + 1) - 4887*I*\tan(1/2*x*e + 1/2*d) + 3807*I)/((3*I*(\sqrt{\tan(1/2*x*e \\ & + 1/2*d)}^2 + 1) - \tan(1/2*x*e + 1/2*d))^2 + 2*I*\sqrt{\tan(1/2*x*e + 1/2*d)}^2 \\ & + 1) - 2*I*\tan(1/2*x*e + 1/2*d) - 3*I)^4*\operatorname{sgn}(-3*\tan(1/2*x*e + 1/2*d) + 1)) \\ & )*e^{-1} \end{aligned}$$

$$3.430 \quad \int \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^{7/2} dx$$

**Optimal.** Leaf size=258

$$\frac{2(c \cos(d + ex) - b \sin(d + ex)) \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^{5/2}}{7e} - \frac{24\sqrt{b^2 + c^2}(c \cos(d + ex) - b \sin(d + ex))}{7e}$$

[Out] (-256\*(b^2 + c^2)^(3/2)\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x]))/(35\*e\*Sqrt[Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]]) - (64\*(b^2 + c^2)\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*Sqrt[Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]])/(35\*e) - (24\*Sqrt[b^2 + c^2]\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(3/2))/(35\*e) - (2\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(5/2))/(7\*e)

**Rubi [A]** time = 0.178605, antiderivative size = 258, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 2, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.062$ , Rules used = {3113, 3112}

$$\frac{2(c \cos(d + ex) - b \sin(d + ex)) \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^{5/2}}{7e} - \frac{24\sqrt{b^2 + c^2}(c \cos(d + ex) - b \sin(d + ex))}{7e}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(7/2), x]

[Out] (-256\*(b^2 + c^2)^(3/2)\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x]))/(35\*e\*Sqrt[Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]]) - (64\*(b^2 + c^2)\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*Sqrt[Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]])/(35\*e) - (24\*Sqrt[b^2 + c^2]\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(3/2))/(35\*e) - (2\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(5/2))/(7\*e)

#### Rule 3113

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(n\_), x\_Symbol] := -Simp[((c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n - 1))/(e\*n), x] + Dist[(a\*(2\*n - 1))/n, Int[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0] && GtQ[n, 0]

#### Rule 3112

Int[Sqrt[cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]]], x\_Symbol] := Simp[(-2\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x]))/(e\*Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]]), x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0]

#### Rubi steps

$$\begin{aligned}
\int \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^{7/2} dx &= -\frac{2(c \cos(d + ex) - b \sin(d + ex)) \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^{5/2}}{7e} \\
&= -\frac{24\sqrt{b^2 + c^2}(c \cos(d + ex) - b \sin(d + ex)) \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^{3/2}}{35e} \\
&= -\frac{64(b^2 + c^2)(c \cos(d + ex) - b \sin(d + ex)) \sqrt{\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)}}{35e} \\
&= -\frac{256(b^2 + c^2)^{3/2}(c \cos(d + ex) - b \sin(d + ex))}{35e\sqrt{\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)}} - \frac{64(b^2 + c^2)(c \cos(d + ex) - b \sin(d + ex))}{35e}
\end{aligned}$$

**Mathematica [C]** time = 32.745, size = 11888, normalized size = 46.08

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(7/2), x]

[Out] Result too large to show

**Maple [A]** time = 1.937, size = 306, normalized size = 1.2

$$\frac{(2 + 2 \sin(ex + d - \arctan(-b, c))) (\sin(ex + d - \arctan(-b, c)) - 1) (5b^4 (\sin(ex + d - \arctan(-b, c)))^3 + 10b^2c^2)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b^2+c^2)^(1/2))^(7/2), x)

[Out] 
$$\frac{2}{35} \frac{(1 + \sin(ex + d - \arctan(-b, c))) (\sin(ex + d - \arctan(-b, c)) - 1) (5b^4 (\sin(ex + d - \arctan(-b, c)))^3 + 10b^2c^2) + 27b^4 \sin^2(ex + d - \arctan(-b, c)) + 54b^2c^2 \sin^2(ex + d - \arctan(-b, c)) + 27c^4 \sin^2(ex + d - \arctan(-b, c)) + 71b^4 \sin^2(ex + d - \arctan(-b, c)) + 142b^2c^2 \sin^2(ex + d - \arctan(-b, c)) + 71c^4 \sin^2(ex + d - \arctan(-b, c)) + 177b^4 + 354b^2c^2 + 177c^4}{\cos(ex + d - \arctan(-b, c)) ((b^2 \sin^2(ex + d - \arctan(-b, c)) + c^2 \sin^2(ex + d - \arctan(-b, c)) + b^2 + c^2) / (b^2 + c^2)^{1/2})^{1/2}} / e$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b^2+c^2)^(1/2))^(7/2), x, algorithm="maxima")

[Out] Exception raised: RuntimeError

**Fricas [A]** time = 2.00733, size = 645, normalized size = 2.5

$$2 \left( 5 (b^4 - 6b^2c^2 + c^4) \cos(ex + d)^4 - 177b^4 - 310b^2c^2 - 128c^4 + 2(22b^4 + 15b^2c^2 - 27c^4) \cos(ex + d)^2 + 4(5(b^3c - b^2c^2) \cos(ex + d)^3 + (22b^3c + 27b^2c^2) \cos(ex + d)) \sin(ex + d) + 2(11(b^3 - 3b^2c) \cos(ex + d)^3 + (53b^3 + 86b^2c) \cos(ex + d) + (53b^2c + 64c^3 + 11(3b^2c - c^3) \cos(ex + d)^2) \sin(ex + d)) \sqrt{b^2 + c^2} \right) \sqrt{b \cos(ex + d) + c \sin(ex + d) + \sqrt{b^2 + c^2}} / (c e \cos(ex + d) - b e \sin(ex + d))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b^2+c^2)^(1/2))^(7/2),x, algorithm="fricas")

[Out] 2/35\*(5\*(b^4 - 6\*b^2\*c^2 + c^4)\*cos(e\*x + d)^4 - 177\*b^4 - 310\*b^2\*c^2 - 128\*c^4 + 2\*(22\*b^4 + 15\*b^2\*c^2 - 27\*c^4)\*cos(e\*x + d)^2 + 4\*(5\*(b^3\*c - b^2\*c^2)\*cos(e\*x + d)^3 + (22\*b^3\*c + 27\*b^2\*c^2)\*cos(e\*x + d))\*sin(e\*x + d) + 2\*(11\*(b^3 - 3\*b^2\*c)\*cos(e\*x + d)^3 + (53\*b^3 + 86\*b^2\*c)\*cos(e\*x + d) + (53\*b^2\*c + 64\*c^3 + 11\*(3\*b^2\*c - c^3)\*cos(e\*x + d)^2)\*sin(e\*x + d))\*sqrt(b^2 + c^2))\*sqrt(b\*cos(e\*x + d) + c\*sin(e\*x + d) + sqrt(b^2 + c^2))/(c\*e\*cos(e\*x + d) - b\*e\*sin(e\*x + d))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b\*\*2+c\*\*2)\*\*(1/2))\*\*(7/2),x)

[Out] Timed out

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b^2+c^2)^(1/2))^(7/2),x, algorithm="giac")

[Out] Exception raised: TypeError

$$3.431 \quad \int \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^{5/2} dx$$

**Optimal.** Leaf size=190

$$\frac{2(c \cos(d + ex) - b \sin(d + ex)) \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^{3/2}}{5e} - \frac{16\sqrt{b^2 + c^2}(c \cos(d + ex) - b \sin(d + ex))}{5e}$$

[Out] (-64\*(b^2 + c^2)\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x]))/(15\*e\*Sqrt[Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]]) - (16\*Sqrt[b^2 + c^2]\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*Sqrt[Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]])/(15\*e) - (2\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(3/2))/(5\*e)

**Rubi [A]** time = 0.122111, antiderivative size = 190, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.062$ , Rules used = {3113, 3112}

$$\frac{2(c \cos(d + ex) - b \sin(d + ex)) \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^{3/2}}{5e} - \frac{16\sqrt{b^2 + c^2}(c \cos(d + ex) - b \sin(d + ex))}{5e}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(5/2), x]

[Out] (-64\*(b^2 + c^2)\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x]))/(15\*e\*Sqrt[Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]]) - (16\*Sqrt[b^2 + c^2]\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*Sqrt[Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]])/(15\*e) - (2\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(3/2))/(5\*e)

#### Rule 3113

Int[(cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[((c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n - 1))/(e\*n), x] + Dist[(a\*(2\*n - 1))/n, Int[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0] && GtQ[n, 0]

#### Rule 3112

Int[Sqrt[cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]], x\_Symbol] :> Simp[(-2\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x]))/(e\*Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]]), x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0]

#### Rubi steps

$$\int \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^{5/2} dx = -\frac{2(c \cos(d + ex) - b \sin(d + ex)) \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)}{5e}$$

$$= -\frac{16\sqrt{b^2 + c^2}(c \cos(d + ex) - b \sin(d + ex))\sqrt{\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)}}{15e}$$

$$= -\frac{64(b^2 + c^2)(c \cos(d + ex) - b \sin(d + ex))}{15e\sqrt{\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)}} - \frac{16\sqrt{b^2 + c^2}(c \cos(d + ex) - b \sin(d + ex))}{15e}$$

**Mathematica [C]** time = 33.0913, size = 11771, normalized size = 61.95

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(5/2), x]

[Out] Result too large to show

**Maple [A]** time = 1.45, size = 200, normalized size = 1.1

$$\frac{(2 + 2 \sin(ex + d - \arctan(-b, c))) (\sin(ex + d - \arctan(-b, c)) - 1) \left( 3 (\sin(ex + d - \arctan(-b, c)))^2 b^2 + 3 c^2 (\sin(ex + d - \arctan(-b, c))) \right)}{15 \cos(ex + d - \arctan(-b, c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b^2+c^2)^(1/2))^(5/2), x)

[Out]  $\frac{2}{15} \cdot (1 + \sin(ex + d - \arctan(-b, c))) \cdot (b^2 + c^2)^{1/2} \cdot (\sin(ex + d - \arctan(-b, c)) - 1) \cdot (3 \sin^2(ex + d - \arctan(-b, c)) b^2 + 3 c^2 \sin(ex + d - \arctan(-b, c))) / \cos(ex + d - \arctan(-b, c)) / ((b^2 \sin^2(ex + d - \arctan(-b, c)) + c^2 \sin^2(ex + d - \arctan(-b, c)) + b^2 + c^2)^{1/2}) / e$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b^2+c^2)^(1/2))^(5/2), x, algorithm="maxima")

[Out] Exception raised: RuntimeError



**Fricas [A]** time = 1.95729, size = 463, normalized size = 2.44

$$\frac{2 \left( 3 (b^3 - 3bc^2) \cos(ex + d)^3 + (29b^3 + 38bc^2) \cos(ex + d) + (29b^2c + 32c^3 + 3(3b^2c - c^3) \cos(ex + d)^2) \sin(ex + d) \right)}{15 (c \cos(ex + d) + b \sin(ex + d))^{5/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(e*x+d)+c*sin(e*x+d)+(b^2+c^2)^(1/2))^(5/2),x, algorithm="fricas")
```

```
[Out] 2/15*(3*(b^3 - 3*b*c^2)*cos(e*x + d)^3 + (29*b^3 + 38*b*c^2)*cos(e*x + d) + (29*b^2*c + 32*c^3 + 3*(3*b^2*c - c^3)*cos(e*x + d)^2)*sin(e*x + d) + (22*b*c*cos(e*x + d)*sin(e*x + d) + 11*(b^2 - c^2)*cos(e*x + d)^2 - 43*b^2 - 32*c^2)*sqrt(b^2 + c^2))*sqrt(b*cos(e*x + d) + c*sin(e*x + d) + sqrt(b^2 + c^2))/(c*e*cos(e*x + d) - b*e*sin(e*x + d))
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(e*x+d)+c*sin(e*x+d)+(b**2+c**2)**(1/2))**(5/2),x)
```

```
[Out] Timed out
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(e*x+d)+c*sin(e*x+d)+(b^2+c^2)^(1/2))^(5/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.432 \quad \int \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^{3/2} dx$$

**Optimal.** Leaf size=126

$$\frac{2\sqrt{\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)}(c \cos(d + ex) - b \sin(d + ex))}{3e} - \frac{8\sqrt{b^2 + c^2}(c \cos(d + ex) - b \sin(d + ex))}{3e\sqrt{\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)}}$$

[Out]  $(-8*\text{Sqrt}[b^2 + c^2]*(c*\text{Cos}[d + e*x] - b*\text{Sin}[d + e*x]))/(3*e*\text{Sqrt}[\text{Sqrt}[b^2 + c^2] + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x]]) - (2*(c*\text{Cos}[d + e*x] - b*\text{Sin}[d + e*x])*\text{Sqrt}[\text{Sqrt}[b^2 + c^2] + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x]])/(3*e)$

**Rubi [A]** time = 0.0747549, antiderivative size = 126, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.062$ , Rules used = {3113, 3112}

$$\frac{2\sqrt{\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)}(c \cos(d + ex) - b \sin(d + ex))}{3e} - \frac{8\sqrt{b^2 + c^2}(c \cos(d + ex) - b \sin(d + ex))}{3e\sqrt{\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Sqrt}[b^2 + c^2] + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x])^{(3/2)}, x]$

[Out]  $(-8*\text{Sqrt}[b^2 + c^2]*(c*\text{Cos}[d + e*x] - b*\text{Sin}[d + e*x]))/(3*e*\text{Sqrt}[\text{Sqrt}[b^2 + c^2] + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x]]) - (2*(c*\text{Cos}[d + e*x] - b*\text{Sin}[d + e*x])*\text{Sqrt}[\text{Sqrt}[b^2 + c^2] + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x]])/(3*e)$

#### Rule 3113

$\text{Int}[(\cos[(d_.) + (e_.)*(x_)]*(b_.) + (a_.) + (c_.)*\sin[(d_.) + (e_.)*(x_)])^n, x\_Symbol] \rightarrow -\text{Simp}[(c*\text{Cos}[d + e*x] - b*\text{Sin}[d + e*x])*(a + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x])^{(n-1)}]/(e*n), x] + \text{Dist}[(a*(2*n-1))/n, \text{Int}[(a + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x])^{(n-1)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, x\} \&\& \text{EqQ}[a^2 - b^2 - c^2, 0] \&\& \text{GtQ}[n, 0]$

#### Rule 3112

$\text{Int}[\text{Sqrt}[\cos[(d_.) + (e_.)*(x_)]*(b_.) + (a_.) + (c_.)*\sin[(d_.) + (e_.)*(x_)]], x\_Symbol] \rightarrow \text{Simp}[(-2*(c*\text{Cos}[d + e*x] - b*\text{Sin}[d + e*x]))/(e*\text{Sqrt}[a + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x]]), x] /; \text{FreeQ}\{a, b, c, d, e, x\} \&\& \text{EqQ}[a^2 - b^2 - c^2, 0]$

#### Rubi steps

$$\int \left( \sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^{3/2} dx = -\frac{2(c \cos(d + ex) - b \sin(d + ex))\sqrt{\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)}}{3e} - \frac{8\sqrt{b^2 + c^2}(c \cos(d + ex) - b \sin(d + ex))}{3e\sqrt{\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)}} - \frac{2(c \cos(d + ex) - b \sin(d + ex))}{3e\sqrt{\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)}}$$

**Mathematica [C]** time = 21.9587, size = 11679, normalized size = 92.69

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(3/2), x]

[Out] Result too large to show

**Maple [A]** time = 1.641, size = 126, normalized size = 1.

$$\frac{(2 + 2 \sin(ex + d - \arctan(-b, c))) (b^2 + c^2) (\sin(ex + d - \arctan(-b, c)) - 1) (\sin(ex + d - \arctan(-b, c)) + 5)}{3 \cos(ex + d - \arctan(-b, c)) e} \sqrt{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b^2+c^2)^(1/2))^(3/2), x)

[Out] 2/3\*(1+sin(e\*x+d-arctan(-b,c)))\*(b^2+c^2)\*(sin(e\*x+d-arctan(-b,c))-1)\*(sin(e\*x+d-arctan(-b,c))+5)/cos(e\*x+d-arctan(-b,c))/((b^2\*sin(e\*x+d-arctan(-b,c))+c^2\*sin(e\*x+d-arctan(-b,c))+b^2+c^2)/(b^2+c^2)^(1/2))^(1/2)/e

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b^2+c^2)^(1/2))^(3/2), x, algorithm="maxima")

[Out] Exception raised: RuntimeError

**Fricas [A]** time = 1.70591, size = 313, normalized size = 2.48

$$\frac{2 \left( 2bc \cos(ex + d) \sin(ex + d) + (b^2 - c^2) \cos(ex + d)^2 - 5b^2 - 4c^2 + 4\sqrt{b^2 + c^2}(b \cos(ex + d) + c \sin(ex + d)) \right) \sqrt{b^2 + c^2}}{3(ce \cos(ex + d) - be \sin(ex + d))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b^2+c^2)^(1/2))^(3/2), x, algorithm="fricas")

[Out] 2/3\*(2\*b\*c\*cos(e\*x + d)\*sin(e\*x + d) + (b^2 - c^2)\*cos(e\*x + d)^2 - 5\*b^2 - 4\*c^2 + 4\*sqrt(b^2 + c^2)\*(b\*cos(e\*x + d) + c\*sin(e\*x + d)))\*sqrt(b\*cos(e\*x + d) + c\*sin(e\*x + d) + sqrt(b^2 + c^2))/(c\*e\*cos(e\*x + d) - b\*e\*sin(e\*x + d))

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(e*x+d)+c*sin(e*x+d)+(b**2+c**2)**(1/2))**(3/2),x)
```

```
[Out] Timed out
```

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(e*x+d)+c*sin(e*x+d)+(b^2+c^2)^(1/2))^(3/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.433 \quad \int \sqrt{\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)} dx$$

**Optimal.** Leaf size=55

$$-\frac{2(c \cos(d + ex) - b \sin(d + ex))}{e \sqrt{\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)}}$$

[Out] (-2\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x]))/(e\*Sqrt[Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]])

**Rubi [A]** time = 0.0332414, antiderivative size = 55, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.031$ , Rules used = {3112}

$$-\frac{2(c \cos(d + ex) - b \sin(d + ex))}{e \sqrt{\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]],x]

[Out] (-2\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x]))/(e\*Sqrt[Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]])

**Rule 3112**

Int[Sqrt[cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]], x\_Symbol] :> Simp[(-2\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x]))/(e\*Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]]), x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0]

**Rubi steps**

$$\int \sqrt{\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)} dx = -\frac{2(c \cos(d + ex) - b \sin(d + ex))}{e \sqrt{\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)}}$$

**Mathematica [C]** time = 21.9791, size = 11586, normalized size = 210.65

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]],x]

[Out] Result too large to show

**Maple [B]** time = 1.319, size = 113, normalized size = 2.1

$$2 \frac{(1 + \sin(ex + d - \arctan(-b, c))) \sqrt{b^2 + c^2} (\sin(ex + d - \arctan(-b, c)) - 1)}{\cos(ex + d - \arctan(-b, c)) e} \frac{1}{\sqrt{\frac{b^2 \sin(ex + d - \arctan(-b, c)) + c^2 \sin(ex + d - \arctan(-b, c))}{\sqrt{b^2 + c^2}}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*cos(e*x+d)+c*sin(e*x+d)+(b^2+c^2)^(1/2))^(1/2),x)`

[Out]  $2*(1+\sin(e*x+d-\arctan(-b,c)))*(b^2+c^2)^{(1/2)}*(\sin(e*x+d-\arctan(-b,c))-1)/\cos(e*x+d-\arctan(-b,c))/((b^2*\sin(e*x+d-\arctan(-b,c))+c^2*\sin(e*x+d-\arctan(-b,c))+b^2+c^2)/(b^2+c^2)^{(1/2)})^{(1/2)}/e$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*cos(e*x+d)+c*sin(e*x+d)+(b^2+c^2)^(1/2))^(1/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError

**Fricas [A]** time = 1.64086, size = 201, normalized size = 3.65

$$\frac{2\sqrt{b\cos(ex+d)+c\sin(ex+d)+\sqrt{b^2+c^2}}(b\cos(ex+d)+c\sin(ex+d)-\sqrt{b^2+c^2})}{ce\cos(ex+d)-be\sin(ex+d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*cos(e*x+d)+c*sin(e*x+d)+(b^2+c^2)^(1/2))^(1/2),x, algorithm="fricas")`

[Out]  $2*\sqrt{b*\cos(e*x + d) + c*\sin(e*x + d) + \sqrt{b^2 + c^2}}*(b*\cos(e*x + d) + c*\sin(e*x + d) - \sqrt{b^2 + c^2})/(c*e*\cos(e*x + d) - b*e*\sin(e*x + d))$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{b\cos(d+ex)+c\sin(d+ex)+\sqrt{b^2+c^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*cos(e*x+d)+c*sin(e*x+d)+(b**2+c**2)**(1/2))**(1/2),x)`

[Out] `Integral(sqrt(b*cos(d + e*x) + c*sin(d + e*x) + sqrt(b**2 + c**2)), x)`

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(e*x+d)+c*sin(e*x+d)+(b^2+c^2)^(1/2))^(1/2),x, algorithm="g  
iac")
```

```
[Out] Exception raised: TypeError
```

$$3.434 \quad \int \frac{1}{\sqrt{\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)}} dx$$

**Optimal.** Leaf size=88

$$\frac{\sqrt{2} \tanh^{-1} \left( \frac{\sqrt[4]{b^2+c^2} \sin(-\tan^{-1}(b,c)+d+ex)}{\sqrt{2} \sqrt{\sqrt{b^2+c^2} \cos(-\tan^{-1}(b,c)+d+ex)+\sqrt{b^2+c^2}}} \right)}{e \sqrt[4]{b^2+c^2}}$$

[Out] (Sqrt[2]\*ArcTanh[((b^2 + c^2)^(1/4)\*Sin[d + e\*x - ArcTan[b, c]])/(Sqrt[2]\*Sqrt[Sqrt[b^2 + c^2] + Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]]]))/(b^2 + c^2)^(1/4)\*e)

**Rubi [A]** time = 0.119567, antiderivative size = 88, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.094$ , Rules used = {3115, 2649, 206}

$$\frac{\sqrt{2} \tanh^{-1} \left( \frac{\sqrt[4]{b^2+c^2} \sin(-\tan^{-1}(b,c)+d+ex)}{\sqrt{2} \sqrt{\sqrt{b^2+c^2} \cos(-\tan^{-1}(b,c)+d+ex)+\sqrt{b^2+c^2}}} \right)}{e \sqrt[4]{b^2+c^2}}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]],x]

[Out] (Sqrt[2]\*ArcTanh[((b^2 + c^2)^(1/4)\*Sin[d + e\*x - ArcTan[b, c]])/(Sqrt[2]\*Sqrt[Sqrt[b^2 + c^2] + Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]]]))/(b^2 + c^2)^(1/4)\*e)

#### Rule 3115

Int[1/Sqrt[cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]], x\_Symbol] :> Int[1/Sqrt[a + Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0]

#### Rule 2649

Int[1/Sqrt[(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rubi steps



$$\int \frac{1}{\sqrt{\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)}} dx = \int \frac{1}{\sqrt{\sqrt{b^2 + c^2} + \sqrt{b^2 + c^2} \cos(d + ex - \tan^{-1}(b, c))}} dx$$

$$= \frac{2 \operatorname{Subst} \left( \int \frac{1}{2\sqrt{b^2 + c^2 - x^2}} dx, x, -\frac{\sqrt{b^2 + c^2} \sin(d + ex - \tan^{-1}(b, c))}{\sqrt{\sqrt{b^2 + c^2} + \sqrt{b^2 + c^2} \cos(d + ex - \tan^{-1}(b, c))}} \right)}{e}$$

$$= \frac{\sqrt{2} \tanh^{-1} \left( \frac{\sqrt[4]{b^2 + c^2} \sin(d + ex - \tan^{-1}(b, c))}{\sqrt{2} \sqrt{\sqrt{b^2 + c^2} + \sqrt{b^2 + c^2} \cos(d + ex - \tan^{-1}(b, c))}} \right)}{\sqrt[4]{b^2 + c^2} e}$$

**Mathematica [C]** time = 33.8649, size = 63264, normalized size = 718.91

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[1/Sqrt[Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]], x]

[Out] Result too large to show

**Maple [B]** time = 1.432, size = 172, normalized size = 2.

$$\frac{(1 + \sin(ex + d - \arctan(-b, c))) \sqrt{2} \sqrt{-\sqrt{b^2 + c^2} (\sin(ex + d - \arctan(-b, c)) - 1)} \operatorname{Artanh} \left( \frac{\sqrt{2} \sqrt{-\sqrt{b^2 + c^2} (\sin(ex + d - \arctan(-b, c)) - 1)}}{2} \right)}{\cos(ex + d - \arctan(-b, c)) e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b^2+c^2)^(1/2))^(1/2), x)

[Out]  $-(1 + \sin(e*x + d - \arctan(-b, c))) * (-\sqrt{b^2 + c^2})^{1/2} * (\sin(e*x + d - \arctan(-b, c)) - 1)^{1/2} * 2^{1/2} / (b^2 + c^2)^{1/4} * \operatorname{arctanh}(1/2 * (-\sqrt{b^2 + c^2})^{1/2} * (\sin(e*x + d - \arctan(-b, c)) - 1)^{1/2} * 2^{1/2} / (b^2 + c^2)^{1/4}) / \cos(e*x + d - \arctan(-b, c)) / ((b^2 * \sin(e*x + d - \arctan(-b, c)) + c^2 * \sin(e*x + d - \arctan(-b, c)) + b^2 + c^2) / (b^2 + c^2)^{1/2})^{1/2} / e$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b^2+c^2)^(1/2))^(1/2), x, algorithm="maxima")

[Out] Exception raised: RuntimeError

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(b*cos(e*x+d)+c*sin(e*x+d)+(b^2+c^2)^(1/2))^(1/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{b \cos(d + ex) + c \sin(d + ex) + \sqrt{b^2 + c^2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(b*cos(e*x+d)+c*sin(e*x+d)+(b**2+c**2)**(1/2))**(1/2),x)
```

```
[Out] Integral(1/sqrt(b*cos(d + e*x) + c*sin(d + e*x) + sqrt(b**2 + c**2)), x)
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(b*cos(e*x+d)+c*sin(e*x+d)+(b^2+c^2)^(1/2))^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.435 \quad \int \frac{1}{\left(\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)\right)^{3/2}} dx$$

**Optimal.** Leaf size=160

$$\frac{\tanh^{-1}\left(\frac{\sqrt[4]{b^2+c^2} \sin(-\tan^{-1}(b,c)+d+ex)}{\sqrt{2}\sqrt{\sqrt{b^2+c^2} \cos(-\tan^{-1}(b,c)+d+ex)+\sqrt{b^2+c^2}}}\right)}{2\sqrt{2}e(b^2+c^2)^{3/4}} - \frac{c \cos(d+ex) - b \sin(d+ex)}{2e\sqrt{b^2+c^2}\left(\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)\right)^{3/2}}$$

[Out] ArcTanh[((b^2 + c^2)^(1/4)\*Sin[d + e\*x - ArcTan[b, c]])/(Sqrt[2]\*Sqrt[Sqrt[b^2 + c^2] + Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]]])]/(2\*Sqrt[2]\*(b^2 + c^2)^(3/4)\*e) - (c\*Cos[d + e\*x] - b\*Sin[d + e\*x])/(2\*Sqrt[b^2 + c^2]\*e\*(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(3/2))

**Rubi [A]** time = 0.132945, antiderivative size = 160, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {3116, 3115, 2649, 206}

$$\frac{\tanh^{-1}\left(\frac{\sqrt[4]{b^2+c^2} \sin(-\tan^{-1}(b,c)+d+ex)}{\sqrt{2}\sqrt{\sqrt{b^2+c^2} \cos(-\tan^{-1}(b,c)+d+ex)+\sqrt{b^2+c^2}}}\right)}{2\sqrt{2}e(b^2+c^2)^{3/4}} - \frac{c \cos(d+ex) - b \sin(d+ex)}{2e\sqrt{b^2+c^2}\left(\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)\right)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(-3/2), x]

[Out] ArcTanh[((b^2 + c^2)^(1/4)\*Sin[d + e\*x - ArcTan[b, c]])/(Sqrt[2]\*Sqrt[Sqrt[b^2 + c^2] + Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]]])]/(2\*Sqrt[2]\*(b^2 + c^2)^(3/4)\*e) - (c\*Cos[d + e\*x] - b\*Sin[d + e\*x])/(2\*Sqrt[b^2 + c^2]\*e\*(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(3/2))

#### Rule 3116

Int[(cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^n)/(a\*e\*(2\*n + 1)), x] + Dist[(n + 1)/(a\*(2\*n + 1)), Int[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0] && LtQ[n, -1]

#### Rule 3115

Int[1/Sqrt[cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]], x\_Symbol] :> Int[1/Sqrt[a + Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0]

#### Rule 2649

Int[1/Sqrt[(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\int \frac{1}{\left(\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)\right)^{3/2}} dx = -\frac{c \cos(d + ex) - b \sin(d + ex)}{2\sqrt{b^2 + c^2}e \left(\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)\right)^{3/2}} + \frac{\int \frac{\sqrt{b^2 + c^2}}{\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)} dx}{\sqrt{b^2 + c^2}}$$

$$= -\frac{c \cos(d + ex) - b \sin(d + ex)}{2\sqrt{b^2 + c^2}e \left(\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)\right)^{3/2}} + \frac{\int \frac{\sqrt{b^2 + c^2}}{\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)} dx}{\sqrt{b^2 + c^2}}$$

$$= -\frac{c \cos(d + ex) - b \sin(d + ex)}{2\sqrt{b^2 + c^2}e \left(\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)\right)^{3/2}} - \frac{\int \frac{\sqrt{b^2 + c^2}}{\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)} dx}{\sqrt{b^2 + c^2}}$$

$$= \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b^2 + c^2} \sin(d + ex - \tan^{-1}(b/c))}{\sqrt{2}\sqrt{\sqrt{b^2 + c^2} + \sqrt{b^2 + c^2} \cos(d + ex - \tan^{-1}(b/c))}}\right)}{2\sqrt{2}(b^2 + c^2)^{3/4}e} - \frac{c \cos(d + ex) - b \sin(d + ex)}{2\sqrt{b^2 + c^2}e \left(\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)\right)^{3/2}}$$

**Mathematica [F]** time = 180.001, size = 0, normalized size = 0.

\$Aborted

Verification is Not applicable to the result.

```
[In] Integrate[(Sqrt[b^2 + c^2] + b*Cos[d + e*x] + c*Sin[d + e*x])^(-3/2), x]
```

```
[Out] $Aborted
```

**Maple [B]** time = 1.644, size = 350, normalized size = 2.2

$$-\frac{1}{4 \cos(ex + d - \arctan(-b, c))e} \left( \sin(ex + d - \arctan(-b, c)) \operatorname{Artanh}\left(\frac{\sqrt{2}}{2} \sqrt{-\sqrt{b^2 + c^2} \sin(ex + d - \arctan(-b, c))} + \dots \right) + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(b*cos(e*x+d)+c*sin(e*x+d)+(b^2+c^2)^(1/2))^(3/2), x)
```

```
[Out] -1/4/(b^2+c^2)^(7/4)*(sin(e*x+d-arctan(-b,c))*arctanh(1/2*(-(b^2+c^2)^(1/2))*sin(e*x+d-arctan(-b,c))+(b^2+c^2)^(1/2))^(1/2)*2^(1/2)/(b^2+c^2)^(1/4))*2^(1/2)*(b^2+c^2)+2^(1/2)*arctanh(1/2*(-(b^2+c^2)^(1/2))*sin(e*x+d-arctan(-b,c))+(b^2+c^2)^(1/2))^(1/2)*2^(1/2)/(b^2+c^2)^(1/4))*b^2+2^(1/2)*arctanh(1/2*(-(b^2+c^2)^(1/2))*sin(e*x+d-arctan(-b,c))+(b^2+c^2)^(1/2))^(1/2)*2^(1/2)/(b^2+c^2)^(1/4))*c^2+2*(-(b^2+c^2)^(1/2))*sin(e*x+d-arctan(-b,c))+(b^2+c^2)^(1/2))^(1/2)*(b^2+c^2)^(3/4))*(-(b^2+c^2)^(1/2)*(sin(e*x+d-arctan(-b,c))-1))^(1/2)/cos(e*x+d-arctan(-b,c))/(b^2*sin(e*x+d-arctan(-b,c))+c^2*sin(e*x+d-a
```

$\text{rctan}(-b,c)+b^2+c^2)/(b^2+c^2)^{(1/2)}^{(1/2)}/e$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b^2+c^2)^(1/2))^(3/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b^2+c^2)^(1/2))^(3/2),x, algorithm="fricas")

[Out] Exception raised: TypeError

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\left(b \cos(d + ex) + c \sin(d + ex) + \sqrt{b^2 + c^2}\right)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b\*\*2+c\*\*2)\*\*(1/2))\*\*(3/2),x)

[Out] Integral((b\*cos(d + e\*x) + c\*sin(d + e\*x) + sqrt(b\*\*2 + c\*\*2))\*\*(-3/2), x)

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b^2+c^2)^(1/2))^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError

$$3.436 \quad \int \frac{1}{\left(\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)\right)^{5/2}} dx$$

**Optimal.** Leaf size=226

$$\frac{3 \tanh^{-1}\left(\frac{\sqrt[4]{b^2+c^2} \sin(-\tan^{-1}(b,c)+d+ex)}{\sqrt{2}\sqrt{\sqrt{b^2+c^2} \cos(-\tan^{-1}(b,c)+d+ex)+\sqrt{b^2+c^2}}}\right)}{16\sqrt{2}e(b^2+c^2)^{5/4}} - \frac{3(c \cos(d+ex) - b \sin(d+ex))}{16e(b^2+c^2)\left(\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)\right)^{3/2}} - \frac{4e\sqrt{b^2+c^2}}{16e(b^2+c^2)\left(\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)\right)^{3/2}}$$

[Out] (3\*ArcTanh[((b^2 + c^2)^(1/4)\*Sin[d + e\*x - ArcTan[b, c]])/(Sqrt[2]\*Sqrt[Sqrt[b^2 + c^2] + Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]]]))/(16\*Sqrt[2]\*(b^2 + c^2)^(5/4)\*e) - (c\*Cos[d + e\*x] - b\*Sin[d + e\*x])/(4\*Sqrt[b^2 + c^2]\*e\*(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(5/2)) - (3\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x]))/(16\*(b^2 + c^2)\*e\*(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(3/2))

**Rubi [A]** time = 0.185823, antiderivative size = 226, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {3116, 3115, 2649, 206}

$$\frac{3 \tanh^{-1}\left(\frac{\sqrt[4]{b^2+c^2} \sin(-\tan^{-1}(b,c)+d+ex)}{\sqrt{2}\sqrt{\sqrt{b^2+c^2} \cos(-\tan^{-1}(b,c)+d+ex)+\sqrt{b^2+c^2}}}\right)}{16\sqrt{2}e(b^2+c^2)^{5/4}} - \frac{3(c \cos(d+ex) - b \sin(d+ex))}{16e(b^2+c^2)\left(\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)\right)^{3/2}} - \frac{4e\sqrt{b^2+c^2}}{16e(b^2+c^2)\left(\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)\right)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(-5/2),x]

[Out] (3\*ArcTanh[((b^2 + c^2)^(1/4)\*Sin[d + e\*x - ArcTan[b, c]])/(Sqrt[2]\*Sqrt[Sqrt[b^2 + c^2] + Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]]]))/(16\*Sqrt[2]\*(b^2 + c^2)^(5/4)\*e) - (c\*Cos[d + e\*x] - b\*Sin[d + e\*x])/(4\*Sqrt[b^2 + c^2]\*e\*(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(5/2)) - (3\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x]))/(16\*(b^2 + c^2)\*e\*(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(3/2))

#### Rule 3116

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^n, x\_Symbol] := Simp[((c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^n)/(a\*e\*(2\*n + 1)), x] + Dist[(n + 1)/(a\*(2\*n + 1)), Int[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0] && LtQ[n, -1]

#### Rule 3115

Int[1/Sqrt[cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]], x\_Symbol] := Int[1/Sqrt[a + Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0]

#### Rule 2649

Int[1/Sqrt[(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]],

x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\int \frac{1}{\left(\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)\right)^{5/2}} dx = -\frac{c \cos(d + ex) - b \sin(d + ex)}{4\sqrt{b^2 + c^2}e \left(\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)\right)^{5/2}} + \dots$$

$$= -\frac{c \cos(d + ex) - b \sin(d + ex)}{4\sqrt{b^2 + c^2}e \left(\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)\right)^{5/2}} - \dots$$

$$= -\frac{c \cos(d + ex) - b \sin(d + ex)}{4\sqrt{b^2 + c^2}e \left(\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)\right)^{5/2}} - \dots$$

$$= -\frac{c \cos(d + ex) - b \sin(d + ex)}{4\sqrt{b^2 + c^2}e \left(\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)\right)^{5/2}} - \dots$$

$$= \frac{3 \tanh^{-1}\left(\frac{\sqrt[4]{b^2+c^2} \sin(d+ex-\tan^{-1}(b,c))}{\sqrt{2}\sqrt{\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)}}\right)}{16\sqrt{2}(b^2+c^2)^{5/4}e} - \frac{c \cos(d+ex) - b \sin(d+ex)}{4\sqrt{b^2+c^2}e \left(\sqrt{b^2+c^2} + b \cos(d+ex) + c \sin(d+ex)\right)^{5/2}}$$

**Mathematica [F]** time = 180.002, size = 0, normalized size = 0.

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(-5/2), x]

[Out] \$Aborted

**Maple [A]** time = 1.552, size = 350, normalized size = 1.6

$$\frac{1}{4 \cos(ex + d - \arctan(-b, c))e} \left( \sin(ex + d - \arctan(-b, c)) \operatorname{Artanh}\left(\frac{\sqrt{2}\sqrt{-\sqrt{b^2 + c^2}} \sin(ex + d - \arctan(-b, c))}{2}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(b\*cos(e\*x+d)+c\*sin(e\*x+d)+(b^2+c^2)^(1/2))^(5/2), x)

```
[Out] 1/4*(sin(e*x+d-arctan(-b,c))*arctanh(1/2*(-(b^2+c^2)^(1/2)*sin(e*x+d-arctan(-b,c))+(b^2+c^2)^(1/2)))^(1/2)*2^(1/2)/(b^2+c^2)^(1/4))*2^(1/2)*(b^2+c^2)+2^(1/2)*arctanh(1/2*(-(b^2+c^2)^(1/2)*sin(e*x+d-arctan(-b,c))+(b^2+c^2)^(1/2)))^(1/2)*2^(1/2)/(b^2+c^2)^(1/4))*b^2+2^(1/2)*arctanh(1/2*(-(b^2+c^2)^(1/2)*sin(e*x+d-arctan(-b,c))+(b^2+c^2)^(1/2)))^(1/2)*2^(1/2)/(b^2+c^2)^(1/4))*c^2+2*(-(b^2+c^2)^(1/2)*sin(e*x+d-arctan(-b,c))+(b^2+c^2)^(1/2))^(1/2)*(b^2+c^2)^(3/4))*(-(b^2+c^2)^(1/2)*(sin(e*x+d-arctan(-b,c))-1))^(1/2)/(b^2+c^2)^(5/4)/cos(e*x+d-arctan(-b,c))/((b^2*sin(e*x+d-arctan(-b,c))+c^2*sin(e*x+d-arctan(-b,c)))+b^2+c^2)/(b^2+c^2)^(1/2))^(1/2)/e
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(b*cos(e*x+d)+c*sin(e*x+d)+(b^2+c^2)^(1/2))^(5/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(b*cos(e*x+d)+c*sin(e*x+d)+(b^2+c^2)^(1/2))^(5/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(b*cos(e*x+d)+c*sin(e*x+d)+(b**2+c**2)**(1/2))**(5/2),x)
```

```
[Out] Timed out
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(b*cos(e*x+d)+c*sin(e*x+d)+(b^2+c^2)^(1/2))^(5/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```



$$3.437 \quad \int \left( -\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^{5/2} dx$$

**Optimal.** Leaf size=196

$$\frac{2(c \cos(d + ex) - b \sin(d + ex)) \left( -\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^{3/2}}{5e} + \frac{16\sqrt{b^2 + c^2}(c \cos(d + ex) - b \sin(d + ex))}{5e}$$

[Out] (-64\*(b^2 + c^2)\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x]))/(15\*e\*Sqrt[-Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]]) + (16\*Sqrt[b^2 + c^2]\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*Sqrt[-Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]])/(15\*e) - (2\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*(-Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(3/2))/(5\*e)

**Rubi [A]** time = 0.133782, antiderivative size = 196, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 34,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$ , Rules used = {3113, 3112}

$$\frac{2(c \cos(d + ex) - b \sin(d + ex)) \left( -\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^{3/2}}{5e} + \frac{16\sqrt{b^2 + c^2}(c \cos(d + ex) - b \sin(d + ex))}{5e}$$

Antiderivative was successfully verified.

[In] Int[(-Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(5/2), x]

[Out] (-64\*(b^2 + c^2)\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x]))/(15\*e\*Sqrt[-Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]]) + (16\*Sqrt[b^2 + c^2]\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*Sqrt[-Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]])/(15\*e) - (2\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*(-Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(3/2))/(5\*e)

#### Rule 3113

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(n\_), x\_Symbol] :> -Simp[((c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n - 1))/(e^n), x] + Dist[(a\*(2\*n - 1))/n, Int[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0] && GtQ[n, 0]

#### Rule 3112

Int[Sqrt[cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]]], x\_Symbol] :> Simp[(-2\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x]))/(e\*Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]]), x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0]

#### Rubi steps

$$\int \left( -\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^{5/2} dx = -\frac{2(c \cos(d + ex) - b \sin(d + ex)) \left( -\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)}{5e}$$

$$= \frac{16\sqrt{b^2 + c^2}(c \cos(d + ex) - b \sin(d + ex))\sqrt{-\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)}}{15e}$$

$$= -\frac{64(b^2 + c^2)(c \cos(d + ex) - b \sin(d + ex))}{15e\sqrt{-\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)}} + \frac{16\sqrt{b^2 + c^2}(c \cos(d + ex) - b \sin(d + ex))}{15e}$$

**Mathematica [C]** time = 34.2309, size = 11602, normalized size = 59.19

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(-Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(5/2), x]

[Out] Result too large to show

**Maple [A]** time = 1.753, size = 204, normalized size = 1.

$$\frac{(2 \sin(ex + d - \arctan(-b, c)) - 2)(1 + \sin(ex + d - \arctan(-b, c))) \left( 3 (\sin(ex + d - \arctan(-b, c)))^2 b^2 + 3c^2 (\sin(ex + d - \arctan(-b, c))) \right)}{15 \cos(ex + d - \arctan(-b, c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(e\*x+d)+c\*sin(e\*x+d)-(b^2+c^2)^(1/2))^(5/2), x)

[Out]  $\frac{2}{15} * (\sin(e*x+d-\arctan(-b,c))-1) * (b^2+c^2)^{(1/2)} * (1+\sin(e*x+d-\arctan(-b,c))) * (3*\sin(e*x+d-\arctan(-b,c))^2*b^2+3*c^2*\sin(e*x+d-\arctan(-b,c))^2-14*b^2*\sin(e*x+d-\arctan(-b,c))-14*c^2*\sin(e*x+d-\arctan(-b,c))+43*b^2+43*c^2) / \cos(e*x+d-\arctan(-b,c)) / ((b^2*\sin(e*x+d-\arctan(-b,c))+c^2*\sin(e*x+d-\arctan(-b,c))-b^2-c^2) / (b^2+c^2)^{(1/2)})^{(1/2)} / e$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(e\*x+d)+c\*sin(e\*x+d)-(b^2+c^2)^(1/2))^(5/2), x, algorithm="maxima")

[Out] Exception raised: RuntimeError

**Fricas [A]** time = 1.89513, size = 463, normalized size = 2.36

$$\frac{2 \left( 3 \left( b^3 - 3bc^2 \right) \cos(ex + d)^3 + \left( 29b^3 + 38bc^2 \right) \cos(ex + d) + \left( 29b^2c + 32c^3 + 3 \left( 3b^2c - c^3 \right) \cos(ex + d)^2 \right) \sin(ex + d) \right)}{15 (ce \cos($$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(e*x+d)+c*sin(e*x+d)-(b^2+c^2)^(1/2))^(5/2),x, algorithm="fricas")
```

```
[Out] 2/15*(3*(b^3 - 3*b*c^2)*cos(e*x + d)^3 + (29*b^3 + 38*b*c^2)*cos(e*x + d) +
(29*b^2*c + 32*c^3 + 3*(3*b^2*c - c^3)*cos(e*x + d)^2)*sin(e*x + d) - (22*
b*c*cos(e*x + d)*sin(e*x + d) + 11*(b^2 - c^2)*cos(e*x + d)^2 - 43*b^2 - 32
*c^2)*sqrt(b^2 + c^2))*sqrt(b*cos(e*x + d) + c*sin(e*x + d) - sqrt(b^2 + c^
2))/(c*e*cos(e*x + d) - b*e*sin(e*x + d))
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(e*x+d)+c*sin(e*x+d)-(b**2+c**2)**(1/2))**(5/2),x)
```

```
[Out] Timed out
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(e*x+d)+c*sin(e*x+d)-(b^2+c^2)^(1/2))^(5/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.438 \quad \int \left( -\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^{3/2} dx$$

**Optimal.** Leaf size=130

$$\frac{8\sqrt{b^2 + c^2}(c \cos(d + ex) - b \sin(d + ex))}{3e\sqrt{-\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)}} - \frac{2(c \cos(d + ex) - b \sin(d + ex))\sqrt{-\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)}}{3e}$$

[Out] (8\*Sqrt[b^2 + c^2]\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x]))/(3\*e\*Sqrt[-Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]]) - (2\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*Sqrt[-Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]])/(3\*e)

**Rubi [A]** time = 0.0807832, antiderivative size = 130, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 34,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$ , Rules used = {3113, 3112}

$$\frac{8\sqrt{b^2 + c^2}(c \cos(d + ex) - b \sin(d + ex))}{3e\sqrt{-\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)}} - \frac{2(c \cos(d + ex) - b \sin(d + ex))\sqrt{-\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)}}{3e}$$

Antiderivative was successfully verified.

[In] Int[(-Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(3/2), x]

[Out] (8\*Sqrt[b^2 + c^2]\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x]))/(3\*e\*Sqrt[-Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]]) - (2\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*Sqrt[-Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]])/(3\*e)

#### Rule 3113

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(n\_), x\_Symbol] :> -Simp[((c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n - 1))/(e\*n), x] + Dist[(a\*(2\*n - 1))/n, Int[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0] && GtQ[n, 0]

#### Rule 3112

Int[Sqrt[cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]]], x\_Symbol] :> Simp[(-2\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x]))/(e\*Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]]), x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0]

#### Rubi steps

$$\int \left( -\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex) \right)^{3/2} dx = -\frac{2(c \cos(d + ex) - b \sin(d + ex))\sqrt{-\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)}}{3e} \\ = \frac{8\sqrt{b^2 + c^2}(c \cos(d + ex) - b \sin(d + ex))}{3e\sqrt{-\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)}} - \frac{2(c \cos(d + ex) - b \sin(d + ex))\sqrt{-\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)}}{3e}$$

**Mathematica [C]** time = 21.2547, size = 11512, normalized size = 88.55

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(-Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(3/2), x]

[Out] Result too large to show

**Maple [A]** time = 1.591, size = 130, normalized size = 1.

$$\frac{(2 \sin(ex + d - \arctan(-b, c)) - 2) (b^2 + c^2) (1 + \sin(ex + d - \arctan(-b, c))) (\sin(ex + d - \arctan(-b, c)) - 5)}{3 \cos(ex + d - \arctan(-b, c)) e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(e\*x+d)+c\*sin(e\*x+d)-(b^2+c^2)^(1/2))^(3/2), x)

[Out] 2/3\*(sin(e\*x+d-arctan(-b,c))-1)\*(b^2+c^2)\*(1+sin(e\*x+d-arctan(-b,c)))\*(sin(e\*x+d-arctan(-b,c))-5)/cos(e\*x+d-arctan(-b,c))/((b^2\*sin(e\*x+d-arctan(-b,c))+c^2\*sin(e\*x+d-arctan(-b,c))-b^2-c^2)/(b^2+c^2)^(1/2))^(1/2)/e

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(e\*x+d)+c\*sin(e\*x+d)-(b^2+c^2)^(1/2))^(3/2), x, algorithm="maxima")

[Out] Exception raised: RuntimeError

**Fricas [A]** time = 1.88337, size = 313, normalized size = 2.41

$$\frac{2 \left( 2bc \cos(ex + d) \sin(ex + d) + (b^2 - c^2) \cos(ex + d)^2 - 5b^2 - 4c^2 - 4\sqrt{b^2 + c^2}(b \cos(ex + d) + c \sin(ex + d)) \right) \sqrt{b^2 + c^2}}{3(ce \cos(ex + d) - be \sin(ex + d))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(e\*x+d)+c\*sin(e\*x+d)-(b^2+c^2)^(1/2))^(3/2), x, algorithm="fricas")

[Out] 2/3\*(2\*b\*c\*cos(e\*x + d)\*sin(e\*x + d) + (b^2 - c^2)\*cos(e\*x + d)^2 - 5\*b^2 - 4\*c^2 - 4\*sqrt(b^2 + c^2)\*(b\*cos(e\*x + d) + c\*sin(e\*x + d)))\*sqrt(b\*cos(e\*x + d) + c\*sin(e\*x + d) - sqrt(b^2 + c^2))/(c\*e\*cos(e\*x + d) - b\*e\*sin(e\*x + d))

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(e*x+d)+c*sin(e*x+d)-(b**2+c**2)**(1/2))**(3/2),x)
```

```
[Out] Timed out
```

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(e*x+d)+c*sin(e*x+d)-(b^2+c^2)^(1/2))^(3/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.439 \quad \int \sqrt{-\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)} dx$$

**Optimal.** Leaf size=57

$$-\frac{2(c \cos(d + ex) - b \sin(d + ex))}{e\sqrt{-\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)}}$$

[Out] (-2\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x]))/(e\*Sqrt[-Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]])

**Rubi [A]** time = 0.0381648, antiderivative size = 57, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 34,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.029$ , Rules used = {3112}

$$-\frac{2(c \cos(d + ex) - b \sin(d + ex))}{e\sqrt{-\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[-Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]],x]

[Out] (-2\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x]))/(e\*Sqrt[-Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]])

**Rule 3112**

Int[Sqrt[cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]], x\_Symbol] :> Simp[(-2\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x]))/(e\*Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]]), x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0]

**Rubi steps**

$$\int \sqrt{-\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)} dx = -\frac{2(c \cos(d + ex) - b \sin(d + ex))}{e\sqrt{-\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)}}$$

**Mathematica [C]** time = 21.5246, size = 11415, normalized size = 200.26

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[-Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]],x]

[Out] Result too large to show

**Maple [B]** time = 1.706, size = 117, normalized size = 2.1

$$2 \frac{\sqrt{b^2 + c^2} (\sin(ex + d - \arctan(-b, c)) - 1) (1 + \sin(ex + d - \arctan(-b, c)))}{\cos(ex + d - \arctan(-b, c)) e} \frac{1}{\sqrt{\frac{b^2 \sin(ex + d - \arctan(-b, c)) + c^2 \sin(ex + d - \arctan(-b, c))}{\sqrt{b^2 + c^2}}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*cos(e*x+d)+c*sin(e*x+d)-(b^2+c^2)^(1/2))^(1/2),x)`

[Out]  $2*(\sin(e*x+d-\arctan(-b,c))-1)*(b^2+c^2)^{(1/2)}*(1+\sin(e*x+d-\arctan(-b,c)))/\cos(e*x+d-\arctan(-b,c))/((b^2*\sin(e*x+d-\arctan(-b,c))+c^2*\sin(e*x+d-\arctan(-b,c))-b^2-c^2)/(b^2+c^2)^{(1/2)})^{(1/2)}/e$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*cos(e*x+d)+c*sin(e*x+d)-(b^2+c^2)^(1/2))^(1/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError

**Fricas [A]** time = 1.86122, size = 201, normalized size = 3.53

$$\frac{2 \left( b \cos(ex + d) + c \sin(ex + d) + \sqrt{b^2 + c^2} \right) \sqrt{b \cos(ex + d) + c \sin(ex + d) - \sqrt{b^2 + c^2}}}{ce \cos(ex + d) - be \sin(ex + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*cos(e*x+d)+c*sin(e*x+d)-(b^2+c^2)^(1/2))^(1/2),x, algorithm="fricas")`

[Out]  $2*(b*\cos(e*x + d) + c*\sin(e*x + d) + \text{sqrt}(b^2 + c^2))*\text{sqrt}(b*\cos(e*x + d) + c*\sin(e*x + d) - \text{sqrt}(b^2 + c^2))/(c*e*\cos(e*x + d) - b*e*\sin(e*x + d))$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{b \cos(d + ex) + c \sin(d + ex) - \sqrt{b^2 + c^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*cos(e*x+d)+c*sin(e*x+d)-(b**2+c**2)**(1/2))**(1/2),x)`

[Out] `Integral(sqrt(b*cos(d + e*x) + c*sin(d + e*x) - sqrt(b**2 + c**2)), x)`

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate((b*cos(e*x+d)+c*sin(e*x+d)-(b^2+c^2)^(1/2))^(1/2),x, algorithm="g  
iac")
```

```
[Out] Exception raised: TypeError
```

$$3.440 \quad \int \frac{1}{\sqrt{-\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)}} dx$$

**Optimal.** Leaf size=91

$$\frac{\sqrt{2} \tan^{-1} \left( \frac{\sqrt[4]{b^2+c^2} \sin(-\tan^{-1}(b,c)+d+ex)}{\sqrt{2} \sqrt{\sqrt{b^2+c^2} \cos(-\tan^{-1}(b,c)+d+ex) - \sqrt{b^2+c^2}}} \right)}{e \sqrt[4]{b^2+c^2}}$$

[Out] -((Sqrt[2]\*ArcTan[((b^2 + c^2)^(1/4)\*Sin[d + e\*x - ArcTan[b, c]])/(Sqrt[2]\*Sqrt[-Sqrt[b^2 + c^2] + Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]])]))/((b^2 + c^2)^(1/4)\*e))

**Rubi [A]** time = 0.0978455, antiderivative size = 91, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 34,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.088$ , Rules used = {3115, 2649, 204}

$$\frac{\sqrt{2} \tan^{-1} \left( \frac{\sqrt[4]{b^2+c^2} \sin(-\tan^{-1}(b,c)+d+ex)}{\sqrt{2} \sqrt{\sqrt{b^2+c^2} \cos(-\tan^{-1}(b,c)+d+ex) - \sqrt{b^2+c^2}}} \right)}{e \sqrt[4]{b^2+c^2}}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[-Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]], x]

[Out] -((Sqrt[2]\*ArcTan[((b^2 + c^2)^(1/4)\*Sin[d + e\*x - ArcTan[b, c]])/(Sqrt[2]\*Sqrt[-Sqrt[b^2 + c^2] + Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]])]))/((b^2 + c^2)^(1/4)\*e))

#### Rule 3115

Int[1/Sqrt[cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]], x\_Symbol] :> Int[1/Sqrt[a + Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0]

#### Rule 2649

Int[1/Sqrt[(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 204

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\int \frac{1}{\sqrt{-\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)}} dx = \int \frac{1}{\sqrt{-\sqrt{b^2 + c^2} + \sqrt{b^2 + c^2} \cos(d + ex - \tan^{-1}(b, c))}} dx$$

$$= \frac{2 \operatorname{Subst} \left( \int \frac{1}{-2\sqrt{b^2 + c^2} - x^2} dx, x, -\frac{\sqrt{b^2 + c^2} \sin(d + ex - \tan^{-1}(b, c))}{\sqrt{-\sqrt{b^2 + c^2} + \sqrt{b^2 + c^2} \cos(d + ex - \tan^{-1}(b, c))}} \right)}{e}$$

$$= -\frac{\sqrt{2} \tan^{-1} \left( \frac{\sqrt[4]{b^2 + c^2} \sin(d + ex - \tan^{-1}(b, c))}{\sqrt{2} \sqrt{-\sqrt{b^2 + c^2} + \sqrt{b^2 + c^2} \cos(d + ex - \tan^{-1}(b, c))}} \right)}{\sqrt[4]{b^2 + c^2} e}$$

**Mathematica [C]** time = 33.8815, size = 61904, normalized size = 680.26

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[1/Sqrt[-Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]], x]

[Out] Result too large to show

**Maple [B]** time = 1.314, size = 175, normalized size = 1.9

$$\frac{(\sin(ex + d - \arctan(-b, c)) - 1) \sqrt{2} \sqrt{-\sqrt{b^2 + c^2} (1 + \sin(ex + d - \arctan(-b, c)))}}{\cos(ex + d - \arctan(-b, c)) e} \arctan \left( \frac{\sqrt{2} \sqrt{-\sqrt{b^2 + c^2} (1 + \sin(ex + d - \arctan(-b, c)))}}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(b\*cos(e\*x+d)+c\*sin(e\*x+d)-(b^2+c^2)^(1/2))^(1/2), x)

[Out] (sin(e\*x+d-arctan(-b,c))-1)\*(-(b^2+c^2)^(1/2)\*(1+sin(e\*x+d-arctan(-b,c))))^(1/2)\*2^(1/2)/(b^2+c^2)^(1/4)\*arctan(1/2\*(-(b^2+c^2)^(1/2)\*(1+sin(e\*x+d-arctan(-b,c))))^(1/2)\*2^(1/2)/(b^2+c^2)^(1/4))/cos(e\*x+d-arctan(-b,c))/((b^2\*sin(e\*x+d-arctan(-b,c))+c^2\*sin(e\*x+d-arctan(-b,c))-b^2-c^2)/(b^2+c^2)^(1/2))^(1/2)/e

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b\*cos(e\*x+d)+c\*sin(e\*x+d)-(b^2+c^2)^(1/2))^(1/2), x, algorithm="maxima")

[Out] Exception raised: RuntimeError

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(b*cos(e*x+d)+c*sin(e*x+d)-(b^2+c^2)^(1/2))^(1/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{b \cos(d + ex) + c \sin(d + ex) - \sqrt{b^2 + c^2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(b*cos(e*x+d)+c*sin(e*x+d)-(b**2+c**2)**(1/2))**(1/2),x)
```

```
[Out] Integral(1/sqrt(b*cos(d + e*x) + c*sin(d + e*x) - sqrt(b**2 + c**2)), x)
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(b*cos(e*x+d)+c*sin(e*x+d)-(b^2+c^2)^(1/2))^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.441 \quad \int \frac{1}{\left(-\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)\right)^{3/2}} dx$$

**Optimal.** Leaf size=164

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b^2+c^2} \sin(-\tan^{-1}(b,c)+d+ex)}{\sqrt{2}\sqrt{\sqrt{b^2+c^2} \cos(-\tan^{-1}(b,c)+d+ex)-\sqrt{b^2+c^2}}}\right)}{2\sqrt{2}e(b^2+c^2)^{3/4}} + \frac{c \cos(d+ex) - b \sin(d+ex)}{2e\sqrt{b^2+c^2}\left(-\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)\right)^{3/2}}$$

[Out] ArcTan[((b^2 + c^2)^(1/4)\*Sin[d + e\*x - ArcTan[b, c]])/(Sqrt[2]\*Sqrt[-Sqrt[b^2 + c^2] + Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]]])]/(2\*Sqrt[2]\*(b^2 + c^2)^(3/4)\*e) + (c\*Cos[d + e\*x] - b\*Sin[d + e\*x])/(2\*Sqrt[b^2 + c^2]\*e\*(-Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(3/2))

**Rubi [A]** time = 0.125628, antiderivative size = 164, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 34,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$ , Rules used = {3116, 3115, 2649, 204}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b^2+c^2} \sin(-\tan^{-1}(b,c)+d+ex)}{\sqrt{2}\sqrt{\sqrt{b^2+c^2} \cos(-\tan^{-1}(b,c)+d+ex)-\sqrt{b^2+c^2}}}\right)}{2\sqrt{2}e(b^2+c^2)^{3/4}} + \frac{c \cos(d+ex) - b \sin(d+ex)}{2e\sqrt{b^2+c^2}\left(-\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)\right)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(-Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(-3/2), x]

[Out] ArcTan[((b^2 + c^2)^(1/4)\*Sin[d + e\*x - ArcTan[b, c]])/(Sqrt[2]\*Sqrt[-Sqrt[b^2 + c^2] + Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]]])]/(2\*Sqrt[2]\*(b^2 + c^2)^(3/4)\*e) + (c\*Cos[d + e\*x] - b\*Sin[d + e\*x])/(2\*Sqrt[b^2 + c^2]\*e\*(-Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(3/2))

#### Rule 3116

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Simp[((c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^n)/(a\*e\*(2\*n + 1)), x] + Dist[(n + 1)/(a\*(2\*n + 1)), Int[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0] && LtQ[n, -1]

#### Rule 3115

Int[1/Sqrt[cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]], x\_Symbol] :> Int[1/Sqrt[a + Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0]

#### Rule 2649

Int[1/Sqrt[(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\int \frac{1}{\left(-\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)\right)^{3/2}} dx = \frac{c \cos(d + ex) - b \sin(d + ex)}{2\sqrt{b^2 + c^2}e \left(-\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)\right)^{3/2}} - \frac{\int \sqrt{-\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)}}{\dots}$$

$$= \frac{c \cos(d + ex) - b \sin(d + ex)}{2\sqrt{b^2 + c^2}e \left(-\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)\right)^{3/2}} - \frac{\int \sqrt{-\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)}}{\dots}$$

$$= \frac{c \cos(d + ex) - b \sin(d + ex)}{2\sqrt{b^2 + c^2}e \left(-\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)\right)^{3/2}} + \frac{\int \sqrt{-\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)}}{\dots}$$

$$= \frac{\tan^{-1}\left(\frac{\sqrt[4]{b^2+c^2} \sin(d+ex-\tan^{-1}(b,c))}{\sqrt{2}\sqrt{-\sqrt{b^2+c^2}+\sqrt{b^2+c^2} \cos(d+ex-\tan^{-1}(b,c))}}\right)}{2\sqrt{2}(b^2+c^2)^{3/4}e} + \frac{c \cos(d + ex) - b \sin(d + ex)}{2\sqrt{b^2 + c^2}e \left(-\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)\right)^{3/2}}$$

**Mathematica [F]** time = 180.001, size = 0, normalized size = 0.

\$Aborted

Verification is Not applicable to the result.

```
[In] Integrate[(-Sqrt[b^2 + c^2] + b*Cos[d + e*x] + c*Sin[d + e*x])^(-3/2), x]
```

```
[Out] $Aborted
```

**Maple [B]** time = 1.934, size = 363, normalized size = 2.2

$$\frac{1}{4 \cos(ex + d - \arctan(-b, c))e} \left( -\sin(ex + d - \arctan(-b, c)) \arctan\left(\frac{\sqrt{2}}{2} \sqrt{-\sqrt{b^2 + c^2} \sin(ex + d - \arctan(-b, c))} - \dots \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(b*cos(e*x+d)+c*sin(e*x+d)-(b^2+c^2)^(1/2))^(3/2), x)
```

```
[Out] 1/4/(b^2+c^2)^(7/4)*(-sin(e*x+d-arctan(-b,c))*arctan(1/2*(-(b^2+c^2)^(1/2))*sin(e*x+d-arctan(-b,c))-(b^2+c^2)^(1/2))^(1/2)*2^(1/2)/(b^2+c^2)^(1/4))*2^(1/2)*(b^2+c^2)+2^(1/2)*arctan(1/2*(-(b^2+c^2)^(1/2))*sin(e*x+d-arctan(-b,c))-(b^2+c^2)^(1/2))^(1/2)*2^(1/2)/(b^2+c^2)^(1/4))*b^2+2^(1/2)*arctan(1/2*(-(b^2+c^2)^(1/2))*sin(e*x+d-arctan(-b,c))-(b^2+c^2)^(1/2))^(1/2)*2^(1/2)/(b^2+c^2)^(1/4))*c^2+2*(-(b^2+c^2)^(1/2))*sin(e*x+d-arctan(-b,c))-(b^2+c^2)^(1/2))^(1/2)*(b^2+c^2)^(3/4))*(-(b^2+c^2)^(1/2)*(1+sin(e*x+d-arctan(-b,c))))^(1/2)/cos(e*x+d-arctan(-b,c))/((b^2*sin(e*x+d-arctan(-b,c))+c^2*sin(e*x+d-arctan(-b,c)))^(1/2))
```

$\frac{\arcsin(-b, c) - b^2 - c^2}{(b^2 + c^2)^{1/2}}^{1/2} / e$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b\*cos(e\*x+d)+c\*sin(e\*x+d)-(b^2+c^2)^(1/2))^(3/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b\*cos(e\*x+d)+c\*sin(e\*x+d)-(b^2+c^2)^(1/2))^(3/2),x, algorithm="fricas")

[Out] Exception raised: TypeError

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\left(b \cos(d + ex) + c \sin(d + ex) - \sqrt{b^2 + c^2}\right)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b\*cos(e\*x+d)+c\*sin(e\*x+d)-(b\*\*2+c\*\*2)\*\*(1/2))\*\*(3/2),x)

[Out] Integral((b\*cos(d + e\*x) + c\*sin(d + e\*x) - sqrt(b\*\*2 + c\*\*2))\*\*(-3/2), x)

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b\*cos(e\*x+d)+c\*sin(e\*x+d)-(b^2+c^2)^(1/2))^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError

$$3.442 \quad \int \frac{1}{\left(-\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)\right)^{5/2}} dx$$

**Optimal.** Leaf size=232

$$\frac{3 \tan^{-1}\left(\frac{\sqrt[4]{b^2+c^2} \sin(-\tan^{-1}(b,c)+d+ex)}{\sqrt{2}\sqrt{\sqrt{b^2+c^2} \cos(-\tan^{-1}(b,c)+d+ex)-\sqrt{b^2+c^2}}}\right)}{16\sqrt{2}e(b^2+c^2)^{5/4}} - \frac{3(c \cos(d+ex) - b \sin(d+ex))}{16e(b^2+c^2)\left(-\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)\right)^{3/2}} + \frac{1}{4e\sqrt{b^2+c^2}}$$

[Out] (-3\*ArcTan[((b^2 + c^2)^(1/4)\*Sin[d + e\*x - ArcTan[b, c]])/(Sqrt[2]\*Sqrt[-Sqrt[b^2 + c^2] + Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]]]))/(16\*Sqrt[2]\*(b^2 + c^2)^(5/4)\*e) + (c\*Cos[d + e\*x] - b\*Sin[d + e\*x])/(4\*Sqrt[b^2 + c^2]\*e\*(-Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(5/2)) - (3\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x]))/(16\*(b^2 + c^2)\*e\*(-Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(3/2))

**Rubi [A]** time = 0.170474, antiderivative size = 232, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 34,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$ , Rules used = {3116, 3115, 2649, 204}

$$\frac{3 \tan^{-1}\left(\frac{\sqrt[4]{b^2+c^2} \sin(-\tan^{-1}(b,c)+d+ex)}{\sqrt{2}\sqrt{\sqrt{b^2+c^2} \cos(-\tan^{-1}(b,c)+d+ex)-\sqrt{b^2+c^2}}}\right)}{16\sqrt{2}e(b^2+c^2)^{5/4}} - \frac{3(c \cos(d+ex) - b \sin(d+ex))}{16e(b^2+c^2)\left(-\sqrt{b^2+c^2}+b \cos(d+ex)+c \sin(d+ex)\right)^{3/2}} + \frac{1}{4e\sqrt{b^2+c^2}}$$

Antiderivative was successfully verified.

[In] Int[(-Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(-5/2), x]

[Out] (-3\*ArcTan[((b^2 + c^2)^(1/4)\*Sin[d + e\*x - ArcTan[b, c]])/(Sqrt[2]\*Sqrt[-Sqrt[b^2 + c^2] + Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]]]))/(16\*Sqrt[2]\*(b^2 + c^2)^(5/4)\*e) + (c\*Cos[d + e\*x] - b\*Sin[d + e\*x])/(4\*Sqrt[b^2 + c^2]\*e\*(-Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(5/2)) - (3\*(c\*Cos[d + e\*x] - b\*Sin[d + e\*x]))/(16\*(b^2 + c^2)\*e\*(-Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(3/2))

#### Rule 3116

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^n, x\_Symbol] := Simp[((c\*Cos[d + e\*x] - b\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^n)/(a\*e\*(2\*n + 1)), x] + Dist[(n + 1)/(a\*(2\*n + 1)), Int[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0] && LtQ[n, -1]

#### Rule 3115

Int[1/Sqrt[cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]], x\_Symbol] := Int[1/Sqrt[a + Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[a^2 - b^2 - c^2, 0]

#### Rule 2649

Int[1/Sqrt[(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]],



x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 204

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\int \frac{1}{\left(-\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)\right)^{5/2}} dx = \frac{c \cos(d + ex) - b \sin(d + ex)}{4\sqrt{b^2 + c^2}e \left(-\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)\right)^{5/2}} - \dots$$

$$= \frac{c \cos(d + ex) - b \sin(d + ex)}{4\sqrt{b^2 + c^2}e \left(-\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)\right)^{5/2}} - \dots$$

$$= \frac{c \cos(d + ex) - b \sin(d + ex)}{4\sqrt{b^2 + c^2}e \left(-\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)\right)^{5/2}} - \dots$$

$$= \frac{c \cos(d + ex) - b \sin(d + ex)}{4\sqrt{b^2 + c^2}e \left(-\sqrt{b^2 + c^2} + b \cos(d + ex) + c \sin(d + ex)\right)^{5/2}} - \dots$$

$$= -\frac{3 \tan^{-1}\left(\frac{\sqrt[4]{b^2+c^2} \sin(d+ex-\tan^{-1}(b,c))}{\sqrt{2}\sqrt{-\sqrt{b^2+c^2}+\sqrt{b^2+c^2} \cos(d+ex-\tan^{-1}(b,c))}}\right)}{16\sqrt{2}(b^2+c^2)^{5/4}e} + \frac{\dots}{4\sqrt{b^2+c^2}e}$$

**Mathematica [F]** time = 180.014, size = 0, normalized size = 0.

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(-Sqrt[b^2 + c^2] + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(-5/2), x]

[Out] \$Aborted

**Maple [A]** time = 2.082, size = 363, normalized size = 1.6

$$-\frac{1}{4 \cos(ex + d - \arctan(-b, c))e} \left( -\sin(ex + d - \arctan(-b, c)) \arctan\left(\frac{\sqrt{2}}{2} \sqrt{-\sqrt{b^2 + c^2}} \sin(ex + d - \arctan(-b, c))\right) \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(b\*cos(e\*x+d)+c\*sin(e\*x+d)-(b^2+c^2)^(1/2))^(5/2), x)

```
[Out] -1/4*(-sin(e*x+d-arctan(-b,c))*arctan(1/2*(-(b^2+c^2)^(1/2)*sin(e*x+d-arctan(-b,c))-(b^2+c^2)^(1/2))^(1/2)*2^(1/2)/(b^2+c^2)^(1/4))*2^(1/2)*(b^2+c^2)+2^(1/2)*arctan(1/2*(-(b^2+c^2)^(1/2)*sin(e*x+d-arctan(-b,c))-(b^2+c^2)^(1/2))^(1/2)*2^(1/2)/(b^2+c^2)^(1/4))*b^2+2^(1/2)*arctan(1/2*(-(b^2+c^2)^(1/2)*sin(e*x+d-arctan(-b,c))-(b^2+c^2)^(1/2))^(1/2)*2^(1/2)/(b^2+c^2)^(1/4))*c^2+2*(-(b^2+c^2)^(1/2)*sin(e*x+d-arctan(-b,c))-(b^2+c^2)^(1/2))^(1/2)*(b^2+c^2)^(3/4))*(-(b^2+c^2)^(1/2)*(1+sin(e*x+d-arctan(-b,c))))^(1/2)/(b^2+c^2)^(5/4)/cos(e*x+d-arctan(-b,c))/((b^2*sin(e*x+d-arctan(-b,c))+c^2*sin(e*x+d-arctan(-b,c))-b^2-c^2)/(b^2+c^2)^(1/2))^(1/2)/e
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(b*cos(e*x+d)+c*sin(e*x+d)-(b^2+c^2)^(1/2))^(5/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(b*cos(e*x+d)+c*sin(e*x+d)-(b^2+c^2)^(1/2))^(5/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(b*cos(e*x+d)+c*sin(e*x+d)-(b**2+c**2)**(1/2))**(5/2),x)
```

```
[Out] Timed out
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(b*cos(e*x+d)+c*sin(e*x+d)-(b^2+c^2)^(1/2))^(5/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.443 \quad \int \frac{\sin(x)}{a+b \cos(x)+c \sin(x)} dx$$

**Optimal.** Leaf size=101

$$\frac{2ac \tan^{-1}\left(\frac{(a-b)\tan\left(\frac{x}{2}\right)+c}{\sqrt{a^2-b^2-c^2}}\right)}{(b^2+c^2)\sqrt{a^2-b^2-c^2}} - \frac{b \log(a+b \cos(x)+c \sin(x))}{b^2+c^2} + \frac{cx}{b^2+c^2}$$

[Out] (c\*x)/(b^2 + c^2) - (2\*a\*c\*ArcTan[(c + (a - b)\*Tan[x/2])/Sqrt[a^2 - b^2 - c^2]])/(Sqrt[a^2 - b^2 - c^2]\*(b^2 + c^2)) - (b\*Log[a + b\*Cos[x] + c\*Sin[x]])/(b^2 + c^2)

**Rubi [A]** time = 0.0964729, antiderivative size = 101, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {3137, 3124, 618, 204}

$$\frac{2ac \tan^{-1}\left(\frac{(a-b)\tan\left(\frac{x}{2}\right)+c}{\sqrt{a^2-b^2-c^2}}\right)}{(b^2+c^2)\sqrt{a^2-b^2-c^2}} - \frac{b \log(a+b \cos(x)+c \sin(x))}{b^2+c^2} + \frac{cx}{b^2+c^2}$$

Antiderivative was successfully verified.

[In] Int[Sin[x]/(a + b\*Cos[x] + c\*Sin[x]), x]

[Out] (c\*x)/(b^2 + c^2) - (2\*a\*c\*ArcTan[(c + (a - b)\*Tan[x/2])/Sqrt[a^2 - b^2 - c^2]])/(Sqrt[a^2 - b^2 - c^2]\*(b^2 + c^2)) - (b\*Log[a + b\*Cos[x] + c\*Sin[x]])/(b^2 + c^2)

#### Rule 3137

Int[((A\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])/((a\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\* (b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)], x\_Symbol] :> Simp[(c\*C\*(d + e\*x))/(e\*(b^2 + c^2)), x] + (Dist[(A\*(b^2 + c^2) - a\*c\*C)/(b^2 + c^2), Int[1/(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]), x], x] - Simp[(b\*C\*Log[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]])/(e\*(b^2 + c^2)), x]) /; FreeQ[{a, b, c, d, e, A, C}, x] && NeQ[b^2 + c^2, 0] && NeQ[A\*(b^2 + c^2) - a\*c\*C, 0]

#### Rule 3124

Int[(cos[(d\_.) + (e\_.)\*(x\_)])\* (b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])^(-1), x\_Symbol] :> Module[{f = FreeFactors[Tan[(d + e\*x)/2], x]}, Dist[(2\*f)/e, Subst[Int[1/(a + b + 2\*c\*f\*x + (a - b)\*f^2\*x^2), x], x, Tan[(d + e\*x)/2]/f], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]

#### Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

#### Rule 204

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\sin(x)}{a + b \cos(x) + c \sin(x)} dx &= \frac{cx}{b^2 + c^2} - \frac{b \log(a + b \cos(x) + c \sin(x))}{b^2 + c^2} - \frac{(ac) \int \frac{1}{a + b \cos(x) + c \sin(x)} dx}{b^2 + c^2} \\
&= \frac{cx}{b^2 + c^2} - \frac{b \log(a + b \cos(x) + c \sin(x))}{b^2 + c^2} - \frac{(2ac) \operatorname{Subst} \left( \int \frac{1}{a + b + 2cx + (a-b)x^2} dx, x, \tan\left(\frac{x}{2}\right) \right)}{b^2 + c^2} \\
&= \frac{cx}{b^2 + c^2} - \frac{b \log(a + b \cos(x) + c \sin(x))}{b^2 + c^2} + \frac{(4ac) \operatorname{Subst} \left( \int \frac{1}{-4(a^2 - b^2 - c^2) - x^2} dx, x, 2c + 2(a - b) \tan\left(\frac{x}{2}\right) \right)}{b^2 + c^2} \\
&= \frac{cx}{b^2 + c^2} - \frac{2ac \tan^{-1} \left( \frac{c + (a-b) \tan\left(\frac{x}{2}\right)}{\sqrt{a^2 - b^2 - c^2}} \right)}{\sqrt{a^2 - b^2 - c^2} (b^2 + c^2)} - \frac{b \log(a + b \cos(x) + c \sin(x))}{b^2 + c^2}
\end{aligned}$$

**Mathematica [A]** time = 0.224024, size = 80, normalized size = 0.79

$$\frac{2ac \tanh^{-1} \left( \frac{(a-b) \tan\left(\frac{x}{2}\right) + c}{\sqrt{-a^2 + b^2 + c^2}} \right)}{\sqrt{-a^2 + b^2 + c^2}} - \frac{b \log(a + b \cos(x) + c \sin(x)) + cx}{b^2 + c^2}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]/(a + b\*Cos[x] + c\*Sin[x]),x]

[Out] (c\*x + (2\*a\*c\*ArcTanh[(c + (a - b)\*Tan[x/2])/Sqrt[-a^2 + b^2 + c^2]])/Sqrt[-a^2 + b^2 + c^2] - b\*Log[a + b\*Cos[x] + c\*Sin[x]])/(b^2 + c^2)

**Maple [B]** time = 0.048, size = 438, normalized size = 4.3

$$-2 \frac{\ln \left( a (\tan(x/2))^2 - b (\tan(x/2))^2 + 2c \tan(x/2) + a + b \right) ab}{(2b^2 + 2c^2)(a - b)} + 2 \frac{\ln \left( a (\tan(x/2))^2 - b (\tan(x/2))^2 + 2c \tan(x/2) + a - b \right)}{(2b^2 + 2c^2)(a - b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)/(a+b\*cos(x)+c\*sin(x)),x)

[Out] -2/(2\*b^2+2\*c^2)/(a-b)\*ln(a\*tan(1/2\*x)^2-b\*tan(1/2\*x)^2+2\*c\*tan(1/2\*x)+a+b) + a\*b+2/(2\*b^2+2\*c^2)/(a-b)\*ln(a\*tan(1/2\*x)^2-b\*tan(1/2\*x)^2+2\*c\*tan(1/2\*x)+a+b)\*b^2-4/(2\*b^2+2\*c^2)/(a^2-b^2-c^2)^(1/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*a\*c-4/(2\*b^2+2\*c^2)/(a^2-b^2-c^2)^(1/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*c\*b+4/(2\*b^2+2\*c^2)/(a^2-b^2-c^2)^(1/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*c/(a-b)\*a\*b-4/(2\*b^2+2\*c^2)/(a^2-b^2-c^2)^(1/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*c/(a-b)\*b^2+2/(2\*b^2+2\*c^2)\*b\*ln(1+tan(1/2\*x)^2)+4/(2\*b^2+2\*c^2)\*c\*arctan(tan(1/2\*x))

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(a+b\*cos(x)+c\*sin(x)),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.14762, size = 1291, normalized size = 12.78

$$\left[ \frac{\sqrt{-a^2 + b^2 + c^2} ac \log \left( \frac{a^2 b^2 - 2 b^4 - c^4 - (a^2 + 3 b^2) c^2 - (2 a^2 b^2 - b^4 - 2 a^2 c^2 + c^4) \cos(x)^2 - 2 (a b^3 + a b c^2) \cos(x) - 2 (a b^2 c + a c^3 - (b c^3 - (2 a^2 b - b^3) c) \cos(x)) \sin(x)}{2 a b \cos(x) + (b^2 - c^2) \cos(x)^2 + a^2 + c^2 + 2 (b c \cos(x) + a^2 \sin(x))} \right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(a+b\*cos(x)+c\*sin(x)),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [-1/2 * (\text{sqrt}(-a^2 + b^2 + c^2) * a * c * \log((a^2 * b^2 - 2 * b^4 - c^4 - (a^2 + 3 * b^2) * c^2 - (2 * a^2 * b^2 - b^4 - 2 * a^2 * c^2 + c^4) * \cos(x)^2 - 2 * (a * b^3 + a * b * c^2) * \cos(x) - 2 * (a * b^2 * c + a * c^3 - (b * c^3 - (2 * a^2 * b - b^3) * c) * \cos(x)) * \sin(x) - 2 * (2 * a * b * c * \cos(x)^2 - a * b * c + (b^2 * c + c^3) * \cos(x) - (b^3 + b * c^2 + (a * b^2 - a * c^2) * \cos(x)) * \sin(x)) * \text{sqrt}(-a^2 + b^2 + c^2)) / (2 * a * b * \cos(x) + (b^2 - c^2) * \cos(x)^2 + a^2 + c^2 + 2 * (b * c * \cos(x) + a * c) * \sin(x))) + 2 * (c^3 - (a^2 - b^2) * c) * x + (a^2 * b - b^3 - b * c^2) * \log(2 * a * b * \cos(x) + (b^2 - c^2) * \cos(x)^2 + a^2 + c^2 + 2 * (b * c * \cos(x) + a * c) * \sin(x)) / (a^2 * b^2 - b^4 - c^4 + (a^2 - 2 * b^2) * c^2), -1/2 * (2 * \text{sqrt}(a^2 - b^2 - c^2) * a * c * \arctan(-(a * b * \cos(x) + a * c * \sin(x) + b^2 + c^2) * \text{sqrt}(a^2 - b^2 - c^2)) / ((c^3 - (a^2 - b^2) * c) * \cos(x) + (a^2 * b - b^3 - b * c^2) * \sin(x))) + 2 * (c^3 - (a^2 - b^2) * c) * x + (a^2 * b - b^3 - b * c^2) * \log(2 * a * b * \cos(x) + (b^2 - c^2) * \cos(x)^2 + a^2 + c^2 + 2 * (b * c * \cos(x) + a * c) * \sin(x))) / (a^2 * b^2 - b^4 - c^4 + (a^2 - 2 * b^2) * c^2)] \end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(a+b\*cos(x)+c\*sin(x)),x)

[Out] Timed out

**Giac [A]** time = 1.15365, size = 216, normalized size = 2.14

$$2 \left( \pi \left[ \frac{x}{2\pi} + \frac{1}{2} \right] \text{sgn}(-2a + 2b) + \arctan \left( \frac{a \tan\left(\frac{1}{2}x\right) - b \tan\left(\frac{1}{2}x\right) + c}{\sqrt{a^2 - b^2 - c^2}} \right) \right) ac + \frac{cx}{b^2 + c^2} - \frac{b \log \left( -a \tan \left( \frac{1}{2}x \right)^2 + b \tan \left( \frac{1}{2}x \right)^2 \right)}{b^2 + c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(a+b\*cos(x)+c\*sin(x)),x, algorithm="giac")

```
[Out] 2*(pi*floor(1/2*x/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*x) - b*tan(1/2*x) + c)/sqrt(a^2 - b^2 - c^2)))*a*c/(sqrt(a^2 - b^2 - c^2)*(b^2 + c^2) + c*x/(b^2 + c^2) - b*log(-a*tan(1/2*x)^2 + b*tan(1/2*x)^2 - 2*c*tan(1/2*x) - a - b)/(b^2 + c^2) + b*log(tan(1/2*x)^2 + 1)/(b^2 + c^2)
```

$$3.444 \quad \int \frac{\sin(x)}{1+\cos(x)+\sin(x)} dx$$

**Optimal.** Leaf size=22

$$\frac{x}{2} - \log\left(\sin\left(\frac{x}{2}\right) + \cos\left(\frac{x}{2}\right)\right)$$

[Out] x/2 - Log[Cos[x/2] + Sin[x/2]]

**Rubi [A]** time = 0.0306626, antiderivative size = 30, normalized size of antiderivative = 1.36, number of steps used = 3, number of rules used = 3, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {3137, 3124, 31}

$$\frac{x}{2} - \frac{1}{2} \log\left(\tan\left(\frac{x}{2}\right) + 1\right) - \frac{1}{2} \log(\sin(x) + \cos(x) + 1)$$

Antiderivative was successfully verified.

[In] Int[Sin[x]/(1 + Cos[x] + Sin[x]),x]

[Out] x/2 - Log[1 + Cos[x] + Sin[x]]/2 - Log[1 + Tan[x/2]]/2

#### Rule 3137

Int[((A\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]) / ((a\_.) + cos[(d\_.) + (e\_.)\*(x\_)]) \* (b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)], x\_Symbol] :> Simp[(c\*C\*(d + e\*x)) / (e\*(b^2 + c^2)), x] + (Dist[(A\*(b^2 + c^2) - a\*c\*C) / (b^2 + c^2), Int[1/(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]), x], x] - Simp[(b\*C\*Log[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]]) / (e\*(b^2 + c^2)), x]) /; FreeQ[{a, b, c, d, e, A, C}, x] && NeQ[b^2 + c^2, 0] && NeQ[A\*(b^2 + c^2) - a\*c\*C, 0]

#### Rule 3124

Int[(cos[(d\_.) + (e\_.)\*(x\_)]) \* (b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])^(-1), x\_Symbol] :> Module[{f = FreeFactors[Tan[(d + e\*x)/2], x]}, Dist[(2\*f)/e, Subst[Int[1/(a + b + 2\*c\*f\*x + (a - b)\*f^2\*x^2), x], x, Tan[(d + e\*x)/2]/f], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]

#### Rule 31

Int[((a\_) + (b\_.)\*(x\_)) ^ (-1), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{\sin(x)}{1+\cos(x)+\sin(x)} dx &= \frac{x}{2} - \frac{1}{2} \log(1 + \cos(x) + \sin(x)) - \frac{1}{2} \int \frac{1}{1 + \cos(x) + \sin(x)} dx \\ &= \frac{x}{2} - \frac{1}{2} \log(1 + \cos(x) + \sin(x)) - \text{Subst}\left(\int \frac{1}{2+2x} dx, x, \tan\left(\frac{x}{2}\right)\right) \\ &= \frac{x}{2} - \frac{1}{2} \log(1 + \cos(x) + \sin(x)) - \frac{1}{2} \log\left(1 + \tan\left(\frac{x}{2}\right)\right) \end{aligned}$$

**Mathematica [A]** time = 0.047012, size = 22, normalized size = 1.

$$\frac{x}{2} - \log\left(\sin\left(\frac{x}{2}\right) + \cos\left(\frac{x}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]/(1 + Cos[x] + Sin[x]),x]

[Out] x/2 - Log[Cos[x/2] + Sin[x/2]]

**Maple [A]** time = 0.043, size = 25, normalized size = 1.1

$$-\ln\left(1 + \tan\left(\frac{x}{2}\right)\right) + \frac{1}{2}\ln\left(1 + \left(\tan\left(\frac{x}{2}\right)\right)^2\right) + \frac{x}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)/(1+cos(x)+sin(x)),x)

[Out] -ln(1+tan(1/2\*x))+1/2\*ln(1+tan(1/2\*x)^2)+1/2\*x

**Maxima [B]** time = 1.48185, size = 55, normalized size = 2.5

$$\arctan\left(\frac{\sin(x)}{\cos(x)+1}\right) - \log\left(\frac{\sin(x)}{\cos(x)+1} + 1\right) + \frac{1}{2}\log\left(\frac{\sin(x)^2}{(\cos(x)+1)^2} + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(1+cos(x)+sin(x)),x, algorithm="maxima")

[Out] arctan(sin(x)/(cos(x) + 1)) - log(sin(x)/(cos(x) + 1) + 1) + 1/2\*log(sin(x)^2/(cos(x) + 1)^2 + 1)

**Fricas [A]** time = 1.86841, size = 39, normalized size = 1.77

$$\frac{1}{2}x - \frac{1}{2}\log(\sin(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(1+cos(x)+sin(x)),x, algorithm="fricas")

[Out] 1/2\*x - 1/2\*log(sin(x) + 1)

**Sympy [A]** time = 0.31174, size = 22, normalized size = 1.

$$\frac{x}{2} - \log\left(\tan\left(\frac{x}{2}\right) + 1\right) + \frac{\log\left(\tan^2\left(\frac{x}{2}\right) + 1\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(1+cos(x)+sin(x)),x)



[Out]  $x/2 - \log(\tan(x/2) + 1) + \log(\tan(x/2)**2 + 1)/2$

---

**Giac [A]** time = 1.1655, size = 34, normalized size = 1.55

$$\frac{1}{2}x + \frac{1}{2} \log\left(\tan\left(\frac{1}{2}x\right)^2 + 1\right) - \log\left(\left|\tan\left(\frac{1}{2}x\right) + 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)/(1+cos(x)+sin(x)),x, algorithm="giac")`

[Out]  $1/2*x + 1/2*\log(\tan(1/2*x)^2 + 1) - \log(\text{abs}(\tan(1/2*x) + 1))$

$$3.445 \quad \int \frac{1}{a+c \sec(x)+b \tan(x)} dx$$

**Optimal.** Leaf size=97

$$\frac{2ac \tanh^{-1}\left(\frac{b-(a-c)\tan\left(\frac{x}{2}\right)}{\sqrt{a^2+b^2-c^2}}\right)}{(a^2+b^2)\sqrt{a^2+b^2-c^2}} + \frac{b \log(a \cos(x) + b \sin(x) + c)}{a^2+b^2} + \frac{ax}{a^2+b^2}$$

[Out] (a\*x)/(a^2 + b^2) + (2\*a\*c\*ArcTanh[(b - (a - c)\*Tan[x/2])/Sqrt[a^2 + b^2 - c^2]])/((a^2 + b^2)\*Sqrt[a^2 + b^2 - c^2]) + (b\*Log[c + a\*Cos[x] + b\*Sin[x]])/(a^2 + b^2)

**Rubi [A]** time = 0.127024, antiderivative size = 97, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$ , Rules used = {3159, 3138, 3124, 618, 206}

$$\frac{2ac \tanh^{-1}\left(\frac{b-(a-c)\tan\left(\frac{x}{2}\right)}{\sqrt{a^2+b^2-c^2}}\right)}{(a^2+b^2)\sqrt{a^2+b^2-c^2}} + \frac{b \log(a \cos(x) + b \sin(x) + c)}{a^2+b^2} + \frac{ax}{a^2+b^2}$$

Antiderivative was successfully verified.

[In] Int[(a + c\*Sec[x] + b\*Tan[x])^(-1), x]

[Out] (a\*x)/(a^2 + b^2) + (2\*a\*c\*ArcTanh[(b - (a - c)\*Tan[x/2])/Sqrt[a^2 + b^2 - c^2]])/((a^2 + b^2)\*Sqrt[a^2 + b^2 - c^2]) + (b\*Log[c + a\*Cos[x] + b\*Sin[x]])/(a^2 + b^2)

#### Rule 3159

Int[((a\_.) + (b\_.)\*sec[(d\_.) + (e\_.)\*(x\_)]) + (c\_.)\*tan[(d\_.) + (e\_.)\*(x\_)])^(-1), x\_Symbol] :> Int[Cos[d + e\*x]/(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x]), x] /; FreeQ[{a, b, c, d, e}, x]

#### Rule 3138

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(B\_.))/((a\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]), x\_Symbol] :> Simp[(b\*B\*(d + e\*x))/(e\*(b^2 + c^2)), x] + (Dist[(A\*(b^2 + c^2) - a\*b\*B)/(b^2 + c^2), Int[1/(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]), x], x] + Simp[(c\*B\*Log[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]])/(e\*(b^2 + c^2)), x]) /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 + c^2, 0] && NeQ[A\*(b^2 + c^2) - a\*b\*B, 0]

#### Rule 3124

Int[(cos[(d\_.) + (e\_.)\*(x\_)])\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])^(-1), x\_Symbol] :> Module[{f = FreeFactors[Tan[(d + e\*x)/2], x]}, Dist[(2\*f)/e, Subst[Int[1/(a + b + 2\*c\*f\*x + (a - b)\*f^2\*x^2), x], x, Tan[(d + e\*x)/2]/f], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]

#### Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]]/(Rt[a, 2]\*Rt[-b, 2])), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{1}{a + c \sec(x) + b \tan(x)} dx &= \int \frac{\cos(x)}{c + a \cos(x) + b \sin(x)} dx \\ &= \frac{ax}{a^2 + b^2} + \frac{b \log(c + a \cos(x) + b \sin(x))}{a^2 + b^2} - \frac{(ac) \int \frac{1}{c + a \cos(x) + b \sin(x)} dx}{a^2 + b^2} \\ &= \frac{ax}{a^2 + b^2} + \frac{b \log(c + a \cos(x) + b \sin(x))}{a^2 + b^2} - \frac{(2ac) \text{Subst}\left(\int \frac{1}{a + c + 2bx + (-a + c)x^2} dx, x, \tan\left(\frac{x}{2}\right)\right)}{a^2 + b^2} \\ &= \frac{ax}{a^2 + b^2} + \frac{b \log(c + a \cos(x) + b \sin(x))}{a^2 + b^2} + \frac{(4ac) \text{Subst}\left(\int \frac{1}{4(a^2 + b^2 - c^2) - x^2} dx, x, 2b + 2c \tan\left(\frac{x}{2}\right)\right)}{a^2 + b^2} \\ &= \frac{ax}{a^2 + b^2} + \frac{2ac \tanh^{-1}\left(\frac{b - (a - c) \tan\left(\frac{x}{2}\right)}{\sqrt{a^2 + b^2 - c^2}}\right)}{(a^2 + b^2) \sqrt{a^2 + b^2 - c^2}} + \frac{b \log(c + a \cos(x) + b \sin(x))}{a^2 + b^2} \end{aligned}$$

**Mathematica [A]** time = 0.192824, size = 79, normalized size = 0.81

$$\frac{2ac \tanh^{-1}\left(\frac{(c-a) \tan\left(\frac{x}{2}\right) + b}{\sqrt{a^2 + b^2 - c^2}}\right)}{\sqrt{a^2 + b^2 - c^2}} + \frac{b \log(a \cos(x) + b \sin(x) + c) + ax}{a^2 + b^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + c\*Sec[x] + b\*Tan[x])^(-1), x]

[Out] (a\*x + (2\*a\*c\*ArcTanh[(b + (-a + c)\*Tan[x/2])/Sqrt[a^2 + b^2 - c^2]])/Sqrt[a^2 + b^2 - c^2] + b\*Log[c + a\*Cos[x] + b\*Sin[x]])/(a^2 + b^2)

**Maple [B]** time = 0.064, size = 414, normalized size = 4.3

$$\frac{ab}{(a^2 + b^2)(a - c)} \ln\left(a \left(\tan\left(\frac{x}{2}\right)\right)^2 - \left(\tan\left(\frac{x}{2}\right)\right)^2 c - 2b \tan(x/2) - a - c\right) - \frac{cb}{(a^2 + b^2)(a - c)} \ln\left(a \left(\tan\left(\frac{x}{2}\right)\right)^2 - \left(\tan\left(\frac{x}{2}\right)\right)^2 c - 2b \tan(x/2) - a - c\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+c\*sec(x)+b\*tan(x)), x)

[Out] 1/(a^2+b^2)/(a-c)\*ln(a\*tan(1/2\*x)^2-tan(1/2\*x)^2\*c-2\*b\*tan(1/2\*x)-a-c)\*a\*b-1/(a^2+b^2)/(a-c)\*ln(a\*tan(1/2\*x)^2-tan(1/2\*x)^2\*c-2\*b\*tan(1/2\*x)-a-c)\*c\*b+2/(a^2+b^2)/(-a^2-b^2+c^2)^(1/2)\*arctan(1/2\*(2\*(a-c)\*tan(1/2\*x)-2\*b)/(-a^2-b^2+c^2)^(1/2))\*a\*c-2/(a^2+b^2)/(-a^2-b^2+c^2)^(1/2)\*arctan(1/2\*(2\*(a-c)\*tan(1/2\*x)-2\*b)/(-a^2-b^2+c^2)^(1/2))\*b^2+2/(a^2+b^2)/(-a^2-b^2+c^2)^(1/2)\*arctan(1/2\*(2\*(a-c)\*tan(1/2\*x)-2\*b)/(-a^2-b^2+c^2)^(1/2))\*b^2/(a-c)\*a-2/(a^2+b^2)/(-a^2-b^2+c^2)^(1/2)\*arctan(1/2\*(2\*(a-c)\*tan(1/2\*x)-2\*b)/(-a^2-b^2+c^2)^(1/2))\*b^2/(a-c)\*c-1/(a^2+b^2)\*b\*ln(1+tan(1/2\*x)^2)+2/(a^2+b^2)\*a\*arctan(

$\tan(1/2*x)$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+c\*sec(x)+b\*tan(x)),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.56773, size = 1277, normalized size = 13.16

$$\left[ \frac{\sqrt{a^2 + b^2 - c^2} ac \log \left( \frac{2a^4 + 3a^2b^2 + b^4 - (a^2 - b^2)c^2 + 2(a^3 + ab^2)c \cos(x) - (a^4 - b^4 - 2(a^2 - b^2)c^2) \cos(x)^2 + 2((a^2b + b^3)c - (a^3b + ab^3 - 2abc^2) \cos(x)) \sin(x) + 2(2ac \cos(x) + (a^2 - b^2) \cos(x)^2 + b^2 + c^2 + 2(ab \cos(x) + bc) \sin(x))}{2ac \cos(x) + (a^2 - b^2) \cos(x)^2 + b^2 + c^2 + 2(ab \cos(x) + bc) \sin(x)} \right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+c\*sec(x)+b\*tan(x)),x, algorithm="fricas")

[Out]  $[1/2*(\sqrt{a^2 + b^2 - c^2})*a*c*\log((2*a^4 + 3*a^2*b^2 + b^4 - (a^2 - b^2)*c^2 + 2*(a^3 + a*b^2)*c*\cos(x) - (a^4 - b^4 - 2*(a^2 - b^2)*c^2)*\cos(x)^2 + 2*((a^2*b + b^3)*c - (a^3*b + a*b^3 - 2*a*b*c^2)*\cos(x))*\sin(x) + 2*(2*a*b*c*\cos(x)^2 - a*b*c + (a^2*b + b^3)*\cos(x) - (a^3 + a*b^2 + (a^2 - b^2)*c*\cos(x))*\sin(x))*\sqrt{a^2 + b^2 - c^2})/(2*a*c*\cos(x) + (a^2 - b^2)*\cos(x)^2 + b^2 + c^2 + 2*(a*b*\cos(x) + b*c)*\sin(x)) + 2*(a^3 + a*b^2 - a*c^2)*x + (a^2*b + b^3 - b*c^2)*\log(2*a*c*\cos(x) + (a^2 - b^2)*\cos(x)^2 + b^2 + c^2 + 2*(a*b*\cos(x) + b*c)*\sin(x)))/(a^4 + 2*a^2*b^2 + b^4 - (a^2 + b^2)*c^2), -1/2*(2*\sqrt{-a^2 - b^2 + c^2})*a*c*\arctan((a*c*\cos(x) + b*c*\sin(x) + a^2 + b^2)*\sqrt{-a^2 - b^2 + c^2})/((a^2*b + b^3 - b*c^2)*\cos(x) - (a^3 + a*b^2 - a*c^2)*\sin(x)) - 2*(a^3 + a*b^2 - a*c^2)*x - (a^2*b + b^3 - b*c^2)*\log(2*a*c*\cos(x) + (a^2 - b^2)*\cos(x)^2 + b^2 + c^2 + 2*(a*b*\cos(x) + b*c)*\sin(x)))/(a^4 + 2*a^2*b^2 + b^4 - (a^2 + b^2)*c^2)]$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{a + b \tan(x) + c \sec(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+c\*sec(x)+b\*tan(x)),x)

[Out] Integral(1/(a + b\*tan(x) + c\*sec(x)), x)

**Giac [A]** time = 1.17449, size = 213, normalized size = 2.2

$$\frac{2 \left( \pi \left\lfloor \frac{x}{2\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(-2a + 2c) + \arctan \left( -\frac{a \tan\left(\frac{1}{2}x\right) - c \tan\left(\frac{1}{2}x\right) - b}{\sqrt{-a^2 - b^2 + c^2}} \right) \right) ac}{(a^2 + b^2) \sqrt{-a^2 - b^2 + c^2}} + \frac{ax}{a^2 + b^2} + \frac{b \log \left( -a \tan\left(\frac{1}{2}x\right)^2 + c \tan\left(\frac{1}{2}x\right)^2 + 2b \tan\left(\frac{1}{2}x\right) + a + c \right)}{a^2 + b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+c\*sec(x)+b\*tan(x)),x, algorithm="giac")

[Out] -2\*(pi\*floor(1/2\*x/pi + 1/2)\*sgn(-2\*a + 2\*c) + arctan(-(a\*tan(1/2\*x) - c\*tan(1/2\*x) - b)/sqrt(-a^2 - b^2 + c^2)))\*a\*c/((a^2 + b^2)\*sqrt(-a^2 - b^2 + c^2)) + a\*x/(a^2 + b^2) + b\*log(-a\*tan(1/2\*x)^2 + c\*tan(1/2\*x)^2 + 2\*b\*tan(1/2\*x) + a + c)/(a^2 + b^2) - b\*log(tan(1/2\*x)^2 + 1)/(a^2 + b^2)

$$3.446 \quad \int \frac{\sec(x)}{a+c \sec(x)+b \tan(x)} dx$$

**Optimal.** Leaf size=51

$$\frac{2 \tanh^{-1}\left(\frac{b-(a-c)\tan\left(\frac{x}{2}\right)}{\sqrt{a^2+b^2-c^2}}\right)}{\sqrt{a^2+b^2-c^2}}$$

[Out] (-2\*ArcTanh[(b - (a - c)\*Tan[x/2])/Sqrt[a^2 + b^2 - c^2]])/Sqrt[a^2 + b^2 - c^2]

**Rubi [A]** time = 0.0760878, antiderivative size = 51, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {3165, 3124, 618, 206}

$$\frac{2 \tanh^{-1}\left(\frac{b-(a-c)\tan\left(\frac{x}{2}\right)}{\sqrt{a^2+b^2-c^2}}\right)}{\sqrt{a^2+b^2-c^2}}$$

Antiderivative was successfully verified.

[In] Int[Sec[x]/(a + c\*Sec[x] + b\*Tan[x]), x]

[Out] (-2\*ArcTanh[(b - (a - c)\*Tan[x/2])/Sqrt[a^2 + b^2 - c^2]])/Sqrt[a^2 + b^2 - c^2]

#### Rule 3165

Int[sec[(d\_.) + (e\_.)\*(x\_)]^(n\_.)\*((a\_.) + (b\_.)\*sec[(d\_.) + (e\_.)\*(x\_)] + (c\_.)\*tan[(d\_.) + (e\_.)\*(x\_)]^(m\_), x\_Symbol] := Int[1/(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])^n, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[m + n, 0] && IntegerQ[n]

#### Rule 3124

Int[(cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]^(-1), x\_Symbol] := Module[{f = FreeFactors[Tan[(d + e\*x)/2], x]}, Dist[(2\*f)/e, Subst[Int[1/(a + b + 2\*c\*f\*x + (a - b)\*f^2\*x^2), x], x, Tan[(d + e\*x)/2]/f], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]

#### Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

#### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\begin{aligned}
\int \frac{\sec(x)}{a + c \sec(x) + b \tan(x)} dx &= \int \frac{1}{c + a \cos(x) + b \sin(x)} dx \\
&= 2 \operatorname{Subst} \left( \int \frac{1}{a + c + 2bx + (-a + c)x^2} dx, x, \tan\left(\frac{x}{2}\right) \right) \\
&= - \left( 4 \operatorname{Subst} \left( \int \frac{1}{4(a^2 + b^2 - c^2) - x^2} dx, x, 2b + 2(-a + c) \tan\left(\frac{x}{2}\right) \right) \right) \\
&= - \frac{2 \tanh^{-1} \left( \frac{b - (a - c) \tan\left(\frac{x}{2}\right)}{\sqrt{a^2 + b^2 - c^2}} \right)}{\sqrt{a^2 + b^2 - c^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.0450145, size = 50, normalized size = 0.98

$$-\frac{2 \tanh^{-1} \left( \frac{(c-a) \tan\left(\frac{x}{2}\right) + b}{\sqrt{a^2 + b^2 - c^2}} \right)}{\sqrt{a^2 + b^2 - c^2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[x]/(a + c\*Sec[x] + b\*Tan[x]),x]

[Out] (-2\*ArcTanh[(b + (-a + c)\*Tan[x/2])/Sqrt[a^2 + b^2 - c^2]])/Sqrt[a^2 + b^2 - c^2]

**Maple [A]** time = 0.059, size = 53, normalized size = 1.

$$-2 \frac{1}{\sqrt{-a^2 - b^2 + c^2}} \arctan \left( \frac{1}{2} \frac{2(a - c) \tan(x/2) - 2b}{\sqrt{-a^2 - b^2 + c^2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(x)/(a+c\*sec(x)+b\*tan(x)),x)

[Out] -2/(-a^2-b^2+c^2)^(1/2)\*arctan(1/2\*(2\*(a-c)\*tan(1/2\*x)-2\*b)/(-a^2-b^2+c^2)^(1/2))

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)/(a+c\*sec(x)+b\*tan(x)),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.14003, size = 799, normalized size = 15.67

$$\left[ \log \left( -\frac{2a^4 + 3a^2b^2 + b^4 - (a^2 - b^2)c^2 + 2(a^3 + ab^2)c \cos(x) - (a^4 - b^4 - 2(a^2 - b^2)c^2) \cos(x)^2 + 2((a^2b + b^3)c - (a^3b + ab^3 - 2abc^2) \cos(x)) \sin(x) - 2(2abc \cos(x)^2 - abc + (a^2ac \cos(x) + (a^2 - b^2) \cos(x)^2 + b^2 + c^2 + 2(ab \cos(x) + bc) \sin(x))}{2\sqrt{a^2 + b^2 - c^2}} \right) \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)/(a+c\*sec(x)+b\*tan(x)),x, algorithm="fricas")

[Out] [1/2\*log(-(2\*a^4 + 3\*a^2\*b^2 + b^4 - (a^2 - b^2)\*c^2 + 2\*(a^3 + a\*b^2)\*c\*cos(x) - (a^4 - b^4 - 2\*(a^2 - b^2)\*c^2)\*cos(x)^2 + 2\*((a^2\*b + b^3)\*c - (a^3\*b + a\*b^3 - 2\*a\*b\*c^2)\*cos(x))\*sin(x) - 2\*(2\*a\*b\*c\*cos(x)^2 - a\*b\*c + (a^2\*b + b^3)\*cos(x) - (a^3 + a\*b^2 + (a^2 - b^2)\*c\*cos(x))\*sin(x))\*sqrt(a^2 + b^2 - c^2))/(2\*a\*c\*cos(x) + (a^2 - b^2)\*cos(x)^2 + b^2 + c^2 + 2\*(a\*b\*cos(x) + b\*c)\*sin(x))/sqrt(a^2 + b^2 - c^2), sqrt(-a^2 - b^2 + c^2)\*arctan((a\*c\*cos(x) + b\*c\*sin(x) + a^2 + b^2)\*sqrt(-a^2 - b^2 + c^2)/((a^2\*b + b^3 - b\*c^2)\*cos(x) - (a^3 + a\*b^2 - a\*c^2)\*sin(x)))/(a^2 + b^2 - c^2)]

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec(x)}{a + b \tan(x) + c \sec(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)/(a+c\*sec(x)+b\*tan(x)),x)

[Out] Integral(sec(x)/(a + b\*tan(x) + c\*sec(x)), x)

**Giac [A]** time = 1.16505, size = 99, normalized size = 1.94

$$\frac{2 \left( \pi \left\lfloor \frac{x}{2\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(2a - 2c) + \arctan \left( \frac{a \tan\left(\frac{1}{2}x\right) - c \tan\left(\frac{1}{2}x\right) - b}{\sqrt{-a^2 - b^2 + c^2}} \right) \right)}{\sqrt{-a^2 - b^2 + c^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)/(a+c\*sec(x)+b\*tan(x)),x, algorithm="giac")

[Out] -2\*(pi\*floor(1/2\*x/pi + 1/2)\*sgn(2\*a - 2\*c) + arctan((a\*tan(1/2\*x) - c\*tan(1/2\*x) - b)/sqrt(-a^2 - b^2 + c^2)))/sqrt(-a^2 - b^2 + c^2)



$$3.447 \quad \int \frac{\sec^2(x)}{a+c \sec(x)+b \tan(x)} dx$$

**Optimal.** Leaf size=142

$$\frac{2ac \tanh^{-1}\left(\frac{b-(a-c)\tan\left(\frac{x}{2}\right)}{\sqrt{a^2+b^2-c^2}}\right)}{(b^2-c^2)\sqrt{a^2+b^2-c^2}} + \frac{b \log\left(-\left(a-c\right)\tan^2\left(\frac{x}{2}\right) + a + 2b \tan\left(\frac{x}{2}\right) + c\right)}{b^2-c^2} - \frac{\log\left(1 - \tan\left(\frac{x}{2}\right)\right)}{b+c} - \frac{\log\left(\tan\left(\frac{x}{2}\right) + 1\right)}{b-c}$$

[Out] (-2\*a\*c\*ArcTanh[(b - (a - c)\*Tan[x/2])/Sqrt[a^2 + b^2 - c^2]]/((b^2 - c^2)\*Sqrt[a^2 + b^2 - c^2]) - Log[1 - Tan[x/2]]/(b + c) - Log[1 + Tan[x/2]]/(b - c) + (b\*Log[a + c + 2\*b\*Tan[x/2] - (a - c)\*Tan[x/2]^2])/(b^2 - c^2)

**Rubi [A]** time = 0.514689, antiderivative size = 142, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$ , Rules used = {4397, 1075, 634, 618, 206, 628, 633, 31}

$$\frac{2ac \tanh^{-1}\left(\frac{b-(a-c)\tan\left(\frac{x}{2}\right)}{\sqrt{a^2+b^2-c^2}}\right)}{(b^2-c^2)\sqrt{a^2+b^2-c^2}} + \frac{b \log\left(-\left(a-c\right)\tan^2\left(\frac{x}{2}\right) + a + 2b \tan\left(\frac{x}{2}\right) + c\right)}{b^2-c^2} - \frac{\log\left(1 - \tan\left(\frac{x}{2}\right)\right)}{b+c} - \frac{\log\left(\tan\left(\frac{x}{2}\right) + 1\right)}{b-c}$$

Antiderivative was successfully verified.

[In] Int[Sec[x]^2/(a + c\*Sec[x] + b\*Tan[x]),x]

[Out] (-2\*a\*c\*ArcTanh[(b - (a - c)\*Tan[x/2])/Sqrt[a^2 + b^2 - c^2]]/((b^2 - c^2)\*Sqrt[a^2 + b^2 - c^2]) - Log[1 - Tan[x/2]]/(b + c) - Log[1 + Tan[x/2]]/(b - c) + (b\*Log[a + c + 2\*b\*Tan[x/2] - (a - c)\*Tan[x/2]^2])/(b^2 - c^2)

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 1075

Int[((A\_.) + (C\_.)\*(x\_)^2)/(((a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)\*((d\_) + (f\_.)\*(x\_)^2)), x\_Symbol] := With[{q = c^2\*d^2 + b^2\*d\*f - 2\*a\*c\*d\*f + a^2\*f^2}, Dist[1/q, Int[(A\*c^2\*d - a\*c\*C\*d + A\*b^2\*f - a\*A\*c\*f + a^2\*C\*f + c\*(-(b\*C\*d) + A\*b\*f)\*x)/(a + b\*x + c\*x^2), x], x] + Dist[1/q, Int[(c\*C\*d^2 - A\*c\*d\*f - a\*C\*d\*f + a\*A\*f^2 - f\*(-(b\*C\*d) + A\*b\*f)\*x)/(d + f\*x^2), x], x] /; NeQ[q, 0] /; FreeQ[{a, b, c, d, f, A, C}, x] && NeQ[b^2 - 4\*a\*c, 0]

#### Rule 634

Int[((d\_.) + (e\_.)\*(x\_))/((a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] := Dist[(2\*c\*d - b\*e)/(2\*c), Int[1/(a + b\*x + c\*x^2), x], x] + Dist[e/(2\*c), Int[(b + 2\*c\*x)/(a + b\*x + c\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2\*c\*d - b\*e, 0] && NeQ[b^2 - 4\*a\*c, 0] && !NiceSqrtQ[b^2 - 4\*a\*c]

#### Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

#### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

**Rule 628**

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

**Rule 633**

```
Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := With[{q = Rt[-(
a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x), x], x] + Dist[e/2 - (c
*d)/(2*q), Int[1/(q + c*x), x], x]] /; FreeQ[{a, c, d, e}, x] && NiceSqrtQ[
-(a*c)]
```

**Rule 31**

```
Int[((a_) + (b_.)*(x_))^(1), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

**Rubi steps**

$$\begin{aligned} \int \frac{\sec^2(x)}{a + c \sec(x) + b \tan(x)} dx &= \int \frac{\sec(x)}{c + a \cos(x) + b \sin(x)} dx \\ &= 2 \operatorname{Subst} \left( \int \frac{1 + x^2}{(1 - x^2)(a + c + 2bx - (a - c)x^2)} dx, x, \tan\left(\frac{x}{2}\right) \right) \\ &= -\frac{\operatorname{Subst} \left( \int \frac{4c - 4bx}{1 - x^2} dx, x, \tan\left(\frac{x}{2}\right) \right)}{2(b^2 - c^2)} - \frac{\operatorname{Subst} \left( \int \frac{-4b^2 + (-a+c)^2 - (a+c)^2 - 4b(-a+c)x}{a+c+2bx+(-a+c)x^2} dx, x, \tan\left(\frac{x}{2}\right) \right)}{2(b^2 - c^2)} \\ &= \frac{\operatorname{Subst} \left( \int \frac{1}{-1-x} dx, x, \tan\left(\frac{x}{2}\right) \right)}{b - c} + \frac{\operatorname{Subst} \left( \int \frac{1}{1-x} dx, x, \tan\left(\frac{x}{2}\right) \right)}{b + c} + \frac{b \operatorname{Subst} \left( \int \frac{2b+2(-a+c)x}{a+c+2bx+(-a+c)x^2} dx, x, \tan\left(\frac{x}{2}\right) \right)}{b^2 - c^2} \\ &= -\frac{\log\left(1 - \tan\left(\frac{x}{2}\right)\right)}{b + c} - \frac{\log\left(1 + \tan\left(\frac{x}{2}\right)\right)}{b - c} + \frac{b \log\left(a + c + 2b \tan\left(\frac{x}{2}\right) - (a - c) \tan^2\left(\frac{x}{2}\right)\right)}{b^2 - c^2} \\ &= -\frac{2ac \tanh^{-1} \left( \frac{b - (a - c) \tan\left(\frac{x}{2}\right)}{\sqrt{a^2 + b^2 - c^2}} \right)}{(b^2 - c^2) \sqrt{a^2 + b^2 - c^2}} - \frac{\log\left(1 - \tan\left(\frac{x}{2}\right)\right)}{b + c} - \frac{\log\left(1 + \tan\left(\frac{x}{2}\right)\right)}{b - c} + \frac{b \log\left(a + c + 2b \tan\left(\frac{x}{2}\right) - (a - c) \tan^2\left(\frac{x}{2}\right)\right)}{b^2 - c^2} \end{aligned}$$

**Mathematica [A]** time = 0.289371, size = 120, normalized size = 0.85

$$\frac{2ac \tanh^{-1} \left( \frac{(c-a) \tan\left(\frac{x}{2}\right) + b}{\sqrt{a^2 + b^2 - c^2}} \right)}{\sqrt{a^2 + b^2 - c^2}} - \frac{b \log(a \cos(x) + b \sin(x) + c) + (b - c) \log\left(\cos\left(\frac{x}{2}\right) - \sin\left(\frac{x}{2}\right)\right) + (b + c) \log\left(\sin\left(\frac{x}{2}\right) + \cos\left(\frac{x}{2}\right)\right)}{(c - b)(b + c)}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sec[x]^2/(a + c*Sec[x] + b*Tan[x]), x]
```

```
[Out] ((2*a*c*ArcTanh[(b + (-a + c)*Tan[x/2])/Sqrt[a^2 + b^2 - c^2]])/Sqrt[a^2 +
b^2 - c^2] + (b - c)*Log[Cos[x/2] - Sin[x/2]] + (b + c)*Log[Cos[x/2] + Sin[
```

$x/2]] - b \cdot \text{Log}[c + a \cdot \text{Cos}[x] + b \cdot \text{Sin}[x]] / ((-b + c) \cdot (b + c))$

**Maple [B]** time = 0.059, size = 430, normalized size = 3.

$$\frac{ab}{(b-c)(b+c)(a-c)} \ln\left(a \left(\tan\left(\frac{x}{2}\right)\right)^2 - \left(\tan\left(\frac{x}{2}\right)\right)^2 c - 2b \tan(x/2) - a - c\right) - \frac{cb}{(b-c)(b+c)(a-c)} \ln\left(a \left(\tan\left(\frac{x}{2}\right)\right)^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(x)^2/(a+c\*sec(x)+b\*tan(x)),x)

[Out]  $\frac{1}{(b-c)(b+c)(a-c)} \ln(a \tan(1/2*x)^2 - \tan(1/2*x)^2 c - 2*b \tan(1/2*x) - a - c) * a * b - \frac{1}{(b-c)(b+c)(a-c)} \ln(a \tan(1/2*x)^2 - \tan(1/2*x)^2 c - 2*b \tan(1/2*x) - a - c) * c * b - \frac{2}{(b-c)(b+c)(-a^2-b^2+c^2)^{1/2}} \arctan(1/2*(2*(a-c)*\tan(1/2*x)-2*b)/(-a^2-b^2+c^2)^{1/2}) * a * c - \frac{2}{(b-c)(b+c)(-a^2-b^2+c^2)^{1/2}} \arctan(1/2*(2*(a-c)*\tan(1/2*x)-2*b)/(-a^2-b^2+c^2)^{1/2}) * b^2 + \frac{2}{(b-c)(b+c)(-a^2-b^2+c^2)^{1/2}} \arctan(1/2*(2*(a-c)*\tan(1/2*x)-2*b)/(-a^2-b^2+c^2)^{1/2}) * b^2 / (a-c) * a - \frac{2}{(b-c)(b+c)(-a^2-b^2+c^2)^{1/2}} \arctan(1/2*(2*(a-c)*\tan(1/2*x)-2*b)/(-a^2-b^2+c^2)^{1/2}) * b^2 / (a-c) * c - \frac{2}{(-2*c+2*b)} \ln(1+\tan(1/2*x)) - \frac{2}{(2*b+2*c)} \ln(\tan(1/2*x)-1)$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2/(a+c\*sec(x)+b\*tan(x)),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 21.9246, size = 1539, normalized size = 10.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2/(a+c\*sec(x)+b\*tan(x)),x, algorithm="fricas")

[Out]  $[-1/2 * (\text{sqrt}(a^2 + b^2 - c^2) * a * c * \log((2*a^4 + 3*a^2*b^2 + b^4 - (a^2 - b^2) * c^2 + 2*(a^3 + a*b^2) * c * \cos(x) - (a^4 - b^4 - 2*(a^2 - b^2) * c^2) * \cos(x)^2 + 2*((a^2*b + b^3) * c - (a^3*b + a*b^3 - 2*a*b*c^2) * \cos(x)) * \sin(x) + 2*(2*a*b*c * \cos(x)^2 - a*b*c + (a^2*b + b^3) * \cos(x) - (a^3 + a*b^2 + (a^2 - b^2) * c * \cos(x)) * \sin(x)) * \text{sqrt}(a^2 + b^2 - c^2)) / (2*a*c*\cos(x) + (a^2 - b^2)*\cos(x)^2 + b^2 + c^2 + 2*(a*b*\cos(x) + b*c)*\sin(x))) - (a^2*b + b^3 - b*c^2) * \log(2*a*c*\cos(x) + (a^2 - b^2)*\cos(x)^2 + b^2 + c^2 + 2*(a*b*\cos(x) + b*c)*\sin(x)) + (a^2*b + b^3 - b*c^2 - c^3 + (a^2 + b^2) * c) * \log(\sin(x) + 1) + (a^2*b + b^3 - b*c^2 + c^3 - (a^2 + b^2) * c) * \log(-\sin(x) + 1)) / (a^2*b^2 + b^4 + c^4 - (a^2 + 2*b^2) * c^2), 1/2 * (2*\text{sqrt}(-a^2 - b^2 + c^2) * a * c * \arctan((a*c*\cos(x) + b*c*\sin(x) + a^2 + b^2) * \text{sqrt}(-a^2 - b^2 + c^2)) / ((a^2*b + b^3 - b*c^2) * \cos(x) - (a^3 + a*b^2 - a*c^2) * \sin(x))) + (a^2*b + b^3 - b*c^2) * \log(2*a*c*\cos(x) + (a^2 - b^2) * \cos(x)^2 + b^2 + c^2 + 2*(a*b*\cos(x) + b*c)*\sin(x)) - (a^2 * c^2 + 2*(a^3 + a*b^2) * c * \cos(x) - (a^4 - b^4 - 2*(a^2 - b^2) * c^2) * \cos(x)^2 + 2*((a^2*b + b^3) * c - (a^3*b + a*b^3 - 2*a*b*c^2) * \cos(x)) * \sin(x) + 2*(2*a*b*c * \cos(x)^2 - a*b*c + (a^2*b + b^3) * \cos(x) - (a^3 + a*b^2 + (a^2 - b^2) * c * \cos(x)) * \sin(x)) * \text{sqrt}(a^2 + b^2 - c^2)) / (2*a*c*\cos(x) + (a^2 - b^2)*\cos(x)^2 + b^2 + c^2 + 2*(a*b*\cos(x) + b*c)*\sin(x)) - (a^2*b + b^3 - b*c^2) * \log(2*a*c*\cos(x) + (a^2 - b^2)*\cos(x)^2 + b^2 + c^2 + 2*(a*b*\cos(x) + b*c)*\sin(x)) + (a^2*b + b^3 - b*c^2 - c^3 + (a^2 + b^2) * c) * \log(\sin(x) + 1) + (a^2*b + b^3 - b*c^2 + c^3 - (a^2 + b^2) * c) * \log(-\sin(x) + 1)) / (a^2*b^2 + b^4 + c^4 - (a^2 + 2*b^2) * c^2), 1/2 * (2*\text{sqrt}(-a^2 - b^2 + c^2) * a * c * \arctan((a*c*\cos(x) + b*c*\sin(x) + a^2 + b^2) * \text{sqrt}(-a^2 - b^2 + c^2)) / ((a^2*b + b^3 - b*c^2) * \cos(x) - (a^3 + a*b^2 - a*c^2) * \sin(x))) + (a^2*b + b^3 - b*c^2) * \log(2*a*c*\cos(x) + (a^2 - b^2) * \cos(x)^2 + b^2 + c^2 + 2*(a*b*\cos(x) + b*c)*\sin(x)) - (a^2 * c^2 + 2*(a^3 + a*b^2) * c * \cos(x) - (a^4 - b^4 - 2*(a^2 - b^2) * c^2) * \cos(x)^2 + 2*((a^2*b + b^3) * c - (a^3*b + a*b^3 - 2*a*b*c^2) * \cos(x)) * \sin(x) + 2*(2*a*b*c * \cos(x)^2 - a*b*c + (a^2*b + b^3) * \cos(x) - (a^3 + a*b^2 + (a^2 - b^2) * c * \cos(x)) * \sin(x)) * \text{sqrt}(a^2 + b^2 - c^2)) / (2*a*c*\cos(x) + (a^2 - b^2)*\cos(x)^2 + b^2 + c^2 + 2*(a*b*\cos(x) + b*c)*\sin(x)) - (a^2*b + b^3 - b*c^2) * \log(2*a*c*\cos(x) + (a^2 - b^2)*\cos(x)^2 + b^2 + c^2 + 2*(a*b*\cos(x) + b*c)*\sin(x)) + (a^2*b + b^3 - b*c^2 - c^3 + (a^2 + b^2) * c) * \log(\sin(x) + 1) + (a^2*b + b^3 - b*c^2 + c^3 - (a^2 + b^2) * c) * \log(-\sin(x) + 1)) / (a^2*b^2 + b^4 + c^4 - (a^2 + 2*b^2) * c^2)$

```
b + b^3 - b*c^2 - c^3 + (a^2 + b^2)*c*log(sin(x) + 1) - (a^2*b + b^3 - b*c^2 + c^3 - (a^2 + b^2)*c*log(-sin(x) + 1))/(a^2*b^2 + b^4 + c^4 - (a^2 + 2*b^2)*c^2)]
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec^2(x)}{a + b \tan(x) + c \sec(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)**2/(a+c*sec(x)+b*tan(x)),x)
```

```
[Out] Integral(sec(x)**2/(a + b*tan(x) + c*sec(x)), x)
```

**Giac [A]** time = 1.23609, size = 217, normalized size = 1.53

$$\frac{2 \left( \pi \left\lfloor \frac{x}{2\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(-2a + 2c) + \arctan \left( -\frac{a \tan\left(\frac{1}{2}x\right) - c \tan\left(\frac{1}{2}x\right) - b}{\sqrt{-a^2 - b^2 + c^2}} \right) \right) ac}{\sqrt{-a^2 - b^2 + c^2} (b^2 - c^2)} + \frac{b \log \left( -a \tan\left(\frac{1}{2}x\right)^2 + c \tan\left(\frac{1}{2}x\right)^2 + 2b \tan\left(\frac{1}{2}x\right) + a + c \right)}{b^2 - c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)^2/(a+c*sec(x)+b*tan(x)),x, algorithm="giac")
```

```
[Out] 2*(pi*floor(1/2*x/pi + 1/2)*sgn(-2*a + 2*c) + arctan(-(a*tan(1/2*x) - c*tan(1/2*x) - b)/sqrt(-a^2 - b^2 + c^2)))*a*c/(sqrt(-a^2 - b^2 + c^2)*(b^2 - c^2)) + b*log(-a*tan(1/2*x)^2 + c*tan(1/2*x)^2 + 2*b*tan(1/2*x) + a + c)/(b^2 - c^2) - log(abs(tan(1/2*x) + 1))/(b - c) - log(abs(tan(1/2*x) - 1))/(b + c)
```

$$3.448 \quad \int \frac{(a+b \sec(d+ex)+c \tan(d+ex))^{3/2}}{\sec^2(d+ex)} dx$$

**Optimal.** Leaf size=371

$$\frac{2(a^2 - b^2 + c^2) \sqrt{\frac{a \cos(d+ex)+b+c \sin(d+ex)}{\sqrt{a^2+c^2+b}}} (a+b \sec(d+ex)+c \tan(d+ex))^{3/2} \text{EllipticF}\left(\frac{1}{2}(-\tan^{-1}(a,c)+d+ex), \frac{2\sqrt{a^2+c^2}}{\sqrt{a^2+c^2+b}}\right)}{3e \sec^2(d+ex)(a \cos(d+ex)+b+c \sin(d+ex))^2}$$

```
[Out] (-2*(c*cos[d + e*x] - a*sin[d + e*x])*(a + b*Sec[d + e*x] + c*Tan[d + e*x])
^(3/2))/(3*e*Sec[d + e*x]^(3/2)*(b + a*cos[d + e*x] + c*sin[d + e*x])) + (8
*b*EllipticE[(d + e*x - ArcTan[a, c])/2, (2*Sqrt[a^2 + c^2])/(b + Sqrt[a^2
+ c^2])]*(a + b*Sec[d + e*x] + c*Tan[d + e*x])^(3/2))/(3*e*Sec[d + e*x]^(3/
2)*(b + a*cos[d + e*x] + c*sin[d + e*x])*Sqrt[(b + a*cos[d + e*x] + c*sin[d
+ e*x])/(b + Sqrt[a^2 + c^2])]) + (2*(a^2 - b^2 + c^2)*EllipticF[(d + e*x
- ArcTan[a, c])/2, (2*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]*Sqrt[(b + a*c
os[d + e*x] + c*sin[d + e*x])/(b + Sqrt[a^2 + c^2])]*(a + b*Sec[d + e*x] +
c*Tan[d + e*x])^(3/2))/(3*e*Sec[d + e*x]^(3/2)*(b + a*cos[d + e*x] + c*sin[
d + e*x])^2)
```

**Rubi [A]** time = 0.446565, antiderivative size = 371, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {3167, 3120, 3149, 3119, 2653, 3127, 2661}

$$\frac{2(a^2 - b^2 + c^2) \sqrt{\frac{a \cos(d+ex)+b+c \sin(d+ex)}{\sqrt{a^2+c^2+b}}} (a+b \sec(d+ex)+c \tan(d+ex))^{3/2} F\left(\frac{1}{2}(d+ex - \tan^{-1}(a,c)) \middle| \frac{2\sqrt{a^2+c^2}}{b+\sqrt{a^2+c^2}}\right)}{3e \sec^2(d+ex)(a \cos(d+ex)+b+c \sin(d+ex))^2} + \dots$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Sec[d + e*x] + c*Tan[d + e*x])^(3/2)/Sec[d + e*x]^(3/2), x]
```

```
[Out] (-2*(c*cos[d + e*x] - a*sin[d + e*x])*(a + b*Sec[d + e*x] + c*Tan[d + e*x])
^(3/2))/(3*e*Sec[d + e*x]^(3/2)*(b + a*cos[d + e*x] + c*sin[d + e*x])) + (8
*b*EllipticE[(d + e*x - ArcTan[a, c])/2, (2*Sqrt[a^2 + c^2])/(b + Sqrt[a^2
+ c^2])]*(a + b*Sec[d + e*x] + c*Tan[d + e*x])^(3/2))/(3*e*Sec[d + e*x]^(3/
2)*(b + a*cos[d + e*x] + c*sin[d + e*x])*Sqrt[(b + a*cos[d + e*x] + c*sin[d
+ e*x])/(b + Sqrt[a^2 + c^2])]) + (2*(a^2 - b^2 + c^2)*EllipticF[(d + e*x
- ArcTan[a, c])/2, (2*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]*Sqrt[(b + a*c
os[d + e*x] + c*sin[d + e*x])/(b + Sqrt[a^2 + c^2])]*(a + b*Sec[d + e*x] +
c*Tan[d + e*x])^(3/2))/(3*e*Sec[d + e*x]^(3/2)*(b + a*cos[d + e*x] + c*sin[
d + e*x])^2)
```

#### Rule 3167

```
Int[sec[(d_.) + (e_.)*(x_)]^(n_.)*((a_.) + (b_.)*sec[(d_.) + (e_.)*(x_)] +
(c_.)*tan[(d_.) + (e_.)*(x_)]^(m_), x_Symbol] := Dist[(Sec[d + e*x]^n*(b +
a*cos[d + e*x] + c*sin[d + e*x])^n)/(a + b*Sec[d + e*x] + c*Tan[d + e*x])^
n, Int[1/(b + a*cos[d + e*x] + c*sin[d + e*x])^n, x], x] /; FreeQ[{a, b, c,
d, e}, x] && EqQ[m + n, 0] && !IntegerQ[n]
```

#### Rule 3120

```
Int[(cos[(d_.) + (e_.)*(x_)]*(b_.) + (a_) + (c_.)*sin[(d_.) + (e_.)*(x_)])^
(n_), x_Symbol] := -Simp[((c*cos[d + e*x] - b*sin[d + e*x])*(a + b*cos[d +
e*x] + c*sin[d + e*x])^(n - 1))/(e*n), x] + Dist[1/n, Int[Simp[n*a^2 + (n -
1)*(b^2 + c^2) + a*b*(2*n - 1)*cos[d + e*x] + a*c*(2*n - 1)*sin[d + e*x],
x]*(a + b*cos[d + e*x] + c*sin[d + e*x])^(n - 2), x], x] /; FreeQ[{a, b, c,
d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && GtQ[n, 1]
```

#### Rule 3149

```
Int[((A_.) + cos[(d_.) + (e_.)*(x_)]*(B_.) + (C_.)*sin[(d_.) + (e_.)*(x_)])
/Sqrt[cos[(d_.) + (e_.)*(x_)]*(b_.) + (a_) + (c_.)*sin[(d_.) + (e_.)*(x_)])
, x_Symbol] := Dist[B/b, Int[Sqrt[a + b*cos[d + e*x] + c*sin[d + e*x]], x],
x] + Dist[(A*b - a*B)/b, Int[1/Sqrt[a + b*cos[d + e*x] + c*sin[d + e*x]],
x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && EqQ[B*c - b*C, 0] && NeQ[A*
b - a*B, 0]
```

#### Rule 3119

```
Int[Sqrt[cos[(d_.) + (e_.)*(x_)]*(b_.) + (a_) + (c_.)*sin[(d_.) + (e_.)*(x_
)]], x_Symbol] := Dist[Sqrt[a + b*cos[d + e*x] + c*sin[d + e*x]]/Sqrt[(a +
b*cos[d + e*x] + c*sin[d + e*x])/(a + Sqrt[b^2 + c^2])], Int[Sqrt[a/(a + Sq
rt[b^2 + c^2]) + (Sqrt[b^2 + c^2]*cos[d + e*x - ArcTan[b, c])]/(a + Sqrt[b^
2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]
&& NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]
```

#### Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

#### Rule 3127

```
Int[1/Sqrt[cos[(d_.) + (e_.)*(x_)]*(b_.) + (a_) + (c_.)*sin[(d_.) + (e_.)*(
x_)]], x_Symbol] := Dist[Sqrt[(a + b*cos[d + e*x] + c*sin[d + e*x])/(a + Sq
rt[b^2 + c^2])]/Sqrt[a + b*cos[d + e*x] + c*sin[d + e*x]], Int[1/Sqrt[a/(a
+ Sqrt[b^2 + c^2]) + (Sqrt[b^2 + c^2]*cos[d + e*x - ArcTan[b, c])]/(a + Sqr
t[b^2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2,
0] && NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]
```

#### Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(d + ex) + c \tan(d + ex))^{3/2}}{\sec^2(d + ex)} dx &= \frac{(a + b \sec(d + ex) + c \tan(d + ex))^{3/2} \int (b + a \cos(d + ex) + c \sin(d + ex))}{\sec^2(d + ex)(b + a \cos(d + ex) + c \sin(d + ex))^{3/2}} \\
&= -\frac{2(c \cos(d + ex) - a \sin(d + ex))(a + b \sec(d + ex) + c \tan(d + ex))^{3/2}}{3e \sec^2(d + ex)(b + a \cos(d + ex) + c \sin(d + ex))} \\
&= -\frac{2(c \cos(d + ex) - a \sin(d + ex))(a + b \sec(d + ex) + c \tan(d + ex))^{3/2}}{3e \sec^2(d + ex)(b + a \cos(d + ex) + c \sin(d + ex))} \\
&= -\frac{2(c \cos(d + ex) - a \sin(d + ex))(a + b \sec(d + ex) + c \tan(d + ex))^{3/2}}{3e \sec^2(d + ex)(b + a \cos(d + ex) + c \sin(d + ex))} \\
&= -\frac{2(c \cos(d + ex) - a \sin(d + ex))(a + b \sec(d + ex) + c \tan(d + ex))^{3/2}}{3e \sec^2(d + ex)(b + a \cos(d + ex) + c \sin(d + ex))}
\end{aligned}$$

**Mathematica [C]** time = 6.45211, size = 2490, normalized size = 6.71

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x])^(3/2)/Sec[d + e\*x]^(3/2), x]

[Out] (((8\*a\*b)/(3\*c) - (2\*c\*Cos[d + e\*x])/3 + (2\*a\*Sin[d + e\*x])/3)\*(a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x])^(3/2))/(e\*Sec[d + e\*x]^(3/2)\*(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])) + (2\*a^2\*AppellF1[1/2, 1/2, 1/2, 3/2, -(b + Sqrt[1 + a^2/c^2]\*c\*Sin[d + e\*x + ArcTan[a/c]])/(Sqrt[1 + a^2/c^2]\*(1 - b/(Sqrt[1 + a^2/c^2]\*c)))\*c), -(b + Sqrt[1 + a^2/c^2]\*c\*Sin[d + e\*x + ArcTan[a/c]])/(Sqrt[1 + a^2/c^2]\*(-1 - b/(Sqrt[1 + a^2/c^2]\*c))\*c)]\*Sec[d + e\*x + ArcTan[a/c]]\*Sqrt[(c\*Sqrt[(a^2 + c^2)/c^2] - c\*Sqrt[(a^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[a/c]])/(b + c\*Sqrt[(a^2 + c^2)/c^2])]\*Sqrt[b + c\*Sqrt[(a^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[a/c]]]\*Sqrt[(c\*Sqrt[(a^2 + c^2)/c^2] + c\*Sqrt[(a^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[a/c]])/(-b + c\*Sqrt[(a^2 + c^2)/c^2])]\*(a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x])^(3/2))/(3\*Sqrt[1 + a^2/c^2]\*c\*e\*Sec[d + e\*x]^(3/2)\*(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(3/2)) + (2\*b^2\*AppellF1[1/2, 1/2, 1/2, 3/2, -(b + Sqrt[1 + a^2/c^2]\*c\*Sin[d + e\*x + ArcTan[a/c]])/(Sqrt[1 + a^2/c^2]\*(1 - b/(Sqrt[1 + a^2/c^2]\*c)))\*c), -(b + Sqrt[1 + a^2/c^2]\*c\*Sin[d + e\*x + ArcTan[a/c]])/(Sqrt[1 + a^2/c^2]\*(-1 - b/(Sqrt[1 + a^2/c^2]\*c))\*c)]\*Sec[d + e\*x + ArcTan[a/c]]\*Sqrt[(c\*Sqrt[(a^2 + c^2)/c^2] - c\*Sqrt[(a^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[a/c]])/(b + c\*Sqrt[(a^2 + c^2)/c^2])]\*Sqrt[b + c\*Sqrt[(a^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[a/c]]]\*Sqrt[(c\*Sqrt[(a^2 + c^2)/c^2] + c\*Sqrt[(a^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[a/c]])/(-b + c\*Sqrt[(a^2 + c^2)/c^2])]\*(a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x])^(3/2))/(Sqrt[1 + a^2/c^2]\*c\*e\*Sec[d + e\*x]^(3/2)\*(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(3/2)) + (2\*c\*AppellF1[1/2, 1/2, 1/2, 3/2, -(b + Sqrt[1 + a^2/c^2]\*c\*Sin[d + e\*x + ArcTan[a/c]])/(Sqrt[1 + a^2/c^2]\*(1 - b/(Sqrt[1 + a^2/c^2]\*c)))\*c), -(b + Sqrt[1 + a^2/c^2]\*c\*Sin[d + e\*x + ArcTan[a/c]])/(Sqrt[1 + a^2/c^2]\*(-1 - b/(Sqrt[1 + a^2/c^2]\*c))\*c)]\*Sec[d + e\*x + ArcTan[a/c]]\*Sqrt[(c\*Sqrt[(a^2 + c^2)/c^2] - c\*Sqrt[(a^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[a/c]])/(b + c\*Sqrt[(a^2 + c^2)/c^2])]\*Sqrt[b + c\*Sqrt[(a^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[a/c]]]\*Sqrt[(c\*Sqrt[(a^2 + c^2)/c^2] + c\*Sqrt[(a^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[a/c]])/(-b + c\*Sqrt[(a^2 + c^2)/c^2])]

```

*Sin[d + e*x + ArcTan[a/c]]/(-b + c*Sqrt[(a^2 + c^2)/c^2])*(a + b*Sec[d +
e*x] + c*Tan[d + e*x])^(3/2))/(3*Sqrt[1 + a^2/c^2]*e*Sec[d + e*x]^(3/2)*(b
+ a*cos[d + e*x] + c*sin[d + e*x])^(3/2)) + (4*a^2*b*(-((c*AppellF1[-1/2,
-1/2, -1/2, 1/2, -((b + a*Sqrt[1 + c^2/a^2]*Cos[d + e*x - ArcTan[c/a]])/(a*
Sqrt[1 + c^2/a^2]*(1 - b/(a*Sqrt[1 + c^2/a^2])))), -(b + a*Sqrt[1 + c^2/a^
2]*Cos[d + e*x - ArcTan[c/a]])/(a*Sqrt[1 + c^2/a^2]*(-1 - b/(a*Sqrt[1 + c^2
/a^2])))))]*Sin[d + e*x - ArcTan[c/a]])/(a*Sqrt[1 + c^2/a^2]*Sqrt[(a*Sqrt[(a
^2 + c^2)/a^2] - a*Sqrt[(a^2 + c^2)/a^2]*Cos[d + e*x - ArcTan[c/a]])/(b + a
*Sqrt[(a^2 + c^2)/a^2])]*Sqrt[b + a*Sqrt[(a^2 + c^2)/a^2]*Cos[d + e*x - Arc
Tan[c/a]])*Sqrt[(a*Sqrt[(a^2 + c^2)/a^2] + a*Sqrt[(a^2 + c^2)/a^2]*Cos[d +
e*x - ArcTan[c/a]])/(-b + a*Sqrt[(a^2 + c^2)/a^2])))) - ((2*a*(b + a*Sqrt[1
+ c^2/a^2]*Cos[d + e*x - ArcTan[c/a]]))/(a^2 + c^2) - (c*sin[d + e*x - Arc
Tan[c/a]])/(a*Sqrt[1 + c^2/a^2]))/Sqrt[b + a*Sqrt[1 + c^2/a^2]*Cos[d + e*x
- ArcTan[c/a]])*(a + b*Sec[d + e*x] + c*Tan[d + e*x])^(3/2))/(3*c*e*Sec[d
+ e*x]^(3/2)*(b + a*cos[d + e*x] + c*sin[d + e*x])^(3/2)) + (4*b*c*(-((c*Ap
pellF1[-1/2, -1/2, -1/2, 1/2, -((b + a*Sqrt[1 + c^2/a^2]*Cos[d + e*x - ArcT
an[c/a]])/(a*Sqrt[1 + c^2/a^2]*(1 - b/(a*Sqrt[1 + c^2/a^2])))), -(b + a*Sq
rt[1 + c^2/a^2]*Cos[d + e*x - ArcTan[c/a]])/(a*Sqrt[1 + c^2/a^2]*(-1 - b/(a
*Sqrt[1 + c^2/a^2])))))]*Sin[d + e*x - ArcTan[c/a]])/(a*Sqrt[1 + c^2/a^2]*Sq
rt[(a*Sqrt[(a^2 + c^2)/a^2] - a*Sqrt[(a^2 + c^2)/a^2]*Cos[d + e*x - ArcTan[
c/a]])/(b + a*Sqrt[(a^2 + c^2)/a^2])]*Sqrt[b + a*Sqrt[(a^2 + c^2)/a^2]*Cos[
d + e*x - ArcTan[c/a]])*Sqrt[(a*Sqrt[(a^2 + c^2)/a^2] + a*Sqrt[(a^2 + c^2)/
a^2]*Cos[d + e*x - ArcTan[c/a]])/(-b + a*Sqrt[(a^2 + c^2)/a^2])))) - ((2*a*
(b + a*Sqrt[1 + c^2/a^2]*Cos[d + e*x - ArcTan[c/a]]))/(a^2 + c^2) - (c*sin[
d + e*x - ArcTan[c/a]])/(a*Sqrt[1 + c^2/a^2]))/Sqrt[b + a*Sqrt[1 + c^2/a^2]
*cos[d + e*x - ArcTan[c/a]])*(a + b*Sec[d + e*x] + c*Tan[d + e*x])^(3/2))/
(3*e*Sec[d + e*x]^(3/2)*(b + a*cos[d + e*x] + c*sin[d + e*x])^(3/2))

```

**Maple [C]** time = 2.027, size = 21265, normalized size = 57.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*sec(e*x+d)+c*tan(e*x+d))^(3/2)/sec(e*x+d)^(3/2),x)
```

```
[Out] result too large to display
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \sec(ex + d) + c \tan(ex + d) + a)^{\frac{3}{2}}}{\sec(ex + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(e*x+d)+c*tan(e*x+d))^(3/2)/sec(e*x+d)^(3/2),x, algorithm
="maxima")
```

```
[Out] integrate((b*sec(e*x + d) + c*tan(e*x + d) + a)^(3/2)/sec(e*x + d)^(3/2), x
)
```



**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(b \sec(ex + d) + c \tan(ex + d) + a)^{\frac{3}{2}}}{\sec(ex + d)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sec(e\*x+d)+c\*tan(e\*x+d))^(3/2)/sec(e\*x+d)^(3/2),x, algorithm="fricas")

[Out] integral((b\*sec(e\*x + d) + c\*tan(e\*x + d) + a)^(3/2)/sec(e\*x + d)^(3/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sec(e\*x+d)+c\*tan(e\*x+d))\*\*(3/2)/sec(e\*x+d)\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \sec(ex + d) + c \tan(ex + d) + a)^{\frac{3}{2}}}{\sec(ex + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sec(e\*x+d)+c\*tan(e\*x+d))^(3/2)/sec(e\*x+d)^(3/2),x, algorithm="giac")

[Out] integrate((b\*sec(e\*x + d) + c\*tan(e\*x + d) + a)^(3/2)/sec(e\*x + d)^(3/2), x)

$$3.449 \quad \int \frac{\sqrt{a+b \sec(d+ex)+c \tan(d+ex)}}{\sqrt{\sec(d+ex)}} dx$$

**Optimal.** Leaf size=118

$$\frac{2\sqrt{a+b \sec(d+ex)+c \tan(d+ex)} E\left(\frac{1}{2}(d+ex - \tan^{-1}(a,c)) \middle| \frac{2\sqrt{a^2+c^2}}{b+\sqrt{a^2+c^2}}\right)}{e\sqrt{\sec(d+ex)} \sqrt{\frac{a \cos(d+ex)+b+c \sin(d+ex)}{\sqrt{a^2+c^2}+b}}}$$

[Out] (2\*EllipticE[(d + e\*x - ArcTan[a, c])/2, (2\*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]\*Sqrt[a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x]])/(e\*Sqrt[Sec[d + e\*x]]\*Sqrt[(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])/(b + Sqrt[a^2 + c^2])])

**Rubi [A]** time = 0.14404, antiderivative size = 118, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {3167, 3119, 2653}

$$\frac{2\sqrt{a+b \sec(d+ex)+c \tan(d+ex)} E\left(\frac{1}{2}(d+ex - \tan^{-1}(a,c)) \middle| \frac{2\sqrt{a^2+c^2}}{b+\sqrt{a^2+c^2}}\right)}{e\sqrt{\sec(d+ex)} \sqrt{\frac{a \cos(d+ex)+b+c \sin(d+ex)}{\sqrt{a^2+c^2}+b}}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x]]/Sqrt[Sec[d + e\*x]],x]

[Out] (2\*EllipticE[(d + e\*x - ArcTan[a, c])/2, (2\*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]\*Sqrt[a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x]])/(e\*Sqrt[Sec[d + e\*x]]\*Sqrt[(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])/(b + Sqrt[a^2 + c^2])])

#### Rule 3167

Int[sec[(d\_.) + (e\_.)\*(x\_)]^(n\_.)\*((a\_.) + (b\_.)\*sec[(d\_.) + (e\_.)\*(x\_)] + (c\_.)\*tan[(d\_.) + (e\_.)\*(x\_)]^(m\_), x\_Symbol] := Dist[(Sec[d + e\*x]^n\*(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])^n)/(a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x])^n, Int[1/(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])^n, x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[m + n, 0] && !IntegerQ[n]

#### Rule 3119

Int[Sqrt[cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]]/Sqrt[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])/(a + Sqrt[b^2 + c^2])], Int[Sqrt[a/(a + Sqrt[b^2 + c^2]) + (Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]])/(a + Sqrt[b^2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]

#### Rule 2653

Int[Sqrt[(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rubi steps

$$\int \frac{\sqrt{a + b \sec(d + ex) + c \tan(d + ex)}}{\sqrt{\sec(d + ex)}} dx = \frac{\sqrt{a + b \sec(d + ex) + c \tan(d + ex)} \int \sqrt{b + a \cos(d + ex) + c \sin(d + ex)} dx}{\sqrt{\sec(d + ex)} \sqrt{b + a \cos(d + ex) + c \sin(d + ex)}}$$

$$= \frac{\sqrt{a + b \sec(d + ex) + c \tan(d + ex)} \int \sqrt{\frac{b}{b + \sqrt{a^2 + c^2}} + \frac{\sqrt{a^2 + c^2} \cos(d + ex - \tan^{-1}(a, c))}{b + \sqrt{a^2 + c^2}}}}{\sqrt{\sec(d + ex)} \sqrt{\frac{b + a \cos(d + ex) + c \sin(d + ex)}{b + \sqrt{a^2 + c^2}}}}$$

$$= \frac{2E\left(\frac{1}{2} \left(d + ex - \tan^{-1}(a, c)\right) \middle| \frac{2\sqrt{a^2 + c^2}}{b + \sqrt{a^2 + c^2}}\right) \sqrt{a + b \sec(d + ex) + c \tan(d + ex)}}{e \sqrt{\sec(d + ex)} \sqrt{\frac{b + a \cos(d + ex) + c \sin(d + ex)}{b + \sqrt{a^2 + c^2}}}}$$

**Mathematica [C]** time = 6.25379, size = 1580, normalized size = 13.39

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x]]/Sqrt[Sec[d + e\*x]], x]

[Out] (2\*a\*Sqrt[a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x]])/(c\*e\*Sqrt[Sec[d + e\*x]]) + (2\*b\*AppellF1[1/2, 1/2, 1/2, 3/2, -((b + Sqrt[1 + a^2/c^2])\*c\*Sin[d + e\*x + ArcTan[a/c]])/(Sqrt[1 + a^2/c^2]\*(1 - b/(Sqrt[1 + a^2/c^2]\*c)))\*c), -((b + Sqrt[1 + a^2/c^2])\*c\*Sin[d + e\*x + ArcTan[a/c]])/(Sqrt[1 + a^2/c^2]\*(-1 - b/(Sqrt[1 + a^2/c^2]\*c)))\*c))\*Sec[d + e\*x + ArcTan[a/c]]\*Sqrt[(c\*Sqrt[(a^2 + c^2)/c^2] - c\*Sqrt[(a^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[a/c]])/(b + c\*Sqrt[(a^2 + c^2)/c^2])]\*Sqrt[b + c\*Sqrt[(a^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[a/c]]]\*Sqrt[(c\*Sqrt[(a^2 + c^2)/c^2] + c\*Sqrt[(a^2 + c^2)/c^2]\*Sin[d + e\*x + ArcTan[a/c]])/(-b + c\*Sqrt[(a^2 + c^2)/c^2])]\*Sqrt[a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x]]/(Sqrt[1 + a^2/c^2]\*c\*e\*Sqrt[Sec[d + e\*x]]\*Sqrt[b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x]]) + (a^2\*(-((c\*AppellF1[-1/2, -1/2, -1/2, 1/2, -((b + a\*Sqrt[1 + c^2/a^2])\*Cos[d + e\*x - ArcTan[c/a]])/(a\*Sqrt[1 + c^2/a^2]\*(1 - b/(a\*Sqrt[1 + c^2/a^2])))), -((b + a\*Sqrt[1 + c^2/a^2])\*Cos[d + e\*x - ArcTan[c/a]])/(a\*Sqrt[1 + c^2/a^2]\*(-1 - b/(a\*Sqrt[1 + c^2/a^2]))))\*Sin[d + e\*x - ArcTan[c/a]])/(a\*Sqrt[1 + c^2/a^2]\*Sqrt[(a\*Sqrt[(a^2 + c^2)/a^2] - a\*Sqrt[(a^2 + c^2)/a^2]\*Cos[d + e\*x - ArcTan[c/a]])/(b + a\*Sqrt[(a^2 + c^2)/a^2])]\*Sqrt[b + a\*Sqrt[(a^2 + c^2)/a^2]\*Cos[d + e\*x - ArcTan[c/a]]]\*Sqrt[(a\*Sqrt[(a^2 + c^2)/a^2] + a\*Sqrt[(a^2 + c^2)/a^2]\*Cos[d + e\*x - ArcTan[c/a]])/(-b + a\*Sqrt[(a^2 + c^2)/a^2])])) - ((2\*a\*(b + a\*Sqrt[1 + c^2/a^2])\*Cos[d + e\*x - ArcTan[c/a]])/(a^2 + c^2) - (c\*Sin[d + e\*x - ArcTan[c/a]])/(a\*Sqrt[1 + c^2/a^2]))/Sqrt[b + a\*Sqrt[1 + c^2/a^2]\*Cos[d + e\*x - ArcTan[c/a]]])\*Sqrt[a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x]]/(c\*e\*Sqrt[Sec[d + e\*x]]\*Sqrt[b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x]]) + (c\*(-((c\*AppellF1[-1/2, -1/2, -1/2, 1/2, -((b + a\*Sqrt[1 + c^2/a^2])\*Cos[d + e\*x - ArcTan[c/a]])/(a\*Sqrt[1 + c^2/a^2]\*(1 - b/(a\*Sqrt[1 + c^2/a^2])))), -((b + a\*Sqrt[1 + c^2/a^2])\*Cos[d + e\*x - ArcTan[c/a]])/(a\*Sqrt[1 + c^2/a^2]\*(-1 - b/(a\*Sqrt[1 + c^2/a^2]))))\*Sin[d + e\*x - ArcTan[c/a]])/(a\*Sqrt[1 + c^2/a^2]\*Sqrt[(a\*Sqrt[(a^2 + c^2)/a^2] - a\*Sqrt[(a^2 + c^2)/a^2]\*Cos[d + e\*x - ArcTan[c/a]])/(b + a\*Sqrt[(a^2 + c^2)/a^2])]\*Sqrt[b + a\*Sqrt[(a^2 + c^2)/a^2]\*Cos[d + e\*x - ArcTan[c/a]]]\*Sqrt[(a\*Sqrt[(a^2 + c^2)/a^2] + a\*Sqrt[(a^2 + c^2)/a^2]\*Cos[d + e\*x - ArcTan[c/a]])/(-b + a\*Sqrt[(a^2 + c^2)/a^2])])) - ((2\*a\*(b + a\*Sqrt[1 + c^2/a^2])\*Cos[d + e\*x - ArcTan[c/a]])/(a^2 + c^2) - (c\*Sin[d + e\*x - ArcTan[c/a]])/(a\*Sqrt[1 + c^2/a^2]))/Sqrt[b + a\*Sqrt[1 + c^2/a^2]\*Cos[d + e\*x - ArcTan[c/a]]])\*Sqrt[a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x]]/(e\*Sqrt[Sec[d + e\*x]]\*Sqrt[b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x]])

---

**Maple [C]** time = 0.666, size = 12462, normalized size = 105.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*sec(e*x+d)+c*tan(e*x+d))^(1/2)/sec(e*x+d)^(1/2),x)`

[Out] result too large to display

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{b \sec(ex + d) + c \tan(ex + d) + a}}{\sqrt{\sec(ex + d)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(e*x+d)+c*tan(e*x+d))^(1/2)/sec(e*x+d)^(1/2),x, algorithm="maxima")`

[Out] `integrate(sqrt(b*sec(e*x + d) + c*tan(e*x + d) + a)/sqrt(sec(e*x + d)), x)`

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{b \sec(ex + d) + c \tan(ex + d) + a}}{\sqrt{\sec(ex + d)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(e*x+d)+c*tan(e*x+d))^(1/2)/sec(e*x+d)^(1/2),x, algorithm="fricas")`

[Out] `integral(sqrt(b*sec(e*x + d) + c*tan(e*x + d) + a)/sqrt(sec(e*x + d)), x)`

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{a + b \sec(d + ex) + c \tan(d + ex)}}{\sqrt{\sec(d + ex)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(e*x+d)+c*tan(e*x+d))**(1/2)/sec(e*x+d)**(1/2),x)`

[Out] `Integral(sqrt(a + b*sec(d + e*x) + c*tan(d + e*x))/sqrt(sec(d + e*x)), x)`

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{b \sec(ex + d) + c \tan(ex + d) + a}}{\sqrt{\sec(ex + d)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(e*x+d)+c*tan(e*x+d))^(1/2)/sec(e*x+d)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(sqrt(b*sec(e*x + d) + c*tan(e*x + d) + a)/sqrt(sec(e*x + d)), x)
```

$$3.450 \quad \int \frac{\sqrt{\sec(d+ex)}}{\sqrt{a+b \sec(d+ex)+c \tan(d+ex)}} dx$$

**Optimal.** Leaf size=118

$$\frac{2\sqrt{\sec(d+ex)}\sqrt{\frac{a \cos(d+ex)+b+c \sin(d+ex)}{\sqrt{a^2+c^2+b}}}\text{EllipticF}\left(\frac{1}{2}\left(-\tan^{-1}(a,c)+d+ex\right), \frac{2\sqrt{a^2+c^2}}{\sqrt{a^2+c^2+b}}\right)}{e\sqrt{a+b \sec(d+ex)+c \tan(d+ex)}}$$

[Out] (2\*EllipticF[(d + e\*x - ArcTan[a, c])/2, (2\*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]\*Sqrt[Sec[d + e\*x]]\*Sqrt[(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])/(b + Sqrt[a^2 + c^2])])/(e\*Sqrt[a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x]])

**Rubi [A]** time = 0.166285, antiderivative size = 118, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {3167, 3127, 2661}

$$\frac{2\sqrt{\sec(d+ex)}\sqrt{\frac{a \cos(d+ex)+b+c \sin(d+ex)}{\sqrt{a^2+c^2+b}}}F\left(\frac{1}{2}\left(d+ex-\tan^{-1}(a,c)\right)\middle|\frac{2\sqrt{a^2+c^2}}{b+\sqrt{a^2+c^2}}\right)}{e\sqrt{a+b \sec(d+ex)+c \tan(d+ex)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Sec[d + e\*x]]/Sqrt[a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x]],x]

[Out] (2\*EllipticF[(d + e\*x - ArcTan[a, c])/2, (2\*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]\*Sqrt[Sec[d + e\*x]]\*Sqrt[(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])/(b + Sqrt[a^2 + c^2])])/(e\*Sqrt[a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x]])

#### Rule 3167

Int[sec[(d\_.) + (e\_.)\*(x\_)]^(n\_.)\*((a\_.) + (b\_.)\*sec[(d\_.) + (e\_.)\*(x\_)] + (c\_.)\*tan[(d\_.) + (e\_.)\*(x\_)]^(m\_), x\_Symbol] :> Dist[(Sec[d + e\*x]^n\*(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])^m)/(a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x])^n, Int[1/(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])^n, x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[m + n, 0] && !IntegerQ[n]

#### Rule 3127

Int[1/Sqrt[cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]], x\_Symbol] :> Dist[Sqrt[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])/(a + Sqrt[b^2 + c^2])]/Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]], Int[1/Sqrt[a/(a + Sqrt[b^2 + c^2]) + (Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]])/(a + Sqrt[b^2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]

#### Rule 2661

Int[1/Sqrt[(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rubi steps

$$\int \frac{\sqrt{\sec(d+ex)}}{\sqrt{a+b\sec(d+ex)+c\tan(d+ex)}} dx = \frac{(\sqrt{\sec(d+ex)}\sqrt{b+a\cos(d+ex)+c\sin(d+ex)}) \int \frac{1}{\sqrt{b+a\cos(d+ex)+c\sin(d+ex)}}}{\sqrt{a+b\sec(d+ex)+c\tan(d+ex)}} \\ = \frac{(\sqrt{\sec(d+ex)}\sqrt{\frac{b+a\cos(d+ex)+c\sin(d+ex)}{b+\sqrt{a^2+c^2}}}) \int \frac{1}{\sqrt{\frac{b}{b+\sqrt{a^2+c^2}} + \frac{\sqrt{a^2+c^2}\cos(d+ex-\tan^{-1}(a,c))}{b+\sqrt{a^2+c^2}}}}}{\sqrt{a+b\sec(d+ex)+c\tan(d+ex)}} \\ = \frac{2F\left(\frac{1}{2}\left(d+ex-\tan^{-1}\left(\frac{a}{c}\right)\right)\middle|\frac{2\sqrt{a^2+c^2}}{b+\sqrt{a^2+c^2}}\right)\sqrt{\sec(d+ex)}\sqrt{\frac{b+a\cos(d+ex)+c\sin(d+ex)}{b+\sqrt{a^2+c^2}}}}{e\sqrt{a+b\sec(d+ex)+c\tan(d+ex)}}$$

**Mathematica [C]** time = 0.91945, size = 339, normalized size = 2.87

$$\frac{2\sqrt{\sec(d+ex)}\sec\left(\tan^{-1}\left(\frac{a}{c}\right)+d+ex\right)\sqrt{\frac{c\sqrt{\frac{a^2}{c^2}+1}(\sin(\tan^{-1}\left(\frac{a}{c}\right)+d+ex)-1)}{c\sqrt{\frac{a^2}{c^2}+1+b}}}\sqrt{\frac{c\sqrt{\frac{a^2}{c^2}+1}(\sin(\tan^{-1}\left(\frac{a}{c}\right)+d+ex)+1)}{c\sqrt{\frac{a^2}{c^2}+1-b}}}\sqrt{c\sqrt{\frac{a^2}{c^2}+1}\sin\left(\tan^{-1}\left(\frac{a}{c}\right)+d+ex\right)}}{ce\sqrt{\frac{a^2}{c^2}+1}\sqrt{a+b\sec(d+ex)+c\tan(d+ex)}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sqrt[Sec[d + e*x]]/Sqrt[a + b*Sec[d + e*x] + c*Tan[d + e*x]], x]
```

```
[Out] (2*AppellF1[1/2, 1/2, 1/2, 3/2, (b + Sqrt[1 + a^2/c^2])*c*Sin[d + e*x + ArcTan[a/c]]/(b - Sqrt[1 + a^2/c^2]*c), (b + Sqrt[1 + a^2/c^2])*c*Sin[d + e*x + ArcTan[a/c]]/(b + Sqrt[1 + a^2/c^2]*c)]*Sqrt[Sec[d + e*x]]*Sec[d + e*x + ArcTan[a/c]]*Sqrt[b + a*Cos[d + e*x] + c*Sin[d + e*x]]*Sqrt[-((Sqrt[1 + a^2/c^2])*c*(-1 + Sin[d + e*x + ArcTan[a/c]]))]/(b + Sqrt[1 + a^2/c^2]*c))]*Sqrt[(Sqrt[1 + a^2/c^2])*c*(1 + Sin[d + e*x + ArcTan[a/c]])]/(-b + Sqrt[1 + a^2/c^2]*c)]*Sqrt[b + Sqrt[1 + a^2/c^2])*c*Sin[d + e*x + ArcTan[a/c]]]/(Sqrt[1 + a^2/c^2])*c*e*Sqrt[a + b*Sec[d + e*x] + c*Tan[d + e*x]])
```

**Maple [C]** time = 0.596, size = 722, normalized size = 6.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(e*x+d)^(1/2)/(a+b*sec(e*x+d)+c*tan(e*x+d))^(1/2), x)
```

```
[Out] -4*I/e/(I*a-I*b-(a^2-b^2+c^2)^(1/2)+c)*EllipticF(((I*a-I*b-(a^2-b^2+c^2)^(1/2)+c)/(I*a-I*b+(a^2-b^2+c^2)^(1/2)-c)*(I*sin(e*x+d)+cos(e*x+d)))^(1/2), ((I*a-I*b+(a^2-b^2+c^2)^(1/2)-c)*(I*a-I*b+(a^2-b^2+c^2)^(1/2)+c)/(I*a-I*b-(a^2-b^2+c^2)^(1/2)+c)/(I*a-I*b-(a^2-b^2+c^2)^(1/2)-c))^(1/2))*(1/cos(e*x+d))^(1/2)*((b+a*cos(e*x+d)+c*sin(e*x+d))/cos(e*x+d))^(1/2)*((I*a-I*b-(a^2-b^2+c^2)^(1/2)+c)/(I*a-I*b+(a^2-b^2+c^2)^(1/2)-c)*(I*sin(e*x+d)+cos(e*x+d)))^(1/2))*(-I/(I*a-I*b-(a^2-b^2+c^2)^(1/2)-c)*(cos(e*x+d)*(a^2-b^2+c^2)^(1/2)-a*sin(e*x+d)+b*sin(e*x+d)+c*cos(e*x+d)+(a^2-b^2+c^2)^(1/2)+c)/(I*cos(e*x+d)+I*sin(e*x+d)))^(1/2)*(I/(I*a-I*b+(a^2-b^2+c^2)^(1/2)-c)*(a*sin(e*x+d)-b*sin(e*x+d)+cos(e*x+d)*(a^2-b^2+c^2)^(1/2)-c*cos(e*x+d)+(a^2-b^2+c^2)^(1/2)-c)/(I*cos(e*x+d)+I*sin(e*x+d)))^(1/2)*(cos(e*x+d)+1)^2*cos(e*x+d)*(cos(e*x+d)-1)^2*(I*a*cos(e*x+d)-I*cos(e*x+d)*b-I*(a^2-b^2+c^2)^(1/2)*sin(e*x+d)+I*c*sin(e*x+d)+cos(e*x+d)*(a^2-b^2+c^2)^(1/2)-c*cos(e*x+d)+a*sin(e*x+d)-b*sin(e*x+d))
```

$/\sin(e*x+d)^4/(b+a*\cos(e*x+d)+c*\sin(e*x+d))$

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{\sec(ex+d)}}{\sqrt{b\sec(ex+d)+c\tan(ex+d)+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(e\*x+d)^(1/2)/(a+b\*sec(e\*x+d)+c\*tan(e\*x+d))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(sec(e\*x + d))/sqrt(b\*sec(e\*x + d) + c\*tan(e\*x + d) + a), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{\sec(ex+d)}}{\sqrt{b\sec(ex+d)+c\tan(ex+d)+a}},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(e\*x+d)^(1/2)/(a+b\*sec(e\*x+d)+c\*tan(e\*x+d))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(sec(e\*x + d))/sqrt(b\*sec(e\*x + d) + c\*tan(e\*x + d) + a), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{\sec(d+ex)}}{\sqrt{a+b\sec(d+ex)+c\tan(d+ex)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(e\*x+d)\*\*(1/2)/(a+b\*sec(e\*x+d)+c\*tan(e\*x+d))\*\*(1/2),x)

[Out] Integral(sqrt(sec(d + e\*x))/sqrt(a + b\*sec(d + e\*x) + c\*tan(d + e\*x)), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{\sec(ex+d)}}{\sqrt{b\sec(ex+d)+c\tan(ex+d)+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(e\*x+d)^(1/2)/(a+b\*sec(e\*x+d)+c\*tan(e\*x+d))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(sec(e\*x + d))/sqrt(b\*sec(e\*x + d) + c\*tan(e\*x + d) + a), x)



$$3.451 \quad \int \frac{\sec^3(d+ex)}{(a+b \sec(d+ex)+c \tan(d+ex))^{3/2}} dx$$

**Optimal.** Leaf size=240

$$\frac{2 \sec^{\frac{3}{2}}(d+ex)(a \cos(d+ex)+b+c \sin(d+ex))^2 E\left(\frac{1}{2}(d+ex-\tan^{-1}(a,c)) \middle| \frac{2\sqrt{a^2+c^2}}{b+\sqrt{a^2+c^2}}\right)}{e(a^2-b^2+c^2) \sqrt{\frac{a \cos(d+ex)+b+c \sin(d+ex)}{\sqrt{a^2+c^2}+b}}(a+b \sec(d+ex)+c \tan(d+ex))^{3/2}} - \frac{2 \sec^{\frac{3}{2}}(d+ex)(c \cos(d+ex)+e \sin(d+ex))}{e(a^2-b^2+c^2)}$$

[Out]  $(-2*\text{Sec}[d+e*x]^{(3/2)}*(c*\text{Cos}[d+e*x]-a*\text{Sin}[d+e*x])*(b+a*\text{Cos}[d+e*x]+c*\text{Sin}[d+e*x]))/((a^2-b^2+c^2)*e*(a+b*\text{Sec}[d+e*x]+c*\text{Tan}[d+e*x])^{(3/2)}) - (2*\text{EllipticE}[(d+e*x-\text{ArcTan}[a,c])/2, (2*\text{Sqrt}[a^2+c^2])/(b+\text{Sqrt}[a^2+c^2])]*\text{Sec}[d+e*x]^{(3/2)}*(b+a*\text{Cos}[d+e*x]+c*\text{Sin}[d+e*x])^2)/((a^2-b^2+c^2)*e*\text{Sqrt}[(b+a*\text{Cos}[d+e*x]+c*\text{Sin}[d+e*x])/(b+\text{Sqrt}[a^2+c^2])])*(a+b*\text{Sec}[d+e*x]+c*\text{Tan}[d+e*x])^{(3/2)})$

**Rubi [A]** time = 0.216318, antiderivative size = 240, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$ , Rules used = {3167, 3128, 3119, 2653}

$$\frac{2 \sec^{\frac{3}{2}}(d+ex)(a \cos(d+ex)+b+c \sin(d+ex))^2 E\left(\frac{1}{2}(d+ex-\tan^{-1}(a,c)) \middle| \frac{2\sqrt{a^2+c^2}}{b+\sqrt{a^2+c^2}}\right)}{e(a^2-b^2+c^2) \sqrt{\frac{a \cos(d+ex)+b+c \sin(d+ex)}{\sqrt{a^2+c^2}+b}}(a+b \sec(d+ex)+c \tan(d+ex))^{3/2}} - \frac{2 \sec^{\frac{3}{2}}(d+ex)(c \cos(d+ex)+e \sin(d+ex))}{e(a^2-b^2+c^2)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sec}[d+e*x]^{(3/2)}/(a+b*\text{Sec}[d+e*x]+c*\text{Tan}[d+e*x])^{(3/2)},x]$

[Out]  $(-2*\text{Sec}[d+e*x]^{(3/2)}*(c*\text{Cos}[d+e*x]-a*\text{Sin}[d+e*x])*(b+a*\text{Cos}[d+e*x]+c*\text{Sin}[d+e*x]))/((a^2-b^2+c^2)*e*(a+b*\text{Sec}[d+e*x]+c*\text{Tan}[d+e*x])^{(3/2)}) - (2*\text{EllipticE}[(d+e*x-\text{ArcTan}[a,c])/2, (2*\text{Sqrt}[a^2+c^2])/(b+\text{Sqrt}[a^2+c^2])]*\text{Sec}[d+e*x]^{(3/2)}*(b+a*\text{Cos}[d+e*x]+c*\text{Sin}[d+e*x])^2)/((a^2-b^2+c^2)*e*\text{Sqrt}[(b+a*\text{Cos}[d+e*x]+c*\text{Sin}[d+e*x])/(b+\text{Sqrt}[a^2+c^2])])*(a+b*\text{Sec}[d+e*x]+c*\text{Tan}[d+e*x])^{(3/2)})$

**Rule 3167**

$\text{Int}[\text{sec}[(d_.)+(e_.)*(x_.)]^{(n_.)*((a_.)+(b_.)*\text{sec}[(d_.)+(e_.)*(x_.)]+(c_.)*\text{tan}[(d_.)+(e_.)*(x_.)])^{(m_.)}, x\_Symbol] :> \text{Dist}[(\text{Sec}[d+e*x]^{n*}(b+a*\text{Cos}[d+e*x]+c*\text{Sin}[d+e*x])^n)/(a+b*\text{Sec}[d+e*x]+c*\text{Tan}[d+e*x])^n, \text{Int}[1/(b+a*\text{Cos}[d+e*x]+c*\text{Sin}[d+e*x])^n, x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{EqQ}[m+n, 0] \&\& !\text{IntegerQ}[n]$

**Rule 3128**

$\text{Int}[(\text{cos}[(d_.)+(e_.)*(x_.)]*(b_.)+(a_.)+(c_.)*\text{sin}[(d_.)+(e_.)*(x_.)])^{(-3/2)}, x\_Symbol] :> \text{Simp}[(2*(c*\text{Cos}[d+e*x]-b*\text{Sin}[d+e*x]))/(e*(a^2-b^2-c^2)*\text{Sqrt}[a+b*\text{Cos}[d+e*x]+c*\text{Sin}[d+e*x]]), x] + \text{Dist}[1/(a^2-b^2-c^2), \text{Int}[\text{Sqrt}[a+b*\text{Cos}[d+e*x]+c*\text{Sin}[d+e*x]], x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{NeQ}[a^2-b^2-c^2, 0]$

**Rule 3119**

```
Int[Sqrt[cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)
]], x_Symbol] :> Dist[Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]]/Sqrt[(a +
b*Cos[d + e*x] + c*Sin[d + e*x])/(a + Sqrt[b^2 + c^2])], Int[Sqrt[a/(a + Sq
rt[b^2 + c^2]) + (Sqrt[b^2 + c^2]*Cos[d + e*x - ArcTan[b, c]])/(a + Sqrt[b^
2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]
&& NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]
```

### Rule 2653

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

### Rubi steps

$$\int \frac{\sec^{\frac{3}{2}}(d+ex)}{(a+b\sec(d+ex)+c\tan(d+ex))^{\frac{3}{2}}} dx = \frac{\left(\sec^{\frac{3}{2}}(d+ex)(b+a\cos(d+ex)+c\sin(d+ex))^{\frac{3}{2}}\right) \int \frac{1}{(b+a\cos(d+ex)+c\sin(d+ex))}}{(a+b\sec(d+ex)+c\tan(d+ex))^{\frac{3}{2}}}$$

$$= -\frac{2\sec^{\frac{3}{2}}(d+ex)(c\cos(d+ex)-a\sin(d+ex))(b+a\cos(d+ex)+c\sin(d+ex))}{(a^2-b^2+c^2)e(a+b\sec(d+ex)+c\tan(d+ex))^{\frac{3}{2}}}$$

$$= -\frac{2\sec^{\frac{3}{2}}(d+ex)(c\cos(d+ex)-a\sin(d+ex))(b+a\cos(d+ex)+c\sin(d+ex))}{(a^2-b^2+c^2)e(a+b\sec(d+ex)+c\tan(d+ex))^{\frac{3}{2}}}$$

$$= -\frac{2\sec^{\frac{3}{2}}(d+ex)(c\cos(d+ex)-a\sin(d+ex))(b+a\cos(d+ex)+c\sin(d+ex))}{(a^2-b^2+c^2)e(a+b\sec(d+ex)+c\tan(d+ex))^{\frac{3}{2}}}$$

**Mathematica [C]** time = 6.39843, size = 1732, normalized size = 7.22

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sec[d + e*x]^(3/2)/(a + b*Sec[d + e*x] + c*Tan[d + e*x])^(3/2), x]
```

```
[Out] (Sec[d + e*x]^(3/2)*(b + a*Cos[d + e*x] + c*Sin[d + e*x])^2*((-2*(a^2 + c^2
)))/(a*c*(a^2 - b^2 + c^2)) + (2*(b*c + a^2*Sin[d + e*x] + c^2*Sin[d + e*x]
))/(a*(a^2 - b^2 + c^2)*(b + a*Cos[d + e*x] + c*Sin[d + e*x])))/(e*(a + b*Sec
[d + e*x] + c*Tan[d + e*x])^(3/2)) - (2*b*AppellF1[1/2, 1/2, 1/2, 3/2, -(
(b + Sqrt[1 + a^2/c^2]*c*Sin[d + e*x + ArcTan[a/c]])/(Sqrt[1 + a^2/c^2]*(1
- b/(Sqrt[1 + a^2/c^2]*c))*c)), -(b + Sqrt[1 + a^2/c^2]*c*Sin[d + e*x + Ar
cTan[a/c]])/(Sqrt[1 + a^2/c^2]*(-1 - b/(Sqrt[1 + a^2/c^2]*c))*c))] * Sec[d +
e*x]^(3/2)*Sec[d + e*x + ArcTan[a/c]]*(b + a*Cos[d + e*x] + c*Sin[d + e*x])
^(3/2)*Sqrt[(c*Sqrt[(a^2 + c^2)/c^2] - c*Sqrt[(a^2 + c^2)/c^2]*Sin[d + e*x
+ ArcTan[a/c]])/(b + c*Sqrt[(a^2 + c^2)/c^2])]*Sqrt[b + c*Sqrt[(a^2 + c^2)/
c^2]*Sin[d + e*x + ArcTan[a/c]]]*Sqrt[(c*Sqrt[(a^2 + c^2)/c^2] + c*Sqrt[(a^
2 + c^2)/c^2]*Sin[d + e*x + ArcTan[a/c]])/(-b + c*Sqrt[(a^2 + c^2)/c^2])]/
(Sqrt[1 + a^2/c^2]*c*(a^2 - b^2 + c^2)*e*(a + b*Sec[d + e*x] + c*Tan[d + e*
x])^(3/2)) - (a^2*Sec[d + e*x]^(3/2)*(b + a*Cos[d + e*x] + c*Sin[d + e*x])^
(3/2)*(-(c*AppellF1[-1/2, -1/2, -1/2, 1/2, -(b + a*Sqrt[1 + c^2/a^2]*Cos[
d + e*x - ArcTan[c/a]])/(a*Sqrt[1 + c^2/a^2]*(1 - b/(a*Sqrt[1 + c^2/a^2]))
), -(b + a*Sqrt[1 + c^2/a^2]*Cos[d + e*x - ArcTan[c/a]])/(a*Sqrt[1 + c^2/a
```

$$\begin{aligned} &^2*(-1 - b/(a*\sqrt{1 + c^2/a^2})))]]*\sin[d + e*x - \arctan[c/a]]/(a*\sqrt{1 + c^2/a^2}*\sqrt{(a*\sqrt{(a^2 + c^2)/a^2} - a*\sqrt{(a^2 + c^2)/a^2}*\cos[d + e*x - \arctan[c/a]])/(b + a*\sqrt{(a^2 + c^2)/a^2}))*\sqrt{b + a*\sqrt{(a^2 + c^2)/a^2}*\cos[d + e*x - \arctan[c/a]]}*\sqrt{(a*\sqrt{(a^2 + c^2)/a^2} + a*\sqrt{(a^2 + c^2)/a^2}*\cos[d + e*x - \arctan[c/a]])/(-b + a*\sqrt{(a^2 + c^2)/a^2}])))) - ((2*a*(b + a*\sqrt{1 + c^2/a^2}*\cos[d + e*x - \arctan[c/a]]))/(a^2 + c^2) - (c*\sin[d + e*x - \arctan[c/a]])/(a*\sqrt{1 + c^2/a^2}))/\sqrt{b + a*\sqrt{1 + c^2/a^2}*\cos[d + e*x - \arctan[c/a]]}))/((c*(a^2 - b^2 + c^2)*e*(a + b*\sec[d + e*x] + c*\tan[d + e*x])^(3/2)) - (c*\sec[d + e*x]^(3/2)*(b + a*\cos[d + e*x] + c*\sin[d + e*x])^(3/2)*(-(c*\operatorname{AppellF1}[-1/2, -1/2, -1/2, 1/2, -(b + a*\sqrt{1 + c^2/a^2}*\cos[d + e*x - \arctan[c/a]])/(a*\sqrt{1 + c^2/a^2}*(1 - b/(a*\sqrt{1 + c^2/a^2}))))), -(b + a*\sqrt{1 + c^2/a^2}*\cos[d + e*x - \arctan[c/a]])/(a*\sqrt{1 + c^2/a^2}*(-1 - b/(a*\sqrt{1 + c^2/a^2}))))))*\sin[d + e*x - \arctan[c/a]]/(a*\sqrt{1 + c^2/a^2}*\sqrt{(a*\sqrt{(a^2 + c^2)/a^2} - a*\sqrt{(a^2 + c^2)/a^2}*\cos[d + e*x - \arctan[c/a]])/(b + a*\sqrt{(a^2 + c^2)/a^2}))*\sqrt{b + a*\sqrt{(a^2 + c^2)/a^2}*\cos[d + e*x - \arctan[c/a]]}*\sqrt{(a*\sqrt{(a^2 + c^2)/a^2} + a*\sqrt{(a^2 + c^2)/a^2}*\cos[d + e*x - \arctan[c/a]])/(-b + a*\sqrt{(a^2 + c^2)/a^2})))))) - ((2*a*(b + a*\sqrt{1 + c^2/a^2}*\cos[d + e*x - \arctan[c/a]]))/(a^2 + c^2) - (c*\sin[d + e*x - \arctan[c/a]])/(a*\sqrt{1 + c^2/a^2}))/\sqrt{b + a*\sqrt{1 + c^2/a^2}*\cos[d + e*x - \arctan[c/a]]}))/((a^2 - b^2 + c^2)*e*(a + b*\sec[d + e*x] + c*\tan[d + e*x])^(3/2)) \end{aligned}$$

**Maple [C]** time = 0.589, size = 12572, normalized size = 52.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(e\*x+d)^(3/2)/(a+b\*sec(e\*x+d)+c\*tan(e\*x+d))^(3/2),x)

[Out] result too large to display

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec^3(ex + d)}{(b \sec(ex + d) + c \tan(ex + d) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(e\*x+d)^(3/2)/(a+b\*sec(e\*x+d)+c\*tan(e\*x+d))^(3/2),x, algorithm="maxima")

[Out] integrate(sec(e\*x + d)^(3/2)/(b\*sec(e\*x + d) + c\*tan(e\*x + d) + a)^(3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\sqrt{b \sec(ex + d) + c \tan(ex + d) + a} \sec^3(ex + d)}{b^2 \sec^2(ex + d) + c^2 \tan^2(ex + d) + 2ab \sec(ex + d) + a^2 + 2(bc \sec(ex + d) + ac) \tan(ex + d)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(e*x+d)^(3/2)/(a+b*sec(e*x+d)+c*tan(e*x+d))^(3/2),x, algorithm="fricas")
```

```
[Out] integral(sqrt(b*sec(e*x + d) + c*tan(e*x + d) + a)*sec(e*x + d)^(3/2)/(b^2*sec(e*x + d)^2 + c^2*tan(e*x + d)^2 + 2*a*b*sec(e*x + d) + a^2 + 2*(b*c*sec(e*x + d) + a*c)*tan(e*x + d)), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(e*x+d)**(3/2)/(a+b*sec(e*x+d)+c*tan(e*x+d))**(3/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec^3(ex + d)}{(b \sec(ex + d) + c \tan(ex + d) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(e*x+d)^(3/2)/(a+b*sec(e*x+d)+c*tan(e*x+d))^(3/2),x, algorithm="giac")
```

```
[Out] integrate(sec(e*x + d)^(3/2)/(b*sec(e*x + d) + c*tan(e*x + d) + a)^(3/2), x)
```

$$3.452 \quad \int \frac{\sec^2(d+ex)}{(a+b \sec(d+ex)+c \tan(d+ex))^{5/2}} dx$$

**Optimal.** Leaf size=492

$$\frac{2 \sec^2(d+ex) \sqrt{\frac{a \cos(d+ex)+b+c \sin(d+ex)}{\sqrt{a^2+c^2+b}}} (a \cos(d+ex)+b+c \sin(d+ex))^2 \operatorname{EllipticF}\left(\frac{1}{2}(-\tan^{-1}(a,c)+d+ex), \frac{2\sqrt{a^2+c^2}}{\sqrt{a^2+c^2+b}}\right)}{3e(a^2-b^2+c^2)(a+b \sec(d+ex)+c \tan(d+ex))^{5/2}}$$

```
[Out] (-2*Sec[d + e*x]^(5/2)*(c*Cos[d + e*x] - a*Sin[d + e*x])*(b + a*Cos[d + e*x] + c*Sin[d + e*x]))/(3*(a^2 - b^2 + c^2)*e*(a + b*Sec[d + e*x] + c*Tan[d + e*x])^(5/2)) + (8*Sec[d + e*x]^(5/2)*(b*c*Cos[d + e*x] - a*b*Sin[d + e*x])*(b + a*Cos[d + e*x] + c*Sin[d + e*x])^2)/(3*(a^2 - b^2 + c^2)^2*e*(a + b*Sec[d + e*x] + c*Tan[d + e*x])^(5/2)) + (8*b*EllipticE[(d + e*x - ArcTan[a, c])/2, (2*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]*Sec[d + e*x]^(5/2)*(b + a*Cos[d + e*x] + c*Sin[d + e*x])^3)/(3*(a^2 - b^2 + c^2)^2*e*Sqrt[(b + a*Cos[d + e*x] + c*Sin[d + e*x])/(b + Sqrt[a^2 + c^2])]*(a + b*Sec[d + e*x] + c*Tan[d + e*x])^(5/2)) + (2*EllipticF[(d + e*x - ArcTan[a, c])/2, (2*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]*Sec[d + e*x]^(5/2)*(b + a*Cos[d + e*x] + c*Sin[d + e*x])^2*Sqrt[(b + a*Cos[d + e*x] + c*Sin[d + e*x])/(b + Sqrt[a^2 + c^2])])/(3*(a^2 - b^2 + c^2)*e*(a + b*Sec[d + e*x] + c*Tan[d + e*x])^(5/2))
```

**Rubi [A]** time = 0.519064, antiderivative size = 492, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$ , Rules used = {3167, 3129, 3156, 3149, 3119, 2653, 3127, 2661}

$$\frac{2 \sec^2(d+ex) \sqrt{\frac{a \cos(d+ex)+b+c \sin(d+ex)}{\sqrt{a^2+c^2+b}}} (a \cos(d+ex)+b+c \sin(d+ex))^2 F\left(\frac{1}{2}(d+ex-\tan^{-1}(a,c)) \middle| \frac{2\sqrt{a^2+c^2}}{b+\sqrt{a^2+c^2}}\right)}{3e(a^2-b^2+c^2)(a+b \sec(d+ex)+c \tan(d+ex))^{5/2}} + \dots$$

Antiderivative was successfully verified.

```
[In] Int[Sec[d + e*x]^(5/2)/(a + b*Sec[d + e*x] + c*Tan[d + e*x])^(5/2), x]
```

```
[Out] (-2*Sec[d + e*x]^(5/2)*(c*Cos[d + e*x] - a*Sin[d + e*x])*(b + a*Cos[d + e*x] + c*Sin[d + e*x]))/(3*(a^2 - b^2 + c^2)*e*(a + b*Sec[d + e*x] + c*Tan[d + e*x])^(5/2)) + (8*Sec[d + e*x]^(5/2)*(b*c*Cos[d + e*x] - a*b*Sin[d + e*x])*(b + a*Cos[d + e*x] + c*Sin[d + e*x])^2)/(3*(a^2 - b^2 + c^2)^2*e*(a + b*Sec[d + e*x] + c*Tan[d + e*x])^(5/2)) + (8*b*EllipticE[(d + e*x - ArcTan[a, c])/2, (2*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]*Sec[d + e*x]^(5/2)*(b + a*Cos[d + e*x] + c*Sin[d + e*x])^3)/(3*(a^2 - b^2 + c^2)^2*e*Sqrt[(b + a*Cos[d + e*x] + c*Sin[d + e*x])/(b + Sqrt[a^2 + c^2])]*(a + b*Sec[d + e*x] + c*Tan[d + e*x])^(5/2)) + (2*EllipticF[(d + e*x - ArcTan[a, c])/2, (2*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]*Sec[d + e*x]^(5/2)*(b + a*Cos[d + e*x] + c*Sin[d + e*x])^2*Sqrt[(b + a*Cos[d + e*x] + c*Sin[d + e*x])/(b + Sqrt[a^2 + c^2])])/(3*(a^2 - b^2 + c^2)*e*(a + b*Sec[d + e*x] + c*Tan[d + e*x])^(5/2))
```

**Rule 3167**

```
Int[sec[(d_.) + (e_.)*(x_)]^(n_.)*((a_.) + (b_.)*sec[(d_.) + (e_.)*(x_)] + (c_.)*tan[(d_.) + (e_.)*(x_)])^(m_), x_Symbol] := Dist[(Sec[d + e*x]^n*(b + a*Cos[d + e*x] + c*Sin[d + e*x])^n)/(a + b*Sec[d + e*x] + c*Tan[d + e*x])^n, Int[1/(b + a*Cos[d + e*x] + c*Sin[d + e*x])^n, x], x] /; FreeQ[{a, b, c,
```

$d, e\}, x] \&\& \text{EqQ}[m + n, 0] \&\& \text{!IntegerQ}[n]$

### Rule 3129

$\text{Int}[(\cos[(d_.) + (e_.)(x_)]*(b_.) + (a_.) + (c_.)*\sin[(d_.) + (e_.)(x_)])^{(n_.)}, x\_Symbol] \rightarrow \text{Simp}[((-c*\cos[d + e*x]) + b*\sin[d + e*x])*(a + b*\cos[d + e*x] + c*\sin[d + e*x])^{(n + 1)} / (e*(n + 1)*(a^2 - b^2 - c^2)), x] + \text{Dist}[1 / ((n + 1)*(a^2 - b^2 - c^2)), \text{Int}[(a*(n + 1) - b*(n + 2)*\cos[d + e*x] - c*(n + 2)*\sin[d + e*x])*(a + b*\cos[d + e*x] + c*\sin[d + e*x])^{(n + 1)}, x], x] /;$   $\text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{NeQ}[a^2 - b^2 - c^2, 0] \&\& \text{LtQ}[n, -1] \&\& \text{NeQ}[n, -3/2]$

### Rule 3156

$\text{Int}(((a_.) + \cos[(d_.) + (e_.)(x_)]*(b_.) + (c_.)*\sin[(d_.) + (e_.)(x_)])^{(n_.)}*((A_.) + \cos[(d_.) + (e_.)(x_)]*(B_.) + (C_.)*\sin[(d_.) + (e_.)(x_)]), x\_Symbol] \rightarrow -\text{Simp}[(c*B - b*C - (a*C - c*A)*\cos[d + e*x] + (a*B - b*A)*\sin[d + e*x])*(a + b*\cos[d + e*x] + c*\sin[d + e*x])^{(n + 1)} / (e*(n + 1)*(a^2 - b^2 - c^2)), x] + \text{Dist}[1 / ((n + 1)*(a^2 - b^2 - c^2)), \text{Int}[(a + b*\cos[d + e*x] + c*\sin[d + e*x])^{(n + 1)}*\text{Simp}[(n + 1)*(a*A - b*B - c*C) + (n + 2)*(a*B - b*A)*\cos[d + e*x] + (n + 2)*(a*C - c*A)*\sin[d + e*x], x], x], x] /;$   $\text{FreeQ}\{a, b, c, d, e, A, B, C\}, x] \&\& \text{LtQ}[n, -1] \&\& \text{NeQ}[a^2 - b^2 - c^2, 0] \&\& \text{NeQ}[n, -2]$

### Rule 3149

$\text{Int}(((A_.) + \cos[(d_.) + (e_.)(x_)]*(B_.) + (C_.)*\sin[(d_.) + (e_.)(x_)]) / \sqrt{\cos[(d_.) + (e_.)(x_)]*(b_.) + (a_.) + (c_.)*\sin[(d_.) + (e_.)(x_)]), x\_Symbol] \rightarrow \text{Dist}[B/b, \text{Int}[\sqrt{a + b*\cos[d + e*x] + c*\sin[d + e*x]}, x], x] + \text{Dist}[(A*b - a*B)/b, \text{Int}[1/\sqrt{a + b*\cos[d + e*x] + c*\sin[d + e*x]}, x], x] /;$   $\text{FreeQ}\{a, b, c, d, e, A, B, C\}, x] \&\& \text{EqQ}[B*c - b*C, 0] \&\& \text{NeQ}[A*b - a*B, 0]$

### Rule 3119

$\text{Int}[\sqrt{\cos[(d_.) + (e_.)(x_)]*(b_.) + (a_.) + (c_.)*\sin[(d_.) + (e_.)(x_)]), x\_Symbol] \rightarrow \text{Dist}[\sqrt{a + b*\cos[d + e*x] + c*\sin[d + e*x]} / \sqrt{(a + b*\cos[d + e*x] + c*\sin[d + e*x]) / (a + \sqrt{b^2 + c^2})}], \text{Int}[\sqrt{a / (a + \sqrt{b^2 + c^2})} + (\sqrt{b^2 + c^2}*\cos[d + e*x - \text{ArcTan}[b, c]]) / (a + \sqrt{b^2 + c^2})], x], x] /;$   $\text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{NeQ}[a^2 - b^2 - c^2, 0] \&\& \text{NeQ}[b^2 + c^2, 0] \&\& \text{!GtQ}[a + \sqrt{b^2 + c^2}, 0]$

### Rule 2653

$\text{Int}[\sqrt{(a_.) + (b_.)*\sin[(c_.) + (d_.)(x_)]}], x\_Symbol] \rightarrow \text{Simp}[(2*\sqrt{a + b})*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)]]/d, x] /;$   $\text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[a + b, 0]$

### Rule 3127

$\text{Int}[1/\sqrt{\cos[(d_.) + (e_.)(x_)]*(b_.) + (a_.) + (c_.)*\sin[(d_.) + (e_.)(x_)]), x\_Symbol] \rightarrow \text{Dist}[\sqrt{(a + b*\cos[d + e*x] + c*\sin[d + e*x]) / (a + \sqrt{b^2 + c^2})}] / \sqrt{a + b*\cos[d + e*x] + c*\sin[d + e*x]}, \text{Int}[1/\sqrt{a / (a + \sqrt{b^2 + c^2})} + (\sqrt{b^2 + c^2}*\cos[d + e*x - \text{ArcTan}[b, c]]) / (a + \sqrt{b^2 + c^2})], x], x] /;$   $\text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{NeQ}[a^2 - b^2 - c^2, 0] \&\& \text{NeQ}[b^2 + c^2, 0] \&\& \text{!GtQ}[a + \sqrt{b^2 + c^2}, 0]$

### Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\int \frac{\sec^5(d+ex)}{(a+b\sec(d+ex)+c\tan(d+ex))^{5/2}} dx = \frac{\left(\sec^2(d+ex)(b+a\cos(d+ex)+c\sin(d+ex))^{5/2}\right) \int \frac{1}{(b+a\cos(d+ex)+c\sin(d+ex))^{5/2}} dx}{(a+b\sec(d+ex)+c\tan(d+ex))^{5/2}}$$

$$= -\frac{2\sec^2(d+ex)(c\cos(d+ex)-a\sin(d+ex))(b+a\cos(d+ex)+c\sin(d+ex))^{5/2}}{3(a^2-b^2+c^2)e(a+b\sec(d+ex)+c\tan(d+ex))^{5/2}}$$

$$= -\frac{2\sec^2(d+ex)(c\cos(d+ex)-a\sin(d+ex))(b+a\cos(d+ex)+c\sin(d+ex))^{5/2}}{3(a^2-b^2+c^2)e(a+b\sec(d+ex)+c\tan(d+ex))^{5/2}}$$

$$= -\frac{2\sec^2(d+ex)(c\cos(d+ex)-a\sin(d+ex))(b+a\cos(d+ex)+c\sin(d+ex))^{5/2}}{3(a^2-b^2+c^2)e(a+b\sec(d+ex)+c\tan(d+ex))^{5/2}}$$

$$= -\frac{2\sec^2(d+ex)(c\cos(d+ex)-a\sin(d+ex))(b+a\cos(d+ex)+c\sin(d+ex))^{5/2}}{3(a^2-b^2+c^2)e(a+b\sec(d+ex)+c\tan(d+ex))^{5/2}}$$

$$= -\frac{2\sec^2(d+ex)(c\cos(d+ex)-a\sin(d+ex))(b+a\cos(d+ex)+c\sin(d+ex))^{5/2}}{3(a^2-b^2+c^2)e(a+b\sec(d+ex)+c\tan(d+ex))^{5/2}}$$

**Mathematica [C]** time = 6.51367, size = 2708, normalized size = 5.5

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sec[d + e*x]^(5/2)/(a + b*Sec[d + e*x] + c*Tan[d + e*x])^(5/2), x]
```

```
[Out] (Sec[d + e*x]^(5/2)*(b + a*Cos[d + e*x] + c*Sin[d + e*x])^3*((8*b*(a^2 + c^2))/(3*a*c*(-a^2 + b^2 - c^2)^2) + (2*(b*c + a^2*Sin[d + e*x] + c^2*Sin[d + e*x]))/(3*a*(a^2 - b^2 + c^2)*(b + a*Cos[d + e*x] + c*Sin[d + e*x])^2) - (2*(a^2*c + 3*b^2*c + c^3 + 4*a^2*b*Sin[d + e*x] + 4*b*c^2*Sin[d + e*x]))/(3*a*(a^2 - b^2 + c^2)^2*(b + a*Cos[d + e*x] + c*Sin[d + e*x]))) / (e*(a + b*Sec[d + e*x] + c*Tan[d + e*x])^(5/2)) + (2*a^2*AppellF1[1/2, 1/2, 1/2, 3/2, -(b + Sqrt[1 + a^2/c^2]*c*Sin[d + e*x + ArcTan[a/c]])/(Sqrt[1 + a^2/c^2]*(1 - b/(Sqrt[1 + a^2/c^2]*c)))*c), -(b + Sqrt[1 + a^2/c^2]*c*Sin[d + e*x + ArcTan[a/c]])/(Sqrt[1 + a^2/c^2]*(-1 - b/(Sqrt[1 + a^2/c^2]*c))*c)]*Sec[d + e*x]^(5/2)*Sec[d + e*x + ArcTan[a/c]]*(b + a*Cos[d + e*x] + c*Sin[d + e*x])^(5/2)*Sqrt[(c*Sqrt[(a^2 + c^2)/c^2] - c*Sqrt[(a^2 + c^2)/c^2]*Sin[d + e*x + ArcTan[a/c]])/(b + c*Sqrt[(a^2 + c^2)/c^2])]*Sqrt[b + c*Sqrt[(a^2 + c^2)/c^2]*Sin[d + e*x + ArcTan[a/c]]]*Sqrt[(c*Sqrt[(a^2 + c^2)/c^2] + c*Sqrt[(a^2 + c^2)/c^2]*Sin[d + e*x + ArcTan[a/c]])/(-b + c*Sqrt[(a^2 + c^2)/c^2])]/(3*Sqrt[1 + a^2/c^2]*c*(a^2 - b^2 + c^2)^2*e*(a + b*Sec[d + e*x] + c*Tan[d + e*x])^(5/2)) + (2*b^2*AppellF1[1/2, 1/2, 1/2, 3/2, -(b + Sqrt[1 + a^2/c^2]*c*Sin[d + e*x + ArcTan[a/c]])/(Sqrt[1 + a^2/c^2]*(1 - b/(Sqrt[1 + a^2/c^2]*c)))*c), -(b + Sqrt[1 + a^2/c^2]*c*Sin[d + e*x + ArcTan[a/c]])/(Sqrt[
```

$$\begin{aligned}
& 1 + a^2/c^2 * (-1 - b / (\text{Sqrt}[1 + a^2/c^2] * c)) * c) * \text{Sec}[d + e*x]^{(5/2)} * \text{Sec}[d + \\
& e*x + \text{ArcTan}[a/c]] * (b + a * \text{Cos}[d + e*x] + c * \text{Sin}[d + e*x])^{(5/2)} * \text{Sqrt}[(c * \text{Sqr} \\
& \text{t}[(a^2 + c^2)/c^2] - c * \text{Sqrt}[(a^2 + c^2)/c^2] * \text{Sin}[d + e*x + \text{ArcTan}[a/c]]) / (b \\
& + c * \text{Sqrt}[(a^2 + c^2)/c^2])] * \text{Sqrt}[b + c * \text{Sqrt}[(a^2 + c^2)/c^2] * \text{Sin}[d + e*x + \\
& \text{ArcTan}[a/c]]] * \text{Sqrt}[(c * \text{Sqrt}[(a^2 + c^2)/c^2] + c * \text{Sqrt}[(a^2 + c^2)/c^2] * \text{Sin}[ \\
& d + e*x + \text{ArcTan}[a/c]]) / (-b + c * \text{Sqrt}[(a^2 + c^2)/c^2])] / (\text{Sqrt}[1 + a^2/c^2] \\
& * c * (a^2 - b^2 + c^2)^2 * e * (a + b * \text{Sec}[d + e*x] + c * \text{Tan}[d + e*x])^{(5/2)}) + (2 * \\
& c * \text{AppellF1}[1/2, 1/2, 1/2, 3/2, -((b + \text{Sqrt}[1 + a^2/c^2] * c * \text{Sin}[d + e*x + \text{Arc} \\
& \text{Tan}[a/c]]) / (\text{Sqrt}[1 + a^2/c^2] * (1 - b / (\text{Sqrt}[1 + a^2/c^2] * c))), -(b + \text{Sqr} \\
& \text{t}[1 + a^2/c^2] * c * \text{Sin}[d + e*x + \text{ArcTan}[a/c]]) / (\text{Sqrt}[1 + a^2/c^2] * (-1 - b / (\text{Sqr} \\
& \text{t}[1 + a^2/c^2] * c)) * c))] * \text{Sec}[d + e*x]^{(5/2)} * \text{Sec}[d + e*x + \text{ArcTan}[a/c]] * (b + \\
& a * \text{Cos}[d + e*x] + c * \text{Sin}[d + e*x])^{(5/2)} * \text{Sqrt}[(c * \text{Sqrt}[(a^2 + c^2)/c^2] - c * \text{S} \\
& \text{qrt}[(a^2 + c^2)/c^2] * \text{Sin}[d + e*x + \text{ArcTan}[a/c]]) / (b + c * \text{Sqrt}[(a^2 + c^2)/c^2] \\
& * \text{Sqrt}[b + c * \text{Sqrt}[(a^2 + c^2)/c^2] * \text{Sin}[d + e*x + \text{ArcTan}[a/c]]] * \text{Sqrt}[(c * \text{S} \\
& \text{qrt}[(a^2 + c^2)/c^2] + c * \text{Sqrt}[(a^2 + c^2)/c^2] * \text{Sin}[d + e*x + \text{ArcTan}[a/c]]) / \\
& (-b + c * \text{Sqrt}[(a^2 + c^2)/c^2])] / (3 * \text{Sqrt}[1 + a^2/c^2] * (a^2 - b^2 + c^2)^2 * e \\
& * (a + b * \text{Sec}[d + e*x] + c * \text{Tan}[d + e*x])^{(5/2)}) + (4 * a^2 * b * \text{Sec}[d + e*x]^{(5/2)} \\
& * (b + a * \text{Cos}[d + e*x] + c * \text{Sin}[d + e*x])^{(5/2)} * (-((c * \text{AppellF1}[-1/2, -1/2, -1/ \\
& 2, 1/2, -((b + a * \text{Sqrt}[1 + c^2/a^2] * \text{Cos}[d + e*x - \text{ArcTan}[c/a]]) / (a * \text{Sqrt}[1 + \\
& c^2/a^2] * (1 - b / (a * \text{Sqrt}[1 + c^2/a^2]))) - ((b + a * \text{Sqrt}[1 + c^2/a^2] * \text{Cos}[d \\
& + e*x - \text{ArcTan}[c/a]]) / (a * \text{Sqrt}[1 + c^2/a^2] * (-1 - b / (a * \text{Sqrt}[1 + c^2/a^2]))) \\
& * \text{Sin}[d + e*x - \text{ArcTan}[c/a]]) / (a * \text{Sqrt}[1 + c^2/a^2] * \text{Sqrt}[(a * \text{Sqrt}[(a^2 + c^2) \\
& /a^2] - a * \text{Sqrt}[(a^2 + c^2)/a^2] * \text{Cos}[d + e*x - \text{ArcTan}[c/a]]) / (b + a * \text{Sqrt}[(a^2 \\
& + c^2)/a^2]) * \text{Sqrt}[b + a * \text{Sqrt}[(a^2 + c^2)/a^2] * \text{Cos}[d + e*x - \text{ArcTan}[c/a]] \\
& * \text{Sqrt}[(a * \text{Sqrt}[(a^2 + c^2)/a^2] + a * \text{Sqrt}[(a^2 + c^2)/a^2] * \text{Cos}[d + e*x - \text{Arc} \\
& \text{Tan}[c/a]]) / (-b + a * \text{Sqrt}[(a^2 + c^2)/a^2])])) - ((2 * a * (b + a * \text{Sqrt}[1 + c^2/a^2] \\
& * \text{Cos}[d + e*x - \text{ArcTan}[c/a]])) / (a^2 + c^2) - (c * \text{Sin}[d + e*x - \text{ArcTan}[c/a]] \\
& ) / (a * \text{Sqrt}[1 + c^2/a^2])) / \text{Sqrt}[b + a * \text{Sqrt}[1 + c^2/a^2] * \text{Cos}[d + e*x - \text{ArcTan}[ \\
& c/a]]]) / (3 * c * (a^2 - b^2 + c^2)^2 * e * (a + b * \text{Sec}[d + e*x] + c * \text{Tan}[d + e*x])^{(5/2)}) \\
& + (4 * b * c * \text{Sec}[d + e*x]^{(5/2)} * (b + a * \text{Cos}[d + e*x] + c * \text{Sin}[d + e*x])^{(5/2)} * (-((c * \text{AppellF1}[-1/2, -1/2, -1/2, 1/2, -((b + a * \text{Sqrt}[1 + c^2/a^2] * \text{Cos}[d + \\
& e*x - \text{ArcTan}[c/a]]) / (a * \text{Sqrt}[1 + c^2/a^2] * (1 - b / (a * \text{Sqrt}[1 + c^2/a^2]))) - ((b + a * \text{Sqrt}[1 + c^2/a^2] * \text{Cos}[d + e*x - \text{ArcTan}[c/a]]) / (a * \text{Sqrt}[1 + c^2/a^2] \\
& * (-1 - b / (a * \text{Sqrt}[1 + c^2/a^2]))) * \text{Sin}[d + e*x - \text{ArcTan}[c/a]]) / (a * \text{Sqrt}[1 + \\
& c^2/a^2] * \text{Sqrt}[(a * \text{Sqrt}[(a^2 + c^2)/a^2] - a * \text{Sqrt}[(a^2 + c^2)/a^2] * \text{Cos}[d + e*x \\
& - \text{ArcTan}[c/a]]) / (b + a * \text{Sqrt}[(a^2 + c^2)/a^2]) * \text{Sqrt}[b + a * \text{Sqrt}[(a^2 + c^2) \\
& /a^2] * \text{Cos}[d + e*x - \text{ArcTan}[c/a]]] * \text{Sqrt}[(a * \text{Sqrt}[(a^2 + c^2)/a^2] + a * \text{Sqrt}[( \\
& a^2 + c^2)/a^2] * \text{Cos}[d + e*x - \text{ArcTan}[c/a]]) / (-b + a * \text{Sqrt}[(a^2 + c^2)/a^2]) \\
& )) - ((2 * a * (b + a * \text{Sqrt}[1 + c^2/a^2] * \text{Cos}[d + e*x - \text{ArcTan}[c/a]])) / (a^2 + c^2) \\
& - (c * \text{Sin}[d + e*x - \text{ArcTan}[c/a]]) / (a * \text{Sqrt}[1 + c^2/a^2])) / \text{Sqrt}[b + a * \text{Sqrt}[1 \\
& + c^2/a^2] * \text{Cos}[d + e*x - \text{ArcTan}[c/a]]]) / (3 * (a^2 - b^2 + c^2)^2 * e * (a + b * \text{S} \\
& \text{ec}[d + e*x] + c * \text{Tan}[d + e*x])^{(5/2)})
\end{aligned}$$


---

**Maple [C]** time = 1.75, size = 63949, normalized size = 130.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\text{sec}(e*x+d)^{(5/2)} / (a+b*\text{sec}(e*x+d)+c*\text{tan}(e*x+d))^{(5/2)}, x)$

[Out] result too large to display

---



**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec(ex+d)^{\frac{5}{2}}}{(b \sec(ex+d) + c \tan(ex+d) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(e\*x+d)^(5/2)/(a+b\*sec(e\*x+d)+c\*tan(e\*x+d))^(5/2),x, algorithm="maxima")

[Out] integrate(sec(e\*x + d)^(5/2)/(b\*sec(e\*x + d) + c\*tan(e\*x + d) + a)^(5/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{b \sec(ex+d) + c \tan(ex+d) + a} \sec(ex+d)^{\frac{5}{2}}}{b^3 \sec(ex+d)^3 + c^3 \tan(ex+d)^3 + 3ab^2 \sec(ex+d)^2 + 3a^2b \sec(ex+d) + a^3 + 3(bc^2 \sec(ex+d) + ac^2)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(e\*x+d)^(5/2)/(a+b\*sec(e\*x+d)+c\*tan(e\*x+d))^(5/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*sec(e\*x + d) + c\*tan(e\*x + d) + a)\*sec(e\*x + d)^(5/2)/(b^3\*sec(e\*x + d)^3 + c^3\*tan(e\*x + d)^3 + 3\*a\*b^2\*sec(e\*x + d)^2 + 3\*a^2\*b\*sec(e\*x + d) + a^3 + 3\*(b\*c^2\*sec(e\*x + d) + a\*c^2)\*tan(e\*x + d)^2 + 3\*(b^2\*c\*sec(e\*x + d)^2 + 2\*a\*b\*c\*sec(e\*x + d) + a^2\*c)\*tan(e\*x + d)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(e\*x+d)\*\*(5/2)/(a+b\*sec(e\*x+d)+c\*tan(e\*x+d))\*\*(5/2),x)

[Out] Timed out

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(e\*x+d)^(5/2)/(a+b\*sec(e\*x+d)+c\*tan(e\*x+d))^(5/2),x, algorithm="giac")

[Out] Timed out

### 3.453 $\int \cos^{\frac{3}{2}}(d+ex)(a+b \sec(d+ex)+c \tan(d+ex))^{3/2} dx$

**Optimal.** Leaf size=371

$$\frac{2(a^2 - b^2 + c^2) \cos^{\frac{3}{2}}(d+ex) \sqrt{\frac{a \cos(d+ex)+b+c \sin(d+ex)}{\sqrt{a^2+c^2+b}}}(a+b \sec(d+ex)+c \tan(d+ex))^{3/2} \text{EllipticF}\left(\frac{1}{2}(-\tan^{-1}(a,c)+d+ex)\right)}{3e(a \cos(d+ex)+b+c \sin(d+ex))^2}$$

```
[Out] (-2*Cos[d + e*x]^(3/2)*(c*Cos[d + e*x] - a*Sin[d + e*x])*(a + b*Sec[d + e*x] + c*Tan[d + e*x])^(3/2))/(3*e*(b + a*Cos[d + e*x] + c*Sin[d + e*x])) + (8*b*Cos[d + e*x]^(3/2)*EllipticE[(d + e*x - ArcTan[a, c])/2, (2*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]*(a + b*Sec[d + e*x] + c*Tan[d + e*x])^(3/2))/(3*e*(b + a*Cos[d + e*x] + c*Sin[d + e*x])*Sqrt[(b + a*Cos[d + e*x] + c*Sin[d + e*x])/(b + Sqrt[a^2 + c^2])]) + (2*(a^2 - b^2 + c^2)*Cos[d + e*x]^(3/2)*EllipticF[(d + e*x - ArcTan[a, c])/2, (2*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]*Sqrt[(b + a*Cos[d + e*x] + c*Sin[d + e*x])/(b + Sqrt[a^2 + c^2])]*(a + b*Sec[d + e*x] + c*Tan[d + e*x])^(3/2))/(3*e*(b + a*Cos[d + e*x] + c*Sin[d + e*x])^2)
```

**Rubi [A]** time = 0.389821, antiderivative size = 371, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {3163, 3120, 3149, 3119, 2653, 3127, 2661}

$$\frac{2(a^2 - b^2 + c^2) \cos^{\frac{3}{2}}(d+ex) \sqrt{\frac{a \cos(d+ex)+b+c \sin(d+ex)}{\sqrt{a^2+c^2+b}}}(a+b \sec(d+ex)+c \tan(d+ex))^{3/2} F\left(\frac{1}{2}(d+ex - \tan^{-1}(a,c)) \middle| \frac{2\sqrt{a^2+c^2+b}}{b+\sqrt{a^2+c^2+b}}\right)}{3e(a \cos(d+ex)+b+c \sin(d+ex))^2}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[d + e*x]^(3/2)*(a + b*Sec[d + e*x] + c*Tan[d + e*x])^(3/2), x]
```

```
[Out] (-2*Cos[d + e*x]^(3/2)*(c*Cos[d + e*x] - a*Sin[d + e*x])*(a + b*Sec[d + e*x] + c*Tan[d + e*x])^(3/2))/(3*e*(b + a*Cos[d + e*x] + c*Sin[d + e*x])) + (8*b*Cos[d + e*x]^(3/2)*EllipticE[(d + e*x - ArcTan[a, c])/2, (2*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]*(a + b*Sec[d + e*x] + c*Tan[d + e*x])^(3/2))/(3*e*(b + a*Cos[d + e*x] + c*Sin[d + e*x])*Sqrt[(b + a*Cos[d + e*x] + c*Sin[d + e*x])/(b + Sqrt[a^2 + c^2])]) + (2*(a^2 - b^2 + c^2)*Cos[d + e*x]^(3/2)*EllipticF[(d + e*x - ArcTan[a, c])/2, (2*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]*Sqrt[(b + a*Cos[d + e*x] + c*Sin[d + e*x])/(b + Sqrt[a^2 + c^2])]*(a + b*Sec[d + e*x] + c*Tan[d + e*x])^(3/2))/(3*e*(b + a*Cos[d + e*x] + c*Sin[d + e*x])^2)
```

#### Rule 3163

```
Int[cos[(d_.) + (e_.)*(x_)]^(n_)*((a_.) + (b_.)*sec[(d_.) + (e_.)*(x_)] + (c_.)*tan[(d_.) + (e_.)*(x_)]^(n_), x_Symbol] := Dist[(Cos[d + e*x]^n*(a + b*Sec[d + e*x] + c*Tan[d + e*x])^n)/(b + a*Cos[d + e*x] + c*Sin[d + e*x])^n, Int[(b + a*Cos[d + e*x] + c*Sin[d + e*x])^n, x], x] /; FreeQ[{a, b, c, d, e}, x] && !IntegerQ[n]
```

#### Rule 3120

```
Int[(cos[(d_.) + (e_.)*(x_)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_)]^(n_), x_Symbol] := -Simp[((c*Cos[d + e*x] - b*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^n, x]
```

```
e*x] + c*Sin[d + e*x])^(n - 1))/(e*n), x] + Dist[1/n, Int[Simp[n*a^2 + (n -
1)*(b^2 + c^2) + a*b*(2*n - 1)*Cos[d + e*x] + a*c*(2*n - 1)*Sin[d + e*x],
x]*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n - 2), x], x] /; FreeQ[{a, b, c,
d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && GtQ[n, 1]
```

#### Rule 3149

```
Int[((A_.) + cos[(d_.) + (e_.)*(x_.)]*(B_.) + (C_.)*sin[(d_.) + (e_.)*(x_.)])
/Sqrt[cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)]],
x_Symbol] := Dist[B/b, Int[Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]], x],
x] + Dist[(A*b - a*B)/b, Int[1/Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]],
x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && EqQ[B*c - b*C, 0] && NeQ[A*
b - a*B, 0]
```

#### Rule 3119

```
Int[Sqrt[cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)
]], x_Symbol] := Dist[Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]]/Sqrt[(a +
b*Cos[d + e*x] + c*Sin[d + e*x])/(a + Sqrt[b^2 + c^2])], Int[Sqrt[a/(a + Sq
rt[b^2 + c^2]) + (Sqrt[b^2 + c^2]*Cos[d + e*x - ArcTan[b, c]])/(a + Sqrt[b^
2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]
&& NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]
```

#### Rule 2653

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

#### Rule 3127

```
Int[1/Sqrt[cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(
x_.)]], x_Symbol] := Dist[Sqrt[(a + b*Cos[d + e*x] + c*Sin[d + e*x])/(a + Sq
rt[b^2 + c^2])]/Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]], Int[1/Sqrt[a/(a
+ Sqrt[b^2 + c^2]) + (Sqrt[b^2 + c^2]*Cos[d + e*x - ArcTan[b, c]])/(a + Sqr
t[b^2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2,
0] && NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]
```

#### Rule 2661

```
Int[1/Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

#### Rubi steps

$$\begin{aligned}
\int \cos^{\frac{3}{2}}(d+ex)(a+b\sec(d+ex)+c\tan(d+ex))^{3/2} dx &= \frac{\left(\cos^{\frac{3}{2}}(d+ex)(a+b\sec(d+ex)+c\tan(d+ex))^{3/2}\right) \int (b+a\cos(d+ex)+c\sin(d+ex))^{-1} dx}{(b+a\cos(d+ex)+c\sin(d+ex))} \\
&= -\frac{2\cos^{\frac{3}{2}}(d+ex)(c\cos(d+ex)-a\sin(d+ex))(a+b\sec(d+ex)+c\tan(d+ex))^{3/2}}{3e(b+a\cos(d+ex)+c\sin(d+ex))} \\
&= -\frac{2\cos^{\frac{3}{2}}(d+ex)(c\cos(d+ex)-a\sin(d+ex))(a+b\sec(d+ex)+c\tan(d+ex))^{3/2}}{3e(b+a\cos(d+ex)+c\sin(d+ex))} \\
&= -\frac{2\cos^{\frac{3}{2}}(d+ex)(c\cos(d+ex)-a\sin(d+ex))(a+b\sec(d+ex)+c\tan(d+ex))^{3/2}}{3e(b+a\cos(d+ex)+c\sin(d+ex))} \\
&= -\frac{2\cos^{\frac{3}{2}}(d+ex)(c\cos(d+ex)-a\sin(d+ex))(a+b\sec(d+ex)+c\tan(d+ex))^{3/2}}{3e(b+a\cos(d+ex)+c\sin(d+ex))}
\end{aligned}$$

**Mathematica [F]** time = 151.125, size = 0, normalized size = 0.

$$\int \cos^{\frac{3}{2}}(d+ex)(a+b\sec(d+ex)+c\tan(d+ex))^{3/2} dx$$

Verification is Not applicable to the result.

[In] Integrate[Cos[d + e\*x]^(3/2)\*(a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x])^(3/2), x]

[Out] Integrate[Cos[d + e\*x]^(3/2)\*(a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x])^(3/2), x  
]

**Maple [C]** time = 0.709, size = 21015, normalized size = 56.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(e\*x+d)^(3/2)\*(a+b\*sec(e\*x+d)+c\*tan(e\*x+d))^(3/2), x)

[Out] result too large to display

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (b\sec(ex+d) + c\tan(ex+d) + a)^{\frac{3}{2}} \cos(ex+d)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(e\*x+d)^(3/2)\*(a+b\*sec(e\*x+d)+c\*tan(e\*x+d))^(3/2), x, algorithm="maxima")

[Out] integrate((b\*sec(e\*x + d) + c\*tan(e\*x + d) + a)^(3/2)\*cos(e\*x + d)^(3/2), x  
)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

integral((b cos(ex + d) sec(ex + d) + c cos(ex + d) tan(ex + d) + a cos(ex + d))sqrt(b sec(ex + d) + c tan(ex + d) + a

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(e\*x+d)^(3/2)\*(a+b\*sec(e\*x+d)+c\*tan(e\*x+d))^(3/2),x, algorithm  
="fricas")

[Out] integral((b\*cos(e\*x + d)\*sec(e\*x + d) + c\*cos(e\*x + d)\*tan(e\*x + d) + a\*cos  
(e\*x + d))\*sqrt(b\*sec(e\*x + d) + c\*tan(e\*x + d) + a)\*sqrt(cos(e\*x + d)), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(e\*x+d)\*\*(3/2)\*(a+b\*sec(e\*x+d)+c\*tan(e\*x+d))\*\*(3/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (b \sec(ex + d) + c \tan(ex + d) + a)^{\frac{3}{2}} \cos(ex + d)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(e\*x+d)^(3/2)\*(a+b\*sec(e\*x+d)+c\*tan(e\*x+d))^(3/2),x, algorithm  
="giac")

[Out] integrate((b\*sec(e\*x + d) + c\*tan(e\*x + d) + a)^(3/2)\*cos(e\*x + d)^(3/2), x  
)

### 3.454 $\int \sqrt{\cos(d+ex)} \sqrt{a+b \sec(d+ex)+c \tan(d+ex)} dx$

**Optimal.** Leaf size=118

$$\frac{2\sqrt{\cos(d+ex)}\sqrt{a+b \sec(d+ex)+c \tan(d+ex)}E\left(\frac{1}{2}(d+ex-\tan^{-1}(a,c))\middle|\frac{2\sqrt{a^2+c^2}}{b+\sqrt{a^2+c^2}}\right)}{e\sqrt{\frac{a \cos(d+ex)+b+c \sin(d+ex)}{\sqrt{a^2+c^2}+b}}}$$

[Out] (2\*Sqrt[Cos[d + e\*x]]\*EllipticE[(d + e\*x - ArcTan[a, c])/2, (2\*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]\*Sqrt[a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x]])/(e\*Sqrt[(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])/(b + Sqrt[a^2 + c^2])])

**Rubi [A]** time = 0.146648, antiderivative size = 118, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {3163, 3119, 2653}

$$\frac{2\sqrt{\cos(d+ex)}\sqrt{a+b \sec(d+ex)+c \tan(d+ex)}E\left(\frac{1}{2}(d+ex-\tan^{-1}(a,c))\middle|\frac{2\sqrt{a^2+c^2}}{b+\sqrt{a^2+c^2}}\right)}{e\sqrt{\frac{a \cos(d+ex)+b+c \sin(d+ex)}{\sqrt{a^2+c^2}+b}}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[d + e\*x]]\*Sqrt[a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x]],x]

[Out] (2\*Sqrt[Cos[d + e\*x]]\*EllipticE[(d + e\*x - ArcTan[a, c])/2, (2\*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]\*Sqrt[a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x]])/(e\*Sqrt[(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])/(b + Sqrt[a^2 + c^2])])

#### Rule 3163

Int[cos[(d\_.) + (e\_.)\*(x\_)]^(n\_)\*((a\_.) + (b\_.)\*sec[(d\_.) + (e\_.)\*(x\_)] + (c\_.)\*tan[(d\_.) + (e\_.)\*(x\_)]^(n\_), x\_Symbol] :> Dist[(Cos[d + e\*x]^n\*(a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x])^n)/(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])^n, Int[(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])^n, x], x] /; FreeQ[{a, b, c, d, e}, x] && !IntegerQ[n]

#### Rule 3119

Int[Sqrt[cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]], x\_Symbol] :> Dist[Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]]/Sqrt[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])/(a + Sqrt[b^2 + c^2])], Int[Sqrt[a/(a + Sqrt[b^2 + c^2]) + (Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]])/(a + Sqrt[b^2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]

#### Rule 2653

Int[Sqrt[(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rubi steps

$$\int \sqrt{\cos(d+ex)} \sqrt{a+b \sec(d+ex)+c \tan(d+ex)} dx = \frac{(\sqrt{\cos(d+ex)} \sqrt{a+b \sec(d+ex)+c \tan(d+ex)}) \int \sqrt{b+a \cos(d+ex)+c \sin(d+ex)} dx}{\sqrt{b+a \cos(d+ex)+c \sin(d+ex)}} \\ = \frac{(\sqrt{\cos(d+ex)} \sqrt{a+b \sec(d+ex)+c \tan(d+ex)}) \int \sqrt{\frac{b}{b+\sqrt{a^2+c^2}}}}{\sqrt{\frac{b+a \cos(d+ex)+c \sin(d+ex)}{b+\sqrt{a^2+c^2}}}} \\ = \frac{2\sqrt{\cos(d+ex)} E\left(\frac{1}{2}(d+ex - \tan^{-1}(a,c)) \middle| \frac{2\sqrt{a^2+c^2}}{b+\sqrt{a^2+c^2}}\right) \sqrt{a+b \sec(d+ex)+c \tan(d+ex)}}{e \sqrt{\frac{b+a \cos(d+ex)+c \sin(d+ex)}{b+\sqrt{a^2+c^2}}}}$$

**Mathematica [F]** time = 21.2875, size = 0, normalized size = 0.

$$\int \sqrt{\cos(d+ex)} \sqrt{a+b \sec(d+ex)+c \tan(d+ex)} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[Cos[d + e\*x]]\*Sqrt[a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x]], x]

[Out] Integrate[Sqrt[Cos[d + e\*x]]\*Sqrt[a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x]], x]

**Maple [C]** time = 0.444, size = 12460, normalized size = 105.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(e\*x+d)^(1/2)\*(a+b\*sec(e\*x+d)+c\*tan(e\*x+d))^(1/2), x)

[Out] result too large to display

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{b \sec(ex+d)+c \tan(ex+d)+a} \sqrt{\cos(ex+d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(e\*x+d)^(1/2)\*(a+b\*sec(e\*x+d)+c\*tan(e\*x+d))^(1/2), x, algorithm="maxima")

[Out] integrate(sqrt(b\*sec(e\*x + d) + c\*tan(e\*x + d) + a)\*sqrt(cos(e\*x + d)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\sqrt{b \sec(ex+d)+c \tan(ex+d)+a} \sqrt{\cos(ex+d)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(e*x+d)^(1/2)*(a+b*sec(e*x+d)+c*tan(e*x+d))^(1/2),x, algorithm="fricas")
```

```
[Out] integral(sqrt(b*sec(e*x + d) + c*tan(e*x + d) + a)*sqrt(cos(e*x + d)), x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a + b \sec(d + ex) + c \tan(d + ex)} \sqrt{\cos(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(e*x+d)**(1/2)*(a+b*sec(e*x+d)+c*tan(e*x+d))**(1/2),x)
```

```
[Out] Integral(sqrt(a + b*sec(d + e*x) + c*tan(d + e*x))*sqrt(cos(d + e*x)), x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{b \sec(ex + d) + c \tan(ex + d) + a} \sqrt{\cos(ex + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(e*x+d)^(1/2)*(a+b*sec(e*x+d)+c*tan(e*x+d))^(1/2),x, algorithm="giac")
```

```
[Out] integrate(sqrt(b*sec(e*x + d) + c*tan(e*x + d) + a)*sqrt(cos(e*x + d)), x)
```



$$3.455 \quad \int \frac{1}{\sqrt{\cos(d+ex)}\sqrt{a+b \sec(d+ex)+c \tan(d+ex)}} dx$$

**Optimal.** Leaf size=118

$$\frac{2\sqrt{\frac{a \cos(d+ex)+b+c \sin(d+ex)}{\sqrt{a^2+c^2+b}}} \operatorname{EllipticF}\left(\frac{1}{2}\left(-\tan^{-1}(a,c)+d+ex\right), \frac{2\sqrt{a^2+c^2}}{\sqrt{a^2+c^2+b}}\right)}{e\sqrt{\cos(d+ex)}\sqrt{a+b \sec(d+ex)+c \tan(d+ex)}}$$

[Out] (2\*EllipticF[(d + e\*x - ArcTan[a, c])/2, (2\*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]\*Sqrt[(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])/(b + Sqrt[a^2 + c^2])])/(e\*Sqrt[Cos[d + e\*x]]\*Sqrt[a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x]])

**Rubi [A]** time = 0.151947, antiderivative size = 118, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {3163, 3127, 2661}

$$\frac{2\sqrt{\frac{a \cos(d+ex)+b+c \sin(d+ex)}{\sqrt{a^2+c^2+b}}} F\left(\frac{1}{2}\left(d+ex-\tan^{-1}(a,c)\right), \frac{2\sqrt{a^2+c^2}}{b+\sqrt{a^2+c^2}}\right)}{e\sqrt{\cos(d+ex)}\sqrt{a+b \sec(d+ex)+c \tan(d+ex)}}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[Cos[d + e\*x]]\*Sqrt[a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x]]),x]

[Out] (2\*EllipticF[(d + e\*x - ArcTan[a, c])/2, (2\*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]\*Sqrt[(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])/(b + Sqrt[a^2 + c^2])])/(e\*Sqrt[Cos[d + e\*x]]\*Sqrt[a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x]])

#### Rule 3163

Int[cos[(d\_.) + (e\_.)\*(x\_)]^(n\_)\*((a\_.) + (b\_.)\*sec[(d\_.) + (e\_.)\*(x\_)] + (c\_.)\*tan[(d\_.) + (e\_.)\*(x\_)]^(n\_), x\_Symbol] := Dist[(Cos[d + e\*x]^n\*(a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x])^n)/(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])^n, Int[(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])^n, x], x] /; FreeQ[{a, b, c, d, e}, x] && !IntegerQ[n]

#### Rule 3127

Int[1/Sqrt[cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]], x\_Symbol] := Dist[Sqrt[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])/(a + Sqrt[b^2 + c^2])]/Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]], Int[1/Sqrt[a/(a + Sqrt[b^2 + c^2]) + (Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]])/(a + Sqrt[b^2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]

#### Rule 2661

Int[1/Sqrt[(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rubi steps

$$\int \frac{1}{\sqrt{\cos(d+ex)\sqrt{a+b\sec(d+ex)+c\tan(d+ex)}}} dx = \frac{\sqrt{b+a\cos(d+ex)+c\sin(d+ex)} \int \frac{1}{\sqrt{b+a\cos(d+ex)+c\sin(d+ex)}} dx}{\sqrt{\cos(d+ex)\sqrt{a+b\sec(d+ex)+c\tan(d+ex)}}}$$

$$= \frac{\sqrt{\frac{b+a\cos(d+ex)+c\sin(d+ex)}{b+\sqrt{a^2+c^2}}} \int \frac{1}{\sqrt{\frac{b}{b+\sqrt{a^2+c^2}} + \frac{\sqrt{a^2+c^2}\cos(d+ex-\tan^{-1}(a,c))}{b+\sqrt{a^2+c^2}}}} dx}{\sqrt{\cos(d+ex)\sqrt{a+b\sec(d+ex)+c\tan(d+ex)}}}$$

$$= \frac{2F\left(\frac{1}{2}\left(d+ex-\tan^{-1}(a,c)\right)\middle|\frac{2\sqrt{a^2+c^2}}{b+\sqrt{a^2+c^2}}\right) \sqrt{\frac{b+a\cos(d+ex)+c\sin(d+ex)}{b+\sqrt{a^2+c^2}}}}{e\sqrt{\cos(d+ex)\sqrt{a+b\sec(d+ex)+c\tan(d+ex)}}}$$

**Mathematica [C]** time = 2.94404, size = 506, normalized size = 4.29

$$4\left(\sqrt{a^2-b^2+c^2}+ia-ib+c\right)\left(\cos(d+ex)+i\sin(d+ex)\right) \frac{\sqrt{-\frac{i\left(\sqrt{a^2-b^2+c^2}+(a-b)\tan\left(\frac{1}{2}(d+ex)\right)-c\right)}{\left(\sqrt{a^2-b^2+c^2}-ia+ib-c\right)\left(\tan\left(\frac{1}{2}(d+ex)\right)-i\right)}}{\sqrt{-\frac{i\left(\sqrt{a^2-b^2+c^2}+(b-a)\tan\left(\frac{1}{2}(d+ex)\right)+c\right)}{\left(\sqrt{a^2-b^2+c^2}+ia-ib+c\right)\left(\tan\left(\frac{1}{2}(d+ex)\right)+i\right)}}}}{e\left(a+i\left(\sqrt{a^2-b^2+c^2}+ib+c\right)\right)\sqrt{\cos(d+ex)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/(Sqrt[Cos[d + e\*x]]\*Sqrt[a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x]]), x]

[Out] (4\*(I\*a - I\*b + c + Sqrt[a^2 - b^2 + c^2])\*EllipticF[ArcSin[Sqrt[(((I)\*a + I\*b + c + Sqrt[a^2 - b^2 + c^2])\*(-Cos[d + e\*x] + I\*Sin[d + e\*x]))/(I\*a - I\*b + c + Sqrt[a^2 - b^2 + c^2])]], (b + I\*Sqrt[a^2 - b^2 + c^2])/(b - I\*Sqrt[a^2 - b^2 + c^2])]\*Sqrt[(((I)\*a + I\*b + c + Sqrt[a^2 - b^2 + c^2])\*(-Cos[d + e\*x] + I\*Sin[d + e\*x]))/(I\*a - I\*b + c + Sqrt[a^2 - b^2 + c^2])]\*(Cos[d + e\*x] + I\*Sin[d + e\*x])\*Sqrt[(((I)\*(-c + Sqrt[a^2 - b^2 + c^2] + (a - b)\*Tan[(d + e\*x)/2]))/(((I)\*a + I\*b - c + Sqrt[a^2 - b^2 + c^2])\*(-I + Tan[(d + e\*x)/2])))]\*Sqrt[(((I)\*(c + Sqrt[a^2 - b^2 + c^2] + (-a + b)\*Tan[(d + e\*x)/2]))/(((I)\*a - I\*b + c + Sqrt[a^2 - b^2 + c^2])\*(-I + Tan[(d + e\*x)/2])))])/(a + I\*(I\*b + c + Sqrt[a^2 - b^2 + c^2]))\*e\*Sqrt[Cos[d + e\*x]]\*Sqrt[a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x]])

**Maple [C]** time = 0.415, size = 714, normalized size = 6.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(e\*x+d)^(1/2)/(a+b\*sec(e\*x+d)+c\*tan(e\*x+d))^(1/2), x)

[Out] 4\*I/e/(I\*a-I\*b-(a^2-b^2+c^2)^(1/2)+c)\*((b+a\*cos(e\*x+d)+c\*sin(e\*x+d))/cos(e\*x+d))^(1/2)\*((I\*a-I\*b-(a^2-b^2+c^2)^(1/2)+c)/(I\*a-I\*b+(a^2-b^2+c^2)^(1/2)-c)\*(I\*sin(e\*x+d)+cos(e\*x+d)))^(1/2)\*(-I/(I\*a-I\*b-(a^2-b^2+c^2)^(1/2)-c)\*(cos(e\*x+d)\*(a^2-b^2+c^2)^(1/2)-a\*sin(e\*x+d)+b\*sin(e\*x+d)+c\*cos(e\*x+d)+(a^2-b^2+c^2)^(1/2)+c)/(I\*cos(e\*x+d)+I\*sin(e\*x+d)))^(1/2)\*(I/(I\*a-I\*b+(a^2-b^2+c^2)^(1/2)-c)\*(a\*sin(e\*x+d)-b\*sin(e\*x+d)+cos(e\*x+d)\*(a^2-b^2+c^2)^(1/2)-c\*cos(e\*x+d)+(a^2-b^2+c^2)^(1/2)-c)/(I\*cos(e\*x+d)+I\*sin(e\*x+d)))^(1/2)\*(cos(e\*x+d)+1)^2\*EllipticF(((I\*a-I\*b-(a^2-b^2+c^2)^(1/2)+c)/(I\*a-I\*b+(a^2-b^2+c^2)^(1/2)-c)\*(I\*sin(e\*x+d)+cos(e\*x+d)))^(1/2), ((I\*a-I\*b+(a^2-b^2+c^2)^(1/2)-c)\*(I\*

$$a - I * b + (a^2 - b^2 + c^2)^{(1/2)} + c / (I * a - I * b - (a^2 - b^2 + c^2)^{(1/2)} + c) / (I * a - I * b - (a^2 - b^2 + c^2)^{(1/2)} - c)^{(1/2)} * \cos(e * x + d)^{(1/2)} * (\cos(e * x + d) - 1)^2 * (I * (a^2 - b^2 + c^2)^{(1/2)} * \sin(e * x + d) - I * a * \cos(e * x + d) + I * \cos(e * x + d) * b - I * c * \sin(e * x + d) - \cos(e * x + d) * (a^2 - b^2 + c^2)^{(1/2)} + c * \cos(e * x + d) - a * \sin(e * x + d) + b * \sin(e * x + d)) / \sin(e * x + d)^4 / (b + a * \cos(e * x + d) + c * \sin(e * x + d))$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{b \sec(ex + d) + c \tan(ex + d) + a} \sqrt{\cos(ex + d)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(e\*x+d)^(1/2)/(a+b\*sec(e\*x+d)+c\*tan(e\*x+d))^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(b\*sec(e\*x + d) + c\*tan(e\*x + d) + a)\*sqrt(cos(e\*x + d))), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{b \sec(ex + d) + c \tan(ex + d) + a} \sqrt{\cos(ex + d)}}{b \cos(ex + d) \sec(ex + d) + c \cos(ex + d) \tan(ex + d) + a \cos(ex + d)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(e\*x+d)^(1/2)/(a+b\*sec(e\*x+d)+c\*tan(e\*x+d))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*sec(e\*x + d) + c\*tan(e\*x + d) + a)\*sqrt(cos(e\*x + d))/(b\*cos(e\*x + d)\*sec(e\*x + d) + c\*cos(e\*x + d)\*tan(e\*x + d) + a\*cos(e\*x + d)), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{a + b \sec(d + ex) + c \tan(d + ex)} \sqrt{\cos(d + ex)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(e\*x+d)\*\*(1/2)/(a+b\*sec(e\*x+d)+c\*tan(e\*x+d))\*\*(1/2),x)

[Out] Integral(1/(sqrt(a + b\*sec(d + e\*x) + c\*tan(d + e\*x))\*sqrt(cos(d + e\*x))), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{b \sec(ex + d) + c \tan(ex + d) + a} \sqrt{\cos(ex + d)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/cos(e*x+d)^(1/2)/(a+b*sec(e*x+d)+c*tan(e*x+d))^(1/2),x, algorithm="giac")
```

```
[Out] integrate(1/(sqrt(b*sec(e*x + d) + c*tan(e*x + d) + a)*sqrt(cos(e*x + d))),  
x)
```

$$3.456 \quad \int \frac{1}{\cos^{\frac{3}{2}}(d+ex)(a+b \sec(d+ex)+c \tan(d+ex))^{3/2}} dx$$

**Optimal.** Leaf size=240

$$\frac{2(a \cos(d+ex) + b + c \sin(d+ex))^2 E\left(\frac{1}{2}(d+ex - \tan^{-1}(a,c)) \middle| \frac{2\sqrt{a^2+c^2}}{b+\sqrt{a^2+c^2}}\right)}{e(a^2 - b^2 + c^2) \cos^{\frac{3}{2}}(d+ex) \sqrt{\frac{a \cos(d+ex)+b+c \sin(d+ex)}{\sqrt{a^2+c^2}+b}} (a+b \sec(d+ex) + c \tan(d+ex))^{3/2}} - \frac{2(c \cos(d+ex) - a \sin(d+ex))}{e(a^2 - b^2 + c^2) \cos^{\frac{3}{2}}(d+ex)}$$

[Out] (-2\*(c\*cos[d + e\*x] - a\*sin[d + e\*x])\*(b + a\*cos[d + e\*x] + c\*sin[d + e\*x]))/((a^2 - b^2 + c^2)\*e\*cos[d + e\*x]^(3/2)\*(a + b\*sec[d + e\*x] + c\*tan[d + e\*x])^(3/2)) - (2\*EllipticE[(d + e\*x - ArcTan[a, c])/2, (2\*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]\*(b + a\*cos[d + e\*x] + c\*sin[d + e\*x])^2)/((a^2 - b^2 + c^2)\*e\*cos[d + e\*x]^(3/2)\*Sqrt[(b + a\*cos[d + e\*x] + c\*sin[d + e\*x])/(b + Sqrt[a^2 + c^2])]\*(a + b\*sec[d + e\*x] + c\*tan[d + e\*x])^(3/2))

**Rubi [A]** time = 0.211226, antiderivative size = 240, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$ , Rules used = {3163, 3128, 3119, 2653}

$$\frac{2(a \cos(d+ex) + b + c \sin(d+ex))^2 E\left(\frac{1}{2}(d+ex - \tan^{-1}(a,c)) \middle| \frac{2\sqrt{a^2+c^2}}{b+\sqrt{a^2+c^2}}\right)}{e(a^2 - b^2 + c^2) \cos^{\frac{3}{2}}(d+ex) \sqrt{\frac{a \cos(d+ex)+b+c \sin(d+ex)}{\sqrt{a^2+c^2}+b}} (a+b \sec(d+ex) + c \tan(d+ex))^{3/2}} - \frac{2(c \cos(d+ex) - a \sin(d+ex))}{e(a^2 - b^2 + c^2) \cos^{\frac{3}{2}}(d+ex)}$$

Antiderivative was successfully verified.

[In] Int[1/(Cos[d + e\*x]^(3/2)\*(a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x])^(3/2)), x]

[Out] (-2\*(c\*cos[d + e\*x] - a\*sin[d + e\*x])\*(b + a\*cos[d + e\*x] + c\*sin[d + e\*x]))/((a^2 - b^2 + c^2)\*e\*cos[d + e\*x]^(3/2)\*(a + b\*sec[d + e\*x] + c\*tan[d + e\*x])^(3/2)) - (2\*EllipticE[(d + e\*x - ArcTan[a, c])/2, (2\*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]\*(b + a\*cos[d + e\*x] + c\*sin[d + e\*x])^2)/((a^2 - b^2 + c^2)\*e\*cos[d + e\*x]^(3/2)\*Sqrt[(b + a\*cos[d + e\*x] + c\*sin[d + e\*x])/(b + Sqrt[a^2 + c^2])]\*(a + b\*sec[d + e\*x] + c\*tan[d + e\*x])^(3/2))

#### Rule 3163

Int[cos[(d\_.) + (e\_.)\*(x\_)]^(n\_)\*((a\_.) + (b\_.)\*sec[(d\_.) + (e\_.)\*(x\_)] + (c\_.)\*tan[(d\_.) + (e\_.)\*(x\_)]^(n\_), x\_Symbol] :> Dist[(Cos[d + e\*x]^(n)\*(a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x])^n)/(b + a\*cos[d + e\*x] + c\*sin[d + e\*x])^n, Int[(b + a\*cos[d + e\*x] + c\*sin[d + e\*x])^n, x], x] /; FreeQ[{a, b, c, d, e}, x] && !IntegerQ[n]

#### Rule 3128

Int[(cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]^(3/2), x\_Symbol] :> Simp[(2\*(c\*cos[d + e\*x] - b\*sin[d + e\*x]))/(e\*(a^2 - b^2 - c^2)\*Sqrt[a + b\*cos[d + e\*x] + c\*sin[d + e\*x]]), x] + Dist[1/(a^2 - b^2 - c^2), Int[Sqrt[a + b\*cos[d + e\*x] + c\*sin[d + e\*x]], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]

#### Rule 3119

Int[Sqrt[cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]], x\_Symbol] :> Dist[Sqrt[a + b\*cos[d + e\*x] + c\*sin[d + e\*x]]/Sqrt[(a +

```
b*Cos[d + e*x] + c*Sin[d + e*x])/(a + Sqrt[b^2 + c^2]), Int[Sqrt[a/(a + Sqrt[b^2 + c^2]) + (Sqrt[b^2 + c^2]*Cos[d + e*x - ArcTan[b, c]])/(a + Sqrt[b^2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]
```

**Rule 2653**

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\int \frac{1}{\cos^{\frac{3}{2}}(d + ex)(a + b \sec(d + ex) + c \tan(d + ex))^{3/2}} dx = \frac{(b + a \cos(d + ex) + c \sin(d + ex))^{3/2} \int \frac{1}{(b + a \cos(d + ex) + c \sin(d + ex))^3}}{\cos^{\frac{3}{2}}(d + ex)(a + b \sec(d + ex) + c \tan(d + ex))^{3/2}}$$

$$= -\frac{2(c \cos(d + ex) - a \sin(d + ex))(b + a \cos(d + ex) + c \sin(d + ex))}{(a^2 - b^2 + c^2) e \cos^{\frac{3}{2}}(d + ex)(a + b \sec(d + ex) + c \tan(d + ex))^{3/2}}$$

$$= -\frac{2(c \cos(d + ex) - a \sin(d + ex))(b + a \cos(d + ex) + c \sin(d + ex))}{(a^2 - b^2 + c^2) e \cos^{\frac{3}{2}}(d + ex)(a + b \sec(d + ex) + c \tan(d + ex))^{3/2}}$$

$$= -\frac{2(c \cos(d + ex) - a \sin(d + ex))(b + a \cos(d + ex) + c \sin(d + ex))}{(a^2 - b^2 + c^2) e \cos^{\frac{3}{2}}(d + ex)(a + b \sec(d + ex) + c \tan(d + ex))^{3/2}}$$

**Mathematica [F]** time = 24.5685, size = 0, normalized size = 0.

$$\int \frac{1}{\cos^{\frac{3}{2}}(d + ex)(a + b \sec(d + ex) + c \tan(d + ex))^{3/2}} dx$$

Verification is Not applicable to the result.

```
[In] Integrate[1/(Cos[d + e*x]^(3/2)*(a + b*Sec[d + e*x] + c*Tan[d + e*x])^(3/2)), x]
```

```
[Out] Integrate[1/(Cos[d + e*x]^(3/2)*(a + b*Sec[d + e*x] + c*Tan[d + e*x])^(3/2)), x]
```

**Maple [C]** time = 0.44, size = 12562, normalized size = 52.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/cos(e*x+d)^(3/2)/(a+b*sec(e*x+d)+c*tan(e*x+d))^(3/2), x)
```

```
[Out] result too large to display
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \sec(ex + d) + c \tan(ex + d) + a)^{\frac{3}{2}} \cos(ex + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(e\*x+d)^(3/2)/(a+b\*sec(e\*x+d)+c\*tan(e\*x+d))^(3/2),x, algorithm="maxima")

[Out] integrate(1/((b\*sec(e\*x + d) + c\*tan(e\*x + d) + a)^(3/2)\*cos(e\*x + d)^(3/2)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{b \sec(ex + d) + c \tan(ex + d) + a} \sqrt{\cos(ex + d)}}{b^2 \cos(ex + d)^2 \sec(ex + d)^2 + c^2 \cos(ex + d)^2 \tan(ex + d)^2 + 2ab \cos(ex + d)^2 \sec(ex + d) + a^2 \cos(ex + d)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(e\*x+d)^(3/2)/(a+b\*sec(e\*x+d)+c\*tan(e\*x+d))^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*sec(e\*x + d) + c\*tan(e\*x + d) + a)\*sqrt(cos(e\*x + d))/(b^2\*cos(e\*x + d)^2\*sec(e\*x + d)^2 + c^2\*cos(e\*x + d)^2\*tan(e\*x + d)^2 + 2\*a\*b\*cos(e\*x + d)^2\*sec(e\*x + d) + a^2\*cos(e\*x + d)^2 + 2\*(b\*c\*cos(e\*x + d)^2\*sec(e\*x + d) + a\*c\*cos(e\*x + d)^2)\*tan(e\*x + d)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(e\*x+d)\*\*(3/2)/(a+b\*sec(e\*x+d)+c\*tan(e\*x+d))\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \sec(ex + d) + c \tan(ex + d) + a)^{\frac{3}{2}} \cos(ex + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(e\*x+d)^(3/2)/(a+b\*sec(e\*x+d)+c\*tan(e\*x+d))^(3/2),x, algorithm="giac")

[Out] integrate(1/((b\*sec(e\*x + d) + c\*tan(e\*x + d) + a)^(3/2)\*cos(e\*x + d)^(3/2)), x)

$$3.457 \quad \int \frac{1}{\cos^{\frac{5}{2}}(d+ex)(a+b \sec(d+ex)+c \tan(d+ex))^{5/2}} dx$$

**Optimal.** Leaf size=492

$$2 \sqrt{\frac{a \cos(d+ex)+b+c \sin(d+ex)}{\sqrt{a^2+c^2+b}}} (a \cos(d+ex)+b+c \sin(d+ex))^2 \text{EllipticF}\left(\frac{1}{2}(-\tan^{-1}(a,c)+d+ex), \frac{2\sqrt{a^2+c^2}}{\sqrt{a^2+c^2+b}}\right) + \frac{8b(a \cos(d+ex)+b+c \sin(d+ex))^3}{3e(a^2-b^2+c^2) \cos^{\frac{5}{2}}(d+ex)(a+b \sec(d+ex)+c \tan(d+ex))^{5/2}}$$

[Out] (-2\*(c\*Cos[d + e\*x] - a\*Sin[d + e\*x])\*(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x]))/(3\*(a^2 - b^2 + c^2)\*e\*Cos[d + e\*x]^(5/2)\*(a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x])^(5/2)) + (8\*(b\*c\*Cos[d + e\*x] - a\*b\*Sin[d + e\*x])\*(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])^2)/(3\*(a^2 - b^2 + c^2)^2\*e\*Cos[d + e\*x]^(5/2)\*(a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x])^(5/2)) + (8\*b\*EllipticE[(d + e\*x - ArcTan[a, c])/2, (2\*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]\*(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])^3)/(3\*(a^2 - b^2 + c^2)^2\*e\*Cos[d + e\*x]^(5/2)\*Sqrt[(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])/(b + Sqrt[a^2 + c^2])]\*(a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x])^(5/2)) + (2\*EllipticF[(d + e\*x - ArcTan[a, c])/2, (2\*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]\*(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])^2\*Sqrt[(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])/(b + Sqrt[a^2 + c^2])])/(3\*(a^2 - b^2 + c^2)\*e\*Cos[d + e\*x]^(5/2)\*(a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x])^(5/2))

**Rubi [A]** time = 0.494709, antiderivative size = 492, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$ , Rules used = {3163, 3129, 3156, 3149, 3119, 2653, 3127, 2661}

$$2 \sqrt{\frac{a \cos(d+ex)+b+c \sin(d+ex)}{\sqrt{a^2+c^2+b}}} (a \cos(d+ex)+b+c \sin(d+ex))^2 F\left(\frac{1}{2}(d+ex-\tan^{-1}(a,c)) \middle| \frac{2\sqrt{a^2+c^2}}{b+\sqrt{a^2+c^2}}\right) + \frac{8b(a \cos(d+ex)+b+c \sin(d+ex))^3}{3e(a^2-b^2+c^2) \cos^{\frac{5}{2}}(d+ex)(a+b \sec(d+ex)+c \tan(d+ex))^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[1/(Cos[d + e\*x]^(5/2)\*(a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x])^(5/2)),x]

[Out] (-2\*(c\*Cos[d + e\*x] - a\*Sin[d + e\*x])\*(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x]))/(3\*(a^2 - b^2 + c^2)\*e\*Cos[d + e\*x]^(5/2)\*(a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x])^(5/2)) + (8\*(b\*c\*Cos[d + e\*x] - a\*b\*Sin[d + e\*x])\*(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])^2)/(3\*(a^2 - b^2 + c^2)^2\*e\*Cos[d + e\*x]^(5/2)\*(a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x])^(5/2)) + (8\*b\*EllipticE[(d + e\*x - ArcTan[a, c])/2, (2\*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]\*(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])^3)/(3\*(a^2 - b^2 + c^2)^2\*e\*Cos[d + e\*x]^(5/2)\*Sqrt[(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])/(b + Sqrt[a^2 + c^2])]\*(a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x])^(5/2)) + (2\*EllipticF[(d + e\*x - ArcTan[a, c])/2, (2\*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]\*(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])^2\*Sqrt[(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])/(b + Sqrt[a^2 + c^2])])/(3\*(a^2 - b^2 + c^2)\*e\*Cos[d + e\*x]^(5/2)\*(a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x])^(5/2))

### Rule 3163

Int[cos[(d\_.) + (e\_.)\*(x\_)]^(n\_)\*((a\_.) + (b\_.)\*sec[(d\_.) + (e\_.)\*(x\_)] + (c\_.)\*tan[(d\_.) + (e\_.)\*(x\_)]^(n\_), x\_Symbol] :> Dist[(Cos[d + e\*x]^n\*(a + b\*Sec[d + e\*x] + c\*Tan[d + e\*x])^n)/(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])^n, Int[(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])^n, x], x] /; FreeQ[{a, b, c, d,



e}, x] && !IntegerQ[n]

### Rule 3129

Int[(cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (a\_) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((-c\*cos[d + e\*x] + b\*sin[d + e\*x])\*(a + b\*cos[d + e\*x] + c\*sin[d + e\*x])^(n + 1))/(e\*(n + 1)\*(a^2 - b^2 - c^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2 - c^2)), Int[(a\*(n + 1) - b\*(n + 2)\*cos[d + e\*x] - c\*(n + 2)\*sin[d + e\*x])\*(a + b\*cos[d + e\*x] + c\*sin[d + e\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && LtQ[n, -1] && NeQ[n, -3/2]

### Rule 3156

Int[((a\_.) + cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])^(n\_)\*((A\_.) + cos[(d\_.) + (e\_.)\*(x\_)]\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])], x\_Symbol] :> -Simp[((c\*B - b\*C - (a\*C - c\*A)\*cos[d + e\*x] + (a\*B - b\*A)\*sin[d + e\*x])\*(a + b\*cos[d + e\*x] + c\*sin[d + e\*x])^(n + 1))/(e\*(n + 1)\*(a^2 - b^2 - c^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2 - c^2)), Int[(a + b\*cos[d + e\*x] + c\*sin[d + e\*x])^(n + 1)\*Simp[(n + 1)\*(a\*A - b\*B - c\*C) + (n + 2)\*(a\*B - b\*A)\*cos[d + e\*x] + (n + 2)\*(a\*C - c\*A)\*sin[d + e\*x], x], x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && LtQ[n, -1] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[n, -2]

### Rule 3149

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_)]\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])/Sqrt[cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (a\_) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]], x\_Symbol] :> Dist[B/b, Int[Sqrt[a + b\*cos[d + e\*x] + c\*sin[d + e\*x]], x], x] + Dist[(A\*b - a\*B)/b, Int[1/Sqrt[a + b\*cos[d + e\*x] + c\*sin[d + e\*x]], x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && EqQ[B\*c - b\*C, 0] && NeQ[A\*b - a\*B, 0]

### Rule 3119

Int[Sqrt[cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (a\_) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]], x\_Symbol] :> Dist[Sqrt[a + b\*cos[d + e\*x] + c\*sin[d + e\*x]]/Sqrt[(a + b\*cos[d + e\*x] + c\*sin[d + e\*x])/(a + Sqrt[b^2 + c^2])], Int[Sqrt[a/(a + Sqrt[b^2 + c^2]) + (Sqrt[b^2 + c^2]\*cos[d + e\*x - ArcTan[b, c]])/(a + Sqrt[b^2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]

### Rule 2653

Int[Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

### Rule 3127

Int[1/Sqrt[cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (a\_) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]], x\_Symbol] :> Dist[Sqrt[(a + b\*cos[d + e\*x] + c\*sin[d + e\*x])/(a + Sqrt[b^2 + c^2])]/Sqrt[a + b\*cos[d + e\*x] + c\*sin[d + e\*x]], Int[1/Sqrt[a/(a + Sqrt[b^2 + c^2]) + (Sqrt[b^2 + c^2]\*cos[d + e\*x - ArcTan[b, c]])/(a + Sqrt[b^2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]

### Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\int \frac{1}{\cos^{\frac{5}{2}}(d+ex)(a+b\sec(d+ex)+c\tan(d+ex))^{5/2}} dx = \frac{(b+a\cos(d+ex)+c\sin(d+ex))^{5/2}}{\cos^{\frac{5}{2}}(d+ex)(a+b\sec(d+ex)+c\tan(d+ex))^{5/2}} \int \frac{1}{(b+a\cos(d+ex)+c\sin(d+ex))^5} dx$$

$$= -\frac{2(c\cos(d+ex)-a\sin(d+ex))(b+a\cos(d+ex)+c\sin(d+ex))}{3(a^2-b^2+c^2)e\cos^{\frac{5}{2}}(d+ex)(a+b\sec(d+ex)+c\tan(d+ex))^{5/2}}$$

$$= -\frac{2(c\cos(d+ex)-a\sin(d+ex))(b+a\cos(d+ex)+c\sin(d+ex))}{3(a^2-b^2+c^2)e\cos^{\frac{5}{2}}(d+ex)(a+b\sec(d+ex)+c\tan(d+ex))^{5/2}}$$

$$= -\frac{2(c\cos(d+ex)-a\sin(d+ex))(b+a\cos(d+ex)+c\sin(d+ex))}{3(a^2-b^2+c^2)e\cos^{\frac{5}{2}}(d+ex)(a+b\sec(d+ex)+c\tan(d+ex))^{5/2}}$$

$$= -\frac{2(c\cos(d+ex)-a\sin(d+ex))(b+a\cos(d+ex)+c\sin(d+ex))}{3(a^2-b^2+c^2)e\cos^{\frac{5}{2}}(d+ex)(a+b\sec(d+ex)+c\tan(d+ex))^{5/2}}$$

$$= -\frac{2(c\cos(d+ex)-a\sin(d+ex))(b+a\cos(d+ex)+c\sin(d+ex))}{3(a^2-b^2+c^2)e\cos^{\frac{5}{2}}(d+ex)(a+b\sec(d+ex)+c\tan(d+ex))^{5/2}}$$

**Mathematica [F]** time = 28.2006, size = 0, normalized size = 0.

$$\int \frac{1}{\cos^{\frac{5}{2}}(d+ex)(a+b\sec(d+ex)+c\tan(d+ex))^{5/2}} dx$$

Verification is Not applicable to the result.

```
[In] Integrate[1/(Cos[d + e*x]^(5/2)*(a + b*Sec[d + e*x] + c*Tan[d + e*x])^(5/2)), x]
```

```
[Out] Integrate[1/(Cos[d + e*x]^(5/2)*(a + b*Sec[d + e*x] + c*Tan[d + e*x])^(5/2)), x]
```

**Maple [C]** time = 1.151, size = 63939, normalized size = 130.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/cos(e*x+d)^(5/2)/(a+b*sec(e*x+d)+c*tan(e*x+d))^(5/2), x)
```

```
[Out] result too large to display
```

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \sec(ex + d) + c \tan(ex + d) + a)^{\frac{5}{2}} \cos(ex + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(e\*x+d)^(5/2)/(a+b\*sec(e\*x+d)+c\*tan(e\*x+d))^(5/2),x, algorithm="maxima")

[Out] integrate(1/((b\*sec(e\*x + d) + c\*tan(e\*x + d) + a)^(5/2)\*cos(e\*x + d)^(5/2)), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{b^3 \cos(ex + d)^3 \sec(ex + d)^3 + c^3 \cos(ex + d)^3 \tan(ex + d)^3 + 3ab^2 \cos(ex + d)^3 \sec(ex + d)^2 + 3a^2b \cos(ex + d)^3 \sec(ex + d) + a^3 \cos(ex + d)^3 \tan(ex + d)^2 + 3(b^2c \cos(ex + d)^3 \sec(ex + d)^2 + 2ab^2c \cos(ex + d)^3 \sec(ex + d) + a^2c \cos(ex + d)^3 \tan(ex + d))}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(e\*x+d)^(5/2)/(a+b\*sec(e\*x+d)+c\*tan(e\*x+d))^(5/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*sec(e\*x + d) + c\*tan(e\*x + d) + a)\*sqrt(cos(e\*x + d))/(b^3\*cos(e\*x + d)^3\*sec(e\*x + d)^3 + c^3\*cos(e\*x + d)^3\*tan(e\*x + d)^3 + 3\*a\*b^2\*cos(e\*x + d)^3\*sec(e\*x + d)^2 + 3\*a^2\*b\*cos(e\*x + d)^3\*sec(e\*x + d) + a^3\*cos(e\*x + d)^3 + 3\*(b\*c^2\*cos(e\*x + d)^3\*sec(e\*x + d) + a\*c^2\*cos(e\*x + d)^3)\*tan(e\*x + d)^2 + 3\*(b^2\*c\*cos(e\*x + d)^3\*sec(e\*x + d)^2 + 2\*a\*b\*c\*cos(e\*x + d)^3\*sec(e\*x + d) + a^2\*c\*cos(e\*x + d)^3)\*tan(e\*x + d)), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(e\*x+d)\*\*(5/2)/(a+b\*sec(e\*x+d)+c\*tan(e\*x+d))\*\*(5/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \sec(ex + d) + c \tan(ex + d) + a)^{\frac{5}{2}} \cos(ex + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(e\*x+d)^(5/2)/(a+b\*sec(e\*x+d)+c\*tan(e\*x+d))^(5/2),x, algorithm="giac")

```
[Out] integrate(1/((b*sec(e*x + d) + c*tan(e*x + d) + a)^(5/2)*cos(e*x + d)^(5/2)), x)
```

$$3.458 \quad \int \frac{1}{a+b \cot(x)+c \csc(x)} dx$$

**Optimal.** Leaf size=98

$$\frac{2ac \tanh^{-1}\left(\frac{a-(b-c)\tan\left(\frac{x}{2}\right)}{\sqrt{a^2+b^2-c^2}}\right)}{(a^2+b^2)\sqrt{a^2+b^2-c^2}} - \frac{b \log(a \sin(x) + b \cos(x) + c)}{a^2+b^2} + \frac{ax}{a^2+b^2}$$

[Out] (a\*x)/(a^2 + b^2) + (2\*a\*c\*ArcTanh[(a - (b - c)\*Tan[x/2])/Sqrt[a^2 + b^2 - c^2]])/((a^2 + b^2)\*Sqrt[a^2 + b^2 - c^2]) - (b\*Log[c + b\*Cos[x] + a\*Sin[x]])/(a^2 + b^2)

**Rubi [A]** time = 0.102696, antiderivative size = 98, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$ , Rules used = {3160, 3137, 3124, 618, 206}

$$\frac{2ac \tanh^{-1}\left(\frac{a-(b-c)\tan\left(\frac{x}{2}\right)}{\sqrt{a^2+b^2-c^2}}\right)}{(a^2+b^2)\sqrt{a^2+b^2-c^2}} - \frac{b \log(a \sin(x) + b \cos(x) + c)}{a^2+b^2} + \frac{ax}{a^2+b^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cot[x] + c\*Csc[x])^(-1), x]

[Out] (a\*x)/(a^2 + b^2) + (2\*a\*c\*ArcTanh[(a - (b - c)\*Tan[x/2])/Sqrt[a^2 + b^2 - c^2]])/((a^2 + b^2)\*Sqrt[a^2 + b^2 - c^2]) - (b\*Log[c + b\*Cos[x] + a\*Sin[x]])/(a^2 + b^2)

#### Rule 3160

Int[((a\_.) + csc[(d\_.) + (e\_.)\*(x\_)])\*(b\_.) + cot[(d\_.) + (e\_.)\*(x\_)])\*(c\_.))^(-1), x\_Symbol] :> Int[Sin[d + e\*x]/(b + a\*Sin[d + e\*x] + c\*Cos[d + e\*x]), x] /; FreeQ[{a, b, c, d, e}, x]

#### Rule 3137

Int[((A\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])/(a\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]), x\_Symbol] :> Simp[(c\*C\*(d + e\*x))/(e\*(b^2 + c^2)), x] + (Dist[(A\*(b^2 + c^2) - a\*c\*C)/(b^2 + c^2), Int[1/(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]), x], x] - Simp[(b\*C\*Log[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]])/(e\*(b^2 + c^2)), x]) /; FreeQ[{a, b, c, d, e, A, C}, x] && NeQ[b^2 + c^2, 0] && NeQ[A\*(b^2 + c^2) - a\*c\*C, 0]

#### Rule 3124

Int[(cos[(d\_.) + (e\_.)\*(x\_)])\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])^(-1), x\_Symbol] :> Module[{f = FreeFactors[Tan[(d + e\*x)/2], x]}, Dist[(2\*f)/e, Subst[Int[1/(a + b + 2\*c\*f\*x + (a - b)\*f^2\*x^2), x], x, Tan[(d + e\*x)/2]/f], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]

#### Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

Rule 206

$\text{Int}[(a + (b \cdot x^2)^{-1}), x\_Symbol] \rightarrow \text{Simp}[(1 \cdot \text{ArcTanh}[\text{Rt}[-b, 2] \cdot x] / \text{Rt}[a, 2]) / (\text{Rt}[a, 2] \cdot \text{Rt}[-b, 2]), x] / ; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rubi steps

$$\begin{aligned} \int \frac{1}{a + b \cot(x) + c \csc(x)} dx &= \int \frac{\sin(x)}{c + b \cos(x) + a \sin(x)} dx \\ &= \frac{ax}{a^2 + b^2} - \frac{b \log(c + b \cos(x) + a \sin(x))}{a^2 + b^2} - \frac{(ac) \int \frac{1}{c + b \cos(x) + a \sin(x)} dx}{a^2 + b^2} \\ &= \frac{ax}{a^2 + b^2} - \frac{b \log(c + b \cos(x) + a \sin(x))}{a^2 + b^2} - \frac{(2ac) \text{Subst}\left(\int \frac{1}{b + c + 2ax + (-b + c)x^2} dx, x, \tan\left(\frac{x}{2}\right)\right)}{a^2 + b^2} \\ &= \frac{ax}{a^2 + b^2} - \frac{b \log(c + b \cos(x) + a \sin(x))}{a^2 + b^2} + \frac{(4ac) \text{Subst}\left(\int \frac{1}{4(a^2 + b^2 - c^2) - x^2} dx, x, 2a + 2(-b + c) \tan\left(\frac{x}{2}\right)\right)}{a^2 + b^2} \\ &= \frac{ax}{a^2 + b^2} + \frac{2ac \tanh^{-1}\left(\frac{a - (b - c) \tan\left(\frac{x}{2}\right)}{\sqrt{a^2 + b^2 - c^2}}\right)}{(a^2 + b^2) \sqrt{a^2 + b^2 - c^2}} - \frac{b \log(c + b \cos(x) + a \sin(x))}{a^2 + b^2} \end{aligned}$$

**Mathematica [A]** time = 0.224312, size = 80, normalized size = 0.82

$$\frac{2ac \tanh^{-1}\left(\frac{a + (c - b) \tan\left(\frac{x}{2}\right)}{\sqrt{a^2 + b^2 - c^2}}\right)}{\sqrt{a^2 + b^2 - c^2}} - \frac{b \log(a \sin(x) + b \cos(x) + c) + ax}{a^2 + b^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cot[x] + c\*Csc[x])^(-1), x]

[Out] (a\*x + (2\*a\*c\*ArcTanh[(a + (-b + c)\*Tan[x/2])/Sqrt[a^2 + b^2 - c^2]])/Sqrt[a^2 + b^2 - c^2] - b\*Log[c + b\*Cos[x] + a\*Sin[x]])/(a^2 + b^2)

**Maple [B]** time = 0.051, size = 446, normalized size = 4.6

$$-2 \frac{\ln\left(b(\tan(x/2))^2 - (\tan(x/2))^2 c - 2a \tan(x/2) - b - c\right) b^2}{(2a^2 + 2b^2)(b - c)} + 2 \frac{\ln\left(b(\tan(x/2))^2 - (\tan(x/2))^2 c - 2a \tan(x/2) - b - c\right)}{(2a^2 + 2b^2)(b - c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*cot(x)+c\*csc(x)), x)

[Out] -2/(2\*a^2+2\*b^2)/(b-c)\*ln(b\*tan(1/2\*x)^2-tan(1/2\*x)^2\*c-2\*a\*tan(1/2\*x)-b-c) + b^2+2/(2\*a^2+2\*b^2)/(b-c)\*ln(b\*tan(1/2\*x)^2-tan(1/2\*x)^2\*c-2\*a\*tan(1/2\*x)-b-c) + c\*b+4/(2\*a^2+2\*b^2)/(-a^2-b^2+c^2)^(1/2)\*arctan(1/2\*(2\*(b-c)\*tan(1/2\*x)-2\*a)/(-a^2-b^2+c^2)^(1/2)) + a\*b+4/(2\*a^2+2\*b^2)/(-a^2-b^2+c^2)^(1/2)\*arctan(1/2\*(2\*(b-c)\*tan(1/2\*x)-2\*a)/(-a^2-b^2+c^2)^(1/2)) + a\*c-4/(2\*a^2+2\*b^2)/(-a^2-b^2+c^2)^(1/2)\*arctan(1/2\*(2\*(b-c)\*tan(1/2\*x)-2\*a)/(-a^2-b^2+c^2)^(1/2)) + a/(b-c)\*b^2+4/(2\*a^2+2\*b^2)/(-a^2-b^2+c^2)^(1/2)\*arctan(1/2\*(2\*(b-c)\*tan(1/2\*x)-2\*a)/(-a^2-b^2+c^2)^(1/2)) + a/(b-c)\*c\*b+2/(2\*a^2+2\*b^2)\*b\*ln(1+tan(1/2\*x)-2\*a)/(-a^2-b^2+c^2)^(1/2) + a/(b-c)\*c\*b+2/(2\*a^2+2\*b^2)\*b\*ln(1+tan(1/2\*x)-2\*a)/(-a^2-b^2+c^2)^(1/2)

$$2*x)^2)+4/(2*a^2+2*b^2)*a*\arctan(\tan(1/2*x))$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cot(x)+c\*csc(x)),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.17959, size = 1277, normalized size = 13.03

$$\left[ \frac{\sqrt{a^2 + b^2 - c^2} a c \log\left(\frac{a^4 + 3 a^2 b^2 + 2 b^4 + (a^2 - b^2) c^2 + 2 (a^2 b + b^3) c \cos(x) + (a^4 - b^4 - 2 (a^2 - b^2) c^2) \cos(x)^2 + 2 ((a^3 + a b^2) c - (a^3 b + a b^3 - 2 a b c^2) \cos(x)) \sin(x)}{2 b c \cos(x) - (a^2 - b^2) \cos(x)^2 + a^2 + c^2 + 2 (a b \cos(x) + a^2 c \sin(x))}\right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cot(x)+c\*csc(x)),x, algorithm="fricas")

[Out]  $\left[ \frac{1}{2} \sqrt{a^2 + b^2 - c^2} a c \log\left(\frac{(a^4 + 3 a^2 b^2 + 2 b^4 + (a^2 - b^2) c^2 + 2 (a^2 b + b^3) c \cos(x) + (a^4 - b^4 - 2 (a^2 - b^2) c^2) \cos(x)^2 + 2 ((a^3 + a b^2) c - (a^3 b + a b^3 - 2 a b c^2) \cos(x)) \sin(x) + 2 (2 a^2 b c \cos(x)^2 - a b^3 c + (a^3 + a b^2) \cos(x) - (a^2 b + b^3 - (a^2 - b^2) c \cos(x)) \sin(x)) \sqrt{a^2 + b^2 - c^2}}{(2 b c \cos(x) - (a^2 - b^2) \cos(x)^2 + a^2 + c^2 + 2 (a b \cos(x) + a^2 c \sin(x)))} \right) + 2 (a^3 + a b^2 - a c^2) x - (a^2 b + b^3 - b c^2) \log(2 b c \cos(x) - (a^2 - b^2) \cos(x)^2 + a^2 + c^2 + 2 (a b \cos(x) + a c \sin(x))) / (a^4 + 2 a^2 b^2 + b^4 - (a^2 + b^2) c^2), -1/2 (2 \sqrt{-a^2 - b^2 + c^2} a c \arctan((b c \cos(x) + a c \sin(x) + a^2 + b^2) \sqrt{-a^2 - b^2 + c^2} / ((a^3 + a b^2 - a c^2) \cos(x) - (a^2 b + b^3 - b c^2) \sin(x))) - 2 (a^3 + a b^2 - a c^2) x + (a^2 b + b^3 - b c^2) \log(2 b c \cos(x) - (a^2 - b^2) \cos(x)^2 + a^2 + c^2 + 2 (a b \cos(x) + a c \sin(x))) / (a^4 + 2 a^2 b^2 + b^4 - (a^2 + b^2) c^2) \right]$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{a + b \cot(x) + c \csc(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cot(x)+c\*csc(x)),x)

[Out] Integral(1/(a + b\*cot(x) + c\*csc(x)), x)

**Giac [A]** time = 1.16176, size = 213, normalized size = 2.17

$$\frac{2 \left( \pi \left\lfloor \frac{x}{2\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(-2b + 2c) + \arctan \left( -\frac{b \tan\left(\frac{1}{2}x\right) - c \tan\left(\frac{1}{2}x\right) - a}{\sqrt{-a^2 - b^2 + c^2}} \right) \right) ac}{(a^2 + b^2) \sqrt{-a^2 - b^2 + c^2}} + \frac{ax}{a^2 + b^2} - \frac{b \log \left( -b \tan\left(\frac{1}{2}x\right)^2 + c \tan\left(\frac{1}{2}x\right)^2 + 2 \right)}{a^2 + b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cot(x)+c\*csc(x)),x, algorithm="giac")

[Out] -2\*(pi\*floor(1/2\*x/pi + 1/2)\*sgn(-2\*b + 2\*c) + arctan(-(b\*tan(1/2\*x) - c\*tan(1/2\*x) - a)/sqrt(-a^2 - b^2 + c^2)))\*a\*c/((a^2 + b^2)\*sqrt(-a^2 - b^2 + c^2)) + a\*x/(a^2 + b^2) - b\*log(-b\*tan(1/2\*x)^2 + c\*tan(1/2\*x)^2 + 2\*a\*tan(1/2\*x) + b + c)/(a^2 + b^2) + b\*log(tan(1/2\*x)^2 + 1)/(a^2 + b^2)



$$3.459 \quad \int \frac{\csc(x)}{a+b \cot(x)+c \csc(x)} dx$$

**Optimal.** Leaf size=51

$$\frac{2 \tanh^{-1}\left(\frac{a-(b-c)\tan\left(\frac{x}{2}\right)}{\sqrt{a^2+b^2-c^2}}\right)}{\sqrt{a^2+b^2-c^2}}$$

[Out] (-2\*ArcTanh[(a - (b - c)\*Tan[x/2])/Sqrt[a^2 + b^2 - c^2]])/Sqrt[a^2 + b^2 - c^2]

**Rubi [A]** time = 0.0717676, antiderivative size = 51, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {3166, 3124, 618, 206}

$$\frac{2 \tanh^{-1}\left(\frac{a-(b-c)\tan\left(\frac{x}{2}\right)}{\sqrt{a^2+b^2-c^2}}\right)}{\sqrt{a^2+b^2-c^2}}$$

Antiderivative was successfully verified.

[In] Int[Csc[x]/(a + b\*Cot[x] + c\*Csc[x]), x]

[Out] (-2\*ArcTanh[(a - (b - c)\*Tan[x/2])/Sqrt[a^2 + b^2 - c^2]])/Sqrt[a^2 + b^2 - c^2]

#### Rule 3166

Int[csc[(d\_.) + (e\_.)\*(x\_)]^(n\_.)\*((a\_.) + csc[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + cot[(d\_.) + (e\_.)\*(x\_)]\*(c\_.))^(m\_.), x\_Symbol] :> Int[1/(b + a\*Sin[d + e\*x] + c\*Cos[d + e\*x])^n, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[m + n, 0] && IntegerQ[n]

#### Rule 3124

Int[(cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])^(-1), x\_Symbol] :> Module[{f = FreeFactors[Tan[(d + e\*x)/2], x]}, Dist[(2\*f)/e, Subst[Int[1/(a + b + 2\*c\*f\*x + (a - b)\*f^2\*x^2), x], x, Tan[(d + e\*x)/2]/f], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]

#### Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

#### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\begin{aligned}
\int \frac{\csc(x)}{a + b \cot(x) + c \csc(x)} dx &= \int \frac{1}{c + b \cos(x) + a \sin(x)} dx \\
&= 2 \operatorname{Subst} \left( \int \frac{1}{b + c + 2ax + (-b + c)x^2} dx, x, \tan\left(\frac{x}{2}\right) \right) \\
&= - \left( 4 \operatorname{Subst} \left( \int \frac{1}{4(a^2 + b^2 - c^2) - x^2} dx, x, 2a + 2(-b + c) \tan\left(\frac{x}{2}\right) \right) \right) \\
&= - \frac{2 \tanh^{-1} \left( \frac{a - (b - c) \tan\left(\frac{x}{2}\right)}{\sqrt{a^2 + b^2 - c^2}} \right)}{\sqrt{a^2 + b^2 - c^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.0459554, size = 50, normalized size = 0.98

$$-\frac{2 \tanh^{-1} \left( \frac{a + (c - b) \tan\left(\frac{x}{2}\right)}{\sqrt{a^2 + b^2 - c^2}} \right)}{\sqrt{a^2 + b^2 - c^2}}$$

Antiderivative was successfully verified.

[In] Integrate[Csc[x]/(a + b\*Cot[x] + c\*Csc[x]), x]

[Out] (-2\*ArcTanh[(a + (-b + c)\*Tan[x/2])/Sqrt[a^2 + b^2 - c^2]])/Sqrt[a^2 + b^2 - c^2]

**Maple [A]** time = 0.042, size = 53, normalized size = 1.

$$-2 \frac{1}{\sqrt{-a^2 - b^2 + c^2}} \arctan \left( \frac{1}{2} \frac{2(b - c) \tan(x/2) - 2a}{\sqrt{-a^2 - b^2 + c^2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(x)/(a+b\*cot(x)+c\*csc(x)), x)

[Out] -2/(-a^2-b^2+c^2)^(1/2)\*arctan(1/2\*(2\*(b-c)\*tan(1/2\*x)-2\*a)/(-a^2-b^2+c^2)^(1/2))

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)/(a+b\*cot(x)+c\*csc(x)), x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.1668, size = 799, normalized size = 15.67

$$\left[ \log \left( -\frac{a^4 + 3a^2b^2 + 2b^4 + (a^2 - b^2)c^2 + 2(a^2b + b^3)c \cos(x) + (a^4 - b^4 - 2(a^2 - b^2)c^2) \cos(x)^2 + 2((a^3 + ab^2)c - (a^3b + ab^3 - 2abc^2) \cos(x)) \sin(x) - 2(2abc \cos(x)^2 - ab^2 \cos(x) - (a^2 - b^2) \cos(x)^2 + a^2 + c^2 + 2(ab \cos(x) + ac) \sin(x))}{2bc \cos(x) - (a^2 - b^2) \cos(x)^2 + a^2 + c^2 + 2(ab \cos(x) + ac) \sin(x)} \right) \right] \\ \frac{1}{2\sqrt{a^2 + b^2 - c^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)/(a+b\*cot(x)+c\*csc(x)),x, algorithm="fricas")

[Out] [1/2\*log(-(a^4 + 3\*a^2\*b^2 + 2\*b^4 + (a^2 - b^2)\*c^2 + 2\*(a^2\*b + b^3)\*c\*cos(x) + (a^4 - b^4 - 2\*(a^2 - b^2)\*c^2)\*cos(x)^2 + 2\*((a^3 + a\*b^2)\*c - (a^3\*b + a\*b^3 - 2\*a\*b\*c^2)\*cos(x))\*sin(x) - 2\*(2\*a\*b\*c\*cos(x)^2 - a\*b\*c + (a^3 + a\*b^2)\*cos(x) - (a^2\*b + b^3 - (a^2 - b^2)\*c\*cos(x))\*sin(x))\*sqrt(a^2 + b^2 - c^2))/(2\*b\*c\*cos(x) - (a^2 - b^2)\*cos(x)^2 + a^2 + c^2 + 2\*(a\*b\*cos(x) + a\*c)\*sin(x))/sqrt(a^2 + b^2 - c^2), sqrt(-a^2 - b^2 + c^2)\*arctan((b\*c\*cos(x) + a\*c\*sin(x) + a^2 + b^2)\*sqrt(-a^2 - b^2 + c^2)/((a^3 + a\*b^2 - a\*c^2)\*cos(x) - (a^2\*b + b^3 - b\*c^2)\*sin(x)))/(a^2 + b^2 - c^2)]

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc(x)}{a + b \cot(x) + c \csc(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)/(a+b\*cot(x)+c\*csc(x)),x)

[Out] Integral(csc(x)/(a + b\*cot(x) + c\*csc(x)), x)

**Giac [A]** time = 1.17391, size = 99, normalized size = 1.94

$$\frac{2 \left( \pi \left\lfloor \frac{x}{2\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(2b - 2c) + \arctan \left( \frac{b \tan\left(\frac{1}{2}x\right) - c \tan\left(\frac{1}{2}x\right) - a}{\sqrt{-a^2 - b^2 + c^2}} \right) \right)}{\sqrt{-a^2 - b^2 + c^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)/(a+b\*cot(x)+c\*csc(x)),x, algorithm="giac")

[Out] -2\*(pi\*floor(1/2\*x/pi + 1/2)\*sgn(2\*b - 2\*c) + arctan((b\*tan(1/2\*x) - c\*tan(1/2\*x) - a)/sqrt(-a^2 - b^2 + c^2)))/sqrt(-a^2 - b^2 + c^2)

$$3.460 \quad \int \frac{\csc^2(x)}{a+b \cot(x)+c \csc(x)} dx$$

**Optimal.** Leaf size=120

$$-\frac{2ac \tanh^{-1}\left(\frac{a-(b-c)\tan\left(\frac{x}{2}\right)}{\sqrt{a^2+b^2-c^2}}\right)}{(b^2-c^2)\sqrt{a^2+b^2-c^2}} - \frac{b \log\left(2a \tan\left(\frac{x}{2}\right) - (b-c)\tan^2\left(\frac{x}{2}\right) + b+c\right)}{b^2-c^2} + \frac{\log\left(\tan\left(\frac{x}{2}\right)\right)}{b+c}$$

[Out]  $(-2*a*c*ArcTanh[(a - (b - c)*Tan[x/2])/Sqrt[a^2 + b^2 - c^2]])/((b^2 - c^2)*Sqrt[a^2 + b^2 - c^2]) + Log[Tan[x/2]]/(b + c) - (b*Log[b + c + 2*a*Tan[x/2] - (b - c)*Tan[x/2]^2])/(b^2 - c^2)$

**Rubi [A]** time = 0.533174, antiderivative size = 120, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.412$ , Rules used = {4397, 12, 1628, 634, 618, 206, 628}

$$-\frac{2ac \tanh^{-1}\left(\frac{a-(b-c)\tan\left(\frac{x}{2}\right)}{\sqrt{a^2+b^2-c^2}}\right)}{(b^2-c^2)\sqrt{a^2+b^2-c^2}} - \frac{b \log\left(2a \tan\left(\frac{x}{2}\right) - (b-c)\tan^2\left(\frac{x}{2}\right) + b+c\right)}{b^2-c^2} + \frac{\log\left(\tan\left(\frac{x}{2}\right)\right)}{b+c}$$

Antiderivative was successfully verified.

[In] Int[Csc[x]^2/(a + b\*Cot[x] + c\*Csc[x]),x]

[Out]  $(-2*a*c*ArcTanh[(a - (b - c)*Tan[x/2])/Sqrt[a^2 + b^2 - c^2]])/((b^2 - c^2)*Sqrt[a^2 + b^2 - c^2]) + Log[Tan[x/2]]/(b + c) - (b*Log[b + c + 2*a*Tan[x/2] - (b - c)*Tan[x/2]^2])/(b^2 - c^2)$

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 1628

Int[(Pq\_)\*((d\_.) + (e\_)\*(x\_))^(m\_)\*((a\_.) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x)^m\*Pq\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

#### Rule 634

Int[((d\_.) + (e\_)\*(x\_))/((a\_.) + (b\_)\*(x\_) + (c\_)\*(x\_)^2), x\_Symbol] := Dist[(2\*c\*d - b\*e)/(2\*c), Int[1/(a + b\*x + c\*x^2), x], x] + Dist[e/(2\*c), Int[(b + 2\*c\*x)/(a + b\*x + c\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2\*c\*d - b\*e, 0] && NeQ[b^2 - 4\*a\*c, 0] && !NiceSqrtQ[b^2 - 4\*a\*c]

#### Rule 618

Int[((a\_.) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(-1), x\_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c},

$x]$  && NeQ[ $b^2 - 4*a*c$ , 0]

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]]/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 628

Int[((d\_) + (e\_)\*(x\_))/((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2), x\_Symbol] := Simp[(d\*Log[RemoveContent[a + b\*x + c\*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2\*c\*d - b\*e, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{\csc^2(x)}{a + b \cot(x) + c \csc(x)} dx &= \int \frac{\csc(x)}{c + b \cos(x) + a \sin(x)} dx \\
 &= 2 \operatorname{Subst} \left( \int \frac{1 + x^2}{2x(b + c + 2ax + (-b + c)x^2)} dx, x, \tan\left(\frac{x}{2}\right) \right) \\
 &= \operatorname{Subst} \left( \int \frac{1 + x^2}{x(b + c + 2ax + (-b + c)x^2)} dx, x, \tan\left(\frac{x}{2}\right) \right) \\
 &= \operatorname{Subst} \left( \int \left( \frac{1}{(b + c)x} + \frac{2(-a + bx)}{(b + c)(b + c + 2ax - (b - c)x^2)} \right) dx, x, \tan\left(\frac{x}{2}\right) \right) \\
 &= \frac{\log\left(\tan\left(\frac{x}{2}\right)\right)}{b + c} + \frac{2 \operatorname{Subst} \left( \int \frac{-a + bx}{b + c + 2ax + (-b + c)x^2} dx, x, \tan\left(\frac{x}{2}\right) \right)}{b + c} \\
 &= \frac{\log\left(\tan\left(\frac{x}{2}\right)\right)}{b + c} - \frac{b \operatorname{Subst} \left( \int \frac{2a + 2(-b + c)x}{b + c + 2ax + (-b + c)x^2} dx, x, \tan\left(\frac{x}{2}\right) \right)}{b^2 - c^2} + \frac{(2ac) \operatorname{Subst} \left( \int \frac{1}{b + c + 2ax + (-b + c)x^2} dx, x, \tan\left(\frac{x}{2}\right) \right)}{b^2 - c^2} \\
 &= \frac{\log\left(\tan\left(\frac{x}{2}\right)\right)}{b + c} - \frac{b \log\left(b + c + 2a \tan\left(\frac{x}{2}\right) - (b - c) \tan^2\left(\frac{x}{2}\right)\right)}{b^2 - c^2} - \frac{(4ac) \operatorname{Subst} \left( \int \frac{1}{4(a^2 + b^2 - c^2 + 2ax + (-b + c)x^2)} dx, x, \tan\left(\frac{x}{2}\right) \right)}{b^2 - c^2} \\
 &= -\frac{2ac \tanh^{-1} \left( \frac{a - (b - c) \tan\left(\frac{x}{2}\right)}{\sqrt{a^2 + b^2 - c^2}} \right)}{(b^2 - c^2) \sqrt{a^2 + b^2 - c^2}} + \frac{\log\left(\tan\left(\frac{x}{2}\right)\right)}{b + c} - \frac{b \log\left(b + c + 2a \tan\left(\frac{x}{2}\right) - (b - c) \tan^2\left(\frac{x}{2}\right)\right)}{b^2 - c^2}
 \end{aligned}$$

**Mathematica [A]** time = 0.286086, size = 104, normalized size = 0.87

$$\frac{2ac \tanh^{-1} \left( \frac{a + (c - b) \tan\left(\frac{x}{2}\right)}{\sqrt{a^2 + b^2 - c^2}} \right)}{\sqrt{a^2 + b^2 - c^2}} + \frac{b \log(a \sin(x) + b \cos(x) + c) + (c - b) \log\left(\sin\left(\frac{x}{2}\right)\right) - (b + c) \log\left(\cos\left(\frac{x}{2}\right)\right)}{(c - b)(b + c)}$$

Antiderivative was successfully verified.

[In] Integrate[Csc[x]^2/(a + b\*Cot[x] + c\*Csc[x]), x]

[Out] ((2\*a\*c\*ArcTanh[(a + (-b + c)\*Tan[x/2])/Sqrt[a^2 + b^2 - c^2]])/Sqrt[a^2 + b^2 - c^2] - (b + c)\*Log[Cos[x/2]] + (-b + c)\*Log[Sin[x/2]] + b\*Log[c + b\*Cot[x] + a\*Sin[x]])/((-b + c)\*(b + c))

**Maple [A]** time = 0.045, size = 184, normalized size = 1.5

$$-\frac{b}{(b+c)(b-c)} \ln\left(b\left(\tan\left(\frac{x}{2}\right)\right)^2 - \left(\tan\left(\frac{x}{2}\right)\right)^2 c - 2a \tan(x/2) - b - c\right) + 2 \frac{a}{(b+c)\sqrt{-a^2-b^2+c^2}} \arctan\left(\frac{1}{2} \frac{2(b-c)\tan(x/2)}{\sqrt{-a^2-b^2+c^2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(x)^2/(a+b\*cot(x)+c\*csc(x)),x)

[Out] 
$$-1/(b+c)*b/(b-c)*\ln(b*\tan(1/2*x)^2-\tan(1/2*x)^2*c-2*a*\tan(1/2*x)-b-c)+2/(b+c)/(-a^2-b^2+c^2)^{(1/2)}*\arctan(1/2*(2*(b-c)*\tan(1/2*x)-2*a)/(-a^2-b^2+c^2)^{(1/2)})*a-2/(b+c)/(-a^2-b^2+c^2)^{(1/2)}*\arctan(1/2*(2*(b-c)*\tan(1/2*x)-2*a)/(-a^2-b^2+c^2)^{(1/2)})*b*a/(b-c)+\ln(\tan(1/2*x))/(b+c)$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)^2/(a+b\*cot(x)+c\*csc(x)),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 23.5262, size = 1571, normalized size = 13.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)^2/(a+b\*cot(x)+c\*csc(x)),x, algorithm="fricas")

[Out] 
$$\begin{aligned} &[-1/2*(\sqrt{a^2+b^2-c^2})*a*c*\log((a^4+3*a^2*b^2+2*b^4+(a^2-b^2)*c^2+2*(a^2*b+b^3)*c*\cos(x)+(a^4-b^4-2*(a^2-b^2)*c^2)*\cos(x)^2+2*((a^3+a*b^2)*c-(a^3*b+a*b^3-2*a*b*c^2)*\cos(x))*\sin(x)+2*(2*a*b*c*\cos(x)^2-a*b*c+(a^3+a*b^2)*\cos(x)-(a^2*b+b^3-(a^2-b^2)*c*\cos(x))*\sin(x))*\sqrt{a^2+b^2-c^2})/(2*b*c*\cos(x)-(a^2-b^2)*\cos(x)^2+a^2+c^2+2*(a*b*\cos(x)+a*c)*\sin(x))+(a^2*b+b^3-b*c^2)*\log(2*b*c*\cos(x)-(a^2-b^2)*\cos(x)^2+a^2+c^2+2*(a*b*\cos(x)+a*c)*\sin(x))- (a^2*b+b^3-b*c^2-c^3+(a^2+b^2)*c)*\log(1/2*\cos(x)+1/2)-(a^2*b+b^3-b*c^2+c^3-(a^2+b^2)*c)*\log(-1/2*\cos(x)+1/2))/(a^2*b^2+b^4+c^4-(a^2+2*b^2)*c^2), 1/2*(2*\sqrt{-a^2-b^2+c^2})*a*c*\arctan((b*c*\cos(x)+a*c*\sin(x)+a^2+b^2)*\sqrt{-a^2-b^2+c^2}/((a^3+a*b^2-a*c^2)*\cos(x)-(a^2*b+b^3-b*c^2)*\sin(x)))-(a^2*b+b^3-b*c^2)*\log(2*b*c*\cos(x)-(a^2-b^2)*\cos(x)^2+a^2+c^2+2*(a*b*\cos(x)+a*c)*\sin(x))+(a^2*b+b^3-b*c^2-c^3+(a^2+b^2)*c)*\log(1/2*\cos(x)+1/2)+(a^2*b+b^3-b*c^2+c^3-(a^2+b^2)*c)*\log(-1/2*\cos(x)+1/2))/(a^2*b^2+b^4+c^4-(a^2+2*b^2)*c^2)] \end{aligned}$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc^2(x)}{a+b \cot(x)+c \csc(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)\*\*2/(a+b\*cot(x)+c\*csc(x)),x)

[Out] Integral(csc(x)\*\*2/(a + b\*cot(x) + c\*csc(x)), x)

---

**Giac [A]** time = 1.17926, size = 192, normalized size = 1.6

$$\frac{2 \left( \pi \left\lfloor \frac{x}{2\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(-2b + 2c) + \arctan \left( -\frac{b \tan\left(\frac{1}{2}x\right) - c \tan\left(\frac{1}{2}x\right) - a}{\sqrt{-a^2 - b^2 + c^2}} \right) \right) a c}{\sqrt{-a^2 - b^2 + c^2} (b^2 - c^2)} - \frac{b \log \left( -b \tan\left(\frac{1}{2}x\right)^2 + c \tan\left(\frac{1}{2}x\right)^2 + 2a \tan\left(\frac{1}{2}x\right) + b + c \right)}{b^2 - c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)^2/(a+b\*cot(x)+c\*csc(x)),x, algorithm="giac")

[Out] 2\*(pi\*floor(1/2\*x/pi + 1/2)\*sgn(-2\*b + 2\*c) + arctan(-(b\*tan(1/2\*x) - c\*tan(1/2\*x) - a)/sqrt(-a^2 - b^2 + c^2)))\*a\*c/(sqrt(-a^2 - b^2 + c^2)\*(b^2 - c^2)) - b\*log(-b\*tan(1/2\*x)^2 + c\*tan(1/2\*x)^2 + 2\*a\*tan(1/2\*x) + b + c)/(b^2 - c^2) + log(abs(tan(1/2\*x)))/(b + c)

$$3.461 \quad \int \frac{\csc(x)}{2+2 \cot(x)+3 \csc(x)} dx$$

**Optimal.** Leaf size=21

$$x + 2 \tan^{-1} \left( \frac{\cos(x) - \sin(x)}{\sin(x) + \cos(x) + 2} \right)$$

[Out] x + 2\*ArcTan[(Cos[x] - Sin[x])/(2 + Cos[x] + Sin[x])]

**Rubi [A]** time = 0.0478138, antiderivative size = 21, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {3166, 3124, 618, 204}

$$x + 2 \tan^{-1} \left( \frac{\cos(x) - \sin(x)}{\sin(x) + \cos(x) + 2} \right)$$

Antiderivative was successfully verified.

[In] Int[Csc[x]/(2 + 2\*Cot[x] + 3\*Csc[x]),x]

[Out] x + 2\*ArcTan[(Cos[x] - Sin[x])/(2 + Cos[x] + Sin[x])]

#### Rule 3166

Int[csc[(d\_.) + (e\_.)\*(x\_)]^(n\_.)\*((a\_.) + csc[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + cot[(d\_.) + (e\_.)\*(x\_)]\*(c\_.))^(m\_), x\_Symbol] := Int[1/(b + a\*Sin[d + e\*x] + c\*Cos[d + e\*x])^n, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[m + n, 0] && IntegerQ[n]

#### Rule 3124

Int[(cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])^(-1), x\_Symbol] := Module[{f = FreeFactors[Tan[(d + e\*x)/2], x]}, Dist[(2\*f)/e, Subst[Int[1/(a + b + 2\*c\*f\*x + (a - b)\*f^2\*x^2), x], x, Tan[(d + e\*x)/2]/f], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]

#### Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

#### Rule 204

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

#### Rubi steps



$$\begin{aligned}
\int \frac{\csc(x)}{2 + 2 \cot(x) + 3 \csc(x)} dx &= \int \frac{1}{3 + 2 \cos(x) + 2 \sin(x)} dx \\
&= 2 \operatorname{Subst} \left( \int \frac{1}{5 + 4x + x^2} dx, x, \tan\left(\frac{x}{2}\right) \right) \\
&= - \left( 4 \operatorname{Subst} \left( \int \frac{1}{-4 - x^2} dx, x, 4 + 2 \tan\left(\frac{x}{2}\right) \right) \right) \\
&= x + 2 \tan^{-1} \left( \frac{\cos(x) - \sin(x)}{2 + \cos(x) + \sin(x)} \right)
\end{aligned}$$

**Mathematica [B]** time = 0.0248894, size = 51, normalized size = 2.43

$$\tan^{-1} \left( \sec\left(\frac{x}{2}\right) \left( \sin\left(\frac{x}{2}\right) + 2 \cos\left(\frac{x}{2}\right) \right) \right) - \tan^{-1} \left( \frac{\cos\left(\frac{x}{2}\right)}{\sin\left(\frac{x}{2}\right) + 2 \cos\left(\frac{x}{2}\right)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Csc[x]/(2 + 2\*Cot[x] + 3\*Csc[x]), x]

[Out] -ArcTan[Cos[x/2]/(2\*Cos[x/2] + Sin[x/2])] + ArcTan[Sec[x/2]\*(2\*Cos[x/2] + Sin[x/2])]

**Maple [A]** time = 0.039, size = 10, normalized size = 0.5

$$2 \arctan(2 + \tan(x/2))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(x)/(2+2\*cot(x)+3\*csc(x)), x)

[Out] 2\*arctan(2+tan(1/2\*x))

**Maxima [A]** time = 1.48324, size = 19, normalized size = 0.9

$$2 \arctan \left( \frac{\sin(x)}{\cos(x) + 1} + 2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)/(2+2\*cot(x)+3\*csc(x)), x, algorithm="maxima")

[Out] 2\*arctan(sin(x)/(cos(x) + 1) + 2)

**Fricas [A]** time = 2.19288, size = 74, normalized size = 3.52

$$- \arctan \left( - \frac{3 \cos(x) + 3 \sin(x) + 4}{\cos(x) - \sin(x)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)/(2+2\*cot(x)+3\*csc(x)),x, algorithm="fricas")

[Out] -arctan(-(3\*cos(x) + 3\*sin(x) + 4)/(cos(x) - sin(x)))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc(x)}{2 \cot(x) + 3 \csc(x) + 2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)/(2+2\*cot(x)+3\*csc(x)),x)

[Out] Integral(csc(x)/(2\*cot(x) + 3\*csc(x) + 2), x)

**Giac [A]** time = 1.14316, size = 30, normalized size = 1.43

$$2\pi \left\lfloor \frac{x}{2\pi} + \frac{1}{2} \right\rfloor + 2 \arctan \left( \tan \left( \frac{1}{2} x \right) + 2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)/(2+2\*cot(x)+3\*csc(x)),x, algorithm="giac")

[Out] 2\*pi\*floor(1/2\*x/pi + 1/2) + 2\*arctan(tan(1/2\*x) + 2)

$$3.462 \quad \int \frac{(a+c \cot(d+ex)+b \csc(d+ex))^{3/2}}{\csc^2(d+ex)} dx$$

**Optimal.** Leaf size=371

$$\frac{2(a^2 - b^2 + c^2) \sqrt{\frac{a \sin(d+ex)+b+c \cos(d+ex)}{\sqrt{a^2+c^2}+b}} (a + b \csc(d+ex) + c \cot(d+ex))^{3/2} \text{EllipticF}\left(\frac{1}{2}(-\tan^{-1}(c,a) + d+ex), \frac{2\sqrt{a^2+c^2}}{\sqrt{a^2+c^2}+b}\right)}{3e \csc^2(d+ex)(a \sin(d+ex) + b + c \cos(d+ex))^2}$$

[Out] (8\*b\*(a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x])^(3/2)\*EllipticE[(d + e\*x - ArcTan[c, a])/2, (2\*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])])/(3\*e\*Csc[d + e\*x]^(3/2)\*(b + c\*Cos[d + e\*x] + a\*Sin[d + e\*x])\*Sqrt[(b + c\*Cos[d + e\*x] + a\*Sin[d + e\*x])/(b + Sqrt[a^2 + c^2])]) + (2\*(a^2 - b^2 + c^2)\*(a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x])^(3/2)\*EllipticF[(d + e\*x - ArcTan[c, a])/2, (2\*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])])\*Sqrt[(b + c\*Cos[d + e\*x] + a\*Sin[d + e\*x])/(b + Sqrt[a^2 + c^2])])/(3\*e\*Csc[d + e\*x]^(3/2)\*(b + c\*Cos[d + e\*x] + a\*Sin[d + e\*x])^2) - (2\*(a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x])^(3/2)\*(a\*Cos[d + e\*x] - c\*Sin[d + e\*x]))/(3\*e\*Csc[d + e\*x]^(3/2)\*(b + c\*Cos[d + e\*x] + a\*Sin[d + e\*x]))

**Rubi [A]** time = 0.432118, antiderivative size = 371, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {3168, 3120, 3149, 3119, 2653, 3127, 2661}

$$\frac{2(a^2 - b^2 + c^2) \sqrt{\frac{a \sin(d+ex)+b+c \cos(d+ex)}{\sqrt{a^2+c^2}+b}} (a + b \csc(d+ex) + c \cot(d+ex))^{3/2} F\left(\frac{1}{2}(d+ex - \tan^{-1}(c,a)) \middle| \frac{2\sqrt{a^2+c^2}}{b+\sqrt{a^2+c^2}}\right)}{3e \csc^2(d+ex)(a \sin(d+ex) + b + c \cos(d+ex))^2} + 8$$

Antiderivative was successfully verified.

[In] Int[(a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x])^(3/2)/Csc[d + e\*x]^(3/2), x]

[Out] (8\*b\*(a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x])^(3/2)\*EllipticE[(d + e\*x - ArcTan[c, a])/2, (2\*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])])/(3\*e\*Csc[d + e\*x]^(3/2)\*(b + c\*Cos[d + e\*x] + a\*Sin[d + e\*x])\*Sqrt[(b + c\*Cos[d + e\*x] + a\*Sin[d + e\*x])/(b + Sqrt[a^2 + c^2])]) + (2\*(a^2 - b^2 + c^2)\*(a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x])^(3/2)\*EllipticF[(d + e\*x - ArcTan[c, a])/2, (2\*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])])\*Sqrt[(b + c\*Cos[d + e\*x] + a\*Sin[d + e\*x])/(b + Sqrt[a^2 + c^2])])/(3\*e\*Csc[d + e\*x]^(3/2)\*(b + c\*Cos[d + e\*x] + a\*Sin[d + e\*x])^2) - (2\*(a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x])^(3/2)\*(a\*Cos[d + e\*x] - c\*Sin[d + e\*x]))/(3\*e\*Csc[d + e\*x]^(3/2)\*(b + c\*Cos[d + e\*x] + a\*Sin[d + e\*x]))

#### Rule 3168

Int[csc[(d\_.) + (e\_.)\*(x\_.)]^(n\_.)\*((a\_.) + csc[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + cot[(d\_.) + (e\_.)\*(x\_.)]\*(c\_.))^(m\_.), x\_Symbol] := Dist[(Csc[d + e\*x]^n\*(b + a\*Sin[d + e\*x] + c\*Cos[d + e\*x])^n)/(a + b\*Csc[d + e\*x] + c\*Cot[d + e\*x])^n, Int[1/(b + a\*Sin[d + e\*x] + c\*Cos[d + e\*x])^n, x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[m + n, 0] && !IntegerQ[n]

#### Rule 3120

```
Int[(cos[(d_.) + (e_.)*(x_)]*(b_.) + (a_) + (c_.)*sin[(d_.) + (e_.)*(x_)])^
(n_), x_Symbol] := -Simp[((c*cos[d + e*x] - b*sin[d + e*x])*(a + b*cos[d +
e*x] + c*sin[d + e*x])^(n - 1))/(e*n), x] + Dist[1/n, Int[Simp[n*a^2 + (n -
1)*(b^2 + c^2) + a*b*(2*n - 1)*cos[d + e*x] + a*c*(2*n - 1)*sin[d + e*x],
x]*(a + b*cos[d + e*x] + c*sin[d + e*x])^(n - 2), x], x] /; FreeQ[{a, b, c,
d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && GtQ[n, 1]
```

#### Rule 3149

```
Int[((A_.) + cos[(d_.) + (e_.)*(x_)]*(B_.) + (C_.)*sin[(d_.) + (e_.)*(x_)])
/Sqrt[cos[(d_.) + (e_.)*(x_)]*(b_.) + (a_) + (c_.)*sin[(d_.) + (e_.)*(x_)]]
, x_Symbol] := Dist[B/b, Int[Sqrt[a + b*cos[d + e*x] + c*sin[d + e*x]], x],
x] + Dist[(A*b - a*B)/b, Int[1/Sqrt[a + b*cos[d + e*x] + c*sin[d + e*x]],
x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && EqQ[B*c - b*C, 0] && NeQ[A*
b - a*B, 0]
```

#### Rule 3119

```
Int[Sqrt[cos[(d_.) + (e_.)*(x_)]*(b_.) + (a_) + (c_.)*sin[(d_.) + (e_.)*(x_
)]], x_Symbol] := Dist[Sqrt[a + b*cos[d + e*x] + c*sin[d + e*x]]/Sqrt[(a +
b*cos[d + e*x] + c*sin[d + e*x])/(a + Sqrt[b^2 + c^2])], Int[Sqrt[a/(a + Sq
rt[b^2 + c^2]) + (Sqrt[b^2 + c^2]*cos[d + e*x - ArcTan[b, c])]/(a + Sqrt[b^
2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]
&& NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]
```

#### Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

#### Rule 3127

```
Int[1/Sqrt[cos[(d_.) + (e_.)*(x_)]*(b_.) + (a_) + (c_.)*sin[(d_.) + (e_.)*(
x_)]], x_Symbol] := Dist[Sqrt[(a + b*cos[d + e*x] + c*sin[d + e*x])/(a + Sq
rt[b^2 + c^2])]/Sqrt[a + b*cos[d + e*x] + c*sin[d + e*x]], Int[1/Sqrt[a/(a
+ Sqrt[b^2 + c^2]) + (Sqrt[b^2 + c^2]*cos[d + e*x - ArcTan[b, c])]/(a + Sqr
t[b^2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2,
0] && NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]
```

#### Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

#### Rubi steps

$$\int \frac{(a + c \cot(d + ex) + b \csc(d + ex))^{3/2}}{\csc^2(d + ex)} dx = \frac{(a + c \cot(d + ex) + b \csc(d + ex))^{3/2} \int (b + c \cos(d + ex) + a \sin(d + ex))}{\csc^2(d + ex)(b + c \cos(d + ex) + a \sin(d + ex))^{3/2}}$$

$$= -\frac{2(a + c \cot(d + ex) + b \csc(d + ex))^{3/2}(a \cos(d + ex) - c \sin(d + ex))}{3e \csc^2(d + ex)(b + c \cos(d + ex) + a \sin(d + ex))} +$$

$$= -\frac{2(a + c \cot(d + ex) + b \csc(d + ex))^{3/2}(a \cos(d + ex) - c \sin(d + ex))}{3e \csc^2(d + ex)(b + c \cos(d + ex) + a \sin(d + ex))} +$$

$$= -\frac{2(a + c \cot(d + ex) + b \csc(d + ex))^{3/2}(a \cos(d + ex) - c \sin(d + ex))}{3e \csc^2(d + ex)(b + c \cos(d + ex) + a \sin(d + ex))} +$$

$$= \frac{8b(a + c \cot(d + ex) + b \csc(d + ex))^{3/2} E\left(\frac{1}{2} \left(d + ex - \tan^{-1}\left(\frac{c}{a}\right)\right) \middle| \frac{2\sqrt{a^2}}{b + \sqrt{a^2}}\right)}{3e \csc^2(d + ex)(b + c \cos(d + ex) + a \sin(d + ex)) \sqrt{\frac{b + c \cos(d + ex) + a \sin(d + ex)}{b + \sqrt{a^2 + c^2}}}}$$

**Mathematica [C]** time = 6.43539, size = 2490, normalized size = 6.71

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x])^(3/2)/Csc[d + e\*x]^(3/2), x]

[Out] ((a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x])^(3/2)\*((8\*b\*c)/(3\*a) - (2\*a\*Cos[d + e\*x])/3 + (2\*c\*Sin[d + e\*x])/3))/(e\*Csc[d + e\*x]^(3/2)\*(b + c\*Cos[d + e\*x] + a\*Sin[d + e\*x])) + (4\*a\*b\*(a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x])^(3/2)\*(-(a\*AppellF1[-1/2, -1/2, -1/2, 1/2, -(b + Sqrt[1 + a^2/c^2]\*c\*Cos[d + e\*x - ArcTan[a/c]])/(Sqrt[1 + a^2/c^2]\*(1 - b/(Sqrt[1 + a^2/c^2]\*c))\*c)), -(b + Sqrt[1 + a^2/c^2]\*c\*Cos[d + e\*x - ArcTan[a/c]])/(Sqrt[1 + a^2/c^2]\*(-1 - b/(Sqrt[1 + a^2/c^2]\*c))\*c))\*Sin[d + e\*x - ArcTan[a/c]])/(Sqrt[1 + a^2/c^2]\*c\*Sqrt[(c\*Sqrt[(a^2 + c^2)/c^2] - c\*Sqrt[(a^2 + c^2)/c^2]\*Cos[d + e\*x - ArcTan[a/c]])/(b + c\*Sqrt[(a^2 + c^2)/c^2])]\*Sqrt[b + c\*Sqrt[(a^2 + c^2)/c^2]\*Cos[d + e\*x - ArcTan[a/c]])\*Sqrt[(c\*Sqrt[(a^2 + c^2)/c^2] + c\*Sqrt[(a^2 + c^2)/c^2]\*Cos[d + e\*x - ArcTan[a/c]])/(-b + c\*Sqrt[(a^2 + c^2)/c^2])]) - ((2\*c\*(b + Sqrt[1 + a^2/c^2]\*c\*Cos[d + e\*x - ArcTan[a/c]])/(a^2 + c^2) - (a\*Sin[d + e\*x - ArcTan[a/c]])/(Sqrt[1 + a^2/c^2]\*c))/Sqrt[b + Sqrt[1 + a^2/c^2]\*c\*Cos[d + e\*x - ArcTan[a/c]]]))/(3\*e\*Csc[d + e\*x]^(3/2)\*(b + c\*Cos[d + e\*x] + a\*Sin[d + e\*x])^(3/2)) + (4\*b\*c^2\*(a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x])^(3/2)\*(-(a\*AppellF1[-1/2, -1/2, -1/2, 1/2, -(b + Sqrt[1 + a^2/c^2]\*c\*Cos[d + e\*x - ArcTan[a/c]])/(Sqrt[1 + a^2/c^2]\*(1 - b/(Sqrt[1 + a^2/c^2]\*c))\*c)), -(b + Sqrt[1 + a^2/c^2]\*c\*Cos[d + e\*x - ArcTan[a/c]])/(Sqrt[1 + a^2/c^2]\*(-1 - b/(Sqrt[1 + a^2/c^2]\*c))\*c))\*Sin[d + e\*x - ArcTan[a/c]])/(Sqrt[1 + a^2/c^2]\*c\*Sqrt[(c\*Sqrt[(a^2 + c^2)/c^2] - c\*Sqrt[(a^2 + c^2)/c^2]\*Cos[d + e\*x - ArcTan[a/c]])/(b + c\*Sqrt[(a^2 + c^2)/c^2])]\*Sqrt[b + c\*Sqrt[(a^2 + c^2)/c^2]\*Cos[d + e\*x - ArcTan[a/c]])\*Sqrt[(c\*Sqrt[(a^2 + c^2)/c^2] + c\*Sqrt[(a^2 + c^2)/c^2]\*Cos[d + e\*x - ArcTan[a/c]])/(-b + c\*Sqrt[(a^2 + c^2)/c^2])]) - ((2\*c\*(b + Sqrt[1 + a^2/c^2]\*c\*Cos[d + e\*x - ArcTan[a/c]])/(a^2 + c^2) - (a\*Sin[d + e\*x - ArcTan[a/c]])/(Sqrt[1 + a^2/c^2]\*c))/Sqrt[b + Sqrt[1 + a^2/c^2]\*c\*Cos[d + e\*x - ArcTan[a/c]]]))/(3\*a\*e\*Csc[d + e\*x]^(3/2)\*(b + c\*Cos[d + e\*x] + a\*Sin[d + e\*x])^(3/2)) + (2\*a\*AppellF1[1/2, 1/2, 1/2, 3/2, -(b + a\*Sqrt[1 + c^2/a^2]\*Sin[d + e\*x + ArcTan[c/a]])/(a\*Sqrt[1 + c^2/a^2])])/(a\*Sqrt[1 + c^2/a^2])

$$\begin{aligned} & 2/a^2*(1 - b/(a*\sqrt{1 + c^2/a^2}))), -(b + a*\sqrt{1 + c^2/a^2}*\sin[d + \\ & e*x + \text{ArcTan}[c/a]])/(a*\sqrt{1 + c^2/a^2}*(-1 - b/(a*\sqrt{1 + c^2/a^2}))))]* \\ & (a + c*\cot[d + e*x] + b*\csc[d + e*x])^{(3/2)}*\sec[d + e*x + \text{ArcTan}[c/a]]*\sqrt{ \\ & [(a*\sqrt{(a^2 + c^2)/a^2} - a*\sqrt{(a^2 + c^2)/a^2}*\sin[d + e*x + \text{ArcTan}[c/ \\ & a]])/(b + a*\sqrt{(a^2 + c^2)/a^2})]*\sqrt{b + a*\sqrt{(a^2 + c^2)/a^2}*\sin[d \\ & + e*x + \text{ArcTan}[c/a]]*\sqrt{(a*\sqrt{(a^2 + c^2)/a^2} + a*\sqrt{(a^2 + c^2)/a^2} \\ & 2)*\sin[d + e*x + \text{ArcTan}[c/a]])/(-b + a*\sqrt{(a^2 + c^2)/a^2})}]/(3*\sqrt{1 + \\ & c^2/a^2}*e*\csc[d + e*x]^{(3/2)}*(b + c*\cos[d + e*x] + a*\sin[d + e*x])^{(3/2)}) \\ & + (2*b^2*\text{AppellF1}[1/2, 1/2, 1/2, 3/2, -(b + a*\sqrt{1 + c^2/a^2}*\sin[d + e \\ & *x + \text{ArcTan}[c/a]])/(a*\sqrt{1 + c^2/a^2}*(1 - b/(a*\sqrt{1 + c^2/a^2}))))), -( \\ & (b + a*\sqrt{1 + c^2/a^2}*\sin[d + e*x + \text{ArcTan}[c/a]])/(a*\sqrt{1 + c^2/a^2}*( \\ & -1 - b/(a*\sqrt{1 + c^2/a^2}))))]* (a + c*\cot[d + e*x] + b*\csc[d + e*x])^{(3/2)} \\ & )*\sec[d + e*x + \text{ArcTan}[c/a]]*\sqrt{(a*\sqrt{(a^2 + c^2)/a^2} - a*\sqrt{(a^2 + \\ & c^2)/a^2}*\sin[d + e*x + \text{ArcTan}[c/a]])/(b + a*\sqrt{(a^2 + c^2)/a^2})]*\sqrt{b \\ & + a*\sqrt{(a^2 + c^2)/a^2}*\sin[d + e*x + \text{ArcTan}[c/a]]*\sqrt{(a*\sqrt{(a^2 + \\ & c^2)/a^2} + a*\sqrt{(a^2 + c^2)/a^2}*\sin[d + e*x + \text{ArcTan}[c/a]])/(-b + a*\sqrt{ \\ & (a^2 + c^2)/a^2})}]/(a*\sqrt{1 + c^2/a^2}*e*\csc[d + e*x]^{(3/2)}*(b + c*\cos[ \\ & d + e*x] + a*\sin[d + e*x])^{(3/2)}) + (2*c^2*\text{AppellF1}[1/2, 1/2, 1/2, 3/2, -( \\ & b + a*\sqrt{1 + c^2/a^2}*\sin[d + e*x + \text{ArcTan}[c/a]])/(a*\sqrt{1 + c^2/a^2}*(1 \\ & - b/(a*\sqrt{1 + c^2/a^2}))))), -(b + a*\sqrt{1 + c^2/a^2}*\sin[d + e*x + \text{Arc} \\ & \text{Tan}[c/a]])/(a*\sqrt{1 + c^2/a^2}*(-1 - b/(a*\sqrt{1 + c^2/a^2}))))]* (a + c*\cot \\ & [d + e*x] + b*\csc[d + e*x])^{(3/2)}*\sec[d + e*x + \text{ArcTan}[c/a]]*\sqrt{(a*\sqrt{ \\ & (a^2 + c^2)/a^2} - a*\sqrt{(a^2 + c^2)/a^2}*\sin[d + e*x + \text{ArcTan}[c/a]])/(b + \\ & a*\sqrt{(a^2 + c^2)/a^2})]*\sqrt{b + a*\sqrt{(a^2 + c^2)/a^2}*\sin[d + e*x + \text{Arc} \\ & \text{Tan}[c/a]]*\sqrt{(a*\sqrt{(a^2 + c^2)/a^2} + a*\sqrt{(a^2 + c^2)/a^2}*\sin[d \\ & + e*x + \text{ArcTan}[c/a]])/(-b + a*\sqrt{(a^2 + c^2)/a^2})}]/(3*a*\sqrt{1 + c^2/a^2} \\ & 2)*e*\csc[d + e*x]^{(3/2)}*(b + c*\cos[d + e*x] + a*\sin[d + e*x])^{(3/2)} \end{aligned}$$

**Maple [C]** time = 1.618, size = 20627, normalized size = 55.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+c*\cot(e*x+d)+b*\csc(e*x+d))^{(3/2)}/\csc(e*x+d)^{(3/2)},x)$

[Out] result too large to display

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(c \cot (ex + d) + b \csc (ex + d) + a)^{\frac{3}{2}}}{\csc (ex + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((a+c*\cot(e*x+d)+b*\csc(e*x+d))^{(3/2)}/\csc(e*x+d)^{(3/2)},x, \text{algorithm} = \text{"maxima"})$

[Out]  $\text{integrate}((c*\cot(e*x + d) + b*\csc(e*x + d) + a)^{(3/2)}/\csc(e*x + d)^{(3/2)}, x)$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(c \cot (ex + d) + b \csc (ex + d) + a)^{\frac{3}{2}}}{\csc (ex + d)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+c\*cot(e\*x+d)+b\*csc(e\*x+d))^(3/2)/csc(e\*x+d)^(3/2),x, algorithm="fricas")

[Out] integral((c\*cot(e\*x + d) + b\*csc(e\*x + d) + a)^(3/2)/csc(e\*x + d)^(3/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+c\*cot(e\*x+d)+b\*csc(e\*x+d))\*\*(3/2)/csc(e\*x+d)\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(c \cot (ex + d) + b \csc (ex + d) + a)^{\frac{3}{2}}}{\csc (ex + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+c\*cot(e\*x+d)+b\*csc(e\*x+d))^(3/2)/csc(e\*x+d)^(3/2),x, algorithm="giac")

[Out] integrate((c\*cot(e\*x + d) + b\*csc(e\*x + d) + a)^(3/2)/csc(e\*x + d)^(3/2), x)

$$3.463 \quad \int \frac{\sqrt{a+c \cot(d+ex)+b \csc(d+ex)}}{\sqrt{\csc(d+ex)}} dx$$

**Optimal.** Leaf size=118

$$\frac{2\sqrt{a+b \csc(d+ex)+c \cot(d+ex)} E\left(\frac{1}{2}\left(d+ex-\tan^{-1}\left(\frac{c}{a}\right)\right)\middle|\frac{2\sqrt{a^2+c^2}}{b+\sqrt{a^2+c^2}}\right)}{e\sqrt{\csc(d+ex)}\sqrt{\frac{a \sin(d+ex)+b+c \cos(d+ex)}{\sqrt{a^2+c^2}+b}}}$$

[Out] (2\*Sqrt[a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x]]\*EllipticE[(d + e\*x - ArcTan[c, a])/2, (2\*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])])/(e\*Sqrt[Csc[d + e\*x]]\*Sqrt[(b + c\*Cos[d + e\*x] + a\*Sin[d + e\*x])/(b + Sqrt[a^2 + c^2])])

**Rubi [A]** time = 0.14369, antiderivative size = 118, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {3168, 3119, 2653}

$$\frac{2\sqrt{a+b \csc(d+ex)+c \cot(d+ex)} E\left(\frac{1}{2}\left(d+ex-\tan^{-1}\left(\frac{c}{a}\right)\right)\middle|\frac{2\sqrt{a^2+c^2}}{b+\sqrt{a^2+c^2}}\right)}{e\sqrt{\csc(d+ex)}\sqrt{\frac{a \sin(d+ex)+b+c \cos(d+ex)}{\sqrt{a^2+c^2}+b}}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x]]/Sqrt[Csc[d + e\*x]], x]

[Out] (2\*Sqrt[a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x]]\*EllipticE[(d + e\*x - ArcTan[c, a])/2, (2\*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])])/(e\*Sqrt[Csc[d + e\*x]]\*Sqrt[(b + c\*Cos[d + e\*x] + a\*Sin[d + e\*x])/(b + Sqrt[a^2 + c^2])])

#### Rule 3168

Int[csc[(d\_.) + (e\_.)\*(x\_)]^(n\_.)\*((a\_.) + csc[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + cot[(d\_.) + (e\_.)\*(x\_)]\*(c\_.))^(m\_), x\_Symbol] := Dist[(Csc[d + e\*x]^n\*(b + a\*Sin[d + e\*x] + c\*Cos[d + e\*x])^m)/(a + b\*Csc[d + e\*x] + c\*Cot[d + e\*x])^n, Int[1/(b + a\*Sin[d + e\*x] + c\*Cos[d + e\*x])^n, x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[m + n, 0] && !IntegerQ[n]

#### Rule 3119

Int[Sqrt[cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]]/Sqrt[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])/(a + Sqrt[b^2 + c^2])], Int[Sqrt[a/(a + Sqrt[b^2 + c^2]) + (Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]])/(a + Sqrt[b^2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]

#### Rule 2653

Int[Sqrt[(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rubi steps



$$\int \frac{\sqrt{a + c \cot(d + ex) + b \csc(d + ex)}}{\sqrt{\csc(d + ex)}} dx = \frac{\sqrt{a + c \cot(d + ex) + b \csc(d + ex)} \int \sqrt{b + c \cos(d + ex) + a \sin(d + ex)} dx}{\sqrt{\csc(d + ex)} \sqrt{b + c \cos(d + ex) + a \sin(d + ex)}}$$

$$= \frac{\sqrt{a + c \cot(d + ex) + b \csc(d + ex)} \int \sqrt{\frac{b}{b + \sqrt{a^2 + c^2}} + \frac{\sqrt{a^2 + c^2} \cos(d + ex - \tan^{-1}(c, a))}{b + \sqrt{a^2 + c^2}}}}{\sqrt{\csc(d + ex)} \sqrt{\frac{b + c \cos(d + ex) + a \sin(d + ex)}{b + \sqrt{a^2 + c^2}}}}$$

$$= \frac{2\sqrt{a + c \cot(d + ex) + b \csc(d + ex)} E\left(\frac{1}{2} (d + ex - \tan^{-1}(c, a)) \middle| \frac{2\sqrt{a^2 + c^2}}{b + \sqrt{a^2 + c^2}}\right)}{e\sqrt{\csc(d + ex)} \sqrt{\frac{b + c \cos(d + ex) + a \sin(d + ex)}{b + \sqrt{a^2 + c^2}}}}$$

**Mathematica [C]** time = 6.2559, size = 1580, normalized size = 13.39

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x]]/Sqrt[Csc[d + e\*x]],x]

[Out] (2\*c\*Sqrt[a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x]]/(a\*e\*Sqrt[Csc[d + e\*x]]) + (a\*Sqrt[a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x]]\*(-((a\*AppellF1[-1/2, -1/2, -1/2, 1/2, -(b + Sqrt[1 + a^2/c^2]\*c\*cos[d + e\*x - ArcTan[a/c]]))/(Sqrt[1 + a^2/c^2]\*(1 - b/(Sqrt[1 + a^2/c^2]\*c))\*c)), -(b + Sqrt[1 + a^2/c^2]\*c\*cos[d + e\*x - ArcTan[a/c]]))/(Sqrt[1 + a^2/c^2]\*(-1 - b/(Sqrt[1 + a^2/c^2]\*c))\*c)))\*Sin[d + e\*x - ArcTan[a/c]]/(Sqrt[1 + a^2/c^2]\*c\*Sqrt[(c\*Sqrt[(a^2 + c^2)/c^2] - c\*Sqrt[(a^2 + c^2)/c^2]\*Cos[d + e\*x - ArcTan[a/c]])/(b + c\*Sqrt[(a^2 + c^2)/c^2]))\*Sqrt[b + c\*Sqrt[(a^2 + c^2)/c^2]\*Cos[d + e\*x - ArcTan[a/c]]]\*Sqrt[(c\*Sqrt[(a^2 + c^2)/c^2] + c\*Sqrt[(a^2 + c^2)/c^2]\*Cos[d + e\*x - ArcTan[a/c]])/(-b + c\*Sqrt[(a^2 + c^2)/c^2])))) - ((2\*c\*(b + Sqrt[1 + a^2/c^2]\*c\*cos[d + e\*x - ArcTan[a/c]]))/(a^2 + c^2) - (a\*Sin[d + e\*x - ArcTan[a/c]])/(Sqrt[1 + a^2/c^2]\*c))/Sqrt[b + Sqrt[1 + a^2/c^2]\*c\*cos[d + e\*x - ArcTan[a/c]]]))/(e\*Sqrt[Csc[d + e\*x]]\*Sqrt[b + c\*cos[d + e\*x] + a\*sin[d + e\*x]]) + (c^2\*Sqrt[a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x]]\*(-((a\*AppellF1[-1/2, -1/2, -1/2, 1/2, -(b + Sqrt[1 + a^2/c^2]\*c\*cos[d + e\*x - ArcTan[a/c]]))/(Sqrt[1 + a^2/c^2]\*(1 - b/(Sqrt[1 + a^2/c^2]\*c))\*c)), -(b + Sqrt[1 + a^2/c^2]\*c\*cos[d + e\*x - ArcTan[a/c]]))/(Sqrt[1 + a^2/c^2]\*(-1 - b/(Sqrt[1 + a^2/c^2]\*c))\*c)))\*Sin[d + e\*x - ArcTan[a/c]]/(Sqrt[1 + a^2/c^2]\*c\*Sqrt[(c\*Sqrt[(a^2 + c^2)/c^2] - c\*Sqrt[(a^2 + c^2)/c^2]\*Cos[d + e\*x - ArcTan[a/c]])/(b + c\*Sqrt[(a^2 + c^2)/c^2]))\*Sqrt[b + c\*Sqrt[(a^2 + c^2)/c^2]\*Cos[d + e\*x - ArcTan[a/c]]]\*Sqrt[(c\*Sqrt[(a^2 + c^2)/c^2] + c\*Sqrt[(a^2 + c^2)/c^2]\*Cos[d + e\*x - ArcTan[a/c]])/(-b + c\*Sqrt[(a^2 + c^2)/c^2])))) - ((2\*c\*(b + Sqrt[1 + a^2/c^2]\*c\*cos[d + e\*x - ArcTan[a/c]]))/(a^2 + c^2) - (a\*Sin[d + e\*x - ArcTan[a/c]])/(Sqrt[1 + a^2/c^2]\*c))/Sqrt[b + Sqrt[1 + a^2/c^2]\*c\*cos[d + e\*x - ArcTan[a/c]]]))/(a\*e\*Sqrt[Csc[d + e\*x]]\*Sqrt[b + c\*cos[d + e\*x] + a\*sin[d + e\*x]]) + (2\*b\*AppellF1[1/2, 1/2, 1/2, 3/2, -(b + a\*Sqrt[1 + c^2/a^2]\*Sin[d + e\*x + ArcTan[c/a]])/(a\*Sqrt[1 + c^2/a^2]\*(1 - b/(a\*Sqrt[1 + c^2/a^2])))), -(b + a\*Sqrt[1 + c^2/a^2]\*Sin[d + e\*x + ArcTan[c/a]])/(a\*Sqrt[1 + c^2/a^2]\*(-1 - b/(a\*Sqrt[1 + c^2/a^2]))))\*Sqrt[a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x]]\*Sec[d + e\*x + ArcTan[c/a]]\*Sqrt[(a\*Sqrt[(a^2 + c^2)/a^2] - a\*Sqrt[(a^2 + c^2)/a^2]\*Sin[d + e\*x + ArcTan[c/a]])/(b + a\*Sqrt[(a^2 + c^2)/a^2])\*Sqrt[b + a\*Sqrt[(a^2 + c^2)/a^2]\*Sin[d + e\*x + ArcTan[c/a]]]\*Sqrt[(a\*Sqrt[(a^2 + c^2)/a^2] + a\*Sqrt[(a^2 + c^2)/a^2]\*Sin[d + e\*x + ArcTan[c/a]])/(-b + a\*Sqrt[(a^2 + c^2)/a^2])])/(a\*Sqrt[1 + c^2/a^2]\*e\*Sqrt[Csc[d + e\*x]]\*Sqrt[b + c\*cos[d + e\*x] + a\*sin[d + e\*x]])

---

**Maple [C]** time = 0.55, size = 12367, normalized size = 104.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+c*cot(e*x+d)+b*csc(e*x+d))^(1/2)/csc(e*x+d)^(1/2),x)`

[Out] result too large to display

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{c \cot(ex + d) + b \csc(ex + d) + a}}{\sqrt{\csc(ex + d)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+c*cot(e*x+d)+b*csc(e*x+d))^(1/2)/csc(e*x+d)^(1/2),x, algorithm="maxima")`

[Out] `integrate(sqrt(c*cot(e*x + d) + b*csc(e*x + d) + a)/sqrt(csc(e*x + d)), x)`

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{c \cot(ex + d) + b \csc(ex + d) + a}}{\sqrt{\csc(ex + d)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+c*cot(e*x+d)+b*csc(e*x+d))^(1/2)/csc(e*x+d)^(1/2),x, algorithm="fricas")`

[Out] `integral(sqrt(c*cot(e*x + d) + b*csc(e*x + d) + a)/sqrt(csc(e*x + d)), x)`

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{a + b \csc(d + ex) + c \cot(d + ex)}}{\sqrt{\csc(d + ex)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+c*cot(e*x+d)+b*csc(e*x+d))**(1/2)/csc(e*x+d)**(1/2),x)`

[Out] `Integral(sqrt(a + b*csc(d + e*x) + c*cot(d + e*x))/sqrt(csc(d + e*x)), x)`

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{c \cot(ex + d) + b \csc(ex + d) + a}}{\sqrt{\csc(ex + d)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+c*cot(e*x+d)+b*csc(e*x+d))^(1/2)/csc(e*x+d)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(sqrt(c*cot(e*x + d) + b*csc(e*x + d) + a)/sqrt(csc(e*x + d)), x)
```

$$3.464 \quad \int \frac{\sqrt{\csc(d+ex)}}{\sqrt{a+c \cot(d+ex)+b \csc(d+ex)}} dx$$

**Optimal.** Leaf size=118

$$\frac{2\sqrt{\csc(d+ex)}\sqrt{\frac{a \sin(d+ex)+b+c \cos(d+ex)}{\sqrt{a^2+c^2+b}}}\text{EllipticF}\left(\frac{1}{2}\left(-\tan^{-1}(c,a)+d+ex\right), \frac{2\sqrt{a^2+c^2}}{\sqrt{a^2+c^2+b}}\right)}{e\sqrt{a+b \csc(d+ex)+c \cot(d+ex)}}$$

[Out] (2\*Sqrt[Csc[d + e\*x]]\*EllipticF[(d + e\*x - ArcTan[c, a])/2, (2\*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]\*Sqrt[(b + c\*Cos[d + e\*x] + a\*Sin[d + e\*x])/(b + Sqrt[a^2 + c^2])])/(e\*Sqrt[a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x]])

**Rubi [A]** time = 0.165704, antiderivative size = 118, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {3168, 3127, 2661}

$$\frac{2\sqrt{\csc(d+ex)}\sqrt{\frac{a \sin(d+ex)+b+c \cos(d+ex)}{\sqrt{a^2+c^2+b}}}F\left(\frac{1}{2}\left(d+ex-\tan^{-1}(c,a)\right)\middle|\frac{2\sqrt{a^2+c^2}}{b+\sqrt{a^2+c^2}}\right)}{e\sqrt{a+b \csc(d+ex)+c \cot(d+ex)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Csc[d + e\*x]]/Sqrt[a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x]],x]

[Out] (2\*Sqrt[Csc[d + e\*x]]\*EllipticF[(d + e\*x - ArcTan[c, a])/2, (2\*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]\*Sqrt[(b + c\*Cos[d + e\*x] + a\*Sin[d + e\*x])/(b + Sqrt[a^2 + c^2])])/(e\*Sqrt[a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x]])

#### Rule 3168

Int[csc[(d\_.) + (e\_.)\*(x\_)]^(n\_.)\*((a\_.) + csc[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + cot[(d\_.) + (e\_.)\*(x\_)]\*(c\_.))^(m\_), x\_Symbol] := Dist[(Csc[d + e\*x]^n\*(b + a\*Sin[d + e\*x] + c\*Cos[d + e\*x])^m)/(a + b\*Csc[d + e\*x] + c\*Cot[d + e\*x])^n, Int[1/(b + a\*Sin[d + e\*x] + c\*Cos[d + e\*x])^n, x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[m + n, 0] && !IntegerQ[n]

#### Rule 3127

Int[1/Sqrt[cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]], x\_Symbol] := Dist[Sqrt[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])/(a + Sqrt[b^2 + c^2])]/Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]], Int[1/Sqrt[a/(a + Sqrt[b^2 + c^2]) + (Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]])/(a + Sqrt[b^2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]

#### Rule 2661

Int[1/Sqrt[(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rubi steps

$$\int \frac{\sqrt{\csc(d+ex)}}{\sqrt{a+c\cot(d+ex)+b\csc(d+ex)}} dx = \frac{(\sqrt{\csc(d+ex)}\sqrt{b+c\cos(d+ex)+a\sin(d+ex)}) \int \frac{1}{\sqrt{b+c\cos(d+ex)+a\sin(d+ex)}}}{\sqrt{a+c\cot(d+ex)+b\csc(d+ex)}}$$

$$= \frac{\left(\sqrt{\csc(d+ex)}\sqrt{\frac{b+c\cos(d+ex)+a\sin(d+ex)}{b+\sqrt{a^2+c^2}}}\right) \int \frac{1}{\sqrt{\frac{b}{b+\sqrt{a^2+c^2}} + \frac{\sqrt{a^2+c^2}\cos(d+ex-\tan^{-1}(c,a))}{b+\sqrt{a^2+c^2}}}}}{\sqrt{a+c\cot(d+ex)+b\csc(d+ex)}}$$

$$= \frac{2\sqrt{\csc(d+ex)}F\left(\frac{1}{2}\left(d+ex-\tan^{-1}(c,a)\right)\middle|\frac{2\sqrt{a^2+c^2}}{b+\sqrt{a^2+c^2}}\right)\sqrt{\frac{b+c\cos(d+ex)+a\sin(d+ex)}{b+\sqrt{a^2+c^2}}}}{e\sqrt{a+c\cot(d+ex)+b\csc(d+ex)}}$$

**Mathematica [C]** time = 0.908103, size = 339, normalized size = 2.87

$$\frac{2\sqrt{\csc(d+ex)}\sec\left(\tan^{-1}\left(\frac{c}{a}\right)+d+ex\right)\sqrt{\frac{a\sqrt{\frac{c^2}{a^2}+1}(\sin(\tan^{-1}(\frac{c}{a})+d+ex)-1)}{a\sqrt{\frac{c^2}{a^2}+1+b}}}\sqrt{\frac{a\sqrt{\frac{c^2}{a^2}+1}(\sin(\tan^{-1}(\frac{c}{a})+d+ex)+1)}{a\sqrt{\frac{c^2}{a^2}+1-b}}}\sqrt{a\sqrt{\frac{c^2}{a^2}+1}\sin\left(\tan^{-1}\left(\frac{c}{a}\right)+d+ex\right)}}{ae\sqrt{\frac{c^2}{a^2}+1}\sqrt{a+bc}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Csc[d + e\*x]]/Sqrt[a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x]], x]

[Out] (2\*AppellF1[1/2, 1/2, 1/2, 3/2, (b + a\*Sqrt[1 + c^2/a^2])\*Sin[d + e\*x + ArcTan[c/a]]/(b - a\*Sqrt[1 + c^2/a^2]), (b + a\*Sqrt[1 + c^2/a^2])\*Sin[d + e\*x + ArcTan[c/a]]/(b + a\*Sqrt[1 + c^2/a^2])]\*Sqrt[Csc[d + e\*x]]\*Sec[d + e\*x + ArcTan[c/a]]\*Sqrt[b + c\*Cos[d + e\*x] + a\*Sin[d + e\*x]]\*Sqrt[-((a\*Sqrt[1 + c^2/a^2]\*(-1 + Sin[d + e\*x + ArcTan[c/a]]))/(b + a\*Sqrt[1 + c^2/a^2]))]\*Sqrt[(a\*Sqrt[1 + c^2/a^2]\*(1 + Sin[d + e\*x + ArcTan[c/a]]))/(-b + a\*Sqrt[1 + c^2/a^2])]\*Sqrt[b + a\*Sqrt[1 + c^2/a^2]\*Sin[d + e\*x + ArcTan[c/a]]]/(a\*Sqrt[1 + c^2/a^2]\*e\*Sqrt[a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x]))]

**Maple [C]** time = 0.587, size = 715, normalized size = 6.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(e\*x+d)^(1/2)/(a+c\*cot(e\*x+d)+b\*csc(e\*x+d))^(1/2), x)

[Out] 4\*I/e/(I\*b-I\*c-(a^2-b^2+c^2)^(1/2)-a)\*(1/sin(e\*x+d))^(1/2)\*((b+c\*cos(e\*x+d)+a\*sin(e\*x+d))/sin(e\*x+d))^(1/2)\*((I\*b-I\*c-(a^2-b^2+c^2)^(1/2)-a)/(I\*b-I\*c+(a^2-b^2+c^2)^(1/2)+a)\*(I\*sin(e\*x+d)+cos(e\*x+d)))^(1/2)\*EllipticF(((I\*b-I\*c-(a^2-b^2+c^2)^(1/2)-a)/(I\*b-I\*c+(a^2-b^2+c^2)^(1/2)+a)\*(I\*sin(e\*x+d)+cos(e\*x+d)))^(1/2), ((I\*b-I\*c+(a^2-b^2+c^2)^(1/2)+a)\*(I\*b-I\*c+(a^2-b^2+c^2)^(1/2)-a)/(I\*b-I\*c-(a^2-b^2+c^2)^(1/2)-a)/(I\*b-I\*c-(a^2-b^2+c^2)^(1/2)+a))^(1/2)))\*(-I/(I\*b-I\*c-(a^2-b^2+c^2)^(1/2)+a)\*(cos(e\*x+d)\*(a^2-b^2+c^2)^(1/2)-a\*cos(e\*x+d)-b\*sin(e\*x+d)+c\*sin(e\*x+d)+(a^2-b^2+c^2)^(1/2)-a)/(I\*cos(e\*x+d)+I\*sin(e\*x+d)))^(1/2)\*(I/(I\*b-I\*c+(a^2-b^2+c^2)^(1/2)+a)\*(b\*sin(e\*x+d)-c\*sin(e\*x+d)+cos(e\*x+d)\*(a^2-b^2+c^2)^(1/2)+a\*cos(e\*x+d)+(a^2-b^2+c^2)^(1/2)+a)/(I\*cos(e\*x+d)+I\*sin(e\*x+d)))^(1/2)\*(cos(e\*x+d)+1)^2\*(cos(e\*x+d)-1)^2\*(I\*(a^2-b^2+c^2)^(1/2)\*sin(e\*x+d)-I\*cos(e\*x+d)\*b+I\*cos(e\*x+d)\*c+I\*sin(e\*x+d)\*a-cos(e\*x+d)\*(a^2-b^2+c^2)^(1/2)-a\*cos(e\*x+d)-b\*sin(e\*x+d)+c\*sin(e\*x+d))/sin(e\*x+d)^(1/2)

$3/(b+c*\cos(e*x+d)+a*\sin(e*x+d))$

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{\csc(ex+d)}}{\sqrt{c \cot(ex+d) + b \csc(ex+d) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(e\*x+d)^(1/2)/(a+c\*cot(e\*x+d)+b\*csc(e\*x+d))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(csc(e\*x + d))/sqrt(c\*cot(e\*x + d) + b\*csc(e\*x + d) + a), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{\csc(ex+d)}}{\sqrt{c \cot(ex+d) + b \csc(ex+d) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(e\*x+d)^(1/2)/(a+c\*cot(e\*x+d)+b\*csc(e\*x+d))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(csc(e\*x + d))/sqrt(c\*cot(e\*x + d) + b\*csc(e\*x + d) + a), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{\csc(d+ex)}}{\sqrt{a + b \csc(d+ex) + c \cot(d+ex)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(e\*x+d)\*\*(1/2)/(a+c\*cot(e\*x+d)+b\*csc(e\*x+d))\*\*(1/2),x)

[Out] Integral(sqrt(csc(d + e\*x))/sqrt(a + b\*csc(d + e\*x) + c\*cot(d + e\*x)), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{\csc(ex+d)}}{\sqrt{c \cot(ex+d) + b \csc(ex+d) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(e\*x+d)^(1/2)/(a+c\*cot(e\*x+d)+b\*csc(e\*x+d))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(csc(e\*x + d))/sqrt(c\*cot(e\*x + d) + b\*csc(e\*x + d) + a), x)

$$3.465 \quad \int \frac{\csc^2(d+ex)}{(a+c \cot(d+ex)+b \csc(d+ex))^{3/2}} dx$$

**Optimal.** Leaf size=240

$$\frac{2 \csc^{\frac{3}{2}}(d+ex)(a \sin(d+ex)+b+c \cos(d+ex))^2 E\left(\frac{1}{2}(d+ex-\tan^{-1}(c,a)) \middle| \frac{2\sqrt{a^2+c^2}}{b+\sqrt{a^2+c^2}}\right)}{e(a^2-b^2+c^2) \sqrt{\frac{a \sin(d+ex)+b+c \cos(d+ex)}{\sqrt{a^2+c^2}+b}}(a+b \csc(d+ex)+c \cot(d+ex))^{3/2}} - \frac{2 \csc^{\frac{3}{2}}(d+ex)(a \cos(d+ex)+e \sin(d+ex))}{e(a^2-b^2+c^2)}$$

[Out]  $(-2*\text{Csc}[d+e*x]^{(3/2)}*\text{EllipticE}[(d+e*x-\text{ArcTan}[c,a])/2], (2*\text{Sqrt}[a^2+c^2])/(b+\text{Sqrt}[a^2+c^2]))*(b+c*\text{Cos}[d+e*x]+a*\text{Sin}[d+e*x])^2/((a^2-b^2+c^2)*e*(a+c*\text{Cot}[d+e*x]+b*\text{Csc}[d+e*x])^{(3/2)}*\text{Sqrt}[(b+c*\text{Cos}[d+e*x]+a*\text{Sin}[d+e*x])/(b+\text{Sqrt}[a^2+c^2])]) - (2*\text{Csc}[d+e*x]^{(3/2)}*(b+c*\text{Cos}[d+e*x]+a*\text{Sin}[d+e*x])*(a*\text{Cos}[d+e*x]-c*\text{Sin}[d+e*x]))/(a^2-b^2+c^2)*e*(a+c*\text{Cot}[d+e*x]+b*\text{Csc}[d+e*x])^{(3/2)}$

**Rubi [A]** time = 0.212266, antiderivative size = 240, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$ , Rules used = {3168, 3128, 3119, 2653}

$$\frac{2 \csc^{\frac{3}{2}}(d+ex)(a \sin(d+ex)+b+c \cos(d+ex))^2 E\left(\frac{1}{2}(d+ex-\tan^{-1}(c,a)) \middle| \frac{2\sqrt{a^2+c^2}}{b+\sqrt{a^2+c^2}}\right)}{e(a^2-b^2+c^2) \sqrt{\frac{a \sin(d+ex)+b+c \cos(d+ex)}{\sqrt{a^2+c^2}+b}}(a+b \csc(d+ex)+c \cot(d+ex))^{3/2}} - \frac{2 \csc^{\frac{3}{2}}(d+ex)(a \cos(d+ex)+e \sin(d+ex))}{e(a^2-b^2+c^2)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Csc}[d+e*x]^{(3/2)}/(a+c*\text{Cot}[d+e*x]+b*\text{Csc}[d+e*x])^{(3/2)},x]$

[Out]  $(-2*\text{Csc}[d+e*x]^{(3/2)}*\text{EllipticE}[(d+e*x-\text{ArcTan}[c,a])/2], (2*\text{Sqrt}[a^2+c^2])/(b+\text{Sqrt}[a^2+c^2]))*(b+c*\text{Cos}[d+e*x]+a*\text{Sin}[d+e*x])^2/((a^2-b^2+c^2)*e*(a+c*\text{Cot}[d+e*x]+b*\text{Csc}[d+e*x])^{(3/2)}*\text{Sqrt}[(b+c*\text{Cos}[d+e*x]+a*\text{Sin}[d+e*x])/(b+\text{Sqrt}[a^2+c^2])]) - (2*\text{Csc}[d+e*x]^{(3/2)}*(b+c*\text{Cos}[d+e*x]+a*\text{Sin}[d+e*x])*(a*\text{Cos}[d+e*x]-c*\text{Sin}[d+e*x]))/(a^2-b^2+c^2)*e*(a+c*\text{Cot}[d+e*x]+b*\text{Csc}[d+e*x])^{(3/2)}$

#### Rule 3168

$\text{Int}[\text{csc}[(d_.)+(e_.)*(x_)]^{(n_.)}*((a_.)+\text{csc}[(d_.)+(e_.)*(x_)]*(b_.)+\text{cot}[(d_.)+(e_.)*(x_)]*(c_.)^{(m_.)}], x\_Symbol] :> \text{Dist}[(\text{Csc}[d+e*x]^{n*}(b+a*\text{Sin}[d+e*x]+c*\text{Cos}[d+e*x])^{m})/(a+b*\text{Csc}[d+e*x]+c*\text{Cot}[d+e*x])^{n}, \text{Int}[1/(b+a*\text{Sin}[d+e*x]+c*\text{Cos}[d+e*x])^{n}, x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{EqQ}[m+n, 0] \&\& !\text{IntegerQ}[n]$

#### Rule 3128

$\text{Int}[(\text{cos}[(d_.)+(e_.)*(x_)]*(b_.)+(a_.)+(c_.)*\text{sin}[(d_.)+(e_.)*(x_)])^{(-3/2)}, x\_Symbol] :> \text{Simp}[(2*(c*\text{Cos}[d+e*x]-b*\text{Sin}[d+e*x]))/(e*(a^2-b^2-c^2)*\text{Sqrt}[a+b*\text{Cos}[d+e*x]+c*\text{Sin}[d+e*x]]), x] + \text{Dist}[1/(a^2-b^2-c^2), \text{Int}[\text{Sqrt}[a+b*\text{Cos}[d+e*x]+c*\text{Sin}[d+e*x]], x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{NeQ}[a^2-b^2-c^2, 0]$

#### Rule 3119

```
Int[Sqrt[cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)]]], x_Symbol] :> Dist[Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]]/Sqrt[(a + b*Cos[d + e*x] + c*Sin[d + e*x])/(a + Sqrt[b^2 + c^2])], Int[Sqrt[a/(a + Sqrt[b^2 + c^2]) + (Sqrt[b^2 + c^2]*Cos[d + e*x - ArcTan[b, c]])/(a + Sqrt[b^2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]
```

Rule 2653

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]]], x_Symbol] :> Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\int \frac{\csc^3(d+ex)}{(a+c \cot(d+ex)+b \csc(d+ex))^{3/2}} dx = \frac{\left(\csc^3(d+ex)(b+c \cos(d+ex)+a \sin(d+ex))^{3/2}\right) \int \frac{1}{(b+c \cos(d+ex)+a \sin(d+ex))^{3/2}} dx}{(a+c \cot(d+ex)+b \csc(d+ex))^{3/2}}$$

$$= -\frac{2 \csc^3(d+ex)(b+c \cos(d+ex)+a \sin(d+ex))(a \cos(d+ex)-c \sin(d+ex))}{(a^2-b^2+c^2) e(a+c \cot(d+ex)+b \csc(d+ex))^{3/2}}$$

$$= -\frac{2 \csc^3(d+ex)(b+c \cos(d+ex)+a \sin(d+ex))(a \cos(d+ex)-c \sin(d+ex))}{(a^2-b^2+c^2) e(a+c \cot(d+ex)+b \csc(d+ex))^{3/2}}$$

$$= -\frac{2 \csc^3(d+ex) E\left(\frac{1}{2}(d+ex - \tan^{-1}(c, a)) \middle| \frac{2\sqrt{a^2+c^2}}{b+\sqrt{a^2+c^2}}\right) (b+c \cos(d+ex)+a \sin(d+ex))^{3/2}}{(a^2-b^2+c^2) e(a+c \cot(d+ex)+b \csc(d+ex))^{3/2} \sqrt{\frac{b+c \cos(d+ex)+a \sin(d+ex)}{b+\sqrt{a^2+c^2}}}}$$

**Mathematica [C]** time = 6.41498, size = 1732, normalized size = 7.22

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Csc[d + e*x]^(3/2)/(a + c*Cot[d + e*x] + b*Csc[d + e*x])^(3/2), x]
```

```
[Out] (Csc[d + e*x]^(3/2)*(b + c*Cos[d + e*x] + a*Sin[d + e*x])^2*((-2*(a^2 + c^2))/(a*c*(a^2 - b^2 + c^2)) + (2*(a*b + a^2*Sin[d + e*x] + c^2*Sin[d + e*x]))/(c*(a^2 - b^2 + c^2)*(b + c*Cos[d + e*x] + a*Sin[d + e*x]))) / (e*(a + c*Cot[d + e*x] + b*Csc[d + e*x])^(3/2)) - (a*Csc[d + e*x]^(3/2)*(b + c*Cos[d + e*x] + a*Sin[d + e*x])^(3/2)*(-(a*AppellF1[-1/2, -1/2, -1/2, 1/2, -(b + Sqrt[1 + a^2/c^2]*c*Cos[d + e*x - ArcTan[a/c]])/(Sqrt[1 + a^2/c^2]*(1 - b/(Sqrt[1 + a^2/c^2]*c)))*c)), -(b + Sqrt[1 + a^2/c^2]*c*Cos[d + e*x - ArcTan[a/c]])/(Sqrt[1 + a^2/c^2]*(-1 - b/(Sqrt[1 + a^2/c^2]*c))*c))*Sin[d + e*x - ArcTan[a/c]])/(Sqrt[1 + a^2/c^2]*c*Sqrt[(c*Sqrt[(a^2 + c^2)/c^2] - c*Sqrt[(a^2 + c^2)/c^2]*Cos[d + e*x - ArcTan[a/c]])/(b + c*Sqrt[(a^2 + c^2)/c^2])]*Sqrt[b + c*Sqrt[(a^2 + c^2)/c^2]*Cos[d + e*x - ArcTan[a/c]])*Sqrt[(c*Sqrt[(a^2 + c^2)/c^2] + c*Sqrt[(a^2 + c^2)/c^2]*Cos[d + e*x - ArcTan[a/c]])/(-b + c*Sqrt[(a^2 + c^2)/c^2])])) - ((2*c*(b + Sqrt[1 + a^2/c^2]*c*Cos[d + e*x - ArcTan[a/c]])/(a^2 + c^2) - (a*Sin[d + e*x - ArcTan[a/c]])/(Sqrt[1 + a^2/c^2]*c))/Sqrt[b + Sqrt[1 + a^2/c^2]*c*Cos[d + e*x - ArcTan[a/c]]]) / ((a^2 - b^2 + c^2)*e*(a + c*Cot[d + e*x] + b*Csc[d + e*x])^(3/2)) - (c^2*Csc[d + e*x]^(3/2)*(b + c*Cos[d + e*x] + a*Sin[d + e*x])^(3/2)*(-(a*AppellF1[-1/2,
```



$$-1/2, -1/2, 1/2, -((b + \sqrt{1 + a^2/c^2})c \cos[d + ex - \text{ArcTan}[a/c]])/(\sqrt{1 + a^2/c^2} * (1 - b/(\sqrt{1 + a^2/c^2}) * c)), -((b + \sqrt{1 + a^2/c^2})c \cos[d + ex - \text{ArcTan}[a/c]])/(\sqrt{1 + a^2/c^2} * (-1 - b/(\sqrt{1 + a^2/c^2}) * c)) * \sin[d + ex - \text{ArcTan}[a/c]])/(\sqrt{1 + a^2/c^2} * c * \sqrt{(c * \sqrt{(a^2 + c^2)/c^2} - c * \sqrt{(a^2 + c^2)/c^2} * \cos[d + ex - \text{ArcTan}[a/c]])/(b + c * \sqrt{(a^2 + c^2)/c^2}) * \sqrt{b + c * \sqrt{(a^2 + c^2)/c^2} * \cos[d + ex - \text{ArcTan}[a/c]]) * \sqrt{(c * \sqrt{(a^2 + c^2)/c^2} + c * \sqrt{(a^2 + c^2)/c^2} * \cos[d + ex - \text{ArcTan}[a/c]])/(-b + c * \sqrt{(a^2 + c^2)/c^2})}}) - ((2 * c * (b + \sqrt{1 + a^2/c^2}) * c \cos[d + ex - \text{ArcTan}[a/c]])/(a^2 + c^2) - (a * \sin[d + ex - \text{ArcTan}[a/c]])/(\sqrt{1 + a^2/c^2} * c))/\sqrt{b + \sqrt{1 + a^2/c^2} * c \cos[d + ex - \text{ArcTan}[a/c]])/(a * (a^2 - b^2 + c^2) * e * (a + c * \cot[d + ex] + b * \csc[d + ex]))^{(3/2)} - (2 * b * \text{AppellF1}[1/2, 1/2, 1/2, 3/2, -((b + a * \sqrt{1 + c^2/a^2}) * \sin[d + ex + \text{ArcTan}[c/a]])/(a * \sqrt{1 + c^2/a^2} * (1 - b/(a * \sqrt{1 + c^2/a^2}))))), -((b + a * \sqrt{1 + c^2/a^2}) * \sin[d + ex + \text{ArcTan}[c/a]])/(a * \sqrt{1 + c^2/a^2} * (-1 - b/(a * \sqrt{1 + c^2/a^2})))) * \csc[d + ex]^{(3/2)} * \sec[d + ex + \text{ArcTan}[c/a]] * (b + c * \cos[d + ex] + a * \sin[d + ex])^{(3/2)} * \sqrt{(a * \sqrt{(a^2 + c^2)/a^2} - a * \sqrt{(a^2 + c^2)/a^2} * \sin[d + ex + \text{ArcTan}[c/a]])/(b + a * \sqrt{(a^2 + c^2)/a^2}) * \sqrt{b + a * \sqrt{(a^2 + c^2)/a^2} * \sin[d + ex + \text{ArcTan}[c/a]]) * \sqrt{(a * \sqrt{(a^2 + c^2)/a^2} + a * \sqrt{(a^2 + c^2)/a^2} * \sin[d + ex + \text{ArcTan}[c/a]])/(-b + a * \sqrt{(a^2 + c^2)/a^2})}}/(a * (a^2 - b^2 + c^2) * \sqrt{1 + c^2/a^2} * e * (a + c * \cot[d + ex] + b * \csc[d + ex]))^{(3/2)}$$

**Maple [C]** time = 0.556, size = 12477, normalized size = 52.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(ex+d)^(3/2)/(a+c\*cot(ex+d)+b\*csc(ex+d))^(3/2),x)

[Out] result too large to display

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc^3(ex+d)}{(c \cot(ex+d) + b \csc(ex+d) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(ex+d)^(3/2)/(a+c\*cot(ex+d)+b\*csc(ex+d))^(3/2),x, algorithm="maxima")

[Out] integrate(csc(ex+d)^(3/2)/(c\*cot(ex+d)+b\*csc(ex+d)+a)^(3/2),x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{c \cot(ex+d) + b \csc(ex+d) + a} \csc^3(ex+d)}{c^2 \cot^2(ex+d) + b^2 \csc^2(ex+d) + 2ac \cot(ex+d) + a^2 + 2(bc \cot(ex+d) + ab) \csc(ex+d)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csc(e*x+d)^(3/2)/(a+c*cot(e*x+d)+b*csc(e*x+d))^(3/2),x, algorithm="fricas")
```

```
[Out] integral(sqrt(c*cot(e*x + d) + b*csc(e*x + d) + a)*csc(e*x + d)^(3/2)/(c^2*cot(e*x + d)^2 + b^2*csc(e*x + d)^2 + 2*a*c*cot(e*x + d) + a^2 + 2*(b*c*cot(e*x + d) + a*b)*csc(e*x + d)), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csc(e*x+d)**(3/2)/(a+c*cot(e*x+d)+b*csc(e*x+d))**(3/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

sage<sub>0</sub>x

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csc(e*x+d)^(3/2)/(a+c*cot(e*x+d)+b*csc(e*x+d))^(3/2),x, algorithm="giac")
```

```
[Out] sage0*x
```

$$3.466 \quad \int \frac{\csc^2(d+ex)}{(a+c \cot(d+ex)+b \csc(d+ex))^{5/2}} dx$$

**Optimal.** Leaf size=492

$$\frac{2 \csc^2(d+ex) \sqrt{\frac{a \sin(d+ex)+b+c \cos(d+ex)}{\sqrt{a^2+c^2+b}}} (a \sin(d+ex)+b+c \cos(d+ex))^2 \operatorname{EllipticF}\left(\frac{1}{2}(-\tan^{-1}(c,a)+d+ex), \frac{2\sqrt{a^2+c^2}}{\sqrt{a^2+c^2+b}}\right)}{3e(a^2-b^2+c^2)(a+b \csc(d+ex)+c \cot(d+ex))^{5/2}}$$

```
[Out] (8*b*Csc[d + e*x]^(5/2)*EllipticE[(d + e*x - ArcTan[c, a])/2, (2*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]*(b + c*Cos[d + e*x] + a*Sin[d + e*x])^3)/(3*(a^2 - b^2 + c^2)^2*e*(a + c*Cot[d + e*x] + b*Csc[d + e*x])^(5/2)*Sqrt[(b + c*Cos[d + e*x] + a*Sin[d + e*x])/(b + Sqrt[a^2 + c^2])]) + (2*Csc[d + e*x]^(5/2)*EllipticF[(d + e*x - ArcTan[c, a])/2, (2*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]*(b + c*Cos[d + e*x] + a*Sin[d + e*x])^2*Sqrt[(b + c*Cos[d + e*x] + a*Sin[d + e*x])/(b + Sqrt[a^2 + c^2])])/(3*(a^2 - b^2 + c^2)*e*(a + c*Cot[d + e*x] + b*Csc[d + e*x])^(5/2)) - (2*Csc[d + e*x]^(5/2)*(b + c*Cos[d + e*x] + a*Sin[d + e*x])*(a*Cos[d + e*x] - c*Sin[d + e*x]))/(3*(a^2 - b^2 + c^2)*e*(a + c*Cot[d + e*x] + b*Csc[d + e*x])^(5/2)) + (8*Csc[d + e*x]^(5/2)*(b + c*Cos[d + e*x] + a*Sin[d + e*x])^2*(a*b*Cos[d + e*x] - b*c*Sin[d + e*x]))/(3*(a^2 - b^2 + c^2)^2*e*(a + c*Cot[d + e*x] + b*Csc[d + e*x])^(5/2))
```

**Rubi [A]** time = 0.496998, antiderivative size = 492, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$ , Rules used = {3168, 3129, 3156, 3149, 3119, 2653, 3127, 2661}

$$\frac{2 \csc^2(d+ex) \sqrt{\frac{a \sin(d+ex)+b+c \cos(d+ex)}{\sqrt{a^2+c^2+b}}} (a \sin(d+ex)+b+c \cos(d+ex))^2 F\left(\frac{1}{2}(d+ex-\tan^{-1}(c,a)) \middle| \frac{2\sqrt{a^2+c^2}}{b+\sqrt{a^2+c^2}}\right)}{3e(a^2-b^2+c^2)(a+b \csc(d+ex)+c \cot(d+ex))^{5/2}} + \frac{8b \csc(d+ex)}{3e(a^2-b^2+c^2)}$$

Antiderivative was successfully verified.

```
[In] Int[Csc[d + e*x]^(5/2)/(a + c*Cot[d + e*x] + b*Csc[d + e*x])^(5/2), x]
```

```
[Out] (8*b*Csc[d + e*x]^(5/2)*EllipticE[(d + e*x - ArcTan[c, a])/2, (2*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]*(b + c*Cos[d + e*x] + a*Sin[d + e*x])^3)/(3*(a^2 - b^2 + c^2)^2*e*(a + c*Cot[d + e*x] + b*Csc[d + e*x])^(5/2)*Sqrt[(b + c*Cos[d + e*x] + a*Sin[d + e*x])/(b + Sqrt[a^2 + c^2])]) + (2*Csc[d + e*x]^(5/2)*EllipticF[(d + e*x - ArcTan[c, a])/2, (2*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]*(b + c*Cos[d + e*x] + a*Sin[d + e*x])^2*Sqrt[(b + c*Cos[d + e*x] + a*Sin[d + e*x])/(b + Sqrt[a^2 + c^2])])/(3*(a^2 - b^2 + c^2)*e*(a + c*Cot[d + e*x] + b*Csc[d + e*x])^(5/2)) - (2*Csc[d + e*x]^(5/2)*(b + c*Cos[d + e*x] + a*Sin[d + e*x])*(a*Cos[d + e*x] - c*Sin[d + e*x]))/(3*(a^2 - b^2 + c^2)*e*(a + c*Cot[d + e*x] + b*Csc[d + e*x])^(5/2)) + (8*Csc[d + e*x]^(5/2)*(b + c*Cos[d + e*x] + a*Sin[d + e*x])^2*(a*b*Cos[d + e*x] - b*c*Sin[d + e*x]))/(3*(a^2 - b^2 + c^2)^2*e*(a + c*Cot[d + e*x] + b*Csc[d + e*x])^(5/2))
```

**Rule 3168**

```
Int[csc[(d_.) + (e_.)*(x_)]^(n_.)*((a_.) + csc[(d_.) + (e_.)*(x_)]*(b_.) + cot[(d_.) + (e_.)*(x_)]*(c_.))^(m_), x_Symbol] := Dist[(Csc[d + e*x]^n*(b + a*Sin[d + e*x] + c*Cos[d + e*x])^n)/(a + b*Csc[d + e*x] + c*Cot[d + e*x])^n, Int[1/(b + a*Sin[d + e*x] + c*Cos[d + e*x])^n, x], x] /; FreeQ[{a, b, c,
```

$d, e\}, x] \&\& \text{EqQ}[m + n, 0] \&\& \text{!IntegerQ}[n]$

### Rule 3129

$\text{Int}[(\cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*\sin[(d_.) + (e_.)*(x_.)])^{(n_.)}, x\_Symbol] \rightarrow \text{Simp}[((-c*\cos[d + e*x]) + b*\sin[d + e*x])*(a + b*\cos[d + e*x] + c*\sin[d + e*x])^{(n + 1)} / (e*(n + 1)*(a^2 - b^2 - c^2)), x] + \text{Dist}[1 / ((n + 1)*(a^2 - b^2 - c^2)), \text{Int}[(a*(n + 1) - b*(n + 2)*\cos[d + e*x] - c*(n + 2)*\sin[d + e*x])*(a + b*\cos[d + e*x] + c*\sin[d + e*x])^{(n + 1)}, x], x] /;$   $\text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{NeQ}[a^2 - b^2 - c^2, 0] \&\& \text{LtQ}[n, -1] \&\& \text{NeQ}[n, -3/2]$

### Rule 3156

$\text{Int}[(a_.) + \cos[(d_.) + (e_.)*(x_.)]*(b_.) + (c_.)*\sin[(d_.) + (e_.)*(x_.)]^{(n_.)}*((A_.) + \cos[(d_.) + (e_.)*(x_.)]*(B_.) + (C_.)*\sin[(d_.) + (e_.)*(x_.)]), x\_Symbol] \rightarrow -\text{Simp}[(c*B - b*C - (a*C - c*A)*\cos[d + e*x] + (a*B - b*A)*\sin[d + e*x])*(a + b*\cos[d + e*x] + c*\sin[d + e*x])^{(n + 1)} / (e*(n + 1)*(a^2 - b^2 - c^2)), x] + \text{Dist}[1 / ((n + 1)*(a^2 - b^2 - c^2)), \text{Int}[(a + b*\cos[d + e*x] + c*\sin[d + e*x])^{(n + 1)}*\text{Simp}[(n + 1)*(a*A - b*B - c*C) + (n + 2)*(a*B - b*A)*\cos[d + e*x] + (n + 2)*(a*C - c*A)*\sin[d + e*x], x], x], x] /;$   $\text{FreeQ}[\{a, b, c, d, e, A, B, C\}, x] \&\& \text{LtQ}[n, -1] \&\& \text{NeQ}[a^2 - b^2 - c^2, 0] \&\& \text{NeQ}[n, -2]$

### Rule 3149

$\text{Int}[(A_.) + \cos[(d_.) + (e_.)*(x_.)]*(B_.) + (C_.)*\sin[(d_.) + (e_.)*(x_.)] / \sqrt{\cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*\sin[(d_.) + (e_.)*(x_.)]}, x\_Symbol] \rightarrow \text{Dist}[B/b, \text{Int}[\sqrt{a + b*\cos[d + e*x] + c*\sin[d + e*x]}, x], x] + \text{Dist}[(A*b - a*B)/b, \text{Int}[1/\sqrt{a + b*\cos[d + e*x] + c*\sin[d + e*x]}, x], x] /;$   $\text{FreeQ}[\{a, b, c, d, e, A, B, C\}, x] \&\& \text{EqQ}[B*c - b*C, 0] \&\& \text{NeQ}[A*b - a*B, 0]$

### Rule 3119

$\text{Int}[\sqrt{\cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*\sin[(d_.) + (e_.)*(x_.)]}, x\_Symbol] \rightarrow \text{Dist}[\sqrt{a + b*\cos[d + e*x] + c*\sin[d + e*x]} / \sqrt{(a + b*\cos[d + e*x] + c*\sin[d + e*x]) / (a + \sqrt{b^2 + c^2})}, \text{Int}[\sqrt{a / (a + \sqrt{b^2 + c^2})} + (\sqrt{b^2 + c^2}*\cos[d + e*x - \text{ArcTan}[b, c]]) / (a + \sqrt{b^2 + c^2}), x], x] /;$   $\text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{NeQ}[a^2 - b^2 - c^2, 0] \&\& \text{NeQ}[b^2 + c^2, 0] \&\& \text{!GtQ}[a + \sqrt{b^2 + c^2}, 0]$

### Rule 2653

$\text{Int}[\sqrt{(a_.) + (b_.)*\sin[(c_.) + (d_.)*(x_.)]}, x\_Symbol] \rightarrow \text{Simp}[(2*\sqrt{a + b})*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)]/d, x] /;$   $\text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[a + b, 0]$

### Rule 3127

$\text{Int}[1/\sqrt{\cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*\sin[(d_.) + (e_.)*(x_.)]}, x\_Symbol] \rightarrow \text{Dist}[\sqrt{(a + b*\cos[d + e*x] + c*\sin[d + e*x]) / (a + \sqrt{b^2 + c^2})} / \sqrt{a + b*\cos[d + e*x] + c*\sin[d + e*x]}, \text{Int}[1/\sqrt{a / (a + \sqrt{b^2 + c^2})} + (\sqrt{b^2 + c^2}*\cos[d + e*x - \text{ArcTan}[b, c]]) / (a + \sqrt{b^2 + c^2}), x], x] /;$   $\text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{NeQ}[a^2 - b^2 - c^2, 0] \&\& \text{NeQ}[b^2 + c^2, 0] \&\& \text{!GtQ}[a + \sqrt{b^2 + c^2}, 0]$

### Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\int \frac{\csc^5(d+ex)}{(a+c \cot(d+ex)+b \csc(d+ex))^{5/2}} dx = \frac{\left(\csc^{\frac{5}{2}}(d+ex)(b+c \cos(d+ex)+a \sin(d+ex))^{5/2}\right) \int \frac{1}{(b+c \cos(d+ex)+a \sin(d+ex))^{5/2}} dx}{(a+c \cot(d+ex)+b \csc(d+ex))^{5/2}}$$

$$= -\frac{2 \csc^{\frac{5}{2}}(d+ex)(b+c \cos(d+ex)+a \sin(d+ex))(a \cos(d+ex)-c \sin(d+ex))}{3(a^2-b^2+c^2)e(a+c \cot(d+ex)+b \csc(d+ex))^{5/2}}$$

$$= -\frac{2 \csc^{\frac{5}{2}}(d+ex)(b+c \cos(d+ex)+a \sin(d+ex))(a \cos(d+ex)-c \sin(d+ex))}{3(a^2-b^2+c^2)e(a+c \cot(d+ex)+b \csc(d+ex))^{5/2}}$$

$$= -\frac{2 \csc^{\frac{5}{2}}(d+ex)(b+c \cos(d+ex)+a \sin(d+ex))(a \cos(d+ex)-c \sin(d+ex))}{3(a^2-b^2+c^2)e(a+c \cot(d+ex)+b \csc(d+ex))^{5/2}}$$

$$= -\frac{2 \csc^{\frac{5}{2}}(d+ex)(b+c \cos(d+ex)+a \sin(d+ex))(a \cos(d+ex)-c \sin(d+ex))}{3(a^2-b^2+c^2)e(a+c \cot(d+ex)+b \csc(d+ex))^{5/2}}$$

$$= \frac{8b \csc^{\frac{5}{2}}(d+ex)E\left(\frac{1}{2}(d+ex - \tan^{-1}(c, a)) \middle| \frac{2\sqrt{a^2+c^2}}{b+\sqrt{a^2+c^2}}\right)(b+c \cos(d+ex))}{3(a^2-b^2+c^2)^2 e(a+c \cot(d+ex)+b \csc(d+ex))^{5/2} \sqrt{\frac{b+c \cos(d+ex)+a \sin(d+ex)}{b+\sqrt{a^2+c^2}}}}$$

**Mathematica [C]** time = 6.51315, size = 2708, normalized size = 5.5

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[Csc[d + e*x]^(5/2)/(a + c*Cot[d + e*x] + b*Csc[d + e*x])^(5/2), x]
```

```
[Out] (Csc[d + e*x]^(5/2)*(b + c*Cos[d + e*x] + a*Sin[d + e*x])^3*((8*b*(a^2 + c^2))/(3*a*c*(-a^2 + b^2 - c^2)^2) + (2*(a*b + a^2*Sin[d + e*x] + c^2*Sin[d + e*x]))/(3*c*(a^2 - b^2 + c^2)*(b + c*Cos[d + e*x] + a*Sin[d + e*x])^2) - (2*(a^3 + 3*a*b^2 + a*c^2 + 4*a^2*b*Sin[d + e*x] + 4*b*c^2*Sin[d + e*x]))/(3*c*(a^2 - b^2 + c^2)^2*(b + c*Cos[d + e*x] + a*Sin[d + e*x]))) / (e*(a + c*Cot[d + e*x] + b*Csc[d + e*x])^(5/2)) + (4*a*b*Csc[d + e*x]^(5/2)*(b + c*Cos[d + e*x] + a*Sin[d + e*x])^(5/2)*(-(a*AppellF1[-1/2, -1/2, -1/2, 1/2, -(b + Sqrt[1 + a^2/c^2]*c*Cos[d + e*x - ArcTan[a/c]])/(Sqrt[1 + a^2/c^2]*(1 - b/(Sqrt[1 + a^2/c^2]*c))*c)), -(b + Sqrt[1 + a^2/c^2]*c*Cos[d + e*x - ArcTan[a/c]])/(Sqrt[1 + a^2/c^2]*(-1 - b/(Sqrt[1 + a^2/c^2]*c))*c))*Sin[d + e*x - ArcTan[a/c]])/(Sqrt[1 + a^2/c^2]*c*Sqrt[(c*Sqrt[(a^2 + c^2)/c^2] - c*Sqrt[(a^2 + c^2)/c^2]*Cos[d + e*x - ArcTan[a/c]])/(b + c*Sqrt[(a^2 + c^2)/c^2])]*Sqrt[b + c*Sqrt[(a^2 + c^2)/c^2]*Cos[d + e*x - ArcTan[a/c]]]*Sqrt[(c*Sqrt[(a^2 + c^2)/c^2] + c*Sqrt[(a^2 + c^2)/c^2]*Cos[d + e*x - ArcTan[a/c]])/(-b + c*Sqrt[(a^2 + c^2)/c^2])])) - ((2*c*(b + Sqrt[1 + a^2/c^2]*c*Cos[d + e*x - ArcTan[a/c]])/(a^2 + c^2) - (a*Sin[d + e*x - ArcTan[a/c]])/(Sqrt[1 + a^2/c^2]*c))/Sqrt[b + Sqrt[1 + a^2/c^2]*c*Cos[d + e*x - ArcTan[a/c]]]))/(3*(a^2 - b^2 + c^2)^2*e*(a + c*Cot[d + e*x] + b*Csc[d + e*x])^(5/2)) + (4*b*
```

$$\begin{aligned}
& c^2 * \text{Csc}[d + e*x]^{(5/2)} * (b + c * \text{Cos}[d + e*x] + a * \text{Sin}[d + e*x])^{(5/2)} * (-((a * \text{AppellF1}[-1/2, -1/2, -1/2, 1/2, -((b + \text{Sqrt}[1 + a^2/c^2] * c * \text{Cos}[d + e*x - \text{ArcTan}[a/c]]) / (\text{Sqrt}[1 + a^2/c^2] * (1 - b / (\text{Sqrt}[1 + a^2/c^2] * c)) * c)), -((b + \text{Sqrt}[1 + a^2/c^2] * c * \text{Cos}[d + e*x - \text{ArcTan}[a/c]]) / (\text{Sqrt}[1 + a^2/c^2] * (-1 - b / (\text{Sqrt}[1 + a^2/c^2] * c)) * c))) * \text{Sin}[d + e*x - \text{ArcTan}[a/c]]) / (\text{Sqrt}[1 + a^2/c^2] * \text{Sqrt}[(c * \text{Sqrt}[(a^2 + c^2)/c^2] - c * \text{Sqrt}[(a^2 + c^2)/c^2] * \text{Cos}[d + e*x - \text{ArcTan}[a/c]]) / (b + c * \text{Sqrt}[(a^2 + c^2)/c^2]) * \text{Sqrt}[b + c * \text{Sqrt}[(a^2 + c^2)/c^2] * \text{Cos}[d + e*x - \text{ArcTan}[a/c]]) * \text{Sqrt}[(c * \text{Sqrt}[(a^2 + c^2)/c^2] + c * \text{Sqrt}[(a^2 + c^2)/c^2] * \text{Cos}[d + e*x - \text{ArcTan}[a/c]]) / (-b + c * \text{Sqrt}[(a^2 + c^2)/c^2])])) - ((2 * c * (b + \text{Sqrt}[1 + a^2/c^2] * c * \text{Cos}[d + e*x - \text{ArcTan}[a/c]]) / (a^2 + c^2) - (a * \text{Sin}[d + e*x - \text{ArcTan}[a/c]]) / (\text{Sqrt}[1 + a^2/c^2] * c)) / \text{Sqrt}[b + \text{Sqrt}[1 + a^2/c^2] * c * \text{Cos}[d + e*x - \text{ArcTan}[a/c]]])) / (3 * a * (a^2 - b^2 + c^2)^2 * e * (a + c * \text{Cot}[d + e*x] + b * \text{Csc}[d + e*x])^{(5/2)}) + (2 * a * \text{AppellF1}[1/2, 1/2, 1/2, 3/2, -((b + a * \text{Sqrt}[1 + c^2/a^2] * \text{Sin}[d + e*x + \text{ArcTan}[c/a]]) / (a * \text{Sqrt}[1 + c^2/a^2] * (1 - b / (a * \text{Sqrt}[1 + c^2/a^2])))), -((b + a * \text{Sqrt}[1 + c^2/a^2] * \text{Sin}[d + e*x + \text{ArcTan}[c/a]]) / (a * \text{Sqrt}[1 + c^2/a^2] * (-1 - b / (a * \text{Sqrt}[1 + c^2/a^2]))))) * \text{Csc}[d + e*x]^{(5/2)} * \text{Sec}[d + e*x + \text{ArcTan}[c/a]] * (b + c * \text{Cos}[d + e*x] + a * \text{Sin}[d + e*x])^{(5/2)} * \text{Sqrt}[(a * \text{Sqrt}[(a^2 + c^2)/a^2] - a * \text{Sqrt}[(a^2 + c^2)/a^2] * \text{Sin}[d + e*x + \text{ArcTan}[c/a]]) / (b + a * \text{Sqrt}[(a^2 + c^2)/a^2]) * \text{Sqrt}[b + a * \text{Sqrt}[(a^2 + c^2)/a^2] * \text{Sin}[d + e*x + \text{ArcTan}[c/a]]) * \text{Sqrt}[(a * \text{Sqrt}[(a^2 + c^2)/a^2] + a * \text{Sqrt}[(a^2 + c^2)/a^2] * \text{Sin}[d + e*x + \text{ArcTan}[c/a]]) / (-b + a * \text{Sqrt}[(a^2 + c^2)/a^2])]) / (3 * (a^2 - b^2 + c^2)^2 * \text{Sqrt}[1 + c^2/a^2] * e * (a + c * \text{Cot}[d + e*x] + b * \text{Csc}[d + e*x])^{(5/2)}) + (2 * b^2 * \text{AppellF1}[1/2, 1/2, 1/2, 3/2, -((b + a * \text{Sqrt}[1 + c^2/a^2] * \text{Sin}[d + e*x + \text{ArcTan}[c/a]]) / (a * \text{Sqrt}[1 + c^2/a^2] * (1 - b / (a * \text{Sqrt}[1 + c^2/a^2])))), -((b + a * \text{Sqrt}[1 + c^2/a^2] * \text{Sin}[d + e*x + \text{ArcTan}[c/a]]) / (a * \text{Sqrt}[1 + c^2/a^2] * (-1 - b / (a * \text{Sqrt}[1 + c^2/a^2]))))) * \text{Csc}[d + e*x]^{(5/2)} * \text{Sec}[d + e*x + \text{ArcTan}[c/a]] * (b + c * \text{Cos}[d + e*x] + a * \text{Sin}[d + e*x])^{(5/2)} * \text{Sqrt}[(a * \text{Sqrt}[(a^2 + c^2)/a^2] - a * \text{Sqrt}[(a^2 + c^2)/a^2] * \text{Sin}[d + e*x + \text{ArcTan}[c/a]]) / (b + a * \text{Sqrt}[(a^2 + c^2)/a^2]) * \text{Sqrt}[b + a * \text{Sqrt}[(a^2 + c^2)/a^2] * \text{Sin}[d + e*x + \text{ArcTan}[c/a]]) * \text{Sqrt}[(a * \text{Sqrt}[(a^2 + c^2)/a^2] + a * \text{Sqrt}[(a^2 + c^2)/a^2] * \text{Sin}[d + e*x + \text{ArcTan}[c/a]]) / (-b + a * \text{Sqrt}[(a^2 + c^2)/a^2])]) / (a * (a^2 - b^2 + c^2)^2 * \text{Sqrt}[1 + c^2/a^2] * e * (a + c * \text{Cot}[d + e*x] + b * \text{Csc}[d + e*x])^{(5/2)}) + (2 * c^2 * \text{AppellF1}[1/2, 1/2, 1/2, 3/2, -((b + a * \text{Sqrt}[1 + c^2/a^2] * \text{Sin}[d + e*x + \text{ArcTan}[c/a]]) / (a * \text{Sqrt}[1 + c^2/a^2] * (1 - b / (a * \text{Sqrt}[1 + c^2/a^2])))), -((b + a * \text{Sqrt}[1 + c^2/a^2] * \text{Sin}[d + e*x + \text{ArcTan}[c/a]]) / (a * \text{Sqrt}[1 + c^2/a^2] * (-1 - b / (a * \text{Sqrt}[1 + c^2/a^2]))))) * \text{Csc}[d + e*x]^{(5/2)} * \text{Sec}[d + e*x + \text{ArcTan}[c/a]] * (b + c * \text{Cos}[d + e*x] + a * \text{Sin}[d + e*x])^{(5/2)} * \text{Sqrt}[(a * \text{Sqrt}[(a^2 + c^2)/a^2] - a * \text{Sqrt}[(a^2 + c^2)/a^2] * \text{Sin}[d + e*x + \text{ArcTan}[c/a]]) / (b + a * \text{Sqrt}[(a^2 + c^2)/a^2]) * \text{Sqrt}[b + a * \text{Sqrt}[(a^2 + c^2)/a^2] * \text{Sin}[d + e*x + \text{ArcTan}[c/a]]) * \text{Sqrt}[(a * \text{Sqrt}[(a^2 + c^2)/a^2] + a * \text{Sqrt}[(a^2 + c^2)/a^2] * \text{Sin}[d + e*x + \text{ArcTan}[c/a]]) / (-b + a * \text{Sqrt}[(a^2 + c^2)/a^2])]) / (3 * a * (a^2 - b^2 + c^2)^2 * \text{Sqrt}[1 + c^2/a^2] * e * (a + c * \text{Cot}[d + e*x] + b * \text{Csc}[d + e*x])^{(5/2)})
\end{aligned}$$


---

**Maple [C]** time = 1.804, size = 64199, normalized size = 130.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(csc(e*x+d)^(5/2)/(a+c*cot(e*x+d)+b*csc(e*x+d))^(5/2),x)`

[Out] result too large to display

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc(ex+d)^{\frac{5}{2}}}{(c \cot(ex+d) + b \csc(ex+d) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(e\*x+d)^(5/2)/(a+c\*cot(e\*x+d)+b\*csc(e\*x+d))^(5/2),x, algorithm="maxima")

[Out] integrate(csc(e\*x + d)^(5/2)/(c\*cot(e\*x + d) + b\*csc(e\*x + d) + a)^(5/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{c \cot(ex+d) + b \csc(ex+d) + a} \csc(ex+d)^{\frac{5}{2}}}{c^3 \cot(ex+d)^3 + b^3 \csc(ex+d)^3 + 3ac^2 \cot(ex+d)^2 + 3a^2c \cot(ex+d) + a^3 + 3(b^2c \cot(ex+d) + ab^2)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(e\*x+d)^(5/2)/(a+c\*cot(e\*x+d)+b\*csc(e\*x+d))^(5/2),x, algorithm="fricas")

[Out] integral(sqrt(c\*cot(e\*x + d) + b\*csc(e\*x + d) + a)\*csc(e\*x + d)^(5/2)/(c^3\*cot(e\*x + d)^3 + b^3\*csc(e\*x + d)^3 + 3\*a\*c^2\*cot(e\*x + d)^2 + 3\*a^2\*c\*cot(e\*x + d) + a^3 + 3\*(b^2\*c\*cot(e\*x + d) + a\*b^2)\*csc(e\*x + d)^2 + 3\*(b\*c^2\*cot(e\*x + d)^2 + 2\*a\*b\*c\*cot(e\*x + d) + a^2\*b)\*csc(e\*x + d)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(e\*x+d)\*\*(5/2)/(a+c\*cot(e\*x+d)+b\*csc(e\*x+d))\*\*(5/2),x)

[Out] Timed out

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(e\*x+d)^(5/2)/(a+c\*cot(e\*x+d)+b\*csc(e\*x+d))^(5/2),x, algorithm="giac")

[Out] Timed out

$$3.467 \quad \int (a + c \cot(d + ex) + b \csc(d + ex))^{3/2} \sin^{\frac{3}{2}}(d + ex) dx$$

**Optimal.** Leaf size=371

$$\frac{2(a^2 - b^2 + c^2) \sin^{\frac{3}{2}}(d + ex) \sqrt{\frac{a \sin(d+ex) + b + c \cos(d+ex)}{\sqrt{a^2 + c^2} + b}} (a + b \csc(d + ex) + c \cot(d + ex))^{3/2} \text{EllipticF}\left(\frac{1}{2}(-\tan^{-1}(c, a) + d + ex), \sqrt{\frac{a^2 + c^2}{a^2 + c^2 + b}}\right)}{3e(a \sin(d + ex) + b + c \cos(d + ex))^2}$$

[Out] (8\*b\*(a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x])^(3/2)\*EllipticE[(d + e\*x - ArcTan[c, a])/2, (2\*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]\*Sin[d + e\*x]^(3/2))/(3\*e\*(b + c\*Cos[d + e\*x] + a\*Sin[d + e\*x])\*Sqrt[(b + c\*Cos[d + e\*x] + a\*Sin[d + e\*x])/(b + Sqrt[a^2 + c^2])]) + (2\*(a^2 - b^2 + c^2)\*(a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x])^(3/2)\*EllipticF[(d + e\*x - ArcTan[c, a])/2, (2\*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]\*Sin[d + e\*x]^(3/2)\*Sqrt[(b + c\*Cos[d + e\*x] + a\*Sin[d + e\*x])/(b + Sqrt[a^2 + c^2])])/(3\*e\*(b + c\*Cos[d + e\*x] + a\*Sin[d + e\*x])^2) - (2\*(a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x])^(3/2)\*Sin[d + e\*x]^(3/2)\*(a\*Cos[d + e\*x] - c\*Sin[d + e\*x]))/(3\*e\*(b + c\*Cos[d + e\*x] + a\*Sin[d + e\*x]))

**Rubi [A]** time = 0.383481, antiderivative size = 371, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {3164, 3120, 3149, 3119, 2653, 3127, 2661}

$$\frac{2(a^2 - b^2 + c^2) \sin^{\frac{3}{2}}(d + ex) \sqrt{\frac{a \sin(d+ex) + b + c \cos(d+ex)}{\sqrt{a^2 + c^2} + b}} (a + b \csc(d + ex) + c \cot(d + ex))^{3/2} F\left(\frac{1}{2}(d + ex - \tan^{-1}(c, a)) \mid \frac{2\sqrt{a^2}}{b + \sqrt{a^2}}\right)}{3e(a \sin(d + ex) + b + c \cos(d + ex))^2}$$

Antiderivative was successfully verified.

[In] Int[(a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x])^(3/2)\*Sin[d + e\*x]^(3/2), x]

[Out] (8\*b\*(a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x])^(3/2)\*EllipticE[(d + e\*x - ArcTan[c, a])/2, (2\*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]\*Sin[d + e\*x]^(3/2))/(3\*e\*(b + c\*Cos[d + e\*x] + a\*Sin[d + e\*x])\*Sqrt[(b + c\*Cos[d + e\*x] + a\*Sin[d + e\*x])/(b + Sqrt[a^2 + c^2])]) + (2\*(a^2 - b^2 + c^2)\*(a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x])^(3/2)\*EllipticF[(d + e\*x - ArcTan[c, a])/2, (2\*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]\*Sin[d + e\*x]^(3/2)\*Sqrt[(b + c\*Cos[d + e\*x] + a\*Sin[d + e\*x])/(b + Sqrt[a^2 + c^2])])/(3\*e\*(b + c\*Cos[d + e\*x] + a\*Sin[d + e\*x])^2) - (2\*(a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x])^(3/2)\*Sin[d + e\*x]^(3/2)\*(a\*Cos[d + e\*x] - c\*Sin[d + e\*x]))/(3\*e\*(b + c\*Cos[d + e\*x] + a\*Sin[d + e\*x]))

#### Rule 3164

Int[((a\_.) + csc[(d\_.) + (e\_.)\*(x\_)])\*(b\_.) + cot[(d\_.) + (e\_.)\*(x\_)])\*(c\_.)^(n\_)\*sin[(d\_.) + (e\_.)\*(x\_)]^(n\_), x\_Symbol] :> Dist[(Sin[d + e\*x]^n\*(a + b\*Csc[d + e\*x] + c\*Cot[d + e\*x])^n)/(b + a\*Sin[d + e\*x] + c\*Cos[d + e\*x])^n, Int[(b + a\*Sin[d + e\*x] + c\*Cos[d + e\*x])^n, x], x] /; FreeQ[{a, b, c, d, e}, x] && !IntegerQ[n]

#### Rule 3120



```
Int[(cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^
(n_), x_Symbol] := -Simp[((c*cos[d + e*x] - b*sin[d + e*x])*(a + b*cos[d +
e*x] + c*sin[d + e*x])^(n - 1))/(e*n), x] + Dist[1/n, Int[Simp[n*a^2 + (n -
1)*(b^2 + c^2) + a*b*(2*n - 1)*cos[d + e*x] + a*c*(2*n - 1)*sin[d + e*x],
x]*(a + b*cos[d + e*x] + c*sin[d + e*x])^(n - 2), x], x] /; FreeQ[{a, b, c,
d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && GtQ[n, 1]
```

#### Rule 3149

```
Int[((A_.) + cos[(d_.) + (e_.)*(x_.)]*(B_.) + (C_.)*sin[(d_.) + (e_.)*(x_.)])
/Sqrt[cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)]]
, x_Symbol] := Dist[B/b, Int[Sqrt[a + b*cos[d + e*x] + c*sin[d + e*x]], x],
x] + Dist[(A*b - a*B)/b, Int[1/Sqrt[a + b*cos[d + e*x] + c*sin[d + e*x]],
x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && EqQ[B*c - b*C, 0] && NeQ[A*
b - a*B, 0]
```

#### Rule 3119

```
Int[Sqrt[cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)
]], x_Symbol] := Dist[Sqrt[a + b*cos[d + e*x] + c*sin[d + e*x]]/Sqrt[(a +
b*cos[d + e*x] + c*sin[d + e*x])/(a + Sqrt[b^2 + c^2])], Int[Sqrt[a/(a + Sq
rt[b^2 + c^2]) + (Sqrt[b^2 + c^2]*cos[d + e*x - ArcTan[b, c])]/(a + Sqrt[b^
2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]
&& NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]
```

#### Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

#### Rule 3127

```
Int[1/Sqrt[cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(
x_.)]], x_Symbol] := Dist[Sqrt[(a + b*cos[d + e*x] + c*sin[d + e*x])/(a + Sq
rt[b^2 + c^2])]/Sqrt[a + b*cos[d + e*x] + c*sin[d + e*x]], Int[1/Sqrt[a/(a
+ Sqrt[b^2 + c^2]) + (Sqrt[b^2 + c^2]*cos[d + e*x - ArcTan[b, c])]/(a + Sqr
t[b^2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2,
0] && NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]
```

#### Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

#### Rubi steps

$$\begin{aligned}
\int (a + c \cot(d + ex) + b \csc(d + ex))^{3/2} \sin^{\frac{3}{2}}(d + ex) dx &= \frac{\left( (a + c \cot(d + ex) + b \csc(d + ex))^{3/2} \sin^{\frac{3}{2}}(d + ex) \right) \int (b + c \cos(d + ex) + a \sin(d + ex))^{-5/2} dx}{(b + c \cos(d + ex) + a \sin(d + ex))^{5/2}} \\
&= -\frac{2(a + c \cot(d + ex) + b \csc(d + ex))^{3/2} \sin^{\frac{3}{2}}(d + ex)(a \cos(d + ex) + b \sin(d + ex))}{3e(b + c \cos(d + ex) + a \sin(d + ex))} \\
&= -\frac{2(a + c \cot(d + ex) + b \csc(d + ex))^{3/2} \sin^{\frac{3}{2}}(d + ex)(a \cos(d + ex) + b \sin(d + ex))}{3e(b + c \cos(d + ex) + a \sin(d + ex))} \\
&= -\frac{2(a + c \cot(d + ex) + b \csc(d + ex))^{3/2} \sin^{\frac{3}{2}}(d + ex)(a \cos(d + ex) + b \sin(d + ex))}{3e(b + c \cos(d + ex) + a \sin(d + ex))} \\
&= \frac{8b(a + c \cot(d + ex) + b \csc(d + ex))^{3/2} E\left(\frac{1}{2}(d + ex - \tan^{-1}(c/b + \sqrt{b + c \cos(d + ex) + a \sin(d + ex)})}\right)}{3e(b + c \cos(d + ex) + a \sin(d + ex))\sqrt{b + c \cos(d + ex) + a \sin(d + ex)}}
\end{aligned}$$

**Mathematica [F]** time = 53.4074, size = 0, normalized size = 0.

$$\int (a + c \cot(d + ex) + b \csc(d + ex))^{3/2} \sin^{\frac{3}{2}}(d + ex) dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x])^(3/2)\*Sin[d + e\*x]^(3/2), x]

[Out] Integrate[(a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x])^(3/2)\*Sin[d + e\*x]^(3/2), x]

**Maple [C]** time = 0.677, size = 20858, normalized size = 56.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+c\*cot(e\*x+d)+b\*csc(e\*x+d))^(3/2)\*sin(e\*x+d)^(3/2), x)

[Out] result too large to display

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (c \cot(ex + d) + b \csc(ex + d) + a)^{\frac{3}{2}} \sin^{\frac{3}{2}}(ex + d) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+c\*cot(e\*x+d)+b\*csc(e\*x+d))^(3/2)\*sin(e\*x+d)^(3/2), x, algorithm="maxima")

[Out] integrate((c\*cot(e\*x + d) + b\*csc(e\*x + d) + a)^(3/2)\*sin(e\*x + d)^(3/2), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(c \cot (ex + d) + b \csc (ex + d) + a\right)^{\frac{3}{2}} \sin (ex + d)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+c\*cot(e\*x+d)+b\*csc(e\*x+d))^(3/2)\*sin(e\*x+d)^(3/2),x, algorithm="fricas")

[Out] integral((c\*cot(e\*x + d) + b\*csc(e\*x + d) + a)^(3/2)\*sin(e\*x + d)^(3/2), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+c\*cot(e\*x+d)+b\*csc(e\*x+d))\*\*(3/2)\*sin(e\*x+d)\*\*(3/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (c \cot (ex + d) + b \csc (ex + d) + a)^{\frac{3}{2}} \sin (ex + d)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+c\*cot(e\*x+d)+b\*csc(e\*x+d))^(3/2)\*sin(e\*x+d)^(3/2),x, algorithm="giac")

[Out] integrate((c\*cot(e\*x + d) + b\*csc(e\*x + d) + a)^(3/2)\*sin(e\*x + d)^(3/2), x)

### 3.468 $\int \sqrt{a + c \cot(d + ex) + b \csc(d + ex)} \sqrt{\sin(d + ex)} dx$

**Optimal.** Leaf size=118

$$\frac{2\sqrt{\sin(d+ex)}\sqrt{a+b\csc(d+ex)+c\cot(d+ex)}E\left(\frac{1}{2}(d+ex-\tan^{-1}(c,a))\middle|\frac{2\sqrt{a^2+c^2}}{b+\sqrt{a^2+c^2}}\right)}{e\sqrt{\frac{a\sin(d+ex)+b+c\cos(d+ex)}{\sqrt{a^2+c^2}+b}}}$$

[Out] (2\*Sqrt[a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x]]\*EllipticE[(d + e\*x - ArcTan[c, a])/2, (2\*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]\*Sqrt[Sin[d + e\*x]])/(e\*Sqrt[(b + c\*Cos[d + e\*x] + a\*Sin[d + e\*x])/(b + Sqrt[a^2 + c^2])])

**Rubi [A]** time = 0.140733, antiderivative size = 118, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {3164, 3119, 2653}

$$\frac{2\sqrt{\sin(d+ex)}\sqrt{a+b\csc(d+ex)+c\cot(d+ex)}E\left(\frac{1}{2}(d+ex-\tan^{-1}(c,a))\middle|\frac{2\sqrt{a^2+c^2}}{b+\sqrt{a^2+c^2}}\right)}{e\sqrt{\frac{a\sin(d+ex)+b+c\cos(d+ex)}{\sqrt{a^2+c^2}+b}}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x]]\*Sqrt[Sin[d + e\*x]], x]

[Out] (2\*Sqrt[a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x]]\*EllipticE[(d + e\*x - ArcTan[c, a])/2, (2\*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]\*Sqrt[Sin[d + e\*x]])/(e\*Sqrt[(b + c\*Cos[d + e\*x] + a\*Sin[d + e\*x])/(b + Sqrt[a^2 + c^2])])

#### Rule 3164

Int[((a\_.) + csc[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + cot[(d\_.) + (e\_.)\*(x\_.)]\*(c\_.))^n]\*sin[(d\_.) + (e\_.)\*(x\_.)]^n, x\_Symbol] :> Dist[(Sin[d + e\*x]^n\*(a + b\*Csc[d + e\*x] + c\*Cot[d + e\*x])^n)/(b + a\*Sin[d + e\*x] + c\*Cos[d + e\*x])^n, Int[(b + a\*Sin[d + e\*x] + c\*Cos[d + e\*x])^n, x], x] /; FreeQ[{a, b, c, d, e}, x] && !IntegerQ[n]

#### Rule 3119

Int[Sqrt[cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]], x\_Symbol] :> Dist[Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]]/Sqrt[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])/(a + Sqrt[b^2 + c^2])], Int[Sqrt[a/(a + Sqrt[b^2 + c^2]) + (Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]])/(a + Sqrt[b^2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]

#### Rule 2653

Int[Sqrt[(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rubi steps

$$\int \sqrt{a + c \cot(d + ex) + b \csc(d + ex)} \sqrt{\sin(d + ex)} dx = \frac{(\sqrt{a + c \cot(d + ex) + b \csc(d + ex)} \sqrt{\sin(d + ex)}) \int \sqrt{b + c \cos(d + ex) + a \sin(d + ex)} dx}{\sqrt{b + c \cos(d + ex) + a \sin(d + ex)}}$$

$$= \frac{(\sqrt{a + c \cot(d + ex) + b \csc(d + ex)} \sqrt{\sin(d + ex)}) \int \sqrt{\frac{b}{b + \sqrt{a^2 + c^2}}}}{\sqrt{\frac{b + c \cos(d + ex) + a \sin(d + ex)}{b + \sqrt{a^2 + c^2}}}}$$

$$= \frac{2\sqrt{a + c \cot(d + ex) + b \csc(d + ex)} E\left(\frac{1}{2} \left(d + ex - \tan^{-1}\left(\frac{c}{a}\right)\right)\right)}{e \sqrt{\frac{b + c \cos(d + ex) + a \sin(d + ex)}{b + \sqrt{a^2 + c^2}}}}$$

**Mathematica [F]** time = 12.6705, size = 0, normalized size = 0.

$$\int \sqrt{a + c \cot(d + ex) + b \csc(d + ex)} \sqrt{\sin(d + ex)} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x]]\*Sqrt[Sin[d + e\*x]], x]

[Out] Integrate[Sqrt[a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x]]\*Sqrt[Sin[d + e\*x]], x]

**Maple [C]** time = 0.435, size = 12362, normalized size = 104.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+c\*cot(e\*x+d)+b\*csc(e\*x+d))^(1/2)\*sin(e\*x+d)^(1/2), x)

[Out] result too large to display

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{c \cot(ex + d) + b \csc(ex + d) + a} \sqrt{\sin(ex + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+c\*cot(e\*x+d)+b\*csc(e\*x+d))^(1/2)\*sin(e\*x+d)^(1/2), x, algorithm="maxima")

[Out] integrate(sqrt(c\*cot(e\*x + d) + b\*csc(e\*x + d) + a)\*sqrt(sin(e\*x + d)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\sqrt{c \cot(ex + d) + b \csc(ex + d) + a} \sqrt{\sin(ex + d)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+c\*cot(e\*x+d)+b\*csc(e\*x+d))^(1/2)\*sin(e\*x+d)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(c\*cot(e\*x + d) + b\*csc(e\*x + d) + a)\*sqrt(sin(e\*x + d)), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a + b \csc(d + ex) + c \cot(d + ex)} \sqrt{\sin(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+c\*cot(e\*x+d)+b\*csc(e\*x+d))\*\*(1/2)\*sin(e\*x+d)\*\*(1/2),x)

[Out] Integral(sqrt(a + b\*csc(d + e\*x) + c\*cot(d + e\*x))\*sqrt(sin(d + e\*x)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{c \cot(ex + d) + b \csc(ex + d) + a} \sqrt{\sin(ex + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+c\*cot(e\*x+d)+b\*csc(e\*x+d))^(1/2)\*sin(e\*x+d)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(c\*cot(e\*x + d) + b\*csc(e\*x + d) + a)\*sqrt(sin(e\*x + d)), x)

$$3.469 \quad \int \frac{1}{\sqrt{a+c \cot(d+ex)+b \csc(d+ex)} \sqrt{\sin(d+ex)}} dx$$

**Optimal.** Leaf size=118

$$\frac{2\sqrt{\frac{a \sin(d+ex)+b+c \cos(d+ex)}{\sqrt{a^2+c^2+b}}} \operatorname{EllipticF}\left(\frac{1}{2}(-\tan^{-1}(c,a)+d+ex), \frac{2\sqrt{a^2+c^2}}{\sqrt{a^2+c^2+b}}\right)}{e\sqrt{\sin(d+ex)}\sqrt{a+b \csc(d+ex)+c \cot(d+ex)}}$$

[Out] (2\*EllipticF[(d + e\*x - ArcTan[c, a])/2, (2\*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]\*Sqrt[(b + c\*Cos[d + e\*x] + a\*Sin[d + e\*x])/(b + Sqrt[a^2 + c^2])])/(e\*Sqrt[a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x]]\*Sqrt[Sin[d + e\*x]])

**Rubi [A]** time = 0.148861, antiderivative size = 118, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {3164, 3127, 2661}

$$\frac{2\sqrt{\frac{a \sin(d+ex)+b+c \cos(d+ex)}{\sqrt{a^2+c^2+b}}} F\left(\frac{1}{2}(d+ex-\tan^{-1}(c,a))\middle|\frac{2\sqrt{a^2+c^2}}{b+\sqrt{a^2+c^2}}\right)}{e\sqrt{\sin(d+ex)}\sqrt{a+b \csc(d+ex)+c \cot(d+ex)}}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x]]\*Sqrt[Sin[d + e\*x]]),x]

[Out] (2\*EllipticF[(d + e\*x - ArcTan[c, a])/2, (2\*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])]\*Sqrt[(b + c\*Cos[d + e\*x] + a\*Sin[d + e\*x])/(b + Sqrt[a^2 + c^2])])/(e\*Sqrt[a + c\*Cot[d + e\*x] + b\*Csc[d + e\*x]]\*Sqrt[Sin[d + e\*x]])

#### Rule 3164

Int[((a\_.) + csc[(d\_.) + (e\_.)\*(x\_)])\*(b\_.) + cot[(d\_.) + (e\_.)\*(x\_)])\*(c\_.))<sup>(n\_)</sup>\*sin[(d\_.) + (e\_.)\*(x\_)]<sup>(n\_)</sup>, x\_Symbol] := Dist[(Sin[d + e\*x]<sup>n</sup>\*(a + b\*Csc[d + e\*x] + c\*Cot[d + e\*x])<sup>n</sup>)/(b + a\*Sin[d + e\*x] + c\*Cos[d + e\*x])<sup>n</sup>, Int[(b + a\*Sin[d + e\*x] + c\*Cos[d + e\*x])<sup>n</sup>, x], x] /; FreeQ[{a, b, c, d, e}, x] && !IntegerQ[n]

#### Rule 3127

Int[1/Sqrt[cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]], x\_Symbol] := Dist[Sqrt[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])/(a + Sqrt[b^2 + c^2])]/Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]], Int[1/Sqrt[a/(a + Sqrt[b^2 + c^2]) + (Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]])/(a + Sqrt[b^2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]

#### Rule 2661

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rubi steps

$$\int \frac{1}{\sqrt{a + c \cot(d + ex) + b \csc(d + ex)} \sqrt{\sin(d + ex)}} dx = \frac{\sqrt{b + c \cos(d + ex) + a \sin(d + ex)} \int \frac{1}{\sqrt{b + c \cos(d + ex) + a \sin(d + ex)}} dx}{\sqrt{a + c \cot(d + ex) + b \csc(d + ex)} \sqrt{\sin(d + ex)}}$$

$$= \frac{\sqrt{\frac{b + c \cos(d + ex) + a \sin(d + ex)}{b + \sqrt{a^2 + c^2}}} \int \frac{1}{\sqrt{\frac{b}{b + \sqrt{a^2 + c^2}} + \frac{\sqrt{a^2 + c^2} \cos(d + ex - \tan^{-1}(c, a))}{b + \sqrt{a^2 + c^2}}}} dx}{\sqrt{a + c \cot(d + ex) + b \csc(d + ex)} \sqrt{\sin(d + ex)}}$$

$$= \frac{2F\left(\frac{1}{2}\left(d + ex - \tan^{-1}(c, a)\right) \middle| \frac{2\sqrt{a^2 + c^2}}{b + \sqrt{a^2 + c^2}}\right) \sqrt{\frac{b + c \cos(d + ex) + a \sin(d + ex)}{b + \sqrt{a^2 + c^2}}}}{e \sqrt{a + c \cot(d + ex) + b \csc(d + ex)} \sqrt{\sin(d + ex)}}$$

**Mathematica [C]** time = 2.88962, size = 519, normalized size = 4.4

$$\frac{4\left(i\sqrt{a^2 - b^2 + c^2} - ia - b + c\right) (\cos(d + ex) + i \sin(d + ex)) \sqrt{\frac{i\left(\sqrt{a^2 - b^2 + c^2} + a + (b - c) \tan\left(\frac{1}{2}(d + ex)\right)\right)}{\left(\sqrt{a^2 - b^2 + c^2} + a - ib + ic\right) \left(\tan\left(\frac{1}{2}(d + ex)\right) - i\right)}} \sqrt{\frac{i\left(\sqrt{a^2 - b^2 + c^2} - a + (c - b) \tan\left(\frac{1}{2}(d + ex)\right)\right)}{\left(\sqrt{a^2 - b^2 + c^2} - a + ib - ic\right) \left(\tan\left(\frac{1}{2}(d + ex)\right) + i\right)}}}{e\left(-\sqrt{a^2 - b^2 + c^2} + a + ib - ic\right) \sqrt{\sin(d + ex)}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[1/(Sqrt[a + c*Cot[d + e*x] + b*Csc[d + e*x]]*Sqrt[Sin[d + e*x]]), x]
```

```
[Out] (4*((-I)*a - b + c + I*Sqrt[a^2 - b^2 + c^2])*EllipticF[ArcSin[Sqrt[((-a - I*b + I*c + Sqrt[a^2 - b^2 + c^2])*(-Cos[d + e*x] + I*Sin[d + e*x]))/(-a + I*b - I*c + Sqrt[a^2 - b^2 + c^2])]], (I*b + Sqrt[a^2 - b^2 + c^2])/(I*b - Sqrt[a^2 - b^2 + c^2])]*Sqrt[((-a - I*b + I*c + Sqrt[a^2 - b^2 + c^2])*(-Cos[d + e*x] + I*Sin[d + e*x]))/(-a + I*b - I*c + Sqrt[a^2 - b^2 + c^2])]*(Cos[d + e*x] + I*Sin[d + e*x])*Sqrt[((-I)*(a + Sqrt[a^2 - b^2 + c^2] + (b - c)*Tan[(d + e*x)/2]))/((a - I*b + I*c + Sqrt[a^2 - b^2 + c^2])*(-I + Tan[(d + e*x)/2])))]*Sqrt[((-I)*(-a + Sqrt[a^2 - b^2 + c^2] + (-b + c)*Tan[(d + e*x)/2]))/(((-a + I*b - I*c + Sqrt[a^2 - b^2 + c^2])*(-I + Tan[(d + e*x)/2])))]/((a + I*b - I*c - Sqrt[a^2 - b^2 + c^2])*e*Sqrt[a + c*Cot[d + e*x] + b*Csc[d + e*x]]*Sqrt[Sin[d + e*x]])
```

**Maple [C]** time = 0.403, size = 705, normalized size = 6.

$$\frac{4i(\cos(ex + d) + 1)^2(\cos(ex + d) - 1)^2}{e(b + c \cos(ex + d) + a \sin(ex + d))} \text{EllipticF}\left(\sqrt{(i \sin(ex + d) + \cos(ex + d))\left(ib - ic - \sqrt{a^2 - b^2 + c^2} - a\right)\left(ib - ic + \sqrt{a^2 - b^2 + c^2} - a\right)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(a+c*cot(e*x+d)+b*csc(e*x+d))^(1/2)/sin(e*x+d)^(1/2), x)
```

```
[Out] 4*I/e/(I*b-I*c-(a^2-b^2+c^2)^(1/2)-a)*EllipticF(((I*b-I*c-(a^2-b^2+c^2)^(1/2)-a)/(I*b-I*c+(a^2-b^2+c^2)^(1/2)+a)*(I*sin(e*x+d)+cos(e*x+d)))^(1/2), ((I*b-I*c+(a^2-b^2+c^2)^(1/2)+a)*(I*b-I*c+(a^2-b^2+c^2)^(1/2)-a)/(I*b-I*c-(a^2-b^2+c^2)^(1/2)-a)/(I*b-I*c-(a^2-b^2+c^2)^(1/2)+a))^(1/2))*((b+c*cos(e*x+d)+a*sin(e*x+d))/sin(e*x+d))^(1/2)*((I*b-I*c-(a^2-b^2+c^2)^(1/2)-a)/(I*b-I*c+(a^2-b^2+c^2)^(1/2)+a)*(I*sin(e*x+d)+cos(e*x+d)))^(1/2)*(-I/(I*b-I*c-(a^2-b^2+c^2)^(1/2)+a)*(cos(e*x+d)*(a^2-b^2+c^2)^(1/2)-a*cos(e*x+d)-b*sin(e*x+d)+c
```



\*sin(e\*x+d)+(a^2-b^2+c^2)^(1/2)-a)/(I\*cos(e\*x+d)+I+sin(e\*x+d))^(1/2)\*(I/(I\*b-I\*c+(a^2-b^2+c^2)^(1/2)+a)\*(b\*sin(e\*x+d)-c\*sin(e\*x+d)+cos(e\*x+d)\*(a^2-b^2+c^2)^(1/2)+a\*cos(e\*x+d)+(a^2-b^2+c^2)^(1/2)+a)/(I\*cos(e\*x+d)+I+sin(e\*x+d)))^(1/2)\*(cos(e\*x+d)+1)^2\*(cos(e\*x+d)-1)^2\*(I\*(a^2-b^2+c^2)^(1/2)\*sin(e\*x+d)-I\*cos(e\*x+d)\*b+I\*cos(e\*x+d)\*c+I\*sin(e\*x+d)\*a-cos(e\*x+d)\*(a^2-b^2+c^2)^(1/2)-a\*cos(e\*x+d)-b\*sin(e\*x+d)+c\*sin(e\*x+d))/sin(e\*x+d)^(7/2)/(b+c\*cos(e\*x+d)+a\*sin(e\*x+d))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{c \cot(ex+d) + b \csc(ex+d) + a} \sqrt{\sin(ex+d)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+c\*cot(e\*x+d)+b\*csc(e\*x+d))^(1/2)/sin(e\*x+d)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(c\*cot(e\*x + d) + b\*csc(e\*x + d) + a)\*sqrt(sin(e\*x + d))), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{\sqrt{c \cot(ex+d) + b \csc(ex+d) + a} \sqrt{\sin(ex+d)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+c\*cot(e\*x+d)+b\*csc(e\*x+d))^(1/2)/sin(e\*x+d)^(1/2),x, algorithm="fricas")

[Out] integral(1/(sqrt(c\*cot(e\*x + d) + b\*csc(e\*x + d) + a)\*sqrt(sin(e\*x + d))), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{a + b \csc(d+ex) + c \cot(d+ex)} \sqrt{\sin(d+ex)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+c\*cot(e\*x+d)+b\*csc(e\*x+d))\*\*(1/2)/sin(e\*x+d)\*\*(1/2),x)

[Out] Integral(1/(sqrt(a + b\*csc(d + e\*x) + c\*cot(d + e\*x))\*sqrt(sin(d + e\*x))), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{c \cot(ex+d) + b \csc(ex+d) + a} \sqrt{\sin(ex+d)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+c*cot(e*x+d)+b*csc(e*x+d))^(1/2)/sin(e*x+d)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(1/(sqrt(c*cot(e*x + d) + b*csc(e*x + d) + a)*sqrt(sin(e*x + d))), x)
```

$$3.470 \quad \int \frac{1}{(a+c \cot(d+ex)+b \csc(d+ex))^{3/2} \sin^2(d+ex)} dx$$

**Optimal.** Leaf size=240

$$\frac{2(a \sin(d+ex) + b + c \cos(d+ex))^2 E\left(\frac{1}{2}(d+ex - \tan^{-1}(c/a)) \middle| \frac{2\sqrt{a^2+c^2}}{b+\sqrt{a^2+c^2}}\right)}{e(a^2 - b^2 + c^2) \sin^{\frac{3}{2}}(d+ex) \sqrt{\frac{a \sin(d+ex)+b+c \cos(d+ex)}{\sqrt{a^2+c^2}+b}} (a+b \csc(d+ex) + c \cot(d+ex))^{3/2}} - \frac{2(a \cos(d+ex) - c \sin(d+ex))}{e(a^2 - b^2 + c^2) \sin^{\frac{3}{2}}(d+ex)}$$

[Out]  $(-2*\text{EllipticE}[(d + e*x - \text{ArcTan}[c, a])/2, (2*\text{Sqrt}[a^2 + c^2])/(b + \text{Sqrt}[a^2 + c^2])])*(b + c*\text{Cos}[d + e*x] + a*\text{Sin}[d + e*x])^2)/((a^2 - b^2 + c^2)*e*(a + c*\text{Cot}[d + e*x] + b*\text{Csc}[d + e*x])^{(3/2)}*\text{Sin}[d + e*x]^{(3/2)}*\text{Sqrt}[(b + c*\text{Cos}[d + e*x] + a*\text{Sin}[d + e*x])/(b + \text{Sqrt}[a^2 + c^2])]) - (2*(b + c*\text{Cos}[d + e*x] + a*\text{Sin}[d + e*x])*(a*\text{Cos}[d + e*x] - c*\text{Sin}[d + e*x]))/((a^2 - b^2 + c^2)*e*(a + c*\text{Cot}[d + e*x] + b*\text{Csc}[d + e*x])^{(3/2)}*\text{Sin}[d + e*x]^{(3/2)})$

**Rubi [A]** time = 0.205311, antiderivative size = 240, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$ , Rules used = {3164, 3128, 3119, 2653}

$$\frac{2(a \sin(d+ex) + b + c \cos(d+ex))^2 E\left(\frac{1}{2}(d+ex - \tan^{-1}(c/a)) \middle| \frac{2\sqrt{a^2+c^2}}{b+\sqrt{a^2+c^2}}\right)}{e(a^2 - b^2 + c^2) \sin^{\frac{3}{2}}(d+ex) \sqrt{\frac{a \sin(d+ex)+b+c \cos(d+ex)}{\sqrt{a^2+c^2}+b}} (a+b \csc(d+ex) + c \cot(d+ex))^{3/2}} - \frac{2(a \cos(d+ex) - c \sin(d+ex))}{e(a^2 - b^2 + c^2) \sin^{\frac{3}{2}}(d+ex)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[1/((a + c*\text{Cot}[d + e*x] + b*\text{Csc}[d + e*x])^{(3/2)}*\text{Sin}[d + e*x]^{(3/2)}), x]$

[Out]  $(-2*\text{EllipticE}[(d + e*x - \text{ArcTan}[c, a])/2, (2*\text{Sqrt}[a^2 + c^2])/(b + \text{Sqrt}[a^2 + c^2])])*(b + c*\text{Cos}[d + e*x] + a*\text{Sin}[d + e*x])^2)/((a^2 - b^2 + c^2)*e*(a + c*\text{Cot}[d + e*x] + b*\text{Csc}[d + e*x])^{(3/2)}*\text{Sin}[d + e*x]^{(3/2)}*\text{Sqrt}[(b + c*\text{Cos}[d + e*x] + a*\text{Sin}[d + e*x])/(b + \text{Sqrt}[a^2 + c^2])]) - (2*(b + c*\text{Cos}[d + e*x] + a*\text{Sin}[d + e*x])*(a*\text{Cos}[d + e*x] - c*\text{Sin}[d + e*x]))/((a^2 - b^2 + c^2)*e*(a + c*\text{Cot}[d + e*x] + b*\text{Csc}[d + e*x])^{(3/2)}*\text{Sin}[d + e*x]^{(3/2)})$

#### Rule 3164

$\text{Int}[(a + c*\text{Cot}[d + e*x] + b*\text{Csc}[d + e*x])^n / (b + a*\text{Sin}[d + e*x] + c*\text{Cos}[d + e*x])^n, \text{Int}[(b + a*\text{Sin}[d + e*x] + c*\text{Cos}[d + e*x])^n, x], x] /; \text{FreeQ}\{a, b, c, d, e, x\} \ \&\amp; \ \text{IntegerQ}[n]$

#### Rule 3128

$\text{Int}[(\text{Cos}[d + e*x] + (e*x))*(b + (a + (c*\text{Sin}[d + e*x]))^{(-3/2)}, \text{Simp}[(2*(c*\text{Cos}[d + e*x] - b*\text{Sin}[d + e*x]))/(e*(a^2 - b^2 - c^2)*\text{Sqrt}[a + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x])], x] + \text{Dist}[1/(a^2 - b^2 - c^2), \text{Int}[\text{Sqrt}[a + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x]], x], x] /; \text{FreeQ}\{a, b, c, d, e, x\} \ \&\amp; \ \text{NeQ}[a^2 - b^2 - c^2, 0]$

#### Rule 3119

$\text{Int}[\text{Sqrt}[(\text{Cos}[d + e*x] + (e*x))*(b + (a + (c*\text{Sin}[d + e*x])))], \text{Simp}[\text{Sqrt}[a + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x]]/\text{Sqrt}[a + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x]], x] /; \text{FreeQ}\{a, b, c, d, e, x\}$

```
b*Cos[d + e*x] + c*Sin[d + e*x])/(a + Sqrt[b^2 + c^2]), Int[Sqrt[a/(a + Sqrt[b^2 + c^2]) + (Sqrt[b^2 + c^2]*Cos[d + e*x - ArcTan[b, c]])/(a + Sqrt[b^2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]
```

**Rule 2653**

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\int \frac{1}{(a + c \cot(d + ex) + b \csc(d + ex))^{3/2} \sin^3(d + ex)} dx = \frac{(b + c \cos(d + ex) + a \sin(d + ex))^{3/2} \int \frac{1}{(b + c \cos(d + ex) + a \sin(d + ex))^3}}{(a + c \cot(d + ex) + b \csc(d + ex))^{3/2} \sin^3(d + ex)}$$

$$= -\frac{2(b + c \cos(d + ex) + a \sin(d + ex))(a \cos(d + ex) - c \sin(d + ex))}{(a^2 - b^2 + c^2) e(a + c \cot(d + ex) + b \csc(d + ex))^{3/2} \sin^3(d + ex)}$$

$$= -\frac{2(b + c \cos(d + ex) + a \sin(d + ex))(a \cos(d + ex) - c \sin(d + ex))}{(a^2 - b^2 + c^2) e(a + c \cot(d + ex) + b \csc(d + ex))^{3/2} \sin^3(d + ex)}$$

$$= -\frac{2E\left(\frac{1}{2}(d + ex - \tan^{-1}(c, a)) \middle| \frac{2\sqrt{a^2 + c^2}}{b + \sqrt{a^2 + c^2}}\right) (b + c \cos(d + ex) + a \sin(d + ex))^{3/2}}{(a^2 - b^2 + c^2) e(a + c \cot(d + ex) + b \csc(d + ex))^{3/2} \sin^3(d + ex)}$$

**Mathematica [F]** time = 21.461, size = 0, normalized size = 0.

$$\int \frac{1}{(a + c \cot(d + ex) + b \csc(d + ex))^{3/2} \sin^3(d + ex)} dx$$

Verification is Not applicable to the result.

```
[In] Integrate[1/((a + c*Cot[d + e*x] + b*Csc[d + e*x])^(3/2)*Sin[d + e*x]^(3/2)), x]
```

```
[Out] Integrate[1/((a + c*Cot[d + e*x] + b*Csc[d + e*x])^(3/2)*Sin[d + e*x]^(3/2)), x]
```

**Maple [C]** time = 0.433, size = 12467, normalized size = 52.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(a+c*cot(e*x+d)+b*csc(e*x+d))^(3/2)/sin(e*x+d)^(3/2), x)
```

```
[Out] result too large to display
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(c \cot(ex + d) + b \csc(ex + d) + a)^{\frac{3}{2}} \sin(ex + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+c\*cot(e\*x+d)+b\*csc(e\*x+d))^(3/2)/sin(e\*x+d)^(3/2),x, algorithm="maxima")

[Out] integrate(1/((c\*cot(e\*x + d) + b\*csc(e\*x + d) + a)^(3/2)\*sin(e\*x + d)^(3/2)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{c \cot(ex + d) + b \csc(ex + d)}}{a^2 \cos^2(ex + d) + (c^2 \cos^2(ex + d) - c^2) \cot^2(ex + d) + (b^2 \cos^2(ex + d) - b^2) \csc^2(ex + d) - a^2 + 2(ac \cot(ex + d) + bc \csc(ex + d))}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+c\*cot(e\*x+d)+b\*csc(e\*x+d))^(3/2)/sin(e\*x+d)^(3/2),x, algorithm="fricas")

[Out] integral(-sqrt(c\*cot(e\*x + d) + b\*csc(e\*x + d) + a)\*sqrt(sin(e\*x + d))/(a^2\*cos(e\*x + d)^2 + (c^2\*cos(e\*x + d)^2 - c^2)\*cot(e\*x + d)^2 + (b^2\*cos(e\*x + d)^2 - b^2)\*csc(e\*x + d)^2 - a^2 + 2\*(a\*c\*cos(e\*x + d)^2 - a\*c)\*cot(e\*x + d) + 2\*(a\*b\*cos(e\*x + d)^2 - a\*b + (b\*c\*cos(e\*x + d)^2 - b\*c)\*cot(e\*x + d))\*csc(e\*x + d)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+c\*cot(e\*x+d)+b\*csc(e\*x+d))\*\*(3/2)/sin(e\*x+d)\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(c \cot(ex + d) + b \csc(ex + d) + a)^{\frac{3}{2}} \sin(ex + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+c\*cot(e\*x+d)+b\*csc(e\*x+d))^(3/2)/sin(e\*x+d)^(3/2),x, algorithm="giac")

[Out] integrate(1/((c\*cot(e\*x + d) + b\*csc(e\*x + d) + a)^(3/2)\*sin(e\*x + d)^(3/2)), x)

$$3.471 \quad \int \frac{1}{(a+c \cot(d+ex)+b \csc(d+ex))^{5/2} \sin^2(d+ex)} dx$$

**Optimal.** Leaf size=492

$$2 \sqrt{\frac{a \sin(d+ex)+b+c \cos(d+ex)}{\sqrt{a^2+c^2+b}}} (a \sin(d+ex)+b+c \cos(d+ex))^2 \operatorname{EllipticF}\left(\frac{1}{2}(-\tan^{-1}(c,a)+d+ex), \frac{2\sqrt{a^2+c^2}}{\sqrt{a^2+c^2+b}}\right) + \frac{8b(a \sin(d+ex)+b+c \cos(d+ex))}{3e(a^2-b^2+c^2) \sin^2(d+ex)(a+b \csc(d+ex)+c \cot(d+ex))^{5/2}}$$

```
[Out] (8*b*EllipticE[(d + e*x - ArcTan[c, a])/2, (2*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])])*(b + c*Cos[d + e*x] + a*Sin[d + e*x])^3/(3*(a^2 - b^2 + c^2)^2*e*(a + c*Cot[d + e*x] + b*Csc[d + e*x])^(5/2)*Sin[d + e*x]^(5/2)*Sqrt[(b + c*Cos[d + e*x] + a*Sin[d + e*x])/(b + Sqrt[a^2 + c^2])]) + (2*EllipticF[(d + e*x - ArcTan[c, a])/2, (2*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])])*(b + c*Cos[d + e*x] + a*Sin[d + e*x])^2*Sqrt[(b + c*Cos[d + e*x] + a*Sin[d + e*x])/(b + Sqrt[a^2 + c^2])])/(3*(a^2 - b^2 + c^2)*e*(a + c*Cot[d + e*x] + b*Csc[d + e*x])^(5/2)*Sin[d + e*x]^(5/2)) - (2*(b + c*Cos[d + e*x] + a*Sin[d + e*x])*(a*Cos[d + e*x] - c*Sin[d + e*x]))/(3*(a^2 - b^2 + c^2)*e*(a + c*Cot[d + e*x] + b*Csc[d + e*x])^(5/2)*Sin[d + e*x]^(5/2)) + (8*(b + c*Cos[d + e*x] + a*Sin[d + e*x])^2*(a*b*Cos[d + e*x] - b*c*Sin[d + e*x]))/(3*(a^2 - b^2 + c^2)^2*e*(a + c*Cot[d + e*x] + b*Csc[d + e*x])^(5/2)*Sin[d + e*x]^(5/2))
```

**Rubi [A]** time = 0.491416, antiderivative size = 492, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$ , Rules used = {3164, 3129, 3156, 3149, 3119, 2653, 3127, 2661}

$$2 \sqrt{\frac{a \sin(d+ex)+b+c \cos(d+ex)}{\sqrt{a^2+c^2+b}}} (a \sin(d+ex)+b+c \cos(d+ex))^2 F\left(\frac{1}{2}(d+ex-\tan^{-1}(c,a)) \middle| \frac{2\sqrt{a^2+c^2}}{b+\sqrt{a^2+c^2}}\right) + \frac{8b(a \sin(d+ex)+b+c \cos(d+ex))}{3e(a^2-b^2+c^2) \sin^2(d+ex)(a+b \csc(d+ex)+c \cot(d+ex))^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Int[1/((a + c*Cot[d + e*x] + b*Csc[d + e*x])^(5/2)*Sin[d + e*x]^(5/2)), x]
```

```
[Out] (8*b*EllipticE[(d + e*x - ArcTan[c, a])/2, (2*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])])*(b + c*Cos[d + e*x] + a*Sin[d + e*x])^3/(3*(a^2 - b^2 + c^2)^2*e*(a + c*Cot[d + e*x] + b*Csc[d + e*x])^(5/2)*Sin[d + e*x]^(5/2)*Sqrt[(b + c*Cos[d + e*x] + a*Sin[d + e*x])/(b + Sqrt[a^2 + c^2])]) + (2*EllipticF[(d + e*x - ArcTan[c, a])/2, (2*Sqrt[a^2 + c^2])/(b + Sqrt[a^2 + c^2])])*(b + c*Cos[d + e*x] + a*Sin[d + e*x])^2*Sqrt[(b + c*Cos[d + e*x] + a*Sin[d + e*x])/(b + Sqrt[a^2 + c^2])])/(3*(a^2 - b^2 + c^2)*e*(a + c*Cot[d + e*x] + b*Csc[d + e*x])^(5/2)*Sin[d + e*x]^(5/2)) - (2*(b + c*Cos[d + e*x] + a*Sin[d + e*x])*(a*Cos[d + e*x] - c*Sin[d + e*x]))/(3*(a^2 - b^2 + c^2)*e*(a + c*Cot[d + e*x] + b*Csc[d + e*x])^(5/2)*Sin[d + e*x]^(5/2)) + (8*(b + c*Cos[d + e*x] + a*Sin[d + e*x])^2*(a*b*Cos[d + e*x] - b*c*Sin[d + e*x]))/(3*(a^2 - b^2 + c^2)^2*e*(a + c*Cot[d + e*x] + b*Csc[d + e*x])^(5/2)*Sin[d + e*x]^(5/2))
```

#### Rule 3164

```
Int[((a_.) + csc[(d_.) + (e_.)*(x_)])*(b_.) + cot[(d_.) + (e_.)*(x_)])*(c_.)^(n_)*sin[(d_.) + (e_.)*(x_)]^(n_), x_Symbol] := Dist[(Sin[d + e*x]^n*(a + b*Csc[d + e*x] + c*Cot[d + e*x])^n)/(b + a*Sin[d + e*x] + c*Cos[d + e*x])^n, Int[(b + a*Sin[d + e*x] + c*Cos[d + e*x])^n, x], x] /; FreeQ[{a, b, c, d,
```

e}, x] && !IntegerQ[n]

### Rule 3129

Int[(cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (a\_) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((-c\*cos[d + e\*x] + b\*sin[d + e\*x])\*(a + b\*cos[d + e\*x] + c\*sin[d + e\*x])^(n + 1))/(e\*(n + 1)\*(a^2 - b^2 - c^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2 - c^2)), Int[(a\*(n + 1) - b\*(n + 2)\*cos[d + e\*x] - c\*(n + 2)\*sin[d + e\*x])\*(a + b\*cos[d + e\*x] + c\*sin[d + e\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && LtQ[n, -1] && NeQ[n, -3/2]

### Rule 3156

Int[((a\_.) + cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])^(n\_)\*((A\_.) + cos[(d\_.) + (e\_.)\*(x\_)]\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])], x\_Symbol] :> -Simp[((c\*B - b\*C - (a\*C - c\*A)\*cos[d + e\*x] + (a\*B - b\*A)\*sin[d + e\*x])\*(a + b\*cos[d + e\*x] + c\*sin[d + e\*x])^(n + 1))/(e\*(n + 1)\*(a^2 - b^2 - c^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2 - c^2)), Int[(a + b\*cos[d + e\*x] + c\*sin[d + e\*x])^(n + 1)\*Simp[(n + 1)\*(a\*A - b\*B - c\*C) + (n + 2)\*(a\*B - b\*A)\*cos[d + e\*x] + (n + 2)\*(a\*C - c\*A)\*sin[d + e\*x], x], x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && LtQ[n, -1] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[n, -2]

### Rule 3149

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_)]\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]) / Sqrt[cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (a\_) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]], x\_Symbol] :> Dist[B/b, Int[Sqrt[a + b\*cos[d + e\*x] + c\*sin[d + e\*x]], x], x] + Dist[(A\*b - a\*B)/b, Int[1/Sqrt[a + b\*cos[d + e\*x] + c\*sin[d + e\*x]], x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && EqQ[B\*c - b\*C, 0] && NeQ[A\*b - a\*B, 0]

### Rule 3119

Int[Sqrt[cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (a\_) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]], x\_Symbol] :> Dist[Sqrt[a + b\*cos[d + e\*x] + c\*sin[d + e\*x]]/Sqrt[(a + b\*cos[d + e\*x] + c\*sin[d + e\*x])/(a + Sqrt[b^2 + c^2])], Int[Sqrt[a/(a + Sqrt[b^2 + c^2]) + (Sqrt[b^2 + c^2]\*cos[d + e\*x - ArcTan[b, c]])/(a + Sqrt[b^2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]

### Rule 2653

Int[Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

### Rule 3127

Int[1/Sqrt[cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (a\_) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]], x\_Symbol] :> Dist[Sqrt[(a + b\*cos[d + e\*x] + c\*sin[d + e\*x])/(a + Sqrt[b^2 + c^2])]/Sqrt[a + b\*cos[d + e\*x] + c\*sin[d + e\*x]], Int[1/Sqrt[a/(a + Sqrt[b^2 + c^2]) + (Sqrt[b^2 + c^2]\*cos[d + e\*x - ArcTan[b, c]])/(a + Sqrt[b^2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]

### Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

### Rubi steps

$$\int \frac{1}{(a + c \cot(d + ex) + b \csc(d + ex))^{5/2} \sin^2(d + ex)} dx = \frac{(b + c \cos(d + ex) + a \sin(d + ex))^{5/2} \int \frac{1}{(b + c \cos(d + ex) + a \sin(d + ex))^{5/2}} dx}{(a + c \cot(d + ex) + b \csc(d + ex))^{5/2} \sin^2(d + ex)}$$

$$= -\frac{2(b + c \cos(d + ex) + a \sin(d + ex))(a \cos(d + ex) - c \sin(d + ex))}{3(a^2 - b^2 + c^2) e(a + c \cot(d + ex) + b \csc(d + ex))^{5/2} \sin^2(d + ex)}$$

$$= -\frac{2(b + c \cos(d + ex) + a \sin(d + ex))(a \cos(d + ex) - c \sin(d + ex))}{3(a^2 - b^2 + c^2) e(a + c \cot(d + ex) + b \csc(d + ex))^{5/2} \sin^2(d + ex)}$$

$$= -\frac{2(b + c \cos(d + ex) + a \sin(d + ex))(a \cos(d + ex) - c \sin(d + ex))}{3(a^2 - b^2 + c^2) e(a + c \cot(d + ex) + b \csc(d + ex))^{5/2} \sin^2(d + ex)}$$

$$= -\frac{2(b + c \cos(d + ex) + a \sin(d + ex))(a \cos(d + ex) - c \sin(d + ex))}{3(a^2 - b^2 + c^2) e(a + c \cot(d + ex) + b \csc(d + ex))^{5/2} \sin^2(d + ex)}$$

$$= \frac{8bE\left(\frac{1}{2}(d + ex - \tan^{-1}(c, a)) \mid \frac{2\sqrt{a^2 + c^2}}{b + \sqrt{a^2 + c^2}}\right) (b + c \cos(d + ex))^{5/2}}{3(a^2 - b^2 + c^2)^2 e(a + c \cot(d + ex) + b \csc(d + ex))^{5/2} \sin^2(d + ex)}$$

**Mathematica [F]** time = 25.9738, size = 0, normalized size = 0.

$$\int \frac{1}{(a + c \cot(d + ex) + b \csc(d + ex))^{5/2} \sin^2(d + ex)} dx$$

Verification is Not applicable to the result.

```
[In] Integrate[1/((a + c*Cot[d + e*x] + b*Csc[d + e*x])^(5/2)*Sin[d + e*x]^(5/2)), x]
```

```
[Out] Integrate[1/((a + c*Cot[d + e*x] + b*Csc[d + e*x])^(5/2)*Sin[d + e*x]^(5/2)), x]
```

**Maple [C]** time = 1.202, size = 64189, normalized size = 130.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(a+c*cot(e*x+d)+b*csc(e*x+d))^(5/2)/sin(e*x+d)^(5/2), x)
```

```
[Out] result too large to display
```



---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(c \cot(ex + d) + b \csc(ex + d) + a)^{\frac{5}{2}} \sin(ex + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+c\*cot(e\*x+d)+b\*csc(e\*x+d))^(5/2)/sin(e\*x+d)^(5/2),x, algorithm="maxima")

[Out] integrate(1/((c\*cot(e\*x + d) + b\*csc(e\*x + d) + a)^(5/2)\*sin(e\*x + d)^(5/2)), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{1}{(a^3 \cos(ex + d)^2 + (c^3 \cos(ex + d)^2 - c^3) \cot(ex + d)^3 + (b^3 \cos(ex + d)^2 - b^3) \csc(ex + d)^3 - a^3 + 3(ac^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+c\*cot(e\*x+d)+b\*csc(e\*x+d))^(5/2)/sin(e\*x+d)^(5/2),x, algorithm="fricas")

[Out] integral(-sqrt(c\*cot(e\*x + d) + b\*csc(e\*x + d) + a)/((a^3\*cos(e\*x + d)^2 + (c^3\*cos(e\*x + d)^2 - c^3)\*cot(e\*x + d)^3 + (b^3\*cos(e\*x + d)^2 - b^3)\*csc(e\*x + d)^3 - a^3 + 3\*(a\*c^2\*cos(e\*x + d)^2 - a\*c^2)\*cot(e\*x + d)^2 + 3\*(a\*b^2\*cos(e\*x + d)^2 - a\*b^2 + (b^2\*c\*cos(e\*x + d)^2 - b^2\*c)\*cot(e\*x + d))\*csc(e\*x + d)^2 + 3\*(a^2\*c\*cos(e\*x + d)^2 - a^2\*c)\*cot(e\*x + d) + 3\*(a^2\*b\*cos(e\*x + d)^2 - a^2\*b + (b\*c^2\*cos(e\*x + d)^2 - b\*c^2)\*cot(e\*x + d)^2 + 2\*(a\*b\*c\*cos(e\*x + d)^2 - a\*b\*c)\*cot(e\*x + d))\*csc(e\*x + d))\*sqrt(sin(e\*x + d))), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+c\*cot(e\*x+d)+b\*csc(e\*x+d))\*\*(5/2)/sin(e\*x+d)\*\*(5/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(c \cot(ex + d) + b \csc(ex + d) + a)^{\frac{5}{2}} \sin(ex + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+c*cot(e*x+d)+b*csc(e*x+d))^(5/2)/sin(e*x+d)^(5/2),x, algorithm="giac")
```

```
[Out] integrate(1/((c*cot(e*x + d) + b*csc(e*x + d) + a)^(5/2)*sin(e*x + d)^(5/2)), x)
```

$$3.472 \quad \int \frac{1}{\cos^2(x) + \sin^2(x)} dx$$

**Optimal.** Leaf size=1

$x$

[Out]  $x$

**Rubi [A]** time = 0.0092337, antiderivative size = 1, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {4380, 8}

$x$

Antiderivative was successfully verified.

[In] Int[(Cos[x]^2 + Sin[x]^2)^(-1), x]

[Out]  $x$

Rule 4380

Int[(u\_.)\*((a\_.) + cos[(d\_.) + (e\_.)\*(x\_)])^2\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])^2)^(p\_.), x\_Symbol] :> Dist[(a + c)^p, Int[ActivateTrig[u], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[b - c, 0]

Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

Rubi steps

$$\int \frac{1}{\cos^2(x) + \sin^2(x)} dx = \int 1 dx = x$$

**Mathematica [A]** time = 0.0004585, size = 1, normalized size = 1.

$x$

Antiderivative was successfully verified.

[In] Integrate[(Cos[x]^2 + Sin[x]^2)^(-1), x]

[Out]  $x$

**Maple [A]** time = 0.014, size = 2, normalized size = 2.

$x$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cos(x)^2+sin(x)^2),x)`

[Out] `x`

---

**Maxima [A]** time = 1.47255, size = 1, normalized size = 1.

`x`

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cos(x)^2+sin(x)^2),x, algorithm="maxima")`

[Out] `x`

---

**Fricas [A]** time = 1.5574, size = 4, normalized size = 4.

`x`

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cos(x)^2+sin(x)^2),x, algorithm="fricas")`

[Out] `x`

---

**Sympy [B]** time = 0.423272, size = 10, normalized size = 10.

$$\frac{x}{\sin^2(x) + \cos^2(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cos(x)**2+sin(x)**2),x)`

[Out] `x/(sin(x)**2 + cos(x)**2)`

---

**Giac [A]** time = 1.14716, size = 1, normalized size = 1.

`x`

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cos(x)^2+sin(x)^2),x, algorithm="giac")`

[Out] `x`

$$3.473 \quad \int \frac{1}{(\cos^2(x) + \sin^2(x))^2} dx$$

**Optimal.** Leaf size=1

$x$

[Out]  $x$

**Rubi [A]** time = 0.0093517, antiderivative size = 1, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {4380, 8}

$x$

Antiderivative was successfully verified.

[In] Int[(Cos[x]^2 + Sin[x]^2)^(-2), x]

[Out]  $x$

**Rule 4380**

Int[(u\_.)\*((a\_.) + cos[(d\_.) + (e\_.)\*(x\_)]^2\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]^2)^(-p\_.), x\_Symbol] :=> Dist[(a + c)^p, Int[ActivateTrig[u], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[b - c, 0]

**Rule 8**

Int[a\_, x\_Symbol] :=> Simp[a\*x, x] /; FreeQ[a, x]

**Rubi steps**

$$\int \frac{1}{(\cos^2(x) + \sin^2(x))^2} dx = \int 1 dx = x$$

**Mathematica [A]** time = 0.0002989, size = 1, normalized size = 1.

$x$

Antiderivative was successfully verified.

[In] Integrate[(Cos[x]^2 + Sin[x]^2)^(-2), x]

[Out]  $x$

**Maple [A]** time = 0.016, size = 2, normalized size = 2.

$x$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cos(x)^2+sin(x)^2)^2,x)`

[Out] `x`

---

**Maxima [A]** time = 1.49555, size = 1, normalized size = 1.

`x`

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cos(x)^2+sin(x)^2)^2,x, algorithm="maxima")`

[Out] `x`

---

**Fricas [A]** time = 1.87529, size = 4, normalized size = 4.

`x`

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cos(x)^2+sin(x)^2)^2,x, algorithm="fricas")`

[Out] `x`

---

**Sympy [B]** time = 1.08813, size = 22, normalized size = 22.

$$\frac{x}{\sin^4(x) + 2 \sin^2(x) \cos^2(x) + \cos^4(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cos(x)**2+sin(x)**2)**2,x)`

[Out] `x/(sin(x)**4 + 2*sin(x)**2*cos(x)**2 + cos(x)**4)`

---

**Giac [A]** time = 1.1291, size = 1, normalized size = 1.

`x`

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cos(x)^2+sin(x)^2)^2,x, algorithm="giac")`

[Out] `x`

$$3.474 \quad \int \frac{1}{(\cos^2(x) + \sin^2(x))^3} dx$$

**Optimal.** Leaf size=1

$x$

[Out]  $x$

**Rubi [A]** time = 0.0087911, antiderivative size = 1, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {4380, 8}

$x$

Antiderivative was successfully verified.

[In] Int[(Cos[x]^2 + Sin[x]^2)^(-3), x]

[Out]  $x$

**Rule 4380**

Int[(u\_.)\*((a\_.) + cos[(d\_.) + (e\_.)\*(x\_)]^2\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]^2)^(p\_.), x\_Symbol] :=> Dist[(a + c)^p, Int[ActivateTrig[u], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[b - c, 0]

**Rule 8**

Int[a\_, x\_Symbol] :=> Simp[a\*x, x] /; FreeQ[a, x]

**Rubi steps**

$$\int \frac{1}{(\cos^2(x) + \sin^2(x))^3} dx = \int 1 dx = x$$

**Mathematica [A]** time = 0.0003298, size = 1, normalized size = 1.

$x$

Antiderivative was successfully verified.

[In] Integrate[(Cos[x]^2 + Sin[x]^2)^(-3), x]

[Out]  $x$

**Maple [A]** time = 0.016, size = 2, normalized size = 2.

$x$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cos(x)^2+sin(x)^2)^3,x)`

[Out] `x`

---

**Maxima [A]** time = 1.45669, size = 1, normalized size = 1.

`x`

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cos(x)^2+sin(x)^2)^3,x, algorithm="maxima")`

[Out] `x`

---

**Fricas [A]** time = 1.63574, size = 4, normalized size = 4.

`x`

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cos(x)^2+sin(x)^2)^3,x, algorithm="fricas")`

[Out] `x`

---

**Sympy [B]** time = 3.3206, size = 34, normalized size = 34.

$$\frac{x}{\sin^6(x) + 3 \sin^4(x) \cos^2(x) + 3 \sin^2(x) \cos^4(x) + \cos^6(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cos(x)**2+sin(x)**2)**3,x)`

[Out] `x/(sin(x)**6 + 3*sin(x)**4*cos(x)**2 + 3*sin(x)**2*cos(x)**4 + cos(x)**6)`

---

**Giac [A]** time = 1.09798, size = 1, normalized size = 1.

`x`

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cos(x)^2+sin(x)^2)^3,x, algorithm="giac")`

[Out] `x`



$$3.475 \quad \int \frac{1}{\cos^2(x) - \sin^2(x)} dx$$

**Optimal.** Leaf size=11

$$\frac{1}{2} \tanh^{-1}(2 \sin(x) \cos(x))$$

[Out] ArcTanh[2\*Cos[x]\*Sin[x]]/2

**Rubi [A]** time = 0.0154245, antiderivative size = 11, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.077$ , Rules used = {206}

$$\frac{1}{2} \tanh^{-1}(2 \sin(x) \cos(x))$$

Antiderivative was successfully verified.

[In] Int[(Cos[x]^2 - Sin[x]^2)^(-1), x]

[Out] ArcTanh[2\*Cos[x]\*Sin[x]]/2

**Rule 206**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

**Rubi steps**

$$\begin{aligned} \int \frac{1}{\cos^2(x) - \sin^2(x)} dx &= \text{Subst} \left( \int \frac{1}{1 - x^2} dx, x, \tan(x) \right) \\ &= \frac{1}{2} \tanh^{-1}(2 \cos(x) \sin(x)) \end{aligned}$$

**Mathematica [B]** time = 0.0048526, size = 23, normalized size = 2.09

$$\frac{1}{2} \log(\sin(x) + \cos(x)) - \frac{1}{2} \log(\cos(x) - \sin(x))$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[x]^2 - Sin[x]^2)^(-1), x]

[Out] -Log[Cos[x] - Sin[x]]/2 + Log[Cos[x] + Sin[x]]/2

**Maple [A]** time = 0.025, size = 4, normalized size = 0.4

$$\text{Artanh}(\tan(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cos(x)^2-sin(x)^2),x)`

[Out] `arctanh(tan(x))`

**Maxima [A]** time = 1.03051, size = 20, normalized size = 1.82

$$\frac{1}{2} \log(\tan(x) + 1) - \frac{1}{2} \log(\tan(x) - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cos(x)^2-sin(x)^2),x, algorithm="maxima")`

[Out] `1/2*log(tan(x) + 1) - 1/2*log(tan(x) - 1)`

**Fricas [B]** time = 1.85709, size = 84, normalized size = 7.64

$$\frac{1}{4} \log(2 \cos(x) \sin(x) + 1) - \frac{1}{4} \log(-2 \cos(x) \sin(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cos(x)^2-sin(x)^2),x, algorithm="fricas")`

[Out] `1/4*log(2*cos(x)*sin(x) + 1) - 1/4*log(-2*cos(x)*sin(x) + 1)`

**Sympy [B]** time = 0.468747, size = 36, normalized size = 3.27

$$\frac{\log\left(\tan^2\left(\frac{x}{2}\right) - 2 \tan\left(\frac{x}{2}\right) - 1\right)}{2} - \frac{\log\left(\tan^2\left(\frac{x}{2}\right) + 2 \tan\left(\frac{x}{2}\right) - 1\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cos(x)**2-sin(x)**2),x)`

[Out] `log(tan(x/2)**2 - 2*tan(x/2) - 1)/2 - log(tan(x/2)**2 + 2*tan(x/2) - 1)/2`

**Giac [B]** time = 1.12207, size = 45, normalized size = 4.09

$$\frac{1}{8} \log\left(\left|\frac{1}{\sin(2x)} + \sin(2x) + 2\right|\right) - \frac{1}{8} \log\left(\left|\frac{1}{\sin(2x)} + \sin(2x) - 2\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cos(x)^2-sin(x)^2),x, algorithm="giac")`

[Out] `1/8*log(abs(1/sin(2*x) + sin(2*x) + 2)) - 1/8*log(abs(1/sin(2*x) + sin(2*x) - 2))`

$$3.476 \quad \int \frac{1}{(\cos^2(x) - \sin^2(x))^2} dx$$

**Optimal.** Leaf size=13

$$\frac{\tan(x)}{1 - \tan^2(x)}$$

[Out] Tan[x]/(1 - Tan[x]^2)

**Rubi [A]** time = 0.0229803, antiderivative size = 13, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.077$ , Rules used = {383}

$$\frac{\tan(x)}{1 - \tan^2(x)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[x]^2 - Sin[x]^2)^(-2), x]

[Out] Tan[x]/(1 - Tan[x]^2)

**Rule 383**

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] :> Simp[(c\*x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a\*d - b\*c\*(n\*(p + 1) + 1), 0]

**Rubi steps**

$$\int \frac{1}{(\cos^2(x) - \sin^2(x))^2} dx = \text{Subst} \left( \int \frac{1 + x^2}{(1 - x^2)^2} dx, x, \tan(x) \right) \\ = \frac{\tan(x)}{1 - \tan^2(x)}$$

**Mathematica [A]** time = 0.0032264, size = 8, normalized size = 0.62

$$\frac{1}{2} \tan(2x)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[x]^2 - Sin[x]^2)^(-2), x]

[Out] Tan[2\*x]/2

**Maple [A]** time = 0.031, size = 18, normalized size = 1.4

$$-\frac{1}{2 + 2 \tan(x)} - \frac{1}{2 \tan(x) - 2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cos(x)^2-sin(x)^2)^2,x)`

[Out] `-1/2/(1+tan(x))-1/2/(tan(x)-1)`

**Maxima [A]** time = 0.983312, size = 16, normalized size = 1.23

$$-\frac{\tan(x)}{\tan(x)^2 - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cos(x)^2-sin(x)^2)^2,x, algorithm="maxima")`

[Out] `-tan(x)/(tan(x)^2 - 1)`

**Fricas [A]** time = 1.64872, size = 43, normalized size = 3.31

$$\frac{\cos(x)\sin(x)}{2\cos(x)^2 - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cos(x)^2-sin(x)^2)^2,x, algorithm="fricas")`

[Out] `cos(x)*sin(x)/(2*cos(x)^2 - 1)`

**Sympy [B]** time = 2.39591, size = 48, normalized size = 3.69

$$-\frac{2\tan^3\left(\frac{x}{2}\right)}{\tan^4\left(\frac{x}{2}\right) - 6\tan^2\left(\frac{x}{2}\right) + 1} + \frac{2\tan\left(\frac{x}{2}\right)}{\tan^4\left(\frac{x}{2}\right) - 6\tan^2\left(\frac{x}{2}\right) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cos(x)**2-sin(x)**2)**2,x)`

[Out] `-2*tan(x/2)**3/(tan(x/2)**4 - 6*tan(x/2)**2 + 1) + 2*tan(x/2)/(tan(x/2)**4 - 6*tan(x/2)**2 + 1)`

**Giac [A]** time = 1.11712, size = 8, normalized size = 0.62

$$\frac{1}{2}\tan(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cos(x)^2-sin(x)^2)^2,x, algorithm="giac")`

[Out] `1/2*tan(2*x)`

$$3.477 \quad \int \frac{1}{(\cos^2(x) - \sin^2(x))^3} dx$$

**Optimal.** Leaf size=32

$$\frac{\tan(x) \sec^2(x)}{2(1 - \tan^2(x))^2} + \frac{1}{4} \tanh^{-1}(2 \sin(x) \cos(x))$$

[Out] ArcTanh[2\*Cos[x]\*Sin[x]]/4 + (Sec[x]^2\*Tan[x])/(2\*(1 - Tan[x]^2)^2)

**Rubi [A]** time = 0.0273345, antiderivative size = 32, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$ , Rules used = {413, 21, 206}

$$\frac{\tan(x) \sec^2(x)}{2(1 - \tan^2(x))^2} + \frac{1}{4} \tanh^{-1}(2 \sin(x) \cos(x))$$

Antiderivative was successfully verified.

[In] Int[(Cos[x]^2 - Sin[x]^2)^(-3), x]

[Out] ArcTanh[2\*Cos[x]\*Sin[x]]/4 + (Sec[x]^2\*Tan[x])/(2\*(1 - Tan[x]^2)^2)

#### Rule 413

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[((a*d - c*b)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(a*b*n*(p +
1)), x] - Dist[1/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q -
2)*Simp[c*(a*d - c*b*(n*(p + 1) + 1)) + d*(a*d*(n*(q - 1) + 1) - b*c*(n*(p
+ q) + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d,
0] && LtQ[p, -1] && GtQ[q, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]
```

#### Rule 21

```
Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol]
:> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
&& EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
a + b*x])
```

#### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol]
:> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x]
&& NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

#### Rubi steps

$$\begin{aligned}
\int \frac{1}{(\cos^2(x) - \sin^2(x))^3} dx &= \text{Subst} \left( \int \frac{(1+x^2)^2}{(1-x^2)^3} dx, x, \tan(x) \right) \\
&= \frac{\sec^2(x) \tan(x)}{2(1-\tan^2(x))^2} - \frac{1}{4} \text{Subst} \left( \int \frac{-2+2x^2}{(1-x^2)^2} dx, x, \tan(x) \right) \\
&= \frac{\sec^2(x) \tan(x)}{2(1-\tan^2(x))^2} + \frac{1}{2} \text{Subst} \left( \int \frac{1}{1-x^2} dx, x, \tan(x) \right) \\
&= \frac{1}{4} \tanh^{-1}(2 \cos(x) \sin(x)) + \frac{\sec^2(x) \tan(x)}{2(1-\tan^2(x))^2}
\end{aligned}$$

**Mathematica [A]** time = 0.0066755, size = 22, normalized size = 0.69

$$\frac{1}{4} \tanh^{-1}(\sin(2x)) + \frac{1}{4} \tan(2x) \sec(2x)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[x]^2 - Sin[x]^2)^(-3), x]

[Out] ArcTanh[Sin[2\*x]]/4 + (Sec[2\*x]\*Tan[2\*x])/4

**Maple [A]** time = 0.037, size = 48, normalized size = 1.5

$$-\frac{1}{4(1+\tan(x))^2} + \frac{1}{4+4\tan(x)} + \frac{\ln(1+\tan(x))}{4} + \frac{1}{4(\tan(x)-1)^2} + \frac{1}{4\tan(x)-4} - \frac{\ln(\tan(x)-1)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(x)^2-sin(x)^2)^3,x)

[Out] -1/4/(1+tan(x))^2+1/4/(1+tan(x))+1/4\*ln(1+tan(x))+1/4/(tan(x)-1)^2+1/4/(tan(x)-1)-1/4\*ln(tan(x)-1)

**Maxima [A]** time = 1.00548, size = 51, normalized size = 1.59

$$\frac{\tan(x)^3 + \tan(x)}{2(\tan(x)^4 - 2\tan(x)^2 + 1)} + \frac{1}{4} \log(\tan(x) + 1) - \frac{1}{4} \log(\tan(x) - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(cos(x)^2-sin(x)^2)^3,x, algorithm="maxima")

[Out] 1/2\*(tan(x)^3 + tan(x))/(tan(x)^4 - 2\*tan(x)^2 + 1) + 1/4\*log(tan(x) + 1) - 1/4\*log(tan(x) - 1)

**Fricas [B]** time = 1.88887, size = 227, normalized size = 7.09

$$\frac{(4 \cos(x)^4 - 4 \cos(x)^2 + 1) \log(2 \cos(x) \sin(x) + 1) - (4 \cos(x)^4 - 4 \cos(x)^2 + 1) \log(-2 \cos(x) \sin(x) + 1) + 4 \cos(x) \sin(x)}{8(4 \cos(x)^4 - 4 \cos(x)^2 + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(cos(x)^2-sin(x)^2)^3,x, algorithm="fricas")

[Out] 1/8\*((4\*cos(x)^4 - 4\*cos(x)^2 + 1)\*log(2\*cos(x)\*sin(x) + 1) - (4\*cos(x)^4 - 4\*cos(x)^2 + 1)\*log(-2\*cos(x)\*sin(x) + 1) + 4\*cos(x)\*sin(x))/(4\*cos(x)^4 - 4\*cos(x)^2 + 1)

**Sympy [B]** time = 9.11282, size = 765, normalized size = 23.91

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(cos(x)\*\*2-sin(x)\*\*2)\*\*3,x)

[Out] log(tan(x/2)\*\*2 - 2\*tan(x/2) - 1)\*tan(x/2)\*\*8/(4\*tan(x/2)\*\*8 - 48\*tan(x/2)\*\*6 + 152\*tan(x/2)\*\*4 - 48\*tan(x/2)\*\*2 + 4) - 12\*log(tan(x/2)\*\*2 - 2\*tan(x/2) - 1)\*tan(x/2)\*\*6/(4\*tan(x/2)\*\*8 - 48\*tan(x/2)\*\*6 + 152\*tan(x/2)\*\*4 - 48\*tan(x/2)\*\*2 + 4) + 38\*log(tan(x/2)\*\*2 - 2\*tan(x/2) - 1)\*tan(x/2)\*\*4/(4\*tan(x/2)\*\*8 - 48\*tan(x/2)\*\*6 + 152\*tan(x/2)\*\*4 - 48\*tan(x/2)\*\*2 + 4) - 12\*log(tan(x/2)\*\*2 - 2\*tan(x/2) - 1)\*tan(x/2)\*\*2/(4\*tan(x/2)\*\*8 - 48\*tan(x/2)\*\*6 + 152\*tan(x/2)\*\*4 - 48\*tan(x/2)\*\*2 + 4) + log(tan(x/2)\*\*2 - 2\*tan(x/2) - 1)/(4\*tan(x/2)\*\*8 - 48\*tan(x/2)\*\*6 + 152\*tan(x/2)\*\*4 - 48\*tan(x/2)\*\*2 + 4) - log(tan(x/2)\*\*2 + 2\*tan(x/2) - 1)\*tan(x/2)\*\*8/(4\*tan(x/2)\*\*8 - 48\*tan(x/2)\*\*6 + 152\*tan(x/2)\*\*4 - 48\*tan(x/2)\*\*2 + 4) + 12\*log(tan(x/2)\*\*2 + 2\*tan(x/2) - 1)\*tan(x/2)\*\*6/(4\*tan(x/2)\*\*8 - 48\*tan(x/2)\*\*6 + 152\*tan(x/2)\*\*4 - 48\*tan(x/2)\*\*2 + 4) - 38\*log(tan(x/2)\*\*2 + 2\*tan(x/2) - 1)\*tan(x/2)\*\*4/(4\*tan(x/2)\*\*8 - 48\*tan(x/2)\*\*6 + 152\*tan(x/2)\*\*4 - 48\*tan(x/2)\*\*2 + 4) + 12\*log(tan(x/2)\*\*2 + 2\*tan(x/2) - 1)\*tan(x/2)\*\*2/(4\*tan(x/2)\*\*8 - 48\*tan(x/2)\*\*6 + 152\*tan(x/2)\*\*4 - 48\*tan(x/2)\*\*2 + 4) - log(tan(x/2)\*\*2 + 2\*tan(x/2) - 1)/(4\*tan(x/2)\*\*8 - 48\*tan(x/2)\*\*6 + 152\*tan(x/2)\*\*4 - 48\*tan(x/2)\*\*2 + 4) - 4\*tan(x/2)\*\*7/(4\*tan(x/2)\*\*8 - 48\*tan(x/2)\*\*6 + 152\*tan(x/2)\*\*4 - 48\*tan(x/2)\*\*2 + 4) - 4\*tan(x/2)\*\*5/(4\*tan(x/2)\*\*8 - 48\*tan(x/2)\*\*6 + 152\*tan(x/2)\*\*4 - 48\*tan(x/2)\*\*2 + 4) + 4\*tan(x/2)\*\*3/(4\*tan(x/2)\*\*8 - 48\*tan(x/2)\*\*6 + 152\*tan(x/2)\*\*4 - 48\*tan(x/2)\*\*2 + 4) + 4\*tan(x/2)/(4\*tan(x/2)\*\*8 - 48\*tan(x/2)\*\*6 + 152\*tan(x/2)\*\*4 - 48\*tan(x/2)\*\*2 + 4)

**Giac [A]** time = 1.15252, size = 50, normalized size = 1.56

$$-\frac{\sin(2x)}{4(\sin(2x)^2 - 1)} + \frac{1}{8} \log(\sin(2x) + 1) - \frac{1}{8} \log(-\sin(2x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(cos(x)^2-sin(x)^2)^3,x, algorithm="giac")

[Out] -1/4\*sin(2\*x)/(sin(2\*x)^2 - 1) + 1/8\*log(sin(2\*x) + 1) - 1/8\*log(-sin(2\*x) + 1)

$$3.478 \quad \int \frac{1}{\cos^2(x)+a^2 \sin^2(x)} dx$$

**Optimal.** Leaf size=9

$$\frac{\tan^{-1}(a \tan(x))}{a}$$

[Out] ArcTan[a\*Tan[x]]/a

**Rubi [A]** time = 0.0182644, antiderivative size = 9, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$ , Rules used = {203}

$$\frac{\tan^{-1}(a \tan(x))}{a}$$

Antiderivative was successfully verified.

[In] Int[(Cos[x]^2 + a^2\*Sin[x]^2)^(-1),x]

[Out] ArcTan[a\*Tan[x]]/a

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{1}{\cos^2(x) + a^2 \sin^2(x)} dx &= \text{Subst} \left( \int \frac{1}{1 + a^2 x^2} dx, x, \tan(x) \right) \\ &= \frac{\tan^{-1}(a \tan(x))}{a} \end{aligned}$$

**Mathematica [A]** time = 0.0339063, size = 9, normalized size = 1.

$$\frac{\tan^{-1}(a \tan(x))}{a}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[x]^2 + a^2\*Sin[x]^2)^(-1),x]

[Out] ArcTan[a\*Tan[x]]/a

**Maple [A]** time = 0.038, size = 10, normalized size = 1.1

$$\frac{\arctan(a \tan(x))}{a}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cos(x)^2+a^2*sin(x)^2),x)`

[Out] `arctan(a*tan(x))/a`

**Maxima [A]** time = 1.51675, size = 12, normalized size = 1.33

$$\frac{\arctan(a \tan(x))}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cos(x)^2+a^2*sin(x)^2),x, algorithm="maxima")`

[Out] `arctan(a*tan(x))/a`

**Fricas [B]** time = 1.83198, size = 88, normalized size = 9.78

$$\frac{\arctan\left(\frac{(a^2+1)\cos(x)^2-a^2}{2a\cos(x)\sin(x)}\right)}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cos(x)^2+a^2*sin(x)^2),x, algorithm="fricas")`

[Out] `-1/2*arctan(1/2*((a^2 + 1)*cos(x)^2 - a^2)/(a*cos(x)*sin(x)))/a`

**Sympy [B]** time = 29.4254, size = 2011, normalized size = 223.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cos(x)**2+a**2*sin(x)**2),x)`

[Out] `Piecewise((-16*a**5*sqrt(-2*a**2 - 2*a*sqrt(a**2 - 1) + 1)*log(-sqrt(-2*a**2 - 2*a*sqrt(a**2 - 1) + 1) + tan(x/2)))/(16*a**5 - 16*a**4*sqrt(a**2 - 1) - 16*a**3 + 8*a**2*sqrt(a**2 - 1) + 2*a) + 16*a**5*sqrt(-2*a**2 - 2*a*sqrt(a**2 - 1) + 1)*log(sqrt(-2*a**2 - 2*a*sqrt(a**2 - 1) + 1) + tan(x/2)))/(16*a**5 - 16*a**4*sqrt(a**2 - 1) - 16*a**3 + 8*a**2*sqrt(a**2 - 1) + 2*a) + 16*a**4*sqrt(a**2 - 1)*sqrt(-2*a**2 - 2*a*sqrt(a**2 - 1) + 1)*log(-sqrt(-2*a**2 - 2*a*sqrt(a**2 - 1) + 1) + tan(x/2)))/(16*a**5 - 16*a**4*sqrt(a**2 - 1) - 16*a**3 + 8*a**2*sqrt(a**2 - 1) + 2*a) - 16*a**4*sqrt(a**2 - 1)*sqrt(-2*a**2 - 2*a*sqrt(a**2 - 1) + 1)*log(sqrt(-2*a**2 - 2*a*sqrt(a**2 - 1) + 1) + tan(x/2)))/(16*a**5 - 16*a**4*sqrt(a**2 - 1) - 16*a**3 + 8*a**2*sqrt(a**2 - 1) + 2*a) + 20*a**3*sqrt(-2*a**2 - 2*a*sqrt(a**2 - 1) + 1)*log(-sqrt(-2*a**2 - 2*a*sqrt(a**2 - 1) + 1) + tan(x/2)))/(16*a**5 - 16*a**4*sqrt(a**2 - 1) - 16*a**3 + 8*a**2*sqrt(a**2 - 1) + 2*a) - 20*a**3*sqrt(-2*a**2 - 2*a*sqrt(a**2 - 1) + 1)*log(sqrt(-2*a**2 - 2*a*sqrt(a**2 - 1) + 1) + tan(x/2)))/(16*a**5 - 16*a**4*sqrt(a**2 - 1) - 16*a**3 + 8*a**2*sqrt(a**2 - 1) + 2*a) - 4*a**3`

```

*sqrt(-2*a**2 + 2*a*sqrt(a**2 - 1) + 1)*log(-sqrt(-2*a**2 + 2*a*sqrt(a**2 -
1) + 1) + tan(x/2))/(16*a**5 - 16*a**4*sqrt(a**2 - 1) - 16*a**3 + 8*a**2*s
qrt(a**2 - 1) + 2*a) + 4*a**3*sqrt(-2*a**2 + 2*a*sqrt(a**2 - 1) + 1)*log(sq
rt(-2*a**2 + 2*a*sqrt(a**2 - 1) + 1) + tan(x/2))/(16*a**5 - 16*a**4*sqrt(a
**2 - 1) - 16*a**3 + 8*a**2*sqrt(a**2 - 1) + 2*a) - 12*a**2*sqrt(a**2 - 1)*s
qrt(-2*a**2 - 2*a*sqrt(a**2 - 1) + 1)*log(-sqrt(-2*a**2 - 2*a*sqrt(a**2 - 1
) + 1) + tan(x/2))/(16*a**5 - 16*a**4*sqrt(a**2 - 1) - 16*a**3 + 8*a**2*sq
rt(a**2 - 1) + 2*a) + 12*a**2*sqrt(a**2 - 1)*sqrt(-2*a**2 - 2*a*sqrt(a**2 -
1) + 1)*log(sqrt(-2*a**2 - 2*a*sqrt(a**2 - 1) + 1) + tan(x/2))/(16*a**5 - 1
6*a**4*sqrt(a**2 - 1) - 16*a**3 + 8*a**2*sqrt(a**2 - 1) + 2*a) + 4*a**2*sq
rt(a**2 - 1)*sqrt(-2*a**2 + 2*a*sqrt(a**2 - 1) + 1)*log(-sqrt(-2*a**2 + 2*a
sqrt(a**2 - 1) + 1) + tan(x/2))/(16*a**5 - 16*a**4*sqrt(a**2 - 1) - 16*a**3
+ 8*a**2*sqrt(a**2 - 1) + 2*a) - 4*a**2*sqrt(a**2 - 1)*sqrt(-2*a**2 + 2*a
sqrt(a**2 - 1) + 1)*log(sqrt(-2*a**2 + 2*a*sqrt(a**2 - 1) + 1) + tan(x/2))/
(16*a**5 - 16*a**4*sqrt(a**2 - 1) - 16*a**3 + 8*a**2*sqrt(a**2 - 1) + 2*a)
- 5*a*sqrt(-2*a**2 - 2*a*sqrt(a**2 - 1) + 1)*log(-sqrt(-2*a**2 - 2*a*sqrt(a
**2 - 1) + 1) + tan(x/2))/(16*a**5 - 16*a**4*sqrt(a**2 - 1) - 16*a**3 + 8*a
**2*sqrt(a**2 - 1) + 2*a) + 5*a*sqrt(-2*a**2 - 2*a*sqrt(a**2 - 1) + 1)*log(
sqrt(-2*a**2 - 2*a*sqrt(a**2 - 1) + 1) + tan(x/2))/(16*a**5 - 16*a**4*sqrt(
a**2 - 1) - 16*a**3 + 8*a**2*sqrt(a**2 - 1) + 2*a) + 3*a*sqrt(-2*a**2 + 2*a
sqrt(a**2 - 1) + 1)*log(-sqrt(-2*a**2 + 2*a*sqrt(a**2 - 1) + 1) + tan(x/2)
)/(16*a**5 - 16*a**4*sqrt(a**2 - 1) - 16*a**3 + 8*a**2*sqrt(a**2 - 1) + 2*a
) - 3*a*sqrt(-2*a**2 + 2*a*sqrt(a**2 - 1) + 1)*log(sqrt(-2*a**2 + 2*a*sqrt(
a**2 - 1) + 1) + tan(x/2))/(16*a**5 - 16*a**4*sqrt(a**2 - 1) - 16*a**3 + 8
*a**2*sqrt(a**2 - 1) + 2*a) + sqrt(a**2 - 1)*sqrt(-2*a**2 - 2*a*sqrt(a**2 -
1) + 1)*log(-sqrt(-2*a**2 - 2*a*sqrt(a**2 - 1) + 1) + tan(x/2))/(16*a**5 -
16*a**4*sqrt(a**2 - 1) - 16*a**3 + 8*a**2*sqrt(a**2 - 1) + 2*a) - sqrt(a**2
- 1)*sqrt(-2*a**2 - 2*a*sqrt(a**2 - 1) + 1)*log(sqrt(-2*a**2 - 2*a*sqrt(a
**2 - 1) + 1) + tan(x/2))/(16*a**5 - 16*a**4*sqrt(a**2 - 1) - 16*a**3 + 8*a
**2*sqrt(a**2 - 1) + 2*a) - sqrt(a**2 - 1)*sqrt(-2*a**2 + 2*a*sqrt(a**2 - 1)
+ 1)*log(-sqrt(-2*a**2 + 2*a*sqrt(a**2 - 1) + 1) + tan(x/2))/(16*a**5 - 16
*a**4*sqrt(a**2 - 1) - 16*a**3 + 8*a**2*sqrt(a**2 - 1) + 2*a) + sqrt(a**2 -
1)*sqrt(-2*a**2 + 2*a*sqrt(a**2 - 1) + 1)*log(sqrt(-2*a**2 + 2*a*sqrt(a**2
- 1) + 1) + tan(x/2))/(16*a**5 - 16*a**4*sqrt(a**2 - 1) - 16*a**3 + 8*a**2
*sqrt(a**2 - 1) + 2*a), Ne(a, 0)), (-2*tan(x/2)/(tan(x/2)**2 - 1), True))

```

---

**Giac [B]** time = 1.12955, size = 27, normalized size = 3.

$$\frac{\pi \left\lfloor \frac{x}{\pi} + \frac{1}{2} \right\rfloor + \arctan(a \tan(x))}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(cos(x)^2+a^2\*sin(x)^2),x, algorithm="giac")

[Out] (pi\*floor(x/pi + 1/2) + arctan(a\*tan(x)))/a

$$3.479 \quad \int \frac{1}{b^2 \cos^2(x) + \sin^2(x)} dx$$

**Optimal.** Leaf size=11

$$\frac{\tan^{-1}\left(\frac{\tan(x)}{b}\right)}{b}$$

[Out] ArcTan[Tan[x]/b]/b

**Rubi [A]** time = 0.0197121, antiderivative size = 11, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$ , Rules used = {203}

$$\frac{\tan^{-1}\left(\frac{\tan(x)}{b}\right)}{b}$$

Antiderivative was successfully verified.

[In] Int[(b^2\*Cos[x]^2 + Sin[x]^2)^(-1), x]

[Out] ArcTan[Tan[x]/b]/b

**Rule 203**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

**Rubi steps**

$$\begin{aligned} \int \frac{1}{b^2 \cos^2(x) + \sin^2(x)} dx &= \text{Subst}\left(\int \frac{1}{b^2 + x^2} dx, x, \tan(x)\right) \\ &= \frac{\tan^{-1}\left(\frac{\tan(x)}{b}\right)}{b} \end{aligned}$$

**Mathematica [A]** time = 0.0318574, size = 11, normalized size = 1.

$$\frac{\tan^{-1}\left(\frac{\tan(x)}{b}\right)}{b}$$

Antiderivative was successfully verified.

[In] Integrate[(b^2\*Cos[x]^2 + Sin[x]^2)^(-1), x]

[Out] ArcTan[Tan[x]/b]/b

**Maple [A]** time = 0.033, size = 12, normalized size = 1.1

$$\frac{1}{b} \arctan\left(\frac{\tan(x)}{b}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(b^2*cos(x)^2+sin(x)^2),x)`

[Out] `arctan(tan(x)/b)/b`

**Maxima [A]** time = 1.4628, size = 15, normalized size = 1.36

$$\frac{\arctan\left(\frac{\tan(x)}{b}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(b^2*cos(x)^2+sin(x)^2),x, algorithm="maxima")`

[Out] `arctan(tan(x)/b)/b`

**Fricas [B]** time = 1.91518, size = 85, normalized size = 7.73

$$\frac{\arctan\left(\frac{(b^2+1)\cos(x)^2-1}{2b\cos(x)\sin(x)}\right)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(b^2*cos(x)^2+sin(x)^2),x, algorithm="fricas")`

[Out] `-1/2*arctan(1/2*((b^2 + 1)*cos(x)^2 - 1)/(b*cos(x)*sin(x)))/b`

**Sympy [A]** time = 32.779, size = 2118, normalized size = 192.55

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(b**2*cos(x)**2+sin(x)**2),x)`

[Out] `Piecewise(((b**4*sqrt(1 - b**2)*sqrt(1 - 2*sqrt(1 - b**2))/b**2 - 2/b**2)*log(-sqrt(1 - 2*sqrt(1 - b**2))/b**2 - 2/b**2) + tan(x/2))/(2*b**6 + 8*b**4*sqrt(1 - b**2) - 16*b**4 - 16*b**2*sqrt(1 - b**2) + 16*b**2) - b**4*sqrt(1 - b**2)*sqrt(1 - 2*sqrt(1 - b**2))/b**2 - 2/b**2)*log(sqrt(1 - 2*sqrt(1 - b**2))/b**2 - 2/b**2) + tan(x/2))/(2*b**6 + 8*b**4*sqrt(1 - b**2) - 16*b**4 - 16*b**2*sqrt(1 - b**2) + 16*b**2) - b**4*sqrt(1 - b**2)*sqrt(1 + 2*sqrt(1 - b**2))/b**2 - 2/b**2)*log(-sqrt(1 + 2*sqrt(1 - b**2))/b**2 - 2/b**2) + tan(x/2))/(2*b**6 + 8*b**4*sqrt(1 - b**2) - 16*b**4 - 16*b**2*sqrt(1 - b**2) + 16*b**2) + b**4*sqrt(1 - b**2)*sqrt(1 + 2*sqrt(1 - b**2))/b**2 - 2/b**2)*log(sqrt(1 + 2*sqrt(1 - b**2))/b**2 - 2/b**2) + tan(x/2))/(2*b**6 + 8*b**4*sqrt(1 - b**2) - 16*b**4 - 16*b**2*sqrt(1 - b**2) + 16*b**2) - 5*b**4*sqrt(1 - 2*sqrt(1 - b**2))/b**2 - 2/b**2)*log(-sqrt(1 - 2*sqrt(1 - b**2))/b**2 - 2/b**2) + tan(x/2))/(2*b**6 + 8*b**4*sqrt(1 - b**2) - 16*b**4 - 16*b**2*sqrt(1 - b**2) + 16*b**2) + 5*b**4*sqrt(1 - 2*sqrt(1 - b**2))/b**2 - 2/b**2)*log(sqrt(1`

```

- 2*sqrt(1 - b**2)/b**2 - 2/b**2) + tan(x/2))/(2*b**6 + 8*b**4*sqrt(1 - b**
2) - 16*b**4 - 16*b**2*sqrt(1 - b**2) + 16*b**2) + 3*b**4*sqrt(1 + 2*sqrt(1
- b**2)/b**2 - 2/b**2)*log(-sqrt(1 + 2*sqrt(1 - b**2)/b**2 - 2/b**2) + tan
(x/2))/(2*b**6 + 8*b**4*sqrt(1 - b**2) - 16*b**4 - 16*b**2*sqrt(1 - b**2) +
16*b**2) - 3*b**4*sqrt(1 + 2*sqrt(1 - b**2)/b**2 - 2/b**2)*log(sqrt(1 + 2*
sqrt(1 - b**2)/b**2 - 2/b**2) + tan(x/2))/(2*b**6 + 8*b**4*sqrt(1 - b**2) -
16*b**4 - 16*b**2*sqrt(1 - b**2) + 16*b**2) - 12*b**2*sqrt(1 - b**2)*sqrt(
1 - 2*sqrt(1 - b**2)/b**2 - 2/b**2)*log(-sqrt(1 - 2*sqrt(1 - b**2)/b**2 - 2
/b**2) + tan(x/2))/(2*b**6 + 8*b**4*sqrt(1 - b**2) - 16*b**4 - 16*b**2*sqrt
(1 - b**2) + 16*b**2) + 12*b**2*sqrt(1 - b**2)*sqrt(1 - 2*sqrt(1 - b**2)/b*
**2 - 2/b**2)*log(sqrt(1 - 2*sqrt(1 - b**2)/b**2 - 2/b**2) + tan(x/2))/(2*b*
**6 + 8*b**4*sqrt(1 - b**2) - 16*b**4 - 16*b**2*sqrt(1 - b**2) + 16*b**2) +
4*b**2*sqrt(1 - b**2)*sqrt(1 + 2*sqrt(1 - b**2)/b**2 - 2/b**2)*log(-sqrt(1
+ 2*sqrt(1 - b**2)/b**2 - 2/b**2) + tan(x/2))/(2*b**6 + 8*b**4*sqrt(1 - b**
2) - 16*b**4 - 16*b**2*sqrt(1 - b**2) + 16*b**2) - 4*b**2*sqrt(1 - b**2)*sq
rt(1 + 2*sqrt(1 - b**2)/b**2 - 2/b**2)*log(sqrt(1 + 2*sqrt(1 - b**2)/b**2 -
2/b**2) + tan(x/2))/(2*b**6 + 8*b**4*sqrt(1 - b**2) - 16*b**4 - 16*b**2*sq
rt(1 - b**2) + 16*b**2) + 20*b**2*sqrt(1 - 2*sqrt(1 - b**2)/b**2 - 2/b**2)*
log(-sqrt(1 - 2*sqrt(1 - b**2)/b**2 - 2/b**2) + tan(x/2))/(2*b**6 + 8*b**4*
sqrt(1 - b**2) - 16*b**4 - 16*b**2*sqrt(1 - b**2) + 16*b**2) - 20*b**2*sqrt
(1 - 2*sqrt(1 - b**2)/b**2 - 2/b**2)*log(sqrt(1 - 2*sqrt(1 - b**2)/b**2 - 2
/b**2) + tan(x/2))/(2*b**6 + 8*b**4*sqrt(1 - b**2) - 16*b**4 - 16*b**2*sqrt
(1 - b**2) + 16*b**2) - 4*b**2*sqrt(1 + 2*sqrt(1 - b**2)/b**2 - 2/b**2)*log
(-sqrt(1 + 2*sqrt(1 - b**2)/b**2 - 2/b**2) + tan(x/2))/(2*b**6 + 8*b**4*sq
rt(1 - b**2) - 16*b**4 - 16*b**2*sqrt(1 - b**2) + 16*b**2) + 4*b**2*sqrt(1 +
2*sqrt(1 - b**2)/b**2 - 2/b**2)*log(sqrt(1 + 2*sqrt(1 - b**2)/b**2 - 2/b**
2) + tan(x/2))/(2*b**6 + 8*b**4*sqrt(1 - b**2) - 16*b**4 - 16*b**2*sqrt(1 -
b**2) + 16*b**2) + 16*sqrt(1 - b**2)*sqrt(1 - 2*sqrt(1 - b**2)/b**2 - 2/b**
2)*log(-sqrt(1 - 2*sqrt(1 - b**2)/b**2 - 2/b**2) + tan(x/2))/(2*b**6 + 8*b
**4*sqrt(1 - b**2) - 16*b**4 - 16*b**2*sqrt(1 - b**2) + 16*b**2) - 16*sqrt(
1 - b**2)*sqrt(1 - 2*sqrt(1 - b**2)/b**2 - 2/b**2)*log(sqrt(1 - 2*sqrt(1 -
b**2)/b**2 - 2/b**2) + tan(x/2))/(2*b**6 + 8*b**4*sqrt(1 - b**2) - 16*b**4
- 16*b**2*sqrt(1 - b**2) + 16*b**2) - 16*sqrt(1 - 2*sqrt(1 - b**2)/b**2 - 2
/b**2)*log(-sqrt(1 - 2*sqrt(1 - b**2)/b**2 - 2/b**2) + tan(x/2))/(2*b**6 +
8*b**4*sqrt(1 - b**2) - 16*b**4 - 16*b**2*sqrt(1 - b**2) + 16*b**2) + 16*sq
rt(1 - 2*sqrt(1 - b**2)/b**2 - 2/b**2)*log(sqrt(1 - 2*sqrt(1 - b**2)/b**2 -
2/b**2) + tan(x/2))/(2*b**6 + 8*b**4*sqrt(1 - b**2) - 16*b**4 - 16*b**2*sq
rt(1 - b**2) + 16*b**2), Ne(b, 0)), (tan(x/2)/2 - 1/(2*tan(x/2)), True))

```

---

**Giac [A]** time = 1.11093, size = 30, normalized size = 2.73

$$\frac{\pi \left\lfloor \frac{x}{\pi} + \frac{1}{2} \right\rfloor + \arctan\left(\frac{\tan(x)}{b}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(b^2*cos(x)^2+sin(x)^2),x, algorithm="giac")
```

```
[Out] (pi*floor(x/pi + 1/2) + arctan(tan(x)/b))/b
```

$$3.480 \quad \int \frac{1}{b^2 \cos^2(x) + a^2 \sin^2(x)} dx$$

**Optimal.** Leaf size=15

$$\frac{\tan^{-1}\left(\frac{a \tan(x)}{b}\right)}{ab}$$

[Out] ArcTan[(a\*Tan[x])/b]/(a\*b)

**Rubi [A]** time = 0.0257435, antiderivative size = 15, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$ , Rules used = {205}

$$\frac{\tan^{-1}\left(\frac{a \tan(x)}{b}\right)}{ab}$$

Antiderivative was successfully verified.

[In] Int[(b^2\*Cos[x]^2 + a^2\*Sin[x]^2)^(-1), x]

[Out] ArcTan[(a\*Tan[x])/b]/(a\*b)

Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{1}{b^2 \cos^2(x) + a^2 \sin^2(x)} dx &= \text{Subst} \left( \int \frac{1}{b^2 + a^2 x^2} dx, x, \tan(x) \right) \\ &= \frac{\tan^{-1}\left(\frac{a \tan(x)}{b}\right)}{ab} \end{aligned}$$

**Mathematica [A]** time = 0.0397942, size = 15, normalized size = 1.

$$\frac{\tan^{-1}\left(\frac{a \tan(x)}{b}\right)}{ab}$$

Antiderivative was successfully verified.

[In] Integrate[(b^2\*Cos[x]^2 + a^2\*Sin[x]^2)^(-1), x]

[Out] ArcTan[(a\*Tan[x])/b]/(a\*b)

**Maple [A]** time = 0.04, size = 16, normalized size = 1.1

$$\frac{1}{ab} \arctan\left(\frac{a \tan(x)}{b}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(b^2\*cos(x)^2+a^2\*sin(x)^2),x)

[Out] arctan(a\*tan(x)/b)/a/b

**Maxima [A]** time = 1.48158, size = 20, normalized size = 1.33

$$\frac{\arctan\left(\frac{a \tan(x)}{b}\right)}{ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b^2\*cos(x)^2+a^2\*sin(x)^2),x, algorithm="maxima")

[Out] arctan(a\*tan(x)/b)/(a\*b)

**Fricas [B]** time = 1.81065, size = 99, normalized size = 6.6

$$\frac{\arctan\left(\frac{(a^2+b^2)\cos(x)^2-a^2}{2ab\cos(x)\sin(x)}\right)}{2ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b^2\*cos(x)^2+a^2\*sin(x)^2),x, algorithm="fricas")

[Out] -1/2\*arctan(1/2\*((a^2 + b^2)\*cos(x)^2 - a^2)/(a\*b\*cos(x)\*sin(x)))/(a\*b)

**Sympy [A]** time = 49.3371, size = 2866, normalized size = 191.07

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b\*\*2\*cos(x)\*\*2+a\*\*2\*sin(x)\*\*2),x)

[Out] Piecewise((zoo\*tan(x/2)/(tan(x/2)\*\*2 - 1), Eq(a, 0) & Eq(b, 0)), (-2\*tan(x/2)/(b\*\*2\*(tan(x/2)\*\*2 - 1)), Eq(a, 0)), ((tan(x/2)/2 - 1/(2\*tan(x/2)))/a\*\*2, Eq(b, 0)), (-16\*a\*\*5\*sqrt(-2\*a\*\*2/b\*\*2 - 2\*a\*sqrt(a\*\*2 - b\*\*2)/b\*\*2 + 1)\*log(-sqrt(-2\*a\*\*2/b\*\*2 - 2\*a\*sqrt(a\*\*2 - b\*\*2)/b\*\*2 + 1) + tan(x/2))/(16\*a\*\*5\*b\*\*2 - 16\*a\*\*4\*b\*\*2\*sqrt(a\*\*2 - b\*\*2) - 16\*a\*\*3\*b\*\*4 + 8\*a\*\*2\*b\*\*4\*sqrt(a\*\*2 - b\*\*2) + 2\*a\*b\*\*6) + 16\*a\*\*5\*sqrt(-2\*a\*\*2/b\*\*2 - 2\*a\*sqrt(a\*\*2 - b\*\*2)/b\*\*2 + 1)\*log(sqrt(-2\*a\*\*2/b\*\*2 - 2\*a\*sqrt(a\*\*2 - b\*\*2)/b\*\*2 + 1) + tan(x/2))/(16\*a\*\*5\*b\*\*2 - 16\*a\*\*4\*b\*\*2\*sqrt(a\*\*2 - b\*\*2) - 16\*a\*\*3\*b\*\*4 + 8\*a\*\*2\*b\*\*4\*sqrt(a\*\*2 - b\*\*2) + 2\*a\*b\*\*6) + 16\*a\*\*4\*sqrt(a\*\*2 - b\*\*2)\*sqrt(-2\*a\*\*2/b\*\*2 - 2\*a\*sqrt(a\*\*2 - b\*\*2)/b\*\*2 + 1)\*log(-sqrt(-2\*a\*\*2/b\*\*2 - 2\*a\*sqrt(a\*\*2 - b\*\*2)/b\*\*2 + 1) + tan(x/2))/(16\*a\*\*5\*b\*\*2 - 16\*a\*\*4\*b\*\*2\*sqrt(a\*\*2 - b\*\*2) - 16\*a\*\*3\*b\*\*4 + 8\*a\*\*2\*b\*\*4\*sqrt(a\*\*2 - b\*\*2) + 2\*a\*b\*\*6) - 16\*a\*\*4\*sqrt(a\*\*2 - b\*\*2)\*sqrt(-2\*a\*\*2/b\*\*2 - 2\*a\*sqrt(a\*\*2 - b\*\*2)/b\*\*2 + 1)\*log(sqrt(-2\*a\*\*2/b\*\*2 - 2\*a\*sqrt(a\*\*2 - b\*\*2)/b\*\*2 + 1) + tan(x/2))/(16\*a\*\*5\*b\*\*2

```

*2 - 16*a**4*b**2*sqrt(a**2 - b**2) - 16*a**3*b**4 + 8*a**2*b**4*sqrt(a**2
- b**2) + 2*a*b**6) + 20*a**3*b**2*sqrt(-2*a**2/b**2 - 2*a*sqrt(a**2 - b**2)
)/b**2 + 1)*log(-sqrt(-2*a**2/b**2 - 2*a*sqrt(a**2 - b**2)/b**2 + 1) + tan(
x/2))/(16*a**5*b**2 - 16*a**4*b**2*sqrt(a**2 - b**2) - 16*a**3*b**4 + 8*a**
2*b**4*sqrt(a**2 - b**2) + 2*a*b**6) - 20*a**3*b**2*sqrt(-2*a**2/b**2 - 2*a
*sqrt(a**2 - b**2)/b**2 + 1)*log(sqrt(-2*a**2/b**2 - 2*a*sqrt(a**2 - b**2)/
b**2 + 1) + tan(x/2))/(16*a**5*b**2 - 16*a**4*b**2*sqrt(a**2 - b**2) - 16*a
**3*b**4 + 8*a**2*b**4*sqrt(a**2 - b**2) + 2*a*b**6) - 4*a**3*b**2*sqrt(-2*
a**2/b**2 + 2*a*sqrt(a**2 - b**2)/b**2 + 1)*log(-sqrt(-2*a**2/b**2 + 2*a*sq
rt(a**2 - b**2)/b**2 + 1) + tan(x/2))/(16*a**5*b**2 - 16*a**4*b**2*sqrt(a**
2 - b**2) - 16*a**3*b**4 + 8*a**2*b**4*sqrt(a**2 - b**2) + 2*a*b**6) + 4*a*
**3*b**2*sqrt(-2*a**2/b**2 + 2*a*sqrt(a**2 - b**2)/b**2 + 1)*log(sqrt(-2*a**
2/b**2 + 2*a*sqrt(a**2 - b**2)/b**2 + 1) + tan(x/2))/(16*a**5*b**2 - 16*a**
4*b**2*sqrt(a**2 - b**2) - 16*a**3*b**4 + 8*a**2*b**4*sqrt(a**2 - b**2) + 2
*a*b**6) - 12*a**2*b**2*sqrt(a**2 - b**2)*sqrt(-2*a**2/b**2 - 2*a*sqrt(a**2
- b**2)/b**2 + 1)*log(-sqrt(-2*a**2/b**2 - 2*a*sqrt(a**2 - b**2)/b**2 + 1)
+ tan(x/2))/(16*a**5*b**2 - 16*a**4*b**2*sqrt(a**2 - b**2) - 16*a**3*b**4
+ 8*a**2*b**4*sqrt(a**2 - b**2) + 2*a*b**6) + 12*a**2*b**2*sqrt(a**2 - b**2
)*sqrt(-2*a**2/b**2 - 2*a*sqrt(a**2 - b**2)/b**2 + 1)*log(sqrt(-2*a**2/b**2
- 2*a*sqrt(a**2 - b**2)/b**2 + 1) + tan(x/2))/(16*a**5*b**2 - 16*a**4*b**2
*sqrt(a**2 - b**2) - 16*a**3*b**4 + 8*a**2*b**4*sqrt(a**2 - b**2) + 2*a*b**
6) + 4*a**2*b**2*sqrt(a**2 - b**2)*sqrt(-2*a**2/b**2 + 2*a*sqrt(a**2 - b**2
)/b**2 + 1)*log(-sqrt(-2*a**2/b**2 + 2*a*sqrt(a**2 - b**2)/b**2 + 1) + tan(
x/2))/(16*a**5*b**2 - 16*a**4*b**2*sqrt(a**2 - b**2) - 16*a**3*b**4 + 8*a**
2*b**4*sqrt(a**2 - b**2) + 2*a*b**6) - 4*a**2*b**2*sqrt(a**2 - b**2)*sqrt(-
2*a**2/b**2 + 2*a*sqrt(a**2 - b**2)/b**2 + 1)*log(sqrt(-2*a**2/b**2 + 2*a*s
qrt(a**2 - b**2)/b**2 + 1) + tan(x/2))/(16*a**5*b**2 - 16*a**4*b**2*sqrt(a*
**2 - b**2) - 16*a**3*b**4 + 8*a**2*b**4*sqrt(a**2 - b**2) + 2*a*b**6) - 5*a
**4*sqrt(-2*a**2/b**2 - 2*a*sqrt(a**2 - b**2)/b**2 + 1)*log(-sqrt(-2*a**2
/b**2 - 2*a*sqrt(a**2 - b**2)/b**2 + 1) + tan(x/2))/(16*a**5*b**2 - 16*a**4
*b**2*sqrt(a**2 - b**2) - 16*a**3*b**4 + 8*a**2*b**4*sqrt(a**2 - b**2) + 2*
a*b**6) + 5*a*b**4*sqrt(-2*a**2/b**2 - 2*a*sqrt(a**2 - b**2)/b**2 + 1)*log(
sqrt(-2*a**2/b**2 - 2*a*sqrt(a**2 - b**2)/b**2 + 1) + tan(x/2))/(16*a**5*b*
**2 - 16*a**4*b**2*sqrt(a**2 - b**2) - 16*a**3*b**4 + 8*a**2*b**4*sqrt(a**2
- b**2) + 2*a*b**6) + 3*a*b**4*sqrt(-2*a**2/b**2 + 2*a*sqrt(a**2 - b**2)/b*
**2 + 1)*log(-sqrt(-2*a**2/b**2 + 2*a*sqrt(a**2 - b**2)/b**2 + 1) + tan(x/2)
)/(16*a**5*b**2 - 16*a**4*b**2*sqrt(a**2 - b**2) - 16*a**3*b**4 + 8*a**2*b*
**4*sqrt(a**2 - b**2) + 2*a*b**6) - 3*a*b**4*sqrt(-2*a**2/b**2 + 2*a*sqrt(a*
**2 - b**2)/b**2 + 1)*log(sqrt(-2*a**2/b**2 + 2*a*sqrt(a**2 - b**2)/b**2 + 1
) + tan(x/2))/(16*a**5*b**2 - 16*a**4*b**2*sqrt(a**2 - b**2) - 16*a**3*b**4
+ 8*a**2*b**4*sqrt(a**2 - b**2) + 2*a*b**6) + b**4*sqrt(a**2 - b**2)*sqrt(
-2*a**2/b**2 - 2*a*sqrt(a**2 - b**2)/b**2 + 1)*log(-sqrt(-2*a**2/b**2 - 2*a
*sqrt(a**2 - b**2)/b**2 + 1) + tan(x/2))/(16*a**5*b**2 - 16*a**4*b**2*sqrt(
a**2 - b**2) - 16*a**3*b**4 + 8*a**2*b**4*sqrt(a**2 - b**2) + 2*a*b**6) - b
**4*sqrt(a**2 - b**2)*sqrt(-2*a**2/b**2 - 2*a*sqrt(a**2 - b**2)/b**2 + 1)*l
og(sqrt(-2*a**2/b**2 - 2*a*sqrt(a**2 - b**2)/b**2 + 1) + tan(x/2))/(16*a**5
*b**2 - 16*a**4*b**2*sqrt(a**2 - b**2) - 16*a**3*b**4 + 8*a**2*b**4*sqrt(a*
**2 - b**2) + 2*a*b**6) - b**4*sqrt(a**2 - b**2)*sqrt(-2*a**2/b**2 + 2*a*sq
rt(a**2 - b**2)/b**2 + 1)*log(-sqrt(-2*a**2/b**2 + 2*a*sqrt(a**2 - b**2)/b**
2 + 1) + tan(x/2))/(16*a**5*b**2 - 16*a**4*b**2*sqrt(a**2 - b**2) - 16*a**3
*b**4 + 8*a**2*b**4*sqrt(a**2 - b**2) + 2*a*b**6) + b**4*sqrt(a**2 - b**2)*
sqrt(-2*a**2/b**2 + 2*a*sqrt(a**2 - b**2)/b**2 + 1)*log(sqrt(-2*a**2/b**2 +
2*a*sqrt(a**2 - b**2)/b**2 + 1) + tan(x/2))/(16*a**5*b**2 - 16*a**4*b**2*s
qrt(a**2 - b**2) - 16*a**3*b**4 + 8*a**2*b**4*sqrt(a**2 - b**2) + 2*a*b**6)
, True))

```



**Giac [A]** time = 1.16441, size = 35, normalized size = 2.33

$$\frac{\pi \left\lfloor \frac{x}{\pi} + \frac{1}{2} \right\rfloor + \arctan\left(\frac{a \tan(x)}{b}\right)}{ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b^2\*cos(x)^2+a^2\*sin(x)^2),x, algorithm="giac")

[Out] (pi\*floor(x/pi + 1/2) + arctan(a\*tan(x)/b))/(a\*b)

$$3.481 \quad \int \frac{1}{4 \cos^2(1+2x)+3 \sin^2(1+2x)} dx$$

**Optimal.** Leaf size=53

$$\frac{x}{2\sqrt{3}} - \frac{\tan^{-1}\left(\frac{\sin(2x+1)\cos(2x+1)}{\cos^2(2x+1)+2\sqrt{3}+3}\right)}{4\sqrt{3}}$$

[Out] x/(2\*Sqrt[3]) - ArcTan[(Cos[1 + 2\*x]\*Sin[1 + 2\*x])/(3 + 2\*Sqrt[3] + Cos[1 + 2\*x]^2)]/(4\*Sqrt[3])

**Rubi [A]** time = 0.0373063, antiderivative size = 53, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$ , Rules used = {203}

$$\frac{x}{2\sqrt{3}} - \frac{\tan^{-1}\left(\frac{\sin(2x+1)\cos(2x+1)}{\cos^2(2x+1)+2\sqrt{3}+3}\right)}{4\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(4\*Cos[1 + 2\*x]^2 + 3\*Sin[1 + 2\*x]^2)^(-1), x]

[Out] x/(2\*Sqrt[3]) - ArcTan[(Cos[1 + 2\*x]\*Sin[1 + 2\*x])/(3 + 2\*Sqrt[3] + Cos[1 + 2\*x]^2)]/(4\*Sqrt[3])

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{1}{4 \cos^2(1+2x) + 3 \sin^2(1+2x)} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{1}{4 + 3x^2} dx, x, \tan(1+2x) \right) \\ &= \frac{x}{2\sqrt{3}} - \frac{\tan^{-1}\left(\frac{\cos(1+2x)\sin(1+2x)}{3+2\sqrt{3}+\cos^2(1+2x)}\right)}{4\sqrt{3}} \end{aligned}$$

**Mathematica [A]** time = 0.042783, size = 25, normalized size = 0.47

$$\frac{\tan^{-1}\left(\frac{1}{2}\sqrt{3}\tan(2x+1)\right)}{4\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(4\*Cos[1 + 2\*x]^2 + 3\*Sin[1 + 2\*x]^2)^(-1), x]

[Out] ArcTan[(Sqrt[3]\*Tan[1 + 2\*x])/2]/(4\*Sqrt[3])

**Maple [A]** time = 0.055, size = 18, normalized size = 0.3

$$\frac{\sqrt{3}}{12} \arctan\left(\frac{\sqrt{3} \tan(1+2x)}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(4\*cos(1+2\*x)^2+3\*sin(1+2\*x)^2),x)

[Out] 1/12\*3^(1/2)\*arctan(1/2\*3^(1/2)\*tan(1+2\*x))

**Maxima [A]** time = 1.46692, size = 23, normalized size = 0.43

$$\frac{1}{12} \sqrt{3} \arctan\left(\frac{1}{2} \sqrt{3} \tan(2x+1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(4\*cos(1+2\*x)^2+3\*sin(1+2\*x)^2),x, algorithm="maxima")

[Out] 1/12\*sqrt(3)\*arctan(1/2\*sqrt(3)\*tan(2\*x + 1))

**Fricas [A]** time = 1.85086, size = 128, normalized size = 2.42

$$-\frac{1}{24} \sqrt{3} \arctan\left(\frac{7 \sqrt{3} \cos(2x+1)^2 - 3 \sqrt{3}}{12 \cos(2x+1) \sin(2x+1)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(4\*cos(1+2\*x)^2+3\*sin(1+2\*x)^2),x, algorithm="fricas")

[Out] -1/24\*sqrt(3)\*arctan(1/12\*(7\*sqrt(3)\*cos(2\*x + 1)^2 - 3\*sqrt(3))/(cos(2\*x + 1)\*sin(2\*x + 1)))

**Sympy [A]** time = 1.29113, size = 87, normalized size = 1.64

$$\frac{\sqrt{3} \left( \operatorname{atan}\left(\frac{2\sqrt{3} \tan\left(x+\frac{1}{2}\right)}{3} - \frac{\sqrt{3}}{3}\right) + \pi \left\lfloor \frac{x-\frac{\pi}{2}+\frac{1}{2}}{\pi} \right\rfloor \right)}{12} + \frac{\sqrt{3} \left( \operatorname{atan}\left(\frac{2\sqrt{3} \tan\left(x+\frac{1}{2}\right)}{3} + \frac{\sqrt{3}}{3}\right) + \pi \left\lfloor \frac{x-\frac{\pi}{2}+\frac{1}{2}}{\pi} \right\rfloor \right)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(4\*cos(1+2\*x)\*\*2+3\*sin(1+2\*x)\*\*2),x)

[Out] sqrt(3)\*(atan(2\*sqrt(3)\*tan(x + 1/2)/3 - sqrt(3)/3) + pi\*floor((x - pi/2 + 1/2)/pi))/12 + sqrt(3)\*(atan(2\*sqrt(3)\*tan(x + 1/2)/3 + sqrt(3)/3) + pi\*floor((x - pi/2 + 1/2)/pi))/12

**Giac [A]** time = 1.14089, size = 82, normalized size = 1.55

$$\frac{1}{12} \sqrt{3} \left( 2x + \arctan \left( -\frac{2\sqrt{3} \sin(4x+2) - 3 \sin(4x+2)}{2\sqrt{3} \cos(4x+2) + 2\sqrt{3} - 3 \cos(4x+2) + 3} \right) + 1 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(4\*cos(1+2\*x)^2+3\*sin(1+2\*x)^2),x, algorithm="giac")

[Out] 1/12\*sqrt(3)\*(2\*x + arctan(-(2\*sqrt(3)\*sin(4\*x + 2) - 3\*sin(4\*x + 2))/(2\*sqrt(3)\*cos(4\*x + 2) + 2\*sqrt(3) - 3\*cos(4\*x + 2) + 3)) + 1)

$$3.482 \quad \int \frac{\sin^2(x)}{a \cos^2(x) + b \sin^2(x)} dx$$

**Optimal.** Leaf size=43

$$\frac{\sqrt{a} \tan^{-1}\left(\frac{\sqrt{b} \tan(x)}{\sqrt{a}}\right)}{\sqrt{b}(a-b)} - \frac{x}{a-b}$$

[Out]  $-(x/(a - b)) + (\text{Sqrt}[a]*\text{ArcTan}[(\text{Sqrt}[b]*\text{Tan}[x])/\text{Sqrt}[a]])/((a - b)*\text{Sqrt}[b])$

**Rubi [A]** time = 0.149493, antiderivative size = 43, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$ , Rules used = {481, 203, 205}

$$\frac{\sqrt{a} \tan^{-1}\left(\frac{\sqrt{b} \tan(x)}{\sqrt{a}}\right)}{\sqrt{b}(a-b)} - \frac{x}{a-b}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sin}[x]^2/(a*\text{Cos}[x]^2 + b*\text{Sin}[x]^2), x]$

[Out]  $-(x/(a - b)) + (\text{Sqrt}[a]*\text{ArcTan}[(\text{Sqrt}[b]*\text{Tan}[x])/\text{Sqrt}[a]])/((a - b)*\text{Sqrt}[b])$

#### Rule 481

$\text{Int}[(e_{.})*(x_{.})^{(m_{.})}/(((a_{.}) + (b_{.})*(x_{.})^{(n_{.})})*((c_{.}) + (d_{.})*(x_{.})^{(n_{.})})), x\_Symbol] :> -\text{Dist}[(a*e^n)/(b*c - a*d), \text{Int}[(e*x)^{(m-n)}/(a + b*x^n), x], x] + \text{Dist}[(c*e^n)/(b*c - a*d), \text{Int}[(e*x)^{(m-n)}/(c + d*x^n), x], x] /; \text{FreeQ}\{a, b, c, d, e, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IGtQ}[n, 0] \&\& \text{LeQ}[n, m, 2*n - 1]$

#### Rule 203

$\text{Int}[(a_{.}) + (b_{.})*(x_{.})^2)^{-1}, x\_Symbol] :> \text{Simp}[(1*\text{ArcTan}[(\text{Rt}[b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b] \&\& (\text{GtQ}[a, 0] \|\| \text{GtQ}[b, 0])$

#### Rule 205

$\text{Int}[(a_{.}) + (b_{.})*(x_{.})^2)^{-1}, x\_Symbol] :> \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b]$

#### Rubi steps

$$\begin{aligned} \int \frac{\sin^2(x)}{a \cos^2(x) + b \sin^2(x)} dx &= \text{Subst}\left(\int \frac{x^2}{(1+x^2)(a+bx^2)} dx, x, \tan(x)\right) \\ &= -\frac{\text{Subst}\left(\int \frac{1}{1+x^2} dx, x, \tan(x)\right)}{a-b} + \frac{a \text{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tan(x)\right)}{a-b} \\ &= -\frac{x}{a-b} + \frac{\sqrt{a} \tan^{-1}\left(\frac{\sqrt{b} \tan(x)}{\sqrt{a}}\right)}{(a-b)\sqrt{b}} \end{aligned}$$

**Mathematica [A]** time = 0.0989602, size = 36, normalized size = 0.84

$$\frac{x - \frac{\sqrt{a} \tan^{-1}\left(\frac{\sqrt{b} \tan(x)}{\sqrt{a}}\right)}{\sqrt{b}}}{b - a}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]^2/(a\*Cos[x]^2 + b\*Sin[x]^2),x]

[Out] (x - (Sqrt[a]\*ArcTan[(Sqrt[b]\*Tan[x])/Sqrt[a]])/Sqrt[b])/(-a + b)

**Maple [A]** time = 0.051, size = 38, normalized size = 0.9

$$-\frac{\arctan(\tan(x))}{a-b} + \frac{a}{a-b} \arctan\left(b \tan(x) \frac{1}{\sqrt{ab}}\right) \frac{1}{\sqrt{ab}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)^2/(a\*cos(x)^2+b\*sin(x)^2),x)

[Out] -1/(a-b)\*arctan(tan(x))+a/(a-b)/(a\*b)^(1/2)\*arctan(tan(x)\*b/(a\*b)^(1/2))

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^2/(a\*cos(x)^2+b\*sin(x)^2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.99184, size = 433, normalized size = 10.07

$$\left[ \frac{\sqrt{-\frac{a}{b}} \log\left(\frac{(a^2+6ab+b^2)\cos(x)^4 - 2(3ab+b^2)\cos(x)^2 + 4((ab+b^2)\cos(x)^3 - b^2\cos(x))\sqrt{-\frac{a}{b}}\sin(x) + b^2}{(a^2-2ab+b^2)\cos(x)^4 + 2(ab-b^2)\cos(x)^2 + b^2}\right) + 4x}{4(a-b)}, -\frac{\sqrt{\frac{a}{b}} \arctan\left(\frac{((a+b)\cos(x)^2 - b)\sqrt{\frac{a}{b}}}{2a\cos(x)\sin(x)}\right)}{2(a-b)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^2/(a\*cos(x)^2+b\*sin(x)^2),x, algorithm="fricas")

[Out] [-1/4\*(sqrt(-a/b)\*log(((a^2 + 6\*a\*b + b^2)\*cos(x)^4 - 2\*(3\*a\*b + b^2)\*cos(x)^2 + 4\*((a\*b + b^2)\*cos(x)^3 - b^2\*cos(x))\*sqrt(-a/b)\*sin(x) + b^2)/((a^2 - 2\*a\*b + b^2)\*cos(x)^4 + 2\*(a\*b - b^2)\*cos(x)^2 + b^2)) + 4\*x)/(a - b), -1/2\*(sqrt(a/b)\*arctan(1/2\*((a + b)\*cos(x)^2 - b)\*sqrt(a/b)/(a\*cos(x)\*sin(x))) + 2\*x)/(a - b)]

**Sympy [A]** time = 2.53662, size = 241, normalized size = 5.6

$$\begin{cases} \infty x & \text{for } a = 0 \wedge b = 0 \\ \frac{x}{b} & \text{for } a = 0 \\ \frac{x \sin^2(x)}{2b \sin^2(x) + 2b \cos^2(x)} + \frac{x \cos^2(x)}{2b \sin^2(x) + 2b \cos^2(x)} - \frac{\sin(x) \cos(x)}{2b \sin^2(x) + 2b \cos^2(x)} & \text{for } a = b \\ \frac{-x + \frac{\sin(x)}{\cos(x)}}{a} & \text{for } b = 0 \\ -\frac{2i\sqrt{b}x\sqrt{\frac{1}{a}}}{2ia\sqrt{b}\sqrt{\frac{1}{a}} - 2ib^{\frac{3}{2}}\sqrt{\frac{1}{a}}} - \frac{\log\left(-i\sqrt{b}\sqrt{\frac{1}{a}}\sin(x) + \cos(x)\right)}{2ia\sqrt{b}\sqrt{\frac{1}{a}} - 2ib^{\frac{3}{2}}\sqrt{\frac{1}{a}}} + \frac{\log\left(i\sqrt{b}\sqrt{\frac{1}{a}}\sin(x) + \cos(x)\right)}{2ia\sqrt{b}\sqrt{\frac{1}{a}} - 2ib^{\frac{3}{2}}\sqrt{\frac{1}{a}}} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(x)**2/(a*cos(x)**2+b*sin(x)**2),x)
```

```
[Out] Piecewise((zoo*x, Eq(a, 0) & Eq(b, 0)), (x/b, Eq(a, 0)), (x*sin(x)**2/(2*b*
sin(x)**2 + 2*b*cos(x)**2) + x*cos(x)**2/(2*b*sin(x)**2 + 2*b*cos(x)**2) -
sin(x)*cos(x)/(2*b*sin(x)**2 + 2*b*cos(x)**2), Eq(a, b)), ((-x + sin(x)/cos
(x))/a, Eq(b, 0)), (-2*I*sqrt(b)*x*sqrt(1/a)/(2*I*a*sqrt(b)*sqrt(1/a) - 2*I
*b**(3/2)*sqrt(1/a)) - log(-I*sqrt(b)*sqrt(1/a)*sin(x) + cos(x))/(2*I*a*sq
r t(b)*sqrt(1/a) - 2*I*b**(3/2)*sqrt(1/a)) + log(I*sqrt(b)*sqrt(1/a)*sin(x) +
cos(x))/(2*I*a*sqrt(b)*sqrt(1/a) - 2*I*b**(3/2)*sqrt(1/a)), True))
```

**Giac [B]** time = 1.21473, size = 151, normalized size = 3.51

$$\frac{\pi \left[ \frac{x}{\pi} + \frac{1}{2} \right] + \arctan \left( \frac{2\sqrt{\frac{1}{2}} \tan(x)}{\sqrt{\frac{a+b+\sqrt{(a+b)^2-4ab}}{b}}} \right)}{|-a+b|} - \frac{\sqrt{ab} \left( \pi \left[ \frac{x}{\pi} + \frac{1}{2} \right] + \arctan \left( \frac{2\sqrt{\frac{1}{2}} \tan(x)}{\sqrt{\frac{a+b-\sqrt{(a+b)^2-4ab}}{b}}} \right) \right)}{b^2|-a+b|}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(x)^2/(a*cos(x)^2+b*sin(x)^2),x, algorithm="giac")
```

```
[Out] (pi*floor(x/pi + 1/2) + arctan(2*sqrt(1/2)*tan(x)/sqrt((a + b + sqrt((a + b
)^2 - 4*a*b))/b)))/abs(-a + b) - sqrt(a*b)*(pi*floor(x/pi + 1/2) + arctan(2
*sqrt(1/2)*tan(x)/sqrt((a + b - sqrt((a + b)^2 - 4*a*b))/b)))*abs(b)/(b^2*a
bs(-a + b))
```

$$3.483 \quad \int \frac{\cos^2(x)}{a \cos^2(x) + b \sin^2(x)} dx$$

**Optimal.** Leaf size=43

$$\frac{x}{a-b} - \frac{\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tan(x)}{\sqrt{a}}\right)}{\sqrt{a}(a-b)}$$

[Out] x/(a - b) - (Sqrt[b]\*ArcTan[(Sqrt[b]\*Tan[x])/Sqrt[a]])/(Sqrt[a]\*(a - b))

**Rubi [A]** time = 0.109112, antiderivative size = 43, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$ , Rules used = {391, 203, 205}

$$\frac{x}{a-b} - \frac{\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tan(x)}{\sqrt{a}}\right)}{\sqrt{a}(a-b)}$$

Antiderivative was successfully verified.

[In] Int[Cos[x]^2/(a\*cos[x]^2 + b\*sin[x]^2),x]

[Out] x/(a - b) - (Sqrt[b]\*ArcTan[(Sqrt[b]\*Tan[x])/Sqrt[a]])/(Sqrt[a]\*(a - b))

#### Rule 391

Int[1/(((a\_) + (b\_.)\*(x\_)^(n\_))\*((c\_) + (d\_.)\*(x\_)^(n\_))), x\_Symbol] := Dist[b/(b\*c - a\*d), Int[1/(a + b\*x^n), x], x] - Dist[d/(b\*c - a\*d), Int[1/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rubi steps

$$\begin{aligned} \int \frac{\cos^2(x)}{a \cos^2(x) + b \sin^2(x)} dx &= \text{Subst} \left( \int \frac{1}{(1+x^2)(a+bx^2)} dx, x, \tan(x) \right) \\ &= \frac{\text{Subst} \left( \int \frac{1}{1+x^2} dx, x, \tan(x) \right)}{a-b} - \frac{b \text{Subst} \left( \int \frac{1}{a+bx^2} dx, x, \tan(x) \right)}{a-b} \\ &= \frac{x}{a-b} - \frac{\sqrt{b} \tan^{-1} \left( \frac{\sqrt{b} \tan(x)}{\sqrt{a}} \right)}{\sqrt{a}(a-b)} \end{aligned}$$



**Mathematica [A]** time = 0.0583285, size = 36, normalized size = 0.84

$$\frac{x - \frac{\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tan(x)}{\sqrt{a}}\right)}{\sqrt{a}}}{a - b}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]^2/(a\*Cos[x]^2 + b\*Sin[x]^2),x]

[Out] (x - (Sqrt[b]\*ArcTan[(Sqrt[b]\*Tan[x])/Sqrt[a]])/Sqrt[a])/(a - b)

**Maple [A]** time = 0.044, size = 36, normalized size = 0.8

$$-\frac{b}{a-b} \arctan\left(b \tan(x) \frac{1}{\sqrt{ab}}\right) \frac{1}{\sqrt{ab}} + \frac{x}{a-b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)^2/(a\*cos(x)^2+b\*sin(x)^2),x)

[Out] -b/(a-b)/(a\*b)^(1/2)\*arctan(tan(x)\*b/(a\*b)^(1/2))+x/(a-b)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)^2/(a\*cos(x)^2+b\*sin(x)^2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.94024, size = 432, normalized size = 10.05

$$\left[ \frac{\sqrt{-\frac{b}{a}} \log\left(\frac{(a^2+6ab+b^2)\cos(x)^4 - 2(3ab+b^2)\cos(x)^2 - 4((a^2+ab)\cos(x)^3 - ab\cos(x))\sqrt{-\frac{b}{a}}\sin(x) + b^2}{(a^2-2ab+b^2)\cos(x)^4 + 2(ab-b^2)\cos(x)^2 + b^2}\right) - 4x \sqrt{\frac{b}{a}} \arctan\left(\frac{((a+b)\cos(x)^2 - b)\sqrt{\frac{b}{a}}}{2b\cos(x)\sin(x)}\right)}{4(a-b)}, \frac{\sqrt{\frac{b}{a}} \arctan\left(\frac{((a+b)\cos(x)^2 - b)\sqrt{\frac{b}{a}}}{2b\cos(x)\sin(x)}\right)}{2(a-b)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)^2/(a\*cos(x)^2+b\*sin(x)^2),x, algorithm="fricas")

[Out] [-1/4\*(sqrt(-b/a)\*log(((a^2 + 6\*a\*b + b^2)\*cos(x)^4 - 2\*(3\*a\*b + b^2)\*cos(x)^2 - 4\*((a^2 + a\*b)\*cos(x)^3 - a\*b\*cos(x))\*sqrt(-b/a)\*sin(x) + b^2)/((a^2 - 2\*a\*b + b^2)\*cos(x)^4 + 2\*(a\*b - b^2)\*cos(x)^2 + b^2)) - 4\*x)/(a - b), 1/2\*(sqrt(b/a)\*arctan(1/2\*((a + b)\*cos(x)^2 - b)\*sqrt(b/a)/(b\*cos(x)\*sin(x))) + 2\*x)/(a - b)]

**Sympy [A]** time = 2.5537, size = 267, normalized size = 6.21

$$\begin{cases} \infty \left( -x - \frac{\cos(x)}{\sin(x)} \right) & \text{for } a = 0 \wedge b = 0 \\ \frac{-x - \frac{\cos(x)}{\sin(x)}}{b} & \text{for } a = 0 \\ \frac{x \sin^2(x)}{2b \sin^2(x) + 2b \cos^2(x)} + \frac{x \cos^2(x)}{2b \sin^2(x) + 2b \cos^2(x)} + \frac{\sin(x) \cos(x)}{2b \sin^2(x) + 2b \cos^2(x)} & \text{for } a = b \\ \frac{x}{a} & \text{for } b = 0 \\ \frac{2ia\sqrt{b}x\sqrt{\frac{1}{a}}}{2ia^2\sqrt{b}\sqrt{\frac{1}{a}} - 2iab^{\frac{3}{2}}\sqrt{\frac{1}{a}}} + \frac{b \log\left(-i\sqrt{b}\sqrt{\frac{1}{a}} \sin(x) + \cos(x)\right)}{2ia^2\sqrt{b}\sqrt{\frac{1}{a}} - 2iab^{\frac{3}{2}}\sqrt{\frac{1}{a}}} - \frac{b \log\left(i\sqrt{b}\sqrt{\frac{1}{a}} \sin(x) + \cos(x)\right)}{2ia^2\sqrt{b}\sqrt{\frac{1}{a}} - 2iab^{\frac{3}{2}}\sqrt{\frac{1}{a}}} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)**2/(a*cos(x)**2+b*sin(x)**2),x)
```

```
[Out] Piecewise((zoo*(-x - cos(x)/sin(x)), Eq(a, 0) & Eq(b, 0)), ((-x - cos(x)/sin(x))/b, Eq(a, 0)), (x*sin(x)**2/(2*b*sin(x)**2 + 2*b*cos(x)**2) + x*cos(x)**2/(2*b*sin(x)**2 + 2*b*cos(x)**2) + sin(x)*cos(x)/(2*b*sin(x)**2 + 2*b*cos(x)**2), Eq(a, b)), (x/a, Eq(b, 0)), (2*I*a*sqrt(b)*x*sqrt(1/a)/(2*I*a**2*sqrt(b)*sqrt(1/a) - 2*I*a*b**(3/2)*sqrt(1/a)) + b*log(-I*sqrt(b)*sqrt(1/a)*sin(x) + cos(x))/(2*I*a**2*sqrt(b)*sqrt(1/a) - 2*I*a*b**(3/2)*sqrt(1/a)) - b*log(I*sqrt(b)*sqrt(1/a)*sin(x) + cos(x))/(2*I*a**2*sqrt(b)*sqrt(1/a) - 2*I*a*b**(3/2)*sqrt(1/a)), True))
```

**Giac [B]** time = 1.12483, size = 200, normalized size = 4.65

$$\frac{2\sqrt{ab} \left( \pi \left[ \frac{x}{\pi} + \frac{1}{2} \right] + \arctan \left( \frac{2\sqrt{\frac{1}{2}} \tan(x)}{\sqrt{\frac{a+b-\sqrt{(a+b)^2-4ab}}{b}}} \right) \right) |b|}{(a-b)^2 b - (ab+b^2) |-a+b|} - \frac{2 \left( \pi \left[ \frac{x}{\pi} + \frac{1}{2} \right] + \arctan \left( \frac{2\sqrt{\frac{1}{2}} \tan(x)}{\sqrt{\frac{a+b+\sqrt{(a+b)^2-4ab}}{b}}} \right) \right) b}{(a-b)^2 + a |-a+b| + b |-a+b|}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)^2/(a*cos(x)^2+b*sin(x)^2),x, algorithm="giac")
```

```
[Out] -2*sqrt(a*b)*(pi*floor(x/pi + 1/2) + arctan(2*sqrt(1/2)*tan(x)/sqrt((a + b - sqrt((a + b)^2 - 4*a*b))/b)))*abs(b)/((a - b)^2*b - (a*b + b^2)*abs(-a + b)) - 2*(pi*floor(x/pi + 1/2) + arctan(2*sqrt(1/2)*tan(x)/sqrt((a + b + sqrt((a + b)^2 - 4*a*b))/b)))*b/((a - b)^2 + a*abs(-a + b) + b*abs(-a + b))
```

$$3.484 \quad \int \frac{1}{\sec^2(x) + \tan^2(x)} dx$$

**Optimal.** Leaf size=36

$$\sqrt{2}x - x + \sqrt{2} \tan^{-1} \left( \frac{\sin(x) \cos(x)}{\sin^2(x) + \sqrt{2} + 1} \right)$$

[Out]  $-x + \text{Sqrt}[2]*x + \text{Sqrt}[2]*\text{ArcTan}[(\text{Cos}[x]*\text{Sin}[x])/(1 + \text{Sqrt}[2] + \text{Sin}[x]^2)]$

**Rubi [A]** time = 0.0277595, antiderivative size = 36, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 2, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {1093, 203}

$$\sqrt{2}x - x + \sqrt{2} \tan^{-1} \left( \frac{\sin(x) \cos(x)}{\sin^2(x) + \sqrt{2} + 1} \right)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Sec}[x]^2 + \text{Tan}[x]^2)^{-1}, x]$

[Out]  $-x + \text{Sqrt}[2]*x + \text{Sqrt}[2]*\text{ArcTan}[(\text{Cos}[x]*\text{Sin}[x])/(1 + \text{Sqrt}[2] + \text{Sin}[x]^2)]$

#### Rule 1093

$\text{Int}[(a_ + (b_)*(x_)^2 + (c_)*(x_)^4)^{-1}, x\_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[c/q, \text{Int}[1/(b/2 - q/2 + c*x^2), x], x] - \text{Dist}[c/q, \text{Int}[1/(b/2 + q/2 + c*x^2), x], x]] /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{PosQ}[b^2 - 4*a*c]$

#### Rule 203

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTan}[(\text{Rt}[b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{GtQ}[b, 0])$

#### Rubi steps

$$\begin{aligned} \int \frac{1}{\sec^2(x) + \tan^2(x)} dx &= \text{Subst} \left( \int \frac{1}{1 + 3x^2 + 2x^4} dx, x, \tan(x) \right) \\ &= 2 \text{Subst} \left( \int \frac{1}{1 + 2x^2} dx, x, \tan(x) \right) - 2 \text{Subst} \left( \int \frac{1}{2 + 2x^2} dx, x, \tan(x) \right) \\ &= -x + \sqrt{2}x + \sqrt{2} \tan^{-1} \left( \frac{\cos(x) \sin(x)}{1 + \sqrt{2} + \sin^2(x)} \right) \end{aligned}$$

**Mathematica [A]** time = 0.0465269, size = 19, normalized size = 0.53

$$\sqrt{2} \tan^{-1} \left( \sqrt{2} \tan(x) \right) - x$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[(\text{Sec}[x]^2 + \text{Tan}[x]^2)^{-1}, x]$

[Out]  $-x + \text{Sqrt}[2] * \text{ArcTan}[\text{Sqrt}[2] * \text{Tan}[x]]$

**Maple [A]** time = 0.046, size = 16, normalized size = 0.4

$$\sqrt{2} \arctan\left(\tan(x) \sqrt{2}\right) - x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(sec(x)^2+tan(x)^2),x)`

[Out]  $2^{(1/2)} * \arctan(\tan(x) * 2^{(1/2)}) - x$

**Maxima [A]** time = 1.46873, size = 20, normalized size = 0.56

$$\sqrt{2} \arctan\left(\sqrt{2} \tan(x)\right) - x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(sec(x)^2+tan(x)^2),x, algorithm="maxima")`

[Out]  $\text{sqrt}(2) * \arctan(\text{sqrt}(2) * \tan(x)) - x$

**Fricas [A]** time = 1.77284, size = 107, normalized size = 2.97

$$-\frac{1}{2} \sqrt{2} \arctan\left(\frac{3 \sqrt{2} \cos(x)^2 - 2 \sqrt{2}}{4 \cos(x) \sin(x)}\right) - x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(sec(x)^2+tan(x)^2),x, algorithm="fricas")`

[Out]  $-1/2 * \text{sqrt}(2) * \arctan(1/4 * (3 * \text{sqrt}(2) * \cos(x)^2 - 2 * \text{sqrt}(2)) / (\cos(x) * \sin(x))) - x$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\tan^2(x) + \sec^2(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(sec(x)**2+tan(x)**2),x)`

[Out] `Integral(1/(tan(x)**2 + sec(x)**2), x)`

**Giac [A]** time = 1.11276, size = 20, normalized size = 0.56

$$\sqrt{2} \arctan\left(\sqrt{2} \tan(x)\right) - x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sec(x)^2+tan(x)^2),x, algorithm="giac")

[Out] sqrt(2)\*arctan(sqrt(2)\*tan(x)) - x

$$3.485 \quad \int \frac{1}{(\sec^2(x) + \tan^2(x))^2} dx$$

**Optimal.** Leaf size=49

$$-\frac{x}{\sqrt{2}} + x + \frac{\tan(x)}{2 \tan^2(x) + 1} - \frac{\tan^{-1}\left(\frac{\sin(x) \cos(x)}{\sin^2(x) + \sqrt{2} + 1}\right)}{\sqrt{2}}$$

[Out] x - x/Sqrt[2] - ArcTan[(Cos[x]\*Sin[x])/(1 + Sqrt[2] + Sin[x]^2)]/Sqrt[2] + Tan[x]/(1 + 2\*Tan[x]^2)

**Rubi [A]** time = 0.0452656, antiderivative size = 49, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$ , Rules used = {414, 12, 481, 203}

$$-\frac{x}{\sqrt{2}} + x + \frac{\tan(x)}{2 \tan^2(x) + 1} - \frac{\tan^{-1}\left(\frac{\sin(x) \cos(x)}{\sin^2(x) + \sqrt{2} + 1}\right)}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[x]^2 + Tan[x]^2)^(-2), x]

[Out] x - x/Sqrt[2] - ArcTan[(Cos[x]\*Sin[x])/(1 + Sqrt[2] + Sin[x]^2)]/Sqrt[2] + Tan[x]/(1 + 2\*Tan[x]^2)

#### Rule 414

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c - a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && !(IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c, d, n, p, q, x]
```

#### Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

#### Rule 481

```
Int[((e_.)*(x_))^(m_.)/(((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(n_))), x_Symbol]
:> -Dist[(a*e^n)/(b*c - a*d), Int[(e*x)^(m - n)/(a + b*x^n), x], x] + Dist[(c*e^n)/(b*c - a*d), Int[(e*x)^(m - n)/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LeQ[n, m, 2*n - 1]
```

#### Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(\sec^2(x) + \tan^2(x))^2} dx &= \text{Subst} \left( \int \frac{1}{(1+x^2)(1+2x^2)^2} dx, x, \tan(x) \right) \\
&= \frac{\tan(x)}{1+2\tan^2(x)} - \frac{1}{2} \text{Subst} \left( \int -\frac{2x^2}{(1+x^2)(1+2x^2)} dx, x, \tan(x) \right) \\
&= \frac{\tan(x)}{1+2\tan^2(x)} + \text{Subst} \left( \int \frac{x^2}{(1+x^2)(1+2x^2)} dx, x, \tan(x) \right) \\
&= \frac{\tan(x)}{1+2\tan^2(x)} + \text{Subst} \left( \int \frac{1}{1+x^2} dx, x, \tan(x) \right) - \text{Subst} \left( \int \frac{1}{1+2x^2} dx, x, \tan(x) \right) \\
&= x - \frac{x}{\sqrt{2}} - \frac{\tan^{-1} \left( \frac{\cos(x)\sin(x)}{1+\sqrt{2}+\sin^2(x)} \right)}{\sqrt{2}} + \frac{\tan(x)}{1+2\tan^2(x)}
\end{aligned}$$

**Mathematica [A]** time = 0.136855, size = 42, normalized size = 0.86

$$\frac{-3x - \sin(2x) + x \cos(2x)}{\cos(2x) - 3} - \frac{\tan^{-1}(\sqrt{2} \tan(x))}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[x]^2 + Tan[x]^2)^(-2), x]

[Out] -(ArcTan[Sqrt[2]\*Tan[x]]/Sqrt[2]) + (-3\*x + x\*Cos[2\*x] - Sin[2\*x])/(-3 + Cos[2\*x])

**Maple [A]** time = 0.057, size = 27, normalized size = 0.6

$$\frac{\tan(x)}{2} \left( (\tan(x))^2 + \frac{1}{2} \right)^{-1} - \frac{\sqrt{2} \arctan(\tan(x) \sqrt{2})}{2} + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(sec(x)^2+tan(x)^2)^2,x)

[Out] 1/2\*tan(x)/(tan(x)^2+1/2)-1/2\*2^(1/2)\*arctan(tan(x)\*2^(1/2))+x

**Maxima [A]** time = 1.48363, size = 36, normalized size = 0.73

$$-\frac{1}{2} \sqrt{2} \arctan(\sqrt{2} \tan(x)) + x + \frac{\tan(x)}{2 \tan(x)^2 + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sec(x)^2+tan(x)^2)^2,x, algorithm="maxima")

[Out] -1/2\*sqrt(2)\*arctan(sqrt(2)\*tan(x)) + x + tan(x)/(2\*tan(x)^2 + 1)

**Fricas [A]** time = 1.82123, size = 207, normalized size = 4.22

$$\frac{4x \cos(x)^2 + (\sqrt{2} \cos(x)^2 - 2\sqrt{2}) \arctan\left(\frac{3\sqrt{2} \cos(x)^2 - 2\sqrt{2}}{4 \cos(x) \sin(x)}\right) - 4 \cos(x) \sin(x) - 8x}{4(\cos(x)^2 - 2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sec(x)^2+tan(x)^2)^2,x, algorithm="fricas")

[Out] 1/4\*(4\*x\*cos(x)^2 + (sqrt(2)\*cos(x)^2 - 2\*sqrt(2))\*arctan(1/4\*(3\*sqrt(2)\*cos(x)^2 - 2\*sqrt(2))/(cos(x)\*sin(x))) - 4\*cos(x)\*sin(x) - 8\*x)/(cos(x)^2 - 2)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(\tan^2(x) + \sec^2(x))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sec(x)\*\*2+tan(x)\*\*2)\*\*2,x)

[Out] Integral((tan(x)\*\*2 + sec(x)\*\*2)\*\*(-2), x)

**Giac [A]** time = 1.12385, size = 36, normalized size = 0.73

$$-\frac{1}{2} \sqrt{2} \arctan\left(\sqrt{2} \tan(x)\right) + x + \frac{\tan(x)}{2 \tan(x)^2 + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sec(x)^2+tan(x)^2)^2,x, algorithm="giac")

[Out] -1/2\*sqrt(2)\*arctan(sqrt(2)\*tan(x)) + x + tan(x)/(2\*tan(x)^2 + 1)



$$3.486 \quad \int \frac{1}{(\sec^2(x) + \tan^2(x))^3} dx$$

**Optimal.** Leaf size=74

$$\frac{7x}{4\sqrt{2}} - x - \frac{\tan(x)}{4(2\tan^2(x) + 1)} + \frac{\tan(x)}{2(2\tan^2(x) + 1)^2} + \frac{7 \tan^{-1}\left(\frac{\sin(x)\cos(x)}{\sin^2(x) + \sqrt{2} + 1}\right)}{4\sqrt{2}}$$

[Out] -x + (7\*x)/(4\*Sqrt[2]) + (7\*ArcTan[(Cos[x]\*Sin[x])/(1 + Sqrt[2] + Sin[x]^2)])/ (4\*Sqrt[2]) + Tan[x]/(2\*(1 + 2\*Tan[x]^2)^2) - Tan[x]/(4\*(1 + 2\*Tan[x]^2))

**Rubi [A]** time = 0.0546415, antiderivative size = 74, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$ , Rules used = {414, 527, 522, 203}

$$\frac{7x}{4\sqrt{2}} - x - \frac{\tan(x)}{4(2\tan^2(x) + 1)} + \frac{\tan(x)}{2(2\tan^2(x) + 1)^2} + \frac{7 \tan^{-1}\left(\frac{\sin(x)\cos(x)}{\sin^2(x) + \sqrt{2} + 1}\right)}{4\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[x]^2 + Tan[x]^2)^(-3), x]

[Out] -x + (7\*x)/(4\*Sqrt[2]) + (7\*ArcTan[(Cos[x]\*Sin[x])/(1 + Sqrt[2] + Sin[x]^2)])/ (4\*Sqrt[2]) + Tan[x]/(2\*(1 + 2\*Tan[x]^2)^2) - Tan[x]/(4\*(1 + 2\*Tan[x]^2))

#### Rule 414

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] :> -Simp[(b\*x\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(a\*n\*(p + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*n\*(p + 1)\*(b\*c - a\*d)), Int[(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^q\*Simp[b\*c + n\*(p + 1)\*(b\*c - a\*d) + d\*b\*(n\*(p + q + 2) + 1)\*x^n, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b\*c - a\*d, 0] && LtQ[p, -1] && !(IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c, d, n, p, q, x]

#### Rule 527

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.)\*((e\_) + (f\_.)\*(x\_)^(n\_)), x\_Symbol] :> -Simp[((b\*e - a\*f)\*x\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(a\*n\*(b\*c - a\*d)\*(p + 1)), x] + Dist[1/(a\*n\*(b\*c - a\*d)\*(p + 1)), Int[(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^q\*Simp[c\*(b\*e - a\*f) + e\*n\*(b\*c - a\*d)\*(p + 1) + d\*(b\*e - a\*f)\*(n\*(p + q + 2) + 1)\*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]

#### Rule 522

Int[((e\_) + (f\_.)\*(x\_)^(n\_))/(((a\_) + (b\_.)\*(x\_)^(n\_))\*((c\_) + (d\_.)\*(x\_)^(n\_))), x\_Symbol] :> Dist[(b\*e - a\*f)/(b\*c - a\*d), Int[1/(a + b\*x^n), x], x] - Dist[(d\*e - c\*f)/(b\*c - a\*d), Int[1/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

#### Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

### Rubi steps

$$\begin{aligned} \int \frac{1}{(\sec^2(x) + \tan^2(x))^3} dx &= \text{Subst} \left( \int \frac{1}{(1+x^2)(1+2x^2)^3} dx, x, \tan(x) \right) \\ &= \frac{\tan(x)}{2(1+2\tan^2(x))^2} - \frac{1}{4} \text{Subst} \left( \int \frac{-2-6x^2}{(1+x^2)(1+2x^2)^2} dx, x, \tan(x) \right) \\ &= \frac{\tan(x)}{2(1+2\tan^2(x))^2} - \frac{\tan(x)}{4(1+2\tan^2(x))} + \frac{1}{8} \text{Subst} \left( \int \frac{6-2x^2}{(1+x^2)(1+2x^2)} dx, x, \tan(x) \right) \\ &= \frac{\tan(x)}{2(1+2\tan^2(x))^2} - \frac{\tan(x)}{4(1+2\tan^2(x))} + \frac{7}{4} \text{Subst} \left( \int \frac{1}{1+2x^2} dx, x, \tan(x) \right) - \text{Subst} \left( \int \frac{1}{1+x^2} dx, x, \tan(x) \right) \\ &= -x + \frac{7x}{4\sqrt{2}} + \frac{7 \tan^{-1} \left( \frac{\cos(x) \sin(x)}{1+\sqrt{2}+\sin^2(x)} \right)}{4\sqrt{2}} + \frac{\tan(x)}{2(1+2\tan^2(x))^2} - \frac{\tan(x)}{4(1+2\tan^2(x))} \end{aligned}$$

**Mathematica [A]** time = 0.184788, size = 79, normalized size = 1.07

$$\frac{(\cos(2x) - 3) \sec^6(x) (-76x - 2 \sin(2x) + 3 \sin(4x) + 48x \cos(2x) - 4x \cos(4x) + 7\sqrt{2}(\cos(2x) - 3)^2 \tan^{-1}(\sqrt{2} \tan(x)))}{64(\tan^2(x) + \sec^2(x))^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sec[x]^2 + Tan[x]^2)^(-3), x]
```

```
[Out] -((-3 + Cos[2*x])*Sec[x]^6*(-76*x + 7*Sqrt[2]*ArcTan[Sqrt[2]*Tan[x]]*(-3 + Cos[2*x])^2 + 48*x*Cos[2*x] - 4*x*Cos[4*x] - 2*Sin[2*x] + 3*Sin[4*x]))/(64*(Sec[x]^2 + Tan[x]^2)^3)
```

**Maple [A]** time = 0.054, size = 40, normalized size = 0.5

$$8 \frac{-1/16 (\tan(x))^3 + 1/32 \tan(x)}{(1 + 2 (\tan(x))^2)^2} + \frac{7 \sqrt{2} \arctan(\tan(x) \sqrt{2})}{8} - x$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(sec(x)^2+tan(x)^2)^3,x)
```

```
[Out] 8*(-1/16*tan(x)^3+1/32*tan(x))/(1+2*tan(x)^2)^2+7/8*2^(1/2)*arctan(tan(x)*2^(1/2))-x
```

**Maxima [A]** time = 1.48526, size = 61, normalized size = 0.82

$$\frac{7}{8} \sqrt{2} \arctan(\sqrt{2} \tan(x)) - x - \frac{2 \tan(x)^3 - \tan(x)}{4(4 \tan(x)^4 + 4 \tan(x)^2 + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sec(x)^2+tan(x)^2)^3,x, algorithm="maxima")

[Out]  $\frac{7}{8}\sqrt{2}\arctan(\sqrt{2}\tan(x)) - x - \frac{1}{4}(2\tan(x)^3 - \tan(x))/(4\tan(x)^4 + 4\tan(x)^2 + 1)$

**Fricas [A]** time = 1.84311, size = 305, normalized size = 4.12

$$\frac{16x \cos(x)^4 - 64x \cos(x)^2 + 7(\sqrt{2} \cos(x)^4 - 4\sqrt{2} \cos(x)^2 + 4\sqrt{2}) \arctan\left(\frac{3\sqrt{2} \cos(x)^2 - 2\sqrt{2}}{4 \cos(x) \sin(x)}\right) - 4(3 \cos(x)^3 - 2 \cos(x)) \sin(x)}{16(\cos(x)^4 - 4 \cos(x)^2 + 4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sec(x)^2+tan(x)^2)^3,x, algorithm="fricas")

[Out]  $-\frac{1}{16}(16x \cos(x)^4 - 64x \cos(x)^2 + 7(\sqrt{2} \cos(x)^4 - 4\sqrt{2} \cos(x)^2 + 4\sqrt{2}) \arctan(1/4(3\sqrt{2} \cos(x)^2 - 2\sqrt{2})/(\cos(x) \sin(x)))) - 4(3 \cos(x)^3 - 2 \cos(x)) \sin(x) + 64x/(\cos(x)^4 - 4 \cos(x)^2 + 4)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(\tan^2(x) + \sec^2(x))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sec(x)\*\*2+tan(x)\*\*2)\*\*3,x)

[Out] Integral((tan(x)\*\*2 + sec(x)\*\*2)\*\*(-3), x)

**Giac [A]** time = 1.16182, size = 53, normalized size = 0.72

$$\frac{7}{8}\sqrt{2}\arctan(\sqrt{2}\tan(x)) - x - \frac{2 \tan(x)^3 - \tan(x)}{4(2 \tan(x)^2 + 1)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sec(x)^2+tan(x)^2)^3,x, algorithm="giac")

[Out]  $\frac{7}{8}\sqrt{2}\arctan(\sqrt{2}\tan(x)) - x - \frac{1}{4}(2\tan(x)^3 - \tan(x))/(2\tan(x)^2 + 1)^2$

$$3.487 \quad \int \frac{1}{\sec^2(x) - \tan^2(x)} dx$$

**Optimal.** Leaf size=1

$x$

[Out]  $x$

**Rubi [A]** time = 0.012288, antiderivative size = 1, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {4381, 8}

$x$

Antiderivative was successfully verified.

[In] Int[(Sec[x]^2 - Tan[x]^2)^(-1), x]

[Out]  $x$

#### Rule 4381

Int[(u\_.)\*((a\_.) + (c\_.)\*sec[(d\_.) + (e\_.)\*(x\_)]^2 + (b\_.)\*tan[(d\_.) + (e\_.)\*(x\_)]^2)^(p\_.), x\_Symbol] :> Dist[(a + c)^p, Int[ActivateTrig[u], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[b + c, 0]

#### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\int \frac{1}{\sec^2(x) - \tan^2(x)} dx = \int 1 dx = x$$

**Mathematica [A]** time = 0.0005178, size = 1, normalized size = 1.

$x$

Antiderivative was successfully verified.

[In] Integrate[(Sec[x]^2 - Tan[x]^2)^(-1), x]

[Out]  $x$

**Maple [C]** time = 0.024, size = 4, normalized size = 4.

arctan(tan(x))

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(sec(x)^2-tan(x)^2),x)`

[Out] `arctan(tan(x))`

**Maxima [A]** time = 1.48744, size = 1, normalized size = 1.

$x$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(sec(x)^2-tan(x)^2),x, algorithm="maxima")`

[Out] `x`

**Fricas [A]** time = 1.6008, size = 4, normalized size = 4.

$x$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(sec(x)^2-tan(x)^2),x, algorithm="fricas")`

[Out] `x`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-\tan(x) + \sec(x))(\tan(x) + \sec(x))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(sec(x)**2-tan(x)**2),x)`

[Out] `Integral(1/((-tan(x) + sec(x))*(tan(x) + sec(x))), x)`

**Giac [A]** time = 1.11368, size = 1, normalized size = 1.

$x$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(sec(x)^2-tan(x)^2),x, algorithm="giac")`

[Out] `x`

$$3.488 \quad \int \frac{1}{(\sec^2(x) - \tan^2(x))^2} dx$$

**Optimal.** Leaf size=1

$x$

[Out]  $x$

**Rubi [A]** time = 0.0125699, antiderivative size = 1, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {4381, 8}

$x$

Antiderivative was successfully verified.

[In] Int[(Sec[x]^2 - Tan[x]^2)^(-2), x]

[Out]  $x$

**Rule 4381**

Int[(u\_.)\*((a\_.) + (c\_.)\*sec[(d\_.) + (e\_.)\*(x\_)]^2 + (b\_.)\*tan[(d\_.) + (e\_.)\*(x\_)]^2)^(p\_.), x\_Symbol] :> Dist[(a + c)^p, Int[ActivateTrig[u], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[b + c, 0]

**Rule 8**

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

**Rubi steps**

$$\int \frac{1}{(\sec^2(x) - \tan^2(x))^2} dx = \int 1 dx = x$$

**Mathematica [A]** time = 0.0004217, size = 1, normalized size = 1.

$x$

Antiderivative was successfully verified.

[In] Integrate[(Sec[x]^2 - Tan[x]^2)^(-2), x]

[Out]  $x$

**Maple [C]** time = 0.024, size = 4, normalized size = 4.

$\arctan(\tan(x))$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(sec(x)^2-tan(x)^2)^2,x)`

[Out] `arctan(tan(x))`

**Maxima [A]** time = 1.49048, size = 1, normalized size = 1.

$x$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(sec(x)^2-tan(x)^2)^2,x, algorithm="maxima")`

[Out] `x`

**Fricas [A]** time = 1.57713, size = 4, normalized size = 4.

$x$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(sec(x)^2-tan(x)^2)^2,x, algorithm="fricas")`

[Out] `x`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-\tan(x) + \sec(x))^2 (\tan(x) + \sec(x))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(sec(x)**2-tan(x)**2)**2,x)`

[Out] `Integral(1/((-tan(x) + sec(x))**2*(tan(x) + sec(x))**2), x)`

**Giac [A]** time = 1.14096, size = 1, normalized size = 1.

$x$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(sec(x)^2-tan(x)^2)^2,x, algorithm="giac")`

[Out] `x`

$$3.489 \quad \int \frac{1}{(\sec^2(x) - \tan^2(x))^3} dx$$

**Optimal.** Leaf size=1

$x$

[Out]  $x$

**Rubi [A]** time = 0.0123656, antiderivative size = 1, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {4381, 8}

$x$

Antiderivative was successfully verified.

[In] Int[(Sec[x]^2 - Tan[x]^2)^(-3), x]

[Out]  $x$

**Rule 4381**

Int[(u\_.)\*((a\_.) + (c\_.)\*sec[(d\_.) + (e\_.)\*(x\_)]^2 + (b\_.)\*tan[(d\_.) + (e\_.)\*(x\_)]^2)^(p\_.), x\_Symbol] :> Dist[(a + c)^p, Int[ActivateTrig[u], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[b + c, 0]

**Rule 8**

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

**Rubi steps**

$$\int \frac{1}{(\sec^2(x) - \tan^2(x))^3} dx = \int 1 dx = x$$

**Mathematica [A]** time = 0.0004323, size = 1, normalized size = 1.

$x$

Antiderivative was successfully verified.

[In] Integrate[(Sec[x]^2 - Tan[x]^2)^(-3), x]

[Out]  $x$

**Maple [C]** time = 0.028, size = 4, normalized size = 4.

$\arctan(\tan(x))$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(sec(x)^2-tan(x)^2)^3,x)`

[Out] `arctan(tan(x))`

---

**Maxima [A]** time = 1.50833, size = 1, normalized size = 1.

$x$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(sec(x)^2-tan(x)^2)^3,x, algorithm="maxima")`

[Out] `x`

---

**Fricas [A]** time = 1.61466, size = 4, normalized size = 4.

$x$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(sec(x)^2-tan(x)^2)^3,x, algorithm="fricas")`

[Out] `x`

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-\tan(x) + \sec(x))^3 (\tan(x) + \sec(x))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(sec(x)**2-tan(x)**2)**3,x)`

[Out] `Integral(1/((-tan(x) + sec(x))**3*(tan(x) + sec(x))**3), x)`

---

**Giac [A]** time = 1.11735, size = 1, normalized size = 1.

$x$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(sec(x)^2-tan(x)^2)^3,x, algorithm="giac")`

[Out] `x`

$$3.490 \quad \int \frac{1}{\cot^2(x) + \csc^2(x)} dx$$

**Optimal.** Leaf size=37

$$\sqrt{2}x - x - \sqrt{2} \tan^{-1} \left( \frac{\sin(x) \cos(x)}{\cos^2(x) + \sqrt{2} + 1} \right)$$

[Out] -x + Sqrt[2]\*x - Sqrt[2]\*ArcTan[(Cos[x]\*Sin[x])/(1 + Sqrt[2] + Cos[x]^2)]

**Rubi [A]** time = 0.0310605, antiderivative size = 37, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 2, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {1130, 203}

$$\sqrt{2}x - x - \sqrt{2} \tan^{-1} \left( \frac{\sin(x) \cos(x)}{\cos^2(x) + \sqrt{2} + 1} \right)$$

Antiderivative was successfully verified.

[In] Int[(Cot[x]^2 + Csc[x]^2)^(-1), x]

[Out] -x + Sqrt[2]\*x - Sqrt[2]\*ArcTan[(Cos[x]\*Sin[x])/(1 + Sqrt[2] + Cos[x]^2)]

#### Rule 1130

Int[((d\_.)\*(x\_))^(m\_)/((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4), x\_Symbol] :> With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[(d^2\*(b/q + 1))/2, Int[(d\*x)^(m - 2)/(b/2 + q/2 + c\*x^2), x], x] - Dist[(d^2\*(b/q - 1))/2, Int[(d\*x)^(m - 2)/(b/2 - q/2 + c\*x^2), x], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b^2 - 4\*a\*c, 0] && GeQ[m, 2]

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{1}{\cot^2(x) + \csc^2(x)} dx &= \text{Subst} \left( \int \frac{x^2}{2 + 3x^2 + x^4} dx, x, \tan(x) \right) \\ &= 2 \text{Subst} \left( \int \frac{1}{2 + x^2} dx, x, \tan(x) \right) - \text{Subst} \left( \int \frac{1}{1 + x^2} dx, x, \tan(x) \right) \\ &= -x + \sqrt{2}x - \sqrt{2} \tan^{-1} \left( \frac{\cos(x) \sin(x)}{1 + \sqrt{2} + \cos^2(x)} \right) \end{aligned}$$

**Mathematica [A]** time = 0.0426427, size = 19, normalized size = 0.51

$$\sqrt{2} \tan^{-1} \left( \frac{\tan(x)}{\sqrt{2}} \right) - x$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[x]^2 + Csc[x]^2)^(-1), x]

[Out] -x + Sqrt[2]\*ArcTan[Tan[x]/Sqrt[2]]

**Maple [A]** time = 0.077, size = 17, normalized size = 0.5

$$\sqrt{2} \arctan\left(\frac{\tan(x) \sqrt{2}}{2}\right) - x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cot(x)^2+csc(x)^2), x)

[Out] 2^(1/2)\*arctan(1/2\*tan(x)\*2^(1/2))-x

**Maxima [A]** time = 1.48216, size = 22, normalized size = 0.59

$$\sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2} \tan(x)\right) - x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(cot(x)^2+csc(x)^2), x, algorithm="maxima")

[Out] sqrt(2)\*arctan(1/2\*sqrt(2)\*tan(x)) - x

**Fricas [A]** time = 1.89927, size = 104, normalized size = 2.81

$$-\frac{1}{2} \sqrt{2} \arctan\left(\frac{3 \sqrt{2} \cos(x)^2 - \sqrt{2}}{4 \cos(x) \sin(x)}\right) - x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(cot(x)^2+csc(x)^2), x, algorithm="fricas")

[Out] -1/2\*sqrt(2)\*arctan(1/4\*(3\*sqrt(2)\*cos(x)^2 - sqrt(2))/(cos(x)\*sin(x))) - x

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\cot^2(x) + \csc^2(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(cot(x)\*\*2+csc(x)\*\*2), x)

[Out] Integral(1/(cot(x)\*\*2 + csc(x)\*\*2), x)

---

**Giac [A]** time = 1.13108, size = 66, normalized size = 1.78

$$\sqrt{2} \left( x + \arctan \left( -\frac{\sqrt{2} \sin(2x) - \sin(2x)}{\sqrt{2} \cos(2x) + \sqrt{2} - \cos(2x) + 1} \right) \right) - x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(cot(x)^2+csc(x)^2),x, algorithm="giac")

[Out] sqrt(2)\*(x + arctan(-(sqrt(2)\*sin(2\*x) - sin(2\*x))/(sqrt(2)\*cos(2\*x) + sqrt(2) - cos(2\*x) + 1))) - x

$$3.491 \quad \int \frac{1}{(\cot^2(x) + \csc^2(x))^2} dx$$

**Optimal.** Leaf size=47

$$-\frac{x}{\sqrt{2}} + x - \frac{\tan(x)}{\tan^2(x) + 2} + \frac{\tan^{-1}\left(\frac{\sin(x)\cos(x)}{\cos^2(x) + \sqrt{2} + 1}\right)}{\sqrt{2}}$$

[Out] x - x/Sqrt[2] + ArcTan[(Cos[x]\*Sin[x])/(1 + Sqrt[2] + Cos[x]^2)]/Sqrt[2] - Tan[x]/(2 + Tan[x]^2)

**Rubi [A]** time = 0.0400156, antiderivative size = 47, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$ , Rules used = {470, 12, 391, 203}

$$-\frac{x}{\sqrt{2}} + x - \frac{\tan(x)}{\tan^2(x) + 2} + \frac{\tan^{-1}\left(\frac{\sin(x)\cos(x)}{\cos^2(x) + \sqrt{2} + 1}\right)}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(Cot[x]^2 + Csc[x]^2)^(-2), x]

[Out] x - x/Sqrt[2] + ArcTan[(Cos[x]\*Sin[x])/(1 + Sqrt[2] + Cos[x]^2)]/Sqrt[2] - Tan[x]/(2 + Tan[x]^2)

#### Rule 470

Int[((e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] := -Simp[(a\*e^(2\*n - 1)\*(e\*x)^(m - 2\*n + 1)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(b\*n\*(b\*c - a\*d)\*(p + 1)), x] + Dist[e^(2\*n)/(b\*n\*(b\*c - a\*d)\*(p + 1)), Int[(e\*x)^(m - 2\*n)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^q\*Simp[a\*c\*(m - 2\*n + 1) + (a\*d\*(m - n + n\*q + 1) + b\*c\*n\*(p + 1))\*x^n, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m - n + 1, n] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 391

Int[1/(((a\_) + (b\_)\*(x\_)^(n\_))\*((c\_) + (d\_)\*(x\_)^(n\_))), x\_Symbol] := Dist[b/(b\*c - a\*d), Int[1/(a + b\*x^n), x], x] - Dist[d/(b\*c - a\*d), Int[1/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 203

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{1}{(\cot^2(x) + \csc^2(x))^2} dx &= \text{Subst} \left( \int \frac{x^4}{(1+x^2)(2+x^2)^2} dx, x, \tan(x) \right) \\
&= -\frac{\tan(x)}{2 + \tan^2(x)} + \frac{1}{2} \text{Subst} \left( \int \frac{2}{(1+x^2)(2+x^2)} dx, x, \tan(x) \right) \\
&= -\frac{\tan(x)}{2 + \tan^2(x)} + \text{Subst} \left( \int \frac{1}{(1+x^2)(2+x^2)} dx, x, \tan(x) \right) \\
&= -\frac{\tan(x)}{2 + \tan^2(x)} + \text{Subst} \left( \int \frac{1}{1+x^2} dx, x, \tan(x) \right) - \text{Subst} \left( \int \frac{1}{2+x^2} dx, x, \tan(x) \right) \\
&= x - \frac{x}{\sqrt{2}} + \frac{\tan^{-1} \left( \frac{\cos(x) \sin(x)}{1 + \sqrt{2} + \cos^2(x)} \right)}{\sqrt{2}} - \frac{\tan(x)}{2 + \tan^2(x)}
\end{aligned}$$

**Mathematica [A]** time = 0.106036, size = 64, normalized size = 1.36

$$\frac{(\cos(2x) + 3) \csc^4(x) \left( 6x - 2 \sin(2x) + 2x \cos(2x) - \sqrt{2}(\cos(2x) + 3) \tan^{-1} \left( \frac{\tan(x)}{\sqrt{2}} \right) \right)}{8 (\cot^2(x) + \csc^2(x))^2}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[x]^2 + Csc[x]^2)^(-2), x]

[Out] ((3 + Cos[2\*x])\*Csc[x]^4\*(6\*x + 2\*x\*Cos[2\*x] - Sqrt[2]\*ArcTan[Tan[x]/Sqrt[2]])\*(3 + Cos[2\*x]) - 2\*Sin[2\*x])/(8\*(Cot[x]^2 + Csc[x]^2)^2)

**Maple [A]** time = 0.103, size = 28, normalized size = 0.6

$$-\frac{\tan(x)}{2 + (\tan(x))^2} - \frac{\sqrt{2}}{2} \arctan \left( \frac{\tan(x) \sqrt{2}}{2} \right) + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cot(x)^2+csc(x)^2)^2,x)

[Out] -tan(x)/(2+tan(x)^2)-1/2\*2^(1/2)\*arctan(1/2\*tan(x)\*2^(1/2))+x

**Maxima [A]** time = 1.49496, size = 36, normalized size = 0.77

$$-\frac{1}{2} \sqrt{2} \arctan \left( \frac{1}{2} \sqrt{2} \tan(x) \right) + x - \frac{\tan(x)}{\tan(x)^2 + 2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(cot(x)^2+csc(x)^2)^2,x, algorithm="maxima")

[Out] -1/2\*sqrt(2)\*arctan(1/2\*sqrt(2)\*tan(x)) + x - tan(x)/(tan(x)^2 + 2)

**Fricas [A]** time = 1.9151, size = 201, normalized size = 4.28

$$\frac{4x \cos(x)^2 + (\sqrt{2} \cos(x)^2 + \sqrt{2}) \arctan\left(\frac{3\sqrt{2}\cos(x)^2 - \sqrt{2}}{4\cos(x)\sin(x)}\right) - 4\cos(x)\sin(x) + 4x}{4(\cos(x)^2 + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(cot(x)^2+csc(x)^2)^2,x, algorithm="fricas")

[Out] 1/4\*(4\*x\*cos(x)^2 + (sqrt(2)\*cos(x)^2 + sqrt(2))\*arctan(1/4\*(3\*sqrt(2)\*cos(x)^2 - sqrt(2))/(cos(x)\*sin(x))) - 4\*cos(x)\*sin(x) + 4\*x)/(cos(x)^2 + 1)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(cot(x)\*\*2+csc(x)\*\*2)\*\*2,x)

[Out] Timed out

**Giac [A]** time = 1.15392, size = 81, normalized size = 1.72

$$-\frac{1}{2}\sqrt{2}\left(x + \arctan\left(-\frac{\sqrt{2}\sin(2x) - \sin(2x)}{\sqrt{2}\cos(2x) + \sqrt{2} - \cos(2x) + 1}\right)\right) + x - \frac{\tan(x)}{\tan(x)^2 + 2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(cot(x)^2+csc(x)^2)^2,x, algorithm="giac")

[Out] -1/2\*sqrt(2)\*(x + arctan(-(sqrt(2)\*sin(2\*x) - sin(2\*x))/(sqrt(2)\*cos(2\*x) + sqrt(2) - cos(2\*x) + 1))) + x - tan(x)/(tan(x)^2 + 2)

$$3.492 \quad \int \frac{1}{(\cot^2(x) + \csc^2(x))^3} dx$$

**Optimal.** Leaf size=72

$$\frac{7x}{4\sqrt{2}} - x - \frac{\tan^3(x)}{2(\tan^2(x) + 2)^2} + \frac{\tan(x)}{4(\tan^2(x) + 2)} - \frac{7 \tan^{-1}\left(\frac{\sin(x)\cos(x)}{\cos^2(x) + \sqrt{2} + 1}\right)}{4\sqrt{2}}$$

[Out]  $-x + (7*x)/(4*\text{Sqrt}[2]) - (7*\text{ArcTan}[(\text{Cos}[x]*\text{Sin}[x])/(1 + \text{Sqrt}[2] + \text{Cos}[x]^2)])/(4*\text{Sqrt}[2]) - \text{Tan}[x]^3/(2*(2 + \text{Tan}[x]^2)^2) + \text{Tan}[x]/(4*(2 + \text{Tan}[x]^2))$

**Rubi [A]** time = 0.0755278, antiderivative size = 72, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$ , Rules used = {470, 578, 522, 203}

$$\frac{7x}{4\sqrt{2}} - x - \frac{\tan^3(x)}{2(\tan^2(x) + 2)^2} + \frac{\tan(x)}{4(\tan^2(x) + 2)} - \frac{7 \tan^{-1}\left(\frac{\sin(x)\cos(x)}{\cos^2(x) + \sqrt{2} + 1}\right)}{4\sqrt{2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cot}[x]^2 + \text{Csc}[x]^2)^{-3}, x]$

[Out]  $-x + (7*x)/(4*\text{Sqrt}[2]) - (7*\text{ArcTan}[(\text{Cos}[x]*\text{Sin}[x])/(1 + \text{Sqrt}[2] + \text{Cos}[x]^2)])/(4*\text{Sqrt}[2]) - \text{Tan}[x]^3/(2*(2 + \text{Tan}[x]^2)^2) + \text{Tan}[x]/(4*(2 + \text{Tan}[x]^2))$

#### Rule 470

$\text{Int}[(e_{.})*(x_{.})^{(m_{.})}*((a_{.}) + (b_{.})*(x_{.})^{(n_{.})})^{(p_{.})}*((c_{.}) + (d_{.})*(x_{.})^{(n_{.})})^{(q_{.})}, x\_Symbol] :> -\text{Simp}[(a*e^{(2*n - 1)}*(e*x)^{(m - 2*n + 1)}*(a + b*x^n)^{(p + 1)}*(c + d*x^n)^{(q + 1)})/(b*n*(b*c - a*d)*(p + 1)), x] + \text{Dist}[e^{(2*n)}/(b*n*(b*c - a*d)*(p + 1)), \text{Int}[(e*x)^{(m - 2*n)}*(a + b*x^n)^{(p + 1)}*(c + d*x^n)^q * \text{Simp}[a*c*(m - 2*n + 1) + (a*d*(m - n + n*q + 1) + b*c*n*(p + 1))*x^n, x], x] /; \text{FreeQ}\{a, b, c, d, e, q\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& \text{GtQ}[m - n + 1, n] \&\& \text{IntBinomialQ}[a, b, c, d, e, m, n, p, q, x]$

#### Rule 578

$\text{Int}[(g_{.})*(x_{.})^{(m_{.})}*((a_{.}) + (b_{.})*(x_{.})^{(n_{.})})^{(p_{.})}*((c_{.}) + (d_{.})*(x_{.})^{(n_{.})})^{(q_{.})}*((e_{.}) + (f_{.})*(x_{.})^{(n_{.})}), x\_Symbol] :> \text{Simp}[(g^{(n - 1)}*(b*e - a*f)*(g*x)^{(m - n + 1)}*(a + b*x^n)^{(p + 1)}*(c + d*x^n)^{(q + 1)})/(b*n*(b*c - a*d)*(p + 1)), x] - \text{Dist}[g^n/(b*n*(b*c - a*d)*(p + 1)), \text{Int}[(g*x)^{(m - n)}*(a + b*x^n)^{(p + 1)}*(c + d*x^n)^q * \text{Simp}[c*(b*e - a*f)*(m - n + 1) + (d*(b*e - a*f)*(m + n*q + 1) - b*n*(c*f - d*e)*(p + 1))*x^n, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, q\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& \text{GtQ}[m - n + 1, 0]$

#### Rule 522

$\text{Int}[(e_{.}) + (f_{.})*(x_{.})^{(n_{.})})/(((a_{.}) + (b_{.})*(x_{.})^{(n_{.})})*((c_{.}) + (d_{.})*(x_{.})^{(n_{.})}), x\_Symbol] :> \text{Dist}[(b*e - a*f)/(b*c - a*d), \text{Int}[1/(a + b*x^n), x], x] - \text{Dist}[(d*e - c*f)/(b*c - a*d), \text{Int}[1/(c + d*x^n), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x]$

#### Rule 203



Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rubi steps

$$\begin{aligned}
 \int \frac{1}{(\cot^2(x) + \csc^2(x))^3} dx &= \text{Subst} \left( \int \frac{x^6}{(1+x^2)(2+x^2)^3} dx, x, \tan(x) \right) \\
 &= -\frac{\tan^3(x)}{2(2+\tan^2(x))^2} + \frac{1}{4} \text{Subst} \left( \int \frac{x^2(6+2x^2)}{(1+x^2)(2+x^2)^2} dx, x, \tan(x) \right) \\
 &= -\frac{\tan^3(x)}{2(2+\tan^2(x))^2} + \frac{\tan(x)}{4(2+\tan^2(x))} - \frac{1}{8} \text{Subst} \left( \int \frac{2-6x^2}{(1+x^2)(2+x^2)} dx, x, \tan(x) \right) \\
 &= -\frac{\tan^3(x)}{2(2+\tan^2(x))^2} + \frac{\tan(x)}{4(2+\tan^2(x))} + \frac{7}{4} \text{Subst} \left( \int \frac{1}{2+x^2} dx, x, \tan(x) \right) - \text{Subst} \left( \int \frac{1}{2+x^2} dx, x, \tan(x) \right) \\
 &= -x + \frac{7x}{4\sqrt{2}} - \frac{7 \tan^{-1} \left( \frac{\cos(x) \sin(x)}{1+\sqrt{2}+\cos^2(x)} \right)}{4\sqrt{2}} - \frac{\tan^3(x)}{2(2+\tan^2(x))^2} + \frac{\tan(x)}{4(2+\tan^2(x))}
 \end{aligned}$$

**Mathematica [A]** time = 0.16371, size = 66, normalized size = 0.92

$$\frac{-76x + 2 \sin(2x) + 3 \sin(4x) - 48x \cos(2x) - 4x \cos(4x) + 7\sqrt{2}(\cos(2x) + 3)^2 \tan^{-1} \left( \frac{\tan(x)}{\sqrt{2}} \right)}{8(\cos(2x) + 3)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[x]^2 + Csc[x]^2)^(-3), x]

[Out] (-76\*x - 48\*x\*Cos[2\*x] + 7\*Sqrt[2]\*ArcTan[Tan[x]/Sqrt[2]]\*(3 + Cos[2\*x])^2 - 4\*x\*Cos[4\*x] + 2\*Sin[2\*x] + 3\*Sin[4\*x])/(8\*(3 + Cos[2\*x])^2)

**Maple [A]** time = 0.121, size = 39, normalized size = 0.5

$$2 \frac{-1/8 (\tan(x))^3 + 1/4 \tan(x)}{(2 + (\tan(x))^2)^2} + \frac{7\sqrt{2}}{8} \arctan \left( \frac{\tan(x)\sqrt{2}}{2} \right) - x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cot(x)^2+csc(x)^2)^3,x)

[Out] 2\*(-1/8\*tan(x)^3+1/4\*tan(x))/(2+tan(x)^2)^2+7/8\*2^(1/2)\*arctan(1/2\*tan(x)\*2^(1/2))-x

**Maxima [A]** time = 1.51483, size = 57, normalized size = 0.79

$$\frac{7}{8} \sqrt{2} \arctan \left( \frac{1}{2} \sqrt{2} \tan(x) \right) - x - \frac{\tan(x)^3 - 2 \tan(x)}{4(\tan(x)^4 + 4 \tan(x)^2 + 4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(cot(x)^2+csc(x)^2)^3,x, algorithm="maxima")

[Out]  $\frac{7}{8}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}\tan(x)\right) - x - \frac{1}{4}\frac{\tan(x)^3 - 2\tan(x)}{\tan(x)^4 + 4\tan(x)^2 + 4}$

**Fricas [A]** time = 1.85431, size = 297, normalized size = 4.12

$$\frac{16x\cos(x)^4 + 32x\cos(x)^2 + 7\left(\sqrt{2}\cos(x)^4 + 2\sqrt{2}\cos(x)^2 + \sqrt{2}\right)\arctan\left(\frac{3\sqrt{2}\cos(x)^2 - \sqrt{2}}{4\cos(x)\sin(x)}\right) - 4\left(3\cos(x)^3 - \cos(x)\right)\sin(x)}{16\left(\cos(x)^4 + 2\cos(x)^2 + 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(cot(x)^2+csc(x)^2)^3,x, algorithm="fricas")

[Out]  $-\frac{1}{16}(16x\cos(x)^4 + 32x\cos(x)^2 + 7(\sqrt{2}\cos(x)^4 + 2\sqrt{2}\cos(x)^2 + \sqrt{2})\arctan\left(\frac{3\sqrt{2}\cos(x)^2 - \sqrt{2}}{4\cos(x)\sin(x)}\right) - 4(3\cos(x)^3 - \cos(x))\sin(x) + 16x)/(\cos(x)^4 + 2\cos(x)^2 + 1)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(cot(x)\*\*2+csc(x)\*\*2)\*\*3,x)

[Out] Timed out

**Giac [A]** time = 1.13138, size = 93, normalized size = 1.29

$$\frac{7}{8}\sqrt{2}\left(x + \arctan\left(-\frac{\sqrt{2}\sin(2x) - \sin(2x)}{\sqrt{2}\cos(2x) + \sqrt{2} - \cos(2x) + 1}\right)\right) - x - \frac{\tan(x)^3 - 2\tan(x)}{4(\tan(x)^2 + 2)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(cot(x)^2+csc(x)^2)^3,x, algorithm="giac")

[Out]  $\frac{7}{8}\sqrt{2}(x + \arctan(-(\sqrt{2}\sin(2x) - \sin(2x))/(\sqrt{2}\cos(2x) + \sqrt{2} - \cos(2x) + 1))) - x - \frac{1}{4}\frac{\tan(x)^3 - 2\tan(x)}{\tan(x)^2 + 2^2}$

$$3.493 \quad \int \frac{1}{\cot^2(x) - \csc^2(x)} dx$$

**Optimal.** Leaf size=3

-x

[Out] -x

**Rubi [A]** time = 0.0131306, antiderivative size = 3, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {4382, 8}

-x

Antiderivative was successfully verified.

[In] Int[(Cot[x]^2 - Csc[x]^2)^(-1), x]

[Out] -x

Rule 4382

Int[((a\_.) + cot[(d\_.) + (e\_.)\*(x\_)]^2\*(b\_.) + csc[(d\_.) + (e\_.)\*(x\_)]^2\*(c\_.))^p\*(u\_.), x\_Symbol] :> Dist[(a + c)^p, Int[ActivateTrig[u], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[b + c, 0]

Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

Rubi steps

$$\int \frac{1}{\cot^2(x) - \csc^2(x)} dx = - \int 1 dx = -x$$

**Mathematica [A]** time = 0.0004945, size = 3, normalized size = 1.

-x

Antiderivative was successfully verified.

[In] Integrate[(Cot[x]^2 - Csc[x]^2)^(-1), x]

[Out] -x

**Maple [C]** time = 0.023, size = 6, normalized size = 2.

- arctan(tan(x))

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cot(x)^2-csc(x)^2),x)`

[Out] `-arctan(tan(x))`

---

**Maxima [A]** time = 1.48515, size = 4, normalized size = 1.33

$-x$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cot(x)^2-csc(x)^2),x, algorithm="maxima")`

[Out] `-x`

---

**Fricas [A]** time = 1.64396, size = 5, normalized size = 1.67

$-x$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cot(x)^2-csc(x)^2),x, algorithm="fricas")`

[Out] `-x`

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(\cot(x) - \csc(x))(\cot(x) + \csc(x))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cot(x)**2-csc(x)**2),x)`

[Out] `Integral(1/((cot(x) - csc(x))*(cot(x) + csc(x))), x)`

---

**Giac [A]** time = 1.12555, size = 4, normalized size = 1.33

$-x$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cot(x)^2-csc(x)^2),x, algorithm="giac")`

[Out] `-x`

$$3.494 \quad \int \frac{1}{(\cot^2(x) - \csc^2(x))^2} dx$$

**Optimal.** Leaf size=1

$x$

[Out]  $x$

**Rubi [A]** time = 0.0129495, antiderivative size = 1, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {4382, 8}

$x$

Antiderivative was successfully verified.

[In] Int[(Cot[x]^2 - Csc[x]^2)^(-2), x]

[Out]  $x$

**Rule 4382**

Int[((a\_.) + cot[(d\_.) + (e\_.)\*(x\_.)]^2\*(b\_.) + csc[(d\_.) + (e\_.)\*(x\_.)]^2\*(c\_.))^p\*(u\_.), x\_Symbol] :> Dist[(a + c)^p, Int[ActivateTrig[u], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[b + c, 0]

**Rule 8**

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

**Rubi steps**

$$\int \frac{1}{(\cot^2(x) - \csc^2(x))^2} dx = \int 1 dx = x$$

**Mathematica [A]** time = 0.0006205, size = 1, normalized size = 1.

$x$

Antiderivative was successfully verified.

[In] Integrate[(Cot[x]^2 - Csc[x]^2)^(-2), x]

[Out]  $x$

**Maple [C]** time = 0.027, size = 4, normalized size = 4.

arctan(tan(x))

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cot(x)^2-csc(x)^2)^2,x)`

[Out] `arctan(tan(x))`

---

**Maxima [A]** time = 1.48911, size = 1, normalized size = 1.

$x$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cot(x)^2-csc(x)^2)^2,x, algorithm="maxima")`

[Out] `x`

---

**Fricas [A]** time = 1.76238, size = 4, normalized size = 4.

$x$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cot(x)^2-csc(x)^2)^2,x, algorithm="fricas")`

[Out] `x`

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cot(x)**2-csc(x)**2)**2,x)`

[Out] `Timed out`

---

**Giac [A]** time = 1.14184, size = 1, normalized size = 1.

$x$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cot(x)^2-csc(x)^2)^2,x, algorithm="giac")`

[Out] `x`

$$3.495 \quad \int \frac{1}{(\cot^2(x) - \csc^2(x))^3} dx$$

**Optimal.** Leaf size=3

-x

[Out] -x

**Rubi [A]** time = 0.0131694, antiderivative size = 3, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {4382, 8}

-x

Antiderivative was successfully verified.

[In] Int[(Cot[x]^2 - Csc[x]^2)^(-3), x]

[Out] -x

**Rule 4382**

Int[((a\_.) + cot[(d\_.) + (e\_.)\*(x\_.)]^2\*(b\_.) + csc[(d\_.) + (e\_.)\*(x\_.)]^2\*(c\_.))^p\*(u\_.), x\_Symbol] := Dist[(a + c)^p, Int[ActivateTrig[u], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[b + c, 0]

**Rule 8**

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

**Rubi steps**

$$\int \frac{1}{(\cot^2(x) - \csc^2(x))^3} dx = - \int 1 dx = -x$$

**Mathematica [A]** time = 0.0005598, size = 3, normalized size = 1.

-x

Antiderivative was successfully verified.

[In] Integrate[(Cot[x]^2 - Csc[x]^2)^(-3), x]

[Out] -x

**Maple [C]** time = 0.029, size = 6, normalized size = 2.

- arctan(tan(x))

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cot(x)^2-csc(x)^2)^3,x)`

[Out] `-arctan(tan(x))`

---

**Maxima [A]** time = 1.48669, size = 4, normalized size = 1.33

$-x$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cot(x)^2-csc(x)^2)^3,x, algorithm="maxima")`

[Out] `-x`

---

**Fricas [A]** time = 1.48543, size = 5, normalized size = 1.67

$-x$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cot(x)^2-csc(x)^2)^3,x, algorithm="fricas")`

[Out] `-x`

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cot(x)**2-csc(x)**2)**3,x)`

[Out] `Timed out`

---

**Giac [A]** time = 1.12165, size = 4, normalized size = 1.33

$-x$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(cot(x)^2-csc(x)^2)^3,x, algorithm="giac")`

[Out] `-x`



$$3.496 \quad \int \frac{1}{a+b \cos^2(x)+c \sin^2(x)} dx$$

**Optimal.** Leaf size=33

$$\frac{\tan^{-1}\left(\frac{\sqrt{a+c} \tan(x)}{\sqrt{a+b}}\right)}{\sqrt{a+b} \sqrt{a+c}}$$

[Out] ArcTan[(Sqrt[a + c]\*Tan[x])/Sqrt[a + b]]/(Sqrt[a + b]\*Sqrt[a + c])

**Rubi [A]** time = 0.0503087, antiderivative size = 33, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.062$ , Rules used = {205}

$$\frac{\tan^{-1}\left(\frac{\sqrt{a+c} \tan(x)}{\sqrt{a+b}}\right)}{\sqrt{a+b} \sqrt{a+c}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[x]^2 + c\*Sin[x]^2)^(-1), x]

[Out] ArcTan[(Sqrt[a + c]\*Tan[x])/Sqrt[a + b]]/(Sqrt[a + b]\*Sqrt[a + c])

**Rule 205**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rubi steps**

$$\begin{aligned} \int \frac{1}{a+b \cos^2(x)+c \sin^2(x)} dx &= \text{Subst}\left(\int \frac{1}{a+b+(a+c)x^2} dx, x, \tan(x)\right) \\ &= \frac{\tan^{-1}\left(\frac{\sqrt{a+c} \tan(x)}{\sqrt{a+b}}\right)}{\sqrt{a+b} \sqrt{a+c}} \end{aligned}$$

**Mathematica [A]** time = 0.0625933, size = 33, normalized size = 1.

$$\frac{\tan^{-1}\left(\frac{\sqrt{a+c} \tan(x)}{\sqrt{a+b}}\right)}{\sqrt{a+b} \sqrt{a+c}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[x]^2 + c\*Sin[x]^2)^(-1), x]

[Out] ArcTan[(Sqrt[a + c]\*Tan[x])/Sqrt[a + b]]/(Sqrt[a + b]\*Sqrt[a + c])

**Maple [A]** time = 0.032, size = 27, normalized size = 0.8

$$\arctan\left((a+c)\tan(x)\frac{1}{\sqrt{(a+b)(a+c)}}\right)\frac{1}{\sqrt{(a+b)(a+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*cos(x)^2+c\*sin(x)^2),x)

[Out] 1/((a+b)\*(a+c))^(1/2)\*arctan((a+c)\*tan(x)/((a+b)\*(a+c))^(1/2))

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(x)^2+c\*sin(x)^2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.14726, size = 660, normalized size = 20.

$$\left[ \frac{\sqrt{-a^2 - ab - (a+b)c} \log\left(\frac{(8a^2+8ab+b^2+2(4a+3b)c+c^2)\cos(x)^4 - 2(4a^2+3ab+(5a+3b)c+c^2)\cos(x)^2 + 4((2a+b+c)\cos(x)^3 - (a+c)\cos(x))\sqrt{-a^2 - ab - (a+b)c}}{(b^2-2bc+c^2)\cos(x)^4 + 2(ab-(a-b)c-c^2)\cos(x)^2 + a^2 + 2ac + c^2}\right)}{4(a^2 + ab + (a+b)c)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(x)^2+c\*sin(x)^2),x, algorithm="fricas")

[Out] [-1/4\*sqrt(-a^2 - a\*b - (a + b)\*c)\*log(((8\*a^2 + 8\*a\*b + b^2 + 2\*(4\*a + 3\*b)\*c + c^2)\*cos(x)^4 - 2\*(4\*a^2 + 3\*a\*b + (5\*a + 3\*b)\*c + c^2)\*cos(x)^2 + 4\*((2\*a + b + c)\*cos(x)^3 - (a + c)\*cos(x))\*sqrt(-a^2 - a\*b - (a + b)\*c)\*sin(x) + a^2 + 2\*a\*c + c^2)/((b^2 - 2\*b\*c + c^2)\*cos(x)^4 + 2\*(a\*b - (a - b)\*c - c^2)\*cos(x)^2 + a^2 + 2\*a\*c + c^2))/(a^2 + a\*b + (a + b)\*c), -1/2\*arctan(1/2\*((2\*a + b + c)\*cos(x)^2 - a - c)/(sqrt(a^2 + a\*b + (a + b)\*c)\*cos(x)\*sin(x)))/sqrt(a^2 + a\*b + (a + b)\*c)]

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{a + b \cos^2(x) + c \sin^2(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(x)\*\*2+c\*sin(x)\*\*2),x)

[Out] Integral(1/(a + b\*cos(x)\*\*2 + c\*sin(x)\*\*2), x)

---

**Giac [B]** time = 1.14046, size = 82, normalized size = 2.48

$$\frac{\pi \left\lfloor \frac{x}{\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(2a + 2c) + \arctan\left(\frac{a \tan(x) + c \tan(x)}{\sqrt{a^2 + ab + ac + bc}}\right)}{\sqrt{a^2 + ab + ac + bc}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(x)^2+c\*sin(x)^2),x, algorithm="giac")

[Out] (pi\*floor(x/pi + 1/2)\*sgn(2\*a + 2\*c) + arctan((a\*tan(x) + c\*tan(x))/sqrt(a^2 + a\*b + a\*c + b\*c)))/sqrt(a^2 + a\*b + a\*c + b\*c)

$$3.497 \quad \int \frac{x}{a+b \cos^2(x)+c \sin^2(x)} dx$$

**Optimal.** Leaf size=239

$$-\frac{\text{PolyLog}\left(2, -\frac{e^{2ix(b-c)}}{-2\sqrt{a+b}\sqrt{a+c+2a+b+c}}\right)}{4\sqrt{a+b}\sqrt{a+c}} + \frac{\text{PolyLog}\left(2, -\frac{e^{2ix(b-c)}}{2\sqrt{a+b}\sqrt{a+c+2a+b+c}}\right)}{4\sqrt{a+b}\sqrt{a+c}} - \frac{ix \log\left(1 + \frac{e^{2ix(b-c)}}{-2\sqrt{a+b}\sqrt{a+c+2a+b+c}}\right)}{2\sqrt{a+b}\sqrt{a+c}} + \frac{ix \log\left(1 + \frac{e^{2ix(b-c)}}{2\sqrt{a+b}\sqrt{a+c+2a+b+c}}\right)}{2\sqrt{a+b}\sqrt{a+c}}$$

[Out]  $((-I/2)*x*\text{Log}[1 + ((b - c)*E^{((2*I)*x)})/(2*a + b + c - 2*\text{Sqrt}[a + b]*\text{Sqrt}[a + c])]) / (\text{Sqrt}[a + b]*\text{Sqrt}[a + c]) + ((I/2)*x*\text{Log}[1 + ((b - c)*E^{((2*I)*x)}) / (2*a + b + c + 2*\text{Sqrt}[a + b]*\text{Sqrt}[a + c])]) / (\text{Sqrt}[a + b]*\text{Sqrt}[a + c]) - \text{PolyLog}[2, -(((b - c)*E^{((2*I)*x)}) / (2*a + b + c - 2*\text{Sqrt}[a + b]*\text{Sqrt}[a + c]))] / (4*\text{Sqrt}[a + b]*\text{Sqrt}[a + c]) + \text{PolyLog}[2, -(((b - c)*E^{((2*I)*x)}) / (2*a + b + c + 2*\text{Sqrt}[a + b]*\text{Sqrt}[a + c]))] / (4*\text{Sqrt}[a + b]*\text{Sqrt}[a + c])$

**Rubi [A]** time = 0.491629, antiderivative size = 239, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4587, 3321, 2264, 2190, 2279, 2391}

$$-\frac{\text{PolyLog}\left(2, -\frac{e^{2ix(b-c)}}{-2\sqrt{a+b}\sqrt{a+c+2a+b+c}}\right)}{4\sqrt{a+b}\sqrt{a+c}} + \frac{\text{PolyLog}\left(2, -\frac{e^{2ix(b-c)}}{2\sqrt{a+b}\sqrt{a+c+2a+b+c}}\right)}{4\sqrt{a+b}\sqrt{a+c}} - \frac{ix \log\left(1 + \frac{e^{2ix(b-c)}}{-2\sqrt{a+b}\sqrt{a+c+2a+b+c}}\right)}{2\sqrt{a+b}\sqrt{a+c}} + \frac{ix \log\left(1 + \frac{e^{2ix(b-c)}}{2\sqrt{a+b}\sqrt{a+c+2a+b+c}}\right)}{2\sqrt{a+b}\sqrt{a+c}}$$

Antiderivative was successfully verified.

[In] Int[x/(a + b\*cos[x]^2 + c\*sin[x]^2), x]

[Out]  $((-I/2)*x*\text{Log}[1 + ((b - c)*E^{((2*I)*x)})/(2*a + b + c - 2*\text{Sqrt}[a + b]*\text{Sqrt}[a + c])]) / (\text{Sqrt}[a + b]*\text{Sqrt}[a + c]) + ((I/2)*x*\text{Log}[1 + ((b - c)*E^{((2*I)*x)}) / (2*a + b + c + 2*\text{Sqrt}[a + b]*\text{Sqrt}[a + c])]) / (\text{Sqrt}[a + b]*\text{Sqrt}[a + c]) - \text{PolyLog}[2, -(((b - c)*E^{((2*I)*x)}) / (2*a + b + c - 2*\text{Sqrt}[a + b]*\text{Sqrt}[a + c]))] / (4*\text{Sqrt}[a + b]*\text{Sqrt}[a + c]) + \text{PolyLog}[2, -(((b - c)*E^{((2*I)*x)}) / (2*a + b + c + 2*\text{Sqrt}[a + b]*\text{Sqrt}[a + c]))] / (4*\text{Sqrt}[a + b]*\text{Sqrt}[a + c])$

#### Rule 4587

Int[((f\_.) + (g\_.)\*(x\_)^(m\_.))/((a\_.) + Cos[(d\_.) + (e\_.)\*(x\_)^2\*(b\_.) + (c\_.)\*Sin[(d\_.) + (e\_.)\*(x\_)^2]), x\_Symbol] := Dist[2, Int[(f + g\*x)^m/(2\*a + b + c + (b - c)\*Cos[2\*d + 2\*e\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && IGtQ[m, 0] && NeQ[a + b, 0] && NeQ[a + c, 0]

#### Rule 3321

Int[((c\_.) + (d\_.)\*(x\_)^(m\_.))/((a\_.) + (b\_.)\*sin[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[2, Int[((c + d\*x)^m\*E^(I\*Pi\*(k - 1/2))\*E^(I\*(e + f\*x)))/(b + 2\*a\*E^(I\*Pi\*(k - 1/2))\*E^(I\*(e + f\*x)) - b\*E^(2\*I\*k\*Pi)\*E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IntegerQ[2\*k] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

#### Rule 2264

Int[((F\_)^(u\_)\*((f\_.) + (g\_.)\*(x\_)^(m\_.))/((a\_.) + (b\_.)\*(F\_)^(u\_) + (c\_.)\*(F\_)^(v\_)), x\_Symbol] := With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[(2\*c)/q, Int[(f + g\*x)^m\*F^u/(b - q + 2\*c\*F^u), x], x] - Dist[(2\*c)/q, Int[(f + g\*x)^m\*F^u/(b + q + 2\*c\*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2\*u] && LinearQ[u, x] && NeQ[b^2 - 4\*a\*c, 0] && IGtQ[m, 0]

Rule 2190

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)*((c_) + (d_)*(x_))^(m_))/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^(n_))], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)
))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned} \int \frac{x}{a + b \cos^2(x) + c \sin^2(x)} dx &= 2 \int \frac{x}{2a + b + c + (b - c) \cos(2x)} dx \\ &= 4 \int \frac{e^{2ix} x}{b - c + 2(2a + b + c)e^{2ix} + (b - c)e^{4ix}} dx \\ &= \frac{(2(b - c)) \int \frac{e^{2ix}}{-4\sqrt{a+b}\sqrt{a+c}+2(2a+b+c)+2(b-c)e^{2ix}} dx}{\sqrt{a + b}\sqrt{a + c}} - \frac{(2(b - c)) \int \frac{e^{2ix}}{4\sqrt{a+b}\sqrt{a+c}+2(2a+b+c)+2(b-c)e^{2ix}} dx}{\sqrt{a + b}\sqrt{a + c}} \\ &= -\frac{ix \log\left(1 + \frac{(b-c)e^{2ix}}{2a+b+c-2\sqrt{a+b}\sqrt{a+c}}\right)}{2\sqrt{a + b}\sqrt{a + c}} + \frac{ix \log\left(1 + \frac{(b-c)e^{2ix}}{2a+b+c+2\sqrt{a+b}\sqrt{a+c}}\right)}{2\sqrt{a + b}\sqrt{a + c}} + \frac{i \int \log\left(1 + \frac{(b-c)e^{2ix}}{-4\sqrt{a+b}\sqrt{a+c}+2(2a+b+c)+2(b-c)e^{2ix}}\right) dx}{2\sqrt{a + b}\sqrt{a + c}} \\ &= -\frac{ix \log\left(1 + \frac{(b-c)e^{2ix}}{2a+b+c-2\sqrt{a+b}\sqrt{a+c}}\right)}{2\sqrt{a + b}\sqrt{a + c}} + \frac{ix \log\left(1 + \frac{(b-c)e^{2ix}}{2a+b+c+2\sqrt{a+b}\sqrt{a+c}}\right)}{2\sqrt{a + b}\sqrt{a + c}} + \frac{\text{Subst}\left(\int \frac{\log\left(1 + \frac{(b-c)e^{2ix}}{-4\sqrt{a+b}\sqrt{a+c}+2(2a+b+c)+2(b-c)e^{2ix}}\right) dx}{4\sqrt{a+b}\sqrt{a+c}}\right)}{4\sqrt{a + b}\sqrt{a + c}} \\ &= -\frac{ix \log\left(1 + \frac{(b-c)e^{2ix}}{2a+b+c-2\sqrt{a+b}\sqrt{a+c}}\right)}{2\sqrt{a + b}\sqrt{a + c}} + \frac{ix \log\left(1 + \frac{(b-c)e^{2ix}}{2a+b+c+2\sqrt{a+b}\sqrt{a+c}}\right)}{2\sqrt{a + b}\sqrt{a + c}} - \frac{\text{Li}_2\left(-\frac{(b-c)e^{2ix}}{2a+b+c-2\sqrt{a+b}\sqrt{a+c}}\right)}{4\sqrt{a + b}\sqrt{a + c}} \end{aligned}$$

**Mathematica [B]** time = 3.1501, size = 507, normalized size = 2.12

$$\tan^{-1}\left(\frac{\sqrt{a+c} \tan(x)}{\sqrt{a+b}}\right) \left( 2x + \frac{i \left( -\text{PolyLog}\left(2, \frac{\sqrt{a+b-i\sqrt{a+c}} \tan(x)}{\sqrt{a+b-\sqrt{a+c}}}\right) + \text{PolyLog}\left(2, \frac{\sqrt{a+b-i\sqrt{a+c}} \tan(x)}{\sqrt{a+b+\sqrt{a+c}}}\right) - \text{PolyLog}\left(2, \frac{\sqrt{a+b+i\sqrt{a+c}} \tan(x)}{\sqrt{a+b-\sqrt{a+c}}}\right) + \text{PolyLog}\left(2, \frac{\sqrt{a+b+i\sqrt{a+c}} \tan(x)}{\sqrt{a+b+\sqrt{a+c}}}\right) \right)}{4\sqrt{a+b}\sqrt{a+c}} \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[x/(a + b*Cos[x]^2 + c*Sin[x]^2), x]
```

```
[Out] (ArcTan[(Sqrt[a + c]*Tan[x])/Sqrt[a + b]]*(2*x + (I*(Log[(Sqrt[a + c]*(1 +
I*Tan[x]))/(Sqrt[a + b] + Sqrt[a + c]))*Log[1 - (I*Sqrt[a + c]*Tan[x])/Sqrt
[a + b]] - Log[(I*Sqrt[a + c]*(I + Tan[x]))/(Sqrt[a + b] - Sqrt[a + c]))*Lo
g[1 - (I*Sqrt[a + c]*Tan[x])/Sqrt[a + b]] + Log[(Sqrt[a + c]*(1 - I*Tan[x])
)/(Sqrt[a + b] + Sqrt[a + c]))*Log[1 + (I*Sqrt[a + c]*Tan[x])/Sqrt[a + b]]
```

- Log[(Sqrt[a + c]\*(1 + I\*Tan[x]))/(-Sqrt[a + b] + Sqrt[a + c])]\*Log[1 + (I\*Sqrt[a + c]\*Tan[x])/Sqrt[a + b]] - PolyLog[2, (Sqrt[a + b] - I\*Sqrt[a + c]\*Tan[x])/(Sqrt[a + b] - Sqrt[a + c])] + PolyLog[2, (Sqrt[a + b] - I\*Sqrt[a + c]\*Tan[x])/(Sqrt[a + b] + Sqrt[a + c])] - PolyLog[2, (Sqrt[a + b] + I\*Sqrt[a + c]\*Tan[x])/(Sqrt[a + b] - Sqrt[a + c])] + PolyLog[2, (Sqrt[a + b] + I\*Sqrt[a + c]\*Tan[x])/(Sqrt[a + b] + Sqrt[a + c])])]/(Log[1 - (I\*Sqrt[a + c]\*Tan[x])/Sqrt[a + b]] - Log[1 + (I\*Sqrt[a + c]\*Tan[x])/Sqrt[a + b]])/(2\*Sqrt[a + b]\*Sqrt[a + c])

**Maple [B]** time = 0.105, size = 820, normalized size = 3.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a+b\*cos(x)^2+c\*sin(x)^2),x)

[Out] 
$$\begin{aligned} & -I/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c})*\ln(1-(b-c)*\exp(2*I*x)/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c})) * x - I/((a+b)*(a+c))^{(1/2)}/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c}) * \ln(1-(b-c)*\exp(2*I*x)/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c})) * a * x - 1/2 * I/((a+b)*(a+c))^{(1/2)}/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c}) * b * x - 1/2 * I/((a+b)*(a+c))^{(1/2)}/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c}) * \ln(1-(b-c)*\exp(2*I*x)/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c})) * c * x - 1/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c}) * x^2 - 1/((a+b)*(a+c))^{(1/2)}/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c}) * a * x^2 - 1/2/((a+b)*(a+c))^{(1/2)}/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c}) * b * x^2 - 1/2/((a+b)*(a+c))^{(1/2)}/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c}) * c * x^2 - 1/2/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c}) * \text{polylog}(2, (b-c)*\exp(2*I*x)/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c})) - 1/2/((a+b)*(a+c))^{(1/2)}/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c}) * \text{polylog}(2, (b-c)*\exp(2*I*x)/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c})) * a - 1/4/((a+b)*(a+c))^{(1/2)}/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c}) * \text{polylog}(2, (b-c)*\exp(2*I*x)/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c})) * b - 1/4/((a+b)*(a+c))^{(1/2)}/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c}) * \text{polylog}(2, (b-c)*\exp(2*I*x)/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c})) * c - 1/2 * I/((a+b)*(a+c))^{(1/2)} * x * \ln(1-(b-c)*\exp(2*I*x)/(2*((a+b)*(a+c))^{(1/2)-2*a-b-c})) - 1/2/((a+b)*(a+c))^{(1/2)} * x^2 - 1/4/((a+b)*(a+c))^{(1/2)} * \text{polylog}(2, (b-c)*\exp(2*I*x)/(2*((a+b)*(a+c))^{(1/2)-2*a-b-c})) \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{b \cos(x)^2 + c \sin(x)^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b\*cos(x)^2+c\*sin(x)^2),x, algorithm="maxima")

[Out] integrate(x/(b\*cos(x)^2 + c\*sin(x)^2 + a), x)

**Fricas [B]** time = 4.13438, size = 7385, normalized size = 30.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.



$$\begin{aligned}
 &+ b)c)/(b^2 - 2bc + c^2))\sqrt{(2(b - c)\sqrt{(a^2 + ab + (a + b)c)}/(b^2 - 2bc + c^2)) - 2a - b - c)/(b - c) - 2b + 2c)/(b - c) + 1) - 4(b - c)\sqrt{(a^2 + ab + (a + b)c)}/(b^2 - 2bc + c^2)}\operatorname{dilog}(-1/2((2(2a + b + c)\cos(x) - (4Ia + 2Ib + 2Ic)\sin(x) + 4((b - c)\cos(x) - (Ib - Ic)\sin(x))\sqrt{(a^2 + ab + (a + b)c)}/(b^2 - 2bc + c^2))\sqrt{(2(b - c)\sqrt{(a^2 + ab + (a + b)c)}/(b^2 - 2bc + c^2)) - 2a - b - c)/(b - c) + 2b - 2c)/(b - c) + 1) - 4(b - c)\sqrt{(a^2 + ab + (a + b)c)}/(b^2 - 2bc + c^2)}\operatorname{dilog}(1/2((2(2a + b + c)\cos(x) + (-4Ia - 2Ib - 2Ic)\sin(x) + 4((b - c)\cos(x) + (-Ib + Ic)\sin(x))\sqrt{(a^2 + ab + (a + b)c)}/(b^2 - 2bc + c^2))\sqrt{(2(b - c)\sqrt{(a^2 + ab + (a + b)c)}/(b^2 - 2bc + c^2)) - 2a - b - c)/(b - c) - 2b + 2c)/(b - c) + 1) - 4(b - c)\sqrt{(a^2 + ab + (a + b)c)}/(b^2 - 2bc + c^2)}\operatorname{dilog}(-1/2((2(2a + b + c)\cos(x) - (-4Ia - 2Ib - 2Ic)\sin(x) + 4((b - c)\cos(x) - (-Ib + Ic)\sin(x))\sqrt{(a^2 + ab + (a + b)c)}/(b^2 - 2bc + c^2))\sqrt{(2(b - c)\sqrt{(a^2 + ab + (a + b)c)}/(b^2 - 2bc + c^2)) - 2a - b - c)/(b - c) + 2b - 2c)/(b - c) + 1))/(a^2 + ab + (a + b)c)
 \end{aligned}$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{a + b \cos^2(x) + c \sin^2(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b\*cos(x)\*\*2+c\*sin(x)\*\*2),x)

[Out] Integral(x/(a + b\*cos(x)\*\*2 + c\*sin(x)\*\*2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{b \cos(x)^2 + c \sin(x)^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b\*cos(x)^2+c\*sin(x)^2),x, algorithm="giac")

[Out] integrate(x/(b\*cos(x)^2 + c\*sin(x)^2 + a), x)



$$3.498 \quad \int \frac{x^2}{a+b \cos^2(x)+c \sin^2(x)} dx$$

**Optimal.** Leaf size=365

$$\frac{x \operatorname{PolyLog}\left(2, -\frac{e^{2ix(b-c)}}{-2\sqrt{a+b}\sqrt{a+c}+2a+b+c}\right)}{2\sqrt{a+b}\sqrt{a+c}} + \frac{x \operatorname{PolyLog}\left(2, -\frac{e^{2ix(b-c)}}{2\sqrt{a+b}\sqrt{a+c}+2a+b+c}\right)}{2\sqrt{a+b}\sqrt{a+c}} - \frac{i \operatorname{PolyLog}\left(3, -\frac{e^{2ix(b-c)}}{-2\sqrt{a+b}\sqrt{a+c}+2a+b+c}\right)}{4\sqrt{a+b}\sqrt{a+c}} + \frac{i \operatorname{PolyLog}\left(3, -\frac{e^{2ix(b-c)}}{2\sqrt{a+b}\sqrt{a+c}+2a+b+c}\right)}{4\sqrt{a+b}\sqrt{a+c}}$$

```
[Out] ((-I/2)*x^2*Log[1 + ((b - c)*E^((2*I)*x))/(2*a + b + c - 2*Sqrt[a + b]*Sqrt[a + c]])/(Sqrt[a + b]*Sqrt[a + c]) + ((I/2)*x^2*Log[1 + ((b - c)*E^((2*I)*x))/(2*a + b + c + 2*Sqrt[a + b]*Sqrt[a + c]])/(Sqrt[a + b]*Sqrt[a + c]) - (x*PolyLog[2, -(((b - c)*E^((2*I)*x))/(2*a + b + c - 2*Sqrt[a + b]*Sqrt[a + c]))]/(2*Sqrt[a + b]*Sqrt[a + c]) + (x*PolyLog[2, -(((b - c)*E^((2*I)*x))/(2*a + b + c + 2*Sqrt[a + b]*Sqrt[a + c]))]/(2*Sqrt[a + b]*Sqrt[a + c]) - ((I/4)*PolyLog[3, -(((b - c)*E^((2*I)*x))/(2*a + b + c - 2*Sqrt[a + b]*Sqrt[a + c]))]/(Sqrt[a + b]*Sqrt[a + c]) + ((I/4)*PolyLog[3, -(((b - c)*E^((2*I)*x))/(2*a + b + c + 2*Sqrt[a + b]*Sqrt[a + c]))]/(Sqrt[a + b]*Sqrt[a + c]))]
```

**Rubi [A]** time = 0.738861, antiderivative size = 365, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 7, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.35$ , Rules used = {4587, 3321, 2264, 2190, 2531, 2282, 6589}

$$\frac{x \operatorname{PolyLog}\left(2, -\frac{e^{2ix(b-c)}}{-2\sqrt{a+b}\sqrt{a+c}+2a+b+c}\right)}{2\sqrt{a+b}\sqrt{a+c}} + \frac{x \operatorname{PolyLog}\left(2, -\frac{e^{2ix(b-c)}}{2\sqrt{a+b}\sqrt{a+c}+2a+b+c}\right)}{2\sqrt{a+b}\sqrt{a+c}} - \frac{i \operatorname{PolyLog}\left(3, -\frac{e^{2ix(b-c)}}{-2\sqrt{a+b}\sqrt{a+c}+2a+b+c}\right)}{4\sqrt{a+b}\sqrt{a+c}} + \frac{i \operatorname{PolyLog}\left(3, -\frac{e^{2ix(b-c)}}{2\sqrt{a+b}\sqrt{a+c}+2a+b+c}\right)}{4\sqrt{a+b}\sqrt{a+c}}$$

Antiderivative was successfully verified.

```
[In] Int[x^2/(a + b*cos[x]^2 + c*sin[x]^2), x]
```

```
[Out] ((-I/2)*x^2*Log[1 + ((b - c)*E^((2*I)*x))/(2*a + b + c - 2*Sqrt[a + b]*Sqrt[a + c]])/(Sqrt[a + b]*Sqrt[a + c]) + ((I/2)*x^2*Log[1 + ((b - c)*E^((2*I)*x))/(2*a + b + c + 2*Sqrt[a + b]*Sqrt[a + c]])/(Sqrt[a + b]*Sqrt[a + c]) - (x*PolyLog[2, -(((b - c)*E^((2*I)*x))/(2*a + b + c - 2*Sqrt[a + b]*Sqrt[a + c]))]/(2*Sqrt[a + b]*Sqrt[a + c]) + (x*PolyLog[2, -(((b - c)*E^((2*I)*x))/(2*a + b + c + 2*Sqrt[a + b]*Sqrt[a + c]))]/(2*Sqrt[a + b]*Sqrt[a + c]) - ((I/4)*PolyLog[3, -(((b - c)*E^((2*I)*x))/(2*a + b + c - 2*Sqrt[a + b]*Sqrt[a + c]))]/(Sqrt[a + b]*Sqrt[a + c]) + ((I/4)*PolyLog[3, -(((b - c)*E^((2*I)*x))/(2*a + b + c + 2*Sqrt[a + b]*Sqrt[a + c]))]/(Sqrt[a + b]*Sqrt[a + c]))]
```

#### Rule 4587

```
Int[((f_.) + (g_.)*(x_)^(m_.))/((a_.) + Cos[(d_.) + (e_.)*(x_)]^2*(b_.) + (c_.)*Sin[(d_.) + (e_.)*(x_)]^2), x_Symbol] := Dist[2, Int[(f + g*x)^m/(2*a + b + c + (b - c)*Cos[2*d + 2*e*x]), x] /; FreeQ[{a, b, c, d, e, f, g}, x] && IGtQ[m, 0] && NeQ[a + b, 0] && NeQ[a + c, 0]
```

#### Rule 3321

```
Int[((c_.) + (d_.)*(x_)^(m_.))/((a_.) + (b_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)]), x_Symbol] := Dist[2, Int[((c + d*x)^m*E^(I*Pi*(k - 1/2))*E^(I*(e + f*x)))/(b + 2*a*E^(I*Pi*(k - 1/2))*E^(I*(e + f*x)) - b*E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x] /; FreeQ[{a, b, c, d, e, f}, x] && IntegerQ[2*k] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 2264

```
Int[((F_)^(u_)*((f_.) + (g_.)*(x_))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)
*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[
((f + g*x)^m*F^u)/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[((f + g*x)^
m*F^u)/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v,
2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_) + (b_.)*(F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
))^n]])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2}{a + b \cos^2(x) + c \sin^2(x)} dx &= 2 \int \frac{x^2}{2a + b + c + (b - c) \cos(2x)} dx \\
&= 4 \int \frac{e^{2ix} x^2}{b - c + 2(2a + b + c)e^{2ix} + (b - c)e^{4ix}} dx \\
&= \frac{(2(b - c)) \int \frac{e^{2ix} x^2}{-4\sqrt{a+b}\sqrt{a+c}+2(2a+b+c)+2(b-c)e^{2ix}} dx}{\sqrt{a + b}\sqrt{a + c}} - \frac{(2(b - c)) \int \frac{e^{2ix} x^2}{4\sqrt{a+b}\sqrt{a+c}+2(2a+b+c)+2(b-c)e^{2ix}} dx}{\sqrt{a + b}\sqrt{a + c}} \\
&= -\frac{ix^2 \log\left(1 + \frac{(b-c)e^{2ix}}{2a+b+c-2\sqrt{a+b}\sqrt{a+c}}\right)}{2\sqrt{a + b}\sqrt{a + c}} + \frac{ix^2 \log\left(1 + \frac{(b-c)e^{2ix}}{2a+b+c+2\sqrt{a+b}\sqrt{a+c}}\right)}{2\sqrt{a + b}\sqrt{a + c}} + \frac{i \int x \log\left(1 + \frac{(b-c)e^{2ix}}{2a+b+c-2\sqrt{a+b}\sqrt{a+c}}\right) dx}{\sqrt{a + b}\sqrt{a + c}} \\
&= -\frac{ix^2 \log\left(1 + \frac{(b-c)e^{2ix}}{2a+b+c-2\sqrt{a+b}\sqrt{a+c}}\right)}{2\sqrt{a + b}\sqrt{a + c}} + \frac{ix^2 \log\left(1 + \frac{(b-c)e^{2ix}}{2a+b+c+2\sqrt{a+b}\sqrt{a+c}}\right)}{2\sqrt{a + b}\sqrt{a + c}} - \frac{x \operatorname{Li}_2\left(-\frac{(b-c)e^{2ix}}{2a+b+c-2\sqrt{a+b}\sqrt{a+c}}\right)}{2\sqrt{a + b}\sqrt{a + c}} \\
&= -\frac{ix^2 \log\left(1 + \frac{(b-c)e^{2ix}}{2a+b+c-2\sqrt{a+b}\sqrt{a+c}}\right)}{2\sqrt{a + b}\sqrt{a + c}} + \frac{ix^2 \log\left(1 + \frac{(b-c)e^{2ix}}{2a+b+c+2\sqrt{a+b}\sqrt{a+c}}\right)}{2\sqrt{a + b}\sqrt{a + c}} - \frac{x \operatorname{Li}_2\left(-\frac{(b-c)e^{2ix}}{2a+b+c-2\sqrt{a+b}\sqrt{a+c}}\right)}{2\sqrt{a + b}\sqrt{a + c}} \\
&= -\frac{ix^2 \log\left(1 + \frac{(b-c)e^{2ix}}{2a+b+c-2\sqrt{a+b}\sqrt{a+c}}\right)}{2\sqrt{a + b}\sqrt{a + c}} + \frac{ix^2 \log\left(1 + \frac{(b-c)e^{2ix}}{2a+b+c+2\sqrt{a+b}\sqrt{a+c}}\right)}{2\sqrt{a + b}\sqrt{a + c}} - \frac{x \operatorname{Li}_2\left(-\frac{(b-c)e^{2ix}}{2a+b+c-2\sqrt{a+b}\sqrt{a+c}}\right)}{2\sqrt{a + b}\sqrt{a + c}}
\end{aligned}$$

**Mathematica [A]** time = 4.03247, size = 258, normalized size = 0.71

$$\frac{i \left( -2ix \operatorname{PolyLog} \left( 2, \frac{e^{2ix}(c-b)}{-2\sqrt{(a+b)(a+c)}+2a+b+c} \right) + 2ix \operatorname{PolyLog} \left( 2, \frac{e^{2ix}(c-b)}{2\sqrt{(a+b)(a+c)}+2a+b+c} \right) + \operatorname{PolyLog} \left( 3, \frac{e^{2ix}(c-b)}{-2\sqrt{(a+b)(a+c)}+2a+b+c} \right) - \operatorname{PolyLog} \left( 3, \frac{e^{2ix}(c-b)}{2\sqrt{(a+b)(a+c)}+2a+b+c} \right) \right)}{4\sqrt{(a+b)(a+c)}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/(a + b\*Cos[x]^2 + c\*Sin[x]^2), x]

[Out]  $((-I/4)*(2*x^2*\operatorname{Log}[1 + ((b - c)*E^{((2*I)*x)})/(2*a + b + c - 2*\operatorname{Sqrt}[(a + b)*(a + c)])] - 2*x^2*\operatorname{Log}[1 + ((b - c)*E^{((2*I)*x)})/(2*a + b + c + 2*\operatorname{Sqrt}[(a + b)*(a + c)])] - (2*I)*x*\operatorname{PolyLog}[2, ((-b + c)*E^{((2*I)*x)})/(2*a + b + c - 2*\operatorname{Sqrt}[(a + b)*(a + c)])] + (2*I)*x*\operatorname{PolyLog}[2, ((-b + c)*E^{((2*I)*x)})/(2*a + b + c + 2*\operatorname{Sqrt}[(a + b)*(a + c)])] + \operatorname{PolyLog}[3, ((-b + c)*E^{((2*I)*x)})/(2*a + b + c - 2*\operatorname{Sqrt}[(a + b)*(a + c)])] - \operatorname{PolyLog}[3, ((-b + c)*E^{((2*I)*x)})/(2*a + b + c + 2*\operatorname{Sqrt}[(a + b)*(a + c)])])/\operatorname{Sqrt}[(a + b)*(a + c)])$

**Maple [B]** time = 0.11, size = 1161, normalized size = 3.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a+b\*cos(x)^2+c\*sin(x)^2), x)

[Out]  $-2/3/(-2*((a+b)*(a+c))^{(1/2)}-2*a-b-c)*x^3-1/4*I/((a+b)*(a+c))^{(1/2)}/(-2*((a+b)*(a+c))^{(1/2)}-2*a-b-c)*c*\operatorname{polylog}(3, (b-c)*\exp(2*I*x)/(-2*((a+b)*(a+c))^{(1/2)}-2*a-b-c))-1/2/((a+b)*(a+c))^{(1/2)}/(-2*((a+b)*(a+c))^{(1/2)}-2*a-b-c)*c*x*\operatorname{polylog}(2, (b-c)*\exp(2*I*x)/(-2*((a+b)*(a+c))^{(1/2)}-2*a-b-c))-1/4*I/((a+b)*(a+c))^{(1/2)}/(-2*((a+b)*(a+c))^{(1/2)}-2*a-b-c)*b*\operatorname{polylog}(3, (b-c)*\exp(2*I*x)/(-2*((a+b)*(a+c))^{(1/2)}-2*a-b-c))$

$$\begin{aligned}
 &-2*((a+b)*(a+c))^{(1/2)-2*a-b-c})-1/((a+b)*(a+c))^{(1/2)}/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c}) \\
 &)*a*x*polylog(2,(b-c)*exp(2*I*x)/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c})) \\
 &-1/2*I/((a+b)*(a+c))^{(1/2)}/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c}) \\
 &)*c*x^2*ln(1-(b-c)*exp(2*I*x)/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c})) \\
 &-1/3/((a+b)*(a+c))^{(1/2)}/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c}) \\
 &)*b*x^3-1/2*I/((a+b)*(a+c))^{(1/2)}/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c}) \\
 &)*a*polylog(3,(b-c)*exp(2*I*x)/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c})) \\
 &-1/2/((a+b)*(a+c))^{(1/2)}*x*polylog(2,(b-c)*exp(2*I*x)/(2*((a+b)*(a+c))^{(1/2)-2*a-b-c})) \\
 &-1/4*I/((a+b)*(a+c))^{(1/2)}*polylog(3,(b-c)*exp(2*I*x)/(2*((a+b)*(a+c))^{(1/2)-2*a-b-c})) \\
 &-1/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c})*x*polylog(2,(b-c)*exp(2*I*x)/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c})) \\
 &-1/2*I/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c})*polylog(3,(b-c)*exp(2*I*x)/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c})) \\
 &-1/2/((a+b)*(a+c))^{(1/2)}/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c}) \\
 &)*b*x*polylog(2,(b-c)*exp(2*I*x)/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c})) \\
 &-I/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c})*x^2*ln(1-(b-c)*exp(2*I*x)/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c})) \\
 &-1/3/((a+b)*(a+c))^{(1/2)}/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c}) \\
 &)*c*x^3-I/((a+b)*(a+c))^{(1/2)}/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c}) \\
 &)*a*x^2*ln(1-(b-c)*exp(2*I*x)/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c})) \\
 &-1/3/((a+b)*(a+c))^{(1/2)}*x^3-1/2*I/((a+b)*(a+c))^{(1/2)}/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c}) \\
 &)*b*x^2*ln(1-(b-c)*exp(2*I*x)/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c})) \\
 &-2/3/((a+b)*(a+c))^{(1/2)}/(-2*((a+b)*(a+c))^{(1/2)-2*a-b-c}) \\
 &)*a*x^3-1/2*I/((a+b)*(a+c))^{(1/2)}*x^2*ln(1-(b-c)*exp(2*I*x)/(2*((a+b)*(a+c))^{(1/2)-2*a-b-c}))
 \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2}{b \cos(x)^2 + c \sin(x)^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b\*cos(x)^2+c\*sin(x)^2),x, algorithm="maxima")

[Out] integrate(x^2/(b\*cos(x)^2 + c\*sin(x)^2 + a), x)

**Fricas [C]** time = 4.55783, size = 11062, normalized size = 30.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b\*cos(x)^2+c\*sin(x)^2),x, algorithm="fricas")

[Out] 
$$\begin{aligned}
 &1/16*(4*I*(b - c)*x^2*sqrt((a^2 + a*b + (a + b)*c)/(b^2 - 2*b*c + c^2))*log \\
 &(-1/2*((2*(2*a + b + c)*cos(x) + (4*I*a + 2*I*b + 2*I*c)*sin(x) - 4*((b - c) \\
 &)*cos(x) - (-I*b + I*c)*sin(x))*sqrt((a^2 + a*b + (a + b)*c)/(b^2 - 2*b*c + \\
 &c^2)))*sqrt(-2*(b - c)*sqrt((a^2 + a*b + (a + b)*c)/(b^2 - 2*b*c + c^2)) \\
 &+ 2*a + b + c)/(b - c)) - 2*b + 2*c)/(b - c)) - 4*I*(b - c)*x^2*sqrt((a^2 + \\
 &a*b + (a + b)*c)/(b^2 - 2*b*c + c^2))*log(1/2*((2*(2*a + b + c)*cos(x) - ( \\
 &4*I*a + 2*I*b + 2*I*c)*sin(x) - 4*((b - c)*cos(x) + (-I*b + I*c)*sin(x))*sq \\
 &rt((a^2 + a*b + (a + b)*c)/(b^2 - 2*b*c + c^2)))*sqrt(-2*(b - c)*sqrt((a^2 \\
 &+ a*b + (a + b)*c)/(b^2 - 2*b*c + c^2)) + 2*a + b + c)/(b - c)) + 2*b - 2* \\
 &c)/(b - c)) - 4*I*(b - c)*x^2*sqrt((a^2 + a*b + (a + b)*c)/(b^2 - 2*b*c + c \\
 &^2))*log(-1/2*((2*(2*a + b + c)*cos(x) + (-4*I*a - 2*I*b - 2*I*c)*sin(x) - \\
 &4*((b - c)*cos(x) - (I*b - I*c)*sin(x))*sqrt((a^2 + a*b + (a + b)*c)/(b^2 - \\
 &2*b*c + c^2)))*sqrt(-2*(b - c)*sqrt((a^2 + a*b + (a + b)*c)/(b^2 - 2*b*c \\
 &+ c^2)) + 2*a + b + c)/(b - c)) - 2*b + 2*c)/(b - c)) + 4*I*(b - c)*x^2*sq
 \end{aligned}$$



```

+ 4*(2*I*b - 2*I*c)*sqrt((a^2 + a*b + (a + b)*c)/(b^2 - 2*b*c + c^2))*poly
log(3, -1/2*(2*(2*a + b + c)*cos(x) + (4*I*a + 2*I*b + 2*I*c)*sin(x) - 4*((
b - c)*cos(x) - (-I*b + I*c)*sin(x))*sqrt((a^2 + a*b + (a + b)*c)/(b^2 - 2*
b*c + c^2)))*sqrt(-(2*(b - c)*sqrt((a^2 + a*b + (a + b)*c)/(b^2 - 2*b*c + c
^2)) + 2*a + b + c)/(b - c))/(b - c)) + 4*(-2*I*b + 2*I*c)*sqrt((a^2 + a*b
+ (a + b)*c)/(b^2 - 2*b*c + c^2))*polylog(3, 1/2*(2*(2*a + b + c)*cos(x) -
(4*I*a + 2*I*b + 2*I*c)*sin(x) - 4*((b - c)*cos(x) + (-I*b + I*c)*sin(x))*s
qrt((a^2 + a*b + (a + b)*c)/(b^2 - 2*b*c + c^2)))*sqrt(-(2*(b - c)*sqrt((a^
2 + a*b + (a + b)*c)/(b^2 - 2*b*c + c^2)) + 2*a + b + c)/(b - c))/(b - c))
+ 4*(-2*I*b + 2*I*c)*sqrt((a^2 + a*b + (a + b)*c)/(b^2 - 2*b*c + c^2))*poly
log(3, -1/2*(2*(2*a + b + c)*cos(x) + (-4*I*a - 2*I*b - 2*I*c)*sin(x) - 4*(
(b - c)*cos(x) - (I*b - I*c)*sin(x))*sqrt((a^2 + a*b + (a + b)*c)/(b^2 - 2*
b*c + c^2)))*sqrt(-(2*(b - c)*sqrt((a^2 + a*b + (a + b)*c)/(b^2 - 2*b*c + c
^2)) + 2*a + b + c)/(b - c))/(b - c)) + 4*(2*I*b - 2*I*c)*sqrt((a^2 + a*b +
(a + b)*c)/(b^2 - 2*b*c + c^2))*polylog(3, 1/2*(2*(2*a + b + c)*cos(x) - (
-4*I*a - 2*I*b - 2*I*c)*sin(x) - 4*((b - c)*cos(x) + (I*b - I*c)*sin(x))*sq
rt((a^2 + a*b + (a + b)*c)/(b^2 - 2*b*c + c^2)))*sqrt(-(2*(b - c)*sqrt((a^2
+ a*b + (a + b)*c)/(b^2 - 2*b*c + c^2)) + 2*a + b + c)/(b - c))/(b - c)) +
4*(-2*I*b + 2*I*c)*sqrt((a^2 + a*b + (a + b)*c)/(b^2 - 2*b*c + c^2))*polyl
og(3, -1/2*(2*(2*a + b + c)*cos(x) + (4*I*a + 2*I*b + 2*I*c)*sin(x) + 4*((b
- c)*cos(x) + (I*b - I*c)*sin(x))*sqrt((a^2 + a*b + (a + b)*c)/(b^2 - 2*b*
c + c^2)))*sqrt((2*(b - c)*sqrt((a^2 + a*b + (a + b)*c)/(b^2 - 2*b*c + c^2)
) - 2*a - b - c)/(b - c))/(b - c)) + 4*(2*I*b - 2*I*c)*sqrt((a^2 + a*b + (a
+ b)*c)/(b^2 - 2*b*c + c^2))*polylog(3, 1/2*(2*(2*a + b + c)*cos(x) - (4*I
*a + 2*I*b + 2*I*c)*sin(x) + 4*((b - c)*cos(x) - (I*b - I*c)*sin(x))*sqrt((
a^2 + a*b + (a + b)*c)/(b^2 - 2*b*c + c^2)))*sqrt((2*(b - c)*sqrt((a^2 + a*
b + (a + b)*c)/(b^2 - 2*b*c + c^2)) - 2*a - b - c)/(b - c))/(b - c)) + 4*(2
*I*b - 2*I*c)*sqrt((a^2 + a*b + (a + b)*c)/(b^2 - 2*b*c + c^2))*polylog(3,
-1/2*(2*(2*a + b + c)*cos(x) + (-4*I*a - 2*I*b - 2*I*c)*sin(x) + 4*((b - c)
*cos(x) + (-I*b + I*c)*sin(x))*sqrt((a^2 + a*b + (a + b)*c)/(b^2 - 2*b*c +
c^2)))*sqrt((2*(b - c)*sqrt((a^2 + a*b + (a + b)*c)/(b^2 - 2*b*c + c^2)) -
2*a - b - c)/(b - c))/(b - c)) + 4*(-2*I*b + 2*I*c)*sqrt((a^2 + a*b + (a +
b)*c)/(b^2 - 2*b*c + c^2))*polylog(3, 1/2*(2*(2*a + b + c)*cos(x) - (-4*I*a
- 2*I*b - 2*I*c)*sin(x) + 4*((b - c)*cos(x) - (-I*b + I*c)*sin(x))*sqrt((a
^2 + a*b + (a + b)*c)/(b^2 - 2*b*c + c^2)))*sqrt((2*(b - c)*sqrt((a^2 + a*b
+ (a + b)*c)/(b^2 - 2*b*c + c^2)) - 2*a - b - c)/(b - c))/(b - c)))/(a^2 +
a*b + (a + b)*c)

```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2}{a + b \cos^2(x) + c \sin^2(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/(a+b\*cos(x)\*\*2+c\*sin(x)\*\*2),x)

[Out] Integral(x\*\*2/(a + b\*cos(x)\*\*2 + c\*sin(x)\*\*2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2}{b \cos(x)^2 + c \sin(x)^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(a+b*cos(x)^2+c*sin(x)^2),x, algorithm="giac")
```

```
[Out] integrate(x^2/(b*cos(x)^2 + c*sin(x)^2 + a), x)
```

### 3.499 $\int (a+b \sin(d+ex)) (b^2 + 2ab \sin(d+ex) + a^2 \sin^2(d+ex))^2$

**Optimal.** Leaf size=195

$$\frac{b(69a^2b^2 + 32a^4 + 4b^4) \cos(d+ex)}{10e} - \frac{(5a^2 + 4b^2) \cos(d+ex)(a \sin(d+ex) + b)^3}{20e} - \frac{b(17a^2 + 4b^2) \cos(d+ex)(a \sin(d+ex))^2}{20e}$$

```
[Out] (3*a*(a^4 + 12*a^2*b^2 + 8*b^4)*x)/8 - (b*(32*a^4 + 69*a^2*b^2 + 4*b^4)*Cos
[d + e*x])/(10*e) - (a*(15*a^4 + 82*a^2*b^2 + 8*b^4)*Cos[d + e*x]*Sin[d + e
*x])/(40*e) - (b*(17*a^2 + 4*b^2)*Cos[d + e*x]*(b + a*SIN[d + e*x])^2)/(20*
e) - ((5*a^2 + 4*b^2)*Cos[d + e*x]*(b + a*SIN[d + e*x])^3)/(20*e) - (b*COS[
d + e*x]*(b + a*SIN[d + e*x])^4)/(5*e)
```

**Rubi [A]** time = 0.392681, antiderivative size = 195, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 39,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.077$ , Rules used = {3288, 2753, 2734}

$$\frac{b(69a^2b^2 + 32a^4 + 4b^4) \cos(d+ex)}{10e} - \frac{(5a^2 + 4b^2) \cos(d+ex)(a \sin(d+ex) + b)^3}{20e} - \frac{b(17a^2 + 4b^2) \cos(d+ex)(a \sin(d+ex))^2}{20e}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*SIN[d + e*x])*(b^2 + 2*a*b*SIN[d + e*x] + a^2*SIN[d + e*x]^2)^2,
x]
```

```
[Out] (3*a*(a^4 + 12*a^2*b^2 + 8*b^4)*x)/8 - (b*(32*a^4 + 69*a^2*b^2 + 4*b^4)*Cos
[d + e*x])/(10*e) - (a*(15*a^4 + 82*a^2*b^2 + 8*b^4)*Cos[d + e*x]*Sin[d + e
*x])/(40*e) - (b*(17*a^2 + 4*b^2)*Cos[d + e*x]*(b + a*SIN[d + e*x])^2)/(20*
e) - ((5*a^2 + 4*b^2)*Cos[d + e*x]*(b + a*SIN[d + e*x])^3)/(20*e) - (b*COS[
d + e*x]*(b + a*SIN[d + e*x])^4)/(5*e)
```

#### Rule 3288

```
Int[((A_) + (B_)*sin[(d_) + (e_)*(x_)])*((a_) + (b_)*sin[(d_) + (e_)*
(x_)]) + (c_)*sin[(d_) + (e_)*(x_)]^(n_), x_Symbol] :> Dist[1/(4^n*c^n
), Int[(A + B*SIN[d + e*x])*(b + 2*c*SIN[d + e*x])^(2*n), x], x] /; FreeQ[{
a, b, c, d, e, A, B}, x] && EqQ[b^2 - 4*a*c, 0] && IntegerQ[n]
```

#### Rule 2753

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)]), x_Symbol] :> -Simp[(d*COS[e + f*x]*(a + b*SIN[e + f*x])^m)/(f
*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*SIN[e + f*x])^(m - 1)*Simp[b*d*m
+ a*c*(m + 1) + (a*d*m + b*c*(m + 1))*SIN[e + f*x], x], x] /; FreeQ[{a
, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]
&& IntegerQ[2*m]
```

#### Rule 2734

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)
*(x_)]), x_Symbol] :> Simp[((2*a*c + b*d)*x)/2, x] + (-Simp[((b*c + a*d)*Co
s[e + f*x])/f, x] - Simp[(b*d*COS[e + f*x]*SIN[e + f*x])/(2*f), x]) /; Free
Q[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

#### Rubi steps



$$\begin{aligned}
\int (a + b \sin(d + ex)) (b^2 + 2ab \sin(d + ex) + a^2 \sin^2(d + ex))^2 dx &= \frac{\int (2ab + 2a^2 \sin(d + ex))^4 (a + b \sin(d + ex)) dx}{16a^4} \\
&= -\frac{b \cos(d + ex)(b + a \sin(d + ex))^4}{5e} + \frac{\int (2ab + 2a^2 \sin(d + ex))^3 (a + b \sin(d + ex)) dx}{20e} \\
&= -\frac{(5a^2 + 4b^2) \cos(d + ex)(b + a \sin(d + ex))^3}{20e} - \frac{b \cos(d + ex)(b + a \sin(d + ex))^4}{10e} \\
&= -\frac{b(17a^2 + 4b^2) \cos(d + ex)(b + a \sin(d + ex))^2}{20e} - \frac{b^2 \cos(d + ex)(b + a \sin(d + ex))^3}{10e} \\
&= \frac{3}{8}a(a^4 + 12a^2b^2 + 8b^4)x - \frac{b(32a^4 + 69a^2b^2 + 4b^4) \cos(d + ex)}{10e}
\end{aligned}$$

**Mathematica [A]** time = 0.942855, size = 149, normalized size = 0.76

$$\frac{a(60(12a^2b^2 + a^4 + 8b^4)(d + ex) - 40(10a^2b^2 + a^4 + 4b^4)\sin(2(d + ex)) + 5(4a^2b^2 + a^4)\sin(4(d + ex)) + 10(7a^3b + 8a^2b^2)\cos(2(d + ex)))}{160e}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Sin[d + e\*x])\*(b^2 + 2\*a\*b\*Sin[d + e\*x] + a^2\*Sin[d + e\*x]^2)^2,x]

[Out] (-20\*b\*(29\*a^4 + 68\*a^2\*b^2 + 8\*b^4)\*Cos[d + e\*x] + a\*(60\*(a^4 + 12\*a^2\*b^2 + 8\*b^4)\*(d + e\*x) + 10\*(7\*a^3\*b + 8\*a\*b^3)\*Cos[3\*(d + e\*x)] - 2\*a^3\*b\*Cos[5\*(d + e\*x)] - 40\*(a^4 + 10\*a^2\*b^2 + 4\*b^4)\*Sin[2\*(d + e\*x)] + 5\*(a^4 + 4\*a^2\*b^2)\*Sin[4\*(d + e\*x)])/(160\*e)

**Maple [A]** time = 0.035, size = 255, normalized size = 1.3

$$\frac{1}{e} \left( ab^4 (ex + d) - 4 \cos(ex + d) a^2 b^3 + 6 a^3 b^2 (-1/2 \sin(ex + d) \cos(ex + d) + 1/2 ex + d/2) - \frac{4 a^4 b (2 + (\sin(ex + d))^2)}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*sin(e\*x+d))\*(b^2+2\*a\*b\*sin(e\*x+d)+a^2\*sin(e\*x+d)^2)^2,x)

[Out] 1/e\*(a\*b^4\*(e\*x+d)-4\*cos(e\*x+d)\*a^2\*b^3+6\*a^3\*b^2\*(-1/2\*sin(e\*x+d)\*cos(e\*x+d)+1/2\*e\*x+1/2\*d)-4/3\*a^4\*b\*(2+sin(e\*x+d)^2)\*cos(e\*x+d)+a^5\*(-1/4\*(sin(e\*x+d)^3+3/2\*sin(e\*x+d))\*cos(e\*x+d)+3/8\*e\*x+3/8\*d)-cos(e\*x+d)\*b^5+4\*a\*b^4\*(-1/2\*sin(e\*x+d)\*cos(e\*x+d)+1/2\*e\*x+1/2\*d)-2\*a^2\*b^3\*(2+sin(e\*x+d)^2)\*cos(e\*x+d)+4\*a^3\*b^2\*(-1/4\*(sin(e\*x+d)^3+3/2\*sin(e\*x+d))\*cos(e\*x+d)+3/8\*e\*x+3/8\*d)-1/5\*a^4\*b\*(8/3+sin(e\*x+d)^4+4/3\*sin(e\*x+d)^2)\*cos(e\*x+d))

**Maxima [A]** time = 1.03736, size = 332, normalized size = 1.7

$$\frac{15(12ex + 12d + \sin(4ex + 4d) - 8 \sin(2ex + 2d))a^5 - 32(3 \cos(ex + d)^5 - 10 \cos(ex + d)^3 + 15 \cos(ex + d))a^4 b}{10e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sin(e\*x+d))\*(b^2+2\*a\*b\*sin(e\*x+d)+a^2\*sin(e\*x+d)^2)^2,x, alg  
orithm="maxima")

[Out] 1/480\*(15\*(12\*e\*x + 12\*d + sin(4\*e\*x + 4\*d) - 8\*sin(2\*e\*x + 2\*d))\*a^5 - 32\*(3\*cos(e\*x + d)^5 - 10\*cos(e\*x + d)^3 + 15\*cos(e\*x + d))\*a^4\*b + 640\*(cos(e\*x + d)^3 - 3\*cos(e\*x + d))\*a^4\*b + 60\*(12\*e\*x + 12\*d + sin(4\*e\*x + 4\*d) - 8\*sin(2\*e\*x + 2\*d))\*a^3\*b^2 + 720\*(2\*e\*x + 2\*d - sin(2\*e\*x + 2\*d))\*a^3\*b^2 + 960\*(cos(e\*x + d)^3 - 3\*cos(e\*x + d))\*a^2\*b^3 + 480\*(2\*e\*x + 2\*d - sin(2\*e\*x + 2\*d))\*a\*b^4 + 480\*(e\*x + d)\*a\*b^4 - 1920\*a^2\*b^3\*cos(e\*x + d) - 480\*b^5\*cos(e\*x + d))/e

**Fricas [A]** time = 1.82638, size = 348, normalized size = 1.78

$$\frac{8a^4b \cos(ex + d)^5 - 80(a^4b + a^2b^3) \cos(ex + d)^3 - 15(a^5 + 12a^3b^2 + 8ab^4)ex + 40(5a^4b + 10a^2b^3 + b^5) \cos(ex + d)}{40e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sin(e\*x+d))\*(b^2+2\*a\*b\*sin(e\*x+d)+a^2\*sin(e\*x+d)^2)^2,x, alg  
orithm="fricas")

[Out] -1/40\*(8\*a^4\*b\*cos(e\*x + d)^5 - 80\*(a^4\*b + a^2\*b^3)\*cos(e\*x + d)^3 - 15\*(a^5 + 12\*a^3\*b^2 + 8\*a\*b^4)\*e\*x + 40\*(5\*a^4\*b + 10\*a^2\*b^3 + b^5)\*cos(e\*x + d) - 5\*(2\*(a^5 + 4\*a^3\*b^2)\*cos(e\*x + d)^3 - (5\*a^5 + 44\*a^3\*b^2 + 16\*a\*b^4)\*cos(e\*x + d))\*sin(e\*x + d))/e

**Sympy [A]** time = 3.51857, size = 566, normalized size = 2.9

$$\left\{ \begin{array}{l} \frac{3a^5x \sin^4(d+ex)}{8} + \frac{3a^5x \sin^2(d+ex) \cos^2(d+ex)}{4} + \frac{3a^5x \cos^4(d+ex)}{8} - \frac{5a^5 \sin^3(d+ex) \cos(d+ex)}{8e} - \frac{3a^5 \sin(d+ex) \cos^3(d+ex)}{8e} - \frac{a^4b \sin^4(d+ex) \cos(d+ex)}{e} \\ x(a + b \sin(d)) (a^2 \sin^2(d) + 2ab \sin(d) + b^2)^2 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sin(e\*x+d))\*(b\*\*2+2\*a\*b\*sin(e\*x+d)+a\*\*2\*sin(e\*x+d)\*\*2)\*\*2,x)

[Out] Piecewise(((3\*a\*\*5\*x\*sin(d + e\*x)\*\*4/8 + 3\*a\*\*5\*x\*sin(d + e\*x)\*\*2\*cos(d + e\*x)\*\*2/4 + 3\*a\*\*5\*x\*cos(d + e\*x)\*\*4/8 - 5\*a\*\*5\*sin(d + e\*x)\*\*3\*cos(d + e\*x)/(8\*e) - 3\*a\*\*5\*sin(d + e\*x)\*cos(d + e\*x)\*\*3/(8\*e) - a\*\*4\*b\*sin(d + e\*x)\*\*4\*cos(d + e\*x)/e - 4\*a\*\*4\*b\*sin(d + e\*x)\*\*2\*cos(d + e\*x)\*\*3/(3\*e) - 4\*a\*\*4\*b\*sin(d + e\*x)\*\*2\*cos(d + e\*x)/e - 8\*a\*\*4\*b\*cos(d + e\*x)\*\*5/(15\*e) - 8\*a\*\*4\*b\*cos(d + e\*x)\*\*3/(3\*e) + 3\*a\*\*3\*b\*\*2\*x\*sin(d + e\*x)\*\*4/2 + 3\*a\*\*3\*b\*\*2\*x\*sin(d + e\*x)\*\*2\*cos(d + e\*x)\*\*2 + 3\*a\*\*3\*b\*\*2\*x\*sin(d + e\*x)\*\*2 + 3\*a\*\*3\*b\*\*2\*x\*cos(d + e\*x)\*\*4/2 + 3\*a\*\*3\*b\*\*2\*x\*cos(d + e\*x)\*\*2 - 5\*a\*\*3\*b\*\*2\*sin(d + e\*x)\*\*3\*cos(d + e\*x)/(2\*e) - 3\*a\*\*3\*b\*\*2\*sin(d + e\*x)\*cos(d + e\*x)\*\*3/(2\*e) - 3\*a\*\*3\*b\*\*2\*sin(d + e\*x)\*cos(d + e\*x)/e - 6\*a\*\*2\*b\*\*3\*sin(d + e\*x)\*\*2\*cos(d + e\*x)/e - 4\*a\*\*2\*b\*\*3\*cos(d + e\*x)\*\*3/e - 4\*a\*\*2\*b\*\*3\*cos(d + e\*x)/e + 2\*a\*b\*\*4\*x\*sin(d + e\*x)\*\*2 + 2\*a\*b\*\*4\*x\*cos(d + e\*x)\*\*2 + a\*b\*\*4\*x - 2\*a\*b\*\*4\*sin(d + e\*x)\*cos(d + e\*x)/e - b\*\*5\*cos(d + e\*x)/e, Ne(e, 0)), (x\*(a + b\*sin(d))\*(a\*\*2\*sin(d)\*\*2 + 2\*a\*b\*sin(d) + b\*\*2)\*\*2, True))

**Giac [A]** time = 1.16671, size = 213, normalized size = 1.09

$$-\frac{1}{80} a^4 b \cos(5 x e + 5 d) e^{(-1)} + \frac{1}{16} (7 a^4 b + 8 a^2 b^3) \cos(3 x e + 3 d) e^{(-1)} - \frac{1}{8} (29 a^4 b + 68 a^2 b^3 + 8 b^5) \cos(x e + d) e^{(-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sin(e*x+d))*(b^2+2*a*b*sin(e*x+d)+a^2*sin(e*x+d)^2)^2,x, algorithm="giac")
```

```
[Out] -1/80*a^4*b*cos(5*x*e + 5*d)*e^(-1) + 1/16*(7*a^4*b + 8*a^2*b^3)*cos(3*x*e + 3*d)*e^(-1) - 1/8*(29*a^4*b + 68*a^2*b^3 + 8*b^5)*cos(x*e + d)*e^(-1) + 1/32*(a^5 + 4*a^3*b^2)*e^(-1)*sin(4*x*e + 4*d) - 1/4*(a^5 + 10*a^3*b^2 + 4*a*b^4)*e^(-1)*sin(2*x*e + 2*d) + 3/8*(a^5 + 12*a^3*b^2 + 8*a*b^4)*x
```

### 3.500 $\int (a+b \sin(d+ex)) (b^2 + 2ab \sin(d+ex) + a^2 \sin^2(d+ex)) dx$

**Optimal.** Leaf size=109

$$\frac{(-8a^2b^2 + a^4 - 3b^4) \cos(d+ex)}{3be} + \frac{a(a^2 - 6b^2) \sin(d+ex) \cos(d+ex)}{6e} + \frac{1}{2}ax(a^2 + 4b^2) - \frac{a^2 \cos(d+ex)(a + b \sin(d+ex))}{3be}$$

[Out] (a\*(a^2 + 4\*b^2)\*x)/2 + ((a^4 - 8\*a^2\*b^2 - 3\*b^4)\*Cos[d + e\*x])/(3\*b\*e) + (a\*(a^2 - 6\*b^2)\*Cos[d + e\*x]\*Sin[d + e\*x])/(6\*e) - (a^2\*Cos[d + e\*x]\*(a + b\*SIN[d + e\*x]^2))/(3\*b\*e)

**Rubi [A]** time = 0.0987093, antiderivative size = 109, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 37,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.054$ , Rules used = {3023, 2734}

$$\frac{(-8a^2b^2 + a^4 - 3b^4) \cos(d+ex)}{3be} + \frac{a(a^2 - 6b^2) \sin(d+ex) \cos(d+ex)}{6e} + \frac{1}{2}ax(a^2 + 4b^2) - \frac{a^2 \cos(d+ex)(a + b \sin(d+ex))}{3be}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*SIN[d + e\*x])\*(b^2 + 2\*a\*b\*SIN[d + e\*x] + a^2\*SIN[d + e\*x]^2), x]

[Out] (a\*(a^2 + 4\*b^2)\*x)/2 + ((a^4 - 8\*a^2\*b^2 - 3\*b^4)\*Cos[d + e\*x])/(3\*b\*e) + (a\*(a^2 - 6\*b^2)\*Cos[d + e\*x]\*Sin[d + e\*x])/(6\*e) - (a^2\*Cos[d + e\*x]\*(a + b\*SIN[d + e\*x]^2))/(3\*b\*e)

#### Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*SIN[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*SIN[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*SIN[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

#### Rule 2734

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] :> Simp[((2*a*c + b*d)*x)/2, x] + (-Simp[((b*c + a*d)*Cos[e + f*x])/f, x] - Simp[(b*d*Cos[e + f*x]*SIN[e + f*x])/(2*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

#### Rubi steps

$$\begin{aligned} \int (a + b \sin(d+ex)) (b^2 + 2ab \sin(d+ex) + a^2 \sin^2(d+ex)) dx &= -\frac{a^2 \cos(d+ex)(a + b \sin(d+ex))^2}{3be} + \frac{\int (a + b \sin(d+ex)) dx}{3be} \\ &= \frac{1}{2}a(a^2 + 4b^2)x + \frac{(a^4 - 8a^2b^2 - 3b^4) \cos(d+ex)}{3be} + \frac{a \sin(d+ex)}{3e} \end{aligned}$$

**Mathematica [A]** time = 0.296101, size = 77, normalized size = 0.71

$$\frac{a(6(a^2 + 4b^2)(d+ex) - 3(a^2 + 2b^2)\sin(2(d+ex)) + ab\cos(3(d+ex))) - 3b(11a^2 + 4b^2)\cos(d+ex)}{12e}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Sin[d + e*x])*(b^2 + 2*a*b*Sin[d + e*x] + a^2*Sin[d + e*x]^2),x]
```

```
[Out] (-3*b*(11*a^2 + 4*b^2)*Cos[d + e*x] + a*(6*(a^2 + 4*b^2)*(d + e*x) + a*b*Cos[3*(d + e*x)] - 3*(a^2 + 2*b^2)*Sin[2*(d + e*x)]))/(12*e)
```

**Maple [A]** time = 0.024, size = 115, normalized size = 1.1

$$\frac{1}{e} \left( -\frac{a^2 b (2 + (\sin(ex + d))^2) \cos(ex + d)}{3} + a^3 \left( -\frac{\sin(ex + d) \cos(ex + d)}{2} + \frac{ex}{2} + \frac{d}{2} \right) + 2ab^2 (-1/2 \sin(ex + d) \cos(ex + d)) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*sin(e*x+d))*(b^2+2*a*b*sin(e*x+d)+a^2*sin(e*x+d)^2),x)
```

```
[Out] 1/e*(-1/3*a^2*b*(2+sin(e*x+d)^2)*cos(e*x+d)+a^3*(-1/2*sin(e*x+d)*cos(e*x+d)+1/2*e*x+1/2*d)+2*a*b^2*(-1/2*sin(e*x+d)*cos(e*x+d)+1/2*e*x+1/2*d)-2*cos(e*x+d)*a^2*b-cos(e*x+d)*b^3+a*b^2*(e*x+d))
```

**Maxima [A]** time = 0.991491, size = 151, normalized size = 1.39

$$\frac{3(2ex + 2d - \sin(2ex + 2d))a^3 + 4(\cos(ex + d)^3 - 3\cos(ex + d))a^2b + 6(2ex + 2d - \sin(2ex + 2d))ab^2 + 12(ex + d)ab^2 - 24a^2b\cos(ex + d) - 12b^3\cos(ex + d)}{12e}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sin(e*x+d))*(b^2+2*a*b*sin(e*x+d)+a^2*sin(e*x+d)^2),x, algorithm="maxima")
```

```
[Out] 1/12*(3*(2*e*x + 2*d - sin(2*e*x + 2*d))*a^3 + 4*(cos(e*x + d)^3 - 3*cos(e*x + d))*a^2*b + 6*(2*e*x + 2*d - sin(2*e*x + 2*d))*a*b^2 + 12*(e*x + d)*a*b^2 - 24*a^2*b*cos(e*x + d) - 12*b^3*cos(e*x + d))/e
```

**Fricas [A]** time = 1.74264, size = 182, normalized size = 1.67

$$\frac{2a^2b \cos(ex + d)^3 + 3(a^3 + 4ab^2)ex - 3(a^3 + 2ab^2) \cos(ex + d) \sin(ex + d) - 6(3a^2b + b^3) \cos(ex + d)}{6e}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sin(e*x+d))*(b^2+2*a*b*sin(e*x+d)+a^2*sin(e*x+d)^2),x, algorithm="fricas")
```

```
[Out] 1/6*(2*a^2*b*cos(e*x + d)^3 + 3*(a^3 + 4*a*b^2)*e*x - 3*(a^3 + 2*a*b^2)*cos(e*x + d)*sin(e*x + d) - 6*(3*a^2*b + b^3)*cos(e*x + d))/e
```

**Sympy [A]** time = 0.781657, size = 204, normalized size = 1.87

$$\left\{ \begin{array}{l} \frac{a^3 x \sin^2(d+ex)}{2} + \frac{a^3 x \cos^2(d+ex)}{2} - \frac{a^3 \sin(d+ex) \cos(d+ex)}{2e} - \frac{a^2 b \sin^2(d+ex) \cos(d+ex)}{e} - \frac{2a^2 b \cos^3(d+ex)}{3e} - \frac{2a^2 b \cos(d+ex)}{e} + ab^2 x \sin^2(d+ex) \\ x(a+b \sin(d))(a^2 \sin^2(d) + 2ab \sin(d) + b^2) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sin(e\*x+d))\*(b\*\*2+2\*a\*b\*sin(e\*x+d)+a\*\*2\*sin(e\*x+d)\*\*2),x)

[Out] Piecewise((a\*\*3\*x\*sin(d + e\*x)\*\*2/2 + a\*\*3\*x\*cos(d + e\*x)\*\*2/2 - a\*\*3\*sin(d + e\*x)\*cos(d + e\*x)/(2\*e) - a\*\*2\*b\*sin(d + e\*x)\*\*2\*cos(d + e\*x)/e - 2\*a\*\*2\*b\*cos(d + e\*x)\*\*3/(3\*e) - 2\*a\*\*2\*b\*cos(d + e\*x)/e + a\*b\*\*2\*x\*sin(d + e\*x)\*\*2 + a\*b\*\*2\*x\*cos(d + e\*x)\*\*2 + a\*b\*\*2\*x - a\*b\*\*2\*sin(d + e\*x)\*cos(d + e\*x)/e - b\*\*3\*cos(d + e\*x)/e, Ne(e, 0)), (x\*(a + b\*sin(d))\*(a\*\*2\*sin(d)\*\*2 + 2\*a\*b\*sin(d) + b\*\*2), True))

**Giac [A]** time = 1.13899, size = 107, normalized size = 0.98

$$\frac{1}{12} a^2 b \cos(3xe + 3d) e^{-1} - \frac{1}{4} (11a^2 b + 4b^3) \cos(xe + d) e^{-1} - \frac{1}{4} (a^3 + 2ab^2) e^{-1} \sin(2xe + 2d) + \frac{1}{2} (a^3 + 4ab^2) x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sin(e\*x+d))\*(b^2+2\*a\*b\*sin(e\*x+d)+a^2\*sin(e\*x+d)^2),x, algorithm="giac")

[Out] 1/12\*a^2\*b\*cos(3\*x\*e + 3\*d)\*e^(-1) - 1/4\*(11\*a^2\*b + 4\*b^3)\*cos(x\*e + d)\*e^(-1) - 1/4\*(a^3 + 2\*a\*b^2)\*e^(-1)\*sin(2\*x\*e + 2\*d) + 1/2\*(a^3 + 4\*a\*b^2)\*x

$$3.501 \quad \int \frac{a+b \sin(d+ex)}{b^2+2ab \sin(d+ex)+a^2 \sin^2(d+ex)} dx$$

**Optimal.** Leaf size=23

$$-\frac{\cos(d+ex)}{e(a \sin(d+ex)+b)}$$

[Out] -(Cos[d + e\*x]/(e\*(b + a\*Sin[d + e\*x])))

**Rubi [A]** time = 0.0893867, antiderivative size = 23, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 39,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.077$ , Rules used = {3288, 2754, 8}

$$-\frac{\cos(d+ex)}{e(a \sin(d+ex)+b)}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Sin[d + e\*x])/(b^2 + 2\*a\*b\*Sin[d + e\*x] + a^2\*Sin[d + e\*x]^2),x]

[Out] -(Cos[d + e\*x]/(e\*(b + a\*Sin[d + e\*x])))

#### Rule 3288

Int[((A\_) + (B\_)\*sin[(d\_) + (e\_)\*(x\_)])\*((a\_) + (b\_)\*sin[(d\_) + (e\_)\*(x\_)]) + (c\_)\*sin[(d\_) + (e\_)\*(x\_)]^2)^n, x\_Symbol] :> Dist[1/(4^n\*c^n), Int[(A + B\*Sin[d + e\*x])\*(b + 2\*c\*Sin[d + e\*x])^(2\*n), x], x] /; FreeQ[{a, b, c, d, e, A, B}, x] && EqQ[b^2 - 4\*a\*c, 0] && IntegerQ[n]

#### Rule 2754

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[(a\*c - b\*d)\*(m + 1) - (b\*c - a\*d)\*(m + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2\*m]

#### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned} \int \frac{a+b \sin(d+ex)}{b^2+2ab \sin(d+ex)+a^2 \sin^2(d+ex)} dx &= (4a^2) \int \frac{a+b \sin(d+ex)}{(2ab+2a^2 \sin(d+ex))^2} dx \\ &= -\frac{\cos(d+ex)}{e(b+a \sin(d+ex))} + \frac{\int 0 dx}{a^2-b^2} \\ &= -\frac{\cos(d+ex)}{e(b+a \sin(d+ex))} \end{aligned}$$

**Mathematica [A]** time = 0.0623663, size = 23, normalized size = 1.

$$-\frac{\cos(d + ex)}{e(a \sin(d + ex) + b)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Sin[d + e\*x])/(b^2 + 2\*a\*b\*Sin[d + e\*x] + a^2\*Sin[d + e\*x]^2),x]

[Out] -(Cos[d + e\*x]/(e\*(b + a\*Sin[d + e\*x])))

**Maple [B]** time = 0.092, size = 52, normalized size = 2.3

$$2 \frac{1}{e \left( b \left( \tan \left( \frac{d}{2} + \frac{1}{2} ex \right) \right)^2 + 2 a \tan \left( \frac{d}{2} + \frac{1}{2} ex \right) + b \right)} \left( -\frac{a \tan \left( \frac{d}{2} + \frac{1}{2} ex \right)}{b} - 1 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*sin(e\*x+d))/(b^2+2\*a\*b\*sin(e\*x+d)+a^2\*sin(e\*x+d)^2),x)

[Out] 2/e\*(-a\*tan(1/2\*d+1/2\*e\*x)/b-1)/(b\*tan(1/2\*d+1/2\*e\*x)^2+2\*a\*tan(1/2\*d+1/2\*e\*x)+b)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sin(e\*x+d))/(b^2+2\*a\*b\*sin(e\*x+d)+a^2\*sin(e\*x+d)^2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.67657, size = 54, normalized size = 2.35

$$-\frac{\cos(ex + d)}{ae \sin(ex + d) + be}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sin(e\*x+d))/(b^2+2\*a\*b\*sin(e\*x+d)+a^2\*sin(e\*x+d)^2),x, algorithm="fricas")

[Out] -cos(e\*x + d)/(a\*e\*sin(e\*x + d) + b\*e)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sin(e\*x+d))/(b\*\*2+2\*a\*b\*sin(e\*x+d)+a\*\*2\*sin(e\*x+d)\*\*2),x)

[Out] Timed out

---

**Giac [B]** time = 1.19627, size = 70, normalized size = 3.04

$$\frac{2 \left( a \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right) + b \right) e^{(-1)}}{\left( b \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right) \right)^2 + 2 a \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right) + b} b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sin(e\*x+d))/(b^2+2\*a\*b\*sin(e\*x+d)+a^2\*sin(e\*x+d)^2),x, algorithm="giac")

[Out] -2\*(a\*tan(1/2\*x\*e + 1/2\*d) + b)\*e^(-1)/((b\*tan(1/2\*x\*e + 1/2\*d)^2 + 2\*a\*tan(1/2\*x\*e + 1/2\*d) + b)\*b)

$$3.502 \quad \int \frac{a+b \sin(d+ex)}{(b^2+2ab \sin(d+ex)+a^2 \sin^2(d+ex))^2} dx$$

**Optimal.** Leaf size=157

$$-\frac{(2a^2+b^2)\cos(d+ex)}{3e(a^2-b^2)^2(a\sin(d+ex)+b)} + \frac{b\cos(d+ex)}{3e(a^2-b^2)(a\sin(d+ex)+b)^2} + \frac{2ab \tanh^{-1}\left(\frac{a+b \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{a^2-b^2}}\right)}{e(a^2-b^2)^{5/2}} - \frac{\cos(d+ex)}{3e(a\sin(d+ex)+b)}$$

[Out] (2\*a\*b\*ArcTanh[(a + b\*Tan[(d + e\*x)/2])/Sqrt[a^2 - b^2]]/((a^2 - b^2)^(5/2)\*e) - Cos[d + e\*x]/(3\*e\*(b + a\*Sin[d + e\*x])^3) + (b\*Cos[d + e\*x])/(3\*(a^2 - b^2)\*e\*(b + a\*Sin[d + e\*x])^2) - ((2\*a^2 + b^2)\*Cos[d + e\*x])/(3\*(a^2 - b^2)^2\*e\*(b + a\*Sin[d + e\*x]))

**Rubi [A]** time = 0.415349, antiderivative size = 157, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 39,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {3288, 2754, 12, 2660, 618, 206}

$$-\frac{(2a^2+b^2)\cos(d+ex)}{3e(a^2-b^2)^2(a\sin(d+ex)+b)} + \frac{b\cos(d+ex)}{3e(a^2-b^2)(a\sin(d+ex)+b)^2} + \frac{2ab \tanh^{-1}\left(\frac{a+b \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{a^2-b^2}}\right)}{e(a^2-b^2)^{5/2}} - \frac{\cos(d+ex)}{3e(a\sin(d+ex)+b)}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Sin[d + e\*x])/(b^2 + 2\*a\*b\*Sin[d + e\*x] + a^2\*Sin[d + e\*x]^2)^2, x]

[Out] (2\*a\*b\*ArcTanh[(a + b\*Tan[(d + e\*x)/2])/Sqrt[a^2 - b^2]]/((a^2 - b^2)^(5/2)\*e) - Cos[d + e\*x]/(3\*e\*(b + a\*Sin[d + e\*x])^3) + (b\*Cos[d + e\*x])/(3\*(a^2 - b^2)\*e\*(b + a\*Sin[d + e\*x])^2) - ((2\*a^2 + b^2)\*Cos[d + e\*x])/(3\*(a^2 - b^2)^2\*e\*(b + a\*Sin[d + e\*x]))

#### Rule 3288

Int[((A\_) + (B\_)\*sin[(d\_) + (e\_)\*(x\_)])\*((a\_) + (b\_)\*sin[(d\_) + (e\_)\*(x\_)]) + (c\_)\*sin[(d\_) + (e\_)\*(x\_)]^2)^(n\_), x\_Symbol] :> Dist[1/(4^n\*c^n), Int[(A + B\*Sin[d + e\*x])\*(b + 2\*c\*Sin[d + e\*x])^(2\*n), x], x] /; FreeQ[{a, b, c, d, e, A, B}, x] && EqQ[b^2 - 4\*a\*c, 0] && IntegerQ[n]

#### Rule 2754

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^n, x\_Symbol] :> -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[(a\*c - b\*d)\*(m + 1) - (b\*c - a\*d)\*(m + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2\*m]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 2660

```
Int[((a_) + (b_.)*sin[(c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + 2*b*e*x + a*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\int \frac{a + b \sin(d + ex)}{(b^2 + 2ab \sin(d + ex) + a^2 \sin^2(d + ex))^2} dx = (16a^4) \int \frac{a + b \sin(d + ex)}{(2ab + 2a^2 \sin(d + ex))^4} dx$$

$$= -\frac{\cos(d + ex)}{3e(b + a \sin(d + ex))^3} + \frac{(4a^2) \int \frac{4a(a^2 - b^2) \sin(d + ex)}{(2ab + 2a^2 \sin(d + ex))^3} dx}{3(a^2 - b^2)}$$

$$= -\frac{\cos(d + ex)}{3e(b + a \sin(d + ex))^3} + \frac{1}{3} (16a^3) \int \frac{\sin(d + ex)}{(2ab + 2a^2 \sin(d + ex))^3} dx$$

$$= -\frac{\cos(d + ex)}{3e(b + a \sin(d + ex))^3} + \frac{b \cos(d + ex)}{3(a^2 - b^2)e(b + a \sin(d + ex))^2} + \frac{(2a) \int \dots}{3(a^2 - b^2)}$$

$$= -\frac{\cos(d + ex)}{3e(b + a \sin(d + ex))^3} + \frac{b \cos(d + ex)}{3(a^2 - b^2)e(b + a \sin(d + ex))^2} - \frac{(2) \int \dots}{3(a^2 - b^2)}$$

$$= -\frac{\cos(d + ex)}{3e(b + a \sin(d + ex))^3} + \frac{b \cos(d + ex)}{3(a^2 - b^2)e(b + a \sin(d + ex))^2} - \frac{(2) \int \dots}{3(a^2 - b^2)}$$

$$= -\frac{\cos(d + ex)}{3e(b + a \sin(d + ex))^3} + \frac{b \cos(d + ex)}{3(a^2 - b^2)e(b + a \sin(d + ex))^2} - \frac{(2) \int \dots}{3(a^2 - b^2)}$$

$$= -\frac{\cos(d + ex)}{3e(b + a \sin(d + ex))^3} + \frac{b \cos(d + ex)}{3(a^2 - b^2)e(b + a \sin(d + ex))^2} - \frac{(2) \int \dots}{3(a^2 - b^2)}$$

$$= \frac{2ab \tanh^{-1}\left(\frac{a + b \tan\left(\frac{1}{2}(d + ex)\right)}{\sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)^{5/2} e} - \frac{\cos(d + ex)}{3e(b + a \sin(d + ex))^3} + \frac{b \cos(d + ex)}{3(a^2 - b^2)e(b + a \sin(d + ex))^2}$$

**Mathematica [A]** time = 0.973576, size = 140, normalized size = 0.89

$$\frac{6ab \tan^{-1}\left(\frac{a + b \tan\left(\frac{1}{2}(d + ex)\right)}{\sqrt{a^2 - b^2}}\right)}{(b^2 - a^2)^{5/2}} + \frac{\cos(d + ex)(a^2(2a^2 + b^2) \sin^2(d + ex) + 3ab(a^2 + b^2) \sin(d + ex) - a^2b^2 + a^4 + 3b^4)}{(a - b)^2(a + b)^2(a \sin(d + ex) + b)^3}$$


---

3e

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*SIN[d + e*x])/(b^2 + 2*a*b*SIN[d + e*x] + a^2*SIN[d + e*x]^2)^2,x]
```

```
[Out] -((6*a*b*ArcTan[(a + b*Tan[(d + e*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(5/2) + (Cos[d + e*x]*(a^4 - a^2*b^2 + 3*b^4 + 3*a*b*(a^2 + b^2)*SIN[d + e*x] + a^2*(2*a^2 + b^2)*SIN[d + e*x]^2))/((a - b)^2*(a + b)^2*(b + a*SIN[d + e*x])^3))/(3*e)
```

**Maple [B]** time = 0.118, size = 1297, normalized size = 8.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*sin(e*x+d))/(b^2+2*a*b*sin(e*x+d)+a^2*sin(e*x+d)^2)^2,x)
```

```
[Out] -2/e/(b*tan(1/2*d+1/2*e*x)^2+2*a*tan(1/2*d+1/2*e*x)+b)^3*a^5/b/(a^4-2*a^2*b^2+b^4)*tan(1/2*d+1/2*e*x)^5+4/e/(b*tan(1/2*d+1/2*e*x)^2+2*a*tan(1/2*d+1/2*e*x)+b)^3*a^3*b/(a^4-2*a^2*b^2+b^4)*tan(1/2*d+1/2*e*x)^5-4/e/(b*tan(1/2*d+1/2*e*x)^2+2*a*tan(1/2*d+1/2*e*x)+b)^3*a*b^3/(a^4-2*a^2*b^2+b^4)*tan(1/2*d+1/2*e*x)^5-4/e/(b*tan(1/2*d+1/2*e*x)^2+2*a*tan(1/2*d+1/2*e*x)+b)^3/b^2/(a^4-2*a^2*b^2+b^4)*tan(1/2*d+1/2*e*x)^4*a^6+6/e/(b*tan(1/2*d+1/2*e*x)^2+2*a*tan(1/2*d+1/2*e*x)+b)^3/(a^4-2*a^2*b^2+b^4)*tan(1/2*d+1/2*e*x)^4*a^4-10/e/(b*tan(1/2*d+1/2*e*x)^2+2*a*tan(1/2*d+1/2*e*x)+b)^3*b^2/(a^4-2*a^2*b^2+b^4)*tan(1/2*d+1/2*e*x)^4*a^2-2/e/(b*tan(1/2*d+1/2*e*x)^2+2*a*tan(1/2*d+1/2*e*x)+b)^3*b^4/(a^4-2*a^2*b^2+b^4)*tan(1/2*d+1/2*e*x)^4-8/3/e/(b*tan(1/2*d+1/2*e*x)^2+2*a*tan(1/2*d+1/2*e*x)+b)^3*a^7/b^3/(a^4-2*a^2*b^2+b^4)*tan(1/2*d+1/2*e*x)^3-4/3/e/(b*tan(1/2*d+1/2*e*x)^2+2*a*tan(1/2*d+1/2*e*x)+b)^3*a^5/b/(a^4-2*a^2*b^2+b^4)*tan(1/2*d+1/2*e*x)^3-4/e/(b*tan(1/2*d+1/2*e*x)^2+2*a*tan(1/2*d+1/2*e*x)+b)^3*a^3*b/(a^4-2*a^2*b^2+b^4)*tan(1/2*d+1/2*e*x)^3-12/e/(b*tan(1/2*d+1/2*e*x)^2+2*a*tan(1/2*d+1/2*e*x)+b)^3*a*b^3/(a^4-2*a^2*b^2+b^4)*tan(1/2*d+1/2*e*x)^3-4/e/(b*tan(1/2*d+1/2*e*x)^2+2*a*tan(1/2*d+1/2*e*x)+b)^3/b^2/(a^4-2*a^2*b^2+b^4)*tan(1/2*d+1/2*e*x)^2*a^6-12/e/(b*tan(1/2*d+1/2*e*x)^2+2*a*tan(1/2*d+1/2*e*x)+b)^3*b^2/(a^4-2*a^2*b^2+b^4)*tan(1/2*d+1/2*e*x)^2*a^2-4/e/(b*tan(1/2*d+1/2*e*x)^2+2*a*tan(1/2*d+1/2*e*x)+b)^3*b^4/(a^4-2*a^2*b^2+b^4)*tan(1/2*d+1/2*e*x)^2-2/e/(b*tan(1/2*d+1/2*e*x)^2+2*a*tan(1/2*d+1/2*e*x)+b)^3*a^5/b/(a^4-2*a^2*b^2+b^4)*tan(1/2*d+1/2*e*x)-8/e/(b*tan(1/2*d+1/2*e*x)^2+2*a*tan(1/2*d+1/2*e*x)+b)^3*a*b^3/(a^4-2*a^2*b^2+b^4)*tan(1/2*d+1/2*e*x)-2/3/e/(b*tan(1/2*d+1/2*e*x)^2+2*a*tan(1/2*d+1/2*e*x)+b)^3/(a^4-2*a^2*b^2+b^4)*a^4+2/3/e/(b*tan(1/2*d+1/2*e*x)^2+2*a*tan(1/2*d+1/2*e*x)+b)^3/(a^4-2*a^2*b^2+b^4)*a^2*b^2-2/e/(b*tan(1/2*d+1/2*e*x)^2+2*a*tan(1/2*d+1/2*e*x)+b)^3/(a^4-2*a^2*b^2+b^4)*b^4-2/e*a*b/(a^4-2*a^2*b^2+b^4)/(-a^2+b^2)^(1/2)*arctan(1/2*(2*b*tan(1/2*d+1/2*e*x)+2*a)/(-a^2+b^2)^(1/2))
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sin(e*x+d))/(b^2+2*a*b*sin(e*x+d)+a^2*sin(e*x+d)^2)^2,x, algorithm="maxima")
```

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.16481, size = 1705, normalized size = 10.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sin(e\*x+d))/(b^2+2\*a\*b\*sin(e\*x+d)+a^2\*sin(e\*x+d)^2)^2,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [-1/6*(2*(2*a^6 - a^4*b^2 - a^2*b^4)*\cos(e*x + d)^3 - 6*(a^5*b - a*b^5)*\cos \\ & (e*x + d)*\sin(e*x + d) - 3*(3*a^3*b^2*\cos(e*x + d)^2 - 3*a^3*b^2 - a*b^4 + \\ & (a^4*b*\cos(e*x + d)^2 - a^4*b - 3*a^2*b^3)*\sin(e*x + d))*\sqrt{a^2 - b^2}* \log \\ & (((a^2 - 2*b^2)*\cos(e*x + d)^2 + 2*a*b*\sin(e*x + d) + a^2 + b^2 + 2*(b*\cos \\ & (e*x + d)*\sin(e*x + d) + a*\cos(e*x + d))*\sqrt{a^2 - b^2})/(a^2*\cos(e*x + d) \\ & ^2 - 2*a*b*\sin(e*x + d) - a^2 - b^2)) - 6*(a^6 - a^4*b^2 + a^2*b^4 - b^6)*\cos \\ & (e*x + d))/(3*(a^8*b - 3*a^6*b^3 + 3*a^4*b^5 - a^2*b^7)*e*\cos(e*x + d)^2 \\ & - (3*a^8*b - 8*a^6*b^3 + 6*a^4*b^5 - b^9)*e + ((a^9 - 3*a^7*b^2 + 3*a^5*b^4 \\ & - a^3*b^6)*e*\cos(e*x + d)^2 - (a^9 - 6*a^5*b^4 + 8*a^3*b^6 - 3*a*b^8)*e)*\sin \\ & (e*x + d)), -1/3*((2*a^6 - a^4*b^2 - a^2*b^4)*\cos(e*x + d)^3 - 3*(a^5*b - \\ & a*b^5)*\cos(e*x + d)*\sin(e*x + d) - 3*(3*a^3*b^2*\cos(e*x + d)^2 - 3*a^3*b^2 \\ & - a*b^4 + (a^4*b*\cos(e*x + d)^2 - a^4*b - 3*a^2*b^3)*\sin(e*x + d))*\sqrt{-a \\ & ^2 + b^2}*\arctan(-\sqrt{-a^2 + b^2}*(b*\sin(e*x + d) + a)/((a^2 - b^2)*\cos(e*x \\ & + d))) - 3*(a^6 - a^4*b^2 + a^2*b^4 - b^6)*\cos(e*x + d))/(3*(a^8*b - 3*a^6 \\ & b^3 + 3*a^4*b^5 - a^2*b^7)*e*\cos(e*x + d)^2 - (3*a^8*b - 8*a^6*b^3 + 6*a^4 \\ & b^5 - b^9)*e + ((a^9 - 3*a^7*b^2 + 3*a^5*b^4 - a^3*b^6)*e*\cos(e*x + d)^2 \\ & - (a^9 - 6*a^5*b^4 + 8*a^3*b^6 - 3*a*b^8)*e)*\sin(e*x + d)] \end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sin(e\*x+d))/(b\*\*2+2\*a\*b\*sin(e\*x+d)+a\*\*2\*sin(e\*x+d)\*\*2)\*\*2,x)

[Out] Timed out

**Giac [B]** time = 1.27347, size = 613, normalized size = 3.9

$$\frac{2}{3} \left( \frac{3 \left( \pi \left[ \frac{xe+d}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(b) + \arctan \left( \frac{b \tan \left( \frac{1}{2} xe + \frac{1}{2} d \right) + a}{\sqrt{-a^2 + b^2}} \right) \right) ab}{(a^4 - 2a^2b^2 + b^4)\sqrt{-a^2 + b^2}} + \frac{3a^5b^2 \tan \left( \frac{1}{2} xe + \frac{1}{2} d \right)^5 - 6a^3b^4 \tan \left( \frac{1}{2} xe + \frac{1}{2} d \right)^5 + 6a^2b^6 \tan \left( \frac{1}{2} xe + \frac{1}{2} d \right)^5}{(a^4 - 2a^2b^2 + b^4)\sqrt{-a^2 + b^2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sin(e\*x+d))/(b^2+2\*a\*b\*sin(e\*x+d)+a^2\*sin(e\*x+d)^2)^2,x, algorithm="giac")

```
[Out] -2/3*(3*(pi*floor(1/2*(x*e + d)/pi + 1/2)*sgn(b) + arctan((b*tan(1/2*x*e +
1/2*d) + a)/sqrt(-a^2 + b^2)))*a*b/((a^4 - 2*a^2*b^2 + b^4)*sqrt(-a^2 + b^2
)) + (3*a^5*b^2*tan(1/2*x*e + 1/2*d)^5 - 6*a^3*b^4*tan(1/2*x*e + 1/2*d)^5 +
6*a*b^6*tan(1/2*x*e + 1/2*d)^5 + 6*a^6*b*tan(1/2*x*e + 1/2*d)^4 - 9*a^4*b^
3*tan(1/2*x*e + 1/2*d)^4 + 15*a^2*b^5*tan(1/2*x*e + 1/2*d)^4 + 3*b^7*tan(1/
2*x*e + 1/2*d)^4 + 4*a^7*tan(1/2*x*e + 1/2*d)^3 + 2*a^5*b^2*tan(1/2*x*e + 1
/2*d)^3 + 6*a^3*b^4*tan(1/2*x*e + 1/2*d)^3 + 18*a*b^6*tan(1/2*x*e + 1/2*d)^
3 + 6*a^6*b*tan(1/2*x*e + 1/2*d)^2 + 18*a^2*b^5*tan(1/2*x*e + 1/2*d)^2 + 6*
b^7*tan(1/2*x*e + 1/2*d)^2 + 3*a^5*b^2*tan(1/2*x*e + 1/2*d) + 12*a*b^6*tan(
1/2*x*e + 1/2*d) + a^4*b^3 - a^2*b^5 + 3*b^7)/((a^4*b^3 - 2*a^2*b^5 + b^7)*
(b*tan(1/2*x*e + 1/2*d)^2 + 2*a*tan(1/2*x*e + 1/2*d) + b)^3))*e^(-1)
```

$$3.503 \quad \int \frac{d+e \sin(x)}{a+b \sin(x)+c \sin^2(x)} dx$$

**Optimal.** Leaf size=242

$$\frac{\sqrt{2} \left( \frac{2cd-be}{\sqrt{b^2-4ac}} + e \right) \tan^{-1} \left( \frac{\tan\left(\frac{x}{2}\right)(b-\sqrt{b^2-4ac})+2c}{\sqrt{2}\sqrt{-b\sqrt{b^2-4ac}-2c(a+c)+b^2}} \right)}{\sqrt{-b\sqrt{b^2-4ac}-2c(a+c)+b^2}} + \frac{\sqrt{2} \left( e - \frac{2cd-be}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left( \frac{\tan\left(\frac{x}{2}\right)(\sqrt{b^2-4ac}+b)+2c}{\sqrt{2}\sqrt{b\sqrt{b^2-4ac}-2c(a+c)+b^2}} \right)}{\sqrt{b\sqrt{b^2-4ac}-2c(a+c)+b^2}}$$

```
[Out] (Sqrt[2]*(e + (2*c*d - b*e)/Sqrt[b^2 - 4*a*c])*ArcTan[(2*c + (b - Sqrt[b^2 - 4*a*c])*Tan[x/2])/(Sqrt[2]*Sqrt[b^2 - 2*c*(a + c) - b*Sqrt[b^2 - 4*a*c]])]/Sqrt[b^2 - 2*c*(a + c) - b*Sqrt[b^2 - 4*a*c]] + (Sqrt[2]*(e - (2*c*d - b*e)/Sqrt[b^2 - 4*a*c])*ArcTan[(2*c + (b + Sqrt[b^2 - 4*a*c])*Tan[x/2])/(Sqrt[2]*Sqrt[b^2 - 2*c*(a + c) + b*Sqrt[b^2 - 4*a*c]])]/Sqrt[b^2 - 2*c*(a + c) + b*Sqrt[b^2 - 4*a*c]])
```

**Rubi [A]** time = 0.940384, antiderivative size = 242, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.19$ , Rules used = {3292, 2660, 618, 204}

$$\frac{\sqrt{2} \left( \frac{2cd-be}{\sqrt{b^2-4ac}} + e \right) \tan^{-1} \left( \frac{\tan\left(\frac{x}{2}\right)(b-\sqrt{b^2-4ac})+2c}{\sqrt{2}\sqrt{-b\sqrt{b^2-4ac}-2c(a+c)+b^2}} \right)}{\sqrt{-b\sqrt{b^2-4ac}-2c(a+c)+b^2}} + \frac{\sqrt{2} \left( e - \frac{2cd-be}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left( \frac{\tan\left(\frac{x}{2}\right)(\sqrt{b^2-4ac}+b)+2c}{\sqrt{2}\sqrt{b\sqrt{b^2-4ac}-2c(a+c)+b^2}} \right)}{\sqrt{b\sqrt{b^2-4ac}-2c(a+c)+b^2}}$$

Antiderivative was successfully verified.

```
[In] Int[(d + e*Sin[x])/(a + b*Sin[x] + c*Sin[x]^2),x]
```

```
[Out] (Sqrt[2]*(e + (2*c*d - b*e)/Sqrt[b^2 - 4*a*c])*ArcTan[(2*c + (b - Sqrt[b^2 - 4*a*c])*Tan[x/2])/(Sqrt[2]*Sqrt[b^2 - 2*c*(a + c) - b*Sqrt[b^2 - 4*a*c]])]/Sqrt[b^2 - 2*c*(a + c) - b*Sqrt[b^2 - 4*a*c]] + (Sqrt[2]*(e - (2*c*d - b*e)/Sqrt[b^2 - 4*a*c])*ArcTan[(2*c + (b + Sqrt[b^2 - 4*a*c])*Tan[x/2])/(Sqrt[2]*Sqrt[b^2 - 2*c*(a + c) + b*Sqrt[b^2 - 4*a*c]])]/Sqrt[b^2 - 2*c*(a + c) + b*Sqrt[b^2 - 4*a*c]])
```

#### Rule 3292

```
Int[((A_) + (B_)*sin[(d_) + (e_)*(x_)])/((a_) + (b_)*sin[(d_) + (e_)*(x_)] + (c_)*sin[(d_) + (e_)*(x_)]^2), x_Symbol] :> Module[{q = Rt[b^2 - 4*a*c, 2]}, Dist[B + (b*B - 2*A*c)/q, Int[1/(b + q + 2*c*Sin[d + e*x]), x], x] + Dist[B - (b*B - 2*A*c)/q, Int[1/(b - q + 2*c*Sin[d + e*x]), x], x] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0]
```

#### Rule 2660

```
Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^(-1), x_Symbol] :> With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + 2*b*e*x + a*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

#### Rule 618

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
```

$x] \&\& \text{NeQ}[b^2 - 4*a*c, 0]$

### Rule 204

$\text{Int}[(a + (b \cdot x)^2)^{-1}, x\_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2] \cdot x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2] \cdot \text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b] \&\& (\text{LtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

### Rubi steps

$$\begin{aligned} \int \frac{d + e \sin(x)}{a + b \sin(x) + c \sin^2(x)} dx &= \left( e - \frac{2cd - be}{\sqrt{b^2 - 4ac}} \right) \int \frac{1}{b + \sqrt{b^2 - 4ac} + 2c \sin(x)} dx + \left( e + \frac{2cd - be}{\sqrt{b^2 - 4ac}} \right) \int \frac{1}{b - \sqrt{b^2 - 4ac} + 2c \sin(x)} dx \\ &= \left( 2 \left( e - \frac{2cd - be}{\sqrt{b^2 - 4ac}} \right) \right) \text{Subst} \left[ \int \frac{1}{b + \sqrt{b^2 - 4ac} + 4cx + (b + \sqrt{b^2 - 4ac})x^2} dx, x, \tan\left(\frac{x}{2}\right) \right] \\ &= - \left( 4 \left( e - \frac{2cd - be}{\sqrt{b^2 - 4ac}} \right) \right) \text{Subst} \left[ \int \frac{1}{4 \left( 4c^2 - (b + \sqrt{b^2 - 4ac})^2 \right) - x^2} dx, x, 4c + 2 \left( b + \sqrt{b^2 - 4ac} \right) \tan\left(\frac{x}{2}\right) \right] \\ &= \frac{\sqrt{2} \left( e + \frac{2cd - be}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left( \frac{2c + (b - \sqrt{b^2 - 4ac}) \tan\left(\frac{x}{2}\right)}{\sqrt{2} \sqrt{b^2 - 2c(a+c) - b\sqrt{b^2 - 4ac}}} \right)}{\sqrt{b^2 - 2c(a+c) - b\sqrt{b^2 - 4ac}}} + \frac{\sqrt{2} \left( e - \frac{2cd - be}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left( \frac{2c + (b + \sqrt{b^2 - 4ac}) \tan\left(\frac{x}{2}\right)}{\sqrt{2} \sqrt{b^2 - 2c(a+c) + b\sqrt{b^2 - 4ac}}} \right)}{\sqrt{b^2 - 2c(a+c) + b\sqrt{b^2 - 4ac}}} \end{aligned}$$

**Mathematica [C]** time = 0.70011, size = 286, normalized size = 1.18

$$\frac{\left( e \left( \sqrt{4ac - b^2} + ib \right) - 2icd \right) \tan^{-1} \left( \frac{2c + \tan\left(\frac{x}{2}\right) (b - i\sqrt{4ac - b^2})}{\sqrt{2} \sqrt{-ib\sqrt{4ac - b^2} - 2c(a+c) + b^2}} \right)}{\sqrt{-ib\sqrt{4ac - b^2} - 2c(a+c) + b^2}} + \frac{\left( e \left( \sqrt{4ac - b^2} - ib \right) + 2icd \right) \tan^{-1} \left( \frac{2c + \tan\left(\frac{x}{2}\right) (b + i\sqrt{4ac - b^2})}{\sqrt{2} \sqrt{ib\sqrt{4ac - b^2} - 2c(a+c) + b^2}} \right)}{\sqrt{ib\sqrt{4ac - b^2} - 2c(a+c) + b^2}}}{\sqrt{2ac - \frac{b^2}{2}}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*Sin[x])/(a + b\*Sin[x] + c\*Sin[x]^2), x]

[Out] ((((-2\*I)\*c\*d + (I\*b + Sqrt[-b^2 + 4\*a\*c])\*e)\*ArcTan[(2\*c + (b - I\*Sqrt[-b^2 + 4\*a\*c])\*Tan[x/2])/(Sqrt[2]\*Sqrt[b^2 - 2\*c\*(a + c) - I\*b\*Sqrt[-b^2 + 4\*a\*c]])])/Sqrt[b^2 - 2\*c\*(a + c) - I\*b\*Sqrt[-b^2 + 4\*a\*c]] + (((2\*I)\*c\*d + ((-I)\*b + Sqrt[-b^2 + 4\*a\*c])\*e)\*ArcTan[(2\*c + (b + I\*Sqrt[-b^2 + 4\*a\*c])\*Tan[x/2])/(Sqrt[2]\*Sqrt[b^2 - 2\*c\*(a + c) + I\*b\*Sqrt[-b^2 + 4\*a\*c]])])/Sqrt[b^2 - 2\*c\*(a + c) + I\*b\*Sqrt[-b^2 + 4\*a\*c]])/Sqrt[-b^2/2 + 2\*a\*c]

**Maple [B]** time = 0.095, size = 832, normalized size = 3.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d+e\*sin(x))/(a+b\*sin(x)+c\*sin(x)^2), x)



```
[Out] 8*a/(4*a*c-b^2)/(4*a*c-2*b^2-2*b*(-4*a*c+b^2)^(1/2)+4*a^2)^(1/2)*arctan((2*a*
a*tan(1/2*x)+b+(-4*a*c+b^2)^(1/2))/(4*a*c-2*b^2-2*b*(-4*a*c+b^2)^(1/2)+4*a^
2)^(1/2))*d*c-2/(4*a*c-b^2)/(4*a*c-2*b^2-2*b*(-4*a*c+b^2)^(1/2)+4*a^2)^(1/2)
)*arctan((2*a*tan(1/2*x)+b+(-4*a*c+b^2)^(1/2))/(4*a*c-2*b^2-2*b*(-4*a*c+b^2)
)^(1/2)+4*a^2)^(1/2))*d*b^2+4*a*(-4*a*c+b^2)^(1/2)/(4*a*c-b^2)/(4*a*c-2*b^2
-2*b*(-4*a*c+b^2)^(1/2)+4*a^2)^(1/2)*arctan((2*a*tan(1/2*x)+b+(-4*a*c+b^2)^(
1/2))/(4*a*c-2*b^2-2*b*(-4*a*c+b^2)^(1/2)+4*a^2)^(1/2))*e-2*(-4*a*c+b^2)^(
1/2)/(4*a*c-b^2)/(4*a*c-2*b^2-2*b*(-4*a*c+b^2)^(1/2)+4*a^2)^(1/2)*arctan((2
*a*tan(1/2*x)+b+(-4*a*c+b^2)^(1/2))/(4*a*c-2*b^2-2*b*(-4*a*c+b^2)^(1/2)+4*a
^2)^(1/2))*d*b-8*a/(4*a*c-b^2)/(4*a*c-2*b^2+2*b*(-4*a*c+b^2)^(1/2)+4*a^2)^(
1/2)*arctan((-2*a*tan(1/2*x)+(-4*a*c+b^2)^(1/2)-b)/(4*a*c-2*b^2+2*b*(-4*a*c
+b^2)^(1/2)+4*a^2)^(1/2))*d*c+2/(4*a*c-b^2)/(4*a*c-2*b^2+2*b*(-4*a*c+b^2)^(
1/2)+4*a^2)^(1/2)*arctan((-2*a*tan(1/2*x)+(-4*a*c+b^2)^(1/2)-b)/(4*a*c-2*b^
2+2*b*(-4*a*c+b^2)^(1/2)+4*a^2)^(1/2))*d*b^2+4*a*(-4*a*c+b^2)^(1/2)/(4*a*c-
b^2)/(4*a*c-2*b^2+2*b*(-4*a*c+b^2)^(1/2)+4*a^2)^(1/2)*arctan((-2*a*tan(1/2*
x)+(-4*a*c+b^2)^(1/2)-b)/(4*a*c-2*b^2+2*b*(-4*a*c+b^2)^(1/2)+4*a^2)^(1/2))*
e-2*(-4*a*c+b^2)^(1/2)/(4*a*c-b^2)/(4*a*c-2*b^2+2*b*(-4*a*c+b^2)^(1/2)+4*a^
2)^(1/2)*arctan((-2*a*tan(1/2*x)+(-4*a*c+b^2)^(1/2)-b)/(4*a*c-2*b^2+2*b*(-4
*a*c+b^2)^(1/2)+4*a^2)^(1/2))*d*b
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{e \sin(x) + d}{c \sin(x)^2 + b \sin(x) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e*sin(x))/(a+b*sin(x)+c*sin(x)^2),x, algorithm="maxima")
```

```
[Out] integrate((e*sin(x) + d)/(c*sin(x)^2 + b*sin(x) + a), x)
```

**Fricas [B]** time = 61.352, size = 13609, normalized size = 56.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e*sin(x))/(a+b*sin(x)+c*sin(x)^2),x, algorithm="fricas")
```

```
[Out] 1/4*sqrt(2)*sqrt(-(b^2 - 2*a*c - 2*c^2)*d^2 - 2*(a*b - b*c)*d*e + (2*a^2 -
b^2 + 2*a*c)*e^2 + (a^2*b^2 - b^4 - 4*a*c^3 - (8*a^2 - b^2)*c^2 - 2*(2*a^3
- 3*a*b^2)*c)*sqrt((b^2*d^4 + b^2*e^4 - 4*(a*b + b*c)*d^3*e + 2*(2*a^2 + b
^2 + 4*a*c + 2*c^2)*d^2*e^2 - 4*(a*b + b*c)*d*e^3)/(a^4*b^2 - 2*a^2*b^4 + b
^6 - 4*a*c^5 - (16*a^2 - b^2)*c^4 - 12*(2*a^3 - a*b^2)*c^3 - 2*(8*a^4 - 11*
a^2*b^2 + b^4)*c^2 - 4*(a^5 - 3*a^3*b^2 + 2*a*b^4)*c))/((a^2*b^2 - b^4 - 4*
a*c^3 - (8*a^2 - b^2)*c^2 - 2*(2*a^3 - 3*a*b^2)*c))*log(4*b*c^2*d^4 + 4*a*b
*c*e^4 - 4*(b^2*c + 2*a*c^2 + 2*c^3)*d^3*e + 12*(a*b*c + b*c^2)*d^2*e^2 - 4
*(2*a*c^2 + (2*a^2 + b^2)*c)*d*e^3 + 2*((4*a*c^4 + (8*a^2 - b^2)*c^3 + 2*(2
*a^3 - 3*a*b^2)*c^2 - (a^2*b^2 - b^4)*c)*d^2 + (a^2*b^3 - b^5 - 4*a*b*c^3 -
(8*a^2*b - b^3)*c^2 - 2*(2*a^3*b - 3*a*b^3)*c)*d*e - (a^3*b^2 - a*b^4 - 4*
a^2*c^3 - (8*a^3 - a*b^2)*c^2 - 2*(2*a^4 - 3*a^2*b^2)*c)*e^2)*sqrt((b^2*d^4
+ b^2*e^4 - 4*(a*b + b*c)*d^3*e + 2*(2*a^2 + b^2 + 4*a*c + 2*c^2)*d^2*e^2
- 4*(a*b + b*c)*d*e^3)/(a^4*b^2 - 2*a^2*b^4 + b^6 - 4*a*c^5 - (16*a^2 - b^2
)*c^4 - 12*(2*a^3 - a*b^2)*c^3 - 2*(8*a^4 - 11*a^2*b^2 + b^4)*c^2 - 4*(a^5
- 3*a^3*b^2 + 2*a*b^4)*c))*sin(x) + sqrt(2)*(((a^2*b^4 - b^6 + 8*a*c^5 + 2*
```

$$\begin{aligned}
& (12a^2 - b^2)c^4 + 6(4a^3 - 3ab^2)c^3 + (8a^4 - 22a^2b^2 + 3b^4) \\
& *c^2 - 2(3a^3b^2 - 4ab^4)c*d - (a^3b^3 - ab^5 + 4a^2b^2c^4 + (4a^2b - b^3)c^3 - (4a^3b + 5ab^3)c^2 - (4a^4b - 5a^2b^3 - b^5)c)*e) \\
& *sqrt((b^2d^4 + b^2e^4 - 4(ab + bc)d^3e + 2(2a^2 + b^2 + 4ac + 2c^2)d^2e^2 - 4(ab + bc)d^2e^3)/(a^4b^2 - 2a^2b^4 + b^6 - 4ac^5 - \\
& (16a^2 - b^2)c^4 - 12(2a^3 - ab^2)c^3 - 2(8a^4 - 11a^2b^2 + b^4)c^2 - 4(a^5 - 3a^3b^2 + 2ab^4)c)) *cos(x) - ((b^4 - 4a^2b^2c)*d^3 - \\
& 3(ab^3 - 4a^2b^2c - (4a^2b - b^3)c)*d^2e + (2a^2b^2 + b^4 - 8a^3c - 8ac^3 - 2(8a^2 - b^2)c^2)*d^2e^2 - (ab^3 - 4a^2b^2c - (4a^2b - \\
& b^3)c)*e^3)*cos(x)) *sqrt(-((b^2 - 2ac - 2c^2)d^2 - 2(ab - bc)d^2e + (2a^2 - b^2 + 2ac)*e^2 - (a^2b^2 - b^4 - 4ac^3 - (8a^2 - b^2)c^2 - \\
& 2(2a^3 - 3ab^2)c)*sqrt((b^2d^4 + b^2e^4 - 4(ab + bc)d^3e + 2(2a^2 + b^2 + 4ac + 2c^2)d^2e^2 - 4(ab + bc)d^2e^3)/(a^4b^2 - 2a^2b^4 + b^6 - 4ac^5 - \\
& (16a^2 - b^2)c^4 - 12(2a^3 - ab^2)c^3 - 2(8a^4 - 11a^2b^2 + b^4)c^2 - 4(a^5 - 3a^3b^2 + 2ab^4)c))) / (a^2b^2 - b^4 - 4ac^3 - (8a^2 - b^2)c^2 - 2(2a^3 - 3ab^2)c)) + 2(b^2cd^4 + \\
& ab^2e^4 - (b^3 + 2abc + 2bc^2)d^3e + 3(a^2b^2 + b^2c)d^2e^2 - (2a^2b + b^3 + 2abc)*d^2e^3)*sin(x)) - 1/4*sqrt(2)*sqrt(-((b^2 - 2ac - 2c^2)d^2 - 2(ab - bc)d^2e + (2a^2 - b^2 + 2ac)*e^2 - (a^2b^2 - \\
& b^4 - 4ac^3 - (8a^2 - b^2)c^2 - 2(2a^3 - 3ab^2)c)*sqrt((b^2d^4 + b^2e^4 - 4(ab + bc)d^3e + 2(2a^2 + b^2 + 4ac + 2c^2)d^2e^2 - 4(ab + bc)d^2e^3)/(a^4b^2 - 2a^2b^4 + b^6 - 4ac^5 - \\
& (16a^2 - b^2)c^4 - 12(2a^3 - ab^2)c^3 - 2(8a^4 - 11a^2b^2 + b^4)c^2 - 4(a^5 - 3a^3b^2 + 2ab^4)c))) / (a^2b^2 - b^4 - 4ac^3 - (8a^2 - b^2)c^2 - 2(2a^3 - 3ab^2)c)) *log(4b^2cd^4 + 4abc^2e^4 - 4(b^2c + 2ac^2 + \\
& 2c^3)d^3e + 12(ab^2c + bc^2)d^2e^2 - 4(2ac^2 + (2a^2 + b^2)c)d^2e^3 - 2((4ac^4 + (8a^2 - b^2)c^3 + 2(2a^3 - 3ab^2)c^2 - (a^2b^2 - b^4)c)*d^2 + (a^2b^3 - b^5 - 4abc^3 - (8a^2b - b^3)c^2 - 2(2a^3b - 3ab^3)c)*d^2e - (a^3b^2 - ab^4 - 4a^2c^3 - (8a^3 - ab^2)c^2 - 2(2a^4 - 3a^2b^2)c)*e^2)*sqrt((b^2d^4 + b^2e^4 - 4(ab + bc)d^3e + 2(2a^2 + b^2 + 4ac + 2c^2)d^2e^2 - 4(ab + bc)d^2e^3)/(a^4b^2 - 2a^2b^4 + b^6 - 4ac^5 - (16a^2 - b^2)c^4 - 12(2a^3 - ab^2)c^3 - 2(8a^4 - 11a^2b^2 + b^4)c^2 - 4(a^5 - 3a^3b^2 + 2ab^4)c)) *sin(x) + sqrt(2)*(((a^2b^4 - b^6 + 8ac^5 + 2(12a^2 - b^2)c^4 + 6(4a^3 - 3ab^2)c^3 + (8a^4 - 22a^2b^2 + 3b^4)c^2 - 2(3a^3b^2 - 4ab^4)c)*d - (a^3b^3 - ab^5 + 4a^2b^2c^4 + (4a^2b - b^3)c^3 - (4a^3b + 5ab^3)c^2 - (4a^4b - 5a^2b^3 - b^5)c)*e)*sqrt((b^2d^4 + b^2e^4 - 4(ab + bc)d^3e + 2(2a^2 + b^2 + 4ac + 2c^2)d^2e^2 - 4(ab + bc)d^2e^3)/(a^4b^2 - 2a^2b^4 + b^6 - 4ac^5 - (16a^2 - b^2)c^4 - 12(2a^3 - ab^2)c^3 - 2(8a^4 - 11a^2b^2 + b^4)c^2 - 4(a^5 - 3a^3b^2 + 2ab^4)c)) *cos(x) + ((b^4 - 4a^2b^2c)*d^3 - 3(ab^3 - 4a^2b^2c - (4a^2b - b^3)c)*d^2e + (2a^2b^2 + b^4 - 8a^3c - 8ac^3 - 2(8a^2 - b^2)c^2)*d^2e^2 - (ab^3 - 4a^2b^2c - (4a^2b - b^3)c)*e^3)*cos(x)) *sqrt(-((b^2 - 2ac - 2c^2)d^2 - 2(ab - bc)d^2e + (2a^2 - b^2 + 2ac)*e^2 - (a^2b^2 - b^4 - 4ac^3 - (8a^2 - b^2)c^2 - 2(2a^3 - 3ab^2)c)*sqrt((b^2d^4 + b^2e^4 - 4(ab + bc)d^3e + 2(2a^2 + b^2 + 4ac + 2c^2)d^2e^2 - 4(ab + bc)d^2e^3)/(a^4b^2 - 2a^2b^4 + b^6 - 4ac^5 - (16a^2 - b^2)c^4 - 12(2a^3 - ab^2)c^3 - 2(8a^4 - 11a^2b^2 + b^4)c^2 - 4(a^5 - 3a^3b^2 + 2ab^4)c))) / (a^2b^2 - b^4 - 4ac^3 - (8a^2 - b^2)c^2 - 2(2a^3 - 3ab^2)c)) + 2(b^2cd^4 + ab^2e^4 - (b^3 + 2abc + 2bc^2)d^3e + 3(a^2b^2 + b^2c)d^2e^2 - (2a^2b + b^3 + 2abc)*d^2e^3)*sin(x)) + 1/4*sqrt(2)*sqrt(-((b^2 - 2ac - 2c^2)d^2 - 2(ab - bc)d^2e + (2a^2 - b^2 + 2ac)*e^2 - (a^2b^2 - b^4 - 4ac^3 - (8a^2 - b^2)c^2 - 2(2a^3 - 3ab^2)c)*sqrt((b^2d^4 + b^2e^4 - 4(ab + bc)d^3e + 2(2a^2 + b^2 + 4ac + 2c^2)d^2e^2 - 4(ab + bc)d^2e^3)/(a^4b^2 - 2a^2b^4 + b^6 - 4ac^5 - (16a^2 - b^2)c^4 - 12(2a^3 - ab^2)c^3 - 2(8a^4 - 11a^2b^2 + b^4)c^2 - 4(a^5 - 3a^3b^2 + 2ab^4)c))) / (a^2b^2 - b^4 - 4ac^3 - (8a^2 - b^2)c^2 - 2(2a^3 - 3ab^2)c)) *log(-4b^2cd^4 - 4abc^2e^4 + 4(b^2c + 2ac^2 + 2c^3)d^3e - 12(ab^2c + b^2c^2)d^2e^2 - 4(ab^2c + b^2c^2)d^2e^3)
\end{aligned}$$

$$\begin{aligned}
& c^2*d^2*e^2 + 4*(2*a*c^2 + (2*a^2 + b^2)*c)*d*e^3 + 2*((4*a*c^4 + (8*a^2 - \\
& b^2)*c^3 + 2*(2*a^3 - 3*a*b^2)*c^2 - (a^2*b^2 - b^4)*c)*d^2 + (a^2*b^3 - b^5 \\
& - 4*a*b*c^3 - (8*a^2*b - b^3)*c^2 - 2*(2*a^3*b - 3*a*b^3)*c)*d*e - (a^3*b^2 - a*b^4 - 4*a^2*c^3 - (8*a^3 - a*b^2)*c^2 - 2*(2*a^4 - 3*a^2*b^2)*c)*e^2 \\
& 2)*\sqrt{(b^2*d^4 + b^2*e^4 - 4*(a*b + b*c)*d^3*e + 2*(2*a^2 + b^2 + 4*a*c + 2*c^2)*d^2*e^2 - 4*(a*b + b*c)*d*e^3)/(a^4*b^2 - 2*a^2*b^4 + b^6 - 4*a*c^5 \\
& - (16*a^2 - b^2)*c^4 - 12*(2*a^3 - a*b^2)*c^3 - 2*(8*a^4 - 11*a^2*b^2 + b^4)*c^2 - 4*(a^5 - 3*a^3*b^2 + 2*a*b^4)*c)}*\sin(x) + \sqrt{2}*(((a^2*b^4 - b^6 \\
& + 8*a*c^5 + 2*(12*a^2 - b^2)*c^4 + 6*(4*a^3 - 3*a*b^2)*c^3 + (8*a^4 - 22*a^2*b^2 + 3*b^4)*c^2 - 2*(3*a^3*b^2 - 4*a*b^4)*c)*d - (a^3*b^3 - a*b^5 + 4* \\
& a*b*c^4 + (4*a^2*b - b^3)*c^3 - (4*a^3*b + 5*a*b^3)*c^2 - (4*a^4*b - 5*a^2*b^3 - b^5)*c)*e)*\sqrt{(b^2*d^4 + b^2*e^4 - 4*(a*b + b*c)*d^3*e + 2*(2*a^2 + b^2 + 4*a*c + 2*c^2)*d^2*e^2 - 4*(a*b + b*c)*d*e^3)/(a^4*b^2 - 2*a^2*b^4 + b^6 - 4*a*c^5 - (16*a^2 - b^2)*c^4 - 12*(2*a^3 - a*b^2)*c^3 - 2*(8*a^4 - 11*a^2*b^2 + b^4)*c^2 - 4*(a^5 - 3*a^3*b^2 + 2*a*b^4)*c)}*\cos(x) + ((b^4 - 4*a*b^2*c)*d^3 - 3*(a*b^3 - 4*a*b*c^2 - (4*a^2*b - b^3)*c)*d^2*e + (2*a^2*b^2 + b^4 - 8*a^3*c - 8*a*c^3 - 2*(8*a^2 - b^2)*c^2)*d*e^2 - (a*b^3 - 4*a*b*c^2 - (4*a^2*b - b^3)*c)*e^3)*\cos(x))*\sqrt{-((b^2 - 2*a*c - 2*c^2)*d^2 - 2*(a*b - b*c)*d*e + (2*a^2 - b^2 + 2*a*c)*e^2 - (a^2*b^2 - b^4 - 4*a*c^3 - (8*a^2 - b^2)*c^2 - 2*(2*a^3 - 3*a*b^2)*c)*\sqrt{(b^2*d^4 + b^2*e^4 - 4*(a*b + b*c)*d^3*e + 2*(2*a^2 + b^2 + 4*a*c + 2*c^2)*d^2*e^2 - 4*(a*b + b*c)*d*e^3)/(a^4*b^2 - 2*a^2*b^4 + b^6 - 4*a*c^5 - (16*a^2 - b^2)*c^4 - 12*(2*a^3 - a*b^2)*c^3 - 2*(8*a^4 - 11*a^2*b^2 + b^4)*c^2 - 4*(a^5 - 3*a^3*b^2 + 2*a*b^4)*c)}}/(a^2*b^2 - b^4 - 4*a*c^3 - (8*a^2 - b^2)*c^2 - 2*(2*a^3 - 3*a*b^2)*c) - 2*(b^2*c*d^4 + a*b^2*e^4 - (b^3 + 2*a*b*c + 2*b*c^2)*d^3*e + 3*(a*b^2 + b^2*c)*d^2*e^2 - (2*a^2*b + b^3 + 2*a*b*c)*d*e^3)*\sin(x)) - 1/4*\sqrt{2)*\sqrt{-((b^2 - 2*a*c - 2*c^2)*d^2 - 2*(a*b - b*c)*d*e + (2*a^2 - b^2 + 2*a*c)*e^2 + (a^2*b^2 - b^4 - 4*a*c^3 - (8*a^2 - b^2)*c^2 - 2*(2*a^3 - 3*a*b^2)*c)*\sqrt{(b^2*d^4 + b^2*e^4 - 4*(a*b + b*c)*d^3*e + 2*(2*a^2 + b^2 + 4*a*c + 2*c^2)*d^2*e^2 - 4*(a*b + b*c)*d*e^3)/(a^4*b^2 - 2*a^2*b^4 + b^6 - 4*a*c^5 - (16*a^2 - b^2)*c^4 - 12*(2*a^3 - a*b^2)*c^3 - 2*(8*a^4 - 11*a^2*b^2 + b^4)*c^2 - 4*(a^5 - 3*a^3*b^2 + 2*a*b^4)*c)}}/(a^2*b^2 - b^4 - 4*a*c^3 - (8*a^2 - b^2)*c^2 - 2*(2*a^3 - 3*a*b^2)*c))*\log(-4*b*c^2*d^4 - 4*a*b*c*e^4 + 4*(b^2*c + 2*a*c^2 + 2*c^3)*d^3*e - 12*(a*b*c + b*c^2)*d^2*e^2 + 4*(2*a*c^2 + (2*a^2 + b^2)*c)*d*e^3 - 2*((4*a*c^4 + (8*a^2 - b^2)*c^3 + 2*(2*a^3 - 3*a*b^2)*c^2 - (a^2*b^2 - b^4)*c)*d^2 + (a^2*b^3 - b^5 - 4*a*b*c^3 - (8*a^2*b - b^3)*c^2 - 2*(2*a^3*b - 3*a*b^3)*c)*d*e - (a^3*b^2 - a*b^4 - 4*a^2*c^3 - (8*a^3 - a*b^2)*c^2 - 2*(2*a^4 - 3*a^2*b^2)*c)*e^2)*\sqrt{(b^2*d^4 + b^2*e^4 - 4*(a*b + b*c)*d^3*e + 2*(2*a^2 + b^2 + 4*a*c + 2*c^2)*d^2*e^2 - 4*(a*b + b*c)*d*e^3)/(a^4*b^2 - 2*a^2*b^4 + b^6 - 4*a*c^5 - (16*a^2 - b^2)*c^4 - 12*(2*a^3 - a*b^2)*c^3 - 2*(8*a^4 - 11*a^2*b^2 + b^4)*c^2 - 4*(a^5 - 3*a^3*b^2 + 2*a*b^4)*c)}*\sin(x) + \sqrt{2}*(((a^2*b^4 - b^6 + 8*a*c^5 + 2*(12*a^2 - b^2)*c^4 + 6*(4*a^3 - 3*a*b^2)*c^3 + (8*a^4 - 22*a^2*b^2 + 3*b^4)*c^2 - 2*(3*a^3*b^2 - 4*a*b^4)*c)*d - (a^3*b^3 - a*b^5 + 4*a*b*c^4 + (4*a^2*b - b^3)*c^3 - (4*a^3*b + 5*a*b^3)*c^2 - (4*a^4*b - 5*a^2*b^3 - b^5)*c)*e)*\sqrt{(b^2*d^4 + b^2*e^4 - 4*(a*b + b*c)*d^3*e + 2*(2*a^2 + b^2 + 4*a*c + 2*c^2)*d^2*e^2 - 4*(a*b + b*c)*d*e^3)/(a^4*b^2 - 2*a^2*b^4 + b^6 - 4*a*c^5 - (16*a^2 - b^2)*c^4 - 12*(2*a^3 - a*b^2)*c^3 - 2*(8*a^4 - 11*a^2*b^2 + b^4)*c^2 - 4*(a^5 - 3*a^3*b^2 + 2*a*b^4)*c)}*\cos(x) - ((b^4 - 4*a*b^2*c)*d^3 - 3*(a*b^3 - 4*a*b*c^2 - (4*a^2*b - b^3)*c)*d^2*e + (2*a^2*b^2 + b^4 - 8*a^3*c - 8*a*c^3 - 2*(8*a^2 - b^2)*c^2)*d*e^2 - (a*b^3 - 4*a*b*c^2 - (4*a^2*b - b^3)*c)*e^3)*\cos(x))*\sqrt{-((b^2 - 2*a*c - 2*c^2)*d^2 - 2*(a*b - b*c)*d*e + (2*a^2 - b^2 + 2*a*c)*e^2 + (a^2*b^2 - b^4 - 4*a*c^3 - (8*a^2 - b^2)*c^2 - 2*(2*a^3 - 3*a*b^2)*c)*\sqrt{(b^2*d^4 + b^2*e^4 - 4*(a*b + b*c)*d^3*e + 2*(2*a^2 + b^2 + 4*a*c + 2*c^2)*d^2*e^2 - 4*(a*b + b*c)*d*e^3)/(a^4*b^2 - 2*a^2*b^4 + b^6 - 4*a*c^5 - (16*a^2 - b^2)*c^4 - 12*(2*a^3 - a*b^2)*c^3 - 2*(8*a^4 - 11*a^2*b^2 + b^4)*c^2 - 4*(a^5 - 3*a^3*b^2 + 2*a*b^4)*c)}}/(a^2*b^2 - b^4 - 4*a*c^3 - (8*a^2 - b^2)*c^2 - 2*(2*a^3 - 3*a*b^2)*c) - 2*(b^2*c*d^4 + a*b^2*e^4 - (b^3 + 2*a*b*c + 2*b*c^2)*d^3*e + 3*(a*b^2 + b^2*c)*d^2*e^2 - (2*a^2*b +
\end{aligned}$$

$b^3 + 2*a*b*c)*d*e^3)*\sin(x))$

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*sin(x))/(a+b\*sin(x)+c\*sin(x)\*\*2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{e \sin(x) + d}{c \sin(x)^2 + b \sin(x) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*sin(x))/(a+b\*sin(x)+c\*sin(x)^2),x, algorithm="giac")

[Out] integrate((e\*sin(x) + d)/(c\*sin(x)^2 + b\*sin(x) + a), x)

### 3.504 $\int (a+b \sin(d+ex)) (b^2 + 2ab \sin(d+ex) + a^2 \sin^2(d+ex)) dx$

**Optimal.** Leaf size=331

$$\frac{5a^4bx(3a^2 + 4b^2)(a^2 \sin^2(d+ex) + 2ab \sin(d+ex) + b^2)^{3/2}}{8(a^2 \sin(d+ex) + ab)^3} - \frac{a^4b(29a^2 + 6b^2) \sin(d+ex) \cos(d+ex)(a^2 \sin^2(d+ex) + 2ab \sin(d+ex) + b^2)^{3/2}}{24e(a^2 \sin(d+ex) + ab)^3}$$

```
[Out] -(b*Cos[d + e*x]*(b^2 + 2*a*b*Sin[d + e*x] + a^2*Sin[d + e*x]^2)^(3/2))/(4*e) - ((4*a^4 + 28*a^2*b^2 + 3*b^4)*Cos[d + e*x]*(b^2 + 2*a*b*Sin[d + e*x] + a^2*Sin[d + e*x]^2)^(3/2))/(6*e*(b + a*Sin[d + e*x])^3) - ((4*a^2 + 3*b^2)*Cos[d + e*x]*(b^2 + 2*a*b*Sin[d + e*x] + a^2*Sin[d + e*x]^2)^(3/2))/(12*e*(b + a*Sin[d + e*x])) + (5*a^4*b*(3*a^2 + 4*b^2)*x*(b^2 + 2*a*b*Sin[d + e*x] + a^2*Sin[d + e*x]^2)^(3/2))/(8*(a*b + a^2*Sin[d + e*x])^3) - (a^4*b*(29*a^2 + 6*b^2)*Cos[d + e*x]*Sin[d + e*x]*(b^2 + 2*a*b*Sin[d + e*x] + a^2*Sin[d + e*x]^2)^(3/2))/(24*e*(a*b + a^2*Sin[d + e*x])^3)
```

**Rubi [A]** time = 0.322718, antiderivative size = 331, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 41,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.073$ , Rules used = {3290, 2753, 2734}

$$\frac{5a^4bx(3a^2 + 4b^2)(a^2 \sin^2(d+ex) + 2ab \sin(d+ex) + b^2)^{3/2}}{8(a^2 \sin(d+ex) + ab)^3} - \frac{a^4b(29a^2 + 6b^2) \sin(d+ex) \cos(d+ex)(a^2 \sin^2(d+ex) + 2ab \sin(d+ex) + b^2)^{3/2}}{24e(a^2 \sin(d+ex) + ab)^3}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Sin[d + e*x])*(b^2 + 2*a*b*Sin[d + e*x] + a^2*Sin[d + e*x]^2)^(3/2), x]
```

```
[Out] -(b*Cos[d + e*x]*(b^2 + 2*a*b*Sin[d + e*x] + a^2*Sin[d + e*x]^2)^(3/2))/(4*e) - ((4*a^4 + 28*a^2*b^2 + 3*b^4)*Cos[d + e*x]*(b^2 + 2*a*b*Sin[d + e*x] + a^2*Sin[d + e*x]^2)^(3/2))/(6*e*(b + a*Sin[d + e*x])^3) - ((4*a^2 + 3*b^2)*Cos[d + e*x]*(b^2 + 2*a*b*Sin[d + e*x] + a^2*Sin[d + e*x]^2)^(3/2))/(12*e*(b + a*Sin[d + e*x])) + (5*a^4*b*(3*a^2 + 4*b^2)*x*(b^2 + 2*a*b*Sin[d + e*x] + a^2*Sin[d + e*x]^2)^(3/2))/(8*(a*b + a^2*Sin[d + e*x])^3) - (a^4*b*(29*a^2 + 6*b^2)*Cos[d + e*x]*Sin[d + e*x]*(b^2 + 2*a*b*Sin[d + e*x] + a^2*Sin[d + e*x]^2)^(3/2))/(24*e*(a*b + a^2*Sin[d + e*x])^3)
```

#### Rule 3290

```
Int[((A_) + (B_)*sin[(d_) + (e_)*(x_)])*((a_) + (b_)*sin[(d_) + (e_)*(x_)]) + (c_)*sin[(d_) + (e_)*(x_)]^2)^(n_), x_Symbol] :> Dist[(a + b*Sin[d + e*x] + c*Sin[d + e*x]^2)^(n)/(b + 2*c*Sin[d + e*x])^(2*n), Int[(A + B*Sin[d + e*x])*(b + 2*c*Sin[d + e*x])^(2*n), x], x] /; FreeQ[{a, b, c, d, e, A, B}, x] && EqQ[b^2 - 4*a*c, 0] && !IntegerQ[n]
```

#### Rule 2753

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n), x_Symbol] :> -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Sin[e + f*x])^(m - 1)*Simp[b*d*m + a*c*(m + 1) + (a*d*m + b*c*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2*m]
```

Rule 2734

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*
(x_)]), x_Symbol] :> Simp[((2*a*c + b*d)*x)/2, x] + (-Simp[((b*c + a*d)*Co
s[e + f*x])/f, x] - Simp[(b*d*Cos[e + f*x]*Sin[e + f*x])/(2*f), x]) /; Free
Q[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

Rubi steps

$$\int (a + b \sin(d + ex)) (b^2 + 2ab \sin(d + ex) + a^2 \sin^2(d + ex))^{3/2} dx = \frac{(b^2 + 2ab \sin(d + ex) + a^2 \sin^2(d + ex))^{3/2} \int (2ab + a^2 \sin(d + ex)) dx}{(2ab + 2a^2 \sin(d + ex))^{3/2}}$$

$$= -\frac{b \cos(d + ex) (b^2 + 2ab \sin(d + ex) + a^2 \sin^2(d + ex))^{3/2}}{4e}$$

$$= -\frac{b \cos(d + ex) (b^2 + 2ab \sin(d + ex) + a^2 \sin^2(d + ex))^{3/2}}{4e}$$

$$= -\frac{b \cos(d + ex) (b^2 + 2ab \sin(d + ex) + a^2 \sin^2(d + ex))^{3/2}}{4e}$$

**Mathematica [A]** time = 0.894213, size = 140, normalized size = 0.42

$$\frac{\sqrt{(a \sin(d + ex) + b)^2} (3ab (20 (3a^2 + 4b^2) (d + ex) - 8 (4a^2 + 3b^2) \sin(2(d + ex)) + a^2 \sin(4(d + ex))) - 24 (21a^2b^2 + 3a^4))}{96e(a \sin(d + ex) + b)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Sin[d + e*x])*(b^2 + 2*a*b*Sin[d + e*x] + a^2*Sin[d + e*x]
^2)^(3/2), x]
```

```
[Out] (Sqrt[(b + a*Sin[d + e*x])^2]*(-24*(3*a^4 + 21*a^2*b^2 + 4*b^4)*Cos[d + e*x]
] + 8*a*(a^3 + 3*a*b^2)*Cos[3*(d + e*x)] + 3*a*b*(20*(3*a^2 + 4*b^2)*(d + e
*x) - 8*(4*a^2 + 3*b^2)*Sin[2*(d + e*x)] + a^2*Sin[4*(d + e*x)])))/(96*e*(b
+ a*Sin[d + e*x]))
```

**Maple [A]** time = 0.306, size = 269, normalized size = 0.8

$$\frac{6 (\cos(ex + d))^3 \sin(ex + d) a^3 b + 8 a^4 (\cos(ex + d))^3 + 24 a^2 b^2 (\cos(ex + d))^3 - 51 \sin(ex + d) \cos(ex + d) a^3 b - 36 \cos(ex + d) a^3 b^2}{24 e ((\cos(ex + d))^2 \sin(ex + d) a^3 + 3 \cos(ex + d) a^2 b + 3 a^2 b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*sin(e*x+d))*(b^2+2*a*b*sin(e*x+d)+a^2*sin(e*x+d)^2)^(3/2), x)
```

```
[Out] -1/24/e*(-a^2*cos(e*x+d)^2+2*a*b*sin(e*x+d)+a^2+b^2)^(3/2)*(6*cos(e*x+d)^3*
sin(e*x+d)*a^3*b+8*a^4*cos(e*x+d)^3+24*a^2*b^2*cos(e*x+d)^3-51*sin(e*x+d)*c
os(e*x+d)*a^3*b-36*cos(e*x+d)*sin(e*x+d)*a*b^3-24*a^4*cos(e*x+d)-144*a^2*b^
2*cos(e*x+d)-24*cos(e*x+d)*b^4+45*(e*x+d)*a^3*b+60*(e*x+d)*a*b^3-16*a^4-120
*a^2*b^2-24*b^4)/(cos(e*x+d)^2*sin(e*x+d)*a^3+3*cos(e*x+d)^2*a^2*b-a^3*sin(
e*x+d)-3*sin(e*x+d)*a*b^2-3*a^2*b-b^3)
```

---

**Maxima [A]** time = 1.58749, size = 751, normalized size = 2.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sin(e\*x+d))\*(b^2+2\*a\*b\*sin(e\*x+d)+a^2\*sin(e\*x+d)^2)^(3/2),x,  
algorithm="maxima")

[Out] 
$$\frac{1}{12} \left( 4 \left( 3 \left( 3a^2b + 2b^3 \right) \arctan\left(\frac{\sin(ex+d)}{\cos(ex+d)+1}\right) - \left( 4a^3 + 18ab^2 + 9a^2b \sin(ex+d) \right) / (\cos(ex+d)+1) + 18ab^2 \sin^4(ex+d) / (\cos(ex+d)+1)^4 - 9a^2b \sin^5(ex+d) / (\cos(ex+d)+1)^5 + 12(a^3 + 3ab^2) \sin^2(ex+d) / (\cos(ex+d)+1)^2 \right) / \left( 3 \sin^2(ex+d) / (\cos(ex+d)+1)^2 + 3 \sin^4(ex+d) / (\cos(ex+d)+1)^4 + \sin^6(ex+d) / (\cos(ex+d)+1)^6 + 1 \right) a + 3 \left( 3(a^3 + 4ab^2) \arctan\left(\frac{\sin(ex+d)}{\cos(ex+d)+1}\right) - \left( 16a^2b + 8b^3 + 8b^3 \sin(ex+d) \right) / (\cos(ex+d)+1)^6 + 3(a^3 + 4ab^2) \sin(ex+d) / (\cos(ex+d)+1) + 8(8a^2b + 3b^3) \sin^2(ex+d) / (\cos(ex+d)+1)^2 + (11a^3 + 12ab^2) \sin^3(ex+d) / (\cos(ex+d)+1)^3 + 24(2a^2b + b^3) \sin^4(ex+d) / (\cos(ex+d)+1)^4 - (11a^3 + 12ab^2) \sin^5(ex+d) / (\cos(ex+d)+1)^5 - 3(a^3 + 4ab^2) \sin^7(ex+d) / (\cos(ex+d)+1)^7 \right) / \left( 4 \sin^2(ex+d) / (\cos(ex+d)+1)^2 + 6 \sin^4(ex+d) / (\cos(ex+d)+1)^4 + 4 \sin^6(ex+d) / (\cos(ex+d)+1)^6 + \sin^8(ex+d) / (\cos(ex+d)+1)^8 + 1 \right) b \right) / e$$

---

**Fricas [A]** time = 1.83632, size = 263, normalized size = 0.79

$$\frac{8(a^4 + 3a^2b^2) \cos(ex+d)^3 + 15(3a^3b + 4ab^3)ex - 24(a^4 + 6a^2b^2 + b^4) \cos(ex+d) + 3(2a^3b \cos(ex+d)^3 - (17a^3b + 12ab^3) \cos(ex+d)) \sin(ex+d)}{24e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sin(e\*x+d))\*(b^2+2\*a\*b\*sin(e\*x+d)+a^2\*sin(e\*x+d)^2)^(3/2),x,  
algorithm="fricas")

[Out] 
$$\frac{1}{24} \left( 8(a^4 + 3a^2b^2) \cos^3(ex+d) + 15(3a^3b + 4ab^3) ex - 24(a^4 + 6a^2b^2 + b^4) \cos(ex+d) + 3(2a^3b \cos^3(ex+d) - (17a^3b + 12ab^3) \cos(ex+d)) \sin(ex+d) \right) / e$$

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sin(e\*x+d))\*(b\*\*2+2\*a\*b\*sin(e\*x+d)+a\*\*2\*sin(e\*x+d)\*\*2)\*\*(3/2),x)

[Out] Timed out

---

**Giac [A]** time = 1.33431, size = 323, normalized size = 0.98

$$\frac{1}{32} a^3 b e^{(-1)} \operatorname{sgn}(a \sin(xe + d) + b) \sin(4xe + 4d) + \frac{1}{12} \left( a^4 \operatorname{sgn}(a \sin(xe + d) + b) + 3 a^2 b^2 \operatorname{sgn}(a \sin(xe + d) + b) \right) \cos(3$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sin(e*x+d))*(b^2+2*a*b*sin(e*x+d)+a^2*sin(e*x+d)^2)^(3/2),x,
algorithm="giac")
```

```
[Out] 1/32*a^3*b*e^(-1)*sgn(a*sin(x*e + d) + b)*sin(4*x*e + 4*d) + 1/12*(a^4*sgn(
a*sin(x*e + d) + b) + 3*a^2*b^2*sgn(a*sin(x*e + d) + b))*cos(3*x*e + 3*d)*e
^(-1) - 1/4*(3*a^4*sgn(a*sin(x*e + d) + b) + 21*a^2*b^2*sgn(a*sin(x*e + d)
+ b) + 4*b^4*sgn(a*sin(x*e + d) + b))*cos(x*e + d)*e^(-1) - 1/4*(4*a^3*b*sg
n(a*sin(x*e + d) + b) + 3*a*b^3*sgn(a*sin(x*e + d) + b))*e^(-1)*sin(2*x*e +
2*d) + 5/8*(3*a^3*b*sgn(a*sin(x*e + d) + b) + 4*a*b^3*sgn(a*sin(x*e + d) +
b))*x
```



### 3.505 $\int (a+b \sin(d+ex))\sqrt{b^2 + 2ab \sin(d + ex) + a^2 \sin^2(d + ex)}$

**Optimal.** Leaf size=185

$$\frac{3a^2bx\sqrt{a^2 \sin^2(d + ex) + 2ab \sin(d + ex) + b^2}}{2(a^2 \sin(d + ex) + ab)} - \frac{a^2b \sin(d + ex) \cos(d + ex)\sqrt{a^2 \sin^2(d + ex) + 2ab \sin(d + ex) + b^2}}{2e(a^2 \sin(d + ex) + ab)}$$

```
[Out] -(((a^2 + b^2)*Cos[d + e*x]*Sqrt[b^2 + 2*a*b*Sin[d + e*x] + a^2*Sin[d + e*x]^2])/(e*(b + a*Sin[d + e*x]))) + (3*a^2*b*x*Sqrt[b^2 + 2*a*b*Sin[d + e*x] + a^2*Sin[d + e*x]^2])/(2*(a*b + a^2*Sin[d + e*x])) - (a^2*b*Cos[d + e*x]*Sin[d + e*x]*Sqrt[b^2 + 2*a*b*Sin[d + e*x] + a^2*Sin[d + e*x]^2])/(2*e*(a*b + a^2*Sin[d + e*x]))
```

**Rubi [A]** time = 0.109408, antiderivative size = 185, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 41,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$ , Rules used = {3290, 2734}

$$\frac{3a^2bx\sqrt{a^2 \sin^2(d + ex) + 2ab \sin(d + ex) + b^2}}{2(a^2 \sin(d + ex) + ab)} - \frac{a^2b \sin(d + ex) \cos(d + ex)\sqrt{a^2 \sin^2(d + ex) + 2ab \sin(d + ex) + b^2}}{2e(a^2 \sin(d + ex) + ab)}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Sin[d + e*x])*Sqrt[b^2 + 2*a*b*Sin[d + e*x] + a^2*Sin[d + e*x]^2], x]
```

```
[Out] -(((a^2 + b^2)*Cos[d + e*x]*Sqrt[b^2 + 2*a*b*Sin[d + e*x] + a^2*Sin[d + e*x]^2])/(e*(b + a*Sin[d + e*x]))) + (3*a^2*b*x*Sqrt[b^2 + 2*a*b*Sin[d + e*x] + a^2*Sin[d + e*x]^2])/(2*(a*b + a^2*Sin[d + e*x])) - (a^2*b*Cos[d + e*x]*Sin[d + e*x]*Sqrt[b^2 + 2*a*b*Sin[d + e*x] + a^2*Sin[d + e*x]^2])/(2*e*(a*b + a^2*Sin[d + e*x]))
```

#### Rule 3290

```
Int[((A_) + (B_)*sin[(d_) + (e_)*(x_)])*((a_) + (b_)*sin[(d_) + (e_)*(x_)]) + (c_)*sin[(d_) + (e_)*(x_)]^2)^(n_), x_Symbol] :> Dist[(a + b*Sin[d + e*x] + c*Sin[d + e*x]^2)^(n)/(b + 2*c*Sin[d + e*x])^(2*n), Int[(A + B*Sin[d + e*x])*(b + 2*c*Sin[d + e*x])^(2*n), x], x] /; FreeQ[{a, b, c, d, e, A, B}, x] && EqQ[b^2 - 4*a*c, 0] && !IntegerQ[n]
```

#### Rule 2734

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] :> Simp[((2*a*c + b*d)*x)/2, x] + (-Simp[((b*c + a*d)*Cos[e + f*x])/f, x] - Simp[(b*d*Cos[e + f*x]*Sin[e + f*x])/(2*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

#### Rubi steps

$$\int (a + b \sin(d + ex)) \sqrt{b^2 + 2ab \sin(d + ex) + a^2 \sin^2(d + ex)} dx = \frac{\sqrt{b^2 + 2ab \sin(d + ex) + a^2 \sin^2(d + ex)} \int (2ab + 2a^2 \sin(d + ex))}{2ab + 2a^2 \sin(d + ex)}$$

$$= -\frac{(a^2 + b^2) \cos(d + ex) \sqrt{b^2 + 2ab \sin(d + ex) + a^2 \sin^2(d + ex)}}{e(b + a \sin(d + ex))}$$

**Mathematica [A]** time = 0.193099, size = 70, normalized size = 0.38

$$-\frac{\sqrt{(a \sin(d + ex) + b)^2} (4(a^2 + b^2) \cos(d + ex) + ab(\sin(2(d + ex)) - 6(d + ex)))}{4e(a \sin(d + ex) + b)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Sin[d + e\*x])\*Sqrt[b^2 + 2\*a\*b\*Sin[d + e\*x] + a^2\*Sin[d + e\*x]^2], x]

[Out] -(Sqrt[(b + a\*Sin[d + e\*x])^2]\*(4\*(a^2 + b^2)\*Cos[d + e\*x] + a\*b\*(-6\*(d + e\*x) + Sin[2\*(d + e\*x)])))/(4\*e\*(b + a\*Sin[d + e\*x]))

**Maple [A]** time = 0.209, size = 107, normalized size = 0.6

$$-\frac{\sin(ex + d) \cos(ex + d) ab + 2a^2 \cos(ex + d) + 2 \cos(ex + d) b^2 - 3(ex + d) ab + 2a^2 + 2b^2}{2e(b + a \sin(ex + d))} \sqrt{-a^2 (\cos(ex + d))^2 + 2ab \sin(ex + d) + b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*sin(e\*x+d))\*(b^2+2\*a\*b\*sin(e\*x+d)+a^2\*sin(e\*x+d)^2)^(1/2), x)

[Out] -1/2/e\*(-a^2\*cos(e\*x+d)^2+2\*a\*b\*sin(e\*x+d)+a^2+b^2)^(1/2)\*(sin(e\*x+d)\*cos(e\*x+d)\*a\*b+2\*a^2\*cos(e\*x+d)+2\*cos(e\*x+d)\*b^2-3\*(e\*x+d)\*a\*b+2\*a^2+2\*b^2)/(b+a\*sin(e\*x+d))

**Maxima [A]** time = 1.55904, size = 252, normalized size = 1.36

$$2 \left( b \arctan \left( \frac{\sin(ex+d)}{\cos(ex+d)+1} \right) - \frac{a}{\frac{\sin(ex+d)^2}{(\cos(ex+d)+1)^2} + 1} \right) a + \left( a \arctan \left( \frac{\sin(ex+d)}{\cos(ex+d)+1} \right) - \frac{2b + \frac{a \sin(ex+d)}{\cos(ex+d)+1} + \frac{2b \sin(ex+d)^2}{(\cos(ex+d)+1)^2} - \frac{a \sin(ex+d)^3}{(\cos(ex+d)+1)^3}}{\frac{2 \sin(ex+d)^2}{(\cos(ex+d)+1)^2} + \frac{\sin(ex+d)^4}{(\cos(ex+d)+1)^4} + 1} \right) b$$

e

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sin(e\*x+d))\*(b^2+2\*a\*b\*sin(e\*x+d)+a^2\*sin(e\*x+d)^2)^(1/2), x, algorithm="maxima")

[Out] (2\*(b\*arctan(sin(e\*x + d)/(cos(e\*x + d) + 1)) - a/(sin(e\*x + d)^2/(cos(e\*x + d) + 1)^2 + 1))\*a + (a\*arctan(sin(e\*x + d)/(cos(e\*x + d) + 1)) - (2\*b + a\*sin(e\*x + d)/(cos(e\*x + d) + 1) + 2\*b\*sin(e\*x + d)^2/(cos(e\*x + d) + 1)^2 - a\*sin(e\*x + d)^3/(cos(e\*x + d) + 1)^3)/(2\*sin(e\*x + d)^2/(cos(e\*x + d) + 1)^2 + sin(e\*x + d)^4/(cos(e\*x + d) + 1)^4 + 1))\*b)/e

---

**Fricas [A]** time = 1.81702, size = 108, normalized size = 0.58

$$\frac{3 abex - ab \cos(ex + d) \sin(ex + d) - 2(a^2 + b^2) \cos(ex + d)}{2e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sin(e\*x+d))\*(b^2+2\*a\*b\*sin(e\*x+d)+a^2\*sin(e\*x+d)^2)^(1/2),x,  
algorithm="fricas")

[Out] 1/2\*(3\*a\*b\*e\*x - a\*b\*cos(e\*x + d)\*sin(e\*x + d) - 2\*(a^2 + b^2)\*cos(e\*x + d)  
) / e

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sin(e\*x+d))\*(b\*\*2+2\*a\*b\*sin(e\*x+d)+a\*\*2\*sin(e\*x+d)\*\*2)\*\*(1/2),x)

[Out] Timed out

---

**Giac [A]** time = 1.22403, size = 132, normalized size = 0.71

$$-a^2 \cos(xe + d) e^{(-1)} \operatorname{sgn}(a \sin(xe + d) + b) - b^2 \cos(xe + d) e^{(-1)} \operatorname{sgn}(a \sin(xe + d) + b) - \frac{1}{4} abe^{(-1)} \operatorname{sgn}(a \sin(xe + d) + b)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sin(e\*x+d))\*(b^2+2\*a\*b\*sin(e\*x+d)+a^2\*sin(e\*x+d)^2)^(1/2),x,  
algorithm="giac")

[Out] -a^2\*cos(x\*e + d)\*e^(-1)\*sgn(a\*sin(x\*e + d) + b) - b^2\*cos(x\*e + d)\*e^(-1)\*  
sgn(a\*sin(x\*e + d) + b) - 1/4\*a\*b\*e^(-1)\*sgn(a\*sin(x\*e + d) + b)\*sin(2\*x\*e  
+ 2\*d) + 3/2\*a\*b\*x\*sgn(a\*sin(x\*e + d) + b)

$$3.506 \quad \int \frac{a+b \sin(d+ex)}{\sqrt{b^2+2ab \sin(d+ex)+a^2 \sin^2(d+ex)}} dx$$

**Optimal.** Leaf size=137

$$\frac{bx(a \sin(d+ex) + b)}{a\sqrt{a^2 \sin^2(d+ex) + 2ab \sin(d+ex) + b^2}} - \frac{2\sqrt{a^2 - b^2}(a \sin(d+ex) + b) \tanh^{-1}\left(\frac{a+b \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{a^2 - b^2}}\right)}{ae\sqrt{a^2 \sin^2(d+ex) + 2ab \sin(d+ex) + b^2}}$$

[Out] (b\*x\*(b + a\*Sin[d + e\*x]))/(a\*Sqrt[b^2 + 2\*a\*b\*Sin[d + e\*x] + a^2\*Sin[d + e\*x]^2]) - (2\*Sqrt[a^2 - b^2]\*ArcTanh[(a + b\*Tan[(d + e\*x)/2])/Sqrt[a^2 - b^2]]\*(b + a\*Sin[d + e\*x]))/(a\*e\*Sqrt[b^2 + 2\*a\*b\*Sin[d + e\*x] + a^2\*Sin[d + e\*x]^2])

**Rubi [A]** time = 0.198201, antiderivative size = 137, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 41,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$ , Rules used = {3290, 2735, 2660, 618, 206}

$$\frac{bx(a \sin(d+ex) + b)}{a\sqrt{a^2 \sin^2(d+ex) + 2ab \sin(d+ex) + b^2}} - \frac{2\sqrt{a^2 - b^2}(a \sin(d+ex) + b) \tanh^{-1}\left(\frac{a+b \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{a^2 - b^2}}\right)}{ae\sqrt{a^2 \sin^2(d+ex) + 2ab \sin(d+ex) + b^2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Sin[d + e\*x])/Sqrt[b^2 + 2\*a\*b\*Sin[d + e\*x] + a^2\*Sin[d + e\*x]^2], x]

[Out] (b\*x\*(b + a\*Sin[d + e\*x]))/(a\*Sqrt[b^2 + 2\*a\*b\*Sin[d + e\*x] + a^2\*Sin[d + e\*x]^2]) - (2\*Sqrt[a^2 - b^2]\*ArcTanh[(a + b\*Tan[(d + e\*x)/2])/Sqrt[a^2 - b^2]]\*(b + a\*Sin[d + e\*x]))/(a\*e\*Sqrt[b^2 + 2\*a\*b\*Sin[d + e\*x] + a^2\*Sin[d + e\*x]^2])

#### Rule 3290

Int[((A\_) + (B\_)\*sin[(d\_) + (e\_)\*(x\_)])\*((a\_) + (b\_)\*sin[(d\_) + (e\_)\*(x\_)]) + (c\_)\*sin[(d\_) + (e\_)\*(x\_)]^2)^n, x\_Symbol] :> Dist[(a + b\*Sin[d + e\*x] + c\*Sin[d + e\*x]^2)^n/(b + 2\*c\*Sin[d + e\*x])^(2\*n), Int[(A + B\*Sin[d + e\*x])\*(b + 2\*c\*Sin[d + e\*x])^(2\*n), x], x] /; FreeQ[{a, b, c, d, e, A, B}, x] && EqQ[b^2 - 4\*a\*c, 0] && !IntegerQ[n]

#### Rule 2735

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])], x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2660

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] :> With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + 2\*b\*e\*x + a\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\int \frac{a + b \sin(d + ex)}{\sqrt{b^2 + 2ab \sin(d + ex) + a^2 \sin^2(d + ex)}} dx = \frac{(2ab + 2a^2 \sin(d + ex)) \int \frac{a+b \sin(d+ex)}{2ab+2a^2 \sin(d+ex)} dx}{\sqrt{b^2 + 2ab \sin(d + ex) + a^2 \sin^2(d + ex)}}$$

$$= \frac{bx(b + a \sin(d + ex))}{a\sqrt{b^2 + 2ab \sin(d + ex) + a^2 \sin^2(d + ex)}} - \frac{((-2a^3 + 2ab^2)(2ab + 2a^2 \sin(d + ex)))}{2a^2\sqrt{b^2 + 2ab \sin(d + ex) + a^2 \sin^2(d + ex)}}$$

$$= \frac{bx(b + a \sin(d + ex))}{a\sqrt{b^2 + 2ab \sin(d + ex) + a^2 \sin^2(d + ex)}} - \frac{((-2a^3 + 2ab^2)(2ab + 2a^2 \sin(d + ex)))}{a^2\sqrt{b^2 + 2ab \sin(d + ex) + a^2 \sin^2(d + ex)}}$$

$$= \frac{bx(b + a \sin(d + ex))}{a\sqrt{b^2 + 2ab \sin(d + ex) + a^2 \sin^2(d + ex)}} + \frac{(2(-2a^3 + 2ab^2)(2ab + 2a^2 \sin(d + ex)))}{a^2\sqrt{b^2 + 2ab \sin(d + ex) + a^2 \sin^2(d + ex)}}$$

$$= \frac{bx(b + a \sin(d + ex))}{a\sqrt{b^2 + 2ab \sin(d + ex) + a^2 \sin^2(d + ex)}} - \frac{2\sqrt{a^2 - b^2} \tanh^{-1}\left(\frac{a+b \sin(d+ex)}{\sqrt{b^2 - a^2}}\right)}{ae\sqrt{b^2 + 2ab \sin(d + ex) + a^2 \sin^2(d + ex)}}$$

**Mathematica [A]** time = 0.183296, size = 85, normalized size = 0.62

$$\frac{(a \sin(d + ex) + b) \left( b(d + ex) - 2\sqrt{b^2 - a^2} \tan^{-1} \left( \frac{a+b \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{b^2 - a^2}} \right) \right)}{ae\sqrt{(a \sin(d + ex) + b)^2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Sin[d + e*x])/Sqrt[b^2 + 2*a*b*Sin[d + e*x] + a^2*Sin[d + e*x]^2], x]
```

```
[Out] ((b*(d + e*x) - 2*Sqrt[-a^2 + b^2]*ArcTan[(a + b*Tan[(d + e*x)/2])/Sqrt[-a^2 + b^2]])*(b + a*Sin[d + e*x])/(a*e*Sqrt[(b + a*Sin[d + e*x])^2])
```

**Maple [A]** time = 0.164, size = 176, normalized size = 1.3

$$-\frac{b + a \sin(ex + d)}{ae} \left( 2 \arctan \left( \frac{b \cos(ex + d) - a \sin(ex + d) - b}{\sin(ex + d) \sqrt{-a^2 + b^2}} \right) a^2 - 2 \arctan \left( \frac{b \cos(ex + d) - a \sin(ex + d) - b}{\sin(ex + d) \sqrt{-a^2 + b^2}} \right) b \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*sin(e*x+d))/(b^2+2*a*b*sin(e*x+d)+a^2*sin(e*x+d)^2)^(1/2),x)`

[Out] 
$$-1/e/a/(-a^2+b^2)^{(1/2)}*(2*\arctan((b*\cos(e*x+d)-a*\sin(e*x+d)-b)/\sin(e*x+d)/(-a^2+b^2)^{(1/2)})*a^2-2*\arctan((b*\cos(e*x+d)-a*\sin(e*x+d)-b)/\sin(e*x+d)/(-a^2+b^2)^{(1/2)})*b^2-b*(e*x+d)*(-a^2+b^2)^{(1/2)}*(b+a*\sin(e*x+d))/(-a^2*\cos(e*x+d)^2+2*a*b*\sin(e*x+d)+a^2+b^2)^{(1/2)}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sin(e*x+d))/(b^2+2*a*b*sin(e*x+d)+a^2*sin(e*x+d)^2)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.88315, size = 462, normalized size = 3.37

$$\left[ \frac{2 b e x + \sqrt{a^2 - b^2} \log\left(-\frac{(a^2 - 2 b^2) \cos(e x + d)^2 + 2 a b \sin(e x + d) + a^2 + b^2 - 2 (b \cos(e x + d) \sin(e x + d) + a \cos(e x + d)) \sqrt{a^2 - b^2}}{a^2 \cos(e x + d)^2 - 2 a b \sin(e x + d) - a^2 - b^2}\right)}{2 a e}, \frac{b e x - \sqrt{-a^2 + b^2} \arctan\left(\frac{b \cos(e x + d) \sin(e x + d) + a \cos(e x + d)}{a}\right)}{a} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sin(e*x+d))/(b^2+2*a*b*sin(e*x+d)+a^2*sin(e*x+d)^2)^(1/2),x, algorithm="fricas")`

[Out] 
$$\left[ \frac{1}{2} * (2 * b * e * x + \sqrt{a^2 - b^2}) * \log\left(-\frac{(a^2 - 2 * b^2) * \cos(e * x + d)^2 + 2 * a * b * \sin(e * x + d) + a^2 + b^2 - 2 * (b * \cos(e * x + d) * \sin(e * x + d) + a * \cos(e * x + d)) * \sqrt{a^2 - b^2}}{a^2 * \cos(e * x + d)^2 - 2 * a * b * \sin(e * x + d) - a^2 - b^2}\right) / (a * e), (b * e * x - \sqrt{-a^2 + b^2}) * \arctan\left(-\sqrt{-a^2 + b^2} * (b * \sin(e * x + d) + a) / ((a^2 - b^2) * \cos(e * x + d))\right) / (a * e) \right]$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sin(e*x+d))/(b**2+2*a*b*sin(e*x+d)+a**2*sin(e*x+d)**2)**(1/2),x)`

[Out] Timed out

**Giac [A]** time = 1.34954, size = 281, normalized size = 2.05

$$\left( \frac{\left( x e - 2 \pi \left\lfloor \frac{x e + d}{2 \pi} + \frac{1}{2} \right\rfloor + d \right) b}{a \operatorname{sgn} \left( b \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right)^4 + 2 a \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right)^3 + 2 b \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right)^2 + 2 a \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right) + b \right)} + \frac{\dots}{\sqrt{-a^2 + b^2} a \operatorname{sgn} \left( b \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right)^4 + 2 a \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right)^3 + 2 b \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right)^2 + 2 a \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right) + b \right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sin(e*x+d))/(b^2+2*a*b*sin(e*x+d)+a^2*sin(e*x+d)^2)^(1/2),x,
algorithm="giac")
```

```
[Out] ((x*e - 2*pi*floor(1/2*(x*e + d)/pi + 1/2) + d)*b/(a*sgn(b*tan(1/2*x*e + 1/2*d)^4 + 2*a*tan(1/2*x*e + 1/2*d)^3 + 2*b*tan(1/2*x*e + 1/2*d)^2 + 2*a*tan(1/2*x*e + 1/2*d) + b)) + 2*(a^2 - b^2)*arctan((b*tan(1/2*x*e + 1/2*d) + a)/sqrt(-a^2 + b^2))/(sqrt(-a^2 + b^2)*a*sgn(b*tan(1/2*x*e + 1/2*d)^4 + 2*a*tan(1/2*x*e + 1/2*d)^3 + 2*b*tan(1/2*x*e + 1/2*d)^2 + 2*a*tan(1/2*x*e + 1/2*d) + b)))*e^(-1)
```

$$3.507 \quad \int \frac{a+b \sin(d+ex)}{(b^2+2ab \sin(d+ex)+a^2 \sin^2(d+ex))^{3/2}} dx$$

**Optimal.** Leaf size=239

$$\frac{b \cos(d+ex) (a^2 \sin(d+ex) + ab)^3}{2e (a^2 - b^2) (a^3 b + a^4 \sin(d+ex)) (a^2 \sin^2(d+ex) + 2ab \sin(d+ex) + b^2)^{3/2}} - \frac{\cos(d+ex) (a \sin(d+ex) + b)}{2e (a^2 \sin^2(d+ex) + 2ab \sin(d+ex) + b^2)}$$

[Out]  $-(\text{Cos}[d + e*x] * (b + a*\text{Sin}[d + e*x])) / (2*e*(b^2 + 2*a*b*\text{Sin}[d + e*x] + a^2*\text{Sin}[d + e*x]^2)^{(3/2)}) - (\text{ArcTanh}[(a + b*\text{Tan}[(d + e*x)/2]) / \text{Sqrt}[a^2 - b^2]] * (a*b + a^2*\text{Sin}[d + e*x]^3) / (a^2*(a^2 - b^2)^{(3/2)} * e*(b^2 + 2*a*b*\text{Sin}[d + e*x] + a^2*\text{Sin}[d + e*x]^2)^{(3/2)}) + (b*\text{Cos}[d + e*x] * (a*b + a^2*\text{Sin}[d + e*x]^3) / (2*(a^2 - b^2) * e*(a^3*b + a^4*\text{Sin}[d + e*x]) * (b^2 + 2*a*b*\text{Sin}[d + e*x] + a^2*\text{Sin}[d + e*x]^2)^{(3/2)})$

**Rubi [A]** time = 0.271869, antiderivative size = 239, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 41,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$ , Rules used = {3290, 2754, 12, 2660, 618, 206}

$$\frac{b \cos(d+ex) (a^2 \sin(d+ex) + ab)^3}{2e (a^2 - b^2) (a^3 b + a^4 \sin(d+ex)) (a^2 \sin^2(d+ex) + 2ab \sin(d+ex) + b^2)^{3/2}} - \frac{\cos(d+ex) (a \sin(d+ex) + b)}{2e (a^2 \sin^2(d+ex) + 2ab \sin(d+ex) + b^2)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{Sin}[d + e*x]) / (b^2 + 2*a*b*\text{Sin}[d + e*x] + a^2*\text{Sin}[d + e*x]^2)^{(3/2)}, x]$

[Out]  $-(\text{Cos}[d + e*x] * (b + a*\text{Sin}[d + e*x])) / (2*e*(b^2 + 2*a*b*\text{Sin}[d + e*x] + a^2*\text{Sin}[d + e*x]^2)^{(3/2)}) - (\text{ArcTanh}[(a + b*\text{Tan}[(d + e*x)/2]) / \text{Sqrt}[a^2 - b^2]] * (a*b + a^2*\text{Sin}[d + e*x]^3) / (a^2*(a^2 - b^2)^{(3/2)} * e*(b^2 + 2*a*b*\text{Sin}[d + e*x] + a^2*\text{Sin}[d + e*x]^2)^{(3/2)}) + (b*\text{Cos}[d + e*x] * (a*b + a^2*\text{Sin}[d + e*x]^3) / (2*(a^2 - b^2) * e*(a^3*b + a^4*\text{Sin}[d + e*x]) * (b^2 + 2*a*b*\text{Sin}[d + e*x] + a^2*\text{Sin}[d + e*x]^2)^{(3/2)})$

### Rule 3290

$\text{Int}[(A + B*\text{sin}[(d + e*x)]) * ((a + b*\text{sin}[(d + e*x]) + (c + d*\text{sin}[(d + e*x])^2)^n), x\_Symbol] := \text{Dist}[(a + b*\text{Sin}[d + e*x] + c*\text{Sin}[d + e*x]^2)^n / (b + 2*c*\text{Sin}[d + e*x])^{2*n}, \text{Int}[(A + B*\text{Sin}[d + e*x]) * (b + 2*c*\text{Sin}[d + e*x])^{2*n}, x], x] /;$  FreeQ[{a, b, c, d, e, A, B}, x] && EqQ[b^2 - 4\*a\*c, 0] && !IntegerQ[n]

### Rule 2754

$\text{Int}[(a + b*\text{sin}(e + f*x))^m * ((c + d*\text{sin}(e + f*x)) + (f*x)), x\_Symbol] := -\text{Simp}[(b*c - a*d)*\text{Cos}[e + f*x] * (a + b*\text{Sin}[e + f*x])^{m+1} / (f*(m+1)*(a^2 - b^2)), x] + \text{Dist}[1 / ((m+1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{m+1} * \text{Simp}[(a*c - b*d)*(m+1) - (b*c - a*d)*(m+2)*\text{Sin}[e + f*x], x], x], x] /;$  FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2\*m]

### Rule 12



Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

Rule 2660

Int[((a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + 2\*b\*e\*x + a\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{a + b \sin(d + ex)}{(b^2 + 2ab \sin(d + ex) + a^2 \sin^2(d + ex))^{3/2}} dx &= \frac{(2ab + 2a^2 \sin(d + ex))^3 \int \frac{a + b \sin(d + ex)}{(2ab + 2a^2 \sin(d + ex))^3} dx}{(b^2 + 2ab \sin(d + ex) + a^2 \sin^2(d + ex))^{3/2}} \\
 &= -\frac{\cos(d + ex)(b + a \sin(d + ex))}{2e(b^2 + 2ab \sin(d + ex) + a^2 \sin^2(d + ex))^{3/2}} + \frac{(2ab + 2a^2 \sin(d + ex))}{8a^2(a^2 - b^2)(b^2 + 2ab \sin(d + ex) + a^2 \sin^2(d + ex))^{3/2}} \\
 &= -\frac{\cos(d + ex)(b + a \sin(d + ex))}{2e(b^2 + 2ab \sin(d + ex) + a^2 \sin^2(d + ex))^{3/2}} + \frac{(2ab + 2a^2 \sin(d + ex))}{4a(b^2 + 2ab \sin(d + ex) + a^2 \sin^2(d + ex))^{3/2}} \\
 &= -\frac{\cos(d + ex)(b + a \sin(d + ex))}{2e(b^2 + 2ab \sin(d + ex) + a^2 \sin^2(d + ex))^{3/2}} + \frac{(2ab + 2a^2 \sin(d + ex))}{2(a^2 - b^2)e(a^3 b^2 + b^2 \sin^2(d + ex) + a \sin(d + ex))^{3/2}} \\
 &= -\frac{\cos(d + ex)(b + a \sin(d + ex))}{2e(b^2 + 2ab \sin(d + ex) + a^2 \sin^2(d + ex))^{3/2}} + \frac{(2ab + 2a^2 \sin(d + ex))}{2(a^2 - b^2)e(a^3 b^2 + b^2 \sin^2(d + ex) + a \sin(d + ex))^{3/2}} \\
 &= -\frac{\cos(d + ex)(b + a \sin(d + ex))}{2e(b^2 + 2ab \sin(d + ex) + a^2 \sin^2(d + ex))^{3/2}} + \frac{(2ab + 2a^2 \sin(d + ex))}{2(a^2 - b^2)e(a^3 b^2 + b^2 \sin^2(d + ex) + a \sin(d + ex))^{3/2}} \\
 &= -\frac{\cos(d + ex)(b + a \sin(d + ex))}{2e(b^2 + 2ab \sin(d + ex) + a^2 \sin^2(d + ex))^{3/2}} + \frac{\tanh^{-1}\left(\frac{a + b \sin(d + ex)}{a^2 - b^2}\right)}{a^2(a^2 - b^2)^{3/2}e}
 \end{aligned}$$

**Mathematica [A]** time = 0.352519, size = 144, normalized size = 0.6

$$\frac{\sqrt{b^2 - a^2} \cos(d + ex) (a^2 - ab \sin(d + ex) - 2b^2) - 2a(a \sin(d + ex) + b)^2 \tan^{-1} \left( \frac{a + b \tan\left(\frac{1}{2}(d + ex)\right)}{\sqrt{b^2 - a^2}} \right)}{2e(b - a)(a + b)\sqrt{b^2 - a^2}(a \sin(d + ex) + b)\sqrt{(a \sin(d + ex) + b)^2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Sin[d + e*x])/(b^2 + 2*a*b*Sin[d + e*x] + a^2*Sin[d + e*x]^2)^(3/2), x]
```

```
[Out] (-2*a*ArcTan[(a + b*Tan[(d + e*x)/2])/Sqrt[-a^2 + b^2]]*Sqrt[-a^2 + b^2]*(b + a*Sin[d + e*x])^2 + Sqrt[-a^2 + b^2]*Cos[d + e*x]*(a^2 - 2*b^2 - a*b*Sin[d + e*x]))/(2*(-a + b)*(a + b)*Sqrt[-a^2 + b^2]*e*(b + a*Sin[d + e*x])*Sqrt[(b + a*Sin[d + e*x])^2])
```

**Maple [B]** time = 0.153, size = 738, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*sin(e*x+d))/(b^2+2*a*b*sin(e*x+d)+a^2*sin(e*x+d)^2)^(3/2), x)
```

```
[Out] -1/2/e/(-a^2+b^2)^(1/2)/(a^2-b^2)/b^2*(-2*cos(e*x+d)^2*sin(e*x+d)*arctan((b*cos(e*x+d)-a*sin(e*x+d)-b)/sin(e*x+d)/(-a^2+b^2)^(1/2))*a^4*b^2+cos(e*x+d)^3*(-a^2+b^2)^(1/2)*a^2*b^3-cos(e*x+d)^2*sin(e*x+d)*(-a^2+b^2)^(1/2)*a^5+2*cos(e*x+d)^2*sin(e*x+d)*(-a^2+b^2)^(1/2)*a^3*b^2-6*cos(e*x+d)^2*arctan((b*cos(e*x+d)-a*sin(e*x+d)-b)/sin(e*x+d)/(-a^2+b^2)^(1/2))*a^3*b^3-3*cos(e*x+d)^2*(-a^2+b^2)^(1/2)*a^4*b+6*cos(e*x+d)^2*(-a^2+b^2)^(1/2)*a^2*b^3+cos(e*x+d)*sin(e*x+d)*(-a^2+b^2)^(1/2)*a^3*b^2-3*cos(e*x+d)*sin(e*x+d)*(-a^2+b^2)^(1/2)*a*b^4+2*sin(e*x+d)*arctan((b*cos(e*x+d)-a*sin(e*x+d)-b)/sin(e*x+d)/(-a^2+b^2)^(1/2))*a^4*b^2+6*sin(e*x+d)*arctan((b*cos(e*x+d)-a*sin(e*x+d)-b)/sin(e*x+d)/(-a^2+b^2)^(1/2))*a^2*b^4-2*cos(e*x+d)*(-a^2+b^2)^(1/2)*b^5+sin(e*x+d)*(-a^2+b^2)^(1/2)*a^5+sin(e*x+d)*(-a^2+b^2)^(1/2)*a^3*b^2-6*sin(e*x+d)*(-a^2+b^2)^(1/2)*a*b^4+6*arctan((b*cos(e*x+d)-a*sin(e*x+d)-b)/sin(e*x+d)/(-a^2+b^2)^(1/2))*a^3*b^3+2*arctan((b*cos(e*x+d)-a*sin(e*x+d)-b)/sin(e*x+d)/(-a^2+b^2)^(1/2))*a*b^5+3*(-a^2+b^2)^(1/2)*a^4*b-5*(-a^2+b^2)^(1/2)*a^2*b^3-2*(-a^2+b^2)^(1/2)*b^5)/(-a^2*cos(e*x+d)^2+2*a*b*sin(e*x+d)+a^2+b^2)^(3/2)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sin(e*x+d))/(b^2+2*a*b*sin(e*x+d)+a^2*sin(e*x+d)^2)^(3/2), x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [A]** time = 2.10839, size = 1170, normalized size = 4.9

$$\frac{2(a^3b - ab^3)\cos(ex + d)\sin(ex + d) + (a^3\cos(ex + d)^2 - 2a^2b\sin(ex + d) - a^3 - ab^2)\sqrt{a^2 - b^2}\log\left(\frac{(a^2 - 2b^2)\cos(ex + d)}{4((a^6 - 2a^4b^2 + a^2b^4)e\cos(ex + d)^2 - 2(a^5b - 2a^3b^3 + ab^5))}\right)}{4((a^6 - 2a^4b^2 + a^2b^4)e\cos(ex + d)^2 - 2(a^5b - 2a^3b^3 + ab^5))}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sin(e*x+d))/(b^2+2*a*b*sin(e*x+d)+a^2*sin(e*x+d)^2)^(3/2),x,
algorithm="fricas")
```

```
[Out] [-1/4*(2*(a^3*b - a*b^3)*cos(e*x + d)*sin(e*x + d) + (a^3*cos(e*x + d)^2 -
2*a^2*b*sin(e*x + d) - a^3 - a*b^2)*sqrt(a^2 - b^2)*log(((a^2 - 2*b^2)*cos(
e*x + d)^2 + 2*a*b*sin(e*x + d) + a^2 + b^2 + 2*(b*cos(e*x + d)*sin(e*x + d
) + a*cos(e*x + d))*sqrt(a^2 - b^2))/(a^2*cos(e*x + d)^2 - 2*a*b*sin(e*x +
d) - a^2 - b^2)) - 2*(a^4 - 3*a^2*b^2 + 2*b^4)*cos(e*x + d))/((a^6 - 2*a^4*
b^2 + a^2*b^4)*e*cos(e*x + d)^2 - 2*(a^5*b - 2*a^3*b^3 + a*b^5)*e*sin(e*x +
d) - (a^6 - a^4*b^2 - a^2*b^4 + b^6)*e), -1/2*((a^3*b - a*b^3)*cos(e*x + d
)*sin(e*x + d) + (a^3*cos(e*x + d)^2 - 2*a^2*b*sin(e*x + d) - a^3 - a*b^2)*
sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*sin(e*x + d) + a)/((a^2 - b^2)
*cos(e*x + d))) - (a^4 - 3*a^2*b^2 + 2*b^4)*cos(e*x + d))/((a^6 - 2*a^4*b^2
+ a^2*b^4)*e*cos(e*x + d)^2 - 2*(a^5*b - 2*a^3*b^3 + a*b^5)*e*sin(e*x + d)
- (a^6 - a^4*b^2 - a^2*b^4 + b^6)*e)]
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sin(e*x+d))/(b**2+2*a*b*sin(e*x+d)+a**2*sin(e*x+d)**2)^(3/2
),x)
```

```
[Out] Timed out
```

**Giac [B]** time = 1.59743, size = 647, normalized size = 2.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sin(e*x+d))/(b^2+2*a*b*sin(e*x+d)+a^2*sin(e*x+d)^2)^(3/2),x,
algorithm="giac")
```

```
[Out] (a*arctan((b*tan(1/2*x*e + 1/2*d) + a)/sqrt(-a^2 + b^2))/((a^2*sgn(b*tan(1/
2*x*e + 1/2*d)^4 + 2*a*tan(1/2*x*e + 1/2*d)^3 + 2*b*tan(1/2*x*e + 1/2*d)^2
+ 2*a*tan(1/2*x*e + 1/2*d) + b) - b^2*sgn(b*tan(1/2*x*e + 1/2*d)^4 + 2*a*tan
(1/2*x*e + 1/2*d)^3 + 2*b*tan(1/2*x*e + 1/2*d)^2 + 2*a*tan(1/2*x*e + 1/2*d)
+ b))*sqrt(-a^2 + b^2)) - (2*a^3*b*tan(1/2*x*e + 1/2*d)^3 - 3*a*b^3*tan(1/
2*x*e + 1/2*d)^3 + 2*a^4*tan(1/2*x*e + 1/2*d)^2 - 3*a^2*b^2*tan(1/2*x*e +
1/2*d)^2 - 2*b^4*tan(1/2*x*e + 1/2*d)^2 + 2*a^3*b*tan(1/2*x*e + 1/2*d) - 5*
a*b^3*tan(1/2*x*e + 1/2*d) + a^2*b^2 - 2*b^4)/((a^2*b^2*sgn(b*tan(1/2*x*e +
1/2*d)^4 + 2*a*tan(1/2*x*e + 1/2*d)^3 + 2*b*tan(1/2*x*e + 1/2*d)^2 + 2*a*t
```

$$\begin{aligned} & \tan(1/2*x*e + 1/2*d) + b) - b^4*\text{sgn}(b*\tan(1/2*x*e + 1/2*d)^4 + 2*a*\tan(1/2*x \\ & *e + 1/2*d)^3 + 2*b*\tan(1/2*x*e + 1/2*d)^2 + 2*a*\tan(1/2*x*e + 1/2*d) + b)) \\ & *(b*\tan(1/2*x*e + 1/2*d)^2 + 2*a*\tan(1/2*x*e + 1/2*d) + b)^2))*e^{-1} \end{aligned}$$

$$3.508 \quad \int \frac{a+b \cos(x)}{b^2+2ab \cos(x)+a^2 \cos^2(x)} dx$$

**Optimal.** Leaf size=11

$$\frac{\sin(x)}{a \cos(x) + b}$$

[Out] Sin[x]/(b + a\*Cos[x])

**Rubi [A]** time = 0.0808742, antiderivative size = 11, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {3289, 2754, 8}

$$\frac{\sin(x)}{a \cos(x) + b}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[x])/(b^2 + 2\*a\*b\*Cos[x] + a^2\*Cos[x]^2), x]

[Out] Sin[x]/(b + a\*Cos[x])

#### Rule 3289

Int[(cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + cos[(d\_.) + (e\_.)\*(x\_)]^2\*(c\_.) + (a\_)^(n\_)\*cos[(d\_.) + (e\_.)\*(x\_)]\*(B\_.) + (A\_)), x\_Symbol] :> Dist[1/(4^n\*c^n), Int[(A + B\*Cos[d + e\*x])\*(b + 2\*c\*Cos[d + e\*x])^(2\*n), x], x] /; FreeQ[{a, b, c, d, e, A, B}, x] && EqQ[b^2 - 4\*a\*c, 0] && IntegerQ[n]

#### Rule 2754

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[(a\*c - b\*d)\*(m + 1) - (b\*c - a\*d)\*(m + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2\*m]

#### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned} \int \frac{a + b \cos(x)}{b^2 + 2ab \cos(x) + a^2 \cos^2(x)} dx &= (4a^2) \int \frac{a + b \cos(x)}{(2ab + 2a^2 \cos(x))^2} dx \\ &= \frac{\sin(x)}{b + a \cos(x)} + \frac{\int 0 dx}{a^2 - b^2} \\ &= \frac{\sin(x)}{b + a \cos(x)} \end{aligned}$$

**Mathematica [A]** time = 0.0524191, size = 11, normalized size = 1.

$$\frac{\sin(x)}{a \cos(x) + b}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*cos[x])/(b^2 + 2*a*b*cos[x] + a^2*cos[x]^2), x]
```

```
[Out] Sin[x]/(b + a*cos[x])
```

**Maple [B]** time = 0.037, size = 33, normalized size = 3.

$$-2 \frac{\tan(x/2)}{a(\tan(x/2))^2 - b(\tan(x/2))^2 - a - b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(x))/(b^2+2*a*b*cos(x)+a^2*cos(x)^2), x)
```

```
[Out] -2*tan(1/2*x)/(a*tan(1/2*x)^2-b*tan(1/2*x)^2-a-b)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(x))/(b^2+2*a*b*cos(x)+a^2*cos(x)^2), x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [A]** time = 1.70045, size = 31, normalized size = 2.82

$$\frac{\sin(x)}{a \cos(x) + b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(x))/(b^2+2*a*b*cos(x)+a^2*cos(x)^2), x, algorithm="fricas")
```

```
[Out] sin(x)/(a*cos(x) + b)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(x))/(b**2+2*a*b*cos(x)+a**2*cos(x)**2), x)
```

[Out] Timed out

---

**Giac [B]** time = 1.16215, size = 43, normalized size = 3.91

$$-\frac{2 \tan\left(\frac{1}{2}x\right)}{a \tan\left(\frac{1}{2}x\right)^2 - b \tan\left(\frac{1}{2}x\right) - a - b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(x))/(b^2+2\*a\*b\*cos(x)+a^2\*cos(x)^2),x, algorithm="giac")

[Out] -2\*tan(1/2\*x)/(a\*tan(1/2\*x)^2 - b\*tan(1/2\*x) - a - b)

$$3.509 \quad \int \frac{d+e \cos(x)}{a+b \cos(x)+c \cos^2(x)} dx$$

**Optimal.** Leaf size=246

$$\frac{2 \left( \frac{2cd-be}{\sqrt{b^2-4ac}} + e \right) \tan^{-1} \left( \frac{\tan\left(\frac{x}{2}\right) \sqrt{-\sqrt{b^2-4ac}+b-2c}}{\sqrt{-\sqrt{b^2-4ac}+b+2c}} \right)}{\sqrt{-\sqrt{b^2-4ac}+b-2c} \sqrt{-\sqrt{b^2-4ac}+b+2c}} + \frac{2 \left( e - \frac{2cd-be}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left( \frac{\tan\left(\frac{x}{2}\right) \sqrt{\sqrt{b^2-4ac}+b-2c}}{\sqrt{\sqrt{b^2-4ac}+b+2c}} \right)}{\sqrt{\sqrt{b^2-4ac}+b-2c} \sqrt{\sqrt{b^2-4ac}+b+2c}}$$

[Out] (2\*(e + (2\*c\*d - b\*e)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[b - 2\*c - Sqrt[b^2 - 4\*a\*c]]\*Tan[x/2])/Sqrt[b + 2\*c - Sqrt[b^2 - 4\*a\*c]])/(Sqrt[b - 2\*c - Sqrt[b^2 - 4\*a\*c]]\*Sqrt[b + 2\*c - Sqrt[b^2 - 4\*a\*c]]) + (2\*(e - (2\*c\*d - b\*e)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[b - 2\*c + Sqrt[b^2 - 4\*a\*c]]\*Tan[x/2])/Sqrt[b + 2\*c + Sqrt[b^2 - 4\*a\*c]])/(Sqrt[b - 2\*c + Sqrt[b^2 - 4\*a\*c]]\*Sqrt[b + 2\*c + Sqrt[b^2 - 4\*a\*c]])

**Rubi [A]** time = 0.789015, antiderivative size = 246, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3293, 2659, 205}

$$\frac{2 \left( \frac{2cd-be}{\sqrt{b^2-4ac}} + e \right) \tan^{-1} \left( \frac{\tan\left(\frac{x}{2}\right) \sqrt{-\sqrt{b^2-4ac}+b-2c}}{\sqrt{-\sqrt{b^2-4ac}+b+2c}} \right)}{\sqrt{-\sqrt{b^2-4ac}+b-2c} \sqrt{-\sqrt{b^2-4ac}+b+2c}} + \frac{2 \left( e - \frac{2cd-be}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left( \frac{\tan\left(\frac{x}{2}\right) \sqrt{\sqrt{b^2-4ac}+b-2c}}{\sqrt{\sqrt{b^2-4ac}+b+2c}} \right)}{\sqrt{\sqrt{b^2-4ac}+b-2c} \sqrt{\sqrt{b^2-4ac}+b+2c}}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*Cos[x])/(a + b\*Cos[x] + c\*Cos[x]^2), x]

[Out] (2\*(e + (2\*c\*d - b\*e)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[b - 2\*c - Sqrt[b^2 - 4\*a\*c]]\*Tan[x/2])/Sqrt[b + 2\*c - Sqrt[b^2 - 4\*a\*c]])/(Sqrt[b - 2\*c - Sqrt[b^2 - 4\*a\*c]]\*Sqrt[b + 2\*c - Sqrt[b^2 - 4\*a\*c]]) + (2\*(e - (2\*c\*d - b\*e)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[b - 2\*c + Sqrt[b^2 - 4\*a\*c]]\*Tan[x/2])/Sqrt[b + 2\*c + Sqrt[b^2 - 4\*a\*c]])/(Sqrt[b - 2\*c + Sqrt[b^2 - 4\*a\*c]]\*Sqrt[b + 2\*c + Sqrt[b^2 - 4\*a\*c]])

#### Rule 3293

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(B\_.) + (A\_.))/((a\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]^2\*(c\_.)), x\_Symbol] := Module[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[B + (b\*B - 2\*A\*c)/q, Int[1/(b + q + 2\*c\*Cos[d + e\*x]), x], x] + Dist[B - (b\*B - 2\*A\*c)/q, Int[1/(b - q + 2\*c\*Cos[d + e\*x]), x], x] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4\*a\*c, 0]

#### Rule 2659

Int[((a\_.) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_.)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 205

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]



Rubi steps

$$\begin{aligned} \int \frac{d + e \cos(x)}{a + b \cos(x) + c \cos^2(x)} dx &= \left( e - \frac{2cd - be}{\sqrt{b^2 - 4ac}} \right) \int \frac{1}{b + \sqrt{b^2 - 4ac} + 2c \cos(x)} dx + \left( e + \frac{2cd - be}{\sqrt{b^2 - 4ac}} \right) \int \frac{1}{b - \sqrt{b^2 - 4ac} + 2c \cos(x)} dx \\ &= \left( 2 \left( e - \frac{2cd - be}{\sqrt{b^2 - 4ac}} \right) \right) \text{Subst} \left( \int \frac{1}{b + 2c + \sqrt{b^2 - 4ac} + (b - 2c + \sqrt{b^2 - 4ac}) x^2} dx, x, \tan\left(\frac{x}{2}\right) \right) \\ &= \frac{2 \left( e + \frac{2cd - be}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left( \frac{\sqrt{b - 2c - \sqrt{b^2 - 4ac}} \tan\left(\frac{x}{2}\right)}{\sqrt{b + 2c - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{b - 2c - \sqrt{b^2 - 4ac}} \sqrt{b + 2c - \sqrt{b^2 - 4ac}}} + \frac{2 \left( e - \frac{2cd - be}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left( \frac{\sqrt{b - 2c + \sqrt{b^2 - 4ac}} \tan\left(\frac{x}{2}\right)}{\sqrt{b + 2c + \sqrt{b^2 - 4ac}}} \right)}{\sqrt{b - 2c + \sqrt{b^2 - 4ac}} \sqrt{b + 2c + \sqrt{b^2 - 4ac}}} \end{aligned}$$

**Mathematica [A]** time = 0.57916, size = 241, normalized size = 0.98

$$\frac{\sqrt{2} \left( \frac{\left( e \left( \sqrt{b^2 - 4ac} - b \right) + 2cd \right) \tanh^{-1} \left( \frac{\tan\left(\frac{x}{2}\right) \left( \sqrt{b^2 - 4ac} - b + 2c \right)}{\sqrt{2b\sqrt{b^2 - 4ac} + 4c(a+c) - 2b^2}} \right)}{\sqrt{b\sqrt{b^2 - 4ac} + 2c(a+c) - b^2}} - \frac{\left( e \left( \sqrt{b^2 - 4ac} + b \right) - 2cd \right) \tanh^{-1} \left( \frac{\tan\left(\frac{x}{2}\right) \left( \sqrt{b^2 - 4ac} + b - 2c \right)}{\sqrt{-2b\sqrt{b^2 - 4ac} + 4c(a+c) - 2b^2}} \right)}{\sqrt{-b\sqrt{b^2 - 4ac} + 2c(a+c) - b^2}} \right)}{\sqrt{b^2 - 4ac}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(d + e*cos[x])/(a + b*cos[x] + c*cos[x]^2), x]
```

```
[Out] (Sqrt[2]*(-((( -2*c*d + (b + Sqrt[b^2 - 4*a*c])*e)*ArcTanh[((b - 2*c + Sqrt[b^2 - 4*a*c])*Tan[x/2])/Sqrt[-2*b^2 + 4*c*(a + c) - 2*b*Sqrt[b^2 - 4*a*c]]])/Sqrt[-b^2 + 2*c*(a + c) - b*Sqrt[b^2 - 4*a*c]] + ((2*c*d + (-b + Sqrt[b^2 - 4*a*c])*e)*ArcTanh[((-b + 2*c + Sqrt[b^2 - 4*a*c])*Tan[x/2])/Sqrt[-2*b^2 + 4*c*(a + c) + 2*b*Sqrt[b^2 - 4*a*c]]])/Sqrt[-b^2 + 2*c*(a + c) + b*Sqrt[b^2 - 4*a*c]]))/Sqrt[b^2 - 4*a*c]
```

**Maple [B]** time = 0.071, size = 2556, normalized size = 10.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d+e*cos(x))/(a+b*cos(x)+c*cos(x)^2), x)
```

```
[Out] -2*a/(-4*a*c+b^2)^(1/2)/(a-b+c)/((( -4*a*c+b^2)^(1/2)+a-c)*(a-b+c))^(1/2)*arctan((a-b+c)*tan(1/2*x)/((( -4*a*c+b^2)^(1/2)+a-c)*(a-b+c))^(1/2))*c*d-a/(-4*a*c+b^2)^(1/2)/(a-b+c)/((( -4*a*c+b^2)^(1/2)-a+c)*(a-b+c))^(1/2)*arctanh((-a+b-c)*tan(1/2*x)/((( -4*a*c+b^2)^(1/2)-a+c)*(a-b+c))^(1/2))*d*b-3*a/(-4*a*c+b^2)^(1/2)/(a-b+c)/((( -4*a*c+b^2)^(1/2)-a+c)*(a-b+c))^(1/2)*arctanh((-a+b-c)*tan(1/2*x)/((( -4*a*c+b^2)^(1/2)-a+c)*(a-b+c))^(1/2))*b*e+2*a/(-4*a*c+b^2)^(1/2)/(a-b+c)/((( -4*a*c+b^2)^(1/2)-a+c)*(a-b+c))^(1/2)*arctanh((-a+b-c)*tan(1/2*x)/((( -4*a*c+b^2)^(1/2)-a+c)*(a-b+c))^(1/2))*c*d+3*b/(-4*a*c+b^2)^(1/2)/(a-b+c)/((( -4*a*c+b^2)^(1/2)+a-c)*(a-b+c))^(1/2)*arctan((a-b+c)*tan(1/2*x)/((( -4*a*c+b^2)^(1/2)+a-c)*(a-b+c))^(1/2))*c*d-3*b/(-4*a*c+b^2)^(1/2)/(a-b+c)/((( -4*a*c+b^2)^(1/2)-a+c)*(a-b+c))^(1/2)*arctanh((-a+b-c)*tan(1/2*x)/((( -4*a*c+b^2)^(1/2)-a+c)*(a-b+c))^(1/2))*c*d-2*c/(-4*a*c+b^2)^(1/2)/(a-b+c)/((( -4*a*c+b^2)^(1/2)+a-c)*(a-b+c))^(1/2)*arctan((a-b+c)*tan(1/2*x)/((( -4*a*c+b^2)^(1/2)+a-c)*(a-b+c))^(1/2))
```

$a*c+b^2)^{(1/2)+a-c}*(a-b+c)^{(1/2)}*a*e+c/(-4*a*c+b^2)^{(1/2)}/(a-b+c)/((( -4*a*c+b^2)^{(1/2)+a-c}*(a-b+c))^{(1/2)}*arctan((a-b+c)*tan(1/2*x)/((( -4*a*c+b^2)^{(1/2)+a-c}*(a-b+c))^{(1/2)})*b*e+2*c/(-4*a*c+b^2)^{(1/2)}/(a-b+c)/((( -4*a*c+b^2)^{(1/2)-a+c}*(a-b+c))^{(1/2)}*arctanh((-a+b-c)*tan(1/2*x)/((( -4*a*c+b^2)^{(1/2)-a+c}*(a-b+c))^{(1/2)})*a*e-c/(-4*a*c+b^2)^{(1/2)}/(a-b+c)/((( -4*a*c+b^2)^{(1/2)-a+c}*(a-b+c))^{(1/2)}*arctanh((-a+b-c)*tan(1/2*x)/((( -4*a*c+b^2)^{(1/2)-a+c}*(a-b+c))^{(1/2)})*b*e+a/(-4*a*c+b^2)^{(1/2)}/(a-b+c)/((( -4*a*c+b^2)^{(1/2)+a-c}*(a-b+c))^{(1/2)}*arctan((a-b+c)*tan(1/2*x)/((( -4*a*c+b^2)^{(1/2)+a-c}*(a-b+c))^{(1/2)})*d*b+3*a/(-4*a*c+b^2)^{(1/2)}/(a-b+c)/((( -4*a*c+b^2)^{(1/2)+a-c}*(a-b+c))^{(1/2)}*arctan((a-b+c)*tan(1/2*x)/((( -4*a*c+b^2)^{(1/2)+a-c}*(a-b+c))^{(1/2)})*b*e+a/(a-b+c)/((( -4*a*c+b^2)^{(1/2)+a-c}*(a-b+c))^{(1/2)}*arctan((a-b+c)*tan(1/2*x)/((( -4*a*c+b^2)^{(1/2)+a-c}*(a-b+c))^{(1/2)})*d-a/(a-b+c)/((( -4*a*c+b^2)^{(1/2)+a-c}*(a-b+c))^{(1/2)}*arctan((a-b+c)*tan(1/2*x)/((( -4*a*c+b^2)^{(1/2)+a-c}*(a-b+c))^{(1/2)})*e+a/(a-b+c)/((( -4*a*c+b^2)^{(1/2)-a+c}*(a-b+c))^{(1/2)}*arctanh((-a+b-c)*tan(1/2*x)/((( -4*a*c+b^2)^{(1/2)-a+c}*(a-b+c))^{(1/2)})*d-a/(a-b+c)/((( -4*a*c+b^2)^{(1/2)-a+c}*(a-b+c))^{(1/2)}*arctanh((-a+b-c)*tan(1/2*x)/((( -4*a*c+b^2)^{(1/2)-a+c}*(a-b+c))^{(1/2)})*e-b/(a-b+c)/((( -4*a*c+b^2)^{(1/2)+a-c}*(a-b+c))^{(1/2)}*arctan((a-b+c)*tan(1/2*x)/((( -4*a*c+b^2)^{(1/2)+a-c}*(a-b+c))^{(1/2)})*d+b/(a-b+c)/((( -4*a*c+b^2)^{(1/2)+a-c}*(a-b+c))^{(1/2)}*arctan((a-b+c)*tan(1/2*x)/((( -4*a*c+b^2)^{(1/2)+a-c}*(a-b+c))^{(1/2)})*e-b/(a-b+c)/((( -4*a*c+b^2)^{(1/2)-a+c}*(a-b+c))^{(1/2)}*arctanh((-a+b-c)*tan(1/2*x)/((( -4*a*c+b^2)^{(1/2)-a+c}*(a-b+c))^{(1/2)})*d+b/(a-b+c)/((( -4*a*c+b^2)^{(1/2)-a+c}*(a-b+c))^{(1/2)})*e+c/(a-b+c)/((( -4*a*c+b^2)^{(1/2)+a-c}*(a-b+c))^{(1/2)}*arctan((a-b+c)*tan(1/2*x)/((( -4*a*c+b^2)^{(1/2)+a-c}*(a-b+c))^{(1/2)})*d-c/(a-b+c)/((( -4*a*c+b^2)^{(1/2)+a-c}*(a-b+c))^{(1/2)}*arctanh((-a+b-c)*tan(1/2*x)/((( -4*a*c+b^2)^{(1/2)-a+c}*(a-b+c))^{(1/2)})*d-c/(a-b+c)/((( -4*a*c+b^2)^{(1/2)-a+c}*(a-b+c))^{(1/2)}*arctanh((-a+b-c)*tan(1/2*x)/((( -4*a*c+b^2)^{(1/2)-a+c}*(a-b+c))^{(1/2)})*e-2/(-4*a*c+b^2)^{(1/2)}/(a-b+c)/((( -4*a*c+b^2)^{(1/2)+a-c}*(a-b+c))^{(1/2)}*arctan((a-b+c)*tan(1/2*x)/((( -4*a*c+b^2)^{(1/2)+a-c}*(a-b+c))^{(1/2)})*a^2*e+2/(-4*a*c+b^2)^{(1/2)}/(a-b+c)/((( -4*a*c+b^2)^{(1/2)-a+c}*(a-b+c))^{(1/2)}*arctanh((-a+b-c)*tan(1/2*x)/((( -4*a*c+b^2)^{(1/2)-a+c}*(a-b+c))^{(1/2)})*a^2*e-1/(-4*a*c+b^2)^{(1/2)}/(a-b+c)/((( -4*a*c+b^2)^{(1/2)+a-c}*(a-b+c))^{(1/2)}*arctan((a-b+c)*tan(1/2*x)/((( -4*a*c+b^2)^{(1/2)+a-c}*(a-b+c))^{(1/2)})*d*b^2-1/(-4*a*c+b^2)^{(1/2)}/(a-b+c)/((( -4*a*c+b^2)^{(1/2)+a-c}*(a-b+c))^{(1/2)}*arctan((a-b+c)*tan(1/2*x)/((( -4*a*c+b^2)^{(1/2)+a-c}*(a-b+c))^{(1/2)})*b^2*e+1/(-4*a*c+b^2)^{(1/2)}/(a-b+c)/((( -4*a*c+b^2)^{(1/2)-a+c}*(a-b+c))^{(1/2)}*arctanh((-a+b-c)*tan(1/2*x)/((( -4*a*c+b^2)^{(1/2)-a+c}*(a-b+c))^{(1/2)})*d*b^2+1/(-4*a*c+b^2)^{(1/2)}/(a-b+c)/((( -4*a*c+b^2)^{(1/2)-a+c}*(a-b+c))^{(1/2)}*arctanh((-a+b-c)*tan(1/2*x)/((( -4*a*c+b^2)^{(1/2)-a+c}*(a-b+c))^{(1/2)})*b^2*e-2/(-4*a*c+b^2)^{(1/2)}/(a-b+c)/((( -4*a*c+b^2)^{(1/2)+a-c}*(a-b+c))^{(1/2)}*arctan((a-b+c)*tan(1/2*x)/((( -4*a*c+b^2)^{(1/2)+a-c}*(a-b+c))^{(1/2)})*c^2*d+2/(-4*a*c+b^2)^{(1/2)}/(a-b+c)/((( -4*a*c+b^2)^{(1/2)-a+c}*(a-b+c))^{(1/2)}*arctanh((-a+b-c)*tan(1/2*x)/((( -4*a*c+b^2)^{(1/2)-a+c}*(a-b+c))^{(1/2)})*c^2*d$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{e \cos(x) + d}{c \cos(x)^2 + b \cos(x) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*cos(x))/(a+b\*cos(x)+c\*cos(x)^2),x, algorithm="maxima")

[Out] integrate((e\*cos(x) + d)/(c\*cos(x)^2 + b\*cos(x) + a), x)

**Fricas [B]** time = 65.6355, size = 13604, normalized size = 55.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*cos(x))/(a+b\*cos(x)+c\*cos(x)^2),x, algorithm="fricas")

[Out]  $\frac{1}{4}\sqrt{2}\sqrt{-((b^2 - 2ac - 2c^2)d^2 - 2(ab - bc)de + (2a^2 - b^2 + 2ac)e^2 - (a^2b^2 - b^4 - 4ac^3 - (8a^2 - b^2)c^2 - 2(2a^3 - 3ab^2)c))\sqrt{(b^2d^4 + b^2e^4 - 4(ab + bc)d^3e + 2(2a^2 + b^2 + 4ac + 2c^2)d^2e^2 - 4(ab + bc)de^3)/(a^4b^2 - 2a^2b^4 + b^6 - 4ac^5 - (16a^2 - b^2)c^4 - 12(2a^3 - ab^2)c^3 - 2(8a^4 - 11a^2b^2 + b^4)c^2 - 4(a^5 - 3a^3b^2 + 2ab^4)c)}}{(a^2b^2 - b^4 - 4ac^3 - (8a^2 - b^2)c^2 - 2(2a^3 - 3ab^2)c)}\log(2bc^2d^4 + 2abc^2e^4 - 2(b^2c + 2ac^2 + 2c^3)d^3e + 6(abc + bc^2)d^2e^2 - 2(2ac^2 + (2a^2 + b^2)c)de^3 - ((4ac^4 + (8a^2 - b^2)c^3 + 2(2a^3 - 3ab^2)c^2 - (a^2b^2 - b^4)c)d^2 + (a^2b^3 - b^5 - 4abc^3 - (8a^2b - b^3)c^2 - 2(2a^3b - 3ab^3)c)de - (a^3b^2 - ab^4 - 4a^2c^3 - (8a^3 - ab^2)c^2 - 2(2a^4 - 3a^2b^2)c)e^2)\sqrt{(b^2d^4 + b^2e^4 - 4(ab + bc)d^3e + 2(2a^2 + b^2 + 4ac + 2c^2)d^2e^2 - 4(ab + bc)de^3)/(a^4b^2 - 2a^2b^4 + b^6 - 4ac^5 - (16a^2 - b^2)c^4 - 12(2a^3 - ab^2)c^3 - 2(8a^4 - 11a^2b^2 + b^4)c^2 - 4(a^5 - 3a^3b^2 + 2ab^4)c)}\cos(x) + \frac{1}{2}\sqrt{2}\sqrt{((a^2b^4 - b^6 + 8ac^5 + 2(12a^2 - b^2)c^4 + 6(4a^3 - 3ab^2)c^3 + (8a^4 - 22a^2b^2 + 3b^4)c^2 - 2(3a^3b^2 - 4ab^4)c)d - (a^3b^3 - ab^5 + 4abc^4 + (4a^2b - b^3)c^3 - (4a^3b + 5ab^3)c^2 - (4a^4b - 5a^2b^3 - b^5)c)e}\sqrt{(b^2d^4 + b^2e^4 - 4(ab + bc)d^3e + 2(2a^2 + b^2 + 4ac + 2c^2)d^2e^2 - 4(ab + bc)de^3)/(a^4b^2 - 2a^2b^4 + b^6 - 4ac^5 - (16a^2 - b^2)c^4 - 12(2a^3 - ab^2)c^3 - 2(8a^4 - 11a^2b^2 + b^4)c^2 - 4(a^5 - 3a^3b^2 + 2ab^4)c)}\sin(x) + ((b^4 - 4ab^2c)d^3 - 3(ab^3 - 4abc^2 - (4a^2b - b^3)c)d^2e + (2a^2b^2 + b^4 - 8a^3c - 8ac^3 - 2(8a^2 - b^2)c^2)de^2 - (ab^3 - 4abc^2 - (4a^2b - b^3)c)e^3)\sin(x))\sqrt{-((b^2 - 2ac - 2c^2)d^2 - 2(ab - bc)de + (2a^2 - b^2 + 2ac)e^2 - (a^2b^2 - b^4 - 4ac^3 - (8a^2 - b^2)c^2 - 2(2a^3 - 3ab^2)c))\sqrt{(b^2d^4 + b^2e^4 - 4(ab + bc)d^3e + 2(2a^2 + b^2 + 4ac + 2c^2)d^2e^2 - 4(ab + bc)de^3)/(a^4b^2 - 2a^2b^4 + b^6 - 4ac^5 - (16a^2 - b^2)c^4 - 12(2a^3 - ab^2)c^3 - 2(8a^4 - 11a^2b^2 + b^4)c^2 - 4(a^5 - 3a^3b^2 + 2ab^4)c)}}{(a^2b^2 - b^4 - 4ac^3 - (8a^2 - b^2)c^2 - 2(2a^3 - 3ab^2)c)} + (b^2cd^4 + ab^2e^4 - (b^3 + 2abc + 2bc^2)d^3e + 3(ab^2 + b^2c)d^2e^2 - (2a^2b + b^3 + 2abc)de^3)\cos(x) - \frac{1}{4}\sqrt{2}\sqrt{-((b^2 - 2ac - 2c^2)d^2 - 2(ab - bc)de + (2a^2 - b^2 + 2ac)e^2 - (a^2b^2 - b^4 - 4ac^3 - (8a^2 - b^2)c^2 - 2(2a^3 - 3ab^2)c))\sqrt{(b^2d^4 + b^2e^4 - 4(ab + bc)d^3e + 2(2a^2 + b^2 + 4ac + 2c^2)d^2e^2 - 4(ab + bc)de^3)/(a^4b^2 - 2a^2b^4 + b^6 - 4ac^5 - (16a^2 - b^2)c^4 - 12(2a^3 - ab^2)c^3 - 2(8a^4 - 11a^2b^2 + b^4)c^2 - 4(a^5 - 3a^3b^2 + 2ab^4)c)}}{(a^2b^2 - b^4 - 4ac^3 - (8a^2 - b^2)c^2 - 2(2a^3 - 3ab^2)c)}\log(2bc^2d^4 + 2abc^2e^4 - 2(b^2c + 2ac^2 + 2c^3)d^3e + 6(abc + bc^2)d^2e^2 - 2(2ac^2 + (2a^2 + b^2)c)de^3 - ((4ac^4 + (8a^2 - b^2)c^3 + 2(2a^3 - 3ab^2)c^2 - (a^2b^2 - b^4)c)d^2 + (a^2b^3 - b^5 - 4abc^3 - (8a^2b - b^3)c^2 - 2(2a^3b - 3ab^3)c)de - (a^3b^2 - ab^4 - 4a^2c^3 - (8a^3 - ab^2)c^2 - 2(2a^4 - 3a^2b^2)c)e^2)\sqrt{(b^2d^4 + b^2e^4 - 4(ab + bc)d^3e + 2(2a^2 + b^2 + 4ac + 2c^2)d^2e^2 - 4(ab + bc)de^3)/(a^4b^2 - 2a^2b^4 + b^6 - 4ac^5 - (16a^2 - b^2)c^4 - 12(2a^3 - ab^2)c^3 - 2(8a^4 - 11a^2b^2 + b^4)c^2 - 4(a^5 - 3a^3b^2 + 2ab^4)c)}\cos(x) - \frac{1}{2}\sqrt{2}\sqrt{((a^2b^4 - b^6 + 8ac^5 + 2(12a^2 - b^2)c^4 + 6(4a^3$

$$\begin{aligned}
& - 3*a*b^2)*c^3 + (8*a^4 - 22*a^2*b^2 + 3*b^4)*c^2 - 2*(3*a^3*b^2 - 4*a*b^4) \\
& *c)*d - (a^3*b^3 - a*b^5 + 4*a*b*c^4 + (4*a^2*b - b^3)*c^3 - (4*a^3*b + 5*a \\
& *b^3)*c^2 - (4*a^4*b - 5*a^2*b^3 - b^5)*c)*e)*\sqrt{(b^2*d^4 + b^2*e^4 - 4*( \\
& a*b + b*c)*d^3*e + 2*(2*a^2 + b^2 + 4*a*c + 2*c^2)*d^2*e^2 - 4*(a*b + b*c)* \\
& d*e^3)/(a^4*b^2 - 2*a^2*b^4 + b^6 - 4*a*c^5 - (16*a^2 - b^2)*c^4 - 12*(2*a^ \\
& 3 - a*b^2)*c^3 - 2*(8*a^4 - 11*a^2*b^2 + b^4)*c^2 - 4*(a^5 - 3*a^3*b^2 + 2* \\
& a*b^4)*c))*\sin(x) + ((b^4 - 4*a*b^2*c)*d^3 - 3*(a*b^3 - 4*a*b*c^2 - (4*a^2* \\
& b - b^3)*c)*d^2*e + (2*a^2*b^2 + b^4 - 8*a^3*c - 8*a*c^3 - 2*(8*a^2 - b^2)* \\
& c^2)*d*e^2 - (a*b^3 - 4*a*b*c^2 - (4*a^2*b - b^3)*c)*e^3)*\sin(x))*\sqrt{-((b \\
& ^2 - 2*a*c - 2*c^2)*d^2 - 2*(a*b - b*c)*d*e + (2*a^2 - b^2 + 2*a*c)*e^2 - ( \\
& a^2*b^2 - b^4 - 4*a*c^3 - (8*a^2 - b^2)*c^2 - 2*(2*a^3 - 3*a*b^2)*c)*\sqrt{( \\
& b^2*d^4 + b^2*e^4 - 4*(a*b + b*c)*d^3*e + 2*(2*a^2 + b^2 + 4*a*c + 2*c^2)*d \\
& ^2*e^2 - 4*(a*b + b*c)*d*e^3)/(a^4*b^2 - 2*a^2*b^4 + b^6 - 4*a*c^5 - (16*a^ \\
& 2 - b^2)*c^4 - 12*(2*a^3 - a*b^2)*c^3 - 2*(8*a^4 - 11*a^2*b^2 + b^4)*c^2 - \\
& 4*(a^5 - 3*a^3*b^2 + 2*a*b^4)*c)))/(a^2*b^2 - b^4 - 4*a*c^3 - (8*a^2 - b^2) \\
& *c^2 - 2*(2*a^3 - 3*a*b^2)*c) + (b^2*c*d^4 + a*b^2*e^4 - (b^3 + 2*a*b*c + \\
& 2*b*c^2)*d^3*e + 3*(a*b^2 + b^2*c)*d^2*e^2 - (2*a^2*b + b^3 + 2*a*b*c)*d*e^ \\
& 3)*\cos(x)) + 1/4*\sqrt{2}*\sqrt{-((b^2 - 2*a*c - 2*c^2)*d^2 - 2*(a*b - b*c)*d \\
& *e + (2*a^2 - b^2 + 2*a*c)*e^2 + (a^2*b^2 - b^4 - 4*a*c^3 - (8*a^2 - b^2)*c \\
& ^2 - 2*(2*a^3 - 3*a*b^2)*c)*\sqrt{(b^2*d^4 + b^2*e^4 - 4*(a*b + b*c)*d^3*e + \\
& 2*(2*a^2 + b^2 + 4*a*c + 2*c^2)*d^2*e^2 - 4*(a*b + b*c)*d*e^3)/(a^4*b^2 - \\
& 2*a^2*b^4 + b^6 - 4*a*c^5 - (16*a^2 - b^2)*c^4 - 12*(2*a^3 - a*b^2)*c^3 - 2 \\
& *(8*a^4 - 11*a^2*b^2 + b^4)*c^2 - 4*(a^5 - 3*a^3*b^2 + 2*a*b^4)*c)))/(a^2*b \\
& ^2 - b^4 - 4*a*c^3 - (8*a^2 - b^2)*c^2 - 2*(2*a^3 - 3*a*b^2)*c))*\log(-2*b*c \\
& ^2*d^4 - 2*a*b*c*e^4 + 2*(b^2*c + 2*a*c^2 + 2*c^3)*d^3*e - 6*(a*b*c + b*c^2) \\
& )*d^2*e^2 + 2*(2*a*c^2 + (2*a^2 + b^2)*c)*d*e^3 - ((4*a*c^4 + (8*a^2 - b^2) \\
& *c^3 + 2*(2*a^3 - 3*a*b^2)*c^2 - (a^2*b^2 - b^4)*c)*d^2 + (a^2*b^3 - b^5 - \\
& 4*a*b*c^3 - (8*a^2*b - b^3)*c^2 - 2*(2*a^3*b - 3*a*b^3)*c)*d*e - (a^3*b^2 - \\
& a*b^4 - 4*a^2*c^3 - (8*a^3 - a*b^2)*c^2 - 2*(2*a^4 - 3*a^2*b^2)*c)*e^2)*\sqrt{ \\
& (b^2*d^4 + b^2*e^4 - 4*(a*b + b*c)*d^3*e + 2*(2*a^2 + b^2 + 4*a*c + 2*c^ \\
& 2)*d^2*e^2 - 4*(a*b + b*c)*d*e^3)/(a^4*b^2 - 2*a^2*b^4 + b^6 - 4*a*c^5 - (1 \\
& 6*a^2 - b^2)*c^4 - 12*(2*a^3 - a*b^2)*c^3 - 2*(8*a^4 - 11*a^2*b^2 + b^4)*c^ \\
& 2 - 4*(a^5 - 3*a^3*b^2 + 2*a*b^4)*c))*\cos(x) + 1/2*\sqrt{2}*((a^2*b^4 - b^6 \\
& + 8*a*c^5 + 2*(12*a^2 - b^2)*c^4 + 6*(4*a^3 - 3*a*b^2)*c^3 + (8*a^4 - 22*a \\
& ^2*b^2 + 3*b^4)*c^2 - 2*(3*a^3*b^2 - 4*a*b^4)*c)*d - (a^3*b^3 - a*b^5 + 4*a \\
& *b*c^4 + (4*a^2*b - b^3)*c^3 - (4*a^3*b + 5*a*b^3)*c^2 - (4*a^4*b - 5*a^2*b \\
& ^3 - b^5)*c)*e)*\sqrt{(b^2*d^4 + b^2*e^4 - 4*(a*b + b*c)*d^3*e + 2*(2*a^2 + \\
& b^2 + 4*a*c + 2*c^2)*d^2*e^2 - 4*(a*b + b*c)*d*e^3)/(a^4*b^2 - 2*a^2*b^4 + \\
& b^6 - 4*a*c^5 - (16*a^2 - b^2)*c^4 - 12*(2*a^3 - a*b^2)*c^3 - 2*(8*a^4 - 11 \\
& *a^2*b^2 + b^4)*c^2 - 4*(a^5 - 3*a^3*b^2 + 2*a*b^4)*c))*\sin(x) - ((b^4 - 4* \\
& a*b^2*c)*d^3 - 3*(a*b^3 - 4*a*b*c^2 - (4*a^2*b - b^3)*c)*d^2*e + (2*a^2*b^2 \\
& + b^4 - 8*a^3*c - 8*a*c^3 - 2*(8*a^2 - b^2)*c^2)*d*e^2 - (a*b^3 - 4*a*b*c^ \\
& 2 - (4*a^2*b - b^3)*c)*e^3)*\sin(x))*\sqrt{-((b^2 - 2*a*c - 2*c^2)*d^2 - 2*(a \\
& *b - b*c)*d*e + (2*a^2 - b^2 + 2*a*c)*e^2 + (a^2*b^2 - b^4 - 4*a*c^3 - (8*a \\
& ^2 - b^2)*c^2 - 2*(2*a^3 - 3*a*b^2)*c)*\sqrt{(b^2*d^4 + b^2*e^4 - 4*(a*b + b \\
& *c)*d^3*e + 2*(2*a^2 + b^2 + 4*a*c + 2*c^2)*d^2*e^2 - 4*(a*b + b*c)*d*e^3)/ \\
& (a^4*b^2 - 2*a^2*b^4 + b^6 - 4*a*c^5 - (16*a^2 - b^2)*c^4 - 12*(2*a^3 - a*b \\
& ^2)*c^3 - 2*(8*a^4 - 11*a^2*b^2 + b^4)*c^2 - 4*(a^5 - 3*a^3*b^2 + 2*a*b^4)* \\
& c)))/(a^2*b^2 - b^4 - 4*a*c^3 - (8*a^2 - b^2)*c^2 - 2*(2*a^3 - 3*a*b^2)*c) \\
& - (b^2*c*d^4 + a*b^2*e^4 - (b^3 + 2*a*b*c + 2*b*c^2)*d^3*e + 3*(a*b^2 + b^ \\
& 2*c)*d^2*e^2 - (2*a^2*b + b^3 + 2*a*b*c)*d*e^3)*\cos(x)) - 1/4*\sqrt{2}*\sqrt{ \\
& -((b^2 - 2*a*c - 2*c^2)*d^2 - 2*(a*b - b*c)*d*e + (2*a^2 - b^2 + 2*a*c)*e^2 \\
& + (a^2*b^2 - b^4 - 4*a*c^3 - (8*a^2 - b^2)*c^2 - 2*(2*a^3 - 3*a*b^2)*c)*\sqrt{ \\
& (b^2*d^4 + b^2*e^4 - 4*(a*b + b*c)*d^3*e + 2*(2*a^2 + b^2 + 4*a*c + 2*c^ \\
& 2)*d^2*e^2 - 4*(a*b + b*c)*d*e^3)/(a^4*b^2 - 2*a^2*b^4 + b^6 - 4*a*c^5 - (1 \\
& 6*a^2 - b^2)*c^4 - 12*(2*a^3 - a*b^2)*c^3 - 2*(8*a^4 - 11*a^2*b^2 + b^4)*c^ \\
& 2 - 4*(a^5 - 3*a^3*b^2 + 2*a*b^4)*c)))/(a^2*b^2 - b^4 - 4*a*c^3 - (8*a^2 - \\
& b^2)*c^2 - 2*(2*a^3 - 3*a*b^2)*c))*\log(-2*b*c^2*d^4 - 2*a*b*c*e^4 + 2*(b^2*c \\
& + 2*a*c^2 + 2*c^3)*d^3*e - 6*(a*b*c + b*c^2)*d^2*e^2 + 2*(2*a*c^2 + (2*a^
\end{aligned}$$

$$\begin{aligned}
& 2 + b^2)c)d^3e^3 - ((4ac^4 + (8a^2 - b^2)c^3 + 2(2a^3 - 3ab^2)c^2 \\
& - (a^2b^2 - b^4)c)d^2 + (a^2b^3 - b^5 - 4ab^2c^3 - (8a^2b - b^3)c^2 \\
& 2 - 2(2a^3b - 3ab^3)c)d^2e - (a^3b^2 - ab^4 - 4a^2c^3 - (8a^3 - \\
& ab^2)c^2 - 2(2a^4 - 3a^2b^2)c)e^2)\sqrt{(b^2d^4 + b^2e^4 - 4(ab + \\
& bc)d^3e + 2(2a^2 + b^2 + 4ac + 2c^2)d^2e^2 - 4(ab + bc)d^2e \\
& ^3)/(a^4b^2 - 2a^2b^4 + b^6 - 4ac^5 - (16a^2 - b^2)c^4 - 12(2a^3 - \\
& ab^2)c^3 - 2(8a^4 - 11a^2b^2 + b^4)c^2 - 4(a^5 - 3a^3b^2 + 2ab^4) \\
& ^4)c)}\cos(x) - 1/2\sqrt{2}(((a^2b^4 - b^6 + 8ac^5 + 2(12a^2 - b^2)c \\
& ^4 + 6(4a^3 - 3ab^2)c^3 + (8a^4 - 22a^2b^2 + 3b^4)c^2 - 2(3a^3 \\
& *b^2 - 4ab^4)c)d - (a^3b^3 - ab^5 + 4ab^2c^4 + (4a^2b - b^3)c^3 - \\
& (4a^3b + 5ab^3)c^2 - (4a^4b - 5a^2b^3 - b^5)c)e)\sqrt{(b^2d^4 \\
& + b^2e^4 - 4(ab + bc)d^3e + 2(2a^2 + b^2 + 4ac + 2c^2)d^2e^2 - \\
& 4(ab + bc)d^2e^3)/(a^4b^2 - 2a^2b^4 + b^6 - 4ac^5 - (16a^2 - b^2) \\
& *c^4 - 12(2a^3 - ab^2)c^3 - 2(8a^4 - 11a^2b^2 + b^4)c^2 - 4(a^5 - \\
& 3a^3b^2 + 2ab^4)c)}\sin(x) - ((b^4 - 4ab^2c)d^3 - 3(ab^3 - 4ab \\
& *c^2 - (4a^2b - b^3)c)d^2e + (2a^2b^2 + b^4 - 8a^3c - 8ac^3 - 2 \\
& *(8a^2 - b^2)c^2)d^2e^2 - (ab^3 - 4ab^2c^2 - (4a^2b - b^3)c)e^3)\sin \\
& (x))\sqrt{-(b^2 - 2ac - 2c^2)d^2 - 2(ab - bc)d^2e + (2a^2 - b^2 + \\
& 2ac)e^2 + (a^2b^2 - b^4 - 4ac^3 - (8a^2 - b^2)c^2 - 2(2a^3 - 3a \\
& *b^2)c)\sqrt{(b^2d^4 + b^2e^4 - 4(ab + bc)d^3e + 2(2a^2 + b^2 + 4 \\
& *ac + 2c^2)d^2e^2 - 4(ab + bc)d^2e^3)/(a^4b^2 - 2a^2b^4 + b^6 - 4 \\
& *ac^5 - (16a^2 - b^2)c^4 - 12(2a^3 - ab^2)c^3 - 2(8a^4 - 11a^2b^2 \\
& 2 + b^4)c^2 - 4(a^5 - 3a^3b^2 + 2ab^4)c)}}/(a^2b^2 - b^4 - 4ac^3 \\
& - (8a^2 - b^2)c^2 - 2(2a^3 - 3ab^2)c)) - (b^2cd^4 + ab^2e^4 - (b \\
& ^3 + 2ab^2c + 2b^2c^2)d^3e + 3(ab^2 + b^2c)d^2e^2 - (2a^2b + b^3 \\
& + 2ab^2c)d^2e^3)\cos(x)
\end{aligned}$$


---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*cos(x))/(a+b\*cos(x)+c\*cos(x)\*\*2),x)

[Out] Timed out

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*cos(x))/(a+b\*cos(x)+c\*cos(x)^2),x, algorithm="giac")

[Out] Timed out

### 3.510 $\int (a+b \tan(d+ex)) (b^2 + 2ab \tan(d+ex) + a^2 \tan^2(d+ex)) dx$

**Optimal.** Leaf size=144

$$\frac{(a^2 + b^2)(a \tan(d+ex) + b)^3}{3e} + \frac{b(a^2 + b^2)(a \tan(d+ex) + b)^2}{2e} - \frac{a(a^4 - b^4) \tan(d+ex)}{e} + \frac{b(3a^2 - b^2)(a^2 + b^2) \log(\cos(d+ex))}{e}$$

```
[Out] a*(a^2 - 3*b^2)*(a^2 + b^2)*x + (b*(3*a^2 - b^2)*(a^2 + b^2)*Log[Cos[d + e*x]])/e - (a*(a^4 - b^4)*Tan[d + e*x])/e + (b*(a^2 + b^2)*(b + a*Tan[d + e*x])^2)/(2*e) + ((a^2 + b^2)*(b + a*Tan[d + e*x])^3)/(3*e) + (b*(b + a*Tan[d + e*x])^4)/(4*e)
```

**Rubi [A]** time = 0.268532, antiderivative size = 144, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 39,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.128$ , Rules used = {3708, 3528, 12, 3525, 3475}

$$\frac{(a^2 + b^2)(a \tan(d+ex) + b)^3}{3e} + \frac{b(a^2 + b^2)(a \tan(d+ex) + b)^2}{2e} - \frac{a(a^4 - b^4) \tan(d+ex)}{e} + \frac{b(3a^2 - b^2)(a^2 + b^2) \log(\cos(d+ex))}{e}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Tan[d + e*x])*(b^2 + 2*a*b*Tan[d + e*x] + a^2*Tan[d + e*x]^2)^2, x]
```

```
[Out] a*(a^2 - 3*b^2)*(a^2 + b^2)*x + (b*(3*a^2 - b^2)*(a^2 + b^2)*Log[Cos[d + e*x]])/e - (a*(a^4 - b^4)*Tan[d + e*x])/e + (b*(a^2 + b^2)*(b + a*Tan[d + e*x])^2)/(2*e) + ((a^2 + b^2)*(b + a*Tan[d + e*x])^3)/(3*e) + (b*(b + a*Tan[d + e*x])^4)/(4*e)
```

#### Rule 3708

```
Int[((A_) + (B_)*tan[(d_) + (e_)*(x_)])*((a_) + (b_)*tan[(d_) + (e_)*(x_)]) + (c_)*tan[(d_) + (e_)*(x_)]^(n_), x_Symbol] := Dist[1/(4^n*c^n), Int[(A + B*Tan[d + e*x])*(b + 2*c*Tan[d + e*x])^(2*n), x], x] /; FreeQ[{a, b, c, d, e, A, B}, x] && EqQ[b^2 - 4*a*c, 0] && IntegerQ[n]
```

#### Rule 3528

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int[(a + b*Tan[e + f*x])^(m-1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]
```

#### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

#### Rule 3525

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Simp[(a*c - b*d)*x, x] + (Dist[b*c + a*d, Int[Tan[e + f*x], x], x] + Simp[(b*d*Tan[e + f*x])/f, x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]
```

Rule 3475

`Int[tan[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]`

Rubi steps

$$\begin{aligned}
 \int (a + b \tan(d + ex)) (b^2 + 2ab \tan(d + ex) + a^2 \tan^2(d + ex))^2 dx &= \frac{\int (2ab + 2a^2 \tan(d + ex))^4 (a + b \tan(d + ex)) a}{16a^4} \\
 &= \frac{b(b + a \tan(d + ex))^4}{4e} + \frac{\int 2a(a^2 + b^2) \tan(d + ex)}{4e} \\
 &= \frac{b(b + a \tan(d + ex))^4}{4e} + \frac{(a^2 + b^2) \int \tan(d + ex)}{4e} \\
 &= \frac{(a^2 + b^2)(b + a \tan(d + ex))^3}{3e} + \frac{b(b + a \tan(d + ex))^2}{4e} \\
 &= \frac{b(a^2 + b^2)(b + a \tan(d + ex))^2}{2e} + \frac{(a^2 + b^2)(b + a \tan(d + ex))}{4e} \\
 &= a(a^2 - 3b^2)(a^2 + b^2)x - \frac{a(a^4 - b^4) \tan(d + ex)}{e} \\
 &= a(a^2 - 3b^2)(a^2 + b^2)x + \frac{b(3a^2 - b^2)(a^2 + b^2)}{e}
 \end{aligned}$$

**Mathematica [C]** time = 2.32042, size = 153, normalized size = 1.06

$$\frac{4a^3(a^2 + 4b^2) \tan^3(d + ex) + 18a^2b(a^2 + 2b^2) \tan^2(d + ex) - 12a(-2a^2b^2 + a^4 - 4b^4) \tan(d + ex) + 6(a^2 + b^2)(i(a - b) \tan(d + ex) - a^2 + b^2)}{12e}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Tan[d + e\*x])\*(b^2 + 2\*a\*b\*Tan[d + e\*x] + a^2\*Tan[d + e\*x]^2)^2,x]

[Out] (6\*(a^2 + b^2)\*((-I)\*(a - I\*b)^3\*Log[I - Tan[d + e\*x]] + I\*(a + I\*b)^3\*Log[I + Tan[d + e\*x]]) - 12\*a\*(a^4 - 2\*a^2\*b^2 - 4\*b^4)\*Tan[d + e\*x] + 18\*a^2\*b\*(a^2 + 2\*b^2)\*Tan[d + e\*x]^2 + 4\*a^3\*(a^2 + 4\*b^2)\*Tan[d + e\*x]^3 + 3\*a^4\*b\*Tan[d + e\*x]^4)/(12\*e)

**Maple [A]** time = 0.008, size = 245, normalized size = 1.7

$$\frac{a^4 b (\tan(ex + d))^4}{4e} + \frac{(\tan(ex + d))^3 a^5}{3e} + \frac{4 (\tan(ex + d))^3 a^3 b^2}{3e} + \frac{3 (\tan(ex + d))^2 a^4 b}{2e} + 3 \frac{a^2 (\tan(ex + d))^2 b^3}{e} - \frac{a^2 b^2 (\tan(ex + d))^2}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*tan(e\*x+d))\*(b^2+2\*a\*b\*tan(e\*x+d)+a^2\*tan(e\*x+d)^2)^2,x)

[Out] 1/4/e\*a^4\*b\*tan(e\*x+d)^4+1/3/e\*tan(e\*x+d)^3\*a^5+4/3/e\*tan(e\*x+d)^3\*a^3\*b^2+3/2/e\*tan(e\*x+d)^2\*a^4\*b+3/e\*tan(e\*x+d)^2\*a^2\*b^3-1/e\*a^5\*tan(e\*x+d)+2/e\*a^3\*b^2\*tan(e\*x+d)+4/e\*a\*b^4\*tan(e\*x+d)-3/2/e\*ln(1+tan(e\*x+d)^2)\*a^4\*b-1/e\*ln(1+tan(e\*x+d)^2)\*a^2\*b^3+1/2/e\*ln(1+tan(e\*x+d)^2)\*b^5+1/e\*arctan(tan(e\*x+d))\*a^5-2/e\*arctan(tan(e\*x+d))\*a^3\*b^2-3/e\*arctan(tan(e\*x+d))\*a\*b^4

---

**Maxima [A]** time = 1.51236, size = 203, normalized size = 1.41

$$\frac{3a^4b \tan(ex+d)^4 + 4(a^5 + 4a^3b^2) \tan(ex+d)^3 + 18(a^4b + 2a^2b^3) \tan(ex+d)^2 + 12(a^5 - 2a^3b^2 - 3ab^4)(ex+d) - 6b^5}{12e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tan(e\*x+d))\*(b^2+2\*a\*b\*tan(e\*x+d)+a^2\*tan(e\*x+d)^2)^2,x, algorithm="maxima")

[Out] 1/12\*(3\*a^4\*b\*tan(e\*x + d)^4 + 4\*(a^5 + 4\*a^3\*b^2)\*tan(e\*x + d)^3 + 18\*(a^4\*b + 2\*a^2\*b^3)\*tan(e\*x + d)^2 + 12\*(a^5 - 2\*a^3\*b^2 - 3\*a\*b^4)\*(e\*x + d) - 6\*(3\*a^4\*b + 2\*a^2\*b^3 - b^5)\*log(tan(e\*x + d)^2 + 1) - 12\*(a^5 - 2\*a^3\*b^2 - 4\*a\*b^4)\*tan(e\*x + d))/e

---

**Fricas [A]** time = 1.85719, size = 342, normalized size = 2.38

$$\frac{3a^4b \tan(ex+d)^4 + 4(a^5 + 4a^3b^2) \tan(ex+d)^3 + 12(a^5 - 2a^3b^2 - 3ab^4)ex + 18(a^4b + 2a^2b^3) \tan(ex+d)^2 + 6(3a^4b - b^5)}{12e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tan(e\*x+d))\*(b^2+2\*a\*b\*tan(e\*x+d)+a^2\*tan(e\*x+d)^2)^2,x, algorithm="fricas")

[Out] 1/12\*(3\*a^4\*b\*tan(e\*x + d)^4 + 4\*(a^5 + 4\*a^3\*b^2)\*tan(e\*x + d)^3 + 12\*(a^5 - 2\*a^3\*b^2 - 3\*a\*b^4)\*e\*x + 18\*(a^4\*b + 2\*a^2\*b^3)\*tan(e\*x + d)^2 + 6\*(3\*a^4\*b + 2\*a^2\*b^3 - b^5)\*log(1/(tan(e\*x + d)^2 + 1)) - 12\*(a^5 - 2\*a^3\*b^2 - 4\*a\*b^4)\*tan(e\*x + d))/e

---

**Sympy [A]** time = 0.741305, size = 248, normalized size = 1.72

$$\left\{ \begin{array}{l} a^5x + \frac{a^5 \tan^3(d+ex)}{3e} - \frac{a^5 \tan(d+ex)}{e} - \frac{3a^4b \log(\tan^2(d+ex)+1)}{2e} + \frac{a^4b \tan^4(d+ex)}{4e} + \frac{3a^4b \tan^2(d+ex)}{2e} - 2a^3b^2x + \frac{4a^3b^2 \tan^3(d+ex)}{3e} + \frac{2a^3b^2 \tan(d+ex)}{3e} \\ x(a + b \tan(d))(a^2 \tan^2(d) + 2ab \tan(d) + b^2)^2 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tan(e\*x+d))\*(b\*\*2+2\*a\*b\*tan(e\*x+d)+a\*\*2\*tan(e\*x+d)\*\*2)\*\*2,x)

[Out] Piecewise((a\*\*5\*x + a\*\*5\*tan(d + e\*x)\*\*3/(3\*e) - a\*\*5\*tan(d + e\*x)/e - 3\*a\*\*4\*b\*log(tan(d + e\*x)\*\*2 + 1)/(2\*e) + a\*\*4\*b\*tan(d + e\*x)\*\*4/(4\*e) + 3\*a\*\*4\*b\*tan(d + e\*x)\*\*2/(2\*e) - 2\*a\*\*3\*b\*\*2\*x + 4\*a\*\*3\*b\*\*2\*tan(d + e\*x)\*\*3/(3\*e) + 2\*a\*\*3\*b\*\*2\*tan(d + e\*x)/e - a\*\*2\*b\*\*3\*log(tan(d + e\*x)\*\*2 + 1)/e + 3\*a\*\*2\*b\*\*3\*tan(d + e\*x)\*\*2/e - 3\*a\*b\*\*4\*x + 4\*a\*b\*\*4\*tan(d + e\*x)/e + b\*\*5\*log(tan(d + e\*x)\*\*2 + 1)/(2\*e), Ne(e, 0)), (x\*(a + b\*tan(d))\*(a\*\*2\*tan(d)\*\*2 + 2\*a\*b\*tan(d) + b\*\*2)\*\*2, True))

---

**Giac [B]** time = 7.67141, size = 3140, normalized size = 21.81

result too large to display



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(e*x+d))*(b^2+2*a*b*tan(e*x+d)+a^2*tan(e*x+d)^2)^2,x, algorithm="giac")
```

```
[Out] 1/12*(12*a^5*x*e*tan(x*e)^4*tan(d)^4 - 24*a^3*b^2*x*e*tan(x*e)^4*tan(d)^4 - 36*a*b^4*x*e*tan(x*e)^4*tan(d)^4 + 18*a^4*b*log(4*(tan(d)^2 + 1)/(tan(x*e)^4*tan(d)^2 - 2*tan(x*e)^3*tan(d) + tan(x*e)^2*tan(d)^2 + tan(x*e)^2 - 2*tan(x*e)*tan(d) + 1))*tan(x*e)^4*tan(d)^4 + 12*a^2*b^3*log(4*(tan(d)^2 + 1)/(tan(x*e)^4*tan(d)^2 - 2*tan(x*e)^3*tan(d) + tan(x*e)^2*tan(d)^2 + tan(x*e)^2 - 2*tan(x*e)*tan(d) + 1))*tan(x*e)^4*tan(d)^4 - 6*b^5*log(4*(tan(d)^2 + 1)/(tan(x*e)^4*tan(d)^2 - 2*tan(x*e)^3*tan(d) + tan(x*e)^2*tan(d)^2 + tan(x*e)^2 - 2*tan(x*e)*tan(d) + 1))*tan(x*e)^4*tan(d)^4 - 48*a^5*x*e*tan(x*e)^3*tan(d)^3 + 96*a^3*b^2*x*e*tan(x*e)^3*tan(d)^3 + 144*a*b^4*x*e*tan(x*e)^3*tan(d)^3 + 15*a^4*b*tan(x*e)^4*tan(d)^4 + 36*a^2*b^3*tan(x*e)^4*tan(d)^4 - 72*a^4*b*log(4*(tan(d)^2 + 1)/(tan(x*e)^4*tan(d)^2 - 2*tan(x*e)^3*tan(d) + tan(x*e)^2*tan(d)^2 + tan(x*e)^2 - 2*tan(x*e)*tan(d) + 1))*tan(x*e)^3*tan(d)^3 - 48*a^2*b^3*log(4*(tan(d)^2 + 1)/(tan(x*e)^4*tan(d)^2 - 2*tan(x*e)^3*tan(d) + tan(x*e)^2*tan(d)^2 + tan(x*e)^2 - 2*tan(x*e)*tan(d) + 1))*tan(x*e)^3*tan(d)^3 + 24*b^5*log(4*(tan(d)^2 + 1)/(tan(x*e)^4*tan(d)^2 - 2*tan(x*e)^3*tan(d) + tan(x*e)^2*tan(d)^2 + tan(x*e)^2 - 2*tan(x*e)*tan(d) + 1))*tan(x*e)^3*tan(d)^3 + 12*a^5*tan(x*e)^4*tan(d)^3 - 24*a^3*b^2*tan(x*e)^4*tan(d)^3 - 48*a*b^4*tan(x*e)^4*tan(d)^3 + 12*a^5*tan(x*e)^3*tan(d)^4 - 24*a^3*b^2*tan(x*e)^3*tan(d)^4 - 48*a*b^4*tan(x*e)^3*tan(d)^4 + 72*a^5*x*e*tan(x*e)^2*tan(d)^2 - 144*a^3*b^2*x*e*tan(x*e)^2*tan(d)^2 - 216*a*b^4*x*e*tan(x*e)^2*tan(d)^2 + 18*a^4*b*tan(x*e)^4*tan(d)^2 + 36*a^2*b^3*tan(x*e)^4*tan(d)^2 - 24*a^4*b*tan(x*e)^3*tan(d)^3 - 72*a^2*b^3*tan(x*e)^3*tan(d)^3 + 18*a^4*b*tan(x*e)^2*tan(d)^4 + 36*a^2*b^3*tan(x*e)^2*tan(d)^4 - 4*a^5*tan(x*e)^4*tan(d) - 16*a^3*b^2*tan(x*e)^4*tan(d) + 108*a^4*b*log(4*(tan(d)^2 + 1)/(tan(x*e)^4*tan(d)^2 - 2*tan(x*e)^3*tan(d) + tan(x*e)^2*tan(d)^2 + tan(x*e)^2 - 2*tan(x*e)*tan(d) + 1))*tan(x*e)^2*tan(d)^2 + 72*a^2*b^3*log(4*(tan(d)^2 + 1)/(tan(x*e)^4*tan(d)^2 - 2*tan(x*e)^3*tan(d) + tan(x*e)^2*tan(d)^2 + tan(x*e)^2 - 2*tan(x*e)*tan(d) + 1))*tan(x*e)^2*tan(d)^2 - 36*b^5*log(4*(tan(d)^2 + 1)/(tan(x*e)^4*tan(d)^2 - 2*tan(x*e)^3*tan(d) + tan(x*e)^2*tan(d)^2 + tan(x*e)^2 - 2*tan(x*e)*tan(d) + 1))*tan(x*e)^2*tan(d)^2 - 48*a^5*tan(x*e)^3*tan(d)^2 + 24*a^3*b^2*tan(x*e)^3*tan(d)^2 + 144*a*b^4*tan(x*e)^3*tan(d)^2 - 48*a^5*tan(x*e)^2*tan(d)^3 + 24*a^3*b^2*tan(x*e)^2*tan(d)^3 + 144*a*b^4*tan(x*e)^2*tan(d)^3 - 4*a^5*tan(x*e)*tan(d)^4 - 16*a^3*b^2*tan(x*e)*tan(d)^4 + 3*a^4*b*tan(x*e)^4 - 48*a^5*x*e*tan(x*e)*tan(d) + 96*a^3*b^2*x*e*tan(x*e)*tan(d) + 144*a*b^4*x*e*tan(x*e)*tan(d) - 24*a^4*b*tan(x*e)^3*tan(d) - 72*a^2*b^3*tan(x*e)^3*tan(d) + 36*a^4*b*tan(x*e)^2*tan(d)^2 + 72*a^2*b^3*tan(x*e)^2*tan(d)^2 - 24*a^4*b*tan(x*e)*tan(d)^3 - 72*a^2*b^3*tan(x*e)*tan(d)^3 + 3*a^4*b*tan(d)^4 + 4*a^5*tan(x*e)^3 + 16*a^3*b^2*tan(x*e)^3 - 72*a^4*b*log(4*(tan(d)^2 + 1)/(tan(x*e)^4*tan(d)^2 - 2*tan(x*e)^3*tan(d) + tan(x*e)^2*tan(d)^2 + tan(x*e)^2 - 2*tan(x*e)*tan(d) + 1))*tan(x*e)*tan(d) - 48*a^2*b^3*log(4*(tan(d)^2 + 1)/(tan(x*e)^4*tan(d)^2 - 2*tan(x*e)^3*tan(d) + tan(x*e)^2*tan(d)^2 + tan(x*e)^2 - 2*tan(x*e)*tan(d) + 1))*tan(x*e)*tan(d) + 24*b^5*log(4*(tan(d)^2 + 1)/(tan(x*e)^4*tan(d)^2 - 2*tan(x*e)^3*tan(d) + tan(x*e)^2*tan(d)^2 + tan(x*e)^2 - 2*tan(x*e)*tan(d) + 1))*tan(x*e)*tan(d) + 48*a^5*tan(x*e)^2*tan(d) - 24*a^3*b^2*tan(x*e)^2*tan(d) - 144*a*b^4*tan(x*e)^2*tan(d) + 48*a^5*tan(x*e)*tan(d)^2 - 24*a^3*b^2*tan(x*e)*tan(d)^2 - 144*a*b^4*tan(x*e)*tan(d)^2 + 4*a^5*tan(d)^3 + 16*a^3*b^2*tan(d)^3 + 12*a^5*x*e - 24*a^3*b^2*x*e - 36*a*b^4*x*e + 18*a^4*b*tan(x*e)^2 + 36*a^2*b^3*tan(x*e)^2 - 24*a^4*b*tan(x*e)*tan(d) - 72*a^2*b^3*tan(x*e)*tan(d) + 18*a^4*b*tan(d)^2 + 36*a^2*b^3*tan(d)^2 + 18*a^4*b*log(4*(tan(d)^2 + 1)/(tan(x*e)^4*tan(d)^2 - 2*tan(x*e)^3*tan(d) + tan(x*e)^2*tan(d)^2 + tan(x*e)^2 - 2*tan(x*e)*tan(d) + 1)) + 12*a^2*b^3*log(4*(tan(d)^2 + 1)/(tan(x*e)^4*tan(d)^2 - 2*tan(x*e)^3*tan(d) + tan(x*e)^2*tan(d)^2 + tan(x*e)^2 - 2*tan(x*e)*tan(d) + 1)) - 6*b^5*log(4*(tan(d)^2 + 1)/(tan(x*e)^4*tan(d)^2 - 2*tan(x*e)^3*tan(d) + tan(x*e)^2*
```

$$\frac{\tan(d)^2 + \tan(xe)^2 - 2*\tan(xe)*\tan(d) + 1)}{e*\tan(xe)^4*\tan(d)^4 - 4*e*\tan(xe)^3*\tan(d)^3 + 6*e*\tan(xe)^2*\tan(d)^2 - 4*e*\tan(xe)*\tan(d) + e} - 12*a^5*\tan(xe) + 24*a^3*b^2*\tan(xe) + 48*a*b^4*\tan(xe) - 12*a^5*\tan(d) + 24*a^3*b^2*\tan(d) + 48*a*b^4*\tan(d) + 15*a^4*b + 36*a^2*b^3)$$

### 3.511 $\int (a+b \tan(d+ex)) (b^2 + 2ab \tan(d+ex) + a^2 \tan^2(d+ex)) dx$

**Optimal.** Leaf size=72

$$-\frac{b(a^2 + b^2) \log(\cos(d+ex))}{e} - ax(a^2 + b^2) + \frac{a^2(a+b \tan(d+ex))^2}{2be} + \frac{2ab^2 \tan(d+ex)}{e}$$

[Out]  $-(a*(a^2 + b^2)*x) - (b*(a^2 + b^2)*\text{Log}[\text{Cos}[d + e*x]])/e + (2*a*b^2*\text{Tan}[d + e*x])/e + (a^2*(a + b*\text{Tan}[d + e*x])^2)/(2*b*e)$

**Rubi [A]** time = 0.0755105, antiderivative size = 72, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 37,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.081$ , Rules used = {3630, 3525, 3475}

$$-\frac{b(a^2 + b^2) \log(\cos(d+ex))}{e} - ax(a^2 + b^2) + \frac{a^2(a+b \tan(d+ex))^2}{2be} + \frac{2ab^2 \tan(d+ex)}{e}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{Tan}[d + e*x])*(b^2 + 2*a*b*\text{Tan}[d + e*x] + a^2*\text{Tan}[d + e*x]^2), x]$

[Out]  $-(a*(a^2 + b^2)*x) - (b*(a^2 + b^2)*\text{Log}[\text{Cos}[d + e*x]])/e + (2*a*b^2*\text{Tan}[d + e*x])/e + (a^2*(a + b*\text{Tan}[d + e*x])^2)/(2*b*e)$

#### Rule 3630

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^m * ((A + B*\text{tan}[(e + f*x)] + (C + D*\text{tan}[(e + f*x])^2)), x\_Symbol] := \text{Simp}[(C*(a + b*\text{Tan}[e + f*x])^{m+1})/(b*f*(m+1)), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^m * \text{Simp}[A - C + B*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[A*b^2 - a*b*B + a^2*C, 0] \&\& !\text{LeQ}[m, -1]$

#### Rule 3525

$\text{Int}[(a + b*\text{tan}[(e + f*x)]) * ((c + d*\text{tan}[(e + f*x]) * (x + e/f)), x\_Symbol] := \text{Simp}[(a*c - b*d)*x, x] + (\text{Dist}[b*c + a*d, \text{Int}[\text{Tan}[e + f*x], x], x] + \text{Simp}[(b*d*\text{Tan}[e + f*x])/f, x]) /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[b*c + a*d, 0]$

#### Rule 3475

$\text{Int}[\text{tan}[(c + d*x)], x\_Symbol] := -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d*x], x]], x] /; \text{FreeQ}\{c, d\}, x]$

#### Rubi steps

$$\begin{aligned} \int (a+b \tan(d+ex)) (b^2 + 2ab \tan(d+ex) + a^2 \tan^2(d+ex)) dx &= \frac{a^2(a+b \tan(d+ex))^2}{2be} + \int (a+b \tan(d+ex)) (- \\ &= -a(a^2 + b^2)x + \frac{2ab^2 \tan(d+ex)}{e} + \frac{a^2(a+b \tan(d+ex))^2}{2be} \\ &= -a(a^2 + b^2)x - \frac{b(a^2 + b^2) \log(\cos(d+ex))}{e} + \frac{2ab^2 \tan(d+ex)}{e} \end{aligned}$$

**Mathematica [C]** time = 0.333865, size = 88, normalized size = 1.22

$$\frac{2a(a^2 + 2b^2)\tan(d + ex) + (a^2 + b^2)((b + ia)\log(-\tan(d + ex) + i) + (b - ia)\log(\tan(d + ex) + i) + a^2b\tan^2(d + ex))}{2e}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Tan[d + e\*x])\*(b^2 + 2\*a\*b\*Tan[d + e\*x] + a^2\*Tan[d + e\*x]^2), x]

[Out] ((a^2 + b^2)\*((I\*a + b)\*Log[I - Tan[d + e\*x]] + ((-I)\*a + b)\*Log[I + Tan[d + e\*x]])) + 2\*a\*(a^2 + 2\*b^2)\*Tan[d + e\*x] + a^2\*b\*Tan[d + e\*x]^2)/(2\*e)

**Maple [A]** time = 0.005, size = 117, normalized size = 1.6

$$\frac{a^2b(\tan(ex + d))^2}{2e} + \frac{a^3 \tan(ex + d)}{e} + 2 \frac{ab^2 \tan(ex + d)}{e} + \frac{\ln(1 + (\tan(ex + d))^2) a^2 b}{2e} + \frac{\ln(1 + (\tan(ex + d))^2) b^3}{2e} - \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*tan(e\*x+d))\*(b^2+2\*a\*b\*tan(e\*x+d)+a^2\*tan(e\*x+d)^2), x)

[Out] 1/2/e\*a^2\*b\*tan(e\*x+d)^2+1/e\*a^3\*tan(e\*x+d)+2\*a\*b^2\*tan(e\*x+d)/e+1/2/e\*ln(1+tan(e\*x+d)^2)\*a^2\*b+1/2/e\*ln(1+tan(e\*x+d)^2)\*b^3-1/e\*arctan(tan(e\*x+d))\*a^3-1/e\*arctan(tan(e\*x+d))\*a\*b^2

**Maxima [A]** time = 1.50719, size = 100, normalized size = 1.39

$$\frac{a^2b \tan(ex + d)^2 - 2(a^3 + ab^2)(ex + d) + (a^2b + b^3) \log(\tan(ex + d)^2 + 1) + 2(a^3 + 2ab^2) \tan(ex + d)}{2e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tan(e\*x+d))\*(b^2+2\*a\*b\*tan(e\*x+d)+a^2\*tan(e\*x+d)^2), x, algorith="maxima")

[Out] 1/2\*(a^2\*b\*tan(e\*x + d)^2 - 2\*(a^3 + a\*b^2)\*(e\*x + d) + (a^2\*b + b^3)\*log(tan(e\*x + d)^2 + 1) + 2\*(a^3 + 2\*a\*b^2)\*tan(e\*x + d))/e

**Fricas [A]** time = 1.79282, size = 174, normalized size = 2.42

$$\frac{a^2b \tan(ex + d)^2 - 2(a^3 + ab^2)ex - (a^2b + b^3) \log\left(\frac{1}{\tan(ex+d)^2+1}\right) + 2(a^3 + 2ab^2) \tan(ex + d)}{2e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tan(e\*x+d))\*(b^2+2\*a\*b\*tan(e\*x+d)+a^2\*tan(e\*x+d)^2), x, algorith="fricas")

[Out] 1/2\*(a^2\*b\*tan(e\*x + d)^2 - 2\*(a^3 + a\*b^2)\*e\*x - (a^2\*b + b^3)\*log(1/(tan(e\*x + d)^2 + 1)) + 2\*(a^3 + 2\*a\*b^2)\*tan(e\*x + d))/e

---

**Sympy [A]** time = 0.325562, size = 122, normalized size = 1.69

$$\begin{cases} -a^3x + \frac{a^3 \tan(d+ex)}{e} + \frac{a^2b \log(\tan^2(d+ex)+1)}{2e} + \frac{a^2b \tan^2(d+ex)}{2e} - ab^2x + \frac{2ab^2 \tan(d+ex)}{e} + \frac{b^3 \log(\tan^2(d+ex)+1)}{2e} & \text{for } e \neq 0 \\ x(a + b \tan(d)) (a^2 \tan^2(d) + 2ab \tan(d) + b^2) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tan(e\*x+d))\*(b\*\*2+2\*a\*b\*tan(e\*x+d)+a\*\*2\*tan(e\*x+d)\*\*2),x)

[Out] Piecewise((-a\*\*3\*x + a\*\*3\*tan(d + e\*x)/e + a\*\*2\*b\*log(tan(d + e\*x)\*\*2 + 1)/(2\*e) + a\*\*2\*b\*tan(d + e\*x)\*\*2/(2\*e) - a\*b\*\*2\*x + 2\*a\*b\*\*2\*tan(d + e\*x)/e + b\*\*3\*log(tan(d + e\*x)\*\*2 + 1)/(2\*e), Ne(e, 0)), (x\*(a + b\*tan(d))\*(a\*\*2\*tan(d)\*\*2 + 2\*a\*b\*tan(d) + b\*\*2), True))

---

**Giac [B]** time = 2.07487, size = 957, normalized size = 13.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tan(e\*x+d))\*(b^2+2\*a\*b\*tan(e\*x+d)+a^2\*tan(e\*x+d)^2),x, alghm="giac")

[Out] 
$$\begin{aligned} & -1/2*(2*a^3*x*e*\tan(x*e)^2*\tan(d)^2 + 2*a*b^2*x*e*\tan(x*e)^2*\tan(d)^2 + a^2 \\ & *b*\log(4*(\tan(d)^2 + 1)/(\tan(x*e)^4*\tan(d)^2 - 2*\tan(x*e)^3*\tan(d) + \tan(x* \\ & e)^2*\tan(d)^2 + \tan(x*e)^2 - 2*\tan(x*e)*\tan(d) + 1))*\tan(x*e)^2*\tan(d)^2 + \\ & b^3*\log(4*(\tan(d)^2 + 1)/(\tan(x*e)^4*\tan(d)^2 - 2*\tan(x*e)^3*\tan(d) + \tan(x* \\ & e)^2*\tan(d)^2 + \tan(x*e)^2 - 2*\tan(x*e)*\tan(d) + 1))*\tan(x*e)^2*\tan(d)^2 - \\ & 4*a^3*x*e*\tan(x*e)*\tan(d) - 4*a*b^2*x*e*\tan(x*e)*\tan(d) - a^2*b*\tan(x*e)^2 \\ & *\tan(d)^2 - 2*a^2*b*\log(4*(\tan(d)^2 + 1)/(\tan(x*e)^4*\tan(d)^2 - 2*\tan(x*e)^3 \\ & *\tan(d) + \tan(x*e)^2*\tan(d)^2 + \tan(x*e)^2 - 2*\tan(x*e)*\tan(d) + 1))*\tan(x \\ & e)*\tan(d) - 2*b^3*\log(4*(\tan(d)^2 + 1)/(\tan(x*e)^4*\tan(d)^2 - 2*\tan(x*e)^3 \\ & *\tan(d) + \tan(x*e)^2*\tan(d)^2 + \tan(x*e)^2 - 2*\tan(x*e)*\tan(d) + 1))*\tan(x* \\ & e)*\tan(d) + 2*a^3*\tan(x*e)^2*\tan(d) + 4*a*b^2*\tan(x*e)^2*\tan(d) + 2*a^3*\tan \\ & (x*e)*\tan(d)^2 + 4*a*b^2*\tan(x*e)*\tan(d)^2 + 2*a^3*x*e + 2*a*b^2*x*e - a^2* \\ & b*\tan(x*e)^2 - a^2*b*\tan(d)^2 + a^2*b*\log(4*(\tan(d)^2 + 1)/(\tan(x*e)^4*\tan \\ & (d)^2 - 2*\tan(x*e)^3*\tan(d) + \tan(x*e)^2*\tan(d)^2 + \tan(x*e)^2 - 2*\tan(x*e)* \\ & \tan(d) + 1)) + b^3*\log(4*(\tan(d)^2 + 1)/(\tan(x*e)^4*\tan(d)^2 - 2*\tan(x*e)^3 \\ & *\tan(d) + \tan(x*e)^2*\tan(d)^2 + \tan(x*e)^2 - 2*\tan(x*e)*\tan(d) + 1)) - 2*a^3 \\ & *\tan(x*e) - 4*a*b^2*\tan(x*e) - 2*a^3*\tan(d) - 4*a*b^2*\tan(d) - a^2*b)/(e*\tan(x*e)^2*\tan(d)^2 - 2*e*\tan(x*e)*\tan(d) + e) \end{aligned}$$

$$3.512 \quad \int \frac{a+b \tan(d+ex)}{b^2+2ab \tan(d+ex)+a^2 \tan^2(d+ex)} dx$$

**Optimal.** Leaf size=101

$$-\frac{a^2 - b^2}{e(a^2 + b^2)(a \tan(d + ex) + b)} + \frac{b(3a^2 - b^2) \log(a \sin(d + ex) + b \cos(d + ex))}{e(a^2 + b^2)^2} - \frac{ax(a^2 - 3b^2)}{(a^2 + b^2)^2}$$

[Out] -((a\*(a^2 - 3\*b^2)\*x)/(a^2 + b^2)^2) + (b\*(3\*a^2 - b^2)\*Log[b\*Cos[d + e\*x] + a\*Sin[d + e\*x]])/((a^2 + b^2)^2\*e) - (a^2 - b^2)/((a^2 + b^2)\*e\*(b + a\*Tan[d + e\*x]))

**Rubi [A]** time = 0.257506, antiderivative size = 101, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 39,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {3708, 3529, 3531, 3530}

$$-\frac{a^2 - b^2}{e(a^2 + b^2)(a \tan(d + ex) + b)} + \frac{b(3a^2 - b^2) \log(a \sin(d + ex) + b \cos(d + ex))}{e(a^2 + b^2)^2} - \frac{ax(a^2 - 3b^2)}{(a^2 + b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Tan[d + e\*x])/(b^2 + 2\*a\*b\*Tan[d + e\*x] + a^2\*Tan[d + e\*x]^2), x]

[Out] -((a\*(a^2 - 3\*b^2)\*x)/(a^2 + b^2)^2) + (b\*(3\*a^2 - b^2)\*Log[b\*Cos[d + e\*x] + a\*Sin[d + e\*x]])/((a^2 + b^2)^2\*e) - (a^2 - b^2)/((a^2 + b^2)\*e\*(b + a\*Tan[d + e\*x]))

#### Rule 3708

Int[((A\_) + (B\_)\*tan[(d\_) + (e\_)\*(x\_)])\*((a\_) + (b\_)\*tan[(d\_) + (e\_)\*(x\_)]) + (c\_)\*tan[(d\_) + (e\_)\*(x\_)]^(n\_), x\_Symbol] :> Dist[1/(4^n\*c^n), Int[(A + B\*Tan[d + e\*x])\*(b + 2\*c\*Tan[d + e\*x])^(2\*n), x], x] /; FreeQ[{a, b, c, d, e, A, B}, x] && EqQ[b^2 - 4\*a\*c, 0] && IntegerQ[n]

#### Rule 3529

Int[((a\_) + (b\_)\*tan[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*tan[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Simp[((b\*c - a\*d)\*(a + b\*Tan[e + f\*x])^(m + 1))/(f\*(m + 1)\*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b\*Tan[e + f\*x])^(m + 1)\*Simp[a\*c + b\*d - (b\*c - a\*d)\*Tan[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

#### Rule 3531

Int[((c\_) + (d\_)\*tan[(e\_) + (f\_)\*(x\_)])/((a\_) + (b\_)\*tan[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Simp[(a\*c + b\*d)\*x/(a^2 + b^2), x] + Dist[(b\*c - a\*d)/(a^2 + b^2), Int[(b - a\*Tan[e + f\*x])/(a + b\*Tan[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a\*c + b\*d, 0]

#### Rule 3530

Int[((c\_) + (d\_)\*tan[(e\_) + (f\_)\*(x\_)])/((a\_) + (b\_)\*tan[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Simp[(c\*Log[RemoveContent[a\*Cos[e + f\*x] + b\*Sin[e + f\*x], x]])/(b\*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] &&

$\text{NeQ}[a^2 + b^2, 0] \ \&\& \ \text{EqQ}[a*c + b*d, 0]$

### Rubi steps

$$\begin{aligned} \int \frac{a + b \tan(d + ex)}{b^2 + 2ab \tan(d + ex) + a^2 \tan^2(d + ex)} dx &= (4a^2) \int \frac{a + b \tan(d + ex)}{(2ab + 2a^2 \tan(d + ex))^2} dx \\ &= -\frac{a^2 - b^2}{(a^2 + b^2) e(b + a \tan(d + ex))} + \frac{\int \frac{4a^2 b - 2a(a^2 - b^2) \tan(d + ex)}{2ab + 2a^2 \tan(d + ex)} dx}{a^2 + b^2} \\ &= -\frac{a(a^2 - 3b^2)x}{(a^2 + b^2)^2} - \frac{a^2 - b^2}{(a^2 + b^2) e(b + a \tan(d + ex))} + \frac{(b(3a^2 - b^2)) \int \frac{2a}{2a}}{(a^2 + b^2)^2} \\ &= -\frac{a(a^2 - 3b^2)x}{(a^2 + b^2)^2} + \frac{b(3a^2 - b^2) \log(b \cos(d + ex) + a \sin(d + ex))}{(a^2 + b^2)^2 e} - \frac{a}{(a^2 + b^2)^2} \end{aligned}$$

**Mathematica [C]** time = 2.0414, size = 187, normalized size = 1.85

$$\frac{b(- (a+ib) \log(-\tan(d+ex)+i) - (a-ib) \log(\tan(d+ex)+i) + 2a \log(a \tan(d+ex)+b))}{a^2+b^2} + (a-b)(a+b) \left( \frac{2a \left( 2b \log(a \tan(d+ex)+b) - \frac{a^2+b^2}{a \tan(d+ex)+b} \right)}{(a^2+b^2)^2} + \frac{i \log(b \cos(d+ex) + a \sin(d+ex))}{2ae} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Tan[d + e\*x])/(b^2 + 2\*a\*b\*Tan[d + e\*x] + a^2\*Tan[d + e\*x]^2), x]

[Out] ((b\*(-((a + I\*b)\*Log[I - Tan[d + e\*x]]) - (a - I\*b)\*Log[I + Tan[d + e\*x]] + 2\*a\*Log[b + a\*Tan[d + e\*x]]))/(a^2 + b^2) + (a - b)\*(a + b)\*((I\*Log[I - Tan[d + e\*x]])/(a - I\*b)^2 - (I\*Log[I + Tan[d + e\*x]])/(a + I\*b)^2 + (2\*a\*(2\*b\*Log[b + a\*Tan[d + e\*x]] - (a^2 + b^2)/(b + a\*Tan[d + e\*x])))/(a^2 + b^2)^2))/(2\*a\*e)

**Maple [B]** time = 0.05, size = 222, normalized size = 2.2

$$-\frac{a^2}{e(a^2 + b^2)(b + a \tan(ex + d))} + \frac{b^2}{e(a^2 + b^2)(b + a \tan(ex + d))} + 3 \frac{b \ln(b + a \tan(ex + d)) a^2}{e(a^2 + b^2)^2} - \frac{b^3 \ln(b + a \tan(ex + d))}{e(a^2 + b^2)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*tan(e\*x+d))/(b^2+2\*a\*b\*tan(e\*x+d)+a^2\*tan(e\*x+d)^2), x)

[Out] -1/e/(a^2+b^2)/(b+a\*tan(e\*x+d))\*a^2+1/e/(a^2+b^2)/(b+a\*tan(e\*x+d))\*b^2+3/e\*b/(a^2+b^2)^2\*ln(b+a\*tan(e\*x+d))\*a^2-1/e\*b^3/(a^2+b^2)^2\*ln(b+a\*tan(e\*x+d))-3/2/e/(a^2+b^2)^2\*ln(1+tan(e\*x+d)^2)\*a^2\*b+1/2/e/(a^2+b^2)^2\*ln(1+tan(e\*x+d)^2)\*b^3-1/e/(a^2+b^2)^2\*arctan(tan(e\*x+d))\*a^3+3/e/(a^2+b^2)^2\*arctan(tan(e\*x+d))\*a\*b^2

**Maxima [A]** time = 1.50309, size = 217, normalized size = 2.15

$$\frac{\frac{2(a^3 - 3ab^2)(ex+d)}{a^4 + 2a^2b^2 + b^4} - \frac{2(3a^2b - b^3)\log(a\tan(ex+d)+b)}{a^4 + 2a^2b^2 + b^4} + \frac{(3a^2b - b^3)\log(\tan(ex+d)^2 + 1)}{a^4 + 2a^2b^2 + b^4} + \frac{2(a^2 - b^2)}{a^2b + b^3 + (a^3 + ab^2)\tan(ex+d)}}{2e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tan(e\*x+d))/(b^2+2\*a\*b\*tan(e\*x+d)+a^2\*tan(e\*x+d)^2),x, algorithm="maxima")

[Out] -1/2\*(2\*(a^3 - 3\*a\*b^2)\*(e\*x + d)/(a^4 + 2\*a^2\*b^2 + b^4) - 2\*(3\*a^2\*b - b^3)\*log(a\*tan(e\*x + d) + b)/(a^4 + 2\*a^2\*b^2 + b^4) + (3\*a^2\*b - b^3)\*log(tan(e\*x + d)^2 + 1)/(a^4 + 2\*a^2\*b^2 + b^4) + 2\*(a^2 - b^2)/(a^2\*b + b^3 + (a^3 + a\*b^2)\*tan(e\*x + d)))/e

**Fricas [A]** time = 1.73982, size = 417, normalized size = 4.13

$$\frac{2a^4 - 2a^2b^2 + 2(a^3b - 3ab^3)ex - (3a^2b^2 - b^4 + (3a^3b - ab^3)\tan(ex+d))\log\left(\frac{a^2\tan(ex+d)^2 + 2ab\tan(ex+d) + b^2}{\tan(ex+d)^2 + 1}\right) - 2(a^3b - b^3)\log(\tan(ex+d)^2 + 1)}{2((a^5 + 2a^3b^2 + ab^4)e\tan(ex+d) + (a^4b + 2a^2b^3 + b^5)e)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tan(e\*x+d))/(b^2+2\*a\*b\*tan(e\*x+d)+a^2\*tan(e\*x+d)^2),x, algorithm="fricas")

[Out] -1/2\*(2\*a^4 - 2\*a^2\*b^2 + 2\*(a^3\*b - 3\*a\*b^3)\*e\*x - (3\*a^2\*b^2 - b^4 + (3\*a^3\*b - a\*b^3)\*tan(e\*x + d))\*log((a^2\*tan(e\*x + d)^2 + 2\*a\*b\*tan(e\*x + d) + b^2)/(tan(e\*x + d)^2 + 1)) - 2\*(a^3\*b - a\*b^3 - (a^4 - 3\*a^2\*b^2)\*e\*x)\*tan(e\*x + d)/((a^5 + 2\*a^3\*b^2 + a\*b^4)\*e\*tan(e\*x + d) + (a^4\*b + 2\*a^2\*b^3 + b^5)\*e)

**Sympy [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tan(e\*x+d))/(b\*\*2+2\*a\*b\*tan(e\*x+d)+a\*\*2\*tan(e\*x+d)\*\*2),x)

[Out] Exception raised: AttributeError

**Giac [B]** time = 1.57471, size = 275, normalized size = 2.72

$$-\frac{1}{2}\left(\frac{2(a^3 - 3ab^2)(xe+d)}{a^4 + 2a^2b^2 + b^4} + \frac{(3a^2b - b^3)\log(\tan(xe+d)^2 + 1)}{a^4 + 2a^2b^2 + b^4} - \frac{2(3a^3b - ab^3)\log(|a\tan(xe+d) + b|)}{a^5 + 2a^3b^2 + ab^4} + \frac{2(3a^3b - ab^3)\log(\tan(xe+d)^2 + 1)}{a^5 + 2a^3b^2 + ab^4}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tan(e\*x+d))/(b^2+2\*a\*b\*tan(e\*x+d)+a^2\*tan(e\*x+d)^2),x, algorithm="giac")



```
[Out] -1/2*(2*(a^3 - 3*a*b^2)*(x*e + d)/(a^4 + 2*a^2*b^2 + b^4) + (3*a^2*b - b^3)
*log(tan(x*e + d)^2 + 1)/(a^4 + 2*a^2*b^2 + b^4) - 2*(3*a^3*b - a*b^3)*log(
abs(a*tan(x*e + d) + b))/(a^5 + 2*a^3*b^2 + a*b^4) + 2*(3*a^3*b*tan(x*e + d
) - a*b^3*tan(x*e + d) + a^4 + 3*a^2*b^2 - 2*b^4)/((a^4 + 2*a^2*b^2 + b^4)*
(a*tan(x*e + d) + b))*e^(-1)
```

$$3.513 \quad \int \frac{a+b \tan(d+ex)}{(b^2+2ab \tan(d+ex)+a^2 \tan^2(d+ex))^2} dx$$

**Optimal.** Leaf size=197

$$-\frac{a^2 - b^2}{3e(a^2 + b^2)(a \tan(d + ex) + b)^3} + \frac{-6a^2b^2 + a^4 + b^4}{e(a^2 + b^2)^3(a \tan(d + ex) + b)} - \frac{b(3a^2 - b^2)}{2e(a^2 + b^2)^2(a \tan(d + ex) + b)^2} - \frac{b(-10a^2b^2 + b^4)}{e(a^2 + b^2)(a \tan(d + ex) + b)^3}$$

[Out] (a\*(a^4 - 10\*a^2\*b^2 + 5\*b^4)\*x)/(a^2 + b^2)^4 - (b\*(5\*a^4 - 10\*a^2\*b^2 + b^4)\*Log[b\*Cos[d + e\*x] + a\*Sin[d + e\*x]])/((a^2 + b^2)^4\*e) - (a^2 - b^2)/(3\*(a^2 + b^2)\*e\*(b + a\*Tan[d + e\*x])^3) - (b\*(3\*a^2 - b^2))/(2\*(a^2 + b^2)^2\*e\*(b + a\*Tan[d + e\*x])^2) + (a^4 - 6\*a^2\*b^2 + b^4)/((a^2 + b^2)^3\*e\*(b + a\*Tan[d + e\*x]))

**Rubi [A]** time = 0.535338, antiderivative size = 197, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 39,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {3708, 3529, 3531, 3530}

$$-\frac{a^2 - b^2}{3e(a^2 + b^2)(a \tan(d + ex) + b)^3} + \frac{-6a^2b^2 + a^4 + b^4}{e(a^2 + b^2)^3(a \tan(d + ex) + b)} - \frac{b(3a^2 - b^2)}{2e(a^2 + b^2)^2(a \tan(d + ex) + b)^2} - \frac{b(-10a^2b^2 + b^4)}{e(a^2 + b^2)(a \tan(d + ex) + b)^3}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Tan[d + e\*x])/(b^2 + 2\*a\*b\*Tan[d + e\*x] + a^2\*Tan[d + e\*x]^2)^2, x]

[Out] (a\*(a^4 - 10\*a^2\*b^2 + 5\*b^4)\*x)/(a^2 + b^2)^4 - (b\*(5\*a^4 - 10\*a^2\*b^2 + b^4)\*Log[b\*Cos[d + e\*x] + a\*Sin[d + e\*x]])/((a^2 + b^2)^4\*e) - (a^2 - b^2)/(3\*(a^2 + b^2)\*e\*(b + a\*Tan[d + e\*x])^3) - (b\*(3\*a^2 - b^2))/(2\*(a^2 + b^2)^2\*e\*(b + a\*Tan[d + e\*x])^2) + (a^4 - 6\*a^2\*b^2 + b^4)/((a^2 + b^2)^3\*e\*(b + a\*Tan[d + e\*x]))

#### Rule 3708

Int[((A\_) + (B\_)\*tan[(d\_) + (e\_)\*(x\_)])\*((a\_) + (b\_)\*tan[(d\_) + (e\_)\*(x\_)]) + (c\_)\*tan[(d\_) + (e\_)\*(x\_)]^2)^(n\_), x\_Symbol] := Dist[1/(4^n\*c^n), Int[(A + B\*Tan[d + e\*x])\*(b + 2\*c\*Tan[d + e\*x])^(2\*n), x], x] /; FreeQ[{a, b, c, d, e, A, B}, x] && EqQ[b^2 - 4\*a\*c, 0] && IntegerQ[n]

#### Rule 3529

Int[((a\_) + (b\_)\*tan[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*tan[(e\_) + (f\_)\*(x\_)])^n, x\_Symbol] := Simp[((b\*c - a\*d)\*(a + b\*Tan[e + f\*x])^(m + 1))/(f\*(m + 1)\*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b\*Tan[e + f\*x])^(m + 1)\*Simp[a\*c + b\*d - (b\*c - a\*d)\*Tan[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

#### Rule 3531

Int[((c\_) + (d\_)\*tan[(e\_) + (f\_)\*(x\_)])/((a\_) + (b\_)\*tan[(e\_) + (f\_)\*(x\_)])^2, x\_Symbol] := Simp[((a\*c + b\*d)\*x)/(a^2 + b^2), x] + Dist[(b\*c - a\*d)/(a^2 + b^2), Int[(b - a\*Tan[e + f\*x])/(a + b\*Tan[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a\*c + b\*d, 0]

**Rule 3530**

```
Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/((a_) + (b_)*tan[(e_) + (f_)*
(x_)]), x_Symbol] :> Simp[(c*Log[RemoveContent[a*cos[e + f*x] + b*sin[e + f
*x], x]])/(b*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[a*c + b*d, 0]
```

**Rubi steps**

$$\begin{aligned} \int \frac{a + b \tan(d + ex)}{(b^2 + 2ab \tan(d + ex) + a^2 \tan^2(d + ex))^2} dx &= (16a^4) \int \frac{a + b \tan(d + ex)}{(2ab + 2a^2 \tan(d + ex))^4} dx \\ &= -\frac{a^2 - b^2}{3(a^2 + b^2)e(b + a \tan(d + ex))^3} + \frac{(4a^2) \int \frac{4a^2b - 2a(a^2 - b^2) \tan(d + ex)}{(2ab + 2a^2 \tan(d + ex))^3} dx}{a^2 + b^2} \\ &= -\frac{a^2 - b^2}{3(a^2 + b^2)e(b + a \tan(d + ex))^3} - \frac{b(3a^2 - b^2)}{2(a^2 + b^2)^2 e(b + a \tan(d + ex))} \\ &= -\frac{a^2 - b^2}{3(a^2 + b^2)e(b + a \tan(d + ex))^3} - \frac{b(3a^2 - b^2)}{2(a^2 + b^2)^2 e(b + a \tan(d + ex))} \\ &= \frac{a(a^4 - 10a^2b^2 + 5b^4)x}{(a^2 + b^2)^4} - \frac{a^2 - b^2}{3(a^2 + b^2)e(b + a \tan(d + ex))^3} - \frac{b(3a^2 - b^2)}{2(a^2 + b^2)^2 e} \\ &= \frac{a(a^4 - 10a^2b^2 + 5b^4)x}{(a^2 + b^2)^4} - \frac{b(5a^4 - 10a^2b^2 + b^4) \log(b \cos(d + ex))}{(a^2 + b^2)^4 e} \end{aligned}$$

**Mathematica [C]** time = 4.89778, size = 308, normalized size = 1.56

$$3b \left( \frac{a \left( -\frac{(a^2+b^2)(a^2+4ab \tan(d+ex)+5b^2)}{(a \tan(d+ex)+b)^2} - 2(a^2-3b^2) \log(a \tan(d+ex)+b) \right)}{(a^2+b^2)^3} + \frac{\log(-\tan(d+ex)+i)}{(a-ib)^3} + \frac{\log(\tan(d+ex)+i)}{(a+ib)^3} \right) - (a-b)(a+b) \left( -\frac{6a(a^2+b^2)}{(a^2+b^2)^3} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Tan[d + e*x])/(b^2 + 2*a*b*Tan[d + e*x] + a^2*Tan[d + e*x]^2), x]
```

```
[Out] (-((a - b)*(a + b)*(((3*I)*Log[I - Tan[d + e*x]])/(a - I*b)^4 - ((3*I)*Log[I + Tan[d + e*x]])/(a + I*b)^4 + (24*a*(a - b)*b*(a + b)*Log[b + a*Tan[d + e*x]]/(a^2 + b^2)^4 + (2*a)/((a^2 + b^2)*(b + a*Tan[d + e*x])^3) + (6*a*b)/((a^2 + b^2)^2*(b + a*Tan[d + e*x])^2) - (6*a*(a^2 - 3*b^2))/((a^2 + b^2)^3*(b + a*Tan[d + e*x])))) + 3*b*(Log[I - Tan[d + e*x]]/(a - I*b)^3 + Log[I + Tan[d + e*x]]/(a + I*b)^3 + (a*(-2*(a^2 - 3*b^2)*Log[b + a*Tan[d + e*x]] - ((a^2 + b^2)*(a^2 + 5*b^2 + 4*a*b*Tan[d + e*x]))/(b + a*Tan[d + e*x])^2))/(a^2 + b^2)^3)/(6*a*e)
```

**Maple [B]** time = 0.059, size = 458, normalized size = 2.3

$$-\frac{a^2}{3e(a^2 + b^2)(b + a \tan(ex + d))^3} + \frac{b^2}{3e(a^2 + b^2)(b + a \tan(ex + d))^3} - \frac{3a^2b}{2e(a^2 + b^2)^2(b + a \tan(ex + d))^2} + \frac{b^2}{2e(a^2 + b^2)^2(b + a \tan(ex + d))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*tan(e*x+d))/(b^2+2*a*b*tan(e*x+d)+a^2*tan(e*x+d)^2)^2,x)`

[Out] 
$$-1/3/e/(a^2+b^2)/(b+a*\tan(e*x+d))^3*a^2+1/3/e/(a^2+b^2)/(b+a*\tan(e*x+d))^3*b^2-3/2/e*b/(a^2+b^2)^2/(b+a*\tan(e*x+d))^2*a^2+1/2/e*b^3/(a^2+b^2)^2/(b+a*\tan(e*x+d))^2+1/e/(a^2+b^2)^3/(b+a*\tan(e*x+d))*a^4-6/e/(a^2+b^2)^3/(b+a*\tan(e*x+d))*a^2*b^2+1/e/(a^2+b^2)^3/(b+a*\tan(e*x+d))*b^4-5/e*b/(a^2+b^2)^4*\ln(b+a*\tan(e*x+d))*a^4+10/e*b^3/(a^2+b^2)^4*\ln(b+a*\tan(e*x+d))*a^2-1/e*b^5/(a^2+b^2)^4*\ln(b+a*\tan(e*x+d))+5/2/e/(a^2+b^2)^4*\ln(1+\tan(e*x+d)^2)*a^4*b-5/e/(a^2+b^2)^4*\ln(1+\tan(e*x+d)^2)*a^2*b^3+1/2/e/(a^2+b^2)^4*\ln(1+\tan(e*x+d)^2)*b^5+1/e/(a^2+b^2)^4*\arctan(\tan(e*x+d))*a^5-10/e/(a^2+b^2)^4*\arctan(\tan(e*x+d))*a^3*b^2+5/e/(a^2+b^2)^4*\arctan(\tan(e*x+d))*a*b^4$$

**Maxima [B]** time = 1.59177, size = 566, normalized size = 2.87

$$\frac{6(a^5-10a^3b^2+5ab^4)(ex+d)}{a^8+4a^6b^2+6a^4b^4+4a^2b^6+b^8} - \frac{6(5a^4b-10a^2b^3+b^5)\log(a\tan(ex+d)+b)}{a^8+4a^6b^2+6a^4b^4+4a^2b^6+b^8} + \frac{3(5a^4b-10a^2b^3+b^5)\log(\tan(ex+d)^2+1)}{a^8+4a^6b^2+6a^4b^4+4a^2b^6+b^8} - \frac{2a^6+5a^4b^2}{a^6b^3+3a^4b^5+3a^2b^7+b^9+(a^9+3a^7b^2)}$$

6e

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tan(e*x+d))/(b^2+2*a*b*tan(e*x+d)+a^2*tan(e*x+d)^2)^2,x, algorithm="maxima")`

[Out] 
$$1/6*(6*(a^5 - 10*a^3*b^2 + 5*a*b^4)*(e*x + d)/(a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8) - 6*(5*a^4*b - 10*a^2*b^3 + b^5)*\log(a*\tan(e*x + d) + b)/(a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8) + 3*(5*a^4*b - 10*a^2*b^3 + b^5)*\log(\tan(e*x + d)^2 + 1)/(a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8) - (2*a^6 + 5*a^4*b^2 + 40*a^2*b^4 - 11*b^6 - 6*(a^6 - 6*a^4*b^2 + a^2*b^4)*\tan(e*x + d)^2 - 3*(a^5*b - 26*a^3*b^3 + 5*a*b^5)*\tan(e*x + d))/(a^6*b^3 + 3*a^4*b^5 + 3*a^2*b^7 + b^9 + (a^9 + 3*a^7*b^2 + 3*a^5*b^4 + a^3*b^6)*\tan(e*x + d)^3 + 3*(a^8*b + 3*a^6*b^3 + 3*a^4*b^5 + a^2*b^7)*\tan(e*x + d)^2 + 3*(a^7*b^2 + 3*a^5*b^4 + 3*a^3*b^6 + a*b^8)*\tan(e*x + d)))/e$$

**Fricas [B]** time = 2.07852, size = 1266, normalized size = 6.43

$$2a^8 + 7a^6b^2 + 66a^4b^4 - 27a^2b^6 + (21a^7b - 56a^5b^3 + 11a^3b^5 - 6(a^8 - 10a^6b^2 + 5a^4b^4)ex)\tan(ex+d)^3 - 6(a^5b^3 - 10a^3b^5 + 5ab^7)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tan(e*x+d))/(b^2+2*a*b*tan(e*x+d)+a^2*tan(e*x+d)^2)^2,x, algorithm="fricas")`

[Out] 
$$-1/6*(2*a^8 + 7*a^6*b^2 + 66*a^4*b^4 - 27*a^2*b^6 + (21*a^7*b - 56*a^5*b^3 + 11*a^3*b^5 - 6*(a^8 - 10*a^6*b^2 + 5*a^4*b^4)*e*x)*\tan(e*x + d)^3 - 6*(a^5*b^3 - 10*a^3*b^5 + 5*a*b^7)*e*x - 3*(2*a^8 - 31*a^6*b^2 + 46*a^4*b^4 - 9*a^2*b^6 + 6*(a^7*b - 10*a^5*b^3 + 5*a^3*b^5)*e*x)*\tan(e*x + d)^2 + 3*(5*a^4*b^4 - 10*a^2*b^6 + b^8 + (5*a^7*b - 10*a^5*b^3 + a^3*b^5)*\tan(e*x + d)^3 + 3*(5*a^6*b^2 - 10*a^4*b^4 + a^2*b^6)*\tan(e*x + d)^2 + 3*(5*a^5*b^3 - 10*a^3*b^5 + a*b^7)*\tan(e*x + d))*\log((a^2*\tan(e*x + d)^2 + 2*a*b*\tan(e*x + d) + b^2)/(\tan(e*x + d)^2 + 1)) - 3*(a^7*b - 46*a^5*b^3 + 35*a^3*b^5 - 6*a*b^7)$$

$$+ 6*(a^6*b^2 - 10*a^4*b^4 + 5*a^2*b^6)*e*x*\tan(e*x + d)/((a^{11} + 4*a^9*b^2 + 6*a^7*b^4 + 4*a^5*b^6 + a^3*b^8)*e*\tan(e*x + d)^3 + 3*(a^{10}*b + 4*a^8*b^3 + 6*a^6*b^5 + 4*a^4*b^7 + a^2*b^9)*e*\tan(e*x + d)^2 + 3*(a^9*b^2 + 4*a^7*b^4 + 6*a^5*b^6 + 4*a^3*b^8 + a*b^{10})*e*\tan(e*x + d) + (a^8*b^3 + 4*a^6*b^5 + 6*a^4*b^7 + 4*a^2*b^9 + b^{11})*e)$$

**Sympy [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tan(e\*x+d))/(b\*\*2+2\*a\*b\*tan(e\*x+d)+a\*\*2\*tan(e\*x+d)\*\*2)\*\*2,x)

[Out] Exception raised: AttributeError

**Giac [B]** time = 1.62634, size = 609, normalized size = 3.09

$$\frac{1}{6} \left( \frac{6(a^5 - 10a^3b^2 + 5ab^4)(xe + d)}{a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8} + \frac{3(5a^4b - 10a^2b^3 + b^5) \log(\tan(xe + d)^2 + 1)}{a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8} - \frac{6(5a^5b - 10a^3b^3 + ab^5) \log(\tan(xe + d)^2 + 1)}{a^9 + 4a^7b^2 + 6a^5b^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tan(e\*x+d))/(b^2+2\*a\*b\*tan(e\*x+d)+a^2\*tan(e\*x+d)^2)^2,x, algorithm="giac")

[Out] 1/6\*(6\*(a^5 - 10\*a^3\*b^2 + 5\*a\*b^4)\*(x\*e + d)/(a^8 + 4\*a^6\*b^2 + 6\*a^4\*b^4 + 4\*a^2\*b^6 + b^8) + 3\*(5\*a^4\*b - 10\*a^2\*b^3 + b^5)\*log(tan(x\*e + d)^2 + 1)/(a^8 + 4\*a^6\*b^2 + 6\*a^4\*b^4 + 4\*a^2\*b^6 + b^8) - 6\*(5\*a^5\*b - 10\*a^3\*b^3 + a\*b^5)\*log(abs(a\*tan(x\*e + d) + b))/(a^9 + 4\*a^7\*b^2 + 6\*a^5\*b^4 + 4\*a^3\*b^6 + a\*b^8) + (55\*a^7\*b\*tan(x\*e + d)^3 - 110\*a^5\*b^3\*tan(x\*e + d)^3 + 11\*a^3\*b^5\*tan(x\*e + d)^3 + 6\*a^8\*tan(x\*e + d)^2 + 135\*a^6\*b^2\*tan(x\*e + d)^2 - 360\*a^4\*b^4\*tan(x\*e + d)^2 + 39\*a^2\*b^6\*tan(x\*e + d)^2 + 3\*a^7\*b\*tan(x\*e + d) + 90\*a^5\*b^3\*tan(x\*e + d) - 393\*a^3\*b^5\*tan(x\*e + d) + 48\*a\*b^7\*tan(x\*e + d) - 2\*a^8 - 7\*a^6\*b^2 + 10\*a^4\*b^4 - 139\*a^2\*b^6 + 22\*b^8)/((a^8 + 4\*a^6\*b^2 + 6\*a^4\*b^4 + 4\*a^2\*b^6 + b^8)\*(a\*tan(x\*e + d) + b)^3))\*e^(-1)

### 3.514 $\int (a+b \tan(d+ex)) (b^2 + 2ab \tan(d+ex) + a^2 \tan^2(d+ex))$

**Optimal.** Leaf size=284

$$\frac{2a^4bx(a^2+b^2)(a^2 \tan^2(d+ex) + 2ab \tan(d+ex) + b^2)^{3/2}}{(a^2 \tan(d+ex) + ab)^3} + \frac{a^4b(a^2+b^2) \tan(d+ex)(a^2 \tan^2(d+ex) + 2ab \tan(d+ex))}{e(a^2 \tan(d+ex) + ab)^3}$$

[Out] (b\*(b^2 + 2\*a\*b\*Tan[d + e\*x] + a^2\*Tan[d + e\*x]^2)^(3/2))/(3\*e) + ((a^4 - b^4)\*Log[Cos[d + e\*x]]\*(b^2 + 2\*a\*b\*Tan[d + e\*x] + a^2\*Tan[d + e\*x]^2)^(3/2))/(e\*(b + a\*Tan[d + e\*x])^3) + ((a^2 + b^2)\*(b^2 + 2\*a\*b\*Tan[d + e\*x] + a^2\*Tan[d + e\*x]^2)^(3/2))/(2\*e\*(b + a\*Tan[d + e\*x])) - (2\*a^4\*b\*(a^2 + b^2)\*x\*(b^2 + 2\*a\*b\*Tan[d + e\*x] + a^2\*Tan[d + e\*x]^2)^(3/2))/(a\*b + a^2\*Tan[d + e\*x])^3 + (a^4\*b\*(a^2 + b^2)\*Tan[d + e\*x]\*(b^2 + 2\*a\*b\*Tan[d + e\*x] + a^2\*Tan[d + e\*x]^2)^(3/2))/(e\*(a\*b + a^2\*Tan[d + e\*x])^3)

**Rubi [A]** time = 0.226139, antiderivative size = 284, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 41,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$ , Rules used = {3710, 3528, 12, 3525, 3475}

$$\frac{2a^4bx(a^2+b^2)(a^2 \tan^2(d+ex) + 2ab \tan(d+ex) + b^2)^{3/2}}{(a^2 \tan(d+ex) + ab)^3} + \frac{a^4b(a^2+b^2) \tan(d+ex)(a^2 \tan^2(d+ex) + 2ab \tan(d+ex))}{e(a^2 \tan(d+ex) + ab)^3}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Tan[d + e\*x])\*(b^2 + 2\*a\*b\*Tan[d + e\*x] + a^2\*Tan[d + e\*x]^2)^(3/2), x]

[Out] (b\*(b^2 + 2\*a\*b\*Tan[d + e\*x] + a^2\*Tan[d + e\*x]^2)^(3/2))/(3\*e) + ((a^4 - b^4)\*Log[Cos[d + e\*x]]\*(b^2 + 2\*a\*b\*Tan[d + e\*x] + a^2\*Tan[d + e\*x]^2)^(3/2))/(e\*(b + a\*Tan[d + e\*x])^3) + ((a^2 + b^2)\*(b^2 + 2\*a\*b\*Tan[d + e\*x] + a^2\*Tan[d + e\*x]^2)^(3/2))/(2\*e\*(b + a\*Tan[d + e\*x])) - (2\*a^4\*b\*(a^2 + b^2)\*x\*(b^2 + 2\*a\*b\*Tan[d + e\*x] + a^2\*Tan[d + e\*x]^2)^(3/2))/(a\*b + a^2\*Tan[d + e\*x])^3 + (a^4\*b\*(a^2 + b^2)\*Tan[d + e\*x]\*(b^2 + 2\*a\*b\*Tan[d + e\*x] + a^2\*Tan[d + e\*x]^2)^(3/2))/(e\*(a\*b + a^2\*Tan[d + e\*x])^3)

#### Rule 3710

Int[((A\_) + (B\_)\*tan[(d\_) + (e\_)\*(x\_)])\*((a\_) + (b\_)\*tan[(d\_) + (e\_)\*(x\_)]) + (c\_)\*tan[(d\_) + (e\_)\*(x\_)]^(n\_), x\_Symbol] := Dist[(a + b\*Tan[d + e\*x] + c\*Tan[d + e\*x]^2)^n/(b + 2\*c\*Tan[d + e\*x])^(2\*n), Int[(A + B\*Tan[d + e\*x])\*(b + 2\*c\*Tan[d + e\*x])^(2\*n), x], x] /; FreeQ[{a, b, c, d, e, A, B}, x] && EqQ[b^2 - 4\*a\*c, 0] && !IntegerQ[n]

#### Rule 3528

Int[((a\_) + (b\_)\*tan[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(d\*(a + b\*Tan[e + f\*x])^m)/(f\*m), x] + Int[(a + b\*Tan[e + f\*x])^(m-1)\*Simp[a\*c - b\*d + (b\*c + a\*d)\*Tan[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 3525

Int[((a\_) + (b\_)\*tan[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*tan[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Simp[(a\*c - b\*d)\*x, x] + (Dist[b\*c + a\*d, Int[Tan[e + f\*x], x], x] + Simp[(b\*d\*Tan[e + f\*x])/f, x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[b\*c + a\*d, 0]

### Rule 3475

Int[tan[(c\_) + (d\_)\*(x\_)], x\_Symbol] := -Simp[Log[RemoveContent[Cos[c + d\*x], x]]/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned} \int (a + b \tan(d + ex)) (b^2 + 2ab \tan(d + ex) + a^2 \tan^2(d + ex))^{3/2} dx &= \frac{(b^2 + 2ab \tan(d + ex) + a^2 \tan^2(d + ex))^{3/2} \int (2ab + 2a^2 \tan(d + ex)) dx}{(2ab + 2a^2 \tan(d + ex))^{3/2}} \\ &= \frac{b (b^2 + 2ab \tan(d + ex) + a^2 \tan^2(d + ex))^{3/2}}{3e} \\ &= \frac{b (b^2 + 2ab \tan(d + ex) + a^2 \tan^2(d + ex))^{3/2}}{3e} \\ &= \frac{b (b^2 + 2ab \tan(d + ex) + a^2 \tan^2(d + ex))^{3/2}}{3e} \\ &= \frac{b (b^2 + 2ab \tan(d + ex) + a^2 \tan^2(d + ex))^{3/2}}{3e} \\ &= \frac{b (b^2 + 2ab \tan(d + ex) + a^2 \tan^2(d + ex))^{3/2}}{3e} \end{aligned}$$

**Mathematica [C]** time = 1.36673, size = 147, normalized size = 0.52

$$\frac{\sqrt{(a \tan(d + ex) + b)^2 (3a^2 (a^2 + 3b^2) \tan^2(d + ex) + 6ab (2a^2 + 3b^2) \tan(d + ex) - 3(a^2 + b^2) ((a - ib)^2 \log(-\tan(d + ex) + ib) + (a + ib)^2 \log(\tan(d + ex) - ib)))} + 6e(a \tan(d + ex) + b)}{6e(a \tan(d + ex) + b)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Tan[d + e\*x])\*(b^2 + 2\*a\*b\*Tan[d + e\*x] + a^2\*Tan[d + e\*x]^2)^(3/2),x]

[Out] (Sqrt[(b + a\*Tan[d + e\*x])^2]\*(-3\*(a^2 + b^2)\*((a - I\*b)^2\*Log[I - Tan[d + e\*x]] + (a + I\*b)^2\*Log[I + Tan[d + e\*x]]) + 6\*a\*b\*(2\*a^2 + 3\*b^2)\*Tan[d + e\*x] + 3\*a^2\*(a^2 + 3\*b^2)\*Tan[d + e\*x]^2 + 2\*a^3\*b\*Tan[d + e\*x]^3))/(6\*e\*(b + a\*Tan[d + e\*x]))

**Maple [A]** time = 0.088, size = 158, normalized size = 0.6

$$\frac{-2 (\tan (ex + d))^3 a^3 b - 3 (\tan (ex + d))^2 a^4 - 9 (\tan (ex + d))^2 a^2 b^2 + 3 \ln (1 + (\tan (ex + d))^2) a^4 - 3 \ln (1 + (\tan (ex + d))^2) a^2 b^2}{6 e (b + a \tan (ex + d))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*tan(e\*x+d))\*(b^2+2\*a\*b\*tan(e\*x+d)+a^2\*tan(e\*x+d)^2)^(3/2), x)

[Out] -1/6/e\*((b+a\*tan(e\*x+d))^2)^(3/2)\*(-2\*tan(e\*x+d)^3\*a^3\*b-3\*tan(e\*x+d)^2\*a^4-9\*tan(e\*x+d)^2\*a^2\*b^2+3\*ln(1+tan(e\*x+d)^2)\*a^4-3\*ln(1+tan(e\*x+d)^2)\*b^4+12\*arctan(tan(e\*x+d))\*a^3\*b+12\*arctan(tan(e\*x+d))\*a\*b^3-12\*tan(e\*x+d)\*a^3\*b-18\*tan(e\*x+d)\*a\*b^3)/(b+a\*tan(e\*x+d))^3

**Maxima [A]** time = 1.52516, size = 224, normalized size = 0.79

$$\frac{3 (a^3 \tan (ex + d)^2 + 6 a^2 b \tan (ex + d) - 2 (3 a^2 b - b^3) (ex + d) - (a^3 - 3 a b^2) \log (\tan (ex + d)^2 + 1)) a + (2 a^3 \tan (ex + d) - 6 a^2 b \tan (ex + d) + 2 b^3) (ex + d)}{6 e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tan(e\*x+d))\*(b^2+2\*a\*b\*tan(e\*x+d)+a^2\*tan(e\*x+d)^2)^(3/2), x, algorithm="maxima")

[Out] 1/6\*(3\*(a^3\*tan(e\*x + d)^2 + 6\*a^2\*b\*tan(e\*x + d) - 2\*(3\*a^2\*b - b^3)\*(e\*x + d) - (a^3 - 3\*a\*b^2)\*log(tan(e\*x + d)^2 + 1))\*a + (2\*a^3\*tan(e\*x + d)^3 + 9\*a^2\*b\*tan(e\*x + d)^2 + 6\*(a^3 - 3\*a\*b^2)\*(e\*x + d) - 3\*(3\*a^2\*b - b^3)\*log(tan(e\*x + d)^2 + 1) - 6\*(a^3 - 3\*a\*b^2)\*tan(e\*x + d))\*b)/e

**Fricas [A]** time = 1.75058, size = 236, normalized size = 0.83

$$\frac{2 a^3 b \tan (ex + d)^3 - 12 (a^3 b + a b^3) ex + 3 (a^4 + 3 a^2 b^2) \tan (ex + d)^2 + 3 (a^4 - b^4) \log \left( \frac{1}{\tan (ex + d)^2 + 1} \right) + 6 (2 a^3 b + 3 a b^3) \tan (ex + d)}{6 e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tan(e\*x+d))\*(b^2+2\*a\*b\*tan(e\*x+d)+a^2\*tan(e\*x+d)^2)^(3/2), x, algorithm="fricas")

[Out] 1/6\*(2\*a^3\*b\*tan(e\*x + d)^3 - 12\*(a^3\*b + a\*b^3)\*e\*x + 3\*(a^4 + 3\*a^2\*b^2)\*tan(e\*x + d)^2 + 3\*(a^4 - b^4)\*log(1/(tan(e\*x + d)^2 + 1)) + 6\*(2\*a^3\*b + 3\*a\*b^3)\*tan(e\*x + d))/e

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tan (d + ex)) ((a \tan (d + ex) + b)^2)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate((a+b*tan(e*x+d))*(b**2+2*a*b*tan(e*x+d)+a**2*tan(e*x+d)**2)**(3/2),x)
```

```
[Out] Integral((a + b*tan(d + e*x))*((a*tan(d + e*x) + b)**2)**(3/2), x)
```

---

**Giac [A]** time = 1.52229, size = 328, normalized size = 1.15

$$-2\left(a^3\operatorname{sgn}(a\tan(xe+d)+b)+ab^3\operatorname{sgn}(a\tan(xe+d)+b)\right)(xe+d)e^{(-1)}-\frac{1}{2}\left(a^4\operatorname{sgn}(a\tan(xe+d)+b)-b^4\operatorname{sgn}(a\tan(xe+d)+b)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(e*x+d))*(b^2+2*a*b*tan(e*x+d)+a^2*tan(e*x+d)^2)^(3/2),x,
algorithm="giac")
```

```
[Out] -2*(a^3*b*sgn(a*tan(x*e + d) + b) + a*b^3*sgn(a*tan(x*e + d) + b))*(x*e + d)
)*e^(-1) - 1/2*(a^4*sgn(a*tan(x*e + d) + b) - b^4*sgn(a*tan(x*e + d) + b))*
e^(-1)*log(tan(x*e + d)^2 + 1) + 1/6*(2*a^3*b*e^2*sgn(a*tan(x*e + d) + b)*t
an(x*e + d)^3 + 3*a^4*e^2*sgn(a*tan(x*e + d) + b)*tan(x*e + d)^2 + 9*a^2*b^
2*e^2*sgn(a*tan(x*e + d) + b)*tan(x*e + d)^2 + 12*a^3*b*e^2*sgn(a*tan(x*e +
d) + b)*tan(x*e + d) + 18*a*b^3*e^2*sgn(a*tan(x*e + d) + b)*tan(x*e + d))*
e^(-3)
```

### 3.515 $\int (a+b \tan(d+ex)) \sqrt{b^2 + 2ab \tan(d+ex) + a^2 \tan^2(d+ex)}$

**Optimal.** Leaf size=122

$$\frac{a^2 b \tan(d+ex) \sqrt{a^2 \tan^2(d+ex) + 2ab \tan(d+ex) + b^2}}{e(a^2 \tan(d+ex) + ab)} - \frac{(a^2 + b^2) \log(\cos(d+ex)) \sqrt{a^2 \tan^2(d+ex) + 2ab \tan(d+ex)}}{e(a \tan(d+ex) + b)}$$

[Out] -(((a^2 + b^2)\*Log[Cos[d + e\*x]]\*Sqrt[b^2 + 2\*a\*b\*Tan[d + e\*x] + a^2\*Tan[d + e\*x]^2])/(e\*(b + a\*Tan[d + e\*x]))) + (a^2\*b\*Tan[d + e\*x]\*Sqrt[b^2 + 2\*a\*b\*Tan[d + e\*x] + a^2\*Tan[d + e\*x]^2])/(e\*(a\*b + a^2\*Tan[d + e\*x]))

**Rubi [A]** time = 0.100776, antiderivative size = 122, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 41,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.073$ , Rules used = {3710, 3525, 3475}

$$\frac{a^2 b \tan(d+ex) \sqrt{a^2 \tan^2(d+ex) + 2ab \tan(d+ex) + b^2}}{e(a^2 \tan(d+ex) + ab)} - \frac{(a^2 + b^2) \log(\cos(d+ex)) \sqrt{a^2 \tan^2(d+ex) + 2ab \tan(d+ex)}}{e(a \tan(d+ex) + b)}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Tan[d + e\*x])\*Sqrt[b^2 + 2\*a\*b\*Tan[d + e\*x] + a^2\*Tan[d + e\*x]^2], x]

[Out] -(((a^2 + b^2)\*Log[Cos[d + e\*x]]\*Sqrt[b^2 + 2\*a\*b\*Tan[d + e\*x] + a^2\*Tan[d + e\*x]^2])/(e\*(b + a\*Tan[d + e\*x]))) + (a^2\*b\*Tan[d + e\*x]\*Sqrt[b^2 + 2\*a\*b\*Tan[d + e\*x] + a^2\*Tan[d + e\*x]^2])/(e\*(a\*b + a^2\*Tan[d + e\*x]))

#### Rule 3710

Int[((A\_) + (B\_)\*tan[(d\_) + (e\_)\*(x\_)])\*((a\_) + (b\_)\*tan[(d\_) + (e\_)\*(x\_)]) + (c\_)\*tan[(d\_) + (e\_)\*(x\_)]^2)^(n\_), x\_Symbol] := Dist[(a + b\*Tan[d + e\*x] + c\*Tan[d + e\*x]^2)^n/(b + 2\*c\*Tan[d + e\*x])^(2\*n), Int[(A + B\*Tan[d + e\*x])\*(b + 2\*c\*Tan[d + e\*x])^(2\*n), x], x] /; FreeQ[{a, b, c, d, e, A, B}, x] && EqQ[b^2 - 4\*a\*c, 0] && !IntegerQ[n]

#### Rule 3525

Int[((a\_) + (b\_)\*tan[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*tan[(e\_) + (f\_)\*(x\_)])], x\_Symbol] := Simp[(a\*c - b\*d)\*x, x] + (Dist[b\*c + a\*d, Int[Tan[e + f\*x], x], x] + Simp[(b\*d\*Tan[e + f\*x])/f, x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[b\*c + a\*d, 0]

#### Rule 3475

Int[tan[(c\_) + (d\_)\*(x\_)], x\_Symbol] := -Simp[Log[RemoveContent[Cos[c + d\*x], x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\int (a + b \tan(d + ex)) \sqrt{b^2 + 2ab \tan(d + ex) + a^2 \tan^2(d + ex)} dx = \frac{\sqrt{b^2 + 2ab \tan(d + ex) + a^2 \tan^2(d + ex)} \int (2ab - 2a^2 \tan(d + ex)) dx}{2ab + 2a^2 \tan(d + ex)}$$

$$= \frac{a^2 b \tan(d + ex) \sqrt{b^2 + 2ab \tan(d + ex) + a^2 \tan^2(d + ex)}}{e (ab + a^2 \tan(d + ex))}$$

$$= -\frac{(a^2 + b^2) \log(\cos(d + ex)) \sqrt{b^2 + 2ab \tan(d + ex)}}{e(b + a \tan(d + ex))}$$

**Mathematica [A]** time = 0.288498, size = 58, normalized size = 0.48

$$\frac{\sqrt{(a \tan(d + ex) + b)^2} (ab \tan(d + ex) - (a^2 + b^2) \log(\cos(d + ex)))}{e(a \tan(d + ex) + b)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Tan[d + e\*x])\*Sqrt[b^2 + 2\*a\*b\*Tan[d + e\*x] + a^2\*Tan[d + e\*x]^2], x]

[Out] (Sqrt[(b + a\*Tan[d + e\*x])^2]\*(-(a^2 + b^2)\*Log[Cos[d + e\*x]]) + a\*b\*Tan[d + e\*x])/e\*(b + a\*Tan[d + e\*x])

**Maple [C]** time = 0.095, size = 75, normalized size = 0.6

$$\frac{\text{csgn}(b + a \tan(ex + d)) (\ln(a^2 (\tan(ex + d))^2 + a^2) a^2 + \ln(a^2 (\tan(ex + d))^2 + a^2) b^2 + 2ab \tan(ex + d) + 2b^2)}{2e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b^2+2\*a\*b\*tan(e\*x+d)+a^2\*tan(e\*x+d)^2)^(1/2)\*(a+b\*tan(e\*x+d)), x)

[Out] 1/2/e\*csgn(b+a\*tan(e\*x+d))\*(ln(a^2\*tan(e\*x+d)^2+a^2)\*a^2+ln(a^2\*tan(e\*x+d)^2+a^2)\*b^2+2\*a\*b\*tan(e\*x+d)+2\*b^2)

**Maxima [A]** time = 1.55801, size = 88, normalized size = 0.72

$$\frac{(2(ex + d)b + a \log(\tan(ex + d)^2 + 1))a - (2(ex + d)a - b \log(\tan(ex + d)^2 + 1) - 2a \tan(ex + d))b}{2e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^2+2\*a\*b\*tan(e\*x+d)+a^2\*tan(e\*x+d)^2)^(1/2)\*(a+b\*tan(e\*x+d)), x, algorithm="maxima")

[Out] 1/2\*((2\*(e\*x + d)\*b + a\*log(tan(e\*x + d)^2 + 1))\*a - (2\*(e\*x + d)\*a - b\*log(tan(e\*x + d)^2 + 1) - 2\*a\*tan(e\*x + d))\*b)/e

**Fricas [A]** time = 1.73161, size = 95, normalized size = 0.78

$$\frac{2ab \tan(ex + d) - (a^2 + b^2) \log\left(\frac{1}{\tan(ex+d)^2 + 1}\right)}{2e}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b^2+2*a*b*tan(e*x+d)+a^2*tan(e*x+d)^2)^(1/2)*(a+b*tan(e*x+d)),x,
algorithm="fricas")
```

```
[Out] 1/2*(2*a*b*tan(e*x + d) - (a^2 + b^2)*log(1/(tan(e*x + d)^2 + 1)))/e
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tan(d + ex)) \sqrt{(a \tan(d + ex) + b)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b**2+2*a*b*tan(e*x+d)+a**2*tan(e*x+d)**2)**(1/2)*(a+b*tan(e*x+d)
),x)
```

```
[Out] Integral((a + b*tan(d + e*x))*sqrt((a*tan(d + e*x) + b)**2), x)
```

**Giac [A]** time = 1.25722, size = 100, normalized size = 0.82

$$abe^{(-1)} \operatorname{sgn}(a \tan(xe + d) + b) \tan(xe + d) + \frac{1}{2} \left( a^2 \operatorname{sgn}(a \tan(xe + d) + b) + b^2 \operatorname{sgn}(a \tan(xe + d) + b) \right) e^{(-1)} \log(\tan(xe + d)^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b^2+2*a*b*tan(e*x+d)+a^2*tan(e*x+d)^2)^(1/2)*(a+b*tan(e*x+d)),x,
algorithm="giac")
```

```
[Out] a*b*e^(-1)*sgn(a*tan(x*e + d) + b)*tan(x*e + d) + 1/2*(a^2*sgn(a*tan(x*e +
d) + b) + b^2*sgn(a*tan(x*e + d) + b))*e^(-1)*log(tan(x*e + d)^2 + 1)
```

$$3.516 \quad \int \frac{a+b \tan(d+ex)}{\sqrt{b^2+2ab \tan(d+ex)+a^2 \tan^2(d+ex)}} dx$$

**Optimal.** Leaf size=138

$$\frac{2bx(a^2 \tan(d+ex) + ab)}{(a^2 + b^2) \sqrt{a^2 \tan^2(d+ex) + 2ab \tan(d+ex) + b^2}} + \frac{(a^2 - b^2)(a \tan(d+ex) + b) \log(a \sin(d+ex) + b \cos(d+ex))}{e(a^2 + b^2) \sqrt{a^2 \tan^2(d+ex) + 2ab \tan(d+ex) + b^2}}$$

[Out] ((a^2 - b^2)\*Log[b\*Cos[d + e\*x] + a\*Sin[d + e\*x]]\*(b + a\*Tan[d + e\*x]))/((a^2 + b^2)\*e\*Sqrt[b^2 + 2\*a\*b\*Tan[d + e\*x] + a^2\*Tan[d + e\*x]^2]) + (2\*b\*x\*(a\*b + a^2\*Tan[d + e\*x]))/((a^2 + b^2)\*Sqrt[b^2 + 2\*a\*b\*Tan[d + e\*x] + a^2\*Tan[d + e\*x]^2])

**Rubi [A]** time = 0.188173, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 41,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.073$ , Rules used = {3710, 3531, 3530}

$$\frac{2bx(a^2 \tan(d+ex) + ab)}{(a^2 + b^2) \sqrt{a^2 \tan^2(d+ex) + 2ab \tan(d+ex) + b^2}} + \frac{(a^2 - b^2)(a \tan(d+ex) + b) \log(a \sin(d+ex) + b \cos(d+ex))}{e(a^2 + b^2) \sqrt{a^2 \tan^2(d+ex) + 2ab \tan(d+ex) + b^2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Tan[d + e\*x])/Sqrt[b^2 + 2\*a\*b\*Tan[d + e\*x] + a^2\*Tan[d + e\*x]^2], x]

[Out] ((a^2 - b^2)\*Log[b\*Cos[d + e\*x] + a\*Sin[d + e\*x]]\*(b + a\*Tan[d + e\*x]))/((a^2 + b^2)\*e\*Sqrt[b^2 + 2\*a\*b\*Tan[d + e\*x] + a^2\*Tan[d + e\*x]^2]) + (2\*b\*x\*(a\*b + a^2\*Tan[d + e\*x]))/((a^2 + b^2)\*Sqrt[b^2 + 2\*a\*b\*Tan[d + e\*x] + a^2\*Tan[d + e\*x]^2])

#### Rule 3710

Int[((A\_) + (B\_)\*tan[(d\_) + (e\_)\*(x\_)])\*((a\_) + (b\_)\*tan[(d\_) + (e\_)\*(x\_) + (c\_)\*tan[(d\_) + (e\_)\*(x\_)]^2]^n), x\_Symbol] :> Dist[(a + b\*Tan[d + e\*x] + c\*Tan[d + e\*x]^2)^n/(b + 2\*c\*Tan[d + e\*x])^(2\*n), Int[(A + B\*Tan[d + e\*x])\*(b + 2\*c\*Tan[d + e\*x])^(2\*n), x], x] /; FreeQ[{a, b, c, d, e, A, B}, x] && EqQ[b^2 - 4\*a\*c, 0] && !IntegerQ[n]

#### Rule 3531

Int[((c\_) + (d\_)\*tan[(e\_) + (f\_)\*(x\_)])/((a\_) + (b\_)\*tan[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Simp[((a\*c + b\*d)\*x)/(a^2 + b^2), x] + Dist[(b\*c - a\*d)/(a^2 + b^2), Int[(b - a\*Tan[e + f\*x])/(a + b\*Tan[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a\*c + b\*d, 0]

#### Rule 3530

Int[((c\_) + (d\_)\*tan[(e\_) + (f\_)\*(x\_)])/((a\_) + (b\_)\*tan[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Simp[(c\*Log[RemoveContent[a\*Cos[e + f\*x] + b\*Sin[e + f\*x], x]])/(b\*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[a\*c + b\*d, 0]

Rubi steps

$$\int \frac{a + b \tan(d + ex)}{\sqrt{b^2 + 2ab \tan(d + ex) + a^2 \tan^2(d + ex)}} dx = \frac{(2ab + 2a^2 \tan(d + ex)) \int \frac{a + b \tan(d + ex)}{2ab + 2a^2 \tan(d + ex)} dx}{\sqrt{b^2 + 2ab \tan(d + ex) + a^2 \tan^2(d + ex)}}$$

$$= \frac{2bx (ab + a^2 \tan(d + ex))}{(a^2 + b^2) \sqrt{b^2 + 2ab \tan(d + ex) + a^2 \tan^2(d + ex)}} + \frac{((a^2 - b^2) (2ab + a^2 \tan^2(d + ex)))}{2a (a^2 + b^2) \sqrt{b^2 + 2ab \tan(d + ex) + a^2 \tan^2(d + ex)}}$$

$$= \frac{(a^2 - b^2) \log(b \cos(d + ex) + a \sin(d + ex))(b + a \tan(d + ex))}{(a^2 + b^2) e \sqrt{b^2 + 2ab \tan(d + ex) + a^2 \tan^2(d + ex)}} + \frac{((a^2 - b^2) (2ab + a^2 \tan^2(d + ex)))}{2a (a^2 + b^2) \sqrt{b^2 + 2ab \tan(d + ex) + a^2 \tan^2(d + ex)}}$$

**Mathematica [A]** time = 0.703782, size = 88, normalized size = 0.64

$$\frac{(a \tan(d + ex) + b) (4ab \tan^{-1}(\tan(d + ex)) - (a^2 - b^2) (\log(\sec^2(d + ex)) - 2 \log(a \tan(d + ex) + b)))}{2e (a^2 + b^2) \sqrt{(a \tan(d + ex) + b)^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Tan[d + e\*x])/Sqrt[b^2 + 2\*a\*b\*Tan[d + e\*x] + a^2\*Tan[d + e\*x]^2], x]

[Out] ((4\*a\*b\*ArcTan[Tan[d + e\*x]] - (a^2 - b^2)\*(Log[Sec[d + e\*x]^2] - 2\*Log[b + a\*Tan[d + e\*x]]))\*(b + a\*Tan[d + e\*x]))/(2\*(a^2 + b^2)\*e\*Sqrt[(b + a\*Tan[d + e\*x])^2])

**Maple [A]** time = 0.067, size = 114, normalized size = 0.8

$$\frac{(b + a \tan(ex + d)) (2 \ln(b + a \tan(ex + d)) a^2 - 2 \ln(b + a \tan(ex + d)) b^2 - \ln(1 + (\tan(ex + d))^2) a^2 + \ln(1 + (\tan(ex + d))^2) b^2)}{2e (a^2 + b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*tan(e\*x+d))/(b^2+2\*a\*b\*tan(e\*x+d)+a^2\*tan(e\*x+d)^2)^(1/2), x)

[Out] 1/2/e\*(b+a\*tan(e\*x+d))\*(2\*ln(b+a\*tan(e\*x+d))\*a^2-2\*ln(b+a\*tan(e\*x+d))\*b^2-1\*ln(1+tan(e\*x+d)^2)\*a^2+1\*ln(1+tan(e\*x+d)^2)\*b^2+4\*a\*b\*arctan(tan(e\*x+d)))/((b+a\*tan(e\*x+d))^2)^(1/2)/(a^2+b^2)

**Maxima [A]** time = 1.51937, size = 185, normalized size = 1.34

$$\frac{a \left( \frac{2(ex+d)b}{a^2+b^2} + \frac{2a \log(a \tan(ex+d)+b)}{a^2+b^2} - \frac{a \log(\tan(ex+d)^2+1)}{a^2+b^2} \right) + \left( \frac{2(ex+d)a}{a^2+b^2} - \frac{2b \log(a \tan(ex+d)+b)}{a^2+b^2} + \frac{b \log(\tan(ex+d)^2+1)}{a^2+b^2} \right) b}{2e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tan(e\*x+d))/(b^2+2\*a\*b\*tan(e\*x+d)+a^2\*tan(e\*x+d)^2)^(1/2), x, algorithm="maxima")

```
[Out] 1/2*(a*(2*(e*x + d)*b/(a^2 + b^2) + 2*a*log(a*tan(e*x + d) + b)/(a^2 + b^2)
- a*log(tan(e*x + d)^2 + 1)/(a^2 + b^2)) + (2*(e*x + d)*a/(a^2 + b^2) - 2*
b*log(a*tan(e*x + d) + b)/(a^2 + b^2) + b*log(tan(e*x + d)^2 + 1)/(a^2 + b^
2))*b)/e
```

**Fricas [A]** time = 1.65239, size = 163, normalized size = 1.18

$$\frac{4 abex + (a^2 - b^2) \log\left(\frac{a^2 \tan(ex+d)^2 + 2 ab \tan(ex+d) + b^2}{\tan(ex+d)^2 + 1}\right)}{2(a^2 + b^2)e}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(e*x+d))/(b^2+2*a*b*tan(e*x+d)+a^2*tan(e*x+d)^2)^(1/2),x,
algorithm="fricas")
```

```
[Out] 1/2*(4*a*b*e*x + (a^2 - b^2)*log((a^2*tan(e*x + d)^2 + 2*a*b*tan(e*x + d) +
b^2)/(tan(e*x + d)^2 + 1)))/(a^2 + b^2)*e)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \tan(d + ex)}{\sqrt{(a \tan(d + ex) + b)^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(e*x+d))/(b**2+2*a*b*tan(e*x+d)+a**2*tan(e*x+d)**2)^(1/2),x)
```

```
[Out] Integral((a + b*tan(d + e*x))/sqrt((a*tan(d + e*x) + b)**2), x)
```

**Giac [B]** time = 2.01922, size = 748, normalized size = 5.42

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(e*x+d))/(b^2+2*a*b*tan(e*x+d)+a^2*tan(e*x+d)^2)^(1/2),x,
algorithm="giac")
```

```
[Out] -1/2*(2*(pi*sgn(tan(1/2*x*e + 1/2*d)) + 2*arctan(1/2*(tan(1/2*x*e + 1/2*d)^
2 - 1)/tan(1/2*x*e + 1/2*d)))*a*b/(a^2*sgn(-b*tan(1/2*x*e + 1/2*d)^4 + 2*a*
tan(1/2*x*e + 1/2*d)^3 + 2*b*tan(1/2*x*e + 1/2*d)^2 - 2*a*tan(1/2*x*e + 1/2
*d) - b) + b^2*sgn(-b*tan(1/2*x*e + 1/2*d)^4 + 2*a*tan(1/2*x*e + 1/2*d)^3 +
2*b*tan(1/2*x*e + 1/2*d)^2 - 2*a*tan(1/2*x*e + 1/2*d) - b)) - (a^2 - b^2)*
log((1/tan(1/2*x*e + 1/2*d) - tan(1/2*x*e + 1/2*d))^2 + 4)/(a^2*sgn(-b*tan(
1/2*x*e + 1/2*d)^4 + 2*a*tan(1/2*x*e + 1/2*d)^3 + 2*b*tan(1/2*x*e + 1/2*d)^
2 - 2*a*tan(1/2*x*e + 1/2*d) - b) + b^2*sgn(-b*tan(1/2*x*e + 1/2*d)^4 + 2*a
*tan(1/2*x*e + 1/2*d)^3 + 2*b*tan(1/2*x*e + 1/2*d)^2 - 2*a*tan(1/2*x*e + 1/
2*d) - b)) + 2*(a^2*b - b^3)*log(abs(-b*(1/tan(1/2*x*e + 1/2*d) - tan(1/2*x
*e + 1/2*d)) - 2*a))/(a^2*b*sgn(-b*tan(1/2*x*e + 1/2*d)^4 + 2*a*tan(1/2*x*e
```

$$\begin{aligned} & + 1/2*d)^3 + 2*b*\tan(1/2*x*e + 1/2*d)^2 - 2*a*\tan(1/2*x*e + 1/2*d) - b) + \\ & b^3*\operatorname{sgn}(-b*\tan(1/2*x*e + 1/2*d)^4 + 2*a*\tan(1/2*x*e + 1/2*d)^3 + 2*b*\tan(1/ \\ & 2*x*e + 1/2*d)^2 - 2*a*\tan(1/2*x*e + 1/2*d) - b))) * e^{-1} \end{aligned}$$



$$3.517 \quad \int \frac{a+b \tan(d+ex)}{(b^2+2ab \tan(d+ex)+a^2 \tan^2(d+ex))^{3/2}} dx$$

**Optimal.** Leaf size=316

$$\frac{(a^2 - b^2)(a \tan(d + ex) + b)}{2e(a^2 + b^2)(a^2 \tan^2(d + ex) + 2ab \tan(d + ex) + b^2)^{3/2}} - \frac{4bx(a^2 - b^2)(a^2 \tan(d + ex) + ab)^3}{a^2(a^2 + b^2)^3(a^2 \tan^2(d + ex) + 2ab \tan(d + ex) + b^2)^{3/2}}$$

```
[Out] -((a^2 - b^2)*(b + a*Tan[d + e*x]))/(2*(a^2 + b^2)*e*(b^2 + 2*a*b*Tan[d + e
*x] + a^2*Tan[d + e*x]^2)^(3/2)) - ((a^4 - 6*a^2*b^2 + b^4)*Log[b*Cos[d + e
*x] + a*Sin[d + e*x]]*(b + a*Tan[d + e*x])^3)/((a^2 + b^2)^3*e*(b^2 + 2*a*b
*Tan[d + e*x] + a^2*Tan[d + e*x]^2)^(3/2)) - (4*b*(a^2 - b^2)*x*(a*b + a^2*
Tan[d + e*x])^3)/(a^2*(a^2 + b^2)^3*(b^2 + 2*a*b*Tan[d + e*x] + a^2*Tan[d +
e*x]^2)^(3/2)) - (b*(3*a^2 - b^2)*(a*b + a^2*Tan[d + e*x])^3)/((a^2 + b^2)
^2*e*(a^3*b + a^4*Tan[d + e*x])*(b^2 + 2*a*b*Tan[d + e*x] + a^2*Tan[d + e*x
]^2)^(3/2))
```

**Rubi [A]** time = 0.401571, antiderivative size = 316, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 41,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.098$ , Rules used = {3710, 3529, 3531, 3530}

$$\frac{(a^2 - b^2)(a \tan(d + ex) + b)}{2e(a^2 + b^2)(a^2 \tan^2(d + ex) + 2ab \tan(d + ex) + b^2)^{3/2}} - \frac{4bx(a^2 - b^2)(a^2 \tan(d + ex) + ab)^3}{a^2(a^2 + b^2)^3(a^2 \tan^2(d + ex) + 2ab \tan(d + ex) + b^2)^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Tan[d + e*x])/(b^2 + 2*a*b*Tan[d + e*x] + a^2*Tan[d + e*x]^2)^(3
/2), x]
```

```
[Out] -((a^2 - b^2)*(b + a*Tan[d + e*x]))/(2*(a^2 + b^2)*e*(b^2 + 2*a*b*Tan[d + e
*x] + a^2*Tan[d + e*x]^2)^(3/2)) - ((a^4 - 6*a^2*b^2 + b^4)*Log[b*Cos[d + e
*x] + a*Sin[d + e*x]]*(b + a*Tan[d + e*x])^3)/((a^2 + b^2)^3*e*(b^2 + 2*a*b
*Tan[d + e*x] + a^2*Tan[d + e*x]^2)^(3/2)) - (4*b*(a^2 - b^2)*x*(a*b + a^2*
Tan[d + e*x])^3)/(a^2*(a^2 + b^2)^3*(b^2 + 2*a*b*Tan[d + e*x] + a^2*Tan[d +
e*x]^2)^(3/2)) - (b*(3*a^2 - b^2)*(a*b + a^2*Tan[d + e*x])^3)/((a^2 + b^2)
^2*e*(a^3*b + a^4*Tan[d + e*x])*(b^2 + 2*a*b*Tan[d + e*x] + a^2*Tan[d + e*x
]^2)^(3/2))
```

#### Rule 3710

```
Int[((A_) + (B_)*tan[(d_) + (e_)*(x_)])*((a_) + (b_)*tan[(d_) + (e_)*
(x_)] + (c_)*tan[(d_) + (e_)*(x_)]^2)^(n_), x_Symbol] := Dist[(a + b*Tan
[d + e*x] + c*Tan[d + e*x]^2)^n/(b + 2*c*Tan[d + e*x])^(2*n), Int[(A + B*Ta
n[d + e*x])*(b + 2*c*Tan[d + e*x])^(2*n), x], x] /; FreeQ[{a, b, c, d, e, A
, B}, x] && EqQ[b^2 - 4*a*c, 0] && !IntegerQ[n]
```

#### Rule 3529

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) +
(f_)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))
/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])
^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a,
b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]
```

Rule 3531

```
Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/((a_) + (b_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]
```

Rule 3530

```
Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/((a_) + (b_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[(c*Log[RemoveContent[a*Cos[e + f*x] + b*Sin[e + f*x], x]])/(b*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[a*c + b*d, 0]
```

Rubi steps

$$\int \frac{a + b \tan(d + ex)}{(b^2 + 2ab \tan(d + ex) + a^2 \tan^2(d + ex))^{3/2}} dx = \frac{(2ab + 2a^2 \tan(d + ex))^3 \int \frac{a + b \tan(d + ex)}{(2ab + 2a^2 \tan(d + ex))^3} dx}{(b^2 + 2ab \tan(d + ex) + a^2 \tan^2(d + ex))^{3/2}}$$

$$= -\frac{(a^2 - b^2)(b + a \tan(d + ex))}{2(a^2 + b^2)e(b^2 + 2ab \tan(d + ex) + a^2 \tan^2(d + ex))^{3/2}} + \frac{(2ab)}{4a^2(a^2 + b^2)}$$

$$= -\frac{(a^2 - b^2)(b + a \tan(d + ex))}{2(a^2 + b^2)e(b^2 + 2ab \tan(d + ex) + a^2 \tan^2(d + ex))^{3/2}} - \frac{(2ab)}{(a^2 + b^2)}$$

$$= -\frac{(a^2 - b^2)(b + a \tan(d + ex))}{2(a^2 + b^2)e(b^2 + 2ab \tan(d + ex) + a^2 \tan^2(d + ex))^{3/2}} - \frac{(2ab)}{(a^2 + b^2)}$$

$$= -\frac{(a^2 - b^2)(b + a \tan(d + ex))}{2(a^2 + b^2)e(b^2 + 2ab \tan(d + ex) + a^2 \tan^2(d + ex))^{3/2}} - \frac{(2ab)}{(a^2 + b^2)}$$

**Mathematica [C]** time = 3.18623, size = 268, normalized size = 0.85

$$\frac{(a \tan(d + ex) + b)^3 \left( b \left( \frac{2a \left( 2b \log(a \tan(d + ex) + b) - \frac{a^2 + b^2}{a \tan(d + ex) + b} \right)}{(a^2 + b^2)^2} + \frac{i \log(-\tan(d + ex) + i)}{(a - ib)^2} - \frac{i \log(\tan(d + ex) + i)}{(a + ib)^2} \right) + (a - b)(a + b) \left( \frac{a \left( -\frac{(a^2 + b^2)(a \tan(d + ex) + b)}{a} \right)}{(a^2 + b^2)^2} \right)}{2ae((a \tan(d + ex) + b)^2)^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Tan[d + e*x])/(b^2 + 2*a*b*Tan[d + e*x] + a^2*Tan[d + e*x]^2)^(3/2), x]
```

```
[Out] ((b + a*Tan[d + e*x])^3*(b*((I*Log[I - Tan[d + e*x]])/(a - I*b)^2 - (I*Log[I + Tan[d + e*x]])/(a + I*b)^2 + (2*a*(2*b*Log[b + a*Tan[d + e*x]] - (a^2 + b^2)/(b + a*Tan[d + e*x]))/(a^2 + b^2)^2) + (a - b)*(a + b)*(Log[I - Tan[d + e*x]]/(a - I*b)^3 + Log[I + Tan[d + e*x]]/(a + I*b)^3 + (a*(-2*(a^2 - 3*b^2)*Log[b + a*Tan[d + e*x]] - ((a^2 + b^2)*(a^2 + 5*b^2 + 4*a*b*Tan[d + e*x]))/(b + a*Tan[d + e*x]^2)))/(a^2 + b^2)^3)))/(2*a*e*((b + a*Tan[d + e*x])^2)^(3/2))
```

---

**Maple [B]** time = 0.094, size = 622, normalized size = 2.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+b*\tan(e*x+d))/(b^2+2*a*b*\tan(e*x+d)+a^2*\tan(e*x+d)^2)^{(3/2)}, x)$

[Out] 
$$-1/2/e*(a^6+2*\ln(b+a*\tan(e*x+d))*b^6-\ln(1+\tan(e*x+d)^2)*b^6+3*a^2*b^4+7*a^4*b^2-\ln(1+\tan(e*x+d)^2)*\tan(e*x+d)^2*a^6-3*b^6-12*\ln(b+a*\tan(e*x+d))*a^2*b^4-\ln(1+\tan(e*x+d)^2)*a^4*b^2+6*\ln(1+\tan(e*x+d)^2)*a^2*b^4+8*\arctan(\tan(e*x+d))*a^3*b^3-8*\arctan(\tan(e*x+d))*a*b^5+2*\ln(b+a*\tan(e*x+d))*\tan(e*x+d)^2*a^6-2*\tan(e*x+d)*a*b^5+6*\tan(e*x+d)*a^5*b+4*\tan(e*x+d)*a^3*b^3+2*\ln(b+a*\tan(e*x+d))*a^4*b^2+4*\ln(b+a*\tan(e*x+d))*\tan(e*x+d)*a^5*b-24*\ln(b+a*\tan(e*x+d))*\tan(e*x+d)*a^3*b^3+4*\ln(b+a*\tan(e*x+d))*\tan(e*x+d)*a*b^5-2*\ln(1+\tan(e*x+d)^2)*\tan(e*x+d)*a^5*b+12*\ln(1+\tan(e*x+d)^2)*\tan(e*x+d)*a^3*b^3-2*\ln(1+\tan(e*x+d)^2)*\tan(e*x+d)*a*b^5+16*\arctan(\tan(e*x+d))*\tan(e*x+d)*a^4*b^2-16*\arctan(\tan(e*x+d))*\tan(e*x+d)*a^2*b^4-12*\ln(b+a*\tan(e*x+d))*\tan(e*x+d)^2*a^4*b^2+2*\ln(b+a*\tan(e*x+d))*\tan(e*x+d)^2*a^2*b^4+6*\ln(1+\tan(e*x+d)^2)*\tan(e*x+d)^2*a^4*b^2-\ln(1+\tan(e*x+d)^2)*\tan(e*x+d)^2*a^2*b^4+8*\arctan(\tan(e*x+d))*\tan(e*x+d)^2*a^5*b-8*\arctan(\tan(e*x+d))*\tan(e*x+d)^2*a^3*b^3*(b+a*\tan(e*x+d))/(a^2+b^2)^3/((b+a*\tan(e*x+d))^2)^{(3/2)}$$

---

**Maxima [A]** time = 1.54713, size = 672, normalized size = 2.13

$$\left( \frac{2(3a^2b-b^3)(ex+d)}{a^6+3a^4b^2+3a^2b^4+b^6} + \frac{2(a^3-3ab^2)\log(a\tan(ex+d)+b)}{a^6+3a^4b^2+3a^2b^4+b^6} - \frac{(a^3-3ab^2)\log(\tan(ex+d)^2+1)}{a^6+3a^4b^2+3a^2b^4+b^6} + \frac{4a^2b\tan(ex+d)+a^3+5ab^2}{a^4b^2+2a^2b^4+b^6+(a^6+2a^4b^2+a^2b^4)\tan(ex+d)^2+2(a^5b^2+2a^3b^4+b^6)\tan(ex+d)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((a+b*\tan(e*x+d))/(b^2+2*a*b*\tan(e*x+d)+a^2*\tan(e*x+d)^2)^{(3/2)}, x, \text{algorithm}="maxima")$

[Out] 
$$-1/2*((2*(3*a^2*b - b^3)*(e*x + d)/(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) + 2*(a^3 - 3*a*b^2)*\log(a*\tan(e*x + d) + b)/(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) - (a^3 - 3*a*b^2)*\log(\tan(e*x + d)^2 + 1)/(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) + (4*a^2*b*\tan(e*x + d) + a^3 + 5*a*b^2)/(a^4*b^2 + 2*a^2*b^4 + b^6 + (a^6 + 2*a^4*b^2 + a^2*b^4)*\tan(e*x + d)^2 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*\tan(e*x + d)))*a + (2*(a^3 - 3*a*b^2)*(e*x + d)/(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) - 2*(3*a^2*b - b^3)*\log(a*\tan(e*x + d) + b)/(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) + (3*a^2*b - b^3)*\log(\tan(e*x + d)^2 + 1)/(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) + (a^2*b - 3*b^3 + 2*(a^3 - a*b^2)*\tan(e*x + d))/(a^4*b^2 + 2*a^2*b^4 + b^6 + (a^6 + 2*a^4*b^2 + a^2*b^4)*\tan(e*x + d)^2 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*\tan(e*x + d)))*b)/e$$

---

**Fricas [A]** time = 1.73784, size = 764, normalized size = 2.42

$$\frac{a^6 + 8a^4b^2 - 5a^2b^4 + 8(a^3b^3 - ab^5)ex + (a^6 - 8a^4b^2 + 3a^2b^4 + 8(a^5b - a^3b^3)ex)\tan(ex+d)^2 + (a^4b^2 - 6a^2b^4 + b^6)\tan(ex+d)}{2((a^8 + 3a^6b^2 + 3a^4b^4 + a^2b^6)e\tan(ex+d) + (a^6 + 3a^4b^2 + 3a^2b^4 + b^6)\tan(ex+d)^2 + (a^4b^2 + 2a^2b^4 + b^6)\tan(ex+d)^3 + (a^2b^4 + b^6)\tan(ex+d)^4 + b^6\tan(ex+d)^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(e*x+d))/(b^2+2*a*b*tan(e*x+d)+a^2*tan(e*x+d)^2)^(3/2),x,
algorithm="fricas")
```

```
[Out] -1/2*(a^6 + 8*a^4*b^2 - 5*a^2*b^4 + 8*(a^3*b^3 - a*b^5)*e*x + (a^6 - 8*a^4*
b^2 + 3*a^2*b^4 + 8*(a^5*b - a^3*b^3)*e*x)*tan(e*x + d)^2 + (a^4*b^2 - 6*a^
2*b^4 + b^6 + (a^6 - 6*a^4*b^2 + a^2*b^4)*tan(e*x + d)^2 + 2*(a^5*b - 6*a^3
*b^3 + a*b^5)*tan(e*x + d))*log((a^2*tan(e*x + d)^2 + 2*a*b*tan(e*x + d) +
b^2)/(tan(e*x + d)^2 + 1)) + 4*(2*a^5*b - 3*a^3*b^3 + a*b^5 + 4*(a^4*b^2 -
a^2*b^4)*e*x)*tan(e*x + d))/((a^8 + 3*a^6*b^2 + 3*a^4*b^4 + a^2*b^6)*e*tan(
e*x + d)^2 + 2*(a^7*b + 3*a^5*b^3 + 3*a^3*b^5 + a*b^7)*e*tan(e*x + d) + (a^
6*b^2 + 3*a^4*b^4 + 3*a^2*b^6 + b^8)*e)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \tan(d + ex)}{((a \tan(d + ex) + b)^2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(e*x+d))/(b**2+2*a*b*tan(e*x+d)+a**2*tan(e*x+d)**2)^(3/2),x)
```

```
[Out] Integral((a + b*tan(d + e*x))/((a*tan(d + e*x) + b)**2)^(3/2), x)
```

**Giac [B]** time = 3.00569, size = 2121, normalized size = 6.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(e*x+d))/(b^2+2*a*b*tan(e*x+d)+a^2*tan(e*x+d)^2)^(3/2),x,
algorithm="giac")
```

```
[Out] 1/2*(4*(a^3*b - a*b^3)*(pi*sgn(tan(1/2*x*e + 1/2*d)) + 2*arctan(1/2*(tan(1/
2*x*e + 1/2*d)^2 - 1)/tan(1/2*x*e + 1/2*d)))/(a^6*sgn(-b*tan(1/2*x*e + 1/2*
d)^4 + 2*a*tan(1/2*x*e + 1/2*d)^3 + 2*b*tan(1/2*x*e + 1/2*d)^2 - 2*a*tan(1/
2*x*e + 1/2*d) - b) + 3*a^4*b^2*sgn(-b*tan(1/2*x*e + 1/2*d)^4 + 2*a*tan(1/2
*x*e + 1/2*d)^3 + 2*b*tan(1/2*x*e + 1/2*d)^2 - 2*a*tan(1/2*x*e + 1/2*d) - b
) + 3*a^2*b^4*sgn(-b*tan(1/2*x*e + 1/2*d)^4 + 2*a*tan(1/2*x*e + 1/2*d)^3 +
2*b*tan(1/2*x*e + 1/2*d)^2 - 2*a*tan(1/2*x*e + 1/2*d) - b) + b^6*sgn(-b*tan
(1/2*x*e + 1/2*d)^4 + 2*a*tan(1/2*x*e + 1/2*d)^3 + 2*b*tan(1/2*x*e + 1/2*d)
^2 - 2*a*tan(1/2*x*e + 1/2*d) - b)) - (a^4 - 6*a^2*b^2 + b^4)*log((1/tan(1/
2*x*e + 1/2*d) - tan(1/2*x*e + 1/2*d))^2 + 4)/(a^6*sgn(-b*tan(1/2*x*e + 1/2
*d)^4 + 2*a*tan(1/2*x*e + 1/2*d)^3 + 2*b*tan(1/2*x*e + 1/2*d)^2 - 2*a*tan(1
/2*x*e + 1/2*d) - b) + 3*a^4*b^2*sgn(-b*tan(1/2*x*e + 1/2*d)^4 + 2*a*tan(1/
2*x*e + 1/2*d)^3 + 2*b*tan(1/2*x*e + 1/2*d)^2 - 2*a*tan(1/2*x*e + 1/2*d) -
b) + 3*a^2*b^4*sgn(-b*tan(1/2*x*e + 1/2*d)^4 + 2*a*tan(1/2*x*e + 1/2*d)^3 +
2*b*tan(1/2*x*e + 1/2*d)^2 - 2*a*tan(1/2*x*e + 1/2*d) - b) + b^6*sgn(-b*ta
n(1/2*x*e + 1/2*d)^4 + 2*a*tan(1/2*x*e + 1/2*d)^3 + 2*b*tan(1/2*x*e + 1/2*d)
^2 - 2*a*tan(1/2*x*e + 1/2*d) - b)) + 2*(a^4*b - 6*a^2*b^3 + b^5)*log(abs(
-b*(1/tan(1/2*x*e + 1/2*d) - tan(1/2*x*e + 1/2*d)) - 2*a))/(a^6*b*sgn(-b*ta
n(1/2*x*e + 1/2*d)^4 + 2*a*tan(1/2*x*e + 1/2*d)^3 + 2*b*tan(1/2*x*e + 1/2*d)
^2 - 2*a*tan(1/2*x*e + 1/2*d) - b) + 3*a^4*b^3*sgn(-b*tan(1/2*x*e + 1/2*d)
```

$$\begin{aligned}
&^4 + 2*a*\tan(1/2*x*e + 1/2*d)^3 + 2*b*\tan(1/2*x*e + 1/2*d)^2 - 2*a*\tan(1/2*x*e + 1/2*d) - b) + 3*a^2*b^5*\operatorname{sgn}(-b*\tan(1/2*x*e + 1/2*d)^4 + 2*a*\tan(1/2*x*e + 1/2*d)^3 + 2*b*\tan(1/2*x*e + 1/2*d)^2 - 2*a*\tan(1/2*x*e + 1/2*d) - b) \\
&+ b^7*\operatorname{sgn}(-b*\tan(1/2*x*e + 1/2*d)^4 + 2*a*\tan(1/2*x*e + 1/2*d)^3 + 2*b*\tan(1/2*x*e + 1/2*d)^2 - 2*a*\tan(1/2*x*e + 1/2*d) - b)) - (3*a^4*b^4*(1/\tan(1/2*x*e + 1/2*d) - \tan(1/2*x*e + 1/2*d))^2 - 18*a^2*b^6*(1/\tan(1/2*x*e + 1/2*d) - \tan(1/2*x*e + 1/2*d))^2 + 3*b^8*(1/\tan(1/2*x*e + 1/2*d) - \tan(1/2*x*e + 1/2*d))^2 + 4*a^7*b*(1/\tan(1/2*x*e + 1/2*d) - \tan(1/2*x*e + 1/2*d)) + 28*a^5*b^3*(1/\tan(1/2*x*e + 1/2*d) - \tan(1/2*x*e + 1/2*d)) - 68*a^3*b^5*(1/\tan(1/2*x*e + 1/2*d) - \tan(1/2*x*e + 1/2*d)) + 4*a*b^7*(1/\tan(1/2*x*e + 1/2*d) - \tan(1/2*x*e + 1/2*d)) + 4*a^8 + 40*a^6*b^2 - 60*a^4*b^4)/((a^6*b^2*\operatorname{sgn}(-b*\tan(1/2*x*e + 1/2*d)^4 + 2*a*\tan(1/2*x*e + 1/2*d)^3 + 2*b*\tan(1/2*x*e + 1/2*d)^2 - 2*a*\tan(1/2*x*e + 1/2*d) - b) + 3*a^4*b^4*\operatorname{sgn}(-b*\tan(1/2*x*e + 1/2*d)^4 + 2*a*\tan(1/2*x*e + 1/2*d)^3 + 2*b*\tan(1/2*x*e + 1/2*d)^2 - 2*a*\tan(1/2*x*e + 1/2*d) - b) + 3*a^2*b^6*\operatorname{sgn}(-b*\tan(1/2*x*e + 1/2*d)^4 + 2*a*\tan(1/2*x*e + 1/2*d)^3 + 2*b*\tan(1/2*x*e + 1/2*d)^2 - 2*a*\tan(1/2*x*e + 1/2*d) - b) + b^8*\operatorname{sgn}(-b*\tan(1/2*x*e + 1/2*d)^4 + 2*a*\tan(1/2*x*e + 1/2*d)^3 + 2*b*\tan(1/2*x*e + 1/2*d)^2 - 2*a*\tan(1/2*x*e + 1/2*d) - b))*(b*(1/\tan(1/2*x*e + 1/2*d) - \tan(1/2*x*e + 1/2*d)) + 2*a)^2))*e^{-1}
\end{aligned}$$

### 3.518 $\int (a+b \sec(d+ex)) (b^2 + 2ab \sec(d+ex) + a^2 \sec^2(d+ex))^2 dx$

**Optimal.** Leaf size=184

$$\frac{a(50a^2b^2 + 4a^4 + 19b^4) \tan(d+ex)}{6e} + \frac{b(56a^2b^2 + 19a^4 + 8b^4) \tanh^{-1}(\sin(d+ex))}{8e} + \frac{a^2b(41a^2 + 26b^2) \tan(d+ex) \sec(d+ex)}{24e}$$

```
[Out] a*b^4*x + (b*(19*a^4 + 56*a^2*b^2 + 8*b^4)*ArcTanh[Sin[d + e*x]])/(8*e) + (
a*(4*a^4 + 50*a^2*b^2 + 19*b^4)*Tan[d + e*x])/(6*e) + (a^2*b*(41*a^2 + 26*b
^2)*Sec[d + e*x]*Tan[d + e*x])/(24*e) + ((4*a^2 + 7*b^2)*(a*b + a^2*Sec[d +
e*x])^2*Tan[d + e*x])/(12*a*e) + (b*(a*b + a^2*Sec[d + e*x])^3*Tan[d + e*x
])/ (4*a^2*e)
```

**Rubi [A]** time = 0.429861, antiderivative size = 184, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 39,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.18$ , Rules used = {4172, 3918, 4056, 4048, 3770, 3767, 8}

$$\frac{a(50a^2b^2 + 4a^4 + 19b^4) \tan(d+ex)}{6e} + \frac{b(56a^2b^2 + 19a^4 + 8b^4) \tanh^{-1}(\sin(d+ex))}{8e} + \frac{a^2b(41a^2 + 26b^2) \tan(d+ex) \sec(d+ex)}{24e}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Sec[d + e*x])*(b^2 + 2*a*b*Sec[d + e*x] + a^2*Sec[d + e*x]^2)^2,
x]
```

```
[Out] a*b^4*x + (b*(19*a^4 + 56*a^2*b^2 + 8*b^4)*ArcTanh[Sin[d + e*x]])/(8*e) + (
a*(4*a^4 + 50*a^2*b^2 + 19*b^4)*Tan[d + e*x])/(6*e) + (a^2*b*(41*a^2 + 26*b
^2)*Sec[d + e*x]*Tan[d + e*x])/(24*e) + ((4*a^2 + 7*b^2)*(a*b + a^2*Sec[d +
e*x])^2*Tan[d + e*x])/(12*a*e) + (b*(a*b + a^2*Sec[d + e*x])^3*Tan[d + e*x
])/ (4*a^2*e)
```

#### Rule 4172

```
Int[((A_) + (B_)*sec[(d_) + (e_)*(x_)])*((a_) + (b_)*sec[(d_) + (e_)*
(x_)]) + (c_)*sec[(d_) + (e_)*(x_)]^(n_), x_Symbol] := Dist[1/(4^n*c^n
), Int[(A + B*Sec[d + e*x])*(b + 2*c*Sec[d + e*x])^(2*n), x], x] /; FreeQ[{
a, b, c, d, e, A, B}, x] && EqQ[b^2 - 4*a*c, 0] && IntegerQ[n]
```

#### Rule 3918

```
Int[(csc[(e_) + (f_)*(x_)]*(b_) + (a_))^(m_)*(csc[(e_) + (f_)*(x_)]*(d
_) + (c_)), x_Symbol] := -Simp[(b*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m -
1))/(f*m), x] + Dist[1/m, Int[(a + b*Csc[e + f*x])^(m - 2)*Simp[a^2*c*m +
(b^2*d*(m - 1) + 2*a*b*c*m + a^2*d*m)*Csc[e + f*x] + b*(b*c*m + a*d*(2*m -
1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0] && GtQ[m, 1] && NeQ[a^2 - b^2, 0] && IntegerQ[2*m]
```

#### Rule 4056

```
Int[((A_) + csc[(e_) + (f_)*(x_)]*(B_) + csc[(e_) + (f_)*(x_)]^2*(C_
))*(csc[(e_) + (f_)*(x_)]*(b_) + (a_))^(m_), x_Symbol] := -Simp[(C*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a +
b*Csc[e + f*x])^(m - 1)*Simp[a*A*(m + 1) + ((A*b + a*B)*(m + 1) + b*C*m)*C
sc[e + f*x] + (b*B*(m + 1) + a*C*m)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && IGtQ[2*m, 0]
```

Rule 4048

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)
)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := -Simp[(b*C*Csc[e +
f*x]*Cot[e + f*x])/(2*f), x] + Dist[1/2, Int[Simp[2*A*a + (2*B*a + b*(2*A +
C))*Csc[e + f*x] + 2*(a*C + B*b)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b
, e, f, A, B, C}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned} \int (a + b \sec(d + ex)) (b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex))^2 dx &= \frac{\int (2ab + 2a^2 \sec(d + ex))^4 (a + b \sec(d + ex)) dx}{16a^4} \\ &= \frac{b (ab + a^2 \sec(d + ex))^3 \tan(d + ex)}{4a^2 e} + \frac{\int (2ab + 2a^2 \sec(d + ex))^4 dx}{16a^4} \\ &= \frac{(4a^2 + 7b^2) (ab + a^2 \sec(d + ex))^2 \tan(d + ex)}{12ae} + \frac{\int (2ab + 2a^2 \sec(d + ex))^4 dx}{16a^4} \\ &= \frac{a^2 b (41a^2 + 26b^2) \sec(d + ex) \tan(d + ex)}{24e} + \frac{(4a^2 + 7b^2) (ab + a^2 \sec(d + ex))^2 \tan(d + ex)}{12ae} \\ &= ab^4 x + \frac{a^2 b (41a^2 + 26b^2) \sec(d + ex) \tan(d + ex)}{24e} \\ &= ab^4 x + \frac{b (19a^4 + 56a^2 b^2 + 8b^4) \tanh^{-1}(\sin(d + ex))}{8e} \\ &= ab^4 x + \frac{b (19a^4 + 56a^2 b^2 + 8b^4) \tanh^{-1}(\sin(d + ex))}{8e} \end{aligned}$$

**Mathematica [A]** time = 0.80197, size = 130, normalized size = 0.71

$$\frac{8a^3 (a^2 + 4b^2) \tan^3(d + ex) + 3b (56a^2 b^2 + 19a^4 + 8b^4) \tanh^{-1}(\sin(d + ex)) + 3a \tan(d + ex) (ab (19a^2 + 24b^2) \sec(d + ex) + 2ab^2)}{24e}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Sec[d + e*x])*(b^2 + 2*a*b*Sec[d + e*x] + a^2*Sec[d + e*x]^2)^2,x]
```

```
[Out] (24*a*b^4*e*x + 3*b*(19*a^4 + 56*a^2*b^2 + 8*b^4)*ArcTanh[Sin[d + e*x]] + 3
*a*(8*(a^4 + 10*a^2*b^2 + 4*b^4) + a*b*(19*a^2 + 24*b^2)*Sec[d + e*x] + 2*a
^3*b*Sec[d + e*x]^3)*Tan[d + e*x] + 8*a^3*(a^2 + 4*b^2)*Tan[d + e*x]^3)/(24
```

\*e)

---

**Maple [A]** time = 0.073, size = 246, normalized size = 1.3

$$ab^4x + \frac{ab^4d}{e} + 7 \frac{a^2b^3 \ln(\sec(ex+d) + \tan(ex+d))}{e} + \frac{26a^3b^2 \tan(ex+d)}{3e} + \frac{19a^4b \sec(ex+d) \tan(ex+d)}{8e} + \frac{19a^4b \ln(\sec(ex+d) + \tan(ex+d))}{8e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*sec(e\*x+d))\*(b^2+2\*a\*b\*sec(e\*x+d)+a^2\*sec(e\*x+d)^2)^2,x)

[Out] a\*b^4\*x+1/e\*a\*b^4\*d+7/e\*a^2\*b^3\*ln(sec(e\*x+d)+tan(e\*x+d))+26/3/e\*a^3\*b^2\*tan(e\*x+d)+19/8/e\*a^4\*b\*sec(e\*x+d)\*tan(e\*x+d)+19/8/e\*a^4\*b\*ln(sec(e\*x+d)+tan(e\*x+d))+2/3/e\*a^5\*tan(e\*x+d)+1/3/e\*a^5\*tan(e\*x+d)\*sec(e\*x+d)^2+1/e\*b^5\*ln(sec(e\*x+d)+tan(e\*x+d))+4/e\*a\*b^4\*tan(e\*x+d)+3/e\*a^2\*b^3\*sec(e\*x+d)\*tan(e\*x+d)+4/3/e\*a^3\*b^2\*tan(e\*x+d)\*sec(e\*x+d)^2+1/4/e\*a^4\*b\*tan(e\*x+d)\*sec(e\*x+d)^3

---

**Maxima [A]** time = 1.03341, size = 404, normalized size = 2.2

$$16(\tan(ex+d)^3 + 3 \tan(ex+d))a^5 + 64(\tan(ex+d)^3 + 3 \tan(ex+d))a^3b^2 + 48(ex+d)ab^4 - 3a^4b \left( \frac{2(3 \sin(ex+d)^3 - 5 \sin(ex+d))}{\sin(ex+d)^4 - 2 \sin(ex+d)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sec(e\*x+d))\*(b^2+2\*a\*b\*sec(e\*x+d)+a^2\*sec(e\*x+d)^2)^2,x, algorithm="maxima")

[Out] 1/48\*(16\*(tan(e\*x + d)^3 + 3\*tan(e\*x + d))\*a^5 + 64\*(tan(e\*x + d)^3 + 3\*tan(e\*x + d))\*a^3\*b^2 + 48\*(e\*x + d)\*a\*b^4 - 3\*a^4\*b\*(2\*(3\*sin(e\*x + d)^3 - 5\*sin(e\*x + d))/(sin(e\*x + d)^4 - 2\*sin(e\*x + d)^2 + 1) - 3\*log(sin(e\*x + d) + 1) + 3\*log(sin(e\*x + d) - 1)) - 48\*a^4\*b\*(2\*sin(e\*x + d)/(sin(e\*x + d)^2 - 1) - log(sin(e\*x + d) + 1) + log(sin(e\*x + d) - 1)) - 72\*a^2\*b^3\*(2\*sin(e\*x + d)/(sin(e\*x + d)^2 - 1) - log(sin(e\*x + d) + 1) + log(sin(e\*x + d) - 1)) + 192\*a^2\*b^3\*log(sec(e\*x + d) + tan(e\*x + d)) + 48\*b^5\*log(sec(e\*x + d) + tan(e\*x + d)) + 288\*a^3\*b^2\*tan(e\*x + d) + 192\*a\*b^4\*tan(e\*x + d))/e

---

**Fricas [A]** time = 1.97682, size = 481, normalized size = 2.61

$$48 ab^4 ex \cos(ex+d)^4 + 3(19a^4b + 56a^2b^3 + 8b^5) \cos(ex+d)^4 \log(\sin(ex+d) + 1) - 3(19a^4b + 56a^2b^3 + 8b^5) \cos(ex+d)^4 \log(-\sin(ex+d) + 1) + 2(6a^4b + 16(a^5 + 13a^3b^2 + 6ab^4) \cos(ex+d)^3 + 3(19a^4b + 24a^2b^3) \cos(ex+d)^2 + 8(a^5 + 4a^3b^2 + 4ab^4) \cos(ex+d) + 3a^5) \cos(ex+d)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sec(e\*x+d))\*(b^2+2\*a\*b\*sec(e\*x+d)+a^2\*sec(e\*x+d)^2)^2,x, algorithm="fricas")

[Out] 1/48\*(48\*a\*b^4\*e\*x\*cos(e\*x + d)^4 + 3\*(19\*a^4\*b + 56\*a^2\*b^3 + 8\*b^5)\*cos(e\*x + d)^4\*log(sin(e\*x + d) + 1) - 3\*(19\*a^4\*b + 56\*a^2\*b^3 + 8\*b^5)\*cos(e\*x + d)^4\*log(-sin(e\*x + d) + 1) + 2\*(6\*a^4\*b + 16\*(a^5 + 13\*a^3\*b^2 + 6\*a\*b^4)\*cos(e\*x + d)^3 + 3\*(19\*a^4\*b + 24\*a^2\*b^3)\*cos(e\*x + d)^2 + 8\*(a^5 + 4\*a^3\*b^2 + 4\*a\*b^4)\*cos(e\*x + d) + 3\*a^5)cos(e\*x + d)



$$^3b^2)\cos(ex + d)\sin(ex + d))/(e\cos(ex + d)^4)$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \sec(d + ex))(a \sec(d + ex) + b)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sec(ex+d))\*(b\*\*2+2\*a\*b\*sec(ex+d)+a\*\*2\*sec(ex+d)\*\*2)\*\*2,x)

[Out] Integral((a + b\*sec(d + ex))\*(a\*sec(d + ex) + b)\*\*4, x)

**Giac [B]** time = 1.28002, size = 635, normalized size = 3.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sec(ex+d))\*(b^2+2\*a\*b\*sec(ex+d)+a^2\*sec(ex+d)^2)^2,x, algorithm="giac")

[Out] 
$$\frac{1}{24} \cdot (24 \cdot (x \cdot e + d) \cdot a \cdot b^4 + 3 \cdot (19 \cdot a^4 \cdot b + 56 \cdot a^2 \cdot b^3 + 8 \cdot b^5) \cdot \log(\abs{\tan(1/2 \cdot x \cdot e + 1/2 \cdot d) + 1}) - 3 \cdot (19 \cdot a^4 \cdot b + 56 \cdot a^2 \cdot b^3 + 8 \cdot b^5) \cdot \log(\abs{\tan(1/2 \cdot x \cdot e + 1/2 \cdot d) - 1}) - 2 \cdot (24 \cdot a^5 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^7 - 63 \cdot a^4 \cdot b \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^7 + 240 \cdot a^3 \cdot b^2 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^7 - 72 \cdot a^2 \cdot b^3 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^7 + 96 \cdot a \cdot b^4 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^7 - 40 \cdot a^5 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^5 + 39 \cdot a^4 \cdot b \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^5 - 592 \cdot a^3 \cdot b^2 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^5 + 72 \cdot a^2 \cdot b^3 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^5 - 288 \cdot a \cdot b^4 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^5 + 40 \cdot a^5 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^3 + 39 \cdot a^4 \cdot b \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^3 + 592 \cdot a^3 \cdot b^2 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^3 + 72 \cdot a^2 \cdot b^3 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^3 + 288 \cdot a \cdot b^4 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^3 - 24 \cdot a^5 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d) - 63 \cdot a^4 \cdot b \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d) - 240 \cdot a^3 \cdot b^2 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d) - 72 \cdot a^2 \cdot b^3 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d) - 96 \cdot a \cdot b^4 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)) / (\tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^2 - 1)^4 \cdot e^{-1}$$

### 3.519 $\int (a+b \sec(d+ex)) (b^2 + 2ab \sec(d+ex) + a^2 \sec^2(d+ex))$

**Optimal.** Leaf size=76

$$\frac{a(a^2 + 2b^2) \tan(d+ex)}{e} + \frac{b(5a^2 + 2b^2) \tanh^{-1}(\sin(d+ex))}{2e} + \frac{a^2 b \tan(d+ex) \sec(d+ex)}{2e} + ab^2 x$$

[Out] a\*b^2\*x + (b\*(5\*a^2 + 2\*b^2)\*ArcTanh[Sin[d + e\*x]])/(2\*e) + (a\*(a^2 + 2\*b^2)\*Tan[d + e\*x])/e + (a^2\*b\*Sec[d + e\*x]\*Tan[d + e\*x])/(2\*e)

**Rubi [A]** time = 0.0783303, antiderivative size = 76, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 37,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.108$ , Rules used = {4048, 3770, 3767, 8}

$$\frac{a(a^2 + 2b^2) \tan(d+ex)}{e} + \frac{b(5a^2 + 2b^2) \tanh^{-1}(\sin(d+ex))}{2e} + \frac{a^2 b \tan(d+ex) \sec(d+ex)}{2e} + ab^2 x$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Sec[d + e\*x])\*(b^2 + 2\*a\*b\*Sec[d + e\*x] + a^2\*Sec[d + e\*x]^2),x]

[Out] a\*b^2\*x + (b\*(5\*a^2 + 2\*b^2)\*ArcTanh[Sin[d + e\*x]])/(2\*e) + (a\*(a^2 + 2\*b^2)\*Tan[d + e\*x])/e + (a^2\*b\*Sec[d + e\*x]\*Tan[d + e\*x])/(2\*e)

#### Rule 4048

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_)])\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_)]^2\*(C\_.))\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)), x\_Symbol] := -Simp[(b\*C\*Csc[e + f\*x]\*Cot[e + f\*x])/(2\*f), x] + Dist[1/2, Int[Simp[2\*A\*a + (2\*B\*a + b\*(2\*A + C))\*Csc[e + f\*x] + 2\*(a\*C + B\*b)\*Csc[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x], Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned}
\int (a + b \sec(d + ex)) (b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex)) dx &= \frac{a^2 b \sec(d + ex) \tan(d + ex)}{2e} + \frac{1}{2} \int (2ab^2 + b(5a^2 \\
&= ab^2 x + \frac{a^2 b \sec(d + ex) \tan(d + ex)}{2e} + (a(a^2 + 2b^2) \\
&= ab^2 x + \frac{b(5a^2 + 2b^2) \tanh^{-1}(\sin(d + ex))}{2e} + \frac{a^2 b \sec(d + ex)}{2e} \\
&= ab^2 x + \frac{b(5a^2 + 2b^2) \tanh^{-1}(\sin(d + ex))}{2e} + \frac{a(a^2 + 2b^2) \sec(d + ex)}{2e}
\end{aligned}$$

**Mathematica [A]** time = 0.265345, size = 64, normalized size = 0.84

$$\frac{b(5a^2 + 2b^2) \tanh^{-1}(\sin(d + ex)) + a \tan(d + ex) (2a^2 + ab \sec(d + ex) + 4b^2) + 2ab^2 ex}{2e}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Sec[d + e\*x])\*(b^2 + 2\*a\*b\*Sec[d + e\*x] + a^2\*Sec[d + e\*x]^2), x]

[Out] (2\*a\*b^2\*e\*x + b\*(5\*a^2 + 2\*b^2)\*ArcTanh[Sin[d + e\*x]] + a\*(2\*a^2 + 4\*b^2 + a\*b\*Sec[d + e\*x])\*Tan[d + e\*x])/(2\*e)

**Maple [A]** time = 0.039, size = 110, normalized size = 1.5

$$ab^2 x + \frac{ab^2 d}{e} + \frac{5a^2 b \ln(\sec(ex + d) + \tan(ex + d))}{2e} + \frac{a^3 \tan(ex + d)}{e} + \frac{b^3 \ln(\sec(ex + d) + \tan(ex + d))}{e} + 2 \frac{ab^2 \tan(ex + d)}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*sec(e\*x+d))\*(b^2+2\*a\*b\*sec(e\*x+d)+a^2\*sec(e\*x+d)^2), x)

[Out] a\*b^2\*x+1/e\*a\*b^2\*d+5/2/e\*a^2\*b\*ln(sec(e\*x+d)+tan(e\*x+d))+1/e\*a^3\*tan(e\*x+d)+1/e\*b^3\*ln(sec(e\*x+d)+tan(e\*x+d))+2\*a\*b^2\*tan(e\*x+d)/e+1/2\*a^2\*b\*sec(e\*x+d)\*tan(e\*x+d)/e

**Maxima [A]** time = 1.0208, size = 170, normalized size = 2.24

$$\frac{4(ex + d)ab^2 - a^2 b \left( \frac{2 \sin(ex + d)}{\sin(ex + d)^2 - 1} - \log(\sin(ex + d) + 1) + \log(\sin(ex + d) - 1) \right) + 8a^2 b \log(\sec(ex + d) + \tan(ex + d))}{4e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sec(e\*x+d))\*(b^2+2\*a\*b\*sec(e\*x+d)+a^2\*sec(e\*x+d)^2), x, algorith="maxima")

[Out] 1/4\*(4\*(e\*x + d)\*a\*b^2 - a^2\*b\*(2\*sin(e\*x + d)/(sin(e\*x + d)^2 - 1) - log(sin(e\*x + d) + 1) + log(sin(e\*x + d) - 1)) + 8\*a^2\*b\*log(sec(e\*x + d) + tan(e\*x + d)) + 4\*b^3\*log(sec(e\*x + d) + tan(e\*x + d)) + 4\*a^3\*tan(e\*x + d) + 8\*a\*b^2\*tan(e\*x + d))/e

---

**Fricas [A]** time = 1.74779, size = 305, normalized size = 4.01

$$\frac{4ab^2ex \cos(ex+d)^2 + (5a^2b + 2b^3) \cos(ex+d)^2 \log(\sin(ex+d) + 1) - (5a^2b + 2b^3) \cos(ex+d)^2 \log(-\sin(ex+d) + 1)}{4e \cos(ex+d)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sec(e\*x+d))\*(b^2+2\*a\*b\*sec(e\*x+d)+a^2\*sec(e\*x+d)^2),x, algorithm="fricas")

[Out] 1/4\*(4\*a\*b^2\*e\*x\*cos(e\*x + d)^2 + (5\*a^2\*b + 2\*b^3)\*cos(e\*x + d)^2\*log(sin(e\*x + d) + 1) - (5\*a^2\*b + 2\*b^3)\*cos(e\*x + d)^2\*log(-sin(e\*x + d) + 1) + 2\*(a^2\*b + 2\*(a^3 + 2\*a\*b^2)\*cos(e\*x + d))\*sin(e\*x + d))/(e\*cos(e\*x + d)^2)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \sec(d + ex))(a \sec(d + ex) + b)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sec(e\*x+d))\*(b\*\*2+2\*a\*b\*sec(e\*x+d)+a\*\*2\*sec(e\*x+d)\*\*2),x)

[Out] Integral((a + b\*sec(d + e\*x))\*(a\*sec(d + e\*x) + b)\*\*2, x)

---

**Giac [B]** time = 1.22314, size = 258, normalized size = 3.39

$$\frac{1}{2} \left( 2(xe + d)ab^2 + (5a^2b + 2b^3) \log \left( \left| \tan \left( \frac{1}{2} xe + \frac{1}{2} d \right) + 1 \right| \right) - (5a^2b + 2b^3) \log \left( \left| \tan \left( \frac{1}{2} xe + \frac{1}{2} d \right) - 1 \right| \right) - \frac{2(2a^3 \tan \left( \frac{1}{2} xe + \frac{1}{2} d \right) + 1)}{\tan \left( \frac{1}{2} xe + \frac{1}{2} d \right) - 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sec(e\*x+d))\*(b^2+2\*a\*b\*sec(e\*x+d)+a^2\*sec(e\*x+d)^2),x, algorithm="giac")

[Out] 1/2\*(2\*(x\*e + d)\*a\*b^2 + (5\*a^2\*b + 2\*b^3)\*log(abs(tan(1/2\*x\*e + 1/2\*d) + 1)) - (5\*a^2\*b + 2\*b^3)\*log(abs(tan(1/2\*x\*e + 1/2\*d) - 1)) - 2\*(2\*a^3\*tan(1/2\*x\*e + 1/2\*d)^3 - a^2\*b\*tan(1/2\*x\*e + 1/2\*d)^3 + 4\*a\*b^2\*tan(1/2\*x\*e + 1/2\*d)^3 - 2\*a^3\*tan(1/2\*x\*e + 1/2\*d) - a^2\*b\*tan(1/2\*x\*e + 1/2\*d) - 4\*a\*b^2\*tan(1/2\*x\*e + 1/2\*d))/(tan(1/2\*x\*e + 1/2\*d)^2 - 1)^2\*e^(-1))

$$3.520 \quad \int \frac{a+b \sec(d+ex)}{b^2+2ab \sec(d+ex)+a^2 \sec^2(d+ex)} dx$$

**Optimal.** Leaf size=92

$$-\frac{a^2 \tan(d+ex)}{be(a^2 \sec(d+ex)+ab)} - \frac{2\sqrt{a-b}\sqrt{a+b} \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{a+b}}\right)}{b^2e} + \frac{ax}{b^2}$$

[Out] (a\*x)/b^2 - (2\*sqrt[a - b]\*sqrt[a + b]\*ArcTan[(sqrt[a - b]\*Tan[(d + e\*x)/2])/sqrt[a + b]])/(b^2\*e) - (a^2\*Tan[d + e\*x])/(b\*e\*(a\*b + a^2\*Sec[d + e\*x]))

**Rubi [A]** time = 0.303862, antiderivative size = 92, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 39,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {4172, 3923, 3919, 3831, 2659, 205}

$$-\frac{a^2 \tan(d+ex)}{be(a^2 \sec(d+ex)+ab)} - \frac{2\sqrt{a-b}\sqrt{a+b} \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{a+b}}\right)}{b^2e} + \frac{ax}{b^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Sec[d + e\*x])/(b^2 + 2\*a\*b\*Sec[d + e\*x] + a^2\*Sec[d + e\*x]^2), x]

[Out] (a\*x)/b^2 - (2\*sqrt[a - b]\*sqrt[a + b]\*ArcTan[(sqrt[a - b]\*Tan[(d + e\*x)/2])/sqrt[a + b]])/(b^2\*e) - (a^2\*Tan[d + e\*x])/(b\*e\*(a\*b + a^2\*Sec[d + e\*x]))

#### Rule 4172

Int[((A\_) + (B\_)\*sec[(d\_) + (e\_)\*(x\_)])\*((a\_) + (b\_)\*sec[(d\_) + (e\_)\*(x\_)]) + (c\_)\*sec[(d\_) + (e\_)\*(x\_)]^2)^n, x\_Symbol] :> Dist[1/(4^n\*c^n), Int[(A + B\*Sec[d + e\*x])\*(b + 2\*c\*Sec[d + e\*x])^(2\*n), x], x] /; FreeQ[{a, b, c, d, e, A, B}, x] && EqQ[b^2 - 4\*a\*c, 0] && IntegerQ[n]

#### Rule 3923

Int[(csc[(e\_) + (f\_)\*(x\_)]\*(b\_) + (a\_))^(m\_)\*(csc[(e\_) + (f\_)\*(x\_)]\*(d\_) + (c\_)), x\_Symbol] :> Simp[(b\*(b\*c - a\*d)\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1))/(a\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(a\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*Simp[c\*(a^2 - b^2)\*(m + 1) - (a\*(b\*c - a\*d)\*(m + 1))\*Csc[e + f\*x] + b\*(b\*c - a\*d)\*(m + 2)\*Csc[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && LtQ[m, -1] && NeQ[a^2 - b^2, 0] && IntegerQ[2\*m]

#### Rule 3919

Int[(csc[(e\_) + (f\_)\*(x\_)]\*(d\_) + (c\_))/(csc[(e\_) + (f\_)\*(x\_)]\*(b\_) + (a\_)), x\_Symbol] :> Simp[(c\*x)/a, x] - Dist[(b\*c - a\*d)/a, Int[Csc[e + f\*x]/(a + b\*Csc[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3831

Int[csc[(e\_) + (f\_)\*(x\_)]/(csc[(e\_) + (f\_)\*(x\_)]\*(b\_) + (a\_)), x\_Symbol] :> Dist[1/b, Int[1/(1 + (a\*Sin[e + f\*x])/b), x], x] /; FreeQ[{a, b, e, f}

}, x] && NeQ[a^2 - b^2, 0]

### Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rubi steps

$$\begin{aligned}
 \int \frac{a + b \sec(d + ex)}{b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex)} dx &= (4a^2) \int \frac{a + b \sec(d + ex)}{(2ab + 2a^2 \sec(d + ex))^2} dx \\
 &= -\frac{a^2 \tan(d + ex)}{be(ab + a^2 \sec(d + ex))} + \frac{\int \frac{4a^3(a^2 - b^2) + 4a^2b(a^2 - b^2) \sec(d + ex)}{2ab + 2a^2 \sec(d + ex)} dx}{2ab(a^2 - b^2)} \\
 &= \frac{ax}{b^2} - \frac{a^2 \tan(d + ex)}{be(ab + a^2 \sec(d + ex))} - \frac{(2a(a^2 - b^2)) \int \frac{\sec(d + ex)}{2ab + 2a^2 \sec(d + ex)} dx}{b^2} \\
 &= \frac{ax}{b^2} - \frac{a^2 \tan(d + ex)}{be(ab + a^2 \sec(d + ex))} - \frac{(a^2 - b^2) \int \frac{1}{1 + \frac{b \cos(d + ex)}{a}} dx}{ab^2} \\
 &= \frac{ax}{b^2} - \frac{a^2 \tan(d + ex)}{be(ab + a^2 \sec(d + ex))} - \frac{(2(a^2 - b^2)) \text{Subst}\left(\int \frac{1}{1 + \frac{b}{a} + \left(1 - \frac{b}{a}\right)x^2} dx, x, x\right)}{ab^2e} \\
 &= \frac{ax}{b^2} - \frac{2\sqrt{a-b}\sqrt{a+b} \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(d + ex)\right)}{\sqrt{a+b}}\right)}{b^2e} - \frac{a^2 \tan(d + ex)}{be(ab + a^2 \sec(d + ex))}
 \end{aligned}$$

**Mathematica [A]** time = 0.38539, size = 97, normalized size = 1.05

$$\frac{2\sqrt{b^2 - a^2} \tanh^{-1}\left(\frac{(b-a) \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{b^2 - a^2}}\right) + \frac{a(ad+ax-b \sin(d+ex)+b(d+ex) \cos(d+ex))}{a+b \cos(d+ex)}}{b^2e}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Sec[d + e\*x])/(b^2 + 2\*a\*b\*Sec[d + e\*x] + a^2\*Sec[d + e\*x]^2), x]

[Out] (2\*Sqrt[-a^2 + b^2]\*ArcTanh[(-a + b)\*Tan[(d + e\*x)/2]]/Sqrt[-a^2 + b^2]) + (a\*(a\*d + a\*e\*x + b\*(d + e\*x))\*Cos[d + e\*x] - b\*Sin[d + e\*x])/(a + b\*Cos[d + e\*x])/(b^2\*e)

**Maple [A]** time = 0.093, size = 163, normalized size = 1.8

$$2 \frac{a \arctan(\tan(d/2 + 1/2 ex))}{b^2 e} - 2 \frac{a \tan(d/2 + 1/2 ex)}{b e (a (\tan(d/2 + 1/2 ex))^2 - b (\tan(d/2 + 1/2 ex))^2 + a + b)} - 2 \frac{a^2}{b^2 e \sqrt{(a-b)(a+b)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*sec(e\*x+d))/(b^2+2\*a\*b\*sec(e\*x+d)+a^2\*sec(e\*x+d)^2),x)

[Out] 2/e\*a/b^2\*arctan(tan(1/2\*d+1/2\*e\*x))-2/e/b\*tan(1/2\*d+1/2\*e\*x)\*a/(a\*tan(1/2\*d+1/2\*e\*x)^2-b\*tan(1/2\*d+1/2\*e\*x)^2+a+b)-2/e/b^2/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d+1/2\*e\*x)\*(a-b)/((a-b)\*(a+b))^(1/2))\*a^2+2/e/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d+1/2\*e\*x)\*(a-b)/((a-b)\*(a+b))^(1/2))

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sec(e\*x+d))/(b^2+2\*a\*b\*sec(e\*x+d)+a^2\*sec(e\*x+d)^2),x, algorith="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.01331, size = 670, normalized size = 7.28

$$\frac{2 ab ex \cos(ex + d) + 2 a^2 ex - 2 ab \sin(ex + d) + \sqrt{-a^2 + b^2} (b \cos(ex + d) + a) \log\left(\frac{2 ab \cos(ex + d) + (2 a^2 - b^2) \cos(ex + d)^2 + 2 \sqrt{-a^2 + b^2} \cos(ex + d)}{b^2 \cos(ex + d)^2 + 2 a \cos(ex + d) + a^2}\right)}{2 (b^3 e \cos(ex + d) + ab^2 e)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sec(e\*x+d))/(b^2+2\*a\*b\*sec(e\*x+d)+a^2\*sec(e\*x+d)^2),x, algorith="fricas")

[Out] [1/2\*(2\*a\*b\*e\*x\*cos(e\*x + d) + 2\*a^2\*e\*x - 2\*a\*b\*sin(e\*x + d) + sqrt(-a^2 + b^2)\*(b\*cos(e\*x + d) + a)\*log(((2\*a\*b\*cos(e\*x + d) + (2\*a^2 - b^2)\*cos(e\*x + d)^2 + 2\*sqrt(-a^2 + b^2)\*(a\*cos(e\*x + d) + b)\*sin(e\*x + d) - a^2 + 2\*b^2)/(b^2\*cos(e\*x + d)^2 + 2\*a\*b\*cos(e\*x + d) + a^2)))/(b^3\*e\*cos(e\*x + d) + a\*b^2\*e), (a\*b\*e\*x\*cos(e\*x + d) + a^2\*e\*x - a\*b\*sin(e\*x + d) - sqrt(a^2 - b^2)\*(b\*cos(e\*x + d) + a)\*arctan(-(a\*cos(e\*x + d) + b)/(sqrt(a^2 - b^2)\*sin(e\*x + d)))/(b^3\*e\*cos(e\*x + d) + a\*b^2\*e)]

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \sec(d + ex)}{(a \sec(d + ex) + b)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sec(e\*x+d))/(b\*\*2+2\*a\*b\*sec(e\*x+d)+a\*\*2\*sec(e\*x+d)\*\*2),x)

[Out] Integral((a + b\*sec(d + e\*x))/(a\*sec(d + e\*x) + b)\*\*2, x)

**Giac [A]** time = 1.23847, size = 196, normalized size = 2.13

$$\left( \frac{(xe+d)a}{b^2} - \frac{2a \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)}{\left(a \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^2 - b \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^2 + a + b\right)b} - \frac{2 \left( \pi \left\lfloor \frac{xe+d}{2\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(2a-2b) + \arctan\left(\frac{a \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)}{b}\right) \right)}{b^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sec(e\*x+d))/(b^2+2\*a\*b\*sec(e\*x+d)+a^2\*sec(e\*x+d)^2),x, algorithm="giac")

[Out] ((x\*e + d)\*a/b^2 - 2\*a\*tan(1/2\*x\*e + 1/2\*d)/((a\*tan(1/2\*x\*e + 1/2\*d)^2 - b\*tan(1/2\*x\*e + 1/2\*d)^2 + a + b)\*b) - 2\*(pi\*floor(1/2\*(x\*e + d)/pi + 1/2)\*sgn(2\*a - 2\*b) + arctan((a\*tan(1/2\*x\*e + 1/2\*d) - b\*tan(1/2\*x\*e + 1/2\*d))/sqrt(a^2 - b^2)))\*sqrt(a^2 - b^2)/b^2)\*e^(-1)



$$3.521 \quad \int \frac{a+b \sec(d+ex)}{(b^2+2ab \sec(d+ex)+a^2 \sec^2(d+ex))^2} dx$$

**Optimal.** Leaf size=230

$$\frac{(a^2 - 2b^2)(-a^2b^2 + 2a^4 + b^4) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{a+b}}\right)}{b^4 e (a-b)^{5/2} (a+b)^{5/2}} - \frac{a(-11a^2b^2 + 6a^4 + 11b^4) \tan(d+ex)}{6b^3 e (a^2 - b^2)^2 (a \sec(d+ex) + b)} - \frac{a(3a^2 - 5b^2)}{6b^2 e (a^2 - b^2) (a \sec(d+ex) + b)}$$

[Out] (a\*x)/b^4 - ((a^2 - 2\*b^2)\*(2\*a^4 - a^2\*b^2 + b^4)\*ArcTan[(Sqrt[a - b]\*Tan[(d + e\*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)\*b^4\*(a + b)^(5/2)\*e) - (a\*(3\*a^2 - 5\*b^2)\*Tan[d + e\*x])/(6\*b^2\*(a^2 - b^2)\*e\*(b + a\*Sec[d + e\*x])^2) - (a\*(6\*a^4 - 11\*a^2\*b^2 + 11\*b^4)\*Tan[d + e\*x])/(6\*b^3\*(a^2 - b^2)^2\*e\*(b + a\*Sec[d + e\*x])) - (a^4\*Tan[d + e\*x])/(3\*b\*e\*(a\*b + a^2\*Sec[d + e\*x])^3)

**Rubi [A]** time = 0.832768, antiderivative size = 230, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 39,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.18$ , Rules used = {4172, 3923, 4060, 3919, 3831, 2659, 205}

$$\frac{(a^2 - 2b^2)(-a^2b^2 + 2a^4 + b^4) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{a+b}}\right)}{b^4 e (a-b)^{5/2} (a+b)^{5/2}} - \frac{a(-11a^2b^2 + 6a^4 + 11b^4) \tan(d+ex)}{6b^3 e (a^2 - b^2)^2 (a \sec(d+ex) + b)} - \frac{a(3a^2 - 5b^2)}{6b^2 e (a^2 - b^2) (a \sec(d+ex) + b)}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Sec[d + e\*x])/(b^2 + 2\*a\*b\*Sec[d + e\*x] + a^2\*Sec[d + e\*x]^2)^2, x]

[Out] (a\*x)/b^4 - ((a^2 - 2\*b^2)\*(2\*a^4 - a^2\*b^2 + b^4)\*ArcTan[(Sqrt[a - b]\*Tan[(d + e\*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)\*b^4\*(a + b)^(5/2)\*e) - (a\*(3\*a^2 - 5\*b^2)\*Tan[d + e\*x])/(6\*b^2\*(a^2 - b^2)\*e\*(b + a\*Sec[d + e\*x])^2) - (a\*(6\*a^4 - 11\*a^2\*b^2 + 11\*b^4)\*Tan[d + e\*x])/(6\*b^3\*(a^2 - b^2)^2\*e\*(b + a\*Sec[d + e\*x])) - (a^4\*Tan[d + e\*x])/(3\*b\*e\*(a\*b + a^2\*Sec[d + e\*x])^3)

#### Rule 4172

Int[((A\_) + (B\_)\*sec[(d\_) + (e\_)\*(x\_)])\*((a\_) + (b\_)\*sec[(d\_) + (e\_)\*(x\_)]) + (c\_)\*sec[(d\_) + (e\_)\*(x\_)]^2)^(n\_), x\_Symbol] := Dist[1/(4^n\*c^n), Int[(A + B\*Sec[d + e\*x])\*(b + 2\*c\*Sec[d + e\*x])^(2\*n), x], x] /; FreeQ[{a, b, c, d, e, A, B}, x] && EqQ[b^2 - 4\*a\*c, 0] && IntegerQ[n]

#### Rule 3923

Int[(csc[(e\_) + (f\_)\*(x\_)]\*(b\_) + (a\_))^(m\_)\*(csc[(e\_) + (f\_)\*(x\_)]\*(d\_) + (c\_)), x\_Symbol] := Simp[(b\*(b\*c - a\*d)\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1))/(a\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(a\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*Simp[c\*(a^2 - b^2)\*(m + 1) - (a\*(b\*c - a\*d)\*(m + 1))\*Csc[e + f\*x] + b\*(b\*c - a\*d)\*(m + 2)\*Csc[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && LtQ[m, -1] && NeQ[a^2 - b^2, 0] && IntegerQ[2\*m]

#### Rule 4060

Int[((A\_) + csc[(e\_) + (f\_)\*(x\_)]\*(B\_) + csc[(e\_) + (f\_)\*(x\_)]^2\*(C\_))\*(csc[(e\_) + (f\_)\*(x\_)]\*(b\_) + (a\_))^(m\_), x\_Symbol] := Simp[((A\*b^2 -

```

a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^
2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m
+ 1)*Simp[A*(a^2 - b^2)*(m + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x]
+ (A*b^2 - a*b*B + a^2*C)*(m + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

```

### Rule 3919

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x
]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0]

```

### Rule 3831

```

Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbo
l] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
}, x] && NeQ[a^2 - b^2, 0]

```

### Rule 2659

```

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]

```

### Rule 205

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

```

### Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec(d + ex)}{(b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex))^2} dx &= (16a^4) \int \frac{a + b \sec(d + ex)}{(2ab + 2a^2 \sec(d + ex))^4} dx \\
&= -\frac{a^4 \tan(d + ex)}{3be (ab + a^2 \sec(d + ex))^3} + \frac{(2a) \int \frac{12a^3(a^2 - b^2) + 12a^2b(a^2 - b^2) \sec(d + ex) - (2ab + 2a^2 \sec(d + ex))^3}{3b(a^2 - b^2)} dx}{3b(a^2 - b^2)} \\
&= -\frac{a(3a^2 - 5b^2) \tan(d + ex)}{6b^2(a^2 - b^2) e(b + a \sec(d + ex))^2} - \frac{a^4 \tan(d + ex)}{3be (ab + a^2 \sec(d + ex))^3} + \\
&= -\frac{a(3a^2 - 5b^2) \tan(d + ex)}{6b^2(a^2 - b^2) e(b + a \sec(d + ex))^2} - \frac{a^4 \tan(d + ex)}{3be (ab + a^2 \sec(d + ex))^3} - \\
&= \frac{ax}{b^4} - \frac{a(3a^2 - 5b^2) \tan(d + ex)}{6b^2(a^2 - b^2) e(b + a \sec(d + ex))^2} - \frac{a^4 \tan(d + ex)}{3be (ab + a^2 \sec(d + ex))} \\
&= \frac{ax}{b^4} - \frac{a(3a^2 - 5b^2) \tan(d + ex)}{6b^2(a^2 - b^2) e(b + a \sec(d + ex))^2} - \frac{a^4 \tan(d + ex)}{3be (ab + a^2 \sec(d + ex))} \\
&= \frac{ax}{b^4} - \frac{a(3a^2 - 5b^2) \tan(d + ex)}{6b^2(a^2 - b^2) e(b + a \sec(d + ex))^2} - \frac{a^4 \tan(d + ex)}{3be (ab + a^2 \sec(d + ex))} \\
&= \frac{ax}{b^4} - \frac{(a^2 - 2b^2)(2a^4 - a^2b^2 + b^4) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{a+b}}\right)}{(a-b)^{5/2}b^4(a+b)^{5/2}e} - \frac{a}{6b^2(a}
\end{aligned}$$

**Mathematica [A]** time = 1.57569, size = 276, normalized size = 1.2

$$\sec^3(d + ex)(a + b \cos(d + ex))(a + b \sec(d + ex)) \left( \frac{a^2b(7a^2 - 9b^2) \sin(d + ex)(a + b \cos(d + ex))}{(a-b)(a+b)} - \frac{ab(-23a^2b^2 + 11a^4 + 18b^4) \sin(d + ex)(a + b \cos(d + ex))}{(a-b)^2(a+b)^2} \right)$$


---


$$6b^4e(a \cos(d + ex) + b)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Sec[d + e\*x])/(b^2 + 2\*a\*b\*Sec[d + e\*x] + a^2\*Sec[d + e\*x]^2)^2,x]

[Out] ((a + b\*Cos[d + e\*x])\*Sec[d + e\*x]^3\*(a + b\*Sec[d + e\*x])\*(6\*a\*(d + e\*x)\*(a + b\*Cos[d + e\*x])^3 + (6\*(-2\*a^6 + 5\*a^4\*b^2 - 3\*a^2\*b^4 + 2\*b^6)\*ArcTanh[((-a + b)\*Tan[(d + e\*x)/2])/Sqrt[-a^2 + b^2]]\*(a + b\*Cos[d + e\*x])^3)/(-a^2 + b^2)^(5/2) - 2\*a^3\*b\*Sin[d + e\*x] + (a^2\*b\*(7\*a^2 - 9\*b^2)\*(a + b\*Cos[d + e\*x])\*Sin[d + e\*x])/((a - b)\*(a + b)) - (a\*b\*(11\*a^4 - 23\*a^2\*b^2 + 18\*b^4)\*(a + b\*Cos[d + e\*x])^2\*Sin[d + e\*x])/((a - b)^2\*(a + b)^2))/(6\*b^4\*e\*(b + a\*Cos[d + e\*x])\*(b + a\*Sec[d + e\*x])^4)

**Maple [B]** time = 0.113, size = 1118, normalized size = 4.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+b*\sec(e*x+d))/(b^2+2*a*b*\sec(e*x+d)+a^2*\sec(e*x+d)^2)^2,x)$

[Out]  $2/e*a/b^4*\arctan(\tan(1/2*d+1/2*e*x))-2/e/b^3/(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+a+b)^3*a^5/(a^2+2*a*b+b^2)*\tan(1/2*d+1/2*e*x)^5+1/e/b^2/(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+a+b)^3*a^4/(a^2+2*a*b+b^2)*\tan(1/2*d+1/2*e*x)^5+4/e/b/(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+a+b)^3*a^3/(a^2+2*a*b+b^2)*\tan(1/2*d+1/2*e*x)^5-3/e/(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+a+b)^3*a^2/(a^2+2*a*b+b^2)*\tan(1/2*d+1/2*e*x)^5-6/e*b/(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+a+b)^3*a/(a^2+2*a*b+b^2)*\tan(1/2*d+1/2*e*x)^5-4/e/b^3/(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+a+b)^3*a^5/(a-b)/(a+b)*\tan(1/2*d+1/2*e*x)^3+32/3/e/b/(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+a+b)^3*a^3/(a-b)/(a+b)*\tan(1/2*d+1/2*e*x)^3-12/e*b/(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+a+b)^3*a/(a-b)/(a+b)*\tan(1/2*d+1/2*e*x)^3-2/e/b^3/(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+a+b)^3*a^5/(a^2-2*a*b+b^2)*\tan(1/2*d+1/2*e*x)-1/e/b^2/(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+a+b)^3*a^4/(a^2-2*a*b+b^2)*\tan(1/2*d+1/2*e*x)+4/e/b/(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+a+b)^3*a^3/(a^2-2*a*b+b^2)*\tan(1/2*d+1/2*e*x)+3/e/(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+a+b)^3*a^2/(a^2-2*a*b+b^2)*\tan(1/2*d+1/2*e*x)-6/e*b/(a*\tan(1/2*d+1/2*e*x)^2-b*\tan(1/2*d+1/2*e*x)^2+a+b)^3*a/(a^2-2*a*b+b^2)*\tan(1/2*d+1/2*e*x)-2/e/b^4/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d+1/2*e*x)*(a-b)/((a-b)*(a+b)))^(1/2))*a^6+5/e/b^2/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d+1/2*e*x)*(a-b)/((a-b)*(a+b)))^(1/2))*a^4-3/e/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d+1/2*e*x)*(a-b)/((a-b)*(a+b)))^(1/2))*a^2+2/e*b^2/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d+1/2*e*x)*(a-b)/((a-b)*(a+b)))^(1/2))$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((a+b*\sec(e*x+d))/(b^2+2*a*b*\sec(e*x+d)+a^2*\sec(e*x+d)^2)^2,x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

**Fricas [B]** time = 3.05475, size = 2871, normalized size = 12.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((a+b*\sec(e*x+d))/(b^2+2*a*b*\sec(e*x+d)+a^2*\sec(e*x+d)^2)^2,x, \text{algorithm}="fricas")$

[Out]  $[1/12*(12*(a^7*b^3 - 3*a^5*b^5 + 3*a^3*b^7 - a*b^9)*e*x*\cos(e*x + d)^3 + 36*(a^8*b^2 - 3*a^6*b^4 + 3*a^4*b^6 - a^2*b^8)*e*x*\cos(e*x + d)^2 + 36*(a^9*b - 3*a^7*b^3 + 3*a^5*b^5 - a^3*b^7)*e*x*\cos(e*x + d) + 12*(a^{10} - 3*a^8*b^2 + 3*a^6*b^4 - a^4*b^6)*e*x + 3*(2*a^9 - 5*a^7*b^2 + 3*a^5*b^4 - 2*a^3*b^6 + (2*a^6*b^3 - 5*a^4*b^5 + 3*a^2*b^7 - 2*b^9)*\cos(e*x + d)^3 + 3*(2*a^7*b^2$

- 5\*a^5\*b^4 + 3\*a^3\*b^6 - 2\*a\*b^8)\*cos(e\*x + d)^2 + 3\*(2\*a^8\*b - 5\*a^6\*b^3 + 3\*a^4\*b^5 - 2\*a^2\*b^7)\*cos(e\*x + d))\*sqrt(-a^2 + b^2)\*log((2\*a\*b\*cos(e\*x + d) + (2\*a^2 - b^2)\*cos(e\*x + d)^2 + 2\*sqrt(-a^2 + b^2)\*(a\*cos(e\*x + d) + b)\*sin(e\*x + d) - a^2 + 2\*b^2)/(b^2\*cos(e\*x + d)^2 + 2\*a\*b\*cos(e\*x + d) + a^2)) - 2\*(6\*a^9\*b - 17\*a^7\*b^3 + 22\*a^5\*b^5 - 11\*a^3\*b^7 + (11\*a^7\*b^3 - 34\*a^5\*b^5 + 41\*a^3\*b^7 - 18\*a\*b^9)\*cos(e\*x + d)^2 + 3\*(5\*a^8\*b^2 - 15\*a^6\*b^4 + 19\*a^4\*b^6 - 9\*a^2\*b^8)\*cos(e\*x + d))\*sin(e\*x + d))/((a^6\*b^7 - 3\*a^4\*b^9 + 3\*a^2\*b^11 - b^13)\*e\*cos(e\*x + d)^3 + 3\*(a^7\*b^6 - 3\*a^5\*b^8 + 3\*a^3\*b^10 - a\*b^12)\*e\*cos(e\*x + d)^2 + 3\*(a^8\*b^5 - 3\*a^6\*b^7 + 3\*a^4\*b^9 - a^2\*b^11)\*e\*cos(e\*x + d) + (a^9\*b^4 - 3\*a^7\*b^6 + 3\*a^5\*b^8 - a^3\*b^10)\*e), 1/6\*(6\*(a^7\*b^3 - 3\*a^5\*b^5 + 3\*a^3\*b^7 - a\*b^9)\*e\*x\*cos(e\*x + d)^3 + 18\*(a^8\*b^2 - 3\*a^6\*b^4 + 3\*a^4\*b^6 - a^2\*b^8)\*e\*x\*cos(e\*x + d)^2 + 18\*(a^9\*b - 3\*a^7\*b^3 + 3\*a^5\*b^5 - a^3\*b^7)\*e\*x\*cos(e\*x + d) + 6\*(a^10 - 3\*a^8\*b^2 + 3\*a^6\*b^4 - a^4\*b^6)\*e\*x - 3\*(2\*a^9 - 5\*a^7\*b^2 + 3\*a^5\*b^4 - 2\*a^3\*b^6 + (2\*a^6\*b^3 - 5\*a^4\*b^5 + 3\*a^2\*b^7 - 2\*b^9)\*cos(e\*x + d)^3 + 3\*(2\*a^7\*b^2 - 5\*a^5\*b^4 + 3\*a^3\*b^6 - 2\*a\*b^8)\*cos(e\*x + d)^2 + 3\*(2\*a^8\*b - 5\*a^6\*b^3 + 3\*a^4\*b^5 - 2\*a^2\*b^7)\*cos(e\*x + d))\*sqrt(a^2 - b^2)\*arctan(-(a\*cos(e\*x + d) + b)/(sqrt(a^2 - b^2)\*sin(e\*x + d))) - (6\*a^9\*b - 17\*a^7\*b^3 + 22\*a^5\*b^5 - 11\*a^3\*b^7 + (11\*a^7\*b^3 - 34\*a^5\*b^5 + 41\*a^3\*b^7 - 18\*a\*b^9)\*cos(e\*x + d)^2 + 3\*(5\*a^8\*b^2 - 15\*a^6\*b^4 + 19\*a^4\*b^6 - 9\*a^2\*b^8)\*cos(e\*x + d))\*sin(e\*x + d))/((a^6\*b^7 - 3\*a^4\*b^9 + 3\*a^2\*b^11 - b^13)\*e\*cos(e\*x + d)^3 + 3\*(a^7\*b^6 - 3\*a^5\*b^8 + 3\*a^3\*b^10 - a\*b^12)\*e\*cos(e\*x + d)^2 + 3\*(a^8\*b^5 - 3\*a^6\*b^7 + 3\*a^4\*b^9 - a^2\*b^11)\*e\*cos(e\*x + d) + (a^9\*b^4 - 3\*a^7\*b^6 + 3\*a^5\*b^8 - a^3\*b^10)\*e)]

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \sec(d + ex)}{(a \sec(d + ex) + b)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sec(e\*x+d))/(b\*\*2+2\*a\*b\*sec(e\*x+d)+a\*\*2\*sec(e\*x+d)\*\*2)\*\*2,x)

[Out] Integral((a + b\*sec(d + e\*x))/(a\*sec(d + e\*x) + b)\*\*4, x)

**Giac [B]** time = 1.33189, size = 662, normalized size = 2.88

$$\frac{1}{3} \left( \frac{3(2a^6 - 5a^4b^2 + 3a^2b^4 - 2b^6) \left( \pi \left[ \frac{xe+d}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a + 2b) + \arctan \left( -\frac{a \tan(\frac{1}{2}xe + \frac{1}{2}d) - b \tan(\frac{1}{2}xe + \frac{1}{2}d)}{\sqrt{a^2 - b^2}} \right) \right)}{(a^4b^4 - 2a^2b^6 + b^8)\sqrt{a^2 - b^2}} + \frac{3(xe + d)}{b^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sec(e\*x+d))/(b^2+2\*a\*b\*sec(e\*x+d)+a^2\*sec(e\*x+d)^2)^2,x, algorithm="giac")

[Out] 1/3\*(3\*(2\*a^6 - 5\*a^4\*b^2 + 3\*a^2\*b^4 - 2\*b^6)\*(pi\*floor(1/2\*(x\*e + d)/pi + 1/2)\*sgn(-2\*a + 2\*b) + arctan(-(a\*tan(1/2\*x\*e + 1/2\*d) - b\*tan(1/2\*x\*e + 1/2\*d))/sqrt(a^2 - b^2)))/((a^4\*b^4 - 2\*a^2\*b^6 + b^8)\*sqrt(a^2 - b^2)) + 3\*(x\*e + d)\*a/b^4 - (6\*a^7\*tan(1/2\*x\*e + 1/2\*d)^5 - 15\*a^6\*b\*tan(1/2\*x\*e + 1/2\*d)^5 + 30\*a^4\*b^3\*tan(1/2\*x\*e + 1/2\*d)^5 - 12\*a^3\*b^4\*tan(1/2\*x\*e + 1/2\*d)^5 - 27\*a^2\*b^5\*tan(1/2\*x\*e + 1/2\*d)^5 + 18\*a\*b^6\*tan(1/2\*x\*e + 1/2\*d)^5 +

$$\begin{aligned}
& 12a^7 \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^3 - 44a^5 b^2 \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^3 + 68a^3 \\
& b^4 \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^3 - 36a^2 b^6 \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^3 + 6a^7 \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) + 15a^6 b \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) - 30a^4 b^3 \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) - 12a^3 b^4 \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) + 27a^2 b^5 \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) \\
& + 18a b^6 \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) / ((a^4 b^3 - 2a^2 b^5 + b^7) * (a \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^2 - b \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^2 + a + b)^3) * e^{-1}
\end{aligned}$$

### 3.522 $\int (a+b \sec(d+ex)) (b^2 + 2ab \sec(d+ex) + a^2 \sec^2(d+ex)) dx$

**Optimal.** Leaf size=359

$$\frac{a^4 b^3 x (a^2 \sec^2(d+ex) + 2ab \sec(d+ex) + b^2)^{3/2}}{(a^2 \sec(d+ex) + ab)^3} + \frac{a^5 (3a^2 + 5b^2) \tan(d+ex) \sec(d+ex) (a^2 \sec^2(d+ex) + 2ab \sec(d+ex))}{6e (a^2 \sec(d+ex) + ab)^3}$$

```
[Out] ((a^4 + 9*a^2*b^2 + 2*b^4)*ArcTanh[Sin[d + e*x]]*(b^2 + 2*a*b*Sec[d + e*x]
+ a^2*Sec[d + e*x]^2)^(3/2))/(2*e*(b + a*Sec[d + e*x])^3) + (a^4*b^3*x*(b^2
+ 2*a*b*Sec[d + e*x] + a^2*Sec[d + e*x]^2)^(3/2))/(a*b + a^2*Sec[d + e*x])
^3 + (a^4*b*(11*a^2 + 8*b^2)*(b^2 + 2*a*b*Sec[d + e*x] + a^2*Sec[d + e*x]^2
)^(3/2)*Tan[d + e*x])/(3*e*(a*b + a^2*Sec[d + e*x])^3) + (a^5*(3*a^2 + 5*b^
2)*Sec[d + e*x]*(b^2 + 2*a*b*Sec[d + e*x] + a^2*Sec[d + e*x]^2)^(3/2)*Tan[d
+ e*x])/(6*e*(a*b + a^2*Sec[d + e*x])^3) + (b*(a^2*b + a^3*Sec[d + e*x])^2
*(b^2 + 2*a*b*Sec[d + e*x] + a^2*Sec[d + e*x]^2)^(3/2)*Tan[d + e*x])/(3*e*(
a*b + a^2*Sec[d + e*x])^3)
```

**Rubi [A]** time = 0.287014, antiderivative size = 359, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 41,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$ , Rules used = {4174, 3918, 4048, 3770, 3767, 8}

$$\frac{a^4 b^3 x (a^2 \sec^2(d+ex) + 2ab \sec(d+ex) + b^2)^{3/2}}{(a^2 \sec(d+ex) + ab)^3} + \frac{a^5 (3a^2 + 5b^2) \tan(d+ex) \sec(d+ex) (a^2 \sec^2(d+ex) + 2ab \sec(d+ex))}{6e (a^2 \sec(d+ex) + ab)^3}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Sec[d + e*x])*(b^2 + 2*a*b*Sec[d + e*x] + a^2*Sec[d + e*x]^2)^(3/2), x]
```

```
[Out] ((a^4 + 9*a^2*b^2 + 2*b^4)*ArcTanh[Sin[d + e*x]]*(b^2 + 2*a*b*Sec[d + e*x]
+ a^2*Sec[d + e*x]^2)^(3/2))/(2*e*(b + a*Sec[d + e*x])^3) + (a^4*b^3*x*(b^2
+ 2*a*b*Sec[d + e*x] + a^2*Sec[d + e*x]^2)^(3/2))/(a*b + a^2*Sec[d + e*x])
^3 + (a^4*b*(11*a^2 + 8*b^2)*(b^2 + 2*a*b*Sec[d + e*x] + a^2*Sec[d + e*x]^2
)^(3/2)*Tan[d + e*x])/(3*e*(a*b + a^2*Sec[d + e*x])^3) + (a^5*(3*a^2 + 5*b^
2)*Sec[d + e*x]*(b^2 + 2*a*b*Sec[d + e*x] + a^2*Sec[d + e*x]^2)^(3/2)*Tan[d
+ e*x])/(6*e*(a*b + a^2*Sec[d + e*x])^3) + (b*(a^2*b + a^3*Sec[d + e*x])^2
*(b^2 + 2*a*b*Sec[d + e*x] + a^2*Sec[d + e*x]^2)^(3/2)*Tan[d + e*x])/(3*e*(
a*b + a^2*Sec[d + e*x])^3)
```

#### Rule 4174

```
Int[((A_) + (B_)*sec[(d_) + (e_)*(x_)])*((a_) + (b_)*sec[(d_) + (e_)*(x_)
] + (c_)*sec[(d_) + (e_)*(x_)]^2)^(n_), x_Symbol] :> Dist[(a + b*Sec
[d + e*x] + c*Sec[d + e*x]^2)^(n)/(b + 2*c*Sec[d + e*x])^(2*n), Int[(A + B*Se
c[d + e*x])*(b + 2*c*Sec[d + e*x])^(2*n), x], x] /; FreeQ[{a, b, c, d, e, A
, B}, x] && EqQ[b^2 - 4*a*c, 0] && !IntegerQ[n]
```

#### Rule 3918

```
Int[(csc[(e_) + (f_)*(x_)]*(b_) + (a_))^(m_)*(csc[(e_) + (f_)*(x_)]*(d
_) + (c_)), x_Symbol] :> -Simp[(b*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m -
1))/(f*m), x] + Dist[1/m, Int[(a + b*Csc[e + f*x])^(m - 2)*Simp[a^2*c*m +
(b^2*d*(m - 1) + 2*a*b*c*m + a^2*d*m)*Csc[e + f*x] + b*(b*c*m + a*d*(2*m -
1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
```

$a*d, 0] \&\& \text{GtQ}[m, 1] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{IntegerQ}[2*m]$

#### Rule 4048

$\text{Int}[(A + \csc[e + f*x])*(B + \csc[e + f*x])^2*(C + \csc[e + f*x])*(b + a), x\_Symbol] \rightarrow -\text{Simp}[(b*C*\text{Csc}[e + f*x]*\text{Cot}[e + f*x])/(2*f), x] + \text{Dist}[1/2, \text{Int}[\text{Simp}[2*A*a + (2*B*a + b*(2*A + C))*\text{Csc}[e + f*x] + 2*(a*C + B*b)*\text{Csc}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x]$

#### Rule 3770

$\text{Int}[\csc[c + d*x], x\_Symbol] \rightarrow -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

#### Rule 3767

$\text{Int}[\csc[c + d*x]^{(n)}, x\_Symbol] \rightarrow -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \text{Cot}[c + d*x]], x] /; \text{FreeQ}\{c, d\}, x \&\& \text{IGtQ}[n/2, 0]$

#### Rule 8

$\text{Int}[a, x\_Symbol] \rightarrow \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

#### Rubi steps

$$\begin{aligned} \int (a + b \sec(d + ex)) (b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex))^{3/2} dx &= \frac{(b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex))^{3/2} \int (2ab \sec(d + ex) + a^2 \sec^2(d + ex)) dx}{(2ab + 2a^2 \sec(d + ex))} \\ &= \frac{b(a^2b + a^3 \sec(d + ex))^2 (b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex))^{3/2}}{3e(ab + a^2 \sec(d + ex))} \\ &= \frac{a^5(3a^2 + 5b^2) \sec(d + ex) (b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex))^{3/2}}{6e(ab + a^2 \sec(d + ex))} \\ &= \frac{a^4 b^3 x (b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex))^{3/2}}{(ab + a^2 \sec(d + ex))^3} + \frac{(a^4 + 9a^2 b^2 + 2b^4) \tanh^{-1}(\sin(d + ex)) (b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex))^{3/2}}{2e(b + a \sec(d + ex))} \\ &= \frac{(a^4 + 9a^2 b^2 + 2b^4) \tanh^{-1}(\sin(d + ex)) (b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex))^{3/2}}{2e(b + a \sec(d + ex))} \end{aligned}$$

**Mathematica [A]** time = 0.837774, size = 128, normalized size = 0.36

$$\frac{\cos(d + ex) \sqrt{(a \sec(d + ex) + b)^2} (3(9a^2 b^2 + a^4 + 2b^4) \tanh^{-1}(\sin(d + ex)) + 3a \tan(d + ex) (a(a^2 + 3b^2) \sec(d + ex) + a^2 \sec^2(d + ex)))}{6e(a + b \cos(d + ex))}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Sec[d + e\*x])\*(b^2 + 2\*a\*b\*Sec[d + e\*x] + a^2\*Sec[d + e\*x]^2)^(3/2), x]



[Out] (Cos[d + e\*x]\*Sqrt[(b + a\*Sec[d + e\*x])^2]\*(6\*a\*b^3\*e\*x + 3\*(a^4 + 9\*a^2\*b^2 + 2\*b^4)\*ArcTanh[Sin[d + e\*x]] + 3\*a\*(8\*a^2\*b + 6\*b^3 + a\*(a^2 + 3\*b^2))\*Sec[d + e\*x]\*Tan[d + e\*x] + 2\*a^3\*b\*Tan[d + e\*x]^3))/(6\*e\*(a + b\*Cos[d + e\*x]))

**Maple [A]** time = 0.264, size = 387, normalized size = 1.1

$$\frac{1}{6e(b \cos(ex+d) + a)^3} \left( 3 \ln \left( \frac{\sin(ex+d) + 1 - \cos(ex+d)}{\sin(ex+d)} \right) (\cos(ex+d))^3 a^4 + 27 \ln \left( \frac{\sin(ex+d) + 1 - \cos(ex+d)}{\sin(ex+d)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*sec(e\*x+d))\*(b^2+2\*a\*b\*sec(e\*x+d)+a^2\*sec(e\*x+d)^2)^(3/2), x)

[Out] 1/6/e\*(3\*ln((sin(e\*x+d)+1-cos(e\*x+d))/sin(e\*x+d))\*cos(e\*x+d)^3\*a^4+27\*ln((sin(e\*x+d)+1-cos(e\*x+d))/sin(e\*x+d))\*cos(e\*x+d)^3\*a^2\*b^2+6\*ln((sin(e\*x+d)+1-cos(e\*x+d))/sin(e\*x+d))\*cos(e\*x+d)^3\*b^4-3\*ln(-(cos(e\*x+d)-1+sin(e\*x+d))/sin(e\*x+d))\*cos(e\*x+d)^3\*a^4-27\*ln(-(cos(e\*x+d)-1+sin(e\*x+d))/sin(e\*x+d))\*cos(e\*x+d)^3\*a^2\*b^2-6\*ln(-(cos(e\*x+d)-1+sin(e\*x+d))/sin(e\*x+d))\*cos(e\*x+d)^3\*b^4+6\*cos(e\*x+d)^3\*(e\*x+d)\*a\*b^3+22\*sin(e\*x+d)\*cos(e\*x+d)^2\*a^3\*b+18\*sin(e\*x+d)\*cos(e\*x+d)^2\*a\*b^3+3\*sin(e\*x+d)\*cos(e\*x+d)\*a^4+9\*sin(e\*x+d)\*cos(e\*x+d)\*a^2\*b^2+2\*a^3\*b\*sin(e\*x+d))\*(b\*cos(e\*x+d)+a)^2/cos(e\*x+d)^2)^(3/2)/(b\*cos(e\*x+d)+a)^3

**Maxima [A]** time = 1.66739, size = 594, normalized size = 1.65

$$3 \left( 4b^3 \arctan \left( \frac{\sin(ex+d)}{\cos(ex+d)+1} \right) + (a^3 + 6ab^2) \log \left( \frac{\sin(ex+d)}{\cos(ex+d)+1} + 1 \right) - (a^3 + 6ab^2) \log \left( \frac{\sin(ex+d)}{\cos(ex+d)+1} - 1 \right) - \frac{2 \left( \frac{a^3+6a^2b}{\cos(ex+d)+1} \sin(ex+d) + \frac{2 \sin(ex+d)^2}{(\cos(ex+d)+1)^2} \right)}{\cos(ex+d)+1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*sec(e\*x+d))\*(b^2+2\*a\*b\*sec(e\*x+d)+a^2\*sec(e\*x+d)^2)^(3/2), x, algorithm="maxima")

[Out] 1/6\*(3\*(4\*b^3\*arctan(sin(e\*x + d)/(cos(e\*x + d) + 1)) + (a^3 + 6\*a\*b^2)\*log(sin(e\*x + d)/(cos(e\*x + d) + 1) + 1) - (a^3 + 6\*a\*b^2)\*log(sin(e\*x + d)/(cos(e\*x + d) + 1) - 1) - 2\*((a^3 + 6\*a^2\*b)\*sin(e\*x + d)/(cos(e\*x + d) + 1) + (a^3 - 6\*a^2\*b)\*sin(e\*x + d)^3/(cos(e\*x + d) + 1)^3)/(2\*sin(e\*x + d)^2/(cos(e\*x + d) + 1)^2 - sin(e\*x + d)^4/(cos(e\*x + d) + 1)^4 - 1))\*a + (3\*(3\*a^2\*b + 2\*b^3)\*log(sin(e\*x + d)/(cos(e\*x + d) + 1) + 1) - 3\*(3\*a^2\*b + 2\*b^3)\*log(sin(e\*x + d)/(cos(e\*x + d) + 1) - 1) - 2\*(3\*(2\*a^3 + 3\*a^2\*b + 6\*a\*b^2)\*sin(e\*x + d)/(cos(e\*x + d) + 1) - 4\*(a^3 + 9\*a\*b^2)\*sin(e\*x + d)^3/(cos(e\*x + d) + 1)^3 + 3\*(2\*a^3 - 3\*a^2\*b + 6\*a\*b^2)\*sin(e\*x + d)^5/(cos(e\*x + d) + 1)^5)/(3\*sin(e\*x + d)^2/(cos(e\*x + d) + 1)^2 - 3\*sin(e\*x + d)^4/(cos(e\*x + d) + 1)^4 + sin(e\*x + d)^6/(cos(e\*x + d) + 1)^6 - 1))\*b)/e

**Fricas [A]** time = 2.20469, size = 394, normalized size = 1.1

$$\frac{12ab^3ex \cos(ex+d)^3 + 3(a^4 + 9a^2b^2 + 2b^4) \cos(ex+d)^3 \log(\sin(ex+d) + 1) - 3(a^4 + 9a^2b^2 + 2b^4) \cos(ex+d)^3}{12e \cos(ex+d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(e*x+d))*(b^2+2*a*b*sec(e*x+d)+a^2*sec(e*x+d)^2)^(3/2),x,
algorithm="fricas")
```

```
[Out] 1/12*(12*a*b^3*e*x*cos(e*x + d)^3 + 3*(a^4 + 9*a^2*b^2 + 2*b^4)*cos(e*x + d)
)^3*log(sin(e*x + d) + 1) - 3*(a^4 + 9*a^2*b^2 + 2*b^4)*cos(e*x + d)^3*log(
-sin(e*x + d) + 1) + 2*(2*a^3*b + 2*(11*a^3*b + 9*a*b^3)*cos(e*x + d)^2 + 3
*(a^4 + 3*a^2*b^2)*cos(e*x + d))*sin(e*x + d))/(e*cos(e*x + d)^3)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \sec(d + ex)) \left( (a \sec(d + ex) + b)^2 \right)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(e*x+d))*(b**2+2*a*b*sec(e*x+d)+a**2*sec(e*x+d)**2)**(3/2),x)
```

```
[Out] Integral((a + b*sec(d + e*x))*((a*sec(d + e*x) + b)**2)**(3/2), x)
```

**Giac [A]** time = 1.66667, size = 880, normalized size = 2.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(e*x+d))*(b^2+2*a*b*sec(e*x+d)+a^2*sec(e*x+d)^2)^(3/2),x,
algorithm="giac")
```

```
[Out] 1/6*(6*(x*e + d)*a*b^3*sgn(b*cos(x*e + d)^2 + a*cos(x*e + d)) + 3*(a^4*sgn(
b*cos(x*e + d)^2 + a*cos(x*e + d)) + 9*a^2*b^2*sgn(b*cos(x*e + d)^2 + a*cos
(x*e + d)) + 2*b^4*sgn(b*cos(x*e + d)^2 + a*cos(x*e + d)))*log(abs(tan(1/2*
x*e + 1/2*d) + 1)) - 3*(a^4*sgn(b*cos(x*e + d)^2 + a*cos(x*e + d)) + 9*a^2*
b^2*sgn(b*cos(x*e + d)^2 + a*cos(x*e + d)) + 2*b^4*sgn(b*cos(x*e + d)^2 + a
*cos(x*e + d)))*log(abs(tan(1/2*x*e + 1/2*d) - 1)) + 2*(3*a^4*sgn(b*cos(x*e
+ d)^2 + a*cos(x*e + d))*tan(1/2*x*e + 1/2*d)^5 - 24*a^3*b*sgn(b*cos(x*e +
d)^2 + a*cos(x*e + d))*tan(1/2*x*e + 1/2*d)^5 + 9*a^2*b^2*sgn(b*cos(x*e +
d)^2 + a*cos(x*e + d))*tan(1/2*x*e + 1/2*d)^5 - 18*a*b^3*sgn(b*cos(x*e + d)
^2 + a*cos(x*e + d))*tan(1/2*x*e + 1/2*d)^5 + 40*a^3*b*sgn(b*cos(x*e + d)^2
+ a*cos(x*e + d))*tan(1/2*x*e + 1/2*d)^3 + 36*a*b^3*sgn(b*cos(x*e + d)^2 +
a*cos(x*e + d))*tan(1/2*x*e + 1/2*d)^3 - 3*a^4*sgn(b*cos(x*e + d)^2 + a*co
s(x*e + d))*tan(1/2*x*e + 1/2*d) - 24*a^3*b*sgn(b*cos(x*e + d)^2 + a*cos(x*
e + d))*tan(1/2*x*e + 1/2*d) - 9*a^2*b^2*sgn(b*cos(x*e + d)^2 + a*cos(x*e +
d))*tan(1/2*x*e + 1/2*d) - 18*a*b^3*sgn(b*cos(x*e + d)^2 + a*cos(x*e + d))
*tan(1/2*x*e + 1/2*d))/(tan(1/2*x*e + 1/2*d)^2 - 1)^3)*e^(-1)
```

### 3.523 $\int (a+b \sec(d+ex))\sqrt{b^2 + 2ab \sec(d+ex) + a^2 \sec^2(d+ex)}$

**Optimal.** Leaf size=173

$$\frac{a^2bx\sqrt{a^2 \sec^2(d+ex) + 2ab \sec(d+ex) + b^2}}{a^2 \sec(d+ex) + ab} + \frac{a^2b \tan(d+ex)\sqrt{a^2 \sec^2(d+ex) + 2ab \sec(d+ex) + b^2}}{e(a^2 \sec(d+ex) + ab)} + \frac{(a^2 + b^2) \tan(d+ex)}{e}$$

```
[Out] ((a^2 + b^2)*ArcTanh[Sin[d + e*x]]*Sqrt[b^2 + 2*a*b*Sec[d + e*x] + a^2*Sec[d + e*x]^2])/(e*(b + a*Sec[d + e*x])) + (a^2*b*x*Sqrt[b^2 + 2*a*b*Sec[d + e*x] + a^2*Sec[d + e*x]^2])/(a*b + a^2*Sec[d + e*x]) + (a^2*b*Sqrt[b^2 + 2*a*b*Sec[d + e*x] + a^2*Sec[d + e*x]^2]*Tan[d + e*x])/(e*(a*b + a^2*Sec[d + e*x]))
```

**Rubi [A]** time = 0.118901, antiderivative size = 173, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 41,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$ , Rules used = {4174, 3914, 3767, 8, 3770}

$$\frac{a^2bx\sqrt{a^2 \sec^2(d+ex) + 2ab \sec(d+ex) + b^2}}{a^2 \sec(d+ex) + ab} + \frac{a^2b \tan(d+ex)\sqrt{a^2 \sec^2(d+ex) + 2ab \sec(d+ex) + b^2}}{e(a^2 \sec(d+ex) + ab)} + \frac{(a^2 + b^2) \tan(d+ex)}{e}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Sec[d + e*x])*Sqrt[b^2 + 2*a*b*Sec[d + e*x] + a^2*Sec[d + e*x]^2], x]
```

```
[Out] ((a^2 + b^2)*ArcTanh[Sin[d + e*x]]*Sqrt[b^2 + 2*a*b*Sec[d + e*x] + a^2*Sec[d + e*x]^2])/(e*(b + a*Sec[d + e*x])) + (a^2*b*x*Sqrt[b^2 + 2*a*b*Sec[d + e*x] + a^2*Sec[d + e*x]^2])/(a*b + a^2*Sec[d + e*x]) + (a^2*b*Sqrt[b^2 + 2*a*b*Sec[d + e*x] + a^2*Sec[d + e*x]^2]*Tan[d + e*x])/(e*(a*b + a^2*Sec[d + e*x]))
```

#### Rule 4174

```
Int[((A_) + (B_)*sec[(d_) + (e_)*(x_)])*((a_) + (b_)*sec[(d_) + (e_)*(x_)]) + (c_)*sec[(d_) + (e_)*(x_)]^2)^(n_), x_Symbol] :> Dist[(a + b*Sec[d + e*x] + c*Sec[d + e*x]^2)^n/(b + 2*c*Sec[d + e*x])^(2*n), Int[(A + B*Sec[d + e*x])*(b + 2*c*Sec[d + e*x])^(2*n), x], x] /; FreeQ[{a, b, c, d, e, A, B}, x] && EqQ[b^2 - 4*a*c, 0] && !IntegerQ[n]
```

#### Rule 3914

```
Int[(csc[(e_) + (f_)*(x_)]*(b_) + (a_))*(csc[(e_) + (f_)*(x_)]*(d_) + (c_)), x_Symbol] :> Simp[a*c*x, x] + (Dist[b*d, Int[Csc[e + f*x]^2, x], x] + Dist[b*c + a*d, Int[Csc[e + f*x], x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]
```

#### Rule 3767

```
Int[csc[(c_) + (d_)*(x_)]^(n_), x_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

#### Rule 8

```
Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]
```

**Rule 3770**

`Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]  
/; FreeQ[{c, d}, x]`

**Rubi steps**

$$\begin{aligned} \int (a + b \sec(d + ex)) \sqrt{b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex)} dx &= \frac{\sqrt{b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex)} \int (2ab + 2a^2 \sec(d + ex))}{2ab + 2a^2 \sec(d + ex)} \\ &= \frac{a^2 b x \sqrt{b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex)}}{ab + a^2 \sec(d + ex)} + \frac{(2a^2 b x)}{ab + a^2 \sec(d + ex)} \\ &= \frac{(a^2 + b^2) \tanh^{-1}(\sin(d + ex)) \sqrt{b^2 + 2ab \sec(d + ex)} + ab(\tan(d + ex) + ex)}{e(b + a \sec(d + ex))} \\ &= \frac{(a^2 + b^2) \tanh^{-1}(\sin(d + ex)) \sqrt{b^2 + 2ab \sec(d + ex)} + ab(\tan(d + ex) + ex)}{e(b + a \sec(d + ex))} \end{aligned}$$

**Mathematica [A]** time = 0.263301, size = 67, normalized size = 0.39

$$\frac{\cos(d + ex) \sqrt{a \sec(d + ex) + b^2} \left( (a^2 + b^2) \tanh^{-1}(\sin(d + ex)) + ab(\tan(d + ex) + ex) \right)}{e(a + b \cos(d + ex))}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Sec[d + e\*x])\*Sqrt[b^2 + 2\*a\*b\*Sec[d + e\*x] + a^2\*Sec[d + e\*x]^2], x]

[Out] (Cos[d + e\*x]\*Sqrt[(b + a\*Sec[d + e\*x])^2]\*((a^2 + b^2)\*ArcTanh[Sin[d + e\*x]] + a\*b\*(e\*x + Tan[d + e\*x])))/(e\*(a + b\*Cos[d + e\*x]))

**Maple [A]** time = 0.238, size = 208, normalized size = 1.2

$$\frac{1}{e(b \cos(ex + d) + a)} \left( \cos(ex + d) \ln \left( \frac{\sin(ex + d) + 1 - \cos(ex + d)}{\sin(ex + d)} \right) a^2 + \cos(ex + d) \ln \left( \frac{\sin(ex + d) + 1 - \cos(ex + d)}{\sin(ex + d)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*sec(e\*x+d))\*(b^2+2\*a\*b\*sec(e\*x+d)+a^2\*sec(e\*x+d)^2)^(1/2), x)

[Out] 1/e\*(cos(e\*x+d)\*ln((sin(e\*x+d)+1-cos(e\*x+d))/sin(e\*x+d))\*a^2+cos(e\*x+d)\*ln((sin(e\*x+d)+1-cos(e\*x+d))/sin(e\*x+d))\*b^2-cos(e\*x+d)\*ln(-(cos(e\*x+d)-1+sin(e\*x+d))/sin(e\*x+d))\*a^2-cos(e\*x+d)\*ln(-(cos(e\*x+d)-1+sin(e\*x+d))/sin(e\*x+d))\*b^2+cos(e\*x+d)\*(e\*x+d)\*a\*b+a\*b\*sin(e\*x+d))\*((b\*cos(e\*x+d)+a)^2/cos(e\*x+d)^2)^(1/2)/(b\*cos(e\*x+d)+a)

**Maxima [A]** time = 1.5922, size = 221, normalized size = 1.28

$$\left( 2b \arctan \left( \frac{\sin(ex+d)}{\cos(ex+d)+1} \right) + a \log \left( \frac{\sin(ex+d)}{\cos(ex+d)+1} + 1 \right) - a \log \left( \frac{\sin(ex+d)}{\cos(ex+d)+1} - 1 \right) \right) a + \left( b \log \left( \frac{\sin(ex+d)}{\cos(ex+d)+1} + 1 \right) - b \log \left( \frac{\sin(ex+d)}{\cos(ex+d)+1} - 1 \right) \right) e$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(e*x+d))*(b^2+2*a*b*sec(e*x+d)+a^2*sec(e*x+d)^2)^(1/2),x,
algorithm="maxima")
```

```
[Out] ((2*b*arctan(sin(e*x + d)/(cos(e*x + d) + 1)) + a*log(sin(e*x + d)/(cos(e*x
+ d) + 1) + 1) - a*log(sin(e*x + d)/(cos(e*x + d) + 1) - 1))*a + (b*log(si
n(e*x + d)/(cos(e*x + d) + 1) + 1) - b*log(sin(e*x + d)/(cos(e*x + d) + 1)
- 1) - 2*a*sin(e*x + d)/((sin(e*x + d)^2/(cos(e*x + d) + 1)^2 - 1)*(cos(e*x
+ d) + 1))) * b) / e
```

**Fricas [A]** time = 2.0364, size = 225, normalized size = 1.3

$$\frac{2 abex \cos(ex + d) + (a^2 + b^2) \cos(ex + d) \log(\sin(ex + d) + 1) - (a^2 + b^2) \cos(ex + d) \log(-\sin(ex + d) + 1) + 2 ab}{2e \cos(ex + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(e*x+d))*(b^2+2*a*b*sec(e*x+d)+a^2*sec(e*x+d)^2)^(1/2),x,
algorithm="fricas")
```

```
[Out] 1/2*(2*a*b*e*x*cos(e*x + d) + (a^2 + b^2)*cos(e*x + d)*log(sin(e*x + d) + 1)
) - (a^2 + b^2)*cos(e*x + d)*log(-sin(e*x + d) + 1) + 2*a*b*sin(e*x + d))/(
e*cos(e*x + d))
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \sec(d + ex)) \sqrt{(a \sec(d + ex) + b)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(e*x+d))*(b**2+2*a*b*sec(e*x+d)+a**2*sec(e*x+d)**2)**(1/2),x)
```

```
[Out] Integral((a + b*sec(d + e*x))*sqrt((a*sec(d + e*x) + b)**2), x)
```

**Giac [A]** time = 1.36005, size = 302, normalized size = 1.75

$$\left( (xe + d) a b \operatorname{sgn}(b \cos(xe + d)^2 + a \cos(xe + d)) - \frac{2 a b \operatorname{sgn}(b \cos(xe + d)^2 + a \cos(xe + d)) \tan\left(\frac{1}{2} xe + \frac{1}{2} d\right)}{\tan\left(\frac{1}{2} xe + \frac{1}{2} d\right)^2 - 1} + (a^2 \operatorname{sgn}(b \cos(xe + d)^2 + a \cos(xe + d))) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(e*x+d))*(b^2+2*a*b*sec(e*x+d)+a^2*sec(e*x+d)^2)^(1/2),x,
algorithm="giac")
```

```
[Out] ((x*e + d)*a*b*sgn(b*cos(x*e + d)^2 + a*cos(x*e + d)) - 2*a*b*sgn(b*cos(x*e
+ d)^2 + a*cos(x*e + d))*tan(1/2*x*e + 1/2*d)/(tan(1/2*x*e + 1/2*d)^2 - 1)
+ (a^2*sgn(b*cos(x*e + d)^2 + a*cos(x*e + d)) + b^2*sgn(b*cos(x*e + d)^2 +
```

$$a \cos(xe + d)) \log(\tan(1/2xe + 1/2d) + 1) - (a^2 \operatorname{sgn}(b \cos(xe + d)^2 + a \cos(xe + d)) + b^2 \operatorname{sgn}(b \cos(xe + d)^2 + a \cos(xe + d))) \log(\tan(1/2xe + 1/2d) - 1)) e^{-1}$$

$$3.524 \quad \int \frac{a+b \sec(d+ex)}{\sqrt{b^2+2ab \sec(d+ex)+a^2 \sec^2(d+ex)}} dx$$

**Optimal.** Leaf size=142

$$\frac{x(a^2 \sec(d+ex) + ab)}{b\sqrt{a^2 \sec^2(d+ex) + 2ab \sec(d+ex) + b^2}} - \frac{2\sqrt{a-b}\sqrt{a+b} \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{a+b}}\right)(a \sec(d+ex) + b)}{be\sqrt{a^2 \sec^2(d+ex) + 2ab \sec(d+ex) + b^2}}$$

[Out] (-2\*Sqrt[a - b]\*Sqrt[a + b]\*ArcTan[(Sqrt[a - b]\*Tan[(d + e\*x)/2])/Sqrt[a + b]]\*(b + a\*Sec[d + e\*x]))/(b\*e\*Sqrt[b^2 + 2\*a\*b\*Sec[d + e\*x] + a^2\*Sec[d + e\*x]^2]) + (x\*(a\*b + a^2\*Sec[d + e\*x]))/(b\*Sqrt[b^2 + 2\*a\*b\*Sec[d + e\*x] + a^2\*Sec[d + e\*x]^2])

**Rubi [A]** time = 0.213063, antiderivative size = 142, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 41,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$ , Rules used = {4174, 3919, 3831, 2659, 205}

$$\frac{x(a^2 \sec(d+ex) + ab)}{b\sqrt{a^2 \sec^2(d+ex) + 2ab \sec(d+ex) + b^2}} - \frac{2\sqrt{a-b}\sqrt{a+b} \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{a+b}}\right)(a \sec(d+ex) + b)}{be\sqrt{a^2 \sec^2(d+ex) + 2ab \sec(d+ex) + b^2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Sec[d + e\*x])/Sqrt[b^2 + 2\*a\*b\*Sec[d + e\*x] + a^2\*Sec[d + e\*x]^2], x]

[Out] (-2\*Sqrt[a - b]\*Sqrt[a + b]\*ArcTan[(Sqrt[a - b]\*Tan[(d + e\*x)/2])/Sqrt[a + b]]\*(b + a\*Sec[d + e\*x]))/(b\*e\*Sqrt[b^2 + 2\*a\*b\*Sec[d + e\*x] + a^2\*Sec[d + e\*x]^2]) + (x\*(a\*b + a^2\*Sec[d + e\*x]))/(b\*Sqrt[b^2 + 2\*a\*b\*Sec[d + e\*x] + a^2\*Sec[d + e\*x]^2])

#### Rule 4174

Int[((A\_) + (B\_)\*sec[(d\_) + (e\_)\*(x\_)])\*((a\_) + (b\_)\*sec[(d\_) + (e\_)\*(x\_) + (c\_)\*sec[(d\_) + (e\_)\*(x\_)]^2]^n), x\_Symbol] :> Dist[(a + b\*Sec[d + e\*x] + c\*Sec[d + e\*x]^2)^n/(b + 2\*c\*Sec[d + e\*x])^(2\*n), Int[(A + B\*Sec[d + e\*x])\*(b + 2\*c\*Sec[d + e\*x])^(2\*n), x], x] /; FreeQ[{a, b, c, d, e, A, B}, x] && EqQ[b^2 - 4\*a\*c, 0] && !IntegerQ[n]

#### Rule 3919

Int[(csc[(e\_) + (f\_)\*(x\_)]\*(d\_) + (c\_))/(csc[(e\_) + (f\_)\*(x\_)]\*(b\_) + (a\_)), x\_Symbol] :> Simp[(c\*x)/a, x] - Dist[(b\*c - a\*d)/a, Int[Csc[e + f\*x]/(a + b\*Csc[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3831

Int[csc[(e\_) + (f\_)\*(x\_)]/(csc[(e\_) + (f\_)\*(x\_)]\*(b\_) + (a\_)), x\_Symbol] :> Dist[1/b, Int[1/(1 + (a\*Sin[e + f\*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

**Rule 205**

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

**Rubi steps**

$$\int \frac{a + b \sec(d + ex)}{\sqrt{b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex)}} dx = \frac{(2ab + 2a^2 \sec(d + ex)) \int \frac{a + b \sec(d + ex)}{2ab + 2a^2 \sec(d + ex)} dx}{\sqrt{b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex)}}$$

$$= \frac{x (ab + a^2 \sec(d + ex))}{b \sqrt{b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex)}} - \frac{((2a^3 - 2ab^2) (2ab + 2a^2 \sec(d + ex)))}{2ab \sqrt{b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex)}}$$

$$= \frac{x (ab + a^2 \sec(d + ex))}{b \sqrt{b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex)}} - \frac{((2a^3 - 2ab^2) (2ab + 2a^2 \sec(d + ex)))}{4a^3 b \sqrt{b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex)}}$$

$$= \frac{x (ab + a^2 \sec(d + ex))}{b \sqrt{b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex)}} - \frac{((2a^3 - 2ab^2) (2ab + 2a^2 \sec(d + ex)))}{2a^3 b e \sqrt{b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex)}}$$

$$= -\frac{2\sqrt{a-b}\sqrt{a+b} \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{a+b}}\right) (b + a \sec(d + ex))}{be \sqrt{b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex)}} + \frac{1}{b \sqrt{b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex)}}$$

**Mathematica [A]** time = 0.392007, size = 92, normalized size = 0.65

$$\frac{\sec(d + ex)(a + b \cos(d + ex)) \left( 2\sqrt{b^2 - a^2} \tanh^{-1} \left( \frac{(b-a) \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{b^2 - a^2}} \right) + a(d + ex) \right)}{be \sqrt{(a \sec(d + ex) + b)^2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Sec[d + e*x])/Sqrt[b^2 + 2*a*b*Sec[d + e*x] + a^2*Sec[d + e*x]^2], x]
```

```
[Out] ((a*(d + e*x) + 2*Sqrt[-a^2 + b^2]*ArcTanh[((-a + b)*Tan[(d + e*x)/2])/Sqrt[-a^2 + b^2]])*(a + b*Cos[d + e*x])*Sec[d + e*x]/(b*e*Sqrt[(b + a*Sec[d + e*x])^2])
```

**Maple [A]** time = 0.238, size = 157, normalized size = 1.1

$$\frac{b \cos(ex + d) + a}{be \cos(ex + d)} \left( a(ex + d) \sqrt{(a - b)(a + b)} + 2 \arctan \left( \frac{(\cos(ex + d) - 1)(a - b)}{\sin(ex + d) \sqrt{(a - b)(a + b)}} \right) a^2 - 2 \arctan \left( \frac{(\cos(ex + d) - 1)(a - b)}{\sin(ex + d) \sqrt{(a - b)(a + b)}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int((a+b*sec(e*x+d))/(b^2+2*a*b*sec(e*x+d)+a^2*sec(e*x+d)^2)^(1/2),x)`

[Out]  $\frac{1}{e/b/((a-b)*(a+b))^{1/2}*(b*\cos(e*x+d)+a)*(a*(e*x+d)*((a-b)*(a+b))^{1/2}+2*\arctan((\cos(e*x+d)-1)*(a-b)/\sin(e*x+d)/((a-b)*(a+b))^{1/2}))*a^2-2*\arctan((\cos(e*x+d)-1)*(a-b)/\sin(e*x+d)/((a-b)*(a+b))^{1/2})*b^2)/\cos(e*x+d)/((b*\cos(e*x+d)+a)^2/\cos(e*x+d)^2)^{1/2}}$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(e*x+d))/(b^2+2*a*b*sec(e*x+d)+a^2*sec(e*x+d)^2)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.17424, size = 421, normalized size = 2.96

$$\left[ \frac{2 a e x + \sqrt{-a^2 + b^2} \log \left( \frac{2 a b \cos(e x + d) + (2 a^2 - b^2) \cos(e x + d)^2 + 2 \sqrt{-a^2 + b^2} (a \cos(e x + d) + b) \sin(e x + d) - a^2 + 2 b^2}{b^2 \cos(e x + d)^2 + 2 a b \cos(e x + d) + a^2} \right)}{2 b e}, \frac{a e x - \sqrt{a^2 - b^2} \arctan \left( \frac{a \cos(e x + d) + b}{\sqrt{a^2 - b^2} \sin(e x + d)} \right)}{b e} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(e*x+d))/(b^2+2*a*b*sec(e*x+d)+a^2*sec(e*x+d)^2)^(1/2),x, algorithm="fricas")`

[Out]  $\left[ \frac{1}{2} * (2 * a * e * x + \sqrt{-a^2 + b^2}) * \log \left( \frac{(2 * a * b * \cos(e * x + d) + (2 * a^2 - b^2) * \cos(e * x + d)^2 + 2 * \sqrt{-a^2 + b^2} * (a * \cos(e * x + d) + b) * \sin(e * x + d) - a^2 + 2 * b^2)}{(b^2 * \cos(e * x + d)^2 + 2 * a * b * \cos(e * x + d) + a^2)} \right) \right] / (b * e), \frac{(a * e * x - \sqrt{a^2 - b^2}) * \arctan \left( \frac{a * \cos(e * x + d) + b}{\sqrt{a^2 - b^2} * \sin(e * x + d)} \right)}{(b * e)}$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \sec(d + ex)}{\sqrt{(a \sec(d + ex) + b)^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(e*x+d))/(b**2+2*a*b*sec(e*x+d)+a**2*sec(e*x+d)**2)**(1/2),x)`

[Out] `Integral((a + b*sec(d + e*x))/sqrt((a*sec(d + e*x) + b)**2), x)`

**Giac [A]** time = 1.55967, size = 265, normalized size = 1.87

$$\frac{\left( \frac{\left( x e - 2 \pi \left\lfloor \frac{x e + d}{2 \pi} + \frac{1}{2} \right\rfloor + d \right) a}{b \operatorname{sgn} \left( a \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right)^4 - b \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right)^4 + 2 b \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right)^2 - a - b \right) - 2 \sqrt{a^2 - b^2} \arctan \left( \frac{a \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right) - b \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right)}{\sqrt{a^2 - b^2}} \right)}{b \operatorname{sgn} \left( a \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right)^4 - b \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right)^4 + 2 b \tan \left( \frac{1}{2} x e + \frac{1}{2} d \right)^2 - a - b \right)} \right) e^{-1}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(e*x+d))/(b^2+2*a*b*sec(e*x+d)+a^2*sec(e*x+d)^2)^(1/2),x,
algorithm="giac")
```

```
[Out] -((x*e - 2*pi*floor(1/2*(x*e + d)/pi + 1/2) + d)*a/(b*sgn(a*tan(1/2*x*e + 1/2*d)^4 - b*tan(1/2*x*e + 1/2*d)^4 + 2*b*tan(1/2*x*e + 1/2*d)^2 - a - b)) - 2*sqrt(a^2 - b^2)*arctan((a*tan(1/2*x*e + 1/2*d) - b*tan(1/2*x*e + 1/2*d))/sqrt(a^2 - b^2))/(b*sgn(a*tan(1/2*x*e + 1/2*d)^4 - b*tan(1/2*x*e + 1/2*d)^4 + 2*b*tan(1/2*x*e + 1/2*d)^2 - a - b)))*e^(-1)
```

**3.525** 
$$\int \frac{a+b \sec(d+ex)}{(b^2+2ab \sec(d+ex)+a^2 \sec^2(d+ex))^{3/2}} dx$$

**Optimal.** Leaf size=330

$$\frac{x(a^2 \sec(d+ex) + ab)^3}{a^2 b^3 (a^2 \sec^2(d+ex) + 2ab \sec(d+ex) + b^2)^{3/2}} - \frac{(-3a^2 b^2 + 2a^4 + 2b^4) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{a+b}}\right) (a \sec(d+ex) + b)^3}{b^3 e (a-b)^{3/2} (a+b)^{3/2} (a^2 \sec^2(d+ex) + 2ab \sec(d+ex) + b^2)^{3/2}}$$

```
[Out] -(((2*a^4 - 3*a^2*b^2 + 2*b^4)*ArcTan[(Sqrt[a - b]*Tan[(d + e*x)/2])/Sqrt[a + b]]*(b + a*Sec[d + e*x])^3)/((a - b)^(3/2)*b^3*(a + b)^(3/2)*e*(b^2 + 2*a*b*Sec[d + e*x] + a^2*Sec[d + e*x]^2)^(3/2)) + (x*(a*b + a^2*Sec[d + e*x])^3)/(a^2*b^3*(b^2 + 2*a*b*Sec[d + e*x] + a^2*Sec[d + e*x]^2)^(3/2)) - ((a*b + a^2*Sec[d + e*x])*Tan[d + e*x])/(2*b*e*(b^2 + 2*a*b*Sec[d + e*x] + a^2*Sec[d + e*x]^2)^(3/2)) - ((2*a^2 - 3*b^2)*(a*b + a^2*Sec[d + e*x])^3*Tan[d + e*x])/(2*b^2*(a^2 - b^2)*e*(a^2*b + a^3*Sec[d + e*x])*(b^2 + 2*a*b*Sec[d + e*x] + a^2*Sec[d + e*x]^2)^(3/2))
```

**Rubi [A]** time = 0.566333, antiderivative size = 330, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 41,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {4174, 3923, 4060, 3919, 3831, 2659, 205}

$$\frac{x(a^2 \sec(d+ex) + ab)^3}{a^2 b^3 (a^2 \sec^2(d+ex) + 2ab \sec(d+ex) + b^2)^{3/2}} - \frac{(-3a^2 b^2 + 2a^4 + 2b^4) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{a+b}}\right) (a \sec(d+ex) + b)^3}{b^3 e (a-b)^{3/2} (a+b)^{3/2} (a^2 \sec^2(d+ex) + 2ab \sec(d+ex) + b^2)^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Sec[d + e*x])/(b^2 + 2*a*b*Sec[d + e*x] + a^2*Sec[d + e*x]^2)^(3/2), x]
```

```
[Out] -(((2*a^4 - 3*a^2*b^2 + 2*b^4)*ArcTan[(Sqrt[a - b]*Tan[(d + e*x)/2])/Sqrt[a + b]]*(b + a*Sec[d + e*x])^3)/((a - b)^(3/2)*b^3*(a + b)^(3/2)*e*(b^2 + 2*a*b*Sec[d + e*x] + a^2*Sec[d + e*x]^2)^(3/2)) + (x*(a*b + a^2*Sec[d + e*x])^3)/(a^2*b^3*(b^2 + 2*a*b*Sec[d + e*x] + a^2*Sec[d + e*x]^2)^(3/2)) - ((a*b + a^2*Sec[d + e*x])*Tan[d + e*x])/(2*b*e*(b^2 + 2*a*b*Sec[d + e*x] + a^2*Sec[d + e*x]^2)^(3/2)) - ((2*a^2 - 3*b^2)*(a*b + a^2*Sec[d + e*x])^3*Tan[d + e*x])/(2*b^2*(a^2 - b^2)*e*(a^2*b + a^3*Sec[d + e*x])*(b^2 + 2*a*b*Sec[d + e*x] + a^2*Sec[d + e*x]^2)^(3/2))
```

**Rule 4174**

```
Int[((A_) + (B_)*sec[(d_) + (e_)*(x_)])*((a_) + (b_)*sec[(d_) + (e_)*(x_) + (c_)*sec[(d_) + (e_)*(x_)]^2]^(n_)), x_Symbol] :> Dist[(a + b*Sec[d + e*x] + c*Sec[d + e*x]^2)^n/(b + 2*c*Sec[d + e*x])^(2*n), Int[(A + B*Sec[d + e*x])*(b + 2*c*Sec[d + e*x])^(2*n), x], x] /; FreeQ[{a, b, c, d, e, A, B}, x] && EqQ[b^2 - 4*a*c, 0] && !IntegerQ[n]
```

**Rule 3923**

```
Int[(csc[(e_) + (f_)*(x_)]*(b_) + (a_))^(m_)*(csc[(e_) + (f_)*(x_)]*(d_) + (c_)), x_Symbol] :> Simp[(b*(b*c - a*d)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[c*(a^2 - b^2)*(m + 1) - (a*(b*c -
```

$a*d*(m + 1))*Csc[e + f*x] + b*(b*c - a*d)*(m + 2)*Csc[e + f*x]^2, x], x], x] /;$  FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && LtQ[m, -1] && NeQ[a^2 - b^2, 0] && IntegerQ[2\*m]

#### Rule 4060

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]^2\*(C\_.))\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^m, x\_Symbol] := Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1))/(a\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(a\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*Simp[A\*(a^2 - b^2)\*(m + 1) - a\*(A\*b - a\*B + b\*C)\*(m + 1)\*Csc[e + f\*x] + (A\*b^2 - a\*b\*B + a^2\*C)\*(m + 2)\*Csc[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

#### Rule 3919

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.) + (c\_.))/(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Simp[(c\*x)/a, x] - Dist[(b\*c - a\*d)/a, Int[Csc[e + f\*x]/(a + b\*Csc[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3831

Int[csc[(e\_.) + (f\_.)\*(x\_.)]/(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[1/b, Int[1/(1 + (a\*Sin[e + f\*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_.)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec(d + ex)}{(b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex))^{3/2}} dx &= \frac{(2ab + 2a^2 \sec(d + ex))^3 \int \frac{a+b \sec(d+ex)}{(2ab+2a^2 \sec(d+ex))^3} dx}{(b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex))^{3/2}} \\
&= -\frac{(ab + a^2 \sec(d + ex)) \tan(d + ex)}{2be (b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex))^{3/2}} + \frac{(2ab + 2a^2 \sec(d + ex)) \tan(d + ex)}{16a^3 b} \\
&= -\frac{(ab + a^2 \sec(d + ex)) \tan(d + ex)}{2be (b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex))^{3/2}} - \frac{(2a^2 - 3b^2) \tan(d + ex)}{2ab^2 (a^2 - b^2) e} \\
&= \frac{x (ab + a^2 \sec(d + ex))^3}{a^2 b^3 (b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex))^{3/2}} - \frac{(ab + a^2 \sec(d + ex)) \tan(d + ex)}{2be (b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex))^{3/2}} \\
&= \frac{x (ab + a^2 \sec(d + ex))^3}{a^2 b^3 (b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex))^{3/2}} - \frac{(ab + a^2 \sec(d + ex)) \tan(d + ex)}{2be (b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex))^{3/2}} \\
&= \frac{x (ab + a^2 \sec(d + ex))^3}{a^2 b^3 (b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex))^{3/2}} - \frac{(ab + a^2 \sec(d + ex)) \tan(d + ex)}{2be (b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex))^{3/2}} \\
&= -\frac{(2a^4 - 3a^2 b^2 + 2b^4) \tan^{-1} \left( \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{a+b}} \right) (b + a \sec(d + ex))^3}{(a - b)^{3/2} b^3 (a + b)^{3/2} e (b^2 + 2ab \sec(d + ex) + a^2 \sec^2(d + ex))^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 1.01106, size = 216, normalized size = 0.65

$$\frac{\sec^2(d + ex)(a + b \cos(d + ex))(a + b \sec(d + ex)) \left( \frac{ab(3a^2 - 4b^2) \sin(d + ex)(a + b \cos(d + ex))}{(b - a)(a + b)} + \frac{2(-3a^2 b^2 + 2a^4 + 2b^4)(a + b \cos(d + ex))^2 \tanh^{-1} \left( \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{a+b}} \right)}{(b^2 - a^2)^{3/2}} \right)}{2b^3 e (a \cos(d + ex) + b) ((a \sec(d + ex) + b)^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Sec[d + e\*x])/(b^2 + 2\*a\*b\*Sec[d + e\*x] + a^2\*Sec[d + e\*x]^2)^(3/2), x]

[Out] ((a + b\*Cos[d + e\*x])\*Sec[d + e\*x]^2\*(a + b\*Sec[d + e\*x])\*(2\*a\*(d + e\*x)\*(a + b\*Cos[d + e\*x])^2 + (2\*(2\*a^4 - 3\*a^2\*b^2 + 2\*b^4)\*ArcTanh[((-a + b)\*Tan[(d + e\*x)/2])/Sqrt[-a^2 + b^2]]\*(a + b\*Cos[d + e\*x])^2)/(-a^2 + b^2)^(3/2) + a^2\*b\*Sin[d + e\*x] + (a\*b\*(3\*a^2 - 4\*b^2)\*(a + b\*Cos[d + e\*x])\*Sin[d + e\*x])/((-a + b)\*(a + b)))/(2\*b^3\*e\*(b + a\*Cos[d + e\*x])\*((b + a\*Sec[d + e\*x])^2)^(3/2))

**Maple [B]** time = 0.21, size = 756, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+b*\sec(e*x+d))/(b^2+2*a*b*\sec(e*x+d)+a^2*\sec(e*x+d)^2)^{(3/2)}, x)$

[Out] 
$$-1/2/e/((a-b)*(a+b))^{(1/2)}/(a^2-b^2)/b^3*(b*\cos(e*x+d)+a)*(-4*\cos(e*x+d)^2*\arctan((\cos(e*x+d)-1)*(a-b)/\sin(e*x+d)/((a-b)*(a+b))^{(1/2)})*a^4*b^2+6*\cos(e*x+d)^2*\arctan((\cos(e*x+d)-1)*(a-b)/\sin(e*x+d)/((a-b)*(a+b))^{(1/2)})*a^2*b^4-4*\cos(e*x+d)^2*\arctan((\cos(e*x+d)-1)*(a-b)/\sin(e*x+d)/((a-b)*(a+b))^{(1/2)})*b^6-2*\cos(e*x+d)^2*((a-b)*(a+b))^{(1/2)}*(e*x+d)*a^3*b^2+2*\cos(e*x+d)^2*((a-b)*(a+b))^{(1/2)}*(e*x+d)*a*b^4+3*\sin(e*x+d)*\cos(e*x+d)*((a-b)*(a+b))^{(1/2)}*a^3*b^2-4*\sin(e*x+d)*\cos(e*x+d)*((a-b)*(a+b))^{(1/2)}*a*b^4-8*\cos(e*x+d)*\arctan((\cos(e*x+d)-1)*(a-b)/\sin(e*x+d)/((a-b)*(a+b))^{(1/2)})*a^5*b+12*\cos(e*x+d)*\arctan((\cos(e*x+d)-1)*(a-b)/\sin(e*x+d)/((a-b)*(a+b))^{(1/2)})*a^3*b^3-8*\cos(e*x+d)*\arctan((\cos(e*x+d)-1)*(a-b)/\sin(e*x+d)/((a-b)*(a+b))^{(1/2)})*a*b^5-4*\cos(e*x+d)*((a-b)*(a+b))^{(1/2)}*(e*x+d)*a^4*b+4*\cos(e*x+d)*((a-b)*(a+b))^{(1/2)}*(e*x+d)*a^2*b^3+2*((a-b)*(a+b))^{(1/2)}*a^4*b*\sin(e*x+d)-3*((a-b)*(a+b))^{(1/2)}*a^2*b^3*\sin(e*x+d)-4*\arctan((\cos(e*x+d)-1)*(a-b)/\sin(e*x+d)/((a-b)*(a+b))^{(1/2)})*a^6+6*\arctan((\cos(e*x+d)-1)*(a-b)/\sin(e*x+d)/((a-b)*(a+b))^{(1/2)})*a^4*b^2-4*\arctan((\cos(e*x+d)-1)*(a-b)/\sin(e*x+d)/((a-b)*(a+b))^{(1/2)})*a^2*b^4-2*(e*x+d)*((a-b)*(a+b))^{(1/2)}*a^5+2*((a-b)*(a+b))^{(1/2)}*(e*x+d)*a^3*b^2)/\cos(e*x+d)^3/((b*\cos(e*x+d)+a)^2/\cos(e*x+d)^2)^{(3/2)}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((a+b*\sec(e*x+d))/(b^2+2*a*b*\sec(e*x+d)+a^2*\sec(e*x+d)^2)^{(3/2)}, x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.61807, size = 1739, normalized size = 5.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((a+b*\sec(e*x+d))/(b^2+2*a*b*\sec(e*x+d)+a^2*\sec(e*x+d)^2)^{(3/2)}, x, \text{algorithm}="fricas")$

[Out] 
$$[1/4*(4*(a^5*b^2 - 2*a^3*b^4 + a*b^6)*e*x*\cos(e*x + d)^2 + 8*(a^6*b - 2*a^4*b^3 + a^2*b^5)*e*x*\cos(e*x + d) + 4*(a^7 - 2*a^5*b^2 + a^3*b^4)*e*x + (2*a^6 - 3*a^4*b^2 + 2*a^2*b^4 + (2*a^4*b^2 - 3*a^2*b^4 + 2*b^6)*\cos(e*x + d)^2 + 2*(2*a^5*b - 3*a^3*b^3 + 2*a*b^5)*\cos(e*x + d))*\sqrt{-a^2 + b^2}*\log((2*a*b*\cos(e*x + d) + (2*a^2 - b^2)*\cos(e*x + d)^2 + 2*\sqrt{-a^2 + b^2}*(a*\cos(e*x + d) + b)*\sin(e*x + d) - a^2 + 2*b^2)/(b^2*\cos(e*x + d)^2 + 2*a*b*\cos(e*x + d) + a^2)) - 2*(2*a^6*b - 5*a^4*b^3 + 3*a^2*b^5 + (3*a^5*b^2 - 7*a^3*b^4 + 4*a*b^6)*\cos(e*x + d))*\sin(e*x + d)/((a^4*b^5 - 2*a^2*b^7 + b^9)*e*\cos(e*x + d)^2 + 2*(a^5*b^4 - 2*a^3*b^6 + a*b^8)*e*\cos(e*x + d) + (a^6*b^3 - 2*a^4*b^5 + a^2*b^7)*e), 1/2*(2*(a^5*b^2 - 2*a^3*b^4 + a*b^6)*e*x*\cos(e*x + d)^2 + 4*(a^6*b - 2*a^4*b^3 + a^2*b^5)*e*x*\cos(e*x + d) + 2*(a^7 - 2*a^5*b^2 + a^3*b^4)*e*x - (2*a^6 - 3*a^4*b^2 + 2*a^2*b^4 + (2*a^4*b^2 - 3*a^2*b^4 + 2*b^6)*\cos(e*x + d)^2 + 2*(2*a^5*b - 3*a^3*b^3 + 2*a*b^5)*\cos(e*x + d))*\sqrt{a^2 - b^2}*\arctan(-(a*\cos(e*x + d) + b)/(\sqrt{a^2 - b^2}*\sin(e*x + d))$$

```
) - (2*a^6*b - 5*a^4*b^3 + 3*a^2*b^5 + (3*a^5*b^2 - 7*a^3*b^4 + 4*a*b^6)*cos(e*x + d))*sin(e*x + d)/((a^4*b^5 - 2*a^2*b^7 + b^9)*e*cos(e*x + d)^2 + 2*(a^5*b^4 - 2*a^3*b^6 + a*b^8)*e*cos(e*x + d) + (a^6*b^3 - 2*a^4*b^5 + a^2*b^7)*e)]
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \sec(d + ex)}{(a \sec(d + ex) + b)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(e*x+d))/(b**2+2*a*b*sec(e*x+d)+a**2*sec(e*x+d)**2)**(3/2),x)
```

```
[Out] Integral((a + b*sec(d + e*x))/((a*sec(d + e*x) + b)**2)**(3/2), x)
```

**Giac [A]** time = 1.88619, size = 768, normalized size = 2.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(e*x+d))/(b^2+2*a*b*sec(e*x+d)+a^2*sec(e*x+d)^2)**(3/2),x, algorithm="giac")
```

```
[Out] ((2*a^4 - 3*a^2*b^2 + 2*b^4)*arctan((a*tan(1/2*x*e + 1/2*d) - b*tan(1/2*x*e + 1/2*d))/sqrt(a^2 - b^2))/((a^2*b^3*sgn(a*tan(1/2*x*e + 1/2*d)^4 - b*tan(1/2*x*e + 1/2*d)^4 + 2*b*tan(1/2*x*e + 1/2*d)^2 - a - b) - b^5*sgn(a*tan(1/2*x*e + 1/2*d)^4 - b*tan(1/2*x*e + 1/2*d)^4 + 2*b*tan(1/2*x*e + 1/2*d)^2 - a - b))*sqrt(a^2 - b^2) + (2*a^4*tan(1/2*x*e + 1/2*d)^3 - 3*a^3*b*tan(1/2*x*e + 1/2*d)^3 - 3*a^2*b^2*tan(1/2*x*e + 1/2*d)^3 + 4*a*b^3*tan(1/2*x*e + 1/2*d)^3 + 2*a^4*tan(1/2*x*e + 1/2*d) + 3*a^3*b*tan(1/2*x*e + 1/2*d) - 3*a^2*b^2*tan(1/2*x*e + 1/2*d) - 4*a*b^3*tan(1/2*x*e + 1/2*d))/((a^2*b^2*sgn(a*tan(1/2*x*e + 1/2*d)^4 - b*tan(1/2*x*e + 1/2*d)^4 + 2*b*tan(1/2*x*e + 1/2*d)^2 - a - b) - b^4*sgn(a*tan(1/2*x*e + 1/2*d)^4 - b*tan(1/2*x*e + 1/2*d)^4 + 2*b*tan(1/2*x*e + 1/2*d)^2 - a - b))*(a*tan(1/2*x*e + 1/2*d)^2 - b*tan(1/2*x*e + 1/2*d)^2 + a + b)^2) - (x*e - 2*pi*floor(1/2*(x*e + d)/pi + 1/2) + d)*a/(b^3*sgn(a*tan(1/2*x*e + 1/2*d)^4 - b*tan(1/2*x*e + 1/2*d)^4 + 2*b*tan(1/2*x*e + 1/2*d)^2 - a - b)))e^(-1)
```

$$3.526 \quad \int \frac{\cos(x) - i \sin(x)}{\cos(x) + i \sin(x)} dx$$

**Optimal.** Leaf size=17

$$\frac{1}{2}i(\cos(x) - i \sin(x))^2$$

[Out] (I/2)\*(Cos[x] - I\*Sin[x])^2

**Rubi [A]** time = 0.0400325, antiderivative size = 17, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$ , Rules used = {4385}

$$\frac{1}{2}i(\cos(x) - i \sin(x))^2$$

Antiderivative was successfully verified.

[In] Int[(Cos[x] - I\*Sin[x])/(Cos[x] + I\*Sin[x]),x]

[Out] (I/2)\*(Cos[x] - I\*Sin[x])^2

**Rule 4385**

Int[(u\_)\*(y\_)^(m\_.), x\_Symbol] := With[{q = DerivativeDivides[ActivateTrig[y], ActivateTrig[u], x]}, Simp[(q\*ActivateTrig[y^(m + 1)])/(m + 1), x] /; !FalseQ[q]] /; FreeQ[m, x] && NeQ[m, -1] && !InertTrigFreeQ[u]

**Rubi steps**

$$\int \frac{\cos(x) - i \sin(x)}{\cos(x) + i \sin(x)} dx = \frac{1}{2}i(\cos(x) - i \sin(x))^2$$

**Mathematica [A]** time = 0.0054046, size = 19, normalized size = 1.12

$$\frac{1}{2} \sin(2x) + \frac{1}{2}i \cos(2x)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[x] - I\*Sin[x])/(Cos[x] + I\*Sin[x]),x]

[Out] (I/2)\*Cos[2\*x] + Sin[2\*x]/2

**Maple [A]** time = 0.065, size = 8, normalized size = 0.5

$$(\tan(x) - i)^{-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(x)-I\*sin(x))/(cos(x)+I\*sin(x)),x)



[Out]  $1/(\tan(x)-I)$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((cos(x)-I*sin(x))/(cos(x)+I*sin(x)),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError

**Fricas [A]** time = 1.78768, size = 24, normalized size = 1.41

$$\frac{1}{2}ie^{-2ix}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((cos(x)-I*sin(x))/(cos(x)+I*sin(x)),x, algorithm="fricas")`

[Out]  $1/2*I*e^{(-2*I*x)}$

**Sympy [A]** time = 0.128324, size = 8, normalized size = 0.47

$$\frac{ie^{-2ix}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((cos(x)-I*sin(x))/(cos(x)+I*sin(x)),x)`

[Out]  $I*\exp(-2*I*x)/2$

**Giac [A]** time = 1.13732, size = 19, normalized size = 1.12

$$\frac{2 \tan\left(\frac{1}{2}x\right)}{\left(\tan\left(\frac{1}{2}x\right) - i\right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((cos(x)-I*sin(x))/(cos(x)+I*sin(x)),x, algorithm="giac")`

[Out]  $-2*\tan(1/2*x)/(\tan(1/2*x) - I)^2$

$$3.527 \quad \int \frac{\cos(x)+i \sin(x)}{\cos(x)-i \sin(x)} dx$$

**Optimal.** Leaf size=17

$$-\frac{i}{2(\cos(x)-i \sin(x))^2}$$

[Out] (-I/2)/(Cos[x] - I\*Sin[x])^2

**Rubi [A]** time = 0.0365433, antiderivative size = 17, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$ , Rules used = {4385}

$$-\frac{i}{2(\cos(x)-i \sin(x))^2}$$

Antiderivative was successfully verified.

[In] Int[(Cos[x] + I\*Sin[x])/(Cos[x] - I\*Sin[x]),x]

[Out] (-I/2)/(Cos[x] - I\*Sin[x])^2

**Rule 4385**

Int[(u\_)\*(y\_)^(m\_.), x\_Symbol] :> With[{q = DerivativeDivides[ActivateTrig[y], ActivateTrig[u], x]}, Simp[(q\*ActivateTrig[y^(m + 1)])/(m + 1), x] /; !FalseQ[q]] /; FreeQ[m, x] && NeQ[m, -1] && !InertTrigFreeQ[u]

**Rubi steps**

$$\int \frac{\cos(x) + i \sin(x)}{\cos(x) - i \sin(x)} dx = -\frac{i}{2(\cos(x) - i \sin(x))^2}$$

**Mathematica [A]** time = 0.0048979, size = 19, normalized size = 1.12

$$\frac{1}{2} \sin(2x) - \frac{1}{2} i \cos(2x)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[x] + I\*Sin[x])/(Cos[x] - I\*Sin[x]),x]

[Out] (-I/2)\*Cos[2\*x] + Sin[2\*x]/2

**Maple [A]** time = 0.057, size = 8, normalized size = 0.5

$$(\tan(x) + i)^{-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(x)+I\*sin(x))/(cos(x)-I\*sin(x)),x)

[Out]  $1/(\tan(x)+I)$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((cos(x)+I*sin(x))/(cos(x)-I*sin(x)),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError

**Fricas [A]** time = 1.88227, size = 24, normalized size = 1.41

$$-\frac{1}{2}i e^{2ix}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((cos(x)+I*sin(x))/(cos(x)-I*sin(x)),x, algorithm="fricas")`

[Out]  $-1/2*I*e^{(2*I*x)}$

**Sympy [A]** time = 0.10255, size = 10, normalized size = 0.59

$$-\frac{ie^{2ix}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((cos(x)+I*sin(x))/(cos(x)-I*sin(x)),x)`

[Out]  $-I*\exp(2*I*x)/2$

**Giac [A]** time = 1.14414, size = 19, normalized size = 1.12

$$-\frac{2 \tan\left(\frac{1}{2}x\right)}{\left(\tan\left(\frac{1}{2}x\right) + i\right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((cos(x)+I*sin(x))/(cos(x)-I*sin(x)),x, algorithm="giac")`

[Out]  $-2*\tan(1/2*x)/(\tan(1/2*x) + I)^2$

$$3.528 \quad \int \frac{\cos(x) - \sin(x)}{\cos(x) + \sin(x)} dx$$

**Optimal.** Leaf size=6

$$\log(\sin(x) + \cos(x))$$

[Out] Log[Cos[x] + Sin[x]]

**Rubi [A]** time = 0.0225762, antiderivative size = 6, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$ , Rules used = {3133}

$$\log(\sin(x) + \cos(x))$$

Antiderivative was successfully verified.

[In] Int[(Cos[x] - Sin[x])/(Cos[x] + Sin[x]),x]

[Out] Log[Cos[x] + Sin[x]]

#### Rule 3133

```
Int[((A_.) + cos[(d_.) + (e_.)*(x_.)]*(B_.) + (C_.)*sin[(d_.) + (e_.)*(x_.)])
/((a_.) + cos[(d_.) + (e_.)*(x_.)]*(b_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)]), x
_Symbol] :> Simp[((b*B + c*C)*x)/(b^2 + c^2), x] + Simp[((c*B - b*C)*Log[a
+ b*Cos[d + e*x] + c*Sin[d + e*x]])/(e*(b^2 + c^2)), x] /; FreeQ[{a, b, c,
d, e, A, B, C}, x] && NeQ[b^2 + c^2, 0] && EqQ[A*(b^2 + c^2) - a*(b*B + c*C
), 0]
```

#### Rubi steps

$$\int \frac{\cos(x) - \sin(x)}{\cos(x) + \sin(x)} dx = \log(\cos(x) + \sin(x))$$

**Mathematica [A]** time = 0.0262814, size = 6, normalized size = 1.

$$\log(\sin(x) + \cos(x))$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[x] - Sin[x])/(Cos[x] + Sin[x]),x]

[Out] Log[Cos[x] + Sin[x]]

**Maple [A]** time = 0.022, size = 7, normalized size = 1.2

$$\ln(\cos(x) + \sin(x))$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((cos(x)-sin(x))/(cos(x)+sin(x)),x)
```

```
[Out] ln(cos(x)+sin(x))
```

**Maxima [A]** time = 0.989582, size = 8, normalized size = 1.33

$$\log(\cos(x) + \sin(x))$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((cos(x)-sin(x))/(cos(x)+sin(x)),x, algorithm="maxima")
```

```
[Out] log(cos(x) + sin(x))
```

**Fricas [A]** time = 1.88883, size = 41, normalized size = 6.83

$$\frac{1}{2} \log(2 \cos(x) \sin(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((cos(x)-sin(x))/(cos(x)+sin(x)),x, algorithm="fricas")
```

```
[Out] 1/2*log(2*cos(x)*sin(x) + 1)
```

**Sympy [A]** time = 0.138288, size = 7, normalized size = 1.17

$$\log(\sin(x) + \cos(x))$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((cos(x)-sin(x))/(cos(x)+sin(x)),x)
```

```
[Out] log(sin(x) + cos(x))
```

**Giac [B]** time = 1.14849, size = 22, normalized size = 3.67

$$-\frac{1}{2} \log(\tan(x)^2 + 1) + \log(|\tan(x) + 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((cos(x)-sin(x))/(cos(x)+sin(x)),x, algorithm="giac")
```

```
[Out] -1/2*log(tan(x)^2 + 1) + log(abs(tan(x) + 1))
```

$$3.529 \quad \int \frac{B \cos(x) + C \sin(x)}{b \cos(x) + c \sin(x)} dx$$

**Optimal.** Leaf size=47

$$\frac{x(bB + cC)}{b^2 + c^2} + \frac{(Bc - bC) \log(b \cos(x) + c \sin(x))}{b^2 + c^2}$$

[Out]  $((b*B + c*C)*x)/(b^2 + c^2) + ((B*c - b*C)*\text{Log}[b*\text{Cos}[x] + c*\text{Sin}[x]])/(b^2 + c^2)$

**Rubi [A]** time = 0.0405832, antiderivative size = 47, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$ , Rules used = {3133}

$$\frac{x(bB + cC)}{b^2 + c^2} + \frac{(Bc - bC) \log(b \cos(x) + c \sin(x))}{b^2 + c^2}$$

Antiderivative was successfully verified.

[In] Int[(B\*Cos[x] + C\*Sin[x])/(b\*Cos[x] + c\*Sin[x]),x]

[Out]  $((b*B + c*C)*x)/(b^2 + c^2) + ((B*c - b*C)*\text{Log}[b*\text{Cos}[x] + c*\text{Sin}[x]])/(b^2 + c^2)$

#### Rule 3133

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]) / ((a\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]), x\_Symbol] :> Simp[((b\*B + c\*C)\*x)/(b^2 + c^2), x] + Simp[((c\*B - b\*C)\*Log[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]])/(e\*(b^2 + c^2)), x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && NeQ[b^2 + c^2, 0] && EqQ[A\*(b^2 + c^2) - a\*(b\*B + c\*C), 0]

#### Rubi steps

$$\int \frac{B \cos(x) + C \sin(x)}{b \cos(x) + c \sin(x)} dx = \frac{(bB + cC)x}{b^2 + c^2} + \frac{(Bc - bC) \log(b \cos(x) + c \sin(x))}{b^2 + c^2}$$

**Mathematica [A]** time = 0.119037, size = 39, normalized size = 0.83

$$\frac{x(bB + cC) + (Bc - bC) \log(b \cos(x) + c \sin(x))}{b^2 + c^2}$$

Antiderivative was successfully verified.

[In] Integrate[(B\*Cos[x] + C\*Sin[x])/(b\*Cos[x] + c\*Sin[x]),x]

[Out]  $((b*B + c*C)*x + (B*c - b*C)*\text{Log}[b*\text{Cos}[x] + c*\text{Sin}[x]])/(b^2 + c^2)$

**Maple [B]** time = 0.059, size = 111, normalized size = 2.4

$$\frac{\ln(c \tan(x) + b) Bc}{b^2 + c^2} - \frac{\ln(c \tan(x) + b) bC}{b^2 + c^2} - \frac{\ln(1 + (\tan(x))^2) Bc}{2b^2 + 2c^2} + \frac{\ln(1 + (\tan(x))^2) bC}{2b^2 + 2c^2} + \frac{B \arctan(\tan(x)) b}{b^2 + c^2} + \frac{C \arctan(\tan(x)) c}{b^2 + c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((B*cos(x)+C*sin(x))/(b*cos(x)+c*sin(x)),x)
```

```
[Out] 1/(b^2+c^2)*ln(c*tan(x)+b)*B*c-1/(b^2+c^2)*ln(c*tan(x)+b)*b*C-1/2/(b^2+c^2)*ln(1+tan(x)^2)*B*c+1/2/(b^2+c^2)*ln(1+tan(x)^2)*b*C+1/(b^2+c^2)*B*arctan(tan(x))*b+1/(b^2+c^2)*C*arctan(tan(x))*c
```

**Maxima [B]** time = 1.51117, size = 244, normalized size = 5.19

$$B \left( \frac{2b \arctan\left(\frac{\sin(x)}{\cos(x)+1}\right)}{b^2+c^2} + \frac{c \log\left(-b - \frac{2c \sin(x)}{\cos(x)+1} + \frac{b \sin(x)^2}{(\cos(x)+1)^2}\right)}{b^2+c^2} - \frac{c \log\left(\frac{\sin(x)^2}{(\cos(x)+1)^2} + 1\right)}{b^2+c^2} \right) + C \left( \frac{2c \arctan\left(\frac{\sin(x)}{\cos(x)+1}\right)}{b^2+c^2} - \frac{b \log\left(\frac{\sin(x)^2}{(\cos(x)+1)^2} + 1\right)}{b^2+c^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*cos(x)+C*sin(x))/(b*cos(x)+c*sin(x)),x, algorithm="maxima")
```

```
[Out] B*(2*b*arctan(sin(x)/(cos(x) + 1))/(b^2 + c^2) + c*log(-b - 2*c*sin(x)/(cos(x) + 1) + b*sin(x)^2/(cos(x) + 1)^2)/(b^2 + c^2) - c*log(sin(x)^2/(cos(x) + 1)^2 + 1)/(b^2 + c^2)) + C*(2*c*arctan(sin(x)/(cos(x) + 1))/(b^2 + c^2) - b*log(-b - 2*c*sin(x)/(cos(x) + 1) + b*sin(x)^2/(cos(x) + 1)^2)/(b^2 + c^2) + b*log(sin(x)^2/(cos(x) + 1)^2 + 1)/(b^2 + c^2))
```

**Fricas [A]** time = 1.98651, size = 139, normalized size = 2.96

$$\frac{2(Bb + Cc)x - (Cb - Bc) \log\left(2bc \cos(x) \sin(x) + (b^2 - c^2) \cos(x)^2 + c^2\right)}{2(b^2 + c^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*cos(x)+C*sin(x))/(b*cos(x)+c*sin(x)),x, algorithm="fricas")
```

```
[Out] 1/2*(2*(B*b + C*c)*x - (C*b - B*c)*log(2*b*c*cos(x)*sin(x) + (b^2 - c^2)*cos(x)^2 + c^2))/(b^2 + c^2)
```

**Sympy [A]** time = 2.45975, size = 360, normalized size = 7.66

$$\left\{ \begin{array}{l} \infty (B \log(\sin(x)) + Cx) \\ Bx - C \log(\cos(x)) \\ \frac{b}{iBx \sin(x)} - \frac{Bx \cos(x)}{-2c \sin(x) + 2ic \cos(x)} - \frac{B \sin(x)}{Bx \cos(x)} - \frac{Cx \sin(x)}{-2c \sin(x) + 2ic \cos(x)} + \frac{iCx \cos(x)}{-2c \sin(x) + 2ic \cos(x)} - \frac{iC \sin(x)}{-2c \sin(x) + 2ic \cos(x)} \\ - \frac{2c \sin(x) + 2ic \cos(x)}{iBx \sin(x)} + \frac{2c \sin(x) + 2ic \cos(x)}{Bx \cos(x)} + \frac{2c \sin(x) + 2ic \cos(x)}{B \sin(x)} + \frac{2c \sin(x) + 2ic \cos(x)}{Cx \sin(x)} + \frac{2c \sin(x) + 2ic \cos(x)}{iCx \cos(x)} - \frac{2c \sin(x) + 2ic \cos(x)}{iC \sin(x)} \\ \frac{Bbx}{b^2+c^2} + \frac{Bc \log\left(\frac{b \cos(x)}{c} + \sin(x)\right)}{b^2+c^2} - \frac{Cb \log\left(\frac{b \cos(x)}{c} + \sin(x)\right)}{b^2+c^2} + \frac{Ccx}{b^2+c^2} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*cos(x)+C*sin(x))/(b*cos(x)+c*sin(x)),x)
```

```
[Out] Piecewise((zoo*(B*log(sin(x)) + C*x), Eq(b, 0) & Eq(c, 0)), ((B*x - C*log(c
os(x)))/b, Eq(c, 0)), (-I*B*x*sin(x)/(-2*c*sin(x) + 2*I*c*cos(x)) - B*x*cos
(x)/(-2*c*sin(x) + 2*I*c*cos(x)) - B*sin(x)/(-2*c*sin(x) + 2*I*c*cos(x)) -
C*x*sin(x)/(-2*c*sin(x) + 2*I*c*cos(x)) + I*C*x*cos(x)/(-2*c*sin(x) + 2*I*c
*cos(x)) - I*C*sin(x)/(-2*c*sin(x) + 2*I*c*cos(x)), Eq(b, -I*c)), (-I*B*x*s
in(x)/(2*c*sin(x) + 2*I*c*cos(x)) + B*x*cos(x)/(2*c*sin(x) + 2*I*c*cos(x))
+ B*sin(x)/(2*c*sin(x) + 2*I*c*cos(x)) + C*x*sin(x)/(2*c*sin(x) + 2*I*c*cos
(x)) + I*C*x*cos(x)/(2*c*sin(x) + 2*I*c*cos(x)) - I*C*sin(x)/(2*c*sin(x) +
2*I*c*cos(x)), Eq(b, I*c)), (B*b*x/(b**2 + c**2) + B*c*log(b*cos(x)/c + sin
(x))/(b**2 + c**2) - C*b*log(b*cos(x)/c + sin(x))/(b**2 + c**2) + C*c*x/(b*
*2 + c**2), True))
```

**Giac [A]** time = 1.16139, size = 104, normalized size = 2.21

$$\frac{(Bb + Cc)x}{b^2 + c^2} + \frac{(Cb - Bc) \log(\tan(x)^2 + 1)}{2(b^2 + c^2)} - \frac{(Cbc - Bc^2) \log(|c \tan(x) + b|)}{b^2c + c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*cos(x)+C*sin(x))/(b*cos(x)+c*sin(x)),x, algorithm="giac")
```

```
[Out] (B*b + C*c)*x/(b^2 + c^2) + 1/2*(C*b - B*c)*log(tan(x)^2 + 1)/(b^2 + c^2) -
(C*b*c - B*c^2)*log(abs(c*tan(x) + b))/(b^2*c + c^3)
```



$$3.530 \quad \int \frac{B \cos(x) + C \sin(x)}{(b \cos(x) + c \sin(x))^2} dx$$

**Optimal.** Leaf size=74

$$-\frac{Bc - bC}{(b^2 + c^2)(b \cos(x) + c \sin(x))} - \frac{(bB + cC) \tanh^{-1}\left(\frac{c \cos(x) - b \sin(x)}{\sqrt{b^2 + c^2}}\right)}{(b^2 + c^2)^{3/2}}$$

[Out] -(((b\*B + c\*C)\*ArcTanh[(c\*Cos[x] - b\*Sin[x])/Sqrt[b^2 + c^2]])/(b^2 + c^2)^(3/2)) - (B\*c - b\*C)/((b^2 + c^2)\*(b\*Cos[x] + c\*Sin[x]))

**Rubi [A]** time = 0.0678324, antiderivative size = 74, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3153, 3074, 206}

$$-\frac{Bc - bC}{(b^2 + c^2)(b \cos(x) + c \sin(x))} - \frac{(bB + cC) \tanh^{-1}\left(\frac{c \cos(x) - b \sin(x)}{\sqrt{b^2 + c^2}}\right)}{(b^2 + c^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(B\*Cos[x] + C\*Sin[x])/(b\*Cos[x] + c\*Sin[x])^2, x]

[Out] -(((b\*B + c\*C)\*ArcTanh[(c\*Cos[x] - b\*Sin[x])/Sqrt[b^2 + c^2]])/(b^2 + c^2)^(3/2)) - (B\*c - b\*C)/((b^2 + c^2)\*(b\*Cos[x] + c\*Sin[x]))

#### Rule 3153

```
Int[((A_.) + cos[(d_.) + (e_.)*(x_)])*(B_.) + (C_.)*sin[(d_.) + (e_.)*(x_)])
/((a_.) + cos[(d_.) + (e_.)*(x_)])*(b_.) + (c_.)*sin[(d_.) + (e_.)*(x_)])^2,
 x_Symbol] :> Simp[(c*B - b*C - (a*C - c*A)*Cos[d + e*x] + (a*B - b*A)*Sin[
d + e*x])/(e*(a^2 - b^2 - c^2)*(a + b*Cos[d + e*x] + c*Sin[d + e*x])), x] +
Dist[(a*A - b*B - c*C)/(a^2 - b^2 - c^2), Int[1/(a + b*Cos[d + e*x] + c*Si
n[d + e*x]), x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && NeQ[a^2 - b^2
- c^2, 0] && NeQ[a*A - b*B - c*C, 0]
```

#### Rule 3074

```
Int[(cos[(c_.) + (d_.)*(x_)])*(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)])^(-1), x
_Symbol] :> -Dist[d^(-1), Subst[Int[1/(a^2 + b^2 - x^2), x], x, b*Cos[c + d
*x] - a*Sin[c + d*x]], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 + b^2, 0]
```

#### Rule 206

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

#### Rubi steps

$$\begin{aligned} \int \frac{B \cos(x) + C \sin(x)}{(b \cos(x) + c \sin(x))^2} dx &= -\frac{Bc - bC}{(b^2 + c^2)(b \cos(x) + c \sin(x))} + \frac{(bB + cC) \int \frac{1}{b \cos(x) + c \sin(x)} dx}{b^2 + c^2} \\ &= -\frac{Bc - bC}{(b^2 + c^2)(b \cos(x) + c \sin(x))} - \frac{(bB + cC) \operatorname{Subst} \left( \int \frac{1}{b^2 + c^2 - x^2} dx, x, c \cos(x) - b \sin(x) \right)}{b^2 + c^2} \\ &= -\frac{(bB + cC) \tanh^{-1} \left( \frac{c \cos(x) - b \sin(x)}{\sqrt{b^2 + c^2}} \right)}{(b^2 + c^2)^{3/2}} - \frac{Bc - bC}{(b^2 + c^2)(b \cos(x) + c \sin(x))} \end{aligned}$$

**Mathematica [A]** time = 0.214847, size = 75, normalized size = 1.01

$$\frac{bC - Bc}{(b^2 + c^2)(b \cos(x) + c \sin(x))} + \frac{2(bB + cC) \tanh^{-1} \left( \frac{b \tan(\frac{x}{2}) - c}{\sqrt{b^2 + c^2}} \right)}{(b^2 + c^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(B\*Cos[x] + C\*Sin[x])/(b\*Cos[x] + c\*Sin[x])^2,x]

[Out] (2\*(b\*B + c\*C)\*ArcTanh[(-c + b\*Tan[x/2])/Sqrt[b^2 + c^2]]/(b^2 + c^2)^(3/2) + (-B\*c) + b\*C)/((b^2 + c^2)\*(b\*Cos[x] + c\*Sin[x]))

**Maple [A]** time = 0.092, size = 113, normalized size = 1.5

$$-2 \frac{1}{b(\tan(x/2))^2 - 2c \tan(x/2) - b} \left( -\frac{c(Bc - bC) \tan(x/2)}{b(b^2 + c^2)} - \frac{Bc - bC}{b^2 + c^2} \right) + 2 \frac{bB + cC}{(b^2 + c^2)^{3/2}} \operatorname{Arctanh} \left( \frac{1}{2} \frac{2b \tan(x/2) - 2c}{\sqrt{b^2 + c^2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B\*cos(x)+C\*sin(x))/(b\*cos(x)+c\*sin(x))^2,x)

[Out] -2\*(-c\*(B\*c-C\*b)/b/(b^2+c^2)\*tan(1/2\*x)-(B\*c-C\*b)/(b^2+c^2))/(b\*tan(1/2\*x)^2-2\*c\*tan(1/2\*x)-b)+2\*(B\*b+C\*c)/(b^2+c^2)^(3/2)\*arctanh(1/2\*(2\*b\*tan(1/2\*x)-2\*c)/(b^2+c^2)^(1/2))

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B\*cos(x)+C\*sin(x))/(b\*cos(x)+c\*sin(x))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.03862, size = 466, normalized size = 6.3

$$\frac{2Cb^3 - 2Bb^2c + 2Cbc^2 - 2Bc^3 + \sqrt{b^2 + c^2}((Bb^2 + Cbc)\cos(x) + (Bbc + Cc^2)\sin(x)) \log\left(-\frac{2bc\cos(x)\sin(x) + (b^2 - c^2)\cos(x)}{2bc\cos(x)\sin(x)}\right)}{2((b^5 + 2b^3c^2 + bc^4)\cos(x) + (b^4c + 2b^2c^3 + c^5)\sin(x))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B\*cos(x)+C\*sin(x))/(b\*cos(x)+c\*sin(x))^2,x, algorithm="fricas")

[Out] 1/2\*(2\*C\*b^3 - 2\*B\*b^2\*c + 2\*C\*b\*c^2 - 2\*B\*c^3 + sqrt(b^2 + c^2)\*((B\*b^2 + C\*b\*c)\*cos(x) + (B\*b\*c + C\*c^2)\*sin(x))\*log(-(2\*b\*c\*cos(x)\*sin(x) + (b^2 - c^2)\*cos(x)^2 - 2\*b^2 - c^2 + 2\*sqrt(b^2 + c^2)\*(c\*cos(x) - b\*sin(x)))/(2\*b\*c\*cos(x)\*sin(x) + (b^2 - c^2)\*cos(x)^2 + c^2)))/((b^5 + 2\*b^3\*c^2 + b\*c^4)\*cos(x) + (b^4\*c + 2\*b^2\*c^3 + c^5)\*sin(x))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B\*cos(x)+C\*sin(x))/(b\*cos(x)+c\*sin(x))\*\*2,x)

[Out] Timed out

**Giac [A]** time = 1.19957, size = 178, normalized size = 2.41

$$\frac{(Bb + Cc) \log\left(\frac{2b \tan\left(\frac{1}{2}x\right) - 2c - 2\sqrt{b^2 + c^2}}{2b \tan\left(\frac{1}{2}x\right) - 2c + 2\sqrt{b^2 + c^2}}\right)}{(b^2 + c^2)^{\frac{3}{2}}} - \frac{2\left(Cbc \tan\left(\frac{1}{2}x\right) - Bc^2 \tan\left(\frac{1}{2}x\right) + Cb^2 - Bbc\right)}{(b^3 + bc^2)\left(b \tan\left(\frac{1}{2}x\right)^2 - 2c \tan\left(\frac{1}{2}x\right) - b\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B\*cos(x)+C\*sin(x))/(b\*cos(x)+c\*sin(x))^2,x, algorithm="giac")

[Out] -(B\*b + C\*c)\*log(abs(2\*b\*tan(1/2\*x) - 2\*c - 2\*sqrt(b^2 + c^2))/abs(2\*b\*tan(1/2\*x) - 2\*c + 2\*sqrt(b^2 + c^2)))/(b^2 + c^2)^(3/2) - 2\*(C\*b\*c\*tan(1/2\*x) - B\*c^2\*tan(1/2\*x) + C\*b^2 - B\*b\*c)/((b^3 + b\*c^2)\*(b\*tan(1/2\*x)^2 - 2\*c\*tan(1/2\*x) - b))

$$3.531 \quad \int \frac{B \cos(x) + C \sin(x)}{(b \cos(x) + c \sin(x))^3} dx$$

**Optimal.** Leaf size=66

$$\frac{\sin(x)(bB + cC)}{b(b^2 + c^2)(b \cos(x) + c \sin(x))} - \frac{Bc - bC}{2(b^2 + c^2)(b \cos(x) + c \sin(x))^2}$$

[Out]  $-(B*c - b*C)/(2*(b^2 + c^2)*(b*\cos[x] + c*\sin[x])^2) + ((b*B + c*C)*\sin[x])/(b*(b^2 + c^2)*(b*\cos[x] + c*\sin[x]))$

**Rubi [A]** time = 0.056569, antiderivative size = 66, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3156, 12, 3075}

$$\frac{\sin(x)(bB + cC)}{b(b^2 + c^2)(b \cos(x) + c \sin(x))} - \frac{Bc - bC}{2(b^2 + c^2)(b \cos(x) + c \sin(x))^2}$$

Antiderivative was successfully verified.

[In] Int[(B\*Cos[x] + C\*Sin[x])/(b\*Cos[x] + c\*Sin[x])^3,x]

[Out]  $-(B*c - b*C)/(2*(b^2 + c^2)*(b*\cos[x] + c*\sin[x])^2) + ((b*B + c*C)*\sin[x])/(b*(b^2 + c^2)*(b*\cos[x] + c*\sin[x]))$

#### Rule 3156

```
Int[((a_.) + cos[(d_.) + (e_.)*(x_)])*(b_.) + (c_.)*sin[(d_.) + (e_.)*(x_)])
^(n_)*((A_.) + cos[(d_.) + (e_.)*(x_)])*(B_.) + (C_.)*sin[(d_.) + (e_.)*(x_)
]), x_Symbol] := -Simp[((c*B - b*C - (a*C - c*A)*Cos[d + e*x] + (a*B - b*A)
*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n + 1))/(e*(n + 1)*(a
^2 - b^2 - c^2)), x] + Dist[1/((n + 1)*(a^2 - b^2 - c^2)), Int[(a + b*Cos[d
+ e*x] + c*Sin[d + e*x])^(n + 1)*Simp[(n + 1)*(a*A - b*B - c*C) + (n + 2)*
(a*B - b*A)*Cos[d + e*x] + (n + 2)*(a*C - c*A)*Sin[d + e*x], x], x], x] /;
FreeQ[{a, b, c, d, e, A, B, C}, x] && LtQ[n, -1] && NeQ[a^2 - b^2 - c^2, 0]
&& NeQ[n, -2]
```

#### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

#### Rule 3075

```
Int[(cos[(c_.) + (d_.)*(x_)])*(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)])^(-2), x
_Symbol] := Simp[Sin[c + d*x]/(a*d*(a*Cos[c + d*x] + b*Sin[c + d*x])), x] /
; FreeQ[{a, b, c, d}, x] && NeQ[a^2 + b^2, 0]
```

#### Rubi steps

$$\begin{aligned} \int \frac{B \cos(x) + C \sin(x)}{(b \cos(x) + c \sin(x))^3} dx &= -\frac{Bc - bC}{2(b^2 + c^2)(b \cos(x) + c \sin(x))^2} + \frac{\int \frac{2(bB + cC)}{(b \cos(x) + c \sin(x))^2} dx}{2(b^2 + c^2)} \\ &= -\frac{Bc - bC}{2(b^2 + c^2)(b \cos(x) + c \sin(x))^2} + \frac{(bB + cC) \int \frac{1}{(b \cos(x) + c \sin(x))^2} dx}{b^2 + c^2} \\ &= -\frac{Bc - bC}{2(b^2 + c^2)(b \cos(x) + c \sin(x))^2} + \frac{(bB + cC) \sin(x)}{b(b^2 + c^2)(b \cos(x) + c \sin(x))} \end{aligned}$$

**Mathematica [A]** time = 0.174264, size = 64, normalized size = 0.97

$$\frac{C(b^2 + c^2) + b \sin(2x)(bB + cC) - c \cos(2x)(bB + cC)}{2b(b^2 + c^2)(b \cos(x) + c \sin(x))^2}$$

Antiderivative was successfully verified.

[In] Integrate[(B\*Cos[x] + C\*Sin[x])/(b\*Cos[x] + c\*Sin[x])^3,x]

[Out] ((b^2 + c^2)\*C - c\*(b\*B + c\*C)\*Cos[2\*x] + b\*(b\*B + c\*C)\*Sin[2\*x])/(2\*b\*(b^2 + c^2)\*(b\*Cos[x] + c\*Sin[x])^2)

**Maple [A]** time = 0.098, size = 37, normalized size = 0.6

$$-\frac{C}{c^2(c \tan(x) + b)} - \frac{Bc - bC}{2c^2(c \tan(x) + b)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B\*cos(x)+C\*sin(x))/(b\*cos(x)+c\*sin(x))^3,x)

[Out] -C/c^2/(c\*tan(x)+b)-1/2\*(B\*c-C\*b)/c^2/(c\*tan(x)+b)^2

**Maxima [B]** time = 1.07834, size = 269, normalized size = 4.08

$$\frac{2B \left( \frac{b \sin(x)}{\cos(x)+1} + \frac{c \sin(x)^2}{(\cos(x)+1)^2} - \frac{b \sin(x)^3}{(\cos(x)+1)^3} \right)}{b^4 + \frac{4b^3c \sin(x)}{\cos(x)+1} - \frac{4b^3c \sin(x)^3}{(\cos(x)+1)^3} + \frac{b^4 \sin(x)^4}{(\cos(x)+1)^4} - \frac{2(b^4 - 2b^2c^2) \sin(x)^2}{(\cos(x)+1)^2}} + \frac{2C \sin(x)^2}{\left( b^3 + \frac{4b^2c \sin(x)}{\cos(x)+1} - \frac{4b^2c \sin(x)^3}{(\cos(x)+1)^3} + \frac{b^3 \sin(x)^4}{(\cos(x)+1)^4} - \frac{2(b^3 - 2bc^2) \sin(x)}{(\cos(x)+1)^2} \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B\*cos(x)+C\*sin(x))/(b\*cos(x)+c\*sin(x))^3,x, algorithm="maxima")

[Out] 2\*B\*(b\*sin(x)/(cos(x) + 1) + c\*sin(x)^2/(cos(x) + 1)^2 - b\*sin(x)^3/(cos(x) + 1)^3)/(b^4 + 4\*b^3\*c\*sin(x)/(cos(x) + 1) - 4\*b^3\*c\*sin(x)^3/(cos(x) + 1)^3 + b^4\*sin(x)^4/(cos(x) + 1)^4 - 2\*(b^4 - 2\*b^2\*c^2)\*sin(x)^2/(cos(x) + 1)^2) + 2\*C\*sin(x)^2/((b^3 + 4\*b^2\*c\*sin(x)/(cos(x) + 1) - 4\*b^2\*c\*sin(x)^3/(cos(x) + 1)^3 + b^3\*sin(x)^4/(cos(x) + 1)^4 - 2\*(b^3 - 2\*b\*c^2)\*sin(x)^2/(cos(x) + 1)^2)\*(cos(x) + 1)^2)

---

**Fricas [B]** time = 1.89731, size = 333, normalized size = 5.05

$$\frac{Cb^3 + Bb^2c + 3Cb^2c^2 - Bc^3 - 4(Bb^2c + Cbc^2)\cos(x)^2 + 2(Bb^3 + Cb^2c - Bbc^2 - Cc^3)\cos(x)\sin(x)}{2(b^4c^2 + 2b^2c^4 + c^6 + (b^6 + b^4c^2 - b^2c^4 - c^6)\cos(x)^2 + 2(b^5c + 2b^3c^3 + bc^5)\cos(x)\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B\*cos(x)+C\*sin(x))/(b\*cos(x)+c\*sin(x))^3,x, algorithm="fricas")

[Out] 1/2\*(C\*b^3 + B\*b^2\*c + 3\*C\*b\*c^2 - B\*c^3 - 4\*(B\*b^2\*c + C\*b\*c^2)\*cos(x)^2 + 2\*(B\*b^3 + C\*b^2\*c - B\*b\*c^2 - C\*c^3)\*cos(x)\*sin(x))/(b^4\*c^2 + 2\*b^2\*c^4 + c^6 + (b^6 + b^4\*c^2 - b^2\*c^4 - c^6)\*cos(x)^2 + 2\*(b^5\*c + 2\*b^3\*c^3 + b\*c^5)\*cos(x)\*sin(x))

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B\*cos(x)+C\*sin(x))/(b\*cos(x)+c\*sin(x))\*\*3,x)

[Out] Timed out

---

**Giac [A]** time = 1.2102, size = 35, normalized size = 0.53

$$\frac{2Cc\tan(x) + Cb + Bc}{2(c\tan(x) + b)^2c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B\*cos(x)+C\*sin(x))/(b\*cos(x)+c\*sin(x))^3,x, algorithm="giac")

[Out] -1/2\*(2\*C\*c\*tan(x) + C\*b + B\*c)/((c\*tan(x) + b)^2\*c^2)

$$3.532 \quad \int \frac{A+B \cos(x)+C \sin(x)}{b \cos(x)+c \sin(x)} dx$$

**Optimal.** Leaf size=84

$$-\frac{A \tanh^{-1}\left(\frac{c \cos(x)-b \sin(x)}{\sqrt{b^2+c^2}}\right)}{\sqrt{b^2+c^2}} + \frac{x(bB+cC)}{b^2+c^2} + \frac{(Bc-bC) \log(b \cos(x)+c \sin(x))}{b^2+c^2}$$

[Out]  $((b*B + c*C)*x)/(b^2 + c^2) - (A*ArcTanh[(c*Cos[x] - b*Sin[x])/Sqrt[b^2 + c^2]])/Sqrt[b^2 + c^2] + ((B*c - b*C)*Log[b*Cos[x] + c*Sin[x]])/(b^2 + c^2)$

**Rubi [A]** time = 0.0584858, antiderivative size = 84, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$ , Rules used = {3136, 3074, 206}

$$-\frac{A \tanh^{-1}\left(\frac{c \cos(x)-b \sin(x)}{\sqrt{b^2+c^2}}\right)}{\sqrt{b^2+c^2}} + \frac{x(bB+cC)}{b^2+c^2} + \frac{(Bc-bC) \log(b \cos(x)+c \sin(x))}{b^2+c^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[x] + C\*Sin[x])/(b\*Cos[x] + c\*Sin[x]),x]

[Out]  $((b*B + c*C)*x)/(b^2 + c^2) - (A*ArcTanh[(c*Cos[x] - b*Sin[x])/Sqrt[b^2 + c^2]])/Sqrt[b^2 + c^2] + ((B*c - b*C)*Log[b*Cos[x] + c*Sin[x]])/(b^2 + c^2)$

#### Rule 3136

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]) / ((a\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]), x\_Symbol] :> Simp[((b\*B + c\*C)\*x)/(b^2 + c^2), x] + (Dist[(A\*(b^2 + c^2) - a\*(b\*B + c\*C))/(b^2 + c^2), Int[1/(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]), x], x] + Simp[((c\*B - b\*C)\*Log[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]])/(e\*(b^2 + c^2)), x]) /; FreeQ[{a, b, c, d, e, A, B, C}, x] && NeQ[b^2 + c^2, 0] && NeQ[A\*(b^2 + c^2) - a\*(b\*B + c\*C), 0]

#### Rule 3074

Int[(cos[(c\_.) + (d\_.)\*(x\_)])\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] :> -Dist[d^(-1), Subst[Int[1/(a^2 + b^2 - x^2), x], x, b\*Cos[c + d\*x] - a\*Sin[c + d\*x]], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 + b^2, 0]

#### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(x) + C \sin(x)}{b \cos(x) + c \sin(x)} dx &= \frac{(bB + cC)x}{b^2 + c^2} + \frac{(Bc - bC) \log(b \cos(x) + c \sin(x))}{b^2 + c^2} + A \int \frac{1}{b \cos(x) + c \sin(x)} dx \\ &= \frac{(bB + cC)x}{b^2 + c^2} + \frac{(Bc - bC) \log(b \cos(x) + c \sin(x))}{b^2 + c^2} - A \operatorname{Subst} \left( \int \frac{1}{b^2 + c^2 - x^2} dx, x, c \cos(x) \right) \\ &= \frac{(bB + cC)x}{b^2 + c^2} - \frac{A \tanh^{-1} \left( \frac{c \cos(x) - b \sin(x)}{\sqrt{b^2 + c^2}} \right)}{\sqrt{b^2 + c^2}} + \frac{(Bc - bC) \log(b \cos(x) + c \sin(x))}{b^2 + c^2} \end{aligned}$$

**Mathematica [A]** time = 0.219391, size = 78, normalized size = 0.93

$$\frac{2A\sqrt{b^2 + c^2} \tanh^{-1} \left( \frac{b \tan\left(\frac{x}{2}\right) - c}{\sqrt{b^2 + c^2}} \right) + x(bB + cC) + (Bc - bC) \log(b \cos(x) + c \sin(x))}{b^2 + c^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[x] + C\*Sin[x])/(b\*Cos[x] + c\*Sin[x]),x]

[Out] ((b\*B + c\*C)\*x + 2\*A\*Sqrt[b^2 + c^2]\*ArcTanh[(-c + b\*Tan[x/2])/Sqrt[b^2 + c^2]] + (B\*c - b\*C)\*Log[b\*Cos[x] + c\*Sin[x]])/(b^2 + c^2)

**Maple [B]** time = 0.06, size = 222, normalized size = 2.6

$$\frac{Bc}{b^2 + c^2} \ln \left( b \left( \tan \left( \frac{x}{2} \right) \right)^2 - 2c \tan(x/2) - b \right) - \frac{bC}{b^2 + c^2} \ln \left( b \left( \tan \left( \frac{x}{2} \right) \right)^2 - 2c \tan(x/2) - b \right) + 2 \frac{Ab^2}{(b^2 + c^2)^{3/2}} \operatorname{Arctanh} \left( \frac{1}{2} \left( \frac{b \tan(x/2) - c}{\sqrt{b^2 + c^2}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(x)+C\*sin(x))/(b\*cos(x)+c\*sin(x)),x)

[Out] 1/(b^2+c^2)\*B\*c\*ln(b\*tan(1/2\*x)^2-2\*c\*tan(1/2\*x)-b)-1/(b^2+c^2)\*b\*C\*ln(b\*tan(1/2\*x)^2-2\*c\*tan(1/2\*x)-b)+2/(b^2+c^2)^(3/2)\*arctanh(1/2\*(2\*b\*tan(1/2\*x)-2\*c)/(b^2+c^2)^(1/2))\*A\*b^2+2/(b^2+c^2)^(3/2)\*arctanh(1/2\*(2\*b\*tan(1/2\*x)-2\*c)/(b^2+c^2)^(1/2))\*A\*c^2-B/(b^2+c^2)\*c\*ln(1+tan(1/2\*x)^2)+C/(b^2+c^2)\*b\*ln(1+tan(1/2\*x)^2)+2\*B/(b^2+c^2)\*b\*arctan(tan(1/2\*x))+2\*C/(b^2+c^2)\*c\*arctan(tan(1/2\*x))

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x)+C\*sin(x))/(b\*cos(x)+c\*sin(x)),x, algorithm="maxima")

[Out] Exception raised: ValueError



**Fricas [A]** time = 2.13355, size = 379, normalized size = 4.51

$$\frac{\sqrt{b^2 + c^2} A \log\left(-\frac{2bc \cos(x) \sin(x) + (b^2 - c^2) \cos(x)^2 - 2b^2 - c^2 + 2\sqrt{b^2 + c^2}(c \cos(x) - b \sin(x))}{2bc \cos(x) \sin(x) + (b^2 - c^2) \cos(x)^2 + c^2}\right) + 2(Bb + Cc)x - (Cb - Bc) \log(2bc \cos(x) \sin(x) + (b^2 - c^2) \cos(x)^2 + c^2)}{2(b^2 + c^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x)+C\*sin(x))/(b\*cos(x)+c\*sin(x)),x, algorithm="fricas")

[Out] 1/2\*(sqrt(b^2 + c^2)\*A\*log(-(2\*b\*c\*cos(x)\*sin(x) + (b^2 - c^2)\*cos(x)^2 - 2\*b^2 - c^2 + 2\*sqrt(b^2 + c^2)\*(c\*cos(x) - b\*sin(x)))/(2\*b\*c\*cos(x)\*sin(x) + (b^2 - c^2)\*cos(x)^2 + c^2)) + 2\*(B\*b + C\*c)\*x - (C\*b - B\*c)\*log(2\*b\*c\*cos(x)\*sin(x) + (b^2 - c^2)\*cos(x)^2 + c^2))/(b^2 + c^2)

**Sympy [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x)+C\*sin(x))/(b\*cos(x)+c\*sin(x)),x)

[Out] Exception raised: AttributeError

**Giac [A]** time = 1.29173, size = 200, normalized size = 2.38

$$-\frac{A \log\left(\frac{2b \tan\left(\frac{1}{2}x\right) - 2c - 2\sqrt{b^2 + c^2}}{2b \tan\left(\frac{1}{2}x\right) - 2c + 2\sqrt{b^2 + c^2}}\right)}{\sqrt{b^2 + c^2}} + \frac{(Bb + Cc)x}{b^2 + c^2} + \frac{(Cb - Bc) \log\left(\tan\left(\frac{1}{2}x\right)^2 + 1\right)}{b^2 + c^2} - \frac{(Cb - Bc) \log\left(\left|b \tan\left(\frac{1}{2}x\right)^2 - 2c \tan\left(\frac{1}{2}x\right) - b\right|\right)}{b^2 + c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x)+C\*sin(x))/(b\*cos(x)+c\*sin(x)),x, algorithm="giac")

[Out] -A\*log(abs(2\*b\*tan(1/2\*x) - 2\*c - 2\*sqrt(b^2 + c^2))/abs(2\*b\*tan(1/2\*x) - 2\*c + 2\*sqrt(b^2 + c^2)))/sqrt(b^2 + c^2) + (B\*b + C\*c)\*x/(b^2 + c^2) + (C\*b - B\*c)\*log(tan(1/2\*x)^2 + 1)/(b^2 + c^2) - (C\*b - B\*c)\*log(abs(b\*tan(1/2\*x)^2 - 2\*c\*tan(1/2\*x) - b))/(b^2 + c^2)

$$3.533 \quad \int \frac{A+B \cos(x)+C \sin(x)}{(b \cos(x)+c \sin(x))^2} dx$$

**Optimal.** Leaf size=85

$$\frac{-Ab \sin(x) + Ac \cos(x) - bC + Bc}{(b^2 + c^2)(b \cos(x) + c \sin(x))} - \frac{(bB + cC) \tanh^{-1}\left(\frac{c \cos(x) - b \sin(x)}{\sqrt{b^2 + c^2}}\right)}{(b^2 + c^2)^{3/2}}$$

[Out] -(((b\*B + c\*C)\*ArcTanh[(c\*Cos[x] - b\*Sin[x])/Sqrt[b^2 + c^2]])/(b^2 + c^2)^(3/2)) - (B\*c - b\*C + A\*c\*Cos[x] - A\*b\*Sin[x])/((b^2 + c^2)\*(b\*Cos[x] + c\*Sin[x]))

**Rubi [A]** time = 0.0569903, antiderivative size = 85, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$ , Rules used = {3153, 3074, 206}

$$\frac{-Ab \sin(x) + Ac \cos(x) - bC + Bc}{(b^2 + c^2)(b \cos(x) + c \sin(x))} - \frac{(bB + cC) \tanh^{-1}\left(\frac{c \cos(x) - b \sin(x)}{\sqrt{b^2 + c^2}}\right)}{(b^2 + c^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[x] + C\*Sin[x])/(b\*Cos[x] + c\*Sin[x])^2,x]

[Out] -(((b\*B + c\*C)\*ArcTanh[(c\*Cos[x] - b\*Sin[x])/Sqrt[b^2 + c^2]])/(b^2 + c^2)^(3/2)) - (B\*c - b\*C + A\*c\*Cos[x] - A\*b\*Sin[x])/((b^2 + c^2)\*(b\*Cos[x] + c\*Sin[x]))

#### Rule 3153

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]) / ((a\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^2, x\_Symbol] :> Simp[(c\*B - b\*C - (a\*C - c\*A)\*Cos[d + e\*x] + (a\*B - b\*A)\*Sin[d + e\*x]) / (e\*(a^2 - b^2 - c^2)\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])), x] + Dist[(a\*A - b\*B - c\*C) / (a^2 - b^2 - c^2), Int[1 / (a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]), x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[a\*A - b\*B - c\*C, 0]

#### Rule 3074

Int[(cos[(c\_.) + (d\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(-1), x\_Symbol] :> -Dist[d^(-1), Subst[Int[1 / (a^2 + b^2 - x^2), x], x, b\*Cos[c + d\*x] - a\*Sin[c + d\*x]], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 + b^2, 0]

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x) / Rt[a, 2]]) / (Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(x) + C \sin(x)}{(b \cos(x) + c \sin(x))^2} dx &= -\frac{Bc - bC + Ac \cos(x) - Ab \sin(x)}{(b^2 + c^2)(b \cos(x) + c \sin(x))} + \frac{(bB + cC) \int \frac{1}{b \cos(x) + c \sin(x)} dx}{b^2 + c^2} \\ &= -\frac{Bc - bC + Ac \cos(x) - Ab \sin(x)}{(b^2 + c^2)(b \cos(x) + c \sin(x))} - \frac{(bB + cC) \operatorname{Subst}\left(\int \frac{1}{b^2 + c^2 - x^2} dx, x, c \cos(x) - b \sin(x)\right)}{b^2 + c^2} \\ &= -\frac{(bB + cC) \tanh^{-1}\left(\frac{c \cos(x) - b \sin(x)}{\sqrt{b^2 + c^2}}\right)}{(b^2 + c^2)^{3/2}} - \frac{Bc - bC + Ac \cos(x) - Ab \sin(x)}{(b^2 + c^2)(b \cos(x) + c \sin(x))} \end{aligned}$$

**Mathematica [A]** time = 0.240411, size = 92, normalized size = 1.08

$$\frac{A(b^2 + c^2) \sin(x) + b(bC - Bc)}{b(b^2 + c^2)(b \cos(x) + c \sin(x))} + \frac{2(bB + cC) \tanh^{-1}\left(\frac{b \tan\left(\frac{x}{2}\right) - c}{\sqrt{b^2 + c^2}}\right)}{(b^2 + c^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[x] + C\*Sin[x])/(b\*Cos[x] + c\*Sin[x])^2,x]

[Out] (2\*(b\*B + c\*C)\*ArcTanh[(-c + b\*Tan[x/2])/Sqrt[b^2 + c^2]])/(b^2 + c^2)^(3/2) + (b\*(-(B\*c) + b\*C) + A\*(b^2 + c^2)\*Sin[x])/(b\*(b^2 + c^2)\*(b\*Cos[x] + c\*Sin[x]))

**Maple [A]** time = 0.09, size = 124, normalized size = 1.5

$$2 \frac{1}{b(\tan(x/2))^2 - 2c \tan(x/2) - b} \left( -\frac{(Ab^2 + Ac^2 - Bc^2 + Cbc) \tan(x/2)}{b(b^2 + c^2)} + \frac{Bc - bC}{b^2 + c^2} \right) + 2 \frac{bB + cC}{(b^2 + c^2)^{3/2}} \operatorname{Arctanh}\left(\frac{1}{2} \frac{2b \tan(x/2) - c}{\sqrt{b^2 + c^2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(x)+C\*sin(x))/(b\*cos(x)+c\*sin(x))^2,x)

[Out] 2\*(-(A\*b^2+A\*c^2-B\*c^2+C\*b\*c)/b/(b^2+c^2)\*tan(1/2\*x)+(B\*c-C\*b)/(b^2+c^2))/(b\*tan(1/2\*x)^2-2\*c\*tan(1/2\*x)-b)+2\*(B\*b+C\*c)/(b^2+c^2)^(3/2)\*arctanh(1/2\*(2\*b\*tan(1/2\*x)-2\*c)/(b^2+c^2)^(1/2))

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x)+C\*sin(x))/(b\*cos(x)+c\*sin(x))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.29003, size = 544, normalized size = 6.4

$$\frac{2Cb^3 - 2Bb^2c + 2Cbc^2 - 2Bc^3 + \sqrt{b^2 + c^2}((Bb^2 + Cbc)\cos(x) + (Bbc + Cc^2)\sin(x)) \log\left(-\frac{2bc\cos(x)\sin(x) + (b^2 - c^2)\cos(x)^2 - (b^2 - c^2)\sin(x)^2}{2bc\cos(x)\sin(x) + (b^2 - c^2)\cos(x)^2 - (b^2 - c^2)\sin(x)^2}\right)}{2((b^5 + 2b^3c^2 + bc^4)\cos(x) + (b^4c + 2b^2c^3 + c^5)\sin(x))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x)+C\*sin(x))/(b\*cos(x)+c\*sin(x))^2,x, algorithm="fricas")

[Out] 1/2\*(2\*C\*b^3 - 2\*B\*b^2\*c + 2\*C\*b\*c^2 - 2\*B\*c^3 + sqrt(b^2 + c^2)\*((B\*b^2 + C\*b\*c)\*cos(x) + (B\*b\*c + C\*c^2)\*sin(x))\*log(-(2\*b\*c\*cos(x)\*sin(x) + (b^2 - c^2)\*cos(x)^2 - 2\*b^2 - c^2 + 2\*sqrt(b^2 + c^2)\*(c\*cos(x) - b\*sin(x)))/(2\*b\*c\*cos(x)\*sin(x) + (b^2 - c^2)\*cos(x)^2 + c^2)) - 2\*(A\*b^2\*c + A\*c^3)\*cos(x) + 2\*(A\*b^3 + A\*b\*c^2)\*sin(x))/(b^5 + 2\*b^3\*c^2 + b\*c^4)\*cos(x) + (b^4\*c + 2\*b^2\*c^3 + c^5)\*sin(x))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x)+C\*sin(x))/(b\*cos(x)+c\*sin(x))\*\*2,x)

[Out] Timed out

**Giac [A]** time = 1.19079, size = 203, normalized size = 2.39

$$\frac{(Bb + Cc) \log\left(\frac{\left|2b \tan\left(\frac{1}{2}x\right) - 2c - 2\sqrt{b^2 + c^2}\right|}{\left|2b \tan\left(\frac{1}{2}x\right) - 2c + 2\sqrt{b^2 + c^2}\right|}\right)}{(b^2 + c^2)^{\frac{3}{2}}} - \frac{2\left(Ab^2 \tan\left(\frac{1}{2}x\right) + Cbc \tan\left(\frac{1}{2}x\right) + Ac^2 \tan\left(\frac{1}{2}x\right) - Bc^2 \tan\left(\frac{1}{2}x\right) + Cb^2 - Bb\right)}{(b^3 + bc^2)\left(b \tan\left(\frac{1}{2}x\right)^2 - 2c \tan\left(\frac{1}{2}x\right) - b\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x)+C\*sin(x))/(b\*cos(x)+c\*sin(x))^2,x, algorithm="giac")

[Out] -(B\*b + C\*c)\*log(abs(2\*b\*tan(1/2\*x) - 2\*c - 2\*sqrt(b^2 + c^2))/abs(2\*b\*tan(1/2\*x) - 2\*c + 2\*sqrt(b^2 + c^2)))/(b^2 + c^2)^(3/2) - 2\*(A\*b^2\*tan(1/2\*x) + C\*b\*c\*tan(1/2\*x) + A\*c^2\*tan(1/2\*x) - B\*c^2\*tan(1/2\*x) + C\*b^2 - B\*b\*c)/(b^3 + b\*c^2)\*(b\*tan(1/2\*x)^2 - 2\*c\*tan(1/2\*x) - b)

$$3.534 \quad \int \frac{A+B \cos(x)+C \sin(x)}{(b \cos(x)+c \sin(x))^3} dx$$

**Optimal.** Leaf size=129

$$\frac{-Ab \sin(x) + Ac \cos(x) - bC + Bc}{2(b^2 + c^2)(b \cos(x) + c \sin(x))^2} - \frac{A \tanh^{-1}\left(\frac{c \cos(x) - b \sin(x)}{\sqrt{b^2 + c^2}}\right)}{2(b^2 + c^2)^{3/2}} - \frac{c \cos(x)(bB + cC) - b \sin(x)(bB + cC)}{(b^2 + c^2)^2 (b \cos(x) + c \sin(x))}$$

```
[Out] -(A*ArcTanh[(c*Cos[x] - b*Sin[x])/Sqrt[b^2 + c^2]])/(2*(b^2 + c^2)^(3/2)) -
(B*c - b*C + A*c*Cos[x] - A*b*Sin[x])/(2*(b^2 + c^2)*(b*Cos[x] + c*Sin[x])
^2) - (c*(b*B + c*C)*Cos[x] - b*(b*B + c*C)*Sin[x])/((b^2 + c^2)^2*(b*Cos[x]
+ c*Sin[x]))
```

**Rubi [A]** time = 0.124475, antiderivative size = 129, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {3156, 3153, 3074, 206}

$$\frac{-Ab \sin(x) + Ac \cos(x) - bC + Bc}{2(b^2 + c^2)(b \cos(x) + c \sin(x))^2} - \frac{A \tanh^{-1}\left(\frac{c \cos(x) - b \sin(x)}{\sqrt{b^2 + c^2}}\right)}{2(b^2 + c^2)^{3/2}} - \frac{c \cos(x)(bB + cC) - b \sin(x)(bB + cC)}{(b^2 + c^2)^2 (b \cos(x) + c \sin(x))}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Cos[x] + C*Sin[x])/(b*Cos[x] + c*Sin[x])^3,x]
```

```
[Out] -(A*ArcTanh[(c*Cos[x] - b*Sin[x])/Sqrt[b^2 + c^2]])/(2*(b^2 + c^2)^(3/2)) -
(B*c - b*C + A*c*Cos[x] - A*b*Sin[x])/(2*(b^2 + c^2)*(b*Cos[x] + c*Sin[x])
^2) - (c*(b*B + c*C)*Cos[x] - b*(b*B + c*C)*Sin[x])/((b^2 + c^2)^2*(b*Cos[x]
+ c*Sin[x]))
```

#### Rule 3156

```
Int[((a_.) + cos[(d_.) + (e_.)*(x_)])*(b_.) + (c_.)*sin[(d_.) + (e_.)*(x_)])
^(n_)*((A_.) + cos[(d_.) + (e_.)*(x_)])*(B_.) + (C_.)*sin[(d_.) + (e_.)*(x_)
]), x_Symbol] :> -Simp[((c*B - b*C - (a*C - c*A)*Cos[d + e*x] + (a*B - b*A)
*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n + 1))/(e*(n + 1)*(a
^2 - b^2 - c^2)), x] + Dist[1/((n + 1)*(a^2 - b^2 - c^2)), Int[(a + b*Cos[d
+ e*x] + c*Sin[d + e*x])^(n + 1)*Simp[(n + 1)*(a*A - b*B - c*C) + (n + 2)*
(a*B - b*A)*Cos[d + e*x] + (n + 2)*(a*C - c*A)*Sin[d + e*x], x], x], x] /;
FreeQ[{a, b, c, d, e, A, B, C}, x] && LtQ[n, -1] && NeQ[a^2 - b^2 - c^2, 0]
&& NeQ[n, -2]
```

#### Rule 3153

```
Int[((A_.) + cos[(d_.) + (e_.)*(x_)])*(B_.) + (C_.)*sin[(d_.) + (e_.)*(x_)])
/((a_.) + cos[(d_.) + (e_.)*(x_)])*(b_.) + (c_.)*sin[(d_.) + (e_.)*(x_)])^2,
x_Symbol] :> Simp[(c*B - b*C - (a*C - c*A)*Cos[d + e*x] + (a*B - b*A)*Sin[d
+ e*x])/(e*(a^2 - b^2 - c^2)*(a + b*Cos[d + e*x] + c*Sin[d + e*x])), x] +
Dist[(a*A - b*B - c*C)/(a^2 - b^2 - c^2), Int[1/(a + b*Cos[d + e*x] + c*Si
n[d + e*x]), x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && NeQ[a^2 - b^2
- c^2, 0] && NeQ[a*A - b*B - c*C, 0]
```

#### Rule 3074

```
Int[(cos[(c_.) + (d_.)*(x_)])*(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)])^(-1), x
_Symbol] :> -Dist[d^(-1), Subst[Int[1/(a^2 + b^2 - x^2), x], x], b*Cos[c + d
```

\*x] - a\*Sin[c + d\*x]], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 + b^2, 0]

**Rule 206**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\int \frac{A + B \cos(x) + C \sin(x)}{(b \cos(x) + c \sin(x))^3} dx = -\frac{Bc - bC + Ac \cos(x) - Ab \sin(x)}{2(b^2 + c^2)(b \cos(x) + c \sin(x))^2} + \frac{\int \frac{2(bB+cC)+Ab \cos(x)+Ac \sin(x)}{(b \cos(x)+c \sin(x))^2} dx}{2(b^2 + c^2)}$$

$$= -\frac{Bc - bC + Ac \cos(x) - Ab \sin(x)}{2(b^2 + c^2)(b \cos(x) + c \sin(x))^2} - \frac{c(bB + cC) \cos(x) - b(bB + cC) \sin(x)}{(b^2 + c^2)^2 (b \cos(x) + c \sin(x))} + \frac{A \int \frac{1}{b \cos(x) + c \sin(x)} dx}{2(b^2 + c^2)}$$

$$= -\frac{Bc - bC + Ac \cos(x) - Ab \sin(x)}{2(b^2 + c^2)(b \cos(x) + c \sin(x))^2} - \frac{c(bB + cC) \cos(x) - b(bB + cC) \sin(x)}{(b^2 + c^2)^2 (b \cos(x) + c \sin(x))} - \frac{A \operatorname{Subst}(\int \frac{1}{u} du)}{2(b^2 + c^2)}$$

$$= -\frac{A \tanh^{-1}\left(\frac{c \cos(x) - b \sin(x)}{\sqrt{b^2 + c^2}}\right)}{2(b^2 + c^2)^{3/2}} - \frac{Bc - bC + Ac \cos(x) - Ab \sin(x)}{2(b^2 + c^2)(b \cos(x) + c \sin(x))^2} - \frac{c(bB + cC) \cos(x) - b(bB + cC) \sin(x)}{(b^2 + c^2)^2 (b \cos(x) + c \sin(x))}$$

**Mathematica [A]** time = 0.584843, size = 122, normalized size = 0.95

$$\frac{Ab^2 \sin(x) - Abc \cos(x) + b^2B \sin(2x) + b^2C - c \cos(2x)(bB + cC) + bcC \sin(2x) + c^2C}{2b(b^2 + c^2)(b \cos(x) + c \sin(x))^2} + \frac{A \tanh^{-1}\left(\frac{b \tan\left(\frac{x}{2}\right) - c}{\sqrt{b^2 + c^2}}\right)}{(b^2 + c^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[x] + C\*Sin[x])/(b\*Cos[x] + c\*Sin[x])^3,x]

[Out] (A\*ArcTanh[(-c + b\*Tan[x/2])/Sqrt[b^2 + c^2]])/(b^2 + c^2)^(3/2) + (b^2\*C + c^2\*C - A\*b\*c\*Cos[x] - c\*(b\*B + c\*C)\*Cos[2\*x] + A\*b^2\*Sin[x] + b^2\*B\*Sin[2\*x] + b\*c\*C\*Sin[2\*x])/(2\*b\*(b^2 + c^2)\*(b\*Cos[x] + c\*Sin[x])^2)

**Maple [A]** time = 0.105, size = 218, normalized size = 1.7

$$-2 \frac{1}{(b(\tan(x/2))^2 - 2c \tan(x/2) - b)^2} \left( -1/2 \frac{(Ab^2 + 2Ac^2 - 2Bb^2 - 2Bc^2)(\tan(x/2))^3}{(b^2 + c^2)b} - 1/2 \frac{(Ab^2c - 2Ac^3 + 2Bb^2c + 2Bc^3)}{(b^2 + c^2)^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(x)+C\*sin(x))/(b\*cos(x)+c\*sin(x))^3,x)

[Out] -2\*(-1/2\*(A\*b^2+2\*A\*c^2-2\*B\*b^2-2\*B\*c^2)/(b^2+c^2)/b\*tan(1/2\*x)^3-1/2\*(A\*b^2\*c-2\*A\*c^3+2\*B\*b^2\*c+2\*B\*c^3+2\*C\*b^3+2\*C\*b\*c^2)/(b^2+c^2)/b^2\*tan(1/2\*x)^2-1/2\*(A\*b^2-2\*A\*c^2+2\*B\*b^2+2\*B\*c^2)/(b^2+c^2)/b\*tan(1/2\*x)+1/2\*A\*c/(b^2+c^2))/b\*tan(1/2\*x)^2-2\*c\*tan(1/2\*x)-b)^2+A/(b^2+c^2)^(3/2)\*arctanh(1/2\*(2\*b\*tan(1/2\*x)-2\*c)/(b^2+c^2)^(1/2))

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x)+C\*sin(x))/(b\*cos(x)+c\*sin(x))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [B]** time = 2.26349, size = 728, normalized size = 5.64

$$\frac{2Cb^3 + 2Bb^2c + 6Cbc^2 - 2Bc^3 - 8(Bb^2c + Cbc^2)\cos(x)^2 + (2Abc\cos(x)\sin(x) + Ac^2 + (Ab^2 - Ac^2)\cos(x)^2)\sqrt{b^2 + c^2}}{4(b^4c^2 + 2b^2c^4 + c^6 + (b^6 + b^4c^2 - b^2c^4 - c^6)\cos(x)^2 + 2(b^5c + 2b^3c^3 + b^2c^5)\cos(x)\sin(x))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x)+C\*sin(x))/(b\*cos(x)+c\*sin(x))^3,x, algorithm="fricas")

[Out] 1/4\*(2\*C\*b^3 + 2\*B\*b^2\*c + 6\*C\*b\*c^2 - 2\*B\*c^3 - 8\*(B\*b^2\*c + C\*b\*c^2)\*cos(x)^2 + (2\*A\*b\*c\*cos(x)\*sin(x) + A\*c^2 + (A\*b^2 - A\*c^2)\*cos(x)^2)\*sqrt(b^2 + c^2)\*log(-(2\*b\*c\*cos(x)\*sin(x) + (b^2 - c^2)\*cos(x)^2 - 2\*b^2 - c^2 + 2\*sqrt(b^2 + c^2)\*(c\*cos(x) - b\*sin(x)))/(2\*b\*c\*cos(x)\*sin(x) + (b^2 - c^2)\*cos(x)^2 + c^2)) - 2\*(A\*b^2\*c + A\*c^3)\*cos(x) + 2\*(A\*b^3 + A\*b\*c^2 + 2\*(B\*b^3 + C\*b^2\*c - B\*b\*c^2 - C\*c^3)\*cos(x))\*sin(x))/(b^4\*c^2 + 2\*b^2\*c^4 + c^6 + (b^6 + b^4\*c^2 - b^2\*c^4 - c^6)\*cos(x)^2 + 2\*(b^5\*c + 2\*b^3\*c^3 + b\*c^5)\*cos(x)\*sin(x))

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x)+C\*sin(x))/(b\*cos(x)+c\*sin(x))\*\*3,x)

[Out] Timed out

---

**Giac [B]** time = 1.29618, size = 365, normalized size = 2.83

$$\frac{A \log\left(\frac{-2b \tan\left(\frac{1}{2}x\right) + 2c - 2\sqrt{b^2 + c^2}}{-2b \tan\left(\frac{1}{2}x\right) + 2c + 2\sqrt{b^2 + c^2}}\right)}{2(b^2 + c^2)^{\frac{3}{2}}} + \frac{Ab^3 \tan\left(\frac{1}{2}x\right)^3 - 2Bb^3 \tan\left(\frac{1}{2}x\right)^3 + 2Abc^2 \tan\left(\frac{1}{2}x\right)^3 - 2Bbc^2 \tan\left(\frac{1}{2}x\right)^3 + 2Cb^3}{2(b^2 + c^2)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x)+C\*sin(x))/(b\*cos(x)+c\*sin(x))^3,x, algorithm="giac")

[Out]  $\frac{1}{2}A \log\left(\frac{\text{abs}(-2b \tan(1/2x) + 2c - 2\sqrt{b^2 + c^2})}{\text{abs}(-2b \tan(1/2x) + 2c + 2\sqrt{b^2 + c^2})}\right) / (b^2 + c^2)^{3/2} + (A b^3 \tan(1/2x)^3 - 2B b^3 \tan(1/2x)^3 + 2A b^2 c \tan(1/2x)^3 - 2B b^2 c \tan(1/2x)^3 + 2C b^3 \tan(1/2x)^2 + A b^2 c \tan(1/2x)^2 + 2B b^2 c \tan(1/2x)^2 + 2C b^2 c \tan(1/2x)^2 - 2A c^3 \tan(1/2x)^2 + 2B c^3 \tan(1/2x)^2 + A b^3 \tan(1/2x) + 2B b^3 \tan(1/2x) - 2A b^2 c \tan(1/2x) + 2B b^2 c \tan(1/2x) - A b^2 c) / ((b^4 + b^2 c^2) (b \tan(1/2x)^2 - 2c \tan(1/2x) - b)^2)$



$$3.535 \quad \int \frac{A+B \cos(x)}{a+b \cos(x)+c \sin(x)} dx$$

**Optimal.** Leaf size=115

$$-\frac{2(abB - A(b^2 + c^2)) \tan^{-1}\left(\frac{(a-b)\tan(\frac{x}{2})+c}{\sqrt{a^2-b^2-c^2}}\right)}{(b^2 + c^2)\sqrt{a^2 - b^2 - c^2}} + \frac{Bc \log(a + b \cos(x) + c \sin(x))}{b^2 + c^2} + \frac{bBx}{b^2 + c^2}$$

[Out] (b\*B\*x)/(b^2 + c^2) - (2\*(a\*b\*B - A\*(b^2 + c^2))\*ArcTan[(c + (a - b)\*Tan[x/2])/Sqrt[a^2 - b^2 - c^2]])/(Sqrt[a^2 - b^2 - c^2]\*(b^2 + c^2)) + (B\*c\*Log[a + b\*Cos[x] + c\*Sin[x]])/(b^2 + c^2)

**Rubi [A]** time = 0.129708, antiderivative size = 115, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.21$ , Rules used = {3138, 3124, 618, 204}

$$-\frac{2(abB - A(b^2 + c^2)) \tan^{-1}\left(\frac{(a-b)\tan(\frac{x}{2})+c}{\sqrt{a^2-b^2-c^2}}\right)}{(b^2 + c^2)\sqrt{a^2 - b^2 - c^2}} + \frac{Bc \log(a + b \cos(x) + c \sin(x))}{b^2 + c^2} + \frac{bBx}{b^2 + c^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[x])/(a + b\*Cos[x] + c\*Sin[x]), x]

[Out] (b\*B\*x)/(b^2 + c^2) - (2\*(a\*b\*B - A\*(b^2 + c^2))\*ArcTan[(c + (a - b)\*Tan[x/2])/Sqrt[a^2 - b^2 - c^2]])/(Sqrt[a^2 - b^2 - c^2]\*(b^2 + c^2)) + (B\*c\*Log[a + b\*Cos[x] + c\*Sin[x]])/(b^2 + c^2)

#### Rule 3138

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(B\_.))/((a\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]), x\_Symbol] :> Simp[(b\*B\*(d + e\*x))/(e\*(b^2 + c^2)), x] + (Dist[(A\*(b^2 + c^2) - a\*b\*B)/(b^2 + c^2), Int[1/(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]), x], x] + Simp[(c\*B\*Log[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]])/(e\*(b^2 + c^2)), x]) /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 + c^2, 0] && NeQ[A\*(b^2 + c^2) - a\*b\*B, 0]

#### Rule 3124

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]]^(-1), x\_Symbol] :> Module[{f = FreeFactors[Tan[(d + e\*x)/2], x]}, Dist[(2\*f)/e, Subst[Int[1/(a + b + 2\*c\*f\*x + (a - b)\*f^2\*x^2), x], x, Tan[(d + e\*x)/2]/f], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]

#### Rule 618

Int[((a\_.) + (b\_.)\*(x\_.) + (c\_.)\*(x\_.)^2)^(-1), x\_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

#### Rule 204

Int[((a\_.) + (b\_.)\*(x\_.)^2)^(-1), x\_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(x)}{a + b \cos(x) + c \sin(x)} dx &= \frac{bBx}{b^2 + c^2} + \frac{Bc \log(a + b \cos(x) + c \sin(x))}{b^2 + c^2} + \left( A - \frac{abB}{b^2 + c^2} \right) \int \frac{1}{a + b \cos(x) + c \sin(x)} dx \\
&= \frac{bBx}{b^2 + c^2} + \frac{Bc \log(a + b \cos(x) + c \sin(x))}{b^2 + c^2} + \left( 2 \left( A - \frac{abB}{b^2 + c^2} \right) \right) \text{Subst} \left( \int \frac{1}{a + b + 2cx + (c^2 - b^2)x^2} dx \right) \\
&= \frac{bBx}{b^2 + c^2} + \frac{Bc \log(a + b \cos(x) + c \sin(x))}{b^2 + c^2} - \left( 4 \left( A - \frac{abB}{b^2 + c^2} \right) \right) \text{Subst} \left( \int \frac{1}{-4(a^2 - b^2 - c^2) + 4cx + 4x^2} dx \right) \\
&= \frac{bBx}{b^2 + c^2} + \frac{2 \left( A - \frac{abB}{b^2 + c^2} \right) \tan^{-1} \left( \frac{c + (a-b) \tan\left(\frac{x}{2}\right)}{\sqrt{a^2 - b^2 - c^2}} \right)}{\sqrt{a^2 - b^2 - c^2}} + \frac{Bc \log(a + b \cos(x) + c \sin(x))}{b^2 + c^2}
\end{aligned}$$

**Mathematica [A]** time = 0.269046, size = 95, normalized size = 0.83

$$\frac{B(c \log(a + b \cos(x) + c \sin(x)) + bx) - \frac{2(A(b^2 + c^2) - abB) \tanh^{-1} \left( \frac{(a-b) \tan\left(\frac{x}{2}\right) + c}{\sqrt{-a^2 + b^2 + c^2}} \right)}{\sqrt{-a^2 + b^2 + c^2}}}{b^2 + c^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[x])/(a + b\*Cos[x] + c\*Sin[x]),x]

[Out] ((-2\*(-(a\*b\*B) + A\*(b^2 + c^2))\*ArcTanh[(c + (a - b)\*Tan[x/2])/Sqrt[-a^2 + b^2 + c^2]])/Sqrt[-a^2 + b^2 + c^2] + B\*(b\*x + c\*Log[a + b\*Cos[x] + c\*Sin[x]]))/(b^2 + c^2)

**Maple [B]** time = 0.053, size = 544, normalized size = 4.7

$$\frac{aBc}{(b^2 + c^2)(a - b)} \ln \left( a \left( \tan \left( \frac{x}{2} \right) \right)^2 - b \left( \tan \left( \frac{x}{2} \right) \right)^2 + 2c \tan(x/2) + a + b \right) - \frac{bBc}{(b^2 + c^2)(a - b)} \ln \left( a \left( \tan \left( \frac{x}{2} \right) \right)^2 - b \left( \tan \left( \frac{x}{2} \right) \right)^2 + 2c \tan(x/2) + a + b \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(x))/(a+b\*cos(x)+c\*sin(x)),x)

[Out] 1/(b^2+c^2)/(a-b)\*ln(a\*tan(1/2\*x)^2-b\*tan(1/2\*x)^2+2\*c\*tan(1/2\*x)+a+b)\*a\*B\*c-1/(b^2+c^2)/(a-b)\*ln(a\*tan(1/2\*x)^2-b\*tan(1/2\*x)^2+2\*c\*tan(1/2\*x)+a+b)\*b\*B\*c+2/(b^2+c^2)/(a^2-b^2-c^2)^(1/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*A\*b^2+2/(b^2+c^2)/(a^2-b^2-c^2)^(1/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*A\*c^2-2/(b^2+c^2)/(a^2-b^2-c^2)^(1/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*a\*b\*B+2/(b^2+c^2)/(a^2-b^2-c^2)^(1/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*B\*c^2-2/(b^2+c^2)/(a^2-b^2-c^2)^(1/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*c^2/(a-b)\*a\*B+2/(b^2+c^2)/(a^2-b^2-c^2)^(1/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*c^2/(a-b)\*b\*B-B/(b^2+c^2)\*c\*ln(1+tan(1/2\*x)^2)+2\*B/(b^2+c^2)\*b\*arctan(tan(1/2\*x))

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(x))/(a+b*cos(x)+c*sin(x)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [B]** time = 2.79789, size = 1377, normalized size = 11.97

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(x))/(a+b*cos(x)+c*sin(x)),x, algorithm="fricas")
```

```
[Out] [-1/2*((B*a*b - A*b^2 - A*c^2)*sqrt(-a^2 + b^2 + c^2)*log((a^2*b^2 - 2*b^4 - c^4 - (a^2 + 3*b^2)*c^2 - (2*a^2*b^2 - b^4 - 2*a^2*c^2 + c^4)*cos(x)^2 - 2*(a*b^3 + a*b*c^2)*cos(x) - 2*(a*b^2*c + a*c^3 - (b*c^3 - (2*a^2*b - b^3)*c)*cos(x))*sin(x) - 2*(2*a*b*c*cos(x)^2 - a*b*c + (b^2*c + c^3)*cos(x) - (b^3 + b*c^2 + (a*b^2 - a*c^2)*cos(x))*sin(x))*sqrt(-a^2 + b^2 + c^2))/(2*a*b*cos(x) + (b^2 - c^2)*cos(x)^2 + a^2 + c^2 + 2*(b*c*cos(x) + a*c)*sin(x)) - 2*(B*a^2*b - B*b^3 - B*b*c^2)*x + (B*c^3 - (B*a^2 - B*b^2)*c)*log(2*a*b*cos(x) + (b^2 - c^2)*cos(x)^2 + a^2 + c^2 + 2*(b*c*cos(x) + a*c)*sin(x)))/(a^2*b^2 - b^4 - c^4 + (a^2 - 2*b^2)*c^2), -1/2*(2*(B*a*b - A*b^2 - A*c^2)*sqrt(a^2 - b^2 - c^2)*arctan(-(a*b*cos(x) + a*c*sin(x) + b^2 + c^2)*sqrt(a^2 - b^2 - c^2)/((c^3 - (a^2 - b^2)*c)*cos(x) + (a^2*b - b^3 - b*c^2)*sin(x))) - 2*(B*a^2*b - B*b^3 - B*b*c^2)*x + (B*c^3 - (B*a^2 - B*b^2)*c)*log(2*a*b*cos(x) + (b^2 - c^2)*cos(x)^2 + a^2 + c^2 + 2*(b*c*cos(x) + a*c)*sin(x)))/(a^2*b^2 - b^4 - c^4 + (a^2 - 2*b^2)*c^2)]
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(x))/(a+b*cos(x)+c*sin(x)),x)
```

```
[Out] Timed out
```

**Giac [A]** time = 1.16656, size = 240, normalized size = 2.09

$$\frac{Bbx}{b^2 + c^2} + \frac{Bc \log\left(-a \tan\left(\frac{1}{2}x\right)^2 + b \tan\left(\frac{1}{2}x\right)^2 - 2c \tan\left(\frac{1}{2}x\right) - a - b\right)}{b^2 + c^2} - \frac{Bc \log\left(\tan\left(\frac{1}{2}x\right)^2 + 1\right)}{b^2 + c^2} + \frac{2(Bab - Ab^2 - Aa^2)}{b^2 + c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(x))/(a+b*cos(x)+c*sin(x)),x, algorithm="giac")
```

```
[Out] B*b*x/(b^2 + c^2) + B*c*log(-a*tan(1/2*x)^2 + b*tan(1/2*x)^2 - 2*c*tan(1/2*x) - a - b)/(b^2 + c^2) - B*c*log(tan(1/2*x)^2 + 1)/(b^2 + c^2) + 2*(B*a*b
```

$$- \frac{A(b^2 - c^2) \left( \pi \left\lfloor \frac{1}{2} \frac{x}{\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(-2a + 2b) + \arctan \left( -\frac{a \tan \left( \frac{1}{2} x \right) - b \tan \left( \frac{1}{2} x \right) + c}{\sqrt{a^2 - b^2 - c^2}} \right) \right)}{\sqrt{a^2 - b^2 - c^2} (b^2 + c^2)}$$

$$3.536 \quad \int \frac{A+B \cos(x)}{(a+b \cos(x)+c \sin(x))^2} dx$$

**Optimal.** Leaf size=113

$$\frac{2(aA - bB) \tan^{-1} \left( \frac{(a-b) \tan(\frac{x}{2}) + c}{\sqrt{a^2 - b^2 - c^2}} \right)}{(a^2 - b^2 - c^2)^{3/2}} + \frac{-\sin(x)(Ab - aB) + Ac \cos(x) + Bc}{(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))}$$

[Out] (2\*(a\*A - b\*B)\*ArcTan[(c + (a - b)\*Tan[x/2])/Sqrt[a^2 - b^2 - c^2]])/(a^2 - b^2 - c^2)^(3/2) + (B\*c + A\*c\*Cos[x] - (A\*b - a\*B)\*Sin[x])/((a^2 - b^2 - c^2)\*(a + b\*Cos[x] + c\*Sin[x]))

**Rubi [A]** time = 0.106341, antiderivative size = 113, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.21$ , Rules used = {3155, 3124, 618, 204}

$$\frac{2(aA - bB) \tan^{-1} \left( \frac{(a-b) \tan(\frac{x}{2}) + c}{\sqrt{a^2 - b^2 - c^2}} \right)}{(a^2 - b^2 - c^2)^{3/2}} + \frac{-\sin(x)(Ab - aB) + Ac \cos(x) + Bc}{(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[x])/(a + b\*Cos[x] + c\*Sin[x])^2,x]

[Out] (2\*(a\*A - b\*B)\*ArcTan[(c + (a - b)\*Tan[x/2])/Sqrt[a^2 - b^2 - c^2]])/(a^2 - b^2 - c^2)^(3/2) + (B\*c + A\*c\*Cos[x] - (A\*b - a\*B)\*Sin[x])/((a^2 - b^2 - c^2)\*(a + b\*Cos[x] + c\*Sin[x]))

#### Rule 3155

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(B\_.))/((a\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^2, x\_Symbol] :> Simp[(c\*B + c\*A\*Cos[d + e\*x] + (a\*B - b\*A)\*Sin[d + e\*x])/(e\*(a^2 - b^2 - c^2)\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])), x] + Dist[(a\*A - b\*B)/(a^2 - b^2 - c^2), Int[1/(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]), x], x] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[a\*A - b\*B, 0]

#### Rule 3124

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(-1), x\_Symbol] :> Module[{f = FreeFactors[Tan[(d + e\*x)/2], x]}, Dist[(2\*f)/e, Subst[Int[1/(a + b + 2\*c\*f\*x + (a - b)\*f^2\*x^2), x], x, Tan[(d + e\*x)/2]/f], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]

#### Rule 618

Int[((a\_.) + (b\_.)\*(x\_.) + (c\_.)\*(x\_.)^2)^(-1), x\_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

#### Rule 204

Int[((a\_.) + (b\_.)\*(x\_.)^2)^(-1), x\_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

### Rubi steps

$$\begin{aligned}
 \int \frac{A + B \cos(x)}{(a + b \cos(x) + c \sin(x))^2} dx &= \frac{Bc + Ac \cos(x) - (Ab - aB) \sin(x)}{(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))} + \frac{(aA - bB) \int \frac{1}{a + b \cos(x) + c \sin(x)} dx}{a^2 - b^2 - c^2} \\
 &= \frac{Bc + Ac \cos(x) - (Ab - aB) \sin(x)}{(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))} + \frac{(2(aA - bB)) \operatorname{Subst}\left(\int \frac{1}{a + b + 2cx + (a-b)x^2} dx, x, t\right)}{a^2 - b^2 - c^2} \\
 &= \frac{Bc + Ac \cos(x) - (Ab - aB) \sin(x)}{(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))} - \frac{(4(aA - bB)) \operatorname{Subst}\left(\int \frac{1}{-4(a^2 - b^2 - c^2) - x^2} dx, x, 2t\right)}{a^2 - b^2 - c^2} \\
 &= \frac{2(aA - bB) \tan^{-1}\left(\frac{c + (a-b)\tan\left(\frac{x}{2}\right)}{\sqrt{a^2 - b^2 - c^2}}\right)}{(a^2 - b^2 - c^2)^{3/2}} + \frac{Bc + Ac \cos(x) - (Ab - aB) \sin(x)}{(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))}
 \end{aligned}$$

**Mathematica [A]** time = 0.287751, size = 118, normalized size = 1.04

$$\frac{\sin(x) (A (b^2 + c^2) - abB) + c(aA - bB)}{b(-a^2 + b^2 + c^2)(a + b \cos(x) + c \sin(x))} + \frac{2(aA - bB) \tanh^{-1}\left(\frac{(a-b)\tan\left(\frac{x}{2}\right) + c}{\sqrt{-a^2 + b^2 + c^2}}\right)}{(-a^2 + b^2 + c^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[x])/(a + b\*Cos[x] + c\*Sin[x])^2,x]

[Out] (2\*(a\*A - b\*B)\*ArcTanh[(c + (a - b)\*Tan[x/2])/Sqrt[-a^2 + b^2 + c^2]])/(-a^2 + b^2 + c^2)^(3/2) + ((a\*A - b\*B)\*c + (-(a\*b\*B) + A\*(b^2 + c^2))\*Sin[x])/(b\*(-a^2 + b^2 + c^2)\*(a + b\*Cos[x] + c\*Sin[x]))

**Maple [B]** time = 0.094, size = 254, normalized size = 2.3

$$2 \frac{1}{a (\tan(x/2))^2 - b (\tan(x/2))^2 + 2c \tan(x/2) + a + b} \left( -\frac{(aAb - Ab^2 - Ac^2 - a^2B + abB + Bc^2) \tan(x/2)}{a^3 - a^2b - ab^2 - ac^2 + b^3 + bc^2} + \frac{(aA - bB)}{a^3 - a^2b - ab^2 - ac^2 + b^3 + bc^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(x))/(a+b\*cos(x)+c\*sin(x))^2,x)

[Out] 2\*(-(A\*a\*b-A\*b^2-A\*c^2-B\*a^2+B\*a\*b+B\*c^2)/(a^3-a^2\*b-a\*b^2-a\*c^2+b^3+b\*c^2)\*tan(1/2\*x)+(A\*a-B\*b)\*c/(a^3-a^2\*b-a\*b^2-a\*c^2+b^3+b\*c^2))/(a\*tan(1/2\*x)^2-b\*tan(1/2\*x)^2+2\*c\*tan(1/2\*x)+a+b)+2/(a^2-b^2-c^2)^(3/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*a\*A-2/(a^2-b^2-c^2)^(3/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*b\*B

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(x))/(a+b*cos(x)+c*sin(x))^2,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [B]** time = 2.88085, size = 2691, normalized size = 23.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(x))/(a+b*cos(x)+c*sin(x))^2,x, algorithm="fricas")
```

```
[Out] [-1/2*(2*B*c^5 - 4*(B*a^2 - B*b^2)*c^3 + (A*a^2*b^2 - B*a*b^3 + (A*a^2 - B*
a*b)*c^2 + (A*a*b^3 - B*b^4 + (A*a*b - B*b^2)*c^2)*cos(x) + ((A*a - B*b)*c^
3 + (A*a*b^2 - B*b^3)*c)*sin(x))*sqrt(-a^2 + b^2 + c^2)*log(-(a^2*b^2 - 2*b
^4 - c^4 - (a^2 + 3*b^2)*c^2 - (2*a^2*b^2 - b^4 - 2*a^2*c^2 + c^4)*cos(x)^2
- 2*(a*b^3 + a*b*c^2)*cos(x) - 2*(a*b^2*c + a*c^3 - (b*c^3 - (2*a^2*b - b^
3)*c)*cos(x))*sin(x) + 2*(2*a*b*c*cos(x)^2 - a*b*c + (b^2*c + c^3)*cos(x) -
(b^3 + b*c^2 + (a*b^2 - a*c^2)*cos(x))*sin(x))*sqrt(-a^2 + b^2 + c^2))/(2*
a*b*cos(x) + (b^2 - c^2)*cos(x)^2 + a^2 + c^2 + 2*(b*c*cos(x) + a*c)*sin(x)
)) + 2*(B*a^4 - 2*B*a^2*b^2 + B*b^4)*c + 2*(A*c^5 - (A*a^2 + B*a*b - 2*A*b^
2)*c^3 + (B*a^3*b - A*a^2*b^2 - B*a*b^3 + A*b^4)*c)*cos(x) - 2*(B*a^3*b^2 -
A*a^2*b^3 - B*a*b^4 + A*b^5 + A*b*c^4 - (A*a^2*b + B*a*b^2 - 2*A*b^3)*c^2)
*sin(x))/(a^5*b^2 - 2*a^3*b^4 + a*b^6 + a*c^6 - (2*a^3 - 3*a*b^2)*c^4 + (a^
5 - 4*a^3*b^2 + 3*a*b^4)*c^2 + (a^4*b^3 - 2*a^2*b^5 + b^7 + b*c^6 - (2*a^2*
b - 3*b^3)*c^4 + (a^4*b - 4*a^2*b^3 + 3*b^5)*c^2)*cos(x) + (c^7 - (2*a^2 -
3*b^2)*c^5 + (a^4 - 4*a^2*b^2 + 3*b^4)*c^3 + (a^4*b^2 - 2*a^2*b^4 + b^6)*c)
*sin(x)), -(B*c^5 - 2*(B*a^2 - B*b^2)*c^3 - (A*a^2*b^2 - B*a*b^3 + (A*a^2 -
B*a*b)*c^2 + (A*a*b^3 - B*b^4 + (A*a*b - B*b^2)*c^2)*cos(x) + ((A*a - B*b)
*c^3 + (A*a*b^2 - B*b^3)*c)*sin(x))*sqrt(a^2 - b^2 - c^2)*arctan(-(a*b*cos(
x) + a*c*sin(x) + b^2 + c^2)*sqrt(a^2 - b^2 - c^2)/((c^3 - (a^2 - b^2)*c)
*cos(x) + (a^2*b - b^3 - b*c^2)*sin(x))) + (B*a^4 - 2*B*a^2*b^2 + B*b^4)*c +
(A*c^5 - (A*a^2 + B*a*b - 2*A*b^2)*c^3 + (B*a^3*b - A*a^2*b^2 - B*a*b^3 + A
*b^4)*c)*cos(x) - (B*a^3*b^2 - A*a^2*b^3 - B*a*b^4 + A*b^5 + A*b*c^4 - (A*a
^2*b + B*a*b^2 - 2*A*b^3)*c^2)*sin(x))/(a^5*b^2 - 2*a^3*b^4 + a*b^6 + a*c^6
- (2*a^3 - 3*a*b^2)*c^4 + (a^5 - 4*a^3*b^2 + 3*a*b^4)*c^2 + (a^4*b^3 - 2*a
^2*b^5 + b^7 + b*c^6 - (2*a^2*b - 3*b^3)*c^4 + (a^4*b - 4*a^2*b^3 + 3*b^5)
*c^2)*cos(x) + (c^7 - (2*a^2 - 3*b^2)*c^5 + (a^4 - 4*a^2*b^2 + 3*b^4)*c^3 +
(a^4*b^2 - 2*a^2*b^4 + b^6)*c)*sin(x)]
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(x))/(a+b*cos(x)+c*sin(x))**2,x)
```

```
[Out] Timed out
```

**Giac [A]** time = 1.17346, size = 282, normalized size = 2.5

$$\frac{2 \left( \pi \left\lfloor \frac{x}{2\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(-2a + 2b) + \arctan \left( -\frac{a \tan\left(\frac{1}{2}x\right) - b \tan\left(\frac{1}{2}x\right) + c}{\sqrt{a^2 - b^2 - c^2}} \right) \right) (Aa - Bb)}{(a^2 - b^2 - c^2)^{\frac{3}{2}}} + \frac{2 \left( Ba^2 \tan\left(\frac{1}{2}x\right) - Aab \tan\left(\frac{1}{2}x\right) - Bab \tan\left(\frac{1}{2}x\right) + A^2c \tan\left(\frac{1}{2}x\right) - B^2c \tan\left(\frac{1}{2}x\right) + A^2c - B^2c \right)}{(a^3 - a^2b - ab^2 + b^3 - ac^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x))/(a+b\*cos(x)+c\*sin(x))^2,x, algorithm="giac")

[Out] -2\*(pi\*floor(1/2\*x/pi + 1/2)\*sgn(-2\*a + 2\*b) + arctan(-(a\*tan(1/2\*x) - b\*tan(1/2\*x) + c)/sqrt(a^2 - b^2 - c^2)))\*(A\*a - B\*b)/(a^2 - b^2 - c^2)^(3/2) + 2\*(B\*a^2\*tan(1/2\*x) - A\*a\*b\*tan(1/2\*x) - B\*a\*b\*tan(1/2\*x) + A\*b^2\*tan(1/2\*x) + A\*c^2\*tan(1/2\*x) - B\*c^2\*tan(1/2\*x) + A\*a\*c - B\*b\*c)/((a^3 - a^2\*b - a\*b^2 + b^3 - a\*c^2 + b\*c^2)\*(a\*tan(1/2\*x)^2 - b\*tan(1/2\*x)^2 + 2\*c\*tan(1/2\*x) + a + b))



$$3.537 \quad \int \frac{A+B \cos(x)}{(a+b \cos(x)+c \sin(x))^3} dx$$

**Optimal.** Leaf size=200

$$\frac{(2a^2A - 3abB + A(b^2 + c^2)) \tan^{-1}\left(\frac{(a-b)\tan(\frac{x}{2})+c}{\sqrt{a^2-b^2-c^2}}\right)}{(a^2 - b^2 - c^2)^{5/2}} + \frac{-\sin(x)(a^2(-B) + 3aAb - 2b^2B) + c \cos(x)(3aA - 2bB) + aBc}{2(a^2 - b^2 - c^2)^2(a + b \cos(x) + c \sin(x))}$$

[Out] ((2\*a^2\*A - 3\*a\*b\*B + A\*(b^2 + c^2))\*ArcTan[(c + (a - b)\*Tan[x/2])/Sqrt[a^2 - b^2 - c^2]]/(a^2 - b^2 - c^2)^(5/2) + (B\*c + A\*c\*Cos[x] - (A\*b - a\*B)\*Sin[x])/(2\*(a^2 - b^2 - c^2)\*(a + b\*Cos[x] + c\*Sin[x])^2) + (a\*B\*c + (3\*a\*A - 2\*b\*B)\*c\*Cos[x] - (3\*a\*A\*b - a^2\*B - 2\*b^2\*B)\*Sin[x])/(2\*(a^2 - b^2 - c^2)^2\*(a + b\*Cos[x] + c\*Sin[x])))

**Rubi [A]** time = 0.254899, antiderivative size = 200, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$ , Rules used = {3158, 3153, 3124, 618, 204}

$$\frac{(2a^2A - 3abB + A(b^2 + c^2)) \tan^{-1}\left(\frac{(a-b)\tan(\frac{x}{2})+c}{\sqrt{a^2-b^2-c^2}}\right)}{(a^2 - b^2 - c^2)^{5/2}} + \frac{-\sin(x)(a^2(-B) + 3aAb - 2b^2B) + c \cos(x)(3aA - 2bB) + aBc}{2(a^2 - b^2 - c^2)^2(a + b \cos(x) + c \sin(x))}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[x])/(a + b\*Cos[x] + c\*Sin[x])^3,x]

[Out] ((2\*a^2\*A - 3\*a\*b\*B + A\*(b^2 + c^2))\*ArcTan[(c + (a - b)\*Tan[x/2])/Sqrt[a^2 - b^2 - c^2]]/(a^2 - b^2 - c^2)^(5/2) + (B\*c + A\*c\*Cos[x] - (A\*b - a\*B)\*Sin[x])/(2\*(a^2 - b^2 - c^2)\*(a + b\*Cos[x] + c\*Sin[x])^2) + (a\*B\*c + (3\*a\*A - 2\*b\*B)\*c\*Cos[x] - (3\*a\*A\*b - a^2\*B - 2\*b^2\*B)\*Sin[x])/(2\*(a^2 - b^2 - c^2)^2\*(a + b\*Cos[x] + c\*Sin[x])))

#### Rule 3158

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(B\_.))\*((a\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[((c\*B + c\*A\*Cos[d + e\*x] + (a\*B - b\*A)\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1))/(e\*(n + 1)\*(a^2 - b^2 - c^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2 - c^2)), Int[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1)\*Simp[(n + 1)\*(a\*A - b\*B) + (n + 2)\*(a\*B - b\*A)\*Cos[d + e\*x] - (n + 2)\*c\*A\*Sin[d + e\*x], x], x], x] /; FreeQ[{a, b, c, d, e, A, B}, x] && LtQ[n, -1] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[n, -2]

#### Rule 3153

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]) / ((a\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])^2, x\_Symbol] :> Simp[(c\*B - b\*C - (a\*C - c\*A)\*Cos[d + e\*x] + (a\*B - b\*A)\*Sin[d + e\*x]) / (e\*(a^2 - b^2 - c^2)\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])), x] + Dist[(a\*A - b\*B - c\*C) / (a^2 - b^2 - c^2), Int[1/(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]), x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[a\*A - b\*B - c\*C, 0]

#### Rule 3124

```
Int[(cos[(d_.) + (e_.)*(x_)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_)])^(-1), x_Symbol] := Module[{f = FreeFactors[Tan[(d + e*x)/2], x]}, Dist[(2*f)/e, Subst[Int[1/(a + b + 2*c*f*x + (a - b)*f^2*x^2), x], x, Tan[(d + e*x)/2]/f], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]
```

Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\int \frac{A + B \cos(x)}{(a + b \cos(x) + c \sin(x))^3} dx = \frac{Bc + Ac \cos(x) - (Ab - aB) \sin(x)}{2(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))^2} - \frac{\int \frac{-2(aA - bB) + (Ab - aB) \cos(x) + Ac \sin(x)}{(a + b \cos(x) + c \sin(x))^2} dx}{2(a^2 - b^2 - c^2)}$$

$$= \frac{Bc + Ac \cos(x) - (Ab - aB) \sin(x)}{2(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))^2} + \frac{aBc + (3aA - 2bB)c \cos(x) - (3aAb - a^2B)}{2(a^2 - b^2 - c^2)^2(a + b \cos(x) + c \sin(x))}$$

$$= \frac{Bc + Ac \cos(x) - (Ab - aB) \sin(x)}{2(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))^2} + \frac{aBc + (3aA - 2bB)c \cos(x) - (3aAb - a^2B)}{2(a^2 - b^2 - c^2)^2(a + b \cos(x) + c \sin(x))}$$

$$= \frac{Bc + Ac \cos(x) - (Ab - aB) \sin(x)}{2(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))^2} + \frac{aBc + (3aA - 2bB)c \cos(x) - (3aAb - a^2B)}{2(a^2 - b^2 - c^2)^2(a + b \cos(x) + c \sin(x))}$$

$$= \frac{(2a^2A - 3abB + A(b^2 + c^2)) \tan^{-1}\left(\frac{c + (a-b)\tan\left(\frac{x}{2}\right)}{\sqrt{a^2 - b^2 - c^2}}\right)}{(a^2 - b^2 - c^2)^{5/2}} + \frac{Bc + Ac \cos(x) - (Ab - aB) \sin(x)}{2(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))}$$

**Mathematica [A]** time = 0.803585, size = 326, normalized size = 1.63

---


$$-2bc \cos(x) (2a^2A - 3abB + A(b^2 + c^2)) + c \cos(2x) (a^2(-b)B + 3aA(b^2 + c^2) - 2bB(b^2 + c^2)) - 8a^2Ab^2 \sin(x) - 12a^2A^2b^2 \sin^2(x) + \dots$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Cos[x])/(a + b*Cos[x] + c*Sin[x])^3,x]
```

```
[Out] -(((2*a^2*A - 3*a*b*B + A*(b^2 + c^2))*ArcTanh[(c + (a - b)*Tan[x/2])/Sqrt[-a^2 + b^2 + c^2]])/(-a^2 + b^2 + c^2)^(5/2)) + (-6*a^3*A*c - 3*a*A*b^2*c + 9*a^2*b*B*c - 3*a*A*c^3 - 2*b*c*(2*a^2*A - 3*a*b*B + A*(b^2 + c^2))*Cos[x] + c*(-(a^2*b*B) + 3*a*A*(b^2 + c^2) - 2*b*B*(b^2 + c^2))*Cos[2*x] - 8*a^2*A*b^2*Sin[x] + 2*A*b^4*Sin[x] + 4*a^3*b*B*Sin[x] + 2*a*b^3*B*Sin[x] - 12*a^2*A*c^2*Sin[x] + 2*A*b^2*c^2*Sin[x] + 8*a*b*B*c^2*Sin[x] - 3*a*A*b^3*Sin[2*x] + a^2*b^2*B*Sin[2*x] + 2*b^4*B*Sin[2*x] - 3*a*A*b*c^2*Sin[2*x] + 2*b^2*B*c^2*Sin[2*x])/(4*b*(-a^2 + b^2 + c^2)^2*(a + b*Cos[x] + c*Sin[x])^2)
```

---

**Maple [B]** time = 0.115, size = 1109, normalized size = 5.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(x))/(a+b*cos(x)+c*sin(x))^3,x)`

[Out] 
$$2*(-1/2*(4*A*a^3*b-7*A*a^2*b^2-5*A*a^2*c^2+2*A*a*b^3+2*A*a*b*c^2+A*b^4+3*A*b^2*c^2+2*A*c^4-2*B*a^4+3*B*a^3*b-2*B*a^2*b^2+4*B*a^2*c^2+3*B*a*b^3-2*B*b^4-4*B*b^2*c^2-2*B*c^4)/(a-b)/(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)*\tan(1/2*x)^3+1/2*c*(4*A*a^4-12*A*a^3*b+13*A*a^2*b^2+7*A*a^2*c^2-6*A*a*b^3-6*A*a*b*c^2+A*b^4-A*b^2*c^2-2*A*c^4+2*B*a^4-9*B*a^3*b+14*B*a^2*b^2-4*B*a^2*c^2-9*B*a*b^3+2*B*b^4+4*B*b^2*c^2+2*B*c^4)/(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)/(a^2-2*a*b+b^2)*\tan(1/2*x)^2-1/2*(4*A*a^4*b-5*A*a^3*b^2-11*A*a^3*c^2-3*A*a^2*b^3+3*A*a^2*b*c^2+5*A*a*b^4+7*A*a*b^2*c^2+2*A*a*c^4-A*b^5+A*b^3*c^2+2*A*b*c^4-2*B*a^5+3*B*a^4*b-B*a^3*b^2+4*B*a^3*c^2-B*a^2*b^3+8*B*a^2*b*c^2+3*B*a*b^4-8*B*a*b^2*c^2-2*B*a*c^4-2*B*b^5-4*B*b^3*c^2-2*B*b*c^4)/(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)/(a^2-2*a*b+b^2)*\tan(1/2*x)+1/2*c*(4*A*a^4-3*A*a^2*b^2-A*a^2*c^2-A*b^4-A*b^2*c^2-5*B*a^3*b+5*B*a*b^3+2*B*a*b*c^2)/(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)/(a^2-2*a*b+b^2)/(a*\tan(1/2*x)^2-b*\tan(1/2*x)^2+2*c*\tan(1/2*x)+a+b)^2+2/(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)/(a^2-b^2-c^2)^(1/2)*\arctan(1/2*(2*(a-b)*\tan(1/2*x)+2*c)/(a^2-b^2-c^2)^(1/2))*a^2*A+1/(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)/(a^2-b^2-c^2)^(1/2)*\arctan(1/2*(2*(a-b)*\tan(1/2*x)+2*c)/(a^2-b^2-c^2)^(1/2))*A*b^2+1/(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)/(a^2-b^2-c^2)^(1/2)*\arctan(1/2*(2*(a-b)*\tan(1/2*x)+2*c)/(a^2-b^2-c^2)^(1/2))*A*c^2-3/(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)/(a^2-b^2-c^2)^(1/2)*\arctan(1/2*(2*(a-b)*\tan(1/2*x)+2*c)/(a^2-b^2-c^2)^(1/2))*a*b*B$$

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(x))/(a+b*cos(x)+c*sin(x))^3,x, algorithm="maxima")`

[Out] Exception raised: ValueError

---

**Fricas [B]** time = 4.65881, size = 7119, normalized size = 35.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(x))/(a+b*cos(x)+c*sin(x))^3,x, algorithm="fricas")`

[Out] 
$$[1/4*(2*B*c^7 - 2*(3*B*a^2 - 3*A*a*b - B*b^2)*c^5 + 2*(3*B*a^4 - 3*A*a^3*b - 5*B*a^2*b^2 + 6*A*a*b^3 - B*b^4)*c^3 - 4*((3*A*a*b - 2*B*b^2)*c^5 - (3*A*a^3*b - B*a^2*b^2 - 6*A*a*b^3 + 4*B*b^4)*c^3 + (B*a^4*b^2 - 3*A*a^3*b^3 + B*a^2*b^4 + 3*A*a*b^5 - 2*B*b^6)*c)*\cos(x)^2 - (2*A*a^4*b^2 - 3*B*a^3*b^3 +$$

$$\begin{aligned}
& A^2a^2b^4 + A^2c^6 + (3A^2a^2 - 3B^2ab + 2A^2b^2)c^4 + (2A^2a^4 - 3B^2a^3b \\
& + 4A^2a^2b^2 - 3B^2ab^3 + A^2b^4)c^2 + (2A^2a^2b^4 - 3B^2ab^5 + A^2b^6 \\
& + A^2b^4c^2 - A^2c^6 - (2A^2a^2 - 3B^2ab + A^2b^2)c^4)\cos(x)^2 + 2(2A^2a^3b^3 \\
& - 3B^2a^2b^4 + A^2ab^5 + A^2abc^4 + (2A^2a^3b - 3B^2a^2b^2 + 2A^2 \\
& ab^3)c^2)\cos(x) + 2(A^2ac^5 + (2A^2a^3 - 3B^2a^2b + 2A^2ab^2)c^3 + \\
& (2A^2a^3b^2 - 3B^2a^2b^3 + A^2ab^4)c + (A^2bc^5 + (2A^2a^2b - 3B^2ab^2 \\
& + 2A^2b^3)c^3 + (2A^2a^2b^3 - 3B^2ab^4 + A^2b^5)c)\cos(x))\sin(x))\sqrt{ \\
& (-a^2 + b^2 + c^2)\log(-a^2b^2 - 2b^4 - c^4 - (a^2 + 3b^2)c^2 - (2a^2 \\
& b^2 - b^4 - 2a^2c^2 + c^4)\cos(x)^2 - 2(ab^3 + abc^2)\cos(x) - 2(a^2 \\
& b^2c + ac^3 - (bc^3 - (2a^2b - b^3)c)\cos(x))\sin(x) + 2(2abc\cos \\
& (x)^2 - abc + (b^2c + c^3)\cos(x) - (b^3 + bc^2 + (ab^2 - ac^2)\cos(x) \\
& ))\sin(x))\sqrt{-a^2 + b^2 + c^2}}/(2ab\cos(x) + (b^2 - c^2)\cos(x)^2 + a^2 \\
& + c^2 + 2(bc\cos(x) + ac)\sin(x)) - 2(B^2a^6 - 4B^2a^4b^2 + 3A^2a^3 \\
& b^3 + 2B^2a^2b^4 - 3A^2ab^5 + B^2b^6)c + 2(A^2c^7 - (5A^2a^2 - B^2ab - 3 \\
& A^2b^2)c^5 + (4A^2a^4 + B^2a^3b - 10A^2a^2b^2 + 2B^2ab^3 + 3A^2b^4)c^3 \\
& - (2B^2a^5b - 4A^2a^4b^2 - B^2a^3b^3 + 5A^2a^2b^4 - B^2ab^5 - A^2b^6)c) \\
& \cos(x) + 2(2B^2a^5b^2 - 4A^2a^4b^3 - B^2a^3b^4 + 5A^2a^2b^5 - B^2ab^6 - \\
& A^2b^7 - A^2bc^6 + (5A^2a^2b - B^2ab^2 - 3A^2b^3)c^4 - (4A^2a^4b + B^2a^3 \\
& b^2 - 10A^2a^2b^3 + 2B^2ab^4 + 3A^2b^5)c^2 + (B^2a^4b^3 - 3A^2a^3b^4 + \\
& B^2a^2b^5 + 3A^2ab^6 - 2B^2b^7 - (3A^2a - 2B^2b)c^6 + (3A^2a^3 - B^2a^2b \\
& - 3A^2ab^2 + 2B^2b^3)c^4 - (B^2a^4b - 3A^2ab^4 + 2B^2b^5)c^2)\cos(x)) \\
& \sin(x))/(a^8b^2 - 3a^6b^4 + 3a^4b^6 - a^2b^8 - c^{10} + 2(a^2 - 2b^2) \\
& c^8 + (5a^2b^2 - 6b^4)c^6 - (2a^6 - 3a^4b^2 - 3a^2b^4 + 4b^6)c^4 \\
& + (a^8 - 5a^6b^2 + 6a^4b^4 - a^2b^6 - b^8)c^2 + (a^6b^4 - 3a^4b^6 \\
& + 3a^2b^8 - b^{10} + c^{10} - 3(a^2 - b^2)c^8 + (3a^4 - 6a^2b^2 + 2b^4) \\
& c^6 - (a^6 - 3a^4b^2 + 2b^6)c^4 - 3(a^4b^4 - 2a^2b^6 + b^8)c^2) \\
& \cos(x)^2 + 2(a^7b^3 - 3a^5b^5 + 3a^3b^7 - ab^9 - abc^8 + (3a^3b \\
& - 4ab^3)c^6 - 3(a^5b - 3a^3b^3 + 2ab^5)c^4 + (a^7b - 6a^5b^3 \\
& + 9a^3b^5 - 4ab^7)c^2)\cos(x) - 2(ac^9 - (3a^3 - 4ab^2)c^7 + 3( \\
& a^5 - 3a^3b^2 + 2ab^4)c^5 - (a^7 - 6a^5b^2 + 9a^3b^4 - 4ab^6)c^3 \\
& - (a^7b^2 - 3a^5b^4 + 3a^3b^6 - ab^8)c + (bc^9 - (3a^2b - 4b^3) \\
& )c^7 + 3(a^4b - 3a^2b^3 + 2b^5)c^5 - (a^6b - 6a^4b^3 + 9a^2b^5 \\
& - 4b^7)c^3 - (a^6b^3 - 3a^4b^5 + 3a^2b^7 - b^9)c)\cos(x))\sin(x)), \\
& 1/2(B^2c^7 - (3B^2a^2 - 3A^2ab - B^2b^2)c^5 + (3B^2a^4 - 3A^2a^3b - 5B^2a^2 \\
& b^2 + 6A^2ab^3 - B^2b^4)c^3 - 2((3A^2ab - 2B^2b^2)c^5 - (3A^2a^3b - \\
& B^2a^2b^2 - 6A^2ab^3 + 4B^2b^4)c^3 + (B^2a^4b^2 - 3A^2a^3b^3 + B^2a^2b^4 \\
& + 3A^2ab^5 - 2B^2b^6)c)\cos(x)^2 + (2A^2a^4b^2 - 3B^2a^3b^3 + A^2a^2b^4 \\
& + A^2c^6 + (3A^2a^2 - 3B^2ab + 2A^2b^2)c^4 + (2A^2a^4 - 3B^2a^3b + 4A^2 \\
& a^2b^2 - 3B^2ab^3 + A^2b^4)c^2 + (2A^2a^2b^4 - 3B^2ab^5 + A^2b^6 + A^2b^4 \\
& c^2 - A^2c^6 - (2A^2a^2 - 3B^2ab + A^2b^2)c^4)\cos(x)^2 + 2(2A^2a^3b^3 \\
& - 3B^2a^2b^4 + A^2ab^5 + A^2abc^4 + (2A^2a^3b - 3B^2a^2b^2 + 2A^2ab^3) \\
& c^2)\cos(x) + 2(A^2ac^5 + (2A^2a^3 - 3B^2a^2b + 2A^2ab^2)c^3 + (2A^2a^3 \\
& b^2 - 3B^2a^2b^3 + A^2ab^4)c + (A^2bc^5 + (2A^2a^2b - 3B^2ab^2 + 2A^2 \\
& b^3)c^3 + (2A^2a^2b^3 - 3B^2ab^4 + A^2b^5)c)\cos(x))\sin(x))\sqrt{a^2 - \\
& b^2 - c^2}\arctan(-(ab\cos(x) + ac\sin(x) + b^2 + c^2)\sqrt{a^2 - b^2 - c^2}) \\
& /((c^3 - (a^2 - b^2)c)\cos(x) + (a^2b - b^3 - bc^2)\sin(x))) - (B^2a^6 \\
& - 4B^2a^4b^2 + 3A^2a^3b^3 + 2B^2a^2b^4 - 3A^2ab^5 + B^2b^6)c + (A^2c^7 \\
& - (5A^2a^2 - B^2ab - 3A^2b^2)c^5 + (4A^2a^4 + B^2a^3b - 10A^2a^2b^2 + 2B^2 \\
& ab^3 + 3A^2b^4)c^3 - (2B^2a^5b - 4A^2a^4b^2 - B^2a^3b^3 + 5A^2a^2b^4 \\
& - B^2ab^5 - A^2b^6)c)\cos(x) + (2B^2a^5b^2 - 4A^2a^4b^3 - B^2a^3b^4 + 5A^2 \\
& a^2b^5 - B^2ab^6 - A^2b^7 - A^2bc^6 + (5A^2a^2b - B^2ab^2 - 3A^2b^3)c^4 \\
& - (4A^2a^4b + B^2a^3b^2 - 10A^2a^2b^3 + 2B^2ab^4 + 3A^2b^5)c^2 + (B^2a^4 \\
& b^3 - 3A^2a^3b^4 + B^2a^2b^5 + 3A^2ab^6 - 2B^2b^7 - (3A^2a - 2B^2b)c^6 \\
& + (3A^2a^3 - B^2a^2b - 3A^2ab^2 + 2B^2b^3)c^4 - (B^2a^4b - 3A^2ab^4 + 2B^2 \\
& b^5)c^2)\cos(x))\sin(x))/(a^8b^2 - 3a^6b^4 + 3a^4b^6 - a^2b^8 - c^{10} \\
& + 2(a^2 - 2b^2)c^8 + (5a^2b^2 - 6b^4)c^6 - (2a^6 - 3a^4b^2 - 3 \\
& a^2b^4 + 4b^6)c^4 + (a^8 - 5a^6b^2 + 6a^4b^4 - a^2b^6 - b^8)c^2 + \\
& (a^6b^4 - 3a^4b^6 + 3a^2b^8 - b^{10} + c^{10} - 3(a^2 - b^2)c^8 + (3a^4 \\
& - 6a^2b^2 + 2b^4)c^6 - (a^6 - 3a^4b^2 + 2b^6)c^4 - 3(a^4b^4 - 2
\end{aligned}$$

```
*a^2*b^6 + b^8)*c^2)*cos(x)^2 + 2*(a^7*b^3 - 3*a^5*b^5 + 3*a^3*b^7 - a*b^9
- a*b*c^8 + (3*a^3*b - 4*a*b^3)*c^6 - 3*(a^5*b - 3*a^3*b^3 + 2*a*b^5)*c^4 +
(a^7*b - 6*a^5*b^3 + 9*a^3*b^5 - 4*a*b^7)*c^2)*cos(x) - 2*(a*c^9 - (3*a^3
- 4*a*b^2)*c^7 + 3*(a^5 - 3*a^3*b^2 + 2*a*b^4)*c^5 - (a^7 - 6*a^5*b^2 + 9*a
^3*b^4 - 4*a*b^6)*c^3 - (a^7*b^2 - 3*a^5*b^4 + 3*a^3*b^6 - a*b^8)*c + (b*c^
9 - (3*a^2*b - 4*b^3)*c^7 + 3*(a^4*b - 3*a^2*b^3 + 2*b^5)*c^5 - (a^6*b - 6*
a^4*b^3 + 9*a^2*b^5 - 4*b^7)*c^3 - (a^6*b^3 - 3*a^4*b^5 + 3*a^2*b^7 - b^9)*
c)*cos(x))*sin(x))]
```

**Sympy [F-1]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(x))/(a+b*cos(x)+c*sin(x))**3,x)
```

```
[Out] Timed out
```

**Giac [B]** time = 1.31697, size = 1569, normalized size = 7.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(x))/(a+b*cos(x)+c*sin(x))^3,x, algorithm="giac")
```

```
[Out] -(2*A*a^2 - 3*B*a*b + A*b^2 + A*c^2)*(pi*floor(1/2*x/pi + 1/2)*sgn(-2*a + 2
*b) + arctan(-(a*tan(1/2*x) - b*tan(1/2*x) + c)/sqrt(a^2 - b^2 - c^2)))/((a
^4 - 2*a^2*b^2 + b^4 - 2*a^2*c^2 + 2*b^2*c^2 + c^4)*sqrt(a^2 - b^2 - c^2))
+ (2*B*a^5*tan(1/2*x)^3 - 4*A*a^4*b*tan(1/2*x)^3 - 5*B*a^4*b*tan(1/2*x)^3 +
11*A*a^3*b^2*tan(1/2*x)^3 + 5*B*a^3*b^2*tan(1/2*x)^3 - 9*A*a^2*b^3*tan(1/2
*x)^3 - 5*B*a^2*b^3*tan(1/2*x)^3 + A*a*b^4*tan(1/2*x)^3 + 5*B*a*b^4*tan(1/2
*x)^3 + A*b^5*tan(1/2*x)^3 - 2*B*b^5*tan(1/2*x)^3 + 5*A*a^3*c^2*tan(1/2*x)^
3 - 4*B*a^3*c^2*tan(1/2*x)^3 - 7*A*a^2*b*c^2*tan(1/2*x)^3 + 4*B*a^2*b*c^2*t
an(1/2*x)^3 - A*a*b^2*c^2*tan(1/2*x)^3 + 4*B*a*b^2*c^2*tan(1/2*x)^3 + 3*A*b
^3*c^2*tan(1/2*x)^3 - 4*B*b^3*c^2*tan(1/2*x)^3 - 2*A*a*c^4*tan(1/2*x)^3 + 2
*B*a*c^4*tan(1/2*x)^3 + 2*A*b*c^4*tan(1/2*x)^3 - 2*B*b*c^4*tan(1/2*x)^3 + 4
*A*a^4*c*tan(1/2*x)^2 + 2*B*a^4*c*tan(1/2*x)^2 - 12*A*a^3*b*c*tan(1/2*x)^2
- 9*B*a^3*b*c*tan(1/2*x)^2 + 13*A*a^2*b^2*c*tan(1/2*x)^2 + 14*B*a^2*b^2*c*t
an(1/2*x)^2 - 6*A*a*b^3*c*tan(1/2*x)^2 - 9*B*a*b^3*c*tan(1/2*x)^2 + A*b^4*c
*tan(1/2*x)^2 + 2*B*b^4*c*tan(1/2*x)^2 + 7*A*a^2*c^3*tan(1/2*x)^2 - 4*B*a^2
*c^3*tan(1/2*x)^2 - 6*A*a*b*c^3*tan(1/2*x)^2 - A*b^2*c^3*tan(1/2*x)^2 + 4*B
*b^2*c^3*tan(1/2*x)^2 - 2*A*c^5*tan(1/2*x)^2 + 2*B*c^5*tan(1/2*x)^2 + 2*B*a
^5*tan(1/2*x) - 4*A*a^4*b*tan(1/2*x) - 3*B*a^4*b*tan(1/2*x) + 5*A*a^3*b^2*t
an(1/2*x) + B*a^3*b^2*tan(1/2*x) + 3*A*a^2*b^3*tan(1/2*x) + B*a^2*b^3*tan(1
/2*x) - 5*A*a*b^4*tan(1/2*x) - 3*B*a*b^4*tan(1/2*x) + A*b^5*tan(1/2*x) + 2*
B*b^5*tan(1/2*x) + 11*A*a^3*c^2*tan(1/2*x) - 4*B*a^3*c^2*tan(1/2*x) - 3*A*a
^2*b*c^2*tan(1/2*x) - 8*B*a^2*b*c^2*tan(1/2*x) - 7*A*a*b^2*c^2*tan(1/2*x) +
8*B*a*b^2*c^2*tan(1/2*x) - A*b^3*c^2*tan(1/2*x) + 4*B*b^3*c^2*tan(1/2*x) -
2*A*a*c^4*tan(1/2*x) + 2*B*a*c^4*tan(1/2*x) - 2*A*b*c^4*tan(1/2*x) + 2*B*b
*c^4*tan(1/2*x) + 4*A*a^4*c - 5*B*a^3*b*c - 3*A*a^2*b^2*c + 5*B*a*b^3*c - A
*b^4*c - A*a^2*c^3 + 2*B*a*b*c^3 - A*b^2*c^3)/((a^6 - 2*a^5*b - a^4*b^2 + 4
*a^3*b^3 - a^2*b^4 - 2*a*b^5 + b^6 - 2*a^4*c^2 + 4*a^3*b*c^2 - 4*a*b^3*c^2
```

$$+ 2*b^4*c^2 + a^2*c^4 - 2*a*b*c^4 + b^2*c^4)*(a*\tan(1/2*x)^2 - b*\tan(1/2*x)^2 + 2*c*\tan(1/2*x) + a + b)^2)$$

$$3.538 \quad \int \frac{A+B \cos(x)}{a+b \cos(x)+ib \sin(x)} dx$$

**Optimal.** Leaf size=84

$$\frac{i(a^2(-B) + 2aAb - b^2B) \log(a + ib \sin(x) + b \cos(x))}{2a^2b} + \frac{x(2aA - bB)}{2a^2} + \frac{B \sin(x)}{2a} + \frac{iB \cos(x)}{2a}$$

[Out]  $((2*a*A - b*B)*x)/(2*a^2) + ((I/2)*B*\text{Cos}[x])/a + ((I/2)*(2*a*A*b - a^2*B - b^2*B)*\text{Log}[a + b*\text{Cos}[x] + I*b*\text{Sin}[x]])/(a^2*b) + (B*\text{Sin}[x])/(2*a)$

**Rubi [A]** time = 0.0449218, antiderivative size = 84, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$ , Rules used = {3132}

$$\frac{i(a^2(-B) + 2aAb - b^2B) \log(a + ib \sin(x) + b \cos(x))}{2a^2b} + \frac{x(2aA - bB)}{2a^2} + \frac{B \sin(x)}{2a} + \frac{iB \cos(x)}{2a}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(A + B*\text{Cos}[x])/(a + b*\text{Cos}[x] + I*b*\text{Sin}[x]), x]$

[Out]  $((2*a*A - b*B)*x)/(2*a^2) + ((I/2)*B*\text{Cos}[x])/a + ((I/2)*(2*a*A*b - a^2*B - b^2*B)*\text{Log}[a + b*\text{Cos}[x] + I*b*\text{Sin}[x]])/(a^2*b) + (B*\text{Sin}[x])/(2*a)$

**Rule 3132**

$\text{Int}[(A + \cos[(d + e*x)]*(B))/(\cos[(d + e*x)]*(b + (a + c)*\sin[(d + e*x)]), x\_Symbol] :> \text{Simp}[(2*a*A - b*B)*x]/(2*a^2), x] + (\text{Simp}[B*\text{Sin}[d + e*x]/(2*a*e), x] - \text{Simp}[b*B*\text{Cos}[d + e*x]/(2*a*c*e), x] + \text{Simp}[(a^2*B - 2*a*b*A + b^2*B)*\text{Log}[\text{RemoveContent}[a + b*\text{Cos}[d + e*x] + c*\text{Sin}[d + e*x], x]])/(2*a^2*c*e), x]) /; \text{FreeQ}\{a, b, c, d, e, A, B\}, x] \&\& \text{EqQ}[b^2 + c^2, 0]$

**Rubi steps**

$$\int \frac{A + B \cos(x)}{a + b \cos(x) + ib \sin(x)} dx = \frac{(2aA - bB)x}{2a^2} + \frac{iB \cos(x)}{2a} + \frac{i(2aAb - a^2B - b^2B) \log(a + b \cos(x) + ib \sin(x))}{2a^2b} + \frac{B \sin(x)}{2a}$$

**Mathematica [A]** time = 0.209883, size = 147, normalized size = 1.75

$$\frac{2(a^2B - 2aAb + b^2B) \tan^{-1}\left(\frac{(a+b)\cot\left(\frac{x}{2}\right)}{a-b}\right) + 2iaAb \log(a^2 + 2ab \cos(x) + b^2) - ia^2B \log(a^2 + 2ab \cos(x) + b^2) - ib^2B \log(a^2 + 2ab \cos(x) + b^2)}{4a^2b}$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[(A + B*\text{Cos}[x])/(a + b*\text{Cos}[x] + I*b*\text{Sin}[x]), x]$

[Out]  $(2*a*A*b*x + a^2*B*x - b^2*B*x + 2*(-2*a*A*b + a^2*B + b^2*B)*\text{ArcTan}[(a + b)*\text{Cot}[x/2])/(a - b)] + (2*I)*a*b*B*\text{Cos}[x] + (2*I)*a*A*b*\text{Log}[a^2 + b^2 + 2*a*b*\text{Cos}[x]] - I*a^2*B*\text{Log}[a^2 + b^2 + 2*a*b*\text{Cos}[x]] - I*b^2*B*\text{Log}[a^2 + b^2 + 2*a*b*\text{Cos}[x]] + 2*a*b*B*\text{Sin}[x])/(4*a^2*b)$

---

**Maple [B]** time = 0.08, size = 153, normalized size = 1.8

$$\frac{iA}{a} \ln\left(ia + ib + a \tan\left(\frac{x}{2}\right) - b \tan\left(\frac{x}{2}\right)\right) - \frac{iB}{b} \ln\left(ia + ib + a \tan\left(\frac{x}{2}\right) - b \tan\left(\frac{x}{2}\right)\right) - \frac{i b B}{a^2} \ln\left(ia + ib + a \tan\left(\frac{x}{2}\right) - b \tan\left(\frac{x}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(x))/(a+b*cos(x)+I*b*sin(x)),x)`

[Out] `I/a*ln(I*a+I*b+a*tan(1/2*x)-b*tan(1/2*x))*A-1/2*I/b*ln(I*a+I*b+a*tan(1/2*x)-b*tan(1/2*x))*B-1/2*I/a^2*b*ln(I*a+I*b+a*tan(1/2*x)-b*tan(1/2*x))*B+1/2*I*B/b*ln(tan(1/2*x)+I)-I/a*ln(tan(1/2*x)-I)*A+1/2*I/a^2*ln(tan(1/2*x)-I)*b*B+B/a/(tan(1/2*x)-I)`

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(x))/(a+b*cos(x)+I*b*sin(x)),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError

---

**Fricas [A]** time = 2.00701, size = 173, normalized size = 2.06

$$\frac{\left(i B a b + \left(2 A a b - B b^2\right) x e^{i x} + \left(-i B a^2 + 2 i A a b - i B b^2\right) e^{i x} \log\left(\frac{b e^{i x} + a}{b}\right)\right) e^{-i x}}{2 a^2 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(x))/(a+b*cos(x)+I*b*sin(x)),x, algorithm="fricas")`

[Out] `1/2*(I*B*a*b + (2*A*a*b - B*b^2)*x*e^(I*x) + (-I*B*a^2 + 2*I*A*a*b - I*B*b^2)*e^(I*x)*log((b*e^(I*x) + a)/b))*e^(-I*x)/(a^2*b)`

---

**Sympy [A]** time = 1.7146, size = 58, normalized size = 0.69

$$\left(\frac{iA}{a} - \frac{iB}{2b} - \frac{iBb}{2a^2}\right) \log\left(\frac{a}{b} + e^{ix}\right) + \frac{2Aax + iBae^{-ix} - Bbx}{2a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(x))/(a+b*cos(x)+I*b*sin(x)),x)`

[Out] `(I*A/a - I*B/(2*b) - I*B*b/(2*a**2))*log(a/b + exp(I*x)) + (2*A*a*x + I*B*a*exp(-I*x) - B*b*x)/(2*a**2)`

---



**Giac [B]** time = 1.13287, size = 209, normalized size = 2.49

$$\frac{2(Ba^3 - 2Aa^2b - Ba^2b + 2Aab^2 + Bab^2 - Bb^3) \log\left(-a \tan\left(\frac{1}{2}x\right) + b \tan\left(\frac{1}{2}x\right) - ia - ib\right)}{-4i a^3 b + 4i a^2 b^2} + \frac{i B \log\left(\tan\left(\frac{1}{2}x\right) + i\right)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x))/(a+b\*cos(x)+I\*b\*sin(x)),x, algorithm="giac")

[Out] -2\*(B\*a^3 - 2\*A\*a^2\*b - B\*a^2\*b + 2\*A\*a\*b^2 + B\*a\*b^2 - B\*b^3)\*log(-a\*tan(1/2\*x) + b\*tan(1/2\*x) - I\*a - I\*b)/(-4\*I\*a^3\*b + 4\*I\*a^2\*b^2) + 1/2\*I\*B\*log(tan(1/2\*x) + I)/b - 1/2\*(2\*I\*A\*a - I\*B\*b)\*log(tan(1/2\*x) - I)/a^2 - 1/2\*(-2\*I\*A\*a\*tan(1/2\*x) + I\*B\*b\*tan(1/2\*x) - 2\*A\*a - 2\*B\*a + B\*b)/(a^2\*(tan(1/2\*x) - I))

**3.539**  $\int \frac{A+B \cos(x)}{a+b \cos(x)-ib \sin(x)} dx$

**Optimal.** Leaf size=84

$$-\frac{i(a^2(-B) + 2aAb - b^2B) \log(a - ib \sin(x) + b \cos(x))}{2a^2b} + \frac{x(2aA - bB)}{2a^2} + \frac{B \sin(x)}{2a} - \frac{iB \cos(x)}{2a}$$

[Out]  $((2*a*A - b*B)*x)/(2*a^2) - ((I/2)*B*\text{Cos}[x])/a - ((I/2)*(2*a*A*b - a^2*B - b^2*B)*\text{Log}[a + b*\text{Cos}[x] - I*b*\text{Sin}[x]])/(a^2*b) + (B*\text{Sin}[x])/(2*a)$

**Rubi [A]** time = 0.0424567, antiderivative size = 84, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$ , Rules used = {3132}

$$-\frac{i(a^2(-B) + 2aAb - b^2B) \log(a - ib \sin(x) + b \cos(x))}{2a^2b} + \frac{x(2aA - bB)}{2a^2} + \frac{B \sin(x)}{2a} - \frac{iB \cos(x)}{2a}$$

Antiderivative was successfully verified.

[In] `Int[(A + B*Cos[x])/(a + b*Cos[x] - I*b*Sin[x]),x]`

[Out]  $((2*a*A - b*B)*x)/(2*a^2) - ((I/2)*B*\text{Cos}[x])/a - ((I/2)*(2*a*A*b - a^2*B - b^2*B)*\text{Log}[a + b*\text{Cos}[x] - I*b*\text{Sin}[x]])/(a^2*b) + (B*\text{Sin}[x])/(2*a)$

Rule 3132

`Int[((A_.) + Cos[(d_.) + (e_.)*(x_.)]*(B_.))/(Cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*Sin[(d_.) + (e_.)*(x_.)]), x_Symbol] :> Simp[((2*a*A - b*B)*x)/(2*a^2), x] + (Simp[(B*Sin[d + e*x])/(2*a*e), x] - Simp[(b*B*Cos[d + e*x])/(2*a*c*e), x] + Simp[((a^2*B - 2*a*b*A + b^2*B)*Log[RemoveContent[a + b*Cos[d + e*x] + c*Sin[d + e*x], x]])/(2*a^2*c*e), x]) /; FreeQ[{a, b, c, d, e, A, B}, x] && EqQ[b^2 + c^2, 0]`

Rubi steps

$$\int \frac{A + B \cos(x)}{a + b \cos(x) - ib \sin(x)} dx = \frac{(2aA - bB)x}{2a^2} - \frac{iB \cos(x)}{2a} - \frac{i(2aAb - a^2B - b^2B) \log(a + b \cos(x) - ib \sin(x))}{2a^2b} + \frac{B \sin(x)}{2a}$$

**Mathematica [A]** time = 0.182585, size = 147, normalized size = 1.75

$$\frac{2(a^2B - 2aAb + b^2B) \tan^{-1}\left(\frac{(a+b)\cot(\frac{x}{2})}{a-b}\right) - 2iaAb \log(a^2 + 2ab \cos(x) + b^2) + ia^2B \log(a^2 + 2ab \cos(x) + b^2) + ib^2B \log(a^2 + 2ab \cos(x) + b^2)}{4a^2b}$$

Antiderivative was successfully verified.

[In] `Integrate[(A + B*Cos[x])/(a + b*Cos[x] - I*b*Sin[x]),x]`

[Out]  $(2*a*A*b*x + a^2*B*x - b^2*B*x + 2*(-2*a*A*b + a^2*B + b^2*B)*\text{ArcTan}[\frac{(a + b)*\text{Cot}[x/2]}{(a - b)}] - (2*I)*a*b*B*\text{Cos}[x] - (2*I)*a*A*b*\text{Log}[a^2 + b^2 + 2*a*b*\text{Cos}[x]] + I*a^2*B*\text{Log}[a^2 + b^2 + 2*a*b*\text{Cos}[x]] + I*b^2*B*\text{Log}[a^2 + b^2 + 2*a*b*\text{Cos}[x]] + 2*a*b*B*\text{Sin}[x])/(4*a^2*b)$

---

**Maple [B]** time = 0.08, size = 284, normalized size = 3.4

$$\frac{iA}{a} \ln\left(\tan\left(\frac{x}{2}\right) + i\right) - \frac{\frac{i}{2}bB}{a^2} \ln\left(\tan\left(\frac{x}{2}\right) + i\right) + \frac{B}{a} \left(\tan\left(\frac{x}{2}\right) + i\right)^{-1} + \frac{iA}{-a+b} \ln\left(ia + ib - a \tan\left(\frac{x}{2}\right) + b \tan\left(\frac{x}{2}\right)\right) - \frac{1}{a(-a+b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(x))/(a+b\*cos(x)-I\*b\*sin(x)),x)

[Out] I/a\*ln(tan(1/2\*x)+I)\*A-1/2\*I/a^2\*ln(tan(1/2\*x)+I)\*b\*B+B/a/(tan(1/2\*x)+I)+I/(-a+b)\*ln(I\*a+I\*b-a\*tan(1/2\*x)+b\*tan(1/2\*x))\*A-I/a\*b/(-a+b)\*ln(I\*a+I\*b-a\*tan(1/2\*x)+b\*tan(1/2\*x))\*A-1/2\*I\*a/b/(-a+b)\*ln(I\*a+I\*b-a\*tan(1/2\*x)+b\*tan(1/2\*x))\*B+1/2\*I/(-a+b)\*ln(I\*a+I\*b-a\*tan(1/2\*x)+b\*tan(1/2\*x))\*B-1/2\*I/a\*b/(-a+b)\*ln(I\*a+I\*b-a\*tan(1/2\*x)+b\*tan(1/2\*x))\*B+1/2\*I/a^2\*b^2/(-a+b)\*ln(I\*a+I\*b-a\*tan(1/2\*x)+b\*tan(1/2\*x))\*B-1/2\*I\*B/b\*ln(tan(1/2\*x)-I)

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x))/(a+b\*cos(x)-I\*b\*sin(x)),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

---

**Fricas [A]** time = 1.89394, size = 132, normalized size = 1.57

$$\frac{Ba^2x - iBabe^{ix} + (iBa^2 - 2iAab + iBb^2) \log\left(\frac{ae^{ix}+b}{a}\right)}{2a^2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x))/(a+b\*cos(x)-I\*b\*sin(x)),x, algorithm="fricas")

[Out] 1/2\*(B\*a^2\*x - I\*B\*a\*b\*e^(I\*x) + (I\*B\*a^2 - 2\*I\*A\*a\*b + I\*B\*b^2)\*log((a\*e^(I\*x) + b)/a))/(a^2\*b)

---

**Sympy [A]** time = 0.884295, size = 51, normalized size = 0.61

$$\left(-\frac{iA}{a} + \frac{iB}{2b} + \frac{iBb}{2a^2}\right) \log\left(e^{ix} + \frac{b}{a}\right) + \frac{Bax - iBbe^{ix}}{2ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x))/(a+b\*cos(x)-I\*b\*sin(x)),x)

[Out] (-I\*A/a + I\*B/(2\*b) + I\*B\*b/(2\*a\*\*2))\*log(exp(I\*x) + b/a) + (B\*a\*x - I\*B\*b\*exp(I\*x))/(2\*a\*b)

---

**Giac [B]** time = 1.15591, size = 209, normalized size = 2.49

$$\frac{2(Ba^3 - 2Aa^2b - Ba^2b + 2Aab^2 + Bab^2 - Bb^3) \log\left(-a \tan\left(\frac{1}{2}x\right) + b \tan\left(\frac{1}{2}x\right) + ia + ib\right)}{4i a^3 b - 4i a^2 b^2} - \frac{iB \log\left(\tan\left(\frac{1}{2}x\right) - i\right)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x))/(a+b\*cos(x)-I\*b\*sin(x)),x, algorithm="giac")

[Out] -2\*(B\*a^3 - 2\*A\*a^2\*b - B\*a^2\*b + 2\*A\*a\*b^2 + B\*a\*b^2 - B\*b^3)\*log(-a\*tan(1/2\*x) + b\*tan(1/2\*x) + I\*a + I\*b)/(4\*I\*a^3\*b - 4\*I\*a^2\*b^2) - 1/2\*I\*B\*log(tan(1/2\*x) - I)/b - 1/2\*(-2\*I\*A\*a + I\*B\*b)\*log(tan(1/2\*x) + I)/a^2 - 1/2\*(2\*I\*A\*a\*tan(1/2\*x) - I\*B\*b\*tan(1/2\*x) - 2\*A\*a - 2\*B\*a + B\*b)/(a^2\*(tan(1/2\*x) + I))

$$3.540 \quad \int \frac{A+C \sin(x)}{a+b \cos(x)+c \sin(x)} dx$$

**Optimal.** Leaf size=116

$$\frac{2(A(b^2+c^2)-acC) \tan^{-1}\left(\frac{(a-b)\tan\left(\frac{x}{2}\right)+c}{\sqrt{a^2-b^2-c^2}}\right)}{(b^2+c^2)\sqrt{a^2-b^2-c^2}} - \frac{bC \log(a+b \cos(x)+c \sin(x))}{b^2+c^2} + \frac{cCx}{b^2+c^2}$$

[Out] (c\*C\*x)/(b^2 + c^2) + (2\*(A\*(b^2 + c^2) - a\*c\*C)\*ArcTan[(c + (a - b)\*Tan[x/2])/Sqrt[a^2 - b^2 - c^2]])/(Sqrt[a^2 - b^2 - c^2]\*(b^2 + c^2)) - (b\*C\*Log[a + b\*Cos[x] + c\*Sin[x]])/(b^2 + c^2)

**Rubi [A]** time = 0.107879, antiderivative size = 116, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.21$ , Rules used = {3137, 3124, 618, 204}

$$\frac{2(A(b^2+c^2)-acC) \tan^{-1}\left(\frac{(a-b)\tan\left(\frac{x}{2}\right)+c}{\sqrt{a^2-b^2-c^2}}\right)}{(b^2+c^2)\sqrt{a^2-b^2-c^2}} - \frac{bC \log(a+b \cos(x)+c \sin(x))}{b^2+c^2} + \frac{cCx}{b^2+c^2}$$

Antiderivative was successfully verified.

[In] Int[(A + C\*Sin[x])/(a + b\*Cos[x] + c\*Sin[x]),x]

[Out] (c\*C\*x)/(b^2 + c^2) + (2\*(A\*(b^2 + c^2) - a\*c\*C)\*ArcTan[(c + (a - b)\*Tan[x/2])/Sqrt[a^2 - b^2 - c^2]])/(Sqrt[a^2 - b^2 - c^2]\*(b^2 + c^2)) - (b\*C\*Log[a + b\*Cos[x] + c\*Sin[x]])/(b^2 + c^2)

#### Rule 3137

Int[((A\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])/((a\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\* (b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)], x\_Symbol] :> Simp[(c\*C\*(d + e\*x))/(e\*(b^2 + c^2)), x] + (Dist[(A\*(b^2 + c^2) - a\*c\*C)/(b^2 + c^2), Int[1/(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]), x], x] - Simp[(b\*C\*Log[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]])/(e\*(b^2 + c^2)), x]) /; FreeQ[{a, b, c, d, e, A, C}, x] && NeQ[b^2 + c^2, 0] && NeQ[A\*(b^2 + c^2) - a\*c\*C, 0]

#### Rule 3124

Int[(cos[(d\_.) + (e\_.)\*(x\_)])\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])^(-1), x\_Symbol] :> Module[{f = FreeFactors[Tan[(d + e\*x)/2], x]}, Dist[(2\*f)/e, Subst[Int[1/(a + b + 2\*c\*f\*x + (a - b)\*f^2\*x^2), x], x, Tan[(d + e\*x)/2]/f], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]

#### Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

#### Rule 204

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sin(x)}{a + b \cos(x) + c \sin(x)} dx &= \frac{cCx}{b^2 + c^2} - \frac{bC \log(a + b \cos(x) + c \sin(x))}{b^2 + c^2} + \left(A - \frac{acC}{b^2 + c^2}\right) \int \frac{1}{a + b \cos(x) + c \sin(x)} dx \\
&= \frac{cCx}{b^2 + c^2} - \frac{bC \log(a + b \cos(x) + c \sin(x))}{b^2 + c^2} + \left(2 \left(A - \frac{acC}{b^2 + c^2}\right)\right) \text{Subst} \left( \int \frac{1}{a + b + 2cx + (c^2 - b^2)x^2} dx \right) \\
&= \frac{cCx}{b^2 + c^2} - \frac{bC \log(a + b \cos(x) + c \sin(x))}{b^2 + c^2} - \left(4 \left(A - \frac{acC}{b^2 + c^2}\right)\right) \text{Subst} \left( \int \frac{1}{-4(a^2 - b^2 - c^2) + 4bx + 4cx^2} dx \right) \\
&= \frac{cCx}{b^2 + c^2} + \frac{2 \left(A - \frac{acC}{b^2 + c^2}\right) \tan^{-1} \left( \frac{c + (a-b) \tan\left(\frac{x}{2}\right)}{\sqrt{a^2 - b^2 - c^2}} \right)}{\sqrt{a^2 - b^2 - c^2}} - \frac{bC \log(a + b \cos(x) + c \sin(x))}{b^2 + c^2}
\end{aligned}$$

**Mathematica [A]** time = 0.277802, size = 96, normalized size = 0.83

$$\frac{C(cx - b \log(a + b \cos(x) + c \sin(x))) - \frac{2(A(b^2 + c^2) - acC) \tanh^{-1} \left( \frac{(a-b) \tan\left(\frac{x}{2}\right) + c}{\sqrt{-a^2 + b^2 + c^2}} \right)}{\sqrt{-a^2 + b^2 + c^2}}}{b^2 + c^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + C\*Sin[x])/(a + b\*Cos[x] + c\*Sin[x]),x]

[Out] ((-2\*(A\*(b^2 + c^2) - a\*c\*C)\*ArcTanh[(c + (a - b)\*Tan[x/2])/Sqrt[-a^2 + b^2 + c^2]])/Sqrt[-a^2 + b^2 + c^2] + C\*(c\*x - b\*Log[a + b\*Cos[x] + c\*Sin[x]])/(b^2 + c^2)

**Maple [B]** time = 0.06, size = 542, normalized size = 4.7

$$-\frac{abC}{(b^2 + c^2)(a - b)} \ln \left( a \left( \tan \left( \frac{x}{2} \right) \right)^2 - b \left( \tan \left( \frac{x}{2} \right) \right)^2 + 2c \tan(x/2) + a + b \right) + \frac{b^2C}{(b^2 + c^2)(a - b)} \ln \left( a \left( \tan \left( \frac{x}{2} \right) \right)^2 - b \left( \tan \left( \frac{x}{2} \right) \right)^2 + 2c \tan(x/2) + a + b \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C\*sin(x))/(a+b\*cos(x)+c\*sin(x)),x)

[Out] -1/(b^2+c^2)/(a-b)\*ln(a\*tan(1/2\*x)^2-b\*tan(1/2\*x)^2+2\*c\*tan(1/2\*x)+a+b)\*a\*b\*C+1/(b^2+c^2)/(a-b)\*ln(a\*tan(1/2\*x)^2-b\*tan(1/2\*x)^2+2\*c\*tan(1/2\*x)+a+b)\*b^2\*C+2/(b^2+c^2)/(a^2-b^2-c^2)^(1/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*A\*b^2+2/(b^2+c^2)/(a^2-b^2-c^2)^(1/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*A\*c^2-2/(b^2+c^2)/(a^2-b^2-c^2)^(1/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*a\*c\*C-2/(b^2+c^2)/(a^2-b^2-c^2)^(1/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*C\*b\*c+2/(b^2+c^2)/(a^2-b^2-c^2)^(1/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*c/(a-b)\*a\*b\*C-2/(b^2+c^2)/(a^2-b^2-c^2)^(1/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*c/(a-b)\*b^2\*C/C/(b^2+c^2)\*b\*ln(1+tan(1/2\*x)^2)+2\*C/(b^2+c^2)\*c\*arctan(tan(1/2\*x))

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sin(x))/(a+b*cos(x)+c*sin(x)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [B]** time = 2.85079, size = 1374, normalized size = 11.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sin(x))/(a+b*cos(x)+c*sin(x)),x, algorithm="fricas")
```

```
[Out] [1/2*((A*b^2 - C*a*c + A*c^2)*sqrt(-a^2 + b^2 + c^2)*log((a^2*b^2 - 2*b^4 - c^4 - (a^2 + 3*b^2)*c^2 - (2*a^2*b^2 - b^4 - 2*a^2*c^2 + c^4)*cos(x)^2 - 2*(a*b^3 + a*b*c^2)*cos(x) - 2*(a*b^2*c + a*c^3 - (b*c^3 - (2*a^2*b - b^3)*c)*cos(x))*sin(x) - 2*(2*a*b*c*cos(x)^2 - a*b*c + (b^2*c + c^3)*cos(x) - (b^3 + b*c^2 + (a*b^2 - a*c^2)*cos(x))*sin(x))*sqrt(-a^2 + b^2 + c^2))/(2*a*b*cos(x) + (b^2 - c^2)*cos(x)^2 + a^2 + c^2 + 2*(b*c*cos(x) + a*c)*sin(x)) - 2*(C*c^3 - (C*a^2 - C*b^2)*c)*x - (C*a^2*b - C*b^3 - C*b*c^2)*log(2*a*b*cos(x) + (b^2 - c^2)*cos(x)^2 + a^2 + c^2 + 2*(b*c*cos(x) + a*c)*sin(x))/(a^2*b^2 - b^4 - c^4 + (a^2 - 2*b^2)*c^2), 1/2*(2*(A*b^2 - C*a*c + A*c^2)*sqrt(a^2 - b^2 - c^2)*arctan(-(a*b*cos(x) + a*c*sin(x) + b^2 + c^2)*sqrt(a^2 - b^2 - c^2)/((c^3 - (a^2 - b^2)*c)*cos(x) + (a^2*b - b^3 - b*c^2)*sin(x))) - 2*(C*c^3 - (C*a^2 - C*b^2)*c)*x - (C*a^2*b - C*b^3 - C*b*c^2)*log(2*a*b*cos(x) + (b^2 - c^2)*cos(x)^2 + a^2 + c^2 + 2*(b*c*cos(x) + a*c)*sin(x))/(a^2*b^2 - b^4 - c^4 + (a^2 - 2*b^2)*c^2)]
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sin(x))/(a+b*cos(x)+c*sin(x)),x)
```

```
[Out] Timed out
```

**Giac [A]** time = 1.15184, size = 239, normalized size = 2.06

$$\frac{Ccx}{b^2 + c^2} - \frac{Cb \log\left(-a \tan\left(\frac{1}{2}x\right)^2 + b \tan\left(\frac{1}{2}x\right)^2 - 2c \tan\left(\frac{1}{2}x\right) - a - b\right)}{b^2 + c^2} + \frac{Cb \log\left(\tan\left(\frac{1}{2}x\right)^2 + 1\right)}{b^2 + c^2} - \frac{2(Ab^2 - Cac + A^2)}{b^2 + c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sin(x))/(a+b*cos(x)+c*sin(x)),x, algorithm="giac")
```

```
[Out] C*c*x/(b^2 + c^2) - C*b*log(-a*tan(1/2*x)^2 + b*tan(1/2*x)^2 - 2*c*tan(1/2*x) - a - b)/(b^2 + c^2) + C*b*log(tan(1/2*x)^2 + 1)/(b^2 + c^2) - 2*(A*b^2
```

$$- C*a*c + A*c^2)*(pi*floor(1/2*x/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*\tan(1/2*x) - b*\tan(1/2*x) + c)/\sqrt{a^2 - b^2 - c^2}))/(\sqrt{a^2 - b^2 - c^2}*(b^2 + c^2))$$



$$3.541 \quad \int \frac{A+C \sin(x)}{(a+b \cos(x)+c \sin(x))^2} dx$$

**Optimal.** Leaf size=114

$$\frac{2(aA - cC) \tan^{-1} \left( \frac{(a-b) \tan(\frac{x}{2}) + c}{\sqrt{a^2 - b^2 - c^2}} \right)}{(a^2 - b^2 - c^2)^{3/2}} - \frac{-\cos(x)(Ac - aC) + Ab \sin(x) + bC}{(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))}$$

[Out] (2\*(a\*A - c\*C)\*ArcTan[(c + (a - b)\*Tan[x/2])/Sqrt[a^2 - b^2 - c^2]]/(a^2 - b^2 - c^2)^(3/2) - (b\*C - (A\*c - a\*C)\*Cos[x] + A\*b\*Sin[x])/((a^2 - b^2 - c^2)\*(a + b\*Cos[x] + c\*Sin[x]))

**Rubi [A]** time = 0.100546, antiderivative size = 114, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.21$ , Rules used = {3154, 3124, 618, 204}

$$\frac{2(aA - cC) \tan^{-1} \left( \frac{(a-b) \tan(\frac{x}{2}) + c}{\sqrt{a^2 - b^2 - c^2}} \right)}{(a^2 - b^2 - c^2)^{3/2}} - \frac{-\cos(x)(Ac - aC) + Ab \sin(x) + bC}{(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))}$$

Antiderivative was successfully verified.

[In] Int[(A + C\*Sin[x])/(a + b\*Cos[x] + c\*Sin[x])^2,x]

[Out] (2\*(a\*A - c\*C)\*ArcTan[(c + (a - b)\*Tan[x/2])/Sqrt[a^2 - b^2 - c^2]]/(a^2 - b^2 - c^2)^(3/2) - (b\*C - (A\*c - a\*C)\*Cos[x] + A\*b\*Sin[x])/((a^2 - b^2 - c^2)\*(a + b\*Cos[x] + c\*Sin[x]))

#### Rule 3154

Int[((A\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])/((a\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])^2, x\_Symbol] :> -Simp[(b\*C + (a\*C - c\*A)\*Cos[d + e\*x] + b\*A\*Sin[d + e\*x])/(e\*(a^2 - b^2 - c^2)\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])), x] + Dist[(a\*A - c\*C)/(a^2 - b^2 - c^2), Int[1/(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]), x], x] /; FreeQ[{a, b, c, d, e, A, C}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[a\*A - c\*C, 0]

#### Rule 3124

Int[(cos[(d\_.) + (e\_.)\*(x\_)])\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])^(-1), x\_Symbol] :> Module[{f = FreeFactors[Tan[(d + e\*x)/2], x]}, Dist[(2\*f)/e, Subst[Int[1/(a + b + 2\*c\*f\*x + (a - b)\*f^2\*x^2), x], x, Tan[(d + e\*x)/2]/f], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]

#### Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

#### Rule 204

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

### Rubi steps

$$\begin{aligned}
 \int \frac{A + C \sin(x)}{(a + b \cos(x) + c \sin(x))^2} dx &= -\frac{bC - (Ac - aC) \cos(x) + Ab \sin(x)}{(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))} + \frac{(aA - cC) \int \frac{1}{a + b \cos(x) + c \sin(x)} dx}{a^2 - b^2 - c^2} \\
 &= -\frac{bC - (Ac - aC) \cos(x) + Ab \sin(x)}{(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))} + \frac{(2(aA - cC)) \text{Subst} \left( \int \frac{1}{a + b + 2cx + (a-b)x^2} dx, x, \right)}{a^2 - b^2 - c^2} \\
 &= -\frac{bC - (Ac - aC) \cos(x) + Ab \sin(x)}{(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))} - \frac{(4(aA - cC)) \text{Subst} \left( \int \frac{1}{-4(a^2 - b^2 - c^2) - x^2} dx, x, \right)}{a^2 - b^2 - c^2} \\
 &= \frac{2(aA - cC) \tan^{-1} \left( \frac{c + (a-b) \tan\left(\frac{x}{2}\right)}{\sqrt{a^2 - b^2 - c^2}} \right)}{(a^2 - b^2 - c^2)^{3/2}} - \frac{bC - (Ac - aC) \cos(x) + Ab \sin(x)}{(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))}
 \end{aligned}$$

**Mathematica [A]** time = 0.342689, size = 123, normalized size = 1.08

$$\frac{a^2(-C) + \sin(x)(A(b^2 + c^2) - acC) + aAc + b^2C}{b(-a^2 + b^2 + c^2)(a + b \cos(x) + c \sin(x))} + \frac{2(aA - cC) \tanh^{-1} \left( \frac{(a-b) \tan\left(\frac{x}{2}\right) + c}{\sqrt{-a^2 + b^2 + c^2}} \right)}{(-a^2 + b^2 + c^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + C\*Sin[x])/(a + b\*Cos[x] + c\*Sin[x])^2,x]

[Out] (2\*(a\*A - c\*C)\*ArcTanh[(c + (a - b)\*Tan[x/2])/Sqrt[-a^2 + b^2 + c^2]])/(-a^2 + b^2 + c^2)^(3/2) + (a\*A\*c - a^2\*C + b^2\*C + (A\*(b^2 + c^2) - a\*c\*C)\*Sin[x])/(b\*(-a^2 + b^2 + c^2)\*(a + b\*Cos[x] + c\*Sin[x]))

**Maple [B]** time = 0.091, size = 255, normalized size = 2.2

$$2 \frac{1}{a(\tan(x/2))^2 - b(\tan(x/2))^2 + 2c \tan(x/2) + a + b} \left( -\frac{(aAb - Ab^2 - Ac^2 + acC - Cbc) \tan(x/2)}{a^3 - a^2b - ab^2 - ac^2 + b^3 + bc^2} + \frac{aAc - a^2C}{a^3 - a^2b - ab^2 - ac^2 + b^3 + bc^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C\*sin(x))/(a+b\*cos(x)+c\*sin(x))^2,x)

[Out] 2\*(-(A\*a\*b-A\*b^2-A\*c^2+C\*a\*c-C\*b\*c)/(a^3-a^2\*b-a\*b^2-a\*c^2+b^3+b\*c^2)\*tan(1/2\*x)+(A\*a\*c-C\*a^2+C\*b^2)/(a^3-a^2\*b-a\*b^2-a\*c^2+b^3+b\*c^2))/(a\*tan(1/2\*x)^2-b\*tan(1/2\*x)^2+2\*c\*tan(1/2\*x)+a+b)+2/(a^2-b^2-c^2)^(3/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*a\*A-2/(a^2-b^2-c^2)^(3/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*C\*c

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sin(x))/(a+b*cos(x)+c*sin(x))^2,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [B]** time = 2.94021, size = 2739, normalized size = 24.03

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sin(x))/(a+b*cos(x)+c*sin(x))^2,x, algorithm="fricas")
```

```
[Out] [1/2*(2*C*a^4*b - 4*C*a^2*b^3 + 2*C*b^5 + 2*C*b*c^4 - 4*(C*a^2*b - C*b^3)*c^2 - (A*a^2*b^2 - C*a*b^2*c + A*a^2*c^2 - C*a*c^3 + (A*a*b^3 - C*b^3*c + A*a*b*c^2 - C*b*c^3)*cos(x) + (A*a*b^2*c - C*b^2*c^2 + A*a*c^3 - C*c^4)*sin(x))*sqrt(-a^2 + b^2 + c^2)*log(-(a^2*b^2 - 2*b^4 - c^4 - (a^2 + 3*b^2)*c^2 - (2*a^2*b^2 - b^4 - 2*a^2*c^2 + c^4)*cos(x)^2 - 2*(a*b^3 + a*b*c^2)*cos(x) - 2*(a*b^2*c + a*c^3 - (b*c^3 - (2*a^2*b - b^3)*c)*cos(x))*sin(x) + 2*(2*a*b*c*cos(x)^2 - a*b*c + (b^2*c + c^3)*cos(x) - (b^3 + b*c^2 + (a*b^2 - a*c^2)*cos(x))*sin(x))*sqrt(-a^2 + b^2 + c^2))/(2*a*b*cos(x) + (b^2 - c^2)*cos(x)^2 + a^2 + c^2 + 2*(b*c*cos(x) + a*c)*sin(x)) + 2*(C*a*c^4 - A*c^5 + (A*a^2 - 2*A*b^2)*c^3 - (C*a^3 - C*a*b^2)*c^2 + (A*a^2*b^2 - A*b^4)*c)*cos(x) - 2*(A*a^2*b^3 - A*b^5 + C*a*b*c^3 - A*b*c^4 + (A*a^2*b - 2*A*b^3)*c^2 - (C*a^3*b - C*a*b^3)*c)*sin(x))/(a^5*b^2 - 2*a^3*b^4 + a*b^6 + a*c^6 - (2*a^3 - 3*a*b^2)*c^4 + (a^5 - 4*a^3*b^2 + 3*a*b^4)*c^2 + (a^4*b^3 - 2*a^2*b^5 + b^7 + b*c^6 - (2*a^2*b - 3*b^3)*c^4 + (a^4*b - 4*a^2*b^3 + 3*b^5)*c^2)*cos(x) + (c^7 - (2*a^2 - 3*b^2)*c^5 + (a^4 - 4*a^2*b^2 + 3*b^4)*c^3 + (a^4*b^2 - 2*a^2*b^4 + b^6)*c)*sin(x)), (C*a^4*b - 2*C*a^2*b^3 + C*b^5 + C*b*c^4 - 2*(C*a^2*b - C*b^3)*c^2 + (A*a^2*b^2 - C*a*b^2*c + A*a^2*c^2 - C*a*c^3 + (A*a*b^3 - C*b^3*c + A*a*b*c^2 - C*b*c^3)*cos(x) + (A*a*b^2*c - C*b^2*c^2 + A*a*c^3 - C*c^4)*sin(x))*sqrt(a^2 - b^2 - c^2)*arctan(-(a*b*cos(x) + a*c*sin(x) + b^2 + c^2)*sqrt(a^2 - b^2 - c^2)/((c^3 - (a^2 - b^2)*c)*cos(x) + (a^2*b - b^3 - b*c^2)*sin(x))) + (C*a*c^4 - A*c^5 + (A*a^2 - 2*A*b^2)*c^3 - (C*a^3 - C*a*b^2)*c^2 + (A*a^2*b^2 - A*b^4)*c)*cos(x) - (A*a^2*b^3 - A*b^5 + C*a*b*c^3 - A*b*c^4 + (A*a^2*b - 2*A*b^3)*c^2 - (C*a^3*b - C*a*b^3)*c)*sin(x))/(a^5*b^2 - 2*a^3*b^4 + a*b^6 + a*c^6 - (2*a^3 - 3*a*b^2)*c^4 + (a^5 - 4*a^3*b^2 + 3*a*b^4)*c^2 + (a^4*b^3 - 2*a^2*b^5 + b^7 + b*c^6 - (2*a^2*b - 3*b^3)*c^4 + (a^4*b - 4*a^2*b^3 + 3*b^5)*c^2)*cos(x) + (c^7 - (2*a^2 - 3*b^2)*c^5 + (a^4 - 4*a^2*b^2 + 3*b^4)*c^3 + (a^4*b^2 - 2*a^2*b^4 + b^6)*c)*sin(x))]
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sin(x))/(a+b*cos(x)+c*sin(x))**2,x)
```

```
[Out] Timed out
```

**Giac [A]** time = 1.16627, size = 278, normalized size = 2.44

$$\frac{2 \left( \pi \left\lfloor \frac{x}{2\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(-2a + 2b) + \arctan \left( -\frac{a \tan\left(\frac{1}{2}x\right) - b \tan\left(\frac{1}{2}x\right) + c}{\sqrt{a^2 - b^2 - c^2}} \right) \right) (Aa - Cc)}{(a^2 - b^2 - c^2)^{\frac{3}{2}}} - \frac{2 \left( Aab \tan\left(\frac{1}{2}x\right) - Ab^2 \tan\left(\frac{1}{2}x\right) + Cac \right)}{(a^3 - a^2b - ab^2 + b^3 - ac^2 + bc^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C\*sin(x))/(a+b\*cos(x)+c\*sin(x))^2,x, algorithm="giac")

[Out] -2\*(pi\*floor(1/2\*x/pi + 1/2)\*sgn(-2\*a + 2\*b) + arctan(-(a\*tan(1/2\*x) - b\*tan(1/2\*x) + c)/sqrt(a^2 - b^2 - c^2)))\*(A\*a - C\*c)/(a^2 - b^2 - c^2)^(3/2) - 2\*(A\*a\*b\*tan(1/2\*x) - A\*b^2\*tan(1/2\*x) + C\*a\*c\*tan(1/2\*x) - C\*b\*c\*tan(1/2\*x) - A\*c^2\*tan(1/2\*x) + C\*a^2 - C\*b^2 - A\*a\*c)/((a^3 - a^2\*b - a\*b^2 + b^3 - a\*c^2 + b\*c^2)\*(a\*tan(1/2\*x)^2 - b\*tan(1/2\*x)^2 + 2\*c\*tan(1/2\*x) + a + b))

$$3.542 \quad \int \frac{A+C \sin(x)}{(a+b \cos(x)+c \sin(x))^3} dx$$

**Optimal.** Leaf size=200

$$\frac{(2a^2A - 3acC + A(b^2 + c^2)) \tan^{-1}\left(\frac{(a-b)\tan(\frac{x}{2})+c}{\sqrt{a^2-b^2-c^2}}\right)}{(a^2 - b^2 - c^2)^{5/2}} - \frac{-\cos(x)(a^2(-C) + 3aAc - 2c^2C) + b \sin(x)(3aA - 2cC) + abC}{2(a^2 - b^2 - c^2)^2(a + b \cos(x) + c \sin(x))}$$

[Out] ((2\*a^2\*A + A\*(b^2 + c^2) - 3\*a\*c\*C)\*ArcTan[(c + (a - b)\*Tan[x/2])/Sqrt[a^2 - b^2 - c^2]])/(a^2 - b^2 - c^2)^(5/2) - (b\*C - (A\*c - a\*C)\*Cos[x] + A\*b\*Sin[x])/(2\*(a^2 - b^2 - c^2)\*(a + b\*Cos[x] + c\*Sin[x])^2) - (a\*b\*C - (3\*a\*A\*c - a^2\*C - 2\*c^2\*C)\*Cos[x] + b\*(3\*a\*A - 2\*c\*C)\*Sin[x])/(2\*(a^2 - b^2 - c^2)^2\*(a + b\*Cos[x] + c\*Sin[x]))

**Rubi [A]** time = 0.249437, antiderivative size = 200, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$ , Rules used = {3157, 3153, 3124, 618, 204}

$$\frac{(2a^2A - 3acC + A(b^2 + c^2)) \tan^{-1}\left(\frac{(a-b)\tan(\frac{x}{2})+c}{\sqrt{a^2-b^2-c^2}}\right)}{(a^2 - b^2 - c^2)^{5/2}} - \frac{-\cos(x)(a^2(-C) + 3aAc - 2c^2C) + b \sin(x)(3aA - 2cC) + abC}{2(a^2 - b^2 - c^2)^2(a + b \cos(x) + c \sin(x))}$$

Antiderivative was successfully verified.

[In] Int[(A + C\*Sin[x])/(a + b\*Cos[x] + c\*Sin[x])^3,x]

[Out] ((2\*a^2\*A + A\*(b^2 + c^2) - 3\*a\*c\*C)\*ArcTan[(c + (a - b)\*Tan[x/2])/Sqrt[a^2 - b^2 - c^2]])/(a^2 - b^2 - c^2)^(5/2) - (b\*C - (A\*c - a\*C)\*Cos[x] + A\*b\*Sin[x])/(2\*(a^2 - b^2 - c^2)\*(a + b\*Cos[x] + c\*Sin[x])^2) - (a\*b\*C - (3\*a\*A\*c - a^2\*C - 2\*c^2\*C)\*Cos[x] + b\*(3\*a\*A - 2\*c\*C)\*Sin[x])/(2\*(a^2 - b^2 - c^2)^2\*(a + b\*Cos[x] + c\*Sin[x]))

#### Rule 3157

Int[((a\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])^(n\_)\*((A\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]), x\_Symbol] :> Simp[((b\*C + (a\*C - c\*A)\*Cos[d + e\*x] + b\*A\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1))/(e\*(n + 1)\*(a^2 - b^2 - c^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2 - c^2)), Int[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1)\*Simp[(n + 1)\*(a\*A - c\*C) - (n + 2)\*b\*A\*Cos[d + e\*x] + (n + 2)\*(a\*C - c\*A)\*Sin[d + e\*x], x], x], x] /; FreeQ[{a, b, c, d, e, A, C}, x] && LtQ[n, -1] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[n, -2]

#### Rule 3153

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]) / ((a\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])^2, x\_Symbol] :> Simp[(c\*B - b\*C - (a\*C - c\*A)\*Cos[d + e\*x] + (a\*B - b\*A)\*Sin[d + e\*x])/(e\*(a^2 - b^2 - c^2)\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])), x] + Dist[(a\*A - b\*B - c\*C)/(a^2 - b^2 - c^2), Int[1/(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]), x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[a\*A - b\*B - c\*C, 0]

#### Rule 3124

```
Int[(cos[(d_.) + (e_.)*(x_)]*(b_.) + (a_) + (c_.)*sin[(d_.) + (e_.)*(x_)])^(-1), x_Symbol] := Module[{f = FreeFactors[Tan[(d + e*x)/2], x]}, Dist[(2*f)/e, Subst[Int[1/(a + b + 2*c*f*x + (a - b)*f^2*x^2), x], x, Tan[(d + e*x)/2]/f], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]
```

Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\int \frac{A + C \sin(x)}{(a + b \cos(x) + c \sin(x))^3} dx = -\frac{bC - (Ac - aC) \cos(x) + Ab \sin(x)}{2(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))^2} - \frac{\int \frac{-2(aA - cC) + Ab \cos(x) + (Ac - aC) \sin(x)}{(a + b \cos(x) + c \sin(x))^2} dx}{2(a^2 - b^2 - c^2)}$$

$$= -\frac{bC - (Ac - aC) \cos(x) + Ab \sin(x)}{2(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))^2} - \frac{abC - (3aAc - a^2C - 2c^2C) \cos(x) + b(3a^2A + A(b^2 + c^2) - 3acC) \tan^{-1}\left(\frac{c + (a-b)\tan\left(\frac{x}{2}\right)}{\sqrt{a^2 - b^2 - c^2}}\right)}{2(a^2 - b^2 - c^2)^2(a + b \cos(x) + c \sin(x))}$$

$$= -\frac{bC - (Ac - aC) \cos(x) + Ab \sin(x)}{2(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))^2} - \frac{abC - (3aAc - a^2C - 2c^2C) \cos(x) + b(3a^2A + A(b^2 + c^2) - 3acC) \tan^{-1}\left(\frac{c + (a-b)\tan\left(\frac{x}{2}\right)}{\sqrt{a^2 - b^2 - c^2}}\right)}{2(a^2 - b^2 - c^2)^2(a + b \cos(x) + c \sin(x))}$$

$$= -\frac{bC - (Ac - aC) \cos(x) + Ab \sin(x)}{2(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))^2} - \frac{abC - (3aAc - a^2C - 2c^2C) \cos(x) + b(3a^2A + A(b^2 + c^2) - 3acC) \tan^{-1}\left(\frac{c + (a-b)\tan\left(\frac{x}{2}\right)}{\sqrt{a^2 - b^2 - c^2}}\right)}{2(a^2 - b^2 - c^2)^2(a + b \cos(x) + c \sin(x))}$$

$$= \frac{(2a^2A + A(b^2 + c^2) - 3acC) \tan^{-1}\left(\frac{c + (a-b)\tan\left(\frac{x}{2}\right)}{\sqrt{a^2 - b^2 - c^2}}\right)}{(a^2 - b^2 - c^2)^{5/2}} - \frac{bC - (Ac - aC) \cos(x) + Ab \sin(x)}{2(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))}$$

**Mathematica [A]** time = 0.857815, size = 361, normalized size = 1.8

---


$$-2bc \cos(x) (2a^2A - 3acC + A(b^2 + c^2)) - c \cos(2x) (a^2cC - 3aA(b^2 + c^2) + 2cC(b^2 + c^2)) - 8a^2Ab^2 \sin(x) - 12a^2Ac^2$$


---

Antiderivative was successfully verified.

```
[In] Integrate[(A + C*Sin[x])/(a + b*Cos[x] + c*Sin[x])^3,x]
```

```
[Out] -(((2*a^2*A + A*(b^2 + c^2) - 3*a*c*C)*ArcTanh[(c + (a - b)*Tan[x/2])/Sqrt[-a^2 + b^2 + c^2]])/(-a^2 + b^2 + c^2)^(5/2)) + (-6*a^3*A*c - 3*a*A*b^2*c - 3*a*A*c^3 + 2*a^4*C - 4*a^2*b^2*C + 2*b^4*C + 5*a^2*c^2*C + 4*b^2*c^2*C + 2*c^4*C - 2*b*c*(2*a^2*A + A*(b^2 + c^2) - 3*a*c*C)*Cos[x] - c*(-3*a*A*(b^2 + c^2) + a^2*c*C + 2*c*(b^2 + c^2)*C)*Cos[2*x] - 8*a^2*A*b^2*Sin[x] + 2*A*b^4*Sin[x] - 12*a^2*A*c^2*Sin[x] + 2*A*b^2*c^2*Sin[x] + 4*a^3*c*C*Sin[x] + 2*a*b^2*c*C*Sin[x] + 8*a*c^3*C*Sin[x] - 3*a*A*b^3*Sin[2*x] - 3*a*A*b*c^2*Sin[2*x] + a^2*b*c*C*Sin[2*x] + 2*b^3*c*C*Sin[2*x] + 2*b*c^3*C*Sin[2*x])/(4*b
```

$$*(-a^2 + b^2 + c^2)^2*(a + b*\cos[x] + c*\sin[x])^2)$$

**Maple [B]** time = 0.125, size = 1088, normalized size = 5.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+C*sin(x))/(a+b*cos(x)+c*sin(x))^3,x)`

[Out] 
$$2*(-1/2*(4*A*a^3*b-7*A*a^2*b^2-5*A*a^2*c^2+2*A*a*b^3+2*A*a*b*c^2+A*b^4+3*A*b^2*c^2+2*A*c^4+3*C*a^3*c-6*C*a^2*b*c+3*C*a*b^2*c)/(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)/(a-b)*\tan(1/2*x)^3+1/2*(4*A*a^4*c-12*A*a^3*b*c+13*A*a^2*b^2*c+7*A*a^2*c^3-6*A*a*b^3*c-6*A*a*b*c^3+A*b^4*c-A*b^2*c^3-2*A*c^5-2*C*a^5+2*C*a^4*b+4*C*a^3*b^2-5*C*a^3*c^2-4*C*a^2*b^3+14*C*a^2*b*c^2-2*C*a*b^4-13*C*a*b^2*c^2-2*C*a*c^4+2*C*b^5+4*C*b^3*c^2+2*C*b*c^4)/(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)/(a^2-2*a*b+b^2)*\tan(1/2*x)^2-1/2*(4*A*a^4*b-5*A*a^3*b^2-11*A*a^3*c^2-3*A*a^2*b^3+3*A*a^2*b*c^2+5*A*a*b^4+7*A*a*b^2*c^2+2*A*a*c^4-A*b^5+A*b^3*c^2+2*A*b*c^4+5*C*a^4*c-5*C*a^3*b*c-5*C*a^2*b^2*c+4*C*a^2*c^3+5*C*a*b^3*c-4*C*a*b*c^3)/(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)/(a^2-2*a*b+b^2)*\tan(1/2*x)+1/2*(4*A*a^4*c-3*A*a^2*b^2*c-A*a^2*c^3-A*b^4*c-A*b^2*c^3-2*C*a^5+4*C*a^3*b^2-C*a^3*c^2-2*C*a*b^4+C*a*b^2*c^2)/(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)/(a^2-2*a*b+b^2))/(a*\tan(1/2*x)^2-b*\tan(1/2*x)^2+2*c*\tan(1/2*x)+a+b)^2+2/(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)/(a^2-b^2-c^2)^(1/2)*\arctan(1/2*(2*(a-b)*\tan(1/2*x)+2*c)/(a^2-b^2-c^2)^(1/2))*a^2*A+1/(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)/(a^2-b^2-c^2)^(1/2)*\arctan(1/2*(2*(a-b)*\tan(1/2*x)+2*c)/(a^2-b^2-c^2)^(1/2))*A*b^2+1/(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)/(a^2-b^2-c^2)^(1/2)*\arctan(1/2*(2*(a-b)*\tan(1/2*x)+2*c)/(a^2-b^2-c^2)^(1/2))*A*c^2-3/(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)/(a^2-b^2-c^2)^(1/2)*\arctan(1/2*(2*(a-b)*\tan(1/2*x)+2*c)/(a^2-b^2-c^2)^(1/2))*a*c*C$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sin(x))/(a+b*cos(x)+c*sin(x))^3,x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [B]** time = 4.91415, size = 7318, normalized size = 36.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sin(x))/(a+b*cos(x)+c*sin(x))^3,x, algorithm="fricas")`

[Out] 
$$[1/4*(2*C*a^6*b - 6*C*a^4*b^3 + 6*C*a^2*b^5 - 2*C*b^7 + 6*A*a*b*c^5 - 6*C*b*c^6 + 2*(4*C*a^2*b - 7*C*b^3)*c^4 - 6*(A*a^3*b - 2*A*a*b^3)*c^3 - 2*(2*C*a$$

$$\begin{aligned}
& ^4*b - 7*C*a^2*b^3 + 5*C*b^5)*c^2 - 4*(3*A*a*b*c^5 - 2*C*b*c^6 + (C*a^2*b - \\
& 4*C*b^3)*c^4 - 3*(A*a^3*b - 2*A*a*b^3)*c^3 + (C*a^4*b + C*a^2*b^3 - 2*C*b^5) \\
& *c^2 - 3*(A*a^3*b^3 - A*a*b^5)*c)*\cos(x)^2 - (2*A*a^4*b^2 + A*a^2*b^4 - 3 \\
& *C*a^3*b^2*c - 3*C*a*c^5 + A*c^6 + (3*A*a^2 + 2*A*b^2)*c^4 - 3*(C*a^3 + C*a \\
& *b^2)*c^3 + (2*A*a^4 + 4*A*a^2*b^2 + A*b^4)*c^2 + (2*A*a^2*b^4 + A*b^6 - 3* \\
& C*a*b^4*c + A*b^4*c^2 + 3*C*a*c^5 - A*c^6 - (2*A*a^2 + A*b^2)*c^4)*\cos(x)^2 \\
& + 2*(2*A*a^3*b^3 + A*a*b^5 - 3*C*a^2*b^3*c - 3*C*a^2*b*c^3 + A*a*b*c^4 + 2 \\
& *(A*a^3*b + A*a*b^3)*c^2)*\cos(x) - 2*(3*C*a^2*b^2*c^2 + 3*C*a^2*c^4 - A*a*c \\
& ^5 - 2*(A*a^3 + A*a*b^2)*c^3 - (2*A*a^3*b^2 + A*a*b^4)*c + (3*C*a*b^3*c^2 + \\
& 3*C*a*b*c^4 - A*b*c^5 - 2*(A*a^2*b + A*b^3)*c^3 - (2*A*a^2*b^3 + A*b^5)*c) \\
& *\cos(x))*\sin(x))*\sqrt{-a^2 + b^2 + c^2}*\log(-(a^2*b^2 - 2*b^4 - c^4 - (a^2 \\
& + 3*b^2)*c^2 - (2*a^2*b^2 - b^4 - 2*a^2*c^2 + c^4)*\cos(x))^2 - 2*(a*b^3 + a \\
& *b*c^2)*\cos(x) - 2*(a*b^2*c + a*c^3 - (b*c^3 - (2*a^2*b - b^3)*c)*\cos(x))*\sin \\
& (x) + 2*(2*a*b*c*\cos(x)^2 - a*b*c + (b^2*c + c^3)*\cos(x) - (b^3 + b*c^2 + \\
& (a*b^2 - a*c^2)*\cos(x))*\sin(x))*\sqrt{-a^2 + b^2 + c^2})/(2*a*b*\cos(x) + (b^2 \\
& - c^2)*\cos(x)^2 + a^2 + c^2 + 2*(b*c*\cos(x) + a*c)*\sin(x)) - 6*(A*a^3*b^3 \\
& - A*a*b^5)*c + 2*(C*a*c^6 + A*c^7 - (5*A*a^2 - 3*A*b^2)*c^5 + (C*a^3 + 2* \\
& C*a*b^2)*c^4 + (4*A*a^4 - 10*A*a^2*b^2 + 3*A*b^4)*c^3 - (2*C*a^5 - C*a^3*b^2 \\
& - C*a*b^4)*c^2 + (4*A*a^4*b^2 - 5*A*a^2*b^4 + A*b^6)*c)*\cos(x) - 2*(4*A*a \\
& ^4*b^3 - 5*A*a^2*b^5 + A*b^7 + C*a*b*c^5 + A*b*c^6 - (5*A*a^2*b - 3*A*b^3)* \\
& c^4 + (C*a^3*b + 2*C*a*b^3)*c^3 + (4*A*a^4*b - 10*A*a^2*b^3 + 3*A*b^5)*c^2 \\
& - (2*C*a^5*b - C*a^3*b^3 - C*a*b^5)*c + (3*A*a^3*b^4 - 3*A*a*b^6 - 3*A*a*b^4 \\
& *c^2 + 3*A*a*c^6 - 2*C*c^7 + (C*a^2 - 2*C*b^2)*c^5 - 3*(A*a^3 - A*a*b^2)*c \\
& ^4 + (C*a^4 + 2*C*b^4)*c^3 - (C*a^4*b^2 + C*a^2*b^4 - 2*C*b^6)*c)*\cos(x))*\sin \\
& (x))/(a^8*b^2 - 3*a^6*b^4 + 3*a^4*b^6 - a^2*b^8 - c^10 + 2*(a^2 - 2*b^2)* \\
& c^8 + (5*a^2*b^2 - 6*b^4)*c^6 - (2*a^6 - 3*a^4*b^2 - 3*a^2*b^4 + 4*b^6)*c^4 \\
& + (a^8 - 5*a^6*b^2 + 6*a^4*b^4 - a^2*b^6 - b^8)*c^2 + (a^6*b^4 - 3*a^4*b^6 \\
& + 3*a^2*b^8 - b^10 + c^10 - 3*(a^2 - b^2)*c^8 + (3*a^4 - 6*a^2*b^2 + 2*b^4) \\
& )*c^6 - (a^6 - 3*a^4*b^2 + 2*b^6)*c^4 - 3*(a^4*b^4 - 2*a^2*b^6 + b^8)*c^2)* \\
& \cos(x)^2 + 2*(a^7*b^3 - 3*a^5*b^5 + 3*a^3*b^7 - a*b^9 - a*b*c^8 + (3*a^3*b \\
& - 4*a*b^3)*c^6 - 3*(a^5*b - 3*a^3*b^3 + 2*a*b^5)*c^4 + (a^7*b - 6*a^5*b^3 + \\
& 9*a^3*b^5 - 4*a*b^7)*c^2)*\cos(x) - 2*(a*c^9 - (3*a^3 - 4*a*b^2)*c^7 + 3*(a \\
& ^5 - 3*a^3*b^2 + 2*a*b^4)*c^5 - (a^7 - 6*a^5*b^2 + 9*a^3*b^4 - 4*a*b^6)*c^3 \\
& - (a^7*b^2 - 3*a^5*b^4 + 3*a^3*b^6 - a*b^8)*c + (b*c^9 - (3*a^2*b - 4*b^3) \\
& *c^7 + 3*(a^4*b - 3*a^2*b^3 + 2*b^5)*c^5 - (a^6*b - 6*a^4*b^3 + 9*a^2*b^5 - \\
& 4*b^7)*c^3 - (a^6*b^3 - 3*a^4*b^5 + 3*a^2*b^7 - b^9)*c)*\cos(x))*\sin(x)), 1 \\
& /2*(C*a^6*b - 3*C*a^4*b^3 + 3*C*a^2*b^5 - C*b^7 + 3*A*a*b*c^5 - 3*C*b*c^6 + \\
& (4*C*a^2*b - 7*C*b^3)*c^4 - 3*(A*a^3*b - 2*A*a*b^3)*c^3 - (2*C*a^4*b - 7*C \\
& *a^2*b^3 + 5*C*b^5)*c^2 - 2*(3*A*a*b*c^5 - 2*C*b*c^6 + (C*a^2*b - 4*C*b^3)* \\
& c^4 - 3*(A*a^3*b - 2*A*a*b^3)*c^3 + (C*a^4*b + C*a^2*b^3 - 2*C*b^5)*c^2 - 3 \\
& *(A*a^3*b^3 - A*a*b^5)*c)*\cos(x)^2 + (2*A*a^4*b^2 + A*a^2*b^4 - 3*C*a^3*b^2 \\
& *c - 3*C*a*c^5 + A*c^6 + (3*A*a^2 + 2*A*b^2)*c^4 - 3*(C*a^3 + C*a*b^2)*c^3 \\
& + (2*A*a^4 + 4*A*a^2*b^2 + A*b^4)*c^2 + (2*A*a^2*b^4 + A*b^6 - 3*C*a*b^4*c \\
& + A*b^4*c^2 + 3*C*a*c^5 - A*c^6 - (2*A*a^2 + A*b^2)*c^4)*\cos(x)^2 + 2*(2*A \\
& *a^3*b^3 + A*a*b^5 - 3*C*a^2*b^3*c - 3*C*a^2*b*c^3 + A*a*b*c^4 + 2*(A*a^3*b \\
& + A*a*b^3)*c^2)*\cos(x) - 2*(3*C*a^2*b^2*c^2 + 3*C*a^2*c^4 - A*a*c^5 - 2*(A \\
& *a^3 + A*a*b^2)*c^3 - (2*A*a^3*b^2 + A*a*b^4)*c + (3*C*a*b^3*c^2 + 3*C*a*b*c \\
& ^4 - A*b*c^5 - 2*(A*a^2*b + A*b^3)*c^3 - (2*A*a^2*b^3 + A*b^5)*c)*\cos(x))*\sin \\
& (x))*\sqrt{a^2 - b^2 - c^2}*\arctan(-(a*b*\cos(x) + a*c*\sin(x) + b^2 + c^2)* \\
& \sqrt{a^2 - b^2 - c^2})/((c^3 - (a^2 - b^2)*c)*\cos(x) + (a^2*b - b^3 - b*c^2) \\
& *\sin(x))) - 3*(A*a^3*b^3 - A*a*b^5)*c + (C*a*c^6 + A*c^7 - (5*A*a^2 - 3*A*b \\
& ^2)*c^5 + (C*a^3 + 2*C*a*b^2)*c^4 + (4*A*a^4 - 10*A*a^2*b^2 + 3*A*b^4)*c^3 \\
& - (2*C*a^5 - C*a^3*b^2 - C*a*b^4)*c^2 + (4*A*a^4*b^2 - 5*A*a^2*b^4 + A*b^6) \\
& )*c)*\cos(x) - (4*A*a^4*b^3 - 5*A*a^2*b^5 + A*b^7 + C*a*b*c^5 + A*b*c^6 - (5* \\
& A*a^2*b - 3*A*b^3)*c^4 + (C*a^3*b + 2*C*a*b^3)*c^3 + (4*A*a^4*b - 10*A*a^2* \\
& b^3 + 3*A*b^5)*c^2 - (2*C*a^5*b - C*a^3*b^3 - C*a*b^5)*c + (3*A*a^3*b^4 - 3 \\
& *A*a*b^6 - 3*A*a*b^4*c^2 + 3*A*a*c^6 - 2*C*c^7 + (C*a^2 - 2*C*b^2)*c^5 - 3* \\
& (A*a^3 - A*a*b^2)*c^4 + (C*a^4 + 2*C*b^4)*c^3 - (C*a^4*b^2 + C*a^2*b^4 - 2* \\
& C*b^6)*c)*\cos(x))*\sin(x))/(a^8*b^2 - 3*a^6*b^4 + 3*a^4*b^6 - a^2*b^8 - c^10
\end{aligned}$$



$$\begin{aligned}
& + 2*(a^2 - 2*b^2)*c^8 + (5*a^2*b^2 - 6*b^4)*c^6 - (2*a^6 - 3*a^4*b^2 - 3*a^2*b^4 + 4*b^6)*c^4 + (a^8 - 5*a^6*b^2 + 6*a^4*b^4 - a^2*b^6 - b^8)*c^2 + (a^6*b^4 - 3*a^4*b^6 + 3*a^2*b^8 - b^{10} + c^{10} - 3*(a^2 - b^2)*c^8 + (3*a^4 - 6*a^2*b^2 + 2*b^4)*c^6 - (a^6 - 3*a^4*b^2 + 2*b^6)*c^4 - 3*(a^4*b^4 - 2*a^2*b^6 + b^8)*c^2)*\cos(x)^2 + 2*(a^7*b^3 - 3*a^5*b^5 + 3*a^3*b^7 - a*b^9 - a*b*c^8 + (3*a^3*b - 4*a*b^3)*c^6 - 3*(a^5*b - 3*a^3*b^3 + 2*a*b^5)*c^4 + (a^7*b - 6*a^5*b^3 + 9*a^3*b^5 - 4*a*b^7)*c^2)*\cos(x) - 2*(a*c^9 - (3*a^3 - 4*a*b^2)*c^7 + 3*(a^5 - 3*a^3*b^2 + 2*a*b^4)*c^5 - (a^7 - 6*a^5*b^2 + 9*a^3*b^4 - 4*a*b^6)*c^3 - (a^7*b^2 - 3*a^5*b^4 + 3*a^3*b^6 - a*b^8)*c + (b*c^9 - (3*a^2*b - 4*b^3)*c^7 + 3*(a^4*b - 3*a^2*b^3 + 2*b^5)*c^5 - (a^6*b - 6*a^4*b^3 + 9*a^2*b^5 - 4*b^7)*c^3 - (a^6*b^3 - 3*a^4*b^5 + 3*a^2*b^7 - b^9)*c)*\cos(x))*\sin(x)]
\end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C\*sin(x))/(a+b\*cos(x)+c\*sin(x))\*\*3,x)

[Out] Timed out

**Giac [B]** time = 1.35178, size = 1423, normalized size = 7.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C\*sin(x))/(a+b\*cos(x)+c\*sin(x))^3,x, algorithm="giac")

[Out] 
$$\begin{aligned}
& -(2*A*a^2 + A*b^2 - 3*C*a*c + A*c^2)*(pi*\text{floor}(1/2*x/pi + 1/2)*\text{sgn}(-2*a + 2*b) + \arctan(-(a*\tan(1/2*x) - b*\tan(1/2*x) + c)/\sqrt{a^2 - b^2 - c^2}))/((a^4 - 2*a^2*b^2 + b^4 - 2*a^2*c^2 + 2*b^2*c^2 + c^4)*\sqrt{a^2 - b^2 - c^2}) \\
& - (4*A*a^4*b*\tan(1/2*x)^3 - 11*A*a^3*b^2*\tan(1/2*x)^3 + 9*A*a^2*b^3*\tan(1/2*x)^3 - A*a*b^4*\tan(1/2*x)^3 - A*b^5*\tan(1/2*x)^3 + 3*C*a^4*c*\tan(1/2*x)^3 - 9*C*a^3*b*c*\tan(1/2*x)^3 + 9*C*a^2*b^2*c*\tan(1/2*x)^3 - 3*C*a*b^3*c*\tan(1/2*x)^3 - 5*A*a^3*c^2*\tan(1/2*x)^3 + 7*A*a^2*b*c^2*\tan(1/2*x)^3 + A*a*b^2*c^2*\tan(1/2*x)^3 - 3*A*b^3*c^2*\tan(1/2*x)^3 + 2*A*a*c^4*\tan(1/2*x)^3 - 2*A*b*c^4*\tan(1/2*x)^3 + 2*C*a^5*\tan(1/2*x)^2 - 2*C*a^4*b*\tan(1/2*x)^2 - 4*C*a^3*b^2*\tan(1/2*x)^2 + 4*C*a^2*b^3*\tan(1/2*x)^2 + 2*C*a*b^4*\tan(1/2*x)^2 - 2*C*b^5*\tan(1/2*x)^2 - 4*A*a^4*c*\tan(1/2*x)^2 + 12*A*a^3*b*c*\tan(1/2*x)^2 - 13*A*a^2*b^2*c*\tan(1/2*x)^2 + 6*A*a*b^3*c*\tan(1/2*x)^2 - A*b^4*c*\tan(1/2*x)^2 + 5*C*a^3*c^2*\tan(1/2*x)^2 - 14*C*a^2*b*c^2*\tan(1/2*x)^2 + 13*C*a*b^2*c^2*\tan(1/2*x)^2 - 4*C*b^3*c^2*\tan(1/2*x)^2 - 7*A*a^2*c^3*\tan(1/2*x)^2 + 6*A*a*b*c^3*\tan(1/2*x)^2 + A*b^2*c^3*\tan(1/2*x)^2 + 2*C*a*c^4*\tan(1/2*x)^2 - 2*C*b*c^4*\tan(1/2*x)^2 + 2*A*c^5*\tan(1/2*x)^2 + 4*A*a^4*b*\tan(1/2*x) - 5*A*a^3*b^2*\tan(1/2*x) - 3*A*a^2*b^3*\tan(1/2*x) + 5*A*a*b^4*\tan(1/2*x) - A*b^5*\tan(1/2*x) + 5*C*a^4*c*\tan(1/2*x) - 5*C*a^3*b*c*\tan(1/2*x) - 5*C*a^2*b^2*c*\tan(1/2*x) + 5*C*a*b^3*c*\tan(1/2*x) - 11*A*a^3*c^2*\tan(1/2*x) + 3*A*a^2*b*c^2*\tan(1/2*x) + 7*A*a*b^2*c^2*\tan(1/2*x) + A*b^3*c^2*\tan(1/2*x) + 4*C*a^2*c^3*\tan(1/2*x) - 4*C*a*b*c^3*\tan(1/2*x) + 2*A*a*c^4*\tan(1/2*x) + 2*A*b*c^4*\tan(1/2*x) + 2*C*a^5 - 4*C*a^3*b^2 + 2*C*a*b^4 - 4*A*a^4*c + 3*A*a^2*b^2*c + A*b^4*c + C*a^3*c^2 - C*a*b^2*c^2 + A*a^2*c^3 + A*b^2*c^3)/((a^6 - 2*a^5*b - a
\end{aligned}$$

$$\begin{aligned} &^4b^2 + 4a^3b^3 - a^2b^4 - 2ab^5 + b^6 - 2a^4c^2 + 4a^3b*c^2 - 4* \\ &a*b^3*c^2 + 2*b^4*c^2 + a^2*c^4 - 2*a*b*c^4 + b^2*c^4)*(a*\tan(1/2*x)^2 - b* \\ &\tan(1/2*x)^2 + 2*c*\tan(1/2*x) + a + b)^2 \end{aligned}$$

$$3.543 \quad \int \frac{A+C \sin(x)}{a+b \cos(x)+ib \sin(x)} dx$$

**Optimal.** Leaf size=85

$$\frac{(a^2(-C) + 2iaAb + b^2C) \log(a + ib \sin(x) + b \cos(x))}{2a^2b} + \frac{x(2aA - ibC)}{2a^2} + \frac{iC \sin(x)}{2a} - \frac{C \cos(x)}{2a}$$

[Out]  $((2*a*A - I*b*C)*x)/(2*a^2) - (C*\text{Cos}[x])/(2*a) + (((2*I)*a*A*b - a^2*C + b^2*C)*\text{Log}[a + b*\text{Cos}[x] + I*b*\text{Sin}[x]])/(2*a^2*b) + ((I/2)*C*\text{Sin}[x])/a$

**Rubi [A]** time = 0.0458097, antiderivative size = 85, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$ , Rules used = {3131}

$$\frac{(a^2(-C) + 2iaAb + b^2C) \log(a + ib \sin(x) + b \cos(x))}{2a^2b} + \frac{x(2aA - ibC)}{2a^2} + \frac{iC \sin(x)}{2a} - \frac{C \cos(x)}{2a}$$

Antiderivative was successfully verified.

[In] Int[(A + C\*Sin[x])/(a + b\*Cos[x] + I\*b\*Sin[x]),x]

[Out]  $((2*a*A - I*b*C)*x)/(2*a^2) - (C*\text{Cos}[x])/(2*a) + (((2*I)*a*A*b - a^2*C + b^2*C)*\text{Log}[a + b*\text{Cos}[x] + I*b*\text{Sin}[x]])/(2*a^2*b) + ((I/2)*C*\text{Sin}[x])/a$

**Rule 3131**

Int[((A\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])/(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]), x\_Symbol] :> Simp[((2\*a\*A - c\*C)\*x)/(2\*a^2), x] + (-Simp[(C\*Cos[d + e\*x])/(2\*a\*e), x] + Simp[(c\*C\*Sin[d + e\*x])/(2\*a\*b\*e), x] + Simp[((-a^2\*C) + 2\*a\*c\*A + b^2\*C)\*Log[RemoveContent[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x], x]])/(2\*a^2\*b\*e), x] /; FreeQ[{a, b, c, d, e, A, C}, x] && EqQ[b^2 + c^2, 0]

**Rubi steps**

$$\int \frac{A + C \sin(x)}{a + b \cos(x) + ib \sin(x)} dx = \frac{(2aA - ibC)x}{2a^2} - \frac{C \cos(x)}{2a} + \frac{(2iaAb - a^2C + b^2C) \log(a + b \cos(x) + ib \sin(x))}{2a^2b} + \frac{iC \sin(x)}{2a}$$

**Mathematica [A]** time = 0.260401, size = 152, normalized size = 1.79

$$\frac{(-2ia^2C - 4aAb + 2ib^2C) \tan^{-1}\left(\frac{(a+b)\cot\left(\frac{x}{2}\right)}{a-b}\right) + 2iaAb \log(a^2 + 2ab \cos(x) + b^2) - a^2C \log(a^2 + 2ab \cos(x) + b^2) + b^2C \log(a^2 + 2ab \cos(x) + b^2)}{4a^2b}$$

Antiderivative was successfully verified.

[In] Integrate[(A + C\*Sin[x])/(a + b\*Cos[x] + I\*b\*Sin[x]),x]

[Out]  $(2*a*A*b*x - I*a^2*C*x - I*b^2*C*x + (-4*a*A*b - (2*I)*a^2*C + (2*I)*b^2*C)*\text{ArcTan}[\frac{(a + b)*\text{Cot}[x/2]}{a - b}] - 2*a*b*C*\text{Cos}[x] + (2*I)*a*A*b*\text{Log}[a^2 + b^2 + 2*a*b*\text{Cos}[x]] - a^2*C*\text{Log}[a^2 + b^2 + 2*a*b*\text{Cos}[x]] + b^2*C*\text{Log}[a^2 + b^2 + 2*a*b*\text{Cos}[x]] + (2*I)*a*b*C*\text{Sin}[x])/(4*a^2*b)$

---

**Maple [B]** time = 0.082, size = 151, normalized size = 1.8

$$-\frac{C}{2b} \ln\left(ia + ib + a \tan\left(\frac{x}{2}\right) - b \tan\left(\frac{x}{2}\right)\right) + \frac{bC}{2a^2} \ln\left(ia + ib + a \tan\left(\frac{x}{2}\right) - b \tan\left(\frac{x}{2}\right)\right) + \frac{iA}{a} \ln\left(ia + ib + a \tan\left(\frac{x}{2}\right) - b \tan\left(\frac{x}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C\*sin(x))/(a+b\*cos(x)+I\*b\*sin(x)),x)

[Out] -1/2/b\*ln(I\*a+I\*b+a\*tan(1/2\*x)-b\*tan(1/2\*x))\*C+1/2/a^2\*b\*ln(I\*a+I\*b+a\*tan(1/2\*x)-b\*tan(1/2\*x))\*C+I/a\*ln(I\*a+I\*b+a\*tan(1/2\*x)-b\*tan(1/2\*x))\*A+1/2\*C/b\*ln(tan(1/2\*x)+I)+I\*C/a/(tan(1/2\*x)-I)-I/a\*ln(tan(1/2\*x)-I)\*A-1/2/a^2\*ln(tan(1/2\*x)-I)\*b\*C

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C\*sin(x))/(a+b\*cos(x)+I\*b\*sin(x)),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

---

**Fricas [A]** time = 1.92754, size = 167, normalized size = 1.96

$$\frac{\left(Cab - (2Aab - iCb^2)xe^{ix} + (Ca^2 - 2iAab - Cb^2)e^{ix} \log\left(\frac{be^{ix}+a}{b}\right)\right)e^{-ix}}{2a^2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C\*sin(x))/(a+b\*cos(x)+I\*b\*sin(x)),x, algorithm="fricas")

[Out] -1/2\*(C\*a\*b - (2\*A\*a\*b - I\*C\*b^2)\*x\*e^(I\*x) + (C\*a^2 - 2\*I\*A\*a\*b - C\*b^2)\*e^(I\*x))\*log((b\*e^(I\*x) + a)/b))\*e^(-I\*x)/(a^2\*b)

---

**Sympy [A]** time = 1.75927, size = 54, normalized size = 0.64

$$\left(\frac{iA}{a} - \frac{C}{2b} + \frac{Cb}{2a^2}\right) \log\left(\frac{a}{b} + e^{ix}\right) + \frac{2Aax - Ca e^{-ix} - iCbx}{2a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C\*sin(x))/(a+b\*cos(x)+I\*b\*sin(x)),x)

[Out] (I\*A/a - C/(2\*b) + C\*b/(2\*a\*\*2))\*log(a/b + exp(I\*x)) + (2\*A\*a\*x - C\*a\*exp(-I\*x) - I\*C\*b\*x)/(2\*a\*\*2)

---

**Giac [B]** time = 1.17244, size = 212, normalized size = 2.49

$$\frac{2(iCa^3 + 2Aa^2b - iCa^2b - 2Aab^2 - iCab^2 + iCb^3) \log\left(-a \tan\left(\frac{1}{2}x\right) + b \tan\left(\frac{1}{2}x\right) - ia - ib\right)}{-4ia^3b + 4ia^2b^2} + \frac{C \log\left(\tan\left(\frac{1}{2}x\right) + I\right)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C\*sin(x))/(a+b\*cos(x)+I\*b\*sin(x)),x, algorithm="giac")

[Out] 2\*(I\*C\*a^3 + 2\*A\*a^2\*b - I\*C\*a^2\*b - 2\*A\*a\*b^2 - I\*C\*a\*b^2 + I\*C\*b^3)\*log(-a\*tan(1/2\*x) + b\*tan(1/2\*x) - I\*a - I\*b)/(-4\*I\*a^3\*b + 4\*I\*a^2\*b^2) + 1/2\*C\*log(tan(1/2\*x) + I)/b - 1/2\*(2\*I\*A\*a + C\*b)\*log(tan(1/2\*x) - I)/a^2 - 1/2\*(-2\*I\*A\*a\*tan(1/2\*x) - C\*b\*tan(1/2\*x) - 2\*A\*a - 2\*I\*C\*a + I\*C\*b)/(a^2\*(tan(1/2\*x) - I))

**3.544**  $\int \frac{A+C \sin(x)}{a+b \cos(x)-ib \sin(x)} dx$

**Optimal.** Leaf size=85

$$-\frac{(a^2C + 2iaAb - b^2C) \log(a - ib \sin(x) + b \cos(x))}{2a^2b} + \frac{x(2aA + ibC)}{2a^2} - \frac{iC \sin(x)}{2a} - \frac{C \cos(x)}{2a}$$

[Out]  $((2*a*A + I*b*C)*x)/(2*a^2) - (C*\text{Cos}[x])/(2*a) - (((2*I)*a*A*b + a^2*C - b^2*C)*\text{Log}[a + b*\text{Cos}[x] - I*b*\text{Sin}[x]])/(2*a^2*b) - ((I/2)*C*\text{Sin}[x])/a$

**Rubi [A]** time = 0.0462409, antiderivative size = 85, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$ , Rules used = {3131}

$$-\frac{(a^2C + 2iaAb - b^2C) \log(a - ib \sin(x) + b \cos(x))}{2a^2b} + \frac{x(2aA + ibC)}{2a^2} - \frac{iC \sin(x)}{2a} - \frac{C \cos(x)}{2a}$$

Antiderivative was successfully verified.

[In] `Int[(A + C*Sin[x])/(a + b*Cos[x] - I*b*Sin[x]),x]`

[Out]  $((2*a*A + I*b*C)*x)/(2*a^2) - (C*\text{Cos}[x])/(2*a) - (((2*I)*a*A*b + a^2*C - b^2*C)*\text{Log}[a + b*\text{Cos}[x] - I*b*\text{Sin}[x]])/(2*a^2*b) - ((I/2)*C*\text{Sin}[x])/a$

Rule 3131

`Int[((A_.) + (C_.)*sin[(d_.) + (e_.)*(x_)])/(cos[(d_.) + (e_.)*(x_)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_)]), x_Symbol] :> Simp[((2*a*A - c*C)*x)/(2*a^2), x] + (-Simp[(C*Cos[d + e*x])/(2*a*e), x] + Simp[(c*C*Sin[d + e*x])/(2*a*b*e), x] + Simp[((-(a^2*C) + 2*a*c*A + b^2*C)*Log[RemoveContent[a + b*Cos[d + e*x] + c*Sin[d + e*x], x]])/(2*a^2*b*e), x]) /; FreeQ[{a, b, c, d, e, A, C}, x] && EqQ[b^2 + c^2, 0]`

Rubi steps

$$\int \frac{A + C \sin(x)}{a + b \cos(x) - ib \sin(x)} dx = \frac{(2aA + ibC)x}{2a^2} - \frac{C \cos(x)}{2a} - \frac{(2iaAb + a^2C - b^2C) \log(a + b \cos(x) - ib \sin(x))}{2a^2b} - \frac{iC \sin(x)}{2a}$$

**Mathematica [A]** time = 0.238415, size = 152, normalized size = 1.79

$$\frac{2i(a^2C + 2iaAb - b^2C) \tan^{-1}\left(\frac{(a+b)\cot(\frac{x}{2})}{a-b}\right) - 2iaAb \log(a^2 + 2ab \cos(x) + b^2) - a^2C \log(a^2 + 2ab \cos(x) + b^2) + b^2C \log(a^2 + 2ab \cos(x) + b^2)}{4a^2b}$$

Antiderivative was successfully verified.

[In] `Integrate[(A + C*Sin[x])/(a + b*Cos[x] - I*b*Sin[x]),x]`

[Out]  $(2*a*A*b*x + I*a^2*C*x + I*b^2*C*x + (2*I)*((2*I)*a*A*b + a^2*C - b^2*C)*\text{ArcTan}[\frac{(a + b)*\text{Cot}[x/2]}{(a - b)}] - 2*a*b*C*\text{Cos}[x] - (2*I)*a*A*b*\text{Log}[a^2 + b^2 + 2*a*b*\text{Cos}[x]] - a^2*C*\text{Log}[a^2 + b^2 + 2*a*b*\text{Cos}[x]] + b^2*C*\text{Log}[a^2 + b^2 + 2*a*b*\text{Cos}[x]] - (2*I)*a*b*C*\text{Sin}[x])/(4*a^2*b)$

---

**Maple [B]** time = 0.077, size = 280, normalized size = 3.3

$$\frac{-iC}{a} \left( \tan\left(\frac{x}{2}\right) + i \right)^{-1} + \frac{iA}{a} \ln\left(\tan\left(\frac{x}{2}\right) + i\right) - \frac{bC}{2a^2} \ln\left(\tan\left(\frac{x}{2}\right) + i\right) + \frac{Ca}{2b(-a+b)} \ln\left(ia + ib - a \tan\left(\frac{x}{2}\right) + b \tan\left(\frac{x}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C\*sin(x))/(a+b\*cos(x)-I\*b\*sin(x)),x)

[Out]  $-I*C/a/(\tan(1/2*x)+I)+I/a*\ln(\tan(1/2*x)+I)*A-1/2/a^2*\ln(\tan(1/2*x)+I)*b*C+1/2*a/b/(-a+b)*\ln(I*a+I*b-a*\tan(1/2*x)+b*\tan(1/2*x))*C-1/2/(-a+b)*\ln(I*a+I*b-a*\tan(1/2*x)+b*\tan(1/2*x))*C-1/2/a*b/(-a+b)*\ln(I*a+I*b-a*\tan(1/2*x)+b*\tan(1/2*x))*C+1/2/a^2*b^2/(-a+b)*\ln(I*a+I*b-a*\tan(1/2*x)+b*\tan(1/2*x))*C+I/(-a+b)*\ln(I*a+I*b-a*\tan(1/2*x)+b*\tan(1/2*x))*A-I/a*b/(-a+b)*\ln(I*a+I*b-a*\tan(1/2*x)+b*\tan(1/2*x))*A+1/2*C/b*\ln(\tan(1/2*x)-I)$

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C\*sin(x))/(a+b\*cos(x)-I\*b\*sin(x)),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

---

**Fricas [A]** time = 2.08965, size = 127, normalized size = 1.49

$$\frac{iCa^2x - Cabe^{ix} - (Ca^2 + 2iAab - Cb^2) \log\left(\frac{ae^{ix}+b}{a}\right)}{2a^2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C\*sin(x))/(a+b\*cos(x)-I\*b\*sin(x)),x, algorithm="fricas")

[Out]  $1/2*(I*C*a^2*x - C*a*b*e^{I*x}) - (C*a^2 + 2*I*A*a*b - C*b^2)*\log((a*e^{I*x} + b)/a)/(a^2*b)$

---

**Sympy [A]** time = 0.976919, size = 48, normalized size = 0.56

$$\left(-\frac{iA}{a} - \frac{C}{2b} + \frac{Cb}{2a^2}\right) \log\left(e^{ix} + \frac{b}{a}\right) + \frac{iCax - Cbe^{ix}}{2ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C\*sin(x))/(a+b\*cos(x)-I\*b\*sin(x)),x)

[Out]  $(-I*A/a - C/(2*b) + C*b/(2*a**2))*\log(\exp(I*x) + b/a) + (I*C*a*x - C*b*\exp(I*x))/(2*a*b)$

---

**Giac [B]** time = 1.12915, size = 212, normalized size = 2.49

$$\frac{2(-iCa^3 + 2Aa^2b + iCa^2b - 2Aab^2 + iCab^2 - iCb^3) \log\left(-a \tan\left(\frac{1}{2}x\right) + b \tan\left(\frac{1}{2}x\right) + ia + ib\right)}{4ia^3b - 4ia^2b^2} + \frac{C \log\left(\tan\left(\frac{1}{2}x\right) - i\right)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C\*sin(x))/(a+b\*cos(x)-I\*b\*sin(x)),x, algorithm="giac")

[Out] 2\*(-I\*C\*a^3 + 2\*A\*a^2\*b + I\*C\*a^2\*b - 2\*A\*a\*b^2 + I\*C\*a\*b^2 - I\*C\*b^3)\*log(-a\*tan(1/2\*x) + b\*tan(1/2\*x) + I\*a + I\*b)/(4\*I\*a^3\*b - 4\*I\*a^2\*b^2) + 1/2\*C\*log(tan(1/2\*x) - I)/b - 1/2\*(-2\*I\*A\*a + C\*b)\*log(tan(1/2\*x) + I)/a^2 - 1/2\*(2\*I\*A\*a\*tan(1/2\*x) - C\*b\*tan(1/2\*x) - 2\*A\*a + 2\*I\*C\*a - I\*C\*b)/(a^2\*(tan(1/2\*x) + I))



$$3.545 \quad \int \frac{B \cos(x) + C \sin(x)}{a + b \cos(x) + c \sin(x)} dx$$

**Optimal.** Leaf size=119

$$-\frac{2a(bB + cC) \tan^{-1} \left( \frac{(a-b) \tan(\frac{x}{2}) + c}{\sqrt{a^2 - b^2 - c^2}} \right)}{(b^2 + c^2) \sqrt{a^2 - b^2 - c^2}} + \frac{(Bc - bC) \log(a + b \cos(x) + c \sin(x))}{b^2 + c^2} + \frac{x(bB + cC)}{b^2 + c^2}$$

[Out] ((b\*B + c\*C)\*x)/(b^2 + c^2) - (2\*a\*(b\*B + c\*C)\*ArcTan[(c + (a - b)\*Tan[x/2])/Sqrt[a^2 - b^2 - c^2]])/(Sqrt[a^2 - b^2 - c^2]\*(b^2 + c^2)) + ((B\*c - b\*C)\*Log[a + b\*Cos[x] + c\*Sin[x]])/(b^2 + c^2)

**Rubi [A]** time = 0.113433, antiderivative size = 119, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {3136, 3124, 618, 204}

$$-\frac{2a(bB + cC) \tan^{-1} \left( \frac{(a-b) \tan(\frac{x}{2}) + c}{\sqrt{a^2 - b^2 - c^2}} \right)}{(b^2 + c^2) \sqrt{a^2 - b^2 - c^2}} + \frac{(Bc - bC) \log(a + b \cos(x) + c \sin(x))}{b^2 + c^2} + \frac{x(bB + cC)}{b^2 + c^2}$$

Antiderivative was successfully verified.

[In] Int[(B\*Cos[x] + C\*Sin[x])/(a + b\*Cos[x] + c\*Sin[x]),x]

[Out] ((b\*B + c\*C)\*x)/(b^2 + c^2) - (2\*a\*(b\*B + c\*C)\*ArcTan[(c + (a - b)\*Tan[x/2])/Sqrt[a^2 - b^2 - c^2]])/(Sqrt[a^2 - b^2 - c^2]\*(b^2 + c^2)) + ((B\*c - b\*C)\*Log[a + b\*Cos[x] + c\*Sin[x]])/(b^2 + c^2)

#### Rule 3136

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]) / ((a\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]), x\_Symbol] :> Simp[((b\*B + c\*C)\*x)/(b^2 + c^2), x] + (Dist[(A\*(b^2 + c^2) - a\*(b\*B + c\*C))/(b^2 + c^2), Int[1/(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]), x], x] + Simp[((c\*B - b\*C)\*Log[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]])/(e\*(b^2 + c^2)), x]) /; FreeQ[{a, b, c, d, e, A, B, C}, x] && NeQ[b^2 + c^2, 0] && NeQ[A\*(b^2 + c^2) - a\*(b\*B + c\*C), 0]

#### Rule 3124

Int[(cos[(d\_.) + (e\_.)\*(x\_)])\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])^(-1), x\_Symbol] :> Module[{f = FreeFactors[Tan[(d + e\*x)/2], x]}, Dist[(2\*f)/e, Subst[Int[1/(a + b + 2\*c\*f\*x + (a - b)\*f^2\*x^2), x], x, Tan[(d + e\*x)/2]/f], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]

#### Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

#### Rule 204

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{B \cos(x) + C \sin(x)}{a + b \cos(x) + c \sin(x)} dx &= \frac{(bB + cC)x}{b^2 + c^2} + \frac{(Bc - bC) \log(a + b \cos(x) + c \sin(x))}{b^2 + c^2} - \frac{(a(bB + cC)) \int \frac{1}{a + b \cos(x) + c \sin(x)} dx}{b^2 + c^2} \\ &= \frac{(bB + cC)x}{b^2 + c^2} + \frac{(Bc - bC) \log(a + b \cos(x) + c \sin(x))}{b^2 + c^2} - \frac{(2a(bB + cC)) \text{Subst} \left( \int \frac{1}{a + b + 2cx + (a^2 - b^2 - c^2)x^2} dx \right)}{b^2 + c^2} \\ &= \frac{(bB + cC)x}{b^2 + c^2} + \frac{(Bc - bC) \log(a + b \cos(x) + c \sin(x))}{b^2 + c^2} + \frac{(4a(bB + cC)) \text{Subst} \left( \int \frac{1}{-4(a^2 - b^2 - c^2) - (a - b + 2cx)^2} dx \right)}{b^2 + c^2} \\ &= \frac{(bB + cC)x}{b^2 + c^2} - \frac{2a(bB + cC) \tanh^{-1} \left( \frac{c + (a - b) \tan\left(\frac{x}{2}\right)}{\sqrt{a^2 - b^2 - c^2}} \right)}{\sqrt{a^2 - b^2 - c^2} (b^2 + c^2)} + \frac{(Bc - bC) \log(a + b \cos(x) + c \sin(x))}{b^2 + c^2} \end{aligned}$$

**Mathematica [A]** time = 0.352565, size = 98, normalized size = 0.82

$$\frac{2a(bB+cC) \tanh^{-1} \left( \frac{(a-b) \tan\left(\frac{x}{2}\right) + c}{\sqrt{-a^2+b^2+c^2}} \right)}{\sqrt{-a^2+b^2+c^2}} + \frac{(Bc - bC) \log(a + b \cos(x) + c \sin(x)) + x(bB + cC)}{b^2 + c^2}$$

Antiderivative was successfully verified.

[In] Integrate[(B\*Cos[x] + C\*Sin[x])/(a + b\*Cos[x] + c\*Sin[x]),x]

[Out] ((b\*B + c\*C)\*x + (2\*a\*(b\*B + c\*C)\*ArcTanh[(c + (a - b)\*Tan[x/2])/Sqrt[-a^2 + b^2 + c^2]])/Sqrt[-a^2 + b^2 + c^2] + (B\*c - b\*C)\*Log[a + b\*Cos[x] + c\*Sin[x]]/(b^2 + c^2)

**Maple [B]** time = 0.057, size = 824, normalized size = 6.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B\*cos(x)+C\*sin(x))/(a+b\*cos(x)+c\*sin(x)),x)

[Out] 1/(b^2+c^2)/(a-b)\*ln(a\*tan(1/2\*x)^2-b\*tan(1/2\*x)^2+2\*c\*tan(1/2\*x)+a+b)\*a\*B\*c-1/(b^2+c^2)/(a-b)\*ln(a\*tan(1/2\*x)^2-b\*tan(1/2\*x)^2+2\*c\*tan(1/2\*x)+a+b)\*b\*B\*c-1/(b^2+c^2)/(a-b)\*ln(a\*tan(1/2\*x)^2-b\*tan(1/2\*x)^2+2\*c\*tan(1/2\*x)+a+b)\*a\*b\*C+1/(b^2+c^2)/(a-b)\*ln(a\*tan(1/2\*x)^2-b\*tan(1/2\*x)^2+2\*c\*tan(1/2\*x)+a+b)\*b^2\*C-2/(b^2+c^2)/(a^2-b^2-c^2)^(1/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*a\*b\*B+2/(b^2+c^2)/(a^2-b^2-c^2)^(1/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*B\*c^2-2/(b^2+c^2)/(a^2-b^2-c^2)^(1/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*a\*c\*C-2/(b^2+c^2)/(a^2-b^2-c^2)^(1/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*C\*b\*c-2/(b^2+c^2)/(a^2-b^2-c^2)^(1/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*c^2/(a-b)\*a\*B+2/(b^2+c^2)/(a^2-b^2-c^2)^(1/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*c^2/(a-b)\*b\*B+2/(b^2+c^2)/(a^2-b^2-c^2)^(1/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*c/(a-b)\*a\*b\*C-2/(b^2+c^2)/(a^2-b^2-c^2)^(1/2)\*arctan(1/2\*(2\*(a-b)\*t

$$\frac{\arctan(1/2*x)+2*c}{(a^2-b^2-c^2)^{(1/2)}}*c/(a-b)*b^2*C-B/(b^2+c^2)*c*\ln(1+\tan(1/2*x)^2)+C/(b^2+c^2)*b*\ln(1+\tan(1/2*x)^2)+2*B/(b^2+c^2)*b*\arctan(\tan(1/2*x))+2*C/(b^2+c^2)*c*\arctan(\tan(1/2*x))$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B\*cos(x)+C\*sin(x))/(a+b\*cos(x)+c\*sin(x)),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.66707, size = 1507, normalized size = 12.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B\*cos(x)+C\*sin(x))/(a+b\*cos(x)+c\*sin(x)),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [-1/2*((B*a*b + C*a*c)*\sqrt{-a^2 + b^2 + c^2})*\log((a^2*b^2 - 2*b^4 - c^4 - \\ & (a^2 + 3*b^2)*c^2 - (2*a^2*b^2 - b^4 - 2*a^2*c^2 + c^4)*\cos(x)^2 - 2*(a*b^3 \\ & + a*b*c^2)*\cos(x) - 2*(a*b^2*c + a*c^3 - (b*c^3 - (2*a^2*b - b^3)*c)*\cos(x) \\ & ))*\sin(x) - 2*(2*a*b*c*\cos(x)^2 - a*b*c + (b^2*c + c^3)*\cos(x) - (b^3 + b*c \\ & ^2 + (a*b^2 - a*c^2)*\cos(x))*\sin(x))*\sqrt{-a^2 + b^2 + c^2}]/(2*a*b*\cos(x) \\ & + (b^2 - c^2)*\cos(x)^2 + a^2 + c^2 + 2*(b*c*\cos(x) + a*c)*\sin(x)) - 2*(B*a \\ & ^2*b - B*b^3 - B*b*c^2 - C*c^3 + (C*a^2 - C*b^2)*c)*x + (C*a^2*b - C*b^3 - \\ & C*b*c^2 + B*c^3 - (B*a^2 - B*b^2)*c)*\log(2*a*b*\cos(x) + (b^2 - c^2)*\cos(x)^2 \\ & + a^2 + c^2 + 2*(b*c*\cos(x) + a*c)*\sin(x))]/(a^2*b^2 - b^4 - c^4 + (a^2 - \\ & 2*b^2)*c^2), -1/2*(2*(B*a*b + C*a*c)*\sqrt{a^2 - b^2 - c^2})*\arctan(-(a*b*\cos \\ & (x) + a*c*\sin(x) + b^2 + c^2)*\sqrt{a^2 - b^2 - c^2})/((c^3 - (a^2 - b^2)*c) \\ & *\cos(x) + (a^2*b - b^3 - b*c^2)*\sin(x)) - 2*(B*a^2*b - B*b^3 - B*b*c^2 - C \\ & *c^3 + (C*a^2 - C*b^2)*c)*x + (C*a^2*b - C*b^3 - C*b*c^2 + B*c^3 - (B*a^2 - \\ & B*b^2)*c)*\log(2*a*b*\cos(x) + (b^2 - c^2)*\cos(x)^2 + a^2 + c^2 + 2*(b*c*\cos \\ & (x) + a*c)*\sin(x))]/(a^2*b^2 - b^4 - c^4 + (a^2 - 2*b^2)*c^2) \end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B\*cos(x)+C\*sin(x))/(a+b\*cos(x)+c\*sin(x)),x)

[Out] Timed out

**Giac [A]** time = 1.16191, size = 252, normalized size = 2.12

$$\frac{(Bb + Cc)x}{b^2 + c^2} - \frac{(Cb - Bc) \log\left(-a \tan\left(\frac{1}{2}x\right)^2 + b \tan\left(\frac{1}{2}x\right)^2 - 2c \tan\left(\frac{1}{2}x\right) - a - b\right)}{b^2 + c^2} + \frac{(Cb - Bc) \log\left(\tan\left(\frac{1}{2}x\right)^2 + 1\right)}{b^2 + c^2} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B\*cos(x)+C\*sin(x))/(a+b\*cos(x)+c\*sin(x)),x, algorithm="giac")

[Out] (B\*b + C\*c)\*x/(b^2 + c^2) - (C\*b - B\*c)\*log(-a\*tan(1/2\*x)^2 + b\*tan(1/2\*x)^2 - 2\*c\*tan(1/2\*x) - a - b)/(b^2 + c^2) + (C\*b - B\*c)\*log(tan(1/2\*x)^2 + 1)/(b^2 + c^2) + 2\*(B\*a\*b + C\*a\*c)\*(pi\*floor(1/2\*x/pi + 1/2)\*sgn(-2\*a + 2\*b) + arctan(-(a\*tan(1/2\*x) - b\*tan(1/2\*x) + c)/sqrt(a^2 - b^2 - c^2)))/(sqrt(a^2 - b^2 - c^2)\*(b^2 + c^2))

$$3.546 \quad \int \frac{B \cos(x) + C \sin(x)}{(a + b \cos(x) + c \sin(x))^2} dx$$

**Optimal.** Leaf size=110

$$\frac{aB \sin(x) - aC \cos(x) - bC + Bc}{(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))} - \frac{2(bB + cC) \tan^{-1} \left( \frac{(a-b) \tan(\frac{x}{2}) + c}{\sqrt{a^2 - b^2 - c^2}} \right)}{(a^2 - b^2 - c^2)^{3/2}}$$

[Out]  $(-2*(b*B + c*C)*ArcTan[(c + (a - b)*Tan[x/2])/Sqrt[a^2 - b^2 - c^2]])/(a^2 - b^2 - c^2)^{(3/2)} + (B*c - b*C - a*C*Cos[x] + a*B*Sin[x])/((a^2 - b^2 - c^2)*(a + b*Cos[x] + c*Sin[x]))$

**Rubi [A]** time = 0.0963721, antiderivative size = 110, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {3153, 3124, 618, 204}

$$\frac{aB \sin(x) - aC \cos(x) - bC + Bc}{(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))} - \frac{2(bB + cC) \tan^{-1} \left( \frac{(a-b) \tan(\frac{x}{2}) + c}{\sqrt{a^2 - b^2 - c^2}} \right)}{(a^2 - b^2 - c^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(B\*Cos[x] + C\*Sin[x])/(a + b\*Cos[x] + c\*Sin[x])^2,x]

[Out]  $(-2*(b*B + c*C)*ArcTan[(c + (a - b)*Tan[x/2])/Sqrt[a^2 - b^2 - c^2]])/(a^2 - b^2 - c^2)^{(3/2)} + (B*c - b*C - a*C*Cos[x] + a*B*Sin[x])/((a^2 - b^2 - c^2)*(a + b*Cos[x] + c*Sin[x]))$

#### Rule 3153

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]) / ((a\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])^2, x\_Symbol] :> Simp[(c\*B - b\*C - (a\*C - c\*A)\*Cos[d + e\*x] + (a\*B - b\*A)\*Sin[d + e\*x]) / (e\*(a^2 - b^2 - c^2)\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])), x] + Dist[(a\*A - b\*B - c\*C) / (a^2 - b^2 - c^2), Int[1 / (a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]), x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[a\*A - b\*B - c\*C, 0]

#### Rule 3124

Int[(cos[(d\_.) + (e\_.)\*(x\_)])\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])^(-1), x\_Symbol] :> Module[{f = FreeFactors[Tan[(d + e\*x)/2], x]}, Dist[(2\*f)/e, Subst[Int[1/(a + b + 2\*c\*f\*x + (a - b)\*f^2\*x^2), x], x, Tan[(d + e\*x)/2]/f], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]

#### Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

#### Rule 204

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]] / (Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

### Rubi steps

$$\begin{aligned}
 \int \frac{B \cos(x) + C \sin(x)}{(a + b \cos(x) + c \sin(x))^2} dx &= \frac{Bc - bC - aC \cos(x) + aB \sin(x)}{(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))} - \frac{(bB + cC) \int \frac{1}{a + b \cos(x) + c \sin(x)} dx}{a^2 - b^2 - c^2} \\
 &= \frac{Bc - bC - aC \cos(x) + aB \sin(x)}{(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))} - \frac{(2(bB + cC)) \operatorname{Subst}\left(\int \frac{1}{a + b + 2cx + (a-b)x^2} dx, x, \tan\left(\frac{x}{2}\right)\right)}{a^2 - b^2 - c^2} \\
 &= \frac{Bc - bC - aC \cos(x) + aB \sin(x)}{(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))} + \frac{(4(bB + cC)) \operatorname{Subst}\left(\int \frac{1}{-4(a^2 - b^2 - c^2) - x^2} dx, x, 2 \tan\left(\frac{x}{2}\right)\right)}{a^2 - b^2 - c^2} \\
 &= -\frac{2(bB + cC) \tan^{-1}\left(\frac{c + (a-b) \tan\left(\frac{x}{2}\right)}{\sqrt{a^2 - b^2 - c^2}}\right)}{(a^2 - b^2 - c^2)^{3/2}} + \frac{Bc - bC - aC \cos(x) + aB \sin(x)}{(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))}
 \end{aligned}$$

**Mathematica [A]** time = 0.35717, size = 116, normalized size = 1.05

$$\frac{a^2 C + a \sin(x)(bB + cC) - b^2 C + bBc}{b(-a^2 + b^2 + c^2)(a + b \cos(x) + c \sin(x))} - \frac{2(bB + cC) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{x}{2}\right) + c}{\sqrt{-a^2 + b^2 + c^2}}\right)}{(-a^2 + b^2 + c^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(B\*Cos[x] + C\*Sin[x])/(a + b\*Cos[x] + c\*Sin[x])^2,x]

[Out] (-2\*(b\*B + c\*C)\*ArcTanh[(c + (a - b)\*Tan[x/2])/Sqrt[-a^2 + b^2 + c^2]]/(-a^2 + b^2 + c^2)^(3/2) - (b\*B\*c + a^2\*C - b^2\*C + a\*(b\*B + c\*C)\*Sin[x])/(b\*(-a^2 + b^2 + c^2)\*(a + b\*Cos[x] + c\*Sin[x]))

**Maple [B]** time = 0.1, size = 255, normalized size = 2.3

$$-2 \frac{1}{a(\tan(x/2))^2 - b(\tan(x/2))^2 + 2c \tan(x/2) + a + b} \left( -\frac{(a^2 B - abB - Bc^2 - acC + Cbc) \tan(x/2)}{a^3 - a^2 b - ab^2 - ac^2 + b^3 + bc^2} + \frac{bBc + a^2 C}{a^3 - a^2 b - ab^2 - ac^2 + b^3 + bc^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B\*cos(x)+C\*sin(x))/(a+b\*cos(x)+c\*sin(x))^2,x)

[Out] -2\*(-(B\*a^2-B\*a\*b-B\*c^2-C\*a\*c+C\*b\*c)/(a^3-a^2\*b-a\*b^2-a\*c^2+b^3+b\*c^2)\*tan(1/2\*x)+(B\*b\*c+C\*a^2-C\*b^2)/(a^3-a^2\*b-a\*b^2-a\*c^2+b^3+b\*c^2))/(a\*tan(1/2\*x)^2-b\*tan(1/2\*x)^2+2\*c\*tan(1/2\*x)+a+b)-2/(a^2-b^2-c^2)^(3/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*b\*B-2/(a^2-b^2-c^2)^(3/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*C\*c

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*cos(x)+C*sin(x))/(a+b*cos(x)+c*sin(x))^2,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [B]** time = 2.79401, size = 2799, normalized size = 25.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*cos(x)+C*sin(x))/(a+b*cos(x)+c*sin(x))^2,x, algorithm="fricas")
```

```
[Out] [1/2*(2*C*a^4*b - 4*C*a^2*b^3 + 2*C*b^5 + 2*C*b*c^4 - 2*B*c^5 + 4*(B*a^2 - B*b^2)*c^3 - 4*(C*a^2*b - C*b^3)*c^2 + (B*a*b^3 + C*a*b^2*c + B*a*b*c^2 + C*a*c^3 + (B*b^4 + C*b^3*c + B*b^2*c^2 + C*b*c^3)*cos(x) + (B*b^3*c + C*b^2*c^2 + B*b*c^3 + C*c^4)*sin(x))*sqrt(-a^2 + b^2 + c^2)*log(-(a^2*b^2 - 2*b^4 - c^4 - (a^2 + 3*b^2)*c^2 - (2*a^2*b^2 - b^4 - 2*a^2*c^2 + c^4)*cos(x))^2 - 2*(a*b^3 + a*b*c^2)*cos(x) - 2*(a*b^2*c + a*c^3 - (b*c^3 - (2*a^2*b - b^3)*c)*cos(x))*sin(x) + 2*(2*a*b*c*cos(x)^2 - a*b*c + (b^2*c + c^3)*cos(x) - (b^3 + b*c^2 + (a*b^2 - a*c^2)*cos(x))*sin(x))*sqrt(-a^2 + b^2 + c^2))/(2*a*b*cos(x) + (b^2 - c^2)*cos(x)^2 + a^2 + c^2 + 2*(b*c*cos(x) + a*c)*sin(x)) - 2*(B*a^4 - 2*B*a^2*b^2 + B*b^4)*c + 2*(B*a*b*c^3 + C*a*c^4 - (C*a^3 - C*a*b^2)*c^2 - (B*a^3*b - B*a*b^3)*c)*cos(x) + 2*(B*a^3*b^2 - B*a*b^4 - B*a*b^2*c^2 - C*a*b*c^3 + (C*a^3*b - C*a*b^3)*c)*sin(x))/(a^5*b^2 - 2*a^3*b^4 + a*b^6 + a*c^6 - (2*a^3 - 3*a*b^2)*c^4 + (a^5 - 4*a^3*b^2 + 3*a*b^4)*c^2 + (a^4*b^3 - 2*a^2*b^5 + b^7 + b*c^6 - (2*a^2*b - 3*b^3)*c^4 + (a^4*b - 4*a^2*b^3 + 3*b^5)*c^2)*cos(x) + (c^7 - (2*a^2 - 3*b^2)*c^5 + (a^4 - 4*a^2*b^2 + 3*b^4)*c^3 + (a^4*b^2 - 2*a^2*b^4 + b^6)*c)*sin(x)], (C*a^4*b - 2*C*a^2*b^3 + C*b^5 + C*b*c^4 - B*c^5 + 2*(B*a^2 - B*b^2)*c^3 - 2*(C*a^2*b - C*b^3)*c^2 - (B*a*b^3 + C*a*b^2*c + B*a*b*c^2 + C*a*c^3 + (B*b^4 + C*b^3*c + B*b^2*c^2 + C*b*c^3)*cos(x) + (B*b^3*c + C*b^2*c^2 + B*b*c^3 + C*c^4)*sin(x))*sqrt(a^2 - b^2 - c^2)*arctan(-(a*b*cos(x) + a*c*sin(x) + b^2 + c^2)*sqrt(a^2 - b^2 - c^2)/((c^3 - (a^2 - b^2)*c)*cos(x) + (a^2*b - b^3 - b*c^2)*sin(x))) - (B*a^4 - 2*B*a^2*b^2 + B*b^4)*c + (B*a*b*c^3 + C*a*c^4 - (C*a^3 - C*a*b^2)*c^2 - (B*a^3*b - B*a*b^3)*c)*cos(x) + (B*a^3*b^2 - B*a*b^4 - B*a*b^2*c^2 - C*a*b*c^3 + (C*a^3*b - C*a*b^3)*c)*sin(x))/(a^5*b^2 - 2*a^3*b^4 + a*b^6 + a*c^6 - (2*a^3 - 3*a*b^2)*c^4 + (a^5 - 4*a^3*b^2 + 3*a*b^4)*c^2 + (a^4*b^3 - 2*a^2*b^5 + b^7 + b*c^6 - (2*a^2*b - 3*b^3)*c^4 + (a^4*b - 4*a^2*b^3 + 3*b^5)*c^2)*cos(x) + (c^7 - (2*a^2 - 3*b^2)*c^5 + (a^4 - 4*a^2*b^2 + 3*b^4)*c^3 + (a^4*b^2 - 2*a^2*b^4 + b^6)*c)*sin(x)]
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*cos(x)+C*sin(x))/(a+b*cos(x)+c*sin(x))**2,x)
```

```
[Out] Timed out
```

**Giac [A]** time = 1.17682, size = 277, normalized size = 2.52

$$\frac{2 \left( \pi \left\lfloor \frac{x}{2\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(-2a + 2b) + \arctan \left( -\frac{a \tan\left(\frac{1}{2}x\right) - b \tan\left(\frac{1}{2}x\right) + c}{\sqrt{a^2 - b^2 - c^2}} \right) \right) (Bb + Cc)}{(a^2 - b^2 - c^2)^{\frac{3}{2}}} + \frac{2 \left( Ba^2 \tan\left(\frac{1}{2}x\right) - Bab \tan\left(\frac{1}{2}x\right) - Cactan\left(\frac{1}{2}x\right) \right)}{(a^3 - a^2b - ab^2 + b^3 - ac^2 + bc^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*cos(x)+C*sin(x))/(a+b*cos(x)+c*sin(x))^2,x, algorithm="giac")
```

```
[Out] 2*(pi*floor(1/2*x/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*x) - b*tan(1/2*x) + c)/sqrt(a^2 - b^2 - c^2)))*(B*b + C*c)/(a^2 - b^2 - c^2)^(3/2) + 2*(B*a^2*tan(1/2*x) - B*a*b*tan(1/2*x) - C*a*c*tan(1/2*x) + C*b*c*tan(1/2*x) - B*c^2*tan(1/2*x) - C*a^2 + C*b^2 - B*b*c)/((a^3 - a^2*b - a*b^2 + b^3 - a*c^2 + b*c^2)*(a*tan(1/2*x)^2 - b*tan(1/2*x)^2 + 2*c*tan(1/2*x) + a + b))
```



$$3.547 \quad \int \frac{B \cos(x) + C \sin(x)}{(a + b \cos(x) + c \sin(x))^3} dx$$

**Optimal.** Leaf size=197

$$\frac{3a(bB + cC) \tan^{-1} \left( \frac{(a-b) \tan(\frac{x}{2}) + c}{\sqrt{a^2 - b^2 - c^2}} \right)}{(a^2 - b^2 - c^2)^{5/2}} + \frac{-\cos(x) (C(a^2 + 2c^2) + 2bBc) + \sin(x) (a^2B + 2b(bB + cC)) + a(Bc - bC)}{2(a^2 - b^2 - c^2)^2 (a + b \cos(x) + c \sin(x))} + \frac{1}{2}$$

[Out] (-3\*a\*(b\*B + c\*C)\*ArcTan[(c + (a - b)\*Tan[x/2])/Sqrt[a^2 - b^2 - c^2]]/(a^2 - b^2 - c^2)^(5/2) + (B\*c - b\*C - a\*C\*Cos[x] + a\*B\*Sin[x])/(2\*(a^2 - b^2 - c^2)\*(a + b\*Cos[x] + c\*Sin[x])^2) + (a\*(B\*c - b\*C) - (2\*b\*B\*c + (a^2 + 2\*c^2)\*C)\*Cos[x] + (a^2\*B + 2\*b\*(b\*B + c\*C))\*Sin[x])/(2\*(a^2 - b^2 - c^2)^2\*(a + b\*Cos[x] + c\*Sin[x]))

**Rubi [A]** time = 0.232421, antiderivative size = 197, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$ , Rules used = {3156, 3153, 3124, 618, 204}

$$\frac{3a(bB + cC) \tan^{-1} \left( \frac{(a-b) \tan(\frac{x}{2}) + c}{\sqrt{a^2 - b^2 - c^2}} \right)}{(a^2 - b^2 - c^2)^{5/2}} + \frac{-\cos(x) (C(a^2 + 2c^2) + 2bBc) + \sin(x) (a^2B + 2b(bB + cC)) + a(Bc - bC)}{2(a^2 - b^2 - c^2)^2 (a + b \cos(x) + c \sin(x))} + \frac{1}{2}$$

Antiderivative was successfully verified.

[In] Int[(B\*Cos[x] + C\*Sin[x])/(a + b\*Cos[x] + c\*Sin[x])^3, x]

[Out] (-3\*a\*(b\*B + c\*C)\*ArcTan[(c + (a - b)\*Tan[x/2])/Sqrt[a^2 - b^2 - c^2]]/(a^2 - b^2 - c^2)^(5/2) + (B\*c - b\*C - a\*C\*Cos[x] + a\*B\*Sin[x])/(2\*(a^2 - b^2 - c^2)\*(a + b\*Cos[x] + c\*Sin[x])^2) + (a\*(B\*c - b\*C) - (2\*b\*B\*c + (a^2 + 2\*c^2)\*C)\*Cos[x] + (a^2\*B + 2\*b\*(b\*B + c\*C))\*Sin[x])/(2\*(a^2 - b^2 - c^2)^2\*(a + b\*Cos[x] + c\*Sin[x]))

#### Rule 3156

Int[((a\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])^(n\_)\*((A\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]), x\_Symbol] :> -Simp[((c\*B - b\*C - (a\*C - c\*A)\*Cos[d + e\*x] + (a\*B - b\*A)\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1))/(e\*(n + 1)\*(a^2 - b^2 - c^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2 - c^2)), Int[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1)\*Simp[(n + 1)\*(a\*A - b\*B - c\*C) + (n + 2)\*(a\*B - b\*A)\*Cos[d + e\*x] + (n + 2)\*(a\*C - c\*A)\*Sin[d + e\*x], x], x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && LtQ[n, -1] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[n, -2]

#### Rule 3153

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]) / ((a\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])^2, x\_Symbol] :> Simp[(c\*B - b\*C - (a\*C - c\*A)\*Cos[d + e\*x] + (a\*B - b\*A)\*Sin[d + e\*x]) / (e\*(a^2 - b^2 - c^2)\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])), x] + Dist[(a\*A - b\*B - c\*C) / (a^2 - b^2 - c^2), Int[1 / (a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]), x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[a\*A - b\*B - c\*C, 0]

#### Rule 3124

```
Int[(cos[(d_.) + (e_.)*(x_)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_)])^(-1), x_Symbol] := Module[{f = FreeFactors[Tan[(d + e*x)/2], x]}, Dist[(2*f)/e, Subst[Int[1/(a + b + 2*c*f*x + (a - b)*f^2*x^2), x], x, Tan[(d + e*x)/2]/f], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]
```

Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\int \frac{B \cos(x) + C \sin(x)}{(a + b \cos(x) + c \sin(x))^3} dx = \frac{Bc - bC - aC \cos(x) + aB \sin(x)}{2(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))^2} - \frac{\int \frac{2(bB+cC)-aB \cos(x)-aC \sin(x)}{(a+b \cos(x)+c \sin(x))^2} dx}{2(a^2 - b^2 - c^2)}$$

$$= \frac{Bc - bC - aC \cos(x) + aB \sin(x)}{2(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))^2} + \frac{a(Bc - bC) - (2bBc + (a^2 + 2c^2)C) \cos(x)}{2(a^2 - b^2 - c^2)^2(a + b \cos(x) + c \sin(x))}$$

$$= \frac{Bc - bC - aC \cos(x) + aB \sin(x)}{2(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))^2} + \frac{a(Bc - bC) - (2bBc + (a^2 + 2c^2)C) \cos(x)}{2(a^2 - b^2 - c^2)^2(a + b \cos(x) + c \sin(x))}$$

$$= \frac{Bc - bC - aC \cos(x) + aB \sin(x)}{2(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))^2} + \frac{a(Bc - bC) - (2bBc + (a^2 + 2c^2)C) \cos(x)}{2(a^2 - b^2 - c^2)^2(a + b \cos(x) + c \sin(x))}$$

$$= -\frac{3a(bB + cC) \tan^{-1}\left(\frac{c+(a-b) \tan\left(\frac{x}{2}\right)}{\sqrt{a^2-b^2-c^2}}\right)}{(a^2 - b^2 - c^2)^{5/2}} + \frac{Bc - bC - aC \cos(x) + aB \sin(x)}{2(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))^2} + \frac{a(Bc - bC) - (2bBc + (a^2 + 2c^2)C) \cos(x)}{2(a^2 - b^2 - c^2)^2(a + b \cos(x) + c \sin(x))}$$

**Mathematica [A]** time = 0.821103, size = 311, normalized size = 1.58

---


$$-c \cos(2x) (a^2 + 2(b^2 + c^2))(bB + cC) + a^2 b^2 B \sin(2x) - 4a^2 b^2 C + 9a^2 b Bc + 4a^3 b B \sin(x) + a^2 bc C \sin(2x) + 5a^2 c^2 C + \dots$$

Antiderivative was successfully verified.

```
[In] Integrate[(B*Cos[x] + C*Sin[x])/(a + b*Cos[x] + c*Sin[x])^3,x]
```

```
[Out] (3*a*(b*B + c*C)*ArcTanh[(c + (a - b)*Tan[x/2])/Sqrt[-a^2 + b^2 + c^2]])/(-a^2 + b^2 + c^2)^(5/2) + (9*a^2*b*B*c + 2*a^4*C - 4*a^2*b^2*C + 2*b^4*C + 5*a^2*c^2*C + 4*b^2*c^2*C + 2*c^4*C + 6*a*b*c*(b*B + c*C)*Cos[x] - c*(a^2 + 2*(b^2 + c^2))*(b*B + c*C)*Cos[2*x] + 4*a^3*b*B*Sin[x] + 2*a*b^3*B*Sin[x] + 8*a*b*B*c^2*Sin[x] + 4*a^3*c*C*Sin[x] + 2*a*b^2*c*C*Sin[x] + 8*a*c^3*C*Sin[x] + a^2*b^2*B*Sin[2*x] + 2*b^4*B*Sin[2*x] + 2*b^2*B*c^2*Sin[2*x] + a^2*b*c*C*Sin[2*x] + 2*b^3*c*C*Sin[2*x] + 2*b*c^3*C*Sin[2*x])/(4*b*(-a^2 + b^2 + c^2)^2*(a + b*Cos[x] + c*Sin[x])^2)
```

---

**Maple [B]** time = 0.127, size = 881, normalized size = 4.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((B*\cos(x)+C*\sin(x))/(a+b*\cos(x)+c*\sin(x))^3,x)$

[Out] 
$$-2*(-1/2*(2*B*a^4-3*B*a^3*b+2*B*a^2*b^2-4*B*a^2*c^2-3*B*a*b^3+2*B*b^4+4*B*b^2*c^2+2*B*c^4-3*C*a^3*c+6*C*a^2*b*c-3*C*a*b^2*c)/(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)/(a-b)*\tan(1/2*x)^3-1/2*(2*B*a^4*c-9*B*a^3*b*c+14*B*a^2*b^2*c-4*B*a^2*c^3-9*B*a*b^3*c+2*B*b^4*c+4*B*b^2*c^3+2*B*c^5-2*C*a^5+2*C*a^4*b+4*C*a^3*b^2-5*C*a^3*c^2-4*C*a^2*b^3+14*C*a^2*b*c^2-2*C*a*b^4-13*C*a*b^2*c^2-2*C*a*c^4+2*C*b^5+4*C*b^3*c^2+2*C*b*c^4)/(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)/(a^2-2*a*b+b^2)*\tan(1/2*x)^2-1/2*(2*B*a^5-3*B*a^4*b+B*a^3*b^2-4*B*a^3*c^2+B*a^2*b^3-8*B*a^2*b*c^2-3*B*a*b^4+8*B*a*b^2*c^2+2*B*a*c^4+2*B*b^5+4*B*b^3*c^2+2*B*b*c^4-5*C*a^4*c+5*C*a^3*b*c+5*C*a^2*b^2*c-4*C*a^2*c^3-5*C*a*b^3*c+4*C*a*b*c^3)/(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)/(a^2-2*a*b+b^2)*\tan(1/2*x)+1/2*a*(5*B*a^2*b*c-5*B*b^3*c-2*B*b*c^3+2*C*a^4-4*C*a^2*b^2+C*a^2*c^2+2*C*b^4-C*b^2*c^2)/(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)/(a^2-2*a*b+b^2))/(a*\tan(1/2*x)^2-b*\tan(1/2*x)^2+2*c*\tan(1/2*x)+a+b)^2-3/(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)/(a^2-b^2-c^2)^(1/2)*\arctan(1/2*(2*(a-b)*\tan(1/2*x)+2*c)/(a^2-b^2-c^2)^(1/2))*a*b*B-3/(a^4-2*a^2*b^2-2*a^2*c^2+b^4+2*b^2*c^2+c^4)/(a^2-b^2-c^2)^(1/2)*\arctan(1/2*(2*(a-b)*\tan(1/2*x)+2*c)/(a^2-b^2-c^2)^(1/2))*a*c$$

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((B*\cos(x)+C*\sin(x))/(a+b*\cos(x)+c*\sin(x))^3,x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

---

**Fricas [B]** time = 4.5243, size = 6728, normalized size = 34.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((B*\cos(x)+C*\sin(x))/(a+b*\cos(x)+c*\sin(x))^3,x, \text{algorithm}="fricas")$

[Out] 
$$[1/4*(2*C*a^6*b - 6*C*a^4*b^3 + 6*C*a^2*b^5 - 2*C*b^7 - 6*C*b*c^6 + 2*B*c^7 - 2*(3*B*a^2 - B*b^2)*c^5 + 2*(4*C*a^2*b - 7*C*b^3)*c^4 + 2*(3*B*a^4 - 5*B*a^2*b^2 - B*b^4)*c^3 - 2*(2*C*a^4*b - 7*C*a^2*b^3 + 5*C*b^5)*c^2 + 4*(2*B*b^2*c^5 + 2*C*b*c^6 - (C*a^2*b - 4*C*b^3)*c^4 - (B*a^2*b^2 - 4*B*b^4)*c^3 - (C*a^4*b + C*a^2*b^3 - 2*C*b^5)*c^2 - (B*a^4*b^2 + B*a^2*b^4 - 2*B*b^6)*c)*\cos(x)^2 - 3*(B*a^3*b^3 + C*a^3*b^2*c + B*a*b*c^4 + C*a*c^5 + (C*a^3 + C*a$$

$$\begin{aligned}
& *b^2)*c^3 + (B*a^3*b + B*a*b^3)*c^2 + (B*a*b^5 + C*a*b^4*c - B*a*b*c^4 - C* \\
& a*c^5)*\cos(x)^2 + 2*(B*a^2*b^4 + C*a^2*b^3*c + B*a^2*b^2*c^2 + C*a^2*b*c^3) \\
& *\cos(x) + 2*(B*a^2*b^3*c + C*a^2*b^2*c^2 + B*a^2*b*c^3 + C*a^2*c^4 + (B*a*b \\
& ^4*c + C*a*b^3*c^2 + B*a*b^2*c^3 + C*a*b*c^4)*\cos(x))*\sin(x))*\sqrt{-a^2 + b \\
& ^2 + c^2}*\log((a^2*b^2 - 2*b^4 - c^4 - (a^2 + 3*b^2)*c^2 - (2*a^2*b^2 - b^4 \\
& - 2*a^2*c^2 + c^4)*\cos(x)^2 - 2*(a*b^3 + a*b*c^2)*\cos(x) - 2*(a*b^2*c + a* \\
& c^3 - (b*c^3 - (2*a^2*b - b^3)*c)*\cos(x))*\sin(x) - 2*(2*a*b*c*\cos(x)^2 - a* \\
& b*c + (b^2*c + c^3)*\cos(x) - (b^3 + b*c^2 + (a*b^2 - a*c^2)*\cos(x))*\sin(x)) \\
& *\sqrt{-a^2 + b^2 + c^2})/(2*a*b*\cos(x) + (b^2 - c^2)*\cos(x)^2 + a^2 + c^2 + \\
& 2*(b*c*\cos(x) + a*c)*\sin(x)) - 2*(B*a^6 - 4*B*a^4*b^2 + 2*B*a^2*b^4 + B*b \\
& ^6)*c + 2*(B*a*b*c^5 + C*a*c^6 + (C*a^3 + 2*C*a*b^2)*c^4 + (B*a^3*b + 2*B*a \\
& *b^3)*c^3 - (2*C*a^5 - C*a^3*b^2 - C*a*b^4)*c^2 - (2*B*a^5*b - B*a^3*b^3 - \\
& B*a*b^5)*c)*\cos(x) + 2*(2*B*a^5*b^2 - B*a^3*b^4 - B*a*b^6 - B*a*b^2*c^4 - C \\
& *a*b*c^5 - (C*a^3*b + 2*C*a*b^3)*c^3 - (B*a^3*b^2 + 2*B*a*b^4)*c^2 + (2*C*a \\
& ^5*b - C*a^3*b^3 - C*a*b^5)*c + (B*a^4*b^3 + B*a^2*b^5 - 2*B*b^7 + 2*B*b*c^6 \\
& + 2*C*c^7 - (C*a^2 - 2*C*b^2)*c^5 - (B*a^2*b - 2*B*b^3)*c^4 - (C*a^4 + 2* \\
& C*b^4)*c^3 - (B*a^4*b + 2*B*b^5)*c^2 + (C*a^4*b^2 + C*a^2*b^4 - 2*C*b^6)*c) \\
& *\cos(x))*\sin(x))/(a^8*b^2 - 3*a^6*b^4 + 3*a^4*b^6 - a^2*b^8 - c^10 + 2*(a^2 \\
& - 2*b^2)*c^8 + (5*a^2*b^2 - 6*b^4)*c^6 - (2*a^6 - 3*a^4*b^2 - 3*a^2*b^4 + \\
& 4*b^6)*c^4 + (a^8 - 5*a^6*b^2 + 6*a^4*b^4 - a^2*b^6 - b^8)*c^2 + (a^6*b^4 - \\
& 3*a^4*b^6 + 3*a^2*b^8 - b^10 + c^10 - 3*(a^2 - b^2)*c^8 + (3*a^4 - 6*a^2*b \\
& ^2 + 2*b^4)*c^6 - (a^6 - 3*a^4*b^2 + 2*b^6)*c^4 - 3*(a^4*b^4 - 2*a^2*b^6 + \\
& b^8)*c^2)*\cos(x)^2 + 2*(a^7*b^3 - 3*a^5*b^5 + 3*a^3*b^7 - a*b^9 - a*b*c^8 + \\
& (3*a^3*b - 4*a*b^3)*c^6 - 3*(a^5*b - 3*a^3*b^3 + 2*a*b^5)*c^4 + (a^7*b - 6 \\
& *a^5*b^3 + 9*a^3*b^5 - 4*a*b^7)*c^2)*\cos(x) - 2*(a*c^9 - (3*a^3 - 4*a*b^2)* \\
& c^7 + 3*(a^5 - 3*a^3*b^2 + 2*a*b^4)*c^5 - (a^7 - 6*a^5*b^2 + 9*a^3*b^4 - 4* \\
& a*b^6)*c^3 - (a^7*b^2 - 3*a^5*b^4 + 3*a^3*b^6 - a*b^8)*c + (b*c^9 - (3*a^2* \\
& b - 4*b^3)*c^7 + 3*(a^4*b - 3*a^2*b^3 + 2*b^5)*c^5 - (a^6*b - 6*a^4*b^3 + 9 \\
& *a^2*b^5 - 4*b^7)*c^3 - (a^6*b^3 - 3*a^4*b^5 + 3*a^2*b^7 - b^9)*c)*\cos(x))* \\
& \sin(x)), 1/2*(C*a^6*b - 3*C*a^4*b^3 + 3*C*a^2*b^5 - C*b^7 - 3*C*b*c^6 + B*c \\
& ^7 - (3*B*a^2 - B*b^2)*c^5 + (4*C*a^2*b - 7*C*b^3)*c^4 + (3*B*a^4 - 5*B*a^2 \\
& *b^2 - B*b^4)*c^3 - (2*C*a^4*b - 7*C*a^2*b^3 + 5*C*b^5)*c^2 + 2*(2*B*b^2*c^5 \\
& + 2*C*b*c^6 - (C*a^2*b - 4*C*b^3)*c^4 - (B*a^2*b^2 - 4*B*b^4)*c^3 - (C*a^4 \\
& *b + C*a^2*b^3 - 2*C*b^5)*c^2 - (B*a^4*b^2 + B*a^2*b^4 - 2*B*b^6)*c)*\cos(x) \\
& )^2 - 3*(B*a^3*b^3 + C*a^3*b^2*c + B*a*b*c^4 + C*a*c^5 + (C*a^3 + C*a*b^2)* \\
& c^3 + (B*a^3*b + B*a*b^3)*c^2 + (B*a*b^5 + C*a*b^4*c - B*a*b*c^4 - C*a*c^5) \\
& *\cos(x)^2 + 2*(B*a^2*b^4 + C*a^2*b^3*c + B*a^2*b^2*c^2 + C*a^2*b*c^3)*\cos(x) \\
& ) + 2*(B*a^2*b^3*c + C*a^2*b^2*c^2 + B*a^2*b*c^3 + C*a^2*c^4 + (B*a*b^4*c + \\
& C*a*b^3*c^2 + B*a*b^2*c^3 + C*a*b*c^4)*\cos(x))*\sin(x))*\sqrt{a^2 - b^2 - c^2} \\
& )*\arctan(-(a*b*\cos(x) + a*c*\sin(x) + b^2 + c^2)*\sqrt{a^2 - b^2 - c^2})/((c^3 \\
& - (a^2 - b^2)*c)*\cos(x) + (a^2*b - b^3 - b*c^2)*\sin(x))) - (B*a^6 - 4*B*a \\
& ^4*b^2 + 2*B*a^2*b^4 + B*b^6)*c + (B*a*b*c^5 + C*a*c^6 + (C*a^3 + 2*C*a*b^2) \\
& )*c^4 + (B*a^3*b + 2*B*a*b^3)*c^3 - (2*C*a^5 - C*a^3*b^2 - C*a*b^4)*c^2 - ( \\
& 2*B*a^5*b - B*a^3*b^3 - B*a*b^5)*c)*\cos(x) + (2*B*a^5*b^2 - B*a^3*b^4 - B*a \\
& *b^6 - B*a*b^2*c^4 - C*a*b*c^5 - (C*a^3*b + 2*C*a*b^3)*c^3 - (B*a^3*b^2 + 2 \\
& *B*a*b^4)*c^2 + (2*C*a^5*b - C*a^3*b^3 - C*a*b^5)*c + (B*a^4*b^3 + B*a^2*b^5 \\
& - 2*B*b^7 + 2*B*b*c^6 + 2*C*c^7 - (C*a^2 - 2*C*b^2)*c^5 - (B*a^2*b - 2*B* \\
& b^3)*c^4 - (C*a^4 + 2*C*b^4)*c^3 - (B*a^4*b + 2*B*b^5)*c^2 + (C*a^4*b^2 + C \\
& *a^2*b^4 - 2*C*b^6)*c)*\cos(x))*\sin(x))/(a^8*b^2 - 3*a^6*b^4 + 3*a^4*b^6 - a \\
& ^2*b^8 - c^10 + 2*(a^2 - 2*b^2)*c^8 + (5*a^2*b^2 - 6*b^4)*c^6 - (2*a^6 - 3* \\
& a^4*b^2 - 3*a^2*b^4 + 4*b^6)*c^4 + (a^8 - 5*a^6*b^2 + 6*a^4*b^4 - a^2*b^6 - \\
& b^8)*c^2 + (a^6*b^4 - 3*a^4*b^6 + 3*a^2*b^8 - b^10 + c^10 - 3*(a^2 - b^2)* \\
& c^8 + (3*a^4 - 6*a^2*b^2 + 2*b^4)*c^6 - (a^6 - 3*a^4*b^2 + 2*b^6)*c^4 - 3*( \\
& a^4*b^4 - 2*a^2*b^6 + b^8)*c^2)*\cos(x)^2 + 2*(a^7*b^3 - 3*a^5*b^5 + 3*a^3*b \\
& ^7 - a*b^9 - a*b*c^8 + (3*a^3*b - 4*a*b^3)*c^6 - 3*(a^5*b - 3*a^3*b^3 + 2*a \\
& *b^5)*c^4 + (a^7*b - 6*a^5*b^3 + 9*a^3*b^5 - 4*a*b^7)*c^2)*\cos(x) - 2*(a*c^9 \\
& - (3*a^3 - 4*a*b^2)*c^7 + 3*(a^5 - 3*a^3*b^2 + 2*a*b^4)*c^5 - (a^7 - 6*a^5 \\
& *b^2 + 9*a^3*b^4 - 4*a*b^6)*c^3 - (a^7*b^2 - 3*a^5*b^4 + 3*a^3*b^6 - a*b^8) \\
& )*c + (b*c^9 - (3*a^2*b - 4*b^3)*c^7 + 3*(a^4*b - 3*a^2*b^3 + 2*b^5)*c^5 -
\end{aligned}$$

$$(a^6*b - 6*a^4*b^3 + 9*a^2*b^5 - 4*b^7)*c^3 - (a^6*b^3 - 3*a^4*b^5 + 3*a^2*b^7 - b^9)*c*\cos(x))*\sin(x))]$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B\*cos(x)+C\*sin(x))/(a+b\*cos(x)+c\*sin(x))\*\*3,x)

[Out] Timed out

**Giac [B]** time = 1.32147, size = 1396, normalized size = 7.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B\*cos(x)+C\*sin(x))/(a+b\*cos(x)+c\*sin(x))^3,x, algorithm="giac")

[Out] 
$$3*(B*a*b + C*a*c)*(pi*\text{floor}(1/2*x/pi + 1/2)*\text{sgn}(-2*a + 2*b) + \arctan(-(a*\tan(1/2*x) - b*\tan(1/2*x) + c)/\sqrt{a^2 - b^2 - c^2}))/((a^4 - 2*a^2*b^2 + b^4 - 2*a^2*c^2 + 2*b^2*c^2 + c^4)*\sqrt{a^2 - b^2 - c^2}) + (2*B*a^5*\tan(1/2*x)^3 - 5*B*a^4*b*\tan(1/2*x)^3 + 5*B*a^3*b^2*\tan(1/2*x)^3 - 5*B*a^2*b^3*\tan(1/2*x)^3 + 5*B*a*b^4*\tan(1/2*x)^3 - 2*B*b^5*\tan(1/2*x)^3 - 3*C*a^4*c*\tan(1/2*x)^3 + 9*C*a^3*b*c*\tan(1/2*x)^3 - 9*C*a^2*b^2*c*\tan(1/2*x)^3 + 3*C*a*b^3*c*\tan(1/2*x)^3 - 4*B*a^3*c^2*\tan(1/2*x)^3 + 4*B*a^2*b*c^2*\tan(1/2*x)^3 + 4*B*a*b^2*c^2*\tan(1/2*x)^3 - 4*B*b^3*c^2*\tan(1/2*x)^3 + 2*B*a*c^4*\tan(1/2*x)^3 - 2*B*b*c^4*\tan(1/2*x)^3 - 2*C*a^5*\tan(1/2*x)^2 + 2*C*a^4*b*\tan(1/2*x)^2 + 4*C*a^3*b^2*\tan(1/2*x)^2 - 4*C*a^2*b^3*\tan(1/2*x)^2 - 2*C*a*b^4*\tan(1/2*x)^2 + 2*C*b^5*\tan(1/2*x)^2 + 2*B*a^4*c*\tan(1/2*x)^2 - 9*B*a^3*b*c*\tan(1/2*x)^2 + 14*B*a^2*b^2*c*\tan(1/2*x)^2 - 9*B*a*b^3*c*\tan(1/2*x)^2 + 2*B*b^4*c*\tan(1/2*x)^2 - 5*C*a^3*c^2*\tan(1/2*x)^2 + 14*C*a^2*b*c^2*\tan(1/2*x)^2 - 13*C*a*b^2*c^2*\tan(1/2*x)^2 + 4*C*b^3*c^2*\tan(1/2*x)^2 - 4*B*a^2*c^3*\tan(1/2*x)^2 + 4*B*b^2*c^3*\tan(1/2*x)^2 - 2*C*a*c^4*\tan(1/2*x)^2 + 2*C*b*c^4*\tan(1/2*x)^2 + 2*B*a^5*\tan(1/2*x) - 3*B*a^4*b*\tan(1/2*x) + B*a^3*b^2*\tan(1/2*x) + B*a^2*b^3*\tan(1/2*x) - 3*B*a*b^4*\tan(1/2*x) + 2*B*b^5*\tan(1/2*x) - 5*C*a^4*c*\tan(1/2*x) + 5*C*a^3*b*c*\tan(1/2*x) + 5*C*a^2*b^2*c*\tan(1/2*x) - 5*C*a*b^3*c*\tan(1/2*x) - 4*B*a^3*c^2*\tan(1/2*x) - 8*B*a^2*b*c^2*\tan(1/2*x) + 8*B*a*b^2*c^2*\tan(1/2*x) + 4*B*b^3*c^2*\tan(1/2*x) - 4*C*a^2*c^3*\tan(1/2*x) + 4*C*a*b*c^3*\tan(1/2*x) + 2*B*a*c^4*\tan(1/2*x) + 2*B*b*c^4*\tan(1/2*x) - 2*C*a^5 + 4*C*a^3*b^2 - 2*C*a*b^4 - 5*B*a^3*b*c + 5*B*a*b^3*c - C*a^3*c^2 + C*a*b^2*c^2 + 2*B*a*b*c^3)/((a^6 - 2*a^5*b - a^4*b^2 + 4*a^3*b^3 - a^2*b^4 - 2*a*b^5 + b^6 - 2*a^4*c^2 + 4*a^3*b*c^2 - 4*a*b^3*c^2 + 2*b^4*c^2 + a^2*c^4 - 2*a*b*c^4 + b^2*c^4)*(a*\tan(1/2*x)^2 - b*\tan(1/2*x)^2 + 2*c*\tan(1/2*x) + a + b)^2)$$

$$3.548 \quad \int \frac{B \cos(x) + C \sin(x)}{a + b \cos(x) + ib \sin(x)} dx$$

**Optimal.** Leaf size=92

$$\frac{(a^2(C + iB) + ib^2(B + iC)) \log(a + ib \sin(x) + b \cos(x))}{2a^2b} - \frac{bx(B + iC)}{2a^2} + \frac{(-C + iB)(\cos(x) - i \sin(x))}{2a}$$

[Out]  $-(b*(B + I*C)*x)/(2*a^2) - ((I*b^2*(B + I*C) + a^2*(I*B + C))*\text{Log}[a + b*\text{Cos}[x] + I*b*\text{Sin}[x]])/(2*a^2*b) + ((I*B - C)*(Cos[x] - I*\text{Sin}[x]))/(2*a)$

**Rubi [A]** time = 0.0775119, antiderivative size = 87, normalized size of antiderivative = 0.95, number of steps used = 1, number of rules used = 1, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.04$ , Rules used = {3130}

$$\frac{\left(\frac{ib^2(B+iC)}{a^2} + iB + C\right) \log(a + ib \sin(x) + b \cos(x))}{2b} - \frac{bx(B + iC)}{2a^2} + \frac{(-C + iB)(\cos(x) - i \sin(x))}{2a}$$

Antiderivative was successfully verified.

[In] Int[(B\*Cos[x] + C\*Sin[x])/(a + b\*Cos[x] + I\*b\*Sin[x]),x]

[Out]  $-(b*(B + I*C)*x)/(2*a^2) - ((I*B + (I*b^2*(B + I*C))/a^2 + C)*\text{Log}[a + b*\text{Cos}[x] + I*b*\text{Sin}[x]])/(2*b) + ((I*B - C)*(Cos[x] - I*\text{Sin}[x]))/(2*a)$

**Rule 3130**

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]) / (cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]), x\_ Symbol] :> Simp[((2\*a\*A - b\*B - c\*C)\*x)/(2\*a^2), x] + (-Simp[((b\*B + c\*C)\*(b\*Cos[d + e\*x] - c\*Sin[d + e\*x]))/(2\*a\*b\*c\*e), x] + Simp[((a^2\*(b\*B - c\*C) - 2\*a\*A\*b^2 + b^2\*(b\*B + c\*C))\*Log[RemoveContent[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x], x]])/(2\*a^2\*b\*c\*e), x]) /; FreeQ[{a, b, c, d, e, A, B, C}, x] && EqQ[b^2 + c^2, 0]

**Rubi steps**

$$\int \frac{B \cos(x) + C \sin(x)}{a + b \cos(x) + ib \sin(x)} dx = -\frac{b(B + iC)x}{2a^2} - \frac{\left(iB + \frac{ib^2(B+iC)}{a^2} + C\right) \log(a + b \cos(x) + ib \sin(x))}{2b} + \frac{(iB - C)(\cos(x) - i \sin(x))}{2a}$$

**Mathematica [B]** time = 0.296928, size = 195, normalized size = 2.12

$$\frac{x(a^2B - ia^2C - b^2B - ib^2C)}{4a^2b} - \frac{i(a^2B - ia^2C + b^2B + ib^2C) \log(a^2 + 2ab \cos(x) + b^2)}{4a^2b} - \frac{(a^2B - ia^2C + b^2B + ib^2C) \tan^{-1}\left(\frac{(a+b)\cos(x/2)}{-(a)\sin(x/2) + b\sin(x/2)}\right)}{2a^2b} + \frac{(I/2)*(B + I*C)*\text{Cos}[x]}{a} - \frac{(I/4)*(a^2*B + b^2*B - I*a^2*C + I*b^2*C)}{2a}$$

Antiderivative was successfully verified.

[In] Integrate[(B\*Cos[x] + C\*Sin[x])/(a + b\*Cos[x] + I\*b\*Sin[x]),x]

[Out]  $((a^2*B - b^2*B - I*a^2*C - I*b^2*C)*x)/(4*a^2*b) - ((a^2*B + b^2*B - I*a^2*C + I*b^2*C)*\text{ArcTan}[\frac{(a + b)*\text{Cos}[x/2]}{-(a)*\text{Sin}[x/2] + b*\text{Sin}[x/2}}])/(2*a^2*b) + ((I/2)*(B + I*C)*\text{Cos}[x])/a - ((I/4)*(a^2*B + b^2*B - I*a^2*C + I*b^2*C))/2a$

$$2*C)*\text{Log}[a^2 + b^2 + 2*a*b*\text{Cos}[x]]/(a^2*b) + ((B + I*C)*\text{Sin}[x])/(2*a)$$

**Maple [B]** time = 0.079, size = 212, normalized size = 2.3

$$-\frac{C}{2b} \ln\left(ia + ib + a \tan\left(\frac{x}{2}\right) - b \tan\left(\frac{x}{2}\right)\right) + \frac{bC}{2a^2} \ln\left(ia + ib + a \tan\left(\frac{x}{2}\right) - b \tan\left(\frac{x}{2}\right)\right) - \frac{iB}{b} \ln\left(ia + ib + a \tan\left(\frac{x}{2}\right) - b \tan\left(\frac{x}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B\*cos(x)+C\*sin(x))/(a+b\*cos(x)+I\*b\*sin(x)),x)

[Out] -1/2/b\*ln(I\*a+I\*b+a\*tan(1/2\*x)-b\*tan(1/2\*x))\*C+1/2/a^2\*b\*ln(I\*a+I\*b+a\*tan(1/2\*x)-b\*tan(1/2\*x))\*C-1/2\*I/b\*ln(I\*a+I\*b+a\*tan(1/2\*x)-b\*tan(1/2\*x))\*B-1/2\*I/a^2\*b\*ln(I\*a+I\*b+a\*tan(1/2\*x)-b\*tan(1/2\*x))\*B+1/2\*C/b\*ln(tan(1/2\*x)+I)+1/2\*I\*B/b\*ln(tan(1/2\*x)+I)+I\*C/a/(tan(1/2\*x)-I)+B/a/(tan(1/2\*x)-I)+1/2\*I/a^2\*ln(tan(1/2\*x)-I)\*b\*B-1/2/a^2\*ln(tan(1/2\*x)-I)\*b\*C

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B\*cos(x)+C\*sin(x))/(a+b\*cos(x)+I\*b\*sin(x)),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

**Fricas [A]** time = 2.08525, size = 178, normalized size = 1.93

$$\frac{\left((B + iC)b^2xe^{ix} - (iB - C)ab - \left((-iB - C)a^2 + (-iB + C)b^2\right)e^{ix} \log\left(\frac{be^{ix} + a}{b}\right)\right)e^{-ix}}{2a^2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B\*cos(x)+C\*sin(x))/(a+b\*cos(x)+I\*b\*sin(x)),x, algorithm="fricas")

[Out] -1/2\*((B + I\*C)\*b^2\*x\*e^(I\*x) - (I\*B - C)\*a\*b - ((-I\*B - C)\*a^2 + (-I\*B + C)\*b^2)\*e^(I\*x)\*log((b\*e^(I\*x) + a)/b))\*e^(-I\*x)/(a^2\*b)

**Sympy [A]** time = 1.93881, size = 75, normalized size = 0.82

$$\frac{iBae^{-ix} - Bbx - Ca e^{-ix} - iCb x}{2a^2} + \frac{(-iBa^2 - iBb^2 - Ca^2 + Cb^2) \log\left(\frac{a}{b} + e^{ix}\right)}{2a^2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B\*cos(x)+C\*sin(x))/(a+b\*cos(x)+I\*b\*sin(x)),x)

[Out]  $(I*B*a*\exp(-I*x) - B*b*x - C*a*\exp(-I*x) - I*C*b*x)/(2*a**2) + (-I*B*a**2 - I*B*b**2 - C*a**2 + C*b**2)*\log(a/b + \exp(I*x))/(2*a**2*b)$

**Giac [B]** time = 1.16486, size = 238, normalized size = 2.59

$$\frac{2(Ba^3 - iCa^3 - Ba^2b + iCa^2b + Bab^2 + iCab^2 - Bb^3 - iCb^3) \log\left(-a \tan\left(\frac{1}{2}x\right) + b \tan\left(\frac{1}{2}x\right) - ia - ib\right) (-iB - C)}{-4i a^3 b + 4i a^2 b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((B*cos(x)+C*sin(x))/(a+b*cos(x)+I*b*sin(x)),x, algorithm="giac")`

[Out]  $-2*(B*a^3 - I*C*a^3 - B*a^2*b + I*C*a^2*b + B*a*b^2 + I*C*a*b^2 - B*b^3 - I*C*b^3)*\log(-a*\tan(1/2*x) + b*\tan(1/2*x) - I*a - I*b)/(-4*I*a^3*b + 4*I*a^2*b^2) - 1/2*(-I*B - C)*\log(\tan(1/2*x) + I)/b - 1/2*(-I*B*b + C*b)*\log(\tan(1/2*x) - I)/a^2 - 1/2*(I*B*b*\tan(1/2*x) - C*b*\tan(1/2*x) - 2*B*a - 2*I*C*a + B*b + I*C*b)/(a^2*(\tan(1/2*x) - I))$



$$3.549 \quad \int \frac{B \cos(x) + C \sin(x)}{a + b \cos(x) - ib \sin(x)} dx$$

**Optimal.** Leaf size=90

$$\frac{(ia^2(B + iC) + b^2(C + iB)) \log(a - ib \sin(x) + b \cos(x))}{2a^2b} - \frac{bx(B - iC)}{2a^2} - \frac{(C + iB)(\cos(x) + i \sin(x))}{2a}$$

[Out]  $-(b*(B - I*C)*x)/(2*a^2) + ((I*a^2*(B + I*C) + b^2*(I*B + C))*\text{Log}[a + b*\text{Cos}[x] - I*b*\text{Sin}[x]])/(2*a^2*b) - ((I*B + C)*(Cos[x] + I*Sin[x]))/(2*a)$

**Rubi [A]** time = 0.07837, antiderivative size = 85, normalized size of antiderivative = 0.94, number of steps used = 1, number of rules used = 1, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.04$ , Rules used = {3130}

$$-\frac{bx(B - iC)}{2a^2} + \frac{1}{2} \left( \frac{b(C + iB)}{a^2} + \frac{i(B + iC)}{b} \right) \log(a - ib \sin(x) + b \cos(x)) - \frac{(C + iB)(\cos(x) + i \sin(x))}{2a}$$

Antiderivative was successfully verified.

[In] Int[(B\*Cos[x] + C\*Sin[x])/(a + b\*Cos[x] - I\*b\*Sin[x]),x]

[Out]  $-(b*(B - I*C)*x)/(2*a^2) + (((I*(B + I*C))/b + (b*(I*B + C))/a^2)*\text{Log}[a + b*\text{Cos}[x] - I*b*\text{Sin}[x]])/2 - ((I*B + C)*(Cos[x] + I*Sin[x]))/(2*a)$

**Rule 3130**

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]) / (cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]), x\_Symbol] :> Simp[((2\*a\*A - b\*B - c\*C)\*x)/(2\*a^2), x] + (-Simp[((b\*B + c\*C)\*(b\*Cos[d + e\*x] - c\*Sin[d + e\*x]))/(2\*a\*b\*c\*e), x] + Simp[((a^2\*(b\*B - c\*C) - 2\*a\*A\*b^2 + b^2\*(b\*B + c\*C))\*Log[RemoveContent[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x], x]])/(2\*a^2\*b\*c\*e), x]) /; FreeQ[{a, b, c, d, e, A, B, C}, x] && EqQ[b^2 + c^2, 0]

**Rubi steps**

$$\int \frac{B \cos(x) + C \sin(x)}{a + b \cos(x) - ib \sin(x)} dx = -\frac{b(B - iC)x}{2a^2} + \frac{1}{2} \left( \frac{i(B + iC)}{b} + \frac{b(iB + C)}{a^2} \right) \log(a + b \cos(x) - ib \sin(x)) - \frac{(iB + C)(\cos(x) + i \sin(x))}{2a}$$

**Mathematica [B]** time = 0.276705, size = 195, normalized size = 2.17

$$\frac{x(a^2B + ia^2C - b^2B + ib^2C)}{4a^2b} + \frac{i(a^2B + ia^2C + b^2B - ib^2C) \log(a^2 + 2ab \cos(x) + b^2)}{4a^2b} + \frac{(a^2B + ia^2C + b^2B - ib^2C)(\cos(x) + i \sin(x))}{2a^2b}$$

Antiderivative was successfully verified.

[In] Integrate[(B\*Cos[x] + C\*Sin[x])/(a + b\*Cos[x] - I\*b\*Sin[x]),x]

[Out]  $((a^2*B - b^2*B + I*a^2*C + I*b^2*C)*x)/(4*a^2*b) + ((a^2*B + b^2*B + I*a^2*C - I*b^2*C)*\text{ArcTan}[(a + b)*\text{Cos}[x/2]/(a*\text{Sin}[x/2] - b*\text{Sin}[x/2])])/(2*a^2*b) - ((I/2)*(B - I*C)*\text{Cos}[x])/a + ((I/4)*(a^2*B + b^2*B + I*a^2*C - I*b^2*C)*\text{Cos}[x])/a$

) \* Log[a^2 + b^2 + 2\*a\*b\*cos[x]] / (a^2\*b) + ((B - I\*C)\*sin[x]) / (2\*a)

**Maple [B]** time = 0.085, size = 388, normalized size = 4.3

$$\frac{-iC}{a} \left( \tan\left(\frac{x}{2}\right) + i \right)^{-1} + \frac{B}{a} \left( \tan\left(\frac{x}{2}\right) + i \right)^{-1} - \frac{\frac{i}{2}bB}{a^2} \ln\left(\tan\left(\frac{x}{2}\right) + i\right) - \frac{bC}{2a^2} \ln\left(\tan\left(\frac{x}{2}\right) + i\right) + \frac{Ca}{2b(-a+b)} \ln\left(ia + ib - a \tan\left(\frac{x}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B\*cos(x)+C\*sin(x))/(a+b\*cos(x)-I\*b\*sin(x)),x)

[Out] -I\*C/a/(tan(1/2\*x)+I)+B/a/(tan(1/2\*x)+I)-1/2\*I/a^2\*ln(tan(1/2\*x)+I)\*b\*B-1/2/a^2\*ln(tan(1/2\*x)+I)\*b\*C+1/2\*a/b/(-a+b)\*ln(I\*a+I\*b-a\*tan(1/2\*x)+b\*tan(1/2\*x))\*C-1/2/(-a+b)\*ln(I\*a+I\*b-a\*tan(1/2\*x)+b\*tan(1/2\*x))\*C-1/2/a\*b/(-a+b)\*ln(I\*a+I\*b-a\*tan(1/2\*x)+b\*tan(1/2\*x))\*C+1/2/a^2\*b^2/(-a+b)\*ln(I\*a+I\*b-a\*tan(1/2\*x)+b\*tan(1/2\*x))\*C-1/2\*I\*a/b/(-a+b)\*ln(I\*a+I\*b-a\*tan(1/2\*x)+b\*tan(1/2\*x))\*B+1/2\*I/(-a+b)\*ln(I\*a+I\*b-a\*tan(1/2\*x)+b\*tan(1/2\*x))\*B-1/2\*I/a\*b/(-a+b)\*ln(I\*a+I\*b-a\*tan(1/2\*x)+b\*tan(1/2\*x))\*B+1/2\*I/a^2\*b^2/(-a+b)\*ln(I\*a+I\*b-a\*tan(1/2\*x)+b\*tan(1/2\*x))\*B+1/2\*C/b\*ln(tan(1/2\*x)-I)-1/2\*I\*B/b\*ln(tan(1/2\*x)-I)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B\*cos(x)+C\*sin(x))/(a+b\*cos(x)-I\*b\*sin(x)),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

**Fricas [A]** time = 2.05515, size = 153, normalized size = 1.7

$$\frac{(B + iC)a^2x + (-iB - C)abe^{ix} + ((iB - C)a^2 + (iB + C)b^2) \log\left(\frac{ae^{ix} + b}{a}\right)}{2a^2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B\*cos(x)+C\*sin(x))/(a+b\*cos(x)-I\*b\*sin(x)),x, algorithm="fricas")

[Out] 1/2\*((B + I\*C)\*a^2\*x + (-I\*B - C)\*a\*b\*e^(I\*x) + ((I\*B - C)\*a^2 + (I\*B + C)\*b^2)\*log((a\*e^(I\*x) + b)/a))/(a^2\*b)

**Sympy [A]** time = 1.06271, size = 75, normalized size = 0.83

$$\frac{Bax - iBbe^{ix} + iCax - Cbe^{ix}}{2ab} + \frac{(iBa^2 + iBb^2 - Ca^2 + Cb^2) \log\left(e^{ix} + \frac{b}{a}\right)}{2a^2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B\*cos(x)+C\*sin(x))/(a+b\*cos(x)-I\*b\*sin(x)),x)

[Out] (B\*a\*x - I\*B\*b\*exp(I\*x) + I\*C\*a\*x - C\*b\*exp(I\*x))/(2\*a\*b) + (I\*B\*a\*\*2 + I\*B\*b\*\*2 - C\*a\*\*2 + C\*b\*\*2)\*log(exp(I\*x) + b/a)/(2\*a\*\*2\*b)

---

**Giac [B]** time = 1.16851, size = 238, normalized size = 2.64

$$\frac{2(Ba^3 + iCa^3 - Ba^2b - iCa^2b + Bab^2 - iCab^2 - Bb^3 + iCb^3) \log\left(-a \tan\left(\frac{1}{2}x\right) + b \tan\left(\frac{1}{2}x\right) + ia + ib\right)}{4i a^3 b - 4i a^2 b^2} \quad (iB - C)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B\*cos(x)+C\*sin(x))/(a+b\*cos(x)-I\*b\*sin(x)),x, algorithm="giac")

[Out] -2\*(B\*a^3 + I\*C\*a^3 - B\*a^2\*b - I\*C\*a^2\*b + B\*a\*b^2 - I\*C\*a\*b^2 - B\*b^3 + I\*C\*b^3)\*log(-a\*tan(1/2\*x) + b\*tan(1/2\*x) + I\*a + I\*b)/(4\*I\*a^3\*b - 4\*I\*a^2\*b^2) - 1/2\*(I\*B - C)\*log(tan(1/2\*x) - I)/b - 1/2\*(I\*B\*b + C\*b)\*log(tan(1/2\*x) + I)/a^2 - 1/2\*(-I\*B\*b\*tan(1/2\*x) - C\*b\*tan(1/2\*x) - 2\*B\*a + 2\*I\*C\*a + B\*b - I\*C\*b)/(a^2\*(tan(1/2\*x) + I))

$$3.550 \quad \int \frac{A+B \cos(x)+C \sin(x)}{a+b \cos(x)+c \sin(x)} dx$$

**Optimal.** Leaf size=131

$$\frac{2 \tan^{-1}\left(\frac{(a-b) \tan\left(\frac{x}{2}\right)+c}{\sqrt{a^2-b^2-c^2}}\right)\left(A\left(b^2+c^2\right)-a(bB+cC)\right)}{\left(b^2+c^2\right) \sqrt{a^2-b^2-c^2}} + \frac{(Bc-bC) \log(a+b \cos(x)+c \sin(x))}{b^2+c^2} + \frac{x(bB+cC)}{b^2+c^2}$$

[Out]  $((b*B + c*C)*x)/(b^2 + c^2) + (2*(A*(b^2 + c^2) - a*(b*B + c*C))*ArcTan[(c + (a - b)*Tan[x/2])/Sqrt[a^2 - b^2 - c^2]])/(Sqrt[a^2 - b^2 - c^2]*(b^2 + c^2)) + ((B*c - b*C)*Log[a + b*Cos[x] + c*Sin[x]])/(b^2 + c^2)$

**Rubi [A]** time = 0.126317, antiderivative size = 131, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3136, 3124, 618, 204}

$$\frac{2 \tan^{-1}\left(\frac{(a-b) \tan\left(\frac{x}{2}\right)+c}{\sqrt{a^2-b^2-c^2}}\right)\left(A\left(b^2+c^2\right)-a(bB+cC)\right)}{\left(b^2+c^2\right) \sqrt{a^2-b^2-c^2}} + \frac{(Bc-bC) \log(a+b \cos(x)+c \sin(x))}{b^2+c^2} + \frac{x(bB+cC)}{b^2+c^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[x] + C\*Sin[x])/(a + b\*Cos[x] + c\*Sin[x]),x]

[Out]  $((b*B + c*C)*x)/(b^2 + c^2) + (2*(A*(b^2 + c^2) - a*(b*B + c*C))*ArcTan[(c + (a - b)*Tan[x/2])/Sqrt[a^2 - b^2 - c^2]])/(Sqrt[a^2 - b^2 - c^2]*(b^2 + c^2)) + ((B*c - b*C)*Log[a + b*Cos[x] + c*Sin[x]])/(b^2 + c^2)$

### Rule 3136

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]) / ((a\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]), x\_Symbol] :> Simp[((b\*B + c\*C)\*x)/(b^2 + c^2), x] + (Dist[(A\*(b^2 + c^2) - a\*(b\*B + c\*C))/(b^2 + c^2), Int[1/(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]), x], x] + Simp[((c\*B - b\*C)\*Log[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]])/(e\*(b^2 + c^2)), x]) /; FreeQ[{a, b, c, d, e, A, B, C}, x] && NeQ[b^2 + c^2, 0] && NeQ[A\*(b^2 + c^2) - a\*(b\*B + c\*C), 0]

### Rule 3124

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(-1), x\_Symbol] :> Module[{f = FreeFactors[Tan[(d + e\*x)/2], x]}, Dist[(2\*f)/e, Subst[Int[1/(a + b + 2\*c\*f\*x + (a - b)\*f^2\*x^2), x], x, Tan[(d + e\*x)/2]/f], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]

### Rule 618

Int[((a\_.) + (b\_.)\*(x\_.) + (c\_.)\*(x\_.)^2)^(-1), x\_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 204

Int[((a\_.) + (b\_.)\*(x\_.)^2)^(-1), x\_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

### Rubi steps

$$\begin{aligned}
 \int \frac{A + B \cos(x) + C \sin(x)}{a + b \cos(x) + c \sin(x)} dx &= \frac{(bB + cC)x}{b^2 + c^2} + \frac{(Bc - bC) \log(a + b \cos(x) + c \sin(x))}{b^2 + c^2} + \left(A - \frac{a(bB + cC)}{b^2 + c^2}\right) \int \frac{1}{a + b \cos(x) + c \sin(x)} dx \\
 &= \frac{(bB + cC)x}{b^2 + c^2} + \frac{(Bc - bC) \log(a + b \cos(x) + c \sin(x))}{b^2 + c^2} + \left(2 \left(A - \frac{a(bB + cC)}{b^2 + c^2}\right)\right) \text{Subst} \\
 &= \frac{(bB + cC)x}{b^2 + c^2} + \frac{(Bc - bC) \log(a + b \cos(x) + c \sin(x))}{b^2 + c^2} - \left(4 \left(A - \frac{a(bB + cC)}{b^2 + c^2}\right)\right) \text{Subst} \\
 &= \frac{(bB + cC)x}{b^2 + c^2} + \frac{2 \left(A - \frac{a(bB + cC)}{b^2 + c^2}\right) \tan^{-1} \left(\frac{c + (a-b) \tan\left(\frac{x}{2}\right)}{\sqrt{a^2 - b^2 - c^2}}\right)}{\sqrt{a^2 - b^2 - c^2}} + \frac{(Bc - bC) \log(a + b \cos(x) + c \sin(x))}{b^2 + c^2}
 \end{aligned}$$

**Mathematica [A]** time = 0.333339, size = 110, normalized size = 0.84

$$\frac{2(a(bB+cC)-A(b^2+c^2)) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{x}{2}\right)+c}{\sqrt{-a^2+b^2+c^2}}\right)}{\sqrt{-a^2+b^2+c^2}} + \frac{(Bc - bC) \log(a + b \cos(x) + c \sin(x)) + x(bB + cC)}{b^2 + c^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[x] + C\*Sin[x])/(a + b\*Cos[x] + c\*Sin[x]),x]

[Out] ((b\*B + c\*C)\*x + (2\*(-(A\*(b^2 + c^2)) + a\*(b\*B + c\*C))\*ArcTanh[(c + (a - b)\*Tan[x/2])/Sqrt[-a^2 + b^2 + c^2]])/Sqrt[-a^2 + b^2 + c^2] + (B\*c - b\*C)\*Log[a + b\*Cos[x] + c\*Sin[x]]/(b^2 + c^2)

**Maple [B]** time = 0.056, size = 954, normalized size = 7.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(x)+C\*sin(x))/(a+b\*cos(x)+c\*sin(x)),x)

[Out] 1/(b^2+c^2)/(a-b)\*ln(a\*tan(1/2\*x)^2-b\*tan(1/2\*x)^2+2\*c\*tan(1/2\*x)+a+b)\*a\*B\*c-1/(b^2+c^2)/(a-b)\*ln(a\*tan(1/2\*x)^2-b\*tan(1/2\*x)^2+2\*c\*tan(1/2\*x)+a+b)\*b\*B\*c-1/(b^2+c^2)/(a-b)\*ln(a\*tan(1/2\*x)^2-b\*tan(1/2\*x)^2+2\*c\*tan(1/2\*x)+a+b)\*a\*b\*C+1/(b^2+c^2)/(a-b)\*ln(a\*tan(1/2\*x)^2-b\*tan(1/2\*x)^2+2\*c\*tan(1/2\*x)+a+b)\*b^2\*C+2/(b^2+c^2)/(a^2-b^2-c^2)^(1/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*A\*b^2+2/(b^2+c^2)/(a^2-b^2-c^2)^(1/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*A\*c^2-2/(b^2+c^2)/(a^2-b^2-c^2)^(1/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*a\*b\*B+2/(b^2+c^2)/(a^2-b^2-c^2)^(1/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*B\*c^2-2/(b^2+c^2)/(a^2-b^2-c^2)^(1/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*a\*c\*C-2/(b^2+c^2)/(a^2-b^2-c^2)^(1/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*C\*b\*c-2/(b^2+c^2)/(a^2-b^2-c^2)^(1/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*c^2/(a-b)\*a\*B+2/(b^2+c^2)/(a^2-b^2-c^2)^(1/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*c^2/(a-b)\*b\*B+2/(b^2+c^2)/(a^2-b^2-c^2)^(1/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*c^2/(a-b)\*c^2/(a-b)

$$2*(2*(a-b)*\tan(1/2*x)+2*c)/(a^2-b^2-c^2)^{(1/2)}*c/(a-b)*a*b*C-2/(b^2+c^2)/(a^2-b^2-c^2)^{(1/2)}*\arctan(1/2*(2*(a-b)*\tan(1/2*x)+2*c)/(a^2-b^2-c^2)^{(1/2)})*c/(a-b)*b^2*C-B/(b^2+c^2)*c*\ln(1+\tan(1/2*x)^2)+C/(b^2+c^2)*b*\ln(1+\tan(1/2*x)^2)+2*B/(b^2+c^2)*b*\arctan(\tan(1/2*x))+2*C/(b^2+c^2)*c*\arctan(\tan(1/2*x))$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(x)+C*sin(x))/(a+b*cos(x)+c*sin(x)),x, algorithm="maxima")
```

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.98718, size = 1550, normalized size = 11.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(x)+C*sin(x))/(a+b*cos(x)+c*sin(x)),x, algorithm="fricas")
```

```
[Out] [-1/2*((B*a*b - A*b^2 + C*a*c - A*c^2)*sqrt(-a^2 + b^2 + c^2)*log((a^2*b^2 - 2*b^4 - c^4 - (a^2 + 3*b^2)*c^2 - (2*a^2*b^2 - b^4 - 2*a^2*c^2 + c^4)*cos(x)^2 - 2*(a*b^3 + a*b*c^2)*cos(x) - 2*(a*b^2*c + a*c^3 - (b*c^3 - (2*a^2*b - b^3)*c)*cos(x))*sin(x) - 2*(2*a*b*c*cos(x)^2 - a*b*c + (b^2*c + c^3)*cos(x) - (b^3 + b*c^2 + (a*b^2 - a*c^2)*cos(x))*sin(x))*sqrt(-a^2 + b^2 + c^2))/(2*a*b*cos(x) + (b^2 - c^2)*cos(x)^2 + a^2 + c^2 + 2*(b*c*cos(x) + a*c)*sin(x)) - 2*(B*a^2*b - B*b^3 - B*b*c^2 - C*c^3 + (C*a^2 - C*b^2)*c)*x + (C*a^2*b - C*b^3 - C*b*c^2 + B*c^3 - (B*a^2 - B*b^2)*c)*log(2*a*b*cos(x) + (b^2 - c^2)*cos(x)^2 + a^2 + c^2 + 2*(b*c*cos(x) + a*c)*sin(x)))/(a^2*b^2 - b^4 - c^4 + (a^2 - 2*b^2)*c^2), -1/2*(2*(B*a*b - A*b^2 + C*a*c - A*c^2)*sqrt(a^2 - b^2 - c^2)*arctan(-(a*b*cos(x) + a*c*sin(x) + b^2 + c^2)*sqrt(a^2 - b^2 - c^2)/((c^3 - (a^2 - b^2)*c)*cos(x) + (a^2*b - b^3 - b*c^2)*sin(x))) - 2*(B*a^2*b - B*b^3 - B*b*c^2 - C*c^3 + (C*a^2 - C*b^2)*c)*x + (C*a^2*b - C*b^3 - C*b*c^2 + B*c^3 - (B*a^2 - B*b^2)*c)*log(2*a*b*cos(x) + (b^2 - c^2)*cos(x)^2 + a^2 + c^2 + 2*(b*c*cos(x) + a*c)*sin(x)))/(a^2*b^2 - b^4 - c^4 + (a^2 - 2*b^2)*c^2)]
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(x)+C*sin(x))/(a+b*cos(x)+c*sin(x)),x)
```

[Out] Timed out

---

**Giac [A]** time = 1.1498, size = 269, normalized size = 2.05

$$\frac{(Bb + Cc)x}{b^2 + c^2} - \frac{(Cb - Bc) \log\left(-a \tan\left(\frac{1}{2}x\right)^2 + b \tan\left(\frac{1}{2}x\right)^2 - 2c \tan\left(\frac{1}{2}x\right) - a - b\right)}{b^2 + c^2} + \frac{(Cb - Bc) \log\left(\tan\left(\frac{1}{2}x\right)^2 + 1\right)}{b^2 + c^2} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x)+C\*sin(x))/(a+b\*cos(x)+c\*sin(x)),x, algorithm="giac")

[Out] (B\*b + C\*c)\*x/(b^2 + c^2) - (C\*b - B\*c)\*log(-a\*tan(1/2\*x)^2 + b\*tan(1/2\*x)^2 - 2\*c\*tan(1/2\*x) - a - b)/(b^2 + c^2) + (C\*b - B\*c)\*log(tan(1/2\*x)^2 + 1)/(b^2 + c^2) + 2\*(B\*a\*b - A\*b^2 + C\*a\*c - A\*c^2)\*(pi\*floor(1/2\*x/pi + 1/2)\*sgn(-2\*a + 2\*b) + arctan(-(a\*tan(1/2\*x) - b\*tan(1/2\*x) + c)/sqrt(a^2 - b^2 - c^2)))/(sqrt(a^2 - b^2 - c^2)\*(b^2 + c^2))

$$3.551 \quad \int \frac{A+B \cos(x)+C \sin(x)}{(a+b \cos(x)+c \sin(x))^2} dx$$

**Optimal.** Leaf size=127

$$\frac{2 \tan^{-1}\left(\frac{(a-b) \tan\left(\frac{x}{2}\right)+c}{\sqrt{a^2-b^2-c^2}}\right)(aA-bB-cC)}{(a^2-b^2-c^2)^{3/2}} + \frac{-\sin(x)(Ab-aB)+\cos(x)(Ac-aC)-bC+Bc}{(a^2-b^2-c^2)(a+b \cos(x)+c \sin(x))}$$

[Out] (2\*(a\*A - b\*B - c\*C)\*ArcTan[(c + (a - b)\*Tan[x/2])/Sqrt[a^2 - b^2 - c^2]])/(a^2 - b^2 - c^2)^(3/2) + (B\*c - b\*C + (A\*c - a\*C)\*Cos[x] - (A\*b - a\*B)\*Sin[x])/((a^2 - b^2 - c^2)\*(a + b\*Cos[x] + c\*Sin[x]))

**Rubi [A]** time = 0.123414, antiderivative size = 127, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3153, 3124, 618, 204}

$$\frac{2 \tan^{-1}\left(\frac{(a-b) \tan\left(\frac{x}{2}\right)+c}{\sqrt{a^2-b^2-c^2}}\right)(aA-bB-cC)}{(a^2-b^2-c^2)^{3/2}} + \frac{-\sin(x)(Ab-aB)+\cos(x)(Ac-aC)-bC+Bc}{(a^2-b^2-c^2)(a+b \cos(x)+c \sin(x))}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[x] + C\*Sin[x])/(a + b\*Cos[x] + c\*Sin[x])^2,x]

[Out] (2\*(a\*A - b\*B - c\*C)\*ArcTan[(c + (a - b)\*Tan[x/2])/Sqrt[a^2 - b^2 - c^2]])/(a^2 - b^2 - c^2)^(3/2) + (B\*c - b\*C + (A\*c - a\*C)\*Cos[x] - (A\*b - a\*B)\*Sin[x])/((a^2 - b^2 - c^2)\*(a + b\*Cos[x] + c\*Sin[x]))

#### Rule 3153

```
Int[((A_.) + cos[(d_.) + (e_.)*(x_.)]*(B_.) + (C_.)*sin[(d_.) + (e_.)*(x_.)])
/((a_.) + cos[(d_.) + (e_.)*(x_.)]*(b_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^2,
 x_Symbol] :> Simp[(c*B - b*C - (a*C - c*A)*Cos[d + e*x] + (a*B - b*A)*Sin[
d + e*x])/(e*(a^2 - b^2 - c^2)*(a + b*Cos[d + e*x] + c*Sin[d + e*x])), x] +
Dist[(a*A - b*B - c*C)/(a^2 - b^2 - c^2), Int[1/(a + b*Cos[d + e*x] + c*Si
n[d + e*x]), x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && NeQ[a^2 - b^2
- c^2, 0] && NeQ[a*A - b*B - c*C, 0]
```

#### Rule 3124

```
Int[(cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^
(-1), x_Symbol] :> Module[{f = FreeFactors[Tan[(d + e*x)/2], x]}, Dist[(2*f
)/e, Subst[Int[1/(a + b + 2*c*f*x + (a - b)*f^2*x^2), x], x, Tan[(d + e*x)/
2]/f], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]
```

#### Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> Dist[-2, Subst[I
nt[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]
```

#### Rule 204

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
```



a, 0] || LtQ[b, 0])

### Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(x) + C \sin(x)}{(a + b \cos(x) + c \sin(x))^2} dx &= \frac{Bc - bC + (Ac - aC) \cos(x) - (Ab - aB) \sin(x)}{(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))} + \frac{(aA - bB - cC) \int \frac{1}{a + b \cos(x) + c \sin(x)}}{a^2 - b^2 - c^2} \\ &= \frac{Bc - bC + (Ac - aC) \cos(x) - (Ab - aB) \sin(x)}{(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))} + \frac{(2(aA - bB - cC)) \operatorname{Subst}\left(\int \frac{1}{a + b \cos(x) + c \sin(x)}\right)}{a^2 - b^2 - c^2} \\ &= \frac{Bc - bC + (Ac - aC) \cos(x) - (Ab - aB) \sin(x)}{(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))} - \frac{(4(aA - bB - cC)) \operatorname{Subst}\left(\int \frac{1}{-4(a^2 - b^2 - c^2) + (a + b \cos(x) + c \sin(x))^2}\right)}{a^2 - b^2 - c^2} \\ &= \frac{2(aA - bB - cC) \tan^{-1}\left(\frac{c + (a-b)\tan\left(\frac{x}{2}\right)}{\sqrt{a^2 - b^2 - c^2}}\right)}{(a^2 - b^2 - c^2)^{3/2}} + \frac{Bc - bC + (Ac - aC) \cos(x) - (Ab - aB) \sin(x)}{(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))} \end{aligned}$$

**Mathematica [A]** time = 0.436297, size = 137, normalized size = 1.08

$$\frac{a^2(-C) + \sin(x)(A(b^2 + c^2) - a(bB + cC)) + aAc + b(bC - Bc)}{b(-a^2 + b^2 + c^2)(a + b \cos(x) + c \sin(x))} + \frac{2(aA - bB - cC) \tanh^{-1}\left(\frac{(a-b)\tan\left(\frac{x}{2}\right) + c}{\sqrt{-a^2 + b^2 + c^2}}\right)}{(-a^2 + b^2 + c^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[x] + C\*Sin[x])/(a + b\*Cos[x] + c\*Sin[x])^2,x]

[Out] (2\*(a\*A - b\*B - c\*C)\*ArcTanh[(c + (a - b)\*Tan[x/2])/Sqrt[-a^2 + b^2 + c^2]])/(-a^2 + b^2 + c^2)^(3/2) + (a\*A\*c - a^2\*C + b\*(-(B\*c) + b\*C) + (A\*(b^2 + c^2) - a\*(b\*B + c\*C))\*Sin[x])/(b\*(-a^2 + b^2 + c^2)\*(a + b\*Cos[x] + c\*Sin[x]))

**Maple [B]** time = 0.102, size = 329, normalized size = 2.6

$$2 \frac{1}{a(\tan(x/2))^2 - b(\tan(x/2))^2 + 2c \tan(x/2) + a + b} \left( -\frac{(aAb - Ab^2 - Ac^2 - a^2B + abB + Bc^2 + acC - Cbc) \tan(x/2)}{a^3 - a^2b - ab^2 - ac^2 + b^3 + bc^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(x)+C\*sin(x))/(a+b\*cos(x)+c\*sin(x))^2,x)

[Out] 2\*(-(A\*a\*b-A\*b^2-A\*c^2-B\*a^2+B\*a\*b+B\*c^2+C\*a\*c-C\*b\*c)/(a^3-a^2\*b-a\*b^2-a\*c^2+2\*b^3+b\*c^2)\*tan(1/2\*x)+(A\*a\*c-B\*b\*c-C\*a^2+C\*b^2)/(a^3-a^2\*b-a\*b^2-a\*c^2+b^3+b\*c^2))/(a\*tan(1/2\*x)^2-b\*tan(1/2\*x)^2+2\*c\*tan(1/2\*x)+a+b)+2/(a^2-b^2-c^2)^(3/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*a\*A-2/(a^2-b^2-c^2)^(3/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*b\*B-2/(a^2-b^2-c^2)^(3/2)\*arctan(1/2\*(2\*(a-b)\*tan(1/2\*x)+2\*c)/(a^2-b^2-c^2)^(1/2))\*C\*c

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x)+C\*sin(x))/(a+b\*cos(x)+c\*sin(x))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 3.05675, size = 3236, normalized size = 25.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x)+C\*sin(x))/(a+b\*cos(x)+c\*sin(x))^2,x, algorithm="fricas")

[Out] 
$$\left[ \frac{1}{2} \cdot (2C^2a^4b - 4C^2a^2b^3 + 2C^2b^5 + 2C^2bc^4 - 2B^2c^5 + 4(B^2a^2 - B^2b^2)c^3 - 4(C^2a^2b - C^2b^3)c^2 - (A^2a^2b^2 - B^2a^2b^3 - C^2a^2b^2c - C^2ac^3 + (A^2a^2 - B^2a^2b)c^2 + (A^2ab^3 - B^2b^4 - C^2b^3c - C^2bc^3 + (A^2ab - B^2b^2)c^2) \cos(x) - (C^2b^2c^2 + C^2c^4 - (A^2a - B^2b)c^3 - (A^2ab^2 - B^2b^3)c) \sin(x)) \sqrt{-a^2 + b^2 + c^2} \log(-a^2b^2 - 2b^4 - c^4 - (a^2 + 3b^2)c^2 - (2a^2b^2 - b^4 - 2a^2c^2 + c^4) \cos(x)^2 - 2(ab^3 + abc^2) \cos(x) - 2(ab^2c + ac^3 - (b^3c - (2a^2b - b^3)c) \cos(x)) \sin(x) + 2(2ab^2c \cos(x)^2 - abc + (b^2c + c^3) \cos(x) - (b^3 + bc^2 + (ab^2 - ac^2) \cos(x)) \sin(x)) \sqrt{-a^2 + b^2 + c^2}) / (2ab^2 \cos(x) + (b^2 - c^2) \cos(x)^2 + a^2 + c^2 + 2(bc \cos(x) + ac) \sin(x)) - 2(B^2a^4 - 2B^2a^2b^2 + B^2b^4)c + 2(C^2ac^4 - A^2c^5 + (A^2a^2 + B^2a^2b - 2A^2b^2)c^3 - (C^2a^3 - C^2ab^2)c^2 - (B^2a^3b - A^2a^2b^2 - B^2a^2b^3 + A^2b^4)c) \cos(x) + 2(B^2a^3b^2 - A^2a^2b^3 - B^2a^2b^4 + A^2b^5 - C^2ab^2c^3 + A^2bc^4 - (A^2a^2b + B^2a^2b^2 - 2A^2b^3)c^2 + (C^2a^3b - C^2ab^3)c) \sin(x) / (a^5b^2 - 2a^3b^4 + ab^6 + ac^6 - (2a^3 - 3ab^2)c^4 + (a^5 - 4a^3b^2 + 3ab^4)c^2 + (a^4b^3 - 2a^2b^5 + b^7 + bc^6 - (2a^2b - 3b^3)c^4 + (a^4b - 4a^2b^3 + 3b^5)c^2) \cos(x) + (c^7 - (2a^2 - 3b^2)c^5 + (a^4 - 4a^2b^2 + 3b^4)c^3 + (a^4b^2 - 2a^2b^4 + b^6)c) \sin(x) \right], (C^2a^4b - 2C^2a^2b^3 + C^2b^5 + C^2bc^4 - B^2c^5 + 2(B^2a^2 - B^2b^2)c^3 - 2(C^2a^2b - C^2b^3)c^2 + (A^2a^2b^2 - B^2a^2b^3 - C^2a^2b^2c - C^2ac^3 + (A^2a^2 - B^2a^2b)c^2 + (A^2ab^3 - B^2b^4 - C^2b^3c - C^2bc^3 + (A^2ab - B^2b^2)c^2) \cos(x) - (C^2b^2c^2 + C^2c^4 - (A^2a - B^2b)c^3 - (A^2ab^2 - B^2b^3)c) \sin(x)) \sqrt{a^2 - b^2 - c^2} \arctan(-ab \cos(x) + ac \sin(x) + b^2 + c^2) \sqrt{a^2 - b^2 - c^2} / ((c^3 - (a^2 - b^2)c) \cos(x) + (a^2b - b^3 - bc^2) \sin(x)) - (B^2a^4 - 2B^2a^2b^2 + B^2b^4)c + (C^2ac^4 - A^2c^5 + (A^2a^2 + B^2a^2b - 2A^2b^2)c^3 - (C^2a^3 - C^2ab^2)c^2 - (B^2a^3b - A^2a^2b^2 - B^2a^2b^3 + A^2b^4)c) \cos(x) + (B^2a^3b^2 - A^2a^2b^3 - B^2a^2b^4 + A^2b^5 - C^2ab^2c^3 + A^2bc^4 - (A^2a^2b + B^2a^2b^2 - 2A^2b^3)c^2 + (C^2a^3b - C^2ab^3)c) \sin(x) / (a^5b^2 - 2a^3b^4 + ab^6 + ac^6 - (2a^3 - 3ab^2)c^4 + (a^5 - 4a^3b^2 + 3ab^4)c^2 + (a^4b^3 - 2a^2b^5 + b^7 + bc^6 - (2a^2b - 3b^3)c^4 + (a^4b - 4a^2b^3 + 3b^5)c^2) \cos(x) + (c^7 - (2a^2 - 3b^2)c^5 + (a^4 - 4a^2b^2 + 3b^4)c^3 + (a^4b^2 - 2a^2b^4 + b^6)c) \sin(x) \right]$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x)+C\*sin(x))/(a+b\*cos(x)+c\*sin(x))\*\*2,x)

[Out] Timed out

---

**Giac [A]** time = 1.18353, size = 325, normalized size = 2.56

$$\frac{2 \left( \pi \left\lfloor \frac{x}{2\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(-2a + 2b) + \arctan \left( -\frac{a \tan\left(\frac{1}{2}x\right) - b \tan\left(\frac{1}{2}x\right) + c}{\sqrt{a^2 - b^2 - c^2}} \right) \right) (Aa - Bb - Cc)}{(a^2 - b^2 - c^2)^{\frac{3}{2}}} + \frac{2 \left( Ba^2 \tan\left(\frac{1}{2}x\right) - Aab \tan\left(\frac{1}{2}x\right) \right)}{(a^2 - b^2 - c^2)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x)+C\*sin(x))/(a+b\*cos(x)+c\*sin(x))^2,x, algorithm="giac")

[Out] -2\*(pi\*floor(1/2\*x/pi + 1/2)\*sgn(-2\*a + 2\*b) + arctan(-(a\*tan(1/2\*x) - b\*tan(1/2\*x) + c)/sqrt(a^2 - b^2 - c^2)))\*(A\*a - B\*b - C\*c)/(a^2 - b^2 - c^2)^(3/2) + 2\*(B\*a^2\*tan(1/2\*x) - A\*a\*b\*tan(1/2\*x) - B\*a\*b\*tan(1/2\*x) + A\*b^2\*tan(1/2\*x) - C\*a\*c\*tan(1/2\*x) + C\*b\*c\*tan(1/2\*x) + A\*c^2\*tan(1/2\*x) - B\*c^2\*tan(1/2\*x) - C\*a^2 + C\*b^2 + A\*a\*c - B\*b\*c)/((a^3 - a^2\*b - a\*b^2 + b^3 - a\*c^2 + b\*c^2)\*(a\*tan(1/2\*x)^2 - b\*tan(1/2\*x)^2 + 2\*c\*tan(1/2\*x) + a + b))

$$3.552 \quad \int \frac{A+B \cos(x)+C \sin(x)}{(a+b \cos(x)+c \sin(x))^3} dx$$

**Optimal.** Leaf size=237

$$\frac{\tan^{-1}\left(\frac{(a-b)\tan\left(\frac{x}{2}\right)+c}{\sqrt{a^2-b^2-c^2}}\right)\left(2a^2A-3a(bB+cC)+A(b^2+c^2)\right)}{(a^2-b^2-c^2)^{5/2}} + \frac{-\sin(x)\left(a^2(-B)+3aAb-2b(bB+cC)\right)+\cos(x)\left(a^2(-C)+3aAc-2c(bB+cC)\right)}{2(a^2-b^2-c^2)^2(a+b\cos(x)+c\sin(x))}$$

[Out]  $((2*a^2*A + A*(b^2 + c^2) - 3*a*(b*B + c*C))*ArcTan[(c + (a - b)*Tan[x/2])/Sqrt[a^2 - b^2 - c^2]])/(a^2 - b^2 - c^2)^{(5/2)} + (B*c - b*C + (A*c - a*C)*Cos[x] - (A*b - a*B)*Sin[x])/(2*(a^2 - b^2 - c^2)*(a + b*Cos[x] + c*Sin[x])^2) + (a*(B*c - b*C) + (3*a*A*c - a^2*C - 2*c*(b*B + c*C))*Cos[x] - (3*a*A*b - a^2*B - 2*b*(b*B + c*C))*Sin[x])/(2*(a^2 - b^2 - c^2)^2*(a + b*Cos[x] + c*Sin[x]))$

**Rubi [A]** time = 0.276504, antiderivative size = 237, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3156, 3153, 3124, 618, 204}

$$\frac{\tan^{-1}\left(\frac{(a-b)\tan\left(\frac{x}{2}\right)+c}{\sqrt{a^2-b^2-c^2}}\right)\left(2a^2A-3a(bB+cC)+A(b^2+c^2)\right)}{(a^2-b^2-c^2)^{5/2}} + \frac{-\sin(x)\left(a^2(-B)+3aAb-2b(bB+cC)\right)+\cos(x)\left(a^2(-C)+3aAc-2c(bB+cC)\right)}{2(a^2-b^2-c^2)^2(a+b\cos(x)+c\sin(x))}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[x] + C\*Sin[x])/(a + b\*Cos[x] + c\*Sin[x])^3,x]

[Out]  $((2*a^2*A + A*(b^2 + c^2) - 3*a*(b*B + c*C))*ArcTan[(c + (a - b)*Tan[x/2])/Sqrt[a^2 - b^2 - c^2]])/(a^2 - b^2 - c^2)^{(5/2)} + (B*c - b*C + (A*c - a*C)*Cos[x] - (A*b - a*B)*Sin[x])/(2*(a^2 - b^2 - c^2)*(a + b*Cos[x] + c*Sin[x])^2) + (a*(B*c - b*C) + (3*a*A*c - a^2*C - 2*c*(b*B + c*C))*Cos[x] - (3*a*A*b - a^2*B - 2*b*(b*B + c*C))*Sin[x])/(2*(a^2 - b^2 - c^2)^2*(a + b*Cos[x] + c*Sin[x]))$

#### Rule 3156

Int[((a\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])^(n\_)\*((A\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]), x\_Symbol] := -Simp[((c\*B - b\*C - (a\*C - c\*A)\*Cos[d + e\*x] + (a\*B - b\*A)\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1))/(e\*(n + 1)\*(a^2 - b^2 - c^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2 - c^2)), Int[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1)\*Simp[(n + 1)\*(a\*A - b\*B - c\*C) + (n + 2)\*(a\*B - b\*A)\*Cos[d + e\*x] + (n + 2)\*(a\*C - c\*A)\*Sin[d + e\*x], x], x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && LtQ[n, -1] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[n, -2]

#### Rule 3153

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]) / ((a\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])^2, x\_Symbol] := Simp[(c\*B - b\*C - (a\*C - c\*A)\*Cos[d + e\*x] + (a\*B - b\*A)\*Sin[d + e\*x]) / (e\*(a^2 - b^2 - c^2)\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])), x] + Dist[(a\*A - b\*B - c\*C) / (a^2 - b^2 - c^2), Int[1 / (a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]), x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && NeQ[a^2 - b^2

- c^2, 0] && NeQ[a\*A - b\*B - c\*C, 0]

### Rule 3124

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(-1), x\_Symbol] := Module[{f = FreeFactors[Tan[(d + e\*x)/2], x]}, Dist[(2\*f)/e, Subst[Int[1/(a + b + 2\*c\*f\*x + (a - b)\*f^2\*x^2), x], x, Tan[(d + e\*x)/2]/f], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]

### Rule 618

Int[((a\_.) + (b\_.)\*(x\_.) + (c\_.)\*(x\_.)^2)^(-1), x\_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 204

Int[((a\_.) + (b\_.)\*(x\_.)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

### Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(x) + C \sin(x)}{(a + b \cos(x) + c \sin(x))^3} dx &= \frac{Bc - bC + (Ac - aC) \cos(x) - (Ab - aB) \sin(x)}{2(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))^2} - \frac{\int \frac{-2(aA - bB - cC) + (Ab - aB) \cos(x) + (Ac - aC) \sin(x)}{(a + b \cos(x) + c \sin(x))^2} dx}{2(a^2 - b^2 - c^2)} \\ &= \frac{Bc - bC + (Ac - aC) \cos(x) - (Ab - aB) \sin(x)}{2(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))^2} + \frac{a(Bc - bC) + (3aAc - a^2C - 2c(bB + cC))}{2(a^2 - b^2 - c^2)} \\ &= \frac{Bc - bC + (Ac - aC) \cos(x) - (Ab - aB) \sin(x)}{2(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))^2} + \frac{a(Bc - bC) + (3aAc - a^2C - 2c(bB + cC))}{2(a^2 - b^2 - c^2)} \\ &= \frac{Bc - bC + (Ac - aC) \cos(x) - (Ab - aB) \sin(x)}{2(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))^2} + \frac{a(Bc - bC) + (3aAc - a^2C - 2c(bB + cC))}{2(a^2 - b^2 - c^2)} \\ &= \frac{(2a^2A + A(b^2 + c^2) - 3a(bB + cC)) \tan^{-1}\left(\frac{c + (a-b)\tan\left(\frac{x}{2}\right)}{\sqrt{a^2 - b^2 - c^2}}\right) + Bc - bC + (Ac - aC) \cos(x) - (Ab - aB) \sin(x)}{(a^2 - b^2 - c^2)^{5/2}} \end{aligned}$$

**Mathematica [A]** time = 1.19407, size = 452, normalized size = 1.91

$$\frac{-2bc \cos(x) (2a^2A - 3a(bB + cC) + A(b^2 + c^2)) - c \cos(2x) (a^2(bB + cC) - 3aA(b^2 + c^2) + 2(b^2 + c^2)(bB + cC)) - (2a^2A + A(b^2 + c^2) - 3a(bB + cC)) \tan^{-1}\left(\frac{c + (a-b)\tan\left(\frac{x}{2}\right)}{\sqrt{a^2 - b^2 - c^2}}\right)}{(a^2 - b^2 - c^2)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[x] + C\*Sin[x])/(a + b\*Cos[x] + c\*Sin[x])^3,x]

[Out] -(((2\*a^2\*A + A\*(b^2 + c^2) - 3\*a\*(b\*B + c\*C))\*ArcTanh[(c + (a - b)\*Tan[x/2])/Sqrt[-a^2 + b^2 + c^2]]/(-a^2 + b^2 + c^2)^(5/2)) + (-6\*a^3\*A\*c - 3\*a\*A\*b^2\*c + 9\*a^2\*b\*B\*c - 3\*a\*A\*c^3 + 2\*a^4\*C - 4\*a^2\*b^2\*C + 2\*b^4\*C + 5\*a^2\*c^2\*C + 4\*b^2\*c^2\*C + 2\*c^4\*C - 2\*b\*c\*(2\*a^2\*A + A\*(b^2 + c^2) - 3\*a\*(b\*B + c\*C)))/((a^2 - b^2 - c^2)^5/2)

$$\begin{aligned} & c^2)) \cos(x) - c(-3aA(b^2 + c^2) + a^2(bB + cC) + 2(b^2 + c^2)(bB + cC)) \cos(2x) - 8a^2Ab^2\sin(x) + 2Ab^4\sin(x) + 4a^3bB\sin(x) \\ & + 2ab^3B\sin(x) - 12a^2Ac^2\sin(x) + 2Ab^2c^2\sin(x) + 8abBc^2\sin(x) + 4a^3cC\sin(x) + 2ab^2cC\sin(x) + 8ac^3C\sin(x) - 3aAb^3\sin(2x) \\ & + a^2b^2B\sin(2x) + 2b^4B\sin(2x) - 3aAbc^2\sin(2x) + 2b^2Bc^2\sin(2x) + a^2bcC\sin(2x) + 2b^3cC\sin(2x) + 2b^2c^3C\sin(2x) \\ & ) / (4b(-a^2 + b^2 + c^2)^2(a + b\cos(x) + c\sin(x))^2) \end{aligned}$$

**Maple [B]** time = 0.13, size = 1422, normalized size = 6.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(x)+C*sin(x))/(a+b*cos(x)+c*sin(x))^3,x)`

[Out] 
$$\begin{aligned} & 2 * (-1/2 * (4 * A * a^3 * b - 7 * A * a^2 * b^2 - 5 * A * a^2 * c^2 + 2 * A * a * b^3 + 2 * A * a * b * c^2 + A * b^4 + 3 * A * \\ & b^2 * c^2 + 2 * A * c^4 - 2 * B * a^4 + 3 * B * a^3 * b - 2 * B * a^2 * b^2 + 4 * B * a^2 * c^2 + 3 * B * a * b^3 - 2 * B * b^4 \\ & - 4 * B * b^2 * c^2 - 2 * B * c^4 + 3 * C * a^3 * c - 6 * C * a^2 * b * c + 3 * C * a * b^2 * c) / (a - b) / (a^4 - 2 * a^2 * b^2 \\ & - 2 * a^2 * c^2 + b^4 + 2 * b^2 * c^2 + c^4) * \tan(1/2 * x)^3 + 1/2 * (4 * A * a^4 * c - 12 * A * a^3 * b * c + 13 * \\ & A * a^2 * b^2 * c + 7 * A * a^2 * c^3 - 6 * A * a * b^3 * c - 6 * A * a * b * c^3 + A * b^4 * c - A * b^2 * c^3 - 2 * A * c^5 + 2 \\ & * B * a^4 * c - 9 * B * a^3 * b * c + 14 * B * a^2 * b^2 * c - 4 * B * a^2 * c^3 - 9 * B * a * b^3 * c + 2 * B * b^4 * c + 4 * B * b \\ & ^2 * c^3 + 2 * B * c^5 - 2 * C * a^5 + 2 * C * a^4 * b + 4 * C * a^3 * b^2 - 5 * C * a^3 * c^2 - 4 * C * a^2 * b^3 + 14 * C * a \\ & ^2 * b * c^2 - 2 * C * a * b^4 - 13 * C * a * b^2 * c^2 - 2 * C * a * c^4 + 2 * C * b^5 + 4 * C * b^3 * c^2 + 2 * C * b * c^4) / \\ & (a^4 - 2 * a^2 * b^2 - 2 * a^2 * c^2 + b^4 + 2 * b^2 * c^2 + c^4) / (a^2 - 2 * a * b + b^2) * \tan(1/2 * x)^2 - 1/ \\ & 2 * (4 * A * a^4 * b - 5 * A * a^3 * b^2 - 11 * A * a^3 * c^2 - 3 * A * a^2 * b^3 + 3 * A * a^2 * b * c^2 + 5 * A * a * b^4 + 7 \\ & * A * a * b^2 * c^2 + 2 * A * a * c^4 - A * b^5 + A * b^3 * c^2 + 2 * A * b * c^4 - 2 * B * a^5 + 3 * B * a^4 * b - B * a^3 * b^2 \\ & + 4 * B * a^3 * c^2 - B * a^2 * b^3 + 8 * B * a^2 * b * c^2 + 3 * B * a * b^4 - 8 * B * a * b^2 * c^2 - 2 * B * a * c^4 - 2 * B \\ & * b^5 - 4 * B * b^3 * c^2 - 2 * B * b * c^4 + 5 * C * a^4 * c - 5 * C * a^3 * b * c - 5 * C * a^2 * b^2 * c + 4 * C * a^2 * c^3 + \\ & 5 * C * a * b^3 * c - 4 * C * a * b * c^3) / (a^4 - 2 * a^2 * b^2 - 2 * a^2 * c^2 + b^4 + 2 * b^2 * c^2 + c^4) / (a^2 - 2 \\ & * a * b + b^2) * \tan(1/2 * x) + 1/2 * (4 * A * a^4 * c - 3 * A * a^2 * b^2 * c - A * a^2 * c^3 - A * b^4 * c - A * b^2 * c \\ & ^3 - 5 * B * a^3 * b * c + 5 * B * a * b^3 * c + 2 * B * a * b * c^3 - 2 * C * a^5 + 4 * C * a^3 * b^2 - C * a^3 * c^2 - 2 * C * a * \\ & b^4 + C * a * b^2 * c^2) / (a^4 - 2 * a^2 * b^2 - 2 * a^2 * c^2 + b^4 + 2 * b^2 * c^2 + c^4) / (a^2 - 2 * a * b + b^2) \\ & ) / (a * \tan(1/2 * x)^2 - b * \tan(1/2 * x)^2 + 2 * c * \tan(1/2 * x) + a + b)^2 + 2 / (a^4 - 2 * a^2 * b^2 - 2 * \\ & a^2 * c^2 + b^4 + 2 * b^2 * c^2 + c^4) / (a^2 - b^2 - c^2)^{(1/2)} * \arctan(1/2 * (2 * (a - b) * \tan(1/2 * \\ & x) + 2 * c) / (a^2 - b^2 - c^2)^{(1/2)}) * a^2 * A + 1 / (a^4 - 2 * a^2 * b^2 - 2 * a^2 * c^2 + b^4 + 2 * b^2 * c^2 \\ & + c^4) / (a^2 - b^2 - c^2)^{(1/2)} * \arctan(1/2 * (2 * (a - b) * \tan(1/2 * x) + 2 * c) / (a^2 - b^2 - c^2) \\ & ^{(1/2)}) * A * b^2 + 1 / (a^4 - 2 * a^2 * b^2 - 2 * a^2 * c^2 + b^4 + 2 * b^2 * c^2 + c^4) / (a^2 - b^2 - c^2)^{(1/2)} * \arctan(1/2 * (2 * (a - b) * \tan(1/2 * x) + 2 * c) / (a^2 - b^2 - c^2)^{(1/2)}) * A * c^2 - 3 / (a^4 - 2 * a^2 * b^2 - 2 * a^2 * c^2 + b^4 + 2 * b^2 * c^2 + c^4) / (a^2 - b^2 - c^2)^{(1/2)} * \arctan(1/2 * (2 * (a - b) * \tan(1/2 * x) + 2 * c) / (a^2 - b^2 - c^2)^{(1/2)}) * a * b * B - 3 / (a^4 - 2 * a^2 * b^2 - 2 * a^2 * c^2 + b^4 + 2 * b^2 * c^2 + c^4) / (a^2 - b^2 - c^2)^{(1/2)} * \arctan(1/2 * (2 * (a - b) * \tan(1/2 * x) + 2 * c) / (a^2 - b^2 - c^2)^{(1/2)}) * a * c * C \end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(x)+C*sin(x))/(a+b*cos(x)+c*sin(x))^3,x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [B]** time = 5.721, size = 8820, normalized size = 37.22

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x)+C\*sin(x))/(a+b\*cos(x)+c\*sin(x))^3,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/4*(2*C*a^6*b - 6*C*a^4*b^3 + 6*C*a^2*b^5 - 2*C*b^7 - 6*C*b*c^6 + 2*B*c^7 \\ & - 2*(3*B*a^2 - 3*A*a*b - B*b^2)*c^5 + 2*(4*C*a^2*b - 7*C*b^3)*c^4 + 2*(3*B \\ & *a^4 - 3*A*a^3*b - 5*B*a^2*b^2 + 6*A*a*b^3 - B*b^4)*c^3 - 2*(2*C*a^4*b - 7* \\ & C*a^2*b^3 + 5*C*b^5)*c^2 + 4*(2*C*b*c^6 - (3*A*a*b - 2*B*b^2)*c^5 - (C*a^2*b \\ & b - 4*C*b^3)*c^4 + (3*A*a^3*b - B*a^2*b^2 - 6*A*a*b^3 + 4*B*b^4)*c^3 - (C*a \\ & ^4*b + C*a^2*b^3 - 2*C*b^5)*c^2 - (B*a^4*b^2 - 3*A*a^3*b^3 + B*a^2*b^4 + 3* \\ & A*a*b^5 - 2*B*b^6)*c)*\cos(x)^2 - (2*A*a^4*b^2 - 3*B*a^3*b^3 + A*a^2*b^4 - 3 \\ & *C*a^3*b^2*c - 3*C*a*c^5 + A*c^6 + (3*A*a^2 - 3*B*a*b + 2*A*b^2)*c^4 - 3*(C \\ & *a^3 + C*a*b^2)*c^3 + (2*A*a^4 - 3*B*a^3*b + 4*A*a^2*b^2 - 3*B*a*b^3 + A*b^4 \\ & 4)*c^2 + (2*A*a^2*b^4 - 3*B*a*b^5 + A*b^6 - 3*C*a*b^4*c + A*b^4*c^2 + 3*C*a \\ & *c^5 - A*c^6 - (2*A*a^2 - 3*B*a*b + A*b^2)*c^4)*\cos(x)^2 + 2*(2*A*a^3*b^3 - \\ & 3*B*a^2*b^4 + A*a*b^5 - 3*C*a^2*b^3*c - 3*C*a^2*b*c^3 + A*a*b*c^4 + (2*A*a \\ & ^3*b - 3*B*a^2*b^2 + 2*A*a*b^3)*c^2)*\cos(x) - 2*(3*C*a^2*b^2*c^2 + 3*C*a^2* \\ & c^4 - A*a*c^5 - (2*A*a^3 - 3*B*a^2*b + 2*A*a*b^2)*c^3 - (2*A*a^3*b^2 - 3*B* \\ & a^2*b^3 + A*a*b^4)*c + (3*C*a*b^3*c^2 + 3*C*a*b*c^4 - A*b*c^5 - (2*A*a^2*b \\ & - 3*B*a*b^2 + 2*A*b^3)*c^3 - (2*A*a^2*b^3 - 3*B*a*b^4 + A*b^5)*c)*\cos(x))*\sin(x) \\ & *sqrt(-a^2 + b^2 + c^2)*\log(-(a^2*b^2 - 2*b^4 - c^4 - (a^2 + 3*b^2)*c \\ & ^2 - (2*a^2*b^2 - b^4 - 2*a^2*c^2 + c^4)*\cos(x)^2 - 2*(a*b^3 + a*b*c^2)*\cos \\ & (x) - 2*(a*b^2*c + a*c^3 - (b*c^3 - (2*a^2*b - b^3)*c)*\cos(x))*\sin(x) + 2*( \\ & 2*a*b*c*\cos(x)^2 - a*b*c + (b^2*c + c^3)*\cos(x) - (b^3 + b*c^2 + (a*b^2 - a \\ & *c^2)*\cos(x))*\sin(x))*sqrt(-a^2 + b^2 + c^2))/(2*a*b*\cos(x) + (b^2 - c^2)*c \\ & \cos(x)^2 + a^2 + c^2 + 2*(b*c*\cos(x) + a*c)*\sin(x)) - 2*(B*a^6 - 4*B*a^4*b^2 \\ & + 3*A*a^3*b^3 + 2*B*a^2*b^4 - 3*A*a*b^5 + B*b^6)*c + 2*(C*a*c^6 + A*c^7 - \\ & (5*A*a^2 - B*a*b - 3*A*b^2)*c^5 + (C*a^3 + 2*C*a*b^2)*c^4 + (4*A*a^4 + B*a \\ & ^3*b - 10*A*a^2*b^2 + 2*B*a*b^3 + 3*A*b^4)*c^3 - (2*C*a^5 - C*a^3*b^2 - C*a \\ & *b^4)*c^2 - (2*B*a^5*b - 4*A*a^4*b^2 - B*a^3*b^3 + 5*A*a^2*b^4 - B*a*b^5 - \\ & A*b^6)*c)*\cos(x) + 2*(2*B*a^5*b^2 - 4*A*a^4*b^3 - B*a^3*b^4 + 5*A*a^2*b^5 - \\ & B*a*b^6 - A*b^7 - C*a*b*c^5 - A*b*c^6 + (5*A*a^2*b - B*a*b^2 - 3*A*b^3)*c^4 \\ & - (C*a^3*b + 2*C*a*b^3)*c^3 - (4*A*a^4*b + B*a^3*b^2 - 10*A*a^2*b^3 + 2*B \\ & *a*b^4 + 3*A*b^5)*c^2 + (2*C*a^5*b - C*a^3*b^3 - C*a*b^5)*c + (B*a^4*b^3 - \\ & 3*A*a^3*b^4 + B*a^2*b^5 + 3*A*a*b^6 - 2*B*b^7 + 2*C*c^7 - (3*A*a - 2*B*b)*c \\ & ^6 - (C*a^2 - 2*C*b^2)*c^5 + (3*A*a^3 - B*a^2*b - 3*A*a*b^2 + 2*B*b^3)*c^4 \\ & - (C*a^4 + 2*C*b^4)*c^3 - (B*a^4*b - 3*A*a*b^4 + 2*B*b^5)*c^2 + (C*a^4*b^2 \\ & + C*a^2*b^4 - 2*C*b^6)*c)*\cos(x))*\sin(x))/(a^8*b^2 - 3*a^6*b^4 + 3*a^4*b^6 \\ & - a^2*b^8 - c^10 + 2*(a^2 - 2*b^2)*c^8 + (5*a^2*b^2 - 6*b^4)*c^6 - (2*a^6 - \\ & 3*a^4*b^2 - 3*a^2*b^4 + 4*b^6)*c^4 + (a^8 - 5*a^6*b^2 + 6*a^4*b^4 - a^2*b^6 \\ & - b^8)*c^2 + (a^6*b^4 - 3*a^4*b^6 + 3*a^2*b^8 - b^10 + c^10 - 3*(a^2 - b^2) \\ & *c^8 + (3*a^4 - 6*a^2*b^2 + 2*b^4)*c^6 - (a^6 - 3*a^4*b^2 + 2*b^6)*c^4 - \\ & 3*(a^4*b^4 - 2*a^2*b^6 + b^8)*c^2)*\cos(x)^2 + 2*(a^7*b^3 - 3*a^5*b^5 + 3*a^ \\ & 3*b^7 - a*b^9 - a*b*c^8 + (3*a^3*b - 4*a*b^3)*c^6 - 3*(a^5*b - 3*a^3*b^3 + \\ & 2*a*b^5)*c^4 + (a^7*b - 6*a^5*b^3 + 9*a^3*b^5 - 4*a*b^7)*c^2)*\cos(x) - 2*(a \\ & *c^9 - (3*a^3 - 4*a*b^2)*c^7 + 3*(a^5 - 3*a^3*b^2 + 2*a*b^4)*c^5 - (a^7 - 6 \\ & *a^5*b^2 + 9*a^3*b^4 - 4*a*b^6)*c^3 - (a^7*b^2 - 3*a^5*b^4 + 3*a^3*b^6 - a \\ & b^8)*c + (b*c^9 - (3*a^2*b - 4*b^3)*c^7 + 3*(a^4*b - 3*a^2*b^3 + 2*b^5)*c^5 \\ & - (a^6*b - 6*a^4*b^3 + 9*a^2*b^5 - 4*b^7)*c^3 - (a^6*b^3 - 3*a^4*b^5 + 3*a \\ & ^2*b^7 - b^9)*c)*\cos(x))*\sin(x)), 1/2*(C*a^6*b - 3*C*a^4*b^3 + 3*C*a^2*b^5 \\ & - C*b^7 - 3*C*b*c^6 + B*c^7 - (3*B*a^2 - 3*A*a*b - B*b^2)*c^5 + (4*C*a^2*b \\ & - 7*C*b^3)*c^4 + (3*B*a^4 - 3*A*a^3*b - 5*B*a^2*b^2 + 6*A*a*b^3 - B*b^4)*c^3 \\ & - (2*C*a^4*b - 7*C*a^2*b^3 + 5*C*b^5)*c^2 + 2*(2*C*b*c^6 - (3*A*a*b - 2*B \end{aligned}$$

$$\begin{aligned}
& *b^2)*c^5 - (C*a^2*b - 4*C*b^3)*c^4 + (3*A*a^3*b - B*a^2*b^2 - 6*A*a*b^3 + \\
& 4*B*b^4)*c^3 - (C*a^4*b + C*a^2*b^3 - 2*C*b^5)*c^2 - (B*a^4*b^2 - 3*A*a^3*b \\
& ^3 + B*a^2*b^4 + 3*A*a*b^5 - 2*B*b^6)*c)*\cos(x)^2 + (2*A*a^4*b^2 - 3*B*a^3*b \\
& b^3 + A*a^2*b^4 - 3*C*a^3*b^2*c - 3*C*a*c^5 + A*c^6 + (3*A*a^2 - 3*B*a*b + \\
& 2*A*b^2)*c^4 - 3*(C*a^3 + C*a*b^2)*c^3 + (2*A*a^4 - 3*B*a^3*b + 4*A*a^2*b^2 \\
& - 3*B*a*b^3 + A*b^4)*c^2 + (2*A*a^2*b^4 - 3*B*a*b^5 + A*b^6 - 3*C*a*b^4*c \\
& + A*b^4*c^2 + 3*C*a*c^5 - A*c^6 - (2*A*a^2 - 3*B*a*b + A*b^2)*c^4)*\cos(x)^2 \\
& + 2*(2*A*a^3*b^3 - 3*B*a^2*b^4 + A*a*b^5 - 3*C*a^2*b^3*c - 3*C*a^2*b*c^3 + \\
& A*a*b*c^4 + (2*A*a^3*b - 3*B*a^2*b^2 + 2*A*a*b^3)*c^2)*\cos(x) - 2*(3*C*a^2 \\
& *b^2*c^2 + 3*C*a^2*c^4 - A*a*c^5 - (2*A*a^3 - 3*B*a^2*b + 2*A*a*b^2)*c^3 - \\
& (2*A*a^3*b^2 - 3*B*a^2*b^3 + A*a*b^4)*c + (3*C*a*b^3*c^2 + 3*C*a*b*c^4 - A* \\
& b*c^5 - (2*A*a^2*b - 3*B*a*b^2 + 2*A*b^3)*c^3 - (2*A*a^2*b^3 - 3*B*a*b^4 + \\
& A*b^5)*c)*\cos(x))*\sin(x))*\sqrt{a^2 - b^2 - c^2}*\arctan(-(a*b*\cos(x) + a*c*\sin \\
& (x) + b^2 + c^2)*\sqrt{a^2 - b^2 - c^2}/((c^3 - (a^2 - b^2)*c)*\cos(x) + (a \\
& ^2*b - b^3 - b*c^2)*\sin(x))) - (B*a^6 - 4*B*a^4*b^2 + 3*A*a^3*b^3 + 2*B*a^2 \\
& *b^4 - 3*A*a*b^5 + B*b^6)*c + (C*a*c^6 + A*c^7 - (5*A*a^2 - B*a*b - 3*A*b^2 \\
& )*c^5 + (C*a^3 + 2*C*a*b^2)*c^4 + (4*A*a^4 + B*a^3*b - 10*A*a^2*b^2 + 2*B*a \\
& *b^3 + 3*A*b^4)*c^3 - (2*C*a^5 - C*a^3*b^2 - C*a*b^4)*c^2 - (2*B*a^5*b - 4* \\
& A*a^4*b^2 - B*a^3*b^3 + 5*A*a^2*b^4 - B*a*b^5 - A*b^6)*c)*\cos(x) + (2*B*a^5 \\
& *b^2 - 4*A*a^4*b^3 - B*a^3*b^4 + 5*A*a^2*b^5 - B*a*b^6 - A*b^7 - C*a*b*c^5 \\
& - A*b*c^6 + (5*A*a^2*b - B*a*b^2 - 3*A*b^3)*c^4 - (C*a^3*b + 2*C*a*b^3)*c^3 \\
& - (4*A*a^4*b + B*a^3*b^2 - 10*A*a^2*b^3 + 2*B*a*b^4 + 3*A*b^5)*c^2 + (2*C* \\
& a^5*b - C*a^3*b^3 - C*a*b^5)*c + (B*a^4*b^3 - 3*A*a^3*b^4 + B*a^2*b^5 + 3*A \\
& *a*b^6 - 2*B*b^7 + 2*C*c^7 - (3*A*a - 2*B*b)*c^6 - (C*a^2 - 2*C*b^2)*c^5 + \\
& (3*A*a^3 - B*a^2*b - 3*A*a*b^2 + 2*B*b^3)*c^4 - (C*a^4 + 2*C*b^4)*c^3 - (B* \\
& a^4*b - 3*A*a*b^4 + 2*B*b^5)*c^2 + (C*a^4*b^2 + C*a^2*b^4 - 2*C*b^6)*c)*\cos \\
& (x))*\sin(x))/(a^8*b^2 - 3*a^6*b^4 + 3*a^4*b^6 - a^2*b^8 - c^10 + 2*(a^2 - 2 \\
& *b^2)*c^8 + (5*a^2*b^2 - 6*b^4)*c^6 - (2*a^6 - 3*a^4*b^2 - 3*a^2*b^4 + 4*b^6 \\
& )*c^4 + (a^8 - 5*a^6*b^2 + 6*a^4*b^4 - a^2*b^6 - b^8)*c^2 + (a^6*b^4 - 3*a \\
& ^4*b^6 + 3*a^2*b^8 - b^10 + c^10 - 3*(a^2 - b^2)*c^8 + (3*a^4 - 6*a^2*b^2 + \\
& 2*b^4)*c^6 - (a^6 - 3*a^4*b^2 + 2*b^6)*c^4 - 3*(a^4*b^4 - 2*a^2*b^6 + b^8) \\
& *c^2)*\cos(x)^2 + 2*(a^7*b^3 - 3*a^5*b^5 + 3*a^3*b^7 - a*b^9 - a*b*c^8 + (3* \\
& a^3*b - 4*a*b^3)*c^6 - 3*(a^5*b - 3*a^3*b^3 + 2*a*b^5)*c^4 + (a^7*b - 6*a^5 \\
& *b^3 + 9*a^3*b^5 - 4*a*b^7)*c^2)*\cos(x) - 2*(a*c^9 - (3*a^3 - 4*a*b^2)*c^7 \\
& + 3*(a^5 - 3*a^3*b^2 + 2*a*b^4)*c^5 - (a^7 - 6*a^5*b^2 + 9*a^3*b^4 - 4*a*b^6 \\
& )*c^3 - (a^7*b^2 - 3*a^5*b^4 + 3*a^3*b^6 - a*b^8)*c + (b*c^9 - (3*a^2*b - \\
& 4*b^3)*c^7 + 3*(a^4*b - 3*a^2*b^3 + 2*b^5)*c^5 - (a^6*b - 6*a^4*b^3 + 9*a^2 \\
& *b^5 - 4*b^7)*c^3 - (a^6*b^3 - 3*a^4*b^5 + 3*a^2*b^7 - b^9)*c)*\cos(x))*\sin(x)]
\end{aligned}$$


---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x)+C\*sin(x))/(a+b\*cos(x)+c\*sin(x))\*\*3,x)

[Out] Timed out

---

**Giac [B]** time = 1.34866, size = 2033, normalized size = 8.58

result too large to display

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate((A+B*cos(x)+C*sin(x))/(a+b*cos(x)+c*sin(x))^3,x, algorithm="giac")
```

```
[Out] -(2*A*a^2 - 3*B*a*b + A*b^2 - 3*C*a*c + A*c^2)*(pi*floor(1/2*x/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*x) - b*tan(1/2*x) + c)/sqrt(a^2 - b^2 - c^2)))/((a^4 - 2*a^2*b^2 + b^4 - 2*a^2*c^2 + 2*b^2*c^2 + c^4)*sqrt(a^2 - b^2 - c^2)) + (2*B*a^5*tan(1/2*x)^3 - 4*A*a^4*b*tan(1/2*x)^3 - 5*B*a^4*b*tan(1/2*x)^3 + 11*A*a^3*b^2*tan(1/2*x)^3 + 5*B*a^3*b^2*tan(1/2*x)^3 - 9*A*a^2*b^3*tan(1/2*x)^3 - 5*B*a^2*b^3*tan(1/2*x)^3 + A*a*b^4*tan(1/2*x)^3 + 5*B*a*b^4*tan(1/2*x)^3 + A*b^5*tan(1/2*x)^3 - 2*B*b^5*tan(1/2*x)^3 - 3*C*a^4*c*tan(1/2*x)^3 + 9*C*a^3*b*c*tan(1/2*x)^3 - 9*C*a^2*b^2*c*tan(1/2*x)^3 + 3*C*a*b^3*c*tan(1/2*x)^3 + 5*A*a^3*c^2*tan(1/2*x)^3 - 4*B*a^3*c^2*tan(1/2*x)^3 - 7*A*a^2*b*c^2*tan(1/2*x)^3 + 4*B*a^2*b*c^2*tan(1/2*x)^3 - A*a*b^2*c^2*tan(1/2*x)^3 + 4*B*a*b^2*c^2*tan(1/2*x)^3 + 3*A*b^3*c^2*tan(1/2*x)^3 - 4*B*b^3*c^2*tan(1/2*x)^3 - 2*A*a*c^4*tan(1/2*x)^3 + 2*B*a*c^4*tan(1/2*x)^3 + 2*A*b*c^4*tan(1/2*x)^3 - 2*B*b*c^4*tan(1/2*x)^3 - 2*C*a^5*tan(1/2*x)^2 + 2*C*a^4*b*tan(1/2*x)^2 + 4*C*a^3*b^2*tan(1/2*x)^2 - 4*C*a^2*b^3*tan(1/2*x)^2 - 2*C*a*b^4*tan(1/2*x)^2 + 2*C*b^5*tan(1/2*x)^2 + 4*A*a^4*c*tan(1/2*x)^2 + 2*B*a^4*c*tan(1/2*x)^2 - 12*A*a^3*b*c*tan(1/2*x)^2 - 9*B*a^3*b*c*tan(1/2*x)^2 + 13*A*a^2*b^2*c*tan(1/2*x)^2 + 14*B*a^2*b^2*c*tan(1/2*x)^2 - 6*A*a*b^3*c*tan(1/2*x)^2 - 9*B*a*b^3*c*tan(1/2*x)^2 + A*b^4*c*tan(1/2*x)^2 + 2*B*b^4*c*tan(1/2*x)^2 - 5*C*a^3*c^2*tan(1/2*x)^2 + 14*C*a^2*b*c^2*tan(1/2*x)^2 - 13*C*a*b^2*c^2*tan(1/2*x)^2 + 4*C*b^3*c^2*tan(1/2*x)^2 + 7*A*a^2*c^3*tan(1/2*x)^2 - 4*B*a^2*c^3*tan(1/2*x)^2 - 6*A*a*b*c^3*tan(1/2*x)^2 - A*b^2*c^3*tan(1/2*x)^2 + 4*B*b^2*c^3*tan(1/2*x)^2 - 2*C*a*c^4*tan(1/2*x)^2 + 2*C*b*c^4*tan(1/2*x)^2 - 2*A*c^5*tan(1/2*x)^2 + 2*B*c^5*tan(1/2*x)^2 + 2*B*a^5*tan(1/2*x) - 4*A*a^4*b*tan(1/2*x) - 3*B*a^4*b*tan(1/2*x) + 5*A*a^3*b^2*tan(1/2*x) + B*a^3*b^2*tan(1/2*x) + 3*A*a^2*b^3*tan(1/2*x) + B*a^2*b^3*tan(1/2*x) - 5*A*a*b^4*tan(1/2*x) - 3*B*a*b^4*tan(1/2*x) + A*b^5*tan(1/2*x) + 2*B*b^5*tan(1/2*x) - 5*C*a^4*c*tan(1/2*x) + 5*C*a^3*b*c*tan(1/2*x) + 5*C*a^2*b^2*c*tan(1/2*x) - 5*C*a*b^3*c*tan(1/2*x) + 11*A*a^3*c^2*tan(1/2*x) - 4*B*a^3*c^2*tan(1/2*x) - 3*A*a^2*b*c^2*tan(1/2*x) - 8*B*a^2*b*c^2*tan(1/2*x) - 7*A*a*b^2*c^2*tan(1/2*x) + 8*B*a*b^2*c^2*tan(1/2*x) - A*b^3*c^2*tan(1/2*x) + 4*B*b^3*c^2*tan(1/2*x) - 4*C*a^2*c^3*tan(1/2*x) + 4*C*a*b*c^3*tan(1/2*x) - 2*A*a*c^4*tan(1/2*x) + 2*B*a*c^4*tan(1/2*x) - 2*A*b*c^4*tan(1/2*x) + 2*B*b*c^4*tan(1/2*x) - 2*C*a^5 + 4*C*a^3*b^2 - 2*C*a*b^4 + 4*A*a^4*c - 5*B*a^3*b*c - 3*A*a^2*b^2*c + 5*B*a*b^3*c - A*b^4*c - C*a^3*c^2 + C*a*b^2*c^2 - A*a^2*c^3 + 2*B*a*b*c^3 - A*b^2*c^3)/((a^6 - 2*a^5*b - a^4*b^2 + 4*a^3*b^3 - a^2*b^4 - 2*a*b^5 + b^6 - 2*a^4*c^2 + 4*a^3*b*c^2 - 4*a*b^3*c^2 + 2*b^4*c^2 + a^2*c^4 - 2*a*b*c^4 + b^2*c^4)*(a*tan(1/2*x)^2 - b*tan(1/2*x)^2 + 2*c*tan(1/2*x) + a + b)^2)
```

$$3.553 \quad \int \frac{A+B \cos(x)+C \sin(x)}{a+b \cos(x)+ib \sin(x)} dx$$

**Optimal.** Leaf size=105

$$\frac{i(a^2(-B-iC)+2aAb-b^2(B+iC)) \log(a+ib \sin(x)+b \cos(x))}{2a^2b} + \frac{x(2aA-b(B+iC))}{2a^2} + \frac{(-C+iB)(\cos(x)-i \sin(x))}{2a}$$

[Out] ((2\*a\*A - b\*(B + I\*C))\*x)/(2\*a^2) + ((I/2)\*(2\*a\*A\*b - a^2\*(B - I\*C) - b^2\*(B + I\*C))\*Log[a + b\*Cos[x] + I\*b\*Sin[x]])/(a^2\*b) + ((I\*B - C)\*(Cos[x] - I\*Sin[x]))/(2\*a)

**Rubi [A]** time = 0.0736377, antiderivative size = 105, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.038$ , Rules used = {3130}

$$\frac{i(a^2(-B-iC)+2aAb-b^2(B+iC)) \log(a+ib \sin(x)+b \cos(x))}{2a^2b} + \frac{x(2aA-b(B+iC))}{2a^2} + \frac{(-C+iB)(\cos(x)-i \sin(x))}{2a}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[x] + C\*Sin[x])/(a + b\*Cos[x] + I\*b\*Sin[x]),x]

[Out] ((2\*a\*A - b\*(B + I\*C))\*x)/(2\*a^2) + ((I/2)\*(2\*a\*A\*b - a^2\*(B - I\*C) - b^2\*(B + I\*C))\*Log[a + b\*Cos[x] + I\*b\*Sin[x]])/(a^2\*b) + ((I\*B - C)\*(Cos[x] - I\*Sin[x]))/(2\*a)

### Rule 3130

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])/(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]), x\_ Symbol] :> Simp[((2\*a\*A - b\*B - c\*C)\*x)/(2\*a^2), x] + (-Simp[((b\*B + c\*C)\*(b\*Cos[d + e\*x] - c\*Sin[d + e\*x]))/(2\*a\*b\*c\*e), x] + Simp[((a^2\*(b\*B - c\*C) - 2\*a\*A\*b^2 + b^2\*(b\*B + c\*C))\*Log[RemoveContent[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x], x]])/(2\*a^2\*b\*c\*e), x]) /; FreeQ[{a, b, c, d, e, A, B, C}, x] && EqQ[b^2 + c^2, 0]

### Rubi steps

$$\int \frac{A + B \cos(x) + C \sin(x)}{a + b \cos(x) + ib \sin(x)} dx = \frac{(2aA - b(B + iC))x}{2a^2} + \frac{i(2aAb - a^2(B - iC) - b^2(B + iC)) \log(a + b \cos(x) + ib \sin(x))}{2a^2b}$$

**Mathematica [A]** time = 0.412856, size = 165, normalized size = 1.57

$$\frac{x(a^2(B - iC) + 2aAb - b^2(B + iC)) + (a^2(-C - iB) + 2iaAb + b^2(C - iB)) \log(a^2 + 2ab \cos(x) + b^2) + 2(a^2(B - iC) - 2aAb + b^2(B + iC)) \operatorname{ArcTan}((a + b) \cot(x/2)/(a - b))}{4a^2b}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[x] + C\*Sin[x])/(a + b\*Cos[x] + I\*b\*Sin[x]),x]

[Out] ((2\*a\*A\*b + a^2\*(B - I\*C) - b^2\*(B + I\*C))\*x + 2\*(-2\*a\*A\*b + a^2\*(B - I\*C) + b^2\*(B + I\*C))\*ArcTan[(a + b)\*Cot[x/2]/(a - b)] + (2\*I)\*a\*b\*(B + I\*C)\*C

os[x] + ((2\*I)\*a\*A\*b + a^2\*((-I)\*B - C) + b^2\*((-I)\*B + C))\*Log[a^2 + b^2 + 2\*a\*b\*Cos[x]] + 2\*a\*b\*(B + I\*C)\*Sin[x]]/(4\*a^2\*b)

**Maple [B]** time = 0.08, size = 257, normalized size = 2.5

$$-\frac{C}{2b} \ln\left(ia + ib + a \tan\left(\frac{x}{2}\right) - b \tan\left(\frac{x}{2}\right)\right) + \frac{bC}{2a^2} \ln\left(ia + ib + a \tan\left(\frac{x}{2}\right) - b \tan\left(\frac{x}{2}\right)\right) + \frac{iA}{a} \ln\left(ia + ib + a \tan\left(\frac{x}{2}\right) - b \tan\left(\frac{x}{2}\right)\right) - b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(x)+C\*sin(x))/(a+b\*cos(x)+I\*b\*sin(x)),x)

[Out] 
$$-1/2/b*\ln(I*a+I*b+a*\tan(1/2*x)-b*\tan(1/2*x))*C+1/2/a^2*b*\ln(I*a+I*b+a*\tan(1/2*x)-b*\tan(1/2*x))*C+I/a*\ln(I*a+I*b+a*\tan(1/2*x)-b*\tan(1/2*x))*A-1/2*I/b*\ln(I*a+I*b+a*\tan(1/2*x)-b*\tan(1/2*x))*B-1/2*I/a^2*b*\ln(I*a+I*b+a*\tan(1/2*x)-b*\tan(1/2*x))*B+1/2*C/b*\ln(\tan(1/2*x)+I)+1/2*I*B/b*\ln(\tan(1/2*x)+I)+I*C/a/(\tan(1/2*x)-I)+B/a/(\tan(1/2*x)-I)-I/a*\ln(\tan(1/2*x)-I)*A+1/2*I/a^2*\ln(\tan(1/2*x)-I)*b*B-1/2/a^2*\ln(\tan(1/2*x)-I)*b*C$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x)+C\*sin(x))/(a+b\*cos(x)+I\*b\*sin(x)),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

**Fricas [A]** time = 2.14681, size = 209, normalized size = 1.99

$$\frac{\left((iB - C)ab + (2Aab - (B + iC)b^2)xe^{ix} + ((-iB - C)a^2 + 2iAab + (-iB + C)b^2)e^{ix} \log\left(\frac{be^{ix} + a}{b}\right)\right)e^{-ix}}{2a^2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x)+C\*sin(x))/(a+b\*cos(x)+I\*b\*sin(x)),x, algorithm="fricas")

[Out] 
$$1/2*((I*B - C)*a*b + (2*A*a*b - (B + I*C)*b^2)*x*e^{I*x} + ((-I*B - C)*a^2 + 2*I*A*a*b + (-I*B + C)*b^2)*e^{I*x}*\log((b*e^{I*x} + a)/b))*e^{-I*x}/(a^2*b)$$

**Sympy [A]** time = 2.33136, size = 87, normalized size = 0.83

$$\left(\frac{iA}{a} - \frac{iB}{2b} - \frac{iBb}{2a^2} - \frac{C}{2b} + \frac{Cb}{2a^2}\right) \log\left(\frac{a}{b} + e^{ix}\right) + \frac{2Aax + iBae^{-ix} - Bbx - CAe^{-ix} - iCbx}{2a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x)+C\*sin(x))/(a+b\*cos(x)+I\*b\*sin(x)),x)

[Out] (I\*A/a - I\*B/(2\*b) - I\*B\*b/(2\*a\*\*2) - C/(2\*b) + C\*b/(2\*a\*\*2))\*log(a/b + exp(I\*x)) + (2\*A\*a\*x + I\*B\*a\*exp(-I\*x) - B\*b\*x - C\*a\*exp(-I\*x) - I\*C\*b\*x)/(2\*a\*\*2)

---

**Giac [B]** time = 1.12666, size = 278, normalized size = 2.65

$$\frac{2(Ba^3 - iCa^3 - 2Aa^2b - Ba^2b + iCa^2b + 2Aab^2 + Bab^2 + iCab^2 - Bb^3 - iCb^3) \log\left(-a \tan\left(\frac{1}{2}x\right) + b \tan\left(\frac{1}{2}x\right) - ia - \dots\right)}{-4i a^3 b + 4i a^2 b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x)+C\*sin(x))/(a+b\*cos(x)+I\*b\*sin(x)),x, algorithm="giac")

[Out] -2\*(B\*a^3 - I\*C\*a^3 - 2\*A\*a^2\*b - B\*a^2\*b + I\*C\*a^2\*b + 2\*A\*a\*b^2 + B\*a\*b^2 + I\*C\*a\*b^2 - B\*b^3 - I\*C\*b^3)\*log(-a\*tan(1/2\*x) + b\*tan(1/2\*x) - I\*a - I\*b)/(-4\*I\*a^3\*b + 4\*I\*a^2\*b^2) - 1/2\*(-I\*B - C)\*log(tan(1/2\*x) + I)/b - 1/2\*(2\*I\*A\*a - I\*B\*b + C\*b)\*log(tan(1/2\*x) - I)/a^2 - 1/2\*(-2\*I\*A\*a\*tan(1/2\*x) + I\*B\*b\*tan(1/2\*x) - C\*b\*tan(1/2\*x) - 2\*A\*a - 2\*B\*a - 2\*I\*C\*a + B\*b + I\*C\*b)/(a^2\*(tan(1/2\*x) - I))

$$3.554 \quad \int \frac{A+B \cos(x)+C \sin(x)}{a+b \cos(x)-ib \sin(x)} dx$$

**Optimal.** Leaf size=103

$$\frac{i(a^2(-(B+iC))+2aAb-b^2(B-iC)) \log(a-ib \sin(x)+b \cos(x))}{2a^2b} + \frac{x(2aA-bB+ibC)}{2a^2} - \frac{(C+iB)(\cos(x)+i \sin(x))}{2a}$$

[Out] ((2\*a\*A - b\*B + I\*b\*C)\*x)/(2\*a^2) - ((I/2)\*(2\*a\*A\*b - b^2\*(B - I\*C) - a^2\*(B + I\*C))\*Log[a + b\*Cos[x] - I\*b\*Sin[x]])/(a^2\*b) - ((I\*B + C)\*(Cos[x] + I\*Sin[x]))/(2\*a)

**Rubi [A]** time = 0.0732889, antiderivative size = 103, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.038$ , Rules used = {3130}

$$\frac{i(a^2(-(B+iC))+2aAb-b^2(B-iC)) \log(a-ib \sin(x)+b \cos(x))}{2a^2b} + \frac{x(2aA-bB+ibC)}{2a^2} - \frac{(C+iB)(\cos(x)+i \sin(x))}{2a}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[x] + C\*Sin[x])/(a + b\*Cos[x] - I\*b\*Sin[x]),x]

[Out] ((2\*a\*A - b\*B + I\*b\*C)\*x)/(2\*a^2) - ((I/2)\*(2\*a\*A\*b - b^2\*(B - I\*C) - a^2\*(B + I\*C))\*Log[a + b\*Cos[x] - I\*b\*Sin[x]])/(a^2\*b) - ((I\*B + C)\*(Cos[x] + I\*Sin[x]))/(2\*a)

### Rule 3130

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]) / (cos[(d\_.) + (e\_.)\*(x\_)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]), x\_Symbol] :> Simp[((2\*a\*A - b\*B - c\*C)\*x)/(2\*a^2), x] + (-Simp[((b\*B + c\*C)\*(b\*Cos[d + e\*x] - c\*Sin[d + e\*x]))/(2\*a\*b\*c\*e), x] + Simp[((a^2\*(b\*B - c\*C) - 2\*a\*A\*b^2 + b^2\*(b\*B + c\*C))\*Log[RemoveContent[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x], x]])/(2\*a^2\*b\*c\*e), x]) /; FreeQ[{a, b, c, d, e, A, B, C}, x] && EqQ[b^2 + c^2, 0]

### Rubi steps

$$\int \frac{A + B \cos(x) + C \sin(x)}{a + b \cos(x) - ib \sin(x)} dx = \frac{(2aA - bB + ibC)x}{2a^2} - \frac{i(2aAb - b^2(B - iC) - a^2(B + iC)) \log(a + b \cos(x) - ib \sin(x))}{2a^2b}$$

**Mathematica [A]** time = 0.421403, size = 167, normalized size = 1.62

$$\frac{(ia^2(B+iC)-2iaAb+b^2(C+iB)) \log(a^2+2ab \cos(x)+b^2)}{b} + \frac{2(a^2(B+iC)-2aAb+b^2(B-iC)) \tan^{-1}\left(\frac{(a+b) \cot\left(\frac{x}{2}\right)}{a-b}\right)}{b} + x \left( \frac{a^2(B+iC)}{b} + 2aA - b(B-iC) \right) + \frac{1}{4a^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[x] + C\*Sin[x])/(a + b\*Cos[x] - I\*b\*Sin[x]),x]

[Out]  $((2*a*A - b*(B - I*C) + (a^2*(B + I*C))/b)*x + (2*(-2*a*A*b + b^2*(B - I*C) + a^2*(B + I*C))*ArcTan[((a + b)*Cot[x/2])/(a - b)])/b - (2*I)*a*(B - I*C)*Cos[x] + (((-2*I)*a*A*b + I*a^2*(B + I*C) + b^2*(I*B + C))*Log[a^2 + b^2 + 2*a*b*Cos[x]])/b + 2*a*(B - I*C)*Sin[x])/(4*a^2)$

**Maple [B]** time = 0.082, size = 475, normalized size = 4.6

$$\frac{\frac{i}{2}B}{-a+b} \ln\left(ia + ib - a \tan\left(\frac{x}{2}\right) + b \tan\left(\frac{x}{2}\right)\right) + \frac{B}{a} \left(\tan\left(\frac{x}{2}\right) + i\right)^{-1} + \frac{\frac{i}{2}b^2B}{a^2(-a+b)} \ln\left(ia + ib - a \tan\left(\frac{x}{2}\right) + b \tan\left(\frac{x}{2}\right)\right) + \frac{1}{-a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(x)+C*sin(x))/(a+b*cos(x)-I*b*sin(x)),x)`

[Out]  $1/2*I/(-a+b)*\ln(I*a+I*b-a*\tan(1/2*x)+b*\tan(1/2*x))*B+B/a/(\tan(1/2*x)+I)+1/2*I/a^2*b^2/(-a+b)*\ln(I*a+I*b-a*\tan(1/2*x)+b*\tan(1/2*x))*B+I/(-a+b)*\ln(I*a+I*b-a*\tan(1/2*x)+b*\tan(1/2*x))*A-1/2/a^2*\ln(\tan(1/2*x)+I)*b*C+1/2*a/b/(-a+b)*\ln(I*a+I*b-a*\tan(1/2*x)+b*\tan(1/2*x))*C-1/2/(-a+b)*\ln(I*a+I*b-a*\tan(1/2*x)+b*\tan(1/2*x))*C-1/2/a*b/(-a+b)*\ln(I*a+I*b-a*\tan(1/2*x)+b*\tan(1/2*x))*C+1/2/a^2*b^2/(-a+b)*\ln(I*a+I*b-a*\tan(1/2*x)+b*\tan(1/2*x))*C-1/2*I*a/b/(-a+b)*\ln(I*a+I*b-a*\tan(1/2*x)+b*\tan(1/2*x))*B-I/a*b/(-a+b)*\ln(I*a+I*b-a*\tan(1/2*x)+b*\tan(1/2*x))*A+I/a*\ln(\tan(1/2*x)+I)*A-1/2*I/a*b/(-a+b)*\ln(I*a+I*b-a*\tan(1/2*x)+b*\tan(1/2*x))*B-I*C/a/(\tan(1/2*x)+I)-1/2*I*B/b*\ln(\tan(1/2*x)-I)+1/2*C/b*\ln(\tan(1/2*x)-I)-1/2*I/a^2*\ln(\tan(1/2*x)+I)*b*B$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(x)+C*sin(x))/(a+b*cos(x)-I*b*sin(x)),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError

**Fricas [A]** time = 2.06735, size = 169, normalized size = 1.64

$$\frac{(B + iC)a^2x + (-iB - C)abe^{ix} + ((iB - C)a^2 - 2iAab + (iB + C)b^2) \log\left(\frac{ae^{ix} + b}{a}\right)}{2a^2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(x)+C*sin(x))/(a+b*cos(x)-I*b*sin(x)),x, algorithm="fricas")`

[Out]  $1/2*((B + I*C)*a^2*x + (-I*B - C)*a*b*e^{I*x} + ((I*B - C)*a^2 - 2*I*A*a*b + (I*B + C)*b^2)*\log((a*e^{I*x} + b)/a))/(a^2*b)$

**Sympy [A]** time = 1.38012, size = 80, normalized size = 0.78

$$\left(-\frac{iA}{a} + \frac{iB}{2b} + \frac{iBb}{2a^2} - \frac{C}{2b} + \frac{Cb}{2a^2}\right) \log\left(e^{ix} + \frac{b}{a}\right) + \frac{Bax - iBbe^{ix} + iCax - Cbe^{ix}}{2ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x)+C\*sin(x))/(a+b\*cos(x)-I\*b\*sin(x)),x)

[Out] (-I\*A/a + I\*B/(2\*b) + I\*B\*b/(2\*a\*\*2) - C/(2\*b) + C\*b/(2\*a\*\*2))\*log(exp(I\*x) + b/a) + (B\*a\*x - I\*B\*b\*exp(I\*x) + I\*C\*a\*x - C\*b\*exp(I\*x))/(2\*a\*b)

**Giac [B]** time = 1.14179, size = 278, normalized size = 2.7

$$\frac{2\left(Ba^3 + iCa^3 - 2Aa^2b - Ba^2b - iCa^2b + 2Aab^2 + Bab^2 - iCab^2 - Bb^3 + iCb^3\right) \log\left(-a \tan\left(\frac{1}{2}x\right) + b \tan\left(\frac{1}{2}x\right) + I\right)}{4i a^3 b - 4i a^2 b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(x)+C\*sin(x))/(a+b\*cos(x)-I\*b\*sin(x)),x, algorithm="giac")

[Out] -2\*(B\*a^3 + I\*C\*a^3 - 2\*A\*a^2\*b - B\*a^2\*b - I\*C\*a^2\*b + 2\*A\*a\*b^2 + B\*a\*b^2 - I\*C\*a\*b^2 - B\*b^3 + I\*C\*b^3)\*log(-a\*tan(1/2\*x) + b\*tan(1/2\*x) + I\*a + I\*b)/(4\*I\*a^3\*b - 4\*I\*a^2\*b^2) - 1/2\*(I\*B - C)\*log(tan(1/2\*x) - I)/b - 1/2\*(-2\*I\*A\*a + I\*B\*b + C\*b)\*log(tan(1/2\*x) + I)/a^2 - 1/2\*(2\*I\*A\*a\*tan(1/2\*x) - I\*B\*b\*tan(1/2\*x) - C\*b\*tan(1/2\*x) - 2\*A\*a - 2\*B\*a + 2\*I\*C\*a + B\*b - I\*C\*b)/(a^2\*(tan(1/2\*x) + I))

$$3.555 \quad \int \frac{b^2 + c^2 + ab \cos(x) + ac \sin(x)}{(a + b \cos(x) + c \sin(x))^2} dx$$

**Optimal.** Leaf size=24

$$-\frac{c \cos(x) - b \sin(x)}{a + b \cos(x) + c \sin(x)}$$

[Out] -((c\*cos[x] - b\*sin[x])/(a + b\*cos[x] + c\*sin[x]))

**Rubi [B]** time = 0.0675144, antiderivative size = 68, normalized size of antiderivative = 2.83, number of steps used = 1, number of rules used = 1, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.033$ , Rules used = {3150}

$$-\frac{c \cos(x) (a^2 - b^2 - c^2) - b \sin(x) (a^2 - b^2 - c^2)}{(a^2 - b^2 - c^2) (a + b \cos(x) + c \sin(x))}$$

Antiderivative was successfully verified.

[In] Int[(b^2 + c^2 + a\*b\*cos[x] + a\*c\*sin[x])/(a + b\*cos[x] + c\*sin[x])^2,x]

[Out] -((c\*(a^2 - b^2 - c^2)\*cos[x] - b\*(a^2 - b^2 - c^2)\*sin[x])/((a^2 - b^2 - c^2)\*(a + b\*cos[x] + c\*sin[x])))

#### Rule 3150

```
Int[((A_.) + cos[(d_.) + (e_.)*(x_.)]*(B_.) + (C_.)*sin[(d_.) + (e_.)*(x_.)])
/((a_.) + cos[(d_.) + (e_.)*(x_.)]*(b_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^2,
 x_Symbol] :> Simp[(c*B - b*C - (a*C - c*A)*Cos[d + e*x] + (a*B - b*A)*Sin[
d + e*x])/(e*(a^2 - b^2 - c^2)*(a + b*cos[d + e*x] + c*sin[d + e*x])), x] /
; FreeQ[{a, b, c, d, e, A, B, C}, x] && NeQ[a^2 - b^2 - c^2, 0] && EqQ[a*A
- b*B - c*C, 0]
```

#### Rubi steps

$$\int \frac{b^2 + c^2 + ab \cos(x) + ac \sin(x)}{(a + b \cos(x) + c \sin(x))^2} dx = -\frac{c(a^2 - b^2 - c^2) \cos(x) - b(a^2 - b^2 - c^2) \sin(x)}{(a^2 - b^2 - c^2) (a + b \cos(x) + c \sin(x))}$$

**Mathematica [A]** time = 0.0943512, size = 32, normalized size = 1.33

$$\frac{ac + b^2 \sin(x) + c^2 \sin(x)}{b(a + b \cos(x) + c \sin(x))}$$

Antiderivative was successfully verified.

[In] Integrate[(b^2 + c^2 + a\*b\*cos[x] + a\*c\*sin[x])/(a + b\*cos[x] + c\*sin[x])^2 ,x]

[Out] (a\*c + b^2\*sin[x] + c^2\*sin[x])/(b\*(a + b\*cos[x] + c\*sin[x]))



**Maple [B]** time = 0.102, size = 70, normalized size = 2.9

$$-2 \frac{1}{a(\tan(x/2))^2 - b(\tan(x/2))^2 + 2c \tan(x/2) + a + b} \left( -\frac{(ab - b^2 - c^2) \tan(x/2)}{a - b} + \frac{ac}{a - b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b^2+c^2+a\*b\*cos(x)+a\*c\*sin(x))/(a+b\*cos(x)+c\*sin(x))^2,x)

[Out] -2\*(-(a\*b-b^2-c^2)/(a-b)\*tan(1/2\*x)+a\*c/(a-b))/(a\*tan(1/2\*x)^2-b\*tan(1/2\*x)^2+2\*c\*tan(1/2\*x)+a+b)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^2+c^2+a\*b\*cos(x)+a\*c\*sin(x))/(a+b\*cos(x)+c\*sin(x))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.94278, size = 68, normalized size = 2.83

$$\frac{c \cos(x) - b \sin(x)}{b \cos(x) + c \sin(x) + a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^2+c^2+a\*b\*cos(x)+a\*c\*sin(x))/(a+b\*cos(x)+c\*sin(x))^2,x, algorithm="fricas")

[Out] -(c\*cos(x) - b\*sin(x))/(b\*cos(x) + c\*sin(x) + a)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*\*2+c\*\*2+a\*b\*cos(x)+a\*c\*sin(x))/(a+b\*cos(x)+c\*sin(x))\*\*2,x)

[Out] Timed out

**Giac [B]** time = 1.18427, size = 92, normalized size = 3.83

$$\frac{2 \left( ab \tan\left(\frac{1}{2}x\right) - b^2 \tan\left(\frac{1}{2}x\right) - c^2 \tan\left(\frac{1}{2}x\right) - ac \right)}{\left( a \tan\left(\frac{1}{2}x\right)^2 - b \tan\left(\frac{1}{2}x\right)^2 + 2c \tan\left(\frac{1}{2}x\right) + a + b \right) (a - b)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b^2+c^2+a*b*cos(x)+a*c*sin(x))/(a+b*cos(x)+c*sin(x))^2,x, algorithm="giac")
```

```
[Out] 2*(a*b*tan(1/2*x) - b^2*tan(1/2*x) - c^2*tan(1/2*x) - a*c)/((a*tan(1/2*x)^2 - b*tan(1/2*x)^2 + 2*c*tan(1/2*x) + a + b)*(a - b))
```

### 3.556 $\int (a+b \cos(x)+c \sin(x))^{5/2}(d+be \cos(x)+ce \sin(x)) dx$

**Optimal.** Leaf size=390

$$\frac{2(a^2 - b^2 - c^2)(15a^2e + 56ad + 25e(b^2 + c^2)) \sqrt{\frac{a+b \cos(x)+c \sin(x)}{a+\sqrt{b^2+c^2}}} \text{EllipticF}\left(\frac{1}{2}(x - \tan^{-1}(b,c)), \frac{2\sqrt{b^2+c^2}}{a+\sqrt{b^2+c^2}}\right) + 2(161a^2d + 15a^2e + 56ad + 25e(b^2 + c^2))}{105\sqrt{a + b \cos(x) + c \sin(x)}}$$

```
[Out] (2*(161*a^2*d + 63*(b^2 + c^2)*d + 15*a^3*e + 145*a*(b^2 + c^2)*e)*Elliptic
E[(x - ArcTan[b, c])/2, (2*Sqrt[b^2 + c^2])/(a + Sqrt[b^2 + c^2])] * Sqrt[a +
b*Cos[x] + c*Sin[x]] / (105*Sqrt[(a + b*Cos[x] + c*Sin[x]) / (a + Sqrt[b^2 +
c^2])]) - (2*(a^2 - b^2 - c^2)*(56*a*d + 15*a^2*e + 25*(b^2 + c^2)*e)*Ellip
ticF[(x - ArcTan[b, c])/2, (2*Sqrt[b^2 + c^2])/(a + Sqrt[b^2 + c^2])] * Sqrt[
(a + b*Cos[x] + c*Sin[x]) / (a + Sqrt[b^2 + c^2])]) / (105*Sqrt[a + b*Cos[x] +
c*Sin[x]]) - (2*(a + b*Cos[x] + c*Sin[x])^(5/2)*(c*e*Cos[x] - b*e*Sin[x])) /
7 - (2*(a + b*Cos[x] + c*Sin[x])^(3/2)*(c*(7*d + 5*a*e)*Cos[x] - b*(7*d + 5
*a*e)*Sin[x])) / 35 - (2*Sqrt[a + b*Cos[x] + c*Sin[x]]*(c*(56*a*d + 15*a^2*e
+ 25*(b^2 + c^2)*e)*Cos[x] - b*(56*a*d + 15*a^2*e + 25*(b^2 + c^2)*e)*Sin[x
])) / 105
```

**Rubi [A]** time = 0.887684, antiderivative size = 390, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {3146, 3149, 3119, 2653, 3127, 2661}

$$\frac{2(a^2 - b^2 - c^2)(15a^2e + 56ad + 25e(b^2 + c^2)) \sqrt{\frac{a+b \cos(x)+c \sin(x)}{a+\sqrt{b^2+c^2}}} F\left(\frac{1}{2}(x - \tan^{-1}(b,c)) \middle| \frac{2\sqrt{b^2+c^2}}{a+\sqrt{b^2+c^2}}\right) + 2(161a^2d + 15a^2e + 56ad + 25e(b^2 + c^2))}{105\sqrt{a + b \cos(x) + c \sin(x)}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[x] + c*Sin[x])^(5/2)*(d + b*e*Cos[x] + c*e*Sin[x]), x]
```

```
[Out] (2*(161*a^2*d + 63*(b^2 + c^2)*d + 15*a^3*e + 145*a*(b^2 + c^2)*e)*Elliptic
E[(x - ArcTan[b, c])/2, (2*Sqrt[b^2 + c^2])/(a + Sqrt[b^2 + c^2])] * Sqrt[a +
b*Cos[x] + c*Sin[x]] / (105*Sqrt[(a + b*Cos[x] + c*Sin[x]) / (a + Sqrt[b^2 +
c^2])]) - (2*(a^2 - b^2 - c^2)*(56*a*d + 15*a^2*e + 25*(b^2 + c^2)*e)*Ellip
ticF[(x - ArcTan[b, c])/2, (2*Sqrt[b^2 + c^2])/(a + Sqrt[b^2 + c^2])] * Sqrt[
(a + b*Cos[x] + c*Sin[x]) / (a + Sqrt[b^2 + c^2])]) / (105*Sqrt[a + b*Cos[x] +
c*Sin[x]]) - (2*(a + b*Cos[x] + c*Sin[x])^(5/2)*(c*e*Cos[x] - b*e*Sin[x])) /
7 - (2*(a + b*Cos[x] + c*Sin[x])^(3/2)*(c*(7*d + 5*a*e)*Cos[x] - b*(7*d + 5
*a*e)*Sin[x])) / 35 - (2*Sqrt[a + b*Cos[x] + c*Sin[x]]*(c*(56*a*d + 15*a^2*e
+ 25*(b^2 + c^2)*e)*Cos[x] - b*(56*a*d + 15*a^2*e + 25*(b^2 + c^2)*e)*Sin[x
])) / 105
```

#### Rule 3146

```
Int[(cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)])^
(n_.)*(A_.) + cos[(d_.) + (e_.)*(x_.)]*(B_.) + (C_.)*sin[(d_.) + (e_.)*(x_.)
]), x_Symbol] :> Simp[((B*c - b*C - a*C*Cos[d + e*x] + a*B*Sin[d + e*x])*(a
+ b*Cos[d + e*x] + c*Sin[d + e*x])^n)/(a*e*(n + 1)), x] + Dist[1/(a*(n + 1
)), Int[(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n - 1)*Simp[a*(b*B + c*C)*n
+ a^2*A*(n + 1) + (n*(a^2*B - B*c^2 + b*c*C) + a*b*A*(n + 1))*Cos[d + e*x]
+ (n*(b*B*c + a^2*C - b^2*C) + a*c*A*(n + 1))*Sin[d + e*x], x], x], x] /; F
reeQ[{a, b, c, d, e, A, B, C}, x] && GtQ[n, 0] && NeQ[a^2 - b^2 - c^2, 0]
```

Rule 3149

```
Int[((A_.) + cos[(d_.) + (e_.)*(x_)])*(B_.) + (C_.)*sin[(d_.) + (e_.)*(x_)])
/Sqrt[cos[(d_.) + (e_.)*(x_)]*(b_.) + (a_) + (c_.)*sin[(d_.) + (e_.)*(x_)]]
, x_Symbol] :=> Dist[B/b, Int[Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]], x],
x] + Dist[(A*b - a*B)/b, Int[1/Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]],
x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && EqQ[B*c - b*C, 0] && NeQ[A*
b - a*B, 0]
```

Rule 3119

```
Int[Sqrt[cos[(d_.) + (e_.)*(x_)]*(b_.) + (a_) + (c_.)*sin[(d_.) + (e_.)*(x_)
]], x_Symbol] :=> Dist[Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]]/Sqrt[(a +
b*Cos[d + e*x] + c*Sin[d + e*x])/(a + Sqrt[b^2 + c^2])], Int[Sqrt[a/(a + Sq
rt[b^2 + c^2]) + (Sqrt[b^2 + c^2]*Cos[d + e*x - ArcTan[b, c])]/(a + Sqrt[b^
2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]
&& NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3127

```
Int[1/Sqrt[cos[(d_.) + (e_.)*(x_)]*(b_.) + (a_) + (c_.)*sin[(d_.) + (e_.)*(
x_)]], x_Symbol] :=> Dist[Sqrt[(a + b*Cos[d + e*x] + c*Sin[d + e*x])/(a + Sq
rt[b^2 + c^2])]/Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]], Int[1/Sqrt[a/(a
+ Sqrt[b^2 + c^2]) + (Sqrt[b^2 + c^2]*Cos[d + e*x - ArcTan[b, c])]/(a + Sqr
t[b^2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2,
0] && NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int (a + b \cos(x) + c \sin(x))^{5/2} (d + be \cos(x) + ce \sin(x)) dx &= -\frac{2}{7} (a + b \cos(x) + c \sin(x))^{5/2} (ce \cos(x) - be \sin(x)) + \frac{2}{35} \\
&= -\frac{2}{7} (a + b \cos(x) + c \sin(x))^{5/2} (ce \cos(x) - be \sin(x)) - \frac{2}{35} \\
&= -\frac{2}{7} (a + b \cos(x) + c \sin(x))^{5/2} (ce \cos(x) - be \sin(x)) - \frac{2}{35} \\
&= -\frac{2}{7} (a + b \cos(x) + c \sin(x))^{5/2} (ce \cos(x) - be \sin(x)) - \frac{2}{35} \\
&= -\frac{2}{7} (a + b \cos(x) + c \sin(x))^{5/2} (ce \cos(x) - be \sin(x)) - \frac{2}{35} \\
&= \frac{2(161a^2d + 63(b^2 + c^2)d + 15a^3e + 145a(b^2 + c^2)e)E\left(\frac{a+b \cos(x)}{a+\sqrt{a^2+b^2+c^2}}\right)}{105\sqrt{\frac{a+b \cos(x)}{a+\sqrt{a^2+b^2+c^2}}}}
\end{aligned}$$

**Mathematica [C]** time = 6.90226, size = 7823, normalized size = 20.06

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*Cos[x] + c\*Sin[x])^(5/2)\*(d + b\*e\*Cos[x] + c\*e\*Sin[x]),x]

[Out] Result too large to show

**Maple [B]** time = 16.03, size = 3502, normalized size = 9.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(x)+c\*sin(x))^(5/2)\*(d+b\*e\*cos(x)+c\*e\*sin(x)),x)

[Out]  $(-(-b^2 \sin(x - \arctan(-b, c)) - c^2 \sin(x - \arctan(-b, c)) - a(b^2 + c^2)^{1/2}) \cos(x - \arctan(-b, c))^2 / (b^2 + c^2)^{1/2})^{1/2} / (b^2 + c^2) * ((b^6 e + 3b^4 c^2 e + 3b^2 c^4 e + c^6 e) * (-2/7 / (b^2 + c^2)^{1/2} \sin(x - \arctan(-b, c))^2 * (\cos(x - \arctan(-b, c))^2 * ((b^2 + c^2)^{1/2} \sin(x - \arctan(-b, c)) + a))^{1/2} + 12/35 / (b^2 + c^2) * a \sin(x - \arctan(-b, c)) * (\cos(x - \arctan(-b, c))^2 * ((b^2 + c^2)^{1/2} \sin(x - \arctan(-b, c)) + a))^{1/2} - 2/3 * (5/7 + 24/35 / (b^2 + c^2) * a^2) / (b^2 + c^2)^{1/2} * (\cos(x - \arctan(-b, c))^2 * ((b^2 + c^2)^{1/2} \sin(x - \arctan(-b, c)) + a))^{1/2} + 2 * (-4/35 / (b^2 + c^2) * a^2 + 5/21) * (1 / (b^2 + c^2)^{1/2} * a - 1) * ((- (b^2 + c^2)^{1/2} \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2} * ((-\sin(x - \arctan(-b, c)) + 1) * (b^2 + c^2)^{1/2} / (a + (b^2 + c^2)^{1/2}))^{1/2} * ((1 + \sin(x - \arctan(-b, c))) * (b^2 + c^2)^{1/2} / (-a + (b^2 + c^2)^{1/2}))^{1/2} / (\cos(x - \arctan(-b, c))^2 * ((b^2 + c^2)^{1/2} \sin(x - \arctan(-b, c)) + a))^{1/2} * \text{EllipticF}(((b^2 + c^2)^{1/2} \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2}, ((a - (b^2 + c^2)^{1/2}) / (a + (b^2 + c^2)^{1/2}))^{1/2}) + 2 * (-48 * a^3 - 44 * a * b^2 - 44 * a * c^2) / (105 * (b^2 + c^2)^{1/2} * b^2 + 105 * (b^2 + c^2)^{1/2} * c^2) * (1 / (b^2$



$$\begin{aligned}
&)) + 2a^3c^2d \cdot (1/(b^2+c^2)^{1/2}) \cdot a^{-1} \cdot ((-(b^2+c^2)^{1/2}) \cdot \sin(x-\arctan(-b,c)) \\
&)-a)/(-a+(b^2+c^2)^{1/2}))^{1/2} \cdot ((-\sin(x-\arctan(-b,c))+1) \cdot (b^2+c^2)^{1/2}) \\
&/ (a+(b^2+c^2)^{1/2}))^{1/2} \cdot ((1+\sin(x-\arctan(-b,c))) \cdot (b^2+c^2)^{1/2}) / (-a+(b \\
&^2+c^2)^{1/2}))^{1/2} / (-(-b^2 \cdot \sin(x-\arctan(-b,c))-c^2 \cdot \sin(x-\arctan(-b,c))-a \\
&\cdot (b^2+c^2)^{1/2}) \cdot \cos(x-\arctan(-b,c))^2 / (b^2+c^2)^{1/2})^{1/2} \cdot \text{EllipticF}((( \\
&-(b^2+c^2)^{1/2}) \cdot \sin(x-\arctan(-b,c))-a) / (-a+(b^2+c^2)^{1/2}))^{1/2}, ((a-(b^ \\
&2+c^2)^{1/2}) / (a+(b^2+c^2)^{1/2}))^{1/2}) / \cos(x-\arctan(-b,c)) / ((b^2 \cdot \sin(x- \\
&\arctan(-b,c))+c^2 \cdot \sin(x-\arctan(-b,c))+a \cdot (b^2+c^2)^{1/2}) / (b^2+c^2)^{1/2})^{1/2} \\
&1/2)
\end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (be \cos(x) + ce \sin(x) + d)(b \cos(x) + c \sin(x) + a)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(x)+c\*sin(x))^(5/2)\*(d+b\*e\*cos(x)+c\*e\*sin(x)),x, algorithm="maxima")

[Out] integrate((b\*e\*cos(x) + c\*e\*sin(x) + d)\*(b\*cos(x) + c\*sin(x) + a)^(5/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

integral(((b<sup>3</sup> - 3bc<sup>2</sup>)e cos(x)<sup>3</sup> + 2ac<sup>2</sup>e + ((b<sup>2</sup> - c<sup>2</sup>)d + 2(ab<sup>2</sup> - ac<sup>2</sup>)e) cos(x)<sup>2</sup> + (a<sup>2</sup> + c<sup>2</sup>)d + (2abd + (a<sup>2</sup>b + 3bc<sup>2</sup>))

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(x)+c\*sin(x))^(5/2)\*(d+b\*e\*cos(x)+c\*e\*sin(x)),x, algorithm="fricas")

[Out] integral(((b<sup>3</sup> - 3b\*c<sup>2</sup>)\*e\*cos(x)<sup>3</sup> + 2\*a\*c<sup>2</sup>\*e + ((b<sup>2</sup> - c<sup>2</sup>)\*d + 2\*(a\*b<sup>2</sup> - a\*c<sup>2</sup>)\*e)\*cos(x)<sup>2</sup> + (a<sup>2</sup> + c<sup>2</sup>)\*d + (2\*a\*b\*d + (a<sup>2</sup>\*b + 3\*b\*c<sup>2</sup>)\*e)\*cos(x) + ((3\*b<sup>2</sup>\*c - c<sup>3</sup>)\*e\*cos(x)<sup>2</sup> + 2\*a\*c\*d + (a<sup>2</sup>\*c + c<sup>3</sup>)\*e + 2\*(2\*a\*b\*c\*e + b\*c\*d)\*cos(x))\*sin(x))\*sqrt(b\*cos(x) + c\*sin(x) + a), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(x)+c\*sin(x))\*\*(5/2)\*(d+b\*e\*cos(x)+c\*e\*sin(x)),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (be \cos(x) + ce \sin(x) + d)(b \cos(x) + c \sin(x) + a)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(x)+c*sin(x))^(5/2)*(d+b*e*cos(x)+c*e*sin(x)),x, algorithm="giac")
```

```
[Out] integrate((b*e*cos(x) + c*e*sin(x) + d)*(b*cos(x) + c*sin(x) + a)^(5/2), x)
```



### 3.557 $\int (a+b \cos(x)+c \sin(x))^{3/2}(d+be \cos(x)+ce \sin(x)) dx$

**Optimal.** Leaf size=294

$$\frac{2(a^2 - b^2 - c^2)(3ae + 5d)\sqrt{\frac{a+b \cos(x)+c \sin(x)}{a+\sqrt{b^2+c^2}}}\text{EllipticF}\left(\frac{1}{2}(x - \tan^{-1}(b, c)), \frac{2\sqrt{b^2+c^2}}{a+\sqrt{b^2+c^2}}\right)}{15\sqrt{a + b \cos(x) + c \sin(x)}} + \frac{2(3a^2e + 20ad + 9e(b^2 + c^2))\sqrt{a + b \cos(x) + c \sin(x)}}{15}$$

[Out] (2\*(20\*a\*d + 3\*a^2\*e + 9\*(b^2 + c^2)\*e)\*EllipticE[(x - ArcTan[b, c])/2, (2\* Sqrt[b^2 + c^2])/(a + Sqrt[b^2 + c^2])]\*Sqrt[a + b\*Cos[x] + c\*Sin[x]])/(15\* Sqrt[(a + b\*Cos[x] + c\*Sin[x])/(a + Sqrt[b^2 + c^2])]) - (2\*(a^2 - b^2 - c^2)\*(5\*d + 3\*a\*e)\*EllipticF[(x - ArcTan[b, c])/2, (2\*Sqrt[b^2 + c^2])/(a + Sqrt[b^2 + c^2])]\*Sqrt[(a + b\*Cos[x] + c\*Sin[x])/(a + Sqrt[b^2 + c^2])])/(15 \*Sqrt[a + b\*Cos[x] + c\*Sin[x]]) - (2\*(a + b\*Cos[x] + c\*Sin[x])^(3/2)\*(c\*e\*Cos[x] - b\*e\*Sin[x]))/5 - (2\*Sqrt[a + b\*Cos[x] + c\*Sin[x]]\*(c\*(5\*d + 3\*a\*e)\* Cos[x] - b\*(5\*d + 3\*a\*e)\*Sin[x]))/15

**Rubi [A]** time = 0.555243, antiderivative size = 294, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {3146, 3149, 3119, 2653, 3127, 2661}

$$\frac{2(a^2 - b^2 - c^2)(3ae + 5d)\sqrt{\frac{a+b \cos(x)+c \sin(x)}{a+\sqrt{b^2+c^2}}}\text{F}\left(\frac{1}{2}(x - \tan^{-1}(b, c))\middle|\frac{2\sqrt{b^2+c^2}}{a+\sqrt{b^2+c^2}}\right)}{15\sqrt{a + b \cos(x) + c \sin(x)}} + \frac{2(3a^2e + 20ad + 9e(b^2 + c^2))\sqrt{a + b \cos(x) + c \sin(x)}}{15}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[x] + c\*Sin[x])^(3/2)\*(d + b\*e\*Cos[x] + c\*e\*Sin[x]),x]

[Out] (2\*(20\*a\*d + 3\*a^2\*e + 9\*(b^2 + c^2)\*e)\*EllipticE[(x - ArcTan[b, c])/2, (2\* Sqrt[b^2 + c^2])/(a + Sqrt[b^2 + c^2])]\*Sqrt[a + b\*Cos[x] + c\*Sin[x]])/(15\* Sqrt[(a + b\*Cos[x] + c\*Sin[x])/(a + Sqrt[b^2 + c^2])]) - (2\*(a^2 - b^2 - c^2)\*(5\*d + 3\*a\*e)\*EllipticF[(x - ArcTan[b, c])/2, (2\*Sqrt[b^2 + c^2])/(a + Sqrt[b^2 + c^2])]\*Sqrt[(a + b\*Cos[x] + c\*Sin[x])/(a + Sqrt[b^2 + c^2])])/(15 \*Sqrt[a + b\*Cos[x] + c\*Sin[x]]) - (2\*(a + b\*Cos[x] + c\*Sin[x])^(3/2)\*(c\*e\*Cos[x] - b\*e\*Sin[x]))/5 - (2\*Sqrt[a + b\*Cos[x] + c\*Sin[x]]\*(c\*(5\*d + 3\*a\*e)\* Cos[x] - b\*(5\*d + 3\*a\*e)\*Sin[x]))/15

#### Rule 3146

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(n\_.)\*((A\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]), x\_Symbol] :> Simp[((B\*c - b\*C - a\*C\*Cos[d + e\*x] + a\*B\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^n)/(a\*e\*(n + 1)), x] + Dist[1/(a\*(n + 1)), Int[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n - 1)\*Simp[a\*(b\*B + c\*C)\*n + a^2\*A\*(n + 1) + (n\*(a^2\*B - B\*c^2 + b\*c\*C) + a\*b\*A\*(n + 1))\*Cos[d + e\*x] + (n\*(b\*B\*c + a^2\*C - b^2\*C) + a\*c\*A\*(n + 1))\*Sin[d + e\*x], x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && GtQ[n, 0] && NeQ[a^2 - b^2 - c^2, 0]

#### Rule 3149

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]) /Sqrt[cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]), x\_Symbol] :> Dist[B/b, Int[Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]], x],

```
x] + Dist[(A*b - a*B)/b, Int[1/Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]],
x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && EqQ[B*c - b*C, 0] && NeQ[A*
b - a*B, 0]
```

### Rule 3119

```
Int[Sqrt[cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_
)], x_Symbol] := Dist[Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]]/Sqrt[(a +
b*Cos[d + e*x] + c*Sin[d + e*x])/(a + Sqrt[b^2 + c^2])], Int[Sqrt[a/(a + Sq
rt[b^2 + c^2]) + (Sqrt[b^2 + c^2]*Cos[d + e*x - ArcTan[b, c]])/(a + Sqrt[b^
2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]
&& NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]
```

### Rule 2653

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

### Rule 3127

```
Int[1/Sqrt[cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(
x_.)]], x_Symbol] := Dist[Sqrt[(a + b*Cos[d + e*x] + c*Sin[d + e*x])/(a + Sq
rt[b^2 + c^2])]/Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]], Int[1/Sqrt[a/(a
+ Sqrt[b^2 + c^2]) + (Sqrt[b^2 + c^2]*Cos[d + e*x - ArcTan[b, c]])/(a + Sqr
t[b^2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2,
0] && NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]
```

### Rule 2661

```
Int[1/Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

### Rubi steps

$$\begin{aligned} \int (a + b \cos(x) + c \sin(x))^{3/2} (d + be \cos(x) + ce \sin(x)) dx &= -\frac{2}{5} (a + b \cos(x) + c \sin(x))^{3/2} (ce \cos(x) - be \sin(x)) + \frac{2 \int \sqrt{a + b \cos(x) + c \sin(x)}}{15} \\ &= -\frac{2}{5} (a + b \cos(x) + c \sin(x))^{3/2} (ce \cos(x) - be \sin(x)) - \frac{2}{15} \sqrt{a + b \cos(x) + c \sin(x)} \\ &= -\frac{2}{5} (a + b \cos(x) + c \sin(x))^{3/2} (ce \cos(x) - be \sin(x)) - \frac{2}{15} \sqrt{a + b \cos(x) + c \sin(x)} \\ &= -\frac{2}{5} (a + b \cos(x) + c \sin(x))^{3/2} (ce \cos(x) - be \sin(x)) - \frac{2}{15} \sqrt{a + b \cos(x) + c \sin(x)} \\ &= \frac{2 (20ad + 3a^2e + 9(b^2 + c^2)e) E\left(\frac{1}{2}(x - \tan^{-1}(b, c)) \middle| \frac{2\sqrt{b^2 + c^2}}{a + \sqrt{b^2 + c^2}}\right)}{15 \sqrt{\frac{a + b \cos(x) + c \sin(x)}{a + \sqrt{b^2 + c^2}}}} \end{aligned}$$

**Mathematica [C]** time = 6.55543, size = 5218, normalized size = 17.75

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*cos[x] + c\*sin[x])^(3/2)\*(d + b\*e\*cos[x] + c\*e\*sin[x]),x]

[Out] Result too large to show

**Maple [B]** time = 10.746, size = 2238, normalized size = 7.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(x)+c\*sin(x))^(3/2)\*(d+b\*e\*cos(x)+c\*e\*sin(x)),x)

[Out] 
$$\begin{aligned} & (-(-b^2 \sin(x - \arctan(-b, c)) - c^2 \sin(x - \arctan(-b, c)) - a(b^2 + c^2)^{1/2}) \cos(x - \arctan(-b, c)) \\ & \wedge 2 / (b^2 + c^2)^{1/2})^{1/2} / (b^2 + c^2)^{1/2} * ((b^4 * e + 2 * b^2 * c^2 * e + c^4 * e) * (-2/5 / (b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) * (\cos(x - \arctan(-b, c)) \wedge 2 * (b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) + a))^{1/2} + 8/15 / (b^2 + c^2) * a * (\cos(x - \arctan(-b, c)) \wedge 2 * (b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) + a))^{1/2} + 4/15 / (b^2 + c^2)^{1/2} * a * (1 / (b^2 + c^2)^{1/2} * a - 1) * ((- (b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2} * ((-\sin(x - \arctan(-b, c)) + 1) * (b^2 + c^2)^{1/2} / (a + (b^2 + c^2)^{1/2}))^{1/2} * ((1 + \sin(x - \arctan(-b, c))) * (b^2 + c^2)^{1/2} / (-a + (b^2 + c^2)^{1/2}))^{1/2} / (\cos(x - \arctan(-b, c)) \wedge 2 * ((b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) + a))^{1/2} * \text{EllipticF}((( - (b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2}, ((a - (b^2 + c^2)^{1/2}) / (a + (b^2 + c^2)^{1/2}))^{1/2}) + 2 * (3/5 + 8/15 / (b^2 + c^2) * a^2) * (1 / (b^2 + c^2)^{1/2} * a - 1) * ((- (b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2} * ((-\sin(x - \arctan(-b, c)) + 1) * (b^2 + c^2)^{1/2} / (a + (b^2 + c^2)^{1/2}))^{1/2} * ((1 + \sin(x - \arctan(-b, c))) * (b^2 + c^2)^{1/2} / (-a + (b^2 + c^2)^{1/2}))^{1/2} / (\cos(x - \arctan(-b, c)) \wedge 2 * ((b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) + a))^{1/2} * ((-1 / (b^2 + c^2)^{1/2} * a - 1) * \text{EllipticE}((( - (b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2}, ((a - (b^2 + c^2)^{1/2}) / (a + (b^2 + c^2)^{1/2}))^{1/2}) + \text{EllipticF}((( - (b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2}, ((a - (b^2 + c^2)^{1/2}) / (a + (b^2 + c^2)^{1/2}))^{1/2})) + (2 * (b^2 + c^2)^{1/2} * a * b^2 * e + 2 * (b^2 + c^2)^{1/2} * a * c^2 * e + (b^2 + c^2)^{1/2} * b^2 * d + (b^2 + c^2)^{1/2} * c^2 * d) * (-2/3 / (b^2 + c^2)^{1/2} * (\cos(x - \arctan(-b, c)) \wedge 2 * ((b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) + a))^{1/2} + 2/3 * (1 / (b^2 + c^2)^{1/2} * a - 1) * ((- (b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2} * ((-\sin(x - \arctan(-b, c)) + 1) * (b^2 + c^2)^{1/2} / (a + (b^2 + c^2)^{1/2}))^{1/2} * ((1 + \sin(x - \arctan(-b, c))) * (b^2 + c^2)^{1/2} / (-a + (b^2 + c^2)^{1/2}))^{1/2} / (\cos(x - \arctan(-b, c)) \wedge 2 * ((b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) + a))^{1/2} * \text{EllipticF}((( - (b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2}, ((a - (b^2 + c^2)^{1/2}) / (a + (b^2 + c^2)^{1/2}))^{1/2}) - 4/3 / (b^2 + c^2)^{1/2} * a * (1 / (b^2 + c^2)^{1/2} * a - 1) * ((- (b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2} * ((-\sin(x - \arctan(-b, c)) + 1) * (b^2 + c^2)^{1/2} / (a + (b^2 + c^2)^{1/2}))^{1/2} * ((1 + \sin(x - \arctan(-b, c))) * (b^2 + c^2)^{1/2} / (-a + (b^2 + c^2)^{1/2}))^{1/2} / (\cos(x - \arctan(-b, c)) \wedge 2 * ((b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) + a))^{1/2} * ((-1 / (b^2 + c^2)^{1/2} * a - 1) * \text{EllipticE}((( - (b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2}, ((a - (b^2 + c^2)^{1/2}) / (a + (b^2 + c^2)^{1/2}))^{1/2}) + \text{EllipticF}((( - (b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2}, ((a - (b^2 + c^2)^{1/2}) / (a + (b^2 + c^2)^{1/2}))^{1/2})) + 2 * (a^2 * b^2 * e + a^2 * c^2 * e + 2 * a * b^2 * d + 2 * a * c^2 * d) * (1 / (b^2 + c^2)^{1/2} * a - 1) * ((- (b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2} * ((-\sin(x - \arctan(-b, c)) + 1) * (b^2 + c^2)^{1/2} / (a + (b^2 + c^2)^{1/2}))^{1/2} * ((1 + \sin(x - \arctan(-b, c))) * (b^2 + c^2)^{1/2} / (-a + (b^2 + c^2)^{1/2}))^{1/2} / (\cos(x - \arctan(-b, c)) \wedge 2 * ((b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) + a))^{1/2} * ((-1 / (b^2 + c^2)^{1/2} * a - 1) * \text{EllipticE}((( - (b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2}, ((a - (b^2 + c^2)^{1/2}) / (a + (b^2 + c^2)^{1/2}))^{1/2}) + \text{EllipticF}((( - (b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2}, ((a - (b^2 + c^2)^{1/2}) / (a + (b^2 + c^2)^{1/2}))^{1/2})) \end{aligned}$$

$$\begin{aligned} & ^2)^{(1/2))}^{(1/2)}, ((a-(b^2+c^2)^{(1/2)})/(a+(b^2+c^2)^{(1/2)}))^{(1/2)})) + 2*a^2*d \\ & *(b^2+c^2)^{(1/2)}*(1/(b^2+c^2)^{(1/2)}*a-1)*((-b^2+c^2)^{(1/2)}*\sin(x-\arctan(-b \\ & ,c))-a)/(-a+(b^2+c^2)^{(1/2)}))^{(1/2)}*((-\sin(x-\arctan(-b,c))+1)*(b^2+c^2)^{(1/2)} \\ & )/(a+(b^2+c^2)^{(1/2)}))^{(1/2)}*((1+\sin(x-\arctan(-b,c)))*(b^2+c^2)^{(1/2)}/(-a+ \\ & (b^2+c^2)^{(1/2)}))^{(1/2)}/(-b^2*\sin(x-\arctan(-b,c))-c^2*\sin(x-\arctan(-b,c)) \\ & -a*(b^2+c^2)^{(1/2)})*\cos(x-\arctan(-b,c))^2/(b^2+c^2)^{(1/2)})^{(1/2)}*EllipticF( \\ & ((-b^2+c^2)^{(1/2)}*\sin(x-\arctan(-b,c))-a)/(-a+(b^2+c^2)^{(1/2)}))^{(1/2)}, ((a-( \\ & b^2+c^2)^{(1/2)})/(a+(b^2+c^2)^{(1/2)}))^{(1/2)})/\cos(x-\arctan(-b,c))/((b^2*\sin( \\ & x-\arctan(-b,c))+c^2*\sin(x-\arctan(-b,c))+a*(b^2+c^2)^{(1/2)})/(b^2+c^2)^{(1/2)}) \\ & ^{(1/2)} \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (be \cos(x) + ce \sin(x) + d)(b \cos(x) + c \sin(x) + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(x)+c\*sin(x))^(3/2)\*(d+b\*e\*cos(x)+c\*e\*sin(x)),x, algorithm="maxima")

[Out] integrate((b\*e\*cos(x) + c\*e\*sin(x) + d)\*(b\*cos(x) + c\*sin(x) + a)^(3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

integral(((b^2 - c^2)\*e\*cos(x)^2 + c^2\*e + a\*d + (a\*b\*e + b\*d)\*cos(x) + (2\*b\*c\*e\*cos(x) + a\*c\*e + c\*d)\*sin(x))\*sqrt(b\*cos(x) + c\*sin(x) + a), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(x)+c\*sin(x))^(3/2)\*(d+b\*e\*cos(x)+c\*e\*sin(x)),x, algorithm="fricas")

[Out] integral(((b^2 - c^2)\*e\*cos(x)^2 + c^2\*e + a\*d + (a\*b\*e + b\*d)\*cos(x) + (2\*b\*c\*e\*cos(x) + a\*c\*e + c\*d)\*sin(x))\*sqrt(b\*cos(x) + c\*sin(x) + a), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(x)+c\*sin(x))^(3/2)\*(d+b\*e\*cos(x)+c\*e\*sin(x)),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (be \cos(x) + ce \sin(x) + d)(b \cos(x) + c \sin(x) + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(x)+c*sin(x))^(3/2)*(d+b*e*cos(x)+c*e*sin(x)),x, algorithm  
m="giac")
```

```
[Out] integrate((b*e*cos(x) + c*e*sin(x) + d)*(b*cos(x) + c*sin(x) + a)^(3/2), x)
```

### 3.558 $\int \sqrt{a + b \cos(x) + c \sin(x)}(d + be \cos(x) + ce \sin(x)) dx$

**Optimal.** Leaf size=229

$$\frac{2e(a^2 - b^2 - c^2) \sqrt{\frac{a+b \cos(x)+c \sin(x)}{a+\sqrt{b^2+c^2}}} \operatorname{EllipticF}\left(\frac{1}{2}(x - \tan^{-1}(b, c)), \frac{2\sqrt{b^2+c^2}}{a+\sqrt{b^2+c^2}}\right)}{3\sqrt{a + b \cos(x) + c \sin(x)}} + \frac{2(ae + 3d)\sqrt{a + b \cos(x) + c \sin(x)} E\left(\frac{1}{2}(x - \tan^{-1}(b, c)), \frac{2\sqrt{b^2+c^2}}{a+\sqrt{b^2+c^2}}\right)}{3\sqrt{\frac{a+b \cos(x)+c \sin(x)}{a+\sqrt{b^2+c^2}}}}$$

[Out] (2\*(3\*d + a\*e)\*EllipticE[(x - ArcTan[b, c])/2, (2\*Sqrt[b^2 + c^2])/(a + Sqrt[b^2 + c^2])]\*Sqrt[a + b\*Cos[x] + c\*Sin[x]])/(3\*Sqrt[(a + b\*Cos[x] + c\*Sin[x])/(a + Sqrt[b^2 + c^2])]) - (2\*(a^2 - b^2 - c^2)\*e\*EllipticF[(x - ArcTan[b, c])/2, (2\*Sqrt[b^2 + c^2])/(a + Sqrt[b^2 + c^2])]\*Sqrt[(a + b\*Cos[x] + c\*Sin[x])/(a + Sqrt[b^2 + c^2])])/(3\*Sqrt[a + b\*Cos[x] + c\*Sin[x]]) - (2\*Sqrt[a + b\*Cos[x] + c\*Sin[x]]\*(c\*e\*Cos[x] - b\*e\*Sin[x]))/3

**Rubi [A]** time = 0.332188, antiderivative size = 229, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {3146, 3149, 3119, 2653, 3127, 2661}

$$\frac{2e(a^2 - b^2 - c^2) \sqrt{\frac{a+b \cos(x)+c \sin(x)}{a+\sqrt{b^2+c^2}}} F\left(\frac{1}{2}(x - \tan^{-1}(b, c)) \middle| \frac{2\sqrt{b^2+c^2}}{a+\sqrt{b^2+c^2}}\right)}{3\sqrt{a + b \cos(x) + c \sin(x)}} + \frac{2(ae + 3d)\sqrt{a + b \cos(x) + c \sin(x)} E\left(\frac{1}{2}(x - \tan^{-1}(b, c)), \frac{2\sqrt{b^2+c^2}}{a+\sqrt{b^2+c^2}}\right)}{3\sqrt{\frac{a+b \cos(x)+c \sin(x)}{a+\sqrt{b^2+c^2}}}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b\*Cos[x] + c\*Sin[x]]\*(d + b\*e\*Cos[x] + c\*e\*Sin[x]),x]

[Out] (2\*(3\*d + a\*e)\*EllipticE[(x - ArcTan[b, c])/2, (2\*Sqrt[b^2 + c^2])/(a + Sqrt[b^2 + c^2])]\*Sqrt[a + b\*Cos[x] + c\*Sin[x]])/(3\*Sqrt[(a + b\*Cos[x] + c\*Sin[x])/(a + Sqrt[b^2 + c^2])]) - (2\*(a^2 - b^2 - c^2)\*e\*EllipticF[(x - ArcTan[b, c])/2, (2\*Sqrt[b^2 + c^2])/(a + Sqrt[b^2 + c^2])]\*Sqrt[(a + b\*Cos[x] + c\*Sin[x])/(a + Sqrt[b^2 + c^2])])/(3\*Sqrt[a + b\*Cos[x] + c\*Sin[x]]) - (2\*Sqrt[a + b\*Cos[x] + c\*Sin[x]]\*(c\*e\*Cos[x] - b\*e\*Sin[x]))/3

#### Rule 3146

Int[(cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(n\_.)\*((A\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]), x\_Symbol] :> Simp[((B\*c - b\*C - a\*C\*Cos[d + e\*x] + a\*B\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^n)/(a\*e\*(n + 1)), x] + Dist[1/(a\*(n + 1)), Int[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n - 1)\*Simp[a\*(b\*B + c\*C)\*n + a^2\*A\*(n + 1) + (n\*(a^2\*B - B\*c^2 + b\*c\*C) + a\*b\*A\*(n + 1))\*Cos[d + e\*x] + (n\*(b\*B\*c + a^2\*C - b^2\*C) + a\*c\*A\*(n + 1))\*Sin[d + e\*x], x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && GtQ[n, 0] && NeQ[a^2 - b^2 - c^2, 0]

#### Rule 3149

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]) / Sqrt[cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]], x\_Symbol] :> Dist[B/b, Int[Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]], x], x] + Dist[(A\*b - a\*B)/b, Int[1/Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]], x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && EqQ[B\*c - b\*C, 0] && NeQ[A\*b - a\*B, 0]

Rule 3119

```
Int[Sqrt[cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_) + (c_.)*sin[(d_.) + (e_.)*(x_.)
]], x_Symbol] := Dist[Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]]/Sqrt[(a +
b*Cos[d + e*x] + c*Sin[d + e*x])/(a + Sqrt[b^2 + c^2])], Int[Sqrt[a/(a + Sq
rt[b^2 + c^2]) + (Sqrt[b^2 + c^2]*Cos[d + e*x - ArcTan[b, c]])/(a + Sqrt[b^
2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]
&& NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3127

```
Int[1/Sqrt[cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_) + (c_.)*sin[(d_.) + (e_.)*(
x_.)]], x_Symbol] := Dist[Sqrt[(a + b*Cos[d + e*x] + c*Sin[d + e*x])/(a + Sq
rt[b^2 + c^2])]/Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]], Int[1/Sqrt[a/(a
+ Sqrt[b^2 + c^2]) + (Sqrt[b^2 + c^2]*Cos[d + e*x - ArcTan[b, c]])/(a + Sqr
t[b^2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2,
0] && NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned} \int \sqrt{a + b \cos(x) + c \sin(x)}(d + b e \cos(x) + c e \sin(x)) dx &= -\frac{2}{3} \sqrt{a + b \cos(x) + c \sin(x)}(c e \cos(x) - b e \sin(x)) + \frac{2}{3} \int \frac{1}{\sqrt{a + b \cos(x) + c \sin(x)}} dx \\ &= -\frac{2}{3} \sqrt{a + b \cos(x) + c \sin(x)}(c e \cos(x) - b e \sin(x)) - \frac{1}{3} \left( (a^2 + b^2 + c^2) \operatorname{arctan} \left( \frac{c \sin(x) + b \cos(x)}{a + \sqrt{a + b \cos(x) + c \sin(x)}} \right) \right) \\ &= -\frac{2}{3} \sqrt{a + b \cos(x) + c \sin(x)}(c e \cos(x) - b e \sin(x)) + \frac{(3d + ae) \sqrt{a + b \cos(x) + c \sin(x)}}{3 \sqrt{a + b \cos(x) + c \sin(x)}} \\ &= \frac{2(3d + ae) E \left( \frac{1}{2} (x - \tan^{-1}(b, c)) \middle| \frac{2\sqrt{b^2 + c^2}}{a + \sqrt{b^2 + c^2}} \right) \sqrt{a + b \cos(x) + c \sin(x)}}{3 \sqrt{a + b \cos(x) + c \sin(x)}} \end{aligned}$$

**Mathematica [C]** time = 6.34291, size = 3006, normalized size = 13.13

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sqrt[a + b*Cos[x] + c*Sin[x]]*(d + b*e*Cos[x] + c*e*Sin[x]),x]
```

```

[Out] Sqrt[a + b*cos[x] + c*sin[x]]*((2*b*(3*d + a*e))/(3*c) - (2*c*e*cos[x])/3 +
(2*b*e*sin[x])/3) + (2*a*d*AppellF1[1/2, 1/2, 1/2, 3/2, -((a + Sqrt[1 + b^
2/c^2]*c*sin[x + ArcTan[b/c]])/(Sqrt[1 + b^2/c^2]*(1 - a/(Sqrt[1 + b^2/c^2]
*c)))*c)), -((a + Sqrt[1 + b^2/c^2]*c*sin[x + ArcTan[b/c]])/(Sqrt[1 + b^2/c^
2]*(-1 - a/(Sqrt[1 + b^2/c^2]*c)))*c))*Sec[x + ArcTan[b/c]]*Sqrt[(c*Sqrt[(b
^2 + c^2)/c^2] - c*Sqrt[(b^2 + c^2)/c^2]*sin[x + ArcTan[b/c]])/(a + c*Sqrt[
(b^2 + c^2)/c^2])] * Sqrt[a + c*Sqrt[(b^2 + c^2)/c^2]*sin[x + ArcTan[b/c]]] * S
qrt[(c*Sqrt[(b^2 + c^2)/c^2] + c*Sqrt[(b^2 + c^2)/c^2]*sin[x + ArcTan[b/c]]
)]/(-a + c*Sqrt[(b^2 + c^2)/c^2])]/(Sqrt[1 + b^2/c^2]*c) + (2*b^2*e*AppellF
1[1/2, 1/2, 1/2, 3/2, -((a + Sqrt[1 + b^2/c^2]*c*sin[x + ArcTan[b/c]])/(Sqr
t[1 + b^2/c^2]*(1 - a/(Sqrt[1 + b^2/c^2]*c)))*c)), -((a + Sqrt[1 + b^2/c^2]*
c*sin[x + ArcTan[b/c]])/(Sqrt[1 + b^2/c^2]*(-1 - a/(Sqrt[1 + b^2/c^2]*c)))*c
))*Sec[x + ArcTan[b/c]]*Sqrt[(c*Sqrt[(b^2 + c^2)/c^2] - c*Sqrt[(b^2 + c^2)
/c^2]*sin[x + ArcTan[b/c]])/(a + c*Sqrt[(b^2 + c^2)/c^2])] * Sqrt[a + c*Sqrt[
(b^2 + c^2)/c^2]*sin[x + ArcTan[b/c]]] * Sqrt[(c*Sqrt[(b^2 + c^2)/c^2] + c*Sq
rt[(b^2 + c^2)/c^2]*sin[x + ArcTan[b/c]])/(-a + c*Sqrt[(b^2 + c^2)/c^2])]/
(3*Sqrt[1 + b^2/c^2]*c) + (2*c*e*AppellF1[1/2, 1/2, 1/2, 3/2, -((a + Sqrt[1
+ b^2/c^2]*c*sin[x + ArcTan[b/c]])/(Sqrt[1 + b^2/c^2]*(1 - a/(Sqrt[1 + b^2
/c^2]*c)))*c)), -((a + Sqrt[1 + b^2/c^2]*c*sin[x + ArcTan[b/c]])/(Sqrt[1 + b
^2/c^2]*(-1 - a/(Sqrt[1 + b^2/c^2]*c)))*c))*Sec[x + ArcTan[b/c]]*Sqrt[(c*Sq
rt[(b^2 + c^2)/c^2] - c*Sqrt[(b^2 + c^2)/c^2]*sin[x + ArcTan[b/c]])/(a + c*
Sqrt[(b^2 + c^2)/c^2])] * Sqrt[a + c*Sqrt[(b^2 + c^2)/c^2]*sin[x + ArcTan[b/c
]]] * Sqrt[(c*Sqrt[(b^2 + c^2)/c^2] + c*Sqrt[(b^2 + c^2)/c^2]*sin[x + ArcTan[
b/c]])/(-a + c*Sqrt[(b^2 + c^2)/c^2])]/(3*Sqrt[1 + b^2/c^2]) + (b^2*d*(-((c
*AppellF1[-1/2, -1/2, -1/2, 1/2, -((a + b*Sqrt[1 + c^2/b^2]*cos[x - ArcTan
[c/b]])/(b*Sqrt[1 + c^2/b^2]*(1 - a/(b*Sqrt[1 + c^2/b^2])))), -((a + b*Sqrt
[1 + c^2/b^2]*cos[x - ArcTan[c/b]])/(b*Sqrt[1 + c^2/b^2]*(-1 - a/(b*Sqrt[1
+ c^2/b^2])))))*sin[x - ArcTan[c/b]])/(b*Sqrt[1 + c^2/b^2]*Sqrt[(b*Sqrt[(b^
2 + c^2)/b^2] - b*Sqrt[(b^2 + c^2)/b^2]*cos[x - ArcTan[c/b]])/(a + b*Sqrt[(
b^2 + c^2)/b^2])] * Sqrt[a + b*Sqrt[(b^2 + c^2)/b^2]*cos[x - ArcTan[c/b]]] * Sqr
t[(b*Sqrt[(b^2 + c^2)/b^2] + b*Sqrt[(b^2 + c^2)/b^2]*cos[x - ArcTan[c/b]])
/(-a + b*Sqrt[(b^2 + c^2)/b^2])]) - ((2*b*(a + b*Sqrt[1 + c^2/b^2]*cos[x -
ArcTan[c/b]]))/(b^2 + c^2) - (c*sin[x - ArcTan[c/b]])/(b*Sqrt[1 + c^2/b^2]
))/Sqrt[a + b*Sqrt[1 + c^2/b^2]*cos[x - ArcTan[c/b]]])/c + c*d*(-((c*Appel
lF1[-1/2, -1/2, -1/2, 1/2, -((a + b*Sqrt[1 + c^2/b^2]*cos[x - ArcTan[c/b]])
/(b*Sqrt[1 + c^2/b^2]*(1 - a/(b*Sqrt[1 + c^2/b^2])))), -((a + b*Sqrt[1 + c^
2/b^2]*cos[x - ArcTan[c/b]])/(b*Sqrt[1 + c^2/b^2]*(-1 - a/(b*Sqrt[1 + c^2/b
^2])))))*sin[x - ArcTan[c/b]])/(b*Sqrt[1 + c^2/b^2]*Sqrt[(b*Sqrt[(b^2 + c^2
)/b^2] - b*Sqrt[(b^2 + c^2)/b^2]*cos[x - ArcTan[c/b]])/(a + b*Sqrt[(b^2 + c
^2)/b^2])] * Sqrt[a + b*Sqrt[(b^2 + c^2)/b^2]*cos[x - ArcTan[c/b]]] * Sqrt[(b*S
qrt[(b^2 + c^2)/b^2] + b*Sqrt[(b^2 + c^2)/b^2]*cos[x - ArcTan[c/b]])/(-a +
b*Sqrt[(b^2 + c^2)/b^2])]) - ((2*b*(a + b*Sqrt[1 + c^2/b^2]*cos[x - ArcTan
[c/b]]))/(b^2 + c^2) - (c*sin[x - ArcTan[c/b]])/(b*Sqrt[1 + c^2/b^2]))/Sqrt
[a + b*Sqrt[1 + c^2/b^2]*cos[x - ArcTan[c/b]]) + (a*b^2*e*(-((c*AppellF1[-
1/2, -1/2, -1/2, 1/2, -((a + b*Sqrt[1 + c^2/b^2]*cos[x - ArcTan[c/b]])/(b*S
qrt[1 + c^2/b^2]*(1 - a/(b*Sqrt[1 + c^2/b^2])))), -((a + b*Sqrt[1 + c^2/b^2
]*cos[x - ArcTan[c/b]])/(b*Sqrt[1 + c^2/b^2]*(-1 - a/(b*Sqrt[1 + c^2/b^2])
))*sin[x - ArcTan[c/b]])/(b*Sqrt[1 + c^2/b^2]*Sqrt[(b*Sqrt[(b^2 + c^2)/b^2
] - b*Sqrt[(b^2 + c^2)/b^2]*cos[x - ArcTan[c/b]])/(a + b*Sqrt[(b^2 + c^2)/b
^2])] * Sqrt[a + b*Sqrt[(b^2 + c^2)/b^2]*cos[x - ArcTan[c/b]]] * Sqrt[(b*Sqr
t[(b^2 + c^2)/b^2] + b*Sqrt[(b^2 + c^2)/b^2]*cos[x - ArcTan[c/b]])/(-a + b*Sqr
t[(b^2 + c^2)/b^2])]) - ((2*b*(a + b*Sqrt[1 + c^2/b^2]*cos[x - ArcTan[c/b]
]))/(b^2 + c^2) - (c*sin[x - ArcTan[c/b]])/(b*Sqrt[1 + c^2/b^2]))/Sqrt[a +
b*Sqrt[1 + c^2/b^2]*cos[x - ArcTan[c/b]]])/ (3*c) + (a*c*e*(-((c*AppellF1[-
1/2, -1/2, -1/2, 1/2, -((a + b*Sqrt[1 + c^2/b^2]*cos[x - ArcTan[c/b]])/(b*S
qrt[1 + c^2/b^2]*(1 - a/(b*Sqrt[1 + c^2/b^2])))), -((a + b*Sqrt[1 + c^2/b^2
]*cos[x - ArcTan[c/b]])/(b*Sqrt[1 + c^2/b^2]*(-1 - a/(b*Sqrt[1 + c^2/b^2])
))*sin[x - ArcTan[c/b]])/(b*Sqrt[1 + c^2/b^2]*Sqrt[(b*Sqrt[(b^2 + c^2)/b^2
] - b*Sqrt[(b^2 + c^2)/b^2]*cos[x - ArcTan[c/b]])/(a + b*Sqrt[(b^2 + c^2)/b

```



$$\begin{aligned} & \sqrt{a + b\sqrt{(b^2 + c^2)/b^2}} \cos[x - \arctan(c/b)] \sqrt{(b\sqrt{(b^2 + c^2)/b^2} + b\sqrt{(b^2 + c^2)/b^2} \cos[x - \arctan(c/b)]) / (-a + b\sqrt{(b^2 + c^2)/b^2})} \\ & - ((2b(a + b\sqrt{(b^2 + c^2)/b^2}) \cos[x - \arctan(c/b)]) / (b^2 + c^2) - (c \sin[x - \arctan(c/b)]) / (b\sqrt{(b^2 + c^2)/b^2})) / \sqrt{a + b\sqrt{(b^2 + c^2)/b^2}} \cos[x - \arctan(c/b)] \end{aligned} / 3$$

**Maple [B]** time = 8.033, size = 1460, normalized size = 6.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (a + b \cos(x) + c \sin(x))^{1/2} (d + b e \cos(x) + c e \sin(x)) dx$

[Out] 
$$\begin{aligned} & (-(-b^2 \sin(x - \arctan(-b, c)) - c^2 \sin(x - \arctan(-b, c)) - a(b^2 + c^2)^{1/2}) \cos(x - \arctan(-b, c))^{1/2} / (b^2 + c^2)^{1/2})^{1/2} / (b^2 + c^2)^{1/2} * (((b^2 + c^2)^{1/2} * b^2 e + (b^2 + c^2)^{1/2} * c^2 e) * (-2/3 / (b^2 + c^2)^{1/2} * (\cos(x - \arctan(-b, c)))^{1/2} * ((b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) + a))^{1/2} + 2/3 * (1 / (b^2 + c^2)^{1/2} * a - 1) * ((-b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2} * ((-\sin(x - \arctan(-b, c)) + 1) * (b^2 + c^2)^{1/2} / (a + (b^2 + c^2)^{1/2}))^{1/2} * ((1 + \sin(x - \arctan(-b, c))) * (b^2 + c^2)^{1/2} / (-a + (b^2 + c^2)^{1/2}))^{1/2} / (\cos(x - \arctan(-b, c)))^{1/2} * ((b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) + a))^{1/2} * \text{EllipticF}(((b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2}, ((a - (b^2 + c^2)^{1/2}) / (a + (b^2 + c^2)^{1/2}))^{1/2}) - 4/3 / (b^2 + c^2)^{1/2} * a * (1 / (b^2 + c^2)^{1/2} * a - 1) * ((-b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2} * ((-\sin(x - \arctan(-b, c)) + 1) * (b^2 + c^2)^{1/2} / (a + (b^2 + c^2)^{1/2}))^{1/2} * ((1 + \sin(x - \arctan(-b, c))) * (b^2 + c^2)^{1/2} / (-a + (b^2 + c^2)^{1/2}))^{1/2} / (\cos(x - \arctan(-b, c)))^{1/2} * ((b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) + a))^{1/2} * ((-1 / (b^2 + c^2)^{1/2} * a - 1) * \text{EllipticE}(((b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2}, ((a - (b^2 + c^2)^{1/2}) / (a + (b^2 + c^2)^{1/2}))^{1/2}) + \text{EllipticF}(((b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2}, ((a - (b^2 + c^2)^{1/2}) / (a + (b^2 + c^2)^{1/2}))^{1/2}) + 2 * (a * b^2 * e + a * c^2 * e + b^2 * d + c^2 * d) * (1 / (b^2 + c^2)^{1/2} * a - 1) * ((-b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2} * ((-\sin(x - \arctan(-b, c)) + 1) * (b^2 + c^2)^{1/2} / (a + (b^2 + c^2)^{1/2}))^{1/2} * ((1 + \sin(x - \arctan(-b, c))) * (b^2 + c^2)^{1/2} / (-a + (b^2 + c^2)^{1/2}))^{1/2} / (\cos(x - \arctan(-b, c)))^{1/2} * ((b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) + a))^{1/2} * ((-1 / (b^2 + c^2)^{1/2} * a - 1) * \text{EllipticE}(((b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2}, ((a - (b^2 + c^2)^{1/2}) / (a + (b^2 + c^2)^{1/2}))^{1/2}) + \text{EllipticF}(((b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2}, ((a - (b^2 + c^2)^{1/2}) / (a + (b^2 + c^2)^{1/2}))^{1/2}) + 2 * a * d * (b^2 + c^2)^{1/2} * (1 / (b^2 + c^2)^{1/2} * a - 1) * ((-b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2} * ((-\sin(x - \arctan(-b, c)) + 1) * (b^2 + c^2)^{1/2} / (a + (b^2 + c^2)^{1/2}))^{1/2} * ((1 + \sin(x - \arctan(-b, c))) * (b^2 + c^2)^{1/2} / (-a + (b^2 + c^2)^{1/2}))^{1/2} / ((-b^2 \sin(x - \arctan(-b, c)) - c^2 \sin(x - \arctan(-b, c)) - a * (b^2 + c^2)^{1/2}) \cos(x - \arctan(-b, c))^{1/2} / (b^2 + c^2)^{1/2}) * \text{EllipticF}(((b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2}, ((a - (b^2 + c^2)^{1/2}) / (a + (b^2 + c^2)^{1/2}))^{1/2}) / \cos(x - \arctan(-b, c)) / ((b^2 \sin(x - \arctan(-b, c)) + c^2 \sin(x - \arctan(-b, c)) + a * (b^2 + c^2)^{1/2}) / (b^2 + c^2)^{1/2})^{1/2} \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (be \cos(x) + ce \sin(x) + d) \sqrt{b \cos(x) + c \sin(x) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(x)+c\*sin(x))^(1/2)\*(d+b\*e\*cos(x)+c\*e\*sin(x)),x, algorithm="maxima")

[Out] integrate((b\*e\*cos(x) + c\*e\*sin(x) + d)\*sqrt(b\*cos(x) + c\*sin(x) + a), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left((be \cos(x) + ce \sin(x) + d)\sqrt{b \cos(x) + c \sin(x) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(x)+c\*sin(x))^(1/2)\*(d+b\*e\*cos(x)+c\*e\*sin(x)),x, algorithm="fricas")

[Out] integral((b\*e\*cos(x) + c\*e\*sin(x) + d)\*sqrt(b\*cos(x) + c\*sin(x) + a), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a + b \cos(x) + c \sin(x)} (be \cos(x) + ce \sin(x) + d) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(x)+c\*sin(x))\*\*(1/2)\*(d+b\*e\*cos(x)+c\*e\*sin(x)),x)

[Out] Integral(sqrt(a + b\*cos(x) + c\*sin(x))\*(b\*e\*cos(x) + c\*e\*sin(x) + d), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (be \cos(x) + ce \sin(x) + d)\sqrt{b \cos(x) + c \sin(x) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(x)+c\*sin(x))^(1/2)\*(d+b\*e\*cos(x)+c\*e\*sin(x)),x, algorithm="giac")

[Out] integrate((b\*e\*cos(x) + c\*e\*sin(x) + d)\*sqrt(b\*cos(x) + c\*sin(x) + a), x)

$$3.559 \quad \int \frac{d+be \cos(x)+ce \sin(x)}{\sqrt{a+b \cos(x)+c \sin(x)}} dx$$

**Optimal.** Leaf size=180

$$\frac{2(d-ae)\sqrt{\frac{a+b \cos(x)+c \sin(x)}{a+\sqrt{b^2+c^2}}}\text{EllipticF}\left(\frac{1}{2}(x-\tan^{-1}(b,c)), \frac{2\sqrt{b^2+c^2}}{a+\sqrt{b^2+c^2}}\right)}{\sqrt{a+b \cos(x)+c \sin(x)}} + \frac{2e\sqrt{a+b \cos(x)+c \sin(x)}E\left(\frac{1}{2}(x-\tan^{-1}(b,c))\right)}{\sqrt{\frac{a+b \cos(x)+c \sin(x)}{a+\sqrt{b^2+c^2}}}}$$

[Out] (2\*e\*EllipticE[(x - ArcTan[b, c])/2, (2\*Sqrt[b^2 + c^2])/(a + Sqrt[b^2 + c^2])]\*Sqrt[a + b\*Cos[x] + c\*Sin[x]])/Sqrt[(a + b\*Cos[x] + c\*Sin[x])/(a + Sqrt[b^2 + c^2])] + (2\*(d - a\*e)\*EllipticF[(x - ArcTan[b, c])/2, (2\*Sqrt[b^2 + c^2])/(a + Sqrt[b^2 + c^2])]\*Sqrt[(a + b\*Cos[x] + c\*Sin[x])/(a + Sqrt[b^2 + c^2])])/Sqrt[a + b\*Cos[x] + c\*Sin[x]]

**Rubi [A]** time = 0.186792, antiderivative size = 180, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {3149, 3119, 2653, 3127, 2661}

$$\frac{2(d-ae)\sqrt{\frac{a+b \cos(x)+c \sin(x)}{a+\sqrt{b^2+c^2}}}F\left(\frac{1}{2}(x-\tan^{-1}(b,c))\middle|\frac{2\sqrt{b^2+c^2}}{a+\sqrt{b^2+c^2}}\right)}{\sqrt{a+b \cos(x)+c \sin(x)}} + \frac{2e\sqrt{a+b \cos(x)+c \sin(x)}E\left(\frac{1}{2}(x-\tan^{-1}(b,c))\middle|\frac{2\sqrt{b^2+c^2}}{a+\sqrt{b^2+c^2}}\right)}{\sqrt{\frac{a+b \cos(x)+c \sin(x)}{a+\sqrt{b^2+c^2}}}}$$

Antiderivative was successfully verified.

[In] Int[(d + b\*e\*Cos[x] + c\*e\*Sin[x])/Sqrt[a + b\*Cos[x] + c\*Sin[x]], x]

[Out] (2\*e\*EllipticE[(x - ArcTan[b, c])/2, (2\*Sqrt[b^2 + c^2])/(a + Sqrt[b^2 + c^2])]\*Sqrt[a + b\*Cos[x] + c\*Sin[x]])/Sqrt[(a + b\*Cos[x] + c\*Sin[x])/(a + Sqrt[b^2 + c^2])] + (2\*(d - a\*e)\*EllipticF[(x - ArcTan[b, c])/2, (2\*Sqrt[b^2 + c^2])/(a + Sqrt[b^2 + c^2])]\*Sqrt[(a + b\*Cos[x] + c\*Sin[x])/(a + Sqrt[b^2 + c^2])])/Sqrt[a + b\*Cos[x] + c\*Sin[x]]

#### Rule 3149

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]) / Sqrt[cos[(d\_.) + (e\_.)\*(x\_)])\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]) , x\_Symbol] :> Dist[B/b, Int[Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]], x], x] + Dist[(A\*b - a\*B)/b, Int[1/Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]], x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && EqQ[B\*c - b\*C, 0] && NeQ[A\*b - a\*B, 0]

#### Rule 3119

Int[Sqrt[cos[(d\_.) + (e\_.)\*(x\_)])\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)])], x\_Symbol] :> Dist[Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]]/Sqrt[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])/(a + Sqrt[b^2 + c^2])], Int[Sqrt[a/(a + Sqrt[b^2 + c^2]) + (Sqrt[b^2 + c^2]\*Cos[d + e\*x - ArcTan[b, c]])/(a + Sqrt[b^2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]

#### Rule 2653

Int[Sqrt[(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a,

b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

### Rule 3127

```
Int[1/Sqrt[cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*sin[(d_.) + (e_.)*(x_.)]], x_Symbol] := Dist[Sqrt[(a + b*Cos[d + e*x] + c*Sin[d + e*x])/(a + Sqrt[b^2 + c^2])]/Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]], Int[1/Sqrt[a/(a + Sqrt[b^2 + c^2]) + (Sqrt[b^2 + c^2]*Cos[d + e*x - ArcTan[b, c]])/(a + Sqrt[b^2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]
```

### Rule 2661

```
Int[1/Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

### Rubi steps

$$\int \frac{d + be \cos(x) + ce \sin(x)}{\sqrt{a + b \cos(x) + c \sin(x)}} dx = e \int \sqrt{a + b \cos(x) + c \sin(x)} dx + (d - ae) \int \frac{1}{\sqrt{a + b \cos(x) + c \sin(x)}} dx$$

$$= \frac{(e\sqrt{a + b \cos(x) + c \sin(x)}) \int \sqrt{\frac{a}{a + \sqrt{b^2 + c^2}} + \frac{\sqrt{b^2 + c^2} \cos(x - \tan^{-1}(b, c))}{a + \sqrt{b^2 + c^2}}} dx}{\sqrt{\frac{a + b \cos(x) + c \sin(x)}{a + \sqrt{b^2 + c^2}}}} + \frac{(d - ae) \sqrt{\frac{a + b \cos(x) + c \sin(x)}{a + \sqrt{b^2 + c^2}}}}{\sqrt{a + b \cos(x) + c \sin(x)}}$$

$$= \frac{2eE\left(\frac{1}{2}(x - \tan^{-1}(b, c)) \middle| \frac{2\sqrt{b^2 + c^2}}{a + \sqrt{b^2 + c^2}}\right) \sqrt{a + b \cos(x) + c \sin(x)}}{\sqrt{\frac{a + b \cos(x) + c \sin(x)}{a + \sqrt{b^2 + c^2}}}} + \frac{2(d - ae)F\left(\frac{1}{2}(x - \tan^{-1}(b, c)) \middle| \frac{2\sqrt{b^2 + c^2}}{a + \sqrt{b^2 + c^2}}\right)}{\sqrt{a + b \cos(x) + c \sin(x)}}$$

**Mathematica [C]** time = 6.26099, size = 1319, normalized size = 7.33

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(d + b*e*Cos[x] + c*e*Sin[x])/Sqrt[a + b*Cos[x] + c*Sin[x]], x]
```

```
[Out] (2*b*e*Sqrt[a + b*Cos[x] + c*Sin[x]])/c + (2*d*AppellF1[1/2, 1/2, 1/2, 3/2, -(a + Sqrt[1 + b^2/c^2]*c*Sin[x + ArcTan[b/c]])/(Sqrt[1 + b^2/c^2]*(1 - a/(Sqrt[1 + b^2/c^2]*c))*c), -(a + Sqrt[1 + b^2/c^2]*c*Sin[x + ArcTan[b/c]])/(Sqrt[1 + b^2/c^2]*(-1 - a/(Sqrt[1 + b^2/c^2]*c))*c)])*Sec[x + ArcTan[b/c]]*Sqrt[(c*Sqrt[(b^2 + c^2)/c^2] - c*Sqrt[(b^2 + c^2)/c^2]*Sin[x + ArcTan[b/c]])/(a + c*Sqrt[(b^2 + c^2)/c^2])]*Sqrt[a + c*Sqrt[(b^2 + c^2)/c^2]*Sin[x + ArcTan[b/c]]]*Sqrt[(c*Sqrt[(b^2 + c^2)/c^2] + c*Sqrt[(b^2 + c^2)/c^2]*Sin[x + ArcTan[b/c]])/(-a + c*Sqrt[(b^2 + c^2)/c^2])]/(Sqrt[1 + b^2/c^2]*c + (b^2*e*(-((c*AppellF1[-1/2, -1/2, -1/2, 1/2, -(a + b*Sqrt[1 + c^2/b^2]*Cos[x - ArcTan[c/b]])/(b*Sqrt[1 + c^2/b^2]*(1 - a/(b*Sqrt[1 + c^2/b^2]))), -(a + b*Sqrt[1 + c^2/b^2]*Cos[x - ArcTan[c/b]])/(b*Sqrt[1 + c^2/b^2]*(-1 - a/(b*Sqrt[1 + c^2/b^2])))))*Sin[x - ArcTan[c/b]])/(b*Sqrt[1 + c^2/b^2]*Sqrt[(b*Sqrt[(b^2 + c^2)/b^2] - b*Sqrt[(b^2 + c^2)/b^2]*Cos[x - ArcTan[c/b]])/(a + b*Sqrt[(b^2 + c^2)/b^2])]*Sqrt[a + b*Sqrt[(b^2 + c^2)/b^2]*Cos[x - ArcTan[c/b]])*Sqrt[(b*Sqrt[(b^2 + c^2)/b^2] + b*Sqrt[(b^2 + c^2)/b^2]*Cos[x - ArcTan[c/b]])/(-a + b*Sqrt[(b^2 + c^2)/b^2])])) - ((2*b*(a + b*Sqrt[1 + c^2/b^2])
```

$$\frac{2/b^2 * \cos[x - \text{ArcTan}[c/b]]}{(b^2 + c^2)} - \frac{(c * \sin[x - \text{ArcTan}[c/b]])}{(b * \sqrt{1 + c^2/b^2})} / \sqrt{a + b * \sqrt{1 + c^2/b^2} * \cos[x - \text{ArcTan}[c/b]]} / c + c * e * (-((c * \text{AppellF1}[-1/2, -1/2, -1/2, 1/2, -((a + b * \sqrt{1 + c^2/b^2}) * \cos[x - \text{ArcTan}[c/b]]) / (b * \sqrt{1 + c^2/b^2}) * (1 - a / (b * \sqrt{1 + c^2/b^2}))]), -((a + b * \sqrt{1 + c^2/b^2}) * \cos[x - \text{ArcTan}[c/b]]) / (b * \sqrt{1 + c^2/b^2}) * (-1 - a / (b * \sqrt{1 + c^2/b^2})))) * \sin[x - \text{ArcTan}[c/b]] / (b * \sqrt{1 + c^2/b^2}) * \sqrt{(b * \sqrt{(b^2 + c^2)/b^2} - b * \sqrt{(b^2 + c^2)/b^2} * \cos[x - \text{ArcTan}[c/b]]) / (a + b * \sqrt{(b^2 + c^2)/b^2})} * \sqrt{a + b * \sqrt{(b^2 + c^2)/b^2} * \cos[x - \text{ArcTan}[c/b]]} * \sqrt{(b * \sqrt{(b^2 + c^2)/b^2} + b * \sqrt{(b^2 + c^2)/b^2} * \cos[x - \text{ArcTan}[c/b]]) / (-a + b * \sqrt{(b^2 + c^2)/b^2})}) - ((2 * b * (a + b * \sqrt{1 + c^2/b^2}) * \cos[x - \text{ArcTan}[c/b]]) / (b^2 + c^2) - (c * \sin[x - \text{ArcTan}[c/b]]) / (b * \sqrt{1 + c^2/b^2})) / \sqrt{a + b * \sqrt{1 + c^2/b^2} * \cos[x - \text{ArcTan}[c/b]]}$$

**Maple [B]** time = 6.956, size = 777, normalized size = 4.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d+b\*e\*cos(x)+c\*e\*sin(x))/(a+b\*cos(x)+c\*sin(x))^(1/2),x)

[Out]  $(-(-b^2 * \sin(x - \arctan(-b, c)) - c^2 * \sin(x - \arctan(-b, c)) - a * (b^2 + c^2)^{(1/2)}) * \cos(x - \arctan(-b, c))^{1/2} / (b^2 + c^2)^{(1/2)})^{1/2} / (b^2 + c^2)^{(1/2)} * (2 * (b^2 * e + c^2 * e) * (1 / (b^2 + c^2)^{(1/2)} * a - 1) * ((- (b^2 + c^2)^{(1/2)} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{(1/2)}))^{1/2} * ((-\sin(x - \arctan(-b, c)) + 1) * (b^2 + c^2)^{(1/2)} / (a + (b^2 + c^2)^{(1/2)}))^{1/2} / (\cos(x - \arctan(-b, c))^{1/2} * ((b^2 + c^2)^{(1/2)} * \sin(x - \arctan(-b, c)) + a))^{1/2} * ((-1 / (b^2 + c^2)^{(1/2)} * a - 1) * \text{EllipticE}(((b^2 + c^2)^{(1/2)} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{(1/2)}))^{1/2}, ((a - (b^2 + c^2)^{(1/2)}) / (a + (b^2 + c^2)^{(1/2)}))^{1/2}) + \text{EllipticF}(((b^2 + c^2)^{(1/2)} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{(1/2)}))^{1/2}, ((a - (b^2 + c^2)^{(1/2)}) / (a + (b^2 + c^2)^{(1/2)}))^{1/2})) + 2 * d * (b^2 + c^2)^{(1/2)} * (1 / (b^2 + c^2)^{(1/2)} * a - 1) * ((- (b^2 + c^2)^{(1/2)} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{(1/2)}))^{1/2} * ((-\sin(x - \arctan(-b, c)) + 1) * (b^2 + c^2)^{(1/2)} / (a + (b^2 + c^2)^{(1/2)}))^{1/2} * ((1 + \sin(x - \arctan(-b, c))) * (b^2 + c^2)^{(1/2)} / (-a + (b^2 + c^2)^{(1/2)}))^{1/2} / (-(-b^2 * \sin(x - \arctan(-b, c)) - c^2 * \sin(x - \arctan(-b, c)) - a * (b^2 + c^2)^{(1/2)}) * \cos(x - \arctan(-b, c))^{1/2} / (b^2 + c^2)^{(1/2)})^{1/2} * \text{EllipticF}(((b^2 + c^2)^{(1/2)} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{(1/2)}))^{1/2}, ((a - (b^2 + c^2)^{(1/2)}) / (a + (b^2 + c^2)^{(1/2)}))^{1/2})) / \cos(x - \arctan(-b, c)) / ((b^2 * \sin(x - \arctan(-b, c)) + c^2 * \sin(x - \arctan(-b, c)) + a * (b^2 + c^2)^{(1/2)}) / (b^2 + c^2)^{(1/2)})^{1/2}$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{be \cos(x) + ce \sin(x) + d}{\sqrt{b \cos(x) + c \sin(x) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+b\*e\*cos(x)+c\*e\*sin(x))/(a+b\*cos(x)+c\*sin(x))^(1/2),x, algorithm="maxima")

[Out] integrate((b\*e\*cos(x) + c\*e\*sin(x) + d)/sqrt(b\*cos(x) + c\*sin(x) + a), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{be \cos(x) + ce \sin(x) + d}{\sqrt{b \cos(x) + c \sin(x) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+b\*e\*cos(x)+c\*e\*sin(x))/(a+b\*cos(x)+c\*sin(x))^(1/2),x, algorithm="fricas")

[Out] integral((b\*e\*cos(x) + c\*e\*sin(x) + d)/sqrt(b\*cos(x) + c\*sin(x) + a), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{be \cos(x) + ce \sin(x) + d}{\sqrt{a + b \cos(x) + c \sin(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+b\*e\*cos(x)+c\*e\*sin(x))/(a+b\*cos(x)+c\*sin(x))\*\*(1/2),x)

[Out] Integral((b\*e\*cos(x) + c\*e\*sin(x) + d)/sqrt(a + b\*cos(x) + c\*sin(x)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{be \cos(x) + ce \sin(x) + d}{\sqrt{b \cos(x) + c \sin(x) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+b\*e\*cos(x)+c\*e\*sin(x))/(a+b\*cos(x)+c\*sin(x))^(1/2),x, algorithm="giac")

[Out] integrate((b\*e\*cos(x) + c\*e\*sin(x) + d)/sqrt(b\*cos(x) + c\*sin(x) + a), x)

$$3.560 \quad \int \frac{d+be \cos(x)+ce \sin(x)}{(a+b \cos(x)+c \sin(x))^{3/2}} dx$$

**Optimal.** Leaf size=250

$$\frac{2(d-ae)\sqrt{a+b \cos(x)+c \sin(x)}E\left(\frac{1}{2}(x-\tan^{-1}(b,c))\middle|\frac{2\sqrt{b^2+c^2}}{a+\sqrt{b^2+c^2}}\right)}{(a^2-b^2-c^2)\sqrt{\frac{a+b \cos(x)+c \sin(x)}{a+\sqrt{b^2+c^2}}}} + \frac{2e\sqrt{\frac{a+b \cos(x)+c \sin(x)}{a+\sqrt{b^2+c^2}}}\text{EllipticF}\left(\frac{1}{2}(x-\tan^{-1}(b,c))\middle|\frac{2\sqrt{b^2+c^2}}{a+\sqrt{b^2+c^2}}\right)}{\sqrt{a+b \cos(x)+c \sin(x)}}$$

[Out] (2\*(d - a\*e)\*EllipticE[(x - ArcTan[b, c])/2, (2\*Sqrt[b^2 + c^2])/(a + Sqrt[b^2 + c^2])]\*Sqrt[a + b\*Cos[x] + c\*Sin[x]])/((a^2 - b^2 - c^2)\*Sqrt[(a + b\*Cos[x] + c\*Sin[x])/(a + Sqrt[b^2 + c^2])]) + (2\*e\*EllipticF[(x - ArcTan[b, c])/2, (2\*Sqrt[b^2 + c^2])/(a + Sqrt[b^2 + c^2])]\*Sqrt[(a + b\*Cos[x] + c\*Sin[x])/(a + Sqrt[b^2 + c^2])])/Sqrt[a + b\*Cos[x] + c\*Sin[x]] + (2\*(c\*(d - a\*e)\*Cos[x] - b\*(d - a\*e)\*Sin[x]))/((a^2 - b^2 - c^2)\*Sqrt[a + b\*Cos[x] + c\*Sin[x]])

**Rubi [A]** time = 0.323051, antiderivative size = 250, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {3156, 3149, 3119, 2653, 3127, 2661}

$$\frac{2(d-ae)\sqrt{a+b \cos(x)+c \sin(x)}E\left(\frac{1}{2}(x-\tan^{-1}(b,c))\middle|\frac{2\sqrt{b^2+c^2}}{a+\sqrt{b^2+c^2}}\right)}{(a^2-b^2-c^2)\sqrt{\frac{a+b \cos(x)+c \sin(x)}{a+\sqrt{b^2+c^2}}}} + \frac{2e\sqrt{\frac{a+b \cos(x)+c \sin(x)}{a+\sqrt{b^2+c^2}}}\text{F}\left(\frac{1}{2}(x-\tan^{-1}(b,c))\middle|\frac{2\sqrt{b^2+c^2}}{a+\sqrt{b^2+c^2}}\right)}{\sqrt{a+b \cos(x)+c \sin(x)}}$$

Antiderivative was successfully verified.

[In] Int[(d + b\*e\*Cos[x] + c\*e\*Sin[x])/(a + b\*Cos[x] + c\*Sin[x])^(3/2), x]

[Out] (2\*(d - a\*e)\*EllipticE[(x - ArcTan[b, c])/2, (2\*Sqrt[b^2 + c^2])/(a + Sqrt[b^2 + c^2])]\*Sqrt[a + b\*Cos[x] + c\*Sin[x]])/((a^2 - b^2 - c^2)\*Sqrt[(a + b\*Cos[x] + c\*Sin[x])/(a + Sqrt[b^2 + c^2])]) + (2\*e\*EllipticF[(x - ArcTan[b, c])/2, (2\*Sqrt[b^2 + c^2])/(a + Sqrt[b^2 + c^2])]\*Sqrt[(a + b\*Cos[x] + c\*Sin[x])/(a + Sqrt[b^2 + c^2])])/Sqrt[a + b\*Cos[x] + c\*Sin[x]] + (2\*(c\*(d - a\*e)\*Cos[x] - b\*(d - a\*e)\*Sin[x]))/((a^2 - b^2 - c^2)\*Sqrt[a + b\*Cos[x] + c\*Sin[x]])

#### Rule 3156

Int[((a\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)])^(n\_.)\*((A\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]), x\_Symbol] :> -Simp[((c\*B - b\*C - (a\*C - c\*A)\*Cos[d + e\*x] + (a\*B - b\*A)\*Sin[d + e\*x])\*(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1))/(e\*(n + 1)\*(a^2 - b^2 - c^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2 - c^2)), Int[(a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x])^(n + 1)\*Simp[(n + 1)\*(a\*A - b\*B - c\*C) + (n + 2)\*(a\*B - b\*A)\*Cos[d + e\*x] + (n + 2)\*(a\*C - c\*A)\*Sin[d + e\*x], x], x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && LtQ[n, -1] && NeQ[a^2 - b^2 - c^2, 0] && NeQ[n, -2]

#### Rule 3149

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]) / Sqrt[cos[(d\_.) + (e\_.)\*(x\_.)]\*(b\_.) + (a\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]], x\_Symbol] :> Dist[B/b, Int[Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]], x], x] + Dist[(A\*b - a\*B)/b, Int[1/Sqrt[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]], x], x]

$x], x] /; \text{FreeQ}[\{a, b, c, d, e, A, B, C\}, x] \ \&\& \ \text{EqQ}[B*c - b*C, 0] \ \&\& \ \text{NeQ}[A*b - a*B, 0]$

### Rule 3119

$\text{Int}[\text{Sqrt}[\cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*\sin[(d_.) + (e_.)*(x_.)]]], x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[a + b*\cos[d + e*x] + c*\sin[d + e*x]]/\text{Sqrt}[(a + b*\cos[d + e*x] + c*\sin[d + e*x])/(a + \text{Sqrt}[b^2 + c^2])], \text{Int}[\text{Sqrt}[a/(a + \text{Sqrt}[b^2 + c^2]) + (\text{Sqrt}[b^2 + c^2]*\cos[d + e*x - \text{ArcTan}[b, c]])/(a + \text{Sqrt}[b^2 + c^2])], x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2 - c^2, 0] \ \&\& \ \text{NeQ}[b^2 + c^2, 0] \ \&\& \ !\text{GtQ}[a + \text{Sqrt}[b^2 + c^2], 0]$

### Rule 2653

$\text{Int}[\text{Sqrt}[(a_.) + (b_.)*\sin[(c_.) + (d_.)*(x_.)]]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{Sqrt}[a + b]*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[a + b, 0]$

### Rule 3127

$\text{Int}[1/\text{Sqrt}[\cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_.) + (c_.)*\sin[(d_.) + (e_.)*(x_.)]]], x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[(a + b*\cos[d + e*x] + c*\sin[d + e*x])/(a + \text{Sqrt}[b^2 + c^2])]/\text{Sqrt}[a + b*\cos[d + e*x] + c*\sin[d + e*x]], \text{Int}[1/\text{Sqrt}[a/(a + \text{Sqrt}[b^2 + c^2]) + (\text{Sqrt}[b^2 + c^2]*\cos[d + e*x - \text{ArcTan}[b, c]])/(a + \text{Sqrt}[b^2 + c^2])], x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2 - c^2, 0] \ \&\& \ \text{NeQ}[b^2 + c^2, 0] \ \&\& \ !\text{GtQ}[a + \text{Sqrt}[b^2 + c^2], 0]$

### Rule 2661

$\text{Int}[1/\text{Sqrt}[(a_.) + (b_.)*\sin[(c_.) + (d_.)*(x_.)]]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)])/(d*\text{Sqrt}[a + b]), x] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[a + b, 0]$

### Rubi steps

$$\begin{aligned} \int \frac{d + be \cos(x) + ce \sin(x)}{(a + b \cos(x) + c \sin(x))^{3/2}} dx &= \frac{2(c(d - ae) \cos(x) - b(d - ae) \sin(x))}{(a^2 - b^2 - c^2) \sqrt{a + b \cos(x) + c \sin(x)}} - \frac{2 \int \frac{\frac{1}{2}(-ad + (b^2 + c^2)e) - \frac{1}{2}b(d - ae) \cos(x) - \frac{1}{2}c(d - ae) \sin(x)}{\sqrt{a + b \cos(x) + c \sin(x)}} dx}{a^2 - b^2 - c^2} \\ &= \frac{2(c(d - ae) \cos(x) - b(d - ae) \sin(x))}{(a^2 - b^2 - c^2) \sqrt{a + b \cos(x) + c \sin(x)}} + e \int \frac{1}{\sqrt{a + b \cos(x) + c \sin(x)}} dx + \frac{(d - ae)}{\sqrt{a + b \cos(x) + c \sin(x)}} \\ &= \frac{2(c(d - ae) \cos(x) - b(d - ae) \sin(x))}{(a^2 - b^2 - c^2) \sqrt{a + b \cos(x) + c \sin(x)}} + \frac{((d - ae) \sqrt{a + b \cos(x) + c \sin(x)}) \int \sqrt{\frac{a}{a + \sqrt{b^2 + c^2}}}}{(a^2 - b^2 - c^2) \sqrt{\frac{a + b \cos(x) + c \sin(x)}{a + \sqrt{b^2 + c^2}}}} \\ &= \frac{2(d - ae) E\left(\frac{1}{2}(x - \tan^{-1}(b, c)) \middle| \frac{2\sqrt{b^2 + c^2}}{a + \sqrt{b^2 + c^2}}\right) \sqrt{a + b \cos(x) + c \sin(x)}}{(a^2 - b^2 - c^2) \sqrt{\frac{a + b \cos(x) + c \sin(x)}{a + \sqrt{b^2 + c^2}}}} + \frac{2eF\left(\frac{1}{2}(x - \tan^{-1}(b, c)) \middle| \frac{2\sqrt{b^2 + c^2}}{a + \sqrt{b^2 + c^2}}\right)}{\sqrt{\frac{a + b \cos(x) + c \sin(x)}{a + \sqrt{b^2 + c^2}}}} \end{aligned}$$

**Mathematica [C]** time = 6.48662, size = 3176, normalized size = 12.7

Result too large to show

Warning: Unable to verify antiderivative.



[In] Integrate[(d + b\*e\*cos[x] + c\*e\*sin[x])/(a + b\*cos[x] + c\*sin[x])^(3/2), x]

[Out] Sqrt[a + b\*cos[x] + c\*sin[x]]\*((2\*(b^2 + c^2)\*(-d + a\*e))/(b\*c\*(-a^2 + b^2 + c^2)) - (2\*(-(a\*c\*d) + a^2\*c\*e - b^2\*d\*sin[x] - c^2\*d\*sin[x] + a\*b^2\*e\*sin[x] + a\*c^2\*e\*sin[x]))/(b\*(-a^2 + b^2 + c^2)\*(a + b\*cos[x] + c\*sin[x]))) - (2\*a\*d\*AppellF1[1/2, 1/2, 1/2, 3/2, -(a + Sqrt[1 + b^2/c^2]\*c\*sin[x + ArcTan[b/c]])/(Sqrt[1 + b^2/c^2]\*(1 - a/(Sqrt[1 + b^2/c^2]\*c)))\*c), -(a + Sqrt[1 + b^2/c^2]\*c\*sin[x + ArcTan[b/c]])/(Sqrt[1 + b^2/c^2]\*(-1 - a/(Sqrt[1 + b^2/c^2]\*c))\*c)]\*Sec[x + ArcTan[b/c]]\*Sqrt[(c\*Sqrt[(b^2 + c^2)/c^2] - c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[x + ArcTan[b/c]])/(a + c\*Sqrt[(b^2 + c^2)/c^2])]\*Sqrt[a + c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[x + ArcTan[b/c]]]\*Sqrt[(c\*Sqrt[(b^2 + c^2)/c^2] + c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[x + ArcTan[b/c]])/(-a + c\*Sqrt[(b^2 + c^2)/c^2])]/(Sqrt[1 + b^2/c^2]\*c\*(-a^2 + b^2 + c^2)) + (2\*b^2\*e\*AppellF1[1/2, 1/2, 1/2, 3/2, -(a + Sqrt[1 + b^2/c^2]\*c\*sin[x + ArcTan[b/c]])/(Sqrt[1 + b^2/c^2]\*(1 - a/(Sqrt[1 + b^2/c^2]\*c)))\*c), -(a + Sqrt[1 + b^2/c^2]\*c\*sin[x + ArcTan[b/c]])/(Sqrt[1 + b^2/c^2]\*(-1 - a/(Sqrt[1 + b^2/c^2]\*c))\*c)]\*Sec[x + ArcTan[b/c]]\*Sqrt[(c\*Sqrt[(b^2 + c^2)/c^2] - c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[x + ArcTan[b/c]])/(a + c\*Sqrt[(b^2 + c^2)/c^2])]\*Sqrt[a + c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[x + ArcTan[b/c]]]\*Sqrt[(c\*Sqrt[(b^2 + c^2)/c^2] + c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[x + ArcTan[b/c]])/(-a + c\*Sqrt[(b^2 + c^2)/c^2])]/(Sqrt[1 + b^2/c^2]\*c\*(-a^2 + b^2 + c^2)) + (2\*c\*e\*AppellF1[1/2, 1/2, 1/2, 3/2, -(a + Sqrt[1 + b^2/c^2]\*c\*sin[x + ArcTan[b/c]])/(Sqrt[1 + b^2/c^2]\*(1 - a/(Sqrt[1 + b^2/c^2]\*c)))\*c), -(a + Sqrt[1 + b^2/c^2]\*c\*sin[x + ArcTan[b/c]])/(Sqrt[1 + b^2/c^2]\*(-1 - a/(Sqrt[1 + b^2/c^2]\*c))\*c)]\*Sec[x + ArcTan[b/c]]\*Sqrt[(c\*Sqrt[(b^2 + c^2)/c^2] - c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[x + ArcTan[b/c]])/(a + c\*Sqrt[(b^2 + c^2)/c^2])]\*Sqrt[a + c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[x + ArcTan[b/c]]]\*Sqrt[(c\*Sqrt[(b^2 + c^2)/c^2] + c\*Sqrt[(b^2 + c^2)/c^2]\*Sin[x + ArcTan[b/c]])/(-a + c\*Sqrt[(b^2 + c^2)/c^2])]/(Sqrt[1 + b^2/c^2]\*c\*(-a^2 + b^2 + c^2)) - (b^2\*d\*(-((c\*AppellF1[-1/2, -1/2, -1/2, 1/2, -(a + b\*Sqrt[1 + c^2/b^2]\*Cos[x - ArcTan[c/b]])/(b\*Sqrt[1 + c^2/b^2]\*(1 - a/(b\*Sqrt[1 + c^2/b^2])))), -(a + b\*Sqrt[1 + c^2/b^2]\*Cos[x - ArcTan[c/b]])/(b\*Sqrt[1 + c^2/b^2]\*(-1 - a/(b\*Sqrt[1 + c^2/b^2])))]\*Sin[x - ArcTan[c/b]])/(b\*Sqrt[1 + c^2/b^2]\*Sqrt[(b\*Sqrt[(b^2 + c^2)/b^2] - b\*Sqrt[(b^2 + c^2)/b^2]\*Cos[x - ArcTan[c/b]])/(a + b\*Sqrt[(b^2 + c^2)/b^2])]\*Sqrt[a + b\*Sqrt[(b^2 + c^2)/b^2]\*Cos[x - ArcTan[c/b]]]\*Sqrt[(b\*Sqrt[(b^2 + c^2)/b^2] + b\*Sqrt[(b^2 + c^2)/b^2]\*Cos[x - ArcTan[c/b]])/(-a + b\*Sqrt[(b^2 + c^2)/b^2])])) - ((2\*b\*(a + b\*Sqrt[1 + c^2/b^2]\*Cos[x - ArcTan[c/b]])/(b^2 + c^2) - (c\*Sqrt[1 + c^2/b^2]\*Cos[x - ArcTan[c/b]])/(b\*Sqrt[1 + c^2/b^2]))/(Sqrt[a + b\*Sqrt[1 + c^2/b^2]\*Cos[x - ArcTan[c/b]]]))/(c\*(-a^2 + b^2 + c^2)) - (c\*d\*(-((c\*AppellF1[-1/2, -1/2, -1/2, 1/2, -(a + b\*Sqrt[1 + c^2/b^2]\*Cos[x - ArcTan[c/b]])/(b\*Sqrt[1 + c^2/b^2]\*(1 - a/(b\*Sqrt[1 + c^2/b^2])))), -(a + b\*Sqrt[1 + c^2/b^2]\*Cos[x - ArcTan[c/b]])/(b\*Sqrt[1 + c^2/b^2]\*(-1 - a/(b\*Sqrt[1 + c^2/b^2])))]\*Sin[x - ArcTan[c/b]])/(b\*Sqrt[1 + c^2/b^2]\*Sqrt[(b\*Sqrt[(b^2 + c^2)/b^2] - b\*Sqrt[(b^2 + c^2)/b^2]\*Cos[x - ArcTan[c/b]])/(a + b\*Sqrt[(b^2 + c^2)/b^2])]\*Sqrt[a + b\*Sqrt[(b^2 + c^2)/b^2]\*Cos[x - ArcTan[c/b]]]\*Sqrt[(b\*Sqrt[(b^2 + c^2)/b^2] + b\*Sqrt[(b^2 + c^2)/b^2]\*Cos[x - ArcTan[c/b]])/(-a + b\*Sqrt[(b^2 + c^2)/b^2])])) - ((2\*b\*(a + b\*Sqrt[1 + c^2/b^2]\*Cos[x - ArcTan[c/b]])/(b^2 + c^2) - (c\*Sqrt[1 + c^2/b^2]\*Cos[x - ArcTan[c/b]])/(b\*Sqrt[1 + c^2/b^2]))/(Sqrt[a + b\*Sqrt[1 + c^2/b^2]\*Cos[x - ArcTan[c/b]]]))/(c\*(-a^2 + b^2 + c^2)) + (a\*b^2\*e\*(-((c\*AppellF1[-1/2, -1/2, -1/2, 1/2, -(a + b\*Sqrt[1 + c^2/b^2]\*Cos[x - ArcTan[c/b]])/(b\*Sqrt[1 + c^2/b^2]\*(1 - a/(b\*Sqrt[1 + c^2/b^2])))), -(a + b\*Sqrt[1 + c^2/b^2]\*Cos[x - ArcTan[c/b]])/(b\*Sqrt[1 + c^2/b^2]\*(-1 - a/(b\*Sqrt[1 + c^2/b^2])))]\*Sin[x - ArcTan[c/b]])/(b\*Sqrt[1 + c^2/b^2]\*Sqrt[(b\*Sqrt[(b^2 + c^2)/b^2] - b\*Sqrt[(b^2 + c^2)/b^2]\*Cos[x - ArcTan[c/b]])/(a + b\*Sqrt[(b^2 + c^2)/b^2])]\*Sqrt[a + b\*Sqrt[(b^2 + c^2)/b^2]\*Cos[x - ArcTan[c/b]]]\*Sqrt[(b\*Sqrt[(b^2 + c^2)/b^2] + b\*Sqrt[(b^2 + c^2)/b^2]\*Cos[x - ArcTan[c/b]])/(-a + b\*Sqrt[(b^2 + c^2)/b^2])])) - ((2\*b\*(a + b\*Sqrt[1 + c^2/b^2]\*Cos[x - ArcTan[c/b]])/(b^2 + c^2) - (c\*Sqrt[1 + c^2/b^2]\*Cos[x - ArcTan[c/b]])/(b\*Sqrt[1 + c^2/b^2]))/(Sqrt[a + b\*Sqrt[1 + c^2/b^2]\*Cos[x - ArcTan[c/b]]]))/(c\*(-a^2 + b^2 + c^2)) + (a\*c\*e

$$\begin{aligned} & *(-((c*\text{AppellF1}[-1/2, -1/2, -1/2, 1/2, -(a + b*\sqrt{1 + c^2/b^2})*\text{Cos}[x - \text{ArcTan}[c/b]])/(b*\sqrt{1 + c^2/b^2}*(1 - a/(b*\sqrt{1 + c^2/b^2}))))), -(a + b \\ & * \sqrt{1 + c^2/b^2} * \text{Cos}[x - \text{ArcTan}[c/b]])/(b * \sqrt{1 + c^2/b^2} * (-1 - a/(b * \sqrt{1 + c^2/b^2})))) * \text{Sin}[x - \text{ArcTan}[c/b]]/(b * \sqrt{1 + c^2/b^2} * \sqrt{(b * \sqrt{1 + c^2/b^2} \\ & * \sqrt{(b^2 + c^2)/b^2} - b * \sqrt{(b^2 + c^2)/b^2} * \text{Cos}[x - \text{ArcTan}[c/b]])/(a + b * \sqrt{(b^2 + c^2)/b^2}) * \sqrt{a + b * \sqrt{(b^2 + c^2)/b^2} * \text{Cos}[x - \text{ArcTan}[c/b] \\ & ] * \sqrt{(b * \sqrt{(b^2 + c^2)/b^2} + b * \sqrt{(b^2 + c^2)/b^2} * \text{Cos}[x - \text{ArcTan}[c/b]])/(-a + b * \sqrt{(b^2 + c^2)/b^2})}))) - ((2 * b * (a + b * \sqrt{1 + c^2/b^2} * \text{Cos}[x - \text{ArcTan}[c/b]]) \\ & )/(b^2 + c^2) - (c * \text{Sin}[x - \text{ArcTan}[c/b]])/(b * \sqrt{1 + c^2/b^2}))/\sqrt{a + b * \sqrt{1 + c^2/b^2} * \text{Cos}[x - \text{ArcTan}[c/b]]})/(-a^2 + b^2 + c^2) \end{aligned}$$

**Maple [B]** time = 9.936, size = 2596, normalized size = 10.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((d+b*e*\cos(x)+c*e*\sin(x))/(a+b*\cos(x)+c*\sin(x))^{3/2}, x)$

[Out] 
$$\begin{aligned} & (-(-b^2*\sin(x-\arctan(-b,c))-c^2*\sin(x-\arctan(-b,c))-a*(b^2+c^2)^{1/2})*\cos(x-\arctan(-b,c))^{2/(b^2+c^2)^{1/2}})^{1/2}/(b^2+c^2)^{1/2}*(2*(b^2+c^2)^{1/2} \\ & *e*(1/(b^2+c^2)^{1/2}*a-1)*((-b^2+c^2)^{1/2}*\sin(x-\arctan(-b,c))-a)/(-a+(b^2+c^2)^{1/2}))^{1/2}*((-\sin(x-\arctan(-b,c))+1)*(b^2+c^2)^{1/2}/(a+(b^2+c^2)^{1/2}))^{1/2} \\ & *((1+\sin(x-\arctan(-b,c)))*(b^2+c^2)^{1/2}/(-a+(b^2+c^2)^{1/2}))^{1/2}/(-(-b^2*\sin(x-\arctan(-b,c))-c^2*\sin(x-\arctan(-b,c))-a*(b^2+c^2)^{1/2})*\cos(x-\arctan(-b,c))^{2/(b^2+c^2)^{1/2}})^{1/2} \\ & * \text{EllipticF}(((b^2+c^2)^{1/2}*\sin(x-\arctan(-b,c))-a)/(-a+(b^2+c^2)^{1/2})), ((a-(b^2+c^2)^{1/2})/(a+(b^2+c^2)^{1/2}))^{1/2} - (b^2+c^2)*\cos(x-\arctan(-b,c))^{2*(a*e-d)/(a^2-b^2-c^2)} \\ & /(-(-b^2+c^2)^{1/2}*\sin(x-\arctan(-b,c))-a)*\cos(x-\arctan(-b,c))^{2/(b^2+c^2)^{1/2}})^{1/2} - a*(b^2+c^2)^{1/2}*(a*e-d)/(a^2-b^2-c^2)*(1/(b^2+c^2)^{1/2}*a-1)*((-b^2+c^2)^{1/2}*\sin(x-\arctan(-b,c))-a) \\ & /(-a+(b^2+c^2)^{1/2}))^{1/2}*((-\sin(x-\arctan(-b,c))+1)*(b^2+c^2)^{1/2}/(a+(b^2+c^2)^{1/2}))^{1/2}*((1+\sin(x-\arctan(-b,c)))*(b^2+c^2)^{1/2}/(-a+(b^2+c^2)^{1/2}))^{1/2} \\ & /(-(-b^2*\sin(x-\arctan(-b,c))-c^2*\sin(x-\arctan(-b,c))-a*(b^2+c^2)^{1/2})*\cos(x-\arctan(-b,c))^{2/(b^2+c^2)^{1/2}})^{1/2} * \text{EllipticF}(((b^2+c^2)^{1/2}*\sin(x-\arctan(-b,c))-a) \\ & /(-a+(b^2+c^2)^{1/2})), ((a-(b^2+c^2)^{1/2})/(a+(b^2+c^2)^{1/2}))^{1/2} - (a*e-d)*(b^2+c^2)/(a^2-b^2-c^2)*(1/(b^2+c^2)^{1/2}*a-1)*((-b^2+c^2)^{1/2}*\sin(x-\arctan(-b,c))-a) \\ & /(-a+(b^2+c^2)^{1/2}))^{1/2}*((-\sin(x-\arctan(-b,c))+1)*(b^2+c^2)^{1/2}/(a+(b^2+c^2)^{1/2}))^{1/2}*((1+\sin(x-\arctan(-b,c)))*(b^2+c^2)^{1/2}/(-a+(b^2+c^2)^{1/2}))^{1/2} \\ & /(-(-b^2*\sin(x-\arctan(-b,c))-c^2*\sin(x-\arctan(-b,c))-a*(b^2+c^2)^{1/2})*\cos(x-\arctan(-b,c))^{2/(b^2+c^2)^{1/2}})^{1/2} * \text{EllipticE}(((b^2+c^2)^{1/2}*\sin(x-\arctan(-b,c))-a) \\ & /(-a+(b^2+c^2)^{1/2})), ((a-(b^2+c^2)^{1/2})/(a+(b^2+c^2)^{1/2}))^{1/2} + \text{EllipticF}(((b^2+c^2)^{1/2}*\sin(x-\arctan(-b,c))-a) \\ & /(-a+(b^2+c^2)^{1/2})), ((a-(b^2+c^2)^{1/2})/(a+(b^2+c^2)^{1/2}))^{1/2} + (1/2*a*e-1/2*d)*(1/(b^2+c^2)^{1/2}*a-1)*((-b^2+c^2)^{1/2}*\sin(x-\arctan(-b,c))-a) \\ & /(-a+(b^2+c^2)^{1/2}))^{1/2}*((-\sin(x-\arctan(-b,c))+1)*(b^2+c^2)^{1/2}/(a+(b^2+c^2)^{1/2}))^{1/2}*((1+\sin(x-\arctan(-b,c)))*(b^2+c^2)^{1/2}/(-a+(b^2+c^2)^{1/2}))^{1/2} \\ & /(-(-b^2*\sin(x-\arctan(-b,c))-c^2*\sin(x-\arctan(-b,c))-a*(b^2+c^2)^{1/2})*\cos(x-\arctan(-b,c))^{2/(b^2+c^2)^{1/2}})^{1/2} * \text{EllipticPi}(((b^2+c^2)^{1/2}*\sin(x-\arctan(-b,c))-a) \\ & /(-a+(b^2+c^2)^{1/2})), -1/2*(-1/(b^2+c^2)^{1/2}*a+1)*(b^2+c^2)^{1/2}/a, ((a-(b^2+c^2)^{1/2})/(a+(b^2+c^2)^{1/2}))^{1/2} + (b^2+c^2)^{1/2}*(-b^2-c^2)*\cos(x-\arctan(-b,c))^{2/(a^2-b^2-c^2)} \\ & *(a*e-d)/(-(-b^2+c^2)^{1/2}*\sin(x-\arctan(-b,c))-a)*\cos(x-\arctan(-b,c))^{2*(b^2+c^2)^{1/2}} - a*(b^2+c^2)*(a*e-d)/(a^2-b^2-c^2)*(1/(b^2+c^2)^{1/2}*a-1)*((-b^2+c^2)^{1/2}*\sin(x-\arctan(-b,c))-a) \\ & /(-a+(b^2+c^2)^{1/2}))^{1/2}*((-\sin(x-\arctan(-b,c))+1)*(b^2+c^2)^{1/2}/(a+(b^2+c^2)^{1/2}))^{1/2}*((1+\sin(x-\arctan(-b,c)))*(b^2+c^2)^{1/2}/(-a+(b^2+c^2)^{1/2}))^{1/2} \end{aligned}$$

$$\left. \right)^{1/2} / \left( - \left( - \left( b^2 + c^2 \right)^{1/2} \sin \left( x - \arctan \left( -b, c \right) \right) - a \right) \cos \left( x - \arctan \left( -b, c \right) \right)^2 \right. \\
\left. \left( b^2 + c^2 \right)^{1/2} \operatorname{EllipticF} \left( \left( - \left( b^2 + c^2 \right)^{1/2} \sin \left( x - \arctan \left( -b, c \right) \right) - a \right) / \left( -a + \left( b^2 + c^2 \right)^{1/2} \right) \right)^{1/2}, \left( \left( a - \left( b^2 + c^2 \right)^{1/2} \right) / \left( a + \left( b^2 + c^2 \right)^{1/2} \right) \right)^{1/2} \right) - 2 \left( - \right. \\
\left. 1/2 \left( b^2 + c^2 \right)^{3/2} \left( a e - d \right) / \left( a^2 - b^2 - c^2 \right) + 1/2 \left( b^2 + c^2 \right)^{1/2} \left( 2 b^2 + 2 c^2 \right) \right. \\
\left. / \left( a^2 - b^2 - c^2 \right) \left( a e - d \right) \right) \left( 1 / \left( b^2 + c^2 \right)^{1/2} a - 1 \right) \left( - \left( b^2 + c^2 \right)^{1/2} \sin \left( x - \arctan \left( -b, c \right) \right) - a \right) / \left( -a + \left( b^2 + c^2 \right)^{1/2} \right) \right)^{1/2} \left( - \sin \left( x - \arctan \left( -b, c \right) \right) + 1 \right) \left( b^2 + c^2 \right)^{1/2} \\
\left. / \left( a + \left( b^2 + c^2 \right)^{1/2} \right) \right)^{1/2} \left( \left( 1 + \sin \left( x - \arctan \left( -b, c \right) \right) \right) \left( b^2 + c^2 \right)^{1/2} \right. \\
\left. / \left( -a + \left( b^2 + c^2 \right)^{1/2} \right) \right)^{1/2} / \left( - \left( - \left( b^2 + c^2 \right)^{1/2} \sin \left( x - \arctan \left( -b, c \right) \right) - a \right) \cos \left( x - \arctan \left( -b, c \right) \right)^2 \left( b^2 + c^2 \right)^{1/2} \right. \\
\left. \left( -1 / \left( b^2 + c^2 \right)^{1/2} a - 1 \right) \operatorname{EllipticE} \left( \left( - \left( b^2 + c^2 \right)^{1/2} \sin \left( x - \arctan \left( -b, c \right) \right) - a \right) / \left( -a + \left( b^2 + c^2 \right)^{1/2} \right) \right)^{1/2}, \left( \left( a - \left( b^2 + c^2 \right)^{1/2} \right) / \left( a + \left( b^2 + c^2 \right)^{1/2} \right) \right)^{1/2} \right) + \operatorname{EllipticF} \left( \left( - \left( b^2 + c^2 \right)^{1/2} \sin \left( x - \arctan \left( -b, c \right) \right) - a \right) / \left( -a + \left( b^2 + c^2 \right)^{1/2} \right) \right)^{1/2}, \left( \left( a - \left( b^2 + c^2 \right)^{1/2} \right) / \left( a + \left( b^2 + c^2 \right)^{1/2} \right) \right)^{1/2} \right) - 1/2 \left( a b^2 e + a c^2 e - b^2 d - c^2 d \right) \left( 1 / \left( b^2 + c^2 \right)^{1/2} \right) \\
\left. \left( a - 1 \right) \left( - \left( b^2 + c^2 \right)^{1/2} \sin \left( x - \arctan \left( -b, c \right) \right) - a \right) / \left( -a + \left( b^2 + c^2 \right)^{1/2} \right) \right)^{1/2} \left( - \sin \left( x - \arctan \left( -b, c \right) \right) + 1 \right) \left( b^2 + c^2 \right)^{1/2} / \left( a + \left( b^2 + c^2 \right)^{1/2} \right) \right)^{1/2} \left( \left( 1 + \sin \left( x - \arctan \left( -b, c \right) \right) \right) \left( b^2 + c^2 \right)^{1/2} / \left( -a + \left( b^2 + c^2 \right)^{1/2} \right) \right)^{1/2} / \left( - \left( - \left( b^2 + c^2 \right)^{1/2} \sin \left( x - \arctan \left( -b, c \right) \right) - a \right) \cos \left( x - \arctan \left( -b, c \right) \right)^2 \left( b^2 + c^2 \right)^{1/2} / a \operatorname{EllipticPi} \left( \left( - \left( b^2 + c^2 \right)^{1/2} \sin \left( x - \arctan \left( -b, c \right) \right) - a \right) / \left( -a + \left( b^2 + c^2 \right)^{1/2} \right) \right)^{1/2}, -1/2 \left( -1 / \left( b^2 + c^2 \right)^{1/2} a + 1 \right) \left( b^2 + c^2 \right)^{1/2} / a, \left( \left( a - \left( b^2 + c^2 \right)^{1/2} \right) / \left( a + \left( b^2 + c^2 \right)^{1/2} \right) \right)^{1/2} \right) / \cos \left( x - \arctan \left( -b, c \right) \right) / \left( \left( b^2 \sin \left( x - \arctan \left( -b, c \right) \right) + c^2 \sin \left( x - \arctan \left( -b, c \right) \right) + a \right) \left( b^2 + c^2 \right)^{1/2} \right)^{1/2} \right)$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{be \cos(x) + ce \sin(x) + d}{(b \cos(x) + c \sin(x) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+b\*e\*cos(x)+c\*e\*sin(x))/(a+b\*cos(x)+c\*sin(x))^(3/2),x, algorithm="maxima")

[Out] integrate((b\*e\*cos(x) + c\*e\*sin(x) + d)/(b\*cos(x) + c\*sin(x) + a)^(3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral} \left( \frac{(be \cos(x) + ce \sin(x) + d) \sqrt{b \cos(x) + c \sin(x) + a}}{2ab \cos(x) + (b^2 - c^2) \cos(x)^2 + a^2 + c^2 + 2(bc \cos(x) + ac) \sin(x)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+b\*e\*cos(x)+c\*e\*sin(x))/(a+b\*cos(x)+c\*sin(x))^(3/2),x, algorithm="fricas")

[Out] integral((b\*e\*cos(x) + c\*e\*sin(x) + d)\*sqrt(b\*cos(x) + c\*sin(x) + a)/(2\*a\*b\*cos(x) + (b^2 - c^2)\*cos(x)^2 + a^2 + c^2 + 2\*(b\*c\*cos(x) + a\*c)\*sin(x)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+b\*e\*cos(x)+c\*e\*sin(x))/(a+b\*cos(x)+c\*sin(x))\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{be \cos(x) + ce \sin(x) + d}{(b \cos(x) + c \sin(x) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+b\*e\*cos(x)+c\*e\*sin(x))/(a+b\*cos(x)+c\*sin(x))^(3/2),x, algorithm m="giac")

[Out] integrate((b\*e\*cos(x) + c\*e\*sin(x) + d)/(b\*cos(x) + c\*sin(x) + a)^(3/2), x)

$$3.561 \quad \int \frac{d+be \cos(x)+ce \sin(x)}{(a+b \cos(x)+c \sin(x))^{5/2}} dx$$

**Optimal.** Leaf size=378

$$\frac{2(d-ae)\sqrt{\frac{a+b \cos(x)+c \sin(x)}{a+\sqrt{b^2+c^2}}}\operatorname{EllipticF}\left(\frac{1}{2}(x-\tan^{-1}(b,c)), \frac{2\sqrt{b^2+c^2}}{a+\sqrt{b^2+c^2}}\right)}{3(a^2-b^2-c^2)\sqrt{a+b \cos(x)+c \sin(x)}} + \frac{2(a^2(-e)+4ad-3e(b^2+c^2))\sqrt{a+b \cos(x)}}{3(a^2-b^2-c^2)^2\sqrt{a+b \cos(x)}}$$

```
[Out] (2*(4*a*d - a^2*e - 3*(b^2 + c^2)*e)*EllipticE[(x - ArcTan[b, c])/2, (2*Sqr
t[b^2 + c^2])/(a + Sqrt[b^2 + c^2])]*Sqrt[a + b*Cos[x] + c*Sin[x]])/(3*(a^2
- b^2 - c^2)^2*Sqrt[(a + b*Cos[x] + c*Sin[x])/(a + Sqrt[b^2 + c^2])]) - (2
*(d - a*e)*EllipticF[(x - ArcTan[b, c])/2, (2*Sqrt[b^2 + c^2])/(a + Sqrt[b^
2 + c^2])]*Sqrt[(a + b*Cos[x] + c*Sin[x])/(a + Sqrt[b^2 + c^2])])/(3*(a^2 -
b^2 - c^2)*Sqrt[a + b*Cos[x] + c*Sin[x]]) + (2*(c*(d - a*e)*Cos[x] - b*(d
- a*e)*Sin[x]))/(3*(a^2 - b^2 - c^2)*(a + b*Cos[x] + c*Sin[x])^(3/2)) + (2*
(c*(4*a*d - a^2*e - 3*(b^2 + c^2)*e)*Cos[x] - b*(4*a*d - a^2*e - 3*(b^2 +
c^2)*e)*Sin[x]))/(3*(a^2 - b^2 - c^2)^2*Sqrt[a + b*Cos[x] + c*Sin[x]])
```

**Rubi [A]** time = 0.561126, antiderivative size = 378, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {3156, 3149, 3119, 2653, 3127, 2661}

$$\frac{2(d-ae)\sqrt{\frac{a+b \cos(x)+c \sin(x)}{a+\sqrt{b^2+c^2}}}\operatorname{F}\left(\frac{1}{2}(x-\tan^{-1}(b,c))\middle|\frac{2\sqrt{b^2+c^2}}{a+\sqrt{b^2+c^2}}\right)}{3(a^2-b^2-c^2)\sqrt{a+b \cos(x)+c \sin(x)}} + \frac{2(a^2(-e)+4ad-3e(b^2+c^2))\sqrt{a+b \cos(x)+c \sin(x)}}{3(a^2-b^2-c^2)^2\sqrt{\frac{a+b \cos(x)}{a+\sqrt{b^2+c^2}}}}$$

Antiderivative was successfully verified.

```
[In] Int[(d + b*e*Cos[x] + c*e*Sin[x])/(a + b*Cos[x] + c*Sin[x])^(5/2),x]
```

```
[Out] (2*(4*a*d - a^2*e - 3*(b^2 + c^2)*e)*EllipticE[(x - ArcTan[b, c])/2, (2*Sqr
t[b^2 + c^2])/(a + Sqrt[b^2 + c^2])]*Sqrt[a + b*Cos[x] + c*Sin[x]])/(3*(a^2
- b^2 - c^2)^2*Sqrt[(a + b*Cos[x] + c*Sin[x])/(a + Sqrt[b^2 + c^2])]) - (2
*(d - a*e)*EllipticF[(x - ArcTan[b, c])/2, (2*Sqrt[b^2 + c^2])/(a + Sqrt[b^
2 + c^2])]*Sqrt[(a + b*Cos[x] + c*Sin[x])/(a + Sqrt[b^2 + c^2])])/(3*(a^2 -
b^2 - c^2)*Sqrt[a + b*Cos[x] + c*Sin[x]]) + (2*(c*(d - a*e)*Cos[x] - b*(d
- a*e)*Sin[x]))/(3*(a^2 - b^2 - c^2)*(a + b*Cos[x] + c*Sin[x])^(3/2)) + (2*
(c*(4*a*d - a^2*e - 3*(b^2 + c^2)*e)*Cos[x] - b*(4*a*d - a^2*e - 3*(b^2 +
c^2)*e)*Sin[x]))/(3*(a^2 - b^2 - c^2)^2*Sqrt[a + b*Cos[x] + c*Sin[x]])
```

#### Rule 3156

```
Int[((a_.) + cos[(d_.) + (e_.)*(x_)])*(b_.) + (c_.)*sin[(d_.) + (e_.)*(x_)])
^(n_)*((A_.) + cos[(d_.) + (e_.)*(x_)])*(B_.) + (C_.)*sin[(d_.) + (e_.)*(x_)
]), x_Symbol] :> -Simp[((c*B - b*C - (a*C - c*A)*Cos[d + e*x] + (a*B - b*A)
*Sin[d + e*x])*(a + b*Cos[d + e*x] + c*Sin[d + e*x])^(n + 1))/(e*(n + 1)*(a
^2 - b^2 - c^2)), x] + Dist[1/((n + 1)*(a^2 - b^2 - c^2)), Int[(a + b*Cos[d
+ e*x] + c*Sin[d + e*x])^(n + 1)*Simp[(n + 1)*(a*A - b*B - c*C) + (n + 2)*
(a*B - b*A)*Cos[d + e*x] + (n + 2)*(a*C - c*A)*Sin[d + e*x], x], x], x] /;
FreeQ[{a, b, c, d, e, A, B, C}, x] && LtQ[n, -1] && NeQ[a^2 - b^2 - c^2, 0]
&& NeQ[n, -2]
```

#### Rule 3149

```
Int[((A_.) + cos[(d_.) + (e_.)*(x_.)]*(B_.) + (C_.)*sin[(d_.) + (e_.)*(x_.)]
/Sqrt[cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_) + (c_.)*sin[(d_.) + (e_.)*(x_.)]
, x_Symbol] :=> Dist[B/b, Int[Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]], x],
x] + Dist[(A*b - a*B)/b, Int[1/Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]],
x], x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && EqQ[B*c - b*C, 0] && NeQ[A*
b - a*B, 0]
```

### Rule 3119

```
Int[Sqrt[cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_) + (c_.)*sin[(d_.) + (e_.)*(x_
)], x_Symbol] :=> Dist[Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]]/Sqrt[(a +
b*Cos[d + e*x] + c*Sin[d + e*x])/(a + Sqrt[b^2 + c^2])], Int[Sqrt[a/(a + Sq
rt[b^2 + c^2]) + (Sqrt[b^2 + c^2]*Cos[d + e*x - ArcTan[b, c])]/(a + Sqrt[b^
2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2, 0]
&& NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]
```

### Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

### Rule 3127

```
Int[1/Sqrt[cos[(d_.) + (e_.)*(x_.)]*(b_.) + (a_) + (c_.)*sin[(d_.) + (e_.)*(
x_.)]], x_Symbol] :=> Dist[Sqrt[(a + b*Cos[d + e*x] + c*Sin[d + e*x])/(a + Sq
rt[b^2 + c^2])]/Sqrt[a + b*Cos[d + e*x] + c*Sin[d + e*x]], Int[1/Sqrt[a/(a
+ Sqrt[b^2 + c^2]) + (Sqrt[b^2 + c^2]*Cos[d + e*x - ArcTan[b, c])]/(a + Sqr
t[b^2 + c^2])], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[a^2 - b^2 - c^2,
0] && NeQ[b^2 + c^2, 0] && !GtQ[a + Sqrt[b^2 + c^2], 0]
```

### Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{d + b e \cos(x) + c e \sin(x)}{(a + b \cos(x) + c \sin(x))^{5/2}} dx &= \frac{2(c(d - ae) \cos(x) - b(d - ae) \sin(x))}{3(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))^{3/2}} - \frac{2 \int \frac{-\frac{3}{2}(ad - (b^2 + c^2)e) + \frac{1}{2}b(d - ae) \cos(x) + \frac{1}{2}c(d - ae) \sin(x)}{(a + b \cos(x) + c \sin(x))^{3/2}} dx}{3(a^2 - b^2 - c^2)} \\
&= \frac{2(c(d - ae) \cos(x) - b(d - ae) \sin(x))}{3(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))^{3/2}} + \frac{2(c(4ad - a^2e - 3(b^2 + c^2)e) \cos(x))}{3(a^2 - b^2 - c^2)^2 \sqrt{a + b \cos(x) + c \sin(x)}} \\
&= \frac{2(c(d - ae) \cos(x) - b(d - ae) \sin(x))}{3(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))^{3/2}} + \frac{2(c(4ad - a^2e - 3(b^2 + c^2)e) \cos(x))}{3(a^2 - b^2 - c^2)^2 \sqrt{a + b \cos(x) + c \sin(x)}} \\
&= \frac{2(c(d - ae) \cos(x) - b(d - ae) \sin(x))}{3(a^2 - b^2 - c^2)(a + b \cos(x) + c \sin(x))^{3/2}} + \frac{2(c(4ad - a^2e - 3(b^2 + c^2)e) \cos(x))}{3(a^2 - b^2 - c^2)^2 \sqrt{a + b \cos(x) + c \sin(x)}} \\
&= \frac{2(4ad - a^2e - 3(b^2 + c^2)e) E\left(\frac{1}{2}(x - \tan^{-1}(b, c)) \mid \frac{2\sqrt{b^2 + c^2}}{a + \sqrt{b^2 + c^2}}\right) \sqrt{a + b \cos(x) + c \sin(x)}}{3(a^2 - b^2 - c^2)^2 \sqrt{\frac{a + b \cos(x) + c \sin(x)}{a + \sqrt{b^2 + c^2}}}}
\end{aligned}$$

**Mathematica [C]** time = 6.84663, size = 5554, normalized size = 14.69

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(d + b\*e\*Cos[x] + c\*e\*Sin[x])/(a + b\*Cos[x] + c\*Sin[x])^(5/2), x]

[Out] Result too large to show

**Maple [B]** time = 43.325, size = 3164, normalized size = 8.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d+b\*e\*cos(x)+c\*e\*sin(x))/(a+b\*cos(x)+c\*sin(x))^(5/2), x)

[Out]  $(-(-b^2 \sin(x - \arctan(-b, c)) - c^2 \sin(x - \arctan(-b, c)) - a(b^2 + c^2)^{1/2}) \cos(x - \arctan(-b, c))^2 / (b^2 + c^2)^{1/2})^{1/2} / (b^2 + c^2)^{1/2} * (1/4 a / (a^2 - b^2 - c^2)^2 * (a e - d) * (b^2 + c^2)^{3/2} * (\cos(x - \arctan(-b, c)))^2 * ((b^2 + c^2)^{1/2} \sin(x - \arctan(-b, c)) + a))^{1/2} / (b^2 \sin(x - \arctan(-b, c)) + c^2 \sin(x - \arctan(-b, c)) - a * (b^2 + c^2)^{1/2}) - 1/3 / (a^2 - b^2 - c^2) * (a e - d) * (\cos(x - \arctan(-b, c)))^2 * ((b^2 + c^2)^{1/2} \sin(x - \arctan(-b, c)) + a))^{1/2} / (\sin(x - \arctan(-b, c)) + 1 / (b^2 + c^2)^{1/2} * a)^2 - 1/3 * (b^2 + c^2) * \cos(x - \arctan(-b, c))^2 / (a^2 - b^2 - c^2)^2 * (a^2 e + 3 b^2 e + 3 c^2 e - 4 a d) / (\cos(x - \arctan(-b, c)))^2 * ((b^2 + c^2)^{1/2} \sin(x - \arctan(-b, c)) + a))^{1/2} + 2 * (1/24 * (a e - d) * (b^2 + c^2)^{1/2} / (a^2 - b^2 - c^2) - 1/6 * a * (b^2 + c^2)^{1/2} * (a^2 e + 3 b^2 e + 3 c^2 e - 4 a d) / (a^2 - b^2 - c^2)^2) * (1 / (b^2 + c^2)^{1/2} * a - 1) * ((- (b^2 + c^2)^{1/2} \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2} * ((-\sin(x - \arctan(-b, c)) + 1) * (b^2 + c^2)^{1/2} / (a + (b^2 + c^2)^{1/2}))^{1/2} * ((1 + \sin(x - \arctan(-b, c))) * (b^2 + c^2)^{1/2} / (-a + (b^2 + c^2)^{1/2}))^{1/2} / (\cos(x - \arctan(-b, c)))^2 * ((b^2 + c^2)^{1/2} \sin(x - \arctan(-b, c)) + a))^{1/2} * \text{EllipticF}((-(b^2 + c^2)^{1/2} \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}), (b^2 + c^2)^{1/2} / (a + (b^2 + c^2)^{1/2}))$

$$\begin{aligned}
& 2) * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2})^{1/2}, ((a - (b^2 + c^2)^{1/2}) / \\
& (a + (b^2 + c^2)^{1/2}))^{1/2} + 2 * (1/8 * (a * b^2 * e + a * c^2 * e - b^2 * d - c^2 * d) / a / (a^2 - b^2 \\
& - c^2) - 1/6 * (b^2 + c^2) * (a^2 * e + 3 * b^2 * e + 3 * c^2 * e - 4 * a * d) / (a^2 - b^2 - c^2)^2 * (1 / (b^2 + \\
& c^2)^{1/2} * a - 1) * ((- (b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2} \\
& )^{1/2} * ((-\sin(x - \arctan(-b, c)) + 1) * (b^2 + c^2)^{1/2} / (a + (b^2 + c^2)^{1/2}))^{1/2} * (1 + \sin(x - \arctan \\
& (-b, c))) * (b^2 + c^2)^{1/2} / (-a + (b^2 + c^2)^{1/2}))^{1/2} / (\cos(x - \arctan(-b, c))^2 * ((b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) + a))^{1/2} * ((-1 / ( \\
& b^2 + c^2)^{1/2} * a - 1) * \text{EllipticE}((( - (b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a \\
& + (b^2 + c^2)^{1/2}))^{1/2}, ((a - (b^2 + c^2)^{1/2}) / (a + (b^2 + c^2)^{1/2}))^{1/2}) + \text{EllipticF}((( - (b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2}, ((a - (b^2 + c^2)^{1/2}) / (a + (b^2 + c^2)^{1/2}))^{1/2})) + 1/8 * (a^3 * b^2 * e + a^3 * c^2 * e + 3 * a * b^4 * e + 6 * a * b^2 * c^2 * e + 3 * a * c^4 * e - 5 * a^2 * b^2 * d - 5 * a^2 * c^2 * d + b^4 * d + 2 * b^2 * c^2 * d + c^4 * d) / a^2 / (a^2 - b^2 - c^2) / (b^2 + c^2)^{1/2} * (1 / (b^2 + c^2)^{1/2} * a - 1) * ((- (b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2} * ((-\sin(x - \arctan(-b, c)) + 1) * (b^2 + c^2)^{1/2} / (a + (b^2 + c^2)^{1/2}))^{1/2} * ((1 + \sin(x - \arctan(-b, c))) * (b^2 + c^2)^{1/2} / (-a + (b^2 + c^2)^{1/2}))^{1/2} / (\cos(x - \arctan(-b, c))^2 * ((b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) + a))^{1/2} * \text{EllipticPi}((( - (b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2}, -1/2 * (-1 / (b^2 + c^2)^{1/2} * a + 1) * (b^2 + c^2)^{1/2} / a, ((a - (b^2 + c^2)^{1/2}) / (a + (b^2 + c^2)^{1/2}))^{1/2}) - 1/4 * (a * b^2 * e + a * c^2 * e - b^2 * d - c^2 * d) / a / (a^2 - b^2 - c^2) * (\cos(x - \arctan(-b, c))^2 * (b^2 + c^2) * ((b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) + a))^{1/2} / (b^2 * \sin(x - \arctan(-b, c)) + c^2 * \sin(x - \arctan(-b, c)) - a * (b^2 + c^2)^{1/2}) - 1/3 / (a^2 - b^2 - c^2) * (a * e - d) / (b^2 + c^2)^{1/2} * (\cos(x - \arctan(-b, c))^2 * (b^2 + c^2) * ((b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) + a))^{1/2} / (\sin(x - \arctan(-b, c)) + 1 / (b^2 + c^2)^{1/2} * a)^2 + 1/3 * (b^2 + c^2)^{1/2} * (-b^2 - c^2) * \cos(x - \arctan(-b, c))^2 / (a^2 - b^2 - c^2)^2 * (a^2 * e + 3 * b^2 * e + 3 * c^2 * e - 4 * a * d) / (\cos(x - \arctan(-b, c))^2 * (b^2 + c^2) * ((b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) + a))^{1/2} + 2 * (7/24 * (a * b^2 * e + a * c^2 * e - b^2 * d - c^2 * d) / (a^2 - b^2 - c^2) - 1/6 * a * (b^2 + c^2) * (a^2 * e + 3 * b^2 * e + 3 * c^2 * e - 4 * a * d) / (a^2 - b^2 - c^2)^2 * (1 / (b^2 + c^2)^{1/2} * a - 1) * ((- (b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2} * ((-\sin(x - \arctan(-b, c)) + 1) * (b^2 + c^2)^{1/2} / (a + (b^2 + c^2)^{1/2}))^{1/2} * ((1 + \sin(x - \arctan(-b, c))) * (b^2 + c^2)^{1/2} / (-a + (b^2 + c^2)^{1/2}))^{1/2} / (\cos(x - \arctan(-b, c))^2 * (b^2 + c^2) * ((b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) + a))^{1/2} * \text{EllipticF}((( - (b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2}, ((a - (b^2 + c^2)^{1/2}) / (a + (b^2 + c^2)^{1/2}))^{1/2}) + 2 * (-1/8 * (a * b^2 * e + a * c^2 * e - b^2 * d - c^2 * d) * (b^2 + c^2)^{1/2} / a / (a^2 - b^2 - c^2) + 1/6 * (b^2 + c^2)^{3/2} * (a^2 * e + 3 * b^2 * e + 3 * c^2 * e - 4 * a * d) / (a^2 - b^2 - c^2)^2 - 1/6 * (b^2 + c^2)^{1/2} * (2 * b^2 + 2 * c^2) / (a^2 - b^2 - c^2)^2 * (a^2 * e + 3 * b^2 * e + 3 * c^2 * e - 4 * a * d)) * (1 / (b^2 + c^2)^{1/2} * a - 1) * ((- (b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2} * ((-\sin(x - \arctan(-b, c)) + 1) * (b^2 + c^2)^{1/2} / (a + (b^2 + c^2)^{1/2}))^{1/2} * ((1 + \sin(x - \arctan(-b, c))) * (b^2 + c^2)^{1/2} / (-a + (b^2 + c^2)^{1/2}))^{1/2} / (\cos(x - \arctan(-b, c))^2 * (b^2 + c^2) * ((b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) + a))^{1/2} * ((-1 / (b^2 + c^2)^{1/2} * a - 1) * \text{EllipticE}((( - (b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2}, ((a - (b^2 + c^2)^{1/2}) / (a + (b^2 + c^2)^{1/2}))^{1/2}) + \text{EllipticF}((( - (b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2}, ((a - (b^2 + c^2)^{1/2}) / (a + (b^2 + c^2)^{1/2}))^{1/2})) - 1/8 * (a^3 * b^2 * e + a^3 * c^2 * e + 3 * a * b^4 * e + 6 * a * b^2 * c^2 * e + 3 * a * c^4 * e - 5 * a^2 * b^2 * d - 5 * a^2 * c^2 * d + b^4 * d + 2 * b^2 * c^2 * d + c^4 * d) / a^2 / (a^2 - b^2 - c^2) * (1 / (b^2 + c^2)^{1/2} * a - 1) * ((- (b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2} * ((-\sin(x - \arctan(-b, c)) + 1) * (b^2 + c^2)^{1/2} / (a + (b^2 + c^2)^{1/2}))^{1/2} * ((1 + \sin(x - \arctan(-b, c))) * (b^2 + c^2)^{1/2} / (-a + (b^2 + c^2)^{1/2}))^{1/2} / (\cos(x - \arctan(-b, c))^2 * (b^2 + c^2) * ((b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) + a))^{1/2} * \text{EllipticPi}((( - (b^2 + c^2)^{1/2} * \sin(x - \arctan(-b, c)) - a) / (-a + (b^2 + c^2)^{1/2}))^{1/2}, -1/2 * (-1 / (b^2 + c^2)^{1/2} * a + 1) * (b^2 + c^2)^{1/2} / a, ((a - (b^2 + c^2)^{1/2}) / (a + (b^2 + c^2)^{1/2}))^{1/2}) / \cos(x - \arctan(-b, c)) / ((b^2 * \sin(x - \arctan(-b, c)) + c^2 * \sin(x - \arctan(-b, c)) + a * (b^2 + c^2)^{1/2}) / (b^2 + c^2)^{1/2})^{1/2}
\end{aligned}$$



**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{be \cos(x) + ce \sin(x) + d}{(b \cos(x) + c \sin(x) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+b\*e\*cos(x)+c\*e\*sin(x))/(a+b\*cos(x)+c\*sin(x))^(5/2),x, algorithm="maxima")

[Out] integrate((b\*e\*cos(x) + c\*e\*sin(x) + d)/(b\*cos(x) + c\*sin(x) + a)^(5/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(be \cos(x) + ce \sin(x) + d)\sqrt{b \cos(x) + c \sin(x) + a}}{(b^3 - 3bc^2)\cos(x)^3 + a^3 + 3ac^2 + 3(ab^2 - ac^2)\cos(x)^2 + 3(a^2b + bc^2)\cos(x) + (6abc \cos(x) + 3a^2c + c^3)\sin(x)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+b\*e\*cos(x)+c\*e\*sin(x))/(a+b\*cos(x)+c\*sin(x))^(5/2),x, algorithm="fricas")

[Out] integral((b\*e\*cos(x) + c\*e\*sin(x) + d)\*sqrt(b\*cos(x) + c\*sin(x) + a)/((b^3 - 3\*b\*c^2)\*cos(x)^3 + a^3 + 3\*a\*c^2 + 3\*(a\*b^2 - a\*c^2)\*cos(x)^2 + 3\*(a^2\*b + b\*c^2)\*cos(x) + (6\*a\*b\*c\*cos(x) + 3\*a^2\*c + c^3 + (3\*b^2\*c - c^3)\*cos(x)^2)\*sin(x)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+b\*e\*cos(x)+c\*e\*sin(x))/(a+b\*cos(x)+c\*sin(x))\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{be \cos(x) + ce \sin(x) + d}{(b \cos(x) + c \sin(x) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+b\*e\*cos(x)+c\*e\*sin(x))/(a+b\*cos(x)+c\*sin(x))^(5/2),x, algorithm="giac")

[Out] integrate((b\*e\*cos(x) + c\*e\*sin(x) + d)/(b\*cos(x) + c\*sin(x) + a)^(5/2), x)

$$3.562 \quad \int \frac{A+B \cos(d+ex)+C \sin(d+ex)}{a+c \sin(d+ex)} dx$$

**Optimal.** Leaf size=84

$$\frac{2(Ac - aC) \tan^{-1} \left( \frac{a \tan\left(\frac{1}{2}(d+ex)\right) + c}{\sqrt{a^2 - c^2}} \right)}{ce\sqrt{a^2 - c^2}} + \frac{B \log(a + c \sin(d + ex))}{ce} + \frac{Cx}{c}$$

[Out] (C\*x)/c + (2\*(A\*c - a\*C)\*ArcTan[(c + a\*Tan[(d + e\*x)/2])/Sqrt[a^2 - c^2]])/(c\*Sqrt[a^2 - c^2]\*e) + (B\*Log[a + c\*Sin[d + e\*x]])/(c\*e)

**Rubi [A]** time = 0.151861, antiderivative size = 84, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {4376, 2735, 2660, 618, 204, 2668, 31}

$$\frac{2(Ac - aC) \tan^{-1} \left( \frac{a \tan\left(\frac{1}{2}(d+ex)\right) + c}{\sqrt{a^2 - c^2}} \right)}{ce\sqrt{a^2 - c^2}} + \frac{B \log(a + c \sin(d + ex))}{ce} + \frac{Cx}{c}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[d + e\*x] + C\*Sin[d + e\*x])/(a + c\*Sin[d + e\*x]),x]

[Out] (C\*x)/c + (2\*(A\*c - a\*C)\*ArcTan[(c + a\*Tan[(d + e\*x)/2])/Sqrt[a^2 - c^2]])/(c\*Sqrt[a^2 - c^2]\*e) + (B\*Log[a + c\*Sin[d + e\*x]])/(c\*e)

#### Rule 4376

```
Int[(u_)*((v_) + (d_.)*(F_)[(c_.)*((a_.) + (b_.)*(x_))]^(n_.)), x_Symbol] :
> With[{e = FreeFactors[Sin[c*(a + b*x)], x]}, Int[ActivateTrig[u*v], x] +
Dist[d, Int[ActivateTrig[u]*Cos[c*(a + b*x)]^n, x], x] /; FunctionOfQ[Sin[c
*(a + b*x)]/e, u, x]] /; FreeQ[{a, b, c, d}, x] && !FreeQ[v, x] && Integer
Q[(n - 1)/2] && NonsumQ[u] && (EqQ[F, Cos] || EqQ[F, cos])
```

#### Rule 2735

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.
)*(x_)]), x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*
Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

#### Rule 2660

```
Int[((a_) + (b_.)*sin[(c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = Fre
eFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + 2*b*e*x + a*
e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[
a^2 - b^2, 0]
```

#### Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[I
nt[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]
```

#### Rule 204

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

### Rule 2668

Int[cos[(e\_) + (f\_)\*(x\_)]^(p\_)\*((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_), x\_Symbol] := Dist[1/(b^p\*f), Subst[Int[(a + x)^m\*(b^2 - x^2)^((p - 1)/2), x], x, b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && NeQ[a^2 - b^2, 0]

### Rule 31

Int[((a\_) + (b\_)\*(x\_))^(p\_), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

### Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(d + ex) + C \sin(d + ex)}{a + c \sin(d + ex)} dx &= B \int \frac{\cos(d + ex)}{a + c \sin(d + ex)} dx + \int \frac{A + C \sin(d + ex)}{a + c \sin(d + ex)} dx \\ &= \frac{Cx}{c} - \frac{(-Ac + aC) \int \frac{1}{a + c \sin(d + ex)} dx}{c} + \frac{B \operatorname{Subst}\left(\int \frac{1}{a + x} dx, x, c \sin(d + ex)\right)}{ce} \\ &= \frac{Cx}{c} + \frac{B \log(a + c \sin(d + ex))}{ce} + \frac{(2(Ac - aC)) \operatorname{Subst}\left(\int \frac{1}{a + 2cx + ax^2} dx, x, \tan\left(\frac{d + ex}{2}\right)\right)}{ce} \\ &= \frac{Cx}{c} + \frac{B \log(a + c \sin(d + ex))}{ce} - \frac{(4(Ac - aC)) \operatorname{Subst}\left(\int \frac{1}{-4(a^2 - c^2) - x^2} dx, x, \tan\left(\frac{d + ex}{2}\right)\right)}{ce} \\ &= \frac{Cx}{c} + \frac{2(Ac - aC) \tan^{-1}\left(\frac{c + a \tan\left(\frac{1}{2}(d + ex)\right)}{\sqrt{a^2 - c^2}}\right)}{c\sqrt{a^2 - c^2}} + \frac{B \log(a + c \sin(d + ex))}{ce} \end{aligned}$$

**Mathematica [A]** time = 0.262016, size = 80, normalized size = 0.95

$$\frac{2(Ac - aC) \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(d + ex)\right) + c}{\sqrt{a^2 - c^2}}\right)}{\sqrt{a^2 - c^2}} + \frac{B \log(a + c \sin(d + ex)) + C(d + ex)}{ce}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[d + e\*x] + C\*Sin[d + e\*x])/(a + c\*Sin[d + e\*x]),x]

[Out] (C\*(d + e\*x) + (2\*(A\*c - a\*C)\*ArcTan[(c + a\*Tan[(d + e\*x)/2])/Sqrt[a^2 - c^2]])/Sqrt[a^2 - c^2] + B\*Log[a + c\*Sin[d + e\*x]]/(c\*e)

**Maple [B]** time = 0.059, size = 178, normalized size = 2.1

$$\frac{B}{ce} \ln\left(a \left(\tan\left(\frac{d}{2} + \frac{ex}{2}\right)\right)^2 + 2c \tan\left(\frac{d}{2} + \frac{1}{2}ex\right) + a\right) + 2 \frac{A}{e\sqrt{a^2 - c^2}} \arctan\left(\frac{1}{2} \frac{2a \tan\left(\frac{d}{2} + \frac{1}{2}ex\right) + 2c}{\sqrt{a^2 - c^2}}\right) - 2 \frac{C}{ce\sqrt{a^2 - c^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(e*x+d)+C*sin(e*x+d))/(a+c*sin(e*x+d)),x)
```

```
[Out] 1/e/c*B*ln(a*tan(1/2*d+1/2*e*x)^2+2*c*tan(1/2*d+1/2*e*x)+a)+2/e/(a^2-c^2)^(1/2)*arctan(1/2*(2*a*tan(1/2*d+1/2*e*x)+2*c)/(a^2-c^2)^(1/2))*A-2/e/c/(a^2-c^2)^(1/2)*arctan(1/2*(2*a*tan(1/2*d+1/2*e*x)+2*c)/(a^2-c^2)^(1/2))*C*a-1/e/c*B*ln(1+tan(1/2*d+1/2*e*x)^2)+2/e/c*C*arctan(tan(1/2*d+1/2*e*x))
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(e*x+d)+C*sin(e*x+d))/(a+c*sin(e*x+d)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [A]** time = 2.63804, size = 763, normalized size = 9.08

$$\left[ \frac{2(Ca^2 - Cc^2)ex + (Ca - Ac)\sqrt{-a^2 + c^2} \log\left(\frac{(2a^2 - c^2)\cos(ex+d)^2 - 2ac\sin(ex+d) - a^2 - c^2 + 2(a\cos(ex+d)\sin(ex+d) + c\cos(ex+d))\sqrt{-a^2 + c^2}}{c^2\cos(ex+d)^2 - 2ac\sin(ex+d) - a^2 - c^2}\right) + (2a^2 - c^2)\cos(ex+d)^2 - 2a^2c\sin(ex+d) - a^2 - c^2 + 2(a\cos(ex+d)\sin(ex+d) + c\cos(ex+d))\sqrt{-a^2 + c^2}}{2(a^2c - c^3)e} \right] + ($$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(e*x+d)+C*sin(e*x+d))/(a+c*sin(e*x+d)),x, algorithm="fricas")
```

```
[Out] [1/2*(2*(C*a^2 - C*c^2)*e*x + (C*a - A*c)*sqrt(-a^2 + c^2)*log(((2*a^2 - c^2)*cos(e*x + d)^2 - 2*a*c*sin(e*x + d) - a^2 - c^2 + 2*(a*cos(e*x + d)*sin(e*x + d) + c*cos(e*x + d))*sqrt(-a^2 + c^2))/(c^2*cos(e*x + d)^2 - 2*a*c*sin(e*x + d) - a^2 - c^2)) + (B*a^2 - B*c^2)*log(-c^2*cos(e*x + d)^2 + 2*a*c*sin(e*x + d) + a^2 + c^2))/((a^2*c - c^3)*e), 1/2*(2*(C*a^2 - C*c^2)*e*x + 2*(C*a - A*c)*sqrt(a^2 - c^2)*arctan(-(a*sin(e*x + d) + c)/(sqrt(a^2 - c^2)*cos(e*x + d))) + (B*a^2 - B*c^2)*log(-c^2*cos(e*x + d)^2 + 2*a*c*sin(e*x + d) + a^2 + c^2))/((a^2*c - c^3)*e)]
```

**Sympy [A]** time = 52.2945, size = 1151, normalized size = 13.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(e*x+d)+C*sin(e*x+d))/(a+c*sin(e*x+d)),x)
```

```
[Out] Piecewise((zoo*x*(A + B*cos(d) + C*sin(d))/sin(d), Eq(a, 0) & Eq(c, 0) & Eq(e, 0)), (2*A*tan(d/2 + e*x/2)/(c*e*tan(d/2 + e*x/2) - c*e) + 2*B*log(tan(d/2 + e*x/2) - 1)*tan(d/2 + e*x/2)/(c*e*tan(d/2 + e*x/2) - c*e) - 2*B*log(tan(d/2 + e*x/2) - 1)/(c*e*tan(d/2 + e*x/2) - c*e) - B*log(tan(d/2 + e*x/2))*
```

```

2 + 1)*tan(d/2 + e*x/2)/(c*e*tan(d/2 + e*x/2) - c*e) + B*log(tan(d/2 + e*x/
2)**2 + 1)/(c*e*tan(d/2 + e*x/2) - c*e) + C*e*x*tan(d/2 + e*x/2)/(c*e*tan(d
/2 + e*x/2) - c*e) - C*e*x/(c*e*tan(d/2 + e*x/2) - c*e) + 2*C*tan(d/2 + e*x
/2)/(c*e*tan(d/2 + e*x/2) - c*e), Eq(a, -c)), (2*A*tan(d/2 + e*x/2)/(c*e*ta
n(d/2 + e*x/2) + c*e) + 2*B*log(tan(d/2 + e*x/2) + 1)*tan(d/2 + e*x/2)/(c*e
*tan(d/2 + e*x/2) + c*e) + 2*B*log(tan(d/2 + e*x/2) + 1)/(c*e*tan(d/2 + e*x
/2) + c*e) - B*log(tan(d/2 + e*x/2)**2 + 1)*tan(d/2 + e*x/2)/(c*e*tan(d/2 +
e*x/2) + c*e) - B*log(tan(d/2 + e*x/2)**2 + 1)/(c*e*tan(d/2 + e*x/2) + c*e
) + C*e*x*tan(d/2 + e*x/2)/(c*e*tan(d/2 + e*x/2) + c*e) + C*e*x/(c*e*tan(d/
2 + e*x/2) + c*e) - 2*C*tan(d/2 + e*x/2)/(c*e*tan(d/2 + e*x/2) + c*e), Eq(a
, c)), ((A*x + B*sin(d + e*x)/e - C*cos(d + e*x)/e)/a, Eq(c, 0)), (x*(A + B
*cos(d) + C*sin(d))/(a + c*sin(d)), Eq(e, 0)), ((A*log(tan(d/2 + e*x/2)))/e
- B*log(tan(d/2 + e*x/2)**2 + 1)/e + B*log(tan(d/2 + e*x/2))/e + C*x)/c, Eq
(a, 0)), (-A*c*sqrt(-a**2 + c**2)*log(tan(d/2 + e*x/2) + c/a - sqrt(-a**2 +
c**2)/a)/(a**2*c*e - c**3*e) + A*c*sqrt(-a**2 + c**2)*log(tan(d/2 + e*x/2)
+ c/a + sqrt(-a**2 + c**2)/a)/(a**2*c*e - c**3*e) - B*a**2*log(tan(d/2 + e
*x/2)**2 + 1)/(a**2*c*e - c**3*e) + B*a**2*log(tan(d/2 + e*x/2) + c/a - sqr
t(-a**2 + c**2)/a)/(a**2*c*e - c**3*e) + B*a**2*log(tan(d/2 + e*x/2) + c/a
+ sqrt(-a**2 + c**2)/a)/(a**2*c*e - c**3*e) + B*c**2*log(tan(d/2 + e*x/2)**
2 + 1)/(a**2*c*e - c**3*e) - B*c**2*log(tan(d/2 + e*x/2) + c/a - sqrt(-a**2
+ c**2)/a)/(a**2*c*e - c**3*e) - B*c**2*log(tan(d/2 + e*x/2) + c/a + sqrt(
-a**2 + c**2)/a)/(a**2*c*e - c**3*e) + C*a**2*e*x/(a**2*c*e - c**3*e) + C*a
*sqrt(-a**2 + c**2)*log(tan(d/2 + e*x/2) + c/a - sqrt(-a**2 + c**2)/a)/(a**
2*c*e - c**3*e) - C*a*sqrt(-a**2 + c**2)*log(tan(d/2 + e*x/2) + c/a + sqrt(
-a**2 + c**2)/a)/(a**2*c*e - c**3*e) - C*c**2*e*x/(a**2*c*e - c**3*e), True
))

```

---

**Giac [A]** time = 1.13396, size = 190, normalized size = 2.26

$$\left( \frac{(xe+d)C}{c} + \frac{B \log\left(a \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^2 + 2c \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) + a\right)}{c} - \frac{B \log\left(\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^2 + 1\right)}{c} - \frac{2\left(\pi \left\lfloor \frac{xe+d}{2\pi} + \frac{1}{2} \right\rfloor\right)}{c} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(e*x+d)+C*sin(e*x+d))/(a+c*sin(e*x+d)),x, algorithm="giac")
```

```
[Out] ((x*e + d)*C/c + B*log(a*tan(1/2*x*e + 1/2*d)^2 + 2*c*tan(1/2*x*e + 1/2*d)
+ a)/c - B*log(tan(1/2*x*e + 1/2*d)^2 + 1)/c - 2*(pi*floor(1/2*(x*e + d)/pi
+ 1/2)*sgn(a) + arctan((a*tan(1/2*x*e + 1/2*d) + c)/sqrt(a^2 - c^2)))*(C*a
- A*c)/(sqrt(a^2 - c^2)*c))*e^(-1)
```

$$3.563 \quad \int \frac{A+B \cos(d+ex)+C \sin(d+ex)}{(a+c \sin(d+ex))^2} dx$$

**Optimal.** Leaf size=118

$$\frac{2(aA - cC) \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(d+ex)\right) + c}{\sqrt{a^2 - c^2}}\right)}{e(a^2 - c^2)^{3/2}} + \frac{(Ac - aC) \cos(d + ex)}{e(a^2 - c^2)(a + c \sin(d + ex))} - \frac{B}{ce(a + c \sin(d + ex))}$$

[Out] (2\*(a\*A - c\*C)\*ArcTan[(c + a\*Tan[(d + e\*x)/2])/Sqrt[a^2 - c^2]]/((a^2 - c^2)^(3/2)\*e) - B/(c\*e\*(a + c\*Sin[d + e\*x])) + ((A\*c - a\*C)\*Cos[d + e\*x])/((a^2 - c^2)\*e\*(a + c\*Sin[d + e\*x]))

**Rubi [A]** time = 0.156626, antiderivative size = 118, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$ , Rules used = {4376, 2754, 12, 2660, 618, 204, 2668, 32}

$$\frac{2(aA - cC) \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(d+ex)\right) + c}{\sqrt{a^2 - c^2}}\right)}{e(a^2 - c^2)^{3/2}} + \frac{(Ac - aC) \cos(d + ex)}{e(a^2 - c^2)(a + c \sin(d + ex))} - \frac{B}{ce(a + c \sin(d + ex))}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[d + e\*x] + C\*Sin[d + e\*x])/(a + c\*Sin[d + e\*x])^2,x]

[Out] (2\*(a\*A - c\*C)\*ArcTan[(c + a\*Tan[(d + e\*x)/2])/Sqrt[a^2 - c^2]]/((a^2 - c^2)^(3/2)\*e) - B/(c\*e\*(a + c\*Sin[d + e\*x])) + ((A\*c - a\*C)\*Cos[d + e\*x])/((a^2 - c^2)\*e\*(a + c\*Sin[d + e\*x]))

#### Rule 4376

```
Int[(u_)*((v_) + (d_.)*(F_)[(c_.)*((a_.) + (b_.)*(x_))]^(n_.)), x_Symbol] :
> With[{e = FreeFactors[Sin[c*(a + b*x)], x]}, Int[ActivateTrig[u*v], x] +
Dist[d, Int[ActivateTrig[u]*Cos[c*(a + b*x)]^n, x], x] /; FunctionOfQ[Sin[c
*(a + b*x)]/e, u, x]] /; FreeQ[{a, b, c, d}, x] && !FreeQ[v, x] && Integer
Q[(n - 1)/2] && NonsumQ[u] && (EqQ[F, Cos] || EqQ[F, cos])
```

#### Rule 2754

```
Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)]), x_Symbol] :> -Simp[((b*c - a*d)*Cos[e + f*x]*(a + b*Sin[e + f
*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), I
nt[(a + b*Sin[e + f*x])^(m + 1)*Simp[(a*c - b*d)*(m + 1) - (b*c - a*d)*(m +
2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a
*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2*m]
```

#### Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_.)*(v_) /; FreeQ[b, x]]
```

#### Rule 2660

```
Int[((a_) + (b_.)*sin[(c_.) + (d_.)*(x_)])^(-1), x_Symbol] :> With[{e = Fre
eFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + 2*b*e*x + a*
```

$e^{2*x^2}$ , x], x, Tan[(c + d\*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

### Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 204

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

### Rule 2668

Int[cos[(e\_.) + (f\_.)\*(x\_)]^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.), x\_Symbol] := Dist[1/(b^p\*f), Subst[Int[(a + x)^m\*(b^2 - x^2)^((p - 1)/2), x], x, b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && NeQ[a^2 - b^2, 0]

### Rule 32

Int[((a\_.) + (b\_.)\*(x\_)^m), x\_Symbol] := Simp[(a + b\*x)^(m + 1)/(b\*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

### Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(d + ex) + C \sin(d + ex)}{(a + c \sin(d + ex))^2} dx &= B \int \frac{\cos(d + ex)}{(a + c \sin(d + ex))^2} dx + \int \frac{A + C \sin(d + ex)}{(a + c \sin(d + ex))^2} dx \\ &= \frac{(Ac - aC) \cos(d + ex)}{(a^2 - c^2) e(a + c \sin(d + ex))} + \frac{\int \frac{-aA + cC}{a + c \sin(d + ex)} dx}{-a^2 + c^2} + \frac{B \operatorname{Subst}\left(\int \frac{1}{(a + x)^2} dx, x\right)}{ce} \\ &= -\frac{B}{ce(a + c \sin(d + ex))} + \frac{(Ac - aC) \cos(d + ex)}{(a^2 - c^2) e(a + c \sin(d + ex))} + \frac{(aA - cC) \int \frac{1}{a + c \sin(d + ex)} dx}{a^2 - c^2} \\ &= -\frac{B}{ce(a + c \sin(d + ex))} + \frac{(Ac - aC) \cos(d + ex)}{(a^2 - c^2) e(a + c \sin(d + ex))} + \frac{(2(aA - cC)) \operatorname{Subst}\left(\int \frac{1}{a + c \sin(d + ex)} dx, x\right)}{a^2 - c^2} \\ &= -\frac{B}{ce(a + c \sin(d + ex))} + \frac{(Ac - aC) \cos(d + ex)}{(a^2 - c^2) e(a + c \sin(d + ex))} - \frac{(4(aA - cC)) \operatorname{Subst}\left(\int \frac{1}{a + c \sin(d + ex)} dx, x\right)}{a^2 - c^2} \\ &= \frac{2(aA - cC) \tan^{-1}\left(\frac{c + a \tan\left(\frac{1}{2}(d + ex)\right)}{\sqrt{a^2 - c^2}}\right)}{(a^2 - c^2)^{3/2} e} - \frac{B}{ce(a + c \sin(d + ex))} + \frac{(Ac - aC) \cos(d + ex)}{(a^2 - c^2) e(a + c \sin(d + ex))} \end{aligned}$$

**Mathematica [A]** time = 0.460344, size = 114, normalized size = 0.97

$$\frac{B(a^2 - c^2) - c(Ac - aC) \cos(d + ex)}{c(c - a)(a + c)(a + c \sin(d + ex))} + \frac{2(aA - cC) \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(d + ex)\right) + c}{\sqrt{a^2 - c^2}}\right)}{(a^2 - c^2)^{3/2}}$$

$e$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[d + e\*x] + C\*Sin[d + e\*x])/(a + c\*Sin[d + e\*x])^2,x]

[Out] ((2\*(a\*A - c\*C)\*ArcTan[(c + a\*Tan[(d + e\*x)/2])/Sqrt[a^2 - c^2]])/Sqrt[a^2 - c^2])^(3/2) + (B\*(a^2 - c^2) - c\*(A\*c - a\*C)\*Cos[d + e\*x])/(c\*(-a + c)\*(a + c)\*(a + c\*Sin[d + e\*x]))/e

**Maple [B]** time = 0.16, size = 426, normalized size = 3.6

$$2 \frac{\tan(d/2 + 1/2 ex) A c^2}{e \left( a \left( \tan(d/2 + 1/2 ex) \right)^2 + 2 c \tan(d/2 + 1/2 ex) + a \right) a \left( a^2 - c^2 \right)} + 2 \frac{a \tan(d/2 + 1/2 ex) B}{e \left( a \left( \tan(d/2 + 1/2 ex) \right)^2 + 2 c \tan(d/2 + 1/2 ex) + a \right) a \left( a^2 - c^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(e\*x+d)+C\*sin(e\*x+d))/(a+c\*sin(e\*x+d))^2,x)

[Out] 2/e/(a\*tan(1/2\*d+1/2\*e\*x)^2+2\*c\*tan(1/2\*d+1/2\*e\*x)+a)/a/(a^2-c^2)\*tan(1/2\*d+1/2\*e\*x)\*A\*c^2+2/e/(a\*tan(1/2\*d+1/2\*e\*x)^2+2\*c\*tan(1/2\*d+1/2\*e\*x)+a)\*a/(a^2-c^2)\*tan(1/2\*d+1/2\*e\*x)\*B-2/e/(a\*tan(1/2\*d+1/2\*e\*x)^2+2\*c\*tan(1/2\*d+1/2\*e\*x)+a)/a/(a^2-c^2)\*tan(1/2\*d+1/2\*e\*x)\*B\*c^2-2/e/(a\*tan(1/2\*d+1/2\*e\*x)^2+2\*c\*tan(1/2\*d+1/2\*e\*x)+a)/(a^2-c^2)\*tan(1/2\*d+1/2\*e\*x)\*c\*C+2/e/(a\*tan(1/2\*d+1/2\*e\*x)^2+2\*c\*tan(1/2\*d+1/2\*e\*x)+a)/(a^2-c^2)\*A\*c-2/e/(a\*tan(1/2\*d+1/2\*e\*x)^2+2\*c\*tan(1/2\*d+1/2\*e\*x)+a)/(a^2-c^2)\*C\*a+2/e/(a^2-c^2)^(3/2)\*arctan(1/2\*(2\*a\*tan(1/2\*d+1/2\*e\*x)+2\*c)/(a^2-c^2)^(1/2))\*a\*A-2/e/(a^2-c^2)^(3/2)\*arctan(1/2\*(2\*a\*tan(1/2\*d+1/2\*e\*x)+2\*c)/(a^2-c^2)^(1/2))\*C\*c

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(e\*x+d)+C\*sin(e\*x+d))/(a+c\*sin(e\*x+d))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.76902, size = 995, normalized size = 8.43

$$\left[ \frac{2 B a^4 - 4 B a^2 c^2 + 2 B c^4 + \left( A a^2 c - C a c^2 + \left( A a c^2 - C c^3 \right) \sin(e x + d) \right) \sqrt{-a^2 + c^2} \log \left( \frac{\left( 2 a^2 - c^2 \right) \cos(e x + d)^2 - 2 a c \sin(e x + d) - a^2 - c^2}{c^2 \cos(e x + d)^2 - 2 a c \sin(e x + d) - a^2 - c^2} \right)}{2 \left( \left( a^4 c^2 - 2 a^2 c^4 + c^6 \right) e \sin(e x + d) + \left( a^5 c - 2 a^4 c^2 + 2 a^3 c^3 - 2 a^2 c^4 + c^5 \right) \cos(e x + d) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(e\*x+d)+C\*sin(e\*x+d))/(a+c\*sin(e\*x+d))^2,x, algorithm="fricas")

[Out] [-1/2\*(2\*B\*a^4 - 4\*B\*a^2\*c^2 + 2\*B\*c^4 + (A\*a^2\*c - C\*a\*c^2 + (A\*a\*c^2 - C\*c^3)\*sin(e\*x + d))\*sqrt(-a^2 + c^2)\*log(((2\*a^2 - c^2)\*cos(e\*x + d)^2 - 2\*a\*c\*sin(e\*x + d) - a^2 - c^2 + 2\*(a\*cos(e\*x + d)\*sin(e\*x + d) + c\*cos(e\*x + d) - a^2 - c^2)/c^2\*cos(e\*x + d)^2 - 2\*a\*c\*sin(e\*x + d) - a^2 - c^2))]/(2\*(a^4\*c^2 - 2\*a^2\*c^4 + c^6)\*e\*sin(e\*x + d) + (a^5\*c - 2\*a^4\*c^2 + 2\*a^3\*c^3 - 2\*a^2\*c^4 + c^5)\*cos(e\*x + d))



$$d))\sqrt{-a^2 + c^2})/(c^2\cos(ex + d)^2 - 2ac\sin(ex + d) - a^2 - c^2) + 2*(C*a^3*c - A*a^2*c^2 - C*a*c^3 + A*c^4)*\cos(ex + d)/((a^4*c^2 - 2*a^2*c^4 + c^6)*e*\sin(ex + d) + (a^5*c - 2*a^3*c^3 + a*c^5)*e), -(B*a^4 - 2*B*a^2*c^2 + B*c^4 + (A*a^2*c - C*a*c^2 + (A*a*c^2 - C*c^3)*\sin(ex + d))*\sqrt{a^2 - c^2}*\arctan(-(a*\sin(ex + d) + c)/(\sqrt{a^2 - c^2}*\cos(ex + d)))) + (C*a^3*c - A*a^2*c^2 - C*a*c^3 + A*c^4)*\cos(ex + d)/((a^4*c^2 - 2*a^2*c^4 + c^6)*e*\sin(ex + d) + (a^5*c - 2*a^3*c^3 + a*c^5)*e)]$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(ex+d)+C\*sin(ex+d))/(a+c\*sin(ex+d))\*\*2,x)

[Out] Timed out

**Giac [A]** time = 1.14629, size = 252, normalized size = 2.14

$$2 \left( \frac{\left( \pi \left\lfloor \frac{xe+d}{2\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(a) + \arctan\left(\frac{a \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) + c}{\sqrt{a^2 - c^2}}\right) \right) (Aa - Cc)}{(a^2 - c^2)^{\frac{3}{2}}} + \frac{Ba^2 \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) - Cact \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) + Ac^2 \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)}{(a^3 - ac^2) \left( a \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) + c \right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(ex+d)+C\*sin(ex+d))/(a+c\*sin(ex+d))^2,x, algorithm="giac")

[Out] 2\*((pi\*floor(1/2\*(x\*e + d)/pi + 1/2)\*sgn(a) + arctan((a\*tan(1/2\*x\*e + 1/2\*d) + c)/sqrt(a^2 - c^2)))\*(A\*a - C\*c)/(a^2 - c^2)^(3/2) + (B\*a^2\*tan(1/2\*x\*e + 1/2\*d) - C\*a\*c\*tan(1/2\*x\*e + 1/2\*d) + A\*c^2\*tan(1/2\*x\*e + 1/2\*d) - B\*c^2\*tan(1/2\*x\*e + 1/2\*d) - C\*a^2 + A\*a\*c)/((a^3 - a\*c^2)\*(a\*tan(1/2\*x\*e + 1/2\*d)^2 + 2\*c\*tan(1/2\*x\*e + 1/2\*d) + a)))\*e^(-1)

$$3.564 \quad \int \frac{A+B \cos(d+ex)+C \sin(d+ex)}{(a+c \sin(d+ex))^3} dx$$

**Optimal.** Leaf size=185

$$\frac{(2a^2A - 3acC + Ac^2) \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(d+ex)\right)+c}{\sqrt{a^2-c^2}}\right)}{e(a^2-c^2)^{5/2}} + \frac{(a^2(-C) + 3aAc - 2c^2C) \cos(d+ex)}{2e(a^2-c^2)^2(a+c \sin(d+ex))} + \frac{(Ac - aC) \cos(d+ex)}{2e(a^2-c^2)(a+c \sin(d+ex))^2}$$

[Out] ((2\*a^2\*A + A\*c^2 - 3\*a\*c\*C)\*ArcTan[(c + a\*Tan[(d + e\*x)/2])/Sqrt[a^2 - c^2]])/((a^2 - c^2)^(5/2)\*e) - B/(2\*c\*e\*(a + c\*Sin[d + e\*x])^2) + ((A\*c - a\*C)\*Cos[d + e\*x])/(2\*(a^2 - c^2)\*e\*(a + c\*Sin[d + e\*x])^2) + ((3\*a\*A\*c - a^2\*C - 2\*c^2\*C)\*Cos[d + e\*x])/(2\*(a^2 - c^2)^2\*e\*(a + c\*Sin[d + e\*x]))

**Rubi [A]** time = 0.246184, antiderivative size = 185, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$ , Rules used = {4376, 2754, 12, 2660, 618, 204, 2668, 32}

$$\frac{(2a^2A - 3acC + Ac^2) \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(d+ex)\right)+c}{\sqrt{a^2-c^2}}\right)}{e(a^2-c^2)^{5/2}} + \frac{(a^2(-C) + 3aAc - 2c^2C) \cos(d+ex)}{2e(a^2-c^2)^2(a+c \sin(d+ex))} + \frac{(Ac - aC) \cos(d+ex)}{2e(a^2-c^2)(a+c \sin(d+ex))^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[d + e\*x] + C\*Sin[d + e\*x])/(a + c\*Sin[d + e\*x])^3,x]

[Out] ((2\*a^2\*A + A\*c^2 - 3\*a\*c\*C)\*ArcTan[(c + a\*Tan[(d + e\*x)/2])/Sqrt[a^2 - c^2]])/((a^2 - c^2)^(5/2)\*e) - B/(2\*c\*e\*(a + c\*Sin[d + e\*x])^2) + ((A\*c - a\*C)\*Cos[d + e\*x])/(2\*(a^2 - c^2)\*e\*(a + c\*Sin[d + e\*x])^2) + ((3\*a\*A\*c - a^2\*C - 2\*c^2\*C)\*Cos[d + e\*x])/(2\*(a^2 - c^2)^2\*e\*(a + c\*Sin[d + e\*x]))

#### Rule 4376

Int[(u\_)\*((v\_) + (d\_)\*(F\_)[(c\_)\*((a\_) + (b\_)\*(x\_))]^(n\_)), x\_Symbol] :> With[{e = FreeFactors[Sin[c\*(a + b\*x)], x]}, Int[ActivateTrig[u\*v], x] + Dist[d, Int[ActivateTrig[u]\*Cos[c\*(a + b\*x)]^n, x], x] /; FunctionOfQ[Sin[c\*(a + b\*x)]/e, u, x] /; FreeQ[{a, b, c, d}, x] && !FreeQ[v, x] && IntegerQ[(n - 1)/2] && NonsumQ[u] && (EqQ[F, Cos] || EqQ[F, cos])

#### Rule 2754

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[(a\*c - b\*d)\*(m + 1) - (b\*c - a\*d)\*(m + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2\*m]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 2660

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + 2\*b\*e\*x + a\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

### Rule 618

Int[((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(-1), x\_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 204

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

### Rule 2668

Int[cos[(e\_) + (f\_)\*(x\_)]^(p\_)\*((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_), x\_Symbol] := Dist[1/(b^p\*f), Subst[Int[(a + x)^m\*(b^2 - x^2)^((p - 1)/2), x], x, b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && NeQ[a^2 - b^2, 0]

### Rule 32

Int[((a\_) + (b\_)\*(x\_))^(m\_), x\_Symbol] := Simp[(a + b\*x)^(m + 1)/(b\*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

### Rubi steps

$$\begin{aligned}
 \int \frac{A + B \cos(d + ex) + C \sin(d + ex)}{(a + c \sin(d + ex))^3} dx &= B \int \frac{\cos(d + ex)}{(a + c \sin(d + ex))^3} dx + \int \frac{A + C \sin(d + ex)}{(a + c \sin(d + ex))^3} dx \\
 &= \frac{(Ac - aC) \cos(d + ex)}{2(a^2 - c^2) e(a + c \sin(d + ex))^2} - \frac{\int \frac{-2(aA - cC) + (Ac - aC) \sin(d + ex)}{(a + c \sin(d + ex))^2} dx}{2(a^2 - c^2)} + \frac{B \text{Subst}}{2(a^2 - c^2)} \\
 &= -\frac{B}{2ce(a + c \sin(d + ex))^2} + \frac{(Ac - aC) \cos(d + ex)}{2(a^2 - c^2) e(a + c \sin(d + ex))^2} + \frac{(3aAc - a^2C)}{2(a^2 - c^2)^2} \\
 &= -\frac{B}{2ce(a + c \sin(d + ex))^2} + \frac{(Ac - aC) \cos(d + ex)}{2(a^2 - c^2) e(a + c \sin(d + ex))^2} + \frac{(3aAc - a^2C)}{2(a^2 - c^2)^2} \\
 &= -\frac{B}{2ce(a + c \sin(d + ex))^2} + \frac{(Ac - aC) \cos(d + ex)}{2(a^2 - c^2) e(a + c \sin(d + ex))^2} + \frac{(3aAc - a^2C)}{2(a^2 - c^2)^2} \\
 &= -\frac{B}{2ce(a + c \sin(d + ex))^2} + \frac{(Ac - aC) \cos(d + ex)}{2(a^2 - c^2) e(a + c \sin(d + ex))^2} + \frac{(3aAc - a^2C)}{2(a^2 - c^2)^2} \\
 &= \frac{(2a^2A + Ac^2 - 3acC) \tan^{-1}\left(\frac{c + a \tan\left(\frac{1}{2}(d + ex)\right)}{\sqrt{a^2 - c^2}}\right)}{(a^2 - c^2)^{5/2} e} - \frac{B}{2ce(a + c \sin(d + ex))^2} + \frac{(3aAc - a^2C)}{2(a^2 - c^2)^2}
 \end{aligned}$$

**Mathematica [A]** time = 0.956972, size = 174, normalized size = 0.94

$$\frac{B(c^2-a^2)+c(AC-aC)\cos(d+ex)}{c(a-c)(a+c)(a+c\sin(d+ex))^2} + \frac{2(2a^2A-3acC+Ac^2)\tan^{-1}\left(\frac{a\tan\left(\frac{1}{2}(d+ex)\right)+c}{\sqrt{a^2-c^2}}\right)}{(a^2-c^2)^{5/2}} - \frac{(a^2C-3aAc+2c^2C)\cos(d+ex)}{(a-c)^2(a+c)^2(a+c\sin(d+ex))}$$


---


$$2e$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[d + e\*x] + C\*Sin[d + e\*x])/(a + c\*Sin[d + e\*x])^3,x]

[Out] ((2\*(2\*a^2\*A + A\*c^2 - 3\*a\*c\*C)\*ArcTan[(c + a\*Tan[(d + e\*x)/2])/Sqrt[a^2 - c^2]])/(a^2 - c^2)^(5/2) + (B\*(-a^2 + c^2) + c\*(A\*c - a\*C)\*Cos[d + e\*x])/((a - c)\*c\*(a + c)\*(a + c\*Sin[d + e\*x])^2) - ((-3\*a\*A\*c + a^2\*C + 2\*c^2\*C)\*Cos[d + e\*x])/((a - c)^2\*(a + c)^2\*(a + c\*Sin[d + e\*x]))/(2\*e)

**Maple [B]** time = 0.147, size = 1891, normalized size = 10.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(e\*x+d)+C\*sin(e\*x+d))/(a+c\*sin(e\*x+d))^3,x)

[Out] -2/e/(a\*tan(1/2\*d+1/2\*e\*x)^2+2\*c\*tan(1/2\*d+1/2\*e\*x)+a)^2/(a^4-2\*a^2\*c^2+c^4)\*C\*a^3-1/e/(a\*tan(1/2\*d+1/2\*e\*x)^2+2\*c\*tan(1/2\*d+1/2\*e\*x)+a)^2/(a^4-2\*a^2\*c^2+c^4)\*A\*c^3+2/e/(a\*tan(1/2\*d+1/2\*e\*x)^2+2\*c\*tan(1/2\*d+1/2\*e\*x)+a)^2\*a^3/(a^4-2\*a^2\*c^2+c^4)\*tan(1/2\*d+1/2\*e\*x)\*B+4/e/(a\*tan(1/2\*d+1/2\*e\*x)^2+2\*c\*tan(1/2\*d+1/2\*e\*x)+a)^2/(a^4-2\*a^2\*c^2+c^4)\*A\*a^2\*c-1/e/(a\*tan(1/2\*d+1/2\*e\*x)^2+2\*c\*tan(1/2\*d+1/2\*e\*x)+a)^2/(a^4-2\*a^2\*c^2+c^4)\*C\*a\*c^2+2/e/(a^4-2\*a^2\*c^2+c^4)/(a^2-c^2)^(1/2)\*arctan(1/2\*(2\*a\*tan(1/2\*d+1/2\*e\*x)+2\*c)/(a^2-c^2)^(1/2))\*a^2\*A+1/e/(a^4-2\*a^2\*c^2+c^4)/(a^2-c^2)^(1/2)\*arctan(1/2\*(2\*a\*tan(1/2\*d+1/2\*e\*x)+2\*c)/(a^2-c^2)^(1/2))\*A\*c^2+7/e/(a\*tan(1/2\*d+1/2\*e\*x)^2+2\*c\*tan(1/2\*d+1/2\*e\*x)+a)^2/(a^4-2\*a^2\*c^2+c^4)\*tan(1/2\*d+1/2\*e\*x)^2\*A\*c^3-4/e/(a\*tan(1/2\*d+1/2\*e\*x)^2+2\*c\*tan(1/2\*d+1/2\*e\*x)+a)^2/(a^4-2\*a^2\*c^2+c^4)\*tan(1/2\*d+1/2\*e\*x)^2\*B\*c^3-4/e/(a\*tan(1/2\*d+1/2\*e\*x)^2+2\*c\*tan(1/2\*d+1/2\*e\*x)+a)^2/(a^4-2\*a^2\*c^2+c^4)\*tan(1/2\*d+1/2\*e\*x)\*C\*c^3+2/e/(a\*tan(1/2\*d+1/2\*e\*x)^2+2\*c\*tan(1/2\*d+1/2\*e\*x)+a)^2/(a^4-2\*a^2\*c^2+c^4)\*a^3\*tan(1/2\*d+1/2\*e\*x)^3\*B-2/e/(a\*tan(1/2\*d+1/2\*e\*x)^2+2\*c\*tan(1/2\*d+1/2\*e\*x)+a)^2/(a^4-2\*a^2\*c^2+c^4)\*a^3\*tan(1/2\*d+1/2\*e\*x)^2\*C-5/e/(a\*tan(1/2\*d+1/2\*e\*x)^2+2\*c\*tan(1/2\*d+1/2\*e\*x)+a)^2\*a^2/(a^4-2\*a^2\*c^2+c^4)\*tan(1/2\*d+1/2\*e\*x)\*C\*c+5/e/(a\*tan(1/2\*d+1/2\*e\*x)^2+2\*c\*tan(1/2\*d+1/2\*e\*x)+a)^2/(a^4-2\*a^2\*c^2+c^4)\*a\*tan(1/2\*d+1/2\*e\*x)^3\*A\*c^2-2/e/(a\*tan(1/2\*d+1/2\*e\*x)^2+2\*c\*tan(1/2\*d+1/2\*e\*x)+a)^2/(a^4-2\*a^2\*c^2+c^4)/a\*tan(1/2\*d+1/2\*e\*x)^3\*A\*c^4-3/e/(a^4-2\*a^2\*c^2+c^4)/(a^2-c^2)^(1/2)\*arctan(1/2\*(2\*a\*tan(1/2\*d+1/2\*e\*x)+2\*c)/(a^2-c^2)^(1/2))\*a\*c\*C-4/e/(a\*tan(1/2\*d+1/2\*e\*x)^2+2\*c\*tan(1/2\*d+1/2\*e\*x)+a)^2/(a^4-2\*a^2\*c^2+c^4)\*a\*tan(1/2\*d+1/2\*e\*x)^3\*B\*c^2+2/e/(a\*tan(1/2\*d+1/2\*e\*x)^2+2\*c\*tan(1/2\*d+1/2\*e\*x)+a)^2/(a^4-2\*a^2\*c^2+c^4)/a\*tan(1/2\*d+1/2\*e\*x)^3\*B\*c^4-3/e/(a\*tan(1/2\*d+1/2\*e\*x)^2+2\*c\*tan(1/2\*d+1/2\*e\*x)+a)^2/(a^4-2\*a^2\*c^2+c^4)\*a^2\*tan(1/2\*d+1/2\*e\*x)^2\*A\*c-2/e/(a\*tan(1/2\*d+1/2\*e\*x)^2+2\*c\*tan(1/2\*d+1/2\*e\*x)+a)^2/(a^4-2\*a^2\*c^2+c^4)/a^2\*tan(1/2\*d+1/2\*e\*x)^2\*A\*c^5+2/e/(a\*tan(1/2\*d+1/2\*e\*x)^2+2\*c\*tan(1/2\*d+1/2\*e\*x)+a)^2/(a^4-2\*a^2\*c^2+c^4)\*a^2\*tan(1/2\*d+1/2\*e\*x)^2\*B\*c+2/e/(a\*tan(1/2\*d+1/2\*e\*x)^2+2\*c\*tan(1/2\*d+1/2\*e\*x)+a)^2/(a^4-2\*a^2\*c^2+c^4)/a^2\*tan(1/2\*d+1/2\*e\*x)^2\*B\*c^5-5/e/(a\*tan(1/2\*d+1/2\*e\*x)^2+2\*c\*tan(1/2\*d+1/2\*e\*x)+a)^2/(a^4-2\*a^2\*c^2+c^4)\*a\*tan(1/2\*d+1/2\*

$$e^{*x}^2 * C * c^2 - 2/e / (a * \tan(1/2*d + 1/2*e^{*x})^2 + 2*c * \tan(1/2*d + 1/2*e^{*x}) + a)^2 / (a^4 - 2*a^2*c^2 + c^4) / a * \tan(1/2*d + 1/2*e^{*x})^2 * C * c^4 + 11/e / (a * \tan(1/2*d + 1/2*e^{*x})^2 + 2*c * \tan(1/2*d + 1/2*e^{*x}) + a)^2 * a / (a^4 - 2*a^2*c^2 + c^4) * \tan(1/2*d + 1/2*e^{*x}) * A * c^2 - 2/e / (a * \tan(1/2*d + 1/2*e^{*x})^2 + 2*c * \tan(1/2*d + 1/2*e^{*x}) + a)^2 / a / (a^4 - 2*a^2*c^2 + c^4) * \tan(1/2*d + 1/2*e^{*x}) * A * c^4 - 4/e / (a * \tan(1/2*d + 1/2*e^{*x})^2 + 2*c * \tan(1/2*d + 1/2*e^{*x}) + a)^2 * a / (a^4 - 2*a^2*c^2 + c^4) * \tan(1/2*d + 1/2*e^{*x}) * B * c^2 + 2/e / (a * \tan(1/2*d + 1/2*e^{*x})^2 + 2*c * \tan(1/2*d + 1/2*e^{*x}) + a)^2 / a / (a^4 - 2*a^2*c^2 + c^4) * \tan(1/2*d + 1/2*e^{*x}) * B * c^4$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(e\*x+d)+C\*sin(e\*x+d))/(a+c\*sin(e\*x+d))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 3.33691, size = 1891, normalized size = 10.22

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(e\*x+d)+C\*sin(e\*x+d))/(a+c\*sin(e\*x+d))^3,x, algorithm="fricas")

[Out] [1/4\*(2\*B\*a^6 - 6\*B\*a^4\*c^2 + 6\*B\*a^2\*c^4 - 2\*B\*c^6 + 2\*(C\*a^4\*c^2 - 3\*A\*a^3\*c^3 + C\*a^2\*c^4 + 3\*A\*a\*c^5 - 2\*C\*c^6)\*cos(e\*x + d)\*sin(e\*x + d) + (2\*A\*a^4\*c - 3\*C\*a^3\*c^2 + 3\*A\*a^2\*c^3 - 3\*C\*a\*c^4 + A\*c^5 - (2\*A\*a^2\*c^3 - 3\*C\*a\*c^4 + A\*c^5)\*cos(e\*x + d)^2 + 2\*(2\*A\*a^3\*c^2 - 3\*C\*a^2\*c^3 + A\*a\*c^4)\*sin(e\*x + d))\*sqrt(-a^2 + c^2)\*log(((2\*a^2 - c^2)\*cos(e\*x + d)^2 - 2\*a\*c\*sin(e\*x + d) - a^2 - c^2 + 2\*(a\*cos(e\*x + d)\*sin(e\*x + d) + c\*cos(e\*x + d))\*sqrt(-a^2 + c^2))/(c^2\*cos(e\*x + d)^2 - 2\*a\*c\*sin(e\*x + d) - a^2 - c^2)) + 2\*(2\*C\*a^5\*c - 4\*A\*a^4\*c^2 - C\*a^3\*c^3 + 5\*A\*a^2\*c^4 - C\*a\*c^5 - A\*c^6)\*cos(e\*x + d)/((a^6\*c^3 - 3\*a^4\*c^5 + 3\*a^2\*c^7 - c^9)\*e\*cos(e\*x + d)^2 - 2\*(a^7\*c^2 - 3\*a^5\*c^4 + 3\*a^3\*c^6 - a\*c^8)\*e\*sin(e\*x + d) - (a^8\*c - 2\*a^6\*c^3 + 2\*a^2\*c^7 - c^9)\*e), 1/2\*(B\*a^6 - 3\*B\*a^4\*c^2 + 3\*B\*a^2\*c^4 - B\*c^6 + (C\*a^4\*c^2 - 3\*A\*a^3\*c^3 + C\*a^2\*c^4 + 3\*A\*a\*c^5 - 2\*C\*c^6)\*cos(e\*x + d)\*sin(e\*x + d) + (2\*A\*a^4\*c - 3\*C\*a^3\*c^2 + 3\*A\*a^2\*c^3 - 3\*C\*a\*c^4 + A\*c^5 - (2\*A\*a^2\*c^3 - 3\*C\*a\*c^4 + A\*c^5)\*cos(e\*x + d)^2 + 2\*(2\*A\*a^3\*c^2 - 3\*C\*a^2\*c^3 + A\*a\*c^4)\*sin(e\*x + d))\*sqrt(a^2 - c^2)\*arctan(-(a\*sin(e\*x + d) + c)/(sqrt(a^2 - c^2)\*cos(e\*x + d))) + (2\*C\*a^5\*c - 4\*A\*a^4\*c^2 - C\*a^3\*c^3 + 5\*A\*a^2\*c^4 - C\*a\*c^5 - A\*c^6)\*cos(e\*x + d)/((a^6\*c^3 - 3\*a^4\*c^5 + 3\*a^2\*c^7 - c^9)\*e\*cos(e\*x + d)^2 - 2\*(a^7\*c^2 - 3\*a^5\*c^4 + 3\*a^3\*c^6 - a\*c^8)\*e\*sin(e\*x + d) - (a^8\*c - 2\*a^6\*c^3 + 2\*a^2\*c^7 - c^9)\*e)]

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(e\*x+d)+C\*sin(e\*x+d))/(a+c\*sin(e\*x+d))\*\*3,x)

[Out] Timed out

**Giac [B]** time = 1.22202, size = 805, normalized size = 4.35

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(e\*x+d)+C\*sin(e\*x+d))/(a+c\*sin(e\*x+d))^3,x, algorithm="giac")

[Out] 
$$\begin{aligned} & ((2Aa^2 - 3Ca^2c + A^2c^2) * (\pi \text{floor}(1/2 * (xe + d) / \pi + 1/2) * \text{sgn}(a) + \arctan((a * \tan(1/2 * xe + 1/2 * d) + c) / \sqrt{a^2 - c^2}))) / ((a^4 - 2a^2c^2 + c^4) * \sqrt{a^2 - c^2}) \\ & + (2Ba^5 \tan(1/2 * xe + 1/2 * d)^3 - 3Ca^4c \tan(1/2 * xe + 1/2 * d)^3 + 5Aa^3c^2 \tan(1/2 * xe + 1/2 * d)^3 - 4Ba^3c^2 \tan(1/2 * xe + 1/2 * d)^3 \\ & - 2Aa^4c \tan(1/2 * xe + 1/2 * d)^3 + 2Ba^4c \tan(1/2 * xe + 1/2 * d)^3 - 2Ca^5 \tan(1/2 * xe + 1/2 * d)^2 + 4Aa^4c \tan(1/2 * xe + 1/2 * d)^2 \\ & + 2Ba^4c \tan(1/2 * xe + 1/2 * d)^2 - 5Ca^3c^2 \tan(1/2 * xe + 1/2 * d)^2 + 7Aa^2c^3 \tan(1/2 * xe + 1/2 * d)^2 - 4Ba^2c^3 \tan(1/2 * xe + 1/2 * d)^2 - 2Ca^4c \tan(1/2 * xe + 1/2 * d)^2 \\ & - 2Aa^5 \tan(1/2 * xe + 1/2 * d)^2 + 2Ba^5 \tan(1/2 * xe + 1/2 * d)^2 + 2Ba^5 \tan(1/2 * xe + 1/2 * d) - 5Ca^4c \tan(1/2 * xe + 1/2 * d) \\ & + 11Aa^3c^2 \tan(1/2 * xe + 1/2 * d) - 4Ba^3c^2 \tan(1/2 * xe + 1/2 * d) - 4Ca^2c^3 \tan(1/2 * xe + 1/2 * d) - 2Aa^4c \tan(1/2 * xe + 1/2 * d) \\ & + 2Ba^4c \tan(1/2 * xe + 1/2 * d) - 2Ca^5 + 4Aa^4c - Ca^3c^2 - Aa^2c^3) / ((a^6 - 2a^4c^2 + a^2c^4) * (a * \tan(1/2 * xe + 1/2 * d)^2 + 2c * \tan(1/2 * xe + 1/2 * d) + a)^2)) * e^{-1} \end{aligned}$$

$$3.565 \quad \int \frac{A+B \cos(d+ex)+C \sin(d+ex)}{(a+c \sin(d+ex))^4} dx$$

**Optimal.** Leaf size=258

$$\frac{(2a^3A - 4a^2cC + 3aAc^2 - c^3C) \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(d+ex)\right) + c}{\sqrt{a^2 - c^2}}\right)}{e(a^2 - c^2)^{7/2}} + \frac{(11a^2Ac - 2a^3C - 13ac^2C + 4Ac^3) \cos(d+ex)}{6e(a^2 - c^2)^3(a + c \sin(d+ex))} + \frac{(-2a^2C + c^3)}{6e(a^2 - c^2)}$$

[Out]  $((2*a^3*A + 3*a*A*c^2 - 4*a^2*c*C - c^3*C)*ArcTan[(c + a*Tan[(d + e*x)/2])/Sqrt[a^2 - c^2]])/((a^2 - c^2)^{(7/2)*e}) - B/(3*c*e*(a + c*Sin[d + e*x])^3) + ((A*c - a*C)*Cos[d + e*x])/(3*(a^2 - c^2)*e*(a + c*Sin[d + e*x])^3) + ((5*a*A*c - 2*a^2*C - 3*c^2*C)*Cos[d + e*x])/(6*(a^2 - c^2)^2*e*(a + c*Sin[d + e*x])^2) + ((11*a^2*A*c + 4*A*c^3 - 2*a^3*C - 13*a*c^2*C)*Cos[d + e*x])/(6*(a^2 - c^2)^3*e*(a + c*Sin[d + e*x]))$

**Rubi [A]** time = 0.404632, antiderivative size = 258, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$ , Rules used = {4376, 2754, 12, 2660, 618, 204, 2668, 32}

$$\frac{(2a^3A - 4a^2cC + 3aAc^2 - c^3C) \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(d+ex)\right) + c}{\sqrt{a^2 - c^2}}\right)}{e(a^2 - c^2)^{7/2}} + \frac{(11a^2Ac - 2a^3C - 13ac^2C + 4Ac^3) \cos(d+ex)}{6e(a^2 - c^2)^3(a + c \sin(d+ex))} + \frac{(-2a^2C + c^3)}{6e(a^2 - c^2)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(A + B*\text{Cos}[d + e*x] + C*\text{Sin}[d + e*x])/(a + c*\text{Sin}[d + e*x])^4, x]$

[Out]  $((2*a^3*A + 3*a*A*c^2 - 4*a^2*c*C - c^3*C)*ArcTan[(c + a*Tan[(d + e*x)/2])/Sqrt[a^2 - c^2]])/((a^2 - c^2)^{(7/2)*e}) - B/(3*c*e*(a + c*Sin[d + e*x])^3) + ((A*c - a*C)*Cos[d + e*x])/(3*(a^2 - c^2)*e*(a + c*Sin[d + e*x])^3) + ((5*a*A*c - 2*a^2*C - 3*c^2*C)*Cos[d + e*x])/(6*(a^2 - c^2)^2*e*(a + c*Sin[d + e*x])^2) + ((11*a^2*A*c + 4*A*c^3 - 2*a^3*C - 13*a*c^2*C)*Cos[d + e*x])/(6*(a^2 - c^2)^3*e*(a + c*Sin[d + e*x]))$

#### Rule 4376

$\text{Int}[(u_*)*((v_*) + (d_*)*(F_*)[(c_*)*((a_*) + (b_*)*(x_))])^{(n_*)}), x\_Symbol] :> \text{With}[e = \text{FreeFactors}[\text{Sin}[c*(a + b*x)], x], \text{Int}[\text{ActivateTrig}[u*v], x] + \text{Dist}[d, \text{Int}[\text{ActivateTrig}[u]*\text{Cos}[c*(a + b*x)]^n, x], x] /; \text{FunctionOfQ}[\text{Sin}[c*(a + b*x)]/e, u, x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& !\text{FreeQ}[v, x] \&\& \text{IntegerQ}[(n - 1)/2] \&\& \text{NonsumQ}[u] \&\& (\text{EqQ}[F, \text{Cos}] || \text{EqQ}[F, \text{cos}])$

#### Rule 2754

$\text{Int}[(a_*) + (b_*)*\text{sin}[(e_*) + (f_*)*(x_)]])^{(m_*)}*((c_*) + (d_*)*\text{sin}[(e_*) + (f_*)*(x_)]), x\_Symbol] :> -\text{Simp}[(b*c - a*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m + 1)})/(f*(m + 1)*(a^2 - b^2)), x] + \text{Dist}[1/((m + 1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)}*\text{Simp}[(a*c - b*d)*(m + 1) - (b*c - a*d)*(m + 2)*\text{Sin}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{IntegerQ}[2*m]$

#### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

#### Rule 2660

```
Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^(-1), x_Symbol] := With[{e = Fre
eFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + 2*b*e*x + a*
e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[
a^2 - b^2, 0]
```

#### Rule 618

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[I
nt[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]
```

#### Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

#### Rule 2668

```
Int[cos[(e_) + (f_)*(x_)]^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m
_), x_Symbol] := Dist[1/(b^p*f), Subst[Int[(a + x)^m*(b^2 - x^2)^((p - 1)/
2), x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p
- 1)/2] && NeQ[a^2 - b^2, 0]
```

#### Rule 32

```
Int[((a_) + (b_)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m +
1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]
```

#### Rubi steps



$$\begin{aligned}
\int \frac{A + B \cos(d + ex) + C \sin(d + ex)}{(a + c \sin(d + ex))^4} dx &= B \int \frac{\cos(d + ex)}{(a + c \sin(d + ex))^4} dx + \int \frac{A + C \sin(d + ex)}{(a + c \sin(d + ex))^4} dx \\
&= \frac{(Ac - aC) \cos(d + ex)}{3(a^2 - c^2)e(a + c \sin(d + ex))^3} - \frac{\int \frac{-3(aA - cC) + 2(Ac - aC) \sin(d + ex)}{(a + c \sin(d + ex))^3} dx}{3(a^2 - c^2)} + \frac{B \text{Sub}}{3(a^2 - c^2)} \\
&= -\frac{B}{3ce(a + c \sin(d + ex))^3} + \frac{(Ac - aC) \cos(d + ex)}{3(a^2 - c^2)e(a + c \sin(d + ex))^3} + \frac{(5aAc - 2a^2)}{6(a^2 - c^2)^2} \\
&= -\frac{B}{3ce(a + c \sin(d + ex))^3} + \frac{(Ac - aC) \cos(d + ex)}{3(a^2 - c^2)e(a + c \sin(d + ex))^3} + \frac{(5aAc - 2a^2)}{6(a^2 - c^2)^2} \\
&= -\frac{B}{3ce(a + c \sin(d + ex))^3} + \frac{(Ac - aC) \cos(d + ex)}{3(a^2 - c^2)e(a + c \sin(d + ex))^3} + \frac{(5aAc - 2a^2)}{6(a^2 - c^2)^2} \\
&= -\frac{B}{3ce(a + c \sin(d + ex))^3} + \frac{(Ac - aC) \cos(d + ex)}{3(a^2 - c^2)e(a + c \sin(d + ex))^3} + \frac{(5aAc - 2a^2)}{6(a^2 - c^2)^2} \\
&= -\frac{B}{3ce(a + c \sin(d + ex))^3} + \frac{(Ac - aC) \cos(d + ex)}{3(a^2 - c^2)e(a + c \sin(d + ex))^3} + \frac{(5aAc - 2a^2)}{6(a^2 - c^2)^2} \\
&= \frac{(2a^3A + 3aAc^2 - 4a^2cC - c^3C) \tan^{-1}\left(\frac{c + a \tan\left(\frac{1}{2}(d + ex)\right)}{\sqrt{a^2 - c^2}}\right)}{(a^2 - c^2)^{7/2} e} - \frac{B}{3ce(a + c \sin(d + ex))^3}
\end{aligned}$$

**Mathematica [A]** time = 2.7688, size = 244, normalized size = 0.95

$$\frac{2B(c^2 - a^2) + 2c(Ac - aC) \cos(d + ex)}{c(a - c)(a + c)(a + c \sin(d + ex))^3} + \frac{6(2a^3A - 4a^2cC + 3aAc^2 - c^3C) \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(d + ex)\right) + c}{\sqrt{a^2 - c^2}}\right)}{(a^2 - c^2)^{7/2}} + \frac{(11a^2Ac - 2a^3C - 13ac^2C + 4Ac^3) \cos(d + ex)}{(a - c)^3(a + c)^3(a + c \sin(d + ex))} + \frac{(-2a^2C + 5aAc)}{(a - c)^2(a + c)}$$

6e

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[d + e\*x] + C\*Sin[d + e\*x])/(a + c\*Sin[d + e\*x])^4, x]

[Out] ((6\*(2\*a^3\*A + 3\*a\*A\*c^2 - 4\*a^2\*c\*C - c^3\*C)\*ArcTan[(c + a\*Tan[(d + e\*x)/2])/Sqrt[a^2 - c^2]])/(a^2 - c^2)^(7/2) + (2\*B\*(-a^2 + c^2) + 2\*c\*(A\*c - a\*C)\*Cos[d + e\*x])/((a - c)\*c\*(a + c)\*(a + c\*Sin[d + e\*x])^3) + ((5\*a\*A\*c - 2\*a^2\*C - 3\*c^2\*C)\*Cos[d + e\*x])/((a - c)^2\*(a + c)^2\*(a + c\*Sin[d + e\*x])^2) + ((11\*a^2\*A\*c + 4\*A\*c^3 - 2\*a^3\*C - 13\*a\*c^2\*C)\*Cos[d + e\*x])/((a - c)^3\*(a + c)^3\*(a + c\*Sin[d + e\*x]))/(6\*e)

**Maple [B]** time = 0.166, size = 5051, normalized size = 19.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(e\*x+d)+C\*sin(e\*x+d))/(a+c\*sin(e\*x+d))^4, x)

[Out] result too large to display

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(e\*x+d)+C\*sin(e\*x+d))/(a+c\*sin(e\*x+d))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 3.83786, size = 3085, normalized size = 11.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(e\*x+d)+C\*sin(e\*x+d))/(a+c\*sin(e\*x+d))^4,x, algorithm="fricas")

[Out] [1/12\*(4\*B\*a^8 - 16\*B\*a^6\*c^2 + 24\*B\*a^4\*c^4 - 16\*B\*a^2\*c^6 + 4\*B\*c^8 - 2\*(2\*C\*a^5\*c^3 - 11\*A\*a^4\*c^4 + 11\*C\*a^3\*c^5 + 7\*A\*a^2\*c^6 - 13\*C\*a\*c^7 + 4\*A\*c^8)\*cos(e\*x + d)^3 + 6\*(2\*C\*a^6\*c^2 - 9\*A\*a^5\*c^3 + 7\*C\*a^4\*c^4 + 8\*A\*a^3\*c^5 - 10\*C\*a^2\*c^6 + A\*a\*c^7 + C\*c^8)\*cos(e\*x + d)\*sin(e\*x + d) + 3\*(2\*A\*a^6\*c - 4\*C\*a^5\*c^2 + 9\*A\*a^4\*c^3 - 13\*C\*a^3\*c^4 + 9\*A\*a^2\*c^5 - 3\*C\*a\*c^6 - 3\*(2\*A\*a^4\*c^3 - 4\*C\*a^3\*c^4 + 3\*A\*a^2\*c^5 - C\*a\*c^6)\*cos(e\*x + d)^2 + (6\*A\*a^5\*c^2 - 12\*C\*a^4\*c^3 + 11\*A\*a^3\*c^4 - 7\*C\*a^2\*c^5 + 3\*A\*a\*c^6 - C\*c^7 - (2\*A\*a^3\*c^4 - 4\*C\*a^2\*c^5 + 3\*A\*a\*c^6 - C\*c^7)\*cos(e\*x + d)^2)\*sin(e\*x + d))\*sqrt(-a^2 + c^2)\*log(((2\*a^2 - c^2)\*cos(e\*x + d)^2 - 2\*a\*c\*sin(e\*x + d) - a^2 - c^2 + 2\*(a\*cos(e\*x + d)\*sin(e\*x + d) + c\*cos(e\*x + d))\*sqrt(-a^2 + c^2))/(c^2\*cos(e\*x + d)^2 - 2\*a\*c\*sin(e\*x + d) - a^2 - c^2)) + 12\*(C\*a^7\*c - 3\*A\*a^6\*c^2 + C\*a^5\*c^3 + 2\*A\*a^4\*c^4 - 2\*C\*a\*c^7 + A\*c^8)\*cos(e\*x + d)/(3\*(a^9\*c^3 - 4\*a^7\*c^5 + 6\*a^5\*c^7 - 4\*a^3\*c^9 + a\*c^11)\*e\*cos(e\*x + d)^2 - (a^11\*c - a^9\*c^3 - 6\*a^7\*c^5 + 14\*a^5\*c^7 - 11\*a^3\*c^9 + 3\*a\*c^11)\*e + ((a^8\*c^4 - 4\*a^6\*c^6 + 6\*a^4\*c^8 - 4\*a^2\*c^10 + c^12)\*e\*cos(e\*x + d)^2 - (3\*a^10\*c^2 - 11\*a^8\*c^4 + 14\*a^6\*c^6 - 6\*a^4\*c^8 - a^2\*c^10 + c^12)\*e)\*sin(e\*x + d)), 1/6\*(2\*B\*a^8 - 8\*B\*a^6\*c^2 + 12\*B\*a^4\*c^4 - 8\*B\*a^2\*c^6 + 2\*B\*c^8 - (2\*C\*a^5\*c^3 - 11\*A\*a^4\*c^4 + 11\*C\*a^3\*c^5 + 7\*A\*a^2\*c^6 - 13\*C\*a\*c^7 + 4\*A\*c^8)\*cos(e\*x + d)^3 + 3\*(2\*C\*a^6\*c^2 - 9\*A\*a^5\*c^3 + 7\*C\*a^4\*c^4 + 8\*A\*a^3\*c^5 - 10\*C\*a^2\*c^6 + A\*a\*c^7 + C\*c^8)\*cos(e\*x + d)\*sin(e\*x + d) + 3\*(2\*A\*a^6\*c - 4\*C\*a^5\*c^2 + 9\*A\*a^4\*c^3 - 13\*C\*a^3\*c^4 + 9\*A\*a^2\*c^5 - 3\*C\*a\*c^6 - 3\*(2\*A\*a^4\*c^3 - 4\*C\*a^3\*c^4 + 3\*A\*a^2\*c^5 - C\*a\*c^6)\*cos(e\*x + d)^2 + (6\*A\*a^5\*c^2 - 12\*C\*a^4\*c^3 + 11\*A\*a^3\*c^4 - 7\*C\*a^2\*c^5 + 3\*A\*a\*c^6 - C\*c^7 - (2\*A\*a^3\*c^4 - 4\*C\*a^2\*c^5 + 3\*A\*a\*c^6 - C\*c^7)\*cos(e\*x + d)^2)\*sin(e\*x + d))\*sqrt(a^2 - c^2)\*arctan(-(a\*sin(e\*x + d) + c)/(sqrt(a^2 - c^2)\*cos(e\*x + d))) + 6\*(C\*a^7\*c - 3\*A\*a^6\*c^2 + C\*a^5\*c^3 + 2\*A\*a^4\*c^4 - 2\*C\*a\*c^7 + A\*c^8)\*cos(e\*x + d)/(3\*(a^9\*c^3 - 4\*a^7\*c^5 + 6\*a^5\*c^7 - 4\*a^3\*c^9 + a\*c^11)\*e\*cos(e\*x + d)^2 - (a^11\*c - a^9\*c^3 - 6\*a^7\*c^5 + 14\*a^5\*c^7 - 11\*a^3\*c^9 + 3\*a\*c^11)\*e + ((a^8\*c^4 - 4\*a^6\*c^6 + 6\*a^4\*c^8 - 4\*a^2\*c^10 + c^12)\*e\*cos(e\*x + d)^2 - (3\*a^10\*c^2 - 11\*a^8\*c^4 + 14\*a^6\*c^6 - 6\*a^4\*c^8 - a^2\*c^10 + c^12)\*e)\*sin(e\*x + d))]

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(e\*x+d)+C\*sin(e\*x+d))/(a+c\*sin(e\*x+d))\*\*4,x)

[Out] Timed out

---

**Giac [B]** time = 1.27571, size = 1809, normalized size = 7.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(e\*x+d)+C\*sin(e\*x+d))/(a+c\*sin(e\*x+d))^4,x, algorithm="giac")

[Out] 
$$\frac{1}{3} \cdot (3 \cdot (2 \cdot A \cdot a^3 - 4 \cdot C \cdot a^2 \cdot c + 3 \cdot A \cdot a \cdot c^2 - C \cdot c^3) \cdot (\pi \cdot \text{floor}(1/2 \cdot (x \cdot e + d)) / \pi + 1/2) \cdot \text{sgn}(a) + \arctan((a \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d) + c) / \sqrt{a^2 - c^2})) / ((a^6 - 3 \cdot a^4 \cdot c^2 + 3 \cdot a^2 \cdot c^4 - c^6) \cdot \sqrt{a^2 - c^2}) + (6 \cdot B \cdot a^8 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^5 - 12 \cdot C \cdot a^7 \cdot c \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^5 + 27 \cdot A \cdot a^6 \cdot c^2 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^5 - 18 \cdot B \cdot a^6 \cdot c^2 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^5 - 3 \cdot C \cdot a^5 \cdot c^3 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^5 - 18 \cdot A \cdot a^4 \cdot c^4 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^5 + 18 \cdot B \cdot a^4 \cdot c^4 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^5 + 6 \cdot A \cdot a^2 \cdot c^6 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^5 - 6 \cdot B \cdot a^2 \cdot c^6 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^5 - 6 \cdot C \cdot a^8 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^4 + 18 \cdot A \cdot a^7 \cdot c \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^4 + 12 \cdot B \cdot a^7 \cdot c \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^4 - 42 \cdot C \cdot a^6 \cdot c^2 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^4 + 81 \cdot A \cdot a^5 \cdot c^3 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^4 - 36 \cdot B \cdot a^5 \cdot c^3 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^4 - 33 \cdot C \cdot a^4 \cdot c^4 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^4 - 36 \cdot A \cdot a^3 \cdot c^5 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^4 + 36 \cdot B \cdot a^3 \cdot c^5 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^4 + 6 \cdot C \cdot a^2 \cdot c^6 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^4 + 12 \cdot A \cdot a \cdot c^7 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^4 - 12 \cdot B \cdot a \cdot c^7 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^4 + 12 \cdot B \cdot a^8 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^3 - 36 \cdot C \cdot a^7 \cdot c \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^3 + 108 \cdot A \cdot a^6 \cdot c^2 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^3 - 28 \cdot B \cdot a^6 \cdot c^2 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^3 - 8 \cdot 4 \cdot C \cdot a^5 \cdot c^3 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^3 + 42 \cdot A \cdot a^4 \cdot c^4 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^3 + 12 \cdot B \cdot a^4 \cdot c^4 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^3 - 34 \cdot C \cdot a^3 \cdot c^5 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^3 - 8 \cdot A \cdot a^2 \cdot c^6 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^3 + 12 \cdot B \cdot a^2 \cdot c^6 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^3 + 4 \cdot C \cdot a \cdot c^7 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^3 + 8 \cdot A \cdot c^8 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^3 - 8 \cdot B \cdot c^8 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^3 - 12 \cdot C \cdot a^8 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^2 + 36 \cdot A \cdot a^7 \cdot c \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^2 + 12 \cdot B \cdot a^7 \cdot c \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^2 - 60 \cdot C \cdot a^6 \cdot c^2 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^2 + 120 \cdot A \cdot a^5 \cdot c^3 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^2 - 36 \cdot B \cdot a^5 \cdot c^3 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^2 - 84 \cdot C \cdot a^4 \cdot c^4 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^2 - 18 \cdot A \cdot a^3 \cdot c^5 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^2 + 36 \cdot B \cdot a^3 \cdot c^5 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^2 + 6 \cdot C \cdot a^2 \cdot c^6 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^2 + 12 \cdot A \cdot a \cdot c^7 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^2 - 12 \cdot B \cdot a \cdot c^7 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^2 + 6 \cdot B \cdot a^8 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d) - 24 \cdot C \cdot a^7 \cdot c \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d) + 81 \cdot A \cdot a^6 \cdot c^2 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d) - 18 \cdot B \cdot a^6 \cdot c^2 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d) - 57 \cdot C \cdot a^5 \cdot c^3 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d) - 12 \cdot A \cdot a^4 \cdot c^4 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d) + 18 \cdot B \cdot a^4 \cdot c^4 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d) + 6 \cdot C \cdot a^3 \cdot c^5 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d) + 6 \cdot A \cdot a^2 \cdot c^6 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d) - 6 \cdot B \cdot a^2 \cdot c^6 \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d) - 6 \cdot C \cdot a^8 + 18 \cdot A \cdot a^7 \cdot c - 10 \cdot C \cdot a^6 \cdot c^2 - 5 \cdot A \cdot a^5 \cdot c^3 + C \cdot a^4 \cdot c^4 + 2 \cdot A \cdot a^3 \cdot c^5) / ((a^9 - 3 \cdot a^7 \cdot c^2 + 3 \cdot a^5 \cdot c^4 - a^3 \cdot c^6) \cdot (a \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d))^2 + 2 \cdot c \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d) + a)^3) \cdot e^{-1}$$

### 3.566 $\int (a + b \cos(c + dx) \sin(c + dx))^m dx$

**Optimal.** Leaf size=131

$$\frac{\cos(2c + 2dx) \left(a + \frac{1}{2}b \sin(2c + 2dx)\right)^m \left(\frac{2a+b \sin(2c+2dx)}{2a+b}\right)^{-m} F_1\left(\frac{1}{2}; \frac{1}{2}, -m; \frac{3}{2}; \frac{1}{2}(1 - \sin(2c + 2dx)), \frac{b(1 - \sin(2c+2dx))}{2a+b}\right)}{\sqrt{2d} \sqrt{\sin(2c + 2dx) + 1}}$$

[Out] -((AppellF1[1/2, 1/2, -m, 3/2, (1 - Sin[2\*c + 2\*d\*x])/2, (b\*(1 - Sin[2\*c + 2\*d\*x]))/(2\*a + b)]\*Cos[2\*c + 2\*d\*x]\*(a + (b\*Sin[2\*c + 2\*d\*x])/2)^m)/(Sqrt[2]\*d\*Sqrt[1 + Sin[2\*c + 2\*d\*x]]\*((2\*a + b\*Sin[2\*c + 2\*d\*x])/(2\*a + b))^m))

**Rubi [A]** time = 0.112209, antiderivative size = 131, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {2666, 2665, 139, 138}

$$\frac{\cos(2c + 2dx) \left(a + \frac{1}{2}b \sin(2c + 2dx)\right)^m \left(\frac{2a+b \sin(2c+2dx)}{2a+b}\right)^{-m} F_1\left(\frac{1}{2}; \frac{1}{2}, -m; \frac{3}{2}; \frac{1}{2}(1 - \sin(2c + 2dx)), \frac{b(1 - \sin(2c+2dx))}{2a+b}\right)}{\sqrt{2d} \sqrt{\sin(2c + 2dx) + 1}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x]\*Sin[c + d\*x])^m,x]

[Out] -((AppellF1[1/2, 1/2, -m, 3/2, (1 - Sin[2\*c + 2\*d\*x])/2, (b\*(1 - Sin[2\*c + 2\*d\*x]))/(2\*a + b)]\*Cos[2\*c + 2\*d\*x]\*(a + (b\*Sin[2\*c + 2\*d\*x])/2)^m)/(Sqrt[2]\*d\*Sqrt[1 + Sin[2\*c + 2\*d\*x]]\*((2\*a + b\*Sin[2\*c + 2\*d\*x])/(2\*a + b))^m))

#### Rule 2666

Int[((a\_) + cos[(c\_) + (d\_)\*(x\_)])\*(b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := Int[(a + (b\*Sin[2\*c + 2\*d\*x])/2)^n, x] /; FreeQ[{a, b, c, d, n}, x]

#### Rule 2665

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := Dist[Cos[c + d\*x]/(d\*Sqrt[1 + Sin[c + d\*x]]\*Sqrt[1 - Sin[c + d\*x]]), Subst[Int[(a + b\*x)^n/(Sqrt[1 + x]\*Sqrt[1 - x]), x], x, Sin[c + d\*x]], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[a^2 - b^2, 0] && !IntegerQ[2\*n]

#### Rule 139

Int[((a\_) + (b\_)\*(x\_))^(m\_)\*((c\_) + (d\_)\*(x\_))^(n\_)\*((e\_) + (f\_)\*(x\_))^(p\_), x\_Symbol] := Dist[(e + f\*x)^FracPart[p]/((b/(b\*e - a\*f))^IntPart[p]\*((b\*(e + f\*x))/(b\*e - a\*f))^FracPart[p]), Int[(a + b\*x)^m\*(c + d\*x)^n\*((b\*e)/(b\*e - a\*f) + (b\*f\*x)/(b\*e - a\*f))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[p] && GtQ[b/(b\*c - a\*d), 0] && !GtQ[b/(b\*e - a\*f), 0]

#### Rule 138

Int[((a\_) + (b\_)\*(x\_))^(m\_)\*((c\_) + (d\_)\*(x\_))^(n\_)\*((e\_) + (f\_)\*(x\_))^(p\_), x\_Symbol] := Simp[((a + b\*x)^(m + 1)\*AppellF1[m + 1, -n, -p, m + 2, -((d\*(a + b\*x))/(b\*c - a\*d)), -((f\*(a + b\*x))/(b\*e - a\*f))]/(b\*(m + 1)\*(b/(b\*c - a\*d))^n\*(b/(b\*e - a\*f))^p), x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[p] && GtQ[b/(b\*c - a\*d)

, 0] && GtQ[b/(b\*e - a\*f), 0] && !(GtQ[d/(d\*a - c\*b), 0] && GtQ[d/(d\*e - c\*f), 0] && SimplerQ[c + d\*x, a + b\*x]) && !(GtQ[f/(f\*a - e\*b), 0] && GtQ[f/(f\*c - e\*d), 0] && SimplerQ[e + f\*x, a + b\*x])

### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx) \sin(c + dx))^m dx &= \int \left( a + \frac{1}{2} b \sin(2c + 2dx) \right)^m dx \\ &= \frac{\cos(2c + 2dx) \operatorname{Subst} \left( \int \frac{\left( a + \frac{bx}{2} \right)^m}{\sqrt{1-x} \sqrt{1+x}} dx, x, \sin(2c + 2dx) \right)}{2d \sqrt{1 - \sin(2c + 2dx)} \sqrt{1 + \sin(2c + 2dx)}} \\ &= \frac{\left( \cos(2c + 2dx) \left( a + \frac{1}{2} b \sin(2c + 2dx) \right)^m \left( -\frac{a + \frac{1}{2} b \sin(2c + 2dx)}{-a - \frac{b}{2}} \right)^{-m} \right) \operatorname{Subst} \left( \int \frac{\left( \frac{-a}{-a - \frac{b}{2}} \right)^m}{\sqrt{1-x} \sqrt{1+x}} dx, x, \sin(2c + 2dx) \right)}{2d \sqrt{1 - \sin(2c + 2dx)} \sqrt{1 + \sin(2c + 2dx)}} \\ &= \frac{F_1 \left( \frac{1}{2}; \frac{1}{2}, -m; \frac{3}{2}; \frac{1}{2} (1 - \sin(2c + 2dx)), \frac{b(1 - \sin(2c + 2dx))}{2a + b} \right) \cos(2c + 2dx) \left( a + \frac{1}{2} b \sin(2c + 2dx) \right)^m}{\sqrt{2d} \sqrt{1 + \sin(2c + 2dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.610215, size = 145, normalized size = 1.11

$$\frac{\sec(2(c + dx)) \sqrt{-\frac{b(\sin(2(c+dx))-1)}{2a+b}} \sqrt{\frac{b(\sin(2(c+dx))+1)}{b-2a}} \left( a + \frac{1}{2} b \sin(2(c + dx)) \right)^{m+1} F_1 \left( m + 1; \frac{1}{2}, \frac{1}{2}; m + 2; \frac{2a+b \sin(2(c+dx))}{2a-b}, \frac{2a+b \sin(2(c+dx))}{2a-b} \right)}{bd(m+1)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*Cos[c + d\*x]\*Sin[c + d\*x])^m,x]

[Out] (AppellF1[1 + m, 1/2, 1/2, 2 + m, (2\*a + b\*Sin[2\*(c + d\*x)])/(2\*a - b), (2\*a + b\*Sin[2\*(c + d\*x)])/(2\*a + b)]\*Sec[2\*(c + d\*x)]\*Sqrt[-((b\*(-1 + Sin[2\*(c + d\*x)]))/(2\*a + b))]\*Sqrt[(b\*(1 + Sin[2\*(c + d\*x)]))/(-2\*a + b)]\*(a + (b\*Sin[2\*(c + d\*x)])/2)^(1 + m))/(b\*d\*(1 + m))

**Maple [F]** time = 0.521, size = 0, normalized size = 0.

$$\int (a + b \cos(dx + c) \sin(dx + c))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c)\*sin(d\*x+c))^m,x)

[Out] int((a+b\*cos(d\*x+c)\*sin(d\*x+c))^m,x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (b \cos(dx + c) \sin(dx + c) + a)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c)\*sin(d\*x+c))^m,x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c)\*sin(d\*x + c) + a)^m, x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left((b \cos(dx + c) \sin(dx + c) + a)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c)\*sin(d\*x+c))^m,x, algorithm="fricas")

[Out] integral((b\*cos(d\*x + c)\*sin(d\*x + c) + a)^m, x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c)\*sin(d\*x+c))\*\*m,x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (b \cos(dx + c) \sin(dx + c) + a)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c)\*sin(d\*x+c))^m,x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c)\*sin(d\*x + c) + a)^m, x)

### 3.567 $\int (a + b \cos(c + dx) \sin(c + dx))^3 dx$

**Optimal.** Leaf size=107

$$-\frac{b(16a^2 + b^2) \cos(2c + 2dx)}{24d} + \frac{1}{8}ax(8a^2 + 3b^2) - \frac{5ab^2 \sin(2c + 2dx) \cos(2c + 2dx)}{48d} - \frac{b \cos(2c + 2dx)(2a + b \sin(2c + 2dx))}{48d}$$

[Out] (a\*(8\*a^2 + 3\*b^2)\*x)/8 - (b\*(16\*a^2 + b^2)\*Cos[2\*c + 2\*d\*x])/(24\*d) - (5\*a\*b^2\*Cos[2\*c + 2\*d\*x]\*Sin[2\*c + 2\*d\*x])/(48\*d) - (b\*Cos[2\*c + 2\*d\*x]\*(2\*a + b\*Ssin[2\*c + 2\*d\*x])^2)/(48\*d)

**Rubi [A]** time = 0.0823962, antiderivative size = 107, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {2666, 2656, 2734}

$$-\frac{b(16a^2 + b^2) \cos(2c + 2dx)}{24d} + \frac{1}{8}ax(8a^2 + 3b^2) - \frac{5ab^2 \sin(2c + 2dx) \cos(2c + 2dx)}{48d} - \frac{b \cos(2c + 2dx)(2a + b \sin(2c + 2dx))}{48d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*cos[c + d\*x]\*sin[c + d\*x])^3,x]

[Out] (a\*(8\*a^2 + 3\*b^2)\*x)/8 - (b\*(16\*a^2 + b^2)\*Cos[2\*c + 2\*d\*x])/(24\*d) - (5\*a\*b^2\*Cos[2\*c + 2\*d\*x]\*Sin[2\*c + 2\*d\*x])/(48\*d) - (b\*Cos[2\*c + 2\*d\*x]\*(2\*a + b\*Ssin[2\*c + 2\*d\*x])^2)/(48\*d)

#### Rule 2666

Int[((a\_) + cos[(c\_) + (d\_)\*(x\_)])\*(b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> Int[(a + (b\*Ssin[2\*c + 2\*d\*x])/2)^n, x] /; FreeQ[{a, b, c, d, n}, x]

#### Rule 2656

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*cos[c + d\*x]\*(a + b\*Ssin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[1/n, Int[(a + b\*Ssin[c + d\*x])^(n - 2)\*Simp[a^2\*n + b^2\*(n - 1) + a\*b\*(2\*n - 1)\*Sin[c + d\*x], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2734

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((2\*a\*c + b\*d)\*x)/2, x] + (-Simp[((b\*c + a\*d)\*Cos[e + f\*x])/f, x] - Simp[(b\*d\*cos[e + f\*x]\*Sin[e + f\*x])/(2\*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx) \sin(c + dx))^3 dx &= \int \left( a + \frac{1}{2}b \sin(2c + 2dx) \right)^3 dx \\ &= -\frac{b \cos(2c + 2dx)(2a + b \sin(2c + 2dx))^2}{48d} + \frac{1}{3} \int \left( a + \frac{1}{2}b \sin(2c + 2dx) \right) \left( \frac{1}{2} (6a^2 + 3ab \sin(2c + 2dx) + b^2 \sin^2(2c + 2dx)) \right) dx \\ &= \frac{1}{8}a(8a^2 + 3b^2)x - \frac{b(16a^2 + b^2) \cos(2c + 2dx)}{24d} - \frac{5ab^2 \cos(2c + 2dx) \sin(2c + 2dx)}{48d} \end{aligned}$$

**Mathematica [A]** time = 0.282551, size = 75, normalized size = 0.7

$$\frac{6a(4(8a^2 + 3b^2)(c + dx) - 3b^2 \sin(4(c + dx))) - 9(16a^2b + b^3) \cos(2(c + dx)) + b^3 \cos(6(c + dx))}{192d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x]\*Sin[c + d\*x])^3,x]

[Out] (-9\*(16\*a^2\*b + b^3)\*Cos[2\*(c + d\*x)] + b^3\*Cos[6\*(c + d\*x)] + 6\*a\*(4\*(8\*a^2 + 3\*b^2)\*(c + d\*x) - 3\*b^2\*Sin[4\*(c + d\*x)]))/(192\*d)

**Maple [A]** time = 0.061, size = 106, normalized size = 1.

$$\frac{1}{d} \left( b^3 \left( -\frac{(\sin(dx+c))^2 (\cos(dx+c))^4}{6} - \frac{(\cos(dx+c))^4}{12} \right) + 3ab^2 \left( -\frac{1}{4} \sin(dx+c) (\cos(dx+c))^3 + \frac{1}{8} \sin(dx+c) \cos(dx+c) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c)\*sin(d\*x+c))^3,x)

[Out] 1/d\*(b^3\*(-1/6\*sin(d\*x+c)^2\*cos(d\*x+c)^4-1/12\*cos(d\*x+c)^4)+3\*a\*b^2\*(-1/4\*sin(d\*x+c)\*cos(d\*x+c)^3+1/8\*sin(d\*x+c)\*cos(d\*x+c)+1/8\*d\*x+1/8\*c)-3/2\*cos(d\*x+c)^2\*a^2\*b+a^3\*(d\*x+c))

**Maxima [A]** time = 1.00551, size = 108, normalized size = 1.01

$$a^3x - \frac{3a^2b \cos(dx+c)^2}{2d} + \frac{3(4dx+4c - \sin(4dx+4c))ab^2}{32d} - \frac{(2 \sin(dx+c)^6 - 3 \sin(dx+c)^4)b^3}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c)\*sin(d\*x+c))^3,x, algorithm="maxima")

[Out] a^3\*x - 3/2\*a^2\*b\*cos(d\*x + c)^2/d + 3/32\*(4\*d\*x + 4\*c - sin(4\*d\*x + 4\*c))\*a\*b^2/d - 1/12\*(2\*sin(d\*x + c)^6 - 3\*sin(d\*x + c)^4)\*b^3/d

**Fricas [A]** time = 2.4859, size = 228, normalized size = 2.13

$$\frac{4b^3 \cos(dx+c)^6 - 6b^3 \cos(dx+c)^4 - 36a^2b \cos(dx+c)^2 + 3(8a^3 + 3ab^2)dx - 9(2ab^2 \cos(dx+c)^3 - ab^2 \cos(dx+c))}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c)\*sin(d\*x+c))^3,x, algorithm="fricas")

[Out] 1/24\*(4\*b^3\*cos(d\*x + c)^6 - 6\*b^3\*cos(d\*x + c)^4 - 36\*a^2\*b\*cos(d\*x + c)^2 + 3\*(8\*a^3 + 3\*a\*b^2)\*d\*x - 9\*(2\*a\*b^2\*cos(d\*x + c)^3 - a\*b^2\*cos(d\*x + c))\*sin(d\*x + c))/d



**Sympy [A]** time = 4.36334, size = 190, normalized size = 1.78

$$\left\{ \begin{array}{l} a^3 x + \frac{3a^2 b \sin^2(c+dx)}{2d} + \frac{3ab^2 x \sin^4(c+dx)}{8} + \frac{3ab^2 x \sin^2(c+dx) \cos^2(c+dx)}{4} + \frac{3ab^2 x \cos^4(c+dx)}{8} + \frac{3ab^2 \sin^3(c+dx) \cos(c+dx)}{8d} - \frac{3ab^2 \sin(c+dx)}{8d} \\ x(a + b \sin(c) \cos(c))^3 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c)\*sin(d\*x+c))\*\*3,x)

[Out] Piecewise((a\*\*3\*x + 3\*a\*\*2\*b\*sin(c + d\*x)\*\*2/(2\*d) + 3\*a\*b\*\*2\*x\*sin(c + d\*x)\*\*4/8 + 3\*a\*b\*\*2\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*2/4 + 3\*a\*b\*\*2\*x\*cos(c + d\*x)\*\*4/8 + 3\*a\*b\*\*2\*sin(c + d\*x)\*\*3\*cos(c + d\*x)/(8\*d) - 3\*a\*b\*\*2\*sin(c + d\*x)\*cos(c + d\*x)\*\*3/(8\*d) - b\*\*3\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*4/(4\*d) - b\*\*3\*cos(c + d\*x)\*\*6/(12\*d), Ne(d, 0)), (x\*(a + b\*sin(c)\*cos(c))\*\*3, True))

**Giac [A]** time = 1.13105, size = 101, normalized size = 0.94

$$\frac{b^3 \cos(6dx + 6c)}{192d} - \frac{3ab^2 \sin(4dx + 4c)}{32d} + \frac{1}{8}(8a^3 + 3ab^2)x - \frac{3(16a^2b + b^3) \cos(2dx + 2c)}{64d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c)\*sin(d\*x+c))^3,x, algorithm="giac")

[Out] 1/192\*b^3\*cos(6\*d\*x + 6\*c)/d - 3/32\*a\*b^2\*sin(4\*d\*x + 4\*c)/d + 1/8\*(8\*a^3 + 3\*a\*b^2)\*x - 3/64\*(16\*a^2\*b + b^3)\*cos(2\*d\*x + 2\*c)/d

### 3.568 $\int (a + b \cos(c + dx) \sin(c + dx))^2 dx$

**Optimal.** Leaf size=61

$$\frac{1}{8}x(8a^2 + b^2) - \frac{ab \cos(2c + 2dx)}{2d} - \frac{b^2 \sin(2c + 2dx) \cos(2c + 2dx)}{16d}$$

[Out]  $((8a^2 + b^2)x)/8 - (a*b*\text{Cos}[2*c + 2*d*x])/(2*d) - (b^2*\text{Cos}[2*c + 2*d*x]*\text{Sin}[2*c + 2*d*x])/(16*d)$

**Rubi [A]** time = 0.0342727, antiderivative size = 61, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {2666, 2644}

$$\frac{1}{8}x(8a^2 + b^2) - \frac{ab \cos(2c + 2dx)}{2d} - \frac{b^2 \sin(2c + 2dx) \cos(2c + 2dx)}{16d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x]\*Sin[c + d\*x])^2, x]

[Out]  $((8a^2 + b^2)x)/8 - (a*b*\text{Cos}[2*c + 2*d*x])/(2*d) - (b^2*\text{Cos}[2*c + 2*d*x]*\text{Sin}[2*c + 2*d*x])/(16*d)$

#### Rule 2666

Int[((a\_) + cos[(c\_) + (d\_)\*(x\_)])\*(b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> Int[(a + (b\*SIn[2\*c + 2\*d\*x])/2)^n, x] /; FreeQ[{a, b, c, d, n}, x]

#### Rule 2644

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^2, x\_Symbol] :> Simp[((2\*a^2 + b^2)\*x)/2, x] + (-Simp[(2\*a\*b\*Cos[c + d\*x])/d, x] - Simp[(b^2\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*d), x]) /; FreeQ[{a, b, c, d}, x]

#### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx) \sin(c + dx))^2 dx &= \int \left( a + \frac{1}{2}b \sin(2c + 2dx) \right)^2 dx \\ &= \frac{1}{8}(8a^2 + b^2)x - \frac{ab \cos(2c + 2dx)}{2d} - \frac{b^2 \cos(2c + 2dx) \sin(2c + 2dx)}{16d} \end{aligned}$$

**Mathematica [A]** time = 0.157421, size = 48, normalized size = 0.79

$$\frac{-4(8a^2 + b^2)(c + dx) + 16ab \cos(2(c + dx)) + b^2 \sin(4(c + dx))}{32d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x]\*Sin[c + d\*x])^2, x]

[Out]  $-(4*(8*a^2 + b^2)*(c + d*x) + 16*a*b*\text{Cos}[2*(c + d*x)] + b^2*\text{Sin}[4*(c + d*x)])/(32*d)$

**Maple [A]** time = 0.049, size = 69, normalized size = 1.1

$$\frac{1}{d} \left( b^2 \left( -\frac{\sin(dx+c) \cos(dx+c)^3}{4} + \frac{\sin(dx+c) \cos(dx+c)}{8} + \frac{dx}{8} + \frac{c}{8} \right) - (\cos(dx+c))^2 ab + a^2(dx+c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(d*x+c))*sin(d*x+c))^2,x`

[Out]  $1/d*(b^2*(-1/4*\sin(d*x+c)*\cos(d*x+c)^3+1/8*\sin(d*x+c)*\cos(d*x+c)+1/8*d*x+1/8*c)-\cos(d*x+c)^2*a*b+a^2*(d*x+c))$

**Maxima [A]** time = 0.998978, size = 65, normalized size = 1.07

$$a^2x - \frac{ab \cos(dx+c)^2}{d} + \frac{(4dx+4c - \sin(4dx+4c))b^2}{32d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))*sin(d*x+c))^2,x, algorithm="maxima"`

[Out]  $a^2*x - a*b*\cos(d*x + c)^2/d + 1/32*(4*d*x + 4*c - \sin(4*d*x + 4*c))*b^2/d$

**Fricas [A]** time = 2.41165, size = 146, normalized size = 2.39

$$\frac{8ab \cos(dx+c)^2 - (8a^2 + b^2)dx + (2b^2 \cos(dx+c)^3 - b^2 \cos(dx+c)) \sin(dx+c)}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))*sin(d*x+c))^2,x, algorithm="fricas"`

[Out]  $-1/8*(8*a*b*\cos(d*x + c)^2 - (8*a^2 + b^2)*d*x + (2*b^2*\cos(d*x + c)^3 - b^2*\cos(d*x + c))*\sin(d*x + c))/d$

**Sympy [A]** time = 1.15868, size = 129, normalized size = 2.11

$$\left\{ \begin{array}{l} a^2x + \frac{ab \sin^2(c+dx)}{d} + \frac{b^2x \sin^4(c+dx)}{8} + \frac{b^2x \sin^2(c+dx) \cos^2(c+dx)}{4} + \frac{b^2x \cos^4(c+dx)}{8} + \frac{b^2 \sin^3(c+dx) \cos(c+dx)}{8d} - \frac{b^2 \sin(c+dx) \cos^3(c+dx)}{8d} \\ x(a + b \sin(c) \cos(c))^2 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))*sin(d*x+c))**2,x`

[Out] `Piecewise((a**2*x + a*b*sin(c + d*x)**2/d + b**2*x*sin(c + d*x)**4/8 + b**2*x*sin(c + d*x)**2*cos(c + d*x)**2/4 + b**2*x*cos(c + d*x)**4/8 + b**2*sin(`

```
c + d*x)**3*cos(c + d*x)/(8*d) - b**2*sin(c + d*x)*cos(c + d*x)**3/(8*d), N
e(d, 0)), (x*(a + b*sin(c)*cos(c))**2, True))
```

**Giac [A]** time = 1.13387, size = 62, normalized size = 1.02

$$\frac{1}{8}(8a^2 + b^2)x - \frac{ab \cos(2dx + 2c)}{2d} - \frac{b^2 \sin(4dx + 4c)}{32d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c)*sin(d*x+c))^2,x, algorithm="giac")
```

```
[Out] 1/8*(8*a^2 + b^2)*x - 1/2*a*b*cos(2*d*x + 2*c)/d - 1/32*b^2*sin(4*d*x + 4*c
)/d
```

### 3.569 $\int (a + b \cos(c + dx) \sin(c + dx)) dx$

**Optimal.** Leaf size=20

$$ax + \frac{b \sin^2(c + dx)}{2d}$$

[Out] a\*x + (b\*Sin[c + d\*x]^2)/(2\*d)

**Rubi [A]** time = 0.0155313, antiderivative size = 20, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {2564, 30}

$$ax + \frac{b \sin^2(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[a + b\*Cos[c + d\*x]\*Sin[c + d\*x], x]

[Out] a\*x + (b\*Sin[c + d\*x]^2)/(2\*d)

#### Rule 2564

Int[cos[(e\_.) + (f\_.)\*(x\_.)]^(n\_.)\*((a\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.), x\_Symbol] :> Dist[1/(a\*f), Subst[Int[x^m\*(1 - x^2/a^2)^((n - 1)/2), x], x, a\*Sin[e + f\*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n - 1)/2] && !(IntegerQ[(m - 1)/2] && LtQ[0, m, n])

#### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

#### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx) \sin(c + dx)) dx &= ax + b \int \cos(c + dx) \sin(c + dx) dx \\ &= ax + \frac{b \text{Subst}(\int x dx, x, \sin(c + dx))}{d} \\ &= ax + \frac{b \sin^2(c + dx)}{2d} \end{aligned}$$

**Mathematica [A]** time = 0.0080549, size = 38, normalized size = 1.9

$$ax + \frac{b \sin(2c) \sin(2dx)}{4d} - \frac{b \cos(2c) \cos(2dx)}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[a + b\*Cos[c + d\*x]\*Sin[c + d\*x], x]

[Out] a\*x - (b\*Cos[2\*c]\*Cos[2\*d\*x])/(4\*d) + (b\*Sin[2\*c]\*Sin[2\*d\*x])/(4\*d)

---

**Maple [A]** time = 0.001, size = 19, normalized size = 1.

$$ax + \frac{b(\sin(dx + c))^2}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(a+b\*cos(d\*x+c)\*sin(d\*x+c),x)

[Out] a\*x+1/2\*b\*sin(d\*x+c)^2/d

---

**Maxima [A]** time = 1.00264, size = 24, normalized size = 1.2

$$ax - \frac{b \cos(dx + c)^2}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b\*cos(d\*x+c)\*sin(d\*x+c),x, algorithm="maxima")

[Out] a\*x - 1/2\*b\*cos(d\*x + c)^2/d

---

**Fricas [A]** time = 2.30785, size = 49, normalized size = 2.45

$$\frac{2adx - b \cos(dx + c)^2}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b\*cos(d\*x+c)\*sin(d\*x+c),x, algorithm="fricas")

[Out] 1/2\*(2\*a\*d\*x - b\*cos(d\*x + c)^2)/d

---

**Sympy [A]** time = 0.199445, size = 24, normalized size = 1.2

$$ax + b \begin{cases} \frac{\sin^2(c+dx)}{2d} & \text{for } d \neq 0 \\ x \sin(c) \cos(c) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b\*cos(d\*x+c)\*sin(d\*x+c),x)

[Out] a\*x + b\*Piecewise((sin(c + d\*x)\*\*2/(2\*d), Ne(d, 0)), (x\*sin(c)\*cos(c), True))

---

**Giac [A]** time = 1.12474, size = 24, normalized size = 1.2

$$ax + \frac{b \sin(dx + c)^2}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(a+b*cos(d*x+c)*sin(d*x+c),x, algorithm="giac")
```

```
[Out] a*x + 1/2*b*sin(d*x + c)^2/d
```

$$3.570 \quad \int \frac{1}{a+b \cos(c+dx) \sin(c+dx)} dx$$

**Optimal.** Leaf size=48

$$\frac{2 \tan^{-1} \left( \frac{2a \tan(c+dx)+b}{\sqrt{4a^2-b^2}} \right)}{d\sqrt{4a^2-b^2}}$$

[Out] (2\*ArcTan[(b + 2\*a\*Tan[c + d\*x])/Sqrt[4\*a^2 - b^2]])/(Sqrt[4\*a^2 - b^2]\*d)

**Rubi [A]** time = 0.0661284, antiderivative size = 48, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {2666, 2660, 618, 204}

$$\frac{2 \tan^{-1} \left( \frac{2a \tan(c+dx)+b}{\sqrt{4a^2-b^2}} \right)}{d\sqrt{4a^2-b^2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x]\*Sin[c + d\*x])^(-1),x]

[Out] (2\*ArcTan[(b + 2\*a\*Tan[c + d\*x])/Sqrt[4\*a^2 - b^2]])/(Sqrt[4\*a^2 - b^2]\*d)

#### Rule 2666

Int[((a\_) + cos[(c\_) + (d\_)\*(x\_)])\*(b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := Int[(a + (b\*Sin[2\*c + 2\*d\*x])/2)^n, x] /; FreeQ[{a, b, c, d, n}, x]

#### Rule 2660

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + 2\*b\*e\*x + a\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 618

Int[((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(-1), x\_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

#### Rule 204

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

#### Rubi steps



$$\begin{aligned}
\int \frac{1}{a + b \cos(c + dx) \sin(c + dx)} dx &= \int \frac{1}{a + \frac{1}{2}b \sin(2c + 2dx)} dx \\
&= \frac{\text{Subst}\left(\int \frac{1}{a+bx+ax^2} dx, x, \tan\left(\frac{1}{2}(2c + 2dx)\right)\right)}{d} \\
&= -\frac{2 \text{Subst}\left(\int \frac{1}{-4a^2+b^2-x^2} dx, x, b + 2a \tan\left(\frac{1}{2}(2c + 2dx)\right)\right)}{d} \\
&= \frac{2 \tan^{-1}\left(\frac{b+2a \tan(c+dx)}{\sqrt{4a^2-b^2}}\right)}{\sqrt{4a^2-b^2}d}
\end{aligned}$$

**Mathematica [A]** time = 0.0763346, size = 48, normalized size = 1.

$$\frac{2 \tan^{-1}\left(\frac{2a \tan(c+dx)+b}{\sqrt{4a^2-b^2}}\right)}{d\sqrt{4a^2-b^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x]\*Sin[c + d\*x])^(-1),x]

[Out] (2\*ArcTan[(b + 2\*a\*Tan[c + d\*x])/Sqrt[4\*a^2 - b^2]])/(Sqrt[4\*a^2 - b^2]\*d)

**Maple [A]** time = 0.067, size = 45, normalized size = 0.9

$$2 \frac{1}{d\sqrt{4a^2-b^2}} \arctan\left(\frac{b+2a \tan(dx+c)}{\sqrt{4a^2-b^2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*cos(d\*x+c)\*sin(d\*x+c)),x)

[Out] 2\*arctan((b+2\*a\*tan(d\*x+c))/(4\*a^2-b^2)^(1/2))/d/(4\*a^2-b^2)^(1/2)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c)\*sin(d\*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.41256, size = 653, normalized size = 13.6

$$\left[ \frac{\sqrt{-4a^2+b^2} \log\left(-\frac{2(8a^2-b^2)\cos(dx+c)^4-4ab\cos(dx+c)\sin(dx+c)-2(8a^2-b^2)\cos(dx+c)^2+2a^2-b^2+(2b\cos(dx+c))^2+4(2a\cos(dx+c))^3-a\cos(dx+c)}{b^2\cos(dx+c)^4-b^2\cos(dx+c)^2-2ab\cos(dx+c)\sin(dx+c)-a^2}\right)}{2(4a^2-b^2)d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c)\*sin(d\*x+c)),x, algorithm="fricas")

[Out] 
$$\frac{-1/2\sqrt{-4a^2 + b^2}\log(-(2(8a^2 - b^2)\cos(dx + c)^4 - 4ab\cos(dx + c)\sin(dx + c) - 2(8a^2 - b^2)\cos(dx + c)^2 + 2a^2 - b^2 + (2b\cos(dx + c)^2 + 4(2a\cos(dx + c)^3 - a\cos(dx + c))\sin(dx + c) - b)\sqrt{-4a^2 + b^2}))/((4a^2 - b^2)d), -\arctan(-(4a\cos(dx + c)\sin(dx + c) + b)\sqrt{4a^2 - b^2})/(2(4a^2 - b^2)\cos(dx + c)^2 - 4a^2 + b^2))}{(\sqrt{4a^2 - b^2}d)}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c)\*sin(d\*x+c)),x)

[Out] Timed out

**Giac [A]** time = 1.13529, size = 82, normalized size = 1.71

$$\frac{2\left(\pi\left\lfloor\frac{dx+c}{\pi} + \frac{1}{2}\right\rfloor\operatorname{sgn}(a) + \arctan\left(\frac{2a\tan(dx+c)+b}{\sqrt{4a^2-b^2}}\right)\right)}{\sqrt{4a^2-b^2}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c)\*sin(d\*x+c)),x, algorithm="giac")

[Out] 
$$\frac{2*(\pi*\operatorname{floor}((d*x + c)/\pi + 1/2)*\operatorname{sgn}(a) + \arctan((2*a*\tan(d*x + c) + b)/\sqrt{4*a^2 - b^2}))}{(\sqrt{4*a^2 - b^2}d)}$$

$$3.571 \quad \int \frac{1}{(a+b \cos(c+dx) \sin(c+dx))^2} dx$$

**Optimal.** Leaf size=95

$$\frac{8a \tan^{-1}\left(\frac{2a \tan(c+dx)+b}{\sqrt{4a^2-b^2}}\right)}{d(4a^2-b^2)^{3/2}} + \frac{2b \cos(2c+2dx)}{d(4a^2-b^2)(2a+b \sin(2c+2dx))}$$

[Out] (8\*a\*ArcTan[(b + 2\*a\*Tan[c + d\*x])/Sqrt[4\*a^2 - b^2]])/((4\*a^2 - b^2)^(3/2)\*d) + (2\*b\*Cos[2\*c + 2\*d\*x])/((4\*a^2 - b^2)\*d\*(2\*a + b\*Sin[2\*c + 2\*d\*x]))

**Rubi [A]** time = 0.108601, antiderivative size = 95, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {2666, 2664, 12, 2660, 618, 204}

$$\frac{8a \tan^{-1}\left(\frac{2a \tan(c+dx)+b}{\sqrt{4a^2-b^2}}\right)}{d(4a^2-b^2)^{3/2}} + \frac{2b \cos(2c+2dx)}{d(4a^2-b^2)(2a+b \sin(2c+2dx))}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*cos[c + d\*x]\*sin[c + d\*x])^(-2), x]

[Out] (8\*a\*ArcTan[(b + 2\*a\*Tan[c + d\*x])/Sqrt[4\*a^2 - b^2]])/((4\*a^2 - b^2)^(3/2)\*d) + (2\*b\*Cos[2\*c + 2\*d\*x])/((4\*a^2 - b^2)\*d\*(2\*a + b\*Sin[2\*c + 2\*d\*x]))

#### Rule 2666

Int[((a\_) + cos[(c\_) + (d\_)\*(x\_)])\*(b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> Int[(a + (b\*Sin[2\*c + 2\*d\*x])/2)^n, x] /; FreeQ[{a, b, c, d, n}, x]

#### Rule 2664

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^(n + 1))/(d\*(n + 1)\*(a^2 - b^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[c + d\*x])^(n + 1)\*Simp[a\*(n + 1) - b\*(n + 2)\*Sin[c + d\*x], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 2660

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] :> With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + 2\*b\*e\*x + a\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 618

Int[((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(-1), x\_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c},

$x]$  && NeQ[ $b^2 - 4ac$ , 0]

### Rule 204

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

### Rubi steps

$$\begin{aligned} \int \frac{1}{(a + b \cos(c + dx) \sin(c + dx))^2} dx &= \int \frac{1}{\left(a + \frac{1}{2}b \sin(2c + 2dx)\right)^2} dx \\ &= \frac{2b \cos(2c + 2dx)}{(4a^2 - b^2) d(2a + b \sin(2c + 2dx))} + \frac{4 \int \frac{a}{a + \frac{1}{2}b \sin(2c + 2dx)} dx}{4a^2 - b^2} \\ &= \frac{2b \cos(2c + 2dx)}{(4a^2 - b^2) d(2a + b \sin(2c + 2dx))} + \frac{(4a) \int \frac{1}{a + \frac{1}{2}b \sin(2c + 2dx)} dx}{4a^2 - b^2} \\ &= \frac{2b \cos(2c + 2dx)}{(4a^2 - b^2) d(2a + b \sin(2c + 2dx))} + \frac{(4a) \text{Subst}\left(\int \frac{1}{a + bx + ax^2} dx, x, \tan\left(\frac{1}{2}(2c + 2dx)\right)\right)}{(4a^2 - b^2) d} \\ &= \frac{2b \cos(2c + 2dx)}{(4a^2 - b^2) d(2a + b \sin(2c + 2dx))} - \frac{(8a) \text{Subst}\left(\int \frac{1}{-4a^2 + b^2 - x^2} dx, x, b + 2a \tan\left(\frac{1}{2}(2c + 2dx)\right)\right)}{(4a^2 - b^2) d} \\ &= \frac{8a \tan^{-1}\left(\frac{b + 2a \tan(c + dx)}{\sqrt{4a^2 - b^2}}\right)}{(4a^2 - b^2)^{3/2} d} + \frac{2b \cos(2c + 2dx)}{(4a^2 - b^2) d(2a + b \sin(2c + 2dx))} \end{aligned}$$

**Mathematica [A]** time = 0.413638, size = 94, normalized size = 0.99

$$\frac{2 \left( \frac{4a \tan^{-1}\left(\frac{2a \tan(c+dx)+b}{\sqrt{4a^2-b^2}}\right)}{(4a^2-b^2)^{3/2}} + \frac{b \cos(2(c+dx))}{(2a-b)(2a+b)(2a+b \sin(2(c+dx)))} \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x]\*Sin[c + d\*x])^(-2), x]

[Out] (2\*((4\*a\*ArcTan[(b + 2\*a\*Tan[c + d\*x])/Sqrt[4\*a^2 - b^2]])/(4\*a^2 - b^2)^(3/2) + (b\*Cos[2\*(c + d\*x)])/((2\*a - b)\*(2\*a + b)\*(2\*a + b\*Sin[2\*(c + d\*x)])))/d

**Maple [A]** time = 0.113, size = 139, normalized size = 1.5

$$\frac{b^2 \tan(dx + c)}{d((\tan(dx + c))^2 a + b \tan(dx + c) + a) a (4a^2 - b^2)} + 2 \frac{b}{d((\tan(dx + c))^2 a + b \tan(dx + c) + a) (4a^2 - b^2)} + 8 \frac{b}{(4a^2 - b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*cos(d\*x+c)\*sin(d\*x+c))^2,x)

[Out]  $1/d/(\tan(dx+c)^2*a+b*\tan(dx+c)+a)*b^2/a/(4*a^2-b^2)*\tan(dx+c)+2/d/(\tan(dx+c)^2*a+b*\tan(dx+c)+a)*b/(4*a^2-b^2)+8*a*\arctan((b+2*a*\tan(dx+c))/(4*a^2-b^2)^{(1/2)})/(4*a^2-b^2)^{(3/2)}/d$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*cos(dx+c)*sin(dx+c))^2,x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.72315, size = 1116, normalized size = 11.75

$$\frac{4a^2b - b^3 - 2(4a^2b - b^3)\cos(dx+c)^2 - 2(ab\cos(dx+c)\sin(dx+c) + a^2)\sqrt{-4a^2 + b^2}\log\left(\frac{2(8a^2 - b^2)\cos(dx+c)^4 - 4a^2b\cos(dx+c)\sin(dx+c) - 2(8a^2 - b^2)\cos(dx+c)^2 + 2a^2 - b^2 - (2b\cos(dx+c)^2 + 4(2a\cos(dx+c))^3 - a\cos(dx+c))\sin(dx+c) - b\sqrt{-4a^2 + b^2}}{(16a^4b - 8a^2b^3 + b^5)d\cos(dx+c)\sin(dx+c)}\right)}{(16a^4b - 8a^2b^3 + b^5)d\cos(dx+c)\sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*cos(dx+c)*sin(dx+c))^2,x, algorithm="fricas")`

[Out]  $[-(4a^2b - b^3 - 2(4a^2b - b^3)\cos(dx+c)^2 - 2(a*b*\cos(dx+c)*\sin(dx+c) + a^2)*\sqrt{-4a^2 + b^2}*\log((2*(8a^2 - b^2)*\cos(dx+c)^4 - 4a*b*\cos(dx+c)*\sin(dx+c) - 2*(8a^2 - b^2)*\cos(dx+c)^2 + 2a^2 - b^2 - (2*b*\cos(dx+c)^2 + 4*(2*a*\cos(dx+c))^3 - a*\cos(dx+c))*\sin(dx+c) - b)*\sqrt{-4a^2 + b^2}))/((16a^4b - 8a^2b^3 + b^5)*d*\cos(dx+c)*\sin(dx+c) + (16a^5 - 8a^3*b^2 + a*b^4)*d), -(4a^2b - b^3 - 2*(4a^2b - b^3)*\cos(dx+c)^2 + 4*(a*b*\cos(dx+c)*\sin(dx+c) + a^2)*\sqrt{4a^2 - b^2}*\arctan(-4*a*\cos(dx+c)*\sin(dx+c) + b)*\sqrt{4a^2 - b^2})/(2*(4a^2 - b^2)*\cos(dx+c)^2 - 4a^2 + b^2))/((16a^4b - 8a^2b^3 + b^5)*d*\cos(dx+c)*\sin(dx+c) + (16a^5 - 8a^3*b^2 + a*b^4)*d)]$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*cos(dx+c)*sin(dx+c))**2,x)`

[Out] Timed out

**Giac [A]** time = 1.1771, size = 157, normalized size = 1.65

$$\frac{8\left(\pi\left[\frac{dx+c}{\pi} + \frac{1}{2}\right]\operatorname{sgn}(a) + \arctan\left(\frac{2a\tan(dx+c)+b}{\sqrt{4a^2-b^2}}\right)\right)a}{(4a^2-b^2)^{\frac{3}{2}}} + \frac{b^2\tan(dx+c)+2ab}{(4a^3-ab^2)(a\tan(dx+c)^2+b\tan(dx+c)+a)}$$

$d$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*cos(d*x+c)*sin(d*x+c))^2,x, algorithm="giac")
```

```
[Out] (8*(pi*floor((d*x + c)/pi + 1/2)*sgn(a) + arctan((2*a*tan(d*x + c) + b)/sqrt(4*a^2 - b^2)))*a/(4*a^2 - b^2)^(3/2) + (b^2*tan(d*x + c) + 2*a*b)/((4*a^3 - a*b^2)*(a*tan(d*x + c)^2 + b*tan(d*x + c) + a)))/d
```

$$3.572 \quad \int \frac{1}{(a+b \cos(c+dx) \sin(c+dx))^3} dx$$

**Optimal.** Leaf size=149

$$\frac{4(8a^2 + b^2) \tan^{-1}\left(\frac{2a \tan(c+dx)+b}{\sqrt{4a^2-b^2}}\right)}{d(4a^2 - b^2)^{5/2}} + \frac{12ab \cos(2c + 2dx)}{d(4a^2 - b^2)^2 (2a + b \sin(2c + 2dx))} + \frac{2b \cos(2c + 2dx)}{d(4a^2 - b^2) (2a + b \sin(2c + 2dx))^2}$$

[Out] (4\*(8\*a^2 + b^2)\*ArcTan[(b + 2\*a\*Tan[c + d\*x])/Sqrt[4\*a^2 - b^2]])/((4\*a^2 - b^2)^(5/2)\*d) + (2\*b\*Cos[2\*c + 2\*d\*x])/((4\*a^2 - b^2)\*d\*(2\*a + b\*Sin[2\*c + 2\*d\*x])^2) + (12\*a\*b\*Cos[2\*c + 2\*d\*x])/((4\*a^2 - b^2)^2\*d\*(2\*a + b\*Sin[2\*c + 2\*d\*x]))

**Rubi [A]** time = 0.177361, antiderivative size = 149, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$ , Rules used = {2666, 2664, 2754, 12, 2660, 618, 204}

$$\frac{4(8a^2 + b^2) \tan^{-1}\left(\frac{2a \tan(c+dx)+b}{\sqrt{4a^2-b^2}}\right)}{d(4a^2 - b^2)^{5/2}} + \frac{12ab \cos(2c + 2dx)}{d(4a^2 - b^2)^2 (2a + b \sin(2c + 2dx))} + \frac{2b \cos(2c + 2dx)}{d(4a^2 - b^2) (2a + b \sin(2c + 2dx))^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*cos[c + d\*x]\*sin[c + d\*x])^(-3), x]

[Out] (4\*(8\*a^2 + b^2)\*ArcTan[(b + 2\*a\*Tan[c + d\*x])/Sqrt[4\*a^2 - b^2]])/((4\*a^2 - b^2)^(5/2)\*d) + (2\*b\*Cos[2\*c + 2\*d\*x])/((4\*a^2 - b^2)\*d\*(2\*a + b\*Sin[2\*c + 2\*d\*x])^2) + (12\*a\*b\*Cos[2\*c + 2\*d\*x])/((4\*a^2 - b^2)^2\*d\*(2\*a + b\*Sin[2\*c + 2\*d\*x]))

#### Rule 2666

Int[((a\_) + cos[(c\_.) + (d\_.)\*(x\_)])\*(b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] :> Int[(a + (b\*Sin[2\*c + 2\*d\*x])/2)^n, x] /; FreeQ[{a, b, c, d, n}, x]

#### Rule 2664

Int[((a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^(n + 1))/(d\*(n + 1)\*(a^2 - b^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[c + d\*x])^(n + 1)\*Simp[a\*(n + 1) - b\*(n + 2)\*Sin[c + d\*x], x], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2754

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[(a\*c - b\*d)\*(m + 1) - (b\*c - a\*d)\*(m + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2\*m]

#### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

### Rule 2660

```
Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^(-1), x_Symbol] := With[{e = Fre
eFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + 2*b*e*x + a*
e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[
a^2 - b^2, 0]
```

### Rule 618

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[I
nt[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

### Rubi steps

$$\begin{aligned} \int \frac{1}{(a + b \cos(c + dx) \sin(c + dx))^3} dx &= \int \frac{1}{\left(a + \frac{1}{2}b \sin(2c + 2dx)\right)^3} dx \\ &= \frac{2b \cos(2c + 2dx)}{(4a^2 - b^2) d(2a + b \sin(2c + 2dx))^2} - \frac{2 \int \frac{-2a + \frac{1}{2}b \sin(2c + 2dx)}{\left(a + \frac{1}{2}b \sin(2c + 2dx)\right)^2} dx}{4a^2 - b^2} \\ &= \frac{2b \cos(2c + 2dx)}{(4a^2 - b^2) d(2a + b \sin(2c + 2dx))^2} + \frac{12ab \cos(2c + 2dx)}{(4a^2 - b^2)^2 d(2a + b \sin(2c + 2dx))} + \frac{8 \int \frac{2a - \frac{1}{2}b \sin(2c + 2dx)}{\left(a + \frac{1}{2}b \sin(2c + 2dx)\right)} dx}{(4a^2 - b^2)^2} \\ &= \frac{2b \cos(2c + 2dx)}{(4a^2 - b^2) d(2a + b \sin(2c + 2dx))^2} + \frac{12ab \cos(2c + 2dx)}{(4a^2 - b^2)^2 d(2a + b \sin(2c + 2dx))} + \frac{2 \int \frac{2a - \frac{1}{2}b \sin(2c + 2dx)}{\left(a + \frac{1}{2}b \sin(2c + 2dx)\right)} dx}{(4a^2 - b^2)^2} \\ &= \frac{2b \cos(2c + 2dx)}{(4a^2 - b^2) d(2a + b \sin(2c + 2dx))^2} + \frac{12ab \cos(2c + 2dx)}{(4a^2 - b^2)^2 d(2a + b \sin(2c + 2dx))} + \frac{2 \int \frac{2a - \frac{1}{2}b \sin(2c + 2dx)}{\left(a + \frac{1}{2}b \sin(2c + 2dx)\right)} dx}{(4a^2 - b^2)^2} \\ &= \frac{2b \cos(2c + 2dx)}{(4a^2 - b^2) d(2a + b \sin(2c + 2dx))^2} + \frac{12ab \cos(2c + 2dx)}{(4a^2 - b^2)^2 d(2a + b \sin(2c + 2dx))} - \frac{4 \int \frac{2a - \frac{1}{2}b \sin(2c + 2dx)}{\left(a + \frac{1}{2}b \sin(2c + 2dx)\right)} dx}{(4a^2 - b^2)^2} \\ &= \frac{4(8a^2 + b^2) \tan^{-1}\left(\frac{b + 2a \tan(c + dx)}{\sqrt{4a^2 - b^2}}\right)}{(4a^2 - b^2)^{5/2} d} + \frac{2b \cos(2c + 2dx)}{(4a^2 - b^2) d(2a + b \sin(2c + 2dx))^2} + \frac{8 \int \frac{2a - \frac{1}{2}b \sin(2c + 2dx)}{\left(a + \frac{1}{2}b \sin(2c + 2dx)\right)} dx}{(4a^2 - b^2)^2} \end{aligned}$$

**Mathematica [A]** time = 0.950039, size = 120, normalized size = 0.81

$$\frac{2 \left( \frac{2(8a^2 + b^2) \tan^{-1}\left(\frac{2a \tan(c + dx) + b}{\sqrt{4a^2 - b^2}}\right)}{(4a^2 - b^2)^{5/2}} + \frac{b \cos(2(c + dx))(16a^2 + 6ab \sin(2(c + dx)) - b^2)}{(b^2 - 4a^2)^2 (2a + b \sin(2(c + dx)))^2} \right)}{d}$$

Antiderivative was successfully verified.



[In] Integrate[(a + b\*cos[c + d\*x]\*sin[c + d\*x])^(-3),x]

[Out]  $(2*((2*(8*a^2 + b^2)*\text{ArcTan}[(b + 2*a*\text{Tan}[c + d*x])/ \text{Sqrt}[4*a^2 - b^2]])/(4*a^2 - b^2)^{(5/2)} + (b*\text{Cos}[2*(c + d*x)]*(16*a^2 - b^2 + 6*a*b*\text{Sin}[2*(c + d*x)])))/((-4*a^2 + b^2)^2*(2*a + b*\text{Sin}[2*(c + d*x)])^2))/d$

**Maple [B]** time = 0.148, size = 640, normalized size = 4.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*cos(d\*x+c)\*sin(d\*x+c))^3,x)

[Out]  $10/d/(\tan(d*x+c)^{2*a+b*\tan(d*x+c)+a}^{2*b^2}/(16*a^4-8*a^2*b^2+b^4)*a*\tan(d*x+c)^3-1/d/(\tan(d*x+c)^{2*a+b*\tan(d*x+c)+a}^{2*b^4}/(16*a^4-8*a^2*b^2+b^4)/a*\tan(d*x+c)^3+16/d/(\tan(d*x+c)^{2*a+b*\tan(d*x+c)+a}^{2*b}/(16*a^4-8*a^2*b^2+b^4)*a^2*\tan(d*x+c)^2+7/d/(\tan(d*x+c)^{2*a+b*\tan(d*x+c)+a}^{2*b^3}/(16*a^4-8*a^2*b^2+b^4)*\tan(d*x+c)^2-1/2/d/(\tan(d*x+c)^{2*a+b*\tan(d*x+c)+a}^{2*b^5}/(16*a^4-8*a^2*b^2+b^4)/a^2*\tan(d*x+c)^2+22/d/(\tan(d*x+c)^{2*a+b*\tan(d*x+c)+a}^{2*b^2*a}/(16*a^4-8*a^2*b^2+b^4)*\tan(d*x+c)-1/d/(\tan(d*x+c)^{2*a+b*\tan(d*x+c)+a}^{2*b^4}/a/(16*a^4-8*a^2*b^2+b^4)*\tan(d*x+c)+16/d/(\tan(d*x+c)^{2*a+b*\tan(d*x+c)+a}^{2*b}/(16*a^4-8*a^2*b^2+b^4)*a^2-1/d/(\tan(d*x+c)^{2*a+b*\tan(d*x+c)+a}^{2*b^3}/(16*a^4-8*a^2*b^2+b^4)+32/d/(16*a^4-8*a^2*b^2+b^4)/(4*a^2-b^2)^{(1/2)}*\arctan((b+2*a*\tan(d*x+c))/(4*a^2-b^2)^{(1/2)})*a^2+4/d/(16*a^4-8*a^2*b^2+b^4)/(4*a^2-b^2)^{(1/2)}*\arctan((b+2*a*\tan(d*x+c))/(4*a^2-b^2)^{(1/2)})*b^2$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c)\*sin(d\*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 3.17366, size = 2152, normalized size = 14.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c)\*sin(d\*x+c))^3,x, algorithm="fricas")

[Out]  $[1/2*(64*a^4*b - 20*a^2*b^3 + b^5 - 2*(64*a^4*b - 20*a^2*b^3 + b^5)*\cos(d*x + c)^2 - 2*((8*a^2*b^2 + b^4)*\cos(d*x + c)^4 - 8*a^4 - a^2*b^2 - (8*a^2*b^2 + b^4)*\cos(d*x + c)^2 - 2*(8*a^3*b + a*b^3)*\cos(d*x + c)*\sin(d*x + c))*\text{sqrt}(-4*a^2 + b^2)*\log(-2*(8*a^2 - b^2)*\cos(d*x + c)^4 - 4*a*b*\cos(d*x + c)*\sin(d*x + c) - 2*(8*a^2 - b^2)*\cos(d*x + c)^2 + 2*a^2 - b^2 + (2*b*\cos(d*x + c))^2 + 4*(2*a*\cos(d*x + c)^3 - a*\cos(d*x + c))*\sin(d*x + c) - b)*\text{sqrt}(-4*$

```

a^2 + b^2))/(b^2*cos(d*x + c)^4 - b^2*cos(d*x + c)^2 - 2*a*b*cos(d*x + c)*s
in(d*x + c) - a^2)) - 12*(2*(4*a^3*b^2 - a*b^4)*cos(d*x + c)^3 - (4*a^3*b^2
- a*b^4)*cos(d*x + c))*sin(d*x + c))/((64*a^6*b^2 - 48*a^4*b^4 + 12*a^2*b^
6 - b^8)*d*cos(d*x + c)^4 - (64*a^6*b^2 - 48*a^4*b^4 + 12*a^2*b^6 - b^8)*d*
cos(d*x + c)^2 - 2*(64*a^7*b - 48*a^5*b^3 + 12*a^3*b^5 - a*b^7)*d*cos(d*x +
c)*sin(d*x + c) - (64*a^8 - 48*a^6*b^2 + 12*a^4*b^4 - a^2*b^6)*d), 1/2*(64
*a^4*b - 20*a^2*b^3 + b^5 - 2*(64*a^4*b - 20*a^2*b^3 + b^5)*cos(d*x + c)^2
- 4*((8*a^2*b^2 + b^4)*cos(d*x + c)^4 - 8*a^4 - a^2*b^2 - (8*a^2*b^2 + b^4)
*cos(d*x + c)^2 - 2*(8*a^3*b + a*b^3)*cos(d*x + c)*sin(d*x + c))*sqrt(4*a^2
- b^2)*arctan(-(4*a*cos(d*x + c)*sin(d*x + c) + b)*sqrt(4*a^2 - b^2)/(2*(4
*a^2 - b^2)*cos(d*x + c)^2 - 4*a^2 + b^2)) - 12*(2*(4*a^3*b^2 - a*b^4)*cos(
d*x + c)^3 - (4*a^3*b^2 - a*b^4)*cos(d*x + c))*sin(d*x + c))/((64*a^6*b^2 -
48*a^4*b^4 + 12*a^2*b^6 - b^8)*d*cos(d*x + c)^4 - (64*a^6*b^2 - 48*a^4*b^4
+ 12*a^2*b^6 - b^8)*d*cos(d*x + c)^2 - 2*(64*a^7*b - 48*a^5*b^3 + 12*a^3*b
^5 - a*b^7)*d*cos(d*x + c)*sin(d*x + c) - (64*a^8 - 48*a^6*b^2 + 12*a^4*b^4
- a^2*b^6)*d)]

```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*cos(d*x+c)*sin(d*x+c))**3,x)
```

```
[Out] Timed out
```

**Giac [A]** time = 1.14886, size = 340, normalized size = 2.28

$$\frac{8\left(\pi\left\lfloor\frac{dx+c}{\pi}+\frac{1}{2}\right\rfloor\operatorname{sgn}(a)+\arctan\left(\frac{2a\tan(dx+c)+b}{\sqrt{4a^2-b^2}}\right)\right)(8a^2+b^2)}{(16a^4-8a^2b^2+b^4)\sqrt{4a^2-b^2}} + \frac{20a^3b^2\tan(dx+c)^3-2ab^4\tan(dx+c)^3+32a^4b\tan(dx+c)^2+14a^2b^3\tan(dx+c)^2-b^5\tan(dx+c)^2+44a^2b^3\tan(dx+c)}{(16a^6-8a^4b^2+a^2b^4)(a\tan(dx+c)^2+b\tan(dx+c)+a)}$$

2d

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*cos(d*x+c)*sin(d*x+c))^3,x, algorithm="giac")
```

```
[Out] 1/2*(8*(pi*floor((d*x + c)/pi + 1/2)*sgn(a) + arctan((2*a*tan(d*x + c) + b)
/sqrt(4*a^2 - b^2)))*(8*a^2 + b^2))/((16*a^4 - 8*a^2*b^2 + b^4)*sqrt(4*a^2 -
b^2)) + (20*a^3*b^2*tan(d*x + c)^3 - 2*a*b^4*tan(d*x + c)^3 + 32*a^4*b*tan
(d*x + c)^2 + 14*a^2*b^3*tan(d*x + c)^2 - b^5*tan(d*x + c)^2 + 44*a^3*b^2*t
an(d*x + c) - 2*a*b^4*tan(d*x + c) + 32*a^4*b - 2*a^2*b^3)/((16*a^6 - 8*a^4
*b^2 + a^2*b^4)*(a*tan(d*x + c)^2 + b*tan(d*x + c) + a)^2))/d
```

### 3.573 $\int (a + b \cos(c + dx) \sin(c + dx))^{5/2} dx$

**Optimal.** Leaf size=265

$$\frac{2\sqrt{2a}(4a^2 - b^2) \sqrt{\frac{2a+b \sin(2c+2dx)}{2a+b}} \operatorname{EllipticF}\left(c + dx - \frac{\pi}{4}, \frac{2b}{2a+b}\right)}{15d\sqrt{2a + b \sin(2c + 2dx)}} + \frac{(92a^2 + 9b^2) \sqrt{2a + b \sin(2c + 2dx)} E\left(c + dx - \frac{\pi}{4}, \frac{2b}{2a+b}\right)}{60\sqrt{2}d \sqrt{\frac{2a+b \sin(2c+2dx)}{2a+b}}}$$

[Out]  $(-2\sqrt{2}ab\cos[2c + 2dx]\sqrt{2a + b\sin[2c + 2dx]})/(15d) - (b\cos[2c + 2dx](2a + b\sin[2c + 2dx])^{3/2})/(20\sqrt{2}d) + ((92a^2 + 9b^2)\operatorname{EllipticE}[c - \pi/4 + dx, (2b)/(2a + b)]\sqrt{2a + b\sin[2c + 2dx]})/(60\sqrt{2}d\sqrt{(2a + b\sin[2c + 2dx])/(2a + b)}) - (2\sqrt{2}a(4a^2 - b^2)\operatorname{EllipticF}[c - \pi/4 + dx, (2b)/(2a + b)]\sqrt{(2a + b\sin[2c + 2dx])/(2a + b)})/(15d\sqrt{2a + b\sin[2c + 2dx]})$

**Rubi [A]** time = 0.365848, antiderivative size = 265, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$ , Rules used = {2666, 2656, 2753, 2752, 2663, 2661, 2655, 2653}

$$\frac{2\sqrt{2a}(4a^2 - b^2) \sqrt{\frac{2a+b \sin(2c+2dx)}{2a+b}} F\left(c + dx - \frac{\pi}{4}, \frac{2b}{2a+b}\right)}{15d\sqrt{2a + b \sin(2c + 2dx)}} + \frac{(92a^2 + 9b^2) \sqrt{2a + b \sin(2c + 2dx)} E\left(c + dx - \frac{\pi}{4}, \frac{2b}{2a+b}\right)}{60\sqrt{2}d \sqrt{\frac{2a+b \sin(2c+2dx)}{2a+b}}} - \frac{b\cos[2c + 2dx](2a + b\sin[2c + 2dx])^{3/2}}{20\sqrt{2}d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a + b\cos[c + dx]\sin[c + dx])^{5/2}, x]$

[Out]  $(-2\sqrt{2}ab\cos[2c + 2dx]\sqrt{2a + b\sin[2c + 2dx]})/(15d) - (b\cos[2c + 2dx](2a + b\sin[2c + 2dx])^{3/2})/(20\sqrt{2}d) + ((92a^2 + 9b^2)\operatorname{EllipticE}[c - \pi/4 + dx, (2b)/(2a + b)]\sqrt{2a + b\sin[2c + 2dx]})/(60\sqrt{2}d\sqrt{(2a + b\sin[2c + 2dx])/(2a + b)}) - (2\sqrt{2}a(4a^2 - b^2)\operatorname{EllipticF}[c - \pi/4 + dx, (2b)/(2a + b)]\sqrt{(2a + b\sin[2c + 2dx])/(2a + b)})/(15d\sqrt{2a + b\sin[2c + 2dx]})$

#### Rule 2666

$\operatorname{Int}[(a + \cos[(c + d(x))]) \sin[(c + d(x))])^n, x]$  Symbol  $\rightarrow \operatorname{Int}[(a + (b\sin[2c + 2dx])/2)^n, x]$  /;  $\text{FreeQ}\{a, b, c, d, n\}, x]$

#### Rule 2656

$\operatorname{Int}[(a + (b\sin[c + dx]))^n, x]$  Symbol  $\rightarrow -\operatorname{Simp}[b\cos[c + dx](a + b\sin[c + dx])^{n-1}/(d*n), x] + \operatorname{Dist}[1/n, \operatorname{Int}[(a + b\sin[c + dx])^{n-2} \operatorname{Simp}[a^2*n + b^2*(n-1) + a*b*(2*n-1)\sin[c + dx], x], x], x]$  /;  $\text{FreeQ}\{a, b, c, d\}, x$  &&  $\text{NeQ}[a^2 - b^2, 0]$  &&  $\text{GtQ}[n, 1]$  &&  $\text{IntegerQ}[2*n]$

#### Rule 2753

$\operatorname{Int}[(a + (b\sin[e + f(x)]))^m * ((c + d\sin[e + f(x)] + (f(x)))^n), x]$  Symbol  $\rightarrow -\operatorname{Simp}[(d\cos[e + f(x)](a + b\sin[e + f(x)])^m)/(f*(m+1)), x] + \operatorname{Dist}[1/(m+1), \operatorname{Int}[(a + b\sin[e + f(x)])^{m-1} \operatorname{Simp}[b*d*m + a*c*(m+1) + (a*d*m + b*c*(m+1))\sin[e + f(x)], x], x], x]$  /;  $\text{FreeQ}\{a, b, c, d, e, f\}, x$  &&  $\text{NeQ}[b*c - a*d, 0]$  &&  $\text{NeQ}[a^2 - b^2, 0]$  &&  $\text{GtQ}[m, 0]$

&& IntegerQ[2\*m]

### Rule 2752

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Dist[(b\*c - a\*d)/b, Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[d/b, Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]

### Rule 2663

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[Sqrt[(a + b\*Sin[c + d\*x])/(a + b)]/Sqrt[a + b\*Sin[c + d\*x]], Int[1/Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

### Rule 2661

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b])), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

### Rule 2655

Int[Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

### Rule 2653

Int[Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/d), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx) \sin(c + dx))^{5/2} dx &= \int \left( a + \frac{1}{2} b \sin(2c + 2dx) \right)^{5/2} dx \\
&= -\frac{b \cos(2c + 2dx)(2a + b \sin(2c + 2dx))^{3/2}}{20\sqrt{2}d} + \frac{2}{5} \int \sqrt{a + \frac{1}{2} b \sin(2c + 2dx)} \left( \frac{1}{8} \right. \\
&= -\frac{2\sqrt{2}ab \cos(2c + 2dx)\sqrt{2a + b \sin(2c + 2dx)}}{15d} - \frac{b \cos(2c + 2dx)(2a + b \sin(2c + 2dx))^{3/2}}{20\sqrt{2}d} \\
&= -\frac{2\sqrt{2}ab \cos(2c + 2dx)\sqrt{2a + b \sin(2c + 2dx)}}{15d} - \frac{b \cos(2c + 2dx)(2a + b \sin(2c + 2dx))^{3/2}}{20\sqrt{2}d} \\
&= -\frac{2\sqrt{2}ab \cos(2c + 2dx)\sqrt{2a + b \sin(2c + 2dx)}}{15d} - \frac{b \cos(2c + 2dx)(2a + b \sin(2c + 2dx))^{3/2}}{20\sqrt{2}d} \\
&= -\frac{2\sqrt{2}ab \cos(2c + 2dx)\sqrt{2a + b \sin(2c + 2dx)}}{15d} - \frac{b \cos(2c + 2dx)(2a + b \sin(2c + 2dx))^{3/2}}{20\sqrt{2}d}
\end{aligned}$$

**Mathematica [A]** time = 1.91393, size = 202, normalized size = 0.76

$$\frac{-32a(4a^2 - b^2) \sqrt{\frac{2a+b \sin(2(c+dx))}{2a+b}} \text{EllipticF}\left(c + dx - \frac{\pi}{4}, \frac{2b}{2a+b}\right) + 2(92a^2b + 184a^3 + 18ab^2 + 9b^3) \sqrt{\frac{2a+b \sin(2(c+dx))}{2a+b}} E\left(c + dx - \frac{\pi}{4}, \frac{2b}{2a+b}\right)}{120d\sqrt{4a + 2b \sin(2(c + dx))}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x]\*Sin[c + d\*x])^(5/2), x]

[Out] (2\*(184\*a^3 + 92\*a^2\*b + 18\*a\*b^2 + 9\*b^3)\*EllipticE[c - Pi/4 + d\*x, (2\*b)/(2\*a + b)]\*Sqrt[(2\*a + b\*Sin[2\*(c + d\*x)])/(2\*a + b)] - 32\*a\*(4\*a^2 - b^2)\*EllipticF[c - Pi/4 + d\*x, (2\*b)/(2\*a + b)]\*Sqrt[(2\*a + b\*Sin[2\*(c + d\*x)])/(2\*a + b)] - b\*(88\*a^2\*Cos[2\*(c + d\*x)] + b\*(28\*a + 3\*b\*Sin[2\*(c + d\*x)])\*Sin[4\*(c + d\*x)]))/(120\*d\*Sqrt[4\*a + 2\*b\*Sin[2\*(c + d\*x)]])

**Maple [B]** time = 3.159, size = 1138, normalized size = 4.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c)\*sin(d\*x+c))^(5/2), x)

[Out] 1/60\*(240\*a^4\*((2\*a+b\*sin(2\*d\*x+2\*c))/(2\*a-b))^(1/2)\*(-(sin(2\*d\*x+2\*c)-1)\*b/(2\*a+b))^(1/2)\*(-(1+sin(2\*d\*x+2\*c))\*b/(2\*a-b))^(1/2)\*EllipticF(((2\*a+b\*sin(2\*d\*x+2\*c))/(2\*a-b))^(1/2), ((2\*a-b)/(2\*a+b))^(1/2))+64\*((2\*a+b\*sin(2\*d\*x+2\*c))/(2\*a-b))^(1/2)\*EllipticF(((2\*a+b\*sin(2\*d\*x+2\*c))/(2\*a-b))^(1/2), ((2\*a-b)/(2\*a+b))^(1/2))\*(-(sin(2\*d\*x+2\*c)-1)\*b/(2\*a+b))^(1/2)\*(-(1+sin(2\*d\*x+2\*c))\*b/(2\*a-b))^(1/2)\*a^3\*b-24\*a^2\*((2\*a+b\*sin(2\*d\*x+2\*c))/(2\*a-b))^(1/2)\*(-(sin(2\*d\*x+2\*c)-1)\*b/(2\*a+b))^(1/2)\*(-(1+sin(2\*d\*x+2\*c))\*b/(2\*a-b))^(1/2)\*EllipticF(((2\*a+b\*sin(2\*d\*x+2\*c))/(2\*a-b))^(1/2), ((2\*a-b)/(2\*a+b))^(1/2))\*b^2

$$-16*a*((2*a+b*\sin(2*d*x+2*c))/(2*a-b))^{1/2}*(-(\sin(2*d*x+2*c)-1)*b/(2*a+b))^{1/2}*(-(1+\sin(2*d*x+2*c))*b/(2*a-b))^{1/2}*\text{EllipticF}(((2*a+b*\sin(2*d*x+2*c))/(2*a-b))^{1/2},((2*a-b)/(2*a+b))^{1/2})*b^3-9*((2*a+b*\sin(2*d*x+2*c))/(2*a-b))^{1/2}*\text{EllipticF}(((2*a+b*\sin(2*d*x+2*c))/(2*a-b))^{1/2},((2*a-b)/(2*a+b))^{1/2})*(-(\sin(2*d*x+2*c)-1)*b/(2*a+b))^{1/2}*(-(1+\sin(2*d*x+2*c))*b/(2*a-b))^{1/2}*b^4-368*((2*a+b*\sin(2*d*x+2*c))/(2*a-b))^{1/2}*\text{EllipticE}(((2*a+b*\sin(2*d*x+2*c))/(2*a-b))^{1/2},((2*a-b)/(2*a+b))^{1/2})*(-(\sin(2*d*x+2*c)-1)*b/(2*a+b))^{1/2}*(-(1+\sin(2*d*x+2*c))*b/(2*a-b))^{1/2}*a^4+56*((2*a+b*\sin(2*d*x+2*c))/(2*a-b))^{1/2}*\text{EllipticE}(((2*a+b*\sin(2*d*x+2*c))/(2*a-b))^{1/2},((2*a-b)/(2*a+b))^{1/2})*(-(\sin(2*d*x+2*c)-1)*b/(2*a+b))^{1/2}*(-(1+\sin(2*d*x+2*c))*b/(2*a-b))^{1/2}*a^2*b^2+9*((2*a+b*\sin(2*d*x+2*c))/(2*a-b))^{1/2}*\text{EllipticE}(((2*a+b*\sin(2*d*x+2*c))/(2*a-b))^{1/2},((2*a-b)/(2*a+b))^{1/2})*(-(\sin(2*d*x+2*c)-1)*b/(2*a+b))^{1/2}*(-(1+\sin(2*d*x+2*c))*b/(2*a-b))^{1/2}*b^4+3*b^4*\sin(2*d*x+2*c)^4+28*a*b^3*\sin(2*d*x+2*c)^3+44*a^2*b^2*\sin(2*d*x+2*c)^2-3*b^4*\sin(2*d*x+2*c)^2-28*\sin(2*d*x+2*c)*a*b^3-44*a^2*b^2)/b/\cos(2*d*x+2*c)/(4*a+2*b*\sin(2*d*x+2*c))^{1/2}/d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (b \cos(dx + c) \sin(dx + c) + a)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c)\*sin(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c)\*sin(d\*x + c) + a)^(5/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\left(b^2 \cos(dx + c)^4 - b^2 \cos(dx + c)^2 - 2ab \cos(dx + c) \sin(dx + c) - a^2\right) \sqrt{b \cos(dx + c) \sin(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c)\*sin(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] integral(-(b^2\*cos(d\*x + c)^4 - b^2\*cos(d\*x + c)^2 - 2\*a\*b\*cos(d\*x + c)\*sin(d\*x + c) - a^2)\*sqrt(b\*cos(d\*x + c)\*sin(d\*x + c) + a), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c)\*sin(d\*x+c))\*\*(5/2),x)

[Out] Timed out

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c)*sin(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] Timed out
```

### 3.574 $\int (a + b \cos(c + dx) \sin(c + dx))^{3/2} dx$

**Optimal.** Leaf size=212

$$\frac{(4a^2 - b^2) \sqrt{\frac{2a+b \sin(2c+2dx)}{2a+b}} \operatorname{EllipticF}\left(c + dx - \frac{\pi}{4}, \frac{2b}{2a+b}\right)}{6\sqrt{2d}\sqrt{2a + b \sin(2c + 2dx)}} - \frac{b \cos(2c + 2dx) \sqrt{2a + b \sin(2c + 2dx)}}{6\sqrt{2}d} + \frac{2\sqrt{2a}\sqrt{2a + b \sin(2c + 2dx)}}{3d\sqrt{\frac{2a+b \sin(2c+2dx)}{2a+b}}}$$

[Out]  $-(b \cos[2c + 2dx] \sqrt{2a + b \sin[2c + 2dx]}) / (6 \sqrt{2} d) + (2 \sqrt{2a} \sqrt{2a + b \sin(2c + 2dx)}) / (3 d \sqrt{\frac{2a + b \sin(2c + 2dx)}{2a + b}}) - ((4a^2 - b^2) \operatorname{EllipticF}[c - \pi/4 + dx, (2b)/(2a + b)] \sqrt{2a + b \sin[2c + 2dx]}) / (6 \sqrt{2} d \sqrt{2a + b \sin[2c + 2dx]})$

**Rubi [A]** time = 0.219818, antiderivative size = 212, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.35$ , Rules used = {2666, 2656, 2752, 2663, 2661, 2655, 2653}

$$\frac{(4a^2 - b^2) \sqrt{\frac{2a+b \sin(2c+2dx)}{2a+b}} F\left(c + dx - \frac{\pi}{4}, \frac{2b}{2a+b}\right)}{6\sqrt{2d}\sqrt{2a + b \sin(2c + 2dx)}} - \frac{b \cos(2c + 2dx) \sqrt{2a + b \sin(2c + 2dx)}}{6\sqrt{2}d} + \frac{2\sqrt{2a}\sqrt{2a + b \sin(2c + 2dx)}}{3d\sqrt{\frac{2a+b \sin(2c+2dx)}{2a+b}}}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a + b \cos[c + dx] \sin[c + dx])^{3/2}, x]$

[Out]  $-(b \cos[2c + 2dx] \sqrt{2a + b \sin[2c + 2dx]}) / (6 \sqrt{2} d) + (2 \sqrt{2a} \sqrt{2a + b \sin(2c + 2dx)}) / (3 d \sqrt{\frac{2a + b \sin(2c + 2dx)}{2a + b}}) - ((4a^2 - b^2) \operatorname{EllipticF}[c - \pi/4 + dx, (2b)/(2a + b)] \sqrt{2a + b \sin[2c + 2dx]}) / (6 \sqrt{2} d \sqrt{2a + b \sin[2c + 2dx]})$

#### Rule 2666

$\operatorname{Int}[(a + \cos[c + dx] \sin[c + dx])^n, x]$   $\rightarrow \operatorname{Int}[(a + (b \sin[2c + 2dx])/2)^n, x]$  /;  $\text{FreeQ}\{a, b, c, d, n\}, x]$

#### Rule 2656

$\operatorname{Int}[(a + b \sin[c + dx])^n, x]$   $\rightarrow -\operatorname{Simp}[b \cos[c + dx] (a + b \sin[c + dx])^{n-1} / (d n), x] + \operatorname{Dist}[1/n, \operatorname{Int}[(a + b \sin[c + dx])^{n-2} \operatorname{Simp}[a^2 n + b^2 (n-1) + a b (2n-1) \sin[c + dx], x], x]$  /;  $\text{FreeQ}\{a, b, c, d\}, x$  &&  $\text{NeQ}[a^2 - b^2, 0]$  &&  $\text{GtQ}[n, 1]$  &&  $\text{IntegerQ}[2n]$

#### Rule 2752

$\operatorname{Int}[(c + d \sin[e + fx]) / \sqrt{a + b \sin[e + fx]}, x]$   $\rightarrow \operatorname{Dist}[(b c - a d) / b, \operatorname{Int}[1 / \sqrt{a + b \sin[e + fx]}, x], x] + \operatorname{Dist}[d / b, \operatorname{Int}[\sqrt{a + b \sin[e + fx]}, x], x]$  /;  $\text{FreeQ}\{a, b, c, d, e, f\}, x$  &&  $\text{NeQ}[b c - a d, 0]$  &&  $\text{NeQ}[a^2 - b^2, 0]$

#### Rule 2663



```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

### Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

### Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

### Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx) \sin(c + dx))^{3/2} dx &= \int \left( a + \frac{1}{2} b \sin(2c + 2dx) \right)^{3/2} dx \\
&= -\frac{b \cos(2c + 2dx) \sqrt{2a + b \sin(2c + 2dx)}}{6\sqrt{2}d} + \frac{2}{3} \int \frac{\frac{1}{8}(12a^2 + b^2) + ab \sin(2c + 2dx)}{\sqrt{a + \frac{1}{2} b \sin(2c + 2dx)}} dx \\
&= -\frac{b \cos(2c + 2dx) \sqrt{2a + b \sin(2c + 2dx)}}{6\sqrt{2}d} + \frac{1}{3}(4a) \int \sqrt{a + \frac{1}{2} b \sin(2c + 2dx)} dx \\
&= -\frac{b \cos(2c + 2dx) \sqrt{2a + b \sin(2c + 2dx)}}{6\sqrt{2}d} + \frac{\left(4a \sqrt{a + \frac{1}{2} b \sin(2c + 2dx)}\right) \int \sqrt{\frac{a + \frac{1}{2} b \sin(2c + 2dx)}{a + \frac{b}{2}}}}{3\sqrt{\frac{a + \frac{1}{2} b \sin(2c + 2dx)}{a + \frac{b}{2}}}} \\
&= -\frac{b \cos(2c + 2dx) \sqrt{2a + b \sin(2c + 2dx)}}{6\sqrt{2}d} + \frac{2\sqrt{2}aE\left(c - \frac{\pi}{4} + dx \mid \frac{2b}{2a+b}\right) \sqrt{2a + b \sin(2c + 2dx)}}{3d\sqrt{\frac{2a+b \sin(2c+2dx)}{2a+b}}}
\end{aligned}$$

**Mathematica [A]** time = 1.50225, size = 167, normalized size = 0.79

$$\frac{-\left(4a^2 - b^2\right) \sqrt{\frac{2a+b \sin(2(c+dx))}{2a+b}} \operatorname{EllipticF}\left(c + dx - \frac{\pi}{4}, \frac{2b}{2a+b}\right) - b \cos(2(c + dx))(2a + b \sin(2(c + dx))) + 8a(2a + b) \sqrt{2a + b \sin(2(c + dx))}}{6d\sqrt{4a + 2b \sin(2(c + dx))}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x]*Sin[c + d*x])^(3/2), x]
```

```
[Out] (-b*cos[2*(c + d*x)]*(2*a + b*sin[2*(c + d*x)]) + 8*a*(2*a + b)*EllipticE
[c - Pi/4 + d*x, (2*b)/(2*a + b)]*Sqrt[(2*a + b*sin[2*(c + d*x)])/(2*a + b)
] - (4*a^2 - b^2)*EllipticF[c - Pi/4 + d*x, (2*b)/(2*a + b)]*Sqrt[(2*a + b*
Sin[2*(c + d*x)])/(2*a + b)]/(6*d*Sqrt[4*a + 2*b*sin[2*(c + d*x)])]
```

**Maple [B]** time = 2.825, size = 844, normalized size = 4.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c)*sin(d*x+c))^(3/2),x)
```

```
[Out] 1/6*(24*a^3*((2*a+b*sin(2*d*x+2*c))/(2*a-b))^(1/2)*(-(sin(2*d*x+2*c)-1)*b/(
2*a+b))^(1/2)*(-(1+sin(2*d*x+2*c))*b/(2*a-b))^(1/2)*EllipticF(((2*a+b*sin(2
*d*x+2*c))/(2*a-b))^(1/2),((2*a-b)/(2*a+b))^(1/2))+4*((2*a+b*sin(2*d*x+2*c)
)/(2*a-b))^(1/2)*EllipticF(((2*a+b*sin(2*d*x+2*c))/(2*a-b))^(1/2),((2*a-b)/
(2*a+b))^(1/2))*(-(sin(2*d*x+2*c)-1)*b/(2*a+b))^(1/2)*(-(1+sin(2*d*x+2*c))*
b/(2*a-b))^(1/2)*a^2*b-6*((2*a+b*sin(2*d*x+2*c))/(2*a-b))^(1/2)*(-(sin(2*d*
x+2*c)-1)*b/(2*a+b))^(1/2)*(-(1+sin(2*d*x+2*c))*b/(2*a-b))^(1/2)*EllipticF(
((2*a+b*sin(2*d*x+2*c))/(2*a-b))^(1/2),((2*a-b)/(2*a+b))^(1/2))*b^2*a-((2*a
+b*sin(2*d*x+2*c))/(2*a-b))^(1/2)*(-(sin(2*d*x+2*c)-1)*b/(2*a+b))^(1/2)*(-(
1+sin(2*d*x+2*c))*b/(2*a-b))^(1/2)*EllipticF(((2*a+b*sin(2*d*x+2*c))/(2*a-b)
))^(1/2),((2*a-b)/(2*a+b))^(1/2))*b^3-32*((2*a+b*sin(2*d*x+2*c))/(2*a-b))^(
1/2)*EllipticE(((2*a+b*sin(2*d*x+2*c))/(2*a-b))^(1/2),((2*a-b)/(2*a+b))^(1/
2))*(-(sin(2*d*x+2*c)-1)*b/(2*a+b))^(1/2)*(-(1+sin(2*d*x+2*c))*b/(2*a-b))^(
1/2)*a^3+8*((2*a+b*sin(2*d*x+2*c))/(2*a-b))^(1/2)*EllipticE(((2*a+b*sin(2*d
*x+2*c))/(2*a-b))^(1/2),((2*a-b)/(2*a+b))^(1/2))*(-(sin(2*d*x+2*c)-1)*b/(2*
a+b))^(1/2)*(-(1+sin(2*d*x+2*c))*b/(2*a-b))^(1/2)*a*b^2+b^3*sin(2*d*x+2*c)^
3+2*a*b^2*sin(2*d*x+2*c)^2-sin(2*d*x+2*c)*b^3-2*a*b^2)/b/cos(2*d*x+2*c)/(4*
a+2*b*sin(2*d*x+2*c))^(1/2)/d
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (b \cos(dx + c) \sin(dx + c) + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c)*sin(d*x+c))^(3/2),x, algorithm="maxima")
```

```
[Out] integrate((b*cos(d*x + c)*sin(d*x + c) + a)^(3/2), x)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left((b \cos(dx + c) \sin(dx + c) + a)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c)*sin(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] integral((b*cos(d*x + c)*sin(d*x + c) + a)^(3/2), x)
```

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c)*sin(d*x+c))**(3/2),x)
```

```
[Out] Timed out
```

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c)*sin(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] Timed out
```

### 3.575 $\int \sqrt{a + b \cos(c + dx) \sin(c + dx)} dx$

**Optimal.** Leaf size=76

$$\frac{\sqrt{2a + b \sin(2c + 2dx)} E\left(c + dx - \frac{\pi}{4} \mid \frac{2b}{2a+b}\right)}{\sqrt{2d} \sqrt{\frac{2a+b \sin(2c+2dx)}{2a+b}}}$$

[Out] (EllipticE[c - Pi/4 + d\*x, (2\*b)/(2\*a + b)]\*Sqrt[2\*a + b\*Sin[2\*c + 2\*d\*x]])/(Sqrt[2]\*d\*Sqrt[(2\*a + b\*Sin[2\*c + 2\*d\*x])/(2\*a + b)])

**Rubi [A]** time = 0.0608275, antiderivative size = 76, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$ , Rules used = {2666, 2655, 2653}

$$\frac{\sqrt{2a + b \sin(2c + 2dx)} E\left(c + dx - \frac{\pi}{4} \mid \frac{2b}{2a+b}\right)}{\sqrt{2d} \sqrt{\frac{2a+b \sin(2c+2dx)}{2a+b}}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b\*Cos[c + d\*x]\*Sin[c + d\*x]],x]

[Out] (EllipticE[c - Pi/4 + d\*x, (2\*b)/(2\*a + b)]\*Sqrt[2\*a + b\*Sin[2\*c + 2\*d\*x]])/(Sqrt[2]\*d\*Sqrt[(2\*a + b\*Sin[2\*c + 2\*d\*x])/(2\*a + b)])

#### Rule 2666

Int[((a\_) + cos[(c\_) + (d\_)\*(x\_)])\*(b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> Int[(a + (b\*Sin[2\*c + 2\*d\*x])/2)^n, x] /; FreeQ[{a, b, c, d, n}, x]

#### Rule 2655

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rubi steps

$$\begin{aligned}
\int \sqrt{a + b \cos(c + dx) \sin(c + dx)} dx &= \int \sqrt{a + \frac{1}{2}b \sin(2c + 2dx)} dx \\
&= \frac{\int \sqrt{a + \frac{1}{2}b \sin(2c + 2dx)} \int \sqrt{\frac{a}{a + \frac{b}{2}} + \frac{b \sin(2c + 2dx)}{2(a + \frac{b}{2})}} dx}{\sqrt{\frac{a + \frac{1}{2}b \sin(2c + 2dx)}{a + \frac{b}{2}}}} \\
&= \frac{E\left(c - \frac{\pi}{4} + dx \mid \frac{2b}{2a + b}\right) \sqrt{2a + b \sin(2c + 2dx)}}{\sqrt{2d} \sqrt{\frac{2a + b \sin(2c + 2dx)}{2a + b}}}
\end{aligned}$$

**Mathematica [A]** time = 0.114354, size = 75, normalized size = 0.99

$$\frac{(2a + b) \sqrt{\frac{2a + b \sin(2(c + dx))}{2a + b}} E\left(c + dx - \frac{\pi}{4} \mid \frac{2b}{2a + b}\right)}{d \sqrt{4a + 2b \sin(2(c + dx))}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b\*Cos[c + d\*x]\*Sin[c + d\*x]],x]

[Out] ((2\*a + b)\*EllipticE[c - Pi/4 + d\*x, (2\*b)/(2\*a + b)]\*Sqrt[(2\*a + b\*Sin[2\*(c + d\*x)])/(2\*a + b)])/(d\*Sqrt[4\*a + 2\*b\*Sin[2\*(c + d\*x)]])

**Maple [B]** time = 2.24, size = 312, normalized size = 4.1

$$-\frac{2a - b}{b \cos(2dx + 2c)d} \sqrt{\frac{2a + b \sin(2dx + 2c)}{2a - b}} \sqrt{-\frac{(\sin(2dx + 2c) - 1)b}{2a + b}} \sqrt{-\frac{(1 + \sin(2dx + 2c))b}{2a - b}} \left(2 \operatorname{EllipticE}\left(\sqrt{\frac{2a + b \sin(2dx + 2c)}{2a - b}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c)\*sin(d\*x+c))^(1/2),x)

[Out] -((2\*a+b\*sin(2\*d\*x+2\*c))/(2\*a-b))^(1/2)\*(-(sin(2\*d\*x+2\*c)-1)\*b/(2\*a+b))^(1/2)\*(-(1+sin(2\*d\*x+2\*c))\*b/(2\*a-b))^(1/2)/b\*(2\*a-b)\*(2\*EllipticE(((2\*a+b\*sin(2\*d\*x+2\*c))/(2\*a-b))^(1/2),((2\*a-b)/(2\*a+b))^(1/2))\*a+EllipticE(((2\*a+b\*sin(2\*d\*x+2\*c))/(2\*a-b))^(1/2),((2\*a-b)/(2\*a+b))^(1/2))\*b-2\*a\*EllipticF(((2\*a+b\*sin(2\*d\*x+2\*c))/(2\*a-b))^(1/2),((2\*a-b)/(2\*a+b))^(1/2))-EllipticF(((2\*a+b\*sin(2\*d\*x+2\*c))/(2\*a-b))^(1/2),((2\*a-b)/(2\*a+b))^(1/2))\*b)/cos(2\*d\*x+2\*c)/(4\*a+2\*b\*sin(2\*d\*x+2\*c))^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{b \cos(dx + c) \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c)\*sin(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(b\*cos(d\*x + c)\*sin(d\*x + c) + a), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\sqrt{b \cos(dx + c) \sin(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c)\*sin(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c)\*sin(d\*x + c) + a), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a + b \sin(c + dx) \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c)\*sin(d\*x+c))\*\*(1/2),x)

[Out] Integral(sqrt(a + b\*sin(c + d\*x)\*cos(c + d\*x)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{b \cos(dx + c) \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c)\*sin(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(b\*cos(d\*x + c)\*sin(d\*x + c) + a), x)

$$3.576 \quad \int \frac{1}{\sqrt{a+b \cos(c+dx) \sin(c+dx)}} dx$$

**Optimal.** Leaf size=76

$$\frac{\sqrt{2} \sqrt{\frac{2a+b \sin(2c+2dx)}{2a+b}} \operatorname{EllipticF}\left(c+dx-\frac{\pi}{4}, \frac{2b}{2a+b}\right)}{d \sqrt{2a+b \sin(2c+2dx)}}$$

[Out] (Sqrt[2]\*EllipticF[c - Pi/4 + d\*x, (2\*b)/(2\*a + b)]\*Sqrt[(2\*a + b\*Sin[2\*c + 2\*d\*x])/(2\*a + b)])/(d\*Sqrt[2\*a + b\*Sin[2\*c + 2\*d\*x]])

**Rubi [A]** time = 0.0665995, antiderivative size = 76, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$ , Rules used = {2666, 2663, 2661}

$$\frac{\sqrt{2} \sqrt{\frac{2a+b \sin(2c+2dx)}{2a+b}} F\left(c+dx-\frac{\pi}{4} \middle| \frac{2b}{2a+b}\right)}{d \sqrt{2a+b \sin(2c+2dx)}}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[a + b\*Cos[c + d\*x]\*Sin[c + d\*x]],x]

[Out] (Sqrt[2]\*EllipticF[c - Pi/4 + d\*x, (2\*b)/(2\*a + b)]\*Sqrt[(2\*a + b\*Sin[2\*c + 2\*d\*x])/(2\*a + b)])/(d\*Sqrt[2\*a + b\*Sin[2\*c + 2\*d\*x]])

#### Rule 2666

Int[((a\_) + cos[(c\_.) + (d\_.)\*(x\_)])\*(b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] :> Int[(a + (b\*Sin[2\*c + 2\*d\*x])/2)^n, x] /; FreeQ[{a, b, c, d, n}, x]

#### Rule 2663

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Dist[Sqrt[(a + b\*Sin[c + d\*x])/(a + b)]/Sqrt[a + b\*Sin[c + d\*x]], Int[1/Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2661

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rubi steps

$$\int \frac{1}{\sqrt{a + b \cos(c + dx) \sin(c + dx)}} dx = \int \frac{1}{\sqrt{a + \frac{1}{2}b \sin(2c + 2dx)}} dx$$

$$= \frac{\sqrt{\frac{a + \frac{1}{2}b \sin(2c + 2dx)}{a + \frac{b}{2}}} \int \frac{1}{\sqrt{\frac{a}{a + \frac{b}{2}} + \frac{b \sin(2c + 2dx)}{2(a + \frac{b}{2})}}} dx}{\sqrt{a + \frac{1}{2}b \sin(2c + 2dx)}}$$

$$= \frac{\sqrt{2} F\left(c - \frac{\pi}{4} + dx \mid \frac{2b}{2a + b}\right) \sqrt{\frac{2a + b \sin(2c + 2dx)}{2a + b}}}{d \sqrt{2a + b \sin(2c + 2dx)}}$$

**Mathematica [A]** time = 0.140003, size = 70, normalized size = 0.92

$$\frac{\sqrt{\frac{2a + b \sin(2(c + dx))}{2a + b}} \text{EllipticF}\left(c + dx - \frac{\pi}{4}, \frac{2b}{2a + b}\right)}{d \sqrt{a + \frac{1}{2}b \sin(2(c + dx))}}$$

Antiderivative was successfully verified.

[In] Integrate[1/Sqrt[a + b\*Cos[c + d\*x]\*Sin[c + d\*x]],x]

[Out] (EllipticF[c - Pi/4 + d\*x, (2\*b)/(2\*a + b)]\*Sqrt[(2\*a + b\*Sin[2\*(c + d\*x)])/(2\*a + b)])/(d\*Sqrt[a + (b\*Sin[2\*(c + d\*x)])/2])

**Maple [A]** time = 2.135, size = 165, normalized size = 2.2

$$2 \frac{2a - b}{b \cos(2dx + 2c) \sqrt{4a + 2b \sin(2dx + 2c)}} d \sqrt{\frac{2a + b \sin(2dx + 2c)}{2a - b}} \sqrt{-\frac{(\sin(2dx + 2c) - 1)b}{2a + b}} \sqrt{-\frac{(1 + \sin(2dx + 2c))}{2a - b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*cos(d\*x+c)\*sin(d\*x+c))^(1/2),x)

[Out] 2\*(2\*a-b)\*((2\*a+b\*sin(2\*d\*x+2\*c))/(2\*a-b))^(1/2)\*(-(sin(2\*d\*x+2\*c)-1)\*b/(2\*a+b))^(1/2)\*(-(1+sin(2\*d\*x+2\*c))\*b/(2\*a-b))^(1/2)\*EllipticF(((2\*a+b\*sin(2\*d\*x+2\*c))/(2\*a-b))^(1/2),((2\*a-b)/(2\*a+b))^(1/2))/b/cos(2\*d\*x+2\*c)/(4\*a+2\*b\*sin(2\*d\*x+2\*c))^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{b \cos(dx + c) \sin(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c)\*sin(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(1/sqrt(b\*cos(d\*x + c)\*sin(d\*x + c) + a), x)



---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{\sqrt{b \cos(dx + c) \sin(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c)\*sin(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(1/sqrt(b\*cos(d\*x + c)\*sin(d\*x + c) + a), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{a + b \sin(c + dx) \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c)\*sin(d\*x+c))\*\*(1/2),x)

[Out] Integral(1/sqrt(a + b\*sin(c + d\*x)\*cos(c + d\*x)), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{b \cos(dx + c) \sin(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c)\*sin(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/sqrt(b\*cos(d\*x + c)\*sin(d\*x + c) + a), x)

$$3.577 \quad \int \frac{1}{(a+b \cos(c+dx) \sin(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=143

$$\frac{2\sqrt{2}b \cos(2c + 2dx)}{d(4a^2 - b^2) \sqrt{2a + b \sin(2c + 2dx)}} + \frac{2\sqrt{2}\sqrt{2a + b \sin(2c + 2dx)}E\left(c + dx - \frac{\pi}{4} \mid \frac{2b}{2a+b}\right)}{d(4a^2 - b^2) \sqrt{\frac{2a+b \sin(2c+2dx)}{2a+b}}}$$

[Out] (2\*Sqrt[2]\*b\*Cos[2\*c + 2\*d\*x])/((4\*a^2 - b^2)\*d\*Sqrt[2\*a + b\*Sin[2\*c + 2\*d\*x]]) + (2\*Sqrt[2]\*EllipticE[c - Pi/4 + d\*x, (2\*b)/(2\*a + b)]\*Sqrt[2\*a + b\*Sin[2\*c + 2\*d\*x]])/((4\*a^2 - b^2)\*d\*Sqrt[(2\*a + b\*Sin[2\*c + 2\*d\*x])/(2\*a + b)])

**Rubi [A]** time = 0.0942034, antiderivative size = 143, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {2666, 2664, 21, 2655, 2653}

$$\frac{2\sqrt{2}b \cos(2c + 2dx)}{d(4a^2 - b^2) \sqrt{2a + b \sin(2c + 2dx)}} + \frac{2\sqrt{2}\sqrt{2a + b \sin(2c + 2dx)}E\left(c + dx - \frac{\pi}{4} \mid \frac{2b}{2a+b}\right)}{d(4a^2 - b^2) \sqrt{\frac{2a+b \sin(2c+2dx)}{2a+b}}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x]\*Sin[c + d\*x])^(-3/2), x]

[Out] (2\*Sqrt[2]\*b\*Cos[2\*c + 2\*d\*x])/((4\*a^2 - b^2)\*d\*Sqrt[2\*a + b\*Sin[2\*c + 2\*d\*x]]) + (2\*Sqrt[2]\*EllipticE[c - Pi/4 + d\*x, (2\*b)/(2\*a + b)]\*Sqrt[2\*a + b\*Sin[2\*c + 2\*d\*x]])/((4\*a^2 - b^2)\*d\*Sqrt[(2\*a + b\*Sin[2\*c + 2\*d\*x])/(2\*a + b)])

#### Rule 2666

Int[((a\_) + cos[(c\_) + (d\_)\*(x\_)])\*(b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := Int[(a + (b\*Sin[2\*c + 2\*d\*x])/2)^n, x] /; FreeQ[{a, b, c, d, n}, x]

#### Rule 2664

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^(n + 1))/(d\*(n + 1)\*(a^2 - b^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[c + d\*x])^(n + 1)\*Simp[a\*(n + 1) - b\*(n + 2)\*Sin[c + d\*x], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 21

Int[(u\_)\*((a\_) + (b\_)\*(v\_))^(m\_)\*((c\_) + (d\_)\*(v\_))^(n\_), x\_Symbol] := Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x, a + b\*x])

#### Rule 2655

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,

0] && !GtQ[a + b, 0]

### Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

### Rubi steps

$$\begin{aligned} \int \frac{1}{(a + b \cos(c + dx) \sin(c + dx))^{3/2}} dx &= \int \frac{1}{\left(a + \frac{1}{2}b \sin(2c + 2dx)\right)^{3/2}} dx \\ &= \frac{2\sqrt{2}b \cos(2c + 2dx)}{(4a^2 - b^2) d \sqrt{2a + b \sin(2c + 2dx)}} - \frac{8 \int \frac{-\frac{a}{2} - \frac{1}{4}b \sin(2c + 2dx)}{\sqrt{a + \frac{1}{2}b \sin(2c + 2dx)}} dx}{4a^2 - b^2} \\ &= \frac{2\sqrt{2}b \cos(2c + 2dx)}{(4a^2 - b^2) d \sqrt{2a + b \sin(2c + 2dx)}} + \frac{4 \int \sqrt{a + \frac{1}{2}b \sin(2c + 2dx)} dx}{4a^2 - b^2} \\ &= \frac{2\sqrt{2}b \cos(2c + 2dx)}{(4a^2 - b^2) d \sqrt{2a + b \sin(2c + 2dx)}} + \frac{\left(4\sqrt{a + \frac{1}{2}b \sin(2c + 2dx)}\right) \int \sqrt{\frac{a}{a + \frac{b}{2}}}}{(4a^2 - b^2) \sqrt{\frac{a + \frac{1}{2}b \sin(2c + 2dx)}{a + \frac{b}{2}}}} \\ &= \frac{2\sqrt{2}b \cos(2c + 2dx)}{(4a^2 - b^2) d \sqrt{2a + b \sin(2c + 2dx)}} + \frac{2\sqrt{2}E\left(c - \frac{\pi}{4} + dx \mid \frac{2b}{2a + b}\right) \sqrt{2a + b \sin(2c + 2dx)}}{(4a^2 - b^2) d \sqrt{\frac{2a + b \sin(2c + 2dx)}{2a + b}}} \end{aligned}$$

**Mathematica [A]** time = 0.434222, size = 101, normalized size = 0.71

$$\frac{2 \left( (2a + b) \sqrt{\frac{2a + b \sin(2(c + dx))}{2a + b}} E\left(c + dx - \frac{\pi}{4} \mid \frac{2b}{2a + b}\right) + b \cos(2(c + dx)) \right)}{d (4a^2 - b^2) \sqrt{a + \frac{1}{2}b \sin(2(c + dx))}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x]\*Sin[c + d\*x])^(-3/2), x]

[Out] (2\*(b\*Cos[2\*(c + d\*x)] + (2\*a + b)\*EllipticE[c - Pi/4 + d\*x, (2\*b)/(2\*a + b)])\*Sqrt[(2\*a + b\*Sin[2\*(c + d\*x)]/(2\*a + b))]/((4\*a^2 - b^2)\*d\*Sqrt[a + (b\*Sin[2\*(c + d\*x)]/2))])

**Maple [B]** time = 3.159, size = 570, normalized size = 4.

$$4 \frac{1}{(4a^2 - b^2) b \cos(2dx + 2c) \sqrt{4a + 2b \sin(2dx + 2c)} d} \left( 4a^2 \sqrt{\frac{2a + b \sin(2dx + 2c)}{2a - b}} \sqrt{\frac{(\sin(2dx + 2c) - 1)b}{2a + b}} \sqrt{\dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*cos(d\*x+c)\*sin(d\*x+c))^(3/2), x)

```
[Out] 4/b*(4*a^2*((2*a+b*sin(2*d*x+2*c))/(2*a-b))^(1/2)*(-(sin(2*d*x+2*c)-1)*b/(2*a+b))^(1/2)*(-(1+sin(2*d*x+2*c))*b/(2*a-b))^(1/2)*EllipticF(((2*a+b*sin(2*d*x+2*c))/(2*a-b))^(1/2),((2*a-b)/(2*a+b))^(1/2))-((2*a+b*sin(2*d*x+2*c))/(2*a-b))^(1/2)*EllipticF(((2*a+b*sin(2*d*x+2*c))/(2*a-b))^(1/2),((2*a-b)/(2*a+b))^(1/2))*(-(sin(2*d*x+2*c)-1)*b/(2*a+b))^(1/2)*(-(1+sin(2*d*x+2*c))*b/(2*a-b))^(1/2)*b^2-4*((2*a+b*sin(2*d*x+2*c))/(2*a-b))^(1/2)*EllipticE(((2*a+b*sin(2*d*x+2*c))/(2*a-b))^(1/2),((2*a-b)/(2*a+b))^(1/2))*(-(sin(2*d*x+2*c)-1)*b/(2*a+b))^(1/2)*(-(1+sin(2*d*x+2*c))*b/(2*a-b))^(1/2)*a^2+((2*a+b*sin(2*d*x+2*c))/(2*a-b))^(1/2)*EllipticE(((2*a+b*sin(2*d*x+2*c))/(2*a-b))^(1/2),((2*a-b)/(2*a+b))^(1/2))*(-(sin(2*d*x+2*c)-1)*b/(2*a+b))^(1/2)*(-(1+sin(2*d*x+2*c))*b/(2*a-b))^(1/2)*b^2-sin(2*d*x+2*c)^2*b^2+b^2)/(4*a^2-b^2)/cos(2*d*x+2*c)/(4*a+2*b*sin(2*d*x+2*c))^(1/2)/d
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \cos(dx + c) \sin(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*cos(d*x+c)*sin(d*x+c))^(3/2),x, algorithm="maxima")
```

```
[Out] integrate((b*cos(d*x + c)*sin(d*x + c) + a)^(-3/2), x)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{b \cos(dx + c) \sin(dx + c) + a}}{b^2 \cos(dx + c)^4 - b^2 \cos(dx + c)^2 - 2ab \cos(dx + c) \sin(dx + c) - a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*cos(d*x+c)*sin(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] integral(-sqrt(b*cos(d*x + c)*sin(d*x + c) + a)/(b^2*cos(d*x + c)^4 - b^2*cos(d*x + c)^2 - 2*a*b*cos(d*x + c)*sin(d*x + c) - a^2), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*cos(d*x+c)*sin(d*x+c))**(3/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \cos(dx + c) \sin(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*cos(d*x+c)*sin(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((b*cos(d*x + c)*sin(d*x + c) + a)^(-3/2), x)
```

$$3.578 \quad \int \frac{1}{(a+b \cos(c+dx) \sin(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=295

$$\frac{4\sqrt{2}\sqrt{\frac{2a+b \sin(2c+2dx)}{2a+b}} \text{EllipticF}\left(c+dx-\frac{\pi}{4}, \frac{2b}{2a+b}\right)}{3d(4a^2-b^2)\sqrt{2a+b \sin(2c+2dx)}} + \frac{32\sqrt{2}ab \cos(2c+2dx)}{3d(4a^2-b^2)^2\sqrt{2a+b \sin(2c+2dx)}} + \frac{4\sqrt{2}b \cos(2c+2dx)}{3d(4a^2-b^2)(2a+b \sin(2c+2dx))^{3/2}}$$

```
[Out] (4*Sqrt[2]*b*Cos[2*c + 2*d*x])/(3*(4*a^2 - b^2)*d*(2*a + b*Sin[2*c + 2*d*x])^(3/2)) + (32*Sqrt[2]*a*b*Cos[2*c + 2*d*x])/(3*(4*a^2 - b^2)^2*d*Sqrt[2*a + b*Sin[2*c + 2*d*x]]) + (32*Sqrt[2]*a*EllipticE[c - Pi/4 + d*x, (2*b)/(2*a + b)]*Sqrt[2*a + b*Sin[2*c + 2*d*x]])/(3*(4*a^2 - b^2)^2*d*Sqrt[(2*a + b*Sin[2*c + 2*d*x])/(2*a + b)]) - (4*Sqrt[2]*EllipticF[c - Pi/4 + d*x, (2*b)/(2*a + b)]*Sqrt[(2*a + b*Sin[2*c + 2*d*x])/(2*a + b)])/(3*(4*a^2 - b^2)*d*Sqrt[2*a + b*Sin[2*c + 2*d*x]])
```

**Rubi [A]** time = 0.300671, antiderivative size = 295, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$ , Rules used = {2666, 2664, 2754, 2752, 2663, 2661, 2655, 2653}

$$\frac{32\sqrt{2}ab \cos(2c+2dx)}{3d(4a^2-b^2)^2\sqrt{2a+b \sin(2c+2dx)}} + \frac{4\sqrt{2}b \cos(2c+2dx)}{3d(4a^2-b^2)(2a+b \sin(2c+2dx))^{3/2}} - \frac{4\sqrt{2}\sqrt{\frac{2a+b \sin(2c+2dx)}{2a+b}} F\left(c+dx-\frac{\pi}{4}, \frac{2b}{2a+b}\right)}{3d(4a^2-b^2)\sqrt{2a+b \sin(2c+2dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x]*Sin[c + d*x])^(-5/2), x]
```

```
[Out] (4*Sqrt[2]*b*Cos[2*c + 2*d*x])/(3*(4*a^2 - b^2)*d*(2*a + b*Sin[2*c + 2*d*x])^(3/2)) + (32*Sqrt[2]*a*b*Cos[2*c + 2*d*x])/(3*(4*a^2 - b^2)^2*d*Sqrt[2*a + b*Sin[2*c + 2*d*x]]) + (32*Sqrt[2]*a*EllipticE[c - Pi/4 + d*x, (2*b)/(2*a + b)]*Sqrt[2*a + b*Sin[2*c + 2*d*x]])/(3*(4*a^2 - b^2)^2*d*Sqrt[(2*a + b*Sin[2*c + 2*d*x])/(2*a + b)]) - (4*Sqrt[2]*EllipticF[c - Pi/4 + d*x, (2*b)/(2*a + b)]*Sqrt[(2*a + b*Sin[2*c + 2*d*x])/(2*a + b)])/(3*(4*a^2 - b^2)*d*Sqrt[2*a + b*Sin[2*c + 2*d*x]])
```

#### Rule 2666

```
Int[((a_) + cos[(c_) + (d_)*(x_)])*(b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Int[(a + (b*Sin[2*c + 2*d*x])/2)^n, x] /; FreeQ[{a, b, c, d, n}, x]
```

#### Rule 2664

```
Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(a + b*Sin[c + d*x])^(n + 1))/(d*(n + 1)*(a^2 - b^2)), x] + Dist[1/((n + 1)*(a^2 - b^2)), Int[(a + b*Sin[c + d*x])^(n + 1)*Simp[a*(n + 1) - b*(n + 2)*Sin[c + d*x], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2*n]
```

#### Rule 2754

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[((b*c - a*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), I
```

$\text{nt}[(a + b \sin[e + f x])^{m+1} \text{Simp}[(a c - b d)(m+1) - (b c - a d)(m+2) \sin[e + f x], x], x] /;$ 
 $\text{FreeQ}\{a, b, c, d, e, f, x\} \ \&\& \ \text{NeQ}[b c - a d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ \text{IntegerQ}[2 m]$

#### Rule 2752

$\text{Int}[(c + d \sin[e + f x]) / \sqrt{a + b \sin[e + f x]}, x_{\text{Symbol}}] \text{:>} \text{Dist}[(b c - a d) / b, \text{Int}[1 / \sqrt{a + b \sin[e + f x]}, x], x] + \text{Dist}[d / b, \text{Int}[\sqrt{a + b \sin[e + f x]}, x], x] /;$ 
 $\text{FreeQ}\{a, b, c, d, e, f, x\} \ \&\& \ \text{NeQ}[b c - a d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$

#### Rule 2663

$\text{Int}[1 / \sqrt{a + b \sin[c + d x]}, x_{\text{Symbol}}] \text{:>} \text{Dist}[\sqrt{a + b \sin[c + d x]} / (a + b) / \sqrt{a + b \sin[c + d x]}, \text{Int}[1 / \sqrt{a / (a + b) + (b \sin[c + d x]) / (a + b)}, x], x] /;$ 
 $\text{FreeQ}\{a, b, c, d, x\} \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ !\text{GtQ}[a + b, 0]$

#### Rule 2661

$\text{Int}[1 / \sqrt{a + b \sin[c + d x]}, x_{\text{Symbol}}] \text{:>} \text{Simp}[(2 \text{EllipticF}[(1 * (c - \text{Pi} / 2 + d x)) / 2, (2 * b) / (a + b)]) / (d \sqrt{a + b}), x] /;$ 
 $\text{FreeQ}\{a, b, c, d, x\} \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[a + b, 0]$

#### Rule 2655

$\text{Int}[\sqrt{a + b \sin[c + d x]} / \sqrt{a + b \sin[c + d x]} / (a + b), \text{Int}[\sqrt{a / (a + b) + (b \sin[c + d x]) / (a + b)}, x], x] /;$ 
 $\text{FreeQ}\{a, b, c, d, x\} \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ !\text{GtQ}[a + b, 0]$

#### Rule 2653

$\text{Int}[\sqrt{a + b \sin[c + d x]}, x_{\text{Symbol}}] \text{:>} \text{Simp}[(2 \sqrt{a + b} \text{EllipticE}[(1 * (c - \text{Pi} / 2 + d x)) / 2, (2 * b) / (a + b)]) / d, x] /;$ 
 $\text{FreeQ}\{a, b, c, d, x\} \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[a + b, 0]$

#### Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + b \cos(c + dx) \sin(c + dx))^{5/2}} dx &= \int \frac{1}{\left(a + \frac{1}{2}b \sin(2c + 2dx)\right)^{5/2}} dx \\
&= \frac{4\sqrt{2}b \cos(2c + 2dx)}{3(4a^2 - b^2)d(2a + b \sin(2c + 2dx))^{3/2}} - \frac{8 \int \frac{-\frac{3a}{2} + \frac{1}{4}b \sin(2c + 2dx)}{\left(a + \frac{1}{2}b \sin(2c + 2dx)\right)^{3/2}} dx}{3(4a^2 - b^2)} \\
&= \frac{4\sqrt{2}b \cos(2c + 2dx)}{3(4a^2 - b^2)d(2a + b \sin(2c + 2dx))^{3/2}} + \frac{32\sqrt{2}ab \cos(2c + 2dx)}{3(4a^2 - b^2)^2 d\sqrt{2a + b \sin(2c + 2dx)}} \\
&= \frac{4\sqrt{2}b \cos(2c + 2dx)}{3(4a^2 - b^2)d(2a + b \sin(2c + 2dx))^{3/2}} + \frac{32\sqrt{2}ab \cos(2c + 2dx)}{3(4a^2 - b^2)^2 d\sqrt{2a + b \sin(2c + 2dx)}} \\
&= \frac{4\sqrt{2}b \cos(2c + 2dx)}{3(4a^2 - b^2)d(2a + b \sin(2c + 2dx))^{3/2}} + \frac{32\sqrt{2}ab \cos(2c + 2dx)}{3(4a^2 - b^2)^2 d\sqrt{2a + b \sin(2c + 2dx)}} \\
&= \frac{4\sqrt{2}b \cos(2c + 2dx)}{3(4a^2 - b^2)d(2a + b \sin(2c + 2dx))^{3/2}} + \frac{32\sqrt{2}ab \cos(2c + 2dx)}{3(4a^2 - b^2)^2 d\sqrt{2a + b \sin(2c + 2dx)}} \\
&= \frac{4\sqrt{2}b \cos(2c + 2dx)}{3(4a^2 - b^2)d(2a + b \sin(2c + 2dx))^{3/2}} + \frac{32\sqrt{2}ab \cos(2c + 2dx)}{3(4a^2 - b^2)^2 d\sqrt{2a + b \sin(2c + 2dx)}}
\end{aligned}$$

**Mathematica [A]** time = 1.5317, size = 201, normalized size = 0.68

$$\frac{4\sqrt{2} \left( (2a - b)(2a + b)^2 \left( \frac{2a + b \sin(2(c + dx))}{2a + b} \right)^{3/2} \text{EllipticF} \left( c + dx - \frac{\pi}{4}, \frac{2b}{2a + b} \right) + b \cos(2(c + dx)) (-20a^2 - 8ab \sin(2(c + dx)) + \dots \right)}{3d(b^2 - 4a^2)^2 (2a + b \sin(2(c + dx)))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*cos[c + d\*x]\*sin[c + d\*x])^(-5/2), x]

[Out] (-4\*Sqrt[2]\*((-8\*a\*EllipticE[c - Pi/4 + d\*x, (2\*b)/(2\*a + b)]\*(2\*a + b\*Sin[2\*(c + d\*x)])^2)/Sqrt[(2\*a + b\*Sin[2\*(c + d\*x)])/(2\*a + b)] + (2\*a - b)\*(2\*a + b)^2\*EllipticF[c - Pi/4 + d\*x, (2\*b)/(2\*a + b)]\*((2\*a + b\*Sin[2\*(c + d\*x)])/(2\*a + b))^(3/2) + b\*cos[2\*(c + d\*x)]\*(-20\*a^2 + b^2 - 8\*a\*b\*Sin[2\*(c + d\*x)])))/(3\*(-4\*a^2 + b^2)^2\*d\*(2\*a + b\*Sin[2\*(c + d\*x)])^(3/2))

**Maple [B]** time = 3.382, size = 1554, normalized size = 5.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*cos(d\*x+c)\*sin(d\*x+c))^(5/2), x)

[Out] 8/3\*(8\*sin(2\*d\*x+2\*c)\*cos(2\*d\*x+2\*c)^2\*a\*b^3-(-b/(2\*a-b)\*sin(2\*d\*x+2\*c)-b/(2\*a-b))^(1/2)\*(-b/(2\*a+b)\*sin(2\*d\*x+2\*c)+b/(2\*a+b))^(1/2)\*(b/(2\*a-b)\*sin(2\*



$$d*x+2*c)+2*a/(2*a-b))^{1/2}*b*(32*EllipticE((b/(2*a-b)*sin(2*d*x+2*c)+2*a/(2*a-b))^{1/2},((2*a-b)/(2*a+b))^{1/2})*a^3-8*EllipticE((b/(2*a-b)*sin(2*d*x+2*c)+2*a/(2*a-b))^{1/2},((2*a-b)/(2*a+b))^{1/2})*a*b^2-24*EllipticF((b/(2*a-b)*sin(2*d*x+2*c)+2*a/(2*a-b))^{1/2},((2*a-b)/(2*a+b))^{1/2})*a^3-4*EllipticF((b/(2*a-b)*sin(2*d*x+2*c)+2*a/(2*a-b))^{1/2},((2*a-b)/(2*a+b))^{1/2})*a^2*b+6*EllipticF((b/(2*a-b)*sin(2*d*x+2*c)+2*a/(2*a-b))^{1/2},((2*a-b)/(2*a+b))^{1/2})*a*b^2+EllipticF((b/(2*a-b)*sin(2*d*x+2*c)+2*a/(2*a-b))^{1/2},((2*a-b)/(2*a+b))^{1/2})*b^3)*sin(2*d*x+2*c)+(20*a^2*b^2-b^4)*cos(2*d*x+2*c)^2+48*(b/(2*a-b)*sin(2*d*x+2*c)+2*a/(2*a-b))^{1/2}*EllipticF((b/(2*a-b)*sin(2*d*x+2*c)+2*a/(2*a-b))^{1/2},((2*a-b)/(2*a+b))^{1/2})*(-b/(2*a+b)*sin(2*d*x+2*c)+b/(2*a+b))^{1/2}*(-b/(2*a-b)*sin(2*d*x+2*c)-b/(2*a-b))^{1/2}*a^4+8*(b/(2*a-b)*sin(2*d*x+2*c)+2*a/(2*a-b))^{1/2}*EllipticF((b/(2*a-b)*sin(2*d*x+2*c)+2*a/(2*a-b))^{1/2},((2*a-b)/(2*a+b))^{1/2})*(-b/(2*a+b)*sin(2*d*x+2*c)+b/(2*a+b))^{1/2}*(-b/(2*a-b)*sin(2*d*x+2*c)-b/(2*a-b))^{1/2}*a^3*b-12*(b/(2*a-b)*sin(2*d*x+2*c)+2*a/(2*a-b))^{1/2}*EllipticF((b/(2*a-b)*sin(2*d*x+2*c)+2*a/(2*a-b))^{1/2},((2*a-b)/(2*a+b))^{1/2})*(-b/(2*a+b)*sin(2*d*x+2*c)+b/(2*a+b))^{1/2}*(-b/(2*a-b)*sin(2*d*x+2*c)-b/(2*a-b))^{1/2}*a^2*b^2-2*(b/(2*a-b)*sin(2*d*x+2*c)+2*a/(2*a-b))^{1/2}*EllipticF((b/(2*a-b)*sin(2*d*x+2*c)+2*a/(2*a-b))^{1/2},((2*a-b)/(2*a+b))^{1/2})*(-b/(2*a+b)*sin(2*d*x+2*c)+b/(2*a+b))^{1/2}*(-b/(2*a-b)*sin(2*d*x+2*c)-b/(2*a-b))^{1/2}*a*b^3-64*(b/(2*a-b)*sin(2*d*x+2*c)+2*a/(2*a-b))^{1/2}*(-b/(2*a+b)*sin(2*d*x+2*c)+b/(2*a+b))^{1/2}*(-b/(2*a-b)*sin(2*d*x+2*c)-b/(2*a-b))^{1/2}*EllipticE((b/(2*a-b)*sin(2*d*x+2*c)+2*a/(2*a-b))^{1/2},((2*a-b)/(2*a+b))^{1/2})*a^4+16*(b/(2*a-b)*sin(2*d*x+2*c)+2*a/(2*a-b))^{1/2}*(-b/(2*a+b)*sin(2*d*x+2*c)+b/(2*a+b))^{1/2}*(-b/(2*a-b)*sin(2*d*x+2*c)-b/(2*a-b))^{1/2}*EllipticE((b/(2*a-b)*sin(2*d*x+2*c)+2*a/(2*a-b))^{1/2},((2*a-b)/(2*a+b))^{1/2})*a^2*b^2)/(2*a+b*sin(2*d*x+2*c))/(4*a^2-b^2)^2/b/cos(2*d*x+2*c)/(4*a+2*b*sin(2*d*x+2*c))^{1/2}/d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \cos(dx + c) \sin(dx + c) + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c)\*sin(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c)\*sin(d\*x + c) + a)^(-5/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{b \cos(dx + c) \sin(dx + c) + a}}{3ab^2 \cos(dx + c)^4 - 3ab^2 \cos(dx + c)^2 - a^3 + (b^3 \cos(dx + c)^5 - b^3 \cos(dx + c)^3 - 3a^2b \cos(dx + c)) \sin(dx + c)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c)\*sin(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] integral(-sqrt(b\*cos(d\*x + c)\*sin(d\*x + c) + a)/(3\*a\*b^2\*cos(d\*x + c)^4 - 3\*a\*b^2\*cos(d\*x + c)^2 - a^3 + (b^3\*cos(d\*x + c)^5 - b^3\*cos(d\*x + c)^3 - 3\*a^2\*b\*cos(d\*x + c))\*sin(d\*x + c)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c)\*sin(d\*x+c))\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \cos(dx + c) \sin(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c)\*sin(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c)\*sin(d\*x + c) + a)^(-5/2), x)

$$3.579 \quad \int \frac{x^3}{a+b \cos(x) \sin(x)} dx$$

**Optimal.** Leaf size=461

$$-\frac{3x^2 \text{PolyLog}\left(2, \frac{ibe^{2ix}}{2a-\sqrt{4a^2-b^2}}\right)}{2\sqrt{4a^2-b^2}} + \frac{3x^2 \text{PolyLog}\left(2, \frac{ibe^{2ix}}{\sqrt{4a^2-b^2}+2a}\right)}{2\sqrt{4a^2-b^2}} - \frac{3ix \text{PolyLog}\left(3, \frac{ibe^{2ix}}{2a-\sqrt{4a^2-b^2}}\right)}{2\sqrt{4a^2-b^2}} + \frac{3ix \text{PolyLog}\left(3, \frac{ibe^{2ix}}{\sqrt{4a^2-b^2}+2a}\right)}{2\sqrt{4a^2-b^2}}$$

```
[Out] ((-I)*x^3*Log[1 - (I*b*E^((2*I)*x))/(2*a - Sqrt[4*a^2 - b^2]])/Sqrt[4*a^2 - b^2] + (I*x^3*Log[1 - (I*b*E^((2*I)*x))/(2*a + Sqrt[4*a^2 - b^2]])/Sqrt[4*a^2 - b^2] - (3*x^2*PolyLog[2, (I*b*E^((2*I)*x))/(2*a - Sqrt[4*a^2 - b^2]])/(2*Sqrt[4*a^2 - b^2]) + (3*x^2*PolyLog[2, (I*b*E^((2*I)*x))/(2*a + Sqrt[4*a^2 - b^2]])/(2*Sqrt[4*a^2 - b^2]) - (((3*I)/2)*x*PolyLog[3, (I*b*E^((2*I)*x))/(2*a - Sqrt[4*a^2 - b^2]])/Sqrt[4*a^2 - b^2] + (((3*I)/2)*x*PolyLog[3, (I*b*E^((2*I)*x))/(2*a + Sqrt[4*a^2 - b^2]])/Sqrt[4*a^2 - b^2] + (3*PolyLog[4, (I*b*E^((2*I)*x))/(2*a - Sqrt[4*a^2 - b^2]])/(4*Sqrt[4*a^2 - b^2]) - (3*PolyLog[4, (I*b*E^((2*I)*x))/(2*a + Sqrt[4*a^2 - b^2]])/(4*Sqrt[4*a^2 - b^2]))
```

**Rubi [A]** time = 0.629673, antiderivative size = 461, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 8, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$ , Rules used = {4584, 3323, 2264, 2190, 2531, 6609, 2282, 6589}

$$-\frac{3x^2 \text{PolyLog}\left(2, \frac{ibe^{2ix}}{2a-\sqrt{4a^2-b^2}}\right)}{2\sqrt{4a^2-b^2}} + \frac{3x^2 \text{PolyLog}\left(2, \frac{ibe^{2ix}}{\sqrt{4a^2-b^2}+2a}\right)}{2\sqrt{4a^2-b^2}} - \frac{3ix \text{PolyLog}\left(3, \frac{ibe^{2ix}}{2a-\sqrt{4a^2-b^2}}\right)}{2\sqrt{4a^2-b^2}} + \frac{3ix \text{PolyLog}\left(3, \frac{ibe^{2ix}}{\sqrt{4a^2-b^2}+2a}\right)}{2\sqrt{4a^2-b^2}}$$

Antiderivative was successfully verified.

```
[In] Int[x^3/(a + b*Cos[x]*Sin[x]),x]
```

```
[Out] ((-I)*x^3*Log[1 - (I*b*E^((2*I)*x))/(2*a - Sqrt[4*a^2 - b^2]])/Sqrt[4*a^2 - b^2] + (I*x^3*Log[1 - (I*b*E^((2*I)*x))/(2*a + Sqrt[4*a^2 - b^2]])/Sqrt[4*a^2 - b^2] - (3*x^2*PolyLog[2, (I*b*E^((2*I)*x))/(2*a - Sqrt[4*a^2 - b^2]])/(2*Sqrt[4*a^2 - b^2]) + (3*x^2*PolyLog[2, (I*b*E^((2*I)*x))/(2*a + Sqrt[4*a^2 - b^2]])/(2*Sqrt[4*a^2 - b^2]) - (((3*I)/2)*x*PolyLog[3, (I*b*E^((2*I)*x))/(2*a - Sqrt[4*a^2 - b^2]])/Sqrt[4*a^2 - b^2] + (((3*I)/2)*x*PolyLog[3, (I*b*E^((2*I)*x))/(2*a + Sqrt[4*a^2 - b^2]])/Sqrt[4*a^2 - b^2] + (3*PolyLog[4, (I*b*E^((2*I)*x))/(2*a - Sqrt[4*a^2 - b^2]])/(4*Sqrt[4*a^2 - b^2]) - (3*PolyLog[4, (I*b*E^((2*I)*x))/(2*a + Sqrt[4*a^2 - b^2]])/(4*Sqrt[4*a^2 - b^2]))
```

#### Rule 4584

```
Int[((e_.) + (f_.)*(x_))^(m_.)*((a_) + Cos[(c_.) + (d_.)*(x_)])*(b_.)*Sin[(c_.) + (d_.)*(x_)])^(n_.), x_Symbol] :> Int[(e + f*x)^m*(a + (b*Sin[2*c + 2*d*x])/2)^n, x] /; FreeQ[{a, b, c, d, e, f, m, n}, x]
```

#### Rule 3323

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x)) - I*b*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

#### Rule 2264

```
Int[((F_)^(u_)*((f_) + (g_)*(x_))^(m_))/((a_) + (b_)*(F_)^(u_) + (c_)
*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[
((f + g*x)^m*F^u)/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[((f + g*x)^
m*F^u)/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v,
2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

### Rule 2190

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

### Rule 2531

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_))))^(n_)]*((f_) + (g_)
*(x_))^(m_), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

### Rule 6609

```
Int[((e_) + (f_)*(x_))^(m_)*PolyLog[n_, (d_)*((F_)^((c_)*((a_) + (b_)
*(x_))))^(p_)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

### Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 6589

```
Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_) ]/((d_) + (e_)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^3}{a + b \cos(x) \sin(x)} dx &= \int \frac{x^3}{a + \frac{1}{2}b \sin(2x)} dx \\
&= 2 \int \frac{e^{2ix} x^3}{\frac{ib}{2} + 2ae^{2ix} - \frac{1}{2}ibe^{4ix}} dx \\
&= \frac{(2ib) \int \frac{e^{2ix} x^3}{2a - \sqrt{4a^2 - b^2} - ibe^{2ix}} dx}{\sqrt{4a^2 - b^2}} + \frac{(2ib) \int \frac{e^{2ix} x^3}{2a + \sqrt{4a^2 - b^2} - ibe^{2ix}} dx}{\sqrt{4a^2 - b^2}} \\
&= -\frac{ix^3 \log\left(1 - \frac{ibe^{2ix}}{2a - \sqrt{4a^2 - b^2}}\right)}{\sqrt{4a^2 - b^2}} + \frac{ix^3 \log\left(1 - \frac{ibe^{2ix}}{2a + \sqrt{4a^2 - b^2}}\right)}{\sqrt{4a^2 - b^2}} + \frac{(3i) \int x^2 \log\left(1 - \frac{ibe^{2ix}}{2a - \sqrt{4a^2 - b^2}}\right) dx}{\sqrt{4a^2 - b^2}} - \\
&= -\frac{ix^3 \log\left(1 - \frac{ibe^{2ix}}{2a - \sqrt{4a^2 - b^2}}\right)}{\sqrt{4a^2 - b^2}} + \frac{ix^3 \log\left(1 - \frac{ibe^{2ix}}{2a + \sqrt{4a^2 - b^2}}\right)}{\sqrt{4a^2 - b^2}} - \frac{3x^2 \text{Li}_2\left(\frac{ibe^{2ix}}{2a - \sqrt{4a^2 - b^2}}\right)}{2\sqrt{4a^2 - b^2}} + \frac{3x^2 \text{Li}_2\left(\frac{ibe^{2ix}}{2a + \sqrt{4a^2 - b^2}}\right)}{2\sqrt{4a^2 - b^2}} \\
&= -\frac{ix^3 \log\left(1 - \frac{ibe^{2ix}}{2a - \sqrt{4a^2 - b^2}}\right)}{\sqrt{4a^2 - b^2}} + \frac{ix^3 \log\left(1 - \frac{ibe^{2ix}}{2a + \sqrt{4a^2 - b^2}}\right)}{\sqrt{4a^2 - b^2}} - \frac{3x^2 \text{Li}_2\left(\frac{ibe^{2ix}}{2a - \sqrt{4a^2 - b^2}}\right)}{2\sqrt{4a^2 - b^2}} + \frac{3x^2 \text{Li}_2\left(\frac{ibe^{2ix}}{2a + \sqrt{4a^2 - b^2}}\right)}{2\sqrt{4a^2 - b^2}} \\
&= -\frac{ix^3 \log\left(1 - \frac{ibe^{2ix}}{2a - \sqrt{4a^2 - b^2}}\right)}{\sqrt{4a^2 - b^2}} + \frac{ix^3 \log\left(1 - \frac{ibe^{2ix}}{2a + \sqrt{4a^2 - b^2}}\right)}{\sqrt{4a^2 - b^2}} - \frac{3x^2 \text{Li}_2\left(\frac{ibe^{2ix}}{2a - \sqrt{4a^2 - b^2}}\right)}{2\sqrt{4a^2 - b^2}} + \frac{3x^2 \text{Li}_2\left(\frac{ibe^{2ix}}{2a + \sqrt{4a^2 - b^2}}\right)}{2\sqrt{4a^2 - b^2}} \\
&= -\frac{ix^3 \log\left(1 - \frac{ibe^{2ix}}{2a - \sqrt{4a^2 - b^2}}\right)}{\sqrt{4a^2 - b^2}} + \frac{ix^3 \log\left(1 - \frac{ibe^{2ix}}{2a + \sqrt{4a^2 - b^2}}\right)}{\sqrt{4a^2 - b^2}} - \frac{3x^2 \text{Li}_2\left(\frac{ibe^{2ix}}{2a - \sqrt{4a^2 - b^2}}\right)}{2\sqrt{4a^2 - b^2}} + \frac{3x^2 \text{Li}_2\left(\frac{ibe^{2ix}}{2a + \sqrt{4a^2 - b^2}}\right)}{2\sqrt{4a^2 - b^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.863064, size = 340, normalized size = 0.74

$$-6x^2 \text{PolyLog}\left(2, -\frac{ibe^{2ix}}{\sqrt{4a^2 - b^2} - 2a}\right) + 6x^2 \text{PolyLog}\left(2, \frac{ibe^{2ix}}{\sqrt{4a^2 - b^2} + 2a}\right) - 6ix \text{PolyLog}\left(3, -\frac{ibe^{2ix}}{\sqrt{4a^2 - b^2} - 2a}\right) + 6ix \text{PolyLog}\left(3, \frac{ibe^{2ix}}{\sqrt{4a^2 - b^2} + 2a}\right)$$

Antiderivative was successfully verified.

[In] Integrate[x^3/(a + b\*cos[x]\*sin[x]), x]

[Out]  $((-4*I)*x^3*\text{Log}[1 + (I*b*E^{((2*I)*x)})/(-2*a + \text{Sqrt}[4*a^2 - b^2])] + (4*I)*x^3*\text{Log}[1 - (I*b*E^{((2*I)*x)})/(2*a + \text{Sqrt}[4*a^2 - b^2])] - 6*x^2*\text{PolyLog}[2, ((-I)*b*E^{((2*I)*x)})/(-2*a + \text{Sqrt}[4*a^2 - b^2])] + 6*x^2*\text{PolyLog}[2, (I*b*E^{((2*I)*x)})/(2*a + \text{Sqrt}[4*a^2 - b^2])] - (6*I)*x*\text{PolyLog}[3, ((-I)*b*E^{((2*I)*x)})/(-2*a + \text{Sqrt}[4*a^2 - b^2])] + (6*I)*x*\text{PolyLog}[3, (I*b*E^{((2*I)*x)})/(2*a + \text{Sqrt}[4*a^2 - b^2])] + 3*\text{PolyLog}[4, ((-I)*b*E^{((2*I)*x)})/(-2*a + \text{Sqrt}[4*a^2 - b^2])] - 3*\text{PolyLog}[4, (I*b*E^{((2*I)*x)})/(2*a + \text{Sqrt}[4*a^2 - b^2])])/(4*\text{Sqrt}[4*a^2 - b^2])$

**Maple [B]** time = 0.148, size = 2282, normalized size = 5.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(a+b\*cos(x)\*sin(x)), x)

[Out]  $-2/(8*a^2 - 2*b^2)/(-2*I*a - ((2*a+b)*(2*a-b))^{(1/2)})*\ln(1 - b*\exp(2*I*x)/(-2*I*a - ((2*a+b)*(2*a-b))^{(1/2)})) + b^2*x^3 - 2/(8*a^2 - 2*b^2)/(-2*I*a - ((2*a+b)*(2*a-b))^{(1/2)})$

$$\begin{aligned}
& -b)^{(1/2)} * (-2*a+b) * (2*a-b)^{(1/2)} * a*x^4 + 12 / (8*a^2 - 2*b^2) / (-2*I*a - (-2*a+b) * (2*a-b))^{(1/2)} \\
& * (2*a-b))^{(1/2)} * \text{polylog}(3, b*\exp(2*I*x) / (-2*I*a - (-2*a+b) * (2*a-b))^{(1/2)}) \\
& * a^2*x - 3 / (8*a^2 - 2*b^2) / (-2*I*a - (-2*a+b) * (2*a-b))^{(1/2)} * \text{polylog}(3, b*\exp(2 \\
& *I*x) / (-2*I*a - (-2*a+b) * (2*a-b))^{(1/2)}) * b^2*x + 3 / (8*a^2 - 2*b^2) / (-2*I*a - (-2 \\
& *a+b) * (2*a-b))^{(1/2)} * \text{polylog}(4, b*\exp(2*I*x) / (-2*I*a - (-2*a+b) * (2*a-b))^{(1/ \\
& 2))) * (-2*a+b) * (2*a-b))^{(1/2)} * a + 6 / (8*a^2 - 2*b^2) / (-2*I*a + (-2*a+b) * (2*a-b))^{( \\
& 1/2)} * \text{polylog}(2, b*\exp(2*I*x) / (-2*I*a + (-2*a+b) * (2*a-b))^{(1/2)}) * (-2*a+b) * \\
& (2*a-b))^{(1/2)} * a*x^2 - 6 / (8*a^2 - 2*b^2) / (-2*I*a - (-2*a+b) * (2*a-b))^{(1/2)} * \text{poly} \\
& \text{log}(2, b*\exp(2*I*x) / (-2*I*a - (-2*a+b) * (2*a-b))^{(1/2)}) * (-2*a+b) * (2*a-b))^{(1 \\
& /2)} * a*x^2 + I / (8*a^2 - 2*b^2) / (-2*I*a - (-2*a+b) * (2*a-b))^{(1/2)} * b^2*x^4 + I / (8*a^ \\
& 2 - 2*b^2) / (-2*I*a + (-2*a+b) * (2*a-b))^{(1/2)} * b^2*x^4 - 4*I / (8*a^2 - 2*b^2) / (-2*I* \\
& a - (-2*a+b) * (2*a-b))^{(1/2)} * a^2*x^4 + 6*I / (8*a^2 - 2*b^2) / (-2*I*a - (-2*a+b) * (2* \\
& a-b))^{(1/2)} * \text{polylog}(4, b*\exp(2*I*x) / (-2*I*a - (-2*a+b) * (2*a-b))^{(1/2)}) * a^2 - \\
& 3/2*I / (8*a^2 - 2*b^2) / (-2*I*a - (-2*a+b) * (2*a-b))^{(1/2)} * \text{polylog}(4, b*\exp(2*I*x \\
& ) / (-2*I*a - (-2*a+b) * (2*a-b))^{(1/2)}) * b^2 - 4*I / (8*a^2 - 2*b^2) / (-2*I*a + (-2*a+b \\
& ) * (2*a-b))^{(1/2)} * a^2*x^4 + 6*I / (8*a^2 - 2*b^2) / (-2*I*a + (-2*a+b) * (2*a-b))^{(1/2 \\
& )) * \text{polylog}(4, b*\exp(2*I*x) / (-2*I*a + (-2*a+b) * (2*a-b))^{(1/2)}) * a^2 - 3/2*I / (8*a \\
& ^2 - 2*b^2) / (-2*I*a + (-2*a+b) * (2*a-b))^{(1/2)} * \text{polylog}(4, b*\exp(2*I*x) / (-2*I*a + \\
& (-2*a+b) * (2*a-b))^{(1/2)}) * b^2 - 3 / (8*a^2 - 2*b^2) / (-2*I*a + (-2*a+b) * (2*a-b))^{( \\
& 1/2)} * \text{polylog}(4, b*\exp(2*I*x) / (-2*I*a + (-2*a+b) * (2*a-b))^{(1/2)}) * (-2*a+b) * ( \\
& 2*a-b))^{(1/2)} * a + 8 / (8*a^2 - 2*b^2) / (-2*I*a + (-2*a+b) * (2*a-b))^{(1/2)} * \ln(1 - b*\exp \\
& (2*I*x) / (-2*I*a + (-2*a+b) * (2*a-b))^{(1/2)}) * a^2*x^3 - 2 / (8*a^2 - 2*b^2) / (-2*I*a \\
& + (-2*a+b) * (2*a-b))^{(1/2)} * \ln(1 - b*\exp(2*I*x) / (-2*I*a + (-2*a+b) * (2*a-b))^{(1/ \\
& 2))) * b^2*x^3 + 2 / (8*a^2 - 2*b^2) / (-2*I*a + (-2*a+b) * (2*a-b))^{(1/2)} * (-2*a+b) * (2 \\
& *a-b))^{(1/2)} * a*x^4 + 12 / (8*a^2 - 2*b^2) / (-2*I*a + (-2*a+b) * (2*a-b))^{(1/2)} * \text{polyl} \\
& \text{og}(3, b*\exp(2*I*x) / (-2*I*a + (-2*a+b) * (2*a-b))^{(1/2)}) * a^2*x - 3 / (8*a^2 - 2*b^2) / \\
& (-2*I*a + (-2*a+b) * (2*a-b))^{(1/2)} * \text{polylog}(3, b*\exp(2*I*x) / (-2*I*a + (-2*a+b) * \\
& (2*a-b))^{(1/2)}) * b^2*x + 8 / (8*a^2 - 2*b^2) / (-2*I*a - (-2*a+b) * (2*a-b))^{(1/2)} * \ln \\
& (1 - b*\exp(2*I*x) / (-2*I*a - (-2*a+b) * (2*a-b))^{(1/2)}) * a^2*x^3 - 4*I / (8*a^2 - 2*b^2 \\
& ) / (-2*I*a - (-2*a+b) * (2*a-b))^{(1/2)} * \ln(1 - b*\exp(2*I*x) / (-2*I*a - (-2*a+b) * (2* \\
& a-b))^{(1/2)}) * (-2*a+b) * (2*a-b))^{(1/2)} * a*x^3 - 6*I / (8*a^2 - 2*b^2) / (-2*I*a - (-2 \\
& *a+b) * (2*a-b))^{(1/2)} * \text{polylog}(3, b*\exp(2*I*x) / (-2*I*a - (-2*a+b) * (2*a-b))^{(1/ \\
& 2))) * (-2*a+b) * (2*a-b))^{(1/2)} * a*x + 6*I / (8*a^2 - 2*b^2) / (-2*I*a + (-2*a+b) * (2*a- \\
& b))^{(1/2)} * \text{polylog}(3, b*\exp(2*I*x) / (-2*I*a + (-2*a+b) * (2*a-b))^{(1/2)}) * (-2*a \\
& + b) * (2*a-b))^{(1/2)} * a*x + 4*I / (8*a^2 - 2*b^2) / (-2*I*a + (-2*a+b) * (2*a-b))^{(1/2)} * \\
& \ln(1 - b*\exp(2*I*x) / (-2*I*a + (-2*a+b) * (2*a-b))^{(1/2)}) * (-2*a+b) * (2*a-b))^{(1/ \\
& 2)} * a*x^3 - 12*I / (8*a^2 - 2*b^2) / (-2*I*a + (-2*a+b) * (2*a-b))^{(1/2)} * \text{polylog}(2, b*\exp \\
& (2*I*x) / (-2*I*a + (-2*a+b) * (2*a-b))^{(1/2)}) * a^2*x^2 + 3*I / (8*a^2 - 2*b^2) / (-2* \\
& I*a + (-2*a+b) * (2*a-b))^{(1/2)} * \text{polylog}(2, b*\exp(2*I*x) / (-2*I*a + (-2*a+b) * (2*a \\
& -b))^{(1/2)}) * b^2*x^2 - 12*I / (8*a^2 - 2*b^2) / (-2*I*a - (-2*a+b) * (2*a-b))^{(1/2)} * \text{p} \\
& \text{olylog}(2, b*\exp(2*I*x) / (-2*I*a - (-2*a+b) * (2*a-b))^{(1/2)}) * a^2*x^2 + 3*I / (8*a^ \\
& 2 - 2*b^2) / (-2*I*a - (-2*a+b) * (2*a-b))^{(1/2)} * \text{polylog}(2, b*\exp(2*I*x) / (-2*I*a - ( \\
& -2*a+b) * (2*a-b))^{(1/2)}) * b^2*x^2
\end{aligned}$$

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3}{b \cos(x) \sin(x) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a+b\*cos(x)\*sin(x)),x, algorithm="maxima")

[Out] integrate(x^3/(b\*cos(x)\*sin(x) + a), x)

---

**Fricas [C]** time = 5.08906, size = 7900, normalized size = 17.14

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a+b\*cos(x)\*sin(x)),x, algorithm="fricas")

[Out] 
$$-1/4*(2*b*x^3*\sqrt{-(4*a^2 - b^2)/b^2}*\log(1/2*((4*I*a*\cos(x) + 4*a*\sin(x) - 2*(b*\cos(x) - I*b*\sin(x)))*\sqrt{-(4*a^2 - b^2)/b^2})*\sqrt{(b*\sqrt{-(4*a^2 - b^2)/b^2} + 2*I*a)/b} + 2*b)/b) + 2*b*x^3*\sqrt{-(4*a^2 - b^2)/b^2}*\log(1/2*((-4*I*a*\cos(x) - 4*a*\sin(x) + 2*(b*\cos(x) - I*b*\sin(x)))*\sqrt{-(4*a^2 - b^2)/b^2})*\sqrt{(b*\sqrt{-(4*a^2 - b^2)/b^2} + 2*I*a)/b} + 2*b)/b) - 2*b*x^3*\sqrt{-(4*a^2 - b^2)/b^2}*\log(1/2*((4*I*a*\cos(x) - 4*a*\sin(x) - 2*(b*\cos(x) + I*b*\sin(x)))*\sqrt{-(4*a^2 - b^2)/b^2})*\sqrt{-(b*\sqrt{-(4*a^2 - b^2)/b^2} + 2*I*a)/b} + 2*b)/b) - 2*b*x^3*\sqrt{-(4*a^2 - b^2)/b^2}*\log(1/2*((-4*I*a*\cos(x) + 4*a*\sin(x) + 2*(b*\cos(x) + I*b*\sin(x)))*\sqrt{-(4*a^2 - b^2)/b^2})*\sqrt{-(b*\sqrt{-(4*a^2 - b^2)/b^2} + 2*I*a)/b} + 2*b)/b) + 2*b*x^3*\sqrt{-(4*a^2 - b^2)/b^2}*\log(1/2*((4*I*a*\cos(x) - 4*a*\sin(x) + 2*(b*\cos(x) + I*b*\sin(x)))*\sqrt{-(4*a^2 - b^2)/b^2})*\sqrt{(b*\sqrt{-(4*a^2 - b^2)/b^2} - 2*I*a)/b} + 2*b)/b) + 2*b*x^3*\sqrt{-(4*a^2 - b^2)/b^2}*\log(1/2*((-4*I*a*\cos(x) + 4*a*\sin(x) - 2*(b*\cos(x) + I*b*\sin(x)))*\sqrt{-(4*a^2 - b^2)/b^2})*\sqrt{(b*\sqrt{-(4*a^2 - b^2)/b^2} - 2*I*a)/b} + 2*b)/b) - 2*b*x^3*\sqrt{-(4*a^2 - b^2)/b^2}*\log(1/2*((4*I*a*\cos(x) + 4*a*\sin(x) + 2*(b*\cos(x) - I*b*\sin(x)))*\sqrt{-(4*a^2 - b^2)/b^2})*\sqrt{-(b*\sqrt{-(4*a^2 - b^2)/b^2} - 2*I*a)/b} + 2*b)/b) - 2*b*x^3*\sqrt{-(4*a^2 - b^2)/b^2}*\log(1/2*((-4*I*a*\cos(x) - 4*a*\sin(x) - 2*(b*\cos(x) - I*b*\sin(x)))*\sqrt{-(4*a^2 - b^2)/b^2})*\sqrt{-(b*\sqrt{-(4*a^2 - b^2)/b^2} - 2*I*a)/b} + 2*b)/b) + 6*I*b*x^2*\sqrt{-(4*a^2 - b^2)/b^2}*dilog(-1/2*((4*I*a*\cos(x) + 4*a*\sin(x) - 2*(b*\cos(x) - I*b*\sin(x)))*\sqrt{-(4*a^2 - b^2)/b^2})*\sqrt{(b*\sqrt{-(4*a^2 - b^2)/b^2} + 2*I*a)/b} + 2*b)/b + 1) + 6*I*b*x^2*\sqrt{-(4*a^2 - b^2)/b^2}*dilog(-1/2*((-4*I*a*\cos(x) - 4*a*\sin(x) + 2*(b*\cos(x) - I*b*\sin(x)))*\sqrt{-(4*a^2 - b^2)/b^2})*\sqrt{(b*\sqrt{-(4*a^2 - b^2)/b^2} + 2*I*a)/b} + 2*b)/b + 1) + 6*I*b*x^2*\sqrt{-(4*a^2 - b^2)/b^2}*dilog(-1/2*((4*I*a*\cos(x) - 4*a*\sin(x) - 2*(b*\cos(x) + I*b*\sin(x)))*\sqrt{-(4*a^2 - b^2)/b^2})*\sqrt{-(b*\sqrt{-(4*a^2 - b^2)/b^2} + 2*I*a)/b} + 2*b)/b + 1) + 6*I*b*x^2*\sqrt{-(4*a^2 - b^2)/b^2}*dilog(-1/2*((-4*I*a*\cos(x) + 4*a*\sin(x) + 2*(b*\cos(x) + I*b*\sin(x)))*\sqrt{-(4*a^2 - b^2)/b^2})*\sqrt{-(b*\sqrt{-(4*a^2 - b^2)/b^2} - 2*I*a)/b} + 2*b)/b + 1) - 6*I*b*x^2*\sqrt{-(4*a^2 - b^2)/b^2}*dilog(-1/2*((4*I*a*\cos(x) - 4*a*\sin(x) + 2*(b*\cos(x) + I*b*\sin(x)))*\sqrt{-(4*a^2 - b^2)/b^2})*\sqrt{(b*\sqrt{-(4*a^2 - b^2)/b^2} - 2*I*a)/b} + 2*b)/b + 1) - 6*I*b*x^2*\sqrt{-(4*a^2 - b^2)/b^2}*dilog(-1/2*((-4*I*a*\cos(x) + 4*a*\sin(x) - 2*(b*\cos(x) - I*b*\sin(x)))*\sqrt{-(4*a^2 - b^2)/b^2})*\sqrt{(b*\sqrt{-(4*a^2 - b^2)/b^2} - 2*I*a)/b} + 2*b)/b + 1) - 6*I*b*x^2*\sqrt{-(4*a^2 - b^2)/b^2}*dilog(-1/2*((4*I*a*\cos(x) + 4*a*\sin(x) + 2*(b*\cos(x) - I*b*\sin(x)))*\sqrt{-(4*a^2 - b^2)/b^2})*\sqrt{-(b*\sqrt{-(4*a^2 - b^2)/b^2} - 2*I*a)/b} + 2*b)/b + 1) - 6*I*b*x^2*\sqrt{-(4*a^2 - b^2)/b^2}*dilog(-1/2*((-4*I*a*\cos(x) - 4*a*\sin(x) - 2*(b*\cos(x) + I*b*\sin(x)))*\sqrt{-(4*a^2 - b^2)/b^2})*\sqrt{-(b*\sqrt{-(4*a^2 - b^2)/b^2} - 2*I*a)/b} + 2*b)/b + 1) + 12*b*x*\sqrt{-(4*a^2 - b^2)/b^2}*polylog(3, 1/2*(4*I*a*\cos(x) + 4*a*\sin(x) - 2*(b*\cos(x) - I*b*\sin(x)))*\sqrt{-(4*a^2 - b^2)/b^2})*\sqrt{(b*\sqrt{-(4*a^2 - b^2)/b^2} + 2*I*a)/b}/b) + 12*b*x*\sqrt{-(4*a^2 - b^2)/b^2}*polylog(3, 1/2*(-4*I*a*\cos(x) - 4*a*\sin(x) + 2*(b*\cos(x) - I*b*\sin(x)))*\sqrt{-(4*a^2 - b^2)/b^2})*\sqrt{(b*\sqrt{-(4*a^2 - b^2)/b^2} + 2*I*a)/b}/b) - 12*b*x*\sqrt{-(4*a^2 - b^2)/b^2}*polylog(3, 1/2*(4*I*a*\cos(x) - 4*a*\sin(x) - 2*(b*\cos(x) + I*b*\sin(x)))*\sqrt{-(4*a^2 - b^2)/b^2})*\sqrt{-(b*\sqrt{-(4*a^2 - b^2)/b^2} + 2*I*a)/b}/b) - 12*b*x*\sqrt{-(4*a^2 - b^2)/b^2}*polylog(3, 1/2*(-4*I*a*\cos(x) + 4*a*\sin(x) + 2*(b*\cos(x) + I*b*\sin(x)))*\sqrt{-(4*a^2 - b^2)/b^2})*\sqrt{-(b*\sqrt{-(4*a^2 - b^2)/b^2} + 2*I*a)/b}/b) + 12*b*x*\sqrt{-(4*a^2 - b^2)/b^2}*polylog(3, 1/2*(4*I*a*\cos(x) - 4*a*\sin(x) + 2*(b*\cos(x) + I*b*\sin(x)))*\sqrt{-(4*a^2 - b^2)/b^2})*\sqrt{(b*\sqrt{-(4*a^2 - b^2)/b^2} - 2*I*a)/b}/b)$$

```

*sqrt(-(4*a^2 - b^2)/b^2) - 2*I*a)/b)/b) + 12*b*x*sqrt(-(4*a^2 - b^2)/b^2)*
polylog(3, 1/2*(-4*I*a*cos(x) + 4*a*sin(x) - 2*(b*cos(x) + I*b*sin(x))*sqrt
(-(4*a^2 - b^2)/b^2))*sqrt((b*sqrt(-(4*a^2 - b^2)/b^2) - 2*I*a)/b)/b) - 12*
b*x*sqrt(-(4*a^2 - b^2)/b^2)*polylog(3, 1/2*(4*I*a*cos(x) + 4*a*sin(x) + 2*
(b*cos(x) - I*b*sin(x))*sqrt(-(4*a^2 - b^2)/b^2))*sqrt(-(b*sqrt(-(4*a^2 - b
^2)/b^2) - 2*I*a)/b)/b) - 12*b*x*sqrt(-(4*a^2 - b^2)/b^2)*polylog(3, 1/2*(-
4*I*a*cos(x) - 4*a*sin(x) - 2*(b*cos(x) - I*b*sin(x))*sqrt(-(4*a^2 - b^2)/b
^2))*sqrt(-(b*sqrt(-(4*a^2 - b^2)/b^2) - 2*I*a)/b)/b) - 12*I*b*sqrt(-(4*a^2
- b^2)/b^2)*polylog(4, 1/2*(4*I*a*cos(x) + 4*a*sin(x) - 2*(b*cos(x) - I*b*
sin(x))*sqrt(-(4*a^2 - b^2)/b^2))*sqrt((b*sqrt(-(4*a^2 - b^2)/b^2) + 2*I*a)
/b)/b) - 12*I*b*sqrt(-(4*a^2 - b^2)/b^2)*polylog(4, 1/2*(-4*I*a*cos(x) - 4*
a*sin(x) + 2*(b*cos(x) - I*b*sin(x))*sqrt(-(4*a^2 - b^2)/b^2))*sqrt((b*sqrt
(-(4*a^2 - b^2)/b^2) + 2*I*a)/b)/b) - 12*I*b*sqrt(-(4*a^2 - b^2)/b^2)*polyl
og(4, 1/2*(4*I*a*cos(x) - 4*a*sin(x) - 2*(b*cos(x) + I*b*sin(x))*sqrt(-(4*a
^2 - b^2)/b^2))*sqrt(-(b*sqrt(-(4*a^2 - b^2)/b^2) + 2*I*a)/b)/b) - 12*I*b*s
qrt(-(4*a^2 - b^2)/b^2)*polylog(4, 1/2*(-4*I*a*cos(x) + 4*a*sin(x) + 2*(b*c
os(x) + I*b*sin(x))*sqrt(-(4*a^2 - b^2)/b^2))*sqrt(-(b*sqrt(-(4*a^2 - b^2)/
b^2) + 2*I*a)/b)/b) + 12*I*b*sqrt(-(4*a^2 - b^2)/b^2)*polylog(4, 1/2*(4*I*a
*cos(x) - 4*a*sin(x) + 2*(b*cos(x) + I*b*sin(x))*sqrt(-(4*a^2 - b^2)/b^2))*
sqrt((b*sqrt(-(4*a^2 - b^2)/b^2) - 2*I*a)/b)/b) + 12*I*b*sqrt(-(4*a^2 - b^2
)/b^2)*polylog(4, 1/2*(-4*I*a*cos(x) + 4*a*sin(x) - 2*(b*cos(x) + I*b*sin(x)
))*sqrt(-(4*a^2 - b^2)/b^2))*sqrt((b*sqrt(-(4*a^2 - b^2)/b^2) - 2*I*a)/b)/b
) + 12*I*b*sqrt(-(4*a^2 - b^2)/b^2)*polylog(4, 1/2*(4*I*a*cos(x) + 4*a*sin(x)
+ 2*(b*cos(x) - I*b*sin(x))*sqrt(-(4*a^2 - b^2)/b^2))*sqrt(-(b*sqrt(-(4*a
^2 - b^2)/b^2) - 2*I*a)/b)/b) + 12*I*b*sqrt(-(4*a^2 - b^2)/b^2)*polylog(4,
1/2*(-4*I*a*cos(x) - 4*a*sin(x) - 2*(b*cos(x) - I*b*sin(x))*sqrt(-(4*a^2 -
b^2)/b^2))*sqrt(-(b*sqrt(-(4*a^2 - b^2)/b^2) - 2*I*a)/b)/b))/(4*a^2 - b^2)

```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3}{a + b \sin(x) \cos(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3/(a+b\*cos(x)\*sin(x)),x)

[Out] Integral(x\*\*3/(a + b\*sin(x)\*cos(x)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3}{b \cos(x) \sin(x) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a+b\*cos(x)\*sin(x)),x, algorithm="giac")

[Out] integrate(x^3/(b\*cos(x)\*sin(x) + a), x)



$$3.580 \quad \int \frac{x^2}{a+b \cos(x) \sin(x)} dx$$

**Optimal.** Leaf size=340

$$\frac{x \operatorname{PolyLog}\left(2, \frac{ib e^{2ix}}{2a - \sqrt{4a^2 - b^2}}\right)}{\sqrt{4a^2 - b^2}} + \frac{x \operatorname{PolyLog}\left(2, \frac{ib e^{2ix}}{\sqrt{4a^2 - b^2} + 2a}\right)}{\sqrt{4a^2 - b^2}} - \frac{i \operatorname{PolyLog}\left(3, \frac{ib e^{2ix}}{2a - \sqrt{4a^2 - b^2}}\right)}{2\sqrt{4a^2 - b^2}} + \frac{i \operatorname{PolyLog}\left(3, \frac{ib e^{2ix}}{\sqrt{4a^2 - b^2} + 2a}\right)}{2\sqrt{4a^2 - b^2}} - ix$$

```
[Out] ((-I)*x^2*Log[1 - (I*b*E^((2*I)*x))/(2*a - Sqrt[4*a^2 - b^2]])/Sqrt[4*a^2 - b^2] + (I*x^2*Log[1 - (I*b*E^((2*I)*x))/(2*a + Sqrt[4*a^2 - b^2]])/Sqrt[4*a^2 - b^2] - (x*PolyLog[2, (I*b*E^((2*I)*x))/(2*a - Sqrt[4*a^2 - b^2]])/Sqrt[4*a^2 - b^2] + (x*PolyLog[2, (I*b*E^((2*I)*x))/(2*a + Sqrt[4*a^2 - b^2]])/Sqrt[4*a^2 - b^2] - ((I/2)*PolyLog[3, (I*b*E^((2*I)*x))/(2*a - Sqrt[4*a^2 - b^2]])/Sqrt[4*a^2 - b^2] + ((I/2)*PolyLog[3, (I*b*E^((2*I)*x))/(2*a + Sqrt[4*a^2 - b^2]])/Sqrt[4*a^2 - b^2])
```

**Rubi [A]** time = 0.536579, antiderivative size = 340, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 7, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$ , Rules used = {4584, 3323, 2264, 2190, 2531, 2282, 6589}

$$\frac{x \operatorname{PolyLog}\left(2, \frac{ib e^{2ix}}{2a - \sqrt{4a^2 - b^2}}\right)}{\sqrt{4a^2 - b^2}} + \frac{x \operatorname{PolyLog}\left(2, \frac{ib e^{2ix}}{\sqrt{4a^2 - b^2} + 2a}\right)}{\sqrt{4a^2 - b^2}} - \frac{i \operatorname{PolyLog}\left(3, \frac{ib e^{2ix}}{2a - \sqrt{4a^2 - b^2}}\right)}{2\sqrt{4a^2 - b^2}} + \frac{i \operatorname{PolyLog}\left(3, \frac{ib e^{2ix}}{\sqrt{4a^2 - b^2} + 2a}\right)}{2\sqrt{4a^2 - b^2}} - ix$$

Antiderivative was successfully verified.

```
[In] Int[x^2/(a + b*Cos[x]*Sin[x]),x]
```

```
[Out] ((-I)*x^2*Log[1 - (I*b*E^((2*I)*x))/(2*a - Sqrt[4*a^2 - b^2]])/Sqrt[4*a^2 - b^2] + (I*x^2*Log[1 - (I*b*E^((2*I)*x))/(2*a + Sqrt[4*a^2 - b^2]])/Sqrt[4*a^2 - b^2] - (x*PolyLog[2, (I*b*E^((2*I)*x))/(2*a - Sqrt[4*a^2 - b^2]])/Sqrt[4*a^2 - b^2] + (x*PolyLog[2, (I*b*E^((2*I)*x))/(2*a + Sqrt[4*a^2 - b^2]])/Sqrt[4*a^2 - b^2] - ((I/2)*PolyLog[3, (I*b*E^((2*I)*x))/(2*a - Sqrt[4*a^2 - b^2]])/Sqrt[4*a^2 - b^2] + ((I/2)*PolyLog[3, (I*b*E^((2*I)*x))/(2*a + Sqrt[4*a^2 - b^2]])/Sqrt[4*a^2 - b^2])
```

#### Rule 4584

```
Int[((e_.) + (f_.)*(x_))^(m_.)*((a_.) + Cos[(c_.) + (d_.)*(x_)])*(b_.)*Sin[(c_.) + (d_.)*(x_)])^(n_.), x_Symbol] :> Int[(e + f*x)^m*(a + (b*Sin[2*c + 2*d*x])/2)^n, x] /; FreeQ[{a, b, c, d, e, f, m, n}, x]
```

#### Rule 3323

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x)) - I*b*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

#### Rule 2264

```
Int[((F_)^(u_)*((f_.) + (g_.)*(x_))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)*(F_)^(v_)), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[((f + g*x)^m*F^u)/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[((f + g*x)^m*F^u)/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_)))^(n_))]*((f_) + (g_)
*(x_))^(m_), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
))^n]])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2}{a + b \cos(x) \sin(x)} dx &= \int \frac{x^2}{a + \frac{1}{2}b \sin(2x)} dx \\
&= 2 \int \frac{e^{2ix} x^2}{\frac{ib}{2} + 2ae^{2ix} - \frac{1}{2}ibe^{4ix}} dx \\
&= -\frac{(2ib) \int \frac{e^{2ix} x^2}{2a - \sqrt{4a^2 - b^2} - ibe^{2ix}} dx}{\sqrt{4a^2 - b^2}} + \frac{(2ib) \int \frac{e^{2ix} x^2}{2a + \sqrt{4a^2 - b^2} - ibe^{2ix}} dx}{\sqrt{4a^2 - b^2}} \\
&= -\frac{ix^2 \log\left(1 - \frac{ibe^{2ix}}{2a - \sqrt{4a^2 - b^2}}\right)}{\sqrt{4a^2 - b^2}} + \frac{ix^2 \log\left(1 - \frac{ibe^{2ix}}{2a + \sqrt{4a^2 - b^2}}\right)}{\sqrt{4a^2 - b^2}} + \frac{(2i) \int x \log\left(1 - \frac{ibe^{2ix}}{2a - \sqrt{4a^2 - b^2}}\right) dx}{\sqrt{4a^2 - b^2}} - \frac{(2i) \int x \log\left(1 - \frac{ibe^{2ix}}{2a + \sqrt{4a^2 - b^2}}\right) dx}{\sqrt{4a^2 - b^2}} \\
&= -\frac{ix^2 \log\left(1 - \frac{ibe^{2ix}}{2a - \sqrt{4a^2 - b^2}}\right)}{\sqrt{4a^2 - b^2}} + \frac{ix^2 \log\left(1 - \frac{ibe^{2ix}}{2a + \sqrt{4a^2 - b^2}}\right)}{\sqrt{4a^2 - b^2}} - \frac{x \text{Li}_2\left(\frac{ibe^{2ix}}{2a - \sqrt{4a^2 - b^2}}\right)}{\sqrt{4a^2 - b^2}} + \frac{x \text{Li}_2\left(\frac{ibe^{2ix}}{2a + \sqrt{4a^2 - b^2}}\right)}{\sqrt{4a^2 - b^2}} \\
&= -\frac{ix^2 \log\left(1 - \frac{ibe^{2ix}}{2a - \sqrt{4a^2 - b^2}}\right)}{\sqrt{4a^2 - b^2}} + \frac{ix^2 \log\left(1 - \frac{ibe^{2ix}}{2a + \sqrt{4a^2 - b^2}}\right)}{\sqrt{4a^2 - b^2}} - \frac{x \text{Li}_2\left(\frac{ibe^{2ix}}{2a - \sqrt{4a^2 - b^2}}\right)}{\sqrt{4a^2 - b^2}} + \frac{x \text{Li}_2\left(\frac{ibe^{2ix}}{2a + \sqrt{4a^2 - b^2}}\right)}{\sqrt{4a^2 - b^2}} \\
&= -\frac{ix^2 \log\left(1 - \frac{ibe^{2ix}}{2a - \sqrt{4a^2 - b^2}}\right)}{\sqrt{4a^2 - b^2}} + \frac{ix^2 \log\left(1 - \frac{ibe^{2ix}}{2a + \sqrt{4a^2 - b^2}}\right)}{\sqrt{4a^2 - b^2}} - \frac{x \text{Li}_2\left(\frac{ibe^{2ix}}{2a - \sqrt{4a^2 - b^2}}\right)}{\sqrt{4a^2 - b^2}} + \frac{x \text{Li}_2\left(\frac{ibe^{2ix}}{2a + \sqrt{4a^2 - b^2}}\right)}{\sqrt{4a^2 - b^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.745741, size = 256, normalized size = 0.75

$$\frac{i \left( -2ix \operatorname{PolyLog} \left( 2, -\frac{ibe^{2ix}}{\sqrt{4a^2 - b^2 - 2a}} \right) + 2ix \operatorname{PolyLog} \left( 2, \frac{ibe^{2ix}}{\sqrt{4a^2 - b^2 + 2a}} \right) + \operatorname{PolyLog} \left( 3, -\frac{ibe^{2ix}}{\sqrt{4a^2 - b^2 - 2a}} \right) - \operatorname{PolyLog} \left( 3, \frac{ibe^{2ix}}{\sqrt{4a^2 - b^2 + 2a}} \right) \right)}{2\sqrt{4a^2 - b^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/(a + b\*cos[x]\*sin[x]), x]

[Out]  $((-I/2)*(2*x^2*\operatorname{Log}[1 + (I*b*E^{((2*I)*x)})]/(-2*a + \operatorname{Sqrt}[4*a^2 - b^2])) - 2*x^2*\operatorname{Log}[1 - (I*b*E^{((2*I)*x)})/(2*a + \operatorname{Sqrt}[4*a^2 - b^2])] - (2*I)*x*\operatorname{PolyLog}[2, ((-I)*b*E^{((2*I)*x)})/(-2*a + \operatorname{Sqrt}[4*a^2 - b^2])] + (2*I)*x*\operatorname{PolyLog}[2, (I*b*E^{((2*I)*x)})/(2*a + \operatorname{Sqrt}[4*a^2 - b^2])] + \operatorname{PolyLog}[3, ((-I)*b*E^{((2*I)*x)})/(-2*a + \operatorname{Sqrt}[4*a^2 - b^2])] - \operatorname{PolyLog}[3, (I*b*E^{((2*I)*x)})/(2*a + \operatorname{Sqrt}[4*a^2 - b^2])])/\operatorname{Sqrt}[4*a^2 - b^2]$

**Maple [B]** time = 0.112, size = 1782, normalized size = 5.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a+b\*cos(x)\*sin(x)), x)

[Out]  $8/3/(8*a^2-2*b^2)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)})*(-(2*a+b)*(2*a-b))^{(1/2)}*a*x^3-16/3*I/(8*a^2-2*b^2)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)})*a^2*x^3+2*I/(8*a^2-2*b^2)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)})*\operatorname{polylog}(3,b*\exp(2*I*x)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)}))*(-(2*a+b)*(2*a-b))^{(1/2)}*a-4*I/(8*a^2-2*b^2)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)})*\ln(1-b*\exp(2*I*x)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)}))*(-(2*a+b)*(2*a-b))^{(1/2)}*a*x^2+8/(8*a^2-2*b^2)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)})*\ln(1-b*\exp(2*I*x)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)}))*a^2*x^2-2/(8*a^2-2*b^2)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)})*\ln(1-b*\exp(2*I*x)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)}))*b^2*x^2+4/(8*a^2-2*b^2)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)})*\operatorname{polylog}(2,b*\exp(2*I*x)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)}))*(-(2*a+b)*(2*a-b))^{(1/2)}*a*x-2*I/(8*a^2-2*b^2)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)})*(-(2*a+b)*(2*a-b))^{(1/2)}*\operatorname{polylog}(3,b*\exp(2*I*x)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)}))*a+4/3*I/(8*a^2-2*b^2)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)})*b^2*x^3-8*I/(8*a^2-2*b^2)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)})*\operatorname{polylog}(2,b*\exp(2*I*x)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)}))*a^2*x+4/(8*a^2-2*b^2)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)})*\operatorname{polylog}(3,b*\exp(2*I*x)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)}))*a^2-1/(8*a^2-2*b^2)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)})*\operatorname{polylog}(3,b*\exp(2*I*x)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)}))*b^2-8/3/(8*a^2-2*b^2)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)})*(-(2*a+b)*(2*a-b))^{(1/2)}*a*x^3+4/3*I/(8*a^2-2*b^2)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)})*b^2*x^3-8*I/(8*a^2-2*b^2)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)})*\operatorname{polylog}(2,b*\exp(2*I*x)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)}))*a^2*x+2*I/(8*a^2-2*b^2)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)})*\operatorname{polylog}(2,b*\exp(2*I*x)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)}))*b^2*x+8/(8*a^2-2*b^2)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)})*\ln(1-b*\exp(2*I*x)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)}))*a^2*x^2-2/(8*a^2-2*b^2)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)})*\ln(1-b*\exp(2*I*x)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)}))*b^2*x^2-4/(8*a^2-2*b^2)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)})*(-(2*a+b)*(2*a-b))^{(1/2)}*\operatorname{polylog}(2,b*\exp(2*I*x)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)}))*a*x+2*I/(8*a^2-2*b^2)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)})*\operatorname{polylog}(2,b*\exp(2*I*x)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)}))*b^2*x-16/3*I/(8*a^2-2*b^2)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)})*a^2*x^3+4*I/(8*a^2-2*b^2)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)})*\ln(1-b*\exp(2*I*x)/(-2*I*a+(-(2*a+b)*(2*a-b))^{(1/2)}))*(-(2*a+b)*(2*a-b))^{(1/2)}*a*x^2+4/(8*a^2-2*b^2)/(-2*I*a+(-(2*a+b)$

```
)*(2*a-b))^(1/2))*polylog(3,b*exp(2*I*x)/(-2*I*a-((2*a+b)*(2*a-b))^(1/2)))
*a^2-1/(8*a^2-2*b^2)/(-2*I*a-((2*a+b)*(2*a-b))^(1/2))*polylog(3,b*exp(2*I*
x)/(-2*I*a-((2*a+b)*(2*a-b))^(1/2)))*b^2
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2}{b \cos(x) \sin(x) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(a+b*cos(x)*sin(x)),x, algorithm="maxima")
```

```
[Out] integrate(x^2/(b*cos(x)*sin(x) + a), x)
```

**Fricas [C]** time = 4.78926, size = 5913, normalized size = 17.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(a+b*cos(x)*sin(x)),x, algorithm="fricas")
```

```
[Out] -1/4*(2*b*x^2*sqrt(-(4*a^2 - b^2)/b^2)*log(1/2*((4*I*a*cos(x) + 4*a*sin(x)
- 2*(b*cos(x) - I*b*sin(x))*sqrt(-(4*a^2 - b^2)/b^2))*sqrt((b*sqrt(-(4*a^2
- b^2)/b^2) + 2*I*a)/b) + 2*b)/b) + 2*b*x^2*sqrt(-(4*a^2 - b^2)/b^2)*log(1/
2*((-4*I*a*cos(x) - 4*a*sin(x) + 2*(b*cos(x) - I*b*sin(x))*sqrt(-(4*a^2 - b
^2)/b^2))*sqrt((b*sqrt(-(4*a^2 - b^2)/b^2) + 2*I*a)/b) + 2*b)/b) - 2*b*x^2*
sqrt(-(4*a^2 - b^2)/b^2)*log(1/2*((4*I*a*cos(x) - 4*a*sin(x) - 2*(b*cos(x)
+ I*b*sin(x))*sqrt(-(4*a^2 - b^2)/b^2))*sqrt(-(b*sqrt(-(4*a^2 - b^2)/b^2) +
2*I*a)/b) + 2*b)/b) - 2*b*x^2*sqrt(-(4*a^2 - b^2)/b^2)*log(1/2*((-4*I*a*co
s(x) + 4*a*sin(x) + 2*(b*cos(x) + I*b*sin(x))*sqrt(-(4*a^2 - b^2)/b^2))*sq
rt(-(b*sqrt(-(4*a^2 - b^2)/b^2) + 2*I*a)/b) + 2*b)/b) + 2*b*x^2*sqrt(-(4*a^2
- b^2)/b^2)*log(1/2*((4*I*a*cos(x) - 4*a*sin(x) + 2*(b*cos(x) + I*b*sin(x)
)*sqrt(-(4*a^2 - b^2)/b^2))*sqrt((b*sqrt(-(4*a^2 - b^2)/b^2) - 2*I*a)/b) +
2*b)/b) + 2*b*x^2*sqrt(-(4*a^2 - b^2)/b^2)*log(1/2*((-4*I*a*cos(x) + 4*a*si
n(x) - 2*(b*cos(x) + I*b*sin(x))*sqrt(-(4*a^2 - b^2)/b^2))*sqrt((b*sqrt(-(4
*a^2 - b^2)/b^2) - 2*I*a)/b) + 2*b)/b) - 2*b*x^2*sqrt(-(4*a^2 - b^2)/b^2)*l
og(1/2*((4*I*a*cos(x) + 4*a*sin(x) + 2*(b*cos(x) - I*b*sin(x))*sqrt(-(4*a^2
- b^2)/b^2))*sqrt(-(b*sqrt(-(4*a^2 - b^2)/b^2) - 2*I*a)/b) + 2*b)/b) - 2*b
*x^2*sqrt(-(4*a^2 - b^2)/b^2)*log(1/2*((-4*I*a*cos(x) - 4*a*sin(x) - 2*(b*c
os(x) - I*b*sin(x))*sqrt(-(4*a^2 - b^2)/b^2))*sqrt(-(b*sqrt(-(4*a^2 - b^2)/
b^2) - 2*I*a)/b) + 2*b)/b) + 4*I*b*x*sqrt(-(4*a^2 - b^2)/b^2)*dilog(-1/2*((
4*I*a*cos(x) + 4*a*sin(x) - 2*(b*cos(x) - I*b*sin(x))*sqrt(-(4*a^2 - b^2)/b
^2))*sqrt((b*sqrt(-(4*a^2 - b^2)/b^2) + 2*I*a)/b) + 2*b)/b + 1) + 4*I*b*x*s
qrt(-(4*a^2 - b^2)/b^2)*dilog(-1/2*((-4*I*a*cos(x) - 4*a*sin(x) + 2*(b*cos(
x) - I*b*sin(x))*sqrt(-(4*a^2 - b^2)/b^2))*sqrt((b*sqrt(-(4*a^2 - b^2)/b^2)
+ 2*I*a)/b) + 2*b)/b + 1) + 4*I*b*x*sqrt(-(4*a^2 - b^2)/b^2)*dilog(-1/2*((
4*I*a*cos(x) - 4*a*sin(x) - 2*(b*cos(x) + I*b*sin(x))*sqrt(-(4*a^2 - b^2)/b
^2))*sqrt(-(b*sqrt(-(4*a^2 - b^2)/b^2) + 2*I*a)/b) + 2*b)/b + 1) + 4*I*b*x*
sqrt(-(4*a^2 - b^2)/b^2)*dilog(-1/2*((-4*I*a*cos(x) + 4*a*sin(x) + 2*(b*cos
(x) + I*b*sin(x))*sqrt(-(4*a^2 - b^2)/b^2))*sqrt(-(b*sqrt(-(4*a^2 - b^2)/b^
2) + 2*I*a)/b) + 2*b)/b + 1) - 4*I*b*x*sqrt(-(4*a^2 - b^2)/b^2)*dilog(-1/2*
((4*I*a*cos(x) - 4*a*sin(x) + 2*(b*cos(x) + I*b*sin(x))*sqrt(-(4*a^2 - b^2)
/b^2))*sqrt((b*sqrt(-(4*a^2 - b^2)/b^2) - 2*I*a)/b) + 2*b)/b + 1) - 4*I*b*x
```

```

*sqrt(-(4*a^2 - b^2)/b^2)*dilog(-1/2*((-4*I*a*cos(x) + 4*a*sin(x) - 2*(b*cos(x) + I*b*sin(x))*sqrt(-(4*a^2 - b^2)/b^2))*sqrt((b*sqrt(-(4*a^2 - b^2)/b^2) - 2*I*a)/b) + 2*b)/b + 1) - 4*I*b*x*sqrt(-(4*a^2 - b^2)/b^2)*dilog(-1/2*((4*I*a*cos(x) + 4*a*sin(x) + 2*(b*cos(x) - I*b*sin(x))*sqrt(-(4*a^2 - b^2)/b^2))*sqrt(-(b*sqrt(-(4*a^2 - b^2)/b^2) - 2*I*a)/b) + 2*b)/b + 1) - 4*I*b*x*sqrt(-(4*a^2 - b^2)/b^2)*dilog(-1/2*((-4*I*a*cos(x) - 4*a*sin(x) - 2*(b*cos(x) - I*b*sin(x))*sqrt(-(4*a^2 - b^2)/b^2))*sqrt(-(b*sqrt(-(4*a^2 - b^2)/b^2) - 2*I*a)/b) + 2*b)/b + 1) + 4*b*sqrt(-(4*a^2 - b^2)/b^2)*polylog(3, 1/2*(4*I*a*cos(x) + 4*a*sin(x) - 2*(b*cos(x) - I*b*sin(x))*sqrt(-(4*a^2 - b^2)/b^2))*sqrt((b*sqrt(-(4*a^2 - b^2)/b^2) + 2*I*a)/b)/b) + 4*b*sqrt(-(4*a^2 - b^2)/b^2)*polylog(3, 1/2*(-4*I*a*cos(x) - 4*a*sin(x) + 2*(b*cos(x) - I*b*sin(x))*sqrt(-(4*a^2 - b^2)/b^2))*sqrt((b*sqrt(-(4*a^2 - b^2)/b^2) + 2*I*a)/b)/b) - 4*b*sqrt(-(4*a^2 - b^2)/b^2)*polylog(3, 1/2*(4*I*a*cos(x) - 4*a*sin(x) - 2*(b*cos(x) + I*b*sin(x))*sqrt(-(4*a^2 - b^2)/b^2))*sqrt(-(b*sqrt(-(4*a^2 - b^2)/b^2) + 2*I*a)/b)/b) - 4*b*sqrt(-(4*a^2 - b^2)/b^2)*polylog(3, 1/2*(-4*I*a*cos(x) + 4*a*sin(x) + 2*(b*cos(x) + I*b*sin(x))*sqrt(-(4*a^2 - b^2)/b^2))*sqrt(-(b*sqrt(-(4*a^2 - b^2)/b^2) + 2*I*a)/b)/b) + 4*b*sqrt(-(4*a^2 - b^2)/b^2)*polylog(3, 1/2*(4*I*a*cos(x) - 4*a*sin(x) + 2*(b*cos(x) + I*b*sin(x))*sqrt(-(4*a^2 - b^2)/b^2))*sqrt((b*sqrt(-(4*a^2 - b^2)/b^2) - 2*I*a)/b)/b) + 4*b*sqrt(-(4*a^2 - b^2)/b^2)*polylog(3, 1/2*(-4*I*a*cos(x) + 4*a*sin(x) - 2*(b*cos(x) + I*b*sin(x))*sqrt(-(4*a^2 - b^2)/b^2))*sqrt((b*sqrt(-(4*a^2 - b^2)/b^2) - 2*I*a)/b)/b) - 4*b*sqrt(-(4*a^2 - b^2)/b^2)*polylog(3, 1/2*(4*I*a*cos(x) + 4*a*sin(x) + 2*(b*cos(x) - I*b*sin(x))*sqrt(-(4*a^2 - b^2)/b^2))*sqrt(-(b*sqrt(-(4*a^2 - b^2)/b^2) - 2*I*a)/b)/b) - 4*b*sqrt(-(4*a^2 - b^2)/b^2)*polylog(3, 1/2*(-4*I*a*cos(x) - 4*a*sin(x) - 2*(b*cos(x) - I*b*sin(x))*sqrt(-(4*a^2 - b^2)/b^2))*sqrt(-(b*sqrt(-(4*a^2 - b^2)/b^2) - 2*I*a)/b)/b))/ (4*a^2 - b^2)

```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2}{a + b \sin(x) \cos(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/(a+b\*cos(x)\*sin(x)),x)

[Out] Integral(x\*\*2/(a + b\*sin(x)\*cos(x)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2}{b \cos(x) \sin(x) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b\*cos(x)\*sin(x)),x, algorithm="giac")

[Out] integrate(x^2/(b\*cos(x)\*sin(x) + a), x)

$$3.581 \quad \int \frac{x}{a+b \cos(x) \sin(x)} dx$$

**Optimal.** Leaf size=225

$$-\frac{\text{PolyLog}\left(2, \frac{ibe^{2ix}}{2a-\sqrt{4a^2-b^2}}\right)}{2\sqrt{4a^2-b^2}} + \frac{\text{PolyLog}\left(2, \frac{ibe^{2ix}}{\sqrt{4a^2-b^2}+2a}\right)}{2\sqrt{4a^2-b^2}} - \frac{ix \log\left(1 - \frac{ibe^{2ix}}{2a-\sqrt{4a^2-b^2}}\right)}{\sqrt{4a^2-b^2}} + \frac{ix \log\left(1 - \frac{ibe^{2ix}}{\sqrt{4a^2-b^2}+2a}\right)}{\sqrt{4a^2-b^2}}$$

[Out]  $((-1)*x*\text{Log}[1 - (I*b*E^((2*I)*x))/(2*a - \text{Sqrt}[4*a^2 - b^2])])/\text{Sqrt}[4*a^2 - b^2] + (I*x*\text{Log}[1 - (I*b*E^((2*I)*x))/(2*a + \text{Sqrt}[4*a^2 - b^2])])/\text{Sqrt}[4*a^2 - b^2] - \text{PolyLog}[2, (I*b*E^((2*I)*x))/(2*a - \text{Sqrt}[4*a^2 - b^2])]/(2*\text{Sqrt}[4*a^2 - b^2]) + \text{PolyLog}[2, (I*b*E^((2*I)*x))/(2*a + \text{Sqrt}[4*a^2 - b^2])]/(2*\text{Sqrt}[4*a^2 - b^2])$

**Rubi [A]** time = 0.318976, antiderivative size = 225, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$ , Rules used = {4584, 3323, 2264, 2190, 2279, 2391}

$$-\frac{\text{PolyLog}\left(2, \frac{ibe^{2ix}}{2a-\sqrt{4a^2-b^2}}\right)}{2\sqrt{4a^2-b^2}} + \frac{\text{PolyLog}\left(2, \frac{ibe^{2ix}}{\sqrt{4a^2-b^2}+2a}\right)}{2\sqrt{4a^2-b^2}} - \frac{ix \log\left(1 - \frac{ibe^{2ix}}{2a-\sqrt{4a^2-b^2}}\right)}{\sqrt{4a^2-b^2}} + \frac{ix \log\left(1 - \frac{ibe^{2ix}}{\sqrt{4a^2-b^2}+2a}\right)}{\sqrt{4a^2-b^2}}$$

Antiderivative was successfully verified.

[In] Int[x/(a + b\*cos[x]\*sin[x]),x]

[Out]  $((-1)*x*\text{Log}[1 - (I*b*E^((2*I)*x))/(2*a - \text{Sqrt}[4*a^2 - b^2])])/\text{Sqrt}[4*a^2 - b^2] + (I*x*\text{Log}[1 - (I*b*E^((2*I)*x))/(2*a + \text{Sqrt}[4*a^2 - b^2])])/\text{Sqrt}[4*a^2 - b^2] - \text{PolyLog}[2, (I*b*E^((2*I)*x))/(2*a - \text{Sqrt}[4*a^2 - b^2])]/(2*\text{Sqrt}[4*a^2 - b^2]) + \text{PolyLog}[2, (I*b*E^((2*I)*x))/(2*a + \text{Sqrt}[4*a^2 - b^2])]/(2*\text{Sqrt}[4*a^2 - b^2])$

#### Rule 4584

Int[((e\_.) + (f\_.)\*(x\_))^(m\_.)\*((a\_) + Cos[(c\_.) + (d\_.)\*(x\_)])\*(b\_.)\*Sin[(c\_.) + (d\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Int[(e + f\*x)^m\*(a + (b\*sin[2\*c + 2\*d\*x])/2)^n, x] /; FreeQ[{a, b, c, d, e, f, m, n}, x]

#### Rule 3323

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)/((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[2, Int[(c + d\*x)^m\*E^(I\*(e + f\*x))/(I\*b + 2\*a\*E^(I\*(e + f\*x)) - I\*b\*E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

#### Rule 2264

Int[((F\_)^(u\_)\*((f\_.) + (g\_.)\*(x\_))^(m\_.))/((a\_.) + (b\_.)\*(F\_)^(u\_) + (c\_.)\*(F\_)^(v\_)), x\_Symbol] :> With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[(2\*c)/q, Int[(f + g\*x)^m\*F^u/(b - q + 2\*c\*F^u), x], x] - Dist[(2\*c)/q, Int[(f + g\*x)^m\*F^u/(b + q + 2\*c\*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2\*u] && LinearQ[u, x] && NeQ[b^2 - 4\*a\*c, 0] && IGtQ[m, 0]

#### Rule 2190

Int[(((F\_)^(g\_.)\*((e\_.) + (f\_.)\*(x\_)))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.))/((a\_) + (b\_.)\*((F\_)^(g\_.)\*((e\_.) + (f\_.)\*(x\_)))^(n\_.), x\_Symbol] :> Simp

$$\left[ \frac{(c + dx)^m \log[1 + (b(F^{g(e+fx)})^n)/a]}{bfgn \log[F]}, x \right] - \text{Dist}\left[\frac{d^m}{bfgn \log[F]}, \text{Int}\left[\frac{(c + dx)^{m-1} \log[1 + (b(F^{g(e+fx)})^n)/a]}{x}, x\right], x\right]; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x \} \&\& \text{IGtQ}\{m, 0\}$$

### Rule 2279

$$\text{Int}[\text{Log}[(a_) + (b_.) * ((F_)^{((e_.) * ((c_.) + (d_.) * (x_)))})^{(n_.)}], x\_Symbol] \rightarrow \text{Dist}\left[\frac{1}{d^m \log[F]}, \text{Subst}\left[\text{Int}[\text{Log}[a + b*x]/x, x], x, (F^{e*(c + dx)})^n\right], x\right]; \text{FreeQ}\{F, a, b, c, d, e, n\}, x \} \&\& \text{GtQ}\{a, 0\}$$

### Rule 2391

$$\text{Int}[\text{Log}[(c_.) * ((d_.) + (e_.) * (x_)^{(n_.)})]/(x_), x\_Symbol] \rightarrow -\text{Simp}[\text{PolyLog}[2, -(c*e*x^n)]/n, x]; \text{FreeQ}\{c, d, e, n\}, x \} \&\& \text{EqQ}\{c*d, 1\}$$

### Rubi steps

$$\begin{aligned} \int \frac{x}{a + b \cos(x) \sin(x)} dx &= \int \frac{x}{a + \frac{1}{2}b \sin(2x)} dx \\ &= 2 \int \frac{e^{2ix} x}{\frac{ib}{2} + 2ae^{2ix} - \frac{1}{2}ibe^{4ix}} dx \\ &= -\frac{(2ib) \int \frac{e^{2ix} x}{2a - \sqrt{4a^2 - b^2} - ibe^{2ix}} dx}{\sqrt{4a^2 - b^2}} + \frac{(2ib) \int \frac{e^{2ix} x}{2a + \sqrt{4a^2 - b^2} - ibe^{2ix}} dx}{\sqrt{4a^2 - b^2}} \\ &= -\frac{ix \log\left(1 - \frac{ibe^{2ix}}{2a - \sqrt{4a^2 - b^2}}\right)}{\sqrt{4a^2 - b^2}} + \frac{ix \log\left(1 - \frac{ibe^{2ix}}{2a + \sqrt{4a^2 - b^2}}\right)}{\sqrt{4a^2 - b^2}} + \frac{i \int \log\left(1 - \frac{ibe^{2ix}}{2a - \sqrt{4a^2 - b^2}}\right) dx}{\sqrt{4a^2 - b^2}} - \frac{i \int \log\left(1 - \frac{ibe^{2ix}}{2a + \sqrt{4a^2 - b^2}}\right) dx}{\sqrt{4a^2 - b^2}} \\ &= -\frac{ix \log\left(1 - \frac{ibe^{2ix}}{2a - \sqrt{4a^2 - b^2}}\right)}{\sqrt{4a^2 - b^2}} + \frac{ix \log\left(1 - \frac{ibe^{2ix}}{2a + \sqrt{4a^2 - b^2}}\right)}{\sqrt{4a^2 - b^2}} + \frac{\text{Subst}\left(\int \frac{\log\left(1 - \frac{ibx}{2a - \sqrt{4a^2 - b^2}}\right)}{x} dx, x, e^{2ix}\right)}{2\sqrt{4a^2 - b^2}} \\ &= -\frac{ix \log\left(1 - \frac{ibe^{2ix}}{2a - \sqrt{4a^2 - b^2}}\right)}{\sqrt{4a^2 - b^2}} + \frac{ix \log\left(1 - \frac{ibe^{2ix}}{2a + \sqrt{4a^2 - b^2}}\right)}{\sqrt{4a^2 - b^2}} - \frac{\text{Li}_2\left(\frac{ibe^{2ix}}{2a - \sqrt{4a^2 - b^2}}\right)}{2\sqrt{4a^2 - b^2}} + \frac{\text{Li}_2\left(\frac{ibe^{2ix}}{2a + \sqrt{4a^2 - b^2}}\right)}{2\sqrt{4a^2 - b^2}} \end{aligned}$$

**Mathematica [B]** time = 1.43413, size = 788, normalized size = 3.5

$$\frac{1}{2} \left( \frac{\pi \tan^{-1}\left(\frac{2a \tan(x) + b}{\sqrt{4a^2 - b^2}}\right)}{\sqrt{4a^2 - b^2}} + \frac{i \left( \text{PolyLog}\left(2, \frac{(2a - i\sqrt{b^2 - 4a^2})(-\sqrt{b^2 - 4a^2} \cot(x + \frac{\pi}{4}) + 2a + b)}{b(\sqrt{b^2 - 4a^2} \cot(x + \frac{\pi}{4}) + 2a + b)}\right) - \text{PolyLog}\left(2, \frac{(2a + i\sqrt{b^2 - 4a^2})(-\sqrt{b^2 - 4a^2} \cot(x + \frac{\pi}{4}) + 2a + b)}{b(\sqrt{b^2 - 4a^2} \cot(x + \frac{\pi}{4}) + 2a + b)}\right) \right)}{\sqrt{4a^2 - b^2}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[x/(a + b\*Cos[x]\*Sin[x]), x]

[Out] 
$$\frac{(\text{Pi} * \text{ArcTan}[(b + 2*a * \text{Tan}[x]) / \text{Sqrt}[4*a^2 - b^2]]) / \text{Sqrt}[4*a^2 - b^2] + (2 * \text{ArcCos}[-(2*a) / b] * \text{ArcTanh}[(2*a - b) * \text{Cot}[\text{Pi}/4 + x] / \text{Sqrt}[-4*a^2 + b^2]] + (\text{Pi} - 4*x) * \text{ArcTanh}[(2*a + b) * \text{Tan}[\text{Pi}/4 + x] / \text{Sqrt}[-4*a^2 + b^2]] - (\text{ArcCos}[-(2*a) / b] + (2*I) * \text{ArcTanh}[(2*a - b) * \text{Cot}[\text{Pi}/4 + x] / \text{Sqrt}[-4*a^2 + b^2]]) * \text{Log}[(2*a + b) * (-2*a + b - I * \text{Sqrt}[-4*a^2 + b^2]) * (1 + I * \text{Cot}[\text{Pi}/4 + x])]}{b * (2*a + b + \text{Sqrt}[-4*a^2 + b^2]) * \text{Cot}[\text{Pi}/4 + x]}) - (\text{ArcCos}[-(2*a) / b] - (2*I) * \text{ArcTanh}[(2*a - b) * \text{Cot}[\text{Pi}/4 + x] / \text{Sqrt}[-4*a^2 + b^2]]) * \text{Log}[(2*a + b) * ((2*I) * a - I * b + \text{Sqrt}[-4*a^2 + b^2]) * (I + \text{Cot}[\text{Pi}/4 + x])]}{b * (2*a + b + \text{Sqrt}[-4*a^2 + b^2])}$$

$$\begin{aligned} &^2 * \cot[\pi/4 + x]) + (\arccos[(-2a)/b] + (2I) * (\operatorname{arctanh}[(2a - b) \cot[\pi/4 + x]] / \sqrt{-4a^2 + b^2}) + \operatorname{arctanh}[(2a + b) \tan[\pi/4 + x]] / \sqrt{-4a^2 + b^2})) * \log[(-1)^{1/4} \sqrt{-4a^2 + b^2} / (2\sqrt{b} e^{Ix} \sqrt{a + b \cos x \sin x})] + (\arccos[(-2a)/b] - (2I) * \operatorname{arctanh}[(2a - b) \cot[\pi/4 + x]] / \sqrt{-4a^2 + b^2}) - (2I) * \operatorname{arctanh}[(2a + b) \tan[\pi/4 + x]] / \sqrt{-4a^2 + b^2}) * \log[-(-1)^{3/4} \sqrt{-4a^2 + b^2} e^{Ix} / (2\sqrt{b} \sqrt{a + b \cos x \sin x})] + I * (\operatorname{polylog}[2, (2a - I \sqrt{-4a^2 + b^2}) * (2a + b - \sqrt{-4a^2 + b^2}) \cot[\pi/4 + x]) / (b(2a + b + \sqrt{-4a^2 + b^2}) \cot[\pi/4 + x])] - \operatorname{polylog}[2, (2a + I \sqrt{-4a^2 + b^2}) * (2a + b - \sqrt{-4a^2 + b^2}) \cot[\pi/4 + x]) / (b(2a + b + \sqrt{-4a^2 + b^2}) \cot[\pi/4 + x])]) / \sqrt{-4a^2 + b^2} / 2 \end{aligned}$$

**Maple [B]** time = 0.111, size = 1284, normalized size = 5.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a+b\*cos(x)\*sin(x)),x)

[Out] 
$$\begin{aligned} &4I / (8a^2 - 2b^2) / (-2Ia + (-2a + b)(2a - b))^{1/2} * (-2a + b)(2a - b))^{1/2} * \ln(1 - b \exp(2Ix) / (-2Ia + (-2a + b)(2a - b))^{1/2}) * a^2 x^4 / (8a^2 - 2b^2) / \\ &(-2Ia - (-2a + b)(2a - b))^{1/2} * (-2a + b)(2a - b))^{1/2} * a^2 x^2 + 8 / (8a^2 - 2b^2) / \\ &(-2Ia - (-2a + b)(2a - b))^{1/2} * \ln(1 - b \exp(2Ix) / (-2Ia - (-2a + b)(2a - b))^{1/2}) * a^2 x^2 + 2 / (8a^2 - 2b^2) / (-2Ia + (-2a + b)(2a - b))^{1/2} * (-2a + b)(2a - b))^{1/2} * \operatorname{polylog}(2, b \exp(2Ix) / (-2Ia + (-2a + b)(2a - b))^{1/2}) * a^2 / (8a^2 - 2b^2) / (-2Ia + (-2a + b)(2a - b))^{1/2} * \ln(1 - b \exp(2Ix) / (-2Ia + (-2a + b)(2a - b))^{1/2}) * b^2 x^4 - 4I / (8a^2 - 2b^2) / (-2Ia - (-2a + b)(2a - b))^{1/2} * (-2a + b)(2a - b))^{1/2} * \ln(1 - b \exp(2Ix) / (-2Ia - (-2a + b)(2a - b))^{1/2}) * a^2 x^8 - 8I / (8a^2 - 2b^2) / (-2Ia - (-2a + b)(2a - b))^{1/2} * a^2 x^2 + 2I / (8a^2 - 2b^2) / (-2Ia - (-2a + b)(2a - b))^{1/2} * b^2 x^2 - 8I / (8a^2 - 2b^2) / (-2Ia + (-2a + b)(2a - b))^{1/2} * a^2 x^2 - 4I / (8a^2 - 2b^2) / (-2Ia - (-2a + b)(2a - b))^{1/2} * \operatorname{polylog}(2, b \exp(2Ix) / (-2Ia - (-2a + b)(2a - b))^{1/2}) * a^2 - 2 / (8a^2 - 2b^2) / (-2Ia - (-2a + b)(2a - b))^{1/2} * \ln(1 - b \exp(2Ix) / (-2Ia - (-2a + b)(2a - b))^{1/2}) * b^2 x^4 / (8a^2 - 2b^2) / (-2Ia + (-2a + b)(2a - b))^{1/2} * (-2a + b)(2a - b))^{1/2} * a^2 x^2 - 2 / (8a^2 - 2b^2) / (-2Ia - (-2a + b)(2a - b))^{1/2} * (-2a + b)(2a - b))^{1/2} * \operatorname{polylog}(2, b \exp(2Ix) / (-2Ia - (-2a + b)(2a - b))^{1/2}) * a^2 + 8 / (8a^2 - 2b^2) / (-2Ia + (-2a + b)(2a - b))^{1/2} * \ln(1 - b \exp(2Ix) / (-2Ia + (-2a + b)(2a - b))^{1/2}) * a^2 x^2 + 2I / (8a^2 - 2b^2) / (-2Ia - (-2a + b)(2a - b))^{1/2} * \operatorname{polylog}(2, b \exp(2Ix) / (-2Ia - (-2a + b)(2a - b))^{1/2}) * b^2 - 4I / (8a^2 - 2b^2) / (-2Ia + (-2a + b)(2a - b))^{1/2} * \operatorname{polylog}(2, b \exp(2Ix) / (-2Ia + (-2a + b)(2a - b))^{1/2}) * a^2 + I / (8a^2 - 2b^2) / (-2Ia + (-2a + b)(2a - b))^{1/2} * \operatorname{polylog}(2, b \exp(2Ix) / (-2Ia + (-2a + b)(2a - b))^{1/2}) * b^2 \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{b \cos(x) \sin(x) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b\*cos(x)\*sin(x)),x, algorithm="maxima")



[Out] integrate(x/(b\*cos(x)\*sin(x) + a), x)

---

**Fricas [B]** time = 4.88477, size = 3969, normalized size = 17.64

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b\*cos(x)\*sin(x)),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & -1/4*(2*b*x*\sqrt{-(4*a^2 - b^2)/b^2}*\log(1/2*((4*I*a*\cos(x) + 4*a*\sin(x) - \\ & 2*(b*\cos(x) - I*b*\sin(x))*\sqrt{-(4*a^2 - b^2)/b^2})*\sqrt{(b*\sqrt{-(4*a^2 - \\ & b^2)/b^2} + 2*I*a)/b} + 2*b)/b) + 2*b*x*\sqrt{-(4*a^2 - b^2)/b^2}*\log(1/2*(( \\ & -4*I*a*\cos(x) - 4*a*\sin(x) + 2*(b*\cos(x) - I*b*\sin(x))*\sqrt{-(4*a^2 - b^2)/ \\ & b^2})*\sqrt{(b*\sqrt{-(4*a^2 - b^2)/b^2} + 2*I*a)/b} + 2*b)/b) - 2*b*x*\sqrt{-( \\ & (4*a^2 - b^2)/b^2}*\log(1/2*((4*I*a*\cos(x) - 4*a*\sin(x) - 2*(b*\cos(x) + I*b* \\ & \sin(x))*\sqrt{-(4*a^2 - b^2)/b^2})*\sqrt{-(b*\sqrt{-(4*a^2 - b^2)/b^2} + 2*I*a \\ & )/b} + 2*b)/b) - 2*b*x*\sqrt{-(4*a^2 - b^2)/b^2}*\log(1/2*((-4*I*a*\cos(x) + 4 \\ & *a*\sin(x) + 2*(b*\cos(x) + I*b*\sin(x))*\sqrt{-(4*a^2 - b^2)/b^2})*\sqrt{-(b*\sqrt{ \\ & -(4*a^2 - b^2)/b^2} + 2*I*a)/b} + 2*b)/b) + 2*b*x*\sqrt{-(4*a^2 - b^2)/b^2} \\ & * \log(1/2*((4*I*a*\cos(x) - 4*a*\sin(x) + 2*(b*\cos(x) + I*b*\sin(x))*\sqrt{-(4 \\ & *a^2 - b^2)/b^2})*\sqrt{(b*\sqrt{-(4*a^2 - b^2)/b^2} - 2*I*a)/b} + 2*b)/b) + \\ & 2*b*x*\sqrt{-(4*a^2 - b^2)/b^2}*\log(1/2*((-4*I*a*\cos(x) + 4*a*\sin(x) - 2*(b* \\ & \cos(x) + I*b*\sin(x))*\sqrt{-(4*a^2 - b^2)/b^2})*\sqrt{(b*\sqrt{-(4*a^2 - b^2)/ \\ & b^2} - 2*I*a)/b} + 2*b)/b) - 2*b*x*\sqrt{-(4*a^2 - b^2)/b^2}*\log(1/2*((4*I*a \\ & *\cos(x) + 4*a*\sin(x) + 2*(b*\cos(x) - I*b*\sin(x))*\sqrt{-(4*a^2 - b^2)/b^2})* \\ & \sqrt{-(b*\sqrt{-(4*a^2 - b^2)/b^2} - 2*I*a)/b} + 2*b)/b) - 2*b*x*\sqrt{-(4*a^2 \\ & - b^2)/b^2}*\log(1/2*((-4*I*a*\cos(x) - 4*a*\sin(x) - 2*(b*\cos(x) - I*b*\sin( \\ & x))*\sqrt{-(4*a^2 - b^2)/b^2})*\sqrt{-(b*\sqrt{-(4*a^2 - b^2)/b^2} - 2*I*a)/b} \\ & + 2*b)/b) + 2*I*b*\sqrt{-(4*a^2 - b^2)/b^2}*dilog(-1/2*((4*I*a*\cos(x) + 4*a \\ & *\sin(x) - 2*(b*\cos(x) - I*b*\sin(x))*\sqrt{-(4*a^2 - b^2)/b^2})*\sqrt{(b*\sqrt{ \\ & -(4*a^2 - b^2)/b^2} + 2*I*a)/b} + 2*b)/b + 1) + 2*I*b*\sqrt{-(4*a^2 - b^2)/b \\ & ^2}*dilog(-1/2*((-4*I*a*\cos(x) - 4*a*\sin(x) + 2*(b*\cos(x) - I*b*\sin(x))*\sqrt{ \\ & -(4*a^2 - b^2)/b^2})*\sqrt{(b*\sqrt{-(4*a^2 - b^2)/b^2} + 2*I*a)/b} + 2*b)/ \\ & b + 1) + 2*I*b*\sqrt{-(4*a^2 - b^2)/b^2}*dilog(-1/2*((4*I*a*\cos(x) - 4*a*\sin \\ & (x) - 2*(b*\cos(x) + I*b*\sin(x))*\sqrt{-(4*a^2 - b^2)/b^2})*\sqrt{-(b*\sqrt{-(4 \\ & *a^2 - b^2)/b^2} + 2*I*a)/b} + 2*b)/b + 1) + 2*I*b*\sqrt{-(4*a^2 - b^2)/b^2} \\ & *dilog(-1/2*((-4*I*a*\cos(x) + 4*a*\sin(x) + 2*(b*\cos(x) + I*b*\sin(x))*\sqrt{-( \\ & (4*a^2 - b^2)/b^2})*\sqrt{-(b*\sqrt{-(4*a^2 - b^2)/b^2} + 2*I*a)/b} + 2*b)/b \\ & + 1) - 2*I*b*\sqrt{-(4*a^2 - b^2)/b^2}*dilog(-1/2*((4*I*a*\cos(x) - 4*a*\sin(x) \\ & ) + 2*(b*\cos(x) + I*b*\sin(x))*\sqrt{-(4*a^2 - b^2)/b^2})*\sqrt{(b*\sqrt{-(4*a^2 \\ & - b^2)/b^2} - 2*I*a)/b} + 2*b)/b + 1) - 2*I*b*\sqrt{-(4*a^2 - b^2)/b^2}*di \\ & log(-1/2*((-4*I*a*\cos(x) + 4*a*\sin(x) - 2*(b*\cos(x) + I*b*\sin(x))*\sqrt{-(4* \\ & a^2 - b^2)/b^2})*\sqrt{(b*\sqrt{-(4*a^2 - b^2)/b^2} - 2*I*a)/b} + 2*b)/b + 1) \\ & - 2*I*b*\sqrt{-(4*a^2 - b^2)/b^2}*dilog(-1/2*((4*I*a*\cos(x) + 4*a*\sin(x) + \\ & 2*(b*\cos(x) - I*b*\sin(x))*\sqrt{-(4*a^2 - b^2)/b^2})*\sqrt{-(b*\sqrt{-(4*a^2 - \\ & b^2)/b^2} - 2*I*a)/b} + 2*b)/b + 1) - 2*I*b*\sqrt{-(4*a^2 - b^2)/b^2}*dilog \\ & (-1/2*((-4*I*a*\cos(x) - 4*a*\sin(x) - 2*(b*\cos(x) - I*b*\sin(x))*\sqrt{-(4*a^2 \\ & - b^2)/b^2})*\sqrt{-(b*\sqrt{-(4*a^2 - b^2)/b^2} - 2*I*a)/b} + 2*b)/b + 1))/ \\ & (4*a^2 - b^2) \end{aligned}$$

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{a + b \sin(x) \cos(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/(a+b*cos(x)*sin(x)),x)
```

```
[Out] Integral(x/(a + b*sin(x)*cos(x)), x)
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{b \cos(x) \sin(x) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/(a+b*cos(x)*sin(x)),x, algorithm="giac")
```

```
[Out] integrate(x/(b*cos(x)*sin(x) + a), x)
```

$$3.582 \quad \int \frac{1}{x(a+b \cos(x) \sin(x))} dx$$

**Optimal.** Leaf size=19

$$\text{Unintegrable} \left( \frac{1}{x \left( a + \frac{1}{2} b \sin(2x) \right)}, x \right)$$

[Out] Unintegrable[1/(x\*(a + (b\*Sin[2\*x])/2)), x]

**Rubi [A]** time = 0.0853994, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{x(a+b \cos(x) \sin(x))} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x\*(a + b\*Cos[x]\*Sin[x])), x]

[Out] Defer[Int][1/(x\*(a + (b\*Sin[2\*x])/2)), x]

Rubi steps

$$\int \frac{1}{x(a+b \cos(x) \sin(x))} dx = \int \frac{1}{x \left( a + \frac{1}{2} b \sin(2x) \right)} dx$$

**Mathematica [A]** time = 1.62831, size = 0, normalized size = 0.

$$\int \frac{1}{x(a+b \cos(x) \sin(x))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x\*(a + b\*Cos[x]\*Sin[x])), x]

[Out] Integrate[1/(x\*(a + b\*Cos[x]\*Sin[x])), x]

**Maple [A]** time = 0.107, size = 0, normalized size = 0.

$$\int \frac{1}{x(a+b \cos(x) \sin(x))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(a+b\*cos(x)\*sin(x)), x)

[Out] int(1/x/(a+b\*cos(x)\*sin(x)), x)

---

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \cos(x) \sin(x) + a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b\*cos(x)\*sin(x)),x, algorithm="maxima")

[Out] integrate(1/((b\*cos(x)\*sin(x) + a)\*x), x)

---

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{bx \cos(x) \sin(x) + ax}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b\*cos(x)\*sin(x)),x, algorithm="fricas")

[Out] integral(1/(b\*x\*cos(x)\*sin(x) + a\*x), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{x(a + b \sin(x) \cos(x))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b\*cos(x)\*sin(x)),x)

[Out] Integral(1/(x\*(a + b\*sin(x)\*cos(x))), x)

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \cos(x) \sin(x) + a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b\*cos(x)\*sin(x)),x, algorithm="giac")

[Out] integrate(1/((b\*cos(x)\*sin(x) + a)\*x), x)

$$3.583 \quad \int \frac{(bx)^{2-n} \sin^n(ax)}{(acx \cos(ax) - c \sin(ax))^2} dx$$

**Optimal.** Leaf size=78

$$\frac{b^2(1-n)\text{Unintegrable}\left(\frac{(bx)^{-n} \sin^{n-2}(ax), x}{a^2 c^2}\right) + \frac{b(bx)^{1-n} \sin^{n-1}(ax)}{a^2 (ac^2 x \cos(ax) - c^2 \sin(ax))}}{a^2 c^2}$$

[Out] (b\*(b\*x)^(1 - n)\*Sin[a\*x]^(-1 + n))/(a^2\*(a\*c^2\*x\*Cos[a\*x] - c^2\*Sin[a\*x])) + (b^2\*(1 - n)\*Unintegrable[Sin[a\*x]^(-2 + n)/(b\*x)^n, x])/(a^2\*c^2)

**Rubi [A]** time = 0.155194, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{(bx)^{2-n} \sin^n(ax)}{(acx \cos(ax) - c \sin(ax))^2} dx$$

Verification is Not applicable to the result.

[In] Int[((b\*x)^(2 - n)\*Sin[a\*x]^n)/(a\*c\*x\*Cos[a\*x] - c\*Sin[a\*x])^2, x]

[Out] (b\*(b\*x)^(1 - n)\*Sin[a\*x]^(-1 + n))/(a^2\*(a\*c^2\*x\*Cos[a\*x] - c^2\*Sin[a\*x])) + (b^2\*(1 - n)\*Defer[Int][Sin[a\*x]^(-2 + n)/(b\*x)^n, x])/(a^2\*c^2)

Rubi steps

$$\int \frac{(bx)^{2-n} \sin^n(ax)}{(acx \cos(ax) - c \sin(ax))^2} dx = \frac{b(bx)^{1-n} \sin^{-1+n}(ax)}{a^2 (ac^2 x \cos(ax) - c^2 \sin(ax))} + \frac{(b^2(1-n)) \int (bx)^{-n} \sin^{-2+n}(ax) dx}{a^2 c^2}$$

**Mathematica [A]** time = 5.51458, size = 0, normalized size = 0.

$$\int \frac{(bx)^{2-n} \sin^n(ax)}{(acx \cos(ax) - c \sin(ax))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[((b\*x)^(2 - n)\*Sin[a\*x]^n)/(a\*c\*x\*Cos[a\*x] - c\*Sin[a\*x])^2, x]

[Out] Integrate[((b\*x)^(2 - n)\*Sin[a\*x]^n)/(a\*c\*x\*Cos[a\*x] - c\*Sin[a\*x])^2, x]

**Maple [A]** time = 0.951, size = 0, normalized size = 0.

$$\int \frac{(bx)^{2-n} (\sin(ax))^n}{(acx \cos(ax) - c \sin(ax))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*x)^(2-n)\*sin(a\*x)^n/(a\*c\*x\*cos(a\*x)-c\*sin(a\*x))^2, x)

[Out] `int((b*x)^(2-n)*sin(a*x)^n/(a*c*x*cos(a*x)-c*sin(a*x))^2,x)`

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(bx)^{-n+2} \sin(ax)^n}{(acx \cos(ax) - c \sin(ax))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^(2-n)*sin(a*x)^n/(a*c*x*cos(a*x)-c*sin(a*x))^2,x, algorithm="maxima")`

[Out] `integrate((b*x)^(-n + 2)*sin(a*x)^n/(a*c*x*cos(a*x) - c*sin(a*x))^2, x)`

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(bx)^{-n+2} \sin(ax)^n}{2ac^2x \cos(ax) \sin(ax) - (a^2c^2x^2 - c^2) \cos(ax)^2 - c^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^(2-n)*sin(a*x)^n/(a*c*x*cos(a*x)-c*sin(a*x))^2,x, algorithm="fricas")`

[Out] `integral(-(b*x)^(-n + 2)*sin(a*x)^n/(2*a*c^2*x*cos(a*x)*sin(a*x) - (a^2*c^2*x^2 - c^2)*cos(a*x)^2 - c^2), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)**(2-n)*sin(a*x)**n/(a*c*x*cos(a*x)-c*sin(a*x))**2,x)`

[Out] Timed out

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(bx)^{-n+2} \sin(ax)^n}{(acx \cos(ax) - c \sin(ax))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^(2-n)*sin(a*x)^n/(a*c*x*cos(a*x)-c*sin(a*x))^2,x, algorithm="giac")`

[Out] `integrate((b*x)^(-n + 2)*sin(a*x)^n/(a*c*x*cos(a*x) - c*sin(a*x))^2, x)`

$$3.584 \quad \int \frac{(bx)^{2-n} \cos^n(ax)}{(c \cos(ax) + acx \sin(ax))^2} dx$$

**Optimal.** Leaf size=78

$$\frac{b^2(1-n)\text{Unintegrable}\left(\frac{(bx)^{-n} \cos^{n-2}(ax), x}{a^2 c^2}\right)}{a^2} - \frac{b(bx)^{1-n} \cos^{n-1}(ax)}{a^2 (ac^2 x \sin(ax) + c^2 \cos(ax))}$$

[Out] -((b\*(b\*x)^(1 - n)\*Cos[a\*x]^(-1 + n))/(a^2\*(c^2\*Cos[a\*x] + a\*c^2\*x\*Sin[a\*x])) + (b^2\*(1 - n)\*Unintegrable[Cos[a\*x]^(-2 + n)/(b\*x)^n, x])/(a^2\*c^2))

**Rubi [A]** time = 0.146015, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{(bx)^{2-n} \cos^n(ax)}{(c \cos(ax) + acx \sin(ax))^2} dx$$

Verification is Not applicable to the result.

[In] Int[((b\*x)^(2 - n)\*Cos[a\*x]^n)/(c\*Cos[a\*x] + a\*c\*x\*Sin[a\*x])^2, x]

[Out] -((b\*(b\*x)^(1 - n)\*Cos[a\*x]^(-1 + n))/(a^2\*(c^2\*Cos[a\*x] + a\*c^2\*x\*Sin[a\*x]))) + (b^2\*(1 - n)\*Defer[Int][Cos[a\*x]^(-2 + n)/(b\*x)^n, x])/(a^2\*c^2)

Rubi steps

$$\int \frac{(bx)^{2-n} \cos^n(ax)}{(c \cos(ax) + acx \sin(ax))^2} dx = -\frac{b(bx)^{1-n} \cos^{-1+n}(ax)}{a^2 (c^2 \cos(ax) + ac^2 x \sin(ax))} + \frac{(b^2(1-n)) \int (bx)^{-n} \cos^{-2+n}(ax) dx}{a^2 c^2}$$

**Mathematica [A]** time = 4.91937, size = 0, normalized size = 0.

$$\int \frac{(bx)^{2-n} \cos^n(ax)}{(c \cos(ax) + acx \sin(ax))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[((b\*x)^(2 - n)\*Cos[a\*x]^n)/(c\*Cos[a\*x] + a\*c\*x\*Sin[a\*x])^2, x]

[Out] Integrate[((b\*x)^(2 - n)\*Cos[a\*x]^n)/(c\*Cos[a\*x] + a\*c\*x\*Sin[a\*x])^2, x]

**Maple [A]** time = 0.837, size = 0, normalized size = 0.

$$\int \frac{(bx)^{2-n} (\cos(ax))^n}{(c \cos(ax) + acx \sin(ax))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*x)^(2-n)\*cos(a\*x)^n/(c\*cos(a\*x)+a\*c\*x\*sin(a\*x))^2, x)

[Out] `int((b*x)^(2-n)*cos(a*x)^n/(c*cos(a*x)+a*c*x*sin(a*x))^2,x)`

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(bx)^{-n+2} \cos(ax)^n}{(acx \sin(ax) + c \cos(ax))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^(2-n)*cos(a*x)^n/(c*cos(a*x)+a*c*x*sin(a*x))^2,x, algorithm="maxima")`

[Out] `integrate((b*x)^(-n + 2)*cos(a*x)^n/(a*c*x*sin(a*x) + c*cos(a*x))^2, x)`

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(bx)^{-n+2} \cos(ax)^n}{a^2c^2x^2 + 2ac^2x \cos(ax) \sin(ax) - (a^2c^2x^2 - c^2) \cos(ax)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^(2-n)*cos(a*x)^n/(c*cos(a*x)+a*c*x*sin(a*x))^2,x, algorithm="fricas")`

[Out] `integral((b*x)^(-n + 2)*cos(a*x)^n/(a^2*c^2*x^2 + 2*a*c^2*x*cos(a*x)*sin(a*x) - (a^2*c^2*x^2 - c^2)*cos(a*x)^2), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)**(2-n)*cos(a*x)**n/(c*cos(a*x)+a*c*x*sin(a*x))**2,x)`

[Out] Timed out

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(bx)^{-n+2} \cos(ax)^n}{(acx \sin(ax) + c \cos(ax))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^(2-n)*cos(a*x)^n/(c*cos(a*x)+a*c*x*sin(a*x))^2,x, algorithm="giac")`

[Out] `integrate((b*x)^(-n + 2)*cos(a*x)^n/(a*c*x*sin(a*x) + c*cos(a*x))^2, x)`



$$3.585 \quad \int \frac{\sin^6(ax)}{x^4(ax \cos(ax) - \sin(ax))^2} dx$$

**Optimal.** Leaf size=175

$$-\frac{2}{3}a^3\text{Si}(2ax) + \frac{16}{3}a^3\text{Si}(4ax) + \frac{\sin^4(ax)}{a^2x^5} + \frac{\sin^5(ax)}{a^2x^5(ax \cos(ax) - \sin(ax))} + \frac{a^2}{x} + \frac{32a^2 \sin^4(ax)}{3x} - \frac{10a^2 \sin^2(ax)}{x} - \frac{4 \sin^4(ax)}{3x^2}$$

[Out] a^2/x + (a\*cos[a\*x]\*sin[a\*x])/x^2 + sin[a\*x]^2/x^3 - (10\*a^2\*sin[a\*x]^2)/x + (cos[a\*x]\*sin[a\*x]^3)/(a\*x^4) - (8\*a\*cos[a\*x]\*sin[a\*x]^3)/(3\*x^2) + sin[a\*x]^4/(a^2\*x^5) - (4\*sin[a\*x]^4)/(3\*x^3) + (32\*a^2\*sin[a\*x]^4)/(3\*x) + sin[a\*x]^5/(a^2\*x^5\*(a\*x\*cos[a\*x] - sin[a\*x])) - (2\*a^3\*sinIntegral[2\*a\*x])/3 + (16\*a^3\*sinIntegral[4\*a\*x])/3

**Rubi [A]** time = 0.296565, antiderivative size = 175, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 6, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$ , Rules used = {4598, 3314, 30, 3313, 12, 3299}

$$-\frac{2}{3}a^3\text{Si}(2ax) + \frac{16}{3}a^3\text{Si}(4ax) + \frac{\sin^4(ax)}{a^2x^5} + \frac{\sin^5(ax)}{a^2x^5(ax \cos(ax) - \sin(ax))} + \frac{a^2}{x} + \frac{32a^2 \sin^4(ax)}{3x} - \frac{10a^2 \sin^2(ax)}{x} - \frac{4 \sin^4(ax)}{3x^2}$$

Antiderivative was successfully verified.

[In] Int[Sin[a\*x]^6/(x^4\*(a\*x\*cos[a\*x] - sin[a\*x])^2), x]

[Out] a^2/x + (a\*cos[a\*x]\*sin[a\*x])/x^2 + sin[a\*x]^2/x^3 - (10\*a^2\*sin[a\*x]^2)/x + (cos[a\*x]\*sin[a\*x]^3)/(a\*x^4) - (8\*a\*cos[a\*x]\*sin[a\*x]^3)/(3\*x^2) + sin[a\*x]^4/(a^2\*x^5) - (4\*sin[a\*x]^4)/(3\*x^3) + (32\*a^2\*sin[a\*x]^4)/(3\*x) + sin[a\*x]^5/(a^2\*x^5\*(a\*x\*cos[a\*x] - sin[a\*x])) - (2\*a^3\*sinIntegral[2\*a\*x])/3 + (16\*a^3\*sinIntegral[4\*a\*x])/3

#### Rule 4598

Int[(((b\_.)\*(x\_.))^(m\_)\*Sin[(a\_.)\*(x\_.)]^(n\_))/(Cos[(a\_.)\*(x\_.)]\*(d\_.)\*(x\_.) + (c\_.)\*Sin[(a\_.)\*(x\_.)]^2, x\_Symbol] :> Simp[(b\*(b\*x)^(m-1)\*Sin[a\*x]^(n-1))/(a\*d\*(c\*sin[a\*x] + d\*x\*cos[a\*x])), x] - Dist[(b^2\*(n-1))/d^2, Int[(b\*x)^(m-2)\*Sin[a\*x]^(n-2), x], x] /; FreeQ[{a, b, c, d, m, n}, x] && EqQ[a\*c + d, 0] && EqQ[m, 2 - n]

#### Rule 3314

Int[((c\_.) + (d\_.)\*(x\_.))^(m\_)\*((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_), x\_Symbol] :> Simp[(c + d\*x)^(m+1)\*(b\*sin[e + f\*x])^n/(d\*(m+1)), x] + (Dist[(b^2\*f^2\*n\*(n-1))/(d^2\*(m+1)\*(m+2)), Int[(c + d\*x)^(m+2)\*(b\*sin[e + f\*x])^(n-2), x], x] - Dist[(f^2\*n^2)/(d^2\*(m+1)\*(m+2)), Int[(c + d\*x)^(m+2)\*(b\*sin[e + f\*x])^n, x], x] - Simp[(b\*f\*n\*(c + d\*x)^(m+2)\*Cos[e + f\*x]\*(b\*sin[e + f\*x])^(n-1))/(d^2\*(m+1)\*(m+2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && LtQ[m, -2]

#### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] :> Simp[x^(m+1)/(m+1), x] /; FreeQ[m, x] && NeQ[m, -1]

#### Rule 3313

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Si
mp[((c + d*x)^(m + 1)*Sin[e + f*x]^n)/(d*(m + 1)), x] - Dist[(f*n)/(d*(m +
1)), Int[ExpandTrigReduce[(c + d*x)^(m + 1), Cos[e + f*x]*Sin[e + f*x]^(n -
1), x], x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && GeQ[m, -2] &&
LtQ[m, -1]
```

**Rule 12**

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

**Rule 3299**

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

**Rubi steps**

$$\begin{aligned} \int \frac{\sin^6(ax)}{x^4(ax \cos(ax) - \sin(ax))^2} dx &= \frac{\sin^5(ax)}{a^2 x^5(ax \cos(ax) - \sin(ax))} - \frac{5 \int \frac{\sin^4(ax)}{x^6} dx}{a^2} \\ &= \frac{\cos(ax) \sin^3(ax)}{ax^4} + \frac{\sin^4(ax)}{a^2 x^5} + \frac{\sin^5(ax)}{a^2 x^5(ax \cos(ax) - \sin(ax))} - 3 \int \frac{\sin^2(ax)}{x^4} dx + 4 \int \frac{\sin^3(ax)}{x^5} dx \\ &= \frac{a \cos(ax) \sin(ax)}{x^2} + \frac{\sin^2(ax)}{x^3} + \frac{\cos(ax) \sin^3(ax)}{ax^4} - \frac{8a \cos(ax) \sin^3(ax)}{3x^2} + \frac{\sin^4(ax)}{a^2 x^5} - \frac{4 \sin^5(ax)}{5a^2 x^6} \\ &= \frac{a^2}{x} + \frac{a \cos(ax) \sin(ax)}{x^2} + \frac{\sin^2(ax)}{x^3} - \frac{10a^2 \sin^2(ax)}{x} + \frac{\cos(ax) \sin^3(ax)}{ax^4} - \frac{8a \cos(ax) \sin^3(ax)}{3x^2} \\ &= \frac{a^2}{x} + \frac{a \cos(ax) \sin(ax)}{x^2} + \frac{\sin^2(ax)}{x^3} - \frac{10a^2 \sin^2(ax)}{x} + \frac{\cos(ax) \sin^3(ax)}{ax^4} - \frac{8a \cos(ax) \sin^3(ax)}{3x^2} \\ &= \frac{a^2}{x} + \frac{a \cos(ax) \sin(ax)}{x^2} + \frac{\sin^2(ax)}{x^3} - \frac{10a^2 \sin^2(ax)}{x} + \frac{\cos(ax) \sin^3(ax)}{ax^4} - \frac{8a \cos(ax) \sin^3(ax)}{3x^2} \end{aligned}$$

**Mathematica [A]** time = 1.47984, size = 198, normalized size = 1.13

$$\frac{-32a^3 x^3 \text{Si}(2ax)(ax \cos(ax) - \sin(ax)) + 256a^3 x^3 \text{Si}(4ax)(ax \cos(ax) - \sin(ax)) - 12a^2 x^2 \sin(ax) + 44a^2 x^2 \sin(3ax) - 24a^2 x^2 \sin(5ax)}{(ax \cos(ax) - \sin(ax))^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sin[a*x]^6/(x^4*(a*x*Cos[a*x] - Sin[a*x])^2), x]
```

```
[Out] (8*a*x*Cos[a*x] - 8*a^3*x^3*Cos[a*x] - 12*a*x*Cos[3*a*x] + 24*a^3*x^3*Cos[3
*a*x] + 4*a*x*Cos[5*a*x] + 32*a^3*x^3*Cos[5*a*x] + 10*Sin[a*x] - 12*a^2*x^2
*Sin[a*x] - 5*Sin[3*a*x] + 44*a^2*x^2*Sin[3*a*x] + Sin[5*a*x] - 24*a^2*x^2*
Sin[5*a*x] - 32*a^3*x^3*(a*x*Cos[a*x] - Sin[a*x])*SinIntegral[2*a*x] + 256*
a^3*x^3*(a*x*Cos[a*x] - Sin[a*x])*SinIntegral[4*a*x])/(48*x^3*(a*x*Cos[a*x]
- Sin[a*x]))
```

**Maple [F]** time = 180., size = 0, normalized size = 0.

$$\int \frac{(\sin(ax))^6}{x^4(ax \cos(ax) - \sin(ax))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(a*x)^6/x^4/(a*x*cos(a*x)-sin(a*x))^2,x)
```

```
[Out] int(sin(a*x)^6/x^4/(a*x*cos(a*x)-sin(a*x))^2,x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a*x)^6/x^4/(a*x*cos(a*x)-sin(a*x))^2,x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

**Fricas [A]** time = 2.73354, size = 478, normalized size = 2.73

$$\frac{4(8a^3x^3 + ax)\cos(ax)^5 - 2(17a^3x^3 + 4ax)\cos(ax)^3 + (16a^4x^4\text{Si}(4ax) - 2a^4x^4\text{Si}(2ax) + 5a^3x^3 + 4ax)\cos(ax)}{3(ax^4\cos(ax) - x^3\sin(ax))}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a*x)^6/x^4/(a*x*cos(a*x)-sin(a*x))^2,x, algorithm="fricas")
```

```
[Out] 1/3*(4*(8*a^3*x^3 + a*x)*cos(a*x)^5 - 2*(17*a^3*x^3 + 4*a*x)*cos(a*x)^3 + (
16*a^4*x^4*sin_integral(4*a*x) - 2*a^4*x^4*sin_integral(2*a*x) + 5*a^3*x^3
+ 4*a*x)*cos(a*x) - (16*a^3*x^3*sin_integral(4*a*x) - 2*a^3*x^3*sin_integra
l(2*a*x) + (24*a^2*x^2 - 1)*cos(a*x)^4 + 5*a^2*x^2 - (29*a^2*x^2 - 2)*cos(a
*x)^2 - 1)*sin(a*x))/(a*x^4*cos(a*x) - x^3*sin(a*x))
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a*x)**6/x**4/(a*x*cos(a*x)-sin(a*x))**2,x)
```

```
[Out] Timed out
```

**Giac [C]** time = 2.58733, size = 9918, normalized size = 56.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a*x)^6/x^4/(a*x*cos(a*x)-sin(a*x))^2,x, algorithm="giac")
```





```

*tan(2*a*x)^2*tan(1/2*a*x) + 16*a^5*x^5*imag_part(cos_integral(-2*a*x))*tan
(2*a*x)^2*tan(1/2*a*x) - 128*a^5*x^5*imag_part(cos_integral(-4*a*x))*tan(2*
a*x)^2*tan(1/2*a*x) + 256*a^5*x^5*sin_integral(4*a*x)*tan(2*a*x)^2*tan(1/2*
a*x) - 32*a^5*x^5*sin_integral(2*a*x)*tan(2*a*x)^2*tan(1/2*a*x) - 8*a^5*x^5
*tan(2*a*x)^2*tan(a*x)*tan(1/2*a*x) + 128*a^5*x^5*imag_part(cos_integral(4*
a*x))*tan(a*x)^2*tan(1/2*a*x) - 16*a^5*x^5*imag_part(cos_integral(2*a*x))*t
an(a*x)^2*tan(1/2*a*x) + 16*a^5*x^5*imag_part(cos_integral(-2*a*x))*tan(a*x
)^2*tan(1/2*a*x) - 128*a^5*x^5*imag_part(cos_integral(-4*a*x))*tan(a*x)^2*t
an(1/2*a*x) + 256*a^5*x^5*sin_integral(4*a*x)*tan(a*x)^2*tan(1/2*a*x) - 32*
a^5*x^5*sin_integral(2*a*x)*tan(a*x)^2*tan(1/2*a*x) + 16*a^5*x^5*tan(2*a*x)
*tan(a*x)^2*tan(1/2*a*x) - 36*a^5*x^5*tan(2*a*x)^2*tan(1/2*a*x)^2 + 36*a^5*
x^5*tan(a*x)^2*tan(1/2*a*x)^2 - 64*a^6*x^6*imag_part(cos_integral(4*a*x)) +
8*a^6*x^6*imag_part(cos_integral(2*a*x)) - 8*a^6*x^6*imag_part(cos_integra
l(-2*a*x)) + 64*a^6*x^6*imag_part(cos_integral(-4*a*x)) - 128*a^6*x^6*sin_i
ntegral(4*a*x) + 16*a^6*x^6*sin_integral(2*a*x) - 8*a^6*x^6*tan(2*a*x) + 4*
a^6*x^6*tan(a*x) - 32*a^4*x^4*imag_part(cos_integral(4*a*x))*tan(2*a*x)^2*t
an(a*x)^2 + 4*a^4*x^4*imag_part(cos_integral(2*a*x))*tan(2*a*x)^2*tan(a*x)^
2 - 4*a^4*x^4*imag_part(cos_integral(-2*a*x))*tan(2*a*x)^2*tan(a*x)^2 + 32*
a^4*x^4*imag_part(cos_integral(-4*a*x))*tan(2*a*x)^2*tan(a*x)^2 - 64*a^4*x^
4*sin_integral(4*a*x)*tan(2*a*x)^2*tan(a*x)^2 + 8*a^4*x^4*sin_integral(2*a*
x)*tan(2*a*x)^2*tan(a*x)^2 + 24*a^6*x^6*tan(1/2*a*x) - 48*a^4*x^4*tan(2*a*x
)^2*tan(a*x)^2*tan(1/2*a*x) + 32*a^4*x^4*imag_part(cos_integral(4*a*x))*tan
(2*a*x)^2*tan(1/2*a*x)^2 - 4*a^4*x^4*imag_part(cos_integral(2*a*x))*tan(2*a
*x)^2*tan(1/2*a*x)^2 + 4*a^4*x^4*imag_part(cos_integral(-2*a*x))*tan(2*a*x)
^2*tan(1/2*a*x)^2 - 32*a^4*x^4*imag_part(cos_integral(-4*a*x))*tan(2*a*x)^2
*tan(1/2*a*x)^2 + 64*a^4*x^4*sin_integral(4*a*x)*tan(2*a*x)^2*tan(1/2*a*x)^
2 - 8*a^4*x^4*sin_integral(2*a*x)*tan(2*a*x)^2*tan(1/2*a*x)^2 - 2*a^4*x^4*t
an(2*a*x)^2*tan(a*x)*tan(1/2*a*x)^2 + 32*a^4*x^4*imag_part(cos_integral(4*a
*x))*tan(a*x)^2*tan(1/2*a*x)^2 - 4*a^4*x^4*imag_part(cos_integral(2*a*x))*t
an(a*x)^2*tan(1/2*a*x)^2 + 4*a^4*x^4*imag_part(cos_integral(-2*a*x))*tan(a*
x)^2*tan(1/2*a*x)^2 - 32*a^4*x^4*imag_part(cos_integral(-4*a*x))*tan(a*x)^2
*tan(1/2*a*x)^2 + 64*a^4*x^4*sin_integral(4*a*x)*tan(a*x)^2*tan(1/2*a*x)^2
- 8*a^4*x^4*sin_integral(2*a*x)*tan(a*x)^2*tan(1/2*a*x)^2 + 13*a^4*x^4*tan(
2*a*x)*tan(a*x)^2*tan(1/2*a*x)^2 + 36*a^5*x^5*tan(2*a*x)^2 - 36*a^5*x^5*tan
(a*x)^2 + 128*a^5*x^5*imag_part(cos_integral(4*a*x))*tan(1/2*a*x) - 16*a^5*
x^5*imag_part(cos_integral(2*a*x))*tan(1/2*a*x) + 16*a^5*x^5*imag_part(cos_
integral(-2*a*x))*tan(1/2*a*x) - 128*a^5*x^5*imag_part(cos_integral(-4*a*x)
)*tan(1/2*a*x) + 256*a^5*x^5*sin_integral(4*a*x)*tan(1/2*a*x) - 32*a^5*x^5*
sin_integral(2*a*x)*tan(1/2*a*x) + 16*a^5*x^5*tan(2*a*x)*tan(1/2*a*x) - 8*a
^5*x^5*tan(a*x)*tan(1/2*a*x) + 64*a^3*x^3*imag_part(cos_integral(4*a*x))*ta
n(2*a*x)^2*tan(a*x)^2*tan(1/2*a*x) - 8*a^3*x^3*imag_part(cos_integral(2*a*x
))*tan(2*a*x)^2*tan(a*x)^2*tan(1/2*a*x) + 8*a^3*x^3*imag_part(cos_integral(
-2*a*x))*tan(2*a*x)^2*tan(a*x)^2*tan(1/2*a*x) - 64*a^3*x^3*imag_part(cos_in
tegral(-4*a*x))*tan(2*a*x)^2*tan(a*x)^2*tan(1/2*a*x) + 128*a^3*x^3*sin_inte
gral(4*a*x)*tan(2*a*x)^2*tan(a*x)^2*tan(1/2*a*x) - 16*a^3*x^3*sin_integral(
2*a*x)*tan(2*a*x)^2*tan(a*x)^2*tan(1/2*a*x) + 24*a^5*x^5*tan(1/2*a*x)^2 - 3
*a^3*x^3*tan(2*a*x)^2*tan(a*x)^2*tan(1/2*a*x)^2 - 32*a^4*x^4*imag_part(cos_
integral(4*a*x))*tan(2*a*x)^2 + 4*a^4*x^4*imag_part(cos_integral(2*a*x))*ta
n(2*a*x)^2 - 4*a^4*x^4*imag_part(cos_integral(-2*a*x))*tan(2*a*x)^2 + 32*a^
4*x^4*imag_part(cos_integral(-4*a*x))*tan(2*a*x)^2 - 64*a^4*x^4*sin_integra
l(4*a*x)*tan(2*a*x)^2 + 8*a^4*x^4*sin_integral(2*a*x)*tan(2*a*x)^2 + 2*a^4*
x^4*tan(2*a*x)^2*tan(a*x) - 32*a^4*x^4*imag_part(cos_integral(4*a*x))*tan(a
*x)^2 + 4*a^4*x^4*imag_part(cos_integral(2*a*x))*tan(a*x)^2 - 4*a^4*x^4*ima
g_part(cos_integral(-2*a*x))*tan(a*x)^2 + 32*a^4*x^4*imag_part(cos_integral
(-4*a*x))*tan(a*x)^2 - 64*a^4*x^4*sin_integral(4*a*x)*tan(a*x)^2 + 8*a^4*x^
4*sin_integral(2*a*x)*tan(a*x)^2 - 13*a^4*x^4*tan(2*a*x)*tan(a*x)^2 - 72*a^
4*x^4*tan(2*a*x)^2*tan(1/2*a*x) + 72*a^4*x^4*tan(a*x)^2*tan(1/2*a*x) + 32*a
^4*x^4*imag_part(cos_integral(4*a*x))*tan(1/2*a*x)^2 - 4*a^4*x^4*imag_part(
cos_integral(2*a*x))*tan(1/2*a*x)^2 + 4*a^4*x^4*imag_part(cos_integral(-2*a

```

$$\begin{aligned}
& *x) * \tan(1/2 * a * x)^2 - 32 * a^4 * x^4 * \operatorname{imag\_part}(\cos\_integral(-4 * a * x)) * \tan(1/2 * a * x) \\
& x)^2 + 64 * a^4 * x^4 * \sin\_integral(4 * a * x) * \tan(1/2 * a * x)^2 - 8 * a^4 * x^4 * \sin\_integr \\
& al(2 * a * x) * \tan(1/2 * a * x)^2 + 13 * a^4 * x^4 * \tan(2 * a * x) * \tan(1/2 * a * x)^2 - 2 * a^4 * x^4 \\
& * \tan(a * x) * \tan(1/2 * a * x)^2 - 24 * a^5 * x^5 + 3 * a^3 * x^3 * \tan(2 * a * x)^2 * \tan(a * x)^2 + \\
& 64 * a^3 * x^3 * \operatorname{imag\_part}(\cos\_integral(4 * a * x)) * \tan(2 * a * x)^2 * \tan(1/2 * a * x) - 8 * a^ \\
& 3 * x^3 * \operatorname{imag\_part}(\cos\_integral(2 * a * x)) * \tan(2 * a * x)^2 * \tan(1/2 * a * x) + 8 * a^3 * x^3 * \\
& \operatorname{imag\_part}(\cos\_integral(-2 * a * x)) * \tan(2 * a * x)^2 * \tan(1/2 * a * x) - 64 * a^3 * x^3 * \operatorname{imag} \\
& \_part(\cos\_integral(-4 * a * x)) * \tan(2 * a * x)^2 * \tan(1/2 * a * x) + 128 * a^3 * x^3 * \sin\_int \\
& egral(4 * a * x) * \tan(2 * a * x)^2 * \tan(1/2 * a * x) - 16 * a^3 * x^3 * \sin\_integral(2 * a * x) * \tan \\
& (2 * a * x)^2 * \tan(1/2 * a * x) - 4 * a^3 * x^3 * \tan(2 * a * x)^2 * \tan(a * x) * \tan(1/2 * a * x) + 64 * \\
& a^3 * x^3 * \operatorname{imag\_part}(\cos\_integral(4 * a * x)) * \tan(a * x)^2 * \tan(1/2 * a * x) - 8 * a^3 * x^3 * \\
& \operatorname{imag\_part}(\cos\_integral(2 * a * x)) * \tan(a * x)^2 * \tan(1/2 * a * x) + 8 * a^3 * x^3 * \operatorname{imag\_par} \\
& t(\cos\_integral(-2 * a * x)) * \tan(a * x)^2 * \tan(1/2 * a * x) - 64 * a^3 * x^3 * \operatorname{imag\_part}(\cos\_ \\
& integral(-4 * a * x)) * \tan(a * x)^2 * \tan(1/2 * a * x) + 128 * a^3 * x^3 * \sin\_integral(4 * a * x) \\
& * \tan(a * x)^2 * \tan(1/2 * a * x) - 16 * a^3 * x^3 * \sin\_integral(2 * a * x) * \tan(a * x)^2 * \tan(1/ \\
& 2 * a * x) + 26 * a^3 * x^3 * \tan(2 * a * x) * \tan(a * x)^2 * \tan(1/2 * a * x) - 15 * a^3 * x^3 * \tan(2 * a \\
& * x)^2 * \tan(1/2 * a * x)^2 + 24 * a^3 * x^3 * \tan(a * x)^2 * \tan(1/2 * a * x)^2 - 32 * a^4 * x^4 * \operatorname{im} \\
& ag\_part(\cos\_integral(4 * a * x)) + 4 * a^4 * x^4 * \operatorname{imag\_part}(\cos\_integral(2 * a * x)) - 4 \\
& * a^4 * x^4 * \operatorname{imag\_part}(\cos\_integral(-2 * a * x)) + 32 * a^4 * x^4 * \operatorname{imag\_part}(\cos\_integra \\
& l(-4 * a * x)) - 64 * a^4 * x^4 * \sin\_integral(4 * a * x) + 8 * a^4 * x^4 * \sin\_integral(2 * a * x) \\
& - 13 * a^4 * x^4 * \tan(2 * a * x) + 2 * a^4 * x^4 * \tan(a * x) + 48 * a^4 * x^4 * \tan(1/2 * a * x) - 3 \\
& 0 * a^2 * x^2 * \tan(2 * a * x)^2 * \tan(a * x)^2 * \tan(1/2 * a * x) - 10 * a^2 * x^2 * \tan(2 * a * x)^2 * \tan \\
& (a * x) * \tan(1/2 * a * x)^2 + 5 * a^2 * x^2 * \tan(2 * a * x) * \tan(a * x)^2 * \tan(1/2 * a * x)^2 + 15 \\
& * a^3 * x^3 * \tan(2 * a * x)^2 - 24 * a^3 * x^3 * \tan(a * x)^2 + 64 * a^3 * x^3 * \operatorname{imag\_part}(\cos\_in \\
& tegral(4 * a * x)) * \tan(1/2 * a * x) - 8 * a^3 * x^3 * \operatorname{imag\_part}(\cos\_integral(2 * a * x)) * \tan( \\
& 1/2 * a * x) + 8 * a^3 * x^3 * \operatorname{imag\_part}(\cos\_integral(-2 * a * x)) * \tan(1/2 * a * x) - 64 * a^3 * \\
& x^3 * \operatorname{imag\_part}(\cos\_integral(-4 * a * x)) * \tan(1/2 * a * x) + 128 * a^3 * x^3 * \sin\_integral \\
& (4 * a * x) * \tan(1/2 * a * x) - 16 * a^3 * x^3 * \sin\_integral(2 * a * x) * \tan(1/2 * a * x) + 26 * a^3 \\
& * x^3 * \tan(2 * a * x) * \tan(1/2 * a * x) - 4 * a^3 * x^3 * \tan(a * x) * \tan(1/2 * a * x) + 12 * a^3 * x^3 \\
& * \tan(1/2 * a * x)^2 - 3 * a * x * \tan(2 * a * x)^2 * \tan(a * x)^2 * \tan(1/2 * a * x)^2 + 10 * a^2 * x^2 \\
& * \tan(2 * a * x)^2 * \tan(a * x) - 5 * a^2 * x^2 * \tan(2 * a * x) * \tan(a * x)^2 - 54 * a^2 * x^2 * \tan(2 \\
& * a * x)^2 * \tan(1/2 * a * x) + 24 * a^2 * x^2 * \tan(a * x)^2 * \tan(1/2 * a * x) + 5 * a^2 * x^2 * \tan(2 \\
& * a * x) * \tan(1/2 * a * x)^2 - 10 * a^2 * x^2 * \tan(a * x) * \tan(1/2 * a * x)^2 - 12 * a^3 * x^3 + 3 * \\
& a * x * \tan(2 * a * x)^2 * \tan(a * x)^2 - 20 * a * x * \tan(2 * a * x)^2 * \tan(a * x) * \tan(1/2 * a * x) + 1 \\
& 0 * a * x * \tan(2 * a * x) * \tan(a * x)^2 * \tan(1/2 * a * x) + a * x * \tan(2 * a * x)^2 * \tan(1/2 * a * x)^2 \\
& - 4 * a * x * \tan(a * x)^2 * \tan(1/2 * a * x)^2 - 5 * a^2 * x^2 * \tan(2 * a * x) + 10 * a^2 * x^2 * \tan(a \\
& * x) - 6 * \tan(2 * a * x)^2 * \tan(a * x)^2 * \tan(1/2 * a * x) - a * x * \tan(2 * a * x)^2 + 4 * a * x * \tan \\
& (a * x)^2 + 10 * a * x * \tan(2 * a * x) * \tan(1/2 * a * x) - 20 * a * x * \tan(a * x) * \tan(1/2 * a * x) + 2 \\
& * \tan(2 * a * x)^2 * \tan(1/2 * a * x) - 8 * \tan(a * x)^2 * \tan(1/2 * a * x)) / (a^5 * x^8 * \tan(2 * a * x) \\
& ^2 * \tan(a * x)^2 * \tan(1/2 * a * x)^2 - a^5 * x^8 * \tan(2 * a * x)^2 * \tan(a * x)^2 + a^5 * x^8 * \tan \\
& (2 * a * x)^2 * \tan(1/2 * a * x)^2 + a^5 * x^8 * \tan(a * x)^2 * \tan(1/2 * a * x)^2 + 2 * a^4 * x^7 * \tan \\
& (2 * a * x)^2 * \tan(a * x)^2 * \tan(1/2 * a * x) - a^5 * x^8 * \tan(2 * a * x)^2 - a^5 * x^8 * \tan(a * \\
& x)^2 + a^5 * x^8 * \tan(1/2 * a * x)^2 + 2 * a^3 * x^6 * \tan(2 * a * x)^2 * \tan(a * x)^2 * \tan(1/2 * a \\
& * x)^2 + 2 * a^4 * x^7 * \tan(2 * a * x)^2 * \tan(1/2 * a * x) + 2 * a^4 * x^7 * \tan(a * x)^2 * \tan(1/2 * \\
& a * x) - a^5 * x^8 - 2 * a^3 * x^6 * \tan(2 * a * x)^2 * \tan(a * x)^2 + 2 * a^3 * x^6 * \tan(2 * a * x)^2 \\
& * \tan(1/2 * a * x)^2 + 2 * a^3 * x^6 * \tan(a * x)^2 * \tan(1/2 * a * x)^2 + 2 * a^4 * x^7 * \tan(1/2 * a \\
& * x) + 4 * a^2 * x^5 * \tan(2 * a * x)^2 * \tan(a * x)^2 * \tan(1/2 * a * x) - 2 * a^3 * x^6 * \tan(2 * a * x) \\
& ^2 - 2 * a^3 * x^6 * \tan(a * x)^2 + 2 * a^3 * x^6 * \tan(1/2 * a * x)^2 + a * x^4 * \tan(2 * a * x)^2 * \tan \\
& (a * x)^2 * \tan(1/2 * a * x)^2 + 4 * a^2 * x^5 * \tan(2 * a * x)^2 * \tan(1/2 * a * x) + 4 * a^2 * x^5 * \\
& \tan(a * x)^2 * \tan(1/2 * a * x) - 2 * a^3 * x^6 - a * x^4 * \tan(2 * a * x)^2 * \tan(a * x)^2 + a * x^4 \\
& * \tan(2 * a * x)^2 * \tan(1/2 * a * x)^2 + a * x^4 * \tan(a * x)^2 * \tan(1/2 * a * x)^2 + 4 * a^2 * x^5 * \\
& \tan(1/2 * a * x) + 2 * x^3 * \tan(2 * a * x)^2 * \tan(a * x)^2 * \tan(1/2 * a * x) - a * x^4 * \tan(2 * a * x \\
& )^2 - a * x^4 * \tan(a * x)^2 + a * x^4 * \tan(1/2 * a * x)^2 + 2 * x^3 * \tan(2 * a * x)^2 * \tan(1/2 * \\
& a * x) + 2 * x^3 * \tan(a * x)^2 * \tan(1/2 * a * x) - a * x^4 + 2 * x^3 * \tan(1/2 * a * x)
\end{aligned}$$

$$3.586 \quad \int \frac{\sin^5(ax)}{x^3(ax \cos(ax) - \sin(ax))^2} dx$$

**Optimal.** Leaf size=131

$$-\frac{1}{8}a^2\text{Si}(ax) + \frac{27}{8}a^2\text{Si}(3ax) + \frac{\sin^3(ax)}{a^2x^4} + \frac{\sin^4(ax)}{a^2x^4(ax \cos(ax) - \sin(ax))} - \frac{3 \sin^3(ax)}{2x^2} + \frac{\sin(ax)}{x^2} + \frac{\sin^2(ax) \cos(ax)}{ax^3} + \frac{a \cos(ax)}{x}$$

[Out] (a\*Cos[a\*x])/x + Sin[a\*x]/x^2 + (Cos[a\*x]\*Sin[a\*x]^2)/(a\*x^3) - (9\*a\*Cos[a\*x]\*Sin[a\*x]^2)/(2\*x) + Sin[a\*x]^3/(a^2\*x^4) - (3\*Sin[a\*x]^3)/(2\*x^2) + Sin[a\*x]^4/(a^2\*x^4\*(a\*x\*Cos[a\*x] - Sin[a\*x])) - (a^2\*SinIntegral[a\*x])/8 + (27\*a^2\*SinIntegral[3\*a\*x])/8

**Rubi [A]** time = 0.227389, antiderivative size = 131, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 5, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$ , Rules used = {4598, 3314, 3297, 3299, 3312}

$$-\frac{1}{8}a^2\text{Si}(ax) + \frac{27}{8}a^2\text{Si}(3ax) + \frac{\sin^3(ax)}{a^2x^4} + \frac{\sin^4(ax)}{a^2x^4(ax \cos(ax) - \sin(ax))} - \frac{3 \sin^3(ax)}{2x^2} + \frac{\sin(ax)}{x^2} + \frac{\sin^2(ax) \cos(ax)}{ax^3} + \frac{a \cos(ax)}{x}$$

Antiderivative was successfully verified.

[In] Int[Sin[a\*x]^5/(x^3\*(a\*x\*Cos[a\*x] - Sin[a\*x])^2), x]

[Out] (a\*Cos[a\*x])/x + Sin[a\*x]/x^2 + (Cos[a\*x]\*Sin[a\*x]^2)/(a\*x^3) - (9\*a\*Cos[a\*x]\*Sin[a\*x]^2)/(2\*x) + Sin[a\*x]^3/(a^2\*x^4) - (3\*Sin[a\*x]^3)/(2\*x^2) + Sin[a\*x]^4/(a^2\*x^4\*(a\*x\*Cos[a\*x] - Sin[a\*x])) - (a^2\*SinIntegral[a\*x])/8 + (27\*a^2\*SinIntegral[3\*a\*x])/8

#### Rule 4598

Int[(((b\_.)\*(x\_.))^(m\_)\*Sin[(a\_.)\*(x\_.)]^(n\_))/(Cos[(a\_.)\*(x\_.)]\*(d\_.)\*(x\_.) + (c\_.)\*Sin[(a\_.)\*(x\_.)]^2, x\_Symbol] :> Simp[(b\*(b\*x)^(m - 1)\*Sin[a\*x]^(n - 1))/(a\*d\*(c\*Sin[a\*x] + d\*x\*Cos[a\*x]), x] - Dist[(b^2\*(n - 1))/d^2, Int[(b\*x)^(m - 2)\*Sin[a\*x]^(n - 2), x], x] /; FreeQ[{a, b, c, d, m, n}, x] && EqQ[a\*c + d, 0] && EqQ[m, 2 - n]

#### Rule 3314

Int[(((c\_.) + (d\_.)\*(x\_.))^(m\_))\*((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Simp[((c + d\*x)^(m + 1)\*(b\*Sin[e + f\*x])^n)/(d\*(m + 1)), x] + (Dist[(b^2\*f^2\*n\*(n - 1))/(d^2\*(m + 1)\*(m + 2)), Int[(c + d\*x)^(m + 2)\*(b\*Sin[e + f\*x])^(n - 2), x], x] - Dist[(f^2\*n^2)/(d^2\*(m + 1)\*(m + 2)), Int[(c + d\*x)^(m + 2)\*(b\*Sin[e + f\*x])^n, x], x] - Simp[(b\*f\*n\*(c + d\*x)^(m + 2)\*Cos[e + f\*x]\*(b\*Sin[e + f\*x])^(n - 1))/(d^2\*(m + 1)\*(m + 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && LtQ[m, -2]

#### Rule 3297

Int[(((c\_.) + (d\_.)\*(x\_.))^(m\_))\*sin[(e\_.) + (f\_.)\*(x\_.)], x\_Symbol] :> Simp[((c + d\*x)^(m + 1)\*Sin[e + f\*x]/(d\*(m + 1)), x] - Dist[f/(d\*(m + 1)), Int[(c + d\*x)^(m + 1)\*Cos[e + f\*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

#### Rule 3299



```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

### Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

### Rubi steps

$$\begin{aligned} \int \frac{\sin^5(ax)}{x^3(ax \cos(ax) - \sin(ax))^2} dx &= \frac{\sin^4(ax)}{a^2 x^4(ax \cos(ax) - \sin(ax))} - \frac{4 \int \frac{\sin^3(ax)}{x^5} dx}{a^2} \\ &= \frac{\cos(ax) \sin^2(ax)}{ax^3} + \frac{\sin^3(ax)}{a^2 x^4} + \frac{\sin^4(ax)}{a^2 x^4(ax \cos(ax) - \sin(ax))} - 2 \int \frac{\sin(ax)}{x^3} dx + 3 \int \frac{\sin^3(ax)}{x^5} dx \\ &= \frac{\sin(ax)}{x^2} + \frac{\cos(ax) \sin^2(ax)}{ax^3} - \frac{9a \cos(ax) \sin^2(ax)}{2x} + \frac{\sin^3(ax)}{a^2 x^4} - \frac{3 \sin^3(ax)}{2x^2} + \frac{3 \sin^3(ax)}{a^2 x^4} \\ &= \frac{a \cos(ax)}{x} + \frac{\sin(ax)}{x^2} + \frac{\cos(ax) \sin^2(ax)}{ax^3} - \frac{9a \cos(ax) \sin^2(ax)}{2x} + \frac{\sin^3(ax)}{a^2 x^4} - \frac{3 \sin^3(ax)}{2x^2} \\ &= \frac{a \cos(ax)}{x} + \frac{\sin(ax)}{x^2} + \frac{\cos(ax) \sin^2(ax)}{ax^3} - \frac{9a \cos(ax) \sin^2(ax)}{2x} + \frac{\sin^3(ax)}{a^2 x^4} - \frac{3 \sin^3(ax)}{2x^2} \\ &= \frac{a \cos(ax)}{x} + \frac{\sin(ax)}{x^2} + \frac{\cos(ax) \sin^2(ax)}{ax^3} - \frac{9a \cos(ax) \sin^2(ax)}{2x} + \frac{\sin^3(ax)}{a^2 x^4} - \frac{3 \sin^3(ax)}{2x^2} \end{aligned}$$

**Mathematica [A]** time = 0.996785, size = 142, normalized size = 1.08

$$\frac{-2a^2 x^2 \operatorname{Si}(ax)(ax \cos(ax) - \sin(ax)) + 54a^2 x^2 \operatorname{Si}(3ax)(ax \cos(ax) - \sin(ax)) - a^2 x^2 + 8a^2 x^2 \cos(2ax) + 9a^2 x^2 \cos(4ax)}{16x^2(ax \cos(ax) - \sin(ax))}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sin[a*x]^5/(x^3*(a*x*Cos[a*x] - Sin[a*x])^2), x]
```

```
[Out] (3 - a^2*x^2 - 4*Cos[2*a*x] + 8*a^2*x^2*Cos[2*a*x] + Cos[4*a*x] + 9*a^2*x^2*Cos[4*a*x] + 12*a*x*Sin[2*a*x] - 6*a*x*Sin[4*a*x] - 2*a^2*x^2*(a*x*Cos[a*x] - Sin[a*x])*SinIntegral[a*x] + 54*a^2*x^2*(a*x*Cos[a*x] - Sin[a*x])*SinIntegral[3*a*x])/(16*x^2*(a*x*Cos[a*x] - Sin[a*x]))
```

**Maple [F]** time = 180., size = 0, normalized size = 0.

$$\int \frac{(\sin(ax))^5}{x^3(ax \cos(ax) - \sin(ax))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(a*x)^5/x^3/(a*x*cos(a*x)-sin(a*x))^2,x)
```

```
[Out] int(sin(a*x)^5/x^3/(a*x*cos(a*x)-sin(a*x))^2,x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a\*x)^5/x^3/(a\*x\*cos(a\*x)-sin(a\*x))^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

**Fricas [A]** time = 2.49318, size = 385, normalized size = 2.94

$$\frac{4(9a^2x^2 + 1)\cos(ax)^4 - 4(7a^2x^2 + 2)\cos(ax)^2 + (27a^3x^3\operatorname{Si}(3ax) - a^3x^3\operatorname{Si}(ax))\cos(ax) - (24ax\cos(ax)^3 + 27a^2x^2\cos(ax)^2)}{8(ax^3\cos(ax) - x^2\sin(ax))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a\*x)^5/x^3/(a\*x\*cos(a\*x)-sin(a\*x))^2,x, algorithm="fricas")

[Out] 1/8\*(4\*(9\*a^2\*x^2 + 1)\*cos(a\*x)^4 - 4\*(7\*a^2\*x^2 + 2)\*cos(a\*x)^2 + (27\*a^3\*x^3\*sin\_integral(3\*a\*x) - a^3\*x^3\*sin\_integral(a\*x))\*cos(a\*x) - (24\*a\*x\*cos(a\*x)^3 + 27\*a^2\*x^2\*sin\_integral(3\*a\*x) - a^2\*x^2\*sin\_integral(a\*x) - 24\*a\*x\*cos(a\*x))\*sin(a\*x) + 4)/(a\*x^3\*cos(a\*x) - x^2\*sin(a\*x))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a\*x)\*\*5/x\*\*3/(a\*x\*cos(a\*x)-sin(a\*x))\*\*2,x)

[Out] Timed out

**Giac [C]** time = 1.85612, size = 5636, normalized size = 43.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a\*x)^5/x^3/(a\*x\*cos(a\*x)-sin(a\*x))^2,x, algorithm="giac")

[Out] 1/16\*(27\*a^7\*x^7\*imag\_part(cos\_integral(3\*a\*x))\*tan(3/2\*a\*x)^2\*tan(1/2\*a\*x)^4 - a^7\*x^7\*imag\_part(cos\_integral(a\*x))\*tan(3/2\*a\*x)^2\*tan(1/2\*a\*x)^4 + a^7\*x^7\*imag\_part(cos\_integral(-a\*x))\*tan(3/2\*a\*x)^2\*tan(1/2\*a\*x)^4 - 27\*a^7\*x^7\*imag\_part(cos\_integral(-3\*a\*x))\*tan(3/2\*a\*x)^2\*tan(1/2\*a\*x)^4 + 54\*a^7\*x^7\*sin\_integral(3\*a\*x)\*tan(3/2\*a\*x)^2\*tan(1/2\*a\*x)^4 - 2\*a^7\*x^7\*sin\_integral(a\*x)\*tan(3/2\*a\*x)^2\*tan(1/2\*a\*x)^4 + 27\*a^7\*x^7\*imag\_part(cos\_integral(3\*a\*x))\*tan(1/2\*a\*x)^4 - a^7\*x^7\*imag\_part(cos\_integral(a\*x))\*tan(1/2\*a\*x)^4 + a^7\*x^7\*imag\_part(cos\_integral(-a\*x))\*tan(1/2\*a\*x)^4 - 27\*a^7\*x^7\*imag\_part(cos\_integral(-3\*a\*x))\*tan(1/2\*a\*x)^4 + 54\*a^7\*x^7\*sin\_integral(3\*a\*x)

$$\begin{aligned}
& * \tan(1/2*a*x)^4 - 2*a^7*x^7*\sin\_integral(a*x)*\tan(1/2*a*x)^4 + 54*a^6*x^6*imag\_part(\cos\_integral(3*a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x)^3 - 2*a^6*x^6*imag\_part(\cos\_integral(a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x)^3 + 2*a^6*x^6*imag\_part(\cos\_integral(-a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x)^3 - 54*a^6*x^6*imag\_part(\cos\_integral(-3*a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x)^3 + 108*a^6*x^6*\sin\_integral(3*a*x)*\tan(3/2*a*x)^2*\tan(1/2*a*x)^3 - 4*a^6*x^6*\sin\_integral(a*x)*\tan(3/2*a*x)^2*\tan(1/2*a*x)^3 - 16*a^6*x^6*\tan(3/2*a*x)^2*\tan(1/2*a*x)^4 - 27*a^7*x^7*imag\_part(\cos\_integral(3*a*x))*\tan(3/2*a*x)^2 + a^7*x^7*imag\_part(\cos\_integral(a*x))*\tan(3/2*a*x)^2 - a^7*x^7*imag\_part(\cos\_integral(-a*x))*\tan(3/2*a*x)^2 + 27*a^7*x^7*imag\_part(\cos\_integral(-3*a*x))*\tan(3/2*a*x)^2 - 54*a^7*x^7*\sin\_integral(3*a*x)*\tan(3/2*a*x)^2 + 2*a^7*x^7*\sin\_integral(a*x)*\tan(3/2*a*x)^2 + 54*a^5*x^5*imag\_part(\cos\_integral(3*a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x)^4 - 2*a^5*x^5*imag\_part(\cos\_integral(a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x)^4 + 2*a^5*x^5*imag\_part(\cos\_integral(-a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x)^4 - 54*a^5*x^5*imag\_part(\cos\_integral(-3*a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x)^4 + 108*a^5*x^5*\sin\_integral(3*a*x)*\tan(3/2*a*x)^2*\tan(1/2*a*x)^4 - 4*a^5*x^5*\sin\_integral(a*x)*\tan(3/2*a*x)^2*\tan(1/2*a*x)^4 + 54*a^6*x^6*imag\_part(\cos\_integral(3*a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x) - 2*a^6*x^6*imag\_part(\cos\_integral(a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x) + 2*a^6*x^6*imag\_part(\cos\_integral(-a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x) - 54*a^6*x^6*imag\_part(\cos\_integral(-3*a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x) + 108*a^6*x^6*\sin\_integral(3*a*x)*\tan(3/2*a*x)^2*\tan(1/2*a*x) - 4*a^6*x^6*\sin\_integral(a*x)*\tan(3/2*a*x)^2*\tan(1/2*a*x) - 4*a^6*x^6*\tan(3/2*a*x)^2*\tan(1/2*a*x)^2 + 54*a^6*x^6*imag\_part(\cos\_integral(3*a*x))*\tan(1/2*a*x)^3 - 2*a^6*x^6*imag\_part(\cos\_integral(a*x))*\tan(1/2*a*x)^3 + 2*a^6*x^6*imag\_part(\cos\_integral(-a*x))*\tan(1/2*a*x)^3 - 54*a^6*x^6*imag\_part(\cos\_integral(-3*a*x))*\tan(1/2*a*x)^3 + 108*a^6*x^6*\sin\_integral(3*a*x)*\tan(1/2*a*x)^3 - 4*a^6*x^6*\sin\_integral(a*x)*\tan(1/2*a*x)^3 + 20*a^6*x^6*\tan(1/2*a*x)^4 - 27*a^7*x^7*imag\_part(\cos\_integral(3*a*x)) + a^7*x^7*imag\_part(\cos\_integral(a*x)) - a^7*x^7*imag\_part(\cos\_integral(-a*x)) + 27*a^7*x^7*imag\_part(\cos\_integral(-3*a*x)) - 54*a^7*x^7*\sin\_integral(3*a*x) + 2*a^7*x^7*\sin\_integral(a*x) - 36*a^5*x^5*\tan(3/2*a*x)^2*\tan(1/2*a*x)^3 + 54*a^5*x^5*imag\_part(\cos\_integral(3*a*x))*\tan(1/2*a*x)^4 - 2*a^5*x^5*imag\_part(\cos\_integral(a*x))*\tan(1/2*a*x)^4 + 2*a^5*x^5*imag\_part(\cos\_integral(-a*x))*\tan(1/2*a*x)^4 - 54*a^5*x^5*imag\_part(\cos\_integral(-3*a*x))*\tan(1/2*a*x)^4 + 108*a^5*x^5*\sin\_integral(3*a*x)*\tan(1/2*a*x)^4 - 4*a^5*x^5*\sin\_integral(a*x)*\tan(1/2*a*x)^4 + 12*a^5*x^5*\tan(3/2*a*x)*\tan(1/2*a*x)^4 + 20*a^6*x^6*\tan(3/2*a*x)^2 + 54*a^6*x^6*imag\_part(\cos\_integral(3*a*x))*\tan(1/2*a*x) - 2*a^6*x^6*imag\_part(\cos\_integral(a*x))*\tan(1/2*a*x) + 2*a^6*x^6*imag\_part(\cos\_integral(-a*x))*\tan(1/2*a*x) - 54*a^6*x^6*imag\_part(\cos\_integral(-3*a*x))*\tan(1/2*a*x) + 108*a^6*x^6*\sin\_integral(3*a*x)*\tan(1/2*a*x) - 4*a^6*x^6*\sin\_integral(a*x)*\tan(1/2*a*x) - 4*a^6*x^6*\tan(1/2*a*x)^2 + 108*a^4*x^4*imag\_part(\cos\_integral(3*a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x)^3 - 4*a^4*x^4*imag\_part(\cos\_integral(a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x)^3 + 4*a^4*x^4*imag\_part(\cos\_integral(-a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x)^3 - 108*a^4*x^4*imag\_part(\cos\_integral(-3*a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x)^3 + 216*a^4*x^4*\sin\_integral(3*a*x)*\tan(3/2*a*x)^2*\tan(1/2*a*x)^3 - 8*a^4*x^4*\sin\_integral(a*x)*\tan(3/2*a*x)^2*\tan(1/2*a*x)^3 - 32*a^4*x^4*\tan(3/2*a*x)^2*\tan(1/2*a*x)^4 - 54*a^5*x^5*imag\_part(\cos\_integral(3*a*x))*\tan(3/2*a*x)^2 + 2*a^5*x^5*imag\_part(\cos\_integral(a*x))*\tan(3/2*a*x)^2 - 2*a^5*x^5*imag\_part(\cos\_integral(-a*x))*\tan(3/2*a*x)^2 + 54*a^5*x^5*imag\_part(\cos\_integral(-3*a*x))*\tan(3/2*a*x)^2 - 108*a^5*x^5*\sin\_integral(3*a*x)*\tan(3/2*a*x)^2 + 4*a^5*x^5*\sin\_integral(a*x)*\tan(3/2*a*x)^2 - 36*a^5*x^5*\tan(3/2*a*x)^2*\tan(1/2*a*x) + 36*a^5*x^5*\tan(1/2*a*x)^3 + 27*a^3*x^3*imag\_part(\cos\_integral(3*a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x)^4 - a^3*x^3*imag\_part(\cos\_integral(a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x)^4 + a^3*x^3*imag\_part(\cos\_integral(-a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x)^4 - 27*a^3*x^3*imag\_part(\cos\_integral(-3*a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x)^4 + 54*a^3*x^3*\sin\_integral(3*a*x)*\tan(3/2*a*x)^2*\tan(1/2*a*x)^4 - 2*a^3*x^3*\sin\_integral(a*x)*\tan(3/2*a*x)^2*\tan(1/2*a*x)^4 - 16*a^6*x^6 + 108*a^4*x^4*imag\_part(\cos\_integral(3*a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x) - 4*a
\end{aligned}$$

$$\begin{aligned}
&^4x^4\text{imag\_part}(\cos\_integral(ax))\tan(3/2ax)^2\tan(1/2ax) + 4a^4x^4 \\
&\text{imag\_part}(\cos\_integral(-ax))\tan(3/2ax)^2\tan(1/2ax) - 108a^4x^4\text{imag\_part}(\cos\_integral(-3ax))\tan(3/2ax)^2\tan(1/2ax) + 216a^4x^4\sin \\
&\_integral(3ax)\tan(3/2ax)^2\tan(1/2ax) - 8a^4x^4\sin\_integral(ax)\tan(3/2ax)^2\tan(1/2ax) - 8a^4x^4\tan(3/2ax)^2\tan(1/2ax)^2 + 108 \\
&a^4x^4\text{imag\_part}(\cos\_integral(3ax))\tan(1/2ax)^3 - 4a^4x^4\text{imag\_part}(\cos\_integral(ax))\tan(1/2ax)^3 + 4a^4x^4\text{imag\_part}(\cos\_integral(-ax \\
&))\tan(1/2ax)^3 - 108a^4x^4\text{imag\_part}(\cos\_integral(-3ax))\tan(1/2ax)^3 + 216a^4x^4\sin\_integral(3ax)\tan(1/2ax)^3 - 8a^4x^4\sin\_integr \\
&al(ax)\tan(1/2ax)^3 + 24a^4x^4\tan(3/2ax)\tan(1/2ax)^3 + 32a^4x^4 \\
&4\tan(1/2ax)^4 - 54a^5x^5\text{imag\_part}(\cos\_integral(3ax)) + 2a^5x^5\text{imag\_part}(\cos\_integral(ax)) - 2a^5x^5\text{imag\_part}(\cos\_integral(-ax)) + 54a \\
&^5x^5\text{imag\_part}(\cos\_integral(-3ax)) - 108a^5x^5\sin\_integral(3ax) + \\
&4a^5x^5\sin\_integral(ax) - 12a^5x^5\tan(3/2ax) + 36a^5x^5\tan(1/2 \\
&ax) - 48a^3x^3\tan(3/2ax)^2\tan(1/2ax)^3 + 27a^3x^3\text{imag\_part}(\cos\_ \\
&integral(3ax))\tan(1/2ax)^4 - a^3x^3\text{imag\_part}(\cos\_integral(ax))\tan( \\
&1/2ax)^4 + a^3x^3\text{imag\_part}(\cos\_integral(-ax))\tan(1/2ax)^4 - 27a^3x \\
&^3\text{imag\_part}(\cos\_integral(-3ax))\tan(1/2ax)^4 + 54a^3x^3\sin\_integra \\
&l(3ax)\tan(1/2ax)^4 - 2a^3x^3\sin\_integral(ax)\tan(1/2ax)^4 + 16a \\
&^3x^3\tan(3/2ax)\tan(1/2ax)^4 + 32a^4x^4\tan(3/2ax)^2 + 108a^4x^ \\
&4\text{imag\_part}(\cos\_integral(3ax))\tan(1/2ax) - 4a^4x^4\text{imag\_part}(\cos\_int \\
&egral(ax))\tan(1/2ax) + 4a^4x^4\text{imag\_part}(\cos\_integral(-ax))\tan(1/2 \\
&ax) - 108a^4x^4\text{imag\_part}(\cos\_integral(-3ax))\tan(1/2ax) + 216a^4x \\
&^4\sin\_integral(3ax)\tan(1/2ax) - 8a^4x^4\sin\_integral(ax)\tan(1/2a \\
&x) + 24a^4x^4\tan(3/2ax)\tan(1/2ax) - 8a^4x^4\tan(1/2ax)^2 + 54 \\
&a^2x^2\text{imag\_part}(\cos\_integral(3ax))\tan(3/2ax)^2\tan(1/2ax)^3 - 2a^ \\
&2x^2\text{imag\_part}(\cos\_integral(ax))\tan(3/2ax)^2\tan(1/2ax)^3 + 2a^2x^2 \\
&2\text{imag\_part}(\cos\_integral(-ax))\tan(3/2ax)^2\tan(1/2ax)^3 - 54a^2x^2 \\
&2\text{imag\_part}(\cos\_integral(-3ax))\tan(3/2ax)^2\tan(1/2ax)^3 + 108a^2x^2 \\
&\sin\_integral(3ax)\tan(3/2ax)^2\tan(1/2ax)^3 - 4a^2x^2\sin\_integral \\
&(ax)\tan(3/2ax)^2\tan(1/2ax)^3 - 32a^2x^2\tan(3/2ax)^2\tan(1/2ax \\
&)^4 - 27a^3x^3\text{imag\_part}(\cos\_integral(3ax))\tan(3/2ax)^2 + a^3x^3\text{im \\
&ag\_part}(\cos\_integral(ax))\tan(3/2ax)^2 - a^3x^3\text{imag\_part}(\cos\_integral( \\
&-ax))\tan(3/2ax)^2 + 27a^3x^3\text{imag\_part}(\cos\_integral(-3ax))\tan(3/2 \\
&ax)^2 - 54a^3x^3\sin\_integral(3ax)\tan(3/2ax)^2 + 2a^3x^3\sin\_inte \\
&gral(ax)\tan(3/2ax)^2 - 80a^3x^3\tan(3/2ax)^2\tan(1/2ax) + 80a^3x \\
&^3\tan(1/2ax)^3 - 32a^4x^4 + 54a^2x^2\text{imag\_part}(\cos\_integral(3ax)) \\
&\tan(3/2ax)^2\tan(1/2ax) - 2a^2x^2\text{imag\_part}(\cos\_integral(ax))\tan(3 \\
&/2ax)^2\tan(1/2ax) + 2a^2x^2\text{imag\_part}(\cos\_integral(-ax))\tan(3/2ax \\
&x)^2\tan(1/2ax) - 54a^2x^2\text{imag\_part}(\cos\_integral(-3ax))\tan(3/2ax) \\
&^2\tan(1/2ax) + 108a^2x^2\sin\_integral(3ax)\tan(3/2ax)^2\tan(1/2ax \\
&x) - 4a^2x^2\sin\_integral(ax)\tan(3/2ax)^2\tan(1/2ax) - 60a^2x^2\tan \\
&(3/2ax)^2\tan(1/2ax)^2 + 54a^2x^2\text{imag\_part}(\cos\_integral(3ax))\tan \\
&(1/2ax)^3 - 2a^2x^2\text{imag\_part}(\cos\_integral(ax))\tan(1/2ax)^3 + 2a^ \\
&2x^2\text{imag\_part}(\cos\_integral(-ax))\tan(1/2ax)^3 - 54a^2x^2\text{imag\_part}(c \\
&os\_integral(-3ax))\tan(1/2ax)^3 + 108a^2x^2\sin\_integral(3ax)\tan(1 \\
&/2ax)^3 - 4a^2x^2\sin\_integral(ax)\tan(1/2ax)^3 + 32a^2x^2\tan(3/2 \\
&ax)\tan(1/2ax)^3 - 4a^2x^2\tan(1/2ax)^4 - 27a^3x^3\text{imag\_part}(\cos\_ \\
&integral(3ax)) + a^3x^3\text{imag\_part}(\cos\_integral(ax)) - a^3x^3\text{imag\_part} \\
&(\cos\_integral(-ax)) + 27a^3x^3\text{imag\_part}(\cos\_integral(-3ax)) - 54a^3x \\
&^3\sin\_integral(3ax) + 2a^3x^3\sin\_integral(ax) - 16a^3x^3\tan(3/2 \\
&ax) + 48a^3x^3\tan(1/2ax) - 12a^3x^3\tan(3/2ax)^2\tan(1/2ax)^3 + 4a \\
&x^3\tan(3/2ax)\tan(1/2ax)^4 - 4a^2x^2\tan(3/2ax)^2 + 54a^2x^2\text{imag} \\
&\_part(\cos\_integral(3ax))\tan(1/2ax) - 2a^2x^2\text{imag\_part}(\cos\_integral( \\
&ax))\tan(1/2ax) + 2a^2x^2\text{imag\_part}(\cos\_integral(-ax))\tan(1/2ax) - \\
&54a^2x^2\text{imag\_part}(\cos\_integral(-3ax))\tan(1/2ax) + 108a^2x^2\sin\_ \\
&integral(3ax)\tan(1/2ax) - 4a^2x^2\sin\_integral(ax)\tan(1/2ax) + 3 \\
&2a^2x^2\tan(3/2ax)\tan(1/2ax) - 60a^2x^2\tan(1/2ax)^2 - 44a^3x^3\tan \\
&(3/2ax)^2\tan(1/2ax) + 44a^3x^3\tan(1/2ax)^3 - 32a^2x^2 - 24\tan(3/2
\end{aligned}$$

$$\begin{aligned}
& *a*x)^2*\tan(1/2*a*x)^2 + 8*\tan(3/2*a*x)*\tan(1/2*a*x)^3 - 4*a*x*\tan(3/2*a*x) \\
& + 12*a*x*\tan(1/2*a*x) + 8*\tan(3/2*a*x)*\tan(1/2*a*x) - 24*\tan(1/2*a*x)^2)/( \\
& a^5*x^7*\tan(3/2*a*x)^2*\tan(1/2*a*x)^4 + a^5*x^7*\tan(1/2*a*x)^4 + 2*a^4*x^6* \\
& \tan(3/2*a*x)^2*\tan(1/2*a*x)^3 - a^5*x^7*\tan(3/2*a*x)^2 + 2*a^3*x^5*\tan(3/2* \\
& a*x)^2*\tan(1/2*a*x)^4 + 2*a^4*x^6*\tan(3/2*a*x)^2*\tan(1/2*a*x) + 2*a^4*x^6*t \\
& \tan(1/2*a*x)^3 - a^5*x^7 + 2*a^3*x^5*\tan(1/2*a*x)^4 + 2*a^4*x^6*\tan(1/2*a*x) \\
& + 4*a^2*x^4*\tan(3/2*a*x)^2*\tan(1/2*a*x)^3 - 2*a^3*x^5*\tan(3/2*a*x)^2 + a*x \\
& ^3*\tan(3/2*a*x)^2*\tan(1/2*a*x)^4 + 4*a^2*x^4*\tan(3/2*a*x)^2*\tan(1/2*a*x) + \\
& 4*a^2*x^4*\tan(1/2*a*x)^3 - 2*a^3*x^5 + a*x^3*\tan(1/2*a*x)^4 + 4*a^2*x^4*\tan \\
& (1/2*a*x) + 2*x^2*\tan(3/2*a*x)^2*\tan(1/2*a*x)^3 - a*x^3*\tan(3/2*a*x)^2 + 2* \\
& x^2*\tan(3/2*a*x)^2*\tan(1/2*a*x) + 2*x^2*\tan(1/2*a*x)^3 - a*x^3 + 2*x^2*\tan( \\
& 1/2*a*x))
\end{aligned}$$

$$3.587 \quad \int \frac{\sin^4(ax)}{x^2(ax \cos(ax) - \sin(ax))^2} dx$$

**Optimal.** Leaf size=80

$$\frac{\sin^2(ax)}{a^2x^3} + \frac{\sin^3(ax)}{a^2x^3(ax \cos(ax) - \sin(ax))} + 2a\text{Si}(2ax) + \frac{\sin(ax) \cos(ax)}{ax^2} - \frac{2 \sin^2(ax)}{x} + \frac{1}{x}$$

[Out]  $x^{(-1)} + (\text{Cos}[a*x]*\text{Sin}[a*x])/(a*x^2) + \text{Sin}[a*x]^2/(a^2*x^3) - (2*\text{Sin}[a*x]^2)/x + \text{Sin}[a*x]^3/(a^2*x^3*(a*x*\text{Cos}[a*x] - \text{Sin}[a*x])) + 2*a*\text{SinIntegral}[2*a*x]$

**Rubi [A]** time = 0.130805, antiderivative size = 80, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$ , Rules used = {4598, 3314, 30, 3313, 12, 3299}

$$\frac{\sin^2(ax)}{a^2x^3} + \frac{\sin^3(ax)}{a^2x^3(ax \cos(ax) - \sin(ax))} + 2a\text{Si}(2ax) + \frac{\sin(ax) \cos(ax)}{ax^2} - \frac{2 \sin^2(ax)}{x} + \frac{1}{x}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sin}[a*x]^4/(x^2*(a*x*\text{Cos}[a*x] - \text{Sin}[a*x])^2), x]$

[Out]  $x^{(-1)} + (\text{Cos}[a*x]*\text{Sin}[a*x])/(a*x^2) + \text{Sin}[a*x]^2/(a^2*x^3) - (2*\text{Sin}[a*x]^2)/x + \text{Sin}[a*x]^3/(a^2*x^3*(a*x*\text{Cos}[a*x] - \text{Sin}[a*x])) + 2*a*\text{SinIntegral}[2*a*x]$

#### Rule 4598

$\text{Int}[\frac{((b_.)*(x_.))^{(m_.)*\text{Sin}[(a_.)*(x_.)]^{(n_.)}}{(\text{Cos}[(a_.)*(x_.)]*(d_.)*(x_.) + (c_.)*\text{Sin}[(a_.)*(x_.)]^2, x\_Symbol] :> \text{Simp}[(b*(b*x)^{(m-1)}*\text{Sin}[a*x]^{(n-1)})/(a*d*(c*\text{Sin}[a*x] + d*x*\text{Cos}[a*x])), x] - \text{Dist}[(b^2*(n-1))/d^2, \text{Int}[(b*x)^{(m-2)}*\text{Sin}[a*x]^{(n-2)}, x], x] /; \text{FreeQ}\{a, b, c, d, m, n\}, x] \&\& \text{EqQ}[a*c + d, 0] \&\& \text{EqQ}[m, 2 - n]$

#### Rule 3314

$\text{Int}[\frac{((c_.) + (d_.)*(x_.))^{(m_.)*((b_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^{(n_.)}}{x\_Symbol] :> \text{Simp}[\frac{(c + d*x)^{(m+1)}*(b*\text{Sin}[e + f*x])^n}{(d*(m+1))}, x] + (\text{Dist}[(b^2*f^2*n*(n-1))/(d^2*(m+1)*(m+2)), \text{Int}[(c + d*x)^{(m+2)}*(b*\text{Sin}[e + f*x])^{(n-2)}, x], x] - \text{Dist}[(f^2*n^2)/(d^2*(m+1)*(m+2)), \text{Int}[(c + d*x)^{(m+2)}*(b*\text{Sin}[e + f*x])^n, x], x] - \text{Simp}[(b*f*n*(c + d*x)^{(m+2)}*\text{Cos}[e + f*x]*(b*\text{Sin}[e + f*x])^{(n-1)})/(d^2*(m+1)*(m+2)), x]) /; \text{FreeQ}\{b, c, d, e, f\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{LtQ}[m, -2]$

#### Rule 30

$\text{Int}[(x_)^{(m_.)}, x\_Symbol] :> \text{Simp}[x^{(m+1)}/(m+1), x] /; \text{FreeQ}[m, x] \&\& \text{NeQ}[m, -1]$

#### Rule 3313

$\text{Int}[\frac{((c_.) + (d_.)*(x_.))^{(m_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^{(n_.)}}{x\_Symbol] :> \text{Simp}[\frac{(c + d*x)^{(m+1)}*\text{Sin}[e + f*x]^n}{(d*(m+1))}, x] - \text{Dist}[(f*n)/(d*(m+1)), \text{Int}[\text{ExpandTrigReduce}[(c + d*x)^{(m+1)}, \text{Cos}[e + f*x]*\text{Sin}[e + f*x]^{(n-1)}, x], x] /; \text{FreeQ}\{c, d, e, f, m\}, x] \&\& \text{IGtQ}[n, 1] \&\& \text{GeQ}[m, -2] \&\&$

LtQ[m, -1]

**Rule 12**

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

**Rule 3299**

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

**Rubi steps**

$$\begin{aligned} \int \frac{\sin^4(ax)}{x^2(ax \cos(ax) - \sin(ax))^2} dx &= \frac{\sin^3(ax)}{a^2 x^3(ax \cos(ax) - \sin(ax))} - \frac{3 \int \frac{\sin^2(ax)}{x^4} dx}{a^2} \\ &= \frac{\cos(ax) \sin(ax)}{ax^2} + \frac{\sin^2(ax)}{a^2 x^3} + \frac{\sin^3(ax)}{a^2 x^3(ax \cos(ax) - \sin(ax))} + 2 \int \frac{\sin^2(ax)}{x^2} dx - \int \frac{\sin^4(ax)}{x^2} dx \\ &= \frac{1}{x} + \frac{\cos(ax) \sin(ax)}{ax^2} + \frac{\sin^2(ax)}{a^2 x^3} - \frac{2 \sin^2(ax)}{x} + \frac{\sin^3(ax)}{a^2 x^3(ax \cos(ax) - \sin(ax))} + (4a) \int \frac{\sin^2(ax)}{x^2} dx \\ &= \frac{1}{x} + \frac{\cos(ax) \sin(ax)}{ax^2} + \frac{\sin^2(ax)}{a^2 x^3} - \frac{2 \sin^2(ax)}{x} + \frac{\sin^3(ax)}{a^2 x^3(ax \cos(ax) - \sin(ax))} + (2a) \int \frac{\sin^2(ax)}{x^2} dx \\ &= \frac{1}{x} + \frac{\cos(ax) \sin(ax)}{ax^2} + \frac{\sin^2(ax)}{a^2 x^3} - \frac{2 \sin^2(ax)}{x} + \frac{\sin^3(ax)}{a^2 x^3(ax \cos(ax) - \sin(ax))} + 2a \int \frac{\sin^2(ax)}{x^2} dx \end{aligned}$$

**Mathematica [A]** time = 0.85417, size = 77, normalized size = 0.96

$$\frac{8ax\text{Si}(2ax)(ax \cos(ax) - \sin(ax)) + 3 \sin(ax) - \sin(3ax) + 2ax \cos(ax) + 2ax \cos(3ax)}{4x(ax \cos(ax) - \sin(ax))}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a\*x]^4/(x^2\*(a\*x\*Cos[a\*x] - Sin[a\*x])^2), x]

[Out] (2\*a\*x\*Cos[a\*x] + 2\*a\*x\*Cos[3\*a\*x] + 3\*Sin[a\*x] - Sin[3\*a\*x] + 8\*a\*x\*(a\*x\*Cos[a\*x] - Sin[a\*x])\*SinIntegral[2\*a\*x])/(4\*x\*(a\*x\*Cos[a\*x] - Sin[a\*x]))

**Maple [F]** time = 180., size = 0, normalized size = 0.

$$\int \frac{(\sin(ax))^4}{x^2(ax \cos(ax) - \sin(ax))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a\*x)^4/x^2/(a\*x\*cos(a\*x)-sin(a\*x))^2,x)

[Out] int(sin(a\*x)^4/x^2/(a\*x\*cos(a\*x)-sin(a\*x))^2,x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a*x)^4/x^2/(a*x*cos(a*x)-sin(a*x))^2,x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

**Fricas [A]** time = 2.22975, size = 209, normalized size = 2.61

$$\frac{2ax \cos(ax)^3 + (2a^2x^2 \operatorname{Si}(2ax) - ax) \cos(ax) - (2ax \operatorname{Si}(2ax) + \cos(ax)^2 - 1) \sin(ax)}{ax^2 \cos(ax) - x \sin(ax)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a*x)^4/x^2/(a*x*cos(a*x)-sin(a*x))^2,x, algorithm="fricas")
```

```
[Out] (2*a*x*cos(a*x)^3 + (2*a^2*x^2*sin_integral(2*a*x) - a*x)*cos(a*x) - (2*a*x
*sin_integral(2*a*x) + cos(a*x)^2 - 1)*sin(a*x))/(a*x^2*cos(a*x) - x*sin(a*
x))
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin^4(ax)}{x^2 (ax \cos(ax) - \sin(ax))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a*x)**4/x**2/(a*x*cos(a*x)-sin(a*x))**2,x)
```

```
[Out] Integral(sin(a*x)**4/(x**2*(a*x*cos(a*x) - sin(a*x))**2), x)
```

**Giac [C]** time = 1.50151, size = 1395, normalized size = 17.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a*x)^4/x^2/(a*x*cos(a*x)-sin(a*x))^2,x, algorithm="giac")
```

```
[Out] (a^4*x^4*imag_part(cos_integral(2*a*x))*tan(a*x)^2*tan(1/2*a*x)^2 - a^4*x^4
*imag_part(cos_integral(-2*a*x))*tan(a*x)^2*tan(1/2*a*x)^2 + 2*a^4*x^4*sin_
integral(2*a*x)*tan(a*x)^2*tan(1/2*a*x)^2 - a^4*x^4*imag_part(cos_integral(
2*a*x))*tan(a*x)^2 + a^4*x^4*imag_part(cos_integral(-2*a*x))*tan(a*x)^2 - 2
*a^4*x^4*sin_integral(2*a*x)*tan(a*x)^2 + a^4*x^4*imag_part(cos_integral(2*
a*x))*tan(1/2*a*x)^2 - a^4*x^4*imag_part(cos_integral(-2*a*x))*tan(1/2*a*x)
^2 + 2*a^4*x^4*sin_integral(2*a*x)*tan(1/2*a*x)^2 + 2*a^3*x^3*imag_part(cos
_integral(2*a*x))*tan(a*x)^2*tan(1/2*a*x) - 2*a^3*x^3*imag_part(cos_integra
l(-2*a*x))*tan(a*x)^2*tan(1/2*a*x) + 4*a^3*x^3*sin_integral(2*a*x)*tan(a*x)
^2*tan(1/2*a*x) - a^3*x^3*tan(a*x)^2*tan(1/2*a*x)^2 - a^4*x^4*imag_part(cos
_integral(2*a*x)) + a^4*x^4*imag_part(cos_integral(-2*a*x)) - 2*a^4*x^4*sin
_integral(2*a*x) + a^2*x^2*imag_part(cos_integral(2*a*x))*tan(a*x)^2*tan(1/
2*a*x)^2 - a^2*x^2*imag_part(cos_integral(-2*a*x))*tan(a*x)^2*tan(1/2*a*x)^
```



$$\begin{aligned}
& 2 + 2a^2x^2\sin\_integral(2ax)\tan(ax)^2\tan(1/2ax)^2 + a^3x^3\tan(ax)^2 + 2a^3x^3\operatorname{imag\_part}(\cos\_integral(2ax))\tan(1/2ax) - 2a^3x^3\operatorname{imag\_part}(\cos\_integral(-2ax))\tan(1/2ax) + 4a^3x^3\sin\_integral(2ax)\tan(1/2ax) + a^3x^3\tan(1/2ax)^2 - a^2x^2\operatorname{imag\_part}(\cos\_integral(2ax))\tan(ax)^2 + a^2x^2\operatorname{imag\_part}(\cos\_integral(-2ax))\tan(ax)^2 - 2a^2x^2\sin\_integral(2ax)\tan(ax)^2 - 2a^2x^2\tan(ax)^2\tan(1/2ax) + a^2x^2\operatorname{imag\_part}(\cos\_integral(2ax))\tan(1/2ax)^2 - a^2x^2\operatorname{imag\_part}(\cos\_integral(-2ax))\tan(1/2ax)^2 + 2a^2x^2\sin\_integral(2ax)\tan(1/2ax)^2 + a^2x^2\tan(ax)\tan(1/2ax)^2 - a^3x^3 + 2ax\operatorname{imag\_part}(\cos\_integral(2ax))\tan(ax)^2\tan(1/2ax) - 2ax\operatorname{imag\_part}(\cos\_integral(-2ax))\tan(ax)^2\tan(1/2ax) + 4ax\sin\_integral(2ax)\tan(ax)^2\tan(1/2ax) - a^2x^2\operatorname{imag\_part}(\cos\_integral(2ax)) + a^2x^2\operatorname{imag\_part}(\cos\_integral(-2ax)) - 2a^2x^2\sin\_integral(2ax) - a^2x^2\tan(ax) + 2a^2x^2\tan(1/2ax) + 2ax\operatorname{imag\_part}(\cos\_integral(2ax))\tan(1/2ax) - 2ax\operatorname{imag\_part}(\cos\_integral(-2ax))\tan(1/2ax) + 4ax\sin\_integral(2ax)\tan(1/2ax) + 2ax\tan(ax)\tan(1/2ax) + ax\tan(1/2ax)^2 - 2\tan(ax)^2\tan(1/2ax) - ax)/(a^3x^4\tan(ax)^2\tan(1/2ax)^2 - a^3x^4\tan(ax)^2 + a^3x^4\tan(1/2ax)^2 + 2a^2x^3\tan(ax)^2\tan(1/2ax) - a^3x^4 + ax^2\tan(ax)^2\tan(1/2ax)^2 + 2a^2x^3\tan(1/2ax) - ax^2\tan(ax)^2 + ax^2\tan(1/2ax)^2 + 2x\tan(ax)^2\tan(1/2ax) - ax^2 + 2x\tan(1/2ax))
\end{aligned}$$

$$3.588 \quad \int \frac{\sin^3(ax)}{x(ax \cos(ax) - \sin(ax))^2} dx$$

**Optimal.** Leaf size=56

$$\frac{\sin(ax)}{a^2x^2} + \frac{\sin^2(ax)}{a^2x^2(ax \cos(ax) - \sin(ax))} + \text{Si}(ax) + \frac{\cos(ax)}{ax}$$

[Out] Cos[a\*x]/(a\*x) + Sin[a\*x]/(a^2\*x^2) + Sin[a\*x]^2/(a^2\*x^2\*(a\*x\*Cos[a\*x] - Sin[a\*x])) + SinIntegral[a\*x]

**Rubi [A]** time = 0.101601, antiderivative size = 56, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.115$ , Rules used = {4598, 3297, 3299}

$$\frac{\sin(ax)}{a^2x^2} + \frac{\sin^2(ax)}{a^2x^2(ax \cos(ax) - \sin(ax))} + \text{Si}(ax) + \frac{\cos(ax)}{ax}$$

Antiderivative was successfully verified.

[In] Int[Sin[a\*x]^3/(x\*(a\*x\*Cos[a\*x] - Sin[a\*x])^2), x]

[Out] Cos[a\*x]/(a\*x) + Sin[a\*x]/(a^2\*x^2) + Sin[a\*x]^2/(a^2\*x^2\*(a\*x\*Cos[a\*x] - Sin[a\*x])) + SinIntegral[a\*x]

#### Rule 4598

```
Int[(((b_.)*(x_))^(m_)*Sin[(a_.)*(x_)]^(n_))/(Cos[(a_.)*(x_)]*(d_.)*(x_) + (c_.)*Sin[(a_.)*(x_)]^2, x_Symbol] := Simp[(b*(b*x)^(m - 1)*Sin[a*x]^(n - 1))/(a*d*(c*Ssin[a*x] + d*x*Cos[a*x]), x] - Dist[(b^2*(n - 1))/d^2, Int[(b*x)^(m - 2)*Sin[a*x]^(n - 2), x], x] /; FreeQ[{a, b, c, d, m, n}, x] && EqQ[a*c + d, 0] && EqQ[m, 2 - n]
```

#### Rule 3297

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]
```

#### Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

#### Rubi steps

$$\begin{aligned} \int \frac{\sin^3(ax)}{x(ax \cos(ax) - \sin(ax))^2} dx &= \frac{\sin^2(ax)}{a^2 x^2 (ax \cos(ax) - \sin(ax))} - \frac{2 \int \frac{\sin(ax)}{x^3} dx}{a^2} \\ &= \frac{\sin(ax)}{a^2 x^2} + \frac{\sin^2(ax)}{a^2 x^2 (ax \cos(ax) - \sin(ax))} - \frac{\int \frac{\cos(ax)}{x^2} dx}{a} \\ &= \frac{\cos(ax)}{ax} + \frac{\sin(ax)}{a^2 x^2} + \frac{\sin^2(ax)}{a^2 x^2 (ax \cos(ax) - \sin(ax))} + \int \frac{\sin(ax)}{x} dx \\ &= \frac{\cos(ax)}{ax} + \frac{\sin(ax)}{a^2 x^2} + \frac{\sin^2(ax)}{a^2 x^2 (ax \cos(ax) - \sin(ax))} + \text{Si}(ax) \end{aligned}$$

**Mathematica [C]** time = 7.54569, size = 242, normalized size = 4.32

$-ie\text{CosIntegral}(-ax + i)(ax \cos(ax) - \sin(ax)) + ie\text{CosIntegral}(ax + i)(ax \cos(ax) - \sin(ax)) - ie\text{ExpIntegralEi}(-$

Warning: Unable to verify antiderivative.

[In] Integrate[Sin[a\*x]^3/(x\*(a\*x\*Cos[a\*x] - Sin[a\*x])^2),x]

[Out] (1 + Cos[2\*a\*x] + I\*a\*E\*x\*Cos[a\*x]\*ExpIntegralEi[-1 - I\*a\*x] - I\*a\*E\*x\*Cos[a\*x]\*ExpIntegralEi[-1 + I\*a\*x] - I\*E\*CosIntegral[I - a\*x]\*(a\*x\*Cos[a\*x] - Sin[a\*x]) + I\*E\*CosIntegral[I + a\*x]\*(a\*x\*Cos[a\*x] - Sin[a\*x]) - I\*E\*ExpIntegralEi[-1 - I\*a\*x]\*Sin[a\*x] + I\*E\*ExpIntegralEi[-1 + I\*a\*x]\*Sin[a\*x] + 2\*a\*x\*Cos[a\*x]\*SinIntegral[a\*x] - 2\*Sin[a\*x]\*SinIntegral[a\*x] + a\*E\*x\*Cos[a\*x]\*SinIntegral[I - a\*x] - E\*Sin[a\*x]\*SinIntegral[I - a\*x] - a\*E\*x\*Cos[a\*x]\*SinIntegral[I + a\*x] + E\*Sin[a\*x]\*SinIntegral[I + a\*x])/(2\*a\*x\*Cos[a\*x] - 2\*Sin[a\*x])

**Maple [C]** time = 0.666, size = 108, normalized size = 1.9

$$\frac{\frac{i}{2}e^{iax}}{-1 + iax} + \frac{i}{2}\text{Ei}(1, -iax) + \frac{\frac{i}{2}e^{-iax}}{1 + iax} - \frac{i}{2}\text{Ei}(1, iax) + 2 \frac{e^{iax}}{(ax + i)(ax - i)(axe^{2iax} + ie^{2iax} + ax - i)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a\*x)^3/x/(a\*x\*cos(a\*x)-sin(a\*x))^2,x)

[Out] 1/2\*I\*exp(I\*a\*x)/(-1+I\*a\*x)+1/2\*I\*Ei(1,-I\*a\*x)+1/2\*I\*exp(-I\*a\*x)/(1+I\*a\*x)-1/2\*I\*Ei(1,I\*a\*x)+2\*exp(I\*a\*x)/(a\*x+I)/(a\*x-I)/(a\*x\*exp(2\*I\*a\*x)+I\*exp(2\*I\*a\*x)+a\*x-I)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a\*x)^3/x/(a\*x\*cos(a\*x)-sin(a\*x))^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

---

**Fricas [A]** time = 2.08375, size = 138, normalized size = 2.46

$$\frac{ax \cos(ax) \operatorname{Si}(ax) + \cos(ax)^2 - \sin(ax) \operatorname{Si}(ax)}{ax \cos(ax) - \sin(ax)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a\*x)^3/x/(a\*x\*cos(a\*x)-sin(a\*x))^2,x, algorithm="fricas")

[Out] (a\*x\*cos(a\*x)\*sin\_integral(a\*x) + cos(a\*x)^2 - sin(a\*x)\*sin\_integral(a\*x))/(a\*x\*cos(a\*x) - sin(a\*x))

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a\*x)\*\*3/x/(a\*x\*cos(a\*x)-sin(a\*x))\*\*2,x)

[Out] Timed out

---

**Giac [C]** time = 1.28642, size = 670, normalized size = 11.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a\*x)^3/x/(a\*x\*cos(a\*x)-sin(a\*x))^2,x, algorithm="giac")

[Out]  $\frac{1}{2} \cdot (a^3 x^3 \operatorname{imag\_part}(\cos\_integral(a x)) \tan\left(\frac{1}{2} a x\right)^4 - a^3 x^3 \operatorname{imag\_part}(\cos\_integral(-a x)) \tan\left(\frac{1}{2} a x\right)^4 + 2 a^3 x^3 \sin\_integral(a x) \tan\left(\frac{1}{2} a x\right)^4 + 2 a^2 x^2 \operatorname{imag\_part}(\cos\_integral(a x)) \tan\left(\frac{1}{2} a x\right)^3 - 2 a^2 x^2 \operatorname{imag\_part}(\cos\_integral(-a x)) \tan\left(\frac{1}{2} a x\right)^3 + 4 a^2 x^2 \sin\_integral(a x) \tan\left(\frac{1}{2} a x\right)^3 - 2 a^2 x^2 \tan\left(\frac{1}{2} a x\right)^4 - a^3 x^3 \operatorname{imag\_part}(\cos\_integral(a x)) + a^3 x^3 \operatorname{imag\_part}(\cos\_integral(-a x)) - 2 a^3 x^3 \sin\_integral(a x) + a x \operatorname{imag\_part}(\cos\_integral(a x)) \tan\left(\frac{1}{2} a x\right)^4 - a x \operatorname{imag\_part}(\cos\_integral(-a x)) \tan\left(\frac{1}{2} a x\right)^4 + 2 a x \sin\_integral(a x) \tan\left(\frac{1}{2} a x\right)^4 + 2 a^2 x^2 \operatorname{imag\_part}(\cos\_integral(a x)) \tan\left(\frac{1}{2} a x\right) - 2 a^2 x^2 \operatorname{imag\_part}(\cos\_integral(-a x)) \tan\left(\frac{1}{2} a x\right) + 4 a^2 x^2 \sin\_integral(a x) \tan\left(\frac{1}{2} a x\right) + 4 a^2 x^2 \tan\left(\frac{1}{2} a x\right)^2 - 2 a^2 x^2 + 2 \operatorname{imag\_part}(\cos\_integral(a x)) \tan\left(\frac{1}{2} a x\right)^3 - 2 \operatorname{imag\_part}(\cos\_integral(-a x)) \tan\left(\frac{1}{2} a x\right)^3 + 4 \sin\_integral(a x) \tan\left(\frac{1}{2} a x\right)^3 - 4 \tan\left(\frac{1}{2} a x\right)^4 - a x \operatorname{imag\_part}(\cos\_integral(a x)) + a x \operatorname{imag\_part}(\cos\_integral(-a x)) - 2 a x \sin\_integral(a x) + 2 \operatorname{imag\_part}(\cos\_integral(a x)) \tan\left(\frac{1}{2} a x\right) - 2 \operatorname{imag\_part}(\cos\_integral(-a x)) \tan\left(\frac{1}{2} a x\right) + 4 \sin\_integral(a x) \tan\left(\frac{1}{2} a x\right) - 4) / (a^3 x^3 \tan\left(\frac{1}{2} a x\right)^4 + 2 a^2 x^2 \tan\left(\frac{1}{2} a x\right)^3 - a^3 x^3 + a x \tan\left(\frac{1}{2} a x\right)^4 + 2 a^2 x^2 \tan\left(\frac{1}{2} a x\right) + 2 \tan\left(\frac{1}{2} a x\right)^3 - a x + 2 \tan\left(\frac{1}{2} a x\right))$

$$3.589 \quad \int \frac{\sin^2(ax)}{(ax \cos(ax) - \sin(ax))^2} dx$$

**Optimal.** Leaf size=35

$$\frac{1}{a^2x} + \frac{\sin(ax)}{a^2x(ax \cos(ax) - \sin(ax))}$$

[Out]  $1/(a^2*x) + \text{Sin}[a*x]/(a^2*x*(a*x*\text{Cos}[a*x] - \text{Sin}[a*x]))$

**Rubi [A]** time = 0.0241799, antiderivative size = 35, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$ , Rules used = {4596}

$$\frac{1}{a^2x} + \frac{\sin(ax)}{a^2x(ax \cos(ax) - \sin(ax))}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sin}[a*x]^2/(a*x*\text{Cos}[a*x] - \text{Sin}[a*x])^2, x]$

[Out]  $1/(a^2*x) + \text{Sin}[a*x]/(a^2*x*(a*x*\text{Cos}[a*x] - \text{Sin}[a*x]))$

**Rule 4596**

$\text{Int}[\text{Sin}[(a_*)*(x_)]^2/(\text{Cos}[(a_*)*(x_)]*(d_*)*(x_) + (c_*)*\text{Sin}[(a_*)*(x_)])^2, x\_Symbol] \rightarrow \text{Simp}[1/(d^2*x), x] + \text{Simp}[\text{Sin}[a*x]/(a*d*x*(d*x*\text{Cos}[a*x] + c*\text{Sin}[a*x])), x] /; \text{FreeQ}\{a, c, d\}, x] \&\& \text{EqQ}[a*c + d, 0]$

**Rubi steps**

$$\int \frac{\sin^2(ax)}{(ax \cos(ax) - \sin(ax))^2} dx = \frac{1}{a^2x} + \frac{\sin(ax)}{a^2x(ax \cos(ax) - \sin(ax))}$$

**Mathematica [A]** time = 0.297996, size = 24, normalized size = 0.69

$$\frac{\cos(ax)}{a^2x \cos(ax) - a \sin(ax)}$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[\text{Sin}[a*x]^2/(a*x*\text{Cos}[a*x] - \text{Sin}[a*x])^2, x]$

[Out]  $\text{Cos}[a*x]/(a^2*x*\text{Cos}[a*x] - a*\text{Sin}[a*x])$

**Maple [B]** time = 0.454, size = 77, normalized size = 2.2

$$\left(\frac{1}{a} \left(\tan\left(\frac{ax}{2}\right)\right)^4 + \frac{1}{a} \left(\tan\left(\frac{ax}{2}\right)\right)^6 - a^{-1} - \frac{1}{a} \left(\tan\left(\frac{ax}{2}\right)\right)^2\right) \left(1 + \left(\tan\left(\frac{ax}{2}\right)\right)^2\right)^{-2} \left(ax \left(\tan\left(\frac{ax}{2}\right)\right)^2 - ax + 2 \tan\left(\frac{1}{2} ax\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a*x)^2/(a*x*cos(a*x)-sin(a*x))^2,x)`

[Out]  $(1/a*\tan(1/2*a*x)^4+1/a*\tan(1/2*a*x)^6-1/a-1/a*\tan(1/2*a*x)^2)/(1+\tan(1/2*a*x)^2)^2/(a*x*\tan(1/2*a*x)^2-a*x+2*\tan(1/2*a*x))$

**Maxima [B]** time = 1.06221, size = 154, normalized size = 4.4

$$\frac{ax \cos(2ax)^2 + ax \sin(2ax)^2 + 2ax \cos(2ax) + ax - 2 \sin(2ax)}{(a^2x^2 + (a^2x^2 + 1) \cos(2ax))^2 - 4ax \sin(2ax) + (a^2x^2 + 1) \sin(2ax)^2 + 2(a^2x^2 - 1) \cos(2ax) + 1}a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a*x)^2/(a*x*cos(a*x)-sin(a*x))^2,x, algorithm="maxima")`

[Out]  $(a*x*\cos(2*a*x)^2 + a*x*\sin(2*a*x)^2 + 2*a*x*\cos(2*a*x) + a*x - 2*\sin(2*a*x))/((a^2*x^2 + (a^2*x^2 + 1)*\cos(2*a*x)^2 - 4*a*x*\sin(2*a*x) + (a^2*x^2 + 1)*\sin(2*a*x)^2 + 2*(a^2*x^2 - 1)*\cos(2*a*x) + 1)*a)$

**Fricas [A]** time = 2.08256, size = 54, normalized size = 1.54

$$\frac{\cos(ax)}{a^2x \cos(ax) - a \sin(ax)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a*x)^2/(a*x*cos(a*x)-sin(a*x))^2,x, algorithm="fricas")`

[Out]  $\cos(a*x)/(a^2*x*\cos(a*x) - a*\sin(a*x))$

**Sympy [A]** time = 3.59789, size = 20, normalized size = 0.57

$$\frac{\cos(ax)}{a^2x \cos(ax) - a \sin(ax)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a*x)**2/(a*x*cos(a*x)-sin(a*x))**2,x)`

[Out]  $\cos(a*x)/(a**2*x*\cos(a*x) - a*\sin(a*x))$

**Giac [A]** time = 1.14914, size = 53, normalized size = 1.51

$$\frac{\tan\left(\frac{1}{2}ax\right)^2 - 1}{a^2x \tan\left(\frac{1}{2}ax\right)^2 - a^2x + 2a \tan\left(\frac{1}{2}ax\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a*x)^2/(a*x*cos(a*x)-sin(a*x))^2,x, algorithm="giac")
```

```
[Out] (tan(1/2*a*x)^2 - 1)/(a^2*x*tan(1/2*a*x)^2 - a^2*x + 2*a*tan(1/2*a*x))
```

$$3.590 \quad \int \frac{x \sin(ax)}{(ax \cos(ax) - \sin(ax))^2} dx$$

**Optimal.** Leaf size=20

$$\frac{1}{a^2(ax \cos(ax) - \sin(ax))}$$

[Out] 1/(a^2\*(a\*x\*Cos[a\*x] - Sin[a\*x]))

**Rubi [A]** time = 0.037818, antiderivative size = 20, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$ , Rules used = {6686}

$$\frac{1}{a^2(ax \cos(ax) - \sin(ax))}$$

Antiderivative was successfully verified.

[In] Int[(x\*Sin[a\*x])/(a\*x\*Cos[a\*x] - Sin[a\*x])^2,x]

[Out] 1/(a^2\*(a\*x\*Cos[a\*x] - Sin[a\*x]))

**Rule 6686**

Int[(u\_)\*(y\_)^(m\_.), x\_Symbol] := With[{q = DerivativeDivides[y, u, x]}, Simp[(q\*y^(m + 1))/(m + 1), x] /; !FalseQ[q] /; FreeQ[m, x] && NeQ[m, -1]

**Rubi steps**

$$\int \frac{x \sin(ax)}{(ax \cos(ax) - \sin(ax))^2} dx = \frac{1}{a^2(ax \cos(ax) - \sin(ax))}$$

**Mathematica [A]** time = 0.0309856, size = 20, normalized size = 1.

$$-\frac{1}{a^2(\sin(ax) - ax \cos(ax))}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*Sin[a\*x])/(a\*x\*Cos[a\*x] - Sin[a\*x])^2,x]

[Out] -(1/(a^2\*(-(a\*x\*Cos[a\*x]) + Sin[a\*x])))

**Maple [A]** time = 0.035, size = 21, normalized size = 1.1

$$\frac{1}{a^2(ax \cos(ax) - \sin(ax))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*sin(a\*x)/(a\*x\*cos(a\*x)-sin(a\*x))^2,x)



[Out]  $1/a^2/(a*x*\cos(a*x)-\sin(a*x))$

**Maxima [A]** time = 1.01165, size = 27, normalized size = 1.35

$$\frac{1}{(ax \cos(ax) - \sin(ax))a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*sin(a*x)/(a*x*cos(a*x)-sin(a*x))^2,x, algorithm="maxima")`

[Out]  $1/((a*x*\cos(a*x) - \sin(a*x))*a^2)$

**Fricas [A]** time = 1.96554, size = 47, normalized size = 2.35

$$\frac{1}{a^3x \cos(ax) - a^2 \sin(ax)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*sin(a*x)/(a*x*cos(a*x)-sin(a*x))^2,x, algorithm="fricas")`

[Out]  $1/(a^3*x*\cos(a*x) - a^2*\sin(a*x))$

**Sympy [A]** time = 3.4626, size = 19, normalized size = 0.95

$$\frac{1}{a^3x \cos(ax) - a^2 \sin(ax)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*sin(a*x)/(a*x*cos(a*x)-sin(a*x))**2,x)`

[Out]  $1/(a**3*x*\cos(a*x) - a**2*\sin(a*x))$

**Giac [B]** time = 1.16951, size = 57, normalized size = 2.85

$$\frac{2 \left( \tan\left(\frac{1}{2}ax\right)^2 + 1 \right)}{a^3x \tan\left(\frac{1}{2}ax\right)^2 - a^3x + 2a^2 \tan\left(\frac{1}{2}ax\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*sin(a*x)/(a*x*cos(a*x)-sin(a*x))^2,x, algorithm="giac")`

[Out]  $-2*(\tan(1/2*a*x)^2 + 1)/(a^3*x*\tan(1/2*a*x)^2 - a^3*x + 2*a^2*\tan(1/2*a*x))$

$$3.591 \quad \int \frac{x^2}{(ax \cos(ax) - \sin(ax))^2} dx$$

**Optimal.** Leaf size=35

$$\frac{x \csc(ax)}{a^2(ax \cos(ax) - \sin(ax))} - \frac{\cot(ax)}{a^3}$$

[Out]  $-(\text{Cot}[a*x]/a^3) + (x*\text{Csc}[a*x])/(a^2*(a*x*\text{Cos}[a*x] - \text{Sin}[a*x]))$

**Rubi [A]** time = 0.0388193, antiderivative size = 35, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$ , Rules used = {4594, 3767, 8}

$$\frac{x \csc(ax)}{a^2(ax \cos(ax) - \sin(ax))} - \frac{\cot(ax)}{a^3}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^2/(a*x*\text{Cos}[a*x] - \text{Sin}[a*x])^2, x]$

[Out]  $-(\text{Cot}[a*x]/a^3) + (x*\text{Csc}[a*x])/(a^2*(a*x*\text{Cos}[a*x] - \text{Sin}[a*x]))$

#### Rule 4594

$\text{Int}[(x_)^2/(\text{Cos}[(a_.)*(x_)]*(d_.)*(x_) + (c_.)*\text{Sin}[(a_.)*(x_)]^2, x\_Symbol] \rightarrow \text{Simp}[x/(a*d*\text{Sin}[a*x]*(c*\text{Sin}[a*x] + d*x*\text{Cos}[a*x])), x] + \text{Dist}[1/d^2, \text{Int}[1/\text{Sin}[a*x]^2, x], x] /; \text{FreeQ}\{a, c, d\}, x] \&\& \text{EqQ}[a*c + d, 0]$

#### Rule 3767

$\text{Int}[\csc[(c_.) + (d_.)*(x_)]^{(n_)}, x\_Symbol] \rightarrow -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \text{Cot}[c + d*x]], x] /; \text{FreeQ}\{c, d\}, x] \&\& \text{IGtQ}[n/2, 0]$

#### Rule 8

$\text{Int}[a_, x\_Symbol] \rightarrow \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

#### Rubi steps

$$\begin{aligned} \int \frac{x^2}{(ax \cos(ax) - \sin(ax))^2} dx &= \frac{x \csc(ax)}{a^2(ax \cos(ax) - \sin(ax))} + \frac{\int \csc^2(ax) dx}{a^2} \\ &= \frac{x \csc(ax)}{a^2(ax \cos(ax) - \sin(ax))} - \frac{\text{Subst}(\int 1 dx, x, \cot(ax))}{a^3} \\ &= -\frac{\cot(ax)}{a^3} + \frac{x \csc(ax)}{a^2(ax \cos(ax) - \sin(ax))} \end{aligned}$$

**Mathematica [A]** time = 0.464316, size = 32, normalized size = 0.91

$$\frac{ax \sin(ax) + \cos(ax)}{a^3(ax \cos(ax) - \sin(ax))}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/(a\*x\*cos[a\*x] - Sin[a\*x])^2,x]

[Out] (Cos[a\*x] + a\*x\*Sin[a\*x])/(a^3\*(a\*x\*cos[a\*x] - Sin[a\*x]))

**Maple [A]** time = 0.316, size = 54, normalized size = 1.5

$$\left(\frac{1}{a^3} \left(\tan\left(\frac{ax}{2}\right)\right)^2 - a^{-3} - 2 \frac{x \tan(1/2 ax)}{a^2}\right) \left(ax \left(\tan\left(\frac{ax}{2}\right)\right)^2 - ax + 2 \tan(1/2 ax)\right)^{-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a\*x\*cos(a\*x)-sin(a\*x))^2,x)

[Out] (1/a^3\*tan(1/2\*a\*x)^2-1/a^3-2\*x/a^2\*tan(1/2\*a\*x))/(a\*x\*tan(1/2\*a\*x)^2-a\*x+2\*tan(1/2\*a\*x))

**Maxima [B]** time = 1.02527, size = 135, normalized size = 3.86

$$\frac{2(2ax \cos(2ax) + (a^2x^2 - 1) \sin(2ax))}{(a^2x^2 + (a^2x^2 + 1) \cos(2ax))^2 - 4ax \sin(2ax) + (a^2x^2 + 1) \sin(2ax)^2 + 2(a^2x^2 - 1) \cos(2ax) + 1} a^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a\*x\*cos(a\*x)-sin(a\*x))^2,x, algorithm="maxima")

[Out] 2\*(2\*a\*x\*cos(2\*a\*x) + (a^2\*x^2 - 1)\*sin(2\*a\*x))/((a^2\*x^2 + (a^2\*x^2 + 1)\*cos(2\*a\*x))^2 - 4\*a\*x\*sin(2\*a\*x) + (a^2\*x^2 + 1)\*sin(2\*a\*x)^2 + 2\*(a^2\*x^2 - 1)\*cos(2\*a\*x) + 1)\*a^3

**Fricas [A]** time = 2.13257, size = 80, normalized size = 2.29

$$\frac{ax \sin(ax) + \cos(ax)}{a^4x \cos(ax) - a^3 \sin(ax)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a\*x\*cos(a\*x)-sin(a\*x))^2,x, algorithm="fricas")

[Out] (a\*x\*sin(a\*x) + cos(a\*x))/(a^4\*x\*cos(a\*x) - a^3\*sin(a\*x))

**Sympy [B]** time = 5.4182, size = 112, normalized size = 3.2

$$-\frac{2ax \tan\left(\frac{ax}{2}\right)}{a^4x \tan^2\left(\frac{ax}{2}\right) - a^4x + 2a^3 \tan\left(\frac{ax}{2}\right)} + \frac{\tan^2\left(\frac{ax}{2}\right)}{a^4x \tan^2\left(\frac{ax}{2}\right) - a^4x + 2a^3 \tan\left(\frac{ax}{2}\right)} - \frac{1}{a^4x \tan^2\left(\frac{ax}{2}\right) - a^4x + 2a^3 \tan\left(\frac{ax}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/(a\*x\*cos(a\*x)-sin(a\*x))\*\*2,x)

```
[Out] -2*a*x*tan(a*x/2)/(a**4*x*tan(a*x/2)**2 - a**4*x + 2*a**3*tan(a*x/2)) + tan
(a*x/2)**2/(a**4*x*tan(a*x/2)**2 - a**4*x + 2*a**3*tan(a*x/2)) - 1/(a**4*x*
tan(a*x/2)**2 - a**4*x + 2*a**3*tan(a*x/2))
```

---

**Giac [A]** time = 1.12798, size = 72, normalized size = 2.06

$$\frac{2ax \tan\left(\frac{1}{2}ax\right) - \tan\left(\frac{1}{2}ax\right)^2 + 1}{a^4x \tan\left(\frac{1}{2}ax\right)^2 - a^4x + 2a^3 \tan\left(\frac{1}{2}ax\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(a*x*cos(a*x)-sin(a*x))^2,x, algorithm="giac")
```

```
[Out] -(2*a*x*tan(1/2*a*x) - tan(1/2*a*x)^2 + 1)/(a^4*x*tan(1/2*a*x)^2 - a^4*x +
2*a^3*tan(1/2*a*x))
```

$$3.592 \quad \int \frac{x^3 \csc(ax)}{(ax \cos(ax) - \sin(ax))^2} dx$$

**Optimal.** Leaf size=104

$$\frac{i \operatorname{PolyLog}(2, -e^{iax})}{a^4} - \frac{i \operatorname{PolyLog}(2, e^{iax})}{a^4} + \frac{x^2 \csc^2(ax)}{a^2(ax \cos(ax) - \sin(ax))} - \frac{\csc(ax)}{a^4} - \frac{2x \tanh^{-1}(e^{iax})}{a^3} - \frac{x \cot(ax) \csc(ax)}{a^3}$$

[Out]  $(-2*x*\operatorname{ArcTanh}[E^{(I*a*x)}])/a^3 - \operatorname{Csc}[a*x]/a^4 - (x*\operatorname{Cot}[a*x]*\operatorname{Csc}[a*x])/a^3 + (I*\operatorname{PolyLog}[2, -E^{(I*a*x)}])/a^4 - (I*\operatorname{PolyLog}[2, E^{(I*a*x)}])/a^4 + (x^2*\operatorname{Csc}[a*x]^2)/(a^2*(a*x*\operatorname{Cos}[a*x] - \operatorname{Sin}[a*x]))$

**Rubi [A]** time = 0.0912974, antiderivative size = 104, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$ , Rules used = {4600, 4185, 4183, 2279, 2391}

$$\frac{i \operatorname{PolyLog}(2, -e^{iax})}{a^4} - \frac{i \operatorname{PolyLog}(2, e^{iax})}{a^4} + \frac{x^2 \csc^2(ax)}{a^2(ax \cos(ax) - \sin(ax))} - \frac{\csc(ax)}{a^4} - \frac{2x \tanh^{-1}(e^{iax})}{a^3} - \frac{x \cot(ax) \csc(ax)}{a^3}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(x^3*\operatorname{Csc}[a*x])/(a*x*\operatorname{Cos}[a*x] - \operatorname{Sin}[a*x])^2, x]$

[Out]  $(-2*x*\operatorname{ArcTanh}[E^{(I*a*x)}])/a^3 - \operatorname{Csc}[a*x]/a^4 - (x*\operatorname{Cot}[a*x]*\operatorname{Csc}[a*x])/a^3 + (I*\operatorname{PolyLog}[2, -E^{(I*a*x)}])/a^4 - (I*\operatorname{PolyLog}[2, E^{(I*a*x)}])/a^4 + (x^2*\operatorname{Csc}[a*x]^2)/(a^2*(a*x*\operatorname{Cos}[a*x] - \operatorname{Sin}[a*x]))$

#### Rule 4600

$\operatorname{Int}[(\operatorname{Csc}[(a_*)*(x_*)]^{(n_*)}*((b_*)*(x_*)^{(m_*)})/(\operatorname{Cos}[(a_*)*(x_*)]*(d_*)*(x_*) + (c_*)*\operatorname{Sin}[(a_*)*(x_*)])^2, x\_Symbol] \rightarrow \operatorname{Simp}[(b*(b*x)^{(m-1)}*\operatorname{Csc}[a*x]^{(n+1)})/(a*d*(c*\operatorname{Sin}[a*x] + d*x*\operatorname{Cos}[a*x])), x] + \operatorname{Dist}[(b^2*(n+1))/d^2, \operatorname{Int}[(b*x)^{(m-2)}*\operatorname{Csc}[a*x]^{(n+2)}, x], x] /; \operatorname{FreeQ}\{a, b, c, d, m, n\}, x] \&\& \operatorname{EqQ}[a*c + d, 0] \&\& \operatorname{EqQ}[m, n + 2]$

#### Rule 4185

$\operatorname{Int}[(\operatorname{csc}[(e_*) + (f_*)*(x_*)]*(b_*)^{(n_*)}*((c_*) + (d_*)*(x_))), x\_Symbol] \rightarrow -\operatorname{Simp}[(b^2*(c + d*x)*\operatorname{Cot}[e + f*x]*(b*\operatorname{Csc}[e + f*x])^{(n-2)})/(f*(n-1)), x] + (\operatorname{Dist}[(b^2*(n-2))/(n-1), \operatorname{Int}[(c + d*x)*(b*\operatorname{Csc}[e + f*x])^{(n-2)}, x], x] - \operatorname{Simp}[(b^2*d*(b*\operatorname{Csc}[e + f*x])^{(n-2)})/(f^2*(n-1)*(n-2)), x]) /; \operatorname{FreeQ}\{b, c, d, e, f\}, x] \&\& \operatorname{GtQ}[n, 1] \&\& \operatorname{NeQ}[n, 2]$

#### Rule 4183

$\operatorname{Int}[\operatorname{csc}[(e_*) + (f_*)*(x_*)]*((c_*) + (d_*)*(x_*)^{(m_*)}), x\_Symbol] \rightarrow \operatorname{Simp}[(-2*(c + d*x)^m*\operatorname{ArcTanh}[E^{(I*(e + f*x))}])/f, x] + (-\operatorname{Dist}[(d*m)/f, \operatorname{Int}[(c + d*x)^{(m-1)}*\operatorname{Log}[1 - E^{(I*(e + f*x))}], x], x] + \operatorname{Dist}[(d*m)/f, \operatorname{Int}[(c + d*x)^{(m-1)}*\operatorname{Log}[1 + E^{(I*(e + f*x))}], x], x]) /; \operatorname{FreeQ}\{c, d, e, f\}, x] \&\& \operatorname{IGtQ}[m, 0]$

#### Rule 2279

$\operatorname{Int}[\operatorname{Log}[(a_*) + (b_*)*((F_*)^{((e_*)*((c_*) + (d_*)*(x_*)}))^{(n_*)})], x\_Symbol] \rightarrow \operatorname{Dist}[1/(d*e*n*\operatorname{Log}[F]), \operatorname{Subst}[\operatorname{Int}[\operatorname{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x))})^n], x] /; \operatorname{FreeQ}\{F, a, b, c, d, e, n\}, x] \&\& \operatorname{GtQ}[a, 0]$

**Rule 2391**

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

**Rubi steps**

$$\begin{aligned} \int \frac{x^3 \csc(ax)}{(ax \cos(ax) - \sin(ax))^2} dx &= \frac{x^2 \csc^2(ax)}{a^2(ax \cos(ax) - \sin(ax))} + \frac{2 \int x \csc^3(ax) dx}{a^2} \\ &= -\frac{\csc(ax)}{a^4} - \frac{x \cot(ax) \csc(ax)}{a^3} + \frac{x^2 \csc^2(ax)}{a^2(ax \cos(ax) - \sin(ax))} + \frac{\int x \csc(ax) dx}{a^2} \\ &= -\frac{2x \tanh^{-1}(e^{iax})}{a^3} - \frac{\csc(ax)}{a^4} - \frac{x \cot(ax) \csc(ax)}{a^3} + \frac{x^2 \csc^2(ax)}{a^2(ax \cos(ax) - \sin(ax))} - \frac{\int \log(1 - e^{iax})}{a^2} \\ &= -\frac{2x \tanh^{-1}(e^{iax})}{a^3} - \frac{\csc(ax)}{a^4} - \frac{x \cot(ax) \csc(ax)}{a^3} + \frac{x^2 \csc^2(ax)}{a^2(ax \cos(ax) - \sin(ax))} + \frac{i \operatorname{Subst}\left(\int \frac{\log(1 - e^{iax})}{1 - e^{iax}} dx, e^{iax} = u\right)}{a^2} \\ &= -\frac{2x \tanh^{-1}(e^{iax})}{a^3} - \frac{\csc(ax)}{a^4} - \frac{x \cot(ax) \csc(ax)}{a^3} + \frac{i \operatorname{Li}_2(-e^{iax})}{a^4} - \frac{i \operatorname{Li}_2(e^{iax})}{a^4} + \frac{x^2 \csc^2(ax)}{a^2(ax \cos(ax) - \sin(ax))} \end{aligned}$$

**Mathematica [A]** time = 1.01867, size = 157, normalized size = 1.51

$$\frac{i(ax \cot(ax) - 1)\operatorname{PolyLog}(2, -e^{iax}) - i(ax \cot(ax) - 1)\operatorname{PolyLog}(2, e^{iax}) + a^2 x^2 \csc(ax) + a^2 x^2 \log(1 - e^{iax}) \cot(ax) - a^2 x^2 \log(1 + e^{iax}) \cot(ax)}{a^4(ax \cot(ax) - 1)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^3*Csc[a*x])/(a*x*Cos[a*x] - Sin[a*x])^2,x]
```

```
[Out] (Csc[a*x] + a^2*x^2*Csc[a*x] - a*x*Log[1 - E^(I*a*x)] + a^2*x^2*Cot[a*x]*Log[1 - E^(I*a*x)] + a*x*Log[1 + E^(I*a*x)] - a^2*x^2*Cot[a*x]*Log[1 + E^(I*a*x)] + I*(-1 + a*x*Cot[a*x])*PolyLog[2, -E^(I*a*x)] - I*(-1 + a*x*Cot[a*x])*PolyLog[2, E^(I*a*x)])/(a^4*(-1 + a*x*Cot[a*x]))
```

**Maple [F]** time = 1.249, size = 0, normalized size = 0.

$$\int \frac{x^3 \csc(ax)}{(ax \cos(ax) - \sin(ax))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3*csc(a*x)/(a*x*cos(a*x)-sin(a*x))^2,x)
```

```
[Out] int(x^3*csc(a*x)/(a*x*cos(a*x)-sin(a*x))^2,x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*csc(a\*x)/(a\*x\*cos(a\*x)-sin(a\*x))^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

**Fricas [B]** time = 2.33218, size = 771, normalized size = 7.41

$$\frac{2a^2x^2 - (iax \cos(ax) - i \sin(ax))\text{Li}_2(\cos(ax) + i \sin(ax)) - (-iax \cos(ax) + i \sin(ax))\text{Li}_2(\cos(ax) - i \sin(ax))}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*csc(a\*x)/(a\*x\*cos(a\*x)-sin(a\*x))^2,x, algorithm="fricas")

[Out] 
$$\frac{1}{2} \cdot (2a^2x^2 - (Iax \cos(ax) - I \sin(ax)) \cdot \text{dilog}(\cos(ax) + I \sin(ax)) - (-Iax \cos(ax) + I \sin(ax)) \cdot \text{dilog}(\cos(ax) - I \sin(ax)) - (Iax \cos(ax) - I \sin(ax)) \cdot \text{dilog}(-\cos(ax) + I \sin(ax)) - (-Iax \cos(ax) + I \sin(ax)) \cdot \text{dilog}(-\cos(ax) - I \sin(ax)) - (a^2x^2 \cos(ax) - ax \sin(ax)) \cdot \log(\cos(ax) + I \sin(ax) + 1) - (a^2x^2 \cos(ax) - ax \sin(ax)) \cdot \log(\cos(ax) - I \sin(ax) + 1) + (a^2x^2 \cos(ax) - ax \sin(ax)) \cdot \log(-\cos(ax) + I \sin(ax) + 1) + (a^2x^2 \cos(ax) - ax \sin(ax)) \cdot \log(-\cos(ax) - I \sin(ax) + 1) + 2) / (a^5x \cos(ax) - a^4 \sin(ax))$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3 \csc(ax)}{(ax \cos(ax) - \sin(ax))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*csc(a\*x)/(a\*x\*cos(a\*x)-sin(a\*x))\*\*2,x)

[Out] Integral(x\*\*3\*csc(a\*x)/(a\*x\*cos(a\*x) - sin(a\*x))\*\*2, x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3 \csc(ax)}{(ax \cos(ax) - \sin(ax))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*csc(a\*x)/(a\*x\*cos(a\*x)-sin(a\*x))^2,x, algorithm="giac")

[Out] integrate(x^3\*csc(a\*x)/(a\*x\*cos(a\*x) - sin(a\*x))^2, x)

$$3.593 \quad \int \frac{x^4 \csc^2(ax)}{(ax \cos(ax) - \sin(ax))^2} dx$$

**Optimal.** Leaf size=127

$$-\frac{2i \operatorname{PolyLog}\left(2, e^{2iax}\right)}{a^5} - \frac{2ix^2}{a^3} - \frac{2x^2 \cot(ax)}{a^3} - \frac{x^2 \cot(ax) \csc^2(ax)}{a^3} + \frac{x^3 \csc^3(ax)}{a^2(ax \cos(ax) - \sin(ax))} + \frac{4x \log\left(1 - e^{2iax}\right)}{a^4} - \frac{\cot(ax)}{a}$$

[Out]  $((-2*I)*x^2)/a^3 - \operatorname{Cot}[a*x]/a^5 - (2*x^2*\operatorname{Cot}[a*x])/a^3 - (x*\operatorname{Csc}[a*x]^2)/a^4 - (x^2*\operatorname{Cot}[a*x]*\operatorname{Csc}[a*x]^2)/a^3 + (4*x*\operatorname{Log}[1 - E^{((2*I)*a*x)}])/a^4 - ((2*I)*\operatorname{PolyLog}[2, E^{((2*I)*a*x)}])/a^5 + (x^3*\operatorname{Csc}[a*x]^3)/(a^2*(a*x*\operatorname{Cos}[a*x] - \operatorname{Sin}[a*x]))$

**Rubi [A]** time = 0.181463, antiderivative size = 127, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.346$ , Rules used = {4600, 4186, 3767, 8, 4184, 3717, 2190, 2279, 2391}

$$-\frac{2i \operatorname{PolyLog}\left(2, e^{2iax}\right)}{a^5} - \frac{2ix^2}{a^3} - \frac{2x^2 \cot(ax)}{a^3} - \frac{x^2 \cot(ax) \csc^2(ax)}{a^3} + \frac{x^3 \csc^3(ax)}{a^2(ax \cos(ax) - \sin(ax))} + \frac{4x \log\left(1 - e^{2iax}\right)}{a^4} - \frac{\cot(ax)}{a}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(x^4*\operatorname{Csc}[a*x]^2)/(a*x*\operatorname{Cos}[a*x] - \operatorname{Sin}[a*x])^2, x]$

[Out]  $((-2*I)*x^2)/a^3 - \operatorname{Cot}[a*x]/a^5 - (2*x^2*\operatorname{Cot}[a*x])/a^3 - (x*\operatorname{Csc}[a*x]^2)/a^4 - (x^2*\operatorname{Cot}[a*x]*\operatorname{Csc}[a*x]^2)/a^3 + (4*x*\operatorname{Log}[1 - E^{((2*I)*a*x)}])/a^4 - ((2*I)*\operatorname{PolyLog}[2, E^{((2*I)*a*x)}])/a^5 + (x^3*\operatorname{Csc}[a*x]^3)/(a^2*(a*x*\operatorname{Cos}[a*x] - \operatorname{Sin}[a*x]))$

#### Rule 4600

$\operatorname{Int}[(\operatorname{Csc}[(a_.)*(x_.)]^{(n_.)}*((b_.)*(x_.))^{(m_.)})/(\operatorname{Cos}[(a_.)*(x_.)]*(d_.)*(x_.) + (c_.)*\operatorname{Sin}[(a_.)*(x_.)])^2, x\_Symbol] \rightarrow \operatorname{Simp}[(b*(b*x)^{(m-1)}*\operatorname{Csc}[a*x]^{(n+1)})/(a*d*(c*\operatorname{Sin}[a*x] + d*x*\operatorname{Cos}[a*x])), x] + \operatorname{Dist}[(b^2*(n+1))/d^2, \operatorname{Int}[(b*x)^{(m-2)}*\operatorname{Csc}[a*x]^{(n+2)}, x], x] /; \operatorname{FreeQ}\{a, b, c, d, m, n\}, x] \&\& \operatorname{EqQ}[a*c + d, 0] \&\& \operatorname{EqQ}[m, n + 2]$

#### Rule 4186

$\operatorname{Int}[(\operatorname{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^{(n_.)}*((c_.) + (d_.)*(x_.))^{(m_.)}, x\_Symbol] \rightarrow -\operatorname{Simp}[(b^2*(c + d*x)^m*\operatorname{Cot}[e + f*x]*(b*\operatorname{Csc}[e + f*x])^{(n-2)})/(f*(n-1)), x] + (\operatorname{Dist}[(b^2*d^2*m*(m-1))/(f^2*(n-1)*(n-2)), \operatorname{Int}[(c + d*x)^{(m-2)}*(b*\operatorname{Csc}[e + f*x])^{(n-2)}, x], x] + \operatorname{Dist}[(b^2*(n-2))/(n-1), \operatorname{Int}[(c + d*x)^m*(b*\operatorname{Csc}[e + f*x])^{(n-2)}, x], x] - \operatorname{Simp}[(b^2*d*m*(c + d*x)^{(m-1)}*(b*\operatorname{Csc}[e + f*x])^{(n-2)})/(f^2*(n-1)*(n-2)), x]) /; \operatorname{FreeQ}\{b, c, d, e, f\}, x] \&\& \operatorname{GtQ}[n, 1] \&\& \operatorname{NeQ}[n, 2] \&\& \operatorname{GtQ}[m, 1]$

#### Rule 3767

$\operatorname{Int}[\operatorname{csc}[(c_.) + (d_.)*(x_.)]^{(n_.)}, x\_Symbol] \rightarrow -\operatorname{Dist}[d^{(-1)}, \operatorname{Subst}[\operatorname{Int}[\operatorname{ExpandIntegrand}[(1 + x^2)^{(n/2-1)}, x], x], x, \operatorname{Cot}[c + d*x]], x] /; \operatorname{FreeQ}\{c, d\}, x] \&\& \operatorname{IGtQ}[n/2, 0]$

#### Rule 8

$\operatorname{Int}[a_, x\_Symbol] \rightarrow \operatorname{Simp}[a*x, x] /; \operatorname{FreeQ}[a, x]$



Rule 4184

Int[csc[(e\_.) + (f\_.)\*(x\_)]^2\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := -Simp[(c + d\*x)^m\*Cot[e + f\*x]/f, x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Cot[e + f\*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3717

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*tan[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)], x\_Symbol] := Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m\*E^(2\*I\*k\*Pi)\*E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*k\*Pi)\*E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4\*k] && IGtQ[m, 0]

Rule 2190

Int[(((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.))/((a\_.) + (b\_.)\*(F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.), x\_Symbol] := Simp[(c + d\*x)^m\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a]/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

Rubi steps

$$\begin{aligned}
 \int \frac{x^4 \csc^2(ax)}{(ax \cos(ax) - \sin(ax))^2} dx &= \frac{x^3 \csc^3(ax)}{a^2(ax \cos(ax) - \sin(ax))} + \frac{3 \int x^2 \csc^4(ax) dx}{a^2} \\
 &= -\frac{x \csc^2(ax)}{a^4} - \frac{x^2 \cot(ax) \csc^2(ax)}{a^3} + \frac{x^3 \csc^3(ax)}{a^2(ax \cos(ax) - \sin(ax))} + \frac{\int \csc^2(ax) dx}{a^4} + \frac{2 \int \csc^4(ax) dx}{a^4} \\
 &= -\frac{2x^2 \cot(ax)}{a^3} - \frac{x \csc^2(ax)}{a^4} - \frac{x^2 \cot(ax) \csc^2(ax)}{a^3} + \frac{x^3 \csc^3(ax)}{a^2(ax \cos(ax) - \sin(ax))} - \frac{\text{Subst}[\int \csc^2(ax) dx, ax, x]}{a^4} \\
 &= -\frac{2ix^2}{a^3} - \frac{\cot(ax)}{a^5} - \frac{2x^2 \cot(ax)}{a^3} - \frac{x \csc^2(ax)}{a^4} - \frac{x^2 \cot(ax) \csc^2(ax)}{a^3} + \frac{x^3 \csc^3(ax)}{a^2(ax \cos(ax) - \sin(ax))} \\
 &= -\frac{2ix^2}{a^3} - \frac{\cot(ax)}{a^5} - \frac{2x^2 \cot(ax)}{a^3} - \frac{x \csc^2(ax)}{a^4} - \frac{x^2 \cot(ax) \csc^2(ax)}{a^3} + \frac{4x \log(1 - e^{2iax})}{a^4} \\
 &= -\frac{2ix^2}{a^3} - \frac{\cot(ax)}{a^5} - \frac{2x^2 \cot(ax)}{a^3} - \frac{x \csc^2(ax)}{a^4} - \frac{x^2 \cot(ax) \csc^2(ax)}{a^3} + \frac{4x \log(1 - e^{2iax})}{a^4} \\
 &= -\frac{2ix^2}{a^3} - \frac{\cot(ax)}{a^5} - \frac{2x^2 \cot(ax)}{a^3} - \frac{x \csc^2(ax)}{a^4} - \frac{x^2 \cot(ax) \csc^2(ax)}{a^3} + \frac{4x \log(1 - e^{2iax})}{a^4}
 \end{aligned}$$

**Mathematica [A]** time = 1.06375, size = 102, normalized size = 0.8

$$\frac{-2ia \left( a^2 x^2 + \text{PolyLog} \left( 2, e^{2iax} \right) \right) + a^3 \left( -x^2 \right) \cot(ax) + \frac{(a^2 x^2 + 1)^2 \sin(ax)}{x(ax \cos(ax) - \sin(ax))} + a^2 x + 4a^2 x \log(1 - e^{2iax}) + \frac{1}{x}}{a^6}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4\*Csc[a\*x]^2)/(a\*x\*Cos[a\*x] - Sin[a\*x])^2,x]

[Out] (x^(-1) + a^2\*x - a^3\*x^2\*Cot[a\*x] + 4\*a^2\*x\*Log[1 - E^((2\*I)\*a\*x)] - (2\*I)\*a\*(a^2\*x^2 + PolyLog[2, E^((2\*I)\*a\*x)]) + ((1 + a^2\*x^2)^2\*Sin[a\*x])/(x\*(a\*x\*Cos[a\*x] - Sin[a\*x]))) / a^6

**Maple [A]** time = 0.357, size = 172, normalized size = 1.4

$$\frac{-2i(2ia^2x^2e^{iax} + 2x^3a^3 - 2ix^2a^2 - axe^{2iax} + ie^{2iax} + ax - i)}{(e^{2iax} - 1)(axe^{2iax} + ie^{2iax} + ax - i)a^5} - \frac{4ix^2}{a^3} + 4\frac{x \ln(e^{iax} + 1)}{a^4} - \frac{4i \operatorname{polylog}(2, -e^{iax})}{a^5} + 4\frac{x \ln(e^{iax} - 1)}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*csc(a\*x)^2/(a\*x\*cos(a\*x)-sin(a\*x))^2,x)

[Out] -2\*I\*(2\*I\*a^2\*x^2\*exp(2\*I\*a\*x)+2\*x^3\*a^3-2\*I\*a^2\*x^2-a\*x\*exp(2\*I\*a\*x)+I\*exp(2\*I\*a\*x)+a\*x-I)/(exp(2\*I\*a\*x)-1)/(a\*x\*exp(2\*I\*a\*x)+I\*exp(2\*I\*a\*x)+a\*x-I)/a^5-4\*I/a^3\*x^2+4/a^4\*x\*ln(exp(I\*a\*x)+1)-4\*I/a^5\*polylog(2,-exp(I\*a\*x))+4/a^4\*x\*ln(1-exp(I\*a\*x))-4\*I/a^5\*polylog(2,exp(I\*a\*x))

**Maxima [B]** time = 1.2702, size = 821, normalized size = 6.46

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*csc(a\*x)^2/(a\*x\*cos(a\*x)-sin(a\*x))^2,x, algorithm="maxima")

[Out] -(2\*a\*x + (4\*a^2\*x^2 + 8\*I\*a\*x\*cos(2\*a\*x) - 8\*a\*x\*sin(2\*a\*x) - 4\*I\*a\*x - (4\*a^2\*x^2 + 4\*I\*a\*x)\*cos(4\*a\*x) + 4\*(-I\*a^2\*x^2 + a\*x)\*sin(4\*a\*x))\*arctan2(sin(a\*x), cos(a\*x) + 1) - (4\*a^2\*x^2 + 8\*I\*a\*x\*cos(2\*a\*x) - 8\*a\*x\*sin(2\*a\*x) - 4\*I\*a\*x - (4\*a^2\*x^2 + 4\*I\*a\*x)\*cos(4\*a\*x) - 4\*(I\*a^2\*x^2 - a\*x)\*sin(4\*a\*x))\*arctan2(sin(a\*x), -cos(a\*x) + 1) + 4\*(a^3\*x^3 + I\*a^2\*x^2)\*cos(4\*a\*x) - (4\*I\*a^2\*x^2 + 2\*a\*x - 2\*I)\*cos(2\*a\*x) - (4\*a\*x - (4\*a\*x + 4\*I)\*cos(4\*a\*x) - 4\*(I\*a\*x - 1)\*sin(4\*a\*x) + 8\*I\*cos(2\*a\*x) - 8\*sin(2\*a\*x) - 4\*I)\*dilog(-e^(I\*a\*x)) - (4\*a\*x - (4\*a\*x + 4\*I)\*cos(4\*a\*x) - 4\*(I\*a\*x - 1)\*sin(4\*a\*x) + 8\*I\*cos(2\*a\*x) - 8\*sin(2\*a\*x) - 4\*I)\*dilog(e^(I\*a\*x)) - (2\*I\*a^2\*x^2 - 4\*a\*x\*cos(2\*a\*x) - 4\*I\*a\*x\*sin(2\*a\*x) + 2\*a\*x - 2\*(I\*a^2\*x^2 - a\*x)\*cos(4\*a\*x) + (2\*a^2\*x^2 + 2\*I\*a\*x)\*sin(4\*a\*x))\*log(cos(a\*x)^2 + sin(a\*x)^2 + 2\*cos(a\*x) + 1) - (2\*I\*a^2\*x^2 - 4\*a\*x\*cos(2\*a\*x) - 4\*I\*a\*x\*sin(2\*a\*x) + 2\*a\*x - 2\*(I\*a^2\*x^2 - a\*x)\*cos(4\*a\*x) + (2\*a^2\*x^2 + 2\*I\*a\*x)\*sin(4\*a\*x))\*log(cos(a\*x)^2 + sin(a\*x)^2 - 2\*cos(a\*x) + 1) - (-4\*I\*a^3\*x^3 + 4\*a^2\*x^2)\*sin(4\*a\*x) + (4\*a^2\*x^2 - 2\*I\*a\*x - 2)\*sin(2\*a\*x) - 2\*I)/((I\*a\*x + (-I\*a\*x + 1)\*cos(4\*a\*x) + (a\*x + I)\*sin(4\*a\*x) - 2\*cos(2\*a\*x) - 2\*I\*sin(2\*a\*x) + 1)\*a^5)

**Fricas [B]** time = 2.43328, size = 1095, normalized size = 8.62

$$\frac{a^3x^3 - (2a^3x^3 + ax) \cos(ax)^2 + (2a^2x^2 + 1) \cos(ax) \sin(ax) + ax + (-2i ax \cos(ax) \sin(ax) - 2i \cos(ax)^2 + 2i) \operatorname{Li}_2(\cos(ax))}{a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*csc(a\*x)^2/(a\*x\*cos(a\*x)-sin(a\*x))^2,x, algorithm="fricas")

[Out] (a^3\*x^3 - (2\*a^3\*x^3 + a\*x)\*cos(a\*x)^2 + (2\*a^2\*x^2 + 1)\*cos(a\*x)\*sin(a\*x) + a\*x + (-2\*I\*a\*x\*cos(a\*x)\*sin(a\*x) - 2\*I\*cos(a\*x)^2 + 2\*I)\*dilog(cos(a\*x) + I\*sin(a\*x)) + (2\*I\*a\*x\*cos(a\*x)\*sin(a\*x) + 2\*I\*cos(a\*x)^2 - 2\*I)\*dilog(cos(a\*x) - I\*sin(a\*x)) + (2\*I\*a\*x\*cos(a\*x)\*sin(a\*x) + 2\*I\*cos(a\*x)^2 - 2\*I)\*dilog(-cos(a\*x) + I\*sin(a\*x)) + (-2\*I\*a\*x\*cos(a\*x)\*sin(a\*x) - 2\*I\*cos(a\*x)^2 + 2\*I)\*dilog(-cos(a\*x) - I\*sin(a\*x)) + 2\*(a^2\*x^2\*cos(a\*x)\*sin(a\*x) + a\*x\*cos(a\*x)^2 - a\*x)\*log(cos(a\*x) + I\*sin(a\*x) + 1) + 2\*(a^2\*x^2\*cos(a\*x)\*sin(a\*x) + a\*x\*cos(a\*x)^2 - a\*x)\*log(cos(a\*x) - I\*sin(a\*x) + 1) + 2\*(a^2\*x^2\*cos(a\*x)\*sin(a\*x) + a\*x\*cos(a\*x)^2 - a\*x)\*log(-cos(a\*x) + I\*sin(a\*x) + 1) + 2\*(a^2\*x^2\*cos(a\*x)\*sin(a\*x) + a\*x\*cos(a\*x)^2 - a\*x)\*log(-cos(a\*x) - I\*sin(a\*x) + 1))/(a^6\*x\*cos(a\*x)\*sin(a\*x) + a^5\*cos(a\*x)^2 - a^5)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*csc(a\*x)\*\*2/(a\*x\*cos(a\*x)-sin(a\*x))\*\*2,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^4 \csc(ax)^2}{(ax \cos(ax) - \sin(ax))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*csc(a\*x)^2/(a\*x\*cos(a\*x)-sin(a\*x))^2,x, algorithm="giac")

[Out] integrate(x^4\*csc(a\*x)^2/(a\*x\*cos(a\*x) - sin(a\*x))^2, x)

$$3.594 \quad \int \frac{\cos^6(ax)}{x^4(\cos(ax)+ax \sin(ax))^2} dx$$

**Optimal.** Leaf size=176

$$\frac{2}{3}a^3\text{Si}(2ax) + \frac{16}{3}a^3\text{Si}(4ax) + \frac{\cos^4(ax)}{a^2x^5} - \frac{\cos^5(ax)}{a^2x^5(ax \sin(ax) + \cos(ax))} + \frac{a^2}{x} + \frac{32a^2 \cos^4(ax)}{3x} - \frac{10a^2 \cos^2(ax)}{x} - \frac{4 \cos^4(ax)}{3x^3}$$

[Out] a^2/x + Cos[a\*x]^2/x^3 - (10\*a^2\*Cos[a\*x]^2)/x + Cos[a\*x]^4/(a^2\*x^5) - (4\*Cos[a\*x]^4)/(3\*x^3) + (32\*a^2\*Cos[a\*x]^4)/(3\*x) - (a\*Cos[a\*x]\*Sin[a\*x])/x^2 - (Cos[a\*x]^3\*Sin[a\*x])/(a\*x^4) + (8\*a\*Cos[a\*x]^3\*Sin[a\*x])/(3\*x^2) - Cos[a\*x]^5/(a^2\*x^5\*(Cos[a\*x] + a\*x\*Sin[a\*x])) + (2\*a^3\*SinIntegral[2\*a\*x])/3 + (16\*a^3\*SinIntegral[4\*a\*x])/3

**Rubi [A]** time = 0.299207, antiderivative size = 176, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 6, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {4599, 3314, 30, 3313, 12, 3299}

$$\frac{2}{3}a^3\text{Si}(2ax) + \frac{16}{3}a^3\text{Si}(4ax) + \frac{\cos^4(ax)}{a^2x^5} - \frac{\cos^5(ax)}{a^2x^5(ax \sin(ax) + \cos(ax))} + \frac{a^2}{x} + \frac{32a^2 \cos^4(ax)}{3x} - \frac{10a^2 \cos^2(ax)}{x} - \frac{4 \cos^4(ax)}{3x^3}$$

Antiderivative was successfully verified.

[In] Int[Cos[a\*x]^6/(x^4\*(Cos[a\*x] + a\*x\*Sin[a\*x])^2),x]

[Out] a^2/x + Cos[a\*x]^2/x^3 - (10\*a^2\*Cos[a\*x]^2)/x + Cos[a\*x]^4/(a^2\*x^5) - (4\*Cos[a\*x]^4)/(3\*x^3) + (32\*a^2\*Cos[a\*x]^4)/(3\*x) - (a\*Cos[a\*x]\*Sin[a\*x])/x^2 - (Cos[a\*x]^3\*Sin[a\*x])/(a\*x^4) + (8\*a\*Cos[a\*x]^3\*Sin[a\*x])/(3\*x^2) - Cos[a\*x]^5/(a^2\*x^5\*(Cos[a\*x] + a\*x\*Sin[a\*x])) + (2\*a^3\*SinIntegral[2\*a\*x])/3 + (16\*a^3\*SinIntegral[4\*a\*x])/3

#### Rule 4599

Int[((Cos[(a\_.)\*(x\_)]^(n\_))\*((b\_.)\*(x\_))^(m\_))/(Cos[(a\_.)\*(x\_)]\*(c\_.) + (d\_.)\*(x\_)\*Sin[(a\_.)\*(x\_)]^2, x\_Symbol] :> -Simp[(b\*(b\*x)^(m - 1)\*Cos[a\*x]^(n - 1))/(a\*d\*(c\*cos[a\*x] + d\*x\*Sin[a\*x])), x] - Dist[(b^2\*(n - 1))/d^2, Int[(b\*x)^(m - 2)\*Cos[a\*x]^(n - 2), x], x] /; FreeQ[{a, b, c, d, m, n}, x] && EqQ[a\*c - d, 0] && EqQ[m, 2 - n]

#### Rule 3314

Int[((c\_.) + (d\_.)\*(x\_))^(m\_)\*((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(n\_), x\_Symbol] :> Simp[((c + d\*x)^(m + 1)\*(b\*Sin[e + f\*x])^n)/(d\*(m + 1)), x] + (Dist[(b^2\*f^2\*n\*(n - 1))/(d^2\*(m + 1)\*(m + 2)), Int[(c + d\*x)^(m + 2)\*(b\*Sin[e + f\*x])^(n - 2), x], x] - Dist[(f^2\*n^2)/(d^2\*(m + 1)\*(m + 2)), Int[(c + d\*x)^(m + 2)\*(b\*Sin[e + f\*x])^n, x], x] - Simp[(b\*f\*n\*(c + d\*x)^(m + 2)\*Cos[e + f\*x]\*(b\*Sin[e + f\*x])^(n - 1))/(d^2\*(m + 1)\*(m + 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && LtQ[m, -2]

#### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

#### Rule 3313

Int[((c\_.) + (d\_.)\*(x\_))^(m\_)\*sin[(e\_.) + (f\_.)\*(x\_)]^(n\_), x\_Symbol] :> Simp[((c + d\*x)^(m + 1)\*Sin[e + f\*x]^n)/(d\*(m + 1)), x] - Dist[(f\*n)/(d\*(m + 1)), Int[(c + d\*x)^(m + 2)\*Sin[e + f\*x]^(n - 1), x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[n, 1]

1)), Int[ExpandTrigReduce[(c + d\*x)^(m + 1), Cos[e + f\*x]\*Sin[e + f\*x]^(n - 1), x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && GeQ[m, -2] && LtQ[m, -1]

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 3299

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

### Rubi steps

$$\begin{aligned} \int \frac{\cos^6(ax)}{x^4(\cos(ax) + ax \sin(ax))^2} dx &= -\frac{\cos^5(ax)}{a^2 x^5 (\cos(ax) + ax \sin(ax))} - \frac{5 \int \frac{\cos^4(ax)}{x^6} dx}{a^2} \\ &= \frac{\cos^4(ax)}{a^2 x^5} - \frac{\cos^3(ax) \sin(ax)}{ax^4} - \frac{\cos^5(ax)}{a^2 x^5 (\cos(ax) + ax \sin(ax))} - 3 \int \frac{\cos^2(ax)}{x^4} dx + 4 \int \frac{\cos(ax)}{x^3} dx \\ &= \frac{\cos^2(ax)}{x^3} + \frac{\cos^4(ax)}{a^2 x^5} - \frac{4 \cos^4(ax)}{3x^3} - \frac{a \cos(ax) \sin(ax)}{x^2} - \frac{\cos^3(ax) \sin(ax)}{ax^4} + \frac{8a \cos(ax)}{3x^2} \\ &= \frac{a^2}{x} + \frac{\cos^2(ax)}{x^3} - \frac{10a^2 \cos^2(ax)}{x} + \frac{\cos^4(ax)}{a^2 x^5} - \frac{4 \cos^4(ax)}{3x^3} + \frac{32a^2 \cos^4(ax)}{3x} - \frac{a \cos(ax) \sin(ax)}{x^2} \\ &= \frac{a^2}{x} + \frac{\cos^2(ax)}{x^3} - \frac{10a^2 \cos^2(ax)}{x} + \frac{\cos^4(ax)}{a^2 x^5} - \frac{4 \cos^4(ax)}{3x^3} + \frac{32a^2 \cos^4(ax)}{3x} - \frac{a \cos(ax) \sin(ax)}{x^2} \\ &= \frac{a^2}{x} + \frac{\cos^2(ax)}{x^3} - \frac{10a^2 \cos^2(ax)}{x} + \frac{\cos^4(ax)}{a^2 x^5} - \frac{4 \cos^4(ax)}{3x^3} + \frac{32a^2 \cos^4(ax)}{3x} - \frac{a \cos(ax) \sin(ax)}{x^2} \end{aligned}$$

**Mathematica [A]** time = 1.2424, size = 194, normalized size = 1.1

$$\frac{32a^3 x^3 \text{Si}(2ax)(ax \sin(ax) + \cos(ax)) + 256a^3 x^3 \text{Si}(4ax)(ax \sin(ax) + \cos(ax)) - 8a^3 x^3 \sin(ax) - 24a^3 x^3 \sin(3ax) + 32a^3 x^3 \sin(5ax)}{(48x^3(\cos(ax) + ax \sin(ax)))^2}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[a\*x]^6/(x^4\*(Cos[a\*x] + a\*x\*Sin[a\*x])^2), x]

[Out] (-10\*Cos[a\*x] + 12\*a^2\*x^2\*Cos[a\*x] - 5\*Cos[3\*a\*x] + 44\*a^2\*x^2\*Cos[3\*a\*x] - Cos[5\*a\*x] + 24\*a^2\*x^2\*Cos[5\*a\*x] + 8\*a\*x\*Sin[a\*x] - 8\*a^3\*x^3\*Sin[a\*x] + 12\*a\*x\*Sin[3\*a\*x] - 24\*a^3\*x^3\*Sin[3\*a\*x] + 4\*a\*x\*Sin[5\*a\*x] + 32\*a^3\*x^3\*Sin[5\*a\*x] + 32\*a^3\*x^3\*(Cos[a\*x] + a\*x\*Sin[a\*x])\*SinIntegral[2\*a\*x] + 256\*a^3\*x^3\*(Cos[a\*x] + a\*x\*Sin[a\*x])\*SinIntegral[4\*a\*x])/(48\*x^3\*(Cos[a\*x] + a\*x\*Sin[a\*x]))

**Maple [F]** time = 180., size = 0, normalized size = 0.

$$\int \frac{(\cos(ax))^6}{x^4 (\cos(ax) + ax \sin(ax))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(a*x)^6/x^4/(cos(a*x)+a*x*sin(a*x))^2,x)`

[Out] `int(cos(a*x)^6/x^4/(cos(a*x)+a*x*sin(a*x))^2,x)`

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(a*x)^6/x^4/(cos(a*x)+a*x*sin(a*x))^2,x, algorithm="maxima")`

[Out] Exception raised: RuntimeError

**Fricas [A]** time = 2.9505, size = 421, normalized size = 2.39

$$\frac{19 a^2 x^2 \cos(ax)^3 - (24 a^2 x^2 - 1) \cos(ax)^5 - 2(8 a^3 x^3 \operatorname{Si}(4ax) + a^3 x^3 \operatorname{Si}(2ax)) \cos(ax) - (16 a^4 x^4 \operatorname{Si}(4ax) + 2 a^4 x^4 \operatorname{Si}(2ax))}{3(ax^4 \sin(ax) + x^3 \cos(ax))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(a*x)^6/x^4/(cos(a*x)+a*x*sin(a*x))^2,x, algorithm="fricas")`

[Out] `-1/3*(19*a^2*x^2*cos(a*x)^3 - (24*a^2*x^2 - 1)*cos(a*x)^5 - 2*(8*a^3*x^3*sin_integral(4*a*x) + a^3*x^3*sin_integral(2*a*x))*cos(a*x) - (16*a^4*x^4*sin_integral(4*a*x) + 2*a^4*x^4*sin_integral(2*a*x) - 30*a^3*x^3*cos(a*x)^2 + 3*a^3*x^3 + 4*(8*a^3*x^3 + a*x)*cos(a*x)^4)*sin(a*x))/(a*x^4*sin(a*x) + x^3*cos(a*x))`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos^6(ax)}{x^4(ax \sin(ax) + \cos(ax))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(a*x)**6/x**4/(cos(a*x)+a*x*sin(a*x))**2,x)`

[Out] `Integral(cos(a*x)**6/(x**4*(a*x*sin(a*x) + cos(a*x))**2), x)`

**Giac [C]** time = 2.494, size = 9827, normalized size = 55.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(a*x)^6/x^4/(cos(a*x)+a*x*sin(a*x))^2,x, algorithm="giac")`



$$\begin{aligned}
& x) \cdot \tan(ax)^2 - 24a^7x^7 \tan(2ax)^2 \tan(1/2ax) + 24a^7x^7 \tan(ax)^2 \tan(1/2ax) - 32a^7x^7 \operatorname{imag\_part}(\cos\_integral(4ax)) \tan(1/2ax)^2 - \\
& 4a^7x^7 \operatorname{imag\_part}(\cos\_integral(2ax)) \tan(1/2ax)^2 + 4a^7x^7 \operatorname{imag\_part}(\cos\_integral(-2ax)) \tan(1/2ax)^2 + 32a^7x^7 \operatorname{imag\_part}(\cos\_integral(-4ax)) \tan(1/2ax)^2 - \\
& 64a^7x^7 \sin\_integral(4ax) \tan(1/2ax)^2 - 8a^7x^7 \sin\_integral(2ax) \tan(1/2ax)^2 - 64a^5x^5 \operatorname{imag\_part}(\cos\_integral(4ax)) \tan(2ax)^2 \tan(ax)^2 \tan(1/2ax)^2 - \\
& 8a^5x^5 \operatorname{imag\_part}(\cos\_integral(2ax)) \tan(2ax)^2 \tan(ax)^2 \tan(1/2ax)^2 + 8a^5x^5 \operatorname{imag\_part}(\cos\_integral(-2ax)) \tan(2ax)^2 \tan(ax)^2 \tan(1/2ax)^2 + \\
& 64a^5x^5 \operatorname{imag\_part}(\cos\_integral(-4ax)) \tan(2ax)^2 \tan(ax)^2 \tan(1/2ax)^2 - 128a^5x^5 \sin\_integral(4ax) \tan(2ax)^2 \tan(ax)^2 \tan(1/2ax)^2 - \\
& 16a^5x^5 \sin\_integral(2ax) \tan(2ax)^2 \tan(ax)^2 \tan(1/2ax)^2 - 20a^6x^6 \tan(2ax)^2 \tan(ax)^2 + 128a^6x^6 \operatorname{imag\_part}(\cos\_integral(4ax)) \tan(2ax)^2 \tan(1/2ax) + \\
& 16a^6x^6 \operatorname{imag\_part}(\cos\_integral(2ax)) \tan(2ax)^2 \tan(1/2ax) - 16a^6x^6 \operatorname{imag\_part}(\cos\_integral(-2ax)) \tan(2ax)^2 \tan(1/2ax) - 128a^6x^6 \operatorname{imag\_part}(\cos\_integral(-4ax)) \tan(2ax)^2 \tan(1/2ax) + \\
& 256a^6x^6 \sin\_integral(4ax) \tan(2ax)^2 \tan(1/2ax) + 8a^6x^6 \tan(2ax)^2 \tan(ax) \tan(1/2ax) + 128a^6x^6 \operatorname{imag\_part}(\cos\_integral(4ax)) \tan(ax)^2 \tan(1/2ax) + \\
& 16a^6x^6 \operatorname{imag\_part}(\cos\_integral(2ax)) \tan(ax)^2 \tan(1/2ax) - 16a^6x^6 \operatorname{imag\_part}(\cos\_integral(-2ax)) \tan(ax)^2 \tan(1/2ax) - 128a^6x^6 \operatorname{imag\_part}(\cos\_integral(-4ax)) \tan(ax)^2 \tan(1/2ax) + \\
& 256a^6x^6 \sin\_integral(4ax) \tan(ax)^2 \tan(1/2ax) + 32a^6x^6 \sin\_integral(2ax) \tan(ax)^2 \tan(1/2ax) + 16a^6x^6 \tan(2ax) \tan(ax)^2 \tan(1/2ax) + 12a^6x^6 \tan(2ax)^2 \tan(1/2ax)^2 - \\
& 12a^6x^6 \tan(ax)^2 \tan(1/2ax)^2 + 32a^7x^7 \operatorname{imag\_part}(\cos\_integral(4ax)) + 4a^7x^7 \operatorname{imag\_part}(\cos\_integral(2ax)) - 4a^7x^7 \operatorname{imag\_part}(\cos\_integral(-2ax)) - 32a^7x^7 \operatorname{imag\_part}(\cos\_integral(-4ax)) + \\
& 64a^7x^7 \sin\_integral(4ax) + 8a^7x^7 \sin\_integral(2ax) + 64a^5x^5 \operatorname{imag\_part}(\cos\_integral(4ax)) \tan(2ax)^2 \tan(ax)^2 + 8a^5x^5 \operatorname{imag\_part}(\cos\_integral(2ax)) \tan(2ax)^2 \tan(ax)^2 - \\
& 8a^5x^5 \operatorname{imag\_part}(\cos\_integral(-2ax)) \tan(2ax)^2 \tan(ax)^2 - 64a^5x^5 \operatorname{imag\_part}(\cos\_integral(-4ax)) \tan(2ax)^2 \tan(ax)^2 + 128a^5x^5 \sin\_integral(4ax) \tan(2ax)^2 \tan(ax)^2 + \\
& 16a^5x^5 \sin\_integral(2ax) \tan(2ax)^2 \tan(ax)^2 + 40a^7x^7 \tan(1/2ax) - 72a^5x^5 \tan(2ax)^2 \tan(ax)^2 \tan(1/2ax) - 64a^5x^5 \operatorname{imag\_part}(\cos\_integral(4ax)) \tan(2ax)^2 \tan(1/2ax)^2 - \\
& 8a^5x^5 \operatorname{imag\_part}(\cos\_integral(2ax)) \tan(2ax)^2 \tan(1/2ax)^2 + 8a^5x^5 \operatorname{imag\_part}(\cos\_integral(-2ax)) \tan(2ax)^2 \tan(1/2ax)^2 + 64a^5x^5 \operatorname{imag\_part}(\cos\_integral(-4ax)) \tan(2ax)^2 \tan(1/2ax)^2 - \\
& 128a^5x^5 \sin\_integral(4ax) \tan(2ax)^2 \tan(1/2ax)^2 - 16a^5x^5 \sin\_integral(2ax) \tan(2ax)^2 \tan(1/2ax)^2 - 4a^5x^5 \tan(2ax)^2 \tan(ax) \tan(1/2ax)^2 - 64a^5x^5 \operatorname{imag\_part}(\cos\_integral(4ax)) \tan(ax)^2 \tan(1/2ax)^2 - \\
& 8a^5x^5 \operatorname{imag\_part}(\cos\_integral(2ax)) \tan(ax)^2 \tan(1/2ax)^2 + 8a^5x^5 \operatorname{imag\_part}(\cos\_integral(-2ax)) \tan(ax)^2 \tan(1/2ax)^2 + 64a^5x^5 \operatorname{imag\_part}(\cos\_integral(-4ax)) \tan(ax)^2 \tan(1/2ax)^2 - \\
& 128a^5x^5 \sin\_integral(4ax) \tan(ax)^2 \tan(1/2ax)^2 - 16a^5x^5 \sin\_integral(2ax) \tan(ax)^2 \tan(1/2ax)^2 - 12a^6x^6 \tan(2ax)^2 + 12a^6x^6 \tan(ax)^2 + 128a^6x^6 \operatorname{imag\_part}(\cos\_integral(4ax)) \tan(1/2ax) + \\
& 16a^6x^6 \operatorname{imag\_part}(\cos\_integral(2ax)) \tan(1/2ax) - 16a^6x^6 \operatorname{imag\_part}(\cos\_integral(-2ax)) \tan(1/2ax) - 128a^6x^6 \operatorname{imag\_part}(\cos\_integral(-4ax)) \tan(1/2ax) + 256a^6x^6 \sin\_integral(4ax) \tan(1/2ax) + \\
& 32a^6x^6 \sin\_integral(2ax) \tan(1/2ax) + 16a^6x^6 \tan(2ax) \tan(1/2ax) + 8a^6x^6 \tan(ax) \tan(1/2ax) + 64a^4x^4 \operatorname{imag\_part}(\cos\_integral(4ax)) \tan(2ax)^2 \tan(ax)^2 \tan(1/2ax) + 8a^4x^4 \operatorname{imag\_part}(\cos\_integral(2ax)) \tan(2ax)^2 \tan(ax)^2 \tan(1/2ax) - \\
& 8a^4x^4 \operatorname{imag\_part}(\cos\_integral(-2ax)) \tan(2ax)^2 \tan(ax)^2 \tan(1/2ax) - 64a^4x^4 \operatorname{imag\_part}(\cos\_integral(-4ax)) \tan(2ax)^2 \tan(ax)^2 \tan(1/2ax) + 128a^4x^4 \sin\_integral(4ax) \tan(2ax)^2 \tan(ax)^2 \tan(1/2ax) + \\
& 16a^4x^4 \sin\_integral(2ax) \tan(2ax)^2 \tan(ax)^2 \tan(1/2ax)
\end{aligned}$$



$$\begin{aligned}
& ) - 20a^6x^6\tan(1/2ax)^2 + 36a^4x^4\tan(2ax)^2\tan(ax)^2\tan(1/2ax)^2 + 64a^5x^5\operatorname{imag\_part}(\cos\_integral(4ax))\tan(2ax)^2 + 8a^5x^5 \\
& \operatorname{imag\_part}(\cos\_integral(2ax))\tan(2ax)^2 - 8a^5x^5\operatorname{imag\_part}(\cos\_integral(-2ax))\tan(2ax)^2 - 64a^5x^5\operatorname{imag\_part}(\cos\_integral(-4ax))\tan \\
& (2ax)^2 + 128a^5x^5\sin\_integral(4ax)\tan(2ax)^2 + 16a^5x^5\sin\_integral(2ax)\tan(2ax)^2 + 4a^5x^5\tan(2ax)^2\tan(ax) + 64a^5x^5 \\
& \operatorname{imag\_part}(\cos\_integral(4ax))\tan(ax)^2 + 8a^5x^5\operatorname{imag\_part}(\cos\_integral(2ax))\tan(ax)^2 - 8a^5x^5\operatorname{imag\_part}(\cos\_integral(-2ax))\tan(ax)^2 \\
& - 64a^5x^5\operatorname{imag\_part}(\cos\_integral(-4ax))\tan(ax)^2 + 128a^5x^5\sin\_integral(4ax)\tan(ax)^2 + 16a^5x^5\sin\_integral(2ax)\tan(ax)^2 + 8a \\
& a^5x^5\tan(2ax)\tan(ax)^2 - 48a^5x^5\tan(2ax)^2\tan(1/2ax) + 48a^5x^5\tan(ax)^2\tan(1/2ax) - 64a^5x^5\operatorname{imag\_part}(\cos\_integral(4ax)) \\
& \tan(1/2ax)^2 - 8a^5x^5\operatorname{imag\_part}(\cos\_integral(2ax))\tan(1/2ax)^2 + 8a^5x^5\operatorname{imag\_part}(\cos\_integral(-2ax))\tan(1/2ax)^2 + 64a^5x^5\operatorname{imag\_} \\
& \operatorname{part}(\cos\_integral(-4ax))\tan(1/2ax)^2 - 128a^5x^5\sin\_integral(4ax)\tan(1/2ax)^2 - 16a^5x^5\sin\_integral(2ax)\tan(1/2ax)^2 - 8a^5x^5 \\
& \tan(2ax)\tan(1/2ax)^2 - 4a^5x^5\tan(ax)\tan(1/2ax)^2 - 32a^3x^3 \\
& \operatorname{imag\_part}(\cos\_integral(4ax))\tan(2ax)^2\tan(ax)^2\tan(1/2ax)^2 - 4a^3x^3\operatorname{imag\_part}(\cos\_integral(2ax))\tan(2ax)^2\tan(ax)^2\tan(1/2ax) \\
& ^2 + 4a^3x^3\operatorname{imag\_part}(\cos\_integral(-2ax))\tan(2ax)^2\tan(ax)^2\tan(1/2ax)^2 + 32a^3x^3\operatorname{imag\_part}(\cos\_integral(-4ax))\tan(2ax)^2\tan(ax) \\
& ^2\tan(1/2ax)^2 - 64a^3x^3\sin\_integral(4ax)\tan(2ax)^2\tan(ax)^2\tan(1/2ax)^2 - 8a^3x^3\sin\_integral(2ax)\tan(2ax)^2\tan(ax)^2\tan \\
& (1/2ax)^2 + 20a^6x^6 - 36a^4x^4\tan(2ax)^2\tan(ax)^2 + 64a^4x^4 \\
& \operatorname{imag\_part}(\cos\_integral(4ax))\tan(2ax)^2\tan(1/2ax) + 8a^4x^4\operatorname{imag\_} \\
& \operatorname{part}(\cos\_integral(2ax))\tan(2ax)^2\tan(1/2ax) - 8a^4x^4\operatorname{imag\_part}(\cos\_integral(-2ax))\tan(2ax)^2\tan(1/2ax) - 64a^4x^4\operatorname{imag\_part}(\cos\_i \\
& ntegral(-4ax))\tan(2ax)^2\tan(1/2ax) + 128a^4x^4\sin\_integral(4ax) \\
& )\tan(2ax)^2\tan(1/2ax) + 16a^4x^4\sin\_integral(2ax)\tan(2ax)^2\tan \\
& (1/2ax) + 4a^4x^4\tan(2ax)^2\tan(ax)\tan(1/2ax) + 64a^4x^4\operatorname{ima} \\
& \operatorname{g\_part}(\cos\_integral(4ax))\tan(ax)^2\tan(1/2ax) + 8a^4x^4\operatorname{imag\_part}(\cos\_integ \\
& ral(-2ax))\tan(ax)^2\tan(1/2ax) - 64a^4x^4\operatorname{imag\_part}(\cos\_integ \\
& ral(-4ax))\tan(ax)^2\tan(1/2ax) + 128a^4x^4\sin\_integral(4ax)\tan(ax)^2 \\
& \tan(1/2ax) + 16a^4x^4\sin\_integral(2ax)\tan(ax)^2\tan(1/2ax) + 26 \\
& a^4x^4\tan(2ax)\tan(ax)^2\tan(1/2ax) + 24a^4x^4\tan(2ax)^2\tan(1 \\
& /2ax)^2 - 24a^4x^4\tan(ax)^2\tan(1/2ax)^2 + 64a^5x^5\operatorname{imag\_part}(\cos \\
& \_integral(4ax)) + 8a^5x^5\operatorname{imag\_part}(\cos\_integral(2ax)) - 8a^5x^5\operatorname{ima} \\
& \operatorname{g\_part}(\cos\_integral(-2ax)) - 64a^5x^5\operatorname{imag\_part}(\cos\_integral(-4ax)) \\
& + 128a^5x^5\sin\_integral(4ax) + 16a^5x^5\sin\_integral(2ax) + 8a^5x \\
& x^5\tan(2ax) + 4a^5x^5\tan(ax) + 32a^3x^3\operatorname{imag\_part}(\cos\_integral(4a \\
& x))\tan(2ax)^2\tan(ax)^2 + 4a^3x^3\operatorname{imag\_part}(\cos\_integral(2ax))\tan \\
& (2ax)^2\tan(ax)^2 - 4a^3x^3\operatorname{imag\_part}(\cos\_integral(-2ax))\tan(2ax) \\
& ^2\tan(ax)^2 - 32a^3x^3\operatorname{imag\_part}(\cos\_integral(-4ax))\tan(2ax)^2\tan \\
& (ax)^2 + 64a^3x^3\sin\_integral(4ax)\tan(2ax)^2\tan(ax)^2 + 8a^3x^3 \\
& 3\sin\_integral(2ax)\tan(2ax)^2\tan(ax)^2 + 72a^5x^5\tan(1/2ax) - 3 \\
& 0a^3x^3\tan(2ax)^2\tan(ax)^2\tan(1/2ax) - 32a^3x^3\operatorname{imag\_part}(\cos\_i \\
& ntegral(4ax))\tan(2ax)^2\tan(1/2ax)^2 - 4a^3x^3\operatorname{imag\_part}(\cos\_integ \\
& ral(2ax))\tan(2ax)^2\tan(1/2ax)^2 + 4a^3x^3\operatorname{imag\_part}(\cos\_integral( \\
& -2ax))\tan(2ax)^2\tan(1/2ax)^2 + 32a^3x^3\operatorname{imag\_part}(\cos\_integral(-4 \\
& ax))\tan(2ax)^2\tan(1/2ax)^2 - 64a^3x^3\sin\_integral(4ax)\tan(2a \\
& x)^2\tan(1/2ax)^2 - 8a^3x^3\sin\_integral(2ax)\tan(2ax)^2\tan(1/2a \\
& x)^2 - 2a^3x^3\tan(2ax)^2\tan(ax)\tan(1/2ax)^2 - 32a^3x^3\operatorname{imag\_pa} \\
& rt(\cos\_integral(4ax))\tan(ax)^2\tan(1/2ax)^2 - 4a^3x^3\operatorname{imag\_part}(\cos \\
& \_integral(2ax))\tan(ax)^2\tan(1/2ax)^2 + 4a^3x^3\operatorname{imag\_part}(\cos\_integ \\
& ral(-2ax))\tan(ax)^2\tan(1/2ax)^2 + 32a^3x^3\operatorname{imag\_part}(\cos\_integral( \\
& -4ax))\tan(ax)^2\tan(1/2ax)^2 - 64a^3x^3\sin\_integral(4ax)\tan(ax) \\
& )^2\tan(1/2ax)^2 - 8a^3x^3\sin\_integral(2ax)\tan(ax)^2\tan(1/2ax)^2 \\
& - 13a^3x^3\tan(2ax)\tan(ax)^2\tan(1/2ax)^2 - 24a^4x^4\tan(2ax)
\end{aligned}$$

$$\begin{aligned}
&^2 + 24a^4x^4\tan(ax)^2 + 64a^4x^4\operatorname{imag\_part}(\cos\_integral(4ax))\tan(1/2ax) + 8a^4x^4\operatorname{imag\_part}(\cos\_integral(2ax))\tan(1/2ax) - 8a^4x^4 \\
&4\operatorname{imag\_part}(\cos\_integral(-2ax))\tan(1/2ax) - 64a^4x^4\operatorname{imag\_part}(\cos\_integral(-4ax))\tan(1/2ax) + 128a^4x^4\sin\_integral(4ax)\tan(1/2ax) \\
&+ 16a^4x^4\sin\_integral(2ax)\tan(1/2ax) + 26a^4x^4\tan(2ax)\tan(1/2ax) + 4a^4x^4\tan(ax)\tan(1/2ax) - 36a^4x^4\tan(1/2ax)^2 + 2 \\
&7a^2x^2\tan(2ax)^2\tan(ax)^2\tan(1/2ax)^2 + 32a^3x^3\operatorname{imag\_part}(\cos\_integral(4ax))\tan(2ax)^2 + 4a^3x^3\operatorname{imag\_part}(\cos\_integral(2ax))\tan(2ax)^2 - 4a^3x^3 \\
&3\operatorname{imag\_part}(\cos\_integral(-2ax))\tan(2ax)^2 - 32a^3x^3\operatorname{imag\_part}(\cos\_integral(-4ax))\tan(2ax)^2 + 64a^3x^3\sin\_integral(4ax)\tan(2ax)^2 + 8a^3x^3\sin\_integral(2ax)\tan(2ax)^2 + 2a^3 \\
&x^3\tan(2ax)^2\tan(ax) + 32a^3x^3\operatorname{imag\_part}(\cos\_integral(4ax))\tan(ax)^2 + 4a^3x^3\operatorname{imag\_part}(\cos\_integral(2ax))\tan(ax)^2 - 4a^3x^3\operatorname{imag\_part}(\cos\_integral(-2ax))\tan(ax)^2 - 32a^3x^3 \\
&\operatorname{imag\_part}(\cos\_integral(-4ax))\tan(ax)^2 + 64a^3x^3\sin\_integral(4ax)\tan(ax)^2 + 8a^3x^3\sin\_integral(2ax)\tan(ax)^2 + 13a^3x^3\tan(2ax)\tan(ax)^2 - 6a^3x^3 \\
&3\tan(2ax)^2\tan(1/2ax) + 24a^3x^3\tan(ax)^2\tan(1/2ax) - 32a^3x^3\operatorname{imag\_part}(\cos\_integral(4ax))\tan(1/2ax)^2 - 4a^3x^3\operatorname{imag\_part}(\cos\_integral(2ax))\tan(1/2ax)^2 + 4a^3x^3 \\
&\operatorname{imag\_part}(\cos\_integral(-2ax))\tan(1/2ax)^2 + 32a^3x^3\operatorname{imag\_part}(\cos\_integral(-4ax))\tan(1/2ax)^2 - 64a^3x^3\sin\_integral(4ax)\tan(1/2ax)^2 - 8a^3x^3\sin\_integral(2ax)\tan(1/2ax)^2 - 13a^3x^3 \\
&3\tan(2ax)\tan(1/2ax)^2 - 2a^3x^3\tan(ax)\tan(1/2ax)^2 + 36a^4x^4 - 27a^2x^2\tan(2ax)^2\tan(ax)^2 + 20a^2x^2\tan(2ax)^2\tan(ax)\tan(1/2ax) + 10a^2x^2\tan(2ax)\tan(ax)^2\tan(1/2ax) + 15a^2x^2 \\
&2\tan(2ax)^2\tan(1/2ax)^2 + 32a^3x^3\operatorname{imag\_part}(\cos\_integral(4ax)) + 4a^3x^3\operatorname{imag\_part}(\cos\_integral(2ax)) - 4a^3x^3\operatorname{imag\_part}(\cos\_integral(-2ax)) - 32a^3x^3\operatorname{imag\_part}(\cos\_integral(-4ax)) + 64a^3x^3\sin\_integral(4ax) + 8a^3x^3\sin\_integral(2ax) + 13a^3x^3\tan(2ax) + 2a^3x^3\tan(ax) + 48a^3x^3\tan(1/2ax) + 2ax\tan(2ax)^2\tan(ax)^2\tan(1/2ax) - 10ax\tan(2ax)^2\tan(ax)\tan(1/2ax)^2 - 5ax\tan(2ax)\tan(ax)^2\tan(1/2ax)^2 - 15a^2x^2\tan(2ax)^2 + 10a^2x^2\tan(2ax)\tan(1/2ax) + 20a^2x^2\tan(ax)\tan(1/2ax) - 12a^2x^2\tan(1/2ax)^2 - \tan(2ax)^2\tan(ax)^2\tan(1/2ax)^2 + 10ax\tan(2ax)^2\tan(ax) + 5ax\tan(2ax)\tan(ax)^2 - 6ax\tan(2ax)^2\tan(1/2ax) - 5ax\tan(2ax)\tan(1/2ax)^2 - 10ax\tan(ax)\tan(1/2ax)^2 + 12a^2x^2 + \tan(2ax)^2\tan(ax)^2 + 3\tan(2ax)^2\tan(1/2ax)^2 + 5ax\tan(2ax) + 10ax\tan(ax) - 8ax\tan(1/2ax) - 3\tan(2ax)^2 + 4\tan(1/2ax)^2 - 4)/(2a^5x^8\tan(2ax)^2\tan(ax)^2\tan(1/2ax) - a^4x^7\tan(2ax)^2\tan(ax)^2\tan(1/2ax)^2 + 2a^5x^8\tan(2ax)^2\tan(1/2ax) + 2a^5x^8\tan(ax)^2\tan(1/2ax) + a^4x^7\tan(2ax)^2\tan(ax)^2 - a^4x^7\tan(2ax)^2\tan(1/2ax)^2 - a^4x^7\tan(ax)^2\tan(1/2ax)^2 + 2a^5x^8\tan(1/2ax) + 4a^3x^6\tan(2ax)^2\tan(ax)^2\tan(1/2ax) + a^4x^7\tan(2ax)^2 + a^4x^7\tan(ax)^2 - a^4x^7\tan(1/2ax)^2 - 2a^2x^5\tan(2ax)^2\tan(ax)^2\tan(1/2ax)^2 + 4a^3x^6\tan(2ax)^2\tan(1/2ax) + 4a^3x^6\tan(ax)^2\tan(1/2ax) + a^4x^7 + 2a^2x^5\tan(2ax)^2\tan(ax)^2 - 2a^2x^5\tan(2ax)^2\tan(1/2ax)^2 - 2a^2x^5\tan(ax)^2\tan(1/2ax)^2 + 4a^3x^6\tan(1/2ax) + 2ax^4\tan(2ax)^2\tan(ax)^2\tan(1/2ax) + 2a^2x^5\tan(2ax)^2 + 2a^2x^5\tan(ax)^2 - 2a^2x^5\tan(1/2ax)^2 - x^3\tan(2ax)^2\tan(ax)^2\tan(1/2ax)^2 + 2ax^4\tan(2ax)^2\tan(1/2ax) + 2ax^4\tan(ax)^2\tan(1/2ax) + 2a^2x^5 + x^3\tan(2ax)^2\tan(ax)^2 - x^3\tan(2ax)^2\tan(1/2ax)^2 - x^3\tan(ax)^2\tan(1/2ax)^2 + 2ax^4\tan(1/2ax) + x^3\tan(2ax)^2 + x^3\tan(ax)^2 - x^3\tan(1/2ax)^2 + x^3)
\end{aligned}$$

$$3.595 \quad \int \frac{\cos^5(ax)}{x^3(\cos(ax)+ax \sin(ax))^2} dx$$

**Optimal.** Leaf size=132

$$-\frac{1}{8}a^2\text{CosIntegral}(ax) - \frac{27}{8}a^2\text{CosIntegral}(3ax) + \frac{\cos^3(ax)}{a^2x^4} - \frac{\cos^4(ax)}{a^2x^4(ax \sin(ax) + \cos(ax))} - \frac{3 \cos^3(ax)}{2x^2} + \frac{\cos(ax)}{x^2}$$

[Out] Cos[a\*x]/x^2 + Cos[a\*x]^3/(a^2\*x^4) - (3\*Cos[a\*x]^3)/(2\*x^2) - (a^2\*CosIntegral[a\*x])/8 - (27\*a^2\*CosIntegral[3\*a\*x])/8 - (a\*Sin[a\*x])/x - (Cos[a\*x]^2\*Sin[a\*x])/(a\*x^3) + (9\*a\*Cos[a\*x]^2\*Sin[a\*x])/(2\*x) - Cos[a\*x]^4/(a^2\*x^4\*(Cos[a\*x] + a\*x\*Sin[a\*x]))

**Rubi [A]** time = 0.226077, antiderivative size = 132, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 5, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$ , Rules used = {4599, 3314, 3297, 3302, 3312}

$$-\frac{1}{8}a^2\text{CosIntegral}(ax) - \frac{27}{8}a^2\text{CosIntegral}(3ax) + \frac{\cos^3(ax)}{a^2x^4} - \frac{\cos^4(ax)}{a^2x^4(ax \sin(ax) + \cos(ax))} - \frac{3 \cos^3(ax)}{2x^2} + \frac{\cos(ax)}{x^2}$$

Antiderivative was successfully verified.

[In] Int[Cos[a\*x]^5/(x^3\*(Cos[a\*x] + a\*x\*Sin[a\*x])^2), x]

[Out] Cos[a\*x]/x^2 + Cos[a\*x]^3/(a^2\*x^4) - (3\*Cos[a\*x]^3)/(2\*x^2) - (a^2\*CosIntegral[a\*x])/8 - (27\*a^2\*CosIntegral[3\*a\*x])/8 - (a\*Sin[a\*x])/x - (Cos[a\*x]^2\*Sin[a\*x])/(a\*x^3) + (9\*a\*Cos[a\*x]^2\*Sin[a\*x])/(2\*x) - Cos[a\*x]^4/(a^2\*x^4\*(Cos[a\*x] + a\*x\*Sin[a\*x]))

#### Rule 4599

Int[(Cos[(a\_.)\*(x\_)]^(n\_)\*((b\_.)\*(x\_))^(m\_))/(Cos[(a\_.)\*(x\_)]\*(c\_.) + (d\_.)\*(x\_)\*Sin[(a\_.)\*(x\_)]^2, x\_Symbol] :> -Simp[(b\*(b\*x)^(m - 1)\*Cos[a\*x]^(n - 1))/(a\*d\*(c\*Cos[a\*x] + d\*x\*Sin[a\*x])), x] - Dist[(b^2\*(n - 1))/d^2, Int[(b\*x)^(m - 2)\*Cos[a\*x]^(n - 2), x], x] /; FreeQ[{a, b, c, d, m, n}, x] && EqQ[a\*c - d, 0] && EqQ[m, 2 - n]

#### Rule 3314

Int[((c\_.) + (d\_.)\*(x\_))^(m\_)\*((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(n\_), x\_Symbol] :> Simp[((c + d\*x)^(m + 1)\*(b\*Sin[e + f\*x])^n)/(d\*(m + 1)), x] + (Dist[(b^2\*f^2\*n\*(n - 1))/(d^2\*(m + 1)\*(m + 2)), Int[(c + d\*x)^(m + 2)\*(b\*Sin[e + f\*x])^(n - 2), x], x] - Dist[(f^2\*n^2)/(d^2\*(m + 1)\*(m + 2)), Int[(c + d\*x)^(m + 2)\*(b\*Sin[e + f\*x])^n, x], x] - Simp[(b\*f\*n\*(c + d\*x)^(m + 2)\*Cos[e + f\*x]\*(b\*Sin[e + f\*x])^(n - 1))/(d^2\*(m + 1)\*(m + 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && LtQ[m, -2]

#### Rule 3297

Int[((c\_.) + (d\_.)\*(x\_))^(m\_)\*sin[(e\_.) + (f\_.)\*(x\_)], x\_Symbol] :> Simp[((c + d\*x)^(m + 1)\*Sin[e + f\*x])/(d\*(m + 1)), x] - Dist[f/(d\*(m + 1)), Int[(c + d\*x)^(m + 1)\*Cos[e + f\*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

#### Rule 3302

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) -

c\*f, 0]

### Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int
t[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f
, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

### Rubi steps

$$\begin{aligned} \int \frac{\cos^5(ax)}{x^3(\cos(ax) + ax \sin(ax))^2} dx &= -\frac{\cos^4(ax)}{a^2 x^4 (\cos(ax) + ax \sin(ax))} - \frac{4 \int \frac{\cos^3(ax)}{x^5} dx}{a^2} \\ &= \frac{\cos^3(ax)}{a^2 x^4} - \frac{\cos^2(ax) \sin(ax)}{a x^3} - \frac{\cos^4(ax)}{a^2 x^4 (\cos(ax) + ax \sin(ax))} - 2 \int \frac{\cos(ax)}{x^3} dx + 3 \int \frac{\cos^3(ax)}{x^5} dx \\ &= \frac{\cos(ax)}{x^2} + \frac{\cos^3(ax)}{a^2 x^4} - \frac{3 \cos^3(ax)}{2 x^2} - \frac{\cos^2(ax) \sin(ax)}{a x^3} + \frac{9 a \cos^2(ax) \sin(ax)}{2 x} - \frac{9 a \cos^3(ax)}{a^2 x^4 (\cos(ax) + ax \sin(ax))} \\ &= \frac{\cos(ax)}{x^2} + \frac{\cos^3(ax)}{a^2 x^4} - \frac{3 \cos^3(ax)}{2 x^2} + 9 a^2 \text{Ci}(ax) - \frac{a \sin(ax)}{x} - \frac{\cos^2(ax) \sin(ax)}{a x^3} + \frac{9 a \cos^2(ax) \sin(ax)}{2 x} \\ &= \frac{\cos(ax)}{x^2} + \frac{\cos^3(ax)}{a^2 x^4} - \frac{3 \cos^3(ax)}{2 x^2} + 10 a^2 \text{Ci}(ax) - \frac{a \sin(ax)}{x} - \frac{\cos^2(ax) \sin(ax)}{a x^3} + \frac{9 a \cos^2(ax) \sin(ax)}{2 x} \\ &= \frac{\cos(ax)}{x^2} + \frac{\cos^3(ax)}{a^2 x^4} - \frac{3 \cos^3(ax)}{2 x^2} - \frac{1}{8} a^2 \text{Ci}(ax) - \frac{27}{8} a^2 \text{Ci}(3ax) - \frac{a \sin(ax)}{x} - \frac{\cos^2(ax) \sin(ax)}{a x^3} + \frac{9 a \cos^2(ax) \sin(ax)}{2 x} \end{aligned}$$

**Mathematica [A]** time = 0.808307, size = 136, normalized size = 1.03

$$\frac{2a^2x^2\text{CosIntegral}(ax)(ax\sin(ax) + \cos(ax)) + 54a^2x^2\text{CosIntegral}(3ax)(ax\sin(ax) + \cos(ax)) - a^2x^2 - 8a^2x^2\cos(2ax)}{16x^2(ax\sin(ax) + \cos(ax))}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[a*x]^5/(x^3*(Cos[a*x] + a*x*Sin[a*x])^2), x]
```

```
[Out] -(3 - a^2*x^2 + 4*Cos[2*a*x] - 8*a^2*x^2*Cos[2*a*x] + Cos[4*a*x] + 9*a^2*x^2*Cos[4*a*x] + 2*a^2*x^2*CosIntegral[a*x]*(Cos[a*x] + a*x*Sin[a*x]) + 54*a^2*x^2*CosIntegral[3*a*x]*(Cos[a*x] + a*x*Sin[a*x]) - 12*a*x*Sin[2*a*x] - 6*a*x*Sin[4*a*x])/(16*x^2*(Cos[a*x] + a*x*Sin[a*x]))
```

**Maple [F]** time = 180., size = 0, normalized size = 0.

$$\int \frac{(\cos(ax))^5}{x^3 (\cos(ax) + ax \sin(ax))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(a*x)^5/x^3/(cos(a*x)+a*x*sin(a*x))^2,x)
```

```
[Out] int(cos(a*x)^5/x^3/(cos(a*x)+a*x*sin(a*x))^2,x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(a*x)^5/x^3/(cos(a*x)+a*x*sin(a*x))^2,x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

**Fricas [A]** time = 2.59391, size = 535, normalized size = 4.05

$$\frac{88 a^2 x^2 \cos(ax)^2 - 8(9 a^2 x^2 + 1) \cos(ax)^4 - 16 a^2 x^2 - (27 a^2 x^2 \operatorname{Ci}(3ax) + a^2 x^2 \operatorname{Ci}(ax) + a^2 x^2 \operatorname{Ci}(-ax) + 27 a^2 x^2 \operatorname{Ci}(ax^3 \sin(ax))}{16(ax^3 \sin(ax))}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(a*x)^5/x^3/(cos(a*x)+a*x*sin(a*x))^2,x, algorithm="fricas")
```

```
[Out] 1/16*(88*a^2*x^2*cos(a*x)^2 - 8*(9*a^2*x^2 + 1)*cos(a*x)^4 - 16*a^2*x^2 - (
27*a^2*x^2*cos_integral(3*a*x) + a^2*x^2*cos_integral(a*x) + a^2*x^2*cos_in
tegral(-a*x) + 27*a^2*x^2*cos_integral(-3*a*x))*cos(a*x) - (27*a^3*x^3*cos_
integral(3*a*x) + a^3*x^3*cos_integral(a*x) + a^3*x^3*cos_integral(-a*x) +
27*a^3*x^3*cos_integral(-3*a*x) - 48*a*x*cos(a*x)^3)*sin(a*x))/(a*x^3*sin(a
*x) + x^2*cos(a*x))
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(a*x)**5/x**3/(cos(a*x)+a*x*sin(a*x))**2,x)
```

```
[Out] Timed out
```

**Giac [C]** time = 1.73133, size = 4226, normalized size = 32.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(a*x)^5/x^3/(cos(a*x)+a*x*sin(a*x))^2,x, algorithm="giac")
```

```
[Out] -1/16*(54*a^7*x^7*real_part(cos_integral(3*a*x))*tan(3/2*a*x)^2*tan(1/2*a*x
)^3 + 2*a^7*x^7*real_part(cos_integral(a*x))*tan(3/2*a*x)^2*tan(1/2*a*x)^3
+ 2*a^7*x^7*real_part(cos_integral(-a*x))*tan(3/2*a*x)^2*tan(1/2*a*x)^3 + 5
4*a^7*x^7*real_part(cos_integral(-3*a*x))*tan(3/2*a*x)^2*tan(1/2*a*x)^3 - 2
7*a^6*x^6*real_part(cos_integral(3*a*x))*tan(3/2*a*x)^2*tan(1/2*a*x)^4 - a^
6*x^6*real_part(cos_integral(a*x))*tan(3/2*a*x)^2*tan(1/2*a*x)^4 - a^6*x^6*
real_part(cos_integral(-a*x))*tan(3/2*a*x)^2*tan(1/2*a*x)^4 - 27*a^6*x^6*re
al_part(cos_integral(-3*a*x))*tan(3/2*a*x)^2*tan(1/2*a*x)^4 + 54*a^7*x^7*re
al_part(cos_integral(3*a*x))*tan(3/2*a*x)^2*tan(1/2*a*x) + 2*a^7*x^7*real_p
art(cos_integral(a*x))*tan(3/2*a*x)^2*tan(1/2*a*x) + 2*a^7*x^7*real_part(co
s_integral(-a*x))*tan(3/2*a*x)^2*tan(1/2*a*x) + 54*a^7*x^7*real_part(cos_in
```

$$\begin{aligned}
& \text{tegral}(-3*a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x) + 54*a^7*x^7*\text{real\_part}(\cos\_inte \\
& \text{gral}(3*a*x))*\tan(1/2*a*x)^3 + 2*a^7*x^7*\text{real\_part}(\cos\_integral(a*x))*\tan(1/ \\
& 2*a*x)^3 + 2*a^7*x^7*\text{real\_part}(\cos\_integral(-a*x))*\tan(1/2*a*x)^3 + 54*a^7*x \\
& x^7*\text{real\_part}(\cos\_integral(-3*a*x))*\tan(1/2*a*x)^3 - 27*a^6*x^6*\text{real\_part}(c \\
& os\_integral(3*a*x))*\tan(1/2*a*x)^4 - a^6*x^6*\text{real\_part}(\cos\_integral(a*x))*t \\
& an(1/2*a*x)^4 - a^6*x^6*\text{real\_part}(\cos\_integral(-a*x))*\tan(1/2*a*x)^4 - 27*a \\
& ^6*x^6*\text{real\_part}(\cos\_integral(-3*a*x))*\tan(1/2*a*x)^4 + 54*a^7*x^7*\text{real\_par} \\
& t(\cos\_integral(3*a*x))*\tan(1/2*a*x) + 2*a^7*x^7*\text{real\_part}(\cos\_integral(a*x) \\
& )*\tan(1/2*a*x) + 2*a^7*x^7*\text{real\_part}(\cos\_integral(-a*x))*\tan(1/2*a*x) + 54* \\
& a^7*x^7*\text{real\_part}(\cos\_integral(-3*a*x))*\tan(1/2*a*x) - 8*a^6*x^6*\tan(3/2*a* \\
& x)^2*\tan(1/2*a*x)^2 - 72*a^6*x^6*\tan(3/2*a*x)*\tan(1/2*a*x)^3 + 108*a^5*x^5* \\
& \text{real\_part}(\cos\_integral(3*a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x)^3 + 4*a^5*x^5*re \\
& al\_part(\cos\_integral(a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x)^3 + 4*a^5*x^5*\text{real\_p} \\
& art(\cos\_integral(-a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x)^3 + 108*a^5*x^5*\text{real\_pa} \\
& rt(\cos\_integral(-3*a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x)^3 + 27*a^6*x^6*\text{real\_pa} \\
& rt(\cos\_integral(3*a*x))*\tan(3/2*a*x)^2 + a^6*x^6*\text{real\_part}(\cos\_integral(a*x \\
& ))*\tan(3/2*a*x)^2 + a^6*x^6*\text{real\_part}(\cos\_integral(-a*x))*\tan(3/2*a*x)^2 + \\
& 27*a^6*x^6*\text{real\_part}(\cos\_integral(-3*a*x))*\tan(3/2*a*x)^2 - 12*a^5*x^5*\tan( \\
& 3/2*a*x)^2*\tan(1/2*a*x)^3 + 36*a^5*x^5*\tan(3/2*a*x)*\tan(1/2*a*x)^4 - 54*a^4 \\
& *x^4*\text{real\_part}(\cos\_integral(3*a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x)^4 - 2*a^4*x \\
& ^4*\text{real\_part}(\cos\_integral(a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x)^4 - 2*a^4*x^4*r \\
& eal\_part(\cos\_integral(-a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x)^4 - 54*a^4*x^4*rea \\
& l\_part(\cos\_integral(-3*a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x)^4 - 72*a^6*x^6*\tan \\
& (3/2*a*x)*\tan(1/2*a*x) + 108*a^5*x^5*\text{real\_part}(\cos\_integral(3*a*x))*\tan(3/2 \\
& *a*x)^2*\tan(1/2*a*x) + 4*a^5*x^5*\text{real\_part}(\cos\_integral(a*x))*\tan(3/2*a*x)^ \\
& 2*\tan(1/2*a*x) + 4*a^5*x^5*\text{real\_part}(\cos\_integral(-a*x))*\tan(3/2*a*x)^2*\tan \\
& (1/2*a*x) + 108*a^5*x^5*\text{real\_part}(\cos\_integral(-3*a*x))*\tan(3/2*a*x)^2*\tan( \\
& 1/2*a*x) - 8*a^6*x^6*\tan(1/2*a*x)^2 + 108*a^5*x^5*\text{real\_part}(\cos\_integral(3* \\
& a*x))*\tan(1/2*a*x)^3 + 4*a^5*x^5*\text{real\_part}(\cos\_integral(a*x))*\tan(1/2*a*x)^ \\
& 3 + 4*a^5*x^5*\text{real\_part}(\cos\_integral(-a*x))*\tan(1/2*a*x)^3 + 108*a^5*x^5*re \\
& al\_part(\cos\_integral(-3*a*x))*\tan(1/2*a*x)^3 + 8*a^4*x^4*\tan(3/2*a*x)^2*\tan \\
& (1/2*a*x)^4 + 27*a^6*x^6*\text{real\_part}(\cos\_integral(3*a*x)) + a^6*x^6*\text{real\_part} \\
& (\cos\_integral(a*x)) + a^6*x^6*\text{real\_part}(\cos\_integral(-a*x)) + 27*a^6*x^6*re \\
& al\_part(\cos\_integral(-3*a*x)) - 12*a^5*x^5*\tan(3/2*a*x)^2*\tan(1/2*a*x) + 12 \\
& *a^5*x^5*\tan(1/2*a*x)^3 - 54*a^4*x^4*\text{real\_part}(\cos\_integral(3*a*x))*\tan(1/2 \\
& *a*x)^4 - 2*a^4*x^4*\text{real\_part}(\cos\_integral(a*x))*\tan(1/2*a*x)^4 - 2*a^4*x^4 \\
& *\text{real\_part}(\cos\_integral(-a*x))*\tan(1/2*a*x)^4 - 54*a^4*x^4*\text{real\_part}(\cos\_in \\
& tegral(-3*a*x))*\tan(1/2*a*x)^4 + 108*a^5*x^5*\text{real\_part}(\cos\_integral(3*a*x)) \\
& *\tan(1/2*a*x) + 4*a^5*x^5*\text{real\_part}(\cos\_integral(a*x))*\tan(1/2*a*x) + 4*a^5 \\
& *x^5*\text{real\_part}(\cos\_integral(-a*x))*\tan(1/2*a*x) + 108*a^5*x^5*\text{real\_part}(\cos \\
& _integral(-3*a*x))*\tan(1/2*a*x) - 4*a^4*x^4*\tan(3/2*a*x)^2*\tan(1/2*a*x)^2 - \\
& 128*a^4*x^4*\tan(3/2*a*x)*\tan(1/2*a*x)^3 + 54*a^3*x^3*\text{real\_part}(\cos\_integra \\
& l(3*a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x)^3 + 2*a^3*x^3*\text{real\_part}(\cos\_integral( \\
& a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x)^3 + 2*a^3*x^3*\text{real\_part}(\cos\_integral(-a*x \\
& ))*\tan(3/2*a*x)^2*\tan(1/2*a*x)^3 + 54*a^3*x^3*\text{real\_part}(\cos\_integral(-3*a*x \\
& ))*\tan(3/2*a*x)^2*\tan(1/2*a*x)^3 - 4*a^4*x^4*\tan(1/2*a*x)^4 - 36*a^5*x^5*ta \\
& n(3/2*a*x) + 54*a^4*x^4*\text{real\_part}(\cos\_integral(3*a*x))*\tan(3/2*a*x)^2 + 2*a \\
& ^4*x^4*\text{real\_part}(\cos\_integral(a*x))*\tan(3/2*a*x)^2 + 2*a^4*x^4*\text{real\_part}(co \\
& s\_integral(-a*x))*\tan(3/2*a*x)^2 + 54*a^4*x^4*\text{real\_part}(\cos\_integral(-3*a*x \\
& ))*\tan(3/2*a*x)^2 + 12*a^5*x^5*\tan(1/2*a*x) + 64*a^3*x^3*\tan(3/2*a*x)*\tan(1 \\
& /2*a*x)^4 - 27*a^2*x^2*\text{real\_part}(\cos\_integral(3*a*x))*\tan(3/2*a*x)^2*\tan(1/ \\
& 2*a*x)^4 - a^2*x^2*\text{real\_part}(\cos\_integral(a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x) \\
& ^4 - a^2*x^2*\text{real\_part}(\cos\_integral(-a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x)^4 - \\
& 27*a^2*x^2*\text{real\_part}(\cos\_integral(-3*a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x)^4 - \\
& 4*a^4*x^4*\tan(3/2*a*x)^2 - 128*a^4*x^4*\tan(3/2*a*x)*\tan(1/2*a*x) + 54*a^3*x \\
& ^3*\text{real\_part}(\cos\_integral(3*a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x) + 2*a^3*x^3*r \\
& eal\_part(\cos\_integral(a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x) + 2*a^3*x^3*\text{real\_pa} \\
& rt(\cos\_integral(-a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x) + 54*a^3*x^3*\text{real\_part}(c \\
& os\_integral(-3*a*x))*\tan(3/2*a*x)^2*\tan(1/2*a*x) - 4*a^4*x^4*\tan(1/2*a*x)^2
\end{aligned}$$

$$\begin{aligned}
& + 54a^3x^3\text{real\_part}(\cos\_integral(3ax))\tan(1/2ax)^3 + 2a^3x^3\text{real\_part}(\cos\_integral(ax))\tan(1/2ax)^3 + 2a^3x^3\text{real\_part}(\cos\_integral(-ax))\tan(1/2ax)^3 + 54a^3x^3\text{real\_part}(\cos\_integral(-3ax))\tan(1/2ax)^3 + 32a^2x^2\tan(3/2ax)^2\tan(1/2ax)^4 + 54a^4x^4\text{real\_part}(\cos\_integral(3ax)) + 2a^4x^4\text{real\_part}(\cos\_integral(ax)) + 2a^4x^4\text{real\_part}(\cos\_integral(-ax)) + 54a^4x^4\text{real\_part}(\cos\_integral(-3ax)) - 32a^3x^3\tan(3/2ax)^2\tan(1/2ax) + 32a^3x^3\tan(1/2ax)^3 - 27a^2x^2\text{real\_part}(\cos\_integral(3ax))\tan(1/2ax)^4 - a^2x^2\text{real\_part}(\cos\_integral(ax))\tan(1/2ax)^4 - a^2x^2\text{real\_part}(\cos\_integral(-ax))\tan(1/2ax)^4 - 27a^2x^2\text{real\_part}(\cos\_integral(-3ax))\tan(1/2ax)^4 + 8a^4x^4 + 54a^3x^3\text{real\_part}(\cos\_integral(3ax))\tan(1/2ax) + 2a^3x^3\text{real\_part}(\cos\_integral(ax))\tan(1/2ax) + 2a^3x^3\text{real\_part}(\cos\_integral(-ax))\tan(1/2ax) + 54a^3x^3\text{real\_part}(\cos\_integral(-3ax))\tan(1/2ax) + 24a^2x^2\tan(3/2ax)^2\tan(1/2ax)^2 - 56a^2x^2\tan(3/2ax)\tan(1/2ax)^3 + 16a^2x^2\tan(1/2ax)^4 - 64a^3x^3\tan(3/2ax) + 27a^2x^2\text{real\_part}(\cos\_integral(3ax))\tan(3/2ax)^2 + a^2x^2\text{real\_part}(\cos\_integral(ax))\tan(3/2ax)^2 + a^2x^2\text{real\_part}(\cos\_integral(-ax))\tan(3/2ax)^2 + 27a^2x^2\text{real\_part}(\cos\_integral(-3ax))\tan(3/2ax)^2 + 12ax\tan(3/2ax)^2\tan(1/2ax)^3 + 28ax\tan(3/2ax)\tan(1/2ax)^4 + 16a^2x^2\tan(3/2ax)^2 - 56a^2x^2\tan(3/2ax)\tan(1/2ax) + 24a^2x^2\tan(1/2ax)^2 + 8\tan(3/2ax)^2\tan(1/2ax)^4 + 27a^2x^2\text{real\_part}(\cos\_integral(3ax)) + a^2x^2\text{real\_part}(\cos\_integral(ax)) + a^2x^2\text{real\_part}(\cos\_integral(-ax)) + 27a^2x^2\text{real\_part}(\cos\_integral(-3ax)) - 20ax\tan(3/2ax)^2\tan(1/2ax) + 20ax\tan(1/2ax)^3 + 32a^2x^2 - 12\tan(3/2ax)^2\tan(1/2ax)^2 + 4\tan(1/2ax)^4 - 28ax\tan(3/2ax) - 12ax\tan(1/2ax) + 4\tan(3/2ax)^2 - 12\tan(1/2ax)^2 + 8)/(2a^5x^7\tan(3/2ax)^2\tan(1/2ax)^3 - a^4x^6\tan(3/2ax)^2\tan(1/2ax)^4 + 2a^5x^7\tan(3/2ax)^2\tan(1/2ax) + 2a^5x^7\tan(1/2ax)^3 - a^4x^6\tan(1/2ax)^4 + 2a^5x^7\tan(1/2ax) + 4a^3x^5\tan(3/2ax)^2\tan(1/2ax)^3 + a^4x^6\tan(3/2ax)^2 - 2a^2x^4\tan(3/2ax)^2\tan(1/2ax)^4 + 4a^3x^5\tan(3/2ax)^2\tan(1/2ax) + 4a^3x^5\tan(1/2ax)^3 + a^4x^6 - 2a^2x^4\tan(1/2ax)^4 + 4a^3x^5\tan(1/2ax) + 2ax^3\tan(3/2ax)^2\tan(1/2ax)^3 + 2a^2x^4\tan(3/2ax)^2 - x^2\tan(3/2ax)^2\tan(1/2ax)^4 + 2ax^3\tan(3/2ax)^2\tan(1/2ax) + 2ax^3\tan(1/2ax)^3 + 2a^2x^4 - x^2\tan(1/2ax)^4 + 2ax^3\tan(1/2ax) + x^2\tan(3/2ax)^2 + x^2)
\end{aligned}$$

$$3.596 \quad \int \frac{\cos^4(ax)}{x^2(\cos(ax)+ax \sin(ax))^2} dx$$

**Optimal.** Leaf size=80

$$\frac{\cos^2(ax)}{a^2x^3} - \frac{\cos^3(ax)}{a^2x^3(ax \sin(ax) + \cos(ax))} - 2a\text{Si}(2ax) - \frac{\sin(ax) \cos(ax)}{ax^2} - \frac{2 \cos^2(ax)}{x} + \frac{1}{x}$$

[Out]  $x^{-1} + \text{Cos}[a*x]^2/(a^2*x^3) - (2*\text{Cos}[a*x]^2)/x - (\text{Cos}[a*x]*\text{Sin}[a*x])/(a*x^2) - \text{Cos}[a*x]^3/(a^2*x^3*(\text{Cos}[a*x] + a*x*\text{Sin}[a*x])) - 2*a*\text{SinIntegral}[2*a*x]$

**Rubi [A]** time = 0.128426, antiderivative size = 80, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {4599, 3314, 30, 3313, 12, 3299}

$$\frac{\cos^2(ax)}{a^2x^3} - \frac{\cos^3(ax)}{a^2x^3(ax \sin(ax) + \cos(ax))} - 2a\text{Si}(2ax) - \frac{\sin(ax) \cos(ax)}{ax^2} - \frac{2 \cos^2(ax)}{x} + \frac{1}{x}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[a*x]^4/(x^2*(\text{Cos}[a*x] + a*x*\text{Sin}[a*x])^2), x]$

[Out]  $x^{-1} + \text{Cos}[a*x]^2/(a^2*x^3) - (2*\text{Cos}[a*x]^2)/x - (\text{Cos}[a*x]*\text{Sin}[a*x])/(a*x^2) - \text{Cos}[a*x]^3/(a^2*x^3*(\text{Cos}[a*x] + a*x*\text{Sin}[a*x])) - 2*a*\text{SinIntegral}[2*a*x]$

#### Rule 4599

$\text{Int}[(\text{Cos}[(a_.)*(x_.)]^{(n_.)}*((b_.)*(x_.))^{(m_.)})/(\text{Cos}[(a_.)*(x_.)]*(c_.) + (d_.)*(x_.)*\text{Sin}[(a_.)*(x_.)])^2, x\_Symbol] \rightarrow -\text{Simp}[(b*(b*x)^{(m-1)}*\text{Cos}[a*x]^{(n-1)})/(a*d*(c*\text{Cos}[a*x] + d*x*\text{Sin}[a*x])), x] - \text{Dist}[(b^2*(n-1))/d^2, \text{Int}[(b*x)^{(m-2)}*\text{Cos}[a*x]^{(n-2)}, x], x] /; \text{FreeQ}\{a, b, c, d, m, n\}, x] \&\& \text{EqQ}[a*c - d, 0] \&\& \text{EqQ}[m, 2 - n]$

#### Rule 3314

$\text{Int}[(c_. + (d_.)*(x_.))^{(m_.)}*((b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(n_.)}, x\_Symbol] \rightarrow \text{Simp}[(c + d*x)^{(m+1)}*(b*\text{Sin}[e + f*x])^n/(d*(m+1)), x] + (\text{Dist}[(b^2*f^2*n*(n-1))/(d^2*(m+1)*(m+2)), \text{Int}[(c + d*x)^{(m+2)}*(b*\text{Sin}[e + f*x])^{(n-2)}, x], x] - \text{Dist}[(f^2*n^2)/(d^2*(m+1)*(m+2)), \text{Int}[(c + d*x)^{(m+2)}*(b*\text{Sin}[e + f*x])^n, x], x] - \text{Simp}[(b*f*n*(c + d*x)^{(m+2)}*\text{Cos}[e + f*x]*(b*\text{Sin}[e + f*x])^{(n-1)})/(d^2*(m+1)*(m+2)), x]) /; \text{FreeQ}\{b, c, d, e, f\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{LtQ}[m, -2]$

#### Rule 30

$\text{Int}[(x_.)^{(m_.)}, x\_Symbol] \rightarrow \text{Simp}[x^{(m+1)}/(m+1), x] /; \text{FreeQ}[m, x] \&\& \text{NeQ}[m, -1]$

#### Rule 3313

$\text{Int}[(c_. + (d_.)*(x_.))^{(m_.)}*\text{sin}[(e_.) + (f_.)*(x_.)]^{(n_.)}, x\_Symbol] \rightarrow \text{Simp}[(c + d*x)^{(m+1)}*\text{Sin}[e + f*x]^n/(d*(m+1)), x] - \text{Dist}[(f*n)/(d*(m+1)), \text{Int}[\text{ExpandTrigReduce}[(c + d*x)^{(m+1)}, \text{Cos}[e + f*x]*\text{Sin}[e + f*x]^{(n-1)}, x], x], x] /; \text{FreeQ}\{c, d, e, f, m\}, x] \&\& \text{IGtQ}[n, 1] \&\& \text{GeQ}[m, -2] \&\&$



LtQ[m, -1]

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 3299

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

### Rubi steps

$$\begin{aligned} \int \frac{\cos^4(ax)}{x^2(\cos(ax) + ax \sin(ax))^2} dx &= -\frac{\cos^3(ax)}{a^2 x^3 (\cos(ax) + ax \sin(ax))} - \frac{3 \int \frac{\cos^2(ax)}{x^4} dx}{a^2} \\ &= \frac{\cos^2(ax)}{a^2 x^3} - \frac{\cos(ax) \sin(ax)}{ax^2} - \frac{\cos^3(ax)}{a^2 x^3 (\cos(ax) + ax \sin(ax))} + 2 \int \frac{\cos^2(ax)}{x^2} dx - \int \dots \\ &= \frac{1}{x} + \frac{\cos^2(ax)}{a^2 x^3} - \frac{2 \cos^2(ax)}{x} - \frac{\cos(ax) \sin(ax)}{ax^2} - \frac{\cos^3(ax)}{a^2 x^3 (\cos(ax) + ax \sin(ax))} + (4a) \\ &= \frac{1}{x} + \frac{\cos^2(ax)}{a^2 x^3} - \frac{2 \cos^2(ax)}{x} - \frac{\cos(ax) \sin(ax)}{ax^2} - \frac{\cos^3(ax)}{a^2 x^3 (\cos(ax) + ax \sin(ax))} - (2a) \\ &= \frac{1}{x} + \frac{\cos^2(ax)}{a^2 x^3} - \frac{2 \cos^2(ax)}{x} - \frac{\cos(ax) \sin(ax)}{ax^2} - \frac{\cos^3(ax)}{a^2 x^3 (\cos(ax) + ax \sin(ax))} - 2a \text{Si} \end{aligned}$$

**Mathematica [A]** time = 0.684764, size = 71, normalized size = 0.89

$$\frac{8ax\text{Si}(2ax)(ax \sin(ax) + \cos(ax)) - 2ax \sin(ax) + 2ax \sin(3ax) + 3 \cos(ax) + \cos(3ax)}{4x(ax \sin(ax) + \cos(ax))}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[a\*x]^4/(x^2\*(Cos[a\*x] + a\*x\*Sin[a\*x])^2), x]

[Out] -(3\*Cos[a\*x] + Cos[3\*a\*x] - 2\*a\*x\*Sin[a\*x] + 2\*a\*x\*Sin[3\*a\*x] + 8\*a\*x\*(Cos[a\*x] + a\*x\*Sin[a\*x])\*SinIntegral[2\*a\*x])/(4\*x\*(Cos[a\*x] + a\*x\*Sin[a\*x]))

**Maple [F]** time = 180., size = 0, normalized size = 0.

$$\int \frac{(\cos(ax))^4}{x^2 (\cos(ax) + ax \sin(ax))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a\*x)^4/x^2/(cos(a\*x)+a\*x\*sin(a\*x))^2,x)

[Out] int(cos(a\*x)^4/x^2/(cos(a\*x)+a\*x\*sin(a\*x))^2,x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(a\*x)^4/x^2/(cos(a\*x)+a\*x\*sin(a\*x))^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

**Fricas [A]** time = 2.29183, size = 203, normalized size = 2.54

$$\frac{2ax \cos(ax) \operatorname{Si}(2ax) + \cos(ax)^3 + (2a^2x^2 \operatorname{Si}(2ax) + 2ax \cos(ax)^2 - ax) \sin(ax)}{ax^2 \sin(ax) + x \cos(ax)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(a\*x)^4/x^2/(cos(a\*x)+a\*x\*sin(a\*x))^2,x, algorithm="fricas")

[Out]  $-(2ax \cos(ax) \operatorname{Si}(2ax) + \cos(ax)^3 + (2a^2x^2 \operatorname{Si}(2ax) + 2ax \cos(ax)^2 - ax) \sin(ax)) / (ax^2 \sin(ax) + x \cos(ax))$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos^4(ax)}{x^2 (ax \sin(ax) + \cos(ax))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(a\*x)\*\*4/x\*\*2/(cos(a\*x)+a\*x\*sin(a\*x))\*\*2,x)

[Out] Integral(cos(a\*x)\*\*4/(x\*\*2\*(a\*x\*sin(a\*x) + cos(a\*x))\*\*2), x)

**Giac [C]** time = 1.45223, size = 1346, normalized size = 16.82

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(a\*x)^4/x^2/(cos(a\*x)+a\*x\*sin(a\*x))^2,x, algorithm="giac")

[Out]  $-(2a^4x^4 \operatorname{Im}(\cos_{\text{integral}}(2ax)) \tan(ax)^2 \tan(1/2ax) - 2a^4x^4 \operatorname{Im}(\cos_{\text{integral}}(-2ax)) \tan(ax)^2 \tan(1/2ax) + 4a^4x^4 \sin_{\text{integral}}(2ax) \tan(ax)^2 \tan(1/2ax) - a^3x^3 \operatorname{Im}(\cos_{\text{integral}}(2ax)) \tan(ax)^2 \tan(1/2ax)^2 + a^3x^3 \operatorname{Im}(\cos_{\text{integral}}(-2ax)) \tan(ax)^2 \tan(1/2ax)^2 - 2a^3x^3 \sin_{\text{integral}}(2ax) \tan(ax)^2 \tan(1/2ax)^2 + 2a^4x^4 \operatorname{Im}(\cos_{\text{integral}}(2ax)) \tan(1/2ax) - 2a^4x^4 \operatorname{Im}(\cos_{\text{integral}}(-2ax)) \tan(1/2ax) + 4a^4x^4 \sin_{\text{integral}}(2ax) \tan(1/2ax) + a^3x^3 \operatorname{Im}(\cos_{\text{integral}}(2ax)) \tan(ax)^2 - a^3x^3 \operatorname{Im}(\cos_{\text{integral}}(-2ax)) \tan(ax)^2 + 2a^3x^3 \sin_{\text{integral}}(2ax) \tan(ax)^2 - 2a^3x^3 \tan(ax)^2 \tan(1/2ax) - a^3x^3 \operatorname{Im}(\cos_{\text{integral}}(2ax)) \tan(1/2ax)^2 + a^3x^3 \operatorname{Im}(\cos_{\text{integral}}(-2ax)) \tan(1/2ax)^2 - 2a^3x^3 \sin_{\text{integral}}(2ax) \tan(1/2ax)^2 + 2a^2x^2 \operatorname{Im}(\cos_{\text{integral}}(2ax)) \tan(ax)^2 \tan(1/2ax) - 2a^2x^2 \operatorname{Im}(\cos_{\text{integral}}(-2ax)) \tan(ax)^2 \tan(1/2ax) + 4a^2x^2 \sin_{\text{integral}}(2ax)$

$$\begin{aligned}
& x) \tan(ax)^2 \tan(1/2ax) + a^2 x^2 \tan(ax)^2 \tan(1/2ax)^2 + a^3 x^3 \operatorname{imag\_part}(\cos\_integral(2ax)) - a^3 x^3 \operatorname{imag\_part}(\cos\_integral(-2ax)) + 2a^3 x^3 \sin\_integral(2ax) + 2a^3 x^3 \tan(1/2ax) - a x \operatorname{imag\_part}(\cos\_integral(2ax)) \tan(ax)^2 \tan(1/2ax)^2 + a x \operatorname{imag\_part}(\cos\_integral(-2ax)) \tan(ax)^2 \tan(1/2ax)^2 - 2a x \sin\_integral(2ax) \tan(ax)^2 \tan(1/2ax)^2 - a^2 x^2 \tan(ax)^2 + 2a^2 x^2 \operatorname{imag\_part}(\cos\_integral(2ax)) \tan(1/2ax) - 2a^2 x^2 \operatorname{imag\_part}(\cos\_integral(-2ax)) \tan(1/2ax) + 4a^2 x^2 \sin\_integral(2ax) \tan(1/2ax) + 2a^2 x^2 \tan(ax) \tan(1/2ax) - a^2 x^2 \tan(1/2ax)^2 + a x \operatorname{imag\_part}(\cos\_integral(2ax)) \tan(ax)^2 - a x \operatorname{imag\_part}(\cos\_integral(-2ax)) \tan(ax)^2 + 2a x \sin\_integral(2ax) \tan(ax)^2 - 2a x \tan(ax)^2 \tan(1/2ax) - a x \operatorname{imag\_part}(\cos\_integral(2ax)) \tan(1/2ax)^2 + a x \operatorname{imag\_part}(\cos\_integral(-2ax)) \tan(1/2ax)^2 - 2a x \sin\_integral(2ax) \tan(1/2ax)^2 - a x \tan(ax) \tan(1/2ax)^2 + a^2 x^2 + a x \operatorname{imag\_part}(\cos\_integral(2ax)) - a x \operatorname{imag\_part}(\cos\_integral(-2ax)) + 2a x \sin\_integral(2ax) + a x \tan(ax) - \tan(1/2ax)^2 + 1) / (2a^3 x^4 \tan(ax)^2 \tan(1/2ax) - a^2 x^3 \tan(ax)^2 \tan(1/2ax)^2 + 2a^3 x^4 \tan(1/2ax) + a^2 x^3 \tan(ax)^2 - a^2 x^3 \tan(1/2ax)^2 + 2a x^2 \tan(ax)^2 \tan(1/2ax) + a^2 x^3 - x \tan(ax)^2 \tan(1/2ax)^2 + 2a x^2 \tan(1/2ax) + x \tan(ax)^2 - x \tan(1/2ax)^2 + x)
\end{aligned}$$

$$3.597 \quad \int \frac{\cos^3(ax)}{x(\cos(ax)+ax \sin(ax))^2} dx$$

**Optimal.** Leaf size=56

$$\frac{\cos(ax)}{a^2x^2} - \frac{\cos^2(ax)}{a^2x^2(ax \sin(ax) + \cos(ax))} + \text{CosIntegral}(ax) - \frac{\sin(ax)}{ax}$$

[Out] Cos[a\*x]/(a^2\*x^2) + CosIntegral[a\*x] - Sin[a\*x]/(a\*x) - Cos[a\*x]^2/(a^2\*x^2\*(Cos[a\*x] + a\*x\*Sin[a\*x]))

**Rubi [A]** time = 0.09317, antiderivative size = 56, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {4599, 3297, 3302}

$$\frac{\cos(ax)}{a^2x^2} - \frac{\cos^2(ax)}{a^2x^2(ax \sin(ax) + \cos(ax))} + \text{CosIntegral}(ax) - \frac{\sin(ax)}{ax}$$

Antiderivative was successfully verified.

[In] Int[Cos[a\*x]^3/(x\*(Cos[a\*x] + a\*x\*Sin[a\*x])^2),x]

[Out] Cos[a\*x]/(a^2\*x^2) + CosIntegral[a\*x] - Sin[a\*x]/(a\*x) - Cos[a\*x]^2/(a^2\*x^2\*(Cos[a\*x] + a\*x\*Sin[a\*x]))

#### Rule 4599

Int[(Cos[(a\_.)\*(x\_)]^(n\_)\*((b\_.)\*(x\_))^(m\_))/(Cos[(a\_.)\*(x\_)]\*(c\_.) + (d\_.)\*(x\_)\*Sin[(a\_.)\*(x\_)]^2, x\_Symbol] :> -Simp[(b\*(b\*x)^(m - 1)\*Cos[a\*x]^(n - 1))/(a\*d\*(c\*cos[a\*x] + d\*x\*Sin[a\*x])), x] - Dist[(b^2\*(n - 1))/d^2, Int[(b\*x)^(m - 2)\*Cos[a\*x]^(n - 2), x], x] /; FreeQ[{a, b, c, d, m, n}, x] && EqQ[a\*c - d, 0] && EqQ[m, 2 - n]

#### Rule 3297

Int[((c\_.) + (d\_.)\*(x\_))^(m\_)\*sin[(e\_.) + (f\_.)\*(x\_)], x\_Symbol] :> Simp[(c + d\*x)^(m + 1)\*Sin[e + f\*x]/(d\*(m + 1)), x] - Dist[f/(d\*(m + 1)), Int[(c + d\*x)^(m + 1)\*Cos[e + f\*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

#### Rule 3302

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

#### Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(ax)}{x(\cos(ax) + ax \sin(ax))^2} dx &= -\frac{\cos^2(ax)}{a^2 x^2 (\cos(ax) + ax \sin(ax))} - \frac{2 \int \frac{\cos(ax)}{x^3} dx}{a^2} \\
&= \frac{\cos(ax)}{a^2 x^2} - \frac{\cos^2(ax)}{a^2 x^2 (\cos(ax) + ax \sin(ax))} + \frac{\int \frac{\sin(ax)}{x^2} dx}{a} \\
&= \frac{\cos(ax)}{a^2 x^2} - \frac{\sin(ax)}{ax} - \frac{\cos^2(ax)}{a^2 x^2 (\cos(ax) + ax \sin(ax))} + \int \frac{\cos(ax)}{x} dx \\
&= \frac{\cos(ax)}{a^2 x^2} + \text{Ci}(ax) - \frac{\sin(ax)}{ax} - \frac{\cos^2(ax)}{a^2 x^2 (\cos(ax) + ax \sin(ax))}
\end{aligned}$$

**Mathematica [C]** time = 7.47208, size = 237, normalized size = 4.23

$-e a x \text{CosIntegral}(a x + i) \sin(a x) - e \text{CosIntegral}(a x + i) \cos(a x) + 2 \text{CosIntegral}(a x)(a x \sin(a x) + \cos(a x)) - e \text{Cos}$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[a\*x]^3/(x\*(Cos[a\*x] + a\*x\*Sin[a\*x])^2), x]

[Out]  $(-1 + \text{Cos}[2 a x] - E \text{Cos}[a x] * \text{CosIntegral}[I + a x] + E \text{Cos}[a x] * \text{ExpIntegralEi}[-1 - I a x] + E \text{Cos}[a x] * \text{ExpIntegralEi}[-1 + I a x] - a E x * \text{CosIntegral}[I + a x] * \text{Sin}[a x] + a E x * \text{ExpIntegralEi}[-1 - I a x] * \text{Sin}[a x] + a E x * \text{ExpIntegralEi}[-1 + I a x] * \text{Sin}[a x] + 2 * \text{CosIntegral}[a x] * (\text{Cos}[a x] + a x * \text{Sin}[a x]) - E \text{CosIntegral}[I - a x] * (\text{Cos}[a x] + a x * \text{Sin}[a x]) - I E \text{Cos}[a x] * \text{SinIntegral}[I - a x] - I a E x * \text{Sin}[a x] * \text{SinIntegral}[I - a x] - I E \text{Cos}[a x] * \text{SinIntegral}[I + a x] - I a E x * \text{Sin}[a x] * \text{SinIntegral}[I + a x]) / (2 * (\text{Cos}[a x] + a x * \text{Sin}[a x]))$

**Maple [C]** time = 1.171, size = 106, normalized size = 1.9

$$-\frac{e^{i a x}}{-2 + 2 i a x} - \frac{\text{Ei}(1, -i a x)}{2} + \frac{e^{-i a x}}{2 + 2 i a x} - \frac{\text{Ei}(1, i a x)}{2} - \frac{2 i e^{i a x}}{(a x + i)(a x - i)(a x e^{2 i a x} - a x + i e^{2 i a x} + i)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a\*x)^3/x/(cos(a\*x)+a\*x\*sin(a\*x))^2,x)

[Out]  $-1/2 * \exp(I a x) / (-1 + I a x) - 1/2 * \text{Ei}(1, -I a x) + 1/2 * \exp(-I a x) / (1 + I a x) - 1/2 * \text{Ei}(1, I a x) - 2 * I * \exp(I a x) / (a x + I) / (a x - I) / (a x * \exp(2 * I a x) - a x + I * \exp(2 * I a x) + I)$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(a\*x)^3/x/(cos(a\*x)+a\*x\*sin(a\*x))^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

---

**Fricas [A]** time = 2.21616, size = 219, normalized size = 3.91

$$\frac{(\text{Ci}(ax) + \text{Ci}(-ax)) \cos(ax) + 2 \cos(ax)^2 + (ax \text{Ci}(ax) + ax \text{Ci}(-ax)) \sin(ax) - 2}{2(ax \sin(ax) + \cos(ax))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(a\*x)^3/x/(cos(a\*x)+a\*x\*sin(a\*x))^2,x, algorithm="fricas")

[Out] 1/2\*((cos\_integral(a\*x) + cos\_integral(-a\*x))\*cos(a\*x) + 2\*cos(a\*x)^2 + (a\*x\*cos\_integral(a\*x) + a\*x\*cos\_integral(-a\*x))\*sin(a\*x) - 2)/(a\*x\*sin(a\*x) + cos(a\*x))

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(a\*x)\*\*3/x/(cos(a\*x)+a\*x\*sin(a\*x))\*\*2,x)

[Out] Timed out

---

**Giac [C]** time = 1.28893, size = 494, normalized size = 8.82

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(a\*x)^3/x/(cos(a\*x)+a\*x\*sin(a\*x))^2,x, algorithm="giac")

[Out] 1/2\*(2\*a^3\*x^3\*real\_part(cos\_integral(a\*x))\*tan(1/2\*a\*x)^3 + 2\*a^3\*x^3\*real\_part(cos\_integral(-a\*x))\*tan(1/2\*a\*x)^3 - a^2\*x^2\*real\_part(cos\_integral(a\*x))\*tan(1/2\*a\*x)^4 - a^2\*x^2\*real\_part(cos\_integral(-a\*x))\*tan(1/2\*a\*x)^4 + 2\*a^3\*x^3\*real\_part(cos\_integral(a\*x))\*tan(1/2\*a\*x) + 2\*a^3\*x^3\*real\_part(cos\_integral(-a\*x))\*tan(1/2\*a\*x) - 8\*a^2\*x^2\*tan(1/2\*a\*x)^2 + 2\*a\*x\*real\_part(cos\_integral(a\*x))\*tan(1/2\*a\*x)^3 + 2\*a\*x\*real\_part(cos\_integral(-a\*x))\*tan(1/2\*a\*x)^3 + a^2\*x^2\*real\_part(cos\_integral(a\*x)) + a^2\*x^2\*real\_part(cos\_integral(-a\*x)) - real\_part(cos\_integral(a\*x))\*tan(1/2\*a\*x)^4 - real\_part(cos\_integral(-a\*x))\*tan(1/2\*a\*x)^4 + 2\*a\*x\*real\_part(cos\_integral(a\*x))\*tan(1/2\*a\*x) + 2\*a\*x\*real\_part(cos\_integral(-a\*x))\*tan(1/2\*a\*x) - 2\*tan(1/2\*a\*x)^4 - 12\*tan(1/2\*a\*x)^2 + real\_part(cos\_integral(a\*x)) + real\_part(cos\_integral(-a\*x)) - 2)/(2\*a^3\*x^3\*tan(1/2\*a\*x)^3 - a^2\*x^2\*tan(1/2\*a\*x)^4 + 2\*a^3\*x^3\*tan(1/2\*a\*x) + 2\*a\*x\*tan(1/2\*a\*x)^3 + a^2\*x^2 - tan(1/2\*a\*x)^4 + 2\*a\*x\*tan(1/2\*a\*x) + 1)

$$3.598 \quad \int \frac{\cos^2(ax)}{(\cos(ax) + ax \sin(ax))^2} dx$$

Optimal. Leaf size=34

$$\frac{1}{a^2x} - \frac{\cos(ax)}{a^2x(ax \sin(ax) + \cos(ax))}$$

[Out] 1/(a^2\*x) - Cos[a\*x]/(a^2\*x\*(Cos[a\*x] + a\*x\*Sin[a\*x]))

**Rubi [A]** time = 0.0224119, antiderivative size = 34, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$ , Rules used = {4597}

$$\frac{1}{a^2x} - \frac{\cos(ax)}{a^2x(ax \sin(ax) + \cos(ax))}$$

Antiderivative was successfully verified.

[In] Int[Cos[a\*x]^2/(Cos[a\*x] + a\*x\*Sin[a\*x])^2,x]

[Out] 1/(a^2\*x) - Cos[a\*x]/(a^2\*x\*(Cos[a\*x] + a\*x\*Sin[a\*x]))

Rule 4597

Int[Cos[(a\_.)\*(x\_)]^2/(Cos[(a\_.)\*(x\_)]\*(c\_.) + (d\_.)\*(x\_)\*Sin[(a\_.)\*(x\_)])^2, x\_Symbol] :> Simp[1/(d^2\*x), x] - Simp[Cos[a\*x]/(a\*d\*x\*(d\*x\*Sin[a\*x] + c\*Cos[a\*x])), x] /; FreeQ[{a, c, d}, x] && EqQ[a\*c - d, 0]

Rubi steps

$$\int \frac{\cos^2(ax)}{(\cos(ax) + ax \sin(ax))^2} dx = \frac{1}{a^2x} - \frac{\cos(ax)}{a^2x(\cos(ax) + ax \sin(ax))}$$

**Mathematica [A]** time = 0.220609, size = 22, normalized size = 0.65

$$\frac{\sin(ax)}{a(ax \sin(ax) + \cos(ax))}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[a\*x]^2/(Cos[a\*x] + a\*x\*Sin[a\*x])^2,x]

[Out] Sin[a\*x]/(a\*(Cos[a\*x] + a\*x\*Sin[a\*x]))

**Maple [B]** time = 0.663, size = 70, normalized size = 2.1

$$\left(2 \frac{\tan(1/2 ax)}{a} + 4 \frac{(\tan(1/2 ax))^3}{a} + 2 \frac{(\tan(1/2 ax))^5}{a}\right) \left(1 + \left(\tan\left(\frac{ax}{2}\right)\right)^2\right)^{-2} \left(2 \tan(1/2 ax) xa - \left(\tan\left(\frac{ax}{2}\right)\right)^2 + 1\right)^{-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(a*x)^2/(cos(a*x)+a*x*sin(a*x))^2,x)`

[Out]  $(2/a*\tan(1/2*a*x)+4/a*\tan(1/2*a*x)^3+2/a*\tan(1/2*a*x)^5)/(1+\tan(1/2*a*x)^2)^2/(2*\tan(1/2*a*x)*x*a-\tan(1/2*a*x)^2+1)$

**Maxima [B]** time = 1.06031, size = 154, normalized size = 4.53

$$\frac{ax \cos(2ax)^2 + ax \sin(2ax)^2 - 2ax \cos(2ax) + ax + 2 \sin(2ax)}{(a^2x^2 + (a^2x^2 + 1) \cos(2ax)^2 + 4ax \sin(2ax) + (a^2x^2 + 1) \sin(2ax)^2 - 2(a^2x^2 - 1) \cos(2ax) + 1)a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(a*x)^2/(cos(a*x)+a*x*sin(a*x))^2,x, algorithm="maxima")`

[Out]  $(a*x*\cos(2*a*x)^2 + a*x*\sin(2*a*x)^2 - 2*a*x*\cos(2*a*x) + a*x + 2*\sin(2*a*x))/((a^2*x^2 + (a^2*x^2 + 1)*\cos(2*a*x)^2 + 4*a*x*\sin(2*a*x) + (a^2*x^2 + 1)*\sin(2*a*x)^2 - 2*(a^2*x^2 - 1)*\cos(2*a*x) + 1)*a)$

**Fricas [A]** time = 2.02329, size = 54, normalized size = 1.59

$$\frac{\sin(ax)}{a^2x \sin(ax) + a \cos(ax)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(a*x)^2/(cos(a*x)+a*x*sin(a*x))^2,x, algorithm="fricas")`

[Out]  $\sin(a*x)/(a^2*x*\sin(a*x) + a*\cos(a*x))$

**Sympy [A]** time = 3.09642, size = 20, normalized size = 0.59

$$\frac{\sin(ax)}{a^2x \sin(ax) + a \cos(ax)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(a*x)**2/(cos(a*x)+a*x*sin(a*x))**2,x)`

[Out]  $\sin(a*x)/(a**2*x*\sin(a*x) + a*\cos(a*x))$

**Giac [A]** time = 1.14777, size = 43, normalized size = 1.26

$$\frac{2 \tan\left(\frac{1}{2} ax\right)}{2 a^2 x \tan\left(\frac{1}{2} ax\right) - a \tan\left(\frac{1}{2} ax\right)^2 + a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(a*x)^2/(cos(a*x)+a*x*sin(a*x))^2,x, algorithm="giac")`



[Out]  $2*\tan(1/2*a*x)/(2*a^2*x*\tan(1/2*a*x) - a*\tan(1/2*a*x)^2 + a)$

$$3.599 \quad \int \frac{x \cos(ax)}{(\cos(ax) + ax \sin(ax))^2} dx$$

**Optimal.** Leaf size=19

$$-\frac{1}{a^2(ax \sin(ax) + \cos(ax))}$$

[Out] -(1/(a^2\*(Cos[a\*x] + a\*x\*Sin[a\*x])))

**Rubi [A]** time = 0.0559611, antiderivative size = 19, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.05$ , Rules used = {6686}

$$-\frac{1}{a^2(ax \sin(ax) + \cos(ax))}$$

Antiderivative was successfully verified.

[In] Int[(x\*Cos[a\*x])/(Cos[a\*x] + a\*x\*Sin[a\*x])^2,x]

[Out] -(1/(a^2\*(Cos[a\*x] + a\*x\*Sin[a\*x])))

**Rule 6686**

Int[(u\_)\*(y\_)^(m\_.), x\_Symbol] := With[{q = DerivativeDivides[y, u, x]}, Simp[(q\*y^(m + 1))/(m + 1), x] /; !FalseQ[q] /; FreeQ[m, x] && NeQ[m, -1]

**Rubi steps**

$$\int \frac{x \cos(ax)}{(\cos(ax) + ax \sin(ax))^2} dx = -\frac{1}{a^2(\cos(ax) + ax \sin(ax))}$$

**Mathematica [A]** time = 0.0200806, size = 19, normalized size = 1.

$$-\frac{1}{a^2(ax \sin(ax) + \cos(ax))}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*Cos[a\*x])/(Cos[a\*x] + a\*x\*Sin[a\*x])^2,x]

[Out] -(1/(a^2\*(Cos[a\*x] + a\*x\*Sin[a\*x])))

**Maple [A]** time = 0.043, size = 20, normalized size = 1.1

$$-\frac{1}{a^2(\cos(ax) + ax \sin(ax))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*cos(a\*x)/(cos(a\*x)+a\*x\*sin(a\*x))^2,x)

[Out]  $-1/a^2/(\cos(ax)+a*x*\sin(ax))$

**Maxima [A]** time = 0.989304, size = 26, normalized size = 1.37

$$-\frac{1}{(ax \sin(ax) + \cos(ax))a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*cos(a*x)/(cos(a*x)+a*x*sin(a*x))^2,x, algorithm="maxima")`

[Out]  $-1/((a*x*\sin(a*x) + \cos(a*x))*a^2)$

**Fricas [A]** time = 1.99532, size = 49, normalized size = 2.58

$$-\frac{1}{a^3x \sin(ax) + a^2 \cos(ax)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*cos(a*x)/(cos(a*x)+a*x*sin(a*x))^2,x, algorithm="fricas")`

[Out]  $-1/(a^3*x*\sin(a*x) + a^2*\cos(a*x))$

**Sympy [A]** time = 3.69455, size = 20, normalized size = 1.05

$$-\frac{1}{a^3x \sin(ax) + a^2 \cos(ax)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*cos(a*x)/(cos(a*x)+a*x*sin(a*x))**2,x)`

[Out]  $-1/(a**3*x*\sin(a*x) + a**2*\cos(a*x))$

**Giac [B]** time = 1.16989, size = 54, normalized size = 2.84

$$\frac{2 \left( \tan\left(\frac{1}{2}ax\right)^2 + 1 \right)}{2a^3x \tan\left(\frac{1}{2}ax\right) - a^2 \tan\left(\frac{1}{2}ax\right)^2 + a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*cos(a*x)/(cos(a*x)+a*x*sin(a*x))^2,x, algorithm="giac")`

[Out]  $-2*(\tan(1/2*a*x)^2 + 1)/(2*a^3*x*\tan(1/2*a*x) - a^2*\tan(1/2*a*x)^2 + a^2)$

$$3.600 \quad \int \frac{x^2}{(\cos(ax) + ax \sin(ax))^2} dx$$

**Optimal.** Leaf size=33

$$\frac{\tan(ax)}{a^3} - \frac{x \sec(ax)}{a^2(ax \sin(ax) + \cos(ax))}$$

[Out]  $-\left(\frac{x \operatorname{Sec}[a x]}{a^2(\operatorname{Cos}[a x] + a x \operatorname{Sin}[a x])}\right) + \operatorname{Tan}[a x] / a^3$

**Rubi [A]** time = 0.0379801, antiderivative size = 33, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {4595, 3767, 8}

$$\frac{\tan(ax)}{a^3} - \frac{x \sec(ax)}{a^2(ax \sin(ax) + \cos(ax))}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[x^2 / (\operatorname{Cos}[a x] + a x \operatorname{Sin}[a x])^2, x]$

[Out]  $-\left(\frac{x \operatorname{Sec}[a x]}{a^2(\operatorname{Cos}[a x] + a x \operatorname{Sin}[a x])}\right) + \operatorname{Tan}[a x] / a^3$

#### Rule 4595

$\operatorname{Int}[(x_)^2 / (\operatorname{Cos}[(a_.) * (x_)] * (c_.) + (d_.) * (x_) * \operatorname{Sin}[(a_.) * (x_)]^2, x\_Symbol] \rightarrow -\operatorname{Simp}[x / (a * d * \operatorname{Cos}[a * x] * (c * \operatorname{Cos}[a * x] + d * x * \operatorname{Sin}[a * x])), x] + \operatorname{Dist}[1 / d^2, \operatorname{Int}[1 / \operatorname{Cos}[a * x]^2, x], x] /;$  FreeQ[{a, c, d}, x] && EqQ[a \* c - d, 0]

#### Rule 3767

$\operatorname{Int}[\operatorname{csc}[(c_.) + (d_.) * (x_)]^{(n_)}, x\_Symbol] \rightarrow -\operatorname{Dist}[d^{(-1)}, \operatorname{Subst}[\operatorname{Int}[\operatorname{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \operatorname{Cot}[c + d * x]], x] /;$  FreeQ[{c, d}, x] && IGtQ[n/2, 0]

#### Rule 8

$\operatorname{Int}[a_, x\_Symbol] \rightarrow \operatorname{Simp}[a * x, x] /;$  FreeQ[a, x]

#### Rubi steps

$$\begin{aligned} \int \frac{x^2}{(\cos(ax) + ax \sin(ax))^2} dx &= -\frac{x \sec(ax)}{a^2(\cos(ax) + ax \sin(ax))} + \frac{\int \sec^2(ax) dx}{a^2} \\ &= -\frac{x \sec(ax)}{a^2(\cos(ax) + ax \sin(ax))} - \frac{\operatorname{Subst}(\int 1 dx, x, -\tan(ax))}{a^3} \\ &= -\frac{x \sec(ax)}{a^2(\cos(ax) + ax \sin(ax))} + \frac{\tan(ax)}{a^3} \end{aligned}$$

**Mathematica [A]** time = 0.417018, size = 31, normalized size = 0.94

$$\frac{\sin(ax) - ax \cos(ax)}{a^3(ax \sin(ax) + \cos(ax))}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/(Cos[a\*x] + a\*x\*Sin[a\*x])^2,x]

[Out]  $(-(a*x*\text{Cos}[a*x]) + \text{Sin}[a*x])/(a^3*(\text{Cos}[a*x] + a*x*\text{Sin}[a*x]))$

**Maple [A]** time = 0.372, size = 53, normalized size = 1.6

$$\left(\frac{x}{a^2} \left(\tan\left(\frac{ax}{2}\right)\right)^2 - \frac{x}{a^2} + 2 \frac{\tan(1/2 ax)}{a^3}\right) \left(2 \tan(1/2 ax) xa - \left(\tan\left(\frac{ax}{2}\right)\right)^2 + 1\right)^{-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(cos(a\*x)+a\*x\*sin(a\*x))^2,x)

[Out]  $(x/a^2*\tan(1/2*a*x)^2-x/a^2+2/a^3*\tan(1/2*a*x))/(2*\tan(1/2*a*x)*x*a-\tan(1/2*a*x)^2+1)$

**Maxima [B]** time = 1.02277, size = 135, normalized size = 4.09

$$\frac{2(2ax \cos(2ax) + (a^2x^2 - 1) \sin(2ax))}{(a^2x^2 + (a^2x^2 + 1) \cos(2ax))^2 + 4ax \sin(2ax) + (a^2x^2 + 1) \sin(2ax)^2 - 2(a^2x^2 - 1) \cos(2ax) + 1} a^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(cos(a\*x)+a\*x\*sin(a\*x))^2,x, algorithm="maxima")

[Out]  $-2*(2*a*x*\cos(2*a*x) + (a^2*x^2 - 1)*\sin(2*a*x))/((a^2*x^2 + (a^2*x^2 + 1)*\cos(2*a*x)^2 + 4*a*x*\sin(2*a*x) + (a^2*x^2 + 1)*\sin(2*a*x)^2 - 2*(a^2*x^2 - 1)*\cos(2*a*x) + 1)*a^3)$

**Fricas [A]** time = 1.97615, size = 81, normalized size = 2.45

$$\frac{ax \cos(ax) - \sin(ax)}{a^4x \sin(ax) + a^3 \cos(ax)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(cos(a\*x)+a\*x\*sin(a\*x))^2,x, algorithm="fricas")

[Out]  $-(a*x*\text{cos}(a*x) - \text{sin}(a*x))/(a^4*x*\text{sin}(a*x) + a^3*\text{cos}(a*x))$

**Sympy [B]** time = 5.1095, size = 109, normalized size = 3.3

$$\frac{ax \tan^2\left(\frac{ax}{2}\right)}{2a^4x \tan\left(\frac{ax}{2}\right) - a^3 \tan^2\left(\frac{ax}{2}\right) + a^3} - \frac{ax}{2a^4x \tan\left(\frac{ax}{2}\right) - a^3 \tan^2\left(\frac{ax}{2}\right) + a^3} + \frac{2 \tan\left(\frac{ax}{2}\right)}{2a^4x \tan\left(\frac{ax}{2}\right) - a^3 \tan^2\left(\frac{ax}{2}\right) + a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/(cos(a\*x)+a\*x\*sin(a\*x))\*\*2,x)

```
[Out] a*x*tan(a*x/2)**2/(2*a**4*x*tan(a*x/2) - a**3*tan(a*x/2)**2 + a**3) - a*x/(
2*a**4*x*tan(a*x/2) - a**3*tan(a*x/2)**2 + a**3) + 2*tan(a*x/2)/(2*a**4*x*t
an(a*x/2) - a**3*tan(a*x/2)**2 + a**3)
```

---

**Giac [A]** time = 1.15183, size = 70, normalized size = 2.12

$$\frac{ax \tan\left(\frac{1}{2}ax\right)^2 - ax + 2 \tan\left(\frac{1}{2}ax\right)}{2a^4x \tan\left(\frac{1}{2}ax\right) - a^3 \tan\left(\frac{1}{2}ax\right)^2 + a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(cos(a*x)+a*x*sin(a*x))^2,x, algorithm="giac")
```

```
[Out] (a*x*tan(1/2*a*x)^2 - a*x + 2*tan(1/2*a*x))/(2*a^4*x*tan(1/2*a*x) - a^3*tan
(1/2*a*x)^2 + a^3)
```

$$3.601 \quad \int \frac{x^3 \sec(ax)}{(\cos(ax) + ax \sin(ax))^2} dx$$

**Optimal.** Leaf size=110

$$\frac{i \operatorname{PolyLog}(2, -ie^{iax})}{a^4} - \frac{i \operatorname{PolyLog}(2, ie^{iax})}{a^4} - \frac{x^2 \sec^2(ax)}{a^2(ax \sin(ax) + \cos(ax))} - \frac{2ix \tan^{-1}(e^{iax})}{a^3} - \frac{\sec(ax)}{a^4} + \frac{x \tan(ax) \sec(ax)}{a^3}$$

[Out]  $((-2*I)*x*\operatorname{ArcTan}[E^{(I*a*x)}])/a^3 + (I*\operatorname{PolyLog}[2, (-I)*E^{(I*a*x)}])/a^4 - (I*\operatorname{PolyLog}[2, I*E^{(I*a*x)}])/a^4 - \operatorname{Sec}[a*x]/a^4 - (x^2*\operatorname{Sec}[a*x]^2)/(a^2*(\operatorname{Cos}[a*x] + a*x*\operatorname{Sin}[a*x])) + (x*\operatorname{Sec}[a*x]*\operatorname{Tan}[a*x])/a^3$

**Rubi [A]** time = 0.0934006, antiderivative size = 110, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$ , Rules used = {4601, 4185, 4181, 2279, 2391}

$$\frac{i \operatorname{PolyLog}(2, -ie^{iax})}{a^4} - \frac{i \operatorname{PolyLog}(2, ie^{iax})}{a^4} - \frac{x^2 \sec^2(ax)}{a^2(ax \sin(ax) + \cos(ax))} - \frac{2ix \tan^{-1}(e^{iax})}{a^3} - \frac{\sec(ax)}{a^4} + \frac{x \tan(ax) \sec(ax)}{a^3}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(x^3*\operatorname{Sec}[a*x])/(\operatorname{Cos}[a*x] + a*x*\operatorname{Sin}[a*x])^2, x]$

[Out]  $((-2*I)*x*\operatorname{ArcTan}[E^{(I*a*x)}])/a^3 + (I*\operatorname{PolyLog}[2, (-I)*E^{(I*a*x)}])/a^4 - (I*\operatorname{PolyLog}[2, I*E^{(I*a*x)}])/a^4 - \operatorname{Sec}[a*x]/a^4 - (x^2*\operatorname{Sec}[a*x]^2)/(a^2*(\operatorname{Cos}[a*x] + a*x*\operatorname{Sin}[a*x])) + (x*\operatorname{Sec}[a*x]*\operatorname{Tan}[a*x])/a^3$

#### Rule 4601

$\operatorname{Int}[(b*(x))^m*\operatorname{Sec}(a*(x))^n/(\operatorname{Cos}(a*(x))*(c) + (d)*(x)*\operatorname{Sin}(a*(x)))^2, x\_Symbol] \rightarrow -\operatorname{Simp}[(b*(b*x))^{m-1}*\operatorname{Sec}[a*x]^{n+1}/(a*d*(c*\operatorname{Cos}[a*x] + d*x*\operatorname{Sin}[a*x])), x] + \operatorname{Dist}[(b^2*(n+1))/d^2, \operatorname{Int}[(b*x)^{m-2}*\operatorname{Sec}[a*x]^{n+2}, x], x] /;$   $\operatorname{FreeQ}\{a, b, c, d, m, n\}, x$  &&  $\operatorname{EqQ}[a*c - d, 0]$  &&  $\operatorname{EqQ}[m, n+2]$

#### Rule 4185

$\operatorname{Int}[(\operatorname{csc}(e) + (f)*(x))*(b))^n*((c) + (d)*(x)), x\_Symbol] \rightarrow -\operatorname{Simp}[(b^2*(c + d*x)*\operatorname{Cot}[e + f*x]*(b*\operatorname{Csc}[e + f*x])^{n-2})/(f*(n-1)), x] + (\operatorname{Dist}[(b^2*(n-2))/(n-1), \operatorname{Int}[(c + d*x)*(b*\operatorname{Csc}[e + f*x])^{n-2}, x], x] - \operatorname{Simp}[(b^2*d*(b*\operatorname{Csc}[e + f*x])^{n-2})/(f^2*(n-1)*(n-2)), x]) /;$   $\operatorname{FreeQ}\{b, c, d, e, f\}, x$  &&  $\operatorname{GtQ}[n, 1]$  &&  $\operatorname{NeQ}[n, 2]$

#### Rule 4181

$\operatorname{Int}[\operatorname{csc}(e) + \operatorname{Pi}(k) + (f)*(x)]*((c) + (d)*(x))^m, x\_Symbol] \rightarrow \operatorname{Simp}[(-2*(c + d*x)^m*\operatorname{ArcTanh}[E^{(I*k*\operatorname{Pi})}*E^{(I*(e + f*x))}])/f, x] + (-\operatorname{Dist}[(d*m)/f, \operatorname{Int}[(c + d*x)^{m-1}*\operatorname{Log}[1 - E^{(I*k*\operatorname{Pi})}*E^{(I*(e + f*x))}], x], x] + \operatorname{Dist}[(d*m)/f, \operatorname{Int}[(c + d*x)^{m-1}*\operatorname{Log}[1 + E^{(I*k*\operatorname{Pi})}*E^{(I*(e + f*x))}], x], x]) /;$   $\operatorname{FreeQ}\{c, d, e, f\}, x$  &&  $\operatorname{IntegerQ}[2*k]$  &&  $\operatorname{IGtQ}[m, 0]$

#### Rule 2279

$\operatorname{Int}[\operatorname{Log}[(a) + (b)*(F)^{(e)*((c) + (d)*(x))}]^n, x\_Symbol] \rightarrow \operatorname{Dist}[1/(d*e*n*\operatorname{Log}[F]), \operatorname{Subst}[\operatorname{Int}[\operatorname{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x))})^n], x] /;$   $\operatorname{FreeQ}\{F, a, b, c, d, e, n\}, x$  &&  $\operatorname{GtQ}[a, 0]$

**Rule 2391**

```
Int[Log[(c_.)*(d_) + (e_.)*(x_)^(n_.)]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

**Rubi steps**

$$\begin{aligned} \int \frac{x^3 \sec(ax)}{(\cos(ax) + ax \sin(ax))^2} dx &= -\frac{x^2 \sec^2(ax)}{a^2(\cos(ax) + ax \sin(ax))} + \frac{2 \int x \sec^3(ax) dx}{a^2} \\ &= -\frac{\sec(ax)}{a^4} - \frac{x^2 \sec^2(ax)}{a^2(\cos(ax) + ax \sin(ax))} + \frac{x \sec(ax) \tan(ax)}{a^3} + \frac{\int x \sec(ax) dx}{a^2} \\ &= -\frac{2ix \tan^{-1}(e^{iax})}{a^3} - \frac{\sec(ax)}{a^4} - \frac{x^2 \sec^2(ax)}{a^2(\cos(ax) + ax \sin(ax))} + \frac{x \sec(ax) \tan(ax)}{a^3} - \frac{\int \log(1 - ie^{iax})}{a^2} \\ &= -\frac{2ix \tan^{-1}(e^{iax})}{a^3} - \frac{\sec(ax)}{a^4} - \frac{x^2 \sec^2(ax)}{a^2(\cos(ax) + ax \sin(ax))} + \frac{x \sec(ax) \tan(ax)}{a^3} + \frac{i \text{Subst}\left(\int \frac{1}{1 - ie^{iax}} dx\right)}{a^2} \\ &= -\frac{2ix \tan^{-1}(e^{iax})}{a^3} + \frac{i \text{Li}_2(-ie^{iax})}{a^4} - \frac{i \text{Li}_2(ie^{iax})}{a^4} - \frac{\sec(ax)}{a^4} - \frac{x^2 \sec^2(ax)}{a^2(\cos(ax) + ax \sin(ax))} + \frac{x \sec(ax) \tan(ax)}{a^3} \end{aligned}$$

**Mathematica [A]** time = 1.14046, size = 176, normalized size = 1.6

$$\frac{-i(ax \tan(ax) + 1) \text{PolyLog}(2, -ie^{iax}) + i(ax \tan(ax) + 1) \text{PolyLog}(2, ie^{iax}) + a^2 x^2 \sec(ax) - a^2 x^2 \log(1 - ie^{iax}) \tan(ax)}{a^4(ax \tan(ax) + 1)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^3*Sec[a*x])/(Cos[a*x] + a*x*Sin[a*x])^2,x]
```

```
[Out] -((- (a*x*Log[1 - I*E^(I*a*x)]) + a*x*Log[1 + I*E^(I*a*x)] + Sec[a*x] + a^2*x^2*Sec[a*x] - a^2*x^2*Log[1 - I*E^(I*a*x)]*Tan[a*x] + a^2*x^2*Log[1 + I*E^(I*a*x)]*Tan[a*x] - I*PolyLog[2, (-I)*E^(I*a*x)]*(1 + a*x*Tan[a*x]) + I*PolyLog[2, I*E^(I*a*x)]*(1 + a*x*Tan[a*x]))/(a^4*(1 + a*x*Tan[a*x])))
```

**Maple [F]** time = 1.057, size = 0, normalized size = 0.

$$\int \frac{x^3 \sec(ax)}{(\cos(ax) + ax \sin(ax))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3*sec(a*x)/(cos(a*x)+a*x*sin(a*x))^2,x)
```

```
[Out] int(x^3*sec(a*x)/(cos(a*x)+a*x*sin(a*x))^2,x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate(x^3*sec(a*x)/(cos(a*x)+a*x*sin(a*x))^2,x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

**Fricas [B]** time = 2.32017, size = 772, normalized size = 7.02

$$\frac{2a^2x^2 - (-iax \sin(ax) - i \cos(ax))\text{Li}_2(i \cos(ax) + \sin(ax)) - (-iax \sin(ax) - i \cos(ax))\text{Li}_2(i \cos(ax) - \sin(ax))}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*sec(a*x)/(cos(a*x)+a*x*sin(a*x))^2,x, algorithm="fricas")
```

```
[Out] -1/2*(2*a^2*x^2 - (-I*a*x*sin(a*x) - I*cos(a*x))*dilog(I*cos(a*x) + sin(a*x)) - (-I*a*x*sin(a*x) - I*cos(a*x))*dilog(I*cos(a*x) - sin(a*x)) - (I*a*x*sin(a*x) + I*cos(a*x))*dilog(-I*cos(a*x) + sin(a*x)) - (I*a*x*sin(a*x) + I*cos(a*x))*dilog(-I*cos(a*x) - sin(a*x)) - (a^2*x^2*sin(a*x) + a*x*cos(a*x))*log(I*cos(a*x) + sin(a*x) + 1) + (a^2*x^2*sin(a*x) + a*x*cos(a*x))*log(I*cos(a*x) - sin(a*x) + 1) - (a^2*x^2*sin(a*x) + a*x*cos(a*x))*log(-I*cos(a*x) + sin(a*x) + 1) + (a^2*x^2*sin(a*x) + a*x*cos(a*x))*log(-I*cos(a*x) - sin(a*x) + 1) + 2)/(a^5*x*sin(a*x) + a^4*cos(a*x))
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3 \sec(ax)}{(ax \sin(ax) + \cos(ax))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*sec(a*x)/(cos(a*x)+a*x*sin(a*x))**2,x)
```

```
[Out] Integral(x**3*sec(a*x)/(a*x*sin(a*x) + cos(a*x))**2, x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3 \sec(ax)}{(ax \sin(ax) + \cos(ax))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*sec(a*x)/(cos(a*x)+a*x*sin(a*x))^2,x, algorithm="giac")
```

```
[Out] integrate(x^3*sec(a*x)/(a*x*sin(a*x) + cos(a*x))^2, x)
```

$$3.602 \quad \int \frac{x^4 \sec^2(ax)}{(\cos(ax) + ax \sin(ax))^2} dx$$

**Optimal.** Leaf size=124

$$-\frac{2i \operatorname{PolyLog}\left(2, -e^{2iax}\right)}{a^5} - \frac{2ix^2}{a^3} + \frac{2x^2 \tan(ax)}{a^3} + \frac{x^2 \tan(ax) \sec^2(ax)}{a^3} - \frac{x^3 \sec^3(ax)}{a^2(ax \sin(ax) + \cos(ax))} + \frac{4x \log\left(1 + e^{2iax}\right)}{a^4} + t$$

[Out]  $((-2*I)*x^2)/a^3 + (4*x*\operatorname{Log}[1 + E^{((2*I)*a*x)}])/a^4 - ((2*I)*\operatorname{PolyLog}[2, -E^{((2*I)*a*x)}])/a^5 - (x*\operatorname{Sec}[a*x]^2)/a^4 - (x^3*\operatorname{Sec}[a*x]^3)/(a^2*(\operatorname{Cos}[a*x] + a*x*\operatorname{Sin}[a*x])) + \operatorname{Tan}[a*x]/a^5 + (2*x^2*\operatorname{Tan}[a*x])/a^3 + (x^2*\operatorname{Sec}[a*x]^2*\operatorname{Tan}[a*x])/a^3$

**Rubi [A]** time = 0.183291, antiderivative size = 124, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {4601, 4186, 3767, 8, 4184, 3719, 2190, 2279, 2391}

$$-\frac{2i \operatorname{PolyLog}\left(2, -e^{2iax}\right)}{a^5} - \frac{2ix^2}{a^3} + \frac{2x^2 \tan(ax)}{a^3} + \frac{x^2 \tan(ax) \sec^2(ax)}{a^3} - \frac{x^3 \sec^3(ax)}{a^2(ax \sin(ax) + \cos(ax))} + \frac{4x \log\left(1 + e^{2iax}\right)}{a^4} + t$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(x^4*\operatorname{Sec}[a*x]^2)/(\operatorname{Cos}[a*x] + a*x*\operatorname{Sin}[a*x])^2, x]$

[Out]  $((-2*I)*x^2)/a^3 + (4*x*\operatorname{Log}[1 + E^{((2*I)*a*x)}])/a^4 - ((2*I)*\operatorname{PolyLog}[2, -E^{((2*I)*a*x)}])/a^5 - (x*\operatorname{Sec}[a*x]^2)/a^4 - (x^3*\operatorname{Sec}[a*x]^3)/(a^2*(\operatorname{Cos}[a*x] + a*x*\operatorname{Sin}[a*x])) + \operatorname{Tan}[a*x]/a^5 + (2*x^2*\operatorname{Tan}[a*x])/a^3 + (x^2*\operatorname{Sec}[a*x]^2*\operatorname{Tan}[a*x])/a^3$

#### Rule 4601

$\operatorname{Int}[(((b_.)*(x_.))^{(m_.)*\operatorname{Sec}[(a_.)*(x_.)]^{(n_.)})/(\operatorname{Cos}[(a_.)*(x_.)]*(c_.) + (d_.)*(x_.)*\operatorname{Sin}[(a_.)*(x_.)])^2, x\_Symbol] :> -\operatorname{Simp}[(b*(b*x)^{(m-1)*\operatorname{Sec}[a*x]^{(n+1)}})/(a*d*(c*\operatorname{Cos}[a*x] + d*x*\operatorname{Sin}[a*x])), x] + \operatorname{Dist}[(b^2*(n+1))/d^2, \operatorname{Int}[(b*x)^{(m-2)*\operatorname{Sec}[a*x]^{(n+2)}}, x], x] /; \operatorname{FreeQ}\{a, b, c, d, m, n\}, x] \&\& \operatorname{EqQ}[a*c - d, 0] \&\& \operatorname{EqQ}[m, n + 2]$

#### Rule 4186

$\operatorname{Int}[(\operatorname{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^{(n_.)*((c_.) + (d_.)*(x_.))^{(m_.)}, x\_Symbol] :> -\operatorname{Simp}[(b^2*(c + d*x)^m*\operatorname{Cot}[e + f*x]*(b*\operatorname{Csc}[e + f*x])^{(n-2)})/(f*(n-1)), x] + (\operatorname{Dist}[(b^2*d^2*m*(m-1))/(f^2*(n-1)*(n-2)), \operatorname{Int}[(c + d*x)^{(m-2)*(b*\operatorname{Csc}[e + f*x])^{(n-2)}}, x], x] + \operatorname{Dist}[(b^2*(n-2))/(n-1), \operatorname{Int}[(c + d*x)^m*(b*\operatorname{Csc}[e + f*x])^{(n-2)}, x], x] - \operatorname{Simp}[(b^2*d*m*(c + d*x)^{(m-1)*(b*\operatorname{Csc}[e + f*x])^{(n-2)}})/(f^2*(n-1)*(n-2)), x]) /; \operatorname{FreeQ}\{b, c, d, e, f\}, x] \&\& \operatorname{GtQ}[n, 1] \&\& \operatorname{NeQ}[n, 2] \&\& \operatorname{GtQ}[m, 1]$

#### Rule 3767

$\operatorname{Int}[\operatorname{csc}[(c_.) + (d_.)*(x_.)]^{(n_.)}, x\_Symbol] :> -\operatorname{Dist}[d^{(-1)}, \operatorname{Subst}[\operatorname{Int}[\operatorname{ExpandIntegrand}[(1 + x^2)^{(n/2-1)}, x], x], x, \operatorname{Cot}[c + d*x]], x] /; \operatorname{FreeQ}\{c, d\}, x] \&\& \operatorname{IGtQ}[n/2, 0]$

#### Rule 8

$\operatorname{Int}[a_, x\_Symbol] :> \operatorname{Simp}[a*x, x] /; \operatorname{FreeQ}[a, x]$

Rule 4184

Int[csc[(e\_.) + (f\_.)\*(x\_)]^2\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := -Simp[(c + d\*x)^m\*Cot[e + f\*x]/f, x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Cot[e + f\*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3719

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*tan[(e\_.) + (f\_.)\*(x\_)], x\_Symbol] := Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m\*E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 2190

Int[(((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.))/((a\_.) + (b\_.)\*(F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.), x\_Symbol] := Simp[((c + d\*x)^m\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n]/a)/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n]/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

Rubi steps

$$\begin{aligned}
 \int \frac{x^4 \sec^2(ax)}{(\cos(ax) + ax \sin(ax))^2} dx &= -\frac{x^3 \sec^3(ax)}{a^2(\cos(ax) + ax \sin(ax))} + \frac{3 \int x^2 \sec^4(ax) dx}{a^2} \\
 &= -\frac{x \sec^2(ax)}{a^4} - \frac{x^3 \sec^3(ax)}{a^2(\cos(ax) + ax \sin(ax))} + \frac{x^2 \sec^2(ax) \tan(ax)}{a^3} + \frac{\int \sec^2(ax) dx}{a^4} + \frac{2 \int x \sec^3(ax) dx}{a^3} \\
 &= -\frac{x \sec^2(ax)}{a^4} - \frac{x^3 \sec^3(ax)}{a^2(\cos(ax) + ax \sin(ax))} + \frac{2x^2 \tan(ax)}{a^3} + \frac{x^2 \sec^2(ax) \tan(ax)}{a^3} - \frac{\text{Subst}[\int \sec^2(ax) dx, ax, x]}{a^4} \\
 &= -\frac{2ix^2}{a^3} - \frac{x \sec^2(ax)}{a^4} - \frac{x^3 \sec^3(ax)}{a^2(\cos(ax) + ax \sin(ax))} + \frac{\tan(ax)}{a^5} + \frac{2x^2 \tan(ax)}{a^3} + \frac{x^2 \sec^2(ax)}{a^4} \\
 &= -\frac{2ix^2}{a^3} + \frac{4x \log(1 + e^{2iax})}{a^4} - \frac{x \sec^2(ax)}{a^4} - \frac{x^3 \sec^3(ax)}{a^2(\cos(ax) + ax \sin(ax))} + \frac{\tan(ax)}{a^5} + \frac{2x^2 \tan(ax)}{a^3} \\
 &= -\frac{2ix^2}{a^3} + \frac{4x \log(1 + e^{2iax})}{a^4} - \frac{x \sec^2(ax)}{a^4} - \frac{x^3 \sec^3(ax)}{a^2(\cos(ax) + ax \sin(ax))} + \frac{\tan(ax)}{a^5} + \frac{2x^2 \tan(ax)}{a^3} \\
 &= -\frac{2ix^2}{a^3} + \frac{4x \log(1 + e^{2iax})}{a^4} - \frac{2i \text{Li}_2(-e^{2iax})}{a^5} - \frac{x \sec^2(ax)}{a^4} - \frac{x^3 \sec^3(ax)}{a^2(\cos(ax) + ax \sin(ax))}
 \end{aligned}$$

**Mathematica [A]** time = 1.08472, size = 130, normalized size = 1.05

$$\frac{-2i(ax \tan(ax) + 1) \text{PolyLog}\left(2, -e^{2iax}\right) - ax\left(a^2 x^2 + 2iax - 4 \log\left(1 + e^{2iax}\right) + 1\right) + a^3 x^3 \tan^2(ax) + \left(-2ia^3 x^3 + 2a^2 x^2\right)}{a^5(ax \tan(ax) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4\*Sec[a\*x]^2)/(Cos[a\*x] + a\*x\*Sin[a\*x])^2,x]

[Out] 
$$\begin{aligned} & -(a*x*(1 + (2*I)*a*x + a^2*x^2 - 4*\text{Log}[1 + E^((2*I)*a*x)])) + (1 + 2*a^2*x \\ & ^2 - (2*I)*a^3*x^3 + 4*a^2*x^2*\text{Log}[1 + E^((2*I)*a*x)])*\text{Tan}[a*x] + a^3*x^3*\text{T} \\ & \text{an}[a*x]^2 - (2*I)*\text{PolyLog}[2, -E^((2*I)*a*x)]*(1 + a*x*\text{Tan}[a*x]))/(a^5*(1 + \\ & a*x*\text{Tan}[a*x])) \end{aligned}$$

**Maple [A]** time = 0.353, size = 141, normalized size = 1.1

$$\frac{-2i(-2ia^2x^2e^{2iax} + 2x^3a^3 - 2ia^2x^2 + axe^{2iax} - ie^{2iax} + ax - i)}{(1 + e^{2iax})(axe^{2iax} - ax + ie^{2iax} + i)a^5} - \frac{4ix^2}{a^3} + 4\frac{x \ln(1 + e^{2iax})}{a^4} - \frac{2i \text{polylog}(2, -e^{2iax})}{a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*sec(a\*x)^2/(cos(a\*x)+a\*x\*sin(a\*x))^2,x)

[Out] 
$$\begin{aligned} & -2*I*(-2*I*a^2*x^2*\exp(2*I*a*x)+2*x^3*a^3-2*I*a^2*x^2+a*x*\exp(2*I*a*x)-I*\exp \\ & (2*I*a*x)+a*x-I)/(1+\exp(2*I*a*x))/(a*x*\exp(2*I*a*x)-a*x+I*\exp(2*I*a*x)+I)/ \\ & a^5-4*I/a^3*x^2+4*x*\ln(1+\exp(2*I*a*x))/a^4-2*I*\text{polylog}(2,-\exp(2*I*a*x))/a^5 \end{aligned}$$

**Maxima [B]** time = 1.65258, size = 514, normalized size = 4.15

$$2ax + (4a^2x^2 - 8iax \cos(2ax) + 8ax \sin(2ax) - 4iax - (4a^2x^2 + 4iax) \cos(4ax) + 4(-a^2x^2 + ax) \sin(4ax)) \arctan$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*sec(a\*x)^2/(cos(a\*x)+a\*x\*sin(a\*x))^2,x, algorithm="maxima")

[Out] 
$$\begin{aligned} & -(2*a*x + (4*a^2*x^2 - 8*I*a*x*\cos(2*a*x) + 8*a*x*\sin(2*a*x) - 4*I*a*x - (4 \\ & *a^2*x^2 + 4*I*a*x)*\cos(4*a*x) + 4*(-I*a^2*x^2 + a*x)*\sin(4*a*x))*\arctan2(\sin(2*a*x), \\ & \cos(2*a*x) + 1) + 4*(a^3*x^3 + I*a^2*x^2)*\cos(4*a*x) - (-4*I*a^2 \\ & *x^2 - 2*a*x + 2*I)*\cos(2*a*x) - (2*a*x - (2*a*x + 2*I)*\cos(4*a*x) - 2*(I*a \\ & *x - 1)*\sin(4*a*x) - 4*I*\cos(2*a*x) + 4*\sin(2*a*x) - 2*I)*\text{dilog}(-e^{(2*I*a*x)} \\ & )) - (2*I*a^2*x^2 + 4*a*x*\cos(2*a*x) + 4*I*a*x*\sin(2*a*x) + 2*a*x - 2*(I*a^ \\ & 2*x^2 - a*x)*\cos(4*a*x) + (2*a^2*x^2 + 2*I*a*x)*\sin(4*a*x))*\log(\cos(2*a*x)^ \\ & 2 + \sin(2*a*x)^2 + 2*\cos(2*a*x) + 1) - (-4*I*a^3*x^3 + 4*a^2*x^2)*\sin(4*a*x) \\ & ) - (4*a^2*x^2 - 2*I*a*x - 2)*\sin(2*a*x) - 2*I)/((I*a*x + (-I*a*x + 1)*\cos( \\ & 4*a*x) + (a*x + I)*\sin(4*a*x) + 2*\cos(2*a*x) + 2*I*\sin(2*a*x) + 1)*a^5) \end{aligned}$$

**Fricas [B]** time = 2.5673, size = 1014, normalized size = 8.18

$$a^3x^3 - (2a^3x^3 + ax) \cos(ax)^2 + (2a^2x^2 + 1) \cos(ax) \sin(ax) + (2iax \cos(ax) \sin(ax) + 2i \cos(ax)^2) \text{Li}_2(i \cos(ax) + \sin(ax))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*sec(a\*x)^2/(cos(a\*x)+a\*x\*sin(a\*x))^2,x, algorithm="fricas")

```
[Out] (a^3*x^3 - (2*a^3*x^3 + a*x)*cos(a*x)^2 + (2*a^2*x^2 + 1)*cos(a*x)*sin(a*x)
+ (2*I*a*x*cos(a*x)*sin(a*x) + 2*I*cos(a*x)^2)*dilog(I*cos(a*x) + sin(a*x)
) + (-2*I*a*x*cos(a*x)*sin(a*x) - 2*I*cos(a*x)^2)*dilog(I*cos(a*x) - sin(a*
x)) + (-2*I*a*x*cos(a*x)*sin(a*x) - 2*I*cos(a*x)^2)*dilog(-I*cos(a*x) + sin
(a*x)) + (2*I*a*x*cos(a*x)*sin(a*x) + 2*I*cos(a*x)^2)*dilog(-I*cos(a*x) - s
in(a*x)) + 2*(a^2*x^2*cos(a*x)*sin(a*x) + a*x*cos(a*x)^2)*log(I*cos(a*x) +
sin(a*x) + 1) + 2*(a^2*x^2*cos(a*x)*sin(a*x) + a*x*cos(a*x)^2)*log(I*cos(a*
x) - sin(a*x) + 1) + 2*(a^2*x^2*cos(a*x)*sin(a*x) + a*x*cos(a*x)^2)*log(-I*
cos(a*x) + sin(a*x) + 1) + 2*(a^2*x^2*cos(a*x)*sin(a*x) + a*x*cos(a*x)^2)*l
og(-I*cos(a*x) - sin(a*x) + 1))/(a^6*x*cos(a*x)*sin(a*x) + a^5*cos(a*x)^2)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*sec(a*x)**2/(cos(a*x)+a*x*sin(a*x))**2,x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^4 \sec(ax)^2}{(ax \sin(ax) + \cos(ax))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*sec(a*x)^2/(cos(a*x)+a*x*sin(a*x))^2,x, algorithm="giac")
```

```
[Out] integrate(x^4*sec(a*x)^2/(a*x*sin(a*x) + cos(a*x))^2, x)
```

### 3.603 $\int \sec^4(2(a+bx))\sqrt{c \tan(a+bx) \tan(2(a+bx))} dx$

**Optimal.** Leaf size=157

$$\frac{c \tan(2a+2bx) \sec^3(2a+2bx)}{7b\sqrt{c \sec(2a+2bx)-c}} - \frac{6 \tan(2a+2bx)(c \sec(2a+2bx)-c)^{3/2}}{35bc} - \frac{4 \tan(2a+2bx)\sqrt{c \sec(2a+2bx)-c}}{35b} - \frac{2}{5b\sqrt{c \sec(2a+2bx)-c}}$$

[Out]  $(-2*c*\text{Tan}[2*a + 2*b*x])/(5*b*\text{Sqrt}[-c + c*\text{Sec}[2*a + 2*b*x]]) + (c*\text{Sec}[2*a + 2*b*x]^3*\text{Tan}[2*a + 2*b*x])/(7*b*\text{Sqrt}[-c + c*\text{Sec}[2*a + 2*b*x]]) - (4*\text{Sqrt}[-c + c*\text{Sec}[2*a + 2*b*x]]*\text{Tan}[2*a + 2*b*x])/(35*b) - (6*(-c + c*\text{Sec}[2*a + 2*b*x])^{3/2}*\text{Tan}[2*a + 2*b*x])/(35*b*c)$

**Rubi [A]** time = 0.445167, antiderivative size = 157, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {4397, 3803, 3800, 4001, 3792}

$$\frac{c \tan(2a+2bx) \sec^3(2a+2bx)}{7b\sqrt{c \sec(2a+2bx)-c}} - \frac{6 \tan(2a+2bx)(c \sec(2a+2bx)-c)^{3/2}}{35bc} - \frac{4 \tan(2a+2bx)\sqrt{c \sec(2a+2bx)-c}}{35b} - \frac{2}{5b\sqrt{c \sec(2a+2bx)-c}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sec}[2*(a + b*x)]^4*\text{Sqrt}[c*\text{Tan}[a + b*x]*\text{Tan}[2*(a + b*x)]], x]$

[Out]  $(-2*c*\text{Tan}[2*a + 2*b*x])/(5*b*\text{Sqrt}[-c + c*\text{Sec}[2*a + 2*b*x]]) + (c*\text{Sec}[2*a + 2*b*x]^3*\text{Tan}[2*a + 2*b*x])/(7*b*\text{Sqrt}[-c + c*\text{Sec}[2*a + 2*b*x]]) - (4*\text{Sqrt}[-c + c*\text{Sec}[2*a + 2*b*x]]*\text{Tan}[2*a + 2*b*x])/(35*b) - (6*(-c + c*\text{Sec}[2*a + 2*b*x])^{3/2}*\text{Tan}[2*a + 2*b*x])/(35*b*c)$

#### Rule 4397

$\text{Int}[u_, x\_Symbol] \rightarrow \text{Int}[\text{TrigSimplify}[u], x] /; \text{TrigSimplifyQ}[u]$

#### Rule 3803

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x\_Symbol] \rightarrow \text{Simp}[(-2*b*d*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^{(n-1)})/(f*(2*n-1)*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] + \text{Dist}[(2*a*d*(n-1))/(b*(2*n-1)), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^{(n-1)}, x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

#### Rule 3800

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]^3*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}, x\_Symbol] \rightarrow -\text{Simp}[(\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m+1)})/(b*f*(m+2)), x] + \text{Dist}[1/(b*(m+2)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m+1)} - a*\text{Csc}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, e, f, m\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{LtQ}[m, -2^{(-1)}]$

#### Rule 4001

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x\_Symbol] \rightarrow -\text{Simp}[(B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m)/(f*(m+1)), x] + \text{Dist}[(a*B*m + A*b*(m+1))/(b*(m+1)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m, x], x] /; \text{FreeQ}\{a, b, A, B, e, f, m\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[a*B*m + A*b*(m+1), 0] \&\& !\text{LtQ}[m, -2^{(-1)}]$

Rule 3792

Int[csc[(e\_.) + (f\_.)\*(x\_)]\*Sqrt[csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_)], x\_Symbol] :> Simp[(-2\*b\*Cot[e + f\*x])/(f\*Sqrt[a + b\*Csc[e + f\*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \sec^4(2(a+bx))\sqrt{c \tan(a+bx) \tan(2(a+bx))} dx &= \int \sec^4(2a+2bx)\sqrt{-c+c \sec(2a+2bx)} dx \\ &= \frac{c \sec^3(2a+2bx) \tan(2a+2bx)}{7b\sqrt{-c+c \sec(2a+2bx)}} - \frac{6}{7} \int \sec^3(2a+2bx)\sqrt{-c+c \sec(2a+2bx)} dx \\ &= \frac{c \sec^3(2a+2bx) \tan(2a+2bx)}{7b\sqrt{-c+c \sec(2a+2bx)}} - \frac{6(-c+c \sec(2a+2bx))^{3/2} \tan(2a+2bx)}{35bc} \\ &= \frac{c \sec^3(2a+2bx) \tan(2a+2bx)}{7b\sqrt{-c+c \sec(2a+2bx)}} - \frac{4\sqrt{-c+c \sec(2a+2bx)} \tan(2a+2bx)}{35b} \\ &= -\frac{2c \tan(2a+2bx)}{5b\sqrt{-c+c \sec(2a+2bx)}} + \frac{c \sec^3(2a+2bx) \tan(2a+2bx)}{7b\sqrt{-c+c \sec(2a+2bx)}} \end{aligned}$$

**Mathematica [A]** time = 0.234057, size = 64, normalized size = 0.41

$$\frac{(7 \cos(3(a+bx)) + 2 \cos(7(a+bx))) \csc(a+bx) \sec^3(2(a+bx)) \sqrt{c \tan(a+bx) \tan(2(a+bx))}}{35b}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[2\*(a + b\*x)]^4\*Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)]], x]

[Out] -((7\*Cos[3\*(a + b\*x)] + 2\*Cos[7\*(a + b\*x)])\*Csc[a + b\*x]\*Sec[2\*(a + b\*x)]^3\*Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)]])/(35\*b)

**Maple [A]** time = 0.642, size = 98, normalized size = 0.6

$$\frac{\sqrt{2}\sqrt{4} \cos(bx+a) (128 (\cos(bx+a))^6 - 224 (\cos(bx+a))^4 + 140 (\cos(bx+a))^2 - 35)}{70 b \sin(bx+a) (2 (\cos(bx+a))^2 - 1)^3} \sqrt{\frac{c (\sin(bx+a))^2}{2 (\cos(bx+a))^2 - 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(2\*b\*x+2\*a)^4\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2), x)

[Out] -1/70\*2^(1/2)/b\*4^(1/2)\*cos(b\*x+a)\*(c\*sin(b\*x+a)^2/(2\*cos(b\*x+a)^2-1))^(1/2)\*(128\*cos(b\*x+a)^6-224\*cos(b\*x+a)^4+140\*cos(b\*x+a)^2-35)/sin(b\*x+a)/(2\*cos(b\*x+a)^2-1)^3

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2\*b\*x+2\*a)^4\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2),x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 2.05686, size = 273, normalized size = 1.74

$$\frac{\sqrt{2}(35 \tan (bx+a)^6 - 35 \tan (bx+a)^4 + 49 \tan (bx+a)^2 - 9) \sqrt{-\frac{c \tan (bx+a)^2}{\tan (bx+a)^2 - 1}}}{35(b \tan (bx+a)^7 - 3 b \tan (bx+a)^5 + 3 b \tan (bx+a)^3 - b \tan (bx+a))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2\*b\*x+2\*a)^4\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2),x, algorithm="fricas")

[Out] -1/35\*sqrt(2)\*(35\*tan(b\*x + a)^6 - 35\*tan(b\*x + a)^4 + 49\*tan(b\*x + a)^2 - 9)\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))/(b\*tan(b\*x + a)^7 - 3\*b\*tan(b\*x + a)^5 + 3\*b\*tan(b\*x + a)^3 - b\*tan(b\*x + a))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2\*b\*x+2\*a)\*\*4\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))\*\*(1/2),x)

[Out] Timed out

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2\*b\*x+2\*a)^4\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2),x, algorithm="giac")

[Out] Timed out



### 3.604 $\int \sec^3(2(a+bx))\sqrt{c \tan(a+bx) \tan(2(a+bx))} dx$

**Optimal.** Leaf size=110

$$\frac{\tan(2a+2bx)(c \sec(2a+2bx)-c)^{3/2}}{5bc} + \frac{2 \tan(2a+2bx)\sqrt{c \sec(2a+2bx)-c}}{15b} + \frac{7c \tan(2a+2bx)}{15b\sqrt{c \sec(2a+2bx)-c}}$$

```
[Out] (7*c*Tan[2*a + 2*b*x])/(15*b*Sqrt[-c + c*Sec[2*a + 2*b*x]]) + (2*Sqrt[-c + c*Sec[2*a + 2*b*x]]*Tan[2*a + 2*b*x])/(15*b) + ((-c + c*Sec[2*a + 2*b*x])^(3/2)*Tan[2*a + 2*b*x])/(5*b*c)
```

**Rubi [A]** time = 0.2762, antiderivative size = 110, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$ , Rules used = {4397, 3800, 4001, 3792}

$$\frac{\tan(2a+2bx)(c \sec(2a+2bx)-c)^{3/2}}{5bc} + \frac{2 \tan(2a+2bx)\sqrt{c \sec(2a+2bx)-c}}{15b} + \frac{7c \tan(2a+2bx)}{15b\sqrt{c \sec(2a+2bx)-c}}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[2*(a + b*x)]^3*Sqrt[c*Tan[a + b*x]*Tan[2*(a + b*x)]], x]
```

```
[Out] (7*c*Tan[2*a + 2*b*x])/(15*b*Sqrt[-c + c*Sec[2*a + 2*b*x]]) + (2*Sqrt[-c + c*Sec[2*a + 2*b*x]]*Tan[2*a + 2*b*x])/(15*b) + ((-c + c*Sec[2*a + 2*b*x])^(3/2)*Tan[2*a + 2*b*x])/(5*b*c)
```

#### Rule 4397

```
Int[u_, x_Symbol] :=> Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]
```

#### Rule 3800

```
Int[csc[(e_.) + (f_.)*(x_)]^3*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :=> -Simp[(Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*(b*(m + 1) - a*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]
```

#### Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :=> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]
```

#### Rule 3792

```
Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :=> Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

#### Rubi steps

$$\begin{aligned}
\int \sec^3(2(a+bx))\sqrt{c \tan(a+bx) \tan(2(a+bx))} dx &= \int \sec^3(2a+2bx)\sqrt{-c+c \sec(2a+2bx)} dx \\
&= \frac{(-c+c \sec(2a+2bx))^{3/2} \tan(2a+2bx)}{5bc} + \frac{2 \int \sec(2a+2bx)\sqrt{-c+c \sec(2a+2bx)} dx}{5bc} \\
&= \frac{2\sqrt{-c+c \sec(2a+2bx)} \tan(2a+2bx)}{15b} + \frac{(-c+c \sec(2a+2bx))^{3/2}}{5bc} \\
&= \frac{7c \tan(2a+2bx)}{15b\sqrt{-c+c \sec(2a+2bx)}} + \frac{2\sqrt{-c+c \sec(2a+2bx)} \tan(2a+2bx)}{15b}
\end{aligned}$$

**Mathematica [A]** time = 0.18082, size = 62, normalized size = 0.56

$$\frac{(5 \cos(a+bx) + 2 \cos(5(a+bx))) \csc(a+bx) \sec^2(2(a+bx)) \sqrt{c \tan(a+bx) \tan(2(a+bx))}}{15b}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[2\*(a + b\*x)]^3\*Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)]],x]

[Out] ((5\*Cos[a + b\*x] + 2\*Cos[5\*(a + b\*x)])\*Csc[a + b\*x]\*Sec[2\*(a + b\*x)]^2\*Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)]])/(15\*b)

**Maple [A]** time = 0.466, size = 88, normalized size = 0.8

$$\frac{\sqrt{2}\sqrt{4} \cos(bx+a) (32 (\cos(bx+a))^4 - 40 (\cos(bx+a))^2 + 15)}{30 b \sin(bx+a) (2 (\cos(bx+a))^2 - 1)^2} \sqrt{\frac{c (\sin(bx+a))^2}{2 (\cos(bx+a))^2 - 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(2\*b\*x+2\*a)^3\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2),x)

[Out] 1/30\*2^(1/2)/b\*4^(1/2)\*(c\*sin(b\*x+a)^2/(2\*cos(b\*x+a)^2-1))^(1/2)\*cos(b\*x+a)\*(32\*cos(b\*x+a)^4-40\*cos(b\*x+a)^2+15)/sin(b\*x+a)/(2\*cos(b\*x+a)^2-1)^2

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2\*b\*x+2\*a)^3\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2),x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 2.09083, size = 216, normalized size = 1.96

$$\frac{\sqrt{2}(15 \tan(bx+a)^4 - 10 \tan(bx+a)^2 + 7) \sqrt{-\frac{c \tan(bx+a)^2}{\tan(bx+a)^2 - 1}}}{15 (b \tan(bx+a)^5 - 2 b \tan(bx+a)^3 + b \tan(bx+a))}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(2*b*x+2*a)^3*(c*tan(b*x+a)*tan(2*b*x+2*a))^(1/2),x, algorithm="fricas")
```

```
[Out] 1/15*sqrt(2)*(15*tan(b*x + a)^4 - 10*tan(b*x + a)^2 + 7)*sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1))/(b*tan(b*x + a)^5 - 2*b*tan(b*x + a)^3 + b*tan(b*x + a))
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(2*b*x+2*a)**3*(c*tan(b*x+a)*tan(2*b*x+2*a))**(1/2),x)
```

```
[Out] Timed out
```

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(2*b*x+2*a)^3*(c*tan(b*x+a)*tan(2*b*x+2*a))^(1/2),x, algorithm="giac")
```

```
[Out] Timed out
```

### 3.605 $\int \sec^2(2(a+bx))\sqrt{c \tan(a+bx) \tan(2(a+bx))} dx$

**Optimal.** Leaf size=72

$$\frac{\tan(2a+2bx)\sqrt{c \sec(2a+2bx)-c}}{3b} - \frac{c \tan(2a+2bx)}{3b\sqrt{c \sec(2a+2bx)-c}}$$

[Out]  $-(c*\text{Tan}[2*a + 2*b*x])/(3*b*\text{Sqrt}[-c + c*\text{Sec}[2*a + 2*b*x]]) + (\text{Sqrt}[-c + c*\text{Sec}[2*a + 2*b*x]])*\text{Tan}[2*a + 2*b*x]/(3*b)$

**Rubi [A]** time = 0.198944, antiderivative size = 72, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {4397, 3798, 3792}

$$\frac{\tan(2a+2bx)\sqrt{c \sec(2a+2bx)-c}}{3b} - \frac{c \tan(2a+2bx)}{3b\sqrt{c \sec(2a+2bx)-c}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sec}[2*(a + b*x)]^2*\text{Sqrt}[c*\text{Tan}[a + b*x]*\text{Tan}[2*(a + b*x)]], x]$

[Out]  $-(c*\text{Tan}[2*a + 2*b*x])/(3*b*\text{Sqrt}[-c + c*\text{Sec}[2*a + 2*b*x]]) + (\text{Sqrt}[-c + c*\text{Sec}[2*a + 2*b*x]])*\text{Tan}[2*a + 2*b*x]/(3*b)$

#### Rule 4397

$\text{Int}[u_, x\_Symbol] \rightarrow \text{Int}[\text{TrigSimplify}[u], x] /; \text{TrigSimplifyQ}[u]$

#### Rule 3798

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_)]^2*(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^{(m_.)}, x\_Symbol] \rightarrow -\text{Simp}[(\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(a^m)/(b*(m + 1)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m, x], x] /; \text{FreeQ}\{a, b, e, f, m\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{LtQ}[m, -2^{(-1)}]$

#### Rule 3792

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_)]*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x\_Symbol] \rightarrow \text{Simp}[(-2*b*\text{Cot}[e + f*x])/(f*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] /; \text{FreeQ}\{a, b, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0]$

#### Rubi steps

$$\begin{aligned} \int \sec^2(2(a+bx))\sqrt{c \tan(a+bx) \tan(2(a+bx))} dx &= \int \sec^2(2a+2bx)\sqrt{-c + c \sec(2a+2bx)} dx \\ &= \frac{\sqrt{-c + c \sec(2a+2bx)} \tan(2a+2bx)}{3b} - \frac{1}{3} \int \sec(2a+2bx)\sqrt{-c + c \sec(2a+2bx)} dx \\ &= -\frac{c \tan(2a+2bx)}{3b\sqrt{-c + c \sec(2a+2bx)}} + \frac{\sqrt{-c + c \sec(2a+2bx)} \tan(2a+2bx)}{3b} \end{aligned}$$

**Mathematica [A]** time = 0.181313, size = 44, normalized size = 0.61

$$\frac{\sqrt{c \tan(a+bx) \tan(2(a+bx))}(\tan(2(a+bx)) - \cot(a+bx))}{3b}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[2\*(a + b\*x)]^2\*Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)]],x]

[Out] (Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)]\*(-Cot[a + b\*x] + Tan[2\*(a + b\*x)])))/(3\*b)

**Maple [A]** time = 0.445, size = 78, normalized size = 1.1

$$\frac{\sqrt{2}\sqrt{4}\cos(bx+a)\left(4(\cos(bx+a))^2-3\right)}{6b\sin(bx+a)\left(2(\cos(bx+a))^2-1\right)}\sqrt{\frac{c(\sin(bx+a))^2}{2(\cos(bx+a))^2-1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(2\*b\*x+2\*a)^2\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2),x)

[Out] -1/6\*2^(1/2)/b\*4^(1/2)\*(c\*sin(b\*x+a)^2/(2\*cos(b\*x+a)^2-1))^(1/2)\*cos(b\*x+a)\*  
\*(4\*cos(b\*x+a)^2-3)/sin(b\*x+a)/(2\*cos(b\*x+a)^2-1)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2\*b\*x+2\*a)^2\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2),x, algorithm="maxima")

[Out] -2/3\*(6\*(cos(4\*b\*x + 4\*a)^2 + sin(4\*b\*x + 4\*a)^2 + 2\*cos(4\*b\*x + 4\*a) + 1)^(3/4)\*b\*sqrt(c)\*integrate(-(((cos(12\*b\*x + 12\*a)\*cos(4\*b\*x + 4\*a) + 2\*cos(8\*b\*x + 8\*a)\*cos(4\*b\*x + 4\*a) + cos(4\*b\*x + 4\*a)^2 + sin(12\*b\*x + 12\*a)\*sin(4\*b\*x + 4\*a) + 2\*sin(8\*b\*x + 8\*a)\*sin(4\*b\*x + 4\*a) + sin(4\*b\*x + 4\*a)^2)\*cos(1/2\*arctan2(sin(4\*b\*x + 4\*a), -cos(4\*b\*x + 4\*a) - 1)) + (cos(4\*b\*x + 4\*a)\*sin(12\*b\*x + 12\*a) + 2\*cos(4\*b\*x + 4\*a)\*sin(8\*b\*x + 8\*a) - cos(12\*b\*x + 12\*a)\*sin(4\*b\*x + 4\*a) - 2\*cos(8\*b\*x + 8\*a)\*sin(4\*b\*x + 4\*a))\*sin(1/2\*arctan2(sin(4\*b\*x + 4\*a), -cos(4\*b\*x + 4\*a) - 1)))\*cos(3/2\*arctan2(sin(4\*b\*x + 4\*a), cos(4\*b\*x + 4\*a))) + ((cos(4\*b\*x + 4\*a)\*sin(12\*b\*x + 12\*a) + 2\*cos(4\*b\*x + 4\*a)\*sin(8\*b\*x + 8\*a) - cos(12\*b\*x + 12\*a)\*sin(4\*b\*x + 4\*a) - 2\*cos(8\*b\*x + 8\*a)\*sin(4\*b\*x + 4\*a))\*cos(1/2\*arctan2(sin(4\*b\*x + 4\*a), -cos(4\*b\*x + 4\*a) - 1)) - (cos(12\*b\*x + 12\*a)\*cos(4\*b\*x + 4\*a) + 2\*cos(8\*b\*x + 8\*a)\*cos(4\*b\*x + 4\*a) + cos(4\*b\*x + 4\*a)^2 + sin(12\*b\*x + 12\*a)\*sin(4\*b\*x + 4\*a) + 2\*sin(8\*b\*x + 8\*a)\*sin(4\*b\*x + 4\*a) + sin(4\*b\*x + 4\*a)^2)\*sin(1/2\*arctan2(sin(4\*b\*x + 4\*a), -cos(4\*b\*x + 4\*a) - 1)))\*sin(3/2\*arctan2(sin(4\*b\*x + 4\*a), cos(4\*b\*x + 4\*a))))/(((2\*(2\*cos(8\*b\*x + 8\*a) + cos(4\*b\*x + 4\*a))\*cos(12\*b\*x + 12\*a) + cos(12\*b\*x + 12\*a)^2 + 4\*cos(8\*b\*x + 8\*a)^2 + 4\*cos(8\*b\*x + 8\*a)\*cos(4\*b\*x + 4\*a) + cos(4\*b\*x + 4\*a)^2 + 2\*(2\*sin(8\*b\*x + 8\*a) + sin(4\*b\*x + 4\*a))\*sin(12\*b\*x + 12\*a) + sin(12\*b\*x + 12\*a)^2 + 4\*sin(8\*b\*x + 8\*a)^2 + 4\*sin(8\*b\*x + 8\*a)\*sin(4\*b\*x + 4\*a) + sin(4\*b\*x + 4\*a)^2)\*cos(1/2\*arctan2(sin(4\*b\*x + 4\*a), -cos(4\*b\*x + 4\*a) - 1))^2 + (2\*(2\*cos(8\*b\*x + 8\*a) + cos(4\*b\*x + 4\*a))\*cos(12\*b\*x + 12\*a) + cos(12\*b\*x + 12\*a)^2 + 4\*cos(8\*b\*x + 8\*a)^2 + 4\*cos(8\*b\*x + 8\*a)\*cos(4\*b\*x + 4\*a) + cos(4\*b\*x + 4\*a)^2 + 2\*(2\*sin(8\*b\*x + 8\*a) + sin(4\*b\*x + 4\*a))\*sin(12\*b\*x + 12\*a) + sin(12\*b\*x + 12\*a)^2 + 4\*sin(8\*b\*x + 8\*a)^2 + 4\*sin(8\*b\*x + 8\*a)\*sin(4\*b\*x + 4\*a) + sin(4\*b\*x + 4\*a)

)^2)\*sin(1/2\*arctan2(sin(4\*b\*x + 4\*a), -cos(4\*b\*x + 4\*a) - 1))^2\*(cos(4\*b\*x + 4\*a)^2 + sin(4\*b\*x + 4\*a)^2 + 2\*cos(4\*b\*x + 4\*a) + 1)^(1/4)), x) + sqrt(c)\*sin(3/2\*arctan2(sin(4\*b\*x + 4\*a), -cos(4\*b\*x + 4\*a) - 1)))/((cos(4\*b\*x + 4\*a)^2 + sin(4\*b\*x + 4\*a)^2 + 2\*cos(4\*b\*x + 4\*a) + 1)^(3/4)\*b)

**Fricas [A]** time = 2.03655, size = 159, normalized size = 2.21

$$\frac{\sqrt{2}\sqrt{-\frac{c \tan(bx+a)^2}{\tan(bx+a)^2-1}}(3 \tan(bx+a)^2-1)}{3(b \tan(bx+a)^3 - b \tan(bx+a))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2\*b\*x+2\*a)^2\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2),x, algorithm="fricas")

[Out] -1/3\*sqrt(2)\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*(3\*tan(b\*x + a)^2 - 1)/(b\*tan(b\*x + a)^3 - b\*tan(b\*x + a))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2\*b\*x+2\*a)\*\*2\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))\*\*(1/2),x)

[Out] Timed out

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2\*b\*x+2\*a)^2\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2),x, algorithm="giac")

[Out] Timed out

$$3.606 \quad \int \sec(2(a+bx))\sqrt{c \tan(a+bx) \tan(2(a+bx))} dx$$

**Optimal.** Leaf size=33

$$\frac{c \tan(2a + 2bx)}{b\sqrt{c \sec(2a + 2bx) - c}}$$

[Out] (c\*Tan[2\*a + 2\*b\*x])/(b\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])

**Rubi [A]** time = 0.0649942, antiderivative size = 33, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.069$ , Rules used = {4397, 3792}

$$\frac{c \tan(2a + 2bx)}{b\sqrt{c \sec(2a + 2bx) - c}}$$

Antiderivative was successfully verified.

[In] Int[Sec[2\*(a + b\*x)]\*Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)]],x]

[Out] (c\*Tan[2\*a + 2\*b\*x])/(b\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])

**Rule 4397**

Int[u\_, x\_Symbol] :> Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

**Rule 3792**

Int[csc[(e\_.) + (f\_.)\*(x\_)]\*Sqrt[csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)], x\_Symbol] :> Simp[(-2\*b\*Cot[e + f\*x])/(f\*Sqrt[a + b\*Csc[e + f\*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

**Rubi steps**

$$\begin{aligned} \int \sec(2(a+bx))\sqrt{c \tan(a+bx) \tan(2(a+bx))} dx &= \int \sec(2a+2bx)\sqrt{-c + c \sec(2a+2bx)} dx \\ &= \frac{c \tan(2a+2bx)}{b\sqrt{-c + c \sec(2a+2bx)}} \end{aligned}$$

**Mathematica [A]** time = 0.0853419, size = 30, normalized size = 0.91

$$\frac{\cot(a+bx)\sqrt{c \tan(a+bx) \tan(2(a+bx))}}{b}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[2\*(a + b\*x)]\*Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)]],x]

[Out] (Cot[a + b\*x]\*Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)]])/b

**Maple [A]** time = 0.357, size = 52, normalized size = 1.6

$$\frac{\sqrt{2}\sqrt{4}\cos(bx+a)}{2b\sin(bx+a)}\sqrt{\frac{c(\sin(bx+a))^2}{2(\cos(bx+a))^2-1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(2\*b\*x+2\*a)\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2),x)

[Out] 1/2\*2^(1/2)/b\*4^(1/2)\*(c\*sin(b\*x+a)^2/(2\*cos(b\*x+a)^2-1))^(1/2)\*cos(b\*x+a)/sin(b\*x+a)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2\*b\*x+2\*a)\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2),x, algorithm="maxima")

[Out] (2\*(cos(4\*b\*x + 4\*a)^2 + sin(4\*b\*x + 4\*a)^2 + 2\*cos(4\*b\*x + 4\*a) + 1)^(1/4)\*b\*sqrt(c)\*integrate(-(((cos(8\*b\*x + 8\*a)\*cos(4\*b\*x + 4\*a) + cos(4\*b\*x + 4\*a)^2 + sin(8\*b\*x + 8\*a)\*sin(4\*b\*x + 4\*a) + sin(4\*b\*x + 4\*a)^2)\*cos(1/2\*arctan2(sin(4\*b\*x + 4\*a), -cos(4\*b\*x + 4\*a) - 1)) + (cos(4\*b\*x + 4\*a)\*sin(8\*b\*x + 8\*a) - cos(8\*b\*x + 8\*a)\*sin(4\*b\*x + 4\*a))\*sin(1/2\*arctan2(sin(4\*b\*x + 4\*a), -cos(4\*b\*x + 4\*a) - 1))))\*cos(1/2\*arctan2(sin(4\*b\*x + 4\*a), cos(4\*b\*x + 4\*a)))) + ((cos(4\*b\*x + 4\*a)\*sin(8\*b\*x + 8\*a) - cos(8\*b\*x + 8\*a)\*sin(4\*b\*x + 4\*a))\*cos(1/2\*arctan2(sin(4\*b\*x + 4\*a), -cos(4\*b\*x + 4\*a) - 1)) - (cos(8\*b\*x + 8\*a)\*cos(4\*b\*x + 4\*a) + cos(4\*b\*x + 4\*a)^2 + sin(8\*b\*x + 8\*a)\*sin(4\*b\*x + 4\*a) + sin(4\*b\*x + 4\*a)^2)\*sin(1/2\*arctan2(sin(4\*b\*x + 4\*a), -cos(4\*b\*x + 4\*a) - 1))))\*sin(1/2\*arctan2(sin(4\*b\*x + 4\*a), cos(4\*b\*x + 4\*a))))/(((cos(8\*b\*x + 8\*a)^2 + 2\*cos(8\*b\*x + 8\*a)\*cos(4\*b\*x + 4\*a) + cos(4\*b\*x + 4\*a)^2 + sin(8\*b\*x + 8\*a)^2 + 2\*sin(8\*b\*x + 8\*a)\*sin(4\*b\*x + 4\*a) + sin(4\*b\*x + 4\*a)^2)\*cos(1/2\*arctan2(sin(4\*b\*x + 4\*a), -cos(4\*b\*x + 4\*a) - 1))^2 + (cos(8\*b\*x + 8\*a)^2 + 2\*cos(8\*b\*x + 8\*a)\*cos(4\*b\*x + 4\*a) + cos(4\*b\*x + 4\*a)^2 + sin(8\*b\*x + 8\*a)^2 + 2\*sin(8\*b\*x + 8\*a)\*sin(4\*b\*x + 4\*a) + sin(4\*b\*x + 4\*a)^2)\*sin(1/2\*arctan2(sin(4\*b\*x + 4\*a), -cos(4\*b\*x + 4\*a) - 1))^2\*(cos(4\*b\*x + 4\*a)^2 + sin(4\*b\*x + 4\*a)^2 + 2\*cos(4\*b\*x + 4\*a) + 1)^(1/4)), x) - sqrt(c)\*sin(1/2\*arctan2(sin(4\*b\*x + 4\*a), -cos(4\*b\*x + 4\*a) - 1)))/((cos(4\*b\*x + 4\*a)^2 + sin(4\*b\*x + 4\*a)^2 + 2\*cos(4\*b\*x + 4\*a) + 1)^(1/4)\*b)

**Fricas [A]** time = 2.14543, size = 96, normalized size = 2.91

$$\frac{\sqrt{2}\sqrt{\frac{c\tan(bx+a)^2}{\tan(bx+a)^2-1}}}{b\tan(bx+a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2\*b\*x+2\*a)\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2),x, algorithm="fricas")



[Out]  $\sqrt{2} \sqrt{-c \tan(bx + a)^2 / (\tan(bx + a)^2 - 1)} / (b \tan(bx + a))$

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(2*b*x+2*a)*(c*tan(b*x+a)*tan(2*b*x+2*a))**(1/2),x)`

[Out] Timed out

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(2*b*x+2*a)*(c*tan(b*x+a)*tan(2*b*x+2*a))^(1/2),x, algorithm="giac")`

[Out] Exception raised: NotImplementedError

### 3.607 $\int \sqrt{c \tan(a + bx) \tan(2(a + bx))} dx$

**Optimal.** Leaf size=45

$$-\frac{\sqrt{c} \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{c \sec(2a+2bx)-c}}\right)}{b}$$

[Out] -((Sqrt[c]\*ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]]])/b)

**Rubi [A]** time = 0.0404964, antiderivative size = 45, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$ , Rules used = {4397, 3774, 207}

$$-\frac{\sqrt{c} \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{c \sec(2a+2bx)-c}}\right)}{b}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)]], x]

[Out] -((Sqrt[c]\*ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]]])/b)

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 3774

Int[Sqrt[csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.) + (a\_.)], x\_Symbol] := Dist[(-2\*b)/d, Subst[Int[1/(a + x^2), x], x, (b\*Cot[c + d\*x])/Sqrt[a + b\*Csc[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \sqrt{c \tan(a + bx) \tan(2(a + bx))} dx &= \int \sqrt{-c + c \sec(2a + 2bx)} dx \\ &= -\frac{c \operatorname{Subst}\left(\int \frac{1}{-c+x^2} dx, x, -\frac{c \tan(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}}\right)}{b} \\ &= -\frac{\sqrt{c} \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}}\right)}{b} \end{aligned}$$

**Mathematica [A]** time = 0.129006, size = 73, normalized size = 1.62

$$-\frac{\sqrt{\cos(2(a + bx))} \csc(a + bx) \sqrt{c \tan(a + bx) \tan(2(a + bx))} \tanh^{-1}\left(\frac{\sqrt{2} \cos(a+bx)}{\sqrt{\cos(2(a+bx))}}\right)}{\sqrt{2}b}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)]],x]

[Out] -((ArcTanh[(Sqrt[2]\*Cos[a + b\*x])/Sqrt[Cos[2\*(a + b\*x)]]]\*Sqrt[Cos[2\*(a + b\*x)]]\*Csc[a + b\*x]\*Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)]])/(Sqrt[2]\*b))

**Maple [B]** time = 0.317, size = 136, normalized size = 3.

$$\frac{\sqrt{4} \sin(bx + a)}{2b(-1 + \cos(bx + a))} \sqrt{\frac{c(1 - (\cos(bx + a))^2)}{2(\cos(bx + a))^2 - 1}} \sqrt{\frac{2(\cos(bx + a))^2 - 1}{(\cos(bx + a) + 1)^2}} \operatorname{Arctanh} \left( \frac{\sqrt{2} \cos(bx + a) \sqrt{4}(-1 + \cos(bx + a))}{2(\sin(bx + a))^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2),x)

[Out] -1/2/b\*4^(1/2)\*(c\*(1-cos(b\*x+a)^2)/(2\*cos(b\*x+a)^2-1))^(1/2)\*sin(b\*x+a)\*((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)\*arctanh(1/2\*2^(1/2)\*cos(b\*x+a)\*4^(1/2)\*(-1+cos(b\*x+a))/sin(b\*x+a)^2/((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2))/(-1+cos(b\*x+a))

**Maxima [B]** time = 1.72376, size = 581, normalized size = 12.91

$$\sqrt{c} \left( \log \left( 4 \sqrt{\cos(4bx + 4a)^2 + \sin(4bx + 4a)^2 + 2 \cos(4bx + 4a) + 1} \cos \left( \frac{1}{2} \arctan(\sin(4bx + 4a), \cos(4bx + 4a)) \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2),x, algorithm="maxima")

[Out] 1/4\*sqrt(c)\*(log(4\*sqrt(cos(4\*b\*x + 4\*a)^2 + sin(4\*b\*x + 4\*a)^2 + 2\*cos(4\*b\*x + 4\*a) + 1)\*cos(1/2\*arctan2(sin(4\*b\*x + 4\*a), cos(4\*b\*x + 4\*a) + 1))^2 + 4\*sqrt(cos(4\*b\*x + 4\*a)^2 + sin(4\*b\*x + 4\*a)^2 + 2\*cos(4\*b\*x + 4\*a) + 1)\*sin(1/2\*arctan2(sin(4\*b\*x + 4\*a), cos(4\*b\*x + 4\*a) + 1))^2 + 8\*(cos(4\*b\*x + 4\*a)^2 + sin(4\*b\*x + 4\*a)^2 + 2\*cos(4\*b\*x + 4\*a) + 1)^(1/4)\*cos(1/2\*arctan2(sin(4\*b\*x + 4\*a), cos(4\*b\*x + 4\*a) + 1)) + 4) - log(cos(2\*b\*x + 2\*a)^2 + sin(2\*b\*x + 2\*a)^2 + sqrt(cos(4\*b\*x + 4\*a)^2 + sin(4\*b\*x + 4\*a)^2 + 2\*cos(4\*b\*x + 4\*a) + 1)\*(cos(1/2\*arctan2(sin(4\*b\*x + 4\*a), cos(4\*b\*x + 4\*a) + 1))^2 + sin(1/2\*arctan2(sin(4\*b\*x + 4\*a), cos(4\*b\*x + 4\*a) + 1))^2) + 2\*(cos(4\*b\*x + 4\*a)^2 + sin(4\*b\*x + 4\*a)^2 + 2\*cos(4\*b\*x + 4\*a) + 1)^(1/4)\*(cos(2\*b\*x + 2\*a)\*cos(1/2\*arctan2(sin(4\*b\*x + 4\*a), cos(4\*b\*x + 4\*a) + 1)) + sin(2\*b\*x + 2\*a)\*sin(1/2\*arctan2(sin(4\*b\*x + 4\*a), cos(4\*b\*x + 4\*a) + 1))))/b

**Fricas [A]** time = 2.38249, size = 525, normalized size = 11.67

$$\left[ \frac{\sqrt{c} \log \left( \frac{c \tan(bx+a)^5 - 14c \tan(bx+a)^3 - 4\sqrt{2}(\tan(bx+a)^4 - 4 \tan(bx+a)^2 + 3) \sqrt{-\frac{c \tan(bx+a)^2}{\tan(bx+a)^2 - 1}} \sqrt{c} + 17c \tan(bx+a)}{\tan(bx+a)^5 + 2 \tan(bx+a)^3 + \tan(bx+a)} \right)}{4b}, \frac{\sqrt{-c} \arctan \left( \frac{2\sqrt{2} \sqrt{-\frac{c \tan(bx+a)^2}{\tan(bx+a)^2 - 1}}}{c \tan(bx+a)^3} \right)}{2b} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2),x, algorithm="fricas")

[Out] [1/4\*sqrt(c)\*log(-(c\*tan(b\*x + a)^5 - 14\*c\*tan(b\*x + a)^3 - 4\*sqrt(2)\*(tan(b\*x + a)^4 - 4\*tan(b\*x + a)^2 + 3)\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*sqrt(c) + 17\*c\*tan(b\*x + a))/(tan(b\*x + a)^5 + 2\*tan(b\*x + a)^3 + tan(b\*x + a)))/b, 1/2\*sqrt(-c)\*arctan(2\*sqrt(2)\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*(tan(b\*x + a)^2 - 1)\*sqrt(-c)/(c\*tan(b\*x + a)^3 - 3\*c\*tan(b\*x + a)))/b]

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))\*\*(1/2),x)

[Out] Timed out

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2),x, algorithm="giac")

[Out] Exception raised: RuntimeError

### 3.608 $\int \cos(2(a+bx))\sqrt{c \tan(a+bx) \tan(2(a+bx))} dx$

**Optimal.** Leaf size=84

$$\frac{\sqrt{c} \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{c \sec(2a+2bx)-c}}\right)}{2b} - \frac{c \sin(2a+2bx)}{2b\sqrt{c \sec(2a+2bx)-c}}$$

[Out] (Sqrt[c]\*ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])/(2\*b) - (c\*Sin[2\*a + 2\*b\*x])/(2\*b\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])

**Rubi [A]** time = 0.13946, antiderivative size = 84, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$ , Rules used = {4397, 3805, 3774, 207}

$$\frac{\sqrt{c} \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{c \sec(2a+2bx)-c}}\right)}{2b} - \frac{c \sin(2a+2bx)}{2b\sqrt{c \sec(2a+2bx)-c}}$$

Antiderivative was successfully verified.

[In] Int[Cos[2\*(a + b\*x)]\*Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)]], x]

[Out] (Sqrt[c]\*ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])/(2\*b) - (c\*Sin[2\*a + 2\*b\*x])/(2\*b\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])

#### Rule 4397

Int[u\_, x\_Symbol] :=> Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 3805

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^n]\*Sqrt[csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)], x\_Symbol] :=> Simp[(a\*Cot[e + f\*x]\*(d\*Csc[e + f\*x])^n)/(f\*n\*Sqrt[a + b\*Csc[e + f\*x]]), x] + Dist[(a\*(2\*n + 1))/(2\*b\*d\*n), Int[Sqrt[a + b\*Csc[e + f\*x]]\*(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2\*n]

#### Rule 3774

Int[Sqrt[csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.) + (a\_.)], x\_Symbol] :=> Dist[(-2\*b)/d, Subst[Int[1/(a + x^2), x], x, (b\*Cot[c + d\*x])/Sqrt[a + b\*Csc[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :=> -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned}
\int \cos(2(a + bx))\sqrt{c \tan(a + bx) \tan(2(a + bx))} dx &= \int \cos(2a + 2bx)\sqrt{-c + c \sec(2a + 2bx)} dx \\
&= -\frac{c \sin(2a + 2bx)}{2b\sqrt{-c + c \sec(2a + 2bx)}} - \frac{1}{2} \int \sqrt{-c + c \sec(2a + 2bx)} dx \\
&= -\frac{c \sin(2a + 2bx)}{2b\sqrt{-c + c \sec(2a + 2bx)}} + \frac{c \operatorname{Subst}\left(\int \frac{1}{-c+x^2} dx, x, -\frac{c \tan(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}}\right)}{2b} \\
&= \frac{\sqrt{c} \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}}\right)}{2b} - \frac{c \sin(2a + 2bx)}{2b\sqrt{-c + c \sec(2a + 2bx)}}
\end{aligned}$$

**Mathematica [A]** time = 0.244687, size = 92, normalized size = 1.1

$$\frac{\csc(a + bx)\sqrt{c \tan(a + bx) \tan(2(a + bx))} \left( \cos(a + bx) + \cos(3(a + bx)) - \sqrt{2}\sqrt{\cos(2(a + bx))} \tanh^{-1}\left(\frac{\sqrt{2} \cos(a+bx)}{\sqrt{\cos(2(a+bx))}}\right) \right)}{4b}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[2\*(a + b\*x)]\*Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)]], x]

[Out] -((Cos[a + b\*x] - Sqrt[2]\*ArcTanh[(Sqrt[2]\*Cos[a + b\*x])/Sqrt[Cos[2\*(a + b\*x)]]]\*Sqrt[Cos[2\*(a + b\*x)]] + Cos[3\*(a + b\*x)]\*Csc[a + b\*x]\*Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)]])/(4\*b)

**Maple [B]** time = 0.424, size = 387, normalized size = 4.6

$$\frac{\sqrt{4} \sin(bx + a)}{2b(-1 + \cos(bx + a))} \sqrt{\frac{c(1 - (\cos(bx + a))^2)}{2(\cos(bx + a))^2 - 1}} \sqrt{\frac{2(\cos(bx + a))^2 - 1}{(\cos(bx + a) + 1)^2}} \operatorname{Arctanh}\left(\frac{\sqrt{2} \cos(bx + a) \sqrt{4}(-1 + \cos(bx + a))}{2(\sin(bx + a))^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(2\*b\*x+2\*a)\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2), x)

[Out] 1/2/b\*4^(1/2)\*(c\*(1-cos(b\*x+a)^2)/(2\*cos(b\*x+a)^2-1))^(1/2)\*sin(b\*x+a)\*((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)\*arctanh(1/2\*2^(1/2)\*cos(b\*x+a)\*4^(1/2)\*(-1+cos(b\*x+a))/sin(b\*x+a)^2/((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2))/(-1+cos(b\*x+a))-1/8\*2^(1/2)/b\*4^(1/2)\*(c\*sin(b\*x+a)^2/(2\*cos(b\*x+a)^2-1))^(1/2)\*sin(b\*x+a)\*(2^(1/2)\*cos(b\*x+a)\*((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)\*arctanh(1/2\*2^(1/2)\*cos(b\*x+a)\*4^(1/2)\*(-1+cos(b\*x+a))/sin(b\*x+a)^2/((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2))+2^(1/2)\*((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)\*arctanh(1/2\*2^(1/2)\*cos(b\*x+a)\*4^(1/2)\*(-1+cos(b\*x+a))/sin(b\*x+a)^2/((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2))-4\*cos(b\*x+a)^3+2\*cos(b\*x+a))/(-1+cos(b\*x+a)^2)

**Maxima [B]** time = 2.10735, size = 1416, normalized size = 16.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*b\*x+2\*a)\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2),x, algorithm="maxima")

[Out] 
$$\frac{1}{16} \left( 4 \left( \cos(4bx + 4a) \right)^2 + \sin(4bx + 4a) \right)^2 + 2 \cos(4bx + 4a) + 1 \right)^{1/4} \left( \cos\left(\frac{1}{2} \arctan 2\left(\frac{\sin(4bx + 4a)}{\cos(4bx + 4a)}\right), -\cos(4bx + 4a) - 1\right) \sin(2bx + 2a) + \left(\cos(2bx + 2a) + 1\right) \sin\left(\frac{1}{2} \arctan 2\left(\frac{\sin(4bx + 4a)}{\cos(4bx + 4a)}\right), -\cos(4bx + 4a) - 1\right) \right) \sqrt{c} - \sqrt{c} \left( \log\left(\sqrt{\cos(4bx + 4a)^2 + \sin(4bx + 4a)^2 + 2\cos(4bx + 4a) + 1}\right) \cos\left(\frac{1}{2} \arctan 2\left(\frac{\sin(4bx + 4a)}{\cos(4bx + 4a)}\right), -\cos(4bx + 4a) - 1\right) \right)^2 + \sqrt{\cos(4bx + 4a)^2 + \sin(4bx + 4a)^2 + 2\cos(4bx + 4a) + 1} \sin\left(\frac{1}{2} \arctan 2\left(\frac{\sin(4bx + 4a)}{\cos(4bx + 4a)}\right), -\cos(4bx + 4a) - 1\right) \right)^2 + 2 \left( \cos(4bx + 4a) \right)^2 + \sin(4bx + 4a) \right)^2 + 2 \cos(4bx + 4a) + 1 \right)^{1/4} \sin\left(\frac{1}{2} \arctan 2\left(\frac{\sin(4bx + 4a)}{\cos(4bx + 4a)}\right), -\cos(4bx + 4a) - 1\right) + 1 - \log\left(\sqrt{\cos(4bx + 4a)^2 + \sin(4bx + 4a)^2 + 2\cos(4bx + 4a) + 1} \cos\left(\frac{1}{2} \arctan 2\left(\frac{\sin(4bx + 4a)}{\cos(4bx + 4a)}\right), -\cos(4bx + 4a) - 1\right) \right)^2 + \sqrt{\cos(4bx + 4a)^2 + \sin(4bx + 4a)^2 + 2\cos(4bx + 4a) + 1} \sin\left(\frac{1}{2} \arctan 2\left(\frac{\sin(4bx + 4a)}{\cos(4bx + 4a)}\right), -\cos(4bx + 4a) - 1\right) \right)^2 - 2 \left( \cos(4bx + 4a) \right)^2 + \sin(4bx + 4a) \right)^2 + 2 \cos(4bx + 4a) + 1 \right)^{1/4} \sin\left(\frac{1}{2} \arctan 2\left(\frac{\sin(4bx + 4a)}{\cos(4bx + 4a)}\right), -\cos(4bx + 4a) - 1\right) + 1 + \log\left(\left(\cos(2bx + 2a) \right)^2 + \sin(2bx + 2a) \right)^2 \cos\left(\frac{1}{2} \arctan 2\left(\frac{\sin(4bx + 4a)}{\cos(4bx + 4a)}\right), -\cos(4bx + 4a) - 1\right) \right)^2 + \left(\cos(2bx + 2a) \right)^2 + \sin(2bx + 2a) \right)^2 \sin\left(\frac{1}{2} \arctan 2\left(\frac{\sin(4bx + 4a)}{\cos(4bx + 4a)}\right), -\cos(4bx + 4a) - 1\right) \right)^2 \sqrt{\cos(4bx + 4a)^2 + \sin(4bx + 4a)^2 + 2\cos(4bx + 4a) + 1} + 2 \left( \cos(4bx + 4a) \right)^2 + \sin(4bx + 4a) \right)^2 + 2 \cos(4bx + 4a) + 1 \right)^{1/4} \left( \cos\left(\frac{1}{2} \arctan 2\left(\frac{\sin(4bx + 4a)}{\cos(4bx + 4a)}\right), -\cos(4bx + 4a) - 1\right) \sin(2bx + 2a) + \cos(2bx + 2a) \sin\left(\frac{1}{2} \arctan 2\left(\frac{\sin(4bx + 4a)}{\cos(4bx + 4a)}\right), -\cos(4bx + 4a) - 1\right) \right) \right) + 1 - \log\left(\left(\cos(2bx + 2a) \right)^2 + \sin(2bx + 2a) \right)^2 \cos\left(\frac{1}{2} \arctan 2\left(\frac{\sin(4bx + 4a)}{\cos(4bx + 4a)}\right), -\cos(4bx + 4a) - 1\right) \right)^2 + \left(\cos(2bx + 2a) \right)^2 + \sin(2bx + 2a) \right)^2 \sin\left(\frac{1}{2} \arctan 2\left(\frac{\sin(4bx + 4a)}{\cos(4bx + 4a)}\right), -\cos(4bx + 4a) - 1\right) \right)^2 \sqrt{\cos(4bx + 4a)^2 + \sin(4bx + 4a)^2 + 2\cos(4bx + 4a) + 1} - 2 \left( \cos(4bx + 4a) \right)^2 + \sin(4bx + 4a) \right)^2 + 2 \cos(4bx + 4a) + 1 \right)^{1/4} \left( \cos\left(\frac{1}{2} \arctan 2\left(\frac{\sin(4bx + 4a)}{\cos(4bx + 4a)}\right), -\cos(4bx + 4a) - 1\right) \sin(2bx + 2a) + \cos(2bx + 2a) \sin\left(\frac{1}{2} \arctan 2\left(\frac{\sin(4bx + 4a)}{\cos(4bx + 4a)}\right), -\cos(4bx + 4a) - 1\right) \right) \right) + 1 \right) \right) / b$$

**Fricas [B]** time = 2.40093, size = 921, normalized size = 10.96

$$\frac{\left(\tan(bx+a)^3 + \tan(bx+a)\right)\sqrt{c} \log\left(\frac{c \tan(bx+a)^5 - 14c \tan(bx+a)^3 + 4\sqrt{2}\left(\tan(bx+a)^4 - 4 \tan(bx+a)^2 + 3\right)\sqrt{-\frac{c \tan(bx+a)^2}{\tan(bx+a)^2 - 1}} \sqrt{c+17c \tan(bx+a)}}{\tan(bx+a)^5 + 2 \tan(bx+a)^3 + \tan(bx+a)}\right)}{8\left(b \tan(bx+a)^3 + b \tan(bx+a)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*b\*x+2\*a)\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2),x, algorithm="fricas")

[Out] 
$$\left[ \frac{1}{8} \left( \left( \tan(bx + a) \right)^3 + \tan(bx + a) \right) \sqrt{c} \log\left(-\left(c \tan(bx + a) \right)^5 - 14c \tan(bx + a) \right)^3 + 4 \sqrt{2} \left( \tan(bx + a) \right)^4 - 4 \tan(bx + a) \right)^2 + 3 \sqrt{2} \left( -c \tan(bx + a) \right)^2 / \left( \tan(bx + a) \right)^2 - 1 \right) \sqrt{c} + 17c \tan(bx + a) \right) / \left( \tan(bx + a) \right)^5 + 2 \tan(bx + a) \right)^3 + \tan(bx + a) \right) \right) + 4 \sqrt{2} \sqrt{-c \tan(bx + a) \right)^2 / \left( \tan(bx + a) \right)^2 - 1} \left( \tan(bx + a) \right)^2 - 1} / \left( b \tan(bx + a) \right)^3 + b \tan(bx + a) \right), -\frac{1}{4} \left( \left( \tan(bx + a) \right)^3 + \tan(bx + a) \right) \sqrt{-c} \arctan\left( 2 \sqrt{2} \sqrt{\left( -c \tan(bx + a) \right)^2 / \left( \tan(bx + a) \right)^2 - 1} \right) \left( \tan(bx + a) \right)^2 - 1 \right) \sqrt{-c} / \left( c \tan(bx + a) \right)^3 - 3c \tan(bx + a) \right) \right) - 2 \sqrt{2} \sqrt{-c \tan(bx + a) \right)^2 / \left( \tan(bx + a) \right)^2 - 1} \right) \right]$$

```
an(b*x + a)^2 - 1))*(tan(b*x + a)^2 - 1))/(b*tan(b*x + a)^3 + b*tan(b*x + a
))]
```

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(2*b*x+2*a)*(c*tan(b*x+a)*tan(2*b*x+2*a))**(1/2),x)
```

```
[Out] Timed out
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{c \tan(2bx + 2a) \tan(bx + a)} \cos(2bx + 2a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(2*b*x+2*a)*(c*tan(b*x+a)*tan(2*b*x+2*a))^(1/2),x, algorithm="
giac")
```

```
[Out] integrate(sqrt(c*tan(2*b*x + 2*a)*tan(b*x + a))*cos(2*b*x + 2*a), x)
```



### 3.609 $\int \cos^2(2(a+bx))\sqrt{c \tan(a+bx) \tan(2(a+bx))} dx$

**Optimal.** Leaf size=129

$$\frac{3c \sin(2a+2bx)}{8b\sqrt{c \sec(2a+2bx)-c}} - \frac{c \sin(2a+2bx) \cos(2a+2bx)}{4b\sqrt{c \sec(2a+2bx)-c}} - \frac{3\sqrt{c} \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{c \sec(2a+2bx)-c}}\right)}{8b}$$

[Out]  $(-3\sqrt{c} \operatorname{ArcTanh}[(\sqrt{c} \operatorname{Tan}[2a+2bx])/\sqrt{-c+c \operatorname{Sec}[2a+2bx]}])/(8b) + (3c \operatorname{Sin}[2a+2bx])/(8b \sqrt{-c+c \operatorname{Sec}[2a+2bx]}) - (c \operatorname{Cos}[2a+2bx] \operatorname{Sin}[2a+2bx])/(4b \sqrt{-c+c \operatorname{Sec}[2a+2bx]})$

**Rubi [A]** time = 0.214331, antiderivative size = 129, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$ , Rules used = {4397, 3805, 3774, 207}

$$\frac{3c \sin(2a+2bx)}{8b\sqrt{c \sec(2a+2bx)-c}} - \frac{c \sin(2a+2bx) \cos(2a+2bx)}{4b\sqrt{c \sec(2a+2bx)-c}} - \frac{3\sqrt{c} \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{c \sec(2a+2bx)-c}}\right)}{8b}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Cos}[2(a+bx)]^2 \sqrt{c \operatorname{Tan}[a+bx] \operatorname{Tan}[2(a+bx)]}, x]$

[Out]  $(-3\sqrt{c} \operatorname{ArcTanh}[(\sqrt{c} \operatorname{Tan}[2a+2bx])/\sqrt{-c+c \operatorname{Sec}[2a+2bx]}])/(8b) + (3c \operatorname{Sin}[2a+2bx])/(8b \sqrt{-c+c \operatorname{Sec}[2a+2bx]}) - (c \operatorname{Cos}[2a+2bx] \operatorname{Sin}[2a+2bx])/(4b \sqrt{-c+c \operatorname{Sec}[2a+2bx]})$

#### Rule 4397

$\operatorname{Int}[u, x\_Symbol] \rightarrow \operatorname{Int}[\operatorname{TrigSimplify}[u], x] /; \operatorname{TrigSimplifyQ}[u]$

#### Rule 3805

$\operatorname{Int}[(\operatorname{csc}[e] + (f)(x))^n \sqrt{\operatorname{csc}[e] + (f)(x)} (b + a)], x\_Symbol] \rightarrow \operatorname{Simp}[(a \operatorname{Cot}[e+fx] (d \operatorname{Csc}[e+fx])^n) / (f \sqrt{a+b \operatorname{Csc}[e+fx]}), x] + \operatorname{Dist}[(a(2n+1)) / (2b d^n), \operatorname{Int}[\sqrt{a+b \operatorname{Csc}[e+fx]} (d \operatorname{Csc}[e+fx])^{n+1}, x], x] /; \operatorname{FreeQ}\{a, b, d, e, f, x\} \&\& \operatorname{EqQ}[a^2 - b^2, 0] \&\& \operatorname{LtQ}[n, -2^{(-1)}] \&\& \operatorname{IntegerQ}[2n]$

#### Rule 3774

$\operatorname{Int}[\sqrt{\operatorname{csc}[c] + (d)(x)} (b + a)], x\_Symbol] \rightarrow \operatorname{Dist}[(-2b)/d, \operatorname{Subst}[\operatorname{Int}[1/(a+x^2), x], x, (b \operatorname{Cot}[c+dx])/\sqrt{a+b \operatorname{Csc}[c+dx]}], x] /; \operatorname{FreeQ}\{a, b, c, d, x\} \&\& \operatorname{EqQ}[a^2 - b^2, 0]$

#### Rule 207

$\operatorname{Int}[(a + (b)(x)^2)^{-1}], x\_Symbol] \rightarrow -\operatorname{Simp}[\operatorname{ArcTanh}[(\operatorname{Rt}[b, 2]x)/\operatorname{Rt}[-a, 2]] / (\operatorname{Rt}[-a, 2] \operatorname{Rt}[b, 2]), x] /; \operatorname{FreeQ}\{a, b, x\} \&\& \operatorname{NegQ}[a/b] \&\& (\operatorname{LtQ}[a, 0] \mid \mid \operatorname{GtQ}[b, 0])$

#### Rubi steps

$$\begin{aligned}
\int \cos^2(2(a+bx))\sqrt{c \tan(a+bx) \tan(2(a+bx))} dx &= \int \cos^2(2a+2bx)\sqrt{-c+c \sec(2a+2bx)} dx \\
&= -\frac{c \cos(2a+2bx) \sin(2a+2bx)}{4b\sqrt{-c+c \sec(2a+2bx)}} - \frac{3}{4} \int \cos(2a+2bx)\sqrt{-c+c \sec(2a+2bx)} dx \\
&= \frac{3c \sin(2a+2bx)}{8b\sqrt{-c+c \sec(2a+2bx)}} - \frac{c \cos(2a+2bx) \sin(2a+2bx)}{4b\sqrt{-c+c \sec(2a+2bx)}} + \frac{3}{8} \int \cos(2a+2bx)\sqrt{-c+c \sec(2a+2bx)} dx \\
&= \frac{3c \sin(2a+2bx)}{8b\sqrt{-c+c \sec(2a+2bx)}} - \frac{c \cos(2a+2bx) \sin(2a+2bx)}{4b\sqrt{-c+c \sec(2a+2bx)}} - \frac{(3c) \sin(2a+2bx)}{8b\sqrt{-c+c \sec(2a+2bx)}} \\
&= -\frac{3\sqrt{c} \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}}\right)}{8b} + \frac{3c \sin(2a+2bx)}{8b\sqrt{-c+c \sec(2a+2bx)}} - \frac{c \cos(2a+2bx) \sin(2a+2bx)}{4b\sqrt{-c+c \sec(2a+2bx)}}
\end{aligned}$$

**Mathematica [A]** time = 0.256139, size = 105, normalized size = 0.81

$$\frac{\sqrt{c \tan(a+bx) \tan(2(a+bx))} \left( 2(-\sin(2(a+bx)) + \sin(4(a+bx)) + \cot(a+bx)) - 3\sqrt{2}\sqrt{\cos(2(a+bx))} \csc(a+bx) \tan(a+bx) \right)}{16b}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[2\*(a + b\*x)]^2\*Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)]], x]

[Out] ((-3\*Sqrt[2]\*ArcTanh[(Sqrt[2]\*Cos[a + b\*x])/Sqrt[Cos[2\*(a + b\*x)]]]\*Sqrt[Cos[2\*(a + b\*x)]]\*Csc[a + b\*x] + 2\*(Cot[a + b\*x] - Sin[2\*(a + b\*x)] + Sin[4\*(a + b\*x)]))\*Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)]]/(16\*b)

**Maple [B]** time = 0.451, size = 649, normalized size = 5.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(2\*b\*x+2\*a)^2\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2), x)

[Out] 
$$\begin{aligned}
& -1/2/b*4^{(1/2)}*(c*(1-\cos(b*x+a)^2)/(2*\cos(b*x+a)^2-1))^{(1/2)}*\sin(b*x+a)*((2 \\
& * \cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*\cos(b*x+a)*4^{(1/2)} \\
& * (-1+\cos(b*x+a))/\sin(b*x+a)^2/((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2)} \\
& )^{(1/2)}*\sin(b*x+a)*(2^{(1/2)}*\cos(b*x+a)*((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2)} \\
& * \operatorname{arctanh}(1/2*2^{(1/2)}*\cos(b*x+a)*4^{(1/2)}*(-1+\cos(b*x+a))/\sin(b*x+a)^2/ \\
& ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2)}+2^{(1/2)}*((2*\cos(b*x+a)^2-1)/ \\
& (\cos(b*x+a)+1)^2)^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*\cos(b*x+a)*4^{(1/2)}*(-1+\cos(b*x+a)) \\
& )/\sin(b*x+a)^2/((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2)}-4*\cos(b*x+a)^3+2*\cos(b*x+a) \\
& )/(-1+\cos(b*x+a)^2)-1/32*2^{(1/2)}/b*4^{(1/2)}*(c*\sin(b*x+a)^2/(2 \\
& * \cos(b*x+a)^2-1))^{(1/2)}*\sin(b*x+a)*(-16*\cos(b*x+a)^5+3*2^{(1/2)}*\cos(b*x+a)* \\
& (2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*\cos(b*x+a)*4^{(1/2)} \\
& * (-1+\cos(b*x+a))/\sin(b*x+a)^2/((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2)}+3*2^{(1/2)} \\
& * ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*\cos(b*x+a)*4^{(1/2)} \\
& * (-1+\cos(b*x+a))/\sin(b*x+a)^2/((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2)}-4*\cos(b*x+a)^3+6*\cos(b*x+a) \\
& )/(-1+\cos(b*x+a)^2)
\end{aligned}$$

**Maxima [B]** time = 2.26503, size = 1918, normalized size = 14.87

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*b\*x+2\*a)^2\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2),x, algorithm="maxima")

[Out] 
$$\frac{-1/64*(4*(\cos(4bx + 4a))^2 + \sin(4bx + 4a)^2 + 2\cos(4bx + 4a) + 1)^{1/4}*((\cos(1/2\arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1))\sin(4bx + 4a) - (\cos(4bx + 4a) - 2)\sin(1/2\arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1)))\cos(1/2\arctan2(\sin(4bx + 4a), \cos(4bx + 4a))) - \cos(1/2\arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1))\sin(4bx + 4a) - (\cos(4bx + 4a) - 2)\sin(1/2\arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1)) - ((\cos(4bx + 4a) - 2)\cos(1/2\arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1)) + \sin(4bx + 4a)\sin(1/2\arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1)))\sin(1/2\arctan2(\sin(4bx + 4a), \cos(4bx + 4a))))\sqrt{c} - 3\sqrt{c}*(\log(\sqrt{\cos(4bx + 4a)^2 + \sin(4bx + 4a)^2 + 2\cos(4bx + 4a) + 1})\cos(1/2\arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1)))^2 + \sqrt{\cos(4bx + 4a)^2 + \sin(4bx + 4a)^2 + 2\cos(4bx + 4a) + 1})\sin(1/2\arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1))^2 + 2*(\cos(4bx + 4a)^2 + \sin(4bx + 4a)^2 + 2\cos(4bx + 4a) + 1)^{1/4}\sin(1/2\arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1)) + 1) - \log(\sqrt{\cos(4bx + 4a)^2 + \sin(4bx + 4a)^2 + 2\cos(4bx + 4a) + 1})\cos(1/2\arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1))^2 + \sqrt{\cos(4bx + 4a)^2 + \sin(4bx + 4a)^2 + 2\cos(4bx + 4a) + 1})\sin(1/2\arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1))^2 - 2*(\cos(4bx + 4a)^2 + \sin(4bx + 4a)^2 + 2\cos(4bx + 4a) + 1)^{1/4}\sin(1/2\arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1)) + 1) + \log(((\cos(1/2\arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1))^2 + \sin(1/2\arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1))^2)\cos(1/2\arctan2(\sin(4bx + 4a), \cos(4bx + 4a))))^2 + (\cos(1/2\arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1))^2 + \sin(1/2\arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1))^2)\sin(1/2\arctan2(\sin(4bx + 4a), \cos(4bx + 4a))))^2)\sqrt{\cos(4bx + 4a)^2 + \sin(4bx + 4a)^2 + 2\cos(4bx + 4a) + 1}) + 2*(\cos(4bx + 4a)^2 + \sin(4bx + 4a)^2 + 2\cos(4bx + 4a) + 1)^{1/4}*(\cos(1/2\arctan2(\sin(4bx + 4a), \cos(4bx + 4a)))\sin(1/2\arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1)) + \cos(1/2\arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1))\sin(1/2\arctan2(\sin(4bx + 4a), \cos(4bx + 4a)))) + 1) - \log(((\cos(1/2\arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1))^2 + \sin(1/2\arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1))^2)\cos(1/2\arctan2(\sin(4bx + 4a), \cos(4bx + 4a))))^2 + (\cos(1/2\arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1))^2 + \sin(1/2\arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1))^2)\sin(1/2\arctan2(\sin(4bx + 4a), \cos(4bx + 4a))))^2)\sqrt{\cos(4bx + 4a)^2 + \sin(4bx + 4a)^2 + 2\cos(4bx + 4a) + 1}) - 2*(\cos(4bx + 4a)^2 + \sin(4bx + 4a)^2 + 2\cos(4bx + 4a) + 1)^{1/4}*(\cos(1/2\arctan2(\sin(4bx + 4a), \cos(4bx + 4a)))\sin(1/2\arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1)) + \cos(1/2\arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1))\sin(1/2\arctan2(\sin(4bx + 4a), \cos(4bx + 4a)))) + 1)))/b$$

**Fricas [A]** time = 2.48251, size = 1092, normalized size = 8.47

$$\frac{3 \left( \tan(bx + a)^5 + 2 \tan(bx + a)^3 + \tan(bx + a) \right) \sqrt{c} \log \left( -\frac{c \tan(bx+a)^5 - 14c \tan(bx+a)^3 - 4\sqrt{2}(\tan(bx+a)^4 - 4 \tan(bx+a)^2 + 3) \sqrt{-\frac{c \tan(bx+a)}{\tan(bx+a)}}}{\tan(bx+a)^5 + 2 \tan(bx+a)^3 + \tan(bx+a)} \right)}{32 \left( b \tan(bx + a)^5 + 2 b \tan(bx + a)^3 + b \tan(bx + a) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(2*b*x+2*a)^2*(c*tan(b*x+a)*tan(2*b*x+2*a))^(1/2),x, algorithm="fricas")
```

```
[Out] [1/32*(3*(tan(b*x + a)^5 + 2*tan(b*x + a)^3 + tan(b*x + a))*sqrt(c)*log(-(c*tan(b*x + a)^5 - 14*c*tan(b*x + a)^3 - 4*sqrt(2)*(tan(b*x + a)^4 - 4*tan(b*x + a)^2 + 3)*sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1))*sqrt(c) + 17*c*tan(b*x + a))/(tan(b*x + a)^5 + 2*tan(b*x + a)^3 + tan(b*x + a))) - 4*sqrt(2)*(5*tan(b*x + a)^4 - 4*tan(b*x + a)^2 - 1)*sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1)))/(b*tan(b*x + a)^5 + 2*b*tan(b*x + a)^3 + b*tan(b*x + a)), 1/16*(3*(tan(b*x + a)^5 + 2*tan(b*x + a)^3 + tan(b*x + a))*sqrt(-c)*arctan(2*sqrt(2)*sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1))*(tan(b*x + a)^2 - 1)*sqrt(-c)/(c*tan(b*x + a)^3 - 3*c*tan(b*x + a))) - 2*sqrt(2)*(5*tan(b*x + a)^4 - 4*tan(b*x + a)^2 - 1)*sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1)))/(b*tan(b*x + a)^5 + 2*b*tan(b*x + a)^3 + b*tan(b*x + a))]
```

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(2*b*x+2*a)**2*(c*tan(b*x+a)*tan(2*b*x+2*a))**(1/2),x)
```

```
[Out] Timed out
```

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(2*b*x+2*a)^2*(c*tan(b*x+a)*tan(2*b*x+2*a))^(1/2),x, algorithm="giac")
```

```
[Out] Timed out
```

### 3.610 $\int \cos^3(2(a+bx))\sqrt{c \tan(a+bx) \tan(2(a+bx))} dx$

**Optimal.** Leaf size=176

$$\frac{5c \sin(2a+2bx)}{16b\sqrt{c \sec(2a+2bx)-c}} - \frac{c \sin(2a+2bx) \cos^2(2a+2bx)}{6b\sqrt{c \sec(2a+2bx)-c}} + \frac{5c \sin(2a+2bx) \cos(2a+2bx)}{24b\sqrt{c \sec(2a+2bx)-c}} + \frac{5\sqrt{c} \tanh^{-1}\left(\frac{\sqrt{c} \tan(a+bx)}{\sqrt{c \sec(2a+2bx)-c}}\right)}{16b}$$

```
[Out] (5*Sqrt[c]*ArcTanh[(Sqrt[c]*Tan[2*a + 2*b*x])/Sqrt[-c + c*Sec[2*a + 2*b*x]]
]/(16*b) - (5*c*Sin[2*a + 2*b*x])/(16*b*Sqrt[-c + c*Sec[2*a + 2*b*x]]) + (
5*c*Cos[2*a + 2*b*x]*Sin[2*a + 2*b*x])/(24*b*Sqrt[-c + c*Sec[2*a + 2*b*x]])
- (c*Cos[2*a + 2*b*x]^2*Sin[2*a + 2*b*x])/(6*b*Sqrt[-c + c*Sec[2*a + 2*b*x]
]])
```

**Rubi [A]** time = 0.288151, antiderivative size = 176, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$ , Rules used = {4397, 3805, 3774, 207}

$$\frac{5c \sin(2a+2bx)}{16b\sqrt{c \sec(2a+2bx)-c}} - \frac{c \sin(2a+2bx) \cos^2(2a+2bx)}{6b\sqrt{c \sec(2a+2bx)-c}} + \frac{5c \sin(2a+2bx) \cos(2a+2bx)}{24b\sqrt{c \sec(2a+2bx)-c}} + \frac{5\sqrt{c} \tanh^{-1}\left(\frac{\sqrt{c} \tan(a+bx)}{\sqrt{c \sec(2a+2bx)-c}}\right)}{16b}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[2*(a + b*x)]^3*Sqrt[c*Tan[a + b*x]*Tan[2*(a + b*x)]], x]
```

```
[Out] (5*Sqrt[c]*ArcTanh[(Sqrt[c]*Tan[2*a + 2*b*x])/Sqrt[-c + c*Sec[2*a + 2*b*x]]
]/(16*b) - (5*c*Sin[2*a + 2*b*x])/(16*b*Sqrt[-c + c*Sec[2*a + 2*b*x]]) + (
5*c*Cos[2*a + 2*b*x]*Sin[2*a + 2*b*x])/(24*b*Sqrt[-c + c*Sec[2*a + 2*b*x]])
- (c*Cos[2*a + 2*b*x]^2*Sin[2*a + 2*b*x])/(6*b*Sqrt[-c + c*Sec[2*a + 2*b*x]
]])
```

#### Rule 4397

```
Int[u_, x_Symbol] :=> Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]
```

#### Rule 3805

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] :=> Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]
```

#### Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :=> Dist[(-2*b)/d,
Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

#### Rule 207

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :=> -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \cos^3(2(a+bx))\sqrt{c \tan(a+bx) \tan(2(a+bx))} dx &= \int \cos^3(2a+2bx)\sqrt{-c+c \sec(2a+2bx)} dx \\
&= -\frac{c \cos^2(2a+2bx) \sin(2a+2bx)}{6b\sqrt{-c+c \sec(2a+2bx)}} - \frac{5}{6} \int \cos^2(2a+2bx)\sqrt{-c+c \sec(2a+2bx)} dx \\
&= \frac{5c \cos(2a+2bx) \sin(2a+2bx)}{24b\sqrt{-c+c \sec(2a+2bx)}} - \frac{c \cos^2(2a+2bx) \sin(2a+2bx)}{6b\sqrt{-c+c \sec(2a+2bx)}} \\
&= -\frac{5c \sin(2a+2bx)}{16b\sqrt{-c+c \sec(2a+2bx)}} + \frac{5c \cos(2a+2bx) \sin(2a+2bx)}{24b\sqrt{-c+c \sec(2a+2bx)}} - \frac{c}{2b} \int \cos(2a+2bx)\sqrt{-c+c \sec(2a+2bx)} dx \\
&= -\frac{5c \sin(2a+2bx)}{16b\sqrt{-c+c \sec(2a+2bx)}} + \frac{5c \cos(2a+2bx) \sin(2a+2bx)}{24b\sqrt{-c+c \sec(2a+2bx)}} - \frac{c}{2b} \int \cos(2a+2bx)\sqrt{-c+c \sec(2a+2bx)} dx \\
&= \frac{5\sqrt{c} \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}}\right)}{16b} - \frac{5c \sin(2a+2bx)}{16b\sqrt{-c+c \sec(2a+2bx)}} + \frac{5c}{2b} \int \cos(2a+2bx)\sqrt{-c+c \sec(2a+2bx)} dx
\end{aligned}$$

**Mathematica [A]** time = 0.306241, size = 116, normalized size = 0.66

$$\frac{\sqrt{c \tan(a+bx) \tan(2(a+bx))} (30 \sin(2(a+bx)) - 2 \sin(4(a+bx)) + 4 \sin(6(a+bx)) - 26 \cot(a+bx) + 15\sqrt{2}\sqrt{\cos(2(a+bx))})}{96b}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[2\*(a + b\*x)]^3\*Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)]], x]

[Out] ((-26\*Cot[a + b\*x] + 15\*Sqrt[2]\*ArcTanh[(Sqrt[2]\*Cos[a + b\*x])/Sqrt[Cos[2\*(a + b\*x)]]]\*Sqrt[Cos[2\*(a + b\*x)]]\*Csc[a + b\*x] + 30\*Sin[2\*(a + b\*x)] - 2\*Sin[4\*(a + b\*x)] + 4\*Sin[6\*(a + b\*x)])\*Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)]]/(96\*b)

**Maple [B]** time = 0.413, size = 921, normalized size = 5.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(2\*b\*x+2\*a)^3\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2), x)

[Out] 1/2/b\*4^(1/2)\*(c\*(1-cos(b\*x+a)^2)/(2\*cos(b\*x+a)^2-1))^(1/2)\*sin(b\*x+a)\*((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)\*arctanh(1/2\*2^(1/2)\*cos(b\*x+a)\*4^(1/2)\*(-1+cos(b\*x+a))/sin(b\*x+a)^2/((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2))/(-1+cos(b\*x+a))-3/8\*2^(1/2)/b\*4^(1/2)\*(c\*sin(b\*x+a)^2/(2\*cos(b\*x+a)^2-1))^(1/2)\*sin(b\*x+a)\*(2^(1/2)\*cos(b\*x+a)\*((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)\*arctanh(1/2\*2^(1/2)\*cos(b\*x+a)\*4^(1/2)\*(-1+cos(b\*x+a))/sin(b\*x+a)^2/((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2))+2^(1/2)\*((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)\*arctanh(1/2\*2^(1/2)\*cos(b\*x+a)\*4^(1/2)\*(-1+cos(b\*x+a))/sin(b\*x+a)^2/((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2))-4\*cos(b\*x+a)^3+2\*cos(b\*x+a))/(-1+cos(b\*x+a)^2)+3/32\*2^(1/2)/b\*4^(1/2)\*(c\*sin(b\*x+a)^2/(2\*cos(b\*x+a)^2-1))^(1/2)\*sin(b\*x+a)\*(-16\*cos(b\*x+a)^5+3\*2^(1/2)\*cos(b\*x+a)\*((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)\*arctanh(1/2\*2^(1/2)\*cos(b\*x+a)\*4^(1/2)\*(-1+cos(b\*x+a))/sin(b\*x+a)^2/((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2))+3\*2^(1/2)\*((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)\*arctanh(1/2\*2^(1/2)\*cos(b\*x+a)\*4^(1/2)\*(-1+cos(b\*x+a))/sin(b\*x+a)^2/((2\*cos(b\*x+a)^2-1)/(co

$$\frac{\sin(b*x+a)+1}{2}^{\frac{1}{2}} - 4*\cos(b*x+a)^3 + 6*\cos(b*x+a) / (-1 + \cos(b*x+a)^2) - 1/192 * 2^{\frac{1}{2}} / b * 4^{\frac{1}{2}} * (c*\sin(b*x+a)^2 / (2*\cos(b*x+a)^2 - 1))^{\frac{1}{2}} * \sin(b*x+a) * (-12 * 8*\cos(b*x+a)^7 - 16*\cos(b*x+a)^5 + 15*2^{\frac{1}{2}}*\cos(b*x+a) * ((2*\cos(b*x+a)^2 - 1) / (\cos(b*x+a)+1)^2)^{\frac{1}{2}} * \operatorname{arctanh}(1/2*2^{\frac{1}{2}}*\cos(b*x+a)*4^{\frac{1}{2}}*(-1 + \cos(b*x+a)) / \sin(b*x+a)^2 / ((2*\cos(b*x+a)^2 - 1) / (\cos(b*x+a)+1)^2)^{\frac{1}{2}} + 15*2^{\frac{1}{2}} * ((2*\cos(b*x+a)^2 - 1) / (\cos(b*x+a)+1)^2)^{\frac{1}{2}} * \operatorname{arctanh}(1/2*2^{\frac{1}{2}}*\cos(b*x+a)*4^{\frac{1}{2}}*(-1 + \cos(b*x+a)) / \sin(b*x+a)^2 / ((2*\cos(b*x+a)^2 - 1) / (\cos(b*x+a)+1)^2)^{\frac{1}{2}}) - 20*\cos(b*x+a)^3 + 30*\cos(b*x+a) / (-1 + \cos(b*x+a)^2)$$

**Maxima [B]** time = 3.38579, size = 3150, normalized size = 17.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*b\*x+2\*a)^3\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2),x, algorithm="maxima")

[Out] 
$$\begin{aligned} & -1/384*(8*(\cos(2/3*\arctan2(\sin(6*b*x + 6*a), \cos(6*b*x + 6*a)))^2 + \sin(2/3 * \\ & * \arctan2(\sin(6*b*x + 6*a), \cos(6*b*x + 6*a)))^2 + 2*\cos(2/3*\arctan2(\sin(6*b * \\ & *x + 6*a), \cos(6*b*x + 6*a))) + 1)^{3/4}*(\cos(3/2*\arctan2(\sin(2/3*\arctan2(s \\ & \sin(6*b*x + 6*a), \cos(6*b*x + 6*a))), -\cos(2/3*\arctan2(\sin(6*b*x + 6*a), \cos \\ & (6*b*x + 6*a))) - 1))*\sin(6*b*x + 6*a) + (\cos(6*b*x + 6*a) + 1)*\sin(3/2*\ar \\ & \tan2(\sin(2/3*\arctan2(\sin(6*b*x + 6*a), \cos(6*b*x + 6*a))), -\cos(2/3*\arctan2 \\ & (\sin(6*b*x + 6*a), \cos(6*b*x + 6*a))) - 1))*\sqrt{c} + 12*(\cos(2/3*\arctan2( \\ & \sin(6*b*x + 6*a), \cos(6*b*x + 6*a)))^2 + \sin(2/3*\arctan2(\sin(6*b*x + 6*a), \\ & \cos(6*b*x + 6*a)))^2 + 2*\cos(2/3*\arctan2(\sin(6*b*x + 6*a), \cos(6*b*x + 6*a) \\ & )) + 1)^{1/4}*((\sin(2/3*\arctan2(\sin(6*b*x + 6*a), \cos(6*b*x + 6*a))) - 5*\sin \\ & (1/3*\arctan2(\sin(6*b*x + 6*a), \cos(6*b*x + 6*a))))*\cos(1/2*\arctan2(\sin(2/3 \\ & * \arctan2(\sin(6*b*x + 6*a), \cos(6*b*x + 6*a))), -\cos(2/3*\arctan2(\sin(6*b*x + \\ & 6*a), \cos(6*b*x + 6*a))) - 1)) + (\cos(2/3*\arctan2(\sin(6*b*x + 6*a), \cos(6* \\ & b*x + 6*a))) - 3*\cos(1/3*\arctan2(\sin(6*b*x + 6*a), \cos(6*b*x + 6*a))) - 4)* \\ & \sin(1/2*\arctan2(\sin(2/3*\arctan2(\sin(6*b*x + 6*a), \cos(6*b*x + 6*a))), -\cos( \\ & 2/3*\arctan2(\sin(6*b*x + 6*a), \cos(6*b*x + 6*a))) - 1))*\sqrt{c} + 15*\sqrt{c} \\ & )*(\log(\sqrt{\cos(2/3*\arctan2(\sin(6*b*x + 6*a), \cos(6*b*x + 6*a)))^2 + \sin(2/ \\ & 3*\arctan2(\sin(6*b*x + 6*a), \cos(6*b*x + 6*a)))^2 + 2*\cos(2/3*\arctan2(\sin(6* \\ & b*x + 6*a), \cos(6*b*x + 6*a))) + 1)*\cos(1/2*\arctan2(\sin(2/3*\arctan2(\sin(6*b \\ & *x + 6*a), \cos(6*b*x + 6*a))), -\cos(2/3*\arctan2(\sin(6*b*x + 6*a), \cos(6*b*x \\ & + 6*a))) - 1))^2 + \sqrt{\cos(2/3*\arctan2(\sin(6*b*x + 6*a), \cos(6*b*x + 6*a) \\ & ))^2 + \sin(2/3*\arctan2(\sin(6*b*x + 6*a), \cos(6*b*x + 6*a)))^2 + 2*\cos(2/3*a \\ & rctan2(\sin(6*b*x + 6*a), \cos(6*b*x + 6*a))) + 1)*\sin(1/2*\arctan2(\sin(2/3*ar \\ & ctan2(\sin(6*b*x + 6*a), \cos(6*b*x + 6*a))), -\cos(2/3*\arctan2(\sin(6*b*x + 6* \\ & a), \cos(6*b*x + 6*a))) - 1))^2 + 2*(\cos(2/3*\arctan2(\sin(6*b*x + 6*a), \cos(6 \\ & *b*x + 6*a)))^2 + \sin(2/3*\arctan2(\sin(6*b*x + 6*a), \cos(6*b*x + 6*a)))^2 + \\ & 2*\cos(2/3*\arctan2(\sin(6*b*x + 6*a), \cos(6*b*x + 6*a))) + 1)^{1/4}*\sin(1/2*a \\ & rctan2(\sin(2/3*\arctan2(\sin(6*b*x + 6*a), \cos(6*b*x + 6*a))), -\cos(2/3*arcta \\ & n2(\sin(6*b*x + 6*a), \cos(6*b*x + 6*a))) - 1)) + 1) - \log(\sqrt{\cos(2/3*arcta \\ & n2(\sin(6*b*x + 6*a), \cos(6*b*x + 6*a)))^2 + \sin(2/3*\arctan2(\sin(6*b*x + 6*a) \\ & ), \cos(6*b*x + 6*a)))^2 + 2*\cos(2/3*\arctan2(\sin(6*b*x + 6*a), \cos(6*b*x + 6 \\ & *a))) + 1)*\cos(1/2*\arctan2(\sin(2/3*\arctan2(\sin(6*b*x + 6*a), \cos(6*b*x + 6* \\ & a))), -\cos(2/3*\arctan2(\sin(6*b*x + 6*a), \cos(6*b*x + 6*a))) - 1))^2 + \sqrt{ \\ & \cos(2/3*\arctan2(\sin(6*b*x + 6*a), \cos(6*b*x + 6*a)))^2 + \sin(2/3*\arctan2(si \\ & n(6*b*x + 6*a), \cos(6*b*x + 6*a)))^2 + 2*\cos(2/3*\arctan2(\sin(6*b*x + 6*a), \\ & \cos(6*b*x + 6*a))) + 1)*\sin(1/2*\arctan2(\sin(2/3*\arctan2(\sin(6*b*x + 6*a), c \\ & \os(6*b*x + 6*a))), -\cos(2/3*\arctan2(\sin(6*b*x + 6*a), \cos(6*b*x + 6*a))) - \\ & 1))^2 - 2*(\cos(2/3*\arctan2(\sin(6*b*x + 6*a), \cos(6*b*x + 6*a)))^2 + \sin(2/3 \\ & * \arctan2(\sin(6*b*x + 6*a), \cos(6*b*x + 6*a)))^2 + 2*\cos(2/3*\arctan2(\sin(6*b \end{aligned}$$

```

*x + 6*a), cos(6*b*x + 6*a))) + 1)^(1/4)*sin(1/2*arctan2(sin(2/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a)), -cos(2/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a)))) - 1)) + 1) + log(((cos(1/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a))))^2 + sin(1/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a))))^2*cos(1/2*arctan2(sin(2/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a))), -cos(2/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a)))) - 1))^2 + (cos(1/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a))))^2 + sin(1/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a))))^2)*sin(1/2*arctan2(sin(2/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a))), -cos(2/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a)))) - 1))^2)*sqrt(cos(2/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a))))^2 + sin(2/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a))))^2 + 2*cos(2/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a)))) + 1) + 2*(cos(2/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a))))^2 + sin(2/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a))))^2 + 2*cos(2/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a)))) + 1)^(1/4)*(cos(1/2*arctan2(sin(2/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a))), -cos(2/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a)))) - 1))*sin(1/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a)))) + cos(1/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a))))*sin(1/2*arctan2(sin(2/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a))), -cos(2/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a)))) - 1))) + 1) - log(((cos(1/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a))))^2 + sin(1/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a))))^2*cos(1/2*arctan2(sin(2/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a))), -cos(2/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a)))) - 1))^2 + (cos(1/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a))))^2 + sin(1/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a))))^2)*sin(1/2*arctan2(sin(2/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a))), -cos(2/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a)))) - 1))^2)*sqrt(cos(2/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a))))^2 + sin(2/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a))))^2 + 2*cos(2/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a)))) + 1) - 2*(cos(2/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a))))^2 + sin(2/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a))))^2 + 2*cos(2/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a)))) + 1)^(1/4)*(cos(1/2*arctan2(sin(2/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a))), -cos(2/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a)))) - 1))*sin(1/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a)))) + cos(1/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a))))*sin(1/2*arctan2(sin(2/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a))), -cos(2/3*arctan2(sin(6*b*x + 6*a), cos(6*b*x + 6*a)))) - 1))) + 1))))/b

```

---

**Fricas [A]** time = 2.50927, size = 1260, normalized size = 7.16

$$\frac{15 \left( \tan(bx+a)^7 + 3 \tan(bx+a)^5 + 3 \tan(bx+a)^3 + \tan(bx+a) \right) \sqrt{c} \log \left( \frac{c \tan(bx+a)^5 - 14c \tan(bx+a)^3 + 4\sqrt{2}(\tan(bx+a)^4 - 4 \tan(bx+a)^2 + 3) \sqrt{c} + 17c \tan(bx+a)}{\tan(bx+a)^5 + 2 \tan(bx+a)^3 + \tan(bx+a)} \right)}{192 \left( b \tan(bx+a)^7 + 3b \tan(bx+a)^5 + 3b \tan(bx+a)^3 + b \tan(bx+a) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(2*b*x+2*a)^3*(c*tan(b*x+a)*tan(2*b*x+2*a))^(1/2),x, algorithm="fricas")

```

```

[Out] [1/192*(15*(tan(b*x + a)^7 + 3*tan(b*x + a)^5 + 3*tan(b*x + a)^3 + tan(b*x + a))*sqrt(c)*log(-(c*tan(b*x + a)^5 - 14*c*tan(b*x + a)^3 + 4*sqrt(2)*(tan(b*x + a)^4 - 4*tan(b*x + a)^2 + 3)*sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1))*sqrt(c) + 17*c*tan(b*x + a))/(tan(b*x + a)^5 + 2*tan(b*x + a)^3 + tan(b*x + a))) + 4*sqrt(2)*(33*tan(b*x + a)^6 - 19*tan(b*x + a)^4 - tan(b*x +

```



```
a)^2 - 13)*sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1)))/(b*tan(b*x + a)^7
+ 3*b*tan(b*x + a)^5 + 3*b*tan(b*x + a)^3 + b*tan(b*x + a)), -1/96*(15*(tan
(b*x + a)^7 + 3*tan(b*x + a)^5 + 3*tan(b*x + a)^3 + tan(b*x + a))*sqrt(-c)*
arctan(2*sqrt(2)*sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1))*(tan(b*x + a)
^2 - 1)*sqrt(-c)/(c*tan(b*x + a)^3 - 3*c*tan(b*x + a))) - 2*sqrt(2)*(33*tan
(b*x + a)^6 - 19*tan(b*x + a)^4 - tan(b*x + a)^2 - 13)*sqrt(-c*tan(b*x + a)
^2/(tan(b*x + a)^2 - 1)))/(b*tan(b*x + a)^7 + 3*b*tan(b*x + a)^5 + 3*b*tan(
b*x + a)^3 + b*tan(b*x + a))]
```

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(2*b*x+2*a)**3*(c*tan(b*x+a)*tan(2*b*x+2*a))**(1/2),x)
```

```
[Out] Timed out
```

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(2*b*x+2*a)^3*(c*tan(b*x+a)*tan(2*b*x+2*a))^(1/2),x, algorithm
="giac")
```

```
[Out] Timed out
```

### 3.611 $\int \sec^4(2(a+bx))(c \tan(a+bx) \tan(2(a+bx)))^{3/2} dx$

**Optimal.** Leaf size=208

$$\frac{c^2 \tan(2a + 2bx) \sec^4(2a + 2bx)}{9b\sqrt{c \sec(2a + 2bx) - c}} - \frac{17c^2 \tan(2a + 2bx) \sec^3(2a + 2bx)}{63b\sqrt{c \sec(2a + 2bx) - c}} + \frac{34c^2 \tan(2a + 2bx)}{45b\sqrt{c \sec(2a + 2bx) - c}} + \frac{34 \tan(2a + 2bx)(c \sec(2a + 2bx))^{3/2}}{105b}$$

[Out] (34\*c^2\*Tan[2\*a + 2\*b\*x])/(45\*b\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]]) - (17\*c^2\*Sec[2\*a + 2\*b\*x]^3\*Tan[2\*a + 2\*b\*x])/(63\*b\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]]) + (c^2\*Sec[2\*a + 2\*b\*x]^4\*Tan[2\*a + 2\*b\*x])/(9\*b\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]]) + (68\*c\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]]\*Tan[2\*a + 2\*b\*x])/(315\*b) + (34\*(-c + c\*Sec[2\*a + 2\*b\*x])^(3/2)\*Tan[2\*a + 2\*b\*x])/(105\*b)

**Rubi [A]** time = 0.527679, antiderivative size = 208, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {4397, 3814, 21, 3803, 3800, 4001, 3792}

$$\frac{c^2 \tan(2a + 2bx) \sec^4(2a + 2bx)}{9b\sqrt{c \sec(2a + 2bx) - c}} - \frac{17c^2 \tan(2a + 2bx) \sec^3(2a + 2bx)}{63b\sqrt{c \sec(2a + 2bx) - c}} + \frac{34c^2 \tan(2a + 2bx)}{45b\sqrt{c \sec(2a + 2bx) - c}} + \frac{34 \tan(2a + 2bx)(c \sec(2a + 2bx))^{3/2}}{105b}$$

Antiderivative was successfully verified.

[In] Int[Sec[2\*(a + b\*x)]^4\*(c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)])^(3/2), x]

[Out] (34\*c^2\*Tan[2\*a + 2\*b\*x])/(45\*b\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]]) - (17\*c^2\*Sec[2\*a + 2\*b\*x]^3\*Tan[2\*a + 2\*b\*x])/(63\*b\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]]) + (c^2\*Sec[2\*a + 2\*b\*x]^4\*Tan[2\*a + 2\*b\*x])/(9\*b\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]]) + (68\*c\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]]\*Tan[2\*a + 2\*b\*x])/(315\*b) + (34\*(-c + c\*Sec[2\*a + 2\*b\*x])^(3/2)\*Tan[2\*a + 2\*b\*x])/(105\*b)

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 3814

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^n\_\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.))^m\_], x\_Symbol] := -Simp[(b^2\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m - 2))\*(d\*Csc[e + f\*x])^n]/(f\*(m + n - 1)), x] + Dist[b/(m + n - 1), Int[(a + b\*Csc[e + f\*x])^(m - 2)\*(d\*Csc[e + f\*x])^n\*(b\*(m + 2\*n - 1) + a\*(3\*m + 2\*n - 4)\*Csc[e + f\*x]), x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && GtQ[m, 1] && NeQ[m + n - 1, 0] && IntegerQ[2\*m]

#### Rule 21

Int[(u\_.)\*((a\_.) + (b\_.)\*(v\_))^(m\_.)\*((c\_.) + (d\_.)\*(v\_))^(n\_.), x\_Symbol] := Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x, a + b\*x])

#### Rule 3803

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^n\_\*Sqrt[csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)], x\_Symbol] := Simp[(-2\*b\*d\*Cot[e + f\*x]\*(d\*Csc[e + f\*x])^(n - 1))/(f\*(2\*n - 1)\*Sqrt[a + b\*Csc[e + f\*x]]), x] + Dist[(2\*a\*d\*(n - 1))/(b\*(2\*n - 1)), Int[Sqrt[a + b\*Csc[e + f\*x]]\*(d\*Csc[e + f\*x])^(n - 1), x], x] /; Free

Q[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2\*m]

### Rule 3800

Int[csc[(e\_.) + (f\_.)\*(x\_)]^3\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.))^(m\_), x\_Symbol] :> -Simp[(Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[Csc[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(b\*(m + 1) - a\*Csc[e + f\*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

### Rule 4001

Int[csc[(e\_.) + (f\_.)\*(x\_)]\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.))^(m\_)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(B\_.) + (A\_.)), x\_Symbol] :> -Simp[(B\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(a\*B\*m + A\*b\*(m + 1))/(b\*(m + 1)), Int[Csc[e + f\*x]\*(a + b\*Csc[e + f\*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A\*b - a\*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a\*B\*m + A\*b\*(m + 1), 0] && !LtQ[m, -2^(-1)]

### Rule 3792

Int[csc[(e\_.) + (f\_.)\*(x\_)]\*Sqrt[csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)], x\_Symbol] :> Simp[(-2\*b\*Cot[e + f\*x])/(f\*Sqrt[a + b\*Csc[e + f\*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

### Rubi steps

$$\begin{aligned} \int \sec^4(2(a + bx))(c \tan(a + bx) \tan(2(a + bx)))^{3/2} dx &= \int \sec^4(2a + 2bx)(-c + c \sec(2a + 2bx))^{3/2} dx \\ &= \frac{c^2 \sec^4(2a + 2bx) \tan(2a + 2bx)}{9b\sqrt{-c + c \sec(2a + 2bx)}} + \frac{1}{9}(2c) \int \frac{\sec^4(2a + 2bx)}{\sqrt{-c + c \sec(2a + 2bx)}} dx \\ &= \frac{c^2 \sec^4(2a + 2bx) \tan(2a + 2bx)}{9b\sqrt{-c + c \sec(2a + 2bx)}} - \frac{1}{9}(17c) \int \sec^4(2a + 2bx) dx \\ &= -\frac{17c^2 \sec^3(2a + 2bx) \tan(2a + 2bx)}{63b\sqrt{-c + c \sec(2a + 2bx)}} + \frac{c^2 \sec^4(2a + 2bx) \tan(2a + 2bx)}{9b\sqrt{-c + c \sec(2a + 2bx)}} \\ &= -\frac{17c^2 \sec^3(2a + 2bx) \tan(2a + 2bx)}{63b\sqrt{-c + c \sec(2a + 2bx)}} + \frac{c^2 \sec^4(2a + 2bx) \tan(2a + 2bx)}{9b\sqrt{-c + c \sec(2a + 2bx)}} \\ &= -\frac{17c^2 \sec^3(2a + 2bx) \tan(2a + 2bx)}{63b\sqrt{-c + c \sec(2a + 2bx)}} + \frac{c^2 \sec^4(2a + 2bx) \tan(2a + 2bx)}{9b\sqrt{-c + c \sec(2a + 2bx)}} \\ &= \frac{34c^2 \tan(2a + 2bx)}{45b\sqrt{-c + c \sec(2a + 2bx)}} - \frac{17c^2 \sec^3(2a + 2bx) \tan(2a + 2bx)}{63b\sqrt{-c + c \sec(2a + 2bx)}} \end{aligned}$$

**Mathematica [A]** time = 0.367165, size = 85, normalized size = 0.41

$$\frac{\cot(a + bx)(c \tan(a + bx) \tan(2(a + bx)))^{3/2} (188 \cot(a + bx) \cot(2(a + bx)) + 35 \sec^3(2(a + bx)) - 50 \sec^2(2(a + bx)))}{315b}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[2\*(a + b\*x)]^4\*(c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)])^(3/2), x]

[Out] (Cot[a + b\*x]\*(-84 + 188\*Cot[a + b\*x]\*Cot[2\*(a + b\*x)] + 52\*Sec[2\*(a + b\*x)] - 50\*Sec[2\*(a + b\*x)]^2 + 35\*Sec[2\*(a + b\*x)]^3)\*(c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)])^(3/2)

+ b\*x]))^(3/2))/(315\*b)

**Maple [A]** time = 0.519, size = 105, normalized size = 0.5

$$\frac{2\sqrt{2}\left(2176(\cos(bx+a))^8 - 4896(\cos(bx+a))^6 + 4284(\cos(bx+a))^4 - 1785(\cos(bx+a))^2 + 315\right)\cos(bx+a)}{315b\left(2(\cos(bx+a))^2 - 1\right)^3(\sin(bx+a))^3} \left(\frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(2\*b\*x+2\*a)^4\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2),x)

[Out] 2/315\*2^(1/2)/b\*(2176\*cos(b\*x+a)^8-4896\*cos(b\*x+a)^6+4284\*cos(b\*x+a)^4-1785\*cos(b\*x+a)^2+315)\*cos(b\*x+a)\*(c\*sin(b\*x+a)^2/(2\*cos(b\*x+a)^2-1))^(3/2)/(2\*cos(b\*x+a)^2-1)^3/sin(b\*x+a)^3

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2\*b\*x+2\*a)^4\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2),x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 2.06705, size = 348, normalized size = 1.67

$$\frac{2\sqrt{2}\left(315c\tan(bx+a)^8 - 525c\tan(bx+a)^6 + 819c\tan(bx+a)^4 - 423c\tan(bx+a)^2 + 94c\right)\sqrt{-\frac{c\tan(bx+a)^2}{\tan(bx+a)^2-1}}}{315\left(b\tan(bx+a)^9 - 4b\tan(bx+a)^7 + 6b\tan(bx+a)^5 - 4b\tan(bx+a)^3 + b\tan(bx+a)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2\*b\*x+2\*a)^4\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2),x, algorithm="fricas")

[Out] 2/315\*sqrt(2)\*(315\*c\*tan(b\*x + a)^8 - 525\*c\*tan(b\*x + a)^6 + 819\*c\*tan(b\*x + a)^4 - 423\*c\*tan(b\*x + a)^2 + 94\*c)\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))/(b\*tan(b\*x + a)^9 - 4\*b\*tan(b\*x + a)^7 + 6\*b\*tan(b\*x + a)^5 - 4\*b\*tan(b\*x + a)^3 + b\*tan(b\*x + a))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(2*b*x+2*a)**4*(c*tan(b*x+a)*tan(2*b*x+2*a))**(3/2),x)
```

```
[Out] Timed out
```

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(2*b*x+2*a)^4*(c*tan(b*x+a)*tan(2*b*x+2*a))^(3/2),x, algorithm="giac")
```

```
[Out] Timed out
```

### 3.612 $\int \sec^3(2(a+bx))(c \tan(a+bx) \tan(2(a+bx)))^{3/2} dx$

**Optimal.** Leaf size=148

$$-\frac{76c^2 \tan(2a + 2bx)}{105b\sqrt{c \sec(2a + 2bx) - c}} + \frac{\tan(2a + 2bx)(c \sec(2a + 2bx) - c)^{5/2}}{7bc} + \frac{2 \tan(2a + 2bx)(c \sec(2a + 2bx) - c)^{3/2}}{35b} + \frac{19c \tan(2a + 2bx)}{7b^2c}$$

[Out]  $(-76*c^2*\text{Tan}[2*a + 2*b*x])/(105*b*\text{Sqrt}[-c + c*\text{Sec}[2*a + 2*b*x]]) + (19*c*\text{Sqrt}[-c + c*\text{Sec}[2*a + 2*b*x]]*\text{Tan}[2*a + 2*b*x])/(105*b) + (2*(-c + c*\text{Sec}[2*a + 2*b*x])^{3/2}*\text{Tan}[2*a + 2*b*x])/(35*b) + ((-c + c*\text{Sec}[2*a + 2*b*x])^{5/2}*\text{Tan}[2*a + 2*b*x])/(7*b*c)$

**Rubi [A]** time = 0.347543, antiderivative size = 148, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {4397, 3800, 4001, 3793, 3792}

$$-\frac{76c^2 \tan(2a + 2bx)}{105b\sqrt{c \sec(2a + 2bx) - c}} + \frac{\tan(2a + 2bx)(c \sec(2a + 2bx) - c)^{5/2}}{7bc} + \frac{2 \tan(2a + 2bx)(c \sec(2a + 2bx) - c)^{3/2}}{35b} + \frac{19c \tan(2a + 2bx)}{7b^2c}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sec}[2*(a + b*x)]^3*(c*\text{Tan}[a + b*x]*\text{Tan}[2*(a + b*x)])^{3/2}, x]$

[Out]  $(-76*c^2*\text{Tan}[2*a + 2*b*x])/(105*b*\text{Sqrt}[-c + c*\text{Sec}[2*a + 2*b*x]]) + (19*c*\text{Sqrt}[-c + c*\text{Sec}[2*a + 2*b*x]]*\text{Tan}[2*a + 2*b*x])/(105*b) + (2*(-c + c*\text{Sec}[2*a + 2*b*x])^{3/2}*\text{Tan}[2*a + 2*b*x])/(35*b) + ((-c + c*\text{Sec}[2*a + 2*b*x])^{5/2}*\text{Tan}[2*a + 2*b*x])/(7*b*c)$

#### Rule 4397

$\text{Int}[u_, x\_Symbol] \rightarrow \text{Int}[\text{TrigSimplify}[u], x] /; \text{TrigSimplifyQ}[u]$

#### Rule 3800

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_)]^3*(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^{(m_)}, x\_Symbol] \rightarrow -\text{Simp}[(\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m + 1)})/(b*f*(m + 2)), x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m*(b*(m + 1) - a*\text{Csc}[e + f*x])}, x], x] /; \text{FreeQ}[\{a, b, e, f, m\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{LtQ}[m, -2^{(-1)}]$

#### Rule 4001

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_)]*(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^{(m_)}*(\text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x\_Symbol] \rightarrow -\text{Simp}[(B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(a*B*m + A*b*(m + 1))/(b*(m + 1)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m, x], x] /; \text{FreeQ}[\{a, b, A, B, e, f, m\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[a*B*m + A*b*(m + 1), 0] \&\& !\text{LtQ}[m, -2^{(-1)}]$

#### Rule 3793

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_)]*(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^{(m_)}, x\_Symbol] \rightarrow -\text{Simp}[(b*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m - 1)})/(f*m), x] + \text{Dist}[(a*(2*m - 1))/m, \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m - 1)}, x], x] /; \text{FreeQ}[\{a, b, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& \text{IntegerQ}[2*m]$

Rule 3792

Int[csc[(e\_.) + (f\_.)\*(x\_.)]\*Sqrt[csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)], x\_Symbol] :> Simp[(-2\*b\*Cot[e + f\*x])/(f\*Sqrt[a + b\*Csc[e + f\*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \sec^3(2(a + bx))(c \tan(a + bx) \tan(2(a + bx)))^{3/2} dx &= \int \sec^3(2a + 2bx)(-c + c \sec(2a + 2bx))^{3/2} dx \\ &= \frac{(-c + c \sec(2a + 2bx))^{5/2} \tan(2a + 2bx)}{7bc} + \frac{2 \int \sec(2a + 2bx)}{7bc} \\ &= \frac{2(-c + c \sec(2a + 2bx))^{3/2} \tan(2a + 2bx)}{35b} + \frac{(-c + c \sec(2a + 2bx))^{3/2}}{35b} \\ &= \frac{19c\sqrt{-c + c \sec(2a + 2bx)} \tan(2a + 2bx)}{105b} + \frac{2(-c + c \sec(2a + 2bx))^{3/2}}{105b} \\ &= -\frac{76c^2 \tan(2a + 2bx)}{105b\sqrt{-c + c \sec(2a + 2bx)}} + \frac{19c\sqrt{-c + c \sec(2a + 2bx)} \tan(2a + 2bx)}{105b} \end{aligned}$$

**Mathematica [A]** time = 0.220233, size = 73, normalized size = 0.49

$$\frac{\cot(a + bx)(c \tan(a + bx) \tan(2(a + bx)))^{3/2} (76 \cot(a + bx) \cot(2(a + bx)) - 15 \sec^2(2(a + bx)) + 24 \sec(2(a + bx)))}{105b}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[2\*(a + b\*x)]^3\*(c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)])^(3/2), x]

[Out] -(Cot[a + b\*x]\*(-28 + 76\*Cot[a + b\*x]\*Cot[2\*(a + b\*x)] + 24\*Sec[2\*(a + b\*x)] - 15\*Sec[2\*(a + b\*x)]^2)\*(c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)])^(3/2)/(105\*b)

**Maple [A]** time = 0.398, size = 95, normalized size = 0.6

$$\frac{2\sqrt{2} \left( 416 (\cos(bx + a))^6 - 728 (\cos(bx + a))^4 + 455 (\cos(bx + a))^2 - 105 \right) \cos(bx + a) \left( \frac{c (\sin(bx + a))^2}{2 (\cos(bx + a))^2 - 1} \right)^{3/2}}{105 b \left( 2 (\cos(bx + a))^2 - 1 \right)^2 (\sin(bx + a))^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(2\*b\*x+2\*a)^3\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2), x)

[Out] -2/105\*2^(1/2)/b\*(416\*cos(b\*x+a)^6-728\*cos(b\*x+a)^4+455\*cos(b\*x+a)^2-105)\*cos(b\*x+a)\*(c\*sin(b\*x+a)^2/(2\*cos(b\*x+a)^2-1))^(3/2)/(2\*cos(b\*x+a)^2-1)^2/sin(b\*x+a)^3

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2\*b\*x+2\*a)^3\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2),x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 2.05706, size = 290, normalized size = 1.96

$$\frac{2\sqrt{2}(105c\tan(bx+a)^6 - 140c\tan(bx+a)^4 + 133c\tan(bx+a)^2 - 38c)\sqrt{-\frac{c\tan(bx+a)^2}{\tan(bx+a)^2-1}}}{105(b\tan(bx+a)^7 - 3b\tan(bx+a)^5 + 3b\tan(bx+a)^3 - b\tan(bx+a))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2\*b\*x+2\*a)^3\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2),x, algorithm="fricas")

[Out] -2/105\*sqrt(2)\*(105\*c\*tan(b\*x + a)^6 - 140\*c\*tan(b\*x + a)^4 + 133\*c\*tan(b\*x + a)^2 - 38\*c)\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))/(b\*tan(b\*x + a)^7 - 3\*b\*tan(b\*x + a)^5 + 3\*b\*tan(b\*x + a)^3 - b\*tan(b\*x + a))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2\*b\*x+2\*a)\*\*3\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))\*\*(3/2),x)

[Out] Timed out

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2\*b\*x+2\*a)^3\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2),x, algorithm="giac")

[Out] Timed out



### 3.613 $\int \sec^2(2(a+bx))(c \tan(a+bx) \tan(2(a+bx)))^{3/2} dx$

**Optimal.** Leaf size=110

$$\frac{4c^2 \tan(2a + 2bx)}{5b\sqrt{c \sec(2a + 2bx) - c}} - \frac{c \tan(2a + 2bx)\sqrt{c \sec(2a + 2bx) - c}}{5b} + \frac{\tan(2a + 2bx)(c \sec(2a + 2bx) - c)^{3/2}}{5b}$$

```
[Out] (4*c^2*Tan[2*a + 2*b*x])/(5*b*Sqrt[-c + c*Sec[2*a + 2*b*x]]) - (c*Sqrt[-c +
c*Sec[2*a + 2*b*x]]*Tan[2*a + 2*b*x])/(5*b) + ((-c + c*Sec[2*a + 2*b*x])^(
3/2)*Tan[2*a + 2*b*x])/(5*b)
```

**Rubi [A]** time = 0.268276, antiderivative size = 110, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$ , Rules used = {4397, 3798, 3793, 3792}

$$\frac{4c^2 \tan(2a + 2bx)}{5b\sqrt{c \sec(2a + 2bx) - c}} - \frac{c \tan(2a + 2bx)\sqrt{c \sec(2a + 2bx) - c}}{5b} + \frac{\tan(2a + 2bx)(c \sec(2a + 2bx) - c)^{3/2}}{5b}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[2*(a + b*x)]^2*(c*Tan[a + b*x]*Tan[2*(a + b*x)])^(3/2), x]
```

```
[Out] (4*c^2*Tan[2*a + 2*b*x])/(5*b*Sqrt[-c + c*Sec[2*a + 2*b*x]]) - (c*Sqrt[-c +
c*Sec[2*a + 2*b*x]]*Tan[2*a + 2*b*x])/(5*b) + ((-c + c*Sec[2*a + 2*b*x])^(
3/2)*Tan[2*a + 2*b*x])/(5*b)
```

#### Rule 4397

```
Int[u_, x_Symbol] :=> Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]
```

#### Rule 3798

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_),
x_Symbol] :=> -Simp[(Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] +
Dist[(a*m)/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /;
FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]
```

#### Rule 3793

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_
Symbol] :=> -Simp[(b*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] +
Dist[(a*(2*m - 1))/m, Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1), x], x]
/; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && IntegerQ[
2*m]
```

#### Rule 3792

```
Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] :=> Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; Free
Q[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

#### Rubi steps

$$\begin{aligned}
\int \sec^2(2(a+bx))(c \tan(a+bx) \tan(2(a+bx)))^{3/2} dx &= \int \sec^2(2a+2bx)(-c+c \sec(2a+2bx))^{3/2} dx \\
&= \frac{(-c+c \sec(2a+2bx))^{3/2} \tan(2a+2bx)}{5b} - \frac{3}{5} \int \sec(2a+2bx)(-c+c \sec(2a+2bx))^{1/2} dx \\
&= -\frac{c\sqrt{-c+c \sec(2a+2bx)} \tan(2a+2bx)}{5b} + \frac{(-c+c \sec(2a+2bx))^{3/2} \tan(2a+2bx)}{5b} \\
&= \frac{4c^2 \tan(2a+2bx)}{5b\sqrt{-c+c \sec(2a+2bx)}} - \frac{c\sqrt{-c+c \sec(2a+2bx)} \tan(2a+2bx)}{5b}
\end{aligned}$$

**Mathematica [A]** time = 0.237816, size = 59, normalized size = 0.54

$$\frac{\cot(a+bx)(c \tan(a+bx) \tan(2(a+bx)))^{3/2}(4 \cot(a+bx) \cot(2(a+bx)) + \sec(2(a+bx)) - 2)}{5b}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[2\*(a + b\*x)]^2\*(c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)])^(3/2), x]

[Out] (Cot[a + b\*x]\*(-2 + 4\*Cot[a + b\*x]\*Cot[2\*(a + b\*x)] + Sec[2\*(a + b\*x)])\*(c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)])^(3/2)/(5\*b)

**Maple [A]** time = 0.34, size = 85, normalized size = 0.8

$$\frac{2\sqrt{2}(12(\cos(bx+a))^4 - 15(\cos(bx+a))^2 + 5)\cos(bx+a)}{5b(2(\cos(bx+a))^2 - 1)(\sin(bx+a))^3} \left( \frac{c(\sin(bx+a))^2}{2(\cos(bx+a))^2 - 1} \right)^{3/2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(2\*b\*x+2\*a)^2\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2), x)

[Out] 2/5\*2^(1/2)/b\*(12\*cos(b\*x+a)^4-15\*cos(b\*x+a)^2+5)\*cos(b\*x+a)\*(c\*sin(b\*x+a)^2/(2\*cos(b\*x+a)^2-1))^(3/2)/(2\*cos(b\*x+a)^2-1)/sin(b\*x+a)^3

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2\*b\*x+2\*a)^2\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2), x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 2.0322, size = 220, normalized size = 2.

$$\frac{2\sqrt{2}(5c \tan(bx+a)^4 - 5c \tan(bx+a)^2 + 2c)\sqrt{-\frac{c \tan(bx+a)^2}{\tan(bx+a)^2 - 1}}}{5(b \tan(bx+a)^5 - 2b \tan(bx+a)^3 + b \tan(bx+a))}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(2*b*x+2*a)^2*(c*tan(b*x+a)*tan(2*b*x+2*a))^(3/2),x, algorithm="fricas")
```

```
[Out] 2/5*sqrt(2)*(5*c*tan(b*x + a)^4 - 5*c*tan(b*x + a)^2 + 2*c)*sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1))/(b*tan(b*x + a)^5 - 2*b*tan(b*x + a)^3 + b*tan(b*x + a))
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(2*b*x+2*a)**2*(c*tan(b*x+a)*tan(2*b*x+2*a))**(3/2),x)
```

```
[Out] Timed out
```

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(2*b*x+2*a)^2*(c*tan(b*x+a)*tan(2*b*x+2*a))^(3/2),x, algorithm="giac")
```

```
[Out] Timed out
```

### 3.614 $\int \sec(2(a+bx))(c \tan(a+bx) \tan(2(a+bx)))^{3/2} dx$

**Optimal.** Leaf size=75

$$\frac{c \tan(2a + 2bx) \sqrt{c \sec(2a + 2bx) - c}}{3b} - \frac{4c^2 \tan(2a + 2bx)}{3b \sqrt{c \sec(2a + 2bx) - c}}$$

[Out]  $(-4*c^2*\text{Tan}[2*a + 2*b*x])/(3*b*\text{Sqrt}[-c + c*\text{Sec}[2*a + 2*b*x]]) + (c*\text{Sqrt}[-c + c*\text{Sec}[2*a + 2*b*x]]*\text{Tan}[2*a + 2*b*x])/(3*b)$

**Rubi [A]** time = 0.109576, antiderivative size = 75, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {4397, 3793, 3792}

$$\frac{c \tan(2a + 2bx) \sqrt{c \sec(2a + 2bx) - c}}{3b} - \frac{4c^2 \tan(2a + 2bx)}{3b \sqrt{c \sec(2a + 2bx) - c}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sec}[2*(a + b*x)]*(c*\text{Tan}[a + b*x]*\text{Tan}[2*(a + b*x)])^{3/2}, x]$

[Out]  $(-4*c^2*\text{Tan}[2*a + 2*b*x])/(3*b*\text{Sqrt}[-c + c*\text{Sec}[2*a + 2*b*x]]) + (c*\text{Sqrt}[-c + c*\text{Sec}[2*a + 2*b*x]]*\text{Tan}[2*a + 2*b*x])/(3*b)$

#### Rule 4397

$\text{Int}[u_, x\_Symbol] \rightarrow \text{Int}[\text{TrigSimplify}[u], x] /; \text{TrigSimplifyQ}[u]$

#### Rule 3793

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}, x\_Symbol] \rightarrow -\text{Simp}[(b*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m-1)})/(f*m), x] + \text{Dist}[(a*(2*m-1))/m, \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m-1)}, x], x] /; \text{FreeQ}\{a, b, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& \text{IntegerQ}[2*m]$

#### Rule 3792

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x\_Symbol] \rightarrow \text{Simp}[(-2*b*\text{Cot}[e + f*x])/(f*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] /; \text{FreeQ}\{a, b, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0]$

#### Rubi steps

$$\begin{aligned} \int \sec(2(a+bx))(c \tan(a+bx) \tan(2(a+bx)))^{3/2} dx &= \int \sec(2a+2bx)(-c+c \sec(2a+2bx))^{3/2} dx \\ &= \frac{c\sqrt{-c+c \sec(2a+2bx)} \tan(2a+2bx)}{3b} - \frac{1}{3}(4c) \int \sec(2a+2bx) \sqrt{-c+c \sec(2a+2bx)} dx \\ &= -\frac{4c^2 \tan(2a+2bx)}{3b\sqrt{-c+c \sec(2a+2bx)}} + \frac{c\sqrt{-c+c \sec(2a+2bx)} \tan(2a+2bx)}{3b} \end{aligned}$$

**Mathematica [A]** time = 0.16986, size = 51, normalized size = 0.68

$$\frac{\cot(a+bx)(4 \cot(a+bx) \cot(2(a+bx)) - 1)(c \tan(a+bx) \tan(2(a+bx)))^{3/2}}{3b}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[2\*(a + b\*x)]\*(c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)])^(3/2),x]

[Out]  $-(\text{Cot}[a + b*x]*(-1 + 4*\text{Cot}[a + b*x]*\text{Cot}[2*(a + b*x)])*(c*\text{Tan}[a + b*x]*\text{Tan}[2*(a + b*x)])^(3/2))/(3*b)$

**Maple [A]** time = 0.429, size = 61, normalized size = 0.8

$$-\frac{2\sqrt{2}\left(5(\cos(bx+a))^2-3\right)\cos(bx+a)\left(\frac{c(\sin(bx+a))^2}{2(\cos(bx+a))^2-1}\right)^{\frac{3}{2}}}{3b(\sin(bx+a))^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(2\*b\*x+2\*a)\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2),x)

[Out]  $-2/3*2^{(1/2)}/b*(5*\cos(b*x+a)^2-3)*\cos(b*x+a)*(c*\sin(b*x+a)^2/(2*\cos(b*x+a)^2-1))^{(3/2)}/\sin(b*x+a)^3$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2\*b\*x+2\*a)\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2),x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 1.99335, size = 165, normalized size = 2.2

$$-\frac{2\sqrt{2}\left(3c\tan(bx+a)^2-2c\right)\sqrt{\frac{c\tan(bx+a)^2}{\tan(bx+a)^2-1}}}{3\left(b\tan(bx+a)^3-b\tan(bx+a)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2\*b\*x+2\*a)\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2),x, algorithm="fricas")

[Out]  $-2/3*\text{sqrt}(2)*(3*c*\tan(b*x + a)^2 - 2*c)*\text{sqrt}(-c*\tan(b*x + a)^2/(\tan(b*x + a)^2 - 1))/(b*\tan(b*x + a)^3 - b*\tan(b*x + a))$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(2*b*x+2*a)*(c*tan(b*x+a)*tan(2*b*x+2*a))**(3/2),x)
```

```
[Out] Timed out
```

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(2*b*x+2*a)*(c*tan(b*x+a)*tan(2*b*x+2*a))^(3/2),x, algorithm="giac")
```

```
[Out] Timed out
```

### 3.615 $\int (c \tan(a + bx) \tan(2(a + bx)))^{3/2} dx$

**Optimal.** Leaf size=80

$$\frac{c^2 \tan(2a + 2bx)}{b\sqrt{c \sec(2a + 2bx) - c}} + \frac{c^{3/2} \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a + 2bx)}{\sqrt{c \sec(2a + 2bx) - c}}\right)}{b}$$

[Out] (c^(3/2)\*ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])/b + (c^2\*Tan[2\*a + 2\*b\*x])/(b\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])

**Rubi [A]** time = 0.0597835, antiderivative size = 80, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {4397, 3775, 21, 3774, 207}

$$\frac{c^2 \tan(2a + 2bx)}{b\sqrt{c \sec(2a + 2bx) - c}} + \frac{c^{3/2} \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a + 2bx)}{\sqrt{c \sec(2a + 2bx) - c}}\right)}{b}$$

Antiderivative was successfully verified.

[In] Int[(c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)])^(3/2),x]

[Out] (c^(3/2)\*ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])/b + (c^2\*Tan[2\*a + 2\*b\*x])/(b\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])

#### Rule 4397

Int[u\_, x\_Symbol] :=> Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 3775

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.) + (a\_.))^n, x\_Symbol] :=> -Simp[(b^2\*Cot[c + d\*x]\*(a + b\*Csc[c + d\*x])^(n - 2))/(d\*(n - 1)), x] + Dist[a/(n - 1), Int[(a + b\*Csc[c + d\*x])^(n - 2)\*(a\*(n - 1) + b\*(3\*n - 4)\*Csc[c + d\*x]), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 21

Int[(u\_.)\*((a\_.) + (b\_.)\*(v\_))^(m\_.)\*((c\_.) + (d\_.)\*(v\_))^(n\_.), x\_Symbol] :=> Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x, a + b\*x])

#### Rule 3774

Int[Sqrt[csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.) + (a\_.)], x\_Symbol] :=> Dist[(-2\*b)/d, Subst[Int[1/(a + x^2), x], x, (b\*Cot[c + d\*x])/Sqrt[a + b\*Csc[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 207

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :=> -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int (c \tan(a + bx) \tan(2(a + bx)))^{3/2} dx &= \int (-c + c \sec(2a + 2bx))^{3/2} dx \\
&= \frac{c^2 \tan(2a + 2bx)}{b\sqrt{-c + c \sec(2a + 2bx)}} - (2c) \int \frac{-\frac{c}{2} + \frac{1}{2}c \sec(2a + 2bx)}{\sqrt{-c + c \sec(2a + 2bx)}} dx \\
&= \frac{c^2 \tan(2a + 2bx)}{b\sqrt{-c + c \sec(2a + 2bx)}} - c \int \sqrt{-c + c \sec(2a + 2bx)} dx \\
&= \frac{c^2 \tan(2a + 2bx)}{b\sqrt{-c + c \sec(2a + 2bx)}} + \frac{c^2 \text{Subst}\left(\int \frac{1}{-c+x^2} dx, x, -\frac{c \tan(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}}\right)}{b} \\
&= \frac{c^{3/2} \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}}\right)}{b} + \frac{c^2 \tan(2a + 2bx)}{b\sqrt{-c + c \sec(2a + 2bx)}}
\end{aligned}$$

**Mathematica [A]** time = 0.157503, size = 86, normalized size = 1.08

$$\frac{c\sqrt{c \tan(a + bx) \tan(2(a + bx))} \left(2 \cot(a + bx) + \sqrt{2} \sqrt{\cos(2(a + bx))} \csc(a + bx) \tanh^{-1}\left(\frac{\sqrt{2} \cos(a + bx)}{\sqrt{\cos(2(a + bx))}}\right)\right)}{2b}$$

Antiderivative was successfully verified.

[In] Integrate[(c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)])^(3/2), x]

[Out] (c\*(2\*Cot[a + b\*x] + Sqrt[2]\*ArcTanh[(Sqrt[2]\*Cos[a + b\*x])/Sqrt[Cos[2\*(a + b\*x)]]])\*Sqrt[Cos[2\*(a + b\*x)]]\*Csc[a + b\*x])\*Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)]]/(2\*b)

**Maple [B]** time = 0.514, size = 253, normalized size = 3.2

$$\frac{\sqrt{2} (2 (\cos(bx + a))^2 - 1)}{b (\sqrt{2} - 2) (2 + \sqrt{2}) (\sin(bx + a))^3} \left( \sqrt{2} \cos(bx + a) \sqrt{\frac{2 (\cos(bx + a))^2 - 1}{(\cos(bx + a) + 1)^2}} \operatorname{Arctanh} \left( \frac{\sqrt{2} \cos(bx + a) \sqrt{4} (-1 + \cos(bx + a))}{2 (\sin(bx + a))^2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2), x)

[Out] 2^(1/2)/b/(2^(1/2)-2)/(2+2^(1/2))\*(2\*cos(b\*x+a)^2-1)\*(2^(1/2)\*cos(b\*x+a))\*((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)\*arctanh(1/2\*2^(1/2)\*cos(b\*x+a)\*4^(1/2)\*(-1+cos(b\*x+a))/sin(b\*x+a)^2/((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2))+2^(1/2)\*((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)\*arctanh(1/2\*2^(1/2)\*cos(b\*x+a)\*4^(1/2)\*(-1+cos(b\*x+a))/sin(b\*x+a)^2/((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2))-2\*cos(b\*x+a)\*(c\*sin(b\*x+a)^2/(2\*cos(b\*x+a)^2-1))^(3/2)/sin(b\*x+a)^3

**Maxima [B]** time = 2.1117, size = 1778, normalized size = 22.22

result too large to display



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2),x, algorithm="maxima")

[Out] 
$$-1/8*((\cos(4bx + 4a)^2 + \sin(4bx + 4a)^2 + 2\cos(4bx + 4a) + 1)^{1/4} * (c \log(\sqrt{\cos(4bx + 4a)^2 + \sin(4bx + 4a)^2 + 2\cos(4bx + 4a) + 1}) * \cos(1/2 \arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1)))^2 + \sqrt{\cos(4bx + 4a)^2 + \sin(4bx + 4a)^2 + 2\cos(4bx + 4a) + 1} * \sin(1/2 \arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1)))^2 + 2 * (\cos(4bx + 4a)^2 + \sin(4bx + 4a)^2 + 2\cos(4bx + 4a) + 1)^{1/4} * \sin(1/2 \arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1))) + 1) - c \log(\sqrt{\cos(4bx + 4a)^2 + \sin(4bx + 4a)^2 + 2\cos(4bx + 4a) + 1}) * \cos(1/2 \arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1)))^2 + \sqrt{\cos(4bx + 4a)^2 + \sin(4bx + 4a)^2 + 2\cos(4bx + 4a) + 1} * \sin(1/2 \arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1)))^2 - 2 * (\cos(4bx + 4a)^2 + \sin(4bx + 4a)^2 + 2\cos(4bx + 4a) + 1)^{1/4} * \sin(1/2 \arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1))) + 1) + c \log(((\cos(1/2 \arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1)))^2 + \sin(1/2 \arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1)))^2 * \cos(1/2 \arctan2(\sin(4bx + 4a), \cos(4bx + 4a))))^2 + (\cos(1/2 \arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1)))^2 + \sin(1/2 \arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1)))^2 * \sin(1/2 \arctan2(\sin(4bx + 4a), \cos(4bx + 4a))))^2 * \sqrt{\cos(4bx + 4a)^2 + \sin(4bx + 4a)^2 + 2\cos(4bx + 4a) + 1}) + 2 * (\cos(4bx + 4a)^2 + \sin(4bx + 4a)^2 + 2\cos(4bx + 4a) + 1)^{1/4} * (\cos(1/2 \arctan2(\sin(4bx + 4a), \cos(4bx + 4a)))) * \sin(1/2 \arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1))) + \cos(1/2 \arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1))) * \sin(1/2 \arctan2(\sin(4bx + 4a), \cos(4bx + 4a)))) + 1) - c \log(((\cos(1/2 \arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1)))^2 + \sin(1/2 \arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1)))^2 * \cos(1/2 \arctan2(\sin(4bx + 4a), \cos(4bx + 4a))))^2 + (\cos(1/2 \arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1)))^2 + \sin(1/2 \arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1)))^2 * \sin(1/2 \arctan2(\sin(4bx + 4a), \cos(4bx + 4a))))^2 * \sqrt{\cos(4bx + 4a)^2 + \sin(4bx + 4a)^2 + 2\cos(4bx + 4a) + 1}) - 2 * (\cos(4bx + 4a)^2 + \sin(4bx + 4a)^2 + 2\cos(4bx + 4a) + 1)^{1/4} * (\cos(1/2 \arctan2(\sin(4bx + 4a), \cos(4bx + 4a)))) * \sin(1/2 \arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1))) + \cos(1/2 \arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1))) * \sin(1/2 \arctan2(\sin(4bx + 4a), \cos(4bx + 4a)))) + 1) * \sqrt{c} + 8 * (c \cos(1/2 \arctan2(\sin(4bx + 4a), \cos(4bx + 4a)))) * \sin(1/2 \arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1))) + c \cos(1/2 \arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1))) * \sin(1/2 \arctan2(\sin(4bx + 4a), \cos(4bx + 4a))) + c \sin(1/2 \arctan2(\sin(4bx + 4a), -\cos(4bx + 4a) - 1))) * \sqrt{c}) / ((\cos(4bx + 4a)^2 + \sin(4bx + 4a)^2 + 2\cos(4bx + 4a) + 1)^{1/4} * b)$$

**Fricas [A]** time = 2.42018, size = 770, normalized size = 9.62

$$\frac{c^{\frac{3}{2}} \log \left( \frac{c \tan(bx+a)^5 - 14c \tan(bx+a)^3 + 4\sqrt{2}(\tan(bx+a)^4 - 4 \tan(bx+a)^2 + 3) \sqrt{\frac{c \tan(bx+a)^2}{\tan(bx+a)^2 - 1}} \sqrt{c + 17c \tan(bx+a)}}{\tan(bx+a)^5 + 2 \tan(bx+a)^3 + \tan(bx+a)} \right) \tan(bx+a) + 4\sqrt{2} \sqrt{\frac{c \tan(bx+a)^2}{\tan(bx+a)^2 - 1}}}{4b \tan(bx+a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2),x, algorithm="fricas")

```
[Out] [1/4*(c^(3/2)*log(-(c*tan(b*x + a)^5 - 14*c*tan(b*x + a)^3 + 4*sqrt(2)*(tan
(b*x + a)^4 - 4*tan(b*x + a)^2 + 3)*sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2
- 1))*sqrt(c) + 17*c*tan(b*x + a))/(tan(b*x + a)^5 + 2*tan(b*x + a)^3 + tan
(b*x + a))) * tan(b*x + a) + 4*sqrt(2)*sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2
- 1))*c)/(b*tan(b*x + a)), -1/2*(sqrt(-c)*c*arctan(2*sqrt(2)*sqrt(-c*tan(b
*x + a)^2/(tan(b*x + a)^2 - 1))*(tan(b*x + a)^2 - 1)*sqrt(-c)/(c*tan(b*x +
a)^3 - 3*c*tan(b*x + a)))*tan(b*x + a) - 2*sqrt(2)*sqrt(-c*tan(b*x + a)^2/(
tan(b*x + a)^2 - 1))*c)/(b*tan(b*x + a))]
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*tan(b*x+a)*tan(2*b*x+2*a))**(3/2),x)
```

```
[Out] Timed out
```

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*tan(b*x+a)*tan(2*b*x+2*a))^(3/2),x, algorithm="giac")
```

```
[Out] Timed out
```

### 3.616 $\int \cos(2(a+bx))(c \tan(a+bx) \tan(2(a+bx)))^{3/2} dx$

**Optimal.** Leaf size=86

$$\frac{c^2 \sin(2a + 2bx)}{2b\sqrt{c \sec(2a + 2bx) - c}} - \frac{3c^{3/2} \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{c \sec(2a+2bx)-c}}\right)}{2b}$$

[Out]  $(-3*c^{(3/2)}*ArcTanh[(Sqrt[c]*Tan[2*a + 2*b*x])/Sqrt[-c + c*Sec[2*a + 2*b*x]]])/(2*b) + (c^2*Sin[2*a + 2*b*x])/(2*b*Sqrt[-c + c*Sec[2*a + 2*b*x]])$

**Rubi [A]** time = 0.222264, antiderivative size = 86, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$ , Rules used = {4397, 3814, 21, 3805, 3774, 207}

$$\frac{c^2 \sin(2a + 2bx)}{2b\sqrt{c \sec(2a + 2bx) - c}} - \frac{3c^{3/2} \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{c \sec(2a+2bx)-c}}\right)}{2b}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[2*(a + b*x)]*(c*\text{Tan}[a + b*x]*\text{Tan}[2*(a + b*x)])^{(3/2)}, x]$

[Out]  $(-3*c^{(3/2)}*ArcTanh[(Sqrt[c]*Tan[2*a + 2*b*x])/Sqrt[-c + c*Sec[2*a + 2*b*x]]])/(2*b) + (c^2*Sin[2*a + 2*b*x])/(2*b*Sqrt[-c + c*Sec[2*a + 2*b*x]])$

#### Rule 4397

$\text{Int}[u_, x\_Symbol] \rightarrow \text{Int}[\text{TrigSimplify}[u], x] /; \text{TrigSimplifyQ}[u]$

#### Rule 3814

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}, x\_Symbol] \rightarrow -\text{Simp}[(b^2*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m-2)}*(d*\text{Csc}[e + f*x])^{(n)})/(f*(m+n-1)), x] + \text{Dist}[b/(m+n-1), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m-2)}*(d*\text{Csc}[e + f*x])^{(n)}*(b*(m+2*n-1) + a*(3*m+2*n-4)*\text{Csc}[e + f*x]), x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{NeQ}[m+n-1, 0] \&\& \text{IntegerQ}[2*m]$

#### Rule 21

$\text{Int}[(u_.)*((a_.) + (b_.)*(v_.))^{(m_.)}*((c_.) + (d_.)*(v_.))^{(n_.)}, x\_Symbol] \rightarrow \text{Dist}[(b/d)^m, \text{Int}[u*(c + d*v)^{(m+n)}, x], x] /; \text{FreeQ}[\{a, b, c, d, n\}, x] \&\& \text{EqQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[m] \&\& (!\text{IntegerQ}[n] || \text{SimplerQ}[c + d*x, a + b*x])$

#### Rule 3805

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x\_Symbol] \rightarrow \text{Simp}[(a*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^{(n)})/(f*n*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] + \text{Dist}[(a*(2*n+1))/(2*b*d*n), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^{(n+1)}, x], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[n, -2^{(-1)}] \&\& \text{IntegerQ}[2*n]$

#### Rule 3774

$\text{Int}[\text{Sqrt}[\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x\_Symbol] \rightarrow \text{Dist}[(-2*b)/d, \text{Subst}[\text{Int}[1/(a + x^2), x], x, (b*\text{Cot}[c + d*x])/Sqrt[a + b*\text{Csc}[c + d*x]]],$

$x] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0]$

### Rule 207

$\text{Int}[(a_ + (b_ \cdot)(x_ )^2)^{-1}, x\_Symbol] \ :> \ -\text{Simp}[\text{ArcTanh}[(\text{Rt}[b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[b, 2]), x] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{GtQ}[b, 0])$

### Rubi steps

$$\begin{aligned} \int \cos(2(a+bx))(c \tan(a+bx) \tan(2(a+bx)))^{3/2} dx &= \int \cos(2a+2bx)(-c+c \sec(2a+2bx))^{3/2} dx \\ &= -\frac{c^2 \sin(2a+2bx)}{b\sqrt{-c+c \sec(2a+2bx)}} - (2c) \int \frac{\cos(2a+2bx) \left(-\frac{3c}{2} + \frac{3}{2}c \sec(2a+2bx)\right)}{\sqrt{-c+c \sec(2a+2bx)}} dx \\ &= -\frac{c^2 \sin(2a+2bx)}{b\sqrt{-c+c \sec(2a+2bx)}} - (3c) \int \cos(2a+2bx) \sqrt{-c+c \sec(2a+2bx)} dx \\ &= \frac{c^2 \sin(2a+2bx)}{2b\sqrt{-c+c \sec(2a+2bx)}} + \frac{1}{2}(3c) \int \sqrt{-c+c \sec(2a+2bx)} dx \\ &= \frac{c^2 \sin(2a+2bx)}{2b\sqrt{-c+c \sec(2a+2bx)}} - \frac{(3c^2) \text{Subst}\left(\int \frac{1}{-c+x^2} dx, x, -\frac{c \tan(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}}\right)}{2b} \\ &= -\frac{3c^{3/2} \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}}\right)}{2b} + \frac{c^2 \sin(2a+2bx)}{2b\sqrt{-c+c \sec(2a+2bx)}} \end{aligned}$$

**Mathematica [A]** time = 0.249089, size = 93, normalized size = 1.08

$$\frac{c \csc(a+bx) \sqrt{c \tan(a+bx) \tan(2(a+bx))} \left( \cos(a+bx) + \cos(3(a+bx)) - 3\sqrt{2} \sqrt{\cos(2(a+bx))} \tanh^{-1}\left(\frac{\sqrt{2} \cos(a+bx)}{\sqrt{\cos(2(a+bx))}}\right) \right)}{4b}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[2\*(a + b\*x)]\*(c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)])^(3/2), x]

[Out] (c\*(Cos[a + b\*x] - 3\*Sqrt[2]\*ArcTanh[(Sqrt[2]\*Cos[a + b\*x])/Sqrt[Cos[2\*(a + b\*x)]]]\*Sqrt[Cos[2\*(a + b\*x)]] + Cos[3\*(a + b\*x)])\*Csc[a + b\*x]\*Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)])/(4\*b)

**Maple [B]** time = 0.474, size = 518, normalized size = 6.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(2\*b\*x+2\*a)\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2), x)

[Out]  $-2^{(1/2)}/b/(2^{(1/2)}-2)/(2+2^{(1/2)})*(2*\cos(b*x+a)^{2-1}*(2^{(1/2)}*\cos(b*x+a)*(2*\cos(b*x+a)^{2-1}/(\cos(b*x+a)+1)^2)^{(1/2)}*\text{arctanh}(1/2*2^{(1/2)}*\cos(b*x+a)*4^{(1/2)}*(-1+\cos(b*x+a))/\sin(b*x+a)^2/((2*\cos(b*x+a)^{2-1}/(\cos(b*x+a)+1)^2)^{(1/2)}))+2^{(1/2)}*((2*\cos(b*x+a)^{2-1}/(\cos(b*x+a)+1)^2)^{(1/2)}*\text{arctanh}(1/2*2^{(1/2)}*\cos(b*x+a)*4^{(1/2)}*(-1+\cos(b*x+a))/\sin(b*x+a)^2/((2*\cos(b*x+a)^{2-1}/(\cos(b*x+a)+1)^2)^{(1/2)}))-2*\cos(b*x+a)*(c*\sin(b*x+a)^2/(2*\cos(b*x+a)^{2-1}))^{3/2}$

$$\frac{1}{\sin(b*x+a)^3} \frac{2^{1/2}}{b} \frac{1}{(2^{1/2}-2)^3} \frac{1}{(2+2^{1/2})^3} (2*\cos(b*x+a)^2-1) * (2^{1/2}*\cos(b*x+a)*((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2)}*\operatorname{arctanh}(1/2*2^{1/2}*\cos(b*x+a)*4^{1/2}*(-1+\cos(b*x+a)))/\sin(b*x+a)^2/((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2)})+2^{1/2}*((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2)}*\operatorname{arctanh}(1/2*2^{1/2}*\cos(b*x+a)*4^{1/2}*(-1+\cos(b*x+a)))/\sin(b*x+a)^2/((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2)})+4*\cos(b*x+a)^3+2*\cos(b*x+a))*(c*\sin(b*x+a)^2/(2*\cos(b*x+a)^2-1))^{(3/2)}/\sin(b*x+a)^3$$

**Maxima [B]** time = 2.07666, size = 1428, normalized size = 16.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*b\*x+2\*a)\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2),x, algorithm="maxima")

[Out] 
$$\begin{aligned} & -1/16*(4*(c*\cos(1/2*\arctan2(\sin(4*b*x + 4*a), -\cos(4*b*x + 4*a) - 1))*\sin(2*b*x + 2*a) + (c*\cos(2*b*x + 2*a) + c)*\sin(1/2*\arctan2(\sin(4*b*x + 4*a), -\cos(4*b*x + 4*a) - 1))) * (\cos(4*b*x + 4*a)^2 + \sin(4*b*x + 4*a)^2 + 2*\cos(4*b*x + 4*a) + 1)^{(1/4)}*\sqrt{c} - 3*(c*\log(\sqrt{\cos(4*b*x + 4*a)^2 + \sin(4*b*x + 4*a)^2 + 2*\cos(4*b*x + 4*a) + 1}) * \cos(1/2*\arctan2(\sin(4*b*x + 4*a), -\cos(4*b*x + 4*a) - 1)))^2 + \sqrt{\cos(4*b*x + 4*a)^2 + \sin(4*b*x + 4*a)^2 + 2*\cos(4*b*x + 4*a) + 1}) * \sin(1/2*\arctan2(\sin(4*b*x + 4*a), -\cos(4*b*x + 4*a) - 1)))^2 + 2*(\cos(4*b*x + 4*a)^2 + \sin(4*b*x + 4*a)^2 + 2*\cos(4*b*x + 4*a) + 1)^{(1/4)}*\sin(1/2*\arctan2(\sin(4*b*x + 4*a), -\cos(4*b*x + 4*a) - 1)) + 1) - c*\log(\sqrt{\cos(4*b*x + 4*a)^2 + \sin(4*b*x + 4*a)^2 + 2*\cos(4*b*x + 4*a) + 1}) * \cos(1/2*\arctan2(\sin(4*b*x + 4*a), -\cos(4*b*x + 4*a) - 1)))^2 + \sqrt{\cos(4*b*x + 4*a)^2 + \sin(4*b*x + 4*a)^2 + 2*\cos(4*b*x + 4*a) + 1}) * \sin(1/2*\arctan2(\sin(4*b*x + 4*a), -\cos(4*b*x + 4*a) - 1)))^2 - 2*(\cos(4*b*x + 4*a)^2 + \sin(4*b*x + 4*a)^2 + 2*\cos(4*b*x + 4*a) + 1)^{(1/4)}*\sin(1/2*\arctan2(\sin(4*b*x + 4*a), -\cos(4*b*x + 4*a) - 1)) + 1) + c*\log(((\cos(2*b*x + 2*a)^2 + \sin(2*b*x + 2*a)^2)*\cos(1/2*\arctan2(\sin(4*b*x + 4*a), -\cos(4*b*x + 4*a) - 1)))^2 + (\cos(2*b*x + 2*a)^2 + \sin(2*b*x + 2*a)^2)*\sin(1/2*\arctan2(\sin(4*b*x + 4*a), -\cos(4*b*x + 4*a) - 1)))^2)*\sqrt{\cos(4*b*x + 4*a)^2 + \sin(4*b*x + 4*a)^2 + 2*\cos(4*b*x + 4*a) + 1}) + 2*(\cos(4*b*x + 4*a)^2 + \sin(4*b*x + 4*a)^2 + 2*\cos(4*b*x + 4*a) + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(4*b*x + 4*a), -\cos(4*b*x + 4*a) - 1))*\sin(2*b*x + 2*a) + \cos(2*b*x + 2*a)*\sin(1/2*\arctan2(\sin(4*b*x + 4*a), -\cos(4*b*x + 4*a) - 1)))) + 1) - c*\log(((\cos(2*b*x + 2*a)^2 + \sin(2*b*x + 2*a)^2)*\cos(1/2*\arctan2(\sin(4*b*x + 4*a), -\cos(4*b*x + 4*a) - 1)))^2 + (\cos(2*b*x + 2*a)^2 + \sin(2*b*x + 2*a)^2)*\sin(1/2*\arctan2(\sin(4*b*x + 4*a), -\cos(4*b*x + 4*a) - 1)))^2)*\sqrt{\cos(4*b*x + 4*a)^2 + \sin(4*b*x + 4*a)^2 + 2*\cos(4*b*x + 4*a) + 1}) - 2*(\cos(4*b*x + 4*a)^2 + \sin(4*b*x + 4*a)^2 + 2*\cos(4*b*x + 4*a) + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(4*b*x + 4*a), -\cos(4*b*x + 4*a) - 1))*\sin(2*b*x + 2*a) + \cos(2*b*x + 2*a)*\sin(1/2*\arctan2(\sin(4*b*x + 4*a), -\cos(4*b*x + 4*a) - 1)))) + 1))*\sqrt{c))/b \end{aligned}$$

**Fricas [B]** time = 2.54091, size = 941, normalized size = 10.94

$$\frac{3(c \tan(bx+a)^3 + c \tan(bx+a))\sqrt{c} \log\left(\frac{c \tan(bx+a)^5 - 14c \tan(bx+a)^3 - 4\sqrt{2}(\tan(bx+a)^4 - 4 \tan(bx+a)^2 + 3)\sqrt{-\frac{c \tan(bx+a)^2}{\tan(bx+a)^2 - 1}}\sqrt{c+17c \tan(bx+a)}}{\tan(bx+a)^5 + 2 \tan(bx+a)^3 + \tan(bx+a)}}{8(b \tan(bx+a)^3 + b \tan(bx+a))}\right)}{8(b \tan(bx+a)^3 + b \tan(bx+a))}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(2*b*x+2*a)*(c*tan(b*x+a)*tan(2*b*x+2*a))^(3/2),x, algorithm="
fricas")
```

```
[Out] [1/8*(3*(c*tan(b*x + a)^3 + c*tan(b*x + a))*sqrt(c)*log(-(c*tan(b*x + a)^5
- 14*c*tan(b*x + a)^3 - 4*sqrt(2)*(tan(b*x + a)^4 - 4*tan(b*x + a)^2 + 3)*s
qrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1))*sqrt(c) + 17*c*tan(b*x + a))/(t
an(b*x + a)^5 + 2*tan(b*x + a)^3 + tan(b*x + a))) - 4*sqrt(2)*(c*tan(b*x +
a)^2 - c)*sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1)))/(b*tan(b*x + a)^3 +
b*tan(b*x + a)), 1/4*(3*(c*tan(b*x + a)^3 + c*tan(b*x + a))*sqrt(-c)*arcta
n(2*sqrt(2)*sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1))*(tan(b*x + a)^2 -
1)*sqrt(-c)/(c*tan(b*x + a)^3 - 3*c*tan(b*x + a))) - 2*sqrt(2)*(c*tan(b*x +
a)^2 - c)*sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1)))/(b*tan(b*x + a)^3
+ b*tan(b*x + a))]
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(2*b*x+2*a)*(c*tan(b*x+a)*tan(2*b*x+2*a))**(3/2),x)
```

```
[Out] Timed out
```

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(2*b*x+2*a)*(c*tan(b*x+a)*tan(2*b*x+2*a))^(3/2),x, algorithm="
giac")
```

```
[Out] Timed out
```

### 3.617 $\int \cos^2(2(a+bx))(c \tan(a+bx) \tan(2(a+bx)))^{3/2} dx$

**Optimal.** Leaf size=133

$$-\frac{7c^2 \sin(2a+2bx)}{8b\sqrt{c \sec(2a+2bx)-c}} + \frac{c^2 \sin(2a+2bx) \cos(2a+2bx)}{4b\sqrt{c \sec(2a+2bx)-c}} + \frac{7c^{3/2} \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{c \sec(2a+2bx)-c}}\right)}{8b}$$

[Out]  $(7c^{3/2} \text{ArcTanh}[(\text{Sqrt}[c] \text{Tan}[2a + 2bx])/\text{Sqrt}[-c + c \text{Sec}[2a + 2bx]])/(8b) - (7c^2 \text{Sin}[2a + 2bx])/(8b \text{Sqrt}[-c + c \text{Sec}[2a + 2bx]]) + (c^2 \text{Cos}[2a + 2bx] \text{Sin}[2a + 2bx])/(4b \text{Sqrt}[-c + c \text{Sec}[2a + 2bx]])$

**Rubi [A]** time = 0.256441, antiderivative size = 133, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {4397, 3813, 21, 3805, 3774, 207}

$$-\frac{7c^2 \sin(2a+2bx)}{8b\sqrt{c \sec(2a+2bx)-c}} + \frac{c^2 \sin(2a+2bx) \cos(2a+2bx)}{4b\sqrt{c \sec(2a+2bx)-c}} + \frac{7c^{3/2} \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{c \sec(2a+2bx)-c}}\right)}{8b}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[2*(a + b*x)]^2*(c*\text{Tan}[a + b*x]*\text{Tan}[2*(a + b*x)])^{3/2}, x]$

[Out]  $(7c^{3/2} \text{ArcTanh}[(\text{Sqrt}[c] \text{Tan}[2a + 2bx])/\text{Sqrt}[-c + c \text{Sec}[2a + 2bx]])/(8b) - (7c^2 \text{Sin}[2a + 2bx])/(8b \text{Sqrt}[-c + c \text{Sec}[2a + 2bx]]) + (c^2 \text{Cos}[2a + 2bx] \text{Sin}[2a + 2bx])/(4b \text{Sqrt}[-c + c \text{Sec}[2a + 2bx]])$

#### Rule 4397

$\text{Int}[u_, x\_Symbol] \rightarrow \text{Int}[\text{TrigSimplify}[u], x] /; \text{TrigSimplifyQ}[u]$

#### Rule 3813

$\text{Int}[(\text{csc}[(e_) + (f_)*(x_)]*(d_))^{(n_)}*(\text{csc}[(e_) + (f_)*(x_)]*(b_) + (a_))^{(m_)}, x\_Symbol] \rightarrow \text{Simp}[(b^2 \text{Cot}[e + f*x]*(a + b \text{Csc}[e + f*x])^{(m-2)}*(d \text{Csc}[e + f*x])^{(n)})/(f*n), x] - \text{Dist}[a/(d*n), \text{Int}[(a + b \text{Csc}[e + f*x])^{(m-2)}*(d \text{Csc}[e + f*x])^{(n+1)}*(b*(m-2*n-2) - a*(m+2*n-1)*\text{Csc}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1] \&\& (\text{LtQ}[n, -1] \parallel (\text{EqQ}[m, 3/2] \&\& \text{EqQ}[n, -2^{(-1)}])) \&\& \text{IntegerQ}[2*m]$

#### Rule 21

$\text{Int}[(u_)*((a_) + (b_)*(v_))^{(m_)}*((c_) + (d_)*(v_))^{(n_)}, x\_Symbol] \rightarrow \text{Dist}[(b/d)^m, \text{Int}[u*(c + d*v)^{(m+n)}, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x \&\& \text{EqQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[m] \&\& (!\text{IntegerQ}[n] \parallel \text{SimplerQ}[c + d*x, a + b*x])$

#### Rule 3805

$\text{Int}[(\text{csc}[(e_) + (f_)*(x_)]*(d_))^{(n_)}*\text{Sqrt}[\text{csc}[(e_) + (f_)*(x_)]*(b_) + (a_)], x\_Symbol] \rightarrow \text{Simp}[(a*\text{Cot}[e + f*x]*(d \text{Csc}[e + f*x])^{(n)})/(f*n*\text{Sqrt}[a + b \text{Csc}[e + f*x]]), x] + \text{Dist}[(a*(2*n+1))/(2*b*d*n), \text{Int}[\text{Sqrt}[a + b \text{Csc}[e + f*x]]*(d \text{Csc}[e + f*x])^{(n+1)}, x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[n, -2^{(-1)}] \&\& \text{IntegerQ}[2*n]$

#### Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d,
  Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

### Rule 207

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])
```

### Rubi steps

$$\begin{aligned} \int \cos^2(2(a+bx))(c \tan(a+bx) \tan(2(a+bx)))^{3/2} dx &= \int \cos^2(2a+2bx)(-c+c \sec(2a+2bx))^{3/2} dx \\ &= \frac{c^2 \cos(2a+2bx) \sin(2a+2bx)}{4b\sqrt{-c+c \sec(2a+2bx)}} - \frac{1}{2}c \int \frac{\cos(2a+2bx) \left(\frac{7c}{2} - \frac{7}{2}c \sec(2a+2bx)\right)}{\sqrt{-c+c \sec(2a+2bx)}} dx \\ &= \frac{c^2 \cos(2a+2bx) \sin(2a+2bx)}{4b\sqrt{-c+c \sec(2a+2bx)}} + \frac{1}{4}(7c) \int \cos(2a+2bx)\sqrt{-c+c \sec(2a+2bx)} dx \\ &= -\frac{7c^2 \sin(2a+2bx)}{8b\sqrt{-c+c \sec(2a+2bx)}} + \frac{c^2 \cos(2a+2bx) \sin(2a+2bx)}{4b\sqrt{-c+c \sec(2a+2bx)}} - \frac{c^2}{8b} \int \frac{1}{\sqrt{-c+c \sec(2a+2bx)}} dx \\ &= -\frac{7c^2 \sin(2a+2bx)}{8b\sqrt{-c+c \sec(2a+2bx)}} + \frac{c^2 \cos(2a+2bx) \sin(2a+2bx)}{4b\sqrt{-c+c \sec(2a+2bx)}} + \frac{c^2}{8b} \operatorname{arctanh}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}}\right) \\ &= \frac{7c^{3/2} \operatorname{arctanh}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}}\right)}{8b} - \frac{7c^2 \sin(2a+2bx)}{8b\sqrt{-c+c \sec(2a+2bx)}} + \frac{c^2 \cos(2a+2bx) \sin(2a+2bx)}{4b\sqrt{-c+c \sec(2a+2bx)}} \end{aligned}$$

**Mathematica [A]** time = 0.287793, size = 105, normalized size = 0.79

$$\frac{c \csc(a+bx) \sqrt{c \tan(a+bx) \tan(2(a+bx))} \left( -5 \cos(a+bx) - 6 \cos(3(a+bx)) + \cos(5(a+bx)) + 7\sqrt{2} \sqrt{\cos(2(a+bx))} \tan(a+bx) \right)}{16b}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[2*(a + b*x)]^2*(c*Tan[a + b*x]*Tan[2*(a + b*x)])^(3/2), x]
```

```
[Out] (c*(-5*Cos[a + b*x] + 7*Sqrt[2]*ArcTanh[(Sqrt[2]*Cos[a + b*x])/Sqrt[Cos[2*(a + b*x)]]])*Sqrt[Cos[2*(a + b*x)]] - 6*Cos[3*(a + b*x)] + Cos[5*(a + b*x)])*Csc[a + b*x]*Sqrt[c*Tan[a + b*x]*Tan[2*(a + b*x)]]/(16*b)
```

**Maple [B]** time = 0.455, size = 792, normalized size = 6.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(2*b*x+2*a)^2*(c*tan(b*x+a)*tan(2*b*x+2*a))^(3/2), x)
```

```
[Out] 2^(1/2)/b/(2^(1/2)-2)/(2+2^(1/2))*(2*cos(b*x+a)^2-1)*(2^(1/2)*cos(b*x+a)*((2*cos(b*x+a)^2-1)/(cos(b*x+a)+1)^2)^(1/2)*arctanh(1/2*2^(1/2)*cos(b*x+a)*4^(1/2)*(-1+cos(b*x+a))/sin(b*x+a)^2/((2*cos(b*x+a)^2-1)/(cos(b*x+a)+1)^2)^(1/2))+2^(1/2)*((2*cos(b*x+a)^2-1)/(cos(b*x+a)+1)^2)^(1/2)*arctanh(1/2*2^(1/2)*cos(b*x+a)*4^(1/2)*(-1+cos(b*x+a))/sin(b*x+a)^2/((2*cos(b*x+a)^2-1)/(cos(b*x+a)+1)^2)^(1/2))
```



$$\begin{aligned} & \cos(bx+a) \cdot 4^{1/2} \cdot (-1 + \cos(bx+a)) / \sin(bx+a)^2 / ((2 \cos(bx+a)^2 - 1) / (\cos(bx+a) + 1)^2)^{1/2} - 2 \cos(bx+a) \cdot (c \sin(bx+a)^2 / (2 \cos(bx+a)^2 - 1))^{3/2} \\ & / \sin(bx+a)^3 + 4 \cdot 2^{1/2} / b / (2^{1/2} - 2)^{3/2} / (2 + 2^{1/2})^{3/2} \cdot (2 \cos(bx+a)^2 - 1) \cdot (2^{1/2} \cos(bx+a) \cdot ((2 \cos(bx+a)^2 - 1) / (\cos(bx+a) + 1)^2)^{1/2} \cdot \operatorname{arctanh}(1/2 \cdot 2^{1/2} \cos(bx+a) \cdot 4^{1/2} \cdot (-1 + \cos(bx+a)) / \sin(bx+a)^2 / ((2 \cos(bx+a)^2 - 1) / (\cos(bx+a) + 1)^2)^{1/2}) + 2^{1/2} \cdot ((2 \cos(bx+a)^2 - 1) / (\cos(bx+a) + 1)^2)^{1/2} \cdot \operatorname{arctanh}(1/2 \cdot 2^{1/2} \cos(bx+a) \cdot 4^{1/2} \cdot (-1 + \cos(bx+a)) / \sin(bx+a)^2 / ((2 \cos(bx+a)^2 - 1) / (\cos(bx+a) + 1)^2)^{1/2})) + 4 \cos(bx+a)^3 + 2 \cos(bx+a) \cdot (c \sin(bx+a)^2 / (2 \cos(bx+a)^2 - 1))^{3/2} / \sin(bx+a)^3 - 2 \cdot 2^{1/2} / b / (2 + 2^{1/2})^{5/2} / (2^{1/2} - 2)^{5/2} \cdot (2 \cos(bx+a)^2 - 1) \cdot (16 \cos(bx+a)^5 + 9 \cdot 2^{1/2} \cos(bx+a) \cdot ((2 \cos(bx+a)^2 - 1) / (\cos(bx+a) + 1)^2)^{1/2} \cdot \operatorname{arctanh}(1/2 \cdot 2^{1/2} \cos(bx+a) \cdot 4^{1/2} \cdot (-1 + \cos(bx+a)) / \sin(bx+a)^2 / ((2 \cos(bx+a)^2 - 1) / (\cos(bx+a) + 1)^2)^{1/2})) + 9 \cdot 2^{1/2} \cdot ((2 \cos(bx+a)^2 - 1) / (\cos(bx+a) + 1)^2)^{1/2} \cdot \operatorname{arctanh}(1/2 \cdot 2^{1/2} \cos(bx+a) \cdot 4^{1/2} \cdot (-1 + \cos(bx+a)) / \sin(bx+a)^2 / ((2 \cos(bx+a)^2 - 1) / (\cos(bx+a) + 1)^2)^{1/2})) + 9 \cdot 2^{1/2} \cdot ((2 \cos(bx+a)^2 - 1) / (\cos(bx+a) + 1)^2)^{1/2} \cdot \operatorname{arctanh}(1/2 \cdot 2^{1/2} \cos(bx+a) \cdot 4^{1/2} \cdot (-1 + \cos(bx+a)) / \sin(bx+a)^2 / ((2 \cos(bx+a)^2 - 1) / (\cos(bx+a) + 1)^2)^{1/2})) - 12 \cos(bx+a)^3 + 18 \cos(bx+a) \cdot (c \sin(bx+a)^2 / (2 \cos(bx+a)^2 - 1))^{3/2} / \sin(bx+a)^3 \end{aligned}$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*b\*x+2\*a)^2\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2),x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 2.37623, size = 1126, normalized size = 8.47

$$\left[ \frac{7 \left( c \tan(bx+a)^5 + 2c \tan(bx+a)^3 + c \tan(bx+a) \right) \sqrt{c} \log \left( \frac{c \tan(bx+a)^5 - 14c \tan(bx+a)^3 + 4\sqrt{2}(\tan(bx+a)^4 - 4 \tan(bx+a)^2 + 3)\sqrt{c}}{\tan(bx+a)^5 + 2 \tan(bx+a)^3 + \tan(bx+a)} \right)}{32 \left( b \tan(bx+a)^5 + 2b \tan(bx+a)^3 + b \tan(bx+a) \right)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*b\*x+2\*a)^2\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2),x, algorithm="fricas")

[Out] [1/32\*(7\*(c\*tan(b\*x + a)^5 + 2\*c\*tan(b\*x + a)^3 + c\*tan(b\*x + a))\*sqrt(c)\*log(-(c\*tan(b\*x + a)^5 - 14\*c\*tan(b\*x + a)^3 + 4\*sqrt(2)\*(tan(b\*x + a)^4 - 4\*tan(b\*x + a)^2 + 3)\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*sqrt(c) + 17\*c\*tan(b\*x + a))/(tan(b\*x + a)^5 + 2\*tan(b\*x + a)^3 + tan(b\*x + a)) + 4\*sqrt(2)\*(9\*c\*tan(b\*x + a)^4 - 4\*c\*tan(b\*x + a)^2 - 5\*c)\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1)))/(b\*tan(b\*x + a)^5 + 2\*b\*tan(b\*x + a)^3 + b\*tan(b\*x + a)), -1/16\*(7\*(c\*tan(b\*x + a)^5 + 2\*c\*tan(b\*x + a)^3 + c\*tan(b\*x + a))\*sqrt(-c)\*arctan(2\*sqrt(2)\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*(tan(b\*x + a)^2 - 1)\*sqrt(-c)/(c\*tan(b\*x + a)^3 - 3\*c\*tan(b\*x + a))) - 2\*sqrt(2)\*(9\*c\*tan(b\*x + a)^4 - 4\*c\*tan(b\*x + a)^2 - 5\*c)\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1)))/(b\*tan(b\*x + a)^5 + 2\*b\*tan(b\*x + a)^3 + b\*tan(b\*x + a))]

a))]

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*b\*x+2\*a)\*\*2\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))\*\*(3/2),x)

[Out] Timed out

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*b\*x+2\*a)^2\*(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2),x, algorithm="giac")

[Out] Timed out

### 3.618 $\int \cos^3(2(a+bx))(c \tan(a+bx) \tan(2(a+bx)))^{3/2} dx$

**Optimal.** Leaf size=182

$$\frac{11c^2 \sin(2a + 2bx)}{16b\sqrt{c \sec(2a + 2bx) - c}} + \frac{c^2 \sin(2a + 2bx) \cos^2(2a + 2bx)}{6b\sqrt{c \sec(2a + 2bx) - c}} - \frac{11c^2 \sin(2a + 2bx) \cos(2a + 2bx)}{24b\sqrt{c \sec(2a + 2bx) - c}} - \frac{11c^{3/2} \tanh^{-1}\left(\frac{\sqrt{ct}}{\sqrt{c \sec(2a + 2bx) - c}}\right)}{16b}$$

```
[Out] (-11*c^(3/2)*ArcTanh[(Sqrt[c]*Tan[2*a + 2*b*x])/Sqrt[-c + c*Sec[2*a + 2*b*x]]]/(16*b) + (11*c^2*Sin[2*a + 2*b*x])/(16*b*Sqrt[-c + c*Sec[2*a + 2*b*x]]) - (11*c^2*Cos[2*a + 2*b*x]*Sin[2*a + 2*b*x])/(24*b*Sqrt[-c + c*Sec[2*a + 2*b*x]]) + (c^2*Cos[2*a + 2*b*x]^2*Sin[2*a + 2*b*x])/(6*b*Sqrt[-c + c*Sec[2*a + 2*b*x]])
```

**Rubi [A]** time = 0.31209, antiderivative size = 182, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {4397, 3813, 21, 3805, 3774, 207}

$$\frac{11c^2 \sin(2a + 2bx)}{16b\sqrt{c \sec(2a + 2bx) - c}} + \frac{c^2 \sin(2a + 2bx) \cos^2(2a + 2bx)}{6b\sqrt{c \sec(2a + 2bx) - c}} - \frac{11c^2 \sin(2a + 2bx) \cos(2a + 2bx)}{24b\sqrt{c \sec(2a + 2bx) - c}} - \frac{11c^{3/2} \tanh^{-1}\left(\frac{\sqrt{ct}}{\sqrt{c \sec(2a + 2bx) - c}}\right)}{16b}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[2*(a + b*x)]^3*(c*Tan[a + b*x]*Tan[2*(a + b*x)])^(3/2), x]
```

```
[Out] (-11*c^(3/2)*ArcTanh[(Sqrt[c]*Tan[2*a + 2*b*x])/Sqrt[-c + c*Sec[2*a + 2*b*x]]]/(16*b) + (11*c^2*Sin[2*a + 2*b*x])/(16*b*Sqrt[-c + c*Sec[2*a + 2*b*x]]) - (11*c^2*Cos[2*a + 2*b*x]*Sin[2*a + 2*b*x])/(24*b*Sqrt[-c + c*Sec[2*a + 2*b*x]]) + (c^2*Cos[2*a + 2*b*x]^2*Sin[2*a + 2*b*x])/(6*b*Sqrt[-c + c*Sec[2*a + 2*b*x]])
```

#### Rule 4397

```
Int[u_, x_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]
```

#### Rule 3813

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(b^2*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[a/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*(b*(m - 2*n - 2) - a*(m + 2*n - 1)*Csc[e + f*x]), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[m, 1] && (LtQ[n, -1] || (EqQ[m, 3/2] && EqQ[n, -2^(-1)])) && IntegerQ[2*m]
```

#### Rule 21

```
Int[(u_.)*((a_.) + (b_.)*(v_))^(m_.)*((c_.) + (d_.)*(v_))^(n_.), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])
```

#### Rule 3805

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[e + f*x]]
```

$e + f*x]]*(d*Csc[e + f*x])^{(n + 1), x], x] /; FreeQ[\{a, b, d, e, f\}, x] \&\& EqQ[a^2 - b^2, 0] \&\& LtQ[n, -2^{(-1)}] \&\& IntegerQ[2*n]$

### Rule 3774

$Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x\_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[\{a, b, c, d\}, x] \&\& EqQ[a^2 - b^2, 0]$

### Rule 207

$Int[((a_.) + (b_.)*(x_.)^2)^{-1}, x\_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[\{a, b\}, x] \&\& NegQ[a/b] \&\& (LtQ[a, 0] || GtQ[b, 0])$

### Rubi steps

$$\begin{aligned} \int \cos^3(2(a + bx))(c \tan(a + bx) \tan(2(a + bx)))^{3/2} dx &= \int \cos^3(2a + 2bx)(-c + c \sec(2a + 2bx))^{3/2} dx \\ &= \frac{c^2 \cos^2(2a + 2bx) \sin(2a + 2bx)}{6b\sqrt{-c + c \sec(2a + 2bx)}} - \frac{1}{3}c \int \frac{\cos^2(2a + 2bx) \left(\frac{11c}{2} - 1\right)}{\sqrt{-c + c \sec(2a + 2bx)}} dx \\ &= \frac{c^2 \cos^2(2a + 2bx) \sin(2a + 2bx)}{6b\sqrt{-c + c \sec(2a + 2bx)}} + \frac{1}{6}(11c) \int \cos^2(2a + 2bx)\sqrt{-c + c \sec(2a + 2bx)} dx \\ &= -\frac{11c^2 \cos(2a + 2bx) \sin(2a + 2bx)}{24b\sqrt{-c + c \sec(2a + 2bx)}} + \frac{c^2 \cos^2(2a + 2bx) \sin(2a + 2bx)}{6b\sqrt{-c + c \sec(2a + 2bx)}} \\ &= \frac{11c^2 \sin(2a + 2bx)}{16b\sqrt{-c + c \sec(2a + 2bx)}} - \frac{11c^2 \cos(2a + 2bx) \sin(2a + 2bx)}{24b\sqrt{-c + c \sec(2a + 2bx)}} + \frac{c^2 \cos^2(2a + 2bx) \sin(2a + 2bx)}{6b\sqrt{-c + c \sec(2a + 2bx)}} \\ &= \frac{11c^2 \sin(2a + 2bx)}{16b\sqrt{-c + c \sec(2a + 2bx)}} - \frac{11c^2 \cos(2a + 2bx) \sin(2a + 2bx)}{24b\sqrt{-c + c \sec(2a + 2bx)}} + \frac{c^2 \cos^2(2a + 2bx) \sin(2a + 2bx)}{6b\sqrt{-c + c \sec(2a + 2bx)}} \\ &= -\frac{11c^{3/2} \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a + 2bx)}{\sqrt{-c + c \sec(2a + 2bx)}}\right)}{16b} + \frac{11c^2 \sin(2a + 2bx)}{16b\sqrt{-c + c \sec(2a + 2bx)}} \end{aligned}$$

**Mathematica [A]** time = 0.249013, size = 117, normalized size = 0.64

$$\frac{c\sqrt{c \tan(a + bx) \tan(2(a + bx))} \left( -42 \sin(2(a + bx)) + 14 \sin(4(a + bx)) - 4 \sin(6(a + bx)) + 38 \cot(a + bx) - 33\sqrt{2}\sqrt{\cos(2(a + bx))} \right)}{96b}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[2\*(a + b\*x)]^3\*(c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)])^(3/2), x]

[Out] (c\*(38\*Cot[a + b\*x] - 33\*Sqrt[2]\*ArcTanh[(Sqrt[2]\*Cos[a + b\*x])/Sqrt[Cos[2\*(a + b\*x)]]]\*Sqrt[Cos[2\*(a + b\*x)]]\*Csc[a + b\*x] - 42\*Sin[2\*(a + b\*x)] + 14\*Sin[4\*(a + b\*x)] - 4\*Sin[6\*(a + b\*x)])\*Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)]]/(96\*b)

**Maple [B]** time = 0.457, size = 1078, normalized size = 5.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\cos(2bx+2a)^3(c\tan(bx+a)\tan(2bx+2a))^{3/2}, x)$

[Out] 
$$\begin{aligned} & -2^{1/2}/b/(2^{1/2}-2)/(2+2^{1/2})*(2\cos(bx+a)^{2-1}*(2^{1/2}\cos(bx+a)* \\ & (2\cos(bx+a)^{2-1}/(\cos(bx+a)+1)^2)^{1/2}*\text{arctanh}(1/2*2^{1/2}\cos(bx+a)*4 \\ & ^{1/2}*(-1+\cos(bx+a))/\sin(bx+a)^2/((2\cos(bx+a)^{2-1}/(\cos(bx+a)+1)^2)^{1/2} \\ & )+2^{1/2}*((2\cos(bx+a)^{2-1}/(\cos(bx+a)+1)^2)^{1/2}*\text{arctanh}(1/2*2^{1/2} \\ & *2\cos(bx+a)*4^{1/2}*(-1+\cos(bx+a))/\sin(bx+a)^2/((2\cos(bx+a)^{2-1}/(\cos \\ & (bx+a)+1)^2)^{1/2})-2\cos(bx+a))*(c*\sin(bx+a)^2/(2\cos(bx+a)^{2-1}))^{3/2} \\ & )/\sin(bx+a)^3-6*2^{1/2}/b/(2^{1/2}-2)^3/(2+2^{1/2})^3*(2\cos(bx+a)^{2-1}*( \\ & 2^{1/2}\cos(bx+a)*((2\cos(bx+a)^{2-1}/(\cos(bx+a)+1)^2)^{1/2}*\text{arctanh}(1/2* \\ & 2^{1/2}\cos(bx+a)*4^{1/2}*(-1+\cos(bx+a))/\sin(bx+a)^2/((2\cos(bx+a)^{2-1}) \\ & /(\cos(bx+a)+1)^2)^{1/2})+2^{1/2}*((2\cos(bx+a)^{2-1}/(\cos(bx+a)+1)^2)^{1/2} \\ & *\text{arctanh}(1/2*2^{1/2}\cos(bx+a)*4^{1/2}*(-1+\cos(bx+a))/\sin(bx+a)^2/((2* \\ & \cos(bx+a)^{2-1}/(\cos(bx+a)+1)^2)^{1/2})+4\cos(bx+a)^3+2\cos(bx+a))*(c*\sin \\ & (bx+a)^2/(2\cos(bx+a)^{2-1}))^{3/2}/\sin(bx+a)^3+6*2^{1/2}/b/(2+2^{1/2})^5 \\ & /((2^{1/2}-2)^5*(2\cos(bx+a)^{2-1}*(16\cos(bx+a)^5+9*2^{1/2}\cos(bx+a)*((2 \\ & *\cos(bx+a)^{2-1}/(\cos(bx+a)+1)^2)^{1/2}*\text{arctanh}(1/2*2^{1/2}\cos(bx+a)*4^{1/2} \\ & ^{1/2}*(-1+\cos(bx+a))/\sin(bx+a)^2/((2\cos(bx+a)^{2-1}/(\cos(bx+a)+1)^2)^{1/2} \\ & )+9*2^{1/2}*((2\cos(bx+a)^{2-1}/(\cos(bx+a)+1)^2)^{1/2}*\text{arctanh}(1/2*2^{1/2} \\ & *2\cos(bx+a)*4^{1/2}*(-1+\cos(bx+a))/\sin(bx+a)^2/((2\cos(bx+a)^{2-1}/(\cos \\ & (bx+a)+1)^2)^{1/2})-12\cos(bx+a)^3+18\cos(bx+a))*(c*\sin(bx+a)^2/(2\cos \\ & (bx+a)^{2-1}))^{3/2}/\sin(bx+a)^3-4/3*2^{1/2}/b/(2^{1/2}-2)^7/(2+2^{1/2})^7*( \\ & 2\cos(bx+a)^{2-1}*(128\cos(bx+a)^7-80\cos(bx+a)^5+75*2^{1/2}\cos(bx+a)* \\ & (2\cos(bx+a)^{2-1}/(\cos(bx+a)+1)^2)^{1/2}*\text{arctanh}(1/2*2^{1/2}\cos(bx+a)*4 \\ & ^{1/2}*(-1+\cos(bx+a))/\sin(bx+a)^2/((2\cos(bx+a)^{2-1}/(\cos(bx+a)+1)^2)^{1/2} \\ & )+75*2^{1/2}*((2\cos(bx+a)^{2-1}/(\cos(bx+a)+1)^2)^{1/2}*\text{arctanh}(1/2*2^{1/2} \\ & ^{1/2}\cos(bx+a)*4^{1/2}*(-1+\cos(bx+a))/\sin(bx+a)^2/((2\cos(bx+a)^{2-1}/(\cos \\ & (bx+a)+1)^2)^{1/2})-100\cos(bx+a)^3+150\cos(bx+a))*(c*\sin(bx+a)^2/(2 \\ & *\cos(bx+a)^{2-1}))^{3/2}/\sin(bx+a)^3 \end{aligned}$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\cos(2bx+2a)^3(c\tan(bx+a)\tan(2bx+2a))^{3/2}, x, \text{algorithm} = \text{"maxima"})$

[Out] Timed out

**Fricas [A]** time = 2.56592, size = 1310, normalized size = 7.2

$$\left[ \frac{33(c \tan(bx+a)^7 + 3c \tan(bx+a)^5 + 3c \tan(bx+a)^3 + c \tan(bx+a))\sqrt{c} \log\left(-\frac{c \tan(bx+a)^5 - 14c \tan(bx+a)^3 - 4\sqrt{2}(\tan(bx+a) \tan(bx+a))}{\tan(bx+a)}\right)}{192(b \tan(bx+a))^7 + 3b \tan(bx+a)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(2*b*x+2*a)^3*(c*tan(b*x+a)*tan(2*b*x+2*a))^(3/2),x, algorithm="fricas")
```

```
[Out] [1/192*(33*(c*tan(b*x + a)^7 + 3*c*tan(b*x + a)^5 + 3*c*tan(b*x + a)^3 + c*tan(b*x + a))*sqrt(c)*log(-(c*tan(b*x + a)^5 - 14*c*tan(b*x + a)^3 - 4*sqrt(2)*(tan(b*x + a)^4 - 4*tan(b*x + a)^2 + 3)*sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1))*sqrt(c) + 17*c*tan(b*x + a))/(tan(b*x + a)^5 + 2*tan(b*x + a)^3 + tan(b*x + a))) - 4*sqrt(2)*(63*c*tan(b*x + a)^6 - 13*c*tan(b*x + a)^4 - 31*c*tan(b*x + a)^2 - 19*c)*sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1)))/(b*tan(b*x + a)^7 + 3*b*tan(b*x + a)^5 + 3*b*tan(b*x + a)^3 + b*tan(b*x + a)), 1/96*(33*(c*tan(b*x + a)^7 + 3*c*tan(b*x + a)^5 + 3*c*tan(b*x + a)^3 + c*tan(b*x + a))*sqrt(-c)*arctan(2*sqrt(2)*sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1))*(tan(b*x + a)^2 - 1)*sqrt(-c)/(c*tan(b*x + a)^3 - 3*c*tan(b*x + a))) - 2*sqrt(2)*(63*c*tan(b*x + a)^6 - 13*c*tan(b*x + a)^4 - 31*c*tan(b*x + a)^2 - 19*c)*sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1)))/(b*tan(b*x + a)^7 + 3*b*tan(b*x + a)^5 + 3*b*tan(b*x + a)^3 + b*tan(b*x + a))]
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(2*b*x+2*a)**3*(c*tan(b*x+a)*tan(2*b*x+2*a))**(3/2),x)
```

```
[Out] Timed out
```

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(2*b*x+2*a)^3*(c*tan(b*x+a)*tan(2*b*x+2*a))^(3/2),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.619 \quad \int \frac{\sec^4(2(a+bx))}{\sqrt{c \tan(a+bx) \tan(2(a+bx))}} dx$$

**Optimal.** Leaf size=175

$$\frac{\tan(2a + 2bx) \sec^2(2a + 2bx)}{5b\sqrt{c \sec(2a + 2bx) - c}} + \frac{\tan(2a + 2bx)\sqrt{c \sec(2a + 2bx) - c}}{15bc} + \frac{14 \tan(2a + 2bx)}{15b\sqrt{c \sec(2a + 2bx) - c}} - \frac{\tanh^{-1}\left(\frac{\sqrt{c} \tan(2a + 2bx)}{\sqrt{2}\sqrt{c \sec(2a + 2bx) - c}}\right)}{\sqrt{2}b\sqrt{c}}$$

```
[Out] -(ArcTanh[(Sqrt[c]*Tan[2*a + 2*b*x])/(Sqrt[2]*Sqrt[-c + c*Sec[2*a + 2*b*x])])/(Sqrt[2]*b*Sqrt[c])) + (14*Tan[2*a + 2*b*x])/(15*b*Sqrt[-c + c*Sec[2*a + 2*b*x]]) + (Sec[2*a + 2*b*x]^2*Tan[2*a + 2*b*x])/(5*b*Sqrt[-c + c*Sec[2*a + 2*b*x]]) + (Sqrt[-c + c*Sec[2*a + 2*b*x]]*Tan[2*a + 2*b*x])/(15*b*c)
```

**Rubi [A]** time = 0.599777, antiderivative size = 175, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {4397, 3822, 4010, 4001, 3795, 207}

$$\frac{\tan(2a + 2bx) \sec^2(2a + 2bx)}{5b\sqrt{c \sec(2a + 2bx) - c}} + \frac{\tan(2a + 2bx)\sqrt{c \sec(2a + 2bx) - c}}{15bc} + \frac{14 \tan(2a + 2bx)}{15b\sqrt{c \sec(2a + 2bx) - c}} - \frac{\tanh^{-1}\left(\frac{\sqrt{c} \tan(2a + 2bx)}{\sqrt{2}\sqrt{c \sec(2a + 2bx) - c}}\right)}{\sqrt{2}b\sqrt{c}}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[2*(a + b*x)]^4/Sqrt[c*Tan[a + b*x]*Tan[2*(a + b*x)]], x]
```

```
[Out] -(ArcTanh[(Sqrt[c]*Tan[2*a + 2*b*x])/(Sqrt[2]*Sqrt[-c + c*Sec[2*a + 2*b*x])])/(Sqrt[2]*b*Sqrt[c])) + (14*Tan[2*a + 2*b*x])/(15*b*Sqrt[-c + c*Sec[2*a + 2*b*x]]) + (Sec[2*a + 2*b*x]^2*Tan[2*a + 2*b*x])/(5*b*Sqrt[-c + c*Sec[2*a + 2*b*x]]) + (Sqrt[-c + c*Sec[2*a + 2*b*x]]*Tan[2*a + 2*b*x])/(15*b*c)
```

#### Rule 4397

```
Int[u_, x_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]
```

#### Rule 3822

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*d^2*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 2))/(f*(2*n - 3)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[d^2/(b*(2*n - 3)), Int[((d*Csc[e + f*x])^(n - 2)*(2*b*(n - 2) - a*Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 2] && IntegerQ[2*n]
```

#### Rule 4010

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && !LtQ[m, -1]
```

#### Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
```

```
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 207

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])
```

Rubi steps

$$\int \frac{\sec^4(2(a + bx))}{\sqrt{c \tan(a + bx) \tan(2(a + bx))}} dx = \int \frac{\sec^4(2a + 2bx)}{\sqrt{-c + c \sec(2a + 2bx)}} dx$$

$$= \frac{\sec^2(2a + 2bx) \tan(2a + 2bx)}{5b\sqrt{-c + c \sec(2a + 2bx)}} + \frac{\int \frac{\sec^2(2a+2bx)(4c+c \sec(2a+2bx))}{\sqrt{-c+c \sec(2a+2bx)}} dx}{5c}$$

$$= \frac{\sec^2(2a + 2bx) \tan(2a + 2bx)}{5b\sqrt{-c + c \sec(2a + 2bx)}} + \frac{\sqrt{-c + c \sec(2a + 2bx)} \tan(2a + 2bx)}{15bc} + \frac{2 \int \frac{\sec^2(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}} dx}{15}$$

$$= \frac{14 \tan(2a + 2bx)}{15b\sqrt{-c + c \sec(2a + 2bx)}} + \frac{\sec^2(2a + 2bx) \tan(2a + 2bx)}{5b\sqrt{-c + c \sec(2a + 2bx)}} + \frac{\sqrt{-c + c \sec(2a + 2bx)} \tan(2a + 2bx)}{15}$$

$$= \frac{14 \tan(2a + 2bx)}{15b\sqrt{-c + c \sec(2a + 2bx)}} + \frac{\sec^2(2a + 2bx) \tan(2a + 2bx)}{5b\sqrt{-c + c \sec(2a + 2bx)}} + \frac{\sqrt{-c + c \sec(2a + 2bx)} \tan(2a + 2bx)}{15}$$

$$= -\frac{\tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2}\sqrt{-c+c \sec(2a+2bx)}}\right)}{\sqrt{2}b\sqrt{c}} + \frac{14 \tan(2a + 2bx)}{15b\sqrt{-c + c \sec(2a + 2bx)}} + \frac{\sec^2(2a + 2bx) \tan(2a + 2bx)}{5b\sqrt{-c + c \sec(2a + 2bx)}}$$

**Mathematica [A]** time = 0.726858, size = 112, normalized size = 0.64

$$\frac{\sin(a + bx) \cos(a + bx) \sec^3(2(a + bx)) \left( 4 \cos(2(a + bx)) + 26 \cos(4(a + bx)) + 30 \cos^2(2(a + bx)) \tan^{-1} \left( \sqrt{\tan^2(a + bx)} \right) \right)}{30b\sqrt{c} \tan(a + bx) \tan(2(a + bx))}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sec[2*(a + b*x)]^4/Sqrt[c*Tan[a + b*x]*Tan[2*(a + b*x)]], x]
```

```
[Out] (Cos[a + b*x]*Sec[2*(a + b*x)]^3*Sin[a + b*x]*(38 + 4*Cos[2*(a + b*x)] + 26*Cos[4*(a + b*x)] + 30*ArcTan[Sqrt[-1 + Tan[a + b*x]^2]]*Cos[2*(a + b*x)]^2*Sqrt[-1 + Tan[a + b*x]^2]))/(30*b*Sqrt[c*Tan[a + b*x]*Tan[2*(a + b*x)]])
```

**Maple [B]** time = 0.577, size = 980, normalized size = 5.6

result too large to display



Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\sec(2bx+2a)^4/(c\tan(bx+a)\tan(2bx+2a))^{1/2}, x)$

[Out]  $\frac{1}{120}2^{1/2}/b4^{1/2}/(-3+2^{1/2})^3/(3+2^{1/2})^3(-1+\cos(bx+a))*(120*\text{arctanh}(1/2*4^{1/2}*(2*\cos(bx+a)^2-3*\cos(bx+a)+1)/\sin(bx+a)^2/((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2})*\cos(bx+a)^6+120*\cos(bx+a)^6*\ln(-2*(\cos(bx+a)^2*((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2}-2*\cos(bx+a)^2+\cos(bx+a)-((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2}+1)/\sin(bx+a)^2)+208*((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2}*\cos(bx+a)^6+208*((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2}*\cos(bx+a)^5-180*\text{arctanh}(1/2*4^{1/2}*(2*\cos(bx+a)^2-3*\cos(bx+a)+1)/\sin(bx+a)^2/((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2})*\cos(bx+a)^4-180*\cos(bx+a)^4*\ln(-2*(\cos(bx+a)^2*((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2}-2*\cos(bx+a)^2+\cos(bx+a)-((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2}+1)/\sin(bx+a)^2)-200*((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2}*\cos(bx+a)^4-200*((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2}*\cos(bx+a)^3+90*\text{arctanh}(1/2*4^{1/2}*(2*\cos(bx+a)^2-3*\cos(bx+a)+1)/\sin(bx+a)^2/((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2})*\cos(bx+a)^2+90*\cos(bx+a)^2*\ln(-2*(\cos(bx+a)^2*((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2}-2*\cos(bx+a)^2+\cos(bx+a)-((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2}+1)/\sin(bx+a)^2)+60*\cos(bx+a)^2*((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2}+60*\cos(bx+a)*((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2}-15*\text{arctanh}(1/2*4^{1/2}*(2*\cos(bx+a)^2-3*\cos(bx+a)+1)/\sin(bx+a)^2/((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2})*\cos(bx+a)^2-15*\ln(-2*(\cos(bx+a)^2*((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2}-2*\cos(bx+a)^2+\cos(bx+a)-((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2}+1)/\sin(bx+a)^2))/((2*\cos(bx+a)^2-1)^3/\sin(bx+a)/(c*\sin(bx+a)^2/(2*\cos(bx+a)^2-1))^{1/2})/((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2}$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec(2bx+2a)^4}{\sqrt{c \tan(2bx+2a) \tan(bx+a)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\sec(2bx+2a)^4/(c\tan(bx+a)\tan(2bx+2a))^{1/2}, x, \text{algorithm} = \text{"maxima"})$

[Out]  $\text{integrate}(\sec(2bx+2a)^4/\text{sqrt}(c\tan(2bx+2a)\tan(bx+a)), x)$

**Fricas [A]** time = 2.43407, size = 994, normalized size = 5.68

$$\frac{4\sqrt{2}(15\tan(bx+a)^4-20\tan(bx+a)^2+17)\sqrt{\frac{c\tan(bx+a)^2}{\tan(bx+a)^2-1}} + \frac{15\sqrt{2}(c\tan(bx+a)^5-2c\tan(bx+a)^3+c\tan(bx+a))\log\left(\frac{\tan(bx+a)^3-}{\sqrt{c}}\right)}{60(bc\tan(bx+a)^5-2bc\tan(bx+a)^3+bc\tan(bx+a))}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(2*b*x+2*a)^4/(c*tan(b*x+a)*tan(2*b*x+2*a))^(1/2),x, algorithm="fricas")
```

```
[Out] [1/60*(4*sqrt(2)*(15*tan(b*x + a)^4 - 20*tan(b*x + a)^2 + 17)*sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1)) + 15*sqrt(2)*(c*tan(b*x + a)^5 - 2*c*tan(b*x + a)^3 + c*tan(b*x + a))*log((tan(b*x + a)^3 - 2*sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1))*(tan(b*x + a)^2 - 1)/sqrt(c) - 2*tan(b*x + a))/tan(b*x + a)^3)/sqrt(c))/(b*c*tan(b*x + a)^5 - 2*b*c*tan(b*x + a)^3 + b*c*tan(b*x + a)), -1/30*(15*sqrt(2)*(c*tan(b*x + a)^5 - 2*c*tan(b*x + a)^3 + c*tan(b*x + a))*sqrt(-1/c)*arctan(sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1))*(tan(b*x + a)^2 - 1)*sqrt(-1/c)/tan(b*x + a)) - 2*sqrt(2)*(15*tan(b*x + a)^4 - 20*tan(b*x + a)^2 + 17)*sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1)))/(b*c*tan(b*x + a)^5 - 2*b*c*tan(b*x + a)^3 + b*c*tan(b*x + a))]
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(2*b*x+2*a)**4/(c*tan(b*x+a)*tan(2*b*x+2*a))**(1/2),x)
```

```
[Out] Timed out
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(2*b*x+2*a)^4/(c*tan(b*x+a)*tan(2*b*x+2*a))^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.620 \quad \int \frac{\sec^3(2(a+bx))}{\sqrt{c \tan(a+bx) \tan(2(a+bx))}} dx$$

**Optimal.** Leaf size=129

$$\frac{\tan(2a+2bx)\sqrt{c \sec(2a+2bx)-c}}{3bc} + \frac{2 \tan(2a+2bx)}{3b\sqrt{c \sec(2a+2bx)-c}} - \frac{\tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2\sqrt{c \sec(2a+2bx)-c}}}\right)}{\sqrt{2b}\sqrt{c}}$$

[Out] -(ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/(Sqrt[2]\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x])])/(Sqrt[2]\*b\*Sqrt[c])) + (2\*Tan[2\*a + 2\*b\*x])/(3\*b\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]]) + (Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]]\*Tan[2\*a + 2\*b\*x])/(3\*b\*c)

**Rubi [A]** time = 0.35947, antiderivative size = 129, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {4397, 3800, 4001, 3795, 207}

$$\frac{\tan(2a+2bx)\sqrt{c \sec(2a+2bx)-c}}{3bc} + \frac{2 \tan(2a+2bx)}{3b\sqrt{c \sec(2a+2bx)-c}} - \frac{\tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2\sqrt{c \sec(2a+2bx)-c}}}\right)}{\sqrt{2b}\sqrt{c}}$$

Antiderivative was successfully verified.

[In] Int[Sec[2\*(a + b\*x)]^3/Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)]], x]

[Out] -(ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/(Sqrt[2]\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x])])/(Sqrt[2]\*b\*Sqrt[c])) + (2\*Tan[2\*a + 2\*b\*x])/(3\*b\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]]) + (Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]]\*Tan[2\*a + 2\*b\*x])/(3\*b\*c)

#### Rule 4397

Int[u\_, x\_Symbol] :=> Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 3800

Int[csc[(e\_.) + (f\_.)\*(x\_.)]^3\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_), x\_Symbol] :=> -Simp[(Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[Csc[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(b\*(m + 1) - a\*Csc[e + f\*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rule 4001

Int[csc[(e\_.) + (f\_.)\*(x\_.)]\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] :=> -Simp[(B\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(a\*B\*m + A\*b\*(m + 1))/(b\*(m + 1)), Int[Csc[e + f\*x]\*(a + b\*Csc[e + f\*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A\*b - a\*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a\*B\*m + A\*b\*(m + 1), 0] && !LtQ[m, -2^(-1)]

#### Rule 3795

Int[csc[(e\_.) + (f\_.)\*(x\_.)]/Sqrt[csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)], x\_Symbol] :=> Dist[-2/f, Subst[Int[1/(2\*a + x^2), x], x, (b\*Cot[e + f\*x])/Sqrt[a + b\*Csc[e + f\*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

#### Rule 207

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])
```

### Rubi steps

$$\begin{aligned} \int \frac{\sec^3(2(a+bx))}{\sqrt{c \tan(a+bx) \tan(2(a+bx))}} dx &= \int \frac{\sec^3(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}} dx \\ &= \frac{\sqrt{-c+c \sec(2a+2bx)} \tan(2a+2bx)}{3bc} + \frac{2 \int \frac{\sec(2a+2bx)(\frac{c}{2}+c \sec(2a+2bx))}{\sqrt{-c+c \sec(2a+2bx)}} dx}{3c} \\ &= \frac{2 \tan(2a+2bx)}{3b\sqrt{-c+c \sec(2a+2bx)}} + \frac{\sqrt{-c+c \sec(2a+2bx)} \tan(2a+2bx)}{3bc} + \int \frac{\sec(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}} dx \\ &= \frac{2 \tan(2a+2bx)}{3b\sqrt{-c+c \sec(2a+2bx)}} + \frac{\sqrt{-c+c \sec(2a+2bx)} \tan(2a+2bx)}{3bc} - \frac{\text{Subst}\left(\int \frac{\sec(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}} dx, 2a+2bx, u\right)}{2} \\ &= -\frac{\tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2\sqrt{-c+c \sec(2a+2bx)}}}\right)}{\sqrt{2b}\sqrt{c}} + \frac{2 \tan(2a+2bx)}{3b\sqrt{-c+c \sec(2a+2bx)}} + \frac{\sqrt{-c+c \sec(2a+2bx)} \tan(2a+2bx)}{3bc} \end{aligned}$$

**Mathematica [A]** time = 0.392146, size = 89, normalized size = 0.69

$$\frac{\cos^2(a+bx) \csc(2(a+bx)) \sqrt{c \tan(a+bx) \tan(2(a+bx))} \left( 3\sqrt{\tan^2(a+bx)-1} \tan^{-1}\left(\sqrt{\tan^2(a+bx)-1}\right) + 2 \sec(2(a+bx)) \right)}{3bc}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sec[2*(a + b*x)]^3/Sqrt[c*Tan[a + b*x]*Tan[2*(a + b*x)]], x]
```

```
[Out] (Cos[a + b*x]^2*Csc[2*(a + b*x)]*(2 + 2*Sec[2*(a + b*x)] + 3*ArcTan[Sqrt[-1 + Tan[a + b*x]^2]]*Sqrt[-1 + Tan[a + b*x]^2])*Sqrt[c*Tan[a + b*x]*Tan[2*(a + b*x)]])/(3*b*c)
```

**Maple [B]** time = 0.506, size = 673, normalized size = 5.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(2*b*x+2*a)^3/(c*tan(b*x+a)*tan(2*b*x+2*a))^(1/2), x)
```

```
[Out] -1/24*2^(1/2)/b*4^(1/2)/(3+2*2^(1/2))^2/(-3+2*2^(1/2))^2*(-1+cos(b*x+a))*(1+2*cos(b*x+a)^4*ln(-2*(cos(b*x+a)^2*((2*cos(b*x+a)^2-1)/(cos(b*x+a)+1)^2)^(1/2)-2*cos(b*x+a)^2+cos(b*x+a)-((2*cos(b*x+a)^2-1)/(cos(b*x+a)+1)^2)^(1/2)+1)/sin(b*x+a)^2)+12*arctanh(1/2*4^(1/2)*(2*cos(b*x+a)^2-3*cos(b*x+a)+1)/sin(b*x+a)^2)/((2*cos(b*x+a)^2-1)/(cos(b*x+a)+1)^2)^(1/2))*cos(b*x+a)^4+8*((2*cos(b*x+a)^2-1)/(cos(b*x+a)+1)^2)^(1/2)*cos(b*x+a)^4+8*((2*cos(b*x+a)^2-1)/(cos(b*x+a)+1)^2)^(1/2)*cos(b*x+a)^3-12*cos(b*x+a)^2*ln(-2*(cos(b*x+a)^2*((2*cos(b*x+a)^2-1)/(cos(b*x+a)+1)^2)^(1/2)-2*cos(b*x+a)^2+cos(b*x+a)-((2*cos(b*x+a)^2-1)/(cos(b*x+a)+1)^2)^(1/2)+1)/sin(b*x+a)^2)-12*arctanh(1/2*4^(1/2)*(2*cos(b*x+a)^2-3*cos(b*x+a)+1)/sin(b*x+a)^2)/((2*cos(b*x+a)^2-1)/(cos(b*x+a)+1)^2)^(1/2))*cos(b*x+a)^2+3*ln(-2*(cos(b*x+a)^2*((2*cos(b*x+a)^2-1)/(cos(b*x+a)+1)^2)^(1/2)-2*cos(b*x+a)^2+cos(b*x+a)-((2*cos(b*x+a)^2-1)/(cos(b*x+a)+1)^2)^(1/2)+1)/sin(b*x+a)^2)
```

$$b*x+a)+1)^2)^{(1/2)}-2*\cos(b*x+a)^2+\cos(b*x+a)-((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2)}+1)/\sin(b*x+a)^2+3*\operatorname{arctanh}(1/2*4^{(1/2)}*(2*\cos(b*x+a)^2-3*\cos(b*x+a)+1)/\sin(b*x+a)^2/((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2))}/(2*\cos(b*x+a)^2-1)^2/\sin(b*x+a)/((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2)}/(c*\sin(b*x+a)^2/(2*\cos(b*x+a)^2-1))^{(1/2)}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec(2bx + 2a)^3}{\sqrt{c \tan(2bx + 2a) \tan(bx + a)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2\*b\*x+2\*a)^3/(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2),x, algorithm="maxima")

[Out] integrate(sec(2\*b\*x + 2\*a)^3/sqrt(c\*tan(2\*b\*x + 2\*a)\*tan(b\*x + a)), x)

**Fricas [A]** time = 2.37962, size = 749, normalized size = 5.81

$$\frac{3\sqrt{2}(c \tan(bx+a)^3 - c \tan(bx+a)) \log\left(\frac{\tan(bx+a)^3 - \sqrt{\frac{-c \tan(bx+a)^2}{\tan(bx+a)^2 - 1}} (\tan(bx+a)^2 - 1)}{\sqrt{c} \tan(bx+a)^3}\right) - 8\sqrt{2} \sqrt{\frac{-c \tan(bx+a)^2}{\tan(bx+a)^2 - 1}}}{12(bc \tan(bx+a)^3 - bc \tan(bx+a))} \cdot \frac{3\sqrt{2}(c \tan(bx+a)^3 - c \tan(bx+a))}{12(bc \tan(bx+a)^3 - bc \tan(bx+a))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2\*b\*x+2\*a)^3/(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2),x, algorithm="fricas")

[Out] [1/12\*(3\*sqrt(2)\*(c\*tan(b\*x + a)^3 - c\*tan(b\*x + a))\*log((tan(b\*x + a)^3 - 2\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*(tan(b\*x + a)^2 - 1)/sqrt(c) - 2\*tan(b\*x + a))/tan(b\*x + a)^3)/sqrt(c) - 8\*sqrt(2)\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1)))/(b\*c\*tan(b\*x + a)^3 - b\*c\*tan(b\*x + a)), -1/6\*(3\*sqrt(2)\*(c\*tan(b\*x + a)^3 - c\*tan(b\*x + a))\*sqrt(-1/c)\*arctan(sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*(tan(b\*x + a)^2 - 1)\*sqrt(-1/c)/tan(b\*x + a)) + 4\*sqrt(2)\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1)))/(b\*c\*tan(b\*x + a)^3 - b\*c\*tan(b\*x + a))]

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(2*b*x+2*a)**3/(c*tan(b*x+a)*tan(2*b*x+2*a))**(1/2),x)
```

```
[Out] Timed out
```

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(2*b*x+2*a)^3/(c*tan(b*x+a)*tan(2*b*x+2*a))^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.621 \quad \int \frac{\sec^2(2(a+bx))}{\sqrt{c \tan(a+bx) \tan(2(a+bx))}} dx$$

**Optimal.** Leaf size=88

$$\frac{\tan(2a + 2bx)}{b\sqrt{c \sec(2a + 2bx) - c}} - \frac{\tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2}\sqrt{c \sec(2a+2bx)-c}}\right)}{\sqrt{2}b\sqrt{c}}$$

```
[Out] -(ArcTanh[(Sqrt[c]*Tan[2*a + 2*b*x])/(Sqrt[2]*Sqrt[-c + c*Sec[2*a + 2*b*x]])]/(Sqrt[2]*b*Sqrt[c])) + Tan[2*a + 2*b*x]/(b*Sqrt[-c + c*Sec[2*a + 2*b*x]])
```

**Rubi [A]** time = 0.237719, antiderivative size = 88, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$ , Rules used = {4397, 3798, 3795, 207}

$$\frac{\tan(2a + 2bx)}{b\sqrt{c \sec(2a + 2bx) - c}} - \frac{\tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2}\sqrt{c \sec(2a+2bx)-c}}\right)}{\sqrt{2}b\sqrt{c}}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[2*(a + b*x)]^2/Sqrt[c*Tan[a + b*x]*Tan[2*(a + b*x)]],x]
```

```
[Out] -(ArcTanh[(Sqrt[c]*Tan[2*a + 2*b*x])/(Sqrt[2]*Sqrt[-c + c*Sec[2*a + 2*b*x]])]/(Sqrt[2]*b*Sqrt[c])) + Tan[2*a + 2*b*x]/(b*Sqrt[-c + c*Sec[2*a + 2*b*x]])
```

#### Rule 4397

```
Int[u_, x_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]
```

#### Rule 3798

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*m)/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]
```

#### Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

#### Rule 207

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])
```

#### Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(2(a+bx))}{\sqrt{c \tan(a+bx) \tan(2(a+bx))}} dx &= \int \frac{\sec^2(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}} dx \\
&= \frac{\tan(2a+2bx)}{b\sqrt{-c+c \sec(2a+2bx)}} + \int \frac{\sec(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}} dx \\
&= \frac{\tan(2a+2bx)}{b\sqrt{-c+c \sec(2a+2bx)}} - \frac{\text{Subst}\left(\int \frac{1}{-2c+x^2} dx, x, -\frac{c \tan(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}}\right)}{b} \\
&= -\frac{\tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2}\sqrt{-c+c \sec(2a+2bx)}}\right)}{\sqrt{2}b\sqrt{c}} + \frac{\tan(2a+2bx)}{b\sqrt{-c+c \sec(2a+2bx)}}
\end{aligned}$$

**Mathematica [A]** time = 0.257214, size = 67, normalized size = 0.76

$$\frac{\left(\sqrt{\tan^2(a+bx)-1} \tan^{-1}\left(\sqrt{\tan^2(a+bx)-1}\right) + 2\right) \tan(2(a+bx))}{2b\sqrt{c} \tan(a+bx) \tan(2(a+bx))}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[2\*(a + b\*x)]^2/Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)]], x]

[Out] ((2 + ArcTan[Sqrt[-1 + Tan[a + b\*x]^2]]\*Sqrt[-1 + Tan[a + b\*x]^2])\*Tan[2\*(a + b\*x)])/(2\*b\*Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)]])

**Maple [B]** time = 0.467, size = 478, normalized size = 5.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(2\*b\*x+2\*a)^2/(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2), x)

[Out]  $\frac{1}{4} \cdot 2^{(1/2)} / b \cdot (\cos(b*x+a) \cdot \ln(-2 \cdot (\cos(b*x+a)^2 \cdot ((2 \cdot \cos(b*x+a)^2 - 1) / (\cos(b*x+a) + 1)^2)^{(1/2)} - 2 \cdot \cos(b*x+a)^2 + \cos(b*x+a) - ((2 \cdot \cos(b*x+a)^2 - 1) / (\cos(b*x+a) + 1)^2)^{(1/2)} + 1) / \sin(b*x+a)^2) \cdot ((2 \cdot \cos(b*x+a)^2 - 1) / (\cos(b*x+a) + 1)^2)^{(1/2)} + \cos(b*x+a) \cdot ((2 \cdot \cos(b*x+a)^2 - 1) / (\cos(b*x+a) + 1)^2)^{(1/2)} \cdot \operatorname{arctanh}(1/2 \cdot 4^{(1/2)} \cdot (2 \cdot \cos(b*x+a)^2 - 3 \cdot \cos(b*x+a) + 1) / \sin(b*x+a)^2) / ((2 \cdot \cos(b*x+a)^2 - 1) / (\cos(b*x+a) + 1)^2)^{(1/2)}) + \ln(-2 \cdot (\cos(b*x+a)^2 \cdot ((2 \cdot \cos(b*x+a)^2 - 1) / (\cos(b*x+a) + 1)^2)^{(1/2)} - 2 \cdot \cos(b*x+a)^2 + \cos(b*x+a) - ((2 \cdot \cos(b*x+a)^2 - 1) / (\cos(b*x+a) + 1)^2)^{(1/2)} + 1) / \sin(b*x+a)^2) \cdot ((2 \cdot \cos(b*x+a)^2 - 1) / (\cos(b*x+a) + 1)^2)^{(1/2)} + \operatorname{arctanh}(1/2 \cdot 4^{(1/2)} \cdot (2 \cdot \cos(b*x+a)^2 - 3 \cdot \cos(b*x+a) + 1) / \sin(b*x+a)^2) / ((2 \cdot \cos(b*x+a)^2 - 1) / (\cos(b*x+a) + 1)^2)^{(1/2)}) \cdot ((2 \cdot \cos(b*x+a)^2 - 1) / (\cos(b*x+a) + 1)^2)^{(1/2)} + 4 \cdot \cos(b*x+a) \cdot \sin(b*x+a) / (2 \cdot \cos(b*x+a)^2 - 1) / (c \cdot \sin(b*x+a)^2 / (2 \cdot \cos(b*x+a)^2 - 1))^{(1/2)}$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec(2bx+2a)^2}{\sqrt{c \tan(2bx+2a) \tan(bx+a)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(sec(2\*b\*x+2\*a)^2/(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2),x, algorithm="maxima")

[Out] integrate(sec(2\*b\*x + 2\*a)^2/sqrt(c\*tan(2\*b\*x + 2\*a)\*tan(b\*x + a)), x)

**Fricas [A]** time = 2.40652, size = 626, normalized size = 7.11

$$\frac{\sqrt{2}\sqrt{c} \log\left(\frac{\tan(bx+a)^3 - 2\sqrt{\frac{-c \tan(bx+a)^2}{\tan(bx+a)^2 - 1}}(\tan(bx+a)^2 - 1)}{\sqrt{c} \tan(bx+a)^3}\right) \tan(bx+a) + 4\sqrt{2}\sqrt{\frac{-c \tan(bx+a)^2}{\tan(bx+a)^2 - 1}} \sqrt{2c}\sqrt{-\frac{1}{c}} \arctan\left(\frac{\sqrt{\frac{-c \tan(bx+a)^2}{\tan(bx+a)^2 - 1}}}{\sqrt{-\frac{1}{c}}}\right)}{4bc \tan(bx+a)}, -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2\*b\*x+2\*a)^2/(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2),x, algorithm="fricas")

[Out] [1/4\*(sqrt(2)\*sqrt(c)\*log((tan(b\*x + a)^3 - 2\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*(tan(b\*x + a)^2 - 1)/sqrt(c) - 2\*tan(b\*x + a))/tan(b\*x + a)^3)\*tan(b\*x + a) + 4\*sqrt(2)\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1)))/(b\*c\*tan(b\*x + a)), -1/2\*(sqrt(2)\*c\*sqrt(-1/c)\*arctan(sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*(tan(b\*x + a)^2 - 1)\*sqrt(-1/c)/tan(b\*x + a))\*tan(b\*x + a) - 2\*sqrt(2)\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1)))/(b\*c\*tan(b\*x + a))]

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2\*b\*x+2\*a)\*\*2/(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))\*\*(1/2),x)

[Out] Timed out

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2\*b\*x+2\*a)^2/(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError

$$3.622 \quad \int \frac{\sec(2(a+bx))}{\sqrt{c} \tan(a+bx) \tan(2(a+bx))} dx$$

**Optimal.** Leaf size=55

$$\frac{\tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2}\sqrt{c \sec(2a+2bx)-c}}\right)}{\sqrt{2b}\sqrt{c}}$$

[Out] -(ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/(Sqrt[2]\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x])])/(Sqrt[2]\*b\*Sqrt[c]))

**Rubi [A]** time = 0.0761244, antiderivative size = 55, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {4397, 3795, 207}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2}\sqrt{c \sec(2a+2bx)-c}}\right)}{\sqrt{2b}\sqrt{c}}$$

Antiderivative was successfully verified.

[In] Int[Sec[2\*(a + b\*x)]/Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)]], x]

[Out] -(ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/(Sqrt[2]\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x])])/(Sqrt[2]\*b\*Sqrt[c]))

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 3795

Int[csc[(e\_.) + (f\_.)\*(x\_)]/Sqrt[csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)], x\_Symbol] := Dist[-2/f, Subst[Int[1/(2\*a + x^2), x], x, (b\*Cot[e + f\*x])/Sqrt[a + b\*Csc[e + f\*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{\sec(2(a+bx))}{\sqrt{c} \tan(a+bx) \tan(2(a+bx))} dx &= \int \frac{\sec(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}} dx \\ &= -\frac{\text{Subst}\left(\int \frac{1}{-2c+x^2} dx, x, -\frac{c \tan(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}}\right)}{b} \\ &= -\frac{\tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2}\sqrt{-c+c \sec(2a+2bx)}}\right)}{\sqrt{2b}\sqrt{c}} \end{aligned}$$

**Mathematica [A]** time = 0.147745, size = 64, normalized size = 1.16

$$\frac{\tan^{-1}\left(\sqrt{\tan^2(a+bx)-1}\right)\sqrt{\tan^2(a+bx)-1}\tan(2(a+bx))}{2b\sqrt{c}\tan(a+bx)\tan(2(a+bx))}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[2\*(a + b\*x)]/Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)]], x]

[Out] (ArcTan[Sqrt[-1 + Tan[a + b\*x]^2]]\*Sqrt[-1 + Tan[a + b\*x]^2]\*Tan[2\*(a + b\*x)])/(2\*b\*Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)]])

**Maple [B]** time = 0.388, size = 236, normalized size = 4.3

$$\frac{\sqrt{2}\sqrt{4}(\cos(bx+a)+1)}{8b\sin(bx+a)c}\sqrt{\frac{2(\cos(bx+a))^2-1}{(\cos(bx+a)+1)^2}}\sqrt{\frac{c(1-(\cos(bx+a))^2)}{2(\cos(bx+a))^2-1}}\left(\ln\left(-2\frac{1}{(\sin(bx+a))^2}\left((\cos(bx+a))^2\sqrt{\frac{2}{c}}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(2\*b\*x+2\*a)/(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2), x)

[Out] 1/8\*2^(1/2)/b\*4^(1/2)\*(cos(b\*x+a)+1)\*((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)\*(c\*(1-cos(b\*x+a)^2)/(2\*cos(b\*x+a)^2-1))^(1/2)\*(ln(-2\*(cos(b\*x+a)^2\*((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)-2\*cos(b\*x+a)^2+cos(b\*x+a)-((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)+1)/sin(b\*x+a)^2)+arctanh(1/2\*4^(1/2)\*(2\*cos(b\*x+a)^2-3\*cos(b\*x+a)+1)/sin(b\*x+a)^2/((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)))/sin(b\*x+a)/c

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec(2bx+2a)}{\sqrt{c}\tan(2bx+2a)\tan(bx+a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2\*b\*x+2\*a)/(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2), x, algorithm="maxima")

[Out] integrate(sec(2\*b\*x + 2\*a)/sqrt(c\*tan(2\*b\*x + 2\*a)\*tan(b\*x + a)), x)

**Fricas [A]** time = 2.27136, size = 386, normalized size = 7.02

$$\left[ \frac{\sqrt{2}\log\left(\frac{\tan(bx+a)^3 - \frac{2\sqrt{-\frac{c\tan(bx+a)^2}{\tan(bx+a)^2-1}}(\tan(bx+a)^2-1)}{\sqrt{c}} - 2\tan(bx+a)}{\tan(bx+a)^3}\right)}{4b\sqrt{c}}, \frac{\sqrt{2}\sqrt{-\frac{1}{c}}\arctan\left(\frac{\sqrt{-\frac{c\tan(bx+a)^2}{\tan(bx+a)^2-1}}(\tan(bx+a)^2-1)\sqrt{-\frac{1}{c}}}{\tan(bx+a)}\right)}{2b} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(2*b*x+2*a)/(c*tan(b*x+a)*tan(2*b*x+2*a))^(1/2),x, algorithm="fricas")
```

```
[Out] [1/4*sqrt(2)*log((tan(b*x + a)^3 - 2*sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1))*(tan(b*x + a)^2 - 1)/sqrt(c) - 2*tan(b*x + a))/tan(b*x + a)^3)/(b*sqrt(c)), -1/2*sqrt(2)*sqrt(-1/c)*arctan(sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1))*(tan(b*x + a)^2 - 1)*sqrt(-1/c)/tan(b*x + a))/b]
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(2*b*x+2*a)/(c*tan(b*x+a)*tan(2*b*x+2*a))**(1/2),x)
```

```
[Out] Timed out
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(2*b*x+2*a)/(c*tan(b*x+a)*tan(2*b*x+2*a))^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.623 \quad \int \frac{1}{\sqrt{c \tan(a+bx) \tan(2(a+bx))}} dx$$

**Optimal.** Leaf size=100

$$\frac{\tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{c \sec(2a+2bx)-c}}\right)}{b\sqrt{c}} - \frac{\tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2}\sqrt{c \sec(2a+2bx)-c}}\right)}{\sqrt{2}b\sqrt{c}}$$

[Out] ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]]]/(b\*Sqrt[c]) - ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/(Sqrt[2]\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])]/(Sqrt[2]\*b\*Sqrt[c])

**Rubi [A]** time = 0.0899419, antiderivative size = 100, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {4397, 3776, 3774, 207, 3795}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{c \sec(2a+2bx)-c}}\right)}{b\sqrt{c}} - \frac{\tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2}\sqrt{c \sec(2a+2bx)-c}}\right)}{\sqrt{2}b\sqrt{c}}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)]], x]

[Out] ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]]]/(b\*Sqrt[c]) - ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/(Sqrt[2]\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])]/(Sqrt[2]\*b\*Sqrt[c])

#### Rule 4397

Int[u\_, x\_Symbol] :=> Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 3776

Int[1/Sqrt[csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.) + (a\_)], x\_Symbol] :=> Dist[1/a, Int[Sqrt[a + b\*Csc[c + d\*x]], x], x] - Dist[b/a, Int[Csc[c + d\*x]/Sqrt[a + b\*Csc[c + d\*x]], x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 3774

Int[Sqrt[csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.) + (a\_)], x\_Symbol] :=> Dist[(-2\*b)/d, Subst[Int[1/(a + x^2), x], x, (b\*Cot[c + d\*x])/Sqrt[a + b\*Csc[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :=> -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rule 3795

Int[csc[(e\_.) + (f\_.)\*(x\_)]/Sqrt[csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_)], x\_Symbol] :=> Dist[-2/f, Subst[Int[1/(2\*a + x^2), x], x, (b\*Cot[e + f\*x])/Sqrt[a + b\*Csc[e + f\*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{1}{\sqrt{c \tan(a+bx) \tan(2(a+bx))}} dx &= \int \frac{1}{\sqrt{-c+c \sec(2a+2bx)}} dx \\
&= -\frac{\int \sqrt{-c+c \sec(2a+2bx)} dx}{c} + \int \frac{\sec(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}} dx \\
&= -\frac{\text{Subst}\left(\int \frac{1}{-c+x^2} dx, x, -\frac{c \tan(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}}\right)}{b} + \frac{\text{Subst}\left(\int \frac{1}{-c+x^2} dx, x, -\frac{c \tan(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}}\right)}{b} \\
&= \frac{\tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}}\right)}{b\sqrt{c}} - \frac{\tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2}\sqrt{-c+c \sec(2a+2bx)}}\right)}{\sqrt{2}b\sqrt{c}}
\end{aligned}$$

**Mathematica [A]** time = 0.332494, size = 94, normalized size = 0.94

$$\frac{\tan(a+bx) \left( 2 \tanh^{-1} \left( \frac{1}{2} \sqrt{2-2 \tan^2(a+bx)} \right) - \sqrt{2} \tanh^{-1} \left( \sqrt{1-\tan^2(a+bx)} \right) \right)}{b \sqrt{2-2 \tan^2(a+bx)} \sqrt{c \tan(a+bx) \tan(2(a+bx))}}$$

Antiderivative was successfully verified.

[In] Integrate[1/Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)]], x]

[Out] ((2\*ArcTanh[Sqrt[2 - 2\*Tan[a + b\*x]^2]/2] - Sqrt[2]\*ArcTanh[Sqrt[1 - Tan[a + b\*x]^2]])\*Tan[a + b\*x])/(b\*Sqrt[2 - 2\*Tan[a + b\*x]^2]\*Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)]])

**Maple [B]** time = 0.363, size = 301, normalized size = 3.

$$-\frac{\sqrt{2}\sqrt{4}(\cos(bx+a)+1)}{8b\sin(bx+a)c} \sqrt{\frac{2(\cos(bx+a))^2-1}{(\cos(bx+a)+1)^2}} \sqrt{\frac{c(1-(\cos(bx+a))^2)}{2(\cos(bx+a))^2-1}} \left( 2\sqrt{2}\text{Arctanh}\left( \frac{1}{2} \frac{\sqrt{2}\cos(bx+a)\sqrt{4}(-1+c)}{(\sin(bx+a))^2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2), x)

[Out] -1/8\*2^(1/2)/b\*4^(1/2)\*(cos(b\*x+a)+1)\*((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)\*(c\*(1-cos(b\*x+a)^2)/(2\*cos(b\*x+a)^2-1))^(1/2)\*(2\*2^(1/2)\*arctanh(1/2\*2^(1/2)\*cos(b\*x+a)\*4^(1/2)\*(-1+cos(b\*x+a))/sin(b\*x+a)^2/((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2))-ln(-2\*(cos(b\*x+a)^2\*((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)-2\*cos(b\*x+a)^2+cos(b\*x+a)-((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)+1)/sin(b\*x+a)^2)-arctanh(1/2\*4^(1/2)\*(2\*cos(b\*x+a)^2-3\*cos(b\*x+a)+1)/sin(b\*x+a)^2/((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2))/sin(b\*x+a)/c

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(c*tan(b*x+a)*tan(2*b*x+2*a))^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

---

**Fricas [A]** time = 2.14032, size = 807, normalized size = 8.07

$$\frac{\sqrt{2}\sqrt{c}\log\left(\frac{c\tan(bx+a)^3-2\sqrt{\frac{c\tan(bx+a)^2}{\tan(bx+a)^2-1}}(\tan(bx+a)^2-1)\sqrt{c-2c\tan(bx+a)}}{\tan(bx+a)^3}\right)+2\sqrt{c}\log\left(\frac{c\tan(bx+a)^3+2\sqrt{2}\sqrt{\frac{c\tan(bx+a)^2}{\tan(bx+a)^2-1}}(\tan(bx+a)^2-1)\sqrt{c}}{\tan(bx+a)^3+\tan(bx+a)}\right)}{4bc}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(c*tan(b*x+a)*tan(2*b*x+2*a))^(1/2),x, algorithm="fricas")
```

```
[Out] [1/4*(sqrt(2)*sqrt(c)*log((c*tan(b*x + a)^3 - 2*sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1))*(tan(b*x + a)^2 - 1)*sqrt(c) - 2*c*tan(b*x + a))/tan(b*x + a)^3) + 2*sqrt(c)*log((c*tan(b*x + a)^3 + 2*sqrt(2)*sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1))*(tan(b*x + a)^2 - 1)*sqrt(c) - 3*c*tan(b*x + a))/(tan(b*x + a)^3 + tan(b*x + a)))/(b*c), -1/2*(sqrt(2)*sqrt(-c)*arctan(sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1))*(tan(b*x + a)^2 - 1)*sqrt(-c)/(c*tan(b*x + a))) - 2*sqrt(-c)*arctan(1/2*sqrt(2)*sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1))*(tan(b*x + a)^2 - 1)*sqrt(-c)/(c*tan(b*x + a)))/(b*c)]
```

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(c*tan(b*x+a)*tan(2*b*x+2*a))**(1/2),x)
```

```
[Out] Timed out
```

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(c*tan(b*x+a)*tan(2*b*x+2*a))^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.624 \quad \int \frac{\cos(2(a+bx))}{\sqrt{c \tan(a+bx) \tan(2(a+bx))}} dx$$

**Optimal.** Leaf size=138

$$\frac{\sin(2a + 2bx)}{2b\sqrt{c \sec(2a + 2bx) - c}} + \frac{\tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{c \sec(2a+2bx) - c}}\right)}{2b\sqrt{c}} - \frac{\tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2}\sqrt{c \sec(2a+2bx) - c}}\right)}{\sqrt{2}b\sqrt{c}}$$

[Out] ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]]]/(2\*b\*Sqrt[c]) - ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/(Sqrt[2]\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])]/(Sqrt[2]\*b\*Sqrt[c]) + Sin[2\*a + 2\*b\*x]/(2\*b\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])

**Rubi [A]** time = 0.278831, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$ , Rules used = {4397, 3823, 3904, 3887, 481, 206}

$$\frac{\sin(2a + 2bx)}{2b\sqrt{c \sec(2a + 2bx) - c}} + \frac{\tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{c \sec(2a+2bx) - c}}\right)}{2b\sqrt{c}} - \frac{\tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2}\sqrt{c \sec(2a+2bx) - c}}\right)}{\sqrt{2}b\sqrt{c}}$$

Antiderivative was successfully verified.

[In] Int[Cos[2\*(a + b\*x)]/Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)]], x]

[Out] ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]]]/(2\*b\*Sqrt[c]) - ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/(Sqrt[2]\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])]/(Sqrt[2]\*b\*Sqrt[c]) + Sin[2\*a + 2\*b\*x]/(2\*b\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 3823

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^n\_/Sqrt[csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)], x\_Symbol] := Simp[(Cot[e + f\*x]\*(d\*Csc[e + f\*x])^n)/(f\*n\*Sqrt[a + b\*Csc[e + f\*x]]), x] + Dist[1/(2\*b\*d\*n), Int[((d\*Csc[e + f\*x])^(n + 1)\*(a + b\*(2\*n + 1)\*Csc[e + f\*x]))/Sqrt[a + b\*Csc[e + f\*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, 0] && IntegerQ[2\*n]

#### Rule 3904

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.) + (c\_.))^n\_, x\_Symbol] := Dist[(-a\*c)^m, Int[Cot[e + f\*x]^(2\*m)\*(c + d\*Csc[e + f\*x])^(n - m), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && EqQ[b\*c + a\*d, 0] && EqQ[a^2 - b^2, 0] && IntegerQ[m] && RationalQ[n] && !(IntegerQ[n] && GtQ[m - n, 0])

#### Rule 3887

Int[cot[(c\_.) + (d\_.)\*(x\_.)]^(m\_.)\*(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(n\_.), x\_Symbol] := Dist[(-2\*a^(m/2 + n + 1/2))/d, Subst[Int[(x^m\*(2 + a\*x^2)^(m/2 + n - 1/2))/(1 + a\*x^2), x], x, Cot[c + d\*x]/Sqrt[a + b\*Csc[c + d\*x]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[m/2] && In



tegerQ[n - 1/2]

Rule 481

```
Int[((e_)*(x_))^(m_)/(((a_) + (b_)*(x_)^(n_))*((c_) + (d_)*(x_)^(n_))),
  x_Symbol] := -Dist[(a*e^n)/(b*c - a*d), Int[(e*x)^(m - n)/(a + b*x^n), x],
  x] + Dist[(c*e^n)/(b*c - a*d), Int[(e*x)^(m - n)/(c + d*x^n), x], x] /; Fr
eeQ[{a, b, c, d, e, m}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LeQ[n, m,
2*n - 1]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{\cos(2(a+bx))}{\sqrt{c \tan(a+bx) \tan(2(a+bx))}} dx &= \int \frac{\cos(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}} dx \\ &= \frac{\sin(2a+2bx)}{2b\sqrt{-c+c \sec(2a+2bx)}} - \frac{\int \frac{-c-c \sec(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}} dx}{2c} \\ &= \frac{\sin(2a+2bx)}{2b\sqrt{-c+c \sec(2a+2bx)}} + \frac{1}{2}c \int \frac{\tan^2(2a+2bx)}{(-c+c \sec(2a+2bx))^{3/2}} dx \\ &= \frac{\sin(2a+2bx)}{2b\sqrt{-c+c \sec(2a+2bx)}} - \frac{c \operatorname{Subst}\left(\int \frac{x^2}{(1-cx^2)(2-cx^2)} dx, x, -\frac{\tan(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}}\right)}{2b} \\ &= \frac{\sin(2a+2bx)}{2b\sqrt{-c+c \sec(2a+2bx)}} - \frac{\operatorname{Subst}\left(\int \frac{1}{1-cx^2} dx, x, -\frac{\tan(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}}\right)}{2b} + \frac{\operatorname{Subst}\left(\int \frac{1}{2-cx^2} dx, x, -\frac{\tan(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}}\right)}{2b} \\ &= \frac{\tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}}\right)}{2b\sqrt{c}} - \frac{\tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2}\sqrt{-c+c \sec(2a+2bx)}}\right)}{\sqrt{2}b\sqrt{c}} + \frac{\sin(2a+2bx)}{2b\sqrt{-c+c \sec(2a+2bx)}} \end{aligned}$$

**Mathematica [A]** time = 2.47319, size = 166, normalized size = 1.2

$$\frac{\tan(a+bx) \left( \sqrt{2} \tanh^{-1} \left( \frac{1}{2} \sqrt{2-2 \tan^2(a+bx)} \right) - \tanh^{-1} \left( \sqrt{1-\tan^2(a+bx)} \right) + \sqrt{2} \cos^2(a+bx) \sqrt{\frac{1}{\sec(2(a+bx))+1}} \right)}{2b\sqrt{1-\tan^2(a+bx)}\sqrt{c \tan(a+bx) \tan(2(a+bx))}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[2\*(a + b\*x)]/Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)]], x]

```
[Out] (Tan[a + b*x]*(Sqrt[2]*ArcTanh[Sqrt[2 - 2*Tan[a + b*x]^2]/2] - ArcTanh[Sqrt
[1 - Tan[a + b*x]^2]] + Sqrt[2]*Cos[a + b*x]^2*Sqrt[(1 + Sec[2*(a + b*x)])^
(-1)]*(2 + ArcTan[Sqrt[-1 + Tan[a + b*x]^2]]*Sec[2*(a + b*x)]*Sqrt[-1 + Tan
[a + b*x]^2])))/(2*b*Sqrt[1 - Tan[a + b*x]^2]*Sqrt[c*Tan[a + b*x]*Tan[2*(a
+ b*x)]])
```

**Maple [B]** time = 0.466, size = 1030, normalized size = 7.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(2*b*x+2*a)/(c*tan(b*x+a)*tan(2*b*x+2*a))^(1/2),x)
```

```
[Out] 1/16*2^(1/2)/b*4^(1/2)*(-1+cos(b*x+a))^2*(cos(b*x+a)^3*((2*cos(b*x+a)^2-1)/
(cos(b*x+a)+1)^2)^(3/2)*4^(1/2)+4*4^(1/2)*((2*cos(b*x+a)^2-1)/(cos(b*x+a)+1
)^2)^(3/2)*cos(b*x+a)^2+5*4^(1/2)*((2*cos(b*x+a)^2-1)/(cos(b*x+a)+1)^2)^(3/2)
*cos(b*x+a)+2*4^(1/2)*((2*cos(b*x+a)^2-1)/(cos(b*x+a)+1)^2)^(3/2)-6*arctan
h(1/2*2^(1/2)*cos(b*x+a)*4^(1/2)*(-1+cos(b*x+a))/sin(b*x+a)^2/((2*cos(b*x+
a)^2-1)/(cos(b*x+a)+1)^2)^(1/2))*cos(b*x+a)*2^(1/2)+6*cos(b*x+a)*((2*cos(b*
x+a)^2-1)/(cos(b*x+a)+1)^2)^(1/2)+4*ln(-2*(cos(b*x+a)^2*((2*cos(b*x+a)^2-1)
/(cos(b*x+a)+1)^2)^(1/2)-2*cos(b*x+a)^2+cos(b*x+a)-((2*cos(b*x+a)^2-1)/(cos
(b*x+a)+1)^2)^(1/2)+1)/sin(b*x+a)^2*cos(b*x+a)+4*arctanh(1/2*4^(1/2)*(2*co
s(b*x+a)^2-3*cos(b*x+a)+1)/sin(b*x+a)^2/((2*cos(b*x+a)^2-1)/(cos(b*x+a)+1)^
2)^(1/2))*cos(b*x+a)-6*2^(1/2)*arctanh(1/2*2^(1/2)*cos(b*x+a)*4^(1/2)*(-1+c
os(b*x+a))/sin(b*x+a)^2/((2*cos(b*x+a)^2-1)/(cos(b*x+a)+1)^2)^(1/2))+4*((2*
cos(b*x+a)^2-1)/(cos(b*x+a)+1)^2)^(1/2)+4*ln(-2*(cos(b*x+a)^2*((2*cos(b*x+a)
)^2-1)/(cos(b*x+a)+1)^2)^(1/2)-2*cos(b*x+a)^2+cos(b*x+a)-((2*cos(b*x+a)^2-1)
)/(cos(b*x+a)+1)^2)^(1/2)+1)/sin(b*x+a)^2)+4*arctanh(1/2*4^(1/2)*(2*cos(b*x
+a)^2-3*cos(b*x+a)+1)/sin(b*x+a)^2/((2*cos(b*x+a)^2-1)/(cos(b*x+a)+1)^2)^(1
/2)))/((2*cos(b*x+a)^2-1)/(cos(b*x+a)+1)^2)^(1/2)/(c*sin(b*x+a)^2/(2*cos(b*
x+a)^2-1))^(1/2)/sin(b*x+a)^3+1/8*2^(1/2)/b*4^(1/2)*(cos(b*x+a)+1)*((2*cos(
b*x+a)^2-1)/(cos(b*x+a)+1)^2)^(1/2)*(c*(1-cos(b*x+a)^2)/(2*cos(b*x+a)^2-1))
^(1/2)*(2*2^(1/2)*arctanh(1/2*2^(1/2)*cos(b*x+a)*4^(1/2)*(-1+cos(b*x+a))/si
n(b*x+a)^2/((2*cos(b*x+a)^2-1)/(cos(b*x+a)+1)^2)^(1/2))-ln(-2*(cos(b*x+a)^2
*((2*cos(b*x+a)^2-1)/(cos(b*x+a)+1)^2)^(1/2)-2*cos(b*x+a)^2+cos(b*x+a)-((2*
cos(b*x+a)^2-1)/(cos(b*x+a)+1)^2)^(1/2)+1)/sin(b*x+a)^2)-arctanh(1/2*4^(1/2)
)*(2*cos(b*x+a)^2-3*cos(b*x+a)+1)/sin(b*x+a)^2/((2*cos(b*x+a)^2-1)/(cos(b*x
+a)+1)^2)^(1/2))/sin(b*x+a)/c
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(2bx + 2a)}{\sqrt{c \tan(2bx + 2a) \tan(bx + a)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(2*b*x+2*a)/(c*tan(b*x+a)*tan(2*b*x+2*a))^(1/2),x, algorithm="
maxima")
```

```
[Out] integrate(cos(2*b*x + 2*a)/sqrt(c*tan(2*b*x + 2*a)*tan(b*x + a)), x)
```

**Fricas [A]** time = 2.2922, size = 1274, normalized size = 9.23

$$\frac{\sqrt{2}(\tan(bx + a)^3 + \tan(bx + a))\sqrt{c} \log \left( \frac{c \tan(bx+a)^3 - 2 \sqrt{\frac{c \tan(bx+a)^2}{\tan(bx+a)^2 - 1} (\tan(bx+a)^2 - 1)} \sqrt{c - 2c \tan(bx+a)}}{\tan(bx+a)^3} \right) + (\tan(bx + a)^3 + \tan(bx + a))}{4 (bc \tan(bx + a)^3 + bc)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(2*b*x+2*a)/(c*tan(b*x+a)*tan(2*b*x+2*a))^(1/2),x, algorithm="
fricas")
```

```
[Out] [1/4*(sqrt(2)*(tan(b*x + a)^3 + tan(b*x + a))*sqrt(c)*log((c*tan(b*x + a)^3
- 2*sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1))*(tan(b*x + a)^2 - 1)*sqrt
(c) - 2*c*tan(b*x + a))/tan(b*x + a)^3) + (tan(b*x + a)^3 + tan(b*x + a))*s
qrt(c)*log((c*tan(b*x + a)^3 + 2*sqrt(2)*sqrt(-c*tan(b*x + a)^2/(tan(b*x +
a)^2 - 1))*(tan(b*x + a)^2 - 1)*sqrt(c) - 3*c*tan(b*x + a))/(tan(b*x + a)^3
+ tan(b*x + a))) - 2*sqrt(2)*sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1))*
(tan(b*x + a)^2 - 1)/(b*c*tan(b*x + a)^3 + b*c*tan(b*x + a)), -1/2*(sqrt(2
)*(tan(b*x + a)^3 + tan(b*x + a))*sqrt(-c)*arctan(sqrt(-c*tan(b*x + a)^2/(t
an(b*x + a)^2 - 1))*(tan(b*x + a)^2 - 1)*sqrt(-c)/(c*tan(b*x + a))) - (tan(
b*x + a)^3 + tan(b*x + a))*sqrt(-c)*arctan(1/2*sqrt(2)*sqrt(-c*tan(b*x + a)
^2/(tan(b*x + a)^2 - 1))*(tan(b*x + a)^2 - 1)*sqrt(-c)/(c*tan(b*x + a))) +
sqrt(2)*sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1))*(tan(b*x + a)^2 - 1)/
(b*c*tan(b*x + a)^3 + b*c*tan(b*x + a))]
```

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(2*b*x+2*a)/(c*tan(b*x+a)*tan(2*b*x+2*a))^(1/2),x)
```

```
[Out] Timed out
```

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(2*b*x+2*a)/(c*tan(b*x+a)*tan(2*b*x+2*a))^(1/2),x, algorithm="
giac")
```

```
[Out] Exception raised: TypeError
```

$$3.625 \quad \int \frac{\cos^2(2(a+bx))}{\sqrt{c \tan(a+bx) \tan(2(a+bx))}} dx$$

**Optimal.** Leaf size=182

$$\frac{\sin(2a+2bx)}{8b\sqrt{c \sec(2a+2bx)-c}} + \frac{\sin(2a+2bx) \cos(2a+2bx)}{4b\sqrt{c \sec(2a+2bx)-c}} + \frac{7 \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{c \sec(2a+2bx)-c}}\right)}{8b\sqrt{c}} - \frac{\tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2}\sqrt{c \sec(2a+2bx)-c}}\right)}{\sqrt{2}b\sqrt{c}}$$

[Out] (7\*ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]]]/(8\*b\*Sqrt[c]) - ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/(Sqrt[2]\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])]/(Sqrt[2]\*b\*Sqrt[c]) + Sin[2\*a + 2\*b\*x]/(8\*b\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]]) + (Cos[2\*a + 2\*b\*x]\*Sin[2\*a + 2\*b\*x])/(4\*b\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])

**Rubi [A]** time = 0.369753, antiderivative size = 182, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {4397, 3823, 4022, 3920, 3774, 207, 3795}

$$\frac{\sin(2a+2bx)}{8b\sqrt{c \sec(2a+2bx)-c}} + \frac{\sin(2a+2bx) \cos(2a+2bx)}{4b\sqrt{c \sec(2a+2bx)-c}} + \frac{7 \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{c \sec(2a+2bx)-c}}\right)}{8b\sqrt{c}} - \frac{\tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2}\sqrt{c \sec(2a+2bx)-c}}\right)}{\sqrt{2}b\sqrt{c}}$$

Antiderivative was successfully verified.

[In] Int[Cos[2\*(a + b\*x)]^2/Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)]], x]

[Out] (7\*ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]]]/(8\*b\*Sqrt[c]) - ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/(Sqrt[2]\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])]/(Sqrt[2]\*b\*Sqrt[c]) + Sin[2\*a + 2\*b\*x]/(8\*b\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]]) + (Cos[2\*a + 2\*b\*x]\*Sin[2\*a + 2\*b\*x])/(4\*b\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 3823

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^n/Sqrt[csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)], x\_Symbol] := Simp[(Cot[e + f\*x]\*(d\*Csc[e + f\*x])^n)/(f\*n\*Sqrt[a + b\*Csc[e + f\*x]]), x] + Dist[1/(2\*b\*d\*n), Int[((d\*Csc[e + f\*x])^(n + 1)\*(a + b\*(2\*n + 1)\*Csc[e + f\*x]))/Sqrt[a + b\*Csc[e + f\*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, 0] && IntegerQ[2\*n]

#### Rule 4022

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^n\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.))^m\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(B\_.) + (A\_.)), x\_Symbol] := Simp[(A\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^n)/(f\*n), x] - Dist[1/(b\*d\*n), Int[(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^(n + 1)\*Simp[a\*A\*m - b\*B\*n - A\*b\*(m + n + 1)\*Csc[e + f\*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A\*b - a\*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

#### Rule 3920

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.) + (c\_.))/Sqrt[csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)], x\_Symbol] := Dist[c/a, Int[Sqrt[a + b\*Csc[e + f\*x]], x], x] - D

ist[(b\*c - a\*d)/a, Int[Csc[e + f\*x]/Sqrt[a + b\*Csc[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0]

#### Rule 3774

Int[Sqrt[csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.) + (a\_.)], x\_Symbol] := Dist[(-2\*b)/d, Subst[Int[1/(a + x^2), x], x, (b\*Cot[c + d\*x])/Sqrt[a + b\*Csc[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rule 3795

Int[csc[(e\_.) + (f\_.)\*(x\_.)]/Sqrt[csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)], x\_Symbol] := Dist[-2/f, Subst[Int[1/(2\*a + x^2), x], x, (b\*Cot[e + f\*x])/Sqrt[a + b\*Csc[e + f\*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{\cos^2(2(a+bx))}{\sqrt{c \tan(a+bx) \tan(2(a+bx))}} dx &= \int \frac{\cos^2(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}} dx \\ &= \frac{\cos(2a+2bx) \sin(2a+2bx)}{4b\sqrt{-c+c \sec(2a+2bx)}} - \frac{\int \frac{\cos(2a+2bx)(-c-3c \sec(2a+2bx))}{\sqrt{-c+c \sec(2a+2bx)}} dx}{4c} \\ &= \frac{\sin(2a+2bx)}{8b\sqrt{-c+c \sec(2a+2bx)}} + \frac{\cos(2a+2bx) \sin(2a+2bx)}{4b\sqrt{-c+c \sec(2a+2bx)}} - \frac{\int \frac{-\frac{7c^2}{2}-\frac{1}{2}c^2 \sec(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}} dx}{4c^2} \\ &= \frac{\sin(2a+2bx)}{8b\sqrt{-c+c \sec(2a+2bx)}} + \frac{\cos(2a+2bx) \sin(2a+2bx)}{4b\sqrt{-c+c \sec(2a+2bx)}} - \frac{7 \int \sqrt{-c+c \sec(2a+2bx)} dx}{8c} \\ &= \frac{\sin(2a+2bx)}{8b\sqrt{-c+c \sec(2a+2bx)}} + \frac{\cos(2a+2bx) \sin(2a+2bx)}{4b\sqrt{-c+c \sec(2a+2bx)}} + \frac{7 \operatorname{Subst}\left(\int \frac{1}{-c+x^2} dx\right)}{8c} \\ &= \frac{7 \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}}\right)}{8b\sqrt{c}} - \frac{\tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2}\sqrt{-c+c \sec(2a+2bx)}}\right)}{\sqrt{2}b\sqrt{c}} + \frac{\sin(2a+2bx)}{8b\sqrt{-c+c \sec(2a+2bx)}} \end{aligned}$$

**Mathematica [A]** time = 3.07411, size = 186, normalized size = 1.02

$$\frac{\tan(a+bx) \left( 7\sqrt{2} \tanh^{-1}\left(\frac{1}{2}\sqrt{2-2 \tan^2(a+bx)}\right) - 7 \tanh^{-1}\left(\sqrt{1-\tan^2(a+bx)}\right) + \sqrt{2} \cos^2(a+bx) \sec(2(a+bx)) \right)}{8b\sqrt{1-\tan^2(a+bx)}\sqrt{c \tan(a+bx) \tan(2(a+bx))}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[2\*(a + b\*x)]^2/Sqrt[c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)]], x]

[Out] (Tan[a + b\*x]\*(7\*Sqrt[2]\*ArcTanh[Sqrt[2 - 2\*Tan[a + b\*x]^2]/2] - 7\*ArcTanh[Sqrt[1 - Tan[a + b\*x]^2]] + Sqrt[2]\*Cos[a + b\*x]^2\*Sec[2\*(a + b\*x)]\*Sqrt[(1 + Sec[2\*(a + b\*x)])^(-1)]\*(2\*(1 + Cos[2\*(a + b\*x)] + Cos[4\*(a + b\*x)]) + ArcTan[Sqrt[-1 + Tan[a + b\*x]^2]]\*Sqrt[-1 + Tan[a + b\*x]^2]))/(8\*b\*Sqrt[1 -

$\text{Tan}[a + b*x]^2 * \text{Sqrt}[c * \text{Tan}[a + b*x] * \text{Tan}[2*(a + b*x)]]$

**Maple [B]** time = 0.462, size = 1835, normalized size = 10.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\cos(2*b*x+2*a)^2 / (c * \tan(b*x+a) * \tan(2*b*x+2*a))^{1/2}, x)$

[Out] 
$$\begin{aligned} & -1/8*2^{1/2}/b*4^{1/2} * (\cos(b*x+a)+1) * ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{1/2} * (c*(1-\cos(b*x+a)^2)/(2*\cos(b*x+a)^2-1))^{1/2} * (2*2^{1/2} * \text{arctanh}(1/2 * 2^{1/2} * \cos(b*x+a) * 4^{1/2} * (-1+\cos(b*x+a))/\sin(b*x+a)^2 / ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{1/2}) - \ln(-2*(\cos(b*x+a)^2 * ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{1/2} - 2*\cos(b*x+a)^2 + \cos(b*x+a) - ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{1/2} + 1) / \sin(b*x+a)^2 - \text{arctanh}(1/2*4^{1/2} * (2*\cos(b*x+a)^2-3*\cos(b*x+a)+1) / \sin(b*x+a)^2 / ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{1/2}) / \sin(b*x+a) / c - 1/8*2^{1/2}/b*4^{1/2} * (-1+\cos(b*x+a))^2 * (\cos(b*x+a)^3 * ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{3/2} * 4^{1/2} + 4*4^{1/2} * ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{3/2} * \cos(b*x+a)^2 + 5*4^{1/2} * ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{3/2} * \cos(b*x+a)^2 + 4^{1/2} * ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{3/2} - 6 * \text{arctanh}(1/2*2^{1/2} * \cos(b*x+a) * 4^{1/2} * (-1+\cos(b*x+a))/\sin(b*x+a)^2 / ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{1/2}) * \cos(b*x+a) * 2^{1/2} + 6 * \cos(b*x+a) * ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{1/2} + 4 * \ln(-2*(\cos(b*x+a)^2 * ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{1/2} - 2*\cos(b*x+a)^2 + \cos(b*x+a) - ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{1/2} + 1) / \sin(b*x+a)^2 * \cos(b*x+a) + 4 * \text{arctanh}(1/2*4^{1/2} * (2*\cos(b*x+a)^2-3*\cos(b*x+a)+1) / \sin(b*x+a)^2 / ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{1/2}) * \cos(b*x+a) - 6*2^{1/2} * \text{arctanh}(1/2*2^{1/2} * \cos(b*x+a) * 4^{1/2} * (-1+\cos(b*x+a))/\sin(b*x+a)^2 / ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{1/2}) + 4 * ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{1/2} + 4 * \ln(-2*(\cos(b*x+a)^2 * ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{1/2} - 2*\cos(b*x+a)^2 + \cos(b*x+a) - ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{1/2} + 1) / \sin(b*x+a)^2 + 4 * \text{arctanh}(1/2*4^{1/2} * (2*\cos(b*x+a)^2-3*\cos(b*x+a)+1) / \sin(b*x+a)^2 / ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{1/2}) / ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{1/2} / (c * \sin(b*x+a)^2 / (2*\cos(b*x+a)^2-1))^{1/2} / \sin(b*x+a)^3 - 1/64*2^{1/2}/b*4^{1/2} * (-1+\cos(b*x+a))^2 * (-4 * \cos(b*x+a)^5 * ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{3/2} * 4^{1/2} - 16*4^{1/2} * ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{3/2} * \cos(b*x+a)^4 - 33 * \cos(b*x+a)^3 * ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{3/2} * 4^{1/2} - 52*4^{1/2} * ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{3/2} * \cos(b*x+a)^2 - 49*4^{1/2} * ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{3/2} * \cos(b*x+a) - 18*4^{1/2} * ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{3/2} + 46 * \text{arctanh}(1/2*2^{1/2} * \cos(b*x+a) * 4^{1/2} * (-1+\cos(b*x+a))/\sin(b*x+a)^2 / ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{1/2}) * \cos(b*x+a) * 2^{1/2} + 46*2^{1/2} * \text{arctanh}(1/2*2^{1/2} * \cos(b*x+a) * 4^{1/2} * (-1+\cos(b*x+a))/\sin(b*x+a)^2 / ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{1/2}) - 54 * \cos(b*x+a) * ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{1/2} - 32 * \ln(-2*(\cos(b*x+a)^2 * ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{1/2} - 2*\cos(b*x+a)^2 + \cos(b*x+a) - ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{1/2} + 1) / \sin(b*x+a)^2 * \cos(b*x+a) - 32 * \text{arctanh}(1/2*4^{1/2} * (2*\cos(b*x+a)^2-3*\cos(b*x+a)+1) / \sin(b*x+a)^2 / ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{1/2}) * \cos(b*x+a) - 36 * ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{1/2} - 32 * \ln(-2*(\cos(b*x+a)^2 * ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{1/2} - 2*\cos(b*x+a)^2 + \cos(b*x+a) - ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{1/2} + 1) / \sin(b*x+a)^2 - 32 * \text{arctanh}(1/2*4^{1/2} * (2*\cos(b*x+a)^2-3*\cos(b*x+a)+1) / \sin(b*x+a)^2 / ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{1/2}) / ((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{1/2} / (c * \sin(b*x+a)^2 / (2*\cos(b*x+a)^2-1))^{1/2} / \sin(b*x+a)^3 \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(2bx + 2a)^2}{\sqrt{c \tan(2bx + 2a) \tan(bx + a)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*b\*x+2\*a)^2/(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2),x, algorithm="maxima")

[Out] integrate(cos(2\*b\*x + 2\*a)^2/sqrt(c\*tan(2\*b\*x + 2\*a)\*tan(b\*x + a)), x)

**Fricas [A]** time = 2.32684, size = 1503, normalized size = 8.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*b\*x+2\*a)^2/(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(1/2),x, algorithm="fricas")

[Out] [1/16\*(4\*sqrt(2)\*(tan(b\*x + a)^5 + 2\*tan(b\*x + a)^3 + tan(b\*x + a))\*sqrt(c) \*log((c\*tan(b\*x + a)^3 - 2\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*(tan(b\*x + a)^2 - 1)\*sqrt(c) - 2\*c\*tan(b\*x + a))/tan(b\*x + a)^3) + 7\*(tan(b\*x + a)^5 + 2\*tan(b\*x + a)^3 + tan(b\*x + a))\*sqrt(c)\*log((c\*tan(b\*x + a)^3 + 2\*sqrt(2)\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*(tan(b\*x + a)^2 - 1)\*sqrt(c) - 3\*c\*tan(b\*x + a))/(tan(b\*x + a)^3 + tan(b\*x + a))) + 2\*sqrt(2)\*(tan(b\*x + a)^4 - 4\*tan(b\*x + a)^2 + 3)\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1)))/(b\*c\*tan(b\*x + a)^5 + 2\*b\*c\*tan(b\*x + a)^3 + b\*c\*tan(b\*x + a)), -1/8\*(4\*sqrt(2)\*(tan(b\*x + a)^5 + 2\*tan(b\*x + a)^3 + tan(b\*x + a))\*sqrt(-c)\*arctan(sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*(tan(b\*x + a)^2 - 1)\*sqrt(-c)/(c\*tan(b\*x + a))) - 7\*(tan(b\*x + a)^5 + 2\*tan(b\*x + a)^3 + tan(b\*x + a))\*sqrt(-c)\*arctan(1/2\*sqrt(2)\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*(tan(b\*x + a)^2 - 1)\*sqrt(-c)/(c\*tan(b\*x + a))) - sqrt(2)\*(tan(b\*x + a)^4 - 4\*tan(b\*x + a)^2 + 3)\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1)))/(b\*c\*tan(b\*x + a)^5 + 2\*b\*c\*tan(b\*x + a)^3 + b\*c\*tan(b\*x + a))]

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*b\*x+2\*a)\*\*2/(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))\*\*(1/2),x)

[Out] Timed out

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(2*b*x+2*a)^2/(c*tan(b*x+a)*tan(2*b*x+2*a))^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```



$$3.626 \quad \int \frac{\sec^4(2(a+bx))}{(c \tan(a+bx) \tan(2(a+bx)))^{3/2}} dx$$

**Optimal.** Leaf size=180

$$\frac{7 \tan(2a + 2bx) \sqrt{c \sec(2a + 2bx) - c}}{12bc^2} - \frac{11 \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2\sqrt{c} \sec(2a+2bx) - c}}\right)}{4\sqrt{2}bc^{3/2}} - \frac{\tan(2a + 2bx) \sec^2(2a + 2bx)}{4b(c \sec(2a + 2bx) - c)^{3/2}} + \frac{13 \tan(2a + 2bx)}{6bc\sqrt{c \sec(2a + 2bx) - c}}$$

[Out] (-11\*ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/(Sqrt[2]\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])])/(4\*Sqrt[2]\*b\*c^(3/2)) - (Sec[2\*a + 2\*b\*x]^2\*Tan[2\*a + 2\*b\*x])/(4\*b\*(-c + c\*Sec[2\*a + 2\*b\*x])^(3/2)) + (13\*Tan[2\*a + 2\*b\*x])/(6\*b\*c\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]]) + (7\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]]\*Tan[2\*a + 2\*b\*x])/(12\*b\*c^2)

**Rubi [A]** time = 0.513003, antiderivative size = 180, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {4397, 3816, 4010, 4001, 3795, 207}

$$\frac{7 \tan(2a + 2bx) \sqrt{c \sec(2a + 2bx) - c}}{12bc^2} - \frac{11 \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2\sqrt{c} \sec(2a+2bx) - c}}\right)}{4\sqrt{2}bc^{3/2}} - \frac{\tan(2a + 2bx) \sec^2(2a + 2bx)}{4b(c \sec(2a + 2bx) - c)^{3/2}} + \frac{13 \tan(2a + 2bx)}{6bc\sqrt{c \sec(2a + 2bx) - c}}$$

Antiderivative was successfully verified.

[In] Int[Sec[2\*(a + b\*x)]^4/(c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)])^(3/2), x]

[Out] (-11\*ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/(Sqrt[2]\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])])/(4\*Sqrt[2]\*b\*c^(3/2)) - (Sec[2\*a + 2\*b\*x]^2\*Tan[2\*a + 2\*b\*x])/(4\*b\*(-c + c\*Sec[2\*a + 2\*b\*x])^(3/2)) + (13\*Tan[2\*a + 2\*b\*x])/(6\*b\*c\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]]) + (7\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]]\*Tan[2\*a + 2\*b\*x])/(12\*b\*c^2)

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 3816

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^n\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^m, x\_Symbol] := -Simp[(d^2\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^(n - 2))/(f\*(2\*m + 1)), x] + Dist[d^2/(a\*b\*(2\*m + 1)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 2)\*(b\*(n - 2) + a\*(m - n + 2)\*Csc[e + f\*x]), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 2] && (IntegersQ[2\*m, 2\*n] || IntegerQ[m])

#### Rule 4010

Int[csc[(e\_.) + (f\_.)\*(x\_.)]^2\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^m\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] := -Simp[(B\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[Csc[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*Simp[b\*B\*(m + 1) + (A\*b\*(m + 2) - a\*B)\*Csc[e + f\*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A\*b - a\*B, 0] && !LtQ[m, -1]

#### Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]
```

### Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

### Rule 207

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])
```

### Rubi steps

$$\begin{aligned} \int \frac{\sec^4(2(a+bx))}{(c \tan(a+bx) \tan(2(a+bx)))^{3/2}} dx &= \int \frac{\sec^4(2a+2bx)}{(-c+c \sec(2a+2bx))^{3/2}} dx \\ &= -\frac{\sec^2(2a+2bx) \tan(2a+2bx)}{4b(-c+c \sec(2a+2bx))^{3/2}} + \frac{\int \frac{\sec^2(2a+2bx) \left(2c+\frac{7}{2}c \sec(2a+2bx)\right)}{\sqrt{-c+c \sec(2a+2bx)}} dx}{2c^2} \\ &= -\frac{\sec^2(2a+2bx) \tan(2a+2bx)}{4b(-c+c \sec(2a+2bx))^{3/2}} + \frac{7\sqrt{-c+c \sec(2a+2bx)} \tan(2a+2bx)}{12bc^2} + \frac{\int \frac{\sec^2(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}} dx}{2c} \\ &= -\frac{\sec^2(2a+2bx) \tan(2a+2bx)}{4b(-c+c \sec(2a+2bx))^{3/2}} + \frac{13 \tan(2a+2bx)}{6bc\sqrt{-c+c \sec(2a+2bx)}} + \frac{7\sqrt{-c+c \sec(2a+2bx)}}{2c} \\ &= -\frac{\sec^2(2a+2bx) \tan(2a+2bx)}{4b(-c+c \sec(2a+2bx))^{3/2}} + \frac{13 \tan(2a+2bx)}{6bc\sqrt{-c+c \sec(2a+2bx)}} + \frac{7\sqrt{-c+c \sec(2a+2bx)}}{2c} \\ &= -\frac{11 \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2}\sqrt{-c+c \sec(2a+2bx)}}\right)}{4\sqrt{2}bc^{3/2}} - \frac{\sec^2(2a+2bx) \tan(2a+2bx)}{4b(-c+c \sec(2a+2bx))^{3/2}} + \frac{13 \tan(2a+2bx)}{6bc\sqrt{-c+c \sec(2a+2bx)}} \end{aligned}$$

**Mathematica [A]** time = 1.36145, size = 100, normalized size = 0.56

$$\frac{\cot(a+bx)\sqrt{c \tan(a+bx) \tan(2(a+bx))} \left( \csc^2(a+bx) \left( (19 \cos(4(a+bx)) + 11) \sec(2(a+bx)) - 24 \right) - 66 \tan^{-1} \left( \sqrt{\tan(a+bx)} \right) \right)}{48bc^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sec[2*(a + b*x)]^4/(c*Tan[a + b*x]*Tan[2*(a + b*x)])^(3/2), x]
```

```
[Out] -(Cot[a + b*x]*(Csc[a + b*x]^2*(-24 + (11 + 19*Cos[4*(a + b*x)])*Sec[2*(a + b*x)])) - 66*ArcTan[Sqrt[-1 + Tan[a + b*x]^2]]*Sqrt[-1 + Tan[a + b*x]^2])*Sqrt[c*Tan[a + b*x]*Tan[2*(a + b*x)])/(48*b*c^2)
```

**Maple [B]** time = 0.454, size = 1211, normalized size = 6.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\sec(2bx+2a)^4/(c \tan(bx+a) \tan(2bx+2a))^{3/2}, x)$

[Out]  $\frac{1}{96} 2^{1/2} / b^4^{1/2} / (-3+2^{1/2})^3 / (3+2^{1/2})^3 (-1+\cos(bx+a))^{2*} (132 \ln(-2*(\cos(bx+a)^2*((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2}-2*\cos(bx+a)^2+\cos(bx+a)-((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2}+1)/\sin(bx+a)^2)*\cos(bx+a)^5+152*((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2}*\cos(bx+a)^5+132*\operatorname{arctanh}(1/2*4^{1/2}*(2*\cos(bx+a)^2-3*\cos(bx+a)+1)/\sin(bx+a)^2)/((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2})*\cos(bx+a)^5-132*\cos(bx+a)^4*\ln(-2*(\cos(bx+a)^2*((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2}-2*\cos(bx+a)^2+\cos(bx+a)-((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2}+1)/\sin(bx+a)^2)-132*\operatorname{arctanh}(1/2*4^{1/2}*(2*\cos(bx+a)^2-3*\cos(bx+a)+1)/\sin(bx+a)^2)/((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2})*\cos(bx+a)^4-132*\ln(-2*(\cos(bx+a)^2*((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2}-2*\cos(bx+a)^2+\cos(bx+a)-((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2}+1)/\sin(bx+a)^2)*\cos(bx+a)^3-200*((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2})*\cos(bx+a)^3-132*\operatorname{arctanh}(1/2*4^{1/2}*(2*\cos(bx+a)^2-3*\cos(bx+a)+1)/\sin(bx+a)^2)/((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2})*\cos(bx+a)^3+132*\cos(bx+a)^2*\ln(-2*(\cos(bx+a)^2*((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2}-2*\cos(bx+a)^2+\cos(bx+a)-((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2}+1)/\sin(bx+a)^2)+132*\operatorname{arctanh}(1/2*4^{1/2}*(2*\cos(bx+a)^2-3*\cos(bx+a)+1)/\sin(bx+a)^2)/((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2})*\cos(bx+a)^2+33*\ln(-2*(\cos(bx+a)^2*((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2}-2*\cos(bx+a)^2+\cos(bx+a)-((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2}+1)/\sin(bx+a)^2)*\cos(bx+a)+54*\cos(bx+a)*((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2}+33*\operatorname{arctanh}(1/2*4^{1/2}*(2*\cos(bx+a)^2-3*\cos(bx+a)+1)/\sin(bx+a)^2)/((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2})*\cos(bx+a)-33*\ln(-2*(\cos(bx+a)^2*((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2}-2*\cos(bx+a)^2+\cos(bx+a)-((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2}+1)/\sin(bx+a)^2)-33*\operatorname{arctanh}(1/2*4^{1/2}*(2*\cos(bx+a)^2-3*\cos(bx+a)+1)/\sin(bx+a)^2)/((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{1/2}))/((2*\cos(bx+a)^2-1)^2/((2*\cos(bx+a)^2-1)/(\cos(bx+a)+1)^2)^{3/2})/(c*\sin(bx+a)^2/(2*\cos(bx+a)^2-1))^{3/2}/\sin(bx+a)^3$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec(2bx+2a)^4}{(c \tan(2bx+2a) \tan(bx+a))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\sec(2bx+2a)^4/(c \tan(bx+a) \tan(2bx+2a))^{3/2}, x, \text{algorithm} = "maxima")$

[Out]  $\text{integrate}(\sec(2bx+2a)^4/(c \tan(2bx+2a) \tan(bx+a))^{3/2}, x)$

**Fricas [A]** time = 2.90706, size = 886, normalized size = 4.92

$$\frac{33\sqrt{2}(\tan(bx+a)^5 - \tan(bx+a)^3)\sqrt{c}\log\left(\frac{c\tan(bx+a)^3 - 2\sqrt{-\frac{c\tan(bx+a)^2}{\tan(bx+a)^2-1}}(\tan(bx+a)^2-1)\sqrt{c}-2c\tan(bx+a)}{\tan(bx+a)^3}\right) + 2\sqrt{2}(27\tan(bx+a)^4 - 46\tan(bx+a)^2 + 3)\sqrt{-c\tan(bx+a)^2/(\tan(bx+a)^2-1)}}{48(bc^2\tan(bx+a)^5 - bc^2\tan(bx+a)^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(2*b*x+2*a)^4/(c*tan(b*x+a)*tan(2*b*x+2*a))^(3/2),x, algorithm="fricas")
```

```
[Out] [1/48*(33*sqrt(2)*(tan(b*x + a)^5 - tan(b*x + a)^3)*sqrt(c)*log((c*tan(b*x + a)^3 - 2*sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1))*(tan(b*x + a)^2 - 1)*sqrt(c) - 2*c*tan(b*x + a))/tan(b*x + a)^3) + 2*sqrt(2)*(27*tan(b*x + a)^4 - 46*tan(b*x + a)^2 + 3)*sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1)))/(b*c^2*tan(b*x + a)^5 - b*c^2*tan(b*x + a)^3), -1/24*(33*sqrt(2)*(tan(b*x + a)^5 - tan(b*x + a)^3)*sqrt(-c)*arctan(sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1))*(tan(b*x + a)^2 - 1)*sqrt(-c)/(c*tan(b*x + a))) - sqrt(2)*(27*tan(b*x + a)^4 - 46*tan(b*x + a)^2 + 3)*sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1)))/(b*c^2*tan(b*x + a)^5 - b*c^2*tan(b*x + a)^3)]
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(2*b*x+2*a)**4/(c*tan(b*x+a)*tan(2*b*x+2*a))**(3/2),x)
```

```
[Out] Timed out
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(2*b*x+2*a)^4/(c*tan(b*x+a)*tan(2*b*x+2*a))^(3/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.627 \quad \int \frac{\sec^3(2(a+bx))}{(c \tan(a+bx) \tan(2(a+bx)))^{3/2}} dx$$

**Optimal.** Leaf size=128

$$-\frac{7 \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2}\sqrt{c \sec(2a+2bx)-c}}\right)}{4\sqrt{2}bc^{3/2}} + \frac{\tan(2a+2bx)}{bc\sqrt{c \sec(2a+2bx)-c}} - \frac{\tan(2a+2bx)}{4b(c \sec(2a+2bx)-c)^{3/2}}$$

[Out] (-7\*ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/(Sqrt[2]\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])])/(4\*Sqrt[2]\*b\*c^(3/2)) - Tan[2\*a + 2\*b\*x]/(4\*b\*(-c + c\*Sec[2\*a + 2\*b\*x])^(3/2)) + Tan[2\*a + 2\*b\*x]/(b\*c\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])

**Rubi [A]** time = 0.306361, antiderivative size = 128, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {4397, 3799, 4001, 3795, 207}

$$-\frac{7 \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2}\sqrt{c \sec(2a+2bx)-c}}\right)}{4\sqrt{2}bc^{3/2}} + \frac{\tan(2a+2bx)}{bc\sqrt{c \sec(2a+2bx)-c}} - \frac{\tan(2a+2bx)}{4b(c \sec(2a+2bx)-c)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Sec[2\*(a + b\*x)]^3/(c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)])^(3/2), x]

[Out] (-7\*ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/(Sqrt[2]\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])])/(4\*Sqrt[2]\*b\*c^(3/2)) - Tan[2\*a + 2\*b\*x]/(4\*b\*(-c + c\*Sec[2\*a + 2\*b\*x])^(3/2)) + Tan[2\*a + 2\*b\*x]/(b\*c\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])

#### Rule 4397

Int[u\_, x\_Symbol] :> Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 3799

Int[csc[(e\_.) + (f\_.)\*(x\_.)]^3\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_), x\_Symbol] :> Simp[(b\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a^2\*(2\*m + 1)), Int[Csc[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1)\*(a\*m - b\*(2\*m + 1)\*Csc[e + f\*x]), x], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

#### Rule 4001

Int[csc[(e\_.) + (f\_.)\*(x\_.)]\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] :> -Simp[(B\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(a\*B\*m + A\*b\*(m + 1))/(b\*(m + 1)), Int[Csc[e + f\*x]\*(a + b\*Csc[e + f\*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A\*b - a\*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a\*B\*m + A\*b\*(m + 1), 0] && !LtQ[m, -2^(-1)]

#### Rule 3795

Int[csc[(e\_.) + (f\_.)\*(x\_.)]/Sqrt[csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)], x\_Symbol] :> Dist[-2/f, Subst[Int[1/(2\*a + x^2), x], x, (b\*Cot[e + f\*x])/Sqrt[a + b\*Csc[e + f\*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

#### Rule 207

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])
```

### Rubi steps

$$\begin{aligned} \int \frac{\sec^3(2(a+bx))}{(c \tan(a+bx) \tan(2(a+bx)))^{3/2}} dx &= \int \frac{\sec^3(2a+2bx)}{(-c+c \sec(2a+2bx))^{3/2}} dx \\ &= -\frac{\tan(2a+2bx)}{4b(-c+c \sec(2a+2bx))^{3/2}} + \frac{\int \frac{\sec(2a+2bx) \left(\frac{3c}{2} + 2c \sec(2a+2bx)\right)}{\sqrt{-c+c \sec(2a+2bx)}} dx}{2c^2} \\ &= -\frac{\tan(2a+2bx)}{4b(-c+c \sec(2a+2bx))^{3/2}} + \frac{\tan(2a+2bx)}{bc\sqrt{-c+c \sec(2a+2bx)}} + \frac{7 \int \frac{\sec(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}} dx}{4c} \\ &= -\frac{\tan(2a+2bx)}{4b(-c+c \sec(2a+2bx))^{3/2}} + \frac{\tan(2a+2bx)}{bc\sqrt{-c+c \sec(2a+2bx)}} - \frac{7 \operatorname{Subst}\left(\int \frac{1}{-2c+x^2} dx\right)}{4c} \\ &= -\frac{7 \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2}\sqrt{-c+c \sec(2a+2bx)}}\right)}{4\sqrt{2}bc^{3/2}} - \frac{\tan(2a+2bx)}{4b(-c+c \sec(2a+2bx))^{3/2}} + \frac{\tan(2a+2bx)}{bc\sqrt{-c+c \sec(2a+2bx)}} \end{aligned}$$

**Mathematica [A]** time = 0.625027, size = 94, normalized size = 0.73

$$\frac{\tan(2(a+bx)) \left( 4 \sec(2(a+bx)) + 7 \sin^2(a+bx) \tan^{-1} \left( \sqrt{\tan^2(a+bx) - 1} \right) \sqrt{\tan^2(a+bx) - 1} \sec(2(a+bx)) - 5 \right)}{4b(c \tan(a+bx) \tan(2(a+bx)))^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sec[2*(a + b*x)]^3/(c*Tan[a + b*x]*Tan[2*(a + b*x)])^(3/2), x]
```

```
[Out] ((-5 + 4*Sec[2*(a + b*x)] + 7*ArcTan[Sqrt[-1 + Tan[a + b*x]^2]]*Sec[2*(a + b*x)]*Sin[a + b*x]^2*Sqrt[-1 + Tan[a + b*x]^2])*Tan[2*(a + b*x)]/(4*b*(c*Tan[a + b*x]*Tan[2*(a + b*x)])^(3/2))
```

**Maple [B]** time = 0.453, size = 930, normalized size = 7.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(2*b*x+2*a)^3/(c*tan(b*x+a)*tan(2*b*x+2*a))^(3/2), x)
```

```
[Out] -1/16*2^(1/2)/b*(7*ln(-2*(cos(b*x+a)^2*((2*cos(b*x+a)^2-1)/(cos(b*x+a)+1)^2)^(1/2)-2*cos(b*x+a)^2+cos(b*x+a)-((2*cos(b*x+a)^2-1)/(cos(b*x+a)+1)^2)^(1/2)+1)/sin(b*x+a)^2*((2*cos(b*x+a)^2-1)/(cos(b*x+a)+1)^2)^(1/2)*cos(b*x+a)^3+7*((2*cos(b*x+a)^2-1)/(cos(b*x+a)+1)^2)^(1/2)*arctanh(1/2*4^(1/2)*(2*cos(b*x+a)^2-3*cos(b*x+a)+1)/sin(b*x+a)^2/((2*cos(b*x+a)^2-1)/(cos(b*x+a)+1)^2)^(1/2))*cos(b*x+a)^3+7*ln(-2*(cos(b*x+a)^2*((2*cos(b*x+a)^2-1)/(cos(b*x+a)+1)^2)^(1/2)-2*cos(b*x+a)^2+cos(b*x+a)-((2*cos(b*x+a)^2-1)/(cos(b*x+a)+1)^2)^(1/2)+1)/sin(b*x+a)^2*((2*cos(b*x+a)^2-1)/(cos(b*x+a)+1)^2)^(1/2)*cos(b*x+a)^2+7*((2*cos(b*x+a)^2-1)/(cos(b*x+a)+1)^2)^(1/2)*arctanh(1/2*4^(1/2)*(2*cos(b*x+a)^2-3*cos(b*x+a)+1)/sin(b*x+a)^2/((2*cos(b*x+a)^2-1)/(cos(b*x+a)+1
```

$$\begin{aligned} & )^2)^{(1/2)} * \cos(b*x+a)^2 - 7 * \cos(b*x+a) * \ln(-2 * (\cos(b*x+a)^2 * ((2 * \cos(b*x+a)^2 - 1) / (\cos(b*x+a)+1)^2)^{(1/2)} - 2 * \cos(b*x+a)^2 + \cos(b*x+a) - ((2 * \cos(b*x+a)^2 - 1) / (\cos(b*x+a)+1)^2)^{(1/2)} + 1) / \sin(b*x+a)^2 * ((2 * \cos(b*x+a)^2 - 1) / (\cos(b*x+a)+1)^2)^{(1/2)} - 7 * \cos(b*x+a) * ((2 * \cos(b*x+a)^2 - 1) / (\cos(b*x+a)+1)^2)^{(1/2)} * \operatorname{arctanh}(1 / 2 * 4^{(1/2)} * (2 * \cos(b*x+a)^2 - 3 * \cos(b*x+a) + 1) / \sin(b*x+a)^2 / ((2 * \cos(b*x+a)^2 - 1) / (\cos(b*x+a)+1)^2)^{(1/2)}) + 20 * \cos(b*x+a)^3 - 7 * \ln(-2 * (\cos(b*x+a)^2 * ((2 * \cos(b*x+a)^2 - 1) / (\cos(b*x+a)+1)^2)^{(1/2)} - 2 * \cos(b*x+a)^2 + \cos(b*x+a) - ((2 * \cos(b*x+a)^2 - 1) / (\cos(b*x+a)+1)^2)^{(1/2)} + 1) / \sin(b*x+a)^2 * ((2 * \cos(b*x+a)^2 - 1) / (\cos(b*x+a)+1)^2)^{(1/2)} - 7 * \operatorname{arctanh}(1 / 2 * 4^{(1/2)} * (2 * \cos(b*x+a)^2 - 3 * \cos(b*x+a) + 1) / \sin(b*x+a)^2 / ((2 * \cos(b*x+a)^2 - 1) / (\cos(b*x+a)+1)^2)^{(1/2)}) * ((2 * \cos(b*x+a)^2 - 1) / (\cos(b*x+a)+1)^2)^{(1/2)} - 18 * \cos(b*x+a) * \sin(b*x+a) / (2 * \cos(b*x+a)^2 - 1)^2 / (c * \sin(b*x+a)^2 / (2 * \cos(b*x+a)^2 - 1))^{(3/2)} \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec(2bx + 2a)^3}{(c \tan(2bx + 2a) \tan(bx + a))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2\*b\*x+2\*a)^3/(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2),x, algorithm="maxima")

[Out] integrate(sec(2\*b\*x + 2\*a)^3/(c\*tan(2\*b\*x + 2\*a)\*tan(b\*x + a))^(3/2), x)

**Fricas [A]** time = 2.85703, size = 711, normalized size = 5.55

$$\frac{7 \sqrt{2} \sqrt{c} \log \left( \frac{c \tan(bx+a)^3 - 2 \sqrt{\frac{c \tan(bx+a)^2}{\tan(bx+a)^2 - 1}} (\tan(bx+a)^2 - 1) \sqrt{c} - 2c \tan(bx+a)}{\tan(bx+a)^3} \right) \tan(bx+a)^3 + 2 \sqrt{2} \sqrt{\frac{c \tan(bx+a)^2}{\tan(bx+a)^2 - 1}} (9 \tan(bx+a)^3 - 2 \sqrt{c} \tan(bx+a))}{16 bc^2 \tan(bx+a)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2\*b\*x+2\*a)^3/(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2),x, algorithm="fricas")

[Out] [1/16\*(7\*sqrt(2)\*sqrt(c)\*log((c\*tan(b\*x + a)^3 - 2\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*(tan(b\*x + a)^2 - 1)\*sqrt(c) - 2\*c\*tan(b\*x + a))/tan(b\*x + a)^3)\*tan(b\*x + a)^3 + 2\*sqrt(2)\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*(9\*tan(b\*x + a)^2 - 1))/(b\*c^2\*tan(b\*x + a)^3), -1/8\*(7\*sqrt(2)\*sqrt(-c)\*arctan(sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*(tan(b\*x + a)^2 - 1)\*sqrt(-c)/(c\*tan(b\*x + a)))\*tan(b\*x + a)^3 - sqrt(2)\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*(9\*tan(b\*x + a)^2 - 1))/(b\*c^2\*tan(b\*x + a)^3)]

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(2*b*x+2*a)**3/(c*tan(b*x+a)*tan(2*b*x+2*a))**(3/2),x)
```

```
[Out] Timed out
```

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(2*b*x+2*a)^3/(c*tan(b*x+a)*tan(2*b*x+2*a))^(3/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```



$$3.628 \quad \int \frac{\sec^2(2(a+bx))}{(c \tan(a+bx) \tan(2(a+bx)))^{3/2}} dx$$

Optimal. Leaf size=93

$$-\frac{3 \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2}\sqrt{c \sec(2a+2bx)-c}}\right)}{4\sqrt{2}bc^{3/2}} - \frac{\tan(2a+2bx)}{4b(c \sec(2a+2bx)-c)^{3/2}}$$

[Out] (-3\*ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/(Sqrt[2]\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])])/(4\*Sqrt[2]\*b\*c^(3/2)) - Tan[2\*a + 2\*b\*x]/(4\*b\*(-c + c\*Sec[2\*a + 2\*b\*x])^(3/2))

**Rubi [A]** time = 0.236104, antiderivative size = 93, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$ , Rules used = {4397, 3797, 3795, 207}

$$-\frac{3 \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2}\sqrt{c \sec(2a+2bx)-c}}\right)}{4\sqrt{2}bc^{3/2}} - \frac{\tan(2a+2bx)}{4b(c \sec(2a+2bx)-c)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Sec[2\*(a + b\*x)]^2/(c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)])^(3/2), x]

[Out] (-3\*ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/(Sqrt[2]\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])])/(4\*Sqrt[2]\*b\*c^(3/2)) - Tan[2\*a + 2\*b\*x]/(4\*b\*(-c + c\*Sec[2\*a + 2\*b\*x])^(3/2))

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 3797

Int[csc[(e\_.) + (f\_.)\*(x\_.)]^2\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_), x\_Symbol] := -Simp[(Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m)/(f\*(2\*m + 1)), x] + Dist[m/(b\*(2\*m + 1)), Int[Csc[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1), x], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

#### Rule 3795

Int[csc[(e\_.) + (f\_.)\*(x\_.)]/Sqrt[csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)], x\_Symbol] := Dist[-2/f, Subst[Int[1/(2\*a + x^2), x], x, (b\*Cot[e + f\*x])/Sqrt[a + b\*Csc[e + f\*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(2(a+bx))}{(c \tan(a+bx) \tan(2(a+bx)))^{3/2}} dx &= \int \frac{\sec^2(2a+2bx)}{(-c+c \sec(2a+2bx))^{3/2}} dx \\
&= -\frac{\tan(2a+2bx)}{4b(-c+c \sec(2a+2bx))^{3/2}} + \frac{3 \int \frac{\sec(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}} dx}{4c} \\
&= -\frac{\tan(2a+2bx)}{4b(-c+c \sec(2a+2bx))^{3/2}} - \frac{3 \operatorname{Subst}\left(\int \frac{1}{-2c+x^2} dx, x, -\frac{c \tan(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}}\right)}{4bc} \\
&= -\frac{3 \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2}\sqrt{-c+c \sec(2a+2bx)}}\right)}{4\sqrt{2}bc^{3/2}} - \frac{\tan(2a+2bx)}{4b(-c+c \sec(2a+2bx))^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 0.609946, size = 84, normalized size = 0.9

$$\frac{\tan(2(a+bx)) \left( 3 \sin^2(a+bx) \tan^{-1}\left(\sqrt{\tan^2(a+bx)-1}\right) \sqrt{\tan^2(a+bx)-1} \sec(2(a+bx))-1 \right)}{4b(c \tan(a+bx) \tan(2(a+bx)))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[2\*(a + b\*x)]^2/(c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)])^(3/2), x]

[Out] ((-1 + 3\*ArcTan[Sqrt[-1 + Tan[a + b\*x]^2]]\*Sec[2\*(a + b\*x)]\*Sin[a + b\*x]^2\*Sqrt[-1 + Tan[a + b\*x]^2])\*Tan[2\*(a + b\*x)]/(4\*b\*(c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)])^(3/2)))

**Maple [B]** time = 0.423, size = 433, normalized size = 4.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(2\*b\*x+2\*a)^2/(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2), x)

[Out] -1/32\*2^(1/2)/b\*4^(1/2)\*(-1+cos(b\*x+a))^2\*(2\*cos(b\*x+a)\*((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)+3\*ln(-2\*(cos(b\*x+a)^2\*((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)-2\*cos(b\*x+a)^2+cos(b\*x+a)-((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)+1)/sin(b\*x+a)^2\*cos(b\*x+a)+3\*arctanh(1/2\*4^(1/2)\*(2\*cos(b\*x+a)^2-3\*cos(b\*x+a)+1)/sin(b\*x+a)^2/((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2))\*cos(b\*x+a)-3\*ln(-2\*(cos(b\*x+a)^2\*((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)-2\*cos(b\*x+a)^2+cos(b\*x+a)-((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)+1)/sin(b\*x+a)^2-3\*arctanh(1/2\*4^(1/2)\*(2\*cos(b\*x+a)^2-3\*cos(b\*x+a)+1)/sin(b\*x+a)^2/((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)))/(c\*sin(b\*x+a)^2/(2\*cos(b\*x+a)^2-1))^(3/2)/sin(b\*x+a)^3/((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(3/2)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec(2bx+2a)^2}{(c \tan(2bx+2a) \tan(bx+a))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2\*b\*x+2\*a)^2/(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2),x, algorithm="maxima")

[Out] integrate(sec(2\*b\*x + 2\*a)^2/(c\*tan(2\*b\*x + 2\*a)\*tan(b\*x + a))^(3/2), x)

---

**Fricas [A]** time = 2.79174, size = 706, normalized size = 7.59

$$\frac{3\sqrt{2}\sqrt{c}\log\left(\frac{c\tan(bx+a)^3-2\sqrt{-\frac{c\tan(bx+a)^2}{\tan(bx+a)^2-1}}(\tan(bx+a)^2-1)\sqrt{c-2c\tan(bx+a)}}{\tan(bx+a)^3}\right)\tan(bx+a)^3+2\sqrt{2}\sqrt{-\frac{c\tan(bx+a)^2}{\tan(bx+a)^2-1}}(\tan(bx+a)^2)}{16bc^2\tan(bx+a)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2\*b\*x+2\*a)^2/(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2),x, algorithm="fricas")

[Out] [1/16\*(3\*sqrt(2)\*sqrt(c)\*log((c\*tan(b\*x + a)^3 - 2\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*(tan(b\*x + a)^2 - 1)\*sqrt(c) - 2\*c\*tan(b\*x + a))/tan(b\*x + a)^3)\*tan(b\*x + a)^3 + 2\*sqrt(2)\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*(tan(b\*x + a)^2 - 1))/(b\*c^2\*tan(b\*x + a)^3), -1/8\*(3\*sqrt(2)\*sqrt(-c)\*arctan(sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*(tan(b\*x + a)^2 - 1)\*sqrt(-c)/(c\*tan(b\*x + a)))\*tan(b\*x + a)^3 - sqrt(2)\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*(tan(b\*x + a)^2 - 1))/(b\*c^2\*tan(b\*x + a)^3)]

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2\*b\*x+2\*a)\*\*2/(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))\*\*(3/2),x)

[Out] Timed out

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(2\*b\*x+2\*a)^2/(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError

$$3.629 \quad \int \frac{\sec(2(a+bx))}{(c \tan(a+bx) \tan(2(a+bx)))^{3/2}} dx$$

**Optimal.** Leaf size=93

$$\frac{\tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2}\sqrt{c \sec(2a+2bx)-c}}\right)}{4\sqrt{2}bc^{3/2}} - \frac{\tan(2a+2bx)}{4b(c \sec(2a+2bx)-c)^{3/2}}$$

[Out] ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/(Sqrt[2]\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])]/(4\*Sqrt[2]\*b\*c^(3/2)) - Tan[2\*a + 2\*b\*x]/(4\*b\*(-c + c\*Sec[2\*a + 2\*b\*x])^(3/2))

**Rubi [A]** time = 0.12124, antiderivative size = 93, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$ , Rules used = {4397, 3796, 3795, 207}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2}\sqrt{c \sec(2a+2bx)-c}}\right)}{4\sqrt{2}bc^{3/2}} - \frac{\tan(2a+2bx)}{4b(c \sec(2a+2bx)-c)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Sec[2\*(a + b\*x)]/(c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)])^(3/2), x]

[Out] ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/(Sqrt[2]\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])]/(4\*Sqrt[2]\*b\*c^(3/2)) - Tan[2\*a + 2\*b\*x]/(4\*b\*(-c + c\*Sec[2\*a + 2\*b\*x])^(3/2))

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 3796

Int[csc[(e\_.) + (f\_.)\*(x\_)]\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.))^(m\_), x\_Symbol] := Simp[(b\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] + Dist[(m + 1)/(a\*(2\*m + 1)), Int[Csc[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1), x], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && IntegerQ[2\*m]

#### Rule 3795

Int[csc[(e\_.) + (f\_.)\*(x\_)]/Sqrt[csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)], x\_Symbol] := Dist[-2/f, Subst[Int[1/(2\*a + x^2), x], x, (b\*Cot[e + f\*x])/Sqrt[a + b\*Csc[e + f\*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned}
\int \frac{\sec(2(a+bx))}{(c \tan(a+bx) \tan(2(a+bx)))^{3/2}} dx &= \int \frac{\sec(2a+2bx)}{(-c+c \sec(2a+2bx))^{3/2}} dx \\
&= -\frac{\tan(2a+2bx)}{4b(-c+c \sec(2a+2bx))^{3/2}} - \frac{\int \frac{\sec(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}} dx}{4c} \\
&= -\frac{\tan(2a+2bx)}{4b(-c+c \sec(2a+2bx))^{3/2}} + \frac{\text{Subst}\left(\int \frac{1}{-2c+x^2} dx, x, -\frac{c \tan(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}}\right)}{4bc} \\
&= \frac{\tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2}\sqrt{-c+c \sec(2a+2bx)}}\right)}{4\sqrt{2}bc^{3/2}} - \frac{\tan(2a+2bx)}{4b(-c+c \sec(2a+2bx))^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 0.651006, size = 83, normalized size = 0.89

$$\frac{\tan(2(a+bx)) \left( \sin^2(a+bx) \tan^{-1} \left( \sqrt{\tan^2(a+bx)-1} \right) \sqrt{\tan^2(a+bx)-1} \sec(2(a+bx)) + 1 \right)}{4b(c \tan(a+bx) \tan(2(a+bx)))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[2\*(a + b\*x)]/(c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)])^(3/2),x]

[Out] -((1 + ArcTan[Sqrt[-1 + Tan[a + b\*x]^2]]\*Sec[2\*(a + b\*x)]\*Sin[a + b\*x]^2\*Sqrt[-1 + Tan[a + b\*x]^2])\*Tan[2\*(a + b\*x)]/(4\*b\*(c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)])^(3/2))

**Maple [B]** time = 0.406, size = 599, normalized size = 6.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(2\*b\*x+2\*a)/(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2),x)

[Out]  $\frac{1}{32} 2^{1/2} / b^4^{1/2} * (-1 + \cos(b*x+a))^{3/2} * (2^4)^{1/2} * ((2*\cos(b*x+a)^2-1) / (\cos(b*x+a)+1)^2)^{3/2} * \cos(b*x+a)^2 * 4^{1/2} * ((2*\cos(b*x+a)^2-1) / (\cos(b*x+a)+1)^2)^{3/2} - 6*\cos(b*x+a)^2 * ((2*\cos(b*x+a)^2-1) / (\cos(b*x+a)+1)^2)^{1/2} - \cos(b*x+a)^2 * \ln(-2*(\cos(b*x+a)^2 * ((2*\cos(b*x+a)^2-1) / (\cos(b*x+a)+1)^2)^{1/2} - 2*\cos(b*x+a)^2 + \cos(b*x+a) - ((2*\cos(b*x+a)^2-1) / (\cos(b*x+a)+1)^2)^{1/2} + 1) / \sin(b*x+a)^2) - \operatorname{arctanh}(1/2 * 4^{1/2} * (2*\cos(b*x+a)^2 - 3*\cos(b*x+a) + 1) / \sin(b*x+a)^2 / ((2*\cos(b*x+a)^2-1) / (\cos(b*x+a)+1)^2)^{1/2}) * \cos(b*x+a)^2 + 2*\cos(b*x+a) * ((2*\cos(b*x+a)^2-1) / (\cos(b*x+a)+1)^2)^{1/2} + 4 * ((2*\cos(b*x+a)^2-1) / (\cos(b*x+a)+1)^2)^{1/2} + \ln(-2*(\cos(b*x+a)^2 * ((2*\cos(b*x+a)^2-1) / (\cos(b*x+a)+1)^2)^{1/2} - 2*\cos(b*x+a)^2 + \cos(b*x+a) - ((2*\cos(b*x+a)^2-1) / (\cos(b*x+a)+1)^2)^{1/2} + 1) / \sin(b*x+a)^2) + \operatorname{arctanh}(1/2 * 4^{1/2} * (2*\cos(b*x+a)^2 - 3*\cos(b*x+a) + 1) / \sin(b*x+a)^2 / ((2*\cos(b*x+a)^2-1) / (\cos(b*x+a)+1)^2)^{1/2}) / (c*\sin(b*x+a)^2 / (2*\cos(b*x+a)^2-1))^{3/2} / \sin(b*x+a)^5 / ((2*\cos(b*x+a)^2-1) / (\cos(b*x+a)+1)^2)^{3/2}$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec(2bx+2a)}{(c \tan(2bx+2a) \tan(bx+a))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(2*b*x+2*a)/(c*tan(b*x+a)*tan(2*b*x+2*a))^(3/2),x, algorithm="maxima")
```

```
[Out] integrate(sec(2*b*x + 2*a)/(c*tan(2*b*x + 2*a)*tan(b*x + a))^(3/2), x)
```

---

**Fricas [A]** time = 2.98484, size = 699, normalized size = 7.52

$$\frac{\sqrt{2}\sqrt{c} \log\left(\frac{c \tan(bx+a)^3 + 2\sqrt{-\frac{c \tan(bx+a)^2}{\tan(bx+a)^2-1}}(\tan(bx+a)^2-1)\sqrt{c-2c \tan(bx+a)}}{\tan(bx+a)^3}\right) \tan(bx+a)^3 + 2\sqrt{2}\sqrt{-\frac{c \tan(bx+a)^2}{\tan(bx+a)^2-1}}(\tan(bx+a)^2-1)}{16bc^2 \tan(bx+a)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(2*b*x+2*a)/(c*tan(b*x+a)*tan(2*b*x+2*a))^(3/2),x, algorithm="fricas")
```

```
[Out] [1/16*(sqrt(2)*sqrt(c)*log((c*tan(b*x + a)^3 + 2*sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1))*(tan(b*x + a)^2 - 1)*sqrt(c) - 2*c*tan(b*x + a))/tan(b*x + a)^3)*tan(b*x + a)^3 + 2*sqrt(2)*sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1))*(tan(b*x + a)^2 - 1))/(b*c^2*tan(b*x + a)^3), 1/8*(sqrt(2)*sqrt(-c)*arctan(sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1))*(tan(b*x + a)^2 - 1)*sqrt(-c)/(c*tan(b*x + a)))*tan(b*x + a)^3 + sqrt(2)*sqrt(-c*tan(b*x + a)^2/(tan(b*x + a)^2 - 1))*(tan(b*x + a)^2 - 1))/(b*c^2*tan(b*x + a)^3)]
```

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(2*b*x+2*a)/(c*tan(b*x+a)*tan(2*b*x+2*a))**(3/2),x)
```

```
[Out] Timed out
```

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(2*b*x+2*a)/(c*tan(b*x+a)*tan(2*b*x+2*a))^(3/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.630 \quad \int \frac{1}{(c \tan(a+bx) \tan(2(a+bx)))^{3/2}} dx$$

**Optimal.** Leaf size=138

$$-\frac{\tanh^{-1}\left(\frac{\sqrt{c}\tan(2a+2bx)}{\sqrt{c\sec(2a+2bx)-c}}\right)}{bc^{3/2}} + \frac{5 \tanh^{-1}\left(\frac{\sqrt{c}\tan(2a+2bx)}{\sqrt{2}\sqrt{c\sec(2a+2bx)-c}}\right)}{4\sqrt{2}bc^{3/2}} - \frac{\tan(2a+2bx)}{4b(c\sec(2a+2bx)-c)^{3/2}}$$

[Out] -(ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]]]/(b\*c^(3/2))) + (5\*ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/(Sqrt[2]\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])]/(4\*Sqrt[2]\*b\*c^(3/2))) - Tan[2\*a + 2\*b\*x]/(4\*b\*(-c + c\*Sec[2\*a + 2\*b\*x])^(3/2))

**Rubi [A]** time = 0.142754, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.3$ , Rules used = {4397, 3777, 3920, 3774, 207, 3795}

$$-\frac{\tanh^{-1}\left(\frac{\sqrt{c}\tan(2a+2bx)}{\sqrt{c\sec(2a+2bx)-c}}\right)}{bc^{3/2}} + \frac{5 \tanh^{-1}\left(\frac{\sqrt{c}\tan(2a+2bx)}{\sqrt{2}\sqrt{c\sec(2a+2bx)-c}}\right)}{4\sqrt{2}bc^{3/2}} - \frac{\tan(2a+2bx)}{4b(c\sec(2a+2bx)-c)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)])^(-3/2), x]

[Out] -(ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]]]/(b\*c^(3/2))) + (5\*ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/(Sqrt[2]\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])]/(4\*Sqrt[2]\*b\*c^(3/2))) - Tan[2\*a + 2\*b\*x]/(4\*b\*(-c + c\*Sec[2\*a + 2\*b\*x])^(3/2))

#### Rule 4397

Int[u\_, x\_Symbol] :=> Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 3777

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.) + (a\_.))^n], x\_Symbol] :=> -Simp[(Cot[c + d\*x]\*(a + b\*Csc[c + d\*x])^n)/(d\*(2\*n + 1)), x] + Dist[1/(a^2\*(2\*n + 1)), Int[(a + b\*Csc[c + d\*x])^(n + 1)\*(a\*(2\*n + 1) - b\*(n + 1)\*Csc[c + d\*x]), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && LeQ[n, -1] && IntegerQ[2\*n]

#### Rule 3920

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.) + (c\_.))/Sqrt[csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)], x\_Symbol] :=> Dist[c/a, Int[Sqrt[a + b\*Csc[e + f\*x]], x], x] - Dist[(b\*c - a\*d)/a, Int[Csc[e + f\*x]/Sqrt[a + b\*Csc[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0]

#### Rule 3774

Int[Sqrt[csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.) + (a\_.)], x\_Symbol] :=> Dist[(-2\*b)/d, Subst[Int[1/(a + x^2), x], x, (b\*Cot[c + d\*x])/Sqrt[a + b\*Csc[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 207

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])
```

**Rule 3795**

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

**Rubi steps**

$$\int \frac{1}{(c \tan(a + bx) \tan(2(a + bx)))^{3/2}} dx = \int \frac{1}{(-c + c \sec(2a + 2bx))^{3/2}} dx$$

$$= -\frac{\tan(2a + 2bx)}{4b(-c + c \sec(2a + 2bx))^{3/2}} - \frac{\int \frac{2c + \frac{1}{2}c \sec(2a + 2bx)}{\sqrt{-c + c \sec(2a + 2bx)}} dx}{2c^2}$$

$$= -\frac{\tan(2a + 2bx)}{4b(-c + c \sec(2a + 2bx))^{3/2}} + \frac{\int \sqrt{-c + c \sec(2a + 2bx)} dx}{c^2} - \frac{5 \int \frac{\sec(2a + 2bx)}{\sqrt{-c + c \sec(2a + 2bx)}} dx}{4c}$$

$$= -\frac{\tan(2a + 2bx)}{4b(-c + c \sec(2a + 2bx))^{3/2}} - \frac{\text{Subst}\left(\int \frac{1}{-c + x^2} dx, x, -\frac{c \tan(2a + 2bx)}{\sqrt{-c + c \sec(2a + 2bx)}}\right)}{bc} + \frac{5 \int \frac{\sec(2a + 2bx)}{\sqrt{-c + c \sec(2a + 2bx)}} dx}{4c}$$

$$= -\frac{\tanh^{-1}\left(\frac{\sqrt{c} \tan(2a + 2bx)}{\sqrt{-c + c \sec(2a + 2bx)}}\right)}{bc^{3/2}} + \frac{5 \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a + 2bx)}{\sqrt{2\sqrt{-c + c \sec(2a + 2bx)}}}\right)}{4\sqrt{2}bc^{3/2}} - \frac{\tan(2a + 2bx)}{4b(-c + c \sec(2a + 2bx))^{3/2}}$$

**Mathematica [A]** time = 3.85748, size = 196, normalized size = 1.42

---


$$\cot(a + bx) \sqrt{c \tan(a + bx) \tan(2(a + bx))} \left( \tan^{-1} \left( \sqrt{\tan^2(a + bx) - 1} \right) \sqrt{-(\tan^2(a + bx) - 1)^2} + \cot^2(a + bx) (\cos(2(a + bx))) \right)$$


---

Warning: Unable to verify antiderivative.

```
[In] Integrate[(c*Tan[a + b*x]*Tan[2*(a + b*x)])^(-3/2), x]
```

```
[Out] -(Cot[a + b*x]*(4*Sqrt[2]*ArcTanh[Sqrt[2 - 2*Tan[a + b*x]^2]/2]*Cos[2*(a + b*x)]*Sec[a + b*x]^2 - 4*ArcTanh[Sqrt[1 - Tan[a + b*x]^2]]*Cos[2*(a + b*x)]*Sec[a + b*x]^2 + Cot[a + b*x]^2*(Cos[2*(a + b*x)]*Sec[a + b*x]^2)^(3/2) + ArcTan[Sqrt[-1 + Tan[a + b*x]^2]]*Sqrt[-(-1 + Tan[a + b*x]^2)^2])*Sqrt[c*Tan[a + b*x]*Tan[2*(a + b*x)]])/(8*b*c^2*Sqrt[1 - Tan[a + b*x]^2])
```

**Maple [B]** time = 0.388, size = 561, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(c*tan(b*x+a)*tan(2*b*x+2*a))^(3/2), x)
```

```
[Out] -1/32*2^(1/2)/b*4^(1/2)*(-1+cos(b*x+a))^2*(8*arctanh(1/2*2^(1/2)*cos(b*x+a)*4^(1/2)*(-1+cos(b*x+a))/sin(b*x+a)^2/((2*cos(b*x+a)^2-1)/(cos(b*x+a)+1)^2)
```



$$\begin{aligned} & \sqrt{\cos(bx+a)} \sqrt{2} - 8 \sqrt{2} \operatorname{arctanh}\left(\frac{1}{2} \sqrt{2} \cos(bx+a)\right) \sqrt{\cos(bx+a)} \\ & \sqrt{-1 + \cos(bx+a)} / \sin(bx+a) \sqrt{2} / \left( \frac{2 \cos(bx+a) - 1}{(\cos(bx+a) + 1)^2} \right)^{1/2} - \\ & 5 \ln\left(-2 \cos(bx+a) \sqrt{\frac{2 \cos(bx+a) - 1}{(\cos(bx+a) + 1)^2}} - 2 \cos(bx+a) \sqrt{2} + \cos(bx+a) - \left( \frac{2 \cos(bx+a) - 1}{(\cos(bx+a) + 1)^2} \right)^{1/2} + 1 \right) / \sin(bx+a) \sqrt{2} \\ & \sqrt{\cos(bx+a)} - 5 \operatorname{arctanh}\left(\frac{1}{2} \sqrt{4} \sqrt{\cos(bx+a)} \sqrt{2 - 3 \cos(bx+a) + 1} / \sin(bx+a) \sqrt{2} / \left( \frac{2 \cos(bx+a) - 1}{(\cos(bx+a) + 1)^2} \right)^{1/2} \right) \sqrt{\cos(bx+a)} + 2 \cos(bx+a) \sqrt{\frac{2 \cos(bx+a) - 1}{(\cos(bx+a) + 1)^2}} \\ & + 5 \ln\left(-2 \cos(bx+a) \sqrt{\frac{2 \cos(bx+a) - 1}{(\cos(bx+a) + 1)^2}} - 2 \cos(bx+a) \sqrt{2} + \cos(bx+a) - \left( \frac{2 \cos(bx+a) - 1}{(\cos(bx+a) + 1)^2} \right)^{1/2} + 1 \right) / \sin(bx+a) \sqrt{2} \\ & + 5 \operatorname{arctanh}\left(\frac{1}{2} \sqrt{4} \sqrt{\cos(bx+a)} \sqrt{2 - 3 \cos(bx+a) + 1} / \sin(bx+a) \sqrt{2} / \left( \frac{2 \cos(bx+a) - 1}{(\cos(bx+a) + 1)^2} \right)^{1/2} \right) \sqrt{\cos(bx+a)} \\ & \left. \right) / (c \sin(bx+a) \sqrt{2} / (2 \cos(bx+a) - 1))^{3/2} / \sin(bx+a) \sqrt{3} / \left( \frac{2 \cos(bx+a) - 1}{(\cos(bx+a) + 1)^2} \right)^{3/2} \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(c \tan(2bx + 2a) \tan(bx + a))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2),x, algorithm="maxima")

[Out] integrate((c\*tan(2\*b\*x + 2\*a)\*tan(b\*x + a))^(-3/2), x)

**Fricas [A]** time = 2.97344, size = 1148, normalized size = 8.32

$$\frac{5 \sqrt{2} \sqrt{c} \log\left(\frac{c \tan(bx+a)^3 + 2 \sqrt{\frac{c \tan(bx+a)^2}{\tan(bx+a)^2 - 1}} (\tan(bx+a)^2 - 1) \sqrt{c} - 2c \tan(bx+a)}{\tan(bx+a)^3}\right) \tan(bx+a)^3 + 8 \sqrt{c} \log\left(\frac{c \tan(bx+a)^3 - 2 \sqrt{2} \sqrt{\frac{c \tan(bx+a)^2}{\tan(bx+a)^2 - 1}} \tan(bx+a)}{\tan(bx+a)^3}\right)}{16 bc^2 \tan(bx+a)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2),x, algorithm="fricas")

[Out] [1/16\*(5\*sqrt(2)\*sqrt(c)\*log((c\*tan(b\*x + a)^3 + 2\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*(tan(b\*x + a)^2 - 1)\*sqrt(c) - 2\*c\*tan(b\*x + a))/tan(b\*x + a)^3)\*tan(b\*x + a)^3 + 8\*sqrt(c)\*log((c\*tan(b\*x + a)^3 - 2\*sqrt(2)\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*(tan(b\*x + a)^2 - 1)\*sqrt(c) - 3\*c\*tan(b\*x + a))/(tan(b\*x + a)^3 + tan(b\*x + a)))\*tan(b\*x + a)^3 + 2\*sqrt(2)\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*(tan(b\*x + a)^2 - 1)/(b\*c^2\*tan(b\*x + a)^3), 1/8\*(5\*sqrt(2)\*sqrt(-c)\*arctan(sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*(tan(b\*x + a)^2 - 1)\*sqrt(-c)/(c\*tan(b\*x + a)))\*tan(b\*x + a)^3 - 8\*sqrt(-c)\*arctan(1/2\*sqrt(2)\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*(tan(b\*x + a)^2 - 1)\*sqrt(-c)/(c\*tan(b\*x + a)))\*tan(b\*x + a)^3 + sqrt(2)\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*(tan(b\*x + a)^2 - 1)/(b\*c^2\*tan(b\*x + a)^3)]

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(c*tan(b*x+a)*tan(2*b*x+2*a))**(3/2),x)
```

```
[Out] Timed out
```

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(c*tan(b*x+a)*tan(2*b*x+2*a))^(3/2),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.631 \quad \int \frac{\cos(2(a+bx))}{(c \tan(a+bx) \tan(2(a+bx)))^{3/2}} dx$$

**Optimal.** Leaf size=178

$$\frac{3 \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{c \sec(2a+2bx)-c}}\right)}{2bc^{3/2}} + \frac{9 \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2}\sqrt{c \sec(2a+2bx)-c}}\right)}{4\sqrt{2}bc^{3/2}} - \frac{3 \sin(2a+2bx)}{4bc\sqrt{c \sec(2a+2bx)-c}} - \frac{\sin(2a+2bx)}{4b(c \sec(2a+2bx)-c)^{3/2}}$$

[Out] (-3\*ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]]])/(2\*b\*c^(3/2)) + (9\*ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/(Sqrt[2]\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])])/(4\*Sqrt[2]\*b\*c^(3/2)) - Sin[2\*a + 2\*b\*x]/(4\*b\*(-c + c\*Sec[2\*a + 2\*b\*x])^(3/2)) - (3\*Sin[2\*a + 2\*b\*x])/(4\*b\*c\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])

**Rubi [A]** time = 0.319622, antiderivative size = 178, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$ , Rules used = {4397, 3817, 4022, 3920, 3774, 207, 3795}

$$\frac{3 \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{c \sec(2a+2bx)-c}}\right)}{2bc^{3/2}} + \frac{9 \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2}\sqrt{c \sec(2a+2bx)-c}}\right)}{4\sqrt{2}bc^{3/2}} - \frac{3 \sin(2a+2bx)}{4bc\sqrt{c \sec(2a+2bx)-c}} - \frac{\sin(2a+2bx)}{4b(c \sec(2a+2bx)-c)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Cos[2\*(a + b\*x)]/(c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)])^(3/2), x]

[Out] (-3\*ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]]])/(2\*b\*c^(3/2)) + (9\*ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/(Sqrt[2]\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])])/(4\*Sqrt[2]\*b\*c^(3/2)) - Sin[2\*a + 2\*b\*x]/(4\*b\*(-c + c\*Sec[2\*a + 2\*b\*x])^(3/2)) - (3\*Sin[2\*a + 2\*b\*x])/(4\*b\*c\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 3817

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_), x\_Symbol] := -Simp[(Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^n)/(f\*(2\*m + 1)), x] + Dist[1/(a^2\*(2\*m + 1)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^n\*(a\*(2\*m + n + 1) - b\*(m + n + 1)\*Csc[e + f\*x]), x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -1] && (IntegersQ[2\*m, 2\*n] || IntegerQ[m])

#### Rule 4022

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] := Simp[(A\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^n)/(f\*n), x] - Dist[1/(b\*d\*n), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n + 1)\*Simp[a\*A\*m - b\*B\*n - A\*b\*(m + n + 1)\*Csc[e + f\*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A\*b - a\*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

#### Rule 3920

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 207

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\int \frac{\cos(2(a + bx))}{(c \tan(a + bx) \tan(2(a + bx)))^{3/2}} dx = \int \frac{\cos(2a + 2bx)}{(-c + c \sec(2a + 2bx))^{3/2}} dx$$

$$= -\frac{\sin(2a + 2bx)}{4b(-c + c \sec(2a + 2bx))^{3/2}} - \frac{\int \frac{\cos(2a+2bx)\left(3c+\frac{3}{2}c \sec(2a+2bx)\right)}{\sqrt{-c+c \sec(2a+2bx)}} dx}{2c^2}$$

$$= -\frac{\sin(2a + 2bx)}{4b(-c + c \sec(2a + 2bx))^{3/2}} - \frac{3 \sin(2a + 2bx)}{4bc\sqrt{-c + c \sec(2a + 2bx)}} - \frac{\int \frac{3c^2+\frac{3}{2}c^2 \sec(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}}}{2c^3}$$

$$= -\frac{\sin(2a + 2bx)}{4b(-c + c \sec(2a + 2bx))^{3/2}} - \frac{3 \sin(2a + 2bx)}{4bc\sqrt{-c + c \sec(2a + 2bx)}} + \frac{3 \int \sqrt{-c + c \sec(2a + 2bx)}}{2c^2}$$

$$= -\frac{\sin(2a + 2bx)}{4b(-c + c \sec(2a + 2bx))^{3/2}} - \frac{3 \sin(2a + 2bx)}{4bc\sqrt{-c + c \sec(2a + 2bx)}} - \frac{3 \operatorname{Subst}\left(\int \frac{1}{-c+x^2} dx\right)}{2c^2}$$

$$= -\frac{3 \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}}\right)}{2bc^{3/2}} + \frac{9 \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2}\sqrt{-c+c \sec(2a+2bx)}}\right)}{4\sqrt{2}bc^{3/2}} - \frac{\sin(2a + 2bx)}{4b(-c + c \sec(2a + 2bx))^{3/2}}$$

**Mathematica [A]** time = 6.19842, size = 342, normalized size = 1.92

$$\frac{\tan^2(a + bx) \tan^2(2(a + bx)) \left( \frac{1}{2} \sin(2(a + bx)) - \frac{1}{4} \cot(a + bx) - \frac{1}{8} \cot(a + bx) \csc^2(a + bx) \right)}{b(c \tan(a + bx) \tan(2(a + bx)))^{3/2}} - \frac{3 \tan^{\frac{3}{2}}(a + bx) \tan^{\frac{3}{2}}(2(a + bx))}{b(c \tan(a + bx) \tan(2(a + bx)))^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[2*(a + b*x)]/(c*Tan[a + b*x]*Tan[2*(a + b*x)])^(3/2), x]
```

```
[Out] (-3*Tan[a + b*x]^(3/2)*((ArcTan[Sqrt[-1 + Tan[a + b*x]^2]]*Csc[a + b*x]^2*Sec[a + b*x]^2*Tan[a + b*x]^(3/2)*Sqrt[-1 + Tan[a + b*x]^2]*Sqrt[Tan[2*(a + b*x)]])^(3/2) - 3*Tan[a + b*x]^(3/2)*Tan[2*(a + b*x)]^(3/2))/((c*Tan[a + b*x]*Tan[2*(a + b*x)])^(3/2))
```

$$\frac{b*x)}}{(1 + \tan[a + b*x]^2)^2 + (\sqrt{2}*(2*\operatorname{ArcTanh}[\sqrt{2 - 2*\tan[a + b*x]^2}/2] - \sqrt{2}*\operatorname{ArcTanh}[\sqrt{1 - \tan[a + b*x]^2}]))*\cos[2*(a + b*x)]*\csc[a + b*x]^2*\sec[a + b*x]^2*\tan[a + b*x]^{(3/2)}*\sqrt{\tan[2*(a + b*x)]})/(\sqrt{1 - \tan[a + b*x]^2}*(1 + \tan[a + b*x]^2))*\tan[2*(a + b*x)]^{(3/2)})/(8*b*(c*\operatorname{Tan}[a + b*x]*\tan[2*(a + b*x)]^{(3/2)}) + ((-\operatorname{Cot}[a + b*x]/4 - (\operatorname{Cot}[a + b*x]*\csc[a + b*x]^2)/8 + \sin[2*(a + b*x)]/2)*\tan[a + b*x]^2*\tan[2*(a + b*x)]^2)/(b*(c*\operatorname{Tan}[a + b*x]*\tan[2*(a + b*x)]^{(3/2)}))$$

**Maple [B]** time = 0.43, size = 1157, normalized size = 6.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(2*b*x+2*a)/(c*tan(b*x+a)*tan(2*b*x+2*a))^(3/2),x)`

[Out] 
$$\frac{1}{32}2^{(1/2)}/b*4^{(1/2)}*(-1+\cos(b*x+a))^{2*(8*\operatorname{arctanh}(1/2*2^{(1/2)}*\cos(b*x+a))*4^{(1/2)}*(-1+\cos(b*x+a))/\sin(b*x+a)^2/((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2)}*\cos(b*x+a)*2^{(1/2)}-8*2^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*\cos(b*x+a))*4^{(1/2)}*(-1+\cos(b*x+a))/\sin(b*x+a)^2/((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2)})-5*\ln(-2*(\cos(b*x+a)^2*((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2)}-2*\cos(b*x+a)^2+\cos(b*x+a)-((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2)}+1)/\sin(b*x+a)^2)*\cos(b*x+a)-5*\operatorname{arctanh}(1/2*4^{(1/2)}*(2*\cos(b*x+a)^2-3*\cos(b*x+a)+1)/\sin(b*x+a)^2/((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2)})*\cos(b*x+a)+2*\cos(b*x+a)*((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2)}+5*\ln(-2*(\cos(b*x+a)^2*((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2)}-2*\cos(b*x+a)^2+\cos(b*x+a)-((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2)}+1)/\sin(b*x+a)^2)+5*\operatorname{arctanh}(1/2*4^{(1/2)}*(2*\cos(b*x+a)^2-3*\cos(b*x+a)+1)/\sin(b*x+a)^2/((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2)}))/((c*\sin(b*x+a)^2/(2*\cos(b*x+a)^2-1))^{(3/2)}/\sin(b*x+a)^3/((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(3/2)}-1/16*2^{(1/2)}/b*4^{(1/2)}*(-1+\cos(b*x+a))^{2*(-4*((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2)}*\cos(b*x+a)^3+10*\operatorname{arctanh}(1/2*2^{(1/2)}*\cos(b*x+a))*4^{(1/2)}*(-1+\cos(b*x+a))/\sin(b*x+a)^2/((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2)})*\cos(b*x+a)*2^{(1/2)}-10*2^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*\cos(b*x+a))*4^{(1/2)}*(-1+\cos(b*x+a))/\sin(b*x+a)^2/((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2)})-7*\ln(-2*(\cos(b*x+a)^2*((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2)}-2*\cos(b*x+a)^2+\cos(b*x+a)-((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2)}+1)/\sin(b*x+a)^2)*\cos(b*x+a)+6*\cos(b*x+a)*((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2)}-7*\operatorname{arctanh}(1/2*4^{(1/2)}*(2*\cos(b*x+a)^2-3*\cos(b*x+a)+1)/\sin(b*x+a)^2/((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2)})*\cos(b*x+a)+7*\ln(-2*(\cos(b*x+a)^2*((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2)}-2*\cos(b*x+a)^2+\cos(b*x+a)-((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2)}+1)/\sin(b*x+a)^2)+7*\operatorname{arctanh}(1/2*4^{(1/2)}*(2*\cos(b*x+a)^2-3*\cos(b*x+a)+1)/\sin(b*x+a)^2/((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(1/2)}))/((2*\cos(b*x+a)^2-1)/(\cos(b*x+a)+1)^2)^{(3/2)}/(c*\sin(b*x+a)^2/(2*\cos(b*x+a)^2-1))^{(3/2)}/\sin(b*x+a)^3$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(2bx + 2a)}{(c \tan(2bx + 2a) \tan(bx + a))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(2*b*x+2*a)/(c*tan(b*x+a)*tan(2*b*x+2*a))^(3/2),x, algorithm="maxima")`

[Out] integrate(cos(2\*b\*x + 2\*a)/(c\*tan(2\*b\*x + 2\*a)\*tan(b\*x + a))^(3/2), x)

**Fricas [A]** time = 2.91226, size = 1372, normalized size = 7.71

$$\frac{9\sqrt{2}(\tan(bx+a)^5 + \tan(bx+a)^3)\sqrt{c}\log\left(\frac{c\tan(bx+a)^3 + 2\sqrt{-\frac{c\tan(bx+a)^2}{\tan(bx+a)^2-1}}(\tan(bx+a)^2-1)\sqrt{c-2c\tan(bx+a)}}{\tan(bx+a)^3}\right) + 12(\tan(bx+a)^5 + \tan(bx+a)^3)\sqrt{c}}{16(bc^2\tan(bx+a)^5 + \dots)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*b\*x+2\*a)/(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2),x, algorithm="fricas")

[Out] [1/16\*(9\*sqrt(2)\*(tan(b\*x + a)^5 + tan(b\*x + a)^3)\*sqrt(c)\*log((c\*tan(b\*x + a)^3 + 2\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*(tan(b\*x + a)^2 - 1)\*sqrt(c) - 2\*c\*tan(b\*x + a))/tan(b\*x + a)^3) + 12\*(tan(b\*x + a)^5 + tan(b\*x + a)^3)\*sqrt(c)\*log((c\*tan(b\*x + a)^3 - 2\*sqrt(2)\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*(tan(b\*x + a)^2 - 1)\*sqrt(c) - 3\*c\*tan(b\*x + a))/(tan(b\*x + a)^3 + tan(b\*x + a))) + 2\*sqrt(2)\*(5\*tan(b\*x + a)^4 - 4\*tan(b\*x + a)^2 - 1)\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1)))/(b\*c^2\*tan(b\*x + a)^5 + b\*c^2\*tan(b\*x + a)^3), 1/8\*(9\*sqrt(2)\*(tan(b\*x + a)^5 + tan(b\*x + a)^3)\*sqrt(-c)\*arctan(sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*(tan(b\*x + a)^2 - 1)\*sqrt(-c)/(c\*tan(b\*x + a))) - 12\*(tan(b\*x + a)^5 + tan(b\*x + a)^3)\*sqrt(-c)\*arctan(1/2\*sqrt(2)\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*(tan(b\*x + a)^2 - 1)\*sqrt(-c)/(c\*tan(b\*x + a))) + sqrt(2)\*(5\*tan(b\*x + a)^4 - 4\*tan(b\*x + a)^2 - 1)\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1)))/(b\*c^2\*tan(b\*x + a)^5 + b\*c^2\*tan(b\*x + a)^3)]

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*b\*x+2\*a)/(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2),x)

[Out] Timed out

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*b\*x+2\*a)/(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError

$$3.632 \quad \int \frac{\cos^2(2(a+bx))}{(c \tan(a+bx) \tan(2(a+bx)))^{3/2}} dx$$

**Optimal.** Leaf size=234

$$-\frac{19 \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{c \sec(2a+2bx)-c}}\right)}{8bc^{3/2}} + \frac{13 \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2\sqrt{c} \sec(2a+2bx)-c}}\right)}{4\sqrt{2}bc^{3/2}} - \frac{7 \sin(2a+2bx)}{8bc\sqrt{c \sec(2a+2bx)-c}} - \frac{\sin(2a+2bx) \cos(2a+2bx)}{2bc\sqrt{c \sec(2a+2bx)-c}}$$

[Out] (-19\*ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]]])/(8\*b\*c^(3/2)) + (13\*ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/(Sqrt[2]\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])])/(4\*Sqrt[2]\*b\*c^(3/2)) - (Cos[2\*a + 2\*b\*x]\*Sin[2\*a + 2\*b\*x])/(4\*b\*(-c + c\*Sec[2\*a + 2\*b\*x])^(3/2)) - (7\*Sin[2\*a + 2\*b\*x])/(8\*b\*c\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]]) - (Cos[2\*a + 2\*b\*x]\*Sin[2\*a + 2\*b\*x])/(2\*b\*c\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])

**Rubi [A]** time = 0.496741, antiderivative size = 234, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {4397, 3817, 4022, 3920, 3774, 207, 3795}

$$-\frac{19 \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{c \sec(2a+2bx)-c}}\right)}{8bc^{3/2}} + \frac{13 \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2\sqrt{c} \sec(2a+2bx)-c}}\right)}{4\sqrt{2}bc^{3/2}} - \frac{7 \sin(2a+2bx)}{8bc\sqrt{c \sec(2a+2bx)-c}} - \frac{\sin(2a+2bx) \cos(2a+2bx)}{2bc\sqrt{c \sec(2a+2bx)-c}}$$

Antiderivative was successfully verified.

[In] Int[Cos[2\*(a + b\*x)]^2/(c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)])^(3/2), x]

[Out] (-19\*ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]]])/(8\*b\*c^(3/2)) + (13\*ArcTanh[(Sqrt[c]\*Tan[2\*a + 2\*b\*x])/(Sqrt[2]\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])])/(4\*Sqrt[2]\*b\*c^(3/2)) - (Cos[2\*a + 2\*b\*x]\*Sin[2\*a + 2\*b\*x])/(4\*b\*(-c + c\*Sec[2\*a + 2\*b\*x])^(3/2)) - (7\*Sin[2\*a + 2\*b\*x])/(8\*b\*c\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]]) - (Cos[2\*a + 2\*b\*x]\*Sin[2\*a + 2\*b\*x])/(2\*b\*c\*Sqrt[-c + c\*Sec[2\*a + 2\*b\*x]])

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 3817

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^n\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^m, x\_Symbol] := -Simp[(Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^n)/(f\*(2\*m + 1)), x] + Dist[1/(a^2\*(2\*m + 1)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^n\*(a\*(2\*m + n + 1) - b\*(m + n + 1)\*Csc[e + f\*x]), x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -1] && (IntegersQ[2\*m, 2\*n] || IntegerQ[m])

#### Rule 4022

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^n\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^m\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] := Simp[(A\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^n)/(f\*n), x] - Dist[1/(b\*d\*n), Int[(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^(n + 1)\*Simp[a\*A\*m - b\*B\*n - A\*b\*(m + n + 1)\*Csc[e + f\*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A\*b - a\*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 3920

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 207

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(2(a+bx))}{(c \tan(a+bx) \tan(2(a+bx)))^{3/2}} dx &= \int \frac{\cos^2(2a+2bx)}{(-c+c \sec(2a+2bx))^{3/2}} dx \\
&= -\frac{\cos(2a+2bx) \sin(2a+2bx)}{4b(-c+c \sec(2a+2bx))^{3/2}} - \frac{\int \frac{\cos^2(2a+2bx)(4c+\frac{5}{2}c \sec(2a+2bx))}{\sqrt{-c+c \sec(2a+2bx)}} dx}{2c^2} \\
&= -\frac{\cos(2a+2bx) \sin(2a+2bx)}{4b(-c+c \sec(2a+2bx))^{3/2}} - \frac{\cos(2a+2bx) \sin(2a+2bx)}{2bc\sqrt{-c+c \sec(2a+2bx)}} - \frac{\int \frac{\cos(2a+2bx)(7c^2)}{\sqrt{-c+c \sec(2a+2bx)}} dx}{2bc\sqrt{-c+c \sec(2a+2bx)}} \\
&= -\frac{\cos(2a+2bx) \sin(2a+2bx)}{4b(-c+c \sec(2a+2bx))^{3/2}} - \frac{7 \sin(2a+2bx)}{8bc\sqrt{-c+c \sec(2a+2bx)}} - \frac{\cos(2a+2bx) \sin(2a+2bx)}{2bc\sqrt{-c+c \sec(2a+2bx)}} \\
&= -\frac{\cos(2a+2bx) \sin(2a+2bx)}{4b(-c+c \sec(2a+2bx))^{3/2}} - \frac{7 \sin(2a+2bx)}{8bc\sqrt{-c+c \sec(2a+2bx)}} - \frac{\cos(2a+2bx) \sin(2a+2bx)}{2bc\sqrt{-c+c \sec(2a+2bx)}} \\
&= -\frac{\cos(2a+2bx) \sin(2a+2bx)}{4b(-c+c \sec(2a+2bx))^{3/2}} - \frac{7 \sin(2a+2bx)}{8bc\sqrt{-c+c \sec(2a+2bx)}} - \frac{\cos(2a+2bx) \sin(2a+2bx)}{2bc\sqrt{-c+c \sec(2a+2bx)}} \\
&= -\frac{19 \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{-c+c \sec(2a+2bx)}}\right)}{8bc^{3/2}} + \frac{13 \tanh^{-1}\left(\frac{\sqrt{c} \tan(2a+2bx)}{\sqrt{2}\sqrt{-c+c \sec(2a+2bx)}}\right)}{4\sqrt{2}bc^{3/2}} - \frac{\cos(2a+2bx) \sin(2a+2bx)}{4b(-c+c \sec(2a+2bx))^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 6.24743, size = 356, normalized size = 1.52

$$\frac{\tan^2(a+bx) \tan^2(2(a+bx)) \left( \frac{7}{8} \sin(2(a+bx)) + \frac{1}{8} \sin(4(a+bx)) - \frac{5}{8} \cot(a+bx) - \frac{1}{8} \cot(a+bx) \csc^2(a+bx) \right)}{b(c \tan(a+bx) \tan(2(a+bx)))^{3/2}} + \frac{\tan^3(2(a+bx))}{2b(c \tan(a+bx) \tan(2(a+bx)))^{3/2}}$$

Antiderivative was successfully verified.



[In] Integrate[Cos[2\*(a + b\*x)]^2/(c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)])^(3/2), x]

[Out] (Tan[a + b\*x]^(3/2)\*((-7\*ArcTan[Sqrt[-1 + Tan[a + b\*x]^2]]\*Csc[a + b\*x]^2\*Sec[a + b\*x]^2\*Tan[a + b\*x]^(3/2)\*Sqrt[-1 + Tan[a + b\*x]^2]\*Sqrt[Tan[2\*(a + b\*x)]])/(1 + Tan[a + b\*x]^2)^2 - (19\*(2\*ArcTanh[Sqrt[2 - 2\*Tan[a + b\*x]^2]/2] - Sqrt[2]\*ArcTanh[Sqrt[1 - Tan[a + b\*x]^2]])\*Cos[2\*(a + b\*x)]\*Csc[a + b\*x]^2\*Sec[a + b\*x]^2\*Tan[a + b\*x]^(3/2)\*Sqrt[Tan[2\*(a + b\*x)]])/(Sqrt[2]\*Sqrt[1 - Tan[a + b\*x]^2]\*(1 + Tan[a + b\*x]^2))\*Tan[2\*(a + b\*x)]^(3/2))/(16\*b\*(c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)])^(3/2)) + (((-5\*Cot[a + b\*x])/8 - (Cot[a + b\*x]\*Csc[a + b\*x]^2)/8 + (7\*Sin[2\*(a + b\*x)]/8 + Sin[4\*(a + b\*x)]/8)\*Tan[a + b\*x]^2\*Tan[2\*(a + b\*x)]^2)/(b\*(c\*Tan[a + b\*x]\*Tan[2\*(a + b\*x)])^(3/2))

**Maple [B]** time = 0.395, size = 1787, normalized size = 7.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(2\*b\*x+2\*a)^2/(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2), x)

[Out] 1/32\*2^(1/2)/b\*4^(1/2)\*(-1+cos(b\*x+a))^2\*(8\*((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)\*cos(b\*x+a)^5+14\*((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)\*cos(b\*x+a)^3-51\*arctanh(1/2\*2^(1/2)\*cos(b\*x+a)\*4^(1/2)\*(-1+cos(b\*x+a))/sin(b\*x+a)^2/((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2))\*cos(b\*x+a)\*2^(1/2)+36\*ln(-2\*(cos(b\*x+a)^2\*((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)-2\*cos(b\*x+a)^2+cos(b\*x+a)-((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)+1)/sin(b\*x+a)^2)\*cos(b\*x+a)-30\*cos(b\*x+a)\*((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)+36\*arctanh(1/2\*4^(1/2)\*(2\*cos(b\*x+a)^2-3\*cos(b\*x+a)+1)/sin(b\*x+a)^2/((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2))\*cos(b\*x+a)+51\*2^(1/2)\*arctanh(1/2\*2^(1/2)\*cos(b\*x+a)\*4^(1/2)\*(-1+cos(b\*x+a))/sin(b\*x+a)^2/((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2))-36\*ln(-2\*(cos(b\*x+a)^2\*((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)-2\*cos(b\*x+a)^2+cos(b\*x+a)-((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)+1)/sin(b\*x+a)^2)-36\*arctanh(1/2\*4^(1/2)\*(2\*cos(b\*x+a)^2-3\*cos(b\*x+a)+1)/sin(b\*x+a)^2/((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)))/(c\*sin(b\*x+a)^2/(2\*cos(b\*x+a)^2-1))^(3/2)/sin(b\*x+a)^3/((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(3/2)/(c\*sin(b\*x+a)^2/(2\*cos(b\*x+a)^2-1))^(3/2)/sin(b\*x+a)^3/((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(3/2)+1/8\*2^(1/2)/b\*4^(1/2)\*(-1+cos(b\*x+a))^2\*(-4\*((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)\*cos(b\*x+a)^3+10\*arctanh(1/2\*2^(1/2)\*cos(b\*x+a)\*4^(1/2)\*(-1+cos(b\*x+a))/sin(b\*x+a)^2/((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2))\*cos(b\*x+a)\*2^(1/2)-10\*2^(1/2)\*arctanh(1/2\*2^(1/2)\*cos(b\*x+a)\*4^(1/2)\*(-1+cos(b\*x+a))/sin(b\*x+a)^2/((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2))-7\*ln(-2\*(cos(b\*x+a)^2\*((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)-2\*cos(b\*x+a)^2+cos(b\*x+a)-((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)+1)/sin(b\*x+a)^2)\*cos(b\*x+a)+6\*cos(b\*x+a)\*((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)-7\*arctanh(1/2\*4^(1/2)\*(2\*cos(b\*x+a)^2-3\*cos(b\*x+a)+1

)/sin(b\*x+a)^2/((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2))\*cos(b\*x+a)+7\*ln(-2\*(cos(b\*x+a)^2\*((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)-2\*cos(b\*x+a)^2+cos(b\*x+a)-((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)+1)/sin(b\*x+a)^2)+7\*arctanh(1/2\*4^(1/2)\*(2\*cos(b\*x+a)^2-3\*cos(b\*x+a)+1)/sin(b\*x+a)^2/((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(1/2)))/((2\*cos(b\*x+a)^2-1)/(cos(b\*x+a)+1)^2)^(3/2)/(c\*sin(b\*x+a)^2/(2\*cos(b\*x+a)^2-1))^(3/2)/sin(b\*x+a)^3

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(2bx + 2a)^2}{(c \tan(2bx + 2a) \tan(bx + a))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*b\*x+2\*a)^2/(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2),x, algorithm="maxima")

[Out] integrate(cos(2\*b\*x + 2\*a)^2/(c\*tan(2\*b\*x + 2\*a)\*tan(b\*x + a))^(3/2), x)

**Fricas [A]** time = 2.91411, size = 1596, normalized size = 6.82

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*b\*x+2\*a)^2/(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2),x, algorithm="fricas")

[Out] [1/16\*(13\*sqrt(2)\*(tan(b\*x + a)^7 + 2\*tan(b\*x + a)^5 + tan(b\*x + a)^3)\*sqrt(c)\*log((c\*tan(b\*x + a)^3 + 2\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*tan(b\*x + a)^2 - 1)\*sqrt(c) - 2\*c\*tan(b\*x + a))/tan(b\*x + a)^3) + 19\*(tan(b\*x + a)^7 + 2\*tan(b\*x + a)^5 + tan(b\*x + a)^3)\*sqrt(c)\*log((c\*tan(b\*x + a)^3 - 2\*sqrt(2)\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*(tan(b\*x + a)^2 - 1)\*sqrt(c) - 3\*c\*tan(b\*x + a))/(tan(b\*x + a)^3 + tan(b\*x + a))) + 2\*sqrt(2)\*(4\*tan(b\*x + a)^6 + 5\*tan(b\*x + a)^4 - 8\*tan(b\*x + a)^2 - 1)\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1)))/(b\*c^2\*tan(b\*x + a)^7 + 2\*b\*c^2\*tan(b\*x + a)^5 + b\*c^2\*tan(b\*x + a)^3), 1/8\*(13\*sqrt(2)\*(tan(b\*x + a)^7 + 2\*tan(b\*x + a)^5 + tan(b\*x + a)^3)\*sqrt(-c)\*arctan(sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*(tan(b\*x + a)^2 - 1)\*sqrt(-c)/(c\*tan(b\*x + a))) - 19\*(tan(b\*x + a)^7 + 2\*tan(b\*x + a)^5 + tan(b\*x + a)^3)\*sqrt(-c)\*arctan(1/2\*sqrt(2)\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1))\*(tan(b\*x + a)^2 - 1)\*sqrt(-c)/(c\*tan(b\*x + a))) + sqrt(2)\*(4\*tan(b\*x + a)^6 + 5\*tan(b\*x + a)^4 - 8\*tan(b\*x + a)^2 - 1)\*sqrt(-c\*tan(b\*x + a)^2/(tan(b\*x + a)^2 - 1)))/(b\*c^2\*tan(b\*x + a)^7 + 2\*b\*c^2\*tan(b\*x + a)^5 + b\*c^2\*tan(b\*x + a)^3)]

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*b\*x+2\*a)\*\*2/(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))\*\*(3/2),x)

[Out] Timed out

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*b\*x+2\*a)^2/(c\*tan(b\*x+a)\*tan(2\*b\*x+2\*a))^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError

$$3.633 \quad \int \frac{\cot(x) \csc(x)}{\sqrt{\sin(2x)}} dx$$

**Optimal.** Leaf size=16

$$-\frac{2 \cos(x) \cot(x)}{3\sqrt{\sin(2x)}}$$

[Out] (-2\*Cos[x]\*Cot[x])/(3\*Sqrt[Sin[2\*x]])

**Rubi [A]** time = 0.0868706, antiderivative size = 16, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {4390, 30}

$$-\frac{2 \cos(x) \cot(x)}{3\sqrt{\sin(2x)}}$$

Antiderivative was successfully verified.

[In] Int[(Cot[x]\*Csc[x])/Sqrt[Sin[2\*x]],x]

[Out] (-2\*Cos[x]\*Cot[x])/(3\*Sqrt[Sin[2\*x]])

#### Rule 4390

```
Int[(u_)*((c_)*sin[v_])^(m_), x_Symbol] := With[{w = FunctionOfTrig[(u*Sin[v/2]^(2*m))/(c*Tan[v/2])^m, x]}, Dist[((c*Sin[v])^m*(c*Tan[v/2])^m)/Sin[v/2]^(2*m), Int[(u*Sin[v/2]^(2*m))/(c*Tan[v/2])^m, x], x] /; !FalseQ[w] && FunctionOfQ[NonfreeFactors[Tan[w], x], (u*Sin[v/2]^(2*m))/(c*Tan[v/2])^m, x] /; FreeQ[c, x] && LinearQ[v, x] && IntegerQ[m + 1/2] && !SumQ[u] && InverseFunctionFreeQ[u, x]
```

#### Rule 30

```
Int[(x_)^(m_.), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]
```

#### Rubi steps

$$\begin{aligned} \int \frac{\cot(x) \csc(x)}{\sqrt{\sin(2x)}} dx &= \frac{\sin(x) \int \frac{\csc^2(x)}{\sqrt{\tan(x)}} dx}{\sqrt{\sin(2x)}\sqrt{\tan(x)}} \\ &= \frac{\sin(x) \text{Subst}\left(\int \frac{1}{x^{5/2}} dx, x, \tan(x)\right)}{\sqrt{\sin(2x)}\sqrt{\tan(x)}} \\ &= -\frac{2 \cos(x) \cot(x)}{3\sqrt{\sin(2x)}} \end{aligned}$$

**Mathematica [A]** time = 0.0331401, size = 16, normalized size = 1.

$$-\frac{1}{3}\sqrt{\sin(2x)} \cot(x) \csc(x)$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[x]\*Csc[x])/Sqrt[Sin[2\*x]],x]

[Out] -(Cot[x]\*Csc[x]\*Sqrt[Sin[2\*x]])/3

**Maple [C]** time = 0.09, size = 119, normalized size = 7.4

$$\frac{1}{6} \sqrt{-\tan\left(\frac{x}{2}\right) \left(\left(\tan\left(\frac{x}{2}\right)\right)^2 - 1\right)^{-1} \left(\left(\tan\left(\frac{x}{2}\right)\right)^2 - 1\right)} \left(4 \sqrt{1 + \tan(x/2)} \sqrt{-2 \tan(x/2) + 2} \sqrt{-\tan(x/2)} \operatorname{EllipticF}\left(\sqrt{1 + \tan(x/2)}, \frac{1}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(x)\*csc(x)/sin(2\*x)^(1/2),x)

[Out] 1/6\*(-tan(1/2\*x)/(tan(1/2\*x)^2-1))^(1/2)\*(tan(1/2\*x)^2-1)/tan(1/2\*x)\*(4\*(1+tan(1/2\*x))^(1/2)\*(-2\*tan(1/2\*x)+2)^(1/2)\*(-tan(1/2\*x))^(1/2)\*EllipticF((1+tan(1/2\*x))^(1/2),1/2\*2^(1/2))\*tan(1/2\*x)+tan(1/2\*x)^4-1)/(tan(1/2\*x)\*(tan(1/2\*x)^2-1))^(1/2)/(tan(1/2\*x)^3-tan(1/2\*x))^(1/2)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cot(x) \csc(x)}{\sqrt{\sin(2x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(x)\*csc(x)/sin(2\*x)^(1/2),x, algorithm="maxima")

[Out] integrate(cot(x)\*csc(x)/sqrt(sin(2\*x)), x)

**Fricas [B]** time = 2.51186, size = 97, normalized size = 6.06

$$\frac{\sqrt{2} \sqrt{\cos(x) \sin(x)} \cos(x) + \cos(x)^2 - 1}{3 (\cos(x)^2 - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(x)\*csc(x)/sin(2\*x)^(1/2),x, algorithm="fricas")

[Out] 1/3\*(sqrt(2)\*sqrt(cos(x)\*sin(x))\*cos(x) + cos(x)^2 - 1)/(cos(x)^2 - 1)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cot(x) \csc(x)}{\sqrt{\sin(2x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(x)*csc(x)/sin(2*x)**(1/2),x)
```

```
[Out] Integral(cot(x)*csc(x)/sqrt(sin(2*x)), x)
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cot(x) \csc(x)}{\sqrt{\sin(2x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(x)*csc(x)/sin(2*x)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(cot(x)*csc(x)/sqrt(sin(2*x)), x)
```

$$3.634 \quad \int \frac{\csc^2(x) \sec(x)}{\sqrt{\sin(2x)}(-2+\tan(x))} dx$$

**Optimal.** Leaf size=69

$$\frac{\cos(x)}{2\sqrt{\sin(2x)}} - \frac{5 \sin(x) \tanh^{-1}\left(\frac{\sqrt{\tan(x)}}{\sqrt{2}}\right)}{2\sqrt{2}\sqrt{\sin(2x)}\sqrt{\tan(x)}} + \frac{\cos(x) \cot(x)}{3\sqrt{\sin(2x)}}$$

[Out] Cos[x]/(2\*Sqrt[Sin[2\*x]]) + (Cos[x]\*Cot[x])/(3\*Sqrt[Sin[2\*x]]) - (5\*ArcTanh[Sqrt[Tan[x]]/Sqrt[2]]\*Sin[x])/(2\*Sqrt[2]\*Sqrt[Sin[2\*x]]\*Sqrt[Tan[x]])

**Rubi [A]** time = 0.363889, antiderivative size = 69, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.19$ , Rules used = {4390, 898, 1262, 207}

$$\frac{\cos(x)}{2\sqrt{\sin(2x)}} - \frac{5 \sin(x) \tanh^{-1}\left(\frac{\sqrt{\tan(x)}}{\sqrt{2}}\right)}{2\sqrt{2}\sqrt{\sin(2x)}\sqrt{\tan(x)}} + \frac{\cos(x) \cot(x)}{3\sqrt{\sin(2x)}}$$

Antiderivative was successfully verified.

[In] Int[(Csc[x]^2\*Sec[x])/(Sqrt[Sin[2\*x]]\*(-2 + Tan[x])),x]

[Out] Cos[x]/(2\*Sqrt[Sin[2\*x]]) + (Cos[x]\*Cot[x])/(3\*Sqrt[Sin[2\*x]]) - (5\*ArcTanh[Sqrt[Tan[x]]/Sqrt[2]]\*Sin[x])/(2\*Sqrt[2]\*Sqrt[Sin[2\*x]]\*Sqrt[Tan[x]])

#### Rule 4390

Int[(u\_)\*((c\_)\*sin[v\_])^(m\_), x\_Symbol] :> With[{w = FunctionOfTrig[(u\*Sin[v/2])^(2\*m))/(c\*Tan[v/2])^m, x]}, Dist[((c\*Sin[v])^m\*(c\*Tan[v/2])^m)/Sin[v/2]^(2\*m), Int[(u\*Sin[v/2])^(2\*m))/(c\*Tan[v/2])^m, x], x] /; !FalseQ[w] && FunctionOfQ[NonfreeFactors[Tan[w], x], (u\*Sin[v/2])^(2\*m))/(c\*Tan[v/2])^m, x] /; FreeQ[c, x] && LinearQ[v, x] && IntegerQ[m + 1/2] && !SumQ[u] && InverseFunctionFreeQ[u, x]

#### Rule 898

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q\*(m + 1) - 1)\*((e\*f - d\*g)/e + (g\*x^q)/e)^n\*((c\*d^2 + a\*e^2)/e^2 - (2\*c\*d\*x^q)/e^2 + (c\*x^(2\*q))/e^2)^p, x], x, (d + e\*x)^(1/q)], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[c\*d^2 + a\*e^2, 0] && IntegersQ[n, p] && FractionQ[m]

#### Rule 1262

Int[((f\_.)\*(x\_))^(m\_)\*((d\_.) + (e\_.)\*(x\_)^2)^(q\_.)\*((a\_.) + (c\_.)\*(x\_)^4)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(f\*x)^m\*(d + e\*x^2)^q\*(a + c\*x^4)^p, x], x] /; FreeQ[{a, c, d, e, f, m, q}, x] && IGtQ[p, 0] && IGtQ[q, -2]

#### Rule 207

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\csc^2(x) \sec(x)}{\sqrt{\sin(2x)}(-2 + \tan(x))} dx &= \frac{\sin(x) \int \frac{\csc^3(x) \sec(x) \sqrt{\tan(x)}}{-2 + \tan(x)} dx}{\sqrt{\sin(2x)} \sqrt{\tan(x)}} \\
&= \frac{\sin(x) \operatorname{Subst} \left( \int \frac{1+x^2}{(-2+x)x^{5/2}} dx, x, \tan(x) \right)}{\sqrt{\sin(2x)} \sqrt{\tan(x)}} \\
&= \frac{(2 \sin(x)) \operatorname{Subst} \left( \int \frac{1+x^4}{x^4(-2+x^2)} dx, x, \sqrt{\tan(x)} \right)}{\sqrt{\sin(2x)} \sqrt{\tan(x)}} \\
&= \frac{(2 \sin(x)) \operatorname{Subst} \left( \int \left( -\frac{1}{2x^4} - \frac{1}{4x^2} + \frac{5}{4(-2+x^2)} \right) dx, x, \sqrt{\tan(x)} \right)}{\sqrt{\sin(2x)} \sqrt{\tan(x)}} \\
&= \frac{\cos(x)}{2\sqrt{\sin(2x)}} + \frac{\cos(x) \cot(x)}{3\sqrt{\sin(2x)}} + \frac{(5 \sin(x)) \operatorname{Subst} \left( \int \frac{1}{-2+x^2} dx, x, \sqrt{\tan(x)} \right)}{2\sqrt{\sin(2x)} \sqrt{\tan(x)}} \\
&= \frac{\cos(x)}{2\sqrt{\sin(2x)}} + \frac{\cos(x) \cot(x)}{3\sqrt{\sin(2x)}} - \frac{5 \tanh^{-1} \left( \frac{\sqrt{\tan(x)}}{\sqrt{2}} \right) \sin(x)}{2\sqrt{2} \sqrt{\sin(2x)} \sqrt{\tan(x)}}
\end{aligned}$$

**Mathematica [C]** time = 5.90324, size = 119, normalized size = 1.72

$$\frac{1}{4} \sqrt{\sin(2x)} \left( 5 \sqrt{\frac{\cos(x)}{2 \cos(x) - 2}} \sqrt{\tan\left(\frac{x}{2}\right)} \sec(x) \left( \operatorname{EllipticF} \left( \sin^{-1} \left( \frac{1}{\sqrt{\tan\left(\frac{x}{2}\right)}} \right), -1 \right) + \Pi \left( -\frac{2}{-1 + \sqrt{5}}; -\sin^{-1} \left( \frac{1}{\sqrt{\tan\left(\frac{x}{2}\right)}} \right) \right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Csc[x]^2\*Sec[x])/(Sqrt[Sin[2\*x]]\*(-2 + Tan[x])),x]

[Out] (Sqrt[Sin[2\*x]]\*((1 + (2\*Cot[x])/3)\*Csc[x] + 5\*Sqrt[Cos[x]/(-2 + 2\*Cos[x])])\*(EllipticF[ArcSin[1/Sqrt[Tan[x/2]]], -1] + EllipticPi[-2/(-1 + Sqrt[5]), -ArcSin[1/Sqrt[Tan[x/2]]], -1] + EllipticPi[(-1 + Sqrt[5])/2, -ArcSin[1/Sqrt[Tan[x/2]]], -1])\*Sec[x]\*Sqrt[Tan[x/2]]))/4

**Maple [C]** time = 0.141, size = 396, normalized size = 5.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(x)^2\*sec(x)/sin(2\*x)^(1/2)/(-2+tan(x)),x)

[Out] -1/480\*(-tan(1/2\*x)/(tan(1/2\*x)^2-1))^(1/2)/tan(1/2\*x)^2\*(-140\*(tan(1/2\*x)\*(tan(1/2\*x)^2-1))^(1/2)\*(-2\*tan(1/2\*x)+2)^(1/2)\*EllipticF((1+tan(1/2\*x))^(1/2),1/2\*2^(1/2))\*(1+tan(1/2\*x))^(1/2)\*(-tan(1/2\*x))^(1/2)\*tan(1/2\*x)+240\*(tan(1/2\*x)\*(tan(1/2\*x)^2-1))^(1/2)\*(-2\*tan(1/2\*x)+2)^(1/2)\*EllipticE((1+tan(1/2\*x))^(1/2),1/2\*2^(1/2))\*(1+tan(1/2\*x))^(1/2)\*(-tan(1/2\*x))^(1/2)\*tan(1/2\*x)+2^(1/2)\*(tan(1/2\*x)\*(tan(1/2\*x)^2-1))^(1/2)\*(tan(1/2\*x)^3-tan(1/2\*x))^(1/2)\*sum((14\*\_alpha^3+3\*\_alpha^2+14\*\_alpha-11)\*(\_alpha^3+2\*\_alpha-3)\*(1+tan(1/2\*x))^(1/2)\*(1-tan(1/2\*x))^(1/2)\*(-tan(1/2\*x))^(1/2)/(tan(1/2\*x)\*(tan(1/2\*x)^2-1))^(1/2)\*EllipticPi((1+tan(1/2\*x))^(1/2),-1/4\*\_alpha^3-1/2\*\_alpha+3



$/4, 1/2*2^{(1/2)}, \_alpha=RootOf(\_Z^4+\_Z^3+2*\_Z^2-\_Z+1))*\tan(1/2*x)+40*(\tan(1/2*x)*(\tan(1/2*x)^2-1))^{(1/2)*\tan(1/2*x)^4+120*\tan(1/2*x)^3*(\tan(1/2*x)^3-\tan(1/2*x))^{(1/2)}-120*(\tan(1/2*x)^3-\tan(1/2*x))^{(1/2)*\tan(1/2*x)-40*(\tan(1/2*x)*(\tan(1/2*x)^2-1))^{(1/2))}/(\tan(1/2*x)^3-\tan(1/2*x))^{(1/2)}$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc(x)^2 \sec(x)}{(\tan(x) - 2)\sqrt{\sin(2x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)^2\*sec(x)/sin(2\*x)^(1/2)/(-2+tan(x)),x, algorithm="maxima")

[Out] integrate(csc(x)^2\*sec(x)/((tan(x) - 2)\*sqrt(sin(2\*x))), x)

**Fricas [B]** time = 2.64763, size = 431, normalized size = 6.25

$$4\sqrt{2}\sqrt{\cos(x)\sin(x)}(2\cos(x)+3\sin(x))-4\cos(x)^2-15(\cos(x)^2-1)\log\left(-\frac{1}{2}\sqrt{2}\sqrt{\cos(x)\sin(x)}(4\cos(x)+3\sin(x))\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)^2\*sec(x)/sin(2\*x)^(1/2)/(-2+tan(x)),x, algorithm="fricas")

[Out]  $-1/48*(4*\sqrt{2}*\sqrt{\cos(x)*\sin(x)}*(2*\cos(x)+3*\sin(x))-4*\cos(x)^2-15*(\cos(x)^2-1)*\log(-1/2*\sqrt{2}*\sqrt{\cos(x)*\sin(x)}*(4*\cos(x)+3*\sin(x))+1/2*\cos(x)^2+7/2*\cos(x)*\sin(x)+1/2)+15*(\cos(x)^2-1)*\log(1/2*\cos(x)^2+1/2*\sqrt{2}*\sqrt{\cos(x)*\sin(x)}*\sin(x)-1/2*\cos(x)*\sin(x)+1/2)+4)/(\cos(x)^2-1)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)\*\*2\*sec(x)/sin(2\*x)\*\*(1/2)/(-2+tan(x)),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc(x)^2 \sec(x)}{(\tan(x) - 2)\sqrt{\sin(2x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csc(x)^2*sec(x)/sin(2*x)^(1/2)/(-2+tan(x)),x, algorithm="giac")
```

```
[Out] integrate(csc(x)^2*sec(x)/((tan(x) - 2)*sqrt(sin(2*x))), x)
```

$$3.635 \quad \int \frac{\cos^2(x) \sin(x)}{(\sin^2(x) - \sin(2x)) \sin^{\frac{5}{2}}(2x)} dx$$

**Optimal.** Leaf size=79

$$\frac{\sin^2(x) \cos^3(x)}{2 \sin^{\frac{5}{2}}(2x)} + \frac{\sin(x) \cos^4(x)}{3 \sin^{\frac{5}{2}}(2x)} - \frac{5 \sin^5(x) \tanh^{-1}\left(\frac{\sqrt{\tan(x)}}{\sqrt{2}}\right)}{2\sqrt{2} \sin^{\frac{5}{2}}(2x) \tan^{\frac{5}{2}}(x)}$$

[Out] (Cos[x]^4\*Sin[x])/(3\*Sin[2\*x]^(5/2)) + (Cos[x]^3\*Sin[x]^2)/(2\*Sin[2\*x]^(5/2)) - (5\*ArcTanh[Sqrt[Tan[x]]/Sqrt[2]]\*Sin[x]^5)/(2\*Sqrt[2]\*Sin[2\*x]^(5/2)\*Tan[x]^(5/2))

**Rubi [A]** time = 0.567016, antiderivative size = 79, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {4390, 898, 1262, 207}

$$\frac{\sin^2(x) \cos^3(x)}{2 \sin^{\frac{5}{2}}(2x)} + \frac{\sin(x) \cos^4(x)}{3 \sin^{\frac{5}{2}}(2x)} - \frac{5 \sin^5(x) \tanh^{-1}\left(\frac{\sqrt{\tan(x)}}{\sqrt{2}}\right)}{2\sqrt{2} \sin^{\frac{5}{2}}(2x) \tan^{\frac{5}{2}}(x)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[x]^2\*Sin[x])/((Sin[x]^2 - Sin[2\*x])\*Sin[2\*x]^(5/2)),x]

[Out] (Cos[x]^4\*Sin[x])/(3\*Sin[2\*x]^(5/2)) + (Cos[x]^3\*Sin[x]^2)/(2\*Sin[2\*x]^(5/2)) - (5\*ArcTanh[Sqrt[Tan[x]]/Sqrt[2]]\*Sin[x]^5)/(2\*Sqrt[2]\*Sin[2\*x]^(5/2)\*Tan[x]^(5/2))

#### Rule 4390

Int[(u\_)\*((c\_)\*sin[v\_])^(m\_), x\_Symbol] :> With[{w = FunctionOfTrig[(u\*Sin[v/2]^(2\*m))/(c\*Tan[v/2])^m, x]}, Dist[((c\*Sin[v])^m\*(c\*Tan[v/2])^m)/Sin[v/2]^(2\*m), Int[(u\*Sin[v/2]^(2\*m))/(c\*Tan[v/2])^m, x], x] /; !FalseQ[w] && FunctionOfQ[NonfreeFactors[Tan[w], x], (u\*Sin[v/2]^(2\*m))/(c\*Tan[v/2])^m, x] /; FreeQ[c, x] && LinearQ[v, x] && IntegerQ[m + 1/2] && !SumQ[u] && InverseFunctionFreeQ[u, x]

#### Rule 898

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q\*(m + 1) - 1)\*((e\*f - d\*g)/e + (g\*x^q)/e)^n\*((c\*d^2 + a\*e^2)/e^2 - (2\*c\*d\*x^q)/e^2 + (c\*x^(2\*q))/e^2)^p, x], x, (d + e\*x)^(1/q)], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[c\*d^2 + a\*e^2, 0] && IntegersQ[n, p] && FractionQ[m]

#### Rule 1262

Int[((f\_.)\*(x\_))^(m\_)\*((d\_.) + (e\_.)\*(x\_)^2)^(q\_.)\*((a\_.) + (c\_.)\*(x\_)^4)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(f\*x)^m\*(d + e\*x^2)^q\*(a + c\*x^4)^p, x], x] /; FreeQ[{a, c, d, e, f, m, q}, x] && IGtQ[p, 0] && IGtQ[q, -2]

#### Rule 207

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])
```

Rubi steps

$$\int \frac{\cos^2(x) \sin(x)}{(\sin^2(x) - \sin(2x)) \sin^{\frac{5}{2}}(2x)} dx = \frac{\sin^5(x) \int \frac{\csc^2(x) \sqrt{\tan(x)}}{\sin^2(x) - \sin(2x)} dx}{\sin^{\frac{5}{2}}(2x) \tan^{\frac{5}{2}}(x)}$$

$$= \frac{\sin^5(x) \operatorname{Subst}\left(\int \frac{-1-x^2}{(2-x)x^{5/2}} dx, x, \tan(x)\right)}{\sin^{\frac{5}{2}}(2x) \tan^{\frac{5}{2}}(x)}$$

$$= \frac{(2 \sin^5(x)) \operatorname{Subst}\left(\int \frac{-1-x^4}{x^4(2-x^2)} dx, x, \sqrt{\tan(x)}\right)}{\sin^{\frac{5}{2}}(2x) \tan^{\frac{5}{2}}(x)}$$

$$= \frac{(2 \sin^5(x)) \operatorname{Subst}\left(\int \left(-\frac{1}{2x^4} - \frac{1}{4x^2} + \frac{5}{4(-2+x^2)}\right) dx, x, \sqrt{\tan(x)}\right)}{\sin^{\frac{5}{2}}(2x) \tan^{\frac{5}{2}}(x)}$$

$$= \frac{\cos^4(x) \sin(x)}{3 \sin^{\frac{5}{2}}(2x)} + \frac{\cos^3(x) \sin^2(x)}{2 \sin^{\frac{5}{2}}(2x)} + \frac{(5 \sin^5(x)) \operatorname{Subst}\left(\int \frac{1}{-2+x^2} dx, x, \sqrt{\tan(x)}\right)}{2 \sin^{\frac{5}{2}}(2x) \tan^{\frac{5}{2}}(x)}$$

$$= \frac{\cos^4(x) \sin(x)}{3 \sin^{\frac{5}{2}}(2x)} + \frac{\cos^3(x) \sin^2(x)}{2 \sin^{\frac{5}{2}}(2x)} - \frac{5 \tanh^{-1}\left(\frac{\sqrt{\tan(x)}}{\sqrt{2}}\right) \sin^5(x)}{2\sqrt{2} \sin^{\frac{5}{2}}(2x) \tan^{\frac{5}{2}}(x)}$$

**Mathematica [C]** time = 4.80679, size = 139, normalized size = 1.76

$$\frac{\sqrt{\sin(2x)} \csc(x) (2 \cos(x) - \sin(x)) \left( -5 \sqrt{\frac{\cos(x)}{2 \cos(x) - 2}} \sqrt{\tan\left(\frac{x}{2}\right)} \sec(x) \left( \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{1}{\sqrt{\tan\left(\frac{x}{2}\right)}\right)}, -1\right) + \Pi\left(-\frac{2}{-1 + \sqrt{5}}; -\sin\left(\frac{x}{2}\right)\right) \right) \right)}{16(2 \cot(x) - 1)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[x]^2*Sin[x])/((Sin[x]^2 - Sin[2*x])*Sin[2*x]^(5/2)),x]
```

```
[Out] -(Csc[x]*(2*Cos[x] - Sin[x])*Sqrt[Sin[2*x]]*(-((3 + 2*Cot[x])*Csc[x])/3 - 5*Sqrt[Cos[x]/(-2 + 2*Cos[x])]*(EllipticF[ArcSin[1/Sqrt[Tan[x/2]]], -1] + EllipticPi[-2/(-1 + Sqrt[5]), -ArcSin[1/Sqrt[Tan[x/2]]], -1] + EllipticPi[(-1 + Sqrt[5])/2, -ArcSin[1/Sqrt[Tan[x/2]]], -1])*Sec[x]*Sqrt[Tan[x/2]]))/(16*(-1 + 2*Cot[x]))
```

**Maple [C]** time = 0.116, size = 396, normalized size = 5.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(x)^2*sin(x)/(sin(x)^2-sin(2*x))/sin(2*x)^(5/2),x)
```

```
[Out] -1/1920*(-tan(1/2*x)/(tan(1/2*x)^2-1))^(1/2)/tan(1/2*x)^2*(-140*(tan(1/2*x)*(tan(1/2*x)^2-1))^(1/2)*(-2*tan(1/2*x)+2)^(1/2)*EllipticF((1+tan(1/2*x))^2-1)^(1/2),-1/2)+1/1920*(tan(1/2*x)/(tan(1/2*x)^2-1))^(1/2)/tan(1/2*x)^2*(2*tan(1/2*x)+2)^(1/2)*EllipticF((1+tan(1/2*x))^2-1)^(1/2),-1/2)
```

$$\begin{aligned} & \frac{1}{2}, 1/2 \cdot 2^{(1/2)} \cdot (1 + \tan(1/2 \cdot x))^{(1/2)} \cdot (-\tan(1/2 \cdot x))^{(1/2)} \cdot \tan(1/2 \cdot x) + 240 \cdot (\tan(1/2 \cdot x) \cdot (\tan(1/2 \cdot x)^2 - 1))^{(1/2)} \cdot (-2 \cdot \tan(1/2 \cdot x) + 2)^{(1/2)} \cdot \text{EllipticE}((1 + \tan(1/2 \cdot x))^{(1/2)}, 1/2 \cdot 2^{(1/2)}) \cdot (1 + \tan(1/2 \cdot x))^{(1/2)} \cdot (-\tan(1/2 \cdot x))^{(1/2)} \cdot \tan(1/2 \cdot x) + 2^{(1/2)} \cdot (\tan(1/2 \cdot x) \cdot (\tan(1/2 \cdot x)^2 - 1))^{(1/2)} \cdot (\tan(1/2 \cdot x)^3 - \tan(1/2 \cdot x))^{(1/2)} \cdot \sum((14 \cdot \alpha^3 + 3 \cdot \alpha^2 + 14 \cdot \alpha - 11) \cdot (\alpha^3 + 2 \cdot \alpha - 3) \cdot (1 + \tan(1/2 \cdot x))^{(1/2)} \cdot (1 - \tan(1/2 \cdot x))^{(1/2)} \cdot (-\tan(1/2 \cdot x))^{(1/2)} / (\tan(1/2 \cdot x) \cdot (\tan(1/2 \cdot x)^2 - 1))^{(1/2)} \cdot \text{EllipticPi}((1 + \tan(1/2 \cdot x))^{(1/2)}, -1/4 \cdot \alpha^3 - 1/2 \cdot \alpha + 3/4, 1/2 \cdot 2^{(1/2)}), \alpha = \text{RootOf}(\_Z^4 + \_Z^3 + 2 \cdot \_Z^2 - \_Z + 1)) \cdot \tan(1/2 \cdot x) + 40 \cdot (\tan(1/2 \cdot x) \cdot (\tan(1/2 \cdot x)^2 - 1))^{(1/2)} \cdot \tan(1/2 \cdot x)^4 + 120 \cdot \tan(1/2 \cdot x)^3 \cdot (\tan(1/2 \cdot x)^3 - \tan(1/2 \cdot x))^{(1/2)} - 120 \cdot (\tan(1/2 \cdot x)^3 - \tan(1/2 \cdot x))^{(1/2)} \cdot \tan(1/2 \cdot x) - 40 \cdot (\tan(1/2 \cdot x) \cdot (\tan(1/2 \cdot x)^2 - 1))^{(1/2)} / (\tan(1/2 \cdot x)^3 - \tan(1/2 \cdot x))^{(1/2)} \end{aligned}$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)^2\*sin(x)/(sin(x)^2-sin(2\*x))/sin(2\*x)^(5/2),x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 2.65727, size = 432, normalized size = 5.47

$$4 \sqrt{2} \sqrt{\cos(x) \sin(x)} (2 \cos(x) + 3 \sin(x)) - 4 \cos(x)^2 - 15 (\cos(x)^2 - 1) \log\left(-\frac{1}{2} \sqrt{2} \sqrt{\cos(x) \sin(x)} (4 \cos(x) + 3 \sin(x))\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)^2\*sin(x)/(sin(x)^2-sin(2\*x))/sin(2\*x)^(5/2),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & -1/192 \cdot (4 \cdot \sqrt{2} \cdot \sqrt{\cos(x) \sin(x)}) \cdot (2 \cdot \cos(x) + 3 \cdot \sin(x)) - 4 \cdot \cos(x)^2 - 15 \cdot (\cos(x)^2 - 1) \cdot \log(-1/2 \cdot \sqrt{2} \cdot \sqrt{\cos(x) \sin(x)}) \cdot (4 \cdot \cos(x) + 3 \cdot \sin(x)) \\ & + 1/2 \cdot \cos(x)^2 + 7/2 \cdot \cos(x) \cdot \sin(x) + 1/2 + 15 \cdot (\cos(x)^2 - 1) \cdot \log(1/2 \cdot \cos(x)^2 + 1/2 \cdot \sqrt{2} \cdot \sqrt{\cos(x) \sin(x)}) \cdot \sin(x) - 1/2 \cdot \cos(x) \cdot \sin(x) + 1/2 + 4 / (\cos(x)^2 - 1) \end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*\*2\*sin(x)/(sin(x)\*\*2-sin(2\*x))/sin(2\*x)\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(x)^2 \sin(x)}{(\sin(x)^2 - \sin(2x)) \sin(2x)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)^2\*sin(x)/(sin(x)^2-sin(2\*x))/sin(2\*x)^(5/2),x, algorithm="giac")

[Out] integrate(cos(x)^2\*sin(x)/((sin(x)^2 - sin(2\*x))\*sin(2\*x)^(5/2)), x)

$$3.636 \quad \int \frac{\cos^3(x) \cos(2x)}{(\sin^2(x) - \sin(2x)) \sin^{\frac{5}{2}}(2x)} dx$$

**Optimal.** Leaf size=95

$$\frac{\cos^5(x)}{5 \sin^{\frac{5}{2}}(2x)} + \frac{\sin(x) \cos^4(x)}{6 \sin^{\frac{5}{2}}(2x)} - \frac{3 \sin^2(x) \cos^3(x)}{4 \sin^{\frac{5}{2}}(2x)} + \frac{3 \sin^5(x) \tanh^{-1}\left(\frac{\sqrt{\tan(x)}}{\sqrt{2}}\right)}{4\sqrt{2} \sin^{\frac{5}{2}}(2x) \tan^{\frac{5}{2}}(x)}$$

[Out] Cos[x]^5/(5\*Sin[2\*x]^(5/2)) + (Cos[x]^4\*Sin[x])/(6\*Sin[2\*x]^(5/2)) - (3\*Cos[x]^3\*Sin[x]^2)/(4\*Sin[2\*x]^(5/2)) + (3\*ArcTanh[Sqrt[Tan[x]]/Sqrt[2]]\*Sin[x]^5)/(4\*Sqrt[2]\*Sin[2\*x]^(5/2)\*Tan[x]^(5/2))

**Rubi [A]** time = 0.575766, antiderivative size = 95, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$ , Rules used = {4390, 898, 1262, 207}

$$\frac{\cos^5(x)}{5 \sin^{\frac{5}{2}}(2x)} + \frac{\sin(x) \cos^4(x)}{6 \sin^{\frac{5}{2}}(2x)} - \frac{3 \sin^2(x) \cos^3(x)}{4 \sin^{\frac{5}{2}}(2x)} + \frac{3 \sin^5(x) \tanh^{-1}\left(\frac{\sqrt{\tan(x)}}{\sqrt{2}}\right)}{4\sqrt{2} \sin^{\frac{5}{2}}(2x) \tan^{\frac{5}{2}}(x)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[x]^3\*Cos[2\*x])/((Sin[x]^2 - Sin[2\*x])\*Sin[2\*x]^(5/2)),x]

[Out] Cos[x]^5/(5\*Sin[2\*x]^(5/2)) + (Cos[x]^4\*Sin[x])/(6\*Sin[2\*x]^(5/2)) - (3\*Cos[x]^3\*Sin[x]^2)/(4\*Sin[2\*x]^(5/2)) + (3\*ArcTanh[Sqrt[Tan[x]]/Sqrt[2]]\*Sin[x]^5)/(4\*Sqrt[2]\*Sin[2\*x]^(5/2)\*Tan[x]^(5/2))

#### Rule 4390

Int[(u\_)\*((c\_)\*sin[v\_])^(m\_), x\_Symbol] :> With[{w = FunctionOfTrig[(u\*Sin[v/2]^(2\*m))/(c\*Tan[v/2])^m, x]}, Dist[((c\*Sin[v])^m\*(c\*Tan[v/2])^m)/Sin[v/2]^(2\*m), Int[(u\*Sin[v/2]^(2\*m))/(c\*Tan[v/2])^m, x], x] /; !FalseQ[w] && FunctionOfQ[NonfreeFactors[Tan[w], x], (u\*Sin[v/2]^(2\*m))/(c\*Tan[v/2])^m, x] /; FreeQ[c, x] && LinearQ[v, x] && IntegerQ[m + 1/2] && !SumQ[u] && InverseFunctionFreeQ[u, x]

#### Rule 898

Int[((d\_.) + (e\_)\*(x\_))^(m\_)\*((f\_.) + (g\_)\*(x\_))^(n\_)\*((a\_.) + (c\_)\*(x\_)^2)^(p\_.), x\_Symbol] :> With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q\*(m + 1) - 1)\*((e\*f - d\*g)/e + (g\*x^q)/e)^n\*((c\*d^2 + a\*e^2)/e^2 - (2\*c\*d\*x^q)/e^2 + (c\*x^(2\*q))/e^2)^p, x], x, (d + e\*x)^(1/q)], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[c\*d^2 + a\*e^2, 0] && IntegersQ[n, p] && FractionQ[m]

#### Rule 1262

Int[((f\_)\*(x\_))^(m\_)\*((d\_.) + (e\_)\*(x\_)^2)^(q\_)\*((a\_.) + (c\_)\*(x\_)^4)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(f\*x)^m\*(d + e\*x^2)^q\*(a + c\*x^4)^p, x], x] /; FreeQ[{a, c, d, e, f, m, q}, x] && IGtQ[p, 0] && IGtQ[q, -2]

#### Rule 207

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])
```

### Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(x) \cos(2x)}{(\sin^2(x) - \sin(2x)) \sin^{\frac{5}{2}}(2x)} dx &= \frac{\sin^5(x) \int \frac{\cos(2x) \csc^2(x)}{(\sin^2(x) - \sin(2x)) \sqrt{\tan(x)}} dx}{\sin^{\frac{5}{2}}(2x) \tan^{\frac{5}{2}}(x)} \\
&= \frac{\sin^5(x) \operatorname{Subst}\left(\int \frac{-1+x^2}{(2-x)x^{7/2}} dx, x, \tan(x)\right)}{\sin^{\frac{5}{2}}(2x) \tan^{\frac{5}{2}}(x)} \\
&= \frac{(2 \sin^5(x)) \operatorname{Subst}\left(\int \frac{-1+x^4}{x^6(2-x^2)} dx, x, \sqrt{\tan(x)}\right)}{\sin^{\frac{5}{2}}(2x) \tan^{\frac{5}{2}}(x)} \\
&= \frac{(2 \sin^5(x)) \operatorname{Subst}\left(\int \left(-\frac{1}{2x^6} - \frac{1}{4x^4} + \frac{3}{8x^2} - \frac{3}{8(-2+x^2)}\right) dx, x, \sqrt{\tan(x)}\right)}{\sin^{\frac{5}{2}}(2x) \tan^{\frac{5}{2}}(x)} \\
&= \frac{\cos^5(x)}{5 \sin^{\frac{5}{2}}(2x)} + \frac{\cos^4(x) \sin(x)}{6 \sin^{\frac{5}{2}}(2x)} - \frac{3 \cos^3(x) \sin^2(x)}{4 \sin^{\frac{5}{2}}(2x)} - \frac{(3 \sin^5(x)) \operatorname{Subst}\left(\int \frac{1}{-2+x^2} dx, x\right)}{4 \sin^{\frac{5}{2}}(2x) \tan^{\frac{5}{2}}(x)} \\
&= \frac{\cos^5(x)}{5 \sin^{\frac{5}{2}}(2x)} + \frac{\cos^4(x) \sin(x)}{6 \sin^{\frac{5}{2}}(2x)} - \frac{3 \cos^3(x) \sin^2(x)}{4 \sin^{\frac{5}{2}}(2x)} + \frac{3 \tanh^{-1}\left(\frac{\sqrt{\tan(x)}}{\sqrt{2}}\right) \sin^5(x)}{4\sqrt{2} \sin^{\frac{5}{2}}(2x) \tan^{\frac{5}{2}}(x)}
\end{aligned}$$

**Mathematica [C]** time = 15.3218, size = 188, normalized size = 1.98

$$\frac{1}{960} \sqrt{\sin(2x)} \sec(x) \left( -45\sqrt{2} \sqrt{\frac{\cos(x)}{\cos(x)-1}} \sqrt{\tan\left(\frac{x}{2}\right)} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{1}{\sqrt{\tan\left(\frac{x}{2}\right)}\right), -1\right) + 20 \cot^2(x) - 114 \cot(x) + 24 \cot(x) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[x]^3*Cos[2*x])/((Sin[x]^2 - Sin[2*x])*Sin[2*x]^(5/2)),x]
```

```
[Out] (Sec[x]*Sqrt[Sin[2*x]]*(-114*Cot[x] + 20*Cot[x]^2 + 24*Cot[x]*Csc[x]^2 - 45*Sqrt[2]*Sqrt[Cos[x]/(-1 + Cos[x])]*EllipticF[ArcSin[1/Sqrt[Tan[x/2]]], -1]*Sqrt[Tan[x/2]] - 45*Sqrt[2]*Sqrt[Cos[x]/(-1 + Cos[x])]*EllipticPi[-2/(-1 + Sqrt[5]), -ArcSin[1/Sqrt[Tan[x/2]]], -1]*Sqrt[Tan[x/2]] - 45*Sqrt[2]*Sqrt[Cos[x]/(-1 + Cos[x])]*EllipticPi[(-1 + Sqrt[5])/2, -ArcSin[1/Sqrt[Tan[x/2]]], -1]*Sqrt[Tan[x/2]]))/960
```

**Maple [C]** time = 0.187, size = 761, normalized size = 8.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(x)^3*cos(2*x)/(sin(x)^2-sin(2*x))/sin(2*x)^(5/2),x)
```



```
[Out] 1/3840*(-tan(1/2*x)/(tan(1/2*x)^2-1))^(1/2)/tan(1/2*x)^3*(1772*(tan(1/2*x)*
(tan(1/2*x)^2-1))^(1/2)*(-2*tan(1/2*x)+2)^(1/2)*EllipticF((1+tan(1/2*x))^(1
/2),1/2*2^(1/2))*(tan(1/2*x)*(tan(1/2*x)-1)*(1+tan(1/2*x)))^(1/2)*(1+tan(1/
2*x))^(1/2)*(-tan(1/2*x))^(1/2)*tan(1/2*x)^2-4464*(tan(1/2*x)*(tan(1/2*x)^2
-1))^(1/2)*(-2*tan(1/2*x)+2)^(1/2)*EllipticE((1+tan(1/2*x))^(1/2),1/2*2^(1/
2))*(tan(1/2*x)*(tan(1/2*x)-1)*(1+tan(1/2*x)))^(1/2)*(1+tan(1/2*x))^(1/2)*(-
tan(1/2*x))^(1/2)*tan(1/2*x)^2+24*(tan(1/2*x)*(tan(1/2*x)^2-1))^(1/2)*(tan
(1/2*x)*(tan(1/2*x)-1)*(1+tan(1/2*x)))^(1/2)*tan(1/2*x)^6+3*2^(1/2)*(tan(1/
2*x)*(tan(1/2*x)^2-1))^(1/2)*(tan(1/2*x)^3-tan(1/2*x))^(1/2)*(tan(1/2*x)*(t
an(1/2*x)-1)*(1+tan(1/2*x)))^(1/2)*sum((6*_alpha^3+7*_alpha^2+6*_alpha+1)*(_
_alpha^3+2*_alpha-3)*(1+tan(1/2*x))^(1/2)*(1-tan(1/2*x))^(1/2)*(-tan(1/2*x)
)^(1/2)*EllipticPi((1+tan(1/2*x))^(1/2),-1/4*_alpha^3-1/2*_alpha+3/4,1/2*2^(
1/2))/(tan(1/2*x)*(tan(1/2*x)^2-1))^(1/2),_alpha=RootOf(_Z^4+_Z^3+2*_Z^2-_
Z+1))*tan(1/2*x)^2-40*(tan(1/2*x)*(tan(1/2*x)^2-1))^(1/2)*(tan(1/2*x)*(tan(
1/2*x)-1)*(1+tan(1/2*x)))^(1/2)*tan(1/2*x)^5-1920*tan(1/2*x)^4*(tan(1/2*x)^
3-tan(1/2*x))^(1/2)*(tan(1/2*x)*(tan(1/2*x)^2-1))^(1/2)-24*tan(1/2*x)^4*(ta
n(1/2*x)*(tan(1/2*x)-1)*(1+tan(1/2*x)))^(1/2)*(tan(1/2*x)*(tan(1/2*x)^2-1))
^(1/2)-1272*tan(1/2*x)^4*(tan(1/2*x)^3-tan(1/2*x))^(1/2)*(tan(1/2*x)*(tan(1
/2*x)-1)*(1+tan(1/2*x)))^(1/2)-24*(tan(1/2*x)*(tan(1/2*x)^2-1))^(1/2)*(tan(
1/2*x)*(tan(1/2*x)-1)*(1+tan(1/2*x)))^(1/2)*tan(1/2*x)^2+1272*(tan(1/2*x)^3
-tan(1/2*x))^(1/2)*(tan(1/2*x)*(tan(1/2*x)-1)*(1+tan(1/2*x)))^(1/2)*tan(1/2
*x)^2+40*tan(1/2*x)*(tan(1/2*x)*(tan(1/2*x)-1)*(1+tan(1/2*x)))^(1/2)*(tan(1
/2*x)*(tan(1/2*x)^2-1))^(1/2)+24*(tan(1/2*x)*(tan(1/2*x)-1)*(1+tan(1/2*x)))
^(1/2)*(tan(1/2*x)*(tan(1/2*x)^2-1))^(1/2))/(tan(1/2*x)^3-tan(1/2*x))^(1/2)
/(tan(1/2*x)*(tan(1/2*x)-1)*(1+tan(1/2*x)))^(1/2)
```

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)^3*cos(2*x)/(sin(x)^2-sin(2*x))/sin(2*x)^(5/2),x, algorithm
="maxima")
```

[Out] Timed out

**Fricas [A]** time = 2.63272, size = 501, normalized size = 5.27

$$45 \left( \cos(x)^2 - 1 \right) \log \left( -\frac{1}{2} \sqrt{2} \sqrt{\cos(x) \sin(x)} (4 \cos(x) + 3 \sin(x)) + \frac{1}{2} \cos(x)^2 + \frac{7}{2} \cos(x) \sin(x) + \frac{1}{2} \right) \sin(x) - 45$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)^3*cos(2*x)/(sin(x)^2-sin(2*x))/sin(2*x)^(5/2),x, algorithm
="fricas")
```

```
[Out] -1/1920*(45*(cos(x)^2 - 1)*log(-1/2*sqrt(2)*sqrt(cos(x)*sin(x))*(4*cos(x) +
3*sin(x)) + 1/2*cos(x)^2 + 7/2*cos(x)*sin(x) + 1/2)*sin(x) - 45*(cos(x)^2
- 1)*log(1/2*cos(x)^2 + 1/2*sqrt(2)*sqrt(cos(x)*sin(x))*sin(x) - 1/2*cos(x)
*sin(x) + 1/2)*sin(x) + 4*sqrt(2)*(57*cos(x)^2 + 10*cos(x)*sin(x) - 45)*sq
rt(cos(x)*sin(x)) + 268*(cos(x)^2 - 1)*sin(x))/((cos(x)^2 - 1)*sin(x))
```

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*\*3\*cos(2\*x)/(sin(x)\*\*2-sin(2\*x))/sin(2\*x)\*\*(5/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(2x) \cos(x)^3}{(\sin(x)^2 - \sin(2x)) \sin(2x)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)^3\*cos(2\*x)/(sin(x)^2-sin(2\*x))/sin(2\*x)^(5/2),x, algorithm="giac")

[Out] integrate(cos(2\*x)\*cos(x)^3/((sin(x)^2 - sin(2\*x))\*sin(2\*x)^(5/2)), x)

$$3.637 \quad \int (b \sec(c + dx) + a \sin(c + dx))^n (a \cos(c + dx) + b \sec(c + dx) \tan(c + dx)) dx$$

**Optimal.** Leaf size=30

$$\frac{(a \sin(c + dx) + b \sec(c + dx))^{n+1}}{d(n + 1)}$$

[Out] (b\*Sec[c + d\*x] + a\*Sin[c + d\*x])^(1 + n)/(d\*(1 + n))

**Rubi [A]** time = 0.0592225, antiderivative size = 30, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 43,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.023$ , Rules used = {4385}

$$\frac{(a \sin(c + dx) + b \sec(c + dx))^{n+1}}{d(n + 1)}$$

Antiderivative was successfully verified.

[In] Int[(b\*Sec[c + d\*x] + a\*Sin[c + d\*x])^n\*(a\*Cos[c + d\*x] + b\*Sec[c + d\*x]\*Tan[c + d\*x]),x]

[Out] (b\*Sec[c + d\*x] + a\*Sin[c + d\*x])^(1 + n)/(d\*(1 + n))

**Rule 4385**

Int[(u\_)\*(y\_)^(m\_.), x\_Symbol] :> With[{q = DerivativeDivides[ActivateTrig[y], ActivateTrig[u], x]}, Simp[(q\*ActivateTrig[y^(m + 1)])/(m + 1), x] /; !FalseQ[q]] /; FreeQ[m, x] && NeQ[m, -1] && !InertTrigFreeQ[u]

**Rubi steps**

$$\int (b \sec(c + dx) + a \sin(c + dx))^n (a \cos(c + dx) + b \sec(c + dx) \tan(c + dx)) dx = \frac{(b \sec(c + dx) + a \sin(c + dx))^{1+n}}{d(1 + n)}$$

**Mathematica [A]** time = 1.12582, size = 51, normalized size = 1.7

$$\frac{\sec(c + dx)(a \sin(2(c + dx)) + 2b)(a \sin(c + dx) + b \sec(c + dx))^n}{2d(n + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(b\*Sec[c + d\*x] + a\*Sin[c + d\*x])^n\*(a\*Cos[c + d\*x] + b\*Sec[c + d\*x]\*Tan[c + d\*x]),x]

[Out] (Sec[c + d\*x]\*(b\*Sec[c + d\*x] + a\*Sin[c + d\*x])^n\*(2\*b + a\*Sin[2\*(c + d\*x)])/(2\*d\*(1 + n))

**Maple [A]** time = 0.078, size = 31, normalized size = 1.

$$\frac{(b \sec(dx + c) + a \sin(dx + c))^{1+n}}{d(1 + n)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*sec(d*x+c)+a*sin(d*x+c))^n*(a*cos(d*x+c)+b*sec(d*x+c)*tan(d*x+c)),x)`

[Out] `(b*sec(d*x+c)+a*sin(d*x+c))^(1+n)/d/(1+n)`

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c)+a*sin(d*x+c))^n*(a*cos(d*x+c)+b*sec(d*x+c)*tan(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [A]** time = 3.09156, size = 150, normalized size = 5.

$$\frac{(a \cos(dx + c) \sin(dx + c) + b) \left( \frac{a \cos(dx + c) \sin(dx + c) + b}{\cos(dx + c)} \right)^n}{(dn + d) \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c)+a*sin(d*x+c))^n*(a*cos(d*x+c)+b*sec(d*x+c)*tan(d*x+c)),x, algorithm="fricas")`

[Out] `(a*cos(d*x + c)*sin(d*x + c) + b)*((a*cos(d*x + c)*sin(d*x + c) + b)/cos(d*x + c))^n/((d*n + d)*cos(d*x + c))`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c)+a*sin(d*x+c))^n*(a*cos(d*x+c)+b*sec(d*x+c)*tan(d*x+c)),x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (b \sec(dx + c) \tan(dx + c) + a \cos(dx + c))(b \sec(dx + c) + a \sin(dx + c))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*sec(d*x+c)+a*sin(d*x+c))^n*(a*cos(d*x+c)+b*sec(d*x+c)*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((b*sec(d*x + c)*tan(d*x + c) + a*cos(d*x + c))*(b*sec(d*x + c) + a*sin(d*x + c))^n, x)
```

$$3.638 \quad \int (b \sec(c + dx) + a \sin(c + dx))^3 (a \cos(c + dx) + b \sec(c + dx) \tan(c + dx)) dx$$

**Optimal.** Leaf size=26

$$\frac{(a \sin(c + dx) + b \sec(c + dx))^4}{4d}$$

[Out] (b\*Sec[c + d\*x] + a\*Sin[c + d\*x])^4/(4\*d)

**Rubi [A]** time = 0.0441515, antiderivative size = 26, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 43,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.023$ , Rules used = {4385}

$$\frac{(a \sin(c + dx) + b \sec(c + dx))^4}{4d}$$

Antiderivative was successfully verified.

[In] Int[(b\*Sec[c + d\*x] + a\*Sin[c + d\*x])^3\*(a\*Cos[c + d\*x] + b\*Sec[c + d\*x]\*Tan[c + d\*x]),x]

[Out] (b\*Sec[c + d\*x] + a\*Sin[c + d\*x])^4/(4\*d)

Rule 4385

Int[(u\_)\*(y\_)^(m\_.), x\_Symbol] :> With[{q = DerivativeDivides[ActivateTrig[y], ActivateTrig[u], x]}, Simp[(q\*ActivateTrig[y^(m + 1)])/(m + 1), x] /; !FalseQ[q]] /; FreeQ[m, x] && NeQ[m, -1] && !InertTrigFreeQ[u]

Rubi steps

$$\int (b \sec(c + dx) + a \sin(c + dx))^3 (a \cos(c + dx) + b \sec(c + dx) \tan(c + dx)) dx = \frac{(b \sec(c + dx) + a \sin(c + dx))^4}{4d}$$

**Mathematica [B]** time = 6.55879, size = 938, normalized size = 36.08

$$\frac{a^4 \cos(4c) \cos(4dx) (b \sec(c + dx) + a \sin(c + dx))^3 (a \cos(c + dx) + b \sec(c + dx) \tan(c + dx)) \cos^5(c + dx)}{d(3a \cos(c + dx) + a \cos(3c + 3dx) + 4b \sin(c + dx))(2b + a \sin(2c + 2dx))^3} - \frac{4a^3 \cos(2dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(b\*Sec[c + d\*x] + a\*Sin[c + d\*x])^3\*(a\*Cos[c + d\*x] + b\*Sec[c + d\*x]\*Tan[c + d\*x]),x]

[Out] (8\*b^4\*Cos[c + d\*x]\*(b\*Sec[c + d\*x] + a\*Sin[c + d\*x])^3\*(a\*Cos[c + d\*x] + b\*Sec[c + d\*x]\*Tan[c + d\*x]))/(d\*(3\*a\*Cos[c + d\*x] + a\*Cos[3\*c + 3\*d\*x] + 4\*b\*Sin[c + d\*x])\*(2\*b + a\*Sin[2\*c + 2\*d\*x])^3) + (a^4\*Cos[4\*c]\*Cos[4\*d\*x]\*Cos[c + d\*x]^5\*(b\*Sec[c + d\*x] + a\*Sin[c + d\*x])^3\*(a\*Cos[c + d\*x] + b\*Sec[c + d\*x]\*Tan[c + d\*x]))/(d\*(3\*a\*Cos[c + d\*x] + a\*Cos[3\*c + 3\*d\*x] + 4\*b\*Sin[c + d\*x])\*(2\*b + a\*Sin[2\*c + 2\*d\*x])^3) + (16\*a\*b^2\*Cos[c + d\*x]^3\*Sec[c]\*(3\*a\*Cos[c] + 2\*b\*Sin[c])\*(b\*Sec[c + d\*x] + a\*Sin[c + d\*x])^3\*(a\*Cos[c + d\*x] + b\*Sec[c + d\*x]\*Tan[c + d\*x]))/(d\*(3\*a\*Cos[c + d\*x] + a\*Cos[3\*c + 3\*d\*x]

$$+ 4*b*\sin[c + d*x]*(2*b + a*\sin[2*c + 2*d*x])^3 - (4*a^3*\cos[2*d*x]*\cos[c + d*x]^5*(a*\cos[2*c] + 4*b*\sin[2*c])*(b*\sec[c + d*x] + a*\sin[c + d*x])^3*(a*\cos[c + d*x] + b*\sec[c + d*x]*\tan[c + d*x]))/(d*(3*a*\cos[c + d*x] + a*\cos[3*c + 3*d*x] + 4*b*\sin[c + d*x])*(2*b + a*\sin[2*c + 2*d*x])^3) + (32*a^3*b^3*\cos[c + d*x]^2*\sec[c]*\sin[d*x]*(b*\sec[c + d*x] + a*\sin[c + d*x])^3*(a*\cos[c + d*x] + b*\sec[c + d*x]*\tan[c + d*x]))/(d*(3*a*\cos[c + d*x] + a*\cos[3*c + 3*d*x] + 4*b*\sin[c + d*x])*(2*b + a*\sin[2*c + 2*d*x])^3) + (32*a^3*b*\cos[c + d*x]^4*\sec[c]*\sin[d*x]*(b*\sec[c + d*x] + a*\sin[c + d*x])^3*(a*\cos[c + d*x] + b*\sec[c + d*x]*\tan[c + d*x]))/(d*(3*a*\cos[c + d*x] + a*\cos[3*c + 3*d*x] + 4*b*\sin[c + d*x])*(2*b + a*\sin[2*c + 2*d*x])^3) + (4*a^3*\cos[c + d*x]^5*(-4*b*\cos[2*c] + a*\sin[2*c])*sin[2*d*x]*(b*\sec[c + d*x] + a*\sin[c + d*x])^3*(a*\cos[c + d*x] + b*\sec[c + d*x]*\tan[c + d*x]))/(d*(3*a*\cos[c + d*x] + a*\cos[3*c + 3*d*x] + 4*b*\sin[c + d*x])*(2*b + a*\sin[2*c + 2*d*x])^3) - (a^4*\cos[c + d*x]^5*\sin[4*c]*\sin[4*d*x]*(b*\sec[c + d*x] + a*\sin[c + d*x])^3*(a*\cos[c + d*x] + b*\sec[c + d*x]*\tan[c + d*x]))/(d*(3*a*\cos[c + d*x] + a*\cos[3*c + 3*d*x] + 4*b*\sin[c + d*x])*(2*b + a*\sin[2*c + 2*d*x])^3)$$

**Maple [B]** time = 0.2, size = 137, normalized size = 5.3

$$\frac{a^4 (\sin(dx + c))^4}{4d} + \frac{a^3 b (\sin(dx + c))^5}{d \cos(dx + c)} + \frac{a^3 b \cos(dx + c) (\sin(dx + c))^3}{d} + \frac{3 a^2 b^2 (\tan(dx + c))^2}{2d} + \frac{ab^3 (\sin(dx + c))^3}{d (\cos(dx + c))^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*sec(d\*x+c)+a\*sin(d\*x+c))^3\*(a\*cos(d\*x+c)+b\*sec(d\*x+c)\*tan(d\*x+c)),x)

[Out] 1/4/d\*a^4\*sin(d\*x+c)^4+1/d\*a^3\*b\*sin(d\*x+c)^5/cos(d\*x+c)+1/d\*a^3\*b\*cos(d\*x+c)\*sin(d\*x+c)^3+3/2/d\*a^2\*b^2\*tan(d\*x+c)^2+1/d\*a\*b^3\*sin(d\*x+c)^3/cos(d\*x+c)^3+1/d\*a\*b^3\*tan(d\*x+c)+1/4/d\*b^4/cos(d\*x+c)^4

**Maxima [A]** time = 0.963945, size = 32, normalized size = 1.23

$$\frac{(b \sec(dx + c) + a \sin(dx + c))^4}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*sec(d\*x+c)+a\*sin(d\*x+c))^3\*(a\*cos(d\*x+c)+b\*sec(d\*x+c)\*tan(d\*x+c)),x, algorithm="maxima")

[Out] 1/4\*(b\*sec(d\*x + c) + a\*sin(d\*x + c))^4/d

**Fricas [B]** time = 2.62149, size = 292, normalized size = 11.23

$$\frac{8 a^4 \cos(dx + c)^8 - 16 a^4 \cos(dx + c)^6 + 5 a^4 \cos(dx + c)^4 + 48 a^2 b^2 \cos(dx + c)^2 + 8 b^4 - 32 (a^3 b \cos(dx + c)^5 - a^3 b^3)}{32 d \cos(dx + c)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*sec(d\*x+c)+a\*sin(d\*x+c))^3\*(a\*cos(d\*x+c)+b\*sec(d\*x+c)\*tan(d\*x+c)),x, algorithm="fricas")

[Out]  $\frac{1}{32}(8a^4\cos(dx+c)^8 - 16a^4\cos(dx+c)^6 + 5a^4\cos(dx+c)^4 + 48a^2b^2\cos(dx+c)^2 + 8b^4 - 32(a^3b\cos(dx+c)^5 - a^3b\cos(dx+c)^3 - ab^3\cos(dx+c))\sin(dx+c))/(d\cos(dx+c)^4)$

**Sympy [A]** time = 65.903, size = 129, normalized size = 4.96

$$\begin{cases} \frac{a^4 \sin^4(c+dx)}{4d} + \frac{a^3 b \sin^3(c+dx) \sec(c+dx)}{d} + \frac{3a^2 b^2 \sin^2(c+dx) \sec^2(c+dx)}{2d} + \frac{ab^3 \sin(c+dx) \sec^3(c+dx)}{d} + \frac{b^4 \sec^4(c+dx)}{4d} & \text{for } d \neq 0 \\ x(a \sin(c) + b \sec(c))^3 (a \cos(c) + b \tan(c) \sec(c)) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(dx+c)+a*sin(dx+c))**3*(a*cos(dx+c)+b*sec(dx+c)*tan(dx+c)),x)`

[Out] `Piecewise((a**4*sin(c + dx)**4/(4*d) + a**3*b*sin(c + dx)**3*sec(c + dx)/d + 3*a**2*b**2*sin(c + dx)**2*sec(c + dx)**2/(2*d) + a*b**3*sin(c + dx)*sec(c + dx)**3/d + b**4*sec(c + dx)**4/(4*d), Ne(d, 0)), (x*(a*sin(c) + b*sec(c))**3*(a*cos(c) + b*tan(c)*sec(c)), True))`

**Giac [B]** time = 1.29462, size = 192, normalized size = 7.38

$$\frac{b^4 \tan(dx+c)^4 + 4ab^3 \tan(dx+c)^3 + 6a^2b^2 \tan(dx+c)^2 + 2b^4 \tan(dx+c)^2 + 4a^3b \tan(dx+c) + 4ab^3 \tan(dx+c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(dx+c)+a*sin(dx+c))^3*(a*cos(dx+c)+b*sec(dx+c)*tan(dx+c)),x, algorithm="giac")`

[Out]  $\frac{1}{4}(b^4 \tan(dx+c)^4 + 4a^3 b^3 \tan(dx+c)^3 + 6a^2 b^2 \tan(dx+c)^2 + 2b^4 \tan(dx+c)^2 + 4a^3 b \tan(dx+c) + 4a^3 b^3 \tan(dx+c) - (4a^3 b \tan(dx+c)^3 + 2a^4 \tan(dx+c)^2 + 4a^3 b \tan(dx+c) + a^4)/(\tan(dx+c)^2 + 1)^2)/d$



$$3.639 \quad \int (b \sec(c + dx) + a \sin(c + dx))^2 (a \cos(c + dx) + b \sec(c + dx) \tan(c + dx)) dx$$

**Optimal.** Leaf size=26

$$\frac{(a \sin(c + dx) + b \sec(c + dx))^3}{3d}$$

[Out] (b\*Sec[c + d\*x] + a\*Sin[c + d\*x])^3/(3\*d)

**Rubi [A]** time = 0.0429013, antiderivative size = 26, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 43,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.023$ , Rules used = {4385}

$$\frac{(a \sin(c + dx) + b \sec(c + dx))^3}{3d}$$

Antiderivative was successfully verified.

[In] Int[(b\*Sec[c + d\*x] + a\*Sin[c + d\*x])^2\*(a\*Cos[c + d\*x] + b\*Sec[c + d\*x]\*Tan[c + d\*x]),x]

[Out] (b\*Sec[c + d\*x] + a\*Sin[c + d\*x])^3/(3\*d)

**Rule 4385**

Int[(u\_)\*(y\_)^(m\_.), x\_Symbol] := With[{q = DerivativeDivides[ActivateTrig[y], ActivateTrig[u], x]}, Simp[(q\*ActivateTrig[y^(m + 1)])/(m + 1), x] /; !FalseQ[q]] /; FreeQ[m, x] && NeQ[m, -1] && !InertTrigFreeQ[u]

**Rubi steps**

$$\int (b \sec(c + dx) + a \sin(c + dx))^2 (a \cos(c + dx) + b \sec(c + dx) \tan(c + dx)) dx = \frac{(b \sec(c + dx) + a \sin(c + dx))^3}{3d}$$

**Mathematica [A]** time = 1.27789, size = 31, normalized size = 1.19

$$\frac{\sec^3(c + dx)(a \sin(2(c + dx)) + 2b)^3}{24d}$$

Antiderivative was successfully verified.

[In] Integrate[(b\*Sec[c + d\*x] + a\*Sin[c + d\*x])^2\*(a\*Cos[c + d\*x] + b\*Sec[c + d\*x]\*Tan[c + d\*x]),x]

[Out] (Sec[c + d\*x]^3\*(2\*b + a\*Sin[2\*(c + d\*x)])^3)/(24\*d)

**Maple [B]** time = 0.172, size = 118, normalized size = 4.5

$$\frac{a^3 (\sin(dx + c))^3}{3d} + \frac{a^2 b (\sin(dx + c))^4}{d \cos(dx + c)} + \frac{a^2 b (\sin(dx + c))^2 \cos(dx + c)}{d} + \frac{ab^2 (\sin(dx + c))^3}{d (\cos(dx + c))^2} + \frac{ab^2 \sin(dx + c)}{d} + \frac{b^3}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*sec(d*x+c)+a*sin(d*x+c))^2*(a*cos(d*x+c)+b*sec(d*x+c)*tan(d*x+c)),x)`

[Out]  $1/3/d*a^3*\sin(d*x+c)^3+1/d*a^2*b*\sin(d*x+c)^4/\cos(d*x+c)+1/d*a^2*b*\sin(d*x+c)^2*\cos(d*x+c)+1/d*a*b^2*\sin(d*x+c)^3/\cos(d*x+c)^2+1/d*a*b^2*\sin(d*x+c)+1/3/d*b^3/\cos(d*x+c)^3$

**Maxima [A]** time = 0.96345, size = 32, normalized size = 1.23

$$\frac{(b \sec(dx + c) + a \sin(dx + c))^3}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c)+a*sin(d*x+c))^2*(a*cos(d*x+c)+b*sec(d*x+c)*tan(d*x+c)),x, algorithm="maxima")`

[Out]  $1/3*(b*\sec(d*x + c) + a*\sin(d*x + c))^3/d$

**Fricas [B]** time = 2.60107, size = 217, normalized size = 8.35

$$\frac{3a^2b \cos(dx + c)^4 - 3a^2b \cos(dx + c)^2 - b^3 + (a^3 \cos(dx + c)^5 - a^3 \cos(dx + c)^3 - 3ab^2 \cos(dx + c)) \sin(dx + c)}{3d \cos(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c)+a*sin(d*x+c))^2*(a*cos(d*x+c)+b*sec(d*x+c)*tan(d*x+c)),x, algorithm="fricas")`

[Out]  $-1/3*(3*a^2*b*\cos(d*x + c)^4 - 3*a^2*b*\cos(d*x + c)^2 - b^3 + (a^3*\cos(d*x + c)^5 - a^3*\cos(d*x + c)^3 - 3*a*b^2*\cos(d*x + c))*\sin(d*x + c))/(d*\cos(d*x + c)^3)$

**Sympy [A]** time = 18.2675, size = 100, normalized size = 3.85

$$\begin{cases} \frac{a^3 \sin^3(c+dx)}{3d} + \frac{a^2 b \sin^2(c+dx) \sec(c+dx)}{d} + \frac{ab^2 \sin(c+dx) \sec^2(c+dx)}{d} + \frac{b^3 \sec^3(c+dx)}{3d} & \text{for } d \neq 0 \\ x(a \sin(c) + b \sec(c))^2 (a \cos(c) + b \tan(c) \sec(c)) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c)+a*sin(d*x+c))*2*(a*cos(d*x+c)+b*sec(d*x+c)*tan(d*x+c)),x)`

[Out] `Piecewise((a**3*sin(c + d*x)**3/(3*d) + a**2*b*sin(c + d*x)**2*sec(c + d*x)/d + a*b**2*sin(c + d*x)*sec(c + d*x)**2/d + b**3*sec(c + d*x)**3/(3*d), Ne(d, 0)), (x*(a*sin(c) + b*sec(c))*2*(a*cos(c) + b*tan(c)*sec(c)), True))`

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*sec(d*x+c)+a*sin(d*x+c))^2*(a*cos(d*x+c)+b*sec(d*x+c)*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.640 \quad \int (b \sec(c + dx) + a \sin(c + dx))(a \cos(c + dx) + b \sec(c + dx) \tan(c + dx)) dx$$

**Optimal.** Leaf size=26

$$\frac{(a \sin(c + dx) + b \sec(c + dx))^2}{2d}$$

[Out] (b\*Sec[c + d\*x] + a\*Sin[c + d\*x])^2/(2\*d)

**Rubi [A]** time = 0.0280635, antiderivative size = 26, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 41,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.024$ , Rules used = {4385}

$$\frac{(a \sin(c + dx) + b \sec(c + dx))^2}{2d}$$

Antiderivative was successfully verified.

[In] Int[(b\*Sec[c + d\*x] + a\*Sin[c + d\*x])\*(a\*Cos[c + d\*x] + b\*Sec[c + d\*x]\*Tan[c + d\*x]),x]

[Out] (b\*Sec[c + d\*x] + a\*Sin[c + d\*x])^2/(2\*d)

**Rule 4385**

Int[(u\_)\*(y\_)^(m\_.), x\_Symbol] :> With[{q = DerivativeDivides[ActivateTrig[y], ActivateTrig[u], x]}, Simp[(q\*ActivateTrig[y^(m + 1)])/(m + 1), x] /; !FalseQ[q]] /; FreeQ[m, x] && NeQ[m, -1] && !InertTrigFreeQ[u]

**Rubi steps**

$$\int (b \sec(c + dx) + a \sin(c + dx))(a \cos(c + dx) + b \sec(c + dx) \tan(c + dx)) dx = \frac{(b \sec(c + dx) + a \sin(c + dx))^2}{2d}$$

**Mathematica [B]** time = 0.0368757, size = 67, normalized size = 2.58

$$-\frac{a^2 \cos^2(c + dx)}{2d} - \frac{ab \tan^{-1}(\tan(c + dx))}{d} + \frac{ab \tan(c + dx)}{d} + abx + \frac{b^2 \sec^2(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[(b\*Sec[c + d\*x] + a\*Sin[c + d\*x])\*(a\*Cos[c + d\*x] + b\*Sec[c + d\*x]\*Tan[c + d\*x]),x]

[Out] a\*b\*x - (a\*b\*ArcTan[Tan[c + d\*x]])/d - (a^2\*Cos[c + d\*x]^2)/(2\*d) + (b^2\*Sec[c + d\*x]^2)/(2\*d) + (a\*b\*Tan[c + d\*x])/d

**Maple [B]** time = 0.119, size = 57, normalized size = 2.2

$$\frac{1}{d} \left( -\frac{(\cos(dx + c))^2 a^2}{2} + ab(\tan(dx + c) - dx - c) + ab(dx + c) + \frac{b^2}{2(\cos(dx + c))^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*sec(d*x+c)+a*sin(d*x+c))*(a*cos(d*x+c)+b*sec(d*x+c)*tan(d*x+c)),x)`

[Out]  $1/d*(-1/2*\cos(d*x+c)^2*a^2+a*b*(\tan(d*x+c)-d*x-c)+a*b*(d*x+c)+1/2*b^2/\cos(d*x+c)^2)$

**Maxima [A]** time = 0.96683, size = 32, normalized size = 1.23

$$\frac{(b \sec(dx + c) + a \sin(dx + c))^2}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c)+a*sin(d*x+c))*(a*cos(d*x+c)+b*sec(d*x+c)*tan(d*x+c)),x, algorithm="maxima")`

[Out]  $1/2*(b*\sec(d*x + c) + a*\sin(d*x + c))^2/d$

**Fricas [B]** time = 2.39611, size = 150, normalized size = 5.77

$$\frac{2a^2 \cos(dx + c)^4 - a^2 \cos(dx + c)^2 - 4ab \cos(dx + c) \sin(dx + c) - 2b^2}{4d \cos(dx + c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c)+a*sin(d*x+c))*(a*cos(d*x+c)+b*sec(d*x+c)*tan(d*x+c)),x, algorithm="fricas")`

[Out]  $-1/4*(2*a^2*\cos(d*x + c)^4 - a^2*\cos(d*x + c)^2 - 4*a*b*\cos(d*x + c)*\sin(d*x + c) - 2*b^2)/(d*\cos(d*x + c)^2)$

**Sympy [A]** time = 5.01278, size = 73, normalized size = 2.81

$$\begin{cases} \frac{a^2 \sin^2(c+dx)}{2d} + \frac{ab \sin(c+dx) \sec(c+dx)}{d} + \frac{b^2 \sec^2(c+dx)}{2d} & \text{for } d \neq 0 \\ x(a \sin(c) + b \sec(c))(a \cos(c) + b \tan(c) \sec(c)) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c)+a*sin(d*x+c))*(a*cos(d*x+c)+b*sec(d*x+c)*tan(d*x+c)),x)`

[Out] `Piecewise((a**2*sin(c + d*x)**2/(2*d) + a*b*sin(c + d*x)*sec(c + d*x)/d + b**2*sec(c + d*x)**2/(2*d), Ne(d, 0)), (x*(a*sin(c) + b*sec(c))*(a*cos(c) + b*tan(c)*sec(c)), True))`

**Giac [A]** time = 1.18359, size = 61, normalized size = 2.35

$$\frac{b^2 \tan(dx + c)^2 + 2ab \tan(dx + c) - \frac{a^2}{\tan(dx+c)^2+1}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*sec(d*x+c)+a*sin(d*x+c))*(a*cos(d*x+c)+b*sec(d*x+c)*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] 1/2*(b^2*tan(d*x + c)^2 + 2*a*b*tan(d*x + c) - a^2/(tan(d*x + c)^2 + 1))/d
```

$$3.641 \quad \int \frac{a \cos(c+dx) + b \sec(c+dx) \tan(c+dx)}{b \sec(c+dx) + a \sin(c+dx)} dx$$

**Optimal.** Leaf size=22

$$\frac{\log(a \sin(c + dx) + b \sec(c + dx))}{d}$$

[Out] Log[b\*Sec[c + d\*x] + a\*Sin[c + d\*x]]/d

**Rubi [A]** time = 0.0484212, antiderivative size = 22, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 43,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.023$ , Rules used = {4383}

$$\frac{\log(a \sin(c + dx) + b \sec(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[(a\*Cos[c + d\*x] + b\*Sec[c + d\*x]\*Tan[c + d\*x])/(b\*Sec[c + d\*x] + a\*Sin[c + d\*x]),x]

[Out] Log[b\*Sec[c + d\*x] + a\*Sin[c + d\*x]]/d

Rule 4383

Int[(u\_)/(y\_), x\_Symbol] := With[{q = DerivativeDivides[ActivateTrig[y], ActivateTrig[u], x]}, Simp[q\*Log[RemoveContent[ActivateTrig[y], x]], x] /; ! FalseQ[q] /; ! InertTrigFreeQ[u]

Rubi steps

$$\int \frac{a \cos(c + dx) + b \sec(c + dx) \tan(c + dx)}{b \sec(c + dx) + a \sin(c + dx)} dx = \frac{\log(b \sec(c + dx) + a \sin(c + dx))}{d}$$

**Mathematica [A]** time = 0.462226, size = 29, normalized size = 1.32

$$\frac{\log(a \sin(2(c + dx)) + 2b) - \log(\cos(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*Cos[c + d\*x] + b\*Sec[c + d\*x]\*Tan[c + d\*x])/(b\*Sec[c + d\*x] + a\*Sin[c + d\*x]),x]

[Out] (-Log[Cos[c + d\*x]] + Log[2\*b + a\*Sin[2\*(c + d\*x)]])/d

**Maple [A]** time = 0.09, size = 23, normalized size = 1.1

$$\frac{\ln(b \sec(dx + c) + a \sin(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a*cos(d*x+c)+b*sec(d*x+c)*tan(d*x+c))/(b*sec(d*x+c)+a*sin(d*x+c)),x)`

[Out] `ln(b*sec(d*x+c)+a*sin(d*x+c))/d`

**Maxima [A]** time = 0.965781, size = 30, normalized size = 1.36

$$\frac{\log(b \sec(dx + c) + a \sin(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*cos(d*x+c)+b*sec(d*x+c)*tan(d*x+c))/(b*sec(d*x+c)+a*sin(d*x+c)),x, algorithm="maxima")`

[Out] `log(b*sec(d*x + c) + a*sin(d*x + c))/d`

**Fricas [A]** time = 2.76279, size = 85, normalized size = 3.86

$$\frac{\log(a \cos(dx + c) \sin(dx + c) + b) - \log(-\cos(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*cos(d*x+c)+b*sec(d*x+c)*tan(d*x+c))/(b*sec(d*x+c)+a*sin(d*x+c)),x, algorithm="fricas")`

[Out] `(log(a*cos(d*x + c)*sin(d*x + c) + b) - log(-cos(d*x + c)))/d`

**Sympy [A]** time = 7.52807, size = 63, normalized size = 2.86

$$\begin{cases} x \tan(c) & \text{for } a = 0 \wedge d = 0 \\ \frac{\log(\tan^2(c+dx)+1)}{2d} & \text{for } a = 0 \\ \frac{x(a \cos(c)+b \tan(c) \sec(c))}{a \sin(c)+b \sec(c)} & \text{for } d = 0 \\ \frac{\log\left(\sin(c+dx)+\frac{b \sec(c+dx)}{a}\right)}{d} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*cos(d*x+c)+b*sec(d*x+c)*tan(d*x+c))/(b*sec(d*x+c)+a*sin(d*x+c)),x)`

[Out] `Piecewise((x*tan(c), Eq(a, 0) & Eq(d, 0)), (log(tan(c + d*x)**2 + 1)/(2*d), Eq(a, 0)), (x*(a*cos(c) + b*tan(c)*sec(c))/(a*sin(c) + b*sec(c)), Eq(d, 0)), (log(sin(c + d*x) + b*sec(c + d*x)/a)/d, True))`

**Giac [A]** time = 1.30741, size = 57, normalized size = 2.59

$$\frac{2 \log(b \tan(dx + c)^2 + a \tan(dx + c) + b) - \log(\tan(dx + c)^2 + 1)}{2d}$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*cos(d*x+c)+b*sec(d*x+c)*tan(d*x+c))/(b*sec(d*x+c)+a*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] 1/2*(2*log(b*tan(d*x + c)^2 + a*tan(d*x + c) + b) - log(tan(d*x + c)^2 + 1))/d
```

$$3.642 \quad \int \frac{a \cos(c+dx) + b \sec(c+dx) \tan(c+dx)}{(b \sec(c+dx) + a \sin(c+dx))^2} dx$$

**Optimal.** Leaf size=24

$$-\frac{1}{d(a \sin(c + dx) + b \sec(c + dx))}$$

[Out] -(1/(d\*(b\*Sec[c + d\*x] + a\*Sin[c + d\*x])))

**Rubi [A]** time = 0.0441496, antiderivative size = 24, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 43,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.023$ , Rules used = {4385}

$$-\frac{1}{d(a \sin(c + dx) + b \sec(c + dx))}$$

Antiderivative was successfully verified.

[In] Int[(a\*Cos[c + d\*x] + b\*Sec[c + d\*x]\*Tan[c + d\*x])/(b\*Sec[c + d\*x] + a\*Sin[c + d\*x])^2,x]

[Out] -(1/(d\*(b\*Sec[c + d\*x] + a\*Sin[c + d\*x])))

**Rule 4385**

Int[(u\_)\*(y\_)^(m\_.), x\_Symbol] := With[{q = DerivativeDivides[ActivateTrig[y], ActivateTrig[u], x]}, Simp[(q\*ActivateTrig[y^(m + 1)])/(m + 1), x] /; !FalseQ[q]] /; FreeQ[m, x] && NeQ[m, -1] && !InertTrigFreeQ[u]

**Rubi steps**

$$\int \frac{a \cos(c + dx) + b \sec(c + dx) \tan(c + dx)}{(b \sec(c + dx) + a \sin(c + dx))^2} dx = -\frac{1}{d(b \sec(c + dx) + a \sin(c + dx))}$$

**Mathematica [A]** time = 0.310056, size = 27, normalized size = 1.12

$$-\frac{2 \cos(c + dx)}{d(a \sin(2(c + dx)) + 2b)}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*Cos[c + d\*x] + b\*Sec[c + d\*x]\*Tan[c + d\*x])/(b\*Sec[c + d\*x] + a\*Sin[c + d\*x])^2,x]

[Out] (-2\*Cos[c + d\*x])/(d\*(2\*b + a\*Sin[2\*(c + d\*x)]))

**Maple [A]** time = 0.139, size = 25, normalized size = 1.

$$-\frac{1}{d(b \sec(dx + c) + a \sin(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*cos(d\*x+c)+b\*sec(d\*x+c)\*tan(d\*x+c))/(b\*sec(d\*x+c)+a\*sin(d\*x+c))^2,x)

[Out] -1/d/(b\*sec(d\*x+c)+a\*sin(d\*x+c))

**Maxima [A]** time = 0.984597, size = 32, normalized size = 1.33

$$-\frac{1}{(b \sec(dx + c) + a \sin(dx + c))d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sec(d\*x+c)\*tan(d\*x+c))/(b\*sec(d\*x+c)+a\*sin(d\*x+c))^2,x, algorithm="maxima")

[Out] -1/((b\*sec(d\*x + c) + a\*sin(d\*x + c))\*d)

**Fricas [A]** time = 2.35497, size = 72, normalized size = 3.

$$-\frac{\cos(dx + c)}{ad \cos(dx + c) \sin(dx + c) + bd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sec(d\*x+c)\*tan(d\*x+c))/(b\*sec(d\*x+c)+a\*sin(d\*x+c))^2,x, algorithm="fricas")

[Out] -cos(d\*x + c)/(a\*d\*cos(d\*x + c)\*sin(d\*x + c) + b\*d)

**Sympy [A]** time = 22.5336, size = 49, normalized size = 2.04

$$\begin{cases} -\frac{1}{ad \sin(c+dx)+bd \sec(c+dx)} & \text{for } d \neq 0 \\ \frac{x(a \cos(c)+b \tan(c) \sec(c))}{(a \sin(c)+b \sec(c))^2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*cos(d\*x+c)+b\*sec(d\*x+c)\*tan(d\*x+c))/(b\*sec(d\*x+c)+a\*sin(d\*x+c))\*\*2,x)

[Out] Piecewise((-1/(a\*d\*sin(c + d\*x) + b\*d\*sec(c + d\*x)), Ne(d, 0)), (x\*(a\*cos(c) + b\*tan(c)\*sec(c))/(a\*sin(c) + b\*sec(c))\*\*2, True))

**Giac [B]** time = 1.23862, size = 146, normalized size = 6.08

$$\frac{2 \left( a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^3 - b \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^2 - a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) - b \right)}{\left( b \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^4 - 2 a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^3 + 2 b \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^2 + 2 a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) + b \right) bd}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*cos(d*x+c)+b*sec(d*x+c)*tan(d*x+c))/(b*sec(d*x+c)+a*sin(d*x+c))^2,x, algorithm="giac")
```

```
[Out] 2*(a*tan(1/2*d*x + 1/2*c)^3 - b*tan(1/2*d*x + 1/2*c)^2 - a*tan(1/2*d*x + 1/2*c) - b)/((b*tan(1/2*d*x + 1/2*c)^4 - 2*a*tan(1/2*d*x + 1/2*c)^3 + 2*b*tan(1/2*d*x + 1/2*c)^2 + 2*a*tan(1/2*d*x + 1/2*c) + b)*b*d)
```

$$3.643 \quad \int \frac{a \cos(c+dx) + b \sec(c+dx) \tan(c+dx)}{(b \sec(c+dx) + a \sin(c+dx))^3} dx$$

**Optimal.** Leaf size=26

$$-\frac{1}{2d(a \sin(c+dx) + b \sec(c+dx))^2}$$

[Out] -1/(2\*d\*(b\*Sec[c + d\*x] + a\*Sin[c + d\*x])^2)

**Rubi [A]** time = 0.045177, antiderivative size = 26, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 43,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.023$ , Rules used = {4385}

$$-\frac{1}{2d(a \sin(c+dx) + b \sec(c+dx))^2}$$

Antiderivative was successfully verified.

[In] Int[(a\*Cos[c + d\*x] + b\*Sec[c + d\*x]\*Tan[c + d\*x])/(b\*Sec[c + d\*x] + a\*Sin[c + d\*x])^3,x]

[Out] -1/(2\*d\*(b\*Sec[c + d\*x] + a\*Sin[c + d\*x])^2)

#### Rule 4385

Int[(u\_)\*(y\_)^(m\_.), x\_Symbol] := With[{q = DerivativeDivides[ActivateTrig[y], ActivateTrig[u], x]}, Simp[(q\*ActivateTrig[y^(m+1)])/(m+1), x] /; !FalseQ[q] /; FreeQ[m, x] && NeQ[m, -1] && !InertTrigFreeQ[u]

#### Rubi steps

$$\int \frac{a \cos(c+dx) + b \sec(c+dx) \tan(c+dx)}{(b \sec(c+dx) + a \sin(c+dx))^3} dx = -\frac{1}{2d(b \sec(c+dx) + a \sin(c+dx))^2}$$

**Mathematica [A]** time = 0.727144, size = 29, normalized size = 1.12

$$-\frac{2 \cos^2(c+dx)}{d(a \sin(2(c+dx)) + 2b)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*Cos[c + d\*x] + b\*Sec[c + d\*x]\*Tan[c + d\*x])/(b\*Sec[c + d\*x] + a\*Sin[c + d\*x])^3,x]

[Out] (-2\*Cos[c + d\*x]^2)/(d\*(2\*b + a\*Sin[2\*(c + d\*x)])^2)

**Maple [A]** time = 0.171, size = 25, normalized size = 1.

$$-\frac{1}{2d(b \sec(dx+c) + a \sin(dx+c))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a*cos(d*x+c)+b*sec(d*x+c)*tan(d*x+c))/(b*sec(d*x+c)+a*sin(d*x+c))^3,x)
```

```
[Out] -1/2/d/(b*sec(d*x+c)+a*sin(d*x+c))^2
```

**Maxima [A]** time = 0.982554, size = 32, normalized size = 1.23

$$-\frac{1}{2(b \sec(dx + c) + a \sin(dx + c))^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*cos(d*x+c)+b*sec(d*x+c)*tan(d*x+c))/(b*sec(d*x+c)+a*sin(d*x+c))^3,x, algorithm="maxima")
```

```
[Out] -1/2/((b*sec(d*x + c) + a*sin(d*x + c))^2*d)
```

**Fricas [B]** time = 2.98695, size = 149, normalized size = 5.73

$$\frac{\cos(dx + c)^2}{2(a^2 d \cos(dx + c)^4 - a^2 d \cos(dx + c)^2 - 2abd \cos(dx + c) \sin(dx + c) - b^2 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*cos(d*x+c)+b*sec(d*x+c)*tan(d*x+c))/(b*sec(d*x+c)+a*sin(d*x+c))^3,x, algorithm="fricas")
```

```
[Out] 1/2*cos(d*x + c)^2/(a^2*d*cos(d*x + c)^4 - a^2*d*cos(d*x + c)^2 - 2*a*b*d*cos(d*x + c)*sin(d*x + c) - b^2*d)
```

**Sympy [A]** time = 62.2404, size = 80, normalized size = 3.08

$$\begin{cases} -\frac{1}{2a^2 d \sin^2(c+dx)+4abd \sin(c+dx) \sec(c+dx)+2b^2 d \sec^2(c+dx)} & \text{for } d \neq 0 \\ \frac{x(a \cos(c)+b \tan(c) \sec(c))}{(a \sin(c)+b \sec(c))^3} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*cos(d*x+c)+b*sec(d*x+c)*tan(d*x+c))/(b*sec(d*x+c)+a*sin(d*x+c))**3,x)
```

```
[Out] Piecewise((-1/(2*a**2*d*sin(c + d*x)**2 + 4*a*b*d*sin(c + d*x)*sec(c + d*x) + 2*b**2*d*sec(c + d*x)**2), Ne(d, 0)), (x*(a*cos(c) + b*tan(c)*sec(c))/(a*sin(c) + b*sec(c))**3, True))
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*cos(d*x+c)+b*sec(d*x+c)*tan(d*x+c))/(b*sec(d*x+c)+a*sin(d*x+c))^3,x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

### 3.644 $\int F(c, d, \cos(a + bx), r, s) \sin(a + bx) dx$

**Optimal.** Leaf size=20

CannotIntegrate(sin(a + bx)F(c, d, cos(a + bx), r, s), x)

[Out] CannotIntegrate[F[c, d, Cos[a + b\*x], r, s]\*Sin[a + b\*x], x]

**Rubi [A]** time = 0.0128501, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int F(c, d, \cos(a + bx), r, s) \sin(a + bx) dx$$

Verification is Not applicable to the result.

[In] Int[F[c, d, Cos[a + b\*x], r, s]\*Sin[a + b\*x], x]

[Out] -(Defer[Subst][Defer[Int][F[c, d, x, r, s], x], x, Cos[a + b\*x]]/b)

Rubi steps

$$\int F(c, d, \cos(a + bx), r, s) \sin(a + bx) dx = -\frac{\text{Subst}(\int F(c, d, x, r, s) dx, x, \cos(a + bx))}{b}$$

**Mathematica [A]** time = 0.0426402, size = 0, normalized size = 0.

$$\int F(c, d, \cos(a + bx), r, s) \sin(a + bx) dx$$

Verification is Not applicable to the result.

[In] Integrate[F[c, d, Cos[a + b\*x], r, s]\*Sin[a + b\*x], x]

[Out] Integrate[F[c, d, Cos[a + b\*x], r, s]\*Sin[a + b\*x], x]

**Maple [A]** time = 0.025, size = 0, normalized size = 0.

$$\int F(c, d, \cos(bx + a), r, s) \sin(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(F(c, d, cos(b\*x+a), r, s)\*sin(b\*x+a), x)

[Out] int(F(c, d, cos(b\*x+a), r, s)\*sin(b\*x+a), x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int F(c, d, \cos(bx + a), r, s) \sin(bx + a) dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(F(c,d,cos(b*x+a),r,s)*sin(b*x+a),x, algorithm="maxima")
```

```
[Out] integrate(F(c, d, cos(b*x + a), r, s)*sin(b*x + a), x)
```

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}(F(c, d, \cos(bx + a), r, s) \sin(bx + a), x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(F(c,d,cos(b*x+a),r,s)*sin(b*x+a),x, algorithm="fricas")
```

```
[Out] integral(F(c, d, cos(b*x + a), r, s)*sin(b*x + a), x)
```

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int F(c, d, \cos(a + bx), r, s) \sin(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(F(c,d,cos(b*x+a),r,s)*sin(b*x+a),x)
```

```
[Out] Integral(F(c, d, cos(a + b*x), r, s)*sin(a + b*x), x)
```

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int F(c, d, \cos(bx + a), r, s) \sin(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(F(c,d,cos(b*x+a),r,s)*sin(b*x+a),x, algorithm="giac")
```

```
[Out] integrate(F(c, d, cos(b*x + a), r, s)*sin(b*x + a), x)
```

### 3.645 $\int \cos(a + bx)F(c, d, \sin(a + bx), r, s) dx$

**Optimal.** Leaf size=20

CannotIntegrate(cos(a + bx)F(c, d, sin(a + bx), r, s), x)

[Out] CannotIntegrate[Cos[a + b\*x]\*F[c, d, Sin[a + b\*x], r, s], x]

**Rubi [A]** time = 0.0127099, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \cos(a + bx)F(c, d, \sin(a + bx), r, s) dx$$

Verification is Not applicable to the result.

[In] Int[Cos[a + b\*x]\*F[c, d, Sin[a + b\*x], r, s], x]

[Out] Defer[Subst][Defer[Int][F[c, d, x, r, s], x], x, Sin[a + b\*x]]/b

Rubi steps

$$\int \cos(a + bx)F(c, d, \sin(a + bx), r, s) dx = \frac{\text{Subst}(\int F(c, d, x, r, s) dx, x, \sin(a + bx))}{b}$$

**Mathematica [A]** time = 0.0351948, size = 0, normalized size = 0.

$$\int \cos(a + bx)F(c, d, \sin(a + bx), r, s) dx$$

Verification is Not applicable to the result.

[In] Integrate[Cos[a + b\*x]\*F[c, d, Sin[a + b\*x], r, s], x]

[Out] Integrate[Cos[a + b\*x]\*F[c, d, Sin[a + b\*x], r, s], x]

**Maple [A]** time = 0.013, size = 0, normalized size = 0.

$$\int \cos(bx + a)F(c, d, \sin(bx + a), r, s) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(b\*x+a)\*F(c,d,sin(b\*x+a),r,s),x)

[Out] int(cos(b\*x+a)\*F(c,d,sin(b\*x+a),r,s),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int F(c, d, \sin(bx + a), r, s) \cos(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b\*x+a)\*F(c,d,sin(b\*x+a),r,s),x, algorithm="maxima")

[Out] integrate(F(c, d, sin(b\*x + a), r, s)\*cos(b\*x + a), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}(F(c, d, \sin(bx + a), r, s) \cos(bx + a), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b\*x+a)\*F(c,d,sin(b\*x+a),r,s),x, algorithm="fricas")

[Out] integral(F(c, d, sin(b\*x + a), r, s)\*cos(b\*x + a), x)

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int F(c, d, \sin(a + bx), r, s) \cos(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b\*x+a)\*F(c,d,sin(b\*x+a),r,s),x)

[Out] Integral(F(c, d, sin(a + b\*x), r, s)\*cos(a + b\*x), x)

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int F(c, d, \sin(bx + a), r, s) \cos(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b\*x+a)\*F(c,d,sin(b\*x+a),r,s),x, algorithm="giac")

[Out] integrate(F(c, d, sin(b\*x + a), r, s)\*cos(b\*x + a), x)

### 3.646 $\int F(c, d, \tan(a + bx), r, s) \sec^2(a + bx) dx$

**Optimal.** Leaf size=22

$$\text{CannotIntegrate}(\sec^2(a + bx)F(c, d, \tan(a + bx), r, s), x)$$

[Out] CannotIntegrate[F[c, d, Tan[a + b\*x], r, s]\*Sec[a + b\*x]^2, x]

**Rubi [A]** time = 0.0161296, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int F(c, d, \tan(a + bx), r, s) \sec^2(a + bx) dx$$

Verification is Not applicable to the result.

[In] Int[F[c, d, Tan[a + b\*x], r, s]\*Sec[a + b\*x]^2, x]

[Out] Defer[Subst][Defer[Int][F[c, d, x, r, s], x], x, Tan[a + b\*x]]/b

Rubi steps

$$\int F(c, d, \tan(a + bx), r, s) \sec^2(a + bx) dx = \frac{\text{Subst}(\int F(c, d, x, r, s) dx, x, \tan(a + bx))}{b}$$

**Mathematica [A]** time = 0.0776369, size = 0, normalized size = 0.

$$\int F(c, d, \tan(a + bx), r, s) \sec^2(a + bx) dx$$

Verification is Not applicable to the result.

[In] Integrate[F[c, d, Tan[a + b\*x], r, s]\*Sec[a + b\*x]^2, x]

[Out] Integrate[F[c, d, Tan[a + b\*x], r, s]\*Sec[a + b\*x]^2, x]

**Maple [A]** time = 0.026, size = 0, normalized size = 0.

$$\int F(c, d, \tan(bx + a), r, s) (\sec(bx + a))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(F(c, d, tan(b\*x+a), r, s)\*sec(b\*x+a)^2, x)

[Out] int(F(c, d, tan(b\*x+a), r, s)\*sec(b\*x+a)^2, x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int F(c, d, \tan(bx + a), r, s) \sec(bx + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F(c,d,tan(b\*x+a),r,s)\*sec(b\*x+a)^2,x, algorithm="maxima")

[Out] integrate(F(c, d, tan(b\*x + a), r, s)\*sec(b\*x + a)^2, x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(F(c,d,\tan(bx+a),r,s)\sec(bx+a)^2,x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F(c,d,tan(b\*x+a),r,s)\*sec(b\*x+a)^2,x, algorithm="fricas")

[Out] integral(F(c, d, tan(b\*x + a), r, s)\*sec(b\*x + a)^2, x)

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int F(c,d,\tan(a+bx),r,s)\sec^2(a+bx)dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F(c,d,tan(b\*x+a),r,s)\*sec(b\*x+a)\*\*2,x)

[Out] Integral(F(c, d, tan(a + b\*x), r, s)\*sec(a + b\*x)\*\*2, x)

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int F(c,d,\tan(bx+a),r,s)\sec(bx+a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F(c,d,tan(b\*x+a),r,s)\*sec(b\*x+a)^2,x, algorithm="giac")

[Out] integrate(F(c, d, tan(b\*x + a), r, s)\*sec(b\*x + a)^2, x)

### 3.647 $\int \csc^2(a + bx)F(c, d, \cot(a + bx), r, s) dx$

**Optimal.** Leaf size=22

$$\text{CannotIntegrate}(\csc^2(a + bx)F(c, d, \cot(a + bx), r, s), x)$$

[Out] CannotIntegrate[Csc[a + b\*x]^2\*F[c, d, Cot[a + b\*x], r, s], x]

**Rubi [A]** time = 0.0166877, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \csc^2(a + bx)F(c, d, \cot(a + bx), r, s) dx$$

Verification is Not applicable to the result.

[In] Int[Csc[a + b\*x]^2\*F[c, d, Cot[a + b\*x], r, s], x]

[Out] -(Defer[Subst][Defer[Int][F[c, d, x, r, s], x], x, Cot[a + b\*x]]/b)

Rubi steps

$$\int \csc^2(a + bx)F(c, d, \cot(a + bx), r, s) dx = -\frac{\text{Subst}(\int F(c, d, x, r, s) dx, x, \cot(a + bx))}{b}$$

**Mathematica [A]** time = 0.0760555, size = 0, normalized size = 0.

$$\int \csc^2(a + bx)F(c, d, \cot(a + bx), r, s) dx$$

Verification is Not applicable to the result.

[In] Integrate[Csc[a + b\*x]^2\*F[c, d, Cot[a + b\*x], r, s], x]

[Out] Integrate[Csc[a + b\*x]^2\*F[c, d, Cot[a + b\*x], r, s], x]

**Maple [A]** time = 0.028, size = 0, normalized size = 0.

$$\int (\csc(bx + a))^2 F(c, d, \cot(bx + a), r, s) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(b\*x+a)^2\*F(c,d,cot(b\*x+a),r,s),x)

[Out] int(csc(b\*x+a)^2\*F(c,d,cot(b\*x+a),r,s),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int F(c, d, \cot(bx + a), r, s) \csc(bx + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b\*x+a)^2\*F(c,d,cot(b\*x+a),r,s),x, algorithm="maxima")

[Out] integrate(F(c, d, cot(b\*x + a), r, s)\*csc(b\*x + a)^2, x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(F(c, d, \cot(bx + a), r, s) \csc(bx + a)^2, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b\*x+a)^2\*F(c,d,cot(b\*x+a),r,s),x, algorithm="fricas")

[Out] integral(F(c, d, cot(b\*x + a), r, s)\*csc(b\*x + a)^2, x)

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int F(c, d, \cot(a + bx), r, s) \csc^2(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b\*x+a)\*\*2\*F(c,d,cot(b\*x+a),r,s),x)

[Out] Integral(F(c, d, cot(a + b\*x), r, s)\*csc(a + b\*x)\*\*2, x)

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int F(c, d, \cot(bx + a), r, s) \csc(bx + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b\*x+a)^2\*F(c,d,cot(b\*x+a),r,s),x, algorithm="giac")

[Out] integrate(F(c, d, cot(b\*x + a), r, s)\*csc(b\*x + a)^2, x)

$$3.648 \quad \int \frac{\sin(x)}{a+b \cos(x)} dx$$

**Optimal.** Leaf size=12

$$-\frac{\log(a+b \cos(x))}{b}$$

[Out] -(Log[a + b\*Cos[x]]/b)

**Rubi [A]** time = 0.0223243, antiderivative size = 12, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2668, 31}

$$-\frac{\log(a+b \cos(x))}{b}$$

Antiderivative was successfully verified.

[In] Int[Sin[x]/(a + b\*Cos[x]),x]

[Out] -(Log[a + b\*Cos[x]]/b)

#### Rule 2668

Int[cos[(e\_.) + (f\_.)\*(x\_.)]^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.), x\_Symbol] :> Dist[1/(b^p\*f), Subst[Int[(a + x)^m\*(b^2 - x^2)^((p - 1)/2), x], x, b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && NeQ[a^2 - b^2, 0]

#### Rule 31

Int[((a\_.) + (b\_.)\*(x\_.))^(-1), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{\sin(x)}{a+b \cos(x)} dx &= -\frac{\text{Subst}\left(\int \frac{1}{a+x} dx, x, b \cos(x)\right)}{b} \\ &= -\frac{\log(a+b \cos(x))}{b} \end{aligned}$$

**Mathematica [A]** time = 0.0182928, size = 12, normalized size = 1.

$$-\frac{\log(a+b \cos(x))}{b}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]/(a + b\*Cos[x]),x]

[Out] -(Log[a + b\*Cos[x]]/b)



**Maple [A]** time = 0.007, size = 13, normalized size = 1.1

$$-\frac{\ln(a + b \cos(x))}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)/(a+b\*cos(x)),x)

[Out] -ln(a+b\*cos(x))/b

**Maxima [A]** time = 0.968939, size = 16, normalized size = 1.33

$$-\frac{\log(b \cos(x) + a)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(a+b\*cos(x)),x, algorithm="maxima")

[Out] -log(b\*cos(x) + a)/b

**Fricas [A]** time = 2.06818, size = 31, normalized size = 2.58

$$-\frac{\log(-b \cos(x) - a)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(a+b\*cos(x)),x, algorithm="fricas")

[Out] -log(-b\*cos(x) - a)/b

**Sympy [A]** time = 0.386041, size = 17, normalized size = 1.42

$$\begin{cases} -\frac{\log\left(\frac{a}{b} + \cos(x)\right)}{b} & \text{for } b \neq 0 \\ -\frac{\cos(x)}{a} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(a+b\*cos(x)),x)

[Out] Piecewise((-log(a/b + cos(x))/b, Ne(b, 0)), (-cos(x)/a, True))

**Giac [A]** time = 1.07803, size = 18, normalized size = 1.5

$$-\frac{\log(|b \cos(x) + a|)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(x)/(a+b*cos(x)),x, algorithm="giac")
```

```
[Out] -log(abs(b*cos(x) + a))/b
```

### 3.649 $\int (a + b \cos(x))^n \sin(x) dx$

**Optimal.** Leaf size=20

$$-\frac{(a + b \cos(x))^{n+1}}{b(n+1)}$$

[Out]  $-\frac{(a + b \cos[x])^{(1 + n)}}{(b*(1 + n))}$

**Rubi [A]** time = 0.0245843, antiderivative size = 20, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2668, 32}

$$-\frac{(a + b \cos(x))^{n+1}}{b(n+1)}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*cos[x])^n\*Sin[x],x]

[Out]  $-\frac{(a + b \cos[x])^{(1 + n)}}{(b*(1 + n))}$

#### Rule 2668

Int[cos[(e\_.) + (f\_.)\*(x\_.)]^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.), x\_Symbol] := Dist[1/(b^p\*f), Subst[Int[(a + x)^m\*(b^2 - x^2)^((p - 1)/2), x], x, b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && NeQ[a^2 - b^2, 0]

#### Rule 32

Int[((a\_.) + (b\_.)\*(x\_.))^(m\_.), x\_Symbol] := Simp[(a + b\*x)^(m + 1)/(b\*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

#### Rubi steps

$$\begin{aligned} \int (a + b \cos(x))^n \sin(x) dx &= -\frac{\text{Subst}\left(\int (a + x)^n dx, x, b \cos(x)\right)}{b} \\ &= -\frac{(a + b \cos(x))^{1+n}}{b(1+n)} \end{aligned}$$

**Mathematica [A]** time = 0.0322533, size = 19, normalized size = 0.95

$$-\frac{(a + b \cos(x))^{n+1}}{bn + b}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*cos[x])^n\*Sin[x],x]

[Out]  $-\frac{(a + b \cos[x])^{(1 + n)}}{(b + b*n)}$

**Maple [A]** time = 0.005, size = 21, normalized size = 1.1

$$\frac{(a + b \cos(x))^{1+n}}{b(1+n)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(x))^n\*sin(x),x)

[Out] -(a+b\*cos(x))^(1+n)/b/(1+n)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(x))^n\*sin(x),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.07964, size = 59, normalized size = 2.95

$$\frac{(b \cos(x) + a)(b \cos(x) + a)^n}{bn + b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(x))^n\*sin(x),x, algorithm="fricas")

[Out] -(b\*cos(x) + a)\*(b\*cos(x) + a)^n/(b\*n + b)

**Sympy [A]** time = 2.5132, size = 63, normalized size = 3.15

$$\begin{cases} -\frac{\cos(x)}{a} & \text{for } b = 0 \wedge n = -1 \\ -a^n \cos(x) & \text{for } b = 0 \\ -\frac{\log\left(\frac{a}{b} + \cos(x)\right)}{b} & \text{for } n = -1 \\ -\frac{a(a+b \cos(x))^n}{bn+b} - \frac{b(a+b \cos(x))^n \cos(x)}{bn+b} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(x))\*\*n\*sin(x),x)

[Out] Piecewise((-cos(x)/a, Eq(b, 0) & Eq(n, -1)), (-a\*\*n\*cos(x), Eq(b, 0)), (-log(a/b + cos(x))/b, Eq(n, -1)), (-a\*(a + b\*cos(x))\*\*n/(b\*n + b) - b\*(a + b\*cos(x))\*\*n\*cos(x)/(b\*n + b), True))

**Giac [A]** time = 1.10384, size = 27, normalized size = 1.35

$$\frac{(b \cos(x) + a)^{n+1}}{b(n+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(x))^n*sin(x),x, algorithm="giac")
```

```
[Out] -(b*cos(x) + a)^(n + 1)/(b*(n + 1))
```

$$3.650 \quad \int \frac{\sin(x)}{\sqrt{1+\cos^2(x)}} dx$$

**Optimal.** Leaf size=5

$$-\sinh^{-1}(\cos(x))$$

[Out] -ArcSinh[Cos[x]]

**Rubi [A]** time = 0.022591, antiderivative size = 5, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {3190, 215}

$$-\sinh^{-1}(\cos(x))$$

Antiderivative was successfully verified.

[In] Int[Sin[x]/Sqrt[1 + Cos[x]^2], x]

[Out] -ArcSinh[Cos[x]]

#### Rule 3190

Int[cos[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2)^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Sin[e + f\*x], x]}, Dist[ff/f, Subst[Int[(1 - ff^2\*x^2)^((m - 1)/2)\*(a + b\*ff^2\*x^2)^p, x], x, Sin[e + f\*x]/ff], x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]

#### Rule 215

Int[1/Sqrt[(a\_.) + (b\_.)\*(x\_)^2], x\_Symbol] :> Simp[ArcSinh[(Rt[b, 2]\*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

#### Rubi steps

$$\begin{aligned} \int \frac{\sin(x)}{\sqrt{1+\cos^2(x)}} dx &= -\text{Subst} \left( \int \frac{1}{\sqrt{1+x^2}} dx, x, \cos(x) \right) \\ &= -\sinh^{-1}(\cos(x)) \end{aligned}$$

**Mathematica [A]** time = 0.0208214, size = 5, normalized size = 1.

$$-\sinh^{-1}(\cos(x))$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]/Sqrt[1 + Cos[x]^2], x]

[Out] -ArcSinh[Cos[x]]

**Maple [A]** time = 0.013, size = 6, normalized size = 1.2

$$-\operatorname{Arcsinh}(\cos(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(x)/(1+cos(x)^2)^(1/2),x)`

[Out] `-arcsinh(cos(x))`

---

**Maxima [A]** time = 1.42716, size = 7, normalized size = 1.4

$$-\operatorname{arsinh}(\cos(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)/(1+cos(x)^2)^(1/2),x, algorithm="maxima")`

[Out] `-arcsinh(cos(x))`

---

**Fricas [B]** time = 2.1824, size = 112, normalized size = 22.4

$$\frac{1}{4} \log\left(8 \cos(x)^4 + 8 \cos(x)^2 - 4(2 \cos(x)^3 + \cos(x))\sqrt{\cos(x)^2 + 1} + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)/(1+cos(x)^2)^(1/2),x, algorithm="fricas")`

[Out] `1/4*log(8*cos(x)^4 + 8*cos(x)^2 - 4*(2*cos(x)^3 + cos(x))*sqrt(cos(x)^2 + 1) + 1)`

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)/(1+cos(x)**2)**(1/2),x)`

[Out] Timed out

---

**Giac [B]** time = 1.10103, size = 19, normalized size = 3.8

$$\log\left(\sqrt{\cos(x)^2 + 1} - \cos(x)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)/(1+cos(x)^2)^(1/2),x, algorithm="giac")`

[Out] `log(sqrt(cos(x)^2 + 1) - cos(x))`

### 3.651 $\int \cos(\cos(x)) \sin(x) dx$

**Optimal.** Leaf size=5

$$-\sin(\cos(x))$$

[Out] -Sin[Cos[x]]

**Rubi [A]** time = 0.0090848, antiderivative size = 5, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4335, 2637}

$$-\sin(\cos(x))$$

Antiderivative was successfully verified.

[In] Int[Cos[Cos[x]]\*Sin[x],x]

[Out] -Sin[Cos[x]]

#### Rule 4335

```
Int[(u_)*(F_)[(c_.)*((a_.) + (b_.)*(x_))], x_Symbol] := With[{d = FreeFactors[Cos[c*(a + b*x)], x]}, -Dist[d/(b*c), Subst[Int[SubstFor[1, Cos[c*(a + b*x)]]/d, u, x], x], x, Cos[c*(a + b*x)]/d, x] /; FunctionOfQ[Cos[c*(a + b*x)]/d, u, x, True] /; FreeQ[{a, b, c}, x] && (EqQ[F, Sin] || EqQ[F, sin])
```

#### Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]
```

#### Rubi steps

$$\begin{aligned} \int \cos(\cos(x)) \sin(x) dx &= -\text{Subst}\left(\int \cos(x) dx, x, \cos(x)\right) \\ &= -\sin(\cos(x)) \end{aligned}$$

**Mathematica [A]** time = 2.71167, size = 5, normalized size = 1.

$$-\sin(\cos(x))$$

Antiderivative was successfully verified.

[In] Integrate[Cos[Cos[x]]\*Sin[x],x]

[Out] -Sin[Cos[x]]

**Maple [A]** time = 0.008, size = 6, normalized size = 1.2

$$-\sin(\cos(x))$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(cos(x))*sin(x),x)`

[Out] `-sin(cos(x))`

**Maxima [A]** time = 0.963075, size = 7, normalized size = 1.4

`-sin(cos(x))`

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(cos(x))*sin(x),x, algorithm="maxima")`

[Out] `-sin(cos(x))`

**Fricas [B]** time = 2.01724, size = 59, normalized size = 11.8

$$\sin\left(\frac{\tan\left(\frac{1}{2}x\right)^2 - 1}{\tan\left(\frac{1}{2}x\right)^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(cos(x))*sin(x),x, algorithm="fricas")`

[Out] `sin((tan(1/2*x)^2 - 1)/(tan(1/2*x)^2 + 1))`

**Sympy [A]** time = 0.533696, size = 5, normalized size = 1.

`-sin(cos(x))`

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(cos(x))*sin(x),x)`

[Out] `-sin(cos(x))`

**Giac [A]** time = 1.09581, size = 7, normalized size = 1.4

`-sin(cos(x))`

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(cos(x))*sin(x),x, algorithm="giac")`

[Out] `-sin(cos(x))`

### 3.652 $\int \cos(x) \cos(\cos(x)) \sin(x) \sin(\cos(x)) dx$

**Optimal.** Leaf size=28

$$\frac{\cos(x)}{4} - \frac{1}{2} \cos(x) \sin^2(\cos(x)) - \frac{1}{4} \cos(\cos(x)) \sin(\cos(x))$$

[Out] Cos[x]/4 - (Cos[Cos[x]]\*Sin[Cos[x]])/4 - (Cos[x]\*Sin[Cos[x]]^2)/2

**Rubi [A]** time = 0.0255663, antiderivative size = 28, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$ , Rules used = {4335, 3443, 2635, 8}

$$\frac{\cos(x)}{4} - \frac{1}{2} \cos(x) \sin^2(\cos(x)) - \frac{1}{4} \cos(\cos(x)) \sin(\cos(x))$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Cos[Cos[x]]\*Sin[x]\*Sin[Cos[x]],x]

[Out] Cos[x]/4 - (Cos[Cos[x]]\*Sin[Cos[x]])/4 - (Cos[x]\*Sin[Cos[x]]^2)/2

#### Rule 4335

Int[(u\_)\*(F\_)[(c\_.)\*((a\_.) + (b\_.)\*(x\_))], x\_Symbol] :> With[{d = FreeFactors[Cos[c\*(a + b\*x)], x]}, -Dist[d/(b\*c), Subst[Int[SubstFor[1, Cos[c\*(a + b\*x)]]/d, u, x], x], x, Cos[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Cos[c\*(a + b\*x)]/d, u, x, True] /; FreeQ[{a, b, c}, x] && (EqQ[F, Sin] || EqQ[F, sin])

#### Rule 3443

Int[Cos[(a\_.) + (b\_.)\*(x\_)^(n\_.)]\*(x\_)^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_)^(n\_.)]^(p\_.), x\_Symbol] :> Simp[(x^(m - n + 1)\*Sin[a + b\*x^n]^(p + 1))/(b\*n\*(p + 1)), x] - Dist[(m - n + 1)/(b\*n\*(p + 1)), Int[x^(m - n)\*Sin[a + b\*x^n]^(p + 1), x], x] /; FreeQ[{a, b, p}, x] && LtQ[0, n, m + 1] && NeQ[p, -1]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x]\*(b\*SIN[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*SIN[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned} \int \cos(x) \cos(\cos(x)) \sin(x) \sin(\cos(x)) dx &= -\text{Subst}\left(\int x \cos(x) \sin(x) dx, x, \cos(x)\right) \\ &= -\frac{1}{2} \cos(x) \sin^2(\cos(x)) + \frac{1}{2} \text{Subst}\left(\int \sin^2(x) dx, x, \cos(x)\right) \\ &= -\frac{1}{4} \cos(\cos(x)) \sin(\cos(x)) - \frac{1}{2} \cos(x) \sin^2(\cos(x)) + \frac{1}{4} \text{Subst}\left(\int 1 dx, x, \cos(x)\right) \\ &= \frac{\cos(x)}{4} - \frac{1}{4} \cos(\cos(x)) \sin(\cos(x)) - \frac{1}{2} \cos(x) \sin^2(\cos(x)) \end{aligned}$$

**Mathematica [A]** time = 1.51206, size = 21, normalized size = 0.75

$$\frac{1}{4} \cos(x) \cos(2 \cos(x)) - \frac{1}{8} \sin(2 \cos(x))$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Cos[Cos[x]]\*Sin[x]\*Sin[Cos[x]],x]

[Out] (Cos[x]\*Cos[2\*Cos[x]])/4 - Sin[2\*Cos[x]]/8

**Maple [A]** time = 0.009, size = 23, normalized size = 0.8

$$\frac{(\cos(\cos(x)))^2 \cos(x)}{2} - \frac{\cos(\cos(x)) \sin(\cos(x))}{4} - \frac{\cos(x)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*cos(cos(x))\*sin(x)\*sin(cos(x)),x)

[Out] 1/2\*cos(cos(x))^2\*cos(x)-1/4\*cos(cos(x))\*sin(cos(x))-1/4\*cos(x)

**Maxima [A]** time = 0.96901, size = 23, normalized size = 0.82

$$\frac{1}{4} \cos(x) \cos(2 \cos(x)) - \frac{1}{8} \sin(2 \cos(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*cos(cos(x))\*sin(x)\*sin(cos(x)),x, algorithm="maxima")

[Out] 1/4\*cos(x)\*cos(2\*cos(x)) - 1/8\*sin(2\*cos(x))

**Fricas [B]** time = 2.05015, size = 219, normalized size = 7.82

$$\frac{1}{2} \cos(x) \cos\left(\frac{\tan\left(\frac{1}{2}x\right)^2 - 1}{\tan\left(\frac{1}{2}x\right)^2 + 1}\right)^2 + \frac{1}{4} \cos\left(\frac{\tan\left(\frac{1}{2}x\right)^2 - 1}{\tan\left(\frac{1}{2}x\right)^2 + 1}\right) \sin\left(\frac{\tan\left(\frac{1}{2}x\right)^2 - 1}{\tan\left(\frac{1}{2}x\right)^2 + 1}\right) - \frac{1}{4} \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*cos(cos(x))\*sin(x)\*sin(cos(x)),x, algorithm="fricas")

[Out] 1/2\*cos(x)\*cos((tan(1/2\*x)^2 - 1)/(tan(1/2\*x)^2 + 1))^2 + 1/4\*cos((tan(1/2\*x)^2 - 1)/(tan(1/2\*x)^2 + 1))\*sin((tan(1/2\*x)^2 - 1)/(tan(1/2\*x)^2 + 1)) - 1/4\*cos(x)

**Sympy [A]** time = 7.89546, size = 34, normalized size = 1.21

$$-\frac{\sin^2(\cos(x)) \cos(x)}{4} - \frac{\sin(\cos(x)) \cos(\cos(x))}{4} + \frac{\cos(x) \cos^2(\cos(x))}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*cos(cos(x))*sin(x)*sin(cos(x)),x)`

[Out] `-sin(cos(x))*2*cos(x)/4 - sin(cos(x))*cos(cos(x))/4 + cos(x)*cos(cos(x))*2/4`

**Giac [A]** time = 1.08866, size = 23, normalized size = 0.82

$$\frac{1}{4} \cos(x) \cos(2 \cos(x)) - \frac{1}{8} \sin(2 \cos(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*cos(cos(x))*sin(x)*sin(cos(x)),x, algorithm="giac")`

[Out] `1/4*cos(x)*cos(2*cos(x)) - 1/8*sin(2*cos(x))`

### 3.653 $\int \cos(\cos(x)) \sin(x) \sin^2(6 \cos(x)) dx$

**Optimal.** Leaf size=26

$$-\frac{1}{2} \sin(\cos(x)) + \frac{1}{44} \sin(11 \cos(x)) + \frac{1}{52} \sin(13 \cos(x))$$

[Out]  $-\text{Sin}[\text{Cos}[x]]/2 + \text{Sin}[11*\text{Cos}[x]]/44 + \text{Sin}[13*\text{Cos}[x]]/52$

**Rubi [A]** time = 0.0464201, antiderivative size = 26, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 3, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$ , Rules used = {4335, 4354, 2637}

$$-\frac{1}{2} \sin(\cos(x)) + \frac{1}{44} \sin(11 \cos(x)) + \frac{1}{52} \sin(13 \cos(x))$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[\text{Cos}[x]]*\text{Sin}[x]*\text{Sin}[6*\text{Cos}[x]]^2, x]$

[Out]  $-\text{Sin}[\text{Cos}[x]]/2 + \text{Sin}[11*\text{Cos}[x]]/44 + \text{Sin}[13*\text{Cos}[x]]/52$

#### Rule 4335

$\text{Int}[(u_*)*(F_*)((c_*)*((a_*) + (b_*)*(x_))), x\_Symbol] \rightarrow \text{With}[\{d = \text{FreeFactors}[\text{Cos}[c*(a + b*x)], x]\}, -\text{Dist}[d/(b*c), \text{Subst}[\text{Int}[\text{SubstFor}[1, \text{Cos}[c*(a + b*x)]]/d, u, x], x], x, \text{Cos}[c*(a + b*x)]/d, x] /; \text{FunctionOfQ}[\text{Cos}[c*(a + b*x)]]/d, u, x, \text{True}] /; \text{FreeQ}[\{a, b, c\}, x] \&\& (\text{EqQ}[F, \text{Sin}] \parallel \text{EqQ}[F, \text{sin}])$

#### Rule 4354

$\text{Int}[(F_*)((a_*) + (b_*)*(x_))^{(p_*)}*(G_*)((c_*) + (d_*)*(x_))^{(q_*)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[\text{ActivateTrig}[F[a + b*x]^{p*}G[c + d*x]^{q}], x], x] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& (\text{EqQ}[F, \text{sin}] \parallel \text{EqQ}[F, \text{cos}]) \&\& (\text{EqQ}[G, \text{sin}] \parallel \text{EqQ}[G, \text{cos}]) \&\& \text{IGtQ}[p, 0] \&\& \text{IGtQ}[q, 0]$

#### Rule 2637

$\text{Int}[\text{sin}[\text{Pi}/2 + (c_*) + (d_*)*(x_)], x\_Symbol] \rightarrow \text{Simp}[\text{Sin}[c + d*x]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

#### Rubi steps

$$\begin{aligned} \int \cos(\cos(x)) \sin(x) \sin^2(6 \cos(x)) dx &= -\text{Subst}\left(\int \cos(x) \sin^2(6x) dx, x, \cos(x)\right) \\ &= -\text{Subst}\left(\int \left(\frac{\cos(x)}{2} - \frac{1}{4} \cos(11x) - \frac{1}{4} \cos(13x)\right) dx, x, \cos(x)\right) \\ &= \frac{1}{4} \text{Subst}\left(\int \cos(11x) dx, x, \cos(x)\right) + \frac{1}{4} \text{Subst}\left(\int \cos(13x) dx, x, \cos(x)\right) - \frac{1}{2} \\ &= -\frac{1}{2} \sin(\cos(x)) + \frac{1}{44} \sin(11 \cos(x)) + \frac{1}{52} \sin(13 \cos(x)) \end{aligned}$$

**Mathematica [A]** time = 4.68363, size = 26, normalized size = 1.

$$-\frac{1}{2} \sin(\cos(x)) + \frac{1}{44} \sin(11 \cos(x)) + \frac{1}{52} \sin(13 \cos(x))$$

Antiderivative was successfully verified.

[In] Integrate[Cos[Cos[x]]\*Sin[x]\*Sin[6\*Cos[x]]^2,x]

[Out] -Sin[Cos[x]]/2 + Sin[11\*Cos[x]]/44 + Sin[13\*Cos[x]]/52

**Maple [A]** time = 0.067, size = 21, normalized size = 0.8

$$-\frac{\sin(\cos(x))}{2} + \frac{\sin(11 \cos(x))}{44} + \frac{\sin(13 \cos(x))}{52}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(cos(x))\*sin(x)\*sin(6\*cos(x))^2,x)

[Out] -1/2\*sin(cos(x))+1/44\*sin(11\*cos(x))+1/52\*sin(13\*cos(x))

**Maxima [A]** time = 0.961604, size = 27, normalized size = 1.04

$$\frac{1}{52} \sin(13 \cos(x)) + \frac{1}{44} \sin(11 \cos(x)) - \frac{1}{2} \sin(\cos(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(cos(x))\*sin(x)\*sin(6\*cos(x))^2,x, algorithm="maxima")

[Out] 1/52\*sin(13\*cos(x)) + 1/44\*sin(11\*cos(x)) - 1/2\*sin(cos(x))

**Fricas [B]** time = 2.37467, size = 494, normalized size = 19.

$$-\frac{4}{143} \left( 2816 \cos\left(\frac{\tan\left(\frac{1}{2}x\right)^2 - 1}{\tan\left(\frac{1}{2}x\right)^2 + 1}\right)^{12} - 6912 \cos\left(\frac{\tan\left(\frac{1}{2}x\right)^2 - 1}{\tan\left(\frac{1}{2}x\right)^2 + 1}\right)^{10} + 6048 \cos\left(\frac{\tan\left(\frac{1}{2}x\right)^2 - 1}{\tan\left(\frac{1}{2}x\right)^2 + 1}\right)^8 - 2240 \cos\left(\frac{\tan\left(\frac{1}{2}x\right)^2 - 1}{\tan\left(\frac{1}{2}x\right)^2 + 1}\right)^6 + 315 \cos\left(\frac{\tan\left(\frac{1}{2}x\right)^2 - 1}{\tan\left(\frac{1}{2}x\right)^2 + 1}\right)^4 - 9 \cos\left(\frac{\tan\left(\frac{1}{2}x\right)^2 - 1}{\tan\left(\frac{1}{2}x\right)^2 + 1}\right)^2 - 18 \right) \sin\left(\frac{\tan\left(\frac{1}{2}x\right)^2 - 1}{\tan\left(\frac{1}{2}x\right)^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(cos(x))\*sin(x)\*sin(6\*cos(x))^2,x, algorithm="fricas")

[Out] -4/143\*(2816\*cos((tan(1/2\*x)^2 - 1)/(tan(1/2\*x)^2 + 1))^12 - 6912\*cos((tan(1/2\*x)^2 - 1)/(tan(1/2\*x)^2 + 1))^10 + 6048\*cos((tan(1/2\*x)^2 - 1)/(tan(1/2\*x)^2 + 1))^8 - 2240\*cos((tan(1/2\*x)^2 - 1)/(tan(1/2\*x)^2 + 1))^6 + 315\*cos((tan(1/2\*x)^2 - 1)/(tan(1/2\*x)^2 + 1))^4 - 9\*cos((tan(1/2\*x)^2 - 1)/(tan(1/2\*x)^2 + 1))^2 - 18)\*sin((tan(1/2\*x)^2 - 1)/(tan(1/2\*x)^2 + 1))

**Sympy [B]** time = 70.251, size = 54, normalized size = 2.08

$$-\frac{71 \sin(\cos(x)) \sin^2(6 \cos(x))}{143} - \frac{72 \sin(\cos(x)) \cos^2(6 \cos(x))}{143} + \frac{12 \sin(6 \cos(x)) \cos(\cos(x)) \cos(6 \cos(x))}{143}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(cos(x))\*sin(x)\*sin(6\*cos(x))\*\*2,x)

[Out] -71\*sin(cos(x))\*sin(6\*cos(x))\*\*2/143 - 72\*sin(cos(x))\*cos(6\*cos(x))\*\*2/143  
+ 12\*sin(6\*cos(x))\*cos(cos(x))\*cos(6\*cos(x))/143

**Giac [A]** time = 1.09441, size = 27, normalized size = 1.04

$$\frac{1}{52} \sin(13 \cos(x)) + \frac{1}{44} \sin(11 \cos(x)) - \frac{1}{2} \sin(\cos(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(cos(x))\*sin(x)\*sin(6\*cos(x))^2,x, algorithm="giac")

[Out] 1/52\*sin(13\*cos(x)) + 1/44\*sin(11\*cos(x)) - 1/2\*sin(cos(x))

### 3.654 $\int \cos^3(x) (a + b \cos^2(x))^3 \sin(x) dx$

**Optimal.** Leaf size=36

$$\frac{a(a + b \cos^2(x))^4}{8b^2} - \frac{(a + b \cos^2(x))^5}{10b^2}$$

[Out] (a\*(a + b\*cos[x]^2)^4)/(8\*b^2) - (a + b\*cos[x]^2)^5/(10\*b^2)

**Rubi [A]** time = 0.0872477, antiderivative size = 36, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$ , Rules used = {4335, 266, 43}

$$\frac{a(a + b \cos^2(x))^4}{8b^2} - \frac{(a + b \cos^2(x))^5}{10b^2}$$

Antiderivative was successfully verified.

[In] Int[Cos[x]^3\*(a + b\*cos[x]^2)^3\*Sin[x],x]

[Out] (a\*(a + b\*cos[x]^2)^4)/(8\*b^2) - (a + b\*cos[x]^2)^5/(10\*b^2)

#### Rule 4335

```
Int[(u_)*(F_)[(c_.)*((a_.) + (b_.)*(x_))], x_Symbol] := With[{d = FreeFactors[Cos[c*(a + b*x)], x]}, -Dist[d/(b*c), Subst[Int[SubstFor[1, Cos[c*(a + b*x)]]/d, u, x], x], x, Cos[c*(a + b*x)]/d, x] /; FunctionOfQ[Cos[c*(a + b*x)]]/d, u, x, True]] /; FreeQ[{a, b, c}, x] && (EqQ[F, Sin] || EqQ[F, sin])
```

#### Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

#### Rule 43

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

#### Rubi steps

$$\begin{aligned} \int \cos^3(x) (a + b \cos^2(x))^3 \sin(x) dx &= -\text{Subst} \left( \int x^3 (a + bx^2)^3 dx, x, \cos(x) \right) \\ &= -\left( \frac{1}{2} \text{Subst} \left( \int x(a + bx)^3 dx, x, \cos^2(x) \right) \right) \\ &= -\left( \frac{1}{2} \text{Subst} \left( \int \left( -\frac{a(a + bx)^3}{b} + \frac{(a + bx)^4}{b} \right) dx, x, \cos^2(x) \right) \right) \\ &= \frac{a(a + b \cos^2(x))^4}{8b^2} - \frac{(a + b \cos^2(x))^5}{10b^2} \end{aligned}$$



**Mathematica [B]** time = 0.301158, size = 137, normalized size = 3.81

$$\frac{1}{32} \left( -12a^2b \cos^4(x) - 4a^2b \cos(3x) \cos^3(x) - 4a^3 \cos(2x) - a^3 \cos(4x) - 8ab^2 \cos^6(x) - \frac{1}{32} ab^2 (48 \cos(2x) + 36 \cos(4x) + 16 \cos(6x) + 3 \cos(8x)) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]^3\*(a + b\*Cos[x]^2)^3\*Sin[x], x]

[Out] (-12\*a^2\*b\*Cos[x]^4 - 8\*a\*b^2\*Cos[x]^6 - 2\*b^3\*Cos[x]^8 - 4\*a^3\*Cos[2\*x] - 4\*a^2\*b\*Cos[x]^3\*Cos[3\*x] - a^3\*Cos[4\*x] - (a\*b^2\*(48\*Cos[2\*x] + 36\*Cos[4\*x] + 16\*Cos[6\*x] + 3\*Cos[8\*x]))/32 - (b^3\*(140\*Cos[2\*x] + 100\*Cos[4\*x] + 50\*Cos[6\*x] + 15\*Cos[8\*x] + 2\*Cos[10\*x]))/320)/32

**Maple [A]** time = 0.009, size = 40, normalized size = 1.1

$$\frac{b^3 (\cos(x))^{10}}{10} - \frac{3 ab^2 (\cos(x))^8}{8} - \frac{a^2 b (\cos(x))^6}{2} - \frac{(\cos(x))^4 a^3}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)^3\*(a+b\*cos(x)^2)^3\*sin(x), x)

[Out] -1/10\*b^3\*cos(x)^10-3/8\*a\*b^2\*cos(x)^8-1/2\*a^2\*b\*cos(x)^6-1/4\*cos(x)^4\*a^3

**Maxima [B]** time = 0.980933, size = 139, normalized size = 3.86

$$\frac{1}{10} b^3 \sin(x)^{10} - \frac{1}{8} (3 ab^2 + 4 b^3) \sin(x)^8 + \frac{1}{2} (a^2 b + 3 ab^2 + 2 b^3) \sin(x)^6 - \frac{1}{4} (a^3 + 6 a^2 b + 9 ab^2 + 4 b^3) \sin(x)^4 + \frac{1}{2} a^3 \sin(x)^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)^3\*(a+b\*cos(x)^2)^3\*sin(x), x, algorithm="maxima")

[Out] 1/10\*b^3\*sin(x)^10 - 1/8\*(3\*a\*b^2 + 4\*b^3)\*sin(x)^8 + 1/2\*(a^2\*b + 3\*a\*b^2 + 2\*b^3)\*sin(x)^6 - 1/4\*(a^3 + 6\*a^2\*b + 9\*a\*b^2 + 4\*b^3)\*sin(x)^4 + 1/2\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*sin(x)^2

**Fricas [A]** time = 2.21531, size = 111, normalized size = 3.08

$$-\frac{1}{10} b^3 \cos(x)^{10} - \frac{3}{8} ab^2 \cos(x)^8 - \frac{1}{2} a^2 b \cos(x)^6 - \frac{1}{4} a^3 \cos(x)^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)^3\*(a+b\*cos(x)^2)^3\*sin(x), x, algorithm="fricas")

[Out] -1/10\*b^3\*cos(x)^10 - 3/8\*a\*b^2\*cos(x)^8 - 1/2\*a^2\*b\*cos(x)^6 - 1/4\*a^3\*cos(x)^4

**Sympy [B]** time = 16.4708, size = 97, normalized size = 2.69

$$\frac{a^3 \sin^4(x)}{4} + \frac{a^3 \sin^2(x) \cos^2(x)}{2} + \frac{a^2 b \sin^6(x)}{2} + \frac{3a^2 b \sin^4(x) \cos^2(x)}{2} + \frac{3a^2 b \sin^2(x) \cos^4(x)}{2} - \frac{3ab^2 \cos^8(x)}{8} - \frac{b^3 \cos^{10}(x)}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*\*3\*(a+b\*cos(x)\*\*2)\*\*3\*sin(x), x)

[Out] a\*\*3\*sin(x)\*\*4/4 + a\*\*3\*sin(x)\*\*2\*cos(x)\*\*2/2 + a\*\*2\*b\*sin(x)\*\*6/2 + 3\*a\*\*2\*b\*sin(x)\*\*4\*cos(x)\*\*2/2 + 3\*a\*\*2\*b\*sin(x)\*\*2\*cos(x)\*\*4/2 - 3\*a\*b\*\*2\*cos(x)\*\*8/8 - b\*\*3\*cos(x)\*\*10/10

**Giac [A]** time = 1.08834, size = 53, normalized size = 1.47

$$-\frac{1}{10} b^3 \cos(x)^{10} - \frac{3}{8} ab^2 \cos(x)^8 - \frac{1}{2} a^2 b \cos(x)^6 - \frac{1}{4} a^3 \cos(x)^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)^3\*(a+b\*cos(x)^2)^3\*sin(x), x, algorithm="giac")

[Out] -1/10\*b^3\*cos(x)^10 - 3/8\*a\*b^2\*cos(x)^8 - 1/2\*a^2\*b\*cos(x)^6 - 1/4\*a^3\*cos(x)^4

### 3.655 $\int \sin(3x) \sin(\cos(3x)) dx$

**Optimal.** Leaf size=9

$$\frac{1}{3} \cos(\cos(3x))$$

[Out] Cos[Cos[3\*x]]/3

**Rubi [A]** time = 0.0107249, antiderivative size = 9, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {4335, 2638}

$$\frac{1}{3} \cos(\cos(3x))$$

Antiderivative was successfully verified.

[In] Int[Sin[3\*x]\*Sin[Cos[3\*x]],x]

[Out] Cos[Cos[3\*x]]/3

#### Rule 4335

Int[(u\_)\*(F\_)[(c\_.)\*((a\_.) + (b\_.)\*(x\_))], x\_Symbol] := With[{d = FreeFactors[Cos[c\*(a + b\*x)], x]}, -Dist[d/(b\*c), Subst[Int[SubstFor[1, Cos[c\*(a + b\*x)]]/d, u, x], x], x, Cos[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Cos[c\*(a + b\*x)]/d, u, x, True] /; FreeQ[{a, b, c}, x] && (EqQ[F, Sin] || EqQ[F, sin])

#### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \sin(3x) \sin(\cos(3x)) dx &= -\left(\frac{1}{3} \text{Subst}\left(\int \sin(x) dx, x, \cos(3x)\right)\right) \\ &= \frac{1}{3} \cos(\cos(3x)) \end{aligned}$$

**Mathematica [A]** time = 2.75389, size = 9, normalized size = 1.

$$\frac{1}{3} \cos(\cos(3x))$$

Antiderivative was successfully verified.

[In] Integrate[Sin[3\*x]\*Sin[Cos[3\*x]],x]

[Out] Cos[Cos[3\*x]]/3

**Maple [A]** time = 0.006, size = 8, normalized size = 0.9

$$\frac{\cos(\cos(3x))}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(3\*x)\*sin(cos(3\*x)),x)

[Out] 1/3\*cos(cos(3\*x))

---

**Maxima [A]** time = 0.960353, size = 9, normalized size = 1.

$$\frac{1}{3} \cos(\cos(3x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(3\*x)\*sin(cos(3\*x)),x, algorithm="maxima")

[Out] 1/3\*cos(cos(3\*x))

---

**Fricas [B]** time = 1.99499, size = 65, normalized size = 7.22

$$\frac{1}{3} \cos\left(\frac{\tan\left(\frac{3}{2}x\right)^2 - 1}{\tan\left(\frac{3}{2}x\right)^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(3\*x)\*sin(cos(3\*x)),x, algorithm="fricas")

[Out] 1/3\*cos((tan(3/2\*x)^2 - 1)/(tan(3/2\*x)^2 + 1))

---

**Sympy [A]** time = 0.532767, size = 7, normalized size = 0.78

$$\frac{\cos(\cos(3x))}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(3\*x)\*sin(cos(3\*x)),x)

[Out] cos(cos(3\*x))/3

---

**Giac [A]** time = 1.10921, size = 9, normalized size = 1.

$$\frac{1}{3} \cos(\cos(3x))$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(3*x)*sin(cos(3*x)),x, algorithm="giac")
```

```
[Out] 1/3*cos(cos(3*x))
```

$$3.656 \quad \int e^{\cos(1+3x)} \cos(1+3x) \sin(1+3x) dx$$

**Optimal.** Leaf size=31

$$\frac{1}{3}e^{\cos(3x+1)} - \frac{1}{3}e^{\cos(3x+1)} \cos(3x+1)$$

[Out] E^Cos[1 + 3\*x]/3 - (E^Cos[1 + 3\*x]\*Cos[1 + 3\*x])/3

**Rubi [A]** time = 0.0226498, antiderivative size = 31, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {4335, 2176, 2194}

$$\frac{1}{3}e^{\cos(3x+1)} - \frac{1}{3}e^{\cos(3x+1)} \cos(3x+1)$$

Antiderivative was successfully verified.

[In] Int[E^Cos[1 + 3\*x]\*Cos[1 + 3\*x]\*Sin[1 + 3\*x],x]

[Out] E^Cos[1 + 3\*x]/3 - (E^Cos[1 + 3\*x]\*Cos[1 + 3\*x])/3

#### Rule 4335

Int[(u\_)\*(F\_)[(c\_)\*((a\_) + (b\_)\*(x\_))], x\_Symbol] := With[{d = FreeFactors[Cos[c\*(a + b\*x)], x]}, -Dist[d/(b\*c), Subst[Int[SubstFor[1, Cos[c\*(a + b\*x)]]/d, u, x], x], x, Cos[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Cos[c\*(a + b\*x)]/d, u, x, True] /; FreeQ[{a, b, c}, x] && (EqQ[F, Sin] || EqQ[F, sin])

#### Rule 2176

Int[((b\_)\*(F\_)^((g\_)\*((e\_) + (f\_)\*(x\_))))^(n\_)\*((c\_) + (d\_)\*(x\_))^(m\_), x\_Symbol] := Simp[((c + d\*x)^m\*(b\*F^(g\*(e + f\*x)))^n)/(f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*(b\*F^(g\*(e + f\*x)))^n, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && GtQ[m, 0] && IntegerQ[2\*m] && !\$UseGamma == True

#### Rule 2194

Int[((F\_)^((c\_)\*((a\_) + (b\_)\*(x\_))))^(n\_), x\_Symbol] := Simp[(F^(c\*(a + b\*x)))^n/(b\*c\*n\*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]

#### Rubi steps

$$\begin{aligned} \int e^{\cos(1+3x)} \cos(1+3x) \sin(1+3x) dx &= -\left(\frac{1}{3} \text{Subst}\left(\int e^x dx, x, \cos(1+3x)\right)\right) \\ &= -\frac{1}{3}e^{\cos(1+3x)} \cos(1+3x) + \frac{1}{3} \text{Subst}\left(\int e^x dx, x, \cos(1+3x)\right) \\ &= \frac{1}{3}e^{\cos(1+3x)} - \frac{1}{3}e^{\cos(1+3x)} \cos(1+3x) \end{aligned}$$

**Mathematica [A]** time = 0.121238, size = 24, normalized size = 0.77

$$\frac{2}{3} \sin^2\left(\frac{1}{2}(3x+1)\right) e^{\cos(3x+1)}$$

Antiderivative was successfully verified.

[In] Integrate[E^Cos[1 + 3\*x]\*Cos[1 + 3\*x]\*Sin[1 + 3\*x],x]

[Out] (2\*E^Cos[1 + 3\*x]\*Sin[(1 + 3\*x)/2]^2)/3

**Maple [A]** time = 0.005, size = 26, normalized size = 0.8

$$\frac{e^{\cos(1+3x)}}{3} - \frac{e^{\cos(1+3x)} \cos(1+3x)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(exp(cos(1+3\*x))\*cos(1+3\*x)\*sin(1+3\*x),x)

[Out] 1/3\*exp(cos(1+3\*x))-1/3\*exp(cos(1+3\*x))\*cos(1+3\*x)

**Maxima [A]** time = 0.976038, size = 23, normalized size = 0.74

$$-\frac{1}{3}(\cos(3x+1)-1)e^{(\cos(3x+1))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(cos(1+3\*x))\*cos(1+3\*x)\*sin(1+3\*x),x, algorithm="maxima")

[Out] -1/3\*(cos(3\*x + 1) - 1)\*e^(cos(3\*x + 1))

**Fricas [A]** time = 1.90291, size = 57, normalized size = 1.84

$$-\frac{1}{3}(\cos(3x+1)-1)e^{(\cos(3x+1))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(cos(1+3\*x))\*cos(1+3\*x)\*sin(1+3\*x),x, algorithm="fricas")

[Out] -1/3\*(cos(3\*x + 1) - 1)\*e^(cos(3\*x + 1))

**Sympy [A]** time = 0.819937, size = 26, normalized size = 0.84

$$-\frac{e^{\cos(3x+1)} \cos(3x+1)}{3} + \frac{e^{\cos(3x+1)}}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(cos(1+3\*x))\*cos(1+3\*x)\*sin(1+3\*x),x)

[Out] -exp(cos(3\*x + 1))\*cos(3\*x + 1)/3 + exp(cos(3\*x + 1))/3

---

**Giac [A]** time = 1.10971, size = 23, normalized size = 0.74

$$-\frac{1}{3}(\cos(3x+1)-1)e^{\cos(3x+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(cos(1+3\*x))\*cos(1+3\*x)\*sin(1+3\*x),x, algorithm="giac")

[Out] -1/3\*(cos(3\*x + 1) - 1)\*e^(cos(3\*x + 1))



$$3.657 \quad \int \frac{\cos^2(x) \sin(x)}{\sqrt{1-\cos^6(x)}} dx$$

**Optimal.** Leaf size=9

$$-\frac{1}{3} \sin^{-1}(\cos^3(x))$$

[Out] -ArcSin[Cos[x]^3]/3

**Rubi [A]** time = 0.0718241, antiderivative size = 9, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {4335, 275, 216}

$$-\frac{1}{3} \sin^{-1}(\cos^3(x))$$

Antiderivative was successfully verified.

[In] Int[(Cos[x]^2\*Sin[x])/Sqrt[1 - Cos[x]^6], x]

[Out] -ArcSin[Cos[x]^3]/3

#### Rule 4335

Int[(u\_)\*(F\_)[(c\_)\*((a\_) + (b\_)\*(x\_))], x\_Symbol] :> With[{d = FreeFactors[Cos[c\*(a + b\*x)], x]}, -Dist[d/(b\*c), Subst[Int[SubstFor[1, Cos[c\*(a + b\*x)]]/d, u, x], x], x, Cos[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Cos[c\*(a + b\*x)]/d, u, x, True] /; FreeQ[{a, b, c}, x] && (EqQ[F, Sin] || EqQ[F, sin])

#### Rule 275

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)\*(a + b\*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] :> Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rubi steps

$$\begin{aligned} \int \frac{\cos^2(x) \sin(x)}{\sqrt{1-\cos^6(x)}} dx &= -\text{Subst} \left( \int \frac{x^2}{\sqrt{1-x^6}} dx, x, \cos(x) \right) \\ &= -\left( \frac{1}{3} \text{Subst} \left( \int \frac{1}{\sqrt{1-x^2}} dx, x, \cos^3(x) \right) \right) \\ &= -\frac{1}{3} \sin^{-1}(\cos^3(x)) \end{aligned}$$

**Mathematica [C]** time = 2.25209, size = 162, normalized size = 18.

$$\frac{i \sin(x) \cos^2(x) \sqrt{1 - \frac{2i \tan^2(x)}{\sqrt{3}-3i}} \sqrt{1 + \frac{2i \tan^2(x)}{\sqrt{3}+3i}} \Pi \left( \frac{3}{2} + \frac{i\sqrt{3}}{2}; i \sinh^{-1} \left( \sqrt{\frac{-2i}{-3i+\sqrt{3}}} \tan(x) \right) \middle| \frac{3i-\sqrt{3}}{3i+\sqrt{3}} \right)}{\sqrt{2} \sqrt{-\frac{i}{\sqrt{3}-3i}} \sqrt{1-\cos^6(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[x]^2\*Sin[x])/Sqrt[1 - Cos[x]^6],x]

[Out] ((-I)\*Cos[x]^2\*EllipticPi[3/2 + (I/2)\*Sqrt[3], I\*ArcSinh[Sqrt[(-2\*I)/(-3\*I + Sqrt[3])]\*Tan[x]], (3\*I - Sqrt[3])/(3\*I + Sqrt[3])]\*Sin[x]\*Sqrt[1 - ((2\*I)\*Tan[x]^2)/(-3\*I + Sqrt[3])]\*Sqrt[1 + ((2\*I)\*Tan[x]^2)/(3\*I + Sqrt[3])])/Sqrt[2]\*Sqrt[(-I)/(-3\*I + Sqrt[3])]\*Sqrt[1 - Cos[x]^6])

**Maple [F]** time = 0.518, size = 0, normalized size = 0.

$$\int (\cos(x))^2 \sin(x) \frac{1}{\sqrt{1 - (\cos(x))^6}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)^2\*sin(x)/(1-cos(x)^6)^(1/2),x)

[Out] int(cos(x)^2\*sin(x)/(1-cos(x)^6)^(1/2),x)

**Maxima [B]** time = 1.44395, size = 24, normalized size = 2.67

$$\frac{1}{3} \arctan\left(\frac{\sqrt{-\cos(x)^6 + 1}}{\cos(x)^3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)^2\*sin(x)/(1-cos(x)^6)^(1/2),x, algorithm="maxima")

[Out] 1/3\*arctan(sqrt(-cos(x)^6 + 1)/cos(x)^3)

**Fricas [B]** time = 2.85505, size = 82, normalized size = 9.11

$$\frac{1}{6} \arctan\left(\frac{2\sqrt{-\cos(x)^6 + 1}\cos(x)^3}{2\cos(x)^6 - 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)^2\*sin(x)/(1-cos(x)^6)^(1/2),x, algorithm="fricas")

[Out] 1/6\*arctan(2\*sqrt(-cos(x)^6 + 1)\*cos(x)^3/(2\*cos(x)^6 - 1))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)**2*sin(x)/(1-cos(x)**6)**(1/2),x)
```

```
[Out] Timed out
```

---

**Giac [A]** time = 1.09013, size = 9, normalized size = 1.

$$-\frac{1}{3} \arcsin(\cos(x)^3)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)^2*sin(x)/(1-cos(x)^6)^(1/2),x, algorithm="giac")
```

```
[Out] -1/3*arcsin(cos(x)^3)
```

$$3.658 \quad \int \frac{\sin^5(x)}{\sqrt{1-5\cos(x)}} dx$$

**Optimal.** Leaf size=71

$$\frac{2(1-5\cos(x))^{9/2}}{28125} - \frac{8(1-5\cos(x))^{7/2}}{21875} - \frac{88(1-5\cos(x))^{5/2}}{15625} + \frac{64(1-5\cos(x))^{3/2}}{3125} + \frac{1152\sqrt{1-5\cos(x)}}{3125}$$

[Out] (1152\*Sqrt[1 - 5\*Cos[x]])/3125 + (64\*(1 - 5\*Cos[x])^(3/2))/3125 - (88\*(1 - 5\*Cos[x])^(5/2))/15625 - (8\*(1 - 5\*Cos[x])^(7/2))/21875 + (2\*(1 - 5\*Cos[x])^(9/2))/28125

**Rubi [A]** time = 0.0658991, antiderivative size = 71, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$ , Rules used = {2668, 697}

$$\frac{2(1-5\cos(x))^{9/2}}{28125} - \frac{8(1-5\cos(x))^{7/2}}{21875} - \frac{88(1-5\cos(x))^{5/2}}{15625} + \frac{64(1-5\cos(x))^{3/2}}{3125} + \frac{1152\sqrt{1-5\cos(x)}}{3125}$$

Antiderivative was successfully verified.

[In] Int[Sin[x]^5/Sqrt[1 - 5\*Cos[x]], x]

[Out] (1152\*Sqrt[1 - 5\*Cos[x]])/3125 + (64\*(1 - 5\*Cos[x])^(3/2))/3125 - (88\*(1 - 5\*Cos[x])^(5/2))/15625 - (8\*(1 - 5\*Cos[x])^(7/2))/21875 + (2\*(1 - 5\*Cos[x])^(9/2))/28125

#### Rule 2668

Int[cos[(e\_.) + (f\_.)\*(x\_.)]^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.), x\_Symbol] :> Dist[1/(b^p\*f), Subst[Int[(a + x)^m\*(b^2 - x^2)^((p - 1)/2), x], x, b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && NeQ[a^2 - b^2, 0]

#### Rule 697

Int[((d\_.) + (e\_.)\*(x\_.))^(m\_.)\*((a\_.) + (c\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c\*d^2 + a\*e^2, 0] && IGtQ[p, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{\sin^5(x)}{\sqrt{1-5\cos(x)}} dx &= \frac{\text{Subst}\left(\int \frac{(25-x^2)^2}{\sqrt{1+x}} dx, x, -5\cos(x)\right)}{3125} \\ &= \frac{\text{Subst}\left(\int \left(\frac{576}{\sqrt{1+x}} + 96\sqrt{1+x} - 44(1+x)^{3/2} - 4(1+x)^{5/2} + (1+x)^{7/2}\right) dx, x, -5\cos(x)\right)}{3125} \\ &= \frac{1152\sqrt{1-5\cos(x)}}{3125} + \frac{64(1-5\cos(x))^{3/2}}{3125} - \frac{88(1-5\cos(x))^{5/2}}{15625} - \frac{8(1-5\cos(x))^{7/2}}{21875} + \frac{2(1-5\cos(x))^{9/2}}{28125} \end{aligned}$$

**Mathematica [A]** time = 0.15787, size = 59, normalized size = 0.83

$$\frac{180607(\sqrt{1-5\cos(x)}-1)}{562500} + \sqrt{1-5\cos(x)}\left(-\frac{6772\cos(x)}{196875} - \frac{2227\cos(2x)}{39375} + \frac{4\cos(3x)}{1575} + \frac{1}{180}\cos(4x)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]^5/Sqrt[1 - 5\*Cos[x]],x]

[Out] (180607\*(-1 + Sqrt[1 - 5\*Cos[x]]))/562500 + Sqrt[1 - 5\*Cos[x]]\*((-6772\*Cos[x])/196875 - (2227\*Cos[2\*x])/39375 + (4\*Cos[3\*x])/1575 + Cos[4\*x]/180)

**Maple [A]** time = 1.081, size = 49, normalized size = 0.7

$$\frac{32}{984375} \sqrt{10 (\sin(x/2))^2 - 4} (21875 (\sin(x/2))^8 - 46250 (\sin(x/2))^6 + 17175 (\sin(x/2))^4 + 9160 (\sin(x/2))^2 + 7328)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)^5/(1-5\*cos(x))^(1/2),x)

[Out] 32/984375\*(10\*sin(1/2\*x)^2-4)^(1/2)\*(21875\*sin(1/2\*x)^8-46250\*sin(1/2\*x)^6+17175\*sin(1/2\*x)^4+9160\*sin(1/2\*x)^2+7328)

**Maxima [A]** time = 0.985314, size = 69, normalized size = 0.97

$$\frac{2}{28125} (-5 \cos(x) + 1)^{\frac{9}{2}} - \frac{8}{21875} (-5 \cos(x) + 1)^{\frac{7}{2}} - \frac{88}{15625} (-5 \cos(x) + 1)^{\frac{5}{2}} + \frac{64}{3125} (-5 \cos(x) + 1)^{\frac{3}{2}} + \frac{1152}{3125} \sqrt{-5 \cos(x) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^5/(1-5\*cos(x))^(1/2),x, algorithm="maxima")

[Out] 2/28125\*(-5\*cos(x) + 1)^(9/2) - 8/21875\*(-5\*cos(x) + 1)^(7/2) - 88/15625\*(-5\*cos(x) + 1)^(5/2) + 64/3125\*(-5\*cos(x) + 1)^(3/2) + 1152/3125\*sqrt(-5\*cos(x) + 1)

**Fricas [A]** time = 2.1865, size = 140, normalized size = 1.97

$$\frac{2}{984375} (21875 \cos(x)^4 + 5000 \cos(x)^3 - 77550 \cos(x)^2 - 20680 \cos(x) + 188603) \sqrt{-5 \cos(x) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^5/(1-5\*cos(x))^(1/2),x, algorithm="fricas")

[Out] 2/984375\*(21875\*cos(x)^4 + 5000\*cos(x)^3 - 77550\*cos(x)^2 - 20680\*cos(x) + 188603)\*sqrt(-5\*cos(x) + 1)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(x)**5/(1-5*cos(x))**(1/2),x)
```

```
[Out] Timed out
```

**Giac [A]** time = 1.11028, size = 101, normalized size = 1.42

$$\frac{2}{28125} (5 \cos(x) - 1)^4 \sqrt{-5 \cos(x) + 1} + \frac{8}{21875} (5 \cos(x) - 1)^3 \sqrt{-5 \cos(x) + 1} - \frac{88}{15625} (5 \cos(x) - 1)^2 \sqrt{-5 \cos(x) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(x)^5/(1-5*cos(x))^(1/2),x, algorithm="giac")
```

```
[Out] 2/28125*(5*cos(x) - 1)^4*sqrt(-5*cos(x) + 1) + 8/21875*(5*cos(x) - 1)^3*sqrt(-5*cos(x) + 1) - 88/15625*(5*cos(x) - 1)^2*sqrt(-5*cos(x) + 1) + 64/3125*(-5*cos(x) + 1)^(3/2) + 1152/3125*sqrt(-5*cos(x) + 1)
```

$$3.659 \quad \int e^{n \cos(a+bx)} \sin(a + bx) dx$$

**Optimal.** Leaf size=18

$$-\frac{e^{n \cos(a+bx)}}{bn}$$

[Out]  $-(E^{(n*\text{Cos}[a + b*x])})/(b*n)$

**Rubi [A]** time = 0.0144725, antiderivative size = 18, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$ , Rules used = {4335, 2194}

$$-\frac{e^{n \cos(a+bx)}}{bn}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[E^{(n*\text{Cos}[a + b*x])}*Sin[a + b*x], x]$

[Out]  $-(E^{(n*\text{Cos}[a + b*x])})/(b*n)$

#### Rule 4335

$\text{Int}[(u_)*(F_)[(c_)*((a_.) + (b_)*(x_))], x\_Symbol] :> \text{With}[\{d = \text{FreeFactors}[\text{Cos}[c*(a + b*x)], x]\}, -\text{Dist}[d/(b*c), \text{Subst}[\text{Int}[\text{SubstFor}[1, \text{Cos}[c*(a + b*x)]]/d, u, x], x], x, \text{Cos}[c*(a + b*x)]/d, x] /; \text{FunctionOfQ}[\text{Cos}[c*(a + b*x)]]/d, u, x, \text{True}] /; \text{FreeQ}\{a, b, c\}, x \ \&\& \ (\text{EqQ}[F, \text{Sin}] \ || \ \text{EqQ}[F, \text{sin}])$

#### Rule 2194

$\text{Int}[(F_)^{((c_)*((a_.) + (b_)*(x_)))^{(n_.)}, x\_Symbol] :> \text{Simp}[(F^{(c*(a + b*x))})^n/(b*c*n*\text{Log}[F]), x] /; \text{FreeQ}\{F, a, b, c, n\}, x]$

#### Rubi steps

$$\begin{aligned} \int e^{n \cos(a+bx)} \sin(a + bx) dx &= -\frac{\text{Subst}\left(\int e^{nx} dx, x, \cos(a + bx)\right)}{b} \\ &= -\frac{e^{n \cos(a+bx)}}{bn} \end{aligned}$$

**Mathematica [A]** time = 0.0510995, size = 18, normalized size = 1.

$$-\frac{e^{n \cos(a+bx)}}{bn}$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[E^{(n*\text{Cos}[a + b*x])}*Sin[a + b*x], x]$

[Out]  $-(E^{(n*\text{Cos}[a + b*x])})/(b*n)$

**Maple [A]** time = 0.005, size = 18, normalized size = 1.

$$-\frac{e^{n \cos(bx+a)}}{bn}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(exp(n\*cos(b\*x+a))\*sin(b\*x+a),x)

[Out] -exp(n\*cos(b\*x+a))/b/n

**Maxima [A]** time = 0.984035, size = 23, normalized size = 1.28

$$-\frac{e^{(n \cos(bx+a))}}{bn}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*cos(b\*x+a))\*sin(b\*x+a),x, algorithm="maxima")

[Out] -e^(n\*cos(b\*x + a))/(b\*n)

**Fricas [A]** time = 2.00534, size = 36, normalized size = 2.

$$-\frac{e^{(n \cos(bx+a))}}{bn}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*cos(b\*x+a))\*sin(b\*x+a),x, algorithm="fricas")

[Out] -e^(n\*cos(b\*x + a))/(b\*n)

**Sympy [A]** time = 0.512365, size = 39, normalized size = 2.17

$$\begin{cases} x \sin(a) & \text{for } b = 0 \wedge n = 0 \\ x e^{n \cos(a)} \sin(a) & \text{for } b = 0 \\ -\frac{\cos(a+bx)}{b} & \text{for } n = 0 \\ -\frac{e^{n \cos(a+bx)}}{bn} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*cos(b\*x+a))\*sin(b\*x+a),x)

[Out] Piecewise((x\*sin(a), Eq(b, 0) & Eq(n, 0)), (x\*exp(n\*cos(a))\*sin(a), Eq(b, 0)), (-cos(a + b\*x)/b, Eq(n, 0)), (-exp(n\*cos(a + b\*x))/(b\*n), True))



**Giac [A]** time = 1.09581, size = 23, normalized size = 1.28

$$-\frac{e^{(n \cos(bx+a))}}{bn}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(exp(n*cos(b*x+a))*sin(b*x+a),x, algorithm="giac")
```

```
[Out] -e^(n*cos(b*x + a))/(b*n)
```

$$3.660 \quad \int e^{n \cos(ac+bcx)} \sin(c(a+bx)) dx$$

**Optimal.** Leaf size=23

$$-\frac{e^{n \cos(c(a+bx))}}{bcn}$$

[Out]  $-(E^{(n \cos [c*(a + b*x)])})/(b*c*n)$

**Rubi [A]** time = 0.0149893, antiderivative size = 23, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {4335, 2194}

$$-\frac{e^{n \cos(c(a+bx))}}{bcn}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[E^{(n \cos [a*c + b*c*x])} * \text{Sin}[c*(a + b*x)], x]$

[Out]  $-(E^{(n \cos [c*(a + b*x)])})/(b*c*n)$

#### Rule 4335

$\text{Int}[(u_)*(F_)[(c_)*((a_)+(b_)*(x_))], x\_Symbol] \rightarrow \text{With}\{d = \text{FreeFactors}[\text{Cos}[c*(a + b*x)], x]\}, -\text{Dist}[d/(b*c), \text{Subst}[\text{Int}[\text{SubstFor}[1, \text{Cos}[c*(a + b*x)]]/d, u, x], x], x, \text{Cos}[c*(a + b*x)]/d, x] /; \text{FunctionOfQ}[\text{Cos}[c*(a + b*x)]/d, u, x, \text{True}] /; \text{FreeQ}\{a, b, c\}, x\} \&\& (\text{EqQ}[F, \text{Sin}] \parallel \text{EqQ}[F, \text{sin}])$

#### Rule 2194

$\text{Int}[(F_)^{((c_)*((a_)+(b_)*(x_)))^{(n_)}}, x\_Symbol] \rightarrow \text{Simp}[(F^{(c*(a + b*x))})^n/(b*c*n*\text{Log}[F]), x] /; \text{FreeQ}\{F, a, b, c, n\}, x]$

#### Rubi steps

$$\begin{aligned} \int e^{n \cos(ac+bcx)} \sin(c(a+bx)) dx &= -\frac{\text{Subst}\left(\int e^{nx} dx, x, \cos(c(a+bx))\right)}{bc} \\ &= -\frac{e^{n \cos(c(a+bx))}}{bcn} \end{aligned}$$

**Mathematica [A]** time = 0.236888, size = 23, normalized size = 1.

$$-\frac{e^{n \cos(c(a+bx))}}{bcn}$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[E^{(n \cos [a*c + b*c*x])} * \text{Sin}[c*(a + b*x)], x]$

[Out]  $-(E^{(n \cos [c*(a + b*x)])})/(b*c*n)$

**Maple [A]** time = 0.014, size = 24, normalized size = 1.

$$-\frac{e^{n \cos(bc x + ac)}}{bcn}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(exp(n\*cos(b\*c\*x+a\*c))\*sin(c\*(b\*x+a)),x)

[Out] -exp(n\*cos(b\*c\*x+a\*c))/b/c/n

**Maxima [A]** time = 0.98337, size = 31, normalized size = 1.35

$$-\frac{e^{(n \cos(bc x + ac))}}{bcn}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*cos(b\*c\*x+a\*c))\*sin(c\*(b\*x+a)),x, algorithm="maxima")

[Out] -e^(n\*cos(b\*c\*x + a\*c))/(b\*c\*n)

**Fricas [A]** time = 1.88868, size = 45, normalized size = 1.96

$$-\frac{e^{(n \cos(bc x + ac))}}{bcn}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*cos(b\*c\*x+a\*c))\*sin(c\*(b\*x+a)),x, algorithm="fricas")

[Out] -e^(n\*cos(b\*c\*x + a\*c))/(b\*c\*n)

**Sympy [A]** time = 9.43634, size = 54, normalized size = 2.35

$$\left\{ \begin{array}{ll} x e^{n \cos(ac)} \sin(ac) & \text{for } b = 0 \\ 0 & \text{for } c = 0 \\ \left\{ \begin{array}{ll} x \sin(ac) & \text{for } b = 0 \\ 0 & \text{for } c = 0 \text{ for } n = 0 \end{array} \right. & \\ -\frac{\cos(ac+bcx)}{bc} & \text{otherwise} \\ -\frac{e^{n \cos(ac+bcx)}}{bcn} & \text{otherwise} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*cos(b\*c\*x+a\*c))\*sin(c\*(b\*x+a)),x)

[Out] Piecewise((x\*exp(n\*cos(a\*c))\*sin(a\*c), Eq(b, 0)), (0, Eq(c, 0)), (Piecewise((x\*sin(a\*c), Eq(b, 0)), (0, Eq(c, 0)), (-cos(a\*c + b\*c\*x)/(b\*c), True)), E q(n, 0)), (-exp(n\*cos(a\*c + b\*c\*x))/(b\*c\*n), True))

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int e^{(n \cos(bc x + ac))} \sin((bx + a)c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(exp(n*cos(b*c*x+a*c))*sin(c*(b*x+a)),x, algorithm="giac")
```

```
[Out] integrate(e^(n*cos(b*c*x + a*c))*sin((b*x + a)*c), x)
```

$$3.661 \quad \int e^{n \cos(c(a+bx))} \sin(ac + bcx) dx$$

**Optimal.** Leaf size=24

$$-\frac{e^{n \cos(ac+bcx)}}{bcn}$$

[Out]  $-(E^{(n*\text{Cos}[a*c + b*c*x])})/(b*c*n)$

**Rubi [A]** time = 0.0144949, antiderivative size = 24, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {4335, 2194}

$$-\frac{e^{n \cos(ac+bcx)}}{bcn}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[E^{(n*\text{Cos}[c*(a + b*x)])}*Sin[a*c + b*c*x], x]$

[Out]  $-(E^{(n*\text{Cos}[a*c + b*c*x])})/(b*c*n)$

#### Rule 4335

$\text{Int}[(u_)*(F_)[(c_)*((a_.) + (b_)*(x_))], x\_Symbol] \rightarrow \text{With}[\{d = \text{FreeFactors}[\text{Cos}[c*(a + b*x)], x]\}, -\text{Dist}[d/(b*c), \text{Subst}[\text{Int}[\text{SubstFor}[1, \text{Cos}[c*(a + b*x)]]/d, u, x], x], x, \text{Cos}[c*(a + b*x)]/d, x] /;$   $\text{FunctionOfQ}[\text{Cos}[c*(a + b*x)]/d, u, x, \text{True}] /;$   $\text{FreeQ}\{a, b, c\}, x\} \&\& (\text{EqQ}[F, \text{Sin}] \mid \mid \text{EqQ}[F, \text{sin}])$

#### Rule 2194

$\text{Int}[(F_)^{((c_)*((a_.) + (b_)*(x_)))^{(n_.)}, x\_Symbol] \rightarrow \text{Simp}[(F^{(c*(a + b*x)))^n/(b*c*n*\text{Log}[F]), x] /;$   $\text{FreeQ}\{F, a, b, c, n\}, x]$

#### Rubi steps

$$\begin{aligned} \int e^{n \cos(c(a+bx))} \sin(ac + bcx) dx &= -\frac{\text{Subst}\left(\int e^{nx} dx, x, \cos(ac + bcx)\right)}{bc} \\ &= -\frac{e^{n \cos(ac+bcx)}}{bcn} \end{aligned}$$

**Mathematica [A]** time = 0.0425428, size = 23, normalized size = 0.96

$$-\frac{e^{n \cos(c(a+bx))}}{bcn}$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[E^{(n*\text{Cos}[c*(a + b*x)])}*Sin[a*c + b*c*x], x]$

[Out]  $-(E^{(n*\text{Cos}[c*(a + b*x)])})/(b*c*n)$

**Maple [A]** time = 0.01, size = 24, normalized size = 1.

$$-\frac{e^{n \cos(bc x + a c)}}{bc n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(exp(n\*cos(c\*(b\*x+a)))\*sin(b\*c\*x+a\*c),x)

[Out] -exp(n\*cos(b\*c\*x+a\*c))/b/c/n

**Maxima [A]** time = 0.960272, size = 31, normalized size = 1.29

$$-\frac{e^{(n \cos(bc x + ac))}}{bc n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*cos(c\*(b\*x+a)))\*sin(b\*c\*x+a\*c),x, algorithm="maxima")

[Out] -e^(n\*cos(b\*c\*x + a\*c))/(b\*c\*n)

**Fricas [A]** time = 2.0295, size = 45, normalized size = 1.88

$$-\frac{e^{(n \cos(bc x + ac))}}{bc n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*cos(c\*(b\*x+a)))\*sin(b\*c\*x+a\*c),x, algorithm="fricas")

[Out] -e^(n\*cos(b\*c\*x + a\*c))/(b\*c\*n)

**Sympy [A]** time = 2.76905, size = 51, normalized size = 2.12

$$\left\{ \begin{array}{ll} 0 & \text{for } b = 0 \wedge c = 0 \wedge n = 0 \\ x e^{n \cos(ac)} \sin(ac) & \text{for } b = 0 \\ 0 & \text{for } c = 0 \\ -\frac{\cos(ac+bcx)}{bc} & \text{for } n = 0 \\ -\frac{e^{n \cos(ac+bcx)}}{bcn} & \text{otherwise} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*cos(c\*(b\*x+a)))\*sin(b\*c\*x+a\*c),x)

[Out] Piecewise((0, Eq(b, 0) & Eq(c, 0) & Eq(n, 0)), (x\*exp(n\*cos(a\*c))\*sin(a\*c), Eq(b, 0)), (0, Eq(c, 0)), (-cos(a\*c + b\*c\*x)/(b\*c), Eq(n, 0)), (-exp(n\*cos(a\*c + b\*c\*x))/(b\*c\*n), True))

**Giac [A]** time = 1.14893, size = 31, normalized size = 1.29

$$-\frac{e^{(n \cos(bc x + ac))}}{bc n}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(exp(n*cos(c*(b*x+a)))*sin(b*c*x+a*c),x, algorithm="giac")
```

```
[Out] -e^(n*cos(b*c*x + a*c))/(b*c*n)
```

### 3.662 $\int e^{n \cos(a+bx)} \tan(a+bx) dx$

**Optimal.** Leaf size=14

$$-\frac{\text{ExpIntegralEi}(n \cos(a+bx))}{b}$$

[Out] -(ExpIntegralEi[n\*Cos[a + b\*x]]/b)

**Rubi [A]** time = 0.0215174, antiderivative size = 14, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$ , Rules used = {4339, 2178}

$$-\frac{\text{Ei}(n \cos(a+bx))}{b}$$

Antiderivative was successfully verified.

[In] Int[E^(n\*Cos[a + b\*x])\*Tan[a + b\*x],x]

[Out] -(ExpIntegralEi[n\*Cos[a + b\*x]]/b)

#### Rule 4339

```
Int[(u_)*(F_)[(c_.)*((a_.) + (b_.)*(x_))], x_Symbol] := With[{d = FreeFactors[Cos[c*(a + b*x)], x]}, -Dist[(b*c)^(-1), Subst[Int[SubstFor[1/x, Cos[c*(a + b*x)]]/d, u, x], x], x, Cos[c*(a + b*x)]/d, x] /; FunctionOfQ[Cos[c*(a + b*x)]/d, u, x, True]] /; FreeQ[{a, b, c}, x] && (EqQ[F, Tan] || EqQ[F, tan])
```

#### Rule 2178

```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[(F^(g*(e - (c*f)/d))*ExpIntegralEi[(f*g*(c + d*x)*Log[F])/d])/d, x] /; FreeQ[{F, c, d, e, f, g}, x] && !$UseGamma == True
```

#### Rubi steps

$$\begin{aligned} \int e^{n \cos(a+bx)} \tan(a+bx) dx &= -\frac{\text{Subst}\left(\int \frac{e^{nx}}{x} dx, x, \cos(a+bx)\right)}{b} \\ &= -\frac{\text{Ei}(n \cos(a+bx))}{b} \end{aligned}$$

**Mathematica [A]** time = 0.0350774, size = 14, normalized size = 1.

$$-\frac{\text{ExpIntegralEi}(n \cos(a+bx))}{b}$$

Antiderivative was successfully verified.

[In] Integrate[E^(n\*Cos[a + b\*x])\*Tan[a + b\*x],x]

[Out] -(ExpIntegralEi[n\*Cos[a + b\*x]]/b)



---

**Maple [A]** time = 0.01, size = 16, normalized size = 1.1

$$\frac{\text{Ei}(1, -n \cos(bx + a))}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(exp(n*cos(b*x+a))*tan(b*x+a), x)`

[Out] `1/b*Ei(1, -n*cos(b*x+a))`

---

**Maxima [A]** time = 1.03419, size = 19, normalized size = 1.36

$$-\frac{\text{Ei}(n \cos(bx + a))}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(exp(n*cos(b*x+a))*tan(b*x+a), x, algorithm="maxima")`

[Out] `-Ei(n*cos(b*x + a))/b`

---

**Fricas [A]** time = 2.08915, size = 31, normalized size = 2.21

$$-\frac{\text{Ei}(n \cos(bx + a))}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(exp(n*cos(b*x+a))*tan(b*x+a), x, algorithm="fricas")`

[Out] `-Ei(n*cos(b*x + a))/b`

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int e^{n \cos(a+bx)} \tan(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(exp(n*cos(b*x+a))*tan(b*x+a), x)`

[Out] `Integral(exp(n*cos(a + b*x))*tan(a + b*x), x)`

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int e^{n \cos(bx+a)} \tan(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(exp(n*cos(b*x+a))*tan(b*x+a),x, algorithm="giac")
```

```
[Out] integrate(e^(n*cos(b*x + a))*tan(b*x + a), x)
```

$$3.663 \quad \int e^{n \cos(ac+bcx)} \tan(c(a+bx)) dx$$

**Optimal.** Leaf size=19

$$-\frac{\text{ExpIntegralEi}(n \cos(c(a+bx)))}{bc}$$

[Out] -(ExpIntegralEi[n\*Cos[c\*(a + b\*x)]]/(b\*c))

**Rubi [A]** time = 0.0219697, antiderivative size = 19, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {4339, 2178}

$$-\frac{\text{Ei}(n \cos(c(a+bx)))}{bc}$$

Antiderivative was successfully verified.

[In] Int[E^(n\*Cos[a\*c + b\*c\*x])\*Tan[c\*(a + b\*x)],x]

[Out] -(ExpIntegralEi[n\*Cos[c\*(a + b\*x)]]/(b\*c))

#### Rule 4339

Int[(u\_)\*(F\_)[(c\_.)\*((a\_.) + (b\_.)\*(x\_))], x\_Symbol] :> With[{d = FreeFactors[Cos[c\*(a + b\*x)], x]}, -Dist[(b\*c)^(-1), Subst[Int[SubstFor[1/x, Cos[c\*(a + b\*x)]]/d, u, x], x], x, Cos[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Cos[c\*(a + b\*x)]/d, u, x, True] /; FreeQ[{a, b, c}, x] && (EqQ[F, Tan] || EqQ[F, tan])

#### Rule 2178

Int[(F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_)))/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[(F^(g\*(e - (c\*f)/d))\*ExpIntegralEi[(f\*g\*(c + d\*x)\*Log[F])/d])/d, x] /; FreeQ[{F, c, d, e, f, g}, x] && !\$UseGamma == True

#### Rubi steps

$$\begin{aligned} \int e^{n \cos(ac+bcx)} \tan(c(a+bx)) dx &= -\frac{\text{Subst}\left(\int \frac{e^{nx}}{x} dx, x, \cos(c(a+bx))\right)}{bc} \\ &= -\frac{\text{Ei}(n \cos(c(a+bx)))}{bc} \end{aligned}$$

**Mathematica [A]** time = 0.0607347, size = 19, normalized size = 1.

$$-\frac{\text{ExpIntegralEi}(n \cos(c(a+bx)))}{bc}$$

Antiderivative was successfully verified.

[In] Integrate[E^(n\*Cos[a\*c + b\*c\*x])\*Tan[c\*(a + b\*x)],x]

[Out] -(ExpIntegralEi[n\*Cos[c\*(a + b\*x)]]/(b\*c))

---

**Maple [A]** time = 0.02, size = 22, normalized size = 1.2

$$\frac{\text{Ei}(1, -n \cos(bc x + ac))}{cb}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(exp(n*cos(b*c*x+a*c))*tan(c*(b*x+a)),x)`

[Out] `1/c/b*Ei(1,-n*cos(b*c*x+a*c))`

---

**Maxima [A]** time = 1.08073, size = 27, normalized size = 1.42

$$\frac{\text{Ei}(n \cos(bc x + ac))}{bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(exp(n*cos(b*c*x+a*c))*tan(c*(b*x+a)),x, algorithm="maxima")`

[Out] `-Ei(n*cos(b*c*x + a*c))/(b*c)`

---

**Fricas [A]** time = 2.3288, size = 42, normalized size = 2.21

$$\frac{\text{Ei}(n \cos(bc x + ac))}{bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(exp(n*cos(b*c*x+a*c))*tan(c*(b*x+a)),x, algorithm="fricas")`

[Out] `-Ei(n*cos(b*c*x + a*c))/(b*c)`

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(exp(n*cos(b*c*x+a*c))*tan(c*(b*x+a)),x)`

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int e^{(n \cos(bc x + ac))} \tan((bx + a)c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(exp(n*cos(b*c*x+a*c))*tan(c*(b*x+a)),x, algorithm="giac")
```

```
[Out] integrate(e^(n*cos(b*c*x + a*c))*tan((b*x + a)*c), x)
```

### 3.664 $\int e^{n \cos(c(a+bx))} \tan(ac + bcx) dx$

**Optimal.** Leaf size=20

$$-\frac{\text{ExpIntegralEi}(n \cos(ac + bcx))}{bc}$$

[Out] -(ExpIntegralEi[n\*Cos[a\*c + b\*c\*x]]/(b\*c))

**Rubi [A]** time = 0.0231347, antiderivative size = 20, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {4339, 2178}

$$-\frac{\text{Ei}(n \cos(ac + bcx))}{bc}$$

Antiderivative was successfully verified.

[In] Int[E^(n\*Cos[c\*(a + b\*x)])\*Tan[a\*c + b\*c\*x], x]

[Out] -(ExpIntegralEi[n\*Cos[a\*c + b\*c\*x]]/(b\*c))

#### Rule 4339

Int[(u\_)\*(F\_)[(c\_.)\*((a\_.) + (b\_.)\*(x\_))], x\_Symbol] := With[{d = FreeFactors[Cos[c\*(a + b\*x)], x]}, -Dist[(b\*c)^(-1), Subst[Int[SubstFor[1/x, Cos[c\*(a + b\*x)]]/d, u, x], x], x, Cos[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Cos[c\*(a + b\*x)]/d, u, x, True]] /; FreeQ[{a, b, c}, x] && (EqQ[F, Tan] || EqQ[F, tan])

#### Rule 2178

Int[(F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_)))/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[(F^(g\*(e - (c\*f)/d))\*ExpIntegralEi[(f\*g\*(c + d\*x)\*Log[F])/d])/d, x] /; FreeQ[{F, c, d, e, f, g}, x] && !\$UseGamma == True

#### Rubi steps

$$\begin{aligned} \int e^{n \cos(c(a+bx))} \tan(ac + bcx) dx &= -\frac{\text{Subst}\left(\int \frac{e^{nx}}{x} dx, x, \cos(ac + bcx)\right)}{bc} \\ &= -\frac{\text{Ei}(n \cos(ac + bcx))}{bc} \end{aligned}$$

**Mathematica [A]** time = 0.0578868, size = 19, normalized size = 0.95

$$-\frac{\text{ExpIntegralEi}(n \cos(c(a + bx)))}{bc}$$

Antiderivative was successfully verified.

[In] Integrate[E^(n\*Cos[c\*(a + b\*x)])\*Tan[a\*c + b\*c\*x], x]

[Out] -(ExpIntegralEi[n\*Cos[c\*(a + b\*x)]]/(b\*c))

---

**Maple [A]** time = 0.013, size = 22, normalized size = 1.1

$$\frac{\text{Ei}(1, -n \cos(bc x + ac))}{cb}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(exp(n\*cos(c\*(b\*x+a)))\*tan(b\*c\*x+a\*c), x)

[Out] 1/c/b\*Ei(1, -n\*cos(b\*c\*x+a\*c))

---

**Maxima [A]** time = 1.07013, size = 27, normalized size = 1.35

$$-\frac{\text{Ei}(n \cos(bc x + ac))}{bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*cos(c\*(b\*x+a)))\*tan(b\*c\*x+a\*c), x, algorithm="maxima")

[Out] -Ei(n\*cos(b\*c\*x + a\*c))/(b\*c)

---

**Fricas [A]** time = 1.88893, size = 42, normalized size = 2.1

$$-\frac{\text{Ei}(n \cos(bc x + ac))}{bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*cos(c\*(b\*x+a)))\*tan(b\*c\*x+a\*c), x, algorithm="fricas")

[Out] -Ei(n\*cos(b\*c\*x + a\*c))/(b\*c)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*cos(c\*(b\*x+a)))\*tan(b\*c\*x+a\*c), x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int e^{(n \cos((bx+a)c))} \tan(bc x + ac) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(exp(n*cos(c*(b*x+a)))*tan(b*c*x+a*c),x, algorithm="giac")
```

```
[Out] integrate(e^(n*cos((b*x + a)*c))*tan(b*c*x + a*c), x)
```



$$3.665 \quad \int \frac{\cos(x)}{a+b \sin(x)} dx$$

**Optimal.** Leaf size=11

$$\frac{\log(a + b \sin(x))}{b}$$

[Out] Log[a + b\*Sin[x]]/b

**Rubi [A]** time = 0.0218965, antiderivative size = 11, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2668, 31}

$$\frac{\log(a + b \sin(x))}{b}$$

Antiderivative was successfully verified.

[In] Int[Cos[x]/(a + b\*Sin[x]),x]

[Out] Log[a + b\*Sin[x]]/b

#### Rule 2668

Int[cos[(e\_.) + (f\_.)\*(x\_.)]^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.), x\_Symbol] := Dist[1/(b^p\*f), Subst[Int[(a + x)^m\*(b^2 - x^2)^((p - 1)/2), x], x, b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && NeQ[a^2 - b^2, 0]

#### Rule 31

Int[((a\_.) + (b\_.)\*(x\_.))^(-1), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{\cos(x)}{a + b \sin(x)} dx &= \frac{\text{Subst}\left(\int \frac{1}{a+x} dx, x, b \sin(x)\right)}{b} \\ &= \frac{\log(a + b \sin(x))}{b} \end{aligned}$$

**Mathematica [A]** time = 0.0062776, size = 11, normalized size = 1.

$$\frac{\log(a + b \sin(x))}{b}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]/(a + b\*Sin[x]),x]

[Out] Log[a + b\*Sin[x]]/b

**Maple [A]** time = 0.014, size = 12, normalized size = 1.1

$$\frac{\ln(a + b \sin(x))}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)/(a+b\*sin(x)),x)

[Out] ln(a+b\*sin(x))/b

---

**Maxima [A]** time = 0.944746, size = 15, normalized size = 1.36

$$\frac{\log(b \sin(x) + a)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)/(a+b\*sin(x)),x, algorithm="maxima")

[Out] log(b\*sin(x) + a)/b

---

**Fricas [A]** time = 2.07247, size = 28, normalized size = 2.55

$$\frac{\log(b \sin(x) + a)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)/(a+b\*sin(x)),x, algorithm="fricas")

[Out] log(b\*sin(x) + a)/b

---

**Sympy [A]** time = 0.359504, size = 14, normalized size = 1.27

$$\begin{cases} \frac{\log\left(\frac{a}{b} + \sin(x)\right)}{b} & \text{for } b \neq 0 \\ \frac{\sin(x)}{a} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)/(a+b\*sin(x)),x)

[Out] Piecewise((log(a/b + sin(x))/b, Ne(b, 0)), (sin(x)/a, True))

---

**Giac [A]** time = 1.09398, size = 16, normalized size = 1.45

$$\frac{\log(|b \sin(x) + a|)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)/(a+b*sin(x)),x, algorithm="giac")
```

```
[Out] log(abs(b*sin(x) + a))/b
```

### 3.666 $\int \cos(x)(a + b \sin(x))^n dx$

**Optimal.** Leaf size=19

$$\frac{(a + b \sin(x))^{n+1}}{b(n+1)}$$

[Out] (a + b\*Sin[x])^(1 + n)/(b\*(1 + n))

**Rubi [A]** time = 0.0216845, antiderivative size = 19, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2668, 32}

$$\frac{(a + b \sin(x))^{n+1}}{b(n+1)}$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*(a + b\*Sin[x])^n,x]

[Out] (a + b\*Sin[x])^(1 + n)/(b\*(1 + n))

#### Rule 2668

Int[cos[(e\_.) + (f\_.)\*(x\_.)]^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.), x\_Symbol] := Dist[1/(b^p\*f), Subst[Int[(a + x)^m\*(b^2 - x^2)^((p - 1)/2), x], x, b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && NeQ[a^2 - b^2, 0]

#### Rule 32

Int[((a\_.) + (b\_.)\*(x\_.))^(m\_.), x\_Symbol] := Simp[(a + b\*x)^(m + 1)/(b\*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

#### Rubi steps

$$\begin{aligned} \int \cos(x)(a + b \sin(x))^n dx &= \frac{\text{Subst}\left(\int (a + x)^n dx, x, b \sin(x)\right)}{b} \\ &= \frac{(a + b \sin(x))^{1+n}}{b(1+n)} \end{aligned}$$

**Mathematica [A]** time = 0.0204927, size = 18, normalized size = 0.95

$$\frac{(a + b \sin(x))^{n+1}}{bn + b}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*(a + b\*Sin[x])^n,x]

[Out] (a + b\*Sin[x])^(1 + n)/(b + b\*n)

**Maple [A]** time = 0.007, size = 20, normalized size = 1.1

$$\frac{(a + b \sin(x))^{1+n}}{b(1+n)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*(a+b\*sin(x))^n,x)

[Out] (a+b\*sin(x))^(1+n)/b/(1+n)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*(a+b\*sin(x))^n,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.06725, size = 58, normalized size = 3.05

$$\frac{(b \sin(x) + a)(b \sin(x) + a)^n}{bn + b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*(a+b\*sin(x))^n,x, algorithm="fricas")

[Out] (b\*sin(x) + a)\*(b\*sin(x) + a)^n/(b\*n + b)

**Sympy [A]** time = 2.56974, size = 56, normalized size = 2.95

$$\begin{cases} \frac{\sin(x)}{a} & \text{for } b = 0 \wedge n = -1 \\ a^n \sin(x) & \text{for } b = 0 \\ \frac{\log\left(\frac{a}{b} + \sin(x)\right)}{b} & \text{for } n = -1 \\ \frac{a(a+b \sin(x))^n}{bn+b} + \frac{b(a+b \sin(x))^n \sin(x)}{bn+b} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*(a+b\*sin(x))\*\*n,x)

[Out] Piecewise((sin(x)/a, Eq(b, 0) & Eq(n, -1)), (a\*\*n\*sin(x), Eq(b, 0)), (log(a/b + sin(x))/b, Eq(n, -1)), (a\*(a + b\*sin(x))\*\*n/(b\*n + b) + b\*(a + b\*sin(x))\*\*n\*sin(x)/(b\*n + b), True))

**Giac [A]** time = 1.08492, size = 26, normalized size = 1.37

$$\frac{(b \sin(x) + a)^{n+1}}{b(n+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*(a+b\*sin(x))^n,x, algorithm="giac")

[Out] (b\*sin(x) + a)^(n + 1)/(b\*(n + 1))

$$3.667 \quad \int \frac{\cos(x)}{\sqrt{1+\sin^2(x)}} dx$$

**Optimal.** Leaf size=3

$$\sinh^{-1}(\sin(x))$$

[Out] ArcSinh[Sin[x]]

**Rubi [A]** time = 0.0227818, antiderivative size = 3, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {3190, 215}

$$\sinh^{-1}(\sin(x))$$

Antiderivative was successfully verified.

[In] Int[Cos[x]/Sqrt[1 + Sin[x]^2], x]

[Out] ArcSinh[Sin[x]]

#### Rule 3190

Int[cos[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2)^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Sin[e + f\*x], x]}, Dist[ff/f, Subst[Int[(1 - ff^2\*x^2)^((m - 1)/2)\*(a + b\*ff^2\*x^2)^p, x], x, Sin[e + f\*x]/ff], x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]

#### Rule 215

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSinh[(Rt[b, 2]\*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

#### Rubi steps

$$\begin{aligned} \int \frac{\cos(x)}{\sqrt{1+\sin^2(x)}} dx &= \text{Subst} \left( \int \frac{1}{\sqrt{1+x^2}} dx, x, \sin(x) \right) \\ &= \sinh^{-1}(\sin(x)) \end{aligned}$$

**Mathematica [A]** time = 0.0078914, size = 3, normalized size = 1.

$$\sinh^{-1}(\sin(x))$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]/Sqrt[1 + Sin[x]^2], x]

[Out] ArcSinh[Sin[x]]

**Maple [A]** time = 0.016, size = 4, normalized size = 1.3

Arcsinh(sin(x))

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)/(1+sin(x)^2)^(1/2),x)

[Out] arcsinh(sin(x))

---

**Maxima [A]** time = 1.4372, size = 4, normalized size = 1.33

arsinh(sin(x))

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)/(1+sin(x)^2)^(1/2),x, algorithm="maxima")

[Out] arcsinh(sin(x))

---

**Fricas [B]** time = 2.17918, size = 119, normalized size = 39.67

$$\frac{1}{4} \log \left( 8 \cos(x)^4 - 4(2 \cos(x)^2 - 3) \sqrt{-\cos(x)^2 + 2 \sin(x) - 24 \cos(x)^2 + 17} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)/(1+sin(x)^2)^(1/2),x, algorithm="fricas")

[Out] 1/4\*log(8\*cos(x)^4 - 4\*(2\*cos(x)^2 - 3)\*sqrt(-cos(x)^2 + 2)\*sin(x) - 24\*cos(x)^2 + 17)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)/(1+sin(x)\*\*2)\*\*(1/2),x)

[Out] Timed out

---

**Giac [B]** time = 1.07965, size = 22, normalized size = 7.33

$$-\log \left( \sqrt{\sin(x)^2 + 1} - \sin(x) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)/(1+sin(x)^2)^(1/2),x, algorithm="giac")

[Out] -log(sqrt(sin(x)^2 + 1) - sin(x))



$$3.668 \quad \int \frac{\cos(x)}{\sqrt{4-\sin^2(x)}} dx$$

**Optimal.** Leaf size=7

$$\sin^{-1}\left(\frac{\sin(x)}{2}\right)$$

[Out] ArcSin[Sin[x]/2]

**Rubi [A]** time = 0.0249788, antiderivative size = 7, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$ , Rules used = {3190, 216}

$$\sin^{-1}\left(\frac{\sin(x)}{2}\right)$$

Antiderivative was successfully verified.

[In] Int[Cos[x]/Sqrt[4 - Sin[x]^2], x]

[Out] ArcSin[Sin[x]/2]

#### Rule 3190

Int[cos[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2)^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Sin[e + f\*x], x]}, Dist[ff/f, Subst[Int[(1 - ff^2\*x^2)^((m - 1)/2)\*(a + b\*ff^2\*x^2)^p, x], x, Sin[e + f\*x]/ff], x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]

#### Rule 216

Int[1/Sqrt[(a\_.) + (b\_.)\*(x\_.)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rubi steps

$$\begin{aligned} \int \frac{\cos(x)}{\sqrt{4-\sin^2(x)}} dx &= \text{Subst}\left(\int \frac{1}{\sqrt{4-x^2}} dx, x, \sin(x)\right) \\ &= \sin^{-1}\left(\frac{\sin(x)}{2}\right) \end{aligned}$$

**Mathematica [A]** time = 0.0089002, size = 7, normalized size = 1.

$$\sin^{-1}\left(\frac{\sin(x)}{2}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]/Sqrt[4 - Sin[x]^2], x]

[Out] ArcSin[Sin[x]/2]

---

**Maple [A]** time = 0.026, size = 6, normalized size = 0.9

$$\arcsin\left(\frac{\sin(x)}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)/(4-sin(x)^2)^(1/2),x)

[Out] arcsin(1/2\*sin(x))

---

**Maxima [A]** time = 1.44222, size = 7, normalized size = 1.

$$\arcsin\left(\frac{1}{2} \sin(x)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)/(4-sin(x)^2)^(1/2),x, algorithm="maxima")

[Out] arcsin(1/2\*sin(x))

---

**Fricas [B]** time = 2.21549, size = 176, normalized size = 25.14

$$\frac{1}{2} \arctan\left(\frac{\sqrt{\cos(x)^2 + 3}(\cos(x)^2 + 1)\sin(x) - 4\cos(x)\sin(x)}{\cos(x)^4 + 6\cos(x)^2 - 3}\right) + \frac{1}{2} \arctan\left(\frac{\sin(x)}{\cos(x)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)/(4-sin(x)^2)^(1/2),x, algorithm="fricas")

[Out] 1/2\*arctan((sqrt(cos(x)^2 + 3)\*(cos(x)^2 + 1)\*sin(x) - 4\*cos(x)\*sin(x))/(cos(x)^4 + 6\*cos(x)^2 - 3)) + 1/2\*arctan(sin(x)/cos(x))

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)/(4-sin(x)\*\*2)\*\*(1/2),x)

[Out] Timed out

---

**Giac [A]** time = 1.10703, size = 7, normalized size = 1.

$$\arcsin\left(\frac{1}{2} \sin(x)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)/(4-sin(x)^2)^(1/2),x, algorithm="giac")
```

```
[Out] arcsin(1/2*sin(x))
```

$$3.669 \quad \int \frac{\cos(3x)}{\sqrt{4-\sin^2(3x)}} dx$$

**Optimal.** Leaf size=13

$$\frac{1}{3} \sin^{-1}\left(\frac{1}{2} \sin(3x)\right)$$

[Out] ArcSin[Sin[3\*x]/2]/3

**Rubi [A]** time = 0.0263306, antiderivative size = 13, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$ , Rules used = {3190, 216}

$$\frac{1}{3} \sin^{-1}\left(\frac{1}{2} \sin(3x)\right)$$

Antiderivative was successfully verified.

[In] Int[Cos[3\*x]/Sqrt[4 - Sin[3\*x]^2], x]

[Out] ArcSin[Sin[3\*x]/2]/3

#### Rule 3190

Int[cos[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2)^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Sin[e + f\*x], x]}, Dist[ff/f, Subst[Int[(1 - ff^2\*x^2)^((m - 1)/2)\*(a + b\*ff^2\*x^2)^p, x], x, Sin[e + f\*x]/ff], x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rubi steps

$$\begin{aligned} \int \frac{\cos(3x)}{\sqrt{4-\sin^2(3x)}} dx &= \frac{1}{3} \text{Subst} \left( \int \frac{1}{\sqrt{4-x^2}} dx, x, \sin(3x) \right) \\ &= \frac{1}{3} \sin^{-1}\left(\frac{1}{2} \sin(3x)\right) \end{aligned}$$

**Mathematica [A]** time = 0.029751, size = 13, normalized size = 1.

$$\frac{1}{3} \sin^{-1}\left(\frac{1}{2} \sin(3x)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[3\*x]/Sqrt[4 - Sin[3\*x]^2], x]

[Out] ArcSin[Sin[3\*x]/2]/3

---

**Maple [A]** time = 0.031, size = 10, normalized size = 0.8

$$\frac{1}{3} \arcsin\left(\frac{\sin(3x)}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(3\*x)/(4-sin(3\*x)^2)^(1/2),x)

[Out] 1/3\*arcsin(1/2\*sin(3\*x))

---

**Maxima [A]** time = 1.43736, size = 12, normalized size = 0.92

$$\frac{1}{3} \arcsin\left(\frac{1}{2} \sin(3x)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(3\*x)/(4-sin(3\*x)^2)^(1/2),x, algorithm="maxima")

[Out] 1/3\*arcsin(1/2\*sin(3\*x))

---

**Fricas [B]** time = 2.08545, size = 200, normalized size = 15.38

$$\frac{1}{6} \arctan\left(\frac{\sqrt{\cos(3x)^2 + 3(\cos(3x)^2 + 1)\sin(3x) - 4\cos(3x)\sin(3x)}}{\cos(3x)^4 + 6\cos(3x)^2 - 3}\right) + \frac{1}{6} \arctan\left(\frac{\sin(3x)}{\cos(3x)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(3\*x)/(4-sin(3\*x)^2)^(1/2),x, algorithm="fricas")

[Out] 1/6\*arctan((sqrt(cos(3\*x)^2 + 3\*(cos(3\*x)^2 + 1)\*sin(3\*x) - 4\*cos(3\*x)\*sin(3\*x))/(cos(3\*x)^4 + 6\*cos(3\*x)^2 - 3)) + 1/6\*arctan(sin(3\*x)/cos(3\*x))

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(3x)}{\sqrt{-(\sin(3x) - 2)(\sin(3x) + 2)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(3\*x)/(4-sin(3\*x)\*\*2)\*\*(1/2),x)

[Out] Integral(cos(3\*x)/sqrt(-(sin(3\*x) - 2)\*(sin(3\*x) + 2)), x)

---

**Giac [A]** time = 1.16606, size = 12, normalized size = 0.92

$$\frac{1}{3} \arcsin\left(\frac{1}{2} \sin(3x)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(3*x)/(4-sin(3*x)^2)^(1/2),x, algorithm="giac")
```

```
[Out] 1/3*arcsin(1/2*sin(3*x))
```

### 3.670 $\int \cos(x)\sqrt{1 + \csc(x)} dx$

**Optimal.** Leaf size=21

$$\sin(x)\sqrt{\csc(x)+1} + \tanh^{-1}\left(\sqrt{\csc(x)+1}\right)$$

[Out] ArcTanh[Sqrt[1 + Csc[x]]] + Sqrt[1 + Csc[x]]\*Sin[x]

**Rubi [A]** time = 0.0239342, antiderivative size = 21, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$ , Rules used = {3873, 47, 63, 207}

$$\sin(x)\sqrt{\csc(x)+1} + \tanh^{-1}\left(\sqrt{\csc(x)+1}\right)$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Sqrt[1 + Csc[x]], x]

[Out] ArcTanh[Sqrt[1 + Csc[x]]] + Sqrt[1 + Csc[x]]\*Sin[x]

#### Rule 3873

Int[cos[(e\_.) + (f\_.)\*(x\_)]^(p\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.))^(m\_.), x\_Symbol] :> -Dist[(f\*b^(p - 1))^(-1), Subst[Int[(-a + b\*x)^((p - 1)/2)\*(a + b\*x)^(m + (p - 1)/2)]/x^(p + 1), x], x, Csc[e + f\*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && EqQ[a^2 - b^2, 0]

#### Rule 47

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] :> Simp[((a + b\*x)^(m + 1)\*(c + d\*x)^n)/(b\*(m + 1)), x] - Dist[(d\*n)/(b\*(m + 1)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !IntegerQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2\*n + m + 1, 0])) && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 207

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned}
\int \cos(x)\sqrt{1+\csc(x)} dx &= -\text{Subst}\left(\int \frac{\sqrt{1+x}}{x^2} dx, x, \csc(x)\right) \\
&= \sqrt{1+\csc(x)}\sin(x) - \frac{1}{2}\text{Subst}\left(\int \frac{1}{x\sqrt{1+x}} dx, x, \csc(x)\right) \\
&= \sqrt{1+\csc(x)}\sin(x) - \text{Subst}\left(\int \frac{1}{-1+x^2} dx, x, \sqrt{1+\csc(x)}\right) \\
&= \tanh^{-1}\left(\sqrt{1+\csc(x)}\right) + \sqrt{1+\csc(x)}\sin(x)
\end{aligned}$$

**Mathematica [A]** time = 0.0151509, size = 21, normalized size = 1.

$$\sin(x)\sqrt{\csc(x)+1} + \tanh^{-1}\left(\sqrt{\csc(x)+1}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Sqrt[1 + Csc[x]], x]

[Out] ArcTanh[Sqrt[1 + Csc[x]]] + Sqrt[1 + Csc[x]]\*Sin[x]

**Maple [B]** time = 0.034, size = 48, normalized size = 2.3

$$\frac{1}{2}\left(1 + \sqrt{1 + \csc(x)}\right)^{-1} + \frac{1}{2}\ln\left(1 + \sqrt{1 + \csc(x)}\right) + \frac{1}{2}\left(\sqrt{1 + \csc(x)} - 1\right)^{-1} - \frac{1}{2}\ln\left(\sqrt{1 + \csc(x)} - 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*(1+csc(x))^(1/2), x)

[Out] 1/2/(1+(1+csc(x))^(1/2))+1/2\*ln(1+(1+csc(x))^(1/2))+1/2/((1+csc(x))^(1/2)-1)-1/2\*ln((1+csc(x))^(1/2)-1)

**Maxima [B]** time = 0.94912, size = 51, normalized size = 2.43

$$\sqrt{\frac{1}{\sin(x)} + 1}\sin(x) + \frac{1}{2}\log\left(\sqrt{\frac{1}{\sin(x)} + 1} + 1\right) - \frac{1}{2}\log\left(\sqrt{\frac{1}{\sin(x)} + 1} - 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*(1+csc(x))^(1/2), x, algorithm="maxima")

[Out] sqrt(1/sin(x) + 1)\*sin(x) + 1/2\*log(sqrt(1/sin(x) + 1) + 1) - 1/2\*log(sqrt(1/sin(x) + 1) - 1)

**Fricas [B]** time = 2.02988, size = 271, normalized size = 12.9

$$\sqrt{\frac{\sin(x)+1}{\sin(x)}}\sin(x) + \frac{1}{2}\log\left(\frac{2\left(\sqrt{\frac{\sin(x)+1}{\sin(x)}}\sin(x) + \sin(x) + 1\right)}{\cos(x) + \sin(x) + 1}\right) - \frac{1}{2}\log\left(\frac{2\left(\sqrt{\frac{\sin(x)+1}{\sin(x)}}\sin(x) - \sin(x) - 1\right)}{\cos(x) + \sin(x) + 1}\right)$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)*(1+csc(x))^(1/2),x, algorithm="fricas")
```

```
[Out] sqrt((sin(x) + 1)/sin(x))*sin(x) + 1/2*log(2*(sqrt((sin(x) + 1)/sin(x))*sin(x) + sin(x) + 1)/(cos(x) + sin(x) + 1)) - 1/2*log(-2*(sqrt((sin(x) + 1)/sin(x))*sin(x) - sin(x) - 1)/(cos(x) + sin(x) + 1))
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{\csc(x) + 1} \cos(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)*(1+csc(x))**(1/2),x)
```

```
[Out] Integral(sqrt(csc(x) + 1)*cos(x), x)
```

**Giac [B]** time = 1.14278, size = 51, normalized size = 2.43

$$\frac{1}{2} \left( 2 \sqrt{\sin(x)^2 + \sin(x)} - \log \left( \left| 2 \sqrt{\sin(x)^2 + \sin(x)} - 2 \sin(x) - 1 \right| \right) \right) \operatorname{sgn}(\sin(x))$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)*(1+csc(x))^(1/2),x, algorithm="giac")
```

```
[Out] 1/2*(2*sqrt(sin(x)^2 + sin(x)) - log(abs(2*sqrt(sin(x)^2 + sin(x)) - 2*sin(x) - 1)))*sgn(sin(x))
```

$$3.671 \quad \int \cos(x) \sqrt{4 - \sin^2(x)} dx$$

**Optimal.** Leaf size=28

$$2 \sin^{-1} \left( \frac{\sin(x)}{2} \right) + \frac{1}{2} \sin(x) \sqrt{4 - \sin^2(x)}$$

[Out] 2\*ArcSin[Sin[x]/2] + (Sin[x]\*Sqrt[4 - Sin[x]^2])/2

**Rubi [A]** time = 0.026376, antiderivative size = 28, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {3190, 195, 216}

$$2 \sin^{-1} \left( \frac{\sin(x)}{2} \right) + \frac{1}{2} \sin(x) \sqrt{4 - \sin^2(x)}$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Sqrt[4 - Sin[x]^2], x]

[Out] 2\*ArcSin[Sin[x]/2] + (Sin[x]\*Sqrt[4 - Sin[x]^2])/2

#### Rule 3190

Int[cos[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2)^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Sin[e + f\*x], x]}, Dist[ff/f, Subst[Int[(1 - ff^2\*x^2)^((m - 1)/2)\*(a + b\*ff^2\*x^2)^p, x], x, Sin[e + f\*x]/ff], x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]

#### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rubi steps

$$\begin{aligned} \int \cos(x) \sqrt{4 - \sin^2(x)} dx &= \text{Subst} \left( \int \sqrt{4 - x^2} dx, x, \sin(x) \right) \\ &= \frac{1}{2} \sin(x) \sqrt{4 - \sin^2(x)} + 2 \text{Subst} \left( \int \frac{1}{\sqrt{4 - x^2}} dx, x, \sin(x) \right) \\ &= 2 \sin^{-1} \left( \frac{\sin(x)}{2} \right) + \frac{1}{2} \sin(x) \sqrt{4 - \sin^2(x)} \end{aligned}$$

**Mathematica [A]** time = 0.0177558, size = 28, normalized size = 1.

$$2 \sin^{-1} \left( \frac{\sin(x)}{2} \right) + \frac{1}{2} \sin(x) \sqrt{4 - \sin^2(x)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Sqrt[4 - Sin[x]^2],x]

[Out] 2\*ArcSin[Sin[x]/2] + (Sin[x]\*Sqrt[4 - Sin[x]^2])/2

**Maple [A]** time = 0.023, size = 23, normalized size = 0.8

$$2 \arcsin(1/2 \sin(x)) + \frac{\sin(x)}{2} \sqrt{4 - (\sin(x))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*(4-sin(x)^2)^(1/2),x)

[Out] 2\*arcsin(1/2\*sin(x))+1/2\*sin(x)\*(4-sin(x)^2)^(1/2)

**Maxima [A]** time = 1.49782, size = 30, normalized size = 1.07

$$\frac{1}{2} \sqrt{-\sin(x)^2 + 4} \sin(x) + 2 \arcsin\left(\frac{1}{2} \sin(x)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*(4-sin(x)^2)^(1/2),x, algorithm="maxima")

[Out] 1/2\*sqrt(-sin(x)^2 + 4)\*sin(x) + 2\*arcsin(1/2\*sin(x))

**Fricas [B]** time = 2.22431, size = 208, normalized size = 7.43

$$\frac{1}{2} \sqrt{\cos(x)^2 + 3} \sin(x) + \arctan\left(\frac{\sqrt{\cos(x)^2 + 3}(\cos(x)^2 + 1)\sin(x) - 4\cos(x)\sin(x)}{\cos(x)^4 + 6\cos(x)^2 - 3}\right) + \arctan\left(\frac{\sin(x)}{\cos(x)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*(4-sin(x)^2)^(1/2),x, algorithm="fricas")

[Out] 1/2\*sqrt(cos(x)^2 + 3)\*sin(x) + arctan((sqrt(cos(x)^2 + 3)\*(cos(x)^2 + 1)\*sin(x) - 4\*cos(x)\*sin(x))/(cos(x)^4 + 6\*cos(x)^2 - 3)) + arctan(sin(x)/cos(x))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-(\sin(x) - 2)(\sin(x) + 2)} \cos(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*(4-sin(x)\*\*2)\*\*(1/2),x)

[Out] `Integral(sqrt(-(sin(x) - 2)*(sin(x) + 2))*cos(x), x)`

---

**Giac [A]** time = 1.09273, size = 30, normalized size = 1.07

$$\frac{1}{2} \sqrt{-\sin(x)^2 + 4 \sin(x) + 2} \arcsin\left(\frac{1}{2} \sin(x)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*(4-sin(x)^2)^(1/2),x, algorithm="giac")`

[Out] `1/2*sqrt(-sin(x)^2 + 4)*sin(x) + 2*arcsin(1/2*sin(x))`

$$3.672 \quad \int \cos(x) \sin(x) \sqrt{1 + \sin^2(x)} dx$$

**Optimal.** Leaf size=14

$$\frac{1}{3} (\sin^2(x) + 1)^{3/2}$$

[Out] (1 + Sin[x]^2)^(3/2)/3

**Rubi [A]** time = 0.0341567, antiderivative size = 14, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$ , Rules used = {3198, 261}

$$\frac{1}{3} (\sin^2(x) + 1)^{3/2}$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Sin[x]\*Sqrt[1 + Sin[x]^2], x]

[Out] (1 + Sin[x]^2)^(3/2)/3

#### Rule 3198

Int[cos[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2)^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Sin[e + f\*x], x]}, Dist[ff/f, Subst[Int[(d\*ff\*x)^n\*(1 - ff^2\*x^2)^((m - 1)/2)\*(a + b\*ff^2\*x^2)^p, x], x, Sin[e + f\*x]/ff], x] /; FreeQ[{a, b, d, e, f, n, p}, x] && IntegerQ[(m - 1)/2]

#### Rule 261

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_.), x\_Symbol] :> Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

#### Rubi steps

$$\begin{aligned} \int \cos(x) \sin(x) \sqrt{1 + \sin^2(x)} dx &= \text{Subst} \left( \int x \sqrt{1 + x^2} dx, x, \sin(x) \right) \\ &= \frac{1}{3} (1 + \sin^2(x))^{3/2} \end{aligned}$$

**Mathematica [A]** time = 0.0067136, size = 14, normalized size = 1.

$$\frac{1}{3} (\sin^2(x) + 1)^{3/2}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Sin[x]\*Sqrt[1 + Sin[x]^2], x]

[Out] (1 + Sin[x]^2)^(3/2)/3

---

**Maple [A]** time = 0.006, size = 11, normalized size = 0.8

$$\frac{1}{3} \left(1 + (\sin(x))^2\right)^{\frac{3}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(x)*sin(x)*(1+sin(x)^2)^(1/2),x)`

[Out] `1/3*(1+sin(x)^2)^(3/2)`

---

**Maxima [A]** time = 0.964293, size = 14, normalized size = 1.

$$\frac{1}{3} \left(\sin(x)^2 + 1\right)^{\frac{3}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*sin(x)*(1+sin(x)^2)^(1/2),x, algorithm="maxima")`

[Out] `1/3*(sin(x)^2 + 1)^(3/2)`

---

**Fricas [A]** time = 2.14527, size = 36, normalized size = 2.57

$$\frac{1}{3} \left(-\cos(x)^2 + 2\right)^{\frac{3}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*sin(x)*(1+sin(x)^2)^(1/2),x, algorithm="fricas")`

[Out] `1/3*(-cos(x)^2 + 2)^(3/2)`

---

**Sympy [B]** time = 0.877731, size = 27, normalized size = 1.93

$$\frac{\sqrt{\sin^2(x) + 1} \sin^2(x)}{3} + \frac{\sqrt{\sin^2(x) + 1}}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*sin(x)*(1+sin(x)**2)**(1/2),x)`

[Out] `sqrt(sin(x)**2 + 1)*sin(x)**2/3 + sqrt(sin(x)**2 + 1)/3`

---

**Giac [A]** time = 1.11555, size = 14, normalized size = 1.

$$\frac{1}{3} \left(\sin(x)^2 + 1\right)^{\frac{3}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)*sin(x)*(1+sin(x)^2)^(1/2),x, algorithm="giac")
```

```
[Out] 1/3*(sin(x)^2 + 1)^(3/2)
```

$$3.673 \quad \int \frac{\cos(x)}{\sqrt{2\sin(x)+\sin^2(x)}} dx$$

**Optimal.** Leaf size=19

$$2 \tanh^{-1} \left( \frac{\sin(x)}{\sqrt{\sin^2(x) + 2\sin(x)}} \right)$$

[Out] 2\*ArcTanh[Sin[x]/Sqrt[2\*Sin[x] + Sin[x]^2]]

**Rubi [A]** time = 0.0316316, antiderivative size = 19, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$ , Rules used = {3258, 620, 206}

$$2 \tanh^{-1} \left( \frac{\sin(x)}{\sqrt{\sin^2(x) + 2\sin(x)}} \right)$$

Antiderivative was successfully verified.

[In] Int[Cos[x]/Sqrt[2\*Sin[x] + Sin[x]^2],x]

[Out] 2\*ArcTanh[Sin[x]/Sqrt[2\*Sin[x] + Sin[x]^2]]

#### Rule 3258

```
Int[cos[(d_.) + (e_.)*(x_)]^(m_.)*((a_.) + (b_.)*((f_.)*sin[(d_.) + (e_.)*(x_)]^(n_.) + (c_.)*((f_.)*sin[(d_.) + (e_.)*(x_)]^(n2_.))^(p_.), x_Symbol]
  := Module[{g = FreeFactors[Sin[d + e*x], x]}, Dist[g/e, Subst[Int[(1 - g^2*x^2)^((m - 1)/2)*(a + b*(f*g*x)^n + c*(f*g*x)^(2*n))^p, x], x, Sin[d + e*x]/g], x]
  /; FreeQ[{a, b, c, d, e, f, n, p}, x] && EqQ[n2, 2*n] && IntegerQ[(m - 1)/2]
```

#### Rule 620

```
Int[1/Sqrt[(b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] := Dist[2, Subst[Int[1/(1 - c*x^2), x], x, x/Sqrt[b*x + c*x^2]], x]
  /; FreeQ[{b, c}, x]
```

#### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x]
  /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

#### Rubi steps



$$\begin{aligned} \int \frac{\cos(x)}{\sqrt{2 \sin(x) + \sin^2(x)}} dx &= \text{Subst} \left( \int \frac{1}{\sqrt{2x + x^2}} dx, x, \sin(x) \right) \\ &= 2 \text{Subst} \left( \int \frac{1}{1 - x^2} dx, x, \frac{\sin(x)}{\sqrt{2 \sin(x) + \sin^2(x)}} \right) \\ &= 2 \tanh^{-1} \left( \frac{\sin(x)}{\sqrt{2 \sin(x) + \sin^2(x)}} \right) \end{aligned}$$

**Mathematica [B]** time = 0.0181688, size = 40, normalized size = 2.11

$$\frac{2\sqrt{\sin(x)}\sqrt{\sin(x)+2} \sinh^{-1}\left(\frac{\sqrt{\sin(x)}}{\sqrt{2}}\right)}{\sqrt{\sin(x)(\sin(x)+2)}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]/Sqrt[2\*Sin[x] + Sin[x]^2],x]

[Out] (2\*ArcSinh[Sqrt[Sin[x]]/Sqrt[2]]\*Sqrt[Sin[x]]\*Sqrt[2 + Sin[x]])/Sqrt[Sin[x]\*(2 + Sin[x])]

**Maple [A]** time = 0.036, size = 17, normalized size = 0.9

$$\ln\left(1 + \sin(x) + \sqrt{2 \sin(x) + (\sin(x))^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)/(2\*sin(x)+sin(x)^2)^(1/2),x)

[Out] ln(1+sin(x)+(2\*sin(x)+sin(x)^2)^(1/2))

**Maxima [A]** time = 0.952721, size = 27, normalized size = 1.42

$$\log\left(2\sqrt{\sin(x)^2 + 2 \sin(x) + 2 \sin(x) + 2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)/(2\*sin(x)+sin(x)^2)^(1/2),x, algorithm="maxima")

[Out] log(2\*sqrt(sin(x)^2 + 2\*sin(x)) + 2\*sin(x) + 2)

**Fricas [B]** time = 3.78977, size = 115, normalized size = 6.05

$$\frac{1}{2} \log\left(-2 \cos(x)^2 + 2\sqrt{-\cos(x)^2 + 2 \sin(x) + 1(\sin(x) + 1) + 4 \sin(x) + 3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)/(2*sin(x)+sin(x)^2)^(1/2),x, algorithm="fricas")`

[Out]  $\frac{1}{2} \log(-2 \cos(x)^2 + 2 \sqrt{-\cos(x)^2 + 2 \sin(x) + 1} (\sin(x) + 1) + 4 \sin(x) + 3)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)/(2*sin(x)+sin(x)**2)**(1/2),x)`

[Out] Timed out

**Giac [A]** time = 1.09747, size = 27, normalized size = 1.42

$$-\log\left(-\sqrt{\sin(x)^2 + 2 \sin(x) + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)/(2*sin(x)+sin(x)^2)^(1/2),x, algorithm="giac")`

[Out]  $-\log(-\sqrt{\sin(x)^2 + 2 \sin(x)} + \sin(x) + 1)$

### 3.674 $\int \cos(x) \cos(\sin(x)) dx$

**Optimal.** Leaf size=3

$\sin(\sin(x))$

[Out] Sin[Sin[x]]

**Rubi [A]** time = 0.0084907, antiderivative size = 3, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4334, 2637}

$\sin(\sin(x))$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Cos[Sin[x]],x]

[Out] Sin[Sin[x]]

#### Rule 4334

Int[(u\_)\*(F\_)[(c\_.)\*((a\_.) + (b\_.)\*(x\_))], x\_Symbol] :> With[{d = FreeFactors[Sin[c\*(a + b\*x)], x]}, Dist[d/(b\*c), Subst[Int[SubstFor[1, Sin[c\*(a + b\*x)]]/d, u, x], x], x, Sin[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Sin[c\*(a + b\*x)]/d, u, x, True] /; FreeQ[{a, b, c}, x] && (EqQ[F, Cos] || EqQ[F, cos])

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \cos(x) \cos(\sin(x)) dx &= \text{Subst}\left(\int \cos(x) dx, x, \sin(x)\right) \\ &= \sin(\sin(x)) \end{aligned}$$

**Mathematica [A]** time = 1.48304, size = 3, normalized size = 1.

$\sin(\sin(x))$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Cos[Sin[x]],x]

[Out] Sin[Sin[x]]

**Maple [A]** time = 0.007, size = 4, normalized size = 1.3

$\sin(\sin(x))$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(x)*cos(sin(x)),x)`

[Out] `sin(sin(x))`

---

**Maxima [A]** time = 0.969698, size = 4, normalized size = 1.33

`sin(sin(x))`

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*cos(sin(x)),x, algorithm="maxima")`

[Out] `sin(sin(x))`

---

**Fricas [B]** time = 2.15008, size = 51, normalized size = 17.

$$\sin\left(\frac{2 \tan\left(\frac{1}{2}x\right)}{\tan\left(\frac{1}{2}x\right)^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*cos(sin(x)),x, algorithm="fricas")`

[Out] `sin(2*tan(1/2*x)/(tan(1/2*x)^2 + 1))`

---

**Sympy [A]** time = 0.540292, size = 3, normalized size = 1.

`sin(sin(x))`

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*cos(sin(x)),x)`

[Out] `sin(sin(x))`

---

**Giac [A]** time = 1.07498, size = 4, normalized size = 1.33

`sin(sin(x))`

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*cos(sin(x)),x, algorithm="giac")`

[Out] `sin(sin(x))`

$$3.675 \quad \int \cos(x) \cos(\sin(x)) \cos(\sin(\sin(x))) dx$$

**Optimal.** Leaf size=4

$\sin(\sin(\sin(x)))$

[Out] Sin[Sin[Sin[x]]]

**Rubi [A]** time = 0.0216749, antiderivative size = 4, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {4334, 2637}

$\sin(\sin(\sin(x)))$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Cos[Sin[x]]\*Cos[Sin[Sin[x]]],x]

[Out] Sin[Sin[Sin[x]]]

**Rule 4334**

Int[(u\_)\*(F\_)[(c\_.)\*((a\_.) + (b\_.)\*(x\_))], x\_Symbol] :> With[{d = FreeFactors[Sin[c\*(a + b\*x)], x]}, Dist[d/(b\*c), Subst[Int[SubstFor[1, Sin[c\*(a + b\*x)]]/d, u, x], x], x, Sin[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Sin[c\*(a + b\*x)]/d, u, x, True] /; FreeQ[{a, b, c}, x] && (EqQ[F, Cos] || EqQ[F, cos])

**Rule 2637**

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

**Rubi steps**

$$\begin{aligned} \int \cos(x) \cos(\sin(x)) \cos(\sin(\sin(x))) dx &= \text{Subst}\left(\int \cos(x) \cos(\sin(x)) dx, x, \sin(x)\right) \\ &= \text{Subst}\left(\int \cos(x) dx, x, \sin(\sin(x))\right) \\ &= \sin(\sin(\sin(x))) \end{aligned}$$

**Mathematica [A]** time = 7.6869, size = 4, normalized size = 1.

$\sin(\sin(\sin(x)))$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Cos[Sin[x]]\*Cos[Sin[Sin[x]]],x]

[Out] Sin[Sin[Sin[x]]]

**Maple [A]** time = 0.012, size = 5, normalized size = 1.3

$$\sin(\sin(\sin(x)))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(x)*cos(sin(x))*cos(sin(sin(x))),x)`

[Out] `sin(sin(sin(x)))`

**Maxima [A]** time = 0.952398, size = 5, normalized size = 1.25

$$\sin(\sin(\sin(x)))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*cos(sin(x))*cos(sin(sin(x))),x, algorithm="maxima")`

[Out] `sin(sin(sin(x)))`

**Fricas [B]** time = 2.15143, size = 116, normalized size = 29.

$$\sin\left(\frac{2 \tan\left(\frac{\tan\left(\frac{1}{2}x\right)}{\tan\left(\frac{1}{2}x\right)^2 + 1}\right)}{\tan\left(\frac{\tan\left(\frac{1}{2}x\right)}{\tan\left(\frac{1}{2}x\right)^2 + 1}\right)^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*cos(sin(x))*cos(sin(sin(x))),x, algorithm="fricas")`

[Out] `sin(2*tan(tan(1/2*x)/(tan(1/2*x)^2 + 1))/(tan(tan(1/2*x)/(tan(1/2*x)^2 + 1))^2 + 1))`

**Sympy [A]** time = 12.9891, size = 5, normalized size = 1.25

$$\sin(\sin(\sin(x)))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*cos(sin(x))*cos(sin(sin(x))),x)`

[Out] `sin(sin(sin(x)))`

**Giac [A]** time = 1.09896, size = 5, normalized size = 1.25

$$\sin(\sin(\sin(x)))$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)*cos(sin(x))*cos(sin(sin(x))),x, algorithm="giac")
```

```
[Out] sin(sin(sin(x)))
```

### 3.676 $\int \cos(x) \sec(\sin(x)) dx$

**Optimal.** Leaf size=4

$$\tanh^{-1}(\sin(\sin(x)))$$

[Out] ArcTanh[Sin[Sin[x]]]

**Rubi [A]** time = 0.0069563, antiderivative size = 4, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4334, 3770}

$$\tanh^{-1}(\sin(\sin(x)))$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Sec[Sin[x]],x]

[Out] ArcTanh[Sin[Sin[x]]]

#### Rule 4334

```
Int[(u_)*(F_)[(c_.)*((a_.) + (b_.)*(x_))], x_Symbol] := With[{d = FreeFactors[Sin[c*(a + b*x)], x]}, Dist[d/(b*c), Subst[Int[SubstFor[1, Sin[c*(a + b*x)]]/d, u, x], x], x, Sin[c*(a + b*x)]/d, x] /; FunctionOfQ[Sin[c*(a + b*x)]/d, u, x, True]] /; FreeQ[{a, b, c}, x] && (EqQ[F, Cos] || EqQ[F, cos])
```

#### Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

#### Rubi steps

$$\begin{aligned} \int \cos(x) \sec(\sin(x)) dx &= \text{Subst}\left(\int \sec(x) dx, x, \sin(x)\right) \\ &= \tanh^{-1}(\sin(\sin(x))) \end{aligned}$$

**Mathematica [A]** time = 0.0045549, size = 4, normalized size = 1.

$$\tanh^{-1}(\sin(\sin(x)))$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Sec[Sin[x]],x]

[Out] ArcTanh[Sin[Sin[x]]]

**Maple [A]** time = 0.009, size = 9, normalized size = 2.3

$$\ln(\sec(\sin(x)) + \tan(\sin(x)))$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(x)*sec(sin(x)),x)`

[Out] `ln(sec(sin(x))+tan(sin(x)))`

**Maxima [B]** time = 0.950847, size = 11, normalized size = 2.75

`log(sec(sin(x)) + tan(sin(x)))`

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*sec(sin(x)),x, algorithm="maxima")`

[Out] `log(sec(sin(x)) + tan(sin(x)))`

**Fricas [B]** time = 2.08479, size = 140, normalized size = 35.

$$\frac{1}{2} \log \left( \sin \left( \frac{2 \tan \left( \frac{1}{2} x \right)}{\tan \left( \frac{1}{2} x \right)^2 + 1} \right) + 1 \right) - \frac{1}{2} \log \left( -\sin \left( \frac{2 \tan \left( \frac{1}{2} x \right)}{\tan \left( \frac{1}{2} x \right)^2 + 1} \right) + 1 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*sec(sin(x)),x, algorithm="fricas")`

[Out] `1/2*log(sin(2*tan(1/2*x)/(tan(1/2*x)^2 + 1)) + 1) - 1/2*log(-sin(2*tan(1/2*x)/(tan(1/2*x)^2 + 1)) + 1)`

**Sympy [A]** time = 1.72252, size = 10, normalized size = 2.5

`log(tan(sin(x)) + sec(sin(x)))`

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*sec(sin(x)),x)`

[Out] `log(tan(sin(x)) + sec(sin(x)))`

**Giac [B]** time = 1.08891, size = 39, normalized size = 9.75

$$\frac{1}{4} \log \left( \left| \frac{1}{\sin(\sin(x))} + \sin(\sin(x)) + 2 \right| \right) - \frac{1}{4} \log \left( \left| \frac{1}{\sin(\sin(x))} + \sin(\sin(x)) - 2 \right| \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*sec(sin(x)),x, algorithm="giac")`

[Out] `1/4*log(abs(1/sin(sin(x)) + sin(sin(x)) + 2)) - 1/4*log(abs(1/sin(sin(x)) + sin(sin(x)) - 2))`

$$3.677 \quad \int \cos(x) \sin^3(x) (a + b \sin^2(x))^3 dx$$

**Optimal.** Leaf size=36

$$\frac{(a + b \sin^2(x))^5}{10b^2} - \frac{a(a + b \sin^2(x))^4}{8b^2}$$

[Out]  $-(a*(a + b*\text{Sin}[x]^2)^4)/(8*b^2) + (a + b*\text{Sin}[x]^2)^5/(10*b^2)$

**Rubi [A]** time = 0.076912, antiderivative size = 36, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$ , Rules used = {3198, 266, 43}

$$\frac{(a + b \sin^2(x))^5}{10b^2} - \frac{a(a + b \sin^2(x))^4}{8b^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[x]*\text{Sin}[x]^3*(a + b*\text{Sin}[x]^2)^3, x]$

[Out]  $-(a*(a + b*\text{Sin}[x]^2)^4)/(8*b^2) + (a + b*\text{Sin}[x]^2)^5/(10*b^2)$

#### Rule 3198

$\text{Int}[\cos[(e_.) + (f_.)*(x_.)]^{(m_.)}*((d_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^2)^{(p_.)}, x\_Symbol] := \text{With}[\{ff = \text{FreeFactors}[\text{Sin}[e + f*x], x]\}, \text{Dist}[ff/f, \text{Subst}[\text{Int}[(d*ff*x)^n*(1 - ff^2*x^2)^{(m-1)/2}*(a + b*ff^2*x^2)^p, x], x, \text{Sin}[e + f*x]/ff], x]] /; \text{FreeQ}[\{a, b, d, e, f, n, p\}, x] \&\& \text{IntegerQ}[(m-1)/2]$

#### Rule 266

$\text{Int}[(x_)^{(m_.)}*((a_.) + (b_.)*(x_)^{(n_.)})^{(p_.)}, x\_Symbol] := \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m+1)/n] - 1)*(a + b*x)^p, x}], x, x^n], x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \&\& \text{IntegerQ}[\text{Simplify}[(m+1)/n]]$

#### Rule 43

$\text{Int}[(a_.) + (b_.)*(x_)^{(m_.)}*((c_.) + (d_.)*(x_)^{(n_.)}), x\_Symbol] := \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /; \text{FreeQ}[\{a, b, c, d, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IGtQ}[m, 0] \&\& (!\text{IntegerQ}[n] || (\text{EqQ}[c, 0] \&\& \text{LeQ}[7*m + 4*n + 4, 0]) || \text{LtQ}[9*m + 5*(n+1), 0] || \text{GtQ}[m + n + 2, 0])$

#### Rubi steps

$$\begin{aligned} \int \cos(x) \sin^3(x) (a + b \sin^2(x))^3 dx &= \text{Subst} \left( \int x^3 (a + bx^2)^3 dx, x, \sin(x) \right) \\ &= \frac{1}{2} \text{Subst} \left( \int x(a + bx)^3 dx, x, \sin^2(x) \right) \\ &= \frac{1}{2} \text{Subst} \left( \int \left( -\frac{a(a + bx)^3}{b} + \frac{(a + bx)^4}{b} \right) dx, x, \sin^2(x) \right) \\ &= -\frac{a(a + b \sin^2(x))^4}{8b^2} + \frac{(a + b \sin^2(x))^5}{10b^2} \end{aligned}$$

**Mathematica [B]** time = 0.42499, size = 128, normalized size = 3.56

$$\frac{-20(64a^3 + 24ab^2 + 7b^3)\cos(2x) + 20(16a^3 + 18ab^2 + 5b^3)\cos(4x) + b(3840a^2\sin^4(x) - 1280a^2\sin(3x)\sin^3(x) + 20a^2\sin^2(x)\cos(3x) - 20a^2\cos^3(x))}{10240}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Sin[x]^3\*(a + b\*SIN[x]^2)^3,x]

[Out] (-20\*(64\*a^3 + 24\*a\*b^2 + 7\*b^3)\*Cos[2\*x] + 20\*(16\*a^3 + 18\*a\*b^2 + 5\*b^3)\*Cos[4\*x] + b\*(-10\*b\*(16\*a + 5\*b)\*Cos[6\*x] + 15\*b\*(2\*a + b)\*Cos[8\*x] - 2\*b^2\*Cos[10\*x] + 3840\*a^2\*SIN[x]^4 + 2560\*a\*b\*SIN[x]^6 + 640\*b^2\*SIN[x]^8 - 1280\*a^2\*SIN[x]^3\*SIN[3\*x]))/10240

**Maple [A]** time = 0.011, size = 40, normalized size = 1.1

$$\frac{b^3(\sin(x))^{10}}{10} + \frac{3ab^2(\sin(x))^8}{8} + \frac{a^2b(\sin(x))^6}{2} + \frac{(\sin(x))^4 a^3}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*sin(x)^3\*(a+b\*sin(x)^2)^3,x)

[Out] 1/10\*b^3\*sin(x)^10+3/8\*a\*b^2\*sin(x)^8+1/2\*a^2\*b\*sin(x)^6+1/4\*a^3\*sin(x)^4

**Maxima [A]** time = 0.982705, size = 53, normalized size = 1.47

$$\frac{1}{10}b^3\sin(x)^{10} + \frac{3}{8}ab^2\sin(x)^8 + \frac{1}{2}a^2b\sin(x)^6 + \frac{1}{4}a^3\sin(x)^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sin(x)^3\*(a+b\*sin(x)^2)^3,x, algorithm="maxima")

[Out] 1/10\*b^3\*sin(x)^10 + 3/8\*a\*b^2\*sin(x)^8 + 1/2\*a^2\*b\*sin(x)^6 + 1/4\*a^3\*sin(x)^4

**Fricas [B]** time = 2.22598, size = 258, normalized size = 7.17

$$-\frac{1}{10}b^3\cos(x)^{10} + \frac{1}{8}(3ab^2 + 4b^3)\cos(x)^8 - \frac{1}{2}(a^2b + 3ab^2 + 2b^3)\cos(x)^6 + \frac{1}{4}(a^3 + 6a^2b + 9ab^2 + 4b^3)\cos(x)^4 - \frac{1}{2}(a^3 + 3a^2b + 3ab^2 + b^3)\cos(x)^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sin(x)^3\*(a+b\*sin(x)^2)^3,x, algorithm="fricas")

[Out] -1/10\*b^3\*cos(x)^10 + 1/8\*(3\*a\*b^2 + 4\*b^3)\*cos(x)^8 - 1/2\*(a^2\*b + 3\*a\*b^2 + 2\*b^3)\*cos(x)^6 + 1/4\*(a^3 + 6\*a^2\*b + 9\*a\*b^2 + 4\*b^3)\*cos(x)^4 - 1/2\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*cos(x)^2

**Sympy [B]** time = 16.575, size = 102, normalized size = 2.83

$$\frac{a^3 \sin^4(x)}{4} + \frac{a^2 b \sin^6(x)}{2} + \frac{3ab^2 \sin^8(x)}{8} - \frac{b^3 \sin^8(x) \cos^2(x)}{2} - b^3 \sin^6(x) \cos^4(x) - b^3 \sin^4(x) \cos^6(x) - \frac{b^3 \sin^2(x) \cos^8(x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sin(x)\*\*3\*(a+b\*sin(x)\*\*2)\*\*3,x)

[Out] a\*\*3\*sin(x)\*\*4/4 + a\*\*2\*b\*sin(x)\*\*6/2 + 3\*a\*b\*\*2\*sin(x)\*\*8/8 - b\*\*3\*sin(x)\*  
\*8\*cos(x)\*\*2/2 - b\*\*3\*sin(x)\*\*6\*cos(x)\*\*4 - b\*\*3\*sin(x)\*\*4\*cos(x)\*\*6 - b\*\*3  
\*sin(x)\*\*2\*cos(x)\*\*8/2 - b\*\*3\*cos(x)\*\*10/10

**Giac [A]** time = 1.13995, size = 53, normalized size = 1.47

$$\frac{1}{10} b^3 \sin(x)^{10} + \frac{3}{8} ab^2 \sin(x)^8 + \frac{1}{2} a^2 b \sin(x)^6 + \frac{1}{4} a^3 \sin(x)^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sin(x)^3\*(a+b\*sin(x)^2)^3,x, algorithm="giac")

[Out] 1/10\*b^3\*sin(x)^10 + 3/8\*a\*b^2\*sin(x)^8 + 1/2\*a^2\*b\*sin(x)^6 + 1/4\*a^3\*sin(x)^4

$$3.678 \quad \int e^{\sin(x)} \cos(x) \sin(x) dx$$

**Optimal.** Leaf size=14

$$e^{\sin(x)} \sin(x) - e^{\sin(x)}$$

[Out] -E^Sin[x] + E^Sin[x]\*Sin[x]

**Rubi [A]** time = 0.0163624, antiderivative size = 14, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4334, 2176, 2194}

$$e^{\sin(x)} \sin(x) - e^{\sin(x)}$$

Antiderivative was successfully verified.

[In] Int[E^Sin[x]\*Cos[x]\*Sin[x],x]

[Out] -E^Sin[x] + E^Sin[x]\*Sin[x]

#### Rule 4334

Int[(u\_)\*(F\_)[(c\_)\*((a\_) + (b\_)\*(x\_))], x\_Symbol] :> With[{d = FreeFactors[Sin[c\*(a + b\*x)], x]}, Dist[d/(b\*c), Subst[Int[SubstFor[1, Sin[c\*(a + b\*x)]]/d, u, x], x], x, Sin[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Sin[c\*(a + b\*x)]/d, u, x, True] /; FreeQ[{a, b, c}, x] && (EqQ[F, Cos] || EqQ[F, cos])

#### Rule 2176

Int[((b\_)\*(F\_)^((g\_)\*((e\_) + (f\_)\*(x\_))))^(n\_)\*((c\_) + (d\_)\*(x\_))^(m\_), x\_Symbol] :> Simp[((c + d\*x)^m\*(b\*F^(g\*(e + f\*x)))^n)/(f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*(b\*F^(g\*(e + f\*x)))^n, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && GtQ[m, 0] && IntegerQ[2\*m] && !\$UseGamma == True

#### Rule 2194

Int[((F\_)^((c\_)\*((a\_) + (b\_)\*(x\_))))^(n\_), x\_Symbol] :> Simp[(F^(c\*(a + b\*x)))^n/(b\*c\*n\*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]

#### Rubi steps

$$\begin{aligned} \int e^{\sin(x)} \cos(x) \sin(x) dx &= \text{Subst} \left( \int e^x x dx, x, \sin(x) \right) \\ &= e^{\sin(x)} \sin(x) - \text{Subst} \left( \int e^x dx, x, \sin(x) \right) \\ &= -e^{\sin(x)} + e^{\sin(x)} \sin(x) \end{aligned}$$

**Mathematica [A]** time = 0.0098843, size = 9, normalized size = 0.64

$$e^{\sin(x)}(\sin(x) - 1)$$

Antiderivative was successfully verified.

[In] Integrate[E^Sin[x]\*Cos[x]\*Sin[x],x]

[Out] E^Sin[x]\*(-1 + Sin[x])

**Maple [A]** time = 0.004, size = 13, normalized size = 0.9

$$-e^{\sin(x)} + e^{\sin(x)} \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(exp(sin(x))\*cos(x)\*sin(x),x)

[Out] -exp(sin(x))+exp(sin(x))\*sin(x)

**Maxima [A]** time = 0.964944, size = 11, normalized size = 0.79

$$(\sin(x) - 1)e^{\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(sin(x))\*cos(x)\*sin(x),x, algorithm="maxima")

[Out] (sin(x) - 1)\*e^sin(x)

**Fricas [A]** time = 2.16587, size = 31, normalized size = 2.21

$$(\sin(x) - 1)e^{\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(sin(x))\*cos(x)\*sin(x),x, algorithm="fricas")

[Out] (sin(x) - 1)\*e^sin(x)

**Sympy [A]** time = 0.837246, size = 12, normalized size = 0.86

$$e^{\sin(x)} \sin(x) - e^{\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(sin(x))\*cos(x)\*sin(x),x)

[Out] exp(sin(x))\*sin(x) - exp(sin(x))

**Giac [A]** time = 1.08536, size = 11, normalized size = 0.79

$$(\sin(x) - 1)e^{\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(exp(sin(x))*cos(x)*sin(x),x, algorithm="giac")
```

```
[Out] (sin(x) - 1)*e^sin(x)
```

$$3.679 \quad \int \frac{\cos^3(x)}{\sqrt{\sin^3(x)}} dx$$

**Optimal.** Leaf size=25

$$-\frac{2 \sin(x)}{\sqrt{\sin^3(x)}} - \frac{2}{3} \sqrt{\sin^3(x)}$$

[Out]  $(-2*\text{Sin}[x])/ \text{Sqrt}[\text{Sin}[x]^3] - (2*\text{Sqrt}[\text{Sin}[x]^3])/3$

**Rubi [A]** time = 0.0488918, antiderivative size = 25, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$ , Rules used = {3207, 2564, 14}

$$-\frac{2 \sin(x)}{\sqrt{\sin^3(x)}} - \frac{2}{3} \sqrt{\sin^3(x)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[x]^3/\text{Sqrt}[\text{Sin}[x]^3], x]$

[Out]  $(-2*\text{Sin}[x])/ \text{Sqrt}[\text{Sin}[x]^3] - (2*\text{Sqrt}[\text{Sin}[x]^3])/3$

#### Rule 3207

```
Int[(u_.)*((b_.)*sin[(e_.) + (f_.)*(x_)]^(n_.))^(p_), x_Symbol] :> With[{ff
= FreeFactors[Sin[e + f*x], x]}, Dist[((b*ff^n)^IntPart[p]*(b*Ssin[e + f*x]^
n)^FracPart[p])/(Sin[e + f*x]/ff)^(n*FracPart[p]), Int[ActivateTrig[u]*(Sin
[e + f*x]/ff)^(n*p), x], x]] /; FreeQ[{b, e, f, n, p}, x] && !IntegerQ[p]
&& IntegerQ[n] && (EqQ[u, 1] || MatchQ[u, ((d_.)*(trig_)[e + f*x])^(m_.) /;
FreeQ[{d, m}, x] && MemberQ[{sin, cos, tan, cot, sec, csc}, trig])]
```

#### Rule 2564

```
Int[cos[(e_.) + (f_.)*(x_)]^(n_.)*((a_.)*sin[(e_.) + (f_.)*(x_)]^(m_.), x_
Symbol] :> Dist[1/(a*f), Subst[Int[x^m*(1 - x^2/a^2)^((n - 1)/2), x], x, a*
Sin[e + f*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n - 1)/2] && !(In
tegerQ[(m - 1)/2] && LtQ[0, m, n])
```

#### Rule 14

```
Int[(u_.)*((c_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x]
, x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_)
+ (b_.)*(v_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

#### Rubi steps



$$\begin{aligned}
\int \frac{\cos^3(x)}{\sqrt{\sin^3(x)}} dx &= \frac{\sin^{\frac{3}{2}}(x) \int \frac{\cos^3(x)}{\sin^{\frac{3}{2}}(x)} dx}{\sqrt{\sin^3(x)}} \\
&= \frac{\sin^{\frac{3}{2}}(x) \text{Subst}\left(\int \frac{1-x^2}{x^{3/2}} dx, x, \sin(x)\right)}{\sqrt{\sin^3(x)}} \\
&= \frac{\sin^{\frac{3}{2}}(x) \text{Subst}\left(\int \left(\frac{1}{x^{3/2}} - \sqrt{x}\right) dx, x, \sin(x)\right)}{\sqrt{\sin^3(x)}} \\
&= -\frac{2 \sin(x)}{\sqrt{\sin^3(x)}} - \frac{2}{3} \sqrt{\sin^3(x)}
\end{aligned}$$

**Mathematica [A]** time = 0.0226984, size = 20, normalized size = 0.8

$$\frac{\sin(x)(\cos(2x) - 7)}{3\sqrt{\sin^3(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]^3/Sqrt[Sin[x]^3], x]

[Out] ((-7 + Cos[2\*x])\*Sin[x])/(3\*Sqrt[Sin[x]^3])

**Maple [A]** time = 0.577, size = 14, normalized size = 0.6

$$-\frac{2}{3}(\sin(x))^{\frac{3}{2}} - 2\frac{1}{\sqrt{\sin(x)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)^3/(sin(x)^3)^(1/2), x)

[Out] -2/3\*sin(x)^(3/2)-2/sin(x)^(1/2)

**Maxima [A]** time = 0.988047, size = 26, normalized size = 1.04

$$-\frac{2}{3}\sqrt{\sin(x)^3} - \frac{2 \sin(x)}{\sqrt{\sin(x)^3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)^3/(sin(x)^3)^(1/2), x, algorithm="maxima")

[Out] -2/3\*sqrt(sin(x)^3) - 2\*sin(x)/sqrt(sin(x)^3)

**Fricas [A]** time = 2.14133, size = 88, normalized size = 3.52

$$\frac{2(\cos(x)^2 - 4)\sqrt{-(\cos(x)^2 - 1)\sin(x)}}{3(\cos(x)^2 - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)^3/(sin(x)^3)^(1/2),x, algorithm="fricas")

[Out] -2/3\*(cos(x)^2 - 4)\*sqrt(-(cos(x)^2 - 1)\*sin(x))/(cos(x)^2 - 1)

**Sympy [A]** time = 3.24742, size = 36, normalized size = 1.44

$$-\frac{8\sin^3(x)}{3\sqrt{\sin^3(x)}} - \frac{2\sin(x)\cos^2(x)}{\sqrt{\sin^3(x)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*\*3/(sin(x)\*\*3)\*\*(1/2),x)

[Out] -8\*sin(x)\*\*3/(3\*sqrt(sin(x)\*\*3)) - 2\*sin(x)\*cos(x)\*\*2/sqrt(sin(x)\*\*3)

**Giac [A]** time = 1.08893, size = 18, normalized size = 0.72

$$-\frac{2}{3}\sin(x)^{\frac{3}{2}} - \frac{2}{\sqrt{\sin(x)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)^3/(sin(x)^3)^(1/2),x, algorithm="giac")

[Out] -2/3\*sin(x)^(3/2) - 2/sqrt(sin(x))

$$3.680 \quad \int \frac{e^{\sqrt{\sin(x)}} \cos(x)}{\sqrt{\sin(x)}} dx$$

**Optimal.** Leaf size=10

$$2e^{\sqrt{\sin(x)}}$$

[Out] 2\*E^Sqrt[Sin[x]]

**Rubi [A]** time = 0.026561, antiderivative size = 10, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$ , Rules used = {4334, 2209}

$$2e^{\sqrt{\sin(x)}}$$

Antiderivative was successfully verified.

[In] Int[(E^Sqrt[Sin[x]]\*Cos[x])/Sqrt[Sin[x]],x]

[Out] 2\*E^Sqrt[Sin[x]]

#### Rule 4334

```
Int[(u_)*(F_)[(c_)*((a_) + (b_)*(x_))], x_Symbol] :> With[{d = FreeFactors[Sin[c*(a + b*x)], x]}, Dist[d/(b*c), Subst[Int[SubstFor[1, Sin[c*(a + b*x)]]/d, u, x], x], x, Sin[c*(a + b*x)]/d, x] /; FunctionOfQ[Sin[c*(a + b*x)]/d, u, x, True] /; FreeQ[{a, b, c}, x] && (EqQ[F, Cos] || EqQ[F, cos])
```

#### Rule 2209

```
Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_)^(n_)))*((e_) + (f_)*(x_)^(m_)), x_Symbol] :> Simp[((e + f*x)^n * F^(a + b*(c + d*x)^n))/(b*f*n*(c + d*x)^n * Log[F]), x] /; FreeQ[{F, a, b, c, d, e, f, n}, x] && EqQ[m, n - 1] && EqQ[d*e - c*f, 0]
```

#### Rubi steps

$$\int \frac{e^{\sqrt{\sin(x)}} \cos(x)}{\sqrt{\sin(x)}} dx = \text{Subst} \left( \int \frac{e^{\sqrt{x}}}{\sqrt{x}} dx, x, \sin(x) \right) = 2e^{\sqrt{\sin(x)}}$$

**Mathematica [A]** time = 0.0130626, size = 10, normalized size = 1.

$$2e^{\sqrt{\sin(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[(E^Sqrt[Sin[x]]\*Cos[x])/Sqrt[Sin[x]],x]

[Out] 2\*E^Sqrt[Sin[x]]

**Maple [A]** time = 0.007, size = 8, normalized size = 0.8

$$2e^{\sqrt{\sin(x)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(exp(sin(x)^(1/2))\*cos(x)/sin(x)^(1/2),x)

[Out] 2\*exp(sin(x)^(1/2))

---

**Maxima [A]** time = 0.964918, size = 9, normalized size = 0.9

$$2e^{\sqrt{\sin(x)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(sin(x)^(1/2))\*cos(x)/sin(x)^(1/2),x, algorithm="maxima")

[Out] 2\*e^sqrt(sin(x))

---

**Fricas [A]** time = 2.0343, size = 24, normalized size = 2.4

$$2e^{\sqrt{\sin(x)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(sin(x)^(1/2))\*cos(x)/sin(x)^(1/2),x, algorithm="fricas")

[Out] 2\*e^sqrt(sin(x))

---

**Sympy [A]** time = 0.595964, size = 8, normalized size = 0.8

$$2e^{\sqrt{\sin(x)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(sin(x)\*\*(1/2))\*cos(x)/sin(x)\*\*(1/2),x)

[Out] 2\*exp(sqrt(sin(x)))

---

**Giac [A]** time = 1.10442, size = 9, normalized size = 0.9

$$2e^{\sqrt{\sin(x)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(sin(x)^(1/2))\*cos(x)/sin(x)^(1/2),x, algorithm="giac")

[Out] 2\*e^sqrt(sin(x))

$$3.681 \quad \int e^{4+\sin(x)} \cos(x) dx$$

**Optimal.** Leaf size=6

$$e^{\sin(x)+4}$$

[Out] E^(4 + Sin[x])

**Rubi [A]** time = 0.0095759, antiderivative size = 6, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {4334, 2194}

$$e^{\sin(x)+4}$$

Antiderivative was successfully verified.

[In] Int[E^(4 + Sin[x])\*Cos[x],x]

[Out] E^(4 + Sin[x])

#### Rule 4334

Int[(u\_)\*(F\_)[(c\_)\*((a\_) + (b\_)\*(x\_))], x\_Symbol] := With[{d = FreeFactors[Sin[c\*(a + b\*x)], x]}, Dist[d/(b\*c), Subst[Int[SubstFor[1, Sin[c\*(a + b\*x)]]/d, u, x], x], x, Sin[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Sin[c\*(a + b\*x)]/d, u, x, True] /; FreeQ[{a, b, c}, x] && (EqQ[F, Cos] || EqQ[F, cos])

#### Rule 2194

Int[((F\_)^((c\_)\*((a\_) + (b\_)\*(x\_))))^(n\_), x\_Symbol] := Simp[(F^(c\*(a + b\*x)))^n/(b\*c\*n\*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]

#### Rubi steps

$$\int e^{4+\sin(x)} \cos(x) dx = \text{Subst} \left( \int e^{4+x} dx, x, \sin(x) \right) = e^{4+\sin(x)}$$

**Mathematica [A]** time = 0.0105102, size = 6, normalized size = 1.

$$e^{\sin(x)+4}$$

Antiderivative was successfully verified.

[In] Integrate[E^(4 + Sin[x])\*Cos[x],x]

[Out] E^(4 + Sin[x])

**Maple [A]** time = 0.006, size = 6, normalized size = 1.

$$e^{4+\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(exp(4+sin(x))*cos(x),x)`

[Out] `exp(4+sin(x))`

---

**Maxima [A]** time = 0.957979, size = 7, normalized size = 1.17

$$e^{(\sin(x)+4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(exp(4+sin(x))*cos(x),x, algorithm="maxima")`

[Out] `e^(sin(x) + 4)`

---

**Fricas [A]** time = 1.95384, size = 22, normalized size = 3.67

$$e^{(\sin(x)+4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(exp(4+sin(x))*cos(x),x, algorithm="fricas")`

[Out] `e^(sin(x) + 4)`

---

**Sympy [A]** time = 0.725248, size = 7, normalized size = 1.17

$$e^4 e^{\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(exp(4+sin(x))*cos(x),x)`

[Out] `exp(4)*exp(sin(x))`

---

**Giac [A]** time = 1.11814, size = 7, normalized size = 1.17

$$e^{(\sin(x)+4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(exp(4+sin(x))*cos(x),x, algorithm="giac")`

[Out] `e^(sin(x) + 4)`

$$3.682 \quad \int e^{\cos(x) \sin(x)} \cos(2x) dx$$

**Optimal.** Leaf size=10

$$e^{\frac{1}{2} \sin(2x)}$$

[Out] E^(Sin[2\*x]/2)

**Rubi [A]** time = 0.0117849, antiderivative size = 10, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {4356, 2194}

$$e^{\frac{1}{2} \sin(2x)}$$

Antiderivative was successfully verified.

[In] Int[E^(Cos[x]\*Sin[x])\*Cos[2\*x],x]

[Out] E^(Sin[2\*x]/2)

Rule 4356

```
Int[(u_)*(F_)[(c_.)*((a_.) + (b_.)*(x_))], x_Symbol] := With[{d = FreeFactors[Sin[c*(a + b*x)], x]}, Dist[d/(b*c), Subst[Int[SubstFor[1, Sin[c*(a + b*x)]]/d, u, x], x], x, Sin[c*(a + b*x)]/d, x] /; FunctionOfQ[Sin[c*(a + b*x)]/d, u, x] /; FreeQ[{a, b, c}, x] && (EqQ[F, Cos] || EqQ[F, cos])
```

Rule 2194

```
Int[((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.), x_Symbol] := Simp[(F^(c*(a + b*x)))^n/(b*c*n*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]
```

Rubi steps

$$\int e^{\cos(x) \sin(x)} \cos(2x) dx = \frac{1}{2} \text{Subst} \left( \int e^{x/2} dx, x, \sin(2x) \right) = e^{\frac{1}{2} \sin(2x)}$$

**Mathematica [A]** time = 0.0213795, size = 7, normalized size = 0.7

$$e^{\sin(x) \cos(x)}$$

Antiderivative was successfully verified.

[In] Integrate[E^(Cos[x]\*Sin[x])\*Cos[2\*x],x]

[Out] E^(Cos[x]\*Sin[x])

**Maple [A]** time = 0.015, size = 7, normalized size = 0.7

$$e^{\cos(x) \sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(exp(cos(x)*sin(x))*cos(2*x),x)`

[Out] `exp(cos(x)*sin(x))`

---

**Maxima [A]** time = 3.1773, size = 9, normalized size = 0.9

$$e^{\left(\frac{1}{2} \sin(2x)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(exp(cos(x)*sin(x))*cos(2*x),x, algorithm="maxima")`

[Out] `e^(1/2*sin(2*x))`

---

**Fricas [A]** time = 2.15711, size = 26, normalized size = 2.6

$$e^{(\cos(x) \sin(x))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(exp(cos(x)*sin(x))*cos(2*x),x, algorithm="fricas")`

[Out] `e^(cos(x)*sin(x))`

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(exp(cos(x)*sin(x))*cos(2*x),x)`

[Out] Timed out

---

**Giac [A]** time = 1.09902, size = 16, normalized size = 1.6

$$e^{\left(\frac{\tan(x)}{\tan(x)^2+1}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(exp(cos(x)*sin(x))*cos(2*x),x, algorithm="giac")`

[Out] `e^(tan(x)/(tan(x)^2 + 1))`



$$3.683 \quad \int e^{\cos\left(\frac{x}{2}\right)\sin\left(\frac{x}{2}\right)} \cos(x) dx$$

**Optimal.** Leaf size=10

$$2e^{\frac{\sin(x)}{2}}$$

[Out] 2\*E^(Sin[x]/2)

**Rubi [A]** time = 0.0109039, antiderivative size = 10, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {4356, 2194}

$$2e^{\frac{\sin(x)}{2}}$$

Antiderivative was successfully verified.

[In] Int[E^(Cos[x/2]\*Sin[x/2])\*Cos[x],x]

[Out] 2\*E^(Sin[x]/2)

#### Rule 4356

Int[(u\_)\*(F\_)[(c\_)\*((a\_) + (b\_)\*(x\_))], x\_Symbol] :> With[{d = FreeFactors[Sin[c\*(a + b\*x)], x]}, Dist[d/(b\*c), Subst[Int[SubstFor[1, Sin[c\*(a + b\*x)]]/d, u, x], x], x, Sin[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Sin[c\*(a + b\*x)]/d, u, x] /; FreeQ[{a, b, c}, x] && (EqQ[F, Cos] || EqQ[F, cos])

#### Rule 2194

Int[((F\_)^((c\_)\*((a\_) + (b\_)\*(x\_))))^(n\_), x\_Symbol] :> Simp[(F^(c\*(a + b\*x)))^n/(b\*c\*n\*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]

#### Rubi steps

$$\begin{aligned} \int e^{\cos\left(\frac{x}{2}\right)\sin\left(\frac{x}{2}\right)} \cos(x) dx &= \text{Subst}\left(\int e^{x/2} dx, x, \sin(x)\right) \\ &= 2e^{\frac{\sin(x)}{2}} \end{aligned}$$

**Mathematica [A]** time = 0.0086436, size = 10, normalized size = 1.

$$2e^{\frac{\sin(x)}{2}}$$

Antiderivative was successfully verified.

[In] Integrate[E^(Cos[x/2]\*Sin[x/2])\*Cos[x],x]

[Out] 2\*E^(Sin[x]/2)

**Maple [A]** time = 0.017, size = 13, normalized size = 1.3

$$2e^{\cos(x/2)\sin(x/2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(exp(cos(1/2\*x)\*sin(1/2\*x))\*cos(x),x)

[Out] 2\*exp(cos(1/2\*x)\*sin(1/2\*x))

---

**Maxima [A]** time = 0.996401, size = 9, normalized size = 0.9

$$2e^{\left(\frac{1}{2}\sin(x)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(cos(1/2\*x)\*sin(1/2\*x))\*cos(x),x, algorithm="maxima")

[Out] 2\*e^(1/2\*sin(x))

---

**Fricas [A]** time = 2.05714, size = 39, normalized size = 3.9

$$2e^{\left(\cos\left(\frac{1}{2}x\right)\sin\left(\frac{1}{2}x\right)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(cos(1/2\*x)\*sin(1/2\*x))\*cos(x),x, algorithm="fricas")

[Out] 2\*e^(cos(1/2\*x)\*sin(1/2\*x))

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int e^{\sin\left(\frac{x}{2}\right)\cos\left(\frac{x}{2}\right)} \cos(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(cos(1/2\*x)\*sin(1/2\*x))\*cos(x),x)

[Out] Integral(exp(sin(x/2)\*cos(x/2))\*cos(x), x)

---

**Giac [B]** time = 1.10507, size = 24, normalized size = 2.4

$$2e^{\left(\frac{\tan\left(\frac{1}{2}x\right)}{\tan\left(\frac{1}{2}x\right)^2+1}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(exp(cos(1/2*x)*sin(1/2*x))*cos(x),x, algorithm="giac")
```

```
[Out] 2*e^(tan(1/2*x)/(tan(1/2*x)^2 + 1))
```

### 3.684 $\int e^{n \sin(a+bx)} \cos(a + bx) dx$

**Optimal.** Leaf size=17

$$\frac{e^{n \sin(a+bx)}}{bn}$$

[Out] E^(n\*Sin[a + b\*x])/(b\*n)

**Rubi [A]** time = 0.0126711, antiderivative size = 17, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$ , Rules used = {4334, 2194}

$$\frac{e^{n \sin(a+bx)}}{bn}$$

Antiderivative was successfully verified.

[In] Int[E^(n\*Sin[a + b\*x])\*Cos[a + b\*x],x]

[Out] E^(n\*Sin[a + b\*x])/(b\*n)

#### Rule 4334

```
Int[(u_)*(F_)[(c_.)*((a_.) + (b_.)*(x_))], x_Symbol] := With[{d = FreeFactors[Sin[c*(a + b*x)], x]}, Dist[d/(b*c), Subst[Int[SubstFor[1, Sin[c*(a + b*x)]]/d, u, x], x], x, Sin[c*(a + b*x)]/d, x] /; FunctionOfQ[Sin[c*(a + b*x)]/d, u, x, True]] /; FreeQ[{a, b, c}, x] && (EqQ[F, Cos] || EqQ[F, cos])
```

#### Rule 2194

```
Int[((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.), x_Symbol] := Simp[(F^(c*(a + b*x)))^n/(b*c*n*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]
```

#### Rubi steps

$$\begin{aligned} \int e^{n \sin(a+bx)} \cos(a + bx) dx &= \frac{\text{Subst}\left(\int e^{nx} dx, x, \sin(a + bx)\right)}{b} \\ &= \frac{e^{n \sin(a+bx)}}{bn} \end{aligned}$$

**Mathematica [A]** time = 0.0167467, size = 17, normalized size = 1.

$$\frac{e^{n \sin(a+bx)}}{bn}$$

Antiderivative was successfully verified.

[In] Integrate[E^(n\*Sin[a + b\*x])\*Cos[a + b\*x],x]

[Out] E^(n\*Sin[a + b\*x])/(b\*n)

**Maple [A]** time = 0.006, size = 17, normalized size = 1.

$$\frac{e^{n \sin(bx+a)}}{bn}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(exp(n\*sin(b\*x+a))\*cos(b\*x+a),x)

[Out] exp(n\*sin(b\*x+a))/b/n

**Maxima [A]** time = 0.962259, size = 22, normalized size = 1.29

$$\frac{e^{(n \sin(bx+a))}}{bn}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*sin(b\*x+a))\*cos(b\*x+a),x, algorithm="maxima")

[Out] e^(n\*sin(b\*x + a))/(b\*n)

**Fricas [A]** time = 2.02746, size = 35, normalized size = 2.06

$$\frac{e^{(n \sin(bx+a))}}{bn}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*sin(b\*x+a))\*cos(b\*x+a),x, algorithm="fricas")

[Out] e^(n\*sin(b\*x + a))/(b\*n)

**Sympy [A]** time = 0.460416, size = 36, normalized size = 2.12

$$\begin{cases} x \cos(a) & \text{for } b = 0 \wedge n = 0 \\ x e^{n \sin(a)} \cos(a) & \text{for } b = 0 \\ \frac{\sin(a+bx)}{b} & \text{for } n = 0 \\ \frac{e^{n \sin(a+bx)}}{bn} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*sin(b\*x+a))\*cos(b\*x+a),x)

[Out] Piecewise((x\*cos(a), Eq(b, 0) & Eq(n, 0)), (x\*exp(n\*sin(a))\*cos(a), Eq(b, 0)), (sin(a + b\*x)/b, Eq(n, 0)), (exp(n\*sin(a + b\*x))/(b\*n), True))

**Giac [A]** time = 1.11749, size = 22, normalized size = 1.29

$$\frac{e^{(n \sin(bx+a))}}{bn}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*sin(b\*x+a))\*cos(b\*x+a),x, algorithm="giac")

[Out] e^(n\*sin(b\*x + a))/(b\*n)

$$3.685 \quad \int e^{n \sin(ac+bcx)} \cos(c(a+bx)) dx$$

**Optimal.** Leaf size=22

$$\frac{e^{n \sin(c(a+bx))}}{bcn}$$

[Out] E^(n\*Sin[c\*(a + b\*x)])/(b\*c\*n)

**Rubi [A]** time = 0.0132438, antiderivative size = 22, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {4334, 2194}

$$\frac{e^{n \sin(c(a+bx))}}{bcn}$$

Antiderivative was successfully verified.

[In] Int[E^(n\*Sin[a\*c + b\*c\*x])\*Cos[c\*(a + b\*x)],x]

[Out] E^(n\*Sin[c\*(a + b\*x)])/(b\*c\*n)

#### Rule 4334

Int[(u\_)\*(F\_)[(c\_)\*((a\_) + (b\_)\*(x\_))], x\_Symbol] :> With[{d = FreeFactors[Sin[c\*(a + b\*x)], x]}, Dist[d/(b\*c), Subst[Int[SubstFor[1, Sin[c\*(a + b\*x)]]/d, u, x], x], x, Sin[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Sin[c\*(a + b\*x)]/d, u, x, True] /; FreeQ[{a, b, c}, x] && (EqQ[F, Cos] || EqQ[F, cos])

#### Rule 2194

Int[((F\_)^((c\_)\*((a\_) + (b\_)\*(x\_))))^(n\_), x\_Symbol] :> Simp[(F^(c\*(a + b\*x)))^n/(b\*c\*n\*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]

#### Rubi steps

$$\begin{aligned} \int e^{n \sin(ac+bcx)} \cos(c(a+bx)) dx &= \frac{\text{Subst}\left(\int e^{nx} dx, x, \sin(c(a+bx))\right)}{bc} \\ &= \frac{e^{n \sin(c(a+bx))}}{bcn} \end{aligned}$$

**Mathematica [A]** time = 0.145826, size = 23, normalized size = 1.05

$$\frac{e^{n \sin(ac+bcx)}}{bcn}$$

Antiderivative was successfully verified.

[In] Integrate[E^(n\*Sin[a\*c + b\*c\*x])\*Cos[c\*(a + b\*x)],x]

[Out] E^(n\*Sin[a\*c + b\*c\*x])/(b\*c\*n)

**Maple [A]** time = 0.015, size = 23, normalized size = 1.1

$$\frac{e^{n \sin(bc x + ac)}}{bcn}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(exp(n\*sin(b\*c\*x+a\*c))\*cos(c\*(b\*x+a)),x)

[Out] exp(n\*sin(b\*c\*x+a\*c))/b/c/n

**Maxima [A]** time = 0.956044, size = 30, normalized size = 1.36

$$\frac{e^{(n \sin(bc x + ac))}}{bcn}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*sin(b\*c\*x+a\*c))\*cos(c\*(b\*x+a)),x, algorithm="maxima")

[Out] e^(n\*sin(b\*c\*x + a\*c))/(b\*c\*n)

**Fricas [A]** time = 2.10694, size = 43, normalized size = 1.95

$$\frac{e^{(n \sin(bc x + ac))}}{bcn}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*sin(b\*c\*x+a\*c))\*cos(c\*(b\*x+a)),x, algorithm="fricas")

[Out] e^(n\*sin(b\*c\*x + a\*c))/(b\*c\*n)

**Sympy [A]** time = 8.67409, size = 51, normalized size = 2.32

$$\begin{cases} x e^{n \sin(ac)} \cos(ac) & \text{for } b = 0 \\ x & \text{for } c = 0 \\ \begin{cases} x \cos(ac) & \text{for } b = 0 \\ x & \text{for } c = 0 \end{cases} & \text{for } n = 0 \\ \begin{cases} \frac{\sin(ac+bcx)}{bc} & \text{otherwise} \\ \frac{e^{n \sin(ac+bcx)}}{bcn} & \text{otherwise} \end{cases} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*sin(b\*c\*x+a\*c))\*cos(c\*(b\*x+a)),x)

[Out] Piecewise((x\*exp(n\*sin(a\*c))\*cos(a\*c), Eq(b, 0)), (x, Eq(c, 0)), (Piecewise((x\*cos(a\*c), Eq(b, 0)), (x, Eq(c, 0)), (sin(a\*c + b\*c\*x)/(b\*c), True)), Eq(n, 0)), (exp(n\*sin(a\*c + b\*c\*x))/(b\*c\*n), True))



---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \cos((bx + a)c) e^{n \sin(bc x + ac)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(exp(n*sin(b*c*x+a*c))*cos(c*(b*x+a)),x, algorithm="giac")
```

```
[Out] integrate(cos((b*x + a)*c)*e^(n*sin(b*c*x + a*c)), x)
```

$$3.686 \quad \int e^{n \sin(c(a+bx))} \cos(ac + bcx) dx$$

**Optimal.** Leaf size=23

$$\frac{e^{n \sin(ac+bcx)}}{bcn}$$

[Out] E^(n\*Sin[a\*c + b\*c\*x])/(b\*c\*n)

**Rubi [A]** time = 0.0130337, antiderivative size = 23, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {4334, 2194}

$$\frac{e^{n \sin(ac+bcx)}}{bcn}$$

Antiderivative was successfully verified.

[In] Int[E^(n\*Sin[c\*(a + b\*x)])\*Cos[a\*c + b\*c\*x], x]

[Out] E^(n\*Sin[a\*c + b\*c\*x])/(b\*c\*n)

#### Rule 4334

```
Int[(u_)*(F_)[(c_.)*((a_.) + (b_.)*(x_))], x_Symbol] := With[{d = FreeFactors[Sin[c*(a + b*x)], x]}, Dist[d/(b*c), Subst[Int[SubstFor[1, Sin[c*(a + b*x)]]/d, u, x], x], x, Sin[c*(a + b*x)]/d, x] /; FunctionOfQ[Sin[c*(a + b*x)]/d, u, x, True]] /; FreeQ[{a, b, c}, x] && (EqQ[F, Cos] || EqQ[F, cos])
```

#### Rule 2194

```
Int[((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.), x_Symbol] := Simp[(F^(c*(a + b*x)))^n/(b*c*n*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]
```

#### Rubi steps

$$\begin{aligned} \int e^{n \sin(c(a+bx))} \cos(ac + bcx) dx &= \frac{\text{Subst}\left(\int e^{nx} dx, x, \sin(ac + bcx)\right)}{bc} \\ &= \frac{e^{n \sin(ac+bcx)}}{bcn} \end{aligned}$$

**Mathematica [A]** time = 0.046366, size = 23, normalized size = 1.

$$\frac{e^{n \sin(ac+bcx)}}{bcn}$$

Antiderivative was successfully verified.

[In] Integrate[E^(n\*Sin[c\*(a + b\*x)])\*Cos[a\*c + b\*c\*x], x]

[Out] E^(n\*Sin[a\*c + b\*c\*x])/(b\*c\*n)

**Maple [A]** time = 0.008, size = 23, normalized size = 1.

$$\frac{e^{n \sin(bc x + ac)}}{bcn}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(exp(n\*sin(c\*(b\*x+a)))\*cos(b\*c\*x+a\*c),x)

[Out] exp(n\*sin(b\*c\*x+a\*c))/b/c/n

**Maxima [A]** time = 1.09945, size = 30, normalized size = 1.3

$$\frac{e^{(n \sin(bc x + ac))}}{bcn}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*sin(c\*(b\*x+a)))\*cos(b\*c\*x+a\*c),x, algorithm="maxima")

[Out] e^(n\*sin(b\*c\*x + a\*c))/(b\*c\*n)

**Fricas [A]** time = 2.05841, size = 43, normalized size = 1.87

$$\frac{e^{(n \sin(bc x + ac))}}{bcn}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*sin(c\*(b\*x+a)))\*cos(b\*c\*x+a\*c),x, algorithm="fricas")

[Out] e^(n\*sin(b\*c\*x + a\*c))/(b\*c\*n)

**Sympy [A]** time = 2.5739, size = 48, normalized size = 2.09

$$\begin{cases} x & \text{for } b = 0 \wedge c = 0 \wedge n = 0 \\ x e^{n \sin(ac)} \cos(ac) & \text{for } b = 0 \\ x & \text{for } c = 0 \\ \frac{\sin(ac+bcx)}{bc} & \text{for } n = 0 \\ \frac{e^{n \sin(ac+bcx)}}{bcn} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*sin(c\*(b\*x+a)))\*cos(b\*c\*x+a\*c),x)

[Out] Piecewise((x, Eq(b, 0) & Eq(c, 0) & Eq(n, 0)), (x\*exp(n\*sin(a\*c))\*cos(a\*c), Eq(b, 0)), (x, Eq(c, 0)), (sin(a\*c + b\*c\*x)/(b\*c), Eq(n, 0)), (exp(n\*sin(a\*c + b\*c\*x))/(b\*c\*n), True))

**Giac [A]** time = 1.14956, size = 30, normalized size = 1.3

$$\frac{e^{(n \sin(bc x + ac))}}{bc n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*sin(c\*(b\*x+a)))\*cos(b\*c\*x+a\*c),x, algorithm="giac")

[Out] e^(n\*sin(b\*c\*x + a\*c))/(b\*c\*n)

$$3.687 \quad \int e^{n \sin(a+bx)} \cot(a + bx) dx$$

**Optimal.** Leaf size=13

$$\frac{\text{ExpIntegralEi}(n \sin(a + bx))}{b}$$

[Out] ExpIntegralEi[n\*Sin[a + b\*x]]/b

**Rubi [A]** time = 0.0202975, antiderivative size = 13, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$ , Rules used = {4338, 2178}

$$\frac{\text{Ei}(n \sin(a + bx))}{b}$$

Antiderivative was successfully verified.

[In] Int[E^(n\*Sin[a + b\*x])\*Cot[a + b\*x],x]

[Out] ExpIntegralEi[n\*Sin[a + b\*x]]/b

#### Rule 4338

Int[(u\_)\*(F\_)[(c\_.)\*((a\_.) + (b\_.)\*(x\_))], x\_Symbol] :> With[{d = FreeFactors[Sin[c\*(a + b\*x)], x]}, Dist[1/(b\*c), Subst[Int[SubstFor[1/x, Sin[c\*(a + b\*x)]]/d, u, x], x], x, Sin[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Sin[c\*(a + b\*x)]/d, u, x, True] /; FreeQ[{a, b, c}, x] && (EqQ[F, Cot] || EqQ[F, cot])

#### Rule 2178

Int[(F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_)))/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[(F^(g\*(e - (c\*f)/d))\*ExpIntegralEi[(f\*g\*(c + d\*x)\*Log[F])/d])/d, x] /; FreeQ[{F, c, d, e, f, g}, x] && !\$UseGamma == True

#### Rubi steps

$$\begin{aligned} \int e^{n \sin(a+bx)} \cot(a + bx) dx &= \frac{\text{Subst}\left(\int \frac{e^{nx}}{x} dx, x, \sin(a + bx)\right)}{b} \\ &= \frac{\text{Ei}(n \sin(a + bx))}{b} \end{aligned}$$

**Mathematica [A]** time = 0.0424549, size = 13, normalized size = 1.

$$\frac{\text{ExpIntegralEi}(n \sin(a + bx))}{b}$$

Antiderivative was successfully verified.

[In] Integrate[E^(n\*Sin[a + b\*x])\*Cot[a + b\*x],x]

[Out] ExpIntegralEi[n\*Sin[a + b\*x]]/b

---

**Maple [A]** time = 0.011, size = 17, normalized size = 1.3

$$-\frac{\operatorname{Ei}(1, -n \sin(bx + a))}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(exp(n*sin(b*x+a))*cot(b*x+a), x)`

[Out] `-1/b*Ei(1, -n*sin(b*x+a))`

---

**Maxima [A]** time = 1.07049, size = 18, normalized size = 1.38

$$\frac{\operatorname{Ei}(n \sin(bx + a))}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(exp(n*sin(b*x+a))*cot(b*x+a), x, algorithm="maxima")`

[Out] `Ei(n*sin(b*x + a))/b`

---

**Fricas [A]** time = 2.16819, size = 30, normalized size = 2.31

$$\frac{\operatorname{Ei}(n \sin(bx + a))}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(exp(n*sin(b*x+a))*cot(b*x+a), x, algorithm="fricas")`

[Out] `Ei(n*sin(b*x + a))/b`

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int e^{n \sin(a+bx)} \cot(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(exp(n*sin(b*x+a))*cot(b*x+a), x)`

[Out] `Integral(exp(n*sin(a + b*x))*cot(a + b*x), x)`

---

**Giac [A]** time = 1.08886, size = 18, normalized size = 1.38

$$\frac{\operatorname{Ei}(n \sin(bx + a))}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(exp(n*sin(b*x+a))*cot(b*x+a),x, algorithm="giac")
```

```
[Out] Ei(n*sin(b*x + a))/b
```

$$3.688 \quad \int e^{n \sin(ac+bcx)} \cot(c(a+bx)) dx$$

**Optimal.** Leaf size=18

$$\frac{\text{ExpIntegralEi}(n \sin(c(a+bx)))}{bc}$$

[Out] ExpIntegralEi[n\*Sin[c\*(a + b\*x)]]/(b\*c)

**Rubi [A]** time = 0.0206306, antiderivative size = 18, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {4338, 2178}

$$\frac{\text{Ei}(n \sin(c(a+bx)))}{bc}$$

Antiderivative was successfully verified.

[In] Int[E^(n\*Sin[a\*c + b\*c\*x])\*Cot[c\*(a + b\*x)],x]

[Out] ExpIntegralEi[n\*Sin[c\*(a + b\*x)]]/(b\*c)

#### Rule 4338

```
Int[(u_)*(F_)[(c_.)*((a_.) + (b_.)*(x_))], x_Symbol] := With[{d = FreeFactors[Sin[c*(a + b*x)], x]}, Dist[1/(b*c), Subst[Int[SubstFor[1/x, Sin[c*(a + b*x)]]/d, u, x], x], x, Sin[c*(a + b*x)]/d, x] /; FunctionOfQ[Sin[c*(a + b*x)]/d, u, x, True] /; FreeQ[{a, b, c}, x] && (EqQ[F, Cot] || EqQ[F, cot])
```

#### Rule 2178

```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[(F^(g*(e - (c*f)/d))*ExpIntegralEi[(f*g*(c + d*x)*Log[F])/d])/d, x] /; FreeQ[{F, c, d, e, f, g}, x] && !$UseGamma == True
```

#### Rubi steps

$$\begin{aligned} \int e^{n \sin(ac+bcx)} \cot(c(a+bx)) dx &= \frac{\text{Subst}\left(\int \frac{e^{nx}}{x} dx, x, \sin(c(a+bx))\right)}{bc} \\ &= \frac{\text{Ei}(n \sin(c(a+bx)))}{bc} \end{aligned}$$

**Mathematica [A]** time = 0.0673777, size = 18, normalized size = 1.

$$\frac{\text{ExpIntegralEi}(n \sin(c(a+bx)))}{bc}$$

Antiderivative was successfully verified.

[In] Integrate[E^(n\*Sin[a\*c + b\*c\*x])\*Cot[c\*(a + b\*x)],x]

[Out] ExpIntegralEi[n\*Sin[c\*(a + b\*x)]]/(b\*c)



---

**Maple [A]** time = 0.025, size = 23, normalized size = 1.3

$$\frac{\text{Ei}(1, -n \sin(bc x + ac))}{cb}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(exp(n\*sin(b\*c\*x+a\*c))\*cot(c\*(b\*x+a)), x)

[Out] -1/c/b\*Ei(1, -n\*sin(b\*c\*x+a\*c))

---

**Maxima [A]** time = 1.06197, size = 26, normalized size = 1.44

$$\frac{\text{Ei}(n \sin(bc x + ac))}{bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*sin(b\*c\*x+a\*c))\*cot(c\*(b\*x+a)), x, algorithm="maxima")

[Out] Ei(n\*sin(b\*c\*x + a\*c))/(b\*c)

---

**Fricas [A]** time = 2.05709, size = 41, normalized size = 2.28

$$\frac{\text{Ei}(n \sin(bc x + ac))}{bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*sin(b\*c\*x+a\*c))\*cot(c\*(b\*x+a)), x, algorithm="fricas")

[Out] Ei(n\*sin(b\*c\*x + a\*c))/(b\*c)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int e^{n \sin(ac+bcx)} \cot(ac + bcx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*sin(b\*c\*x+a\*c))\*cot(c\*(b\*x+a)), x)

[Out] Integral(exp(n\*sin(a\*c + b\*c\*x))\*cot(a\*c + b\*c\*x), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \cot((bx + a)c) e^{n \sin(bc x + ac)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(exp(n*sin(b*c*x+a*c))*cot(c*(b*x+a)),x, algorithm="giac")
```

```
[Out] integrate(cot((b*x + a)*c)*e^(n*sin(b*c*x + a*c)), x)
```

$$3.689 \quad \int e^{n \sin(c(a+bx))} \cot(ac + bcx) dx$$

**Optimal.** Leaf size=19

$$\frac{\text{ExpIntegralEi}(n \sin(ac + bcx))}{bc}$$

[Out] ExpIntegralEi[n\*Sin[a\*c + b\*c\*x]]/(b\*c)

**Rubi [A]** time = 0.0203697, antiderivative size = 19, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {4338, 2178}

$$\frac{\text{Ei}(n \sin(ac + bcx))}{bc}$$

Antiderivative was successfully verified.

[In] Int[E^(n\*Sin[c\*(a + b\*x)])\*Cot[a\*c + b\*c\*x],x]

[Out] ExpIntegralEi[n\*Sin[a\*c + b\*c\*x]]/(b\*c)

#### Rule 4338

Int[(u\_)\*(F\_)[(c\_.)\*((a\_.) + (b\_.)\*(x\_))], x\_Symbol] :> With[{d = FreeFactors[Sin[c\*(a + b\*x)], x]}, Dist[1/(b\*c), Subst[Int[SubstFor[1/x, Sin[c\*(a + b\*x)]]/d, u, x], x], x, Sin[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Sin[c\*(a + b\*x)]/d, u, x, True] /; FreeQ[{a, b, c}, x] && (EqQ[F, Cot] || EqQ[F, cot])

#### Rule 2178

Int[(F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_)))/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[(F^(g\*(e - (c\*f)/d))\*ExpIntegralEi[(f\*g\*(c + d\*x)\*Log[F])/d])/d, x] /; FreeQ[{F, c, d, e, f, g}, x] && !\$UseGamma == True

#### Rubi steps

$$\begin{aligned} \int e^{n \sin(c(a+bx))} \cot(ac + bcx) dx &= \frac{\text{Subst}\left(\int \frac{e^{nx}}{x} dx, x, \sin(ac + bcx)\right)}{bc} \\ &= \frac{\text{Ei}(n \sin(ac + bcx))}{bc} \end{aligned}$$

**Mathematica [A]** time = 0.0600483, size = 18, normalized size = 0.95

$$\frac{\text{ExpIntegralEi}(n \sin(c(a + bx)))}{bc}$$

Antiderivative was successfully verified.

[In] Integrate[E^(n\*Sin[c\*(a + b\*x)])\*Cot[a\*c + b\*c\*x],x]

[Out] ExpIntegralEi[n\*Sin[c\*(a + b\*x)]]/(b\*c)

---

**Maple [A]** time = 0.014, size = 23, normalized size = 1.2

$$\frac{\text{Ei}(1, -n \sin(bc x + ac))}{cb}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(exp(n\*sin(c\*(b\*x+a)))\*cot(b\*c\*x+a\*c), x)

[Out] -1/c/b\*Ei(1, -n\*sin(b\*c\*x+a\*c))

---

**Maxima [A]** time = 1.06385, size = 26, normalized size = 1.37

$$\frac{\text{Ei}(n \sin(bc x + ac))}{bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*sin(c\*(b\*x+a)))\*cot(b\*c\*x+a\*c), x, algorithm="maxima")

[Out] Ei(n\*sin(b\*c\*x + a\*c))/(b\*c)

---

**Fricas [A]** time = 2.09454, size = 41, normalized size = 2.16

$$\frac{\text{Ei}(n \sin(bc x + ac))}{bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*sin(c\*(b\*x+a)))\*cot(b\*c\*x+a\*c), x, algorithm="fricas")

[Out] Ei(n\*sin(b\*c\*x + a\*c))/(b\*c)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int e^{n \sin(ac+bcx)} \cot(ac + bcx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*sin(c\*(b\*x+a)))\*cot(b\*c\*x+a\*c), x)

[Out] Integral(exp(n\*sin(a\*c + b\*c\*x))\*cot(a\*c + b\*c\*x), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \cot(bc x + ac) e^{n \sin((bx+a)c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(exp(n*sin(c*(b*x+a)))*cot(b*c*x+a*c),x, algorithm="giac")
```

```
[Out] integrate(cot(b*c*x + a*c)*e^(n*sin((b*x + a)*c)), x)
```

$$3.690 \quad \int \frac{\sec^2(x)}{a+b \tan(x)} dx$$

**Optimal.** Leaf size=11

$$\frac{\log(a + b \tan(x))}{b}$$

[Out] Log[a + b\*Tan[x]]/b

**Rubi [A]** time = 0.0341299, antiderivative size = 11, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {3506, 31}

$$\frac{\log(a + b \tan(x))}{b}$$

Antiderivative was successfully verified.

[In] Int[Sec[x]^2/(a + b\*Tan[x]),x]

[Out] Log[a + b\*Tan[x]]/b

#### Rule 3506

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[1/(b*f), Subst[Int[(a + x)^n*(1 + x^2/b^2)^(m/2 - 1), x], x, b*Tan[e + f*x]], x] /; FreeQ[{a, b, e, f, n}, x] && NeQ[a^2 + b^2, 0] && IntegerQ[m/2]
```

#### Rule 31

```
Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]
```

#### Rubi steps

$$\int \frac{\sec^2(x)}{a+b \tan(x)} dx = \frac{\text{Subst}\left(\int \frac{1}{a+x} dx, x, b \tan(x)\right)}{b} = \frac{\log(a + b \tan(x))}{b}$$

**Mathematica [A]** time = 0.0652282, size = 20, normalized size = 1.82

$$\frac{\log(a \cos(x) + b \sin(x)) - \log(\cos(x))}{b}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[x]^2/(a + b\*Tan[x]),x]

[Out] (-Log[Cos[x]] + Log[a\*Cos[x] + b\*Sin[x]])/b

---

**Maple [A]** time = 0.027, size = 12, normalized size = 1.1

$$\frac{\ln(a + b \tan(x))}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(x)^2/(a+b\*tan(x)),x)

[Out] ln(a+b\*tan(x))/b

---

**Maxima [A]** time = 0.953026, size = 15, normalized size = 1.36

$$\frac{\log(b \tan(x) + a)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2/(a+b\*tan(x)),x, algorithm="maxima")

[Out] log(b\*tan(x) + a)/b

---

**Fricas [B]** time = 2.25314, size = 107, normalized size = 9.73

$$\frac{\log(2ab \cos(x) \sin(x) + (a^2 - b^2) \cos(x)^2 + b^2) - \log(\cos(x)^2)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2/(a+b\*tan(x)),x, algorithm="fricas")

[Out] 1/2\*(log(2\*a\*b\*cos(x)\*sin(x) + (a^2 - b^2)\*cos(x)^2 + b^2) - log(cos(x)^2))/b

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec^2(x)}{a + b \tan(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)\*\*2/(a+b\*tan(x)),x)

[Out] Integral(sec(x)\*\*2/(a + b\*tan(x)), x)

---

**Giac [A]** time = 1.08348, size = 16, normalized size = 1.45

$$\frac{\log(|b \tan(x) + a|)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)^2/(a+b*tan(x)),x, algorithm="giac")
```

```
[Out] log(abs(b*tan(x) + a))/b
```



$$3.691 \quad \int \frac{\sec^2(x)}{1-\tan^2(x)} dx$$

**Optimal.** Leaf size=11

$$\frac{1}{2} \tanh^{-1}(2 \sin(x) \cos(x))$$

[Out] ArcTanh[2\*Cos[x]\*Sin[x]]/2

**Rubi [A]** time = 0.0307602, antiderivative size = 11, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$ , Rules used = {3675, 206}

$$\frac{1}{2} \tanh^{-1}(2 \sin(x) \cos(x))$$

Antiderivative was successfully verified.

[In] Int[Sec[x]^2/(1 - Tan[x]^2), x]

[Out] ArcTanh[2\*Cos[x]\*Sin[x]]/2

#### Rule 3675

Int[sec[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]))^(n\_)]^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/(c^(m - 1)\*f), Subst[Int[(c^2 + ff^2\*x^2)^(m/2 - 1)\*(a + b\*(ff\*x)^n)^p, x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegerQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{\sec^2(x)}{1-\tan^2(x)} dx &= \text{Subst} \left( \int \frac{1}{1-x^2} dx, x, \tan(x) \right) \\ &= \frac{1}{2} \tanh^{-1}(2 \cos(x) \sin(x)) \end{aligned}$$

**Mathematica [B]** time = 0.005647, size = 23, normalized size = 2.09

$$\frac{1}{2} \log(\sin(x) + \cos(x)) - \frac{1}{2} \log(\cos(x) - \sin(x))$$

Antiderivative was successfully verified.

[In] Integrate[Sec[x]^2/(1 - Tan[x]^2), x]

[Out]  $-\text{Log}[\text{Cos}[x] - \text{Sin}[x]]/2 + \text{Log}[\text{Cos}[x] + \text{Sin}[x]]/2$

---

**Maple [A]** time = 0.029, size = 4, normalized size = 0.4

$\text{Artanh}(\tan(x))$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\sec(x)^2/(1-\tan(x)^2), x)$

[Out]  $\text{arctanh}(\tan(x))$

---

**Maxima [A]** time = 0.955928, size = 20, normalized size = 1.82

$\frac{1}{2} \log(\tan(x) + 1) - \frac{1}{2} \log(\tan(x) - 1)$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\sec(x)^2/(1-\tan(x)^2), x, \text{algorithm}="maxima")$

[Out]  $1/2*\log(\tan(x) + 1) - 1/2*\log(\tan(x) - 1)$

---

**Fricas [B]** time = 2.05936, size = 84, normalized size = 7.64

$\frac{1}{4} \log(2 \cos(x) \sin(x) + 1) - \frac{1}{4} \log(-2 \cos(x) \sin(x) + 1)$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\sec(x)^2/(1-\tan(x)^2), x, \text{algorithm}="fricas")$

[Out]  $1/4*\log(2*\cos(x)*\sin(x) + 1) - 1/4*\log(-2*\cos(x)*\sin(x) + 1)$

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$-\int \frac{\sec^2(x)}{\tan^2(x) - 1} dx$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\sec(x)**2/(1-\tan(x)**2), x)$

[Out]  $-\text{Integral}(\sec(x)**2/(\tan(x)**2 - 1), x)$

---

**Giac [A]** time = 1.11568, size = 23, normalized size = 2.09

$\frac{1}{2} \log(|\tan(x) + 1|) - \frac{1}{2} \log(|\tan(x) - 1|)$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)^2/(1-tan(x)^2),x, algorithm="giac")
```

```
[Out] 1/2*log(abs(tan(x) + 1)) - 1/2*log(abs(tan(x) - 1))
```

$$3.692 \quad \int \frac{\sec^2(x)}{9+\tan^2(x)} dx$$

**Optimal.** Leaf size=27

$$\frac{x}{3} - \frac{1}{3} \tan^{-1} \left( \frac{2 \sin(x) \cos(x)}{2 \cos^2(x) + 1} \right)$$

[Out] x/3 - ArcTan[(2\*Cos[x]\*Sin[x])/(1 + 2\*Cos[x]^2)]/3

**Rubi [A]** time = 0.0292568, antiderivative size = 27, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {3675, 203}

$$\frac{x}{3} - \frac{1}{3} \tan^{-1} \left( \frac{2 \sin(x) \cos(x)}{2 \cos^2(x) + 1} \right)$$

Antiderivative was successfully verified.

[In] Int[Sec[x]^2/(9 + Tan[x]^2), x]

[Out] x/3 - ArcTan[(2\*Cos[x]\*Sin[x])/(1 + 2\*Cos[x]^2)]/3

#### Rule 3675

Int[sec[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((a\_.) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)])^(n\_.))^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/(c^(m - 1)\*f), Subst[Int[(c^2 + ff^2\*x^2)^(m/2 - 1)\*(a + b\*(ff\*x)^n)^p, x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

#### Rule 203

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{\sec^2(x)}{9+\tan^2(x)} dx &= \text{Subst} \left( \int \frac{1}{9+x^2} dx, x, \tan(x) \right) \\ &= \frac{x}{3} - \frac{1}{3} \tan^{-1} \left( \frac{2 \cos(x) \sin(x)}{1 + 2 \cos^2(x)} \right) \end{aligned}$$

**Mathematica [A]** time = 0.0239948, size = 9, normalized size = 0.33

$$-\frac{1}{3} \tan^{-1}(3 \cot(x))$$

Antiderivative was successfully verified.

[In] Integrate[Sec[x]^2/(9 + Tan[x]^2), x]

[Out]  $-\text{ArcTan}[3*\text{Cot}[x]]/3$

---

**Maple [A]** time = 0.031, size = 8, normalized size = 0.3

$$\frac{1}{3} \arctan\left(\frac{\tan(x)}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\sec(x)^2/(9+\tan(x)^2), x)$

[Out]  $1/3*\arctan(1/3*\tan(x))$

---

**Maxima [A]** time = 1.44673, size = 9, normalized size = 0.33

$$\frac{1}{3} \arctan\left(\frac{1}{3} \tan(x)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\sec(x)^2/(9+\tan(x)^2), x, \text{algorithm}="maxima")$

[Out]  $1/3*\arctan(1/3*\tan(x))$

---

**Fricas [A]** time = 2.13205, size = 70, normalized size = 2.59

$$-\frac{1}{6} \arctan\left(\frac{10 \cos(x)^2 - 1}{6 \cos(x) \sin(x)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\sec(x)^2/(9+\tan(x)^2), x, \text{algorithm}="fricas")$

[Out]  $-1/6*\arctan(1/6*(10*\cos(x)^2 - 1)/(\cos(x)*\sin(x)))$

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec^2(x)}{\tan^2(x) + 9} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\sec(x)**2/(9+\tan(x)**2), x)$

[Out]  $\text{Integral}(\sec(x)**2/(\tan(x)**2 + 9), x)$

---

**Giac [A]** time = 1.08678, size = 9, normalized size = 0.33

$$\frac{1}{3} \arctan\left(\frac{1}{3} \tan(x)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)^2/(9+tan(x)^2),x, algorithm="giac")
```

```
[Out] 1/3*arctan(1/3*tan(x))
```

### 3.693 $\int \sec^2(x)(a + b \tan(x))^n dx$

**Optimal.** Leaf size=19

$$\frac{(a + b \tan(x))^{n+1}}{b(n+1)}$$

[Out] (a + b\*Tan[x])^(1 + n)/(b\*(1 + n))

**Rubi [A]** time = 0.0354784, antiderivative size = 19, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {3506, 32}

$$\frac{(a + b \tan(x))^{n+1}}{b(n+1)}$$

Antiderivative was successfully verified.

[In] Int[Sec[x]^2\*(a + b\*Tan[x])^n,x]

[Out] (a + b\*Tan[x])^(1 + n)/(b\*(1 + n))

#### Rule 3506

Int[sec[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((a\_) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Dist[1/(b\*f), Subst[Int[(a + x)^n\*(1 + x^2/b^2)^(m/2 - 1), x], x, b\*Tan[e + f\*x]], x] /; FreeQ[{a, b, e, f, n}, x] && NeQ[a^2 + b^2, 0] && IntegerQ[m/2]

#### Rule 32

Int[((a\_.) + (b\_.)\*(x\_))^(m\_), x\_Symbol] := Simp[(a + b\*x)^(m + 1)/(b\*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

#### Rubi steps

$$\begin{aligned} \int \sec^2(x)(a + b \tan(x))^n dx &= \frac{\text{Subst}\left(\int (a + x)^n dx, x, b \tan(x)\right)}{b} \\ &= \frac{(a + b \tan(x))^{1+n}}{b(1+n)} \end{aligned}$$

**Mathematica [A]** time = 0.17782, size = 18, normalized size = 0.95

$$\frac{(a + b \tan(x))^{n+1}}{bn + b}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[x]^2\*(a + b\*Tan[x])^n,x]

[Out] (a + b\*Tan[x])^(1 + n)/(b + b\*n)

**Maple [A]** time = 0.021, size = 20, normalized size = 1.1

$$\frac{(a + b \tan(x))^{1+n}}{b(1+n)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(x)^2\*(a+b\*tan(x))^n,x)

[Out] (a+b\*tan(x))^(1+n)/b/(1+n)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2\*(a+b\*tan(x))^n,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.10435, size = 101, normalized size = 5.32

$$\frac{(a \cos(x) + b \sin(x)) \left( \frac{a \cos(x) + b \sin(x)}{\cos(x)} \right)^n}{(bn + b) \cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2\*(a+b\*tan(x))^n,x, algorithm="fricas")

[Out] (a\*cos(x) + b\*sin(x))\*((a\*cos(x) + b\*sin(x))/cos(x))^n/((b\*n + b)\*cos(x))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tan(x))^n \sec^2(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)\*\*2\*(a+b\*tan(x))\*\*n,x)

[Out] Integral((a + b\*tan(x))\*\*n\*sec(x)\*\*2, x)

**Giac [A]** time = 1.14073, size = 26, normalized size = 1.37

$$\frac{(b \tan(x) + a)^{n+1}}{b(n+1)}$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate(sec(x)^2*(a+b*tan(x))^n,x, algorithm="giac")
```

```
[Out] (b*tan(x) + a)^(n + 1)/(b*(n + 1))
```

$$3.694 \quad \int \sec^2(x) \left(1 + \frac{1}{1+\tan^2(x)}\right) dx$$

**Optimal.** Leaf size=4

$$x + \tan(x)$$

[Out] x + Tan[x]

**Rubi [A]** time = 0.0426197, antiderivative size = 4, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 1, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$ , Rules used = {203}

$$x + \tan(x)$$

Antiderivative was successfully verified.

[In] Int[Sec[x]^2\*(1 + (1 + Tan[x]^2)^(-1)),x]

[Out] x + Tan[x]

**Rule 203**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

**Rubi steps**

$$\begin{aligned} \int \sec^2(x) \left(1 + \frac{1}{1+\tan^2(x)}\right) dx &= \text{Subst} \left( \int \left(1 + \frac{1}{1+x^2}\right) dx, x, \tan(x) \right) \\ &= \tan(x) + \text{Subst} \left( \int \frac{1}{1+x^2} dx, x, \tan(x) \right) \\ &= x + \tan(x) \end{aligned}$$

**Mathematica [A]** time = 0.0063568, size = 4, normalized size = 1.

$$x + \tan(x)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[x]^2\*(1 + (1 + Tan[x]^2)^(-1)),x]

[Out] x + Tan[x]

**Maple [A]** time = 0.046, size = 5, normalized size = 1.3

$$x + \tan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(x)^2*(1+1/(1+tan(x)^2)),x)`

[Out] `x+tan(x)`

**Maxima [A]** time = 1.45915, size = 5, normalized size = 1.25

$$x + \tan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)^2*(1+1/(1+tan(x)^2)),x, algorithm="maxima")`

[Out] `x + tan(x)`

**Fricas [B]** time = 2.02879, size = 38, normalized size = 9.5

$$\frac{x \cos(x) + \sin(x)}{\cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)^2*(1+1/(1+tan(x)^2)),x, algorithm="fricas")`

[Out] `(x*cos(x) + sin(x))/cos(x)`

**Sympy [B]** time = 0.930394, size = 27, normalized size = 6.75

$$\frac{x \sec^2(x)}{\tan^2(x) + 1} + \frac{\tan(x) \sec^2(x)}{\tan^2(x) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)**2*(1+1/(1+tan(x)**2)),x)`

[Out] `x*sec(x)**2/(tan(x)**2 + 1) + tan(x)*sec(x)**2/(tan(x)**2 + 1)`

**Giac [A]** time = 1.1106, size = 5, normalized size = 1.25

$$x + \tan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)^2*(1+1/(1+tan(x)^2)),x, algorithm="giac")`

[Out] `x + tan(x)`

$$3.695 \quad \int \frac{\sec^2(x)(2+\tan^2(x))}{1+\tan^2(x)} dx$$

**Optimal.** Leaf size=4

$$x + \tan(x)$$

[Out] x + Tan[x]

**Rubi [A]** time = 0.0629814, antiderivative size = 4, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {3657, 3473, 8}

$$x + \tan(x)$$

Antiderivative was successfully verified.

[In] Int[(Sec[x]^2\*(2 + Tan[x]^2))/(1 + Tan[x]^2), x]

[Out] x + Tan[x]

#### Rule 3657

Int[(u\_.)\*((a\_) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^2)^p], x\_Symbol] :> Int[ActivateTrig[u\*(a\*sec[e + f\*x]^2)^p], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a, b]

#### Rule 3473

Int[((b\_.)\*tan[(c\_.) + (d\_.)\*(x\_)])^n], x\_Symbol] :> Simp[(b\*(b\*Tan[c + d\*x])^(n - 1))/(d\*(n - 1)), x] - Dist[b^2, Int[(b\*Tan[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1]

#### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned} \int \frac{\sec^2(x)(2 + \tan^2(x))}{1 + \tan^2(x)} dx &= \int (2 + \tan^2(x)) dx \\ &= 2x + \int \tan^2(x) dx \\ &= 2x + \tan(x) - \int 1 dx \\ &= x + \tan(x) \end{aligned}$$

**Mathematica [A]** time = 0.0052156, size = 4, normalized size = 1.

$$x + \tan(x)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[x]^2\*(2 + Tan[x]^2))/(1 + Tan[x]^2),x]

[Out] x + Tan[x]

**Maple [A]** time = 0.053, size = 5, normalized size = 1.3

$$x + \tan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(x)^2\*(2+tan(x)^2)/(1+tan(x)^2),x)

[Out] x+tan(x)

**Maxima [A]** time = 1.49087, size = 5, normalized size = 1.25

$$x + \tan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2\*(2+tan(x)^2)/(1+tan(x)^2),x, algorithm="maxima")

[Out] x + tan(x)

**Fricas [B]** time = 2.12041, size = 38, normalized size = 9.5

$$\frac{x \cos(x) + \sin(x)}{\cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2\*(2+tan(x)^2)/(1+tan(x)^2),x, algorithm="fricas")

[Out] (x\*cos(x) + sin(x))/cos(x)

**Sympy [B]** time = 0.923632, size = 27, normalized size = 6.75

$$\frac{x \sec^2(x)}{\tan^2(x) + 1} + \frac{\tan(x) \sec^2(x)}{\tan^2(x) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)\*\*2\*(2+tan(x)\*\*2)/(1+tan(x)\*\*2),x)

[Out] x\*sec(x)\*\*2/(tan(x)\*\*2 + 1) + tan(x)\*sec(x)\*\*2/(tan(x)\*\*2 + 1)

**Giac [A]** time = 1.08675, size = 5, normalized size = 1.25

$$x + \tan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2\*(2+tan(x)^2)/(1+tan(x)^2),x, algorithm="giac")

[Out] x + tan(x)

$$3.696 \quad \int \frac{\sec^2(x)}{2+2\tan(x)+\tan^2(x)} dx$$

**Optimal.** Leaf size=33

$$x - \tan^{-1} \left( \frac{-2 \cos^2(x) + \sin(x) \cos(x) + 1}{\cos^2(x) + 2 \sin(x) \cos(x) + 2} \right)$$

[Out] x - ArcTan[(1 - 2\*Cos[x]^2 + Cos[x]\*Sin[x])/(2 + Cos[x]^2 + 2\*Cos[x]\*Sin[x])]

**Rubi [A]** time = 0.0422412, antiderivative size = 33, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$ , Rules used = {4342, 617, 204}

$$x - \tan^{-1} \left( \frac{-2 \cos^2(x) + \sin(x) \cos(x) + 1}{\cos^2(x) + 2 \sin(x) \cos(x) + 2} \right)$$

Antiderivative was successfully verified.

[In] Int[Sec[x]^2/(2 + 2\*Tan[x] + Tan[x]^2), x]

[Out] x - ArcTan[(1 - 2\*Cos[x]^2 + Cos[x]\*Sin[x])/(2 + Cos[x]^2 + 2\*Cos[x]\*Sin[x])]

#### Rule 4342

Int[(u\_)\*(F\_)[(c\_)\*((a\_) + (b\_)\*(x\_))]^2, x\_Symbol] :> With[{d = FreeFactors[Tan[c\*(a + b\*x)], x]}, Dist[d/(b\*c), Subst[Int[SubstFor[1, Tan[c\*(a + b\*x)]]/d, u, x], x], x, Tan[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Tan[c\*(a + b\*x)]/d, u, x, True] /; FreeQ[{a, b, c}, x] && NonsumQ[u] && (EqQ[F, Sec] || EqQ[F, sec])

#### Rule 617

Int[((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(-1), x\_Symbol] :> With[{q = 1 - 4\*Simplify[(a\*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2\*c\*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4\*a\*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

#### Rule 204

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{\sec^2(x)}{2+2\tan(x)+\tan^2(x)} dx &= \text{Subst} \left( \int \frac{1}{2+2x+x^2} dx, x, \tan(x) \right) \\ &= -\text{Subst} \left( \int \frac{1}{-1-x^2} dx, x, 1+\tan(x) \right) \\ &= x - \tan^{-1} \left( \frac{1-2\cos^2(x) + \cos(x)\sin(x)}{2+\cos^2(x) + 2\cos(x)\sin(x)} \right) \end{aligned}$$

**Mathematica [A]** time = 0.0438872, size = 31, normalized size = 0.94

$$2 \left( \frac{1}{4} \tan^{-1}(\sec(x)(\sin(x) + \cos(x))) - \frac{1}{4} \tan^{-1} \left( \frac{\cos(x)}{\sin(x) + \cos(x)} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[x]^2/(2 + 2\*Tan[x] + Tan[x]^2),x]

[Out] 2\*(-ArcTan[Cos[x]/(Cos[x] + Sin[x])]/4 + ArcTan[Sec[x]\*(Cos[x] + Sin[x])]/4)

**Maple [A]** time = 0.06, size = 6, normalized size = 0.2

$$\arctan(1 + \tan(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(x)^2/(2+2\*tan(x)+tan(x)^2),x)

[Out] arctan(1+tan(x))

**Maxima [A]** time = 1.44625, size = 7, normalized size = 0.21

$$\arctan(\tan(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2/(2+2\*tan(x)+tan(x)^2),x, algorithm="maxima")

[Out] arctan(tan(x) + 1)

**Fricas [A]** time = 2.04943, size = 117, normalized size = 3.55

$$-\frac{1}{2} \arctan \left( -\frac{3 \cos(x)^2 + 6 \cos(x) \sin(x) + 1}{2(2 \cos(x)^2 - \cos(x) \sin(x) - 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2/(2+2\*tan(x)+tan(x)^2),x, algorithm="fricas")

[Out] -1/2\*arctan(-1/2\*(3\*cos(x)^2 + 6\*cos(x)\*sin(x) + 1)/(2\*cos(x)^2 - cos(x)\*sin(x) - 1))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec^2(x)}{\tan^2(x) + 2 \tan(x) + 2} dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)**2/(2+2*tan(x)+tan(x)**2),x)
```

```
[Out] Integral(sec(x)**2/(tan(x)**2 + 2*tan(x) + 2), x)
```

---

**Giac [A]** time = 1.09298, size = 7, normalized size = 0.21

$\arctan(\tan(x) + 1)$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)^2/(2+2*tan(x)+tan(x)^2),x, algorithm="giac")
```

```
[Out] arctan(tan(x) + 1)
```

$$3.697 \quad \int \frac{\sec^2(x)}{\tan^2(x) + \tan^3(x)} dx$$

**Optimal.** Leaf size=10

$$\log(\cot(x) + 1) - \cot(x)$$

[Out] -Cot[x] + Log[1 + Cot[x]]

**Rubi [A]** time = 0.0479915, antiderivative size = 15, normalized size of antiderivative = 1.5, number of steps used = 3, number of rules used = 2, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {4342, 44}

$$-\cot(x) - \log(\tan(x)) + \log(\tan(x) + 1)$$

Antiderivative was successfully verified.

[In] Int[Sec[x]^2/(Tan[x]^2 + Tan[x]^3), x]

[Out] -Cot[x] - Log[Tan[x]] + Log[1 + Tan[x]]

#### Rule 4342

```
Int[(u_)*(F_)[(c_.)*((a_.) + (b_.)*(x_))]^2, x_Symbol] := With[{d = FreeFactors[Tan[c*(a + b*x)], x]}, Dist[d/(b*c), Subst[Int[SubstFor[1, Tan[c*(a + b*x)]]/d, u, x], x], x, Tan[c*(a + b*x)]/d, x] /; FunctionOfQ[Tan[c*(a + b*x)]/d, u, x, True]] /; FreeQ[{a, b, c}, x] && NonsumQ[u] && (EqQ[F, Sec] || EqQ[F, sec])
```

#### Rule 44

```
Int[((a_) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])
```

#### Rubi steps

$$\begin{aligned} \int \frac{\sec^2(x)}{\tan^2(x) + \tan^3(x)} dx &= \text{Subst} \left( \int \frac{1}{x^2(1+x)} dx, x, \tan(x) \right) \\ &= \text{Subst} \left( \int \left( \frac{1}{x^2} - \frac{1}{x} + \frac{1}{1+x} \right) dx, x, \tan(x) \right) \\ &= -\cot(x) - \log(\tan(x)) + \log(1 + \tan(x)) \end{aligned}$$

**Mathematica [A]** time = 0.0374629, size = 16, normalized size = 1.6

$$-\cot(x) - \log(\sin(x)) + \log(\sin(x) + \cos(x))$$

Antiderivative was successfully verified.

[In] Integrate[Sec[x]^2/(Tan[x]^2 + Tan[x]^3), x]

[Out]  $-\text{Cot}[x] - \text{Log}[\text{Sin}[x]] + \text{Log}[\text{Cos}[x] + \text{Sin}[x]]$

---

**Maple [A]** time = 0.055, size = 18, normalized size = 1.8

$$-(\tan(x))^{-1} - \ln(\tan(x)) + \ln(1 + \tan(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\sec(x)^2/(\tan(x)^2+\tan(x)^3), x)$

[Out]  $-1/\tan(x) - \ln(\tan(x)) + \ln(1 + \tan(x))$

---

**Maxima [A]** time = 0.960251, size = 23, normalized size = 2.3

$$-\frac{1}{\tan(x)} + \log(\tan(x) + 1) - \log(\tan(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\sec(x)^2/(\tan(x)^2+\tan(x)^3), x, \text{algorithm}="maxima")$

[Out]  $-1/\tan(x) + \log(\tan(x) + 1) - \log(\tan(x))$

---

**Fricas [B]** time = 2.17885, size = 124, normalized size = 12.4

$$\frac{\log\left(-\frac{1}{4}\cos(x)^2 + \frac{1}{4}\right)\sin(x) - \log(2\cos(x)\sin(x) + 1)\sin(x) + 2\cos(x)}{2\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\sec(x)^2/(\tan(x)^2+\tan(x)^3), x, \text{algorithm}="fricas")$

[Out]  $-1/2*(\log(-1/4*\cos(x)^2 + 1/4)*\sin(x) - \log(2*\cos(x)*\sin(x) + 1)*\sin(x) + 2*\cos(x))/\sin(x)$

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec^2(x)}{(\tan(x) + 1)\tan^2(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\sec(x)**2/(\tan(x)**2+\tan(x)**3), x)$

[Out]  $\text{Integral}(\sec(x)**2/((\tan(x) + 1)*\tan(x)**2), x)$

---

**Giac [A]** time = 1.1344, size = 26, normalized size = 2.6

$$-\frac{1}{\tan(x)} + \log(|\tan(x) + 1|) - \log(|\tan(x)|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2/(tan(x)^2+tan(x)^3),x, algorithm="giac")

[Out] -1/tan(x) + log(abs(tan(x) + 1)) - log(abs(tan(x)))

$$3.698 \quad \int \frac{\sec^2(x)}{-\tan^2(x) + \tan^3(x)} dx$$

**Optimal.** Leaf size=10

$$\cot(x) + \log(1 - \cot(x))$$

[Out] Cot[x] + Log[1 - Cot[x]]

**Rubi [A]** time = 0.052689, antiderivative size = 15, normalized size of antiderivative = 1.5, number of steps used = 3, number of rules used = 2, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {4342, 44}

$$\cot(x) + \log(1 - \tan(x)) - \log(\tan(x))$$

Antiderivative was successfully verified.

[In] Int[Sec[x]^2/(-Tan[x]^2 + Tan[x]^3), x]

[Out] Cot[x] + Log[1 - Tan[x]] - Log[Tan[x]]

#### Rule 4342

```
Int[(u_)*(F_)[(c_.)*((a_.) + (b_.)*(x_))]^2, x_Symbol] :> With[{d = FreeFac
tors[Tan[c*(a + b*x)], x]}, Dist[d/(b*c), Subst[Int[SubstFor[1, Tan[c*(a +
b*x)]]/d, u, x], x], x, Tan[c*(a + b*x)]/d, x] /; FunctionOfQ[Tan[c*(a + b*
x)]/d, u, x, True] /; FreeQ[{a, b, c}, x] && NonsumQ[u] && (EqQ[F, Sec] ||
EqQ[F, sec])
```

#### Rule 44

```
Int[((a_) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[
ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] &
& NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m
+ n + 2, 0])
```

#### Rubi steps

$$\begin{aligned} \int \frac{\sec^2(x)}{-\tan^2(x) + \tan^3(x)} dx &= \text{Subst} \left( \int \frac{1}{(-1+x)x^2} dx, x, \tan(x) \right) \\ &= \text{Subst} \left( \int \left( \frac{1}{-1+x} - \frac{1}{x^2} - \frac{1}{x} \right) dx, x, \tan(x) \right) \\ &= \cot(x) + \log(1 - \tan(x)) - \log(\tan(x)) \end{aligned}$$

**Mathematica [A]** time = 0.0372257, size = 16, normalized size = 1.6

$$\cot(x) - \log(\sin(x)) + \log(\cos(x) - \sin(x))$$

Antiderivative was successfully verified.

[In] Integrate[Sec[x]^2/(-Tan[x]^2 + Tan[x]^3), x]

[Out] Cot[x] + Log[Cos[x] - Sin[x]] - Log[Sin[x]]

---

**Maple [A]** time = 0.058, size = 16, normalized size = 1.6

$$(\tan(x))^{-1} - \ln(\tan(x)) + \ln(\tan(x) - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(x)^2/(-tan(x)^2+tan(x)^3),x)

[Out] 1/tan(x)-ln(tan(x))+ln(tan(x)-1)

---

**Maxima [A]** time = 0.963174, size = 20, normalized size = 2.

$$\frac{1}{\tan(x)} + \log(\tan(x) - 1) - \log(\tan(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2/(-tan(x)^2+tan(x)^3),x, algorithm="maxima")

[Out] 1/tan(x) + log(tan(x) - 1) - log(tan(x))

---

**Fricas [B]** time = 2.17118, size = 126, normalized size = 12.6

$$\frac{\log\left(-\frac{1}{4}\cos(x)^2 + \frac{1}{4}\right)\sin(x) - \log(-2\cos(x)\sin(x) + 1)\sin(x) - 2\cos(x)}{2\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2/(-tan(x)^2+tan(x)^3),x, algorithm="fricas")

[Out] -1/2\*(log(-1/4\*cos(x)^2 + 1/4)\*sin(x) - log(-2\*cos(x)\*sin(x) + 1)\*sin(x) - 2\*cos(x))/sin(x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec^2(x)}{(\tan(x) - 1)\tan^2(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)\*\*2/(-tan(x)\*\*2+tan(x)\*\*3),x)

[Out] Integral(sec(x)\*\*2/((tan(x) - 1)\*tan(x)\*\*2), x)

---

**Giac [A]** time = 1.11066, size = 23, normalized size = 2.3

$$\frac{1}{\tan(x)} + \log(|\tan(x) - 1|) - \log(|\tan(x)|)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)^2/(-tan(x)^2+tan(x)^3),x, algorithm="giac")
```

```
[Out] 1/tan(x) + log(abs(tan(x) - 1)) - log(abs(tan(x)))
```

$$3.699 \quad \int \frac{\sec^2(x)}{3-4 \tan^3(x)} dx$$

**Optimal.** Leaf size=176

$$\frac{x}{3 \cdot 2^{2/3} \sqrt[6]{3}} + \frac{\log\left(2\sqrt[3]{2} \tan^2(x) + 2^{2/3} \sqrt[3]{3} \tan(x) + 3^{2/3}\right)}{6 \cdot 6^{2/3}} - \frac{\log\left(\sqrt[3]{3} - 2^{2/3} \tan(x)\right)}{3 \cdot 6^{2/3}} - \frac{\tan^{-1}\left(\frac{-2 \cdot 6^{2/3} \cos^2(x) + 2(3 - 2\sqrt[3]{6}) \sin(x) \cos(x)}{(6 - 4\sqrt[3]{6}) \cos^2(x) + 2 \cdot 6^{2/3} \sin(x) \cos(x) + 3}\right)}{3 \cdot 2^{2/3} \sqrt[6]{3}}$$

[Out] x/(3\*2^(2/3)\*3^(1/6)) - ArcTan[(6^(2/3) - 2\*6^(2/3)\*Cos[x]^2 + 2\*(3 - 2\*6^(1/3))\*Cos[x]\*Sin[x])/(3\*2^(2/3)\*3^(1/6) + 4\*6^(1/3) + (6 - 4\*6^(1/3))\*Cos[x]^2 + 2\*6^(2/3)\*Cos[x]\*Sin[x])]/(3\*2^(2/3)\*3^(1/6)) - Log[3^(1/3) - 2^(2/3)\*Tan[x]]/(3\*6^(2/3)) + Log[3^(2/3) + 2^(2/3)\*3^(1/3)\*Tan[x] + 2\*2^(1/3)\*Tan[x]^2]/(6\*6^(2/3))

**Rubi [A]** time = 0.13967, antiderivative size = 176, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$ , Rules used = {3675, 200, 31, 634, 617, 204, 628}

$$\frac{x}{3 \cdot 2^{2/3} \sqrt[6]{3}} + \frac{\log\left(2\sqrt[3]{2} \tan^2(x) + 2^{2/3} \sqrt[3]{3} \tan(x) + 3^{2/3}\right)}{6 \cdot 6^{2/3}} - \frac{\log\left(\sqrt[3]{3} - 2^{2/3} \tan(x)\right)}{3 \cdot 6^{2/3}} - \frac{\tan^{-1}\left(\frac{-2 \cdot 6^{2/3} \cos^2(x) + 2(3 - 2\sqrt[3]{6}) \sin(x) \cos(x)}{(6 - 4\sqrt[3]{6}) \cos^2(x) + 2 \cdot 6^{2/3} \sin(x) \cos(x) + 3}\right)}{3 \cdot 2^{2/3} \sqrt[6]{3}}$$

Antiderivative was successfully verified.

[In] Int[Sec[x]^2/(3 - 4\*Tan[x]^3), x]

[Out] x/(3\*2^(2/3)\*3^(1/6)) - ArcTan[(6^(2/3) - 2\*6^(2/3)\*Cos[x]^2 + 2\*(3 - 2\*6^(1/3))\*Cos[x]\*Sin[x])/(3\*2^(2/3)\*3^(1/6) + 4\*6^(1/3) + (6 - 4\*6^(1/3))\*Cos[x]^2 + 2\*6^(2/3)\*Cos[x]\*Sin[x])]/(3\*2^(2/3)\*3^(1/6)) - Log[3^(1/3) - 2^(2/3)\*Tan[x]]/(3\*6^(2/3)) + Log[3^(2/3) + 2^(2/3)\*3^(1/3)\*Tan[x] + 2\*2^(1/3)\*Tan[x]^2]/(6\*6^(2/3))

#### Rule 3675

Int[sec[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]))^(n\_)]^(p\_), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/(c^(m - 1)\*f), Subst[Int[(c^2 + ff^2\*x^2)^(m/2 - 1)\*(a + b\*(ff\*x)^n)^p, x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

#### Rule 200

Int[((a\_) + (b\_.)\*(x\_)^3)^(-1), x\_Symbol] := Dist[1/(3\*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]\*x), x], x] + Dist[1/(3\*Rt[a, 3]^2), Int[(2\*Rt[a, 3] - Rt[b, 3]\*x)/(Rt[a, 3]^2 - Rt[a, 3]\*Rt[b, 3]\*x + Rt[b, 3]^2\*x^2), x], x] /; FreeQ[{a, b}, x]

#### Rule 31

Int[((a\_) + (b\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

#### Rule 634



```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

### Rule 617

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 204

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

### Rule 628

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{\sec^2(x)}{3 - 4 \tan^3(x)} dx &= \text{Subst} \left( \int \frac{1}{3 - 4x^3} dx, x, \tan(x) \right) \\ &= \frac{\text{Subst} \left( \int \frac{1}{\sqrt[3]{3} - 2^{2/3}x} dx, x, \tan(x) \right)}{3 \cdot 3^{2/3}} + \frac{\text{Subst} \left( \int \frac{2 \sqrt[3]{3} + 2^{2/3}x}{3^{2/3} + 2^{2/3} \sqrt[3]{3}x + 2 \sqrt[3]{2}x^2} dx, x, \tan(x) \right)}{3 \cdot 3^{2/3}} \\ &= -\frac{\log(\sqrt[3]{3} - 2^{2/3} \tan(x))}{3 \cdot 6^{2/3}} + \frac{\text{Subst} \left( \int \frac{1}{3^{2/3} + 2^{2/3} \sqrt[3]{3}x + 2 \sqrt[3]{2}x^2} dx, x, \tan(x) \right)}{2 \sqrt[3]{3}} + \frac{\text{Subst} \left( \int \frac{2^{2/3} \sqrt[3]{3} + 4 \sqrt[3]{2}}{3^{2/3} + 2^{2/3} \sqrt[3]{3}x + 2 \sqrt[3]{2}x^2} dx, x, \tan(x) \right)}{6 \cdot 6^{2/3}} \\ &= -\frac{\log(\sqrt[3]{3} - 2^{2/3} \tan(x))}{3 \cdot 6^{2/3}} + \frac{\log(3^{2/3} + 2^{2/3} \sqrt[3]{3} \tan(x) + 2 \sqrt[3]{2} \tan^2(x))}{6 \cdot 6^{2/3}} - \frac{\text{Subst} \left( \int \frac{1}{-3-x^2} dx, x, 1 - \tan^2(x) \right)}{6^{2/3}} \\ &= \frac{x}{3 \cdot 2^{2/3} \sqrt[3]{3}} - \frac{\tan^{-1} \left( \frac{6^{2/3} - 2 \cdot 6^{2/3} \cos^2(x) + 2(3 - 2 \sqrt[3]{6}) \cos(x) \sin(x)}{3 \cdot 2^{2/3} \sqrt[3]{3} + 4 \sqrt[3]{6} + 2(3 - 2 \sqrt[3]{6}) \cos^2(x) + 2 \cdot 6^{2/3} \cos(x) \sin(x)} \right)}{3 \cdot 2^{2/3} \sqrt[3]{3}} - \frac{\log(\sqrt[3]{3} - 2^{2/3} \tan(x))}{3 \cdot 6^{2/3}} + \frac{\log(3 - 6^{2/3} \tan^2(x))}{6 \cdot 6^{2/3}} \end{aligned}$$

**Mathematica [A]** time = 0.121195, size = 74, normalized size = 0.42

$$\frac{2\sqrt{3} \tan^{-1} \left( \frac{2 \cdot 6^{2/3} \tan(x) + 3}{3\sqrt{3}} \right) + \log(2\sqrt[3]{6} \tan^2(x) + 6^{2/3} \tan(x) + 3) - 2 \log(3 - 6^{2/3} \tan(x))}{6 \cdot 6^{2/3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sec[x]^2/(3 - 4*Tan[x]^3), x]
```

```
[Out] (2*Sqrt[3]*ArcTan[(3 + 2*6^(2/3)*Tan[x])/(3*Sqrt[3])]) - 2*Log[3 - 6^(2/3)*Tan[x]] + Log[3 + 6^(2/3)*Tan[x] + 2*6^(1/3)*Tan[x]^2]/(6*6^(2/3))
```

**Maple [A]** time = 0.054, size = 80, normalized size = 0.5

$$-\frac{\sqrt[3]{34^{\frac{2}{3}}}}{36} \ln\left(\tan(x) - \frac{\sqrt[3]{34^{\frac{2}{3}}}}{4}\right) + \frac{\sqrt[3]{34^{\frac{2}{3}}}}{72} \ln\left((\tan(x))^2 + \frac{\sqrt[3]{34^{\frac{2}{3}}}\tan(x)}{4} + \frac{3^{\frac{2}{3}}\sqrt[3]{4}}{4}\right) + \frac{3^{\frac{5}{6}}4^{\frac{2}{3}}}{36} \arctan\left(\frac{\sqrt{3}}{3} \left(\frac{2 \cdot 3^{2/3} \sqrt[3]{4} \tan(x)}{3}\right)\right) +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(x)^2/(3-4\*tan(x)^3),x)

[Out] -1/36\*3^(1/3)\*4^(2/3)\*ln(tan(x)-1/4\*3^(1/3)\*4^(2/3))+1/72\*3^(1/3)\*4^(2/3)\*ln(tan(x)^2+1/4\*3^(1/3)\*4^(2/3)\*tan(x)+1/4\*3^(2/3)\*4^(1/3))+1/36\*3^(5/6)\*4^(2/3)\*arctan(1/3\*3^(1/2)\*(2/3\*3^(2/3)\*4^(1/3)\*tan(x)+1))

**Maxima [A]** time = 1.45544, size = 120, normalized size = 0.68

$$\frac{1}{36} \cdot 4^{\frac{2}{3}} 3^{\frac{5}{6}} \arctan\left(\frac{1}{12} \cdot 4^{\frac{2}{3}} 3^{\frac{1}{6}} \left(2 \cdot 4^{\frac{2}{3}} \tan(x) + 4^{\frac{1}{3}} 3^{\frac{1}{3}}\right)\right) + \frac{1}{72} \cdot 4^{\frac{2}{3}} 3^{\frac{1}{3}} \log\left(4^{\frac{2}{3}} \tan(x)^2 + 4^{\frac{1}{3}} 3^{\frac{1}{3}} \tan(x) + 3^{\frac{2}{3}}\right) - \frac{1}{36} \cdot 4^{\frac{2}{3}} 3^{\frac{1}{3}} \log$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2/(3-4\*tan(x)^3),x, algorithm="maxima")

[Out] 1/36\*4^(2/3)\*3^(5/6)\*arctan(1/12\*4^(2/3)\*3^(1/6)\*(2\*4^(2/3)\*tan(x) + 4^(1/3)\*3^(1/3))) + 1/72\*4^(2/3)\*3^(1/3)\*log(4^(2/3)\*tan(x)^2 + 4^(1/3)\*3^(1/3)\*tan(x) + 3^(2/3)) - 1/36\*4^(2/3)\*3^(1/3)\*log(1/4\*4^(2/3)\*(4^(1/3)\*tan(x) - 3^(1/3)))

**Fricas [B]** time = 3.06919, size = 1635, normalized size = 9.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2/(3-4\*tan(x)^3),x, algorithm="fricas")

[Out] -1/36\*36^(1/6)\*sqrt(3)\*(-1)^(1/3)\*arctan(-1/108\*36^(1/6)\*(28\*(36^(2/3)\*sqrt(3)\*(-1)^(2/3) - 9\*sqrt(3)\*(-1)^(1/3))\*cos(x)^6 - 4\*(14\*36^(2/3)\*sqrt(3)\*(-1)^(2/3) + 36\*36^(1/3)\*sqrt(3) - 63\*sqrt(3)\*(-1)^(1/3))\*cos(x)^4 + (37\*36^(2/3)\*sqrt(3)\*(-1)^(2/3) + 144\*36^(1/3)\*sqrt(3) + 144\*sqrt(3)\*(-1)^(1/3))\*cos(x)^2 - 6\*(16\*(36^(2/3)\*sqrt(3)\*(-1)^(2/3) - 9\*sqrt(3)\*(-1)^(1/3))\*cos(x)^5 - (24\*36^(2/3)\*sqrt(3)\*(-1)^(2/3) - 7\*36^(1/3)\*sqrt(3) - 72\*sqrt(3)\*(-1)^(1/3))\*cos(x)^3 + 4\*(36^(2/3)\*sqrt(3)\*(-1)^(2/3) - 4\*36^(1/3)\*sqrt(3) + 9\*sqrt(3)\*(-1)^(1/3))\*cos(x))\*sin(x) - 18\*36^(1/3)\*sqrt(3) - 144\*sqrt(3)\*(-1)^(1/3))/(48\*cos(x)^6 - 72\*cos(x)^4 + 18\*cos(x)^2 + 14\*(cos(x)^5 - cos(x)^3)\*sin(x) + 3) - 1/432\*36^(2/3)\*(-1)^(1/3)\*log(-3\*(2\*36^(2/3)\*(-1)^(1/3) - 8\*36^(1/3)\*(-1)^(2/3) + 25)\*cos(x)^4 + 3\*(3\*36^(2/3)\*(-1)^(1/3) - 4\*36^(1/3)\*(-1)^(2/3) + 32)\*cos(x)^2 - 2\*((4\*36^(2/3)\*(-1)^(1/3) + 9\*36^(1/3)\*(-1)^(2/3))\*cos(x)^3 - 4\*(36^(2/3)\*(-1)^(1/3) - 9)\*cos(x))\*sin(x) - 12\*36^(1/3)\*(-1)^(2/3) - 48) + 1/216\*36^(2/3)\*(-1)^(1/3)\*log(3\*(2\*36^(2/3)\*(-1)^(1/3) + 8\*36^(1/3)\*(-1)^(2/3) - 7)\*cos(x)^2 + 2\*(4\*36^(2/3)\*(-1)^(1/3) - 9\*36^(1/3)\*(-1)^(2/3) + 36)\*cos(x))\*sin(x) - 3\*36^(2/3)\*(-1)^(1/3) - 12\*36^(1/3)\*(-1)^(2/3) + 48)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-\int \frac{\sec^2(x)}{4\tan^3(x) - 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)**2/(3-4*tan(x)**3),x)
```

```
[Out] -Integral(sec(x)**2/(4*tan(x)**3 - 3), x)
```

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)^2/(3-4*tan(x)^3),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.700 \quad \int \frac{\sec^2(x)}{11-5 \tan(x)+5 \tan^2(x)} dx$$

**Optimal.** Leaf size=53

$$\frac{2x}{\sqrt{195}} - \frac{2 \tan^{-1} \left( \frac{10 \cos^2(x)+12 \sin(x) \cos(x)-5}{12 \cos^2(x)-10 \sin(x) \cos(x)+\sqrt{195}+10} \right)}{\sqrt{195}}$$

[Out] (2\*x)/Sqrt[195] - (2\*ArcTan[(-5 + 10\*Cos[x]^2 + 12\*Cos[x]\*Sin[x])/(10 + Sqrt[195] + 12\*Cos[x]^2 - 10\*Cos[x]\*Sin[x])])/Sqrt[195]

**Rubi [A]** time = 0.0656439, antiderivative size = 53, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {4342, 618, 204}

$$\frac{2x}{\sqrt{195}} - \frac{2 \tan^{-1} \left( \frac{10 \cos^2(x)+12 \sin(x) \cos(x)-5}{12 \cos^2(x)-10 \sin(x) \cos(x)+\sqrt{195}+10} \right)}{\sqrt{195}}$$

Antiderivative was successfully verified.

[In] Int[Sec[x]^2/(11 - 5\*Tan[x] + 5\*Tan[x]^2), x]

[Out] (2\*x)/Sqrt[195] - (2\*ArcTan[(-5 + 10\*Cos[x]^2 + 12\*Cos[x]\*Sin[x])/(10 + Sqrt[195] + 12\*Cos[x]^2 - 10\*Cos[x]\*Sin[x])])/Sqrt[195]

#### Rule 4342

Int[(u\_)\*(F\_)[(c\_.)\*((a\_.) + (b\_.)\*(x\_))]^2, x\_Symbol] := With[{d = FreeFactors[Tan[c\*(a + b\*x)], x]}, Dist[d/(b\*c), Subst[Int[SubstFor[1, Tan[c\*(a + b\*x)]]/d, u, x], x], x, Tan[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Tan[c\*(a + b\*x)]/d, u, x, True] /; FreeQ[{a, b, c}, x] && NonsumQ[u] && (EqQ[F, Sec] || EqQ[F, sec])

#### Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

#### Rule 204

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{\sec^2(x)}{11-5 \tan(x)+5 \tan^2(x)} dx &= \text{Subst} \left( \int \frac{1}{11-5x+5x^2} dx, x, \tan(x) \right) \\ &= - \left( 2 \text{Subst} \left( \int \frac{1}{-195-x^2} dx, x, -5+10 \tan(x) \right) \right) \\ &= \frac{2x}{\sqrt{195}} + \frac{2 \tan^{-1} \left( \frac{5-10 \cos^2(x)-12 \cos(x) \sin(x)}{10+\sqrt{195}+12 \cos^2(x)-10 \cos(x) \sin(x)} \right)}{\sqrt{195}} \end{aligned}$$

**Mathematica [A]** time = 0.0549315, size = 22, normalized size = 0.42

$$\frac{2 \tan^{-1} \left( \sqrt{\frac{5}{39}} (1 - 2 \tan(x)) \right)}{\sqrt{195}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[x]^2/(11 - 5\*Tan[x] + 5\*Tan[x]^2), x]

[Out] (-2\*ArcTan[Sqrt[5/39]\*(1 - 2\*Tan[x])])/Sqrt[195]

**Maple [A]** time = 0.064, size = 18, normalized size = 0.3

$$\frac{2 \sqrt{195}}{195} \arctan \left( \frac{(10 \tan(x) - 5) \sqrt{195}}{195} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(x)^2/(11-5\*tan(x)+5\*tan(x)^2), x)

[Out] 2/195\*195^(1/2)\*arctan(1/195\*(10\*tan(x)-5)\*195^(1/2))

**Maxima [A]** time = 1.46819, size = 23, normalized size = 0.43

$$\frac{2}{195} \sqrt{195} \arctan \left( \frac{1}{39} \sqrt{195} (2 \tan(x) - 1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2/(11-5\*tan(x)+5\*tan(x)^2), x, algorithm="maxima")

[Out] 2/195\*sqrt(195)\*arctan(1/39\*sqrt(195)\*(2\*tan(x) - 1))

**Fricas [A]** time = 2.10278, size = 188, normalized size = 3.55

$$\frac{1}{195} \sqrt{195} \arctan \left( -\frac{192 \sqrt{195} \cos(x)^2 - 160 \sqrt{195} \cos(x) \sin(x) - 35 \sqrt{195}}{195 (10 \cos(x)^2 + 12 \cos(x) \sin(x) - 5)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2/(11-5\*tan(x)+5\*tan(x)^2), x, algorithm="fricas")

[Out] 1/195\*sqrt(195)\*arctan(-1/195\*(192\*sqrt(195)\*cos(x)^2 - 160\*sqrt(195)\*cos(x)\*sin(x) - 35\*sqrt(195))/(10\*cos(x)^2 + 12\*cos(x)\*sin(x) - 5))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec^2(x)}{5 \tan^2(x) - 5 \tan(x) + 11} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)\*\*2/(11-5\*tan(x)+5\*tan(x)\*\*2),x)

[Out] Integral(sec(x)\*\*2/(5\*tan(x)\*\*2 - 5\*tan(x) + 11), x)

**Giac [A]** time = 1.12237, size = 23, normalized size = 0.43

$$\frac{2}{195} \sqrt{195} \arctan\left(\frac{1}{39} \sqrt{195}(2 \tan(x) - 1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2/(11-5\*tan(x)+5\*tan(x)^2),x, algorithm="giac")

[Out] 2/195\*sqrt(195)\*arctan(1/39\*sqrt(195)\*(2\*tan(x) - 1))

$$3.701 \quad \int \frac{\sec^2(x)(a+b \tan(x))}{c+d \tan(x)} dx$$

**Optimal.** Leaf size=28

$$\frac{b \tan(x)}{d} - \frac{(bc - ad) \log(c + d \tan(x))}{d^2}$$

[Out] -(((b\*c - a\*d)\*Log[c + d\*Tan[x]])/d^2) + (b\*Tan[x])/d

**Rubi [A]** time = 0.0873822, antiderivative size = 28, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$ , Rules used = {4342, 43}

$$\frac{b \tan(x)}{d} - \frac{(bc - ad) \log(c + d \tan(x))}{d^2}$$

Antiderivative was successfully verified.

[In] Int[(Sec[x]^2\*(a + b\*Tan[x]))/(c + d\*Tan[x]),x]

[Out] -(((b\*c - a\*d)\*Log[c + d\*Tan[x]])/d^2) + (b\*Tan[x])/d

#### Rule 4342

Int[(u\_)\*(F\_)[(c\_.)\*((a\_.) + (b\_.)\*(x\_))]^2, x\_Symbol] := With[{d = FreeFactors[Tan[c\*(a + b\*x)], x]}, Dist[d/(b\*c), Subst[Int[SubstFor[1, Tan[c\*(a + b\*x)]]/d, u, x], x], x, Tan[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Tan[c\*(a + b\*x)]/d, u, x, True] /; FreeQ[{a, b, c}, x] && NonsumQ[u] && (EqQ[F, Sec] || EqQ[F, sec])

#### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LtQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{\sec^2(x)(a+b \tan(x))}{c+d \tan(x)} dx &= \text{Subst} \left( \int \frac{a+bx}{c+dx} dx, x, \tan(x) \right) \\ &= \text{Subst} \left( \int \left( \frac{b}{d} + \frac{-bc+ad}{d(c+dx)} \right) dx, x, \tan(x) \right) \\ &= -\frac{(bc-ad) \log(c+d \tan(x))}{d^2} + \frac{b \tan(x)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.353691, size = 54, normalized size = 1.93

$$\frac{\cos(x)(a+b \tan(x))((bc-ad)(\log(\cos(x))-\log(c \cos(x)+d \sin(x)))+bd \tan(x))}{d^2(a \cos(x)+b \sin(x))}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[x]^2\*(a + b\*Tan[x]))/(c + d\*Tan[x]),x]

[Out] (Cos[x]\*(a + b\*Tan[x])\*((b\*c - a\*d)\*(Log[Cos[x]] - Log[c\*Cos[x] + d\*Sin[x]]) + b\*d\*Tan[x]))/(d^2\*(a\*Cos[x] + b\*Sin[x]))

**Maple [A]** time = 0.042, size = 35, normalized size = 1.3

$$\frac{b \tan(x)}{d} + \frac{\ln(c + d \tan(x)) a}{d} - \frac{\ln(c + d \tan(x)) cb}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(x)^2\*(a+b\*tan(x))/(c+d\*tan(x)),x)

[Out] b\*tan(x)/d+1/d\*ln(c+d\*tan(x))\*a-1/d^2\*ln(c+d\*tan(x))\*c\*b

**Maxima [A]** time = 0.958968, size = 38, normalized size = 1.36

$$\frac{b \tan(x)}{d} - \frac{(bc - ad) \log(d \tan(x) + c)}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2\*(a+b\*tan(x))/(c+d\*tan(x)),x, algorithm="maxima")

[Out] b\*tan(x)/d - (b\*c - a\*d)\*log(d\*tan(x) + c)/d^2

**Fricas [B]** time = 2.33689, size = 194, normalized size = 6.93

$$\frac{(bc - ad) \cos(x) \log(2cd \cos(x) \sin(x) + (c^2 - d^2) \cos(x)^2 + d^2) - (bc - ad) \cos(x) \log(\cos(x)^2) - 2bd \sin(x)}{2d^2 \cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2\*(a+b\*tan(x))/(c+d\*tan(x)),x, algorithm="fricas")

[Out] -1/2\*((b\*c - a\*d)\*cos(x)\*log(2\*c\*d\*cos(x)\*sin(x) + (c^2 - d^2)\*cos(x)^2 + d^2) - (b\*c - a\*d)\*cos(x)\*log(cos(x)^2) - 2\*b\*d\*sin(x))/(d^2\*cos(x))

**Sympy [A]** time = 3.57323, size = 29, normalized size = 1.04

$$\frac{b \tan(x)}{d} + \frac{(ad - bc) \begin{cases} \frac{\tan(x)}{d} & \text{for } d = 0 \\ \frac{\log(c + d \tan(x))}{d} & \text{otherwise} \end{cases}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)\*\*2\*(a+b\*tan(x))/(c+d\*tan(x)),x)



```
[Out] b*tan(x)/d + (a*d - b*c)*Piecewise((tan(x)/c, Eq(d, 0)), (log(c + d*tan(x))
/d, True))/d
```

---

**Giac [A]** time = 1.11106, size = 39, normalized size = 1.39

$$\frac{b \tan(x)}{d} - \frac{(bc - ad) \log(|d \tan(x) + c|)}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)^2*(a+b*tan(x))/(c+d*tan(x)),x, algorithm="giac")
```

```
[Out] b*tan(x)/d - (b*c - a*d)*log(abs(d*tan(x) + c))/d^2
```

$$3.702 \quad \int \frac{\sec^2(x)(a+b \tan(x))^2}{c+d \tan(x)} dx$$

**Optimal.** Leaf size=53

$$-\frac{b \tan(x)(bc-ad)}{d^2} + \frac{(bc-ad)^2 \log(c+d \tan(x))}{d^3} + \frac{(a+b \tan(x))^2}{2d}$$

[Out]  $((b*c - a*d)^2*\text{Log}[c + d*\text{Tan}[x]])/d^3 - (b*(b*c - a*d)*\text{Tan}[x])/d^2 + (a + b*\text{Tan}[x])^2/(2*d)$

**Rubi [A]** time = 0.137769, antiderivative size = 53, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {4342, 43}

$$-\frac{b \tan(x)(bc-ad)}{d^2} + \frac{(bc-ad)^2 \log(c+d \tan(x))}{d^3} + \frac{(a+b \tan(x))^2}{2d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Sec}[x]^2*(a + b*\text{Tan}[x])^2)/(c + d*\text{Tan}[x]), x]$

[Out]  $((b*c - a*d)^2*\text{Log}[c + d*\text{Tan}[x]])/d^3 - (b*(b*c - a*d)*\text{Tan}[x])/d^2 + (a + b*\text{Tan}[x])^2/(2*d)$

#### Rule 4342

$\text{Int}[(u_)*(F_)[(c_)*((a_.) + (b_.)*(x_))]^2, x\_Symbol] \rightarrow \text{With}\{d = \text{FreeFactors}[\text{Tan}[c*(a + b*x)], x]\}, \text{Dist}[d/(b*c), \text{Subst}[\text{Int}[\text{SubstFor}[1, \text{Tan}[c*(a + b*x)]/d, u, x], x], x, \text{Tan}[c*(a + b*x)]/d, x] /; \text{FunctionOfQ}[\text{Tan}[c*(a + b*x)]/d, u, x, \text{True}] /; \text{FreeQ}\{a, b, c\}, x \ \&\& \ \text{NonsumQ}[u] \ \&\& \ (\text{EqQ}[F, \text{Sec}] \ || \ \text{EqQ}[F, \text{sec}])$

#### Rule 43

$\text{Int}[(a_.) + (b_.)*(x_)]^{(m_.)} * [(c_.) + (d_.)*(x_)]^{(n_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ (\text{!IntegerQ}[n] \ || \ (\text{EqQ}[c, 0] \ \&\& \ \text{LeQ}[7*m + 4*n + 4, 0]) \ || \ \text{LtQ}[9*m + 5*(n + 1), 0] \ || \ \text{GtQ}[m + n + 2, 0])$

#### Rubi steps

$$\begin{aligned} \int \frac{\sec^2(x)(a+b \tan(x))^2}{c+d \tan(x)} dx &= \text{Subst} \left( \int \frac{(a+bx)^2}{c+dx} dx, x, \tan(x) \right) \\ &= \text{Subst} \left( \int \left( -\frac{b(bc-ad)}{d^2} + \frac{b(a+bx)}{d} + \frac{(-bc+ad)^2}{d^2(c+dx)} \right) dx, x, \tan(x) \right) \\ &= \frac{(bc-ad)^2 \log(c+d \tan(x))}{d^3} - \frac{b(bc-ad) \tan(x)}{d^2} + \frac{(a+b \tan(x))^2}{2d} \end{aligned}$$

**Mathematica [A]** time = 0.555891, size = 62, normalized size = 1.17

$$\frac{b^2 d^2 \sec^2(x) - 2 \left( b d \tan(x)(bc - 2ad) + (bc - ad)^2 (\log(\cos(x)) - \log(c \cos(x) + d \sin(x))) \right)}{2d^3}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[x]^2\*(a + b\*Tan[x])^2)/(c + d\*Tan[x]),x]

[Out] (b^2\*d^2\*Sec[x]^2 - 2\*((b\*c - a\*d)^2\*(Log[Cos[x]] - Log[c\*Cos[x] + d\*Sin[x]]) + b\*d\*(b\*c - 2\*a\*d)\*Tan[x]))/(2\*d^3)

**Maple [A]** time = 0.059, size = 80, normalized size = 1.5

$$\frac{b^2 (\tan(x))^2}{2d} + 2 \frac{ab \tan(x)}{d} - \frac{b^2 \tan(x)c}{d^2} + \frac{\ln(c + d \tan(x)) a^2}{d} - 2 \frac{\ln(c + d \tan(x)) abc}{d^2} + \frac{\ln(c + d \tan(x)) b^2 c^2}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(x)^2\*(a+b\*tan(x))^2/(c+d\*tan(x)),x)

[Out] 1/2\*b^2/d\*tan(x)^2+2\*b/d\*a\*tan(x)-b^2/d^2\*tan(x)\*c+1/d\*ln(c+d\*tan(x))\*a^2-2/d^2\*ln(c+d\*tan(x))\*a\*b\*c+1/d^3\*ln(c+d\*tan(x))\*b^2\*c^2

**Maxima [A]** time = 0.990692, size = 85, normalized size = 1.6

$$\frac{b^2 d \tan(x)^2 - 2(b^2 c - 2abd) \tan(x)}{2d^2} + \frac{(b^2 c^2 - 2abcd + a^2 d^2) \log(d \tan(x) + c)}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2\*(a+b\*tan(x))^2/(c+d\*tan(x)),x, algorithm="maxima")

[Out] 1/2\*(b^2\*d\*tan(x)^2 - 2\*(b^2\*c - 2\*a\*b\*d)\*tan(x))/d^2 + (b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*log(d\*tan(x) + c)/d^3

**Fricas [B]** time = 2.40642, size = 302, normalized size = 5.7

$$\frac{b^2 d^2 + (b^2 c^2 - 2abcd + a^2 d^2) \cos(x)^2 \log(2cd \cos(x) \sin(x) + (c^2 - d^2) \cos(x)^2 + d^2) - (b^2 c^2 - 2abcd + a^2 d^2) \cos(x)}{2d^3 \cos(x)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2\*(a+b\*tan(x))^2/(c+d\*tan(x)),x, algorithm="fricas")

[Out] 1/2\*(b^2\*d^2 + (b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*cos(x)^2\*log(2\*c\*d\*cos(x)\*sin(x) + (c^2 - d^2)\*cos(x)^2 + d^2) - (b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*cos(x)^2\*log(cos(x)^2) - 2\*(b^2\*c\*d - 2\*a\*b\*d^2)\*cos(x)\*sin(x))/(d^3\*cos(x)^2)

**Sympy [A]** time = 4.70279, size = 56, normalized size = 1.06

$$\frac{b^2 \tan^2(x)}{2d} + \frac{(ad - bc)^2 \left( \begin{cases} \frac{\tan(x)}{d} & \text{for } d = 0 \\ \frac{\log(c+d \tan(x))}{d} & \text{otherwise} \end{cases} \right)}{d^2} + \frac{(2abd - b^2c) \tan(x)}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)\*\*2\*(a+b\*tan(x))\*\*2/(c+d\*tan(x)),x)

[Out] b\*\*2\*tan(x)\*\*2/(2\*d) + (a\*d - b\*c)\*\*2\*Piecewise((tan(x)/c, Eq(d, 0)), (log(c + d\*tan(x))/d, True))/d\*\*2 + (2\*a\*b\*d - b\*\*2\*c)\*tan(x)/d\*\*2

**Giac [A]** time = 1.09683, size = 86, normalized size = 1.62

$$\frac{b^2 d \tan(x)^2 - 2 b^2 c \tan(x) + 4 a b d \tan(x)}{2 d^2} + \frac{(b^2 c^2 - 2 a b c d + a^2 d^2) \log(|d \tan(x) + c|)}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2\*(a+b\*tan(x))^2/(c+d\*tan(x)),x, algorithm="giac")

[Out] 1/2\*(b^2\*d\*tan(x)^2 - 2\*b^2\*c\*tan(x) + 4\*a\*b\*d\*tan(x))/d^2 + (b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*log(abs(d\*tan(x) + c))/d^3

$$3.703 \quad \int \frac{\sec^2(x)(a+b \tan(x))^3}{c+d \tan(x)} dx$$

**Optimal.** Leaf size=78

$$\frac{b \tan(x)(bc-ad)^2}{d^3} - \frac{(bc-ad)(a+b \tan(x))^2}{2d^2} - \frac{(bc-ad)^3 \log(c+d \tan(x))}{d^4} + \frac{(a+b \tan(x))^3}{3d}$$

[Out] -(((b\*c - a\*d)^3\*Log[c + d\*Tan[x]])/d^4) + (b\*(b\*c - a\*d)^2\*Tan[x])/d^3 - ((b\*c - a\*d)\*(a + b\*Tan[x])^2)/(2\*d^2) + (a + b\*Tan[x])^3/(3\*d)

**Rubi [A]** time = 0.149608, antiderivative size = 78, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {4342, 43}

$$\frac{b \tan(x)(bc-ad)^2}{d^3} - \frac{(bc-ad)(a+b \tan(x))^2}{2d^2} - \frac{(bc-ad)^3 \log(c+d \tan(x))}{d^4} + \frac{(a+b \tan(x))^3}{3d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[x]^2\*(a + b\*Tan[x])^3)/(c + d\*Tan[x]),x]

[Out] -(((b\*c - a\*d)^3\*Log[c + d\*Tan[x]])/d^4) + (b\*(b\*c - a\*d)^2\*Tan[x])/d^3 - ((b\*c - a\*d)\*(a + b\*Tan[x])^2)/(2\*d^2) + (a + b\*Tan[x])^3/(3\*d)

#### Rule 4342

Int[(u\_)\*(F\_)[(c\_.)\*((a\_.) + (b\_.)\*(x\_))]^2, x\_Symbol] :> With[{d = FreeFactors[Tan[c\*(a + b\*x)], x]}, Dist[d/(b\*c), Subst[Int[SubstFor[1, Tan[c\*(a + b\*x)]]/d, u, x], x], x, Tan[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Tan[c\*(a + b\*x)]/d, u, x, True] /; FreeQ[{a, b, c}, x] && NonsumQ[u] && (EqQ[F, Sec] || EqQ[F, sec])

#### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LtQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{\sec^2(x)(a+b \tan(x))^3}{c+d \tan(x)} dx &= \text{Subst} \left( \int \frac{(a+bx)^3}{c+dx} dx, x, \tan(x) \right) \\ &= \text{Subst} \left( \int \left( \frac{b(bc-ad)^2}{d^3} - \frac{b(bc-ad)(a+bx)}{d^2} + \frac{b(a+bx)^2}{d} + \frac{(-bc+ad)^3}{d^3(c+dx)} \right) dx, x, \tan(x) \right) \\ &= -\frac{(bc-ad)^3 \log(c+d \tan(x))}{d^4} + \frac{b(bc-ad)^2 \tan(x)}{d^3} - \frac{(bc-ad)(a+b \tan(x))^2}{2d^2} + \frac{(a+b \tan(x))^3}{3d} \end{aligned}$$

**Mathematica [A]** time = 0.897265, size = 133, normalized size = 1.71

$$\frac{(a+b \tan(x))^3(c \cos(x) + d \sin(x)) (bd^2(9a \sin(2x)(ad-bc) + b(9ad-3bc+2bd \tan(x))) + 6 \cos^2(x)(bc-ad)^3 \log(c+d \tan(x)))}{6d^4(c+d \tan(x))(a \cos(x) + b \sin(x))^3}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[x]^2\*(a + b\*Tan[x])^3)/(c + d\*Tan[x]),x]

[Out] ((c\*cos[x] + d\*sin[x])\*(a + b\*tan[x])^3\*(6\*(b\*c - a\*d)^3\*cos[x]^2\*(Log[Cos[x]] - Log[c\*cos[x] + d\*sin[x]]) - b^3\*d\*(-3\*c^2 + d^2)\*sin[2\*x] + b\*d^2\*(9\*a\*(-b\*c) + a\*d)\*sin[2\*x] + b\*(-3\*b\*c + 9\*a\*d + 2\*b\*d\*tan[x])))/(6\*d^4\*(a\*cos[x] + b\*sin[x])^3\*(c + d\*tan[x]))

**Maple [A]** time = 0.075, size = 143, normalized size = 1.8

$$\frac{b^3 (\tan(x))^3}{3d} + \frac{3b^2 (\tan(x))^2 a}{2d} - \frac{b^3 (\tan(x))^2 c}{2d^2} + 3 \frac{a^2 b \tan(x)}{d} - 3 \frac{ab^2 c \tan(x)}{d^2} + \frac{b^3 c^2 \tan(x)}{d^3} + \frac{\ln(c + d \tan(x)) a^3}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(x)^2\*(a+b\*tan(x))^3/(c+d\*tan(x)),x)

[Out] 1/3\*b^3/d\*tan(x)^3+3/2\*b^2/d\*tan(x)^2\*a-1/2\*b^3/d^2\*tan(x)^2\*c+3\*b/d\*a^2\*tan(x)-3\*b^2/d^2\*a\*c\*tan(x)+b^3/d^3\*c^2\*tan(x)+1/d\*ln(c+d\*tan(x))\*a^3-3/d^2\*ln(c+d\*tan(x))\*a^2\*b\*c+3/d^3\*ln(c+d\*tan(x))\*a\*b^2\*c^2-1/d^4\*ln(c+d\*tan(x))\*b^3\*c^3

**Maxima [A]** time = 0.976686, size = 159, normalized size = 2.04

$$\frac{2b^3d^2 \tan(x)^3 - 3(b^3cd - 3ab^2d^2) \tan(x)^2 + 6(b^3c^2 - 3ab^2cd + 3a^2bd^2) \tan(x)}{6d^3} - \frac{(b^3c^3 - 3ab^2c^2d + 3a^2bcd^2 - a^3d^3)}{d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2\*(a+b\*tan(x))^3/(c+d\*tan(x)),x, algorithm="maxima")

[Out] 1/6\*(2\*b^3\*d^2\*tan(x)^3 - 3\*(b^3\*c\*d - 3\*a\*b^2\*d^2)\*tan(x)^2 + 6\*(b^3\*c^2 - 3\*a\*b^2\*c\*d + 3\*a^2\*b\*d^2)\*tan(x))/d^3 - (b^3\*c^3 - 3\*a\*b^2\*c^2\*d + 3\*a^2\*b\*c\*d^2 - a^3\*d^3)\*log(d\*tan(x) + c)/d^4

**Fricas [B]** time = 2.98869, size = 459, normalized size = 5.88

$$\frac{3(b^3c^3 - 3ab^2c^2d + 3a^2bcd^2 - a^3d^3) \cos(x)^3 \log(2cd \cos(x) \sin(x) + (c^2 - d^2) \cos(x)^2 + d^2) - 3(b^3c^3 - 3ab^2c^2d + 3a^2bcd^2 - a^3d^3) \cos(x)^3 \log(\cos(x)^2) + 3(b^3c^3 - 3ab^2c^2d + 3a^2bcd^2 - a^3d^3) \cos(x)^3 \log(\cos(x)^2) + 3(b^3c^3 - 3ab^2c^2d + 3a^2bcd^2 - a^3d^3) \cos(x)^3 \log(\cos(x)^2) - 2(b^3d^3 + (3b^3c^2d - 9a^2b^2c*d^2 + (9a^2b - b^3)*d^3)*\cos(x)^2*\sin(x))}{d^4*\cos(x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2\*(a+b\*tan(x))^3/(c+d\*tan(x)),x, algorithm="fricas")

[Out] -1/6\*(3\*(b^3\*c^3 - 3\*a\*b^2\*c^2\*d + 3\*a^2\*b\*c\*d^2 - a^3\*d^3)\*cos(x)^3\*log(2\*c\*d\*cos(x)\*sin(x) + (c^2 - d^2)\*cos(x)^2 + d^2) - 3\*(b^3\*c^3 - 3\*a\*b^2\*c^2\*d + 3\*a^2\*b\*c\*d^2 - a^3\*d^3)\*cos(x)^3\*log(cos(x)^2) + 3\*(b^3\*c^3 - 3\*a\*b^2\*c^2\*d + 3\*a^2\*b\*c\*d^2 - a^3\*d^3)\*cos(x)^3\*log(cos(x)^2) - 2\*(b^3\*d^3 + (3\*b^3\*c^2\*d - 9\*a^2\*b^2\*c\*d^2 + (9\*a^2\*b - b^3)\*d^3)\*cos(x)^2)\*sin(x))/(d^4\*cos(x)^3)

---

**Sympy [A]** time = 7.21373, size = 95, normalized size = 1.22

$$\frac{b^3 \tan^3(x)}{3d} + \frac{(3ab^2d - b^3c) \tan^2(x)}{2d^2} + \frac{(ad - bc)^3 \left( \begin{cases} \frac{\tan(x)}{d} & \text{for } d = 0 \\ \frac{\log^c(c+d \tan(x))}{d} & \text{otherwise} \end{cases} \right)}{d^3} + \frac{(3a^2bd^2 - 3ab^2cd + b^3c^2) \tan(x)}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)\*\*2\*(a+b\*tan(x))\*\*3/(c+d\*tan(x)),x)

[Out] b\*\*3\*tan(x)\*\*3/(3\*d) + (3\*a\*b\*\*2\*d - b\*\*3\*c)\*tan(x)\*\*2/(2\*d\*\*2) + (a\*d - b\*c)\*\*3\*Piecewise((tan(x)/c, Eq(d, 0)), (log(c + d\*tan(x))/d, True))/d\*\*3 + (3\*a\*\*2\*b\*d\*\*2 - 3\*a\*b\*\*2\*c\*d + b\*\*3\*c\*\*2)\*tan(x)/d\*\*3

---

**Giac [A]** time = 1.08839, size = 166, normalized size = 2.13

$$\frac{2b^3d^2 \tan(x)^3 - 3b^3cd \tan(x)^2 + 9ab^2d^2 \tan(x)^2 + 6b^3c^2 \tan(x) - 18ab^2cd \tan(x) + 18a^2bd^2 \tan(x)}{6d^3} - \frac{(b^3c^3 - 3a^2b^2c^2d + 3a^2b^2cd^2 - a^3d^3) \log(\text{abs}(d \tan(x) + c))}{d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2\*(a+b\*tan(x))^3/(c+d\*tan(x)),x, algorithm="giac")

[Out] 1/6\*(2\*b^3\*d^2\*tan(x)^3 - 3\*b^3\*c\*d\*tan(x)^2 + 9\*a\*b^2\*d^2\*tan(x)^2 + 6\*b^3\*c^2\*tan(x) - 18\*a\*b^2\*c\*d\*tan(x) + 18\*a^2\*b\*d^2\*tan(x))/d^3 - (b^3\*c^3 - 3\*a^2\*b^2\*c^2\*d + 3\*a^2\*b^2\*c\*d^2 - a^3\*d^3)\*log(abs(d\*tan(x) + c))/d^4

$$3.704 \quad \int \frac{\sec^2(x) \tan^2(x)}{(2 + \tan^3(x))^2} dx$$

**Optimal.** Leaf size=12

$$-\frac{1}{3(\tan^3(x) + 2)}$$

[Out] -1/(3\*(2 + Tan[x]^3))

**Rubi [A]** time = 0.0760194, antiderivative size = 12, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$ , Rules used = {4342, 261}

$$-\frac{1}{3(\tan^3(x) + 2)}$$

Antiderivative was successfully verified.

[In] Int[(Sec[x]^2\*Tan[x]^2)/(2 + Tan[x]^3)^2,x]

[Out] -1/(3\*(2 + Tan[x]^3))

#### Rule 4342

```
Int[(u_)*(F_)[(c_.)*((a_.) + (b_.)*(x_))]^2, x_Symbol] := With[{d = FreeFactors[Tan[c*(a + b*x)], x]}, Dist[d/(b*c), Subst[Int[SubstFor[1, Tan[c*(a + b*x)]]/d, u, x], x], x, Tan[c*(a + b*x)]/d, x] /; FunctionOfQ[Tan[c*(a + b*x)]/d, u, x, True]] /; FreeQ[{a, b, c}, x] && NonsumQ[u] && (EqQ[F, Sec] || EqQ[F, sec])
```

#### Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

#### Rubi steps

$$\int \frac{\sec^2(x) \tan^2(x)}{(2 + \tan^3(x))^2} dx = \text{Subst} \left( \int \frac{x^2}{(2 + x^3)^2} dx, x, \tan(x) \right) = -\frac{1}{3(2 + \tan^3(x))}$$

**Mathematica [A]** time = 0.0357123, size = 12, normalized size = 1.

$$-\frac{1}{3(\tan^3(x) + 2)}$$

Antiderivative was successfully verified.



[In] Integrate[(Sec[x]^2\*Tan[x]^2)/(2 + Tan[x]^3)^2,x]

[Out] -1/(3\*(2 + Tan[x]^3))

**Maple [A]** time = 0.072, size = 11, normalized size = 0.9

$$-\frac{1}{6 + 3 (\tan(x))^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(x)^2\*tan(x)^2/(2+tan(x)^3)^2,x)

[Out] -1/3/(2+tan(x)^3)

**Maxima [A]** time = 0.97347, size = 14, normalized size = 1.17

$$-\frac{1}{3(\tan(x)^3 + 2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2\*tan(x)^2/(2+tan(x)^3)^2,x, algorithm="maxima")

[Out] -1/3/(tan(x)^3 + 2)

**Fricas [B]** time = 2.02154, size = 109, normalized size = 9.08

$$-\frac{\cos(x)^3 + 2(\cos(x)^2 - 1)\sin(x)}{15(2\cos(x)^3 - (\cos(x)^2 - 1)\sin(x))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2\*tan(x)^2/(2+tan(x)^3)^2,x, algorithm="fricas")

[Out] -1/15\*(cos(x)^3 + 2\*(cos(x)^2 - 1)\*sin(x))/(2\*cos(x)^3 - (cos(x)^2 - 1)\*sin(x))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)\*\*2\*tan(x)\*\*2/(2+tan(x)\*\*3)\*\*2,x)

[Out] Timed out

---

**Giac [A]** time = 1.10688, size = 14, normalized size = 1.17

$$-\frac{1}{3(\tan(x)^3 + 2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)^2*tan(x)^2/(2+tan(x)^3)^2,x, algorithm="giac")`

[Out] `-1/3/(tan(x)^3 + 2)`

$$3.705 \quad \int \sec^2(x) \tan^6(x) (1 + \tan^2(x))^3 dx$$

**Optimal.** Leaf size=33

$$\frac{\tan^{13}(x)}{13} + \frac{3 \tan^{11}(x)}{11} + \frac{\tan^9(x)}{3} + \frac{\tan^7(x)}{7}$$

[Out] Tan[x]^7/7 + Tan[x]^9/3 + (3\*Tan[x]^11)/11 + Tan[x]^13/13

**Rubi [A]** time = 0.0920761, antiderivative size = 33, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$ , Rules used = {3657, 2607, 270}

$$\frac{\tan^{13}(x)}{13} + \frac{3 \tan^{11}(x)}{11} + \frac{\tan^9(x)}{3} + \frac{\tan^7(x)}{7}$$

Antiderivative was successfully verified.

[In] Int[Sec[x]^2\*Tan[x]^6\*(1 + Tan[x]^2)^3,x]

[Out] Tan[x]^7/7 + Tan[x]^9/3 + (3\*Tan[x]^11)/11 + Tan[x]^13/13

#### Rule 3657

Int[(u\_.)\*((a\_.) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)]^2)^(p\_), x\_Symbol] :> Int[ActivateTrig[u\*(a\*sec[e + f\*x]^2)^p], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a, b]

#### Rule 2607

Int[sec[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)]^(n\_.), x\_Symbol] :> Dist[1/f, Subst[Int[(b\*x)^n\*(1 + x^2)^(m/2 - 1), x], x, Tan[e + f\*x]], x] /; FreeQ[{b, e, f, n}, x] && IntegerQ[m/2] && !(IntegerQ[(n - 1)/2] && LtQ[0, n, m - 1])

#### Rule 270

Int[((c\_.)\*(x\_.))^(m\_.)\*((a\_.) + (b\_.)\*(x\_.)^(n\_.))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(c\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

#### Rubi steps

$$\begin{aligned} \int \sec^2(x) \tan^6(x) (1 + \tan^2(x))^3 dx &= \int \sec^8(x) \tan^6(x) dx \\ &= \text{Subst} \left( \int x^6 (1 + x^2)^3 dx, x, \tan(x) \right) \\ &= \text{Subst} \left( \int (x^6 + 3x^8 + 3x^{10} + x^{12}) dx, x, \tan(x) \right) \\ &= \frac{\tan^7(x)}{7} + \frac{\tan^9(x)}{3} + \frac{3 \tan^{11}(x)}{11} + \frac{\tan^{13}(x)}{13} \end{aligned}$$

**Mathematica [B]** time = 0.0263524, size = 67, normalized size = 2.03

$$-\frac{16 \tan(x)}{3003} + \frac{1}{13} \tan(x) \sec^{12}(x) - \frac{27}{143} \tan(x) \sec^{10}(x) + \frac{53}{429} \tan(x) \sec^8(x) - \frac{5 \tan(x) \sec^6(x)}{3003} - \frac{2 \tan(x) \sec^4(x)}{1001}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[x]^2\*Tan[x]^6\*(1 + Tan[x]^2)^3,x]

[Out]  $(-16*\text{Tan}[x])/3003 - (8*\text{Sec}[x]^2*\text{Tan}[x])/3003 - (2*\text{Sec}[x]^4*\text{Tan}[x])/1001 - (5*\text{Sec}[x]^6*\text{Tan}[x])/3003 + (53*\text{Sec}[x]^8*\text{Tan}[x])/429 - (27*\text{Sec}[x]^10*\text{Tan}[x])/143 + (\text{Sec}[x]^12*\text{Tan}[x])/13$

**Maple [A]** time = 0.022, size = 42, normalized size = 1.3

$$\frac{(\sin(x))^7}{7(\cos(x))^7} + \frac{(\sin(x))^9}{3(\cos(x))^9} + \frac{3(\sin(x))^{11}}{11(\cos(x))^{11}} + \frac{(\sin(x))^{13}}{13(\cos(x))^{13}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(x)^2\*tan(x)^6\*(1+tan(x)^2)^3,x)

[Out]  $1/7*\sin(x)^7/\cos(x)^7 + 1/3*\sin(x)^9/\cos(x)^9 + 3/11*\sin(x)^{11}/\cos(x)^{11} + 1/13*\sin(x)^{13}/\cos(x)^{13}$

**Maxima [A]** time = 0.959681, size = 34, normalized size = 1.03

$$\frac{1}{13} \tan(x)^{13} + \frac{3}{11} \tan(x)^{11} + \frac{1}{3} \tan(x)^9 + \frac{1}{7} \tan(x)^7$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2\*tan(x)^6\*(1+tan(x)^2)^3,x, algorithm="maxima")

[Out]  $1/13*\tan(x)^{13} + 3/11*\tan(x)^{11} + 1/3*\tan(x)^9 + 1/7*\tan(x)^7$

**Fricas [A]** time = 2.2282, size = 158, normalized size = 4.79

$$\frac{(16 \cos(x)^{12} + 8 \cos(x)^{10} + 6 \cos(x)^8 + 5 \cos(x)^6 - 371 \cos(x)^4 + 567 \cos(x)^2 - 231) \sin(x)}{3003 \cos(x)^{13}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2\*tan(x)^6\*(1+tan(x)^2)^3,x, algorithm="fricas")

[Out]  $-1/3003*(16*\cos(x)^{12} + 8*\cos(x)^{10} + 6*\cos(x)^8 + 5*\cos(x)^6 - 371*\cos(x)^4 + 567*\cos(x)^2 - 231)*\sin(x)/\cos(x)^{13}$

**Sympy [A]** time = 92.6382, size = 27, normalized size = 0.82

$$\frac{\tan^{13}(x)}{13} + \frac{3 \tan^{11}(x)}{11} + \frac{\tan^9(x)}{3} + \frac{\tan^7(x)}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)**2*tan(x)**6*(1+tan(x)**2)**3,x)
```

```
[Out] tan(x)**13/13 + 3*tan(x)**11/11 + tan(x)**9/3 + tan(x)**7/7
```

---

**Giac [A]** time = 1.10194, size = 34, normalized size = 1.03

$$\frac{1}{13} \tan(x)^{13} + \frac{3}{11} \tan(x)^{11} + \frac{1}{3} \tan(x)^9 + \frac{1}{7} \tan(x)^7$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)^2*tan(x)^6*(1+tan(x)^2)^3,x, algorithm="giac")
```

```
[Out] 1/13*tan(x)^13 + 3/11*tan(x)^11 + 1/3*tan(x)^9 + 1/7*tan(x)^7
```

$$3.706 \quad \int \frac{\sec^2(x)(2+\tan^2(x))}{1+\tan^3(x)} dx$$

**Optimal.** Leaf size=46

$$\frac{2x}{\sqrt{3}} + \log(\tan(x) + 1) + \frac{2 \tan^{-1}\left(\frac{1-2\cos^2(x)}{-2\sin(x)\cos(x)+\sqrt{3}+2}\right)}{\sqrt{3}}$$

[Out] (2\*x)/Sqrt[3] + (2\*ArcTan[(1 - 2\*Cos[x]^2)/(2 + Sqrt[3] - 2\*Cos[x]\*Sin[x])])/Sqrt[3] + Log[1 + Tan[x]]

**Rubi [A]** time = 0.0887961, antiderivative size = 46, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$ , Rules used = {4342, 1863, 31, 618, 204}

$$\frac{2x}{\sqrt{3}} + \log(\tan(x) + 1) + \frac{2 \tan^{-1}\left(\frac{1-2\cos^2(x)}{-2\sin(x)\cos(x)+\sqrt{3}+2}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[x]^2\*(2 + Tan[x]^2))/(1 + Tan[x]^3),x]

[Out] (2\*x)/Sqrt[3] + (2\*ArcTan[(1 - 2\*Cos[x]^2)/(2 + Sqrt[3] - 2\*Cos[x]\*Sin[x])])/Sqrt[3] + Log[1 + Tan[x]]

#### Rule 4342

Int[(u\_)\*(F\_)[(c\_.)\*((a\_.) + (b\_.)\*(x\_))]^2, x\_Symbol] := With[{d = FreeFactors[Tan[c\*(a + b\*x)], x]}, Dist[d/(b\*c), Subst[Int[SubstFor[1, Tan[c\*(a + b\*x)]]/d, u, x], x], x, Tan[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Tan[c\*(a + b\*x)]/d, u, x, True]] /; FreeQ[{a, b, c}, x] && NonsumQ[u] && (EqQ[F, Sec] || EqQ[F, sec])

#### Rule 1863

Int[(P2\_)/((a\_) + (b\_.)\*(x\_)^3), x\_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = a^(1/3)/b^(1/3)}, Dist[C/b, Int[1/(q + x), x], x] + Dist[(B + C\*q)/b, Int[1/(q^2 - q\*x + x^2), x], x]] /; EqQ[A\*b^(2/3) - a^(1/3)\*b^(1/3)\*B - 2\*a^(2/3)\*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

#### Rule 31

Int[((a\_) + (b\_.)\*(x\_))^(−1), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

#### Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(−1), x\_Symbol] := Dist[−2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

#### Rule 204

Int[((a\_) + (b\_.)\*(x\_)^2)^(−1), x\_Symbol] := −Simp[ArcTan[(Rt[−b, 2]\*x)/Rt[−a, 2]]/(Rt[−a, 2]\*Rt[−b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

### Rubi steps

$$\begin{aligned}
 \int \frac{\sec^2(x)(2 + \tan^2(x))}{1 + \tan^3(x)} dx &= \text{Subst} \left( \int \frac{2 + x^2}{1 + x^3} dx, x, \tan(x) \right) \\
 &= \text{Subst} \left( \int \frac{1}{1 + x} dx, x, \tan(x) \right) + \text{Subst} \left( \int \frac{1}{1 - x + x^2} dx, x, \tan(x) \right) \\
 &= \log(1 + \tan(x)) - 2 \text{Subst} \left( \int \frac{1}{-3 - x^2} dx, x, -1 + 2 \tan(x) \right) \\
 &= \frac{2x}{\sqrt{3}} + \frac{2 \tan^{-1} \left( \frac{1 - 2 \cos^2(x)}{2 + \sqrt{3} - 2 \cos(x) \sin(x)} \right)}{\sqrt{3}} + \log(1 + \tan(x))
 \end{aligned}$$

**Mathematica [A]** time = 0.227092, size = 32, normalized size = 0.7

$$-\frac{2 \tan^{-1} \left( \frac{1 - 2 \tan(x)}{\sqrt{3}} \right)}{\sqrt{3}} - \log(\cos(x)) + \log(\sin(x) + \cos(x))$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[x]^2\*(2 + Tan[x]^2))/(1 + Tan[x]^3), x]

[Out] (-2\*ArcTan[(1 - 2\*Tan[x])/Sqrt[3]]/Sqrt[3] - Log[Cos[x]] + Log[Cos[x] + Sin[x]])

**Maple [A]** time = 0.108, size = 24, normalized size = 0.5

$$\ln(1 + \tan(x)) + \frac{2\sqrt{3}}{3} \arctan\left(\frac{(-1 + 2 \tan(x))\sqrt{3}}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(x)^2\*(2+tan(x)^2)/(1+tan(x)^3), x)

[Out] ln(1+tan(x))+2/3\*3^(1/2)\*arctan(1/3\*(-1+2\*tan(x))\*3^(1/2))

**Maxima [A]** time = 1.46102, size = 31, normalized size = 0.67

$$\frac{2}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3}(2 \tan(x) - 1)\right) + \log(\tan(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2\*(2+tan(x)^2)/(1+tan(x)^3), x, algorithm="maxima")

[Out] 2/3\*sqrt(3)\*arctan(1/3\*sqrt(3)\*(2\*tan(x) - 1)) + log(tan(x) + 1)

**Fricas [A]** time = 2.40297, size = 174, normalized size = 3.78

$$\frac{1}{3} \sqrt{3} \arctan\left(\frac{4\sqrt{3}\cos(x)\sin(x) - \sqrt{3}}{3(2\cos(x)^2 - 1)}\right) - \frac{1}{2} \log(\cos(x)^2) + \frac{1}{2} \log(2\cos(x)\sin(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2\*(2+tan(x)^2)/(1+tan(x)^3),x, algorithm="fricas")

[Out] 1/3\*sqrt(3)\*arctan(1/3\*(4\*sqrt(3)\*cos(x)\*sin(x) - sqrt(3))/(2\*cos(x)^2 - 1)) - 1/2\*log(cos(x)^2) + 1/2\*log(2\*cos(x)\*sin(x) + 1)

**Sympy [A]** time = 8.21175, size = 41, normalized size = 0.89

$$\frac{2\sqrt{3}\left(\operatorname{atan}\left(\frac{2\sqrt{3}\left(\tan(x) - \frac{1}{2}\right)}{3}\right) + \pi\left\lfloor\frac{x - \frac{\pi}{2}}{\pi}\right\rfloor\right)}{3} + \log(\tan(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)\*\*2\*(2+tan(x)\*\*2)/(1+tan(x)\*\*3),x)

[Out] 2\*sqrt(3)\*(atan(2\*sqrt(3)\*(tan(x) - 1/2)/3) + pi\*floor((x - pi/2)/pi))/3 + log(tan(x) + 1)

**Giac [A]** time = 1.10334, size = 32, normalized size = 0.7

$$\frac{2}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3}(2 \tan(x) - 1)\right) + \log(|\tan(x) + 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2\*(2+tan(x)^2)/(1+tan(x)^3),x, algorithm="giac")

[Out] 2/3\*sqrt(3)\*arctan(1/3\*sqrt(3)\*(2\*tan(x) - 1)) + log(abs(tan(x) + 1))



$$3.707 \quad \int (1 + \cos^2(x)) \sec^2(x) dx$$

**Optimal.** Leaf size=4

$$x + \tan(x)$$

[Out] x + Tan[x]

**Rubi [A]** time = 0.0182728, antiderivative size = 4, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {3012, 8}

$$x + \tan(x)$$

Antiderivative was successfully verified.

[In] Int[(1 + Cos[x]^2)\*Sec[x]^2,x]

[Out] x + Tan[x]

**Rule 3012**

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] :> Simp[(A\*Cos[e + f\*x]\*(b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)), x] + Dist[(A\*(m + 2) + C\*(m + 1))/(b^2\*(m + 1)), Int[(b\*Sin[e + f\*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && LtQ[m, -1]

**Rule 8**

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

**Rubi steps**

$$\begin{aligned} \int (1 + \cos^2(x)) \sec^2(x) dx &= \tan(x) + \int 1 dx \\ &= x + \tan(x) \end{aligned}$$

**Mathematica [A]** time = 0.0023942, size = 4, normalized size = 1.

$$x + \tan(x)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + Cos[x]^2)\*Sec[x]^2,x]

[Out] x + Tan[x]

**Maple [A]** time = 0.032, size = 5, normalized size = 1.3

$$x + \tan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1+cos(x)^2)*sec(x)^2,x)`

[Out] `x+tan(x)`

---

**Maxima [A]** time = 1.46473, size = 5, normalized size = 1.25

$$x + \tan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+cos(x)^2)*sec(x)^2,x, algorithm="maxima")`

[Out] `x + tan(x)`

---

**Fricas [B]** time = 1.95409, size = 38, normalized size = 9.5

$$\frac{x \cos(x) + \sin(x)}{\cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+cos(x)^2)*sec(x)^2,x, algorithm="fricas")`

[Out] `(x*cos(x) + sin(x))/cos(x)`

---

**Sympy [A]** time = 23.6743, size = 3, normalized size = 0.75

$$x + \tan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+cos(x)**2)*sec(x)**2,x)`

[Out] `x + tan(x)`

---

**Giac [B]** time = 1.12031, size = 20, normalized size = 5.

$$-\pi \left\lfloor \frac{x}{\pi} + \frac{1}{2} \right\rfloor + x + \tan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+cos(x)^2)*sec(x)^2,x, algorithm="giac")`

[Out] `-pi*floor(x/pi + 1/2) + x + tan(x)`

$$3.708 \quad \int \frac{\sec^2(x)}{1+\sec^2(x)-3 \tan(x)} dx$$

**Optimal.** Leaf size=21

$$\log(2 \cos(x) - \sin(x)) - \log(\cos(x) - \sin(x))$$

[Out] -Log[Cos[x] - Sin[x]] + Log[2\*Cos[x] - Sin[x]]

**Rubi [A]** time = 0.115477, antiderivative size = 21, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 2, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$ , Rules used = {616, 31}

$$\log(2 \cos(x) - \sin(x)) - \log(\cos(x) - \sin(x))$$

Antiderivative was successfully verified.

[In] Int[Sec[x]^2/(1 + Sec[x]^2 - 3\*Tan[x]), x]

[Out] -Log[Cos[x] - Sin[x]] + Log[2\*Cos[x] - Sin[x]]

#### Rule 616

Int[((a\_.) + (b\_.)\*(x\_)) + (c\_.)\*(x\_)^2]^(-1), x\_Symbol] :> With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[c/q, Int[1/Simp[b/2 - q/2 + c\*x, x], x] - Dist[c/q, Int[1/Simp[b/2 + q/2 + c\*x, x], x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0] && PosQ[b^2 - 4\*a\*c] && PerfectSquareQ[b^2 - 4\*a\*c]

#### Rule 31

Int[((a\_) + (b\_.)\*(x\_))^-1), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{\sec^2(x)}{1 + \sec^2(x) - 3 \tan(x)} dx &= \text{Subst} \left( \int \frac{1}{2 - 3x + x^2} dx, x, \tan(x) \right) \\ &= \text{Subst} \left( \int \frac{1}{-2 + x} dx, x, \tan(x) \right) - \text{Subst} \left( \int \frac{1}{-1 + x} dx, x, \tan(x) \right) \\ &= -\log(1 - \tan(x)) + \log(2 - \tan(x)) \end{aligned}$$

**Mathematica [A]** time = 0.0308383, size = 29, normalized size = 1.38

$$2 \left( \frac{1}{2} \log(2 \cos(x) - \sin(x)) - \frac{1}{2} \log(\cos(x) - \sin(x)) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[x]^2/(1 + Sec[x]^2 - 3\*Tan[x]), x]

[Out] 2\*(-Log[Cos[x] - Sin[x]]/2 + Log[2\*Cos[x] - Sin[x]]/2)

---

**Maple [A]** time = 0.057, size = 14, normalized size = 0.7

$$\ln(-2 + \tan(x)) - \ln(\tan(x) - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(x)^2/(1+sec(x)^2-3*tan(x)),x)`

[Out] `ln(-2+tan(x))-ln(tan(x)-1)`

---

**Maxima [A]** time = 0.961783, size = 18, normalized size = 0.86

$$-\log(\tan(x) - 1) + \log(\tan(x) - 2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)^2/(1+sec(x)^2-3*tan(x)),x, algorithm="maxima")`

[Out] `-log(tan(x) - 1) + log(tan(x) - 2)`

---

**Fricas [A]** time = 2.0796, size = 104, normalized size = 4.95

$$\frac{1}{2} \log\left(\frac{3}{4} \cos(x)^2 - \cos(x) \sin(x) + \frac{1}{4}\right) - \frac{1}{2} \log(-2 \cos(x) \sin(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)^2/(1+sec(x)^2-3*tan(x)),x, algorithm="fricas")`

[Out] `1/2*log(3/4*cos(x)^2 - cos(x)*sin(x) + 1/4) - 1/2*log(-2*cos(x)*sin(x) + 1)`

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec^2(x)}{-3 \tan(x) + \sec^2(x) + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)**2/(1+sec(x)**2-3*tan(x)),x)`

[Out] `Integral(sec(x)**2/(-3*tan(x) + sec(x)**2 + 1), x)`

---

**Giac [A]** time = 1.14781, size = 20, normalized size = 0.95

$$-\log(|\tan(x) - 1|) + \log(|\tan(x) - 2|)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)^2/(1+sec(x)^2-3*tan(x)),x, algorithm="giac")
```

```
[Out] -log(abs(tan(x) - 1)) + log(abs(tan(x) - 2))
```

$$3.709 \quad \int \frac{\sec^2(x)}{\sqrt{4-\sec^2(x)}} dx$$

**Optimal.** Leaf size=9

$$\sin^{-1}\left(\frac{\tan(x)}{\sqrt{3}}\right)$$

[Out] ArcSin[Tan[x]/Sqrt[3]]

**Rubi [A]** time = 0.0467953, antiderivative size = 9, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$ , Rules used = {4146, 216}

$$\sin^{-1}\left(\frac{\tan(x)}{\sqrt{3}}\right)$$

Antiderivative was successfully verified.

[In] Int[Sec[x]^2/Sqrt[4 - Sec[x]^2], x]

[Out] ArcSin[Tan[x]/Sqrt[3]]

#### Rule 4146

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*sec[(e_.) + (f_.)*(x_)]^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/f, Subst[Int[(1 + ff^2*x^2)^(m/2 - 1)*ExpandToSum[a + b*(1 + ff^2*x^2)^(n/2), x]^p, x], x, Tan[e + f*x]/ff], x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[m/2] && IntegerQ[n/2]
```

#### Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

#### Rubi steps

$$\begin{aligned} \int \frac{\sec^2(x)}{\sqrt{4-\sec^2(x)}} dx &= \text{Subst}\left(\int \frac{1}{\sqrt{3-x^2}} dx, x, \tan(x)\right) \\ &= \sin^{-1}\left(\frac{\tan(x)}{\sqrt{3}}\right) \end{aligned}$$

**Mathematica [B]** time = 0.0437544, size = 43, normalized size = 4.78

$$\frac{\sqrt{2 \cos(2x) + 1} \sec(x) \tan^{-1}\left(\frac{\sin(x)}{\sqrt{3-4 \sin^2(x)}}\right)}{\sqrt{4-\sec^2(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[x]^2/Sqrt[4 - Sec[x]^2], x]

[Out]  $(\text{ArcTan}[\text{Sin}[x]/\text{Sqrt}[3 - 4*\text{Sin}[x]^2]]*\text{Sqrt}[1 + 2*\text{Cos}[2*x]]*\text{Sec}[x])/\text{Sqrt}[4 - \text{Sec}[x]^2]$

**Maple [C]** time = 0.164, size = 103, normalized size = 11.4

$$\frac{\sqrt{3}\sqrt{2}\sqrt{6}(\sin(x))^2}{9\cos(x)(-1+\cos(x))}\sqrt{\frac{2\cos(x)-1}{1+\cos(x)}}\sqrt{\frac{1+2\cos(x)}{1+\cos(x)}}\left(\text{EllipticF}\left(\frac{\sqrt{3}(-1+\cos(x))}{\sin(x)},\frac{1}{3}\right)-2\text{EllipticPi}\left(\frac{\sqrt{3}(-1+\cos(x))}{\sin(x)},\frac{1}{3}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\sec(x)^2/(4-\sec(x)^2)^{(1/2)},x)$

[Out]  $-1/9*3^{(1/2)}*2^{(1/2)}*((2*\cos(x)-1)/(1+\cos(x)))^{(1/2)}*6^{(1/2)}*((1+2*\cos(x))/(1+\cos(x)))^{(1/2)}*(\text{EllipticF}(3^{(1/2)}*(-1+\cos(x))/\sin(x),1/3)-2*\text{EllipticPi}(3^{(1/2)}*(-1+\cos(x))/\sin(x),1/3,1/3))*\sin(x)^2/((4*\cos(x)^2-1)/\cos(x)^2)^{(1/2)}/\cos(x)/(-1+\cos(x))$

**Maxima [A]** time = 1.41891, size = 11, normalized size = 1.22

$$\arcsin\left(\frac{1}{3}\sqrt{3}\tan(x)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\sec(x)^2/(4-\sec(x)^2)^{(1/2)},x,\text{algorithm}=\text{"maxima"})$

[Out]  $\arcsin(1/3*\text{sqrt}(3)*\tan(x))$

**Fricas [B]** time = 2.11589, size = 76, normalized size = 8.44

$$-\arctan\left(\frac{\sqrt{\frac{4\cos(x)^2-1}{\cos(x)^2}}\cos(x)}{\sin(x)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\sec(x)^2/(4-\sec(x)^2)^{(1/2)},x,\text{algorithm}=\text{"fricas"})$

[Out]  $-\arctan(\text{sqrt}((4*\cos(x)^2 - 1)/\cos(x)^2)*\cos(x)/\sin(x))$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec^2(x)}{\sqrt{-(\sec(x)-2)(\sec(x)+2)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)**2/(4-sec(x)**2)**(1/2),x)
```

```
[Out] Integral(sec(x)**2/sqrt(-(sec(x) - 2)*(sec(x) + 2)), x)
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec(x)^2}{\sqrt{-\sec(x)^2 + 4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)^2/(4-sec(x)^2)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(sec(x)^2/sqrt(-sec(x)^2 + 4), x)
```



$$3.710 \quad \int \frac{\sec^2(x)}{\sqrt{1-4\tan^2(x)}} dx$$

**Optimal.** Leaf size=9

$$\frac{1}{2} \sin^{-1}(2 \tan(x))$$

[Out] ArcSin[2\*Tan[x]]/2

**Rubi [A]** time = 0.0468873, antiderivative size = 9, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$ , Rules used = {3675, 216}

$$\frac{1}{2} \sin^{-1}(2 \tan(x))$$

Antiderivative was successfully verified.

[In] Int[Sec[x]^2/Sqrt[1 - 4\*Tan[x]^2], x]

[Out] ArcSin[2\*Tan[x]]/2

#### Rule 3675

Int[sec[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^(n\_))^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/(c^(m - 1)\*f), Subst[Int[(c^2 + ff^2\*x^2)^(m/2 - 1)\*(a + b\*(ff\*x)^n)^p, x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rubi steps

$$\begin{aligned} \int \frac{\sec^2(x)}{\sqrt{1-4\tan^2(x)}} dx &= \text{Subst} \left( \int \frac{1}{\sqrt{1-4x^2}} dx, x, \tan(x) \right) \\ &= \frac{1}{2} \sin^{-1}(2 \tan(x)) \end{aligned}$$

**Mathematica [B]** time = 0.0622612, size = 47, normalized size = 5.22

$$\frac{\sqrt{5 \cos(2x) - 3} \sec(x) \tan^{-1} \left( \frac{2 \sin(x)}{\sqrt{1-5 \sin^2(x)}} \right)}{2\sqrt{2-8 \tan^2(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[x]^2/Sqrt[1 - 4\*Tan[x]^2], x]

[Out] (ArcTan[(2\*Sin[x])/Sqrt[1 - 5\*Sin[x]^2]]\*Sqrt[-3 + 5\*Cos[2\*x]]\*Sec[x])/(2\*Sqrt[2 - 8\*Tan[x]^2])

**Maple [C]** time = 0.361, size = 172, normalized size = 19.1

$$\frac{\sqrt{2}(\sin(x))^2}{\sqrt{9+4\sqrt{5}\cos(x)(-1+\cos(x))}} \sqrt{\frac{2\cos(x)\sqrt{5}-2\sqrt{5}+5\cos(x)-4}{1+\cos(x)}} \sqrt{-2\frac{2\cos(x)\sqrt{5}-2\sqrt{5}-5\cos(x)+4}{1+\cos(x)}} \left( 2 \operatorname{Elliptic}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(x)^2/(1-4\*tan(x)^2)^(1/2), x)

[Out] 1/(9+4\*5^(1/2))^(1/2)\*2^(1/2)\*((2\*cos(x)\*5^(1/2)-2\*5^(1/2)+5\*cos(x)-4)/(1+cos(x)))^(1/2)\*(-2\*(2\*cos(x)\*5^(1/2)-2\*5^(1/2)-5\*cos(x)+4)/(1+cos(x)))^(1/2)\*(2\*EllipticPi((9+4\*5^(1/2))^(1/2)\*(-1+cos(x))/sin(x), 1/(9+4\*5^(1/2)), (9-4\*5^(1/2))^(1/2)/(9+4\*5^(1/2))^(1/2))-EllipticF((-1+cos(x))\*(5^(1/2)+2)/sin(x), 9-4\*5^(1/2)))\*sin(x)^2/((5\*cos(x)^2-4)/cos(x)^2)^(1/2)/cos(x)/(-1+cos(x))

**Maxima [A]** time = 1.48008, size = 9, normalized size = 1.

$$\frac{1}{2} \arcsin(2 \tan(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2/(1-4\*tan(x)^2)^(1/2), x, algorithm="maxima")

[Out] 1/2\*arcsin(2\*tan(x))

**Fricas [B]** time = 2.24892, size = 135, normalized size = 15.

$$-\frac{1}{4} \arctan\left(\frac{(9 \cos(x)^3 - 8 \cos(x)) \sqrt{\frac{5 \cos(x)^2 - 4}{\cos(x)^2}}}{4(5 \cos(x)^2 - 4) \sin(x)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2/(1-4\*tan(x)^2)^(1/2), x, algorithm="fricas")

[Out] -1/4\*arctan(1/4\*(9\*cos(x)^3 - 8\*cos(x))\*sqrt((5\*cos(x)^2 - 4)/cos(x)^2)/((5\*cos(x)^2 - 4)\*sin(x)))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec^2(x)}{\sqrt{-(2 \tan(x) - 1)(2 \tan(x) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)**2/(1-4*tan(x)**2)**(1/2),x)
```

```
[Out] Integral(sec(x)**2/sqrt(-(2*tan(x) - 1)*(2*tan(x) + 1)), x)
```

---

**Giac [A]** time = 1.15862, size = 9, normalized size = 1.

$$\frac{1}{2} \arcsin(2 \tan(x))$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)^2/(1-4*tan(x)^2)^(1/2),x, algorithm="giac")
```

```
[Out] 1/2*arcsin(2*tan(x))
```

$$3.711 \quad \int \frac{\sec^2(x)}{\sqrt{-4+\tan^2(x)}} dx$$

**Optimal.** Leaf size=14

$$\tanh^{-1}\left(\frac{\tan(x)}{\sqrt{\tan^2(x)-4}}\right)$$

[Out] ArcTanh[Tan[x]/Sqrt[-4 + Tan[x]^2]]

**Rubi [A]** time = 0.0444797, antiderivative size = 14, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {3675, 217, 206}

$$\tanh^{-1}\left(\frac{\tan(x)}{\sqrt{\tan^2(x)-4}}\right)$$

Antiderivative was successfully verified.

[In] Int[Sec[x]^2/Sqrt[-4 + Tan[x]^2], x]

[Out] ArcTanh[Tan[x]/Sqrt[-4 + Tan[x]^2]]

#### Rule 3675

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]))^(n_)]^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/(c^(m - 1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p, x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])
```

#### Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

#### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

#### Rubi steps

$$\begin{aligned} \int \frac{\sec^2(x)}{\sqrt{-4 + \tan^2(x)}} dx &= \text{Subst} \left( \int \frac{1}{\sqrt{-4 + x^2}} dx, x, \tan(x) \right) \\ &= \text{Subst} \left( \int \frac{1}{1 - x^2} dx, x, \frac{\tan(x)}{\sqrt{-4 + \tan^2(x)}} \right) \\ &= \tanh^{-1} \left( \frac{\tan(x)}{\sqrt{-4 + \tan^2(x)}} \right) \end{aligned}$$

**Mathematica [B]** time = 0.0518447, size = 46, normalized size = 3.29

$$\frac{\sqrt{5 \cos(2x) + 3} \sec(x) \tan^{-1} \left( \frac{\sin(x)}{\sqrt{4 - 5 \sin^2(x)}} \right)}{\sqrt{2} \sqrt{\tan^2(x) - 4}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[x]^2/Sqrt[-4 + Tan[x]^2], x]

[Out] (ArcTan[Sin[x]/Sqrt[4 - 5\*Sin[x]^2]]\*Sqrt[3 + 5\*Cos[2\*x]]\*Sec[x])/(Sqrt[2]\*Sqrt[-4 + Tan[x]^2])

**Maple [C]** time = 0.394, size = 173, normalized size = 12.4

$$\frac{\sqrt{2} (\sin(x))^2}{4 \sqrt{3/2 - 1/2 \sqrt{5} \cos(x)} (-1 + \cos(x))} \sqrt{-2 \frac{\cos(x) \sqrt{5} - \sqrt{5} - 5 \cos(x) + 1}{1 + \cos(x)}} \sqrt{\frac{\cos(x) \sqrt{5} - \sqrt{5} + 5 \cos(x) - 1}{1 + \cos(x)}} \left( 2 \text{Elli} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(x)^2/(-4+tan(x)^2)^(1/2), x)

[Out] 1/4/(3/2-1/2\*5^(1/2))^(1/2)\*(-2\*(cos(x)\*5^(1/2)-5^(1/2)-5\*cos(x)+1)/(1+cos(x)))^(1/2)\*2^(1/2)\*((cos(x)\*5^(1/2)-5^(1/2)+5\*cos(x)-1)/(1+cos(x)))^(1/2)\*(2\*EllipticPi((3/2-1/2\*5^(1/2))^(1/2)\*(-1+cos(x))/sin(x), -2/(5^(1/2)-3), (3/2+1/2\*5^(1/2))^(1/2)/(3/2-1/2\*5^(1/2))^(1/2))-EllipticF(1/2\*(-1+cos(x))\*(5^(1/2)-1)/sin(x), 3/2+1/2\*5^(1/2)))\*sin(x)^2/((-5\*cos(x)^2-1)/cos(x)^2)^(1/2)/cos(x)/(-1+cos(x))

**Maxima [A]** time = 0.967429, size = 22, normalized size = 1.57

$$\log \left( 2 \sqrt{\tan(x)^2 - 4} + 2 \tan(x) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2/(-4+tan(x)^2)^(1/2), x, algorithm="maxima")

[Out]  $\log(2*\sqrt{\tan(x)^2 - 4} + 2*\tan(x))$

---

**Fricas [B]** time = 2.1551, size = 224, normalized size = 16.

$$\frac{1}{4} \log\left(\frac{1}{2} \sqrt{-\frac{5 \cos(x)^2 - 1}{\cos(x)^2}} \cos(x) \sin(x) - \frac{3}{2} \cos(x)^2 + \frac{1}{2}\right) - \frac{1}{4} \log\left(-\frac{1}{2} \sqrt{-\frac{5 \cos(x)^2 - 1}{\cos(x)^2}} \cos(x) \sin(x) - \frac{3}{2} \cos(x)^2 + \frac{1}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)^2/(-4+tan(x)^2)^(1/2),x, algorithm="fricas")`

[Out]  $\frac{1}{4}*\log(\frac{1}{2}*\sqrt{-(5*\cos(x)^2 - 1)/\cos(x)^2}*\cos(x)*\sin(x) - \frac{3}{2}*\cos(x)^2 + \frac{1}{2}) - \frac{1}{4}*\log(-\frac{1}{2}*\sqrt{-(5*\cos(x)^2 - 1)/\cos(x)^2}*\cos(x)*\sin(x) - \frac{3}{2}*\cos(x)^2 + \frac{1}{2})$

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec^2(x)}{\sqrt{(\tan(x) - 2)(\tan(x) + 2)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)**2/(-4+tan(x)**2)**(1/2),x)`

[Out] `Integral(sec(x)**2/sqrt((tan(x) - 2)*(tan(x) + 2)), x)`

---

**Giac [A]** time = 1.17512, size = 23, normalized size = 1.64

$$-\log\left(\left|\sqrt{\tan(x)^2 - 4} - \tan(x)\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)^2/(-4+tan(x)^2)^(1/2),x, algorithm="giac")`

[Out]  `-log(abs(sqrt(tan(x)^2 - 4) - tan(x)))`

### 3.712 $\int \sqrt{1 - \cot^2(x)} \sec^2(x) dx$

**Optimal.** Leaf size=19

$$\tan(x)\sqrt{1 - \cot^2(x)} + \sin^{-1}(\cot(x))$$

[Out] ArcSin[Cot[x]] + Sqrt[1 - Cot[x]^2]\*Tan[x]

**Rubi [A]** time = 0.0494782, antiderivative size = 19, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$ , Rules used = {3663, 277, 216}

$$\tan(x)\sqrt{1 - \cot^2(x)} + \sin^{-1}(\cot(x))$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 - Cot[x]^2]\*Sec[x]^2,x]

[Out] ArcSin[Cot[x]] + Sqrt[1 - Cot[x]^2]\*Tan[x]

#### Rule 3663

Int[sin[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^(n\_))^(p\_), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff^(m + 1))/f, Subst[Int[(x^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + ff^2\*x^2)^(m/2 + 1), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]

#### Rule 277

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[((c\*x)^(m + 1)\*(a + b\*x^n)^p)/(c\*(m + 1)), x] - Dist[(b\*n\*p)/(c^n\*(m + 1)), Int[(c\*x)^(m + n)\*(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m, -1] && !ILtQ[(m + n\*p + n + 1)/n, 0] && IntBinomialQ[a, b, c, n, m, p, x]

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rubi steps

$$\begin{aligned} \int \sqrt{1 - \cot^2(x)} \sec^2(x) dx &= -\text{Subst} \left( \int \frac{\sqrt{1 - x^2}}{x^2} dx, x, \cot(x) \right) \\ &= \sqrt{1 - \cot^2(x)} \tan(x) + \text{Subst} \left( \int \frac{1}{\sqrt{1 - x^2}} dx, x, \cot(x) \right) \\ &= \sin^{-1}(\cot(x)) + \sqrt{1 - \cot^2(x)} \tan(x) \end{aligned}$$

**Mathematica [B]** time = 0.528552, size = 52, normalized size = 2.74

$$\tan(x)\sqrt{1 - \cot^2(x)} \sec(2x) \left( \cos(2x) - \cos(x)\sqrt{-\cos(2x)} \tan^{-1} \left( \frac{\cos(x)}{\sqrt{-\cos(2x)}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 - Cot[x]^2]\*Sec[x]^2,x]

[Out]  $(-\text{ArcTan}[\text{Cos}[x]/\text{Sqrt}[-\text{Cos}[2*x]]]) * \text{Cos}[x] * \text{Sqrt}[-\text{Cos}[2*x]] + \text{Cos}[2*x] * \text{Sqrt}[1 - \text{Cot}[x]^2] * \text{Sec}[2*x] * \text{Tan}[x]$

**Maple [C]** time = 0.318, size = 223, normalized size = 11.7

$$-\frac{-1 + \cos(x)}{2 \cos(x) \sin(x)} \left( 4i \cos(x) \ln \left( 4 \frac{-1 + \cos(x)}{(\sin(x))^2} \left( 2i \cos(x) - \cos(x) \sqrt{\frac{2(\cos(x))^2 - 1}{(1 + \cos(x))^2}} + i - \sqrt{\frac{2(\cos(x))^2 - 1}{(1 + \cos(x))^2}} \right) \right) - \cos(x) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(x)^2\*(1-cot(x)^2)^(1/2),x)

[Out]  $-1/2 * (-1 + \cos(x)) * (4 * I * \cos(x) * \ln(4 * (-1 + \cos(x)) * (2 * I * \cos(x) - \cos(x) * (-2 * \cos(x)^2 - 1) / (1 + \cos(x))^2)^{1/2} + I - (-2 * \cos(x)^2 - 1) / (1 + \cos(x))^2)^{1/2} / \sin(x)^2) - \cos(x) * \arctan((2 * \cos(x)^2 - 3 * \cos(x) + 1) / (-2 * \cos(x)^2 - 1) / (1 + \cos(x))^2)^{1/2} / \sin(x)^2) - 3 * \cos(x) * \arcsin(1/2 * 2^{1/2} * (1 + 2 * \cos(x)) / (1 + \cos(x))) + 2 * \cos(x) * (-2 * \cos(x)^2 - 1) / (1 + \cos(x))^2)^{1/2} + 2 * (-2 * \cos(x)^2 - 1) / (1 + \cos(x))^2)^{1/2} * ((2 * \cos(x)^2 - 1) / (-1 + \cos(x)^2))^{1/2} / \cos(x) / \sin(x) / (-2 * \cos(x)^2 - 1) / (1 + \cos(x))^2)^{1/2}$

**Maxima [A]** time = 1.45095, size = 41, normalized size = 2.16

$$\sqrt{-\frac{1}{\tan(x)^2} + 1} \tan(x) - \arctan\left(\sqrt{-\frac{1}{\tan(x)^2} + 1} \tan(x)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2\*(1-cot(x)^2)^(1/2),x, algorithm="maxima")

[Out]  $\text{sqrt}(-1/\tan(x)^2 + 1) * \tan(x) - \arctan(\text{sqrt}(-1/\tan(x)^2 + 1) * \tan(x))$

**Fricas [B]** time = 2.26284, size = 225, normalized size = 11.84

$$\frac{\arctan\left(\frac{(3 \cos(x)^2 - 1) \sqrt{\frac{2 \cos(x)^2 - 1}{\cos(x)^2 - 1}} \sin(x)}{2(2 \cos(x)^3 - \cos(x))}\right) \cos(x) - 2 \sqrt{\frac{2 \cos(x)^2 - 1}{\cos(x)^2 - 1}} \sin(x)}{2 \cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2\*(1-cot(x)^2)^(1/2),x, algorithm="fricas")

[Out]  $-1/2 * (\arctan(1/2 * (3 * \cos(x)^2 - 1) * \text{sqrt}((2 * \cos(x)^2 - 1) / (\cos(x)^2 - 1)) * \sin(x) / (2 * \cos(x)^3 - \cos(x)))) * \cos(x) - 2 * \text{sqrt}((2 * \cos(x)^2 - 1) / (\cos(x)^2 - 1))$



\*sin(x))/cos(x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-(\cot(x) - 1)(\cot(x) + 1)} \sec^2(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)\*\*2\*(1-cot(x)\*\*2)\*\*(1/2),x)

[Out] Integral(sqrt(-(cot(x) - 1)\*(cot(x) + 1))\*sec(x)\*\*2, x)

**Giac [C]** time = 1.20651, size = 192, normalized size = 10.11

$$-\frac{1}{2}(\pi + 2 \arctan(-i) + 2i)\operatorname{sgn}(\sin(x)) + \frac{1}{4} \left( 2\pi \operatorname{sgn}(\cos(x)) + \sqrt{2} \left( \frac{\sqrt{2}\sqrt{-2\cos(x)^2 + 1} - \sqrt{2}}{\cos(x)} - \frac{4\cos(x)}{\sqrt{2}\sqrt{-2\cos(x)^2 + 1}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2\*(1-cot(x)^2)^(1/2),x, algorithm="giac")

[Out] -1/2\*(pi + 2\*arctan(-I) + 2\*I)\*sgn(sin(x)) + 1/4\*(2\*pi\*sgn(cos(x)) + sqrt(2)\*((sqrt(2)\*sqrt(-2\*cos(x)^2 + 1) - sqrt(2))/cos(x) - 4\*cos(x)/(sqrt(2)\*sqrt(-2\*cos(x)^2 + 1) - sqrt(2))) + 4\*arctan(-1/4\*sqrt(2)\*((sqrt(2)\*sqrt(-2\*cos(x)^2 + 1) - sqrt(2))^2/cos(x)^2 - 4)\*cos(x)/(sqrt(2)\*sqrt(-2\*cos(x)^2 + 1) - sqrt(2))))\*sgn(sin(x))

### 3.713 $\int \sec^2(x)\sqrt{1 - \tan^2(x)} dx$

**Optimal.** Leaf size=26

$$\frac{1}{2} \tan(x)\sqrt{1 - \tan^2(x)} + \frac{1}{2} \sin^{-1}(\tan(x))$$

[Out] ArcSin[Tan[x]]/2 + (Tan[x]\*Sqrt[1 - Tan[x]^2])/2

**Rubi [A]** time = 0.0458562, antiderivative size = 26, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$ , Rules used = {3675, 195, 216}

$$\frac{1}{2} \tan(x)\sqrt{1 - \tan^2(x)} + \frac{1}{2} \sin^{-1}(\tan(x))$$

Antiderivative was successfully verified.

[In] Int[Sec[x]^2\*Sqrt[1 - Tan[x]^2], x]

[Out] ArcSin[Tan[x]]/2 + (Tan[x]\*Sqrt[1 - Tan[x]^2])/2

#### Rule 3675

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]))^(n_)]^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/(c^(m - 1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p, x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])
```

#### Rule 195

```
Int[((a_) + (b_.)*(x_)^(n_)]^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])
```

#### Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

#### Rubi steps

$$\begin{aligned} \int \sec^2(x)\sqrt{1 - \tan^2(x)} dx &= \text{Subst}\left(\int \sqrt{1 - x^2} dx, x, \tan(x)\right) \\ &= \frac{1}{2} \tan(x)\sqrt{1 - \tan^2(x)} + \frac{1}{2} \text{Subst}\left(\int \frac{1}{\sqrt{1 - x^2}} dx, x, \tan(x)\right) \\ &= \frac{1}{2} \sin^{-1}(\tan(x)) + \frac{1}{2} \tan(x)\sqrt{1 - \tan^2(x)} \end{aligned}$$

**Mathematica [B]** time = 0.112636, size = 63, normalized size = 2.42

$$\frac{\cos(2x) \tan(x) + \sqrt{\cos^2(x)} \cos(x) \sqrt{1 - \tan^2(x)} \sin^{-1}\left(\frac{\sin(x)}{\sqrt{\cos^2(x)}}\right)}{2\sqrt{\cos^2(x)}\sqrt{\cos(2x)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[x]^2\*Sqrt[1 - Tan[x]^2], x]

[Out] (Cos[2\*x]\*Tan[x] + ArcSin[Sin[x]/Sqrt[Cos[x]^2]]\*Cos[x]\*Sqrt[Cos[x]^2]\*Sqrt[1 - Tan[x]^2])/(2\*Sqrt[Cos[x]^2]\*Sqrt[Cos[2\*x]])

**Maple [C]** time = 0.21, size = 492, normalized size = 18.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(x)^2\*(1-tan(x)^2)^(1/2), x)

[Out] 1/2/(1+2^(1/2))/(3+2\*2^(1/2))^(1/2)\*sin(x)\*(-2^(1/2)\*((cos(x)\*2^(1/2)-2^(1/2)+2\*cos(x)-1)/(1+cos(x)))^(1/2)\*(-2\*(cos(x)\*2^(1/2)-2^(1/2)-2\*cos(x)+1)/(1+cos(x)))^(1/2)\*EllipticF((1+2^(1/2))\*(-1+cos(x))/sin(x), 3-2\*2^(1/2))\*cos(x)^2\*sin(x)+2\*2^(1/2)\*((cos(x)\*2^(1/2)-2^(1/2)+2\*cos(x)-1)/(1+cos(x)))^(1/2)\*(-2\*(cos(x)\*2^(1/2)-2^(1/2)-2\*cos(x)+1)/(1+cos(x)))^(1/2)\*EllipticPi((3+2\*2^(1/2))^(1/2)\*(-1+cos(x))/sin(x), 1/(3+2\*2^(1/2)), (3-2\*2^(1/2))^(1/2)/(3+2\*2^(1/2))^(1/2))\*cos(x)^2\*sin(x)-2\*((cos(x)\*2^(1/2)-2^(1/2)+2\*cos(x)-1)/(1+cos(x)))^(1/2)\*(-2\*(cos(x)\*2^(1/2)-2^(1/2)-2\*cos(x)+1)/(1+cos(x)))^(1/2)\*EllipticF((1+2^(1/2))\*(-1+cos(x))/sin(x), 3-2\*2^(1/2))\*cos(x)^2\*sin(x)+4\*((cos(x)\*2^(1/2)-2^(1/2)+2\*cos(x)-1)/(1+cos(x)))^(1/2)\*(-2\*(cos(x)\*2^(1/2)-2^(1/2)-2\*cos(x)+1)/(1+cos(x)))^(1/2)\*EllipticPi((3+2\*2^(1/2))^(1/2)\*(-1+cos(x))/sin(x), 1/(3+2\*2^(1/2)), (3-2\*2^(1/2))^(1/2)/(3+2\*2^(1/2))^(1/2))\*cos(x)^2\*sin(x)+4\*cos(x)^3\*2^(1/2)-4\*cos(x)^2\*2^(1/2)+6\*cos(x)^3-2\*cos(x)\*2^(1/2)-6\*cos(x)^2+2\*2^(1/2)-3\*cos(x)+3)\*((2\*cos(x)^2-1)/cos(x)^2)^(1/2)/(-1+cos(x))/(2\*cos(x)^2-1)/cos(x)

**Maxima [A]** time = 1.46187, size = 27, normalized size = 1.04

$$\frac{1}{2} \sqrt{-\tan(x)^2 + 1} \tan(x) + \frac{1}{2} \arcsin(\tan(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2\*(1-tan(x)^2)^(1/2), x, algorithm="maxima")

[Out] 1/2\*sqrt(-tan(x)^2 + 1)\*tan(x) + 1/2\*arcsin(tan(x))

**Fricas [B]** time = 2.34886, size = 215, normalized size = 8.27

$$\frac{\arctan\left(\frac{(3 \cos(x)^3 - 2 \cos(x)) \sqrt{\frac{2 \cos(x)^2 - 1}{\cos(x)^2}}}{2(2 \cos(x)^2 - 1) \sin(x)}\right) \cos(x) - 2 \sqrt{\frac{2 \cos(x)^2 - 1}{\cos(x)^2}} \sin(x)}{4 \cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2\*(1-tan(x)^2)^(1/2),x, algorithm="fricas")

[Out]  $-1/4*(\arctan(1/2*(3*\cos(x)^3 - 2*\cos(x))*\sqrt{(2*\cos(x)^2 - 1)/\cos(x)^2})/((2*\cos(x)^2 - 1)*\sin(x)))*\cos(x) - 2*\sqrt{(2*\cos(x)^2 - 1)/\cos(x)^2}*\sin(x)/\cos(x)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-(\tan(x) - 1)(\tan(x) + 1)} \sec^2(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)\*\*2\*(1-tan(x)\*\*2)\*\*(1/2),x)

[Out] Integral(sqrt(-(tan(x) - 1)\*(tan(x) + 1))\*sec(x)\*\*2, x)

**Giac [A]** time = 1.10653, size = 27, normalized size = 1.04

$$\frac{1}{2} \sqrt{-\tan(x)^2 + 1} \tan(x) + \frac{1}{2} \arcsin(\tan(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2\*(1-tan(x)^2)^(1/2),x, algorithm="giac")

[Out]  $1/2*\sqrt{-\tan(x)^2 + 1}*\tan(x) + 1/2*\arcsin(\tan(x))$

$$3.714 \quad \int e^{\tan(x)} \sec^2(x) dx$$

**Optimal.** Leaf size=4

$$e^{\tan(x)}$$

[Out] E^Tan[x]

**Rubi [A]** time = 0.0123224, antiderivative size = 4, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {4342, 2194}

$$e^{\tan(x)}$$

Antiderivative was successfully verified.

[In] Int[E^Tan[x]\*Sec[x]^2,x]

[Out] E^Tan[x]

#### Rule 4342

```
Int[(u_)*(F_)[(c_.)*((a_.) + (b_.)*(x_))]^2, x_Symbol] :> With[{d = FreeFac
tors[Tan[c*(a + b*x)], x]}, Dist[d/(b*c), Subst[Int[SubstFor[1, Tan[c*(a +
b*x)]]/d, u, x], x], x, Tan[c*(a + b*x)]/d], x] /; FunctionOfQ[Tan[c*(a + b*
x)]/d, u, x, True]] /; FreeQ[{a, b, c}, x] && NonsumQ[u] && (EqQ[F, Sec] ||
EqQ[F, sec])
```

#### Rule 2194

```
Int[((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_), x_Symbol] :> Simp[(F^(c*(a +
b*x)))^n/(b*c*n*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]
```

#### Rubi steps

$$\int e^{\tan(x)} \sec^2(x) dx = \text{Subst} \left( \int e^x dx, x, \tan(x) \right) = e^{\tan(x)}$$

**Mathematica [A]** time = 0.0600031, size = 4, normalized size = 1.

$$e^{\tan(x)}$$

Antiderivative was successfully verified.

[In] Integrate[E^Tan[x]\*Sec[x]^2,x]

[Out] E^Tan[x]

**Maple [A]** time = 0.012, size = 4, normalized size = 1.

$$e^{\tan(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(exp(tan(x))*sec(x)^2,x)`

[Out] `exp(tan(x))`

---

**Maxima [A]** time = 0.961285, size = 4, normalized size = 1.

$$e^{\tan(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(exp(tan(x))*sec(x)^2,x, algorithm="maxima")`

[Out] `e^tan(x)`

---

**Fricas [B]** time = 1.98432, size = 26, normalized size = 6.5

$$\frac{\sin(x)}{e^{\cos(x)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(exp(tan(x))*sec(x)^2,x, algorithm="fricas")`

[Out] `e^(sin(x)/cos(x))`

---

**Sympy [A]** time = 1.72, size = 3, normalized size = 0.75

$$e^{\tan(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(exp(tan(x))*sec(x)**2,x)`

[Out] `exp(tan(x))`

---

**Giac [A]** time = 1.1086, size = 4, normalized size = 1.

$$e^{\tan(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(exp(tan(x))*sec(x)^2,x, algorithm="giac")`

[Out] `e^tan(x)`

$$3.715 \quad \int \sec^4(x) (-1 + \sec^2(x))^2 \tan(x) dx$$

**Optimal.** Leaf size=17

$$\frac{\tan^8(x)}{8} + \frac{\tan^6(x)}{6}$$

[Out] Tan[x]^6/6 + Tan[x]^8/8

**Rubi [A]** time = 0.0666117, antiderivative size = 17, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {4120, 2607, 14}

$$\frac{\tan^8(x)}{8} + \frac{\tan^6(x)}{6}$$

Antiderivative was successfully verified.

[In] Int[Sec[x]^4\*(-1 + Sec[x]^2)^2\*Tan[x], x]

[Out] Tan[x]^6/6 + Tan[x]^8/8

#### Rule 4120

Int[(u\_)\*((a\_) + (b\_)\*sec[(e\_) + (f\_)\*(x\_)])^(p\_), x\_Symbol] := Dist[b^p, Int[ActivateTrig[u\*tan[e + f\*x]^(2\*p)], x], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a + b, 0] && IntegerQ[p]

#### Rule 2607

Int[sec[(e\_) + (f\_)\*(x\_)]^(m\_)\*((b\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Dist[1/f, Subst[Int[(b\*x)^n\*(1 + x^2)^(m/2 - 1), x], x, Tan[e + f\*x]], x] /; FreeQ[{b, e, f, n}, x] && IntegerQ[m/2] && !(IntegerQ[(n - 1)/2] && LtQ[0, n, m - 1])

#### Rule 14

Int[(u\_)\*((c\_)\*(x\_))^(m\_), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_ + (b\_)\*(v\_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

#### Rubi steps

$$\begin{aligned} \int \sec^4(x) (-1 + \sec^2(x))^2 \tan(x) dx &= \int \sec^4(x) \tan^5(x) dx \\ &= \text{Subst} \left( \int x^5 (1 + x^2) dx, x, \tan(x) \right) \\ &= \text{Subst} \left( \int (x^5 + x^7) dx, x, \tan(x) \right) \\ &= \frac{\tan^6(x)}{6} + \frac{\tan^8(x)}{8} \end{aligned}$$

**Mathematica [A]** time = 0.0175653, size = 25, normalized size = 1.47

$$\frac{\sec^8(x)}{8} - \frac{\sec^6(x)}{3} + \frac{\sec^4(x)}{4}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[x]^4\*(-1 + Sec[x]^2)^2\*Tan[x],x]

[Out] Sec[x]^4/4 - Sec[x]^6/3 + Sec[x]^8/8

**Maple [A]** time = 0.013, size = 20, normalized size = 1.2

$$\frac{(\sec(x))^8}{8} - \frac{(\sec(x))^6}{3} + \frac{(\sec(x))^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(x)^4\*(-1+sec(x)^2)^2\*tan(x),x)

[Out] 1/8\*sec(x)^8-1/3\*sec(x)^6+1/4\*sec(x)^4

**Maxima [B]** time = 0.955177, size = 57, normalized size = 3.35

$$\frac{6 \sin(x)^4 - 4 \sin(x)^2 + 1}{24 (\sin(x)^8 - 4 \sin(x)^6 + 6 \sin(x)^4 - 4 \sin(x)^2 + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^4\*(-1+sec(x)^2)^2\*tan(x),x, algorithm="maxima")

[Out] 1/24\*(6\*sin(x)^4 - 4\*sin(x)^2 + 1)/(sin(x)^8 - 4\*sin(x)^6 + 6\*sin(x)^4 - 4\*sin(x)^2 + 1)

**Fricas [A]** time = 2.09194, size = 61, normalized size = 3.59

$$\frac{6 \cos(x)^4 - 8 \cos(x)^2 + 3}{24 \cos(x)^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^4\*(-1+sec(x)^2)^2\*tan(x),x, algorithm="fricas")

[Out] 1/24\*(6\*cos(x)^4 - 8\*cos(x)^2 + 3)/cos(x)^8

**Sympy [A]** time = 9.18103, size = 19, normalized size = 1.12

$$\frac{\sec^8(x)}{8} - \frac{\sec^6(x)}{3} + \frac{\sec^4(x)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)\*\*4\*(-1+sec(x)\*\*2)\*\*2\*tan(x),x)



[Out]  $\sec(x)**8/8 - \sec(x)**6/3 + \sec(x)**4/4$

---

**Giac [A]** time = 1.10274, size = 27, normalized size = 1.59

$$\frac{6 \cos(x)^4 - 8 \cos(x)^2 + 3}{24 \cos(x)^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)^4*(-1+sec(x)^2)^2*tan(x),x, algorithm="giac")`

[Out]  $1/24*(6*\cos(x)^4 - 8*\cos(x)^2 + 3)/\cos(x)^8$

$$3.716 \quad \int \frac{\csc^2(x)}{a+b \cot(x)} dx$$

**Optimal.** Leaf size=12

$$-\frac{\log(a+b \cot(x))}{b}$$

[Out] -(Log[a + b\*Cot[x]]/b)

**Rubi [A]** time = 0.0411302, antiderivative size = 12, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {3506, 31}

$$-\frac{\log(a+b \cot(x))}{b}$$

Antiderivative was successfully verified.

[In] Int[Csc[x]^2/(a + b\*Cot[x]),x]

[Out] -(Log[a + b\*Cot[x]]/b)

#### Rule 3506

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[1/(b*f), Subst[Int[(a + x)^n*(1 + x^2/b^2)^(m/2 - 1), x], x, b*Tan[e + f*x]], x] /; FreeQ[{a, b, e, f, n}, x] && NeQ[a^2 + b^2, 0] && IntegerQ[m/2]
```

#### Rule 31

```
Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]
```

#### Rubi steps

$$\begin{aligned} \int \frac{\csc^2(x)}{a+b \cot(x)} dx &= -\frac{\text{Subst}\left(\int \frac{1}{a+x} dx, x, b \cot(x)\right)}{b} \\ &= -\frac{\log(a+b \cot(x))}{b} \end{aligned}$$

**Mathematica [A]** time = 0.0586226, size = 20, normalized size = 1.67

$$\frac{\log(\sin(x)) - \log(a \sin(x) + b \cos(x))}{b}$$

Antiderivative was successfully verified.

[In] Integrate[Csc[x]^2/(a + b\*Cot[x]),x]

[Out] (Log[Sin[x]] - Log[b\*Cos[x] + a\*Sin[x]])/b

---

**Maple [A]** time = 0.025, size = 13, normalized size = 1.1

$$-\frac{\ln(a + b \cot(x))}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(x)^2/(a+b\*cot(x)),x)

[Out] -ln(a+b\*cot(x))/b

---

**Maxima [A]** time = 0.960791, size = 16, normalized size = 1.33

$$-\frac{\log(b \cot(x) + a)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)^2/(a+b\*cot(x)),x, algorithm="maxima")

[Out] -log(b\*cot(x) + a)/b

---

**Fricas [B]** time = 2.267, size = 123, normalized size = 10.25

$$\frac{\log\left(2ab \cos(x) \sin(x) - (a^2 - b^2) \cos(x)^2 + a^2\right) - \log\left(-\frac{1}{4} \cos(x)^2 + \frac{1}{4}\right)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)^2/(a+b\*cot(x)),x, algorithm="fricas")

[Out] -1/2\*(log(2\*a\*b\*cos(x)\*sin(x) - (a^2 - b^2)\*cos(x)^2 + a^2) - log(-1/4\*cos(x)^2 + 1/4))/b

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc^2(x)}{a + b \cot(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)\*\*2/(a+b\*cot(x)),x)

[Out] Integral(csc(x)\*\*2/(a + b\*cot(x)), x)

---

**Giac [A]** time = 1.12864, size = 30, normalized size = 2.5

$$-\frac{\log(|a \tan(x) + b|)}{b} + \frac{\log(|\tan(x)|)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csc(x)^2/(a+b*cot(x)),x, algorithm="giac")
```

```
[Out] -log(abs(a*tan(x) + b))/b + log(abs(tan(x)))/b
```

### 3.717 $\int (a + b \cot(x))^n \csc^2(x) dx$

**Optimal.** Leaf size=20

$$-\frac{(a + b \cot(x))^{n+1}}{b(n+1)}$$

[Out]  $-\left((a + b \cot(x))^{1+n} / (b(1+n))\right)$

**Rubi [A]** time = 0.0412348, antiderivative size = 20, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {3506, 32}

$$-\frac{(a + b \cot(x))^{n+1}}{b(n+1)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b \cot(x))^n \csc^2(x), x]$

[Out]  $-\left((a + b \cot(x))^{1+n} / (b(1+n))\right)$

#### Rule 3506

$\text{Int}[\sec[(e_.) + (f_.)(x_.)]^{(m_.)} * ((a_.) + (b_.) * \tan[(e_.) + (f_.)(x_.)])^{(n_.)}, x\_Symbol] \rightarrow \text{Dist}[1/(b*f), \text{Subst}[\text{Int}[(a + x)^n * (1 + x^2/b^2)^{(m/2 - 1)}], x], x, b * \text{Tan}[e + f*x], x] /;$  FreeQ[{a, b, e, f, n}, x] && NeQ[a^2 + b^2, 0] && IntegerQ[m/2]

#### Rule 32

$\text{Int}[(a + b*x)^m, x\_Symbol] \rightarrow \text{Simp}[(a + b*x)^{(m+1)} / (b*(m+1)), x] /;$  FreeQ[{a, b, m}, x] && NeQ[m, -1]

#### Rubi steps

$$\begin{aligned} \int (a + b \cot(x))^n \csc^2(x) dx &= -\frac{\text{Subst}\left(\int (a + x)^n dx, x, b \cot(x)\right)}{b} \\ &= -\frac{(a + b \cot(x))^{1+n}}{b(1+n)} \end{aligned}$$

**Mathematica [A]** time = 0.183713, size = 19, normalized size = 0.95

$$-\frac{(a + b \cot(x))^{n+1}}{bn + b}$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[(a + b \cot(x))^n \csc^2(x), x]$

[Out]  $-\left((a + b \cot(x))^{1+n} / (b + b*n)\right)$

**Maple [A]** time = 0.023, size = 21, normalized size = 1.1

$$\frac{(a + b \cot(x))^{1+n}}{b(1+n)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cot(x))^n\*csc(x)^2,x)

[Out] -(a+b\*cot(x))^(1+n)/b/(1+n)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cot(x))^n\*csc(x)^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.41513, size = 103, normalized size = 5.15

$$\frac{(b \cos(x) + a \sin(x)) \left( \frac{b \cos(x) + a \sin(x)}{\sin(x)} \right)^n}{(bn + b) \sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cot(x))^n\*csc(x)^2,x, algorithm="fricas")

[Out] -(b\*cos(x) + a\*sin(x))\*((b\*cos(x) + a\*sin(x))/sin(x))^n/((b\*n + b)\*sin(x))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cot(x))\*\*n\*csc(x)\*\*2,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (b \cot(x) + a)^n \csc(x)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cot(x))^n*csc(x)^2,x, algorithm="giac")
```

```
[Out] integrate((b*cot(x) + a)^n*csc(x)^2, x)
```

$$3.718 \quad \int \csc^2(x) (1 + \sin^2(x)) dx$$

**Optimal.** Leaf size=6

$$x - \cot(x)$$

[Out] x - Cot[x]

**Rubi [A]** time = 0.0159719, antiderivative size = 6, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {3012, 8}

$$x - \cot(x)$$

Antiderivative was successfully verified.

[In] Int[Csc[x]^2\*(1 + Sin[x]^2),x]

[Out] x - Cot[x]

#### Rule 3012

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] :> Simp[(A\*Cos[e + f\*x]\*(b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)), x] + Dist[(A\*(m + 2) + C\*(m + 1))/(b^2\*(m + 1)), Int[(b\*Sin[e + f\*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && LtQ[m, -1]

#### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned} \int \csc^2(x) (1 + \sin^2(x)) dx &= -\cot(x) + \int 1 dx \\ &= x - \cot(x) \end{aligned}$$

**Mathematica [A]** time = 0.0028742, size = 6, normalized size = 1.

$$x - \cot(x)$$

Antiderivative was successfully verified.

[In] Integrate[Csc[x]^2\*(1 + Sin[x]^2),x]

[Out] x - Cot[x]

**Maple [A]** time = 0.017, size = 7, normalized size = 1.2

$$x - \cot(x)$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int(csc(x)^2*(1+sin(x)^2),x)`

[Out] `x-cot(x)`

**Maxima [A]** time = 1.47256, size = 11, normalized size = 1.83

$$x - \frac{1}{\tan(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(x)^2*(1+sin(x)^2),x, algorithm="maxima")`

[Out] `x - 1/tan(x)`

**Fricas [B]** time = 2.41083, size = 38, normalized size = 6.33

$$\frac{x \sin(x) - \cos(x)}{\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(x)^2*(1+sin(x)^2),x, algorithm="fricas")`

[Out] `(x*sin(x) - cos(x))/sin(x)`

**Sympy [A]** time = 13.1619, size = 3, normalized size = 0.5

$$x - \cot(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(x)**2*(1+sin(x)**2),x)`

[Out] `x - cot(x)`

**Giac [B]** time = 1.10361, size = 22, normalized size = 3.67

$$x - \frac{1}{2 \tan\left(\frac{1}{2}x\right)} + \frac{1}{2} \tan\left(\frac{1}{2}x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(x)^2*(1+sin(x)^2),x, algorithm="giac")`

[Out] `x - 1/2/tan(1/2*x) + 1/2*tan(1/2*x)`

$$3.719 \quad \int \left(1 + \frac{1}{1 + \cot^2(x)}\right) \csc^2(x) dx$$

**Optimal.** Leaf size=6

$$x - \cot(x)$$

[Out] x - Cot[x]

**Rubi [A]** time = 0.0470889, antiderivative size = 6, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 2, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$ , Rules used = {14, 203}

$$x - \cot(x)$$

Antiderivative was successfully verified.

[In] Int[(1 + (1 + Cot[x]^2)^(-1))\*Csc[x]^2,x]

[Out] x - Cot[x]

#### Rule 14

Int[(u\_)\*((c\_)\*(x\_)^(m\_)), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_ + (b\_)\*(v\_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

#### Rule 203

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \left(1 + \frac{1}{1 + \cot^2(x)}\right) \csc^2(x) dx &= \text{Subst} \left( \int \frac{1 + \frac{1}{1 + \frac{1}{x^2}}}{x^2} dx, x, \tan(x) \right) \\ &= \text{Subst} \left( \int \left( \frac{1}{x^2} + \frac{1}{1 + x^2} \right) dx, x, \tan(x) \right) \\ &= -\cot(x) + \text{Subst} \left( \int \frac{1}{1 + x^2} dx, x, \tan(x) \right) \\ &= x - \cot(x) \end{aligned}$$

**Mathematica [A]** time = 0.0053662, size = 6, normalized size = 1.

$$x - \cot(x)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + (1 + Cot[x]^2)^(-1))\*Csc[x]^2,x]

[Out]  $x - \text{Cot}[x]$

**Maple [A]** time = 0.025, size = 7, normalized size = 1.2

$$x - \cot(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1+1/(1+cot(x)^2))*csc(x)^2,x)`

[Out]  $x - \cot(x)$

**Maxima [A]** time = 1.4416, size = 11, normalized size = 1.83

$$x - \frac{1}{\tan(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+1/(1+cot(x)^2))*csc(x)^2,x, algorithm="maxima")`

[Out]  $x - 1/\tan(x)$

**Fricas [B]** time = 2.31265, size = 38, normalized size = 6.33

$$\frac{x \sin(x) - \cos(x)}{\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+1/(1+cot(x)^2))*csc(x)^2,x, algorithm="fricas")`

[Out]  $(x \sin(x) - \cos(x))/\sin(x)$

**Sympy [B]** time = 0.938944, size = 27, normalized size = 4.5

$$\frac{x \csc^2(x)}{\cot^2(x) + 1} - \frac{\cot(x) \csc^2(x)}{\cot^2(x) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+1/(1+cot(x)**2))*csc(x)**2,x)`

[Out]  $x \csc(x)**2/(\cot(x)**2 + 1) - \cot(x) \csc(x)**2/(\cot(x)**2 + 1)$

**Giac [B]** time = 1.11885, size = 22, normalized size = 3.67

$$x - \frac{1}{2 \tan\left(\frac{1}{2}x\right)} + \frac{1}{2} \tan\left(\frac{1}{2}x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1+1/(1+cot(x)^2))*csc(x)^2,x, algorithm="giac")
```

```
[Out] x - 1/2/tan(1/2*x) + 1/2*tan(1/2*x)
```

$$3.720 \quad \int \frac{(a+b \cot(x)) \csc^2(x)}{c+d \cot(x)} dx$$

**Optimal.** Leaf size=28

$$\frac{(bc - ad) \log(c + d \cot(x))}{d^2} - \frac{b \cot(x)}{d}$$

[Out]  $-\frac{b \cot(x)}{d} + \frac{(bc - ad) \log(c + d \cot(x))}{d^2}$

**Rubi [A]** time = 0.0818833, antiderivative size = 28, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$ , Rules used = {4344, 43}

$$\frac{(bc - ad) \log(c + d \cot(x))}{d^2} - \frac{b \cot(x)}{d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b \cot(x)) \csc^2(x) / (c + d \cot(x)), x]$

[Out]  $-\frac{b \cot(x)}{d} + \frac{(bc - ad) \log(c + d \cot(x))}{d^2}$

#### Rule 4344

$\text{Int}[(u_*) \cdot (F_*) [(c_*) \cdot ((a_*) + (b_*) \cdot (x_*))]^2, x\_Symbol] \rightarrow \text{With}[\{d = \text{FreeFactors}[\text{Cot}[c \cdot (a + b \cdot x)], x]\}, -\text{Dist}[d / (b \cdot c), \text{Subst}[\text{Int}[\text{SubstFor}[1, \text{Cot}[c \cdot (a + b \cdot x)] / d, u, x], x], x, \text{Cot}[c \cdot (a + b \cdot x)] / d], x] /;$   $\text{FunctionOfQ}[\text{Cot}[c \cdot (a + b \cdot x)] / d, u, x, \text{True}] /;$   $\text{FreeQ}[\{a, b, c\}, x] \ \&\& \ \text{NonsumQ}[u] \ \&\& \ (\text{EqQ}[F, \text{Csc}] \mid \text{EqQ}[F, \text{csc}])$

#### Rule 43

$\text{Int}[(a_*) + (b_*) \cdot (x_*)]^{(m_*)} \cdot [(c_*) + (d_*) \cdot (x_*)]^{(n_*)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b \cdot x)^m \cdot (c + d \cdot x)^n, x], x] /;$   $\text{FreeQ}[\{a, b, c, d, n\}, x] \ \&\& \ \text{NeQ}[b \cdot c - a \cdot d, 0] \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ (\! \text{IntegerQ}[n] \mid \mid (\text{EqQ}[c, 0] \ \&\& \ \text{LeQ}[7 \cdot m + 4 \cdot n + 4, 0]) \mid \mid \text{LtQ}[9 \cdot m + 5 \cdot (n + 1), 0] \mid \mid \text{GtQ}[m + n + 2, 0])$

#### Rubi steps

$$\begin{aligned} \int \frac{(a + b \cot(x)) \csc^2(x)}{c + d \cot(x)} dx &= -\text{Subst} \left( \int \frac{a + bx}{c + dx} dx, x, \cot(x) \right) \\ &= -\text{Subst} \left( \int \left( \frac{b}{d} + \frac{-bc + ad}{d(c + dx)} \right) dx, x, \cot(x) \right) \\ &= -\frac{b \cot(x)}{d} + \frac{(bc - ad) \log(c + d \cot(x))}{d^2} \end{aligned}$$

**Mathematica [A]** time = 0.329919, size = 56, normalized size = 2.

$$\frac{\sin(x)(a + b \cot(x))(-bc - ad)(\log(\sin(x)) - \log(c \sin(x) + d \cos(x))) - bd \cot(x)}{d^2(a \sin(x) + b \cos(x))}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b\*Cot[x])\*Csc[x]^2)/(c + d\*Cot[x]),x]

[Out] ((a + b\*Cot[x])\*(-(b\*d\*Cot[x]) - (b\*c - a\*d)\*(Log[Sin[x]] - Log[d\*Cos[x] + c\*Sin[x]]))\*Sin[x])/(d^2\*(b\*Cos[x] + a\*Sin[x]))

**Maple [A]** time = 0.046, size = 56, normalized size = 2.

$$-\frac{b}{d \tan(x)} + \frac{\ln(\tan(x)) a}{d} - \frac{\ln(\tan(x)) cb}{d^2} - \frac{\ln(c \tan(x) + d) a}{d} + \frac{\ln(c \tan(x) + d) cb}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cot(x))\*csc(x)^2/(c+d\*cot(x)),x)

[Out] -b/d/tan(x)+1/d\*ln(tan(x))\*a-1/d^2\*ln(tan(x))\*c\*b-1/d\*ln(c\*tan(x)+d)\*a+1/d^2\*ln(c\*tan(x)+d)\*c\*b

**Maxima [A]** time = 0.979703, size = 62, normalized size = 2.21

$$\frac{(bc - ad) \log(c \tan(x) + d)}{d^2} - \frac{(bc - ad) \log(\tan(x))}{d^2} - \frac{b}{d \tan(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cot(x))\*csc(x)^2/(c+d\*cot(x)),x, algorithm="maxima")

[Out] (b\*c - a\*d)\*log(c\*tan(x) + d)/d^2 - (b\*c - a\*d)\*log(tan(x))/d^2 - b/(d\*tan(x))

**Fricas [B]** time = 2.95262, size = 209, normalized size = 7.46

$$\frac{2bd \cos(x) - (bc - ad) \log\left(2cd \cos(x) \sin(x) - (c^2 - d^2) \cos(x)^2 + c^2\right) \sin(x) + (bc - ad) \log\left(-\frac{1}{4} \cos(x)^2 + \frac{1}{4}\right) \sin(x)}{2d^2 \sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cot(x))\*csc(x)^2/(c+d\*cot(x)),x, algorithm="fricas")

[Out] -1/2\*(2\*b\*d\*cos(x) - (b\*c - a\*d)\*log(2\*c\*d\*cos(x)\*sin(x) - (c^2 - d^2)\*cos(x)^2 + c^2)\*sin(x) + (b\*c - a\*d)\*log(-1/4\*cos(x)^2 + 1/4)\*sin(x))/(d^2\*sin(x))

**Sympy [A]** time = 11.5975, size = 31, normalized size = 1.11

$$-\frac{b \cot(x)}{d} - \frac{(ad - bc) \left( \begin{cases} \frac{\cot(x)}{d} & \text{for } d = 0 \\ \frac{\log^c(c+d \cot(x))}{d} & \text{otherwise} \end{cases} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cot(x))*csc(x)**2/(c+d*cot(x)),x)
```

```
[Out] -b*cot(x)/d - (a*d - b*c)*Piecewise((cot(x)/c, Eq(d, 0)), (log(c + d*cot(x))
)/d, True))/d
```

**Giac [B]** time = 1.15447, size = 92, normalized size = 3.29

$$-\frac{(bc - ad) \log(|\tan(x)|)}{d^2} + \frac{(bc^2 - acd) \log(|c \tan(x) + d|)}{cd^2} + \frac{bc \tan(x) - ad \tan(x) - bd}{d^2 \tan(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cot(x))*csc(x)^2/(c+d*cot(x)),x, algorithm="giac")
```

```
[Out] -(b*c - a*d)*log(abs(tan(x)))/d^2 + (b*c^2 - a*c*d)*log(abs(c*tan(x) + d))/
(c*d^2) + (b*c*tan(x) - a*d*tan(x) - b*d)/(d^2*tan(x))
```

$$3.721 \quad \int \frac{(a+b \cot(x))^2 \csc^2(x)}{c+d \cot(x)} dx$$

**Optimal.** Leaf size=53

$$\frac{b \cot(x)(bc - ad)}{d^2} - \frac{(bc - ad)^2 \log(c + d \cot(x))}{d^3} - \frac{(a + b \cot(x))^2}{2d}$$

[Out] (b\*(b\*c - a\*d)\*Cot[x])/d^2 - (a + b\*Cot[x])^2/(2\*d) - ((b\*c - a\*d)^2\*Log[c + d\*Cot[x]])/d^3

**Rubi [A]** time = 0.136435, antiderivative size = 53, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {4344, 43}

$$\frac{b \cot(x)(bc - ad)}{d^2} - \frac{(bc - ad)^2 \log(c + d \cot(x))}{d^3} - \frac{(a + b \cot(x))^2}{2d}$$

Antiderivative was successfully verified.

[In] Int[((a + b\*Cot[x])^2\*Csc[x]^2)/(c + d\*Cot[x]),x]

[Out] (b\*(b\*c - a\*d)\*Cot[x])/d^2 - (a + b\*Cot[x])^2/(2\*d) - ((b\*c - a\*d)^2\*Log[c + d\*Cot[x]])/d^3

#### Rule 4344

Int[(u\_)\*(F\_)[(c\_.)\*((a\_.) + (b\_.)\*(x\_))]^2, x\_Symbol] :> With[{d = FreeFactors[Cot[c\*(a + b\*x)], x]}, -Dist[d/(b\*c), Subst[Int[SubstFor[1, Cot[c\*(a + b\*x)]]/d, u, x], x], x, Cot[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Cot[c\*(a + b\*x)]/d, u, x, True]] /; FreeQ[{a, b, c}, x] && NonsumQ[u] && (EqQ[F, Csc] | EqQ[F, csc])

#### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{(a + b \cot(x))^2 \csc^2(x)}{c + d \cot(x)} dx &= -\text{Subst} \left( \int \frac{(a + bx)^2}{c + dx} dx, x, \cot(x) \right) \\ &= -\text{Subst} \left( \int \left( -\frac{b(bc - ad)}{d^2} + \frac{b(a + bx)}{d} + \frac{(-bc + ad)^2}{d^2(c + dx)} \right) dx, x, \cot(x) \right) \\ &= \frac{b(bc - ad) \cot(x)}{d^2} - \frac{(a + b \cot(x))^2}{2d} - \frac{(bc - ad)^2 \log(c + d \cot(x))}{d^3} \end{aligned}$$

**Mathematica [A]** time = 0.505196, size = 62, normalized size = 1.17

$$\frac{2bd \cot(x)(bc - 2ad) + 2(bc - ad)^2(\log(\sin(x)) - \log(c \sin(x) + d \cos(x))) - b^2 d^2 \csc^2(x)}{2d^3}$$

Antiderivative was successfully verified.



[In] Integrate[((a + b\*Cot[x])^2\*Csc[x]^2)/(c + d\*Cot[x]),x]

[Out] (2\*b\*d\*(b\*c - 2\*a\*d)\*Cot[x] - b^2\*d^2\*Csc[x]^2 + 2\*(b\*c - a\*d)^2\*(Log[Sin[x]] - Log[d\*Cos[x] + c\*Sin[x]]))/(2\*d^3)

**Maple [B]** time = 0.065, size = 119, normalized size = 2.3

$$-\frac{b^2}{2d(\tan(x))^2} + \frac{\ln(\tan(x))a^2}{d} - 2\frac{\ln(\tan(x))bac}{d^2} + \frac{\ln(\tan(x))b^2c^2}{d^3} - 2\frac{ab}{d\tan(x)} + \frac{cb^2}{d^2\tan(x)} - \frac{\ln(c\tan(x)+d)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cot(x))^2\*csc(x)^2/(c+d\*cot(x)),x)

[Out] -1/2\*b^2/d/tan(x)^2+1/d\*ln(tan(x))\*a^2-2/d^2\*ln(tan(x))\*b\*a\*c+1/d^3\*ln(tan(x))\*b^2\*c^2-2\*b/d/tan(x)\*a+b^2/d^2/tan(x)\*c-1/d\*ln(c\*tan(x)+d)\*a^2+2/d^2\*ln(c\*tan(x)+d)\*b\*a\*c-1/d^3\*ln(c\*tan(x)+d)\*b^2\*c^2

**Maxima [A]** time = 0.973524, size = 124, normalized size = 2.34

$$\frac{(b^2c^2 - 2abcd + a^2d^2)\log(c\tan(x) + d)}{d^3} + \frac{(b^2c^2 - 2abcd + a^2d^2)\log(\tan(x))}{d^3} - \frac{b^2d - 2(b^2c - 2abd)\tan(x)}{2d^2\tan(x)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cot(x))^2\*csc(x)^2/(c+d\*cot(x)),x, algorithm="maxima")

[Out] -(b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*log(c\*tan(x) + d)/d^3 + (b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*log(tan(x))/d^3 - 1/2\*(b^2\*d - 2\*(b^2\*c - 2\*a\*b\*d)\*tan(x))/(d^2\*tan(x)^2)

**Fricas [B]** time = 3.29222, size = 417, normalized size = 7.87

$$\frac{b^2d^2 - 2(b^2cd - 2abd^2)\cos(x)\sin(x) + (b^2c^2 - 2abcd + a^2d^2 - (b^2c^2 - 2abcd + a^2d^2)\cos(x)^2)\log(2cd\cos(x)\sin(x))}{2(d^3\cos(x)^2 - d^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cot(x))^2\*csc(x)^2/(c+d\*cot(x)),x, algorithm="fricas")

[Out] 1/2\*(b^2\*d^2 - 2\*(b^2\*c\*d - 2\*a\*b\*d^2)\*cos(x)\*sin(x) + (b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2 - (b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*cos(x)^2)\*log(2\*c\*d\*cos(x)\*sin(x) - (c^2 - d^2)\*cos(x)^2 + c^2) - (b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2 - (b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*cos(x)^2)\*log(-1/4\*cos(x)^2 + 1/4))/(d^3\*cos(x)^2 - d^3)

**Sympy [A]** time = 28.6935, size = 58, normalized size = 1.09

$$\frac{b^2 \cot^2(x)}{2d} - \frac{(ad - bc)^2 \left( \begin{array}{ll} \frac{\cot(x)}{d} & \text{for } d = 0 \\ \frac{\log^c(c+d \cot(x))}{d} & \text{otherwise} \end{array} \right)}{d^2} - \frac{(2abd - b^2c) \cot(x)}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cot(x))\*\*2\*csc(x)\*\*2/(c+d\*cot(x)),x)

[Out] -b\*\*2\*cot(x)\*\*2/(2\*d) - (a\*d - b\*c)\*\*2\*Piecewise((cot(x)/c, Eq(d, 0)), (log(c + d\*cot(x))/d, True))/d\*\*2 - (2\*a\*b\*d - b\*\*2\*c)\*cot(x)/d\*\*2

**Giac [B]** time = 1.19983, size = 188, normalized size = 3.55

$$\frac{(b^2c^2 - 2abcd + a^2d^2) \log(|\tan(x)|)}{d^3} - \frac{(b^2c^3 - 2abc^2d + a^2cd^2) \log(|c \tan(x) + d|)}{cd^3} - \frac{3b^2c^2 \tan(x)^2 - 6abcd \tan(x)^2 + 3a^2d^2 \tan(x)^2}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cot(x))^2\*csc(x)^2/(c+d\*cot(x)),x, algorithm="giac")

[Out] (b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*log(abs(tan(x)))/d^3 - (b^2\*c^3 - 2\*a\*b\*c^2\*d + a^2\*c\*d^2)\*log(abs(c\*tan(x) + d))/(c\*d^3) - 1/2\*(3\*b^2\*c^2\*tan(x)^2 - 6\*a\*b\*c\*d\*tan(x)^2 + 3\*a^2\*d^2\*tan(x)^2 - 2\*b^2\*c\*d\*tan(x) + 4\*a\*b\*d^2\*tan(x) + b^2\*d^2)/(d^3\*tan(x)^2)

$$3.722 \quad \int \frac{(a+b \cot(x))^3 \csc^2(x)}{c+d \cot(x)} dx$$

**Optimal.** Leaf size=78

$$-\frac{b \cot(x)(bc-ad)^2}{d^3} + \frac{(bc-ad)(a+b \cot(x))^2}{2d^2} + \frac{(bc-ad)^3 \log(c+d \cot(x))}{d^4} - \frac{(a+b \cot(x))^3}{3d}$$

[Out]  $-\frac{(b*(b*c - a*d)^2*\cot[x])}{d^3} + \frac{((b*c - a*d)*(a + b*\cot[x])^2)}{(2*d^2)} - \frac{(a + b*\cot[x])^3}{(3*d)} + \frac{((b*c - a*d)^3*\log[c + d*\cot[x]])}{d^4}$

**Rubi [A]** time = 0.138954, antiderivative size = 78, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {4344, 43}

$$-\frac{b \cot(x)(bc-ad)^2}{d^3} + \frac{(bc-ad)(a+b \cot(x))^2}{2d^2} + \frac{(bc-ad)^3 \log(c+d \cot(x))}{d^4} - \frac{(a+b \cot(x))^3}{3d}$$

Antiderivative was successfully verified.

[In] Int[((a + b\*Cot[x])^3\*Csc[x]^2)/(c + d\*Cot[x]),x]

[Out]  $-\frac{(b*(b*c - a*d)^2*\cot[x])}{d^3} + \frac{((b*c - a*d)*(a + b*\cot[x])^2)}{(2*d^2)} - \frac{(a + b*\cot[x])^3}{(3*d)} + \frac{((b*c - a*d)^3*\log[c + d*\cot[x]])}{d^4}$

#### Rule 4344

Int[(u\_)\*(F\_)[(c\_)\*(a\_) + (b\_)\*(x\_)]^2, x\_Symbol] :> With[{d = FreeFactors[Cot[c\*(a + b\*x)], x]}, -Dist[d/(b\*c), Subst[Int[SubstFor[1, Cot[c\*(a + b\*x)]/d, u, x], x], x, Cot[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Cot[c\*(a + b\*x)]/d, u, x, True]] /; FreeQ[{a, b, c}, x] && NonsumQ[u] && (EqQ[F, Csc] | EqQ[F, csc])

#### Rule 43

Int[((a\_) + (b\_)\*(x\_))^(m\_)\*((c\_) + (d\_)\*(x\_))^(n\_), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LtQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{(a+b \cot(x))^3 \csc^2(x)}{c+d \cot(x)} dx &= -\text{Subst} \left( \int \frac{(a+bx)^3}{c+dx} dx, x, \cot(x) \right) \\ &= -\text{Subst} \left( \int \left( \frac{b(bc-ad)^2}{d^3} - \frac{b(bc-ad)(a+bx)}{d^2} + \frac{b(a+bx)^2}{d} + \frac{(-bc+ad)^3}{d^3(c+dx)} \right) dx, x, \cot(x) \right) \\ &= -\frac{b(bc-ad)^2 \cot(x)}{d^3} + \frac{(bc-ad)(a+b \cot(x))^2}{2d^2} - \frac{(a+b \cot(x))^3}{3d} + \frac{(bc-ad)^3 \log(c+d \cot(x))}{d^4} \end{aligned}$$

**Mathematica [A]** time = 1.26379, size = 135, normalized size = 1.73

$$\frac{(a+b \cot(x))^3(c \sin(x) + d \cos(x)) \left( bd \left( \sin(2x) \left( -9a^2d^2 + 9abcd + b^2(d^2 - 3c^2) \right) + 3bd(bc - 3ad) \right) - 6 \sin^2(x)(bc - ad) \right)}{6d^4(c+d \cot(x))(a \sin(x) + b \cos(x))^3}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b\*Cot[x])^3\*Csc[x]^2)/(c + d\*Cot[x]),x]

[Out] ((a + b\*Cot[x])^3\*(d\*Cos[x] + c\*Sin[x])\*(-2\*b^3\*d^3\*Cot[x] - 6\*(b\*c - a\*d)^3\*(Log[Sin[x]] - Log[d\*Cos[x] + c\*Sin[x]])\*Sin[x]^2 + b\*d\*(3\*b\*d\*(b\*c - 3\*a\*d) + (9\*a\*b\*c\*d - 9\*a^2\*d^2 + b^2\*(-3\*c^2 + d^2))\*Sin[2\*x]))/(6\*d^4\*(c + d\*Cot[x])\*(b\*Cos[x] + a\*Sin[x])^3)

**Maple [B]** time = 0.078, size = 202, normalized size = 2.6

$$-\frac{b^3}{3d(\tan(x))^3} + \frac{\ln(\tan(x))a^3}{d} - 3\frac{\ln(\tan(x))a^2bc}{d^2} + 3\frac{\ln(\tan(x))ab^2c^2}{d^3} - \frac{\ln(\tan(x))b^3c^3}{d^4} - 3\frac{a^2b}{d\tan(x)} + 3\frac{ab^2c}{d^2\tan(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cot(x))^3\*csc(x)^2/(c+d\*cot(x)),x)

[Out] -1/3\*b^3/d/tan(x)^3+1/d\*ln(tan(x))\*a^3-3/d^2\*ln(tan(x))\*a^2\*b\*c+3/d^3\*ln(tan(x))\*a\*b^2\*c^2-1/d^4\*ln(tan(x))\*b^3\*c^3-3\*b/d/tan(x)\*a^2+3\*b^2/d^2/tan(x)\*a\*c-b^3/d^3/tan(x)\*c^2-3/2\*b^2/d/tan(x)^2\*a+1/2\*b^3/d^2/tan(x)^2\*c-1/d\*ln(c\*tan(x)+d)\*a^3+3/d^2\*ln(c\*tan(x)+d)\*a^2\*b\*c-3/d^3\*ln(c\*tan(x)+d)\*a\*b^2\*c^2+1/d^4\*ln(c\*tan(x)+d)\*b^3\*c^3

**Maxima [B]** time = 0.990708, size = 217, normalized size = 2.78

$$\frac{(b^3c^3 - 3ab^2c^2d + 3a^2bcd^2 - a^3d^3)\log(ctan(x) + d)}{d^4} - \frac{(b^3c^3 - 3ab^2c^2d + 3a^2bcd^2 - a^3d^3)\log(\tan(x))}{d^4} - \frac{2b^3d^2 + 6(b^3c^3 - 3ab^2c^2d + 3a^2bcd^2 - a^3d^3)\log(\tan(x))}{d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cot(x))^3\*csc(x)^2/(c+d\*cot(x)),x, algorithm="maxima")

[Out] (b^3\*c^3 - 3\*a\*b^2\*c^2\*d + 3\*a^2\*b\*c\*d^2 - a^3\*d^3)\*log(c\*tan(x) + d)/d^4 - (b^3\*c^3 - 3\*a\*b^2\*c^2\*d + 3\*a^2\*b\*c\*d^2 - a^3\*d^3)\*log(tan(x))/d^4 - 1/6\*(2\*b^3\*d^2 + 6\*(b^3\*c^2 - 3\*a\*b^2\*c\*d + 3\*a^2\*b\*d^2)\*tan(x)^2 - 3\*(b^3\*c\*d - 3\*a\*b^2\*d^2)\*tan(x))/(d^3\*tan(x)^3)

**Fricas [B]** time = 3.42416, size = 705, normalized size = 9.04

$$2(3b^3c^2d - 9ab^2cd^2 + (9a^2b - b^3)d^3)\cos(x)^3 + 3(b^3c^3 - 3ab^2c^2d + 3a^2bcd^2 - a^3d^3 - (b^3c^3 - 3ab^2c^2d + 3a^2bcd^2 - a^3d^3)\log(\tan(x)))\cos(x)^2 + 3(b^3c^3 - 3ab^2c^2d + 3a^2bcd^2 - a^3d^3)\cos(x)\log(\tan(x)) - (c^2 - d^2)\log(\tan(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cot(x))^3\*csc(x)^2/(c+d\*cot(x)),x, algorithm="fricas")

[Out] -1/6\*(2\*(3\*b^3\*c^2\*d - 9\*a\*b^2\*c\*d^2 + (9\*a^2\*b - b^3)\*d^3)\*cos(x)^3 + 3\*(b^3\*c^3 - 3\*a\*b^2\*c^2\*d + 3\*a^2\*b\*c\*d^2 - a^3\*d^3 - (b^3\*c^3 - 3\*a\*b^2\*c^2\*d + 3\*a^2\*b\*c\*d^2 - a^3\*d^3)\*cos(x)^2)\*log(2\*c\*d\*cos(x)\*sin(x) - (c^2 - d^2))

$$\frac{\cos(x)^2 + c^2 \sin(x) - 3(b^3 c^3 - 3a b^2 c^2 d + 3a^2 b c d^2 - a^3 d^3) \cos(x)^2 \log(-1/4 \cos(x)^2 + 1/4) \sin(x) - 6(b^3 c^2 d - 3a b^2 c d^2 + 3a^2 b d^3) \cos(x) + 3(b^3 c d^2 - 3a b^2 d^3) \sin(x)}{(d^4 \cos(x)^2 - d^4) \sin(x)}$$

**Sympy [A]** time = 75.3299, size = 97, normalized size = 1.24

$$\frac{b^3 \cot^3(x)}{3d} - \frac{(3ab^2d - b^3c) \cot^2(x)}{2d^2} - \frac{(ad - bc)^3 \begin{cases} \frac{\cot(x)}{d} & \text{for } d = 0 \\ \frac{\log(c + d \cot(x))}{d} & \text{otherwise} \end{cases}}{d^3} - \frac{(3a^2bd^2 - 3ab^2cd + b^3c^2) \cot(x)}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cot(x))\*\*3\*csc(x)\*\*2/(c+d\*cot(x)),x)

[Out]  $-b**3*cot(x)**3/(3*d) - (3*a*b**2*d - b**3*c)*cot(x)**2/(2*d**2) - (a*d - b*c)**3*Piecewise((cot(x)/c, Eq(d, 0)), (log(c + d*cot(x))/d, True))/d**3 - (3*a**2*b*d**2 - 3*a*b**2*c*d + b**3*c**2)*cot(x)/d**3$

**Giac [B]** time = 1.17287, size = 313, normalized size = 4.01

$$\frac{(b^3c^3 - 3ab^2c^2d + 3a^2bcd^2 - a^3d^3) \log(|\tan(x)|)}{d^4} + \frac{(b^3c^4 - 3ab^2c^3d + 3a^2bc^2d^2 - a^3cd^3) \log(|c \tan(x) + d|)}{cd^4} + \frac{11b^3c^3d^3}{d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cot(x))^3\*csc(x)^2/(c+d\*cot(x)),x, algorithm="giac")

[Out]  $-(b^3c^3 - 3a b^2 c^2 d + 3a^2 b c d^2 - a^3 d^3) \log(\tan(x)) / d^4 + (b^3c^4 - 3a b^2 c^3 d + 3a^2 b c^2 d^2 - a^3 c d^3) \log(c \tan(x) + d) / (c d^4) + 1/6(11b^3c^3 \tan(x)^3 - 33a b^2 c^2 d \tan(x)^3 + 33a^2 b c d^2 \tan(x)^3 - 11a^3 d^3 \tan(x)^3 - 6b^3 c^2 d \tan(x)^2 + 18a b^2 c d^2 \tan(x)^2 - 18a^2 b d^3 \tan(x)^2 + 3b^3 c d^2 \tan(x) - 9a b^2 d^3 \tan(x) - 2b^3 d^3) / (d^4 \tan(x)^3)$

$$3.723 \quad \int e^{-\cot(x)} \csc^2(x) dx$$

**Optimal.** Leaf size=6

$$e^{-\cot(x)}$$

[Out] E<sup>(-Cot[x])</sup>

**Rubi [A]** time = 0.0147822, antiderivative size = 6, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {4344, 2194}

$$e^{-\cot(x)}$$

Antiderivative was successfully verified.

[In] Int[Csc[x]^2/E^Cot[x],x]

[Out] E<sup>(-Cot[x])</sup>

#### Rule 4344

```
Int[(u_)*(F_)[(c_.)*((a_.) + (b_.)*(x_))]^2, x_Symbol] := With[{d = FreeFactors[Cot[c*(a + b*x)], x]}, -Dist[d/(b*c), Subst[Int[SubstFor[1, Cot[c*(a + b*x)]]/d, u, x], x], x, Cot[c*(a + b*x)]/d, x] /; FunctionOfQ[Cot[c*(a + b*x)]/d, u, x, True] /; FreeQ[{a, b, c}, x] && NonsumQ[u] && (EqQ[F, Csc] | EqQ[F, csc])
```

#### Rule 2194

```
Int[((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.), x_Symbol] := Simp[(F^(c*(a + b*x)))^n/(b*c*n*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]
```

#### Rubi steps

$$\int e^{-\cot(x)} \csc^2(x) dx = -\text{Subst}\left(\int e^{-x} dx, x, \cot(x)\right) = e^{-\cot(x)}$$

**Mathematica [A]** time = 0.0762972, size = 6, normalized size = 1.

$$e^{-\cot(x)}$$

Antiderivative was successfully verified.

[In] Integrate[Csc[x]^2/E^Cot[x],x]

[Out] E<sup>(-Cot[x])</sup>

**Maple [A]** time = 0.011, size = 6, normalized size = 1.

$$\left(e^{\cot(x)}\right)^{-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(csc(x)^2/exp(cot(x)),x)`

[Out] `1/exp(cot(x))`

**Maxima [A]** time = 0.978347, size = 7, normalized size = 1.17

$$e^{(-\cot(x))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(x)^2/exp(cot(x)),x, algorithm="maxima")`

[Out] `e^(-cot(x))`

**Fricas [A]** time = 2.23891, size = 27, normalized size = 4.5

$$e^{\left(-\frac{\cos(x)}{\sin(x)}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(x)^2/exp(cot(x)),x, algorithm="fricas")`

[Out] `e^(-cos(x)/sin(x))`

**Sympy [A]** time = 115.646, size = 5, normalized size = 0.83

$$e^{-\cot(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(x)**2/exp(cot(x)),x)`

[Out] `exp(-cot(x))`

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \csc(x)^2 e^{(-\cot(x))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(x)^2/exp(cot(x)),x, algorithm="giac")`

[Out] `integrate(csc(x)^2*e^(-cot(x)), x)`

$$3.724 \quad \int \frac{\sec(x) \tan(x)}{a+b \sec(x)} dx$$

**Optimal.** Leaf size=11

$$\frac{\log(a + b \sec(x))}{b}$$

[Out] Log[a + b\*Sec[x]]/b

**Rubi [A]** time = 0.0456383, antiderivative size = 20, normalized size of antiderivative = 1.82, number of steps used = 4, number of rules used = 4, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$ , Rules used = {4339, 36, 29, 31}

$$\frac{\log(a \cos(x) + b)}{b} - \frac{\log(\cos(x))}{b}$$

Antiderivative was successfully verified.

[In] Int[(Sec[x]\*Tan[x])/(a + b\*Sec[x]),x]

[Out] -(Log[Cos[x]]/b) + Log[b + a\*Cos[x]]/b

#### Rule 4339

```
Int[(u_)*(F_)[(c_.)*((a_.) + (b_.)*(x_))], x_Symbol] := With[{d = FreeFactors[Cos[c*(a + b*x)], x]}, -Dist[(b*c)^(-1), Subst[Int[SubstFor[1/x, Cos[c*(a + b*x)]]/d, u, x], x], x, Cos[c*(a + b*x)]/d, x] /; FunctionOfQ[Cos[c*(a + b*x)]/d, u, x, True]] /; FreeQ[{a, b, c}, x] && (EqQ[F, Tan] || EqQ[F, tan])
```

#### Rule 36

```
Int[1/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Dist[b/(b*c - a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]
```

#### Rule 29

```
Int[(x_)^(-1), x_Symbol] := Simp[Log[x], x]
```

#### Rule 31

```
Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]
```

#### Rubi steps

$$\begin{aligned} \int \frac{\sec(x) \tan(x)}{a + b \sec(x)} dx &= -\text{Subst} \left( \int \frac{1}{x(b + ax)} dx, x, \cos(x) \right) \\ &= -\frac{\text{Subst} \left( \int \frac{1}{x} dx, x, \cos(x) \right)}{b} + \frac{a \text{Subst} \left( \int \frac{1}{b+ax} dx, x, \cos(x) \right)}{b} \\ &= -\frac{\log(\cos(x))}{b} + \frac{\log(b + a \cos(x))}{b} \end{aligned}$$



**Mathematica [A]** time = 0.0176336, size = 20, normalized size = 1.82

$$\frac{\log(a \cos(x) + b)}{b} - \frac{\log(\cos(x))}{b}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[x]\*Tan[x])/(a + b\*Sec[x]),x]

[Out] -(Log[Cos[x]]/b) + Log[b + a\*Cos[x]]/b

**Maple [A]** time = 0.01, size = 12, normalized size = 1.1

$$\frac{\ln(a + b \sec(x))}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(x)\*tan(x)/(a+b\*sec(x)),x)

[Out] ln(a+b\*sec(x))/b

**Maxima [A]** time = 0.960017, size = 15, normalized size = 1.36

$$\frac{\log(b \sec(x) + a)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)\*tan(x)/(a+b\*sec(x)),x, algorithm="maxima")

[Out] log(b\*sec(x) + a)/b

**Fricas [A]** time = 2.48189, size = 51, normalized size = 4.64

$$\frac{\log(a \cos(x) + b) - \log(-\cos(x))}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)\*tan(x)/(a+b\*sec(x)),x, algorithm="fricas")

[Out] (log(a\*cos(x) + b) - log(-cos(x)))/b

**Sympy [A]** time = 0.572914, size = 14, normalized size = 1.27

$$\begin{cases} \frac{\log\left(\frac{a}{b} + \sec(x)\right)}{b} & \text{for } b \neq 0 \\ \frac{\sec(x)}{a} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)*tan(x)/(a+b*sec(x)),x)
```

```
[Out] Piecewise((log(a/b + sec(x))/b, Ne(b, 0)), (sec(x)/a, True))
```

**Giac [A]** time = 1.10937, size = 30, normalized size = 2.73

$$\frac{\log(|a \cos(x) + b|)}{b} - \frac{\log(|\cos(x)|)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)*tan(x)/(a+b*sec(x)),x, algorithm="giac")
```

```
[Out] log(abs(a*cos(x) + b))/b - log(abs(cos(x)))/b
```

$$3.725 \quad \int \frac{\sec(x) \tan(x)}{1 + \sec^2(x)} dx$$

**Optimal.** Leaf size=5

$$-\tan^{-1}(\cos(x))$$

[Out] -ArcTan[Cos[x]]

**Rubi [A]** time = 0.0332322, antiderivative size = 5, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {4339, 203}

$$-\tan^{-1}(\cos(x))$$

Antiderivative was successfully verified.

[In] Int[(Sec[x]\*Tan[x])/(1 + Sec[x]^2), x]

[Out] -ArcTan[Cos[x]]

#### Rule 4339

Int[(u\_)\*(F\_)[(c\_)\*((a\_) + (b\_)\*(x\_))], x\_Symbol] :> With[{d = FreeFactors[Cos[c\*(a + b\*x)], x]}, -Dist[(b\*c)^(-1), Subst[Int[SubstFor[1/x, Cos[c\*(a + b\*x)]]/d, u, x], x], x, Cos[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Cos[c\*(a + b\*x)]/d, u, x, True] /; FreeQ[{a, b, c}, x] && (EqQ[F, Tan] || EqQ[F, tan])

#### Rule 203

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{\sec(x) \tan(x)}{1 + \sec^2(x)} dx &= -\text{Subst} \left( \int \frac{1}{1 + x^2} dx, x, \cos(x) \right) \\ &= -\tan^{-1}(\cos(x)) \end{aligned}$$

**Mathematica [A]** time = 0.0222478, size = 5, normalized size = 1.

$$-\tan^{-1}(\cos(x))$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[x]\*Tan[x])/(1 + Sec[x]^2), x]

[Out] -ArcTan[Cos[x]]

**Maple [A]** time = 0.025, size = 4, normalized size = 0.8

$$\arctan(\sec(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(x)*tan(x)/(1+sec(x)^2),x)`

[Out] `arctan(sec(x))`

---

**Maxima [A]** time = 1.45471, size = 7, normalized size = 1.4

$$-\arctan(\cos(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)*tan(x)/(1+sec(x)^2),x, algorithm="maxima")`

[Out] `-arctan(cos(x))`

---

**Fricas [A]** time = 2.49107, size = 23, normalized size = 4.6

$$-\arctan(\cos(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)*tan(x)/(1+sec(x)^2),x, algorithm="fricas")`

[Out] `-arctan(cos(x))`

---

**Sympy [A]** time = 0.269607, size = 3, normalized size = 0.6

$$\operatorname{atan}(\sec(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)*tan(x)/(1+sec(x)**2),x)`

[Out] `atan(sec(x))`

---

**Giac [A]** time = 1.08875, size = 7, normalized size = 1.4

$$-\arctan(\cos(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)*tan(x)/(1+sec(x)^2),x, algorithm="giac")`

[Out] `-arctan(cos(x))`

$$3.726 \quad \int \frac{\sec(x) \tan(x)}{9+4 \sec^2(x)} dx$$

**Optimal.** Leaf size=11

$$-\frac{1}{6} \tan^{-1} \left( \frac{3 \cos(x)}{2} \right)$$

[Out] -ArcTan[(3\*Cos[x])/2]/6

**Rubi [A]** time = 0.0347168, antiderivative size = 11, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$ , Rules used = {4339, 203}

$$-\frac{1}{6} \tan^{-1} \left( \frac{3 \cos(x)}{2} \right)$$

Antiderivative was successfully verified.

[In] Int[(Sec[x]\*Tan[x])/(9 + 4\*Sec[x]^2), x]

[Out] -ArcTan[(3\*Cos[x])/2]/6

#### Rule 4339

Int[(u\_)\*(F\_)[(c\_)\*((a\_) + (b\_)\*(x\_))], x\_Symbol] :> With[{d = FreeFactors[Cos[c\*(a + b\*x)], x]}, -Dist[(b\*c)^(-1), Subst[Int[SubstFor[1/x, Cos[c\*(a + b\*x)]]/d, u, x], x], x, Cos[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Cos[c\*(a + b\*x)]/d, u, x, True] /; FreeQ[{a, b, c}, x] && (EqQ[F, Tan] || EqQ[F, tan])

#### Rule 203

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{\sec(x) \tan(x)}{9+4 \sec^2(x)} dx &= -\text{Subst} \left( \int \frac{1}{4+9x^2} dx, x, \cos(x) \right) \\ &= -\frac{1}{6} \tan^{-1} \left( \frac{3 \cos(x)}{2} \right) \end{aligned}$$

**Mathematica [A]** time = 0.0268567, size = 11, normalized size = 1.

$$-\frac{1}{6} \tan^{-1} \left( \frac{3 \cos(x)}{2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[x]\*Tan[x])/(9 + 4\*Sec[x]^2), x]

[Out]  $-\text{ArcTan}[(3*\text{Cos}[x])/2]/6$

---

**Maple [A]** time = 0.019, size = 8, normalized size = 0.7

$$\frac{1}{6} \arctan\left(\frac{2 \sec(x)}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(x)*tan(x)/(9+4*sec(x)^2),x)`

[Out] `1/6*arctan(2/3*sec(x))`

---

**Maxima [A]** time = 1.45431, size = 9, normalized size = 0.82

$$-\frac{1}{6} \arctan\left(\frac{3}{2} \cos(x)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)*tan(x)/(9+4*sec(x)^2),x, algorithm="maxima")`

[Out] `-1/6*arctan(3/2*cos(x))`

---

**Fricas [A]** time = 2.41866, size = 34, normalized size = 3.09

$$-\frac{1}{6} \arctan\left(\frac{3}{2} \cos(x)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)*tan(x)/(9+4*sec(x)^2),x, algorithm="fricas")`

[Out] `-1/6*arctan(3/2*cos(x))`

---

**Sympy [A]** time = 0.308155, size = 8, normalized size = 0.73

$$\frac{\text{atan}\left(\frac{2 \sec(x)}{3}\right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)*tan(x)/(9+4*sec(x)**2),x)`

[Out] `atan(2*sec(x)/3)/6`

---

**Giac [A]** time = 1.10702, size = 9, normalized size = 0.82

$$-\frac{1}{6} \arctan\left(\frac{3}{2} \cos(x)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)*tan(x)/(9+4*sec(x)^2),x, algorithm="giac")
```

```
[Out] -1/6*arctan(3/2*cos(x))
```

$$3.727 \quad \int \frac{\sec(x) \tan(x)}{\sec(x) + \sec^2(x)} dx$$

**Optimal.** Leaf size=7

$$-\log(\cos(x) + 1)$$

[Out] -Log[1 + Cos[x]]

**Rubi [A]** time = 0.031622, antiderivative size = 7, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {4339, 31}

$$-\log(\cos(x) + 1)$$

Antiderivative was successfully verified.

[In] Int[(Sec[x]\*Tan[x])/(Sec[x] + Sec[x]^2),x]

[Out] -Log[1 + Cos[x]]

#### Rule 4339

Int[(u\_)\*(F\_)[(c\_.)\*((a\_.) + (b\_.)\*(x\_))], x\_Symbol] := With[{d = FreeFactors[Cos[c\*(a + b\*x)], x]}, -Dist[(b\*c)^(-1), Subst[Int[SubstFor[1/x, Cos[c\*(a + b\*x)]]/d, u, x], x], x, Cos[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Cos[c\*(a + b\*x)]/d, u, x, True]] /; FreeQ[{a, b, c}, x] && (EqQ[F, Tan] || EqQ[F, tan])

#### Rule 31

Int[((a\_) + (b\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{\sec(x) \tan(x)}{\sec(x) + \sec^2(x)} dx &= -\text{Subst} \left( \int \frac{1}{1+x} dx, x, \cos(x) \right) \\ &= -\log(1 + \cos(x)) \end{aligned}$$

**Mathematica [A]** time = 0.0055143, size = 9, normalized size = 1.29

$$-2 \log \left( \cos \left( \frac{x}{2} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[x]\*Tan[x])/(Sec[x] + Sec[x]^2),x]

[Out] -2\*Log[Cos[x/2]]



**Maple [A]** time = 0.028, size = 12, normalized size = 1.7

$$\ln(\sec(x)) - \ln(1 + \sec(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(x)*tan(x)/(sec(x)+sec(x)^2),x)`

[Out] `ln(sec(x))-ln(1+sec(x))`

---

**Maxima [A]** time = 0.954864, size = 9, normalized size = 1.29

$$-\log(\cos(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)*tan(x)/(sec(x)+sec(x)^2),x, algorithm="maxima")`

[Out] `-log(cos(x) + 1)`

---

**Fricas [A]** time = 2.41407, size = 32, normalized size = 4.57

$$-\log\left(\frac{1}{2}\cos(x) + \frac{1}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)*tan(x)/(sec(x)+sec(x)^2),x, algorithm="fricas")`

[Out] `-log(1/2*cos(x) + 1/2)`

---

**Sympy [B]** time = 0.256751, size = 15, normalized size = 2.14

$$\frac{\log(\tan^2(x) + 1)}{2} - \log(\sec(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)*tan(x)/(sec(x)+sec(x)**2),x)`

[Out] `log(tan(x)**2 + 1)/2 - log(sec(x) + 1)`

---

**Giac [A]** time = 1.0896, size = 9, normalized size = 1.29

$$-\log(\cos(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)*tan(x)/(sec(x)+sec(x)^2),x, algorithm="giac")`

[Out] `-log(cos(x) + 1)`

$$3.728 \quad \int \frac{\sec(x) \tan(x)}{\sqrt{4+\sec^2(x)}} dx$$

Optimal. Leaf size=5

$$\operatorname{csch}^{-1}(2 \cos(x))$$

[Out] ArcCsch[2\*Cos[x]]

**Rubi [A]** time = 0.0448581, antiderivative size = 5, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {4339, 335, 215}

$$\operatorname{csch}^{-1}(2 \cos(x))$$

Antiderivative was successfully verified.

[In] Int[(Sec[x]\*Tan[x])/Sqrt[4 + Sec[x]^2], x]

[Out] ArcCsch[2\*Cos[x]]

#### Rule 4339

Int[(u\_)\*(F\_)[(c\_)\*((a\_) + (b\_)\*(x\_))], x\_Symbol] := With[{d = FreeFactors[Cos[c\*(a + b\*x)], x]}, -Dist[(b\*c)^(-1), Subst[Int[SubstFor[1/x, Cos[c\*(a + b\*x)]]/d, u, x], x], x, Cos[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Cos[c\*(a + b\*x)]/d, u, x, True]] /; FreeQ[{a, b, c}, x] && (EqQ[F, Tan] || EqQ[F, tan])

#### Rule 335

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := -Subst[Int[(a + b/x^n)^p/x^(m + 2), x], x, 1/x] /; FreeQ[{a, b, p}, x] && ILtQ[n, 0] && IntegerQ[m]

#### Rule 215

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSinh[(Rt[b, 2]\*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

#### Rubi steps

$$\begin{aligned} \int \frac{\sec(x) \tan(x)}{\sqrt{4+\sec^2(x)}} dx &= -\operatorname{Subst} \left( \int \frac{1}{\sqrt{4+\frac{1}{x^2}x^2}} dx, x, \cos(x) \right) \\ &= \operatorname{Subst} \left( \int \frac{1}{\sqrt{4+x^2}} dx, x, \sec(x) \right) \\ &= \sinh^{-1} \left( \frac{\sec(x)}{2} \right) \end{aligned}$$

**Mathematica [B]** time = 0.0303004, size = 38, normalized size = 7.6

$$\frac{\sqrt{2 \cos(2x) + 3} \sec(x) \tanh^{-1} \left( \sqrt{4 \cos^2(x) + 1} \right)}{\sqrt{\sec^2(x) + 4}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sec[x]*Tan[x])/Sqrt[4 + Sec[x]^2], x]
```

```
[Out] (ArcTanh[Sqrt[1 + 4*Cos[x]^2]]*Sqrt[3 + 2*Cos[2*x]]*Sec[x])/Sqrt[4 + Sec[x]^2]
```

**Maple [A]** time = 0.032, size = 6, normalized size = 1.2

$$\operatorname{Arcsinh}\left(\frac{\sec(x)}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(x)*tan(x)/(4+sec(x)^2)^(1/2), x)
```

```
[Out] arcsinh(1/2*sec(x))
```

**Maxima [B]** time = 0.953622, size = 45, normalized size = 9.

$$\frac{1}{2} \log\left(\sqrt{\frac{1}{\cos(x)^2} + 4} \cos(x) + 1\right) - \frac{1}{2} \log\left(\sqrt{\frac{1}{\cos(x)^2} + 4} \cos(x) - 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)*tan(x)/(4+sec(x)^2)^(1/2), x, algorithm="maxima")
```

```
[Out] 1/2*log(sqrt(1/cos(x)^2 + 4)*cos(x) + 1) - 1/2*log(sqrt(1/cos(x)^2 + 4)*cos(x) - 1)
```

**Fricas [B]** time = 2.71256, size = 80, normalized size = 16.

$$\log\left(-\frac{\sqrt{\frac{4 \cos(x)^2 + 1}{\cos(x)^2}} \cos(x) + 1}{\cos(x)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)*tan(x)/(4+sec(x)^2)^(1/2), x, algorithm="fricas")
```

```
[Out] log(-(sqrt((4*cos(x)^2 + 1)/cos(x)^2)*cos(x) + 1)/cos(x))
```

**Sympy [A]** time = 0.950007, size = 5, normalized size = 1.

$$\operatorname{asinh}\left(\frac{\sec(x)}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)*tan(x)/(4+sec(x)**2)**(1/2),x)
```

```
[Out] asinh(sec(x)/2)
```

**Giac [B]** time = 1.12927, size = 55, normalized size = 11.

$$\frac{\log\left(\sqrt{4\cos(x)^2+1}+1\right)}{2\operatorname{sgn}(\cos(x))} - \frac{\log\left(\sqrt{4\cos(x)^2+1}-1\right)}{2\operatorname{sgn}(\cos(x))}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)*tan(x)/(4+sec(x)^2)^(1/2),x, algorithm="giac")
```

```
[Out] 1/2*log(sqrt(4*cos(x)^2 + 1) + 1)/sgn(cos(x)) - 1/2*log(sqrt(4*cos(x)^2 + 1) - 1)/sgn(cos(x))
```

$$3.729 \quad \int \frac{\sec(x) \tan(x)}{\sqrt{1+\cos^2(x)}} dx$$

Optimal. Leaf size=13

$$\sqrt{\cos^2(x) + 1} \sec(x)$$

[Out] Sqrt[1 + Cos[x]^2]\*Sec[x]

**Rubi [A]** time = 0.0792028, antiderivative size = 13, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$ , Rules used = {264}

$$\sqrt{\cos^2(x) + 1} \sec(x)$$

Antiderivative was successfully verified.

[In] Int[(Sec[x]\*Tan[x])/Sqrt[1 + Cos[x]^2], x]

[Out] Sqrt[1 + Cos[x]^2]\*Sec[x]

Rule 264

Int[((c\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[((c\*x)^(m + 1)\*(a + b\*x^n)^(p + 1))/(a\*c\*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned} \int \frac{\sec(x) \tan(x)}{\sqrt{1 + \cos^2(x)}} dx &= -\text{Subst} \left( \int \frac{1}{x^2 \sqrt{1 + x^2}} dx, x, \cos(x) \right) \\ &= \sqrt{1 + \cos^2(x)} \sec(x) \end{aligned}$$

**Mathematica [A]** time = 0.017403, size = 13, normalized size = 1.

$$\sqrt{\cos^2(x) + 1} \sec(x)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[x]\*Tan[x])/Sqrt[1 + Cos[x]^2], x]

[Out] Sqrt[1 + Cos[x]^2]\*Sec[x]

**Maple [B]** time = 0.033, size = 25, normalized size = 1.9

$$\frac{1 + (\sec(x))^2}{\sec(x)} \frac{1}{\sqrt{\frac{1 + (\sec(x))^2}{(\sec(x))^2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(x)*tan(x)/(1+cos(x)^2)^(1/2),x)`

[Out] `1/((1+sec(x)^2)/sec(x)^2)^(1/2)/sec(x)*(1+sec(x)^2)`

**Maxima [A]** time = 1.45455, size = 18, normalized size = 1.38

$$\frac{\sqrt{\cos(x)^2 + 1}}{\cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)*tan(x)/(1+cos(x)^2)^(1/2),x, algorithm="maxima")`

[Out] `sqrt(cos(x)^2 + 1)/cos(x)`

**Fricas [A]** time = 2.41079, size = 51, normalized size = 3.92

$$\frac{\sqrt{\cos(x)^2 + 1 + \cos(x)}}{\cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)*tan(x)/(1+cos(x)^2)^(1/2),x, algorithm="fricas")`

[Out] `(sqrt(cos(x)^2 + 1) + cos(x))/cos(x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tan(x) \sec(x)}{\sqrt{\cos^2(x) + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)*tan(x)/(1+cos(x)**2)**(1/2),x)`

[Out] `Integral(tan(x)*sec(x)/sqrt(cos(x)**2 + 1), x)`

**Giac [A]** time = 1.11641, size = 28, normalized size = 2.15

$$-\frac{2}{\left(\sqrt{\cos(x)^2 + 1} - \cos(x)\right)^2 - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)*tan(x)/(1+cos(x)^2)^(1/2),x, algorithm="giac")`

[Out] `-2/((sqrt(cos(x)^2 + 1) - cos(x))^2 - 1)`

### 3.730 $\int e^{\sec(x)} \sec(x) \tan(x) dx$

**Optimal.** Leaf size=4

$$e^{\sec(x)}$$

[Out] E^Sec[x]

**Rubi [A]** time = 0.0217493, antiderivative size = 4, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {4339, 2209}

$$e^{\sec(x)}$$

Antiderivative was successfully verified.

[In] Int[E^Sec[x]\*Sec[x]\*Tan[x],x]

[Out] E^Sec[x]

#### Rule 4339

Int[(u\_)\*(F\_)[(c\_.)\*((a\_.) + (b\_.)\*(x\_))], x\_Symbol] :> With[{d = FreeFactors[Cos[c\*(a + b\*x)], x]}, -Dist[(b\*c)^(-1), Subst[Int[SubstFor[1/x, Cos[c\*(a + b\*x)]]/d, u, x], x], x, Cos[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Cos[c\*(a + b\*x)]/d, u, x, True]] /; FreeQ[{a, b, c}, x] && (EqQ[F, Tan] || EqQ[F, tan])

#### Rule 2209

Int[(F\_)^((a\_.) + (b\_.)\*((c\_.) + (d\_.)\*(x\_)))^((e\_.) + (f\_.)\*(x\_))^(m\_.), x\_Symbol] :> Simp[((e + f\*x)^n \* F^(a + b\*(c + d\*x)^n)) / (b\*f\*n\*(c + d\*x)^n \* Log[F]), x] /; FreeQ[{F, a, b, c, d, e, f, n}, x] && EqQ[m, n - 1] && EqQ[d\*e - c\*f, 0]

#### Rubi steps

$$\int e^{\sec(x)} \sec(x) \tan(x) dx = -\text{Subst} \left( \int \frac{e^{\frac{1}{x}}}{x^2} dx, x, \cos(x) \right) = e^{\sec(x)}$$

**Mathematica [A]** time = 0.0073632, size = 4, normalized size = 1.

$$e^{\sec(x)}$$

Antiderivative was successfully verified.

[In] Integrate[E^Sec[x]\*Sec[x]\*Tan[x],x]

[Out] E^Sec[x]

**Maple [A]** time = 0.006, size = 4, normalized size = 1.

$$e^{\sec(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(exp(sec(x))*sec(x)*tan(x),x)`

[Out] `exp(sec(x))`

---

**Maxima [A]** time = 0.955632, size = 4, normalized size = 1.

$$e^{\sec(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(exp(sec(x))*sec(x)*tan(x),x, algorithm="maxima")`

[Out] `e^sec(x)`

---

**Fricas [A]** time = 2.29366, size = 19, normalized size = 4.75

$$e^{\frac{1}{\cos(x)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(exp(sec(x))*sec(x)*tan(x),x, algorithm="fricas")`

[Out] `e^(1/cos(x))`

---

**Sympy [A]** time = 0.828806, size = 3, normalized size = 0.75

$$e^{\sec(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(exp(sec(x))*sec(x)*tan(x),x)`

[Out] `exp(sec(x))`

---

**Giac [A]** time = 1.11965, size = 7, normalized size = 1.75

$$e^{\frac{1}{\cos(x)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(exp(sec(x))*sec(x)*tan(x),x, algorithm="giac")`

[Out] `e^(1/cos(x))`



### 3.731 $\int 2^{\sec(x)} \sec(x) \tan(x) dx$

**Optimal.** Leaf size=9

$$\frac{2^{\sec(x)}}{\log(2)}$$

[Out] 2^Sec[x]/Log[2]

**Rubi [A]** time = 0.0216664, antiderivative size = 9, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {4339, 2209}

$$\frac{2^{\sec(x)}}{\log(2)}$$

Antiderivative was successfully verified.

[In] Int[2^Sec[x]\*Sec[x]\*Tan[x],x]

[Out] 2^Sec[x]/Log[2]

#### Rule 4339

```
Int[(u_)*(F_)[(c_)*((a_) + (b_)*(x_))], x_Symbol] :> With[{d = FreeFactors[Cos[c*(a + b*x)], x]}, -Dist[(b*c)^(-1), Subst[Int[SubstFor[1/x, Cos[c*(a + b*x)]]/d, u, x], x], x, Cos[c*(a + b*x)]/d, x] /; FunctionOfQ[Cos[c*(a + b*x)]/d, u, x, True]] /; FreeQ[{a, b, c}, x] && (EqQ[F, Tan] || EqQ[F, tan])
```

#### Rule 2209

```
Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_))^(n_))*((e_) + (f_)*(x_))^(m_), x_Symbol] :> Simp[((e + f*x)^n * F^(a + b*(c + d*x)^n)) / (b*f*n*(c + d*x)^n * Log[F]), x] /; FreeQ[{F, a, b, c, d, e, f, n}, x] && EqQ[m, n - 1] && EqQ[d*e - c*f, 0]
```

#### Rubi steps

$$\begin{aligned} \int 2^{\sec(x)} \sec(x) \tan(x) dx &= -\text{Subst} \left( \int \frac{2^{\frac{1}{x}}}{x^2} dx, x, \cos(x) \right) \\ &= \frac{2^{\sec(x)}}{\log(2)} \end{aligned}$$

**Mathematica [A]** time = 0.0081172, size = 9, normalized size = 1.

$$\frac{2^{\sec(x)}}{\log(2)}$$

Antiderivative was successfully verified.

[In] Integrate[2^Sec[x]\*Sec[x]\*Tan[x],x]

[Out]  $2^{\sec(x)}/\text{Log}[2]$

---

**Maple [A]** time = 0.006, size = 10, normalized size = 1.1

$$\frac{2^{\sec(x)}}{\ln(2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(2^sec(x)*sec(x)*tan(x),x)`

[Out]  $2^{\sec(x)}/\ln(2)$

---

**Maxima [A]** time = 0.956561, size = 12, normalized size = 1.33

$$\frac{2^{\sec(x)}}{\log(2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(2^sec(x)*sec(x)*tan(x),x, algorithm="maxima")`

[Out]  $2^{\sec(x)}/\log(2)$

---

**Fricas [A]** time = 2.31062, size = 28, normalized size = 3.11

$$\frac{2^{\left(\frac{1}{\cos(x)}\right)}}{\log(2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(2^sec(x)*sec(x)*tan(x),x, algorithm="fricas")`

[Out]  $2^{(1/\cos(x))}/\log(2)$

---

**Sympy [A]** time = 0.927133, size = 7, normalized size = 0.78

$$\frac{2^{\sec(x)}}{\log(2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(2**sec(x)*sec(x)*tan(x),x)`

[Out]  $2^{**\sec(x)}/\log(2)$

---

**Giac [A]** time = 1.0824, size = 15, normalized size = 1.67

$$\frac{2^{\left(\frac{1}{\cos(x)}\right)}}{\log(2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2^sec(x)\*sec(x)\*tan(x),x, algorithm="giac")

[Out] 2^(1/cos(x))/log(2)

$$3.732 \quad \int \frac{\sec(2x) \tan(2x)}{(1+\sec(2x))^{3/2}} dx$$

**Optimal.** Leaf size=12

$$-\frac{1}{\sqrt{\sec(2x)+1}}$$

[Out] -(1/Sqrt[1 + Sec[2\*x]])

**Rubi [A]** time = 0.0545603, antiderivative size = 12, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$ , Rules used = {4339, 261}

$$-\frac{1}{\sqrt{\sec(2x)+1}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[2\*x]\*Tan[2\*x])/(1 + Sec[2\*x])^(3/2), x]

[Out] -(1/Sqrt[1 + Sec[2\*x]])

#### Rule 4339

Int[(u\_)\*(F\_)[(c\_)\*((a\_) + (b\_)\*(x\_))], x\_Symbol] :> With[{d = FreeFactors[Cos[c\*(a + b\*x)], x]}, -Dist[(b\*c)^(-1), Subst[Int[SubstFor[1/x, Cos[c\*(a + b\*x)]]/d, u, x], x], x, Cos[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Cos[c\*(a + b\*x)]/d, u, x, True]] /; FreeQ[{a, b, c}, x] && (EqQ[F, Tan] || EqQ[F, tan])

#### Rule 261

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

#### Rubi steps

$$\begin{aligned} \int \frac{\sec(2x) \tan(2x)}{(1+\sec(2x))^{3/2}} dx &= -\left( \frac{1}{2} \text{Subst} \left( \int \frac{1}{\left(1 + \frac{1}{x}\right)^{3/2} x^2} dx, x, \cos(2x) \right) \right) \\ &= -\frac{1}{\sqrt{1 + \sec(2x)}} \end{aligned}$$

**Mathematica [A]** time = 0.0767221, size = 20, normalized size = 1.67

$$-\frac{2 \cos^2(x) \sec(2x)}{(\sec(2x) + 1)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[2\*x]\*Tan[2\*x])/(1 + Sec[2\*x])^(3/2), x]

[Out]  $(-2*\text{Cos}[x]^2*\text{Sec}[2*x])/(1 + \text{Sec}[2*x])^{(3/2)}$

**Maple [A]** time = 0.023, size = 11, normalized size = 0.9

$$-\frac{1}{\sqrt{1 + \sec(2x)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(2*x)*tan(2*x)/(1+sec(2*x))^(3/2),x)`

[Out]  $-1/(1+\sec(2*x))^{(1/2)}$

**Maxima [A]** time = 0.974531, size = 14, normalized size = 1.17

$$-\frac{1}{\sqrt{\sec(2x) + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(2*x)*tan(2*x)/(1+sec(2*x))^(3/2),x, algorithm="maxima")`

[Out]  $-1/\text{sqrt}(\sec(2*x) + 1)$

**Fricas [B]** time = 2.39472, size = 76, normalized size = 6.33

$$-\frac{\sqrt{\frac{\cos(2x)+1}{\cos(2x)}} \cos(2x)}{\cos(2x) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(2*x)*tan(2*x)/(1+sec(2*x))^(3/2),x, algorithm="fricas")`

[Out]  $-\text{sqrt}((\cos(2*x) + 1)/\cos(2*x))*\cos(2*x)/(\cos(2*x) + 1)$

**Sympy [A]** time = 1.28341, size = 12, normalized size = 1.

$$-\frac{1}{\sqrt{\sec(2x) + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(2*x)*tan(2*x)/(1+sec(2*x))**(3/2),x)`

[Out]  $-1/\text{sqrt}(\sec(2*x) + 1)$

**Giac [B]** time = 1.46652, size = 32, normalized size = 2.67

$$\frac{\sqrt{2}\sqrt{-\tan(x)^2 + 1}}{2\operatorname{sgn}(\tan(x)^2 - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(2*x)*tan(2*x)/(1+sec(2*x))^(3/2),x, algorithm="giac")
```

```
[Out] 1/2*sqrt(2)*sqrt(-tan(x)^2 + 1)/sgn(tan(x)^2 - 1)
```

### 3.733 $\int \sqrt{1 + 5 \cos^2(3x)} \sec(3x) \tan(3x) dx$

**Optimal.** Leaf size=43

$$\frac{1}{3} \sqrt{5 \cos^2(3x) + 1} \sec(3x) - \frac{1}{3} \sqrt{5} \sinh^{-1}(\sqrt{5} \cos(3x))$$

[Out]  $-(\text{Sqrt}[5] * \text{ArcSinh}[\text{Sqrt}[5] * \text{Cos}[3*x]])/3 + (\text{Sqrt}[1 + 5 * \text{Cos}[3*x]^2] * \text{Sec}[3*x])/3$

**Rubi [A]** time = 0.0949236, antiderivative size = 43, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {277, 215}

$$\frac{1}{3} \sqrt{5 \cos^2(3x) + 1} \sec(3x) - \frac{1}{3} \sqrt{5} \sinh^{-1}(\sqrt{5} \cos(3x))$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 + 5\*Cos[3\*x]^2]\*Sec[3\*x]\*Tan[3\*x], x]

[Out]  $-(\text{Sqrt}[5] * \text{ArcSinh}[\text{Sqrt}[5] * \text{Cos}[3*x]])/3 + (\text{Sqrt}[1 + 5 * \text{Cos}[3*x]^2] * \text{Sec}[3*x])/3$

#### Rule 277

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[((c\*x)^(m+1)\*(a+b\*x^n)^p)/(c\*(m+1)), x] - Dist[(b\*n\*p)/(c^n\*(m+1)), Int[(c\*x)^(m+n)\*(a+b\*x^n)^(p-1), x] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m, -1] && !ILtQ[(m+n\*p+n+1)/n, 0] && IntBinomialQ[a, b, c, n, m, p, x]

#### Rule 215

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSinh[(Rt[b, 2]\*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

#### Rubi steps

$$\begin{aligned} \int \sqrt{1 + 5 \cos^2(3x)} \sec(3x) \tan(3x) dx &= -\left(\frac{1}{3} \text{Subst}\left(\int \frac{\sqrt{1 + 5x^2}}{x^2} dx, x, \cos(3x)\right)\right) \\ &= \frac{1}{3} \sqrt{1 + 5 \cos^2(3x)} \sec(3x) - \frac{5}{3} \text{Subst}\left(\int \frac{1}{\sqrt{1 + 5x^2}} dx, x, \cos(3x)\right) \\ &= -\frac{1}{3} \sqrt{5} \sinh^{-1}(\sqrt{5} \cos(3x)) + \frac{1}{3} \sqrt{1 + 5 \cos^2(3x)} \sec(3x) \end{aligned}$$

**Mathematica [A]** time = 0.0573059, size = 43, normalized size = 1.

$$\frac{1}{3} \sqrt{5 \cos^2(3x) + 1} \sec(3x) - \frac{1}{3} \sqrt{5} \sinh^{-1}(\sqrt{5} \cos(3x))$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 + 5\*Cos[3\*x]^2]\*Sec[3\*x]\*Tan[3\*x], x]

[Out]  $-(\text{Sqrt}[5] * \text{ArcSinh}[\text{Sqrt}[5] * \text{Cos}[3*x]])/3 + (\text{Sqrt}[1 + 5 * \text{Cos}[3*x]^2] * \text{Sec}[3*x])/3$

**Maple [A]** time = 0.043, size = 66, normalized size = 1.5

$$-\frac{\sec(3x)}{3} \sqrt{\frac{(\sec(3x))^2 + 5}{(\sec(3x))^2}} \left( \sqrt{5} \text{Artanh} \left( \sqrt{5} \frac{1}{\sqrt{(\sec(3x))^2 + 5}} \right) - \sqrt{(\sec(3x))^2 + 5} \right) \frac{1}{\sqrt{(\sec(3x))^2 + 5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(3*x)*(1+5*cos(3*x)^2)^(1/2)*tan(3*x),x)`

[Out]  $-1/3 * ((\sec(3x)^2 + 5) / \sec(3x)^2)^{1/2} * \sec(3x) * (5^{1/2} * \text{arctanh}(5^{1/2} / (\sec(3x)^2 + 5)^{1/2}) - (\sec(3x)^2 + 5)^{1/2}) / (\sec(3x)^2 + 5)^{1/2}$

**Maxima [A]** time = 1.46382, size = 47, normalized size = 1.09

$$-\frac{1}{3} \sqrt{5} \text{arsinh}(\sqrt{5} \cos(3x)) + \frac{\sqrt{5 \cos(3x)^2 + 1}}{3 \cos(3x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(3*x)*(1+5*cos(3*x)^2)^(1/2)*tan(3*x),x, algorithm="maxima")`

[Out]  $-1/3 * \text{sqrt}(5) * \text{arcsinh}(\text{sqrt}(5) * \cos(3*x)) + 1/3 * \text{sqrt}(5 * \cos(3*x)^2 + 1) / \cos(3*x)$

**Fricas [B]** time = 2.76936, size = 354, normalized size = 8.23

$$\frac{\sqrt{5} \cos(3x) \log\left(80000 \cos(3x)^8 + 32000 \cos(3x)^6 + 4000 \cos(3x)^4 + 160 \cos(3x)^2 - 8(2000 \sqrt{5} \cos(3x)^7 + 600 \sqrt{5} \cos(3x)^5 + 50 \sqrt{5} \cos(3x)^3 + \sqrt{5} \cos(3x)) \sqrt{5 \cos(3x)^2 + 1} + 1\right) + 8 \sqrt{5 \cos(3x)^2 + 1}}{24 \cos(3x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(3*x)*(1+5*cos(3*x)^2)^(1/2)*tan(3*x),x, algorithm="fricas")`

[Out]  $1/24 * (\text{sqrt}(5) * \cos(3*x) * \log(80000 * \cos(3*x)^8 + 32000 * \cos(3*x)^6 + 4000 * \cos(3*x)^4 + 160 * \cos(3*x)^2 - 8 * (2000 * \text{sqrt}(5) * \cos(3*x)^7 + 600 * \text{sqrt}(5) * \cos(3*x)^5 + 50 * \text{sqrt}(5) * \cos(3*x)^3 + \text{sqrt}(5) * \cos(3*x)) * \text{sqrt}(5 * \cos(3*x)^2 + 1) + 1) + 8 * \text{sqrt}(5 * \cos(3*x)^2 + 1)) / \cos(3*x)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{5 \cos^2(3x) + 1} \tan(3x) \sec(3x) dx$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate(sec(3*x)*(1+5*cos(3*x)**2)**(1/2)*tan(3*x),x)
```

```
[Out] Integral(sqrt(5*cos(3*x)**2 + 1)*tan(3*x)*sec(3*x), x)
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{5 \cos(3x)^2 + 1} \sec(3x) \tan(3x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(3*x)*(1+5*cos(3*x)^2)^(1/2)*tan(3*x),x, algorithm="giac")
```

```
[Out] integrate(sqrt(5*cos(3*x)^2 + 1)*sec(3*x)*tan(3*x), x)
```

$$3.734 \quad \int \frac{\sec(3x) \tan(3x)}{\sqrt{1+5 \cos^2(3x)}} dx$$

**Optimal.** Leaf size=22

$$\frac{1}{3} \sqrt{5 \cos^2(3x) + 1} \sec(3x)$$

[Out] (Sqrt[1 + 5\*Cos[3\*x]^2]\*Sec[3\*x])/3

**Rubi [A]** time = 0.0909895, antiderivative size = 22, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$ , Rules used = {264}

$$\frac{1}{3} \sqrt{5 \cos^2(3x) + 1} \sec(3x)$$

Antiderivative was successfully verified.

[In] Int[(Sec[3\*x]\*Tan[3\*x])/Sqrt[1 + 5\*Cos[3\*x]^2], x]

[Out] (Sqrt[1 + 5\*Cos[3\*x]^2]\*Sec[3\*x])/3

**Rule 264**

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[((c\*x)^(m + 1)\*(a + b\*x^n)^(p + 1))/(a\*c\*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]

**Rubi steps**

$$\begin{aligned} \int \frac{\sec(3x) \tan(3x)}{\sqrt{1+5 \cos^2(3x)}} dx &= -\left(\frac{1}{3} \text{Subst}\left(\int \frac{1}{x^2 \sqrt{1+5x^2}} dx, x, \cos(3x)\right)\right) \\ &= \frac{1}{3} \sqrt{1+5 \cos^2(3x)} \sec(3x) \end{aligned}$$

**Mathematica [A]** time = 0.0330922, size = 22, normalized size = 1.

$$\frac{1}{3} \sqrt{5 \cos^2(3x) + 1} \sec(3x)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[3\*x]\*Tan[3\*x])/Sqrt[1 + 5\*Cos[3\*x]^2], x]

[Out] (Sqrt[1 + 5\*Cos[3\*x]^2]\*Sec[3\*x])/3

**Maple [A]** time = 0.032, size = 34, normalized size = 1.6

$$\frac{(\sec(3x))^2 + 5}{3 \sec(3x)} \frac{1}{\sqrt{\frac{(\sec(3x))^2 + 5}{(\sec(3x))^2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(3*x)*tan(3*x)/(1+5*cos(3*x)^2)^(1/2),x)`

[Out] `1/3/((sec(3*x)^2+5)/sec(3*x)^2)^(1/2)/sec(3*x)*(sec(3*x)^2+5)`

**Maxima [A]** time = 1.43293, size = 27, normalized size = 1.23

$$\frac{\sqrt{5 \cos(3x)^2 + 1}}{3 \cos(3x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(3*x)*tan(3*x)/(1+5*cos(3*x)^2)^(1/2),x, algorithm="maxima")`

[Out] `1/3*sqrt(5*cos(3*x)^2 + 1)/cos(3*x)`

**Fricas [A]** time = 2.44364, size = 50, normalized size = 2.27

$$\frac{\sqrt{5 \cos(3x)^2 + 1}}{3 \cos(3x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(3*x)*tan(3*x)/(1+5*cos(3*x)^2)^(1/2),x, algorithm="fricas")`

[Out] `1/3*sqrt(5*cos(3*x)^2 + 1)/cos(3*x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tan(3x) \sec(3x)}{\sqrt{5 \cos^2(3x) + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(3*x)*tan(3*x)/(1+5*cos(3*x)**2)**(1/2),x)`

[Out] `Integral(tan(3*x)*sec(3*x)/sqrt(5*cos(3*x)**2 + 1), x)`

**Giac [B]** time = 1.24747, size = 159, normalized size = 7.23

$$\frac{2\sqrt{2}\left(\sqrt{3}\tan\left(\frac{3}{2}x\right)^2 + \sqrt{3} - \sqrt{3\tan\left(\frac{3}{2}x\right)^4 - 4\tan\left(\frac{3}{2}x\right)^2 + 3}\right)}{3\left(\left(\sqrt{3}\tan\left(\frac{3}{2}x\right)^2 - \sqrt{3\tan\left(\frac{3}{2}x\right)^4 - 4\tan\left(\frac{3}{2}x\right)^2 + 3}\right)^2 - 2\sqrt{3}\left(\sqrt{3}\tan\left(\frac{3}{2}x\right)^2 - \sqrt{3\tan\left(\frac{3}{2}x\right)^4 - 4\tan\left(\frac{3}{2}x\right)^2 + 3}\right)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(3*x)*tan(3*x)/(1+5*cos(3*x)^2)^(1/2),x, algorithm="giac")
```

```
[Out] 2/3*sqrt(2)*(sqrt(3)*tan(3/2*x)^2 + sqrt(3) - sqrt(3*tan(3/2*x)^4 - 4*tan(3/2*x)^2 + 3))/((sqrt(3)*tan(3/2*x)^2 - sqrt(3*tan(3/2*x)^4 - 4*tan(3/2*x)^2 + 3))^2 - 2*sqrt(3)*(sqrt(3)*tan(3/2*x)^2 - sqrt(3*tan(3/2*x)^4 - 4*tan(3/2*x)^2 + 3)) + 1)
```

$$3.735 \quad \int \frac{\cot(x) \csc(x)}{a+b \csc(x)} dx$$

**Optimal.** Leaf size=12

$$\frac{\log(a + b \csc(x))}{b}$$

[Out] -(Log[a + b\*Csc[x]]/b)

**Rubi [A]** time = 0.0423383, antiderivative size = 20, normalized size of antiderivative = 1.67, number of steps used = 4, number of rules used = 4, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$ , Rules used = {4338, 36, 29, 31}

$$\frac{\log(\sin(x))}{b} - \frac{\log(a \sin(x) + b)}{b}$$

Antiderivative was successfully verified.

[In] Int[(Cot[x]\*Csc[x])/(a + b\*Csc[x]),x]

[Out] Log[Sin[x]]/b - Log[b + a\*Sin[x]]/b

#### Rule 4338

Int[(u\_)\*(F\_)[(c\_)\*((a\_.) + (b\_)\*(x\_))], x\_Symbol] :> With[{d = FreeFactors[Sin[c\*(a + b\*x)], x]}, Dist[1/(b\*c), Subst[Int[SubstFor[1/x, Sin[c\*(a + b\*x)]]/d, u, x], x], x, Sin[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Sin[c\*(a + b\*x)]/d, u, x, True] /; FreeQ[{a, b, c}, x] && (EqQ[F, Cot] || EqQ[F, cot])

#### Rule 36

Int[1/(((a\_.) + (b\_)\*(x\_))\*((c\_.) + (d\_)\*(x\_))), x\_Symbol] :> Dist[b/(b\*c - a\*d), Int[1/(a + b\*x), x], x] - Dist[d/(b\*c - a\*d), Int[1/(c + d\*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 29

Int[(x\_)^(-1), x\_Symbol] :> Simp[Log[x], x]

#### Rule 31

Int[((a\_) + (b\_)\*(x\_))^-1, x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{\cot(x) \csc(x)}{a+b \csc(x)} dx &= \text{Subst} \left( \int \frac{1}{x(b+ax)} dx, x, \sin(x) \right) \\ &= \frac{\text{Subst} \left( \int \frac{1}{x} dx, x, \sin(x) \right)}{b} - \frac{a \text{Subst} \left( \int \frac{1}{b+ax} dx, x, \sin(x) \right)}{b} \\ &= \frac{\log(\sin(x))}{b} - \frac{\log(b+a \sin(x))}{b} \end{aligned}$$

**Mathematica [A]** time = 0.0185075, size = 20, normalized size = 1.67

$$\frac{\log(\sin(x))}{b} - \frac{\log(a \sin(x) + b)}{b}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[x]\*Csc[x])/(a + b\*Csc[x]),x]

[Out] Log[Sin[x]]/b - Log[b + a\*Sin[x]]/b

**Maple [A]** time = 0.017, size = 13, normalized size = 1.1

$$-\frac{\ln(a + b \csc(x))}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(x)\*csc(x)/(a+b\*csc(x)),x)

[Out] -ln(a+b\*csc(x))/b

**Maxima [A]** time = 0.967199, size = 16, normalized size = 1.33

$$-\frac{\log(b \csc(x) + a)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(x)\*csc(x)/(a+b\*csc(x)),x, algorithm="maxima")

[Out] -log(b\*csc(x) + a)/b

**Fricas [A]** time = 2.49678, size = 58, normalized size = 4.83

$$-\frac{\log(a \sin(x) + b) - \log\left(-\frac{1}{2} \sin(x)\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(x)\*csc(x)/(a+b\*csc(x)),x, algorithm="fricas")

[Out] -(log(a\*sin(x) + b) - log(-1/2\*sin(x)))/b

**Sympy [A]** time = 0.482344, size = 17, normalized size = 1.42

$$\begin{cases} -\frac{\log\left(\frac{a}{b} + \csc(x)\right)}{b} & \text{for } b \neq 0 \\ -\frac{\csc(x)}{a} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(x)\*csc(x)/(a+b\*csc(x)),x)

[Out] Piecewise((-log(a/b + csc(x))/b, Ne(b, 0)), (-csc(x)/a, True))

**Giac [A]** time = 1.09115, size = 30, normalized size = 2.5

$$-\frac{\log(|a \sin(x) + b|)}{b} + \frac{\log(|\sin(x)|)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(x)\*csc(x)/(a+b\*csc(x)),x, algorithm="giac")

[Out] -log(abs(a\*sin(x) + b))/b + log(abs(sin(x)))/b

$$3.736 \quad \int 5^{\csc(3x)} \cot(3x) \csc(3x) dx$$

**Optimal.** Leaf size=14

$$-\frac{5^{\csc(3x)}}{3 \log(5)}$$

[Out] `-5^Csc[3*x]/(3*Log[5])`

**Rubi [A]** time = 0.0247173, antiderivative size = 14, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$ , Rules used = {4338, 2209}

$$-\frac{5^{\csc(3x)}}{3 \log(5)}$$

Antiderivative was successfully verified.

[In] `Int[5^Csc[3*x]*Cot[3*x]*Csc[3*x],x]`

[Out] `-5^Csc[3*x]/(3*Log[5])`

#### Rule 4338

```
Int[(u_)*(F_)[(c_.)*((a_.) + (b_.)*(x_))], x_Symbol] := With[{d = FreeFactors[Sin[c*(a + b*x)], x]}, Dist[1/(b*c), Subst[Int[SubstFor[1/x, Sin[c*(a + b*x)]]/d, u, x], x], x, Sin[c*(a + b*x)]/d, x] /; FunctionOfQ[Sin[c*(a + b*x)]/d, u, x, True]] /; FreeQ[{a, b, c}, x] && (EqQ[F, Cot] || EqQ[F, cot])
```

#### Rule 2209

```
Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_))*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := Simp[((e + f*x)^n * F^(a + b*(c + d*x)^n)) / (b*f*n*(c + d*x)^n * Log[F]), x] /; FreeQ[{F, a, b, c, d, e, f, n}, x] && EqQ[m, n - 1] && EqQ[d*e - c*f, 0]
```

#### Rubi steps

$$\int 5^{\csc(3x)} \cot(3x) \csc(3x) dx = \frac{1}{3} \text{Subst} \left( \int \frac{5^{\frac{1}{x}}}{x^2} dx, x, \sin(3x) \right) = -\frac{5^{\csc(3x)}}{3 \log(5)}$$

**Mathematica [A]** time = 0.0313623, size = 14, normalized size = 1.

$$-\frac{5^{\csc(3x)}}{3 \log(5)}$$

Antiderivative was successfully verified.

[In] `Integrate[5^Csc[3*x]*Cot[3*x]*Csc[3*x],x]`



[Out]  $-5^{\text{Csc}[3*x]}/(3*\text{Log}[5])$

---

**Maple [A]** time = 0.01, size = 13, normalized size = 0.9

$$-\frac{5^{\text{csc}(3x)}}{3 \ln(5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(5^csc(3*x)*cot(3*x)*csc(3*x),x)`

[Out]  $-1/3*5^{\text{csc}(3*x)}/\ln(5)$

---

**Maxima [A]** time = 0.963998, size = 16, normalized size = 1.14

$$-\frac{5^{\text{csc}(3x)}}{3 \log(5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(5^csc(3*x)*cot(3*x)*csc(3*x),x, algorithm="maxima")`

[Out]  $-1/3*5^{\text{csc}(3*x)}/\log(5)$

---

**Fricas [A]** time = 2.34667, size = 38, normalized size = 2.71

$$-\frac{5^{\left(\frac{1}{\sin(3x)}\right)}}{3 \log(5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(5^csc(3*x)*cot(3*x)*csc(3*x),x, algorithm="fricas")`

[Out]  $-1/3*5^{(1/\sin(3*x))}/\log(5)$

---

**Sympy [A]** time = 0.821964, size = 12, normalized size = 0.86

$$-\frac{5^{\text{csc}(3x)}}{3 \log(5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(5**csc(3*x)*cot(3*x)*csc(3*x),x)`

[Out]  $-5**\text{csc}(3*x)/(3*\log(5))$

---

**Giac [A]** time = 1.11444, size = 19, normalized size = 1.36

$$-\frac{5^{\left(\frac{1}{\sin(3x)}\right)}}{3 \log(5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(5^csc(3\*x)\*cot(3\*x)\*csc(3\*x),x, algorithm="giac")

[Out] -1/3\*5^(1/sin(3\*x))/log(5)

$$3.737 \quad \int \frac{\cot(x) \csc(x)}{1 + \csc^2(x)} dx$$

**Optimal.** Leaf size=3

$$\tan^{-1}(\sin(x))$$

[Out] ArcTan[Sin[x]]

**Rubi [A]** time = 0.0321606, antiderivative size = 3, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {4338, 203}

$$\tan^{-1}(\sin(x))$$

Antiderivative was successfully verified.

[In] Int[(Cot[x]\*Csc[x])/(1 + Csc[x]^2), x]

[Out] ArcTan[Sin[x]]

#### Rule 4338

Int[(u\_)\*(F\_)[(c\_)\*((a\_) + (b\_)\*(x\_))], x\_Symbol] :> With[{d = FreeFactors[Sin[c\*(a + b\*x)], x]}, Dist[1/(b\*c), Subst[Int[SubstFor[1/x, Sin[c\*(a + b\*x)]]/d, u, x], x], x, Sin[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Sin[c\*(a + b\*x)]/d, u, x, True] /; FreeQ[{a, b, c}, x] && (EqQ[F, Cot] || EqQ[F, cot])

#### Rule 203

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{\cot(x) \csc(x)}{1 + \csc^2(x)} dx &= \text{Subst} \left( \int \frac{1}{1 + x^2} dx, x, \sin(x) \right) \\ &= \tan^{-1}(\sin(x)) \end{aligned}$$

**Mathematica [A]** time = 0.0153911, size = 3, normalized size = 1.

$$\tan^{-1}(\sin(x))$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[x]\*Csc[x])/(1 + Csc[x]^2), x]

[Out] ArcTan[Sin[x]]

**Maple [A]** time = 0.015, size = 6, normalized size = 2.

$$-\arctan(\csc(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(x)*csc(x)/(1+csc(x)^2),x)`

[Out] `-arctan(csc(x))`

---

**Maxima [A]** time = 1.45583, size = 4, normalized size = 1.33

$$\arctan(\sin(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(x)*csc(x)/(1+csc(x)^2),x, algorithm="maxima")`

[Out] `arctan(sin(x))`

---

**Fricas [A]** time = 2.37124, size = 22, normalized size = 7.33

$$\arctan(\sin(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(x)*csc(x)/(1+csc(x)^2),x, algorithm="fricas")`

[Out] `arctan(sin(x))`

---

**Sympy [A]** time = 0.231967, size = 5, normalized size = 1.67

$$-\operatorname{atan}(\csc(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(x)*csc(x)/(1+csc(x)**2),x)`

[Out] `-atan(csc(x))`

---

**Giac [A]** time = 1.10593, size = 4, normalized size = 1.33

$$\arctan(\sin(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(x)*csc(x)/(1+csc(x)^2),x, algorithm="giac")`

[Out] `arctan(sin(x))`

$$3.738 \quad \int \frac{\cot(6x) \csc(6x)}{(5-11 \csc^2(6x))^2} dx$$

**Optimal.** Leaf size=43

$$\frac{\sin(6x)}{60(11-5\sin^2(6x))} - \frac{\tanh^{-1}\left(\sqrt{\frac{5}{11}}\sin(6x)\right)}{60\sqrt{55}}$$

[Out] -ArcTanh[Sqrt[5/11]\*Sin[6\*x]]/(60\*Sqrt[55]) + Sin[6\*x]/(60\*(11 - 5\*Sin[6\*x]^2))

**Rubi [A]** time = 0.0570532, antiderivative size = 43, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {4338, 288, 206}

$$\frac{\sin(6x)}{60(11-5\sin^2(6x))} - \frac{\tanh^{-1}\left(\sqrt{\frac{5}{11}}\sin(6x)\right)}{60\sqrt{55}}$$

Antiderivative was successfully verified.

[In] Int[(Cot[6\*x]\*Csc[6\*x])/(5 - 11\*Csc[6\*x]^2)^2,x]

[Out] -ArcTanh[Sqrt[5/11]\*Sin[6\*x]]/(60\*Sqrt[55]) + Sin[6\*x]/(60\*(11 - 5\*Sin[6\*x]^2))

#### Rule 4338

Int[(u\_)\*(F\_)[(c\_.)\*((a\_.) + (b\_.)\*(x\_))], x\_Symbol] :> With[{d = FreeFactors[Sin[c\*(a + b\*x)], x]}, Dist[1/(b\*c), Subst[Int[SubstFor[1/x, Sin[c\*(a + b\*x)]]/d, u, x], x], x, Sin[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Sin[c\*(a + b\*x)]/d, u, x, True] /; FreeQ[{a, b, c}, x] && (EqQ[F, Cot] || EqQ[F, cot])

#### Rule 288

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(c^(n-1)\*(c\*x)^(m-n+1)\*(a+b\*x^n)^(p+1))/(b\*n\*(p+1)), x] - Dist[(c^n\*(m-n+1))/(b\*n\*(p+1)), Int[(c\*x)^(m-n)\*(a+b\*x^n)^(p+1), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m+1, n] && !IntegerQ[(m+n\*(p+1)+1)/n, 0] && IntBinomialQ[a, b, c, n, m, p, x]

#### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\begin{aligned}
\int \frac{\cot(6x) \csc(6x)}{(5 - 11 \csc^2(6x))^2} dx &= \frac{1}{6} \text{Subst} \left( \int \frac{x^2}{(11 - 5x^2)^2} dx, x, \sin(6x) \right) \\
&= \frac{\sin(6x)}{60(11 - 5 \sin^2(6x))} - \frac{1}{60} \text{Subst} \left( \int \frac{1}{11 - 5x^2} dx, x, \sin(6x) \right) \\
&= -\frac{\tanh^{-1} \left( \sqrt{\frac{5}{11}} \sin(6x) \right)}{60\sqrt{55}} + \frac{\sin(6x)}{60(11 - 5 \sin^2(6x))}
\end{aligned}$$

**Mathematica [A]** time = 0.680499, size = 41, normalized size = 0.95

$$\frac{\sin(6x)}{30(5 \cos(12x) + 17)} - \frac{\tanh^{-1} \left( \sqrt{\frac{5}{11}} \sin(6x) \right)}{60\sqrt{55}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[6\*x]\*Csc[6\*x])/(5 - 11\*Csc[6\*x]^2), x]

[Out] -ArcTanh[Sqrt[5/11]\*Sin[6\*x]]/(60\*Sqrt[55]) + Sin[6\*x]/(30\*(17 + 5\*Cos[12\*x]))

**Maple [A]** time = 0.033, size = 35, normalized size = 0.8

$$\frac{\csc(6x)}{660(\csc(6x))^2 - 300} - \frac{\sqrt{55}}{3300} \text{Artanh} \left( \frac{\csc(6x) \sqrt{55}}{5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(6\*x)\*csc(6\*x)/(5-11\*csc(6\*x)^2), x)

[Out] 1/60\*csc(6\*x)/(11\*csc(6\*x)^2-5)-1/3300\*55^(1/2)\*arctanh(1/5\*csc(6\*x)\*55^(1/2))

**Maxima [A]** time = 1.47708, size = 66, normalized size = 1.53

$$\frac{1}{6600} \sqrt{55} \log \left( -\frac{\sqrt{55} - 5 \sin(6x)}{\sqrt{55} + 5 \sin(6x)} \right) - \frac{\sin(6x)}{60(5 \sin^2(6x) - 11)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(6\*x)\*csc(6\*x)/(5-11\*csc(6\*x)^2), x, algorithm="maxima")

[Out] 1/6600\*sqrt(55)\*log(-(sqrt(55) - 5\*sin(6\*x))/(sqrt(55) + 5\*sin(6\*x))) - 1/60\*sin(6\*x)/(5\*sin(6\*x)^2 - 11)

**Fricas [B]** time = 2.16254, size = 200, normalized size = 4.65

$$\frac{(5\sqrt{55}\cos(6x)^2 + 6\sqrt{55})\log\left(-\frac{5\cos(6x)^2 + 2\sqrt{55}\sin(6x) - 16}{5\cos(6x)^2 + 6}\right) + 110\sin(6x)}{6600(5\cos(6x)^2 + 6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(6\*x)\*csc(6\*x)/(5-11\*csc(6\*x)^2)^2,x, algorithm="fricas")

[Out] 1/6600\*((5\*sqrt(55)\*cos(6\*x)^2 + 6\*sqrt(55))\*log(-(5\*cos(6\*x)^2 + 2\*sqrt(55)\*sin(6\*x) - 16)/(5\*cos(6\*x)^2 + 6)) + 110\*sin(6\*x))/(5\*cos(6\*x)^2 + 6)

**Sympy [B]** time = 2.60155, size = 151, normalized size = 3.51

$$\frac{11\sqrt{55}\log\left(\csc(6x) - \frac{\sqrt{55}}{11}\right)\csc^2(6x)}{72600\csc^2(6x) - 33000} - \frac{5\sqrt{55}\log\left(\csc(6x) - \frac{\sqrt{55}}{11}\right)}{72600\csc^2(6x) - 33000} - \frac{11\sqrt{55}\log\left(\csc(6x) + \frac{\sqrt{55}}{11}\right)\csc^2(6x)}{72600\csc^2(6x) - 33000} + \frac{5\sqrt{55}\log\left(\csc(6x) + \frac{\sqrt{55}}{11}\right)}{72600\csc^2(6x) - 33000}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(6\*x)\*csc(6\*x)/(5-11\*csc(6\*x)\*\*2)\*\*2,x)

[Out] 11\*sqrt(55)\*log(csc(6\*x) - sqrt(55)/11)\*csc(6\*x)\*\*2/(72600\*csc(6\*x)\*\*2 - 33000) - 5\*sqrt(55)\*log(csc(6\*x) - sqrt(55)/11)/(72600\*csc(6\*x)\*\*2 - 33000) - 11\*sqrt(55)\*log(csc(6\*x) + sqrt(55)/11)\*csc(6\*x)\*\*2/(72600\*csc(6\*x)\*\*2 - 33000) + 5\*sqrt(55)\*log(csc(6\*x) + sqrt(55)/11)/(72600\*csc(6\*x)\*\*2 - 33000) + 110\*csc(6\*x)/(72600\*csc(6\*x)\*\*2 - 33000)

**Giac [A]** time = 1.16217, size = 65, normalized size = 1.51

$$\frac{1}{6600}\sqrt{55}\log\left(\frac{\sqrt{55} - 5\sin(6x)}{\sqrt{55} + 5\sin(6x)}\right) - \frac{\sin(6x)}{60(5\sin(6x)^2 - 11)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(6\*x)\*csc(6\*x)/(5-11\*csc(6\*x)^2)^2,x, algorithm="giac")

[Out] 1/6600\*sqrt(55)\*log((sqrt(55) - 5\*sin(6\*x))/(sqrt(55) + 5\*sin(6\*x))) - 1/60\*sin(6\*x)/(5\*sin(6\*x)^2 - 11)

$$3.739 \quad \int \frac{\cot(x) \csc(x)}{\sqrt{1+\sin^2(x)}} dx$$

**Optimal.** Leaf size=14

$$\sqrt{\sin^2(x) + 1}(-\csc(x))$$

[Out] -(Csc[x]\*Sqrt[1 + Sin[x]^2])

**Rubi [A]** time = 0.0765542, antiderivative size = 14, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$ , Rules used = {264}

$$\sqrt{\sin^2(x) + 1}(-\csc(x))$$

Antiderivative was successfully verified.

[In] Int[(Cot[x]\*Csc[x])/Sqrt[1 + Sin[x]^2],x]

[Out] -(Csc[x]\*Sqrt[1 + Sin[x]^2])

#### Rule 264

Int[((c\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[((c\*x)^(m + 1)\*(a + b\*x^n)^(p + 1))/(a\*c\*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]

#### Rubi steps

$$\begin{aligned} \int \frac{\cot(x) \csc(x)}{\sqrt{1 + \sin^2(x)}} dx &= \text{Subst} \left( \int \frac{1}{x^2 \sqrt{1 + x^2}} dx, x, \sin(x) \right) \\ &= -\csc(x) \sqrt{1 + \sin^2(x)} \end{aligned}$$

**Mathematica [A]** time = 0.01771, size = 14, normalized size = 1.

$$\sqrt{\sin^2(x) + 1}(-\csc(x))$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[x]\*Csc[x])/Sqrt[1 + Sin[x]^2],x]

[Out] -(Csc[x]\*Sqrt[1 + Sin[x]^2])

**Maple [A]** time = 0.463, size = 15, normalized size = 1.1

$$-\frac{1}{\sin(x)} \sqrt{1 + (\sin(x))^2}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(x)*csc(x)/(1+sin(x)^2)^(1/2),x)`

[Out] `-1/sin(x)*(1+sin(x)^2)^(1/2)`

**Maxima [A]** time = 1.44459, size = 19, normalized size = 1.36

$$-\frac{\sqrt{\sin(x)^2 + 1}}{\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(x)*csc(x)/(1+sin(x)^2)^(1/2),x, algorithm="maxima")`

[Out] `-sqrt(sin(x)^2 + 1)/sin(x)`

**Fricas [A]** time = 2.12135, size = 54, normalized size = 3.86

$$-\frac{\sqrt{-\cos(x)^2 + 2 - \sin(x)}}{\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(x)*csc(x)/(1+sin(x)^2)^(1/2),x, algorithm="fricas")`

[Out] `-(sqrt(-cos(x)^2 + 2) - sin(x))/sin(x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cot(x) \csc(x)}{\sqrt{\sin^2(x) + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(x)*csc(x)/(1+sin(x)**2)**(1/2),x)`

[Out] `Integral(cot(x)*csc(x)/sqrt(sin(x)**2 + 1), x)`

**Giac [A]** time = 1.09895, size = 28, normalized size = 2.

$$\frac{2}{\left(\sqrt{\sin(x)^2 + 1} - \sin(x)\right)^2 - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(x)*csc(x)/(1+sin(x)^2)^(1/2),x, algorithm="giac")
```

```
[Out] 2/((sqrt(sin(x)^2 + 1) - sin(x))^2 - 1)
```

$$3.740 \quad \int \frac{\cot(5x) \csc^3(5x)}{\sqrt{1+\sin^2(5x)}} dx$$

**Optimal.** Leaf size=43

$$\frac{2}{15} \sqrt{\sin^2(5x) + 1} \csc(5x) - \frac{1}{15} \sqrt{\sin^2(5x) + 1} \csc^3(5x)$$

[Out] (2\*Csc[5\*x]\*Sqrt[1 + Sin[5\*x]^2])/15 - (Csc[5\*x]^3\*Sqrt[1 + Sin[5\*x]^2])/15

**Rubi [A]** time = 0.10563, antiderivative size = 43, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {271, 264}

$$\frac{2}{15} \sqrt{\sin^2(5x) + 1} \csc(5x) - \frac{1}{15} \sqrt{\sin^2(5x) + 1} \csc^3(5x)$$

Antiderivative was successfully verified.

[In] Int[(Cot[5\*x]\*Csc[5\*x]^3)/Sqrt[1 + Sin[5\*x]^2], x]

[Out] (2\*Csc[5\*x]\*Sqrt[1 + Sin[5\*x]^2])/15 - (Csc[5\*x]^3\*Sqrt[1 + Sin[5\*x]^2])/15

#### Rule 271

Int[(x\_)^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(x^(m + 1)\*(a + b\*x^n)^(p + 1))/(a\*(m + 1)), x] - Dist[(b\*(m + n\*(p + 1) + 1))/(a\*(m + 1)), Int[x^(m + n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && ILtQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]

#### Rule 264

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[((c\*x)^(m + 1)\*(a + b\*x^n)^(p + 1))/(a\*c\*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]

#### Rubi steps

$$\begin{aligned} \int \frac{\cot(5x) \csc^3(5x)}{\sqrt{1+\sin^2(5x)}} dx &= \frac{1}{5} \text{Subst} \left( \int \frac{1}{x^4 \sqrt{1+x^2}} dx, x, \sin(5x) \right) \\ &= -\frac{1}{15} \csc^3(5x) \sqrt{1+\sin^2(5x)} - \frac{2}{15} \text{Subst} \left( \int \frac{1}{x^2 \sqrt{1+x^2}} dx, x, \sin(5x) \right) \\ &= \frac{2}{15} \csc(5x) \sqrt{1+\sin^2(5x)} - \frac{1}{15} \csc^3(5x) \sqrt{1+\sin^2(5x)} \end{aligned}$$

**Mathematica [A]** time = 0.0571662, size = 28, normalized size = 0.65

$$-\frac{1}{15} \sqrt{\sin^2(5x) + 1} \csc(5x) (\csc^2(5x) - 2)$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[5\*x]\*Csc[5\*x]^3)/Sqrt[1 + Sin[5\*x]^2], x]

[Out]  $-(\text{Csc}[5*x]*(-2 + \text{Csc}[5*x]^2)*\text{Sqrt}[1 + \text{Sin}[5*x]^2])/15$

**Maple [A]** time = 0.973, size = 38, normalized size = 0.9

$$-\frac{1}{15 (\sin(5x))^3} \sqrt{1 + (\sin(5x))^2} + \frac{2}{15 \sin(5x)} \sqrt{1 + (\sin(5x))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(5*x)*csc(5*x)^3/(1+sin(5*x)^2)^(1/2),x)`

[Out]  $-1/15/\sin(5*x)^3*(1+\sin(5*x)^2)^(1/2)+2/15/\sin(5*x)*(1+\sin(5*x)^2)^(1/2)$

**Maxima [A]** time = 1.48258, size = 50, normalized size = 1.16

$$\frac{2\sqrt{\sin(5x)^2 + 1}}{15 \sin(5x)} - \frac{\sqrt{\sin(5x)^2 + 1}}{15 \sin(5x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(5*x)*csc(5*x)^3/(1+sin(5*x)^2)^(1/2),x, algorithm="maxima")`

[Out]  $2/15*\text{sqrt}(\sin(5*x)^2 + 1)/\sin(5*x) - 1/15*\text{sqrt}(\sin(5*x)^2 + 1)/\sin(5*x)^3$

**Fricas [A]** time = 2.18866, size = 146, normalized size = 3.4

$$\frac{2(\cos(5x)^2 - 1)\sin(5x) - (2\cos(5x)^2 - 1)\sqrt{-\cos(5x)^2 + 2}}{15(\cos(5x)^2 - 1)\sin(5x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(5*x)*csc(5*x)^3/(1+sin(5*x)^2)^(1/2),x, algorithm="fricas")`

[Out]  $-1/15*(2*(\cos(5*x)^2 - 1)*\sin(5*x) - (2*\cos(5*x)^2 - 1)*\text{sqrt}(-\cos(5*x)^2 + 2))/((\cos(5*x)^2 - 1)*\sin(5*x))$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cot(5x) \csc^3(5x)}{\sqrt{\sin^2(5x) + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(5*x)*csc(5*x)**3/(1+sin(5*x)**2)**(1/2),x)`

[Out] `Integral(cot(5*x)*csc(5*x)**3/sqrt(sin(5*x)**2 + 1), x)`

---

**Giac [A]** time = 1.18201, size = 65, normalized size = 1.51

$$\frac{4 \left( 3 \left( \sqrt{\sin(5x)^2 + 1} - \sin(5x) \right)^2 - 1 \right)}{15 \left( \left( \sqrt{\sin(5x)^2 + 1} - \sin(5x) \right)^2 - 1 \right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(5\*x)\*csc(5\*x)^3/(1+sin(5\*x)^2)^(1/2),x, algorithm="giac")

[Out] 4/15\*(3\*(sqrt(sin(5\*x)^2 + 1) - sin(5\*x))^2 - 1)/((sqrt(sin(5\*x)^2 + 1) - sin(5\*x))^2 - 1)^3

### 3.741 $\int e^{n \sin(a+bx)} \sin(2a + 2bx) dx$

**Optimal.** Leaf size=43

$$\frac{2 \sin(a + bx) e^{n \sin(a+bx)}}{bn} - \frac{2 e^{n \sin(a+bx)}}{bn^2}$$

[Out]  $(-2 * E^{(n * \text{Sin}[a + b * x])}) / (b * n^2) + (2 * E^{(n * \text{Sin}[a + b * x])} * \text{Sin}[a + b * x]) / (b * n)$

**Rubi [A]** time = 0.0366599, antiderivative size = 43, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$ , Rules used = {12, 2176, 2194}

$$\frac{2 \sin(a + bx) e^{n \sin(a+bx)}}{bn} - \frac{2 e^{n \sin(a+bx)}}{bn^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[E^{(n * \text{Sin}[a + b * x])} * \text{Sin}[2 * a + 2 * b * x], x]$

[Out]  $(-2 * E^{(n * \text{Sin}[a + b * x])}) / (b * n^2) + (2 * E^{(n * \text{Sin}[a + b * x])} * \text{Sin}[a + b * x]) / (b * n)$

#### Rule 12

$\text{Int}[(a_*) * (u_*), x\_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[u, (b_*) * (v_*) /; \text{FreeQ}[b, x]]$

#### Rule 2176

$\text{Int}[(b_*) * (F_*)^{((g_*) * ((e_*) + (f_*) * (x_*)))^{(n_*) * ((c_*) + (d_*) * (x_*))^{(m_*)}}, x\_Symbol] \rightarrow \text{Simp}[(c + d * x)^m * (b * F^{(g * (e + f * x)))^n} / (f * g * n * \text{Log}[F]), x] - \text{Dist}[(d * m) / (f * g * n * \text{Log}[F]), \text{Int}[(c + d * x)^{(m - 1)} * (b * F^{(g * (e + f * x)))^n}, x], x] /; \text{FreeQ}\{F, b, c, d, e, f, g, n\}, x] \ \&\& \ \text{GtQ}[m, 0] \ \&\& \ \text{IntegerQ}[2 * m] \ \&\& \ !\$UseGamma == True$

#### Rule 2194

$\text{Int}[(F_*)^{((c_*) * ((a_*) + (b_*) * (x_*)))^{(n_*)}}, x\_Symbol] \rightarrow \text{Simp}[(F^{(c * (a + b * x))})^n / (b * c * n * \text{Log}[F]), x] /; \text{FreeQ}\{F, a, b, c, n\}, x]$

#### Rubi steps

$$\begin{aligned} \int e^{n \sin(a+bx)} \sin(2a + 2bx) dx &= \frac{\text{Subst}\left(\int 2e^{nx} x dx, x, \sin(a + bx)\right)}{b} \\ &= \frac{2 \text{Subst}\left(\int e^{nx} x dx, x, \sin(a + bx)\right)}{b} \\ &= \frac{2e^{n \sin(a+bx)} \sin(a + bx)}{bn} - \frac{2 \text{Subst}\left(\int e^{nx} dx, x, \sin(a + bx)\right)}{bn} \\ &= -\frac{2e^{n \sin(a+bx)}}{bn^2} + \frac{2e^{n \sin(a+bx)} \sin(a + bx)}{bn} \end{aligned}$$

**Mathematica [A]** time = 0.0618847, size = 28, normalized size = 0.65

$$\frac{2e^{n \sin(a+bx)}(n \sin(a + bx) - 1)}{bn^2}$$

Antiderivative was successfully verified.

[In] Integrate[E^(n\*Sin[a + b\*x])\*Sin[2\*a + 2\*b\*x],x]

[Out] (2\*E^(n\*Sin[a + b\*x])\*(-1 + n\*Sin[a + b\*x]))/(b\*n^2)

**Maple [C]** time = 0.079, size = 104, normalized size = 2.4

$$\frac{i e^{n \sin(bx) \cos(a) + n \cos(bx) \sin(a)} e^{-ibx} e^{-ia}}{nb} - \frac{i e^{n \sin(bx) \cos(a) + n \cos(bx) \sin(a)} e^{ibx} e^{ia}}{nb} - 2 \frac{e^{n(\sin(bx) \cos(a) + \cos(bx) \sin(a))}}{bn^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(exp(n\*sin(b\*x+a))\*sin(2\*b\*x+2\*a),x)

[Out] I/n/b\*exp(n\*sin(b\*x)\*cos(a)+n\*cos(b\*x)\*sin(a))\*exp(-I\*b\*x)\*exp(-I\*a)-I/n/b\*exp(n\*sin(b\*x)\*cos(a)+n\*cos(b\*x)\*sin(a))\*exp(I\*b\*x)\*exp(I\*a)-2/n^2/b\*exp(n\*(sin(b\*x)\*cos(a)+cos(b\*x)\*sin(a)))

**Maxima [A]** time = 1.07819, size = 50, normalized size = 1.16

$$\frac{2 \left( n e^{(n \sin(bx+a))} \sin(bx+a) - e^{(n \sin(bx+a))} \right)}{bn^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*sin(b\*x+a))\*sin(2\*b\*x+2\*a),x, algorithm="maxima")

[Out] 2\*(n\*e^(n\*sin(b\*x + a))\*sin(b\*x + a) - e^(n\*sin(b\*x + a)))/(b\*n^2)

**Fricas [A]** time = 2.14265, size = 69, normalized size = 1.6

$$\frac{2(n \sin(bx+a) - 1)e^{(n \sin(bx+a))}}{bn^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*sin(b\*x+a))\*sin(2\*b\*x+2\*a),x, algorithm="fricas")

[Out] 2\*(n\*sin(b\*x + a) - 1)\*e^(n\*sin(b\*x + a))/(b\*n^2)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int e^{n \sin(a+bx)} \sin(2a + 2bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*sin(b\*x+a))\*sin(2\*b\*x+2\*a),x)

[Out] Integral(exp(n\*sin(a + b\*x))\*sin(2\*a + 2\*b\*x), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int e^{(n \sin(bx+a))} \sin(2bx + 2a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*sin(b\*x+a))\*sin(2\*b\*x+2\*a),x, algorithm="giac")

[Out] integrate(e^(n\*sin(b\*x + a))\*sin(2\*b\*x + 2\*a), x)



$$3.742 \quad \int e^{n \sin(a+bx)} \sin(2(a+bx)) dx$$

**Optimal.** Leaf size=43

$$\frac{2 \sin(a+bx) e^{n \sin(a+bx)}}{bn} - \frac{2 e^{n \sin(a+bx)}}{bn^2}$$

[Out]  $(-2 * E^{(n * \text{Sin}[a + b * x])}) / (b * n^2) + (2 * E^{(n * \text{Sin}[a + b * x])} * \text{Sin}[a + b * x]) / (b * n)$

**Rubi [A]** time = 0.0347942, antiderivative size = 43, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {12, 2176, 2194}

$$\frac{2 \sin(a+bx) e^{n \sin(a+bx)}}{bn} - \frac{2 e^{n \sin(a+bx)}}{bn^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[E^{(n * \text{Sin}[a + b * x])} * \text{Sin}[2 * (a + b * x)], x]$

[Out]  $(-2 * E^{(n * \text{Sin}[a + b * x])}) / (b * n^2) + (2 * E^{(n * \text{Sin}[a + b * x])} * \text{Sin}[a + b * x]) / (b * n)$

#### Rule 12

$\text{Int}[(a_*) * (u_), x\_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /;$  FreeQ[a, x] && !MatchQ[u, (b\_\*) \* (v\_) /; FreeQ[b, x]]

#### Rule 2176

$\text{Int}[(b_*) * (F_)^{((g_*) * ((e_*) + (f_*) * (x_)))^{(n_*) * ((c_*) + (d_*) * (x_))^{(m_*)}}, x\_Symbol] \rightarrow \text{Simp}[(c + d * x)^m * (b * F^{(g * (e + f * x)))^n} / (f * g * n * \text{Log}[F]), x] - \text{Dist}[(d * m) / (f * g * n * \text{Log}[F]), \text{Int}[(c + d * x)^{(m - 1)} * (b * F^{(g * (e + f * x)))^n}, x], x] /;$  FreeQ[{F, b, c, d, e, f, g, n}, x] && GtQ[m, 0] && IntegerQ[2 \* m] && !\$UseGamma == True

#### Rule 2194

$\text{Int}[(F_)^{((c_*) * ((a_*) + (b_*) * (x_)))^{(n_*)}}, x\_Symbol] \rightarrow \text{Simp}[(F^{(c * (a + b * x))})^n / (b * c * n * \text{Log}[F]), x] /;$  FreeQ[{F, a, b, c, n}, x]

#### Rubi steps

$$\begin{aligned} \int e^{n \sin(a+bx)} \sin(2(a+bx)) dx &= \frac{\text{Subst}\left(\int 2e^{nx} x dx, x, \sin(a+bx)\right)}{b} \\ &= \frac{2 \text{Subst}\left(\int e^{nx} x dx, x, \sin(a+bx)\right)}{b} \\ &= \frac{2e^{n \sin(a+bx)} \sin(a+bx)}{bn} - \frac{2 \text{Subst}\left(\int e^{nx} dx, x, \sin(a+bx)\right)}{bn} \\ &= -\frac{2e^{n \sin(a+bx)}}{bn^2} + \frac{2e^{n \sin(a+bx)} \sin(a+bx)}{bn} \end{aligned}$$

**Mathematica [A]** time = 0.0297166, size = 28, normalized size = 0.65

$$\frac{2e^{n \sin(a+bx)}(n \sin(a+bx) - 1)}{bn^2}$$

Antiderivative was successfully verified.

[In] Integrate[E^(n\*Sin[a + b\*x])\*Sin[2\*(a + b\*x)],x]

[Out] (2\*E^(n\*Sin[a + b\*x])\*(-1 + n\*Sin[a + b\*x]))/(b\*n^2)

**Maple [C]** time = 0., size = 104, normalized size = 2.4

$$\frac{i e^{n \sin(bx) \cos(a) + n \cos(bx) \sin(a)} e^{-ibx} e^{-ia}}{nb} - \frac{i e^{n \sin(bx) \cos(a) + n \cos(bx) \sin(a)} e^{ibx} e^{ia}}{nb} - 2 \frac{e^{n(\sin(bx) \cos(a) + \cos(bx) \sin(a))}}{n^2 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(exp(n\*sin(b\*x+a))\*sin(2\*b\*x+2\*a),x)

[Out] I/n/b\*exp(n\*sin(b\*x)\*cos(a)+n\*cos(b\*x)\*sin(a))\*exp(-I\*b\*x)\*exp(-I\*a)-I/n/b\*exp(n\*sin(b\*x)\*cos(a)+n\*cos(b\*x)\*sin(a))\*exp(I\*b\*x)\*exp(I\*a)-2/n^2/b\*exp(n\*(sin(b\*x)\*cos(a)+cos(b\*x)\*sin(a)))

**Maxima [A]** time = 1.06917, size = 50, normalized size = 1.16

$$\frac{2 \left( n e^{(n \sin(bx+a))} \sin(bx + a) - e^{(n \sin(bx+a))} \right)}{bn^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*sin(b\*x+a))\*sin(2\*b\*x+2\*a),x, algorithm="maxima")

[Out] 2\*(n\*e^(n\*sin(b\*x + a))\*sin(b\*x + a) - e^(n\*sin(b\*x + a)))/(b\*n^2)

**Fricas [A]** time = 2.15162, size = 69, normalized size = 1.6

$$\frac{2(n \sin(bx + a) - 1)e^{(n \sin(bx+a))}}{bn^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*sin(b\*x+a))\*sin(2\*b\*x+2\*a),x, algorithm="fricas")

[Out] 2\*(n\*sin(b\*x + a) - 1)\*e^(n\*sin(b\*x + a))/(b\*n^2)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int e^{n \sin(a+bx)} \sin(2a + 2bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*sin(b\*x+a))\*sin(2\*b\*x+2\*a),x)

[Out] Integral(exp(n\*sin(a + b\*x))\*sin(2\*a + 2\*b\*x), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int e^{n \sin(bx+a)} \sin(2bx + 2a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*sin(b\*x+a))\*sin(2\*b\*x+2\*a),x, algorithm="giac")

[Out] integrate(e^(n\*sin(b\*x + a))\*sin(2\*b\*x + 2\*a), x)

$$3.743 \quad \int e^{n \sin\left(\frac{a}{2} + \frac{bx}{2}\right)} \sin(a + bx) dx$$

**Optimal.** Leaf size=64

$$\frac{4 \sin\left(\frac{a}{2} + \frac{bx}{2}\right) e^{n \sin\left(\frac{a}{2} + \frac{bx}{2}\right)}}{bn} - \frac{4e^{n \sin\left(\frac{a}{2} + \frac{bx}{2}\right)}}{bn^2}$$

[Out] (-4\*E^(n\*Sin[a/2 + (b\*x)/2]))/(b\*n^2) + (4\*E^(n\*Sin[a/2 + (b\*x)/2])\*Sin[a/2 + (b\*x)/2])/(b\*n)

**Rubi [A]** time = 0.0362031, antiderivative size = 64, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {12, 2176, 2194}

$$\frac{4 \sin\left(\frac{a}{2} + \frac{bx}{2}\right) e^{n \sin\left(\frac{a}{2} + \frac{bx}{2}\right)}}{bn} - \frac{4e^{n \sin\left(\frac{a}{2} + \frac{bx}{2}\right)}}{bn^2}$$

Antiderivative was successfully verified.

[In] Int[E^(n\*Sin[a/2 + (b\*x)/2])\*Sin[a + b\*x],x]

[Out] (-4\*E^(n\*Sin[a/2 + (b\*x)/2]))/(b\*n^2) + (4\*E^(n\*Sin[a/2 + (b\*x)/2])\*Sin[a/2 + (b\*x)/2])/(b\*n)

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 2176

Int[((b\_)\*(F\_)^((g\_)\*((e\_) + (f\_)\*(x\_))))^(n\_)\*((c\_) + (d\_)\*(x\_))^(m\_), x\_Symbol] :> Simp[((c + d\*x)^m\*(b\*F^(g\*(e + f\*x)))^n)/(f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*(b\*F^(g\*(e + f\*x)))^n, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && GtQ[m, 0] && IntegerQ[2\*m] && !\$UseGamma == True

#### Rule 2194

Int[((F\_)^((c\_)\*((a\_) + (b\_)\*(x\_))))^(n\_), x\_Symbol] :> Simp[(F^(c\*(a + b\*x)))^n/(b\*c\*n\*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]

#### Rubi steps

$$\begin{aligned}
\int e^{n \sin\left(\frac{a}{2} + \frac{bx}{2}\right)} \sin(a + bx) dx &= \frac{2 \operatorname{Subst}\left(\int 2e^{nx} x dx, x, \sin\left(\frac{a}{2} + \frac{bx}{2}\right)\right)}{b} \\
&= \frac{4 \operatorname{Subst}\left(\int e^{nx} x dx, x, \sin\left(\frac{a}{2} + \frac{bx}{2}\right)\right)}{b} \\
&= \frac{4e^{n \sin\left(\frac{a}{2} + \frac{bx}{2}\right)} \sin\left(\frac{a}{2} + \frac{bx}{2}\right)}{bn} - \frac{4 \operatorname{Subst}\left(\int e^{nx} dx, x, \sin\left(\frac{a}{2} + \frac{bx}{2}\right)\right)}{bn} \\
&= -\frac{4e^{n \sin\left(\frac{a}{2} + \frac{bx}{2}\right)}}{bn^2} + \frac{4e^{n \sin\left(\frac{a}{2} + \frac{bx}{2}\right)} \sin\left(\frac{a}{2} + \frac{bx}{2}\right)}{bn}
\end{aligned}$$

**Mathematica [A]** time = 0.067914, size = 36, normalized size = 0.56

$$\frac{4e^{n \sin\left(\frac{1}{2}(a+bx)\right)} \left(n \sin\left(\frac{1}{2}(a+bx)\right) - 1\right)}{bn^2}$$

Antiderivative was successfully verified.

[In] Integrate[E^(n\*Sin[a/2 + (b\*x)/2])\*Sin[a + b\*x], x]

[Out] (4\*E^(n\*Sin[(a + b\*x)/2])\*(-1 + n\*Sin[(a + b\*x)/2]))/(b\*n^2)

**Maple [C]** time = 0.081, size = 122, normalized size = 1.9

$$\frac{2ie^{-\frac{i}{2}bx}e^{-\frac{i}{2}a}}{nb}e^{n \sin\left(\frac{a}{2}\right)\cos\left(\frac{bx}{2}\right)+n \cos\left(\frac{a}{2}\right)\sin\left(\frac{bx}{2}\right)} - \frac{2ie^{\frac{i}{2}bx}e^{\frac{i}{2}a}}{nb}e^{n \sin\left(\frac{a}{2}\right)\cos\left(\frac{bx}{2}\right)+n \cos\left(\frac{a}{2}\right)\sin\left(\frac{bx}{2}\right)} - 4 \frac{e^{n(\sin(a/2)\cos(1/2bx)+\cos(a/2)\sin(1/2bx))}}{bn^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(exp(n\*sin(1/2\*a+1/2\*b\*x))\*sin(b\*x+a), x)

[Out] 2\*I/n/b\*exp(n\*sin(1/2\*a)\*cos(1/2\*b\*x)+n\*cos(1/2\*a)\*sin(1/2\*b\*x))\*exp(-1/2\*I\*b\*x)\*exp(-1/2\*I\*a)-2\*I/n/b\*exp(n\*sin(1/2\*a)\*cos(1/2\*b\*x)+n\*cos(1/2\*a)\*sin(1/2\*b\*x))\*exp(1/2\*I\*b\*x)\*exp(1/2\*I\*a)-4/n^2/b\*exp(n\*(sin(1/2\*a)\*cos(1/2\*b\*x)+cos(1/2\*a)\*sin(1/2\*b\*x)))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int e^{n \sin\left(\frac{1}{2}bx + \frac{1}{2}a\right)} \sin(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*sin(1/2\*a+1/2\*b\*x))\*sin(b\*x+a), x, algorithm="maxima")

[Out] integrate(e^(n\*sin(1/2\*b\*x + 1/2\*a))\*sin(b\*x + a), x)

**Fricas [A]** time = 2.13023, size = 90, normalized size = 1.41

$$\frac{4 \left( n \sin \left( \frac{1}{2} bx + \frac{1}{2} a \right) - 1 \right) e^{\left( n \sin \left( \frac{1}{2} bx + \frac{1}{2} a \right) \right)}}{bn^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*sin(1/2\*a+1/2\*b\*x))\*sin(b\*x+a),x, algorithm="fricas")

[Out] 4\*(n\*sin(1/2\*b\*x + 1/2\*a) - 1)\*e^(n\*sin(1/2\*b\*x + 1/2\*a))/(b\*n^2)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int e^{n \sin \left( \frac{a}{2} + \frac{bx}{2} \right)} \sin(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*sin(1/2\*a+1/2\*b\*x))\*sin(b\*x+a),x)

[Out] Integral(exp(n\*sin(a/2 + b\*x/2))\*sin(a + b\*x), x)

**Giac [B]** time = 1.24357, size = 186, normalized size = 2.91

$$\frac{4 \left( 2 n e^{\left( \frac{2 n \tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)}{\tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)^2 + 1} \right)} \tan \left( \frac{1}{4} bx + \frac{1}{4} a \right) - e^{\left( \frac{2 n \tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)}{\tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)^2 + 1} \right)} \tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)^2 - e^{\left( \frac{2 n \tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)}{\tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)^2 + 1} \right)} \right)}{bn^2 \tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)^2 + bn^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*sin(1/2\*a+1/2\*b\*x))\*sin(b\*x+a),x, algorithm="giac")

[Out] 4\*(2\*n\*e^(2\*n\*tan(1/4\*b\*x + 1/4\*a)/(tan(1/4\*b\*x + 1/4\*a)^2 + 1))\*tan(1/4\*b\*x + 1/4\*a) - e^(2\*n\*tan(1/4\*b\*x + 1/4\*a)/(tan(1/4\*b\*x + 1/4\*a)^2 + 1))\*tan(1/4\*b\*x + 1/4\*a)^2 - e^(2\*n\*tan(1/4\*b\*x + 1/4\*a)/(tan(1/4\*b\*x + 1/4\*a)^2 + 1)))/(b\*n^2\*tan(1/4\*b\*x + 1/4\*a)^2 + b\*n^2)

$$3.744 \quad \int e^{n \sin\left(\frac{1}{2}(a+bx)\right)} \sin(a+bx) dx$$

Optimal. Leaf size=64

$$\frac{4 \sin\left(\frac{a}{2} + \frac{bx}{2}\right) e^{n \sin\left(\frac{a}{2} + \frac{bx}{2}\right)}}{bn} - \frac{4e^{n \sin\left(\frac{a}{2} + \frac{bx}{2}\right)}}{bn^2}$$

[Out] (-4\*E^(n\*Sin[a/2 + (b\*x)/2]))/(b\*n^2) + (4\*E^(n\*Sin[a/2 + (b\*x)/2]))\*Sin[a/2 + (b\*x)/2]/(b\*n)

**Rubi [A]** time = 0.0384814, antiderivative size = 64, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {12, 2176, 2194}

$$\frac{4 \sin\left(\frac{a}{2} + \frac{bx}{2}\right) e^{n \sin\left(\frac{a}{2} + \frac{bx}{2}\right)}}{bn} - \frac{4e^{n \sin\left(\frac{a}{2} + \frac{bx}{2}\right)}}{bn^2}$$

Antiderivative was successfully verified.

[In] Int[E^(n\*Sin[(a + b\*x)/2])\*Sin[a + b\*x], x]

[Out] (-4\*E^(n\*Sin[a/2 + (b\*x)/2]))/(b\*n^2) + (4\*E^(n\*Sin[a/2 + (b\*x)/2]))\*Sin[a/2 + (b\*x)/2]/(b\*n)

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :=> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 2176

Int[((b\_)\*(F\_)^((g\_)\*((e\_.) + (f\_)\*(x\_))))^(n\_)\*((c\_.) + (d\_)\*(x\_))^(m\_.), x\_Symbol] :=> Simp[((c + d\*x)^m\*(b\*F^(g\*(e + f\*x)))^n)/(f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*(b\*F^(g\*(e + f\*x)))^n, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && GtQ[m, 0] && IntegerQ[2\*m] && !\$UseGamma == True

#### Rule 2194

Int[((F\_)^((c\_)\*((a\_.) + (b\_)\*(x\_))))^(n\_.), x\_Symbol] :=> Simp[(F^(c\*(a + b\*x)))^n/(b\*c\*n\*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]

#### Rubi steps

$$\begin{aligned}
\int e^{n \sin\left(\frac{1}{2}(a+bx)\right)} \sin(a+bx) dx &= \frac{2 \operatorname{Subst}\left(\int 2e^{nx} x dx, x, \sin\left(\frac{a}{2} + \frac{bx}{2}\right)\right)}{b} \\
&= \frac{4 \operatorname{Subst}\left(\int e^{nx} x dx, x, \sin\left(\frac{a}{2} + \frac{bx}{2}\right)\right)}{b} \\
&= \frac{4e^{n \sin\left(\frac{a}{2} + \frac{bx}{2}\right)} \sin\left(\frac{a}{2} + \frac{bx}{2}\right)}{bn} - \frac{4 \operatorname{Subst}\left(\int e^{nx} dx, x, \sin\left(\frac{a}{2} + \frac{bx}{2}\right)\right)}{bn} \\
&= -\frac{4e^{n \sin\left(\frac{a}{2} + \frac{bx}{2}\right)}}{bn^2} + \frac{4e^{n \sin\left(\frac{a}{2} + \frac{bx}{2}\right)} \sin\left(\frac{a}{2} + \frac{bx}{2}\right)}{bn}
\end{aligned}$$

**Mathematica [A]** time = 0.0302343, size = 36, normalized size = 0.56

$$\frac{4e^{n \sin\left(\frac{1}{2}(a+bx)\right)} \left(n \sin\left(\frac{1}{2}(a+bx)\right) - 1\right)}{bn^2}$$

Antiderivative was successfully verified.

[In] Integrate[E^(n\*Sin[(a + b\*x)/2])\*Sin[a + b\*x],x]

[Out] (4\*E^(n\*Sin[(a + b\*x)/2])\*(-1 + n\*Sin[(a + b\*x)/2]))/(b\*n^2)

**Maple [C]** time = 0., size = 122, normalized size = 1.9

$$\frac{2ie^{-\frac{i}{2}bx}e^{-\frac{i}{2}a}}{nb}e^{n \sin\left(\frac{a}{2}\right)\cos\left(\frac{bx}{2}\right)+n \cos\left(\frac{a}{2}\right)\sin\left(\frac{bx}{2}\right)} - \frac{2ie^{\frac{i}{2}bx}e^{\frac{i}{2}a}}{nb}e^{n \sin\left(\frac{a}{2}\right)\cos\left(\frac{bx}{2}\right)+n \cos\left(\frac{a}{2}\right)\sin\left(\frac{bx}{2}\right)} - 4\frac{e^{n(\sin(a/2)\cos(1/2bx)+\cos(a/2)\sin(1/2bx))}}{n^2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(exp(n\*sin(1/2\*a+1/2\*b\*x))\*sin(b\*x+a),x)

[Out] 2\*I/n/b\*exp(n\*sin(1/2\*a)\*cos(1/2\*b\*x)+n\*cos(1/2\*a)\*sin(1/2\*b\*x))\*exp(-1/2\*I\*b\*x)\*exp(-1/2\*I\*a)-2\*I/n/b\*exp(n\*sin(1/2\*a)\*cos(1/2\*b\*x)+n\*cos(1/2\*a)\*sin(1/2\*b\*x))\*exp(1/2\*I\*b\*x)\*exp(1/2\*I\*a)-4/n^2/b\*exp(n\*(sin(1/2\*a)\*cos(1/2\*b\*x)+cos(1/2\*a)\*sin(1/2\*b\*x)))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int e^{n \sin\left(\frac{1}{2}bx + \frac{1}{2}a\right)} \sin(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*sin(1/2\*a+1/2\*b\*x))\*sin(b\*x+a),x, algorithm="maxima")

[Out] integrate(e^(n\*sin(1/2\*b\*x + 1/2\*a))\*sin(b\*x + a), x)



**Fricas [A]** time = 2.16646, size = 90, normalized size = 1.41

$$\frac{4 \left( n \sin \left( \frac{1}{2} bx + \frac{1}{2} a \right) - 1 \right) e^{\left( n \sin \left( \frac{1}{2} bx + \frac{1}{2} a \right) \right)}}{bn^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*sin(1/2\*a+1/2\*b\*x))\*sin(b\*x+a),x, algorithm="fricas")

[Out] 4\*(n\*sin(1/2\*b\*x + 1/2\*a) - 1)\*e^(n\*sin(1/2\*b\*x + 1/2\*a))/(b\*n^2)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int e^{n \sin \left( \frac{a}{2} + \frac{bx}{2} \right)} \sin(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*sin(1/2\*a+1/2\*b\*x))\*sin(b\*x+a),x)

[Out] Integral(exp(n\*sin(a/2 + b\*x/2))\*sin(a + b\*x), x)

**Giac [B]** time = 1.26535, size = 186, normalized size = 2.91

$$\frac{4 \left( 2 n e^{\left( \frac{2 n \tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)}{\tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)^2 + 1} \right)} \tan \left( \frac{1}{4} bx + \frac{1}{4} a \right) - e^{\left( \frac{2 n \tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)}{\tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)^2 + 1} \right)} \tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)^2 - e^{\left( \frac{2 n \tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)}{\tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)^2 + 1} \right)} \right)}{bn^2 \tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)^2 + bn^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*sin(1/2\*a+1/2\*b\*x))\*sin(b\*x+a),x, algorithm="giac")

[Out] 4\*(2\*n\*e^(2\*n\*tan(1/4\*b\*x + 1/4\*a)/(tan(1/4\*b\*x + 1/4\*a)^2 + 1))\*tan(1/4\*b\*x + 1/4\*a) - e^(2\*n\*tan(1/4\*b\*x + 1/4\*a)/(tan(1/4\*b\*x + 1/4\*a)^2 + 1))\*tan(1/4\*b\*x + 1/4\*a)^2 - e^(2\*n\*tan(1/4\*b\*x + 1/4\*a)/(tan(1/4\*b\*x + 1/4\*a)^2 + 1)))/(b\*n^2\*tan(1/4\*b\*x + 1/4\*a)^2 + b\*n^2)

$$3.745 \quad \int e^{n \cos(a+bx)} \sin(2a + 2bx) dx$$

**Optimal.** Leaf size=43

$$\frac{2e^{n \cos(a+bx)}}{bn^2} - \frac{2 \cos(a + bx)e^{n \cos(a+bx)}}{bn}$$

[Out] (2\*E^(n\*Cos[a + b\*x]))/(b\*n^2) - (2\*E^(n\*Cos[a + b\*x])\*Cos[a + b\*x])/(b\*n)

**Rubi [A]** time = 0.0405534, antiderivative size = 43, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$ , Rules used = {12, 2176, 2194}

$$\frac{2e^{n \cos(a+bx)}}{bn^2} - \frac{2 \cos(a + bx)e^{n \cos(a+bx)}}{bn}$$

Antiderivative was successfully verified.

[In] Int[E^(n\*Cos[a + b\*x])\*Sin[2\*a + 2\*b\*x],x]

[Out] (2\*E^(n\*Cos[a + b\*x]))/(b\*n^2) - (2\*E^(n\*Cos[a + b\*x])\*Cos[a + b\*x])/(b\*n)

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 2176

Int[((b\_)\*(F\_)^((g\_)\*((e\_) + (f\_)\*(x\_))))^(n\_)\*((c\_) + (d\_)\*(x\_))^(m\_), x\_Symbol] := Simp[((c + d\*x)^m\*(b\*F^(g\*(e + f\*x)))^n)/(f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*(b\*F^(g\*(e + f\*x)))^n, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && GtQ[m, 0] && IntegerQ[2\*m] && !\$UseGamma == True

#### Rule 2194

Int[((F\_)^((c\_)\*((a\_) + (b\_)\*(x\_))))^(n\_), x\_Symbol] := Simp[(F^(c\*(a + b\*x)))^n/(b\*c\*n\*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]

#### Rubi steps

$$\begin{aligned} \int e^{n \cos(a+bx)} \sin(2a + 2bx) dx &= -\frac{\text{Subst}\left(\int 2e^{nx} dx, x, \cos(a + bx)\right)}{b} \\ &= -\frac{2 \text{Subst}\left(\int e^{nx} dx, x, \cos(a + bx)\right)}{b} \\ &= -\frac{2e^{n \cos(a+bx)} \cos(a + bx)}{bn} + \frac{2 \text{Subst}\left(\int e^{nx} dx, x, \cos(a + bx)\right)}{bn} \\ &= \frac{2e^{n \cos(a+bx)}}{bn^2} - \frac{2e^{n \cos(a+bx)} \cos(a + bx)}{bn} \end{aligned}$$

**Mathematica [A]** time = 0.148723, size = 28, normalized size = 0.65

$$-\frac{2e^{n \cos(a+bx)}(n \cos(a + bx) - 1)}{bn^2}$$

Antiderivative was successfully verified.

[In] Integrate[E^(n\*Cos[a + b\*x])\*Sin[2\*a + 2\*b\*x],x]

[Out]  $(-2E^{n\cos[a + bx]}*(-1 + n\cos[a + bx]))/(b*n^2)$

**Maple [C]** time = 0.07, size = 106, normalized size = 2.5

$$\frac{e^{n \cos(bx) \cos(a) - n \sin(bx) \sin(a)} e^{-ibx} e^{-ia}}{bn} - \frac{e^{n \cos(bx) \cos(a) - n \sin(bx) \sin(a)} e^{ibx} e^{ia}}{bn} + 2 \frac{e^{-n(\sin(bx) \sin(a) - \cos(bx) \cos(a))}}{n^2 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(exp(n\*cos(b\*x+a))\*sin(2\*b\*x+2\*a),x)

[Out]  $-1/b/n*\exp(n*\cos(b*x)*\cos(a)-n*\sin(b*x)*\sin(a))*\exp(-I*b*x)*\exp(-I*a)-1/b/n*\exp(n*\cos(b*x)*\cos(a)-n*\sin(b*x)*\sin(a))*\exp(I*b*x)*\exp(I*a)+2/b/n^2*\exp(-n*(\sin(b*x)*\sin(a)-\cos(b*x)*\cos(a)))$

**Maxima [A]** time = 1.0477, size = 50, normalized size = 1.16

$$\frac{2(n \cos(bx + a) e^{(n \cos(bx + a))} - e^{(n \cos(bx + a))})}{bn^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*cos(b\*x+a))\*sin(2\*b\*x+2\*a),x, algorithm="maxima")

[Out]  $-2*(n*\cos(b*x + a)*e^{(n*\cos(b*x + a))} - e^{(n*\cos(b*x + a))})/(b*n^2)$

**Fricas [A]** time = 2.08946, size = 70, normalized size = 1.63

$$\frac{2(n \cos(bx + a) - 1)e^{(n \cos(bx + a))}}{bn^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*cos(b\*x+a))\*sin(2\*b\*x+2\*a),x, algorithm="fricas")

[Out]  $-2*(n*\cos(b*x + a) - 1)*e^{(n*\cos(b*x + a))}/(b*n^2)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int e^{n \cos(a+bx)} \sin(2a + 2bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*cos(b\*x+a))\*sin(2\*b\*x+2\*a),x)

[Out] Integral(exp(n\*cos(a + b\*x))\*sin(2\*a + 2\*b\*x), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int e^{(n \cos(bx+a))} \sin(2bx + 2a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*cos(b\*x+a))\*sin(2\*b\*x+2\*a),x, algorithm="giac")

[Out] integrate(e^(n\*cos(b\*x + a))\*sin(2\*b\*x + 2\*a), x)

### 3.746 $\int e^{n \cos(a+bx)} \sin(2(a+bx)) dx$

**Optimal.** Leaf size=43

$$\frac{2e^{n \cos(a+bx)}}{bn^2} - \frac{2 \cos(a+bx)e^{n \cos(a+bx)}}{bn}$$

[Out]  $(2E^{(n \cos[a + b*x])})/(b*n^2) - (2E^{(n \cos[a + b*x])}*\cos[a + b*x])/(b*n)$

**Rubi [A]** time = 0.0349637, antiderivative size = 43, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {12, 2176, 2194}

$$\frac{2e^{n \cos(a+bx)}}{bn^2} - \frac{2 \cos(a+bx)e^{n \cos(a+bx)}}{bn}$$

Antiderivative was successfully verified.

[In] Int[E^(n\*Cos[a + b\*x])\*Sin[2\*(a + b\*x)],x]

[Out]  $(2E^{(n \cos[a + b*x])})/(b*n^2) - (2E^{(n \cos[a + b*x])}*\cos[a + b*x])/(b*n)$

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 2176

Int[((b\_)\*(F\_)^((g\_)\*((e\_.) + (f\_)\*(x\_))))^(n\_)\*((c\_.) + (d\_)\*(x\_))^(m\_), x\_Symbol] := Simp[((c + d\*x)^m\*(b\*F^(g\*(e + f\*x)))^n)/(f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*(b\*F^(g\*(e + f\*x)))^n, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && GtQ[m, 0] && IntegerQ[2\*m] && !\$UseGamma == True

#### Rule 2194

Int[((F\_)^((c\_)\*((a\_.) + (b\_)\*(x\_))))^(n\_), x\_Symbol] := Simp[(F^(c\*(a + b\*x)))^n/(b\*c\*n\*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]

#### Rubi steps

$$\begin{aligned} \int e^{n \cos(a+bx)} \sin(2(a+bx)) dx &= -\frac{\text{Subst}\left(\int 2e^{nx} x dx, x, \cos(a+bx)\right)}{b} \\ &= -\frac{2 \text{Subst}\left(\int e^{nx} x dx, x, \cos(a+bx)\right)}{b} \\ &= -\frac{2e^{n \cos(a+bx)} \cos(a+bx)}{bn} + \frac{2 \text{Subst}\left(\int e^{nx} dx, x, \cos(a+bx)\right)}{bn} \\ &= \frac{2e^{n \cos(a+bx)}}{bn^2} - \frac{2e^{n \cos(a+bx)} \cos(a+bx)}{bn} \end{aligned}$$

**Mathematica [A]** time = 0.0346088, size = 28, normalized size = 0.65

$$-\frac{2e^{n \cos(a+bx)}(n \cos(a+bx) - 1)}{bn^2}$$

Antiderivative was successfully verified.

[In] Integrate[E^(n\*Cos[a + b\*x])\*Sin[2\*(a + b\*x)],x]

[Out] (-2\*E^(n\*Cos[a + b\*x])\*(-1 + n\*Cos[a + b\*x]))/(b\*n^2)

**Maple [C]** time = 0., size = 106, normalized size = 2.5

$$-\frac{e^{n \cos(bx) \cos(a) - n \sin(bx) \sin(a)} e^{-ibx} e^{-ia}}{bn} - \frac{e^{n \cos(bx) \cos(a) - n \sin(bx) \sin(a)} e^{ibx} e^{ia}}{bn} + 2 \frac{e^{-n(\sin(bx) \sin(a) - \cos(bx) \cos(a))}}{bn^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(exp(n\*cos(b\*x+a))\*sin(2\*b\*x+2\*a),x)

[Out] -1/b/n\*exp(n\*cos(b\*x)\*cos(a)-n\*sin(b\*x)\*sin(a))\*exp(-I\*b\*x)\*exp(-I\*a)-1/b/n\*exp(n\*cos(b\*x)\*cos(a)-n\*sin(b\*x)\*sin(a))\*exp(I\*b\*x)\*exp(I\*a)+2/b/n^2\*exp(-n\*(sin(b\*x)\*sin(a)-cos(b\*x)\*cos(a)))

**Maxima [A]** time = 1.05626, size = 50, normalized size = 1.16

$$-\frac{2 \left( n \cos(bx + a) e^{(n \cos(bx+a))} - e^{(n \cos(bx+a))} \right)}{bn^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*cos(b\*x+a))\*sin(2\*b\*x+2\*a),x, algorithm="maxima")

[Out] -2\*(n\*cos(b\*x + a)\*e^(n\*cos(b\*x + a)) - e^(n\*cos(b\*x + a)))/(b\*n^2)

**Fricas [A]** time = 2.03885, size = 70, normalized size = 1.63

$$-\frac{2(n \cos(bx + a) - 1)e^{(n \cos(bx+a))}}{bn^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*cos(b\*x+a))\*sin(2\*b\*x+2\*a),x, algorithm="fricas")

[Out] -2\*(n\*cos(b\*x + a) - 1)\*e^(n\*cos(b\*x + a))/(b\*n^2)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int e^{n \cos(a+bx)} \sin(2a + 2bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*cos(b\*x+a))\*sin(2\*b\*x+2\*a),x)

[Out] Integral(exp(n\*cos(a + b\*x))\*sin(2\*a + 2\*b\*x), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int e^{n \cos(bx+a)} \sin(2bx + 2a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*cos(b\*x+a))\*sin(2\*b\*x+2\*a),x, algorithm="giac")

[Out] integrate(e^(n\*cos(b\*x + a))\*sin(2\*b\*x + 2\*a), x)

$$3.747 \quad \int e^{n \cos\left(\frac{a}{2} + \frac{bx}{2}\right)} \sin(a + bx) dx$$

**Optimal.** Leaf size=64

$$\frac{4e^{n \cos\left(\frac{a}{2} + \frac{bx}{2}\right)}}{bn^2} - \frac{4 \cos\left(\frac{a}{2} + \frac{bx}{2}\right) e^{n \cos\left(\frac{a}{2} + \frac{bx}{2}\right)}}{bn}$$

[Out] (4\*E^(n\*Cos[a/2 + (b\*x)/2]))/(b\*n^2) - (4\*E^(n\*Cos[a/2 + (b\*x)/2])\*Cos[a/2 + (b\*x)/2])/(b\*n)

**Rubi [A]** time = 0.0374232, antiderivative size = 64, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {12, 2176, 2194}

$$\frac{4e^{n \cos\left(\frac{a}{2} + \frac{bx}{2}\right)}}{bn^2} - \frac{4 \cos\left(\frac{a}{2} + \frac{bx}{2}\right) e^{n \cos\left(\frac{a}{2} + \frac{bx}{2}\right)}}{bn}$$

Antiderivative was successfully verified.

[In] Int[E^(n\*Cos[a/2 + (b\*x)/2])\*Sin[a + b\*x], x]

[Out] (4\*E^(n\*Cos[a/2 + (b\*x)/2]))/(b\*n^2) - (4\*E^(n\*Cos[a/2 + (b\*x)/2])\*Cos[a/2 + (b\*x)/2])/(b\*n)

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 2176

Int[((b\_)\*(F\_)^((g\_)\*((e\_) + (f\_)\*(x\_))))^(n\_)\*((c\_) + (d\_)\*(x\_))^(m\_), x\_Symbol] := Simp[((c + d\*x)^m\*(b\*F^(g\*(e + f\*x)))^n)/(f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*(b\*F^(g\*(e + f\*x)))^n, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && GtQ[m, 0] && IntegerQ[2\*m] && !\$UseGamma == True

#### Rule 2194

Int[((F\_)^((c\_)\*((a\_) + (b\_)\*(x\_))))^(n\_), x\_Symbol] := Simp[(F^(c\*(a + b\*x)))^n/(b\*c\*n\*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]

#### Rubi steps



$$\begin{aligned}
\int e^{n \cos\left(\frac{a}{2} + \frac{bx}{2}\right)} \sin(a + bx) dx &= -\frac{2 \operatorname{Subst}\left(\int 2e^{nx} x dx, x, \cos\left(\frac{a}{2} + \frac{bx}{2}\right)\right)}{b} \\
&= -\frac{4 \operatorname{Subst}\left(\int e^{nx} x dx, x, \cos\left(\frac{a}{2} + \frac{bx}{2}\right)\right)}{b} \\
&= -\frac{4e^{n \cos\left(\frac{a}{2} + \frac{bx}{2}\right)} \cos\left(\frac{a}{2} + \frac{bx}{2}\right)}{bn} + \frac{4 \operatorname{Subst}\left(\int e^{nx} dx, x, \cos\left(\frac{a}{2} + \frac{bx}{2}\right)\right)}{bn} \\
&= \frac{4e^{n \cos\left(\frac{a}{2} + \frac{bx}{2}\right)}}{bn^2} - \frac{4e^{n \cos\left(\frac{a}{2} + \frac{bx}{2}\right)} \cos\left(\frac{a}{2} + \frac{bx}{2}\right)}{bn}
\end{aligned}$$

**Mathematica [A]** time = 0.176593, size = 36, normalized size = 0.56

$$-\frac{4e^{n \cos\left(\frac{1}{2}(a+bx)\right)} \left(n \cos\left(\frac{1}{2}(a+bx)\right) - 1\right)}{bn^2}$$

Antiderivative was successfully verified.

[In] Integrate[E^(n\*Cos[a/2 + (b\*x)/2])\*Sin[a + b\*x], x]

[Out] (-4\*E^(n\*Cos[(a + b\*x)/2])\*(-1 + n\*Cos[(a + b\*x)/2]))/(b\*n^2)

**Maple [C]** time = 0.072, size = 124, normalized size = 1.9

$$-2 \frac{e^{n \cos(a/2) \cos(1/2 bx) - n \sin(a/2) \sin(1/2 bx)} e^{i/2 bx} e^{i/2 a}}{bn} - 2 \frac{e^{n \cos(a/2) \cos(1/2 bx) - n \sin(a/2) \sin(1/2 bx)} e^{-i/2 bx} e^{-i/2 a}}{bn} + 4 \frac{e^{-n(\sin(a/2) \sin(1/2 bx) - \cos(1/2 a) \cos(1/2 bx))}}{bn^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(exp(n\*cos(1/2\*a+1/2\*b\*x))\*sin(b\*x+a), x)

[Out] -2/b/n\*exp(n\*cos(1/2\*a)\*cos(1/2\*b\*x)-n\*sin(1/2\*a)\*sin(1/2\*b\*x))\*exp(1/2\*I\*b\*x)\*exp(1/2\*I\*a)-2/b/n\*exp(n\*cos(1/2\*a)\*cos(1/2\*b\*x)-n\*sin(1/2\*a)\*sin(1/2\*b\*x))\*exp(-1/2\*I\*b\*x)\*exp(-1/2\*I\*a)+4/b/n^2\*exp(-n\*(sin(1/2\*a)\*sin(1/2\*b\*x)-cos(1/2\*a)\*cos(1/2\*b\*x)))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int e^{n \cos\left(\frac{1}{2} bx + \frac{1}{2} a\right)} \sin(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*cos(1/2\*a+1/2\*b\*x))\*sin(b\*x+a), x, algorithm="maxima")

[Out] integrate(e^(n\*cos(1/2\*b\*x + 1/2\*a))\*sin(b\*x + a), x)

**Fricas [A]** time = 2.09486, size = 92, normalized size = 1.44

$$\frac{4 \left( n \cos \left( \frac{1}{2} bx + \frac{1}{2} a \right) - 1 \right) e^{n \cos \left( \frac{1}{2} bx + \frac{1}{2} a \right)}}{bn^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*cos(1/2\*a+1/2\*b\*x))\*sin(b\*x+a),x, algorithm="fricas")

[Out] -4\*(n\*cos(1/2\*b\*x + 1/2\*a) - 1)\*e^(n\*cos(1/2\*b\*x + 1/2\*a))/(b\*n^2)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int e^{n \cos \left( \frac{a}{2} + \frac{bx}{2} \right)} \sin(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*cos(1/2\*a+1/2\*b\*x))\*sin(b\*x+a),x)

[Out] Integral(exp(n\*cos(a/2 + b\*x/2))\*sin(a + b\*x), x)

**Giac [B]** time = 1.2496, size = 263, normalized size = 4.11

$$\frac{4 \left( ne^{\left( \frac{-n \tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)^2 - n}{\tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)^2 + 1} \right)} \tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)^2 + e^{\left( \frac{-n \tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)^2 - n}{\tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)^2 + 1} \right)} \tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)^2 - ne^{\left( \frac{-n \tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)^2 - n}{\tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)^2 + 1} \right)} + e^{\left( \frac{-n \tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)^2 - n}{\tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)^2 + 1} \right)} \right)}{bn^2 \tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)^2 + bn^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*cos(1/2\*a+1/2\*b\*x))\*sin(b\*x+a),x, algorithm="giac")

[Out] 4\*(n\*e^(-(n\*tan(1/4\*b\*x + 1/4\*a)^2 - n)/(tan(1/4\*b\*x + 1/4\*a)^2 + 1))\*tan(1/4\*b\*x + 1/4\*a)^2 + e^(-(n\*tan(1/4\*b\*x + 1/4\*a)^2 - n)/(tan(1/4\*b\*x + 1/4\*a)^2 + 1))\*tan(1/4\*b\*x + 1/4\*a)^2 - n\*e^(-(n\*tan(1/4\*b\*x + 1/4\*a)^2 - n)/(tan(1/4\*b\*x + 1/4\*a)^2 + 1)) + e^(-(n\*tan(1/4\*b\*x + 1/4\*a)^2 - n)/(tan(1/4\*b\*x + 1/4\*a)^2 + 1)))/(b\*n^2\*tan(1/4\*b\*x + 1/4\*a)^2 + b\*n^2)

$$3.748 \quad \int e^{n \cos\left(\frac{1}{2}(a+bx)\right)} \sin(a+bx) dx$$

Optimal. Leaf size=64

$$\frac{4e^{n \cos\left(\frac{a}{2} + \frac{bx}{2}\right)}}{bn^2} - \frac{4 \cos\left(\frac{a}{2} + \frac{bx}{2}\right) e^{n \cos\left(\frac{a}{2} + \frac{bx}{2}\right)}}{bn}$$

[Out] (4\*E^(n\*Cos[a/2 + (b\*x)/2]))/(b\*n^2) - (4\*E^(n\*Cos[a/2 + (b\*x)/2])\*Cos[a/2 + (b\*x)/2])/(b\*n)

**Rubi [A]** time = 0.0374376, antiderivative size = 64, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {12, 2176, 2194}

$$\frac{4e^{n \cos\left(\frac{a}{2} + \frac{bx}{2}\right)}}{bn^2} - \frac{4 \cos\left(\frac{a}{2} + \frac{bx}{2}\right) e^{n \cos\left(\frac{a}{2} + \frac{bx}{2}\right)}}{bn}$$

Antiderivative was successfully verified.

[In] Int[E^(n\*Cos[(a + b\*x)/2])\*Sin[a + b\*x], x]

[Out] (4\*E^(n\*Cos[a/2 + (b\*x)/2]))/(b\*n^2) - (4\*E^(n\*Cos[a/2 + (b\*x)/2])\*Cos[a/2 + (b\*x)/2])/(b\*n)

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :=> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 2176

Int[((b\_)\*(F\_)^((g\_)\*((e\_.) + (f\_)\*(x\_))))^(n\_)\*((c\_.) + (d\_)\*(x\_))^(m\_.), x\_Symbol] :=> Simp[((c + d\*x)^m\*(b\*F^(g\*(e + f\*x)))^n)/(f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*(b\*F^(g\*(e + f\*x)))^n, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && GtQ[m, 0] && IntegerQ[2\*m] && !\$UseGamma == True

#### Rule 2194

Int[((F\_)^((c\_)\*((a\_.) + (b\_)\*(x\_))))^(n\_.), x\_Symbol] :=> Simp[(F^(c\*(a + b\*x)))^n/(b\*c\*n\*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]

#### Rubi steps

$$\begin{aligned}
\int e^{n \cos\left(\frac{1}{2}(a+bx)\right)} \sin(a+bx) dx &= -\frac{2 \operatorname{Subst}\left(\int 2e^{nx} x dx, x, \cos\left(\frac{a}{2} + \frac{bx}{2}\right)\right)}{b} \\
&= -\frac{4 \operatorname{Subst}\left(\int e^{nx} x dx, x, \cos\left(\frac{a}{2} + \frac{bx}{2}\right)\right)}{b} \\
&= -\frac{4e^{n \cos\left(\frac{a}{2} + \frac{bx}{2}\right)} \cos\left(\frac{a}{2} + \frac{bx}{2}\right)}{bn} + \frac{4 \operatorname{Subst}\left(\int e^{nx} dx, x, \cos\left(\frac{a}{2} + \frac{bx}{2}\right)\right)}{bn} \\
&= \frac{4e^{n \cos\left(\frac{a}{2} + \frac{bx}{2}\right)}}{bn^2} - \frac{4e^{n \cos\left(\frac{a}{2} + \frac{bx}{2}\right)} \cos\left(\frac{a}{2} + \frac{bx}{2}\right)}{bn}
\end{aligned}$$

**Mathematica [A]** time = 0.0340926, size = 36, normalized size = 0.56

$$-\frac{4e^{n \cos\left(\frac{1}{2}(a+bx)\right)} \left(n \cos\left(\frac{1}{2}(a+bx)\right) - 1\right)}{bn^2}$$

Antiderivative was successfully verified.

[In] Integrate[E^(n\*Cos[(a + b\*x)/2])\*Sin[a + b\*x],x]

[Out] (-4\*E^(n\*Cos[(a + b\*x)/2])\*(-1 + n\*Cos[(a + b\*x)/2]))/(b\*n^2)

**Maple [C]** time = 0., size = 124, normalized size = 1.9

$$-2 \frac{e^{n \cos(a/2) \cos(1/2 bx) - n \sin(a/2) \sin(1/2 bx)} e^{i/2 bx} e^{i/2 a}}{bn} - 2 \frac{e^{n \cos(a/2) \cos(1/2 bx) - n \sin(a/2) \sin(1/2 bx)} e^{-i/2 bx} e^{-i/2 a}}{bn} + 4 \frac{e^{-n(\sin(a/2) \sin(1/2 bx) - \cos(1/2 a) \cos(1/2 bx))}}{bn^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(exp(n\*cos(1/2\*a+1/2\*b\*x))\*sin(b\*x+a),x)

[Out] -2/b/n\*exp(n\*cos(1/2\*a)\*cos(1/2\*b\*x)-n\*sin(1/2\*a)\*sin(1/2\*b\*x))\*exp(1/2\*I\*b\*x)\*exp(1/2\*I\*a)-2/b/n\*exp(n\*cos(1/2\*a)\*cos(1/2\*b\*x)-n\*sin(1/2\*a)\*sin(1/2\*b\*x))\*exp(-1/2\*I\*b\*x)\*exp(-1/2\*I\*a)+4/b/n^2\*exp(-n\*(sin(1/2\*a)\*sin(1/2\*b\*x)-cos(1/2\*a)\*cos(1/2\*b\*x)))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int e^{\left(n \cos\left(\frac{1}{2}bx + \frac{1}{2}a\right)\right)} \sin(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*cos(1/2\*a+1/2\*b\*x))\*sin(b\*x+a),x, algorithm="maxima")

[Out] integrate(e^(n\*cos(1/2\*b\*x + 1/2\*a))\*sin(b\*x + a), x)

**Fricas [A]** time = 2.17702, size = 92, normalized size = 1.44

$$\frac{4 \left( n \cos \left( \frac{1}{2} bx + \frac{1}{2} a \right) - 1 \right) e^{\left( n \cos \left( \frac{1}{2} bx + \frac{1}{2} a \right) \right)}}{bn^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*cos(1/2\*a+1/2\*b\*x))\*sin(b\*x+a),x, algorithm="fricas")

[Out] -4\*(n\*cos(1/2\*b\*x + 1/2\*a) - 1)\*e^(n\*cos(1/2\*b\*x + 1/2\*a))/(b\*n^2)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int e^{n \cos \left( \frac{a}{2} + \frac{bx}{2} \right)} \sin(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*cos(1/2\*a+1/2\*b\*x))\*sin(b\*x+a),x)

[Out] Integral(exp(n\*cos(a/2 + b\*x/2))\*sin(a + b\*x), x)

**Giac [B]** time = 1.25338, size = 263, normalized size = 4.11

$$\frac{4 \left( ne^{\left( \frac{n \tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)^2 - n}{\tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)^2 + 1} \right)} \tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)^2 + e^{\left( \frac{n \tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)^2 - n}{\tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)^2 + 1} \right)} \tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)^2 - ne^{\left( \frac{n \tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)^2 - n}{\tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)^2 + 1} \right)} + e^{\left( \frac{n \tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)^2 - n}{\tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)^2 + 1} \right)} \right)}{bn^2 \tan \left( \frac{1}{4} bx + \frac{1}{4} a \right)^2 + bn^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(n\*cos(1/2\*a+1/2\*b\*x))\*sin(b\*x+a),x, algorithm="giac")

[Out] 4\*(n\*e^(-(n\*tan(1/4\*b\*x + 1/4\*a)^2 - n)/(tan(1/4\*b\*x + 1/4\*a)^2 + 1))\*tan(1/4\*b\*x + 1/4\*a)^2 + e^(-(n\*tan(1/4\*b\*x + 1/4\*a)^2 - n)/(tan(1/4\*b\*x + 1/4\*a)^2 + 1))\*tan(1/4\*b\*x + 1/4\*a)^2 - n\*e^(-(n\*tan(1/4\*b\*x + 1/4\*a)^2 - n)/(tan(1/4\*b\*x + 1/4\*a)^2 + 1)) + e^(-(n\*tan(1/4\*b\*x + 1/4\*a)^2 - n)/(tan(1/4\*b\*x + 1/4\*a)^2 + 1)))/(b\*n^2\*tan(1/4\*b\*x + 1/4\*a)^2 + b\*n^2)

### 3.749 $\int \csc(x) \log(\tan(x)) \sec(x) dx$

**Optimal.** Leaf size=9

$$\frac{1}{2} \log^2(\tan(x))$$

[Out] Log[Tan[x]]^2/2

**Rubi [A]** time = 0.0219136, antiderivative size = 9, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 3, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {2620, 29, 6686}

$$\frac{1}{2} \log^2(\tan(x))$$

Antiderivative was successfully verified.

[In] Int[Csc[x]\*Log[Tan[x]]\*Sec[x],x]

[Out] Log[Tan[x]]^2/2

#### Rule 2620

Int[csc[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*sec[(e\_.) + (f\_.)\*(x\_)]^(n\_.), x\_Symbol] :> Dist[1/f, Subst[Int[(1 + x^2)^((m + n)/2 - 1)/x^m, x], x, Tan[e + f\*x]], x] /; FreeQ[{e, f}, x] && IntegersQ[m, n, (m + n)/2]

#### Rule 29

Int[(x\_)^(-1), x\_Symbol] :> Simp[Log[x], x]

#### Rule 6686

Int[(u\_)\*(y\_)^(m\_.), x\_Symbol] :> With[{q = DerivativeDivides[y, u, x]}, Simp[(q\*y^(m + 1))/(m + 1), x] /; !FalseQ[q] /; FreeQ[m, x] && NeQ[m, -1]

#### Rubi steps

$$\int \csc(x) \log(\tan(x)) \sec(x) dx = \frac{1}{2} \log^2(\tan(x))$$

**Mathematica [A]** time = 0.0056025, size = 9, normalized size = 1.

$$\frac{1}{2} \log^2(\tan(x))$$

Antiderivative was successfully verified.

[In] Integrate[Csc[x]\*Log[Tan[x]]\*Sec[x],x]

[Out] Log[Tan[x]]^2/2

**Maple [A]** time = 0.017, size = 8, normalized size = 0.9

$$\frac{(\ln(\tan(x)))^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(x)\*ln(tan(x))\*sec(x),x)

[Out] 1/2\*ln(tan(x))^2

---

**Maxima [A]** time = 0.96757, size = 9, normalized size = 1.

$$\frac{1}{2} \log(\tan(x))^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)\*log(tan(x))\*sec(x),x, algorithm="maxima")

[Out] 1/2\*log(tan(x))^2

---

**Fricas [A]** time = 1.92328, size = 35, normalized size = 3.89

$$\frac{1}{2} \log\left(\frac{\sin(x)}{\cos(x)}\right)^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)\*log(tan(x))\*sec(x),x, algorithm="fricas")

[Out] 1/2\*log(sin(x)/cos(x))^2

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \log(\tan(x)) \csc(x) \sec(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)\*ln(tan(x))\*sec(x),x)

[Out] Integral(log(tan(x))\*csc(x)\*sec(x), x)

---

**Giac [A]** time = 1.07955, size = 9, normalized size = 1.

$$\frac{1}{2} \log(\tan(x))^2$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csc(x)*log(tan(x))*sec(x),x, algorithm="giac")
```

```
[Out] 1/2*log(tan(x))^2
```



$$3.750 \quad \int \csc(2x) \log(\tan(x)) dx$$

**Optimal.** Leaf size=9

$$\frac{1}{4} \log^2(\tan(x))$$

[Out] Log[Tan[x]]^2/4

**Rubi [A]** time = 0.0195538, antiderivative size = 9, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 2, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {3770, 6686}

$$\frac{1}{4} \log^2(\tan(x))$$

Antiderivative was successfully verified.

[In] Int[Csc[2\*x]\*Log[Tan[x]], x]

[Out] Log[Tan[x]]^2/4

**Rule 3770**

Int[csc[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

**Rule 6686**

Int[(u\_)\*(y\_)^(m\_.), x\_Symbol] := With[{q = DerivativeDivides[y, u, x]}, Simp[(q\*y^(m + 1))/(m + 1), x] /; !FalseQ[q]] /; FreeQ[m, x] && NeQ[m, -1]

**Rubi steps**

$$\int \csc(2x) \log(\tan(x)) dx = \frac{1}{4} \log^2(\tan(x))$$

**Mathematica [A]** time = 0.0109094, size = 9, normalized size = 1.

$$\frac{1}{4} \log^2(\tan(x))$$

Antiderivative was successfully verified.

[In] Integrate[Csc[2\*x]\*Log[Tan[x]], x]

[Out] Log[Tan[x]]^2/4

**Maple [A]** time = 0.016, size = 8, normalized size = 0.9

$$\frac{(\ln(\tan(x)))^2}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(csc(2*x)*ln(tan(x)),x)`

[Out]  $\frac{1}{4} \ln(\tan(x))^2$

**Maxima [B]** time = 1.54833, size = 358, normalized size = 39.78

$$\frac{1}{4} (\pi - 2 \arctan(\sin(x), \cos(x) + 1) - 2 \arctan(\sin(x), \cos(x) - 1)) \arctan(\sin(2x), \cos(2x) + 1) + \frac{1}{4} \arctan(\sin(2x), \cos(2x) + 1)^2 - \frac{1}{4} (\pi - 2 \arctan(\sin(x), \cos(x) - 1)) \arctan(\sin(x), \cos(x) + 1) + \frac{1}{4} \arctan(\sin(x), \cos(x) + 1)^2 - \frac{1}{4} \pi \arctan(\sin(x), \cos(x) - 1) + \frac{1}{4} \arctan(\sin(x), \cos(x) - 1)^2 + \frac{1}{8} (\log(\cos(x)^2 + \sin(x)^2 + 2\cos(x) + 1) + \log(\cos(x)^2 + \sin(x)^2 - 2\cos(x) + 1)) \log(\cos(2x)^2 + \sin(2x)^2 + 2\cos(2x) + 1) - \frac{1}{16} \log(\cos(2x)^2 + \sin(2x)^2 + 2\cos(2x) + 1)^2 - \frac{1}{16} \log(\cos(x)^2 + \sin(x)^2 + 2\cos(x) + 1)^2 - \frac{1}{8} \log(\cos(x)^2 + \sin(x)^2 + 2\cos(x) + 1) \log(\cos(x)^2 + \sin(x)^2 - 2\cos(x) + 1) - \frac{1}{16} \log(\cos(x)^2 + \sin(x)^2 - 2\cos(x) + 1)^2 - \frac{1}{2} \log(\cot(2x) + \csc(2x)) \log(\tan(x)))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(2*x)*log(tan(x)),x, algorithm="maxima")`

[Out]  $\frac{1}{4} (\pi - 2 \arctan(\sin(x), \cos(x) + 1) - 2 \arctan(\sin(x), \cos(x) - 1)) \arctan(\sin(2x), \cos(2x) + 1) + \frac{1}{4} \arctan(\sin(2x), \cos(2x) + 1)^2 - \frac{1}{4} (\pi - 2 \arctan(\sin(x), \cos(x) - 1)) \arctan(\sin(x), \cos(x) + 1) + \frac{1}{4} \arctan(\sin(x), \cos(x) + 1)^2 - \frac{1}{4} \pi \arctan(\sin(x), \cos(x) - 1) + \frac{1}{4} \arctan(\sin(x), \cos(x) - 1)^2 + \frac{1}{8} (\log(\cos(x)^2 + \sin(x)^2 + 2\cos(x) + 1) + \log(\cos(x)^2 + \sin(x)^2 - 2\cos(x) + 1)) \log(\cos(2x)^2 + \sin(2x)^2 + 2\cos(2x) + 1) - \frac{1}{16} \log(\cos(2x)^2 + \sin(2x)^2 + 2\cos(2x) + 1)^2 - \frac{1}{16} \log(\cos(x)^2 + \sin(x)^2 + 2\cos(x) + 1)^2 - \frac{1}{8} \log(\cos(x)^2 + \sin(x)^2 + 2\cos(x) + 1) \log(\cos(x)^2 + \sin(x)^2 - 2\cos(x) + 1) - \frac{1}{16} \log(\cos(x)^2 + \sin(x)^2 - 2\cos(x) + 1)^2 - \frac{1}{2} \log(\cot(2x) + \csc(2x)) \log(\tan(x)))$

**Fricas [A]** time = 2.01379, size = 26, normalized size = 2.89

$$\frac{1}{4} \log(\tan(x))^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(2*x)*log(tan(x)),x, algorithm="fricas")`

[Out]  $\frac{1}{4} \log(\tan(x))^2$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(2*x)*ln(tan(x)),x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \csc(2x) \log(\tan(x)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csc(2*x)*log(tan(x)),x, algorithm="giac")
```

```
[Out] integrate(csc(2*x)*log(tan(x)), x)
```

$$3.751 \quad \int e^{\cos^2(x)+\sin^2(x)} dx$$

**Optimal.** Leaf size=3

*ex*

[Out] E\*x

**Rubi [A]** time = 0.0087911, antiderivative size = 3, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {12, 203}

*ex*

Antiderivative was successfully verified.

[In] Int[E^(Cos[x]^2 + Sin[x]^2),x]

[Out] E\*x

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int e^{\cos^2(x)+\sin^2(x)} dx &= \text{Subst} \left( \int \frac{e}{1+x^2} dx, x, \tan(x) \right) \\ &= e \text{Subst} \left( \int \frac{1}{1+x^2} dx, x, \tan(x) \right) \\ &= ex \end{aligned}$$

**Mathematica [A]** time = 0.0004321, size = 3, normalized size = 1.

*ex*

Antiderivative was successfully verified.

[In] Integrate[E^(Cos[x]^2 + Sin[x]^2),x]

[Out] E\*x

**Maple [C]** time = 0.012, size = 5, normalized size = 1.7

*ex*

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(exp(cos(x)^2+sin(x)^2),x)
```

```
[Out] exp(1)*x
```

---

**Maxima [C]** time = 1.45693, size = 5, normalized size = 1.67

$$xe$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(exp(cos(x)^2+sin(x)^2),x, algorithm="maxima")
```

```
[Out] x*e
```

---

**Fricas [C]** time = 1.9375, size = 7, normalized size = 2.33

$$xe$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(exp(cos(x)^2+sin(x)^2),x, algorithm="fricas")
```

```
[Out] x*e
```

---

**Sympy [B]** time = 0.14168, size = 14, normalized size = 4.67

$$xe^{\sin^2(x)}e^{\cos^2(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(exp(cos(x)**2+sin(x)**2),x)
```

```
[Out] x*exp(sin(x)**2)*exp(cos(x)**2)
```

---

**Giac [C]** time = 1.09118, size = 5, normalized size = 1.67

$$xe$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(exp(cos(x)^2+sin(x)^2),x, algorithm="giac")
```

```
[Out] x*e
```

### 3.752 $\int x \sec^2(x) dx$

**Optimal.** Leaf size=8

$$x \tan(x) + \log(\cos(x))$$

[Out] Log[Cos[x]] + x\*Tan[x]

**Rubi [A]** time = 0.0177246, antiderivative size = 8, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4184, 3475}

$$x \tan(x) + \log(\cos(x))$$

Antiderivative was successfully verified.

[In] Int[x\*Sec[x]^2,x]

[Out] Log[Cos[x]] + x\*Tan[x]

#### Rule 4184

Int[csc[(e\_.) + (f\_.)\*(x\_)]^2\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := -Simp[((c + d\*x)^m\*Cot[e + f\*x])/f, x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Cot[e + f\*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

#### Rule 3475

Int[tan[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[Log[RemoveContent[Cos[c + d\*x], x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int x \sec^2(x) dx &= x \tan(x) - \int \tan(x) dx \\ &= \log(\cos(x)) + x \tan(x) \end{aligned}$$

**Mathematica [A]** time = 0.0053494, size = 8, normalized size = 1.

$$x \tan(x) + \log(\cos(x))$$

Antiderivative was successfully verified.

[In] Integrate[x\*Sec[x]^2,x]

[Out] Log[Cos[x]] + x\*Tan[x]

**Maple [A]** time = 0.005, size = 9, normalized size = 1.1

$$\ln(\cos(x)) + x \tan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*sec(x)^2,x)`

[Out] `ln(cos(x))+x*tan(x)`

**Maxima [B]** time = 1.46013, size = 100, normalized size = 12.5

$$\frac{(\cos(2x)^2 + \sin(2x)^2 + 2\cos(2x) + 1) \log(\cos(2x)^2 + \sin(2x)^2 + 2\cos(2x) + 1) + 4x \sin(2x)}{2(\cos(2x)^2 + \sin(2x)^2 + 2\cos(2x) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*sec(x)^2,x, algorithm="maxima")`

[Out] `1/2*((cos(2*x)^2 + sin(2*x)^2 + 2*cos(2*x) + 1)*log(cos(2*x)^2 + sin(2*x)^2 + 2*cos(2*x) + 1) + 4*x*sin(2*x))/(cos(2*x)^2 + sin(2*x)^2 + 2*cos(2*x) + 1)`

**Fricas [B]** time = 2.14376, size = 55, normalized size = 6.88

$$\frac{\cos(x) \log(-\cos(x)) + x \sin(x)}{\cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*sec(x)^2,x, algorithm="fricas")`

[Out] `(cos(x)*log(-cos(x)) + x*sin(x))/cos(x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int x \sec^2(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*sec(x)**2,x)`

[Out] `Integral(x*sec(x)**2, x)`

**Giac [B]** time = 1.13281, size = 139, normalized size = 17.38

$$\frac{\log\left(\frac{4\left(\tan\left(\frac{1}{2}x\right)^4 - 2\tan\left(\frac{1}{2}x\right)^2 + 1\right)}{\tan\left(\frac{1}{2}x\right)^4 + 2\tan\left(\frac{1}{2}x\right)^2 + 1}\right) \tan\left(\frac{1}{2}x\right)^2 - 4x \tan\left(\frac{1}{2}x\right) - \log\left(\frac{4\left(\tan\left(\frac{1}{2}x\right)^4 - 2\tan\left(\frac{1}{2}x\right)^2 + 1\right)}{\tan\left(\frac{1}{2}x\right)^4 + 2\tan\left(\frac{1}{2}x\right)^2 + 1}\right)}{2\left(\tan\left(\frac{1}{2}x\right)^2 - 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*sec(x)^2,x, algorithm="giac")
```

```
[Out] 1/2*(log(4*(tan(1/2*x)^4 - 2*tan(1/2*x)^2 + 1)/(tan(1/2*x)^4 + 2*tan(1/2*x)^2 + 1))*tan(1/2*x)^2 - 4*x*tan(1/2*x) - log(4*(tan(1/2*x)^4 - 2*tan(1/2*x)^2 + 1)/(tan(1/2*x)^4 + 2*tan(1/2*x)^2 + 1)))/(tan(1/2*x)^2 - 1)
```



### 3.753 $\int x \cos^4(x^2) dx$

**Optimal.** Leaf size=34

$$\frac{3x^2}{16} + \frac{1}{8} \sin(x^2) \cos^3(x^2) + \frac{3}{16} \sin(x^2) \cos(x^2)$$

[Out] (3\*x^2)/16 + (3\*Cos[x^2]\*Sin[x^2])/16 + (Cos[x^2]^3\*Sin[x^2])/8

**Rubi [A]** time = 0.0224351, antiderivative size = 34, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {3380, 2635, 8}

$$\frac{3x^2}{16} + \frac{1}{8} \sin(x^2) \cos^3(x^2) + \frac{3}{16} \sin(x^2) \cos(x^2)$$

Antiderivative was successfully verified.

[In] Int[x\*Cos[x^2]^4,x]

[Out] (3\*x^2)/16 + (3\*Cos[x^2]\*Sin[x^2])/16 + (Cos[x^2]^3\*Sin[x^2])/8

#### Rule 3380

Int[((a\_.) + Cos[(c\_.) + (d\_.)\*(x\_)^(n\_)])\*(b\_.))^(p\_.)\*(x\_)^(m\_.), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*Cos[c + d\*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x])\*(b\*SIN[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*SIN[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned} \int x \cos^4(x^2) dx &= \frac{1}{2} \text{Subst} \left( \int \cos^4(x) dx, x, x^2 \right) \\ &= \frac{1}{8} \cos^3(x^2) \sin(x^2) + \frac{3}{8} \text{Subst} \left( \int \cos^2(x) dx, x, x^2 \right) \\ &= \frac{3}{16} \cos(x^2) \sin(x^2) + \frac{1}{8} \cos^3(x^2) \sin(x^2) + \frac{3}{16} \text{Subst} \left( \int 1 dx, x, x^2 \right) \\ &= \frac{3x^2}{16} + \frac{3}{16} \cos(x^2) \sin(x^2) + \frac{1}{8} \cos^3(x^2) \sin(x^2) \end{aligned}$$

**Mathematica [A]** time = 0.0167307, size = 28, normalized size = 0.82

$$\frac{3x^2}{16} + \frac{1}{8} \sin(2x^2) + \frac{1}{64} \sin(4x^2)$$

Antiderivative was successfully verified.

[In] Integrate[x\*Cos[x^2]^4,x]

[Out] (3\*x^2)/16 + Sin[2\*x^2]/8 + Sin[4\*x^2]/64

**Maple [A]** time = 0.01, size = 26, normalized size = 0.8

$$\frac{\sin(x^2)}{8} \left( (\cos(x^2))^3 + \frac{3 \cos(x^2)}{2} \right) + \frac{3x^2}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*cos(x^2)^4,x)

[Out] 1/8\*(cos(x^2)^3+3/2\*cos(x^2))\*sin(x^2)+3/16\*x^2

**Maxima [A]** time = 0.957417, size = 30, normalized size = 0.88

$$\frac{3}{16} x^2 + \frac{1}{64} \sin(4x^2) + \frac{1}{8} \sin(2x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*cos(x^2)^4,x, algorithm="maxima")

[Out] 3/16\*x^2 + 1/64\*sin(4\*x^2) + 1/8\*sin(2\*x^2)

**Fricas [A]** time = 2.02743, size = 73, normalized size = 2.15

$$\frac{3}{16} x^2 + \frac{1}{16} \left( 2 \cos(x^2)^3 + 3 \cos(x^2) \right) \sin(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*cos(x^2)^4,x, algorithm="fricas")

[Out] 3/16\*x^2 + 1/16\*(2\*cos(x^2)^3 + 3\*cos(x^2))\*sin(x^2)

**Sympy [B]** time = 1.20831, size = 76, normalized size = 2.24

$$\frac{3x^2 \sin^4(x^2)}{16} + \frac{3x^2 \sin^2(x^2) \cos^2(x^2)}{8} + \frac{3x^2 \cos^4(x^2)}{16} + \frac{3 \sin^3(x^2) \cos(x^2)}{16} + \frac{5 \sin(x^2) \cos^3(x^2)}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*cos(x\*\*2)\*\*4,x)

```
[Out] 3*x**2*sin(x**2)**4/16 + 3*x**2*sin(x**2)**2*cos(x**2)**2/8 + 3*x**2*cos(x**2)**4/16 + 3*sin(x**2)**3*cos(x**2)/16 + 5*sin(x**2)*cos(x**2)**3/16
```

---

**Giac [A]** time = 1.08616, size = 30, normalized size = 0.88

$$\frac{3}{16}x^2 + \frac{1}{64}\sin(4x^2) + \frac{1}{8}\sin(2x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*cos(x^2)^4,x, algorithm="giac")
```

```
[Out] 3/16*x^2 + 1/64*sin(4*x^2) + 1/8*sin(2*x^2)
```

### 3.754 $\int \sqrt{\cos(x)} \sin(x) dx$

**Optimal.** Leaf size=10

$$-\frac{2}{3} \cos^{\frac{3}{2}}(x)$$

[Out]  $(-2*\text{Cos}[x]^{(3/2)})/3$

**Rubi [A]** time = 0.0121782, antiderivative size = 10, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {2565, 30}

$$-\frac{2}{3} \cos^{\frac{3}{2}}(x)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sqrt}[\text{Cos}[x]]*\text{Sin}[x], x]$

[Out]  $(-2*\text{Cos}[x]^{(3/2)})/3$

#### Rule 2565

$\text{Int}[(\cos[(e_.) + (f_.)*(x_.)]*(a_.))^{(m_.)}*\sin[(e_.) + (f_.)*(x_.)]^{(n_.)}, x\_ \text{Symbol}] \rightarrow -\text{Dist}[(a*f)^{-1}, \text{Subst}[\text{Int}[x^m*(1 - x^2/a^2)^{((n - 1)/2)}, x], x, a*\text{Cos}[e + f*x]], x] /;$  FreeQ[{a, e, f, m}, x] && IntegerQ[(n - 1)/2] && !(IntegerQ[(m - 1)/2] && GtQ[m, 0] && LeQ[m, n])

#### Rule 30

$\text{Int}[(x_)^{(m_.)}, x\_ \text{Symbol}] \rightarrow \text{Simp}[x^{(m + 1)}/(m + 1), x] /;$  FreeQ[m, x] && NeQ[m, -1]

#### Rubi steps

$$\begin{aligned} \int \sqrt{\cos(x)} \sin(x) dx &= -\text{Subst}\left(\int \sqrt{x} dx, x, \cos(x)\right) \\ &= -\frac{2}{3} \cos^{\frac{3}{2}}(x) \end{aligned}$$

**Mathematica [A]** time = 0.002313, size = 10, normalized size = 1.

$$-\frac{2}{3} \cos^{\frac{3}{2}}(x)$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[\text{Sqrt}[\text{Cos}[x]]*\text{Sin}[x], x]$

[Out]  $(-2*\text{Cos}[x]^{(3/2)})/3$

**Maple [A]** time = 0.003, size = 7, normalized size = 0.7

$$-\frac{2}{3}(\cos(x))^{\frac{3}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(x)*cos(x)^(1/2),x)`

[Out] `-2/3*cos(x)^(3/2)`

---

**Maxima [A]** time = 0.961796, size = 8, normalized size = 0.8

$$-\frac{2}{3}\cos(x)^{\frac{3}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)*cos(x)^(1/2),x, algorithm="maxima")`

[Out] `-2/3*cos(x)^(3/2)`

---

**Fricas [A]** time = 2.07166, size = 26, normalized size = 2.6

$$-\frac{2}{3}\cos(x)^{\frac{3}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)*cos(x)^(1/2),x, algorithm="fricas")`

[Out] `-2/3*cos(x)^(3/2)`

---

**Sympy [A]** time = 0.283816, size = 10, normalized size = 1.

$$-\frac{2\cos^{\frac{3}{2}}(x)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)*cos(x)**(1/2),x)`

[Out] `-2*cos(x)**(3/2)/3`

---

**Giac [A]** time = 1.10316, size = 8, normalized size = 0.8

$$-\frac{2}{3}\cos(x)^{\frac{3}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(x)*cos(x)^(1/2),x, algorithm="giac")
```

```
[Out] -2/3*cos(x)^(3/2)
```

$$3.755 \quad \int e^{-2x} \tan(e^{-2x}) dx$$

**Optimal.** Leaf size=11

$$\frac{1}{2} \log(\cos(e^{-2x}))$$

[Out] Log[Cos[E^(-2\*x)]]/2

**Rubi [A]** time = 0.0117125, antiderivative size = 11, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {2282, 3475}

$$\frac{1}{2} \log(\cos(e^{-2x}))$$

Antiderivative was successfully verified.

[In] Int[Tan[E^(-2\*x)]/E^(2\*x), x]

[Out] Log[Cos[E^(-2\*x)]]/2

#### Rule 2282

```
Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

#### Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

#### Rubi steps

$$\begin{aligned} \int e^{-2x} \tan(e^{-2x}) dx &= -\left(\frac{1}{2} \text{Subst}\left(\int \tan(x) dx, x, e^{-2x}\right)\right) \\ &= \frac{1}{2} \log(\cos(e^{-2x})) \end{aligned}$$

**Mathematica [A]** time = 0.0080568, size = 11, normalized size = 1.

$$\frac{1}{2} \log(\cos(e^{-2x}))$$

Antiderivative was successfully verified.

[In] Integrate[Tan[E^(-2\*x)]/E^(2\*x), x]

[Out] Log[Cos[E^(-2\*x)]]/2

**Maple [A]** time = 0.012, size = 9, normalized size = 0.8

$$\frac{\ln(\cos(e^{-2x}))}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(exp(-2\*x))/exp(2\*x),x)

[Out] 1/2\*ln(cos(exp(-2\*x)))

**Maxima [A]** time = 0.958688, size = 11, normalized size = 1.

$$-\frac{1}{2} \log(\sec(e^{-2x}))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(exp(-2\*x))/exp(2\*x),x, algorithm="maxima")

[Out] -1/2\*log(sec(e^(-2\*x)))

**Fricas [A]** time = 2.06475, size = 46, normalized size = 4.18

$$\frac{1}{4} \log\left(\frac{1}{\tan(e^{-2x})^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(exp(-2\*x))/exp(2\*x),x, algorithm="fricas")

[Out] 1/4\*log(1/(tan(e^(-2\*x))^2 + 1))

**Sympy [A]** time = 0.37184, size = 15, normalized size = 1.36

$$-\frac{\log(\tan^2(e^{-2x}) + 1)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(exp(-2\*x))/exp(2\*x),x)

[Out] -log(tan(exp(-2\*x))\*\*2 + 1)/4

**Giac [A]** time = 1.07857, size = 12, normalized size = 1.09

$$\frac{1}{2} \log(|\cos(e^{-2x})|)$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(exp(-2*x))/exp(2*x),x, algorithm="giac")
```

```
[Out] 1/2*log(abs(cos(e^(-2*x))))
```

$$3.756 \quad \int \frac{\sec(x) \sin(2x)}{1+\cos(x)} dx$$

**Optimal.** Leaf size=7

$$-2 \log(\cos(x) + 1)$$

[Out] -2\*Log[1 + Cos[x]]

**Rubi [A]** time = 0.0443849, antiderivative size = 7, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {12, 31}

$$-2 \log(\cos(x) + 1)$$

Antiderivative was successfully verified.

[In] Int[(Sec[x]\*Sin[2\*x])/(1 + Cos[x]),x]

[Out] -2\*Log[1 + Cos[x]]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 31

Int[((a\_) + (b\_.)\*(x\_))^-1, x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{\sec(x) \sin(2x)}{1 + \cos(x)} dx &= -\text{Subst} \left( \int \frac{2}{1+x} dx, x, \cos(x) \right) \\ &= - \left( 2 \text{Subst} \left( \int \frac{1}{1+x} dx, x, \cos(x) \right) \right) \\ &= -2 \log(1 + \cos(x)) \end{aligned}$$

**Mathematica [A]** time = 0.0055193, size = 9, normalized size = 1.29

$$-4 \log \left( \cos \left( \frac{x}{2} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[x]\*Sin[2\*x])/(1 + Cos[x]),x]

[Out] -4\*Log[Cos[x/2]]

**Maple [A]** time = 0.033, size = 8, normalized size = 1.1

$$-2 \ln(1 + \cos(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(x)*sin(2*x)/(1+cos(x)),x)`

[Out] `-2*ln(1+cos(x))`

---

**Maxima [A]** time = 0.979069, size = 9, normalized size = 1.29

$$-2 \log(\cos(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)*sin(2*x)/(1+cos(x)),x, algorithm="maxima")`

[Out] `-2*log(cos(x) + 1)`

---

**Fricas [A]** time = 2.08175, size = 35, normalized size = 5.

$$-2 \log\left(\frac{1}{2} \cos(x) + \frac{1}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)*sin(2*x)/(1+cos(x)),x, algorithm="fricas")`

[Out] `-2*log(1/2*cos(x) + 1/2)`

---

**Sympy [A]** time = 7.66422, size = 8, normalized size = 1.14

$$-2 \log(\cos(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)*sin(2*x)/(1+cos(x)),x)`

[Out] `-2*log(cos(x) + 1)`

---

**Giac [B]** time = 1.10496, size = 23, normalized size = 3.29

$$2 \log\left(-\frac{\cos(x) - 1}{\cos(x) + 1} + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)*sin(2*x)/(1+cos(x)),x, algorithm="giac")`

[Out] `2*log(-(cos(x) - 1)/(cos(x) + 1) + 1)`

### 3.757 $\int x \sec^2(3x) dx$

**Optimal.** Leaf size=19

$$\frac{1}{3}x \tan(3x) + \frac{1}{9} \log(\cos(3x))$$

[Out] Log[Cos[3\*x]]/9 + (x\*Tan[3\*x])/3

**Rubi [A]** time = 0.0185204, antiderivative size = 19, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {4184, 3475}

$$\frac{1}{3}x \tan(3x) + \frac{1}{9} \log(\cos(3x))$$

Antiderivative was successfully verified.

[In] Int[x\*Sec[3\*x]^2,x]

[Out] Log[Cos[3\*x]]/9 + (x\*Tan[3\*x])/3

#### Rule 4184

Int[csc[(e\_.) + (f\_.)\*(x\_.)]^2\*((c\_.) + (d\_.)\*(x\_.))^(m\_.), x\_Symbol] :> -Simp[p[((c + d\*x)^m\*Cot[e + f\*x])/f, x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Cot[e + f\*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

#### Rule 3475

Int[tan[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d\*x], x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int x \sec^2(3x) dx &= \frac{1}{3}x \tan(3x) - \frac{1}{3} \int \tan(3x) dx \\ &= \frac{1}{9} \log(\cos(3x)) + \frac{1}{3}x \tan(3x) \end{aligned}$$

**Mathematica [A]** time = 0.0084289, size = 19, normalized size = 1.

$$\frac{1}{3}x \tan(3x) + \frac{1}{9} \log(\cos(3x))$$

Antiderivative was successfully verified.

[In] Integrate[x\*Sec[3\*x]^2,x]

[Out] Log[Cos[3\*x]]/9 + (x\*Tan[3\*x])/3

**Maple [A]** time = 0.007, size = 16, normalized size = 0.8

$$\frac{\ln(\cos(3x))}{9} + \frac{x \tan(3x)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*sec(3\*x)^2,x)

[Out] 1/9\*ln(cos(3\*x))+1/3\*x\*tan(3\*x)

**Maxima [B]** time = 1.46553, size = 100, normalized size = 5.26

$$\frac{(\cos(6x)^2 + \sin(6x)^2 + 2 \cos(6x) + 1) \log(\cos(6x)^2 + \sin(6x)^2 + 2 \cos(6x) + 1) + 12x \sin(6x)}{18(\cos(6x)^2 + \sin(6x)^2 + 2 \cos(6x) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sec(3\*x)^2,x, algorithm="maxima")

[Out] 1/18\*((cos(6\*x)^2 + sin(6\*x)^2 + 2\*cos(6\*x) + 1)\*log(cos(6\*x)^2 + sin(6\*x)^2 + 2\*cos(6\*x) + 1) + 12\*x\*sin(6\*x))/(cos(6\*x)^2 + sin(6\*x)^2 + 2\*cos(6\*x) + 1)

**Fricas [A]** time = 2.00315, size = 74, normalized size = 3.89

$$\frac{\cos(3x) \log(-\cos(3x)) + 3x \sin(3x)}{9 \cos(3x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sec(3\*x)^2,x, algorithm="fricas")

[Out] 1/9\*(cos(3\*x)\*log(-cos(3\*x)) + 3\*x\*sin(3\*x))/cos(3\*x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int x \sec^2(3x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sec(3\*x)\*\*2,x)

[Out] Integral(x\*sec(3\*x)\*\*2, x)

**Giac [B]** time = 1.14042, size = 139, normalized size = 7.32

$$\frac{\log\left(\frac{4\left(\tan\left(\frac{3}{2}x\right)^4 - 2\tan\left(\frac{3}{2}x\right)^2 + 1\right)}{\tan\left(\frac{3}{2}x\right)^4 + 2\tan\left(\frac{3}{2}x\right)^2 + 1}\right) \tan\left(\frac{3}{2}x\right)^2 - 12x \tan\left(\frac{3}{2}x\right) - \log\left(\frac{4\left(\tan\left(\frac{3}{2}x\right)^4 - 2\tan\left(\frac{3}{2}x\right)^2 + 1\right)}{\tan\left(\frac{3}{2}x\right)^4 + 2\tan\left(\frac{3}{2}x\right)^2 + 1}\right)}{18\left(\tan\left(\frac{3}{2}x\right)^2 - 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*sec(3*x)^2,x, algorithm="giac")
```

```
[Out] 1/18*(log(4*(tan(3/2*x)^4 - 2*tan(3/2*x)^2 + 1)/(tan(3/2*x)^4 + 2*tan(3/2*x)^2 + 1))*tan(3/2*x)^2 - 12*x*tan(3/2*x) - log(4*(tan(3/2*x)^4 - 2*tan(3/2*x)^2 + 1)/(tan(3/2*x)^4 + 2*tan(3/2*x)^2 + 1)))/(tan(3/2*x)^2 - 1)
```

$$3.758 \quad \int e^{-2\pi x} \cos(2\pi x) dx$$

**Optimal.** Leaf size=37

$$\frac{e^{-2\pi x} \sin(2\pi x)}{4\pi} - \frac{e^{-2\pi x} \cos(2\pi x)}{4\pi}$$

[Out]  $-\text{Cos}[2\text{Pi}x]/(4\text{E}^{(2\text{Pi}x)\text{Pi}}) + \text{Sin}[2\text{Pi}x]/(4\text{E}^{(2\text{Pi}x)\text{Pi}}$

**Rubi [A]** time = 0.0135448, antiderivative size = 37, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {4433}

$$\frac{e^{-2\pi x} \sin(2\pi x)}{4\pi} - \frac{e^{-2\pi x} \cos(2\pi x)}{4\pi}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[2\text{Pi}x]/\text{E}^{(2\text{Pi}x)}, x]$

[Out]  $-\text{Cos}[2\text{Pi}x]/(4\text{E}^{(2\text{Pi}x)\text{Pi}}) + \text{Sin}[2\text{Pi}x]/(4\text{E}^{(2\text{Pi}x)\text{Pi}}$

**Rule 4433**

$\text{Int}[\text{Cos}[(d_.) + (e_.)(x_.)]*(F_)^{((c_.)*((a_.) + (b_.)(x_)))}, x\_Symbol] \rightarrow$   
 $\text{Simp}[(b*c*\text{Log}[F]*F^{(c*(a + b*x))*\text{Cos}[d + e*x]}/(e^2 + b^2*c^2*\text{Log}[F]^2), x$   
 $] + \text{Simp}[(e*F^{(c*(a + b*x))*\text{Sin}[d + e*x]}/(e^2 + b^2*c^2*\text{Log}[F]^2), x] /;$   
 $\text{FreeQ}\{F, a, b, c, d, e\}, x] \&\& \text{NeQ}[e^2 + b^2*c^2*\text{Log}[F]^2, 0]$

**Rubi steps**

$$\int e^{-2\pi x} \cos(2\pi x) dx = -\frac{e^{-2\pi x} \cos(2\pi x)}{4\pi} + \frac{e^{-2\pi x} \sin(2\pi x)}{4\pi}$$

**Mathematica [A]** time = 0.0281835, size = 26, normalized size = 0.7

$$\frac{e^{-2\pi x}(\sin(2\pi x) - \cos(2\pi x))}{4\pi}$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[\text{Cos}[2\text{Pi}x]/\text{E}^{(2\text{Pi}x)}, x]$

[Out]  $(-\text{Cos}[2\text{Pi}x] + \text{Sin}[2\text{Pi}x])/(4\text{E}^{(2\text{Pi}x)\text{Pi}}$

**Maple [A]** time = 0.01, size = 31, normalized size = 0.8

$$\frac{1}{2\pi} \left( -\frac{e^{-2\pi x} \cos(2\pi x)}{2} + \frac{e^{-2\pi x} \sin(2\pi x)}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(2*Pi*x)/exp(2*Pi*x),x)`

[Out] `1/2/Pi*(-1/2*exp(-2*Pi*x)*cos(2*Pi*x)+1/2*exp(-2*Pi*x)*sin(2*Pi*x))`

**Maxima [A]** time = 0.967941, size = 35, normalized size = 0.95

$$-\frac{(\pi \cos(2\pi x) - \pi \sin(2\pi x))e^{-2\pi x}}{4\pi^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(2*pi*x)/exp(2*pi*x),x, algorithm="maxima")`

[Out] `-1/4*(pi*cos(2*pi*x) - pi*sin(2*pi*x))*e^(-2*pi*x)/pi^2`

**Fricas [A]** time = 1.82783, size = 82, normalized size = 2.22

$$-\frac{\cos(2\pi x)e^{-2\pi x} - e^{-2\pi x}\sin(2\pi x)}{4\pi}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(2*pi*x)/exp(2*pi*x),x, algorithm="fricas")`

[Out] `-1/4*(cos(2*pi*x)*e^(-2*pi*x) - e^(-2*pi*x)*sin(2*pi*x))/pi`

**Sympy [A]** time = 0.486224, size = 32, normalized size = 0.86

$$\frac{e^{-2\pi x}\sin(2\pi x)}{4\pi} - \frac{e^{-2\pi x}\cos(2\pi x)}{4\pi}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(2*pi*x)/exp(2*pi*x),x)`

[Out] `exp(-2*pi*x)*sin(2*pi*x)/(4*pi) - exp(-2*pi*x)*cos(2*pi*x)/(4*pi)`

**Giac [A]** time = 1.12773, size = 36, normalized size = 0.97

$$-\frac{1}{4}\left(\frac{\cos(2\pi x)}{\pi} - \frac{\sin(2\pi x)}{\pi}\right)e^{-2\pi x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(2*pi*x)/exp(2*pi*x),x, algorithm="giac")`

[Out] `-1/4*(cos(2*pi*x)/pi - sin(2*pi*x)/pi)*e^(-2*pi*x)`



$$3.759 \quad \int \left( \cos^{12}(x) \sin^{10}(x) - \cos^{10}(x) \sin^{12}(x) \right) dx$$

**Optimal.** Leaf size=12

$$\frac{1}{11} \sin^{11}(x) \cos^{11}(x)$$

[Out] (Cos[x]^11\*Sin[x]^11)/11

**Rubi [B]** time = 0.3238, antiderivative size = 129, normalized size of antiderivative = 10.75, number of steps used = 25, number of rules used = 3, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$ , Rules used = {2568, 2635, 8}

$$-\frac{1}{22} \sin^9(x) \cos^{13}(x) - \frac{9}{440} \sin^7(x) \cos^{13}(x) - \frac{7}{880} \sin^5(x) \cos^{13}(x) - \frac{7 \sin^3(x) \cos^{13}(x)}{2816} + \frac{1}{22} \sin^{11}(x) \cos^{11}(x) + \frac{1}{40} \sin^{13}(x) \cos^9(x)$$

Antiderivative was successfully verified.

[In] Int[Cos[x]^12\*Sin[x]^10 - Cos[x]^10\*Sin[x]^12,x]

[Out] (3\*Cos[x]^11\*Sin[x])/5632 - (3\*Cos[x]^13\*Sin[x])/5632 + (Cos[x]^11\*Sin[x]^3)/512 - (7\*Cos[x]^13\*Sin[x]^3)/2816 + (7\*Cos[x]^11\*Sin[x]^5)/1280 - (7\*Cos[x]^13\*Sin[x]^5)/880 + (Cos[x]^11\*Sin[x]^7)/80 - (9\*Cos[x]^13\*Sin[x]^7)/440 + (Cos[x]^11\*Sin[x]^9)/40 - (Cos[x]^13\*Sin[x]^9)/22 + (Cos[x]^11\*Sin[x]^11)/22

#### Rule 2568

Int[(cos[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.))^n\_\*((a\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^m, x\_Symbol] :> -Simp[(a\*(b\*Cos[e + f\*x])^(n + 1)\*(a\*Sin[e + f\*x])^(m - 1))/(b\*f\*(m + n)), x] + Dist[(a^2\*(m - 1))/(m + n), Int[(b\*Cos[e + f\*x])^n\*(a\*Sin[e + f\*x])^(m - 2), x], x] /; FreeQ[{a, b, e, f, n}, x] && GtQ[m, 1] && NeQ[m + n, 0] && IntegersQ[2\*m, 2\*n]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^n, x\_Symbol] :> -Simp[(b\*Cos[c + d\*x])\*(b\*Sin[c + d\*x])^(n - 1)/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned}
\int (\cos^{12}(x) \sin^{10}(x) - \cos^{10}(x) \sin^{12}(x)) dx &= \int \cos^{12}(x) \sin^{10}(x) dx - \int \cos^{10}(x) \sin^{12}(x) dx \\
&= -\frac{1}{22} \cos^{13}(x) \sin^9(x) + \frac{1}{22} \cos^{11}(x) \sin^{11}(x) + \frac{9}{22} \int \cos^{12}(x) \sin^8(x) dx - \\
&= -\frac{9}{440} \cos^{13}(x) \sin^7(x) + \frac{1}{40} \cos^{11}(x) \sin^9(x) - \frac{1}{22} \cos^{13}(x) \sin^9(x) + \frac{1}{22} \int \cos^{12}(x) \sin^6(x) dx - \\
&= -\frac{7}{880} \cos^{13}(x) \sin^5(x) + \frac{1}{80} \cos^{11}(x) \sin^7(x) - \frac{9}{440} \cos^{13}(x) \sin^7(x) + \frac{1}{40} \int \cos^{12}(x) \sin^4(x) dx - \\
&= -\frac{7 \cos^{13}(x) \sin^3(x)}{2816} + \frac{7 \cos^{11}(x) \sin^5(x)}{1280} - \frac{7}{880} \cos^{13}(x) \sin^5(x) + \frac{1}{80} \int \cos^{12}(x) \sin^2(x) dx - \\
&= -\frac{3 \cos^{13}(x) \sin(x)}{5632} + \frac{1}{512} \cos^{11}(x) \sin^3(x) - \frac{7 \cos^{13}(x) \sin^3(x)}{2816} + \frac{7 \cos^{11}(x) \sin^5(x)}{1280} - \\
&= \frac{3 \cos^{11}(x) \sin(x)}{5632} - \frac{3 \cos^{13}(x) \sin(x)}{5632} + \frac{1}{512} \cos^{11}(x) \sin^3(x) - \frac{7 \cos^{13}(x)}{2816}
\end{aligned}$$

**Mathematica [B]** time = 0.0262099, size = 49, normalized size = 4.08

$$\frac{21 \sin(2x)}{1048576} - \frac{15 \sin(6x)}{1048576} + \frac{15 \sin(10x)}{2097152} - \frac{5 \sin(14x)}{2097152} + \frac{\sin(18x)}{2097152} - \frac{\sin(22x)}{23068672}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]^12\*Sin[x]^10 - Cos[x]^10\*Sin[x]^12,x]

[Out] (21\*Sin[2\*x])/1048576 - (15\*Sin[6\*x])/1048576 + (15\*Sin[10\*x])/2097152 - (5\*Sin[14\*x])/2097152 + Sin[18\*x]/2097152 - Sin[22\*x]/23068672

**Maple [B]** time = 0.081, size = 176, normalized size = 14.7

$$-\frac{(\cos(x))^{13}(\sin(x))^9}{22} - \frac{9(\sin(x))^7(\cos(x))^{13}}{440} - \frac{7(\sin(x))^5(\cos(x))^{13}}{880} - \frac{7(\sin(x))^3(\cos(x))^{13}}{2816} - \frac{3\sin(x)(\cos(x))^{13}}{5632}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)^12\*sin(x)^10-cos(x)^10\*sin(x)^12,x)

[Out] -1/22\*cos(x)^13\*sin(x)^9-9/440\*cos(x)^13\*sin(x)^7-7/880\*cos(x)^13\*sin(x)^5-7/2816\*cos(x)^13\*sin(x)^3-3/5632\*cos(x)^13\*sin(x)-1/22528\*(cos(x)^11+11/10\*cos(x)^9+99/80\*cos(x)^7+231/160\*cos(x)^5+231/128\*cos(x)^3+693/256\*cos(x))\*sin(x)+1/22\*cos(x)^11\*sin(x)^11+1/40\*cos(x)^9\*cos(x)^11+1/80\*cos(x)^7\*cos(x)^11+7/1280\*cos(x)^5\*cos(x)^11+1/512\*cos(x)^3\*cos(x)^11+1/2048\*cos(x)\*cos(x)^11-1/20480\*(cos(x)^9+9/8\*cos(x)^7+21/16\*cos(x)^5+105/64\*cos(x)^3+315/128\*cos(x))\*sin(x)

**Maxima [A]** time = 0.983177, size = 11, normalized size = 0.92

$$\frac{1}{22528} \sin(2x)^{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)^12\*sin(x)^10-cos(x)^10\*sin(x)^12,x, algorithm="maxima")

[Out]  $1/22528*\sin(2*x)^{11}$

**Fricas [B]** time = 2.45203, size = 130, normalized size = 10.83

$$-\frac{1}{11} \left( \cos(x)^{21} - 5 \cos(x)^{19} + 10 \cos(x)^{17} - 10 \cos(x)^{15} + 5 \cos(x)^{13} - \cos(x)^{11} \right) \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)^12*sin(x)^10-cos(x)^10*sin(x)^12,x, algorithm="fricas")`

[Out]  $-1/11*(\cos(x)^{21} - 5*\cos(x)^{19} + 10*\cos(x)^{17} - 10*\cos(x)^{15} + 5*\cos(x)^{13} - \cos(x)^{11})*\sin(x)$

**Sympy [B]** time = 0.089651, size = 236, normalized size = 19.67

$$-\frac{\sin^{21}(x) \cos(x)}{22} + \frac{89 \sin^{19}(x) \cos(x)}{440} - \frac{301 \sin^{17}(x) \cos(x)}{880} + \frac{3683 \sin^{15}(x) \cos(x)}{14080} - \frac{433 \sin^{13}(x) \cos(x)}{5632} + \frac{\sin^{11}(x) \cos(x)}{22528}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)**12*sin(x)**10-cos(x)**10*sin(x)**12,x)`

[Out]  $-\sin(x)**21*\cos(x)/22 + 89*\sin(x)**19*\cos(x)/440 - 301*\sin(x)**17*\cos(x)/880 + 3683*\sin(x)**15*\cos(x)/14080 - 433*\sin(x)**13*\cos(x)/5632 + \sin(x)**11*\cos(x)/22528 + \sin(x)**9*\cos(x)/20480 + 9*\sin(x)**7*\cos(x)/163840 + 21*\sin(x)**5*\cos(x)/327680 + 21*\sin(x)**3*\cos(x)/262144 - \sin(x)*\cos(x)**21/22 + 89*\sin(x)*\cos(x)**19/440 - 301*\sin(x)*\cos(x)**17/880 + 3683*\sin(x)*\cos(x)**15/14080 - 433*\sin(x)*\cos(x)**13/5632 + \sin(x)*\cos(x)**11/22528 + \sin(x)*\cos(x)**9/20480 + 9*\sin(x)*\cos(x)**7/163840 + 21*\sin(x)*\cos(x)**5/327680 + 21*\sin(x)*\cos(x)**3/262144 + 63*\sin(x)*\cos(x)/262144$

**Giac [B]** time = 1.11688, size = 50, normalized size = 4.17

$$-\frac{1}{23068672} \sin(22x) + \frac{1}{2097152} \sin(18x) - \frac{5}{2097152} \sin(14x) + \frac{15}{2097152} \sin(10x) - \frac{15}{1048576} \sin(6x) + \frac{21}{1048576} \sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)^12*sin(x)^10-cos(x)^10*sin(x)^12,x, algorithm="giac")`

[Out]  $-1/23068672*\sin(22*x) + 1/2097152*\sin(18*x) - 5/2097152*\sin(14*x) + 15/2097152*\sin(10*x) - 15/1048576*\sin(6*x) + 21/1048576*\sin(2*x)$

### 3.760 $\int x \cot(x^2) dx$

**Optimal.** Leaf size=9

$$\frac{1}{2} \log(\sin(x^2))$$

[Out] Log[Sin[x^2]]/2

**Rubi [A]** time = 0.0066126, antiderivative size = 9, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {3748, 3475}

$$\frac{1}{2} \log(\sin(x^2))$$

Antiderivative was successfully verified.

[In] Int[x\*Cot[x^2],x]

[Out] Log[Sin[x^2]]/2

#### Rule 3748

```
Int[((a_.) + Cot[(c_.) + (d_.)*(x_)^(n_)])*(b_.))^(p_.)*(x_)^(m_.), x_Symbol]
  >: Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Cot[c + d*x])^p,
    x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m +
    1)/n], 0] && IntegerQ[p]
```

#### Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] >: -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

#### Rubi steps

$$\begin{aligned} \int x \cot(x^2) dx &= \frac{1}{2} \text{Subst} \left( \int \cot(x) dx, x, x^2 \right) \\ &= \frac{1}{2} \log(\sin(x^2)) \end{aligned}$$

**Mathematica [B]** time = 0.0086499, size = 19, normalized size = 2.11

$$\frac{1}{2} \log(\tan(x^2)) + \frac{1}{2} \log(\cos(x^2))$$

Antiderivative was successfully verified.

[In] Integrate[x\*Cot[x^2],x]

[Out] Log[Cos[x^2]]/2 + Log[Tan[x^2]]/2

**Maple [A]** time = 0.002, size = 8, normalized size = 0.9

$$\frac{\ln(\sin(x^2))}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*cot(x^2),x)

[Out] 1/2\*ln(sin(x^2))

---

**Maxima [A]** time = 0.969597, size = 9, normalized size = 1.

$$\frac{1}{2} \log(\sin(x^2))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*cot(x^2),x, algorithm="maxima")

[Out] 1/2\*log(sin(x^2))

---

**Fricas [A]** time = 2.08113, size = 43, normalized size = 4.78

$$\frac{1}{4} \log\left(-\frac{1}{2} \cos(2x^2) + \frac{1}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*cot(x^2),x, algorithm="fricas")

[Out] 1/4\*log(-1/2\*cos(2\*x^2) + 1/2)

---

**Sympy [B]** time = 0.151614, size = 19, normalized size = 2.11

$$-\frac{\log(\tan^2(x^2) + 1)}{4} + \frac{\log(\tan(x^2))}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*cot(x\*\*2),x)

[Out] -log(tan(x\*\*2)\*\*2 + 1)/4 + log(tan(x\*\*2))/2

---

**Giac [A]** time = 1.11234, size = 16, normalized size = 1.78

$$\frac{1}{4} \log\left(\left|\cos(x^2)^2 - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*cot(x^2),x, algorithm="giac")
```

```
[Out] 1/4*log(abs(cos(x^2)^2 - 1))
```

### 3.761 $\int x \sec^2(x^2) dx$

**Optimal.** Leaf size=8

$$\frac{\tan(x^2)}{2}$$

[Out] Tan[x^2]/2

**Rubi [A]** time = 0.0130906, antiderivative size = 8, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {4204, 3767, 8}

$$\frac{\tan(x^2)}{2}$$

Antiderivative was successfully verified.

[In] Int[x\*Sec[x^2]^2,x]

[Out] Tan[x^2]/2

#### Rule 4204

Int[(x\_)^(m\_.)\*((a\_.) + (b\_.)\*Sec[(c\_.) + (d\_.)\*(x\_)^(n\_)])^(p\_.), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*Sec[c + d\*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]

#### Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

#### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned} \int x \sec^2(x^2) dx &= \frac{1}{2} \text{Subst} \left( \int \sec^2(x) dx, x, x^2 \right) \\ &= - \left( \frac{1}{2} \text{Subst} \left( \int 1 dx, x, -\tan(x^2) \right) \right) \\ &= \frac{\tan(x^2)}{2} \end{aligned}$$

**Mathematica [A]** time = 0.0163709, size = 8, normalized size = 1.

$$\frac{\tan(x^2)}{2}$$

Antiderivative was successfully verified.

[In] Integrate[x\*Sec[x^2]^2,x]

[Out] Tan[x^2]/2

**Maple [A]** time = 0.005, size = 7, normalized size = 0.9

$$\frac{\tan(x^2)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*sec(x^2)^2,x)

[Out] 1/2\*tan(x^2)

**Maxima [B]** time = 0.964929, size = 47, normalized size = 5.88

$$\frac{\sin(2x^2)}{\cos(2x^2)^2 + \sin(2x^2)^2 + 2\cos(2x^2) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sec(x^2)^2,x, algorithm="maxima")

[Out] sin(2\*x^2)/(cos(2\*x^2)^2 + sin(2\*x^2)^2 + 2\*cos(2\*x^2) + 1)

**Fricas [A]** time = 1.97484, size = 31, normalized size = 3.88

$$\frac{\sin(x^2)}{2\cos(x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sec(x^2)^2,x, algorithm="fricas")

[Out] 1/2\*sin(x^2)/cos(x^2)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int x \sec^2(x^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sec(x\*\*2)\*\*2,x)

[Out] Integral(x\*sec(x\*\*2)\*\*2, x)



---

**Giac [A]** time = 1.07706, size = 8, normalized size = 1.

$$\frac{1}{2} \tan(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sec(x^2)^2,x, algorithm="giac")

[Out] 1/2\*tan(x^2)

$$3.762 \quad \int \frac{\sin(8x)}{9 + \sin^4(4x)} dx$$

**Optimal.** Leaf size=15

$$\frac{1}{12} \tan^{-1} \left( \frac{1}{3} \sin^2(4x) \right)$$

[Out] ArcTan[Sin[4\*x]^2/3]/12

**Rubi [A]** time = 0.0290622, antiderivative size = 15, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {12, 275, 203}

$$\frac{1}{12} \tan^{-1} \left( \frac{1}{3} \sin^2(4x) \right)$$

Antiderivative was successfully verified.

[In] Int[Sin[8\*x]/(9 + Sin[4\*x]^4), x]

[Out] ArcTan[Sin[4\*x]^2/3]/12

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 275

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)\*(a + b\*x^(n/k))^p, x], x, x^k], x] /; k != 1 /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{\sin(8x)}{9 + \sin^4(4x)} dx &= \frac{1}{4} \text{Subst} \left( \int \frac{2x}{9 + x^4} dx, x, \sin(4x) \right) \\ &= \frac{1}{2} \text{Subst} \left( \int \frac{x}{9 + x^4} dx, x, \sin(4x) \right) \\ &= \frac{1}{4} \text{Subst} \left( \int \frac{1}{9 + x^2} dx, x, \sin^2(4x) \right) \\ &= \frac{1}{12} \tan^{-1} \left( \frac{1}{3} \sin^2(4x) \right) \end{aligned}$$

**Mathematica [A]** time = 0.0162902, size = 15, normalized size = 1.

$$\frac{1}{12} \tan^{-1} \left( \frac{1}{3} \sin^2(4x) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[8\*x]/(9 + Sin[4\*x]^4), x]

[Out] ArcTan[Sin[4\*x]^2/3]/12

**Maple [A]** time = 0.05, size = 12, normalized size = 0.8

$$\frac{1}{12} \arctan\left(\frac{(\sin(4x))^2}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(8\*x)/(9+sin(4\*x)^4), x)

[Out] 1/12\*arctan(1/3\*sin(4\*x)^2)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin(8x)}{\sin(4x)^4 + 9} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(8\*x)/(9+sin(4\*x)^4), x, algorithm="maxima")

[Out] integrate(sin(8\*x)/(sin(4\*x)^4 + 9), x)

**Fricas [A]** time = 2.14511, size = 49, normalized size = 3.27

$$-\frac{1}{12} \arctan\left(\frac{1}{3} \cos(4x)^2 - \frac{1}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(8\*x)/(9+sin(4\*x)^4), x, algorithm="fricas")

[Out] -1/12\*arctan(1/3\*cos(4\*x)^2 - 1/3)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(8\*x)/(9+sin(4\*x)\*\*4), x)

[Out] Timed out

---

**Giac [A]** time = 1.11829, size = 20, normalized size = 1.33

$$\frac{1}{12} \arctan\left(\frac{3}{\cos(4x)^2 - 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(8\*x)/(9+sin(4\*x)^4),x, algorithm="giac")

[Out] 1/12\*arctan(3/(cos(4\*x)^2 - 1))

$$3.763 \quad \int \frac{\cos(2x)}{8+\sin^2(2x)} dx$$

**Optimal.** Leaf size=23

$$\frac{\tan^{-1}\left(\frac{\sin(2x)}{2\sqrt{2}}\right)}{4\sqrt{2}}$$

[Out] ArcTan[Sin[2\*x]/(2\*Sqrt[2])]/(4\*Sqrt[2])

**Rubi [A]** time = 0.0218966, antiderivative size = 23, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$ , Rules used = {3190, 203}

$$\frac{\tan^{-1}\left(\frac{\sin(2x)}{2\sqrt{2}}\right)}{4\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[Cos[2\*x]/(8 + Sin[2\*x]^2), x]

[Out] ArcTan[Sin[2\*x]/(2\*Sqrt[2])]/(4\*Sqrt[2])

#### Rule 3190

Int[cos[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2)^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Sin[e + f\*x], x]}, Dist[ff/f, Subst[Int[(1 - ff^2\*x^2)^((m - 1)/2)\*(a + b\*ff^2\*x^2)^p, x], x, Sin[e + f\*x]/ff], x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]

#### Rule 203

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{\cos(2x)}{8+\sin^2(2x)} dx &= \frac{1}{2} \text{Subst}\left(\int \frac{1}{8+x^2} dx, x, \sin(2x)\right) \\ &= \frac{\tan^{-1}\left(\frac{\sin(2x)}{2\sqrt{2}}\right)}{4\sqrt{2}} \end{aligned}$$

**Mathematica [A]** time = 0.0127909, size = 20, normalized size = 0.87

$$\frac{\tan^{-1}\left(\frac{\sin(x)\cos(x)}{\sqrt{2}}\right)}{4\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[2\*x]/(8 + Sin[2\*x]^2), x]

[Out] ArcTan[(Cos[x]\*Sin[x])/Sqrt[2]]/(4\*Sqrt[2])

---

**Maple [A]** time = 0.013, size = 16, normalized size = 0.7

$$\frac{\sqrt{2}}{8} \arctan\left(\frac{\sin(2x)\sqrt{2}}{4}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(2\*x)/(8+sin(2\*x)^2),x)

[Out] 1/8\*arctan(1/4\*sin(2\*x)\*2^(1/2))\*2^(1/2)

---

**Maxima [A]** time = 1.45835, size = 20, normalized size = 0.87

$$\frac{1}{8} \sqrt{2} \arctan\left(\frac{1}{4} \sqrt{2} \sin(2x)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*x)/(8+sin(2\*x)^2),x, algorithm="maxima")

[Out] 1/8\*sqrt(2)\*arctan(1/4\*sqrt(2)\*sin(2\*x))

---

**Fricas [A]** time = 2.00101, size = 57, normalized size = 2.48

$$\frac{1}{8} \sqrt{2} \arctan\left(\frac{1}{4} \sqrt{2} \sin(2x)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*x)/(8+sin(2\*x)^2),x, algorithm="fricas")

[Out] 1/8\*sqrt(2)\*arctan(1/4\*sqrt(2)\*sin(2\*x))

---

**Sympy [A]** time = 0.318515, size = 19, normalized size = 0.83

$$\frac{\sqrt{2} \operatorname{atan}\left(\frac{\sqrt{2} \sin(2x)}{4}\right)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*x)/(8+sin(2\*x)\*\*2),x)

[Out] sqrt(2)\*atan(sqrt(2)\*sin(2\*x)/4)/8

---

**Giac [A]** time = 1.08792, size = 20, normalized size = 0.87

$$\frac{1}{8} \sqrt{2} \arctan\left(\frac{1}{4} \sqrt{2} \sin(2x)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(2*x)/(8+sin(2*x)^2),x, algorithm="giac")
```

```
[Out] 1/8*sqrt(2)*arctan(1/4*sqrt(2)*sin(2*x))
```

### 3.764 $\int x \left( \cos^3(x^2) - \sin^3(x^2) \right) dx$

**Optimal.** Leaf size=37

$$-\frac{1}{6} \sin^3(x^2) + \frac{\sin(x^2)}{2} - \frac{1}{6} \cos^3(x^2) + \frac{\cos(x^2)}{2}$$

[Out] Cos[x^2]/2 - Cos[x^2]^3/6 + Sin[x^2]/2 - Sin[x^2]^3/6

**Rubi [A]** time = 0.0335579, antiderivative size = 37, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 4, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.235$ , Rules used = {14, 3380, 2633, 3379}

$$-\frac{1}{6} \sin^3(x^2) + \frac{\sin(x^2)}{2} - \frac{1}{6} \cos^3(x^2) + \frac{\cos(x^2)}{2}$$

Antiderivative was successfully verified.

[In] Int[x\*(Cos[x^2]^3 - Sin[x^2]^3),x]

[Out] Cos[x^2]/2 - Cos[x^2]^3/6 + Sin[x^2]/2 - Sin[x^2]^3/6

#### Rule 14

```
Int[(u_)*((c_.)*(x_)^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

#### Rule 3380

```
Int[((a_.) + Cos[(c_.) + (d_.)*(x_)^(n_)])*(b_.))^(p_.)*(x_)^(m_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Cos[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

#### Rule 2633

```
Int[sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]
```

#### Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*SIN[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

#### Rubi steps



$$\begin{aligned}
\int x (\cos^3(x^2) - \sin^3(x^2)) dx &= \int (x \cos^3(x^2) - x \sin^3(x^2)) dx \\
&= \int x \cos^3(x^2) dx - \int x \sin^3(x^2) dx \\
&= \frac{1}{2} \text{Subst} \left( \int \cos^3(x) dx, x, x^2 \right) - \frac{1}{2} \text{Subst} \left( \int \sin^3(x) dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left( \int (1 - x^2) dx, x, \cos(x^2) \right) - \frac{1}{2} \text{Subst} \left( \int (1 - x^2) dx, x, -\sin(x^2) \right) \\
&= \frac{\cos(x^2)}{2} - \frac{1}{6} \cos^3(x^2) + \frac{\sin(x^2)}{2} - \frac{1}{6} \sin^3(x^2)
\end{aligned}$$

**Mathematica [A]** time = 0.0230532, size = 37, normalized size = 1.

$$-\frac{1}{6} \sin^3(x^2) + \frac{\sin(x^2)}{2} + \frac{3 \cos(x^2)}{8} - \frac{1}{24} \cos(3x^2)$$

Antiderivative was successfully verified.

[In] Integrate[x\*(Cos[x^2]^3 - Sin[x^2]^3), x]

[Out] (3\*Cos[x^2])/8 - Cos[3\*x^2]/24 + Sin[x^2]/2 - Sin[x^2]^3/6

**Maple [A]** time = 0.024, size = 30, normalized size = 0.8

$$\frac{(2 + (\cos(x^2))^2) \sin(x^2)}{6} + \frac{(2 + (\sin(x^2))^2) \cos(x^2)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(cos(x^2)^3-sin(x^2)^3), x)

[Out] 1/6\*(2+cos(x^2)^2)\*sin(x^2)+1/6\*(2+sin(x^2)^2)\*cos(x^2)

**Maxima [A]** time = 0.968764, size = 39, normalized size = 1.05

$$-\frac{1}{24} \cos(3x^2) + \frac{3}{8} \cos(x^2) + \frac{1}{24} \sin(3x^2) + \frac{3}{8} \sin(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(cos(x^2)^3-sin(x^2)^3), x, algorithm="maxima")

[Out] -1/24\*cos(3\*x^2) + 3/8\*cos(x^2) + 1/24\*sin(3\*x^2) + 3/8\*sin(x^2)

**Fricas [A]** time = 2.08791, size = 86, normalized size = 2.32

$$-\frac{1}{6} \cos(x^2)^3 + \frac{1}{6} (\cos(x^2)^2 + 2) \sin(x^2) + \frac{1}{2} \cos(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(cos(x^2)^3-sin(x^2)^3),x, algorithm="fricas")
```

```
[Out] -1/6*cos(x^2)^3 + 1/6*(cos(x^2)^2 + 2)*sin(x^2) + 1/2*cos(x^2)
```

**Sympy [A]** time = 0.609055, size = 42, normalized size = 1.14

$$\frac{\sin^3(x^2)}{3} + \frac{\sin^2(x^2)\cos(x^2)}{2} + \frac{\sin(x^2)\cos^2(x^2)}{2} + \frac{\cos^3(x^2)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(cos(x**2)**3-sin(x**2)**3),x)
```

```
[Out] sin(x**2)**3/3 + sin(x**2)**2*cos(x**2)/2 + sin(x**2)*cos(x**2)**2/2 + cos(x**2)**3/3
```

**Giac [A]** time = 1.07506, size = 39, normalized size = 1.05

$$-\frac{1}{6}\cos(x^2)^3 - \frac{1}{6}\sin(x^2)^3 + \frac{1}{2}\cos(x^2) + \frac{1}{2}\sin(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(cos(x^2)^3-sin(x^2)^3),x, algorithm="giac")
```

```
[Out] -1/6*cos(x^2)^3 - 1/6*sin(x^2)^3 + 1/2*cos(x^2) + 1/2*sin(x^2)
```

$$3.765 \quad \int \frac{\cos(x) \sin(x)}{1 - \cos(x)} dx$$

**Optimal.** Leaf size=10

$$\cos(x) + \log(1 - \cos(x))$$

[Out] Cos[x] + Log[1 - Cos[x]]

**Rubi [A]** time = 0.0330559, antiderivative size = 10, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {2833, 43}

$$\cos(x) + \log(1 - \cos(x))$$

Antiderivative was successfully verified.

[In] Int[(Cos[x]\*Sin[x])/(1 - Cos[x]),x]

[Out] Cos[x] + Log[1 - Cos[x]]

#### Rule 2833

Int[cos[(e\_.) + (f\_.)\*(x\_)]\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Dist[1/(b\*f), Subst[Int[(a + x)^m\*(c + (d\*x)/b)^n, x], x, b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x]

#### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{\cos(x) \sin(x)}{1 - \cos(x)} dx &= -\text{Subst} \left( \int \frac{x}{1+x} dx, x, -\cos(x) \right) \\ &= -\text{Subst} \left( \int \left( 1 + \frac{1}{-1-x} \right) dx, x, -\cos(x) \right) \\ &= \cos(x) + \log(1 - \cos(x)) \end{aligned}$$

**Mathematica [A]** time = 0.0174454, size = 12, normalized size = 1.2

$$\cos(x) + 2 \log \left( \sin \left( \frac{x}{2} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[x]\*Sin[x])/(1 - Cos[x]),x]

[Out] Cos[x] + 2\*Log[Sin[x/2]]

---

**Maple [A]** time = 0.012, size = 9, normalized size = 0.9

$$\cos(x) + \ln(-1 + \cos(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(x)*sin(x)/(1-cos(x)),x)`

[Out] `cos(x)+ln(-1+cos(x))`

---

**Maxima [A]** time = 0.9537, size = 11, normalized size = 1.1

$$\cos(x) + \log(\cos(x) - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*sin(x)/(1-cos(x)),x, algorithm="maxima")`

[Out] `cos(x) + log(cos(x) - 1)`

---

**Fricas [A]** time = 1.92776, size = 45, normalized size = 4.5

$$\cos(x) + \log\left(-\frac{1}{2}\cos(x) + \frac{1}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*sin(x)/(1-cos(x)),x, algorithm="fricas")`

[Out] `cos(x) + log(-1/2*cos(x) + 1/2)`

---

**Sympy [A]** time = 0.19146, size = 8, normalized size = 0.8

$$\log(\cos(x) - 1) + \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*sin(x)/(1-cos(x)),x)`

[Out] `log(cos(x) - 1) + cos(x)`

---

**Giac [A]** time = 1.109, size = 14, normalized size = 1.4

$$\cos(x) + \log(-\cos(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*sin(x)/(1-cos(x)),x, algorithm="giac")`

[Out] `cos(x) + log(-cos(x) + 1)`

### 3.766 $\int x \cos(x^2) dx$

**Optimal.** Leaf size=8

$$\frac{\sin(x^2)}{2}$$

[Out] Sin[x^2]/2

**Rubi [A]** time = 0.0069327, antiderivative size = 8, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {3380, 2637}

$$\frac{\sin(x^2)}{2}$$

Antiderivative was successfully verified.

[In] Int[x\*Cos[x^2],x]

[Out] Sin[x^2]/2

#### Rule 3380

Int[((a\_.) + Cos[(c\_.) + (d\_.)\*(x\_)^(n\_)])\*(b\_.))^(p\_.)\*(x\_)^(m\_.), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*Cos[c + d\*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int x \cos(x^2) dx &= \frac{1}{2} \text{Subst}\left(\int \cos(x) dx, x, x^2\right) \\ &= \frac{\sin(x^2)}{2} \end{aligned}$$

**Mathematica [A]** time = 0.0013442, size = 8, normalized size = 1.

$$\frac{\sin(x^2)}{2}$$

Antiderivative was successfully verified.

[In] Integrate[x\*Cos[x^2],x]

[Out] Sin[x^2]/2

---

**Maple [A]** time = 0.005, size = 7, normalized size = 0.9

$$\frac{\sin(x^2)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*cos(x^2),x)`

[Out] `1/2*sin(x^2)`

---

**Maxima [A]** time = 0.962249, size = 8, normalized size = 1.

$$\frac{1}{2} \sin(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*cos(x^2),x, algorithm="maxima")`

[Out] `1/2*sin(x^2)`

---

**Fricas [A]** time = 1.89449, size = 19, normalized size = 2.38

$$\frac{1}{2} \sin(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*cos(x^2),x, algorithm="fricas")`

[Out] `1/2*sin(x^2)`

---

**Sympy [A]** time = 0.164242, size = 5, normalized size = 0.62

$$\frac{\sin(x^2)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*cos(x**2),x)`

[Out] `sin(x**2)/2`

---

**Giac [A]** time = 1.11061, size = 8, normalized size = 1.

$$\frac{1}{2} \sin(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*cos(x^2),x, algorithm="giac")
```

```
[Out] 1/2*sin(x^2)
```

### 3.767 $\int x^2 \cos(4x^3) dx$

**Optimal.** Leaf size=10

$$\frac{1}{12} \sin(4x^3)$$

[Out] Sin[4\*x^3]/12

**Rubi [A]** time = 0.0121073, antiderivative size = 10, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {3380, 2637}

$$\frac{1}{12} \sin(4x^3)$$

Antiderivative was successfully verified.

[In] Int[x^2\*Cos[4\*x^3],x]

[Out] Sin[4\*x^3]/12

#### Rule 3380

```
Int[((a_.) + Cos[(c_.) + (d_.)*(x_)^(n_)])*(b_.))^(p_.)*(x_)^(m_.), x_Symbol]
  := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Cos[c + d*x])^p,
    x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
  && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

#### Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
  FreeQ[{c, d}, x]
```

#### Rubi steps

$$\begin{aligned} \int x^2 \cos(4x^3) dx &= \frac{1}{3} \text{Subst} \left( \int \cos(4x) dx, x, x^3 \right) \\ &= \frac{1}{12} \sin(4x^3) \end{aligned}$$

**Mathematica [A]** time = 0.003212, size = 10, normalized size = 1.

$$\frac{1}{12} \sin(4x^3)$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*Cos[4\*x^3],x]

[Out] Sin[4\*x^3]/12



**Maple [A]** time = 0.005, size = 9, normalized size = 0.9

$$\frac{\sin(4x^3)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*cos(4\*x^3),x)

[Out] 1/12\*sin(4\*x^3)

---

**Maxima [A]** time = 0.967451, size = 11, normalized size = 1.1

$$\frac{1}{12} \sin(4x^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*cos(4\*x^3),x, algorithm="maxima")

[Out] 1/12\*sin(4\*x^3)

---

**Fricas [A]** time = 1.99023, size = 23, normalized size = 2.3

$$\frac{1}{12} \sin(4x^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*cos(4\*x^3),x, algorithm="fricas")

[Out] 1/12\*sin(4\*x^3)

---

**Sympy [A]** time = 0.293403, size = 7, normalized size = 0.7

$$\frac{\sin(4x^3)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*cos(4\*x\*\*3),x)

[Out] sin(4\*x\*\*3)/12

---

**Giac [A]** time = 1.1051, size = 11, normalized size = 1.1

$$\frac{1}{12} \sin(4x^3)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*cos(4*x^3),x, algorithm="giac")
```

```
[Out] 1/12*sin(4*x^3)
```

### 3.768 $\int x^3 \cos(x^4) dx$

**Optimal.** Leaf size=8

$$\frac{\sin(x^4)}{4}$$

[Out] Sin[x^4]/4

**Rubi [A]** time = 0.0094394, antiderivative size = 8, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {3380, 2637}

$$\frac{\sin(x^4)}{4}$$

Antiderivative was successfully verified.

[In] Int[x^3\*Cos[x^4],x]

[Out] Sin[x^4]/4

#### Rule 3380

Int[((a\_.) + Cos[(c\_.) + (d\_.)\*(x\_)^(n\_)])\*(b\_.))^(p\_.)\*(x\_)^(m\_.), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*Cos[c + d\*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int x^3 \cos(x^4) dx &= \frac{1}{4} \text{Subst} \left( \int \cos(x) dx, x, x^4 \right) \\ &= \frac{\sin(x^4)}{4} \end{aligned}$$

**Mathematica [A]** time = 0.001593, size = 8, normalized size = 1.

$$\frac{\sin(x^4)}{4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*Cos[x^4],x]

[Out] Sin[x^4]/4

---

**Maple [A]** time = 0.005, size = 7, normalized size = 0.9

$$\frac{\sin(x^4)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*cos(x^4),x)`

[Out] `1/4*sin(x^4)`

---

**Maxima [A]** time = 0.982466, size = 8, normalized size = 1.

$$\frac{1}{4} \sin(x^4)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*cos(x^4),x, algorithm="maxima")`

[Out] `1/4*sin(x^4)`

---

**Fricas [A]** time = 1.94804, size = 19, normalized size = 2.38

$$\frac{1}{4} \sin(x^4)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*cos(x^4),x, algorithm="fricas")`

[Out] `1/4*sin(x^4)`

---

**Sympy [A]** time = 0.538404, size = 5, normalized size = 0.62

$$\frac{\sin(x^4)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*cos(x**4),x)`

[Out] `sin(x**4)/4`

---

**Giac [A]** time = 1.0835, size = 8, normalized size = 1.

$$\frac{1}{4} \sin(x^4)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*cos(x^4),x, algorithm="giac")
```

```
[Out] 1/4*sin(x^4)
```

$$3.769 \quad \int x \sin\left(\frac{x^2}{2}\right) dx$$

**Optimal.** Leaf size=10

$$-\cos\left(\frac{x^2}{2}\right)$$

[Out] -Cos[x^2/2]

**Rubi [A]** time = 0.0077483, antiderivative size = 10, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {3379, 2638}

$$-\cos\left(\frac{x^2}{2}\right)$$

Antiderivative was successfully verified.

[In] Int[x\*Sin[x^2/2],x]

[Out] -Cos[x^2/2]

#### Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol]
  := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x]
  /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

#### Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]
```

#### Rubi steps

$$\begin{aligned} \int x \sin\left(\frac{x^2}{2}\right) dx &= \frac{1}{2} \text{Subst}\left(\int \sin\left(\frac{x}{2}\right) dx, x, x^2\right) \\ &= -\cos\left(\frac{x^2}{2}\right) \end{aligned}$$

**Mathematica [A]** time = 0.0104019, size = 10, normalized size = 1.

$$-\cos\left(\frac{x^2}{2}\right)$$

Antiderivative was successfully verified.

[In] Integrate[x\*Sin[x^2/2],x]

[Out]  $-\cos[x^2/2]$

---

**Maple [A]** time = 0.003, size = 9, normalized size = 0.9

$$-\cos\left(\frac{x^2}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*sin(1/2*x^2),x)`

[Out]  $-\cos(1/2*x^2)$

---

**Maxima [A]** time = 0.956508, size = 11, normalized size = 1.1

$$-\cos\left(\frac{1}{2}x^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*sin(1/2*x^2),x, algorithm="maxima")`

[Out]  $-\cos(1/2*x^2)$

---

**Fricas [A]** time = 1.8549, size = 20, normalized size = 2.

$$-\cos\left(\frac{1}{2}x^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*sin(1/2*x^2),x, algorithm="fricas")`

[Out]  $-\cos(1/2*x^2)$

---

**Sympy [A]** time = 0.163217, size = 7, normalized size = 0.7

$$-\cos\left(\frac{x^2}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*sin(1/2*x**2),x)`

[Out]  $-\cos(x**2/2)$

---

**Giac [A]** time = 1.08726, size = 11, normalized size = 1.1

$$-\cos\left(\frac{1}{2}x^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*sin(1/2*x^2),x, algorithm="giac")
```

```
[Out] -cos(1/2*x^2)
```



$$3.770 \quad \int x \sec(x^2) \tan(x^2) dx$$

**Optimal.** Leaf size=8

$$\frac{\sec(x^2)}{2}$$

[Out] Sec[x^2]/2

**Rubi [A]** time = 0.063054, antiderivative size = 8, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.3$ , Rules used = {6715, 2606, 8}

$$\frac{\sec(x^2)}{2}$$

Antiderivative was successfully verified.

[In] Int[x\*Sec[x^2]\*Tan[x^2],x]

[Out] Sec[x^2]/2

#### Rule 6715

Int[(u\_)\*(x\_)^(m\_.), x\_Symbol] := Dist[1/(m + 1), Subst[Int[SubstFor[x^(m + 1), u, x], x], x, x^(m + 1)], x] /; FreeQ[m, x] && NeQ[m, -1] && FunctionOfQ[x^(m + 1), u, x]

#### Rule 2606

Int[((a\_)\*sec[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := Dist[a/f, Subst[Int[(a\*x)^(m - 1)\*(-1 + x^2)^((n - 1)/2), x], x, Sec[e + f\*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n - 1)/2] && !(IntegerQ[m/2] && LtQ[0, m, n + 1])

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned} \int x \sec(x^2) \tan(x^2) dx &= \frac{1}{2} \text{Subst} \left( \int \sec(x) \tan(x) dx, x, x^2 \right) \\ &= \frac{1}{2} \text{Subst} \left( \int 1 dx, x, \sec(x^2) \right) \\ &= \frac{\sec(x^2)}{2} \end{aligned}$$

**Mathematica [A]** time = 0.0056369, size = 8, normalized size = 1.

$$\frac{\sec(x^2)}{2}$$

Antiderivative was successfully verified.

[In] Integrate[x\*Sec[x^2]\*Tan[x^2],x]

[Out] Sec[x^2]/2

**Maple [A]** time = 0.006, size = 7, normalized size = 0.9

$$\frac{\sec(x^2)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*sec(x^2)\*tan(x^2),x)

[Out] 1/2\*sec(x^2)

**Maxima [B]** time = 0.972905, size = 76, normalized size = 9.5

$$\frac{\cos(2x^2)\cos(x^2) + \sin(2x^2)\sin(x^2) + \cos(x^2)}{\cos(2x^2)^2 + \sin(2x^2)^2 + 2\cos(2x^2) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sec(x^2)\*tan(x^2),x, algorithm="maxima")

[Out] (cos(2\*x^2)\*cos(x^2) + sin(2\*x^2)\*sin(x^2) + cos(x^2))/(cos(2\*x^2)^2 + sin(2\*x^2)^2 + 2\*cos(2\*x^2) + 1)

**Fricas [A]** time = 1.95153, size = 19, normalized size = 2.38

$$\frac{1}{2\cos(x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sec(x^2)\*tan(x^2),x, algorithm="fricas")

[Out] 1/2/cos(x^2)

**Sympy [A]** time = 0.331556, size = 5, normalized size = 0.62

$$\frac{\sec(x^2)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sec(x\*\*2)\*tan(x\*\*2),x)

[Out]  $\sec(x^2)/2$

---

**Giac [A]** time = 1.08242, size = 11, normalized size = 1.38

$$\frac{1}{2 \cos(x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*sec(x^2)*tan(x^2),x, algorithm="giac")`

[Out]  $1/2/\cos(x^2)$

$$3.771 \quad \int \frac{\tan^2\left(\frac{1}{x}\right)}{x^2} dx$$

**Optimal.** Leaf size=10

$$\frac{1}{x} - \tan\left(\frac{1}{x}\right)$$

[Out] x<sup>(-1)</sup> - Tan[x<sup>(-1)</sup>]

**Rubi [A]** time = 0.0178687, antiderivative size = 10, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.3$ , Rules used = {3747, 3473, 8}

$$\frac{1}{x} - \tan\left(\frac{1}{x}\right)$$

Antiderivative was successfully verified.

[In] Int[Tan[x<sup>(-1)</sup>]<sup>2</sup>/x<sup>2</sup>, x]

[Out] x<sup>(-1)</sup> - Tan[x<sup>(-1)</sup>]

#### Rule 3747

Int[(x\_)<sup>(m\_)</sup>\*((a\_) + (b\_)\*Tan[(c\_) + (d\_)\*(x\_)<sup>(n\_)]])<sup>(p\_)</sup>, x\_Symbol] := Dist[1/n, Subst[Int[x<sup>(Simplify[(m + 1)/n] - 1)</sup>\*(a + b\*Tan[c + d\*x])<sup>p</sup>, x], x, x<sup>n</sup>], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]</sup>

#### Rule 3473

Int[((b\_)\*tan[(c\_) + (d\_)\*(x\_)])<sup>(n\_)</sup>, x\_Symbol] := Simp[(b\*(b\*Tan[c + d\*x])<sup>(n - 1)</sup>)/(d\*(n - 1)), x] - Dist[b<sup>2</sup>, Int[(b\*Tan[c + d\*x])<sup>(n - 2)</sup>, x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1]

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned} \int \frac{\tan^2\left(\frac{1}{x}\right)}{x^2} dx &= -\text{Subst}\left(\int \tan^2(x) dx, x, \frac{1}{x}\right) \\ &= -\tan\left(\frac{1}{x}\right) + \text{Subst}\left(\int 1 dx, x, \frac{1}{x}\right) \\ &= \frac{1}{x} - \tan\left(\frac{1}{x}\right) \end{aligned}$$

**Mathematica [A]** time = 0.0233596, size = 12, normalized size = 1.2

$$\tan^{-1}\left(\tan\left(\frac{1}{x}\right)\right) - \tan\left(\frac{1}{x}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Tan[x^(-1)]^2/x^2,x]

[Out] ArcTan[Tan[x^(-1)]] - Tan[x^(-1)]

**Maple [A]** time = 0.003, size = 11, normalized size = 1.1

$$x^{-1} - \tan(x^{-1})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(1/x)^2/x^2,x)

[Out] 1/x-tan(1/x)

**Maxima [B]** time = 0.961496, size = 90, normalized size = 9.

$$\frac{\cos\left(\frac{2}{x}\right)^2 - 2x \sin\left(\frac{2}{x}\right) + \sin\left(\frac{2}{x}\right)^2 + 2 \cos\left(\frac{2}{x}\right) + 1}{\left(\cos\left(\frac{2}{x}\right)^2 + \sin\left(\frac{2}{x}\right)^2 + 2 \cos\left(\frac{2}{x}\right) + 1\right)x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(1/x)^2/x^2,x, algorithm="maxima")

[Out] (cos(2/x)^2 - 2\*x\*sin(2/x) + sin(2/x)^2 + 2\*cos(2/x) + 1)/((cos(2/x)^2 + sin(2/x)^2 + 2\*cos(2/x) + 1)\*x)

**Fricas [A]** time = 2.03941, size = 28, normalized size = 2.8

$$-\frac{x \tan\left(\frac{1}{x}\right) - 1}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(1/x)^2/x^2,x, algorithm="fricas")

[Out] -(x\*tan(1/x) - 1)/x

**Sympy [A]** time = 0.382807, size = 7, normalized size = 0.7

$$-\tan\left(\frac{1}{x}\right) + \frac{1}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(1/x)**2/x**2,x)
```

```
[Out] -tan(1/x) + 1/x
```

---

**Giac [A]** time = 1.09455, size = 14, normalized size = 1.4

$$\frac{1}{x} - \tan\left(\frac{1}{x}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(1/x)^2/x^2,x, algorithm="giac")
```

```
[Out] 1/x - tan(1/x)
```

### 3.772 $\int x \tan(1 + x^2) dx$

**Optimal.** Leaf size=11

$$-\frac{1}{2} \log(\cos(x^2 + 1))$$

[Out] -Log[Cos[1 + x^2]]/2

**Rubi [A]** time = 0.010176, antiderivative size = 11, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {3747, 3475}

$$-\frac{1}{2} \log(\cos(x^2 + 1))$$

Antiderivative was successfully verified.

[In] Int[x\*Tan[1 + x^2],x]

[Out] -Log[Cos[1 + x^2]]/2

#### Rule 3747

Int[(x\_)^(m\_.)\*((a\_.) + (b\_.)\*Tan[(c\_.) + (d\_.)\*(x\_)^(n\_)])^(p\_.), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*Tan[c + d\*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]

#### Rule 3475

Int[tan[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d\*x], x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int x \tan(1 + x^2) dx &= \frac{1}{2} \text{Subst} \left( \int \tan(1 + x) dx, x, x^2 \right) \\ &= -\frac{1}{2} \log(\cos(1 + x^2)) \end{aligned}$$

**Mathematica [A]** time = 0.0175364, size = 11, normalized size = 1.

$$-\frac{1}{2} \log(\cos(x^2 + 1))$$

Antiderivative was successfully verified.

[In] Integrate[x\*Tan[1 + x^2],x]

[Out] -Log[Cos[1 + x^2]]/2

**Maple [A]** time = 0.003, size = 10, normalized size = 0.9

$$-\frac{\ln(\cos(x^2 + 1))}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*tan(x^2+1),x)

[Out] -1/2\*ln(cos(x^2+1))

---

**Maxima [A]** time = 0.963871, size = 12, normalized size = 1.09

$$\frac{1}{2} \log(\sec(x^2 + 1))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*tan(x^2+1),x, algorithm="maxima")

[Out] 1/2\*log(sec(x^2 + 1))

---

**Fricas [A]** time = 1.8903, size = 46, normalized size = 4.18

$$-\frac{1}{4} \log\left(\frac{1}{\tan(x^2 + 1)^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*tan(x^2+1),x, algorithm="fricas")

[Out] -1/4\*log(1/(tan(x^2 + 1)^2 + 1))

---

**Sympy [A]** time = 0.167439, size = 12, normalized size = 1.09

$$\frac{\log(\tan^2(x^2 + 1) + 1)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*tan(x\*\*2+1),x)

[Out] log(tan(x\*\*2 + 1)\*\*2 + 1)/4

---

**Giac [A]** time = 1.11254, size = 14, normalized size = 1.27

$$-\frac{1}{2} \log(|\cos(x^2 + 1)|)$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*tan(x^2+1),x, algorithm="giac")
```

```
[Out] -1/2*log(abs(cos(x^2 + 1)))
```

### 3.773 $\int \sin(\pi(1 + 2x)) dx$

**Optimal.** Leaf size=12

$$\frac{\cos(2\pi x)}{2\pi}$$

[Out] Cos[2\*Pi\*x]/(2\*Pi)

**Rubi [A]** time = 0.0045919, antiderivative size = 12, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {2638}

$$\frac{\cos(2\pi x)}{2\pi}$$

Antiderivative was successfully verified.

[In] Int[Sin[Pi\*(1 + 2\*x)], x]

[Out] Cos[2\*Pi\*x]/(2\*Pi)

#### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\int \sin(\pi(1 + 2x)) dx = \frac{\cos(2\pi x)}{2\pi}$$

**Mathematica [A]** time = 0.0050726, size = 12, normalized size = 1.

$$\frac{\cos(2\pi x)}{2\pi}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[Pi\*(1 + 2\*x)], x]

[Out] Cos[2\*Pi\*x]/(2\*Pi)

**Maple [A]** time = 0.005, size = 11, normalized size = 0.9

$$\frac{\cos(2\pi x)}{2\pi}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(Pi\*(1+2\*x)), x)

[Out]  $1/2*\cos(2*Pi*x)/Pi$

---

**Maxima [A]** time = 0.951001, size = 14, normalized size = 1.17

$$\frac{\cos(2\pi x)}{2\pi}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(pi*(1+2*x)),x, algorithm="maxima")`

[Out]  $1/2*\cos(2*pi*x)/pi$

---

**Fricas [A]** time = 1.92326, size = 35, normalized size = 2.92

$$-\frac{\cos(\pi + 2\pi x)}{2\pi}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(pi*(1+2*x)),x, algorithm="fricas")`

[Out]  $-1/2*\cos(pi + 2*pi*x)/pi$

---

**Sympy [A]** time = 1.04472, size = 12, normalized size = 1.

$$-\frac{\cos(\pi(2x + 1))}{2\pi}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(pi*(1+2*x)),x)`

[Out]  $-\cos(pi*(2*x + 1))/(2*pi)$

---

**Giac [A]** time = 1.08439, size = 14, normalized size = 1.17

$$\frac{\cos(2\pi x)}{2\pi}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(pi*(1+2*x)),x, algorithm="giac")`

[Out]  $1/2*\cos(2*pi*x)/pi$

$$3.774 \quad \int \frac{\cot(x) + \csc^2(x)}{1 - \cos^2(x)} dx$$

**Optimal.** Leaf size=21

$$-\frac{1}{3} \cot^3(x) - \frac{\cot^2(x)}{2} - \cot(x)$$

[Out] -Cot[x] - Cot[x]^2/2 - Cot[x]^3/3

**Rubi [A]** time = 0.0595257, antiderivative size = 21, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 1, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.056$ , Rules used = {14}

$$-\frac{1}{3} \cot^3(x) - \frac{\cot^2(x)}{2} - \cot(x)$$

Antiderivative was successfully verified.

[In] Int[(Cot[x] + Csc[x]^2)/(1 - Cos[x]^2), x]

[Out] -Cot[x] - Cot[x]^2/2 - Cot[x]^3/3

#### Rule 14

Int[(u\_)\*((c\_)\*(x\_))^(m\_), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_ + (b\_)\*(v\_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

#### Rubi steps

$$\begin{aligned} \int \frac{\cot(x) + \csc^2(x)}{1 - \cos^2(x)} dx &= \text{Subst} \left( \int \frac{1 + x + x^2}{x^4} dx, x, \tan(x) \right) \\ &= \text{Subst} \left( \int \left( \frac{1}{x^4} + \frac{1}{x^3} + \frac{1}{x^2} \right) dx, x, \tan(x) \right) \\ &= -\cot(x) - \frac{\cot^2(x)}{2} - \frac{\cot^3(x)}{3} \end{aligned}$$

**Mathematica [A]** time = 0.0182162, size = 25, normalized size = 1.19

$$-\frac{2 \cot(x)}{3} - \frac{\csc^2(x)}{2} - \frac{1}{3} \cot(x) \csc^2(x)$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[x] + Csc[x]^2)/(1 - Cos[x]^2), x]

[Out] (-2\*Cot[x])/3 - Csc[x]^2/2 - (Cot[x]\*Csc[x]^2)/3

**Maple [A]** time = 0.053, size = 20, normalized size = 1.

$$-(\tan(x))^{-1} - \frac{1}{3(\tan(x))^3} - \frac{1}{2(\tan(x))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((cot(x)+csc(x)^2)/(1-cos(x)^2),x)`

[Out] `-1/tan(x)-1/3/tan(x)^3-1/2/tan(x)^2`

**Maxima [A]** time = 0.956223, size = 24, normalized size = 1.14

$$-\frac{6 \tan(x)^2 + 3 \tan(x) + 2}{6 \tan(x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((cot(x)+csc(x)^2)/(1-cos(x)^2),x, algorithm="maxima")`

[Out] `-1/6*(6*tan(x)^2 + 3*tan(x) + 2)/tan(x)^3`

**Fricas [A]** time = 2.01622, size = 88, normalized size = 4.19

$$-\frac{4 \cos(x)^3 - 6 \cos(x) - 3 \sin(x)}{6 (\cos(x)^2 - 1) \sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((cot(x)+csc(x)^2)/(1-cos(x)^2),x, algorithm="fricas")`

[Out] `-1/6*(4*cos(x)^3 - 6*cos(x) - 3*sin(x))/((cos(x)^2 - 1)*sin(x))`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-\int \frac{\cot(x)}{\cos^2(x) - 1} dx - \int \frac{\csc^2(x)}{\cos^2(x) - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((cot(x)+csc(x)**2)/(1-cos(x)**2),x)`

[Out] `-Integral(cot(x)/(cos(x)**2 - 1), x) - Integral(csc(x)**2/(cos(x)**2 - 1), x)`

**Giac [A]** time = 1.10748, size = 24, normalized size = 1.14

$$-\frac{6 \tan(x)^2 + 3 \tan(x) + 2}{6 \tan(x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((cot(x)+csc(x)^2)/(1-cos(x)^2),x, algorithm="giac")`

[Out] `-1/6*(6*tan(x)^2 + 3*tan(x) + 2)/tan(x)^3`

$$3.775 \quad \int x^2 \cos(4x^3) \cos(5x^3) dx$$

**Optimal.** Leaf size=19

$$\frac{\sin(x^3)}{6} + \frac{1}{54} \sin(9x^3)$$

[Out] Sin[x^3]/6 + Sin[9\*x^3]/54

**Rubi [A]** time = 0.0372446, antiderivative size = 19, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 3, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$ , Rules used = {4572, 3380, 2637}

$$\frac{\sin(x^3)}{6} + \frac{1}{54} \sin(9x^3)$$

Antiderivative was successfully verified.

[In] Int[x^2\*Cos[4\*x^3]\*Cos[5\*x^3],x]

[Out] Sin[x^3]/6 + Sin[9\*x^3]/54

#### Rule 4572

Int[Cos[v\_]^(p\_)\*Cos[w\_]^(q\_)\*(x\_)^(m\_), x\_Symbol] := Int[ExpandTrigReduce[x^m, Cos[v]^p\*Cos[w]^q, x], x] /; IGtQ[m, 0] && IGtQ[p, 0] && IGtQ[q, 0] && ((PolynomialQ[v, x] && PolynomialQ[w, x]) || (BinomialQ[{v, w}, x] && IndependentQ[Cancel[v/w], x]))

#### Rule 3380

Int[((a\_) + Cos[(c\_) + (d\_)\*(x\_)^(n\_)])\*(b\_)^(p\_)\*(x\_)^(m\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*Cos[c + d\*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

#### Rule 2637

Int[sin[Pi/2 + (c\_) + (d\_)\*(x\_)], x\_Symbol] := Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int x^2 \cos(4x^3) \cos(5x^3) dx &= \int \left( \frac{1}{2} x^2 \cos(x^3) + \frac{1}{2} x^2 \cos(9x^3) \right) dx \\ &= \frac{1}{2} \int x^2 \cos(x^3) dx + \frac{1}{2} \int x^2 \cos(9x^3) dx \\ &= \frac{1}{6} \text{Subst} \left( \int \cos(x) dx, x, x^3 \right) + \frac{1}{6} \text{Subst} \left( \int \cos(9x) dx, x, x^3 \right) \\ &= \frac{\sin(x^3)}{6} + \frac{1}{54} \sin(9x^3) \end{aligned}$$

**Mathematica [A]** time = 0.0086818, size = 19, normalized size = 1.

$$\frac{\sin(x^3)}{6} + \frac{1}{54} \sin(9x^3)$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*cos[4\*x^3]\*Cos[5\*x^3],x]

[Out] Sin[x^3]/6 + Sin[9\*x^3]/54

**Maple [A]** time = 0.045, size = 16, normalized size = 0.8

$$\frac{\sin(x^3)}{6} + \frac{\sin(9x^3)}{54}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*cos(4\*x^3)\*cos(5\*x^3),x)

[Out] 1/6\*sin(x^3)+1/54\*sin(9\*x^3)

**Maxima [A]** time = 0.964867, size = 20, normalized size = 1.05

$$\frac{1}{54} \sin(9x^3) + \frac{1}{6} \sin(x^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*cos(4\*x^3)\*cos(5\*x^3),x, algorithm="maxima")

[Out] 1/54\*sin(9\*x^3) + 1/6\*sin(x^3)

**Fricas [B]** time = 2.14163, size = 116, normalized size = 6.11

$$\frac{1}{27} \left( 128 \cos(x^3)^8 - 224 \cos(x^3)^6 + 120 \cos(x^3)^4 - 20 \cos(x^3)^2 + 5 \right) \sin(x^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*cos(4\*x^3)\*cos(5\*x^3),x, algorithm="fricas")

[Out] 1/27\*(128\*cos(x^3)^8 - 224\*cos(x^3)^6 + 120\*cos(x^3)^4 - 20\*cos(x^3)^2 + 5)\*sin(x^3)

**Sympy [B]** time = 7.69553, size = 32, normalized size = 1.68

$$-\frac{4 \sin(4x^3) \cos(5x^3)}{27} + \frac{5 \sin(5x^3) \cos(4x^3)}{27}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*cos(4\*x\*\*3)\*cos(5\*x\*\*3),x)

[Out] -4\*sin(4\*x\*\*3)\*cos(5\*x\*\*3)/27 + 5\*sin(5\*x\*\*3)\*cos(4\*x\*\*3)/27

**Giac [B]** time = 1.08441, size = 53, normalized size = 2.79

$$\frac{128}{27} \sin(x^3)^9 - \frac{32}{3} \sin(x^3)^7 + 8 \sin(x^3)^5 - \frac{20}{9} \sin(x^3)^3 + \frac{1}{3} \sin(x^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*cos(4\*x^3)\*cos(5\*x^3),x, algorithm="giac")

[Out] 128/27\*sin(x^3)^9 - 32/3\*sin(x^3)^7 + 8\*sin(x^3)^5 - 20/9\*sin(x^3)^3 + 1/3\*sin(x^3)



### 3.776 $\int x^{14} \sin(x^3) dx$

**Optimal.** Leaf size=47

$$\frac{4}{3}x^9 \sin(x^3) - 8x^3 \sin(x^3) - \frac{1}{3}x^{12} \cos(x^3) + 4x^6 \cos(x^3) - 8 \cos(x^3)$$

[Out]  $-8*\text{Cos}[x^3] + 4*x^6*\text{Cos}[x^3] - (x^{12}*\text{Cos}[x^3])/3 - 8*x^3*\text{Sin}[x^3] + (4*x^9*\text{Sin}[x^3])/3$

**Rubi [A]** time = 0.0641899, antiderivative size = 47, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 3, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {3379, 3296, 2638}

$$\frac{4}{3}x^9 \sin(x^3) - 8x^3 \sin(x^3) - \frac{1}{3}x^{12} \cos(x^3) + 4x^6 \cos(x^3) - 8 \cos(x^3)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^{14}*\text{Sin}[x^3], x]$

[Out]  $-8*\text{Cos}[x^3] + 4*x^6*\text{Cos}[x^3] - (x^{12}*\text{Cos}[x^3])/3 - 8*x^3*\text{Sin}[x^3] + (4*x^9*\text{Sin}[x^3])/3$

#### Rule 3379

$\text{Int}[(x_)^{(m_.)}*((a_.) + (b_.)*\text{Sin}[(c_.) + (d_.)*(x_)^{(n_.)}])^{(p_.)}, x\_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m+1)/n] - 1)*(a + b*\text{Sin}[c + d*x])^p}, x], x, x^n], x] /;$   $\text{FreeQ}[\{a, b, c, d, m, n, p\}, x] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m+1)/n]] \ \&\& \ (\text{EqQ}[p, 1] \ || \ \text{EqQ}[m, n-1] \ || \ (\text{IntegerQ}[p] \ \&\& \ \text{GtQ}[\text{Simplify}[(m+1)/n], 0]))$

#### Rule 3296

$\text{Int}[(c_.) + (d_.)*(x_)^{(m_.)}*\text{sin}[(e_.) + (f_.)*(x_)], x\_Symbol] \rightarrow -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Cos}[e + f*x], x], x] /;$   $\text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{GtQ}[m, 0]$

#### Rule 2638

$\text{Int}[\text{sin}[(c_.) + (d_.)*(x_)], x\_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/d, x] /;$   $\text{FreeQ}[\{c, d\}, x]$

#### Rubi steps

$$\begin{aligned} \int x^{14} \sin(x^3) dx &= \frac{1}{3} \text{Subst} \left( \int x^4 \sin(x) dx, x, x^3 \right) \\ &= -\frac{1}{3}x^{12} \cos(x^3) + \frac{4}{3} \text{Subst} \left( \int x^3 \cos(x) dx, x, x^3 \right) \\ &= -\frac{1}{3}x^{12} \cos(x^3) + \frac{4}{3}x^9 \sin(x^3) - 4 \text{Subst} \left( \int x^2 \sin(x) dx, x, x^3 \right) \\ &= 4x^6 \cos(x^3) - \frac{1}{3}x^{12} \cos(x^3) + \frac{4}{3}x^9 \sin(x^3) - 8 \text{Subst} \left( \int x \cos(x) dx, x, x^3 \right) \\ &= 4x^6 \cos(x^3) - \frac{1}{3}x^{12} \cos(x^3) - 8x^3 \sin(x^3) + \frac{4}{3}x^9 \sin(x^3) + 8 \text{Subst} \left( \int \sin(x) dx, x, x^3 \right) \\ &= -8 \cos(x^3) + 4x^6 \cos(x^3) - \frac{1}{3}x^{12} \cos(x^3) - 8x^3 \sin(x^3) + \frac{4}{3}x^9 \sin(x^3) \end{aligned}$$

**Mathematica [A]** time = 0.0315941, size = 35, normalized size = 0.74

$$\frac{4}{3}x^3(x^6 - 6)\sin(x^3) - \frac{1}{3}(x^{12} - 12x^6 + 24)\cos(x^3)$$

Antiderivative was successfully verified.

[In] Integrate[x^14\*Sin[x^3],x]

[Out] -((24 - 12\*x^6 + x^12)\*Cos[x^3])/3 + (4\*x^3\*(-6 + x^6)\*Sin[x^3])/3

**Maple [C]** time = 0.023, size = 64, normalized size = 1.4

$$-\frac{(x^{12} + 4ix^9 - 12x^6 - 24ix^3 + 24)e^{ix^3}}{6} - \frac{(x^{12} - 4ix^9 - 12x^6 + 24ix^3 + 24)e^{-ix^3}}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^14\*sin(x^3),x)

[Out] -1/6\*(x^12+4\*I\*x^9-12\*x^6-24\*I\*x^3+24)\*exp(I\*x^3)-1/6\*(x^12-4\*I\*x^9-12\*x^6+24\*I\*x^3+24)\*exp(-I\*x^3)

**Maxima [A]** time = 0.963759, size = 43, normalized size = 0.91

$$-\frac{1}{3}(x^{12} - 12x^6 + 24)\cos(x^3) + \frac{4}{3}(x^9 - 6x^3)\sin(x^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^14\*sin(x^3),x, algorithm="maxima")

[Out] -1/3\*(x^12 - 12\*x^6 + 24)\*cos(x^3) + 4/3\*(x^9 - 6\*x^3)\*sin(x^3)

**Fricas [A]** time = 2.06486, size = 88, normalized size = 1.87

$$-\frac{1}{3}(x^{12} - 12x^6 + 24)\cos(x^3) + \frac{4}{3}(x^9 - 6x^3)\sin(x^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^14\*sin(x^3),x, algorithm="fricas")

[Out] -1/3\*(x^12 - 12\*x^6 + 24)\*cos(x^3) + 4/3\*(x^9 - 6\*x^3)\*sin(x^3)

**Sympy [A]** time = 123.675, size = 48, normalized size = 1.02

$$-\frac{x^{12}\cos(x^3)}{3} + \frac{4x^9\sin(x^3)}{3} + 4x^6\cos(x^3) - 8x^3\sin(x^3) - 8\cos(x^3)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**14*sin(x**3),x)
```

```
[Out] -x**12*cos(x**3)/3 + 4*x**9*sin(x**3)/3 + 4*x**6*cos(x**3) - 8*x**3*sin(x**3) - 8*cos(x**3)
```

---

**Giac [A]** time = 1.08185, size = 43, normalized size = 0.91

$$-\frac{1}{3}(x^{12} - 12x^6 + 24)\cos(x^3) + \frac{4}{3}(x^9 - 6x^3)\sin(x^3)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^14*sin(x^3),x, algorithm="giac")
```

```
[Out] -1/3*(x^12 - 12*x^6 + 24)*cos(x^3) + 4/3*(x^9 - 6*x^3)*sin(x^3)
```

### 3.777 $\int e^{-3x^3} x^2 \sin(2x^3) dx$

**Optimal.** Leaf size=35

$$-\frac{1}{13}e^{-3x^3} \sin(2x^3) - \frac{2}{39}e^{-3x^3} \cos(2x^3)$$

[Out]  $(-2*\text{Cos}[2*x^3])/(39*E^{(3*x^3)}) - \text{Sin}[2*x^3]/(13*E^{(3*x^3)})$

**Rubi [A]** time = 0.157812, antiderivative size = 35, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$ , Rules used = {6715, 4432}

$$-\frac{1}{13}e^{-3x^3} \sin(2x^3) - \frac{2}{39}e^{-3x^3} \cos(2x^3)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^2*\text{Sin}[2*x^3])/E^{(3*x^3)}, x]$

[Out]  $(-2*\text{Cos}[2*x^3])/(39*E^{(3*x^3)}) - \text{Sin}[2*x^3]/(13*E^{(3*x^3)})$

#### Rule 6715

$\text{Int}[(u_)*(x_)^{(m_.)}, x\_Symbol] :> \text{Dist}[1/(m + 1), \text{Subst}[\text{Int}[\text{SubstFor}[x^{(m + 1)}, u, x], x], x, x^{(m + 1)}], x] /; \text{FreeQ}[m, x] \ \&\& \ \text{NeQ}[m, -1] \ \&\& \ \text{FunctionO}fQ[x^{(m + 1)}, u, x]$

#### Rule 4432

$\text{Int}[(F_)^{((c_.)*((a_.) + (b_.)*(x_)))}*\text{Sin}[(d_.) + (e_.)*(x_)], x\_Symbol] :> \text{Simp}[(b*c*\text{Log}[F]*F^{(c*(a + b*x))}*\text{Sin}[d + e*x])/(e^2 + b^2*c^2*\text{Log}[F]^2), x] - \text{Simp}[(e*F^{(c*(a + b*x))}*\text{Cos}[d + e*x])/(e^2 + b^2*c^2*\text{Log}[F]^2), x] /; \text{FreeQ}[\{F, a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[e^2 + b^2*c^2*\text{Log}[F]^2, 0]$

#### Rubi steps

$$\begin{aligned} \int e^{-3x^3} x^2 \sin(2x^3) dx &= \frac{1}{3} \text{Subst} \left( \int e^{-3x} \sin(2x) dx, x, x^3 \right) \\ &= -\frac{2}{39}e^{-3x^3} \cos(2x^3) - \frac{1}{13}e^{-3x^3} \sin(2x^3) \end{aligned}$$

**Mathematica [A]** time = 0.0474003, size = 28, normalized size = 0.8

$$-\frac{1}{39}e^{-3x^3} (3 \sin(2x^3) + 2 \cos(2x^3))$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[(x^2*\text{Sin}[2*x^3])/E^{(3*x^3)}, x]$

[Out]  $-(2*\text{Cos}[2*x^3] + 3*\text{Sin}[2*x^3])/(39*E^{(3*x^3)})$

**Maple [A]** time = 0.018, size = 36, normalized size = 1.

$$\frac{1}{\left(1 + \left(\tan(x^3)\right)^2\right) e^{3x^3}} \left( -\frac{2}{39} + \frac{2 \left(\tan(x^3)\right)^2}{39} - \frac{2 \tan(x^3)}{13} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*sin(2\*x^3)/exp(3\*x^3), x)

[Out] (-2/39+2/39\*tan(x^3)^2-2/13\*tan(x^3))/(1+tan(x^3)^2)/exp(3\*x^3)

**Maxima [A]** time = 0.961542, size = 34, normalized size = 0.97

$$-\frac{1}{39} \left( 2 \cos(2x^3) + 3 \sin(2x^3) \right) e^{(-3x^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*sin(2\*x^3)/exp(3\*x^3), x, algorithm="maxima")

[Out] -1/39\*(2\*cos(2\*x^3) + 3\*sin(2\*x^3))\*e^(-3\*x^3)

**Fricas [A]** time = 2.03139, size = 78, normalized size = 2.23

$$-\frac{2}{39} \cos(2x^3) e^{(-3x^3)} - \frac{1}{13} e^{(-3x^3)} \sin(2x^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*sin(2\*x^3)/exp(3\*x^3), x, algorithm="fricas")

[Out] -2/39\*cos(2\*x^3)\*e^(-3\*x^3) - 1/13\*e^(-3\*x^3)\*sin(2\*x^3)

**Sympy [A]** time = 2.31183, size = 32, normalized size = 0.91

$$-\frac{e^{-3x^3} \sin(2x^3)}{13} - \frac{2e^{-3x^3} \cos(2x^3)}{39}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*sin(2\*x\*\*3)/exp(3\*x\*\*3), x)

[Out] -exp(-3\*x\*\*3)\*sin(2\*x\*\*3)/13 - 2\*exp(-3\*x\*\*3)\*cos(2\*x\*\*3)/39

**Giac [A]** time = 1.09278, size = 34, normalized size = 0.97

$$-\frac{1}{39} \left( 2 \cos(2x^3) + 3 \sin(2x^3) \right) e^{(-3x^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*sin(2*x^3)/exp(3*x^3),x, algorithm="giac")
```

```
[Out] -1/39*(2*cos(2*x^3) + 3*sin(2*x^3))*e^(-3*x^3)
```

### 3.778 $\int 2x \cos(x^2) dx$

**Optimal.** Leaf size=4

$$\sin(x^2)$$

[Out] Sin[x^2]

**Rubi [A]** time = 0.0065855, antiderivative size = 4, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {12, 3380, 2637}

$$\sin(x^2)$$

Antiderivative was successfully verified.

[In] Int[2\*x\*Cos[x^2],x]

[Out] Sin[x^2]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 3380

Int[((a\_.) + Cos[(c\_.) + (d\_.)\*(x\_)^(n\_)])\*(b\_.))^(p\_.)\*(x\_)^(m\_.), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*Cos[c + d\*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int 2x \cos(x^2) dx &= 2 \int x \cos(x^2) dx \\ &= \text{Subst} \left( \int \cos(x) dx, x, x^2 \right) \\ &= \sin(x^2) \end{aligned}$$

**Mathematica [A]** time = 0.0014906, size = 4, normalized size = 1.

$$\sin(x^2)$$

Antiderivative was successfully verified.

[In] Integrate[2\*x\*Cos[x^2],x]

[Out] Sin[x^2]

**Maple [A]** time = 0.001, size = 5, normalized size = 1.3

$$\sin(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(2\*x\*cos(x^2),x)

[Out] sin(x^2)

**Maxima [A]** time = 0.960729, size = 5, normalized size = 1.25

$$\sin(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2\*x\*cos(x^2),x, algorithm="maxima")

[Out] sin(x^2)

**Fricas [A]** time = 2.01673, size = 14, normalized size = 3.5

$$\sin(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2\*x\*cos(x^2),x, algorithm="fricas")

[Out] sin(x^2)

**Sympy [A]** time = 0.163815, size = 3, normalized size = 0.75

$$\sin(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2\*x\*cos(x\*\*2),x)

[Out] sin(x\*\*2)

**Giac [A]** time = 1.09887, size = 5, normalized size = 1.25

$$\sin(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate(2*x*cos(x^2),x, algorithm="giac")
```

```
[Out] sin(x^2)
```

$$3.779 \quad \int 3x^2 \cos(7 + x^3) dx$$

**Optimal.** Leaf size=6

$$\sin(x^3 + 7)$$

[Out] Sin[7 + x^3]

**Rubi [A]** time = 0.0128978, antiderivative size = 6, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {12, 3380, 2637}

$$\sin(x^3 + 7)$$

Antiderivative was successfully verified.

[In] Int[3\*x^2\*Cos[7 + x^3],x]

[Out] Sin[7 + x^3]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 3380

Int[((a\_.) + Cos[(c\_.) + (d\_.)\*(x\_)^(n\_)])\*(b\_.))^(p\_.)\*(x\_)^(m\_.), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*Cos[c + d\*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int 3x^2 \cos(7 + x^3) dx &= 3 \int x^2 \cos(7 + x^3) dx \\ &= \text{Subst} \left( \int \cos(7 + x) dx, x, x^3 \right) \\ &= \sin(7 + x^3) \end{aligned}$$

**Mathematica [A]** time = 0.0035533, size = 6, normalized size = 1.

$$\sin(x^3 + 7)$$

Antiderivative was successfully verified.

[In] Integrate[3\*x^2\*Cos[7 + x^3],x]

[Out] Sin[7 + x<sup>3</sup>]

**Maple [A]** time = 0.005, size = 7, normalized size = 1.2

$$\sin(x^3 + 7)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(3\*x<sup>2</sup>\*cos(x<sup>3</sup>+7),x)

[Out] sin(x<sup>3</sup>+7)

**Maxima [A]** time = 0.963454, size = 8, normalized size = 1.33

$$\sin(x^3 + 7)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(3\*x<sup>2</sup>\*cos(x<sup>3</sup>+7),x, algorithm="maxima")

[Out] sin(x<sup>3</sup> + 7)

**Fricas [A]** time = 2.02274, size = 19, normalized size = 3.17

$$\sin(x^3 + 7)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(3\*x<sup>2</sup>\*cos(x<sup>3</sup>+7),x, algorithm="fricas")

[Out] sin(x<sup>3</sup> + 7)

**Sympy [A]** time = 0.302243, size = 5, normalized size = 0.83

$$\sin(x^3 + 7)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(3\*x\*\*2\*cos(x\*\*3+7),x)

[Out] sin(x\*\*3 + 7)

**Giac [A]** time = 1.09105, size = 8, normalized size = 1.33

$$\sin(x^3 + 7)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(3*x^2*cos(x^3+7),x, algorithm="giac")
```

```
[Out] sin(x^3 + 7)
```

$$3.780 \quad \int \left( \frac{1}{1+x^2} + \sin(x) \right) dx$$

**Optimal.** Leaf size=7

$$\tan^{-1}(x) - \cos(x)$$

[Out] ArcTan[x] - Cos[x]

**Rubi [A]** time = 0.0040017, antiderivative size = 7, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {203, 2638}

$$\tan^{-1}(x) - \cos(x)$$

Antiderivative was successfully verified.

[In] Int[(1 + x^2)^(-1) + Sin[x], x]

[Out] ArcTan[x] - Cos[x]

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \left( \frac{1}{1+x^2} + \sin(x) \right) dx &= \int \frac{1}{1+x^2} dx + \int \sin(x) dx \\ &= \tan^{-1}(x) - \cos(x) \end{aligned}$$

**Mathematica [A]** time = 0.007671, size = 7, normalized size = 1.

$$\tan^{-1}(x) - \cos(x)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^2)^(-1) + Sin[x], x]

[Out] ArcTan[x] - Cos[x]

**Maple [A]** time = 0.002, size = 8, normalized size = 1.1

$$\arctan(x) - \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x^2+1)+sin(x),x)`

[Out] `arctan(x)-cos(x)`

---

**Maxima [A]** time = 1.46228, size = 9, normalized size = 1.29

`arctan(x) - cos(x)`

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(x^2+1)+sin(x),x, algorithm="maxima")`

[Out] `arctan(x) - cos(x)`

---

**Fricas [A]** time = 2.16774, size = 27, normalized size = 3.86

`arctan(x) - cos(x)`

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(x^2+1)+sin(x),x, algorithm="fricas")`

[Out] `arctan(x) - cos(x)`

---

**Sympy [A]** time = 0.086205, size = 5, normalized size = 0.71

`-cos(x) + atan(x)`

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(x**2+1)+sin(x),x)`

[Out] `-cos(x) + atan(x)`

---

**Giac [A]** time = 1.11073, size = 9, normalized size = 1.29

`arctan(x) - cos(x)`

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(x^2+1)+sin(x),x, algorithm="giac")`

[Out] `arctan(x) - cos(x)`

### 3.781 $\int x \sin(1 + x^2) dx$

**Optimal.** Leaf size=10

$$-\frac{1}{2} \cos(x^2 + 1)$$

[Out] -Cos[1 + x^2]/2

**Rubi [A]** time = 0.0093647, antiderivative size = 10, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {3379, 2638}

$$-\frac{1}{2} \cos(x^2 + 1)$$

Antiderivative was successfully verified.

[In] Int[x\*Sin[1 + x^2],x]

[Out] -Cos[1 + x^2]/2

#### Rule 3379

Int[(x\_)^(m\_.)\*((a\_.) + (b\_.)\*Sin[(c\_.) + (d\_.)\*(x\_)^(n\_)])^(p\_.), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*Sin[c + d\*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

#### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int x \sin(1 + x^2) dx &= \frac{1}{2} \text{Subst} \left( \int \sin(1 + x) dx, x, x^2 \right) \\ &= -\frac{1}{2} \cos(1 + x^2) \end{aligned}$$

**Mathematica [B]** time = 0.013242, size = 21, normalized size = 2.1

$$\frac{1}{2} \sin(1) \sin(x^2) - \frac{1}{2} \cos(1) \cos(x^2)$$

Antiderivative was successfully verified.

[In] Integrate[x\*Sin[1 + x^2],x]

[Out] -(Cos[1]\*Cos[x^2])/2 + (Sin[1]\*Sin[x^2])/2

**Maple [A]** time = 0.003, size = 9, normalized size = 0.9

$$-\frac{\cos(x^2 + 1)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*sin(x^2+1),x)

[Out] -1/2\*cos(x^2+1)

---

**Maxima [A]** time = 0.961171, size = 11, normalized size = 1.1

$$-\frac{1}{2} \cos(x^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sin(x^2+1),x, algorithm="maxima")

[Out] -1/2\*cos(x^2 + 1)

---

**Fricas [A]** time = 2.01179, size = 26, normalized size = 2.6

$$-\frac{1}{2} \cos(x^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sin(x^2+1),x, algorithm="fricas")

[Out] -1/2\*cos(x^2 + 1)

---

**Sympy [A]** time = 0.168666, size = 8, normalized size = 0.8

$$-\frac{\cos(x^2 + 1)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sin(x\*\*2+1),x)

[Out] -cos(x\*\*2 + 1)/2

---

**Giac [A]** time = 1.072, size = 11, normalized size = 1.1

$$-\frac{1}{2} \cos(x^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate(x*sin(x^2+1),x, algorithm="giac")
```

```
[Out] -1/2*cos(x^2 + 1)
```

### 3.782 $\int x \cos(1 + x^2) dx$

**Optimal.** Leaf size=10

$$\frac{1}{2} \sin(x^2 + 1)$$

[Out] Sin[1 + x^2]/2

**Rubi [A]** time = 0.0087427, antiderivative size = 10, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {3380, 2637}

$$\frac{1}{2} \sin(x^2 + 1)$$

Antiderivative was successfully verified.

[In] Int[x\*Cos[1 + x^2],x]

[Out] Sin[1 + x^2]/2

#### Rule 3380

```
Int[((a_.) + Cos[(c_.) + (d_.)*(x_)^(n_)])*(b_.))^(p_.)*(x_)^(m_.), x_Symbol]
  := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Cos[c + d*x])^p,
    x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
  && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

#### Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
  FreeQ[{c, d}, x]
```

#### Rubi steps

$$\begin{aligned} \int x \cos(1 + x^2) dx &= \frac{1}{2} \text{Subst} \left( \int \cos(1 + x) dx, x, x^2 \right) \\ &= \frac{1}{2} \sin(1 + x^2) \end{aligned}$$

**Mathematica [A]** time = 0.0022885, size = 10, normalized size = 1.

$$\frac{1}{2} \sin(x^2 + 1)$$

Antiderivative was successfully verified.

[In] Integrate[x\*Cos[1 + x^2],x]

[Out] Sin[1 + x^2]/2

**Maple [A]** time = 0.005, size = 9, normalized size = 0.9

$$\frac{\sin(x^2 + 1)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*cos(x^2+1),x)

[Out] 1/2\*sin(x^2+1)

---

**Maxima [A]** time = 0.952117, size = 11, normalized size = 1.1

$$\frac{1}{2} \sin(x^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*cos(x^2+1),x, algorithm="maxima")

[Out] 1/2\*sin(x^2 + 1)

---

**Fricas [A]** time = 2.04218, size = 24, normalized size = 2.4

$$\frac{1}{2} \sin(x^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*cos(x^2+1),x, algorithm="fricas")

[Out] 1/2\*sin(x^2 + 1)

---

**Sympy [A]** time = 0.170368, size = 7, normalized size = 0.7

$$\frac{\sin(x^2 + 1)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*cos(x\*\*2+1),x)

[Out] sin(x\*\*2 + 1)/2

---

**Giac [A]** time = 1.06857, size = 11, normalized size = 1.1

$$\frac{1}{2} \sin(x^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*cos(x^2+1),x, algorithm="giac")
```

```
[Out] 1/2*sin(x^2 + 1)
```

$$3.783 \quad \int (1 + x^2 \cos(x^3)) dx$$

**Optimal.** Leaf size=10

$$\frac{\sin(x^3)}{3} + x$$

[Out] x + Sin[x^3]/3

**Rubi [A]** time = 0.0098915, antiderivative size = 10, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {3380, 2637}

$$\frac{\sin(x^3)}{3} + x$$

Antiderivative was successfully verified.

[In] Int[1 + x^2\*Cos[x^3],x]

[Out] x + Sin[x^3]/3

#### Rule 3380

Int[((a\_.) + Cos[(c\_.) + (d\_.)\*(x\_)^(n\_)])\*(b\_.))^(p\_.)\*(x\_)^(m\_.), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*Cos[c + d\*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int (1 + x^2 \cos(x^3)) dx &= x + \int x^2 \cos(x^3) dx \\ &= x + \frac{1}{3} \text{Subst}\left(\int \cos(x) dx, x, x^3\right) \\ &= x + \frac{\sin(x^3)}{3} \end{aligned}$$

**Mathematica [A]** time = 0.0027596, size = 10, normalized size = 1.

$$\frac{\sin(x^3)}{3} + x$$

Antiderivative was successfully verified.

[In] Integrate[1 + x^2\*Cos[x^3],x]

[Out]  $x + \text{Sin}[x^3]/3$

---

**Maple [A]** time = 0.003, size = 9, normalized size = 0.9

$$x + \frac{\sin(x^3)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1+x^2*cos(x^3),x)`

[Out]  $x + 1/3 * \sin(x^3)$

---

**Maxima [A]** time = 0.949289, size = 11, normalized size = 1.1

$$x + \frac{1}{3} \sin(x^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1+x^2*cos(x^3),x, algorithm="maxima")`

[Out]  $x + 1/3 * \sin(x^3)$

---

**Fricas [A]** time = 2.05855, size = 24, normalized size = 2.4

$$x + \frac{1}{3} \sin(x^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1+x^2*cos(x^3),x, algorithm="fricas")`

[Out]  $x + 1/3 * \sin(x^3)$

---

**Sympy [A]** time = 0.297757, size = 7, normalized size = 0.7

$$x + \frac{\sin(x^3)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1+x**2*cos(x**3),x)`

[Out]  $x + \sin(x**3)/3$

---

**Giac [A]** time = 1.0812, size = 11, normalized size = 1.1

$$x + \frac{1}{3} \sin(x^3)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1+x^2*cos(x^3),x, algorithm="giac")
```

```
[Out] x + 1/3*sin(x^3)
```

### 3.784 $\int x^2 \sin(1 + x^3) dx$

**Optimal.** Leaf size=10

$$-\frac{1}{3} \cos(x^3 + 1)$$

[Out] -Cos[1 + x^3]/3

**Rubi [A]** time = 0.0119009, antiderivative size = 10, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {3379, 2638}

$$-\frac{1}{3} \cos(x^3 + 1)$$

Antiderivative was successfully verified.

[In] Int[x^2\*Sin[1 + x^3],x]

[Out] -Cos[1 + x^3]/3

#### Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol]
  := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x]
  /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

#### Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]
```

#### Rubi steps

$$\begin{aligned} \int x^2 \sin(1 + x^3) dx &= \frac{1}{3} \text{Subst} \left( \int \sin(1 + x) dx, x, x^3 \right) \\ &= -\frac{1}{3} \cos(1 + x^3) \end{aligned}$$

**Mathematica [B]** time = 0.0137952, size = 21, normalized size = 2.1

$$\frac{1}{3} \sin(1) \sin(x^3) - \frac{1}{3} \cos(1) \cos(x^3)$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*Sin[1 + x^3],x]

[Out] -(Cos[1]\*Cos[x^3])/3 + (Sin[1]\*Sin[x^3])/3



**Maple [A]** time = 0.003, size = 9, normalized size = 0.9

$$-\frac{\cos(x^3 + 1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*sin(x^3+1),x)

[Out] -1/3\*cos(x^3+1)

---

**Maxima [A]** time = 0.967999, size = 11, normalized size = 1.1

$$-\frac{1}{3} \cos(x^3 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*sin(x^3+1),x, algorithm="maxima")

[Out] -1/3\*cos(x^3 + 1)

---

**Fricas [A]** time = 2.1322, size = 26, normalized size = 2.6

$$-\frac{1}{3} \cos(x^3 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*sin(x^3+1),x, algorithm="fricas")

[Out] -1/3\*cos(x^3 + 1)

---

**Sympy [A]** time = 0.299217, size = 8, normalized size = 0.8

$$-\frac{\cos(x^3 + 1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*sin(x\*\*3+1),x)

[Out] -cos(x\*\*3 + 1)/3

---

**Giac [A]** time = 1.0784, size = 11, normalized size = 1.1

$$-\frac{1}{3} \cos(x^3 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*sin(x^3+1),x, algorithm="giac")
```

```
[Out] -1/3*cos(x^3 + 1)
```

$$3.785 \quad \int 12x^2 \cos(x^3) dx$$

**Optimal.** Leaf size=6

$$4 \sin(x^3)$$

[Out] 4\*Sin[x^3]

**Rubi [A]** time = 0.0091064, antiderivative size = 6, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {12, 3380, 2637}

$$4 \sin(x^3)$$

Antiderivative was successfully verified.

[In] Int[12\*x^2\*Cos[x^3],x]

[Out] 4\*Sin[x^3]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 3380

Int[((a\_.) + Cos[(c\_.) + (d\_.)\*(x\_)^(n\_)])\*(b\_.))^(p\_.)\*(x\_)^(m\_.), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*Cos[c + d\*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int 12x^2 \cos(x^3) dx &= 12 \int x^2 \cos(x^3) dx \\ &= 4 \text{Subst} \left( \int \cos(x) dx, x, x^3 \right) \\ &= 4 \sin(x^3) \end{aligned}$$

**Mathematica [A]** time = 0.0016396, size = 6, normalized size = 1.

$$4 \sin(x^3)$$

Antiderivative was successfully verified.

[In] Integrate[12\*x^2\*Cos[x^3],x]

[Out] 4\*Sin[x^3]

**Maple [A]** time = 0.001, size = 7, normalized size = 1.2

$$4 \sin(x^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(12\*x^2\*cos(x^3),x)

[Out] 4\*sin(x^3)

**Maxima [A]** time = 0.962417, size = 8, normalized size = 1.33

$$4 \sin(x^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(12\*x^2\*cos(x^3),x, algorithm="maxima")

[Out] 4\*sin(x^3)

**Fricas [A]** time = 2.03581, size = 16, normalized size = 2.67

$$4 \sin(x^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(12\*x^2\*cos(x^3),x, algorithm="fricas")

[Out] 4\*sin(x^3)

**Sympy [A]** time = 0.296115, size = 5, normalized size = 0.83

$$4 \sin(x^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(12\*x\*\*2\*cos(x\*\*3),x)

[Out] 4\*sin(x\*\*3)

**Giac [A]** time = 1.06525, size = 8, normalized size = 1.33

$$4 \sin(x^3)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(12*x^2*cos(x^3),x, algorithm="giac")
```

```
[Out] 4*sin(x^3)
```

### 3.786 $\int (1+x) \sin(1+x) dx$

**Optimal.** Leaf size=14

$$\sin(x+1) - (x+1)\cos(x+1)$$

[Out]  $-\left((1+x)\cos[1+x]\right) + \sin[1+x]$

**Rubi [A]** time = 0.0111327, antiderivative size = 14, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {3296, 2637}

$$\sin(x+1) - (x+1)\cos(x+1)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(1+x)\sin[1+x], x]$

[Out]  $-\left((1+x)\cos[1+x]\right) + \sin[1+x]$

#### Rule 3296

$\text{Int}[(c + d \cdot x) \cdot (x)^m \cdot \sin[e + f \cdot x], x\_Symbol] \rightarrow -\text{Simp}[(c + d \cdot x)^m \cdot \cos[e + f \cdot x] / f, x] + \text{Dist}[(d \cdot m) / f, \text{Int}[(c + d \cdot x)^{m-1} \cdot \cos[e + f \cdot x], x], x] /;$  FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

#### Rule 2637

$\text{Int}[\sin[\pi/2 + (c + d \cdot x)], x\_Symbol] \rightarrow \text{Simp}[\sin[c + d \cdot x] / d, x] /;$  FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int (1+x) \sin(1+x) dx &= -(1+x) \cos(1+x) + \int \cos(1+x) dx \\ &= -(1+x) \cos(1+x) + \sin(1+x) \end{aligned}$$

**Mathematica [A]** time = 0.0300698, size = 14, normalized size = 1.

$$\sin(x+1) - (x+1)\cos(x+1)$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[(1+x)\sin[1+x], x]$

[Out]  $-\left((1+x)\cos[1+x]\right) + \sin[1+x]$

**Maple [A]** time = 0.006, size = 15, normalized size = 1.1

$$-(1+x)\cos(1+x) + \sin(1+x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1+x)*sin(1+x),x)`

[Out] `-(1+x)*cos(1+x)+sin(1+x)`

---

**Maxima [A]** time = 0.965903, size = 19, normalized size = 1.36

$$-(x + 1) \cos(x + 1) + \sin(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+x)*sin(1+x),x, algorithm="maxima")`

[Out] `-(x + 1)*cos(x + 1) + sin(x + 1)`

---

**Fricas [A]** time = 1.95472, size = 46, normalized size = 3.29

$$-(x + 1) \cos(x + 1) + \sin(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+x)*sin(1+x),x, algorithm="fricas")`

[Out] `-(x + 1)*cos(x + 1) + sin(x + 1)`

---

**Sympy [A]** time = 0.170035, size = 15, normalized size = 1.07

$$-x \cos(x + 1) + \sin(x + 1) - \cos(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+x)*sin(1+x),x)`

[Out] `-x*cos(x + 1) + sin(x + 1) - cos(x + 1)`

---

**Giac [A]** time = 1.08431, size = 19, normalized size = 1.36

$$-(x + 1) \cos(x + 1) + \sin(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+x)*sin(1+x),x, algorithm="giac")`

[Out] `-(x + 1)*cos(x + 1) + sin(x + 1)`

### 3.787 $\int x^5 \cos(x^3) dx$

**Optimal.** Leaf size=20

$$\frac{1}{3}x^3 \sin(x^3) + \frac{\cos(x^3)}{3}$$

[Out] Cos[x^3]/3 + (x^3\*Sin[x^3])/3

**Rubi [A]** time = 0.0174761, antiderivative size = 20, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {3380, 3296, 2638}

$$\frac{1}{3}x^3 \sin(x^3) + \frac{\cos(x^3)}{3}$$

Antiderivative was successfully verified.

[In] Int[x^5\*Cos[x^3],x]

[Out] Cos[x^3]/3 + (x^3\*Sin[x^3])/3

#### Rule 3380

```
Int[((a_.) + Cos[(c_.) + (d_.)*(x_)^(n_)])*(b_.))^(p_.)*(x_)^(m_.), x_Symbol]
  := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Cos[c + d*x])^p,
    x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
  && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

#### Rule 3296

```
Int[((c_.) + (d_.)*(x_)^(m_.))*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
  ((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[
  e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

#### Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[
  {c, d}, x]
```

#### Rubi steps

$$\begin{aligned} \int x^5 \cos(x^3) dx &= \frac{1}{3} \text{Subst} \left( \int x \cos(x) dx, x, x^3 \right) \\ &= \frac{1}{3} x^3 \sin(x^3) - \frac{1}{3} \text{Subst} \left( \int \sin(x) dx, x, x^3 \right) \\ &= \frac{\cos(x^3)}{3} + \frac{1}{3} x^3 \sin(x^3) \end{aligned}$$

**Mathematica [A]** time = 0.0096345, size = 20, normalized size = 1.

$$\frac{1}{3}x^3 \sin(x^3) + \frac{\cos(x^3)}{3}$$



Antiderivative was successfully verified.

[In] Integrate[x^5\*Cos[x^3],x]

[Out] Cos[x^3]/3 + (x^3\*Sin[x^3])/3

**Maple [A]** time = 0.007, size = 17, normalized size = 0.9

$$\frac{\cos(x^3)}{3} + \frac{x^3 \sin(x^3)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5\*cos(x^3),x)

[Out] 1/3\*cos(x^3)+1/3\*x^3\*sin(x^3)

**Maxima [A]** time = 0.960973, size = 22, normalized size = 1.1

$$\frac{1}{3} x^3 \sin(x^3) + \frac{1}{3} \cos(x^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*cos(x^3),x, algorithm="maxima")

[Out] 1/3\*x^3\*sin(x^3) + 1/3\*cos(x^3)

**Fricas [A]** time = 2.02844, size = 45, normalized size = 2.25

$$\frac{1}{3} x^3 \sin(x^3) + \frac{1}{3} \cos(x^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*cos(x^3),x, algorithm="fricas")

[Out] 1/3\*x^3\*sin(x^3) + 1/3\*cos(x^3)

**Sympy [A]** time = 1.99397, size = 15, normalized size = 0.75

$$\frac{x^3 \sin(x^3)}{3} + \frac{\cos(x^3)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*5\*cos(x\*\*3),x)

[Out] x\*\*3\*sin(x\*\*3)/3 + cos(x\*\*3)/3

---

**Giac [A]** time = 1.09325, size = 22, normalized size = 1.1

$$\frac{1}{3}x^3 \sin(x^3) + \frac{1}{3} \cos(x^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*cos(x^3),x, algorithm="giac")

[Out] 1/3\*x^3\*sin(x^3) + 1/3\*cos(x^3)

### 3.788 $\int e^{-3x} \cos(x) dx$

**Optimal.** Leaf size=23

$$\frac{1}{10}e^{-3x} \sin(x) - \frac{3}{10}e^{-3x} \cos(x)$$

[Out]  $(-3*\text{Cos}[x])/(10*E^{(3*x)}) + \text{Sin}[x]/(10*E^{(3*x)})$

**Rubi [A]** time = 0.0089591, antiderivative size = 23, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {4433}

$$\frac{1}{10}e^{-3x} \sin(x) - \frac{3}{10}e^{-3x} \cos(x)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[x]/E^{(3*x)}, x]$

[Out]  $(-3*\text{Cos}[x])/(10*E^{(3*x)}) + \text{Sin}[x]/(10*E^{(3*x)})$

#### Rule 4433

$\text{Int}[\text{Cos}[(d_.) + (e_.)*(x_.)]*(F_)^{((c_.)*((a_.) + (b_.)*(x_.)))}, x\_Symbol] :=$   
 $\text{Simp}[(b*c*\text{Log}[F]*F^{(c*(a + b*x))*\text{Cos}[d + e*x]})/(e^2 + b^2*c^2*\text{Log}[F]^2), x]$   
 $+ \text{Simp}[(e*F^{(c*(a + b*x))*\text{Sin}[d + e*x]})/(e^2 + b^2*c^2*\text{Log}[F]^2), x] /;$   
 $\text{FreeQ}\{F, a, b, c, d, e\}, x \ \&\& \ \text{NeQ}[e^2 + b^2*c^2*\text{Log}[F]^2, 0]$

#### Rubi steps

$$\int e^{-3x} \cos(x) dx = -\frac{3}{10}e^{-3x} \cos(x) + \frac{1}{10}e^{-3x} \sin(x)$$

**Mathematica [A]** time = 0.0131711, size = 16, normalized size = 0.7

$$\frac{1}{10}e^{-3x}(\sin(x) - 3 \cos(x))$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[\text{Cos}[x]/E^{(3*x)}, x]$

[Out]  $(-3*\text{Cos}[x] + \text{Sin}[x])/(10*E^{(3*x)})$

**Maple [A]** time = 0.004, size = 18, normalized size = 0.8

$$-\frac{3 e^{-3x} \cos(x)}{10} + \frac{e^{-3x} \sin(x)}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(x)/exp(3*x),x)`

[Out] `-3/10*exp(-3*x)*cos(x)+1/10*exp(-3*x)*sin(x)`

**Maxima [A]** time = 0.960083, size = 20, normalized size = 0.87

$$-\frac{1}{10}(3 \cos(x) - \sin(x))e^{(-3x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)/exp(3*x),x, algorithm="maxima")`

[Out] `-1/10*(3*cos(x) - sin(x))*e^(-3*x)`

**Fricas [A]** time = 2.17241, size = 62, normalized size = 2.7

$$-\frac{3}{10} \cos(x) e^{(-3x)} + \frac{1}{10} e^{(-3x)} \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)/exp(3*x),x, algorithm="fricas")`

[Out] `-3/10*cos(x)*e^(-3*x) + 1/10*e^(-3*x)*sin(x)`

**Sympy [A]** time = 0.4711, size = 20, normalized size = 0.87

$$\frac{e^{-3x} \sin(x)}{10} - \frac{3e^{-3x} \cos(x)}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)/exp(3*x),x)`

[Out] `exp(-3*x)*sin(x)/10 - 3*exp(-3*x)*cos(x)/10`

**Giac [A]** time = 1.0824, size = 20, normalized size = 0.87

$$-\frac{1}{10}(3 \cos(x) - \sin(x))e^{(-3x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)/exp(3*x),x, algorithm="giac")`

[Out] `-1/10*(3*cos(x) - sin(x))*e^(-3*x)`

### 3.789 $\int x^3 \sin(x^2) dx$

**Optimal.** Leaf size=20

$$\frac{\sin(x^2)}{2} - \frac{1}{2}x^2 \cos(x^2)$$

[Out]  $-(x^2 \cos[x^2])/2 + \sin[x^2]/2$

**Rubi [A]** time = 0.0166995, antiderivative size = 20, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {3379, 3296, 2637}

$$\frac{\sin(x^2)}{2} - \frac{1}{2}x^2 \cos(x^2)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^3 \sin[x^2], x]$

[Out]  $-(x^2 \cos[x^2])/2 + \sin[x^2]/2$

#### Rule 3379

$\text{Int}[(x_)^{(m_.)} * ((a_.) + (b_.) * \sin[(c_.) + (d_.) * (x_)^{(n_.)}])^{(p_.)}, x\_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m+1)/n] - 1) * (a + b * \sin[c + d * x])^p}, x], x, x^n), x] /;$   $\text{FreeQ}\{a, b, c, d, m, n, p\}, x \} \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m+1)/n]] \ \&\& \ (\text{EqQ}[p, 1] \ || \ \text{EqQ}[m, n-1] \ || \ (\text{IntegerQ}[p] \ \&\& \ \text{GtQ}[\text{Simplify}[(m+1)/n], 0]))$

#### Rule 3296

$\text{Int}[(c_.) + (d_.) * (x_)^{(m_.)} * \sin[(e_.) + (f_.) * (x_)], x\_Symbol] \rightarrow -\text{Simp}[(c + d * x)^m * \cos[e + f * x] / f, x] + \text{Dist}[(d * m) / f, \text{Int}[(c + d * x)^{(m-1)} * \cos[e + f * x], x], x] /;$   $\text{FreeQ}\{c, d, e, f\}, x \} \ \&\& \ \text{GtQ}[m, 0]$

#### Rule 2637

$\text{Int}[\sin[\text{Pi}/2 + (c_.) + (d_.) * (x_)], x\_Symbol] \rightarrow \text{Simp}[\sin[c + d * x] / d, x] /;$   $\text{FreeQ}\{c, d\}, x \}$

#### Rubi steps

$$\begin{aligned} \int x^3 \sin(x^2) dx &= \frac{1}{2} \text{Subst} \left( \int x \sin(x) dx, x, x^2 \right) \\ &= -\frac{1}{2} x^2 \cos(x^2) + \frac{1}{2} \text{Subst} \left( \int \cos(x) dx, x, x^2 \right) \\ &= -\frac{1}{2} x^2 \cos(x^2) + \frac{\sin(x^2)}{2} \end{aligned}$$

**Mathematica [A]** time = 0.0020512, size = 20, normalized size = 1.

$$\frac{\sin(x^2)}{2} - \frac{1}{2}x^2 \cos(x^2)$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*Sin[x^2],x]

[Out] -(x^2\*Cos[x^2])/2 + Sin[x^2]/2

**Maple [A]** time = 0.003, size = 17, normalized size = 0.9

$$-\frac{x^2 \cos(x^2)}{2} + \frac{\sin(x^2)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*sin(x^2),x)

[Out] -1/2\*x^2\*cos(x^2)+1/2\*sin(x^2)

**Maxima [A]** time = 0.961134, size = 22, normalized size = 1.1

$$-\frac{1}{2}x^2 \cos(x^2) + \frac{1}{2} \sin(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*sin(x^2),x, algorithm="maxima")

[Out] -1/2\*x^2\*cos(x^2) + 1/2\*sin(x^2)

**Fricas [A]** time = 2.00763, size = 46, normalized size = 2.3

$$-\frac{1}{2}x^2 \cos(x^2) + \frac{1}{2} \sin(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*sin(x^2),x, algorithm="fricas")

[Out] -1/2\*x^2\*cos(x^2) + 1/2\*sin(x^2)

**Sympy [A]** time = 0.545752, size = 15, normalized size = 0.75

$$-\frac{x^2 \cos(x^2)}{2} + \frac{\sin(x^2)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*sin(x\*\*2),x)

[Out] -x\*\*2\*cos(x\*\*2)/2 + sin(x\*\*2)/2

---

**Giac [A]** time = 1.08967, size = 22, normalized size = 1.1

$$-\frac{1}{2}x^2 \cos(x^2) + \frac{1}{2} \sin(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*sin(x^2),x, algorithm="giac")

[Out] -1/2\*x^2\*cos(x^2) + 1/2\*sin(x^2)

### 3.790 $\int x^3 \cos(x^2) dx$

**Optimal.** Leaf size=20

$$\frac{1}{2}x^2 \sin(x^2) + \frac{\cos(x^2)}{2}$$

[Out] Cos[x^2]/2 + (x^2\*Sin[x^2])/2

**Rubi [A]** time = 0.0168783, antiderivative size = 20, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {3380, 3296, 2638}

$$\frac{1}{2}x^2 \sin(x^2) + \frac{\cos(x^2)}{2}$$

Antiderivative was successfully verified.

[In] Int[x^3\*Cos[x^2],x]

[Out] Cos[x^2]/2 + (x^2\*Sin[x^2])/2

#### Rule 3380

```
Int[((a_.) + Cos[(c_.) + (d_.)*(x_)^(n_)])*(b_.))^(p_.)*(x_)^(m_.), x_Symbol]
  := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Cos[c + d*x])^p,
    x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
  && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

#### Rule 3296

```
Int[((c_.) + (d_.)*(x_)^(m_.))*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
  ((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[
  e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

#### Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[
  {c, d}, x]
```

#### Rubi steps

$$\begin{aligned} \int x^3 \cos(x^2) dx &= \frac{1}{2} \text{Subst} \left( \int x \cos(x) dx, x, x^2 \right) \\ &= \frac{1}{2} x^2 \sin(x^2) - \frac{1}{2} \text{Subst} \left( \int \sin(x) dx, x, x^2 \right) \\ &= \frac{\cos(x^2)}{2} + \frac{1}{2} x^2 \sin(x^2) \end{aligned}$$

**Mathematica [A]** time = 0.0075433, size = 20, normalized size = 1.

$$\frac{1}{2}x^2 \sin(x^2) + \frac{\cos(x^2)}{2}$$



Antiderivative was successfully verified.

[In] Integrate[x^3\*Cos[x^2],x]

[Out] Cos[x^2]/2 + (x^2\*Sin[x^2])/2

**Maple [A]** time = 0.005, size = 17, normalized size = 0.9

$$\frac{\cos(x^2)}{2} + \frac{x^2 \sin(x^2)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*cos(x^2),x)

[Out] 1/2\*cos(x^2)+1/2\*x^2\*sin(x^2)

**Maxima [A]** time = 0.974607, size = 22, normalized size = 1.1

$$\frac{1}{2} x^2 \sin(x^2) + \frac{1}{2} \cos(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*cos(x^2),x, algorithm="maxima")

[Out] 1/2\*x^2\*sin(x^2) + 1/2\*cos(x^2)

**Fricas [A]** time = 1.96105, size = 45, normalized size = 2.25

$$\frac{1}{2} x^2 \sin(x^2) + \frac{1}{2} \cos(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*cos(x^2),x, algorithm="fricas")

[Out] 1/2\*x^2\*sin(x^2) + 1/2\*cos(x^2)

**Sympy [A]** time = 0.549555, size = 15, normalized size = 0.75

$$\frac{x^2 \sin(x^2)}{2} + \frac{\cos(x^2)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*cos(x\*\*2),x)

[Out] x\*\*2\*sin(x\*\*2)/2 + cos(x\*\*2)/2

---

**Giac [A]** time = 1.09492, size = 22, normalized size = 1.1

$$\frac{1}{2} x^2 \sin(x^2) + \frac{1}{2} \cos(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*cos(x^2),x, algorithm="giac")

[Out] 1/2\*x^2\*sin(x^2) + 1/2\*cos(x^2)

$$3.791 \quad \int \cos(x) \cos(2 \sin(x)) dx$$

**Optimal.** Leaf size=9

$$\frac{1}{2} \sin(2 \sin(x))$$

[Out] Sin[2\*Sin[x]]/2

**Rubi [A]** time = 0.0104997, antiderivative size = 9, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {4334, 2637}

$$\frac{1}{2} \sin(2 \sin(x))$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Cos[2\*Sin[x]],x]

[Out] Sin[2\*Sin[x]]/2

**Rule 4334**

Int[(u\_)\*(F\_)[(c\_.)\*((a\_.) + (b\_.)\*(x\_))], x\_Symbol] :> With[{d = FreeFactors[Sin[c\*(a + b\*x)], x]}, Dist[d/(b\*c), Subst[Int[SubstFor[1, Sin[c\*(a + b\*x)]]/d, u, x], x], x, Sin[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Sin[c\*(a + b\*x)]/d, u, x, True] /; FreeQ[{a, b, c}, x] && (EqQ[F, Cos] || EqQ[F, cos])

**Rule 2637**

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

**Rubi steps**

$$\begin{aligned} \int \cos(x) \cos(2 \sin(x)) dx &= \text{Subst}\left(\int \cos(2x) dx, x, \sin(x)\right) \\ &= \frac{1}{2} \sin(2 \sin(x)) \end{aligned}$$

**Mathematica [A]** time = 1.37057, size = 9, normalized size = 1.

$$\frac{1}{2} \sin(2 \sin(x))$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Cos[2\*Sin[x]],x]

[Out] Sin[2\*Sin[x]]/2

**Maple [A]** time = 0.013, size = 8, normalized size = 0.9

$$\frac{\sin(2 \sin(x))}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*cos(2\*sin(x)),x)

[Out] 1/2\*sin(2\*sin(x))

---

**Maxima [A]** time = 0.964211, size = 9, normalized size = 1.

$$\frac{1}{2} \sin(2 \sin(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*cos(2\*sin(x)),x, algorithm="maxima")

[Out] 1/2\*sin(2\*sin(x))

---

**Fricas [B]** time = 2.03069, size = 57, normalized size = 6.33

$$\frac{1}{2} \sin\left(\frac{4 \tan\left(\frac{1}{2}x\right)}{\tan\left(\frac{1}{2}x\right)^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*cos(2\*sin(x)),x, algorithm="fricas")

[Out] 1/2\*sin(4\*tan(1/2\*x)/(tan(1/2\*x)^2 + 1))

---

**Sympy [A]** time = 0.515596, size = 7, normalized size = 0.78

$$\frac{\sin(2 \sin(x))}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*cos(2\*sin(x)),x)

[Out] sin(2\*sin(x))/2

---

**Giac [A]** time = 1.09994, size = 9, normalized size = 1.

$$\frac{1}{2} \sin(2 \sin(x))$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)*cos(2*sin(x)),x, algorithm="giac")
```

```
[Out] 1/2*sin(2*sin(x))
```

$$3.792 \quad \int \frac{\cos(x) \sin(x)}{1 + \cos^2(x)} dx$$

**Optimal.** Leaf size=11

$$-\frac{1}{2} \log(\cos^2(x) + 1)$$

[Out] -Log[1 + Cos[x]^2]/2

**Rubi [A]** time = 0.0317343, antiderivative size = 11, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {4335, 260}

$$-\frac{1}{2} \log(\cos^2(x) + 1)$$

Antiderivative was successfully verified.

[In] Int[(Cos[x]\*Sin[x])/(1 + Cos[x]^2),x]

[Out] -Log[1 + Cos[x]^2]/2

**Rule 4335**

Int[(u\_)\*(F\_)[(c\_.)\*((a\_.) + (b\_.)\*(x\_))], x\_Symbol] := With[{d = FreeFactors[Cos[c\*(a + b\*x)], x]}, -Dist[d/(b\*c), Subst[Int[SubstFor[1, Cos[c\*(a + b\*x)]]/d, u, x], x], x, Cos[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Cos[c\*(a + b\*x)]/d, u, x, True]] /; FreeQ[{a, b, c}, x] && (EqQ[F, Sin] || EqQ[F, sin])

**Rule 260**

Int[(x\_)^(m\_.)/((a\_) + (b\_.)\*(x\_)^(n\_.)), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x^n, x]]/(b\*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

**Rubi steps**

$$\begin{aligned} \int \frac{\cos(x) \sin(x)}{1 + \cos^2(x)} dx &= -\text{Subst} \left( \int \frac{x}{1 + x^2} dx, x, \cos(x) \right) \\ &= -\frac{1}{2} \log(1 + \cos^2(x)) \end{aligned}$$

**Mathematica [A]** time = 0.028184, size = 11, normalized size = 1.

$$-\frac{1}{2} \log(\cos(2x) + 3)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[x]\*Sin[x])/(1 + Cos[x]^2),x]

[Out] -Log[3 + Cos[2\*x]]/2

**Maple [A]** time = 0.01, size = 10, normalized size = 0.9

$$-\frac{\ln(1 + (\cos(x))^2)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*sin(x)/(1+cos(x)^2),x)

[Out] -1/2\*ln(1+cos(x)^2)

**Maxima [A]** time = 0.947922, size = 12, normalized size = 1.09

$$-\frac{1}{2} \log(\cos(x)^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sin(x)/(1+cos(x)^2),x, algorithm="maxima")

[Out] -1/2\*log(cos(x)^2 + 1)

**Fricas [A]** time = 2.05358, size = 41, normalized size = 3.73

$$-\frac{1}{2} \log\left(\frac{1}{2} \cos(x)^2 + \frac{1}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sin(x)/(1+cos(x)^2),x, algorithm="fricas")

[Out] -1/2\*log(1/2\*cos(x)^2 + 1/2)

**Sympy [A]** time = 0.194233, size = 10, normalized size = 0.91

$$-\frac{\log(\cos^2(x) + 1)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sin(x)/(1+cos(x)\*\*2),x)

[Out] -log(cos(x)\*\*2 + 1)/2

**Giac [A]** time = 1.07364, size = 12, normalized size = 1.09

$$-\frac{1}{2} \log(\cos(x)^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)*sin(x)/(1+cos(x)^2),x, algorithm="giac")
```

```
[Out] -1/2*log(cos(x)^2 + 1)
```



$$3.793 \quad \int (1 + \cos(x))(x + \sin(x))^3 dx$$

**Optimal.** Leaf size=10

$$\frac{1}{4}(x + \sin(x))^4$$

[Out] (x + Sin[x])^4/4

**Rubi [A]** time = 0.0378183, antiderivative size = 10, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {6686}

$$\frac{1}{4}(x + \sin(x))^4$$

Antiderivative was successfully verified.

[In] Int[(1 + Cos[x])\*(x + Sin[x])^3,x]

[Out] (x + Sin[x])^4/4

**Rule 6686**

Int[(u\_)\*(y\_)^(m\_.), x\_Symbol] :=> With[{q = DerivativeDivides[y, u, x]}, Simp[(q\*y^(m + 1))/(m + 1), x] /; !FalseQ[q] /; FreeQ[m, x] && NeQ[m, -1]

**Rubi steps**

$$\int (1 + \cos(x))(x + \sin(x))^3 dx = \frac{1}{4}(x + \sin(x))^4$$

**Mathematica [A]** time = 0.0184468, size = 10, normalized size = 1.

$$\frac{1}{4}(x + \sin(x))^4$$

Antiderivative was successfully verified.

[In] Integrate[(1 + Cos[x])\*(x + Sin[x])^3,x]

[Out] (x + Sin[x])^4/4

**Maple [B]** time = 0.036, size = 65, normalized size = 6.5

$$\sin(x)x^3 - \frac{3(\cos(x))^2x^2}{2} + 3x(1/2\cos(x)\sin(x) + x/2) - \frac{3x^2}{2} + x(\sin(x))^3 + \frac{(\sin(x))^4}{4} + \frac{x^4}{4} + 3x(-1/2\cos(x)s$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+cos(x))\*(x+sin(x))^3,x)

[Out]  $\sin(x)*x^3-3/2*\cos(x)^2*x^2+3*x*(1/2*\cos(x)*\sin(x)+1/2*x)-3/2*x^2+x*\sin(x)^3+1/4*\sin(x)^4+1/4*x^4+3*x*(-1/2*\cos(x)*\sin(x)+1/2*x)$

**Maxima [A]** time = 0.954098, size = 11, normalized size = 1.1

$$\frac{1}{4}(x + \sin(x))^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+cos(x))*(x+sin(x))^3,x, algorithm="maxima")`

[Out]  $1/4*(x + \sin(x))^4$

**Fricas [B]** time = 2.03644, size = 126, normalized size = 12.6

$$\frac{1}{4}x^4 + \frac{1}{4}\cos(x)^4 - \frac{1}{2}(3x^2 + 1)\cos(x)^2 + \frac{3}{2}x^2 + (x^3 - x\cos(x)^2 + x)\sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+cos(x))*(x+sin(x))^3,x, algorithm="fricas")`

[Out]  $1/4*x^4 + 1/4*\cos(x)^4 - 1/2*(3*x^2 + 1)*\cos(x)^2 + 3/2*x^2 + (x^3 - x*\cos(x)^2 + x)*\sin(x)$

**Sympy [B]** time = 0.61257, size = 36, normalized size = 3.6

$$\frac{x^4}{4} + x^3 \sin(x) + \frac{3x^2 \sin^2(x)}{2} + x \sin^3(x) + \frac{\sin^4(x)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+cos(x))*(x+sin(x))**3,x)`

[Out]  $x**4/4 + x**3*\sin(x) + 3*x**2*\sin(x)**2/2 + x*\sin(x)**3 + \sin(x)**4/4$

**Giac [B]** time = 1.08073, size = 82, normalized size = 8.2

$$\frac{1}{4}x^4 + \frac{3}{4}x^2 - \frac{1}{4}(3x^2 - 1)\cos(2x) - \frac{1}{4}x\sin(3x) + \frac{1}{4}(4x^3 - 21x)\sin(x) + 6x\sin(x) + \frac{1}{32}\cos(4x) - \frac{3}{8}\cos(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+cos(x))*(x+sin(x))^3,x, algorithm="giac")`

[Out]  $1/4*x^4 + 3/4*x^2 - 1/4*(3*x^2 - 1)*\cos(2*x) - 1/4*x*\sin(3*x) + 1/4*(4*x^3 - 21*x)*\sin(x) + 6*x*\sin(x) + 1/32*\cos(4*x) - 3/8*\cos(2*x)$

### 3.794 $\int (1 + \cos(x)) \csc^2(x) dx$

**Optimal.** Leaf size=9

$$-\cot(x) - \csc(x)$$

[Out] -Cot[x] - Csc[x]

**Rubi [A]** time = 0.0286004, antiderivative size = 9, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {2669, 3767, 8}

$$-\cot(x) - \csc(x)$$

Antiderivative was successfully verified.

[In] Int[(1 + Cos[x])\*Csc[x]^2,x]

[Out] -Cot[x] - Csc[x]

#### Rule 2669

Int[(cos[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] :> -Simp[(b\*(g\*Cos[e + f\*x])^(p + 1))/(f\*g\*(p + 1)), x] + Dist[a, Int[(g\*Cos[e + f\*x])^p, x], x] /; FreeQ[{a, b, e, f, g, p}, x] && (IntegerQ[2\*p] || NeQ[a^2 - b^2, 0])

#### Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_.)]^(n\_), x\_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

#### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned} \int (1 + \cos(x)) \csc^2(x) dx &= -\csc(x) + \int \csc^2(x) dx \\ &= -\csc(x) - \text{Subst}\left(\int 1 dx, x, \cot(x)\right) \\ &= -\cot(x) - \csc(x) \end{aligned}$$

**Mathematica [A]** time = 0.003734, size = 9, normalized size = 1.

$$-\cot(x) - \csc(x)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + Cos[x])\*Csc[x]^2,x]

[Out]  $-\text{Cot}[x] - \text{Csc}[x]$

**Maple [A]** time = 0.017, size = 12, normalized size = 1.3

$$-(\sin(x))^{-1} - \cot(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1+cos(x))*csc(x)^2,x)`

[Out]  $-1/\sin(x) - \cot(x)$

**Maxima [A]** time = 0.968491, size = 18, normalized size = 2.

$$-\frac{1}{\sin(x)} - \frac{1}{\tan(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+cos(x))*csc(x)^2,x, algorithm="maxima")`

[Out]  $-1/\sin(x) - 1/\tan(x)$

**Fricas [A]** time = 1.90474, size = 30, normalized size = 3.33

$$-\frac{\cos(x) + 1}{\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+cos(x))*csc(x)^2,x, algorithm="fricas")`

[Out]  $-(\cos(x) + 1)/\sin(x)$

**Sympy [A]** time = 3.76437, size = 8, normalized size = 0.89

$$-\cot(x) - \frac{1}{\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+cos(x))*csc(x)**2,x)`

[Out]  $-\cot(x) - 1/\sin(x)$

**Giac [A]** time = 1.09225, size = 11, normalized size = 1.22

$$-\frac{1}{\tan\left(\frac{1}{2}x\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1+cos(x))*csc(x)^2,x, algorithm="giac")
```

```
[Out] -1/tan(1/2*x)
```

### 3.795 $\int \sin(x) \tan^2(x) dx$

**Optimal.** Leaf size=5

$$\cos(x) + \sec(x)$$

[Out] Cos[x] + Sec[x]

**Rubi [A]** time = 0.0162149, antiderivative size = 5, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2590, 14}

$$\cos(x) + \sec(x)$$

Antiderivative was successfully verified.

[In] Int[Sin[x]\*Tan[x]^2,x]

[Out] Cos[x] + Sec[x]

#### Rule 2590

```
Int[sin[(e_.) + (f_.)*(x_.)]^(m_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol]
:> -Dist[f^(-1), Subst[Int[(1 - x^2)^((m + n - 1)/2)/x^n, x], x, Cos[e + f*
x]], x] /; FreeQ[{e, f}, x] && IntegersQ[m, n, (m + n - 1)/2]
```

#### Rule 14

```
Int[(u_)*((c_.)*(x_.))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x]
, x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_)
+ (b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]
```

#### Rubi steps

$$\begin{aligned} \int \sin(x) \tan^2(x) dx &= -\text{Subst} \left( \int \frac{1-x^2}{x^2} dx, x, \cos(x) \right) \\ &= -\text{Subst} \left( \int \left( -1 + \frac{1}{x^2} \right) dx, x, \cos(x) \right) \\ &= \cos(x) + \sec(x) \end{aligned}$$

**Mathematica [A]** time = 0.0106083, size = 5, normalized size = 1.

$$\cos(x) + \sec(x)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]\*Tan[x]^2,x]

[Out] Cos[x] + Sec[x]

**Maple [B]** time = 0.008, size = 20, normalized size = 4.

$$\frac{(\sin(x))^4}{\cos(x)} + (2 + (\sin(x))^2) \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)\*tan(x)^2,x)

[Out] sin(x)^4/cos(x)+(2+sin(x)^2)\*cos(x)

---

**Maxima [A]** time = 0.95688, size = 9, normalized size = 1.8

$$\frac{1}{\cos(x)} + \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)\*tan(x)^2,x, algorithm="maxima")

[Out] 1/cos(x) + cos(x)

---

**Fricas [B]** time = 2.18105, size = 31, normalized size = 6.2

$$\frac{\cos(x)^2 + 1}{\cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)\*tan(x)^2,x, algorithm="fricas")

[Out] (cos(x)^2 + 1)/cos(x)

---

**Sympy [A]** time = 0.076895, size = 7, normalized size = 1.4

$$\cos(x) + \frac{1}{\cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)\*tan(x)\*\*2,x)

[Out] cos(x) + 1/cos(x)

---

**Giac [A]** time = 1.09293, size = 9, normalized size = 1.8

$$\frac{1}{\cos(x)} + \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(x)*tan(x)^2,x, algorithm="giac")
```

```
[Out] 1/cos(x) + cos(x)
```



$$3.796 \quad \int e^{\sin(x)} \sec^2(x) (x \cos^3(x) - \sin(x)) dx$$

**Optimal.** Leaf size=13

$$e^{\sin(x)}(x \cos(x) - 1) \sec(x)$$

[Out]  $E^{\sin[x]} * (-1 + x * \cos[x]) * \sec[x]$

**Rubi [F]** time = 0.640077, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int e^{\sin(x)} \sec^2(x) (x \cos^3(x) - \sin(x)) dx$$

Verification is Not applicable to the result.

[In]  $\text{Int}[E^{\sin[x]} * \sec[x]^2 * (x * \cos[x]^3 - \sin[x]), x]$

[Out]  $\text{Defer}[\text{Int}[E^{\sin[x]} * x * \cos[x], x] - \text{Defer}[\text{Int}[E^{\sin[x]} * \sec[x] * \tan[x], x]$

Rubi steps

$$\begin{aligned} \int e^{\sin(x)} \sec^2(x) (x \cos^3(x) - \sin(x)) dx &= \int (e^{\sin(x)} x \cos(x) - e^{\sin(x)} \sec(x) \tan(x)) dx \\ &= \int e^{\sin(x)} x \cos(x) dx - \int e^{\sin(x)} \sec(x) \tan(x) dx \end{aligned}$$

**Mathematica [A]** time = 0.276428, size = 13, normalized size = 1.

$$e^{\sin(x)}(x \cos(x) - 1) \sec(x)$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[E^{\sin[x]} * \sec[x]^2 * (x * \cos[x]^3 - \sin[x]), x]$

[Out]  $E^{\sin[x]} * (-1 + x * \cos[x]) * \sec[x]$

**Maple [C]** time = 0.13, size = 30, normalized size = 2.3

$$\frac{(xe^{2ix} + x - 2e^{ix})e^{\sin(x)}}{1 + e^{2ix}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\exp(\sin(x)) * \sec(x)^2 * (x * \cos(x)^3 - \sin(x)), x)$

[Out]  $(x * \exp(2 * I * x) + x - 2 * \exp(I * x)) / (1 + \exp(2 * I * x)) * \exp(\sin(x))$



$$\begin{aligned}
& 1)) \tan(1/2*x)^6 - 28*e^{(2*\tan(1/2*x)/(\tan(1/2*x)^2 + 1))}*\tan(3/2*x)*\tan(1/2*x)^5 \\
& + 14*e^{(2*\tan(1/2*x)/(\tan(1/2*x)^2 + 1))}*\tan(1/2*x)^6 - 16*x*e^{(2*\tan(1/2*x)/(\tan(1/2*x)^2 + 1))} \\
& *\tan(3/2*x)^2*\tan(1/2*x)^2 + 52*x*e^{(2*\tan(1/2*x)/(\tan(1/2*x)^2 + 1))}*\tan(3/2*x)*\tan(1/2*x)^3 \\
& - 30*x*e^{(2*\tan(1/2*x)/(\tan(1/2*x)^2 + 1))}*\tan(1/2*x)^4 + 14*e^{(2*\tan(1/2*x)/(\tan(1/2*x)^2 + 1))} \\
& *\tan(3/2*x)^2*\tan(1/2*x)^2 - 28*e^{(2*\tan(1/2*x)/(\tan(1/2*x)^2 + 1))}*\tan(3/2*x)*\tan(1/2*x)^3 \\
& + x*e^{(2*\tan(1/2*x)/(\tan(1/2*x)^2 + 1))}*\tan(3/2*x)^2 - 12*x*e^{(2*\tan(1/2*x)/(\tan(1/2*x)^2 + 1))} \\
& *\tan(3/2*x)*\tan(1/2*x) + 16*x*e^{(2*\tan(1/2*x)/(\tan(1/2*x)^2 + 1))}*\tan(1/2*x)^2 - e^{(2*\tan(1/2*x)/(\tan(1/2*x)^2 + 1))} \\
& *\tan(3/2*x)^2 + 12*e^{(2*\tan(1/2*x)/(\tan(1/2*x)^2 + 1))}*\tan(3/2*x)*\tan(1/2*x) - 14*e^{(2*\tan(1/2*x)/(\tan(1/2*x)^2 + 1))} \\
& *\tan(1/2*x)^2 - x*e^{(2*\tan(1/2*x)/(\tan(1/2*x)^2 + 1))} + e^{(2*\tan(1/2*x)/(\tan(1/2*x)^2 + 1))})/(\tan(3/2*x)^2*\tan(1/2*x)^8 \\
& + 2*\tan(3/2*x)^2*\tan(1/2*x)^6 + \tan(1/2*x)^8 + 2*\tan(1/2*x)^6 - 2*\tan(3/2*x)^2*\tan(1/2*x)^2 - \tan(3/2*x)^2 - 2*\tan(1/2*x)^2 - 1)
\end{aligned}$$

### 3.797 $\int x \csc^2(x) dx$

**Optimal.** Leaf size=9

$$\log(\sin(x)) - x \cot(x)$$

[Out]  $-(x*\text{Cot}[x]) + \text{Log}[\text{Sin}[x]]$

**Rubi [A]** time = 0.0164081, antiderivative size = 9, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4184, 3475}

$$\log(\sin(x)) - x \cot(x)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x*\text{Csc}[x]^2, x]$

[Out]  $-(x*\text{Cot}[x]) + \text{Log}[\text{Sin}[x]]$

#### Rule 4184

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]^2*((c_.) + (d_.)*(x_.))^{(m_.)}, x\_Symbol] :> -\text{Simp}[\text{((c + d*x)^m*\text{Cot}[e + f*x])/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m - 1)}*\text{Cot}[e + f*x], x], x] /; \text{FreeQ}\{c, d, e, f, x\} \&\& \text{GtQ}[m, 0]$

#### Rule 3475

$\text{Int}[\tan[(c_.) + (d_.)*(x_.)], x\_Symbol] :> -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d*x], x]]/d, x] /; \text{FreeQ}\{c, d, x\}$

#### Rubi steps

$$\begin{aligned} \int x \csc^2(x) dx &= -x \cot(x) + \int \cot(x) dx \\ &= -x \cot(x) + \log(\sin(x)) \end{aligned}$$

**Mathematica [A]** time = 0.016742, size = 9, normalized size = 1.

$$\log(\sin(x)) - x \cot(x)$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[x*\text{Csc}[x]^2, x]$

[Out]  $-(x*\text{Cot}[x]) + \text{Log}[\text{Sin}[x]]$

**Maple [A]** time = 0.006, size = 10, normalized size = 1.1

$$-x \cot(x) + \ln(\sin(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*csc(x)^2,x)

[Out] -x\*cot(x)+ln(sin(x))

**Maxima [B]** time = 0.969676, size = 140, normalized size = 15.56

$$\frac{(\cos(2x)^2 + \sin(2x)^2 - 2\cos(2x) + 1)\log(\cos(x)^2 + \sin(x)^2 + 2\cos(x) + 1) + (\cos(2x)^2 + \sin(2x)^2 - 2\cos(2x) + 1)\log(\cos(x)^2 + \sin(x)^2 + 2\cos(x) + 1)}{2(\cos(2x)^2 + \sin(2x)^2 - 2\cos(2x) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*csc(x)^2,x, algorithm="maxima")

[Out] 1/2\*((cos(2\*x)^2 + sin(2\*x)^2 - 2\*cos(2\*x) + 1)\*log(cos(x)^2 + sin(x)^2 + 2\*cos(x) + 1) + (cos(2\*x)^2 + sin(2\*x)^2 - 2\*cos(2\*x) + 1)\*log(cos(x)^2 + sin(x)^2 + 2\*cos(x) + 1) - 4\*x\*sin(2\*x))/(cos(2\*x)^2 + sin(2\*x)^2 - 2\*cos(2\*x) + 1)

**Fricas [B]** time = 2.05214, size = 61, normalized size = 6.78

$$\frac{x \cos(x) - \log\left(\frac{1}{2} \sin(x)\right) \sin(x)}{\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*csc(x)^2,x, algorithm="fricas")

[Out] -(x\*cos(x) - log(1/2\*sin(x))\*sin(x))/sin(x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int x \csc^2(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*csc(x)\*\*2,x)

[Out] Integral(x\*csc(x)\*\*2, x)

**Giac [B]** time = 1.10768, size = 70, normalized size = 7.78

$$\frac{x \tan\left(\frac{1}{2}x\right)^2 + \log\left(\frac{16 \tan\left(\frac{1}{2}x\right)^2}{\tan\left(\frac{1}{2}x\right)^4 + 2 \tan\left(\frac{1}{2}x\right)^2 + 1}\right) \tan\left(\frac{1}{2}x\right) - x}{2 \tan\left(\frac{1}{2}x\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*csc(x)^2,x, algorithm="giac")
```

```
[Out] 1/2*(x*tan(1/2*x)^2 + log(16*tan(1/2*x)^2/(tan(1/2*x)^4 + 2*tan(1/2*x)^2 + 1))*tan(1/2*x) - x)/tan(1/2*x)
```

### 3.798 $\int \cos(x) \sin\left(\frac{\pi}{6} + x\right) dx$

**Optimal.** Leaf size=20

$$\frac{x}{4} - \frac{1}{4} \cos\left(2x + \frac{\pi}{6}\right)$$

[Out] x/4 - Cos[Pi/6 + 2\*x]/4

**Rubi [A]** time = 0.0167845, antiderivative size = 20, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {4574, 2638}

$$\frac{x}{4} - \frac{1}{4} \cos\left(2x + \frac{\pi}{6}\right)$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Sin[Pi/6 + x],x]

[Out] x/4 - Cos[Pi/6 + 2\*x]/4

#### Rule 4574

Int[Cos[w\_]^(q\_.)\*Sin[v\_]^(p\_.), x\_Symbol] := Int[ExpandTrigReduce[Sin[v]^p \* Cos[w]^q, x], x] /; IGtQ[p, 0] && IGtQ[q, 0] && ((PolynomialQ[v, x] && PolynomialQ[w, x]) || (BinomialQ[{v, w}, x] && IndependentQ[Cancel[v/w], x]))

#### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \cos(x) \sin\left(\frac{\pi}{6} + x\right) dx &= \int \left(\frac{1}{4} + \frac{1}{2} \sin\left(\frac{\pi}{6} + 2x\right)\right) dx \\ &= \frac{x}{4} + \frac{1}{2} \int \sin\left(\frac{\pi}{6} + 2x\right) dx \\ &= \frac{x}{4} - \frac{1}{4} \cos\left(\frac{\pi}{6} + 2x\right) \end{aligned}$$

**Mathematica [A]** time = 0.0119861, size = 20, normalized size = 1.

$$\frac{x}{4} - \frac{1}{4} \cos\left(2x + \frac{\pi}{6}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Sin[Pi/6 + x],x]

[Out] x/4 - Cos[Pi/6 + 2\*x]/4

**Maple [A]** time = 0.031, size = 15, normalized size = 0.8

$$\frac{x}{4} - \frac{1}{4} \cos\left(\frac{\pi}{6} + 2x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*sin(1/6\*Pi+x),x)

[Out] 1/4\*x-1/4\*cos(1/6\*Pi+2\*x)

---

**Maxima [A]** time = 0.956136, size = 19, normalized size = 0.95

$$\frac{1}{4}x - \frac{1}{4} \cos\left(\frac{1}{6}\pi + 2x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sin(1/6\*pi+x),x, algorithm="maxima")

[Out] 1/4\*x - 1/4\*cos(1/6\*pi + 2\*x)

---

**Fricas [B]** time = 2.0857, size = 105, normalized size = 5.25

$$-\frac{1}{4}\sqrt{3}\cos\left(\frac{1}{6}\pi + x\right)^2 - \frac{1}{4}\cos\left(\frac{1}{6}\pi + x\right)\sin\left(\frac{1}{6}\pi + x\right) + \frac{1}{4}x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sin(1/6\*pi+x),x, algorithm="fricas")

[Out] -1/4\*sqrt(3)\*cos(1/6\*pi + x)^2 - 1/4\*cos(1/6\*pi + x)\*sin(1/6\*pi + x) + 1/4\*x

---

**Sympy [B]** time = 0.534328, size = 37, normalized size = 1.85

$$-\frac{x \sin(x) \cos\left(x + \frac{\pi}{6}\right)}{2} + \frac{x \sin\left(x + \frac{\pi}{6}\right) \cos(x)}{2} + \frac{\sin(x) \sin\left(x + \frac{\pi}{6}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sin(1/6\*pi+x),x)

[Out] -x\*sin(x)\*cos(x + pi/6)/2 + x\*sin(x + pi/6)\*cos(x)/2 + sin(x)\*sin(x + pi/6)/2

---

**Giac [A]** time = 1.09626, size = 19, normalized size = 0.95

$$\frac{1}{4}x - \frac{1}{4} \cos\left(\frac{1}{6}\pi + 2x\right)$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)*sin(1/6*pi+x),x, algorithm="giac")
```

```
[Out] 1/4*x - 1/4*cos(1/6*pi + 2*x)
```

### 3.799 $\int x \sin^3(x^2) dx$

**Optimal.** Leaf size=19

$$\frac{1}{6} \cos^3(x^2) - \frac{\cos(x^2)}{2}$$

[Out] -Cos[x^2]/2 + Cos[x^2]^3/6

**Rubi [A]** time = 0.0149719, antiderivative size = 19, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {3379, 2633}

$$\frac{1}{6} \cos^3(x^2) - \frac{\cos(x^2)}{2}$$

Antiderivative was successfully verified.

[In] Int[x\*Sin[x^2]^3,x]

[Out] -Cos[x^2]/2 + Cos[x^2]^3/6

#### Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_.)])^(p_.), x_Symbol]
  := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p,
    x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
  && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

#### Rule 2633

```
Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x]
  && IGtQ[(n - 1)/2, 0]
```

#### Rubi steps

$$\begin{aligned} \int x \sin^3(x^2) dx &= \frac{1}{2} \text{Subst} \left( \int \sin^3(x) dx, x, x^2 \right) \\ &= - \left( \frac{1}{2} \text{Subst} \left( \int (1 - x^2) dx, x, \cos(x^2) \right) \right) \\ &= -\frac{1}{2} \cos(x^2) + \frac{1}{6} \cos^3(x^2) \end{aligned}$$

**Mathematica [A]** time = 0.0124647, size = 19, normalized size = 1.

$$\frac{1}{24} \cos(3x^2) - \frac{3 \cos(x^2)}{8}$$

Antiderivative was successfully verified.

[In] Integrate[x\*Sin[x^2]^3,x]

[Out]  $(-3*\text{Cos}[x^2])/8 + \text{Cos}[3*x^2]/24$

---

**Maple [A]** time = 0.005, size = 15, normalized size = 0.8

$$-\frac{(2 + (\sin(x^2))^2) \cos(x^2)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*sin(x^2)^3,x)`

[Out]  $-1/6*(2+\sin(x^2)^2)*\cos(x^2)$

---

**Maxima [A]** time = 0.960243, size = 20, normalized size = 1.05

$$\frac{1}{24} \cos(3x^2) - \frac{3}{8} \cos(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*sin(x^2)^3,x, algorithm="maxima")`

[Out]  $1/24*\cos(3*x^2) - 3/8*\cos(x^2)$

---

**Fricas [A]** time = 2.05156, size = 42, normalized size = 2.21

$$\frac{1}{6} \cos(x^2)^3 - \frac{1}{2} \cos(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*sin(x^2)^3,x, algorithm="fricas")`

[Out]  $1/6*\cos(x^2)^3 - 1/2*\cos(x^2)$

---

**Sympy [A]** time = 0.555839, size = 22, normalized size = 1.16

$$-\frac{\sin^2(x^2) \cos(x^2)}{2} - \frac{\cos^3(x^2)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*sin(x**2)**3,x)`

[Out]  $-\sin(x**2)**2*\cos(x**2)/2 - \cos(x**2)**3/3$

---

**Giac [A]** time = 1.07936, size = 20, normalized size = 1.05

$$\frac{1}{6} \cos(x^2)^3 - \frac{1}{2} \cos(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*sin(x^2)^3,x, algorithm="giac")
```

```
[Out] 1/6*cos(x^2)^3 - 1/2*cos(x^2)
```

### 3.800 $\int \sin^2(x) \tan(x) dx$

**Optimal.** Leaf size=14

$$\frac{\cos^2(x)}{2} - \log(\cos(x))$$

[Out] Cos[x]^2/2 - Log[Cos[x]]

**Rubi [A]** time = 0.0146159, antiderivative size = 14, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2590, 14}

$$\frac{\cos^2(x)}{2} - \log(\cos(x))$$

Antiderivative was successfully verified.

[In] Int[Sin[x]^2\*Tan[x],x]

[Out] Cos[x]^2/2 - Log[Cos[x]]

#### Rule 2590

Int[sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^(n\_.), x\_Symbol] :> -Dist[f^(-1), Subst[Int[(1 - x^2)^((m + n - 1)/2)/x^n, x], x, Cos[e + f\*x]], x] /; FreeQ[{e, f}, x] && IntegersQ[m, n, (m + n - 1)/2]

#### Rule 14

Int[(u\_)\*((c\_.)\*(x\_))^(m\_.), x\_Symbol] :> Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_ + (b\_.)\*(v\_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

#### Rubi steps

$$\begin{aligned} \int \sin^2(x) \tan(x) dx &= -\text{Subst} \left( \int \frac{1-x^2}{x} dx, x, \cos(x) \right) \\ &= -\text{Subst} \left( \int \left( \frac{1}{x} - x \right) dx, x, \cos(x) \right) \\ &= \frac{\cos^2(x)}{2} - \log(\cos(x)) \end{aligned}$$

**Mathematica [A]** time = 0.0056344, size = 14, normalized size = 1.

$$\frac{\cos^2(x)}{2} - \log(\cos(x))$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]^2\*Tan[x],x]

[Out] Cos[x]^2/2 - Log[Cos[x]]

---

**Maple [A]** time = 0.011, size = 13, normalized size = 0.9

$$-\frac{(\sin(x))^2}{2} - \ln(\cos(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)^2\*tan(x),x)

[Out] -1/2\*sin(x)^2-ln(cos(x))

---

**Maxima [A]** time = 0.953101, size = 22, normalized size = 1.57

$$-\frac{1}{2} \sin(x)^2 - \frac{1}{2} \log(\sin(x)^2 - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^2\*tan(x),x, algorithm="maxima")

[Out] -1/2\*sin(x)^2 - 1/2\*log(sin(x)^2 - 1)

---

**Fricas [A]** time = 2.07138, size = 39, normalized size = 2.79

$$\frac{1}{2} \cos(x)^2 - \log(-\cos(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^2\*tan(x),x, algorithm="fricas")

[Out] 1/2\*cos(x)^2 - log(-cos(x))

---

**Sympy [A]** time = 0.081264, size = 10, normalized size = 0.71

$$-\log(\cos(x)) + \frac{\cos^2(x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)\*\*2\*tan(x),x)

[Out] -log(cos(x)) + cos(x)\*\*2/2

---

**Giac [A]** time = 1.0966, size = 24, normalized size = 1.71

$$-\frac{1}{2} \sin(x)^2 - \frac{1}{2} \log(-\sin(x)^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(x)^2*tan(x),x, algorithm="giac")
```

```
[Out] -1/2*sin(x)^2 - 1/2*log(-sin(x)^2 + 1)
```

### 3.801 $\int \cos^2(x) \cot^3(x) dx$

**Optimal.** Leaf size=22

$$\frac{\sin^2(x)}{2} - \frac{1}{2} \csc^2(x) - 2 \log(\sin(x))$$

[Out]  $-\text{Csc}[x]^2/2 - 2*\text{Log}[\text{Sin}[x]] + \text{Sin}[x]^2/2$

**Rubi [A]** time = 0.0329977, antiderivative size = 22, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {2590, 266, 43}

$$\frac{\sin^2(x)}{2} - \frac{1}{2} \csc^2(x) - 2 \log(\sin(x))$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[x]^2*\text{Cot}[x]^3, x]$

[Out]  $-\text{Csc}[x]^2/2 - 2*\text{Log}[\text{Sin}[x]] + \text{Sin}[x]^2/2$

#### Rule 2590

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]^{(m_.)}*\tan[(e_.) + (f_.)*(x_.)]^{(n_.)}, x\_Symbol] \rightarrow -\text{Dist}[f^{(-1)}, \text{Subst}[\text{Int}[(1 - x^2)^{((m + n - 1)/2)}/x^n, x], x, \text{Cos}[e + f*x]], x] /;$   $\text{FreeQ}\{e, f, x\} \ \&\& \ \text{IntegersQ}[m, n, (m + n - 1)/2]$

#### Rule 266

$\text{Int}[(x_)^{(m_.)}*((a_.) + (b_.)*(x_)^{(n_.)})^{(p_.)}, x\_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p, x}], x, x^n], x] /;$   $\text{FreeQ}\{a, b, m, n, p, x\} \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

#### Rule 43

$\text{Int}[(a_.) + (b_.)*(x_)^{(m_.)}*((c_.) + (d_.)*(x_)^{(n_.)}), x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /;$   $\text{FreeQ}\{a, b, c, d, n, x\} \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ (\text{!IntegerQ}[n] \ || \ (\text{EqQ}[c, 0] \ \&\& \ \text{LeQ}[7*m + 4*n + 4, 0]) \ || \ \text{LtQ}[9*m + 5*(n + 1), 0] \ || \ \text{GtQ}[m + n + 2, 0])$

#### Rubi steps

$$\begin{aligned} \int \cos^2(x) \cot^3(x) dx &= \text{Subst} \left( \int \frac{(1-x^2)^2}{x^3} dx, x, -\sin(x) \right) \\ &= \frac{1}{2} \text{Subst} \left( \int \frac{(1-x)^2}{x^2} dx, x, \sin^2(x) \right) \\ &= \frac{1}{2} \text{Subst} \left( \int \left( 1 + \frac{1}{x^2} - \frac{2}{x} \right) dx, x, \sin^2(x) \right) \\ &= -\frac{1}{2} \csc^2(x) - 2 \log(\sin(x)) + \frac{\sin^2(x)}{2} \end{aligned}$$



**Mathematica [A]** time = 0.0247997, size = 20, normalized size = 0.91

$$\frac{1}{2}(\sin^2(x) - \csc^2(x) - 4 \log(\sin(x)))$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]^2\*Cot[x]^3,x]

[Out] (-Csc[x]^2 - 4\*Log[Sin[x]] + Sin[x]^2)/2

**Maple [A]** time = 0.015, size = 29, normalized size = 1.3

$$-\frac{(\cos(x))^6}{2(\sin(x))^2} - \frac{(\cos(x))^4}{2} - (\cos(x))^2 - 2 \ln(\sin(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)^2\*cot(x)^3,x)

[Out] -1/2/sin(x)^2\*cos(x)^6-1/2\*cos(x)^4-cos(x)^2-2\*ln(sin(x))

**Maxima [A]** time = 0.961277, size = 27, normalized size = 1.23

$$\frac{1}{2} \sin(x)^2 - \frac{1}{2 \sin(x)^2} - \log(\sin(x)^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)^2\*cot(x)^3,x, algorithm="maxima")

[Out] 1/2\*sin(x)^2 - 1/2/sin(x)^2 - log(sin(x)^2)

**Fricas [B]** time = 2.17134, size = 116, normalized size = 5.27

$$\frac{2 \cos(x)^4 - 3 \cos(x)^2 + 8 (\cos(x)^2 - 1) \log\left(\frac{1}{2} \sin(x)\right) - 1}{4 (\cos(x)^2 - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)^2\*cot(x)^3,x, algorithm="fricas")

[Out] -1/4\*(2\*cos(x)^4 - 3\*cos(x)^2 + 8\*(cos(x)^2 - 1)\*log(1/2\*sin(x)) - 1)/(cos(x)^2 - 1)

**Sympy [A]** time = 0.095966, size = 20, normalized size = 0.91

$$-2 \log(\sin(x)) + \frac{\sin^2(x)}{2} - \frac{1}{2 \sin^2(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*\*2\*cot(x)\*\*3,x)

[Out] -2\*log(sin(x)) + sin(x)\*\*2/2 - 1/(2\*sin(x)\*\*2)

**Giac [B]** time = 1.07869, size = 49, normalized size = 2.23

$$-\frac{1}{2} \cos(x)^2 + \frac{2 \cos(x)^2 - 1}{2(\cos(x)^2 - 1)} - \log(-\cos(x)^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)^2\*cot(x)^3,x, algorithm="giac")

[Out] -1/2\*cos(x)^2 + 1/2\*(2\*cos(x)^2 - 1)/(cos(x)^2 - 1) - log(-cos(x)^2 + 1)

### 3.802 $\int \sec(x)(1 - \sin(x)) dx$

**Optimal.** Leaf size=5

$$\log(\sin(x) + 1)$$

[Out] Log[1 + Sin[x]]

**Rubi [A]** time = 0.0147563, antiderivative size = 5, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {2667, 31}

$$\log(\sin(x) + 1)$$

Antiderivative was successfully verified.

[In] Int[Sec[x]\*(1 - Sin[x]),x]

[Out] Log[1 + Sin[x]]

#### Rule 2667

Int[cos[(e\_.) + (f\_.)\*(x\_.)]^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.), x\_Symbol] :> Dist[1/(b^p\*f), Subst[Int[(a + x)^(m + (p - 1)/2)\*(a - x)^(p - 1/2), x], x, b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && EqQ[a^2 - b^2, 0] && (GeQ[p, -1] || !IntegerQ[m + 1/2])

#### Rule 31

Int[((a\_.) + (b\_.)\*(x\_.))^(-1), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

#### Rubi steps

$$\begin{aligned} \int \sec(x)(1 - \sin(x)) dx &= -\text{Subst}\left(\int \frac{1}{1-x} dx, x, -\sin(x)\right) \\ &= \log(1 + \sin(x)) \end{aligned}$$

**Mathematica [B]** time = 0.0072989, size = 36, normalized size = 7.2

$$\log(\cos(x)) - \log\left(\cos\left(\frac{x}{2}\right) - \sin\left(\frac{x}{2}\right)\right) + \log\left(\sin\left(\frac{x}{2}\right) + \cos\left(\frac{x}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[x]\*(1 - Sin[x]),x]

[Out] Log[Cos[x]] - Log[Cos[x/2] - Sin[x/2]] + Log[Cos[x/2] + Sin[x/2]]

**Maple [A]** time = 0.019, size = 6, normalized size = 1.2

$$\ln(1 + \sin(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(x)*(1-sin(x)),x)`

[Out] `ln(1+sin(x))`

---

**Maxima [A]** time = 0.955349, size = 7, normalized size = 1.4

$$\log(\sin(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)*(1-sin(x)),x, algorithm="maxima")`

[Out] `log(sin(x) + 1)`

---

**Fricas [A]** time = 1.9975, size = 23, normalized size = 4.6

$$\log(\sin(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)*(1-sin(x)),x, algorithm="fricas")`

[Out] `log(sin(x) + 1)`

---

**Sympy [B]** time = 2.3926, size = 12, normalized size = 2.4

$$\log(\tan(x) + \sec(x)) + \log(\cos(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)*(1-sin(x)),x)`

[Out] `log(tan(x) + sec(x)) + log(cos(x))`

---

**Giac [A]** time = 1.09274, size = 7, normalized size = 1.4

$$\log(\sin(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)*(1-sin(x)),x, algorithm="giac")`

[Out] `log(sin(x) + 1)`

### 3.803 $\int (1 + \cos(x)) \csc(x) dx$

**Optimal.** Leaf size=7

$$\log(1 - \cos(x))$$

[Out] Log[1 - Cos[x]]

**Rubi [A]** time = 0.0157383, antiderivative size = 7, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2667, 31}

$$\log(1 - \cos(x))$$

Antiderivative was successfully verified.

[In] Int[(1 + Cos[x])\*Csc[x],x]

[Out] Log[1 - Cos[x]]

#### Rule 2667

Int[cos[(e\_.) + (f\_.)\*(x\_.)]^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.), x\_Symbol] :> Dist[1/(b^p\*f), Subst[Int[(a + x)^(m + (p - 1)/2)\*(a - x)^(p - 1/2), x], x, b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && EqQ[a^2 - b^2, 0] && (GeQ[p, -1] || !IntegerQ[m + 1/2])

#### Rule 31

Int[((a\_.) + (b\_.)\*(x\_.))^(n\_.), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

#### Rubi steps

$$\begin{aligned} \int (1 + \cos(x)) \csc(x) dx &= -\text{Subst} \left( \int \frac{1}{1-x} dx, x, \cos(x) \right) \\ &= \log(1 - \cos(x)) \end{aligned}$$

**Mathematica [B]** time = 0.0060792, size = 20, normalized size = 2.86

$$\log\left(\sin\left(\frac{x}{2}\right)\right) + \log(\sin(x)) - \log\left(\cos\left(\frac{x}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + Cos[x])\*Csc[x],x]

[Out] -Log[Cos[x/2]] + Log[Sin[x/2]] + Log[Sin[x]]

**Maple [A]** time = 0.013, size = 6, normalized size = 0.9

$$\ln(-1 + \cos(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1+cos(x))*csc(x),x)`

[Out] `ln(-1+cos(x))`

---

**Maxima [A]** time = 0.95, size = 7, normalized size = 1.

$$\log(\cos(x) - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+cos(x))*csc(x),x, algorithm="maxima")`

[Out] `log(cos(x) - 1)`

---

**Fricas [A]** time = 1.99447, size = 32, normalized size = 4.57

$$\log\left(-\frac{1}{2}\cos(x) + \frac{1}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+cos(x))*csc(x),x, algorithm="fricas")`

[Out] `log(-1/2*cos(x) + 1/2)`

---

**Sympy [B]** time = 1.98499, size = 12, normalized size = 1.71

$$-\log(\cot(x) + \csc(x)) + \log(\sin(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+cos(x))*csc(x),x)`

[Out] `-log(cot(x) + csc(x)) + log(sin(x))`

---

**Giac [A]** time = 1.07245, size = 9, normalized size = 1.29

$$\log(-\cos(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+cos(x))*csc(x),x, algorithm="giac")`

[Out] `log(-cos(x) + 1)`

$$3.804 \quad \int \cos^2(x) (1 - \tan^2(x)) dx$$

**Optimal.** Leaf size=5

$$\sin(x) \cos(x)$$

[Out] Cos[x]\*Sin[x]

**Rubi [A]** time = 0.0218715, antiderivative size = 5, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {3675, 383}

$$\sin(x) \cos(x)$$

Antiderivative was successfully verified.

[In] Int[Cos[x]^2\*(1 - Tan[x]^2), x]

[Out] Cos[x]\*Sin[x]

#### Rule 3675

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/(c^(m - 1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p, x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])
```

#### Rule 383

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(c*x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[a*d - b*c*(n*(p + 1) + 1), 0]
```

#### Rubi steps

$$\int \cos^2(x) (1 - \tan^2(x)) dx = \text{Subst} \left( \int \frac{1 - x^2}{(1 + x^2)^2} dx, x, \tan(x) \right) \\ = \cos(x) \sin(x)$$

**Mathematica [A]** time = 0.001838, size = 8, normalized size = 1.6

$$\frac{1}{2} \sin(2x)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]^2\*(1 - Tan[x]^2), x]

[Out] Sin[2\*x]/2

---

**Maple [A]** time = 0.016, size = 6, normalized size = 1.2

$$\cos(x) \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(x)^2*(1-tan(x)^2),x)`

[Out] `cos(x)*sin(x)`

---

**Maxima [B]** time = 0.974787, size = 15, normalized size = 3.

$$\frac{\tan(x)}{\tan(x)^2 + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)^2*(1-tan(x)^2),x, algorithm="maxima")`

[Out] `tan(x)/(tan(x)^2 + 1)`

---

**Fricas [A]** time = 1.96089, size = 20, normalized size = 4.

$$\cos(x) \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)^2*(1-tan(x)^2),x, algorithm="fricas")`

[Out] `cos(x)*sin(x)`

---

**Sympy [B]** time = 5.9755, size = 14, normalized size = 2.8

$$\frac{\sin(x) \cos(x)}{2} + \frac{\sin(2x)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)**2*(1-tan(x)**2),x)`

[Out] `sin(x)*cos(x)/2 + sin(2*x)/4`

---

**Giac [A]** time = 1.08616, size = 12, normalized size = 2.4

$$\frac{1}{\frac{1}{\tan(x)} + \tan(x)}$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate(cos(x)^2*(1-tan(x)^2),x, algorithm="giac")
```

```
[Out] 1/(1/tan(x) + tan(x))
```

### 3.805 $\int \csc(2x)(\cos(x) + \sin(x)) dx$

**Optimal.** Leaf size=15

$$\frac{1}{2} \tanh^{-1}(\sin(x)) - \frac{1}{2} \tanh^{-1}(\cos(x))$$

[Out] -ArcTanh[Cos[x]]/2 + ArcTanh[Sin[x]]/2

**Rubi [A]** time = 0.0453018, antiderivative size = 15, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$ , Rules used = {4401, 4287, 3770, 4288}

$$\frac{1}{2} \tanh^{-1}(\sin(x)) - \frac{1}{2} \tanh^{-1}(\cos(x))$$

Antiderivative was successfully verified.

[In] Int[Csc[2\*x]\*(Cos[x] + Sin[x]),x]

[Out] -ArcTanh[Cos[x]]/2 + ArcTanh[Sin[x]]/2

#### Rule 4401

Int[u\_, x\_Symbol] := With[{v = ExpandTrig[u, x]}, Int[v, x] /; SumQ[v]] /; !InertTrigFreeQ[u]

#### Rule 4287

Int[(cos[(a\_.) + (b\_.)\*(x\_.)]\*(e\_.))^(m\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)]^(p\_.), x\_Symbol] := Dist[2^p/e^p, Int[(e\*cos[a + b\*x])^(m + p)\*Sin[a + b\*x]^p, x] /; FreeQ[{a, b, c, d, e, m}, x] && EqQ[b\*c - a\*d, 0] && EqQ[d/b, 2] && IntegerQ[p]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rule 4288

Int[((f\_.)\*sin[(a\_.) + (b\_.)\*(x\_.)])^(n\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)]^(p\_.), x\_Symbol] := Dist[2^p/f^p, Int[Cos[a + b\*x]^p\*(f\*sin[a + b\*x])^(n + p), x] /; FreeQ[{a, b, c, d, f, n}, x] && EqQ[b\*c - a\*d, 0] && EqQ[d/b, 2] && IntegerQ[p]

#### Rubi steps

$$\begin{aligned} \int \csc(2x)(\cos(x) + \sin(x)) dx &= \int (\cos(x) \csc(2x) + \csc(2x) \sin(x)) dx \\ &= \int \cos(x) \csc(2x) dx + \int \csc(2x) \sin(x) dx \\ &= \frac{1}{2} \int \csc(x) dx + \frac{1}{2} \int \sec(x) dx \\ &= -\frac{1}{2} \tanh^{-1}(\cos(x)) + \frac{1}{2} \tanh^{-1}(\sin(x)) \end{aligned}$$

**Mathematica [B]** time = 0.0091776, size = 61, normalized size = 4.07

$$\frac{1}{2} \log\left(\sin\left(\frac{x}{2}\right)\right) - \frac{1}{2} \log\left(\cos\left(\frac{x}{2}\right)\right) - \frac{1}{2} \log\left(\cos\left(\frac{x}{2}\right) - \sin\left(\frac{x}{2}\right)\right) + \frac{1}{2} \log\left(\sin\left(\frac{x}{2}\right) + \cos\left(\frac{x}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Csc[2\*x]\*(Cos[x] + Sin[x]),x]

[Out] -Log[Cos[x/2]]/2 - Log[Cos[x/2] - Sin[x/2]]/2 + Log[Sin[x/2]]/2 + Log[Cos[x/2] + Sin[x/2]]/2

**Maple [A]** time = 0.077, size = 20, normalized size = 1.3

$$\frac{\ln(\sec(x) + \tan(x))}{2} + \frac{\ln(\csc(x) - \cot(x))}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(2\*x)\*(cos(x)+sin(x)),x)

[Out] 1/2\*ln(sec(x)+tan(x))+1/2\*ln(csc(x)-cot(x))

**Maxima [B]** time = 1.47665, size = 93, normalized size = 6.2

$$-\frac{1}{4} \log(\cos(x)^2 + \sin(x)^2 + 2 \cos(x) + 1) + \frac{1}{4} \log(\cos(x)^2 + \sin(x)^2 - 2 \cos(x) + 1) + \frac{1}{4} \log(\cos(x)^2 + \sin(x)^2 - 2 \sin(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(2\*x)\*(cos(x)+sin(x)),x, algorithm="maxima")

[Out] -1/4\*log(cos(x)^2 + sin(x)^2 + 2\*cos(x) + 1) + 1/4\*log(cos(x)^2 + sin(x)^2 - 2\*cos(x) + 1) + 1/4\*log(cos(x)^2 + sin(x)^2 + 2\*sin(x) + 1) - 1/4\*log(cos(x)^2 + sin(x)^2 - 2\*sin(x) + 1)

**Fricas [B]** time = 2.17789, size = 149, normalized size = 9.93

$$-\frac{1}{4} \log\left(-\frac{1}{2}(\cos(x) + 1)\sin(x) + \frac{1}{2}\cos(x) + \frac{1}{2}\right) + \frac{1}{4} \log\left(-\frac{1}{2}(\cos(x) - 1)\sin(x) - \frac{1}{2}\cos(x) + \frac{1}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(2\*x)\*(cos(x)+sin(x)),x, algorithm="fricas")

[Out] -1/4\*log(-1/2\*(cos(x) + 1)\*sin(x) + 1/2\*cos(x) + 1/2) + 1/4\*log(-1/2\*(cos(x) - 1)\*sin(x) - 1/2\*cos(x) + 1/2)

**Sympy [B]** time = 1.86656, size = 32, normalized size = 2.13

$$-\frac{\log(\sin(x) - 1)}{4} + \frac{\log(\sin(x) + 1)}{4} + \frac{\log(\cos(x) - 1)}{4} - \frac{\log(\cos(x) + 1)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(2\*x)\*(cos(x)+sin(x)),x)

[Out]  $-\log(\sin(x) - 1)/4 + \log(\sin(x) + 1)/4 + \log(\cos(x) - 1)/4 - \log(\cos(x) + 1)/4$

**Giac [B]** time = 1.13731, size = 39, normalized size = 2.6

$$\frac{1}{2} \log\left(\left|\tan\left(\frac{1}{2}x\right) + 1\right|\right) - \frac{1}{2} \log\left(\left|\tan\left(\frac{1}{2}x\right) - 1\right|\right) + \frac{1}{2} \log\left(\left|\tan\left(\frac{1}{2}x\right)\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(2\*x)\*(cos(x)+sin(x)),x, algorithm="giac")

[Out]  $1/2*\log(\text{abs}(\tan(1/2*x) + 1)) - 1/2*\log(\text{abs}(\tan(1/2*x) - 1)) + 1/2*\log(\text{abs}(\tan(1/2*x)))$

$$3.806 \quad \int \frac{\cos(x)(-3+2\sin(x))}{2-3\sin(x)+\sin^2(x)} dx$$

**Optimal.** Leaf size=11

$$\log(\sin^2(x) - 3\sin(x) + 2)$$

[Out] Log[2 - 3\*Sin[x] + Sin[x]^2]

**Rubi [A]** time = 0.0463967, antiderivative size = 11, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {4334, 628}

$$\log(\sin^2(x) - 3\sin(x) + 2)$$

Antiderivative was successfully verified.

[In] Int[(Cos[x]\*(-3 + 2\*Sin[x]))/(2 - 3\*Sin[x] + Sin[x]^2),x]

[Out] Log[2 - 3\*Sin[x] + Sin[x]^2]

**Rule 4334**

Int[(u\_)\*(F\_)[(c\_.)\*((a\_.) + (b\_.)\*(x\_))], x\_Symbol] :> With[{d = FreeFactors[Sin[c\*(a + b\*x)], x]}, Dist[d/(b\*c), Subst[Int[SubstFor[1, Sin[c\*(a + b\*x)]]/d, u, x], x], x, Sin[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Sin[c\*(a + b\*x)]/d, u, x, True] /; FreeQ[{a, b, c}, x] && (EqQ[F, Cos] || EqQ[F, cos])

**Rule 628**

Int[((d\_) + (e\_.)\*(x\_))/((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] :> Simp[d\*Log[RemoveContent[a + b\*x + c\*x^2, x]]/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2\*c\*d - b\*e, 0]

**Rubi steps**

$$\int \frac{\cos(x)(-3 + 2\sin(x))}{2 - 3\sin(x) + \sin^2(x)} dx = \text{Subst} \left( \int \frac{-3 + 2x}{2 - 3x + x^2} dx, x, \sin(x) \right) = \log(2 - 3\sin(x) + \sin^2(x))$$

**Mathematica [B]** time = 0.0935853, size = 26, normalized size = 2.36

$$\log(2 - \sin(x)) + 2 \log \left( \cos \left( \frac{x}{2} \right) - \sin \left( \frac{x}{2} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[x]\*(-3 + 2\*Sin[x]))/(2 - 3\*Sin[x] + Sin[x]^2),x]

[Out] 2\*Log[Cos[x/2] - Sin[x/2]] + Log[2 - Sin[x]]

**Maple [A]** time = 0.027, size = 12, normalized size = 1.1

$$\ln(2 - 3 \sin(x) + (\sin(x))^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(x)*(-3+2*sin(x))/(2-3*sin(x)+sin(x)^2),x)`

[Out] `ln(2-3*sin(x)+sin(x)^2)`

---

**Maxima [A]** time = 0.950533, size = 15, normalized size = 1.36

$$\log(\sin(x)^2 - 3 \sin(x) + 2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*(-3+2*sin(x))/(2-3*sin(x)+sin(x)^2),x, algorithm="maxima")`

[Out] `log(sin(x)^2 - 3*sin(x) + 2)`

---

**Fricas [A]** time = 2.22075, size = 55, normalized size = 5.

$$\log\left(-\frac{1}{2} \sin(x) + 1\right) + \log(-\sin(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*(-3+2*sin(x))/(2-3*sin(x)+sin(x)^2),x, algorithm="fricas")`

[Out] `log(-1/2*sin(x) + 1) + log(-sin(x) + 1)`

---

**Sympy [A]** time = 0.216341, size = 12, normalized size = 1.09

$$\log(\sin(x) - 2) + \log(\sin(x) - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*(-3+2*sin(x))/(2-3*sin(x)+sin(x)**2),x)`

[Out] `log(sin(x) - 2) + log(sin(x) - 1)`

---

**Giac [A]** time = 1.08891, size = 20, normalized size = 1.82

$$\log(-\sin(x) + 2) + \log(-\sin(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*(-3+2*sin(x))/(2-3*sin(x)+sin(x)^2),x, algorithm="giac")`

[Out] `log(-sin(x) + 2) + log(-sin(x) + 1)`

$$3.807 \quad \int \frac{\cos^2(x) \sin(x)}{5 + \cos^2(x)} dx$$

Optimal. Leaf size=20

$$\sqrt{5} \tan^{-1} \left( \frac{\cos(x)}{\sqrt{5}} \right) - \cos(x)$$

[Out] Sqrt[5]\*ArcTan[Cos[x]/Sqrt[5]] - Cos[x]

**Rubi [A]** time = 0.0527477, antiderivative size = 20, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {4335, 321, 203}

$$\sqrt{5} \tan^{-1} \left( \frac{\cos(x)}{\sqrt{5}} \right) - \cos(x)$$

Antiderivative was successfully verified.

[In] Int[(Cos[x]^2\*Sin[x])/(5 + Cos[x]^2), x]

[Out] Sqrt[5]\*ArcTan[Cos[x]/Sqrt[5]] - Cos[x]

#### Rule 4335

Int[(u\_)\*(F\_)[(c\_)\*((a\_) + (b\_)\*(x\_))], x\_Symbol] :> With[{d = FreeFactors[Cos[c\*(a + b\*x)], x]}, -Dist[d/(b\*c), Subst[Int[SubstFor[1, Cos[c\*(a + b\*x)]]/d, u, x], x], x, Cos[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Cos[c\*(a + b\*x)]/d, u, x, True] /; FreeQ[{a, b, c}, x] && (EqQ[F, Sin] || EqQ[F, sin])

#### Rule 321

Int[((c\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*(m + n\*p + 1)), x] - Dist[(a\*c^n\*(m - n + 1))/(b\*(m + n\*p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n\*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

#### Rule 203

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{\cos^2(x) \sin(x)}{5 + \cos^2(x)} dx &= -\text{Subst} \left( \int \frac{x^2}{5 + x^2} dx, x, \cos(x) \right) \\ &= -\cos(x) + 5 \text{Subst} \left( \int \frac{1}{5 + x^2} dx, x, \cos(x) \right) \\ &= \sqrt{5} \tan^{-1} \left( \frac{\cos(x)}{\sqrt{5}} \right) - \cos(x) \end{aligned}$$

**Mathematica [B]** time = 0.17334, size = 82, normalized size = 4.1

$$\frac{1}{20} \left( -20 \cos(x) + 21\sqrt{5} \tan^{-1} \left( \frac{1}{\sqrt{5}} - \sqrt{\frac{6}{5}} \tan \left( \frac{x}{2} \right) \right) + 21\sqrt{5} \tan^{-1} \left( \sqrt{\frac{6}{5}} \tan \left( \frac{x}{2} \right) + \frac{1}{\sqrt{5}} \right) - \sqrt{5} \tan^{-1} \left( \frac{\cos(x)}{\sqrt{5}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[x]^2\*Sin[x])/(5 + Cos[x]^2),x]

[Out] (-(Sqrt[5]\*ArcTan[Cos[x]/Sqrt[5]]) + 21\*Sqrt[5]\*ArcTan[1/Sqrt[5] - Sqrt[6/5]\*Tan[x/2]] + 21\*Sqrt[5]\*ArcTan[1/Sqrt[5] + Sqrt[6/5]\*Tan[x/2]] - 20\*Cos[x])/20

**Maple [A]** time = 0.015, size = 18, normalized size = 0.9

$$-\cos(x) + \arctan\left(\frac{\cos(x)\sqrt{5}}{5}\right)\sqrt{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)^2\*sin(x)/(5+cos(x)^2),x)

[Out] -cos(x)+arctan(1/5\*cos(x)\*5^(1/2))\*5^(1/2)

**Maxima [A]** time = 1.46218, size = 23, normalized size = 1.15

$$\sqrt{5} \arctan\left(\frac{1}{5} \sqrt{5} \cos(x)\right) - \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)^2\*sin(x)/(5+cos(x)^2),x, algorithm="maxima")

[Out] sqrt(5)\*arctan(1/5\*sqrt(5)\*cos(x)) - cos(x)

**Fricas [A]** time = 2.28918, size = 61, normalized size = 3.05

$$\sqrt{5} \arctan\left(\frac{1}{5} \sqrt{5} \cos(x)\right) - \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)^2\*sin(x)/(5+cos(x)^2),x, algorithm="fricas")

[Out] sqrt(5)\*arctan(1/5\*sqrt(5)\*cos(x)) - cos(x)

**Sympy [A]** time = 0.5756, size = 19, normalized size = 0.95

$$-\cos(x) + \sqrt{5} \operatorname{atan}\left(\frac{\sqrt{5} \cos(x)}{5}\right)$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)**2*sin(x)/(5+cos(x)**2),x)`

[Out] `-cos(x) + sqrt(5)*atan(sqrt(5)*cos(x)/5)`

**Giac [A]** time = 1.07772, size = 23, normalized size = 1.15

$$\sqrt{5} \arctan\left(\frac{1}{5} \sqrt{5} \cos(x)\right) - \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)^2*sin(x)/(5+cos(x)^2),x, algorithm="giac")`

[Out] `sqrt(5)*arctan(1/5*sqrt(5)*cos(x)) - cos(x)`

$$3.808 \quad \int \frac{\cos(x)}{\sin(x) + \sin^2(x)} dx$$

**Optimal.** Leaf size=11

$$\log(\sin(x)) - \log(\sin(x) + 1)$$

[Out] Log[Sin[x]] - Log[1 + Sin[x]]

**Rubi [A]** time = 0.0214209, antiderivative size = 11, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {3258, 615}

$$\log(\sin(x)) - \log(\sin(x) + 1)$$

Antiderivative was successfully verified.

[In] Int[Cos[x]/(Sin[x] + Sin[x]^2), x]

[Out] Log[Sin[x]] - Log[1 + Sin[x]]

#### Rule 3258

```
Int[cos[(d_.) + (e_.)*(x_)]^(m_.)*((a_.) + (b_.)*((f_.)*sin[(d_.) + (e_.)*(x_)]^(n_.) + (c_.)*((f_.)*sin[(d_.) + (e_.)*(x_)]^(n2_.))^(p_.), x_Symbol]
:> Module[{g = FreeFactors[Sin[d + e*x], x]}, Dist[g/e, Subst[Int[(1 - g^2*x^2)^((m - 1)/2)*(a + b*(f*g*x)^n + c*(f*g*x)^(2*n))^p, x], x, Sin[d + e*x]/g], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && EqQ[n2, 2*n] && IntegerQ[(m - 1)/2]
```

#### Rule 615

```
Int[((b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> Simp[Log[x]/b, x] - Simp[Log[RemoveContent[b + c*x, x]]/b, x] /; FreeQ[{b, c}, x]
```

#### Rubi steps

$$\int \frac{\cos(x)}{\sin(x) + \sin^2(x)} dx = \text{Subst} \left( \int \frac{1}{x + x^2} dx, x, \sin(x) \right) \\ = \log(\sin(x)) - \log(1 + \sin(x))$$

**Mathematica [A]** time = 0.0080147, size = 11, normalized size = 1.

$$\log(\sin(x)) - \log(\sin(x) + 1)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]/(Sin[x] + Sin[x]^2), x]

[Out] Log[Sin[x]] - Log[1 + Sin[x]]

**Maple [A]** time = 0.029, size = 12, normalized size = 1.1

$$\ln(\sin(x)) - \ln(1 + \sin(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)/(sin(x)+sin(x)^2),x)

[Out] ln(sin(x))-ln(1+sin(x))

---

**Maxima [A]** time = 0.997682, size = 15, normalized size = 1.36

$$-\log(\sin(x) + 1) + \log(\sin(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)/(sin(x)+sin(x)^2),x, algorithm="maxima")

[Out] -log(sin(x) + 1) + log(sin(x))

---

**Fricas [A]** time = 2.21227, size = 47, normalized size = 4.27

$$\log\left(\frac{1}{2} \sin(x)\right) - \log(\sin(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)/(sin(x)+sin(x)^2),x, algorithm="fricas")

[Out] log(1/2\*sin(x)) - log(sin(x) + 1)

---

**Sympy [A]** time = 0.194317, size = 10, normalized size = 0.91

$$-\log(\sin(x) + 1) + \log(\sin(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)/(sin(x)+sin(x)\*\*2),x)

[Out] -log(sin(x) + 1) + log(sin(x))

---

**Giac [A]** time = 1.07757, size = 16, normalized size = 1.45

$$-\log(\sin(x) + 1) + \log(|\sin(x)|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)/(sin(x)+sin(x)^2),x, algorithm="giac")

[Out] -log(sin(x) + 1) + log(abs(sin(x)))

$$3.809 \quad \int \frac{\cos(x)}{\sin(x) + \sin^{\sqrt{2}}(x)} dx$$

**Optimal.** Leaf size=26

$$\log(\sin(x)) - (1 + \sqrt{2}) \log(\sin^{\sqrt{2}-1}(x) + 1)$$

[Out] Log[Sin[x]] - (1 + Sqrt[2])\*Log[1 + Sin[x]^(-1 + Sqrt[2])]

**Rubi [A]** time = 0.0490014, antiderivative size = 26, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$ , Rules used = {4334, 266, 36, 29, 31}

$$\log(\sin(x)) - (1 + \sqrt{2}) \log(\sin^{\sqrt{2}-1}(x) + 1)$$

Antiderivative was successfully verified.

[In] Int[Cos[x]/(Sin[x] + Sin[x]^Sqrt[2]),x]

[Out] Log[Sin[x]] - (1 + Sqrt[2])\*Log[1 + Sin[x]^(-1 + Sqrt[2])]

#### Rule 4334

```
Int[(u_)*(F_)[(c_.)*((a_.) + (b_.)*(x_))], x_Symbol] := With[{d = FreeFactors[Sin[c*(a + b*x)], x]}, Dist[d/(b*c), Subst[Int[SubstFor[1, Sin[c*(a + b*x)]]/d, u, x], x], x, Sin[c*(a + b*x)]/d, x] /; FunctionOfQ[Sin[c*(a + b*x)]/d, u, x, True] /; FreeQ[{a, b, c}, x] && (EqQ[F, Cos] || EqQ[F, cos])
```

#### Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

#### Rule 36

```
Int[1/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Dist[b/(b*c - a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]
```

#### Rule 29

```
Int[(x_)^(-1), x_Symbol] := Simp[Log[x], x]
```

#### Rule 31

```
Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{\cos(x)}{\sin(x) + \sin^{\sqrt{2}}(x)} dx &= \text{Subst} \left( \int \frac{1}{x(1+x^{-1+\sqrt{2}})} dx, x, \sin(x) \right) \\
&= (1 + \sqrt{2}) \text{Subst} \left( \int \frac{1}{x(1+x)} dx, x, \sin^{-1+\sqrt{2}}(x) \right) \\
&= (-1 - \sqrt{2}) \text{Subst} \left( \int \frac{1}{1+x} dx, x, \sin^{-1+\sqrt{2}}(x) \right) + (1 + \sqrt{2}) \text{Subst} \left( \int \frac{1}{x} dx, x, \sin^{-1+\sqrt{2}}(x) \right) \\
&= \log(\sin(x)) - (1 + \sqrt{2}) \log(1 + \sin^{-1+\sqrt{2}}(x))
\end{aligned}$$

**Mathematica [A]** time = 0.0416734, size = 26, normalized size = 1.

$$\log(\sin(x)) - (1 + \sqrt{2}) \log(\sin^{\sqrt{2}-1}(x) + 1)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]/(Sin[x] + Sin[x]^Sqrt[2]),x]

[Out] Log[Sin[x]] - (1 + Sqrt[2])\*Log[1 + Sin[x]^(-1 + Sqrt[2])]

**Maple [C]** time = 0.566, size = 1856, normalized size = 71.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)/(sin(x)+sin(x)^(2^(1/2))),x)

[Out]  $-I\pi - \frac{1}{2}I2^{(1/2)}\pi * \text{csgn}(I(\exp(Ix) - 1)(\exp(Ix) + 1)) * \text{csgn}(I(\exp(Ix) - 1)) * \text{csgn}(I(\exp(Ix) + 1)) + \frac{1}{2}I2^{(1/2)}\pi * \text{csgn}(I(\exp(Ix) - 1)(\exp(Ix) + 1)) * \text{csgn}(I(\exp(Ix) + 1)(-1 + \exp(-Ix))) * \text{csgn}(I \exp(-Ix)) - I\pi * \text{csgn}(I(\exp(Ix) - 1)) * \text{csgn}(I(\exp(Ix) - 1)(\exp(Ix) + 1)) * \text{csgn}(I(\exp(Ix) + 1)) - \frac{1}{2}I2^{(1/2)}\pi i - 2\ln(2) - 2\ln(\exp(Ix)) + I\pi * \text{csgn}(I(\exp(Ix) + 1)(-1 + \exp(-Ix)))^3 + I\pi * \text{csgn}((\exp(Ix) + 1)(-1 + \exp(-Ix)))^3 + I\pi * \text{csgn}((\exp(Ix) + 1)(-1 + \exp(-Ix)))^2 + 2\ln(\exp(Ix) + 1) + 2\ln(\exp(Ix) - 1) - \frac{1}{2}I2^{(1/2)}\pi * \text{csgn}(I(\exp(Ix) - 1)(\exp(Ix) + 1))^3 + \frac{1}{2}I2^{(1/2)}\pi * \text{csgn}(I(\exp(Ix) + 1)(-1 + \exp(-Ix)))^3 + \frac{1}{2}I2^{(1/2)}\pi * \text{csgn}((\exp(Ix) + 1)(-1 + \exp(-Ix)))^2 + I\pi * \text{csgn}(I(\exp(Ix) - 1)(\exp(Ix) + 1))^2 * \text{csgn}(I(\exp(Ix) - 1)) + I\pi * \text{csgn}(I(\exp(Ix) - 1)(\exp(Ix) + 1))^2 * \text{csgn}(I(\exp(Ix) + 1)) + I\pi * \text{csgn}(I(\exp(Ix) - 1)(\exp(Ix) + 1)) * \text{csgn}(I(\exp(Ix) + 1)(-1 + \exp(-Ix)))^2 + I\pi * \text{csgn}(I(\exp(Ix) + 1)(-1 + \exp(-Ix)))^2 * \text{csgn}(I \exp(-Ix)) - \ln(\exp(-1/2 * 2^{(1/2)}(-I\pi * \text{csgn}((\exp(Ix) + 1)(-1 + \exp(-Ix)))^3 + I\pi * \text{csgn}(I(\exp(Ix) + 1)(-1 + \exp(-Ix))) * \text{csgn}((\exp(Ix) + 1)(-1 + \exp(-Ix))) - I\pi * \text{csgn}(I(\exp(Ix) + 1)(-1 + \exp(-Ix)))^3 + I\pi * \text{csgn}(I(\exp(Ix) - 1)(\exp(Ix) + 1))^3 + I\pi * \text{csgn}(I(\exp(Ix) - 1)(\exp(Ix) + 1)) * \text{csgn}(I(\exp(Ix) - 1)) * \text{csgn}(I(\exp(Ix) + 1)) + I\pi - I\pi * \text{csgn}(I(\exp(Ix) - 1)(\exp(Ix) + 1))^2 * \text{csgn}(I(\exp(Ix) + 1)) - I\pi * \text{csgn}(I(\exp(Ix) - 1)(\exp(Ix) + 1))^2 * \text{csgn}(I(\exp(Ix) - 1)) + I\pi * \text{csgn}(I(\exp(Ix) + 1)(-1 + \exp(-Ix))) * \text{csgn}((\exp(Ix) + 1)(-1 + \exp(-Ix)))^2 - I\pi * \text{csgn}(I(\exp(Ix) - 1)(\exp(Ix) + 1)) * \text{csgn}(I(\exp(Ix) + 1)(-1 + \exp(-Ix)))^2 + 2\ln(2) + 2\ln(\exp(Ix)) - 2\ln(\exp(Ix) - 1) - 2\ln(\exp(Ix) + 1))) + \sin(x) - I\pi * \text{csgn}(I(\exp(Ix) + 1)(-1 + \exp(-Ix))) * \text{csgn}((\exp(Ix) + 1)(-1 + \exp(-$

$$\begin{aligned}
& -I*x))^{2-I*Pi*csgn(I*(exp(I*x)-1)*(exp(I*x)+1))^{3-I*Pi*csgn(I*(exp(I*x)+1) \\
& *(-1+exp(-I*x)))*csgn((exp(I*x)+1)*(-1+exp(-I*x)))+1/2*I*2^{(1/2)*Pi*csgn(I* \\
& (exp(I*x)-1)*(exp(I*x)+1))^{2*csgn(I*(exp(I*x)-1))+1/2*I*2^{(1/2)*Pi*csgn(I*( \\
& exp(I*x)-1)*(exp(I*x)+1))^{2*csgn(I*(exp(I*x)+1))+1/2*I*2^{(1/2)*Pi*csgn(I*(e \\
& xp(I*x)-1)*(exp(I*x)+1))*csgn(I*(exp(I*x)+1)*(-1+exp(-I*x))^{2+1/2*I*2^{(1/2) \\
& )*Pi*csgn(I*(exp(I*x)+1)*(-1+exp(-I*x))^{2*csgn(I*exp(-I*x))-1/2*I*2^{(1/2)* \\
& Pi*csgn(I*(exp(I*x)+1)*(-1+exp(-I*x)))*csgn((exp(I*x)+1)*(-1+exp(-I*x))^{2- \\
& 1/2*I*2^{(1/2)*Pi*csgn(I*(exp(I*x)+1)*(-1+exp(-I*x)))*csgn((exp(I*x)+1)*(-1+ \\
& exp(-I*x)))-ln(exp(-1/2*2^{(1/2)*(-I*Pi*csgn((exp(I*x)+1)*(-1+exp(-I*x))^{3+ \\
& I*Pi*csgn(I*(exp(I*x)+1)*(-1+exp(-I*x)))*csgn((exp(I*x)+1)*(-1+exp(-I*x)))- \\
& I*Pi*csgn(I*(exp(I*x)+1)*(-1+exp(-I*x))^{3+I*Pi*csgn(I*(exp(I*x)-1)*(exp(I* \\
& x)+1))^{3+I*Pi*csgn(I*(exp(I*x)-1)*(exp(I*x)+1))*csgn(I*(exp(I*x)-1))*csgn(I \\
& *(exp(I*x)+1))+I*Pi-I*Pi*csgn(I*(exp(I*x)-1)*(exp(I*x)+1))^{2*csgn(I*(exp(I* \\
& x)+1))-I*Pi*csgn(I*(exp(I*x)-1)*(exp(I*x)+1))^{2*csgn(I*(exp(I*x)-1))+I*Pi*c \\
& sgn(I*(exp(I*x)+1)*(-1+exp(-I*x)))*csgn((exp(I*x)+1)*(-1+exp(-I*x))^{2-I*Pi \\
& *csgn(I*(exp(I*x)-1)*(exp(I*x)+1))*csgn(I*(exp(I*x)+1)*(-1+exp(-I*x)))*csgn \\
& (I*exp(-I*x))-I*Pi*csgn(I*(exp(I*x)+1)*(-1+exp(-I*x))^{2*csgn(I*exp(-I*x))- \\
& I*Pi*csgn((exp(I*x)+1)*(-1+exp(-I*x))^{2-I*Pi*csgn(I*(exp(I*x)-1)*(exp(I*x) \\
& +1))*csgn(I*(exp(I*x)+1)*(-1+exp(-I*x))^{2+2*ln(2)+2*ln(exp(I*x))-2*ln(exp( \\
& I*x)-1)-2*ln(exp(I*x)+1)))+sin(x)*2^{(1/2)+I*Pi*csgn(I*(exp(I*x)-1)*(exp(I* \\
& x)+1))*csgn(I*(exp(I*x)+1)*(-1+exp(-I*x)))*csgn(I*exp(-I*x))-2^{(1/2)*ln(2)- \\
& 2^{(1/2)*ln(exp(I*x))+2^{(1/2)*ln(exp(I*x)-1)+2^{(1/2)*ln(exp(I*x)+1)}
\end{aligned}$$

**Maxima [A]** time = 1.44062, size = 46, normalized size = 1.77

$$\frac{\sqrt{2} \log(\sin(x))}{\sqrt{2}-1} - \frac{\log(\sin(x)^{\sqrt{2}} + \sin(x))}{\sqrt{2}-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)/(sin(x)+sin(x)^(2^(1/2))),x, algorithm="maxima")

[Out] sqrt(2)\*log(sin(x))/(sqrt(2) - 1) - log(sin(x)^sqrt(2) + sin(x))/(sqrt(2) - 1)

**Fricas [A]** time = 2.42289, size = 99, normalized size = 3.81

$$-(\sqrt{2} + 1) \log(\sin(x)^{\sqrt{2}} + \sin(x)) + (\sqrt{2} + 2) \log(\sin(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)/(sin(x)+sin(x)^(2^(1/2))),x, algorithm="fricas")

[Out] -(sqrt(2) + 1)\*log(sin(x)^sqrt(2) + sin(x)) + (sqrt(2) + 2)\*log(sin(x))

**Sympy [B]** time = 1.26123, size = 82, normalized size = 3.15

$$\frac{\sqrt{2} \log(\sin(x) + \sin^{\sqrt{2}}(x))}{-3 + 2\sqrt{2}} - \frac{\log(\sin(x) + \sin^{\sqrt{2}}(x))}{-3 + 2\sqrt{2}} + \frac{\sqrt{2} \log(\sin(x))}{-3 + 2\sqrt{2}} - \frac{2 \log(\sin(x))}{-3 + 2\sqrt{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)/(sin(x)+sin(x)**(2**(1/2))),x)
```

```
[Out] sqrt(2)*log(sin(x) + sin(x)**(sqrt(2)))/(-3 + 2*sqrt(2)) - log(sin(x) + sin
(x)**(sqrt(2)))/(-3 + 2*sqrt(2)) + sqrt(2)*log(sin(x))/(-3 + 2*sqrt(2)) - 2
*log(sin(x))/(-3 + 2*sqrt(2))
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(x)}{\sin(x)^{\sqrt{2}} + \sin(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)/(sin(x)+sin(x)^(2^(1/2))),x, algorithm="giac")
```

```
[Out] integrate(cos(x)/(sin(x)^sqrt(2) + sin(x)), x)
```

$$3.810 \quad \int \frac{1}{2 \sin(x) + \sin(2x)} dx$$

**Optimal.** Leaf size=24

$$\frac{1}{8} \tan^2\left(\frac{x}{2}\right) + \frac{1}{4} \log\left(\tan\left(\frac{x}{2}\right)\right)$$

[Out] Log[Tan[x/2]]/4 + Tan[x/2]^2/8

**Rubi [A]** time = 0.0282516, antiderivative size = 24, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 2, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {12, 14}

$$\frac{1}{8} \tan^2\left(\frac{x}{2}\right) + \frac{1}{4} \log\left(\tan\left(\frac{x}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Int[(2\*Sin[x] + Sin[2\*x])^(-1),x]

[Out] Log[Tan[x/2]]/4 + Tan[x/2]^2/8

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 14

Int[(u\_)\*((c\_.)\*(x\_))^(m\_.), x\_Symbol] :> Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_ + (b\_.)\*(v\_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]

#### Rubi steps

$$\begin{aligned} \int \frac{1}{2 \sin(x) + \sin(2x)} dx &= 2 \text{Subst} \left( \int \frac{1+x^2}{8x} dx, x, \tan\left(\frac{x}{2}\right) \right) \\ &= \frac{1}{4} \text{Subst} \left( \int \frac{1+x^2}{x} dx, x, \tan\left(\frac{x}{2}\right) \right) \\ &= \frac{1}{4} \text{Subst} \left( \int \left(\frac{1}{x} + x\right) dx, x, \tan\left(\frac{x}{2}\right) \right) \\ &= \frac{1}{4} \log\left(\tan\left(\frac{x}{2}\right)\right) + \frac{1}{8} \tan^2\left(\frac{x}{2}\right) \end{aligned}$$

**Mathematica [A]** time = 0.0322641, size = 39, normalized size = 1.62

$$\frac{1 - 2 \cos^2\left(\frac{x}{2}\right) \left(\log\left(\cos\left(\frac{x}{2}\right)\right) - \log\left(\sin\left(\frac{x}{2}\right)\right)\right)}{4(\cos(x) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(2\*Sin[x] + Sin[2\*x])^(-1),x]



[Out]  $(1 - 2*\text{Cos}[x/2]^2*(\text{Log}[\text{Cos}[x/2]] - \text{Log}[\text{Sin}[x/2]]))/(4*(1 + \text{Cos}[x]))$

**Maple [A]** time = 0.054, size = 24, normalized size = 1.

$$\frac{1}{4 + 4 \cos(x)} - \frac{\ln(1 + \cos(x))}{8} + \frac{\ln(-1 + \cos(x))}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(2*sin(x)+sin(2*x)),x)`

[Out]  $1/4/(1+\cos(x))-1/8*\ln(1+\cos(x))+1/8*\ln(-1+\cos(x))$

**Maxima [B]** time = 0.972077, size = 297, normalized size = 12.38

$$4 \cos(2x) \cos(x) + 8 \cos(x)^2 - (2(2 \cos(x) + 1) \cos(2x) + \cos(2x)^2 + 4 \cos(x)^2 + \sin(2x)^2 + 4 \sin(2x) \sin(x) -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(2*sin(x)+sin(2*x)),x, algorithm="maxima")`

[Out]  $1/8*(4*\cos(2*x)*\cos(x) + 8*\cos(x)^2 - (2*(2*\cos(x) + 1)*\cos(2*x) + \cos(2*x)^2 + 4*\cos(x)^2 + \sin(2*x)^2 + 4*\sin(2*x)*\sin(x) + 4*\sin(x)^2 + 4*\cos(x) + 1)*\log(\cos(x)^2 + \sin(x)^2 + 2*\cos(x) + 1) + (2*(2*\cos(x) + 1)*\cos(2*x) + \cos(2*x)^2 + 4*\cos(x)^2 + \sin(2*x)^2 + 4*\sin(2*x)*\sin(x) + 4*\sin(x)^2 + 4*\cos(x) + 1)*\log(\cos(x)^2 + \sin(x)^2 - 2*\cos(x) + 1) + 4*\sin(2*x)*\sin(x) + 8*\sin(x)^2 + 4*\cos(x))/(2*(2*\cos(x) + 1)*\cos(2*x) + \cos(2*x)^2 + 4*\cos(x)^2 + \sin(2*x)^2 + 4*\sin(2*x)*\sin(x) + 4*\sin(x)^2 + 4*\cos(x) + 1)$

**Fricas [B]** time = 2.31742, size = 132, normalized size = 5.5

$$\frac{(\cos(x) + 1) \log\left(\frac{1}{2} \cos(x) + \frac{1}{2}\right) - (\cos(x) + 1) \log\left(-\frac{1}{2} \cos(x) + \frac{1}{2}\right) - 2}{8(\cos(x) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(2*sin(x)+sin(2*x)),x, algorithm="fricas")`

[Out]  $-1/8*((\cos(x) + 1)*\log(1/2*\cos(x) + 1/2) - (\cos(x) + 1)*\log(-1/2*\cos(x) + 1/2) - 2)/(\cos(x) + 1)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{2 \sin(x) + \sin(2x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(2*sin(x)+sin(2*x)),x)
```

```
[Out] Integral(1/(2*sin(x) + sin(2*x)), x)
```

---

**Giac [A]** time = 1.07389, size = 38, normalized size = 1.58

$$-\frac{\cos(x)-1}{8(\cos(x)+1)} + \frac{1}{8} \log\left(-\frac{\cos(x)-1}{\cos(x)+1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(2*sin(x)+sin(2*x)),x, algorithm="giac")
```

```
[Out] -1/8*(cos(x) - 1)/(cos(x) + 1) + 1/8*log(-(cos(x) - 1)/(cos(x) + 1))
```

### 3.811 $\int (-3 + 4x + x^2) \sin(2x) dx$

**Optimal.** Leaf size=40

$$-\frac{1}{2}x^2 \cos(2x) + \frac{1}{2}x \sin(2x) + \sin(2x) - 2x \cos(2x) + \frac{7}{4} \cos(2x)$$

[Out] (7\*Cos[2\*x])/4 - 2\*x\*Cos[2\*x] - (x^2\*Cos[2\*x])/2 + Sin[2\*x] + (x\*Sin[2\*x])/2

**Rubi [A]** time = 0.0650418, antiderivative size = 40, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 4, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$ , Rules used = {6742, 2638, 3296, 2637}

$$-\frac{1}{2}x^2 \cos(2x) + \frac{1}{2}x \sin(2x) + \sin(2x) - 2x \cos(2x) + \frac{7}{4} \cos(2x)$$

Antiderivative was successfully verified.

[In] Int[(-3 + 4\*x + x^2)\*Sin[2\*x], x]

[Out] (7\*Cos[2\*x])/4 - 2\*x\*Cos[2\*x] - (x^2\*Cos[2\*x])/2 + Sin[2\*x] + (x\*Sin[2\*x])/2

#### Rule 6742

Int[u\_, x\_Symbol] :=> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

#### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :=> -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rule 3296

Int[((c\_.) + (d\_.)\*(x\_)^(m\_.))\*sin[(e\_.) + (f\_.)\*(x\_)], x\_Symbol] :=> -Simp[ ((c + d\*x)^m\*Cos[e + f\*x])/f, x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Cos[e + f\*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)], x\_Symbol] :=> Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int (-3 + 4x + x^2) \sin(2x) dx &= \int (-3 \sin(2x) + 4x \sin(2x) + x^2 \sin(2x)) dx \\ &= -3 \int \sin(2x) dx + 4 \int x \sin(2x) dx + \int x^2 \sin(2x) dx \\ &= \frac{3}{2} \cos(2x) - 2x \cos(2x) - \frac{1}{2}x^2 \cos(2x) + 2 \int \cos(2x) dx + \int x \cos(2x) dx \\ &= \frac{3}{2} \cos(2x) - 2x \cos(2x) - \frac{1}{2}x^2 \cos(2x) + \sin(2x) + \frac{1}{2}x \sin(2x) - \frac{1}{2} \int \sin(2x) dx \\ &= \frac{7}{4} \cos(2x) - 2x \cos(2x) - \frac{1}{2}x^2 \cos(2x) + \sin(2x) + \frac{1}{2}x \sin(2x) \end{aligned}$$

**Mathematica [A]** time = 0.0457935, size = 29, normalized size = 0.72

$$\frac{1}{4} \left( (-2x^2 - 8x + 7) \cos(2x) + 2(x + 2) \sin(2x) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(-3 + 4\*x + x^2)\*Sin[2\*x], x]

[Out] ((7 - 8\*x - 2\*x^2)\*Cos[2\*x] + 2\*(2 + x)\*Sin[2\*x])/4

**Maple [A]** time = 0.007, size = 35, normalized size = 0.9

$$\frac{7 \cos(2x)}{4} - 2x \cos(2x) - \frac{x^2 \cos(2x)}{2} + \sin(2x) + \frac{x \sin(2x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2+4\*x-3)\*sin(2\*x), x)

[Out] 7/4\*cos(2\*x)-2\*x\*cos(2\*x)-1/2\*x^2\*cos(2\*x)+sin(2\*x)+1/2\*x\*sin(2\*x)

**Maxima [A]** time = 0.990136, size = 51, normalized size = 1.27

$$-\frac{1}{4} (2x^2 - 1) \cos(2x) - 2x \cos(2x) + \frac{1}{2} x \sin(2x) + \frac{3}{2} \cos(2x) + \sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+4\*x-3)\*sin(2\*x), x, algorithm="maxima")

[Out] -1/4\*(2\*x^2 - 1)\*cos(2\*x) - 2\*x\*cos(2\*x) + 1/2\*x\*sin(2\*x) + 3/2\*cos(2\*x) + sin(2\*x)

**Fricas [A]** time = 2.28436, size = 76, normalized size = 1.9

$$-\frac{1}{4} (2x^2 + 8x - 7) \cos(2x) + \frac{1}{2} (x + 2) \sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+4\*x-3)\*sin(2\*x), x, algorithm="fricas")

[Out] -1/4\*(2\*x^2 + 8\*x - 7)\*cos(2\*x) + 1/2\*(x + 2)\*sin(2\*x)

**Sympy [A]** time = 0.323327, size = 39, normalized size = 0.98

$$-\frac{x^2 \cos(2x)}{2} + \frac{x \sin(2x)}{2} - 2x \cos(2x) + \sin(2x) + \frac{7 \cos(2x)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((x**2+4*x-3)*sin(2*x),x)
```

```
[Out] -x**2*cos(2*x)/2 + x*sin(2*x)/2 - 2*x*cos(2*x) + sin(2*x) + 7*cos(2*x)/4
```

---

**Giac [A]** time = 1.08716, size = 35, normalized size = 0.88

$$-\frac{1}{4}(2x^2 + 8x - 7)\cos(2x) + \frac{1}{2}(x + 2)\sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((x^2+4*x-3)*sin(2*x),x, algorithm="giac")
```

```
[Out] -1/4*(2*x^2 + 8*x - 7)*cos(2*x) + 1/2*(x + 2)*sin(2*x)
```

### 3.812 $\int e^{-3x} \cos(4x) dx$

**Optimal.** Leaf size=27

$$\frac{4}{25}e^{-3x} \sin(4x) - \frac{3}{25}e^{-3x} \cos(4x)$$

[Out]  $(-3*\text{Cos}[4*x])/(25*E^{(3*x)}) + (4*\text{Sin}[4*x])/(25*E^{(3*x)})$

**Rubi [A]** time = 0.0101598, antiderivative size = 27, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.1$ , Rules used = {4433}

$$\frac{4}{25}e^{-3x} \sin(4x) - \frac{3}{25}e^{-3x} \cos(4x)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[4*x]/E^{(3*x)}, x]$

[Out]  $(-3*\text{Cos}[4*x])/(25*E^{(3*x)}) + (4*\text{Sin}[4*x])/(25*E^{(3*x)})$

#### Rule 4433

```
Int[Cos[(d_.) + (e_.)*(x_)]*(F_)^((c_.)*((a_.) + (b_.)*(x_))), x_Symbol] :=
  Simp[(b*c*Log[F]*F^(c*(a + b*x))*Cos[d + e*x])/(e^2 + b^2*c^2*Log[F]^2), x
] + Simp[(e*F^(c*(a + b*x))*Sin[d + e*x])/(e^2 + b^2*c^2*Log[F]^2), x] /; F
reeQ[{F, a, b, c, d, e}, x] && NeQ[e^2 + b^2*c^2*Log[F]^2, 0]
```

#### Rubi steps

$$\int e^{-3x} \cos(4x) dx = -\frac{3}{25}e^{-3x} \cos(4x) + \frac{4}{25}e^{-3x} \sin(4x)$$

**Mathematica [A]** time = 0.0298575, size = 22, normalized size = 0.81

$$\frac{1}{25}e^{-3x}(4 \sin(4x) - 3 \cos(4x))$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[\text{Cos}[4*x]/E^{(3*x)}, x]$

[Out]  $(-3*\text{Cos}[4*x] + 4*\text{Sin}[4*x])/(25*E^{(3*x)})$

**Maple [A]** time = 0.007, size = 22, normalized size = 0.8

$$-\frac{3e^{-3x} \cos(4x)}{25} + \frac{4e^{-3x} \sin(4x)}{25}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(4*x)/exp(3*x),x)`

[Out] `-3/25*exp(-3*x)*cos(4*x)+4/25*exp(-3*x)*sin(4*x)`

**Maxima [A]** time = 0.947286, size = 26, normalized size = 0.96

$$-\frac{1}{25} (3 \cos(4x) - 4 \sin(4x))e^{-3x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(4*x)/exp(3*x),x, algorithm="maxima")`

[Out] `-1/25*(3*cos(4*x) - 4*sin(4*x))*e^(-3*x)`

**Fricas [A]** time = 2.22763, size = 68, normalized size = 2.52

$$-\frac{3}{25} \cos(4x) e^{-3x} + \frac{4}{25} e^{-3x} \sin(4x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(4*x)/exp(3*x),x, algorithm="fricas")`

[Out] `-3/25*cos(4*x)*e^(-3*x) + 4/25*e^(-3*x)*sin(4*x)`

**Sympy [A]** time = 0.466063, size = 26, normalized size = 0.96

$$\frac{4e^{-3x} \sin(4x)}{25} - \frac{3e^{-3x} \cos(4x)}{25}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(4*x)/exp(3*x),x)`

[Out] `4*exp(-3*x)*sin(4*x)/25 - 3*exp(-3*x)*cos(4*x)/25`

**Giac [A]** time = 1.07245, size = 26, normalized size = 0.96

$$-\frac{1}{25} (3 \cos(4x) - 4 \sin(4x))e^{-3x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(4*x)/exp(3*x),x, algorithm="giac")`

[Out] `-1/25*(3*cos(4*x) - 4*sin(4*x))*e^(-3*x)`

$$3.813 \quad \int \frac{\cos(x) \sin(x)}{\sqrt{1+\sin(x)}} dx$$

**Optimal.** Leaf size=23

$$\frac{2}{3}(\sin(x) + 1)^{3/2} - 2\sqrt{\sin(x) + 1}$$

[Out] -2\*Sqrt[1 + Sin[x]] + (2\*(1 + Sin[x])^(3/2))/3

**Rubi [A]** time = 0.0397623, antiderivative size = 23, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {2833, 43}

$$\frac{2}{3}(\sin(x) + 1)^{3/2} - 2\sqrt{\sin(x) + 1}$$

Antiderivative was successfully verified.

[In] Int[(Cos[x]\*Sin[x])/Sqrt[1 + Sin[x]],x]

[Out] -2\*Sqrt[1 + Sin[x]] + (2\*(1 + Sin[x])^(3/2))/3

#### Rule 2833

Int[cos[(e\_.) + (f\_.)\*(x\_)]\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Dist[1/(b\*f), Subst[Int[(a + x)^m\*(c + (d\*x)/b)^n, x], x, b\*Sine[e + f\*x]], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x]

#### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LtQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{\cos(x) \sin(x)}{\sqrt{1+\sin(x)}} dx &= \text{Subst} \left( \int \frac{x}{\sqrt{1+x}} dx, x, \sin(x) \right) \\ &= \text{Subst} \left( \int \left( -\frac{1}{\sqrt{1+x}} + \sqrt{1+x} \right) dx, x, \sin(x) \right) \\ &= -2\sqrt{1+\sin(x)} + \frac{2}{3}(1+\sin(x))^{3/2} \end{aligned}$$

**Mathematica [A]** time = 0.0244546, size = 31, normalized size = 1.35

$$\frac{2(\sin(x) - 2) \left( \sin\left(\frac{x}{2}\right) + \cos\left(\frac{x}{2}\right) \right)^2}{3\sqrt{\sin(x) + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[x]\*Sin[x])/Sqrt[1 + Sin[x]],x]



[Out]  $(2*(\cos[x/2] + \sin[x/2])^2*(-2 + \sin[x]))/(3*\text{Sqrt}[1 + \sin[x]])$

---

**Maple [A]** time = 0.009, size = 18, normalized size = 0.8

$$\frac{2}{3}(1 + \sin(x))^{\frac{3}{2}} - 2\sqrt{1 + \sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(x)*sin(x)/(1+sin(x))^(1/2),x)`

[Out]  $2/3*(1+\sin(x))^{3/2}-2*(1+\sin(x))^{1/2}$

---

**Maxima [A]** time = 0.963013, size = 23, normalized size = 1.

$$\frac{2}{3}(\sin(x) + 1)^{\frac{3}{2}} - 2\sqrt{\sin(x) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*sin(x)/(1+sin(x))^(1/2),x, algorithm="maxima")`

[Out]  $2/3*(\sin(x) + 1)^{3/2} - 2*\text{sqrt}(\sin(x) + 1)$

---

**Fricas [A]** time = 2.23375, size = 47, normalized size = 2.04

$$\frac{2}{3}\sqrt{\sin(x) + 1}(\sin(x) - 2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*sin(x)/(1+sin(x))^(1/2),x, algorithm="fricas")`

[Out]  $2/3*\text{sqrt}(\sin(x) + 1)*(\sin(x) - 2)$

---

**Sympy [A]** time = 0.315203, size = 26, normalized size = 1.13

$$\frac{2\sqrt{\sin(x) + 1}\sin(x)}{3} - \frac{4\sqrt{\sin(x) + 1}}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*sin(x)/(1+sin(x))**(1/2),x)`

[Out]  $2*\text{sqrt}(\sin(x) + 1)*\sin(x)/3 - 4*\text{sqrt}(\sin(x) + 1)/3$

---

**Giac [A]** time = 1.08573, size = 23, normalized size = 1.

$$\frac{2}{3}(\sin(x) + 1)^{\frac{3}{2}} - 2\sqrt{\sin(x) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)*sin(x)/(1+sin(x))^(1/2),x, algorithm="giac")
```

```
[Out] 2/3*(sin(x) + 1)^(3/2) - 2*sqrt(sin(x) + 1)
```

$$3.814 \quad \int (x + 60 \cos^5(x) \sin^4(x)) dx$$

**Optimal.** Leaf size=30

$$\frac{x^2}{2} + \frac{20 \sin^9(x)}{3} - \frac{120 \sin^7(x)}{7} + 12 \sin^5(x)$$

[Out]  $x^2/2 + 12*\text{Sin}[x]^5 - (120*\text{Sin}[x]^7)/7 + (20*\text{Sin}[x]^9)/3$

**Rubi [A]** time = 0.0303572, antiderivative size = 30, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 2, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {2564, 270}

$$\frac{x^2}{2} + \frac{20 \sin^9(x)}{3} - \frac{120 \sin^7(x)}{7} + 12 \sin^5(x)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x + 60*\text{Cos}[x]^5*\text{Sin}[x]^4, x]$

[Out]  $x^2/2 + 12*\text{Sin}[x]^5 - (120*\text{Sin}[x]^7)/7 + (20*\text{Sin}[x]^9)/3$

#### Rule 2564

$\text{Int}[\cos[(e_.) + (f_.)*(x_)]^{(n_.)}*((a_.)*\sin[(e_.) + (f_.)*(x_)]^{(m_.)}), x\_Symbol] \rightarrow \text{Dist}[1/(a*f), \text{Subst}[\text{Int}[x^m*(1 - x^2/a^2)^{(n-1)/2}, x], x, a*\text{Sin}[e + f*x]], x] /; \text{FreeQ}\{a, e, f, m\}, x] \&\& \text{IntegerQ}[(n-1)/2] \&\& !(\text{IntegerQ}[(m-1)/2] \&\& \text{LtQ}[0, m, n])$

#### Rule 270

$\text{Int}[(c_.)*(x_)]^{(m_.)}*((a_.) + (b_.)*(x_)]^{(n_.)}*(p_.), x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c*x)^m*(a + b*x^n)^p, x], x] /; \text{FreeQ}\{a, b, c, m, n\}, x] \&\& \text{IGtQ}[p, 0]$

#### Rubi steps

$$\begin{aligned} \int (x + 60 \cos^5(x) \sin^4(x)) dx &= \frac{x^2}{2} + 60 \int \cos^5(x) \sin^4(x) dx \\ &= \frac{x^2}{2} + 60 \text{Subst} \left( \int x^4 (1 - x^2)^2 dx, x, \sin(x) \right) \\ &= \frac{x^2}{2} + 60 \text{Subst} \left( \int (x^4 - 2x^6 + x^8) dx, x, \sin(x) \right) \\ &= \frac{x^2}{2} + 12 \sin^5(x) - \frac{120 \sin^7(x)}{7} + \frac{20 \sin^9(x)}{3} \end{aligned}$$

**Mathematica [A]** time = 0.0175568, size = 46, normalized size = 1.53

$$\frac{x^2}{2} + \frac{45 \sin(x)}{32} - \frac{5}{16} \sin(3x) - \frac{3}{16} \sin(5x) + \frac{15}{448} \sin(7x) + \frac{5}{192} \sin(9x)$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[x + 60*\text{Cos}[x]^5*\text{Sin}[x]^4, x]$

[Out]  $x^2/2 + (45*\text{Sin}[x])/32 - (5*\text{Sin}[3*x])/16 - (3*\text{Sin}[5*x])/16 + (15*\text{Sin}[7*x])/448 + (5*\text{Sin}[9*x])/192$

**Maple [A]** time = 0.007, size = 41, normalized size = 1.4

$$\frac{x^2}{2} - \frac{20 (\cos(x))^6 (\sin(x))^3}{3} - \frac{20 \sin(x) (\cos(x))^6}{7} + \frac{4 \sin(x)}{7} \left( \frac{8}{3} + (\cos(x))^4 + \frac{4 (\cos(x))^2}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x+60*cos(x)^5*sin(x)^4,x)`

[Out]  $1/2*x^2-20/3*cos(x)^6*sin(x)^3-20/7*sin(x)*cos(x)^6+4/7*(8/3+cos(x)^4+4/3*cos(x)^2)*sin(x)$

**Maxima [A]** time = 0.962846, size = 32, normalized size = 1.07

$$\frac{20}{3} \sin(x)^9 - \frac{120}{7} \sin(x)^7 + 12 \sin(x)^5 + \frac{1}{2} x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x+60*cos(x)^5*sin(x)^4,x, algorithm="maxima")`

[Out]  $20/3*sin(x)^9 - 120/7*sin(x)^7 + 12*sin(x)^5 + 1/2*x^2$

**Fricas [A]** time = 2.33896, size = 109, normalized size = 3.63

$$\frac{1}{2} x^2 + \frac{4}{21} (35 \cos(x)^8 - 50 \cos(x)^6 + 3 \cos(x)^4 + 4 \cos(x)^2 + 8) \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x+60*cos(x)^5*sin(x)^4,x, algorithm="fricas")`

[Out]  $1/2*x^2 + 4/21*(35*cos(x)^8 - 50*cos(x)^6 + 3*cos(x)^4 + 4*cos(x)^2 + 8)*sin(x)$

**Sympy [A]** time = 0.068034, size = 27, normalized size = 0.9

$$\frac{x^2}{2} + \frac{20 \sin^9(x)}{3} - \frac{120 \sin^7(x)}{7} + 12 \sin^5(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x+60*cos(x)**5*sin(x)**4,x)`

[Out]  $x**2/2 + 20*sin(x)**9/3 - 120*sin(x)**7/7 + 12*sin(x)**5$

---

**Giac [A]** time = 1.10109, size = 32, normalized size = 1.07

$$\frac{20}{3} \sin(x)^9 - \frac{120}{7} \sin(x)^7 + 12 \sin(x)^5 + \frac{1}{2} x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x+60\*cos(x)^5\*sin(x)^4,x, algorithm="giac")

[Out] 20/3\*sin(x)^9 - 120/7\*sin(x)^7 + 12\*sin(x)^5 + 1/2\*x^2

### 3.815 $\int \cos(x)(\sec(x) + \tan(x)) dx$

**Optimal.** Leaf size=6

$$x - \cos(x)$$

[Out] x - Cos[x]

**Rubi [A]** time = 0.0106472, antiderivative size = 6, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {3161, 2638}

$$x - \cos(x)$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*(Sec[x] + Tan[x]),x]

[Out] x - Cos[x]

#### Rule 3161

Int[cos[(d\_.) + (e\_.)\*(x\_)]^(n\_.)\*((a\_.) + (b\_.)\*sec[(d\_.) + (e\_.)\*(x\_)] + (c\_.)\*tan[(d\_.) + (e\_.)\*(x\_)]^(n\_.), x\_Symbol] := Int[(b + a\*Cos[d + e\*x] + c\*Sin[d + e\*x])^n, x] /; FreeQ[{a, b, c, d, e}, x] && IntegerQ[n]

#### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \cos(x)(\sec(x) + \tan(x)) dx &= \int (1 + \sin(x)) dx \\ &= x + \int \sin(x) dx \\ &= x - \cos(x) \end{aligned}$$

**Mathematica [A]** time = 0.0015746, size = 6, normalized size = 1.

$$x - \cos(x)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*(Sec[x] + Tan[x]),x]

[Out] x - Cos[x]

**Maple [A]** time = 0.031, size = 7, normalized size = 1.2

$$x - \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(x)*(sec(x)+tan(x)),x)`

[Out] `x-cos(x)`

---

**Maxima [A]** time = 0.952995, size = 8, normalized size = 1.33

$$x - \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*(sec(x)+tan(x)),x, algorithm="maxima")`

[Out] `x - cos(x)`

---

**Fricas [A]** time = 2.31247, size = 16, normalized size = 2.67

$$x - \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*(sec(x)+tan(x)),x, algorithm="fricas")`

[Out] `x - cos(x)`

---

**Sympy [A]** time = 1.80056, size = 3, normalized size = 0.5

$$x - \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*(sec(x)+tan(x)),x)`

[Out] `x - cos(x)`

---

**Giac [B]** time = 1.11234, size = 19, normalized size = 3.17

$$x - \frac{2}{\tan\left(\frac{1}{2}x\right)^2 + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*(sec(x)+tan(x)),x, algorithm="giac")`

[Out] `x - 2/(tan(1/2*x)^2 + 1)`

### 3.816 $\int \cos(x) (\sec^3(x) + \tan(x)) dx$

**Optimal.** Leaf size=7

$$\tan(x) - \cos(x)$$

[Out] -Cos[x] + Tan[x]

**Rubi [A]** time = 0.0376473, antiderivative size = 7, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$ , Rules used = {4401, 3767, 8, 2638}

$$\tan(x) - \cos(x)$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*(Sec[x]^3 + Tan[x]),x]

[Out] -Cos[x] + Tan[x]

#### Rule 4401

Int[u\_, x\_Symbol] :=> With[{v = ExpandTrig[u, x]}, Int[v, x] /; SumQ[v]] /; !InertTrigFreeQ[u]

#### Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] :=> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

#### Rule 8

Int[a\_, x\_Symbol] :=> Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :=> -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \cos(x) (\sec^3(x) + \tan(x)) dx &= \int (\sec^2(x) + \sin(x)) dx \\ &= \int \sec^2(x) dx + \int \sin(x) dx \\ &= -\cos(x) - \text{Subst}\left(\int 1 dx, x, -\tan(x)\right) \\ &= -\cos(x) + \tan(x) \end{aligned}$$

**Mathematica [A]** time = 0.0036795, size = 7, normalized size = 1.

$$\tan(x) - \cos(x)$$



Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*(Sec[x]^3 + Tan[x]),x]

[Out] -Cos[x] + Tan[x]

**Maple [A]** time = 0.031, size = 8, normalized size = 1.1

$$-\cos(x) + \tan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*(sec(x)^3+tan(x)),x)

[Out] -cos(x)+tan(x)

**Maxima [A]** time = 0.959994, size = 9, normalized size = 1.29

$$-\cos(x) + \tan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*(sec(x)^3+tan(x)),x, algorithm="maxima")

[Out] -cos(x) + tan(x)

**Fricas [B]** time = 2.36697, size = 39, normalized size = 5.57

$$-\frac{\cos(x)^2 - \sin(x)}{\cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*(sec(x)^3+tan(x)),x, algorithm="fricas")

[Out] -(cos(x)^2 - sin(x))/cos(x)

**Sympy [A]** time = 23.3179, size = 8, normalized size = 1.14

$$\frac{\sin(x)}{\cos(x)} - \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*(sec(x)\*\*3+tan(x)),x)

[Out] sin(x)/cos(x) - cos(x)

---

**Giac [B]** time = 1.0972, size = 41, normalized size = 5.86

$$-\frac{2\left(\tan\left(\frac{1}{2}x\right)^3 + \tan\left(\frac{1}{2}x\right)^2 + \tan\left(\frac{1}{2}x\right) - 1\right)}{\tan\left(\frac{1}{2}x\right)^4 - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*(sec(x)^3+tan(x)),x, algorithm="giac")

[Out] -2\*(tan(1/2\*x)^3 + tan(1/2\*x)^2 + tan(1/2\*x) - 1)/(tan(1/2\*x)^4 - 1)

$$3.817 \quad \int \frac{1}{2} \left( -\cot(x) \csc(x) + \csc^2(x) \right) dx$$

**Optimal.** Leaf size=13

$$\frac{\csc(x)}{2} - \frac{\cot(x)}{2}$$

[Out] -Cot[x]/2 + Csc[x]/2

**Rubi [A]** time = 0.0135493, antiderivative size = 13, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {12, 2606, 8, 3767}

$$\frac{\csc(x)}{2} - \frac{\cot(x)}{2}$$

Antiderivative was successfully verified.

[In] Int[(-(Cot[x]\*Csc[x]) + Csc[x]^2)/2,x]

[Out] -Cot[x]/2 + Csc[x]/2

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 2606

Int[((a\_)\*sec[(e\_.) + (f\_.)\*(x\_)]])^(m\_)\*((b\_)\*tan[(e\_.) + (f\_.)\*(x\_)]])^(n\_), x\_Symbol] :> Dist[a/f, Subst[Int[(a\*x)^(m - 1)\*(-1 + x^2)^((n - 1)/2), x], x, Sec[e + f\*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n - 1)/2] && !(IntegerQ[m/2] && LtQ[0, m, n + 1])

#### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{1}{2} \left( -\cot(x) \csc(x) + \csc^2(x) \right) dx &= \frac{1}{2} \int \left( -\cot(x) \csc(x) + \csc^2(x) \right) dx \\ &= -\left( \frac{1}{2} \int \cot(x) \csc(x) dx \right) + \frac{1}{2} \int \csc^2(x) dx \\ &= -\left( \frac{1}{2} \text{Subst} \left( \int 1 dx, x, \cot(x) \right) \right) + \frac{1}{2} \text{Subst} \left( \int 1 dx, x, \csc(x) \right) \\ &= -\frac{\cot(x)}{2} + \frac{\csc(x)}{2} \end{aligned}$$

**Mathematica [A]** time = 0.0041819, size = 10, normalized size = 0.77

$$\frac{1}{2} \tan\left(\frac{x}{2}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(-(Cot[x]\*Csc[x]) + Csc[x]^2)/2,x]

[Out] Tan[x/2]/2

---

**Maple [A]** time = 0.007, size = 10, normalized size = 0.8

$$-\frac{\cot(x)}{2} + \frac{\csc(x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-1/2\*cot(x)\*csc(x)+1/2\*csc(x)^2,x)

[Out] -1/2\*cot(x)+1/2\*csc(x)

---

**Maxima [A]** time = 0.958026, size = 18, normalized size = 1.38

$$\frac{1}{2 \sin(x)} - \frac{1}{2 \tan(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-1/2\*cot(x)\*csc(x)+1/2\*csc(x)^2,x, algorithm="maxima")

[Out] 1/2/sin(x) - 1/2/tan(x)

---

**Fricas [A]** time = 2.20441, size = 34, normalized size = 2.62

$$\frac{\sin(x)}{2(\cos(x) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-1/2\*cot(x)\*csc(x)+1/2\*csc(x)^2,x, algorithm="fricas")

[Out] 1/2\*sin(x)/(cos(x) + 1)

---

**Sympy [A]** time = 0.070277, size = 14, normalized size = 1.08

$$-\frac{\cos(x)}{2 \sin(x)} + \frac{1}{2 \sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(-1/2*cot(x)*csc(x)+1/2*csc(x)**2,x)
```

```
[Out] -cos(x)/(2*sin(x)) + 1/(2*sin(x))
```

---

**Giac [A]** time = 1.08474, size = 18, normalized size = 1.38

$$\frac{1}{2 \sin(x)} - \frac{1}{2 \tan(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(-1/2*cot(x)*csc(x)+1/2*csc(x)^2,x, algorithm="giac")
```

```
[Out] 1/2/sin(x) - 1/2/tan(x)
```

$$3.818 \quad \int (-\csc^2(x) + \sin(2x)) dx$$

**Optimal.** Leaf size=11

$$\cot(x) - \frac{1}{2} \cos(2x)$$

[Out] -Cos[2\*x]/2 + Cot[x]

**Rubi [A]** time = 0.0082446, antiderivative size = 11, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {3767, 8, 2638}

$$\cot(x) - \frac{1}{2} \cos(2x)$$

Antiderivative was successfully verified.

[In] Int[-Csc[x]^2 + Sin[2\*x],x]

[Out] -Cos[2\*x]/2 + Cot[x]

#### Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int (-\csc^2(x) + \sin(2x)) dx &= -\int \csc^2(x) dx + \int \sin(2x) dx \\ &= -\frac{1}{2} \cos(2x) + \text{Subst}\left(\int 1 dx, x, \cot(x)\right) \\ &= -\frac{1}{2} \cos(2x) + \cot(x) \end{aligned}$$

**Mathematica [A]** time = 0.0063004, size = 11, normalized size = 1.

$$\cot(x) - \frac{1}{2} \cos(2x)$$

Antiderivative was successfully verified.

[In] Integrate[-Csc[x]^2 + Sin[2\*x],x]

[Out]  $-\text{Cos}[2*x]/2 + \text{Cot}[x]$

---

**Maple [A]** time = 0.005, size = 10, normalized size = 0.9

$$-\frac{\cos(2x)}{2} + \cot(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-csc(x)^2+sin(2*x),x)`

[Out]  $-1/2*\cos(2*x)+\cot(x)$

---

**Maxima [A]** time = 0.967175, size = 15, normalized size = 1.36

$$\frac{1}{\tan(x)} - \frac{1}{2} \cos(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(-csc(x)^2+sin(2*x),x, algorithm="maxima")`

[Out]  $1/\tan(x) - 1/2*\cos(2*x)$

---

**Fricas [B]** time = 2.28629, size = 68, normalized size = 6.18

$$\frac{(2 \cos(x)^2 - 1) \sin(x) - 2 \cos(x)}{2 \sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(-csc(x)^2+sin(2*x),x, algorithm="fricas")`

[Out]  $-1/2*((2*\cos(x)^2 - 1)*\sin(x) - 2*\cos(x))/\sin(x)$

---

**Sympy [A]** time = 0.065527, size = 12, normalized size = 1.09

$$-\frac{\cos(2x)}{2} + \frac{\cos(x)}{\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(-csc(x)**2+sin(2*x),x)`

[Out]  $-\cos(2*x)/2 + \cos(x)/\sin(x)$

---

**Giac [A]** time = 1.09132, size = 15, normalized size = 1.36

$$\frac{1}{\tan(x)} - \frac{1}{2} \cos(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-csc(x)^2+sin(2\*x),x, algorithm="giac")

[Out] 1/tan(x) - 1/2\*cos(2\*x)



### 3.819 $\int (2 \cot(2x) - 3 \sin(3x)) dx$

**Optimal.** Leaf size=10

$$\cos(3x) + \log(\sin(2x))$$

[Out] Cos[3\*x] + Log[Sin[2\*x]]

**Rubi [A]** time = 0.0076479, antiderivative size = 10, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {3475, 2638}

$$\cos(3x) + \log(\sin(2x))$$

Antiderivative was successfully verified.

[In] Int[2\*Cot[2\*x] - 3\*Sin[3\*x], x]

[Out] Cos[3\*x] + Log[Sin[2\*x]]

Rule 3475

Int[tan[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[Log[RemoveContent[Cos[c + d\*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int (2 \cot(2x) - 3 \sin(3x)) dx &= 2 \int \cot(2x) dx - 3 \int \sin(3x) dx \\ &= \cos(3x) + \log(\sin(2x)) \end{aligned}$$

**Mathematica [A]** time = 0.0102941, size = 10, normalized size = 1.

$$\cos(3x) + \log(\sin(2x))$$

Antiderivative was successfully verified.

[In] Integrate[2\*Cot[2\*x] - 3\*Sin[3\*x], x]

[Out] Cos[3\*x] + Log[Sin[2\*x]]

**Maple [A]** time = 0.005, size = 17, normalized size = 1.7

$$-\frac{\ln((\cot(2x))^2 + 1)}{2} + \cos(3x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(2*cot(2*x)-3*sin(3*x),x)`

[Out] `-1/2*ln(cot(2*x)^2+1)+cos(3*x)`

**Maxima [A]** time = 0.977552, size = 14, normalized size = 1.4

$$\cos(3x) + \log(\sin(2x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(2*cot(2*x)-3*sin(3*x),x, algorithm="maxima")`

[Out] `cos(3*x) + log(sin(2*x))`

**Fricas [A]** time = 2.46583, size = 66, normalized size = 6.6

$$4 \cos(x)^3 - 3 \cos(x) + \log\left(-\frac{1}{2} \cos(x) \sin(x)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(2*cot(2*x)-3*sin(3*x),x, algorithm="fricas")`

[Out] `4*cos(x)^3 - 3*cos(x) + log(-1/2*cos(x)*sin(x))`

**Sympy [A]** time = 0.065541, size = 10, normalized size = 1.

$$\log(\sin(2x)) + \cos(3x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(2*cot(2*x)-3*sin(3*x),x)`

[Out] `log(sin(2*x)) + cos(3*x)`

**Giac [A]** time = 1.09397, size = 15, normalized size = 1.5

$$\cos(3x) + \log(|\sin(2x)|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(2*cot(2*x)-3*sin(3*x),x, algorithm="giac")`

[Out] `cos(3*x) + log(abs(sin(2*x)))`

### 3.820 $\int x \sin(2x^2) dx$

**Optimal.** Leaf size=10

$$-\frac{1}{4} \cos(2x^2)$$

[Out] -Cos[2\*x^2]/4

**Rubi [A]** time = 0.0077968, antiderivative size = 10, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {3379, 2638}

$$-\frac{1}{4} \cos(2x^2)$$

Antiderivative was successfully verified.

[In] Int[x\*Sin[2\*x^2],x]

[Out] -Cos[2\*x^2]/4

#### Rule 3379

Int[(x\_)^(m\_.)\*((a\_.) + (b\_.)\*Sin[(c\_.) + (d\_.)\*(x\_)^(n\_)])^(p\_.), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*Sin[c + d\*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

#### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int x \sin(2x^2) dx &= \frac{1}{2} \text{Subst} \left( \int \sin(2x) dx, x, x^2 \right) \\ &= -\frac{1}{4} \cos(2x^2) \end{aligned}$$

**Mathematica [A]** time = 0.0090049, size = 10, normalized size = 1.

$$-\frac{1}{4} \cos(2x^2)$$

Antiderivative was successfully verified.

[In] Integrate[x\*Sin[2\*x^2],x]

[Out] -Cos[2\*x^2]/4

**Maple [A]** time = 0.003, size = 9, normalized size = 0.9

$$-\frac{\cos(2x^2)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*sin(2\*x^2),x)

[Out] -1/4\*cos(2\*x^2)

---

**Maxima [A]** time = 0.952914, size = 11, normalized size = 1.1

$$-\frac{1}{4} \cos(2x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sin(2\*x^2),x, algorithm="maxima")

[Out] -1/4\*cos(2\*x^2)

---

**Fricas [A]** time = 2.14754, size = 23, normalized size = 2.3

$$-\frac{1}{4} \cos(2x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sin(2\*x^2),x, algorithm="fricas")

[Out] -1/4\*cos(2\*x^2)

---

**Sympy [A]** time = 0.166031, size = 8, normalized size = 0.8

$$-\frac{\cos(2x^2)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sin(2\*x\*\*2),x)

[Out] -cos(2\*x\*\*2)/4

---

**Giac [A]** time = 1.07296, size = 11, normalized size = 1.1

$$-\frac{1}{4} \cos(2x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*sin(2*x^2),x, algorithm="giac")
```

```
[Out] -1/4*cos(2*x^2)
```

$$\mathbf{3.821} \quad \int -\cos(1-x)\sin(1-x)\sqrt{1+\sin^2(1-x)}dx$$

**Optimal.** Leaf size=18

$$\frac{1}{3}(\sin^2(1-x)+1)^{3/2}$$

[Out] (1 + Sin[1 - x]^2)^(3/2)/3

**Rubi [A]** time = 0.0411609, antiderivative size = 18, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$ , Rules used = {3198, 261}

$$\frac{1}{3}(\sin^2(1-x)+1)^{3/2}$$

Antiderivative was successfully verified.

[In] Int[-(Cos[1 - x]\*Sin[1 - x]\*Sqrt[1 + Sin[1 - x]^2]),x]

[Out] (1 + Sin[1 - x]^2)^(3/2)/3

#### Rule 3198

Int[cos[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2)^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Sin[e + f\*x], x]}, Dist[ff/f, Subst[Int[(d\*ff\*x)^n\*(1 - ff^2\*x^2)^((m - 1)/2)\*(a + b\*ff^2\*x^2)^p, x], x, Sin[e + f\*x]/ff], x] /; FreeQ[{a, b, d, e, f, n, p}, x] && IntegerQ[(m - 1)/2]

#### Rule 261

Int[(x\_)^(m\_.)\*((a\_.) + (b\_.)\*(x\_)^(n\_.))^p, x\_Symbol] :> Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

#### Rubi steps

$$\begin{aligned} \int -\cos(1-x)\sin(1-x)\sqrt{1+\sin^2(1-x)}dx &= \text{Subst}\left(\int x\sqrt{1+x^2}dx, x, \sin(1-x)\right) \\ &= \frac{1}{3}(1+\sin^2(1-x))^{3/2} \end{aligned}$$

**Mathematica [A]** time = 0.034236, size = 18, normalized size = 1.

$$\frac{1}{3}(\sin^2(1-x)+1)^{3/2}$$

Antiderivative was successfully verified.

[In] Integrate[-(Cos[1 - x]\*Sin[1 - x]\*Sqrt[1 + Sin[1 - x]^2]),x]

[Out] (1 + Sin[1 - x]^2)^(3/2)/3

---

**Maple [A]** time = 0.015, size = 13, normalized size = 0.7

$$\frac{1}{3} \left(1 + (\sin(-1 + x))^2\right)^{\frac{3}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(-1+x)*sin(-1+x)*(1+sin(-1+x)^2)^(1/2),x)`

[Out] `1/3*(1+sin(-1+x)^2)^(3/2)`

---

**Maxima [A]** time = 0.95522, size = 16, normalized size = 0.89

$$\frac{1}{3} \left(\sin(x - 1)^2 + 1\right)^{\frac{3}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(-1+x)*sin(-1+x)*(1+sin(-1+x)^2)^(1/2),x, algorithm="maxima")`

[Out] `1/3*(sin(x - 1)^2 + 1)^(3/2)`

---

**Fricas [A]** time = 2.43615, size = 42, normalized size = 2.33

$$\frac{1}{3} \left(-\cos(x - 1)^2 + 2\right)^{\frac{3}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(-1+x)*sin(-1+x)*(1+sin(-1+x)^2)^(1/2),x, algorithm="fricas")`

[Out] `1/3*(-cos(x - 1)^2 + 2)^(3/2)`

---

**Sympy [B]** time = 0.856694, size = 32, normalized size = 1.78

$$\frac{\sqrt{\sin^2(x - 1) + 1} \sin^2(x - 1)}{3} + \frac{\sqrt{\sin^2(x - 1) + 1}}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(-1+x)*sin(-1+x)*(1+sin(-1+x)**2)**(1/2),x)`

[Out] `sqrt(sin(x - 1)**2 + 1)*sin(x - 1)**2/3 + sqrt(sin(x - 1)**2 + 1)/3`

---

**Giac [A]** time = 1.07729, size = 16, normalized size = 0.89

$$\frac{1}{3} \left(\sin(x - 1)^2 + 1\right)^{\frac{3}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(-1+x)*sin(-1+x)*(1+sin(-1+x)^2)^(1/2),x, algorithm="giac")
```

```
[Out] 1/3*(sin(x - 1)^2 + 1)^(3/2)
```



$$3.822 \quad \int \frac{\cos\left(\frac{1}{x}\right) \sin\left(\frac{1}{x}\right)}{x^2} dx$$

**Optimal.** Leaf size=10

$$-\frac{1}{2} \sin^2\left(\frac{1}{x}\right)$$

[Out]  $-\text{Sin}[x^{(-1)}]^{2/2}$

**Rubi [A]** time = 0.0123809, antiderivative size = 10, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {3441}

$$-\frac{1}{2} \sin^2\left(\frac{1}{x}\right)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cos}[x^{(-1)}] * \text{Sin}[x^{(-1)}]) / x^2, x]$

[Out]  $-\text{Sin}[x^{(-1)}]^{2/2}$

#### Rule 3441

$\text{Int}[\text{Cos}[(a_.) + (b_.)(x_)^{(n_.)}] * (x_)^{(m_.)} * \text{Sin}[(a_.) + (b_.)(x_)^{(n_.)}]^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[\text{Sin}[a + b*x^n]^{(p + 1)} / (b*n*(p + 1)), x] /;$  FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

#### Rubi steps

$$\int \frac{\cos\left(\frac{1}{x}\right) \sin\left(\frac{1}{x}\right)}{x^2} dx = -\frac{1}{2} \sin^2\left(\frac{1}{x}\right)$$

**Mathematica [A]** time = 0.0053399, size = 10, normalized size = 1.

$$\frac{1}{2} \cos^2\left(\frac{1}{x}\right)$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[(\text{Cos}[x^{(-1)}] * \text{Sin}[x^{(-1)}]) / x^2, x]$

[Out]  $\text{Cos}[x^{(-1)}]^{2/2}$

**Maple [A]** time = 0.003, size = 9, normalized size = 0.9

$$\frac{(\cos(x^{-1}))^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(1/x)*sin(1/x)/x^2,x)`

[Out] `1/2*cos(1/x)^2`

---

**Maxima [A]** time = 0.949932, size = 11, normalized size = 1.1

$$\frac{1}{2} \cos\left(\frac{1}{x}\right)^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(1/x)*sin(1/x)/x^2,x, algorithm="maxima")`

[Out] `1/2*cos(1/x)^2`

---

**Fricas [A]** time = 2.19054, size = 22, normalized size = 2.2

$$\frac{1}{2} \cos\left(\frac{1}{x}\right)^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(1/x)*sin(1/x)/x^2,x, algorithm="fricas")`

[Out] `1/2*cos(1/x)^2`

---

**Sympy [B]** time = 1.74315, size = 31, normalized size = 3.1

$$-\frac{2 \tan^2\left(\frac{1}{2x}\right)}{\tan^4\left(\frac{1}{2x}\right) + 2 \tan^2\left(\frac{1}{2x}\right) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(1/x)*sin(1/x)/x**2,x)`

[Out] `-2*tan(1/(2*x))**2/(tan(1/(2*x))**4 + 2*tan(1/(2*x))**2 + 1)`

---

**Giac [A]** time = 1.06668, size = 11, normalized size = 1.1

$$\frac{1}{2} \cos\left(\frac{1}{x}\right)^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(1/x)*sin(1/x)/x^2,x, algorithm="giac")`

[Out] `1/2*cos(1/x)^2`

$$3.823 \quad \int \cos\left(\frac{1}{2}(1+3x)\right) \sin^3\left(\frac{1}{2}(1+3x)\right) dx$$

Optimal. Leaf size=16

$$\frac{1}{6} \sin^4\left(\frac{3x}{2} + \frac{1}{2}\right)$$

[Out] Sin[1/2 + (3\*x)/2]^4/6

**Rubi [A]** time = 0.0161971, antiderivative size = 16, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {2564, 30}

$$\frac{1}{6} \sin^4\left(\frac{3x}{2} + \frac{1}{2}\right)$$

Antiderivative was successfully verified.

[In] Int[Cos[(1 + 3\*x)/2]\*Sin[(1 + 3\*x)/2]^3,x]

[Out] Sin[1/2 + (3\*x)/2]^4/6

#### Rule 2564

Int[cos[(e\_.) + (f\_.)\*(x\_.)]^(n\_.)\*((a\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.), x\_Symbol] :> Dist[1/(a\*f), Subst[Int[x^m\*(1 - x^2/a^2)^((n - 1)/2), x], x, a\*Sin[e + f\*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n - 1)/2] && !(IntegerQ[(m - 1)/2] && LtQ[0, m, n])

#### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

#### Rubi steps

$$\begin{aligned} \int \cos\left(\frac{1}{2}(1+3x)\right) \sin^3\left(\frac{1}{2}(1+3x)\right) dx &= \frac{2}{3} \text{Subst}\left(\int x^3 dx, x, \sin\left(\frac{1}{2} + \frac{3x}{2}\right)\right) \\ &= \frac{1}{6} \sin^4\left(\frac{1}{2} + \frac{3x}{2}\right) \end{aligned}$$

**Mathematica [A]** time = 0.0210782, size = 25, normalized size = 1.56

$$\frac{1}{2} \left( \frac{1}{24} \cos(6x + 2) - \frac{1}{6} \cos(3x + 1) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[(1 + 3\*x)/2]\*Sin[(1 + 3\*x)/2]^3,x]

[Out] (-Cos[1 + 3\*x]/6 + Cos[2 + 6\*x]/24)/2

---

**Maple [A]** time = 0.006, size = 11, normalized size = 0.7

$$\frac{1}{6} \left( \sin \left( \frac{1}{2} + \frac{3x}{2} \right) \right)^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(1/2+3/2*x)*sin(1/2+3/2*x)^3,x)`

[Out] `1/6*sin(1/2+3/2*x)^4`

---

**Maxima [A]** time = 0.9477, size = 14, normalized size = 0.88

$$\frac{1}{6} \sin \left( \frac{3}{2}x + \frac{1}{2} \right)^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(1/2+3/2*x)*sin(1/2+3/2*x)^3,x, algorithm="maxima")`

[Out] `1/6*sin(3/2*x + 1/2)^4`

---

**Fricas [A]** time = 2.326, size = 66, normalized size = 4.12

$$\frac{1}{6} \cos \left( \frac{3}{2}x + \frac{1}{2} \right)^4 - \frac{1}{3} \cos \left( \frac{3}{2}x + \frac{1}{2} \right)^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(1/2+3/2*x)*sin(1/2+3/2*x)^3,x, algorithm="fricas")`

[Out] `1/6*cos(3/2*x + 1/2)^4 - 1/3*cos(3/2*x + 1/2)^2`

---

**Sympy [B]** time = 0.572874, size = 39, normalized size = 2.44

$$-\frac{\sin^2 \left( \frac{3x}{2} + \frac{1}{2} \right) \cos^2 \left( \frac{3x}{2} + \frac{1}{2} \right)}{3} - \frac{\cos^4 \left( \frac{3x}{2} + \frac{1}{2} \right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(1/2+3/2*x)*sin(1/2+3/2*x)**3,x)`

[Out] `-sin(3*x/2 + 1/2)**2*cos(3*x/2 + 1/2)**2/3 - cos(3*x/2 + 1/2)**4/6`

---

**Giac [A]** time = 1.10547, size = 14, normalized size = 0.88

$$\frac{1}{6} \sin \left( \frac{3}{2}x + \frac{1}{2} \right)^4$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(1/2+3/2*x)*sin(1/2+3/2*x)^3,x, algorithm="giac")
```

```
[Out] 1/6*sin(3/2*x + 1/2)^4
```

### 3.824 $\int 4x \tan(x^2) dx$

**Optimal.** Leaf size=7

$$-2 \log(\cos(x^2))$$

[Out] -2\*Log[Cos[x^2]]

**Rubi [A]** time = 0.0072001, antiderivative size = 7, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {12, 3747, 3475}

$$-2 \log(\cos(x^2))$$

Antiderivative was successfully verified.

[In] Int[4\*x\*Tan[x^2],x]

[Out] -2\*Log[Cos[x^2]]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 3747

Int[(x\_)^(m\_.)\*((a\_.) + (b\_.)\*Tan[(c\_.) + (d\_.)\*(x\_)^(n\_.)])^(p\_.), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*Tan[c + d\*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]

#### Rule 3475

Int[tan[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[Log[RemoveContent[Cos[c + d\*x], x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int 4x \tan(x^2) dx &= 4 \int x \tan(x^2) dx \\ &= 2 \text{Subst} \left( \int \tan(x) dx, x, x^2 \right) \\ &= -2 \log(\cos(x^2)) \end{aligned}$$

**Mathematica [A]** time = 0.0058107, size = 7, normalized size = 1.

$$-2 \log(\cos(x^2))$$

Antiderivative was successfully verified.

[In] Integrate[4\*x\*Tan[x^2],x]

[Out]  $-2 \cdot \text{Log}[\text{Cos}[x^2]]$

---

**Maple [A]** time = 0.003, size = 8, normalized size = 1.1

$$-2 \ln(\cos(x^2))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(4*x*tan(x^2),x)`

[Out]  $-2 \cdot \ln(\cos(x^2))$

---

**Maxima [A]** time = 0.961662, size = 9, normalized size = 1.29

$$2 \log(\sec(x^2))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(4*x*tan(x^2),x, algorithm="maxima")`

[Out]  $2 \cdot \log(\sec(x^2))$

---

**Fricas [A]** time = 2.27923, size = 35, normalized size = 5.

$$-\log\left(\frac{1}{\tan(x^2)^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(4*x*tan(x^2),x, algorithm="fricas")`

[Out]  $-\log(1/(\tan(x^2)^2 + 1))$

---

**Sympy [A]** time = 0.127445, size = 8, normalized size = 1.14

$$\log(\tan^2(x^2) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(4*x*tan(x**2),x)`

[Out]  $\log(\tan(x**2)**2 + 1)$

---

**Giac [A]** time = 1.06695, size = 12, normalized size = 1.71

$$\log(\tan(x^2)^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(4*x*tan(x^2),x, algorithm="giac")
```

```
[Out] log(tan(x^2)^2 + 1)
```



### 3.825 $\int x \sec(5 - x^2) dx$

**Optimal.** Leaf size=13

$$-\frac{1}{2} \tanh^{-1}(\sin(5 - x^2))$$

[Out] -ArcTanh[Sin[5 - x^2]]/2

**Rubi [A]** time = 0.0117344, antiderivative size = 13, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {4204, 3770}

$$-\frac{1}{2} \tanh^{-1}(\sin(5 - x^2))$$

Antiderivative was successfully verified.

[In] Int[x\*Sec[5 - x^2],x]

[Out] -ArcTanh[Sin[5 - x^2]]/2

#### Rule 4204

Int[(x\_)^(m\_.)\*((a\_.) + (b\_.)\*Sec[(c\_.) + (d\_.)\*(x\_)^(n\_)])^(p\_.), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*Sec[c + d\*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int x \sec(5 - x^2) dx &= \frac{1}{2} \text{Subst} \left( \int \sec(5 - x) dx, x, x^2 \right) \\ &= -\frac{1}{2} \tanh^{-1}(\sin(5 - x^2)) \end{aligned}$$

**Mathematica [A]** time = 0.0175405, size = 13, normalized size = 1.

$$-\frac{1}{2} \tanh^{-1}(\sin(5 - x^2))$$

Antiderivative was successfully verified.

[In] Integrate[x\*Sec[5 - x^2],x]

[Out] -ArcTanh[Sin[5 - x^2]]/2

**Maple [A]** time = 0.002, size = 17, normalized size = 1.3

$$\frac{\ln(\sec(x^2 - 5) + \tan(x^2 - 5))}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*sec(x^2-5),x)

[Out] 1/2\*ln(sec(x^2-5)+tan(x^2-5))

**Maxima [A]** time = 0.962089, size = 22, normalized size = 1.69

$$\frac{1}{2} \log(\sec(x^2 - 5) + \tan(x^2 - 5))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sec(x^2-5),x, algorithm="maxima")

[Out] 1/2\*log(sec(x^2 - 5) + tan(x^2 - 5))

**Fricas [B]** time = 2.32914, size = 76, normalized size = 5.85

$$\frac{1}{4} \log(\sin(x^2 - 5) + 1) - \frac{1}{4} \log(-\sin(x^2 - 5) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sec(x^2-5),x, algorithm="fricas")

[Out] 1/4\*log(sin(x^2 - 5) + 1) - 1/4\*log(-sin(x^2 - 5) + 1)

**Sympy [A]** time = 0.97906, size = 15, normalized size = 1.15

$$\frac{\log(\tan(x^2 - 5) + \sec(x^2 - 5))}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sec(x\*\*2-5),x)

[Out] log(tan(x\*\*2 - 5) + sec(x\*\*2 - 5))/2

**Giac [B]** time = 1.10437, size = 55, normalized size = 4.23

$$\frac{1}{8} \log\left(\left|\frac{1}{\sin(x^2 - 5)} + \sin(x^2 - 5) + 2\right|\right) - \frac{1}{8} \log\left(\left|\frac{1}{\sin(x^2 - 5)} + \sin(x^2 - 5) - 2\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*sec(x^2-5),x, algorithm="giac")
```

```
[Out] 1/8*log(abs(1/sin(x^2 - 5) + sin(x^2 - 5) + 2)) - 1/8*log(abs(1/sin(x^2 - 5) + sin(x^2 - 5) - 2))
```

$$3.826 \quad \int \frac{\csc\left(\frac{1}{x}\right)}{x^2} dx$$

**Optimal.** Leaf size=5

$$\tanh^{-1}\left(\cos\left(\frac{1}{x}\right)\right)$$

[Out] ArcTanh[Cos[x<sup>(-1)</sup>]]

**Rubi [A]** time = 0.0090749, antiderivative size = 5, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {4205, 3770}

$$\tanh^{-1}\left(\cos\left(\frac{1}{x}\right)\right)$$

Antiderivative was successfully verified.

[In] Int[Csc[x<sup>(-1)</sup>]/x<sup>2</sup>, x]

[Out] ArcTanh[Cos[x<sup>(-1)</sup>]]

#### Rule 4205

```
Int[((a_.) + Csc[(c_.) + (d_.)*(x_)^(n_)])*(b_.))^(p_.)*(x_)^(m_.), x_Symbol]
  := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csc[c + d*x])^p, x], x, x^n], x]
  /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]
```

#### Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
  /; FreeQ[{c, d}, x]
```

#### Rubi steps

$$\begin{aligned} \int \frac{\csc\left(\frac{1}{x}\right)}{x^2} dx &= -\text{Subst}\left(\int \csc(x) dx, x, \frac{1}{x}\right) \\ &= \tanh^{-1}\left(\cos\left(\frac{1}{x}\right)\right) \end{aligned}$$

**Mathematica [B]** time = 0.0148051, size = 21, normalized size = 4.2

$$\log\left(\cos\left(\frac{1}{2x}\right)\right) - \log\left(\sin\left(\frac{1}{2x}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Csc[x<sup>(-1)</sup>]/x<sup>2</sup>, x]

[Out] Log[Cos[1/(2\*x)]] - Log[Sin[1/(2\*x)]]

---

**Maple [A]** time = 0.003, size = 11, normalized size = 2.2

$$\ln(\csc(x^{-1}) + \cot(x^{-1}))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(1/x)/x^2,x)

[Out] ln(csc(1/x)+cot(1/x))

---

**Maxima [A]** time = 0.96226, size = 14, normalized size = 2.8

$$\log\left(\cot\left(\frac{1}{x}\right) + \csc\left(\frac{1}{x}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(1/x)/x^2,x, algorithm="maxima")

[Out] log(cot(1/x) + csc(1/x))

---

**Fricas [B]** time = 2.29585, size = 81, normalized size = 16.2

$$\frac{1}{2} \log\left(\frac{1}{2} \cos\left(\frac{1}{x}\right) + \frac{1}{2}\right) - \frac{1}{2} \log\left(-\frac{1}{2} \cos\left(\frac{1}{x}\right) + \frac{1}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(1/x)/x^2,x, algorithm="fricas")

[Out] 1/2\*log(1/2\*cos(1/x) + 1/2) - 1/2\*log(-1/2\*cos(1/x) + 1/2)

---

**Sympy [A]** time = 1.35122, size = 10, normalized size = 2.

$$\log\left(\cot\left(\frac{1}{x}\right) + \csc\left(\frac{1}{x}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(1/x)/x\*\*2,x)

[Out] log(cot(1/x) + csc(1/x))

---

**Giac [A]** time = 1.14418, size = 14, normalized size = 2.8

$$-\log\left(\left|\tan\left(\frac{1}{2x}\right)\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csc(1/x)/x^2,x, algorithm="giac")
```

```
[Out] -log(abs(tan(1/2/x)))
```

$$3.827 \quad \int (\csc(x) - \sec(x))(\cos(x) + \sin(x)) dx$$

**Optimal.** Leaf size=7

$$\log(\sin(x)) + \log(\cos(x))$$

[Out] Log[Cos[x]] + Log[Sin[x]]

**Rubi [A]** time = 0.0454076, antiderivative size = 9, normalized size of antiderivative = 1.29, number of steps used = 4, number of rules used = 2, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {446, 72}

$$\log(\tan(x)) + 2 \log(\cos(x))$$

Antiderivative was successfully verified.

[In] Int[(Csc[x] - Sec[x])\*(Cos[x] + Sin[x]),x]

[Out] 2\*Log[Cos[x]] + Log[Tan[x]]

#### Rule 446

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_.))^(q\_.), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

#### Rule 72

Int[((e\_.) + (f\_.)\*(x\_))^(p\_.)/(((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))), x\_Symbol] :> Int[ExpandIntegrand[(e + f\*x)^p/((a + b\*x)\*(c + d\*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IntegerQ[p]

#### Rubi steps

$$\begin{aligned} \int (\csc(x) - \sec(x))(\cos(x) + \sin(x)) dx &= \text{Subst} \left( \int \frac{1-x^2}{x(1+x^2)} dx, x, \tan(x) \right) \\ &= \frac{1}{2} \text{Subst} \left( \int \frac{1-x}{x(1+x)} dx, x, \tan^2(x) \right) \\ &= \frac{1}{2} \text{Subst} \left( \int \left( \frac{1}{x} - \frac{2}{1+x} \right) dx, x, \tan^2(x) \right) \\ &= 2 \log(\cos(x)) + \log(\tan(x)) \end{aligned}$$

**Mathematica [A]** time = 0.0071322, size = 7, normalized size = 1.

$$\log(\sin(x)) + \log(\cos(x))$$

Antiderivative was successfully verified.

[In] Integrate[(Csc[x] - Sec[x])\*(Cos[x] + Sin[x]),x]

[Out] Log[Cos[x]] + Log[Sin[x]]

---

**Maple [A]** time = 0.04, size = 8, normalized size = 1.1

$$\ln(\cos(x)) + \ln(\sin(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((csc(x)-sec(x))\*(cos(x)+sin(x)),x)

[Out] ln(cos(x))+ln(sin(x))

---

**Maxima [B]** time = 0.965771, size = 20, normalized size = 2.86

$$\frac{1}{2} \log(-\sin(x)^2 + 1) + \log(\sin(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((csc(x)-sec(x))\*(cos(x)+sin(x)),x, algorithm="maxima")

[Out] 1/2\*log(-sin(x)^2 + 1) + log(sin(x))

---

**Fricas [A]** time = 2.27852, size = 34, normalized size = 4.86

$$\log\left(-\frac{1}{2} \cos(x) \sin(x)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((csc(x)-sec(x))\*(cos(x)+sin(x)),x, algorithm="fricas")

[Out] log(-1/2\*cos(x)\*sin(x))

---

**Sympy [A]** time = 6.47874, size = 8, normalized size = 1.14

$$\log(\sin(x)) + \log(\cos(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((csc(x)-sec(x))\*(cos(x)+sin(x)),x)

[Out] log(sin(x)) + log(cos(x))

---

**Giac [B]** time = 1.08246, size = 26, normalized size = 3.71

$$\frac{1}{2} \log(\cos(x)^2) + \frac{1}{2} \log(-\cos(x)^2 + 1)$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((csc(x)-sec(x))*(cos(x)+sin(x)),x, algorithm="giac")
```

```
[Out] 1/2*log(cos(x)^2) + 1/2*log(-cos(x)^2 + 1)
```

$$3.828 \quad \int (-\cos(3x) \sin(2x) + \cos(2x) \sin(3x)) dx$$

**Optimal.** Leaf size=4

$$-\cos(x)$$

[Out] -Cos[x]

**Rubi [A]** time = 0.0173933, antiderivative size = 4, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 1, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.05$ , Rules used = {4284}

$$-\cos(x)$$

Antiderivative was successfully verified.

[In] Int[-(Cos[3\*x]\*Sin[2\*x]) + Cos[2\*x]\*Sin[3\*x],x]

[Out] -Cos[x]

Rule 4284

Int[cos[(c\_.) + (d\_.)\*(x\_.)]\*sin[(a\_.) + (b\_.)\*(x\_.)], x\_Symbol] :> -Simp[Cos[a - c + (b - d)\*x]/(2\*(b - d)), x] - Simp[Cos[a + c + (b + d)\*x]/(2\*(b + d)), x] /; FreeQ[{a, b, c, d}, x] && NeQ[b^2 - d^2, 0]

Rubi steps

$$\begin{aligned} \int (-\cos(3x) \sin(2x) + \cos(2x) \sin(3x)) dx &= - \int \cos(3x) \sin(2x) dx + \int \cos(2x) \sin(3x) dx \\ &= -\cos(x) \end{aligned}$$

**Mathematica [A]** time = 0.0013774, size = 4, normalized size = 1.

$$-\cos(x)$$

Antiderivative was successfully verified.

[In] Integrate[-(Cos[3\*x]\*Sin[2\*x]) + Cos[2\*x]\*Sin[3\*x],x]

[Out] -Cos[x]

**Maple [A]** time = 0.05, size = 5, normalized size = 1.3

$$-\cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-cos(3\*x)\*sin(2\*x)+cos(2\*x)\*sin(3\*x),x)

[Out]  $-\cos(x)$

**Maxima [A]** time = 0.952717, size = 5, normalized size = 1.25

$-\cos(x)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(-cos(3*x)*sin(2*x)+cos(2*x)*sin(3*x),x, algorithm="maxima")`

[Out]  $-\cos(x)$

**Fricas [A]** time = 2.22345, size = 12, normalized size = 3.

$-\cos(x)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(-cos(3*x)*sin(2*x)+cos(2*x)*sin(3*x),x, algorithm="fricas")`

[Out]  $-\cos(x)$

**Sympy [B]** time = 0.830159, size = 20, normalized size = 5.

$-\sin(2x)\sin(3x) - \cos(2x)\cos(3x)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(-cos(3*x)*sin(2*x)+cos(2*x)*sin(3*x),x)`

[Out]  $-\sin(2*x)*\sin(3*x) - \cos(2*x)*\cos(3*x)$

**Giac [A]** time = 1.05694, size = 5, normalized size = 1.25

$-\cos(x)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(-cos(3*x)*sin(2*x)+cos(2*x)*sin(3*x),x, algorithm="giac")`

[Out]  $-\cos(x)$

### 3.829 $\int 4x \sec^2(2x) dx$

Optimal. Leaf size=13

$$2x \tan(2x) + \log(\cos(2x))$$

[Out] Log[Cos[2\*x]] + 2\*x\*Tan[2\*x]

**Rubi [A]** time = 0.0200766, antiderivative size = 13, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {12, 4184, 3475}

$$2x \tan(2x) + \log(\cos(2x))$$

Antiderivative was successfully verified.

[In] Int[4\*x\*Sec[2\*x]^2,x]

[Out] Log[Cos[2\*x]] + 2\*x\*Tan[2\*x]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 4184

Int[csc[(e\_.) + (f\_.)\*(x\_)]^2\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] :> -Simp[((c + d\*x)^m\*Cot[e + f\*x])/f, x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Cot[e + f\*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

#### Rule 3475

Int[tan[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d\*x], x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int 4x \sec^2(2x) dx &= 4 \int x \sec^2(2x) dx \\ &= 2x \tan(2x) - 2 \int \tan(2x) dx \\ &= \log(\cos(2x)) + 2x \tan(2x) \end{aligned}$$

**Mathematica [A]** time = 0.0071375, size = 21, normalized size = 1.62

$$4 \left( \frac{1}{2} x \tan(2x) + \frac{1}{4} \log(\cos(2x)) \right)$$

Antiderivative was successfully verified.

[In] Integrate[4\*x\*Sec[2\*x]^2,x]

[Out]  $4*(\text{Log}[\text{Cos}[2*x]]/4 + (x*\text{Tan}[2*x])/2)$

---

**Maple [A]** time = 0.006, size = 14, normalized size = 1.1

$$\ln(\cos(2x)) + 2x \tan(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(4*x*\sec(2*x)^2, x)$

[Out]  $\ln(\cos(2*x)) + 2*x*\tan(2*x)$

---

**Maxima [B]** time = 1.47006, size = 100, normalized size = 7.69

$$\frac{(\cos(4x)^2 + \sin(4x)^2 + 2\cos(4x) + 1) \log(\cos(4x)^2 + \sin(4x)^2 + 2\cos(4x) + 1) + 8x \sin(4x)}{2(\cos(4x)^2 + \sin(4x)^2 + 2\cos(4x) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(4*x*\sec(2*x)^2, x, \text{algorithm}="maxima")$

[Out]  $1/2*((\cos(4*x)^2 + \sin(4*x)^2 + 2*\cos(4*x) + 1)*\log(\cos(4*x)^2 + \sin(4*x)^2 + 2*\cos(4*x) + 1) + 8*x*\sin(4*x))/(\cos(4*x)^2 + \sin(4*x)^2 + 2*\cos(4*x) + 1)$

---

**Fricas [A]** time = 2.50494, size = 69, normalized size = 5.31

$$\frac{\cos(2x) \log(-\cos(2x)) + 2x \sin(2x)}{\cos(2x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(4*x*\sec(2*x)^2, x, \text{algorithm}="fricas")$

[Out]  $(\cos(2*x)*\log(-\cos(2*x)) + 2*x*\sin(2*x))/\cos(2*x)$

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$4 \int x \sec^2(2x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(4*x*\sec(2*x)**2, x)$

[Out]  $4*\text{Integral}(x*\sec(2*x)**2, x)$

---

**Giac [B]** time = 1.10374, size = 109, normalized size = 8.38

$$\frac{\log\left(\frac{4(\tan(x)^4 - 2\tan(x)^2 + 1)}{\tan(x)^4 + 2\tan(x)^2 + 1}\right)\tan(x)^2 - 8x\tan(x) - \log\left(\frac{4(\tan(x)^4 - 2\tan(x)^2 + 1)}{\tan(x)^4 + 2\tan(x)^2 + 1}\right)}{2(\tan(x)^2 - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(4\*x\*sec(2\*x)^2,x, algorithm="giac")

[Out] 1/2\*(log(4\*(tan(x)^4 - 2\*tan(x)^2 + 1)/(tan(x)^4 + 2\*tan(x)^2 + 1))\*tan(x)^2 - 8\*x\*tan(x) - log(4\*(tan(x)^4 - 2\*tan(x)^2 + 1)/(tan(x)^4 + 2\*tan(x)^2 + 1)))/(tan(x)^2 - 1)

### 3.830 $\int 4 \sin^2(x) \tan^2(x) dx$

**Optimal.** Leaf size=16

$$-6x + 6 \tan(x) - 2 \sin^2(x) \tan(x)$$

[Out]  $-6*x + 6*\tan[x] - 2*\sin[x]^2*\tan[x]$

**Rubi [A]** time = 0.0290192, antiderivative size = 16, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$ , Rules used = {12, 2591, 288, 321, 203}

$$-6x + 6 \tan(x) - 2 \sin^2(x) \tan(x)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[4*\sin[x]^2*\tan[x]^2,x]$

[Out]  $-6*x + 6*\tan[x] - 2*\sin[x]^2*\tan[x]$

#### Rule 12

$\text{Int}[(a_*)(u_), x\_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[u, (b_*)(v_) /; \text{FreeQ}[b, x]]$

#### Rule 2591

$\text{Int}[\sin[(e_.) + (f_.)*(x_)]^{(m_)*((b_)*\tan[(e_.) + (f_.)*(x_)]^{(n_.)}, x\_Symbol] \rightarrow \text{With}[\{ff = \text{FreeFactors}[\tan[e + f*x], x]\}, \text{Dist}[(b*ff)/f, \text{Subst}[\text{Int}[(ff*x)^{(m+n)}/(b^2 + ff^2*x^2)^{(m/2+1)}, x], x, (b*\tan[e + f*x])/ff], x] /; \text{FreeQ}[\{b, e, f, n\}, x] \ \&\& \ \text{IntegerQ}[m/2]$

#### Rule 288

$\text{Int}[(c_*)(x_)]^{(m_)*((a_.) + (b_*)(x_)]^{(n_)]^{(p_)}, x\_Symbol] \rightarrow \text{Simp}[(c^{(n-1)}*(c*x)^{(m-n+1)}*(a + b*x^n)^{(p+1)})/(b*n*(p+1)), x] - \text{Dist}[(c^{n*(m-n+1)})/(b*n*(p+1)), \text{Int}[(c*x)^{(m-n)}*(a + b*x^n)^{(p+1)}, x], x] /; \text{FreeQ}[\{a, b, c\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{GtQ}[m+1, n] \ \&\& \ !\text{LtQ}[m+n*(p+1)+1, n, 0] \ \&\& \ \text{IntBinomialQ}[a, b, c, n, m, p, x]$

#### Rule 321

$\text{Int}[(c_*)(x_)]^{(m_)*((a_.) + (b_*)(x_)]^{(n_)]^{(p_)}, x\_Symbol] \rightarrow \text{Simp}[(c^{(n-1)}*(c*x)^{(m-n+1)}*(a + b*x^n)^{(p+1)})/(b*(m+n*p+1)), x] - \text{Dist}[(a*c^n*(m-n+1))/(b*(m+n*p+1)), \text{Int}[(c*x)^{(m-n)}*(a + b*x^n)^p, x], x] /; \text{FreeQ}[\{a, b, c, p\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{GtQ}[m, n-1] \ \&\& \ \text{NeQ}[m+n*p+1, 0] \ \&\& \ \text{IntBinomialQ}[a, b, c, n, m, p, x]$

#### Rule 203

$\text{Int}[(a_.) + (b_*)(x_)]^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTan}[(\text{Rt}[b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{GtQ}[b, 0])$

#### Rubi steps

$$\begin{aligned}
\int 4 \sin^2(x) \tan^2(x) dx &= 4 \int \sin^2(x) \tan^2(x) dx \\
&= 4 \operatorname{Subst} \left( \int \frac{x^4}{(1+x^2)^2} dx, x, \tan(x) \right) \\
&= -2 \sin^2(x) \tan(x) + 6 \operatorname{Subst} \left( \int \frac{x^2}{1+x^2} dx, x, \tan(x) \right) \\
&= 6 \tan(x) - 2 \sin^2(x) \tan(x) - 6 \operatorname{Subst} \left( \int \frac{1}{1+x^2} dx, x, \tan(x) \right) \\
&= -6x + 6 \tan(x) - 2 \sin^2(x) \tan(x)
\end{aligned}$$

**Mathematica [A]** time = 0.024689, size = 18, normalized size = 1.12

$$4 \left( -\frac{3x}{2} + \frac{1}{4} \sin(2x) + \tan(x) \right)$$

Antiderivative was successfully verified.

[In] Integrate[4\*Sin[x]^2\*Tan[x]^2,x]

[Out] 4\*((-3\*x)/2 + Sin[2\*x]/4 + Tan[x])

**Maple [A]** time = 0.01, size = 28, normalized size = 1.8

$$4 \frac{(\sin(x))^5}{\cos(x)} + 4 \left( (\sin(x))^3 + \frac{3}{2} \sin(x) \right) \cos(x) - 6x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(4\*sin(x)^2\*tan(x)^2,x)

[Out] 4\*sin(x)^5/cos(x)+4\*(sin(x)^3+3/2\*sin(x))\*cos(x)-6\*x

**Maxima [A]** time = 1.45194, size = 27, normalized size = 1.69

$$-6x + \frac{2 \tan(x)}{\tan(x)^2 + 1} + 4 \tan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(4\*sin(x)^2\*tan(x)^2,x, algorithm="maxima")

[Out] -6\*x + 2\*tan(x)/(tan(x)^2 + 1) + 4\*tan(x)

**Fricas [A]** time = 2.39315, size = 65, normalized size = 4.06

$$\frac{2(3x \cos(x) - (\cos(x)^2 + 2) \sin(x))}{\cos(x)}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(4\*sin(x)^2\*tan(x)^2,x, algorithm="fricas")

[Out]  $-2*(3*x*\cos(x) - (\cos(x)^2 + 2)*\sin(x))/\cos(x)$

**Sympy [A]** time = 0.062212, size = 20, normalized size = 1.25

$$-6x + \frac{4\sin^3(x)}{\cos(x)} + 6\sin(x)\cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(4\*sin(x)\*\*2\*tan(x)\*\*2,x)

[Out]  $-6*x + 4*\sin(x)**3/\cos(x) + 6*\sin(x)*\cos(x)$

**Giac [A]** time = 1.07805, size = 27, normalized size = 1.69

$$-6x + \frac{2 \tan(x)}{\tan(x)^2 + 1} + 4 \tan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(4\*sin(x)^2\*tan(x)^2,x, algorithm="giac")

[Out]  $-6*x + 2*\tan(x)/(\tan(x)^2 + 1) + 4*\tan(x)$

### 3.831 $\int \cos^4(x) \cot^2(x) dx$

**Optimal.** Leaf size=32

$$-\frac{15x}{8} - \frac{15 \cot(x)}{8} + \frac{1}{4} \cos^4(x) \cot(x) + \frac{5}{8} \cos^2(x) \cot(x)$$

[Out]  $(-15*x)/8 - (15*\text{Cot}[x])/8 + (5*\text{Cos}[x]^2*\text{Cot}[x])/8 + (\text{Cos}[x]^4*\text{Cot}[x])/4$

**Rubi [A]** time = 0.0336789, antiderivative size = 32, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$ , Rules used = {2591, 288, 321, 203}

$$-\frac{15x}{8} - \frac{15 \cot(x)}{8} + \frac{1}{4} \cos^4(x) \cot(x) + \frac{5}{8} \cos^2(x) \cot(x)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[x]^4*\text{Cot}[x]^2, x]$

[Out]  $(-15*x)/8 - (15*\text{Cot}[x])/8 + (5*\text{Cos}[x]^2*\text{Cot}[x])/8 + (\text{Cos}[x]^4*\text{Cot}[x])/4$

#### Rule 2591

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]^{(m_.)}*((b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x\_Symbol] \rightarrow \text{With}[\{ff = \text{FreeFactors}[\text{Tan}[e + f*x], x]\}, \text{Dist}[(b*ff)/f, \text{Subst}[\text{Int}[(ff*x)^{(m+n)}/(b^2 + ff^2*x^2)^{(m/2+1)}, x], x, (b*\text{Tan}[e + f*x])/ff], x]] /; \text{FreeQ}\{b, e, f, n\}, x] \&\& \text{IntegerQ}[m/2]$

#### Rule 288

$\text{Int}[(c_.)*(x_.)^{(m_.)}*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[(c^{(n-1)}*(c*x)^{(m-n+1)}*(a + b*x^n)^{(p+1)})/(b*n*(p+1)), x] - \text{Dist}[(c^n*(m-n+1))/(b*n*(p+1)), \text{Int}[(c*x)^{(m-n)}*(a + b*x^n)^{(p+1)}, x], x] /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& \text{GtQ}[m+1, n] \&\& !\text{LtQ}[(m+n*(p+1)+1)/n, 0] \&\& \text{IntBinomialQ}[a, b, c, n, m, p, x]$

#### Rule 321

$\text{Int}[(c_.)*(x_.)^{(m_.)}*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[(c^{(n-1)}*(c*x)^{(m-n+1)}*(a + b*x^n)^{(p+1)})/(b*(m+n*p+1)), x] - \text{Dist}[(a*c^n*(m-n+1))/(b*(m+n*p+1)), \text{Int}[(c*x)^{(m-n)}*(a + b*x^n)^p, x], x] /; \text{FreeQ}\{a, b, c, p\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{GtQ}[m, n-1] \&\& \text{NeQ}[m+n*p+1, 0] \&\& \text{IntBinomialQ}[a, b, c, n, m, p, x]$

#### Rule 203

$\text{Int}[(a_.) + (b_.)*(x_.)^2]^{(-1)}, x\_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTan}[(\text{Rt}[b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{GtQ}[b, 0])$

#### Rubi steps

$$\begin{aligned}
\int \cos^4(x) \cot^2(x) dx &= -\text{Subst} \left( \int \frac{x^6}{(1+x^2)^3} dx, x, \cot(x) \right) \\
&= \frac{1}{4} \cos^4(x) \cot(x) - \frac{5}{4} \text{Subst} \left( \int \frac{x^4}{(1+x^2)^2} dx, x, \cot(x) \right) \\
&= \frac{5}{8} \cos^2(x) \cot(x) + \frac{1}{4} \cos^4(x) \cot(x) - \frac{15}{8} \text{Subst} \left( \int \frac{x^2}{1+x^2} dx, x, \cot(x) \right) \\
&= -\frac{15 \cot(x)}{8} + \frac{5}{8} \cos^2(x) \cot(x) + \frac{1}{4} \cos^4(x) \cot(x) + \frac{15}{8} \text{Subst} \left( \int \frac{1}{1+x^2} dx, x, \cot(x) \right) \\
&= -\frac{15x}{8} - \frac{15 \cot(x)}{8} + \frac{5}{8} \cos^2(x) \cot(x) + \frac{1}{4} \cos^4(x) \cot(x)
\end{aligned}$$

**Mathematica [A]** time = 0.0219386, size = 26, normalized size = 0.81

$$-\frac{15x}{8} - \frac{1}{2} \sin(2x) - \frac{1}{32} \sin(4x) - \cot(x)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]^4\*Cot[x]^2,x]

[Out] (-15\*x)/8 - Cot[x] - Sin[2\*x]/2 - Sin[4\*x]/32

**Maple [A]** time = 0.01, size = 34, normalized size = 1.1

$$-\frac{(\cos(x))^7}{\sin(x)} - \left( (\cos(x))^5 + \frac{5(\cos(x))^3}{4} + \frac{15\cos(x)}{8} \right) \sin(x) - \frac{15x}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)^4\*cot(x)^2,x)

[Out] -1/sin(x)\*cos(x)^7-(cos(x)^5+5/4\*cos(x)^3+15/8\*cos(x))\*sin(x)-15/8\*x

**Maxima [A]** time = 1.44403, size = 47, normalized size = 1.47

$$-\frac{15}{8}x - \frac{15 \tan(x)^4 + 25 \tan(x)^2 + 8}{8(\tan(x)^5 + 2 \tan(x)^3 + \tan(x))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)^4\*cot(x)^2,x, algorithm="maxima")

[Out] -15/8\*x - 1/8\*(15\*tan(x)^4 + 25\*tan(x)^2 + 8)/(tan(x)^5 + 2\*tan(x)^3 + tan(x))

**Fricas [A]** time = 2.46964, size = 86, normalized size = 2.69

$$\frac{2 \cos(x)^5 + 5 \cos(x)^3 - 15 x \sin(x) - 15 \cos(x)}{8 \sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)^4\*cot(x)^2,x, algorithm="fricas")

[Out] 1/8\*(2\*cos(x)^5 + 5\*cos(x)^3 - 15\*x\*sin(x) - 15\*cos(x))/sin(x)

**Sympy [A]** time = 0.066273, size = 36, normalized size = 1.12

$$-\frac{15x}{8} - \frac{5 \sin(x) \cos^3(x)}{4} - \frac{15 \sin(x) \cos(x)}{8} - \frac{\cos^5(x)}{\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*\*4\*cot(x)\*\*2,x)

[Out] -15\*x/8 - 5\*sin(x)\*cos(x)\*\*3/4 - 15\*sin(x)\*cos(x)/8 - cos(x)\*\*5/sin(x)

**Giac [A]** time = 1.1096, size = 42, normalized size = 1.31

$$-\frac{15}{8} x - \frac{7 \tan(x)^3 + 9 \tan(x)}{8 (\tan(x)^2 + 1)^2} - \frac{1}{\tan(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)^4\*cot(x)^2,x, algorithm="giac")

[Out] -15/8\*x - 1/8\*(7\*tan(x)^3 + 9\*tan(x))/(tan(x)^2 + 1)^2 - 1/tan(x)

### 3.832 $\int 16 \cos^2(x) \sin^2(x) dx$

**Optimal.** Leaf size=18

$$2x - 4 \sin(x) \cos^3(x) + 2 \sin(x) \cos(x)$$

[Out] 2\*x + 2\*Cos[x]\*Sin[x] - 4\*Cos[x]^3\*Sin[x]

**Rubi [A]** time = 0.0282526, antiderivative size = 18, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$ , Rules used = {12, 2568, 2635, 8}

$$2x - 4 \sin(x) \cos^3(x) + 2 \sin(x) \cos(x)$$

Antiderivative was successfully verified.

[In] Int[16\*Cos[x]^2\*Sin[x]^2,x]

[Out] 2\*x + 2\*Cos[x]\*Sin[x] - 4\*Cos[x]^3\*Sin[x]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 2568

Int[(cos[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.))^n\_]\*((a\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^m\_, x\_Symbol] := -Simp[(a\*(b\*Cos[e + f\*x])^(n + 1)\*(a\*Ssin[e + f\*x])^(m - 1))/(b\*f\*(m + n)), x] + Dist[(a^2\*(m - 1))/(m + n), Int[(b\*Cos[e + f\*x])^n\*(a\*Ssin[e + f\*x])^(m - 2), x], x] /; FreeQ[{a, b, e, f, n}, x] && GtQ[m, 1] && NeQ[m + n, 0] && IntegersQ[2\*m, 2\*n]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^n\_, x\_Symbol] := -Simp[(b\*Cos[c + d\*x])\*(b\*Ssin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Ssin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned} \int 16 \cos^2(x) \sin^2(x) dx &= 16 \int \cos^2(x) \sin^2(x) dx \\ &= -4 \cos^3(x) \sin(x) + 4 \int \cos^2(x) dx \\ &= 2 \cos(x) \sin(x) - 4 \cos^3(x) \sin(x) + 2 \int 1 dx \\ &= 2x + 2 \cos(x) \sin(x) - 4 \cos^3(x) \sin(x) \end{aligned}$$

**Mathematica [A]** time = 0.0079291, size = 16, normalized size = 0.89

$$4 \left( \frac{x}{2} - \frac{1}{8} \sin(4x) \right)$$

Antiderivative was successfully verified.

[In] Integrate[16\*Cos[x]^2\*Sin[x]^2,x]

[Out] 4\*(x/2 - Sin[4\*x]/8)

**Maple [A]** time = 0.005, size = 19, normalized size = 1.1

$$2x + 2 \cos(x) \sin(x) - 4 (\cos(x))^3 \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(16\*cos(x)^2\*sin(x)^2,x)

[Out] 2\*x+2\*cos(x)\*sin(x)-4\*cos(x)^3\*sin(x)

**Maxima [A]** time = 0.959415, size = 14, normalized size = 0.78

$$2x - \frac{1}{2} \sin(4x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(16\*cos(x)^2\*sin(x)^2,x, algorithm="maxima")

[Out] 2\*x - 1/2\*sin(4\*x)

**Fricas [A]** time = 2.23492, size = 53, normalized size = 2.94

$$-2 \left( 2 \cos(x)^3 - \cos(x) \right) \sin(x) + 2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(16\*cos(x)^2\*sin(x)^2,x, algorithm="fricas")

[Out] -2\*(2\*cos(x)^3 - cos(x))\*sin(x) + 2\*x

**Sympy [A]** time = 0.066772, size = 12, normalized size = 0.67

$$2x - \sin(2x) \cos(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(16\*cos(x)\*\*2\*sin(x)\*\*2,x)

[Out]  $2x - \sin(2x)\cos(2x)$

---

**Giac [A]** time = 1.07518, size = 14, normalized size = 0.78

$$2x - \frac{1}{2}\sin(4x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(16*cos(x)^2*sin(x)^2,x, algorithm="giac")`

[Out]  $2x - 1/2*\sin(4*x)$

### 3.833 $\int 8 \cos^2(x) \sin^4(x) dx$

**Optimal.** Leaf size=34

$$\frac{x}{2} - \frac{4}{3} \sin^3(x) \cos^3(x) - \sin(x) \cos^3(x) + \frac{1}{2} \sin(x) \cos(x)$$

[Out] x/2 + (Cos[x]\*Sin[x])/2 - Cos[x]^3\*Sin[x] - (4\*Cos[x]^3\*Sin[x]^3)/3

**Rubi [A]** time = 0.0502599, antiderivative size = 34, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$ , Rules used = {12, 2568, 2635, 8}

$$\frac{x}{2} - \frac{4}{3} \sin^3(x) \cos^3(x) - \sin(x) \cos^3(x) + \frac{1}{2} \sin(x) \cos(x)$$

Antiderivative was successfully verified.

[In] Int[8\*Cos[x]^2\*Sin[x]^4,x]

[Out] x/2 + (Cos[x]\*Sin[x])/2 - Cos[x]^3\*Sin[x] - (4\*Cos[x]^3\*Sin[x]^3)/3

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 2568

Int[(cos[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.))^n\_]\*((a\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^m\_, x\_Symbol] := -Simp[(a\*(b\*Cos[e + f\*x])^(n + 1)\*(a\*Sin[e + f\*x])^(m - 1))/(b\*f\*(m + n)), x] + Dist[(a^2\*(m - 1))/(m + n), Int[(b\*Cos[e + f\*x])^n\*(a\*Sin[e + f\*x])^(m - 2), x], x] /; FreeQ[{a, b, e, f, n}, x] && GtQ[m, 1] && NeQ[m + n, 0] && IntegersQ[2\*m, 2\*n]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^n\_, x\_Symbol] := -Simp[(b\*Cos[c + d\*x])\*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps



$$\begin{aligned}
\int 8 \cos^2(x) \sin^4(x) dx &= 8 \int \cos^2(x) \sin^4(x) dx \\
&= -\frac{4}{3} \cos^3(x) \sin^3(x) + 4 \int \cos^2(x) \sin^2(x) dx \\
&= -\cos^3(x) \sin(x) - \frac{4}{3} \cos^3(x) \sin^3(x) + \int \cos^2(x) dx \\
&= \frac{1}{2} \cos(x) \sin(x) - \cos^3(x) \sin(x) - \frac{4}{3} \cos^3(x) \sin^3(x) + \frac{\int 1 dx}{2} \\
&= \frac{x}{2} + \frac{1}{2} \cos(x) \sin(x) - \cos^3(x) \sin(x) - \frac{4}{3} \cos^3(x) \sin^3(x)
\end{aligned}$$

**Mathematica [A]** time = 0.0100087, size = 32, normalized size = 0.94

$$8 \left( \frac{x}{16} - \frac{1}{64} \sin(2x) - \frac{1}{64} \sin(4x) + \frac{1}{192} \sin(6x) \right)$$

Antiderivative was successfully verified.

[In] Integrate[8\*Cos[x]^2\*Sin[x]^4,x]

[Out] 8\*(x/16 - Sin[2\*x]/64 - Sin[4\*x]/64 + Sin[6\*x]/192)

**Maple [A]** time = 0.005, size = 29, normalized size = 0.9

$$\frac{x}{2} + \frac{\cos(x) \sin(x)}{2} - (\cos(x))^3 \sin(x) - \frac{4 (\cos(x))^3 (\sin(x))^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(8\*cos(x)^2\*sin(x)^4,x)

[Out] 1/2\*x+1/2\*cos(x)\*sin(x)-cos(x)^3\*sin(x)-4/3\*cos(x)^3\*sin(x)^3

**Maxima [A]** time = 0.960433, size = 24, normalized size = 0.71

$$-\frac{1}{6} \sin(2x)^3 + \frac{1}{2} x - \frac{1}{8} \sin(4x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(8\*cos(x)^2\*sin(x)^4,x, algorithm="maxima")

[Out] -1/6\*sin(2\*x)^3 + 1/2\*x - 1/8\*sin(4\*x)

**Fricas [A]** time = 2.39833, size = 78, normalized size = 2.29

$$\frac{1}{6} (8 \cos(x)^5 - 14 \cos(x)^3 + 3 \cos(x)) \sin(x) + \frac{1}{2} x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(8\*cos(x)^2\*sin(x)^4,x, algorithm="fricas")

[Out] 1/6\*(8\*cos(x)^5 - 14\*cos(x)^3 + 3\*cos(x))\*sin(x) + 1/2\*x

**Sympy [A]** time = 0.061079, size = 32, normalized size = 0.94

$$\frac{x}{2} + \frac{4 \sin^5(x) \cos(x)}{3} - \frac{\sin^3(x) \cos(x)}{3} - \frac{\sin(x) \cos(x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(8\*cos(x)\*\*2\*sin(x)\*\*4,x)

[Out] x/2 + 4\*sin(x)\*\*5\*cos(x)/3 - sin(x)\*\*3\*cos(x)/3 - sin(x)\*cos(x)/2

**Giac [A]** time = 1.08186, size = 30, normalized size = 0.88

$$\frac{1}{2}x + \frac{1}{24} \sin(6x) - \frac{1}{8} \sin(4x) - \frac{1}{8} \sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(8\*cos(x)^2\*sin(x)^4,x, algorithm="giac")

[Out] 1/2\*x + 1/24\*sin(6\*x) - 1/8\*sin(4\*x) - 1/8\*sin(2\*x)

### 3.834 $\int 35 \cos^3(x) \sin^4(x) dx$

**Optimal.** Leaf size=13

$$7 \sin^5(x) - 5 \sin^7(x)$$

[Out] 7\*Sin[x]^5 - 5\*Sin[x]^7

**Rubi [A]** time = 0.0241216, antiderivative size = 13, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.3$ , Rules used = {12, 2564, 14}

$$7 \sin^5(x) - 5 \sin^7(x)$$

Antiderivative was successfully verified.

[In] Int[35\*Cos[x]^3\*Sin[x]^4,x]

[Out] 7\*Sin[x]^5 - 5\*Sin[x]^7

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 2564

Int[cos[(e\_.) + (f\_.)\*(x\_.)]^(n\_.)\*((a\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.), x\_Symbol] := Dist[1/(a\*f), Subst[Int[x^m\*(1 - x^2/a^2)^((n - 1)/2), x], x, a\*Sin[e + f\*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n - 1)/2] && !(IntegerQ[(m - 1)/2] && LtQ[0, m, n])

#### Rule 14

Int[(u\_)\*((c\_.)\*(x\_.))^(m\_.), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_ + (b\_.)\*(v\_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v])]

#### Rubi steps

$$\begin{aligned} \int 35 \cos^3(x) \sin^4(x) dx &= 35 \int \cos^3(x) \sin^4(x) dx \\ &= 35 \text{Subst} \left( \int x^4 (1 - x^2) dx, x, \sin(x) \right) \\ &= 35 \text{Subst} \left( \int (x^4 - x^6) dx, x, \sin(x) \right) \\ &= 7 \sin^5(x) - 5 \sin^7(x) \end{aligned}$$

**Mathematica [B]** time = 0.0094767, size = 33, normalized size = 2.54

$$35 \left( \frac{3 \sin(x)}{64} - \frac{1}{64} \sin(3x) - \frac{1}{320} \sin(5x) + \frac{1}{448} \sin(7x) \right)$$

Antiderivative was successfully verified.

[In] Integrate[35\*Cos[x]^3\*Sin[x]^4,x]

[Out] 35\*((3\*Sin[x])/64 - Sin[3\*x]/64 - Sin[5\*x]/320 + Sin[7\*x]/448)

**Maple [B]** time = 0.005, size = 29, normalized size = 2.2

$$-5 (\cos(x))^4 (\sin(x))^3 - 3 \sin(x) (\cos(x))^4 + (2 + (\cos(x))^2) \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(35\*cos(x)^3\*sin(x)^4,x)

[Out] -5\*cos(x)^4\*sin(x)^3-3\*sin(x)\*cos(x)^4+(2+cos(x)^2)\*sin(x)

**Maxima [A]** time = 0.979526, size = 18, normalized size = 1.38

$$-5 \sin(x)^7 + 7 \sin(x)^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(35\*cos(x)^3\*sin(x)^4,x, algorithm="maxima")

[Out] -5\*sin(x)^7 + 7\*sin(x)^5

**Fricas [A]** time = 2.29107, size = 66, normalized size = 5.08

$$(5 \cos(x)^6 - 8 \cos(x)^4 + \cos(x)^2 + 2) \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(35\*cos(x)^3\*sin(x)^4,x, algorithm="fricas")

[Out] (5\*cos(x)^6 - 8\*cos(x)^4 + cos(x)^2 + 2)\*sin(x)

**Sympy [A]** time = 0.061939, size = 12, normalized size = 0.92

$$-5 \sin^7(x) + 7 \sin^5(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(35\*cos(x)\*\*3\*sin(x)\*\*4,x)

[Out] -5\*sin(x)\*\*7 + 7\*sin(x)\*\*5

**Giac [A]** time = 1.07909, size = 18, normalized size = 1.38

$$-5 \sin(x)^7 + 7 \sin(x)^5$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(35*cos(x)^3*sin(x)^4,x, algorithm="giac")
```

```
[Out] -5*sin(x)^7 + 7*sin(x)^5
```

### 3.835 $\int 4 \cos^4(x) \sin^4(x) dx$

**Optimal.** Leaf size=46

$$\frac{3x}{32} - \frac{1}{2} \sin^3(x) \cos^5(x) - \frac{1}{4} \sin(x) \cos^5(x) + \frac{1}{16} \sin(x) \cos^3(x) + \frac{3}{32} \sin(x) \cos(x)$$

[Out] (3\*x)/32 + (3\*Cos[x]\*Sin[x])/32 + (Cos[x]^3\*Sin[x])/16 - (Cos[x]^5\*Sin[x])/4 - (Cos[x]^5\*Sin[x]^3)/2

**Rubi [A]** time = 0.056109, antiderivative size = 46, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$ , Rules used = {12, 2568, 2635, 8}

$$\frac{3x}{32} - \frac{1}{2} \sin^3(x) \cos^5(x) - \frac{1}{4} \sin(x) \cos^5(x) + \frac{1}{16} \sin(x) \cos^3(x) + \frac{3}{32} \sin(x) \cos(x)$$

Antiderivative was successfully verified.

[In] Int[4\*Cos[x]^4\*Sin[x]^4,x]

[Out] (3\*x)/32 + (3\*Cos[x]\*Sin[x])/32 + (Cos[x]^3\*Sin[x])/16 - (Cos[x]^5\*Sin[x])/4 - (Cos[x]^5\*Sin[x]^3)/2

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 2568

Int[(cos[(e\_.) + (f\_.)\*(x\_)])\*(b\_.)]^(n\_)\*((a\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_), x\_Symbol] := -Simp[(a\*(b\*Cos[e + f\*x])^(n + 1)\*(a\*Sin[e + f\*x])^(m - 1))/(b\*f\*(m + n)), x] + Dist[(a^2\*(m - 1))/(m + n), Int[(b\*Cos[e + f\*x])^n\*(a\*Sin[e + f\*x])^(m - 2), x], x] /; FreeQ[{a, b, e, f, n}, x] && GtQ[m, 1] && NeQ[m + n, 0] && IntegersQ[2\*m, 2\*n]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x])\*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned}
\int 4 \cos^4(x) \sin^4(x) dx &= 4 \int \cos^4(x) \sin^4(x) dx \\
&= -\frac{1}{2} \cos^5(x) \sin^3(x) + \frac{3}{2} \int \cos^4(x) \sin^2(x) dx \\
&= -\frac{1}{4} \cos^5(x) \sin(x) - \frac{1}{2} \cos^5(x) \sin^3(x) + \frac{1}{4} \int \cos^4(x) dx \\
&= \frac{1}{16} \cos^3(x) \sin(x) - \frac{1}{4} \cos^5(x) \sin(x) - \frac{1}{2} \cos^5(x) \sin^3(x) + \frac{3}{16} \int \cos^2(x) dx \\
&= \frac{3}{32} \cos(x) \sin(x) + \frac{1}{16} \cos^3(x) \sin(x) - \frac{1}{4} \cos^5(x) \sin(x) - \frac{1}{2} \cos^5(x) \sin^3(x) + \frac{3}{32} \int 1 dx \\
&= \frac{3x}{32} + \frac{3}{32} \cos(x) \sin(x) + \frac{1}{16} \cos^3(x) \sin(x) - \frac{1}{4} \cos^5(x) \sin(x) - \frac{1}{2} \cos^5(x) \sin^3(x)
\end{aligned}$$

**Mathematica [A]** time = 0.0071436, size = 24, normalized size = 0.52

$$4 \left( \frac{3x}{128} - \frac{1}{128} \sin(4x) + \frac{\sin(8x)}{1024} \right)$$

Antiderivative was successfully verified.

[In] Integrate[4\*Cos[x]^4\*Sin[x]^4,x]

[Out] 4\*((3\*x)/128 - Sin[4\*x]/128 + Sin[8\*x]/1024)

**Maple [A]** time = 0.007, size = 36, normalized size = 0.8

$$-\frac{(\cos(x))^5 (\sin(x))^3}{2} - \frac{(\cos(x))^5 \sin(x)}{4} + \frac{\sin(x)}{16} \left( (\cos(x))^3 + \frac{3 \cos(x)}{2} \right) + \frac{3x}{32}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(4\*cos(x)^4\*sin(x)^4,x)

[Out] -1/2\*cos(x)^5\*sin(x)^3-1/4\*cos(x)^5\*sin(x)+1/16\*(cos(x)^3+3/2\*cos(x))\*sin(x)+3/32\*x

**Maxima [A]** time = 0.959757, size = 22, normalized size = 0.48

$$\frac{3}{32} x + \frac{1}{256} \sin(8x) - \frac{1}{32} \sin(4x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(4\*cos(x)^4\*sin(x)^4,x, algorithm="maxima")

[Out] 3/32\*x + 1/256\*sin(8\*x) - 1/32\*sin(4\*x)

**Fricas [A]** time = 2.29601, size = 100, normalized size = 2.17

$$\frac{1}{32} (16 \cos(x)^7 - 24 \cos(x)^5 + 2 \cos(x)^3 + 3 \cos(x)) \sin(x) + \frac{3}{32} x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(4\*cos(x)^4\*sin(x)^4,x, algorithm="fricas")

[Out] 1/32\*(16\*cos(x)^7 - 24\*cos(x)^5 + 2\*cos(x)^3 + 3\*cos(x))\*sin(x) + 3/32\*x

**Sympy [A]** time = 0.069102, size = 31, normalized size = 0.67

$$\frac{3x}{32} - \frac{\sin^3(2x)\cos(2x)}{32} - \frac{3\sin(2x)\cos(2x)}{64}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(4\*cos(x)\*\*4\*sin(x)\*\*4,x)

[Out] 3\*x/32 - sin(2\*x)\*\*3\*cos(2\*x)/32 - 3\*sin(2\*x)\*cos(2\*x)/64

**Giac [A]** time = 1.07825, size = 22, normalized size = 0.48

$$\frac{3}{32}x + \frac{1}{256}\sin(8x) - \frac{1}{32}\sin(4x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(4\*cos(x)^4\*sin(x)^4,x, algorithm="giac")

[Out] 3/32\*x + 1/256\*sin(8\*x) - 1/32\*sin(4\*x)



$$3.836 \quad \int \frac{\cos(x)}{-\sin(x) + \sin^3(x)} dx$$

**Optimal.** Leaf size=9

$$\log(\cos(x)) - \log(\sin(x))$$

[Out] Log[Cos[x]] - Log[Sin[x]]

**Rubi [A]** time = 0.028245, antiderivative size = 9, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$ , Rules used = {4334, 266, 36, 31, 29}

$$\log(\cos(x)) - \log(\sin(x))$$

Antiderivative was successfully verified.

[In] Int[Cos[x]/(-Sin[x] + Sin[x]^3), x]

[Out] Log[Cos[x]] - Log[Sin[x]]

#### Rule 4334

```
Int[(u_)*(F_)[(c_.)*((a_.) + (b_.)*(x_))], x_Symbol] := With[{d = FreeFactors[Sin[c*(a + b*x)], x]}, Dist[d/(b*c), Subst[Int[SubstFor[1, Sin[c*(a + b*x)]]/d, u, x], x], x, Sin[c*(a + b*x)]/d, x] /; FunctionOfQ[Sin[c*(a + b*x)]/d, u, x, True] /; FreeQ[{a, b, c}, x] && (EqQ[F, Cos] || EqQ[F, cos])
```

#### Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

#### Rule 36

```
Int[1/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Dist[b/(b*c - a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]
```

#### Rule 31

```
Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]
```

#### Rule 29

```
Int[(x_)^(n_), x_Symbol] := Simp[Log[x], x]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{\cos(x)}{-\sin(x) + \sin^3(x)} dx &= \text{Subst} \left( \int \frac{1}{x(-1+x^2)} dx, x, \sin(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{1}{(-1+x)x} dx, x, \sin^2(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{1}{-1+x} dx, x, \sin^2(x) \right) - \frac{1}{2} \text{Subst} \left( \int \frac{1}{x} dx, x, \sin^2(x) \right) \\
&= \log(\cos(x)) - \log(\sin(x))
\end{aligned}$$

**Mathematica [A]** time = 0.0049069, size = 9, normalized size = 1.

$$\log(\cos(x)) - \log(\sin(x))$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]/(-Sin[x] + Sin[x]^3), x]

[Out] Log[Cos[x]] - Log[Sin[x]]

**Maple [B]** time = 0.02, size = 21, normalized size = 2.3

$$-\ln(\sin(x)) + \frac{\ln(1 + \sin(x))}{2} + \frac{\ln(\sin(x) - 1)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)/(-sin(x)+sin(x)^3), x)

[Out] -ln(sin(x))+1/2\*ln(1+sin(x))+1/2\*ln(sin(x)-1)

**Maxima [B]** time = 0.969199, size = 27, normalized size = 3.

$$\frac{1}{2} \log(\sin(x) + 1) + \frac{1}{2} \log(\sin(x) - 1) - \log(\sin(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)/(-sin(x)+sin(x)^3), x, algorithm="maxima")

[Out] 1/2\*log(sin(x) + 1) + 1/2\*log(sin(x) - 1) - log(sin(x))

**Fricas [B]** time = 2.12816, size = 68, normalized size = 7.56

$$\frac{1}{2} \log(\cos(x)^2) - \frac{1}{2} \log\left(-\frac{1}{4} \cos(x)^2 + \frac{1}{4}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)/(-sin(x)+sin(x)^3), x, algorithm="fricas")

[Out]  $1/2*\log(\cos(x)^2) - 1/2*\log(-1/4*\cos(x)^2 + 1/4)$

**Sympy [B]** time = 0.360291, size = 20, normalized size = 2.22

$$\frac{\log(\sin(x) - 1)}{2} + \frac{\log(\sin(x) + 1)}{2} - \log(\sin(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)/(-sin(x)+sin(x)**3),x)`

[Out]  $\log(\sin(x) - 1)/2 + \log(\sin(x) + 1)/2 - \log(\sin(x))$

**Giac [B]** time = 1.09292, size = 26, normalized size = 2.89

$$-\frac{1}{2} \log(\sin(x)^2) + \frac{1}{2} \log(-\sin(x)^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)/(-sin(x)+sin(x)^3),x, algorithm="giac")`

[Out]  $-1/2*\log(\sin(x)^2) + 1/2*\log(-\sin(x)^2 + 1)$

$$3.837 \quad \int (-1 + 2 \cos^2(x) + \cos(x) \sin(x)) dx$$

**Optimal.** Leaf size=14

$$\frac{\sin^2(x)}{2} + \sin(x) \cos(x)$$

[Out] Cos[x]\*Sin[x] + Sin[x]^2/2

**Rubi [A]** time = 0.0166557, antiderivative size = 14, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$ , Rules used = {2635, 8, 2564, 30}

$$\frac{\sin^2(x)}{2} + \sin(x) \cos(x)$$

Antiderivative was successfully verified.

[In] Int[-1 + 2\*Cos[x]^2 + Cos[x]\*Sin[x], x]

[Out] Cos[x]\*Sin[x] + Sin[x]^2/2

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x] \* (b\*SIN[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*SIN[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2564

Int[cos[(e\_.) + (f\_.)\*(x\_)]^(n\_.)\*((a\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.), x\_Symbol] :> Dist[1/(a\*f), Subst[Int[x^m\*(1 - x^2/a^2)^((n - 1)/2), x], x, a\*SIN[e + f\*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n - 1)/2] && !(IntegerQ[(m - 1)/2] && LtQ[0, m, n])

#### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

#### Rubi steps

$$\begin{aligned} \int (-1 + 2 \cos^2(x) + \cos(x) \sin(x)) dx &= -x + 2 \int \cos^2(x) dx + \int \cos(x) \sin(x) dx \\ &= -x + \cos(x) \sin(x) + \int 1 dx + \text{Subst}\left(\int x dx, x, \sin(x)\right) \\ &= \cos(x) \sin(x) + \frac{\sin^2(x)}{2} \end{aligned}$$

**Mathematica [A]** time = 0.0053653, size = 17, normalized size = 1.21

$$\frac{1}{2} \sin(2x) - \frac{\cos^2(x)}{2}$$

Antiderivative was successfully verified.

[In] Integrate[-1 + 2\*Cos[x]^2 + Cos[x]\*Sin[x],x]

[Out] -Cos[x]^2/2 + Sin[2\*x]/2

**Maple [A]** time = 0.005, size = 13, normalized size = 0.9

$$\cos(x) \sin(x) + \frac{(\sin(x))^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-1+2\*cos(x)^2+cos(x)\*sin(x),x)

[Out] cos(x)\*sin(x)+1/2\*sin(x)^2

**Maxima [A]** time = 0.949812, size = 18, normalized size = 1.29

$$-\frac{1}{2} \cos(x)^2 + \frac{1}{2} \sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-1+2\*cos(x)^2+cos(x)\*sin(x),x, algorithm="maxima")

[Out] -1/2\*cos(x)^2 + 1/2\*sin(2\*x)

**Fricas [A]** time = 1.99195, size = 42, normalized size = 3.

$$-\frac{1}{2} \cos(x)^2 + \cos(x) \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-1+2\*cos(x)^2+cos(x)\*sin(x),x, algorithm="fricas")

[Out] -1/2\*cos(x)^2 + cos(x)\*sin(x)

**Sympy [A]** time = 0.061004, size = 12, normalized size = 0.86

$$\frac{\sin^2(x)}{2} + \sin(x) \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(-1+2*cos(x)**2+cos(x)*sin(x),x)
```

```
[Out] sin(x)**2/2 + sin(x)*cos(x)
```

---

**Giac [A]** time = 1.08018, size = 18, normalized size = 1.29

$$-\frac{1}{2} \cos(x)^2 + \frac{1}{2} \sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(-1+2*cos(x)^2+cos(x)*sin(x),x, algorithm="giac")
```

```
[Out] -1/2*cos(x)^2 + 1/2*sin(2*x)
```

$$3.838 \quad \int (\cos^2(x) + \sin^2(x)) dx$$

**Optimal.** Leaf size=1

$x$

[Out]  $x$

**Rubi [A]** time = 0.0103859, antiderivative size = 1, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 2, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {2635, 8}

$x$

Antiderivative was successfully verified.

[In] Int[Cos[x]^2 + Sin[x]^2,x]

[Out]  $x$

#### Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x]
)*(b*SIN[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

#### Rule 8

```
Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]
```

#### Rubi steps

$$\begin{aligned} \int (\cos^2(x) + \sin^2(x)) dx &= \int \cos^2(x) dx + \int \sin^2(x) dx \\ &= 2 \frac{\int 1 dx}{2} \\ &= x \end{aligned}$$

**Mathematica [A]** time = 0.000303, size = 1, normalized size = 1.

$x$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]^2 + Sin[x]^2,x]

[Out]  $x$

**Maple [A]** time = 0.003, size = 2, normalized size = 2.

$x$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(x)^2+sin(x)^2,x)
```

```
[Out] x
```

---

**Maxima [A]** time = 0.963386, size = 1, normalized size = 1.

$$x$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)^2+sin(x)^2,x, algorithm="maxima")
```

```
[Out] x
```

---

**Fricas [A]** time = 1.82605, size = 4, normalized size = 4.

$$x$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)^2+sin(x)^2,x, algorithm="fricas")
```

```
[Out] x
```

---

**Sympy [A]** time = 0.059741, size = 0, normalized size = 0.

$$x$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)**2+sin(x)**2,x)
```

```
[Out] x
```

---

**Giac [A]** time = 1.068, size = 1, normalized size = 1.

$$x$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)^2+sin(x)^2,x, algorithm="giac")
```

```
[Out] x
```



$$3.839 \quad \int (-\cos^2(x) + \sin^2(x)) dx$$

**Optimal.** Leaf size=6

$$\sin(x)(-\cos(x))$$

[Out] -(Cos[x]\*Sin[x])

**Rubi [A]** time = 0.0110818, antiderivative size = 6, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 2, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2635, 8}

$$\sin(x)(-\cos(x))$$

Antiderivative was successfully verified.

[In] Int[-Cos[x]^2 + Sin[x]^2,x]

[Out] -(Cos[x]\*Sin[x])

Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x] \* (b\*SIN[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*SIN[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int (-\cos^2(x) + \sin^2(x)) dx &= -\int \cos^2(x) dx + \int \sin^2(x) dx \\ &= -\cos(x) \sin(x) \end{aligned}$$

**Mathematica [A]** time = 0.0023956, size = 8, normalized size = 1.33

$$-\frac{1}{2} \sin(2x)$$

Antiderivative was successfully verified.

[In] Integrate[-Cos[x]^2 + Sin[x]^2,x]

[Out] -Sin[2\*x]/2

**Maple [A]** time = 0.001, size = 7, normalized size = 1.2

$$-\cos(x) \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-cos(x)^2+sin(x)^2,x)`

[Out] `-cos(x)*sin(x)`

---

**Maxima [A]** time = 0.952364, size = 8, normalized size = 1.33

$$-\frac{1}{2} \sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(-cos(x)^2+sin(x)^2,x, algorithm="maxima")`

[Out] `-1/2*sin(2*x)`

---

**Fricas [A]** time = 2.09111, size = 22, normalized size = 3.67

$$-\cos(x) \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(-cos(x)^2+sin(x)^2,x, algorithm="fricas")`

[Out] `-cos(x)*sin(x)`

---

**Sympy [A]** time = 0.058978, size = 7, normalized size = 1.17

$$-\sin(x) \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(-cos(x)**2+sin(x)**2,x)`

[Out] `-sin(x)*cos(x)`

---

**Giac [A]** time = 1.05358, size = 8, normalized size = 1.33

$$-\frac{1}{2} \sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(-cos(x)^2+sin(x)^2,x, algorithm="giac")`

[Out] `-1/2*sin(2*x)`

$$3.840 \quad \int 2^{\sin(x)} \cos(x) dx$$

**Optimal.** Leaf size=9

$$\frac{2^{\sin(x)}}{\log(2)}$$

[Out] 2^Sin[x]/Log[2]

**Rubi [A]** time = 0.0089618, antiderivative size = 9, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {4334, 2194}

$$\frac{2^{\sin(x)}}{\log(2)}$$

Antiderivative was successfully verified.

[In] Int[2^Sin[x]\*Cos[x], x]

[Out] 2^Sin[x]/Log[2]

**Rule 4334**

```
Int[(u_)*(F_)[(c_.)*((a_.) + (b_.)*(x_))], x_Symbol] := With[{d = FreeFactors[Sin[c*(a + b*x)], x]}, Dist[d/(b*c), Subst[Int[SubstFor[1, Sin[c*(a + b*x)]]/d, u, x], x], x, Sin[c*(a + b*x)]/d, x] /; FunctionOfQ[Sin[c*(a + b*x)]/d, u, x, True] /; FreeQ[{a, b, c}, x] && (EqQ[F, Cos] || EqQ[F, cos])
```

**Rule 2194**

```
Int[((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.), x_Symbol] := Simp[(F^(c*(a + b*x)))^n/(b*c*n*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]
```

**Rubi steps**

$$\int 2^{\sin(x)} \cos(x) dx = \text{Subst} \left( \int 2^x dx, x, \sin(x) \right) \\ = \frac{2^{\sin(x)}}{\log(2)}$$

**Mathematica [A]** time = 0.0063061, size = 9, normalized size = 1.

$$\frac{2^{\sin(x)}}{\log(2)}$$

Antiderivative was successfully verified.

[In] Integrate[2^Sin[x]\*Cos[x], x]

[Out] 2^Sin[x]/Log[2]

**Maple [A]** time = 0.006, size = 10, normalized size = 1.1

$$\frac{2^{\sin(x)}}{\ln(2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(2^sin(x)\*cos(x),x)

[Out] 2^sin(x)/ln(2)

---

**Maxima [A]** time = 0.959556, size = 12, normalized size = 1.33

$$\frac{2^{\sin(x)}}{\log(2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2^sin(x)\*cos(x),x, algorithm="maxima")

[Out] 2^sin(x)/log(2)

---

**Fricas [A]** time = 1.94472, size = 23, normalized size = 2.56

$$\frac{2^{\sin(x)}}{\log(2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2^sin(x)\*cos(x),x, algorithm="fricas")

[Out] 2^sin(x)/log(2)

---

**Sympy [A]** time = 0.289783, size = 7, normalized size = 0.78

$$\frac{2^{\sin(x)}}{\log(2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2\*\*sin(x)\*cos(x),x)

[Out] 2\*\*sin(x)/log(2)

---

**Giac [A]** time = 1.06874, size = 12, normalized size = 1.33

$$\frac{2^{\sin(x)}}{\log(2)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(2^sin(x)*cos(x),x, algorithm="giac")
```

```
[Out] 2^sin(x)/log(2)
```

### 3.841 $\int (\tan^3(x) + \tan^5(x)) dx$

**Optimal.** Leaf size=8

$$\frac{\tan^4(x)}{4}$$

[Out] Tan[x]^4/4

**Rubi [A]** time = 0.0167934, antiderivative size = 8, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 2, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {3473, 3475}

$$\frac{\tan^4(x)}{4}$$

Antiderivative was successfully verified.

[In] Int[Tan[x]^3 + Tan[x]^5, x]

[Out] Tan[x]^4/4

#### Rule 3473

Int[((b\_.)\*tan[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(b\*Tan[c + d\*x])^(n - 1))/(d\*(n - 1)), x] - Dist[b^2, Int[(b\*Tan[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1]

#### Rule 3475

Int[tan[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d\*x], x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int (\tan^3(x) + \tan^5(x)) dx &= \int \tan^3(x) dx + \int \tan^5(x) dx \\ &= \frac{\tan^2(x)}{2} + \frac{\tan^4(x)}{4} - \int \tan(x) dx - \int \tan^3(x) dx \\ &= \log(\cos(x)) + \frac{\tan^4(x)}{4} + \int \tan(x) dx \\ &= \frac{\tan^4(x)}{4} \end{aligned}$$

**Mathematica [A]** time = 0.0048798, size = 8, normalized size = 1.

$$\frac{\tan^4(x)}{4}$$

Antiderivative was successfully verified.

[In] Integrate[Tan[x]^3 + Tan[x]^5, x]

[Out]  $\text{Tan}[x]^4/4$

**Maple [A]** time = 0.004, size = 7, normalized size = 0.9

$$\frac{(\tan(x))^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\tan(x)^3 + \tan(x)^5, x)$

[Out]  $1/4 * \tan(x)^4$

**Maxima [B]** time = 0.948578, size = 47, normalized size = 5.88

$$\frac{4 \sin(x)^2 - 3}{4(\sin(x)^4 - 2 \sin(x)^2 + 1)} - \frac{1}{2(\sin(x)^2 - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\tan(x)^3 + \tan(x)^5, x, \text{algorithm}="maxima")$

[Out]  $1/4 * (4 * \sin(x)^2 - 3) / (\sin(x)^4 - 2 * \sin(x)^2 + 1) - 1/2 / (\sin(x)^2 - 1)$

**Fricas [A]** time = 1.92514, size = 19, normalized size = 2.38

$$\frac{1}{4} \tan(x)^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\tan(x)^3 + \tan(x)^5, x, \text{algorithm}="fricas")$

[Out]  $1/4 * \tan(x)^4$

**Sympy [B]** time = 0.125427, size = 22, normalized size = 2.75

$$-\frac{4 \cos^2(x) - 1}{4 \cos^4(x)} + \frac{1}{2 \cos^2(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\tan(x)**3 + \tan(x)**5, x)$

[Out]  $-(4 * \cos(x)**2 - 1) / (4 * \cos(x)**4) + 1 / (2 * \cos(x)**2)$

**Giac [A]** time = 1.07061, size = 8, normalized size = 1.

$$\frac{1}{4} \tan(x)^4$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(x)^3+tan(x)^5,x, algorithm="giac")
```

```
[Out] 1/4*tan(x)^4
```



### 3.842 $\int x \sec(x)(2 + x \tan(x)) dx$

**Optimal.** Leaf size=6

$$x^2 \sec(x)$$

[Out]  $x^2 \sec(x)$

**Rubi [A]** time = 0.178028, antiderivative size = 6, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 5, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$ , Rules used = {6742, 4181, 2279, 2391, 3757}

$$x^2 \sec(x)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x \sec(x)(2 + x \tan(x)), x]$

[Out]  $x^2 \sec(x)$

#### Rule 6742

$\text{Int}[u_, x\_Symbol] \rightarrow \text{With}[\{v = \text{ExpandIntegrand}[u, x]\}, \text{Int}[v, x] /; \text{SumQ}[v]]$

#### Rule 4181

$\text{Int}[\text{csc}[(e_.) + \text{Pi}(k_.) + (f_.)(x_.)]*((c_.) + (d_.)(x_.))^{(m_.)}, x\_Symbol] \rightarrow \text{Simp}[(-2*(c + d*x)^m * \text{ArcTanh}[E^{(I*k*Pi)*E^{(I*(e + f*x))}}])/f, x] + (-\text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)} * \text{Log}[1 - E^{(I*k*Pi)*E^{(I*(e + f*x))}}], x], x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)} * \text{Log}[1 + E^{(I*k*Pi)*E^{(I*(e + f*x))}}], x], x]) /; \text{FreeQ}[\{c, d, e, f\}, x] \&\& \text{IntegerQ}[2*k] \&\& \text{IGtQ}[m, 0]$

#### Rule 2279

$\text{Int}[\text{Log}[(a_.) + (b_.)*((F_)^{((e_.)*((c_.) + (d_.)(x_.)))})^{(n_.)}], x\_Symbol] \rightarrow \text{Dist}[1/(d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x))})^{n}], x] /; \text{FreeQ}[\{F, a, b, c, d, e, n\}, x] \&\& \text{GtQ}[a, 0]$

#### Rule 2391

$\text{Int}[\text{Log}[(c_.)*((d_.) + (e_.)(x_.)^{(n_.)})]/(x_.), x\_Symbol] \rightarrow -\text{Simp}[\text{PolyLog}[2, -(c*e*x^n)]/n, x] /; \text{FreeQ}[\{c, d, e, n\}, x] \&\& \text{EqQ}[c*d, 1]$

#### Rule 3757

$\text{Int}[(x_)^{(m_.)} * \text{Sec}[(a_.) + (b_.)(x_)^{(n_.)}]^{(p_.)} * \text{Tan}[(a_.) + (b_.)(x_)^{(n_.)}]^{(q_.)}, x\_Symbol] \rightarrow \text{Simp}[(x^{(m-n+1)} * \text{Sec}[a + b*x^n]^p)/(b*n*p), x] - \text{Dist}[(m-n+1)/(b*n*p), \text{Int}[x^{(m-n)} * \text{Sec}[a + b*x^n]^p, x], x] /; \text{FreeQ}[\{a, b, p\}, x] \&\& \text{IntegerQ}[n] \&\& \text{GeQ}[m, n] \&\& \text{EqQ}[q, 1]$

#### Rubi steps

$$\begin{aligned}
\int x \sec(x)(2 + x \tan(x)) dx &= \int (2x \sec(x) + x^2 \sec(x) \tan(x)) dx \\
&= 2 \int x \sec(x) dx + \int x^2 \sec(x) \tan(x) dx \\
&= -4ix \tan^{-1}(e^{ix}) + x^2 \sec(x) - 2 \int \log(1 - ie^{ix}) dx + 2 \int \log(1 + ie^{ix}) dx - 2 \int x \sec(x) dx \\
&= x^2 \sec(x) + 2i \operatorname{Subst} \left( \int \frac{\log(1 - ix)}{x} dx, x, e^{ix} \right) - 2i \operatorname{Subst} \left( \int \frac{\log(1 + ix)}{x} dx, x, e^{ix} \right) + 2 \int x \sec(x) dx \\
&= 2i \operatorname{Li}_2(-ie^{ix}) - 2i \operatorname{Li}_2(ie^{ix}) + x^2 \sec(x) - 2i \operatorname{Subst} \left( \int \frac{\log(1 - ix)}{x} dx, x, e^{ix} \right) + 2i \operatorname{Subst} \left( \int \frac{\log(1 + ix)}{x} dx, x, e^{ix} \right) \\
&= x^2 \sec(x)
\end{aligned}$$

**Mathematica [A]** time = 0.024492, size = 6, normalized size = 1.

$$x^2 \sec(x)$$

Antiderivative was successfully verified.

[In] Integrate[x\*Sec[x]\*(2 + x\*Tan[x]),x]

[Out] x^2\*Sec[x]

**Maple [C]** time = 0.035, size = 20, normalized size = 3.3

$$2 \frac{x^2 e^{ix}}{1 + e^{2ix}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*sec(x)\*(2+x\*tan(x)),x)

[Out] 2\*x^2\*exp(I\*x)/(1+exp(2\*I\*x))

**Maxima [B]** time = 1.66423, size = 69, normalized size = 11.5

$$\frac{2(x^2 \cos(2x) \cos(x) + x^2 \sin(2x) \sin(x) + x^2 \cos(x))}{\cos(2x)^2 + \sin(2x)^2 + 2 \cos(2x) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sec(x)\*(2+x\*tan(x)),x, algorithm="maxima")

[Out] 2\*(x^2\*cos(2\*x)\*cos(x) + x^2\*sin(2\*x)\*sin(x) + x^2\*cos(x))/(cos(2\*x)^2 + sin(2\*x)^2 + 2\*cos(2\*x) + 1)

**Fricas [A]** time = 1.96152, size = 16, normalized size = 2.67

$$\frac{x^2}{\cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sec(x)\*(2+x\*tan(x)),x, algorithm="fricas")

[Out] x^2/cos(x)

**Sympy [A]** time = 0.552568, size = 5, normalized size = 0.83

$$x^2 \sec(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sec(x)\*(2+x\*tan(x)),x)

[Out] x\*\*2\*sec(x)

**Giac [B]** time = 1.09754, size = 35, normalized size = 5.83

$$\frac{x^2 \tan\left(\frac{1}{2}x\right)^2 + x^2}{\tan\left(\frac{1}{2}x\right)^2 - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sec(x)\*(2+x\*tan(x)),x, algorithm="giac")

[Out] -(x^2\*tan(1/2\*x)^2 + x^2)/(tan(1/2\*x)^2 - 1)

$$3.843 \quad \int \frac{\cot(\sqrt{x}) \csc(\sqrt{x})}{\sqrt{x}} dx$$

**Optimal.** Leaf size=8

$$-2 \csc(\sqrt{x})$$

[Out] -2\*Csc[Sqrt[x]]

**Rubi [A]** time = 0.196644, antiderivative size = 8, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {6715, 2606, 8}

$$-2 \csc(\sqrt{x})$$

Antiderivative was successfully verified.

[In] Int[(Cot[Sqrt[x]]\*Csc[Sqrt[x]])/Sqrt[x],x]

[Out] -2\*Csc[Sqrt[x]]

#### Rule 6715

Int[(u\_)\*(x\_)^(m\_.), x\_Symbol] := Dist[1/(m + 1), Subst[Int[SubstFor[x^(m + 1), u, x], x], x, x^(m + 1)], x] /; FreeQ[m, x] && NeQ[m, -1] && FunctionOfQ[x^(m + 1), u, x]

#### Rule 2606

Int[((a\_.)\*sec[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := Dist[a/f, Subst[Int[(a\*x)^(m - 1)\*(-1 + x^2)^((n - 1)/2), x], x, Sec[e + f\*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n - 1)/2] && !(IntegerQ[m/2] && LtQ[0, m, n + 1])

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned} \int \frac{\cot(\sqrt{x}) \csc(\sqrt{x})}{\sqrt{x}} dx &= 2 \text{Subst} \left( \int \cot(x) \csc(x) dx, x, \sqrt{x} \right) \\ &= - \left( 2 \text{Subst} \left( \int 1 dx, x, \csc(\sqrt{x}) \right) \right) \\ &= -2 \csc(\sqrt{x}) \end{aligned}$$

**Mathematica [A]** time = 0.0179433, size = 8, normalized size = 1.

$$-2 \csc(\sqrt{x})$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[Sqrt[x]]\*Csc[Sqrt[x]])/Sqrt[x],x]

[Out] -2\*Csc[Sqrt[x]]

**Maple [A]** time = 0.016, size = 7, normalized size = 0.9

$$-2 \operatorname{csc}(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(x^(1/2))\*csc(x^(1/2))/x^(1/2),x)

[Out] -2\*csc(x^(1/2))

**Maxima [A]** time = 0.952835, size = 11, normalized size = 1.38

$$-\frac{2}{\sin(\sqrt{x})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(x^(1/2))\*csc(x^(1/2))/x^(1/2),x, algorithm="maxima")

[Out] -2/sin(sqrt(x))

**Fricas [A]** time = 2.0916, size = 23, normalized size = 2.88

$$-\frac{2}{\sin(\sqrt{x})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(x^(1/2))\*csc(x^(1/2))/x^(1/2),x, algorithm="fricas")

[Out] -2/sin(sqrt(x))

**Sympy [A]** time = 0.327789, size = 8, normalized size = 1.

$$-2 \operatorname{csc}(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(x\*\*(1/2))\*csc(x\*\*(1/2))/x\*\*(1/2),x)

[Out] -2\*csc(sqrt(x))

**Giac [A]** time = 1.06237, size = 11, normalized size = 1.38

$$-\frac{2}{\sin(\sqrt{x})}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(x^(1/2))*csc(x^(1/2))/x^(1/2),x, algorithm="giac")
```

```
[Out] -2/sin(sqrt(x))
```

$$3.844 \quad \int \frac{\cos(\sqrt{x}) \sin(\sqrt{x})}{\sqrt{x}} dx$$

**Optimal.** Leaf size=8

$$\sin^2(\sqrt{x})$$

[Out] Sin[Sqrt[x]]^2

**Rubi [A]** time = 0.0110285, antiderivative size = 8, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.056$ , Rules used = {3441}

$$\sin^2(\sqrt{x})$$

Antiderivative was successfully verified.

[In] Int[(Cos[Sqrt[x]]\*Sin[Sqrt[x]])/Sqrt[x], x]

[Out] Sin[Sqrt[x]]^2

Rule 3441

Int[Cos[(a\_.) + (b\_.)\*(x\_)^(n\_.)]\*(x\_)^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_)^(n\_.)]^(p\_.), x\_Symbol] := Simp[Sin[a + b\*x^n]^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rubi steps

$$\int \frac{\cos(\sqrt{x}) \sin(\sqrt{x})}{\sqrt{x}} dx = \sin^2(\sqrt{x})$$

**Mathematica [A]** time = 0.0123849, size = 12, normalized size = 1.5

$$-\frac{1}{2} \cos(2\sqrt{x})$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[Sqrt[x]]\*Sin[Sqrt[x]])/Sqrt[x], x]

[Out] -Cos[2\*Sqrt[x]]/2

**Maple [A]** time = 0.007, size = 9, normalized size = 1.1

$$-(\cos(\sqrt{x}))^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x^(1/2))\*sin(x^(1/2))/x^(1/2), x)

[Out]  $-\cos(x^{1/2})^2$

**Maxima [A]** time = 0.957622, size = 11, normalized size = 1.38

$$-\cos(\sqrt{x})^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x^(1/2))*sin(x^(1/2))/x^(1/2),x, algorithm="maxima")`

[Out]  $-\cos(\sqrt{x})^2$

**Fricas [A]** time = 1.89804, size = 23, normalized size = 2.88

$$-\cos(\sqrt{x})^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x^(1/2))*sin(x^(1/2))/x^(1/2),x, algorithm="fricas")`

[Out]  $-\cos(\sqrt{x})^2$

**Sympy [A]** time = 0.305078, size = 8, normalized size = 1.

$$-\cos^2(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x**(1/2))*sin(x**(1/2))/x**(1/2),x)`

[Out]  $-\cos(\sqrt{x})^{**2}$

**Giac [A]** time = 1.06722, size = 11, normalized size = 1.38

$$-\cos(\sqrt{x})^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x^(1/2))*sin(x^(1/2))/x^(1/2),x, algorithm="giac")`

[Out]  $-\cos(\sqrt{x})^2$



$$3.845 \quad \int \frac{\sec(\sqrt{x}) \tan(\sqrt{x})}{\sqrt{x}} dx$$

**Optimal.** Leaf size=8

$$2 \sec(\sqrt{x})$$

[Out] 2\*Sec[Sqrt[x]]

**Rubi [A]** time = 0.183876, antiderivative size = 8, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {6715, 2606, 8}

$$2 \sec(\sqrt{x})$$

Antiderivative was successfully verified.

[In] Int[(Sec[Sqrt[x]]\*Tan[Sqrt[x]])/Sqrt[x],x]

[Out] 2\*Sec[Sqrt[x]]

#### Rule 6715

Int[(u\_)\*(x\_)^(m\_), x\_Symbol] :> Dist[1/(m + 1), Subst[Int[SubstFor[x^(m + 1), u, x], x, x^(m + 1)], x] /; FreeQ[m, x] && NeQ[m, -1] && FunctionOfQ[x^(m + 1), u, x]

#### Rule 2606

Int[((a\_)\*sec[(e\_) + (f\_)\*(x\_)])^(m\_)\*((b\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Dist[a/f, Subst[Int[(a\*x)^(m - 1)\*(-1 + x^2)^((n - 1)/2), x], x, Sec[e + f\*x], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n - 1)/2] && !(IntegerQ[m/2] && LtQ[0, m, n + 1])

#### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned} \int \frac{\sec(\sqrt{x}) \tan(\sqrt{x})}{\sqrt{x}} dx &= 2 \text{Subst} \left( \int \sec(x) \tan(x) dx, x, \sqrt{x} \right) \\ &= 2 \text{Subst} \left( \int 1 dx, x, \sec(\sqrt{x}) \right) \\ &= 2 \sec(\sqrt{x}) \end{aligned}$$

**Mathematica [A]** time = 0.0179848, size = 8, normalized size = 1.

$$2 \sec(\sqrt{x})$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[Sqrt[x]]\*Tan[Sqrt[x]])/Sqrt[x],x]

[Out] 2\*Sec[Sqrt[x]]

**Maple [A]** time = 0.01, size = 7, normalized size = 0.9

$$2 \sec(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(x^(1/2))\*tan(x^(1/2))/x^(1/2),x)

[Out] 2\*sec(x^(1/2))

**Maxima [A]** time = 0.963457, size = 11, normalized size = 1.38

$$\frac{2}{\cos(\sqrt{x})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x^(1/2))\*tan(x^(1/2))/x^(1/2),x, algorithm="maxima")

[Out] 2/cos(sqrt(x))

**Fricas [A]** time = 2.00175, size = 22, normalized size = 2.75

$$\frac{2}{\cos(\sqrt{x})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x^(1/2))\*tan(x^(1/2))/x^(1/2),x, algorithm="fricas")

[Out] 2/cos(sqrt(x))

**Sympy [A]** time = 0.347173, size = 7, normalized size = 0.88

$$2 \sec(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x\*\*(1/2))\*tan(x\*\*(1/2))/x\*\*(1/2),x)

[Out] 2\*sec(sqrt(x))

**Giac [A]** time = 1.06791, size = 11, normalized size = 1.38

$$\frac{2}{\cos(\sqrt{x})}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x^(1/2))*tan(x^(1/2))/x^(1/2),x, algorithm="giac")
```

```
[Out] 2/cos(sqrt(x))
```

$$3.846 \quad \int \frac{\sin^2(x)}{a+b \sin(2x)} dx$$

**Optimal.** Leaf size=55

$$\frac{\tan^{-1}\left(\frac{a \tan(x)+b}{\sqrt{a^2-b^2}}\right)}{2\sqrt{a^2-b^2}} - \frac{\log(a+b \sin(2x))}{4b}$$

[Out] ArcTan[(b + a\*Tan[x])/Sqrt[a^2 - b^2]]/(2\*Sqrt[a^2 - b^2]) - Log[a + b\*Sin[2\*x]]/(4\*b)

**Rubi [A]** time = 0.169904, antiderivative size = 70, normalized size of antiderivative = 1.27, number of steps used = 9, number of rules used = 7, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$ , Rules used = {1075, 12, 634, 618, 204, 628, 260}

$$\frac{\tan^{-1}\left(\frac{a \tan(x)+b}{\sqrt{a^2-b^2}}\right)}{2\sqrt{a^2-b^2}} - \frac{\log(a \tan^2(x) + a + 2b \tan(x))}{4b} - \frac{\log(\cos(x))}{2b}$$

Antiderivative was successfully verified.

[In] Int[Sin[x]^2/(a + b\*Sin[2\*x]),x]

[Out] ArcTan[(b + a\*Tan[x])/Sqrt[a^2 - b^2]]/(2\*Sqrt[a^2 - b^2]) - Log[Cos[x]]/(2\*b) - Log[a + 2\*b\*Tan[x] + a\*Tan[x]^2]/(4\*b)

#### Rule 1075

```
Int[((A_.) + (C_.)*(x_)^2)/((a_) + (b_.)*(x_) + (c_.)*(x_)^2)*((d_) + (f_.
)*(x_)^2)), x_Symbol] := With[{q = c^2*d^2 + b^2*d*f - 2*a*c*d*f + a^2*f^2}
, Dist[1/q, Int[(A*c^2*d - a*c*C*d + A*b^2*f - a*A*c*f + a^2*C*f + c*(-(b*C
*d) + A*b*f)*x)/(a + b*x + c*x^2), x], x] + Dist[1/q, Int[(c*C*d^2 - A*c*d*
f - a*C*d*f + a*A*f^2 - f*(-(b*C*d) + A*b*f)*x)/(d + f*x^2), x], x] /; NeQ[
q, 0] /; FreeQ[{a, b, c, d, f, A, C}, x] && NeQ[b^2 - 4*a*c, 0]
```

#### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

#### Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

#### Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[In
t[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]
```

#### Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
```

a, 0] || LtQ[b, 0])

### Rule 628

Int[((d\_) + (e\_)\*(x\_))/((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2), x\_Symbol] :> Simp[d\*Log[RemoveContent[a + b\*x + c\*x^2, x]]/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2\*c\*d - b\*e, 0]

### Rule 260

Int[(x\_)^(m\_)/((a\_) + (b\_)\*(x\_)^(n\_)), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x^n, x]]/(b\*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

### Rubi steps

$$\begin{aligned}
 \int \frac{\sin^2(x)}{a + b \sin(2x)} dx &= \text{Subst} \left( \int \frac{x^2}{(1+x^2)(a+2bx+ax^2)} dx, x, \tan(x) \right) \\
 &= \frac{\text{Subst} \left( \int \frac{2bx}{1+x^2} dx, x, \tan(x) \right)}{4b^2} + \frac{\text{Subst} \left( \int -\frac{2abx}{a+2bx+ax^2} dx, x, \tan(x) \right)}{4b^2} \\
 &= \frac{\text{Subst} \left( \int \frac{x}{1+x^2} dx, x, \tan(x) \right)}{2b} - \frac{a \text{Subst} \left( \int \frac{x}{a+2bx+ax^2} dx, x, \tan(x) \right)}{2b} \\
 &= -\frac{\log(\cos(x))}{2b} + \frac{1}{2} \text{Subst} \left( \int \frac{1}{a+2bx+ax^2} dx, x, \tan(x) \right) - \frac{\text{Subst} \left( \int \frac{2b+2ax}{a+2bx+ax^2} dx, x, \tan(x) \right)}{4b} \\
 &= -\frac{\log(\cos(x))}{2b} - \frac{\log(a+2b \tan(x) + a \tan^2(x))}{4b} - \text{Subst} \left( \int \frac{1}{-4(a^2-b^2) - x^2} dx, x, 2b+2a \tan(x) \right) \\
 &= \frac{\tan^{-1} \left( \frac{2b+2a \tan(x)}{2\sqrt{a^2-b^2}} \right)}{2\sqrt{a^2-b^2}} - \frac{\log(\cos(x))}{2b} - \frac{\log(a+2b \tan(x) + a \tan^2(x))}{4b}
 \end{aligned}$$

**Mathematica [A]** time = 0.0805036, size = 55, normalized size = 1.

$$\frac{\tan^{-1} \left( \frac{a \tan(x) + b}{\sqrt{a^2 - b^2}} \right)}{2\sqrt{a^2 - b^2}} - \frac{\log(a + b \sin(2x))}{4b}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]^2/(a + b\*Ssin[2\*x]),x]

[Out] ArcTan[(b + a\*Tan[x])/Sqrt[a^2 - b^2]]/(2\*Sqrt[a^2 - b^2]) - Log[a + b\*Ssin[2\*x]]/(4\*b)

**Maple [A]** time = 0.072, size = 69, normalized size = 1.3

$$\frac{\ln(1 + (\tan(x))^2)}{4b} - \frac{\ln(a + 2b \tan(x) + a(\tan(x))^2)}{4b} + \frac{1}{2} \arctan \left( \frac{2a \tan(x) + 2b}{2\sqrt{a^2 - b^2}} \right) \frac{1}{\sqrt{a^2 - b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)^2/(a+b\*sin(2\*x)),x)

[Out]  $\frac{1}{4} \frac{1}{b} \ln(1 + \tan(x)^2) - \frac{1}{4} \ln(a + 2b \tan(x) + a \tan(x)^2) / b + \frac{1}{2} (a^2 - b^2)^{-1/2} \arctan(\frac{1}{2} (2a \tan(x) + 2b) / (a^2 - b^2)^{1/2})$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)^2/(a+b*sin(2*x)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.47573, size = 767, normalized size = 13.95

$$\left[ \frac{\sqrt{-a^2 + b^2} b \log\left(-\frac{4(2a^2 - b^2) \cos(x)^4 - 4ab \cos(x) \sin(x) - 4(2a^2 - b^2) \cos(x)^2 + a^2 - 2b^2 + 2(2b \cos(x)^2 + 2(2a \cos(x)^3 - a \cos(x)) \sin(x) - b) \sqrt{-a^2 + b^2}}{4b^2 \cos(x)^4 - 4b^2 \cos(x)^2 - 4ab \cos(x) \sin(x) - a^2}\right) + \dots}{8(a^2 b - b^3)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)^2/(a+b*sin(2*x)),x, algorithm="fricas")`

[Out]  $[-\frac{1}{8}(\sqrt{-a^2 + b^2} b \log(-4(2a^2 - b^2) \cos(x)^4 - 4ab \cos(x) \sin(x) - 4(2a^2 - b^2) \cos(x)^2 + a^2 - 2b^2 + 2(2b \cos(x)^2 + 2(2a \cos(x)^3 - a \cos(x)) \sin(x) - b) \sqrt{-a^2 + b^2}) / (4b^2 \cos(x)^4 - 4b^2 \cos(x)^2 - 4ab \cos(x) \sin(x) - a^2) + (a^2 - b^2) \log(-4b^2 \cos(x)^4 + 4b^2 \cos(x)^2 + 4ab \cos(x) \sin(x) + a^2) / (a^2 b - b^3), -\frac{1}{8} (2 \sqrt{a^2 - b^2} b \arctan(-(2a \cos(x) \sin(x) + b) \sqrt{a^2 - b^2}) / (2(a^2 - b^2) \cos(x)^2 - a^2 + b^2)) + (a^2 - b^2) \log(-4b^2 \cos(x)^4 + 4b^2 \cos(x)^2 + 4ab \cos(x) \sin(x) + a^2) / (a^2 b - b^3)]$

**Sympy [B]** time = 9.90773, size = 136, normalized size = 2.47

$$\frac{\begin{cases} \frac{\log(\frac{a}{b} + \sin(2x))}{2b} & \text{for } b \neq 0 \\ \frac{\sin(2x)}{2a} & \text{otherwise} \end{cases}}{2} + \frac{\begin{cases} \frac{\log(\tan(x))}{2b} & \text{for } a = 0 \\ -\frac{1}{b - \sqrt{b^2} \tan(x)} & \text{for } a = -\sqrt{b^2} \\ \frac{1}{b + \sqrt{b^2} \tan(x)} & \text{for } a = \sqrt{b^2} \\ \frac{\log\left(\tan(x) + \frac{b}{a} - \frac{\sqrt{-a^2 + b^2}}{a}\right)}{2\sqrt{-a^2 + b^2}} - \frac{\log\left(\tan(x) + \frac{b}{a} + \frac{\sqrt{-a^2 + b^2}}{a}\right)}{2\sqrt{-a^2 + b^2}} & \text{otherwise} \end{cases}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)**2/(a+b*sin(2*x)),x)`

[Out]  $-\text{Piecewise}((\log(a/b + \sin(2*x)) / (2*b), \text{Ne}(b, 0)), (\sin(2*x) / (2*a), \text{True})) / 2 + \text{Piecewise}((\log(\tan(x)) / (2*b), \text{Eq}(a, 0)), (-1 / (b - \sqrt{b**2} * \tan(x)), \text{Eq}(a, -\sqrt{b**2})), (-1 / (b + \sqrt{b**2} * \tan(x)), \text{Eq}(a, \sqrt{b**2})), (\log(\tan(x) + b/a - \sqrt{-a**2 + b**2} / a) / (2 * \sqrt{-a**2 + b**2}) - \log(\tan(x) + b /$

`a + sqrt(-a**2 + b**2)/a)/(2*sqrt(-a**2 + b**2)), True))/2`

**Giac [A]** time = 1.09334, size = 104, normalized size = 1.89

$$\frac{\pi \left\lfloor \frac{x}{\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(a) + \arctan\left(\frac{a \tan(x) + b}{\sqrt{a^2 - b^2}}\right)}{2 \sqrt{a^2 - b^2}} - \frac{\log(a \tan(x)^2 + 2b \tan(x) + a)}{4b} + \frac{\log(\tan(x)^2 + 1)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)^2/(a+b*sin(2*x)),x, algorithm="giac")`

[Out] `1/2*(pi*floor(x/pi + 1/2)*sgn(a) + arctan((a*tan(x) + b)/sqrt(a^2 - b^2)))/sqrt(a^2 - b^2) - 1/4*log(a*tan(x)^2 + 2*b*tan(x) + a)/b + 1/4*log(tan(x)^2 + 1)/b`

$$3.847 \quad \int \frac{\cos^2(x)}{a+b \sin(2x)} dx$$

**Optimal.** Leaf size=55

$$\frac{\tan^{-1}\left(\frac{a \tan(x)+b}{\sqrt{a^2-b^2}}\right)}{2\sqrt{a^2-b^2}} + \frac{\log(a+b \sin(2x))}{4b}$$

[Out] ArcTan[(b + a\*Tan[x])/Sqrt[a^2 - b^2]]/(2\*Sqrt[a^2 - b^2]) + Log[a + b\*Sin[2\*x]]/(4\*b)

**Rubi [A]** time = 0.132885, antiderivative size = 70, normalized size of antiderivative = 1.27, number of steps used = 8, number of rules used = 7, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$ , Rules used = {981, 634, 618, 204, 628, 12, 260}

$$\frac{\tan^{-1}\left(\frac{a \tan(x)+b}{\sqrt{a^2-b^2}}\right)}{2\sqrt{a^2-b^2}} + \frac{\log(a \tan^2(x) + a + 2b \tan(x))}{4b} + \frac{\log(\cos(x))}{2b}$$

Antiderivative was successfully verified.

[In] Int[Cos[x]^2/(a + b\*Sin[2\*x]),x]

[Out] ArcTan[(b + a\*Tan[x])/Sqrt[a^2 - b^2]]/(2\*Sqrt[a^2 - b^2]) + Log[Cos[x]]/(2\*b) + Log[a + 2\*b\*Tan[x] + a\*Tan[x]^2]/(4\*b)

#### Rule 981

```
Int[1/(((a_) + (b_.)*(x_) + (c_.)*(x_)^2)*((d_) + (f_.)*(x_)^2)), x_Symbol]
:> With[{q = c^2*d^2 + b^2*d*f - 2*a*c*d*f + a^2*f^2}, Dist[1/q, Int[(c^2*d + b^2*f - a*c*f + b*c*f*x)/(a + b*x + c*x^2), x], x] - Dist[1/q, Int[(c*d*f - a*f^2 + b*f^2*x)/(d + f*x^2), x], x] /; NeQ[q, 0]] /; FreeQ[{a, b, c, d, f}, x] && NeQ[b^2 - 4*a*c, 0]
```

#### Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

#### Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

#### Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

#### Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d}, x]
```



e}, x] && EqQ[2\*c\*d - b\*e, 0]

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 260

Int[(x\_)^(m\_)/((a\_) + (b\_)\*(x\_)^(n\_)), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x^n, x]]/(b\*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

### Rubi steps

$$\begin{aligned} \int \frac{\cos^2(x)}{a + b \sin(2x)} dx &= \text{Subst} \left( \int \frac{1}{(1+x^2)(a+2bx+ax^2)} dx, x, \tan(x) \right) \\ &= -\frac{\text{Subst} \left( \int \frac{2bx}{1+x^2} dx, x, \tan(x) \right)}{4b^2} + \frac{\text{Subst} \left( \int \frac{4b^2+2abx}{a+2bx+ax^2} dx, x, \tan(x) \right)}{4b^2} \\ &= \frac{1}{2} \text{Subst} \left( \int \frac{1}{a+2bx+ax^2} dx, x, \tan(x) \right) + \frac{\text{Subst} \left( \int \frac{2b+2ax}{a+2bx+ax^2} dx, x, \tan(x) \right)}{4b} - \frac{\text{Subst} \left( \int \frac{x}{1+x^2} dx, x, \tan(x) \right)}{2} \\ &= \frac{\log(\cos(x))}{2b} + \frac{\log(a+2b \tan(x) + a \tan^2(x))}{4b} - \text{Subst} \left( \int \frac{1}{-4(a^2-b^2) - x^2} dx, x, 2b+2a \tan(x) \right) \\ &= \frac{\tan^{-1} \left( \frac{2b+2a \tan(x)}{2\sqrt{a^2-b^2}} \right)}{2\sqrt{a^2-b^2}} + \frac{\log(\cos(x))}{2b} + \frac{\log(a+2b \tan(x) + a \tan^2(x))}{4b} \end{aligned}$$

**Mathematica [A]** time = 0.062303, size = 54, normalized size = 0.98

$$\frac{1}{4} \left( \frac{2 \tan^{-1} \left( \frac{a \tan(x) + b}{\sqrt{a^2 - b^2}} \right)}{\sqrt{a^2 - b^2}} + \frac{\log(a + b \sin(2x))}{b} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]^2/(a + b\*Sin[2\*x]), x]

[Out] ((2\*ArcTan[(b + a\*Tan[x])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] + Log[a + b\*Sin[2\*x]])/b/4

**Maple [A]** time = 0.061, size = 69, normalized size = 1.3

$$-\frac{\ln(1 + (\tan(x))^2)}{4b} + \frac{\ln(a + 2b \tan(x) + a(\tan(x))^2)}{4b} + \frac{1}{2} \arctan \left( \frac{2a \tan(x) + 2b}{2\sqrt{a^2 - b^2}} \right) \frac{1}{\sqrt{a^2 - b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)^2/(a+b\*sin(2\*x)), x)

[Out] -1/4/b\*ln(1+tan(x)^2)+1/4\*ln(a+2\*b\*tan(x)+a\*tan(x)^2)/b+1/2/(a^2-b^2)^(1/2)\*arctan(1/2\*(2\*a\*tan(x)+2\*b)/(a^2-b^2)^(1/2))

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)^2/(a+b\*sin(2\*x)),x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [B]** time = 2.4104, size = 767, normalized size = 13.95

$$\left[ \frac{\sqrt{-a^2 + b^2} b \log\left(-\frac{4(2a^2 - b^2)\cos(x)^4 - 4ab\cos(x)\sin(x) - 4(2a^2 - b^2)\cos(x)^2 + a^2 - 2b^2 + 2(2b\cos(x)^2 + 2(2a\cos(x)^3 - a\cos(x))\sin(x) - b)\sqrt{-a^2 + b^2}}{4b^2\cos(x)^4 - 4b^2\cos(x)^2 - 4ab\cos(x)\sin(x) - a^2}\right)}{8(a^2b - b^3)} \right] -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)^2/(a+b\*sin(2\*x)),x, algorithm="fricas")

[Out] [-1/8\*(sqrt(-a^2 + b^2)\*b\*log(-(4\*(2\*a^2 - b^2)\*cos(x)^4 - 4\*a\*b\*cos(x)\*sin(x) - 4\*(2\*a^2 - b^2)\*cos(x)^2 + a^2 - 2\*b^2 + 2\*(2\*b\*cos(x)^2 + 2\*(2\*a\*cos(x)^3 - a\*cos(x))\*sin(x) - b)\*sqrt(-a^2 + b^2)))/(4\*b^2\*cos(x)^4 - 4\*b^2\*cos(x)^2 - 4\*a\*b\*cos(x)\*sin(x) - a^2)) - (a^2 - b^2)\*log(-4\*b^2\*cos(x)^4 + 4\*b^2\*cos(x)^2 + 4\*a\*b\*cos(x)\*sin(x) + a^2))/(a^2\*b - b^3), -1/8\*(2\*sqrt(a^2 - b^2)\*b\*arctan(-(2\*a\*cos(x)\*sin(x) + b)\*sqrt(a^2 - b^2)/(2\*(a^2 - b^2)\*cos(x)^2 - a^2 + b^2)) - (a^2 - b^2)\*log(-4\*b^2\*cos(x)^4 + 4\*b^2\*cos(x)^2 + 4\*a\*b\*cos(x)\*sin(x) + a^2))/(a^2\*b - b^3)]

---

**Sympy [A]** time = 10.0253, size = 136, normalized size = 2.47

$$\frac{\begin{cases} \frac{\log\left(\frac{a}{b} + \sin(2x)\right)}{\sin(2x)^{2b}} & \text{for } b \neq 0 \\ \frac{\sin(2x)^{2b}}{2a} & \text{otherwise} \end{cases}}{2} + \frac{\begin{cases} \frac{\log(\tan(x))}{2b} & \text{for } a = 0 \\ \frac{1}{b - \sqrt{b^2} \tan(x)} & \text{for } a = -\sqrt{b^2} \\ \frac{1}{b + \sqrt{b^2} \tan(x)} & \text{for } a = \sqrt{b^2} \\ \frac{\log\left(\tan(x) + \frac{b}{a} - \frac{\sqrt{-a^2 + b^2}}{a}\right)}{2\sqrt{-a^2 + b^2}} - \frac{\log\left(\tan(x) + \frac{b}{a} + \frac{\sqrt{-a^2 + b^2}}{a}\right)}{2\sqrt{-a^2 + b^2}} & \text{otherwise} \end{cases}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*\*2/(a+b\*sin(2\*x)),x)

[Out] Piecewise((log(a/b + sin(2\*x))/(2\*b), Ne(b, 0)), (sin(2\*x)/(2\*a), True))/2 + Piecewise((log(tan(x))/(2\*b), Eq(a, 0)), (-1/(b - sqrt(b\*\*2)\*tan(x)), Eq(a, -sqrt(b\*\*2))), (-1/(b + sqrt(b\*\*2)\*tan(x)), Eq(a, sqrt(b\*\*2))), (log(tan(x) + b/a - sqrt(-a\*\*2 + b\*\*2)/a)/(2\*sqrt(-a\*\*2 + b\*\*2)) - log(tan(x) + b/a + sqrt(-a\*\*2 + b\*\*2)/a)/(2\*sqrt(-a\*\*2 + b\*\*2)), True))/2

---

**Giac [A]** time = 1.08591, size = 104, normalized size = 1.89

$$\frac{\pi \left\lfloor \frac{x}{\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(a) + \arctan\left(\frac{a \tan(x) + b}{\sqrt{a^2 - b^2}}\right)}{2 \sqrt{a^2 - b^2}} + \frac{\log(a \tan(x)^2 + 2b \tan(x) + a)}{4b} - \frac{\log(\tan(x)^2 + 1)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)^2/(a+b\*sin(2\*x)),x, algorithm="giac")

[Out] 1/2\*(pi\*floor(x/pi + 1/2)\*sgn(a) + arctan((a\*tan(x) + b)/sqrt(a^2 - b^2)))/sqrt(a^2 - b^2) + 1/4\*log(a\*tan(x)^2 + 2\*b\*tan(x) + a)/b - 1/4\*log(tan(x)^2 + 1)/b

$$3.848 \quad \int \frac{\sin^2(x)}{a+b \cos(2x)} dx$$

**Optimal.** Leaf size=52

$$\frac{\sqrt{a+b} \tan^{-1}\left(\frac{\sqrt{a-b} \tan(x)}{\sqrt{a+b}}\right)}{2b\sqrt{a-b}} - \frac{x}{2b}$$

[Out]  $-x/(2*b) + (\text{Sqrt}[a + b]*\text{ArcTan}[(\text{Sqrt}[a - b]*\text{Tan}[x])/\text{Sqrt}[a + b]])/(2*\text{Sqrt}[a - b]*b)$

**Rubi [A]** time = 0.124984, antiderivative size = 52, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 2, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$ , Rules used = {1130, 205}

$$\frac{\sqrt{a+b} \tan^{-1}\left(\frac{\sqrt{a-b} \tan(x)}{\sqrt{a+b}}\right)}{2b\sqrt{a-b}} - \frac{x}{2b}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sin}[x]^2/(a + b*\text{Cos}[2*x]), x]$

[Out]  $-x/(2*b) + (\text{Sqrt}[a + b]*\text{ArcTan}[(\text{Sqrt}[a - b]*\text{Tan}[x])/\text{Sqrt}[a + b]])/(2*\text{Sqrt}[a - b]*b)$

#### Rule 1130

$\text{Int}[(d*(x_))^{(m_)} / ((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x\_Symbol] \rightarrow \text{With}\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[(d^2*(b/q + 1))/2, \text{Int}[(d*x)^{(m-2)} / (b/2 + q/2 + c*x^2), x], x] - \text{Dist}[(d^2*(b/q - 1))/2, \text{Int}[(d*x)^{(m-2)} / (b/2 - q/2 + c*x^2), x], x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{Eq}[m, 2]$

#### Rule 205

$\text{Int}[(a_) + (b_)*(x_)^2]^{(-1)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b]$

#### Rubi steps

$$\begin{aligned} \int \frac{\sin^2(x)}{a+b \cos(2x)} dx &= \text{Subst}\left(\int \frac{x^2}{a+b+2ax^2+(a-b)x^4} dx, x, \tan(x)\right) \\ &= -\left(\frac{1}{2}\left(-1 + \frac{a}{b}\right)\text{Subst}\left(\int \frac{1}{a-b+(a-b)x^2} dx, x, \tan(x)\right)\right) + \frac{(a+b)\text{Subst}\left(\int \frac{1}{a+b+(a-b)x^2} dx, x, \tan(x)\right)}{2b} \\ &= -\frac{x}{2b} + \frac{\sqrt{a+b} \tan^{-1}\left(\frac{\sqrt{a-b} \tan(x)}{\sqrt{a+b}}\right)}{2\sqrt{a-b}} \end{aligned}$$

**Mathematica [A]** time = 0.0895307, size = 48, normalized size = 0.92

$$-\frac{(a+b) \tanh^{-1}\left(\frac{(a-b) \tan(x)}{\sqrt{b^2-a^2}}\right)}{2b} + x$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]^2/(a + b\*Cos[2\*x]), x]

[Out]  $-(x + ((a + b) \operatorname{ArcTanh}[\frac{(a - b) \tan(x)}{\sqrt{-a^2 + b^2}}]) / \sqrt{-a^2 + b^2}) / (2 * b)$

**Maple [A]** time = 0.045, size = 80, normalized size = 1.5

$$-\frac{\arctan(\tan(x))}{2b} + \frac{a}{2b} \arctan\left(\tan(x)(a-b) \frac{1}{\sqrt{(a-b)(a+b)}}\right) \frac{1}{\sqrt{(a-b)(a+b)}} + \frac{1}{2} \arctan\left(\tan(x)(a-b) \frac{1}{\sqrt{(a-b)(a+b)}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)^2/(a+b\*cos(2\*x)), x)

[Out]  $-1/2/b * \arctan(\tan(x)) + 1/2/b / ((a-b) * (a+b))^{1/2} * \arctan(\tan(x) * (a-b) / ((a-b) * (a+b))^{1/2}) * a + 1/2 / ((a-b) * (a+b))^{1/2} * \arctan(\tan(x) * (a-b) / ((a-b) * (a+b))^{1/2})$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^2/(a+b\*cos(2\*x)), x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.30778, size = 535, normalized size = 10.29

$$\left[ \frac{\sqrt{\frac{a+b}{a-b}} \log\left(\frac{4(2a^2-b^2)\cos(x)^4 - 4(2a^2-ab-b^2)\cos(x)^2 - 4(a^2-ab)\cos(x)^3 - (a^2-2ab+b^2)\cos(x)}{4b^2\cos(x)^4 + 4(ab-b^2)\cos(x)^2 + a^2-2ab+b^2}\right) - 4x \sqrt{\frac{a+b}{a-b}}}{8b}, - \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^2/(a+b\*cos(2\*x)), x, algorithm="fricas")

[Out]  $[1/8 * (\sqrt{-(a+b)/(a-b)}) * \log((4 * (2 * a^2 - b^2) * \cos(x)^4 - 4 * (2 * a^2 - a * b - b^2) * \cos(x)^2 - 4 * (2 * (a^2 - a * b) * \cos(x)^3 - (a^2 - 2 * a * b + b^2) * \cos(x)) * \sqrt{-(a+b)/(a-b)} * \sin(x) + a^2 - 2 * a * b + b^2) / (4 * b^2 * \cos(x)^4 + 4 * (a * b - b^2) * \cos(x)^2 + a^2 - 2 * a * b + b^2)) - 4 * x) / b, -1/4 * (\sqrt{(a+b)/(a-b)}) * \arctan(1/2 * (2 * a * \cos(x)^2 - a + b) * \sqrt{(a+b)/(a-b)}) / ((a+b) * \cos(x) * \sin(x))) + 2 * x) / b]$

**Sympy [B]** time = 63.917, size = 432, normalized size = 8.31

$$\frac{\begin{cases} \infty \left( -\frac{\log(\tan(x)-1)}{2} + \frac{\log(\tan(x)+1)}{2} \right) & \text{for } a = 0 \wedge b = 0 \\ \frac{\tan(x)}{2b} & \text{for } a = b \\ \frac{2b \tan(x)}{\log\left(-\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}} + \tan(x)\right)} - \frac{\log\left(\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}} + \tan(x)\right)}{2a\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}} - 2b\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}}} & \text{for } a = -b \\ \frac{\log\left(-\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}} + \tan(x)\right)}{2a\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}} - 2b\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}}} - \frac{\log\left(\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}} + \tan(x)\right)}{2a\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}} - 2b\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}}} & \text{otherwise} \end{cases}}{2} - \frac{\begin{cases} \infty x \\ \frac{x}{b} - \frac{\tan(x)}{2b} \\ \frac{x}{b} + \frac{1}{2b \tan(x)} \\ \frac{\sin(2x)}{2a} \\ \frac{2ax\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}}}{2ab\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}} - 2b^2\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}}} - \frac{a \log\left(-\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}} + \tan(x)\right)}{2ab\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}} - 2b^2\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}}} \end{cases}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(x)**2/(a+b*cos(2*x)),x)
```

```
[Out] Piecewise((zoo*(-log(tan(x) - 1)/2 + log(tan(x) + 1)/2), Eq(a, 0) & Eq(b, 0)), (tan(x)/(2*b), Eq(a, b)), (1/(2*b*tan(x)), Eq(a, -b)), (log(-sqrt(-a/(a - b) - b/(a - b)) + tan(x))/(2*a*sqrt(-a/(a - b) - b/(a - b))) - 2*b*sqrt(-a/(a - b) - b/(a - b))) - log(sqrt(-a/(a - b) - b/(a - b)) + tan(x))/(2*a*sqrt(-a/(a - b) - b/(a - b))) - 2*b*sqrt(-a/(a - b) - b/(a - b))), True))/2 - Piecewise((zoo*x, Eq(a, 0) & Eq(b, 0)), (x/b - tan(x)/(2*b), Eq(a, b)), (x/b + 1/(2*b*tan(x)), Eq(a, -b)), (sin(2*x)/(2*a), Eq(b, 0)), (2*a*x*sqrt(-a/(a - b) - b/(a - b))/(2*a*b*sqrt(-a/(a - b) - b/(a - b))) - 2*b**2*sqrt(-a/(a - b) - b/(a - b))) - a*log(-sqrt(-a/(a - b) - b/(a - b)) + tan(x))/(2*a*b*sqrt(-a/(a - b) - b/(a - b))) - 2*b**2*sqrt(-a/(a - b) - b/(a - b))) + a*log(sqrt(-a/(a - b) - b/(a - b)) + tan(x))/(2*a*b*sqrt(-a/(a - b) - b/(a - b))) - 2*b**2*sqrt(-a/(a - b) - b/(a - b))) - 2*b*x*sqrt(-a/(a - b) - b/(a - b))/(2*a*b*sqrt(-a/(a - b) - b/(a - b))) - 2*b**2*sqrt(-a/(a - b) - b/(a - b))), True))/2
```

**Giac [A]** time = 1.08859, size = 93, normalized size = 1.79

$$\frac{\left(\pi \left\lfloor \frac{x}{\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(-2a + 2b) + \arctan\left(-\frac{a \tan(x) - b \tan(x)}{\sqrt{a^2 - b^2}}\right)\right)(a + b)}{2\sqrt{a^2 - b^2}b} - \frac{x}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(x)^2/(a+b*cos(2*x)),x, algorithm="giac")
```

```
[Out] -1/2*(pi*floor(x/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(x) - b*tan(x))/sqrt(a^2 - b^2)))*(a + b)/(sqrt(a^2 - b^2)*b) - 1/2*x/b
```

$$3.849 \quad \int \frac{\cos^2(x)}{a+b \cos(2x)} dx$$

**Optimal.** Leaf size=52

$$\frac{x}{2b} - \frac{\sqrt{a-b} \tan^{-1}\left(\frac{\sqrt{a-b} \tan(x)}{\sqrt{a+b}}\right)}{2b\sqrt{a+b}}$$

[Out] x/(2\*b) - (Sqrt[a - b]\*ArcTan[(Sqrt[a - b]\*Tan[x])/Sqrt[a + b]])/(2\*b\*Sqrt[a + b])

**Rubi [A]** time = 0.0936759, antiderivative size = 52, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 2, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$ , Rules used = {1093, 205}

$$\frac{x}{2b} - \frac{\sqrt{a-b} \tan^{-1}\left(\frac{\sqrt{a-b} \tan(x)}{\sqrt{a+b}}\right)}{2b\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[Cos[x]^2/(a + b\*cos[2\*x]), x]

[Out] x/(2\*b) - (Sqrt[a - b]\*ArcTan[(Sqrt[a - b]\*Tan[x])/Sqrt[a + b]])/(2\*b\*Sqrt[a + b])

#### Rule 1093

Int[((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(-1), x\_Symbol] :> With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[c/q, Int[1/(b/2 - q/2 + c\*x^2), x], x] - Dist[c/q, Int[1/(b/2 + q/2 + c\*x^2), x], x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0] && PosQ[b^2 - 4\*a\*c]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rubi steps

$$\begin{aligned} \int \frac{\cos^2(x)}{a+b \cos(2x)} dx &= \text{Subst}\left(\int \frac{1}{a+b+2ax^2+(a-b)x^4} dx, x, \tan(x)\right) \\ &= \frac{(a-b) \text{Subst}\left(\int \frac{1}{a-b+(a-b)x^2} dx, x, \tan(x)\right)}{2b} - \frac{(a-b) \text{Subst}\left(\int \frac{1}{a+b+(a-b)x^2} dx, x, \tan(x)\right)}{2b} \\ &= \frac{x}{2b} - \frac{\sqrt{a-b} \tan^{-1}\left(\frac{\sqrt{a-b} \tan(x)}{\sqrt{a+b}}\right)}{2b\sqrt{a+b}} \end{aligned}$$

**Mathematica [A]** time = 0.0557233, size = 50, normalized size = 0.96

$$\frac{(a-b) \tanh^{-1}\left(\frac{(a-b) \tan(x)}{\sqrt{b^2-a^2}}\right)}{\sqrt{b^2-a^2}} + x$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]^2/(a + b\*Cos[2\*x]),x]

[Out] (x + ((a - b)\*ArcTanh[((a - b)\*Tan[x])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2])/(2\*b)

**Maple [A]** time = 0.03, size = 80, normalized size = 1.5

$$\frac{\arctan(\tan(x))}{2b} - \frac{a}{2b} \arctan\left(\tan(x)(a-b) \frac{1}{\sqrt{(a-b)(a+b)}}\right) \frac{1}{\sqrt{(a-b)(a+b)}} + \frac{1}{2} \arctan\left(\tan(x)(a-b) \frac{1}{\sqrt{(a-b)(a+b)}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)^2/(a+b\*cos(2\*x)),x)

[Out] 1/2/b\*arctan(tan(x))-1/2/b/((a-b)\*(a+b))^(1/2)\*arctan(tan(x)\*(a-b)/((a-b)\*(a+b))^(1/2))\*a+1/2/((a-b)\*(a+b))^(1/2)\*arctan(tan(x)\*(a-b)/((a-b)\*(a+b))^(1/2))

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)^2/(a+b\*cos(2\*x)),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.22565, size = 525, normalized size = 10.1

$$\left[ \frac{\sqrt{\frac{a-b}{a+b}} \log\left(\frac{4(2a^2-b^2)\cos(x)^4 - 4(2a^2-ab-b^2)\cos(x)^2 + 4(2(a^2+ab)\cos(x)^3 - (a^2-b^2)\cos(x))\sqrt{\frac{a-b}{a+b}}\sin(x) + a^2 - 2ab + b^2}{4b^2\cos(x)^4 + 4(ab-b^2)\cos(x)^2 + a^2 - 2ab + b^2}\right) + 4x}{8b}, -\sqrt{\frac{a-b}{a+b}} \arctan\left(\frac{\tan(x)(a-b)}{\sqrt{(a-b)(a+b)}}\right) \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)^2/(a+b\*cos(2\*x)),x, algorithm="fricas")

[Out] [1/8\*(sqrt(-(a - b)/(a + b))\*log((4\*(2\*a^2 - b^2)\*cos(x)^4 - 4\*(2\*a^2 - a\*b - b^2)\*cos(x)^2 + 4\*(2\*(a^2 + a\*b)\*cos(x)^3 - (a^2 - b^2)\*cos(x))\*sqrt(-(a - b)/(a + b))\*sin(x) + a^2 - 2\*a\*b + b^2)/(4\*b^2\*cos(x)^4 + 4\*(a\*b - b^2)\*cos(x)^2 + a^2 - 2\*a\*b + b^2)) + 4\*x)/b, -1/4\*(sqrt((a - b)/(a + b))\*arctan(-1/2\*(2\*a\*cos(x)^2 - a + b)\*sqrt((a - b)/(a + b))/((a - b)\*cos(x)\*sin(x)) - 2\*x)/b]



**Sympy [B]** time = 63.9309, size = 432, normalized size = 8.31

$$\frac{\begin{cases} \infty \left( -\frac{\log(\tan(x)-1)}{2} + \frac{\log(\tan(x)+1)}{2} \right) & \text{for } a = 0 \wedge b = 0 \\ \frac{\tan(x)}{2b} & \text{for } a = b \\ \frac{2b \tan(x)}{2a} & \text{for } a = -b \\ \frac{\log\left(-\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}} + \tan(x)\right)}{2a\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}} - 2b\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}}} - \frac{\log\left(\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}} + \tan(x)\right)}{2a\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}} - 2b\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}}} & \text{otherwise} \end{cases}}{2} + \begin{cases} \infty x \\ \frac{x}{b} - \frac{\tan(x)}{2b} \\ \frac{x}{b} + \frac{1}{2b \tan(x)} \\ \frac{\sin(2x)}{2a} \\ \frac{2ax\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}}}{2ab\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}} - 2b^2\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}}} - \frac{a \log\left(-\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}}\right)}{2ab\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}} - 2b^2\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}}} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)**2/(a+b*cos(2*x)), x)
```

```
[Out] Piecewise((zoo*(-log(tan(x) - 1)/2 + log(tan(x) + 1)/2), Eq(a, 0) & Eq(b, 0)), (tan(x)/(2*b), Eq(a, b)), (1/(2*b*tan(x)), Eq(a, -b)), (log(-sqrt(-a/(a - b) - b/(a - b)) + tan(x))/(2*a*sqrt(-a/(a - b) - b/(a - b)) - 2*b*sqrt(-a/(a - b) - b/(a - b))) - log(sqrt(-a/(a - b) - b/(a - b)) + tan(x))/(2*a*sqrt(-a/(a - b) - b/(a - b)) - 2*b*sqrt(-a/(a - b) - b/(a - b))), True))/2 + Piecewise((zoo*x, Eq(a, 0) & Eq(b, 0)), (x/b - tan(x)/(2*b), Eq(a, b)), (x/b + 1/(2*b*tan(x)), Eq(a, -b)), (sin(2*x)/(2*a), Eq(b, 0)), (2*a*x*sqrt(-a/(a - b) - b/(a - b))/(2*a*b*sqrt(-a/(a - b) - b/(a - b)) - 2*b**2*sqrt(-a/(a - b) - b/(a - b))) - a*log(-sqrt(-a/(a - b) - b/(a - b)) + tan(x))/(2*a*b*sqrt(-a/(a - b) - b/(a - b)) - 2*b**2*sqrt(-a/(a - b) - b/(a - b))) + a*log(sqrt(-a/(a - b) - b/(a - b)) + tan(x))/(2*a*b*sqrt(-a/(a - b) - b/(a - b)) - 2*b**2*sqrt(-a/(a - b) - b/(a - b))) - 2*b*x*sqrt(-a/(a - b) - b/(a - b))/(2*a*b*sqrt(-a/(a - b) - b/(a - b)) - 2*b**2*sqrt(-a/(a - b) - b/(a - b))), True))/2
```

**Giac [A]** time = 1.08719, size = 96, normalized size = 1.85

$$\frac{\left(\pi \left\lfloor \frac{x}{\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(-2a + 2b) + \arctan\left(-\frac{a \tan(x) - b \tan(x)}{\sqrt{a^2 - b^2}}\right)\right)(a - b)}{2\sqrt{a^2 - b^2}b} + \frac{x}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)^2/(a+b*cos(2*x)), x, algorithm="giac")
```

```
[Out] 1/2*(pi*floor(x/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(x) - b*tan(x))/sqrt(a^2 - b^2)))*(a - b)/(sqrt(a^2 - b^2)*b) + 1/2*x/b
```

$$3.850 \quad \int \frac{\tan(c+dx)}{\sqrt{a \sin^2(c+dx)}} dx$$

**Optimal.** Leaf size=30

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a \sin^2(c+dx)}}{\sqrt{a}}\right)}{\sqrt{ad}}$$

[Out] ArcTanh[Sqrt[a\*Sin[c + d\*x]^2]/Sqrt[a]]/(Sqrt[a]\*d)

**Rubi [A]** time = 0.0351015, antiderivative size = 30, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3205, 63, 206}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a \sin^2(c+dx)}}{\sqrt{a}}\right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[Tan[c + d\*x]/Sqrt[a\*Sin[c + d\*x]^2],x]

[Out] ArcTanh[Sqrt[a\*Sin[c + d\*x]^2]/Sqrt[a]]/(Sqrt[a]\*d)

#### Rule 3205

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)]^(n_))^(p_.)*tan[(e_.) + (f_.)*(x_)]^(m_.), x_Symbol] :> With[{ff = FreeFactors[Sin[e + f*x]^2, x]}, Dist[ff^((m + 1)/2)/(2*f), Subst[Int[(x^((m - 1)/2)*(b*ff^(n/2)*x^(n/2))^p]/(1 - ff*x)^((m + 1)/2), x], x, Sin[e + f*x]^2/ff], x] /; FreeQ[{b, e, f, p}, x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2]
```

#### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

#### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

#### Rubi steps

$$\begin{aligned} \int \frac{\tan(c+dx)}{\sqrt{a \sin^2(c+dx)}} dx &= \frac{\text{Subst}\left(\int \frac{1}{(1-x)\sqrt{ax}} dx, x, \sin^2(c+dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \frac{1}{1-\frac{x^2}{a}} dx, x, \sqrt{a \sin^2(c+dx)}\right)}{ad} \\ &= \frac{\tanh^{-1}\left(\frac{\sqrt{a \sin^2(c+dx)}}{\sqrt{a}}\right)}{\sqrt{ad}} \end{aligned}$$

**Mathematica [A]** time = 0.0385442, size = 31, normalized size = 1.03

$$\frac{\sin(c+dx) \tanh^{-1}(\sin(c+dx))}{d\sqrt{a \sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d\*x]/Sqrt[a\*Sin[c + d\*x]^2], x]

[Out] (ArcTanh[Sin[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[a\*Sin[c + d\*x]^2])

**Maple [A]** time = 0.043, size = 30, normalized size = 1.

$$\frac{\sin(dx+c) \text{Artanh}(\sin(dx+c))}{d} \frac{1}{\sqrt{a(\sin(dx+c))^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d\*x+c)/(a\*sin(d\*x+c)^2)^(1/2), x)

[Out] 1/(a\*sin(d\*x+c)^2)^(1/2)\*sin(d\*x+c)\*arctanh(sin(d\*x+c))/d

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d\*x+c)/(a\*sin(d\*x+c)^2)^(1/2), x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.32307, size = 221, normalized size = 7.37

$$\left[ \frac{\sqrt{-a \cos(dx+c)^2 + a} \log\left(-\frac{\sin(dx+c)+1}{\sin(dx+c)-1}\right)}{2ad \sin(dx+c)}, -\frac{\sqrt{-a} \arctan\left(\frac{\sqrt{-a \cos(dx+c)^2 + a} \sqrt{-a}}{a}\right)}{ad} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d\*x+c)/(a\*sin(d\*x+c)^2)^(1/2),x, algorithm="fricas")

[Out] [1/2\*sqrt(-a\*cos(d\*x + c)^2 + a)\*log(-(sin(d\*x + c) + 1)/(sin(d\*x + c) - 1))/(a\*d\*sin(d\*x + c)), -sqrt(-a)\*arctan(sqrt(-a\*cos(d\*x + c)^2 + a)\*sqrt(-a)/a)/(a\*d)]

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tan(c + dx)}{\sqrt{a \sin^2(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d\*x+c)/(a\*sin(d\*x+c)\*\*2)\*\*(1/2),x)

[Out] Integral(tan(c + d\*x)/sqrt(a\*sin(c + d\*x)\*\*2), x)

**Giac [B]** time = 1.23317, size = 82, normalized size = 2.73

$$\frac{\frac{\log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right)}{\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)} - \frac{\log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)}{\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}}{\sqrt{ad}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d\*x+c)/(a\*sin(d\*x+c)^2)^(1/2),x, algorithm="giac")

[Out] (log(abs(tan(1/2\*d\*x + 1/2\*c) + 1))/sgn(tan(1/2\*d\*x + 1/2\*c)) - log(abs(tan(1/2\*d\*x + 1/2\*c) - 1))/sgn(tan(1/2\*d\*x + 1/2\*c)))/(sqrt(a)\*d)

$$3.851 \quad \int \frac{\cot(c+dx)}{\sqrt{a \cos^2(c+dx)}} dx$$

Optimal. Leaf size=31

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a \cos^2(c+dx)}}{\sqrt{a}}\right)}{\sqrt{ad}}$$

[Out] -(ArcTanh[Sqrt[a\*Cos[c + d\*x]^2]/Sqrt[a]]/(Sqrt[a]\*d))

**Rubi [A]** time = 0.0319034, antiderivative size = 31, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3205, 63, 206}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a \cos^2(c+dx)}}{\sqrt{a}}\right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d\*x]/Sqrt[a\*Cos[c + d\*x]^2], x]

[Out] -(ArcTanh[Sqrt[a\*Cos[c + d\*x]^2]/Sqrt[a]]/(Sqrt[a]\*d))

#### Rule 3205

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(n\_))^(p\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^(m\_.), x\_Symbol] := With[{ff = FreeFactors[Sin[e + f\*x]^2, x]}, Dist[ff^((m + 1)/2)/(2\*f), Subst[Int[(x^((m - 1)/2)\*(b\*ff^(n/2)\*x^(n/2))^p]/(1 - ff\*x)^((m + 1)/2), x], x, Sin[e + f\*x]^2/ff], x]] /; FreeQ[{b, e, f, p}, x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2]

#### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{\cot(c+dx)}{\sqrt{a \cos^2(c+dx)}} dx &= -\frac{\text{Subst}\left(\int \frac{1}{(1-x)\sqrt{ax}} dx, x, \cos^2(c+dx)\right)}{2d} \\ &= -\frac{\text{Subst}\left(\int \frac{1}{1-\frac{x^2}{a}} dx, x, \sqrt{a \cos^2(c+dx)}\right)}{ad} \\ &= -\frac{\tanh^{-1}\left(\frac{\sqrt{a \cos^2(c+dx)}}{\sqrt{a}}\right)}{\sqrt{ad}} \end{aligned}$$

**Mathematica [A]** time = 0.0618504, size = 49, normalized size = 1.58

$$\frac{\cos(c+dx) \left( \log\left(\sin\left(\frac{1}{2}(c+dx)\right)\right) - \log\left(\cos\left(\frac{1}{2}(c+dx)\right)\right) \right)}{d\sqrt{a \cos^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d\*x]/Sqrt[a\*Cos[c + d\*x]^2], x]

[Out] (Cos[c + d\*x]\*(-Log[Cos[(c + d\*x)/2]] + Log[Sin[(c + d\*x)/2]]))/(d\*Sqrt[a\*Cos[c + d\*x]^2])

**Maple [A]** time = 0.043, size = 31, normalized size = 1.

$$-\frac{\cos(dx+c) \operatorname{Artanh}(\cos(dx+c))}{d} \frac{1}{\sqrt{a(\cos(dx+c))^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d\*x+c)/(a\*cos(d\*x+c)^2)^(1/2), x)

[Out] -1/(a\*cos(d\*x+c)^2)^(1/2)\*cos(d\*x+c)\*arctanh(cos(d\*x+c))/d

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d\*x+c)/(a\*cos(d\*x+c)^2)^(1/2), x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.05116, size = 208, normalized size = 6.71

$$\left[ \frac{\sqrt{a \cos(dx+c)^2} \log\left(-\frac{\cos(dx+c)+1}{\cos(dx+c)-1}\right)}{2ad \cos(dx+c)}, \frac{\sqrt{-a} \arctan\left(\frac{\sqrt{a \cos(dx+c)^2} \sqrt{-a}}{a}\right)}{ad} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d\*x+c)/(a\*cos(d\*x+c)^2)^(1/2),x, algorithm="fricas")

[Out] [-1/2\*sqrt(a\*cos(d\*x + c)^2)\*log(-(cos(d\*x + c) + 1)/(cos(d\*x + c) - 1))/(a\*d\*cos(d\*x + c)), sqrt(-a)\*arctan(sqrt(a\*cos(d\*x + c)^2)\*sqrt(-a)/a)/(a\*d)]

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cot(c + dx)}{\sqrt{a \cos^2(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d\*x+c)/(a\*cos(d\*x+c)\*\*2)\*\*(1/2),x)

[Out] Integral(cot(c + d\*x)/sqrt(a\*cos(c + d\*x)\*\*2), x)

**Giac [A]** time = 1.13357, size = 42, normalized size = 1.35

$$\frac{\arctan\left(\frac{\sqrt{-a \sin(dx+c)^2+a}}{\sqrt{-a}}\right)}{\sqrt{-ad}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d\*x+c)/(a\*cos(d\*x+c)^2)^(1/2),x, algorithm="giac")

[Out] arctan(sqrt(-a\*sin(d\*x + c)^2 + a)/sqrt(-a))/(sqrt(-a)\*d)

$$3.852 \quad \int \frac{x \cos(x^2)}{\sqrt{\sin(x^2)}} dx$$

**Optimal.** Leaf size=8

$$\sqrt{\sin(x^2)}$$

[Out] Sqrt[Sin[x^2]]

**Rubi [A]** time = 0.0127035, antiderivative size = 8, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$ , Rules used = {3441}

$$\sqrt{\sin(x^2)}$$

Antiderivative was successfully verified.

[In] Int[(x\*Cos[x^2])/Sqrt[Sin[x^2]],x]

[Out] Sqrt[Sin[x^2]]

**Rule 3441**

Int[Cos[(a\_.) + (b\_.)\*(x\_)^(n\_.)]\*(x\_)^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_)^(n\_.)]^(p\_.), x\_Symbol] :> Simp[Sin[a + b\*x^n]^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

**Rubi steps**

$$\int \frac{x \cos(x^2)}{\sqrt{\sin(x^2)}} dx = \sqrt{\sin(x^2)}$$

**Mathematica [A]** time = 0.0027532, size = 8, normalized size = 1.

$$\sqrt{\sin(x^2)}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*Cos[x^2])/Sqrt[Sin[x^2]],x]

[Out] Sqrt[Sin[x^2]]

**Maple [A]** time = 0.007, size = 7, normalized size = 0.9

$$\sqrt{\sin(x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] int(x*cos(x^2)/sin(x^2)^(1/2),x)
```

```
[Out] sin(x^2)^(1/2)
```

---

**Maxima [A]** time = 0.955825, size = 8, normalized size = 1.

$$\sqrt{\sin(x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*cos(x^2)/sin(x^2)^(1/2),x, algorithm="maxima")
```

```
[Out] sqrt(sin(x^2))
```

---

**Fricas [A]** time = 1.9853, size = 22, normalized size = 2.75

$$\sqrt{\sin(x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*cos(x^2)/sin(x^2)^(1/2),x, algorithm="fricas")
```

```
[Out] sqrt(sin(x^2))
```

---

**Sympy [A]** time = 0.309172, size = 7, normalized size = 0.88

$$\sqrt{\sin(x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*cos(x**2)/sin(x**2)**(1/2),x)
```

```
[Out] sqrt(sin(x**2))
```

---

**Giac [A]** time = 1.07353, size = 8, normalized size = 1.

$$\sqrt{\sin(x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*cos(x^2)/sin(x^2)^(1/2),x, algorithm="giac")
```

```
[Out] sqrt(sin(x^2))
```

$$3.853 \quad \int \frac{\cos(x)}{\sqrt{1-\cos(2x)}} dx$$

**Optimal.** Leaf size=19

$$\frac{\sin(x) \log(\sin(x))}{\sqrt{2} \sqrt{\sin^2(x)}}$$

[Out] (Log[Sin[x]]\*Sin[x])/(Sqrt[2]\*Sqrt[Sin[x]^2])

**Rubi [A]** time = 0.0303875, antiderivative size = 19, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {4356, 12, 15, 29}

$$\frac{\sin(x) \log(\sin(x))}{\sqrt{2} \sqrt{\sin^2(x)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[x]/Sqrt[1 - Cos[2\*x]],x]

[Out] (Log[Sin[x]]\*Sin[x])/(Sqrt[2]\*Sqrt[Sin[x]^2])

#### Rule 4356

```
Int[(u_)*(F_)[(c_)*((a_) + (b_)*(x_))], x_Symbol] := With[{d = FreeFactors[Sin[c*(a + b*x)], x]}, Dist[d/(b*c), Subst[Int[SubstFor[1, Sin[c*(a + b*x)]]/d, u, x], x], x, Sin[c*(a + b*x)]/d, x] /; FunctionOfQ[Sin[c*(a + b*x)]/d, u, x] /; FreeQ[{a, b, c}, x] && (EqQ[F, Cos] || EqQ[F, cos])
```

#### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

#### Rule 15

```
Int[(u_)*((a_)*(x_)^(n_))^(m_), x_Symbol] := Dist[(a^IntPart[m]*(a*x^n)^FracPart[m])/x^(n*FracPart[m]), Int[u*x^(m*n), x], x] /; FreeQ[{a, m, n}, x] && !IntegerQ[m]
```

#### Rule 29

```
Int[(x_)^(-1), x_Symbol] := Simp[Log[x], x]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{\cos(x)}{\sqrt{1-\cos(2x)}} dx &= \text{Subst} \left( \int \frac{1}{\sqrt{2}\sqrt{x^2}} dx, x, \sin(x) \right) \\
&= \frac{\text{Subst} \left( \int \frac{1}{\sqrt{x^2}} dx, x, \sin(x) \right)}{\sqrt{2}} \\
&= \frac{\sin(x) \text{Subst} \left( \int \frac{1}{x} dx, x, \sin(x) \right)}{\sqrt{2}\sqrt{\sin^2(x)}} \\
&= \frac{\log(\sin(x)) \sin(x)}{\sqrt{2}\sqrt{\sin^2(x)}}
\end{aligned}$$

**Mathematica [A]** time = 0.0137804, size = 18, normalized size = 0.95

$$\frac{\sin(x) \log(\sin(x))}{\sqrt{1-\cos(2x)}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]/Sqrt[1 - Cos[2\*x]], x]

[Out] (Log[Sin[x]]\*Sin[x])/Sqrt[1 - Cos[2\*x]]

**Maple [A]** time = 1.99, size = 25, normalized size = 1.3

$$\frac{\sin(x) (\ln(-1 + \cos(x)) + \ln(1 + \cos(x))) \sqrt{2}}{4} \frac{1}{\sqrt{(\sin(x))^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)/(1-cos(2\*x))^(1/2), x)

[Out] 1/4\*sin(x)\*(ln(-1+cos(x))+ln(1+cos(x)))\*2^(1/2)/(sin(x)^2)^(1/2)

**Maxima [B]** time = 1.48877, size = 55, normalized size = 2.89

$$\frac{1}{4} \sqrt{2} \log(\cos(x)^2 + \sin(x)^2 + 2 \cos(x) + 1) + \frac{1}{4} \sqrt{2} \log(\cos(x)^2 + \sin(x)^2 - 2 \cos(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)/(1-cos(2\*x))^(1/2), x, algorithm="maxima")

[Out] 1/4\*sqrt(2)\*log(cos(x)^2 + sin(x)^2 + 2\*cos(x) + 1) + 1/4\*sqrt(2)\*log(cos(x)^2 + sin(x)^2 - 2\*cos(x) + 1)

**Fricas [A]** time = 1.99703, size = 68, normalized size = 3.58

$$\frac{\sqrt{-2 \cos(x)^2 + 2 \log\left(\frac{1}{2} \sin(x)\right)}}{2 \sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)/(1-cos(2\*x))^(1/2),x, algorithm="fricas")

[Out] 1/2\*sqrt(-2\*cos(x)^2 + 2)\*log(1/2\*sin(x))/sin(x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)/(1-cos(2\*x))\*\*(1/2),x)

[Out] Timed out

**Giac [A]** time = 1.0917, size = 19, normalized size = 1.

$$\frac{\sqrt{2} \log(|\sin(x)|)}{2 \operatorname{sgn}(\sin(x))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)/(1-cos(2\*x))^(1/2),x, algorithm="giac")

[Out] 1/2\*sqrt(2)\*log(abs(sin(x)))/sgn(sin(x))

$$3.854 \quad \int \frac{\cos^2(\log(x)) \sin^2(\log(x))}{x} dx$$

**Optimal.** Leaf size=29

$$\frac{\log(x)}{8} - \frac{1}{4} \sin(\log(x)) \cos^3(\log(x)) + \frac{1}{8} \sin(\log(x)) \cos(\log(x))$$

[Out] Log[x]/8 + (Cos[Log[x]]\*Sin[Log[x]])/8 - (Cos[Log[x]]^3\*Sin[Log[x]])/4

**Rubi [A]** time = 0.0563327, antiderivative size = 29, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {2568, 2635, 8}

$$\frac{\log(x)}{8} - \frac{1}{4} \sin(\log(x)) \cos^3(\log(x)) + \frac{1}{8} \sin(\log(x)) \cos(\log(x))$$

Antiderivative was successfully verified.

[In] Int[(Cos[Log[x]]^2\*Sin[Log[x]]^2)/x,x]

[Out] Log[x]/8 + (Cos[Log[x]]\*Sin[Log[x]])/8 - (Cos[Log[x]]^3\*Sin[Log[x]])/4

#### Rule 2568

Int[(cos[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.))^n\_]\*((a\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^m\_, x\_Symbol] :> -Simp[(a\*(b\*Cos[e + f\*x])^(n + 1)\*(a\*Sin[e + f\*x])^(m - 1))/(b\*f\*(m + n)), x] + Dist[(a^2\*(m - 1))/(m + n), Int[(b\*Cos[e + f\*x])^n\*(a\*Sin[e + f\*x])^(m - 2), x], x] /; FreeQ[{a, b, e, f, n}, x] && GtQ[m, 1] && NeQ[m + n, 0] && IntegersQ[2\*m, 2\*n]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^n\_, x\_Symbol] :> -Simp[(b\*Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned} \int \frac{\cos^2(\log(x)) \sin^2(\log(x))}{x} dx &= \text{Subst} \left( \int \cos^2(x) \sin^2(x) dx, x, \log(x) \right) \\ &= -\frac{1}{4} \cos^3(\log(x)) \sin(\log(x)) + \frac{1}{4} \text{Subst} \left( \int \cos^2(x) dx, x, \log(x) \right) \\ &= \frac{1}{8} \cos(\log(x)) \sin(\log(x)) - \frac{1}{4} \cos^3(\log(x)) \sin(\log(x)) + \frac{1}{8} \text{Subst} \left( \int 1 dx, x, \log(x) \right) \\ &= \frac{\log(x)}{8} + \frac{1}{8} \cos(\log(x)) \sin(\log(x)) - \frac{1}{4} \cos^3(\log(x)) \sin(\log(x)) \end{aligned}$$

**Mathematica [A]** time = 0.0164266, size = 16, normalized size = 0.55

$$\frac{\log(x)}{8} - \frac{1}{32} \sin(4 \log(x))$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[Log[x]]^2\*Sin[Log[x]]^2)/x,x]

[Out] Log[x]/8 - Sin[4\*Log[x]]/32

**Maple [A]** time = 0.009, size = 24, normalized size = 0.8

$$\frac{\ln(x)}{8} + \frac{\cos(\ln(x))\sin(\ln(x))}{8} - \frac{(\cos(\ln(x)))^3\sin(\ln(x))}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(ln(x))^2\*sin(ln(x))^2/x,x)

[Out] 1/8\*ln(x)+1/8\*cos(ln(x))\*sin(ln(x))-1/4\*cos(ln(x))^3\*sin(ln(x))

**Maxima [A]** time = 0.962125, size = 16, normalized size = 0.55

$$\frac{1}{8} \log(x) - \frac{1}{32} \sin(4 \log(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(log(x))^2\*sin(log(x))^2/x,x, algorithm="maxima")

[Out] 1/8\*log(x) - 1/32\*sin(4\*log(x))

**Fricas [A]** time = 2.1343, size = 85, normalized size = 2.93

$$-\frac{1}{8} \left( 2 \cos(\log(x))^3 - \cos(\log(x)) \right) \sin(\log(x)) + \frac{1}{8} \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(log(x))^2\*sin(log(x))^2/x,x, algorithm="fricas")

[Out] -1/8\*(2\*cos(log(x))^3 - cos(log(x)))\*sin(log(x)) + 1/8\*log(x)

**Sympy [B]** time = 66.3406, size = 476, normalized size = 16.41

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(ln(x))\*\*2\*sin(ln(x))\*\*2/x,x)

[Out] log(x)\*tan(log(x)/2)\*\*8/(8\*tan(log(x)/2)\*\*8 + 32\*tan(log(x)/2)\*\*6 + 48\*tan(log(x)/2)\*\*4 + 32\*tan(log(x)/2)\*\*2 + 8) + 4\*log(x)\*tan(log(x)/2)\*\*6/(8\*tan(

$$\begin{aligned} & \log(x)/2)^8 + 32 \tan(\log(x)/2)^6 + 48 \tan(\log(x)/2)^4 + 32 \tan(\log(x)/2)^2 + 8) + 6 \log(x) \tan(\log(x)/2)^4 / (8 \tan(\log(x)/2)^8 + 32 \tan(\log(x)/2)^6 + 48 \tan(\log(x)/2)^4 + 32 \tan(\log(x)/2)^2 + 8) + 4 \log(x) \tan(\log(x)/2)^2 / (8 \tan(\log(x)/2)^8 + 32 \tan(\log(x)/2)^6 + 48 \tan(\log(x)/2)^4 + 32 \tan(\log(x)/2)^2 + 8) + \log(x) / (8 \tan(\log(x)/2)^8 + 32 \tan(\log(x)/2)^6 + 48 \tan(\log(x)/2)^4 + 32 \tan(\log(x)/2)^2 + 8) + 2 \tan(\log(x)/2)^7 / (8 \tan(\log(x)/2)^8 + 32 \tan(\log(x)/2)^6 + 48 \tan(\log(x)/2)^4 + 32 \tan(\log(x)/2)^2 + 8) - 14 \tan(\log(x)/2)^5 / (8 \tan(\log(x)/2)^8 + 32 \tan(\log(x)/2)^6 + 48 \tan(\log(x)/2)^4 + 32 \tan(\log(x)/2)^2 + 8) + 14 \tan(\log(x)/2)^3 / (8 \tan(\log(x)/2)^8 + 32 \tan(\log(x)/2)^6 + 48 \tan(\log(x)/2)^4 + 32 \tan(\log(x)/2)^2 + 8) - 2 \tan(\log(x)/2) / (8 \tan(\log(x)/2)^8 + 32 \tan(\log(x)/2)^6 + 48 \tan(\log(x)/2)^4 + 32 \tan(\log(x)/2)^2 + 8) \end{aligned}$$

**Giac [A]** time = 1.07292, size = 16, normalized size = 0.55

$$\frac{1}{8} \log(x) - \frac{1}{32} \sin(4 \log(x))$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(log(x))^2*sin(log(x))^2/x,x, algorithm="giac")
```

```
[Out] 1/8*log(x) - 1/32*sin(4*log(x))
```

$$3.855 \quad \int \frac{\sin^3(x)}{\cos^3(x) + \sin^3(x)} dx$$

**Optimal.** Leaf size=29

$$\frac{x}{2} + \frac{1}{3} \log(2 - \sin(2x)) - \frac{1}{6} \log(\sin(x) + \cos(x))$$

[Out] x/2 - Log[Cos[x] + Sin[x]]/6 + Log[2 - Sin[2\*x]]/3

**Rubi [A]** time = 0.132845, antiderivative size = 37, normalized size of antiderivative = 1.28, number of steps used = 7, number of rules used = 5, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$ , Rules used = {2074, 635, 203, 260, 628}

$$\frac{x}{2} + \frac{1}{3} \log(\tan^2(x) - \tan(x) + 1) - \frac{1}{6} \log(\tan(x) + 1) + \frac{1}{2} \log(\cos(x))$$

Antiderivative was successfully verified.

[In] Int[Sin[x]^3/(Cos[x]^3 + Sin[x]^3),x]

[Out] x/2 + Log[Cos[x]]/2 - Log[1 + Tan[x]]/6 + Log[1 - Tan[x] + Tan[x]^2]/3

#### Rule 2074

Int[(P\_)^(p\_)\*(Q\_)^(q\_.), x\_Symbol] :=> With[{PP = Factor[P]}, Int[ExpandIntegrand[PP^p\*Q^q, x], x] /; !SumQ[NonfreeFactors[PP, x]] /; FreeQ[q, x] && PolyQ[P, x] && PolyQ[Q, x] && IntegerQ[p] && NeQ[P, x]

#### Rule 635

Int[((d\_) + (e\_.)\*(x\_))/((a\_) + (c\_.)\*(x\_)^2), x\_Symbol] :=> Dist[d, Int[1/(a + c\*x^2), x], x] + Dist[e, Int[x/(a + c\*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a\*c)]

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :=> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 260

Int[(x\_)^(m\_.)/((a\_) + (b\_.)\*(x\_)^(n\_.)), x\_Symbol] :=> Simp[Log[RemoveContent[a + b\*x^n, x]]/(b\*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

#### Rule 628

Int[((d\_) + (e\_.)\*(x\_))/((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] :=> Simp[(d\*Log[RemoveContent[a + b\*x + c\*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2\*c\*d - b\*e, 0]

#### Rubi steps



$$\begin{aligned}
\int \frac{\sin^3(x)}{\cos^3(x) + \sin^3(x)} dx &= \text{Subst} \left( \int \frac{x^3}{1 + x^2 + x^3 + x^5} dx, x, \tan(x) \right) \\
&= \text{Subst} \left( \int \left( -\frac{1}{6(1+x)} + \frac{1-x}{2(1+x^2)} + \frac{-1+2x}{3(1-x+x^2)} \right) dx, x, \tan(x) \right) \\
&= -\frac{1}{6} \log(1 + \tan(x)) + \frac{1}{3} \text{Subst} \left( \int \frac{-1+2x}{1-x+x^2} dx, x, \tan(x) \right) + \frac{1}{2} \text{Subst} \left( \int \frac{1-x}{1+x^2} dx, x, \tan(x) \right) \\
&= -\frac{1}{6} \log(1 + \tan(x)) + \frac{1}{3} \log(1 - \tan(x) + \tan^2(x)) + \frac{1}{2} \text{Subst} \left( \int \frac{1}{1+x^2} dx, x, \tan(x) \right) - \frac{1}{2} \arctan(x) \\
&= \frac{x}{2} + \frac{1}{2} \log(\cos(x)) - \frac{1}{6} \log(1 + \tan(x)) + \frac{1}{3} \log(1 - \tan(x) + \tan^2(x))
\end{aligned}$$

**Mathematica [A]** time = 0.102501, size = 29, normalized size = 1.

$$\frac{x}{2} + \frac{1}{3} \log(2 - \sin(2x)) - \frac{1}{6} \log(\sin(x) + \cos(x))$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]^3/(Cos[x]^3 + Sin[x]^3), x]

[Out] x/2 - Log[Cos[x] + Sin[x]]/6 + Log[2 - Sin[2\*x]]/3

**Maple [A]** time = 0.058, size = 34, normalized size = 1.2

$$\frac{\ln(1 - \tan(x) + (\tan(x))^2)}{3} - \frac{\ln(1 + \tan(x))}{6} - \frac{\ln(1 + (\tan(x))^2)}{4} + \frac{x}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)^3/(cos(x)^3+sin(x)^3), x)

[Out] 1/3\*ln(1-tan(x)+tan(x)^2)-1/6\*ln(1+tan(x))-1/4\*ln(1+tan(x)^2)+1/2\*x

**Maxima [B]** time = 1.47655, size = 139, normalized size = 4.79

$$\arctan\left(\frac{\sin(x)}{\cos(x)+1}\right) + \frac{1}{3} \log\left(-\frac{2\sin(x)}{\cos(x)+1} + \frac{2\sin(x)^2}{(\cos(x)+1)^2} + \frac{2\sin(x)^3}{(\cos(x)+1)^3} + \frac{\sin(x)^4}{(\cos(x)+1)^4} + 1\right) - \frac{1}{6} \log\left(-\frac{2\sin(x)}{\cos(x)+1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^3/(cos(x)^3+sin(x)^3), x, algorithm="maxima")

[Out] arctan(sin(x)/(cos(x) + 1)) + 1/3\*log(-2\*sin(x)/(cos(x) + 1) + 2\*sin(x)^2/(cos(x) + 1)^2 + 2\*sin(x)^3/(cos(x) + 1)^3 + sin(x)^4/(cos(x) + 1)^4 + 1) - 1/6\*log(-2\*sin(x)/(cos(x) + 1) + sin(x)^2/(cos(x) + 1)^2 - 1) - 1/2\*log(sin(x)^2/(cos(x) + 1)^2 + 1)

**Fricas [A]** time = 2.17078, size = 93, normalized size = 3.21

$$\frac{1}{2}x - \frac{1}{12} \log(2 \cos(x) \sin(x) + 1) + \frac{1}{3} \log(-\cos(x) \sin(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^3/(cos(x)^3+sin(x)^3),x, algorithm="fricas")

[Out] 1/2\*x - 1/12\*log(2\*cos(x)\*sin(x) + 1) + 1/3\*log(-cos(x)\*sin(x) + 1)

**Sympy [A]** time = 0.405274, size = 32, normalized size = 1.1

$$\frac{x}{2} - \frac{\log(\sin(x) + \cos(x))}{6} + \frac{\log(\sin^2(x) - \sin(x)\cos(x) + \cos^2(x))}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)\*\*3/(cos(x)\*\*3+sin(x)\*\*3),x)

[Out] x/2 - log(sin(x) + cos(x))/6 + log(sin(x)\*\*2 - sin(x)\*cos(x) + cos(x)\*\*2)/3

**Giac [A]** time = 1.09594, size = 46, normalized size = 1.59

$$\frac{1}{2}x + \frac{1}{3} \log(\tan(x)^2 - \tan(x) + 1) - \frac{1}{4} \log(\tan(x)^2 + 1) - \frac{1}{6} \log(|\tan(x) + 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^3/(cos(x)^3+sin(x)^3),x, algorithm="giac")

[Out] 1/2\*x + 1/3\*log(tan(x)^2 - tan(x) + 1) - 1/4\*log(tan(x)^2 + 1) - 1/6\*log(abs(tan(x) + 1))

$$3.856 \quad \int \frac{\cos^3(x)}{\cos^3(x) + \sin^3(x)} dx$$

**Optimal.** Leaf size=29

$$\frac{x}{2} - \frac{1}{3} \log(2 - \sin(2x)) + \frac{1}{6} \log(\sin(x) + \cos(x))$$

[Out] x/2 + Log[Cos[x] + Sin[x]]/6 - Log[2 - Sin[2\*x]]/3

**Rubi [A]** time = 0.0906246, antiderivative size = 37, normalized size of antiderivative = 1.28, number of steps used = 7, number of rules used = 5, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$ , Rules used = {2058, 635, 203, 260, 628}

$$\frac{x}{2} - \frac{1}{3} \log(\tan^2(x) - \tan(x) + 1) + \frac{1}{6} \log(\tan(x) + 1) - \frac{1}{2} \log(\cos(x))$$

Antiderivative was successfully verified.

[In] Int[Cos[x]^3/(Cos[x]^3 + Sin[x]^3), x]

[Out] x/2 - Log[Cos[x]]/2 + Log[1 + Tan[x]]/6 - Log[1 - Tan[x] + Tan[x]^2]/3

#### Rule 2058

Int[(P\_)^(p\_), x\_Symbol] :=> With[{u = Factor[P]}, Int[ExpandIntegrand[u^p, x], x] /; !SumQ[NonfreeFactors[u, x]] /; PolyQ[P, x] && ILtQ[p, 0]

#### Rule 635

Int[((d\_) + (e\_.)\*(x\_))/((a\_) + (c\_.)\*(x\_)^2), x\_Symbol] :=> Dist[d, Int[1/(a + c\*x^2), x], x] + Dist[e, Int[x/(a + c\*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a\*c)]

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :=> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 260

Int[(x\_)^(m\_.)/((a\_) + (b\_.)\*(x\_)^(n\_.)), x\_Symbol] :=> Simp[Log[RemoveContent[a + b\*x^n, x]]/(b\*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

#### Rule 628

Int[((d\_) + (e\_.)\*(x\_))/((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] :=> Simp[(d\*Log[RemoveContent[a + b\*x + c\*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2\*c\*d - b\*e, 0]

#### Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(x)}{\cos^3(x) + \sin^3(x)} dx &= \text{Subst} \left( \int \frac{1}{1+x^2+x^3+x^5} dx, x, \tan(x) \right) \\
&= \text{Subst} \left( \int \left( \frac{1}{6(1+x)} + \frac{1+x}{2(1+x^2)} + \frac{1-2x}{3(1-x+x^2)} \right) dx, x, \tan(x) \right) \\
&= \frac{1}{6} \log(1 + \tan(x)) + \frac{1}{3} \text{Subst} \left( \int \frac{1-2x}{1-x+x^2} dx, x, \tan(x) \right) + \frac{1}{2} \text{Subst} \left( \int \frac{1+x}{1+x^2} dx, x, \tan(x) \right) \\
&= \frac{1}{6} \log(1 + \tan(x)) - \frac{1}{3} \log(1 - \tan(x) + \tan^2(x)) + \frac{1}{2} \text{Subst} \left( \int \frac{1}{1+x^2} dx, x, \tan(x) \right) + \frac{1}{2} \text{Subst} \left( \int \frac{x}{1+x^2} dx, x, \tan(x) \right) \\
&= \frac{x}{2} - \frac{1}{2} \log(\cos(x)) + \frac{1}{6} \log(1 + \tan(x)) - \frac{1}{3} \log(1 - \tan(x) + \tan^2(x))
\end{aligned}$$

**Mathematica [A]** time = 0.0798164, size = 29, normalized size = 1.

$$\frac{x}{2} - \frac{1}{3} \log(2 - \sin(2x)) + \frac{1}{6} \log(\sin(x) + \cos(x))$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]^3/(Cos[x]^3 + Sin[x]^3),x]

[Out] x/2 + Log[Cos[x] + Sin[x]]/6 - Log[2 - Sin[2\*x]]/3

**Maple [A]** time = 0.061, size = 34, normalized size = 1.2

$$-\frac{\ln(1 - \tan(x) + (\tan(x))^2)}{3} + \frac{\ln(1 + \tan(x))}{6} + \frac{\ln(1 + (\tan(x))^2)}{4} + \frac{x}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)^3/(cos(x)^3+sin(x)^3),x)

[Out] -1/3\*ln(1-tan(x)+tan(x)^2)+1/6\*ln(1+tan(x))+1/4\*ln(1+tan(x)^2)+1/2\*x

**Maxima [B]** time = 1.46563, size = 139, normalized size = 4.79

$$\arctan\left(\frac{\sin(x)}{\cos(x)+1}\right) - \frac{1}{3} \log\left(-\frac{2\sin(x)}{\cos(x)+1} + \frac{2\sin(x)^2}{(\cos(x)+1)^2} + \frac{2\sin(x)^3}{(\cos(x)+1)^3} + \frac{\sin(x)^4}{(\cos(x)+1)^4} + 1\right) + \frac{1}{6} \log\left(-\frac{2\sin(x)}{\cos(x)+1} + \frac{2\sin(x)^2}{(\cos(x)+1)^2} + \frac{2\sin(x)^3}{(\cos(x)+1)^3} + \frac{\sin(x)^4}{(\cos(x)+1)^4} + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)^3/(cos(x)^3+sin(x)^3),x, algorithm="maxima")

[Out] arctan(sin(x)/(cos(x) + 1)) - 1/3\*log(-2\*sin(x)/(cos(x) + 1) + 2\*sin(x)^2/(cos(x) + 1)^2 + 2\*sin(x)^3/(cos(x) + 1)^3 + sin(x)^4/(cos(x) + 1)^4 + 1) + 1/6\*log(-2\*sin(x)/(cos(x) + 1) + sin(x)^2/(cos(x) + 1)^2 - 1) + 1/2\*log(sin(x)^2/(cos(x) + 1)^2 + 1)

**Fricas [A]** time = 2.16915, size = 93, normalized size = 3.21

$$\frac{1}{2}x + \frac{1}{12} \log(2 \cos(x) \sin(x) + 1) - \frac{1}{3} \log(-\cos(x) \sin(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)^3/(cos(x)^3+sin(x)^3),x, algorithm="fricas")

[Out] 1/2\*x + 1/12\*log(2\*cos(x)\*sin(x) + 1) - 1/3\*log(-cos(x)\*sin(x) + 1)

**Sympy [A]** time = 0.42424, size = 32, normalized size = 1.1

$$\frac{x}{2} + \frac{\log(\sin(x) + \cos(x))}{6} - \frac{\log(\sin^2(x) - \sin(x)\cos(x) + \cos^2(x))}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*\*3/(cos(x)\*\*3+sin(x)\*\*3),x)

[Out] x/2 + log(sin(x) + cos(x))/6 - log(sin(x)\*\*2 - sin(x)\*cos(x) + cos(x)\*\*2)/3

**Giac [A]** time = 1.12169, size = 46, normalized size = 1.59

$$\frac{1}{2}x - \frac{1}{3} \log(\tan(x)^2 - \tan(x) + 1) + \frac{1}{4} \log(\tan(x)^2 + 1) + \frac{1}{6} \log(|\tan(x) + 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)^3/(cos(x)^3+sin(x)^3),x, algorithm="giac")

[Out] 1/2\*x - 1/3\*log(tan(x)^2 - tan(x) + 1) + 1/4\*log(tan(x)^2 + 1) + 1/6\*log(abs(tan(x) + 1))

$$3.857 \quad \int \frac{\sec(x)}{-5 + \cos^2(x) + 4 \sin(x)} dx$$

**Optimal.** Leaf size=44

$$\frac{1}{3(2 - \sin(x))} + \frac{1}{2} \log(1 - \sin(x)) - \frac{4}{9} \log(2 - \sin(x)) - \frac{1}{18} \log(\sin(x) + 1)$$

[Out] Log[1 - Sin[x]]/2 - (4\*Log[2 - Sin[x]])/9 - Log[1 + Sin[x]]/18 + 1/(3\*(2 - Sin[x]))

**Rubi [A]** time = 0.0556506, antiderivative size = 44, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 2, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$ , Rules used = {710, 801}

$$\frac{1}{3(2 - \sin(x))} + \frac{1}{2} \log(1 - \sin(x)) - \frac{4}{9} \log(2 - \sin(x)) - \frac{1}{18} \log(\sin(x) + 1)$$

Antiderivative was successfully verified.

[In] Int[Sec[x]/(-5 + Cos[x]^2 + 4\*Sin[x]),x]

[Out] Log[1 - Sin[x]]/2 - (4\*Log[2 - Sin[x]])/9 - Log[1 + Sin[x]]/18 + 1/(3\*(2 - Sin[x]))

#### Rule 710

Int[((d\_) + (e\_)\*(x\_))^(m\_)/((a\_) + (c\_)\*(x\_)^2), x\_Symbol] := Simp[(e\*(d + e\*x)^(m + 1))/((m + 1)\*(c\*d^2 + a\*e^2)), x] + Dist[c/(c\*d^2 + a\*e^2), Int[((d + e\*x)^(m + 1)\*(d - e\*x))/(a + c\*x^2), x], x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c\*d^2 + a\*e^2, 0] && LtQ[m, -1]

#### Rule 801

Int[(((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_)))/((a\_) + (c\_)\*(x\_)^2), x\_Symbol] := Int[ExpandIntegrand[((d + e\*x)^m\*(f + g\*x))/(a + c\*x^2), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c\*d^2 + a\*e^2, 0] && IntegerQ[m]

#### Rubi steps

$$\begin{aligned} \int \frac{\sec(x)}{-5 + \cos^2(x) + 4 \sin(x)} dx &= \text{Subst} \left( \int \frac{1}{(2-x)^2(-1+x^2)} dx, x, \sin(x) \right) \\ &= \frac{1}{3(2 - \sin(x))} + \frac{1}{3} \text{Subst} \left( \int \frac{2+x}{(2-x)(-1+x^2)} dx, x, \sin(x) \right) \\ &= \frac{1}{3(2 - \sin(x))} + \frac{1}{3} \text{Subst} \left( \int \left( -\frac{4}{3(-2+x)} + \frac{3}{2(-1+x)} - \frac{1}{6(1+x)} \right) dx, x, \sin(x) \right) \\ &= \frac{1}{2} \log(1 - \sin(x)) - \frac{4}{9} \log(2 - \sin(x)) - \frac{1}{18} \log(1 + \sin(x)) + \frac{1}{3(2 - \sin(x))} \end{aligned}$$

**Mathematica [A]** time = 0.0769394, size = 38, normalized size = 0.86

$$\frac{1}{18} \left( -\frac{6}{\sin(x) - 2} + 9 \log(1 - \sin(x)) - 8 \log(2 - \sin(x)) - \log(\sin(x) + 1) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[x]/(-5 + Cos[x]^2 + 4\*Sin[x]),x]

[Out] (9\*Log[1 - Sin[x]] - 8\*Log[2 - Sin[x]] - Log[1 + Sin[x]] - 6/(-2 + Sin[x]))/18

**Maple [A]** time = 0.071, size = 31, normalized size = 0.7

$$-\frac{1}{3 \sin(x) - 6} - \frac{4 \ln(\sin(x) - 2)}{9} - \frac{\ln(1 + \sin(x))}{18} + \frac{\ln(\sin(x) - 1)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(x)/(-5+cos(x)^2+4\*sin(x)),x)

[Out] -1/3/(sin(x)-2)-4/9\*ln(sin(x)-2)-1/18\*ln(1+sin(x))+1/2\*ln(sin(x)-1)

**Maxima [A]** time = 0.962276, size = 41, normalized size = 0.93

$$-\frac{1}{3(\sin(x) - 2)} - \frac{1}{18} \log(\sin(x) + 1) + \frac{1}{2} \log(\sin(x) - 1) - \frac{4}{9} \log(\sin(x) - 2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)/(-5+cos(x)^2+4\*sin(x)),x, algorithm="maxima")

[Out] -1/3/(sin(x) - 2) - 1/18\*log(sin(x) + 1) + 1/2\*log(sin(x) - 1) - 4/9\*log(sin(x) - 2)

**Fricas [A]** time = 1.95965, size = 171, normalized size = 3.89

$$\frac{(\sin(x) - 2) \log(\sin(x) + 1) + 8(\sin(x) - 2) \log\left(-\frac{1}{2} \sin(x) + 1\right) - 9(\sin(x) - 2) \log(-\sin(x) + 1) + 6}{18(\sin(x) - 2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)/(-5+cos(x)^2+4\*sin(x)),x, algorithm="fricas")

[Out] -1/18\*((sin(x) - 2)\*log(sin(x) + 1) + 8\*(sin(x) - 2)\*log(-1/2\*sin(x) + 1) - 9\*(sin(x) - 2)\*log(-sin(x) + 1) + 6)/(sin(x) - 2)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec(x)}{4 \sin(x) + \cos^2(x) - 5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)/(-5+cos(x)**2+4*sin(x)),x)
```

```
[Out] Integral(sec(x)/(4*sin(x) + cos(x)**2 - 5), x)
```

**Giac [A]** time = 1.06596, size = 46, normalized size = 1.05

$$-\frac{1}{3(\sin(x) - 2)} - \frac{1}{18} \log(\sin(x) + 1) - \frac{4}{9} \log(-\sin(x) + 2) + \frac{1}{2} \log(-\sin(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)/(-5+cos(x)^2+4*sin(x)),x, algorithm="giac")
```

```
[Out] -1/3/(sin(x) - 2) - 1/18*log(sin(x) + 1) - 4/9*log(-sin(x) + 2) + 1/2*log(-sin(x) + 1)
```



$$3.858 \quad \int \frac{1}{\cos^2(x) \sqrt{3 \cos(x) + \sin(x)}} dx$$

**Optimal.** Leaf size=19

$$\frac{2\sqrt{\sin(x) + 3 \cos(x)}}{\sqrt{\cos(x)}}$$

[Out] (2\*Sqrt[3\*Cos[x] + Sin[x]])/Sqrt[Cos[x]]

**Rubi [B]** time = 2.24263, antiderivative size = 88, normalized size of antiderivative = 4.63, number of steps used = 5, number of rules used = 3, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {6719, 1063, 8}

$$\frac{2 \cos^2\left(\frac{x}{2}\right) \left(-3 \tan^2\left(\frac{x}{2}\right) + 2 \tan\left(\frac{x}{2}\right) + 3\right)}{\sqrt{\cos^2\left(\frac{x}{2}\right) \left(-3 \tan^2\left(\frac{x}{2}\right) + 2 \tan\left(\frac{x}{2}\right) + 3\right)} \sqrt{\cos^2\left(\frac{x}{2}\right) \left(1 - \tan^2\left(\frac{x}{2}\right)\right)}}$$

Antiderivative was successfully verified.

[In] Int[1/(Cos[x]^(3/2)\*Sqrt[3\*Cos[x] + Sin[x]]),x]

[Out] (2\*Cos[x/2]^2\*(3 + 2\*Tan[x/2] - 3\*Tan[x/2]^2))/(Sqrt[Cos[x/2]^2\*(3 + 2\*Tan[x/2] - 3\*Tan[x/2]^2)]\*Sqrt[Cos[x/2]^2\*(1 - Tan[x/2]^2)])

#### Rule 6719

Int[(u\_.)\*((a\_.)\*(v\_)^(m\_.)\*(w\_)^(n\_.))^p\_, x\_Symbol] := Dist[(a^IntPart[p]\*(a\*v^m\*w^n)^FracPart[p])/(v^(m\*FracPart[p])\*w^(n\*FracPart[p])), Int[u\*v^(m\*p)\*w^(n\*p), x], x] /; FreeQ[{a, m, n, p}, x] && !IntegerQ[p] && !FreeQ[v, x] && !FreeQ[w, x]

#### Rule 1063

Int[((a\_) + (c\_.)\*(x\_)^2)^(p\_)\*((A\_.) + (C\_.)\*(x\_)^2)\*((d\_) + (e\_.)\*(x\_) + (f\_.)\*(x\_)^2)^(q\_), x\_Symbol] := Simp[((a + c\*x^2)^(p + 1)\*(d + e\*x + f\*x^2)^(q + 1)\*((A\*c - a\*C)\*(2\*a\*c\*e) + c\*(A\*(2\*c^2\*d - c\*(2\*a\*f)) + C\*(-2\*a\*(c\*d - a\*f))))\*x)/((-4\*a\*c)\*(a\*c\*e^2 + (c\*d - a\*f)^2)\*(p + 1)), x] + Dist[1/((-4\*a\*c)\*(a\*c\*e^2 + (c\*d - a\*f)^2)\*(p + 1)), Int[(a + c\*x^2)^(p + 1)\*(d + e\*x + f\*x^2)^q\*Simp[(-2\*A\*c - 2\*a\*C)\*((c\*d - a\*f)^2 - (-a\*e)\*(c\*e))\*(p + 1) + (2\*(A\*c\*(c\*d - a\*f) - a\*(c\*C\*d - a\*C\*f)))\*(a\*f\*(p + 1) - c\*d\*(p + 2)) - e\*((A\*c - a\*C)\*(2\*a\*c\*e))\*(p + q + 2) - (2\*f\*((A\*c - a\*C)\*(2\*a\*c\*e))\*(p + q + 2) - (2\*(A\*c\*(c\*d - a\*f) - a\*(c\*C\*d - a\*C\*f)))\*(-(c\*e\*(2\*p + q + 4)))]\*x - c\*f\*(2\*(A\*c\*(c\*d - a\*f) - a\*(c\*C\*d - a\*C\*f)))\*(2\*p + 2\*q + 5)\*x^2, x], x] /; FreeQ[{a, c, d, e, f, A, C, q}, x] && NeQ[e^2 - 4\*d\*f, 0] && LtQ[p, -1] && NeQ[a\*c\*e^2 + (c\*d - a\*f)^2, 0] && !( !IntegerQ[p] && ILtQ[q, -1]) && !IGtQ[q, 0]

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned}
\int \frac{1}{\cos^{\frac{3}{2}}(x)\sqrt{3\cos(x)+\sin(x)}} dx &= 2 \operatorname{Subst} \left( \int \frac{1}{(1-x^2)\sqrt{\frac{3+2x-3x^2}{1+x^2}}\sqrt{\frac{1-x^2}{1+x^2}}} dx, x, \tan\left(\frac{x}{2}\right) \right) \\
&= \frac{\left(2\sqrt{3+2\tan\left(\frac{x}{2}\right)-3\tan^2\left(\frac{x}{2}\right)}\right) \operatorname{Subst} \left( \int \frac{\sqrt{1+x^2}}{\sqrt{3+2x-3x^2}(1-x^2)\sqrt{\frac{1-x^2}{1+x^2}}} dx, x, \tan\left(\frac{x}{2}\right) \right)}{\sqrt{\sec^2\left(\frac{x}{2}\right)}\sqrt{\cos^2\left(\frac{x}{2}\right)}\left(3+2\tan\left(\frac{x}{2}\right)-3\tan^2\left(\frac{x}{2}\right)\right)} \\
&= \frac{\left(2\cos^2\left(\frac{x}{2}\right)\sqrt{3+2\tan\left(\frac{x}{2}\right)-3\tan^2\left(\frac{x}{2}\right)}\sqrt{1-\tan^2\left(\frac{x}{2}\right)}\right) \operatorname{Subst} \left( \int \frac{1+x^2}{\sqrt{3+2x-3x^2}(1-x^2)^{\frac{3}{2}}} dx, x, \tan\left(\frac{x}{2}\right) \right)}{\sqrt{\cos^2\left(\frac{x}{2}\right)}\left(3+2\tan\left(\frac{x}{2}\right)-3\tan^2\left(\frac{x}{2}\right)\right)\sqrt{\cos^2\left(\frac{x}{2}\right)}\left(1-\tan^2\left(\frac{x}{2}\right)\right)} \\
&= \frac{2\cos^2\left(\frac{x}{2}\right)\left(3+2\tan\left(\frac{x}{2}\right)-3\tan^2\left(\frac{x}{2}\right)\right)}{\sqrt{\cos^2\left(\frac{x}{2}\right)}\left(3+2\tan\left(\frac{x}{2}\right)-3\tan^2\left(\frac{x}{2}\right)\right)\sqrt{\cos^2\left(\frac{x}{2}\right)}\left(1-\tan^2\left(\frac{x}{2}\right)\right)} + \frac{\left(\cos^2\left(\frac{x}{2}\right)\sqrt{3+2\tan\left(\frac{x}{2}\right)-3\tan^2\left(\frac{x}{2}\right)}\right)}{4\sqrt{\cos^2\left(\frac{x}{2}\right)}} \\
&= \frac{2\cos^2\left(\frac{x}{2}\right)\left(3+2\tan\left(\frac{x}{2}\right)-3\tan^2\left(\frac{x}{2}\right)\right)}{\sqrt{\cos^2\left(\frac{x}{2}\right)}\left(3+2\tan\left(\frac{x}{2}\right)-3\tan^2\left(\frac{x}{2}\right)\right)\sqrt{\cos^2\left(\frac{x}{2}\right)}\left(1-\tan^2\left(\frac{x}{2}\right)\right)}
\end{aligned}$$

**Mathematica [A]** time = 0.0668912, size = 19, normalized size = 1.

$$\frac{2\sqrt{\sin(x)+3\cos(x)}}{\sqrt{\cos(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Cos[x]^(3/2)\*Sqrt[3\*Cos[x]+Sin[x]]),x]

[Out] (2\*Sqrt[3\*Cos[x]+Sin[x]])/Sqrt[Cos[x]]

**Maple [A]** time = 0.26, size = 16, normalized size = 0.8

$$2 \frac{\sqrt{3 \cos(x) + \sin(x)}}{\sqrt{\cos(x)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(x)^(3/2)/(3\*cos(x)+sin(x))^(1/2),x)

[Out] 2\*(3\*cos(x)+sin(x))^(1/2)/cos(x)^(1/2)

**Maxima [B]** time = 1.63236, size = 196, normalized size = 10.32

$$\frac{2 \left( \frac{2 \sin(x)}{\cos(x)+1} - \frac{6 \sin(x)^2}{(\cos(x)+1)^2} - \frac{2 \sin(x)^3}{(\cos(x)+1)^3} + \frac{3 \sin(x)^4}{(\cos(x)+1)^4} + 3 \right) \left( \frac{\sin(x)^2}{(\cos(x)+1)^2} + 1 \right)^2}{\sqrt{\frac{2 \sin(x)}{\cos(x)+1} - \frac{3 \sin(x)^2}{(\cos(x)+1)^2} + 3} \left( \frac{\sin(x)}{\cos(x)+1} + 1 \right)^{\frac{3}{2}} \left( -\frac{\sin(x)}{\cos(x)+1} + 1 \right)^{\frac{3}{2}} \left( \frac{2 \sin(x)^2}{(\cos(x)+1)^2} + \frac{\sin(x)^4}{(\cos(x)+1)^4} + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(x)^(3/2)/(3\*cos(x)+sin(x))^(1/2),x, algorithm="maxima")

[Out] 2\*(2\*sin(x)/(cos(x) + 1) - 6\*sin(x)^2/(cos(x) + 1)^2 - 2\*sin(x)^3/(cos(x) + 1)^3 + 3\*sin(x)^4/(cos(x) + 1)^4 + 3)\*(sin(x)^2/(cos(x) + 1)^2 + 1)^2/(sqrt(2\*sin(x)/(cos(x) + 1) - 3\*sin(x)^2/(cos(x) + 1)^2 + 3)\*(sin(x)/(cos(x) + 1) + 1)^(3/2)\*(-sin(x)/(cos(x) + 1) + 1)^(3/2)\*(2\*sin(x)^2/(cos(x) + 1)^2 + sin(x)^4/(cos(x) + 1)^4 + 1))

**Fricas [A]** time = 2.19315, size = 54, normalized size = 2.84

$$\frac{2\sqrt{3}\cos(x) + \sin(x)}{\sqrt{\cos(x)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(x)^(3/2)/(3\*cos(x)+sin(x))^(1/2),x, algorithm="fricas")

[Out] 2\*sqrt(3\*cos(x) + sin(x))/sqrt(cos(x))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{\sin(x) + 3\cos(x)} \cos^{\frac{3}{2}}(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(x)\*\*(3/2)/(3\*cos(x)+sin(x))\*\*(1/2),x)

[Out] Integral(1/(sqrt(sin(x) + 3\*cos(x))\*cos(x)\*\*(3/2)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{3\cos(x) + \sin(x)} \cos(x)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(x)^(3/2)/(3\*cos(x)+sin(x))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(3\*cos(x) + sin(x))\*cos(x)^(3/2)), x)

$$3.859 \quad \int \frac{\csc(x)\sqrt{\cos(x)+\sin(x)}}{\cos^{\frac{3}{2}}(x)} dx$$

**Optimal.** Leaf size=44

$$-\log(\sin(x)) + \frac{2\sqrt{\sin(x)+\cos(x)}}{\sqrt{\cos(x)}} + 2\log(\sqrt{\sin(x)+\cos(x)} - \sqrt{\cos(x)})$$

[Out] -Log[Sin[x]] + 2\*Log[-Sqrt[Cos[x]] + Sqrt[Cos[x] + Sin[x]]] + (2\*Sqrt[Cos[x] + Sin[x]])/Sqrt[Cos[x]]

**Rubi [F]** time = 2.56892, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{\csc(x)\sqrt{\cos(x)+\sin(x)}}{\cos^{\frac{3}{2}}(x)} dx$$

Verification is Not applicable to the result.

[In] Int[(Csc[x]\*Sqrt[Cos[x] + Sin[x]])/Cos[x]^(3/2), x]

[Out] Defer[Int] [(Csc[x]\*Sqrt[Cos[x] + Sin[x]])/Cos[x]^(3/2), x]

Rubi steps

$$\int \frac{\csc(x)\sqrt{\cos(x)+\sin(x)}}{\cos^{\frac{3}{2}}(x)} dx = \int \frac{\csc(x)\sqrt{\cos(x)+\sin(x)}}{\cos^{\frac{3}{2}}(x)} dx$$

**Mathematica [A]** time = 0.39238, size = 68, normalized size = 1.55

$$\frac{2 \left( \sin(x) + \cos(x) - \sqrt{\cos(x)} \sqrt{\sqrt{\sin^2(x) + \cos(x)}} \coth^{-1} \left( \frac{\sqrt{\sqrt{\sin^2(x) + \cos(x)}}}{\sqrt{\cos(x)}} \right) \right)}{\sqrt{\cos(x)} \sqrt{\sin(x) + \cos(x)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Csc[x]\*Sqrt[Cos[x] + Sin[x]])/Cos[x]^(3/2), x]

[Out] (2\*(Cos[x] + Sin[x] - ArcCoth[Sqrt[Cos[x] + Sqrt[Sin[x]^2]]/Sqrt[Cos[x]]]\*Sqrt[Cos[x]]\*Sqrt[Cos[x] + Sqrt[Sin[x]^2]]))/(Sqrt[Cos[x]]\*Sqrt[Cos[x] + Sin[x]])

**Maple [C]** time = 0.435, size = 917, normalized size = 20.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(csc(x)*(cos(x)+sin(x))^(1/2)/cos(x)^(3/2),x)`

[Out] 
$$\frac{1}{(2+2^{1/2})}(-1+\cos(x))^2(1+\cos(x))^2(\text{EllipticPi}(1/2*2^{1/2}*((2+2^{1/2}))^{1/2}*(\sin(x)-1)/\cos(x))^{1/2},-2^{1/2}/(2+2^{1/2})),I/(2+2^{1/2}))^{1/2}((2-2^{1/2})*(2+2^{1/2}))^{1/2}*(2^{1/2}*(\cos(x)*2^{1/2}-\sin(x)*2^{1/2}+2*\sin(x)+2^{1/2}-2)/\cos(x))^{1/2}*(2^{1/2}*(\cos(x)*2^{1/2}-\sin(x)*2^{1/2}-2*\sin(x)+2^{1/2}+2)/\cos(x))^{1/2}*((2+2^{1/2}))^{1/2}*(\sin(x)-1)/\cos(x))^{1/2}*\sin(x)-\text{EllipticF}(1/2*2^{1/2}*((2+2^{1/2}))^{1/2}*(\sin(x)-1)/\cos(x))^{1/2},I/(2+2^{1/2}))^{1/2}((2-2^{1/2})*(2+2^{1/2}))^{1/2}*(2^{1/2}*(\cos(x)*2^{1/2}-\sin(x)*2^{1/2}+2*\sin(x)+2^{1/2}-2)/\cos(x))^{1/2}*(2^{1/2}*(\cos(x)*2^{1/2}-\sin(x)*2^{1/2}+2*\sin(x)+2^{1/2}-2)/\cos(x))^{1/2}*((2+2^{1/2}))^{1/2}*(\sin(x)-1)/\cos(x))^{1/2}*\sin(x)+\text{EllipticPi}(1/2*2^{1/2}*((2+2^{1/2}))^{1/2}*(\sin(x)-1)/\cos(x))^{1/2},2^{1/2}/(2+2^{1/2})),I/(2+2^{1/2}))^{1/2}((2-2^{1/2})*(2+2^{1/2}))^{1/2}*(2^{1/2}*(\cos(x)*2^{1/2}-\sin(x)*2^{1/2}+2*\sin(x)+2^{1/2}-2)/\cos(x))^{1/2}*(2^{1/2}*(\cos(x)*2^{1/2}-\sin(x)*2^{1/2}-2*\sin(x)+2^{1/2}+2)/\cos(x))^{1/2}*((2+2^{1/2}))^{1/2}*(\sin(x)-1)/\cos(x))^{1/2}*\sin(x)+(2^{1/2}*(\cos(x)*2^{1/2}-\sin(x)*2^{1/2}+2*\sin(x)+2^{1/2}-2)/\cos(x))^{1/2}*(2^{1/2}*(\cos(x)*2^{1/2}-\sin(x)*2^{1/2}-2*\sin(x)+2^{1/2}+2)/\cos(x))^{1/2}*\text{EllipticPi}(1/2*2^{1/2}*((2+2^{1/2}))^{1/2}*(\sin(x)-1)/\cos(x))^{1/2},-2^{1/2}/(2+2^{1/2})),I/(2+2^{1/2}))^{1/2}((2-2^{1/2})*(2+2^{1/2}))^{1/2}*((2+2^{1/2}))^{1/2}*(\sin(x)-1)/\cos(x))^{1/2}-(2^{1/2}*(\cos(x)*2^{1/2}-\sin(x)*2^{1/2}+2*\sin(x)+2^{1/2}-2)/\cos(x))^{1/2}*(2^{1/2}*(\cos(x)*2^{1/2}-\sin(x)*2^{1/2}-2*\sin(x)+2^{1/2}+2)/\cos(x))^{1/2}*\text{EllipticF}(1/2*2^{1/2}*((2+2^{1/2}))^{1/2}*(\sin(x)-1)/\cos(x))^{1/2},I/(2+2^{1/2}))^{1/2}((2-2^{1/2})*(2+2^{1/2}))^{1/2}*((2+2^{1/2}))^{1/2}*(\sin(x)-1)/\cos(x))^{1/2}+(2^{1/2}*(\cos(x)*2^{1/2}-\sin(x)*2^{1/2}+2*\sin(x)+2^{1/2}-2)/\cos(x))^{1/2}*(2^{1/2}*(\cos(x)*2^{1/2}-\sin(x)*2^{1/2}-2*\sin(x)+2^{1/2}+2)/\cos(x))^{1/2}*\text{EllipticPi}(1/2*2^{1/2}*((2+2^{1/2}))^{1/2}*(\sin(x)-1)/\cos(x))^{1/2},2^{1/2}/(2+2^{1/2})),I/(2+2^{1/2}))^{1/2}((2-2^{1/2})*(2+2^{1/2}))^{1/2}*((2+2^{1/2}))^{1/2}*(\sin(x)-1)/\cos(x))^{1/2}+2*\cos(x)*2^{1/2}+2*\sin(x)*2^{1/2}+4*\cos(x)+4*\sin(x))/\cos(x)^{1/2}/\sin(x)^4/(\cos(x)+\sin(x))^{1/2}$$

---

**Maxima [B]** time = 2.44539, size = 699, normalized size = 15.89

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(x)*(cos(x)+sin(x))^(1/2)/cos(x)^(3/2),x, algorithm="maxima")`

[Out] 
$$4*((2*\cos(2*x) + \sin(2*x))*\cos(1/2*\arctan2(-\cos(4*x) + \sin(4*x) + 2*\sin(2*x) + 1, \cos(4*x) + 2*\cos(2*x) + \sin(4*x) + 1))^3 + (2*\cos(2*x) + \sin(2*x))*\cos(1/2*\arctan2(-\cos(4*x) + \sin(4*x) + 2*\sin(2*x) + 1, \cos(4*x) + 2*\cos(2*x) + \sin(4*x) + 1))*\sin(1/2*\arctan2(-\cos(4*x) + \sin(4*x) + 2*\sin(2*x) + 1, \cos(4*x) + 2*\cos(2*x) + \sin(4*x) + 1))^2 - (\cos(2*x) - 2*\sin(2*x) + 1)*\sin(1/2*\arctan2(-\cos(4*x) + \sin(4*x) + 2*\sin(2*x) + 1, \cos(4*x) + 2*\cos(2*x) + \sin(4*x) + 1))^3 - (\cos(2*x) - \sin(2*x) - 1)*\cos(1/2*\arctan2(-\cos(4*x) + \sin(4*x) + 2*\sin(2*x) + 1, \cos(4*x) + 2*\cos(2*x) + \sin(4*x) + 1)) - ((\cos(2*x) - 2*\sin(2*x) + 1)*\cos(1/2*\arctan2(-\cos(4*x) + \sin(4*x) + 2*\sin(2*x) + 1, \cos(4*x) + 2*\cos(2*x) + \sin(4*x) + 1))^2 + \cos(2*x) + \sin(2*x) - 1)*\sin(1/2*\arctan2(-\cos(4*x) + \sin(4*x) + 2*\sin(2*x) + 1, \cos(4*x) + 2*\cos(2*x) + \sin(4*x) + 1)))/((4*(\cos(2*x) - \sin(2*x))*\cos(4*x) + 2*\cos(4*x)^2 + 4*\cos(2*x)^2 + 4*(\cos(2*x) + \sin(2*x) + 1)*\sin(4*x) + 2*\sin(4*x)^2 + 4*\sin(2*x)^2 + 4*\cos(2*x) + 4*\sin(2*x) + 2)^{1/4}*(\cos(1/2*\arctan2(-\cos(4*x) + \sin(4*x) + 2*\sin(2*x) + 1, \cos(4*x) + 2*\cos(2*x) + \sin(4*x) + 1))^2 + \sin(1/2*\arctan2(-\cos(4*x) + \sin(4*x) + 2*\sin(2*x) + 1, \cos(4*x) + 2*\cos(2*x) + \sin(4*x) + 1))^2))$$

---

**Fricas [B]** time = 2.15771, size = 363, normalized size = 8.25

$$\frac{\cos(x) \log\left((2 \cos(x) + \sin(x))\sqrt{\cos(x) + \sin(x)}\sqrt{\cos(x)} + \frac{7}{4} \cos(x)^2 + 2 \cos(x) \sin(x) + \frac{1}{4}\right) - \cos(x) \log\left(-\frac{2 \cos(x) + \sin(x)}{4 \cos(x)}\right)}{4 \cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)\*(cos(x)+sin(x))^(1/2)/cos(x)^(3/2),x, algorithm="fricas")

[Out] -1/4\*(cos(x)\*log((2\*cos(x) + sin(x))\*sqrt(cos(x) + sin(x))\*sqrt(cos(x)) + 7/4\*cos(x)^2 + 2\*cos(x)\*sin(x) + 1/4) - cos(x)\*log(-(2\*cos(x) + sin(x))\*sqrt(cos(x) + sin(x))\*sqrt(cos(x)) + 7/4\*cos(x)^2 + 2\*cos(x)\*sin(x) + 1/4) - 8\*sqrt(cos(x) + sin(x))\*sqrt(cos(x)))/cos(x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{\sin(x) + \cos(x)} \csc(x)}{\cos^2(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)\*(cos(x)+sin(x))\*\*(1/2)/cos(x)\*\*(3/2),x)

[Out] Integral(sqrt(sin(x) + cos(x))\*csc(x)/cos(x)\*\*(3/2), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{\cos(x) + \sin(x)} \csc(x)}{\cos(x)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)\*(cos(x)+sin(x))^(1/2)/cos(x)^(3/2),x, algorithm="giac")

[Out] integrate(sqrt(cos(x) + sin(x))\*csc(x)/cos(x)^(3/2), x)

$$3.860 \quad \int \frac{\cos(x)+\sin(x)}{\sqrt{1+\sin(2x)}} dx$$

**Optimal.** Leaf size=19

$$\frac{x\sqrt{\sin(2x)+1}}{\sin(x)+\cos(x)}$$

[Out] (x\*Sqrt[1 + Sin[2\*x]])/(Cos[x] + Sin[x])

**Rubi [B]** time = 1.70716, antiderivative size = 72, normalized size of antiderivative = 3.79, number of steps used = 17, number of rules used = 9, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.562$ , Rules used = {4401, 6719, 1075, 628, 635, 203, 260, 12, 1023}

$$\frac{2 \cos^2\left(\frac{x}{2}\right) \tan^{-1}\left(\tan\left(\frac{x}{2}\right)\right) \left(-\tan^2\left(\frac{x}{2}\right) + 2 \tan\left(\frac{x}{2}\right) + 1\right)}{\sqrt{\cos^4\left(\frac{x}{2}\right) \left(-\tan^2\left(\frac{x}{2}\right) + 2 \tan\left(\frac{x}{2}\right) + 1\right)^2}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[x] + Sin[x])/Sqrt[1 + Sin[2\*x]],x]

[Out] (2\*ArcTan[Tan[x/2]]\*Cos[x/2]^2\*(1 + 2\*Tan[x/2] - Tan[x/2]^2))/Sqrt[Cos[x/2]^4\*(1 + 2\*Tan[x/2] - Tan[x/2]^2)^2]

#### Rule 4401

Int[u\_, x\_Symbol] := With[{v = ExpandTrig[u, x]}, Int[v, x] /; SumQ[v]] /; !InertTrigFreeQ[u]

#### Rule 6719

Int[(u\_.)\*((a\_.)\*(v\_)^(m\_.)\*(w\_)^(n\_.))^p\_, x\_Symbol] := Dist[(a^IntPart[p]\*(a\*v^m\*w^n)^FracPart[p])/(v^(m\*FracPart[p])\*w^(n\*FracPart[p])), Int[u\*v^(m\*p)\*w^(n\*p), x], x] /; FreeQ[{a, m, n, p}, x] && !IntegerQ[p] && !FreeQ[v, x] && !FreeQ[w, x]

#### Rule 1075

Int[((A\_.) + (C\_.)\*(x\_)^2)/(((a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)\*((d\_) + (f\_.)\*(x\_)^2)), x\_Symbol] := With[{q = c^2\*d^2 + b^2\*d\*f - 2\*a\*c\*d\*f + a^2\*f^2}, Dist[1/q, Int[(A\*c^2\*d - a\*c\*C\*d + A\*b^2\*f - a\*A\*c\*f + a^2\*C\*f + c\*(-(b\*C\*d) + A\*b\*f)\*x)/(a + b\*x + c\*x^2), x], x] + Dist[1/q, Int[(c\*C\*d^2 - A\*c\*d\*f - a\*C\*d\*f + a\*A\*f^2 - f\*(-(b\*C\*d) + A\*b\*f)\*x)/(d + f\*x^2), x], x] /; NeQ[q, 0]] /; FreeQ[{a, b, c, d, f, A, C}, x] && NeQ[b^2 - 4\*a\*c, 0]

#### Rule 628

Int[((d\_) + (e\_.)\*(x\_))/((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] := Simp[(d\*Log[RemoveContent[a + b\*x + c\*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2\*c\*d - b\*e, 0]

#### Rule 635

Int[((d\_) + (e\_.)\*(x\_))/((a\_) + (c\_.)\*(x\_)^2), x\_Symbol] := Dist[d, Int[1/(a + c\*x^2), x], x] + Dist[e, Int[x/(a + c\*x^2), x], x] /; FreeQ[{a, c, d, e}

}, x] && !NiceSqrtQ[-(a\*c)]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 260

Int[(x\_)^(m\_.)/((a\_) + (b\_.)\*(x\_)^(n\_.)), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x^n, x]]/(b\*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 1023

Int[((g\_.) + (h\_.)\*(x\_))/(((a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)\*((d\_) + (f\_.)\*(x\_)^2)), x\_Symbol] := With[{q = Simplify[c^2\*d^2 + b^2\*d\*f - 2\*a\*c\*d\*f + a^2\*f^2]}, Dist[1/q, Int[Simp[g\*c^2\*d + g\*b^2\*f - a\*b\*h\*f - a\*g\*c\*f + c\*(h\*c\*d + g\*b\*f - a\*h\*f)\*x, x]/(a + b\*x + c\*x^2), x], x] + Dist[1/q, Int[Simp[b\*h\*d\*f - g\*c\*d\*f + a\*g\*f^2 - f\*(h\*c\*d + g\*b\*f - a\*h\*f)\*x, x]/(d + f\*x^2), x], x] /; NeQ[q, 0] /; FreeQ[{a, b, c, d, f, g, h}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rubi steps



$$\begin{aligned}
\int \frac{\cos(x) + \sin(x)}{\sqrt{1 + \sin(2x)}} dx &= \int \left( \frac{\cos(x)}{\sqrt{1 + \sin(2x)}} + \frac{\sin(x)}{\sqrt{1 + \sin(2x)}} \right) dx \\
&= \int \frac{\cos(x)}{\sqrt{1 + \sin(2x)}} dx + \int \frac{\sin(x)}{\sqrt{1 + \sin(2x)}} dx \\
&= 2 \operatorname{Subst} \left( \int \frac{2x}{(1+x^2)^2 \sqrt{\frac{(-1-2x+x^2)^2}{(1+x^2)^2}}} dx, x, \tan\left(\frac{x}{2}\right) \right) + 2 \operatorname{Subst} \left( \int \frac{1-x^2}{(1+x^2)^2 \sqrt{\frac{(-1-2x+x^2)^2}{(1+x^2)^2}}} dx, \right. \\
&= 4 \operatorname{Subst} \left( \int \frac{x}{(1+x^2)^2 \sqrt{\frac{(-1-2x+x^2)^2}{(1+x^2)^2}}} dx, x, \tan\left(\frac{x}{2}\right) \right) + \frac{(2 \cos^2\left(\frac{x}{2}\right) (-1 - 2 \tan\left(\frac{x}{2}\right) + \tan^2\left(\frac{x}{2}\right)))}{\sqrt{\cos^4\left(\frac{x}{2}\right) (-1 - 2 \tan\left(\frac{x}{2}\right) + \tan^2\left(\frac{x}{2}\right))}} \\
&= \frac{(\cos^2\left(\frac{x}{2}\right) (-1 - 2 \tan\left(\frac{x}{2}\right) + \tan^2\left(\frac{x}{2}\right))) \operatorname{Subst} \left( \int \frac{-4+4x}{1+x^2} dx, x, \tan\left(\frac{x}{2}\right) \right)}{4 \sqrt{\cos^4\left(\frac{x}{2}\right) (-1 - 2 \tan\left(\frac{x}{2}\right) + \tan^2\left(\frac{x}{2}\right))^2}} + \frac{(\cos^2\left(\frac{x}{2}\right) (-1 - 2 \tan\left(\frac{x}{2}\right) + \tan^2\left(\frac{x}{2}\right)))}{4 \sqrt{\cos^4\left(\frac{x}{2}\right) (-1 - 2 \tan\left(\frac{x}{2}\right) + \tan^2\left(\frac{x}{2}\right))^2}} \\
&= \frac{\cos^2\left(\frac{x}{2}\right) \log\left(1 + 2 \tan\left(\frac{x}{2}\right) - \tan^2\left(\frac{x}{2}\right)\right) (1 + 2 \tan\left(\frac{x}{2}\right) - \tan^2\left(\frac{x}{2}\right))}{2 \sqrt{\cos^4\left(\frac{x}{2}\right) (1 + 2 \tan\left(\frac{x}{2}\right) - \tan^2\left(\frac{x}{2}\right))^2}} + \frac{(\cos^2\left(\frac{x}{2}\right) (-1 - 2 \tan\left(\frac{x}{2}\right) + \tan^2\left(\frac{x}{2}\right)))}{2 \sqrt{\cos^4\left(\frac{x}{2}\right) (-1 - 2 \tan\left(\frac{x}{2}\right) + \tan^2\left(\frac{x}{2}\right))^2}} \\
&= \frac{x \cos^2\left(\frac{x}{2}\right) (1 + 2 \tan\left(\frac{x}{2}\right) - \tan^2\left(\frac{x}{2}\right))}{2 \sqrt{\cos^4\left(\frac{x}{2}\right) (1 + 2 \tan\left(\frac{x}{2}\right) - \tan^2\left(\frac{x}{2}\right))^2}} + \frac{\cos^2\left(\frac{x}{2}\right) \log\left(\cos\left(\frac{x}{2}\right)\right) (1 + 2 \tan\left(\frac{x}{2}\right) - \tan^2\left(\frac{x}{2}\right))}{\sqrt{\cos^4\left(\frac{x}{2}\right) (1 + 2 \tan\left(\frac{x}{2}\right) - \tan^2\left(\frac{x}{2}\right))^2}} \\
&= \frac{x \cos^2\left(\frac{x}{2}\right) (1 + 2 \tan\left(\frac{x}{2}\right) - \tan^2\left(\frac{x}{2}\right))}{\sqrt{\cos^4\left(\frac{x}{2}\right) (1 + 2 \tan\left(\frac{x}{2}\right) - \tan^2\left(\frac{x}{2}\right))^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.0131581, size = 17, normalized size = 0.89

$$\frac{x(\sin(x) + \cos(x))}{\sqrt{\sin(2x) + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[x] + Sin[x])/Sqrt[1 + Sin[2\*x]],x]

[Out] (x\*(Cos[x] + Sin[x]))/Sqrt[1 + Sin[2\*x]]

**Maple [C]** time = 0.287, size = 12372, normalized size = 651.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(x)+sin(x))/(1+sin(2\*x))^(1/2),x)

[Out] result too large to display

---

**Maxima [B]** time = 1.66231, size = 444, normalized size = 23.37

$$\frac{1}{16} \sqrt{2} \left( 2 \sqrt{2} \arctan(\sin(2x) + 1, \cos(2x)) + \sqrt{2} \log(\cos(2x)^2 + \sin(2x)^2 + 2 \sin(2x) + 1) + 4(\cos(4x)^2 + 4 \cos(2x) \sin(4x) + \sin(4x)^2 - 4 \cos(4x) \sin(2x) + 4 \sin(2x)^2)^{1/4} (\cos(1/2 \arctan2(\cos(4x) - 2 \sin(2x), 2 \cos(2x) + \sin(4x))) \sin(2x) + \cos(2x) \sin(1/2 \arctan2(\cos(4x) - 2 \sin(2x), 2 \cos(2x) + \sin(4x)))) \right) + 1/16 \sqrt{2} \left( 2 \sqrt{2} \arctan2(\sin(2x) + 1, \cos(2x)) - \sqrt{2} \log(\cos(2x)^2 + \sin(2x)^2 + 2 \sin(2x) + 1) - 4(\cos(4x)^2 + 4 \cos(2x) \sin(4x) + \sin(4x)^2 - 4 \cos(4x) \sin(2x) + 4 \sin(2x)^2)^{1/4} (\cos(2x) \cos(1/2 \arctan2(\cos(4x) - 2 \sin(2x), 2 \cos(2x) + \sin(4x))) - \sin(2x) \sin(1/2 \arctan2(\cos(4x) - 2 \sin(2x), 2 \cos(2x) + \sin(4x)))) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cos(x)+sin(x))/(1+sin(2\*x))^(1/2),x, algorithm="maxima")

[Out] 1/16\*sqrt(2)\*(2\*sqrt(2)\*arctan2(sin(2\*x) + 1, cos(2\*x)) + sqrt(2)\*log(cos(2\*x)^2 + sin(2\*x)^2 + 2\*sin(2\*x) + 1) + 4\*(cos(4\*x)^2 + 4\*cos(2\*x)^2 + 4\*cos(2\*x)\*sin(4\*x) + sin(4\*x)^2 - 4\*cos(4\*x)\*sin(2\*x) + 4\*sin(2\*x)^2)^(1/4)\*(cos(1/2\*arctan2(cos(4\*x) - 2\*sin(2\*x), 2\*cos(2\*x) + sin(4\*x)))\*sin(2\*x) + cos(2\*x)\*sin(1/2\*arctan2(cos(4\*x) - 2\*sin(2\*x), 2\*cos(2\*x) + sin(4\*x)))) + 1/16\*sqrt(2)\*(2\*sqrt(2)\*arctan2(sin(2\*x) + 1, cos(2\*x)) - sqrt(2)\*log(cos(2\*x)^2 + sin(2\*x)^2 + 2\*sin(2\*x) + 1) - 4\*(cos(4\*x)^2 + 4\*cos(2\*x)^2 + 4\*cos(2\*x)\*sin(4\*x) + sin(4\*x)^2 - 4\*cos(4\*x)\*sin(2\*x) + 4\*sin(2\*x)^2)^(1/4)\*(cos(2\*x)\*cos(1/2\*arctan2(cos(4\*x) - 2\*sin(2\*x), 2\*cos(2\*x) + sin(4\*x))) - sin(2\*x)\*sin(1/2\*arctan2(cos(4\*x) - 2\*sin(2\*x), 2\*cos(2\*x) + sin(4\*x))))

---

**Fricas [A]** time = 1.96431, size = 5, normalized size = 0.26

$$-x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cos(x)+sin(x))/(1+sin(2\*x))^(1/2),x, algorithm="fricas")

[Out] -x

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin(x) + \cos(x)}{\sqrt{\sin(2x) + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cos(x)+sin(x))/(1+sin(2\*x))\*\*(1/2),x)

[Out] Integral((sin(x) + cos(x))/sqrt(sin(2\*x) + 1), x)

---

**Giac [B]** time = 1.11637, size = 57, normalized size = 3.

$$\frac{2 \pi \left\lfloor \frac{x}{2\pi} + \frac{1}{2} \right\rfloor - x}{\operatorname{sgn} \left( \tan \left( \frac{1}{2} x \right)^4 - 2 \tan \left( \frac{1}{2} x \right)^3 - 2 \tan \left( \frac{1}{2} x \right) - 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((cos(x)+sin(x))/(1+sin(2*x))^(1/2),x, algorithm="giac")
```

```
[Out] (2*pi*floor(1/2*x/pi + 1/2) - x)/sgn(tan(1/2*x)^4 - 2*tan(1/2*x)^3 - 2*tan(1/2*x) - 1)
```

### 3.861 $\int \sec(x) \sqrt{\sec(x) + \tan(x)} dx$

**Optimal.** Leaf size=13

$$2\sqrt{(\sin(x) + 1)\sec(x)}$$

[Out] 2\*Sqrt[Sec[x]\*(1 + Sin[x])]

**Rubi [A]** time = 0.145602, antiderivative size = 13, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4397, 4400, 2705, 2671}

$$2\sqrt{(\sin(x) + 1)\sec(x)}$$

Antiderivative was successfully verified.

[In] Int[Sec[x]\*Sqrt[Sec[x] + Tan[x]],x]

[Out] 2\*Sqrt[Sec[x]\*(1 + Sin[x])]

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 4400

Int[(u\_.)\*((v\_)^(m\_.)\*(w\_)^(n\_.))^p, x\_Symbol] := With[{uu = ActivateTrig[u], vv = ActivateTrig[v], ww = ActivateTrig[w]}, Dist[(vv^m\*ww^n)^FracPart[p]/(vv^(m\*FracPart[p])\*ww^(n\*FracPart[p])), Int[uu\*vv^(m\*p)\*ww^(n\*p), x], x] /; FreeQ[{m, n, p}, x] && !IntegerQ[p] && (!InertTrigFreeQ[v] || !InertTrigFreeQ[w])

#### Rule 2705

Int[((g\_.)\*sec[(e\_.) + (f\_.)\*(x\_)])^p\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^m, x\_Symbol] := Dist[g^(2\*IntPart[p])\*(g\*Cos[e + f\*x])^FracPart[p]\*(g\*Sec[e + f\*x])^FracPart[p], Int[(a + b\*Sin[e + f\*x])^m/(g\*Cos[e + f\*x])^p, x], x] /; FreeQ[{a, b, e, f, g, m, p}, x] && !IntegerQ[p]

#### Rule 2671

Int[(cos[(e\_.) + (f\_.)\*(x\_)])\*(g\_.))^p\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^m, x\_Symbol] := Simp[(b\*(g\*Cos[e + f\*x])^(p + 1)\*(a + b\*Sin[e + f\*x])^m)/(a\*f\*g\*m), x] /; FreeQ[{a, b, e, f, g, m, p}, x] && EqQ[a^2 - b^2, 0] && EqQ[Simplify[m + p + 1], 0] && !ILtQ[p, 0]

#### Rubi steps

$$\begin{aligned}
\int \sec(x)\sqrt{\sec(x) + \tan(x)} dx &= \int \sec(x)\sqrt{\sec(x)(1 + \sin(x))} dx \\
&= \frac{\sqrt{\sec(x)(1 + \sin(x))} \int \sec^{\frac{3}{2}}(x)\sqrt{1 + \sin(x)} dx}{\sqrt{\sec(x)}\sqrt{1 + \sin(x)}} \\
&= \frac{(\sqrt{\cos(x)}\sqrt{\sec(x)(1 + \sin(x))}) \int \frac{\sqrt{1 + \sin(x)}}{\cos^{\frac{3}{2}}(x)} dx}{\sqrt{1 + \sin(x)}} \\
&= 2\sqrt{\sec(x)(1 + \sin(x))}
\end{aligned}$$

**Mathematica [B]** time = 0.0446157, size = 37, normalized size = 2.85

$$2 \sqrt{\frac{\sin\left(\frac{x}{2}\right) + \cos\left(\frac{x}{2}\right)}{\cos\left(\frac{x}{2}\right) - \sin\left(\frac{x}{2}\right)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[x]\*Sqrt[Sec[x] + Tan[x]], x]

[Out] 2\*Sqrt[(Cos[x/2] + Sin[x/2])/(Cos[x/2] - Sin[x/2])]

**Maple [A]** time = 0.058, size = 10, normalized size = 0.8

$$2 \sqrt{\sec(x) + \tan(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(x)\*(sec(x)+tan(x))^(1/2), x)

[Out] 2\*(sec(x)+tan(x))^(1/2)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{\sec(x) + \tan(x)} \sec(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)\*(sec(x)+tan(x))^(1/2), x, algorithm="maxima")

[Out] integrate(sqrt(sec(x) + tan(x))\*sec(x), x)

**Fricas [A]** time = 2.03483, size = 72, normalized size = 5.54

$$2 \sqrt{\frac{\cos(x) + \sin(x) + 1}{\cos(x) - \sin(x) + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)*(sec(x)+tan(x))^(1/2),x, algorithm="fricas")
```

```
[Out] 2*sqrt((cos(x) + sin(x) + 1)/(cos(x) - sin(x) + 1))
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{\tan(x) + \sec(x)} \sec(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)*(sec(x)+tan(x))**(1/2),x)
```

```
[Out] Integral(sqrt(tan(x) + sec(x))*sec(x), x)
```

**Giac [B]** time = 1.29174, size = 74, normalized size = 5.69

$$\frac{4 \operatorname{sgn}\left(-\tan\left(\frac{1}{2}x\right)^3 - \tan\left(\frac{1}{2}x\right)^2 - \tan\left(\frac{1}{2}x\right) - 1\right) \operatorname{sgn}(\cos(x))}{\frac{\sqrt{-\tan\left(\frac{1}{2}x\right)^2 + 1} - 1}{\tan\left(\frac{1}{2}x\right)} + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)*(sec(x)+tan(x))^(1/2),x, algorithm="giac")
```

```
[Out] -4*sgn(-tan(1/2*x)^3 - tan(1/2*x)^2 - tan(1/2*x) - 1)*sgn(cos(x))/((sqrt(-tan(1/2*x)^2 + 1) - 1)/tan(1/2*x) + 1)
```

$$3.862 \quad \int \sec(x) \sqrt{4 + 3 \sec(x)} \tan(x) dx$$

**Optimal.** Leaf size=14

$$\frac{2}{9}(3 \sec(x) + 4)^{3/2}$$

[Out] (2\*(4 + 3\*Sec[x])^(3/2))/9

**Rubi [A]** time = 0.0438361, antiderivative size = 14, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$ , Rules used = {4339, 261}

$$\frac{2}{9}(3 \sec(x) + 4)^{3/2}$$

Antiderivative was successfully verified.

[In] Int[Sec[x]\*Sqrt[4 + 3\*Sec[x]]\*Tan[x],x]

[Out] (2\*(4 + 3\*Sec[x])^(3/2))/9

#### Rule 4339

Int[(u\_)\*(F\_)[(c\_)\*((a\_) + (b\_)\*(x\_))], x\_Symbol] :> With[{d = FreeFactors[Cos[c\*(a + b\*x)], x]}, -Dist[(b\*c)^(-1), Subst[Int[SubstFor[1/x, Cos[c\*(a + b\*x)]]/d, u, x], x], x, Cos[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Cos[c\*(a + b\*x)]/d, u, x, True] /; FreeQ[{a, b, c}, x] && (EqQ[F, Tan] || EqQ[F, tan])

#### Rule 261

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

#### Rubi steps

$$\begin{aligned} \int \sec(x) \sqrt{4 + 3 \sec(x)} \tan(x) dx &= -\text{Subst} \left( \int \frac{\sqrt{4 + \frac{3}{x}}}{x^2} dx, x, \cos(x) \right) \\ &= \frac{2}{9}(4 + 3 \sec(x))^{3/2} \end{aligned}$$

**Mathematica [A]** time = 0.0540786, size = 14, normalized size = 1.

$$\frac{2}{9}(3 \sec(x) + 4)^{3/2}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[x]\*Sqrt[4 + 3\*Sec[x]]\*Tan[x],x]

[Out] (2\*(4 + 3\*Sec[x])^(3/2))/9

---

**Maple [A]** time = 0.018, size = 11, normalized size = 0.8

$$\frac{2}{9} (4 + 3 \sec(x))^{\frac{3}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(x)\*(4+3\*sec(x))^(1/2)\*tan(x),x)

[Out] 2/9\*(4+3\*sec(x))^(3/2)

---

**Maxima [A]** time = 0.95489, size = 14, normalized size = 1.

$$\frac{2}{9} (3 \sec(x) + 4)^{\frac{3}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)\*(4+3\*sec(x))^(1/2)\*tan(x),x, algorithm="maxima")

[Out] 2/9\*(3\*sec(x) + 4)^(3/2)

---

**Fricas [B]** time = 2.04178, size = 74, normalized size = 5.29

$$\frac{2 \sqrt{\frac{4 \cos(x)+3}{\cos(x)}} (4 \cos(x) + 3)}{9 \cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)\*(4+3\*sec(x))^(1/2)\*tan(x),x, algorithm="fricas")

[Out] 2/9\*sqrt((4\*cos(x) + 3)/cos(x))\*(4\*cos(x) + 3)/cos(x)

---

**Sympy [B]** time = 0.910715, size = 29, normalized size = 2.07

$$\frac{2\sqrt{3 \sec(x) + 4} \sec(x)}{3} + \frac{8\sqrt{3 \sec(x) + 4}}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)\*(4+3\*sec(x))\*\*(1/2)\*tan(x),x)

[Out] 2\*sqrt(3\*sec(x) + 4)\*sec(x)/3 + 8\*sqrt(3\*sec(x) + 4)/9

---

**Giac [B]** time = 1.09666, size = 92, normalized size = 6.57

$$\frac{2 \left( 4 \left( \sqrt{4 \cos(x)^2 + 3 \cos(x)} - 2 \cos(x) \right)^2 - 6 \sqrt{4 \cos(x)^2 + 3 \cos(x)} + 12 \cos(x) + 3 \right) \operatorname{sgn}(\cos(x))}{\left( \sqrt{4 \cos(x)^2 + 3 \cos(x)} - 2 \cos(x) \right)^3}$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)*(4+3*sec(x))^(1/2)*tan(x),x, algorithm="giac")
```

```
[Out] 2*(4*(sqrt(4*cos(x)^2 + 3*cos(x)) - 2*cos(x))^2 - 6*sqrt(4*cos(x)^2 + 3*cos(x)) + 12*cos(x) + 3)*sgn(cos(x))/(sqrt(4*cos(x)^2 + 3*cos(x)) - 2*cos(x))^3
```

### 3.863 $\int \sec(x) \sqrt{1 + \sec(x)} \tan^3(x) dx$

**Optimal.** Leaf size=25

$$\frac{2}{7}(\sec(x) + 1)^{7/2} - \frac{4}{5}(\sec(x) + 1)^{5/2}$$

[Out]  $(-4*(1 + \text{Sec}[x])^{(5/2)})/5 + (2*(1 + \text{Sec}[x])^{(7/2)})/7$

**Rubi [A]** time = 0.0853067, antiderivative size = 25, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4373, 1570, 1469, 627, 43}

$$\frac{2}{7}(\sec(x) + 1)^{7/2} - \frac{4}{5}(\sec(x) + 1)^{5/2}$$

Antiderivative was successfully verified.

[In] `Int[Sec[x]*Sqrt[1 + Sec[x]]*Tan[x]^3,x]`

[Out]  $(-4*(1 + \text{Sec}[x])^{(5/2)})/5 + (2*(1 + \text{Sec}[x])^{(7/2)})/7$

#### Rule 4373

```
Int[(u_)*(F_)[(c_.)*((a_.) + (b_.)*(x_))]^(n_), x_Symbol] := With[{d = Free
Factors[Cos[c*(a + b*x)], x]}, -Dist[(b*c*d^(n - 1))^( -1), Subst[Int[SubstF
or[(1 - d^2*x^2)^((n - 1)/2)/x^n, Cos[c*(a + b*x)]/d, u, x], x], x, Cos[c*(
a + b*x)]/d], x] /; FunctionOfQ[Cos[c*(a + b*x)]/d, u, x] /; FreeQ[{a, b,
c}, x] && IntegerQ[(n - 1)/2] && NonsumQ[u] && (EqQ[F, Tan] || EqQ[F, tan])
```

#### Rule 1570

```
Int[(x_)^(m_.)*((a_.) + (c_.)*(x_)^(mn2_.))^(p_.)*((d_) + (e_.)*(x_)^(n_.))
^(q_.), x_Symbol] := Int[x^(m - 2*n*p)*(d + e*x^n)^q*(c + a*x^(2*n))^p, x]
/; FreeQ[{a, c, d, e, m, n, q}, x] && EqQ[mn2, -2*n] && IntegerQ[p]
```

#### Rule 1469

```
Int[(x_)^(m_.)*((a_) + (c_.)*(x_)^(n2_.))^(p_.)*((d_) + (e_.)*(x_)^(n_.))^(q
_.), x_Symbol] := Dist[1/n, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^n
], x] /; FreeQ[{a, c, d, e, m, n, p, q}, x] && EqQ[n2, 2*n] && EqQ[Simplify
[m - n + 1], 0]
```

#### Rule 627

```
Int[((d_) + (e_.)*(x_))^(m_.)*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int
[(d + e*x)^(m + p)*(a/d + (c*x)/e)^p, x] /; FreeQ[{a, c, d, e, m, p}, x] &&
EqQ[c*d^2 + a*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && Intege
rQ[m + p]))
```

#### Rule 43

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && ( !IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rubi steps

$$\begin{aligned}
\int \sec(x)\sqrt{1+\sec(x)}\tan^3(x)dx &= -\text{Subst}\left(\int \frac{\sqrt{1+\frac{1}{x}}(1-x^2)}{x^4}dx, x, \cos(x)\right) \\
&= -\text{Subst}\left(\int \frac{\left(-1+\frac{1}{x^2}\right)\sqrt{1+\frac{1}{x}}}{x^2}dx, x, \cos(x)\right) \\
&= \text{Subst}\left(\int \sqrt{1+x}(-1+x^2)dx, x, \sec(x)\right) \\
&= \text{Subst}\left(\int (-1+x)(1+x)^{3/2}dx, x, \sec(x)\right) \\
&= \text{Subst}\left(\int (-2(1+x)^{3/2}+(1+x)^{5/2})dx, x, \sec(x)\right) \\
&= -\frac{4}{5}(1+\sec(x))^{5/2}+\frac{2}{7}(1+\sec(x))^{7/2}
\end{aligned}$$

**Mathematica [A]** time = 0.189612, size = 30, normalized size = 1.2

$$-\frac{8}{35}\cos^4\left(\frac{x}{2}\right)(9\cos(x)-5)\sec^3(x)\sqrt{\sec(x)+1}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[x]\*Sqrt[1+Sec[x]]\*Tan[x]^3,x]

[Out] (-8\*Cos[x/2]^4\*(-5+9\*Cos[x])\*Sec[x]^3\*Sqrt[1+Sec[x]])/35

**Maple [A]** time = 0.067, size = 34, normalized size = 1.4

$$-\frac{(18\cos(x)-10)(\sin(x))^4}{35(-1+\cos(x))^2(\cos(x))^3}\sqrt{\frac{1+\cos(x)}{\cos(x)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(x)\*(1+sec(x))^(1/2)\*tan(x)^3,x)

[Out] -2/35\*(9\*cos(x)-5)\*((1+cos(x))/cos(x))^(1/2)\*sin(x)^4/(-1+cos(x))^2/cos(x)^3

**Maxima [A]** time = 0.957432, size = 28, normalized size = 1.12

$$\frac{2}{7}\left(\frac{1}{\cos(x)}+1\right)^{\frac{7}{2}}-\frac{4}{5}\left(\frac{1}{\cos(x)}+1\right)^{\frac{5}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)\*(1+sec(x))^(1/2)\*tan(x)^3,x, algorithm="maxima")

[Out] 2/7\*(1/cos(x)+1)^(7/2)-4/5\*(1/cos(x)+1)^(5/2)

---

**Fricas [B]** time = 2.03862, size = 111, normalized size = 4.44

$$\frac{2 \left( 9 \cos(x)^3 + 13 \cos(x)^2 - \cos(x) - 5 \right) \sqrt{\frac{\cos(x)+1}{\cos(x)}}}{35 \cos(x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)\*(1+sec(x))^(1/2)\*tan(x)^3,x, algorithm="fricas")

[Out] -2/35\*(9\*cos(x)^3 + 13\*cos(x)^2 - cos(x) - 5)\*sqrt((cos(x) + 1)/cos(x))/cos(x)^3

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{\sec(x) + 1} \tan^3(x) \sec(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)\*(1+sec(x))\*\*(1/2)\*tan(x)\*\*3,x)

[Out] Integral(sqrt(sec(x) + 1)\*tan(x)\*\*3\*sec(x), x)

---

**Giac [B]** time = 1.092, size = 173, normalized size = 6.92

$$\frac{2 \left( 35 \left( \sqrt{\cos(x)^2 + \cos(x)} - \cos(x) \right)^6 - 35 \left( \sqrt{\cos(x)^2 + \cos(x)} - \cos(x) \right)^5 - 35 \left( \sqrt{\cos(x)^2 + \cos(x)} - \cos(x) \right)^4 + 105 \left( \sqrt{\cos(x)^2 + \cos(x)} - \cos(x) \right)^3 - 91 \left( \sqrt{\cos(x)^2 + \cos(x)} - \cos(x) \right)^2 + 35 \sqrt{\cos(x)^2 + \cos(x)} - 35 \cos(x) - 5 \right) \operatorname{sgn}(\cos(x))}{35 \left( \sqrt{\cos(x)^2 + \cos(x)} - \cos(x) \right)^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)\*(1+sec(x))^(1/2)\*tan(x)^3,x, algorithm="giac")

[Out] -2/35\*(35\*(sqrt(cos(x)^2 + cos(x)) - cos(x))^6 - 35\*(sqrt(cos(x)^2 + cos(x)) - cos(x))^5 - 35\*(sqrt(cos(x)^2 + cos(x)) - cos(x))^4 + 105\*(sqrt(cos(x)^2 + cos(x)) - cos(x))^3 - 91\*(sqrt(cos(x)^2 + cos(x)) - cos(x))^2 + 35\*sqrt(cos(x)^2 + cos(x)) - 35\*cos(x) - 5)\*sgn(cos(x))/(sqrt(cos(x)^2 + cos(x)) - cos(x))^7

### 3.864 $\int \cot^3(x) \csc(x) \sqrt{1 + \csc(x)} dx$

**Optimal.** Leaf size=25

$$\frac{4}{5}(\csc(x) + 1)^{5/2} - \frac{2}{7}(\csc(x) + 1)^{7/2}$$

[Out] (4\*(1 + Csc[x])^(5/2))/5 - (2\*(1 + Csc[x])^(7/2))/7

**Rubi [A]** time = 0.0810866, antiderivative size = 25, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4372, 1570, 1469, 627, 43}

$$\frac{4}{5}(\csc(x) + 1)^{5/2} - \frac{2}{7}(\csc(x) + 1)^{7/2}$$

Antiderivative was successfully verified.

[In] Int[Cot[x]^3\*Csc[x]\*Sqrt[1 + Csc[x]],x]

[Out] (4\*(1 + Csc[x])^(5/2))/5 - (2\*(1 + Csc[x])^(7/2))/7

#### Rule 4372

Int[(u\_)\*(F\_)[(c\_.)\*((a\_.) + (b\_.)\*(x\_))]^(n\_), x\_Symbol] := With[{d = Free Factors[Sin[c\*(a + b\*x)], x]}, Dist[1/(b\*c\*d^(n - 1)), Subst[Int[SubstFor[(1 - d^2\*x^2)^(n - 1)/2]/x^n, Sin[c\*(a + b\*x)]/d, u, x], x], x, Sin[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Sin[c\*(a + b\*x)]/d, u, x] /; FreeQ[{a, b, c}, x] && IntegerQ[(n - 1)/2] && NonsumQ[u] && (EqQ[F, Cot] || EqQ[F, cot])

#### Rule 1570

Int[(x\_)^(m\_.)\*((a\_.) + (c\_.)\*(x\_)^(mn2\_.))^(p\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))^(q\_.), x\_Symbol] := Int[x^(m - 2\*n\*p)\*(d + e\*x^n)^q\*(c + a\*x^(2\*n))^p, x] /; FreeQ[{a, c, d, e, m, n, q}, x] && EqQ[mn2, -2\*n] && IntegerQ[p]

#### Rule 1469

Int[(x\_)^(m\_.)\*((a\_) + (c\_.)\*(x\_)^(n2\_.))^(p\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))^(q\_.), x\_Symbol] := Dist[1/n, Subst[Int[(d + e\*x)^q\*(a + c\*x^2)^p, x], x, x^n], x] /; FreeQ[{a, c, d, e, m, n, p, q}, x] && EqQ[n2, 2\*n] && EqQ[Simplify[m - n + 1], 0]

#### Rule 627

Int[((d\_) + (e\_.)\*(x\_))^(m\_.)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Int[(d + e\*x)^(m + p)\*(a/d + (c\*x)/e)^p, x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && IntegerQ[m + p]))

#### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

Rubi steps

$$\begin{aligned}
\int \cot^3(x) \csc(x) \sqrt{1 + \csc(x)} dx &= \text{Subst} \left( \int \frac{\sqrt{1 + \frac{1}{x}} (1 - x^2)}{x^4} dx, x, \sin(x) \right) \\
&= \text{Subst} \left( \int \frac{\left(-1 + \frac{1}{x^2}\right) \sqrt{1 + \frac{1}{x}}}{x^2} dx, x, \sin(x) \right) \\
&= -\text{Subst} \left( \int \sqrt{1 + x} (-1 + x^2) dx, x, \csc(x) \right) \\
&= -\text{Subst} \left( \int (-1 + x)(1 + x)^{3/2} dx, x, \csc(x) \right) \\
&= -\text{Subst} \left( \int \left(-2(1 + x)^{3/2} + (1 + x)^{5/2}\right) dx, x, \csc(x) \right) \\
&= \frac{4}{5}(1 + \csc(x))^{5/2} - \frac{2}{7}(1 + \csc(x))^{7/2}
\end{aligned}$$

**Mathematica [A]** time = 0.0388715, size = 18, normalized size = 0.72

$$-\frac{2}{35}(\csc(x) + 1)^{5/2}(5 \csc(x) - 9)$$

Antiderivative was successfully verified.

[In] Integrate[Cot[x]^3\*Csc[x]\*Sqrt[1 + Csc[x]],x]

[Out] (-2\*(1 + Csc[x])^(5/2)\*(-9 + 5\*Csc[x]))/35

**Maple [B]** time = 0.084, size = 38, normalized size = 1.5

$$\frac{18 (\cos(x))^2 \sin(x) + 26 (\cos(x))^2 - 16 \sin(x) - 16}{35 (\sin(x))^3} \sqrt{\frac{1 + \sin(x)}{\sin(x)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(x)^3\*csc(x)\*(1+csc(x))^(1/2),x)

[Out] -2/35\*((1+sin(x))/sin(x))^(1/2)\*(9\*cos(x)^2\*sin(x)+13\*cos(x)^2-8\*sin(x)-8)/sin(x)^3

**Maxima [A]** time = 0.96642, size = 28, normalized size = 1.12

$$-\frac{2}{7} \left( \frac{1}{\sin(x)} + 1 \right)^{\frac{7}{2}} + \frac{4}{5} \left( \frac{1}{\sin(x)} + 1 \right)^{\frac{5}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(x)^3\*csc(x)\*(1+csc(x))^(1/2),x, algorithm="maxima")

[Out] -2/7\*(1/sin(x) + 1)^(7/2) + 4/5\*(1/sin(x) + 1)^(5/2)

---

**Fricas [B]** time = 2.07529, size = 135, normalized size = 5.4

$$\frac{2 \left( 13 \cos(x)^2 + (9 \cos(x)^2 - 8) \sin(x) - 8 \right) \sqrt{\frac{\sin(x)+1}{\sin(x)}}}{35 (\cos(x)^2 - 1) \sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(x)^3\*csc(x)\*(1+csc(x))^(1/2),x, algorithm="fricas")

[Out] 2/35\*(13\*cos(x)^2 + (9\*cos(x)^2 - 8)\*sin(x) - 8)\*sqrt((sin(x) + 1)/sin(x))/  
((cos(x)^2 - 1)\*sin(x))

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{\csc(x) + 1} \cot^3(x) \csc(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(x)\*\*3\*csc(x)\*(1+csc(x))\*\*(1/2),x)

[Out] Integral(sqrt(csc(x) + 1)\*cot(x)\*\*3\*csc(x), x)

---

**Giac [B]** time = 1.09556, size = 173, normalized size = 6.92

$$\frac{2 \left( 35 \left( \sqrt{\sin(x)^2 + \sin(x)} - \sin(x) \right)^6 - 35 \left( \sqrt{\sin(x)^2 + \sin(x)} - \sin(x) \right)^5 - 35 \left( \sqrt{\sin(x)^2 + \sin(x)} - \sin(x) \right)^4 + 105 \right)}{35 \left( \sqrt{\sin(x)^2} \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(x)^3\*csc(x)\*(1+csc(x))^(1/2),x, algorithm="giac")

[Out] 2/35\*(35\*(sqrt(sin(x)^2 + sin(x)) - sin(x))^6 - 35\*(sqrt(sin(x)^2 + sin(x)) - sin(x))^5 - 35\*(sqrt(sin(x)^2 + sin(x)) - sin(x))^4 + 105\*(sqrt(sin(x)^2 + sin(x)) - sin(x))^3 - 91\*(sqrt(sin(x)^2 + sin(x)) - sin(x))^2 + 35\*sqrt(sin(x)^2 + sin(x)) - 35\*sin(x) - 5)\*sgn(sin(x))/(sqrt(sin(x)^2 + sin(x)) - sin(x))^7

$$3.865 \quad \int \sqrt{\csc(x)}(x \cos(x) - 4 \sec(x) \tan(x)) dx$$

Optimal. Leaf size=20

$$\frac{2x}{\sqrt{\csc(x)}} - \frac{4 \sec(x)}{\csc^{\frac{3}{2}}(x)}$$

[Out] (2\*x)/Sqrt[Csc[x]] - (4\*Sec[x])/Csc[x]^(3/2)

**Rubi [A]** time = 0.151274, antiderivative size = 20, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$ , Rules used = {6742, 4213, 3771, 2639, 2626}

$$\frac{2x}{\sqrt{\csc(x)}} - \frac{4 \sec(x)}{\csc^{\frac{3}{2}}(x)}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Csc[x]]\*(x\*Cos[x] - 4\*Sec[x]\*Tan[x]),x]

[Out] (2\*x)/Sqrt[Csc[x]] - (4\*Sec[x])/Csc[x]^(3/2)

#### Rule 6742

Int[u\_, x\_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]  
]

#### Rule 4213

Int[Cos[(a\_.) + (b\_.)\*(x\_)^(n\_.)]\*Csc[(a\_.) + (b\_.)\*(x\_)^(n\_.)]^(p\_)\*(x\_)^(m\_.), x\_Symbol] := -Simp[(x^(m - n + 1)\*Csc[a + b\*x^n]^(p - 1))/(b\*n\*(p - 1)), x] + Dist[(m - n + 1)/(b\*n\*(p - 1)), Int[x^(m - n)\*Csc[a + b\*x^n]^(p - 1), x], x] /; FreeQ[{a, b, p}, x] && IntegerQ[n] && GeQ[m - n, 0] && NeQ[p, 1]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - P i/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2626

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(a\_.))^(m\_.)\*((b\_.)\*sec[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := Simp[(a\*b\*(a\*Csc[e + f\*x])^(m - 1)\*(b\*Sec[e + f\*x])^(n - 1))/(f\*(n - 1)), x] + Dist[(b^2\*(m + n - 2))/(n - 1), Int[(a\*Csc[e + f\*x])^m\*(b\*Sec[e + f\*x])^(n - 2), x], x] /; FreeQ[{a, b, e, f, m}, x] && GtQ[n, 1] && IntegersQ[2\*m, 2\*n]

#### Rubi steps



$$\begin{aligned}
\int \sqrt{\csc(x)}(x \cos(x) - 4 \sec(x) \tan(x)) dx &= \int \left( x \cos(x) \sqrt{\csc(x)} - \frac{4 \sec^2(x)}{\sqrt{\csc(x)}} \right) dx \\
&= - \left( 4 \int \frac{\sec^2(x)}{\sqrt{\csc(x)}} dx \right) + \int x \cos(x) \sqrt{\csc(x)} dx \\
&= \frac{2x}{\sqrt{\csc(x)}} - \frac{4 \sec(x)}{\csc^{\frac{3}{2}}(x)}
\end{aligned}$$

**Mathematica [A]** time = 0.447148, size = 17, normalized size = 0.85

$$\frac{2(x \csc(x) - 2 \sec(x))}{\csc^{\frac{3}{2}}(x)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Csc[x]]\*(x\*Cos[x] - 4\*Sec[x]\*Tan[x]),x]

[Out] (2\*(x\*Csc[x] - 2\*Sec[x]))/Csc[x]^(3/2)

**Maple [F]** time = 0.188, size = 0, normalized size = 0.

$$\int \sqrt{\csc(x)}(x \cos(x) - 4 \sec(x) \tan(x)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(x)^(1/2)\*(x\*cos(x)-4\*sec(x)\*tan(x)),x)

[Out] int(csc(x)^(1/2)\*(x\*cos(x)-4\*sec(x)\*tan(x)),x)

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)^(1/2)\*(x\*cos(x)-4\*sec(x)\*tan(x)),x, algorithm="maxima")

[Out] Timed out

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)^(1/2)\*(x\*cos(x)-4\*sec(x)\*tan(x)),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(x)**(1/2)*(x*cos(x)-4*sec(x)*tan(x)),x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (x \cos(x) - 4 \sec(x) \tan(x)) \sqrt{\csc(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(x)^(1/2)*(x*cos(x)-4*sec(x)*tan(x)),x, algorithm="giac")`

[Out] `integrate((x*cos(x) - 4*sec(x)*tan(x))*sqrt(csc(x)), x)`

$$3.866 \quad \int \cot(x) \sqrt{-1 + \csc^2(x)} (1 - \sin^2(x))^3 dx$$

**Optimal.** Leaf size=76

$$-\frac{35}{16} \sqrt{\cot^2(x)} + \frac{1}{6} \cos^6(x) \sqrt{\cot^2(x)} + \frac{7}{24} \cos^4(x) \sqrt{\cot^2(x)} + \frac{35}{48} \cos^2(x) \sqrt{\cot^2(x)} - \frac{35}{16} x \tan(x) \sqrt{\cot^2(x)}$$

[Out] (-35\*Sqrt[Cot[x]^2])/16 + (35\*Cos[x]^2\*Sqrt[Cot[x]^2])/48 + (7\*Cos[x]^4\*Sqrt[Cot[x]^2])/24 + (Cos[x]^6\*Sqrt[Cot[x]^2])/6 - (35\*x\*Sqrt[Cot[x]^2]\*Tan[x])/16

**Rubi [A]** time = 0.162233, antiderivative size = 84, normalized size of antiderivative = 1.11, number of steps used = 10, number of rules used = 8, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$ , Rules used = {3175, 4360, 25, 266, 47, 50, 63, 203}

$$-\frac{35}{16} \sqrt{\csc^2(x) - 1} + \frac{1}{6} \sin^6(x) (\csc^2(x) - 1)^{7/2} + \frac{7}{24} \sin^4(x) (\csc^2(x) - 1)^{5/2} + \frac{35}{48} \sin^2(x) (\csc^2(x) - 1)^{3/2} + \frac{35}{16} \tan^{-1}(\dots)$$

Antiderivative was successfully verified.

[In] Int[Cot[x]\*Sqrt[-1 + Csc[x]^2]\*(1 - Sin[x]^2)^3,x]

[Out] (35\*ArcTan[Sqrt[-1 + Csc[x]^2]])/16 - (35\*Sqrt[-1 + Csc[x]^2])/16 + (35\*(-1 + Csc[x]^2)^(3/2)\*Sin[x]^2)/48 + (7\*(-1 + Csc[x]^2)^(5/2)\*Sin[x]^4)/24 + (-1 + Csc[x]^2)^(7/2)\*Sin[x]^6/6

#### Rule 3175

Int[(u\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)^2])^(p\_), x\_Symbol] :> Dist[a^p, Int[ActivateTrig[u\*cos[e + f\*x]^(2\*p)], x], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a + b, 0] && IntegerQ[p]

#### Rule 4360

Int[(u\_.)\*(F\_)[(c\_.)\*((a\_.) + (b\_.)\*(x\_))], x\_Symbol] :> With[{d = FreeFactors[Sin[c\*(a + b\*x)], x]}, Dist[1/(b\*c), Subst[Int[SubstFor[1/x, Sin[c\*(a + b\*x)]]/d, u, x], x], x, Sin[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Sin[c\*(a + b\*x)]/d, u, x] /; FreeQ[{a, b, c}, x] && (EqQ[F, Cot] || EqQ[F, cot])

#### Rule 25

Int[(u\_.)\*((a\_.) + (b\_.)\*(x\_)^(n\_.))^(m\_.)\*((c\_.) + (d\_.)\*(x\_)^(q\_.))^(p\_.), x\_Symbol] :> Dist[(d/a)^p, Int[(u\*(a + b\*x^n)^(m + p))/x^(n\*p), x], x] /; FreeQ[{a, b, c, d, m, n}, x] && EqQ[q, -n] && IntegerQ[p] && EqQ[a\*c - b\*d, 0] && !(IntegerQ[m] && NegQ[n])

#### Rule 266

Int[(x\_)^(m\_.)\*((a\_.) + (b\_.)\*(x\_)^(n\_.))^(p\_), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

#### Rule 47

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] :> Simp[((a + b\*x)^(m + 1)\*(c + d\*x)^n)/(b\*(m + 1)), x] - Dist[(d\*n)/(b\*(m + 1)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] &&

```

NeQ[b*c - a*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !IntegerQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2*n + m + 1, 0])) &
& IntLinearQ[a, b, c, d, m, n, x]

```

### Rule 50

```

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && ( !IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILTQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

```

### Rule 63

```

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

```

### Rule 203

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt
[a, 2])]/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])

```

### Rubi steps

$$\begin{aligned}
\int \cot(x)\sqrt{-1 + \csc^2(x)}(1 - \sin^2(x))^3 dx &= \int \cos^6(x) \cot(x)\sqrt{-1 + \csc^2(x)} dx \\
&= \text{Subst}\left(\int \frac{\sqrt{-1 + \frac{1}{x^2}}(1 - x^2)^3}{x} dx, x, \sin(x)\right) \\
&= \text{Subst}\left(\int \left(-1 + \frac{1}{x^2}\right)^{7/2} x^5 dx, x, \sin(x)\right) \\
&= -\left(\frac{1}{2} \text{Subst}\left(\int \frac{(-1 + x)^{7/2}}{x^4} dx, x, \csc^2(x)\right)\right) \\
&= \frac{1}{6} \cot^2(x)^{7/2} \sin^6(x) - \frac{7}{12} \text{Subst}\left(\int \frac{(-1 + x)^{5/2}}{x^3} dx, x, \csc^2(x)\right) \\
&= \frac{7}{24} \cot^2(x)^{5/2} \sin^4(x) + \frac{1}{6} \cot^2(x)^{7/2} \sin^6(x) - \frac{35}{48} \text{Subst}\left(\int \frac{(-1 + x)^{3/2}}{x^2} dx, x, \csc^2(x)\right) \\
&= \frac{35}{48} \cot^2(x)^{3/2} \sin^2(x) + \frac{7}{24} \cot^2(x)^{5/2} \sin^4(x) + \frac{1}{6} \cot^2(x)^{7/2} \sin^6(x) - \frac{35}{32} \text{Subst}\left(\int \frac{(-1 + x)^{1/2}}{x} dx, x, \csc^2(x)\right) \\
&= -\frac{35}{16} \sqrt{\cot^2(x)} + \frac{35}{48} \cot^2(x)^{3/2} \sin^2(x) + \frac{7}{24} \cot^2(x)^{5/2} \sin^4(x) + \frac{1}{6} \cot^2(x)^{7/2} \sin^6(x) \\
&= -\frac{35}{16} \sqrt{\cot^2(x)} + \frac{35}{48} \cot^2(x)^{3/2} \sin^2(x) + \frac{7}{24} \cot^2(x)^{5/2} \sin^4(x) + \frac{1}{6} \cot^2(x)^{7/2} \sin^6(x) \\
&= \frac{35}{16} \tan^{-1}\left(\sqrt{\cot^2(x)}\right) - \frac{35}{16} \sqrt{\cot^2(x)} + \frac{35}{48} \cot^2(x)^{3/2} \sin^2(x) + \frac{7}{24} \cot^2(x)^{5/2} \sin^4(x) + \frac{1}{6} \cot^2(x)^{7/2} \sin^6(x)
\end{aligned}$$

**Mathematica [A]** time = 0.0889674, size = 40, normalized size = 0.53

$$\frac{1}{384} \sqrt{\cot^2(x)} \sec(x) (-840x \sin(x) - 525 \cos(x) + 126 \cos(3x) + 14 \cos(5x) + \cos(7x))$$

Antiderivative was successfully verified.

[In] Integrate[Cot[x]\*Sqrt[-1 + Csc[x]^2]\*(1 - Sin[x]^2)^3,x]

[Out] (Sqrt[Cot[x]^2]\*Sec[x]\*(-525\*Cos[x] + 126\*Cos[3\*x] + 14\*Cos[5\*x] + Cos[7\*x] - 840\*x\*Sin[x]))/384

**Maple [A]** time = 0.194, size = 54, normalized size = 0.7

$$\frac{\sqrt{4}(-8(\cos(x))^7 - 14(\cos(x))^5 - 35(\cos(x))^3 + 105x\sin(x) + 105\cos(x))}{96\cos(x)} \sqrt{\frac{(\cos(x))^2}{-1 + (\cos(x))^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(x)\*(1-sin(x)^2)^3\*(-1+csc(x)^2)^(1/2),x)

[Out] -1/96\*4^(1/2)\*(-8\*cos(x)^7-14\*cos(x)^5-35\*cos(x)^3+105\*x\*sin(x)+105\*cos(x))\*(-cos(x)^2/(-1+cos(x)^2))^(1/2)/cos(x)

**Maxima [B]** time = 1.47936, size = 184, normalized size = 2.42

$$-\frac{3}{2} \sqrt{\frac{1}{\sin(x)^2} - 1} \sin(x)^2 - \sqrt{\frac{1}{\sin(x)^2} - 1} + \frac{3\left(\frac{1}{\sin(x)^2} - 1\right)^{\frac{5}{2}} + 8\left(\frac{1}{\sin(x)^2} - 1\right)^{\frac{3}{2}} - 3\sqrt{\frac{1}{\sin(x)^2} - 1}}{48\left(\left(\frac{1}{\sin(x)^2} - 1\right)^3 + 3\left(\frac{1}{\sin(x)^2} - 1\right)^2 + \frac{3}{\sin(x)^2} - 2\right)} - \frac{3\left(\left(\frac{1}{\sin(x)^2} - 1\right)^{\frac{3}{2}} - \sqrt{\frac{1}{\sin(x)^2} - 1}\right)}{8\left(\left(\frac{1}{\sin(x)^2} - 1\right)^2 + \frac{3}{\sin(x)^2} - 2\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(x)\*(1-sin(x)^2)^3\*(-1+csc(x)^2)^(1/2),x, algorithm="maxima")

[Out] -3/2\*sqrt(1/sin(x)^2 - 1)\*sin(x)^2 - sqrt(1/sin(x)^2 - 1) + 1/48\*(3\*(1/sin(x)^2 - 1)^(5/2) + 8\*(1/sin(x)^2 - 1)^(3/2) - 3\*sqrt(1/sin(x)^2 - 1))/((1/sin(x)^2 - 1)^3 + 3\*(1/sin(x)^2 - 1)^2 + 3/sin(x)^2 - 2) - 3/8\*((1/sin(x)^2 - 1)^(3/2) - sqrt(1/sin(x)^2 - 1))/((1/sin(x)^2 - 1)^2 + 2/sin(x)^2 - 1) + 3/16\*arctan(sqrt(1/sin(x)^2 - 1))

**Fricas [A]** time = 2.11007, size = 112, normalized size = 1.47

$$\frac{8\cos(x)^7 + 14\cos(x)^5 + 35\cos(x)^3 - 105x\sin(x) - 105\cos(x)}{48\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(x)\*(1-sin(x)^2)^3\*(-1+csc(x)^2)^(1/2),x, algorithm="fricas")

[Out] -1/48\*(8\*cos(x)^7 + 14\*cos(x)^5 + 35\*cos(x)^3 - 105\*x\*sin(x) - 105\*cos(x))/sin(x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(x)\*(1-sin(x)\*\*2)\*\*3\*(-1+csc(x)\*\*2)\*\*(1/2),x)

[Out] Timed out

**Giac [A]** time = 1.09798, size = 131, normalized size = 1.72

$$-\frac{1}{48} \left( (2(4 \sin(x)^2 - 19) \sin(x)^2 + 87) \sqrt{-\sin(x)^2 + 1} \sin(x) - 105 \left( \pi \left\lfloor \frac{x}{\pi} + \frac{1}{2} \right\rfloor - x \right) (-1)^{\left\lfloor \frac{x}{\pi} + \frac{1}{2} \right\rfloor} + \frac{24 \left( \sqrt{-\sin(x)^2 + 1} - 1 \right)}{\sin(x)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(x)\*(1-sin(x)^2)^3\*(-1+csc(x)^2)^(1/2),x, algorithm="giac")

[Out] -1/48\*((2\*(4\*sin(x)^2 - 19)\*sin(x)^2 + 87)\*sqrt(-sin(x)^2 + 1)\*sin(x) - 105\*(pi\*floor(x/pi + 1/2) - x)\*(-1)^floor(x/pi + 1/2) + 24\*(sqrt(-sin(x)^2 + 1) - 1)/sin(x) - 24\*sin(x)/(sqrt(-sin(x)^2 + 1) - 1))\*sgn(sin(x))

$$3.867 \quad \int \cos(x) \sqrt{-1 + \csc^2(x)} (1 - \sin^2(x))^3 dx$$

**Optimal.** Leaf size=81

$$\sin(x)\sqrt{\cot^2(x)} + \frac{1}{7} \sin(x) \cos^6(x)\sqrt{\cot^2(x)} + \frac{1}{5} \sin(x) \cos^4(x)\sqrt{\cot^2(x)} + \frac{1}{3} \sin(x) \cos^2(x)\sqrt{\cot^2(x)} - \tan(x)\sqrt{\cot^2(x)}$$

```
[Out] Sqrt[Cot[x]^2]*Sin[x] + (Cos[x]^2*Sqrt[Cot[x]^2]*Sin[x])/3 + (Cos[x]^4*Sqrt[Cot[x]^2]*Sin[x])/5 + (Cos[x]^6*Sqrt[Cot[x]^2]*Sin[x])/7 - ArcTanh[Cos[x]]*Sqrt[Cot[x]^2]*Tan[x]
```

**Rubi [A]** time = 0.158987, antiderivative size = 81, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3175, 4121, 3658, 2592, 302, 206}

$$\sin(x)\sqrt{\cot^2(x)} + \frac{1}{7} \sin(x) \cos^6(x)\sqrt{\cot^2(x)} + \frac{1}{5} \sin(x) \cos^4(x)\sqrt{\cot^2(x)} + \frac{1}{3} \sin(x) \cos^2(x)\sqrt{\cot^2(x)} - \tan(x)\sqrt{\cot^2(x)}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[x]*Sqrt[-1 + Csc[x]^2]*(1 - Sin[x]^2)^3,x]
```

```
[Out] Sqrt[Cot[x]^2]*Sin[x] + (Cos[x]^2*Sqrt[Cot[x]^2]*Sin[x])/3 + (Cos[x]^4*Sqrt[Cot[x]^2]*Sin[x])/5 + (Cos[x]^6*Sqrt[Cot[x]^2]*Sin[x])/7 - ArcTanh[Cos[x]]*Sqrt[Cot[x]^2]*Tan[x]
```

#### Rule 3175

```
Int[(u_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(p_), x_Symbol] := Dist[a^p, Int[ActivateTrig[u*cos[e + f*x]^(2*p)], x], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a + b, 0] && IntegerQ[p]
```

#### Rule 4121

```
Int[(u_.)*((a_) + (b_.)*sec[(e_.) + (f_.)*(x_)])^(p_), x_Symbol] := Int[ActivateTrig[u*(b*tan[e + f*x]^2)^p], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a + b, 0]
```

#### Rule 3658

```
Int[(u_.)*((b_.)*tan[(e_.) + (f_.)*(x_)])^(n_)^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[((b*ff^n)^IntPart[p]*(b*Tan[e + f*x]^n)^FracPart[p])/(Tan[e + f*x]/ff)^(n*FracPart[p]), Int[ActivateTrig[u]*(Tan[e + f*x]/ff)^(n*p), x], x]] /; FreeQ[{b, e, f, n, p}, x] && !IntegerQ[p] && IntegerQ[n] && (EqQ[u, 1] || MatchQ[u, ((d_.)*(trig_)[e + f*x])^(m_.)] /; FreeQ[{d, m}, x] && MemberQ[{sin, cos, tan, cot, sec, csc}, trig])
```

#### Rule 2592

```
Int[((a_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*tan[(e_.) + (f_.)*(x_)^(n_.), x_Symbol] := With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f, Subst[Int[(ff*x)^(m + n)/(a^2 - ff^2*x^2)^((n + 1)/2), x], x, (a*SIN[e + f*x])/ff], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n + 1)/2]
```

#### Rule 302

```
Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[PolynomialDivide[x
^m, a + b*x^n, x], x] /; FreeQ[{a, b}, x] && IGtQ[m, 0] && IGtQ[n, 0] && Gt
Q[m, 2*n - 1]
```

### Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rubi steps

$$\begin{aligned}
\int \cos(x)\sqrt{-1 + \csc^2(x)}(1 - \sin^2(x))^3 dx &= \int \cos^7(x)\sqrt{-1 + \csc^2(x)} dx \\
&= \int \cos^7(x)\sqrt{\cot^2(x)} dx \\
&= \left(\sqrt{\cot^2(x)} \tan(x)\right) \int \cos^7(x) \cot(x) dx \\
&= -\left(\left(\sqrt{\cot^2(x)} \tan(x)\right) \text{Subst}\left(\int \frac{x^8}{1-x^2} dx, x, \cos(x)\right)\right) \\
&= -\left(\left(\sqrt{\cot^2(x)} \tan(x)\right) \text{Subst}\left(\int \left(-1 - x^2 - x^4 - x^6 + \frac{1}{1-x^2}\right) dx, x, \cos(x)\right)\right) \\
&= \sqrt{\cot^2(x)} \sin(x) + \frac{1}{3} \cos^2(x)\sqrt{\cot^2(x)} \sin(x) + \frac{1}{5} \cos^4(x)\sqrt{\cot^2(x)} \sin(x) + \dots \\
&= \sqrt{\cot^2(x)} \sin(x) + \frac{1}{3} \cos^2(x)\sqrt{\cot^2(x)} \sin(x) + \frac{1}{5} \cos^4(x)\sqrt{\cot^2(x)} \sin(x) + \dots
\end{aligned}$$

**Mathematica [A]** time = 0.0635501, size = 55, normalized size = 0.68

$$\frac{\tan(x)\sqrt{\cot^2(x)}\left(9765 \cos(x) + 1295 \cos(3x) + 189 \cos(5x) + 15 \cos(7x) + 6720 \log\left(\sin\left(\frac{x}{2}\right)\right) - 6720 \log\left(\cos\left(\frac{x}{2}\right)\right)\right)}{6720}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[x]*Sqrt[-1 + Csc[x]^2]*(1 - Sin[x]^2)^3,x]
```

```
[Out] (Sqrt[Cot[x]^2]*(9765*Cos[x] + 1295*Cos[3*x] + 189*Cos[5*x] + 15*Cos[7*x] -
6720*Log[Cos[x/2]] + 6720*Log[Sin[x/2]])*Tan[x])/6720
```

**Maple [A]** time = 0.157, size = 65, normalized size = 0.8

$$\frac{\sqrt{4} \sin(x)}{210 \cos(x)} \left( 15 (\cos(x))^7 + 21 (\cos(x))^5 + 35 (\cos(x))^3 + 105 \cos(x) + 105 \ln\left(-\frac{-1 + \cos(x)}{\sin(x)}\right) + 176 \right) \sqrt{\frac{(\cos(x))^2}{-1 + (\cos(x))^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(x)*(1-sin(x)^2)^3*(-1+csc(x)^2)^(1/2),x)
```

```
[Out] 1/210*4^(1/2)*(15*cos(x)^7+21*cos(x)^5+35*cos(x)^3+105*cos(x)+105*ln(-(-1+c
os(x))/sin(x))+176)*sin(x)*(-cos(x)^2/(-1+cos(x)^2))^(1/2)/cos(x)
```



**Maxima [A]** time = 0.985823, size = 116, normalized size = 1.43

$$\frac{1}{7} \left( \frac{1}{\sin(x)^2} - 1 \right)^{\frac{7}{2}} \sin(x)^7 + \frac{1}{5} \left( \frac{1}{\sin(x)^2} - 1 \right)^{\frac{5}{2}} \sin(x)^5 + \frac{1}{3} \left( \frac{1}{\sin(x)^2} - 1 \right)^{\frac{3}{2}} \sin(x)^3 + \sqrt{\frac{1}{\sin(x)^2} - 1} \sin(x) - \frac{1}{2} \log \left( \sqrt{\frac{1}{\sin(x)^2} - 1} \sin(x) + 1 \right) + \frac{1}{2} \log \left( \sqrt{\frac{1}{\sin(x)^2} - 1} \sin(x) - 1 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*(1-sin(x)^2)^3\*(-1+csc(x)^2)^(1/2),x, algorithm="maxima")

[Out] 1/7\*(1/sin(x)^2 - 1)^(7/2)\*sin(x)^7 + 1/5\*(1/sin(x)^2 - 1)^(5/2)\*sin(x)^5 + 1/3\*(1/sin(x)^2 - 1)^(3/2)\*sin(x)^3 + sqrt(1/sin(x)^2 - 1)\*sin(x) - 1/2\*log(sqrt(1/sin(x)^2 - 1)\*sin(x) + 1) + 1/2\*log(sqrt(1/sin(x)^2 - 1)\*sin(x) - 1)

**Fricas [A]** time = 2.18922, size = 150, normalized size = 1.85

$$-\frac{1}{7} \cos(x)^7 - \frac{1}{5} \cos(x)^5 - \frac{1}{3} \cos(x)^3 - \cos(x) + \frac{1}{2} \log \left( \frac{1}{2} \cos(x) + \frac{1}{2} \right) - \frac{1}{2} \log \left( -\frac{1}{2} \cos(x) + \frac{1}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*(1-sin(x)^2)^3\*(-1+csc(x)^2)^(1/2),x, algorithm="fricas")

[Out] -1/7\*cos(x)^7 - 1/5\*cos(x)^5 - 1/3\*cos(x)^3 - cos(x) + 1/2\*log(1/2\*cos(x) + 1/2) - 1/2\*log(-1/2\*cos(x) + 1/2)

**Sympy [F-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*(1-sin(x)\*\*2)\*\*3\*(-1+csc(x)\*\*2)\*\*(1/2),x)

[Out] Timed out

**Giac [A]** time = 1.09033, size = 138, normalized size = 1.7

$$-\frac{1}{210} \left( 30 (\sin(x)^2 - 1)^3 \sqrt{-\sin(x)^2 + 1} - 42 (\sin(x)^2 - 1)^2 \sqrt{-\sin(x)^2 + 1} - 70 (-\sin(x)^2 + 1)^{\frac{3}{2}} - 210 \sqrt{-\sin(x)^2 + 1} + 105 \log(\sqrt{-\sin(x)^2 + 1} + 1) - 105 \log(-\sqrt{-\sin(x)^2 + 1} + 1) \right) \operatorname{sgn}(\sin(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*(1-sin(x)^2)^3\*(-1+csc(x)^2)^(1/2),x, algorithm="giac")

[Out] -1/210\*(30\*(sin(x)^2 - 1)^3\*sqrt(-sin(x)^2 + 1) - 42\*(sin(x)^2 - 1)^2\*sqrt(-sin(x)^2 + 1) - 70\*(-sin(x)^2 + 1)^(3/2) - 210\*sqrt(-sin(x)^2 + 1) + 105\*log(sqrt(-sin(x)^2 + 1) + 1) - 105\*log(-sqrt(-sin(x)^2 + 1) + 1))\*sgn(sin(x))

$$3.868 \quad \int \frac{x \csc(x) \sec(x)}{\sqrt{a \sec^2(x)}} dx$$

**Optimal.** Leaf size=76

$$\frac{i \sec(x) \text{PolyLog}(2, -e^{ix})}{\sqrt{a \sec^2(x)}} - \frac{i \sec(x) \text{PolyLog}(2, e^{ix})}{\sqrt{a \sec^2(x)}} - \frac{2x \sec(x) \tanh^{-1}(e^{ix})}{\sqrt{a \sec^2(x)}}$$

[Out]  $(-2*x*\text{ArcTanh}[E^{(I*x)}]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^2] + (I*\text{PolyLog}[2, -E^{(I*x)}]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^2] - (I*\text{PolyLog}[2, E^{(I*x)}]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^2]$

**Rubi [A]** time = 0.534855, antiderivative size = 76, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {6720, 4183, 2279, 2391}

$$\frac{i \sec(x) \text{PolyLog}(2, -e^{ix})}{\sqrt{a \sec^2(x)}} - \frac{i \sec(x) \text{PolyLog}(2, e^{ix})}{\sqrt{a \sec^2(x)}} - \frac{2x \sec(x) \tanh^{-1}(e^{ix})}{\sqrt{a \sec^2(x)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x*\text{Csc}[x]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^2], x]$

[Out]  $(-2*x*\text{ArcTanh}[E^{(I*x)}]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^2] + (I*\text{PolyLog}[2, -E^{(I*x)}]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^2] - (I*\text{PolyLog}[2, E^{(I*x)}]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^2]$

#### Rule 6720

$\text{Int}[(u_.)*((a_.)*(v_.)^{(m_.)})^{(p_.)}, x\_Symbol] \rightarrow \text{Dist}[(a^{\text{IntPart}[p]}*(a*v^m)^{\text{FracPart}[p]})/v^{(m*\text{FracPart}[p])}, \text{Int}[u*v^{(m*p)}, x], x] /; \text{FreeQ}\{a, m, p, x\} \&\& \text{IntegerQ}[p] \&\& \text{FreeQ}\{v, x\} \&\& \text{EqQ}[a, 1] \&\& \text{EqQ}[m, 1] \&\& \text{EqQ}[v, x] \&\& \text{EqQ}[m, 1]$

#### Rule 4183

$\text{Int}[\csc[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.)^{(m_.)}), x\_Symbol] \rightarrow \text{Simp}[(-2*(c + d*x)^m*\text{ArcTanh}[E^{(I*(e + f*x))}])/f, x] + (-\text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 - E^{(I*(e + f*x))}], x], x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 + E^{(I*(e + f*x))}], x], x)] /; \text{FreeQ}\{c, d, e, f\}, x \&\& \text{IGtQ}[m, 0]$

#### Rule 2279

$\text{Int}[\text{Log}[(a_.) + (b_.)*((F_.)^{((e_.)*((c_.) + (d_.)*(x_.)^{(n_.)}))})^{(n_.)}], x\_Symbol] \rightarrow \text{Dist}[1/(d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x))})^n], x] /; \text{FreeQ}\{F, a, b, c, d, e, n\}, x \&\& \text{GtQ}[a, 0]$

#### Rule 2391

$\text{Int}[\text{Log}[(c_.)*((d_.) + (e_.)*(x_.)^{(n_.)})]/(x_.), x\_Symbol] \rightarrow -\text{Simp}[\text{PolyLog}[2, -(c*e*x^n)]/n, x] /; \text{FreeQ}\{c, d, e, n\}, x \&\& \text{EqQ}[c*d, 1]$

#### Rubi steps

$$\begin{aligned}
\int \frac{x \csc(x) \sec(x)}{\sqrt{a \sec^2(x)}} dx &= \frac{\sec(x) \int x \csc(x) dx}{\sqrt{a \sec^2(x)}} \\
&= -\frac{2x \tanh^{-1}(e^{ix}) \sec(x)}{\sqrt{a \sec^2(x)}} - \frac{\sec(x) \int \log(1 - e^{ix}) dx}{\sqrt{a \sec^2(x)}} + \frac{\sec(x) \int \log(1 + e^{ix}) dx}{\sqrt{a \sec^2(x)}} \\
&= -\frac{2x \tanh^{-1}(e^{ix}) \sec(x)}{\sqrt{a \sec^2(x)}} + \frac{(i \sec(x)) \operatorname{Subst}\left(\int \frac{\log(1-x)}{x} dx, x, e^{ix}\right)}{\sqrt{a \sec^2(x)}} - \frac{(i \sec(x)) \operatorname{Subst}\left(\int \frac{\log(1+x)}{x} dx, x, e^{ix}\right)}{\sqrt{a \sec^2(x)}} \\
&= -\frac{2x \tanh^{-1}(e^{ix}) \sec(x)}{\sqrt{a \sec^2(x)}} + \frac{i \operatorname{Li}_2(-e^{ix}) \sec(x)}{\sqrt{a \sec^2(x)}} - \frac{i \operatorname{Li}_2(e^{ix}) \sec(x)}{\sqrt{a \sec^2(x)}}
\end{aligned}$$

**Mathematica [A]** time = 0.0614066, size = 69, normalized size = 0.91

$$\frac{\sec(x) \left( i \operatorname{PolyLog}(2, -e^{ix}) - i \operatorname{PolyLog}(2, e^{ix}) + x \left( \log(1 - e^{ix}) - \log(1 + e^{ix}) \right) \right)}{\sqrt{a \sec^2(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*Csc[x]\*Sec[x])/Sqrt[a\*Sec[x]^2], x]

[Out] ((x\*(Log[1 - E^(I\*x)] - Log[1 + E^(I\*x)]) + I\*PolyLog[2, -E^(I\*x)] - I\*PolyLog[2, E^(I\*x)])\*Sec[x])/Sqrt[a\*Sec[x]^2]

**Maple [A]** time = 0.078, size = 98, normalized size = 1.3

$$\frac{-2i}{1 + e^{2ix}} \left( -\frac{i}{2} e^{ix} x \ln(e^{ix} + 1) - \frac{e^{ix} \operatorname{polylog}(2, -e^{ix})}{2} + \frac{i}{2} e^{ix} x \ln(1 - e^{ix}) + \frac{e^{ix} \operatorname{polylog}(2, e^{ix})}{2} \right) \frac{1}{\sqrt{\frac{ae^{2ix}}{(1+e^{2ix})^2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*csc(x)\*sec(x)/(a\*sec(x)^2)^(1/2), x)

[Out] -2\*I/(a\*exp(2\*I\*x)/(1+exp(2\*I\*x))^2)^(1/2)/(1+exp(2\*I\*x))\*(-1/2\*I\*exp(I\*x)\*x\*ln(exp(I\*x)+1)-1/2\*exp(I\*x)\*polylog(2,-exp(I\*x))+1/2\*I\*exp(I\*x)\*x\*ln(1-exp(I\*x))+1/2\*exp(I\*x)\*polylog(2,exp(I\*x)))

**Maxima [A]** time = 1.52844, size = 107, normalized size = 1.41

$$\frac{2ix \arctan(\sin(x), \cos(x) + 1) + 2ix \arctan(\sin(x), -\cos(x) + 1) + x \log(\cos(x)^2 + \sin(x)^2 + 2 \cos(x) + 1) - x \log(\cos(x)^2 + \sin(x)^2 - 2 \cos(x) + 1)}{2\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*csc(x)\*sec(x)/(a\*sec(x)^2)^(1/2), x, algorithm="maxima")

[Out] -1/2\*(2\*I\*x\*arctan2(sin(x), cos(x) + 1) + 2\*I\*x\*arctan2(sin(x), -cos(x) + 1) + x\*log(cos(x)^2 + sin(x)^2 + 2\*cos(x) + 1) - x\*log(cos(x)^2 + sin(x)^2 - 2\*cos(x) + 1))

$$2*\cos(x) + 1) - 2*I*dilog(-e^{(I*x)}) + 2*I*dilog(e^{(I*x)}))/\sqrt{a}$$

**Fricas [B]** time = 2.45447, size = 439, normalized size = 5.78

$$(x \cos(x) \log(\cos(x) + i \sin(x) + 1) + x \cos(x) \log(\cos(x) - i \sin(x) + 1) - x \cos(x) \log(-\cos(x) + i \sin(x) + 1) - x \cos(x) \log(-\cos(x) - i \sin(x) + 1) + I \cos(x) \operatorname{dilog}(\cos(x) + I \sin(x)) - I \cos(x) \operatorname{dilog}(\cos(x) - I \sin(x)) + I \cos(x) \operatorname{dilog}(-\cos(x) + I \sin(x)) - I \cos(x) \operatorname{dilog}(-\cos(x) - I \sin(x))) * \sqrt{a/\cos(x)^2})/a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*csc(x)\*sec(x)/(a\*sec(x)^2)^(1/2),x, algorithm="fricas")

[Out] -1/2\*(x\*cos(x)\*log(cos(x) + I\*sin(x) + 1) + x\*cos(x)\*log(cos(x) - I\*sin(x) + 1) - x\*cos(x)\*log(-cos(x) + I\*sin(x) + 1) - x\*cos(x)\*log(-cos(x) - I\*sin(x) + 1) + I\*cos(x)\*dilog(cos(x) + I\*sin(x)) - I\*cos(x)\*dilog(cos(x) - I\*sin(x)) + I\*cos(x)\*dilog(-cos(x) + I\*sin(x)) - I\*cos(x)\*dilog(-cos(x) - I\*sin(x)))\*sqrt(a/cos(x)^2)/a

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x \csc(x) \sec(x)}{\sqrt{a \sec^2(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*csc(x)\*sec(x)/(a\*sec(x)\*\*2)\*\*(1/2),x)

[Out] Integral(x\*csc(x)\*sec(x)/sqrt(a\*sec(x)\*\*2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x \csc(x) \sec(x)}{\sqrt{a \sec(x)^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*csc(x)\*sec(x)/(a\*sec(x)^2)^(1/2),x, algorithm="giac")

[Out] integrate(x\*csc(x)\*sec(x)/sqrt(a\*sec(x)^2), x)

$$3.869 \quad \int \frac{x^2 \csc(x) \sec(x)}{\sqrt{a \sec^2(x)}} dx$$

**Optimal.** Leaf size=128

$$\frac{2ix \sec(x) \text{PolyLog}(2, -e^{ix})}{\sqrt{a \sec^2(x)}} - \frac{2ix \sec(x) \text{PolyLog}(2, e^{ix})}{\sqrt{a \sec^2(x)}} - \frac{2 \sec(x) \text{PolyLog}(3, -e^{ix})}{\sqrt{a \sec^2(x)}} + \frac{2 \sec(x) \text{PolyLog}(3, e^{ix})}{\sqrt{a \sec^2(x)}}$$

[Out]  $(-2*x^2*\text{ArcTanh}[E^{(I*x)}]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^2] + ((2*I)*x*\text{PolyLog}[2, -E^{(I*x)}]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^2] - ((2*I)*x*\text{PolyLog}[2, E^{(I*x)}]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^2] - (2*\text{PolyLog}[3, -E^{(I*x)}]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^2] + (2*\text{PolyLog}[3, E^{(I*x)}]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^2]$

**Rubi [A]** time = 0.591856, antiderivative size = 128, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$ , Rules used = {6720, 4183, 2531, 2282, 6589}

$$\frac{2ix \sec(x) \text{PolyLog}(2, -e^{ix})}{\sqrt{a \sec^2(x)}} - \frac{2ix \sec(x) \text{PolyLog}(2, e^{ix})}{\sqrt{a \sec^2(x)}} - \frac{2 \sec(x) \text{PolyLog}(3, -e^{ix})}{\sqrt{a \sec^2(x)}} + \frac{2 \sec(x) \text{PolyLog}(3, e^{ix})}{\sqrt{a \sec^2(x)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^2*\text{Csc}[x]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^2], x]$

[Out]  $(-2*x^2*\text{ArcTanh}[E^{(I*x)}]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^2] + ((2*I)*x*\text{PolyLog}[2, -E^{(I*x)}]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^2] - ((2*I)*x*\text{PolyLog}[2, E^{(I*x)}]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^2] - (2*\text{PolyLog}[3, -E^{(I*x)}]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^2] + (2*\text{PolyLog}[3, E^{(I*x)}]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^2]$

#### Rule 6720

$\text{Int}[(u_.)*((a_.)*(v_.)^{(m_.)})^{(p_.)}, x\_Symbol] \rightarrow \text{Dist}[(a^{\text{IntPart}[p]}*(a*v^m)^{\text{FracPart}[p]})/v^{(m*\text{FracPart}[p])}, \text{Int}[u*v^{(m*p)}, x], x] /;$  FreeQ[{a, m, p}, x] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ[v, x] && EqQ[m, 1])

#### Rule 4183

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^{(m_.)}, x\_Symbol] \rightarrow \text{Simp}[(-2*(c + d*x)^m*\text{ArcTanh}[E^{(I*(e + f*x))}])/f, x] + (-\text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 - E^{(I*(e + f*x))}], x], x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 + E^{(I*(e + f*x))}], x], x]) /;$  FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

#### Rule 2531

$\text{Int}[\text{Log}[1 + (e_.)*((F_)^{((c_.)*((a_.) + (b_.)*(x_.)))^{(n_.)}})]*((f_.) + (g_.)*(x_.))^{(m_.)}, x\_Symbol] \rightarrow -\text{Simp}[(f + g*x)^m*\text{PolyLog}[2, -(e*(F^{(c*(a + b*x))))^n])/ (b*c*n*\text{Log}[F]), x] + \text{Dist}[(g*m)/(b*c*n*\text{Log}[F]), \text{Int}[(f + g*x)^{(m-1)}*\text{PolyLog}[2, -(e*(F^{(c*(a + b*x))))^n}], x], x] /;$  FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

#### Rule 2282

$\text{Int}[u_, x\_Symbol] \rightarrow \text{With}[\{v = \text{FunctionOfExponential}[u, x]\}, \text{Dist}[v/D[v, x], \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x] /;$  Functi

```
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)^v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

**Rule 6589**

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\int \frac{x^2 \csc(x) \sec(x)}{\sqrt{a \sec^2(x)}} dx = \frac{\sec(x) \int x^2 \csc(x) dx}{\sqrt{a \sec^2(x)}} = -\frac{2x^2 \tanh^{-1}(e^{ix}) \sec(x)}{\sqrt{a \sec^2(x)}} - \frac{(2 \sec(x)) \int x \log(1 - e^{ix}) dx}{\sqrt{a \sec^2(x)}} + \frac{(2 \sec(x)) \int x \log(1 + e^{ix}) dx}{\sqrt{a \sec^2(x)}} = -\frac{2x^2 \tanh^{-1}(e^{ix}) \sec(x)}{\sqrt{a \sec^2(x)}} + \frac{2ix \operatorname{Li}_2(-e^{ix}) \sec(x)}{\sqrt{a \sec^2(x)}} - \frac{2ix \operatorname{Li}_2(e^{ix}) \sec(x)}{\sqrt{a \sec^2(x)}} - \frac{(2i \sec(x)) \int \operatorname{Li}_2(-e^{ix}) dx}{\sqrt{a \sec^2(x)}} = -\frac{2x^2 \tanh^{-1}(e^{ix}) \sec(x)}{\sqrt{a \sec^2(x)}} + \frac{2ix \operatorname{Li}_2(-e^{ix}) \sec(x)}{\sqrt{a \sec^2(x)}} - \frac{2ix \operatorname{Li}_2(e^{ix}) \sec(x)}{\sqrt{a \sec^2(x)}} - \frac{(2 \sec(x)) \operatorname{Subst}\left(\int \frac{\operatorname{Li}_2(x)}{x} dx\right)}{\sqrt{a \sec^2(x)}} = -\frac{2x^2 \tanh^{-1}(e^{ix}) \sec(x)}{\sqrt{a \sec^2(x)}} + \frac{2ix \operatorname{Li}_2(-e^{ix}) \sec(x)}{\sqrt{a \sec^2(x)}} - \frac{2ix \operatorname{Li}_2(e^{ix}) \sec(x)}{\sqrt{a \sec^2(x)}} - \frac{2 \operatorname{Li}_3(-e^{ix}) \sec(x)}{\sqrt{a \sec^2(x)}} + \frac{2 \operatorname{Li}_3(e^{ix}) \sec(x)}{\sqrt{a \sec^2(x)}}$$

**Mathematica [A]** time = 0.0687644, size = 99, normalized size = 0.77

$$\frac{\sec(x) (2ix \operatorname{PolyLog}(2, -e^{ix}) - 2ix \operatorname{PolyLog}(2, e^{ix}) - 2 \operatorname{PolyLog}(3, -e^{ix}) + 2 \operatorname{PolyLog}(3, e^{ix}) + x^2 \log(1 - e^{ix}) - x^2 \log(1 + e^{ix}))}{\sqrt{a \sec^2(x)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^2*Csc[x]*Sec[x])/Sqrt[a*Sec[x]^2], x]
[Out] ((x^2*Log[1 - E^(I*x)] - x^2*Log[1 + E^(I*x)] + (2*I)*x*PolyLog[2, -E^(I*x)] - (2*I)*x*PolyLog[2, E^(I*x)] - 2*PolyLog[3, -E^(I*x)] + 2*PolyLog[3, E^(I*x)])*Sec[x])/Sqrt[a*Sec[x]^2]
```

**Maple [A]** time = 0.066, size = 132, normalized size = 1.

$$-2 \frac{1/2 e^{ix} x^2 \ln(e^{ix} + 1) - i e^{ix} x \operatorname{polylog}(2, -e^{ix}) + e^{ix} \operatorname{polylog}(3, -e^{ix}) - 1/2 e^{ix} x^2 \ln(1 - e^{ix}) + i e^{ix} x \operatorname{polylog}(2, e^{ix}) - e^{ix} \operatorname{polylog}(3, e^{ix})}{1 + e^{2ix}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*csc(x)*sec(x)/(a*sec(x)^2)^(1/2), x)
[Out] -2/(a*exp(2*I*x)/(1+exp(2*I*x))^2)^(1/2)/(1+exp(2*I*x))*(1/2*exp(I*x)*x^2*ln(exp(I*x)+1)-I*exp(I*x)*x*polylog(2,-exp(I*x))+exp(I*x)*polylog(3,-exp(I*x))-1/2*exp(I*x)*x^2*ln(1-exp(I*x))+I*exp(I*x)*x*polylog(2,exp(I*x))-exp(I*x)*polylog(3,exp(I*x)))/sqrt(a)
```

) \* polylog(3, exp(I\*x))

**Maxima [A]** time = 1.52118, size = 144, normalized size = 1.12

$$\frac{2ix^2 \arctan(\sin(x), \cos(x) + 1) + 2ix^2 \arctan(\sin(x), -\cos(x) + 1) + x^2 \log(\cos(x)^2 + \sin(x)^2 + 2\cos(x) + 1)}{2\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*csc(x)\*sec(x)/(a\*sec(x)^2)^(1/2),x, algorithm="maxima")

[Out] -1/2\*(2\*I\*x^2\*arctan2(sin(x), cos(x) + 1) + 2\*I\*x^2\*arctan2(sin(x), -cos(x) + 1) + x^2\*log(cos(x)^2 + sin(x)^2 + 2\*cos(x) + 1) - x^2\*log(cos(x)^2 + sin(x)^2 - 2\*cos(x) + 1) - 4\*I\*x\*dilog(-e^(I\*x)) + 4\*I\*x\*dilog(e^(I\*x)) + 4\*polylog(3, -e^(I\*x)) - 4\*polylog(3, e^(I\*x)))/sqrt(a)

**Fricas [C]** time = 2.4141, size = 788, normalized size = 6.16

$$2\sqrt{\frac{a}{\cos(x)^2}} \cos(x) \operatorname{polylog}(3, \cos(x) + i \sin(x)) + 2\sqrt{\frac{a}{\cos(x)^2}} \cos(x) \operatorname{polylog}(3, \cos(x) - i \sin(x)) - 2\sqrt{\frac{a}{\cos(x)^2}} \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*csc(x)\*sec(x)/(a\*sec(x)^2)^(1/2),x, algorithm="fricas")

[Out] 1/2\*(2\*sqrt(a/cos(x)^2)\*cos(x)\*polylog(3, cos(x) + I\*sin(x)) + 2\*sqrt(a/cos(x)^2)\*cos(x)\*polylog(3, cos(x) - I\*sin(x)) - 2\*sqrt(a/cos(x)^2)\*cos(x)\*polylog(3, -cos(x) + I\*sin(x)) - 2\*sqrt(a/cos(x)^2)\*cos(x)\*polylog(3, -cos(x) - I\*sin(x)) - (x^2\*cos(x)\*log(cos(x) + I\*sin(x) + 1) + x^2\*cos(x)\*log(cos(x) - I\*sin(x) + 1) - x^2\*cos(x)\*log(-cos(x) + I\*sin(x) + 1) - x^2\*cos(x)\*log(-cos(x) - I\*sin(x) + 1) + 2\*I\*x\*cos(x)\*dilog(cos(x) + I\*sin(x)) - 2\*I\*x\*cos(x)\*dilog(cos(x) - I\*sin(x)) + 2\*I\*x\*cos(x)\*dilog(-cos(x) + I\*sin(x)) - 2\*I\*x\*cos(x)\*dilog(-cos(x) - I\*sin(x)))\*sqrt(a/cos(x)^2))/a

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2 \csc(x) \sec(x)}{\sqrt{a \sec^2(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*csc(x)\*sec(x)/(a\*sec(x)\*\*2)\*\*(1/2),x)

[Out] Integral(x\*\*2\*csc(x)\*sec(x)/sqrt(a\*sec(x)\*\*2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2 \csc(x) \sec(x)}{\sqrt{a \sec(x)^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*csc(x)*sec(x)/(a*sec(x)^2)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(x^2*csc(x)*sec(x)/sqrt(a*sec(x)^2), x)
```



$$3.870 \quad \int \frac{x^3 \csc(x) \sec(x)}{\sqrt{a \sec^2(x)}} dx$$

**Optimal.** Leaf size=186

$$\frac{3ix^2 \sec(x) \text{PolyLog}(2, -e^{ix})}{\sqrt{a \sec^2(x)}} - \frac{3ix^2 \sec(x) \text{PolyLog}(2, e^{ix})}{\sqrt{a \sec^2(x)}} - \frac{6x \sec(x) \text{PolyLog}(3, -e^{ix})}{\sqrt{a \sec^2(x)}} + \frac{6x \sec(x) \text{PolyLog}(3, e^{ix})}{\sqrt{a \sec^2(x)}}$$

[Out]  $(-2*x^3*\text{ArcTanh}[E^{(I*x)}]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^2] + ((3*I)*x^2*\text{PolyLog}[2, -E^{(I*x)}]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^2] - ((3*I)*x^2*\text{PolyLog}[2, E^{(I*x)}]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^2] - (6*x*\text{PolyLog}[3, -E^{(I*x)}]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^2] + (6*x*\text{PolyLog}[3, E^{(I*x)}]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^2] - ((6*I)*\text{PolyLog}[4, -E^{(I*x)}]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^2] + ((6*I)*\text{PolyLog}[4, E^{(I*x)}]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^2]$

**Rubi [A]** time = 0.569598, antiderivative size = 186, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 6, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {6720, 4183, 2531, 6609, 2282, 6589}

$$\frac{3ix^2 \sec(x) \text{PolyLog}(2, -e^{ix})}{\sqrt{a \sec^2(x)}} - \frac{3ix^2 \sec(x) \text{PolyLog}(2, e^{ix})}{\sqrt{a \sec^2(x)}} - \frac{6x \sec(x) \text{PolyLog}(3, -e^{ix})}{\sqrt{a \sec^2(x)}} + \frac{6x \sec(x) \text{PolyLog}(3, e^{ix})}{\sqrt{a \sec^2(x)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^3*\text{Csc}[x]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^2], x]$

[Out]  $(-2*x^3*\text{ArcTanh}[E^{(I*x)}]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^2] + ((3*I)*x^2*\text{PolyLog}[2, -E^{(I*x)}]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^2] - ((3*I)*x^2*\text{PolyLog}[2, E^{(I*x)}]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^2] - (6*x*\text{PolyLog}[3, -E^{(I*x)}]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^2] + (6*x*\text{PolyLog}[3, E^{(I*x)}]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^2] - ((6*I)*\text{PolyLog}[4, -E^{(I*x)}]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^2] + ((6*I)*\text{PolyLog}[4, E^{(I*x)}]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^2]$

#### Rule 6720

$\text{Int}[(u_.)*((a_.)*(v_.)^{(m_.)})^{(p_.)}, x\_Symbol] := \text{Dist}[(a^{\text{IntPart}[p]}*(a*v^m)^{\text{FracPart}[p]})/v^{(m*\text{FracPart}[p])}, \text{Int}[u*v^{(m*p)}, x], x] /;$  FreeQ[{a, m, p}, x] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ[v, x] && EqQ[m, 1])

#### Rule 4183

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.)^{(m_.)}), x\_Symbol] := \text{Simp}[( -2*(c + d*x)^m*\text{ArcTanh}[E^{(I*(e + f*x))}]/f, x] + (-\text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 - E^{(I*(e + f*x))}], x], x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 + E^{(I*(e + f*x))}], x], x]) /;$  FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

#### Rule 2531

$\text{Int}[\text{Log}[1 + (e_.)*((F_.)^{((c_.)*((a_.) + (b_.)*(x_.)^{(n_.)})^{(m_.)})})*((f_.) + (g_.)*(x_.)^{(m_.)}), x\_Symbol] := -\text{Simp}[(f + g*x)^m*\text{PolyLog}[2, -(e*(F^{(c*(a + b*x))^n})^m)]/(b*c*n*\text{Log}[F]), x] + \text{Dist}[(g*m)/(b*c*n*\text{Log}[F]), \text{Int}[(f + g*x)^{(m-1)}*\text{PolyLog}[2, -(e*(F^{(c*(a + b*x))^n})^m)], x], x] /;$  FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 6609

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.
)*(x_)))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p])/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned} \int \frac{x^3 \csc(x) \sec(x)}{\sqrt{a \sec^2(x)}} dx &= \frac{\sec(x) \int x^3 \csc(x) dx}{\sqrt{a \sec^2(x)}} \\ &= -\frac{2x^3 \tanh^{-1}(e^{ix}) \sec(x)}{\sqrt{a \sec^2(x)}} - \frac{(3 \sec(x)) \int x^2 \log(1 - e^{ix}) dx}{\sqrt{a \sec^2(x)}} + \frac{(3 \sec(x)) \int x^2 \log(1 + e^{ix}) dx}{\sqrt{a \sec^2(x)}} \\ &= -\frac{2x^3 \tanh^{-1}(e^{ix}) \sec(x)}{\sqrt{a \sec^2(x)}} + \frac{3ix^2 \text{Li}_2(-e^{ix}) \sec(x)}{\sqrt{a \sec^2(x)}} - \frac{3ix^2 \text{Li}_2(e^{ix}) \sec(x)}{\sqrt{a \sec^2(x)}} - \frac{(6i \sec(x)) \int x \text{Li}_2(-e^{ix}) dx}{\sqrt{a \sec^2(x)}} \\ &= -\frac{2x^3 \tanh^{-1}(e^{ix}) \sec(x)}{\sqrt{a \sec^2(x)}} + \frac{3ix^2 \text{Li}_2(-e^{ix}) \sec(x)}{\sqrt{a \sec^2(x)}} - \frac{3ix^2 \text{Li}_2(e^{ix}) \sec(x)}{\sqrt{a \sec^2(x)}} - \frac{6x \text{Li}_3(-e^{ix}) \sec(x)}{\sqrt{a \sec^2(x)}} + \\ &= -\frac{2x^3 \tanh^{-1}(e^{ix}) \sec(x)}{\sqrt{a \sec^2(x)}} + \frac{3ix^2 \text{Li}_2(-e^{ix}) \sec(x)}{\sqrt{a \sec^2(x)}} - \frac{3ix^2 \text{Li}_2(e^{ix}) \sec(x)}{\sqrt{a \sec^2(x)}} - \frac{6x \text{Li}_3(-e^{ix}) \sec(x)}{\sqrt{a \sec^2(x)}} + \\ &= -\frac{2x^3 \tanh^{-1}(e^{ix}) \sec(x)}{\sqrt{a \sec^2(x)}} + \frac{3ix^2 \text{Li}_2(-e^{ix}) \sec(x)}{\sqrt{a \sec^2(x)}} - \frac{3ix^2 \text{Li}_2(e^{ix}) \sec(x)}{\sqrt{a \sec^2(x)}} - \frac{6x \text{Li}_3(-e^{ix}) \sec(x)}{\sqrt{a \sec^2(x)}} + \end{aligned}$$

**Mathematica [A]** time = 0.0986147, size = 147, normalized size = 0.79

$$\frac{i \sec(x) \left( -24x^2 \text{PolyLog}\left(2, e^{-ix}\right) - 24x^2 \text{PolyLog}\left(2, -e^{ix}\right) + 48ix \text{PolyLog}\left(3, e^{-ix}\right) - 48ix \text{PolyLog}\left(3, -e^{ix}\right) + 48 \text{PolyLog}\left(4, e^{-ix}\right) + 48 \text{PolyLog}\left(4, -e^{ix}\right) \right)}{8\sqrt{a \sec^2(x)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^3*Csc[x]*Sec[x])/Sqrt[a*Sec[x]^2], x]
```

```
[Out] ((-I/8)*(Pi^4 - 2*x^4 + (8*I)*x^3*Log[1 - E^((-I)*x)] - (8*I)*x^3*Log[1 + E
^(I*x)] - 24*x^2*PolyLog[2, E^((-I)*x)] - 24*x^2*PolyLog[2, -E^(I*x)] + (48
*I)*x*PolyLog[3, E^((-I)*x)] - (48*I)*x*PolyLog[3, -E^(I*x)] + 48*PolyLog[4
, E^((-I)*x)] + 48*PolyLog[4, -E^(I*x)])*Sec[x])/Sqrt[a*Sec[x]^2]
```

**Maple [A]** time = 0.068, size = 172, normalized size = 0.9

$$\frac{2i}{1+e^{2ix}} \left( \frac{i}{2} e^{ix} x^3 \ln(e^{ix} + 1) + \frac{3e^{ix} x^2 \operatorname{polylog}(2, -e^{ix})}{2} + 3ie^{ix} x \operatorname{polylog}(3, -e^{ix}) - 3e^{ix} \operatorname{polylog}(4, -e^{ix}) - \frac{i}{2} e^{ix} x^3 \ln \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*csc(x)\*sec(x)/(a\*sec(x)^2)^(1/2),x)

[Out] 2\*I/(a\*exp(2\*I\*x)/(1+exp(2\*I\*x))^2)^(1/2)/(1+exp(2\*I\*x))\*(1/2\*I\*exp(I\*x)\*x^3\*ln(exp(I\*x)+1)+3/2\*exp(I\*x)\*x^2\*polylog(2,-exp(I\*x))+3\*I\*exp(I\*x)\*x\*polylog(3,-exp(I\*x))-3\*exp(I\*x)\*polylog(4,-exp(I\*x))-1/2\*I\*exp(I\*x)\*x^3\*ln(1-exp(I\*x))-3/2\*exp(I\*x)\*x^2\*polylog(2,exp(I\*x))-3\*I\*exp(I\*x)\*x\*polylog(3,exp(I\*x))+3\*exp(I\*x)\*polylog(4,exp(I\*x)))

**Maxima [A]** time = 1.56115, size = 177, normalized size = 0.95

$$\frac{2ix^3 \arctan(\sin(x), \cos(x) + 1) + 2ix^3 \arctan(\sin(x), -\cos(x) + 1) + x^3 \log(\cos(x)^2 + \sin(x)^2 + 2\cos(x) + 1)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*csc(x)\*sec(x)/(a\*sec(x)^2)^(1/2),x, algorithm="maxima")

[Out] -1/2\*(2\*I\*x^3\*arctan2(sin(x), cos(x) + 1) + 2\*I\*x^3\*arctan2(sin(x), -cos(x) + 1) + x^3\*log(cos(x)^2 + sin(x)^2 + 2\*cos(x) + 1) - x^3\*log(cos(x)^2 + sin(x)^2 - 2\*cos(x) + 1) - 6\*I\*x^2\*dilog(-e^(I\*x)) + 6\*I\*x^2\*dilog(e^(I\*x)) + 12\*x\*polylog(3, -e^(I\*x)) - 12\*x\*polylog(3, e^(I\*x)) + 12\*I\*polylog(4, -e^(I\*x)) - 12\*I\*polylog(4, e^(I\*x)))/sqrt(a)

**Fricas [C]** time = 2.70255, size = 1137, normalized size = 6.11

$$6x \sqrt{\frac{a}{\cos(x)^2}} \cos(x) \operatorname{polylog}(3, \cos(x) + i \sin(x)) + 6x \sqrt{\frac{a}{\cos(x)^2}} \cos(x) \operatorname{polylog}(3, \cos(x) - i \sin(x)) - 6x \sqrt{\frac{a}{\cos(x)^2}} \cos(x) \operatorname{polylog}(3, -\cos(x) + i \sin(x)) - 6x \sqrt{\frac{a}{\cos(x)^2}} \cos(x) \operatorname{polylog}(3, -\cos(x) - i \sin(x)) + 6I \sqrt{\frac{a}{\cos(x)^2}} \cos(x) \operatorname{polylog}(4, \cos(x) + I \sin(x)) - 6I \sqrt{\frac{a}{\cos(x)^2}} \cos(x) \operatorname{polylog}(4, \cos(x) - I \sin(x)) + 6I \sqrt{\frac{a}{\cos(x)^2}} \cos(x) \operatorname{polylog}(4, -\cos(x) + I \sin(x)) - 6I \sqrt{\frac{a}{\cos(x)^2}} \cos(x) \operatorname{polylog}(4, -\cos(x) - I \sin(x)) - (x^3 \cos(x) \log(\cos(x) + I \sin(x) + 1) + x^3 \cos(x) \log(\cos(x) - I \sin(x) + 1) - x^3 \cos(x) \log(-\cos(x) + I \sin(x) + 1) - x^3 \cos(x) \log(-\cos(x) - I \sin(x) + 1) + 3I x^2 \cos(x) \operatorname{dilog}(\cos(x) + I \sin(x)) - 3I x^2 \cos(x) \operatorname{dilog}(\cos(x) - I \sin(x)) + 3I x^2 \cos(x) \operatorname{dilog}(-\cos(x) + I \sin(x)) - 3I x^2 \cos(x) \operatorname{dilog}(-\cos(x) - I \sin(x))) \sqrt{\frac{a}{\cos(x)^2}}) / a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*csc(x)\*sec(x)/(a\*sec(x)^2)^(1/2),x, algorithm="fricas")

[Out] 1/2\*(6\*x\*sqrt(a/cos(x)^2)\*cos(x)\*polylog(3, cos(x) + I\*sin(x)) + 6\*x\*sqrt(a/cos(x)^2)\*cos(x)\*polylog(3, cos(x) - I\*sin(x)) - 6\*x\*sqrt(a/cos(x)^2)\*cos(x)\*polylog(3, -cos(x) + I\*sin(x)) - 6\*x\*sqrt(a/cos(x)^2)\*cos(x)\*polylog(3, -cos(x) - I\*sin(x)) + 6\*I\*sqrt(a/cos(x)^2)\*cos(x)\*polylog(4, cos(x) + I\*sin(x)) - 6\*I\*sqrt(a/cos(x)^2)\*cos(x)\*polylog(4, cos(x) - I\*sin(x)) + 6\*I\*sqrt(a/cos(x)^2)\*cos(x)\*polylog(4, -cos(x) + I\*sin(x)) - 6\*I\*sqrt(a/cos(x)^2)\*cos(x)\*polylog(4, -cos(x) - I\*sin(x)) - (x^3\*cos(x)\*log(cos(x) + I\*sin(x) + 1) + x^3\*cos(x)\*log(cos(x) - I\*sin(x) + 1) - x^3\*cos(x)\*log(-cos(x) + I\*sin(x) + 1) - x^3\*cos(x)\*log(-cos(x) - I\*sin(x) + 1) + 3\*I\*x^2\*cos(x)\*dilog(cos(x) + I\*sin(x)) - 3\*I\*x^2\*cos(x)\*dilog(cos(x) - I\*sin(x)) + 3\*I\*x^2\*cos(x)\*dilog(-cos(x) + I\*sin(x)) - 3\*I\*x^2\*cos(x)\*dilog(-cos(x) - I\*sin(x))) \* sqrt(a/cos(x)^2)) / a

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*csc(x)\*sec(x)/(a\*sec(x)\*\*2)\*\*(1/2), x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3 \csc(x) \sec(x)}{\sqrt{a \sec(x)^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*csc(x)\*sec(x)/(a\*sec(x)^2)^(1/2), x, algorithm="giac")

[Out] integrate(x^3\*csc(x)\*sec(x)/sqrt(a\*sec(x)^2), x)

$$3.871 \quad \int \frac{x \csc(x) \sec(x)}{\sqrt{a \sec^4(x)}} dx$$

**Optimal.** Leaf size=81

$$-\frac{i \sec^2(x) \text{PolyLog}(2, e^{2ix})}{2\sqrt{a \sec^4(x)}} - \frac{ix^2 \sec^2(x)}{2\sqrt{a \sec^4(x)}} + \frac{x \log(1 - e^{2ix}) \sec^2(x)}{\sqrt{a \sec^4(x)}}$$

[Out]  $((-I/2)*x^2*\text{Sec}[x]^2)/\text{Sqrt}[a*\text{Sec}[x]^4] + (x*\text{Log}[1 - E^((2*I)*x)]*\text{Sec}[x]^2)/\text{Sqrt}[a*\text{Sec}[x]^4] - ((I/2)*\text{PolyLog}[2, E^((2*I)*x)]*\text{Sec}[x]^2)/\text{Sqrt}[a*\text{Sec}[x]^4]$

**Rubi [A]** time = 0.487143, antiderivative size = 81, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$ , Rules used = {6720, 3717, 2190, 2279, 2391}

$$-\frac{i \sec^2(x) \text{PolyLog}(2, e^{2ix})}{2\sqrt{a \sec^4(x)}} - \frac{ix^2 \sec^2(x)}{2\sqrt{a \sec^4(x)}} + \frac{x \log(1 - e^{2ix}) \sec^2(x)}{\sqrt{a \sec^4(x)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x*\text{Csc}[x]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^4], x]$

[Out]  $((-I/2)*x^2*\text{Sec}[x]^2)/\text{Sqrt}[a*\text{Sec}[x]^4] + (x*\text{Log}[1 - E^((2*I)*x)]*\text{Sec}[x]^2)/\text{Sqrt}[a*\text{Sec}[x]^4] - ((I/2)*\text{PolyLog}[2, E^((2*I)*x)]*\text{Sec}[x]^2)/\text{Sqrt}[a*\text{Sec}[x]^4]$

#### Rule 6720

$\text{Int}[(u_.)*((a_.)*(v_.)^{(m_.)})^{(p_.)}, x\_Symbol] \rightarrow \text{Dist}[(a^{\text{IntPart}[p]}*(a*v^m)^{\text{FracPart}[p]})/v^{(m*\text{FracPart}[p])}, \text{Int}[u*v^{(m*p)}, x], x] /;$  FreeQ[{a, m, p}, x] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ[v, x] && EqQ[m, 1])

#### Rule 3717

$\text{Int}[(c_.) + (d_.)*(x_.)^{(m_.)}*\tan[(e_.) + \text{Pi}*(k_.) + (f_.)*(x_.)], x\_Symbol] \rightarrow \text{Simp}[(I*(c + d*x)^{(m+1)})/(d*(m+1)), x] - \text{Dist}[2*I, \text{Int}[(c + d*x)^m * E^{(2*I*k*Pi)} * E^{(2*I*(e + f*x))}]/(1 + E^{(2*I*k*Pi)} * E^{(2*I*(e + f*x))}), x], x] /;$  FreeQ[{c, d, e, f}, x] && IntegerQ[4\*k] && IGtQ[m, 0]

#### Rule 2190

$\text{Int}[(F_.)^{((g_.)*((e_.) + (f_.)*(x_)))^{(n_.)}*((c_.) + (d_.)*(x_.)^{(m_.)})/((a_.) + (b_.)*(F_.)^{((g_.)*((e_.) + (f_.)*(x_)))^{(n_.)})}, x\_Symbol] \rightarrow \text{Simp}[(c + d*x)^m * \text{Log}[1 + (b*(F^{(g*(e + f*x)))^n)/a] / (b*f*g*n * \text{Log}[F]), x] - \text{Dist}[(d*m)/(b*f*g*n * \text{Log}[F]), \text{Int}[(c + d*x)^{(m-1)} * \text{Log}[1 + (b*(F^{(g*(e + f*x)))^n)/a}], x], x] /;$  FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

#### Rule 2279

$\text{Int}[\text{Log}[(a_.) + (b_.)*((F_.)^{((e_.)*((c_.) + (d_.)*(x_)))^{(n_.)})}], x\_Symbol] \rightarrow \text{Dist}[1/(d*e*n * \text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x))})^n], x] /;$  FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

#### Rule 2391

Int [Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp [PolyLog [2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rubi steps

$$\begin{aligned} \int \frac{x \csc(x) \sec(x)}{\sqrt{a \sec^4(x)}} dx &= \frac{\sec^2(x) \int x \cot(x) dx}{\sqrt{a \sec^4(x)}} \\ &= -\frac{ix^2 \sec^2(x)}{2\sqrt{a \sec^4(x)}} - \frac{(2i \sec^2(x)) \int \frac{e^{2ix}}{1-e^{2ix}} dx}{\sqrt{a \sec^4(x)}} \\ &= -\frac{ix^2 \sec^2(x)}{2\sqrt{a \sec^4(x)}} + \frac{x \log(1 - e^{2ix}) \sec^2(x)}{\sqrt{a \sec^4(x)}} - \frac{\sec^2(x) \int \log(1 - e^{2ix}) dx}{\sqrt{a \sec^4(x)}} \\ &= -\frac{ix^2 \sec^2(x)}{2\sqrt{a \sec^4(x)}} + \frac{x \log(1 - e^{2ix}) \sec^2(x)}{\sqrt{a \sec^4(x)}} + \frac{(i \sec^2(x)) \text{Subst}\left(\int \frac{\log(1-x)}{x} dx, x, e^{2ix}\right)}{2\sqrt{a \sec^4(x)}} \\ &= -\frac{ix^2 \sec^2(x)}{2\sqrt{a \sec^4(x)}} + \frac{x \log(1 - e^{2ix}) \sec^2(x)}{\sqrt{a \sec^4(x)}} - \frac{i \text{Li}_2(e^{2ix}) \sec^2(x)}{2\sqrt{a \sec^4(x)}} \end{aligned}$$

**Mathematica [A]** time = 0.0381124, size = 50, normalized size = 0.62

$$\frac{i \sec^2(x) \left( \text{PolyLog}\left(2, e^{2ix}\right) + x \left( x + 2i \log\left(1 - e^{2ix}\right) \right) \right)}{2\sqrt{a \sec^4(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*Csc[x]\*Sec[x])/Sqrt[a\*Sec[x]^4], x]

[Out] ((-I/2)\*(x\*(x + (2\*I)\*Log[1 - E^((2\*I)\*x)])) + PolyLog[2, E^((2\*I)\*x)])\*Sec[x]^2/Sqrt[a\*Sec[x]^4]

**Maple [B]** time = 0.077, size = 147, normalized size = 1.8

$$\frac{\frac{i}{2} e^{2ix} x^2}{(1 + e^{2ix})^2} \frac{1}{\sqrt{\frac{ae^{4ix}}{(1+e^{2ix})^4}}} - \frac{2i}{(1 + e^{2ix})^2} \left( \frac{e^{2ix} x^2}{2} + \frac{i}{2} e^{2ix} x \ln(e^{ix} + 1) + \frac{e^{2ix} \text{polylog}(2, -e^{ix})}{2} + \frac{i}{2} e^{2ix} x \ln(1 - e^{ix}) + \frac{e^{2ix} \text{po}}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*csc(x)\*sec(x)/(a\*sec(x)^4)^(1/2), x)

[Out] 1/2\*I/(a\*exp(4\*I\*x)/(1+exp(2\*I\*x))^4)^(1/2)/(1+exp(2\*I\*x))^2\*exp(2\*I\*x)\*x^2 - 2\*I/(a\*exp(4\*I\*x)/(1+exp(2\*I\*x))^4)^(1/2)/(1+exp(2\*I\*x))^2\*(1/2\*exp(2\*I\*x)\*x^2+1/2\*I\*exp(2\*I\*x)\*x\*ln(exp(I\*x)+1)+1/2\*exp(2\*I\*x)\*polylog(2,-exp(I\*x))+1/2\*I\*exp(2\*I\*x)\*x\*ln(1-exp(I\*x))+1/2\*exp(2\*I\*x)\*polylog(2,exp(I\*x)))

**Maxima [A]** time = 1.51372, size = 112, normalized size = 1.38

$$\frac{-ix^2 + 2ix \arctan(\sin(x), \cos(x) + 1) - 2ix \arctan(\sin(x), -\cos(x) + 1) + x \log(\cos(x)^2 + \sin(x)^2 + 2 \cos(x) + 1)}{2\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*csc(x)\*sec(x)/(a\*sec(x)^4)^(1/2),x, algorithm="maxima")

[Out] 1/2\*(-I\*x^2 + 2\*I\*x\*arctan2(sin(x), cos(x) + 1) - 2\*I\*x\*arctan2(sin(x), -cos(x) + 1) + x\*log(cos(x)^2 + sin(x)^2 + 2\*cos(x) + 1) + x\*log(cos(x)^2 + sin(x)^2 - 2\*cos(x) + 1) - 2\*I\*dilog(-e^(I\*x)) - 2\*I\*dilog(e^(I\*x)))/sqrt(a)

**Fricas [B]** time = 3.07491, size = 459, normalized size = 5.67

$(x \cos(x)^2 \log(\cos(x) + i \sin(x) + 1) + x \cos(x)^2 \log(\cos(x) - i \sin(x) + 1) + x \cos(x)^2 \log(-\cos(x) + i \sin(x) + 1) + x \cos(x)^2 \log(-\cos(x) - i \sin(x) + 1)) / \sqrt{a} + \dots$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*csc(x)\*sec(x)/(a\*sec(x)^4)^(1/2),x, algorithm="fricas")

[Out] 1/2\*(x\*cos(x)^2\*log(cos(x) + I\*sin(x) + 1) + x\*cos(x)^2\*log(cos(x) - I\*sin(x) + 1) + x\*cos(x)^2\*log(-cos(x) + I\*sin(x) + 1) + x\*cos(x)^2\*log(-cos(x) - I\*sin(x) + 1) - I\*cos(x)^2\*dilog(cos(x) + I\*sin(x)) + I\*cos(x)^2\*dilog(cos(x) - I\*sin(x)) + I\*cos(x)^2\*dilog(-cos(x) + I\*sin(x)) - I\*cos(x)^2\*dilog(-cos(x) - I\*sin(x)))\*sqrt(a/cos(x)^4)/a

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x \csc(x) \sec(x)}{\sqrt{a \sec^4(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*csc(x)\*sec(x)/(a\*sec(x)\*\*4)\*\*(1/2),x)

[Out] Integral(x\*csc(x)\*sec(x)/sqrt(a\*sec(x)\*\*4), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x \csc(x) \sec(x)}{\sqrt{a \sec(x)^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*csc(x)\*sec(x)/(a\*sec(x)^4)^(1/2),x, algorithm="giac")

[Out] integrate(x\*csc(x)\*sec(x)/sqrt(a\*sec(x)^4), x)

$$3.872 \quad \int \frac{x^2 \csc(x) \sec(x)}{\sqrt{a \sec^4(x)}} dx$$

**Optimal.** Leaf size=109

$$-\frac{ix \sec^2(x) \text{PolyLog}(2, e^{2ix})}{\sqrt{a \sec^4(x)}} + \frac{\sec^2(x) \text{PolyLog}(3, e^{2ix})}{2\sqrt{a \sec^4(x)}} - \frac{ix^3 \sec^2(x)}{3\sqrt{a \sec^4(x)}} + \frac{x^2 \log(1 - e^{2ix}) \sec^2(x)}{\sqrt{a \sec^4(x)}}$$

```
[Out] ((-I/3)*x^3*Sec[x]^2)/Sqrt[a*Sec[x]^4] + (x^2*Log[1 - E^((2*I)*x)]*Sec[x]^2)/Sqrt[a*Sec[x]^4] - (I*x*PolyLog[2, E^((2*I)*x)]*Sec[x]^2)/Sqrt[a*Sec[x]^4] + (PolyLog[3, E^((2*I)*x)]*Sec[x]^2)/(2*Sqrt[a*Sec[x]^4])
```

**Rubi [A]** time = 0.57421, antiderivative size = 109, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {6720, 3717, 2190, 2531, 2282, 6589}

$$-\frac{ix \sec^2(x) \text{PolyLog}(2, e^{2ix})}{\sqrt{a \sec^4(x)}} + \frac{\sec^2(x) \text{PolyLog}(3, e^{2ix})}{2\sqrt{a \sec^4(x)}} - \frac{ix^3 \sec^2(x)}{3\sqrt{a \sec^4(x)}} + \frac{x^2 \log(1 - e^{2ix}) \sec^2(x)}{\sqrt{a \sec^4(x)}}$$

Antiderivative was successfully verified.

```
[In] Int[(x^2*Csc[x]*Sec[x])/Sqrt[a*Sec[x]^4], x]
```

```
[Out] ((-I/3)*x^3*Sec[x]^2)/Sqrt[a*Sec[x]^4] + (x^2*Log[1 - E^((2*I)*x)]*Sec[x]^2)/Sqrt[a*Sec[x]^4] - (I*x*PolyLog[2, E^((2*I)*x)]*Sec[x]^2)/Sqrt[a*Sec[x]^4] + (PolyLog[3, E^((2*I)*x)]*Sec[x]^2)/(2*Sqrt[a*Sec[x]^4])
```

#### Rule 6720

```
Int[(u_)*((a_)*(v_)^(m_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a*v^m)^FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ[v, x] && EqQ[m, 1])
```

#### Rule 3717

```
Int[((c_.) + (d_)*(x_))^(m_)*tan[(e_.) + Pi*(k_.) + (f_)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m * E^(2*I*k*Pi) * E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi) * E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

#### Rule 2190

```
Int[(((F_)^((g_)*((e_.) + (f_)*(x_))))^(n_)*((c_.) + (d_)*(x_))^(m_))/((a_.) + (b_)*((F_)^((g_)*((e_.) + (f_)*(x_))))^(n_)), x_Symbol] := Simp[((c + d*x)^m * Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1) * Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

#### Rule 2531

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_.) + (b_)*(x_))))^(n_)]*((f_.) + (g_.)*(x_))^(m_), x_Symbol] := -Simp[((f + g*x)^m * PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1) * PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f}
```



, g, n}, x] && GtQ[m, 0]

### Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x],
Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rubi steps

$$\begin{aligned} \int \frac{x^2 \csc(x) \sec(x)}{\sqrt{a \sec^4(x)}} dx &= \frac{\sec^2(x) \int x^2 \cot(x) dx}{\sqrt{a \sec^4(x)}} \\ &= -\frac{ix^3 \sec^2(x)}{3\sqrt{a \sec^4(x)}} - \frac{(2i \sec^2(x)) \int \frac{e^{2ix} x^2}{1-e^{2ix}} dx}{\sqrt{a \sec^4(x)}} \\ &= -\frac{ix^3 \sec^2(x)}{3\sqrt{a \sec^4(x)}} + \frac{x^2 \log(1 - e^{2ix}) \sec^2(x)}{\sqrt{a \sec^4(x)}} - \frac{(2 \sec^2(x)) \int x \log(1 - e^{2ix}) dx}{\sqrt{a \sec^4(x)}} \\ &= -\frac{ix^3 \sec^2(x)}{3\sqrt{a \sec^4(x)}} + \frac{x^2 \log(1 - e^{2ix}) \sec^2(x)}{\sqrt{a \sec^4(x)}} - \frac{ix \operatorname{Li}_2(e^{2ix}) \sec^2(x)}{\sqrt{a \sec^4(x)}} + \frac{(i \sec^2(x)) \int \operatorname{Li}_2(e^{2ix}) dx}{\sqrt{a \sec^4(x)}} \\ &= -\frac{ix^3 \sec^2(x)}{3\sqrt{a \sec^4(x)}} + \frac{x^2 \log(1 - e^{2ix}) \sec^2(x)}{\sqrt{a \sec^4(x)}} - \frac{ix \operatorname{Li}_2(e^{2ix}) \sec^2(x)}{\sqrt{a \sec^4(x)}} + \frac{\sec^2(x) \operatorname{Subst}\left(\int \frac{\operatorname{Li}_2(x)}{x} dx, x\right)}{2\sqrt{a \sec^4(x)}} \\ &= -\frac{ix^3 \sec^2(x)}{3\sqrt{a \sec^4(x)}} + \frac{x^2 \log(1 - e^{2ix}) \sec^2(x)}{\sqrt{a \sec^4(x)}} - \frac{ix \operatorname{Li}_2(e^{2ix}) \sec^2(x)}{\sqrt{a \sec^4(x)}} + \frac{\operatorname{Li}_3(e^{2ix}) \sec^2(x)}{2\sqrt{a \sec^4(x)}} \end{aligned}$$

**Mathematica [A]** time = 0.0595842, size = 75, normalized size = 0.69

$$\frac{\sec^2(x) (24ix \operatorname{PolyLog}(2, e^{-2ix}) + 12 \operatorname{PolyLog}(3, e^{-2ix}) + 8ix^3 + 24x^2 \log(1 - e^{-2ix}) - i\pi^3)}{24\sqrt{a \sec^4(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*Csc[x]\*Sec[x])/Sqrt[a\*Sec[x]^4], x]

[Out] (((-I)\*Pi^3 + (8\*I)\*x^3 + 24\*x^2\*Log[1 - E^((-2\*I)\*x)] + (24\*I)\*x\*PolyLog[2, E^((-2\*I)\*x)] + 12\*PolyLog[3, E^((-2\*I)\*x)])\*Sec[x]^2)/(24\*Sqrt[a\*Sec[x]^4])

**Maple [B]** time = 0.067, size = 183, normalized size = 1.7

$$\frac{\frac{i}{3} e^{2ix} x^3}{(1 + e^{2ix})^2} \frac{1}{\sqrt{\frac{ae^{4ix}}{(1+e^{2ix})^4}}} - 2 \frac{i/3 e^{2ix} x^3 - 1/2 e^{2ix} x^2 \ln(e^{ix} + 1) + i e^{2ix} x \operatorname{polylog}(2, -e^{ix}) - e^{2ix} \operatorname{polylog}(3, -e^{ix}) - 1/2 e^{2ix} \operatorname{Li}_3(-e^{ix})}{(1 + e^{2ix})^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*csc(x)*sec(x)/(a*sec(x)^4)^(1/2),x)`

[Out]  $\frac{1}{3}I/(a\exp(4Ix)/(1+\exp(2Ix))^4)^{1/2}/(1+\exp(2Ix))^2\exp(2Ix)x^3 - 2/(a\exp(4Ix)/(1+\exp(2Ix))^4)^{1/2}/(1+\exp(2Ix))^2(1/3I\exp(2Ix)x^3 - 1/2\exp(2Ix)x^2\ln(\exp(Ix)+1) + I\exp(2Ix)x\text{polylog}(2, -\exp(Ix)) - \exp(2Ix)\text{polylog}(3, -\exp(Ix)) - 1/2\exp(2Ix)x^2\ln(1-\exp(Ix)) + I\exp(2Ix)x\text{polylog}(2, \exp(Ix)) - \exp(2Ix)\text{polylog}(3, \exp(Ix)))$

**Maxima [A]** time = 1.53651, size = 153, normalized size = 1.4

$$\frac{-2ix^3 + 6ix^2 \arctan(\sin(x), \cos(x) + 1) - 6ix^2 \arctan(\sin(x), -\cos(x) + 1) + 3x^2 \log(\cos(x)^2 + \sin(x)^2 + 2\cos(x) + 1) + 3x^2 \log(\cos(x)^2 + \sin(x)^2 - 2\cos(x) + 1) - 12Ix \text{dilog}(-e^{Ix}) - 12Ix \text{dilog}(e^{Ix}) + 12\text{polylog}(3, -e^{Ix}) + 12\text{polylog}(3, e^{Ix}))}{6\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*csc(x)*sec(x)/(a*sec(x)^4)^(1/2),x, algorithm="maxima")`

[Out]  $\frac{1}{6}(-2Ix^3 + 6Ix^2\arctan2(\sin(x), \cos(x) + 1) - 6Ix^2\arctan2(\sin(x), -\cos(x) + 1) + 3x^2\log(\cos(x)^2 + \sin(x)^2 + 2\cos(x) + 1) + 3x^2\log(\cos(x)^2 + \sin(x)^2 - 2\cos(x) + 1) - 12Ix\text{dilog}(-e^{Ix}) - 12Ix\text{dilog}(e^{Ix}) + 12\text{polylog}(3, -e^{Ix}) + 12\text{polylog}(3, e^{Ix}))/\sqrt{a}$

**Fricas [C]** time = 2.68834, size = 821, normalized size = 7.53

$$2\sqrt{\frac{a}{\cos(x)^4}}\cos(x)^2\text{polylog}(3, \cos(x) + i\sin(x)) + 2\sqrt{\frac{a}{\cos(x)^4}}\cos(x)^2\text{polylog}(3, \cos(x) - i\sin(x)) + 2\sqrt{\frac{a}{\cos(x)^4}}\cos(x)^2\text{polylog}(3, \cos(x) + i\sin(x)) + 2\sqrt{\frac{a}{\cos(x)^4}}\cos(x)^2\text{polylog}(3, \cos(x) - i\sin(x)) + 2\sqrt{\frac{a}{\cos(x)^4}}\cos(x)^2\text{polylog}(3, \cos(x) + i\sin(x)) + 2\sqrt{\frac{a}{\cos(x)^4}}\cos(x)^2\text{polylog}(3, \cos(x) - i\sin(x)) + 2\sqrt{\frac{a}{\cos(x)^4}}\cos(x)^2\text{polylog}(3, -\cos(x) + i\sin(x)) + 2\sqrt{\frac{a}{\cos(x)^4}}\cos(x)^2\text{polylog}(3, -\cos(x) - i\sin(x)) + (x^2\cos(x)^2\log(\cos(x) + i\sin(x) + 1) + x^2\cos(x)^2\log(\cos(x) - i\sin(x) + 1) + x^2\cos(x)^2\log(-\cos(x) + i\sin(x) + 1) + x^2\cos(x)^2\log(-\cos(x) - i\sin(x) + 1) - 2Ix\cos(x)^2\text{dilog}(\cos(x) + i\sin(x)) + 2Ix\cos(x)^2\text{dilog}(\cos(x) - i\sin(x)) + 2Ix\cos(x)^2\text{dilog}(-\cos(x) + i\sin(x)) - 2Ix\cos(x)^2\text{dilog}(-\cos(x) - i\sin(x)))\sqrt{a/\cos(x)^4})/a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*csc(x)*sec(x)/(a*sec(x)^4)^(1/2),x, algorithm="fricas")`

[Out]  $\frac{1}{2}(2\sqrt{a/\cos(x)^4}\cos(x)^2\text{polylog}(3, \cos(x) + I\sin(x)) + 2\sqrt{a/\cos(x)^4}\cos(x)^2\text{polylog}(3, \cos(x) - I\sin(x)) + 2\sqrt{a/\cos(x)^4}\cos(x)^2\text{polylog}(3, -\cos(x) + I\sin(x)) + 2\sqrt{a/\cos(x)^4}\cos(x)^2\text{polylog}(3, -\cos(x) - I\sin(x)) + (x^2\cos(x)^2\log(\cos(x) + I\sin(x) + 1) + x^2\cos(x)^2\log(\cos(x) - I\sin(x) + 1) + x^2\cos(x)^2\log(-\cos(x) + I\sin(x) + 1) + x^2\cos(x)^2\log(-\cos(x) - I\sin(x) + 1) - 2Ix\cos(x)^2\text{dilog}(\cos(x) + I\sin(x)) + 2Ix\cos(x)^2\text{dilog}(\cos(x) - I\sin(x)) + 2Ix\cos(x)^2\text{dilog}(-\cos(x) + I\sin(x)) - 2Ix\cos(x)^2\text{dilog}(-\cos(x) - I\sin(x)))\sqrt{a/\cos(x)^4})/a$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2 \csc(x) \sec(x)}{\sqrt{a \sec^4(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*csc(x)*sec(x)/(a*sec(x)**4)**(1/2),x)`

[Out] Integral(x\*\*2\*csc(x)\*sec(x)/sqrt(a\*sec(x)\*\*4), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2 \csc(x) \sec(x)}{\sqrt{a \sec(x)^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*csc(x)\*sec(x)/(a\*sec(x)^4)^(1/2),x, algorithm="giac")

[Out] integrate(x^2\*csc(x)\*sec(x)/sqrt(a\*sec(x)^4), x)

$$3.873 \quad \int \frac{x^3 \csc(x) \sec(x)}{\sqrt{a \sec^4(x)}} dx$$

**Optimal.** Leaf size=143

$$-\frac{3ix^2 \sec^2(x) \text{PolyLog}(2, e^{2ix})}{2\sqrt{a \sec^4(x)}} + \frac{3x \sec^2(x) \text{PolyLog}(3, e^{2ix})}{2\sqrt{a \sec^4(x)}} + \frac{3i \sec^2(x) \text{PolyLog}(4, e^{2ix})}{4\sqrt{a \sec^4(x)}} - \frac{ix^4 \sec^2(x)}{4\sqrt{a \sec^4(x)}} + \frac{x^3 \log(1 - e^{(2I)x})}{\sqrt{a}}$$

[Out]  $((-I/4)*x^4*\text{Sec}[x]^2)/\text{Sqrt}[a*\text{Sec}[x]^4] + (x^3*\text{Log}[1 - E^{((2*I)*x)}]*\text{Sec}[x]^2)/\text{Sqrt}[a*\text{Sec}[x]^4] - (((3*I)/2)*x^2*\text{PolyLog}[2, E^{((2*I)*x)}]*\text{Sec}[x]^2)/\text{Sqrt}[a*\text{Sec}[x]^4] + (3*x*\text{PolyLog}[3, E^{((2*I)*x)}]*\text{Sec}[x]^2)/(2*\text{Sqrt}[a*\text{Sec}[x]^4]) + (((3*I)/4)*\text{PolyLog}[4, E^{((2*I)*x)}]*\text{Sec}[x]^2)/\text{Sqrt}[a*\text{Sec}[x]^4]$

**Rubi [A]** time = 0.610126, antiderivative size = 143, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$ , Rules used = {6720, 3717, 2190, 2531, 6609, 2282, 6589}

$$-\frac{3ix^2 \sec^2(x) \text{PolyLog}(2, e^{2ix})}{2\sqrt{a \sec^4(x)}} + \frac{3x \sec^2(x) \text{PolyLog}(3, e^{2ix})}{2\sqrt{a \sec^4(x)}} + \frac{3i \sec^2(x) \text{PolyLog}(4, e^{2ix})}{4\sqrt{a \sec^4(x)}} - \frac{ix^4 \sec^2(x)}{4\sqrt{a \sec^4(x)}} + \frac{x^3 \log(1 - e^{(2I)x})}{\sqrt{a}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^3*\text{Csc}[x]*\text{Sec}[x])/ \text{Sqrt}[a*\text{Sec}[x]^4], x]$

[Out]  $((-I/4)*x^4*\text{Sec}[x]^2)/\text{Sqrt}[a*\text{Sec}[x]^4] + (x^3*\text{Log}[1 - E^{((2*I)*x)}]*\text{Sec}[x]^2)/\text{Sqrt}[a*\text{Sec}[x]^4] - (((3*I)/2)*x^2*\text{PolyLog}[2, E^{((2*I)*x)}]*\text{Sec}[x]^2)/\text{Sqrt}[a*\text{Sec}[x]^4] + (3*x*\text{PolyLog}[3, E^{((2*I)*x)}]*\text{Sec}[x]^2)/(2*\text{Sqrt}[a*\text{Sec}[x]^4]) + (((3*I)/4)*\text{PolyLog}[4, E^{((2*I)*x)}]*\text{Sec}[x]^2)/\text{Sqrt}[a*\text{Sec}[x]^4]$

#### Rule 6720

$\text{Int}[(u_*)*((a_*)*(v_)^{(m_*)})^{(p_*)}, x\_Symbol] \rightarrow \text{Dist}[(a^{\text{IntPart}[p]}*(a*v^m)^{\text{FracPart}[p]})/v^{(m*\text{FracPart}[p])}, \text{Int}[u*v^{(m*p)}, x], x] /;$  FreeQ[{a, m, p}, x] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ[v, x] && EqQ[m, 1])

#### Rule 3717

$\text{Int}[((c_*) + (d_*)*(x_*)^{(m_*)})*\text{tan}[(e_*) + \text{Pi}*(k_*) + (f_*)*(x_*)], x\_Symbol] \rightarrow \text{Simp}[(I*(c + d*x)^{(m+1)})/(d*(m+1)), x] - \text{Dist}[2*I, \text{Int}[(c + d*x)^m * E^{(2*I*k*Pi)} * E^{(2*I*(e + f*x))}]/(1 + E^{(2*I*k*Pi)} * E^{(2*I*(e + f*x))}), x], x] /;$  FreeQ[{c, d, e, f}, x] && IntegerQ[4\*k] && IGtQ[m, 0]

#### Rule 2190

$\text{Int}[(((F_*)^{((g_*)*((e_*) + (f_*)*(x_*)^{(m_*)}))})^{(n_*)})*((c_*) + (d_*)*(x_*)^{(m_*)})/((a_*) + (b_*)*((F_*)^{((g_*)*((e_*) + (f_*)*(x_*)^{(m_*)}))})^{(n_*)}), x\_Symbol] \rightarrow \text{Simp}[(c + d*x)^m * \text{Log}[1 + (b*(F^{(g*(e + f*x)))})^n/a]/(b*f*g*n*\text{Log}[F]), x] - \text{Dist}[(d*m)/(b*f*g*n*\text{Log}[F]), \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 + (b*(F^{(g*(e + f*x)))})^n/a], x], x] /;$  FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

#### Rule 2531

$\text{Int}[\text{Log}[1 + (e_*)*((F_*)^{((c_*)*((a_*) + (b_*)*(x_*)^{(m_*)}))})^{(n_*)}]*((f_*) + (g_*)*(x_*)^{(m_*)}), x\_Symbol] \rightarrow -\text{Simp}[(f + g*x)^m * \text{PolyLog}[2, -(e*(F^{(c*(a + b*x)))})^n]/(b*c*n*\text{Log}[F]), x] + \text{Dist}[(g*m)/(b*c*n*\text{Log}[F]), \text{Int}[(f + g*x)^{(m-1)}], x]$

1)\*PolyLog[2, -(e\*(F^(c\*(a + b\*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

### Rule 6609

Int[((e\_.) + (f\_.)\*(x\_.))^(m\_.)\*PolyLog[n\_, (d\_.)\*((F\_)^((c\_.)\*(a\_.) + (b\_.)\*(x\_.)))^(p\_.)], x\_Symbol] := Simp[((e + f\*x)^m\*PolyLog[n + 1, d\*(F^(c\*(a + b\*x)))^p])/(b\*c\*p\*Log[F]), x] - Dist[(f\*m)/(b\*c\*p\*Log[F]), Int[(e + f\*x)^(m - 1)\*PolyLog[n + 1, d\*(F^(c\*(a + b\*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]

### Rule 2282

Int[u\_, x\_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_.)\*((a\_.)\*(v\_)^(n\_.))^(m\_.) /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n]] && !MatchQ[u, E^((c\_.)\*((a\_.) + (b\_.)\*x))\*(F\_) [v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

### Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_.))^(p\_.)]/((d\_.) + (e\_.)\*(x\_.)), x\_Symbol] := Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

### Rubi steps

$$\begin{aligned} \int \frac{x^3 \csc(x) \sec(x)}{\sqrt{a \sec^4(x)}} dx &= \frac{\sec^2(x) \int x^3 \cot(x) dx}{\sqrt{a \sec^4(x)}} \\ &= -\frac{ix^4 \sec^2(x)}{4\sqrt{a \sec^4(x)}} - \frac{(2i \sec^2(x)) \int \frac{e^{2ix} x^3}{1-e^{2ix}} dx}{\sqrt{a \sec^4(x)}} \\ &= -\frac{ix^4 \sec^2(x)}{4\sqrt{a \sec^4(x)}} + \frac{x^3 \log(1 - e^{2ix}) \sec^2(x)}{\sqrt{a \sec^4(x)}} - \frac{(3 \sec^2(x)) \int x^2 \log(1 - e^{2ix}) dx}{\sqrt{a \sec^4(x)}} \\ &= -\frac{ix^4 \sec^2(x)}{4\sqrt{a \sec^4(x)}} + \frac{x^3 \log(1 - e^{2ix}) \sec^2(x)}{\sqrt{a \sec^4(x)}} - \frac{3ix^2 \text{Li}_2(e^{2ix}) \sec^2(x)}{2\sqrt{a \sec^4(x)}} + \frac{(3i \sec^2(x)) \int x \text{Li}_2(e^{2ix})}{\sqrt{a \sec^4(x)}} \\ &= -\frac{ix^4 \sec^2(x)}{4\sqrt{a \sec^4(x)}} + \frac{x^3 \log(1 - e^{2ix}) \sec^2(x)}{\sqrt{a \sec^4(x)}} - \frac{3ix^2 \text{Li}_2(e^{2ix}) \sec^2(x)}{2\sqrt{a \sec^4(x)}} + \frac{3x \text{Li}_3(e^{2ix}) \sec^2(x)}{2\sqrt{a \sec^4(x)}} - \frac{3i}{2\sqrt{a \sec^4(x)}} \\ &= -\frac{ix^4 \sec^2(x)}{4\sqrt{a \sec^4(x)}} + \frac{x^3 \log(1 - e^{2ix}) \sec^2(x)}{\sqrt{a \sec^4(x)}} - \frac{3ix^2 \text{Li}_2(e^{2ix}) \sec^2(x)}{2\sqrt{a \sec^4(x)}} + \frac{3x \text{Li}_3(e^{2ix}) \sec^2(x)}{2\sqrt{a \sec^4(x)}} + \frac{3i}{2\sqrt{a \sec^4(x)}} \\ &= -\frac{ix^4 \sec^2(x)}{4\sqrt{a \sec^4(x)}} + \frac{x^3 \log(1 - e^{2ix}) \sec^2(x)}{\sqrt{a \sec^4(x)}} - \frac{3ix^2 \text{Li}_2(e^{2ix}) \sec^2(x)}{2\sqrt{a \sec^4(x)}} + \frac{3x \text{Li}_3(e^{2ix}) \sec^2(x)}{2\sqrt{a \sec^4(x)}} + \frac{3i}{2\sqrt{a \sec^4(x)}} \end{aligned}$$

**Mathematica [A]** time = 0.0693036, size = 87, normalized size = 0.61

$$\frac{i \sec^2(x) (-96x^2 \text{PolyLog}(2, e^{-2ix}) + 96ix \text{PolyLog}(3, e^{-2ix}) + 48 \text{PolyLog}(4, e^{-2ix}) - 16x^4 + 64ix^3 \log(1 - e^{-2ix}) + \dots)}{64\sqrt{a \sec^4(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*Csc[x]\*Sec[x])/Sqrt[a\*Sec[x]^4], x]

[Out]  $((-I/64)*(Pi^4 - 16*x^4 + (64*I)*x^3*Log[1 - E^{((-2*I)*x)}] - 96*x^2*PolyLog[2, E^{((-2*I)*x)}] + (96*I)*x*PolyLog[3, E^{((-2*I)*x)}] + 48*PolyLog[4, E^{((-2*I)*x)}]) * Sec[x]^2 / Sqrt[a*Sec[x]^4]$

**Maple [A]** time = 0.069, size = 221, normalized size = 1.6

$$\frac{\frac{i}{4}e^{2ix}x^4}{(1+e^{2ix})^2} \frac{1}{\sqrt{\frac{ae^{4ix}}{(1+e^{2ix})^4}}} + \frac{2i}{(1+e^{2ix})^2} \left( -\frac{e^{2ix}x^4}{4} - \frac{i}{2}e^{2ix}x^3 \ln(e^{ix}+1) - \frac{3e^{2ix}x^2 \text{polylog}(2, -e^{ix})}{2} - 3ie^{2ix}x \text{polylog}(3, -e^{ix}) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*csc(x)*sec(x)/(a*sec(x)^4)^(1/2),x)`

[Out]  $1/4*I/(a*\exp(4*I*x)/(1+\exp(2*I*x))^4)^{(1/2)}/(1+\exp(2*I*x))^2*\exp(2*I*x)*x^4 + 2*I/(a*\exp(4*I*x)/(1+\exp(2*I*x))^4)^{(1/2)}/(1+\exp(2*I*x))^2*(-1/4*\exp(2*I*x)*x^4 - 1/2*I*\exp(2*I*x)*x^3*\ln(\exp(I*x)+1) - 3/2*\exp(2*I*x)*x^2*\text{polylog}(2, -\exp(I*x)) - 3*I*\exp(2*I*x)*x*\text{polylog}(3, -\exp(I*x)) + 3*\exp(2*I*x)*\text{polylog}(4, -\exp(I*x)) - 1/2*I*\exp(2*I*x)*x^3*\ln(1-\exp(I*x)) - 3/2*\exp(2*I*x)*x^2*\text{polylog}(2, \exp(I*x)) - 3*I*\exp(2*I*x)*x*\text{polylog}(3, \exp(I*x)) + 3*\exp(2*I*x)*\text{polylog}(4, \exp(I*x))$

**Maxima [A]** time = 1.55314, size = 185, normalized size = 1.29

$$-ix^4 + 4ix^3 \arctan(\sin(x), \cos(x) + 1) - 4ix^3 \arctan(\sin(x), -\cos(x) + 1) + 2x^3 \log(\cos(x)^2 + \sin(x)^2 + 2 \cos(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*csc(x)*sec(x)/(a*sec(x)^4)^(1/2),x, algorithm="maxima")`

[Out]  $1/4*(-I*x^4 + 4*I*x^3*\arctan2(\sin(x), \cos(x) + 1) - 4*I*x^3*\arctan2(\sin(x), -\cos(x) + 1) + 2*x^3*\log(\cos(x)^2 + \sin(x)^2 + 2*\cos(x) + 1) + 2*x^3*\log(\cos(x)^2 + \sin(x)^2 - 2*\cos(x) + 1) - 12*I*x^2*\text{dilog}(-e^{(I*x)}) - 12*I*x^2*\text{dilog}(e^{(I*x)}) + 24*x*\text{polylog}(3, -e^{(I*x)}) + 24*x*\text{polylog}(3, e^{(I*x)}) + 24*I*\text{polylog}(4, -e^{(I*x)}) + 24*I*\text{polylog}(4, e^{(I*x)}))/\text{sqrt}(a)$

**Fricas [C]** time = 2.69629, size = 1180, normalized size = 8.25

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*csc(x)*sec(x)/(a*sec(x)^4)^(1/2),x, algorithm="fricas")`

[Out]  $1/2*(6*x*\text{sqrt}(a/\cos(x)^4)*\cos(x)^2*\text{polylog}(3, \cos(x) + I*\sin(x)) + 6*x*\text{sqrt}(a/\cos(x)^4)*\cos(x)^2*\text{polylog}(3, \cos(x) - I*\sin(x)) + 6*x*\text{sqrt}(a/\cos(x)^4)*\cos(x)^2*\text{polylog}(3, -\cos(x) + I*\sin(x)) + 6*x*\text{sqrt}(a/\cos(x)^4)*\cos(x)^2*\text{polylog}(3, -\cos(x) - I*\sin(x)) + 6*I*\text{sqrt}(a/\cos(x)^4)*\cos(x)^2*\text{polylog}(4, \cos(x) + I*\sin(x)) - 6*I*\text{sqrt}(a/\cos(x)^4)*\cos(x)^2*\text{polylog}(4, \cos(x) - I*\sin(x)) - 6*I*\text{sqrt}(a/\cos(x)^4)*\cos(x)^2*\text{polylog}(4, -\cos(x) + I*\sin(x)) + 6*I*\text{sqrt}(a/\cos(x)^4)*\cos(x)^2*\text{polylog}(4, -\cos(x) - I*\sin(x)) + (x^3*\cos(x)^2*\log(\cos(x)))$

$$s(x) + I*\sin(x) + 1) + x^3*\cos(x)^2*\log(\cos(x) - I*\sin(x) + 1) + x^3*\cos(x)^2*\log(-\cos(x) + I*\sin(x) + 1) + x^3*\cos(x)^2*\log(-\cos(x) - I*\sin(x) + 1) - 3*I*x^2*\cos(x)^2*\operatorname{dilog}(\cos(x) + I*\sin(x)) + 3*I*x^2*\cos(x)^2*\operatorname{dilog}(\cos(x) - I*\sin(x)) + 3*I*x^2*\cos(x)^2*\operatorname{dilog}(-\cos(x) + I*\sin(x)) - 3*I*x^2*\cos(x)^2*\operatorname{dilog}(-\cos(x) - I*\sin(x)))*\sqrt{a/\cos(x)^4})/a$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*csc(x)\*sec(x)/(a\*sec(x)\*\*4)\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3 \csc(x) \sec(x)}{\sqrt{a \sec(x)^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*csc(x)\*sec(x)/(a\*sec(x)^4)^(1/2),x, algorithm="giac")

[Out] integrate(x^3\*csc(x)\*sec(x)/sqrt(a\*sec(x)^4), x)

### 3.874 $\int x \csc(x) \sec(x) \sqrt{a \sec^2(x)} dx$

**Optimal.** Leaf size=105

$i \cos(x) \text{PolyLog}(2, -e^{ix}) \sqrt{a \sec^2(x)} - i \cos(x) \text{PolyLog}(2, e^{ix}) \sqrt{a \sec^2(x)} + x \sqrt{a \sec^2(x)} - 2x \cos(x) \tanh^{-1}(e^{ix}) \sqrt{a \sec^2(x)}$

```
[Out] x*Sqrt[a*Sec[x]^2] - 2*x*ArcTanh[E^(I*x)]*Cos[x]*Sqrt[a*Sec[x]^2] - ArcTanh
[Sin[x]]*Cos[x]*Sqrt[a*Sec[x]^2] + I*Cos[x]*PolyLog[2, -E^(I*x)]*Sqrt[a*Sec
[x]^2] - I*Cos[x]*PolyLog[2, E^(I*x)]*Sqrt[a*Sec[x]^2]
```

**Rubi [A]** time = 0.34337, antiderivative size = 105, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$ , Rules used = {6720, 2622, 321, 207, 4420, 6271, 4183, 2279, 2391, 3770}

$i \cos(x) \text{PolyLog}(2, -e^{ix}) \sqrt{a \sec^2(x)} - i \cos(x) \text{PolyLog}(2, e^{ix}) \sqrt{a \sec^2(x)} + x \sqrt{a \sec^2(x)} - 2x \cos(x) \tanh^{-1}(e^{ix}) \sqrt{a \sec^2(x)}$

Antiderivative was successfully verified.

```
[In] Int[x*Csc[x]*Sec[x]*Sqrt[a*Sec[x]^2], x]
```

```
[Out] x*Sqrt[a*Sec[x]^2] - 2*x*ArcTanh[E^(I*x)]*Cos[x]*Sqrt[a*Sec[x]^2] - ArcTanh
[Sin[x]]*Cos[x]*Sqrt[a*Sec[x]^2] + I*Cos[x]*PolyLog[2, -E^(I*x)]*Sqrt[a*Sec
[x]^2] - I*Cos[x]*PolyLog[2, E^(I*x)]*Sqrt[a*Sec[x]^2]
```

#### Rule 6720

```
Int[(u_)*((a_)*(v_)^(m_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a*v^m)^
FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x]
&& !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ
[v, x] && EqQ[m, 1])
```

#### Rule 2622

```
Int[csc[(e_.) + (f_.)*(x_)]^(n_)*((a_.)*sec[(e_.) + (f_.)*(x_)]^(m_), x_S
ymbol] := Dist[1/(f*a^n), Subst[Int[x^(m+n-1)/(-1+x^2/a^2)^(n+1)/2
], x], x, a*Sec[e+f*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n+1)
/2] && !(IntegerQ[(m+1)/2] && LtQ[0, m, n])
```

#### Rule 321

```
Int[((c_)*(x_))^(m_)*((a_.) + (b_.)*(x_))^(n_))^(p_), x_Symbol] := Simp[(c^(
n-1)*(c*x)^(m-n+1)*(a+b*x^n)^(p+1))/(b*(m+n*p+1)), x] - Dist[
(a*c^n*(m-n+1))/(b*(m+n*p+1)), Int[(c*x)^(m-n)*(a+b*x^n)^p, x],
x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n-1] && NeQ[m+n*p
+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

#### Rule 207

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[Rt[b, 2]*x]/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a
, 0] || GtQ[b, 0])
```

#### Rule 4420

```
Int[Csc[(a_.) + (b_.)*(x_)]^(n_)*((c_.) + (d_.)*(x_))^(m_)*Sec[(a_.) + (b
_.)*(x_)]^(p_), x_Symbol] := Module[{u = IntHide[Csc[a+b*x]^n*Sec[a+b*x
```



$x]^p, x]$ , Dist[(c + d\*x)^m, u, x] - Dist[d\*m, Int[(c + d\*x)^(m - 1)\*u, x], x] /; FreeQ[{a, b, c, d}, x] && IntegersQ[n, p] && GtQ[m, 0] && NeQ[n, p]

#### Rule 6271

Int[ArcTanh[u\_], x\_Symbol] := Simp[x\*ArcTanh[u], x] - Int[SimplifyIntegrand[(x\*D[u, x])/(1 - u^2), x], x] /; InverseFunctionFreeQ[u, x]

#### Rule 4183

Int[csc[(e\_.) + (f\_.)\*(x\_.)]\*((c\_.) + (d\_.)\*(x\_.))^(m\_.), x\_Symbol] := Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*(e + f\*x))])/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*(e + f\*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

#### Rule 2279

Int[Log[(a\_.) + (b\_.)\*((F\_)^(e\_.)\*((c\_.) + (d\_.)\*(x\_.)))^(n\_.)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

#### Rule 2391

Int[Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_.)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned}
 \int x \csc(x) \sec(x) \sqrt{a \sec^2(x)} dx &= \left( \cos(x) \sqrt{a \sec^2(x)} \right) \int x \csc(x) \sec^2(x) dx \\
 &= x \sqrt{a \sec^2(x)} - x \tanh^{-1}(\cos(x)) \cos(x) \sqrt{a \sec^2(x)} - \left( \cos(x) \sqrt{a \sec^2(x)} \right) \int (-\tanh^{-1}(\cos(x))) dx \\
 &= x \sqrt{a \sec^2(x)} - x \tanh^{-1}(\cos(x)) \cos(x) \sqrt{a \sec^2(x)} + \left( \cos(x) \sqrt{a \sec^2(x)} \right) \int \tanh^{-1}(\cos(x)) dx \\
 &= x \sqrt{a \sec^2(x)} - \tanh^{-1}(\sin(x)) \cos(x) \sqrt{a \sec^2(x)} + \left( \cos(x) \sqrt{a \sec^2(x)} \right) \int x \csc(x) dx \\
 &= x \sqrt{a \sec^2(x)} - 2x \tanh^{-1}(e^{ix}) \cos(x) \sqrt{a \sec^2(x)} - \tanh^{-1}(\sin(x)) \cos(x) \sqrt{a \sec^2(x)} \\
 &= x \sqrt{a \sec^2(x)} - 2x \tanh^{-1}(e^{ix}) \cos(x) \sqrt{a \sec^2(x)} - \tanh^{-1}(\sin(x)) \cos(x) \sqrt{a \sec^2(x)} \\
 &= x \sqrt{a \sec^2(x)} - 2x \tanh^{-1}(e^{ix}) \cos(x) \sqrt{a \sec^2(x)} - \tanh^{-1}(\sin(x)) \cos(x) \sqrt{a \sec^2(x)}
 \end{aligned}$$

**Mathematica [A]** time = 0.0792283, size = 108, normalized size = 1.03

$$\sqrt{a \sec^2(x)} \left( i \cos(x) \left( \text{PolyLog}(2, -e^{ix}) - \text{PolyLog}(2, e^{ix}) \right) + x + x \left( \log(1 - e^{ix}) - \log(1 + e^{ix}) \right) \cos(x) + \cos(x) \log(1 - e^{ix}) \right)$$

Antiderivative was successfully verified.

[In] Integrate[x\*Csc[x]\*Sec[x]\*Sqrt[a\*Sec[x]^2], x]

```
[Out] (x + x*cos[x]*(Log[1 - E^(I*x)] - Log[1 + E^(I*x)]) + Cos[x]*Log[Cos[x/2] - Sin[x/2]] - Cos[x]*Log[Cos[x/2] + Sin[x/2]] + I*cos[x]*(PolyLog[2, -E^(I*x)]) - PolyLog[2, E^(I*x)])*Sqrt[a*Sec[x]^2]
```

**Maple [A]** time = 0.107, size = 86, normalized size = 0.8

$$2 \sqrt{\frac{ae^{2ix}}{(1+e^{2ix})^2}} x + 4 \sqrt{\frac{ae^{2ix}}{(1+e^{2ix})^2}} \left( i \arctan(e^{ix}) + i/2 \operatorname{dilog}(e^{ix} + 1) - 1/2 x \ln(e^{ix} + 1) + i/2 \operatorname{dilog}(e^{ix}) \right) \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*csc(x)*sec(x)*(a*sec(x)^2)^(1/2),x)
```

```
[Out] 2*(a*exp(2*I*x)/(1+exp(2*I*x))^2)^(1/2)*x+4*(a*exp(2*I*x)/(1+exp(2*I*x))^2)^(1/2)*(I*arctan(exp(I*x))+1/2*I*dilog(exp(I*x)+1)-1/2*x*ln(exp(I*x)+1)+1/2*I*dilog(exp(I*x)))*cos(x)
```

**Maxima [B]** time = 1.57098, size = 405, normalized size = 3.86

$$\left( 2(\cos(2x) + i \sin(2x) + 1) \arctan(\cos(x), \sin(x) + 1) + 2(\cos(2x) + i \sin(2x) + 1) \arctan(\cos(x), -\sin(x) + 1) - \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*csc(x)*sec(x)*(a*sec(x)^2)^(1/2),x, algorithm="maxima")
```

```
[Out] (2*(cos(2*x) + I*sin(2*x) + 1)*arctan2(cos(x), sin(x) + 1) + 2*(cos(2*x) + I*sin(2*x) + 1)*arctan2(cos(x), -sin(x) + 1) - (2*x*cos(2*x) + 2*I*x*sin(2*x) + 2*x)*arctan2(sin(x), cos(x) + 1) - (2*x*cos(2*x) + 2*I*x*sin(2*x) + 2*x)*arctan2(sin(x), -cos(x) + 1) - 4*I*x*cos(x) + 2*(cos(2*x) + I*sin(2*x) + 1)*dilog(-e^(I*x)) - 2*(cos(2*x) + I*sin(2*x) + 1)*dilog(e^(I*x)) - (-I*x*cos(2*x) + x*sin(2*x) - I*x)*log(cos(x)^2 + sin(x)^2 + 2*cos(x) + 1) - (I*x*cos(2*x) - x*sin(2*x) + I*x)*log(cos(x)^2 + sin(x)^2 - 2*cos(x) + 1) - (-I*cos(2*x) + sin(2*x) - I)*log(cos(x)^2 + sin(x)^2 + 2*sin(x) + 1) - (I*cos(2*x) - sin(2*x) + I)*log(cos(x)^2 + sin(x)^2 - 2*sin(x) + 1) + 4*x*sin(x))*sqrt(a)/(-2*I*cos(2*x) + 2*sin(2*x) - 2*I)
```

**Fricas [A]** time = 2.41178, size = 500, normalized size = 4.76

$$-\frac{1}{2} \left( x \cos(x) \log(\cos(x) + i \sin(x) + 1) + x \cos(x) \log(\cos(x) - i \sin(x) + 1) - x \cos(x) \log(-\cos(x) + i \sin(x) + 1) - \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*csc(x)*sec(x)*(a*sec(x)^2)^(1/2),x, algorithm="fricas")
```

```
[Out] -1/2*(x*cos(x)*log(cos(x) + I*sin(x) + 1) + x*cos(x)*log(cos(x) - I*sin(x) + 1) - x*cos(x)*log(-cos(x) + I*sin(x) + 1) - x*cos(x)*log(-cos(x) - I*sin(x) + 1) + I*cos(x)*dilog(cos(x) + I*sin(x)) - I*cos(x)*dilog(cos(x) - I*sin(x)) + I*cos(x)*dilog(-cos(x) + I*sin(x)) - I*cos(x)*dilog(-cos(x) - I*sin(x))
```

$x)) + \cos(x) \cdot \log(-(\sin(x) + 1)/(\sin(x) - 1)) - 2x \cdot \sqrt{a/\cos(x)^2}$

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int x \sqrt{a \sec^2(x)} \csc(x) \sec(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*csc(x)\*sec(x)\*(a\*sec(x)\*\*2)\*\*(1/2),x)

[Out] Integral(x\*sqrt(a\*sec(x)\*\*2)\*csc(x)\*sec(x), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a \sec(x)^2} x \csc(x) \sec(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*csc(x)\*sec(x)\*(a\*sec(x)^2)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(a\*sec(x)^2)\*x\*csc(x)\*sec(x), x)

### 3.875 $\int x^2 \csc(x) \sec(x) \sqrt{a \sec^2(x)} dx$

**Optimal.** Leaf size=225

$$2ix \cos(x) \text{PolyLog}(2, -e^{ix}) \sqrt{a \sec^2(x)} - 2ix \cos(x) \text{PolyLog}(2, e^{ix}) \sqrt{a \sec^2(x)} - 2i \cos(x) \text{PolyLog}(2, -ie^{ix}) \sqrt{a \sec^2(x)}$$

```
[Out] x^2*Sqrt[a*Sec[x]^2] + (4*I)*x*ArcTan[E^(I*x)]*Cos[x]*Sqrt[a*Sec[x]^2] - 2*
x^2*ArcTanh[E^(I*x)]*Cos[x]*Sqrt[a*Sec[x]^2] + (2*I)*x*Cos[x]*PolyLog[2, -E
^(I*x)]*Sqrt[a*Sec[x]^2] - (2*I)*Cos[x]*PolyLog[2, (-I)*E^(I*x)]*Sqrt[a*Sec
[x]^2] + (2*I)*Cos[x]*PolyLog[2, I*E^(I*x)]*Sqrt[a*Sec[x]^2] - (2*I)*x*Cos[x]
*PolyLog[2, E^(I*x)]*Sqrt[a*Sec[x]^2] - 2*Cos[x]*PolyLog[3, -E^(I*x)]*Sqr
t[a*Sec[x]^2] + 2*Cos[x]*PolyLog[3, E^(I*x)]*Sqrt[a*Sec[x]^2]
```

**Rubi [A]** time = 0.531386, antiderivative size = 225, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 14, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.778$ , Rules used = {6720, 2622, 321, 207, 4420, 14, 6273, 4183, 2531, 2282, 6589, 4181, 2279, 2391}

$$2ix \cos(x) \text{PolyLog}(2, -e^{ix}) \sqrt{a \sec^2(x)} - 2ix \cos(x) \text{PolyLog}(2, e^{ix}) \sqrt{a \sec^2(x)} - 2i \cos(x) \text{PolyLog}(2, -ie^{ix}) \sqrt{a \sec^2(x)}$$

Antiderivative was successfully verified.

```
[In] Int[x^2*Csc[x]*Sec[x]*Sqrt[a*Sec[x]^2], x]
```

```
[Out] x^2*Sqrt[a*Sec[x]^2] + (4*I)*x*ArcTan[E^(I*x)]*Cos[x]*Sqrt[a*Sec[x]^2] - 2*
x^2*ArcTanh[E^(I*x)]*Cos[x]*Sqrt[a*Sec[x]^2] + (2*I)*x*Cos[x]*PolyLog[2, -E
^(I*x)]*Sqrt[a*Sec[x]^2] - (2*I)*Cos[x]*PolyLog[2, (-I)*E^(I*x)]*Sqrt[a*Sec
[x]^2] + (2*I)*Cos[x]*PolyLog[2, I*E^(I*x)]*Sqrt[a*Sec[x]^2] - (2*I)*x*Cos[x]
*PolyLog[2, E^(I*x)]*Sqrt[a*Sec[x]^2] - 2*Cos[x]*PolyLog[3, -E^(I*x)]*Sqr
t[a*Sec[x]^2] + 2*Cos[x]*PolyLog[3, E^(I*x)]*Sqrt[a*Sec[x]^2]
```

#### Rule 6720

```
Int[(u_.)*((a_.)*(v_)^(m_.))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a*v^m)^
FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x
] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ
[v, x] && EqQ[m, 1])
```

#### Rule 2622

```
Int[csc[(e_.) + (f_.)*(x_)]^(n_.)*((a_.)*sec[(e_.) + (f_.)*(x_)]^(m_), x_S
ymbol] := Dist[1/(f*a^n), Subst[Int[x^(m + n - 1)/(-1 + x^2/a^2)^(n + 1)/2
), x], x, a*Sec[e + f*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n + 1)
/2] && !(IntegerQ[(m + 1)/2] && LtQ[0, m, n])
```

#### Rule 321

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Simp[(c^(
n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[
(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

#### Rule 207

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a
```

, 0] || GtQ[b, 0])

#### Rule 4420

Int[Csc[(a\_.) + (b\_.)\*(x\_)]^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sec[(a\_.) + (b\_.)\*(x\_)]^(p\_.), x\_Symbol] := Module[{u = IntHide[Csc[a + b\*x]^n\*Sec[a + b\*x]^p, x]}, Dist[(c + d\*x)^m, u, x] - Dist[d\*m, Int[(c + d\*x)^(m - 1)\*u, x], x]] /; FreeQ[{a, b, c, d}, x] && IntegersQ[n, p] && GtQ[m, 0] && NeQ[n, p]

#### Rule 14

Int[(u\_)\*((c\_.)\*(x\_))^(m\_.), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_) + (b\_.)\*(v\_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]

#### Rule 6273

Int[((a\_.) + ArcTanh[u\_]\*(b\_.))\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[((c + d\*x)^(m + 1)\*(a + b\*ArcTanh[u]))/(d\*(m + 1)), x] - Dist[b/(d\*(m + 1)), Int[SimplifyIntegrand[((c + d\*x)^(m + 1)\*D[u, x])/(1 - u^2), x], x]] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1] && InverseFunctionFreeQ[u, x] && !FunctionOfQ[(c + d\*x)^(m + 1), u, x] && FalseQ[PowerVariableExpn[u, m + 1, x]]

#### Rule 4183

Int[csc[(e\_.) + (f\_.)\*(x\_)]\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*(e + f\*x))]/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*(e + f\*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

#### Rule 2531

Int[Log[1 + (e\_.)\*((F\_)^((c\_.)\*(a\_.) + (b\_.)\*(x\_)))^(n\_.)]\*((f\_.) + (g\_.)\*(x\_))^(m\_.), x\_Symbol] := -Simp[((f + g\*x)^m\*PolyLog[2, -(e\*(F^(c\*(a + b\*x))))^n])/(b\*c\*n\*Log[F]), x] + Dist[(g\*m)/(b\*c\*n\*Log[F]), Int[(f + g\*x)^(m - 1)\*PolyLog[2, -(e\*(F^(c\*(a + b\*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

#### Rule 2282

Int[u\_, x\_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_.)\*(v\_)^(n\_))^(m\_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^((c\_.)\*(a\_.) + (b\_.)\*x))\* (F\_)[v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]

#### Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] := Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

#### Rule 4181

Int[csc[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)]\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*k\*Pi)\*E^(I\*(e + f\*x))]/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x],

```
x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))
], x], x) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned} \int x^2 \csc(x) \sec(x) \sqrt{a \sec^2(x)} dx &= \left( \cos(x) \sqrt{a \sec^2(x)} \right) \int x^2 \csc(x) \sec^2(x) dx \\ &= x^2 \sqrt{a \sec^2(x)} - x^2 \tanh^{-1}(\cos(x)) \cos(x) \sqrt{a \sec^2(x)} - \left( 2 \cos(x) \sqrt{a \sec^2(x)} \right) \int x (-\tan(x)) dx \\ &= x^2 \sqrt{a \sec^2(x)} - x^2 \tanh^{-1}(\cos(x)) \cos(x) \sqrt{a \sec^2(x)} - \left( 2 \cos(x) \sqrt{a \sec^2(x)} \right) \int (-x \tan(x)) dx \\ &= x^2 \sqrt{a \sec^2(x)} - x^2 \tanh^{-1}(\cos(x)) \cos(x) \sqrt{a \sec^2(x)} + \left( 2 \cos(x) \sqrt{a \sec^2(x)} \right) \int x \tanh(x) dx \\ &= x^2 \sqrt{a \sec^2(x)} + 4ix \tan^{-1}(e^{ix}) \cos(x) \sqrt{a \sec^2(x)} + \left( \cos(x) \sqrt{a \sec^2(x)} \right) \int x^2 \csc(x) dx \\ &= x^2 \sqrt{a \sec^2(x)} + 4ix \tan^{-1}(e^{ix}) \cos(x) \sqrt{a \sec^2(x)} - 2x^2 \tanh^{-1}(e^{ix}) \cos(x) \sqrt{a \sec^2(x)} - \frac{1}{2} \operatorname{Li}_2(-e^{2ix}) \\ &= x^2 \sqrt{a \sec^2(x)} + 4ix \tan^{-1}(e^{ix}) \cos(x) \sqrt{a \sec^2(x)} - 2x^2 \tanh^{-1}(e^{ix}) \cos(x) \sqrt{a \sec^2(x)} - \frac{1}{2} \operatorname{Li}_2(-e^{2ix}) \\ &= x^2 \sqrt{a \sec^2(x)} + 4ix \tan^{-1}(e^{ix}) \cos(x) \sqrt{a \sec^2(x)} - 2x^2 \tanh^{-1}(e^{ix}) \cos(x) \sqrt{a \sec^2(x)} - \frac{1}{2} \operatorname{Li}_2(-e^{2ix}) \\ &= x^2 \sqrt{a \sec^2(x)} + 4ix \tan^{-1}(e^{ix}) \cos(x) \sqrt{a \sec^2(x)} - 2x^2 \tanh^{-1}(e^{ix}) \cos(x) \sqrt{a \sec^2(x)} - \frac{1}{2} \operatorname{Li}_2(-e^{2ix}) \end{aligned}$$

**Mathematica [A]** time = 0.127748, size = 174, normalized size = 0.77

$$\sqrt{a \sec^2(x)} \left( 2ix \cos(x) \left( \operatorname{PolyLog}(2, -e^{ix}) - \operatorname{PolyLog}(2, e^{ix}) \right) + 2 \cos(x) \left( \operatorname{PolyLog}(3, e^{ix}) - \operatorname{PolyLog}(3, -e^{ix}) \right) - 2 \cos(x) \operatorname{Li}_2(-e^{2ix}) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[x^2*Csc[x]*Sec[x]*Sqrt[a*Sec[x]^2], x]
```

```
[Out] (x^2 + x^2*Cos[x]*(Log[1 - E^(I*x)] - Log[1 + E^(I*x)]) - 2*Cos[x]*(x*(Log[1 - I*E^(I*x)] - Log[1 + I*E^(I*x)]) + I*(PolyLog[2, (-I)*E^(I*x)] - PolyLog[2, I*E^(I*x)])) + (2*I)*x*Cos[x]*(PolyLog[2, -E^(I*x)] - PolyLog[2, E^(I*x)]) + 2*Cos[x]*(-PolyLog[3, -E^(I*x)] + PolyLog[3, E^(I*x)]))*Sqrt[a*Sec[x]^2]
```

**Maple [A]** time = 0.157, size = 200, normalized size = 0.9

$$2 \sqrt{\frac{ae^{2ix}}{(1 + e^{2ix})^2}} x^2 - 4i \sqrt{\frac{ae^{2ix}}{(1 + e^{2ix})^2}} \left( 2i \left( \frac{x \ln(1 + ie^{ix})}{2} - \frac{x \ln(1 - ie^{ix})}{2} - \frac{i}{2} \operatorname{dilog}(1 + ie^{ix}) + \frac{i}{2} \operatorname{dilog}(1 - ie^{ix}) \right) - \frac{i}{2} \operatorname{Li}_2(-e^{2ix}) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*csc(x)*sec(x)*(a*sec(x)^2)^(1/2),x)`

[Out]  $2*(a*\exp(2*I*x)/(1+\exp(2*I*x))^2)^(1/2)*x^2-4*I*(a*\exp(2*I*x)/(1+\exp(2*I*x))^2)^(1/2)*(2*I*(1/2*x*\ln(1+I*\exp(I*x))-1/2*x*\ln(1-I*\exp(I*x))-1/2*I*\operatorname{dilog}(1+I*\exp(I*x))+1/2*I*\operatorname{dilog}(1-I*\exp(I*x)))-1/2*I*(-1/3*I*x^3+x^2*\ln(\exp(I*x)+1)-2*I*x*\operatorname{polylog}(2,-\exp(I*x))+2*\operatorname{polylog}(3,-\exp(I*x)))-1/2*I*(1/3*I*x^3-x^2*\ln(1-\exp(I*x))+2*I*x*\operatorname{polylog}(2,\exp(I*x))-2*\operatorname{polylog}(3,\exp(I*x))))*\cos(x)$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*csc(x)*sec(x)*(a*sec(x)^2)^(1/2),x, algorithm="maxima")`

[Out] Timed out

**Fricas [C]** time = 2.67575, size = 1210, normalized size = 5.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*csc(x)*sec(x)*(a*sec(x)^2)^(1/2),x, algorithm="fricas")`

[Out]  $\sqrt{a/\cos(x)^2}*\cos(x)*\operatorname{polylog}(3, \cos(x) + I*\sin(x)) + \sqrt{a/\cos(x)^2}*\cos(x)*\operatorname{polylog}(3, \cos(x) - I*\sin(x)) - \sqrt{a/\cos(x)^2}*\cos(x)*\operatorname{polylog}(3, -\cos(x) + I*\sin(x)) - \sqrt{a/\cos(x)^2}*\cos(x)*\operatorname{polylog}(3, -\cos(x) - I*\sin(x)) - 1/2*(x^2*\cos(x)*\log(\cos(x) + I*\sin(x) + 1) + x^2*\cos(x)*\log(\cos(x) - I*\sin(x) + 1) - x^2*\cos(x)*\log(-\cos(x) + I*\sin(x) + 1) - x^2*\cos(x)*\log(-\cos(x) - I*\sin(x) + 1) + 2*I*x*\cos(x)*\operatorname{dilog}(\cos(x) + I*\sin(x)) - 2*I*x*\cos(x)*\operatorname{dilog}(\cos(x) - I*\sin(x)) + 2*I*x*\cos(x)*\operatorname{dilog}(-\cos(x) + I*\sin(x)) - 2*I*x*\cos(x)*\operatorname{dilog}(-\cos(x) - I*\sin(x)) + 2*x*\cos(x)*\log(I*\cos(x) + \sin(x) + 1) - 2*x*\cos(x)*\log(I*\cos(x) - \sin(x) + 1) + 2*x*\cos(x)*\log(-I*\cos(x) + \sin(x) + 1) - 2*x*\cos(x)*\log(-I*\cos(x) - \sin(x) + 1) - 2*x^2 - 2*I*\cos(x)*\operatorname{dilog}(I*\cos(x) + \sin(x)) - 2*I*\cos(x)*\operatorname{dilog}(I*\cos(x) - \sin(x)) + 2*I*\cos(x)*\operatorname{dilog}(-I*\cos(x) + \sin(x)) + 2*I*\cos(x)*\operatorname{dilog}(-I*\cos(x) - \sin(x)))*\sqrt{a/\cos(x)^2}$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*csc(x)*sec(x)*(a*sec(x)**2)**(1/2),x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a \sec(x)^2 x^2} \csc(x) \sec(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*csc(x)*sec(x)*(a*sec(x)^2)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(sqrt(a*sec(x)^2)*x^2*csc(x)*sec(x), x)
```



### 3.876 $\int x^3 \csc(x) \sec(x) \sqrt{a \sec^2(x)} dx$

**Optimal.** Leaf size=341

$$3ix^2 \cos(x) \text{PolyLog}(2, -e^{ix}) \sqrt{a \sec^2(x)} - 3ix^2 \cos(x) \text{PolyLog}(2, e^{ix}) \sqrt{a \sec^2(x)} - 6ix \cos(x) \text{PolyLog}(2, -ie^{ix}) \sqrt{a \sec^2(x)}$$

```
[Out] x^3*Sqrt[a*Sec[x]^2] + (6*I)*x^2*ArcTan[E^(I*x)]*Cos[x]*Sqrt[a*Sec[x]^2] -
2*x^3*ArcTanh[E^(I*x)]*Cos[x]*Sqrt[a*Sec[x]^2] + (3*I)*x^2*Cos[x]*PolyLog[2,
-E^(I*x)]*Sqrt[a*Sec[x]^2] - (6*I)*x*Cos[x]*PolyLog[2, (-I)*E^(I*x)]*Sqrt
[a*Sec[x]^2] + (6*I)*x*Cos[x]*PolyLog[2, I*E^(I*x)]*Sqrt[a*Sec[x]^2] - (3*I
)*x^2*Cos[x]*PolyLog[2, E^(I*x)]*Sqrt[a*Sec[x]^2] - 6*x*Cos[x]*PolyLog[3, -
E^(I*x)]*Sqrt[a*Sec[x]^2] + 6*Cos[x]*PolyLog[3, (-I)*E^(I*x)]*Sqrt[a*Sec[x]
^2] - 6*Cos[x]*PolyLog[3, I*E^(I*x)]*Sqrt[a*Sec[x]^2] + 6*x*Cos[x]*PolyLog[
3, E^(I*x)]*Sqrt[a*Sec[x]^2] - (6*I)*Cos[x]*PolyLog[4, -E^(I*x)]*Sqrt[a*Sec
[x]^2] + (6*I)*Cos[x]*PolyLog[4, E^(I*x)]*Sqrt[a*Sec[x]^2]
```

**Rubi [A]** time = 0.62853, antiderivative size = 341, normalized size of antiderivative = 1., number of steps used = 21, number of rules used = 13, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.722$ , Rules used = {6720, 2622, 321, 207, 4420, 14, 6273, 4183, 2531, 6609, 2282, 6589, 4181}

$$3ix^2 \cos(x) \text{PolyLog}(2, -e^{ix}) \sqrt{a \sec^2(x)} - 3ix^2 \cos(x) \text{PolyLog}(2, e^{ix}) \sqrt{a \sec^2(x)} - 6ix \cos(x) \text{PolyLog}(2, -ie^{ix}) \sqrt{a \sec^2(x)}$$

Antiderivative was successfully verified.

```
[In] Int[x^3*Csc[x]*Sec[x]*Sqrt[a*Sec[x]^2], x]
```

```
[Out] x^3*Sqrt[a*Sec[x]^2] + (6*I)*x^2*ArcTan[E^(I*x)]*Cos[x]*Sqrt[a*Sec[x]^2] -
2*x^3*ArcTanh[E^(I*x)]*Cos[x]*Sqrt[a*Sec[x]^2] + (3*I)*x^2*Cos[x]*PolyLog[2,
-E^(I*x)]*Sqrt[a*Sec[x]^2] - (6*I)*x*Cos[x]*PolyLog[2, (-I)*E^(I*x)]*Sqrt
[a*Sec[x]^2] + (6*I)*x*Cos[x]*PolyLog[2, I*E^(I*x)]*Sqrt[a*Sec[x]^2] - (3*I
)*x^2*Cos[x]*PolyLog[2, E^(I*x)]*Sqrt[a*Sec[x]^2] - 6*x*Cos[x]*PolyLog[3, -
E^(I*x)]*Sqrt[a*Sec[x]^2] + 6*Cos[x]*PolyLog[3, (-I)*E^(I*x)]*Sqrt[a*Sec[x]
^2] - 6*Cos[x]*PolyLog[3, I*E^(I*x)]*Sqrt[a*Sec[x]^2] + 6*x*Cos[x]*PolyLog[
3, E^(I*x)]*Sqrt[a*Sec[x]^2] - (6*I)*Cos[x]*PolyLog[4, -E^(I*x)]*Sqrt[a*Sec
[x]^2] + (6*I)*Cos[x]*PolyLog[4, E^(I*x)]*Sqrt[a*Sec[x]^2]
```

#### Rule 6720

```
Int[(u_.)*((a_.)*(v_)^(m_.))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a*v^m)^
FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x]
&& !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ
[v, x] && EqQ[m, 1])
```

#### Rule 2622

```
Int[csc[(e_.) + (f_.)*(x_)]^(n_.)*((a_.)*sec[(e_.) + (f_.)*(x_)]^(m_), x_S
ymbol] := Dist[1/(f*a^n), Subst[Int[x^(m + n - 1)/(-1 + x^2/a^2)^(n + 1)/2
], x], x, a*Sec[e + f*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n + 1)
/2] && !(IntegerQ[(m + 1)/2] && LtQ[0, m, n])
```

#### Rule 321

```
Int[((c_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Simp[(c^(
n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[
(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
```

$x] /;$  FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n\*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

#### Rule 207

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rule 4420

Int[Csc[(a\_) + (b\_)\*(x\_)]^(n\_)\*((c\_) + (d\_)\*(x\_))^(m\_)\*Sec[(a\_) + (b\_)\*(x\_)]^(p\_), x\_Symbol] := Module[{u = IntHide[Csc[a + b\*x]^n\*Sec[a + b\*x]^p, x]}, Dist[(c + d\*x)^m, u, x] - Dist[d\*m, Int[(c + d\*x)^(m - 1)\*u, x], x]] /; FreeQ[{a, b, c, d}, x] && IntegersQ[n, p] && GtQ[m, 0] && NeQ[n, p]

#### Rule 14

Int[(u\_)\*((c\_)\*(x\_))^(m\_), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_) + (b\_)\*(v\_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]

#### Rule 6273

Int[((a\_) + ArcTanh[u\_]\*(b\_))\*((c\_) + (d\_)\*(x\_))^(m\_), x\_Symbol] := Simp[((c + d\*x)^(m + 1)\*(a + b\*ArcTanh[u]))/(d\*(m + 1)), x] - Dist[b/(d\*(m + 1)), Int[SimplifyIntegrand[(c + d\*x)^(m + 1)\*D[u, x]]/(1 - u^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1] && InverseFunctionFreeQ[u, x] && !FunctionOfQ[(c + d\*x)^(m + 1), u, x] && FalseQ[PowerVariableExpn[u, m + 1, x]]

#### Rule 4183

Int[csc[(e\_) + (f\_)\*(x\_)]\*((c\_) + (d\_)\*(x\_))^(m\_), x\_Symbol] := Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*(e + f\*x))])/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*(e + f\*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

#### Rule 2531

Int[Log[1 + (e\_)\*((F\_)^((c\_)\*((a\_) + (b\_)\*(x\_))))^(n\_)]\*((f\_) + (g\_)\*(x\_))^(m\_), x\_Symbol] := -Simp[((f + g\*x)^m\*PolyLog[2, -(e\*(F^(c\*(a + b\*x))))^n])/((b\*c\*n\*Log[F]), x] + Dist[(g\*m)/(b\*c\*n\*Log[F]), Int[(f + g\*x)^(m - 1)\*PolyLog[2, -(e\*(F^(c\*(a + b\*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

#### Rule 6609

Int[((e\_) + (f\_)\*(x\_))^(m\_)\*PolyLog[n\_, (d\_)\*((F\_)^((c\_)\*((a\_) + (b\_)\*(x\_))))^(p\_)], x\_Symbol] := Simp[((e + f\*x)^m\*PolyLog[n + 1, d\*(F^(c\*(a + b\*x)))^p])/((b\*c\*p\*Log[F]), x] - Dist[(f\*m)/(b\*c\*p\*Log[F]), Int[(e + f\*x)^(m - 1)\*PolyLog[n + 1, d\*(F^(c\*(a + b\*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]

#### Rule 2282

Int[u\_, x\_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi

```
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol]
:> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f, x] + (-Dist[
(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))],
x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

### Rubi steps

$$\begin{aligned}
\int x^3 \csc(x) \sec(x) \sqrt{a \sec^2(x)} dx &= \left( \cos(x) \sqrt{a \sec^2(x)} \right) \int x^3 \csc(x) \sec^2(x) dx \\
&= x^3 \sqrt{a \sec^2(x)} - x^3 \tanh^{-1}(\cos(x)) \cos(x) \sqrt{a \sec^2(x)} - \left( 3 \cos(x) \sqrt{a \sec^2(x)} \right) \int x^2 \csc(x) \sec^2(x) dx \\
&= x^3 \sqrt{a \sec^2(x)} - x^3 \tanh^{-1}(\cos(x)) \cos(x) \sqrt{a \sec^2(x)} - \left( 3 \cos(x) \sqrt{a \sec^2(x)} \right) \int (-x^2 \csc(x) \sec^2(x)) dx \\
&= x^3 \sqrt{a \sec^2(x)} - x^3 \tanh^{-1}(\cos(x)) \cos(x) \sqrt{a \sec^2(x)} + \left( 3 \cos(x) \sqrt{a \sec^2(x)} \right) \int x^2 \csc(x) \sec^2(x) dx \\
&= x^3 \sqrt{a \sec^2(x)} + 6ix^2 \tan^{-1}(e^{ix}) \cos(x) \sqrt{a \sec^2(x)} + \left( \cos(x) \sqrt{a \sec^2(x)} \right) \int x^3 \csc(x) \sec^2(x) dx \\
&= x^3 \sqrt{a \sec^2(x)} + 6ix^2 \tan^{-1}(e^{ix}) \cos(x) \sqrt{a \sec^2(x)} - 2x^3 \tanh^{-1}(e^{ix}) \cos(x) \sqrt{a \sec^2(x)} \\
&= x^3 \sqrt{a \sec^2(x)} + 6ix^2 \tan^{-1}(e^{ix}) \cos(x) \sqrt{a \sec^2(x)} - 2x^3 \tanh^{-1}(e^{ix}) \cos(x) \sqrt{a \sec^2(x)} \\
&= x^3 \sqrt{a \sec^2(x)} + 6ix^2 \tan^{-1}(e^{ix}) \cos(x) \sqrt{a \sec^2(x)} - 2x^3 \tanh^{-1}(e^{ix}) \cos(x) \sqrt{a \sec^2(x)} \\
&= x^3 \sqrt{a \sec^2(x)} + 6ix^2 \tan^{-1}(e^{ix}) \cos(x) \sqrt{a \sec^2(x)} - 2x^3 \tanh^{-1}(e^{ix}) \cos(x) \sqrt{a \sec^2(x)} \\
&= x^3 \sqrt{a \sec^2(x)} + 6ix^2 \tan^{-1}(e^{ix}) \cos(x) \sqrt{a \sec^2(x)} - 2x^3 \tanh^{-1}(e^{ix}) \cos(x) \sqrt{a \sec^2(x)}
\end{aligned}$$

**Mathematica [A]** time = 0.432337, size = 290, normalized size = 0.85

$$\frac{1}{8} \sqrt{a \sec^2(x)} \left( 24ix^2 \cos(x) \text{PolyLog}(2, e^{-ix}) + 24ix^2 \cos(x) \text{PolyLog}(2, -e^{ix}) - 48ix \cos(x) \text{PolyLog}(2, -ie^{ix}) + 48ix \cos(x) \text{PolyLog}(2, ie^{-ix}) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[x^3*Csc[x]*Sec[x]*Sqrt[a*Sec[x]^2], x]
```

```
[Out] ((8*x^3 - I*Pi^4*Cos[x] + (2*I)*x^4*Cos[x] + 8*x^3*Cos[x]*Log[1 - E^((-I)*x)] - 24*x^2*Cos[x]*Log[1 - I*E^(I*x)] + 24*x^2*Cos[x]*Log[1 + I*E^(I*x)] - 8*x^3*Cos[x]*Log[1 + E^(I*x)] + (24*I)*x^2*Cos[x]*PolyLog[2, E^((-I)*x)] + (24*I)*x^2*Cos[x]*PolyLog[2, -E^(I*x)] - (48*I)*x*Cos[x]*PolyLog[2, (-I)*E^(I*x)] + (48*I)*x*Cos[x]*PolyLog[2, I*E^(I*x)] + 48*x*Cos[x]*PolyLog[3, E^((-I)*x)] - 48*x*Cos[x]*PolyLog[3, -E^(I*x)] + 48*Cos[x]*PolyLog[3, (-I)*E^(I*x)] - 48*Cos[x]*PolyLog[3, I*E^(I*x)] - (48*I)*Cos[x]*PolyLog[4, E^((-I)*x)] + (48*I)*Cos[x]*PolyLog[4, I*E^(I*x)] - (48*I)*Cos[x]*PolyLog[4, E^((-I)*x)] + (48*I)*Cos[x]*PolyLog[4, I*E^(I*x)]
```

$x)] - (48*I)*\text{Cos}[x]*\text{PolyLog}[4, -E^{(I*x)}]*\text{Sqrt}[a*\text{Sec}[x]^2])/8$

**Maple [A]** time = 0.226, size = 250, normalized size = 0.7

$$2 \sqrt{\frac{ae^{2ix}}{(1+e^{2ix})^2}} x^3 + 4 \sqrt{\frac{ae^{2ix}}{(1+e^{2ix})^2}} \left( -\frac{3}{2} x^2 \ln(1-ie^{ix}) + 3ix \text{polylog}(2, ie^{ix}) - 3 \text{polylog}(3, ie^{ix}) + \frac{3}{2} x^2 \ln(1+ie^{ix}) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*csc(x)*sec(x)*(a*sec(x)^2)^(1/2),x)`

[Out]  $2*(a*\exp(2*I*x)/(1+\exp(2*I*x))^2)^{(1/2)}*x^3+4*(a*\exp(2*I*x)/(1+\exp(2*I*x))^2)^{(1/2)}*(-\frac{3}{2}*x^2*\ln(1-I*\exp(I*x))+3*I*x*\text{polylog}(2,I*\exp(I*x))-3*\text{polylog}(3,I*\exp(I*x))+\frac{3}{2}*x^2*\ln(1+I*\exp(I*x))-3*I*x*\text{polylog}(2,-I*\exp(I*x))+3*\text{polylog}(3,-I*\exp(I*x))+\frac{1}{2}*I*(\frac{1}{4}*x^4+I*x^3*\ln(\exp(I*x)+1)+3*x^2*\text{polylog}(2,-\exp(I*x))+6*I*x*\text{polylog}(3,-\exp(I*x))-6*\text{polylog}(4,-\exp(I*x)))+\frac{1}{2}*I*(-\frac{1}{4}*x^4-I*x^3*\ln(1-\exp(I*x))-3*x^2*\text{polylog}(2,\exp(I*x))-6*I*x*\text{polylog}(3,\exp(I*x))+6*\text{polylog}(4,\exp(I*x))))*\cos(x)$

**Maxima [B]** time = 1.65314, size = 790, normalized size = 2.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*csc(x)*sec(x)*(a*sec(x)^2)^(1/2),x, algorithm="maxima")`

[Out]  $-(4*I*x^3*\cos(x) - 4*x^3*\sin(x) - (6*x^2*\cos(2*x) + 6*I*x^2*\sin(2*x) + 6*x^2)*\arctan2(\cos(x), \sin(x) + 1) - (6*x^2*\cos(2*x) + 6*I*x^2*\sin(2*x) + 6*x^2)*\arctan2(\cos(x), -\sin(x) + 1) + (2*x^3*\cos(2*x) + 2*I*x^3*\sin(2*x) + 2*x^3)*\arctan2(\sin(x), \cos(x) + 1) + (2*x^3*\cos(2*x) + 2*I*x^3*\sin(2*x) + 2*x^3)*\arctan2(\sin(x), -\cos(x) + 1) - (12*x*\cos(2*x) + 12*I*x*\sin(2*x) + 12*x)*\text{dilog}(I*e^{(I*x)}) + (12*x*\cos(2*x) + 12*I*x*\sin(2*x) + 12*x)*\text{dilog}(-I*e^{(I*x)}) - (6*x^2*\cos(2*x) + 6*I*x^2*\sin(2*x) + 6*x^2)*\text{dilog}(-e^{(I*x)}) + (6*x^2*\cos(2*x) + 6*I*x^2*\sin(2*x) + 6*x^2)*\text{dilog}(e^{(I*x)}) + (-I*x^3*\cos(2*x) + x^3*\sin(2*x) - I*x^3)*\log(\cos(x)^2 + \sin(x)^2 + 2*\cos(x) + 1) + (I*x^3*\cos(2*x) - x^3*\sin(2*x) + I*x^3)*\log(\cos(x)^2 + \sin(x)^2 - 2*\cos(x) + 1) + (-3*I*x^2*\cos(2*x) + 3*x^2*\sin(2*x) - 3*I*x^2)*\log(\cos(x)^2 + \sin(x)^2 + 2*\sin(x) + 1) + (3*I*x^2*\cos(2*x) - 3*x^2*\sin(2*x) + 3*I*x^2)*\log(\cos(x)^2 + \sin(x)^2 - 2*\sin(x) + 1) + 12*(\cos(2*x) + I*\sin(2*x) + 1)*\text{polylog}(4, -e^{(I*x)}) - 12*(\cos(2*x) + I*\sin(2*x) + 1)*\text{polylog}(4, e^{(I*x)}) + (-12*I*\cos(2*x) + 12*\sin(2*x) - 12*I)*\text{polylog}(3, I*e^{(I*x)}) + (12*I*\cos(2*x) - 12*\sin(2*x) + 12*I)*\text{polylog}(3, -I*e^{(I*x)}) + (-12*I*x*\cos(2*x) + 12*x*\sin(2*x) - 12*I*x)*\text{polylog}(3, -e^{(I*x)}) + (12*I*x*\cos(2*x) - 12*x*\sin(2*x) + 12*I*x)*\text{polylog}(3, e^{(I*x)})\)*\text{sqrt}(a)/(-2*I*\cos(2*x) + 2*\sin(2*x) - 2*I)$

**Fricas [C]** time = 3.03825, size = 1906, normalized size = 5.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*csc(x)\*sec(x)\*(a\*sec(x)^2)^(1/2),x, algorithm="fricas")

[Out] 3\*x\*sqrt(a/cos(x)^2)\*cos(x)\*polylog(3, cos(x) + I\*sin(x)) + 3\*x\*sqrt(a/cos(x)^2)\*cos(x)\*polylog(3, cos(x) - I\*sin(x)) - 3\*x\*sqrt(a/cos(x)^2)\*cos(x)\*polylog(3, -cos(x) + I\*sin(x)) - 3\*x\*sqrt(a/cos(x)^2)\*cos(x)\*polylog(3, -cos(x) - I\*sin(x)) + 3\*I\*sqrt(a/cos(x)^2)\*cos(x)\*polylog(4, cos(x) + I\*sin(x)) - 3\*I\*sqrt(a/cos(x)^2)\*cos(x)\*polylog(4, cos(x) - I\*sin(x)) + 3\*I\*sqrt(a/cos(x)^2)\*cos(x)\*polylog(4, -cos(x) + I\*sin(x)) - 3\*I\*sqrt(a/cos(x)^2)\*cos(x)\*polylog(4, -cos(x) - I\*sin(x)) + 3\*sqrt(a/cos(x)^2)\*cos(x)\*polylog(3, I\*cos(x) + sin(x)) - 3\*sqrt(a/cos(x)^2)\*cos(x)\*polylog(3, I\*cos(x) - sin(x)) + 3\*sqrt(a/cos(x)^2)\*cos(x)\*polylog(3, -I\*cos(x) + sin(x)) - 3\*sqrt(a/cos(x)^2)\*cos(x)\*polylog(3, -I\*cos(x) - sin(x)) - 1/2\*(x^3\*cos(x)\*log(cos(x) + I\*sin(x) + 1) + x^3\*cos(x)\*log(cos(x) - I\*sin(x) + 1) - x^3\*cos(x)\*log(-cos(x) + I\*sin(x) + 1) - x^3\*cos(x)\*log(-cos(x) - I\*sin(x) + 1) + 3\*I\*x^2\*cos(x)\*dilog(cos(x) + I\*sin(x)) - 3\*I\*x^2\*cos(x)\*dilog(cos(x) - I\*sin(x)) + 3\*I\*x^2\*cos(x)\*dilog(-cos(x) + I\*sin(x)) - 3\*I\*x^2\*cos(x)\*dilog(-cos(x) - I\*sin(x))) + 3\*x^2\*cos(x)\*log(I\*cos(x) + sin(x) + 1) - 3\*x^2\*cos(x)\*log(I\*cos(x) - sin(x) + 1) + 3\*x^2\*cos(x)\*log(-I\*cos(x) + sin(x) + 1) - 3\*x^2\*cos(x)\*log(-I\*cos(x) - sin(x) + 1) - 2\*x^3 - 6\*I\*x\*cos(x)\*dilog(I\*cos(x) + sin(x)) - 6\*I\*x\*cos(x)\*dilog(I\*cos(x) - sin(x)) + 6\*I\*x\*cos(x)\*dilog(-I\*cos(x) + sin(x)) + 6\*I\*x\*cos(x)\*dilog(-I\*cos(x) - sin(x))) \* sqrt(a/cos(x)^2)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*csc(x)\*sec(x)\*(a\*sec(x)\*\*2)\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a \sec(x)^2} x^3 \csc(x) \sec(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*csc(x)\*sec(x)\*(a\*sec(x)^2)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(a\*sec(x)^2)\*x^3\*csc(x)\*sec(x), x)

### 3.877 $\int x \csc(x) \sec(x) \sqrt{a \sec^4(x)} dx$

**Optimal.** Leaf size=142

$$\frac{1}{2}i \cos^2(x) \text{PolyLog}(2, -e^{2ix}) \sqrt{a \sec^4(x)} - \frac{1}{2}i \cos^2(x) \text{PolyLog}(2, e^{2ix}) \sqrt{a \sec^4(x)} + \frac{1}{2}x \cos^2(x) \sqrt{a \sec^4(x)} + \frac{1}{2}x \sin^2(x) \sqrt{a \sec^4(x)}$$

```
[Out] (x*Cos[x]^2*Sqrt[a*Sec[x]^4])/2 - 2*x*ArcTanh[E^((2*I)*x)]*Cos[x]^2*Sqrt[a*Sec[x]^4] + (I/2)*Cos[x]^2*PolyLog[2, -E^((2*I)*x)]*Sqrt[a*Sec[x]^4] - (I/2)*Cos[x]^2*PolyLog[2, E^((2*I)*x)]*Sqrt[a*Sec[x]^4] - (Cos[x]*Sqrt[a*Sec[x]^4]*Sin[x])/2 + (x*Sqrt[a*Sec[x]^4]*Sin[x]^2)/2
```

**Rubi [A]** time = 0.399437, antiderivative size = 142, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 11, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.688$ , Rules used = {6720, 2620, 14, 4420, 2548, 4419, 4183, 2279, 2391, 3473, 8}

$$\frac{1}{2}i \cos^2(x) \text{PolyLog}(2, -e^{2ix}) \sqrt{a \sec^4(x)} - \frac{1}{2}i \cos^2(x) \text{PolyLog}(2, e^{2ix}) \sqrt{a \sec^4(x)} + \frac{1}{2}x \cos^2(x) \sqrt{a \sec^4(x)} + \frac{1}{2}x \sin^2(x) \sqrt{a \sec^4(x)}$$

Antiderivative was successfully verified.

```
[In] Int[x*Csc[x]*Sec[x]*Sqrt[a*Sec[x]^4], x]
```

```
[Out] (x*Cos[x]^2*Sqrt[a*Sec[x]^4])/2 - 2*x*ArcTanh[E^((2*I)*x)]*Cos[x]^2*Sqrt[a*Sec[x]^4] + (I/2)*Cos[x]^2*PolyLog[2, -E^((2*I)*x)]*Sqrt[a*Sec[x]^4] - (I/2)*Cos[x]^2*PolyLog[2, E^((2*I)*x)]*Sqrt[a*Sec[x]^4] - (Cos[x]*Sqrt[a*Sec[x]^4]*Sin[x])/2 + (x*Sqrt[a*Sec[x]^4]*Sin[x]^2)/2
```

#### Rule 6720

```
Int[(u_.)*((a_.)*(v_)^(m_.))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a*v^m)^FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ[v, x] && EqQ[m, 1])
```

#### Rule 2620

```
Int[csc[(e_.) + (f_.)*(x_)]^(m_.)*sec[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol] := Dist[1/f, Subst[Int[(1 + x^2)^(m+n)/2 - 1)/x^m, x], x, Tan[e + f*x]], x] /; FreeQ[{e, f}, x] && IntegersQ[m, n, (m+n)/2]
```

#### Rule 14

```
Int[(u_.)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_) + (b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]
```

#### Rule 4420

```
Int[Csc[(a_.) + (b_.)*(x_)]^(n_.)*((c_.) + (d_.)*(x_))^(m_.)*Sec[(a_.) + (b_.)*(x_)]^(p_.), x_Symbol] := Module[{u = IntHide[Csc[a + b*x]^n*Sec[a + b*x]^p, x]}, Dist[(c + d*x)^m, u, x] - Dist[d*m, Int[(c + d*x)^(m-1)*u, x], x] /; FreeQ[{a, b, c, d}, x] && IntegersQ[n, p] && GtQ[m, 0] && NeQ[n, p]
```

#### Rule 2548

Int[Log[u\_], x\_Symbol] := Simp[x\*Log[u], x] - Int[SimplifyIntegrand[(x\*D[u, x])/u, x], x] /; InverseFunctionFreeQ[u, x]

#### Rule 4419

Int[Csc[(a\_.) + (b\_.)\*(x\_)]^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sec[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] := Dist[2^n, Int[(c + d\*x)^m\*Csc[2\*a + 2\*b\*x]^n, x], x] /; FreeQ[{a, b, c, d, m}, x] && IntegerQ[n] && RationalQ[m]

#### Rule 4183

Int[csc[(e\_.) + (f\_.)\*(x\_)]\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*(e + f\*x))])/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*(e + f\*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

#### Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

#### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

#### Rule 3473

Int[((b\_.)\*tan[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := Simp[(b\*(b\*Tan[c + d\*x])^(n - 1))/(d\*(n - 1)), x] - Dist[b^2, Int[(b\*Tan[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1]

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned}
 \int x \csc(x) \sec(x) \sqrt{a \sec^4(x)} dx &= \left( \cos^2(x) \sqrt{a \sec^4(x)} \right) \int x \csc(x) \sec^3(x) dx \\
 &= x \cos^2(x) \log(\tan(x)) \sqrt{a \sec^4(x)} + \frac{1}{2} x \sqrt{a \sec^4(x)} \sin^2(x) - \left( \cos^2(x) \sqrt{a \sec^4(x)} \right) \int \left( \csc(x) \sec^3(x) \right) dx \\
 &= x \cos^2(x) \log(\tan(x)) \sqrt{a \sec^4(x)} + \frac{1}{2} x \sqrt{a \sec^4(x)} \sin^2(x) - \frac{1}{2} \left( \cos^2(x) \sqrt{a \sec^4(x)} \right) \int \left( \csc(x) \sec^3(x) \right) dx \\
 &= -\frac{1}{2} \cos(x) \sqrt{a \sec^4(x)} \sin(x) + \frac{1}{2} x \sqrt{a \sec^4(x)} \sin^2(x) + \frac{1}{2} \left( \cos^2(x) \sqrt{a \sec^4(x)} \right) \int 1 dx \\
 &= \frac{1}{2} x \cos^2(x) \sqrt{a \sec^4(x)} - \frac{1}{2} \cos(x) \sqrt{a \sec^4(x)} \sin(x) + \frac{1}{2} x \sqrt{a \sec^4(x)} \sin^2(x) + \left( 2 \cos^2(x) \sqrt{a \sec^4(x)} \right) \int 1 dx \\
 &= \frac{1}{2} x \cos^2(x) \sqrt{a \sec^4(x)} - 2x \tanh^{-1} \left( e^{2ix} \right) \cos^2(x) \sqrt{a \sec^4(x)} - \frac{1}{2} \cos(x) \sqrt{a \sec^4(x)} \sin(x) \\
 &= \frac{1}{2} x \cos^2(x) \sqrt{a \sec^4(x)} - 2x \tanh^{-1} \left( e^{2ix} \right) \cos^2(x) \sqrt{a \sec^4(x)} - \frac{1}{2} \cos(x) \sqrt{a \sec^4(x)} \sin(x) \\
 &= \frac{1}{2} x \cos^2(x) \sqrt{a \sec^4(x)} - 2x \tanh^{-1} \left( e^{2ix} \right) \cos^2(x) \sqrt{a \sec^4(x)} + \frac{1}{2} i \cos^2(x) \text{Li}_2 \left( -e^{2ix} \right)
 \end{aligned}$$

**Mathematica [A]** time = 0.236901, size = 85, normalized size = 0.6

$$\frac{1}{2} \cos^2(x) \sqrt{a \sec^4(x)} \left( i \operatorname{PolyLog}(2, -e^{2ix}) - i \operatorname{PolyLog}(2, e^{2ix}) + 2x \log(1 - e^{2ix}) - 2x \log(1 + e^{2ix}) - \tan(x) + x \sec^2(x) \right)$$

Antiderivative was successfully verified.

[In] Integrate[x\*Csc[x]\*Sec[x]\*Sqrt[a\*Sec[x]^4],x]

[Out] (Cos[x]^2\*Sqrt[a\*Sec[x]^4]\*(2\*x\*Log[1 - E^((2\*I)\*x)] - 2\*x\*Log[1 + E^((2\*I)\*x)]) + I\*PolyLog[2, -E^((2\*I)\*x)] - I\*PolyLog[2, E^((2\*I)\*x)] + x\*Sec[x]^2 - Tan[x]))/2

**Maple [A]** time = 0.077, size = 165, normalized size = 1.2

$$\sqrt{\frac{ae^{4ix}}{(1+e^{2ix})^4}} \left( -i + 2x - ie^{-2ix} \right) - 4i \sqrt{\frac{ae^{4ix}}{(1+e^{2ix})^4}} (1+e^{2ix})^2 \left( -\frac{i}{4} e^{-2ix} x \ln(1+e^{2ix}) - \frac{e^{-2ix} \operatorname{polylog}(2, -e^{2ix})}{8} + \frac{i}{4} e^{-2ix} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*csc(x)\*sec(x)\*(a\*sec(x)^4)^(1/2),x)

[Out] (a\*exp(4\*I\*x)/(1+exp(2\*I\*x))^4)^(1/2)\*(-I+2\*x-I\*exp(-2\*I\*x))-4\*I\*(a\*exp(4\*I\*x)/(1+exp(2\*I\*x))^4)^(1/2)\*(1+exp(2\*I\*x))^2\*(-1/4\*I\*exp(-2\*I\*x)\*x\*ln(1+exp(2\*I\*x))-1/8\*exp(-2\*I\*x)\*polylog(2,-exp(2\*I\*x))+1/4\*I\*exp(-2\*I\*x)\*x\*ln(exp(I\*x)+1)+1/4\*exp(-2\*I\*x)\*polylog(2,-exp(I\*x))+1/4\*I\*exp(-2\*I\*x)\*x\*ln(1-exp(I\*x))+1/4\*exp(-2\*I\*x)\*polylog(2,exp(I\*x)))

**Maxima [B]** time = 1.7041, size = 583, normalized size = 4.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*csc(x)\*sec(x)\*(a\*sec(x)^4)^(1/2),x, algorithm="maxima")

[Out] -((2\*x\*cos(4\*x) + 4\*x\*cos(2\*x) + 2\*I\*x\*sin(4\*x) + 4\*I\*x\*sin(2\*x) + 2\*x)\*arctan2(sin(2\*x), cos(2\*x) + 1) - (2\*x\*cos(4\*x) + 4\*x\*cos(2\*x) + 2\*I\*x\*sin(4\*x) + 4\*I\*x\*sin(2\*x) + 2\*x)\*arctan2(sin(x), cos(x) + 1) + (2\*x\*cos(4\*x) + 4\*x\*cos(2\*x) + 2\*I\*x\*sin(4\*x) + 4\*I\*x\*sin(2\*x) + 2\*x)\*arctan2(sin(x), -cos(x) + 1) - 2\*(-2\*I\*x - 1)\*cos(2\*x) - (cos(4\*x) + 2\*cos(2\*x) + I\*sin(4\*x) + 2\*I\*sin(2\*x) + 1)\*dilog(-e^(2\*I\*x)) + (2\*cos(4\*x) + 4\*cos(2\*x) + 2\*I\*sin(4\*x) + 4\*I\*sin(2\*x) + 2)\*dilog(-e^(I\*x)) + (2\*cos(4\*x) + 4\*cos(2\*x) + 2\*I\*sin(4\*x) + 4\*I\*sin(2\*x) + 2)\*dilog(e^(I\*x)) + (-I\*x\*cos(4\*x) - 2\*I\*x\*cos(2\*x) + x\*sin(4\*x) + 2\*x\*sin(2\*x) - I\*x)\*log(cos(2\*x)^2 + sin(2\*x)^2 + 2\*cos(2\*x) + 1) + (I\*x\*cos(4\*x) + 2\*I\*x\*cos(2\*x) - x\*sin(4\*x) - 2\*x\*sin(2\*x) + I\*x)\*log(cos(x)^2 + sin(x)^2 + 2\*cos(x) + 1) + (I\*x\*cos(4\*x) + 2\*I\*x\*cos(2\*x) - x\*sin(4\*x) - 2\*x\*sin(2\*x) + I\*x)\*log(cos(x)^2 + sin(x)^2 - 2\*cos(x) + 1) - (4\*x - 2\*I)\*sin(2\*x) + 2)\*sqrt(a)/(-2\*I\*cos(4\*x) - 4\*I\*cos(2\*x) + 2\*sin(4\*x) + 4\*sin(2\*x) - 2\*I)



**Fricas [B]** time = 3.12056, size = 910, normalized size = 6.41

$$\frac{1}{2} \left( x \cos(x)^2 \log(\cos(x) + i \sin(x) + 1) + x \cos(x)^2 \log(\cos(x) - i \sin(x) + 1) - x \cos(x)^2 \log(i \cos(x) + \sin(x) + 1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*csc(x)\*sec(x)\*(a\*sec(x)^4)^(1/2),x, algorithm="fricas")

[Out] 1/2\*(x\*cos(x)^2\*log(cos(x) + I\*sin(x) + 1) + x\*cos(x)^2\*log(cos(x) - I\*sin(x) + 1) - x\*cos(x)^2\*log(I\*cos(x) + sin(x) + 1) - x\*cos(x)^2\*log(-I\*cos(x) - sin(x) + 1) - x\*cos(x)^2\*log(-I\*cos(x) + sin(x) + 1) - x\*cos(x)^2\*log(-I\*cos(x) - sin(x) + 1) + x\*cos(x)^2\*log(-cos(x) + I\*sin(x) + 1) + x\*cos(x)^2\*log(-cos(x) - I\*sin(x) + 1) - I\*cos(x)^2\*dilog(cos(x) + I\*sin(x)) + I\*cos(x)^2\*dilog(cos(x) - I\*sin(x)) - I\*cos(x)^2\*dilog(I\*cos(x) + sin(x)) + I\*cos(x)^2\*dilog(I\*cos(x) - sin(x)) + I\*cos(x)^2\*dilog(-I\*cos(x) + sin(x)) - I\*cos(x)^2\*dilog(-I\*cos(x) - sin(x)) + I\*cos(x)^2\*dilog(-cos(x) + I\*sin(x)) - I\*cos(x)^2\*dilog(-cos(x) - I\*sin(x)) - cos(x)\*sin(x) + x)\*sqrt(a/cos(x)^4)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int x \sqrt{a \sec^4(x)} \csc(x) \sec(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*csc(x)\*sec(x)\*(a\*sec(x)\*\*4)\*\*(1/2),x)

[Out] Integral(x\*sqrt(a\*sec(x)\*\*4)\*csc(x)\*sec(x), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a \sec(x)^4} x \csc(x) \sec(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*csc(x)\*sec(x)\*(a\*sec(x)^4)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(a\*sec(x)^4)\*x\*csc(x)\*sec(x), x)

### 3.878 $\int x^2 \csc(x) \sec(x) \sqrt{a \sec^4(x)} dx$

**Optimal.** Leaf size=220

$$ix \cos^2(x) \text{PolyLog}\left(2, -e^{2ix}\right) \sqrt{a \sec^4(x)} - ix \cos^2(x) \text{PolyLog}\left(2, e^{2ix}\right) \sqrt{a \sec^4(x)} - \frac{1}{2} \cos^2(x) \text{PolyLog}\left(3, -e^{2ix}\right) \sqrt{a \sec^4(x)}$$

```
[Out] (x^2*Cos[x]^2*Sqrt[a*Sec[x]^4])/2 - 2*x^2*ArcTanh[E^((2*I)*x)]*Cos[x]^2*Sqr
t[a*Sec[x]^4] - Cos[x]^2*Log[Cos[x]]*Sqrt[a*Sec[x]^4] + I*x*Cos[x]^2*PolyLo
g[2, -E^((2*I)*x)]*Sqrt[a*Sec[x]^4] - I*x*Cos[x]^2*PolyLog[2, E^((2*I)*x)]*
Sqrt[a*Sec[x]^4] - (Cos[x]^2*PolyLog[3, -E^((2*I)*x)]*Sqrt[a*Sec[x]^4])/2 +
(Cos[x]^2*PolyLog[3, E^((2*I)*x)]*Sqrt[a*Sec[x]^4])/2 - x*Cos[x]*Sqrt[a*Se
c[x]^4]*Sin[x] + (x^2*Sqrt[a*Sec[x]^4]*Sin[x]^2)/2
```

**Rubi [A]** time = 0.537266, antiderivative size = 220, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 13, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.722$ , Rules used = {6720, 2620, 14, 4420, 2551, 4419, 4183, 2531, 2282, 6589, 3720, 3475, 30}

$$ix \cos^2(x) \text{PolyLog}\left(2, -e^{2ix}\right) \sqrt{a \sec^4(x)} - ix \cos^2(x) \text{PolyLog}\left(2, e^{2ix}\right) \sqrt{a \sec^4(x)} - \frac{1}{2} \cos^2(x) \text{PolyLog}\left(3, -e^{2ix}\right) \sqrt{a \sec^4(x)}$$

Antiderivative was successfully verified.

```
[In] Int[x^2*Csc[x]*Sec[x]*Sqrt[a*Sec[x]^4], x]
```

```
[Out] (x^2*Cos[x]^2*Sqrt[a*Sec[x]^4])/2 - 2*x^2*ArcTanh[E^((2*I)*x)]*Cos[x]^2*Sqr
t[a*Sec[x]^4] - Cos[x]^2*Log[Cos[x]]*Sqrt[a*Sec[x]^4] + I*x*Cos[x]^2*PolyLo
g[2, -E^((2*I)*x)]*Sqrt[a*Sec[x]^4] - I*x*Cos[x]^2*PolyLog[2, E^((2*I)*x)]*
Sqrt[a*Sec[x]^4] - (Cos[x]^2*PolyLog[3, -E^((2*I)*x)]*Sqrt[a*Sec[x]^4])/2 +
(Cos[x]^2*PolyLog[3, E^((2*I)*x)]*Sqrt[a*Sec[x]^4])/2 - x*Cos[x]*Sqrt[a*Se
c[x]^4]*Sin[x] + (x^2*Sqrt[a*Sec[x]^4]*Sin[x]^2)/2
```

#### Rule 6720

```
Int[(u_.)*((a_.)*(v_)^(m_.))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a*v^m)^
FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x]
&& !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ
[v, x] && EqQ[m, 1])
```

#### Rule 2620

```
Int[csc[(e_.) + (f_.)*(x_)]^(m_.)*sec[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol]
:= Dist[1/f, Subst[Int[(1 + x^2)^(m + n)/2 - 1/x^m, x], x, Tan[e + f*x]],
x] /; FreeQ[{e, f}, x] && IntegersQ[m, n, (m + n)/2]
```

#### Rule 14

```
Int[(u_.)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x],
x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_)
+ (b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]
```

#### Rule 4420

```
Int[Csc[(a_.) + (b_.)*(x_)]^(n_.)*((c_.) + (d_.)*(x_))^(m_.)*Sec[(a_.) + (b
_.)*(x_)]^(p_.), x_Symbol] := Module[{u = IntHide[Csc[a + b*x]^n*Sec[a + b*
x]^p, x]}, Dist[(c + d*x)^m, u, x] - Dist[d*m, Int[(c + d*x)^(m - 1)*u, x],
```

x]] /; FreeQ[{a, b, c, d}, x] && IntegersQ[n, p] && GtQ[m, 0] && NeQ[n, p]

#### Rule 2551

Int[Log[u\_]\*((a\_.) + (b\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[((a + b\*x)^(m + 1)\*Log[u])/(b\*(m + 1)), x] - Dist[1/(b\*(m + 1)), Int[SimplifyIntegrand[((a + b\*x)^(m + 1)\*D[u, x])/u, x], x], x] /; FreeQ[{a, b, m}, x] && InverseFunctionFreeQ[u, x] && NeQ[m, -1]

#### Rule 4419

Int[Csc[(a\_.) + (b\_.)\*(x\_)]^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sec[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] := Dist[2^n, Int[(c + d\*x)^m\*Csc[2\*a + 2\*b\*x]^n, x], x] /; FreeQ[{a, b, c, d, m}, x] && IntegerQ[n] && RationalQ[m]

#### Rule 4183

Int[csc[(e\_.) + (f\_.)\*(x\_)]\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*(e + f\*x))])/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*(e + f\*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

#### Rule 2531

Int[Log[1 + (e\_.)\*((F\_)^((c\_.)\*((a\_.) + (b\_.)\*(x\_))))^(n\_.)]\*((f\_.) + (g\_.)\*(x\_))^(m\_.), x\_Symbol] := -Simp[((f + g\*x)^m\*PolyLog[2, -(e\*(F^(c\*(a + b\*x))))^n])/(b\*c\*n\*Log[F]), x] + Dist[(g\*m)/(b\*c\*n\*Log[F]), Int[(f + g\*x)^(m - 1)\*PolyLog[2, -(e\*(F^(c\*(a + b\*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

#### Rule 2282

Int[u\_, x\_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_.)\*(v\_)^(n\_))^(m\_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^((c\_.)\*((a\_.) + (b\_.)\*x))\*(F\_)^v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

#### Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] := Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

#### Rule 3720

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^(n\_.), x\_Symbol] := Simp[(b\*(c + d\*x)^m\*(b\*Tan[e + f\*x])^(n - 1))/(f\*(n - 1)), x] + (-Dist[(b\*d\*m)/(f\*(n - 1)), Int[(c + d\*x)^(m - 1)\*(b\*Tan[e + f\*x])^(n - 1), x], x] - Dist[b^2, Int[(c + d\*x)^m\*(b\*Tan[e + f\*x])^(n - 2), x], x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 0]

#### Rule 3475

Int[tan[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[Log[RemoveContent[Cos[c + d\*x], x]]/d, x] /; FreeQ[{c, d}, x]

#### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
 \int x^2 \csc(x) \sec(x) \sqrt{a \sec^4(x)} dx &= \left( \cos^2(x) \sqrt{a \sec^4(x)} \right) \int x^2 \csc(x) \sec^3(x) dx \\
 &= x^2 \cos^2(x) \log(\tan(x)) \sqrt{a \sec^4(x)} + \frac{1}{2} x^2 \sqrt{a \sec^4(x)} \sin^2(x) - \left( 2 \cos^2(x) \sqrt{a \sec^4(x)} \right) \int x dx \\
 &= x^2 \cos^2(x) \log(\tan(x)) \sqrt{a \sec^4(x)} + \frac{1}{2} x^2 \sqrt{a \sec^4(x)} \sin^2(x) - \left( 2 \cos^2(x) \sqrt{a \sec^4(x)} \right) \int x dx \\
 &= x^2 \cos^2(x) \log(\tan(x)) \sqrt{a \sec^4(x)} + \frac{1}{2} x^2 \sqrt{a \sec^4(x)} \sin^2(x) - \left( \cos^2(x) \sqrt{a \sec^4(x)} \right) \int x dx \\
 &= -x \cos(x) \sqrt{a \sec^4(x)} \sin(x) + \frac{1}{2} x^2 \sqrt{a \sec^4(x)} \sin^2(x) + \left( \cos^2(x) \sqrt{a \sec^4(x)} \right) \int x dx \\
 &= \frac{1}{2} x^2 \cos^2(x) \sqrt{a \sec^4(x)} - \cos^2(x) \log(\cos(x)) \sqrt{a \sec^4(x)} - x \cos(x) \sqrt{a \sec^4(x)} \sin(x) + \\
 &= \frac{1}{2} x^2 \cos^2(x) \sqrt{a \sec^4(x)} - 2x^2 \tanh^{-1}(e^{2ix}) \cos^2(x) \sqrt{a \sec^4(x)} - \cos^2(x) \log(\cos(x)) \sqrt{a \sec^4(x)} \\
 &= \frac{1}{2} x^2 \cos^2(x) \sqrt{a \sec^4(x)} - 2x^2 \tanh^{-1}(e^{2ix}) \cos^2(x) \sqrt{a \sec^4(x)} - \cos^2(x) \log(\cos(x)) \sqrt{a \sec^4(x)} \\
 &= \frac{1}{2} x^2 \cos^2(x) \sqrt{a \sec^4(x)} - 2x^2 \tanh^{-1}(e^{2ix}) \cos^2(x) \sqrt{a \sec^4(x)} - \cos^2(x) \log(\cos(x)) \sqrt{a \sec^4(x)} \\
 &= \frac{1}{2} x^2 \cos^2(x) \sqrt{a \sec^4(x)} - 2x^2 \tanh^{-1}(e^{2ix}) \cos^2(x) \sqrt{a \sec^4(x)} - \cos^2(x) \log(\cos(x)) \sqrt{a \sec^4(x)}
 \end{aligned}$$

**Mathematica [A]** time = 0.64321, size = 138, normalized size = 0.63

$$\frac{1}{24} \cos^2(x) \sqrt{a \sec^4(x)} \left( 24ix \operatorname{PolyLog}(2, e^{-2ix}) + 24ix \operatorname{PolyLog}(2, -e^{2ix}) + 12 \operatorname{PolyLog}(3, e^{-2ix}) - 12 \operatorname{PolyLog}(3, -e^{2ix}) \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*Csc[x]\*Sec[x]\*Sqrt[a\*Sec[x]^4],x]

[Out] (Cos[x]^2\*Sqrt[a\*Sec[x]^4]\*((-I)\*Pi^3 + (16\*I)\*x^3 + 24\*x^2\*Log[1 - E^((-2\*I)\*x)] - 24\*x^2\*Log[1 + E^((2\*I)\*x)] - 24\*Log[Cos[x]] + (24\*I)\*x\*PolyLog[2, E^((-2\*I)\*x)] + (24\*I)\*x\*PolyLog[2, -E^((2\*I)\*x)] + 12\*PolyLog[3, E^((-2\*I)\*x)] - 12\*PolyLog[3, -E^((2\*I)\*x)] + 12\*x^2\*Sec[x]^2 - 24\*x\*Tan[x]))/24

**Maple [C]** time = 0.098, size = 254, normalized size = 1.2

$$2 \sqrt{\frac{ae^{4ix}}{(1 + e^{2ix})^4}} x (x - i - ie^{-2ix}) + 2 \sqrt{\frac{ae^{4ix}}{(1 + e^{2ix})^4}} (1 + e^{2ix})^2 \left( -1/2 e^{-2ix} \ln(1 + e^{2ix}) - e^{-2ix} \Im(x) + e^{-2ix} \ln(e^{i\Re(x)}) - 1/2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*csc(x)\*sec(x)\*(a\*sec(x)^4)^(1/2),x)

[Out] 2\*(a\*exp(4\*I\*x)/(1+exp(2\*I\*x))^4)^(1/2)\*x\*(x-I-I\*exp(-2\*I\*x))+2\*(a\*exp(4\*I\*x)/(1+exp(2\*I\*x))^4)^(1/2)\*(1+exp(2\*I\*x))^2\*(-1/2\*exp(-2\*I\*x)\*ln(1+exp(2\*I\*x))-exp(-2\*I\*x)\*Im(x)+exp(-2\*I\*x)\*ln(exp(I\*Re(x)))-1/2\*exp(-2\*I\*x)\*x^2\*ln(1+exp(2\*I\*x))+1/2\*I\*exp(-2\*I\*x)\*x\*polylog(2,-exp(2\*I\*x))-1/4\*exp(-2\*I\*x)\*pol

```

ylog(3,-exp(2*I*x))+1/2*exp(-2*I*x)*x^2*ln(exp(I*x)+1)-I*exp(-2*I*x)*x*poly
log(2,-exp(I*x))+exp(-2*I*x)*polylog(3,-exp(I*x))+1/2*exp(-2*I*x)*x^2*ln(1-
exp(I*x))-I*exp(-2*I*x)*x*polylog(2,exp(I*x))+exp(-2*I*x)*polylog(3,exp(I*x
)))

```

**Maxima [B]** time = 1.78614, size = 882, normalized size = 4.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*csc(x)*sec(x)*(a*sec(x)^4)^(1/2),x, algorithm="maxima")
```

```
[Out] -((2*x^2 + 2*(x^2 + 1)*cos(4*x) + 4*(x^2 + 1)*cos(2*x) + (2*I*x^2 + 2*I)*si
n(4*x) + (4*I*x^2 + 4*I)*sin(2*x) + 2)*arctan2(sin(2*x), cos(2*x) + 1) - (2
*x^2*cos(4*x) + 4*x^2*cos(2*x) + 2*I*x^2*sin(4*x) + 4*I*x^2*sin(2*x) + 2*x^
2)*arctan2(sin(x), cos(x) + 1) + (2*x^2*cos(4*x) + 4*x^2*cos(2*x) + 2*I*x^2
*sin(4*x) + 4*I*x^2*sin(2*x) + 2*x^2)*arctan2(sin(x), -cos(x) + 1) - 4*x*co
s(4*x) + (4*I*x^2 - 4*x)*cos(2*x) - (2*x*cos(4*x) + 4*x*cos(2*x) + 2*I*x*si
n(4*x) + 4*I*x*sin(2*x) + 2*x)*dilog(-e^(2*I*x)) + (4*x*cos(4*x) + 8*x*cos(
2*x) + 4*I*x*sin(4*x) + 8*I*x*sin(2*x) + 4*x)*dilog(-e^(I*x)) + (4*x*cos(4*
x) + 8*x*cos(2*x) + 4*I*x*sin(4*x) + 8*I*x*sin(2*x) + 4*x)*dilog(e^(I*x)) +
(-I*x^2 + (-I*x^2 - I)*cos(4*x) + (-2*I*x^2 - 2*I)*cos(2*x) + (x^2 + 1)*si
n(4*x) + 2*(x^2 + 1)*sin(2*x) - I)*log(cos(2*x)^2 + sin(2*x)^2 + 2*cos(2*x)
+ 1) + (I*x^2*cos(4*x) + 2*I*x^2*cos(2*x) - x^2*sin(4*x) - 2*x^2*sin(2*x)
+ I*x^2)*log(cos(x)^2 + sin(x)^2 + 2*cos(x) + 1) + (I*x^2*cos(4*x) + 2*I*x^
2*cos(2*x) - x^2*sin(4*x) - 2*x^2*sin(2*x) + I*x^2)*log(cos(x)^2 + sin(x)^2
- 2*cos(x) + 1) + (-I*cos(4*x) - 2*I*cos(2*x) + sin(4*x) + 2*sin(2*x) - I)
*polylog(3, -e^(2*I*x)) + (4*I*cos(4*x) + 8*I*cos(2*x) - 4*sin(4*x) - 8*sin
(2*x) + 4*I)*polylog(3, -e^(I*x)) + (4*I*cos(4*x) + 8*I*cos(2*x) - 4*sin(4*
x) - 8*sin(2*x) + 4*I)*polylog(3, e^(I*x)) - 4*I*x*sin(4*x) - 4*(x^2 + I*x)
*sin(2*x))*sqrt(a)/(-2*I*cos(4*x) - 4*I*cos(2*x) + 2*sin(4*x) + 4*sin(2*x)
- 2*I)

```

**Fricas [C]** time = 3.26037, size = 1823, normalized size = 8.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*csc(x)*sec(x)*(a*sec(x)^4)^(1/2),x, algorithm="fricas")
```

```
[Out] sqrt(a/cos(x)^4)*cos(x)^2*polylog(3, cos(x) + I*sin(x)) + sqrt(a/cos(x)^4)*
cos(x)^2*polylog(3, cos(x) - I*sin(x)) - sqrt(a/cos(x)^4)*cos(x)^2*polylog(
3, I*cos(x) + sin(x)) - sqrt(a/cos(x)^4)*cos(x)^2*polylog(3, I*cos(x) - sin
(x)) - sqrt(a/cos(x)^4)*cos(x)^2*polylog(3, -I*cos(x) + sin(x)) - sqrt(a/co
s(x)^4)*cos(x)^2*polylog(3, -I*cos(x) - sin(x)) + sqrt(a/cos(x)^4)*cos(x)^2
*polylog(3, -cos(x) + I*sin(x)) + sqrt(a/cos(x)^4)*cos(x)^2*polylog(3, -cos
(x) - I*sin(x)) + 1/2*(x^2*cos(x)^2*log(cos(x) + I*sin(x) + 1) + x^2*cos(x)
^2*log(cos(x) - I*sin(x) + 1) - x^2*cos(x)^2*log(I*cos(x) + sin(x) + 1) - x
^2*cos(x)^2*log(I*cos(x) - sin(x) + 1) - x^2*cos(x)^2*log(-I*cos(x) + sin(x)
) + 1) - x^2*cos(x)^2*log(-I*cos(x) - sin(x) + 1) + x^2*cos(x)^2*log(-cos(x)
) + I*sin(x) + 1) + x^2*cos(x)^2*log(-cos(x) - I*sin(x) + 1) - 2*I*x*cos(x)
^2*dilog(cos(x) + I*sin(x)) + 2*I*x*cos(x)^2*dilog(cos(x) - I*sin(x)) - 2*I
*x*cos(x)^2*dilog(I*cos(x) + sin(x)) + 2*I*x*cos(x)^2*dilog(I*cos(x) - sin(

```

$x)) + 2*I*x*cos(x)^2*dilog(-I*cos(x) + sin(x)) - 2*I*x*cos(x)^2*dilog(-I*cos(x) - sin(x)) + 2*I*x*cos(x)^2*dilog(-cos(x) + I*sin(x)) - 2*I*x*cos(x)^2*dilog(-cos(x) - I*sin(x)) - cos(x)^2*log(cos(x) + I*sin(x) + I) - cos(x)^2*log(cos(x) - I*sin(x) + I) - cos(x)^2*log(-cos(x) + I*sin(x) + I) - cos(x)^2*log(-cos(x) - I*sin(x) + I) - 2*x*cos(x)*sin(x) + x^2)*sqrt(a/cos(x)^4)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*csc(x)\*sec(x)\*(a\*sec(x)\*\*4)\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a \sec(x)^4 x^2} \csc(x) \sec(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*csc(x)\*sec(x)\*(a\*sec(x)^4)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(a\*sec(x)^4)\*x^2\*csc(x)\*sec(x), x)

### 3.879 $\int x^3 \csc(x) \sec(x) \sqrt{a \sec^4(x)} dx$

**Optimal.** Leaf size=356

$$\frac{3}{2}ix^2 \cos^2(x) \text{PolyLog}(2, -e^{2ix}) \sqrt{a \sec^4(x)} - \frac{3}{2}ix^2 \cos^2(x) \text{PolyLog}(2, e^{2ix}) \sqrt{a \sec^4(x)} - \frac{3}{2}x \cos^2(x) \text{PolyLog}(3, -e^{2ix})$$

```
[Out] ((3*I)/2)*x^2*Cos[x]^2*Sqrt[a*Sec[x]^4] + (x^3*Cos[x]^2*Sqrt[a*Sec[x]^4])/2
- 2*x^3*ArcTanh[E^((2*I)*x)]*Cos[x]^2*Sqrt[a*Sec[x]^4] - 3*x*Cos[x]^2*Log[
1 + E^((2*I)*x)]*Sqrt[a*Sec[x]^4] + ((3*I)/2)*Cos[x]^2*PolyLog[2, -E^((2*I)
*x)]*Sqrt[a*Sec[x]^4] + ((3*I)/2)*x^2*Cos[x]^2*PolyLog[2, -E^((2*I)*x)]*Sqr
t[a*Sec[x]^4] - ((3*I)/2)*x^2*Cos[x]^2*PolyLog[2, E^((2*I)*x)]*Sqrt[a*Sec[x]
]^4] - (3*x*Cos[x]^2*PolyLog[3, -E^((2*I)*x)]*Sqrt[a*Sec[x]^4])/2 + (3*x*Co
s[x]^2*PolyLog[3, E^((2*I)*x)]*Sqrt[a*Sec[x]^4])/2 - ((3*I)/4)*Cos[x]^2*Pol
yLog[4, -E^((2*I)*x)]*Sqrt[a*Sec[x]^4] + ((3*I)/4)*Cos[x]^2*PolyLog[4, E^((
2*I)*x)]*Sqrt[a*Sec[x]^4] - (3*x^2*Cos[x]*Sqrt[a*Sec[x]^4]*Sin[x])/2 + (x^3
*Sqrt[a*Sec[x]^4]*Sin[x]^2)/2
```

**Rubi [A]** time = 0.636957, antiderivative size = 356, normalized size of antiderivative = 1., number of steps used = 21, number of rules used = 17, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.944$ , Rules used = {6720, 2620, 14, 4420, 2551, 4419, 4183, 2531, 6609, 2282, 6589, 3720, 3719, 2190, 2279, 2391, 30}

$$\frac{3}{2}ix^2 \cos^2(x) \text{PolyLog}(2, -e^{2ix}) \sqrt{a \sec^4(x)} - \frac{3}{2}ix^2 \cos^2(x) \text{PolyLog}(2, e^{2ix}) \sqrt{a \sec^4(x)} - \frac{3}{2}x \cos^2(x) \text{PolyLog}(3, -e^{2ix})$$

Antiderivative was successfully verified.

```
[In] Int[x^3*Csc[x]*Sec[x]*Sqrt[a*Sec[x]^4], x]
```

```
[Out] ((3*I)/2)*x^2*Cos[x]^2*Sqrt[a*Sec[x]^4] + (x^3*Cos[x]^2*Sqrt[a*Sec[x]^4])/2
- 2*x^3*ArcTanh[E^((2*I)*x)]*Cos[x]^2*Sqrt[a*Sec[x]^4] - 3*x*Cos[x]^2*Log[
1 + E^((2*I)*x)]*Sqrt[a*Sec[x]^4] + ((3*I)/2)*Cos[x]^2*PolyLog[2, -E^((2*I)
*x)]*Sqrt[a*Sec[x]^4] + ((3*I)/2)*x^2*Cos[x]^2*PolyLog[2, -E^((2*I)*x)]*Sqr
t[a*Sec[x]^4] - ((3*I)/2)*x^2*Cos[x]^2*PolyLog[2, E^((2*I)*x)]*Sqrt[a*Sec[x]
]^4] - (3*x*Cos[x]^2*PolyLog[3, -E^((2*I)*x)]*Sqrt[a*Sec[x]^4])/2 + (3*x*Co
s[x]^2*PolyLog[3, E^((2*I)*x)]*Sqrt[a*Sec[x]^4])/2 - ((3*I)/4)*Cos[x]^2*Pol
yLog[4, -E^((2*I)*x)]*Sqrt[a*Sec[x]^4] + ((3*I)/4)*Cos[x]^2*PolyLog[4, E^((
2*I)*x)]*Sqrt[a*Sec[x]^4] - (3*x^2*Cos[x]*Sqrt[a*Sec[x]^4]*Sin[x])/2 + (x^3
*Sqrt[a*Sec[x]^4]*Sin[x]^2)/2
```

#### Rule 6720

```
Int[(u_.)*((a_.)*(v_)^(m_.))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a*v^m)^
FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x]
&& !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ
[v, x] && EqQ[m, 1])
```

#### Rule 2620

```
Int[csc[(e_.) + (f_.)*(x_)]^(m_.)*sec[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol]
:= Dist[1/f, Subst[Int[(1 + x^2)^((m + n)/2 - 1)/x^m, x], x, Tan[e + f*x]],
x] /; FreeQ[{e, f}, x] && IntegersQ[m, n, (m + n)/2]
```

#### Rule 14

```
Int[(u_.)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x],
x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_)
```

+ (b\_.)\*(v\_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

#### Rule 4420

Int[Csc[(a\_.) + (b\_.)\*(x\_)]^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sec[(a\_.) + (b\_.)\*(x\_)]^(p\_.), x\_Symbol] := Module[{u = IntHide[Csc[a + b\*x]^n\*Sec[a + b\*x]^p, x]}, Dist[(c + d\*x)^m, u, x] - Dist[d\*m, Int[(c + d\*x)^(m - 1)\*u, x], x] /; FreeQ[{a, b, c, d}, x] && IntegersQ[n, p] && GtQ[m, 0] && NeQ[n, p]

#### Rule 2551

Int[Log[u]\*((a\_.) + (b\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[((a + b\*x)^(m + 1)\*Log[u])/(b\*(m + 1)), x] - Dist[1/(b\*(m + 1)), Int[SimplifyIntegrand[((a + b\*x)^(m + 1)\*D[u, x])/u, x], x], x] /; FreeQ[{a, b, m}, x] && InverseFunctionFreeQ[u, x] && NeQ[m, -1]

#### Rule 4419

Int[Csc[(a\_.) + (b\_.)\*(x\_)]^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sec[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] := Dist[2^n, Int[(c + d\*x)^m\*Csc[2\*a + 2\*b\*x]^n, x], x] /; FreeQ[{a, b, c, d, m}, x] && IntegerQ[n] && RationalQ[m]

#### Rule 4183

Int[csc[(e\_.) + (f\_.)\*(x\_)]\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*(e + f\*x))])/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*(e + f\*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

#### Rule 2531

Int[Log[1 + (e\_.)\*((F\_)^((c\_.)\*((a\_.) + (b\_.)\*(x\_))))^(n\_.)]\*((f\_.) + (g\_.)\*(x\_))^(m\_.), x\_Symbol] := -Simp[((f + g\*x)^m\*PolyLog[2, -(e\*(F^(c\*(a + b\*x))))^n])/ (b\*c\*n\*Log[F]), x] + Dist[(g\*m)/(b\*c\*n\*Log[F]), Int[(f + g\*x)^(m - 1)\*PolyLog[2, -(e\*(F^(c\*(a + b\*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

#### Rule 6609

Int[((e\_.) + (f\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (d\_.)\*((F\_)^((c\_.)\*((a\_.) + (b\_.)\*(x\_))))^(p\_.)], x\_Symbol] := Simp[((e + f\*x)^m\*PolyLog[n + 1, d\*(F^(c\*(a + b\*x)))^p])/ (b\*c\*p\*Log[F]), x] - Dist[(f\*m)/(b\*c\*p\*Log[F]), Int[(e + f\*x)^(m - 1)\*PolyLog[n + 1, d\*(F^(c\*(a + b\*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]

#### Rule 2282

Int[u\_, x\_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_.)\*(v\_)^(n\_))^(m\_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^((c\_.)\*((a\_.) + (b\_.)\*x))\* (F\_)[v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

#### Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] := Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d}



, e, n, p}, x] && EqQ[b\*d, a\*e]

#### Rule 3720

Int[((c\_.) + (d\_.)\*(x\_.))^(m\_.)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)])^(n\_), x\_Symbol] :> Simp[(b\*(c + d\*x)^m\*(b\*Tan[e + f\*x])^(n - 1))/(f\*(n - 1)), x] + (-Dist[(b\*d\*m)/(f\*(n - 1)), Int[(c + d\*x)^(m - 1)\*(b\*Tan[e + f\*x])^(n - 1), x], x] - Dist[b^2, Int[(c + d\*x)^m\*(b\*Tan[e + f\*x])^(n - 2), x], x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 0]

#### Rule 3719

Int[((c\_.) + (d\_.)\*(x\_.))^(m\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)], x\_Symbol] :> Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m\*E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

#### Rule 2190

Int[(((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_.))))^(n\_.)\*((c\_.) + (d\_.)\*(x\_.))^(m\_.))/((a\_) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_.))))^(n\_.)), x\_Symbol] :> Simp[((c + d\*x)^m\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a])/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

#### Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_.))))^(n\_.)], x\_Symbol] :> Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

#### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] :> -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

#### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

#### Rubi steps

$$\begin{aligned}
 \int x^3 \csc(x) \sec(x) \sqrt{a \sec^4(x)} dx &= \left( \cos^2(x) \sqrt{a \sec^4(x)} \right) \int x^3 \csc(x) \sec^3(x) dx \\
 &= x^3 \cos^2(x) \log(\tan(x)) \sqrt{a \sec^4(x)} + \frac{1}{2} x^3 \sqrt{a \sec^4(x)} \sin^2(x) - \left( 3 \cos^2(x) \sqrt{a \sec^4(x)} \right) \int x^3 \csc(x) \sec^3(x) dx \\
 &= x^3 \cos^2(x) \log(\tan(x)) \sqrt{a \sec^4(x)} + \frac{1}{2} x^3 \sqrt{a \sec^4(x)} \sin^2(x) - \left( 3 \cos^2(x) \sqrt{a \sec^4(x)} \right) \int x^3 \csc(x) \sec^3(x) dx \\
 &= x^3 \cos^2(x) \log(\tan(x)) \sqrt{a \sec^4(x)} + \frac{1}{2} x^3 \sqrt{a \sec^4(x)} \sin^2(x) - \frac{1}{2} \left( 3 \cos^2(x) \sqrt{a \sec^4(x)} \right) \int x^3 \csc(x) \sec^3(x) dx \\
 &= -\frac{3}{2} x^2 \cos(x) \sqrt{a \sec^4(x)} \sin(x) + \frac{1}{2} x^3 \sqrt{a \sec^4(x)} \sin^2(x) + \left( \cos^2(x) \sqrt{a \sec^4(x)} \right) \int x^3 \csc(x) \sec^3(x) dx \\
 &= \frac{3}{2} ix^2 \cos^2(x) \sqrt{a \sec^4(x)} + \frac{1}{2} x^3 \cos^2(x) \sqrt{a \sec^4(x)} - \frac{3}{2} x^2 \cos(x) \sqrt{a \sec^4(x)} \sin(x) + \frac{1}{2} x^3 \sqrt{a \sec^4(x)} \sin^2(x) \\
 &= \frac{3}{2} ix^2 \cos^2(x) \sqrt{a \sec^4(x)} + \frac{1}{2} x^3 \cos^2(x) \sqrt{a \sec^4(x)} - 2x^3 \tanh^{-1}(e^{2ix}) \cos^2(x) \sqrt{a \sec^4(x)} \\
 &= \frac{3}{2} ix^2 \cos^2(x) \sqrt{a \sec^4(x)} + \frac{1}{2} x^3 \cos^2(x) \sqrt{a \sec^4(x)} - 2x^3 \tanh^{-1}(e^{2ix}) \cos^2(x) \sqrt{a \sec^4(x)} \\
 &= \frac{3}{2} ix^2 \cos^2(x) \sqrt{a \sec^4(x)} + \frac{1}{2} x^3 \cos^2(x) \sqrt{a \sec^4(x)} - 2x^3 \tanh^{-1}(e^{2ix}) \cos^2(x) \sqrt{a \sec^4(x)} \\
 &= \frac{3}{2} ix^2 \cos^2(x) \sqrt{a \sec^4(x)} + \frac{1}{2} x^3 \cos^2(x) \sqrt{a \sec^4(x)} - 2x^3 \tanh^{-1}(e^{2ix}) \cos^2(x) \sqrt{a \sec^4(x)} \\
 &= \frac{3}{2} ix^2 \cos^2(x) \sqrt{a \sec^4(x)} + \frac{1}{2} x^3 \cos^2(x) \sqrt{a \sec^4(x)} - 2x^3 \tanh^{-1}(e^{2ix}) \cos^2(x) \sqrt{a \sec^4(x)}
 \end{aligned}$$

**Mathematica [A]** time = 1.08983, size = 191, normalized size = 0.54

$$\frac{1}{64} \cos^2(x) \sqrt{a \sec^4(x)} \left( 96ix^2 \text{PolyLog}(2, e^{-2ix}) + 96i(x^2 + 1) \text{PolyLog}(2, -e^{2ix}) + 96x \text{PolyLog}(3, e^{-2ix}) - 96x \text{PolyLog}(3, -e^{2ix}) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[x^3*Csc[x]*Sec[x]*Sqrt[a*Sec[x]^4],x]
```

```
[Out] (Cos[x]^2*Sqrt[a*Sec[x]^4]*((-I)*Pi^4 + (96*I)*x^2 + (32*I)*x^4 + 64*x^3*Log[1 - E^((-2*I)*x)] - 192*x*Log[1 + E^((2*I)*x)] - 64*x^3*Log[1 + E^((2*I)*x)] + (96*I)*x^2*PolyLog[2, E^((-2*I)*x)] + (96*I)*(1 + x^2)*PolyLog[2, -E^((2*I)*x)] + 96*x*PolyLog[3, E^((-2*I)*x)] - 96*x*PolyLog[3, -E^((2*I)*x)] - (48*I)*PolyLog[4, E^((-2*I)*x)] - (48*I)*PolyLog[4, -E^((2*I)*x)] + 32*x^3*Sec[x]^2 - 96*x^2*Tan[x])/64
```

**Maple [A]** time = 0.09, size = 324, normalized size = 0.9

$$\sqrt{\frac{ae^{4ix}}{(1 + e^{2ix})^4}} x^2 (2x - 3i - 3ie^{-2ix}) - 2i \sqrt{\frac{ae^{4ix}}{(1 + e^{2ix})^4}} (1 + e^{2ix})^2 \left( -\frac{3e^{-2ix}x^2}{2} - \frac{3i}{2} e^{-2ix} x \ln(1 + e^{2ix}) - \frac{3e^{-2ix} \text{polylog}(2, -e^{2ix})}{4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3*csc(x)*sec(x)*(a*sec(x)^4)^(1/2),x)
```

```
[Out] (a*exp(4*I*x)/(1+exp(2*I*x))^4)^(1/2)*x^2*(2*x-3*I-3*I*exp(-2*I*x))-2*I*(a*exp(4*I*x)/(1+exp(2*I*x))^4)^(1/2)*(1+exp(2*I*x))^2*(-3/2*exp(-2*I*x)*x^2-3/2*I*exp(-2*I*x)*x*ln(1+exp(2*I*x))-3/4*exp(-2*I*x)*polylog(2,-exp(2*I*x))-1/2*I*exp(-2*I*x)*x^3*ln(1+exp(2*I*x))-3/4*exp(-2*I*x)*x^2*polylog(2,-exp(2*I*x))-3/4*I*exp(-2*I*x)*x*polylog(3,-exp(2*I*x))+3/8*exp(-2*I*x)*polylog(4,-exp(2*I*x)))
```



```

s(x)^4*cos(x)^2*polylog(3, -cos(x) - I*sin(x)) + 3*I*sqrt(a/cos(x)^4)*cos(
x)^2*polylog(4, cos(x) + I*sin(x)) - 3*I*sqrt(a/cos(x)^4)*cos(x)^2*polylog(
4, cos(x) - I*sin(x)) + 3*I*sqrt(a/cos(x)^4)*cos(x)^2*polylog(4, I*cos(x) +
sin(x)) - 3*I*sqrt(a/cos(x)^4)*cos(x)^2*polylog(4, I*cos(x) - sin(x)) - 3*
I*sqrt(a/cos(x)^4)*cos(x)^2*polylog(4, -I*cos(x) + sin(x)) + 3*I*sqrt(a/cos
(x)^4)*cos(x)^2*polylog(4, -I*cos(x) - sin(x)) - 3*I*sqrt(a/cos(x)^4)*cos(x
)^2*polylog(4, -cos(x) + I*sin(x)) + 3*I*sqrt(a/cos(x)^4)*cos(x)^2*polylog(
4, -cos(x) - I*sin(x)) + 1/2*(x^3*cos(x)^2*log(cos(x) + I*sin(x) + 1) + x^3
*cos(x)^2*log(cos(x) - I*sin(x) + 1) + x^3*cos(x)^2*log(-cos(x) + I*sin(x)
+ 1) + x^3*cos(x)^2*log(-cos(x) - I*sin(x) + 1) - 3*I*x^2*cos(x)^2*dilog(co
s(x) + I*sin(x)) + 3*I*x^2*cos(x)^2*dilog(cos(x) - I*sin(x)) + 3*I*x^2*cos(
x)^2*dilog(-cos(x) + I*sin(x)) - 3*I*x^2*cos(x)^2*dilog(-cos(x) - I*sin(x))
+ (-3*I*x^2 - 3*I)*cos(x)^2*dilog(I*cos(x) + sin(x)) + (3*I*x^2 + 3*I)*cos
(x)^2*dilog(I*cos(x) - sin(x)) + (3*I*x^2 + 3*I)*cos(x)^2*dilog(-I*cos(x) +
sin(x)) + (-3*I*x^2 - 3*I)*cos(x)^2*dilog(-I*cos(x) - sin(x)) - (x^3 + 3*x
)*cos(x)^2*log(I*cos(x) + sin(x) + 1) - (x^3 + 3*x)*cos(x)^2*log(I*cos(x) -
sin(x) + 1) - (x^3 + 3*x)*cos(x)^2*log(-I*cos(x) + sin(x) + 1) - (x^3 + 3*
x)*cos(x)^2*log(-I*cos(x) - sin(x) + 1) - 3*x^2*cos(x)*sin(x) + x^3)*sqrt(a
/cos(x)^4)

```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*csc(x)\*sec(x)\*(a\*sec(x)\*\*4)\*\*(1/2), x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a \sec(x)^4} x^3 \csc(x) \sec(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*csc(x)\*sec(x)\*(a\*sec(x)^4)^(1/2), x, algorithm="giac")

[Out] integrate(sqrt(a\*sec(x)^4)\*x^3\*csc(x)\*sec(x), x)

### 3.880 $\int \sin(x) \sin(2x) \sin(3x) dx$

**Optimal.** Leaf size=25

$$-\frac{1}{8} \cos(2x) - \frac{1}{16} \cos(4x) + \frac{1}{24} \cos(6x)$$

[Out]  $-\text{Cos}[2*x]/8 - \text{Cos}[4*x]/16 + \text{Cos}[6*x]/24$

**Rubi [A]** time = 0.031031, antiderivative size = 25, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 2, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {4355, 2638}

$$-\frac{1}{8} \cos(2x) - \frac{1}{16} \cos(4x) + \frac{1}{24} \cos(6x)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sin}[x]*\text{Sin}[2*x]*\text{Sin}[3*x], x]$

[Out]  $-\text{Cos}[2*x]/8 - \text{Cos}[4*x]/16 + \text{Cos}[6*x]/24$

#### Rule 4355

$\text{Int}[(F_.)[(a_.) + (b_.)*(x_)]^{(p_.)}*(G_.)[(c_.) + (d_.)*(x_)]^{(q_.)}*(H_.)[(e_.) + (f_.)*(x_)]^{(r_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[\text{ActivateTrig}[F[a + b*x]^p*G[c + d*x]^q*H[e + f*x]^r], x], x] /;$  FreeQ[{a, b, c, d, e, f}, x] && (EqQ[F, sin] || EqQ[F, cos]) && (EqQ[G, sin] || EqQ[G, cos]) && (EqQ[H, sin] || EqQ[H, cos]) && IGtQ[p, 0] && IGtQ[q, 0] && IGtQ[r, 0]

#### Rule 2638

$\text{Int}[\text{sin}[(c_.) + (d_.)*(x_)], x\_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/d, x] /;$  FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \sin(x) \sin(2x) \sin(3x) dx &= \int \left( \frac{1}{4} \sin(2x) + \frac{1}{4} \sin(4x) - \frac{1}{4} \sin(6x) \right) dx \\ &= \frac{1}{4} \int \sin(2x) dx + \frac{1}{4} \int \sin(4x) dx - \frac{1}{4} \int \sin(6x) dx \\ &= -\frac{1}{8} \cos(2x) - \frac{1}{16} \cos(4x) + \frac{1}{24} \cos(6x) \end{aligned}$$

**Mathematica [A]** time = 0.0101799, size = 25, normalized size = 1.

$$-\frac{1}{8} \cos(2x) - \frac{1}{16} \cos(4x) + \frac{1}{24} \cos(6x)$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[\text{Sin}[x]*\text{Sin}[2*x]*\text{Sin}[3*x], x]$

[Out]  $-\text{Cos}[2*x]/8 - \text{Cos}[4*x]/16 + \text{Cos}[6*x]/24$

---

**Maple [A]** time = 0.048, size = 20, normalized size = 0.8

$$-\frac{\cos(2x)}{8} - \frac{\cos(4x)}{16} + \frac{\cos(6x)}{24}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(x)*sin(2*x)*sin(3*x),x)`

[Out] `-1/8*cos(2*x)-1/16*cos(4*x)+1/24*cos(6*x)`

---

**Maxima [A]** time = 0.946402, size = 26, normalized size = 1.04

$$\frac{1}{24} \cos(6x) - \frac{1}{16} \cos(4x) - \frac{1}{8} \cos(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)*sin(2*x)*sin(3*x),x, algorithm="maxima")`

[Out] `1/24*cos(6*x) - 1/16*cos(4*x) - 1/8*cos(2*x)`

---

**Fricas [A]** time = 2.33245, size = 54, normalized size = 2.16

$$\frac{4}{3} \cos(x)^6 - \frac{5}{2} \cos(x)^4 + \cos(x)^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)*sin(2*x)*sin(3*x),x, algorithm="fricas")`

[Out] `4/3*cos(x)^6 - 5/2*cos(x)^4 + cos(x)^2`

---

**Sympy [B]** time = 14.387, size = 116, normalized size = 4.64

$$\frac{x \sin(x) \sin(2x) \sin(3x)}{4} + \frac{x \sin(x) \cos(2x) \cos(3x)}{4} + \frac{x \sin(2x) \cos(x) \cos(3x)}{4} - \frac{x \sin(3x) \cos(x) \cos(2x)}{4} - \frac{5 \sin(x)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)*sin(2*x)*sin(3*x),x)`

[Out] `x*sin(x)*sin(2*x)*sin(3*x)/4 + x*sin(x)*cos(2*x)*cos(3*x)/4 + x*sin(2*x)*cos(x)*cos(3*x)/4 - x*sin(3*x)*cos(x)*cos(2*x)/4 - 5*sin(x)/24 - sin(2*x)*sin(3*x)*cos(x)/3 - 3*cos(x)*cos(2*x)*cos(3*x)/8`

---

**Giac [A]** time = 1.06461, size = 18, normalized size = 0.72

$$-\frac{4}{3} \sin(x)^6 + \frac{3}{2} \sin(x)^4$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(x)*sin(2*x)*sin(3*x),x, algorithm="giac")
```

```
[Out] -4/3*sin(x)^6 + 3/2*sin(x)^4
```

### 3.881 $\int \cos(x) \cos(2x) \cos(3x) dx$

**Optimal.** Leaf size=30

$$\frac{x}{4} + \frac{1}{8} \sin(2x) + \frac{1}{16} \sin(4x) + \frac{1}{24} \sin(6x)$$

[Out] x/4 + Sin[2\*x]/8 + Sin[4\*x]/16 + Sin[6\*x]/24

**Rubi [A]** time = 0.0326408, antiderivative size = 30, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 2, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {4355, 2637}

$$\frac{x}{4} + \frac{1}{8} \sin(2x) + \frac{1}{16} \sin(4x) + \frac{1}{24} \sin(6x)$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Cos[2\*x]\*Cos[3\*x],x]

[Out] x/4 + Sin[2\*x]/8 + Sin[4\*x]/16 + Sin[6\*x]/24

#### Rule 4355

```
Int[(F_)[(a_.) + (b_.)*(x_)^(p_.)*(G_)[(c_.) + (d_.)*(x_)^(q_.)*(H_)[(e_.) + (f_.)*(x_)^(r_.), x_Symbol] ]> Int[ExpandTrigReduce[ActivateTrig[F[a + b*x]^p*G[c + d*x]^q*H[e + f*x]^r], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && (EqQ[F, sin] || EqQ[F, cos]) && (EqQ[G, sin] || EqQ[G, cos]) && (EqQ[H, sin] || EqQ[H, cos]) && IGtQ[p, 0] && IGtQ[q, 0] && IGtQ[r, 0]
```

#### Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] :> Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]
```

#### Rubi steps

$$\begin{aligned} \int \cos(x) \cos(2x) \cos(3x) dx &= \int \left( \frac{1}{4} + \frac{1}{4} \cos(2x) + \frac{1}{4} \cos(4x) + \frac{1}{4} \cos(6x) \right) dx \\ &= \frac{x}{4} + \frac{1}{4} \int \cos(2x) dx + \frac{1}{4} \int \cos(4x) dx + \frac{1}{4} \int \cos(6x) dx \\ &= \frac{x}{4} + \frac{1}{8} \sin(2x) + \frac{1}{16} \sin(4x) + \frac{1}{24} \sin(6x) \end{aligned}$$

**Mathematica [A]** time = 0.0098102, size = 30, normalized size = 1.

$$\frac{x}{4} + \frac{1}{8} \sin(2x) + \frac{1}{16} \sin(4x) + \frac{1}{24} \sin(6x)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Cos[2\*x]\*Cos[3\*x],x]

[Out] x/4 + Sin[2\*x]/8 + Sin[4\*x]/16 + Sin[6\*x]/24



---

**Maple [A]** time = 0.041, size = 23, normalized size = 0.8

$$\frac{x}{4} + \frac{\sin(2x)}{8} + \frac{\sin(4x)}{16} + \frac{\sin(6x)}{24}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*cos(2\*x)\*cos(3\*x),x)

[Out] 1/4\*x+1/8\*sin(2\*x)+1/16\*sin(4\*x)+1/24\*sin(6\*x)

---

**Maxima [A]** time = 0.966645, size = 30, normalized size = 1.

$$\frac{1}{4}x + \frac{1}{24}\sin(6x) + \frac{1}{16}\sin(4x) + \frac{1}{8}\sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*cos(2\*x)\*cos(3\*x),x, algorithm="maxima")

[Out] 1/4\*x + 1/24\*sin(6\*x) + 1/16\*sin(4\*x) + 1/8\*sin(2\*x)

---

**Fricas [A]** time = 2.34773, size = 81, normalized size = 2.7

$$\frac{1}{12} \left( 16 \cos(x)^5 - 10 \cos(x)^3 + 3 \cos(x) \right) \sin(x) + \frac{1}{4}x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*cos(2\*x)\*cos(3\*x),x, algorithm="fricas")

[Out] 1/12\*(16\*cos(x)^5 - 10\*cos(x)^3 + 3\*cos(x))\*sin(x) + 1/4\*x

---

**Sympy [B]** time = 14.5589, size = 114, normalized size = 3.8

$$-\frac{x \sin(x) \sin(2x) \cos(3x)}{4} + \frac{x \sin(x) \sin(3x) \cos(2x)}{4} + \frac{x \sin(2x) \sin(3x) \cos(x)}{4} + \frac{x \cos(x) \cos(2x) \cos(3x)}{4} + \frac{\sin(x) \sin(2x) \sin(3x)}{6} + \frac{\sin(x) \cos(2x) \cos(3x)}{8} + \frac{5 \sin(3x) \cos(x) \cos(2x)}{24}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*cos(2\*x)\*cos(3\*x),x)

[Out] -x\*sin(x)\*sin(2\*x)\*cos(3\*x)/4 + x\*sin(x)\*sin(3\*x)\*cos(2\*x)/4 + x\*sin(2\*x)\*sin(3\*x)\*cos(x)/4 + x\*cos(x)\*cos(2\*x)\*cos(3\*x)/4 + sin(x)\*sin(2\*x)\*sin(3\*x)/6 + sin(x)\*cos(2\*x)\*cos(3\*x)/8 + 5\*sin(3\*x)\*cos(x)\*cos(2\*x)/24

---

**Giac [A]** time = 1.09322, size = 30, normalized size = 1.

$$\frac{1}{4}x + \frac{1}{24}\sin(6x) + \frac{1}{16}\sin(4x) + \frac{1}{8}\sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)*cos(2*x)*cos(3*x),x, algorithm="giac")
```

```
[Out] 1/4*x + 1/24*sin(6*x) + 1/16*sin(4*x) + 1/8*sin(2*x)
```

### 3.882 $\int \cos(x) \sin(2x) \sin(3x) dx$

**Optimal.** Leaf size=30

$$\frac{x}{4} + \frac{1}{8} \sin(2x) - \frac{1}{16} \sin(4x) - \frac{1}{24} \sin(6x)$$

[Out] x/4 + Sin[2\*x]/8 - Sin[4\*x]/16 - Sin[6\*x]/24

**Rubi [A]** time = 0.0334716, antiderivative size = 30, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 2, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {4355, 2637}

$$\frac{x}{4} + \frac{1}{8} \sin(2x) - \frac{1}{16} \sin(4x) - \frac{1}{24} \sin(6x)$$

Antiderivative was successfully verified.

[In] Int[Cos[x]\*Sin[2\*x]\*Sin[3\*x],x]

[Out] x/4 + Sin[2\*x]/8 - Sin[4\*x]/16 - Sin[6\*x]/24

#### Rule 4355

Int[(F\_)[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*(G\_)[(c\_.) + (d\_.)\*(x\_)]^(q\_.)\*(H\_)[(e\_.) + (f\_.)\*(x\_)]^(r\_.), x\_Symbol] :> Int[ExpandTrigReduce[ActivateTrig[F[a + b\*x]^p\*G[c + d\*x]^q\*H[e + f\*x]^r], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && (EqQ[F, sin] || EqQ[F, cos]) && (EqQ[G, sin] || EqQ[G, cos]) && (EqQ[H, sin] || EqQ[H, cos]) && IGtQ[p, 0] && IGtQ[q, 0] && IGtQ[r, 0]

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \cos(x) \sin(2x) \sin(3x) dx &= \int \left( \frac{1}{4} + \frac{1}{4} \cos(2x) - \frac{1}{4} \cos(4x) - \frac{1}{4} \cos(6x) \right) dx \\ &= \frac{x}{4} + \frac{1}{4} \int \cos(2x) dx - \frac{1}{4} \int \cos(4x) dx - \frac{1}{4} \int \cos(6x) dx \\ &= \frac{x}{4} + \frac{1}{8} \sin(2x) - \frac{1}{16} \sin(4x) - \frac{1}{24} \sin(6x) \end{aligned}$$

**Mathematica [A]** time = 0.0080781, size = 30, normalized size = 1.

$$\frac{x}{4} + \frac{1}{8} \sin(2x) - \frac{1}{16} \sin(4x) - \frac{1}{24} \sin(6x)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]\*Sin[2\*x]\*Sin[3\*x],x]

[Out] x/4 + Sin[2\*x]/8 - Sin[4\*x]/16 - Sin[6\*x]/24

---

**Maple [A]** time = 0.036, size = 23, normalized size = 0.8

$$\frac{x}{4} + \frac{\sin(2x)}{8} - \frac{\sin(4x)}{16} - \frac{\sin(6x)}{24}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*sin(2\*x)\*sin(3\*x),x)

[Out] 1/4\*x+1/8\*sin(2\*x)-1/16\*sin(4\*x)-1/24\*sin(6\*x)

---

**Maxima [A]** time = 0.940329, size = 30, normalized size = 1.

$$\frac{1}{4}x - \frac{1}{24}\sin(6x) - \frac{1}{16}\sin(4x) + \frac{1}{8}\sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sin(2\*x)\*sin(3\*x),x, algorithm="maxima")

[Out] 1/4\*x - 1/24\*sin(6\*x) - 1/16\*sin(4\*x) + 1/8\*sin(2\*x)

---

**Fricas [A]** time = 2.42285, size = 82, normalized size = 2.73

$$-\frac{1}{12}\left(16\cos(x)^5 - 10\cos(x)^3 - 3\cos(x)\right)\sin(x) + \frac{1}{4}x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sin(2\*x)\*sin(3\*x),x, algorithm="fricas")

[Out] -1/12\*(16\*cos(x)^5 - 10\*cos(x)^3 - 3\*cos(x))\*sin(x) + 1/4\*x

---

**Sympy [B]** time = 14.2556, size = 116, normalized size = 3.87

$$-\frac{x\sin(x)\sin(2x)\cos(3x)}{4} + \frac{x\sin(x)\sin(3x)\cos(2x)}{4} + \frac{x\sin(2x)\sin(3x)\cos(x)}{4} + \frac{x\cos(x)\cos(2x)\cos(3x)}{4} + \frac{\sin(x)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*sin(2\*x)\*sin(3\*x),x)

[Out] -x\*sin(x)\*sin(2\*x)\*cos(3\*x)/4 + x\*sin(x)\*sin(3\*x)\*cos(2\*x)/4 + x\*sin(2\*x)\*sin(3\*x)\*cos(x)/4 + x\*cos(x)\*cos(2\*x)\*cos(3\*x)/4 + sin(x)\*sin(2\*x)\*sin(3\*x)/3 + 3\*sin(x)\*cos(2\*x)\*cos(3\*x)/8 - 5\*sin(3\*x)\*cos(x)\*cos(2\*x)/24

---

**Giac [A]** time = 1.07059, size = 30, normalized size = 1.

$$\frac{1}{4}x - \frac{1}{24}\sin(6x) - \frac{1}{16}\sin(4x) + \frac{1}{8}\sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)*sin(2*x)*sin(3*x),x, algorithm="giac")
```

```
[Out] 1/4*x - 1/24*sin(6*x) - 1/16*sin(4*x) + 1/8*sin(2*x)
```

### 3.883 $\int \cos(2x) \cos(3x) \sin(x) dx$

**Optimal.** Leaf size=25

$$-\frac{1}{8} \cos(2x) + \frac{1}{16} \cos(4x) - \frac{1}{24} \cos(6x)$$

[Out] -Cos[2\*x]/8 + Cos[4\*x]/16 - Cos[6\*x]/24

**Rubi [A]** time = 0.0310978, antiderivative size = 25, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 2, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {4355, 2638}

$$-\frac{1}{8} \cos(2x) + \frac{1}{16} \cos(4x) - \frac{1}{24} \cos(6x)$$

Antiderivative was successfully verified.

[In] Int[Cos[2\*x]\*Cos[3\*x]\*Sin[x],x]

[Out] -Cos[2\*x]/8 + Cos[4\*x]/16 - Cos[6\*x]/24

#### Rule 4355

Int[(F\_)[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*(G\_)[(c\_.) + (d\_.)\*(x\_)]^(q\_.)\*(H\_)[(e\_.) + (f\_.)\*(x\_)]^(r\_.), x\_Symbol] := Int[ExpandTrigReduce[ActivateTrig[F[a + b\*x]^p\*G[c + d\*x]^q\*H[e + f\*x]^r], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && (EqQ[F, sin] || EqQ[F, cos]) && (EqQ[G, sin] || EqQ[G, cos]) && (EqQ[H, sin] || EqQ[H, cos]) && IGtQ[p, 0] && IGtQ[q, 0] && IGtQ[r, 0]

#### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \cos(2x) \cos(3x) \sin(x) dx &= \int \left( \frac{1}{4} \sin(2x) - \frac{1}{4} \sin(4x) + \frac{1}{4} \sin(6x) \right) dx \\ &= \frac{1}{4} \int \sin(2x) dx - \frac{1}{4} \int \sin(4x) dx + \frac{1}{4} \int \sin(6x) dx \\ &= -\frac{1}{8} \cos(2x) + \frac{1}{16} \cos(4x) - \frac{1}{24} \cos(6x) \end{aligned}$$

**Mathematica [A]** time = 0.0087282, size = 25, normalized size = 1.

$$-\frac{1}{8} \cos(2x) + \frac{1}{16} \cos(4x) - \frac{1}{24} \cos(6x)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[2\*x]\*Cos[3\*x]\*Sin[x],x]

[Out] -Cos[2\*x]/8 + Cos[4\*x]/16 - Cos[6\*x]/24

---

**Maple [A]** time = 0.035, size = 20, normalized size = 0.8

$$-\frac{\cos(2x)}{8} + \frac{\cos(4x)}{16} - \frac{\cos(6x)}{24}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(2\*x)\*cos(3\*x)\*sin(x),x)

[Out] -1/8\*cos(2\*x)+1/16\*cos(4\*x)-1/24\*cos(6\*x)

---

**Maxima [A]** time = 0.948219, size = 26, normalized size = 1.04

$$-\frac{1}{24} \cos(6x) + \frac{1}{16} \cos(4x) - \frac{1}{8} \cos(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*x)\*cos(3\*x)\*sin(x),x, algorithm="maxima")

[Out] -1/24\*cos(6\*x) + 1/16\*cos(4\*x) - 1/8\*cos(2\*x)

---

**Fricas [A]** time = 2.3858, size = 61, normalized size = 2.44

$$-\frac{4}{3} \cos(x)^6 + \frac{5}{2} \cos(x)^4 - \frac{3}{2} \cos(x)^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*x)\*cos(3\*x)\*sin(x),x, algorithm="fricas")

[Out] -4/3\*cos(x)^6 + 5/2\*cos(x)^4 - 3/2\*cos(x)^2

---

**Sympy [B]** time = 14.3147, size = 114, normalized size = 4.56

$$\frac{x \sin(x) \sin(2x) \sin(3x)}{4} + \frac{x \sin(x) \cos(2x) \cos(3x)}{4} + \frac{x \sin(2x) \cos(x) \cos(3x)}{4} - \frac{x \sin(3x) \cos(x) \cos(2x)}{4} + \frac{5 \sin(x) \sin(3x) \cos(2x)}{24} - \frac{\sin(2x) \sin(3x) \cos(x)}{6} - \frac{\cos(x) \cos(2x) \cos(3x)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*x)\*cos(3\*x)\*sin(x),x)

[Out] x\*sin(x)\*sin(2\*x)\*sin(3\*x)/4 + x\*sin(x)\*cos(2\*x)\*cos(3\*x)/4 + x\*sin(2\*x)\*cos(x)\*cos(3\*x)/4 - x\*sin(3\*x)\*cos(x)\*cos(2\*x)/4 + 5\*sin(x)\*sin(3\*x)\*cos(2\*x)/24 - sin(2\*x)\*sin(3\*x)\*cos(x)/6 - cos(x)\*cos(2\*x)\*cos(3\*x)/8

---

**Giac [A]** time = 1.06464, size = 26, normalized size = 1.04

$$\frac{4}{3} \sin(x)^6 - \frac{3}{2} \sin(x)^4 + \frac{1}{2} \sin(x)^2$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(2*x)*cos(3*x)*sin(x),x, algorithm="giac")
```

```
[Out] 4/3*sin(x)^6 - 3/2*sin(x)^4 + 1/2*sin(x)^2
```



### 3.884 $\int x \sin(x^2) dx$

**Optimal.** Leaf size=8

$$-\frac{1}{2} \cos(x^2)$$

[Out] -Cos[x^2]/2

**Rubi [A]** time = 0.0062987, antiderivative size = 8, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {3379, 2638}

$$-\frac{1}{2} \cos(x^2)$$

Antiderivative was successfully verified.

[In] Int[x\*Sin[x^2],x]

[Out] -Cos[x^2]/2

#### Rule 3379

Int[(x\_)^(m\_.)\*((a\_.) + (b\_.)\*Sin[(c\_.) + (d\_.)\*(x\_)^(n\_)])^(p\_.), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*Sin[c + d\*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

#### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int x \sin(x^2) dx &= \frac{1}{2} \text{Subst} \left( \int \sin(x) dx, x, x^2 \right) \\ &= -\frac{1}{2} \cos(x^2) \end{aligned}$$

**Mathematica [A]** time = 0.0060461, size = 8, normalized size = 1.

$$-\frac{1}{2} \cos(x^2)$$

Antiderivative was successfully verified.

[In] Integrate[x\*Sin[x^2],x]

[Out] -Cos[x^2]/2

**Maple [A]** time = 0.002, size = 7, normalized size = 0.9

$$-\frac{\cos(x^2)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*sin(x^2),x)

[Out] -1/2\*cos(x^2)

---

**Maxima [A]** time = 0.946036, size = 8, normalized size = 1.

$$-\frac{1}{2} \cos(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sin(x^2),x, algorithm="maxima")

[Out] -1/2\*cos(x^2)

---

**Fricas [A]** time = 2.35517, size = 20, normalized size = 2.5

$$-\frac{1}{2} \cos(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sin(x^2),x, algorithm="fricas")

[Out] -1/2\*cos(x^2)

---

**Sympy [A]** time = 0.158996, size = 7, normalized size = 0.88

$$-\frac{\cos(x^2)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*sin(x\*\*2),x)

[Out] -cos(x\*\*2)/2

---

**Giac [A]** time = 1.07883, size = 8, normalized size = 1.

$$-\frac{1}{2} \cos(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*sin(x^2),x, algorithm="giac")
```

```
[Out] -1/2*cos(x^2)
```

$$3.885 \quad \int (-\cos(x) + \sin(x))(\cos(x) + \sin(x))^5 dx$$

**Optimal.** Leaf size=11

$$-\frac{1}{6}(\sin(x) + \cos(x))^6$$

[Out]  $-(\text{Cos}[x] + \text{Sin}[x])^6/6$

**Rubi [A]** time = 0.0207024, antiderivative size = 11, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$ , Rules used = {3145}

$$-\frac{1}{6}(\sin(x) + \cos(x))^6$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(-\text{Cos}[x] + \text{Sin}[x])*(\text{Cos}[x] + \text{Sin}[x])^5, x]$

[Out]  $-(\text{Cos}[x] + \text{Sin}[x])^6/6$

#### Rule 3145

$\text{Int}[(\cos[(d_.) + (e_.)*(x_.)]*(b_.) + (c_.)*\sin[(d_.) + (e_.)*(x_.)])^{(n_.)}*(\cos[(d_.) + (e_.)*(x_.)]*(B_.) + (C_.)*\sin[(d_.) + (e_.)*(x_.)]), x\_Symbol] :$   
 $> \text{Simp}[(c*B - b*C)*(b*\cos[d + e*x] + c*\sin[d + e*x])^{(n + 1)} / (e*(n + 1)*(b^2 + c^2)), x] /;$   $\text{FreeQ}\{b, c, d, e, B, C\}, x] \ \&\& \ \text{NeQ}[n, -1] \ \&\& \ \text{NeQ}[b^2 + c^2, 0] \ \&\& \ \text{EqQ}[b*B + c*C, 0]$

#### Rubi steps

$$\int (-\cos(x) + \sin(x))(\cos(x) + \sin(x))^5 dx = -\frac{1}{6}(\cos(x) + \sin(x))^6$$

**Mathematica [B]** time = 0.0777261, size = 25, normalized size = 2.27

$$-\frac{5}{8}\sin(2x) + \frac{1}{24}\sin(6x) + \frac{1}{4}\cos(4x)$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[(-\text{Cos}[x] + \text{Sin}[x])*(\text{Cos}[x] + \text{Sin}[x])^5, x]$

[Out]  $\text{Cos}[4*x]/4 - (5*\text{Sin}[2*x])/8 + \text{Sin}[6*x]/24$

**Maple [B]** time = 0.032, size = 97, normalized size = 8.8

$$-\frac{\cos(x)}{6} \left( (\sin(x))^5 + \frac{5(\sin(x))^3}{4} + \frac{15\sin(x)}{8} \right) + \frac{2(\sin(x))^6}{3} - \frac{5(\cos(x))^3(\sin(x))^3}{6} - \frac{5(\cos(x))^3\sin(x)}{8} + \frac{5\cos(x)}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((-cos(x)+sin(x))*(cos(x)+sin(x))^5,x)
```

```
[Out] -1/6*(sin(x)^5+5/4*sin(x)^3+15/8*sin(x))*cos(x)+2/3*sin(x)^6-5/6*cos(x)^3*
sin(x)^3-5/8*cos(x)^3*sin(x)+5/16*cos(x)*sin(x)+5/6*cos(x)^5*sin(x)-5/24*(co
s(x)^3+3/2*cos(x))*sin(x)+2/3*cos(x)^6-1/6*(cos(x)^5+5/4*cos(x)^3+15/8*cos(
x))*sin(x)
```

**Maxima [A]** time = 0.943586, size = 12, normalized size = 1.09

$$-\frac{1}{6}(\cos(x) + \sin(x))^6$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-cos(x)+sin(x))*(cos(x)+sin(x))^5,x, algorithm="maxima")
```

```
[Out] -1/6*(cos(x) + sin(x))^6
```

**Fricas [B]** time = 2.39975, size = 101, normalized size = 9.18

$$2 \cos(x)^4 - 2 \cos(x)^2 + \frac{1}{3} (4 \cos(x)^5 - 4 \cos(x)^3 - 3 \cos(x)) \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-cos(x)+sin(x))*(cos(x)+sin(x))^5,x, algorithm="fricas")
```

```
[Out] 2*cos(x)^4 - 2*cos(x)^2 + 1/3*(4*cos(x)^5 - 4*cos(x)^3 - 3*cos(x))*sin(x)
```

**Sympy [B]** time = 2.08743, size = 54, normalized size = 4.91

$$-\sin^5(x) \cos(x) - 2 \sin^4(x) \cos^2(x) - \frac{10 \sin^3(x) \cos^3(x)}{3} - 2 \sin^2(x) \cos^4(x) - \sin(x) \cos^5(x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-cos(x)+sin(x))*(cos(x)+sin(x))**5,x)
```

```
[Out] -sin(x)**5*cos(x) - 2*sin(x)**4*cos(x)**2 - 10*sin(x)**3*cos(x)**3/3 - 2*si
n(x)**2*cos(x)**4 - sin(x)*cos(x)**5
```

**Giac [B]** time = 1.07106, size = 26, normalized size = 2.36

$$\frac{1}{4} \cos(4x) + \frac{1}{24} \sin(6x) - \frac{5}{8} \sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-cos(x)+sin(x))*(cos(x)+sin(x))^5,x, algorithm="giac")
```

```
[Out] 1/4*cos(4*x) + 1/24*sin(6*x) - 5/8*sin(2*x)
```

### 3.886 $\int 2x \sec^2(x) \tan(x) dx$

**Optimal.** Leaf size=11

$$x \sec^2(x) - \tan(x)$$

[Out] x\*Sec[x]^2 - Tan[x]

**Rubi [A]** time = 0.0187379, antiderivative size = 11, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$ , Rules used = {12, 3757, 3767, 8}

$$x \sec^2(x) - \tan(x)$$

Antiderivative was successfully verified.

[In] Int[2\*x\*Sec[x]^2\*Tan[x],x]

[Out] x\*Sec[x]^2 - Tan[x]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 3757

Int[(x\_)^(m\_)\*Sec[(a\_) + (b\_)\*(x\_)^(n\_)]^(p\_)\*Tan[(a\_) + (b\_)\*(x\_)^(n\_)]^(q\_), x\_Symbol] := Simp[(x^(m - n + 1)\*Sec[a + b\*x^n]^p)/(b\*n\*p), x] - Dist[(m - n + 1)/(b\*n\*p), Int[x^(m - n)\*Sec[a + b\*x^n]^p, x], x] /; FreeQ[{a, b, p}, x] && IntegerQ[n] && GeQ[m, n] && EqQ[q, 1]

#### Rule 3767

Int[csc[(c\_) + (d\_)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned} \int 2x \sec^2(x) \tan(x) dx &= 2 \int x \sec^2(x) \tan(x) dx \\ &= x \sec^2(x) - \int \sec^2(x) dx \\ &= x \sec^2(x) + \text{Subst}\left(\int 1 dx, x, -\tan(x)\right) \\ &= x \sec^2(x) - \tan(x) \end{aligned}$$

**Mathematica [A]** time = 0.011037, size = 18, normalized size = 1.64

$$2 \left( \frac{1}{2} x \sec^2(x) - \frac{\tan(x)}{2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[2\*x\*Sec[x]^2\*Tan[x],x]

[Out] 2\*((x\*Sec[x]^2)/2 - Tan[x]/2)

**Maple [A]** time = 0.01, size = 12, normalized size = 1.1

$$\frac{x}{(\cos(x))^2} - \tan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(2\*x\*sec(x)^2\*tan(x),x)

[Out] x/cos(x)^2-tan(x)

**Maxima [B]** time = 0.954077, size = 180, normalized size = 16.36

$$\frac{2(4x \cos(2x)^2 + 4x \sin(2x)^2 + (2x \cos(2x) + \sin(2x)) \cos(4x) + 2x \cos(2x) + (2x \sin(2x) - \cos(2x) - 1) \sin(4x))}{2(2 \cos(2x) + 1) \cos(4x) + \cos(4x)^2 + 4 \cos(2x)^2 + \sin(4x)^2 + 4 \sin(4x) \sin(2x) + 4 \sin(2x)^2 + 4 \cos(2x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2\*x\*sec(x)^2\*tan(x),x, algorithm="maxima")

[Out] 2\*(4\*x\*cos(2\*x)^2 + 4\*x\*sin(2\*x)^2 + (2\*x\*cos(2\*x) + sin(2\*x))\*cos(4\*x) + 2\*x\*cos(2\*x) + (2\*x\*sin(2\*x) - cos(2\*x) - 1)\*sin(4\*x) - sin(2\*x))/(2\*(2\*cos(2\*x) + 1)\*cos(4\*x) + cos(4\*x)^2 + 4\*cos(2\*x)^2 + sin(4\*x)^2 + 4\*sin(4\*x)\*sin(2\*x) + 4\*sin(2\*x)^2 + 4\*cos(2\*x) + 1)

**Fricas [A]** time = 2.28016, size = 42, normalized size = 3.82

$$-\frac{\cos(x) \sin(x) - x}{\cos(x)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2\*x\*sec(x)^2\*tan(x),x, algorithm="fricas")

[Out] -(cos(x)\*sin(x) - x)/cos(x)^2

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$2 \int x \tan(x) \sec^2(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2\*x\*sec(x)\*\*2\*tan(x),x)

[Out] 2\*Integral(x\*tan(x)\*sec(x)\*\*2, x)

**Giac [B]** time = 1.08604, size = 70, normalized size = 6.36

$$\frac{x \tan\left(\frac{1}{2}x\right)^4 + 2x \tan\left(\frac{1}{2}x\right)^2 + 2 \tan\left(\frac{1}{2}x\right)^3 + x - 2 \tan\left(\frac{1}{2}x\right)}{\tan\left(\frac{1}{2}x\right)^4 - 2 \tan\left(\frac{1}{2}x\right)^2 + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(2\*x\*sec(x)^2\*tan(x),x, algorithm="giac")

[Out] (x\*tan(1/2\*x)^4 + 2\*x\*tan(1/2\*x)^2 + 2\*tan(1/2\*x)^3 + x - 2\*tan(1/2\*x))/(tan(1/2\*x)^4 - 2\*tan(1/2\*x)^2 + 1)



$$3.887 \quad \int \frac{1+\cos^2(x)}{1+\cos(2x)} dx$$

Optimal. Leaf size=12

$$\frac{x}{2} + \frac{\tan(x)}{2}$$

[Out] x/2 + Tan[x]/2

**Rubi [A]** time = 0.0468899, antiderivative size = 12, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$ , Rules used = {388, 203}

$$\frac{x}{2} + \frac{\tan(x)}{2}$$

Antiderivative was successfully verified.

[In] Int[(1 + Cos[x]^2)/(1 + Cos[2\*x]), x]

[Out] x/2 + Tan[x]/2

#### Rule 388

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Simp[(d\*x\*(a + b\*x^n)^(p + 1))/(b\*(n\*(p + 1) + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(b\*(n\*(p + 1) + 1)), Int[(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n\*(p + 1) + 1, 0]

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{1+\cos^2(x)}{1+\cos(2x)} dx &= \text{Subst} \left( \int \frac{2+x^2}{2+2x^2} dx, x, \tan(x) \right) \\ &= \frac{\tan(x)}{2} + \text{Subst} \left( \int \frac{1}{2+2x^2} dx, x, \tan(x) \right) \\ &= \frac{x}{2} + \frac{\tan(x)}{2} \end{aligned}$$

**Mathematica [A]** time = 0.0157699, size = 12, normalized size = 1.

$$\frac{x}{2} + \frac{\tan(x)}{2}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + Cos[x]^2)/(1 + Cos[2\*x]), x]

[Out]  $x/2 + \tan(x)/2$

---

**Maple [A]** time = 0.047, size = 9, normalized size = 0.8

$$\frac{x}{2} + \frac{\tan(x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1+cos(x)^2)/(1+cos(2*x)),x)`

[Out] `1/2*x+1/2*tan(x)`

---

**Maxima [B]** time = 0.945971, size = 24, normalized size = 2.

$$\frac{1}{2}x + \frac{\sin(2x)}{2(\cos(2x) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+cos(x)^2)/(1+cos(2*x)),x, algorithm="maxima")`

[Out] `1/2*x + 1/2*sin(2*x)/(cos(2*x) + 1)`

---

**Fricas [A]** time = 2.30898, size = 43, normalized size = 3.58

$$\frac{x \cos(x) + \sin(x)}{2 \cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+cos(x)^2)/(1+cos(2*x)),x, algorithm="fricas")`

[Out] `1/2*(x*cos(x) + sin(x))/cos(x)`

---

**Sympy [A]** time = 1.68321, size = 7, normalized size = 0.58

$$\frac{x}{2} + \frac{\tan(x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+cos(x)**2)/(1+cos(2*x)),x)`

[Out] `x/2 + tan(x)/2`

---

**Giac [A]** time = 1.0669, size = 11, normalized size = 0.92

$$\frac{1}{2}x + \frac{1}{2}\tan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1+cos(x)^2)/(1+cos(2*x)),x, algorithm="giac")
```

```
[Out] 1/2*x + 1/2*tan(x)
```

$$3.888 \quad \int \frac{\sin(x)}{\cos^3(x) - \cos^5(x)} dx$$

**Optimal.** Leaf size=12

$$\frac{\tan^2(x)}{2} + \log(\tan(x))$$

[Out] Log[Tan[x]] + Tan[x]^2/2

**Rubi [A]** time = 0.0390701, antiderivative size = 17, normalized size of antiderivative = 1.42, number of steps used = 4, number of rules used = 3, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$ , Rules used = {4335, 266, 44}

$$\frac{\sec^2(x)}{2} + \log(\sin(x)) - \log(\cos(x))$$

Antiderivative was successfully verified.

[In] Int[Sin[x]/(Cos[x]^3 - Cos[x]^5), x]

[Out] -Log[Cos[x]] + Log[Sin[x]] + Sec[x]^2/2

#### Rule 4335

```
Int[(u_)*(F_)[(c_.)*((a_.) + (b_.)*(x_))], x_Symbol] := With[{d = FreeFactors[Cos[c*(a + b*x)], x]}, -Dist[d/(b*c), Subst[Int[SubstFor[1, Cos[c*(a + b*x)]]/d, u, x], x], x, Cos[c*(a + b*x)]/d, x] /; FunctionOfQ[Cos[c*(a + b*x)]]/d, u, x, True]] /; FreeQ[{a, b, c}, x] && (EqQ[F, Sin] || EqQ[F, sin])
```

#### Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

#### Rule 44

```
Int[((a_) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])
```

#### Rubi steps

$$\begin{aligned} \int \frac{\sin(x)}{\cos^3(x) - \cos^5(x)} dx &= -\text{Subst} \left( \int \frac{1}{x^3(1-x^2)} dx, x, \cos(x) \right) \\ &= -\left( \frac{1}{2} \text{Subst} \left( \int \frac{1}{(1-x)x^2} dx, x, \cos^2(x) \right) \right) \\ &= -\left( \frac{1}{2} \text{Subst} \left( \int \left( \frac{1}{1-x} + \frac{1}{x^2} + \frac{1}{x} \right) dx, x, \cos^2(x) \right) \right) \\ &= -\log(\cos(x)) + \log(\sin(x)) + \frac{\sec^2(x)}{2} \end{aligned}$$

**Mathematica [A]** time = 0.0150483, size = 17, normalized size = 1.42

$$\frac{\sec^2(x)}{2} + \log(\sin(x)) - \log(\cos(x))$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]/(Cos[x]^3 - Cos[x]^5), x]

[Out] -Log[Cos[x]] + Log[Sin[x]] + Sec[x]^2/2

**Maple [B]** time = 0.024, size = 27, normalized size = 2.3

$$\frac{1}{2 (\cos(x))^2} - \ln(\cos(x)) + \frac{\ln(1 + \cos(x))}{2} + \frac{\ln(-1 + \cos(x))}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)/(cos(x)^3-cos(x)^5), x)

[Out] 1/2/cos(x)^2-ln(cos(x))+1/2\*ln(1+cos(x))+1/2\*ln(-1+cos(x))

**Maxima [B]** time = 0.950405, size = 35, normalized size = 2.92

$$\frac{1}{2 \cos(x)^2} + \frac{1}{2} \log(\cos(x) + 1) + \frac{1}{2} \log(\cos(x) - 1) - \log(\cos(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(cos(x)^3-cos(x)^5), x, algorithm="maxima")

[Out] 1/2/cos(x)^2 + 1/2\*log(cos(x) + 1) + 1/2\*log(cos(x) - 1) - log(cos(x))

**Fricas [B]** time = 2.31086, size = 108, normalized size = 9.

$$\frac{\cos(x)^2 \log(\cos(x)^2) - \cos(x)^2 \log\left(-\frac{1}{4} \cos(x)^2 + \frac{1}{4}\right) - 1}{2 \cos(x)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(cos(x)^3-cos(x)^5), x, algorithm="fricas")

[Out] -1/2\*(cos(x)^2\*log(cos(x)^2) - cos(x)^2\*log(-1/4\*cos(x)^2 + 1/4) - 1)/cos(x)^2

**Sympy [B]** time = 1.64249, size = 29, normalized size = 2.42

$$\frac{\log(\cos(x) - 1)}{2} + \frac{\log(\cos(x) + 1)}{2} - \log(\cos(x)) + \frac{1}{2 \cos^2(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(cos(x)\*\*3-cos(x)\*\*5),x)

[Out] log(cos(x) - 1)/2 + log(cos(x) + 1)/2 - log(cos(x)) + 1/(2\*cos(x)\*\*2)

**Giac [B]** time = 1.0692, size = 42, normalized size = 3.5

$$\frac{\cos(x)^2 + 1}{2 \cos(x)^2} - \frac{1}{2} \log(\cos(x)^2) + \frac{1}{2} \log(-\cos(x)^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(cos(x)^3-cos(x)^5),x, algorithm="giac")

[Out] 1/2\*(cos(x)^2 + 1)/cos(x)^2 - 1/2\*log(cos(x)^2) + 1/2\*log(-cos(x)^2 + 1)

$$3.889 \quad \int \sec(x) \left(5 - 11 \sec^5(x)\right)^2 \tan(x) dx$$

**Optimal.** Leaf size=19

$$11 \sec^{11}(x) - \frac{55 \sec^6(x)}{3} + 25 \sec(x)$$

[Out] 25\*Sec[x] - (55\*Sec[x]^6)/3 + 11\*Sec[x]^11

**Rubi [A]** time = 0.0396507, antiderivative size = 19, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$ , Rules used = {4339, 270}

$$11 \sec^{11}(x) - \frac{55 \sec^6(x)}{3} + 25 \sec(x)$$

Antiderivative was successfully verified.

[In] Int[Sec[x]\*(5 - 11\*Sec[x]^5)^2\*Tan[x], x]

[Out] 25\*Sec[x] - (55\*Sec[x]^6)/3 + 11\*Sec[x]^11

#### Rule 4339

Int[(u\_)\*(F\_)[(c\_)\*((a\_) + (b\_)\*(x\_))], x\_Symbol] :> With[{d = FreeFactors[Cos[c\*(a + b\*x)], x]}, -Dist[(b\*c)^(-1), Subst[Int[SubstFor[1/x, Cos[c\*(a + b\*x)]]/d, u, x], x], x, Cos[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Cos[c\*(a + b\*x)]/d, u, x, True]] /; FreeQ[{a, b, c}, x] && (EqQ[F, Tan] || EqQ[F, tan])

#### Rule 270

Int[((c\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Int[ExpandIntegrand[(c\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

#### Rubi steps

$$\begin{aligned} \int \sec(x) \left(5 - 11 \sec^5(x)\right)^2 \tan(x) dx &= -\text{Subst} \left( \int \frac{(11 - 5x^5)^2}{x^{12}} dx, x, \cos(x) \right) \\ &= -\text{Subst} \left( \int \left( \frac{121}{x^{12}} - \frac{110}{x^7} + \frac{25}{x^2} \right) dx, x, \cos(x) \right) \\ &= 25 \sec(x) - \frac{55 \sec^6(x)}{3} + 11 \sec^{11}(x) \end{aligned}$$

**Mathematica [A]** time = 0.013386, size = 19, normalized size = 1.

$$11 \sec^{11}(x) - \frac{55 \sec^6(x)}{3} + 25 \sec(x)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[x]\*(5 - 11\*Sec[x]^5)^2\*Tan[x],x]

[Out] 25\*Sec[x] - (55\*Sec[x]^6)/3 + 11\*Sec[x]^11

**Maple [A]** time = 0.017, size = 18, normalized size = 1.

$$25 \sec(x) - \frac{55 (\sec(x))^6}{3} + 11 (\sec(x))^{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(x)\*(5-11\*sec(x)^5)^2\*tan(x),x)

[Out] 25\*sec(x)-55/3\*sec(x)^6+11\*sec(x)^11

**Maxima [A]** time = 0.957646, size = 27, normalized size = 1.42

$$\frac{75 \cos(x)^{10} - 55 \cos(x)^5 + 33}{3 \cos(x)^{11}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)\*(5-11\*sec(x)^5)^2\*tan(x),x, algorithm="maxima")

[Out] 1/3\*(75\*cos(x)^10 - 55\*cos(x)^5 + 33)/cos(x)^11

**Fricas [A]** time = 2.52757, size = 66, normalized size = 3.47

$$\frac{75 \cos(x)^{10} - 55 \cos(x)^5 + 33}{3 \cos(x)^{11}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)\*(5-11\*sec(x)^5)^2\*tan(x),x, algorithm="fricas")

[Out] 1/3\*(75\*cos(x)^10 - 55\*cos(x)^5 + 33)/cos(x)^11

**Sympy [A]** time = 33.4383, size = 19, normalized size = 1.

$$11 \sec^{11}(x) - \frac{55 \sec^6(x)}{3} + 25 \sec(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)\*(5-11\*sec(x)\*\*5)\*\*2\*tan(x),x)

[Out] 11\*sec(x)\*\*11 - 55\*sec(x)\*\*6/3 + 25\*sec(x)



---

**Giac [A]** time = 1.07273, size = 27, normalized size = 1.42

$$\frac{75 \cos(x)^{10} - 55 \cos(x)^5 + 33}{3 \cos(x)^{11}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)*(5-11*sec(x)^5)^2*tan(x),x, algorithm="giac")
```

```
[Out] 1/3*(75*cos(x)^10 - 55*cos(x)^5 + 33)/cos(x)^11
```

### 3.890 $\int \sin^3(5x) \tan^3(5x) dx$

**Optimal.** Leaf size=44

$$\frac{1}{6} \sin^3(5x) + \frac{1}{2} \sin(5x) + \frac{1}{10} \sin^3(5x) \tan^2(5x) - \frac{1}{2} \tanh^{-1}(\sin(5x))$$

[Out]  $-\text{ArcTanh}[\text{Sin}[5*x]]/2 + \text{Sin}[5*x]/2 + \text{Sin}[5*x]^3/6 + (\text{Sin}[5*x]^3*\text{Tan}[5*x]^2)/10$

**Rubi [A]** time = 0.0380145, antiderivative size = 44, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$ , Rules used = {2592, 288, 302, 206}

$$\frac{1}{6} \sin^3(5x) + \frac{1}{2} \sin(5x) + \frac{1}{10} \sin^3(5x) \tan^2(5x) - \frac{1}{2} \tanh^{-1}(\sin(5x))$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sin}[5*x]^3*\text{Tan}[5*x]^3, x]$

[Out]  $-\text{ArcTanh}[\text{Sin}[5*x]]/2 + \text{Sin}[5*x]/2 + \text{Sin}[5*x]^3/6 + (\text{Sin}[5*x]^3*\text{Tan}[5*x]^2)/10$

#### Rule 2592

$\text{Int}[(a_*\sin[(e_*) + (f_*)*(x_*)])^{(m_*)}\tan[(e_*) + (f_*)*(x_*)]^{(n_*)}, x\_Symbol] \rightarrow \text{With}[\{ff = \text{FreeFactors}[\text{Sin}[e + f*x], x]\}, \text{Dist}[ff/f, \text{Subst}[\text{Int}[(ff*x)^{(m+n)}/(a^2 - ff^2*x^2)^{(n+1)/2}, x], x, (a*\text{Sin}[e + f*x])/ff], x] /; \text{FreeQ}\{a, e, f, m\}, x] \&\& \text{IntegerQ}[(n+1)/2]$

#### Rule 288

$\text{Int}[(c_*)*(x_*)^{(m_*)}((a_*) + (b_*)*(x_*)^{(n_*)})^{(p_*)}, x\_Symbol] \rightarrow \text{Simp}[(c^{(n-1)}*(c*x)^{(m-n+1)}*(a + b*x^n)^{(p+1)})/(b*n*(p+1)), x] - \text{Dist}[(c^n*(m-n+1))/(b*n*(p+1)), \text{Int}[(c*x)^{(m-n)}*(a + b*x^n)^{(p+1)}, x], x] /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& \text{GtQ}[m+1, n] \&\& !\text{IntegerQ}[(m+n*(p+1)+1)/n, 0] \&\& \text{IntBinomialQ}[a, b, c, n, m, p, x]$

#### Rule 302

$\text{Int}[(x_*)^{(m_*)}/((a_*) + (b_*)*(x_*)^{(n_*)}), x\_Symbol] \rightarrow \text{Int}[\text{PolynomialDivide}[x^m, a + b*x^n, x], x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{IGtQ}[m, 0] \&\& \text{IGtQ}[n, 0] \&\& \text{GtQ}[m, 2*n - 1]$

#### Rule 206

$\text{Int}[(a_*) + (b_*)*(x_*)^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

#### Rubi steps

$$\begin{aligned}
\int \sin^3(5x) \tan^3(5x) dx &= \frac{1}{5} \text{Subst} \left( \int \frac{x^6}{(1-x^2)^2} dx, x, \sin(5x) \right) \\
&= \frac{1}{10} \sin^3(5x) \tan^2(5x) - \frac{1}{2} \text{Subst} \left( \int \frac{x^4}{1-x^2} dx, x, \sin(5x) \right) \\
&= \frac{1}{10} \sin^3(5x) \tan^2(5x) - \frac{1}{2} \text{Subst} \left( \int \left( -1 - x^2 + \frac{1}{1-x^2} \right) dx, x, \sin(5x) \right) \\
&= \frac{1}{2} \sin(5x) + \frac{1}{6} \sin^3(5x) + \frac{1}{10} \sin^3(5x) \tan^2(5x) - \frac{1}{2} \text{Subst} \left( \int \frac{1}{1-x^2} dx, x, \sin(5x) \right) \\
&= -\frac{1}{2} \tanh^{-1}(\sin(5x)) + \frac{1}{2} \sin(5x) + \frac{1}{6} \sin^3(5x) + \frac{1}{10} \sin^3(5x) \tan^2(5x)
\end{aligned}$$

**Mathematica [A]** time = 0.0448652, size = 52, normalized size = 1.18

$$-\frac{1}{15} \sin^3(5x) \tan^2(5x) - \frac{1}{3} \sin(5x) \tan^2(5x) - \frac{1}{2} \tanh^{-1}(\sin(5x)) + \frac{1}{2} \tan(5x) \sec(5x)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[5\*x]^3\*Tan[5\*x]^3,x]

[Out] -ArcTanh[Sin[5\*x]]/2 + (Sec[5\*x]\*Tan[5\*x])/2 - (Sin[5\*x]\*Tan[5\*x]^2)/3 - (Sin[5\*x]^3\*Tan[5\*x]^2)/15

**Maple [A]** time = 0.025, size = 50, normalized size = 1.1

$$\frac{(\sin(5x))^7}{10(\cos(5x))^2} + \frac{(\sin(5x))^5}{10} + \frac{(\sin(5x))^3}{6} + \frac{\sin(5x)}{2} - \frac{\ln(\sec(5x) + \tan(5x))}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(5\*x)^3\*tan(5\*x)^3,x)

[Out] 1/10\*sin(5\*x)^7/cos(5\*x)^2+1/10\*sin(5\*x)^5+1/6\*sin(5\*x)^3+1/2\*sin(5\*x)-1/2\*ln(sec(5\*x)+tan(5\*x))

**Maxima [A]** time = 0.943373, size = 66, normalized size = 1.5

$$\frac{1}{15} \sin^3(5x) - \frac{\sin(5x)}{10(\sin^2(5x) - 1)} - \frac{1}{4} \log(\sin(5x) + 1) + \frac{1}{4} \log(\sin(5x) - 1) + \frac{2}{5} \sin(5x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(5\*x)^3\*tan(5\*x)^3,x, algorithm="maxima")

[Out] 1/15\*sin(5\*x)^3 - 1/10\*sin(5\*x)/(sin(5\*x)^2 - 1) - 1/4\*log(sin(5\*x) + 1) + 1/4\*log(sin(5\*x) - 1) + 2/5\*sin(5\*x)

**Fricas [A]** time = 2.51175, size = 182, normalized size = 4.14

$$\frac{15 \cos(5x)^2 \log(\sin(5x) + 1) - 15 \cos(5x)^2 \log(-\sin(5x) + 1) + 2(2 \cos(5x)^4 - 14 \cos(5x)^2 - 3) \sin(5x)}{60 \cos(5x)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(5\*x)^3\*tan(5\*x)^3,x, algorithm="fricas")

[Out] -1/60\*(15\*cos(5\*x)^2\*log(sin(5\*x) + 1) - 15\*cos(5\*x)^2\*log(-sin(5\*x) + 1) + 2\*(2\*cos(5\*x)^4 - 14\*cos(5\*x)^2 - 3)\*sin(5\*x))/cos(5\*x)^2

**Sympy [A]** time = 0.115596, size = 51, normalized size = 1.16

$$\frac{\log(\sin(5x) - 1)}{4} - \frac{\log(\sin(5x) + 1)}{4} + \frac{\sin^3(5x)}{15} + \frac{2 \sin(5x)}{5} - \frac{\sin(5x)}{5(2 \sin^2(5x) - 2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(5\*x)\*\*3\*tan(5\*x)\*\*3,x)

[Out] log(sin(5\*x) - 1)/4 - log(sin(5\*x) + 1)/4 + sin(5\*x)\*\*3/15 + 2\*sin(5\*x)/5 - sin(5\*x)/(5\*(2\*sin(5\*x)\*\*2 - 2))

**Giac [B]** time = 3.06945, size = 657, normalized size = 14.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(5\*x)^3\*tan(5\*x)^3,x, algorithm="giac")

[Out] -1/60\*(15\*log(2\*(tan(5/2\*x)^2 + 2\*tan(5/2\*x) + 1)/(tan(5/2\*x)^2 + 1))\*tan(5/2\*x)^10 - 15\*log(2\*(tan(5/2\*x)^2 - 2\*tan(5/2\*x) + 1)/(tan(5/2\*x)^2 + 1))\*tan(5/2\*x)^10 + 15\*log(2\*(tan(5/2\*x)^2 + 2\*tan(5/2\*x) + 1)/(tan(5/2\*x)^2 + 1))\*tan(5/2\*x)^8 - 15\*log(2\*(tan(5/2\*x)^2 - 2\*tan(5/2\*x) + 1)/(tan(5/2\*x)^2 + 1))\*tan(5/2\*x)^8 - 60\*tan(5/2\*x)^9 - 30\*log(2\*(tan(5/2\*x)^2 + 2\*tan(5/2\*x) + 1)/(tan(5/2\*x)^2 + 1))\*tan(5/2\*x)^6 + 30\*log(2\*(tan(5/2\*x)^2 - 2\*tan(5/2\*x) + 1)/(tan(5/2\*x)^2 + 1))\*tan(5/2\*x)^6 - 80\*tan(5/2\*x)^7 - 30\*log(2\*(tan(5/2\*x)^2 + 2\*tan(5/2\*x) + 1)/(tan(5/2\*x)^2 + 1))\*tan(5/2\*x)^4 + 30\*log(2\*(tan(5/2\*x)^2 - 2\*tan(5/2\*x) + 1)/(tan(5/2\*x)^2 + 1))\*tan(5/2\*x)^4 + 88\*tan(5/2\*x)^5 + 15\*log(2\*(tan(5/2\*x)^2 + 2\*tan(5/2\*x) + 1)/(tan(5/2\*x)^2 + 1))\*tan(5/2\*x)^2 - 15\*log(2\*(tan(5/2\*x)^2 - 2\*tan(5/2\*x) + 1)/(tan(5/2\*x)^2 + 1))\*tan(5/2\*x)^2 - 80\*tan(5/2\*x)^3 + 15\*log(2\*(tan(5/2\*x)^2 + 2\*tan(5/2\*x) + 1)/(tan(5/2\*x)^2 + 1)) - 15\*log(2\*(tan(5/2\*x)^2 - 2\*tan(5/2\*x) + 1)/(tan(5/2\*x)^2 + 1)) - 60\*tan(5/2\*x))/(tan(5/2\*x)^10 + tan(5/2\*x)^8 - 2\*tan(5/2\*x)^6 - 2\*tan(5/2\*x)^4 + tan(5/2\*x)^2 + 1)

### 3.891 $\int \sin^3(5x) \tan^4(5x) dx$

**Optimal.** Leaf size=37

$$\frac{1}{15} \cos^3(5x) - \frac{3}{5} \cos(5x) + \frac{1}{15} \sec^3(5x) - \frac{3}{5} \sec(5x)$$

[Out]  $(-3*\text{Cos}[5*x])/5 + \text{Cos}[5*x]^3/15 - (3*\text{Sec}[5*x])/5 + \text{Sec}[5*x]^3/15$

**Rubi [A]** time = 0.0328969, antiderivative size = 37, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {2590, 270}

$$\frac{1}{15} \cos^3(5x) - \frac{3}{5} \cos(5x) + \frac{1}{15} \sec^3(5x) - \frac{3}{5} \sec(5x)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sin}[5*x]^3*\text{Tan}[5*x]^4, x]$

[Out]  $(-3*\text{Cos}[5*x])/5 + \text{Cos}[5*x]^3/15 - (3*\text{Sec}[5*x])/5 + \text{Sec}[5*x]^3/15$

#### Rule 2590

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]^{(m_.)}*\tan[(e_.) + (f_.)*(x_.)]^{(n_.)}, x\_Symbol]$   
 $:\> -\text{Dist}[f^{(-1)}, \text{Subst}[\text{Int}[(1 - x^2)^{((m + n - 1)/2)}/x^n, x], x, \text{Cos}[e + f*x]], x] /;$   $\text{FreeQ}\{e, f\}, x \ \&\& \ \text{IntegersQ}[m, n, (m + n - 1)/2]$

#### Rule 270

$\text{Int}[(c_.)*(x_.)^{(m_.)}*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}, x\_Symbol] :\> \text{Int}[\text{ExpandIntegrand}[(c*x)^m*(a + b*x^n)^p, x], x] /;$   $\text{FreeQ}\{a, b, c, m, n\}, x \ \&\& \ \text{IGtQ}[p, 0]$

#### Rubi steps

$$\begin{aligned} \int \sin^3(5x) \tan^4(5x) dx &= -\left(\frac{1}{5} \text{Subst}\left(\int \frac{(1-x^2)^3}{x^4} dx, x, \cos(5x)\right)\right) \\ &= -\left(\frac{1}{5} \text{Subst}\left(\int \left(3 + \frac{1}{x^4} - \frac{3}{x^2} - x^2\right) dx, x, \cos(5x)\right)\right) \\ &= -\frac{3}{5} \cos(5x) + \frac{1}{15} \cos^3(5x) - \frac{3}{5} \sec(5x) + \frac{1}{15} \sec^3(5x) \end{aligned}$$

**Mathematica [A]** time = 0.030634, size = 35, normalized size = 0.95

$$-\frac{11}{20} \cos(5x) + \frac{1}{60} \cos(15x) + \frac{1}{15} \sec^3(5x) - \frac{3}{5} \sec(5x)$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[\text{Sin}[5*x]^3*\text{Tan}[5*x]^4, x]$

[Out]  $(-11*\text{Cos}[5*x])/20 + \text{Cos}[15*x]/60 - (3*\text{Sec}[5*x])/5 + \text{Sec}[5*x]^3/15$

---

**Maple [B]** time = 0.029, size = 60, normalized size = 1.6

$$\frac{(\sin(5x))^8}{15(\cos(5x))^3} - \frac{(\sin(5x))^8}{3\cos(5x)} - \frac{\cos(5x)}{3} \left( \frac{16}{5} + (\sin(5x))^6 + \frac{6(\sin(5x))^4}{5} + \frac{8(\sin(5x))^2}{5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(5\*x)^3\*tan(5\*x)^4,x)

[Out] 1/15\*sin(5\*x)^8/cos(5\*x)^3-1/3\*sin(5\*x)^8/cos(5\*x)-1/3\*(16/5+sin(5\*x)^6+6/5\*sin(5\*x)^4+8/5\*sin(5\*x)^2)\*cos(5\*x)

---

**Maxima [A]** time = 0.957101, size = 45, normalized size = 1.22

$$\frac{1}{15} \cos(5x)^3 - \frac{9 \cos(5x)^2 - 1}{15 \cos(5x)^3} - \frac{3}{5} \cos(5x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(5\*x)^3\*tan(5\*x)^4,x, algorithm="maxima")

[Out] 1/15\*cos(5\*x)^3 - 1/15\*(9\*cos(5\*x)^2 - 1)/cos(5\*x)^3 - 3/5\*cos(5\*x)

---

**Fricas [A]** time = 2.40515, size = 86, normalized size = 2.32

$$\frac{\cos(5x)^6 - 9 \cos(5x)^4 - 9 \cos(5x)^2 + 1}{15 \cos(5x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(5\*x)^3\*tan(5\*x)^4,x, algorithm="fricas")

[Out] 1/15\*(cos(5\*x)^6 - 9\*cos(5\*x)^4 - 9\*cos(5\*x)^2 + 1)/cos(5\*x)^3

---

**Sympy [A]** time = 0.098131, size = 34, normalized size = 0.92

$$-\frac{9 \cos^2(5x) - 1}{15 \cos^3(5x)} + \frac{\cos^3(5x)}{15} - \frac{3 \cos(5x)}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(5\*x)\*\*3\*tan(5\*x)\*\*4,x)

[Out] -(9\*cos(5\*x)\*\*2 - 1)/(15\*cos(5\*x)\*\*3) + cos(5\*x)\*\*3/15 - 3\*cos(5\*x)/5

---

**Giac [A]** time = 1.27442, size = 45, normalized size = 1.22

$$\frac{1}{15} \cos(5x)^3 - \frac{9 \cos(5x)^2 - 1}{15 \cos(5x)^3} - \frac{3}{5} \cos(5x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(5*x)^3*tan(5*x)^4,x, algorithm="giac")
```

```
[Out] 1/15*cos(5*x)^3 - 1/15*(9*cos(5*x)^2 - 1)/cos(5*x)^3 - 3/5*cos(5*x)
```

### 3.892 $\int \sin^5(6x) \tan^3(6x) dx$

**Optimal.** Leaf size=54

$$\frac{7}{60} \sin^5(6x) + \frac{7}{36} \sin^3(6x) + \frac{7}{12} \sin(6x) + \frac{1}{12} \sin^5(6x) \tan^2(6x) - \frac{7}{12} \tanh^{-1}(\sin(6x))$$

[Out]  $(-7*\text{ArcTanh}[\text{Sin}[6*x]])/12 + (7*\text{Sin}[6*x])/12 + (7*\text{Sin}[6*x]^3)/36 + (7*\text{Sin}[6*x]^5)/60 + (\text{Sin}[6*x]^5*\text{Tan}[6*x]^2)/12$

**Rubi [A]** time = 0.0411704, antiderivative size = 54, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$ , Rules used = {2592, 288, 302, 206}

$$\frac{7}{60} \sin^5(6x) + \frac{7}{36} \sin^3(6x) + \frac{7}{12} \sin(6x) + \frac{1}{12} \sin^5(6x) \tan^2(6x) - \frac{7}{12} \tanh^{-1}(\sin(6x))$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sin}[6*x]^5*\text{Tan}[6*x]^3, x]$

[Out]  $(-7*\text{ArcTanh}[\text{Sin}[6*x]])/12 + (7*\text{Sin}[6*x])/12 + (7*\text{Sin}[6*x]^3)/36 + (7*\text{Sin}[6*x]^5)/60 + (\text{Sin}[6*x]^5*\text{Tan}[6*x]^2)/12$

#### Rule 2592

$\text{Int}[(a_*\sin[(e_*) + (f_*)*(x_*)])^{(m_*)} \tan[(e_*) + (f_*)*(x_*)]^{(n_*)}, x\_Symbol] \rightarrow \text{With}[\{ff = \text{FreeFactors}[\text{Sin}[e + f*x], x]\}, \text{Dist}[ff/f, \text{Subst}[\text{Int}[(ff*x)^{(m+n)} / (a^2 - ff^2*x^2)^{((n+1)/2)}, x], x, (a*\text{Sin}[e + f*x])/ff], x] /; \text{FreeQ}\{a, e, f, m, x\} \ \&\& \ \text{IntegerQ}[(n+1)/2]$

#### Rule 288

$\text{Int}[(c_*)^{(x_*)} (a_*) + (b_*)^{(x_*)} (n_*)^{(p_*)}, x\_Symbol] \rightarrow \text{Simp}[(c^{(n-1)} * (c*x)^{(m-n+1)} * (a + b*x^n)^{(p+1)}) / (b*n*(p+1)), x] - \text{Dist}[(c^{(n*(m-n+1))} / (b*n*(p+1)), \text{Int}[(c*x)^{(m-n)} * (a + b*x^n)^{(p+1)}, x], x] /; \text{FreeQ}\{a, b, c, x\} \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{GtQ}[m+1, n] \ \&\& \ \text{!IntegerQ}[(m+n*(p+1)+1)/n, 0] \ \&\& \ \text{IntBinomialQ}[a, b, c, n, m, p, x]$

#### Rule 302

$\text{Int}[(x_*)^{(m_*)} / ((a_*) + (b_*)^{(x_*)} (n_*)), x\_Symbol] \rightarrow \text{Int}[\text{PolynomialDivide}[x^m, a + b*x^n, x], x] /; \text{FreeQ}\{a, b, x\} \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{GtQ}[m, 2*n - 1]$

#### Rule 206

$\text{Int}[(a_*) + (b_*)^{(x_*)^2} (-1), x\_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x) / \text{Rt}[a, 2]]) / (\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b, x\} \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ \|\ \text{LtQ}[b, 0])$

#### Rubi steps



$$\begin{aligned}
\int \sin^5(6x) \tan^3(6x) dx &= \frac{1}{6} \text{Subst} \left( \int \frac{x^8}{(1-x^2)^2} dx, x, \sin(6x) \right) \\
&= \frac{1}{12} \sin^5(6x) \tan^2(6x) - \frac{7}{12} \text{Subst} \left( \int \frac{x^6}{1-x^2} dx, x, \sin(6x) \right) \\
&= \frac{1}{12} \sin^5(6x) \tan^2(6x) - \frac{7}{12} \text{Subst} \left( \int \left( -1 - x^2 - x^4 + \frac{1}{1-x^2} \right) dx, x, \sin(6x) \right) \\
&= \frac{7}{12} \sin(6x) + \frac{7}{36} \sin^3(6x) + \frac{7}{60} \sin^5(6x) + \frac{1}{12} \sin^5(6x) \tan^2(6x) - \frac{7}{12} \text{Subst} \left( \int \frac{1}{1-x^2} dx, \right. \\
&= \frac{7}{12} \tanh^{-1}(\sin(6x)) + \frac{7}{12} \sin(6x) + \frac{7}{36} \sin^3(6x) + \frac{7}{60} \sin^5(6x) + \frac{1}{12} \sin^5(6x) \tan^2(6x)
\end{aligned}$$

**Mathematica [A]** time = 0.0917743, size = 68, normalized size = 1.26

$$-\frac{1}{30} \sin^5(6x) \tan^2(6x) - \frac{7}{90} \sin^3(6x) \tan^2(6x) - \frac{7}{18} \sin(6x) \tan^2(6x) - \frac{7}{12} \tanh^{-1}(\sin(6x)) + \frac{7}{12} \tan(6x) \sec(6x)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[6\*x]^5\*Tan[6\*x]^3,x]

[Out] (-7\*ArcTanh[Sin[6\*x]])/12 + (7\*Sec[6\*x]\*Tan[6\*x])/12 - (7\*Sin[6\*x]\*Tan[6\*x]^2)/18 - (7\*Sin[6\*x]^3\*Tan[6\*x]^2)/90 - (Sin[6\*x]^5\*Tan[6\*x]^2)/30

**Maple [A]** time = 0.038, size = 58, normalized size = 1.1

$$\frac{(\sin(6x))^9}{12(\cos(6x))^2} + \frac{(\sin(6x))^7}{12} + \frac{7(\sin(6x))^5}{60} + \frac{7(\sin(6x))^3}{36} + \frac{7\sin(6x)}{12} - \frac{7\ln(\sec(6x) + \tan(6x))}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(6\*x)^5\*tan(6\*x)^3,x)

[Out] 1/12\*sin(6\*x)^9/cos(6\*x)^2+1/12\*sin(6\*x)^7+7/60\*sin(6\*x)^5+7/36\*sin(6\*x)^3+7/12\*sin(6\*x)-7/12\*ln(sec(6\*x)+tan(6\*x))

**Maxima [A]** time = 0.941967, size = 77, normalized size = 1.43

$$\frac{1}{30} \sin^5(6x) + \frac{1}{9} \sin^3(6x) - \frac{\sin(6x)}{12(\sin^2(6x) - 1)} - \frac{7}{24} \log(\sin(6x) + 1) + \frac{7}{24} \log(\sin(6x) - 1) + \frac{1}{2} \sin(6x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(6\*x)^5\*tan(6\*x)^3,x, algorithm="maxima")

[Out] 1/30\*sin(6\*x)^5 + 1/9\*sin(6\*x)^3 - 1/12\*sin(6\*x)/(sin(6\*x)^2 - 1) - 7/24\*log(sin(6\*x) + 1) + 7/24\*log(sin(6\*x) - 1) + 1/2\*sin(6\*x)

**Fricas [A]** time = 2.55227, size = 211, normalized size = 3.91

$$\frac{105 \cos(6x)^2 \log(\sin(6x) + 1) - 105 \cos(6x)^2 \log(-\sin(6x) + 1) - 2(6 \cos(6x)^6 - 32 \cos(6x)^4 + 116 \cos(6x)^2 + 15) \sin(6x)}{360 \cos(6x)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(6\*x)^5\*tan(6\*x)^3,x, algorithm="fricas")

[Out] -1/360\*(105\*cos(6\*x)^2\*log(sin(6\*x) + 1) - 105\*cos(6\*x)^2\*log(-sin(6\*x) + 1) - 2\*(6\*cos(6\*x)^6 - 32\*cos(6\*x)^4 + 116\*cos(6\*x)^2 + 15)\*sin(6\*x))/cos(6\*x)^2

**Sympy [A]** time = 0.1208, size = 61, normalized size = 1.13

$$\frac{7 \log(\sin(6x) - 1)}{24} - \frac{7 \log(\sin(6x) + 1)}{24} + \frac{\sin^5(6x)}{30} + \frac{\sin^3(6x)}{9} + \frac{\sin(6x)}{2} - \frac{\sin(6x)}{6(2 \sin^2(6x) - 2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(6\*x)\*\*5\*tan(6\*x)\*\*3,x)

[Out] 7\*log(sin(6\*x) - 1)/24 - 7\*log(sin(6\*x) + 1)/24 + sin(6\*x)\*\*5/30 + sin(6\*x)\*\*3/9 + sin(6\*x)/2 - sin(6\*x)/(6\*(2\*sin(6\*x)\*\*2 - 2))

**Giac [B]** time = 2.93253, size = 890, normalized size = 16.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(6\*x)^5\*tan(6\*x)^3,x, algorithm="giac")

[Out] -1/360\*(105\*log(2\*(tan(3\*x)^2 + 2\*tan(3\*x) + 1)/(tan(3\*x)^2 + 1))\*tan(3\*x)^14 - 105\*log(2\*(tan(3\*x)^2 - 2\*tan(3\*x) + 1)/(tan(3\*x)^2 + 1))\*tan(3\*x)^14 + 315\*log(2\*(tan(3\*x)^2 + 2\*tan(3\*x) + 1)/(tan(3\*x)^2 + 1))\*tan(3\*x)^12 - 315\*log(2\*(tan(3\*x)^2 - 2\*tan(3\*x) + 1)/(tan(3\*x)^2 + 1))\*tan(3\*x)^12 - 420\*tan(3\*x)^13 + 105\*log(2\*(tan(3\*x)^2 + 2\*tan(3\*x) + 1)/(tan(3\*x)^2 + 1))\*tan(3\*x)^10 - 105\*log(2\*(tan(3\*x)^2 - 2\*tan(3\*x) + 1)/(tan(3\*x)^2 + 1))\*tan(3\*x)^10 - 1400\*tan(3\*x)^11 - 525\*log(2\*(tan(3\*x)^2 + 2\*tan(3\*x) + 1)/(tan(3\*x)^2 + 1))\*tan(3\*x)^8 + 525\*log(2\*(tan(3\*x)^2 - 2\*tan(3\*x) + 1)/(tan(3\*x)^2 + 1))\*tan(3\*x)^8 - 924\*tan(3\*x)^9 - 525\*log(2\*(tan(3\*x)^2 + 2\*tan(3\*x) + 1)/(tan(3\*x)^2 + 1))\*tan(3\*x)^6 + 525\*log(2\*(tan(3\*x)^2 - 2\*tan(3\*x) + 1)/(tan(3\*x)^2 + 1))\*tan(3\*x)^6 + 1648\*tan(3\*x)^7 + 105\*log(2\*(tan(3\*x)^2 + 2\*tan(3\*x) + 1)/(tan(3\*x)^2 + 1))\*tan(3\*x)^4 - 105\*log(2\*(tan(3\*x)^2 - 2\*tan(3\*x) + 1)/(tan(3\*x)^2 + 1))\*tan(3\*x)^4 - 924\*tan(3\*x)^5 + 315\*log(2\*(tan(3\*x)^2 + 2\*tan(3\*x) + 1)/(tan(3\*x)^2 + 1))\*tan(3\*x)^2 - 315\*log(2\*(tan(3\*x)^2 - 2\*tan(3\*x) + 1)/(tan(3\*x)^2 + 1))\*tan(3\*x)^2 - 1400\*tan(3\*x)^3 + 105\*log(2\*(tan(3\*x)^2 + 2\*tan(3\*x) + 1)/(tan(3\*x)^2 + 1)) - 105\*log(2\*(tan(3\*x)^2 - 2\*tan(3\*x) + 1)/(tan(3\*x)^2 + 1)) - 420\*tan(3\*x))/(tan(3\*x)^14 + 3\*tan(3\*x)^12 + tan(3\*x)^10 - 5\*tan(3\*x)^8 - 5\*tan(3\*x)^6 + tan(3\*x)^4 + 3\*tan(3\*x)^2 + 1)

$$3.893 \quad \int (-1 + \sec^2(2x))^3 \sin(2x) dx$$

**Optimal.** Leaf size=37

$$\frac{1}{2} \cos(2x) + \frac{1}{10} \sec^5(2x) - \frac{1}{2} \sec^3(2x) + \frac{3}{2} \sec(2x)$$

[Out] Cos[2\*x]/2 + (3\*Sec[2\*x])/2 - Sec[2\*x]^3/2 + Sec[2\*x]^5/10

**Rubi [A]** time = 0.0391507, antiderivative size = 37, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {4120, 2590, 270}

$$\frac{1}{2} \cos(2x) + \frac{1}{10} \sec^5(2x) - \frac{1}{2} \sec^3(2x) + \frac{3}{2} \sec(2x)$$

Antiderivative was successfully verified.

[In] Int[(-1 + Sec[2\*x]^2)^3\*Sin[2\*x],x]

[Out] Cos[2\*x]/2 + (3\*Sec[2\*x])/2 - Sec[2\*x]^3/2 + Sec[2\*x]^5/10

#### Rule 4120

Int[(u\_.)\*((a\_) + (b\_.)\*sec[(e\_.) + (f\_.)\*(x\_)]^2)^(p\_), x\_Symbol] :> Dist[b^p, Int[ActivateTrig[u\*tan[e + f\*x]^(2\*p)], x], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a + b, 0] && IntegerQ[p]

#### Rule 2590

Int[sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^(n\_.), x\_Symbol] :> -Dist[f^(-1), Subst[Int[(1 - x^2)^((m + n - 1)/2)/x^n, x], x, Cos[e + f\*x]], x] /; FreeQ[{e, f}, x] && IntegersQ[m, n, (m + n - 1)/2]

#### Rule 270

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(c\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

#### Rubi steps

$$\begin{aligned} \int (-1 + \sec^2(2x))^3 \sin(2x) dx &= \int \sin(2x) \tan^6(2x) dx \\ &= -\left(\frac{1}{2} \text{Subst}\left(\int \frac{(1-x^2)^3}{x^6} dx, x, \cos(2x)\right)\right) \\ &= -\left(\frac{1}{2} \text{Subst}\left(\int \left(-1 + \frac{1}{x^6} - \frac{3}{x^4} + \frac{3}{x^2}\right) dx, x, \cos(2x)\right)\right) \\ &= \frac{1}{2} \cos(2x) + \frac{3}{2} \sec(2x) - \frac{1}{2} \sec^3(2x) + \frac{1}{10} \sec^5(2x) \end{aligned}$$

**Mathematica [A]** time = 0.0292605, size = 37, normalized size = 1.

$$\frac{1}{2} \cos(2x) + \frac{1}{10} \sec^5(2x) - \frac{1}{2} \sec^3(2x) + \frac{3}{2} \sec(2x)$$

Antiderivative was successfully verified.

[In] Integrate[(-1 + Sec[2\*x]^2)^3\*Sin[2\*x],x]

[Out] Cos[2\*x]/2 + (3\*Sec[2\*x])/2 - Sec[2\*x]^3/2 + Sec[2\*x]^5/10

**Maple [A]** time = 0.031, size = 32, normalized size = 0.9

$$\frac{1}{10 (\cos(2x))^5} - \frac{1}{2 (\cos(2x))^3} + \frac{3}{2 \cos(2x)} + \frac{\cos(2x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-1+sec(2\*x)^2)^3\*sin(2\*x),x)

[Out] 1/10/cos(2\*x)^5-1/2/cos(2\*x)^3+3/2/cos(2\*x)+1/2\*cos(2\*x)

**Maxima [A]** time = 0.947299, size = 42, normalized size = 1.14

$$\frac{3}{2 \cos(2x)} - \frac{1}{2 \cos(2x)^3} + \frac{1}{10 \cos(2x)^5} + \frac{1}{2} \cos(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+sec(2\*x)^2)^3\*sin(2\*x),x, algorithm="maxima")

[Out] 3/2/cos(2\*x) - 1/2/cos(2\*x)^3 + 1/10/cos(2\*x)^5 + 1/2\*cos(2\*x)

**Fricas [A]** time = 2.35321, size = 90, normalized size = 2.43

$$\frac{5 \cos(2x)^6 + 15 \cos(2x)^4 - 5 \cos(2x)^2 + 1}{10 \cos(2x)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+sec(2\*x)^2)^3\*sin(2\*x),x, algorithm="fricas")

[Out] 1/10\*(5\*cos(2\*x)^6 + 15\*cos(2\*x)^4 - 5\*cos(2\*x)^2 + 1)/cos(2\*x)^5

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+sec(2\*x)\*\*2)\*\*3\*sin(2\*x),x)

[Out] Timed out

---

**Giac [A]** time = 1.07006, size = 45, normalized size = 1.22

$$\frac{15 \cos(2x)^4 - 5 \cos(2x)^2 + 1}{10 \cos(2x)^5} + \frac{1}{2} \cos(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-1+sec(2*x)^2)^3*sin(2*x),x, algorithm="giac")
```

```
[Out] 1/10*(15*cos(2*x)^4 - 5*cos(2*x)^2 + 1)/cos(2*x)^5 + 1/2*cos(2*x)
```

### 3.894 $\int \sin(x) \tan^5(x) dx$

**Optimal.** Leaf size=34

$$-\frac{15 \sin(x)}{8} + \frac{1}{4} \sin(x) \tan^4(x) - \frac{5}{8} \sin(x) \tan^2(x) + \frac{15}{8} \tanh^{-1}(\sin(x))$$

[Out] (15\*ArcTanh[Sin[x]])/8 - (15\*Sin[x])/8 - (5\*Sin[x]\*Tan[x]^2)/8 + (Sin[x]\*Tan[x]^4)/4

**Rubi [A]** time = 0.0249877, antiderivative size = 34, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$ , Rules used = {2592, 288, 321, 206}

$$-\frac{15 \sin(x)}{8} + \frac{1}{4} \sin(x) \tan^4(x) - \frac{5}{8} \sin(x) \tan^2(x) + \frac{15}{8} \tanh^{-1}(\sin(x))$$

Antiderivative was successfully verified.

[In] Int[Sin[x]\*Tan[x]^5,x]

[Out] (15\*ArcTanh[Sin[x]])/8 - (15\*Sin[x])/8 - (5\*Sin[x]\*Tan[x]^2)/8 + (Sin[x]\*Tan[x]^4)/4

#### Rule 2592

Int[((a\_)\*sin[(e\_.) + (f\_)\*(x\_)])^(m\_)\*tan[(e\_.) + (f\_)\*(x\_)]^(n\_), x\_Symbol] := With[{ff = FreeFactors[Sin[e + f\*x], x]}, Dist[ff/f, Subst[Int[(ff\*x)^(m + n)/(a^2 - ff^2\*x^2)^((n + 1)/2), x], x, (a\*Sin[e + f\*x])/ff], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n + 1)/2]

#### Rule 288

Int[((c\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*n\*(p + 1)), x] - Dist[(c^n\*(m - n + 1))/(b\*n\*(p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m + 1, n] && !IntegerQ[m + n\*(p + 1) + 1] && IntBinomialQ[a, b, c, n, m, p, x]

#### Rule 321

Int[((c\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*(m + n\*p + 1)), x] - Dist[(a\*c^n\*(m - n + 1))/(b\*(m + n\*p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n\*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

#### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\begin{aligned}
\int \sin(x) \tan^5(x) dx &= \text{Subst} \left( \int \frac{x^6}{(1-x^2)^3} dx, x, \sin(x) \right) \\
&= \frac{1}{4} \sin(x) \tan^4(x) - \frac{5}{4} \text{Subst} \left( \int \frac{x^4}{(1-x^2)^2} dx, x, \sin(x) \right) \\
&= -\frac{5}{8} \sin(x) \tan^2(x) + \frac{1}{4} \sin(x) \tan^4(x) + \frac{15}{8} \text{Subst} \left( \int \frac{x^2}{1-x^2} dx, x, \sin(x) \right) \\
&= -\frac{15 \sin(x)}{8} - \frac{5}{8} \sin(x) \tan^2(x) + \frac{1}{4} \sin(x) \tan^4(x) + \frac{15}{8} \text{Subst} \left( \int \frac{1}{1-x^2} dx, x, \sin(x) \right) \\
&= \frac{15}{8} \tanh^{-1}(\sin(x)) - \frac{15 \sin(x)}{8} - \frac{5}{8} \sin(x) \tan^2(x) + \frac{1}{4} \sin(x) \tan^4(x)
\end{aligned}$$

**Mathematica [A]** time = 0.0095064, size = 42, normalized size = 1.24

$$-\sin(x) \tan^4(x) + \frac{15}{8} \tanh^{-1}(\sin(x)) - \frac{15}{4} \tan(x) \sec^3(x) + 5 \tan^3(x) \sec(x) + \frac{15}{8} \tan(x) \sec(x)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]\*Tan[x]^5,x]

[Out] (15\*ArcTanh[Sin[x]])/8 + (15\*Sec[x]\*Tan[x])/8 - (15\*Sec[x]^3\*Tan[x])/4 + 5\*Sec[x]\*Tan[x]^3 - Sin[x]\*Tan[x]^4

**Maple [A]** time = 0.013, size = 46, normalized size = 1.4

$$\frac{(\sin(x))^7}{4(\cos(x))^4} - \frac{3(\sin(x))^7}{8(\cos(x))^2} - \frac{3(\sin(x))^5}{8} - \frac{5(\sin(x))^3}{8} - \frac{15\sin(x)}{8} + \frac{15\ln(\sec(x) + \tan(x))}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)\*tan(x)^5,x)

[Out] 1/4\*sin(x)^7/cos(x)^4-3/8\*sin(x)^7/cos(x)^2-3/8\*sin(x)^5-5/8\*sin(x)^3-15/8\*sin(x)+15/8\*ln(sec(x)+tan(x))

**Maxima [A]** time = 0.945148, size = 62, normalized size = 1.82

$$\frac{9 \sin(x)^3 - 7 \sin(x)}{8(\sin(x)^4 - 2 \sin(x)^2 + 1)} + \frac{15}{16} \log(\sin(x) + 1) - \frac{15}{16} \log(\sin(x) - 1) - \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)\*tan(x)^5,x, algorithm="maxima")

[Out] 1/8\*(9\*sin(x)^3 - 7\*sin(x))/(sin(x)^4 - 2\*sin(x)^2 + 1) + 15/16\*log(sin(x) + 1) - 15/16\*log(sin(x) - 1) - sin(x)

**Fricas [A]** time = 2.59876, size = 158, normalized size = 4.65

$$\frac{15 \cos(x)^4 \log(\sin(x) + 1) - 15 \cos(x)^4 \log(-\sin(x) + 1) - 2(8 \cos(x)^4 + 9 \cos(x)^2 - 2) \sin(x)}{16 \cos(x)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)\*tan(x)^5,x, algorithm="fricas")

[Out] 1/16\*(15\*cos(x)^4\*log(sin(x) + 1) - 15\*cos(x)^4\*log(-sin(x) + 1) - 2\*(8\*cos(x)^4 + 9\*cos(x)^2 - 2)\*sin(x))/cos(x)^4

**Sympy [A]** time = 0.149226, size = 49, normalized size = 1.44

$$\frac{9 \sin^3(x) - 7 \sin(x)}{8 \sin^4(x) - 16 \sin^2(x) + 8} - \frac{15 \log(\sin(x) - 1)}{16} + \frac{15 \log(\sin(x) + 1)}{16} - \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)\*tan(x)\*\*5,x)

[Out] (9\*sin(x)\*\*3 - 7\*sin(x))/(8\*sin(x)\*\*4 - 16\*sin(x)\*\*2 + 8) - 15\*log(sin(x) - 1)/16 + 15\*log(sin(x) + 1)/16 - sin(x)

**Giac [A]** time = 1.06898, size = 57, normalized size = 1.68

$$\frac{9 \sin(x)^3 - 7 \sin(x)}{8(\sin(x)^2 - 1)^2} + \frac{15}{16} \log(\sin(x) + 1) - \frac{15}{16} \log(-\sin(x) + 1) - \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)\*tan(x)^5,x, algorithm="giac")

[Out] 1/8\*(9\*sin(x)^3 - 7\*sin(x))/(sin(x)^2 - 1)^2 + 15/16\*log(sin(x) + 1) - 15/16\*log(-sin(x) + 1) - sin(x)



### 3.895 $\int \cos^5(2x) \cot^4(2x) dx$

**Optimal.** Leaf size=43

$$\frac{1}{10} \sin^5(2x) - \frac{2}{3} \sin^3(2x) + 3 \sin(2x) - \frac{1}{6} \csc^3(2x) + 2 \csc(2x)$$

[Out] 2\*Csc[2\*x] - Csc[2\*x]^3/6 + 3\*Sin[2\*x] - (2\*Sin[2\*x]^3)/3 + Sin[2\*x]^5/10

**Rubi [A]** time = 0.0360787, antiderivative size = 43, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {2590, 270}

$$\frac{1}{10} \sin^5(2x) - \frac{2}{3} \sin^3(2x) + 3 \sin(2x) - \frac{1}{6} \csc^3(2x) + 2 \csc(2x)$$

Antiderivative was successfully verified.

[In] Int[Cos[2\*x]^5\*Cot[2\*x]^4,x]

[Out] 2\*Csc[2\*x] - Csc[2\*x]^3/6 + 3\*Sin[2\*x] - (2\*Sin[2\*x]^3)/3 + Sin[2\*x]^5/10

#### Rule 2590

Int[sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)]^(n\_.), x\_Symbol] :> -Dist[f^(-1), Subst[Int[(1 - x^2)^((m + n - 1)/2)/x^n, x], x, Cos[e + f\*x]], x] /; FreeQ[{e, f}, x] && IntegersQ[m, n, (m + n - 1)/2]

#### Rule 270

Int[((c\_.)\*(x\_.))^(m\_.)\*((a\_.) + (b\_.)\*(x\_.)^(n\_.))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(c\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

#### Rubi steps

$$\begin{aligned} \int \cos^5(2x) \cot^4(2x) dx &= -\left(\frac{1}{2} \text{Subst}\left(\int \frac{(1-x^2)^4}{x^4} dx, x, -\sin(2x)\right)\right) \\ &= -\left(\frac{1}{2} \text{Subst}\left(\int \left(6 + \frac{1}{x^4} - \frac{4}{x^2} - 4x^2 + x^4\right) dx, x, -\sin(2x)\right)\right) \\ &= 2 \csc(2x) - \frac{1}{6} \csc^3(2x) + 3 \sin(2x) - \frac{2}{3} \sin^3(2x) + \frac{1}{10} \sin^5(2x) \end{aligned}$$

**Mathematica [A]** time = 0.0259009, size = 43, normalized size = 1.

$$\frac{1}{10} \sin^5(2x) - \frac{2}{3} \sin^3(2x) + 3 \sin(2x) - \frac{1}{6} \csc^3(2x) + 2 \csc(2x)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[2\*x]^5\*Cot[2\*x]^4,x]

[Out] 2\*Csc[2\*x] - Csc[2\*x]^3/6 + 3\*Sin[2\*x] - (2\*Sin[2\*x]^3)/3 + Sin[2\*x]^5/10

---

**Maple [A]** time = 0.054, size = 68, normalized size = 1.6

$$-\frac{(\cos(2x))^{10}}{6(\sin(2x))^3} + \frac{7(\cos(2x))^{10}}{6\sin(2x)} + \frac{7\sin(2x)}{6} \left( \frac{128}{35} + (\cos(2x))^8 + \frac{8(\cos(2x))^6}{7} + \frac{48(\cos(2x))^4}{35} + \frac{64(\cos(2x))^2}{35} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(2*x)^5*cot(2*x)^4,x)`

[Out] `-1/6/sin(2*x)^3*cos(2*x)^10+7/6/sin(2*x)*cos(2*x)^10+7/6*(128/35+cos(2*x)^8+8/7*cos(2*x)^6+48/35*cos(2*x)^4+64/35*cos(2*x)^2)*sin(2*x)`

---

**Maxima [A]** time = 0.939942, size = 55, normalized size = 1.28

$$\frac{1}{10} \sin(2x)^5 - \frac{2}{3} \sin(2x)^3 + \frac{12 \sin(2x)^2 - 1}{6 \sin(2x)^3} + 3 \sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(2*x)^5*cot(2*x)^4,x, algorithm="maxima")`

[Out] `1/10*sin(2*x)^5 - 2/3*sin(2*x)^3 + 1/6*(12*sin(2*x)^2 - 1)/sin(2*x)^3 + 3*sin(2*x)`

---

**Fricas [A]** time = 2.41084, size = 140, normalized size = 3.26

$$\frac{3 \cos(2x)^8 + 8 \cos(2x)^6 + 48 \cos(2x)^4 - 192 \cos(2x)^2 + 128}{30(\cos(2x)^2 - 1) \sin(2x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(2*x)^5*cot(2*x)^4,x, algorithm="fricas")`

[Out] `-1/30*(3*cos(2*x)^8 + 8*cos(2*x)^6 + 48*cos(2*x)^4 - 192*cos(2*x)^2 + 128)/((cos(2*x)^2 - 1)*sin(2*x))`

---

**Sympy [A]** time = 0.098547, size = 42, normalized size = 0.98

$$\frac{12 \sin^2(2x) - 1}{6 \sin^3(2x)} + \frac{\sin^5(2x)}{10} - \frac{2 \sin^3(2x)}{3} + 3 \sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(2*x)**5*cot(2*x)**4,x)`

[Out] `(12*sin(2*x)**2 - 1)/(6*sin(2*x)**3) + sin(2*x)**5/10 - 2*sin(2*x)**3/3 + 3*sin(2*x)`

---

**Giac [A]** time = 1.08401, size = 55, normalized size = 1.28

$$\frac{1}{10} \sin(2x)^5 - \frac{2}{3} \sin(2x)^3 + \frac{12 \sin(2x)^2 - 1}{6 \sin(2x)^3} + 3 \sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(2*x)^5*cot(2*x)^4,x, algorithm="giac")
```

```
[Out] 1/10*sin(2*x)^5 - 2/3*sin(2*x)^3 + 1/6*(12*sin(2*x)^2 - 1)/sin(2*x)^3 + 3*sin(2*x)
```

$$3.896 \quad \int \cos(3x) \left(-1 + \csc^2(3x)\right)^3 \left(1 - \sin^2(3x)\right)^5 dx$$

**Optimal.** Leaf size=87

$$\frac{1}{33} \sin^{11}(3x) - \frac{8}{27} \sin^9(3x) + \frac{4}{3} \sin^7(3x) - \frac{56}{15} \sin^5(3x) + \frac{70}{9} \sin^3(3x) - \frac{56}{3} \sin(3x) - \frac{1}{15} \csc^5(3x) + \frac{8}{9} \csc^3(3x) - \frac{28}{3} \csc(3x)$$

[Out] (-28\*Csc[3\*x])/3 + (8\*Csc[3\*x]^3)/9 - Csc[3\*x]^5/15 - (56\*Sin[3\*x])/3 + (70\*Sin[3\*x]^3)/9 - (56\*Sin[3\*x]^5)/15 + (4\*Sin[3\*x]^7)/3 - (8\*Sin[3\*x]^9)/27 + Sin[3\*x]^11/33

**Rubi [A]** time = 0.130178, antiderivative size = 87, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {3175, 4120, 2590, 270}

$$\frac{1}{33} \sin^{11}(3x) - \frac{8}{27} \sin^9(3x) + \frac{4}{3} \sin^7(3x) - \frac{56}{15} \sin^5(3x) + \frac{70}{9} \sin^3(3x) - \frac{56}{3} \sin(3x) - \frac{1}{15} \csc^5(3x) + \frac{8}{9} \csc^3(3x) - \frac{28}{3} \csc(3x)$$

Antiderivative was successfully verified.

[In] Int[Cos[3\*x]\*(-1 + Csc[3\*x]^2)^3\*(1 - Sin[3\*x]^2)^5,x]

[Out] (-28\*Csc[3\*x])/3 + (8\*Csc[3\*x]^3)/9 - Csc[3\*x]^5/15 - (56\*Sin[3\*x])/3 + (70\*Sin[3\*x]^3)/9 - (56\*Sin[3\*x]^5)/15 + (4\*Sin[3\*x]^7)/3 - (8\*Sin[3\*x]^9)/27 + Sin[3\*x]^11/33

#### Rule 3175

Int[(u\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(p\_), x\_Symbol] := Dist[a^p, Int[ActivateTrig[u\*cos[e + f\*x]^(2\*p)], x], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a + b, 0] && IntegerQ[p]

#### Rule 4120

Int[(u\_.)\*((a\_.) + (b\_.)\*sec[(e\_.) + (f\_.)\*(x\_)])^(p\_), x\_Symbol] := Dist[b^p, Int[ActivateTrig[u\*tan[e + f\*x]^(2\*p)], x], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a + b, 0] && IntegerQ[p]

#### Rule 2590

Int[sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^(n\_.), x\_Symbol] := -Dist[f^(-1), Subst[Int[(1 - x^2)^((m + n - 1)/2)/x^n, x], x, Cos[e + f\*x]], x] /; FreeQ[{e, f}, x] && IntegerQ[m, n, (m + n - 1)/2]

#### Rule 270

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_)^(n\_))^(p\_.), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

#### Rubi steps

$$\begin{aligned}
\int \cos(3x) (-1 + \csc^2(3x))^3 (1 - \sin^2(3x))^5 dx &= \int \cos^{11}(3x) (-1 + \csc^2(3x))^3 dx \\
&= \int \cos^{11}(3x) \cot^6(3x) dx \\
&= -\left(\frac{1}{3} \text{Subst}\left(\int \frac{(1-x^2)^8}{x^6} dx, x, -\sin(3x)\right)\right) \\
&= -\left(\frac{1}{3} \text{Subst}\left(\int \left(-56 + \frac{1}{x^6} - \frac{8}{x^4} + \frac{28}{x^2} + 70x^2 - 56x^4 + 28x^6 - 8x^8 + \dots\right) dx, x, -\sin(3x)\right)\right) \\
&= -\frac{28}{3} \csc(3x) + \frac{8}{9} \csc^3(3x) - \frac{1}{15} \csc^5(3x) - \frac{56}{3} \sin(3x) + \frac{70}{9} \sin^3(3x) - \dots
\end{aligned}$$

**Mathematica [A]** time = 0.0604997, size = 87, normalized size = 1.

$$\frac{1}{33} \sin^{11}(3x) - \frac{8}{27} \sin^9(3x) + \frac{4}{3} \sin^7(3x) - \frac{56}{15} \sin^5(3x) + \frac{70}{9} \sin^3(3x) - \frac{56}{3} \sin(3x) - \frac{1}{15} \csc^5(3x) + \frac{8}{9} \csc^3(3x) - \frac{28}{3} \csc(3x)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[3\*x]\*(-1 + Csc[3\*x]^2)^3\*(1 - Sin[3\*x]^2)^5,x]

[Out] (-28\*Csc[3\*x])/3 + (8\*Csc[3\*x]^3)/9 - Csc[3\*x]^5/15 - (56\*Sin[3\*x])/3 + (70\*Sin[3\*x]^3)/9 - (56\*Sin[3\*x]^5)/15 + (4\*Sin[3\*x]^7)/3 - (8\*Sin[3\*x]^9)/27 + Sin[3\*x]^11/33

**Maple [A]** time = 0.056, size = 72, normalized size = 0.8

$$\frac{(\sin(3x))^{11}}{33} - \frac{8(\sin(3x))^9}{27} + \frac{4(\sin(3x))^7}{3} - \frac{56(\sin(3x))^5}{15} + \frac{70(\sin(3x))^3}{9} - \frac{56\sin(3x)}{3} - \frac{28}{3\sin(3x)} + \frac{8}{9\sin(3x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(3\*x)\*(-1+csc(3\*x)^2)^3\*(1-sin(3\*x)^2)^5,x)

[Out] 1/33\*sin(3\*x)^11-8/27\*sin(3\*x)^9+4/3\*sin(3\*x)^7-56/15\*sin(3\*x)^5+70/9\*sin(3\*x)^3-56/3\*sin(3\*x)-28/3/sin(3\*x)+8/9/sin(3\*x)^3-1/15/sin(3\*x)^5

**Maxima [A]** time = 0.943058, size = 99, normalized size = 1.14

$$\frac{1}{33} \sin(3x)^{11} - \frac{8}{27} \sin(3x)^9 + \frac{4}{3} \sin(3x)^7 - \frac{56}{15} \sin(3x)^5 + \frac{70}{9} \sin(3x)^3 - \frac{420 \sin(3x)^4 - 40 \sin(3x)^2 + 3}{45 \sin(3x)^5} - \frac{56}{3} \csc(3x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(3\*x)\*(-1+csc(3\*x)^2)^3\*(1-sin(3\*x)^2)^5,x, algorithm="maxima")

[Out] 1/33\*sin(3\*x)^11 - 8/27\*sin(3\*x)^9 + 4/3\*sin(3\*x)^7 - 56/15\*sin(3\*x)^5 + 70/9\*sin(3\*x)^3 - 1/45\*(420\*sin(3\*x)^4 - 40\*sin(3\*x)^2 + 3)/sin(3\*x)^5 - 56/3\*csc(3\*x)

---

**Fricas [A]** time = 2.70848, size = 275, normalized size = 3.16

$$\frac{45 \cos(3x)^{16} + 80 \cos(3x)^{14} + 160 \cos(3x)^{12} + 384 \cos(3x)^{10} + 1280 \cos(3x)^8 + 10240 \cos(3x)^6 - 61440 \cos(3x)^4 - 32768}{1485 (\cos(3x)^4 - 2 \cos(3x)^2 + 1) \sin(3x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(3\*x)\*(-1+csc(3\*x)^2)^3\*(1-sin(3\*x)^2)^5,x, algorithm="fricas")

[Out] 1/1485\*(45\*cos(3\*x)^16 + 80\*cos(3\*x)^14 + 160\*cos(3\*x)^12 + 384\*cos(3\*x)^10 + 1280\*cos(3\*x)^8 + 10240\*cos(3\*x)^6 - 61440\*cos(3\*x)^4 + 81920\*cos(3\*x)^2 - 32768)/((cos(3\*x)^4 - 2\*cos(3\*x)^2 + 1)\*sin(3\*x))

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(3\*x)\*(-1+csc(3\*x)\*\*2)\*\*3\*(1-sin(3\*x)\*\*2)\*\*5,x)

[Out] Timed out

---

**Giac [A]** time = 1.18115, size = 99, normalized size = 1.14

$$\frac{1}{33} \sin(3x)^{11} - \frac{8}{27} \sin(3x)^9 + \frac{4}{3} \sin(3x)^7 - \frac{56}{15} \sin(3x)^5 + \frac{70}{9} \sin(3x)^3 - \frac{420 \sin(3x)^4 - 40 \sin(3x)^2 + 3}{45 \sin(3x)^5} - \frac{56}{3} \sin(3x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(3\*x)\*(-1+csc(3\*x)^2)^3\*(1-sin(3\*x)^2)^5,x, algorithm="giac")

[Out] 1/33\*sin(3\*x)^11 - 8/27\*sin(3\*x)^9 + 4/3\*sin(3\*x)^7 - 56/15\*sin(3\*x)^5 + 70/9\*sin(3\*x)^3 - 1/45\*(420\*sin(3\*x)^4 - 40\*sin(3\*x)^2 + 3)/sin(3\*x)^5 - 56/3\*sin(3\*x)

$$3.897 \quad \int \cot(2x) \left(-1 + \csc^2(2x)\right)^2 \left(1 - \sin^2(2x)\right)^2 dx$$

**Optimal.** Leaf size=42

$$\frac{1}{8} \sin^4(2x) - \sin^2(2x) - \frac{1}{8} \csc^4(2x) + \csc^2(2x) + 3 \log(\sin(2x))$$

[Out] Csc[2\*x]^2 - Csc[2\*x]^4/8 + 3\*Log[Sin[2\*x]] - Sin[2\*x]^2 + Sin[2\*x]^4/8

**Rubi [A]** time = 0.118309, antiderivative size = 42, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {3175, 4360, 266, 43}

$$\frac{1}{8} \sin^4(2x) - \sin^2(2x) - \frac{1}{8} \csc^4(2x) + \csc^2(2x) + 3 \log(\sin(2x))$$

Antiderivative was successfully verified.

[In] Int[Cot[2\*x]\*(-1 + Csc[2\*x]^2)^2\*(1 - Sin[2\*x]^2)^2,x]

[Out] Csc[2\*x]^2 - Csc[2\*x]^4/8 + 3\*Log[Sin[2\*x]] - Sin[2\*x]^2 + Sin[2\*x]^4/8

#### Rule 3175

Int[(u\_)\*((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]^2)^(p\_), x\_Symbol] := Dist[a^p, Int[ActivateTrig[u\*cos[e + f\*x]^(2\*p)], x], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a + b, 0] && IntegerQ[p]

#### Rule 4360

Int[(u\_)\*(F\_)[(c\_)\*((a\_) + (b\_)\*(x\_))], x\_Symbol] := With[{d = FreeFactors[Sin[c\*(a + b\*x)], x]}, Dist[1/(b\*c), Subst[Int[SubstFor[1/x, Sin[c\*(a + b\*x)]]/d, u, x], x], x, Sin[c\*(a + b\*x)]/d, x] /; FunctionOfQ[Sin[c\*(a + b\*x)]/d, u, x] /; FreeQ[{a, b, c}, x] && (EqQ[F, Cot] || EqQ[F, cot])

#### Rule 266

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

#### Rule 43

Int[((a\_) + (b\_)\*(x\_))^(m\_)\*((c\_) + (d\_)\*(x\_))^(n\_), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

#### Rubi steps

$$\begin{aligned}
\int \cot(2x) (-1 + \csc^2(2x))^2 (1 - \sin^2(2x))^2 dx &= \int \cos^4(2x) \cot(2x) (-1 + \csc^2(2x))^2 dx \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{(1-x^2)^4}{x^5} dx, x, \sin(2x) \right) \\
&= \frac{1}{4} \text{Subst} \left( \int \frac{(1-x)^4}{x^3} dx, x, \sin^2(2x) \right) \\
&= \frac{1}{4} \text{Subst} \left( \int \left( -4 + \frac{1}{x^3} - \frac{4}{x^2} + \frac{6}{x} + x \right) dx, x, \sin^2(2x) \right) \\
&= \csc^2(2x) - \frac{1}{8} \csc^4(2x) + 3 \log(\sin(2x)) - \sin^2(2x) + \frac{1}{8} \sin^4(2x)
\end{aligned}$$

**Mathematica [A]** time = 0.0341055, size = 42, normalized size = 1.

$$\frac{1}{8} \sin^4(2x) - \sin^2(2x) - \frac{1}{8} \csc^4(2x) + \csc^2(2x) + 3 \log(\sin(2x))$$

Antiderivative was successfully verified.

[In] Integrate[Cot[2\*x]\*(-1 + Csc[2\*x]^2)^2\*(1 - Sin[2\*x]^2)^2,x]

[Out] Csc[2\*x]^2 - Csc[2\*x]^4/8 + 3\*Log[Sin[2\*x]] - Sin[2\*x]^2 + Sin[2\*x]^4/8

**Maple [A]** time = 0.05, size = 37, normalized size = 0.9

$$\frac{(\sin(2x))^4}{8} + (\cos(2x))^2 + 3 \ln(\sin(2x)) + (\sin(2x))^{-2} - \frac{1}{8(\sin(2x))^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(2\*x)\*(-1+csc(2\*x)^2)^2\*(1-sin(2\*x)^2)^2,x)

[Out] 1/8\*sin(2\*x)^4+cos(2\*x)^2+3\*ln(sin(2\*x))+1/sin(2\*x)^2-1/8/sin(2\*x)^4

**Maxima [A]** time = 0.939247, size = 59, normalized size = 1.4

$$\frac{1}{8} \sin(2x)^4 - \sin(2x)^2 + \frac{8 \sin(2x)^2 - 1}{8 \sin(2x)^4} + \frac{3}{2} \log(\sin(2x)^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(2\*x)\*(-1+csc(2\*x)^2)^2\*(1-sin(2\*x)^2)^2,x, algorithm="maxima")

[Out] 1/8\*sin(2\*x)^4 - sin(2\*x)^2 + 1/8\*(8\*sin(2\*x)^2 - 1)/sin(2\*x)^4 + 3/2\*log(sin(2\*x)^2)



**Fricas [B]** time = 2.51972, size = 220, normalized size = 5.24

$$\frac{8 \cos(2x)^8 + 32 \cos(2x)^6 - 115 \cos(2x)^4 + 38 \cos(2x)^2 + 192 (\cos(2x)^4 - 2 \cos(2x)^2 + 1) \log\left(\frac{1}{2} \sin(2x)\right) + 29}{64 (\cos(2x)^4 - 2 \cos(2x)^2 + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(2\*x)\*(-1+csc(2\*x)^2)^2\*(1-sin(2\*x)^2)^2,x, algorithm="fricas")

[Out] 1/64\*(8\*cos(2\*x)^8 + 32\*cos(2\*x)^6 - 115\*cos(2\*x)^4 + 38\*cos(2\*x)^2 + 192\*(cos(2\*x)^4 - 2\*cos(2\*x)^2 + 1)\*log(1/2\*sin(2\*x)) + 29)/(cos(2\*x)^4 - 2\*cos(2\*x)^2 + 1)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(2\*x)\*(-1+csc(2\*x)\*\*2)\*\*2\*(1-sin(2\*x)\*\*2)\*\*2,x)

[Out] Timed out

**Giac [A]** time = 1.09308, size = 70, normalized size = 1.67

$$\frac{1}{8} \sin(2x)^4 - \sin(2x)^2 - \frac{18 \sin(2x)^4 - 8 \sin(2x)^2 + 1}{8 \sin(2x)^4} + \frac{3}{2} \log(\sin(2x)^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(2\*x)\*(-1+csc(2\*x)^2)^2\*(1-sin(2\*x)^2)^2,x, algorithm="giac")

[Out] 1/8\*sin(2\*x)^4 - sin(2\*x)^2 - 1/8\*(18\*sin(2\*x)^4 - 8\*sin(2\*x)^2 + 1)/sin(2\*x)^4 + 3/2\*log(sin(2\*x)^2)

$$3.898 \quad \int \cos(2x) \left(-1 + \csc^2(2x)\right)^4 \left(1 - \sin^2(2x)\right)^2 dx$$

**Optimal.** Leaf size=63

$$\frac{1}{10} \sin^5(2x) - \sin^3(2x) + \frac{15}{2} \sin(2x) - \frac{1}{14} \csc^7(2x) + \frac{3}{5} \csc^5(2x) - \frac{5}{2} \csc^3(2x) + 10 \csc(2x)$$

[Out] 10\*Csc[2\*x] - (5\*Csc[2\*x]^3)/2 + (3\*Csc[2\*x]^5)/5 - Csc[2\*x]^7/14 + (15\*Sin[2\*x])/2 - Sin[2\*x]^3 + Sin[2\*x]^5/10

**Rubi [A]** time = 0.123567, antiderivative size = 63, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {3175, 4120, 2590, 270}

$$\frac{1}{10} \sin^5(2x) - \sin^3(2x) + \frac{15}{2} \sin(2x) - \frac{1}{14} \csc^7(2x) + \frac{3}{5} \csc^5(2x) - \frac{5}{2} \csc^3(2x) + 10 \csc(2x)$$

Antiderivative was successfully verified.

[In] Int[Cos[2\*x]\*(-1 + Csc[2\*x]^2)^4\*(1 - Sin[2\*x]^2)^2,x]

[Out] 10\*Csc[2\*x] - (5\*Csc[2\*x]^3)/2 + (3\*Csc[2\*x]^5)/5 - Csc[2\*x]^7/14 + (15\*Sin[2\*x])/2 - Sin[2\*x]^3 + Sin[2\*x]^5/10

#### Rule 3175

Int[(u\_)\*((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]^2)^p, x\_Symbol] :> Dist[a^p, Int[ActivateTrig[u\*cos[e + f\*x]^(2\*p)], x], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a + b, 0] && IntegerQ[p]

#### Rule 4120

Int[(u\_)\*((a\_) + (b\_)\*sec[(e\_) + (f\_)\*(x\_)]^2)^p, x\_Symbol] :> Dist[b^p, Int[ActivateTrig[u\*tan[e + f\*x]^(2\*p)], x], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a + b, 0] && IntegerQ[p]

#### Rule 2590

Int[sin[(e\_) + (f\_)\*(x\_)]^(m\_)\*tan[(e\_) + (f\_)\*(x\_)]^(n\_), x\_Symbol] :> -Dist[f^(-1), Subst[Int[(1 - x^2)^((m + n - 1)/2)/x^n, x], x, Cos[e + f\*x]], x] /; FreeQ[{e, f}, x] && IntegersQ[m, n, (m + n - 1)/2]

#### Rule 270

Int[((c\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^p, x\_Symbol] :> Int[ExpandIntegrand[(c\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

#### Rubi steps

$$\begin{aligned}
\int \cos(2x) (-1 + \csc^2(2x))^4 (1 - \sin^2(2x))^2 dx &= \int \cos^5(2x) (-1 + \csc^2(2x))^4 dx \\
&= \int \cos^5(2x) \cot^8(2x) dx \\
&= -\left(\frac{1}{2} \text{Subst}\left(\int \frac{(1-x^2)^6}{x^8} dx, x, -\sin(2x)\right)\right) \\
&= -\left(\frac{1}{2} \text{Subst}\left(\int \left(15 + \frac{1}{x^8} - \frac{6}{x^6} + \frac{15}{x^4} - \frac{20}{x^2} - 6x^2 + x^4\right) dx, x, -\sin(2x)\right)\right) \\
&= 10 \csc(2x) - \frac{5}{2} \csc^3(2x) + \frac{3}{5} \csc^5(2x) - \frac{1}{14} \csc^7(2x) + \frac{15}{2} \sin(2x) - \dots
\end{aligned}$$

**Mathematica [A]** time = 0.0306683, size = 63, normalized size = 1.

$$\frac{1}{10} \sin^5(2x) - \sin^3(2x) + \frac{15}{2} \sin(2x) - \frac{1}{14} \csc^7(2x) + \frac{3}{5} \csc^5(2x) - \frac{5}{2} \csc^3(2x) + 10 \csc(2x)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[2\*x]\*(-1 + Csc[2\*x]^2)^4\*(1 - Sin[2\*x]^2)^2,x]

[Out] 10\*Csc[2\*x] - (5\*Csc[2\*x]^3)/2 + (3\*Csc[2\*x]^5)/5 - Csc[2\*x]^7/14 + (15\*Sin[2\*x])/2 - Sin[2\*x]^3 + Sin[2\*x]^5/10

**Maple [A]** time = 0.051, size = 56, normalized size = 0.9

$$\frac{(\sin(2x))^5}{10} - (\sin(2x))^3 + \frac{15 \sin(2x)}{2} + 10 (\sin(2x))^{-1} - \frac{5}{2 (\sin(2x))^3} + \frac{3}{5 (\sin(2x))^5} - \frac{1}{14 (\sin(2x))^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(2\*x)\*(-1+csc(2\*x)^2)^4\*(1-sin(2\*x)^2)^2,x)

[Out] 1/10\*sin(2\*x)^5-sin(2\*x)^3+15/2\*sin(2\*x)+10/sin(2\*x)-5/2/sin(2\*x)^3+3/5/sin(2\*x)^5-1/14/sin(2\*x)^7

**Maxima [A]** time = 0.955094, size = 77, normalized size = 1.22

$$\frac{1}{10} \sin(2x)^5 - \sin(2x)^3 + \frac{700 \sin(2x)^6 - 175 \sin(2x)^4 + 42 \sin(2x)^2 - 5}{70 \sin(2x)^7} + \frac{15}{2} \sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*x)\*(-1+csc(2\*x)^2)^4\*(1-sin(2\*x)^2)^2,x, algorithm="maxima")

[Out] 1/10\*sin(2\*x)^5 - sin(2\*x)^3 + 1/70\*(700\*sin(2\*x)^6 - 175\*sin(2\*x)^4 + 42\*sin(2\*x)^2 - 5)/sin(2\*x)^7 + 15/2\*sin(2\*x)

**Fricas [A]** time = 2.42875, size = 238, normalized size = 3.78

$$\frac{7 \cos(2x)^{12} + 28 \cos(2x)^{10} + 280 \cos(2x)^8 - 2240 \cos(2x)^6 + 4480 \cos(2x)^4 - 3584 \cos(2x)^2 + 1024}{70 (\cos(2x)^6 - 3 \cos(2x)^4 + 3 \cos(2x)^2 - 1) \sin(2x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*x)\*(-1+csc(2\*x)^2)^4\*(1-sin(2\*x)^2)^2,x, algorithm="fricas")

[Out] -1/70\*(7\*cos(2\*x)^12 + 28\*cos(2\*x)^10 + 280\*cos(2\*x)^8 - 2240\*cos(2\*x)^6 + 4480\*cos(2\*x)^4 - 3584\*cos(2\*x)^2 + 1024)/((cos(2\*x)^6 - 3\*cos(2\*x)^4 + 3\*cos(2\*x)^2 - 1)\*sin(2\*x))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*x)\*(-1+csc(2\*x)\*\*2)\*\*4\*(1-sin(2\*x)\*\*2)\*\*2,x)

[Out] Timed out

**Giac [A]** time = 1.09792, size = 77, normalized size = 1.22

$$\frac{1}{10} \sin(2x)^5 - \sin(2x)^3 + \frac{700 \sin(2x)^6 - 175 \sin(2x)^4 + 42 \sin(2x)^2 - 5}{70 \sin(2x)^7} + \frac{15}{2} \sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*x)\*(-1+csc(2\*x)^2)^4\*(1-sin(2\*x)^2)^2,x, algorithm="giac")

[Out] 1/10\*sin(2\*x)^5 - sin(2\*x)^3 + 1/70\*(700\*sin(2\*x)^6 - 175\*sin(2\*x)^4 + 42\*sin(2\*x)^2 - 5)/sin(2\*x)^7 + 15/2\*sin(2\*x)

$$3.899 \quad \int \cot(3x) \left(-1 + \csc^2(3x)\right)^3 \left(1 - \sin^2(3x)\right)^2 dx$$

**Optimal.** Leaf size=60

$$-\frac{1}{12} \sin^4(3x) + \frac{5}{6} \sin^2(3x) - \frac{1}{18} \csc^6(3x) + \frac{5}{12} \csc^4(3x) - \frac{5}{3} \csc^2(3x) - \frac{10}{3} \log(\sin(3x))$$

[Out]  $(-5*\text{Csc}[3*x]^2)/3 + (5*\text{Csc}[3*x]^4)/12 - \text{Csc}[3*x]^6/18 - (10*\text{Log}[\text{Sin}[3*x]])/3 + (5*\text{Sin}[3*x]^2)/6 - \text{Sin}[3*x]^4/12$

**Rubi [A]** time = 0.126059, antiderivative size = 60, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {3175, 4360, 266, 43}

$$-\frac{1}{12} \sin^4(3x) + \frac{5}{6} \sin^2(3x) - \frac{1}{18} \csc^6(3x) + \frac{5}{12} \csc^4(3x) - \frac{5}{3} \csc^2(3x) - \frac{10}{3} \log(\sin(3x))$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cot}[3*x]*(-1 + \text{Csc}[3*x]^2)^3*(1 - \text{Sin}[3*x]^2)^2, x]$

[Out]  $(-5*\text{Csc}[3*x]^2)/3 + (5*\text{Csc}[3*x]^4)/12 - \text{Csc}[3*x]^6/18 - (10*\text{Log}[\text{Sin}[3*x]])/3 + (5*\text{Sin}[3*x]^2)/6 - \text{Sin}[3*x]^4/12$

#### Rule 3175

$\text{Int}[(u_*)*((a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_)]^2)^{(p_*)}, x\_Symbol] \rightarrow \text{Dist}[a^p, \text{Int}[\text{ActivateTrig}[u*\cos[e + f*x]^{(2*p)}], x], x] /;$  FreeQ[{a, b, e, f, p}, x] && EqQ[a + b, 0] && IntegerQ[p]

#### Rule 4360

$\text{Int}[(u_*)*(F_*)[(c_*)*((a_*) + (b_*)*(x_))], x\_Symbol] \rightarrow \text{With}[\{d = \text{FreeFactors}[\text{Sin}[c*(a + b*x)], x]\}, \text{Dist}[1/(b*c), \text{Subst}[\text{Int}[\text{SubstFor}[1/x, \text{Sin}[c*(a + b*x)]]/d, u, x], x], x, \text{Sin}[c*(a + b*x)]/d, x] /;$  FunctionOfQ[Sin[c\*(a + b\*x)]/d, u, x] /; FreeQ[{a, b, c}, x] && (EqQ[F, Cot] || EqQ[F, cot])

#### Rule 266

$\text{Int}[(x_*)^{(m_*)}*((a_*) + (b_*)*(x_*)^{(n_*)})^{(p_*)}, x\_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] /;$  FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

#### Rule 43

$\text{Int}[(a_*) + (b_*)*(x_*)^{(m_*)}*((c_*) + (d_*)*(x_*)^{(n_*)}), x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /;$  FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

#### Rubi steps

$$\begin{aligned}
\int \cot(3x) (-1 + \csc^2(3x))^3 (1 - \sin^2(3x))^2 dx &= \int \cos^4(3x) \cot(3x) (-1 + \csc^2(3x))^3 dx \\
&= \frac{1}{3} \text{Subst} \left( \int \frac{(1-x^2)^5}{x^7} dx, x, \sin(3x) \right) \\
&= \frac{1}{6} \text{Subst} \left( \int \frac{(1-x)^5}{x^4} dx, x, \sin^2(3x) \right) \\
&= \frac{1}{6} \text{Subst} \left( \int \left( 5 + \frac{1}{x^4} - \frac{5}{x^3} + \frac{10}{x^2} - \frac{10}{x} - x \right) dx, x, \sin^2(3x) \right) \\
&= -\frac{5}{3} \csc^2(3x) + \frac{5}{12} \csc^4(3x) - \frac{1}{18} \csc^6(3x) - \frac{10}{3} \log(\sin(3x)) + \frac{5}{6} \sin^2(3x)
\end{aligned}$$

**Mathematica [A]** time = 0.123967, size = 52, normalized size = 0.87

$$\frac{1}{36} (-3 \sin^4(3x) + 30 \sin^2(3x) - 2 \csc^6(3x) + 15 \csc^4(3x) - 60 \csc^2(3x) - 120 \log(\sin(3x)))$$

Antiderivative was successfully verified.

[In] Integrate[Cot[3\*x]\*(-1 + Csc[3\*x]^2)^3\*(1 - Sin[3\*x]^2)^2,x]

[Out] (-60\*Csc[3\*x]^2 + 15\*Csc[3\*x]^4 - 2\*Csc[3\*x]^6 - 120\*Log[Sin[3\*x]] + 30\*Sin[3\*x]^2 - 3\*Sin[3\*x]^4)/36

**Maple [A]** time = 0.056, size = 49, normalized size = 0.8

$$-\frac{(\sin(3x))^4}{12} - \frac{5(\cos(3x))^2}{6} - \frac{10 \ln(\sin(3x))}{3} - \frac{5}{3(\sin(3x))^2} + \frac{5}{12(\sin(3x))^4} - \frac{1}{18(\sin(3x))^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(3\*x)\*(-1+csc(3\*x)^2)^3\*(1-sin(3\*x)^2)^2,x)

[Out] -1/12\*sin(3\*x)^4-5/6\*cos(3\*x)^2-10/3\*ln(sin(3\*x))-5/3/sin(3\*x)^2+5/12/sin(3\*x)^4-1/18/sin(3\*x)^6

**Maxima [A]** time = 0.944821, size = 70, normalized size = 1.17

$$-\frac{1}{12} \sin(3x)^4 + \frac{5}{6} \sin(3x)^2 - \frac{60 \sin(3x)^4 - 15 \sin(3x)^2 + 2}{36 \sin(3x)^6} - \frac{5}{3} \log(\sin(3x)^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(3\*x)\*(-1+csc(3\*x)^2)^3\*(1-sin(3\*x)^2)^2,x, algorithm="maxima")

[Out] -1/12\*sin(3\*x)^4 + 5/6\*sin(3\*x)^2 - 1/36\*(60\*sin(3\*x)^4 - 15\*sin(3\*x)^2 + 2)/sin(3\*x)^6 - 5/3\*log(sin(3\*x)^2)

**Fricas [B]** time = 2.28558, size = 293, normalized size = 4.88

$$\frac{24 \cos(3x)^{10} + 120 \cos(3x)^8 - 609 \cos(3x)^6 + 387 \cos(3x)^4 + 333 \cos(3x)^2 + 960 (\cos(3x)^6 - 3 \cos(3x)^4 + 3 \cos(3x)^2 - 1)}{288 (\cos(3x)^6 - 3 \cos(3x)^4 + 3 \cos(3x)^2 - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(3\*x)\*(-1+csc(3\*x)^2)^3\*(1-sin(3\*x)^2)^2,x, algorithm="fricas")

[Out] -1/288\*(24\*cos(3\*x)^10 + 120\*cos(3\*x)^8 - 609\*cos(3\*x)^6 + 387\*cos(3\*x)^4 + 333\*cos(3\*x)^2 + 960\*(cos(3\*x)^6 - 3\*cos(3\*x)^4 + 3\*cos(3\*x)^2 - 1)\*log(1/2\*sin(3\*x)) - 271)/(cos(3\*x)^6 - 3\*cos(3\*x)^4 + 3\*cos(3\*x)^2 - 1)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(3\*x)\*(-1+csc(3\*x)\*\*2)\*\*3\*(1-sin(3\*x)\*\*2)\*\*2,x)

[Out] Timed out

**Giac [A]** time = 1.12859, size = 81, normalized size = 1.35

$$-\frac{1}{12} \sin(3x)^4 + \frac{5}{6} \sin(3x)^2 + \frac{110 \sin(3x)^6 - 60 \sin(3x)^4 + 15 \sin(3x)^2 - 2}{36 \sin(3x)^6} - \frac{5}{3} \log(\sin(3x)^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(3\*x)\*(-1+csc(3\*x)^2)^3\*(1-sin(3\*x)^2)^2,x, algorithm="giac")

[Out] -1/12\*sin(3\*x)^4 + 5/6\*sin(3\*x)^2 + 1/36\*(110\*sin(3\*x)^6 - 60\*sin(3\*x)^4 + 15\*sin(3\*x)^2 - 2)/sin(3\*x)^6 - 5/3\*log(sin(3\*x)^2)

$$\mathbf{3.900} \quad \int (1 + \cot^2(9x))^2 (1 + \tan^2(9x))^3 dx$$

**Optimal.** Leaf size=47

$$\frac{1}{45} \tan^5(9x) + \frac{4}{27} \tan^3(9x) + \frac{2}{3} \tan(9x) - \frac{1}{27} \cot^3(9x) - \frac{4}{9} \cot(9x)$$

[Out]  $(-4*\text{Cot}[9*x])/9 - \text{Cot}[9*x]^3/27 + (2*\text{Tan}[9*x])/3 + (4*\text{Tan}[9*x]^3)/27 + \text{Tan}[9*x]^5/45$

**Rubi [A]** time = 0.102327, antiderivative size = 47, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3657, 2620, 270}

$$\frac{1}{45} \tan^5(9x) + \frac{4}{27} \tan^3(9x) + \frac{2}{3} \tan(9x) - \frac{1}{27} \cot^3(9x) - \frac{4}{9} \cot(9x)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(1 + \text{Cot}[9*x]^2)^2*(1 + \text{Tan}[9*x]^2)^3, x]$

[Out]  $(-4*\text{Cot}[9*x])/9 - \text{Cot}[9*x]^3/27 + (2*\text{Tan}[9*x])/3 + (4*\text{Tan}[9*x]^3)/27 + \text{Tan}[9*x]^5/45$

#### Rule 3657

$\text{Int}[(u_.)*((a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_)]^2)^{(p_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ActivateTrig}[u*(a*\text{sec}[e + f*x]^2)^p], x] /;$   $\text{FreeQ}\{a, b, e, f, p\}, x\} \ \&\& \ \text{EqQ}[a, b]$

#### Rule 2620

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_)]^{(m_.)}*\text{sec}[(e_.) + (f_.)*(x_)]^{(n_.)}, x\_Symbol] \rightarrow \text{Dist}[1/f, \text{Subst}[\text{Int}[(1 + x^2)^{(m+n)/2 - 1}/x^m, x], x, \text{Tan}[e + f*x]], x] /;$   $\text{FreeQ}\{e, f\}, x\} \ \&\& \ \text{IntegersQ}[m, n, (m+n)/2]$

#### Rule 270

$\text{Int}[(c_.)*(x_)]^{(m_.)}*((a_.) + (b_.)*(x_)]^{(n_.)}^{(p_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c*x)^m*(a + b*x^n)^p, x], x] /;$   $\text{FreeQ}\{a, b, c, m, n\}, x\} \ \&\& \ \text{IGtQ}[p, 0]$

#### Rubi steps

$$\begin{aligned} \int (1 + \cot^2(9x))^2 (1 + \tan^2(9x))^3 dx &= \int (1 + \cot^2(9x))^2 \sec^6(9x) dx \\ &= \int \csc^4(9x) \sec^6(9x) dx \\ &= \frac{1}{9} \text{Subst} \left( \int \frac{(1+x^2)^4}{x^4} dx, x, \tan(9x) \right) \\ &= \frac{1}{9} \text{Subst} \left( \int \left( 6 + \frac{1}{x^4} + \frac{4}{x^2} + 4x^2 + x^4 \right) dx, x, \tan(9x) \right) \\ &= -\frac{4}{9} \cot(9x) - \frac{1}{27} \cot^3(9x) + \frac{2}{3} \tan(9x) + \frac{4}{27} \tan^3(9x) + \frac{1}{45} \tan^5(9x) \end{aligned}$$



**Mathematica [A]** time = 0.0500226, size = 59, normalized size = 1.26

$$\frac{73}{135} \tan(9x) - \frac{11}{27} \cot(9x) - \frac{1}{27} \cot(9x) \csc^2(9x) + \frac{1}{45} \tan(9x) \sec^4(9x) + \frac{14}{135} \tan(9x) \sec^2(9x)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + Cot[9\*x]^2)^2\*(1 + Tan[9\*x]^2)^3,x]

[Out] (-11\*Cot[9\*x])/27 - (Cot[9\*x]\*Csc[9\*x]^2)/27 + (73\*Tan[9\*x])/135 + (14\*Sec[9\*x]^2\*Tan[9\*x])/135 + (Sec[9\*x]^4\*Tan[9\*x])/45

**Maple [A]** time = 0.044, size = 38, normalized size = 0.8

$$-\frac{4 \cot(9x)}{9} - \frac{(\cot(9x))^3}{27} + \frac{2 \tan(9x)}{3} + \frac{4 (\tan(9x))^3}{27} + \frac{(\tan(9x))^5}{45}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+cot(9\*x)^2)^2\*(1+tan(9\*x)^2)^3,x)

[Out] -4/9\*cot(9\*x)-1/27\*cot(9\*x)^3+2/3\*tan(9\*x)+4/27\*tan(9\*x)^3+1/45\*tan(9\*x)^5

**Maxima [A]** time = 0.949618, size = 55, normalized size = 1.17

$$\frac{1}{45} \tan(9x)^5 + \frac{4}{27} \tan(9x)^3 - \frac{12 \tan(9x)^2 + 1}{27 \tan(9x)^3} + \frac{2}{3} \tan(9x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cot(9\*x)^2)^2\*(1+tan(9\*x)^2)^3,x, algorithm="maxima")

[Out] 1/45\*tan(9\*x)^5 + 4/27\*tan(9\*x)^3 - 1/27\*(12\*tan(9\*x)^2 + 1)/tan(9\*x)^3 + 2/3\*tan(9\*x)

**Fricas [A]** time = 2.06821, size = 115, normalized size = 2.45

$$\frac{3 \tan(9x)^8 + 20 \tan(9x)^6 + 90 \tan(9x)^4 - 60 \tan(9x)^2 - 5}{135 \tan(9x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cot(9\*x)^2)^2\*(1+tan(9\*x)^2)^3,x, algorithm="fricas")

[Out] 1/135\*(3\*tan(9\*x)^8 + 20\*tan(9\*x)^6 + 90\*tan(9\*x)^4 - 60\*tan(9\*x)^2 - 5)/tan(9\*x)^3

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1+cot(9*x)**2)**2*(1+tan(9*x)**2)**3,x)
```

```
[Out] Timed out
```

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1+cot(9*x)^2)^2*(1+tan(9*x)^2)^3,x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.901 \quad \int \frac{\cos(x)(9-7\sin^3(x))^2}{1-\sin^2(x)} dx$$

**Optimal.** Leaf size=43

$$-\frac{49}{5}\sin^5(x) - \frac{49\sin^3(x)}{3} + 63\sin^2(x) - 49\sin(x) - 2\log(1 - \sin(x)) + 128\log(\sin(x) + 1)$$

[Out] -2\*Log[1 - Sin[x]] + 128\*Log[1 + Sin[x]] - 49\*Sin[x] + 63\*Sin[x]^2 - (49\*Sin[x]^3)/3 - (49\*Sin[x]^5)/5

**Rubi [A]** time = 0.115741, antiderivative size = 43, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3175, 3223, 1810, 633, 31}

$$-\frac{49}{5}\sin^5(x) - \frac{49\sin^3(x)}{3} + 63\sin^2(x) - 49\sin(x) - 2\log(1 - \sin(x)) + 128\log(\sin(x) + 1)$$

Antiderivative was successfully verified.

[In] Int[(Cos[x]\*(9 - 7\*Sin[x]^3)^2)/(1 - Sin[x]^2), x]

[Out] -2\*Log[1 - Sin[x]] + 128\*Log[1 + Sin[x]] - 49\*Sin[x] + 63\*Sin[x]^2 - (49\*Sin[x]^3)/3 - (49\*Sin[x]^5)/5

#### Rule 3175

Int[(u\_)\*((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]^2)^p, x\_Symbol] := Dist[a^p, Int[ActivateTrig[u\*cos[e + f\*x]^(2\*p)], x], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a + b, 0] && IntegerQ[p]

#### Rule 3223

Int[cos[(e\_) + (f\_)\*(x\_)]^(m\_)\*((a\_) + (b\_)\*((c\_)\*sin[(e\_) + (f\_)\*(x\_)]^n))^p, x\_Symbol] := With[{ff = FreeFactors[Sin[e + f\*x], x]}, Dist[ff/f, Subst[Int[(1 - ff^2\*x^2)^((m - 1)/2)\*(a + b\*(c\*ff\*x)^n)^p, x], x, Sin[e + f\*x]/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[(m - 1)/2] && (EqQ[n, 4] || GtQ[m, 0] || IGtQ[p, 0] || IntegersQ[m, p])

#### Rule 1810

Int[(Pq\_)\*((a\_) + (b\_)\*(x\_)^2)^p, x\_Symbol] := Int[ExpandIntegrand[Pq\*(a + b\*x^2)^p, x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

#### Rule 633

Int[((d\_) + (e\_)\*(x\_))/((a\_) + (c\_)\*(x\_)^2), x\_Symbol] := With[{q = Rt[-(a\*c), 2]}, Dist[e/2 + (c\*d)/(2\*q), Int[1/(-q + c\*x), x], x] + Dist[e/2 - (c\*d)/(2\*q), Int[1/(q + c\*x), x], x]] /; FreeQ[{a, c, d, e}, x] && NiceSqrtQ[-(a\*c)]

#### Rule 31

Int[((a\_) + (b\_)\*(x\_))^-1, x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\cos(x) (9 - 7 \sin^3(x))^2}{1 - \sin^2(x)} dx &= \int \sec(x) (9 - 7 \sin^3(x))^2 dx \\
&= \text{Subst} \left( \int \frac{(9 - 7x^3)^2}{1 - x^2} dx, x, \sin(x) \right) \\
&= \text{Subst} \left( \int \left( -49 + 126x - 49x^2 - 49x^4 + \frac{2(65 - 63x)}{1 - x^2} \right) dx, x, \sin(x) \right) \\
&= -49 \sin(x) + 63 \sin^2(x) - \frac{49 \sin^3(x)}{3} - \frac{49 \sin^5(x)}{5} + 2 \text{Subst} \left( \int \frac{65 - 63x}{1 - x^2} dx, x, \sin(x) \right) \\
&= -49 \sin(x) + 63 \sin^2(x) - \frac{49 \sin^3(x)}{3} - \frac{49 \sin^5(x)}{5} + 2 \text{Subst} \left( \int \frac{1}{1 - x} dx, x, \sin(x) \right) - 12 \\
&= -2 \log(1 - \sin(x)) + 128 \log(1 + \sin(x)) - 49 \sin(x) + 63 \sin^2(x) - \frac{49 \sin^3(x)}{3} - \frac{49 \sin^5(x)}{5}
\end{aligned}$$

**Mathematica [A]** time = 0.0220506, size = 71, normalized size = 1.65

$$-\frac{49}{5} \sin^5(x) - \frac{49 \sin^3(x)}{3} - 49 \sin(x) - 63 \cos^2(x) + 49 \tanh^{-1}(\sin(x)) + 126 \log(\cos(x)) - 81 \log\left(\cos\left(\frac{x}{2}\right) - \sin\left(\frac{x}{2}\right)\right) +$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[x]\*(9 - 7\*Sin[x]^3)^2)/(1 - Sin[x]^2), x]

[Out] 49\*ArcTanh[Sin[x]] - 63\*Cos[x]^2 + 126\*Log[Cos[x]] - 81\*Log[Cos[x/2] - Sin[x/2]] + 81\*Log[Cos[x/2] + Sin[x/2]] - 49\*Sin[x] - (49\*Sin[x]^3)/3 - (49\*Sin[x]^5)/5

**Maple [A]** time = 0.024, size = 38, normalized size = 0.9

$$-\frac{49 (\sin(x))^5}{5} - \frac{49 (\sin(x))^3}{3} + 63 (\sin(x))^2 - 49 \sin(x) - 2 \ln(\sin(x) - 1) + 128 \ln(1 + \sin(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)\*(9-7\*sin(x)^3)^2/(1-sin(x)^2), x)

[Out] -49/5\*sin(x)^5-49/3\*sin(x)^3+63\*sin(x)^2-49\*sin(x)-2\*ln(sin(x)-1)+128\*ln(1+sin(x))

**Maxima [A]** time = 0.94411, size = 50, normalized size = 1.16

$$-\frac{49}{5} \sin(x)^5 - \frac{49}{3} \sin(x)^3 + 63 \sin(x)^2 + 128 \log(\sin(x) + 1) - 2 \log(\sin(x) - 1) - 49 \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)\*(9-7\*sin(x)^3)^2/(1-sin(x)^2), x, algorithm="maxima")

[Out]  $-49/5*\sin(x)^5 - 49/3*\sin(x)^3 + 63*\sin(x)^2 + 128*\log(\sin(x) + 1) - 2*\log(\sin(x) - 1) - 49*\sin(x)$

**Fricas [A]** time = 2.23806, size = 140, normalized size = 3.26

$$-63 \cos(x)^2 - \frac{49}{15} (3 \cos(x)^4 - 11 \cos(x)^2 + 23) \sin(x) + 128 \log(\sin(x) + 1) - 2 \log(-\sin(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*(9-7*sin(x)^3)^2/(1-sin(x)^2),x, algorithm="fricas")`

[Out]  $-63*\cos(x)^2 - 49/15*(3*\cos(x)^4 - 11*\cos(x)^2 + 23)*\sin(x) + 128*\log(\sin(x) + 1) - 2*\log(-\sin(x) + 1)$

**Sympy [A]** time = 4.25094, size = 44, normalized size = 1.02

$$-2 \log(\sin(x) - 1) + 128 \log(\sin(x) + 1) - \frac{49 \sin^5(x)}{5} - \frac{49 \sin^3(x)}{3} - 49 \sin(x) - 63 \cos^2(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*(9-7*sin(x)**3)**2/(1-sin(x)**2),x)`

[Out]  $-2*\log(\sin(x) - 1) + 128*\log(\sin(x) + 1) - 49*\sin(x)**5/5 - 49*\sin(x)**3/3 - 49*\sin(x) - 63*\cos(x)**2$

**Giac [A]** time = 1.11644, size = 53, normalized size = 1.23

$$-\frac{49}{5} \sin(x)^5 - \frac{49}{3} \sin(x)^3 + 63 \sin(x)^2 + 128 \log(\sin(x) + 1) - 2 \log(-\sin(x) + 1) - 49 \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)*(9-7*sin(x)^3)^2/(1-sin(x)^2),x, algorithm="giac")`

[Out]  $-49/5*\sin(x)^5 - 49/3*\sin(x)^3 + 63*\sin(x)^2 + 128*\log(\sin(x) + 1) - 2*\log(-\sin(x) + 1) - 49*\sin(x)$

### 3.902 $\int \cos^4(2x) \cot^5(2x) dx$

**Optimal.** Leaf size=42

$$\frac{1}{8} \sin^4(2x) - \sin^2(2x) - \frac{1}{8} \csc^4(2x) + \csc^2(2x) + 3 \log(\sin(2x))$$

[Out] Csc[2\*x]^2 - Csc[2\*x]^4/8 + 3\*Log[Sin[2\*x]] - Sin[2\*x]^2 + Sin[2\*x]^4/8

**Rubi [A]** time = 0.0406121, antiderivative size = 42, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$ , Rules used = {2590, 266, 43}

$$\frac{1}{8} \sin^4(2x) - \sin^2(2x) - \frac{1}{8} \csc^4(2x) + \csc^2(2x) + 3 \log(\sin(2x))$$

Antiderivative was successfully verified.

[In] Int[Cos[2\*x]^4\*Cot[2\*x]^5,x]

[Out] Csc[2\*x]^2 - Csc[2\*x]^4/8 + 3\*Log[Sin[2\*x]] - Sin[2\*x]^2 + Sin[2\*x]^4/8

#### Rule 2590

Int[sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^(n\_.), x\_Symbol] :> -Dist[f^(-1), Subst[Int[(1 - x^2)^((m + n - 1)/2)/x^n, x], x, Cos[e + f\*x]], x] /; FreeQ[{e, f}, x] && IntegerQ[m, n, (m + n - 1)/2]

#### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

#### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

#### Rubi steps

$$\begin{aligned} \int \cos^4(2x) \cot^5(2x) dx &= \frac{1}{2} \text{Subst} \left( \int \frac{(1-x^2)^4}{x^5} dx, x, -\sin(2x) \right) \\ &= \frac{1}{4} \text{Subst} \left( \int \frac{(1-x)^4}{x^3} dx, x, \sin^2(2x) \right) \\ &= \frac{1}{4} \text{Subst} \left( \int \left( -4 + \frac{1}{x^3} - \frac{4}{x^2} + \frac{6}{x} + x \right) dx, x, \sin^2(2x) \right) \\ &= \csc^2(2x) - \frac{1}{8} \csc^4(2x) + 3 \log(\sin(2x)) - \sin^2(2x) + \frac{1}{8} \sin^4(2x) \end{aligned}$$

**Mathematica [A]** time = 0.0279163, size = 42, normalized size = 1.

$$\frac{1}{8} \sin^4(2x) - \sin^2(2x) - \frac{1}{8} \csc^4(2x) + \csc^2(2x) + 3 \log(\sin(2x))$$

Antiderivative was successfully verified.

[In] Integrate[Cos[2\*x]^4\*Cot[2\*x]^5,x]

[Out] Csc[2\*x]^2 - Csc[2\*x]^4/8 + 3\*Log[Sin[2\*x]] - Sin[2\*x]^2 + Sin[2\*x]^4/8

**Maple [A]** time = 0.027, size = 69, normalized size = 1.6

$$-\frac{(\cos(2x))^{10}}{8(\sin(2x))^4} + \frac{3(\cos(2x))^{10}}{8(\sin(2x))^2} + \frac{3(\cos(2x))^8}{8} + \frac{(\cos(2x))^6}{2} + \frac{3(\cos(2x))^4}{4} + \frac{3(\cos(2x))^2}{2} + 3 \ln(\sin(2x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(2\*x)^4\*cot(2\*x)^5,x)

[Out] -1/8/sin(2\*x)^4\*cos(2\*x)^10+3/8/sin(2\*x)^2\*cos(2\*x)^10+3/8\*cos(2\*x)^8+1/2\*cos(2\*x)^6+3/4\*cos(2\*x)^4+3/2\*cos(2\*x)^2+3\*ln(sin(2\*x))

**Maxima [A]** time = 0.95173, size = 59, normalized size = 1.4

$$\frac{1}{8} \sin(2x)^4 - \sin(2x)^2 + \frac{8 \sin(2x)^2 - 1}{8 \sin(2x)^4} + \frac{3}{2} \log(\sin(2x)^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*x)^4\*cot(2\*x)^5,x, algorithm="maxima")

[Out] 1/8\*sin(2\*x)^4 - sin(2\*x)^2 + 1/8\*(8\*sin(2\*x)^2 - 1)/sin(2\*x)^4 + 3/2\*log(sin(2\*x)^2)

**Fricas [B]** time = 2.23845, size = 220, normalized size = 5.24

$$\frac{8 \cos(2x)^8 + 32 \cos(2x)^6 - 115 \cos(2x)^4 + 38 \cos(2x)^2 + 192 (\cos(2x)^4 - 2 \cos(2x)^2 + 1) \log\left(\frac{1}{2} \sin(2x)\right) + 29}{64 (\cos(2x)^4 - 2 \cos(2x)^2 + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*x)^4\*cot(2\*x)^5,x, algorithm="fricas")

[Out] 1/64\*(8\*cos(2\*x)^8 + 32\*cos(2\*x)^6 - 115\*cos(2\*x)^4 + 38\*cos(2\*x)^2 + 192\*(cos(2\*x)^4 - 2\*cos(2\*x)^2 + 1)\*log(1/2\*sin(2\*x)) + 29)/(cos(2\*x)^4 - 2\*cos(2\*x)^2 + 1)

**Sympy [A]** time = 0.108527, size = 41, normalized size = 0.98

$$\frac{8 \sin^2(2x) - 1}{8 \sin^4(2x)} + 3 \log(\sin(2x)) + \frac{\sin^4(2x)}{8} - \sin^2(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*x)\*\*4\*cot(2\*x)\*\*5,x)

[Out] (8\*sin(2\*x)\*\*2 - 1)/(8\*sin(2\*x)\*\*4) + 3\*log(sin(2\*x)) + sin(2\*x)\*\*4/8 - sin(2\*x)\*\*2

**Giac [B]** time = 1.14504, size = 300, normalized size = 7.14

$$-\frac{\left(\frac{28(\cos(2x)-1)}{\cos(2x)+1} + \frac{288(\cos(2x)-1)^2}{(\cos(2x)+1)^2} + 1\right)(\cos(2x)+1)^2}{128(\cos(2x)-1)^2} - \frac{7(\cos(2x)-1)}{32(\cos(2x)+1)} - \frac{(\cos(2x)-1)^2}{128(\cos(2x)+1)^2} - \frac{\frac{84(\cos(2x)-1)}{\cos(2x)+1} - \frac{126(\cos(2x)-1)}{(\cos(2x)+1)^2}}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(2\*x)^4\*cot(2\*x)^5,x, algorithm="giac")

[Out] -1/128\*(28\*(cos(2\*x) - 1)/(cos(2\*x) + 1) + 288\*(cos(2\*x) - 1)^2/(cos(2\*x) + 1)^2 + 1)\*(cos(2\*x) + 1)^2/(cos(2\*x) - 1)^2 - 7/32\*(cos(2\*x) - 1)/(cos(2\*x) + 1) - 1/128\*(cos(2\*x) - 1)^2/(cos(2\*x) + 1)^2 - 1/4\*(84\*(cos(2\*x) - 1)/(cos(2\*x) + 1) - 126\*(cos(2\*x) - 1)^2/(cos(2\*x) + 1)^2 + 84\*(cos(2\*x) - 1)^3/(cos(2\*x) + 1)^3 - 25\*(cos(2\*x) - 1)^4/(cos(2\*x) + 1)^4 - 25)/((cos(2\*x) - 1)/(cos(2\*x) + 1) - 1)^4 - 3\*log(-(cos(2\*x) - 1)/(cos(2\*x) + 1) + 1) + 3/2\*log(-(cos(2\*x) - 1)/(cos(2\*x) + 1))



$$3.903 \quad \int \frac{\sec(x) \tan^2(x)}{4+3 \sec(x)} dx$$

**Optimal.** Leaf size=74

$$\frac{\tan(x)}{3} - \frac{4}{9} \tanh^{-1}(\sin(x)) - \frac{1}{9} \sqrt{7} \log\left(\sqrt{7} \cos\left(\frac{x}{2}\right) - \sin\left(\frac{x}{2}\right)\right) + \frac{1}{9} \sqrt{7} \log\left(\sin\left(\frac{x}{2}\right) + \sqrt{7} \cos\left(\frac{x}{2}\right)\right)$$

[Out] (-4\*ArcTanh[Sin[x]])/9 - (Sqrt[7]\*Log[Sqrt[7]\*Cos[x/2] - Sin[x/2]])/9 + (Sqrt[7]\*Log[Sqrt[7]\*Cos[x/2] + Sin[x/2]])/9 + Tan[x]/3

**Rubi [A]** time = 0.246008, antiderivative size = 74, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$ , Rules used = {4397, 2723, 3056, 3001, 3770, 2659, 206}

$$\frac{\tan(x)}{3} - \frac{4}{9} \tanh^{-1}(\sin(x)) - \frac{1}{9} \sqrt{7} \log\left(\sqrt{7} \cos\left(\frac{x}{2}\right) - \sin\left(\frac{x}{2}\right)\right) + \frac{1}{9} \sqrt{7} \log\left(\sin\left(\frac{x}{2}\right) + \sqrt{7} \cos\left(\frac{x}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Int[(Sec[x]\*Tan[x]^2)/(4 + 3\*Sec[x]),x]

[Out] (-4\*ArcTanh[Sin[x]])/9 - (Sqrt[7]\*Log[Sqrt[7]\*Cos[x/2] - Sin[x/2]])/9 + (Sqrt[7]\*Log[Sqrt[7]\*Cos[x/2] + Sin[x/2]])/9 + Tan[x]/3

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 2723

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)/tan[(e\_) + (f\_)\*(x\_)^2, x\_Symbol] := Int[((a + b\*Sin[e + f\*x])^m\*(1 - Sin[e + f\*x]^2))/Sin[e + f\*x]^2, x] /; FreeQ[{a, b, e, f, m}, x] && NeQ[a^2 - b^2, 0]

#### Rule 3056

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_)\*((A\_) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)])^2, x\_Symbol] := -Simp[((A\*b^2 + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*(m + 1)\*(b\*c - a\*d)\*(A + C) + d\*(A\*b^2 + a^2\*C)\*(m + n + 2) - (c\*(A\*b^2 + a^2\*C) + b\*(m + 1)\*(b\*c - a\*d)\*(A + C))\*Sin[e + f\*x] - d\*(A\*b^2 + a^2\*C)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

#### Rule 3001

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[(A\*b - a\*B)/(b\*c - a\*d), Int[1/(a + b\*Sin[e + f\*x]), x], x] + Dist[(B\*c - A\*d)/(b\*c - a\*d), Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
  /; FreeQ[{c, d}, x]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{\sec(x) \tan^2(x)}{4 + 3 \sec(x)} dx &= \int \frac{\tan^2(x)}{3 + 4 \cos(x)} dx \\ &= \int \frac{(1 - \cos^2(x)) \sec^2(x)}{3 + 4 \cos(x)} dx \\ &= \frac{\tan(x)}{3} + \frac{1}{3} \int \frac{(-4 - 3 \cos(x)) \sec(x)}{3 + 4 \cos(x)} dx \\ &= \frac{\tan(x)}{3} - \frac{4}{9} \int \sec(x) dx + \frac{7}{9} \int \frac{1}{3 + 4 \cos(x)} dx \\ &= -\frac{4}{9} \tanh^{-1}(\sin(x)) + \frac{\tan(x)}{3} + \frac{14}{9} \operatorname{Subst} \left( \int \frac{1}{7 - x^2} dx, x, \tan \left( \frac{x}{2} \right) \right) \\ &= -\frac{4}{9} \tanh^{-1}(\sin(x)) - \frac{1}{9} \sqrt{7} \log \left( \sqrt{7} \cos \left( \frac{x}{2} \right) - \sin \left( \frac{x}{2} \right) \right) + \frac{1}{9} \sqrt{7} \log \left( \sqrt{7} \cos \left( \frac{x}{2} \right) + \sin \left( \frac{x}{2} \right) \right) + \frac{\tan(x)}{3} \end{aligned}$$

**Mathematica [A]** time = 0.0782563, size = 63, normalized size = 0.85

$$\frac{1}{9} \left( 3 \tan(x) + 2\sqrt{7} \tanh^{-1} \left( \frac{\tan \left( \frac{x}{2} \right)}{\sqrt{7}} \right) + 4 \log \left( \cos \left( \frac{x}{2} \right) - \sin \left( \frac{x}{2} \right) \right) - 4 \log \left( \sin \left( \frac{x}{2} \right) + \cos \left( \frac{x}{2} \right) \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sec[x]*Tan[x]^2)/(4 + 3*Sec[x]),x]
```

```
[Out] (2*Sqrt[7]*ArcTanh[Tan[x/2]/Sqrt[7]] + 4*Log[Cos[x/2] - Sin[x/2]] - 4*Log[Cos[x/2] + Sin[x/2]] + 3*Tan[x])/9
```

**Maple [A]** time = 0.021, size = 55, normalized size = 0.7

$$-\frac{1}{3} \left( 1 + \tan \left( \frac{x}{2} \right) \right)^{-1} - \frac{4}{9} \ln \left( 1 + \tan \left( \frac{x}{2} \right) \right) - \frac{1}{3} \left( \tan \left( \frac{x}{2} \right) - 1 \right)^{-1} + \frac{4}{9} \ln \left( \tan \left( \frac{x}{2} \right) - 1 \right) + \frac{2\sqrt{7}}{9} \operatorname{Arctanh} \left( \frac{\sqrt{7}}{7} \tan \left( \frac{x}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(x)*tan(x)^2/(4+3*sec(x)),x)`

[Out]  $-1/3/(1+\tan(1/2*x))-4/9*\ln(1+\tan(1/2*x))-1/3/(\tan(1/2*x)-1)+4/9*\ln(\tan(1/2*x)-1)+2/9*7^{(1/2)}*\operatorname{arctanh}(1/7*\tan(1/2*x)*7^{(1/2)})$

**Maxima [A]** time = 1.43588, size = 123, normalized size = 1.66

$$-\frac{1}{9}\sqrt{7}\log\left(-\frac{\sqrt{7}-\frac{\sin(x)}{\cos(x)+1}}{\sqrt{7}+\frac{\sin(x)}{\cos(x)+1}}\right)-\frac{2\sin(x)}{3\left(\frac{\sin(x)^2}{(\cos(x)+1)^2}-1\right)(\cos(x)+1)}-\frac{4}{9}\log\left(\frac{\sin(x)}{\cos(x)+1}+1\right)+\frac{4}{9}\log\left(\frac{\sin(x)}{\cos(x)+1}-1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)*tan(x)^2/(4+3*sec(x)),x, algorithm="maxima")`

[Out]  $-1/9*\sqrt{7}*\log(-(\sqrt{7}-\sin(x)/(\cos(x)+1))/(\sqrt{7}+\sin(x)/(\cos(x)+1))) - 2/3*\sin(x)/((\sin(x)^2/(\cos(x)+1)^2-1)*(\cos(x)+1)) - 4/9*\log(\sin(x)/(\cos(x)+1)+1) + 4/9*\log(\sin(x)/(\cos(x)+1)-1)$

**Fricas [A]** time = 2.45333, size = 274, normalized size = 3.7

$$\frac{\sqrt{7}\cos(x)\log\left(\frac{2\cos(x)^2+2(3\sqrt{7}\cos(x)+4\sqrt{7})\sin(x)+24\cos(x)+23}{16\cos(x)^2+24\cos(x)+9}\right)-4\cos(x)\log(\sin(x)+1)+4\cos(x)\log(-\sin(x)+1)}{18\cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)*tan(x)^2/(4+3*sec(x)),x, algorithm="fricas")`

[Out]  $1/18*(\sqrt{7}*\cos(x)*\log((2*\cos(x)^2+2*(3*\sqrt{7}*\cos(x)+4*\sqrt{7}))*\sin(x)+24*\cos(x)+23)/(16*\cos(x)^2+24*\cos(x)+9))-4*\cos(x)*\log(\sin(x)+1)+4*\cos(x)*\log(-\sin(x)+1)+6*\sin(x))/\cos(x)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tan^2(x)\sec(x)}{3\sec(x)+4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(x)*tan(x)**2/(4+3*sec(x)),x)`

[Out] `Integral(tan(x)**2*sec(x)/(3*sec(x)+4), x)`

**Giac [A]** time = 1.22474, size = 97, normalized size = 1.31

$$-\frac{1}{9}\sqrt{7}\log\left(\frac{\left| -2\sqrt{7}+2\tan\left(\frac{1}{2}x\right) \right|}{\left| 2\sqrt{7}+2\tan\left(\frac{1}{2}x\right) \right|}\right)-\frac{2\tan\left(\frac{1}{2}x\right)}{3\left(\tan\left(\frac{1}{2}x\right)^2-1\right)}-\frac{4}{9}\log\left(\left|\tan\left(\frac{1}{2}x\right)+1\right|\right)+\frac{4}{9}\log\left(\left|\tan\left(\frac{1}{2}x\right)-1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)*tan(x)^2/(4+3*sec(x)),x, algorithm="giac")
```

```
[Out] -1/9*sqrt(7)*log(abs(-2*sqrt(7) + 2*tan(1/2*x))/abs(2*sqrt(7) + 2*tan(1/2*x))) - 2/3*tan(1/2*x)/(tan(1/2*x)^2 - 1) - 4/9*log(abs(tan(1/2*x) + 1)) + 4/9*log(abs(tan(1/2*x) - 1))
```

### 3.904 $\int x \sec(1+x) \tan(1+x) dx$

**Optimal.** Leaf size=14

$$x \sec(x+1) - \tanh^{-1}(\sin(x+1))$$

[Out] -ArcTanh[Sin[1 + x]] + x\*Sec[1 + x]

**Rubi [A]** time = 0.0106727, antiderivative size = 14, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {3757, 3770}

$$x \sec(x+1) - \tanh^{-1}(\sin(x+1))$$

Antiderivative was successfully verified.

[In] Int[x\*Sec[1 + x]\*Tan[1 + x],x]

[Out] -ArcTanh[Sin[1 + x]] + x\*Sec[1 + x]

#### Rule 3757

Int[(x\_)^(m\_)\*Sec[(a\_) + (b\_)\*(x\_)^(n\_)]^(p\_)\*Tan[(a\_) + (b\_)\*(x\_)^(n\_)]^(q\_), x\_Symbol] := Simp[(x^(m - n + 1)\*Sec[a + b\*x^n]^p)/(b\*n\*p), x] - Dist[(m - n + 1)/(b\*n\*p), Int[x^(m - n)\*Sec[a + b\*x^n]^p, x], x] /; FreeQ[{a, b, p}, x] && IntegerQ[n] && GeQ[m, n] && EqQ[q, 1]

#### Rule 3770

Int[csc[(c\_) + (d\_)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int x \sec(1+x) \tan(1+x) dx &= x \sec(1+x) - \int \sec(1+x) dx \\ &= -\tanh^{-1}(\sin(1+x)) + x \sec(1+x) \end{aligned}$$

**Mathematica [B]** time = 0.0400587, size = 47, normalized size = 3.36

$$x \sec(x+1) + \log\left(\cos\left(\frac{x+1}{2}\right) - \sin\left(\frac{x+1}{2}\right)\right) - \log\left(\sin\left(\frac{x+1}{2}\right) + \cos\left(\frac{x+1}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[x\*Sec[1 + x]\*Tan[1 + x],x]

[Out] Log[Cos[(1 + x)/2] - Sin[(1 + x)/2]] - Log[Cos[(1 + x)/2] + Sin[(1 + x)/2]] + x\*Sec[1 + x]

**Maple [B]** time = 0.011, size = 32, normalized size = 2.3

$$\frac{1+x}{\cos(1+x)} - \ln(\sec(1+x) + \tan(1+x)) - (\cos(1+x))^{-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*sec(1+x)*tan(1+x),x)`

[Out] `(1+x)/cos(1+x)-ln(sec(1+x)+tan(1+x))-1/cos(1+x)`

**Maxima [B]** time = 1.46521, size = 238, normalized size = 17.

$$\frac{4(x+1)\cos(2x+2)\cos(x+1) + 4(x+1)\sin(2x+2)\sin(x+1) + 4(x+1)\cos(x+1) - (\cos(2x+2)^2 + \sin(2x+2)^2)}{\cos(x+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*sec(1+x)*tan(1+x),x, algorithm="maxima")`

[Out] `1/2*(4*(x + 1)*cos(2*x + 2)*cos(x + 1) + 4*(x + 1)*sin(2*x + 2)*sin(x + 1) + 4*(x + 1)*cos(x + 1) - (cos(2*x + 2)^2 + sin(2*x + 2)^2 + 2*cos(2*x + 2) + 1)*log(cos(x + 1)^2 + sin(x + 1)^2 + 2*sin(x + 1) + 1) + (cos(2*x + 2)^2 + sin(2*x + 2)^2 + 2*cos(2*x + 2) + 1)*log(cos(x + 1)^2 + sin(x + 1)^2 - 2*sin(x + 1) + 1))/(cos(2*x + 2)^2 + sin(2*x + 2)^2 + 2*cos(2*x + 2) + 1) - 1/cos(x + 1)`

**Fricas [B]** time = 2.05271, size = 122, normalized size = 8.71

$$\frac{\cos(x+1)\log(\sin(x+1)+1) - \cos(x+1)\log(-\sin(x+1)+1) - 2x}{2\cos(x+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*sec(1+x)*tan(1+x),x, algorithm="fricas")`

[Out] `-1/2*(cos(x + 1)*log(sin(x + 1) + 1) - cos(x + 1)*log(-sin(x + 1) + 1) - 2*x)/cos(x + 1)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int x \tan(x+1) \sec(x+1) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*sec(1+x)*tan(1+x),x)`

[Out] `Integral(x*tan(x + 1)*sec(x + 1), x)`



$$3.905 \quad \int \frac{\sin(2x)}{\sqrt{9-\sin^2(x)}} dx$$

**Optimal.** Leaf size=14

$$-2\sqrt{9-\sin^2(x)}$$

[Out] -2\*Sqrt[9 - Sin[x]^2]

**Rubi [A]** time = 0.0379825, antiderivative size = 14, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$ , Rules used = {12, 261}

$$-2\sqrt{9-\sin^2(x)}$$

Antiderivative was successfully verified.

[In] Int[Sin[2\*x]/Sqrt[9 - Sin[x]^2],x]

[Out] -2\*Sqrt[9 - Sin[x]^2]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 261

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

#### Rubi steps

$$\begin{aligned} \int \frac{\sin(2x)}{\sqrt{9-\sin^2(x)}} dx &= \text{Subst} \left( \int \frac{2x}{\sqrt{9-x^2}} dx, x, \sin(x) \right) \\ &= 2 \text{Subst} \left( \int \frac{x}{\sqrt{9-x^2}} dx, x, \sin(x) \right) \\ &= -2\sqrt{9-\sin^2(x)} \end{aligned}$$

**Mathematica [A]** time = 0.0151059, size = 14, normalized size = 1.

$$-2\sqrt{9-\sin^2(x)}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[2\*x]/Sqrt[9 - Sin[x]^2],x]

[Out] -2\*Sqrt[9 - Sin[x]^2]



---

**Maple [A]** time = 0.018, size = 13, normalized size = 0.9

$$-2\sqrt{9 - (\sin(x))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(2*x)/(9-sin(x)^2)^(1/2),x)`

[Out] `-2*(9-sin(x)^2)^(1/2)`

---

**Maxima [A]** time = 0.943657, size = 16, normalized size = 1.14

$$-2\sqrt{-\sin(x)^2 + 9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(2*x)/(9-sin(x)^2)^(1/2),x, algorithm="maxima")`

[Out] `-2*sqrt(-sin(x)^2 + 9)`

---

**Fricas [A]** time = 2.13119, size = 31, normalized size = 2.21

$$-2\sqrt{\cos(x)^2 + 8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(2*x)/(9-sin(x)^2)^(1/2),x, algorithm="fricas")`

[Out] `-2*sqrt(cos(x)^2 + 8)`

---

**Sympy [A]** time = 1.26045, size = 12, normalized size = 0.86

$$-2\sqrt{9 - \sin^2(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(2*x)/(9-sin(x)**2)**(1/2),x)`

[Out] `-2*sqrt(9 - sin(x)**2)`

---

**Giac [B]** time = 1.16975, size = 136, normalized size = 9.71

$$8\left(3 \tan\left(\frac{1}{2}x\right)^2 - \sqrt{9 \tan\left(\frac{1}{2}x\right)^4 + 14 \tan\left(\frac{1}{2}x\right)^2 + 9} - 3\right)$$

---


$$\left(3 \tan\left(\frac{1}{2}x\right)^2 - \sqrt{9 \tan\left(\frac{1}{2}x\right)^4 + 14 \tan\left(\frac{1}{2}x\right)^2 + 9}\right)^2 + 18 \tan\left(\frac{1}{2}x\right)^2 - 6\sqrt{9 \tan\left(\frac{1}{2}x\right)^4 + 14 \tan\left(\frac{1}{2}x\right)^2 + 9} + 5$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(2*x)/(9-sin(x)^2)^(1/2),x, algorithm="giac")
```

```
[Out] -8*(3*tan(1/2*x)^2 - sqrt(9*tan(1/2*x)^4 + 14*tan(1/2*x)^2 + 9) - 3)/((3*tan(1/2*x)^2 - sqrt(9*tan(1/2*x)^4 + 14*tan(1/2*x)^2 + 9))^2 + 18*tan(1/2*x)^2 - 6*sqrt(9*tan(1/2*x)^4 + 14*tan(1/2*x)^2 + 9) + 5)
```

$$3.906 \quad \int \frac{\sin(2x)}{\sqrt{9-\cos^4(x)}} dx$$

Optimal. Leaf size=11

$$-\sin^{-1}\left(\frac{\cos^2(x)}{3}\right)$$

[Out] -ArcSin[Cos[x]^2/3]

**Rubi [A]** time = 0.0538037, antiderivative size = 11, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.235$ , Rules used = {12, 1107, 619, 216}

$$-\sin^{-1}\left(\frac{\cos^2(x)}{3}\right)$$

Antiderivative was successfully verified.

[In] Int[Sin[2\*x]/Sqrt[9 - Cos[x]^4], x]

[Out] -ArcSin[Cos[x]^2/3]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 1107

Int[(x\_)\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_), x\_Symbol] := Dist[1/2, Subst[Int[(a + b\*x + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, p}, x]

#### Rule 619

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Dist[1/(2\*c\*((-4\*c)/(b^2 - 4\*a\*c))^p), Subst[Int[Simp[1 - x^2/(b^2 - 4\*a\*c), x]^p, x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c, p}, x] && GtQ[4\*a - b^2/c, 0]

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rubi steps

$$\begin{aligned}
\int \frac{\sin(2x)}{\sqrt{9 - \cos^4(x)}} dx &= \text{Subst} \left( \int \frac{2x}{\sqrt{8 + 2x^2 - x^4}} dx, x, \sin(x) \right) \\
&= 2 \text{Subst} \left( \int \frac{x}{\sqrt{8 + 2x^2 - x^4}} dx, x, \sin(x) \right) \\
&= \text{Subst} \left( \int \frac{1}{\sqrt{8 + 2x - x^2}} dx, x, \sin^2(x) \right) \\
&= - \left( \frac{1}{6} \text{Subst} \left( \int \frac{1}{\sqrt{1 - \frac{x^2}{36}}} dx, x, 2 \cos^2(x) \right) \right) \\
&= - \sin^{-1} \left( \frac{\cos^2(x)}{3} \right)
\end{aligned}$$

**Mathematica [A]** time = 0.0158111, size = 11, normalized size = 1.

$$- \sin^{-1} \left( \frac{\cos^2(x)}{3} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[2\*x]/Sqrt[9 - Cos[x]^4], x]

[Out] -ArcSin[Cos[x]^2/3]

**Maple [A]** time = 0.033, size = 10, normalized size = 0.9

$$- \arcsin \left( \frac{(\cos(x))^2}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(2\*x)/(9-cos(x)^4)^(1/2), x)

[Out] -arcsin(1/3\*cos(x)^2)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin(2x)}{\sqrt{-\cos(x)^4 + 9}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(2\*x)/(9-cos(x)^4)^(1/2), x, algorithm="maxima")

[Out] integrate(sin(2\*x)/sqrt(-cos(x)^4 + 9), x)

**Fricas [B]** time = 2.65232, size = 72, normalized size = 6.55

$$\arctan\left(\frac{\sqrt{-\cos(x)^4 + 9\cos(x)^2}}{\cos(x)^4 - 9}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(2\*x)/(9-cos(x)^4)^(1/2),x, algorithm="fricas")

[Out] arctan(sqrt(-cos(x)^4 + 9)\*cos(x)^2/(cos(x)^4 - 9))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(2\*x)/(9-cos(x)\*\*4)\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin(2x)}{\sqrt{-\cos(x)^4 + 9}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(2\*x)/(9-cos(x)^4)^(1/2),x, algorithm="giac")

[Out] integrate(sin(2\*x)/sqrt(-cos(x)^4 + 9), x)

$$3.907 \quad \int \frac{\cos\left(\frac{1}{x}\right)}{x^5} dx$$

**Optimal.** Leaf size=34

$$-\frac{\sin\left(\frac{1}{x}\right)}{x^3} - \frac{3\cos\left(\frac{1}{x}\right)}{x^2} + \frac{6\sin\left(\frac{1}{x}\right)}{x} + 6\cos\left(\frac{1}{x}\right)$$

[Out] 6\*Cos[x^(-1)] - (3\*Cos[x^(-1)])/x^2 - Sin[x^(-1)]/x^3 + (6\*Sin[x^(-1)])/x

**Rubi [A]** time = 0.0485441, antiderivative size = 34, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {3380, 3296, 2638}

$$-\frac{\sin\left(\frac{1}{x}\right)}{x^3} - \frac{3\cos\left(\frac{1}{x}\right)}{x^2} + \frac{6\sin\left(\frac{1}{x}\right)}{x} + 6\cos\left(\frac{1}{x}\right)$$

Antiderivative was successfully verified.

[In] Int[Cos[x^(-1)]/x^5,x]

[Out] 6\*Cos[x^(-1)] - (3\*Cos[x^(-1)])/x^2 - Sin[x^(-1)]/x^3 + (6\*Sin[x^(-1)])/x

#### Rule 3380

```
Int[((a_.) + Cos[(c_.) + (d_.)*(x_)^(n_)])*(b_.)^(p_.)*(x_)^(m_.), x_Symbol]
  := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Cos[c + d*x])^p,
    x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
  && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

#### Rule 3296

```
Int[((c_.) + (d_.)*(x_)^(m_.))*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
  ((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[
  e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

#### Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[
  {c, d}, x]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{\cos\left(\frac{1}{x}\right)}{x^5} dx &= -\text{Subst}\left(\int x^3 \cos(x) dx, x, \frac{1}{x}\right) \\
&= -\frac{\sin\left(\frac{1}{x}\right)}{x^3} + 3\text{Subst}\left(\int x^2 \sin(x) dx, x, \frac{1}{x}\right) \\
&= -\frac{3\cos\left(\frac{1}{x}\right)}{x^2} - \frac{\sin\left(\frac{1}{x}\right)}{x^3} + 6\text{Subst}\left(\int x \cos(x) dx, x, \frac{1}{x}\right) \\
&= -\frac{3\cos\left(\frac{1}{x}\right)}{x^2} - \frac{\sin\left(\frac{1}{x}\right)}{x^3} + \frac{6\sin\left(\frac{1}{x}\right)}{x} - 6\text{Subst}\left(\int \sin(x) dx, x, \frac{1}{x}\right) \\
&= 6\cos\left(\frac{1}{x}\right) - \frac{3\cos\left(\frac{1}{x}\right)}{x^2} - \frac{\sin\left(\frac{1}{x}\right)}{x^3} + \frac{6\sin\left(\frac{1}{x}\right)}{x}
\end{aligned}$$

**Mathematica [A]** time = 0.0252488, size = 32, normalized size = 0.94

$$\frac{(6x^2 - 1)\sin\left(\frac{1}{x}\right)}{x^3} + \frac{3(2x^2 - 1)\cos\left(\frac{1}{x}\right)}{x^2}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x^(-1)]/x^5,x]

[Out] (3\*(-1 + 2\*x^2)\*Cos[x^(-1)])/x^2 + ((-1 + 6\*x^2)\*Sin[x^(-1)])/x^3

**Maple [A]** time = 0.008, size = 35, normalized size = 1.

$$6\cos(x^{-1}) - 3\frac{\cos(x^{-1})}{x^2} - \frac{\sin(x^{-1})}{x^3} + 6\frac{\sin(x^{-1})}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(1/x)/x^5,x)

[Out] 6\*cos(1/x)-3\*cos(1/x)/x^2-sin(1/x)/x^3+6\*sin(1/x)/x

**Maxima [C]** time = 1.07376, size = 26, normalized size = 0.76

$$\frac{1}{2}\Gamma\left(4, \frac{i}{x}\right) + \frac{1}{2}\Gamma\left(4, -\frac{i}{x}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(1/x)/x^5,x, algorithm="maxima")

[Out] 1/2\*gamma(4, I/x) + 1/2\*gamma(4, -I/x)

**Fricas [A]** time = 2.02326, size = 72, normalized size = 2.12

$$\frac{3(2x^3 - x)\cos\left(\frac{1}{x}\right) + (6x^2 - 1)\sin\left(\frac{1}{x}\right)}{x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(1/x)/x^5,x, algorithm="fricas")

[Out] (3\*(2\*x^3 - x)\*cos(1/x) + (6\*x^2 - 1)\*sin(1/x))/x^3

---

**Sympy [A]** time = 4.17184, size = 32, normalized size = 0.94

$$6\cos\left(\frac{1}{x}\right) + \frac{6\sin\left(\frac{1}{x}\right)}{x} - \frac{3\cos\left(\frac{1}{x}\right)}{x^2} - \frac{\sin\left(\frac{1}{x}\right)}{x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(1/x)/x\*\*5,x)

[Out] 6\*cos(1/x) + 6\*sin(1/x)/x - 3\*cos(1/x)/x\*\*2 - sin(1/x)/x\*\*3

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos\left(\frac{1}{x}\right)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(1/x)/x^5,x, algorithm="giac")

[Out] integrate(cos(1/x)/x^5, x)



### 3.908 $\int \cos^3(1+x) \sin^3(1+x) dx$

**Optimal.** Leaf size=21

$$\frac{1}{4} \sin^4(x+1) - \frac{1}{6} \sin^6(x+1)$$

[Out] Sin[1 + x]^4/4 - Sin[1 + x]^6/6

**Rubi [A]** time = 0.0298582, antiderivative size = 21, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {2564, 14}

$$\frac{1}{4} \sin^4(x+1) - \frac{1}{6} \sin^6(x+1)$$

Antiderivative was successfully verified.

[In] Int[Cos[1 + x]^3\*Sin[1 + x]^3,x]

[Out] Sin[1 + x]^4/4 - Sin[1 + x]^6/6

#### Rule 2564

Int[cos[(e\_.) + (f\_.)\*(x\_.)]^(n\_.)\*((a\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.), x\_Symbol] :> Dist[1/(a\*f), Subst[Int[x^m\*(1 - x^2/a^2)^((n - 1)/2), x], x, a\*Sin[e + f\*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n - 1)/2] && !(IntegerQ[(m - 1)/2] && LtQ[0, m, n])

#### Rule 14

Int[(u\_)\*((c\_.)\*(x\_.))^(m\_.), x\_Symbol] :> Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_ + (b\_.)\*(v\_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

#### Rubi steps

$$\begin{aligned} \int \cos^3(1+x) \sin^3(1+x) dx &= \text{Subst} \left( \int x^3 (1-x^2) dx, x, \sin(1+x) \right) \\ &= \text{Subst} \left( \int (x^3 - x^5) dx, x, \sin(1+x) \right) \\ &= \frac{1}{4} \sin^4(1+x) - \frac{1}{6} \sin^6(1+x) \end{aligned}$$

**Mathematica [A]** time = 0.0127767, size = 25, normalized size = 1.19

$$\frac{1}{8} \left( \frac{1}{24} \cos(6(x+1)) - \frac{3}{8} \cos(2(x+1)) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[1 + x]^3\*Sin[1 + x]^3,x]

[Out] ((-3\*Cos[2\*(1 + x)])/8 + Cos[6\*(1 + x)]/24)/8

---

**Maple [A]** time = 0.013, size = 24, normalized size = 1.1

$$-\frac{(\cos(1+x))^4 (\sin(1+x))^2}{6} - \frac{(\cos(1+x))^4}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(1+x)^3\*sin(1+x)^3,x)

[Out] -1/6\*cos(1+x)^4\*sin(1+x)^2-1/12\*cos(1+x)^4

---

**Maxima [A]** time = 0.9565, size = 23, normalized size = 1.1

$$-\frac{1}{6} \sin(x+1)^6 + \frac{1}{4} \sin(x+1)^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(1+x)^3\*sin(1+x)^3,x, algorithm="maxima")

[Out] -1/6\*sin(x + 1)^6 + 1/4\*sin(x + 1)^4

---

**Fricas [A]** time = 1.97505, size = 50, normalized size = 2.38

$$\frac{1}{6} \cos(x+1)^6 - \frac{1}{4} \cos(x+1)^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(1+x)^3\*sin(1+x)^3,x, algorithm="fricas")

[Out] 1/6\*cos(x + 1)^6 - 1/4\*cos(x + 1)^4

---

**Sympy [A]** time = 2.07261, size = 22, normalized size = 1.05

$$\frac{\sin^6(x+1)}{12} + \frac{\sin^4(x+1) \cos^2(x+1)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(1+x)\*\*3\*sin(1+x)\*\*3,x)

[Out] sin(x + 1)\*\*6/12 + sin(x + 1)\*\*4\*cos(x + 1)\*\*2/4

---

**Giac [A]** time = 1.08373, size = 23, normalized size = 1.1

$$-\frac{1}{6} \sin(x+1)^6 + \frac{1}{4} \sin(x+1)^4$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(1+x)^3*sin(1+x)^3,x, algorithm="giac")
```

```
[Out] -1/6*sin(x + 1)^6 + 1/4*sin(x + 1)^4
```

### 3.909 $\int (1 + 2x)^3 \sin^2(1 + 2x) dx$

**Optimal.** Leaf size=99

$$-\frac{3x^2}{4} + \frac{1}{16}(2x+1)^4 - \frac{3x}{4} + \frac{3}{8}(2x+1)^2 \sin^2(2x+1) - \frac{3}{16} \sin^2(2x+1) - \frac{1}{4}(2x+1)^3 \sin(2x+1) \cos(2x+1) + \frac{3}{8}(2x+1) \sin^2(2x+1)$$

[Out]  $(-3*x)/4 - (3*x^2)/4 + (1 + 2*x)^4/16 + (3*(1 + 2*x)*\text{Cos}[1 + 2*x]*\text{Sin}[1 + 2*x])/8 - ((1 + 2*x)^3*\text{Cos}[1 + 2*x]*\text{Sin}[1 + 2*x])/4 - (3*\text{Sin}[1 + 2*x]^2)/16 + (3*(1 + 2*x)^2*\text{Sin}[1 + 2*x]^2)/8$

**Rubi [A]** time = 0.0595834, antiderivative size = 99, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$ , Rules used = {3311, 32, 3310}

$$-\frac{3x^2}{4} + \frac{1}{16}(2x+1)^4 - \frac{3x}{4} + \frac{3}{8}(2x+1)^2 \sin^2(2x+1) - \frac{3}{16} \sin^2(2x+1) - \frac{1}{4}(2x+1)^3 \sin(2x+1) \cos(2x+1) + \frac{3}{8}(2x+1) \sin^2(2x+1)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(1 + 2*x)^3*\text{Sin}[1 + 2*x]^2, x]$

[Out]  $(-3*x)/4 - (3*x^2)/4 + (1 + 2*x)^4/16 + (3*(1 + 2*x)*\text{Cos}[1 + 2*x]*\text{Sin}[1 + 2*x])/8 - ((1 + 2*x)^3*\text{Cos}[1 + 2*x]*\text{Sin}[1 + 2*x])/4 - (3*\text{Sin}[1 + 2*x]^2)/16 + (3*(1 + 2*x)^2*\text{Sin}[1 + 2*x]^2)/8$

#### Rule 3311

$\text{Int}[(c + d*x)^m * (b*\text{sin}[e + f*x])^n, x] \rightarrow \text{Simp}[(d*m*(c + d*x)^{m-1} * (b*\text{Sin}[e + f*x])^n) / (f^2*n^2), x] + (\text{Dist}[(b^2*(n-1))/n, \text{Int}[(c + d*x)^m * (b*\text{Sin}[e + f*x])^{n-2}, x], x] - \text{Dist}[(d^2*m*(m-1)) / (f^2*n^2), \text{Int}[(c + d*x)^{m-2} * (b*\text{Sin}[e + f*x])^n, x], x] - \text{Simp}[(b*(c + d*x)^m * \text{Cos}[e + f*x] * (b*\text{Sin}[e + f*x])^{n-1}) / (f*n), x]) / ; \text{FreeQ}\{b, c, d, e, f\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{GtQ}[m, 1]$

#### Rule 32

$\text{Int}[(a + b*x)^m, x] \rightarrow \text{Simp}[(a + b*x)^{m+1} / (b*(m+1)), x] / ; \text{FreeQ}\{a, b, m\}, x] \&\& \text{NeQ}[m, -1]$

#### Rule 3310

$\text{Int}[(c + d*x)^m * (b*\text{sin}[e + f*x])^n, x] \rightarrow \text{Simp}[(d*(b*\text{Sin}[e + f*x])^n) / (f^2*n^2), x] + (\text{Dist}[(b^2*(n-1))/n, \text{Int}[(c + d*x)^m * (b*\text{Sin}[e + f*x])^{n-2}, x], x] - \text{Simp}[(b*(c + d*x)*\text{Cos}[e + f*x] * (b*\text{Sin}[e + f*x])^{n-1}) / (f*n), x]) / ; \text{FreeQ}\{b, c, d, e, f\}, x] \&\& \text{GtQ}[n, 1]$

#### Rubi steps

$$\begin{aligned} \int (1 + 2x)^3 \sin^2(1 + 2x) dx &= -\frac{1}{4}(1 + 2x)^3 \cos(1 + 2x) \sin(1 + 2x) + \frac{3}{8}(1 + 2x)^2 \sin^2(1 + 2x) + \frac{1}{2} \int (1 + 2x)^3 dx - \frac{3}{2} \int (1 + 2x) \sin^2(1 + 2x) dx \\ &= \frac{1}{16}(1 + 2x)^4 + \frac{3}{8}(1 + 2x) \cos(1 + 2x) \sin(1 + 2x) - \frac{1}{4}(1 + 2x)^3 \cos(1 + 2x) \sin(1 + 2x) - \frac{3}{16}(1 + 2x) \sin^2(1 + 2x) \\ &= -\frac{3x}{4} - \frac{3x^2}{4} + \frac{1}{16}(1 + 2x)^4 + \frac{3}{8}(1 + 2x) \cos(1 + 2x) \sin(1 + 2x) - \frac{1}{4}(1 + 2x)^3 \cos(1 + 2x) \sin(1 + 2x) - \frac{3}{16}(1 + 2x) \sin^2(1 + 2x) \end{aligned}$$

**Mathematica [A]** time = 0.229936, size = 55, normalized size = 0.56

$$\frac{1}{32} (2(2x+1)((-8x^2-8x+1)\sin(4x+2) + (2x+1)^3) - 3(8x^2+8x+1)\cos(4x+2))$$

Antiderivative was successfully verified.

[In] Integrate[(1 + 2\*x)^3\*Sin[1 + 2\*x]^2,x]

[Out] (-3\*(1 + 8\*x + 8\*x^2)\*Cos[2 + 4\*x] + 2\*(1 + 2\*x)\*((1 + 2\*x)^3 + (1 - 8\*x - 8\*x^2)\*Sin[2 + 4\*x]))/32

**Maple [A]** time = 0.019, size = 97, normalized size = 1.

$$\frac{(1+2x)^3}{2} \left( -\frac{\sin(1+2x)\cos(1+2x)}{2} + x + \frac{1}{2} \right) - \frac{3(\cos(1+2x))^2(1+2x)^2}{8} + \frac{3+6x}{4} \left( \frac{\sin(1+2x)\cos(1+2x)}{2} + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+2\*x)^3\*sin(1+2\*x)^2,x)

[Out] 1/2\*(1+2\*x)^3\*(-1/2\*sin(1+2\*x)\*cos(1+2\*x)+x+1/2)-3/8\*cos(1+2\*x)^2\*(1+2\*x)^2+3/4\*(1+2\*x)\*(1/2\*sin(1+2\*x)\*cos(1+2\*x)+x+1/2)-3/16\*(1+2\*x)^2-3/16\*sin(1+2\*x)^2-3/16\*(1+2\*x)^4

**Maxima [A]** time = 0.983696, size = 69, normalized size = 0.7

$$\frac{1}{16} (2x+1)^4 - \frac{3}{32} (2(2x+1)^2 - 1) \cos(4x+2) - \frac{1}{16} (2(2x+1)^3 - 6x - 3) \sin(4x+2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+2\*x)^3\*sin(1+2\*x)^2,x, algorithm="maxima")

[Out] 1/16\*(2\*x + 1)^4 - 3/32\*(2\*(2\*x + 1)^2 - 1)\*cos(4\*x + 2) - 1/16\*(2\*(2\*x + 1)^3 - 6\*x - 3)\*sin(4\*x + 2)

**Fricas [A]** time = 2.15695, size = 177, normalized size = 1.79

$$x^4 + 2x^3 - \frac{3}{16} (8x^2 + 8x + 1) \cos(2x+1)^2 - \frac{1}{8} (16x^3 + 24x^2 + 6x - 1) \cos(2x+1) \sin(2x+1) + \frac{9}{4} x^2 + \frac{5}{4} x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+2\*x)^3\*sin(1+2\*x)^2,x, algorithm="fricas")

[Out] x^4 + 2\*x^3 - 3/16\*(8\*x^2 + 8\*x + 1)\*cos(2\*x + 1)^2 - 1/8\*(16\*x^3 + 24\*x^2 + 6\*x - 1)\*cos(2\*x + 1)\*sin(2\*x + 1) + 9/4\*x^2 + 5/4\*x

**Sympy [B]** time = 1.31698, size = 189, normalized size = 1.91

$$x^4 \sin^2(2x + 1) + x^4 \cos^2(2x + 1) + 2x^3 \sin^2(2x + 1) - 2x^3 \sin(2x + 1) \cos(2x + 1) + 2x^3 \cos^2(2x + 1) + \frac{9x^2 \sin^2(2x + 1)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+2\*x)\*\*3\*sin(1+2\*x)\*\*2,x)

[Out] x\*\*4\*sin(2\*x + 1)\*\*2 + x\*\*4\*cos(2\*x + 1)\*\*2 + 2\*x\*\*3\*sin(2\*x + 1)\*\*2 - 2\*x\*\*3\*cos(2\*x + 1)\*\*2 + 9\*x\*\*2\*sin(2\*x + 1)\*\*2/4 - 3\*x\*\*2\*sin(2\*x + 1)\*cos(2\*x + 1) + 3\*x\*\*2\*cos(2\*x + 1)\*\*2/4 + 5\*x\*sin(2\*x + 1)\*\*2/4 - 3\*x\*sin(2\*x + 1)\*cos(2\*x + 1)/4 - x\*cos(2\*x + 1)\*\*2/4 + sin(2\*x + 1)\*cos(2\*x + 1)/8 - 3\*cos(2\*x + 1)\*\*2/16

**Giac [A]** time = 1.0762, size = 78, normalized size = 0.79

$$x^4 + 2x^3 + \frac{3}{2}x^2 - \frac{3}{32}(8x^2 + 8x + 1)\cos(4x + 2) - \frac{1}{16}(16x^3 + 24x^2 + 6x - 1)\sin(4x + 2) + \frac{1}{2}x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+2\*x)^3\*sin(1+2\*x)^2,x, algorithm="giac")

[Out] x^4 + 2\*x^3 + 3/2\*x^2 - 3/32\*(8\*x^2 + 8\*x + 1)\*cos(4\*x + 2) - 1/16\*(16\*x^3 + 24\*x^2 + 6\*x - 1)\*sin(4\*x + 2) + 1/2\*x

$$3.910 \quad \int \frac{-1+\sec(x)}{1-\tan(x)} dx$$

**Optimal.** Leaf size=37

$$-\frac{x}{2} + \frac{1}{2} \log(\cos(x) - \sin(x)) + \frac{\tanh^{-1}\left(\frac{\cos(x)(\tan(x)+1)}{\sqrt{2}}\right)}{\sqrt{2}}$$

[Out]  $-x/2 + \text{ArcTanh}[(\text{Cos}[x]*(1 + \text{Tan}[x]))/\text{Sqrt}[2]]/\text{Sqrt}[2] + \text{Log}[\text{Cos}[x] - \text{Sin}[x]]/2$

**Rubi [A]** time = 0.0895854, antiderivative size = 37, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$ , Rules used = {4401, 3484, 3530, 3509, 206}

$$-\frac{x}{2} + \frac{1}{2} \log(\cos(x) - \sin(x)) + \frac{\tanh^{-1}\left(\frac{\cos(x)(\tan(x)+1)}{\sqrt{2}}\right)}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(-1 + \text{Sec}[x])/(1 - \text{Tan}[x]), x]$

[Out]  $-x/2 + \text{ArcTanh}[(\text{Cos}[x]*(1 + \text{Tan}[x]))/\text{Sqrt}[2]]/\text{Sqrt}[2] + \text{Log}[\text{Cos}[x] - \text{Sin}[x]]/2$

#### Rule 4401

$\text{Int}[u_, x\_Symbol] \rightarrow \text{With}[\{v = \text{ExpandTrig}[u, x]\}, \text{Int}[v, x] /; \text{SumQ}[v]] /;$   
 $! \text{InertTrigFreeQ}[u]$

#### Rule 3484

$\text{Int}[(a + (b \cdot \tan(c + d \cdot x))^{-1}), x\_Symbol] \rightarrow \text{Simp}[(a \cdot x)/(a^2 + b^2), x] + \text{Dist}[b/(a^2 + b^2), \text{Int}[(b - a \cdot \tan(c + d \cdot x))/(a + b \cdot \tan(c + d \cdot x)), x], x] /;$   
 $\text{FreeQ}\{a, b, c, d, x\} \ \&\& \ \text{NeQ}[a^2 + b^2, 0]$

#### Rule 3530

$\text{Int}[(c + (d \cdot \tan(e + f \cdot x)))/(a + (b \cdot \tan(e + f \cdot x)) \cdot (x)), x\_Symbol] \rightarrow \text{Simp}[(c \cdot \text{Log}[\text{RemoveContent}[a \cdot \text{Cos}[e + f \cdot x] + b \cdot \text{Sin}[e + f \cdot x], x]])/(b \cdot f), x] /;$   
 $\text{FreeQ}\{a, b, c, d, e, f, x\} \ \&\& \ \text{NeQ}[b \cdot c - a \cdot d, 0] \ \&\& \ \text{NeQ}[a^2 + b^2, 0] \ \&\& \ \text{EqQ}[a \cdot c + b \cdot d, 0]$

#### Rule 3509

$\text{Int}[\sec(e + f \cdot x)/(a + (b \cdot \tan(e + f \cdot x)) \cdot (x)), x\_Symbol] \rightarrow -\text{Dist}[f^{-1}, \text{Subst}[\text{Int}[1/(a^2 + b^2 - x^2), x], x, (b - a \cdot \tan(e + f \cdot x))/\sec(e + f \cdot x)], x] /;$   
 $\text{FreeQ}\{a, b, e, f, x\} \ \&\& \ \text{NeQ}[a^2 + b^2, 0]$

#### Rule 206

$\text{Int}[(a + (b \cdot x^2))^{-1}), x\_Symbol] \rightarrow \text{Simp}[(1 \cdot \text{ArcTanh}[\text{Rt}[-b, 2] \cdot x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2] \cdot \text{Rt}[-b, 2]), x] /;$   
 $\text{FreeQ}\{a, b, x\} \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rubi steps

$$\begin{aligned}
\int \frac{-1 + \sec(x)}{1 - \tan(x)} dx &= \int \left( \frac{1}{-1 + \tan(x)} - \frac{\sec(x)}{-1 + \tan(x)} \right) dx \\
&= \int \frac{1}{-1 + \tan(x)} dx - \int \frac{\sec(x)}{-1 + \tan(x)} dx \\
&= -\frac{x}{2} + \frac{1}{2} \int \frac{1 + \tan(x)}{-1 + \tan(x)} dx + \text{Subst} \left( \int \frac{1}{2 - x^2} dx, x, \cos(x)(1 + \tan(x)) \right) \\
&= -\frac{x}{2} + \frac{\tanh^{-1} \left( \frac{\cos(x)(1 + \tan(x))}{\sqrt{2}} \right)}{\sqrt{2}} + \frac{1}{2} \log(\cos(x) - \sin(x))
\end{aligned}$$

**Mathematica [C]** time = 0.0602444, size = 40, normalized size = 1.08

$$\frac{1}{2} \left( -x + (2 - 2i) \sqrt[4]{-1} \tanh^{-1} \left( \frac{\tan\left(\frac{x}{2}\right) + 1}{\sqrt{2}} \right) + \log(\cos(x) - \sin(x)) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(-1 + Sec[x])/(1 - Tan[x]), x]

[Out] (-x + (2 - 2\*I)\*(-1)^(1/4)\*ArcTanh[(1 + Tan[x/2])/Sqrt[2]] + Log[Cos[x] - Sin[x]])/2

**Maple [A]** time = 0.045, size = 51, normalized size = 1.4

$$\frac{1}{2} \ln \left( \left( \tan \left( \frac{x}{2} \right) \right)^2 + 2 \tan(x/2) - 1 \right) + \sqrt{2} \text{Artanh} \left( \frac{\sqrt{2}}{4} (2 + 2 \tan(x/2)) \right) - \frac{1}{2} \ln \left( 1 + \left( \tan \left( \frac{x}{2} \right) \right)^2 \right) - \frac{x}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-1+sec(x))/(1-tan(x)), x)

[Out] 1/2\*ln(tan(1/2\*x)^2+2\*tan(1/2\*x)-1)+2^(1/2)\*arctanh(1/4\*(2+2\*tan(1/2\*x))\*2^(1/2))-1/2\*ln(1+tan(1/2\*x)^2)-1/2\*x

**Maxima [A]** time = 1.45566, size = 80, normalized size = 2.16

$$-\frac{1}{2} \sqrt{2} \log \left( -\frac{\sqrt{2} - \frac{\sin(x)}{\cos(x)+1} - 1}{\sqrt{2} + \frac{\sin(x)}{\cos(x)+1} + 1} \right) - \frac{1}{2} x - \frac{1}{4} \log(\tan(x)^2 + 1) + \frac{1}{2} \log(\tan(x) - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+sec(x))/(1-tan(x)), x, algorithm="maxima")

[Out] -1/2\*sqrt(2)\*log(-(sqrt(2) - sin(x)/(cos(x) + 1) - 1)/(sqrt(2) + sin(x)/(cos(x) + 1) + 1)) - 1/2\*x - 1/4\*log(tan(x)^2 + 1) + 1/2\*log(tan(x) - 1)



**Fricas [A]** time = 2.20353, size = 180, normalized size = 4.86

$$\frac{1}{4}\sqrt{2}\log\left(\frac{2(\sqrt{2} + \cos(x))\sin(x) + 2\sqrt{2}\cos(x) + 3}{2\cos(x)\sin(x) - 1}\right) - \frac{1}{2}x + \frac{1}{4}\log(-2\cos(x)\sin(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+sec(x))/(1-tan(x)),x, algorithm="fricas")

[Out] 1/4\*sqrt(2)\*log((2\*(sqrt(2) + cos(x))\*sin(x) + 2\*sqrt(2)\*cos(x) + 3)/(2\*cos(x)\*sin(x) - 1)) - 1/2\*x + 1/4\*log(-2\*cos(x)\*sin(x) + 1)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-\int \frac{\sec(x)}{\tan(x)-1} dx - \int -\frac{1}{\tan(x)-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+sec(x))/(1-tan(x)),x)

[Out] -Integral(sec(x)/(tan(x) - 1), x) - Integral(-1/(tan(x) - 1), x)

**Giac [B]** time = 1.16572, size = 95, normalized size = 2.57

$$-\frac{1}{2}\sqrt{2}\log\left(\frac{\left| -2\sqrt{2} + 2\tan\left(\frac{1}{2}x\right) + 2 \right|}{\left| 2\sqrt{2} + 2\tan\left(\frac{1}{2}x\right) + 2 \right|}\right) - \frac{1}{2}x - \frac{1}{2}\log\left(\tan\left(\frac{1}{2}x\right)^2 + 1\right) + \frac{1}{2}\log\left(\left|\tan\left(\frac{1}{2}x\right)^2 + 2\tan\left(\frac{1}{2}x\right) - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+sec(x))/(1-tan(x)),x, algorithm="giac")

[Out] -1/2\*sqrt(2)\*log(abs(-2\*sqrt(2) + 2\*tan(1/2\*x) + 2)/abs(2\*sqrt(2) + 2\*tan(1/2\*x) + 2)) - 1/2\*x - 1/2\*log(tan(1/2\*x)^2 + 1) + 1/2\*log(abs(tan(1/2\*x)^2 + 2\*tan(1/2\*x) - 1))

### 3.911 $\int x^2 \cos(3x) \cos(5x) dx$

**Optimal.** Leaf size=57

$$\frac{1}{4}x^2 \sin(2x) + \frac{1}{16}x^2 \sin(8x) - \frac{1}{8} \sin(2x) - \frac{1}{512} \sin(8x) + \frac{1}{4}x \cos(2x) + \frac{1}{64}x \cos(8x)$$

[Out] (x\*Cos[2\*x])/4 + (x\*Cos[8\*x])/64 - Sin[2\*x]/8 + (x^2\*Sin[2\*x])/4 - Sin[8\*x]/512 + (x^2\*Sin[8\*x])/16

**Rubi [A]** time = 0.0734621, antiderivative size = 57, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 3, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {4429, 3296, 2637}

$$\frac{1}{4}x^2 \sin(2x) + \frac{1}{16}x^2 \sin(8x) - \frac{1}{8} \sin(2x) - \frac{1}{512} \sin(8x) + \frac{1}{4}x \cos(2x) + \frac{1}{64}x \cos(8x)$$

Antiderivative was successfully verified.

[In] Int[x^2\*Cos[3\*x]\*Cos[5\*x],x]

[Out] (x\*Cos[2\*x])/4 + (x\*Cos[8\*x])/64 - Sin[2\*x]/8 + (x^2\*Sin[2\*x])/4 - Sin[8\*x]/512 + (x^2\*Sin[8\*x])/16

#### Rule 4429

Int[Cos[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*Cos[(c\_.) + (d\_.)\*(x\_)]^(q\_.)\*((e\_.) + (f\_.)\*(x\_))^(m\_.), x\_Symbol] :> Int[ExpandTrigReduce[(e + f\*x)^m, Cos[a + b\*x]^p\*Cos[c + d\*x]^q, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 0] && IGtQ[q, 0] && IntegerQ[m]

#### Rule 3296

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*sin[(e\_.) + (f\_.)\*(x\_)], x\_Symbol] :> -Simp[((c + d\*x)^m\*Cos[e + f\*x])/f, x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Cos[e + f\*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int x^2 \cos(3x) \cos(5x) dx &= \int \left( \frac{1}{2}x^2 \cos(2x) + \frac{1}{2}x^2 \cos(8x) \right) dx \\ &= \frac{1}{2} \int x^2 \cos(2x) dx + \frac{1}{2} \int x^2 \cos(8x) dx \\ &= \frac{1}{4}x^2 \sin(2x) + \frac{1}{16}x^2 \sin(8x) - \frac{1}{8} \int x \sin(8x) dx - \frac{1}{2} \int x \sin(2x) dx \\ &= \frac{1}{4}x \cos(2x) + \frac{1}{64}x \cos(8x) + \frac{1}{4}x^2 \sin(2x) + \frac{1}{16}x^2 \sin(8x) - \frac{1}{64} \int \cos(8x) dx - \frac{1}{4} \int \cos(2x) dx \\ &= \frac{1}{4}x \cos(2x) + \frac{1}{64}x \cos(8x) - \frac{1}{8} \sin(2x) + \frac{1}{4}x^2 \sin(2x) - \frac{1}{512} \sin(8x) + \frac{1}{16}x^2 \sin(8x) \end{aligned}$$

**Mathematica [A]** time = 0.0914518, size = 49, normalized size = 0.86

$$\frac{1}{512} (128x^2 \sin(2x) + 32x^2 \sin(8x) - 64 \sin(2x) - \sin(8x) + 128x \cos(2x) + 8x \cos(8x))$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*Cos[3\*x]\*Cos[5\*x],x]

[Out] (128\*x\*Cos[2\*x] + 8\*x\*Cos[8\*x] - 64\*Sin[2\*x] + 128\*x^2\*Sin[2\*x] - Sin[8\*x] + 32\*x^2\*Sin[8\*x])/512

**Maple [A]** time = 0.046, size = 46, normalized size = 0.8

$$\frac{x \cos(2x)}{4} + \frac{x \cos(8x)}{64} - \frac{\sin(2x)}{8} + \frac{x^2 \sin(2x)}{4} - \frac{\sin(8x)}{512} + \frac{x^2 \sin(8x)}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*cos(3\*x)\*cos(5\*x),x)

[Out] 1/4\*x\*cos(2\*x)+1/64\*x\*cos(8\*x)-1/8\*sin(2\*x)+1/4\*x^2\*sin(2\*x)-1/512\*sin(8\*x)+1/16\*x^2\*sin(8\*x)

**Maxima [A]** time = 0.985726, size = 55, normalized size = 0.96

$$\frac{1}{64} x \cos(8x) + \frac{1}{4} x \cos(2x) + \frac{1}{512} (32x^2 - 1) \sin(8x) + \frac{1}{8} (2x^2 - 1) \sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*cos(3\*x)\*cos(5\*x),x, algorithm="maxima")

[Out] 1/64\*x\*cos(8\*x) + 1/4\*x\*cos(2\*x) + 1/512\*(32\*x^2 - 1)\*sin(8\*x) + 1/8\*(2\*x^2 - 1)\*sin(2\*x)

**Fricas [A]** time = 2.25457, size = 220, normalized size = 3.86

$$2x \cos(x)^8 - 4x \cos(x)^6 + \frac{5}{2} x \cos(x)^4 + \frac{1}{64} (16(32x^2 - 1) \cos(x)^7 - 24(32x^2 - 1) \cos(x)^5 + 10(32x^2 - 1) \cos(x)^3 - 15 \cos(x)) \sin(x) - 15/64*x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*cos(3\*x)\*cos(5\*x),x, algorithm="fricas")

[Out] 2\*x\*cos(x)^8 - 4\*x\*cos(x)^6 + 5/2\*x\*cos(x)^4 + 1/64\*(16\*(32\*x^2 - 1)\*cos(x)^7 - 24\*(32\*x^2 - 1)\*cos(x)^5 + 10\*(32\*x^2 - 1)\*cos(x)^3 - 15\*cos(x))\*sin(x) - 15/64\*x

**Sympy [A]** time = 7.72247, size = 90, normalized size = 1.58

$$-\frac{3x^2 \sin(3x) \cos(5x)}{16} + \frac{5x^2 \sin(5x) \cos(3x)}{16} + \frac{15x \sin(3x) \sin(5x)}{64} + \frac{17x \cos(3x) \cos(5x)}{64} + \frac{63 \sin(3x) \cos(5x)}{512} - \frac{65 \sin(5x) \cos(3x)}{512}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*cos(3\*x)\*cos(5\*x),x)

[Out] -3\*x\*\*2\*sin(3\*x)\*cos(5\*x)/16 + 5\*x\*\*2\*sin(5\*x)\*cos(3\*x)/16 + 15\*x\*sin(3\*x)\*sin(5\*x)/64 + 17\*x\*cos(3\*x)\*cos(5\*x)/64 + 63\*sin(3\*x)\*cos(5\*x)/512 - 65\*sin(5\*x)\*cos(3\*x)/512

**Giac [A]** time = 1.09981, size = 55, normalized size = 0.96

$$\frac{1}{64} x \cos(8x) + \frac{1}{4} x \cos(2x) + \frac{1}{512} (32x^2 - 1) \sin(8x) + \frac{1}{8} (2x^2 - 1) \sin(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*cos(3\*x)\*cos(5\*x),x, algorithm="giac")

[Out] 1/64\*x\*cos(8\*x) + 1/4\*x\*cos(2\*x) + 1/512\*(32\*x^2 - 1)\*sin(8\*x) + 1/8\*(2\*x^2 - 1)\*sin(2\*x)

$$3.912 \quad \int \frac{\cos(x)+\sin(x)}{\sqrt{\cos(x)}\sqrt{\sin(x)}} dx$$

**Optimal.** Leaf size=57

$$\sqrt{2} \tan^{-1} \left( \frac{\sqrt{2}\sqrt{\sin(x)}}{\sqrt{\cos(x)}} + 1 \right) - \sqrt{2} \tan^{-1} \left( 1 - \frac{\sqrt{2}\sqrt{\sin(x)}}{\sqrt{\cos(x)}} \right)$$

[Out] -(Sqrt[2]\*ArcTan[1 - (Sqrt[2]\*Sqrt[Sin[x]])/Sqrt[Cos[x]]]) + Sqrt[2]\*ArcTan[1 + (Sqrt[2]\*Sqrt[Sin[x]])/Sqrt[Cos[x]]]

**Rubi [B]** time = 0.211369, antiderivative size = 243, normalized size of antiderivative = 4.26, number of steps used = 22, number of rules used = 9, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$ , Rules used = {3107, 2575, 297, 1162, 617, 204, 1165, 628, 2574}

$$\frac{\tan^{-1} \left( 1 - \frac{\sqrt{2}\sqrt{\cos(x)}}{\sqrt{\sin(x)}} \right)}{\sqrt{2}} - \frac{\tan^{-1} \left( \frac{\sqrt{2}\sqrt{\cos(x)}}{\sqrt{\sin(x)}} + 1 \right)}{\sqrt{2}} - \frac{\tan^{-1} \left( 1 - \frac{\sqrt{2}\sqrt{\sin(x)}}{\sqrt{\cos(x)}} \right)}{\sqrt{2}} + \frac{\tan^{-1} \left( \frac{\sqrt{2}\sqrt{\sin(x)}}{\sqrt{\cos(x)}} + 1 \right)}{\sqrt{2}} + \frac{\log \left( \tan(x) - \frac{\sqrt{2}\sqrt{\sin(x)}}{\sqrt{\cos(x)}} \right)}{2\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[x] + Sin[x])/(Sqrt[Cos[x]]\*Sqrt[Sin[x]]), x]

[Out] ArcTan[1 - (Sqrt[2]\*Sqrt[Cos[x]])/Sqrt[Sin[x]]]/Sqrt[2] - ArcTan[1 + (Sqrt[2]\*Sqrt[Cos[x]])/Sqrt[Sin[x]]]/Sqrt[2] - ArcTan[1 - (Sqrt[2]\*Sqrt[Sin[x]])/Sqrt[Cos[x]]]/Sqrt[2] + ArcTan[1 + (Sqrt[2]\*Sqrt[Sin[x]])/Sqrt[Cos[x]]]/Sqrt[2] - Log[1 + Cot[x] - (Sqrt[2]\*Sqrt[Cos[x]])/Sqrt[Sin[x]]]/(2\*Sqrt[2]) + Log[1 + Cot[x] + (Sqrt[2]\*Sqrt[Cos[x]])/Sqrt[Sin[x]]]/(2\*Sqrt[2]) + Log[1 - (Sqrt[2]\*Sqrt[Sin[x]])/Sqrt[Cos[x]] + Tan[x]]/(2\*Sqrt[2]) - Log[1 + (Sqrt[2]\*Sqrt[Sin[x]])/Sqrt[Cos[x]] + Tan[x]]/(2\*Sqrt[2])

#### Rule 3107

Int[cos[(c\_.) + (d\_.)\*(x\_)]^(m\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_.)\*(cos[(c\_.) + (d\_.)\*(x\_)]\*(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(p\_.), x\_Symbol] := Int[ExpandTrig[cos[c + d\*x]^m\*sin[c + d\*x]^n\*(a\*cos[c + d\*x] + b\*sin[c + d\*x])^p, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && IGtQ[p, 0]

#### Rule 2575

Int[(cos[(e\_.) + (f\_.)\*(x\_)]\*(a\_.))^(m\_.)\*((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := With[{k = Denominator[m]}, -Dist[(k\*a\*b)/f, Subst[Int[x^(k\*(m + 1) - 1)/(a^2 + b^2\*x^(2\*k)), x], x, (a\*cos[e + f\*x])^(1/k)/(b\*sin[e + f\*x])^(1/k)], x] /; FreeQ[{a, b, e, f}, x] && EqQ[m + n, 0] && GtQ[m, 0] && LtQ[m, 1]

#### Rule 297

Int[(x\_)^2/((a\_) + (b\_.)\*(x\_)^4), x\_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2\*s), Int[(r + s\*x^2)/(a + b\*x^4), x], x] - Dist[1/(2\*s), Int[(r - s\*x^2)/(a + b\*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

#### Rule 1162

Int[((d\_) + (e\_.)\*(x\_)^2)/((a\_) + (c\_.)\*(x\_)^4), x\_Symbol] := With[{q = Rt[(2\*d)/e, 2]}, Dist[e/(2\*c), Int[1/Simp[d/e + q\*x + x^2, x], x], x] + Dist[e

$/(2*c), \text{Int}[1/\text{Simp}[d/e - q*x + x^2, x], x], x] /; \text{FreeQ}[\{a, c, d, e\}, x] \&$   
 $\& \text{EqQ}[c*d^2 - a*e^2, 0] \&\& \text{PosQ}[d*e]$

### Rule 617

$\text{Int}[(a_) + (b_)*(x_) + (c_)*(x_)^2]^{-1}, x\_Symbol] \rightarrow \text{With}[\{q = 1 - 4*S$   
 $\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b$   
 $], x] /; \text{RationalQ}[q] \&\& (\text{EqQ}[q^2, 1] \parallel \text{!RationalQ}[b^2 - 4*a*c]) /; \text{Free}$   
 $\text{Q}[\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0]$

### Rule 204

$\text{Int}[(a_) + (b_)*(x_)^2]^{-1}, x\_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a,$   
 $2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PosQ}[a/b] \&\& (\text{LtQ}[a,$   
 $0] \parallel \text{LtQ}[b, 0])$

### Rule 1165

$\text{Int}[(d_) + (e_)*(x_)^2]/((a_) + (c_)*(x_)^4), x\_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[-$   
 $(2*d)/e, 2]\}, \text{Dist}[e/(2*c*q), \text{Int}[(q - 2*x)/\text{Simp}[d/e + q*x - x^2, x], x],$   
 $x] + \text{Dist}[e/(2*c*q), \text{Int}[(q + 2*x)/\text{Simp}[d/e - q*x - x^2, x], x], x] /; \text{Fre}$   
 $\text{eQ}[\{a, c, d, e\}, x] \&\& \text{EqQ}[c*d^2 - a*e^2, 0] \&\& \text{NegQ}[d*e]$

### Rule 628

$\text{Int}[(d_) + (e_)*(x_)]/((a_) + (b_)*(x_) + (c_)*(x_)^2), x\_Symbol] \rightarrow \text{S}$   
 $\text{imp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}[\{a, b, c, d,$   
 $e\}, x] \&\& \text{EqQ}[2*c*d - b*e, 0]$

### Rule 2574

$\text{Int}[(\cos[(e_) + (f_)*(x_)]*(b_))^{(n_)}*((a_)*\sin[(e_) + (f_)*(x_)])^{(m_)}, x\_Symbol]$   
 $\rightarrow \text{With}[\{k = \text{Denominator}[m]\}, \text{Dist}[(k*a*b)/f, \text{Subst}[\text{Int}[x^{(k*(m + 1) - 1)}$   
 $/(a^2 + b^2*x^{(2*k)}), x], x, (a*\sin[e + f*x])^{(1/k)}/(b*\cos[e + f*x])^{(1/k)}, x]] /;$   
 $\text{FreeQ}[\{a, b, e, f\}, x] \&\& \text{EqQ}[m + n, 0] \&\& \text{GtQ}[m, 0] \&$   
 $\& \text{LtQ}[m, 1]$

### Rubi steps

$$\begin{aligned} \int \frac{\cos(x) + \sin(x)}{\sqrt{\cos(x)}\sqrt{\sin(x)}} dx &= \int \left( \frac{\sqrt{\cos(x)}}{\sqrt{\sin(x)}} + \frac{\sqrt{\sin(x)}}{\sqrt{\cos(x)}} \right) dx \\ &= \int \frac{\sqrt{\cos(x)}}{\sqrt{\sin(x)}} dx + \int \frac{\sqrt{\sin(x)}}{\sqrt{\cos(x)}} dx \\ &= -\left( 2 \text{Subst} \left( \int \frac{x^2}{1+x^4} dx, x, \frac{\sqrt{\cos(x)}}{\sqrt{\sin(x)}} \right) \right) + 2 \text{Subst} \left( \int \frac{x^2}{1+x^4} dx, x, \frac{\sqrt{\sin(x)}}{\sqrt{\cos(x)}} \right) \\ &= \text{Subst} \left( \int \frac{1-x^2}{1+x^4} dx, x, \frac{\sqrt{\cos(x)}}{\sqrt{\sin(x)}} \right) - \text{Subst} \left( \int \frac{1-x^2}{1+x^4} dx, x, \frac{\sqrt{\sin(x)}}{\sqrt{\cos(x)}} \right) - \text{Subst} \left( \int \frac{1+x^2}{1+x^4} dx, x, \frac{\sqrt{\cos(x)}}{\sqrt{\sin(x)}} \right) \\ &= -\left( \frac{1}{2} \text{Subst} \left( \int \frac{1}{1-\sqrt{2}x+x^2} dx, x, \frac{\sqrt{\cos(x)}}{\sqrt{\sin(x)}} \right) \right) + \frac{1}{2} \text{Subst} \left( \int \frac{1}{1-\sqrt{2}x+x^2} dx, x, \frac{\sqrt{\sin(x)}}{\sqrt{\cos(x)}} \right) \\ &= -\frac{\log \left( 1 + \cot(x) - \frac{\sqrt{2}\sqrt{\cos(x)}}{\sqrt{\sin(x)}} \right)}{2\sqrt{2}} + \frac{\log \left( 1 + \cot(x) + \frac{\sqrt{2}\sqrt{\cos(x)}}{\sqrt{\sin(x)}} \right)}{2\sqrt{2}} + \frac{\log \left( 1 - \frac{\sqrt{2}\sqrt{\sin(x)}}{\sqrt{\cos(x)}} + \tan(x) \right)}{2\sqrt{2}} \\ &= \frac{\tan^{-1} \left( 1 - \frac{\sqrt{2}\sqrt{\cos(x)}}{\sqrt{\sin(x)}} \right)}{\sqrt{2}} - \frac{\tan^{-1} \left( 1 + \frac{\sqrt{2}\sqrt{\cos(x)}}{\sqrt{\sin(x)}} \right)}{\sqrt{2}} - \frac{\tan^{-1} \left( 1 - \frac{\sqrt{2}\sqrt{\sin(x)}}{\sqrt{\cos(x)}} \right)}{\sqrt{2}} + \frac{\tan^{-1} \left( 1 + \frac{\sqrt{2}\sqrt{\sin(x)}}{\sqrt{\cos(x)}} \right)}{\sqrt{2}} \end{aligned}$$

**Mathematica [C]** time = 0.0567925, size = 68, normalized size = 1.19

$$\frac{2\sqrt{\sin(x)}\sqrt[4]{\cos^2(x)}\left(\sin(x)\sqrt{\cos^2(x)}\text{Hypergeometric2F1}\left(\frac{3}{4}, \frac{3}{4}, \frac{7}{4}, \sin^2(x)\right) + 3\cos(x)\text{Hypergeometric2F1}\left(\frac{1}{4}, \frac{1}{4}, \frac{5}{4}, \sin^2(x)\right)\right)}{3\cos^{\frac{3}{2}}(x)}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[x] + Sin[x])/(Sqrt[Cos[x]]\*Sqrt[Sin[x]]), x]

[Out] (2\*(Cos[x]^2)^(1/4)\*Sqrt[Sin[x]]\*(3\*Cos[x]\*Hypergeometric2F1[1/4, 1/4, 5/4, Sin[x]^2] + Sqrt[Cos[x]^2]\*Hypergeometric2F1[3/4, 3/4, 7/4, Sin[x]^2]\*Sin[x]))/(3\*Cos[x]^(3/2))

**Maple [C]** time = 0.157, size = 137, normalized size = 2.4

$$\frac{\sqrt{2}}{-1 + \cos(x)} \sqrt{\frac{\sin(x) + 1 - \cos(x)}{\sin(x)}} \sqrt{\frac{\cos(x) - 1 + \sin(x)}{\sin(x)}} \sqrt{\frac{-1 + \cos(x)}{\sin(x)}} (\sin(x))^{\frac{3}{2}} \left( i \text{EllipticPi} \left( \sqrt{\frac{\sin(x) + 1 - \cos(x)}{\sin(x)}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(x)+sin(x))/cos(x)^(1/2)/sin(x)^(1/2), x)

[Out] -((sin(x)+1-cos(x))/sin(x))^(1/2)\*2^(1/2)\*((cos(x)-1+sin(x))/sin(x))^(1/2)\*((-1+cos(x))/sin(x))^(1/2)\*sin(x)^(3/2)\*(I\*EllipticPi(((sin(x)+1-cos(x))/sin(x))^(1/2), 1/2-1/2\*I, 1/2\*2^(1/2))-I\*EllipticPi(((sin(x)+1-cos(x))/sin(x))^(1/2), 1/2+1/2\*I, 1/2\*2^(1/2))-EllipticF(((sin(x)+1-cos(x))/sin(x))^(1/2), 1/2\*2^(1/2)))/cos(x)^(1/2)/(-1+cos(x))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(x) + \sin(x)}{\sqrt{\cos(x)}\sqrt{\sin(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cos(x)+sin(x))/cos(x)^(1/2)/sin(x)^(1/2), x, algorithm="maxima")

[Out] integrate((cos(x) + sin(x))/(sqrt(cos(x))\*sqrt(sin(x))), x)

**Fricas [B]** time = 2.39579, size = 275, normalized size = 4.82

$$-\frac{1}{4}\sqrt{2}\arctan\left(-\frac{(32\sqrt{2}\cos(x)^4 - 32\sqrt{2}\cos(x)^2 + 16\sqrt{2}\cos(x)\sin(x) - \sqrt{2})\sqrt{\cos(x)}\sqrt{\sin(x)}}{8(4\cos(x)^5 - 3\cos(x)^3 - (4\cos(x)^4 - 5\cos(x)^2)\sin(x) - \cos(x))}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cos(x)+sin(x))/cos(x)^(1/2)/sin(x)^(1/2), x, algorithm="fricas")

[Out] -1/4\*sqrt(2)\*arctan(-1/8\*(32\*sqrt(2)\*cos(x)^4 - 32\*sqrt(2)\*cos(x)^2 + 16\*sqrt(2)\*cos(x)\*sin(x) - sqrt(2))\*sqrt(cos(x))\*sqrt(sin(x))/(4\*cos(x)^5 - 3\*co

$s(x)^3 - (4*\cos(x)^4 - 5*\cos(x)^2)*\sin(x) - \cos(x))$

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin(x) + \cos(x)}{\sqrt{\sin(x)}\sqrt{\cos(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cos(x)+sin(x))/cos(x)\*\*(1/2)/sin(x)\*\*(1/2),x)

[Out] Integral((sin(x) + cos(x))/(sqrt(sin(x))\*sqrt(cos(x))), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(x) + \sin(x)}{\sqrt{\cos(x)}\sqrt{\sin(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cos(x)+sin(x))/cos(x)^(1/2)/sin(x)^(1/2),x, algorithm="giac")

[Out] integrate((cos(x) + sin(x))/(sqrt(cos(x))\*sqrt(sin(x))), x)



### 3.913 $\int \sec^2(x)(1 + \sin(x)) dx$

**Optimal.** Leaf size=5

$$\tan(x) + \sec(x)$$

[Out] Sec[x] + Tan[x]

**Rubi [A]** time = 0.0231152, antiderivative size = 5, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {2669, 3767, 8}

$$\tan(x) + \sec(x)$$

Antiderivative was successfully verified.

[In] Int[Sec[x]^2\*(1 + Sin[x]),x]

[Out] Sec[x] + Tan[x]

#### Rule 2669

Int[(cos[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] :> -Simp[(b\*(g\*cos[e + f\*x])^(p + 1))/(f\*g\*(p + 1)), x] + Dist[a, Int[(g\*cos[e + f\*x])^p, x], x] /; FreeQ[{a, b, e, f, g, p}, x] && (IntegerQ[2\*p] || NeQ[a^2 - b^2, 0])

#### Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_.)]^(n\_), x\_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

#### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned} \int \sec^2(x)(1 + \sin(x)) dx &= \sec(x) + \int \sec^2(x) dx \\ &= \sec(x) - \text{Subst}\left(\int 1 dx, x, -\tan(x)\right) \\ &= \sec(x) + \tan(x) \end{aligned}$$

**Mathematica [A]** time = 0.0037442, size = 5, normalized size = 1.

$$\tan(x) + \sec(x)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[x]^2\*(1 + Sin[x]),x]

[Out] Sec[x] + Tan[x]

**Maple [A]** time = 0.018, size = 8, normalized size = 1.6

$$\tan(x) + (\cos(x))^{-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(x)^2\*(1+sin(x)),x)

[Out] tan(x)+1/cos(x)

**Maxima [A]** time = 0.94676, size = 9, normalized size = 1.8

$$\frac{1}{\cos(x)} + \tan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2\*(1+sin(x)),x, algorithm="maxima")

[Out] 1/cos(x) + tan(x)

**Fricas [B]** time = 2.04508, size = 61, normalized size = 12.2

$$\frac{\cos(x) + \sin(x) + 1}{\cos(x) - \sin(x) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^2\*(1+sin(x)),x, algorithm="fricas")

[Out] (cos(x) + sin(x) + 1)/(cos(x) - sin(x) + 1)

**Sympy [A]** time = 5.50021, size = 7, normalized size = 1.4

$$\tan(x) + \frac{1}{\cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)\*\*2\*(1+sin(x)),x)

[Out] tan(x) + 1/cos(x)

**Giac [A]** time = 1.08856, size = 14, normalized size = 2.8

$$-\frac{2}{\tan\left(\frac{1}{2}x\right) - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)^2*(1+sin(x)),x, algorithm="giac")
```

```
[Out] -2/(tan(1/2*x) - 1)
```

$$\mathbf{3.914} \quad \int \left( 10x^9 \cos \left( x^5 \log(x) \right) - x^{10} \left( x^4 + 5x^4 \log(x) \right) \sin \left( x^5 \log(x) \right) \right) dx$$

**Optimal.** Leaf size=11

$$x^{10} \cos \left( x^5 \log(x) \right)$$

[Out]  $x^{10} \text{Cos}[x^5 \text{Log}[x]]$

**Rubi [F]** time = 0.275911, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \left( 10x^9 \cos \left( x^5 \log(x) \right) - x^{10} \left( x^4 + 5x^4 \log(x) \right) \sin \left( x^5 \log(x) \right) \right) dx$$

Verification is Not applicable to the result.

[In]  $\text{Int}[10*x^9*\text{Cos}[x^5*\text{Log}[x]] - x^{10}*(x^4 + 5*x^4*\text{Log}[x])*Sin[x^5*\text{Log}[x]], x]$

[Out]  $10*\text{Defer}[\text{Int}[x^9*\text{Cos}[x^5*\text{Log}[x]], x] - \text{Defer}[\text{Int}[x^{14}*\text{Sin}[x^5*\text{Log}[x]], x] - 5*\text{Defer}[\text{Int}[x^{14}*\text{Log}[x]*\text{Sin}[x^5*\text{Log}[x]], x]$

Rubi steps

$$\begin{aligned} \int \left( 10x^9 \cos \left( x^5 \log(x) \right) - x^{10} \left( x^4 + 5x^4 \log(x) \right) \sin \left( x^5 \log(x) \right) \right) dx &= 10 \int x^9 \cos \left( x^5 \log(x) \right) dx - \int x^{10} \left( x^4 + 5x^4 \log(x) \right) \sin \left( x^5 \log(x) \right) dx \\ &= 10 \int x^9 \cos \left( x^5 \log(x) \right) dx - \int x^{14} (1 + 5 \log(x)) \sin \left( x^5 \log(x) \right) dx \\ &= 10 \int x^9 \cos \left( x^5 \log(x) \right) dx - \int \left( x^{14} \sin \left( x^5 \log(x) \right) \right) dx \\ &= - \left( 5 \int x^{14} \log(x) \sin \left( x^5 \log(x) \right) dx \right) + 10 \int x^9 \cos \left( x^5 \log(x) \right) dx \end{aligned}$$

**Mathematica [A]** time = 0.319045, size = 11, normalized size = 1.

$$x^{10} \cos \left( x^5 \log(x) \right)$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[10*x^9*\text{Cos}[x^5*\text{Log}[x]] - x^{10}*(x^4 + 5*x^4*\text{Log}[x])*Sin[x^5*\text{Log}[x]], x]$

[Out]  $x^{10} \text{Cos}[x^5 \text{Log}[x]]$

**Maple [C]** time = 0.109, size = 30, normalized size = 2.7

$$\frac{x^{10} x^{ix^5}}{2} + \frac{x^{10}}{2 x^{ix^5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(10*x^9*\cos(x^5*\ln(x))-x^{10}*(x^4+5*x^4*\ln(x))*\sin(x^5*\ln(x)), x)$

[Out]  $1/2*x^{10}*x^{(I*x^5)}+1/2*x^{10}/(x^{(I*x^5)})$

**Maxima [A]** time = 1.20728, size = 15, normalized size = 1.36

$$x^{10} \cos(x^5 \log(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(10*x^9*cos(x^5*log(x))-x^10*(x^4+5*x^4*log(x))*sin(x^5*log(x)),x,  
algorithm="maxima")`

[Out]  $x^{10}*\cos(x^5*\log(x))$

**Fricas [A]** time = 2.15781, size = 30, normalized size = 2.73

$$x^{10} \cos(x^5 \log(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(10*x^9*cos(x^5*log(x))-x^10*(x^4+5*x^4*log(x))*sin(x^5*log(x)),x,  
algorithm="fricas")`

[Out]  $x^{10}*\cos(x^5*\log(x))$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(10*x**9*cos(x**5*ln(x))-x**10*(x**4+5*x**4*ln(x))*sin(x**5*ln(x)),  
x)`

[Out] Timed out

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(10*x^9*cos(x^5*log(x))-x^10*(x^4+5*x^4*log(x))*sin(x^5*log(x)),x,  
algorithm="giac")`

[Out] Timed out

$$3.915 \quad \int \cos^2\left(\frac{x}{2}\right) \tan\left(\frac{\pi}{4} + \frac{x}{2}\right) dx$$

**Optimal.** Leaf size=27

$$\frac{x}{2} - \frac{\cos(x)}{2} - \log\left(\cos\left(\frac{x}{2} + \frac{\pi}{4}\right)\right)$$

[Out] x/2 - Cos[x]/2 - Log[Cos[Pi/4 + x/2]]

**Rubi [F]** time = 0.0625198, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \cos^2\left(\frac{x}{2}\right) \tan\left(\frac{\pi}{4} + \frac{x}{2}\right) dx$$

Verification is Not applicable to the result.

[In] Int[Cos[x/2]^2\*Tan[Pi/4 + x/2],x]

[Out] Defer[Int][Cos[x/2]^2\*Tan[Pi/4 + x/2], x]

Rubi steps

$$\int \cos^2\left(\frac{x}{2}\right) \tan\left(\frac{\pi}{4} + \frac{x}{2}\right) dx = \int \cos^2\left(\frac{x}{2}\right) \tan\left(\frac{\pi}{4} + \frac{x}{2}\right) dx$$

**Mathematica [A]** time = 0.166814, size = 24, normalized size = 0.89

$$\frac{1}{2} \left( x - \cos(x) - \log(\cos(x)) + 2 \tanh^{-1} \left( \cot\left(\frac{x}{2}\right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x/2]^2\*Tan[Pi/4 + x/2],x]

[Out] (x + 2\*ArcTanh[Cot[x/2]] - Cos[x] - Log[Cos[x]])/2

**Maple [A]** time = 0.14, size = 22, normalized size = 0.8

$$\frac{x}{2} - \frac{\cos(x)}{2} + \frac{\ln(\sec(x) + \tan(x))}{2} - \frac{\ln(\cos(x))}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(1/2\*x)^2\*tan(1/4\*Pi+1/2\*x),x)

[Out] 1/2\*x-1/2\*cos(x)+1/2\*ln(sec(x)+tan(x))-1/2\*ln(cos(x))

**Maxima [B]** time = 1.44345, size = 100, normalized size = 3.7

$$\frac{2x \cos(x)^2 + 2x \sin(x)^2 - \cos(2x) \cos(x) - 2(\cos(x)^2 + \sin(x)^2) \log(\cos(x)^2 + \sin(x)^2 - 2 \sin(x) + 1) - \sin(2x)}{4(\cos(x)^2 + \sin(x)^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(1/2\*x)^2\*tan(1/4\*pi+1/2\*x),x, algorithm="maxima")

[Out] 1/4\*(2\*x\*cos(x)^2 + 2\*x\*sin(x)^2 - cos(2\*x)\*cos(x) - 2\*(cos(x)^2 + sin(x)^2)\*log(cos(x)^2 + sin(x)^2 - 2\*sin(x) + 1) - sin(2\*x)\*sin(x) - cos(x))/(cos(x)^2 + sin(x)^2)

**Fricas [A]** time = 2.06683, size = 85, normalized size = 3.15

$$-\cos\left(\frac{1}{2}x\right) + \frac{1}{2}x - \frac{1}{2} \log\left(-2 \cos\left(\frac{1}{2}x\right) \sin\left(\frac{1}{2}x\right) + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(1/2\*x)^2\*tan(1/4\*pi+1/2\*x),x, algorithm="fricas")

[Out] -cos(1/2\*x)^2 + 1/2\*x - 1/2\*log(-2\*cos(1/2\*x)\*sin(1/2\*x) + 1)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \cos^2\left(\frac{x}{2}\right) \tan\left(\frac{x}{2} + \frac{\pi}{4}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(1/2\*x)\*\*2\*tan(1/4\*pi+1/2\*x),x)

[Out] Integral(cos(x/2)\*\*2\*tan(x/2 + pi/4), x)

**Giac [B]** time = 1.1435, size = 126, normalized size = 4.67

$$\frac{x \tan\left(\frac{1}{2}x\right)^2 - \log\left(\frac{2\left(\tan\left(\frac{1}{2}x\right)^2 - 2 \tan\left(\frac{1}{2}x\right) + 1\right)}{\tan\left(\frac{1}{2}x\right)^2 + 1}\right) \tan\left(\frac{1}{2}x\right)^2 + \tan\left(\frac{1}{2}x\right)^2 + x - \log\left(\frac{2\left(\tan\left(\frac{1}{2}x\right)^2 - 2 \tan\left(\frac{1}{2}x\right) + 1\right)}{\tan\left(\frac{1}{2}x\right)^2 + 1}\right) - 1}{2\left(\tan\left(\frac{1}{2}x\right)^2 + 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(1/2\*x)^2\*tan(1/4\*pi+1/2\*x),x, algorithm="giac")

[Out] 1/2\*(x\*tan(1/2\*x)^2 - log(2\*(tan(1/2\*x)^2 - 2\*tan(1/2\*x) + 1)/(tan(1/2\*x)^2 + 1))\*tan(1/2\*x)^2 + tan(1/2\*x)^2 + x - log(2\*(tan(1/2\*x)^2 - 2\*tan(1/2\*x) + 1)/(tan(1/2\*x)^2 + 1)) - 1)/(tan(1/2\*x)^2 + 1)

### 3.916 $\int (2 + 3x)^2 \sin^3(x) dx$

**Optimal.** Leaf size=65

$$\frac{2}{3}(3x + 2) \sin^3(x) + 4(3x + 2) \sin(x) - \frac{2}{3} \cos^3(x) - \frac{2}{3}(3x + 2)^2 \cos(x) + 14 \cos(x) - \frac{1}{3}(3x + 2)^2 \sin^2(x) \cos(x)$$

[Out] 14\*Cos[x] - (2\*(2 + 3\*x)^2\*Cos[x])/3 - (2\*Cos[x]^3)/3 + 4\*(2 + 3\*x)\*Sin[x] - ((2 + 3\*x)^2\*Cos[x]\*Sin[x]^2)/3 + (2\*(2 + 3\*x)\*Sin[x]^3)/3

**Rubi [A]** time = 0.0683732, antiderivative size = 65, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {3311, 3296, 2638, 2633}

$$\frac{2}{3}(3x + 2) \sin^3(x) + 4(3x + 2) \sin(x) - \frac{2}{3} \cos^3(x) - \frac{2}{3}(3x + 2)^2 \cos(x) + 14 \cos(x) - \frac{1}{3}(3x + 2)^2 \sin^2(x) \cos(x)$$

Antiderivative was successfully verified.

[In] Int[(2 + 3\*x)^2\*SIN[x]^3,x]

[Out] 14\*Cos[x] - (2\*(2 + 3\*x)^2\*Cos[x])/3 - (2\*Cos[x]^3)/3 + 4\*(2 + 3\*x)\*Sin[x] - ((2 + 3\*x)^2\*Cos[x]\*Sin[x]^2)/3 + (2\*(2 + 3\*x)\*Sin[x]^3)/3

#### Rule 3311

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol]
:> Simp[(d*m*(c + d*x)^(m - 1)*(b*SIN[e + f*x])^n)/(f^2*n^2), x] + (Dist
[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*SIN[e + f*x])^(n - 2), x], x] - Dist[
(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*SIN[e + f*x])^n, x], x]
- Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*SIN[e + f*x])^(n - 1))/(f*n), x]) /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

#### Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol]
:> -Simp[
((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

#### Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol]
:> -Simp[Cos[c + d*x]/d, x] /; FreeQ
[{c, d}, x]
```

#### Rule 2633

```
Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol]
:> -Dist[d^(-1), Subst[Int[Expand[
(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x]
&& IGtQ[(n - 1)/2, 0]
```

#### Rubi steps



$$\begin{aligned}
\int (2+3x)^2 \sin^3(x) dx &= -\frac{1}{3}(2+3x)^2 \cos(x) \sin^2(x) + \frac{2}{3}(2+3x) \sin^3(x) + \frac{2}{3} \int (2+3x)^2 \sin(x) dx - 2 \int \sin^3(x) dx \\
&= -\frac{2}{3}(2+3x)^2 \cos(x) - \frac{1}{3}(2+3x)^2 \cos(x) \sin^2(x) + \frac{2}{3}(2+3x) \sin^3(x) + 2 \operatorname{Subst} \left( \int (1-x^2) dx \right) \\
&= 2 \cos(x) - \frac{2}{3}(2+3x)^2 \cos(x) - \frac{2 \cos^3(x)}{3} + 4(2+3x) \sin(x) - \frac{1}{3}(2+3x)^2 \cos(x) \sin^2(x) + \frac{2}{3} \int \sin^3(x) dx \\
&= 14 \cos(x) - \frac{2}{3}(2+3x)^2 \cos(x) - \frac{2 \cos^3(x)}{3} + 4(2+3x) \sin(x) - \frac{1}{3}(2+3x)^2 \cos(x) \sin^2(x) + \frac{2}{3} \int \sin^3(x) dx
\end{aligned}$$

**Mathematica [A]** time = 0.0874298, size = 50, normalized size = 0.77

$$\frac{1}{12} \left( -9(9x^2 + 12x - 14) \cos(x) + (9x^2 + 12x + 2) \cos(3x) - 2(3x + 2)(\sin(3x) - 27 \sin(x)) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(2 + 3\*x)^2\*Sin[x]^3,x]

[Out] (-9\*(-14 + 12\*x + 9\*x^2)\*Cos[x] + (2 + 12\*x + 9\*x^2)\*Cos[3\*x] - 2\*(2 + 3\*x)\*(-27\*Sin[x] + Sin[3\*x]))/12

**Maple [A]** time = 0.026, size = 62, normalized size = 1.

$$-3x^2 \left( 2 + (\sin(x))^2 \right) \cos(x) + 12 \cos(x) + 12x \sin(x) + 2x (\sin(x))^3 - \frac{(4 + 2(\sin(x))^2) \cos(x)}{3} - 4x \left( 2 + (\sin(x))^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2+3\*x)^2\*sin(x)^3,x)

[Out] -3\*x^2\*(2+sin(x)^2)\*cos(x)+12\*cos(x)+12\*x\*sin(x)+2\*x\*sin(x)^3-2/3\*(2+sin(x)^2)\*cos(x)-4\*x\*(2+sin(x)^2)\*cos(x)+4/3\*sin(x)^3+8\*sin(x)

**Maxima [A]** time = 0.970957, size = 89, normalized size = 1.37

$$\frac{4}{3} \cos(x)^3 + \frac{1}{12} (9x^2 - 2) \cos(3x) + x \cos(3x) - \frac{27}{4} (x^2 - 2) \cos(x) - 9x \cos(x) - \frac{1}{2} x \sin(3x) + \frac{27}{2} x \sin(x) - 4 \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2+3\*x)^2\*sin(x)^3,x, algorithm="maxima")

[Out] 4/3\*cos(x)^3 + 1/12\*(9\*x^2 - 2)\*cos(3\*x) + x\*cos(3\*x) - 27/4\*(x^2 - 2)\*cos(x) - 9\*x\*cos(x) - 1/2\*x\*sin(3\*x) + 27/2\*x\*sin(x) - 4\*cos(x) - 1/3\*sin(3\*x) + 9\*sin(x)

**Fricas [A]** time = 2.05968, size = 146, normalized size = 2.25

$$\frac{1}{3} (9x^2 + 12x + 2) \cos(x)^3 - (9x^2 + 12x - 10) \cos(x) - \frac{2}{3} ((3x + 2) \cos(x)^2 - 21x - 14) \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2+3\*x)^2\*sin(x)^3,x, algorithm="fricas")

[Out]  $\frac{1}{3}(9x^2 + 12x + 2)\cos(x)^3 - (9x^2 + 12x - 10)\cos(x) - \frac{2}{3}((3x + 2)\cos(x)^2 - 21x - 14)\sin(x)$

**Sympy [A]** time = 1.23187, size = 100, normalized size = 1.54

$$-9x^2 \sin^2(x) \cos(x) - 6x^2 \cos^3(x) + 14x \sin^3(x) - 12x \sin^2(x) \cos(x) + 12x \sin(x) \cos^2(x) - 8x \cos^3(x) + \frac{28 \sin^3(x)}{3} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2+3\*x)\*\*2\*sin(x)\*\*3,x)

[Out]  $-9x^{**2} \sin(x)^{**2} \cos(x) - 6x^{**2} \cos(x)^{**3} + 14x \sin(x)^{**3} - 12x \sin(x)^{**2} \cos(x) + 12x \sin(x) \cos(x)^{**2} - 8x \cos(x)^{**3} + 28 \sin(x)^{**3} / 3 + 10 \sin(x)^{**2} \cos(x) + 8 \sin(x) \cos(x)^{**2} + 32 \cos(x)^{**3} / 3$

**Giac [A]** time = 1.09012, size = 69, normalized size = 1.06

$$\frac{1}{12} (9x^2 + 12x + 2) \cos(3x) - \frac{3}{4} (9x^2 + 12x - 14) \cos(x) - \frac{1}{6} (3x + 2) \sin(3x) + \frac{9}{2} (3x + 2) \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2+3\*x)^2\*sin(x)^3,x, algorithm="giac")

[Out]  $\frac{1}{12}(9x^2 + 12x + 2)\cos(3x) - \frac{3}{4}(9x^2 + 12x - 14)\cos(x) - \frac{1}{6}(3x + 2)\sin(3x) + \frac{9}{2}(3x + 2)\sin(x)$

### 3.917 $\int \sec^{1+m}(x) \sin(x) dx$

**Optimal.** Leaf size=8

$$\frac{\sec^m(x)}{m}$$

[Out] Sec[x]^m/m

**Rubi [A]** time = 0.0232947, antiderivative size = 8, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {2622, 30}

$$\frac{\sec^m(x)}{m}$$

Antiderivative was successfully verified.

[In] Int[Sec[x]^(1 + m)\*Sin[x], x]

[Out] Sec[x]^m/m

#### Rule 2622

Int[csc[(e\_.) + (f\_.)\*(x\_)]^(n\_.)\*((a\_.)\*sec[(e\_.) + (f\_.)\*(x\_)])^(m\_), x\_Symbol] := Dist[1/(f\*a^n), Subst[Int[x^(m + n - 1)/(-1 + x^2/a^2)^((n + 1)/2), x], x, a\*Sec[e + f\*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n + 1)/2] && !(IntegerQ[(m + 1)/2] && LtQ[0, m, n])

#### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

#### Rubi steps

$$\int \sec^{1+m}(x) \sin(x) dx = \text{Subst} \left( \int x^{-1+m} dx, x, \sec(x) \right) \\ = \frac{\sec^m(x)}{m}$$

**Mathematica [A]** time = 0.016455, size = 8, normalized size = 1.

$$\frac{\sec^m(x)}{m}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[x]^(1 + m)\*Sin[x], x]

[Out] Sec[x]^m/m

**Maple [A]** time = 0.019, size = 11, normalized size = 1.4

$$\frac{((\cos(x))^{-1})^m}{m}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(x)^(1+m)\*sin(x),x)

[Out] 1/m\*(1/cos(x))^m

**Maxima [A]** time = 0.946384, size = 14, normalized size = 1.75

$$\frac{\cos(x)^{-m}}{m}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^(1+m)\*sin(x),x, algorithm="maxima")

[Out] cos(x)^(-m)/m

**Fricas [A]** time = 2.11288, size = 39, normalized size = 4.88

$$\frac{\frac{1}{\cos(x)}^{m+1} \cos(x)}{m}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)^(1+m)\*sin(x),x, algorithm="fricas")

[Out] (1/cos(x))^(m + 1)\*cos(x)/m

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sin(x) \sec^{m+1}(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(x)\*\*(1+m)\*sin(x),x)

[Out] Integral(sin(x)\*sec(x)\*\*(m + 1), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sec(x)^{m+1} \sin(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(x)^(1+m)*sin(x),x, algorithm="giac")
```

```
[Out] integrate(sec(x)^(m + 1)*sin(x), x)
```

$$3.918 \quad \int \cos^n(a + bx) \sin^{-2-n}(a + bx) dx$$

**Optimal.** Leaf size=32

$$-\frac{\sin^{-n-1}(a + bx) \cos^{n+1}(a + bx)}{b(n + 1)}$$

[Out] -((Cos[a + b\*x]^(1 + n)\*Sin[a + b\*x]^(-1 - n))/(b\*(1 + n)))

**Rubi [A]** time = 0.0400978, antiderivative size = 32, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$ , Rules used = {2563}

$$-\frac{\sin^{-n-1}(a + bx) \cos^{n+1}(a + bx)}{b(n + 1)}$$

Antiderivative was successfully verified.

[In] Int[Cos[a + b\*x]^n\*Sin[a + b\*x]^(-2 - n),x]

[Out] -((Cos[a + b\*x]^(1 + n)\*Sin[a + b\*x]^(-1 - n))/(b\*(1 + n)))

#### Rule 2563

Int[(cos[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((a\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.), x\_Symbol] :> Simp[((a\*Sin[e + f\*x])^(m + 1)\*(b\*Cos[e + f\*x])^(n + 1))/(a\*b\*f\*(m + 1)), x] /; FreeQ[{a, b, e, f, m, n}, x] && EqQ[m + n + 2, 0] & NeQ[m, -1]

#### Rubi steps

$$\int \cos^n(a + bx) \sin^{-2-n}(a + bx) dx = -\frac{\cos^{1+n}(a + bx) \sin^{-1-n}(a + bx)}{b(1 + n)}$$

**Mathematica [A]** time = 0.081499, size = 32, normalized size = 1.

$$-\frac{\sin^{-n-1}(a + bx) \cos^{n+1}(a + bx)}{b(n + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[a + b\*x]^n\*Sin[a + b\*x]^(-2 - n),x]

[Out] -((Cos[a + b\*x]^(1 + n)\*Sin[a + b\*x]^(-1 - n))/(b\*(1 + n)))

**Maple [F]** time = 0.139, size = 0, normalized size = 0.

$$\int (\cos(bx + a))^n (\sin(bx + a))^{-2-n} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(b*x+a)^n*sin(b*x+a)^(-2-n),x)`

[Out] `int(cos(b*x+a)^n*sin(b*x+a)^(-2-n),x)`

**Maxima [B]** time = 1.48542, size = 169, normalized size = 5.28

$$\frac{2 \left( \frac{\sin(bx+a)^2}{(\cos(bx+a)+1)^2} - 1 \right) (\cos(bx+a) + 1) e^{\left( n \log\left( \frac{\sin(bx+a)}{\cos(bx+a)+1} + 1 \right) - n \log\left( \frac{\sin(bx+a)}{\cos(bx+a)+1} \right) + n \log\left( -\frac{\sin(bx+a)}{\cos(bx+a)+1} + 1 \right) \right)}{(2^{n+2}n + 2^{n+2})b \sin(bx+a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(b*x+a)^n*sin(b*x+a)^(-2-n),x, algorithm="maxima")`

[Out] `2*(sin(b*x + a)^2/(cos(b*x + a) + 1)^2 - 1)*(cos(b*x + a) + 1)*e^(n*log(sin(b*x + a)/(cos(b*x + a) + 1) + 1) - n*log(sin(b*x + a)/(cos(b*x + a) + 1)) + n*log(-sin(b*x + a)/(cos(b*x + a) + 1) + 1))/((2^(n + 2)*n + 2^(n + 2))*b*sin(b*x + a))`

**Fricas [A]** time = 2.30636, size = 101, normalized size = 3.16

$$\frac{\cos(bx+a)^n \sin(bx+a)^{-n-2} \cos(bx+a) \sin(bx+a)}{bn+b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(b*x+a)^n*sin(b*x+a)^(-2-n),x, algorithm="fricas")`

[Out] `-cos(b*x + a)^n*sin(b*x + a)^(-n - 2)*cos(b*x + a)*sin(b*x + a)/(b*n + b)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(b*x+a)**n*sin(b*x+a)**(-2-n),x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \cos(bx+a)^n \sin(bx+a)^{-n-2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(b*x+a)^n*sin(b*x+a)^(-2-n),x, algorithm="giac")`

[Out] `integrate(cos(b*x + a)^n*sin(b*x + a)^(-n - 2), x)`

$$3.919 \quad \int \frac{1}{\sec(x) + \sin(x) \tan(x)} dx$$

**Optimal.** Leaf size=3

$$\tan^{-1}(\sin(x))$$

[Out] ArcTan[Sin[x]]

**Rubi [A]** time = 0.0301497, antiderivative size = 3, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.3$ , Rules used = {4397, 3190, 203}

$$\tan^{-1}(\sin(x))$$

Antiderivative was successfully verified.

[In] Int[(Sec[x] + Sin[x]\*Tan[x])^(-1),x]

[Out] ArcTan[Sin[x]]

#### Rule 4397

Int[u\_, x\_Symbol] := Int[TrigSimplify[u], x] /; TrigSimplifyQ[u]

#### Rule 3190

Int[cos[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2)^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Sin[e + f\*x], x]}, Dist[ff/f, Subst[Int[(1 - ff^2\*x^2)^((m - 1)/2)\*(a + b\*ff^2\*x^2)^p, x], x, Sin[e + f\*x]/ff], x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{1}{\sec(x) + \sin(x) \tan(x)} dx &= \int \frac{\cos(x)}{1 + \sin^2(x)} dx \\ &= \text{Subst} \left( \int \frac{1}{1 + x^2} dx, x, \sin(x) \right) \\ &= \tan^{-1}(\sin(x)) \end{aligned}$$

**Mathematica [A]** time = 0.0175787, size = 3, normalized size = 1.

$$\tan^{-1}(\sin(x))$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[x] + Sin[x]\*Tan[x])^(-1),x]



[Out] ArcTan[Sin[x]]

---

**Maple [A]** time = 0.043, size = 4, normalized size = 1.3

arctan(sin(x))

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(sec(x)+sin(x)\*tan(x)),x)

[Out] arctan(sin(x))

---

**Maxima [B]** time = 0.971993, size = 61, normalized size = 20.33

$\frac{1}{2} \arctan(\sin(2x) + 2 \sin(x), \cos(2x) + 2 \cos(x) - 1) - \frac{1}{2} \arctan(\sin(2x) - 2 \sin(x), \cos(2x) - 2 \cos(x) - 1)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sec(x)+sin(x)\*tan(x)),x, algorithm="maxima")

[Out] 1/2\*arctan2(sin(2\*x) + 2\*sin(x), cos(2\*x) + 2\*cos(x) - 1) - 1/2\*arctan2(sin(2\*x) - 2\*sin(x), cos(2\*x) - 2\*cos(x) - 1)

---

**Fricas [A]** time = 2.09466, size = 22, normalized size = 7.33

arctan(sin(x))

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sec(x)+sin(x)\*tan(x)),x, algorithm="fricas")

[Out] arctan(sin(x))

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sin(x) \tan(x) + \sec(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(sec(x)+sin(x)\*tan(x)),x)

[Out] Integral(1/(sin(x)\*tan(x) + sec(x)), x)

---

**Giac [A]** time = 1.09693, size = 4, normalized size = 1.33

arctan(sin(x))

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(sec(x)+sin(x)*tan(x)),x, algorithm="giac")
```

```
[Out] arctan(sin(x))
```

### 3.920 $\int (a + bx + cx^2) \sin(x) dx$

**Optimal.** Leaf size=35

$$-a \cos(x) + b \sin(x) - bx \cos(x) - cx^2 \cos(x) + 2cx \sin(x) + 2c \cos(x)$$

[Out]  $-(a*\text{Cos}[x]) + 2*c*\text{Cos}[x] - b*x*\text{Cos}[x] - c*x^2*\text{Cos}[x] + b*\text{Sin}[x] + 2*c*x*\text{Sin}[x]$

**Rubi [A]** time = 0.0654437, antiderivative size = 35, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 4, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$ , Rules used = {6742, 2638, 3296, 2637}

$$-a \cos(x) + b \sin(x) - bx \cos(x) - cx^2 \cos(x) + 2cx \sin(x) + 2c \cos(x)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*x + c*x^2)*\text{Sin}[x], x]$

[Out]  $-(a*\text{Cos}[x]) + 2*c*\text{Cos}[x] - b*x*\text{Cos}[x] - c*x^2*\text{Cos}[x] + b*\text{Sin}[x] + 2*c*x*\text{Sin}[x]$

#### Rule 6742

$\text{Int}[u_, x\_Symbol] \rightarrow \text{With}[\{v = \text{ExpandIntegrand}[u, x]\}, \text{Int}[v, x] /; \text{SumQ}[v]]$

#### Rule 2638

$\text{Int}[\text{sin}[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

#### Rule 3296

$\text{Int}[(c_.) + (d_.)*(x_.)]^{(m_.)} * \text{sin}[(e_.) + (f_.)*(x_.)], x\_Symbol] \rightarrow -\text{Simp}[(c + d*x)^m * \text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)} * \text{Cos}[e + f*x], x], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \&\& \text{GtQ}[m, 0]$

#### Rule 2637

$\text{Int}[\text{sin}[\text{Pi}/2 + (c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow \text{Simp}[\text{Sin}[c + d*x]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

#### Rubi steps

$$\begin{aligned} \int (a + bx + cx^2) \sin(x) dx &= \int (a \sin(x) + bx \sin(x) + cx^2 \sin(x)) dx \\ &= a \int \sin(x) dx + b \int x \sin(x) dx + c \int x^2 \sin(x) dx \\ &= -a \cos(x) - bx \cos(x) - cx^2 \cos(x) + b \int \cos(x) dx + (2c) \int x \cos(x) dx \\ &= -a \cos(x) - bx \cos(x) - cx^2 \cos(x) + b \sin(x) + 2cx \sin(x) - (2c) \int \sin(x) dx \\ &= -a \cos(x) + 2c \cos(x) - bx \cos(x) - cx^2 \cos(x) + b \sin(x) + 2cx \sin(x) \end{aligned}$$

**Mathematica [A]** time = 0.0398081, size = 32, normalized size = 0.91

$$-a \cos(x) + b \sin(x) - bx \cos(x) - c(x^2 - 2) \cos(x) + 2cx \sin(x)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x + c\*x^2)\*Sin[x], x]

[Out] -(a\*cos[x]) - b\*x\*cos[x] - c\*(-2 + x^2)\*cos[x] + b\*sin[x] + 2\*c\*x\*sin[x]

**Maple [A]** time = 0.002, size = 36, normalized size = 1.

$$c(-x^2 \cos(x) + 2 \cos(x) + 2x \sin(x)) + b(\sin(x) - x \cos(x)) - a \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+b\*x+a)\*sin(x), x)

[Out] c\*(-x^2\*cos(x)+2\*cos(x)+2\*x\*sin(x))+b\*(sin(x)-x\*cos(x))-a\*cos(x)

**Maxima [A]** time = 0.95894, size = 47, normalized size = 1.34

$$-(x \cos(x) - \sin(x))b - ((x^2 - 2) \cos(x) - 2x \sin(x))c - a \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)\*sin(x), x, algorithm="maxima")

[Out] -(x\*cos(x) - sin(x))\*b - ((x^2 - 2)\*cos(x) - 2\*x\*sin(x))\*c - a\*cos(x)

**Fricas [A]** time = 1.8922, size = 73, normalized size = 2.09

$$-(cx^2 + bx + a - 2c) \cos(x) + (2cx + b) \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)\*sin(x), x, algorithm="fricas")

[Out] -(c\*x^2 + b\*x + a - 2\*c)\*cos(x) + (2\*c\*x + b)\*sin(x)

**Sympy [A]** time = 0.336708, size = 39, normalized size = 1.11

$$-a \cos(x) - bx \cos(x) + b \sin(x) - cx^2 \cos(x) + 2cx \sin(x) + 2c \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*2+b\*x+a)\*sin(x), x)

```
[Out] -a*cos(x) - b*x*cos(x) + b*sin(x) - c*x**2*cos(x) + 2*c*x*sin(x) + 2*c*cos(x)
```

---

**Giac [A]** time = 1.0951, size = 36, normalized size = 1.03

$$-(cx^2 + bx + a - 2c)\cos(x) + (2cx + b)\sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x^2+b*x+a)*sin(x),x, algorithm="giac")
```

```
[Out] -(c*x^2 + b*x + a - 2*c)*cos(x) + (2*c*x + b)*sin(x)
```

$$3.921 \quad \int \frac{\sin(x^5)}{x} dx$$

**Optimal.** Leaf size=8

$$\frac{\text{Si}(x^5)}{5}$$

[Out] SinIntegral[x^5]/5

**Rubi [A]** time = 0.0065648, antiderivative size = 8, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {3375}

$$\frac{\text{Si}(x^5)}{5}$$

Antiderivative was successfully verified.

[In] Int[Sin[x^5]/x,x]

[Out] SinIntegral[x^5]/5

**Rule 3375**

Int[Sin[(d\_.)\*(x\_)^(n\_)]/(x\_), x\_Symbol] :> Simp[SinIntegral[d\*x^n]/n, x] /  
; FreeQ[{d, n}, x]

**Rubi steps**

$$\int \frac{\sin(x^5)}{x} dx = \frac{\text{Si}(x^5)}{5}$$

**Mathematica [A]** time = 0.0019638, size = 8, normalized size = 1.

$$\frac{\text{Si}(x^5)}{5}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x^5]/x,x]

[Out] SinIntegral[x^5]/5

**Maple [A]** time = 0.005, size = 7, normalized size = 0.9

$$\frac{\text{Si}(x^5)}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(x^5)/x,x)`

[Out] `1/5*Si(x^5)`

**Maxima [C]** time = 1.08548, size = 23, normalized size = 2.88

$$-\frac{1}{10}i\operatorname{Ei}(ix^5) + \frac{1}{10}i\operatorname{Ei}(-ix^5)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x^5)/x,x, algorithm="maxima")`

[Out] `-1/10*I*Ei(I*x^5) + 1/10*I*Ei(-I*x^5)`

**Fricas [A]** time = 1.98848, size = 31, normalized size = 3.88

$$\frac{1}{5}\operatorname{Si}(x^5)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x^5)/x,x, algorithm="fricas")`

[Out] `1/5*sin_integral(x^5)`

**Sympy [A]** time = 0.571996, size = 5, normalized size = 0.62

$$\frac{\operatorname{Si}(x^5)}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x**5)/x,x)`

[Out] `Si(x**5)/5`

**Giac [A]** time = 1.10321, size = 8, normalized size = 1.

$$\frac{1}{5}\operatorname{Si}(x^5)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x^5)/x,x, algorithm="giac")`

[Out] `1/5*sin_integral(x^5)`

$$3.922 \quad \int \frac{\sin(2^x)}{1+2^x} dx$$

**Optimal.** Leaf size=37

$$\frac{\sin(1)\text{CosIntegral}(2^x + 1)}{\log(2)} + \frac{\text{Si}(2^x)}{\log(2)} - \frac{\cos(1)\text{Si}(1 + 2^x)}{\log(2)}$$

[Out] (CosIntegral[1 + 2^x]\*Sin[1])/Log[2] + SinIntegral[2^x]/Log[2] - (Cos[1]\*SinIntegral[1 + 2^x])/Log[2]

**Rubi [A]** time = 0.173205, antiderivative size = 37, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$ , Rules used = {2282, 6742, 3299, 3303, 3302}

$$\frac{\sin(1)\text{CosIntegral}(2^x + 1)}{\log(2)} + \frac{\text{Si}(2^x)}{\log(2)} - \frac{\cos(1)\text{Si}(1 + 2^x)}{\log(2)}$$

Antiderivative was successfully verified.

[In] Int[Sin[2^x]/(1 + 2^x),x]

[Out] (CosIntegral[1 + 2^x]\*Sin[1])/Log[2] + SinIntegral[2^x]/Log[2] - (Cos[1]\*SinIntegral[1 + 2^x])/Log[2]

#### Rule 2282

```
Int[u_, x_Symbol] :=> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

#### Rule 6742

```
Int[u_, x_Symbol] :=> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]
```

#### Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :=> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

#### Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :=> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

#### Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :=> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

#### Rubi steps



$$\begin{aligned}
\int \frac{\sin(2^x)}{1+2^x} dx &= \frac{\text{Subst}\left(\int \frac{\sin(x)}{x(1+x)} dx, x, 2^x\right)}{\log(2)} \\
&= \frac{\text{Subst}\left(\int \left(\frac{\sin(x)}{x} - \frac{\sin(x)}{1+x}\right) dx, x, 2^x\right)}{\log(2)} \\
&= \frac{\text{Subst}\left(\int \frac{\sin(x)}{x} dx, x, 2^x\right)}{\log(2)} - \frac{\text{Subst}\left(\int \frac{\sin(x)}{1+x} dx, x, 2^x\right)}{\log(2)} \\
&= \frac{\text{Si}(2^x)}{\log(2)} - \frac{\cos(1)\text{Subst}\left(\int \frac{\sin(1+x)}{1+x} dx, x, 2^x\right)}{\log(2)} + \frac{\sin(1)\text{Subst}\left(\int \frac{\cos(1+x)}{1+x} dx, x, 2^x\right)}{\log(2)} \\
&= \frac{\text{Ci}(1+2^x)\sin(1)}{\log(2)} + \frac{\text{Si}(2^x)}{\log(2)} - \frac{\cos(1)\text{Si}(1+2^x)}{\log(2)}
\end{aligned}$$

**Mathematica [A]** time = 0.0709211, size = 29, normalized size = 0.78

$$\frac{\sin(1)\text{CosIntegral}(2^x + 1) + \text{Si}(2^x) - \cos(1)\text{Si}(1 + 2^x)}{\log(2)}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[2^x]/(1 + 2^x), x]

[Out] (CosIntegral[1 + 2^x]\*Sin[1] + SinIntegral[2^x] - Cos[1]\*SinIntegral[1 + 2^x])/Log[2]

**Maple [A]** time = 0.01, size = 38, normalized size = 1.

$$\frac{\text{Si}(2^x)}{\ln(2)} - \frac{\cos(1)\text{Si}(1+2^x)}{\ln(2)} + \frac{\text{Ci}(1+2^x)\sin(1)}{\ln(2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(2^x)/(1+2^x), x)

[Out] Si(2^x)/ln(2)-cos(1)\*Si(1+2^x)/ln(2)+Ci(1+2^x)\*sin(1)/ln(2)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin(2^x)}{2^x + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(2^x)/(1+2^x), x, algorithm="maxima")

[Out] integrate(sin(2^x)/(2^x + 1), x)

**Fricas [A]** time = 2.14152, size = 176, normalized size = 4.76

$$\frac{\text{Ci}(2^x + 1)\sin(1) + \text{Ci}(-2^x - 1)\sin(1) - 2\cos(1)\text{Si}(2^x + 1) + 2\text{Si}(2^x)}{2\log(2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(2^x)/(1+2^x),x, algorithm="fricas")

[Out] 1/2\*(cos\_integral(2^x + 1)\*sin(1) + cos\_integral(-2^x - 1)\*sin(1) - 2\*cos(1)\*sin\_integral(2^x + 1) + 2\*sin\_integral(2^x))/log(2)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin(2^x)}{2^x + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(2\*\*x)/(1+2\*\*x),x)

[Out] Integral(sin(2\*\*x)/(2\*\*x + 1), x)

**Giac [A]** time = 1.09163, size = 39, normalized size = 1.05

$$\frac{\text{Ci}(2^x + 1)\sin(1) - \cos(1)\text{Si}(2^x + 1) + \text{Si}(2^x)}{\log(2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(2^x)/(1+2^x),x, algorithm="giac")

[Out] (cos\_integral(2^x + 1)\*sin(1) - cos(1)\*sin\_integral(2^x + 1) + sin\_integral(2^x))/log(2)

$$3.923 \quad \int x \cos(2x^2) \sin^{\frac{3}{4}}(2x^2) dx$$

**Optimal.** Leaf size=14

$$\frac{1}{7} \sin^{\frac{7}{4}}(2x^2)$$

[Out] Sin[2\*x^2]^(7/4)/7

**Rubi [A]** time = 0.0131242, antiderivative size = 14, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.056$ , Rules used = {3441}

$$\frac{1}{7} \sin^{\frac{7}{4}}(2x^2)$$

Antiderivative was successfully verified.

[In] Int[x\*Cos[2\*x^2]\*Sin[2\*x^2]^(3/4),x]

[Out] Sin[2\*x^2]^(7/4)/7

**Rule 3441**

Int[Cos[(a\_.) + (b\_.)\*(x\_)^(n\_.)]\*(x\_)^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_)^(n\_.)]^(p\_.), x\_Symbol] :> Simp[Sin[a + b\*x^n]^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

**Rubi steps**

$$\int x \cos(2x^2) \sin^{\frac{3}{4}}(2x^2) dx = \frac{1}{7} \sin^{\frac{7}{4}}(2x^2)$$

**Mathematica [A]** time = 0.0065822, size = 14, normalized size = 1.

$$\frac{1}{7} \sin^{\frac{7}{4}}(2x^2)$$

Antiderivative was successfully verified.

[In] Integrate[x\*Cos[2\*x^2]\*Sin[2\*x^2]^(3/4),x]

[Out] Sin[2\*x^2]^(7/4)/7

**Maple [A]** time = 0.004, size = 11, normalized size = 0.8

$$\frac{1}{7} (\sin(2x^2))^{\frac{7}{4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*cos(2\*x^2)\*sin(2\*x^2)^(3/4),x)

[Out]  $1/7*\sin(2*x^2)^{(7/4)}$

---

**Maxima [A]** time = 0.953281, size = 14, normalized size = 1.

$$\frac{1}{7} \sin(2x^2)^{\frac{7}{4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*cos(2*x^2)*sin(2*x^2)^(3/4),x, algorithm="maxima")`

[Out]  $1/7*\sin(2*x^2)^{(7/4)}$

---

**Fricas [A]** time = 2.15446, size = 30, normalized size = 2.14

$$\frac{1}{7} \sin(2x^2)^{\frac{7}{4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*cos(2*x^2)*sin(2*x^2)^(3/4),x, algorithm="fricas")`

[Out]  $1/7*\sin(2*x^2)^{(7/4)}$

---

**Sympy [A]** time = 120.493, size = 10, normalized size = 0.71

$$\frac{\sin^{\frac{7}{4}}(2x^2)}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*cos(2*x**2)*sin(2*x**2)**(3/4),x)`

[Out]  $\sin(2*x**2)**(7/4)/7$

---

**Giac [A]** time = 1.09325, size = 14, normalized size = 1.

$$\frac{1}{7} \sin(2x^2)^{\frac{7}{4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*cos(2*x^2)*sin(2*x^2)^(3/4),x, algorithm="giac")`

[Out]  $1/7*\sin(2*x^2)^{(7/4)}$

$$3.924 \quad \int x \sec^2(x^2) \tan^2(x^2) dx$$

**Optimal.** Leaf size=10

$$\frac{1}{6} \tan^3(x^2)$$

[Out] Tan[x^2]^3/6

**Rubi [A]** time = 0.0369431, antiderivative size = 10, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$ , Rules used = {6686}

$$\frac{1}{6} \tan^3(x^2)$$

Antiderivative was successfully verified.

[In] Int[x\*Sec[x^2]^2\*Tan[x^2]^2,x]

[Out] Tan[x^2]^3/6

**Rule 6686**

Int[(u\_)\*(y\_)^(m\_.), x\_Symbol] := With[{q = DerivativeDivides[y, u, x]}, Simp[(q\*y^(m + 1))/(m + 1), x] /; !FalseQ[q]] /; FreeQ[m, x] && NeQ[m, -1]

**Rubi steps**

$$\int x \sec^2(x^2) \tan^2(x^2) dx = \frac{1}{6} \tan^3(x^2)$$

**Mathematica [A]** time = 0.00331, size = 10, normalized size = 1.

$$\frac{1}{6} \tan^3(x^2)$$

Antiderivative was successfully verified.

[In] Integrate[x\*Sec[x^2]^2\*Tan[x^2]^2,x]

[Out] Tan[x^2]^3/6

**Maple [A]** time = 0.022, size = 15, normalized size = 1.5

$$\frac{(\sin(x^2))^3}{6 (\cos(x^2))^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*sec(x^2)^2\*tan(x^2)^2,x)

[Out]  $1/6*\sin(x^2)^3/\cos(x^2)^3$

---

**Maxima [A]** time = 0.935444, size = 11, normalized size = 1.1

$$\frac{1}{6} \tan(x^2)^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*sec(x^2)^2*tan(x^2)^2,x, algorithm="maxima")`

[Out]  $1/6*\tan(x^2)^3$

---

**Fricas [B]** time = 2.05899, size = 58, normalized size = 5.8

$$-\frac{(\cos(x^2)^2 - 1)\sin(x^2)}{6 \cos(x^2)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*sec(x^2)^2*tan(x^2)^2,x, algorithm="fricas")`

[Out]  $-1/6*(\cos(x^2)^2 - 1)*\sin(x^2)/\cos(x^2)^3$

---

**Sympy [A]** time = 1.73092, size = 7, normalized size = 0.7

$$\frac{\tan^3(x^2)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*sec(x**2)**2*tan(x**2)**2,x)`

[Out]  $\tan(x**2)**3/6$

---

**Giac [A]** time = 1.06285, size = 11, normalized size = 1.1

$$\frac{1}{6} \tan(x^2)^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*sec(x^2)^2*tan(x^2)^2,x, algorithm="giac")`

[Out]  $1/6*\tan(x^2)^3$

$$3.925 \quad \int x^2 \cos^7(a + bx^3) \sin(a + bx^3) dx$$

**Optimal.** Leaf size=17

$$-\frac{\cos^8(a + bx^3)}{24b}$$

[Out] -Cos[a + b\*x^3]^8/(24\*b)

**Rubi [A]** time = 0.0241569, antiderivative size = 17, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$ , Rules used = {3442}

$$-\frac{\cos^8(a + bx^3)}{24b}$$

Antiderivative was successfully verified.

[In] Int[x^2\*Cos[a + b\*x^3]^7\*Sin[a + b\*x^3],x]

[Out] -Cos[a + b\*x^3]^8/(24\*b)

**Rule 3442**

Int[Cos[(a\_.) + (b\_.)\*(x\_)^(n\_.)]^(p\_.)\*(x\_)^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_)^(n\_.)], x\_Symbol] :> -Simp[Cos[a + b\*x^n]^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

**Rubi steps**

$$\int x^2 \cos^7(a + bx^3) \sin(a + bx^3) dx = -\frac{\cos^8(a + bx^3)}{24b}$$

**Mathematica [A]** time = 0.0211926, size = 17, normalized size = 1.

$$-\frac{\cos^8(a + bx^3)}{24b}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*Cos[a + b\*x^3]^7\*Sin[a + b\*x^3],x]

[Out] -Cos[a + b\*x^3]^8/(24\*b)

**Maple [A]** time = 0.006, size = 16, normalized size = 0.9

$$-\frac{(\cos(bx^3 + a))^8}{24b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*cos(b*x^3+a)^7*sin(b*x^3+a),x)`

[Out] `-1/24*cos(b*x^3+a)^8/b`

**Maxima [A]** time = 0.959524, size = 20, normalized size = 1.18

$$-\frac{\cos(bx^3 + a)^8}{24b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*cos(b*x^3+a)^7*sin(b*x^3+a),x, algorithm="maxima")`

[Out] `-1/24*cos(b*x^3 + a)^8/b`

**Fricas [A]** time = 2.22122, size = 35, normalized size = 2.06

$$-\frac{\cos(bx^3 + a)^8}{24b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*cos(b*x^3+a)^7*sin(b*x^3+a),x, algorithm="fricas")`

[Out] `-1/24*cos(b*x^3 + a)^8/b`

**Sympy [A]** time = 30.8132, size = 27, normalized size = 1.59

$$\begin{cases} -\frac{\cos^8(a+bx^3)}{24b} & \text{for } b \neq 0 \\ \frac{x^3 \sin(a) \cos^7(a)}{3} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*cos(b*x**3+a)**7*sin(b*x**3+a),x)`

[Out] `Piecewise((-cos(a + b*x**3)**8/(24*b), Ne(b, 0)), (x**3*sin(a)*cos(a)**7/3, True))`

**Giac [A]** time = 1.1732, size = 20, normalized size = 1.18

$$-\frac{\cos(bx^3 + a)^8}{24b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*cos(b*x^3+a)^7*sin(b*x^3+a),x, algorithm="giac")`

[Out] `-1/24*cos(b*x^3 + a)^8/b`



### 3.926 $\int x^5 \cos^7(a + bx^3) \sin(a + bx^3) dx$

**Optimal.** Leaf size=129

$$\frac{\sin(a + bx^3) \cos^7(a + bx^3)}{192b^2} + \frac{7 \sin(a + bx^3) \cos^5(a + bx^3)}{1152b^2} + \frac{35 \sin(a + bx^3) \cos^3(a + bx^3)}{4608b^2} + \frac{35 \sin(a + bx^3) \cos(a + bx^3)}{3072b^2}$$

[Out] (35\*x^3)/(3072\*b) - (x^3\*Cos[a + b\*x^3]^8)/(24\*b) + (35\*Cos[a + b\*x^3]\*Sin[a + b\*x^3])/(3072\*b^2) + (35\*Cos[a + b\*x^3]^3\*Sin[a + b\*x^3])/(4608\*b^2) + (7\*Cos[a + b\*x^3]^5\*Sin[a + b\*x^3])/(1152\*b^2) + (Cos[a + b\*x^3]^7\*Sin[a + b\*x^3])/(192\*b^2)

**Rubi [A]** time = 0.14444, antiderivative size = 129, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {3444, 3380, 2635, 8}

$$\frac{\sin(a + bx^3) \cos^7(a + bx^3)}{192b^2} + \frac{7 \sin(a + bx^3) \cos^5(a + bx^3)}{1152b^2} + \frac{35 \sin(a + bx^3) \cos^3(a + bx^3)}{4608b^2} + \frac{35 \sin(a + bx^3) \cos(a + bx^3)}{3072b^2}$$

Antiderivative was successfully verified.

[In] Int[x^5\*Cos[a + b\*x^3]^7\*Sin[a + b\*x^3],x]

[Out] (35\*x^3)/(3072\*b) - (x^3\*Cos[a + b\*x^3]^8)/(24\*b) + (35\*Cos[a + b\*x^3]\*Sin[a + b\*x^3])/(3072\*b^2) + (35\*Cos[a + b\*x^3]^3\*Sin[a + b\*x^3])/(4608\*b^2) + (7\*Cos[a + b\*x^3]^5\*Sin[a + b\*x^3])/(1152\*b^2) + (Cos[a + b\*x^3]^7\*Sin[a + b\*x^3])/(192\*b^2)

#### Rule 3444

Int[Cos[(a\_.) + (b\_.)\*(x\_)^(n\_.)]^(p\_.)\*(x\_)^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_)^(n\_.)], x\_Symbol] := -Simp[(x^(m - n + 1)\*Cos[a + b\*x^n]^(p + 1))/(b\*n\*(p + 1)), x] + Dist[(m - n + 1)/(b\*n\*(p + 1)), Int[x^(m - n)\*Cos[a + b\*x^n]^(p + 1), x], x] /; FreeQ[{a, b, p}, x] && LtQ[0, n, m + 1] && NeQ[p, -1]

#### Rule 3380

Int[((a\_.) + Cos[(c\_.) + (d\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_.)\*(x\_)^(m\_.), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*Cos[c + d\*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)^(n\_.)])^(n\_.), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned}
\int x^5 \cos^7(a + bx^3) \sin(a + bx^3) dx &= -\frac{x^3 \cos^8(a + bx^3)}{24b} + \frac{\int x^2 \cos^8(a + bx^3) dx}{8b} \\
&= -\frac{x^3 \cos^8(a + bx^3)}{24b} + \frac{\text{Subst}\left(\int \cos^8(a + bx) dx, x, x^3\right)}{24b} \\
&= -\frac{x^3 \cos^8(a + bx^3)}{24b} + \frac{\cos^7(a + bx^3) \sin(a + bx^3)}{192b^2} + \frac{7 \text{Subst}\left(\int \cos^6(a + bx) dx, x, x^3\right)}{192b} \\
&= -\frac{x^3 \cos^8(a + bx^3)}{24b} + \frac{7 \cos^5(a + bx^3) \sin(a + bx^3)}{1152b^2} + \frac{\cos^7(a + bx^3) \sin(a + bx^3)}{192b^2} \\
&= -\frac{x^3 \cos^8(a + bx^3)}{24b} + \frac{35 \cos^3(a + bx^3) \sin(a + bx^3)}{4608b^2} + \frac{7 \cos^5(a + bx^3) \sin(a + bx^3)}{1152b^2} \\
&= -\frac{x^3 \cos^8(a + bx^3)}{24b} + \frac{35 \cos(a + bx^3) \sin(a + bx^3)}{3072b^2} + \frac{35 \cos^3(a + bx^3) \sin(a + bx^3)}{4608b^2} \\
&= \frac{35x^3}{3072b} - \frac{x^3 \cos^8(a + bx^3)}{24b} + \frac{35 \cos(a + bx^3) \sin(a + bx^3)}{3072b^2} + \frac{35 \cos^3(a + bx^3) \sin(a + bx^3)}{4608b^2}
\end{aligned}$$

**Mathematica [A]** time = 0.547363, size = 120, normalized size = 0.93

$$\frac{672 \sin(2(a + bx^3)) + 168 \sin(4(a + bx^3)) + 32 \sin(6(a + bx^3)) + 3 \sin(8(a + bx^3)) - 1344bx^3 \cos(2(a + bx^3)) - 672bx^3 \cos(4(a + bx^3)) - 192bx^3 \cos(6(a + bx^3)) - 24bx^3 \cos(8(a + bx^3)) + 672 \sin(2(a + bx^3)) + 168 \sin(4(a + bx^3)) + 32 \sin(6(a + bx^3)) + 3 \sin(8(a + bx^3))}{73728b^2}$$

Antiderivative was successfully verified.

[In] Integrate[x^5\*Cos[a + b\*x^3]^7\*Sin[a + b\*x^3],x]

[Out] (-1344\*b\*x^3\*Cos[2\*(a + b\*x^3)] - 672\*b\*x^3\*Cos[4\*(a + b\*x^3)] - 192\*b\*x^3\*Cos[6\*(a + b\*x^3)] - 24\*b\*x^3\*Cos[8\*(a + b\*x^3)] + 672\*Sin[2\*(a + b\*x^3)] + 168\*Sin[4\*(a + b\*x^3)] + 32\*Sin[6\*(a + b\*x^3)] + 3\*Sin[8\*(a + b\*x^3)])/(73728\*b^2)

**Maple [B]** time = 0.248, size = 436, normalized size = 3.4

$$\frac{1}{128 + 128 (\tan(bx^3 + a))^2} \left( -\frac{4x^3}{3b} + \frac{4 \tan(bx^3 + a)}{3b^2} + \frac{4x^3 (\tan(bx^3 + a))^2}{3b} \right) + \frac{1}{128 (1 + (\tan(bx^3 + a))^2)^2} \left( \frac{\tan(bx^3 + a)}{b^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5\*cos(b\*x^3+a)^7\*sin(b\*x^3+a),x)

[Out] 1/128\*(-4/3\*x^3/b+4/3/b^2\*tan(b\*x^3+a)+4/3\*x^3/b\*tan(b\*x^3+a)^2)/(1+tan(b\*x^3+a)^2)+1/128\*(1/b^2\*tan(b\*x^3+a)-x^3/b-1/b^2\*tan(b\*x^3+a)^3+6\*x^3/b\*tan(b\*x^3+a)^2-x^3/b\*tan(b\*x^3+a)^4)/(1+tan(b\*x^3+a)^2)^2+3/64\*(-1/18\*x^3/b+1/54/b^2\*tan(3\*b\*x^3+3\*a)+1/18\*x^3/b\*tan(3\*b\*x^3+3\*a)^2)/(1+tan(3\*b\*x^3+3\*a)^2)+3/64\*(-1/6\*x^3/b+1/6/b^2\*tan(b\*x^3+a)+1/6\*x^3/b\*tan(b\*x^3+a)^2)/(1+tan(b\*x^3+a)^2)+1/128\*(-1/6\*x^3/b+1/12/b^2\*tan(2\*b\*x^3+2\*a)+1/6\*x^3/b\*tan(2\*b\*x^3+2\*a)^2)/(1+tan(2\*b\*x^3+2\*a)^2)+1/128\*(-1/24\*x^3/b+1/48/b^2\*tan(2\*b\*x^3+2\*a)-1/48/b^2\*tan(2\*b\*x^3+2\*a)^3+1/4\*x^3/b\*tan(2\*b\*x^3+2\*a)^2-1/24\*x^3/b\*tan(2\*b\*x^3+2\*a)^4)/(1+tan(2\*b\*x^3+2\*a)^2)^2

**Maxima [A]** time = 1.02108, size = 170, normalized size = 1.32

$$\frac{24bx^3 \cos(8bx^3 + 8a) + 192bx^3 \cos(6bx^3 + 6a) + 672bx^3 \cos(4bx^3 + 4a) + 1344bx^3 \cos(2bx^3 + 2a) - 3 \sin(8bx^3 + 8a) - 32 \sin(6bx^3 + 6a) - 168 \sin(4bx^3 + 4a) - 672 \sin(2bx^3 + 2a)}{73728b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*cos(b\*x^3+a)^7\*sin(b\*x^3+a),x, algorithm="maxima")

[Out] -1/73728\*(24\*b\*x^3\*cos(8\*b\*x^3 + 8\*a) + 192\*b\*x^3\*cos(6\*b\*x^3 + 6\*a) + 672\*b\*x^3\*cos(4\*b\*x^3 + 4\*a) + 1344\*b\*x^3\*cos(2\*b\*x^3 + 2\*a) - 3\*sin(8\*b\*x^3 + 8\*a) - 32\*sin(6\*b\*x^3 + 6\*a) - 168\*sin(4\*b\*x^3 + 4\*a) - 672\*sin(2\*b\*x^3 + 2\*a))/b^2

**Fricas [A]** time = 2.18843, size = 213, normalized size = 1.65

$$\frac{384bx^3 \cos(bx^3 + a)^8 - 105bx^3 - (48 \cos(bx^3 + a)^7 + 56 \cos(bx^3 + a)^5 + 70 \cos(bx^3 + a)^3 + 105 \cos(bx^3 + a)) \sin(bx^3 + a)}{9216b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*cos(b\*x^3+a)^7\*sin(b\*x^3+a),x, algorithm="fricas")

[Out] -1/9216\*(384\*b\*x^3\*cos(b\*x^3 + a)^8 - 105\*b\*x^3 - (48\*cos(b\*x^3 + a)^7 + 56\*cos(b\*x^3 + a)^5 + 70\*cos(b\*x^3 + a)^3 + 105\*cos(b\*x^3 + a))\*sin(b\*x^3 + a))/b^2

**Sympy [A]** time = 115.585, size = 241, normalized size = 1.87

$$\left\{ \frac{35x^3 \sin^8(a+bx^3)}{3072b} + \frac{35x^3 \sin^6(a+bx^3) \cos^2(a+bx^3)}{768b} + \frac{35x^3 \sin^4(a+bx^3) \cos^4(a+bx^3)}{512b} + \frac{35x^3 \sin^2(a+bx^3) \cos^6(a+bx^3)}{768b} - \frac{31x^3 \cos^8(a+bx^3)}{1024b} + \frac{x^6 \sin(a) \cos^7(a)}{6} \right\}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*5\*cos(b\*x\*\*3+a)\*\*7\*sin(b\*x\*\*3+a),x)

[Out] Piecewise((35\*x\*\*3\*sin(a + b\*x\*\*3)\*\*8/(3072\*b) + 35\*x\*\*3\*sin(a + b\*x\*\*3)\*\*6\*cos(a + b\*x\*\*3)\*\*2/(768\*b) + 35\*x\*\*3\*sin(a + b\*x\*\*3)\*\*4\*cos(a + b\*x\*\*3)\*\*4/(512\*b) + 35\*x\*\*3\*sin(a + b\*x\*\*3)\*\*2\*cos(a + b\*x\*\*3)\*\*6/(768\*b) - 31\*x\*\*3\*cos(a + b\*x\*\*3)\*\*8/(1024\*b) + 35\*sin(a + b\*x\*\*3)\*\*7\*cos(a + b\*x\*\*3)/(3072\*b\*\*2) + 385\*sin(a + b\*x\*\*3)\*\*5\*cos(a + b\*x\*\*3)\*\*3/(9216\*b\*\*2) + 511\*sin(a + b\*x\*\*3)\*\*3\*cos(a + b\*x\*\*3)\*\*5/(9216\*b\*\*2) + 31\*sin(a + b\*x\*\*3)\*cos(a + b\*x\*\*3)\*\*7/(1024\*b\*\*2), Ne(b, 0)), (x\*\*6\*sin(a)\*cos(a)\*\*7/6, True))

**Giac [A]** time = 1.18963, size = 170, normalized size = 1.32

$$\frac{24bx^3 \cos(8bx^3 + 8a) + 192bx^3 \cos(6bx^3 + 6a) + 672bx^3 \cos(4bx^3 + 4a) + 1344bx^3 \cos(2bx^3 + 2a) - 3 \sin(8bx^3 + 8a) - 32 \sin(6bx^3 + 6a) - 168 \sin(4bx^3 + 4a) - 672 \sin(2bx^3 + 2a)}{73728b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*cos(b*x^3+a)^7*sin(b*x^3+a),x, algorithm="giac")
```

```
[Out] -1/73728*(24*b*x^3*cos(8*b*x^3 + 8*a) + 192*b*x^3*cos(6*b*x^3 + 6*a) + 672*  
b*x^3*cos(4*b*x^3 + 4*a) + 1344*b*x^3*cos(2*b*x^3 + 2*a) - 3*sin(8*b*x^3 +  
8*a) - 32*sin(6*b*x^3 + 6*a) - 168*sin(4*b*x^3 + 4*a) - 672*sin(2*b*x^3 + 2  
*a))/b^2
```

### 3.927 $\int x^5 \sec^7(a + bx^3) \tan(a + bx^3) dx$

**Optimal.** Leaf size=110

$$\frac{5 \tanh^{-1}(\sin(a + bx^3))}{336b^2} - \frac{\tan(a + bx^3) \sec^5(a + bx^3)}{126b^2} - \frac{5 \tan(a + bx^3) \sec^3(a + bx^3)}{504b^2} - \frac{5 \tan(a + bx^3) \sec(a + bx^3)}{336b^2}$$

[Out]  $(-5 \operatorname{ArcTanh}[\sin[a + b x^3]]) / (336 b^2) + (x^3 \operatorname{Sec}[a + b x^3]^7) / (21 b) - (5 \operatorname{Sec}[a + b x^3] \operatorname{Tan}[a + b x^3]) / (336 b^2) - (5 \operatorname{Sec}[a + b x^3]^3 \operatorname{Tan}[a + b x^3]) / (504 b^2) - (\operatorname{Sec}[a + b x^3]^5 \operatorname{Tan}[a + b x^3]) / (126 b^2)$

**Rubi [A]** time = 0.112444, antiderivative size = 110, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {3757, 4204, 3768, 3770}

$$\frac{5 \tanh^{-1}(\sin(a + bx^3))}{336b^2} - \frac{\tan(a + bx^3) \sec^5(a + bx^3)}{126b^2} - \frac{5 \tan(a + bx^3) \sec^3(a + bx^3)}{504b^2} - \frac{5 \tan(a + bx^3) \sec(a + bx^3)}{336b^2}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[x^5 \operatorname{Sec}[a + b x^3]^7 \operatorname{Tan}[a + b x^3], x]$

[Out]  $(-5 \operatorname{ArcTanh}[\sin[a + b x^3]]) / (336 b^2) + (x^3 \operatorname{Sec}[a + b x^3]^7) / (21 b) - (5 \operatorname{Sec}[a + b x^3] \operatorname{Tan}[a + b x^3]) / (336 b^2) - (5 \operatorname{Sec}[a + b x^3]^3 \operatorname{Tan}[a + b x^3]) / (504 b^2) - (\operatorname{Sec}[a + b x^3]^5 \operatorname{Tan}[a + b x^3]) / (126 b^2)$

#### Rule 3757

$\operatorname{Int}[(x_)^{(m_.)} \operatorname{Sec}[(a_.) + (b_.)(x_)^{(n_.)}]^{(p_.)} \operatorname{Tan}[(a_.) + (b_.)(x_)^{(n_.)}]^{(q_.)}, x\_Symbol] \rightarrow \operatorname{Simp}[(x^{(m - n + 1)} \operatorname{Sec}[a + b x^n]^p) / (b^n p), x] - \operatorname{Dist}[(m - n + 1) / (b^n p), \operatorname{Int}[x^{(m - n)} \operatorname{Sec}[a + b x^n]^p, x], x] /;$  FreeQ[{a, b, p}, x] && IntegerQ[n] && GeQ[m, n] && EqQ[q, 1]

#### Rule 4204

$\operatorname{Int}[(x_)^{(m_.)} ((a_.) + (b_.) \operatorname{Sec}[(c_.) + (d_.)(x_)^{(n_.)}])^{(p_.)}, x\_Symbol] \rightarrow \operatorname{Dist}[1/n, \operatorname{Subst}[\operatorname{Int}[x^{(\operatorname{Simplify}[(m + 1)/n] - 1)} (a + b \operatorname{Sec}[c + d x])^p, x], x, x^n], x] /;$  FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]

#### Rule 3768

$\operatorname{Int}[(\operatorname{csc}[(c_.) + (d_.)(x_)] (b_.))^{(n_.)}, x\_Symbol] \rightarrow -\operatorname{Simp}[(b \operatorname{Cos}[c + d x]) (b \operatorname{Csc}[c + d x])^{(n - 1)}) / (d (n - 1)), x] + \operatorname{Dist}[(b^2 (n - 2)) / (n - 1), \operatorname{Int}[(b \operatorname{Csc}[c + d x])^{(n - 2)}, x], x] /;$  FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3770

$\operatorname{Int}[\operatorname{csc}[(c_.) + (d_.)(x_)], x\_Symbol] \rightarrow -\operatorname{Simp}[\operatorname{ArcTanh}[\operatorname{Cos}[c + d x]] / d, x] /;$  FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int x^5 \sec^7(a + bx^3) \tan(a + bx^3) dx &= \frac{x^3 \sec^7(a + bx^3)}{21b} - \frac{\int x^2 \sec^7(a + bx^3) dx}{7b} \\
&= \frac{x^3 \sec^7(a + bx^3)}{21b} - \frac{\text{Subst}\left(\int \sec^7(a + bx) dx, x, x^3\right)}{21b} \\
&= \frac{x^3 \sec^7(a + bx^3)}{21b} - \frac{\sec^5(a + bx^3) \tan(a + bx^3)}{126b^2} - \frac{5 \text{Subst}\left(\int \sec^5(a + bx) dx, x, x^3\right)}{126b} \\
&= \frac{x^3 \sec^7(a + bx^3)}{21b} - \frac{5 \sec^3(a + bx^3) \tan(a + bx^3)}{504b^2} - \frac{\sec^5(a + bx^3) \tan(a + bx^3)}{126b^2} \\
&= \frac{x^3 \sec^7(a + bx^3)}{21b} - \frac{5 \sec(a + bx^3) \tan(a + bx^3)}{336b^2} - \frac{5 \sec^3(a + bx^3) \tan(a + bx^3)}{504b^2} \\
&= -\frac{5 \tanh^{-1}(\sin(a + bx^3))}{336b^2} + \frac{x^3 \sec^7(a + bx^3)}{21b} - \frac{5 \sec(a + bx^3) \tan(a + bx^3)}{336b^2}
\end{aligned}$$

**Mathematica [B]** time = 0.883299, size = 352, normalized size = 3.2

$$\sec^7(a + bx^3) \left( -566 \sin(2(a + bx^3)) - 200 \sin(4(a + bx^3)) - 30 \sin(6(a + bx^3)) + 105 \cos(5(a + bx^3)) \log\left(\cos\left(\frac{1}{2}(a + bx^3)\right)\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^5\*Sec[a + b\*x^3]^7\*Tan[a + b\*x^3], x]

[Out] (Sec[a + b\*x^3]^7\*(3072\*b\*x^3 + 105\*Cos[5\*(a + b\*x^3)]\*Log[Cos[(a + b\*x^3)/2] - Sin[(a + b\*x^3)/2]] + 15\*Cos[7\*(a + b\*x^3)]\*Log[Cos[(a + b\*x^3)/2] - Sin[(a + b\*x^3)/2]] + 525\*Cos[a + b\*x^3]\*(Log[Cos[(a + b\*x^3)/2] - Sin[(a + b\*x^3)/2]] - Log[Cos[(a + b\*x^3)/2] + Sin[(a + b\*x^3)/2]]) + 315\*Cos[3\*(a + b\*x^3)]\*(Log[Cos[(a + b\*x^3)/2] - Sin[(a + b\*x^3)/2]] - Log[Cos[(a + b\*x^3)/2] + Sin[(a + b\*x^3)/2]]) - 105\*Cos[5\*(a + b\*x^3)]\*Log[Cos[(a + b\*x^3)/2] + Sin[(a + b\*x^3)/2]] - 15\*Cos[7\*(a + b\*x^3)]\*Log[Cos[(a + b\*x^3)/2] + Sin[(a + b\*x^3)/2]] - 566\*Sin[2\*(a + b\*x^3)] - 200\*Sin[4\*(a + b\*x^3)] - 30\*Sin[6\*(a + b\*x^3)])/(64512\*b^2)

**Maple [C]** time = 0.148, size = 160, normalized size = 1.5

$$\frac{i}{504} \left( 15 e^{13i(bx^3+a)} - 3072 i b x^3 e^{7i(bx^3+a)} + 100 e^{11i(bx^3+a)} + 283 e^{9i(bx^3+a)} - 283 e^{5i(bx^3+a)} - 100 e^{3i(bx^3+a)} - 15 e^{i(bx^3+a)} \right) / b^2 \left( e^{2i(bx^3+a)} + 1 \right)^7$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5\*sec(b\*x^3+a)^7\*tan(b\*x^3+a), x)

[Out] 1/504\*I/b^2/(exp(2\*I\*(b\*x^3+a))+1)^7\*(15\*exp(13\*I\*(b\*x^3+a))-3072\*I\*b\*x^3\*exp(7\*I\*(b\*x^3+a))+100\*exp(11\*I\*(b\*x^3+a))+283\*exp(9\*I\*(b\*x^3+a))-283\*exp(5\*I\*(b\*x^3+a))-100\*exp(3\*I\*(b\*x^3+a))-15\*exp(I\*(b\*x^3+a)))-5/336/b^2\*ln(exp(I\*(b\*x^3+a))+I)+5/336/b^2\*ln(exp(I\*(b\*x^3+a))-I)

**Maxima [B]** time = 2.32208, size = 5171, normalized size = 47.01

result too large to display



$a) + 84*(3072*b*x^3*\sin(7*b*x^3 + 7*a) + 283*\cos(9*b*x^3 + 9*a) - 283*\cos(5*b*x^3 + 5*a) - 100*\cos(3*b*x^3 + 3*a) - 15*\cos(b*x^3 + a))*\sin(10*b*x^3 + 10*a) - 1132*(35*\cos(8*b*x^3 + 8*a) + 35*\cos(6*b*x^3 + 6*a) + 21*\cos(4*b*x^3 + 4*a) + 7*\cos(2*b*x^3 + 2*a) + 1)*\sin(9*b*x^3 + 9*a) + 140*(3072*b*x^3*\sin(7*b*x^3 + 7*a) - 283*\cos(5*b*x^3 + 5*a) - 100*\cos(3*b*x^3 + 3*a) - 15*\cos(b*x^3 + a))*\sin(8*b*x^3 + 8*a) + 86016*(5*b*x^3*\sin(6*b*x^3 + 6*a) + 3*b*x^3*\sin(4*b*x^3 + 4*a) + b*x^3*\sin(2*b*x^3 + 2*a))*\sin(7*b*x^3 + 7*a) - 140*(283*\cos(5*b*x^3 + 5*a) + 100*\cos(3*b*x^3 + 3*a) + 15*\cos(b*x^3 + a))*\sin(6*b*x^3 + 6*a) + 1132*(21*\cos(4*b*x^3 + 4*a) + 7*\cos(2*b*x^3 + 2*a) + 1)*\sin(5*b*x^3 + 5*a) - 420*(20*\cos(3*b*x^3 + 3*a) + 3*\cos(b*x^3 + a))*\sin(4*b*x^3 + 4*a) + 400*(7*\cos(2*b*x^3 + 2*a) + 1)*\sin(3*b*x^3 + 3*a) - 2800*\cos(3*b*x^3 + 3*a)*\sin(2*b*x^3 + 2*a) - 420*\cos(b*x^3 + a)*\sin(2*b*x^3 + 2*a) + 420*\cos(2*b*x^3 + 2*a)*\sin(b*x^3 + a) + 60*\sin(b*x^3 + a))/(b^2*\cos(14*b*x^3 + 14*a)^2 + 49*b^2*\cos(12*b*x^3 + 12*a)^2 + 441*b^2*\cos(10*b*x^3 + 10*a)^2 + 1225*b^2*\cos(8*b*x^3 + 8*a)^2 + 1225*b^2*\cos(6*b*x^3 + 6*a)^2 + 441*b^2*\cos(4*b*x^3 + 4*a)^2 + 49*b^2*\cos(2*b*x^3 + 2*a)^2 + b^2*\sin(14*b*x^3 + 14*a)^2 + 49*b^2*\sin(12*b*x^3 + 12*a)^2 + 441*b^2*\sin(10*b*x^3 + 10*a)^2 + 1225*b^2*\sin(8*b*x^3 + 8*a)^2 + 1225*b^2*\sin(6*b*x^3 + 6*a)^2 + 441*b^2*\sin(4*b*x^3 + 4*a)^2 + 294*b^2*\sin(4*b*x^3 + 4*a)*\sin(2*b*x^3 + 2*a) + 49*b^2*\sin(2*b*x^3 + 2*a)^2 + 14*b^2*\cos(2*b*x^3 + 2*a) + b^2 + 2*(7*b^2*\cos(12*b*x^3 + 12*a) + 21*b^2*\cos(10*b*x^3 + 10*a) + 35*b^2*\cos(8*b*x^3 + 8*a) + 35*b^2*\cos(6*b*x^3 + 6*a) + 21*b^2*\cos(4*b*x^3 + 4*a) + 7*b^2*\cos(2*b*x^3 + 2*a) + b^2)*\cos(14*b*x^3 + 14*a) + 14*(21*b^2*\cos(10*b*x^3 + 10*a) + 35*b^2*\cos(8*b*x^3 + 8*a) + 35*b^2*\cos(6*b*x^3 + 6*a) + 21*b^2*\cos(4*b*x^3 + 4*a) + 7*b^2*\cos(2*b*x^3 + 2*a) + b^2)*\cos(12*b*x^3 + 12*a) + 42*(35*b^2*\cos(8*b*x^3 + 8*a) + 35*b^2*\cos(6*b*x^3 + 6*a) + 21*b^2*\cos(4*b*x^3 + 4*a) + 7*b^2*\cos(2*b*x^3 + 2*a) + b^2)*\cos(10*b*x^3 + 10*a) + 70*(35*b^2*\cos(6*b*x^3 + 6*a) + 21*b^2*\cos(4*b*x^3 + 4*a) + 7*b^2*\cos(2*b*x^3 + 2*a) + b^2)*\cos(8*b*x^3 + 8*a) + 70*(21*b^2*\cos(4*b*x^3 + 4*a) + 7*b^2*\cos(2*b*x^3 + 2*a) + b^2)*\cos(6*b*x^3 + 6*a) + 42*(7*b^2*\cos(2*b*x^3 + 2*a) + b^2)*\cos(4*b*x^3 + 4*a) + 14*(b^2*\sin(12*b*x^3 + 12*a) + 3*b^2*\sin(10*b*x^3 + 10*a) + 5*b^2*\sin(8*b*x^3 + 8*a) + 5*b^2*\sin(6*b*x^3 + 6*a) + 3*b^2*\sin(4*b*x^3 + 4*a) + b^2*\sin(2*b*x^3 + 2*a))*\sin(14*b*x^3 + 14*a) + 98*(3*b^2*\sin(10*b*x^3 + 10*a) + 5*b^2*\sin(8*b*x^3 + 8*a) + 5*b^2*\sin(6*b*x^3 + 6*a) + 3*b^2*\sin(4*b*x^3 + 4*a) + b^2*\sin(2*b*x^3 + 2*a))*\sin(12*b*x^3 + 12*a) + 294*(5*b^2*\sin(8*b*x^3 + 8*a) + 5*b^2*\sin(6*b*x^3 + 6*a) + 3*b^2*\sin(4*b*x^3 + 4*a) + b^2*\sin(2*b*x^3 + 2*a))*\sin(10*b*x^3 + 10*a) + 490*(5*b^2*\sin(6*b*x^3 + 6*a) + 3*b^2*\sin(4*b*x^3 + 4*a) + b^2*\sin(2*b*x^3 + 2*a))*\sin(8*b*x^3 + 8*a) + 490*(3*b^2*\sin(4*b*x^3 + 4*a) + b^2*\sin(2*b*x^3 + 2*a))*\sin(6*b*x^3 + 6*a))$

**Fricas [A]** time = 2.31409, size = 294, normalized size = 2.67

$$\frac{15 \cos(bx^3 + a)^7 \log(\sin(bx^3 + a) + 1) - 15 \cos(bx^3 + a)^7 \log(-\sin(bx^3 + a) + 1) - 96bx^3 + 2(15 \cos(bx^3 + a)^5 + 10 \cos(bx^3 + a)^3 + 8 \cos(bx^3 + a)) \sin(bx^3 + a)}{2016b^2 \cos(bx^3 + a)^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*sec(b\*x^3+a)^7\*tan(b\*x^3+a),x, algorithm="fricas")

[Out] -1/2016\*(15\*cos(b\*x^3 + a)^7\*log(sin(b\*x^3 + a) + 1) - 15\*cos(b\*x^3 + a)^7\*log(-sin(b\*x^3 + a) + 1) - 96\*b\*x^3 + 2\*(15\*cos(b\*x^3 + a)^5 + 10\*cos(b\*x^3 + a)^3 + 8\*cos(b\*x^3 + a))\*sin(b\*x^3 + a))/(b^2\*cos(b\*x^3 + a)^7)



**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int x^5 \tan(a + bx^3) \sec^7(a + bx^3) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*5\*sec(b\*x\*\*3+a)\*\*7\*tan(b\*x\*\*3+a),x)

[Out] Integral(x\*\*5\*tan(a + b\*x\*\*3)\*sec(a + b\*x\*\*3)\*\*7, x)

**Giac [B]** time = 2.43347, size = 1964, normalized size = 17.85

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*sec(b\*x^3+a)^7\*tan(b\*x^3+a),x, algorithm="giac")

[Out] 
$$\begin{aligned} & -1/2016*(96*(b*x^3 + a)*\tan(1/2*b*x^3 + 1/2*a)^{14} - 96*a*\tan(1/2*b*x^3 + 1/2*a)^{14} + 15*\log(2*(\tan(1/2*b*x^3 + 1/2*a)^2 + 2*\tan(1/2*b*x^3 + 1/2*a) + 1)/(\tan(1/2*b*x^3 + 1/2*a)^2 + 1))*\tan(1/2*b*x^3 + 1/2*a)^{14} - 15*\log(2*(\tan(1/2*b*x^3 + 1/2*a)^2 - 2*\tan(1/2*b*x^3 + 1/2*a) + 1)/(\tan(1/2*b*x^3 + 1/2*a)^2 + 1))*\tan(1/2*b*x^3 + 1/2*a)^{14} + 672*(b*x^3 + a)*\tan(1/2*b*x^3 + 1/2*a)^{12} - 672*a*\tan(1/2*b*x^3 + 1/2*a)^{12} - 105*\log(2*(\tan(1/2*b*x^3 + 1/2*a)^2 + 2*\tan(1/2*b*x^3 + 1/2*a) + 1)/(\tan(1/2*b*x^3 + 1/2*a)^2 + 1))*\tan(1/2*b*x^3 + 1/2*a)^{12} + 105*\log(2*(\tan(1/2*b*x^3 + 1/2*a)^2 - 2*\tan(1/2*b*x^3 + 1/2*a) + 1)/(\tan(1/2*b*x^3 + 1/2*a)^2 + 1))*\tan(1/2*b*x^3 + 1/2*a)^{12} + 132*\tan(1/2*b*x^3 + 1/2*a)^{13} + 2016*(b*x^3 + a)*\tan(1/2*b*x^3 + 1/2*a)^{10} - 2016*a*\tan(1/2*b*x^3 + 1/2*a)^{10} + 315*\log(2*(\tan(1/2*b*x^3 + 1/2*a)^2 + 2*\tan(1/2*b*x^3 + 1/2*a) + 1)/(\tan(1/2*b*x^3 + 1/2*a)^2 + 1))*\tan(1/2*b*x^3 + 1/2*a)^{10} - 315*\log(2*(\tan(1/2*b*x^3 + 1/2*a)^2 - 2*\tan(1/2*b*x^3 + 1/2*a) + 1)/(\tan(1/2*b*x^3 + 1/2*a)^2 + 1))*\tan(1/2*b*x^3 + 1/2*a)^{10} - 112*\tan(1/2*b*x^3 + 1/2*a)^{11} + 3360*(b*x^3 + a)*\tan(1/2*b*x^3 + 1/2*a)^8 - 3360*a*\tan(1/2*b*x^3 + 1/2*a)^8 - 525*\log(2*(\tan(1/2*b*x^3 + 1/2*a)^2 + 2*\tan(1/2*b*x^3 + 1/2*a) + 1)/(\tan(1/2*b*x^3 + 1/2*a)^2 + 1))*\tan(1/2*b*x^3 + 1/2*a)^8 + 525*\log(2*(\tan(1/2*b*x^3 + 1/2*a)^2 - 2*\tan(1/2*b*x^3 + 1/2*a) + 1)/(\tan(1/2*b*x^3 + 1/2*a)^2 + 1))*\tan(1/2*b*x^3 + 1/2*a)^8 + 340*\tan(1/2*b*x^3 + 1/2*a)^9 + 3360*(b*x^3 + a)*\tan(1/2*b*x^3 + 1/2*a)^6 - 3360*a*\tan(1/2*b*x^3 + 1/2*a)^6 + 525*\log(2*(\tan(1/2*b*x^3 + 1/2*a)^2 + 2*\tan(1/2*b*x^3 + 1/2*a) + 1)/(\tan(1/2*b*x^3 + 1/2*a)^2 + 1))*\tan(1/2*b*x^3 + 1/2*a)^6 - 525*\log(2*(\tan(1/2*b*x^3 + 1/2*a)^2 - 2*\tan(1/2*b*x^3 + 1/2*a) + 1)/(\tan(1/2*b*x^3 + 1/2*a)^2 + 1))*\tan(1/2*b*x^3 + 1/2*a)^6 + 2016*(b*x^3 + a)*\tan(1/2*b*x^3 + 1/2*a)^4 - 2016*a*\tan(1/2*b*x^3 + 1/2*a)^4 - 315*\log(2*(\tan(1/2*b*x^3 + 1/2*a)^2 + 2*\tan(1/2*b*x^3 + 1/2*a) + 1)/(\tan(1/2*b*x^3 + 1/2*a)^2 + 1))*\tan(1/2*b*x^3 + 1/2*a)^4 + 315*\log(2*(\tan(1/2*b*x^3 + 1/2*a)^2 - 2*\tan(1/2*b*x^3 + 1/2*a) + 1)/(\tan(1/2*b*x^3 + 1/2*a)^2 + 1))*\tan(1/2*b*x^3 + 1/2*a)^4 - 340*\tan(1/2*b*x^3 + 1/2*a)^5 + 96*b*x^3 + 672*(b*x^3 + a)*\tan(1/2*b*x^3 + 1/2*a)^2 - 672*a*\tan(1/2*b*x^3 + 1/2*a)^2 + 105*\log(2*(\tan(1/2*b*x^3 + 1/2*a)^2 + 2*\tan(1/2*b*x^3 + 1/2*a) + 1)/(\tan(1/2*b*x^3 + 1/2*a)^2 + 1))*\tan(1/2*b*x^3 + 1/2*a)^2 - 105*\log(2*(\tan(1/2*b*x^3 + 1/2*a)^2 - 2*\tan(1/2*b*x^3 + 1/2*a) + 1)/(\tan(1/2*b*x^3 + 1/2*a)^2 + 1))*\tan(1/2*b*x^3 + 1/2*a)^2 + 112*\tan(1/2*b*x^3 + 1/2*a)^3 - 15*\log(2*(\tan(1/2*b*x^3 + 1/2*a)^2 + 2*\tan(1/2*b*x^3 + 1/2*a) + 1)/(\tan(1/2*b*x^3 + 1/2*a)^2 + 1)) + 15*\log(2*(\tan(1/2*b*x^3 + 1/2*a)^2 - 2*\tan(1/2*b*x^3 + 1/2*a) + 1)/(\tan(1/2*b*x^3 + 1/2*a)^2 + 1)) - 132*\tan(1/2*b*x^3 + 1/2*a))/((\tan(1/2*b*x^3 + 1/2*a)^{14} - 7*\tan(1/2*b*x^3 + 1/2*a)^{12} + 21*\tan(1/2*b*x^3 + 1/2*a)^{10} - 35*\tan(1/2*b*x^3 + 1/2*a)^8 - 35*\tan(1/2*b*x^3 + 1/2*a)^6 + 21*\tan(1/2*b*x^3 + 1/2*a)^4 - 7*\tan(1/2*b*x^3 + 1/2*a)^2 + 1)) \end{aligned}$$

$$8 + 35*\tan(1/2*b*x^3 + 1/2*a)^6 - 21*\tan(1/2*b*x^3 + 1/2*a)^4 + 7*\tan(1/2*b*x^3 + 1/2*a)^2 - 1)*b^2)$$

$$3.928 \quad \int \frac{\sec^2\left(\frac{1}{x}\right)}{x^2} dx$$

**Optimal.** Leaf size=6

$$-\tan\left(\frac{1}{x}\right)$$

[Out] -Tan[x^(-1)]

**Rubi [A]** time = 0.0204549, antiderivative size = 6, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.3$ , Rules used = {4204, 3767, 8}

$$-\tan\left(\frac{1}{x}\right)$$

Antiderivative was successfully verified.

[In] Int[Sec[x^(-1)]^2/x^2,x]

[Out] -Tan[x^(-1)]

#### Rule 4204

Int[(x\_)^(m\_.)\*((a\_.) + (b\_.)\*Sec[(c\_.) + (d\_.)\*(x\_)^(n\_)])^(p\_.), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*Sec[c + d\*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]

#### Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

#### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned} \int \frac{\sec^2\left(\frac{1}{x}\right)}{x^2} dx &= -\text{Subst}\left(\int \sec^2(x) dx, x, \frac{1}{x}\right) \\ &= \text{Subst}\left(\int 1 dx, x, -\tan\left(\frac{1}{x}\right)\right) \\ &= -\tan\left(\frac{1}{x}\right) \end{aligned}$$

**Mathematica [A]** time = 0.0175814, size = 6, normalized size = 1.

$$-\tan\left(\frac{1}{x}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[x^(-1)]^2/x^2,x]

[Out] -Tan[x^(-1)]

**Maple [A]** time = 0.007, size = 7, normalized size = 1.2

$$-\tan(x^{-1})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(1/x)^2/x^2,x)

[Out] -tan(1/x)

**Maxima [B]** time = 0.961808, size = 49, normalized size = 8.17

$$-\frac{2 \sin\left(\frac{2}{x}\right)}{\cos\left(\frac{2}{x}\right)^2 + \sin\left(\frac{2}{x}\right)^2 + 2 \cos\left(\frac{2}{x}\right) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(1/x)^2/x^2,x, algorithm="maxima")

[Out] -2\*sin(2/x)/(cos(2/x)^2 + sin(2/x)^2 + 2\*cos(2/x) + 1)

**Fricas [A]** time = 2.11173, size = 27, normalized size = 4.5

$$-\frac{\sin\left(\frac{1}{x}\right)}{\cos\left(\frac{1}{x}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(1/x)^2/x^2,x, algorithm="fricas")

[Out] -sin(1/x)/cos(1/x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec^2\left(\frac{1}{x}\right)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(1/x)**2/x**2,x)
```

```
[Out] Integral(sec(1/x)**2/x**2, x)
```

---

**Giac [A]** time = 1.07121, size = 8, normalized size = 1.33

$$-\tan\left(\frac{1}{x}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(1/x)^2/x^2,x, algorithm="giac")
```

```
[Out] -tan(1/x)
```

### 3.929 $\int 3x^2 \cos(x^3) dx$

**Optimal.** Leaf size=4

$$\sin(x^3)$$

[Out] Sin[x^3]

**Rubi [A]** time = 0.0097691, antiderivative size = 4, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {12, 3380, 2637}

$$\sin(x^3)$$

Antiderivative was successfully verified.

[In] Int[3\*x^2\*Cos[x^3],x]

[Out] Sin[x^3]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 3380

Int[((a\_.) + Cos[(c\_.) + (d\_.)\*(x\_)^(n\_)])\*(b\_.))^(p\_.)\*(x\_)^(m\_.), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*Cos[c + d\*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int 3x^2 \cos(x^3) dx &= 3 \int x^2 \cos(x^3) dx \\ &= \text{Subst} \left( \int \cos(x) dx, x, x^3 \right) \\ &= \sin(x^3) \end{aligned}$$

**Mathematica [A]** time = 0.0016308, size = 4, normalized size = 1.

$$\sin(x^3)$$

Antiderivative was successfully verified.

[In] Integrate[3\*x^2\*Cos[x^3],x]

[Out] Sin[x^3]

**Maple [A]** time = 0.002, size = 5, normalized size = 1.3

$$\sin(x^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(3\*x^2\*cos(x^3),x)

[Out] sin(x^3)

**Maxima [A]** time = 0.940966, size = 5, normalized size = 1.25

$$\sin(x^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(3\*x^2\*cos(x^3),x, algorithm="maxima")

[Out] sin(x^3)

**Fricas [A]** time = 2.01688, size = 14, normalized size = 3.5

$$\sin(x^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(3\*x^2\*cos(x^3),x, algorithm="fricas")

[Out] sin(x^3)

**Sympy [A]** time = 0.292507, size = 3, normalized size = 0.75

$$\sin(x^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(3\*x\*\*2\*cos(x\*\*3),x)

[Out] sin(x\*\*3)

**Giac [A]** time = 1.07257, size = 5, normalized size = 1.25

$$\sin(x^3)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(3*x^2*cos(x^3),x, algorithm="giac")
```

```
[Out] sin(x^3)
```



### 3.930 $\int (1 + 2x) \sec^2(1 + 2x) dx$

**Optimal.** Leaf size=27

$$\frac{1}{2}(2x + 1) \tan(2x + 1) + \frac{1}{2} \log(\cos(2x + 1))$$

[Out] Log[Cos[1 + 2\*x]]/2 + ((1 + 2\*x)\*Tan[1 + 2\*x])/2

**Rubi [A]** time = 0.0234298, antiderivative size = 27, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {4184, 3475}

$$\frac{1}{2}(2x + 1) \tan(2x + 1) + \frac{1}{2} \log(\cos(2x + 1))$$

Antiderivative was successfully verified.

[In] Int[(1 + 2\*x)\*Sec[1 + 2\*x]^2,x]

[Out] Log[Cos[1 + 2\*x]]/2 + ((1 + 2\*x)\*Tan[1 + 2\*x])/2

#### Rule 4184

Int[csc[(e\_.) + (f\_.)\*(x\_)]^2\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := -Simp[p[((c + d\*x)^m\*Cot[e + f\*x])/f, x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Cot[e + f\*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

#### Rule 3475

Int[tan[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[Log[RemoveContent[Cos[c + d\*x], x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int (1 + 2x) \sec^2(1 + 2x) dx &= \frac{1}{2}(1 + 2x) \tan(1 + 2x) - \int \tan(1 + 2x) dx \\ &= \frac{1}{2} \log(\cos(1 + 2x)) + \frac{1}{2}(1 + 2x) \tan(1 + 2x) \end{aligned}$$

**Mathematica [A]** time = 0.0145957, size = 30, normalized size = 1.11

$$x \tan(2x + 1) + \frac{1}{2} \tan(2x + 1) + \frac{1}{2} \log(\cos(2x + 1))$$

Antiderivative was successfully verified.

[In] Integrate[(1 + 2\*x)\*Sec[1 + 2\*x]^2,x]

[Out] Log[Cos[1 + 2\*x]]/2 + Tan[1 + 2\*x]/2 + x\*Tan[1 + 2\*x]

**Maple [A]** time = 0.008, size = 24, normalized size = 0.9

$$\frac{\ln(\cos(1+2x))}{2} + \frac{(1+2x)\tan(1+2x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+2\*x)\*sec(1+2\*x)^2,x)

[Out] 1/2\*ln(cos(1+2\*x))+1/2\*(1+2\*x)\*tan(1+2\*x)

**Maxima [B]** time = 1.44956, size = 132, normalized size = 4.89

$$\frac{(\cos(4x+2)^2 + \sin(4x+2)^2 + 2\cos(4x+2) + 1)\log(\cos(4x+2)^2 + \sin(4x+2)^2 + 2\cos(4x+2) + 1) + 4(2x + 1)\sin(4x+2)}{4(\cos(4x+2)^2 + \sin(4x+2)^2 + 2\cos(4x+2) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+2\*x)\*sec(1+2\*x)^2,x, algorithm="maxima")

[Out] 1/4\*((cos(4\*x + 2)^2 + sin(4\*x + 2)^2 + 2\*cos(4\*x + 2) + 1)\*log(cos(4\*x + 2)^2 + sin(4\*x + 2)^2 + 2\*cos(4\*x + 2) + 1) + 4\*(2\*x + 1)\*sin(4\*x + 2))/(cos(4\*x + 2)^2 + sin(4\*x + 2)^2 + 2\*cos(4\*x + 2) + 1)

**Fricas [A]** time = 2.02397, size = 104, normalized size = 3.85

$$\frac{\cos(2x+1)\log(-\cos(2x+1)) + (2x+1)\sin(2x+1)}{2\cos(2x+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+2\*x)\*sec(1+2\*x)^2,x, algorithm="fricas")

[Out] 1/2\*(cos(2\*x + 1)\*log(-cos(2\*x + 1)) + (2\*x + 1)\*sin(2\*x + 1))/cos(2\*x + 1)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (2x+1)\sec^2(2x+1) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+2\*x)\*sec(1+2\*x)\*\*2,x)

[Out] Integral((2\*x + 1)\*sec(2\*x + 1)\*\*2, x)

**Giac [B]** time = 1.356, size = 1273, normalized size = 47.15

result too large to display



$$3.931 \quad \int \left( \frac{x^4}{b\sqrt{x^3+3\sin(ax+bx)}} + \frac{x^2 \cos(ax+bx)}{\sqrt{x^3+3\sin(ax+bx)}} + \frac{4x\sqrt{x^3+3\sin(ax+bx)}}{3b} \right) dx$$

**Optimal.** Leaf size=26

$$\frac{2x^2\sqrt{3\sin(ax+bx)+x^3}}{3b}$$

[Out] (2\*x^2\*Sqrt[x^3 + 3\*Sin[a + b\*x]])/(3\*b)

**Rubi [F]** time = 0.810739, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \left( \frac{x^4}{b\sqrt{x^3+3\sin(ax+bx)}} + \frac{x^2 \cos(ax+bx)}{\sqrt{x^3+3\sin(ax+bx)}} + \frac{4x\sqrt{x^3+3\sin(ax+bx)}}{3b} \right) dx$$

Verification is Not applicable to the result.

[In] Int[x^4/(b\*Sqrt[x^3 + 3\*Sin[a + b\*x]]) + (x^2\*Cos[a + b\*x])/Sqrt[x^3 + 3\*Sin[a + b\*x]] + (4\*x\*Sqrt[x^3 + 3\*Sin[a + b\*x]])/(3\*b), x]

[Out] Defer[Int][x^4/Sqrt[x^3 + 3\*Sin[a + b\*x]], x]/b + Defer[Int][(x^2\*Cos[a + b\*x])/Sqrt[x^3 + 3\*Sin[a + b\*x]], x] + (4\*Defer[Int][x\*Sqrt[x^3 + 3\*Sin[a + b\*x]], x])/(3\*b)

Rubi steps

$$\int \left( \frac{x^4}{b\sqrt{x^3+3\sin(ax+bx)}} + \frac{x^2 \cos(ax+bx)}{\sqrt{x^3+3\sin(ax+bx)}} + \frac{4x\sqrt{x^3+3\sin(ax+bx)}}{3b} \right) dx = \frac{\int \frac{x^4}{\sqrt{x^3+3\sin(ax+bx)}} dx}{b} + \frac{4 \int x\sqrt{x^3+3\sin(ax+bx)} dx}{3b}$$

**Mathematica [A]** time = 0.430944, size = 26, normalized size = 1.

$$\frac{2x^2\sqrt{3\sin(ax+bx)+x^3}}{3b}$$

Antiderivative was successfully verified.

[In] Integrate[x^4/(b\*Sqrt[x^3 + 3\*Sin[a + b\*x]]) + (x^2\*Cos[a + b\*x])/Sqrt[x^3 + 3\*Sin[a + b\*x]] + (4\*x\*Sqrt[x^3 + 3\*Sin[a + b\*x]])/(3\*b), x]

[Out] (2\*x^2\*Sqrt[x^3 + 3\*Sin[a + b\*x]])/(3\*b)

**Maple [A]** time = 0.324, size = 28, normalized size = 1.1

$$\frac{\sqrt{2}x^2}{3b}\sqrt{2x^3+6\sin(bx+a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4/b/(x^3+3*sin(b*x+a))^(1/2)+x^2*cos(b*x+a)/(x^3+3*sin(b*x+a))^(1/2)+4/3*x*(x^3+3*sin(b*x+a))^(1/2)/b,x)`

[Out] `1/3*(2*x^3+6*sin(b*x+a))^(1/2)/b*2^(1/2)*x^2`

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^4}{\sqrt{x^3 + 3 \sin(bx + a)}b} + \frac{x^2 \cos(bx + a)}{\sqrt{x^3 + 3 \sin(bx + a)}} + \frac{4 \sqrt{x^3 + 3 \sin(bx + a)}x}{3b} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4/b/(x^3+3*sin(b*x+a))^(1/2)+x^2*cos(b*x+a)/(x^3+3*sin(b*x+a))^(1/2)+4/3*x*(x^3+3*sin(b*x+a))^(1/2)/b,x, algorithm="maxima")`

[Out] `integrate(x^4/(sqrt(x^3 + 3*sin(b*x + a))*b) + x^2*cos(b*x + a)/sqrt(x^3 + 3*sin(b*x + a)) + 4/3*sqrt(x^3 + 3*sin(b*x + a))*x/b, x)`

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4/b/(x^3+3*sin(b*x+a))^(1/2)+x^2*cos(b*x+a)/(x^3+3*sin(b*x+a))^(1/2)+4/3*x*(x^3+3*sin(b*x+a))^(1/2)/b,x, algorithm="fricas")`

[Out] Exception raised: UnboundLocalError

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{7x^4}{\sqrt{x^3+3 \sin(a+bx)}} dx + \int \frac{12x \sin(a+bx)}{\sqrt{x^3+3 \sin(a+bx)}} dx + \int \frac{3bx^2 \cos(a+bx)}{\sqrt{x^3+3 \sin(a+bx)}} dx}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4/b/(x**3+3*sin(b*x+a))**(1/2)+x**2*cos(b*x+a)/(x**3+3*sin(b*x+a))**(1/2)+4/3*x*(x**3+3*sin(b*x+a))**(1/2)/b,x)`

[Out] `(Integral(7*x**4/sqrt(x**3 + 3*sin(a + b*x)), x) + Integral(12*x*sin(a + b*x)/sqrt(x**3 + 3*sin(a + b*x)), x) + Integral(3*b*x**2*cos(a + b*x)/sqrt(x**3 + 3*sin(a + b*x)), x))/(3*b)`

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^4}{\sqrt{x^3 + 3 \sin(bx + a)}b} + \frac{x^2 \cos(bx + a)}{\sqrt{x^3 + 3 \sin(bx + a)}} + \frac{4 \sqrt{x^3 + 3 \sin(bx + a)}x}{3b} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4/b/(x^3+3*sin(b*x+a))^(1/2)+x^2*cos(b*x+a)/(x^3+3*sin(b*x+a))^(1/2)+4/3*x*(x^3+3*sin(b*x+a))^(1/2)/b,x, algorithm="giac")
```

```
[Out] integrate(x^4/(sqrt(x^3 + 3*sin(b*x + a))*b) + x^2*cos(b*x + a)/sqrt(x^3 + 3*sin(b*x + a)) + 4/3*sqrt(x^3 + 3*sin(b*x + a))*x/b, x)
```

$$3.932 \quad \int \frac{x^2 \cos(a+bx)}{\sqrt{x^3+3 \sin(a+bx)}} dx$$

**Optimal.** Leaf size=28

$$\text{CannotIntegrate}\left(\frac{x^2 \cos(a+bx)}{\sqrt{3 \sin(a+bx)+x^3}}, x\right)$$

[Out] CannotIntegrate[(x^2\*Cos[a + b\*x])/Sqrt[x^3 + 3\*Sin[a + b\*x]], x]

**Rubi [A]** time = 0.110789, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x^2 \cos(a+bx)}{\sqrt{x^3+3 \sin(a+bx)}} dx$$

Verification is Not applicable to the result.

[In] Int[(x^2\*Cos[a + b\*x])/Sqrt[x^3 + 3\*Sin[a + b\*x]], x]

[Out] Defer[Int] [(x^2\*Cos[a + b\*x])/Sqrt[x^3 + 3\*Sin[a + b\*x]], x]

Rubi steps

$$\int \frac{x^2 \cos(a+bx)}{\sqrt{x^3+3 \sin(a+bx)}} dx = \int \frac{x^2 \cos(a+bx)}{\sqrt{x^3+3 \sin(a+bx)}} dx$$

**Mathematica [A]** time = 7.65393, size = 0, normalized size = 0.

$$\int \frac{x^2 \cos(a+bx)}{\sqrt{x^3+3 \sin(a+bx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(x^2\*Cos[a + b\*x])/Sqrt[x^3 + 3\*Sin[a + b\*x]], x]

[Out] Integrate[(x^2\*Cos[a + b\*x])/Sqrt[x^3 + 3\*Sin[a + b\*x]], x]

**Maple [A]** time = 0.38, size = 0, normalized size = 0.

$$\int x^2 \cos(bx+a) \frac{1}{\sqrt{x^3+3 \sin(bx+a)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*cos(b\*x+a)/(x^3+3\*sin(b\*x+a))^(1/2), x)

[Out] int(x^2\*cos(b\*x+a)/(x^3+3\*sin(b\*x+a))^(1/2), x)

---

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2 \cos(bx + a)}{\sqrt{x^3 + 3 \sin(bx + a)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*cos(b\*x+a)/(x^3+3\*sin(b\*x+a))^(1/2),x, algorithm="maxima")

[Out] integrate(x^2\*cos(b\*x + a)/sqrt(x^3 + 3\*sin(b\*x + a)), x)

---

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*cos(b\*x+a)/(x^3+3\*sin(b\*x+a))^(1/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2 \cos(a + bx)}{\sqrt{x^3 + 3 \sin(a + bx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*cos(b\*x+a)/(x\*\*3+3\*sin(b\*x+a))\*\*(1/2),x)

[Out] Integral(x\*\*2\*cos(a + b\*x)/sqrt(x\*\*3 + 3\*sin(a + b\*x)), x)

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2 \cos(bx + a)}{\sqrt{x^3 + 3 \sin(bx + a)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*cos(b\*x+a)/(x^3+3\*sin(b\*x+a))^(1/2),x, algorithm="giac")

[Out] integrate(x^2\*cos(b\*x + a)/sqrt(x^3 + 3\*sin(b\*x + a)), x)



$$3.933 \quad \int \frac{\cos(x)+\sin(x)}{e^{-x}+\sin(x)} dx$$

**Optimal.** Leaf size=9

$$\log(e^x \sin(x) + 1)$$

[Out] Log[1 + E^x\*Sin[x]]

**Rubi [F]** time = 0.380774, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{\cos(x) + \sin(x)}{e^{-x} + \sin(x)} dx$$

Verification is Not applicable to the result.

[In] Int[(Cos[x] + Sin[x])/(E^(-x) + Sin[x]),x]

[Out] x + Log[Sin[x]] - Defer[Int][(1 + E^x\*Sin[x])^(-1), x] - Defer[Int][Cot[x]/(1 + E^x\*Sin[x]), x]

Rubi steps

$$\begin{aligned} \int \frac{\cos(x) + \sin(x)}{e^{-x} + \sin(x)} dx &= \int \left( 1 + \cot(x) - \frac{(1 + \cot(x)) \csc(x)}{e^x + \csc(x)} \right) dx \\ &= x + \int \cot(x) dx - \int \frac{(1 + \cot(x)) \csc(x)}{e^x + \csc(x)} dx \\ &= x + \log(\sin(x)) - \int \left( \frac{1}{1 + e^x \sin(x)} + \frac{\cot(x)}{1 + e^x \sin(x)} \right) dx \\ &= x + \log(\sin(x)) - \int \frac{1}{1 + e^x \sin(x)} dx - \int \frac{\cot(x)}{1 + e^x \sin(x)} dx \end{aligned}$$

**Mathematica [A]** time = 0.123442, size = 9, normalized size = 1.

$$\log(e^x \sin(x) + 1)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[x] + Sin[x])/(E^(-x) + Sin[x]),x]

[Out] Log[1 + E^x\*Sin[x]]

**Maple [B]** time = 0.063, size = 57, normalized size = 6.3

$$\left( x + x \left( \tan\left(\frac{x}{2}\right) \right)^2 \right) \left( 1 + \left( \tan\left(\frac{x}{2}\right) \right)^2 \right)^{-1} - \ln\left( 1 + \left( \tan\left(\frac{x}{2}\right) \right)^2 \right) + \ln\left( e^{-x} \left( \tan\left(\frac{x}{2}\right) \right)^2 + e^{-x} + 2 \tan(x/2) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((cos(x)+sin(x))/(exp(-x)+sin(x)),x)
```

```
[Out] (x+x*tan(1/2*x)^2)/(1+tan(1/2*x)^2)-ln(1+tan(1/2*x)^2)+ln(exp(-x)*tan(1/2*x)^2+exp(-x)+2*tan(1/2*x))
```

**Maxima [B]** time = 1.61049, size = 111, normalized size = 12.33

$$x + \frac{1}{2} \log \left( (\cos(2x))^2 e^{2x} + 4 \cos(x) e^x \sin(2x) + e^{2x} \sin(2x)^2 - 2(2e^x \sin(x) + e^{2x}) \cos(2x) + 4 \cos(x)^2 + 4e^x \sin(x) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((cos(x)+sin(x))/(exp(-x)+sin(x)),x, algorithm="maxima")
```

```
[Out] x + 1/2*log((cos(2*x))^2*e^(2*x) + 4*cos(x)*e^x*sin(2*x) + e^(2*x)*sin(2*x)^2 - 2*(2*e^x*sin(x) + e^(2*x))*cos(2*x) + 4*cos(x)^2 + 4*e^x*sin(x) + 4*sin(x)^2 + e^(2*x))*e^(-2*x))
```

**Fricas [A]** time = 2.1199, size = 35, normalized size = 3.89

$$x + \log(e^{-x} + \sin(x))$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((cos(x)+sin(x))/(exp(-x)+sin(x)),x, algorithm="fricas")
```

```
[Out] x + log(e^(-x) + sin(x))
```

**Sympy [A]** time = 0.331089, size = 10, normalized size = 1.11

$$x + \log(\sin(x) + e^{-x})$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((cos(x)+sin(x))/(exp(-x)+sin(x)),x)
```

```
[Out] x + log(sin(x) + exp(-x))
```

**Giac [B]** time = 1.06841, size = 112, normalized size = 12.44

$$x + \frac{1}{2} \log \left( \frac{4 \left( e^{(-2x)} \tan\left(\frac{1}{2}x\right)^4 + 4e^{(-x)} \tan\left(\frac{1}{2}x\right)^3 + 2e^{(-2x)} \tan\left(\frac{1}{2}x\right)^2 + 4e^{(-x)} \tan\left(\frac{1}{2}x\right) + 4 \tan\left(\frac{1}{2}x\right)^2 + e^{(-2x)} \right)}{\tan\left(\frac{1}{2}x\right)^4 + 2 \tan\left(\frac{1}{2}x\right)^2 + 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((cos(x)+sin(x))/(exp(-x)+sin(x)),x, algorithm="giac")
```

```
[Out] x + 1/2*log(4*(e^(-2*x))*tan(1/2*x)^4 + 4*e^(-x)*tan(1/2*x)^3 + 2*e^(-2*x)*t
an(1/2*x)^2 + 4*e^(-x)*tan(1/2*x) + 4*tan(1/2*x)^2 + e^(-2*x))/(tan(1/2*x)^
4 + 2*tan(1/2*x)^2 + 1))
```

### 3.934 $\int \sin(c+dx) \left( a \sin^2(c+dx) + b \sin^3(c+dx) \right) dx$

**Optimal.** Leaf size=77

$$\frac{a \cos^3(c+dx)}{3d} - \frac{a \cos(c+dx)}{d} - \frac{b \sin^3(c+dx) \cos(c+dx)}{4d} - \frac{3b \sin(c+dx) \cos(c+dx)}{8d} + \frac{3bx}{8}$$

[Out] (3\*b\*x)/8 - (a\*Cos[c + d\*x])/d + (a\*Cos[c + d\*x]^3)/(3\*d) - (3\*b\*Cos[c + d\*x]\*Sin[c + d\*x])/(8\*d) - (b\*Cos[c + d\*x]\*Sin[c + d\*x]^3)/(4\*d)

**Rubi [A]** time = 0.12597, antiderivative size = 77, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.179$ , Rules used = {4393, 2748, 2633, 2635, 8}

$$\frac{a \cos^3(c+dx)}{3d} - \frac{a \cos(c+dx)}{d} - \frac{b \sin^3(c+dx) \cos(c+dx)}{4d} - \frac{3b \sin(c+dx) \cos(c+dx)}{8d} + \frac{3bx}{8}$$

Antiderivative was successfully verified.

[In] Int[Sin[c + d\*x]\*(a\*Sin[c + d\*x]^2 + b\*Sin[c + d\*x]^3), x]

[Out] (3\*b\*x)/8 - (a\*Cos[c + d\*x])/d + (a\*Cos[c + d\*x]^3)/(3\*d) - (3\*b\*Cos[c + d\*x]\*Sin[c + d\*x])/(8\*d) - (b\*Cos[c + d\*x]\*Sin[c + d\*x]^3)/(4\*d)

#### Rule 4393

```
Int[(u_)*((a_)*(F_)[(c_) + (d_)*(x_)]^(p_) + (b_)*(F_)[(c_) + (d_)*(x_)]^(q_))^(n_), x_Symbol] := Int[ActivateTrig[u*F[c + d*x]^(n*p)*(a + b*F[c + d*x]^(q - p))^n], x] /; FreeQ[{a, b, c, d, p, q}, x] && InertTrigQ[F] && IntegerQ[n] && PosQ[q - p]
```

#### Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

#### Rule 2633

```
Int[sin[(c_) + (d_)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]
```

#### Rule 2635

```
Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

#### Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

#### Rubi steps

$$\begin{aligned}
\int \sin(c + dx) (a \sin^2(c + dx) + b \sin^3(c + dx)) dx &= \int \sin^3(c + dx) (a + b \sin(c + dx)) dx \\
&= a \int \sin^3(c + dx) dx + b \int \sin^4(c + dx) dx \\
&= -\frac{b \cos(c + dx) \sin^3(c + dx)}{4d} + \frac{1}{4}(3b) \int \sin^2(c + dx) dx - \frac{a \text{Subs}}{4d} \\
&= -\frac{a \cos(c + dx)}{d} + \frac{a \cos^3(c + dx)}{3d} - \frac{3b \cos(c + dx) \sin(c + dx)}{8d} - \frac{3b \cos^3(c + dx)}{8d} \\
&= \frac{3bx}{8} - \frac{a \cos(c + dx)}{d} + \frac{a \cos^3(c + dx)}{3d} - \frac{3b \cos(c + dx) \sin(c + dx)}{8d}
\end{aligned}$$

**Mathematica [A]** time = 0.159127, size = 76, normalized size = 0.99

$$-\frac{3a \cos(c + dx)}{4d} + \frac{a \cos(3(c + dx))}{12d} + \frac{3b(c + dx)}{8d} - \frac{b \sin(2(c + dx))}{4d} + \frac{b \sin(4(c + dx))}{32d}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[c + d\*x]\*(a\*Sin[c + d\*x]^2 + b\*Sin[c + d\*x]^3),x]

[Out] (3\*b\*(c + d\*x))/(8\*d) - (3\*a\*Cos[c + d\*x])/(4\*d) + (a\*Cos[3\*(c + d\*x)])/(12\*d) - (b\*Sin[2\*(c + d\*x)])/(4\*d) + (b\*Sin[4\*(c + d\*x)])/(32\*d)

**Maple [A]** time = 0.012, size = 60, normalized size = 0.8

$$\frac{1}{d} \left( b \left( -\frac{\cos(dx + c)}{4} \left( (\sin(dx + c))^3 + \frac{3 \sin(dx + c)}{2} \right) + \frac{3dx}{8} + \frac{3c}{8} \right) - \frac{a \left( 2 + (\sin(dx + c))^2 \right) \cos(dx + c)}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d\*x+c)\*(a\*sin(d\*x+c)^2+b\*sin(d\*x+c)^3),x)

[Out] 1/d\*(b\*(-1/4\*(sin(d\*x+c)^3+3/2\*sin(d\*x+c))\*cos(d\*x+c)+3/8\*d\*x+3/8\*c)-1/3\*a\*(2+sin(d\*x+c)^2)\*cos(d\*x+c))

**Maxima [A]** time = 0.968368, size = 77, normalized size = 1.

$$\frac{32 (\cos(dx + c)^3 - 3 \cos(dx + c))a + 3(12dx + 12c + \sin(4dx + 4c) - 8 \sin(2dx + 2c))b}{96d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d\*x+c)\*(a\*sin(d\*x+c)^2+b\*sin(d\*x+c)^3),x, algorithm="maxima")

[Out] 1/96\*(32\*(cos(d\*x + c)^3 - 3\*cos(d\*x + c))\*a + 3\*(12\*d\*x + 12\*c + sin(4\*d\*x + 4\*c) - 8\*sin(2\*d\*x + 2\*c))\*b)/d

**Fricas [A]** time = 2.09194, size = 157, normalized size = 2.04

$$\frac{8a \cos(dx + c)^3 + 9bdx - 24a \cos(dx + c) + 3(2b \cos(dx + c)^3 - 5b \cos(dx + c)) \sin(dx + c)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)*(a*sin(d*x+c)^2+b*sin(d*x+c)^3),x, algorithm="fricas")
```

```
[Out] 1/24*(8*a*cos(d*x + c)^3 + 9*b*d*x - 24*a*cos(d*x + c) + 3*(2*b*cos(d*x + c)^3 - 5*b*cos(d*x + c))*sin(d*x + c))/d
```

**Sympy [A]** time = 1.0998, size = 150, normalized size = 1.95

$$\left\{ \begin{array}{l} -\frac{a \sin^2(c+dx) \cos(c+dx)}{d} - \frac{2a \cos^3(c+dx)}{3d} + \frac{3bx \sin^4(c+dx)}{8} + \frac{3bx \sin^2(c+dx) \cos^2(c+dx)}{4} + \frac{3bx \cos^4(c+dx)}{8} - \frac{5b \sin^3(c+dx) \cos(c+dx)}{8d} - \frac{3b \sin(c+dx) \cos^3(c+dx)}{8d} \\ x(a \sin^2(c) + b \sin^3(c)) \sin(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)*(a*sin(d*x+c)**2+b*sin(d*x+c)**3),x)
```

```
[Out] Piecewise((-a*sin(c + d*x)**2*cos(c + d*x)/d - 2*a*cos(c + d*x)**3/(3*d) + 3*b*x*sin(c + d*x)**4/8 + 3*b*x*sin(c + d*x)**2*cos(c + d*x)**2/4 + 3*b*x*cos(c + d*x)**4/8 - 5*b*sin(c + d*x)**3*cos(c + d*x)/(8*d) - 3*b*sin(c + d*x)*cos(c + d*x)**3/(8*d), Ne(d, 0)), (x*(a*sin(c)**2 + b*sin(c)**3)*sin(c), True))
```

**Giac [A]** time = 1.07828, size = 84, normalized size = 1.09

$$\frac{3}{8}bx + \frac{a \cos(3dx + 3c)}{12d} - \frac{3a \cos(dx + c)}{4d} + \frac{b \sin(4dx + 4c)}{32d} - \frac{b \sin(2dx + 2c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)*(a*sin(d*x+c)^2+b*sin(d*x+c)^3),x, algorithm="giac")
```

```
[Out] 3/8*b*x + 1/12*a*cos(3*d*x + 3*c)/d - 3/4*a*cos(d*x + c)/d + 1/32*b*sin(4*d*x + 4*c)/d - 1/4*b*sin(2*d*x + 2*c)/d
```

### 3.935 $\int \sin(c+dx) \left( a \sin^2(c+dx) + b \sin^3(c+dx) \right)^2 dx$

**Optimal.** Leaf size=161

$$\frac{(a^2 + 3b^2) \cos^5(c+dx)}{5d} + \frac{(2a^2 + 3b^2) \cos^3(c+dx)}{3d} - \frac{(a^2 + b^2) \cos(c+dx)}{d} - \frac{ab \sin^5(c+dx) \cos(c+dx)}{3d} - \frac{5ab \sin^3(c+dx) \cos(c+dx)}{3d}$$

```
[Out] (5*a*b*x)/8 - ((a^2 + b^2)*Cos[c + d*x])/d + ((2*a^2 + 3*b^2)*Cos[c + d*x]^3)/(3*d) - ((a^2 + 3*b^2)*Cos[c + d*x]^5)/(5*d) + (b^2*Cos[c + d*x]^7)/(7*d) - (5*a*b*Cos[c + d*x]*Sin[c + d*x])/(8*d) - (5*a*b*Cos[c + d*x]*Sin[c + d*x]^3)/(12*d) - (a*b*Cos[c + d*x]*Sin[c + d*x]^5)/(3*d)
```

**Rubi [A]** time = 0.269948, antiderivative size = 161, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {4393, 2789, 2635, 8, 3013, 373}

$$\frac{(a^2 + 3b^2) \cos^5(c+dx)}{5d} + \frac{(2a^2 + 3b^2) \cos^3(c+dx)}{3d} - \frac{(a^2 + b^2) \cos(c+dx)}{d} - \frac{ab \sin^5(c+dx) \cos(c+dx)}{3d} - \frac{5ab \sin^3(c+dx) \cos(c+dx)}{3d}$$

Antiderivative was successfully verified.

```
[In] Int[Sin[c + d*x]*(a*Ssin[c + d*x]^2 + b*Ssin[c + d*x]^3)^2,x]
```

```
[Out] (5*a*b*x)/8 - ((a^2 + b^2)*Cos[c + d*x])/d + ((2*a^2 + 3*b^2)*Cos[c + d*x]^3)/(3*d) - ((a^2 + 3*b^2)*Cos[c + d*x]^5)/(5*d) + (b^2*Cos[c + d*x]^7)/(7*d) - (5*a*b*Cos[c + d*x]*Sin[c + d*x])/(8*d) - (5*a*b*Cos[c + d*x]*Sin[c + d*x]^3)/(12*d) - (a*b*Cos[c + d*x]*Sin[c + d*x]^5)/(3*d)
```

#### Rule 4393

```
Int[(u_)*((a_)*(F_)[(c_.) + (d_)*(x_)]^(p_.) + (b_)*(F_)[(c_.) + (d_)*(x_)]^(q_.))^n, x_Symbol] := Int[ActivateTrig[u*F[c + d*x]^(n*p)*(a + b*F[c + d*x]^(q - p))^n], x] /; FreeQ[{a, b, c, d, p, q}, x] && InertTrigQ[F] && IntegerQ[n] && PosQ[q - p]
```

#### Rule 2789

```
Int[((b_)*sin[(e_.) + (f_)*(x_)]^(m_))*((c_.) + (d_)*sin[(e_.) + (f_)*(x_)]^(n_))^2, x_Symbol] := Dist[(2*c*d)/b, Int[(b*Ssin[e + f*x])^(m + 1), x], x] + Int[(b*Ssin[e + f*x])^m*(c^2 + d^2*Ssin[e + f*x]^2), x] /; FreeQ[{b, c, d, e, f, m}, x]
```

#### Rule 2635

```
Int[((b_)*sin[(c_.) + (d_)*(x_)]^(n_)), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

#### Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

#### Rule 3013

```
Int[sin[(e_.) + (f_)*(x_)]^(m_)*((A_.) + (C_)*sin[(e_.) + (f_)*(x_)]^2), x_Symbol] := -Dist[f^(-1), Subst[Int[(1 - x^2)^((m - 1)/2)*(A + C - C*x^2)
```

, x], x, Cos[e + f\*x]], x] /; FreeQ[{e, f, A, C}, x] && IGtQ[(m + 1)/2, 0]

### Rule 373

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x^n)^p\*(c + d\*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

### Rubi steps

$$\begin{aligned} \int \sin(c + dx) (a \sin^2(c + dx) + b \sin^3(c + dx))^2 dx &= \int \sin^5(c + dx) (a + b \sin(c + dx))^2 dx \\ &= (2ab) \int \sin^6(c + dx) dx + \int \sin^5(c + dx) (a^2 + b^2 \sin^2(c + dx)) dx \\ &= -\frac{ab \cos(c + dx) \sin^5(c + dx)}{3d} + \frac{1}{3}(5ab) \int \sin^4(c + dx) dx - \frac{\text{Subst}}{\dots} \\ &= -\frac{5ab \cos(c + dx) \sin^3(c + dx)}{12d} - \frac{ab \cos(c + dx) \sin^5(c + dx)}{3d} + \frac{1}{4}(5ab) \int \sin^2(c + dx) dx \\ &= -\frac{(a^2 + b^2) \cos(c + dx)}{d} + \frac{(2a^2 + 3b^2) \cos^3(c + dx)}{3d} - \frac{(a^2 + 3b^2) \cos^5(c + dx)}{5d} \\ &= \frac{5abx}{8} - \frac{(a^2 + b^2) \cos(c + dx)}{d} + \frac{(2a^2 + 3b^2) \cos^3(c + dx)}{3d} - \frac{(a^2 + 3b^2) \cos^5(c + dx)}{5d} \end{aligned}$$

**Mathematica [A]** time = 0.208935, size = 134, normalized size = 0.83

$$\frac{-525(8a^2 + 7b^2) \cos(c + dx) + 35(20a^2 + 21b^2) \cos(3(c + dx)) - 84a^2 \cos(5(c + dx)) - 3150ab \sin(2(c + dx)) + 630ab \sin(4(c + dx)) - 70a^2 \sin(6(c + dx))}{6720d}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[c + d\*x]\*(a\*Sin[c + d\*x]^2 + b\*Sin[c + d\*x]^3)^2,x]

[Out] (4200\*a\*b\*c + 4200\*a\*b\*d\*x - 525\*(8\*a^2 + 7\*b^2)\*Cos[c + d\*x] + 35\*(20\*a^2 + 21\*b^2)\*Cos[3\*(c + d\*x)] - 84\*a^2\*Cos[5\*(c + d\*x)] - 147\*b^2\*Cos[5\*(c + d\*x)] + 15\*b^2\*Cos[7\*(c + d\*x)] - 3150\*a\*b\*Sin[2\*(c + d\*x)] + 630\*a\*b\*Sin[4\*(c + d\*x)] - 70\*a\*b\*Sin[6\*(c + d\*x)])/(6720\*d)

**Maple [A]** time = 0.018, size = 125, normalized size = 0.8

$$\frac{1}{d} \left( -\frac{b^2 \cos(dx + c)}{7} \left( \frac{16}{5} + (\sin(dx + c))^6 + \frac{6(\sin(dx + c))^4}{5} + \frac{8(\sin(dx + c))^2}{5} \right) + 2ab \left( -\frac{1}{6} \left( (\sin(dx + c))^5 + \frac{5}{4} (\sin(dx + c))^3 + \frac{15}{8} \sin(dx + c) \right) \cos(dx + c) + \frac{5}{16} dx + \frac{5}{16} c \right) - \frac{1}{5} a^2 \left( \frac{8}{3} + \sin(dx + c)^4 + \frac{4}{3} \sin(dx + c)^2 \right) \cos(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d\*x+c)\*(a\*sin(d\*x+c)^2+b\*sin(d\*x+c)^3)^2,x)

[Out] 1/d\*(-1/7\*b^2\*(16/5+sin(d\*x+c)^6+6/5\*sin(d\*x+c)^4+8/5\*sin(d\*x+c)^2)\*cos(d\*x+c)+2\*a\*b\*(-1/6\*(sin(d\*x+c)^5+5/4\*sin(d\*x+c)^3+15/8\*sin(d\*x+c))\*cos(d\*x+c)+5/16\*d\*x+5/16\*c)-1/5\*a^2\*(8/3+sin(d\*x+c)^4+4/3\*sin(d\*x+c)^2)\*cos(d\*x+c)



**Maxima [A]** time = 0.971191, size = 177, normalized size = 1.1

$$\frac{224 \left( 3 \cos(dx + c)^5 - 10 \cos(dx + c)^3 + 15 \cos(dx + c) \right) a^2 - 35 \left( 4 \sin(2dx + 2c)^3 + 60 dx + 60 c + 9 \sin(4dx + 4c) - 48 \sin(2dx + 2c) \right) a b - 96 \left( 5 \cos(dx + c)^7 - 21 \cos(dx + c)^5 + 35 \cos(dx + c)^3 - 35 \cos(dx + c) \right) b^2}{3360 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d\*x+c)\*(a\*sin(d\*x+c)^2+b\*sin(d\*x+c)^3)^2,x, algorithm="maxima")

[Out] 
$$-1/3360*(224*(3*\cos(d*x + c)^5 - 10*\cos(d*x + c)^3 + 15*\cos(d*x + c))*a^2 - 35*(4*\sin(2*d*x + 2*c)^3 + 60*d*x + 60*c + 9*\sin(4*d*x + 4*c) - 48*\sin(2*d*x + 2*c))*a*b - 96*(5*\cos(d*x + c)^7 - 21*\cos(d*x + c)^5 + 35*\cos(d*x + c)^3 - 35*\cos(d*x + c))*b^2)/d$$

**Fricas [A]** time = 2.30429, size = 321, normalized size = 1.99

$$\frac{120 b^2 \cos(dx + c)^7 - 168 (a^2 + 3 b^2) \cos(dx + c)^5 + 525 ab dx + 280 (2 a^2 + 3 b^2) \cos(dx + c)^3 - 840 (a^2 + b^2) \cos(dx + c) - 3}{840 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d\*x+c)\*(a\*sin(d\*x+c)^2+b\*sin(d\*x+c)^3)^2,x, algorithm="fricas")

[Out] 
$$1/840*(120*b^2*\cos(d*x + c)^7 - 168*(a^2 + 3*b^2)*\cos(d*x + c)^5 + 525*a*b*d*x + 280*(2*a^2 + 3*b^2)*\cos(d*x + c)^3 - 840*(a^2 + b^2)*\cos(d*x + c) - 3*5*(8*a*b*\cos(d*x + c)^5 - 26*a*b*\cos(d*x + c)^3 + 33*a*b*\cos(d*x + c))*\sin(d*x + c))/d$$

**Sympy [A]** time = 8.14724, size = 326, normalized size = 2.02

$$\left\{ \begin{array}{l} \frac{a^2 \sin^4(c+dx) \cos(c+dx)}{d} - \frac{4a^2 \sin^2(c+dx) \cos^3(c+dx)}{3d} - \frac{8a^2 \cos^5(c+dx)}{15d} + \frac{5abx \sin^6(c+dx)}{8} + \frac{15abx \sin^4(c+dx) \cos^2(c+dx)}{8} + \frac{15abx \sin^2(c+dx)}{8} \\ x \left( a \sin^2(c) + b \sin^3(c) \right)^2 \sin(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d\*x+c)\*(a\*sin(d\*x+c)\*\*2+b\*sin(d\*x+c)\*\*3)\*\*2,x)

[Out] 
$$\text{Piecewise}((-a**2*\sin(c + d*x)**4*\cos(c + d*x)/d - 4*a**2*\sin(c + d*x)**2*\cos(c + d*x)**3/(3*d) - 8*a**2*\cos(c + d*x)**5/(15*d) + 5*a*b*x*\sin(c + d*x)**6/8 + 15*a*b*x*\sin(c + d*x)**4*\cos(c + d*x)**2/8 + 15*a*b*x*\sin(c + d*x)**2*\cos(c + d*x)**4/8 + 5*a*b*x*\cos(c + d*x)**6/8 - 11*a*b*\sin(c + d*x)**5*\cos(c + d*x)/(8*d) - 5*a*b*\sin(c + d*x)**3*\cos(c + d*x)**3/(3*d) - 5*a*b*\sin(c + d*x)*\cos(c + d*x)**5/(8*d) - b**2*\sin(c + d*x)**6*\cos(c + d*x)/d - 2*b**2*\sin(c + d*x)**4*\cos(c + d*x)**3/d - 8*b**2*\sin(c + d*x)**2*\cos(c + d*x)**5/(5*d) - 16*b**2*\cos(c + d*x)**7/(35*d), \text{Ne}(d, 0)), (x*(a*\sin(c)**2 + b*\sin(c)**3)**2*\sin(c), \text{True}))$$

**Giac [A]** time = 1.12286, size = 193, normalized size = 1.2

$$\frac{5}{8} abx + \frac{b^2 \cos(7 dx + 7 c)}{448 d} - \frac{ab \sin(6 dx + 6 c)}{96 d} + \frac{3 ab \sin(4 dx + 4 c)}{32 d} - \frac{15 ab \sin(2 dx + 2 c)}{32 d} - \frac{(4 a^2 + 7 b^2) \cos(5 dx + 5 c)}{320 d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)*(a*sin(d*x+c)^2+b*sin(d*x+c)^3)^2,x, algorithm="giac")
```

```
[Out] 5/8*a*b*x + 1/448*b^2*cos(7*d*x + 7*c)/d - 1/96*a*b*sin(6*d*x + 6*c)/d + 3/32*a*b*sin(4*d*x + 4*c)/d - 15/32*a*b*sin(2*d*x + 2*c)/d - 1/320*(4*a^2 + 7*b^2)*cos(5*d*x + 5*c)/d + 1/192*(20*a^2 + 21*b^2)*cos(3*d*x + 3*c)/d - 5/64*(8*a^2 + 7*b^2)*cos(d*x + c)/d
```

### 3.936 $\int \sin(c+dx) (a \sin(c+dx) + b \sin^2(c+dx) + c \sin^3(c+dx) + d \sin^4(c+dx)) dx$

**Optimal.** Leaf size=89

$$-\frac{(4a+3c)\sin(c+dx)\cos(c+dx)}{8d} + \frac{1}{8}x(4a+3c) + \frac{b\cos^3(c+dx)}{3d} - \frac{b\cos(c+dx)}{d} - \frac{c\sin^3(c+dx)\cos(c+dx)}{4d}$$

[Out]  $((4*a + 3*c)*x)/8 - (b*\text{Cos}[c + d*x])/d + (b*\text{Cos}[c + d*x]^3)/(3*d) - ((4*a + 3*c)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(8*d) - (c*\text{Cos}[c + d*x]*\text{Sin}[c + d*x]^3)/(4*d)$

**Rubi [A]** time = 0.108528, antiderivative size = 89, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {4237, 3023, 2748, 2635, 8, 2633}

$$-\frac{(4a+3c)\sin(c+dx)\cos(c+dx)}{8d} + \frac{1}{8}x(4a+3c) + \frac{b\cos^3(c+dx)}{3d} - \frac{b\cos(c+dx)}{d} - \frac{c\sin^3(c+dx)\cos(c+dx)}{4d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sin}[c + d*x]*(a*\text{Sin}[c + d*x] + b*\text{Sin}[c + d*x]^2 + c*\text{Sin}[c + d*x]^3), x]$

[Out]  $((4*a + 3*c)*x)/8 - (b*\text{Cos}[c + d*x])/d + (b*\text{Cos}[c + d*x]^3)/(3*d) - ((4*a + 3*c)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(8*d) - (c*\text{Cos}[c + d*x]*\text{Sin}[c + d*x]^3)/(4*d)$

#### Rule 4237

$\text{Int}[(u_)*((A_)*\text{sin}[(a_.) + (b_)*(x_)]^{(n_.)} + (B_)*\text{sin}[(a_.) + (b_)*(x_)]^{(n1_)} + (C_)*\text{sin}[(a_.) + (b_)*(x_)]^{(n2_)}), x\_Symbol] \rightarrow \text{Int}[\text{ActivateTrig}[u]*\text{Sin}[a + b*x]^n*(A + B*\text{Sin}[a + b*x] + C*\text{Sin}[a + b*x]^2), x] /; \text{FreeQ}[\{a, b, A, B, C, n\}, x] \&\& \text{EqQ}[n1, n + 1] \&\& \text{EqQ}[n2, n + 2]$

#### Rule 3023

$\text{Int}[(a_.) + (b_)*\text{sin}[(e_.) + (f_)*(x_)]^{(m_.)} + (A_.) + (B_)*\text{sin}[(e_.) + (f_)*(x_)] + (C_)*\text{sin}[(e_.) + (f_)*(x_)]^2), x\_Symbol] \rightarrow -\text{Simp}[(C*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m+1)})/(b*f*(m+2)), x] + \text{Dist}[1/(b*(m+2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^m*\text{Simp}[A*b*(m+2) + b*C*(m+1) + (b*B*(m+2) - a*C)*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B, C, m\}, x] \&\& !\text{LtQ}[m, -1]$

#### Rule 2748

$\text{Int}[(b_)*\text{sin}[(e_.) + (f_)*(x_)]^{(m_.)} + (c_.) + (d_)*\text{sin}[(e_.) + (f_)*(x_)]), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /; \text{FreeQ}[\{b, c, d, e, f, m\}, x]$

#### Rule 2635

$\text{Int}[(b_)*\text{sin}[(c_.) + (d_)*(x_)]^{(n_.)}, x\_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n-1)})/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n-2)}, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

#### Rule 8

`Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]`

### Rule 2633

`Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]`

### Rubi steps

$$\begin{aligned} \int \sin(c + dx) (a \sin(c + dx) + b \sin^2(c + dx) + c \sin^3(c + dx)) dx &= \int \sin^2(c + dx) (a + b \sin(c + dx) + c \sin^2(c + dx)) dx \\ &= -\frac{c \cos(c + dx) \sin^3(c + dx)}{4d} + \frac{1}{4} \int \sin^2(c + dx) (4a + b \sin(c + dx) + 4c \sin^2(c + dx)) dx \\ &= -\frac{c \cos(c + dx) \sin^3(c + dx)}{4d} + b \int \sin^3(c + dx) dx + \frac{c}{4} \int \sin^2(c + dx) (4a + b \sin(c + dx) + 4c \sin^2(c + dx)) dx \\ &= -\frac{(4a + 3c) \cos(c + dx) \sin(c + dx)}{8d} - \frac{c \cos(c + dx) \sin^3(c + dx)}{4d} \\ &= \frac{1}{8} (4a + 3c)x - \frac{b \cos(c + dx)}{d} + \frac{b \cos^3(c + dx)}{3d} - \frac{(4a + 3c) \cos(c + dx) \sin(c + dx)}{8d} \end{aligned}$$

**Mathematica [A]** time = 0.154986, size = 105, normalized size = 1.18

$$\frac{a(c + dx)}{2d} - \frac{a \sin(2(c + dx))}{4d} - \frac{3b \cos(c + dx)}{4d} + \frac{b \cos(3(c + dx))}{12d} + \frac{3c(c + dx)}{8d} - \frac{c \sin(2(c + dx))}{4d} + \frac{c \sin(4(c + dx))}{32d}$$

Antiderivative was successfully verified.

`[In] Integrate[Sin[c + d*x]*(a*Sin[c + d*x] + b*Sin[c + d*x]^2 + c*Sin[c + d*x]^3), x]`

`[Out] (a*(c + d*x))/(2*d) + (3*c*(c + d*x))/(8*d) - (3*b*Cos[c + d*x])/(4*d) + (b*Cos[3*(c + d*x)])/(12*d) - (a*Sin[2*(c + d*x)])/(4*d) - (c*Sin[2*(c + d*x)])/(4*d) + (c*Sin[4*(c + d*x)])/(32*d)`

**Maple [A]** time = 0.016, size = 84, normalized size = 0.9

$$\frac{1}{d} \left( c \left( -\frac{\cos(dx + c)}{4} \left( (\sin(dx + c))^3 + \frac{3 \sin(dx + c)}{2} \right) + \frac{3 dx}{8} + \frac{3c}{8} \right) - \frac{b(2 + (\sin(dx + c))^2) \cos(dx + c)}{3} + a \left( -\frac{\sin(dx + c)}{4} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(sin(d*x+c)*(a*sin(d*x+c)+b*sin(d*x+c)^2+c*sin(d*x+c)^3), x)`

`[Out] 1/d*(c*(-1/4*(sin(d*x+c)^3+3/2*sin(d*x+c))*cos(d*x+c)+3/8*d*x+3/8*c)-1/3*b*(2+sin(d*x+c)^2)*cos(d*x+c)+a*(-1/2*sin(d*x+c)*cos(d*x+c)+1/2*d*x+1/2*c))`

**Maxima [A]** time = 0.970018, size = 107, normalized size = 1.2

$$\frac{24(2dx + 2c - \sin(2dx + 2c))a + 32(\cos(dx + c)^3 - 3\cos(dx + c))b + 3(12dx + 12c + \sin(4dx + 4c) - 8\sin(2dx + 2c))c}{96d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)*(a*sin(d*x+c)+b*sin(d*x+c)^2+c*sin(d*x+c)^3),x, algorithm="maxima")
```

```
[Out] 1/96*(24*(2*d*x + 2*c - sin(2*d*x + 2*c))*a + 32*(cos(d*x + c)^3 - 3*cos(d*x + c))*b + 3*(12*d*x + 12*c + sin(4*d*x + 4*c) - 8*sin(2*d*x + 2*c))*c)/d
```

**Fricas [A]** time = 2.09546, size = 181, normalized size = 2.03

$$\frac{8b \cos(dx + c)^3 + 3(4a + 3c)dx - 24b \cos(dx + c) + 3(2c \cos(dx + c)^3 - (4a + 5c) \cos(dx + c)) \sin(dx + c)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)*(a*sin(d*x+c)+b*sin(d*x+c)^2+c*sin(d*x+c)^3),x, algorithm="fricas")
```

```
[Out] 1/24*(8*b*cos(d*x + c)^3 + 3*(4*a + 3*c)*d*x - 24*b*cos(d*x + c) + 3*(2*c*cos(d*x + c)^3 - (4*a + 5*c)*cos(d*x + c))*sin(d*x + c))/d
```

**Sympy [A]** time = 1.20449, size = 201, normalized size = 2.26

$$\left\{ \begin{array}{l} \frac{ax \sin^2(c+dx)}{2} + \frac{ax \cos^2(c+dx)}{2} - \frac{a \sin(c+dx) \cos(c+dx)}{2d} - \frac{b \sin^2(c+dx) \cos(c+dx)}{d} - \frac{2b \cos^3(c+dx)}{3d} + \frac{3cx \sin^4(c+dx)}{8} + \frac{3cx \sin^2(c+dx) \cos^2(c+dx)}{4} \\ x(a \sin(c) + b \sin^2(c) + c \sin^3(c)) \sin(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)*(a*sin(d*x+c)+b*sin(d*x+c)**2+c*sin(d*x+c)**3),x)
```

```
[Out] Piecewise((a*x*sin(c + d*x)**2/2 + a*x*cos(c + d*x)**2/2 - a*sin(c + d*x)*cos(c + d*x)/(2*d) - b*sin(c + d*x)**2*cos(c + d*x)/d - 2*b*cos(c + d*x)**3/(3*d) + 3*c*x*sin(c + d*x)**4/8 + 3*c*x*sin(c + d*x)**2*cos(c + d*x)**2/4 + 3*c*x*cos(c + d*x)**4/8 - 5*c*sin(c + d*x)**3*cos(c + d*x)/(8*d) - 3*c*sin(c + d*x)*cos(c + d*x)**3/(8*d), Ne(d, 0)), (x*(a*sin(c) + b*sin(c)**2 + c*sin(c)**3)*sin(c), True))
```

**Giac [A]** time = 1.08788, size = 95, normalized size = 1.07

$$\frac{1}{8}(4a + 3c)x + \frac{b \cos(3dx + 3c)}{12d} - \frac{3b \cos(dx + c)}{4d} + \frac{c \sin(4dx + 4c)}{32d} - \frac{(a + c) \sin(2dx + 2c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)*(a*sin(d*x+c)+b*sin(d*x+c)^2+c*sin(d*x+c)^3),x, algorithm="giac")
```

```
[Out] 1/8*(4*a + 3*c)*x + 1/12*b*cos(3*d*x + 3*c)/d - 3/4*b*cos(d*x + c)/d + 1/32*c*sin(4*d*x + 4*c)/d - 1/4*(a + c)*sin(2*d*x + 2*c)/d
```

### 3.937 $\int \sin(c+dx) (a \sin(c+dx) + b \sin^2(c+dx) + c \sin^3(c+dx)) dx$

**Optimal.** Leaf size=288

$$\frac{a^2 \cos^3(c+dx)}{3d} - \frac{a^2 \cos(c+dx)}{d} - \frac{(2ac+b^2) \cos^5(c+dx)}{5d} + \frac{2(2ac+b^2) \cos^3(c+dx)}{3d} - \frac{(2ac+b^2) \cos(c+dx)}{d} - \frac{ab \sin(c+dx)}{d}$$

[Out] (3\*a\*b\*x)/4 + (5\*b\*c\*x)/8 - (a^2\*Cos[c + d\*x])/d - (c^2\*Cos[c + d\*x])/d - ((b^2 + 2\*a\*c)\*Cos[c + d\*x])/d + (a^2\*Cos[c + d\*x]^3)/(3\*d) + (c^2\*Cos[c + d\*x]^3)/d + (2\*(b^2 + 2\*a\*c)\*Cos[c + d\*x]^3)/(3\*d) - (3\*c^2\*Cos[c + d\*x]^5)/(5\*d) - ((b^2 + 2\*a\*c)\*Cos[c + d\*x]^5)/(5\*d) + (c^2\*Cos[c + d\*x]^7)/(7\*d) - (3\*a\*b\*Cos[c + d\*x]\*Sin[c + d\*x])/4\*d - (5\*b\*c\*Cos[c + d\*x]\*Sin[c + d\*x])/8\*d - (a\*b\*Cos[c + d\*x]\*Sin[c + d\*x]^3)/(2\*d) - (5\*b\*c\*Cos[c + d\*x]\*Sin[c + d\*x]^3)/(12\*d) - (b\*c\*Cos[c + d\*x]\*Sin[c + d\*x]^5)/(3\*d)

**Rubi [A]** time = 0.400114, antiderivative size = 288, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 5, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$ , Rules used = {4394, 3256, 2633, 2635, 8}

$$\frac{a^2 \cos^3(c+dx)}{3d} - \frac{a^2 \cos(c+dx)}{d} - \frac{(2ac+b^2) \cos^5(c+dx)}{5d} + \frac{2(2ac+b^2) \cos^3(c+dx)}{3d} - \frac{(2ac+b^2) \cos(c+dx)}{d} - \frac{ab \sin(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sin[c + d\*x]\*(a\*Sin[c + d\*x] + b\*Sin[c + d\*x]^2 + c\*Sin[c + d\*x]^3)^2,x]

[Out] (3\*a\*b\*x)/4 + (5\*b\*c\*x)/8 - (a^2\*Cos[c + d\*x])/d - (c^2\*Cos[c + d\*x])/d - ((b^2 + 2\*a\*c)\*Cos[c + d\*x])/d + (a^2\*Cos[c + d\*x]^3)/(3\*d) + (c^2\*Cos[c + d\*x]^3)/d + (2\*(b^2 + 2\*a\*c)\*Cos[c + d\*x]^3)/(3\*d) - (3\*c^2\*Cos[c + d\*x]^5)/(5\*d) - ((b^2 + 2\*a\*c)\*Cos[c + d\*x]^5)/(5\*d) + (c^2\*Cos[c + d\*x]^7)/(7\*d) - (3\*a\*b\*Cos[c + d\*x]\*Sin[c + d\*x])/4\*d - (5\*b\*c\*Cos[c + d\*x]\*Sin[c + d\*x])/8\*d - (a\*b\*Cos[c + d\*x]\*Sin[c + d\*x]^3)/(2\*d) - (5\*b\*c\*Cos[c + d\*x]\*Sin[c + d\*x]^3)/(12\*d) - (b\*c\*Cos[c + d\*x]\*Sin[c + d\*x]^5)/(3\*d)

#### Rule 4394

Int[(u\_)\*((a\_)\*(F\_)[(d\_.) + (e\_)\*(x\_)]^(p\_.) + (b\_)\*(F\_)[(d\_.) + (e\_)\*(x\_)]^(q\_.) + (c\_)\*(F\_)[(d\_.) + (e\_)\*(x\_)]^(r\_))^(n\_), x\_Symbol] :> Int[ActivateTrig[u\*F[d + e\*x]^(n\*p)\*(a + b\*F[d + e\*x]^(q - p) + c\*F[d + e\*x]^(r - p))^n], x] /; FreeQ[{a, b, c, d, e, p, q, r}, x] && InertTrigQ[F] && IntegerQ[n] && PosQ[q - p] && PosQ[r - p]

#### Rule 3256

Int[sin[(d\_.) + (e\_)\*(x\_)]^(m\_)\*((a\_.) + (b\_)\*sin[(d\_.) + (e\_)\*(x\_)]^(n\_.) + (c\_)\*sin[(d\_.) + (e\_)\*(x\_)]^(2\*n\_))^(p\_), x\_Symbol] :> Int[ExpandTrig[sin[d + e\*x]^m\*(a + b\*sin[d + e\*x]^n + c\*sin[d + e\*x]^(2\*n))^p, x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2\*n] && NeQ[b^2 - 4\*a\*c, 0] && IntegerQ[m, n, p]

#### Rule 2633

Int[sin[(c\_.) + (d\_)\*(x\_)]^(n\_), x\_Symbol] :> -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \sin(c + dx) (a \sin(c + dx) + b \sin^2(c + dx) + c \sin^3(c + dx))^2 dx &= \int \sin^3(c + dx) (a + b \sin(c + dx) + c \sin^2(c + dx))^2 dx \\
&= \int (a^2 \sin^3(c + dx) + 2ab \sin^4(c + dx) + (b^2 + 2ac) \sin^5(c + dx) + c^2 \sin^6(c + dx)) dx \\
&= a^2 \int \sin^3(c + dx) dx + (2ab) \int \sin^4(c + dx) dx + (b^2 + 2ac) \int \sin^5(c + dx) dx + c^2 \int \sin^6(c + dx) dx \\
&= -\frac{ab \cos(c + dx) \sin^3(c + dx)}{2d} - \frac{bc \cos(c + dx) \sin^4(c + dx)}{3d} - \frac{a^2 \cos(c + dx)}{d} - \frac{c^2 \cos(c + dx)}{d} - \frac{(b^2 + 2ac) \cos(c + dx)}{d} \\
&= \frac{3abx}{4} - \frac{a^2 \cos(c + dx)}{d} - \frac{c^2 \cos(c + dx)}{d} - \frac{(b^2 + 2ac) \cos(c + dx)}{d} \\
&= \frac{3abx}{4} + \frac{5bcx}{8} - \frac{a^2 \cos(c + dx)}{d} - \frac{c^2 \cos(c + dx)}{d}
\end{aligned}$$

**Mathematica [A]** time = 0.479222, size = 167, normalized size = 0.58

$$\frac{-105(48a^2 + 80ac + 40b^2 + 35c^2) \cos(c + dx) + 35(16a^2 + 40ac + 20b^2 + 21c^2) \cos(3(c + dx)) - 21(c(8a + 7c) + 4b^2)}{6720d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sin[c + d*x]*(a*Sin[c + d*x] + b*Sin[c + d*x]^2 + c*Sin[c + d*x]^3)^2,x]
```

```
[Out] (840*b*(6*a + 5*c)*(c + d*x) - 105*(48*a^2 + 40*b^2 + 80*a*c + 35*c^2)*Cos[c + d*x] + 35*(16*a^2 + 20*b^2 + 40*a*c + 21*c^2)*Cos[3*(c + d*x)] - 21*(4*b^2 + c*(8*a + 7*c))*Cos[5*(c + d*x)] + 15*c^2*Cos[7*(c + d*x)] - 210*b*(16*a + 15*c)*Sin[2*(c + d*x)] + 210*b*(2*a + 3*c)*Sin[4*(c + d*x)] - 70*b*c*Sin[6*(c + d*x)])/(6720*d)
```

**Maple [A]** time = 0.023, size = 213, normalized size = 0.7

$$\frac{1}{d} \left( -\frac{c^2 \cos(dx + c)}{7} \left( \frac{16}{5} + (\sin(dx + c))^6 + \frac{6(\sin(dx + c))^4}{5} + \frac{8(\sin(dx + c))^2}{5} \right) + 2cb \left( -\frac{1}{6} \left( (\sin(dx + c))^5 + \frac{5}{4} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(d*x+c)*(a*sin(d*x+c)+b*sin(d*x+c)^2+c*sin(d*x+c)^3)^2,x)
```

```
[Out] 1/d*(-1/7*c^2*(16/5+sin(d*x+c)^6+6/5*sin(d*x+c)^4+8/5*sin(d*x+c)^2)*cos(d*x+c)+2*c*b*(-1/6*(sin(d*x+c)^5+5/4*sin(d*x+c)^3+15/8*sin(d*x+c))*cos(d*x+c)+5/16*d*x+5/16*c)-2/5*a*c*(8/3+sin(d*x+c)^4+4/3*sin(d*x+c)^2)*cos(d*x+c)-1/5*b^2*(8/3+sin(d*x+c)^4+4/3*sin(d*x+c)^2)*cos(d*x+c)+2*a*b*(-1/4*(sin(d*x+c)^3+3/2*sin(d*x+c))*cos(d*x+c)+3/8*d*x+3/8*c)-1/3*a^2*(2+sin(d*x+c)^2)*cos(d*x+c))
```

---

**Maxima [A]** time = 0.977532, size = 294, normalized size = 1.02

$$1120 \left( \cos(dx+c)^3 - 3 \cos(dx+c) \right) a^2 + 210 (12 dx + 12 c + \sin(4 dx + 4 c) - 8 \sin(2 dx + 2 c)) ab - 224 \left( 3 \cos(dx+c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)*(a*sin(d*x+c)+b*sin(d*x+c)^2+c*sin(d*x+c)^3)^2,x, algorithm="maxima")
```

```
[Out] 1/3360*(1120*(cos(d*x + c)^3 - 3*cos(d*x + c))*a^2 + 210*(12*d*x + 12*c + sin(4*d*x + 4*c) - 8*sin(2*d*x + 2*c))*a*b - 224*(3*cos(d*x + c)^5 - 10*cos(d*x + c)^3 + 15*cos(d*x + c))*b^2 - 448*(3*cos(d*x + c)^5 - 10*cos(d*x + c)^3 + 15*cos(d*x + c))*a*c + 35*(4*sin(2*d*x + 2*c)^3 + 60*d*x + 60*c + 9*sin(4*d*x + 4*c) - 48*sin(2*d*x + 2*c))*b*c + 96*(5*cos(d*x + c)^7 - 21*cos(d*x + c)^5 + 35*cos(d*x + c)^3 - 35*cos(d*x + c))*c^2)/d
```

---

**Fricas [A]** time = 2.29698, size = 420, normalized size = 1.46

$$120c^2 \cos(dx+c)^7 - 168(b^2 + 2ac + 3c^2) \cos(dx+c)^5 + 280(a^2 + 2b^2 + 4ac + 3c^2) \cos(dx+c)^3 + 105(6ab + 5bc)a$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)*(a*sin(d*x+c)+b*sin(d*x+c)^2+c*sin(d*x+c)^3)^2,x, algorithm="fricas")
```

```
[Out] 1/840*(120*c^2*cos(d*x + c)^7 - 168*(b^2 + 2*a*c + 3*c^2)*cos(d*x + c)^5 + 280*(a^2 + 2*b^2 + 4*a*c + 3*c^2)*cos(d*x + c)^3 + 105*(6*a*b + 5*b*c)*d*x - 840*(a^2 + b^2 + 2*a*c + c^2)*cos(d*x + c) - 35*(8*b*c*cos(d*x + c)^5 - 2*(6*a*b + 13*b*c)*cos(d*x + c)^3 + 3*(10*a*b + 11*b*c)*cos(d*x + c))*sin(d*x + c))/d
```

---

**Sympy [A]** time = 8.98825, size = 541, normalized size = 1.88

$$\left\{ \begin{array}{l} -\frac{a^2 \sin^2(c+dx) \cos(c+dx)}{d} - \frac{2a^2 \cos^3(c+dx)}{3d} + \frac{3abx \sin^4(c+dx)}{4} + \frac{3abx \sin^2(c+dx) \cos^2(c+dx)}{2} + \frac{3abx \cos^4(c+dx)}{4} - \frac{5ab \sin^3(c+dx) \cos(c+dx)}{4d} - 3 \\ x(a \sin(c) + b \sin^2(c) + c \sin^3(c))^2 \sin(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)*(a*sin(d*x+c)+b*sin(d*x+c)**2+c*sin(d*x+c)**3)**2,x)
```

```
[Out] Piecewise((-a**2*sin(c + d*x)**2*cos(c + d*x)/d - 2*a**2*cos(c + d*x)**3/(3*d) + 3*a*b*x*sin(c + d*x)**4/4 + 3*a*b*x*sin(c + d*x)**2*cos(c + d*x)**2/2
```



```

+ 3*a*b*x*cos(c + d*x)**4/4 - 5*a*b*sin(c + d*x)**3*cos(c + d*x)/(4*d) - 3
*a*b*sin(c + d*x)*cos(c + d*x)**3/(4*d) - 2*a*c*sin(c + d*x)**4*cos(c + d*x
)/d - 8*a*c*sin(c + d*x)**2*cos(c + d*x)**3/(3*d) - 16*a*c*cos(c + d*x)**5/
(15*d) - b**2*sin(c + d*x)**4*cos(c + d*x)/d - 4*b**2*sin(c + d*x)**2*cos(c
+ d*x)**3/(3*d) - 8*b**2*cos(c + d*x)**5/(15*d) + 5*b*c*x*sin(c + d*x)**6/
8 + 15*b*c*x*sin(c + d*x)**4*cos(c + d*x)**2/8 + 15*b*c*x*sin(c + d*x)**2*c
os(c + d*x)**4/8 + 5*b*c*x*cos(c + d*x)**6/8 - 11*b*c*sin(c + d*x)**5*cos(c
+ d*x)/(8*d) - 5*b*c*sin(c + d*x)**3*cos(c + d*x)**3/(3*d) - 5*b*c*sin(c +
d*x)*cos(c + d*x)**5/(8*d) - c**2*sin(c + d*x)**6*cos(c + d*x)/d - 2*c**2*
sin(c + d*x)**4*cos(c + d*x)**3/d - 8*c**2*sin(c + d*x)**2*cos(c + d*x)**5/
(5*d) - 16*c**2*cos(c + d*x)**7/(35*d), Ne(d, 0)), (x*(a*sin(c) + b*sin(c))*
*2 + c*sin(c)**3)**2*sin(c), True))

```

**Giac [A]** time = 1.15043, size = 251, normalized size = 0.87

$$\frac{1}{8}(6ab + 5bc)x + \frac{c^2 \cos(7dx + 7c)}{448d} - \frac{bc \sin(6dx + 6c)}{96d} - \frac{(4b^2 + 8ac + 7c^2) \cos(5dx + 5c)}{320d} + \frac{(16a^2 + 20b^2 + 40ac + 21c^2) \cos(3dx + 3c)}{192d} - \frac{1}{64}(48a^2 + 40b^2 + 80ac + 35c^2) \cos(dx + c) + \frac{1}{32}(2ab + 3bc) \sin(4dx + 4c) - \frac{1}{32}(16ab + 15bc) \sin(2dx + 2c)$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(sin(d*x+c)*(a*sin(d*x+c)+b*sin(d*x+c)^2+c*sin(d*x+c)^3)^2,x, algo
rithm="giac")

```

```

[Out] 1/8*(6*a*b + 5*b*c)*x + 1/448*c^2*cos(7*d*x + 7*c)/d - 1/96*b*c*sin(6*d*x +
6*c)/d - 1/320*(4*b^2 + 8*a*c + 7*c^2)*cos(5*d*x + 5*c)/d + 1/192*(16*a^2
+ 20*b^2 + 40*a*c + 21*c^2)*cos(3*d*x + 3*c)/d - 1/64*(48*a^2 + 40*b^2 + 80
*a*c + 35*c^2)*cos(d*x + c)/d + 1/32*(2*a*b + 3*b*c)*sin(4*d*x + 4*c)/d - 1
/32*(16*a*b + 15*b*c)*sin(2*d*x + 2*c)/d

```

$$3.938 \quad \int \sin(c + dx) \left( a + \frac{b}{\sqrt{\sin(c+dx)}} + c \sin(c + dx) \right) dx$$

**Optimal.** Leaf size=61

$$-\frac{a \cos(c + dx)}{d} + \frac{2bE\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right)\middle|2\right)}{d} - \frac{c \sin(c + dx) \cos(c + dx)}{2d} + \frac{cx}{2}$$

[Out] (c\*x)/2 - (a\*Cos[c + d\*x])/d + (2\*b\*EllipticE[(c - Pi/2 + d\*x)/2, 2])/d - (c\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*d)

**Rubi [A]** time = 0.289499, antiderivative size = 61, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$ , Rules used = {4395, 4401, 2639, 2638, 2635, 8}

$$-\frac{a \cos(c + dx)}{d} + \frac{2bE\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right)\middle|2\right)}{d} - \frac{c \sin(c + dx) \cos(c + dx)}{2d} + \frac{cx}{2}$$

Antiderivative was successfully verified.

[In] Int[Sin[c + d\*x]\*(a + b/Sqrt[Sin[c + d\*x]] + c\*Sin[c + d\*x]),x]

[Out] (c\*x)/2 - (a\*Cos[c + d\*x])/d + (2\*b\*EllipticE[(c - Pi/2 + d\*x)/2, 2])/d - (c\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*d)

#### Rule 4395

Int[(u\_)\*((a\_) + (b\_)\*(F\_)[(d\_) + (e\_)\*(x\_)]^(p\_) + (c\_)\*(F\_)[(d\_) + (e\_)\*(x\_)]^(q\_))^(n\_), x\_Symbol] :> Int[ActivateTrig[u\*F[d + e\*x]^(n\*p)\*(b + a/F[d + e\*x]^p + c\*F[d + e\*x]^(q - p))^n], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && InertTrigQ[F] && IntegerQ[n] && NegQ[p]

#### Rule 4401

Int[u\_, x\_Symbol] :> With[{v = ExpandTrig[u, x]}, Int[v, x] /; SumQ[v]] /; !InertTrigFreeQ[u]

#### Rule 2639

Int[Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2638

Int[sin[(c\_) + (d\_)\*(x\_)], x\_Symbol] :> -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rule 2635

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

### Rubi steps

$$\begin{aligned}
 \int \sin(c+dx) \left( a + \frac{b}{\sqrt{\sin(c+dx)}} + c \sin(c+dx) \right) dx &= \int \sqrt{\sin(c+dx)} \left( b + a\sqrt{\sin(c+dx)} + c \sin^{\frac{3}{2}}(c+dx) \right) dx \\
 &= \int \left( b\sqrt{\sin(c+dx)} + a \sin(c+dx) + c \sin^2(c+dx) \right) dx \\
 &= a \int \sin(c+dx) dx + b \int \sqrt{\sin(c+dx)} dx + c \int \sin^2(c+dx) dx \\
 &= -\frac{a \cos(c+dx)}{d} + \frac{2bE\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right)}{d} - \frac{c \cos(c+dx) \sin(c+dx)}{2d} \\
 &= \frac{cx}{2} - \frac{a \cos(c+dx)}{d} + \frac{2bE\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right)}{d} - \frac{c \cos(c+dx) \sin(c+dx)}{2d}
 \end{aligned}$$

**Mathematica [A]** time = 0.180645, size = 55, normalized size = 0.9

$$\frac{-4a \cos(c+dx) - 8bE\left(\frac{1}{4}(-2c - 2dx + \pi) \middle| 2\right) + c(-\sin(2(c+dx)) + 2c + 2dx)}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[c + d\*x]\*(a + b/Sqrt[Sin[c + d\*x]] + c\*Ssin[c + d\*x]),x]

[Out] (-4\*a\*Cos[c + d\*x] - 8\*b\*EllipticE[(-2\*c + Pi - 2\*d\*x)/4, 2] + c\*(2\*c + 2\*d\*x - Sin[2\*(c + d\*x)]))/(4\*d)

**Maple [A]** time = 0.924, size = 136, normalized size = 2.2

$$cx - \frac{a \cos(dx+c)}{d} - \frac{c}{d} \left( \frac{\sin(dx+c) \cos(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) - \frac{b}{d \cos(dx+c)} \sqrt{\sin(dx+c)+1} \sqrt{-2 \sin(dx+c)+2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d\*x+c)\*(a+c\*sin(d\*x+c)+b/sin(d\*x+c)^(1/2)),x)

[Out] c\*x-a\*cos(d\*x+c)/d-c/d\*(1/2\*sin(d\*x+c)\*cos(d\*x+c)+1/2\*d\*x+1/2\*c)-b\*(sin(d\*x+c)+1)^(1/2)\*(-2\*sin(d\*x+c)+2)^(1/2)\*(-sin(d\*x+c))^(1/2)\*(2\*EllipticE((sin(d\*x+c)+1)^(1/2),1/2\*2^(1/2))-EllipticF((sin(d\*x+c)+1)^(1/2),1/2\*2^(1/2)))/cos(d\*x+c)/sin(d\*x+c)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d\*x+c)\*(a+c\*sin(d\*x+c)+b/sin(d\*x+c)^(1/2)),x, algorithm="maxima")

```
[Out] 1/4*(2*c*d*x - 4*a*cos(d*x + c) + 2*d*integrate(-(((b*cos(3/2*d*x + 3/2*c)
- b*cos(1/2*d*x + 1/2*c) - b*sin(3/2*d*x + 3/2*c) - b*sin(1/2*d*x + 1/2*c))
*cos(1/2*arctan2(sin(d*x + c), -cos(d*x + c) + 1)) - (b*cos(3/2*d*x + 3/2*c)
) - b*cos(1/2*d*x + 1/2*c) + b*sin(3/2*d*x + 3/2*c) + b*sin(1/2*d*x + 1/2*c
))*sin(1/2*arctan2(sin(d*x + c), -cos(d*x + c) + 1))) *cos(1/2*arctan2(sin(d
*x + c), cos(d*x + c) + 1)) + ((b*cos(3/2*d*x + 3/2*c) - b*cos(1/2*d*x + 1/
2*c) + b*sin(3/2*d*x + 3/2*c) + b*sin(1/2*d*x + 1/2*c))*cos(1/2*arctan2(sin
(d*x + c), -cos(d*x + c) + 1)) + (b*cos(3/2*d*x + 3/2*c) - b*cos(1/2*d*x +
1/2*c) - b*sin(3/2*d*x + 3/2*c) - b*sin(1/2*d*x + 1/2*c))*sin(1/2*arctan2(s
in(d*x + c), -cos(d*x + c) + 1))) *sin(1/2*arctan2(sin(d*x + c), cos(d*x + c
) + 1)))/((cos(d*x + c)^2 + sin(d*x + c)^2 + 2*cos(d*x + c) + 1)^(1/4)*(cos
(d*x + c)^2 + sin(d*x + c)^2 - 2*cos(d*x + c) + 1)^(1/4)), x) - c*sin(2*d*x
+ 2*c))/d
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}(-c \cos(dx + c)^2 + a \sin(dx + c) + b\sqrt{\sin(dx + c)} + c, x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)*(a+c*sin(d*x+c)+b/sin(d*x+c)^(1/2)),x, algorithm="fric
as")
```

```
[Out] integral(-c*cos(d*x + c)^2 + a*sin(d*x + c) + b*sqrt(sin(d*x + c)) + c, x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \left( a\sqrt{\sin(c + dx)} + b + c \sin^{\frac{3}{2}}(c + dx) \right) \sqrt{\sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)*(a+c*sin(d*x+c)+b/sin(d*x+c)**(1/2)),x)
```

```
[Out] Integral((a*sqrt(sin(c + d*x)) + b + c*sin(c + d*x)**(3/2))*sqrt(sin(c + d*
x)), x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \left( c \sin(dx + c) + a + \frac{b}{\sqrt{\sin(dx + c)}} \right) \sin(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)*(a+c*sin(d*x+c)+b/sin(d*x+c)^(1/2)),x, algorithm="giac
")
```

```
[Out] integrate((c*sin(d*x + c) + a + b/sqrt(sin(d*x + c)))*sin(d*x + c), x)
```

$$3.939 \quad \int \sin(c+dx) \left( a + \frac{b}{\sqrt{\sin(c+dx)}} + c \sin(c+dx) \right)^2 dx$$

**Optimal.** Leaf size=148

$$\frac{4bc \operatorname{EllipticF}\left(\frac{1}{2}\left(c+dx-\frac{\pi}{2}\right), 2\right)}{3d} - \frac{a^2 \cos(c+dx)}{d} + \frac{4abE\left(\frac{1}{2}\left(c+dx-\frac{\pi}{2}\right)\middle|2\right)}{d} - \frac{ac \sin(c+dx) \cos(c+dx)}{d} + acx + b^2x$$

[Out] b^2\*x + a\*c\*x - (a^2\*Cos[c + d\*x])/d - (c^2\*Cos[c + d\*x])/d + (c^2\*Cos[c + d\*x]^3)/(3\*d) + (4\*a\*b\*EllipticE[(c - Pi/2 + d\*x)/2, 2])/d + (4\*b\*c\*EllipticF[(c - Pi/2 + d\*x)/2, 2])/(3\*d) - (4\*b\*c\*Cos[c + d\*x]\*Sqrt[Sin[c + d\*x]])/(3\*d) - (a\*c\*Cos[c + d\*x]\*Sin[c + d\*x])/d

**Rubi [A]** time = 0.239463, antiderivative size = 148, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$ , Rules used = {4395, 4401, 2639, 2638, 2635, 2641, 8, 2633}

$$-\frac{a^2 \cos(c+dx)}{d} + \frac{4abE\left(\frac{1}{2}\left(c+dx-\frac{\pi}{2}\right)\middle|2\right)}{d} - \frac{ac \sin(c+dx) \cos(c+dx)}{d} + acx + b^2x + \frac{4bcF\left(\frac{1}{2}\left(c+dx-\frac{\pi}{2}\right)\middle|2\right)}{3d} - \frac{4c^2 \cos(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sin[c + d\*x]\*(a + b/Sqrt[Sin[c + d\*x]] + c\*Sin[c + d\*x])^2,x]

[Out] b^2\*x + a\*c\*x - (a^2\*Cos[c + d\*x])/d - (c^2\*Cos[c + d\*x])/d + (c^2\*Cos[c + d\*x]^3)/(3\*d) + (4\*a\*b\*EllipticE[(c - Pi/2 + d\*x)/2, 2])/d + (4\*b\*c\*EllipticF[(c - Pi/2 + d\*x)/2, 2])/(3\*d) - (4\*b\*c\*Cos[c + d\*x]\*Sqrt[Sin[c + d\*x]])/(3\*d) - (a\*c\*Cos[c + d\*x]\*Sin[c + d\*x])/d

#### Rule 4395

Int[(u\_)\*((a\_) + (b\_)\*(F\_)[(d\_) + (e\_)\*(x\_)]^(p\_) + (c\_)\*(F\_)[(d\_) + (e\_)\*(x\_)]^(q\_))^(n\_), x\_Symbol] :> Int[ActivateTrig[u\*F[d + e\*x]^(n\*p)\*(b + a/F[d + e\*x]^p + c\*F[d + e\*x]^(q - p))^n], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && InertTrigQ[F] && IntegerQ[n] && NegQ[p]

#### Rule 4401

Int[u\_, x\_Symbol] :> With[{v = ExpandTrig[u, x]}, Int[v, x] /; SumQ[v]] /; !InertTrigFreeQ[u]

#### Rule 2639

Int[Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2638

Int[sin[(c\_) + (d\_)\*(x\_)], x\_Symbol] :> -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rule 2635

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c

+ d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

### Rubi steps

$$\begin{aligned} \int \sin(c + dx) \left( a + \frac{b}{\sqrt{\sin(c + dx)}} + c \sin(c + dx) \right)^2 dx &= \int \left( b + a\sqrt{\sin(c + dx)} + c \sin^{\frac{3}{2}}(c + dx) \right)^2 dx \\ &= \int \left( b^2 + 2ab\sqrt{\sin(c + dx)} + a^2 \sin(c + dx) + 2bc \sin^{\frac{3}{2}}(c + dx) + \right. \\ &= b^2x + a^2 \int \sin(c + dx) dx + (2ab) \int \sqrt{\sin(c + dx)} dx + (2ac) \int \sin^{\frac{3}{2}}(c + dx) dx \\ &= b^2x - \frac{a^2 \cos(c + dx)}{d} + \frac{4abE\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right)\middle|2\right)}{d} - \frac{4bc \cos(c + dx)}{3d} \\ &= b^2x + acx - \frac{a^2 \cos(c + dx)}{d} - \frac{c^2 \cos(c + dx)}{d} + \frac{c^2 \cos^3(c + dx)}{3d} + \end{aligned}$$

**Mathematica [A]** time = 0.276039, size = 137, normalized size = 0.93

$$\frac{-16bc \operatorname{EllipticF}\left(\frac{1}{4}(-2c - 2dx + \pi), 2\right) - 12a^2 \cos(c + dx) - 48abE\left(\frac{1}{4}(-2c - 2dx + \pi)\middle|2\right) + 12ac^2 + 12acdx - 6ac \sin(2(c + dx))}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[c + d\*x]\*(a + b/Sqrt[Sin[c + d\*x]] + c\*Sin[c + d\*x])^2,x]

[Out] (12\*b^2\*c + 12\*a\*c^2 + 12\*b^2\*d\*x + 12\*a\*c\*d\*x - 12\*a^2\*Cos[c + d\*x] - 9\*c^2\*Cos[c + d\*x] + c^2\*Cos[3\*(c + d\*x)] - 48\*a\*b\*EllipticE[(-2\*c + Pi - 2\*d\*x)/4, 2] - 16\*b\*c\*EllipticF[(-2\*c + Pi - 2\*d\*x)/4, 2] - 16\*b\*c\*Cos[c + d\*x]\*Sqrt[Sin[c + d\*x]] - 6\*a\*c\*Sin[2\*(c + d\*x)])/(12\*d)

**Maple [A]** time = 1.197, size = 266, normalized size = 1.8

$$b^2x - \frac{a^2 \cos(dx + c)}{d} - \frac{c^2 \left(2 + (\sin(dx + c))^2\right) \cos(dx + c)}{3d} + 2 \frac{ac(-1/2 \sin(dx + c) \cos(dx + c) + 1/2 dx + c/2)}{d} + \frac{c^2 \cos^3(dx + c)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(d*x+c)*(a+c*sin(d*x+c)+b/sin(d*x+c)^(1/2))^2,x)`

[Out]  $b^2x - a^2 \cos(dx+c)/d - 1/3c^2/d(2+\sin(dx+c)^2) \cos(dx+c) + 2ac/d(-1/2 \sin(dx+c) \cos(dx+c) + 1/2 dx + 1/2 c) + 2/3 b(3a(\sin(dx+c)+1)^{1/2}(-2 \sin(dx+c)+2)^{1/2}(-\sin(dx+c))^{1/2} \operatorname{EllipticF}(\sin(dx+c)+1)^{1/2}, 1/2 \sqrt{2}^{1/2}) + (\sin(dx+c)+1)^{1/2}(-2 \sin(dx+c)+2)^{1/2}(-\sin(dx+c))^{1/2} \operatorname{EllipticF}(\sin(dx+c)+1)^{1/2}, 1/2 \sqrt{2}^{1/2}) - 6a(\sin(dx+c)+1)^{1/2}(-2 \sin(dx+c)+2)^{1/2}(-\sin(dx+c))^{1/2} \operatorname{EllipticE}(\sin(dx+c)+1)^{1/2}, 1/2 \sqrt{2}^{1/2}) - 2 \cos(dx+c)^2 \sin(dx+c) c / \cos(dx+c) / \sin(dx+c)^{1/2} / d$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(d*x+c)*(a+c*sin(d*x+c)+b/sin(d*x+c)^(1/2))^2,x, algorithm="maxima")`

[Out] Timed out

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$\operatorname{integral}(-2ac \cos(dx+c)^2 + b^2 + 2ac - (c^2 \cos(dx+c)^2 - a^2 - c^2) \sin(dx+c) + 2(bc \sin(dx+c) + ab) \sqrt{\sin(dx+c)}, x)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(d*x+c)*(a+c*sin(d*x+c)+b/sin(d*x+c)^(1/2))^2,x, algorithm="fricas")`

[Out]  $\operatorname{integral}(-2a*c*\cos(d*x + c)^2 + b^2 + 2*a*c - (c^2*\cos(d*x + c)^2 - a^2 - c^2)*\sin(d*x + c) + 2*(b*c*\sin(d*x + c) + a*b)*\sqrt{\sin(d*x + c)}, x)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(d*x+c)*(a+c*sin(d*x+c)+b/sin(d*x+c)**(1/2))**2,x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \left( c \sin(dx+c) + a + \frac{b}{\sqrt{\sin(dx+c)}} \right)^2 \sin(dx+c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)*(a+c*sin(d*x+c)+b/sin(d*x+c)^(1/2))^2,x, algorithm="giac")
```

```
[Out] integrate((c*sin(d*x + c) + a + b/sqrt(sin(d*x + c)))^2*sin(d*x + c), x)
```



### 3.940 $\int f^{a+bx}(\cos(c+dx) + i \sin(c+dx))^n dx$

**Optimal.** Leaf size=34

$$\frac{f^{a+bx} (e^{i(c+dx)})^n}{b \log(f) + idn}$$

[Out]  $((E^{(I*(c + d*x))})^n * f^{(a + b*x)}) / (I*d*n + b*Log[f])$

**Rubi [A]** time = 0.0970483, antiderivative size = 34, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {4614, 2281, 2287, 2194}

$$\frac{f^{a+bx} (e^{i(c+dx)})^n}{b \log(f) + idn}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[f^{(a + b*x)} * (\text{Cos}[c + d*x] + I * \text{Sin}[c + d*x])^n, x]$

[Out]  $((E^{(I*(c + d*x))})^n * f^{(a + b*x)}) / (I*d*n + b*Log[f])$

#### Rule 4614

$\text{Int}[(u\_.) * (\text{Cos}[v\_]*(a\_.) + (b\_.) * \text{Sin}[v\_])^{(n\_.)}, x\_Symbol] \rightarrow \text{Int}[u * (a/E^{((a*v)/b)})^n, x] /;$  FreeQ[{a, b, n}, x] && EqQ[a^2 + b^2, 0]

#### Rule 2281

$\text{Int}[(u\_.) * ((a\_.) * (F\_)^{(v\_))^{(n\_.)}, x\_Symbol] \rightarrow \text{Dist}[(a * F^v)^n / F^{(n*v)}, \text{Int}[u * F^{(n*v)}, x], x] /;$  FreeQ[{F, a, n}, x] && !IntegerQ[n]

#### Rule 2287

$\text{Int}[(u\_.) * (F\_)^{(v\_)} * (G\_)^{(w\_.)}, x\_Symbol] \rightarrow \text{With}[\{z = v * \text{Log}[F] + w * \text{Log}[G]\}, \text{Int}[u * \text{NormalizeIntegrand}[E^z, x], x] /;$  BinomialQ[z, x] || (PolynomialQ[z, x] && LeQ[Exponent[z, x], 2]) /; FreeQ[{F, G}, x]

#### Rule 2194

$\text{Int}[(F\_)^{((c\_.) * ((a\_.) + (b\_.) * (x\_)))^{(n\_.)}, x\_Symbol] \rightarrow \text{Simp}[(F^{(c*(a + b*x))})^n / (b*c*n * \text{Log}[F]), x] /;$  FreeQ[{F, a, b, c, n}, x]

#### Rubi steps

$$\begin{aligned} \int f^{a+bx}(\cos(c+dx) + i \sin(c+dx))^n dx &= \int (e^{i(c+dx)})^n f^{a+bx} dx \\ &= \left( e^{-in(c+dx)} (e^{i(c+dx)})^n \right) \int e^{in(c+dx)} f^{a+bx} dx \\ &= \left( e^{-in(c+dx)} (e^{i(c+dx)})^n \right) \int e^{icn+a \log(f)+x(idn+b \log(f))} dx \\ &= \frac{(e^{i(c+dx)})^n f^{a+bx}}{idn + b \log(f)} \end{aligned}$$

**Mathematica [A]** time = 0.092996, size = 43, normalized size = 1.26

$$\frac{if^{a+bx}(\cos(c+dx)+i\sin(c+dx))^n}{dn-ib\log(f)}$$

Antiderivative was successfully verified.

[In] Integrate[f^(a + b\*x)\*(Cos[c + d\*x] + I\*Sin[c + d\*x])^n,x]

[Out] ((-I)\*f^(a + b\*x)\*(Cos[c + d\*x] + I\*Sin[c + d\*x])^n)/(d\*n - I\*b\*Log[f])

**Maple [B]** time = 0.125, size = 86, normalized size = 2.5

$$\frac{e^{(bx+a)\ln(f)} n \ln \left( 2i \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \left(1 + \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2\right)^{-1} + \left(1 - \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2\right) \left(1 + \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2\right)^{-1} \right)}{idn + b \ln(f)} e$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(f^(b\*x+a)\*(cos(d\*x+c)+I\*sin(d\*x+c))^n,x)

[Out] 1/(I\*d\*n+b\*ln(f))\*exp((b\*x+a)\*ln(f))\*exp(n\*ln(2\*I\*tan(1/2\*d\*x+1/2\*c)/(1+tan(1/2\*d\*x+1/2\*c)^2)+(1-tan(1/2\*d\*x+1/2\*c)^2)/(1+tan(1/2\*d\*x+1/2\*c)^2)))

**Maxima [A]** time = 0.988954, size = 68, normalized size = 2.

$$\frac{-i f^{bx} f^a \cos(dnx + cn) + f^{bx} f^a \sin(dnx + cn)}{dn - ib \log(f)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(f^(b\*x+a)\*(cos(d\*x+c)+I\*sin(d\*x+c))^n,x, algorithm="maxima")

[Out] (-I\*f^(b\*x)\*f^a\*cos(d\*n\*x + c\*n) + f^(b\*x)\*f^a\*sin(d\*n\*x + c\*n))/(d\*n - I\*b\*log(f))

**Fricas [A]** time = 2.3028, size = 70, normalized size = 2.06

$$\frac{f^{bx+a} (e^{i dx + i c})^n}{i dn + b \log(f)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(f^(b\*x+a)\*(cos(d\*x+c)+I\*sin(d\*x+c))^n,x, algorithm="fricas")

[Out] f^(b\*x + a)\*(e^(I\*d\*x + I\*c))^n/(I\*d\*n + b\*log(f))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(f\*\*(b\*x+a)\*(cos(d\*x+c)+I\*sin(d\*x+c))\*\*n,x)

[Out] Timed out

**Giac [A]** time = 1.82261, size = 42, normalized size = 1.24

$$\frac{f^a e^{(i d n x + b x \log(f) + i c n)}}{i d n + b \log(f)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(f^(b\*x+a)\*(cos(d\*x+c)+I\*sin(d\*x+c))^n,x, algorithm="giac")

[Out] f^a\*e^(I\*d\*n\*x + b\*x\*log(f) + I\*c\*n)/(I\*d\*n + b\*log(f))

### 3.941 $\int f^{a+bx} (\cos(c+dx) - i \sin(c+dx))^n dx$

**Optimal.** Leaf size=36

$$\frac{f^{a+bx} (e^{-i(c+dx)})^n}{-b \log(f) + idn}$$

[Out] -(((E^((-I)\*(c + d\*x)))^n\*f^(a + b\*x))/(I\*d\*n - b\*Log[f]))

**Rubi [A]** time = 0.0973396, antiderivative size = 36, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {4614, 2281, 2287, 2194}

$$\frac{f^{a+bx} (e^{-i(c+dx)})^n}{-b \log(f) + idn}$$

Antiderivative was successfully verified.

[In] Int[f^(a + b\*x)\*(Cos[c + d\*x] - I\*Sin[c + d\*x])^n,x]

[Out] -(((E^((-I)\*(c + d\*x)))^n\*f^(a + b\*x))/(I\*d\*n - b\*Log[f]))

#### Rule 4614

Int[(u\_)\*(Cos[v\_]\*(a\_.) + (b\_.)\*Sin[v\_])^(n\_), x\_Symbol] := Int[u\*(a/E^((a\*v)/b))^n, x] /; FreeQ[{a, b, n}, x] && EqQ[a^2 + b^2, 0]

#### Rule 2281

Int[(u\_)\*((a\_.)\*(F\_)^(v\_))^(n\_), x\_Symbol] := Dist[(a\*F^v)^n/F^(n\*v), Int[u\*F^(n\*v), x], x] /; FreeQ[{F, a, n}, x] && !IntegerQ[n]

#### Rule 2287

Int[(u\_)\*(F\_)^(v\_)\*(G\_)^(w\_), x\_Symbol] := With[{z = v\*Log[F] + w\*Log[G]}, Int[u\*NormalizeIntegrand[E^z, x], x] /; BinomialQ[z, x] || (PolynomialQ[z, x] && LeQ[Exponent[z, x], 2])] /; FreeQ[{F, G}, x]

#### Rule 2194

Int[((F\_)^(c\_)\*((a\_.) + (b\_.)\*(x\_)))^(n\_), x\_Symbol] := Simp[(F^(c\*(a + b\*x)))^n/(b\*c\*n\*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]

#### Rubi steps

$$\begin{aligned} \int f^{a+bx} (\cos(c+dx) - i \sin(c+dx))^n dx &= \int (e^{-i(c+dx)})^n f^{a+bx} dx \\ &= \left( e^{in(c+dx)} (e^{-i(c+dx)})^n \right) \int e^{-in(c+dx)} f^{a+bx} dx \\ &= \left( e^{in(c+dx)} (e^{-i(c+dx)})^n \right) \int \exp(-icn + a \log(f) - x(idn - b \log(f))) dx \\ &= \frac{(e^{-i(c+dx)})^n f^{a+bx}}{idn - b \log(f)} \end{aligned}$$

**Mathematica [A]** time = 0.075935, size = 43, normalized size = 1.19

$$\frac{if^{a+bx}(\cos(c+dx) - i\sin(c+dx))^n}{dn + ib\log(f)}$$

Antiderivative was successfully verified.

[In] Integrate[f^(a + b\*x)\*(Cos[c + d\*x] - I\*Sin[c + d\*x])^n,x]

[Out] (I\*f^(a + b\*x)\*(Cos[c + d\*x] - I\*Sin[c + d\*x])^n)/(d\*n + I\*b\*Log[f])

**Maple [B]** time = 0.122, size = 86, normalized size = 2.4

$$\frac{e^{(bx+a)\ln(f)} n \ln \left( \left( 1 - \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 \left( 1 + \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 \right)^{-1} - 2i \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \left( 1 + \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 \right)^{-1}}{-idn + b \ln(f)} e$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(f^(b\*x+a)\*(cos(d\*x+c)-I\*sin(d\*x+c))^n,x)

[Out] 1/(-I\*d\*n+b\*ln(f))\*exp((b\*x+a)\*ln(f))\*exp(n\*ln((1-tan(1/2\*d\*x+1/2\*c)^2)/(1+tan(1/2\*d\*x+1/2\*c)^2)-2\*I\*tan(1/2\*d\*x+1/2\*c)/(1+tan(1/2\*d\*x+1/2\*c)^2)))

**Maxima [A]** time = 0.995875, size = 84, normalized size = 2.33

$$\frac{f^{bx} f^a \cos(dnx) - i f^{bx} f^a \sin(dnx)}{(-i dn + b \log(f)) \cos(cn) + (dn + i b \log(f)) \sin(cn)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(f^(b\*x+a)\*(cos(d\*x+c)-I\*sin(d\*x+c))^n,x, algorithm="maxima")

[Out] (f^(b\*x)\*f^a\*cos(d\*n\*x) - I\*f^(b\*x)\*f^a\*sin(d\*n\*x))/((-I\*d\*n + b\*log(f))\*cos(c\*n) + (d\*n + I\*b\*log(f))\*sin(c\*n))

**Fricas [A]** time = 2.06092, size = 73, normalized size = 2.03

$$\frac{f^{bx+a} (e^{(-idx-ic)})^n}{-idn + b \log(f)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(f^(b\*x+a)\*(cos(d\*x+c)-I\*sin(d\*x+c))^n,x, algorithm="fricas")

[Out] f^(b\*x + a)\*(e^(-I\*d\*x - I\*c))^n/(-I\*d\*n + b\*log(f))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(f\*\*(b\*x+a)\*(cos(d\*x+c)-I\*sin(d\*x+c))\*\*n,x)

[Out] Timed out

**Giac [A]** time = 2.13264, size = 42, normalized size = 1.17

$$\frac{f^a e^{(-i d n x + b x \log(f) - i c n)}}{-i d n + b \log(f)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(f^(b\*x+a)\*(cos(d\*x+c)-I\*sin(d\*x+c))^n,x, algorithm="giac")

[Out] f^a\*e^(-I\*d\*n\*x + b\*x\*log(f) - I\*c\*n)/(-I\*d\*n + b\*log(f))

$$3.942 \quad \int \frac{\cos^5(a+bx) - \sin^5(a+bx)}{\cos^5(a+bx) + \sin^5(a+bx)} dx$$

**Optimal.** Leaf size=120

$$\frac{4 \log(2 \tan^2(a+bx) - (1 - \sqrt{5}) \tan(a+bx) + 2)}{5(1 - \sqrt{5})b} - \frac{4 \log(2 \tan^2(a+bx) - (1 + \sqrt{5}) \tan(a+bx) + 2)}{5(1 + \sqrt{5})b} + \frac{\log(\tan(a+bx))}{5b}$$

[Out] Log[Cos[a + b\*x]]/b + Log[1 + Tan[a + b\*x]]/(5\*b) - (4\*Log[2 - (1 - Sqrt[5])\*Tan[a + b\*x] + 2\*Tan[a + b\*x]^2])/(5\*(1 - Sqrt[5])\*b) - (4\*Log[2 - (1 + Sqrt[5])\*Tan[a + b\*x] + 2\*Tan[a + b\*x]^2])/(5\*(1 + Sqrt[5])\*b)

**Rubi [A]** time = 0.701148, antiderivative size = 120, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 39,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {2074, 260, 2086, 628}

$$\frac{4 \log(2 \tan^2(a+bx) - (1 - \sqrt{5}) \tan(a+bx) + 2)}{5(1 - \sqrt{5})b} - \frac{4 \log(2 \tan^2(a+bx) - (1 + \sqrt{5}) \tan(a+bx) + 2)}{5(1 + \sqrt{5})b} + \frac{\log(\tan(a+bx))}{5b}$$

Antiderivative was successfully verified.

[In] Int[(Cos[a + b\*x]^5 - Sin[a + b\*x]^5)/(Cos[a + b\*x]^5 + Sin[a + b\*x]^5), x]

[Out] Log[Cos[a + b\*x]]/b + Log[1 + Tan[a + b\*x]]/(5\*b) - (4\*Log[2 - (1 - Sqrt[5])\*Tan[a + b\*x] + 2\*Tan[a + b\*x]^2])/(5\*(1 - Sqrt[5])\*b) - (4\*Log[2 - (1 + Sqrt[5])\*Tan[a + b\*x] + 2\*Tan[a + b\*x]^2])/(5\*(1 + Sqrt[5])\*b)

#### Rule 2074

Int[(P\_)^(p\_)\*(Q\_)^(q\_.), x\_Symbol] := With[{PP = Factor[P]}, Int[ExpandIntegrand[PP^p\*Q^q, x], x] /; !SumQ[NonfreeFactors[PP, x]] /; FreeQ[q, x] && PolyQ[P, x] && PolyQ[Q, x] && IntegerQ[p] && NeQ[P, x]

#### Rule 260

Int[(x\_)^(m\_.)/((a\_) + (b\_.)\*(x\_)^(n\_.)), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x^n, x]]/(b\*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

#### Rule 2086

Int[(P3\_)/((a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2 + (d\_.)\*(x\_)^3 + (e\_.)\*(x\_)^4), x\_Symbol] := With[{q = Sqrt[8\*a^2 + b^2 - 4\*a\*c], A = Coeff[P3, x, 0], B = Coeff[P3, x, 1], C = Coeff[P3, x, 2], D = Coeff[P3, x, 3]}, Dist[1/q, Int[(b\*A - 2\*a\*B + 2\*a\*D + A\*q + (2\*a\*A - 2\*a\*C + b\*D + D\*q)\*x]/(2\*a + (b + q)\*x + 2\*a\*x^2), x], x] - Dist[1/q, Int[(b\*A - 2\*a\*B + 2\*a\*D - A\*q + (2\*a\*A - 2\*a\*C + b\*D - D\*q)\*x]/(2\*a + (b - q)\*x + 2\*a\*x^2), x], x] /; FreeQ[{a, b, c}, x] && PolyQ[P3, x, 3] && EqQ[a, e] && EqQ[b, d]

#### Rule 628

Int[((d\_) + (e\_.)\*(x\_))/((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] := Simp[(d\*Log[RemoveContent[a + b\*x + c\*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2\*c\*d - b\*e, 0]

#### Rubi steps

$$\begin{aligned}
\int \frac{\cos^5(a+bx) - \sin^5(a+bx)}{\cos^5(a+bx) + \sin^5(a+bx)} dx &= \frac{\text{Subst}\left(\int \frac{1-x^5}{1+x^2+x^5+x^7} dx, x, \tan(a+bx)\right)}{b} \\
&= \frac{\text{Subst}\left(\int \left(\frac{1}{5(1+x)} - \frac{x}{1+x^2} + \frac{2(2+x-4x^2+2x^3)}{5(1-x+x^2-x^3+x^4)}\right) dx, x, \tan(a+bx)\right)}{b} \\
&= \frac{\log(1+\tan(a+bx))}{5b} + \frac{2 \text{Subst}\left(\int \frac{2+x-4x^2+2x^3}{1-x+x^2-x^3+x^4} dx, x, \tan(a+bx)\right)}{5b} - \frac{\text{Subst}\left(\int \frac{x}{1+x} dx, x, \tan(a+bx)\right)}{5b} \\
&= \frac{\log(\cos(a+bx))}{b} + \frac{\log(1+\tan(a+bx))}{5b} - \frac{2 \text{Subst}\left(\int \frac{-2\sqrt{5}+(10-2\sqrt{5})x}{2+(-1-\sqrt{5})x+2x^2} dx, x, \tan(a+bx)\right)}{5\sqrt{5}b} \\
&= \frac{\log(\cos(a+bx))}{b} + \frac{\log(1+\tan(a+bx))}{5b} - \frac{4 \log\left(2 - (1-\sqrt{5})\tan(a+bx) + 2\tan^2(a+bx)\right)}{5(1-\sqrt{5})b}
\end{aligned}$$

**Mathematica [A]** time = 0.594612, size = 73, normalized size = 0.61

$$\frac{-(\sqrt{5}-1)\log(\sin(2(a+bx))-\sqrt{5}+1) + (1+\sqrt{5})\log(\sin(2(a+bx))+\sqrt{5}+1) + \log(\sin(a+bx)+\cos(a+bx))}{5b}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[a + b\*x]^5 - Sin[a + b\*x]^5)/(Cos[a + b\*x]^5 + Sin[a + b\*x]^5), x]

[Out] (Log[Cos[a + b\*x] + Sin[a + b\*x]] - (-1 + Sqrt[5])\*Log[1 - Sqrt[5] + Sin[2\*(a + b\*x)]] + (1 + Sqrt[5])\*Log[1 + Sqrt[5] + Sin[2\*(a + b\*x)]])/(5\*b)

**Maple [A]** time = 0.211, size = 184, normalized size = 1.5

$$\frac{\ln(\tan(bx+a)\sqrt{5}+2(\tan(bx+a))^2-\tan(bx+a)+2)\sqrt{5}}{5b} + \frac{\ln(\tan(bx+a)\sqrt{5}+2(\tan(bx+a))^2-\tan(bx+a))}{5b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(b\*x+a)^5-sin(b\*x+a)^5)/(cos(b\*x+a)^5+sin(b\*x+a)^5), x)

[Out] 1/5/b\*ln(tan(b\*x+a)\*5^(1/2)+2\*tan(b\*x+a)^2-tan(b\*x+a)+2)\*5^(1/2)+1/5/b\*ln(tan(b\*x+a)\*5^(1/2)+2\*tan(b\*x+a)^2-tan(b\*x+a)+2)-1/5/b\*ln(-tan(b\*x+a)\*5^(1/2)+2\*tan(b\*x+a)^2-tan(b\*x+a)+2)\*5^(1/2)+1/5/b\*ln(-tan(b\*x+a)\*5^(1/2)+2\*tan(b\*x+a)^2-tan(b\*x+a)+2)+1/5\*ln(1+tan(b\*x+a))/b-1/2/b\*ln(1+tan(b\*x+a)^2)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(bx+a)^5 - \sin(bx+a)^5}{\cos(bx+a)^5 + \sin(bx+a)^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cos(b\*x+a)^5-sin(b\*x+a)^5)/(cos(b\*x+a)^5+sin(b\*x+a)^5), x, algorithm="maxima")



[Out] integrate((cos(b\*x + a)^5 - sin(b\*x + a)^5)/(cos(b\*x + a)^5 + sin(b\*x + a)^5), x)

**Fricas [A]** time = 2.41077, size = 405, normalized size = 3.38

$$\frac{2\sqrt{5}\log\left(-\frac{2\cos(bx+a)^4-2(\sqrt{5}+1)\cos(bx+a)\sin(bx+a)-2\cos(bx+a)^2-\sqrt{5}-3}{\cos(bx+a)^4-\cos(bx+a)^2-\cos(bx+a)\sin(bx+a)+1}\right)+2\log\left(\cos(bx+a)^4-\cos(bx+a)^2-\cos(bx+a)\sin(bx+a)+1\right)}{10b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cos(b\*x+a)^5-sin(b\*x+a)^5)/(cos(b\*x+a)^5+sin(b\*x+a)^5),x, algorithm="fricas")

[Out] 1/10\*(2\*sqrt(5)\*log(-(2\*cos(b\*x + a)^4 - 2\*(sqrt(5) + 1)\*cos(b\*x + a)\*sin(b\*x + a) - 2\*cos(b\*x + a)^2 - sqrt(5) - 3)/(cos(b\*x + a)^4 - cos(b\*x + a)^2 - cos(b\*x + a)\*sin(b\*x + a) + 1)) + 2\*log(cos(b\*x + a)^4 - cos(b\*x + a)^2 - cos(b\*x + a)\*sin(b\*x + a) + 1) + log(2\*cos(b\*x + a)\*sin(b\*x + a) + 1))/b

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cos(b\*x+a)\*\*5-sin(b\*x+a)\*\*5)/(cos(b\*x+a)\*\*5+sin(b\*x+a)\*\*5),x)

[Out] Timed out

**Giac [A]** time = 1.25929, size = 173, normalized size = 1.44

$$\frac{2\sqrt{5}\log\left(-\frac{1}{2}(\sqrt{5}+1)\tan(bx+a)+\tan(bx+a)^2+1\right)-2\sqrt{5}\log\left(\frac{1}{2}(\sqrt{5}-1)\tan(bx+a)+\tan(bx+a)^2+1\right)}{10b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cos(b\*x+a)^5-sin(b\*x+a)^5)/(cos(b\*x+a)^5+sin(b\*x+a)^5),x, algorithm="giac")

[Out] -1/10\*(2\*sqrt(5)\*log(-1/2\*(sqrt(5) + 1)\*tan(b\*x + a) + tan(b\*x + a)^2 + 1) - 2\*sqrt(5)\*log(1/2\*(sqrt(5) - 1)\*tan(b\*x + a) + tan(b\*x + a)^2 + 1) - 2\*log(tan(b\*x + a)^4 - tan(b\*x + a)^3 + tan(b\*x + a)^2 - tan(b\*x + a) + 1) + 5\*log(tan(b\*x + a)^2 + 1) - 2\*log(abs(tan(b\*x + a) + 1)))/b

$$3.943 \quad \int \frac{\cos^4(a+bx) - \sin^4(a+bx)}{\cos^4(a+bx) + \sin^4(a+bx)} dx$$

**Optimal.** Leaf size=72

$$\frac{\log(\tan^2(a+bx) + \sqrt{2}\tan(a+bx) + 1)}{2\sqrt{2}b} - \frac{\log(\tan^2(a+bx) - \sqrt{2}\tan(a+bx) + 1)}{2\sqrt{2}b}$$

[Out] -Log[1 - Sqrt[2]\*Tan[a + b\*x] + Tan[a + b\*x]^2]/(2\*Sqrt[2]\*b) + Log[1 + Sqrt[2]\*Tan[a + b\*x] + Tan[a + b\*x]^2]/(2\*Sqrt[2]\*b)

**Rubi [A]** time = 0.151379, antiderivative size = 72, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 2, integrand size = 39,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.051$ , Rules used = {1165, 628}

$$\frac{\log(\tan^2(a+bx) + \sqrt{2}\tan(a+bx) + 1)}{2\sqrt{2}b} - \frac{\log(\tan^2(a+bx) - \sqrt{2}\tan(a+bx) + 1)}{2\sqrt{2}b}$$

Antiderivative was successfully verified.

[In] Int[(Cos[a + b\*x]^4 - Sin[a + b\*x]^4)/(Cos[a + b\*x]^4 + Sin[a + b\*x]^4), x]

[Out] -Log[1 - Sqrt[2]\*Tan[a + b\*x] + Tan[a + b\*x]^2]/(2\*Sqrt[2]\*b) + Log[1 + Sqrt[2]\*Tan[a + b\*x] + Tan[a + b\*x]^2]/(2\*Sqrt[2]\*b)

#### Rule 1165

Int[((d\_) + (e\_.)\*(x\_)^2)/((a\_) + (c\_.)\*(x\_)^4), x\_Symbol] := With[{q = Rt[(-2\*d)/e, 2]}, Dist[e/(2\*c\*q), Int[(q - 2\*x)/Simp[d/e + q\*x - x^2, x], x], x] + Dist[e/(2\*c\*q), Int[(q + 2\*x)/Simp[d/e - q\*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c\*d^2 - a\*e^2, 0] && NegQ[d\*e]

#### Rule 628

Int[((d\_) + (e\_.)\*(x\_))/((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] := Simp[(d\*Log[RemoveContent[a + b\*x + c\*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2\*c\*d - b\*e, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{\cos^4(a+bx) - \sin^4(a+bx)}{\cos^4(a+bx) + \sin^4(a+bx)} dx &= \frac{\text{Subst}\left(\int \frac{1-x^2}{1+x^4} dx, x, \tan(a+bx)\right)}{b} \\ &= -\frac{\text{Subst}\left(\int \frac{\sqrt{2}+2x}{-1-\sqrt{2}x-x^2} dx, x, \tan(a+bx)\right)}{2\sqrt{2}b} - \frac{\text{Subst}\left(\int \frac{\sqrt{2}-2x}{-1+\sqrt{2}x-x^2} dx, x, \tan(a+bx)\right)}{2\sqrt{2}b} \\ &= -\frac{\log(1 - \sqrt{2}\tan(a+bx) + \tan^2(a+bx))}{2\sqrt{2}b} + \frac{\log(1 + \sqrt{2}\tan(a+bx) + \tan^2(a+bx))}{2\sqrt{2}b} \end{aligned}$$

**Mathematica [A]** time = 0.0345226, size = 25, normalized size = 0.35

$$\frac{\tanh^{-1}\left(\frac{\sin(2a+2bx)}{\sqrt{2}}\right)}{\sqrt{2}b}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[a + b\*x]^4 - Sin[a + b\*x]^4)/(Cos[a + b\*x]^4 + Sin[a + b\*x]^4), x]

[Out] ArcTanh[Sin[2\*a + 2\*b\*x]/Sqrt[2]]/(Sqrt[2]\*b)

**Maple [A]** time = 0.088, size = 108, normalized size = 1.5

$$\frac{\sqrt{2}}{8b} \ln \left( \frac{1 + \sqrt{2} \tan(bx + a) + (\tan(bx + a))^2}{1 - \sqrt{2} \tan(bx + a) + (\tan(bx + a))^2} \right) - \frac{\sqrt{2}}{8b} \ln \left( \frac{1 - \sqrt{2} \tan(bx + a) + (\tan(bx + a))^2}{1 + \sqrt{2} \tan(bx + a) + (\tan(bx + a))^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(b\*x+a)^4-sin(b\*x+a)^4)/(cos(b\*x+a)^4+sin(b\*x+a)^4), x)

[Out] 1/8/b\*2^(1/2)\*ln((1+2^(1/2)\*tan(b\*x+a)+tan(b\*x+a)^2)/(1-2^(1/2)\*tan(b\*x+a)+tan(b\*x+a)^2))-1/8/b\*2^(1/2)\*ln((1-2^(1/2)\*tan(b\*x+a)+tan(b\*x+a)^2)/(1+2^(1/2)\*tan(b\*x+a)+tan(b\*x+a)^2))

**Maxima [A]** time = 1.43376, size = 78, normalized size = 1.08

$$\frac{\sqrt{2} \log(\tan(bx + a)^2 + \sqrt{2} \tan(bx + a) + 1) - \sqrt{2} \log(\tan(bx + a)^2 - \sqrt{2} \tan(bx + a) + 1)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cos(b\*x+a)^4-sin(b\*x+a)^4)/(cos(b\*x+a)^4+sin(b\*x+a)^4), x, algorithm="maxima")

[Out] 1/4\*(sqrt(2)\*log(tan(b\*x + a)^2 + sqrt(2)\*tan(b\*x + a) + 1) - sqrt(2)\*log(tan(b\*x + a)^2 - sqrt(2)\*tan(b\*x + a) + 1))/b

**Fricas [A]** time = 2.12544, size = 193, normalized size = 2.68

$$\frac{\sqrt{2} \log \left( -\frac{2 \cos(bx+a)^4 - 2\sqrt{2} \cos(bx+a) \sin(bx+a) - 2 \cos(bx+a)^2 - 1}{2 \cos(bx+a)^4 - 2 \cos(bx+a)^2 + 1} \right)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cos(b\*x+a)^4-sin(b\*x+a)^4)/(cos(b\*x+a)^4+sin(b\*x+a)^4), x, algorithm="fricas")

[Out] 1/4\*sqrt(2)\*log(-(2\*cos(b\*x + a)^4 - 2\*sqrt(2)\*cos(b\*x + a)\*sin(b\*x + a) - 2\*cos(b\*x + a)^2 - 1)/(2\*cos(b\*x + a)^4 - 2\*cos(b\*x + a)^2 + 1))/b

**Sympy [A]** time = 28.038, size = 122, normalized size = 1.69

$$\begin{cases} \frac{\sqrt{2} \log(4 \sin^2(a+bx) - 4\sqrt{2} \sin(a+bx) \cos(a+bx) + 4 \cos^2(a+bx))}{4b} + \frac{\sqrt{2} \log(4 \sin^2(a+bx) + 4\sqrt{2} \sin(a+bx) \cos(a+bx) + 4 \cos^2(a+bx))}{4b} & \text{for } b \neq 0 \\ \frac{x(-\sin^4(a) + \cos^4(a))}{\sin^4(a) + \cos^4(a)} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cos(b\*x+a)\*\*4-sin(b\*x+a)\*\*4)/(cos(b\*x+a)\*\*4+sin(b\*x+a)\*\*4),x)

[Out] Piecewise((-sqrt(2)\*log(4\*sin(a + b\*x)\*\*2 - 4\*sqrt(2)\*sin(a + b\*x)\*cos(a + b\*x) + 4\*cos(a + b\*x)\*\*2)/(4\*b) + sqrt(2)\*log(4\*sin(a + b\*x)\*\*2 + 4\*sqrt(2)\*sin(a + b\*x)\*cos(a + b\*x) + 4\*cos(a + b\*x)\*\*2)/(4\*b), Ne(b, 0)), (x\*(-sin(a)\*\*4 + cos(a)\*\*4)/(sin(a)\*\*4 + cos(a)\*\*4), True))

**Giac [A]** time = 1.2328, size = 65, normalized size = 0.9

$$\frac{\sqrt{2} \log\left(\frac{|-2\sqrt{2}+2\sin(2bx+2a)|}{|2\sqrt{2}+2\sin(2bx+2a)|}\right)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cos(b\*x+a)^4-sin(b\*x+a)^4)/(cos(b\*x+a)^4+sin(b\*x+a)^4),x, algorithm="giac")

[Out] -1/4\*sqrt(2)\*log(abs(-2\*sqrt(2) + 2\*sin(2\*b\*x + 2\*a))/abs(2\*sqrt(2) + 2\*sin(2\*b\*x + 2\*a)))/b

$$3.944 \quad \int \frac{\cos^3(a+bx) - \sin^3(a+bx)}{\cos^3(a+bx) + \sin^3(a+bx)} dx$$

**Optimal.** Leaf size=55

$$-\frac{2 \log(\tan^2(a+bx) - \tan(a+bx) + 1)}{3b} + \frac{\log(\tan(a+bx) + 1)}{3b} - \frac{\log(\cos(a+bx))}{b}$$

[Out]  $-(\text{Log}[\text{Cos}[a + b*x]]/b) + \text{Log}[1 + \text{Tan}[a + b*x]]/(3*b) - (2*\text{Log}[1 - \text{Tan}[a + b*x] + \text{Tan}[a + b*x]^2])/(3*b)$

**Rubi [A]** time = 0.408613, antiderivative size = 55, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 39,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.077$ , Rules used = {2074, 260, 628}

$$-\frac{2 \log(\tan^2(a+bx) - \tan(a+bx) + 1)}{3b} + \frac{\log(\tan(a+bx) + 1)}{3b} - \frac{\log(\cos(a+bx))}{b}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cos}[a + b*x]^3 - \text{Sin}[a + b*x]^3)/(\text{Cos}[a + b*x]^3 + \text{Sin}[a + b*x]^3), x]$

[Out]  $-(\text{Log}[\text{Cos}[a + b*x]]/b) + \text{Log}[1 + \text{Tan}[a + b*x]]/(3*b) - (2*\text{Log}[1 - \text{Tan}[a + b*x] + \text{Tan}[a + b*x]^2])/(3*b)$

#### Rule 2074

$\text{Int}[(P_)^{(p_)}*(Q_)^{(q_)}, x\_Symbol] \rightarrow \text{With}\{\{PP = \text{Factor}[P]\}, \text{Int}[\text{ExpandIntegrand}[PP^p*Q^q, x], x] /; \text{!SumQ}[\text{NonfreeFactors}[PP, x]] /; \text{FreeQ}[q, x] \&\& \text{PolyQ}[P, x] \&\& \text{PolyQ}[Q, x] \&\& \text{IntegerQ}[p] \&\& \text{NeQ}[P, x]$

#### Rule 260

$\text{Int}[(x_)^{(m_)} / ((a_) + (b_)*(x_)^{(n_)}), x\_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x^n, x]] / (b*n), x] /; \text{FreeQ}\{a, b, m, n\}, x] \&\& \text{EqQ}[m, n - 1]$

#### Rule 628

$\text{Int}[(d_) + (e_)*(x_) / ((a_) + (b_)*(x_) + (c_)*(x_)^2), x\_Symbol] \rightarrow \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]]) / b, x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{EqQ}[2*c*d - b*e, 0]$

#### Rubi steps

$$\begin{aligned} \int \frac{\cos^3(a+bx) - \sin^3(a+bx)}{\cos^3(a+bx) + \sin^3(a+bx)} dx &= \frac{\text{Subst}\left(\int \frac{1-x^3}{1+x^2+x^3+x^5} dx, x, \tan(a+bx)\right)}{b} \\ &= \frac{\text{Subst}\left(\int \left(\frac{1}{3(1+x)} + \frac{x}{1+x^2} - \frac{2(-1+2x)}{3(1-x+x^2)}\right) dx, x, \tan(a+bx)\right)}{b} \\ &= \frac{\log(1 + \tan(a+bx))}{3b} - \frac{2 \text{Subst}\left(\int \frac{-1+2x}{1-x+x^2} dx, x, \tan(a+bx)\right)}{3b} + \frac{\text{Subst}\left(\int \frac{x}{1+x^2} dx, x, \tan(a+bx)\right)}{b} \\ &= -\frac{\log(\cos(a+bx))}{b} + \frac{\log(1 + \tan(a+bx))}{3b} - \frac{2 \log(1 - \tan(a+bx) + \tan^2(a+bx))}{3b} \end{aligned}$$

**Mathematica [A]** time = 0.204279, size = 42, normalized size = 0.76

$$\frac{\log(\sin(a + bx) + \cos(a + bx))}{3b} - \frac{2 \log(2 - \sin(2(a + bx)))}{3b}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[a + b\*x]^3 - Sin[a + b\*x]^3)/(Cos[a + b\*x]^3 + Sin[a + b\*x]^3), x]

[Out] Log[Cos[a + b\*x] + Sin[a + b\*x]]/(3\*b) - (2\*Log[2 - Sin[2\*(a + b\*x)]])/(3\*b)

**Maple [A]** time = 0.147, size = 56, normalized size = 1.

$$\frac{\ln(1 + \tan(bx + a))}{3b} + \frac{\ln(1 + (\tan(bx + a))^2)}{2b} - \frac{2 \ln(1 - \tan(bx + a) + (\tan(bx + a))^2)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(b\*x+a)^3-sin(b\*x+a)^3)/(cos(b\*x+a)^3+sin(b\*x+a)^3), x)

[Out] 1/3\*ln(1+tan(b\*x+a))/b+1/2/b\*ln(1+tan(b\*x+a)^2)-2/3\*ln(1-tan(b\*x+a)+tan(b\*x+a)^2)/b

**Maxima [B]** time = 1.47065, size = 208, normalized size = 3.78

$$\frac{2 \log\left(-\frac{2 \sin(bx+a)}{\cos(bx+a)+1} + \frac{2 \sin(bx+a)^2}{(\cos(bx+a)+1)^2} + \frac{2 \sin(bx+a)^3}{(\cos(bx+a)+1)^3} + \frac{\sin(bx+a)^4}{(\cos(bx+a)+1)^4} + 1\right) - \log\left(-\frac{2 \sin(bx+a)}{\cos(bx+a)+1} + \frac{\sin(bx+a)^2}{(\cos(bx+a)+1)^2} - 1\right) - 3 \log\left(-\frac{2 \sin(bx+a)}{\cos(bx+a)+1} + \frac{\sin(bx+a)^2}{(\cos(bx+a)+1)^2} - 1\right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cos(b\*x+a)^3-sin(b\*x+a)^3)/(cos(b\*x+a)^3+sin(b\*x+a)^3), x, algorithm="maxima")

[Out] -1/3\*(2\*log(-2\*sin(b\*x + a)/(cos(b\*x + a) + 1) + 2\*sin(b\*x + a)^2/(cos(b\*x + a) + 1)^2 + 2\*sin(b\*x + a)^3/(cos(b\*x + a) + 1)^3 + sin(b\*x + a)^4/(cos(b\*x + a) + 1)^4 + 1) - log(-2\*sin(b\*x + a)/(cos(b\*x + a) + 1) + sin(b\*x + a)^2/(cos(b\*x + a) + 1)^2 - 1) - 3\*log(sin(b\*x + a)^2/(cos(b\*x + a) + 1)^2 + 1))/b

**Fricas [A]** time = 2.23759, size = 116, normalized size = 2.11

$$\frac{\log(2 \cos(bx + a) \sin(bx + a) + 1) - 4 \log(-\cos(bx + a) \sin(bx + a) + 1)}{6b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cos(b\*x+a)^3-sin(b\*x+a)^3)/(cos(b\*x+a)^3+sin(b\*x+a)^3), x, algorithm="fricas")

[Out]  $\frac{1}{6}(\log(2\cos(bx + a)\sin(bx + a) + 1) - 4\log(-\cos(bx + a)\sin(bx + a) + 1))/b$

**Sympy [A]** time = 1.74592, size = 76, normalized size = 1.38

$$\begin{cases} \frac{\log(\sin(a+bx)+\cos(a+bx))}{3b} - \frac{2\log(\sin^2(a+bx)-\sin(a+bx)\cos(a+bx)+\cos^2(a+bx))}{3b} & \text{for } b \neq 0 \\ \frac{x(-\sin^3(a)+\cos^3(a))}{\sin^3(a)+\cos^3(a)} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cos(b\*x+a)\*\*3-sin(b\*x+a)\*\*3)/(cos(b\*x+a)\*\*3+sin(b\*x+a)\*\*3),x)

[Out] Piecewise((log(sin(a + b\*x) + cos(a + b\*x))/(3\*b) - 2\*log(sin(a + b\*x)\*\*2 - sin(a + b\*x)\*cos(a + b\*x) + cos(a + b\*x)\*\*2)/(3\*b), Ne(b, 0)), (x\*(-sin(a)\*\*3 + cos(a)\*\*3)/(sin(a)\*\*3 + cos(a)\*\*3), True))

**Giac [A]** time = 1.17244, size = 70, normalized size = 1.27

$$\frac{4 \log(\tan(bx + a)^2 - \tan(bx + a) + 1) - 3 \log(\tan(bx + a)^2 + 1) - 2 \log(|\tan(bx + a) + 1|)}{6b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cos(b\*x+a)^3-sin(b\*x+a)^3)/(cos(b\*x+a)^3+sin(b\*x+a)^3),x, algorithm="giac")

[Out]  $\frac{-1}{6}(4\log(\tan(bx + a)^2 - \tan(bx + a) + 1) - 3\log(\tan(bx + a)^2 + 1) - 2\log(\text{abs}(\tan(bx + a) + 1)))/b$

$$3.945 \quad \int \frac{\cos^2(a+bx) - \sin^2(a+bx)}{\cos^2(a+bx) + \sin^2(a+bx)} dx$$

**Optimal.** Leaf size=16

$$\frac{\sin(a+bx)\cos(a+bx)}{b}$$

[Out] (Cos[a + b\*x]\*Sin[a + b\*x])/b

**Rubi [A]** time = 0.0541188, antiderivative size = 16, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 3, integrand size = 39,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.077$ , Rules used = {4380, 2635, 8}

$$\frac{\sin(a+bx)\cos(a+bx)}{b}$$

Antiderivative was successfully verified.

[In] Int[(Cos[a + b\*x]^2 - Sin[a + b\*x]^2)/(Cos[a + b\*x]^2 + Sin[a + b\*x]^2), x]

[Out] (Cos[a + b\*x]\*Sin[a + b\*x])/b

#### Rule 4380

Int[(u\_.)\*((a\_.) + cos[(d\_.) + (e\_.)\*(x\_.)]^2\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_.)]^2)^(p\_.), x\_Symbol] :> Dist[(a + c)^p, Int[ActivateTrig[u], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[b - c, 0]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x] + (b\*Ssin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Ssin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned} \int \frac{\cos^2(a+bx) - \sin^2(a+bx)}{\cos^2(a+bx) + \sin^2(a+bx)} dx &= \int (\cos^2(a+bx) - \sin^2(a+bx)) dx \\ &= \int \cos^2(a+bx) dx - \int \sin^2(a+bx) dx \\ &= \frac{\cos(a+bx)\sin(a+bx)}{b} \end{aligned}$$

**Mathematica [B]** time = 0.0118323, size = 33, normalized size = 2.06

$$\frac{\sin(2a)\cos(2bx)}{2b} + \frac{\cos(2a)\sin(2bx)}{2b}$$

Antiderivative was successfully verified.



[In] Integrate[(Cos[a + b\*x]^2 - Sin[a + b\*x]^2)/(Cos[a + b\*x]^2 + Sin[a + b\*x]^2),x]

[Out] (Cos[2\*b\*x]\*Sin[2\*a])/(2\*b) + (Cos[2\*a]\*Sin[2\*b\*x])/(2\*b)

**Maple [A]** time = 0.04, size = 17, normalized size = 1.1

$$\frac{\cos(bx + a) \sin(bx + a)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(b\*x+a)^2-sin(b\*x+a)^2)/(cos(b\*x+a)^2+sin(b\*x+a)^2),x)

[Out] cos(b\*x+a)\*sin(b\*x+a)/b

**Maxima [A]** time = 0.951656, size = 30, normalized size = 1.88

$$\frac{\tan(bx + a)}{(\tan(bx + a)^2 + 1)b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cos(b\*x+a)^2-sin(b\*x+a)^2)/(cos(b\*x+a)^2+sin(b\*x+a)^2),x, algorithm="maxima")

[Out] tan(b\*x + a)/((tan(b\*x + a)^2 + 1)\*b)

**Fricas [A]** time = 1.99053, size = 39, normalized size = 2.44

$$\frac{\cos(bx + a) \sin(bx + a)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cos(b\*x+a)^2-sin(b\*x+a)^2)/(cos(b\*x+a)^2+sin(b\*x+a)^2),x, algorithm="fricas")

[Out] cos(b\*x + a)\*sin(b\*x + a)/b

**Sympy [B]** time = 0.283215, size = 32, normalized size = 2.

$$\frac{\sin(a + bx) \cos(a + bx)}{b \sin^2(a + bx) + b \cos^2(a + bx)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((cos(b\*x+a)\*\*2-sin(b\*x+a)\*\*2)/(cos(b\*x+a)\*\*2+sin(b\*x+a)\*\*2),x)

[Out]  $\sin(a + b*x)*\cos(a + b*x)/(b*\sin(a + b*x)**2 + b*\cos(a + b*x)**2)$

---

**Giac [A]** time = 1.08693, size = 19, normalized size = 1.19

$$\frac{\sin(2bx + 2a)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((cos(b*x+a)^2-sin(b*x+a)^2)/(cos(b*x+a)^2+sin(b*x+a)^2),x, algorithm="giac")`

[Out]  $1/2*\sin(2*b*x + 2*a)/b$

$$3.946 \quad \int \frac{\cos(a+bx) - \sin(a+bx)}{\cos(a+bx) + \sin(a+bx)} dx$$

**Optimal.** Leaf size=18

$$\frac{\log(\sin(a + bx) + \cos(a + bx))}{b}$$

[Out] Log[Cos[a + b\*x] + Sin[a + b\*x]]/b

**Rubi [A]** time = 0.0281176, antiderivative size = 18, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.032$ , Rules used = {3133}

$$\frac{\log(\sin(a + bx) + \cos(a + bx))}{b}$$

Antiderivative was successfully verified.

[In] Int[(Cos[a + b\*x] - Sin[a + b\*x])/(Cos[a + b\*x] + Sin[a + b\*x]),x]

[Out] Log[Cos[a + b\*x] + Sin[a + b\*x]]/b

**Rule 3133**

Int[((A\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(B\_.) + (C\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]) / ((a\_.) + cos[(d\_.) + (e\_.)\*(x\_)])\*(b\_.) + (c\_.)\*sin[(d\_.) + (e\_.)\*(x\_)]), x\_Symbol] :> Simp[((b\*B + c\*C)\*x)/(b^2 + c^2), x] + Simp[((c\*B - b\*C)\*Log[a + b\*Cos[d + e\*x] + c\*Sin[d + e\*x]])/(e\*(b^2 + c^2)), x] /; FreeQ[{a, b, c, d, e, A, B, C}, x] && NeQ[b^2 + c^2, 0] && EqQ[A\*(b^2 + c^2) - a\*(b\*B + c\*C), 0]

**Rubi steps**

$$\int \frac{\cos(a + bx) - \sin(a + bx)}{\cos(a + bx) + \sin(a + bx)} dx = \frac{\log(\cos(a + bx) + \sin(a + bx))}{b}$$

**Mathematica [A]** time = 0.043197, size = 18, normalized size = 1.

$$\frac{\log(\sin(a + bx) + \cos(a + bx))}{b}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[a + b\*x] - Sin[a + b\*x])/(Cos[a + b\*x] + Sin[a + b\*x]),x]

[Out] Log[Cos[a + b\*x] + Sin[a + b\*x]]/b

**Maple [A]** time = 0.026, size = 19, normalized size = 1.1

$$\frac{\ln(\cos(bx + a) + \sin(bx + a))}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((cos(b*x+a)-sin(b*x+a))/(cos(b*x+a)+sin(b*x+a)),x)`

[Out] `ln(cos(b*x+a)+sin(b*x+a))/b`

**Maxima [A]** time = 0.936929, size = 24, normalized size = 1.33

$$\frac{\log(\cos(bx + a) + \sin(bx + a))}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((cos(b*x+a)-sin(b*x+a))/(cos(b*x+a)+sin(b*x+a)),x, algorithm="maxima")`

[Out] `log(cos(b*x + a) + sin(b*x + a))/b`

**Fricas [A]** time = 2.05172, size = 59, normalized size = 3.28

$$\frac{\log(2 \cos(bx + a) \sin(bx + a) + 1)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((cos(b*x+a)-sin(b*x+a))/(cos(b*x+a)+sin(b*x+a)),x, algorithm="fricas")`

[Out] `1/2*log(2*cos(b*x + a)*sin(b*x + a) + 1)/b`

**Sympy [A]** time = 0.484454, size = 31, normalized size = 1.72

$$\begin{cases} \frac{\log(\sin(a+bx)+\cos(a+bx))}{b} & \text{for } b \neq 0 \\ \frac{x(-\sin(a)+\cos(a))}{\sin(a)+\cos(a)} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((cos(b*x+a)-sin(b*x+a))/(cos(b*x+a)+sin(b*x+a)),x)`

[Out] `Piecewise((log(sin(a + b*x) + cos(a + b*x))/b, Ne(b, 0)), (x*(-sin(a) + cos(a))/(sin(a) + cos(a)), True))`

**Giac [A]** time = 1.13265, size = 39, normalized size = 2.17

$$\frac{\log(\tan(bx + a)^2 + 1) - 2 \log(|\tan(bx + a) + 1|)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((cos(b*x+a)-sin(b*x+a))/(cos(b*x+a)+sin(b*x+a)),x, algorithm="giasic")
```

```
[Out] -1/2*(log(tan(b*x + a)^2 + 1) - 2*log(abs(tan(b*x + a) + 1)))/b
```

$$3.947 \quad \int \frac{-\csc(a+bx)+\sec(a+bx)}{\csc(a+bx)+\sec(a+bx)} dx$$

**Optimal.** Leaf size=19

$$-\frac{\log(\sin(a+bx)+\cos(a+bx))}{b}$$

[Out] -(Log[Cos[a + b\*x] + Sin[a + b\*x]]/b)

**Rubi [A]** time = 0.31409, antiderivative size = 19, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 2, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$ , Rules used = {801, 260}

$$-\frac{\log(\sin(a+bx)+\cos(a+bx))}{b}$$

Antiderivative was successfully verified.

[In] Int[(-Csc[a + b\*x] + Sec[a + b\*x])/(Csc[a + b\*x] + Sec[a + b\*x]), x]

[Out] -(Log[Cos[a + b\*x] + Sin[a + b\*x]]/b)

#### Rule 801

Int[(((d\_.) + (e\_.)\*(x\_)^(m\_))\*((f\_.) + (g\_.)\*(x\_)))/((a\_.) + (c\_.)\*(x\_)^2), x\_Symbol] :> Int[ExpandIntegrand[((d + e\*x)^m\*(f + g\*x))/(a + c\*x^2), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c\*d^2 + a\*e^2, 0] && IntegerQ[m]

#### Rule 260

Int[(x\_)^(m\_)/((a\_) + (b\_.)\*(x\_)^(n\_)), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x^n, x]]/(b\*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

#### Rubi steps

$$\begin{aligned} \int \frac{-\csc(a+bx)+\sec(a+bx)}{\csc(a+bx)+\sec(a+bx)} dx &= \frac{\text{Subst}\left(\int \frac{-1+x}{(1+x)(1+x^2)} dx, x, \tan(a+bx)\right)}{b} \\ &= \frac{\text{Subst}\left(\int \left(\frac{1}{-1-x} + \frac{x}{1+x^2}\right) dx, x, \tan(a+bx)\right)}{b} \\ &= -\frac{\log(1+\tan(a+bx))}{b} + \frac{\text{Subst}\left(\int \frac{x}{1+x^2} dx, x, \tan(a+bx)\right)}{b} \\ &= -\frac{\log(\cos(a+bx))}{b} - \frac{\log(1+\tan(a+bx))}{b} \end{aligned}$$

**Mathematica [A]** time = 0.0578265, size = 19, normalized size = 1.

$$-\frac{\log(\sin(a+bx)+\cos(a+bx))}{b}$$

Antiderivative was successfully verified.

[In] Integrate[(-Csc[a + b\*x] + Sec[a + b\*x])/(Csc[a + b\*x] + Sec[a + b\*x]), x]

[Out]  $-(\text{Log}[\text{Cos}[a + b*x] + \text{Sin}[a + b*x]])/b$

**Maple [A]** time = 0.131, size = 32, normalized size = 1.7

$$-\frac{\ln(1 + \tan(bx + a))}{b} + \frac{\ln(1 + (\tan(bx + a))^2)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-csc(b*x+a)+sec(b*x+a))/(csc(b*x+a)+sec(b*x+a)),x)`

[Out]  $-\ln(1+\tan(b*x+a))/b+1/2/b*\ln(1+\tan(b*x+a)^2)$

**Maxima [B]** time = 1.4379, size = 95, normalized size = 5.

$$-\frac{\log\left(-\frac{2\sin(bx+a)}{\cos(bx+a)+1} + \frac{\sin(bx+a)^2}{(\cos(bx+a)+1)^2} - 1\right) - \log\left(\frac{\sin(bx+a)^2}{(\cos(bx+a)+1)^2} + 1\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-csc(b*x+a)+sec(b*x+a))/(csc(b*x+a)+sec(b*x+a)),x, algorithm="maxima")`

[Out]  $-(\log(-2*\sin(b*x + a)/(\cos(b*x + a) + 1) + \sin(b*x + a)^2/(\cos(b*x + a) + 1)^2 - 1) - \log(\sin(b*x + a)^2/(\cos(b*x + a) + 1)^2 + 1))/b$

**Fricas [A]** time = 2.12089, size = 61, normalized size = 3.21

$$-\frac{\log(2\cos(bx+a)\sin(bx+a)+1)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-csc(b*x+a)+sec(b*x+a))/(csc(b*x+a)+sec(b*x+a)),x, algorithm="fricas")`

[Out]  $-1/2*\log(2*\cos(b*x + a)*\sin(b*x + a) + 1)/b$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-\int \frac{\csc(a + bx)}{\csc(a + bx) + \sec(a + bx)} dx - \int \frac{\sec(a + bx)}{\csc(a + bx) + \sec(a + bx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-csc(b*x+a)+sec(b*x+a))/(csc(b*x+a)+sec(b*x+a)),x)`

[Out]  $-\text{Integral}(\csc(a + b*x)/(\csc(a + b*x) + \sec(a + b*x)), x) - \text{Integral}(-\sec(a + b*x)/(\csc(a + b*x) + \sec(a + b*x)), x)$

---

**Giac [A]** time = 1.15848, size = 39, normalized size = 2.05

$$\frac{\log(\tan(bx + a)^2 + 1) - 2 \log(|\tan(bx + a) + 1|)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-csc(b\*x+a)+sec(b\*x+a))/(csc(b\*x+a)+sec(b\*x+a)),x, algorithm="giac")

[Out] 1/2\*(log(tan(b\*x + a)^2 + 1) - 2\*log(abs(tan(b\*x + a) + 1)))/b



$$3.948 \quad \int \frac{-\csc^2(a+bx) + \sec^2(a+bx)}{\csc^2(a+bx) + \sec^2(a+bx)} dx$$

**Optimal.** Leaf size=17

$$-\frac{\sin(a+bx)\cos(a+bx)}{b}$$

[Out] -((Cos[a + b\*x]\*Sin[a + b\*x])/b)

**Rubi [A]** time = 0.174518, antiderivative size = 17, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 39,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.026$ , Rules used = {383}

$$-\frac{\sin(a+bx)\cos(a+bx)}{b}$$

Antiderivative was successfully verified.

[In] Int[(-Csc[a + b\*x]^2 + Sec[a + b\*x]^2)/(Csc[a + b\*x]^2 + Sec[a + b\*x]^2), x]

[Out] -((Cos[a + b\*x]\*Sin[a + b\*x])/b)

#### Rule 383

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] :> Simp[(c\*x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a\*d - b\*c\*(n\*(p + 1) + 1), 0]

#### Rubi steps

$$\int \frac{-\csc^2(a+bx) + \sec^2(a+bx)}{\csc^2(a+bx) + \sec^2(a+bx)} dx = \frac{\text{Subst}\left(\int \frac{-1+x^2}{(1+x^2)^2} dx, x, \tan(a+bx)\right)}{b} = -\frac{\cos(a+bx)\sin(a+bx)}{b}$$

**Mathematica [A]** time = 0.0143717, size = 33, normalized size = 1.94

$$-\frac{\sin(2a)\cos(2bx)}{2b} - \frac{\cos(2a)\sin(2bx)}{2b}$$

Antiderivative was successfully verified.

[In] Integrate[(-Csc[a + b\*x]^2 + Sec[a + b\*x]^2)/(Csc[a + b\*x]^2 + Sec[a + b\*x]^2), x]

[Out] -(Cos[2\*b\*x]\*Sin[2\*a])/(2\*b) - (Cos[2\*a]\*Sin[2\*b\*x])/(2\*b)

**Maple [A]** time = 0.084, size = 18, normalized size = 1.1

$$-\frac{\cos(bx+a)\sin(bx+a)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-csc(b*x+a)^2+sec(b*x+a)^2)/(csc(b*x+a)^2+sec(b*x+a)^2),x)`

[Out] `-cos(b*x+a)*sin(b*x+a)/b`

**Maxima [A]** time = 0.945537, size = 31, normalized size = 1.82

$$-\frac{\tan(bx+a)}{(\tan(bx+a)^2+1)b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-csc(b*x+a)^2+sec(b*x+a)^2)/(csc(b*x+a)^2+sec(b*x+a)^2),x, algorithm="maxima")`

[Out] `-tan(b*x + a)/((tan(b*x + a)^2 + 1)*b)`

**Fricas [A]** time = 2.02152, size = 41, normalized size = 2.41

$$-\frac{\cos(bx+a)\sin(bx+a)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-csc(b*x+a)^2+sec(b*x+a)^2)/(csc(b*x+a)^2+sec(b*x+a)^2),x, algorithm="fricas")`

[Out] `-cos(b*x + a)*sin(b*x + a)/b`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-\int \frac{\csc^2(a+bx)}{\csc^2(a+bx)+\sec^2(a+bx)} dx - \int -\frac{\sec^2(a+bx)}{\csc^2(a+bx)+\sec^2(a+bx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-csc(b*x+a)**2+sec(b*x+a)**2)/(csc(b*x+a)**2+sec(b*x+a)**2),x)`

[Out] `-Integral(csc(a + b*x)**2/(csc(a + b*x)**2 + sec(a + b*x)**2), x) - Integral(-sec(a + b*x)**2/(csc(a + b*x)**2 + sec(a + b*x)**2), x)`

**Giac [A]** time = 1.13875, size = 19, normalized size = 1.12

$$-\frac{\sin(2bx+2a)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-csc(b*x+a)^2+sec(b*x+a)^2)/(csc(b*x+a)^2+sec(b*x+a)^2),x, algorithm="giac")
```

```
[Out] -1/2*sin(2*b*x + 2*a)/b
```

$$3.949 \quad \int \frac{-\csc^3(a+bx) + \sec^3(a+bx)}{\csc^3(a+bx) + \sec^3(a+bx)} dx$$

**Optimal.** Leaf size=54

$$\frac{2 \log(\tan^2(a+bx) - \tan(a+bx) + 1)}{3b} - \frac{\log(\tan(a+bx) + 1)}{3b} + \frac{\log(\cos(a+bx))}{b}$$

[Out] Log[Cos[a + b\*x]]/b - Log[1 + Tan[a + b\*x]]/(3\*b) + (2\*Log[1 - Tan[a + b\*x] + Tan[a + b\*x]^2])/(3\*b)

**Rubi [A]** time = 0.531603, antiderivative size = 54, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 39,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.077$ , Rules used = {6725, 260, 628}

$$\frac{2 \log(\tan^2(a+bx) - \tan(a+bx) + 1)}{3b} - \frac{\log(\tan(a+bx) + 1)}{3b} + \frac{\log(\cos(a+bx))}{b}$$

Antiderivative was successfully verified.

[In] Int[(-Csc[a + b\*x]^3 + Sec[a + b\*x]^3)/(Csc[a + b\*x]^3 + Sec[a + b\*x]^3), x]

[Out] Log[Cos[a + b\*x]]/b - Log[1 + Tan[a + b\*x]]/(3\*b) + (2\*Log[1 - Tan[a + b\*x] + Tan[a + b\*x]^2])/(3\*b)

#### Rule 6725

Int[(u\_)/((a\_) + (b\_)\*(x\_)^(n\_)), x\_Symbol] :> With[{v = RationalFunctionExpand[u/(a + b\*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ[n, 0]

#### Rule 260

Int[(x\_)^(m\_)/((a\_) + (b\_)\*(x\_)^(n\_)), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x^n, x]]/(b\*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

#### Rule 628

Int[((d\_) + (e\_)\*(x\_))/((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2), x\_Symbol] :> Simp[(d\*Log[RemoveContent[a + b\*x + c\*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2\*c\*d - b\*e, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{-\csc^3(a+bx) + \sec^3(a+bx)}{\csc^3(a+bx) + \sec^3(a+bx)} dx &= \frac{\text{Subst}\left(\int \frac{-1+x^3}{(1+x^2)(1+x^3)} dx, x, \tan(a+bx)\right)}{b} \\ &= \frac{\text{Subst}\left(\int \left(-\frac{1}{3(1+x)} - \frac{x}{1+x^2} + \frac{2(-1+2x)}{3(1-x+x^2)}\right) dx, x, \tan(a+bx)\right)}{b} \\ &= -\frac{\log(1 + \tan(a+bx))}{3b} + \frac{2 \text{Subst}\left(\int \frac{-1+2x}{1-x+x^2} dx, x, \tan(a+bx)\right)}{3b} - \frac{\text{Subst}\left(\int \frac{x}{1+x^2} dx, x, \tan(a+bx)\right)}{3b} \\ &= \frac{\log(\cos(a+bx))}{b} - \frac{\log(1 + \tan(a+bx))}{3b} + \frac{2 \log(1 - \tan(a+bx) + \tan^2(a+bx))}{3b} \end{aligned}$$

**Mathematica [A]** time = 0.236641, size = 42, normalized size = 0.78

$$\frac{2 \log(2 - \sin(2(a + bx)))}{3b} - \frac{\log(\sin(a + bx) + \cos(a + bx))}{3b}$$

Antiderivative was successfully verified.

[In] Integrate[(-Csc[a + b\*x]^3 + Sec[a + b\*x]^3)/(Csc[a + b\*x]^3 + Sec[a + b\*x]^3), x]

[Out] -Log[Cos[a + b\*x] + Sin[a + b\*x]]/(3\*b) + (2\*Log[2 - Sin[2\*(a + b\*x)]])/(3\*b)

**Maple [A]** time = 0.26, size = 56, normalized size = 1.

$$-\frac{\ln(1 + \tan(bx + a))}{3b} - \frac{\ln(1 + (\tan(bx + a))^2)}{2b} + \frac{2 \ln(1 - \tan(bx + a) + (\tan(bx + a))^2)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-csc(b\*x+a)^3+sec(b\*x+a)^3)/(csc(b\*x+a)^3+sec(b\*x+a)^3), x)

[Out] -1/3\*ln(1+tan(b\*x+a))/b-1/2/b\*ln(1+tan(b\*x+a)^2)+2/3\*ln(1-tan(b\*x+a)+tan(b\*x+a)^2)/b

**Maxima [B]** time = 1.46416, size = 208, normalized size = 3.85

$$\frac{2 \log\left(-\frac{2 \sin(bx+a)}{\cos(bx+a)+1} + \frac{2 \sin(bx+a)^2}{(\cos(bx+a)+1)^2} + \frac{2 \sin(bx+a)^3}{(\cos(bx+a)+1)^3} + \frac{\sin(bx+a)^4}{(\cos(bx+a)+1)^4} + 1\right) - \log\left(-\frac{2 \sin(bx+a)}{\cos(bx+a)+1} + \frac{\sin(bx+a)^2}{(\cos(bx+a)+1)^2} - 1\right) - 3 \log}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-csc(b\*x+a)^3+sec(b\*x+a)^3)/(csc(b\*x+a)^3+sec(b\*x+a)^3), x, algorithm="maxima")

[Out] 1/3\*(2\*log(-2\*sin(b\*x + a)/(cos(b\*x + a) + 1) + 2\*sin(b\*x + a)^2/(cos(b\*x + a) + 1)^2 + 2\*sin(b\*x + a)^3/(cos(b\*x + a) + 1)^3 + sin(b\*x + a)^4/(cos(b\*x + a) + 1)^4 + 1) - log(-2\*sin(b\*x + a)/(cos(b\*x + a) + 1) + sin(b\*x + a)^2/(cos(b\*x + a) + 1)^2 - 1) - 3\*log(sin(b\*x + a)^2/(cos(b\*x + a) + 1)^2 + 1))/b

**Fricas [A]** time = 2.23174, size = 117, normalized size = 2.17

$$\frac{\log(2 \cos(bx + a) \sin(bx + a) + 1) - 4 \log(-\cos(bx + a) \sin(bx + a) + 1)}{6b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-csc(b\*x+a)^3+sec(b\*x+a)^3)/(csc(b\*x+a)^3+sec(b\*x+a)^3), x, algorithm="fricas")

[Out]  $-1/6*(\log(2*\cos(b*x + a)*\sin(b*x + a) + 1) - 4*\log(-\cos(b*x + a)*\sin(b*x + a) + 1))/b$

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-csc(b*x+a)**3+sec(b*x+a)**3)/(csc(b*x+a)**3+sec(b*x+a)**3), x)`

[Out] Timed out

---

**Giac [A]** time = 1.2281, size = 70, normalized size = 1.3

$$\frac{4 \log(\tan(bx + a)^2 - \tan(bx + a) + 1) - 3 \log(\tan(bx + a)^2 + 1) - 2 \log(|\tan(bx + a) + 1|)}{6b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-csc(b*x+a)^3+sec(b*x+a)^3)/(csc(b*x+a)^3+sec(b*x+a)^3), x, algorithm="giac")`

[Out]  $1/6*(4*\log(\tan(b*x + a)^2 - \tan(b*x + a) + 1) - 3*\log(\tan(b*x + a)^2 + 1) - 2*\log(\text{abs}(\tan(b*x + a) + 1)))/b$

$$3.950 \quad \int \frac{-\csc^4(a+bx) + \sec^4(a+bx)}{\csc^4(a+bx) + \sec^4(a+bx)} dx$$

**Optimal.** Leaf size=72

$$\frac{\log(\tan^2(a+bx) - \sqrt{2}\tan(a+bx) + 1)}{2\sqrt{2}b} - \frac{\log(\tan^2(a+bx) + \sqrt{2}\tan(a+bx) + 1)}{2\sqrt{2}b}$$

[Out] Log[1 - Sqrt[2]\*Tan[a + b\*x] + Tan[a + b\*x]^2]/(2\*Sqrt[2]\*b) - Log[1 + Sqrt[2]\*Tan[a + b\*x] + Tan[a + b\*x]^2]/(2\*Sqrt[2]\*b)

**Rubi [A]** time = 1.39599, antiderivative size = 72, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 2, integrand size = 39,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.051$ , Rules used = {1165, 628}

$$\frac{\log(\tan^2(a+bx) - \sqrt{2}\tan(a+bx) + 1)}{2\sqrt{2}b} - \frac{\log(\tan^2(a+bx) + \sqrt{2}\tan(a+bx) + 1)}{2\sqrt{2}b}$$

Antiderivative was successfully verified.

[In] Int[(-Csc[a + b\*x]^4 + Sec[a + b\*x]^4)/(Csc[a + b\*x]^4 + Sec[a + b\*x]^4), x]

[Out] Log[1 - Sqrt[2]\*Tan[a + b\*x] + Tan[a + b\*x]^2]/(2\*Sqrt[2]\*b) - Log[1 + Sqrt[2]\*Tan[a + b\*x] + Tan[a + b\*x]^2]/(2\*Sqrt[2]\*b)

#### Rule 1165

Int[((d\_) + (e\_.)\*(x\_)^2)/((a\_) + (c\_.)\*(x\_)^4), x\_Symbol] := With[{q = Rt[(-2\*d)/e, 2]}, Dist[e/(2\*c\*q), Int[(q - 2\*x)/Simp[d/e + q\*x - x^2, x], x], x] + Dist[e/(2\*c\*q), Int[(q + 2\*x)/Simp[d/e - q\*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c\*d^2 - a\*e^2, 0] && NegQ[d\*e]

#### Rule 628

Int[((d\_) + (e\_.)\*(x\_))/((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] := Simp[(d\*Log[RemoveContent[a + b\*x + c\*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2\*c\*d - b\*e, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{-\csc^4(a+bx) + \sec^4(a+bx)}{\csc^4(a+bx) + \sec^4(a+bx)} dx &= \frac{\text{Subst}\left(\int \frac{-1+x^2}{1+x^4} dx, x, \tan(a+bx)\right)}{b} \\ &= \frac{\text{Subst}\left(\int \frac{\sqrt{2}+2x}{-1-\sqrt{2}x-x^2} dx, x, \tan(a+bx)\right)}{2\sqrt{2}b} + \frac{\text{Subst}\left(\int \frac{\sqrt{2}-2x}{-1+\sqrt{2}x-x^2} dx, x, \tan(a+bx)\right)}{2\sqrt{2}b} \\ &= \frac{\log(1 - \sqrt{2}\tan(a+bx) + \tan^2(a+bx))}{2\sqrt{2}b} - \frac{\log(1 + \sqrt{2}\tan(a+bx) + \tan^2(a+bx))}{2\sqrt{2}b} \end{aligned}$$

**Mathematica [A]** time = 0.0252557, size = 26, normalized size = 0.36

$$-\frac{\tanh^{-1}\left(\frac{\sin(2a+2bx)}{\sqrt{2}}\right)}{\sqrt{2}b}$$

Antiderivative was successfully verified.

[In] Integrate[(-Csc[a + b\*x]^4 + Sec[a + b\*x]^4)/(Csc[a + b\*x]^4 + Sec[a + b\*x]^4), x]

[Out] -(ArcTanh[Sin[2\*a + 2\*b\*x]/Sqrt[2]]/(Sqrt[2]\*b))

**Maple [A]** time = 0.156, size = 108, normalized size = 1.5

$$-\frac{\sqrt{2}}{8b} \ln\left(\frac{1 + \sqrt{2} \tan(bx + a) + (\tan(bx + a))^2}{1 - \sqrt{2} \tan(bx + a) + (\tan(bx + a))^2}\right) + \frac{\sqrt{2}}{8b} \ln\left(\frac{1 - \sqrt{2} \tan(bx + a) + (\tan(bx + a))^2}{1 + \sqrt{2} \tan(bx + a) + (\tan(bx + a))^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-csc(b\*x+a)^4+sec(b\*x+a)^4)/(csc(b\*x+a)^4+sec(b\*x+a)^4), x)

[Out] -1/8/b\*2^(1/2)\*ln((1+2^(1/2)\*tan(b\*x+a)+tan(b\*x+a)^2)/(1-2^(1/2)\*tan(b\*x+a)+tan(b\*x+a)^2))+1/8/b\*2^(1/2)\*ln((1-2^(1/2)\*tan(b\*x+a)+tan(b\*x+a)^2)/(1+2^(1/2)\*tan(b\*x+a)+tan(b\*x+a)^2))

**Maxima [A]** time = 1.43122, size = 78, normalized size = 1.08

$$\frac{\sqrt{2} \log(\tan(bx + a)^2 + \sqrt{2} \tan(bx + a) + 1) - \sqrt{2} \log(\tan(bx + a)^2 - \sqrt{2} \tan(bx + a) + 1)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-csc(b\*x+a)^4+sec(b\*x+a)^4)/(csc(b\*x+a)^4+sec(b\*x+a)^4), x, algorithm="maxima")

[Out] -1/4\*(sqrt(2)\*log(tan(b\*x + a)^2 + sqrt(2)\*tan(b\*x + a) + 1) - sqrt(2)\*log(tan(b\*x + a)^2 - sqrt(2)\*tan(b\*x + a) + 1))/b

**Fricas [A]** time = 2.24861, size = 193, normalized size = 2.68

$$\frac{\sqrt{2} \log\left(\frac{-2 \cos(bx+a)^4 + 2\sqrt{2} \cos(bx+a) \sin(bx+a) - 2 \cos(bx+a)^2 - 1}{2 \cos(bx+a)^4 - 2 \cos(bx+a)^2 + 1}\right)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-csc(b\*x+a)^4+sec(b\*x+a)^4)/(csc(b\*x+a)^4+sec(b\*x+a)^4), x, algorithm="fricas")

[Out] 1/4\*sqrt(2)\*log(-(2\*cos(b\*x + a)^4 + 2\*sqrt(2)\*cos(b\*x + a)\*sin(b\*x + a) - 2\*cos(b\*x + a)^2 - 1)/(2\*cos(b\*x + a)^4 - 2\*cos(b\*x + a)^2 + 1))/b

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-csc(b\*x+a)\*\*4+sec(b\*x+a)\*\*4)/(csc(b\*x+a)\*\*4+sec(b\*x+a)\*\*4),x)

[Out] Timed out

**Giac [A]** time = 1.22519, size = 65, normalized size = 0.9

$$\frac{\sqrt{2} \log\left(\frac{|-2\sqrt{2}+2\sin(2bx+2a)|}{|2\sqrt{2}+2\sin(2bx+2a)|}\right)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-csc(b\*x+a)^4+sec(b\*x+a)^4)/(csc(b\*x+a)^4+sec(b\*x+a)^4),x, algorithm="giac")

[Out] 1/4\*sqrt(2)\*log(abs(-2\*sqrt(2) + 2\*sin(2\*b\*x + 2\*a))/abs(2\*sqrt(2) + 2\*sin(2\*b\*x + 2\*a)))/b



# Chapter 4

## Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

### 4.0.1 Mathematica and Rubi grading function

```
1 (* Original version thanks to Albert Rich emailed on 03/21/2017 *)
2 (* ::Package:: *)
3
4 (* ::Subsection:: *)
5 (*GradeAntiderivative[result,optimal]*)
6
7
8 (* ::Text:: *)
9 (*If result and optimal are mathematical expressions, *)
10 (*      GradeAntiderivative[result,optimal] returns*)
11 (* "F" if the result fails to integrate an expression that*)
12 (*   is integrable*)
13 (* "C" if result involves higher level functions than necessary*)
14 (* "B" if result is more than twice the size of the optimal*)
15 (*   antiderivative*)
16 (* "A" if result can be considered optimal*)
17
18
19 GradeAntiderivative[result_,optimal_] :=
20   If[ExpnType[result]<=ExpnType[optimal],
21     If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
22       If[LeafCount[result]<=2*LeafCount[optimal],
23         "A",
24         "B"],
25       "C"],
26     If[FreeQ[result,Integrate] && FreeQ[result,Int],
27       "C",
28       "F"]]
29
30
31 (* ::Text:: *)
32 (*The following summarizes the type number assigned an *)
33 (*expression based on the functions it involves*)
34 (*1 = rational function*)
35 (*2 = algebraic function*)
36 (*3 = elementary function*)
37 (*4 = special function*)
```

```

38 (*5 = hyperpergeometric function*)
39 (*6 = appell function*)
40 (*7 = rootsum function*)
41 (*8 = integrate function*)
42 (*9 = unknown function*)
43
44
45 ExpnType[expn_] :=
46   If[AtomQ[expn],
47     1,
48     If[ListQ[expn],
49       Max[Map[ExpnType,expn]],
50       If[Head[expn]===Power,
51         If[IntegerQ[expn[[2]]],
52           ExpnType[expn[[1]]],
53           If[Head[expn[[2]]]===Rational,
54             If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
55               1,
56               Max[ExpnType[expn[[1]],2]],
57             Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]],
58             If[Head[expn]===Plus || Head[expn]===Times,
59               Max[ExpnType[First[expn]],ExpnType[Rest[expn]]],
60             If[ElementaryFunctionQ[Head[expn]],
61               Max[3,ExpnType[expn[[1]]]],
62             If[SpecialFunctionQ[Head[expn]],
63               Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
64             If[HypergeometricFunctionQ[Head[expn]],
65               Apply[Max,Append[Map[ExpnType,Apply[List,expn]],5]],
66             If[AppellFunctionQ[Head[expn]],
67               Apply[Max,Append[Map[ExpnType,Apply[List,expn]],6]],
68             If[Head[expn]===RootSum,
69               Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
70             If[Head[expn]===Integrate || Head[expn]===Int,
71               Apply[Max,Append[Map[ExpnType,Apply[List,expn]],8]],
72             9]]]]]]]]]]]]
73
74
75 ElementaryFunctionQ[func_] :=
76   MemberQ[{
77     Exp,Log,
78     Sin,Cos,Tan,Cot,Sec,Csc,
79     ArcSin,ArcCos,ArcTan,ArcCot,ArcSec,ArcCsc,
80     Sinh,Cosh,Tanh,Coth,Sech,Csch,
81     ArcSinh,ArcCosh,ArcTanh,ArcCoth,ArcSech,ArcCsch
82   },func]
83
84
85 SpecialFunctionQ[func_] :=
86   MemberQ[{
87     Erf, Erfc, Erfi,
88     FresnelS, FresnelC,
89     ExpIntegralE, ExpIntegralEi, LogIntegral,
90     SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
91     Gamma, LogGamma, PolyGamma,
92     Zeta, PolyLog, ProductLog,
93     EllipticF, EllipticE, EllipticPi
94   },func]
95
96
97 HypergeometricFunctionQ[func_] :=
98   MemberQ[{Hypergeometric1F1,Hypergeometric2F1,HypergeometricPFQ},func]
99
100

```

```

101 AppellFunctionQ[func_] :=
102   MemberQ[{AppellF1},func]

```

## 4.0.2 Maple grading function

```

1 # File: GradeAntiderivative.mpl
2 # Original version thanks to Albert Rich emailed on 03/21/2017
3
4 #Nasser 03/22/2017 Use Maple leaf count instead since buildin
5 #Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
6 #Nasser 03/24/2017 corrected the check for complex result
7 #Nasser 10/27/2017 check for leafsize and do not call ExpnType()
8 # if leaf size is "too large". Set at 500,000
9 #Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
10 # see problem 156, file Apostol_Problems
11
12 GradeAntiderivative := proc(result,optimal)
13 local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
14     debug:=false;
15
16     leaf_count_result:=leafcount(result);
17     #do NOT call ExpnType() if leaf size is too large. Recursion problem
18     if leaf_count_result > 500000 then
19         return "B";
20     fi;
21
22     leaf_count_optimal:=leafcount(optimal);
23
24     ExpnType_result:=ExpnType(result);
25     ExpnType_optimal:=ExpnType(optimal);
26
27     if debug then
28         print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
29             ExpnType_optimal);
30     fi;
31
32 # If result and optimal are mathematical expressions,
33 # GradeAntiderivative[result,optimal] returns
34 # "F" if the result fails to integrate an expression that
35 # is integrable
36 # "C" if result involves higher level functions than necessary
37 # "B" if result is more than twice the size of the optimal
38 # antiderivative
39 # "A" if result can be considered optimal
40
41 #This check below actually is not needed, since I only
42 #call this grading only for passed integrals. i.e. I check
43 #for "F" before calling this. But no harm of keeping it here.
44 #just in case.
45
46 if not type(result,freeof('int')) then
47     return "F";
48 end if;
49
50 if ExpnType_result<=ExpnType_optimal then
51     if debug then
52         print("ExpnType_result<=ExpnType_optimal");
53     fi;
54     if is_contains_complex(result) then
55         if is_contains_complex(optimal) then
56             if debug then

```

```

57         print("both result and optimal complex");
58         fi;
59         #both result and optimal complex
60         if leaf_count_result<=2*leaf_count_optimal then
61             return "A";
62         else
63             return "B";
64         end if
65     else #result contains complex but optimal is not
66         if debug then
67             print("result contains complex but optimal is not");
68         fi;
69         return "C";
70     end if
71 else # result do not contain complex
72     # this assumes optimal do not as well
73     if debug then
74         print("result do not contain complex, this assumes optimal do
not as well");
75     fi;
76     if leaf_count_result<=2*leaf_count_optimal then
77         if debug then
78             print("leaf_count_result<=2*leaf_count_optimal");
79         fi;
80         return "A";
81     else
82         if debug then
83             print("leaf_count_result>2*leaf_count_optimal");
84         fi;
85         return "B";
86     end if
87 end if
88 else #ExpnType(result) > ExpnType(optimal)
89     if debug then
90         print("ExpnType(result) > ExpnType(optimal)");
91     fi;
92     return "C";
93 end if
94
95 end proc:
96
97 #
98 # is_contains_complex(result)
99 # takes expressions and returns true if it contains "I" else false
100 #
101 #Nasser 032417
102 is_contains_complex:= proc(expression)
103     return (has(expression,I));
104 end proc:
105
106 # The following summarizes the type number assigned an expression
107 # based on the functions it involves
108 # 1 = rational function
109 # 2 = algebraic function
110 # 3 = elementary function
111 # 4 = special function
112 # 5 = hyperpergeometric function
113 # 6 = appell function
114 # 7 = rootsum function
115 # 8 = integrate function
116 # 9 = unknown function
117
118 ExpnType := proc(expn)

```

```

119   if type(expn,'atomic') then
120     1
121   elif type(expn,'list') then
122     apply(max,map(ExpnType,expn))
123   elif type(expn,'sqrt') then
124     if type(op(1,expn),'rational') then
125       1
126     else
127       max(2,ExpnType(op(1,expn)))
128     end if
129   elif type(expn,'^^') then
130     if type(op(2,expn),'integer') then
131       ExpnType(op(1,expn))
132     elif type(op(2,expn),'rational') then
133       if type(op(1,expn),'rational') then
134         1
135       else
136         max(2,ExpnType(op(1,expn)))
137       end if
138     else
139       max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
140     end if
141   elif type(expn,'+`') or type(expn,'*`') then
142     max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
143   elif ElementaryFunctionQ(op(0,expn)) then
144     max(3,ExpnType(op(1,expn)))
145   elif SpecialFunctionQ(op(0,expn)) then
146     max(4,apply(max,map(ExpnType,[op(expn)])))
147   elif HypergeometricFunctionQ(op(0,expn)) then
148     max(5,apply(max,map(ExpnType,[op(expn)])))
149   elif AppellFunctionQ(op(0,expn)) then
150     max(6,apply(max,map(ExpnType,[op(expn)])))
151   elif op(0,expn)='int' then
152     max(8,apply(max,map(ExpnType,[op(expn)]))) else
153     9
154   end if
155 end proc:
156
157
158 ElementaryFunctionQ := proc(func)
159   member(func,[
160     exp,log,ln,
161     sin,cos,tan,cot,sec,csc,
162     arcsin,arccos,arctan,arccot,arcsec,arccsc,
163     sinh,cosh,tanh,coth,sech,csch,
164     arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
165 end proc:
166
167 SpecialFunctionQ := proc(func)
168   member(func,[
169     erf,erfc,erfi,
170     FresnelS,FresnelC,
171     Ei,Ei,Li,Si,Ci,Shi,Chi,
172     GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
173     EllipticF,EllipticE,EllipticPi])
174 end proc:
175
176 HypergeometricFunctionQ := proc(func)
177   member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
178 end proc:
179
180 AppellFunctionQ := proc(func)
181   member(func,[AppellF1])

```

```

182 end proc:
183
184 # u is a sum or product. rest(u) returns all but the
185 # first term or factor of u.
186 rest := proc(u) local v;
187     if nops(u)=2 then
188         op(2,u)
189     else
190         apply(op(0,u),op(2..nops(u),u))
191     end if
192 end proc:
193
194 #leafcount(u) returns the number of nodes in u.
195 #Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
196 leafcount := proc(u)
197     MmaTranslator[Mma][LeafCount](u);
198 end proc:

```

### 4.0.3 Sympy grading function

```

1 #Dec 24, 2019. Nasser M. Abbasi:
2 #     Port of original Maple grading function by
3 #     Albert Rich to use with Sympy/Python
4 #Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
5 #     added 'exp_polar'
6 from sympy import *
7
8 def leaf_count(expr):
9     #sympy do not have leaf count function. This is approximation
10    return round(1.7*count_ops(expr))
11
12 def is_sqrt(expr):
13     if isinstance(expr,Pow):
14         if expr.args[1] == Rational(1,2):
15             return True
16         else:
17             return False
18     else:
19         return False
20
21 def is_elementary_function(func):
22     return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
23                    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
24                    asinh,acosh,atanh,acoth,asech,acsch
25                    ]
26
27 def is_special_function(func):
28     return func in [ erf,erfc,erfi,
29                    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
30                    gamma,loggamma,digamma,zeta,polylog,LambertW,
31                    elliptic_f,elliptic_e,elliptic_pi,exp_polar
32                    ]
33
34 def is_hypergeometric_function(func):
35     return func in [hyper]
36
37 def is_appell_function(func):
38     return func in [appellf1]
39
40 def is_atom(expn):
41     try:
42         if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
43             return True

```



```

44     else:
45         return False
46
47     except AttributeError as error:
48         return False
49
50 def expnType(expn):
51     debug=False
52     if debug:
53         print("expn=",expn,"type(expn)=",type(expn))
54
55     if is_atom(expn):
56         return 1
57     elif isinstance(expn,list):
58         return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
59     elif is_sqrt(expn):
60         if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
61             return 1
62         else:
63             return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
64     elif isinstance(expn,Pow): #type(expn,``^`)
65         if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
66             return expnType(expn.args[0]) #ExpnType(op(1,expn))
67         elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
68             if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
69                 return 1
70             else:
71                 return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn
72 )))
73     else:
74         return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,
75 ExpnType(op(1,expn)),ExpnType(op(2,expn)))
76     elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,``+`) or
77 type(expn,``*`)
78     m1 = expnType(expn.args[0])
79     m2 = expnType(list(expn.args[1:]))
80     return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
81     elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
82     return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
83     elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
84     m1 = max(map(expnType, list(expn.args)))
85     return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
86     elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
87 expn))
88     m1 = max(map(expnType, list(expn.args)))
89     return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
90     elif is_appell_function(expn.func):
91     m1 = max(map(expnType, list(expn.args)))
92     return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
93     elif isinstance(expn,RootSum):
94     m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType
95 ,Apply[List,expn]],7]],
96     return max(7,m1)
97     elif str(expn).find("Integral") != -1:
98     m1 = max(map(expnType, list(expn.args)))
99     return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
100     else:
101     return 9
102
103 #main function
104 def grade_antiderivative(result,optimal):
105
106     leaf_count_result = leaf_count(result)

```

```

102 leaf_count_optimal = leaf_count(optimal)
103
104 expnType_result = expnType(result)
105 expnType_optimal = expnType(optimal)
106
107 if str(result).find("Integral") != -1:
108     return "F"
109
110 if expnType_result <= expnType_optimal:
111     if result.has(I):
112         if optimal.has(I): #both result and optimal complex
113             if leaf_count_result <= 2*leaf_count_optimal:
114                 return "A"
115             else:
116                 return "B"
117         else: #result contains complex but optimal is not
118             return "C"
119     else: # result do not contain complex, this assumes optimal do not as
well
120         if leaf_count_result <= 2*leaf_count_optimal:
121             return "A"
122         else:
123             return "B"
124 else:
125     return "C"

```

#### 4.0.4 SageMath grading function

```

1 #Dec 24, 2019. Nasser: Ported original Maple grading function by
2 #     Albert Rich to use with Sagemath. This is used to
3 #     grade Fracas, Giac and Maxima results.
4 #Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
5 #     'arctan2','floor','abs','log_integral'
6
7 from sage.all import *
8 from sage.symbolic.operators import add_vararg, mul_vararg
9
10 def tree(expr):
11     debug=False;
12     if debug:
13         print ("Enter tree(expr), expr=",expr)
14         print ("expr.operator()=",expr.operator())
15         print ("expr.operands()=",expr.operands())
16         print ("map(tree, expr.operands()=",map(tree, expr.operands()))
17
18     if expr.operator() is None:
19         return expr
20     else:
21         return [expr.operator()+list(map(tree, expr.operands()))
22
23 def leaf_count(anti):
24     debug=False;
25
26     if debug: print ("Enter leaf_count, anti=", anti, " len(anti)=", len(anti))
27
28     if len(anti) == 0: #special check for optimal being 0 for some test cases.
29         if debug: print ("len(anti) == 0")
30         return 1
31     else:
32         if debug: print ("round(1.35*len(flatten(tree(anti))))=",round(1.35*len
(flatten(tree(anti))))
33         return round(1.35*len(flatten(tree(anti)))) #fudge factor
34             #since this estimate of leaf count is bit lower than

```

```

35         #what it should be compared to Mathematica's
36
37 def is_sqrt(expr):
38     debug=False;
39     if expr.operator() == operator.pow: #isinstance(expr,Pow):
40         if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
41             if debug: print ("expr is sqrt")
42             return True
43         else:
44             return False
45     else:
46         return False
47
48 def is_elementary_function(func):
49     debug = False
50
51     m = func.name() in ['exp','log','ln',
52         'sin','cos','tan','cot','sec','csc',
53         'arcsin','arccos','arctan','arccot','arcsec','arccsc',
54         'sinh','cosh','tanh','coth','sech','csch',
55         'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
56         'arctan2','floor','abs'
57     ]
58     if debug:
59         if m:
60             print ("func ", func , " is elementary_function")
61         else:
62             print ("func ", func , " is NOT elementary_function")
63
64
65     return m
66
67 def is_special_function(func):
68     debug = False
69
70     if debug: print ("type(func)=", type(func))
71
72     m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
73         'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
74     sinh_integral'
75         'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
76         'polylog','lambert_w','elliptic_f','elliptic_e',
77         'elliptic_pi','exp_integral_e','log_integral']
78
79     if debug:
80         print ("m=",m)
81         if m:
82             print ("func ", func , " is special_function")
83         else:
84             print ("func ", func , " is NOT special_function")
85
86     return m
87
88
89 def is_hypergeometric_function(func):
90     return func.name() in ['hypergeometric','hypergeometric_M','
91     hypergeometric_U']
92
93 def is_appell_function(func):
94     return func.name() in ['hypergeometric'] #[appellf1] can't find this in
95     sagemath

```

```

95 def is_atom(expn):
96
97     #thanks to answer at https://ask.sagemath.org/question/49179/what-is-
sagemath-equivalent-to-atomic-type-in-maple/
98     try:
99         if expn.parent() is SR:
100             return expn.operator() is None
101         if expn.parent() in (ZZ, QQ, AA, QQbar):
102             return expn in expn.parent() # Should always return True
103         if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens")
:
104             return expn in expn.parent().base_ring() or expn in expn.parent().
gens()
105         return False
106
107     except AttributeError as error:
108         return False
109
110
111 def expnType(expn):
112     debug=False
113
114     if debug:
115         print(">>>>Enter expnType, expn=", expn)
116         print(">>>>is_atom(expn)=", is_atom(expn))
117
118     if is_atom(expn):
119         return 1
120     elif type(expn)==list: #isinstance(expn,list):
121         return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
122     elif is_sqrt(expn):
123         if type(expn.operands()[0])==Rational: #type(isinstance(expn.args[0],
Rational):
124             return 1
125         else:
126             return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
127     elif expn.operator() == operator.pow: #isinstance(expn,Pow)
128         if type(expn.operands()[1])==Integer: #isinstance(expn.args[1],Integer
)
129             return expnType(expn.operands()[0]) #expnType(expn.args[0])
130         elif type(expn.operands()[1])==Rational: #isinstance(expn.args[1],
Rational)
131             if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],
Rational)
132                 return 1
133             else:
134                 return max(2,expnType(expn.operands()[0])) #max(2,expnType(
expn.args[0]))
135         else:
136             return max(3,expnType(expn.operands()[0]),expnType(expn.operands()
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
137     elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
isinstance(expn,Add) or isinstance(expn,Mul)
138         m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
139         m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
140         return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn)))
141     elif is_elementary_function(expn.operator()): #is_elementary_function(expn
.func)
142         return max(3,expnType(expn.operands()[0]))
143     elif is_special_function(expn.operator()): #is_special_function(expn.func)
144         m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))

```

```

145     return max(4,m1)    #max(4,m1)
146     elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
147         m1 = max(map(expnType, expn.operands()))    #max(map(expnType, list(
expn.args)))
148         return max(5,m1)    #max(5,m1)
149     elif is_appell_function(expn.operator()):
150         m1 = max(map(expnType, expn.operands()))    #max(map(expnType, list(
expn.args)))
151         return max(6,m1)    #max(6,m1)
152     elif str(expn).find("Integral") != -1: #this will never happen, since it
153         #is checked before calling the grading function that is passed.
154         #but kept it here.
155         m1 = max(map(expnType, expn.operands()))    #max(map(expnType, list(
expn.args)))
156         return max(8,m1)    #max(5,apply(max,map(ExpnType,[op(expn)])))
157     else:
158         return 9
159
160 #main function
161 def grade_antiderivative(result,optimal):
162     debug = False;
163
164     if debug: print ("Enter grade_antiderivative for sagemath")
165
166     leaf_count_result = leaf_count(result)
167     leaf_count_optimal = leaf_count(optimal)
168
169     if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)
170
171
172     expnType_result = expnType(result)
173     expnType_optimal = expnType(optimal)
174
175     if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
expnType_optimal)
176
177     if expnType_result <= expnType_optimal:
178         if result.has(I):
179             if optimal.has(I): #both result and optimal complex
180                 if leaf_count_result <= 2*leaf_count_optimal:
181                     return "A"
182                 else:
183                     return "B"
184             else: #result contains complex but optimal is not
185                 return "C"
186         else: # result do not contain complex, this assumes optimal do not as
well
187             if leaf_count_result <= 2*leaf_count_optimal:
188                 return "A"
189             else:
190                 return "B"
191     else:
192         return "C"

```